AMR SUBJECT INDEX FOR VOLUME 50 (1997)

References to AMR (at the end of each entry) are coded in the form nLm, where n is an integer which gives the AMR issue number (1 for Jan, 2 for Feb, etc), L is a letter (R, N, A, or T), and m is the sequence number of the item within the issue. If L = R or N, the item is in the BOOK REVIEWS section with R indicating a signed Review and N a staff-prepared Note. If L = A or T, the item is in the REVIEW OF THE JOURNAL LITERATURE section with A indicating that an abstract is given and T that only the title of the article is given. Items are listed under each subject heading in the order in which they were originally published in AMR.

I. FOUNDATIONS & BASIC METHODS

100. CONTINUUM MECHANICS

100A. General theory

Continuum mechanics of elastic and inelastic simple materials, Tech Mech 16(1) 1-12 (1996), 1A1

Design of simple low order FEs for large strain analysis of nearly incompressible solids, Int J Solids Struct 33(20-22) 3277-3296 (Aug 1996), 1A2

Dissipative systems, conservation laws, and symmetries, Int J Solids Struct 33(20-22) 2959-2968 (Aug 1996), 1A3

Ericksen's bar revisited: Energy wiggles, J Mech Phys Solids 44(8) 1371-1408 (Aug 1996), 1A4

Steady-state response of a Cosserat medium with a spherical inclusion, Acta Mech 116(1-4) 97-110 (1996), 1A5

Laislavus Natanson, The Pioneer of extended thermodynamics (Polish), Trans Inst Fluid-Flow Machinery 0(100) 177-193 (1996), 2A1

Mathematical aspects of dual variables in continuum mechanics - Part I: Mathematical principles, Z Angew Math Mech 76(8) 447-462 (1996), 2A2

Microscopic perspective on the physical foundations of continuum mechanics - Part I: Macroscopic states, reproducibility, and macroscopic statistics, at prescribed scales of length and time, Int J Eng Sci 34(10) 1111-1129 (Aug 1996), 2A3

Stroh orthogonality relations: An alternative proof applicable to Lekhnitskii and Eshelby theories of an anisotropic body, J Elast 43(2) 137-145 (May 1996), 3A1

Mathematical aspects of dual variables in continuum mechanics - Part 2: Applications in nonlinear solid mechanics, Z Angew Math Mech 76(9) 497-504 (1996), 4A1

Power scaling laws and dimensional transitions in solid mechanics, Chaos Solitons Fractals 7(9) 1343-1364 (Sep 1996), 4A2

Computational micromechanics, Comput Mech 18(5) 321-338 (Sep 1996), 5A1

Homogeneity conditions for generalized Cosserat media, J Elast 43(3) 189-201 (Jun 1996), 5A2

Efficient linear multistep method for nonlinear Volterra integral equations, J Thermophys Heat Transfer 10(4) 689-696 (Oct-Dec 1996), 5A1232

Energy Methods in Continuum Mechanics (Kluwer, Netherlands, 1996) 6N3

Integral approach to the local measure of the mean rotation in continuum mechanics, Acta Mech 119(1-4) 141-145 (1996), 6A1

Boundary effects in elasto-plastic Cosserat continua, Int J Solids Struct 34(7) 877-893 (3 1997), 7A1

New expressions for the solution of the matrix equation $A^TX + XA = H$, J Elast 45(1) 61-72 (Oct 1996), 7A76

Buoyancy-induced deformations in a compressible elastic solid, Int J Non-Linear Mech 31(6) 811-822 (Nov 1996), 7A397

Advances in Doublet Mechanics (Springer-Verlag GmbH, Germany, 1997) 8N4

Mixed variational formulations of linear elasticity using nonsymmetric stresses and displacements, Int J Solids Struct 34(10) 1283-1292 (Apr 1997), 8A471

Accuracy and stability for integration of Jaumann stress rate equations in spinning bodies, Eng Comput 14(1) 14-30 (1997), 9A1

Formulation of continuum mechanics as a dimensional reduction of a finite-dimensional dynamical system, Arch Mech 49(1) 49-66 (1997), 9A2

New class of particle methods, Numer Math 76(1) 87-109 (Mar 1997), 10A1

Perturbed Lagrangian formulation for nearly incompressible and incompressible hyperelasticity, Comput Methods Appl Mech Eng 142(2-3) 335-351 (Mar 1997), 10A571

Continuum Micromechanics (Springer-Verlag, Wien, 1997) 11N25

Generalized standard media and variational principles in classical and finite strain elastoplasticity, J Mech Phys Solids 45(5) 667-688 (May 1997), 11A1

Phase transitions in elastoplastic materials: Continuum thermomechanical theory and examples of control - Part I, J Mech Phys Solids 45(6) 923-947 (Jun 1997), 11A2

New theory for free-surface formation in solid continua, Int J Solids Struct 34(18) 2303-2320 (Jun 1997), 11A671

Application of tensor algebra on manifolds to nonlinear continuum mechanics: Invited survey article, Z Angew Math Mech 77(5) 327-339 (1997), 12A1

Comprehensive energy formulation for general nonlinear material continua, J Appl Mech 64(2) 353-360 (Jun 1997), 12A2

Method based on microcarrier nucleation and growth for describing the mechanical beahvior of heterogeneous continua, Composite Mech Des 2(1) 56-70 (1996), 12A3

Phase transitions in elastoplastic materials: Continuum thermomechanical theory and examples of control - Part II, J Mech Phys Solids 45(7) 1203-1222 (Jul 1997), 12A4

Scientific methods, Composite Mech Des 2(1) 4-13 (1996), 12T5

Unifying treatise of variational principles for two types of micropolar continua, Acta Mech 121(1-4) 215-232 (1997), 12A6

100B. Constitutive theory

Continuum model of elastic-plastic materials with anisotropic damage by oriented microvoids, Eur J Mech A 15(3) 367-396 (1996), 1A6

Finite strain generalization of small-strain constitutive relations for any finite strain tensor and additive volumetric-deviatoric split, Int J Solids Struct 33(20-22) 2887-2897 (Aug 1996), 1A7

Hygro-thermo-mechanical constitutive model for multiphase composite materials, Int J Solids Struct 33(20-22) 3179-3186 (Aug 1996), 1A8

New viscoelastic constitutive model for continuous media at finite thermomechanical changes, Int J Solids Struct 33(20-22) 3019-3034 (Aug 1996), 1A9

Gradient theory of internal variables, Acta Mech 116(1-4) 1-14 (1996), 1A436

Theory of thermohyperelasticity for near-incompressible elastomers, Acta Mech 116(1-4) 15-28 (1996), 1A1280

Localized deformation modes and non-Schmid effects in crystalline solids - Part I: Critical conditions of localization, Mech Mat 23(2) 71-102 (Jun 1996), 2A4

Localized deformation modes and non-Schmid effects in crystalline solids - Part II: Deformation patterns, Mech Mat 23(2) 103-132 (Jun 1996), 2A5

Time-dependent tension softening, Mech Cohesive-Frictional Mat 1(3) 295-304 (Jul 1996), 2A6

Self-consistent method to the analyses of elastic and elasto-plastic materials with inclusions, Z Angew Math Mech 76(8) 427-437 (1996), 2A453

Calculation of penetration resistance of brittle materials using spherical cavity expansion analysis, Mech Mat 23(4) 323-330 (Aug 1996), 3A2

Modeling the creep in a welded plate using a three-director Cosserat model, Acta Mech 117(1-4) 11-21 (1996), 3A929

Two-dimensional tensor function representations involving third-order tensors, Arch Mech 48(4) 659-673 (1996), 4A3

Constitutive model in thermoviscoelasticity, Mech Res Commun 23(5) 543-548 (Sep-Oct 1996), 4T494

Boundary element methods in dynamic analysis - Part II (1986-1996), Appl Mech Rev 50(3) 149-197 (Mar 1997), 5A3

Simple unified theory for the cyclic deformation of metals at high temperature, Acta Mech 118(1-4) 135-149 (1996), 5A4

Analytical formulation of the complete stress-strain curve for high strength concrete, Mat Struct 29(193) 529-533 (Nov 1996), 5A434

Restrictions on nonlinear constitutive equations for elastic rods, J Elast 44(1) 9-36 (Jul 1996), 5A466

Electro-elastic interactions and second order anisotropic constitutive equations, Meccanica 31(6) 657-664 (12 1996), 7A2

No-tension elastic materials, Eur J Mech A 16(1) 103-116 (1997), 7A408

Calibration of a constitutive model using genetic algorithms, Comput Geotech 19(4) 325-348 (1996), 7A567

Consideration of processes on the microscale of metallic materials for the development of constitutive models, Acta Mech 120(1-4) 1-30 (1997), 8A1

Continuum damage modeling: Approximation of crack induced anisotropy, Mech Res Commun 24(2) 109-114 (Mar-Apr 1997), 8T2

Continuum model for periodic 2D block structures, Mech Cohesive-Frictional Mat 2(1) 31-46 (Jan 1997), 8A3

Implicit integration of elastoplastic constitutive models for frictional materials with highly nonlinear hardening functions, Mech Cohesive-Frictional Mat 2(1) 1-29 (Jan 1997), 8A4

Integral formulation of hydrodynamics, Physica D 101(3-4) 299-316 (Mar 1997), 8A5

Kink band analysis accounting for the microstructure of fiber reinforced materials, Mech Mat 24(4) 305-315 (Dec 1996), 8A545

Concept of the limit yield condition in shakedown theory, Int J Solids Struct 34(13) 1547-1556 (May 1997), 9A3

Constituent structure of a classical mixture, Meccanica 32(1) 13-32 (Feb 1997), 9A4

Constitutive creep model for single crystal ice, Mech Mat 25(2) 97-112 (Mar 1997), 9A5

Non-polynomial representations of orthotropic tensor functions in the 3D case: An alternative approach, Arch Mech 49(1) 233-239 (1997), 9A6

Variational methods, bounds, and size effects for composites with highly conducting interface, J Mech Phys Solids 45(3) 361-384 (Mar 1997), 9A475

Mesoscopic model of the constitutive behavior of monocrystalline ferroelectrics, Smart Mat Struct 6(2) 145-151 (Apr 1997), 10A2

Theory of constitutive equations based on wavedynamics, Proc Estonian Acad Sci Eng 2(2) 176-183 (1996), 10T3

Uniqueness theorems in the theory of nonsimple fluids, Z Angew Math Mech 77(2) 146-150 (1997), 10T4

Elastic isotropic, plastic orthotropic constitutive model based on deviator transformations, Int J Solids Struct 34(18) 2339-2356 (Jun 1997), 11A3

Thermodynamic formulation of constitutive equations and application to the viscoplasticity and viscoelasticity of metals and polymers, Int J Solids Struct 34(18) 2239-2254 (Jun 1997), 11A4

Universal relation characterizing transversely hemitropic hyperelastic materials, Math Mech Solids 2(2) 181-188 (Jun 1997), 11A5

Scaling of structural failure, Appl Mech Rev 50(10) 593-627 (Oct 1997), 11A672

Development of the theory of constitutive equations of physically nonlinear viscoelastic bodies under cyclic deformations (Russian), Prikl Mekh (Appl Mech) 32(10) 46-51 (1996), 12A7

Three-dimensional, finite deformation, viscoplastic constitutive models for polymeric materials, Mech Mat 25(4) 235-253 (May-Jun 1997), 12A8

Isotropic invariants of the elasticity tensor, J Elast 46(2) 115-149 (Feb 1997), 12A470

Constitutive model for nonlinear viscoelastic media, Int J Solids Struct 34(21) 2685-2707 (Jul 1997), 12A507

100C. Thermodynamic considerations

Thermodynamic law of corresponding shock states in flexible polymeric foams, J Eng Mat Tech 118(4) 493-502 (Oct 1996), 4A4

Thermodynamical constitutive model for shape memory materials - Part I: The monolithic shape memory alloy, Int J Plasticity 12(6) 805-842 (1996), 5A5

Thermomechanics of continua, Meccanica 31(5) 461-610 (Oct 1996), 5T6

Analysis of the influence of the substructure of a crystal on shear band localization phenomena of plastic deformation, Mech Mat 24(2) 141-158 (Oct 1996), 5A424

Thermodynamical constitutive model for shape memory materials - Part II: The SMA composite material, Int J Plasticity 12(7) 843-873 (1996), 6A534

Thermodynamic modeling of the thermomechanical effects of polymer crystallization: A general theoretical structure, Int J Eng Sci 35(3) 277-298 (Feb 1997), 7A3

Mechanical work at a boundary and its associated exergy transfer, Proc Inst Mech Eng C 210(C6) 541-547 (1996), 8A6

Microphysical causes of macroscopic irreversibility, Bull Polish Acad Sci Tech Sci 44(4) 381-384 (1996), 9A7

Thermodynamic potentials and extremum principles for a Boltzmann gas, Arch Mech 48(5) 791-812 (1996), 9A8

Theory of mixtures with different constituent temperatures, J Thermal Stresses 20(2) 147-167 (Mar 1997), 9A729

Thermodynamic damping in porous materials with ellipsoidal cavities, J Sound Vib 201(5) 555-565 (Apr 1997), 10A166

Alternative Mathematical Theory of Non-Equilibrium Phenomena (Academic, UK, 1997) 12R32

100D. Modeling of physical phenomena

Accurate prediction of specific damping capacity of TiNi SMA composite through a 3D constitutive model, J Intelligent Mat Syst Struct 7(2) 145-149 (Mar 1996), 1A10

Discontinuous bifurcation states for associated smooth plasticity and damage with isotropic elasticity, Int J Solids Struct 33(20-22) 3239-3256 (Aug 1996), 1A11

Effect of strain rate on detwinning and superelastic behavior of NiTi shape memory alloys, J Intelligent Mat Syst Struct 7(2) 138-149 (Mar 1996), 1A12

Effect of structure upon tribocngineering properties of phenylon, J Friction Wear 16(3) 94-96 (1995), 1A13

Elastic properties of materials with spheroidal porous (Russian), Prikl Mekh (Appl Mech) 32(1) 53-60 (1996), 1T14

Numerical simulation of a 2D oxide layer growth in an anisotropic medium, J Mech Behavior Mat 7(1) 67-84 (1996), 1A15

Plasticity model for simulation of industrial powder compaction processes, Int J Solids Struct 33(20-22) 3161-3178 (Aug 1996), 1A16

Recent developments in modeling of liquid phase electrocpitaxy: A continuum approach, Appl Mech Rev 49(12 PART 1) 477-495 (Dec 1996), 1A17

Energy-momentum tensors in nonsimple elastic dielectrics, J Elast 42(3) 275-281 (Mar 1996), 1A433

Applications of fractional calculus to dynamic problems of linear and nonlinear hereditary mechanics of solids, Appl Mech Rev 50(1) 15-68 (Jan 1997), 2A7

Cosserat and Cauchy materials as continuum models of brick masonry, Meccanica 31(4) 421-432 (Aug 1996), 2A8

Derivation of the free energy of the Ising model from that of the eight-vertex model, Reports Math Phys 37(1) 147-155 (Feb 1996), 2T9

Gravitation, the quantum, and cosmological constant, Acta Phys Polonica B 27(8) 1849-1858 (Aug 1996), 2A10

Lattice dynamics of noble metals on effective three-body interaction, Acta Phys Polonica A 89(5-6) 615-623 (May-Jun 1996), 2T11

Metric-based principal components: Data uncertainties, Tellus 48A(4) 584-592 (Aug 1996), 2A12

Bounding elastic constants of an orthotropic polycrystal using measurements of the microstructure, J Mech Phys Solids 44(9) 1543-1563 (Sep 1996), 3A3

Spring constants of distinct element in continuum analysis (Japanese), Proc JSCE 543(I-36) 83-90 (Jul 1996), 3A5

Boundary value problems for Poisson's equation in a multi-wedge-multi-layered region - Part II: General type of interfacial conditions, Arch Mech 48(4) 711-745 (1996), 4A5

Effective mechanical properties of random porous media, J Mech Phys Solids 44(10) 1587-1620 (Oct 1996), 4A6

Elastic behavior and lattice vibrations in bcc V and Nb, Acta Phys Polonica A 90(3) 547-556 (Sep 1996), 4T7

© 1997 American Society of Mechanical Engineers

Extension of Newton's second law to theories of gravitation in curved space-time, Arch Mech 48(3) 551-576 (1996), 4T8

Non-uniform extensional motions of materially non-uniform simple solids, Arch Mech 49(4) 747-751 (1996), 4A9

Order parameter spaces of complex crystalline structures, J Tech Phys 37(2) 205-210 (1996), 4A10

Thermo-mechanical coupling applied to plastics, Int J Solids Struct 33(29) 4431-4448 (Dec 1996), 4A11

Experiments on effective elastic modulus of 2D solids with cracks and holes, Int J Solids Struct 33(28) 4119-4130 (Nov 1996), 4A784

Analysis of the shape of the water droplet on an inclined glass plate and visualization with the revolved surface with B-spline cross-section, Machine Graphics & Vision 5(1-2) 335-346 (1996), 4A992

Self-avoiding walk problem and generalized Jordan-Wigner transformations, J Tech Phys 37(1) 67-83 (1996), 4T1021

Validity of the effective stress concept for assessing the strength of saturated porous materials: A homogenization approach, J Mech Phys Solids 44(10) 1649-1667 (Oct 1996), 4A1345

Constitutive laws for biomechanical modeling of refractive surgery, J Biomech Eng 118(4) 473-481 (Nov 1996), 5A7

Influence of scale size on the stability of periodic solids and the role of associated higher order gradient continuum models, J Mech Phys Solids 44(11) 1891-1928 (Nov 1996), 5A8

Modified form of Hill's orientation-dependent yield criterion for orthotropic sheet metals, J Mech Phys Solids 44(11) 1739-1764 (Nov 1996), 5A9

Void formation and growth in a class of compressible solids, J Eng Math 30(6) 693-706 (Nov 1996), 5A10

Model for defective fibrous composites, J Mech Phys Solids 44(11) 1929-1951 (Nov 1996), 5A433

Slippage induced by surface diffusion, J Eng Math 30(6) 647-659 (Nov 1996), 5A912

Chemical potential for stress-driven surface diffusion, J Mech Phys Solids 44(12) 2059-2077 (Dec 1996), 6A2

Composite structure analysis of a hollow cantilever beam filled with electro-rheological fluid, J Intelligent Mat Syst Struct 7(5) 494-502 (Sep 1996), 6A3

Correlation between electrical and rheological properties of electro-rheological fluids, J Intelligent Mat Syst Struct 7(5) 579-582 (Sep 1996), 6A4

Effective viscosity of an electrorheological fluid, J Intelligent Mat Syst Struct 7(5) 555-559 (Sep 1996), 6A5

General characteristics of the stress-strain relation of polycrystalline metals, J Mech Phys Solids 44(12) 2103-2111 (Dec 1996), 6A6

Modeling of macroscopic response of phase transforming materials under quasi-static loading, J Elast 44(2) 145-160 (Aug 1996), 6A7

Nonlinear model for dynamic response of electro-rheological fluid in flow mode, J Intelligent Mat Syst Struct 7(5) 489-493 (Sep 1996), 6A8

Nucleation theory of structure evolution in magneto-rheological fluid, J Intelligent Mat Syst Struct 7(5) 594-598 (Sep 1996), 6T9

Relationship of minimal conditions to low density material microstructures, J Mech Phys Solids 44(12) 2113-2123 (Dec 1996), 6A10

Structure and interaction force in a model magneto-rheological system, J Intelligent Mat Syst Struct 7(5) 517-521 (Sep 1996), 6A11

Annotated bond graphs: A communication tool, J Dyn Syst Meas Control 118(4) 797-800 (Dec 1996), 6T365

Rheology of a magneto-rheological fluid, J Intelligent Mat Syst Struct 7(5) 589-593 (Sep 1996), 6A984

Curvilinear coordinates and physical components: An application to the problem of viscous flow and heat transfer in smoothly curved ducts, J Appl Mech 63(4) 985-989 (Dec 1996), 7A4

Interaction models for mixtures with application to phase transitions, Int J Eng Sci 35(1) 55-74 (Jan 1997), 7A5

Micromechanics of coalescence - Part I: Synergistic effects of elasticity, plastic yielding and multi-size-scale voids, J Mech Phys Solids 45(1) 21-50 (1 1997), 7A6

Sufficiency conditions for optimal design based on extremum principles of mechanics, J Mech Phys Solids 45(1) 135-150 (1 1997), 7A7

Thermal expansion of polycrystals with grain boundary sliding, Int J Solids Struct 34(7) 789-798 (3 1997), 7A8

Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, Smart Mat Struct 5(6) 788-795 (Dec 1996), 7A9

Problem of shear-locking in FEs based on shear deformable plate theory, Int J Solids Struct 34(7) 859-875 (3 1997), 7A10

Note on strain jump conditions and Cesaro integrals for bonded and slipping inclusions, J Elast 45(1) 45-51 (Oct 1996), 7A402

Minimal representations for constitutive equations of anisotropic elastic materials, J Elast 45(1) 13-32 (Oct 1996), 7A422

Exact moduli of layered piezoelectric media, Int J Solids Struct 34(7) 847-858 (3 1997), 7A564

Yield surface and flow rule for orientationally hardening polymers subjected to arbitrary deformations, J Mech Phys Solids 45(1) 1-20 (1 1997), 7A990

Concrete at High Temperatures: Material Properties and Mathematical Models (Longman Sci Tech, Harlow, Essex, UK, 1996) 8R1

Application of a coupled solid-fluids mixture theory: Process of squeezing a sponge, J Elast 45(2) 139-152 (Nov 1996), 8A7

Clarifications and further implications of the concept of motion in mixture theories, J Elast 45(2) 135-137 (Nov 1996), 8T8

Cosserat continuum model for layered materials, Comput Geotech 20(1) 15-45 (1997), 8A9

Coupled solid-fluids mixture theory that suffices for diffusion problems, J Elast 45(2) 117-134 (Nov 1996), 8A10

Localization properties of multiplicative hyper-elasto-plastic continua with strong discontinuities, Int J Solids Struct 34(8) 969-990 (Mar 1997), 8A11

Twin and habit plane microstructures due to the tetragonal to monoclinic transformation of zirconia, J Mech Phys Solids 45(2) 261-292 (Feb 1997), 8A12

Separation of stress-induced and texture-induced birefringence in acoustoelasticity, J Elast 45(2) 91-116 (Nov 1996), 8A472

Response of shape memory alloy composites, Smart Mat Struct 6(1) 1-9 (Feb 1997), 8A532

Creep damage modeling based on ultrasonic velocities in copper, Int J Solids Struct 34(10) 1169-1182 (Apr 1997), 8A780

Moving Loads on Ice Plates (Kluwer, Netherlands, 1996) 9R30

Approach to gauge potentials in the non-Abelian ISO (3)-gauge model of defects in solids, Arch Mech 48(6) 1089-1100 (1996), 9T9

Dynamics of overlapping vortices in complex scalar fields, Acta Phys Polonica B B27(9) 1943-1960 (Sep 1996), 9A10

New estimates of the third-order elastic constants for isotropic aggregates of cubic crystals, J Mech Phys Solids 45(4) 471-490 (Apr 1997), 9A11

Planck scale physics and Newton's ultimate object conjecture, Acta Phys Polonica B B27(10) 2717-2725 (Oct 1996), 9A12

Range of tidal flow modeling, J Hydraul Eng 123(4) 257-277 (Apr 1997), 9T13

Second sound speed in a crystal of NaF at low temperature, Arch Mech 49(1) 189-196 (1997), 9A14

Void growth in glassy polymers, J Mech Phys Solids 45(3) 405-437 (Mar 1997), 9A15

Analysis of the elastic properties of open-cell foams with tetrakaidecahedral cells, J Mech Phys Solids 45(3) 319-343 (Mar 1997), 9A427

Edge contact forces and quasi-balanced power, Meccanica 32(1) 33-52 (Feb 1997), 9A440

Exact moduli and bounds of two-phase composites with coupled multifield linear responses, J Mech Phys Solids 45(3) 385-398 (Mar 1997), 9A470

More exact results concerning multifield moduli of two-phase composites, J Mech Phys Solids 45(3) 399-404 (Mar 1997), 9A472

Effective properties of smart elastic laminates and the screening phenomenon, Int J Solids Struct 34(13) 1633-1643 (May 1997), 9A504

Microstresses and effective elastic moduli of a solid reinforced by periodically distributed spheroidal particles, Int J Solids Struct 34(11) 1353-1366 (Apr 1997), 9A512

Strain gradient approach for deformation localization and forming limit diagrams, J Mech Behavior Mat 7(4) 265-277 (1996), 9A662

Shear instability in chip formation in orthogonal machining, J Mech Behavior Mat 7(4) 279-292 (1996), 9A670

Reynolds number effects in tall building wind tunnel tests, J Hydrodyn B(4) 56-62 (1996), 9T1191

Model for predicting thermal stresses in thin polycrystalline films, J Mech Phys Solids 45(4) 511-534 (Apr 1997), 9A1318

Using an adjoint model to improve an optimum interpolation-based data-assimilation system, Tellus 49A(2) 161-176 (Mar 1997), 9A1522

New class of particle methods, Numer Math 76(1) 87-109 (Mar 1997), 10A1

Design of materials with extreme thermal expansion using a three-phase topology optimization method, J Mech Phys Solids 45(6) 1037-1067 (Jun 1997), 11A6

Implications of correlated bias uncertainties in single and comparative tests, J Fluids Eng 117(4) 552-556 (Dec 1995), 11A7

Temperature-induced phase transformation in a shape memory alloy: Phase diagram based kinetics approach, J Mech Phys Solids 45(6) 949-988 (Jun 1997), 11A8

Nonlocal effects on localization in a void-sheet, Int J Solids Struct 34(18) 2221-2238 (Jun 1997), 11A681

Evolution of equations from hydraulic data - Part I: Theory, J Hydraul Res 35(3) 397-410 (1997), 11A935

Evolution of equations from hydraulic data - Part II: Applications, J Hydraul Res 35(3) 411-430 (1997), 11A936

Homogenization approach to the ultimate strength of brick masonry, J Mech Phys Solids 45(7) 1085-1104 (Jul 1997), 12A9

Receptance model based on isotropic damping functions and elastic displacement modes, Int J Solids Struct 34(21) 2733-2754 (Jul 1997), 12A10

State equation under proportional nonisothermal loading (Russian), Prikl Mekh (Appl Mech) 33(2) 9-17 (1997), 12T11

Surface formulation for molecular interactions of macroscopic bodies, J Mech Phys Solids 45(7) 1161-1183 (Jul 1997), 12A12

Viscosity and strain gradient effects on the kinetics of propagating phase boundaries in solids, J Elast 46(1) 53-90 (Jan 1997), 12A225

Effect of anisotropic physico-mechanical properties of material on the surface instability of layered half-bounded media (Russian), Prikl Mekh (Appl Mech) 33(2) 3-8 (1997), 12A638

Thermodynamical analysis of thermoviscoplastic model deformation of materials (Russian), Prikl Mekh (Appl Mech) 33(2) 41-48 (1997), 12A1335

102. FINITE ELEMENT METHODS

102A. General theory

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 6 (ASME Press, New York, 1996) 1N5

Comparison of 3D continuum and shell elements for finite plasticity, Int J Solids Struct 33(20-22) 3309-3326 (Aug 1996), 1A18

Condition number and diagonal preconditioning: Comparison of the p-version and the spectral element methods, Numer Math 74(1) 69-84 (Jul 1996), 1A19

Finite element analysis in professional practice, Comput Methods Appl Mech Eng 133(3-4) 209-228 (Jul 1996), 1A20

Fourier-FE approximation of elliptic interface problems in axisymmetric domains, Math Methods Appl Sci 19(11) 909-931 (Jul 1996), 1A21

Interior estimates for nonconforming FEMs, Numer Math 74(1) 49-67 (Jul 1996), 1A22

Investigation of the implementation of the p-version FEM, Finite Elements Anal Des 23(1) 1-21 (Aug 1996), 1A23

Mesh design and reliability assurance in hybrid-Trefftz p-element approach, Finite Elements Anal Des 22(3) 225-247 (Jul 1996), 1A24

Systematic development of trilinear 3D solid elements based on Simo's enhanced strain formulation, Int J Solids Struct 33(20-22) 2993-3017 (Aug 1996), 1A25

Towards automated stress analysis: FE mode-amplitude technique, Finite Elements Anal Des 22(3) 195-210 (Jul 1996), 1A26

Unified co-rotational framework for solids, shells, and beams, Int J Solids Struct 33(20-22) 2969-2992 (Aug 1996), 1A27

Using assumed enhanced strain elements for large compressive deformation, Int J Solids Struct 33(20-22) 3151-3159 (Aug 1996), 1A28

Circumventing discrete Korn's inequalities in convergence analyses of nonconforming FE approximations of vector fields, Z Angew Math Mech 76(8) 483-484 (1996), 2T13

Entropy characterization of FEs, Int J Solids Struct 33(24) 3549-3560 (Oct 1996), 2A14

Galerkin-averaging method for the Klein-Gordon equation in two space dimensions, Nonlinear Anal 27(7) 841-856 (Oct 1996), 2T15

Hierarchical bases and the FEM, Acta Numer 5 1-43 (1996), 2T16

One-dimensional FEs based on the Daubechies family of wavelets, AIAA J 34(8) 1696-1698 (Aug 1996), 2A17

Spline FEM on mapping, Struct Eng and Mech 4(4) 415-424 (Jul 1996), 2A18

Procedures for 3D FE mesh generation (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(1) 3-16 (1996), 3A4

Spring constants of distinct element in continuum analysis (Japanese), Proc JSCE 543(I-36) 83-90 (Jul 1996), 3A5

Allowable stress discontinuities in applying the FEM, J Machinery Manuf Reliab 2 44-47 (1996), 4T12

Finite element planar stress analysis, Int J Solids Struct 33(29) 4365-4378 (Dec 1996), 4A13

Simple method for improving the accuracy and convergence of FEM computations, Appl Math Comp Sci 6(2) 321-330 (1996), 4A14

Brief history of the beginning of the FEM, Int J Numer Methods Eng 39(22) 3761-3774 (Nov 1996), 5A11

Finite element formulation for 3D continua using the co-rotational technique, Int J Numer Methods Eng 39(22) 3775-3792 (Nov 1996), 5A12

Finite element methods under the windows environment (Japanese), J Japan Soc Precision Eng 62(10) 1376-1379 (Oct 1996), 5T13

Mixed FEMs for nonlinear elliptic problems: The p-version, Numer Methods PDE 12(6) 729-741 (Nov 1996), 5A14

Summary of pre-post processing capability for FEA (Japanese), J Japan Soc Precision Eng 62(10) 1380-1383 (Oct 1996), 5T15

Support system for FE analysis, Adv Eng Software 27(3) 179-189 (Dec 1996), 5A16

Admissible approximations for essential boundary conditions in the reproducing kernel particle method, Comput Mech 19(2) 120-135 (Dec 1996), 6A12

Babuska-Brezzi condition and the patch test: An example, Comput Methods Appl Mech Eng 140(1-2) 183-199 (Jan 1997), 6A13

Finite element capacitance matrix method for exterior Helmholtz problems, Numer Math 75(2) 175-204 (Dec 1996), 6A14

Generalized multiple scale reproducing kernel particle methods, Comput Methods Appl Mech Eng 139(1-4) 91-157 (Dec 1996), 6A15

Meshless methods: An overview and recent developments, Comput Methods Appl Mech Eng 139(1-4) 3-47 (Dec 1996), 6A16

Mixed and hybrid FEMs - Part II, Finite Elements Anal Des 24(1) 1-47 (Dec 1996), 6A17

Mixed FE formulations and related limitation principles: A general treatment, Comput Methods Appl Mech Eng 138(1-4) 105-130 (Dec 1996), 6A18

Moving least-squares reproducing kernel method - Part II: Fourier analysis, Comput Methods Appl Mech Eng 139(1-4) 159-193 (Dec 1996), 6A19

Nodal integration of the element-free Galerkin method, Comput Methods Appl Mech Eng 139(1-4) 49-74 (Dec 1996), 6A20

Partition of unity FEM: Basic theory and applications, Comput Methods Appl Mech Eng 139(1-4) 289-314 (Dec 1996), 6A21

Pollution error in the h-version of the FEM and the local quality of the recovered derivatives, Comput Methods Appl Mech Eng 140(1-2) 1-37 (Jan 1997), 6A22

Study on the nonlinear computations of the DQ and DC methods, Numer Methods PDE 13(1) 57-75 (Jan 1997), 6A23

T-elements: State of the art and future trends, Arch Comput Methods Eng 3(4) 323-434 (1996), 6A24

Non-conventional formulations for the FEM, Struct Eng and Mech 4(6) 655-678 (Nov 1996), 6A55

Problem of shear-locking in FEs based on shear deformable plate theory, Int J Solids Struct 34(7) 859-875 (3 1997), 7A10

Notes on FEM and its generalization, J Hydrodyn B(3) 97-101 (1996), 7A28

Analysis of new augmented Lagrangian formulations for mixed FE schemes, Numer Math 75(4) 405-419 (Feb 1997), 8A13

Formulation and survey of ALE method in nonlinear solid mechanics, Finite Elements Anal Des 24(4) 253-269 (Feb 1997), 8A14

Singular integration in the P-version of the FEM and in BEM, Boundary Elements Comm 7(6) 247-252 (1996), 8T15

Application of the space enrichment method to problems of mechanical contact, Finite Elements Anal Des 24(3) 157-170 (Jan 1997), 8A20

Elastic-plastic FE analysis technique coupled with equivalent inclusion method (Japanese), Proc JSCE 556(I-38) 85-94 (Jan 1997), 9A16

Quasi context sensitive graph grammars as a formal model of FE mesh generation, Comp Assisted Mech Eng Sci 3(3) 191-203 (1996), 9A17

Spectral techniques for stochastic FEs, Arch Comput Methods Eng 4(1) 63-100 (1997), 9A18

Using energy methods to derive beam FEs incorporating piezoelectric materials, J Intelligent Mat Syst Struct 8(1) 26-40 (Jan 1997), 9A19

Adaptive meshing - Part I, Finite Elements Anal Des 25(1-2) 1-198 (Mar 1997), 10A5

Contribution to the invariant derivation of FE equations of motion in curvilinear coordinates, Facta Univ Mech Auto Control Robotic 2(6) 25-32 (1996), 10A6

Finite element approximation error using the "plaquettes splines" method (French), Numer Math 76(1) 69-85 (Mar 1997), 10A7

Improved stress recovery for elements at boundaries, Struct Eng and Mech 5(2) 127-135 (Mar 1997), 10A8

Local topological modifications for FE mesh quality optimization (Spanish), Rev Int Metodos Numer Calc Diseno Ing 13(1) 3-13 (1997), 10A9

Natural frequency error estimation for 3D brick elements, Struct Eng and Mech 5(2) 137-148 (Mar 1997), 10A10

Petrov-Galerkin diffuse element method and its comparison to EFG, Comput Mech 19(4) 327-333 (Mar 1997), 10A11

A posteriori error estimate for the mixed FEM, Math Comput 66(218) 465-476 (Apr 1997), 10A12

Computational Methods and Experimental Measurements VIII (Comput Mech, Billerica MA, 1997) 11N5
Adaptive FEMs: A review, Appl Mech Rev 50(10) 581-591 (Oct 1997), 11A9
First- and second-order stiffness matrices and load vector of beam-columns with semirigid connections, J Struct Eng 123(5) 669-678 (May 1997), 11A10
Nonlinear active vibration control of a cantilever pipe conveying fluid, J Sound Vib 202(4) 477-490 (May 1997), 11A217
Uncertainty Modeling in Finite Element, Fatigue and Stability of Systems (World Sci Pub, River Edge, NJ, 1997) 12N7
Error estimation for natural frequency FE analysis, Finite Elements Anal Des 26(1) 21-40 (May 1997), 12A13
Finite element Galerkin method for the "good" Boussinesq equation, Nonlinear Anal 29(8) 937-956 (Oct 1997), 12T14
High precision FE, Finite Elements Anal Des 26(2) 97-114 (Jun 1997), 12A15
Normalized quasi-static mass: A new definition for multi-support motion problems, Finite Elements Anal Des 26(2) 129-142 (Jun 1997), 12A16
Optimization of FE grids using shape sensitivity analysis in terms of nodal positions, Finite Elements Anal Des 26(1) 1-19 (May 1997), 12A17
A posteriori error estimators related to equilibrium defaults of FE solutions for elastostatic problems, Finite Elements Anal Des 26(3) 171-192 (Jun 1997), 12A18
Nodal sensitivities as error estimates in computational mechanics, Acta Mech 121(1-4) 191-213 (1997), 12A69

102C. Structural applications

Finite Element Methods for Thin Shell Problems (Wiley, New York, 1996) 1R21
Mesh design and reliability assurance in hybrid-Trefftz p-element approach, Finite Elements Anal Des 22(3) 225-247 (Jul 1996), 1A24
Towards automated stress analysis: FE mode-amplitude technique, Finite Elements Anal Des 22(3) 195-210 (Jul 1996), 1A26
Finite element and boundary element analyses of beams and thin-wall structures: A bibliography (1994-1995), Finite Elements Anal Des 23(1) 77-89 (Aug 1996), 1A29
Mesh-invisible FE analysis system in a virtual reality environment, Comput Model Simul in Eng 1(2) 289-314 (May 1996), 1A30
Nonlinear FE analysis for composite materials, Finite Elements Anal Des 22(3) 211-223 (Jul 1996), 1A31
Space-time FEM for structural acoustics in infinite domains - Part 1: Formulation, stability, and convergence, Comput Methods Appl Mech Eng 132(3-4) 195-227 (Jun 1996), 1A32
Space-time FEM for structural acoustics in infinite domains - Part 2: Exact time-dependent non-reflecting boundary conditions, Comput Methods Appl Mech Eng 132(3-4) 229-258 (Jun 1996), 1A33
Nonstationary random response of laminated composite structures by a hybrid strain-based laminated flat triangular shell FE, Finite Elements Anal Des 23(1) 23-35 (Aug 1996), 1A538
Scale resolution, locking, and high-order FE modeling of shells, Comput Methods Appl Mech Eng 133(3-4) 157-182 (Jul 1996), 1A586
Stability and strength analysis of glass wall systems stiffened by glass fins, Finite Elements Anal Des 23(1) 57-75 (Aug 1996), 1A595
Semi-explicit optimal frequency design of chimneys with geometrical constraints, Finite Elements Anal Des 23(1) 37-56 (Aug 1996), 1A837
Degree of hydration-based description of mechanical properties of early age concrete, Mat Struct 29(190) 335-344 (Jul 1996), 1A845
Computing in civil and structural engineering special issue, Struct Eng Review 8(2-3) 79-314 (May-Aug 1996), 1T853
Analysis and design of tee joints with double support, Int J Adhesion Adhesives 16(3) 187-214 (Aug 1996), 1A942
Calculation on nonaxisymmetrical thermal stressed state of discretely homogeneous bodies of revolution with orthotropic layers (Russian), Prikl Mekh (Appl Mech) 32(2) 53-58 (1996), 1A1282
Computer Technology - 1996: Applications and Methodology (ASME Press, New York, 1996) 2N23
Exact method for structural static reanalysis (Chinese), J Comput Struct Mech Appl 13(3) 295-302 (Aug 1996), 2A19
Nonlinear FE analysis of fiber reinforced concrete deep beams, Struct Eng and Mech 4(4) 437-450 (Jul 1996), 2A20
Nonlinear FE analysis of isotropic and composite shells by a total Lagrangian decomposition scheme, Mech Composite Mat Struct 3(3) 241-271 (Sep 1996), 2A21
Three-dimensional FE analysis of curved beams in bending, J Composite Mat 30(11) 1178-1190 (1996), 2A22
Theoretical study of ultimate load of locally buckled stub columns loaded eccentricity, J Construct Steel Res 38(3) 239-255 (Jul 1996), 2A512
Effect of matrix cracking on stiffness of composite laminates, Mech Composite Mat Struct 3(3) 225-239 (Sep 1996), 2A675
Slenderness limit of class 3 I cross-sections made of high strength steel, J Construct Steel Res 38(3) 201-217 (Jul 1996), 2A798
Experimental study of circular flange joints in tubular structures, J Strain Anal Eng Des 31(4) 259-267 (Jul 1996), 2A811
Finite Element Method Using MATLAB (CRC Press, Boca Raton FL, 1997) 3R1
Modeling nonlinear bond-slip behavior for FE analyses of reinforced concrete structures, ACI Struct J 93(5) 538-544 (Sep-Oct 1996), 3A6
Nonlinear FE model for dynamics of flexible manipulators, Mech Machine Theory 31(8) 1109-1119 (Nov 1996), 3A7
Parametric families of reduced FE models: Theory and applications, Mech Syst Signal Processing 10(4) 381-394 (341 1996), 3A8
Redesign of the corrugated tin can, Thin-Walled Struct 26(3) 179-193 (Nov 1996), 3A9
Stress concentration factor parametric equations for tubular X and DT joints, Int J Fatigue 18(6) 363-387 (Aug 1996), 3A437
Reinforced model to estimate torsional strength of reinforced concrete beams, ACI Struct J 93(5) 614-622 (Sep-Oct 1996), 3A775
Determination of effective breadth and effective width of stiffened plates by finite strip analyses, Thin-Walled Struct 26(4) 261-286 (Dec 1996), 4A15
Exact calculation of natural frequencies of repetitive structures, Struct Eng and Mech 4(5) 553-568 (Sep 1996), 4A16
Finite element approach to the chaotic motion of geometrically exact rods undergoing in-plane deformations, Nonlinear Dyn 11(2) 189-212 (Oct 1996), 4A17
Numerical study of anchors for composite prestressing straps, Composite Struct 35(3) 323-330 (Jul 1996), 4A18
Three-dimensional non-conforming 8-node solid elements with rotational dof, Struct Eng and Mech 4(5) 569-586 (Sep 1996), 4A36
Dynamic response of large strain elasto-plastic plate and shell structures, Thin-Walled Struct 26(4) 223-239 (Dec 1996), 4A507
Dynamic response of large strain elasto-plastic plate and shell structures, Thin-Walled Struct 26(4) 223-239 (Dec 1996), 4A507
Modeling of a cracked metallic structure with bonded composite patch using the three layer technique, Composite Struct 35(3) 295-308 (Jul 1996), 4A759
General evolutionary path for fundamental natural frequencies of structural vibration problems: Towards optimum from below, Struct Eng and Mech 4(5) 513-527 (Sep 1996), 4A809
Behavior of bond between concrete and steel in a large post-yielding field, Mat Struct 29(192) 506-513 (Oct 1996), 4A835
Introduction to Finite Elements in Engineering, Second Edition (Prentice Hall, Upper Saddle River, NJ, 1997) 5N1
Combined BE-FE method in structure dynamics, Mech Solids 31(3) 100-107 (1996), 5A17
Computational modeling of aircraft structures, Finite Elements Anal Des 23(2-4) 91-403 (Nov 1996), 5A18
Computational structures technology, Struct Eng Review 8(4) 315-374 (Nov 1996), 5A19
Finite element evaluation of shear enhancement of high-strength concrete plates, ACI Struct J 93(6) 667-673 (Nov-Dec 1996), 5A20
Finite element for the analysis of shell intersections, J Pressure Vessel Tech 118(4) 399-406 (Nov 1996), 5A21
Finite elements in the analysis of pressure vessels and piping: A bibliography (1976-1996), Int J Pressure Vessels Piping 69(3) 279-339 (Dec 1996), 5A22
Implicit integration and consistent linearization for yield criteria of the Mohr-Coulomb type, Mech Cohesive-Frictional Mat 1(4) 367-383 (Oct 1996), 5A23
Mixed FE for the linear plate problem: The Herrmann-Miyoshi model revisited, Numer Math 74(4) 453-477 (Oct 1996), 5A24
Optimum beam design using FEa, Appl Math Comput 80(2-3) 155-179 (Dec 1996), 5A25
Study on the stress concentration at the round corners of flat heads in pressure vessels subjected to internal pressure, J Pressure Vessel Tech 118(4) 429-433 (Nov 1996), 5A392
Limit analysis of a spherical shell under axial loading on central boss, J Pressure Vessel Tech 118(4) 454-459 (Nov 1996), 5A478
Nonlinear analysis of thick plates on an elastic foundation by HT FE with p-extension capabilities, Int J Solids Struct 33(30) 4583-4604 (Dec 1996), 5A483
Steel and aluminum structures, Thin-Walled Struct 27(1) 3-126 (Jan 1997), 5A490
Unilateral damage model for masonry based on a homogenization procedure, Mech Cohesive-Frictional Mat 1(4) 349-366 (Oct 1996), 5A643
Multipoint approximations: Comparisons using structural size, configuration and shape design, Struct Optim 12(2-3) 177-185 (Oct 1996), 5A756
Stress-based topology optimization, Struct Optim 12(2-3) 98-105 (Oct 1996), 5A763
Analysis and behavior of grid structures, Composites Sci Tech 56(9) 1001-1015 (Sep 1996), 5A789
Handbook of Numerical Analysis, Volume IV: Finite Element Methods (Part 2), Numerical Methods for Solids (Part 2) (Elsevier Sci, New York, 1996) 6N4
Mixed and hybrid FEMs - Part II, Finite Elements Anal Des 24(1) 1-47 (Dec 1996), 6A17
Characterizing simple-stranded wire cables under axial loading, Finite Elements Anal Des 24(2) 49-66 (Dec 1996), 6A25
Consistent FE structural analysis and error control, Comput Methods Appl Mech Eng 140(1-2) 87-108 (Jan 1997), 6A26
Design principles and error analysis for reduced-shear plate-bending FEs, Numer Math 75(2) 223-266 (Dec 1996), 6A27
Improved transverse shear stresses in composite FEs based on first order shear deformation theory, Int J Numer Methods Eng 40(1) 51-60 (Jan 1997), 6A28
Modeling of strain localization in a large strain context, Struct Eng and Mech 4(6) 645-654 (Nov 1996), 6A29
Reproducing Kernel Particle Methods for large deformation analysis of nonlinear structures, Comput Methods Appl Mech Eng 139(1-4) 195-227 (Dec 1996), 6A30
Treatment of initial deformations in the Integrated Force Method, Comput Methods Appl Mech Eng 140(3-4) 281-290 (Jan 1997), 6A31
Symmetric coupling of BEs and Raviart-Thomas-type mixed FEs in elastostatics, Numer Math 75(2) 153-174 (Dec 1996), 6A81
Integration of vibration testing and FE analysis for estimating dynamic mechanical properties of cantilever-beam samples, Exp Tech 20(6) 21-24 (Nov-Dec 1996), 6A146
Finite element method application to linear closed loop steady system vibration analysis, Int J Mech Sci 39(3) 315-330 (Mar 1997), 6A219
Interlaminar stresses in shells of revolution, Mech Composite Mat Struct 3(4) 321-339 (Dec 1996), 6A587
New class of mixed FEMs for Reissner-Mindlin plates, SIAM J Numer Anal 33(6) 2457-2467 (Dec 1996), 6A598
Effect of delamination on buckling behavior of quasi-isotropic laminates, J Reinforced Plastics Composites 15(12) 1262-1277 (Dec 1996), 6A622
Application of FE analysis for determination of load share, real contact ratio, precision of motion, and stress analysis, J Mech Des 118(4) 561-567 (Dec 1996), 6A946
Finite element and experimental studies of creep at the interface of press fitted gears-shafts connections, J Mech Des 118(4) 568-572 (Dec 1996), 6A951
Accurate stress extraction for nearly incompressible materials by the displacement formulation of the P-version FEM, Commun Numer Methods Eng 12(12) 807-826 (Dec 1996), 7A11
Stress resultant geometrically exact shell theory for finite rotations and its FE implementation, Appl Mech Rev 50(4) 199-226 (Apr 1997), 7A12
Locking-free FEMs for shells, Math Comput 66(217) 1-14 (Jan 1997), 7A535
Effectiveness of stress relief features in austenitic drillcollar connections, Eng Failure Anal 3(4) 267-279 (Dec 1996), 7A673
Recent advances in computational thermostructural analysis of composite plates and shells with strong nonlinearities, Appl Mech Rev 50(5) 285-306 (May 1997), 7A1369
Numerical Methods in Structural Mechanics (ASCE, 1996) 8R3
Mathematical Theory of Elastic Structures (Springer-Verlag, Berlin, 1996) 8R7
Matrix Structural Analysis (Wiley, New York, 1997) 8R8
Analysis of curved multicell box girder assemblages, Struct Eng and Mech 5(1) 33-49 (Jan 1997), 8A16
Finite element analysis of arches undergoing large rotations - II: Classification, Finite Elements Anal Des 24(4) 237-252 (Feb 1997), 8A17
Finite element simulation of response of buried shelters to blast loadings, Finite Elements Anal Des 24(3) 113-132 (Jan 1997), 8A18
Influence of radial edge constraint on the stability of stiffened conical shells in compression, Thin-Walled Struct 27(2) 147-163 (Feb 1997), 8A19
Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, Struct Eng and Mech 5(1) 69-83 (Jan 1997), 8A50
Free vibration of laminated composite plates with a central circular hole, Composite Struct 35(4) 357-368 (Aug 1996), 8A153
Non-destructive evaluation of the dynamic response of a brickwork arch, Proc Inst Civil Eng Struct Build 122(1) 69-82 (Feb 1997), 8A171
New component mode synthesis method: Quasi-static mode compensation, Finite Elements Anal Des 24(4) 271-281 (Feb 1997), 8A207
Investigation of graphite PEEK composite under compression with a centrally located circular discontinuity, Composite Struct 35(4) 375-386 (Aug 1996), 8A551
Local plastic mechanisms in thin steel plates under in-plane compression, Thin-Walled Struct 27(3) 245-261 (Mar 1997), 8A607
Deformations and pressure distribution on machine tool sideways, Int J Machine Tools Manuf 37(3) 309-318 (Mar 1997), 8A702
Finite element analysis of deflection control of plates with piezoelectric actuators, Composite Struct 35(4) 423-433 (Aug 1996), 8A891
Modeling of cold-formed purlin-sheeting systems - Part 1: Full model, Thin-Walled Struct 27(3) 223-243 (Mar 1997), 8A928
Transient response of moment-resistant steel frames with flexible and hysteretic joints, J Construct Steel Res 39(3) 221-243 (Sep 1996), 8A931
Soil-structure interaction and axial force effect in structural vibration, Struct Eng and Mech 5(1) 1-19 (Jan 1997), 8A1481
Behavior of pipes with a circular hole subjected to compressive loading, Strain 33(1) 21-27 (Feb 1997), 9A20
Finite element analysis of shell structures, Arch Comput Methods Eng 4(1) 3-61 (1997), 9A21
Numerical analysis of thin torispherical end enclosures, Int J Pressure Vessels Piping 71(1) 77-88 (Apr 1997), 9A22
Parametric identification of nonlinear structural dynamic systems using time FEM, AIAA J 35(4) 719-726 (Apr 1997), 9A23
Error estimation for natural frequency analysis using plate elements, Eng Comput 14(1) 119-134 (1997), 9A137
Numerical method for reference stress in the evaluation of structure integrity, Int J Pressure Vessels Piping 71(1) 47-53 (Apr 1997), 9A465
Maximum connection rotations in non-sway semi-rigid frames, J Construct Steel Res 40(1) 1-15 (Oct 1996), 9A904
Moment-rotation relationship of blind bolted connections for HSS columns, J Construct Steel Res 40(1) 63-91 (Oct 1996), 9A906
New techniques in tire modal analysis using MSC-NASTRAN, Int J Vehicle Des 18(2) 203-212 (1997), 9A917
3D simulation of bolted connections to unstiffened columns - II: Extended endplate connections, J Construct Steel Res 40(3) 189-223 (Dec 1996), 10A13
Analytical behavior of connections to concrete-filled steel tubes, J Construct Steel Res 40(2) 95-127 (Nov 1996), 10A14
Benchmark solutions of some structural analysis problems using finite-volume method and multigrid acceleration, Int J Numer Methods Eng 40(10) 1893-1908 (May 1997), 10A15
Designing structural analysis software to match the needs of engineers (German), Bauingenieur 72(3) 103-110 (Mar 1997), 10A16
Effect of member length imperfections on triple-layer space trusses, Eng Struct 19(7) 540-550 (Jul 1997), 10A17
Finite element analysis of floor slabs under warping effect, Eng Struct 19(7) 533-539 (Jul 1997), 10A18
Finite element analysis of wall pressure in imperfect silos, Int J Solids Struct 34(16) 2061-2072 (Jun 1997), 10A19
Finite element methods for Timoshenko beam, circular arch, and Reissner-Mindlin plate problems, J Comput Appl Math 79(2) 215-234 (Mar 1997), 10A20
Finite element model optimization using diagonal mass matrix, Shock Vib 4(3) 163-168 (1997), 10A21
Iterated dynamic condensation technique and its applications in modal testing, Shock Vib 4(3) 143-151 (1997), 10A22
Spurious free four-node displacement-based fluid element for fluid-structure interaction analysis, Eng Struct 19(8) 665-678 (Aug 1997), 10A23
Three-dimensional FE analysis of subsurface stress and strain fields due to sliding contact on an elastic-plastic layered medium, J Trib 119(2) 332-341 (Apr 1997), 10A24
Three-dimensional simulation of bolted connections to unstiffened columns - I: T-stub connections, J Construct Steel Res 40(3) 169-187 (Dec 1996), 10A25
Vibrational energy flow analysis using a substructure approach: The application of receptance theory to FEA and SEA, J Sound Vib 201(4) 491-513 (Apr 1997), 10A26
Finite element method for stochastic structures with random material properties, Comput Model Simul in Eng 2(2) 195-208 (May 1997), 10A64
Damping of beams: Optimal distribution of cuts in the viscoelastic constrained layer, Struct Optim 13(2-3) 167-171 (Apr 1997), 10A175

Transverse vibrations of short beams: FE models obtained by a condensation method, J Sound Vib 201(3) 353-363 (Apr 1997), 10A187
Vibration characteristics of a suspension footbridge, J Sound Vib 202(1) 29-46 (Apr 1997), 10A231
Comparison of the rotor dynamic and structure dynamic calculation of compressors, J Eng Gas Turbines Power 119(2) 425-429 (Apr 1997), 10A240
Finite element model update via Bayesian estimation of minimization of dynamic residuals, AIAA J 35(5) 879-886 (May 1997), 10A248
Stiffness matrix adjustment using incomplete measured modes, AIAA J 35(5) 917-919 (May 1997), 10T251
Modeling the impact of waterdrops on targets with a thin protective layer, Comput Model Simul in Eng 2(2) 177-194 (May 1997), 10A281
Nonlinear dynamic analysis of orthotropic open cylindrical shells subjected to a flowing fluid, J Sound Vib 202(1) 67-93 (Apr 1997), 10A313
Analysis of composite structures using the 3D global and 3D local method, J Reinforced Plastics Composites 16(4) 353-371 (1997), 10A619
Strength of composite T-joints under pull-out loads, J Reinforced Plastics Composites 16(6) 503-518 (1997), 10A643
Shear and attachment effects on the behavior of rectangular plates resting on tensionless elastic foundation, Eng Struct 19(7) 551-567 (Jul 1997), 10A647
Finite element algorithms for dynamic simulations of viscoelastic composite shell structures using conjugated gradient method on coarse grained and massively parallel machines, Int J Numer Methods Eng 40(10) 1857-1875 (May 1997), 10A651
hp Error analysis of MITC plate elements, SIAM J Numer Anal 34(2) 544-568 (Apr 1997), 10A652
Instability of lightly damped linear nonconservative systems, AIAA J 35(5) 901-908 (May 1997), 10A670
Miro drilling of printed circuit boards - 2nd Report: FEM analysis of torsional strength for twist drill (Japanese), J Japan Soc Precision Eng 63(3) 431-435 (Mar 1997), 10A737
Three-dimensional shape optimization with variational geometry, Struct Optim 13(2-3) 81-94 (Apr 1997), 10A911
Assessment of reinforcement details for blast containment structures, ACI Struct J 94(2) 124-132 (Mar-Apr 1997), 10A928
Detecting the size effect in concrete beams using nonlinear fracture mechanics, Eng Struct 19(8) 605-616 (Aug 1997), 10A932
Effect of high shear on the moment capacity of composite cruciform endplate connections, J Construct Steel Res 40(2) 129-163 (Nov 1996), 10A950
Generalized design-based elastoplastic analysis of steel frames by section assemblage concept, Eng Struct 19(8) 628-636 (Aug 1997), 10A951
Performance of high-strength concrete tied columns: A parametric study, ACI Struct J 94(2) 91-102 (Mar-Apr 1997), 10A952
First Course in the Finite Element Method Using Algor™ (PWS, Boston, MA, 1997) 11R1
New Advances in Modal Synthesis of Large Structures: Nonlinear Damped and Nondeterministic Cases (Balkema, Brookfield, VT, 1997) 11N11
Adaptive FEMs: A review, Appl Mech Rev 50(10) 581-591 (Oct 1997), 11A9
Axisymmetric elastic-plastic FE analysis of pressurized elbows, J Pressure Vessel Tech 117(4) 357-364 (Nov 1995), 11A11
Buckling behavior of composite panels using the FEM, Composite Struct 36(1-2) 33-43 (Sep-Oct 1996), 11A12
Cyclic nonlinear model for concrete-filled tubes - I: Formulation, J Struct Eng 123(6) 736-744 (Jun 1997), 11A13
Cyclic nonlinear model for concrete-filled tubes - II: verification, J Struct Eng 123(6) 745-754 (Jun 1997), 11A14
Ductile crack as trigger of brittle fracture in steel, J Struct Eng 123(6) 729-735 (Jun 1997), 11A15
Finite element analysis of ply-by-ply and equivalent stress concentrations in composite plates with multiple holes under tensile and shear loading, Composite Struct 36(1-2) 45-58 (Sep-Oct 1996), 11A16
Finite element for anchored bars under cyclic load reversals, J Struct Eng 123(5) 614-623 (May 1997), 11A17
Finite element modeling of masonry-infilled RC frames, J Struct Eng 123(5) 604-613 (May 1997), 11A18
Finite element prediction of the post-impact compressive strength of fiber composites, Composite Struct 36(1-2) 141-153 (Sep-Oct 1996), 11A19
Numerical study on stresses in resin transfer molding lap joints reinforced with transverse stitching, Composite Struct 36(1-2) 91-100 (Sep-Oct 1996), 11A20
Structural model updating using experimental static measurements, J Struct Eng 123(6) 792-798 (Jun 1997), 11A21
Three-dimensional FE analyses for a new fracture toughness testing method for tubular structures, Int J Pressure Vessels Piping 71(2) 189-195 (Apr 1997), 11A22
Transient analysis of the ship-water interaction system excited by a pressure water wave, Marine Struct 10(5) 302-321 (Jun 1997), 11A23
Tube collapse under combined external pressure, tension and bending, Marine Struct 10(5) 389-410 (Jun 1997), 11A24
Numerical method for vibration analysis of cylindrical shells, J Eng Mech 123(6) 544-550 (Jun 1997), 11A132
Effects of laminations on the vibrational behavior of electrical machine stators, J Sound Vib 202(5) 703-715 (May 1997), 11A133
Instability threshold and stability boundaries of rotor-bearing systems, J Eng Gas Turbines Power 119(1) 115-121 (Jan 1996), 11A147
Mechanics of z-fiber reinforcement, Composite Struct 36(1-2) 23-32 (Sep-Oct 1996), 11A462
Bending strength of steel beams with corrugated webs, J Struct Eng 123(6) 772-782 (Jun 1997), 11A500
Compression behavior of flat stiffened panels made of composite material, Composite Struct 36(1-2) 161-169 (Sep-Oct 1996), 11A512
Girders with corrugated webs under partial compressive edge loading, J Struct Eng 123(6) 783-791 (Jun 1997), 11A527
Local flange buckling in plate girders with corrugated webs, Proc Inst Civil Eng Struct Build 122(2) 148-156 (May 1997), 11A535
Stability of imperfect steel conical tanks under hydrostatic loading, J Struct Eng 123(6) 703-712 (Jun 1997), 11A536
Brittle fracture in plate elements with sharp notches under mixed-mode loading, J Eng Mech 123(6) 535-543 (Jun 1997), 11A677
Fracture of steel moment connections in the Northridge earthquake, Proc Inst Civil Eng Struct Build 122(2) 209-217 (May 1997), 11A720
Damage detection and assessment of structures from static response, J Eng Mech 123(6) 568-576 (Jun 1997), 11A761
Design for the control of cracking in tunnel shells made of water-tight concrete (German), Bauingenieur 72(4) 185-191 (Apr 1997), 11A780
Nonlinear analysis of RC members using plasticity with multiple failure criteria, J Struct Eng 123(5) 643-651 (May 1997), 11A784
Strength curves for metal columns, J Struct Eng 123(6) 721-728 (Jun 1997), 11A807
Fill stresses in a new brick arch bridge subject to heavy axle-load tests, Proc Inst Civil Eng Struct Build 122(2) 173-185 (May 1997), 11A813
Effects of frame continuity on the behavior of steel columns under fire conditions and fire resistant design proposals, J Construct Steel Res 41(1) 93-111 (Jan 1997), 11A816
In-time fatigue monitoring using neural networks, Marine Struct 10(5) 363-387 (Jun 1997), 11A819
Special issue on jack-up platforms, Marine Struct 10(2-4) 85-301 (Feb-May 1997), 11A820
Strength of multiplanar tubular KK-joints under antisymmetrical axial loading, J Struct Eng 123(6) 755-764 (Jun 1997), 11A821
Error estimation for natural frequency FE analysis, Finite Elements Anal Des 26(1) 21-40 (May 1997), 12A13
Optimization of FE grids using shape sensitivity analysis in terms of nodal positions, Finite Elements Anal Des 26(1) 1-19 (May 1997), 12A17
Application of an orthotropic macro-strip plate element with stiffness discontinuities, Finite Elements Anal Des 26(3) 193-212 (Jun 1997), 12A19
Behavior of slender plate girders subjected to patch loading, J Construct Steel Res 42(1) 1-19 (Apr 1997), 12A20
Combining MSC-NASTRAN, sensitivity methods, and virtual reality to facilitate interactive design, Finite Elements Anal Des 26(2) 161-169 (Jun 1997), 12A21
Evaluation of nonlinear frame FE models, J Struct Eng 123(7) 958-966 (Jul 1997), 12A22
Member stiffness for 3D beam-columns, J Struct Eng 123(7) 971-972 (Jul 1997), 12A23
Numerical simulation of the "pull-in" operation in submarine pipelines, Eng Struct 19(10) 868-876 (Oct 1997), 12A24
Parametric identification of truss structures using static strains, J Struct Eng 123(7) 927-933 (Jul 1997), 12A25
Singularities in polynomial representations of transverse shear in FEs, AIAA J 35(7) 1248-1250 (Jul 1997), 12T26
Structural analysis of the adhesive bond in a honeycomb core sandwich panel, Finite Elements Anal Des 26(3) 213-227 (Jun 1997), 12A27
Thermostructural FE analysis of laminated doubly curved composite shells, J Reinforced Plastics Composites 16(9) 848-868 (1997), 12A28
Free vibration of eccentrically stiffened laminated plates, J Reinforced Plastics Composites 16(10) 884-902 (1997), 12A177
Transverse vibrations of simply supported rectangular plates with rectangular cutouts, J Sound Vib 202(2) 275-283 (May 1997), 12T182
Modal analysis of tower-cable system of Tsing Ma long suspension bridge, Eng Struct 19(10) 857-867 (Oct 1997), 12A201
Dynamic model for global positioning system block IIR space vehicle, J Spacecraft Rockets 34(3) 354-359 (May-Jun 1997), 12A206
Dynamic analysis of a thin beam impacting against a stop of general 3D geometry, J Sound Vib 203(2) 237-249 (Jun 1997), 12A241
Response of composites under compression loads: FE modeling of interphase effects, J Mech Behavior Mat 8(1) 29-39 (1997), 12A553
Stresses in laminated glass subject to low velocity impact, Eng Struct 19(10) 851-856 (Oct 1997), 12A856
Reliability assessment of damaged RC framed structures, J Struct Eng 123(7) 889-895 (Jul 1997), 12A901
Reliability evaluation in nonlinear analysis of reinforced concrete structures, Struct Safety 19(2) 203-217 (1997), 12A906

102E. Other solid mechanics applications

ALE FE analysis of the opening and closing process of the artificial mechanical valve, Appl Math Mech 17(5) 403-412 (May 1996), 1A34
Application of numerical simulation in the bending of aluminum-alloy profiles, J Mat Processing Tech 58(2-3) 274-285 (Mar 1996), 1A35
Determination of the die profile for the investment casting of aerofoil-shaped turbine blades using the FEM, J Mat Processing Tech 58(2-3) 223-226 (Mar 1996), 1A36
Evaluation of FE models for the calculation of die-cavity compensation, J Mat Processing Tech 58(2-3) 212-216 (Mar 1996), 1A37
Finite element analysis of an interface crack with large crack-tip contact zones, Eng Fracture Mech 54(6) 847-860 (Aug 1996), 1A38
Finite-volume approach to the stress analysis of pressurized axisymmetric structures, Int J Pressure Vessels Piping 68(3) 311-317 (Oct 1996), 1A39
Isoparametric FE thermoelasto-plastic creep analysis of shells of revolution, Int J Pressure Vessels Piping 68(3) 249-259 (Oct 1996), 1A40
Large elasto-plastic FE analysis of solids and shells with the enhanced assumed strain concept, Int J Solids Struct 33(20-22) 3215-3237 (Aug 1996), 1A41
Rigid-plastic FE simulation of peening process with plastically deforming shot, JSME Int J Ser A 39(3) 306-312 (Jul 1996), 1A42
Stochastic FE simulation of random structure on uncertain foundation under random loading, Int J Mech Sci 38(11) 1209-1218 (Nov 1996), 1A43
Analysis of the deformation of a perforated sheet under uniaxial tension, J Mat Processing Tech 58(2-3) 139-144 (Mar 1996), 1A473
Simulation of polycrystals using an FEM-based representative volume element, Tech Mech 16(1) 51-62 (1996), 1A506
Stochastic structural interface defects in fiber composites, Int J Solids Struct 33(20-22) 3035-3056 (Aug 1996), 1A510
Parallel FEM for the analysis of crystalline solids, Comput Methods Appl Mech Eng 132(3-4) 345-357 (Jun 1996), 1A542
Experimental research and FE simulation of plates hydrobulging in pairs, Int J Pressure Vessels Piping 68(3) 243-248 (Oct 1996), 1A558
Application of anisotropic viscoplastic behavior in 3D FE simulations of hot rolling, J Mat Processing Tech 58(2-3) 201-211 (Mar 1996), 1A630
Numerical simulation and experimental verification of microstructure evolution in a 3D hot-upsetting process, J Mat Processing Tech 58(2-3) 331-336 (Mar 1996), 1A636
Process design in multi-stage cold forging by the FEM, J Mat Processing Tech 58(2-3) 174-183 (Mar 1996), 1A638
Finite-element modeling of the deep-drawing of square sections of coated steels, J Mat Processing Tech 58(2-3) 153-159 (Mar 1996), 1A645
Accommodation of springback error in channel forming using active binder force control: Numerical simulations and experiments, J Eng Mat Tech 118(3) 426-435 (Jul 1996), 1A646
Sensitivity of material parameters in the FE computation of microvoid nucleation and growth, Int J Damage Mech 5(3) 259-277 (Jul 1996), 1A790
Stress analysis of a fracture test specimen for cementitious materials, Cement & Concrete Composites 18(2) 141-151 (1996), 1A792
Limit and shakedown analysis of nozzle-cylinder intersections under internal pressure and in-plane moment loading, Int J Pressure Vessels Piping 68(3) 261-272 (Oct 1996), 1A871
Analysis and design of adhesively bonded tee joints with a single support plus angled reinforcement, J Adhesion Sci Tech 10(8) 681-724 (1996), 1A941
Localized deformation modes and non-Schmid effects in crystalline solids - Part II: Deformation patterns, Mech Mat 23(2) 103-132 (Jun 1996), 2A5
Dynamic explicit FE analysis for 3D sheet forming processes (Chinese), J Comput Struct Mech Appl 13(3) 253-268 (Aug 1996), 2A23
Elastic-plastic FE analysis of short flat bars with projections - Part 3: Combined axial and shear loading, J Strain Anal Eng Des 31(4) 269-288 (Jul 1996), 2A24
Finite element analysis of strain softening response for damaged materials (Chinese), J Comput Struct Mech Appl 13(3) 279-286 (Aug 1996), 2A25
Spectral FE analysis of stationary vibrations in a beam-plate structure, Acustica 82(3) 478-497 (May-Jun 1996), 2A26
Deformable sheet metal fixturing: Principles, algorithms, and simulations, J Manuf Sci Eng 118(3) 318-324 (Aug 1996), 2A344
Matrix formulation for the elastoplastic homogenization of layered materials, Mech Cohesive-Frictional Mat 1(3) 273-294 (Jul 1996), 2A441
Influence of thermal expansion mismatch on residual stresses and flow response of microballoon composites, Mech Mat 23(2) 133-146 (Jun 1996), 2A447
Effects of local departures from nominal dimensions on stresses in thin torispherical end closures, J Strain Anal Eng Des 31(4) 315-324 (Jul 1996), 2A484
Finite element analyses and model tests for excavation problems (Japanese), Proc JSCE 541(III-35) 109-118 (Jun 1996), 2A569
Combined molecular dynamics and rigid-plastic FEM simulation of atomic level cutting (Japanese), J Japan Soc Precision Eng 62(7) 989-993 (Jul 1996), 2A612
Quasi-automatic simulation of crack propagation for 2D LEFM problems, Eng Fracture Mech 55(2) 321-334 (Sep 1996), 2A620
Finite element fracture analysis of WC-Co alloys, Eng Fracture Mech 55(2) 275-287 (Sep 1996), 2A667
Quest of a universal fracture law governing the process of slow crack growth, Eng Fracture Mech 55(1) 61-83 (Sep 1996), 2A669
Integration of CAD and FEA for concurrent engineering design of sheet stamping, J Manuf Sci Eng 118(3) 310-317 (Aug 1996), 2A936
Automated FE analysis of excised human femora based on precision-QCT, J Biomech Eng 118(3) 387-390 (Aug 1996), 2A1443
Axisymmetric FE analysis of a debonded total hip stem with an unsupported distal tip, J Biomech Eng 118(3) 399-404 (Aug 1996), 2A1444
Finite Element Method Using MATLAB (CRC Press, Boca Raton FL, 1997) 3R1
Chip breaking process simulation by thermo-elastic plastic FEM (Japanese), J Japan Soc Precision Eng 62(8) 1161-1166 (Aug 1996), 3A10
FEM study of driving forces of short cracks at inclusions in hard steels, Int J Fatigue 18(6) 389-399 (Aug 1996), 3A11
Implicit-type elastic-plastic FEM analysis of cutting mechanism: Radial return formulation and chip curling simulation (Japanese), J Japan Soc Precision Eng 62(8) 1151-1155 (Aug 1996), 3A12
Three-dimensional FE analyses of corner cracks at stress concentrations, Eng Fracture Mech 55(3) 505-512 (Oct 1996), 3A13
Finite element analysis of load-deflection and creep characteristics of compressed rubber components for vibration control devices, J Mech Des 118(3) 328-336 (Sep 1996), 3A139
Construction of a surface model and layered manufacturing data from 3D homogenization output, J Mech Des 118(3) 412-418 (Sep 1996), 3A423
Finite element modeling of settlements on spatially random soil, J Geotech Eng 122(9) 777-779 (Sep 1996), 3A590
Blank shape design for a planar anisotropic sheet based on ideal forming design theory and FEM analysis, Int J Mech Sci 39(1) 105-120 (Jan 1997), 3A618
Continuum aspects of directionally dependent cracking of an interface between copper and alumina crystals, Mech Mat 23(4) 271-286 (Aug 1996), 3A709
Finite element analysis of a subsurface crack, Int J Fracture 77(4) 337-350 (1996), 3A720
Stress analysis in worm gears with ground concave worm profile, Mech Machine Theory 31(8) 1121-1130 (Nov 1996), 3A893
Finite element analysis of textured materials, J Theor Appl Mech 34(4) 713-731 (1996), 4A19
Finite element modeling of the C4-C6 cervical spine unit, Med Eng Phys 18(7) 569-574 (Oct 1996), 4A20
Optimization of elastic bodies near singular points, Mech Solids 31(2) 81-87 (1996), 4A21
Study on the distribution of residual stress due to surface induction hardening, J Eng Mat Tech 118(4) 571-575 (Oct 1996), 4A525
Simulation of void growth in WC-Co hardmetals using crystal plasticity theory, Int J Mech Sci 39(2) 173-183 (Feb 1997), 4A528
Study of the dynamic behavior of elastomeric materials using FEs, J Eng Mat Tech 118(4) 503-508 (Oct 1996), 4A577
Evaluation of interfacial mechanical properties of fiber reinforced composites using the microindentation method, Composites Part A Appl Sci and Manuf 27A(10) 961-971 (1996), 4A581

Analysis of the drop forging of a piston using slip-line fields and FEM, Int J Mech Sci 39(2) 211-220 (Feb 1997), 4A661

Limits of lubrication in backward can extrusion: Analysis by the FEM and physical modeling experiments, J Mat Processing Tech 61(3) 275-286 (Sep 1996), 4A663

Modeling of superplastic blow forming, Int J Mech Sci 39(2) 193-199 (Feb 1997), 4A667

Simulation of the stochastic damage evolution process under low cycle fatigue by the FEM, Acta Mech Solida Sinica 9(3) 274-281 (1996), 4A726

FEM study of fatigue crack closure under double slip, Acta Mat 44(10) 3955-3965 (Oct 1996), 4A744

Neural network for crack sizing trained by FE calculations, NDT&E Int 29(3) 147-155 (Jun 1996), 4A797

Analysis and design of adhesively bonded modified double containment corner joints - II, J Adhesion Sci Tech 10(10) 907-937 (1996), 4A954

Diffuse element-FE technique for transient coupled analysis, Int J Numer Methods Eng 39(22) 3809-3838 (Nov 1996), 5A26

Enhanced strain methods for small and finite deformations of solids, Comput Mech 18(6) 413-428 (Oct 1996), 5A27

Evaluation of chip separation criteria for the FEM simulation of machining, J Manuf Sci Eng 118(4) 545-554 (Nov 1996), 5A28

Group of isoparametric elements suitable for St Venant's torsion of a bar with cracks, Appl Math Mech 17(8) 795-804 (Aug 1996), 5A29

Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, J Biomech Eng 118(4) 452-463 (Nov 1996), 5A30

Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, J Biomech Eng 118(4) 464-472 (Nov 1996), 5A31

Macroscopic theory and nonlincar FE analysis of micromechanics of single crystals at finite strains, Comput Mech 18(6) 471-484 (Oct 1996), 5A429

Numerical analysis of concrete structures subjected to alkali-aggregate reaction, Mech Cohesive-Frictional Mat 1(4) 305-319 (Oct 1996), 5A438

Optimization of single and multistep wire drawing processes with respect to minimization of the forming energy, Struct Optim 12(2-3) 120-126 (Oct 1996), 5A554

Constraint effects of clad on underclad crack, J Pressure Vessel Tech 118(4) 480-483 (Nov 1996), 5A657

Three-dimensional stress relief displacement resulting from drilling a blind hole in acrylic, Exp Mech 36(4) 412-420 (Dec 1996), 5A730

Singular cladding stresses at interface of elastic cylinders, Eng Fracture Mech 55(4) 577-581 (Nov 1996), 5A805

Thermo-viscoplastic modeling of machining process using a mixed FEM, J Manuf Sci Eng 118(4) 470-482 (Nov 1996), 5A1295

Thermomechanical coupling effects on fractured solids, Int J Fracture 78(1) 67-87 (1996), 5A1299

Handbook of Numerical Analysis, Volume IV: Finite Element Methods (Part 2), Numerical Methods for Solids (Part 2) (Elsevier Sci, New York, 1996) 6N4

Mixed and hybrid FEMs - Part II, Finite Elements Anal Des 24(1) 1-47 (Dec 1996), 6A17

PFEM formalism in Kronecker notation, Math Mech Solids 1(4) 445-461 (Dec 1996), 6A32

Study of fragmentation processes using a discrete element method, Comput Methods Appl Mech Eng 138(1-4) 3-18 (Dec 1996), 6A33

Treatment of material discontinuity in the Element-Free Galerkin method, Comput Methods Appl Mech Eng 139(1-4) 75-89 (Dec 1996), 6A34

Impact analysis of laminated composite plates and shells by super FEs, Int J Impact Eng 18(7-8) 765-782 (Oct-Dec 1996), 6A259

Non-contact study of mechanical contact problem using TV-holographic interferometry, Int J Mech Sci 39(3) 331-340 (Mar 1997), 6A481

Effects of size and stacking sequence of composite laminated patch on bonded repair for cracked hole, Appl Composite Mat 3(6) 355-367 (1996), 6A544

Effect of adherend alignment on the behavior of adhesively bonded double lap joints, Int J Adhesion Adhesives 16(4) 241-247 (Nov 1996), 6A548

Layerwise mechanics and FE for the dynamic analysis of piczoelectric composite plates, Int J Solids Struct 34(3) 359-378 (Jan 1997), 6A550

Experimental and FE analysis of pultruded glass-graphite-epoxy hybrids in axial and flexural modes of vibration, J Composite Mat 30(18) 1996-2018 (1996), 6A558

Fourth Greek Congress on mechanics, Appl Composite Mat 3(5) 267-353 (1996), 6A561

Finite element analysis of laminated hat-stiffened plates, J Reinforced Plastics Composites 15(12) 1174-1193 (Dec 1996), 6A590

Analysis of behavior of sand surrounding pile tips, J Geotech Eng 122(11) 897-905 (Nov 1996), 6A656

Simulation of rail rolling using the generalized plane-strain FE approach, J Mat Processing Tech 62(1-3) 229-234 (Nov 1996), 6A683

Analysis of superplastic forming processes using a FEM, J Mat Processing Tech 62(1-3) 90-99 (Nov 1996), 6A706

Hybrid experimental-computational approach to the assessment of crack growth criteria in composite laminates, Strain 32(4) 131-137 (Nov 1996), 6A775

Features of ultrasonic wave propagation to identify defects in composites materials modeled by FEM, NDT&E Int 29(4) 213-223 (Aug 1996), 6A830

Optimization of the upsetting-sliding test parameters for the determination of friction laws at medium and high contact pressures, J Mat Processing Tech 62(1-3) 140-148 (Nov 1996), 6A937

Finite-element stress analysis of double-lap adhesive joints, J Adhesion Sci Tech 10(12) 1255-1271 (1996), 6A979

Deformation-induced hierarchical flows and drag forces in bone canaliculi and matrix microporosity, J Biomech 30(1) 11-18 (Jan 1997), 6A1539

Compressible approach in FE analysis of rubber-elastic materials, Comput Struct 62(3) 573-593 (1997), 7A13

Enhanced computational scheme for the analysis of elastic mechanisms, Comput Struct 62(2) 369-372 (1997), 7A14

Finite element analysis of local damage and post-failure behavior for strain-softening solid, Int J Fracture 80(1) 85-95 (1996), 7A15

Finite element analysis of the slow crack growth process in mixed mode fracture, Eng Fracture Mech 56(4) 551-577 (Mar 1997), 7A16

Finite element analysis of thermal behavior in metal machining - 1st report: Influence of thermophysical properties on cutting temperature, JSME Int J Ser C 39(4) 857-863 (Dec 1996), 7A17

Finite element analysis of thermal behavior in metal machining - 2nd report: Determination of energy balance and its application to 3D analysis, JSME Int J Ser C 39(4) 864-870 (Dec 1996), 7A18

Multicontinuum theory for thermal-elastic FE analysis of composite materials, J Composite Mat 31(1) 71-86 (1997), 7A19

Orthogonal cutting of fiber-reinforced composites: A FE analysis, Int J Mech Sci 39(5) 597-613 (May 1997), 7A20

A posteriori error estimator based on the second derivative of the displacement field for 2D elastic problems, Comput Struct 62(2) 317-338 (1997), 7A21

Rigid viscoplastic FE analysis of the gas-pressure constrained bulging of superplastic circular sheets into cone disk shape dies, Int J Mech Sci 39(4) 487-496 (Apr 1997), 7A22

Three dimensional FE modeling of pile groups adjacent to surcharge loads, Comput Geotech 19(4) 301-324 (1996), 7A580

Special volume containing the proceedings of the Third Asia Pacific Conference on Materials Processing, Hong Kong, November 12-14, 1996, J Mat Processing Tech 63(1-3) 1-934 (Jan 1997), 7A600

Finite element simulation of the influence of dio-clasticity on component dimensions in forward extrusion, Int J Machine Tools Manuf 37(2) 183-192 (Feb 1997), 7A602

Fatigue crack propagation and closure behavior of modified 1070 steel: FE study, Eng Fracture Mech 56(2) 189-212 (Jan 1997), 7A659

Fatigue crack closure study based on whole-field displacements, Int J Fatigue 18(8) 593-601 (Nov 1996), 7A675

Three-dimensional BEM analysis for fatigue crack growth in welded components, Int J Pressure Vessels Piping 70(2) 135-144 (Feb 1997), 7A708

Finite element solutions for stress intensity factors in longitudinally cracked cylindrical components, Int J Pressure Vessels Piping 70(2) 127-133 (Feb 1997), 7A719

Local and interfacial damage analysis of metal matrix composites using the FEM, Eng Fracture Mech 56(4) 483-511 (Mar 1997), 7A743

Simplified method based on the deformation theory for structural limit analysis - I: Theory and formulation, Int J Pressure Vessels Piping 70(1) 43-49 (Jan 1997), 7A798

Simplified method based on the deformation theory for structural limit analysis - II: Numerical application and investigation on mesh density, Int J Pressure Vessels Piping 70(1) 51-58 (Jan 1997), 7A799

Thermal crack analysis based on practical 3D FEM analysis model (Japancse), Proc JSCE 550(V33) 95-104 (Nov 1996), 7T1360

Discrete layer analysis of orthotropic, stiffened composite cylinders, J Thermal Stresses 20(1) 87-111 (Jan-Feb 1997), 7A1368

Construction and use of a clear acrylic phantom to generate a 3D FE model of the human pelvis from CT data, Exp Tech 21(1) 30-32 (Jan-Feb 1997), 7T1528

Application of the space enrichment method to problems of mechanical contact, Finite Elements Anal Des 24(3) 157-170 (Jan 1997), 8A20

Consistent infinitesimal FE cell method for incompressible unbounded medium, Commun Numer Methods Eng 13(1) 21-32 (Jan 1997), 8A21

Finite element analysis of stiffened laminated plates under transverse loading, Composites Sci Tech 56(12) 1355-1361 (Dec 1996), 8A22

Finite element study of short cracks with different inclusion types under rolling contact fatigue load, Int J Fatigue 19(1) 13-24 (Jan 1997), 8A23

r-Adaptation in FE modeling of elastic solids, Comput Struct 63(2) 249-257 (Apr 1997), 8A24

Development of the composite third robot arm of the six-axis articulated robot manipulator, Composite Struct 35(4) 331-342 (Aug 1996), 8A453

Extension of Herrmann's principle to nonlincar elasticity, Appl Math Model 21(2) 97-107 (Feb 1997), 8A474

Plastic behavior of perforated sheets under biaxial stress state, Int J Mech Sci 39(7) 781-793 (Jul 1997), 8A528

Evaluation of the Ko-Lin model for interlaminar stresses in composite laminates with an open hole, Adv Composites Letters 5(5) 143-146 (1996), 8A550

Statistical mechanics material model for the constitutive modeling of elastomeric compounds, Proc Inst Mech Eng C 210(C6) 575-585 (1996), 8A562

Plane strain extrusion by sequential limit analysis, Int J Mech Sci 39(7) 807-817 (Jul 1997), 8A690

Automated system for analyzing stress intensity factors of 3D cracks: Its application to analyses of two dissimilar semi-elliptical surface cracks in plate, J Pressure Vessel Tech 119(1) 18-26 (Feb 1997), 8A772

Sensitivity of J-integrals of material law variations for semi-elliptical surface cracks, Int J Fracture 80(4) 365-375 (1996), 8A787

Damage analysis and elasto-plastic behavior of metal matrix composites using the FEM, Eng Fracture Mech 56(5) 623-646 (Mar 1997), 8A788

Prediction of fatigue failure in a crankshaft using the technique of crack modeling, Fatigue Fracture Eng Mat Struct 20(1) 13-21 (1997), 8A828

Analysis of pyramid indentation of pressure-sensitive hard metals and ceramics, Mech Mat 25(1) 1-35 (Jan-Feb 1997), 9A24

Finite element simulation of large plastic deformation in heterophase materials, Model Simulation Mat Sci Eng 5(1) 1-21 (Jan 1997), 9A25

Finite element study of the effect of void initiation and growth on mixed-mode ductile fracture, Mech Mat 25(2) 113-127 (Mar 1997), 9A26

Plane-strain FE model for process-induced residual stresses in a graphite-PEEK composite, J Composite Mat 31(3) 212-243 (1997), 9A27

Sound field simulation of the tractor's gearbox structure using structural and acoustic interactions, Arch Acoust 21(3) 317-324 (1996), 9A292

Numerical evaluation of isostrain and weighted-average models for elastic moduli of 3D composites, Composites Sci Tech 57(3) 293-305 (Mar 1997), 9A525

In-plane limit moment for an elbow: Lower-bound analytical solution and FE processing by elastic compensation method, Int J Pressure Vessels Piping 71(1) 29-34 (Apr 1997), 9A559

Stabilized FEs for harmonic soil dynamics problems near the undrained-incompressible limit, Soil Dyn Earthquake Eng 16(3) 161-171 (Apr 1997), 9A623

Fracture prediction in stretch forming using FE simulation combined with ductile fracture criterion, Arch Appl Mech 67(3) 143-150 (Feb 1997), 9A658

Evaluation of the J-integral by a plastic crack tip element, Int J Fracture 81(1) 1-25 (1996), 9A741

Numerical simulation of anvil interactions in the impact testing of notched bend specimens, Int J Fracture 81(1) 27-37 (1996), 9A768

Finite element analysis of frictionally excited thermoelastic instability, J Thermal Stresses 20(2) 185-201 (Mar 1997), 9A1326

Numerical simulation of density distribution during compaction of iron powders, Arch Appl Mech 67(3) 191-199 (Feb 1997), 9A1410

Finite element model of the human lower cervical spine: Parametric analysis of the C4-C6 unit, J Biomech Eng 119(1) 87-92 (Feb 1997), 9A1566

Accelerated iterative procedure for solving optimizational problems through the FEM, Tech Mech 17(1) 15-21 (1997), 10A27

Elastoplastic FE analysis and strength evaluation of adhesive butt joints of similar and dissimilar hollow shafts subjected to external bending moments, J Adhesion 61(1-4) 55-69 (1997), 10A28

Finite element method for simulating interface motion - I: Migrations of phase and grain boundaries, Acta Mat 45(5) 1907-1915 (May 1997), 10A29

Finite element modeling of expansive oxide induced fracture of rebar reinforced concrete, Eng Fracture Mech 56(6) 797-812 (Apr 1997), 10A30

Closed loop FE modeling of active structural damping in the frequency domain, Smart Mat Struct 6(2) 161-168 (Apr 1997), 10A155

Analysis of some quadrilateral nonconforming elements for incompressible elasticity, SIAM J Numer Anal 34(2) 640-663 (Apr 1997), 10A569

Two-level Schwarz methods for Wilson element approximation of elasticity problem, Comput Methods Appl Mech Eng 142(2-3) 257-268 (Mar 1997), 10A573

Elastic stress in single crystal Ni-base superalloys and the driving force for their microstructural evolution under high temperature creep conditions, Acta Mat 45(5) 1801-1810 (May 1997), 10A576

Optimal control variational principle and FEs analysis for viscoplastic dynamics, Appl Math Mech 18(1) 61-68 (Jan 1997), 10A594

Measurement of prior plastic deformation in metallic alloys using the neutron diffraction technique, J Strain Anal Eng Des 32(1) 37-46 (Jan 1997), 10A595

Three dimensional effective properties of composite materials for FE applications, J Composite Mat 31(5) 466-485 (1997), 10A621

Linear elastic stress analysis of curved pipes under generalized loads using a reduced integration finite ring element, J Strain Anal Eng Des 32(1) 47-59 (Jan 1997), 10A629

Determination on the most appropriate mesh size for a 2D FE analysis of fatigue crack closure behavior, Fatigue Fracture Eng Mat Struct 20(4) 533-545 (1997), 10A781

Study of fatigue crack closure by elastic-plastic FE analysis for constant-amplitude loading, Int J Fracture 82(1) 43-65 (1996), 10A786

Finite element analysis of creep fracture initiation in a model superalloy material, Int J Fracture 81(4) 299-320 (1996), 10A790

Computation of stress intensity factors for a 2D body from displacements at an arbitrary location, Int J Fracture 81(3) 259-267 (1996), 10A801

Simulating stress intensity factors for anisotropic materials by the least-squares method, Int J Fracture 81(3) 283-297 (1996), 10A802

Quasi-statically steady crack growth in rate dependent solids: One-parameter field encompassing different constraints, Int J Fracture 82(2) 97-114 (1996), 10A808

Finite element analysis of plane strain dynamic crack growth at a ductile-brittle interface, Int J Fracture 81(4) 321-341 (1996), 10A833

Comparison of different methods in predicting static pressure distribution in articulating joints, J Biomech 30(6) 635-638 (Jun 1997), 10A1514

Finite element modeling and experimental verification of lower extremity shape change under load, J Biomech 30(5) 531-536 (May 1997), 10A1516

Numerical simulation of stress stimulated bone remodeling, Tech Mech 17(1) 31-40 (1997), 10A1518

Effect of insoles in therapeutic footwear: A FE approach, J Biomech 30(6) 615-620 (Jun 1997), 10A1560

Relationship between bone-prosthesis bonding and load transfer in total hip reconstruction, J Biomech 30(6) 621-630 (Jun 1997), 10A1571

Adaptive FEMs: A review, Appl Mech Rev 50(10) 581-591 (Oct 1997), 11A9

Application of 2D elastic stochastic FEM in the field of fracture mechanics, Int J Pressure Vessels Piping 71(2) 169-173 (Apr 1997), 11A25

Development of a methodology to form net-shape nosing shells by the backwards tracing scheme of the rigid-plastic FEM, Int J Machine Tools Manuf 37(6) 737-750 (Jun 1997), 11A26

Effect of friction and cavity depth on the elastic indentation of a cylindrical rod, Mech Mat 25(3) 163-172 (Apr 1997), 11A27

Finite-element simulation of V-die bending: A comparison with experimental results, J Mat Processing Tech 65(1-3) 52-58 (Mar 1997), 11A28

Notch-stress analysis by FE submodeling, J Pressure Vessel Tech 119(2) 243-244 (May 1997), 11A29

Numerical study of crack-tip plasticity in glassy polymers, Mech Mat 25(3) 183-197 (Apr 1997), 11A30

Analytical, numerical, and experimental studies of effective elastic properties of periodically perforated materials, J Eng Mat Tech 118(1) 43-48 (Jan 1996), 11A362

Viscoplastic behavior of a notch root at 650°C: ISDG measurement and FE modeling, J Eng Mat Tech 118(1) 88-93 (Jan 1996), 11A422

Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, Int J Plasticity 13(1-2) 165-181 (1997), 11A434

DCB testing of thermoplastic composites: A nonlincar micro-macro numerical analysis, Composites Sci Tech 57(4) 437-450 (Apr 1997), 11A489

Coupled FEM and texture modeling of plane strain extrusion of an aluminium alloy, Int J Plasticity 13(1-2) 111-125 (1997), 11A574

Die shape optimal design in bimetal extrusion by the FEM, J Manuf Sci Eng 119(2) 143-150 (May 1997), 11A575

Forging parameter optimization considering stress distributions in products through FEM analysis and robust design methodology, Int J Machine Tools Manuf 37(6) 775-782 (Jun 1997), 11A580

Injection forging of tubular materials: A workability analysis, J Mat Processing Tech 65(1-3) 88-93 (Mar 1997), 11A581

Residual stresses with different tool flank wear lengths in the ultra-precision machining of Ni-P alloys, J Mat Processing Tech 65(1-3) 116-126 (Mar 1997), 11A613

Simulation analysis of 3D continuous chip formation processes - Part I: FE formulation and experi-

mental verification, Int J Japan Soc Precision Eng 31(1) 39-46 (Mar 1997), 11A614
Thickness distribution in a superplastically formed rectangular pan under plane-strain conditions, J Mat Processing Tech 65(1-3) 59-64 (Mar 1997), 11A624
Incremental convex programming model for solving frictional contact problems, J Eng Appl Sci 44(1) 125-140 (Feb 1997), 11A829
Biomechanics of load-bearing of the intervertebral disc: An experimental and FE model, Med Eng Phys 19(2) 145-156 (Mar 1997), 11A1559
Algebraic multigrid solver for FE computations in solid mechanics, Eng Comput 14(2-3) 202-215 (1997), 12A29
Error-correcting merit of the volumetrically elastic and deviatorically rigid-plastic FEM, J Mat Processing Tech 66(1-3) 165-171 (Apr 1997), 12A30
Finite element analysis of wrinkling membranes, J Appl Mech 64(2) 263-269 (Jun 1997), 12A31
Finite element implementation of rubber-like materials at finite strains, Eng Comput 14(2-3) 216-232 (1997), 12A32
Finite element plane stress analysis incorporating arbitrary 3D large strain constitutive models, Eng Comput 14(2-3) 175-201 (1997), 12A33
Finite-element analysis on the upsetting process of semi-solid aluminum material, J Mat Processing Tech 66(1-3) 76-84 (Apr 1997), 12A34
Inverse FE characterization of nonlinear hyperelastic membranes, J Appl Mech 64(2) 257-262 (Jun 1997), 12A35
Micromechanical model for textile composite plates, J Composite Mat 31(12) 1187-1213 (1997), 12A580
Calculation of effective transverse elastic moduli of fiber-reinforced composites by numerical homogenization, Composites Sci Tech 57(5) 573-586 (May 1997), 12A599
Investigation of the effect of dissimilar interface frictional properties on the process of hollow cylinder upsetting, J Mat Processing Tech 66(1-3) 204-215 (Apr 1997), 12A711
Roll pass evaluation for 3D section rolling using a simplified FEM, Proc Inst Mech Eng J Eng Manuf 211(B2) 143-158 (1997), 12A721
Morphological aspects of fatigue crack propagation - Part I: Computational procedure, Int J Fracture 82(3) 205-220 (1996), 12A747
End reinforcement of composite cylinders for biaxial testing, J Strain Anal Eng Des 32(2) 129-143 (Mar 1997), 12A851

102G. Fluid mechanics applications

Convective heat transfer from a circular cylinder under the effect of a solid plane wall, Int J Numer Methods Fluids 23(2) 163-176 (Jul 1996), 1A44
Elastoplastic FE analyses of an upsetting-sliding test for the determination of friction at medium and high contact pressure, Trib Int 29(7) 603-613 (Nov 1996), 1T45
Finite element analysis of complex incompressible flows, J Hydrodyn B(1) 85-92 (1996), 1A46
Finite element modeling for water waves-soil interaction, Soil Dyn Earthquake Eng 15(5) 283-300 (Jul 1996), 1A47
Finite element solutions of laminar and turbulent mixed convection in a driven cavity, Int J Numer Methods Fluids 23(1) 47-64 (Jul 1996), 1A48
Single-layer FE approximation of 3D Navier-Stokes equations with free boundaries for shallow water flows, Int J Numer Methods Fluids 23(2) 143-161 (Jul 1996), 1A49
Steady-state current conduction analysis featuring electrochemical kinetics, Finite Elements Anal Des 22(3) 187-194 (Jul 1996), 1A50
Bubble stabilization of FEMs for the linearized incompressible Navier-Stokes equations, Comput Methods Appl Mech Eng 132(3-4) 335-343 (Jun 1996), 1A988
Space-time coupled p-version least squares FE formulation for unsteady 2D Navier-Stokes equations, Int J Numer Methods Eng 39(15) 2593-2618 (Aug 1996), 1A996
Static and dynamic performance characteristics of an orifice compensated hydrostatic journal bearing with non-Newtonian lubricants, Trib Int 29(6) 515-526 (Sep 1996), 1A1124
Simulation of an H_2-O_2 flame by the least-squares FEM, Int J Numer Methods Fluids 23(1) 65-74 (Jul 1996), 1A1341
First-order exactly incompressible FE for axisymmetric fluid flow, SIAM J Numer Anal 33(5) 1736-1758 (Oct 1996), 3A14
Mixed FEMs in fluid structure systems, Numer Math 74(2) 153-176 (Aug 1996), 3A15
One-dimensional FE model for high flow velocities in porous media, J Geotech Eng 122(10) 789-796 (Oct 1996), 3A16
Second Japan-US Symposium on FEMs in large-scale computational fluid dynamics, Int J Comput Fluid Dyn 7(1-2) 3-211 (1996), 3A17
Free boundary problem for the 2D seepage flow, Appl Math Mech 17(6) 549-554 (Jun 1996), 3A992
Simplified control-volume FEM, Numer Heat Transfer B 30(2) 179-194 (Sep 1996), 3A1046
Tri-Tree multigrid recoarsement algorithm for the FE formulation of the Navier-Stokes equations, Comput Methods Appl Mech Eng 135(1-2) 129-142 (Aug 1996), 3A1049
Directionally adaptive methodology using an edge-based error estimate on quadrilateral grids, Int J Numer Methods Fluids 23(7) 673-690 (Oct 1996), 4A22
Radial lip seal analysis: FE solution for a body of revolution, Trib Trans 39(4) 908-914 (Oct 1996), 4T23
Shape optimal design for a fluid-heat coupled system, Appl Math Comp Sci 6(2) 245-261 (1996), 4A24
Vortex erosion and amalgamation in a new model of large scale flow on the sphere, J Comput Phys 128(1) 58-81 (Oct 1996), 4T25
Simulation of some model viscoelastic extensional flows, Int J Numer Methods Fluids 23(7) 691-710 (Oct 1996), 4A495
Convergence of vortex methods in a bounded domain using linear FEs, IMA J Numer Anal 16(4) 539-548 (Oct 1996), 5A32
Parallel FE fluid analysis on an element-by-element basis, Comput Mech 18(5) 377-382 (Sep 1996), 5A33
Sensitivity analysis and optimization of coupled thermal and flow problems with applications to contraction design, Int J Numer Methods Fluids 23(10) 991-1020 (Nov 1996), 5A34
Multidimensional upwind residual distribution schemes for the convection-diffusion equation, Int J Numer Methods Fluids 23(9) 923-936 (Nov 1996), 5A1321
Adaptive and optimal control of the water gate of a dam using a FEM, Int J Comput Fluid Dyn 7(3) 253-273 (1996), 6A35
Finite element analysis of laminar flow in a vertical channel with fin array, Finite Elements Anal Des 24(2) 77-93 (Dec 1996), 6A36
Finite element simulation of gust loading, Int J Numer Methods Fluids 23(11) 1197-1210 (Dec 1996), 6A311
Finite element modeling of free surface viscoelastic flows with particular application to rubber mixing, Int J Numer Methods Fluids 23(11) 1117-1132 (Dec 1996), 6A502
Inequality constraints in 1D FEs for an elastic beam on a tensionless Winkler foundation, Finite Elements Anal Des 24(2) 67-75 (Dec 1996), 6A570
New techniques in the elastic analysis of arch bridges using image processing, Strain 32(4) 139-144 (Nov 1996), 6A902
Axisymmetric vortex breakdown for generalized Newtonian fluid contained between rotating spheres, J Non-Newtonian Fluid Mech 66(2-3) 145-168 (Oct 1996), 6A1033
Distributed FEM for solving the incompressible Navier-Stokes equations, Int J Numer Methods Eng 39(24) 4243-4258 (Dec 1996), 6A1035
Prolonged Adaptive Multigrid Method for FE Navier-Stokes equations, Comput Methods Appl Mech Eng 138(1-4) 227-271 (Dec 1996), 6A1041
Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, Appl Math Model 20(12) 898-908 (Dec 1996), 6A1108
Adaptive FEM for a two-equation turbulence model in wall-bounded flows, Int J Numer Methods Fluids 24(1) 101-120 (Jan 1997), 7A23
Comparison of H and P FE approximations of the shallow water equations, Int J Numer Methods Fluids 24(1) 61-79 (Jan 1997), 7A24
Finite element approach to the prediction of foil bearing rotor dynamic coefficients, J Trib 119(1) 85-90 (Jan 1997), 7A25
Kalman-filter-based observer design around optimal control policy for gas pipelines, Int J Numer Methods Fluids 24(2) 233-245 (Jan 1997), 7A26
Non-oscillatory no-free-parameter FE algorithm and its applications in CFD, Int J Numer Methods Fluids 24(2) 141-153 (Jan 1997), 7A27
Notes on FEM and its generalization, J Hydrodyn B(3) 97-101 (1996), 7A28
Simulation of transient flow through Monsanto Processability Tester, by marker FEM, Int J Comput Fluid Dyn B(1) 77-82 (1997), 7T29
Earthquake analysis of flexible rectangular tanks by using the Lagrangian fluid FE, Eur J Mech A 16(1) 165-182 (1997), 7A227
Two-dimensional fluid-structure interaction problems by an arbitrary Lagrangian-Eulerian FEM, Int J Comput Fluid Dyn B(1) 1-9 (1997), 7T234
Time-dependent FEM analysis of photon migration in biological tissues, JSME Int J Ser B 39(4) 754-761 (Nov 1996), 7A1544
"No boundary condition" outflow boundary condition, Int J Numer Methods Fluids 24(4) 393-411 (Feb 1997), 8A25
Chebyshev spectral-FEM for 3D unsteady Navier-Stokes equation, Appl Math Comput 82(2-3) 97-127 (Mar 1997), 8A26
Finite element analysis of arches undergoing large rotations - I: Theoretical comparison, Finite Elements Anal Des 24(4) 213-235 (Feb 1997), 8A27
Finite element methods for the Stokes system in 3D exterior domains, Math Methods Appl Sci 20(3) 245-269 (Feb 1997), 8A28
Finite element model for the simulation of dense gas dispersion in the atmosphere, Int J Numer Methods Fluids 24(3) 291-317 (Feb 1997), 8A29
Imposing "no" boundary condition at outflow: Why does it work, Int J Numer Methods Fluids 24(4) 413-417 (Feb 1997), 8A30
Mixed transform FEM for solving the nonlinear equation for flow in variably saturated porous media, Int J Numer Methods Fluids 24(5) 441-455 (Mar 1997), 8A31
Nonlinear isoparametric finite-strip method, Proc Inst Civil Eng Struct Build 122(1) 52-68 (Feb 1997), 8A32
Viscoelastic modeling of entrance flow using multi-mode Leonov model, Int J Numer Methods Fluids 24(5) 493-517 (Mar 1997), 8A510
Modeling of cold-formed purlin-sheeting systems - Part 2: Simplified model, Thin-Walled Struct 27(4) 263-286 (Apr 1997), 8A572
Vibration, buckling, and parametric instability behavior of plates with centrally located cutouts subjected to in-plane edge loading (tension or compression), Thin-Walled Struct 27(4) 287-310 (Apr 1997), 8A608
A posteriori error estimators for the Stokes and Oseen equations, SIAM J Numer Anal 34(1) 228-245 (Feb 1997), 8A1056
High-order accurate discontinuous FEM for the numerical solution of the compressible Navier-Stokes equations, J Comput Phys 131(2) 267-279 (Mar 1997), 8A1105
Stable FE approximations of thermal viscoelastic flows, Mech Res Commun 24(2) 203-208 (Mar-Apr 1997), 8T1147
Experiments with stability analysis of discrete incompressible flows in the lid-driven cavity, Int J Numer Methods Fluids 24(5) 477-492 (Mar 1997), 8A1162
Bifurcation analysis of brown tide by reaction-diffusion equation using FEM, J Comput Phys 131(2) 253-266 (Mar 1997), 8A1568
Solution of the advection-diffusion equation using a combination of discontinuous and mixed FEs, Int J Numer Methods Fluids 24(6) 595-613 (Mar 1997), 9A28
Nonlinear, subgrid embedded FE basis for accurate, monotone, steady CFD solutions, Numer Heat Transfer B 31(2) 135-175 (Mar 1997), 9A1030
Three-dimensional FE adaptive analysis of incompressible flow based on control of node density distribution and *a posteriori* error estimation, Adv Eng Software 28(3) 173-187 (Apr 1997), 9A1034
Spurious free four-node displacement-based fluid element for fluid-structure interaction analysis, Eng Struct 19(8) 665-678 (Aug 1997), 10A23
Adaptation of unstructured grids for transonic viscous flow simulation, Finite Elements Anal Des 25(3-4) 199-218 (Apr 1997), 10A31
Adaptive FE scheme for hydraulic fracturing with proppant transport, Int J Numer Methods Fluids 24(7) 645-670 (Apr 1997), 10A32
Discretization schemes of the FEM for advection terms of an incompressible two-fluid model, Comput Model Simul in Eng 2(2) 145-161 (May 1997), 10A33
Finite-element calculations of remote field eddy current interactions with slit defects, Res Nondestructive Eval 8(4) 199-231 (1996), 10A34
Mesh adaptation strategies for problems in fluid dynamics, Finite Elements Anal Des 25(3-4) 243-273 (Apr 1997), 10A35
Nonlinear adaptive full tri-tree multigrid method for the mixed FE formulation of the Navier-Stokes equations, Int J Numer Methods Fluids 24(10) 1037-1047 (May 1997), 10A36
Three-dimensional flow calculations with an A-L-E description using space-time FEs, Commun Numer Methods Eng 13(4) 273-284 (Apr 1997), 10A37
Unstructured mesh generation including directional refinement for aerodynamic flow simulation, Finite Elements Anal Des 25(3-4) 343-356 (Apr 1997), 10A38
Nonlinear dynamic analysis of orthotropic open cylindrical shells subjected to a flowing fluid, J Sound Vib 202(1) 67-93 (Apr 1997), 10A313
Realistic friction modeling for simple upsetting, Trib Trans 40(2) 367-373 (Apr 1997), 10T970
Finite element formulation for incompressible flow problems using a generalized streamline operator, Comput Methods Appl Mech Eng 143(1-2) 49-67 (Apr 1997), 10A1095
Fractional four-step FE formulation of the unsteady incompressible Navier-Stokes equations using SUPG and linear equal-order element methods, Comput Methods Appl Mech Eng 143(3-4) 333-348 (Apr 1997), 10A1096
Pegasc: A Navier-Stokes solver for direct numerical simulation of incompressible flows, Int J Numer Methods Fluids 24(9) 833-861 (May 1997), 10AT101
Quadrilateral "mini" FE for the Stokes problem, Comput Methods Appl Mech Eng 143(1-2) 41-47 (Apr 1997), 10A1102
Use of 3D computational fluid dynamics in the design of extrusion dies, J Reinforced Plastics Composites 16(7) 661-674 (1997), 10A1104
Steady axisymmetric motion of deformable drops falling or rising through a homoviscous fluid in a tube at intermediate Reynolds number, J Fluid Mech 336 1-32 (Apr 1997), 10A1130
Algebraic stress FE model of turbulent flow, Int J Numer Methods Fluids 24(7) 693-714 (Apr 1997), 10A1189
Validation of standard, modified and nonlinear k-ε turbulence models, Int J Numer Methods Fluids 24(10) 965-986 (May 1997), 10A1197
Use of eigenvalue technique in FE tidal computations, Int J Numer Methods Fluids 24(10) 953-963 (May 1997), 10A1474
Transient analysis of the ship-water interaction system excited by a pressure water wave, Marine Struct 10(5) 302-321 (Jun 1997), 11A23
Finite element computations for unsteady fluid and elastic membrane interaction problems, Int J Numer Methods Fluids 24(11) 1091-1110 (Jun 1997), 11A31
Finite-element simulation of circulating steady flow for fluids of the memory-integral type: Flow in a single-crew extruder, J Non-Newtonian Fluid Mech 70(1-2) 35-58 (May 1997), 11A32
Multiscale FEM for elliptic problems in composite materials and porous media, J Comput Phys 134(1) 169-189 (Jun 1997), 11A33
Three-dimensional FE model to simulate secondary flows: Development and validation (French), J Hydraul Res 35(3) 291-300 (1997), 11T34
Simulation of viscoelastic flows using Brownian configuration fields, J Non-Newtonian Fluid Mech 70(1-2) 79-101 (May 1997), 11A402
Numerical simulations of laminar flow over a 3D backward-facing step, Int J Numer Methods Fluids 24(11) 1159-1183 (Jun 1997), 11A967
Finite-element study of Newtonian and power-law fluids in conical channel flow, J Fluids Eng 119(2) 341-346 (Jun 1997), 11A1037
Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, Proc Inst Mech Eng J: Eng Trib 211(J1) 37-49 (1997), 11T1182
Finite element analysis of the squeeze flow of an elasto-viscoplastic paste material, J Non-Newtonian Fluid Mech 71(1-2) 41-57 (Jul 1997), 12A36
Finite-element solution of variable-arc-length beams under a point load, J Struct Eng 123(7) 968-970 (Jul 1997), 12A37
Novel exponentially fitted triangular FEM for an advection-diffusion problem with boundary layers, J Comput Phys 134(2) 253-260 (Jul 1997), 12A38
Parallel adaptive FE Euler flow solver for rotary wing aerodynamics, AIAA J 35(6) 937-944 (Jun 1997), 12A39
Third US-Japan Symposium on FEM in large-scale computational fluid dynamics, held on April 1-3, 1996 at the Army High Performance Computing Research Center, University of Minnesota, Int J Numer Methods Fluids 24(12) 1253-1461 (Jun 1997), 12A40
Parameter identification of hysteresis friction of coated ball bearings based on 3D FEM analysis, J Trib 119(3) 462-470 (Jul 1997), 12A1013
Anisotropic h-adaptive FEM for compressible Navier-Stokes equations, Comput Methods Appl Mech Eng 146(3-4) 231-252 (Jul 1997), 12A1094
Dusty detonation simulations with adaptive unstructured FEs, AIAA J 35(6) 1018-1024 (Jun 1997), 12A1383

102J. Other applications

Finite element method and boundary element method in geomechanics - Foundations and soil-structure interaction: A bibliography (1992-1994), Finite Elements Anal Des 22(3) 249-263 (Jul 1996), 1A51
Finite element models for the piezoelectric actuation in ultrasonic traveling wave motors, J Intelligent Mat Syst Struct 7(2) 157-161 (Mar 1996), 1A52
Mixed FEMs for Hamilton-Jacobi-Bellman-type equations, IMA J Numer Anal 16(3) 399-412 (Jul 1996), 1A53
Procedure based on FEs for the solution of nonlinear problems in the kinematic analysis of mechanisms, Finite Elements Anal Des 22(4) 305-327 (Jul 1996), 1A54
Embedded localization band in undrained soil based on regularized strong discontinuity: Theory and FE-analysis, Int J Solids Struct 33(20-22) 3081-3101 (Aug 1996), 1A613
Effect of out-of-plane properties of a polyimide film on the stress fields in microelectronic structures, Mech Mat 23(4) 311-321 (Aug 1996), 3A18
Consistent infinitesimal FE cell method: 3D scalar wave equation, J Appl Mech 63(3) 650-654 (Sep 1996), 3A265
Finite Element Method in Heat Transfer Analysis (Wiley, UK, 1996) 4R28

Finite element studies for correlation with block shear tests, Comput Struct 61(5) 967-974 (Dec 1996), 4A26
Modeling of free vibrations of cylindrical coil, J Tech Phys 37(2) 131-136 (1996), 4A170
Investigation by the FEM of stress-strain state of the Transcarpathian crust, Acta Geophys Polonica 43(4) 303-312 (1995), 4A1375
Computational modeling of aircraft structures, Finite Elements Anal Des 23(2-4) 91-403 (Nov 1996), 5A18
Algorithms for computing motion by mean curvature, SIAM J Numer Anal 33(6) 2215-2238 (Dec 1996), 6A37
Numerical analysis of plasma-sprayed ceramic coatings for high-temperature applications, Struct Eng and Mech 4(6) 679-702 (Nov 1996), 6A38
Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, Mat Struct 29(194) 620-631 (Dec 1996), 6A541
Development and application of an integrated multidisciplinary analysis capability, Int J Numer Methods Eng 40(3) 533-550 (Feb 1997), 7A30
Finite element approximation for 2nd order elliptic eigenvalue problems with nonlocal boundary or transition conditions, Appl Math Comput 82(1) 1-16 (3 1997), 7T31
Time-domain FEM for inverse problem of aircraft maneuvers, J Guidance Control Dyn 20(1) 97-103 (Jan-Feb 1997), 7A1170
Composite FEs for the approximation of PDEs on domains with complicated micro-structures, Numer Math 75(4) 447-472 (Feb 1997), 8A33
Finite element analysis of a flat plate solar collector, Finite Elements Anal Des 24(4) 283-290 (Feb 1997), 8A34
Finite element modeling of single lap screw connections in steel sheeting under static shear, Thin-Walled Struct 27(2) 165-185 (Feb 1997), 8A35
Numerical studies of bearing-capacity factor N_γ, J Geotech Geoenv Eng 123(1) 20-29 (Jan 1997), 8A36
Recent advances in the numerical modeling of constitutive relations, Finite Elements Anal Des 24(3) 171-185 (Jan 1997), 8A37
Side load-transfer mechanisms in drilled shafts in soft argillaceous rock, J Geotech Geoenv Eng 123(2) 145-152 (Feb 1997), 8A38
Pile response due to excavation-induced lateral soil movement, J Geotech Geoenv Eng 123(2) 94-99 (Feb 1997), 8A665
Three-dimensional seepage through spatially random soil, J Geotech Geoenv Eng 123(2) 153-160 (Feb 1997), 8A1447
Finite element methods in spine biomechanics research, Critical Rev Biomed Eng 23(5-6) 411-473 (1995), 8A1558
Detection of underground obstacles by SASW method: Numerical aspects, J Geotech Geoenv Eng 123(3) 212-219 (Mar 1997), 9A29
Error estimation for FEM in acoustic scattering, Comp Assisted Mech Eng Sci 3(4) 389-401 (1996), 9A30
Design method for drilled shafts in soft argillaceous rock, J Geotech Geoenv Eng 123(3) 272-280 (Mar 1997), 9A642
Inspiratory and expiratory steady flow analysis in a model symmetrically bifurcating airway, J Biomech Eng 119(1) 52-58 (Feb 1997), 9A1588
Reinforcement of PMMA bone cement with a continuous wire coil: A 3D FE study, Bio-Med Mat Eng 6(6) 429-439 (1996), 9A1604
Analysis of tunnels: Fuzzy (German), Bauingenieur 72(1) 33-47 (Jan 1997), 10A39
Finite element simulation of jetting behavior in metal injection molding using remeshing scheme, Finite Elements Anal Des 25(3-4) 319-330 (Apr 1997), 10A40
Longitudinal standing waves in compound bars and rods, Wave Motion 25(2) 181-196 (Mar 1997), 10A41
Numerical analysis of membrane stability in air flow, J Sound Vib 201(3) 281-292 (Apr 1997), 10A319
Implicit integrations in elastoplastic geotechnics, Mech Cohesive-Frictional Mat 2(2) 165-183 (Apr 1997), 10A718
Numerical simulation of axisymmetric forging processes through FE analysis: A simple method for the modeling of friction (Spanish), Rev Int Metodos Numer Calc Diseno Ing 13(1) 57-69 (1997), 10A731
Different levels of modeling for the purpose of bridge evaluation, Appl Acoust 50(3) 189-204 (Mar 1997), 11A35
Earth pressure coefficients based on the Lade-Duncan failure criterion, Eng Struct 19(9) 733-737 (Sep 1997), 11A36
Mixed FEM for a dynamical Ginzburg-Landau model in superconductivity, Numer Math 76(3) 323-353 (May 1997), 11A37
Computation of noise radiation from fan inlet and aft ducts, J Aircraft 34(3) 387-393 (May-Jun 1997), 11A241
Minimum material volume based shell-plate-frame-pipe system, Proc Estonian Acad Sci Eng 3(1) 50-59 (1997), 11A547
Plane-strain modeling of smear effects associated with vertical drains, J Geotech Geoenv Eng 123(5) 474-478 (May 1997), 11A555
Finite element modeling of engagement of rough and grooved wet clutches, J Trib 118(1) 137-146 (Jan 1996), 11A849
Accuracy in modeling the acoustic wave equation with Chebyshev spectral FEs, Finite Elements Anal Des 26(2) 115-128 (Jun 1997), 12A41
Analysis of stress-change disturbance caused by ideal drilling in clay, J Geotech Geoenv Eng 123(7) 626-634 (Jul 1997), 12A42
Applying the FEM to drill design based on drill deformations, Finite Elements Anal Des 26(1) 57-81 (May 1997), 12A43
Dynamic analysis of rotors using modal reduction, Finite Elements Anal Des 26(1) 41-55 (May 1997), 12A44
Finite-element analysis of temperature distributions in spade drilling, J Mat Processing Tech 66(1-3) 112-122 (Apr 1997), 12A45
Limitations on the use of the mixed-mode delaminating beam test specimen: Effects of the size of the region of K-dominance, Mech Mat 25(4) 291-308 (May-Jun 1997), 12A46
Mixed FEM for Hele-Shaw cell equations, Comput Geosci 1(1) 35-58 (Apr 1997), 12A47
New method to determine triaxial non-uniform residual stresses from measurements using the hole drilling method, Strain 33(2) 39-45 (May 1997), 12A48
Optimal cooling system design for multi-cavity injection molding, Finite Elements Anal Des 26(3) 229-251 (Jun 1997), 12A49
Proceedings of the 11th ADINA Conference: MIT June 18-20, 1997, Comput Struct 64(5-6) 881-1297 (Sep 1997), 12A50
Research on nonstationary random thermal creep stresses in mass concrete structures, Finite Elements Anal Des 26(2) 83-95 (Jun 1997), 12A51
Rolling process 2D FE model analysis, Finite Elements Anal Des 26(2) 143-160 (Jun 1997), 12A728
Two-dimensional and 3D shape optimization using mesh velocities to integrate analytical sensitivities with associative CAD, Struct Optim 13(4) 213-222 (Jun 1997), 12A891
Direct methods for the discretization of a heat-conduction equation using spline functions, Appl Math Comput 85(1) 87-96 (Aug 1997), 12A1299

102L. Solution algorithms

Analytical and computational assessment of locking in the hp FEM, Comput Methods Appl Mech Eng 133(3-4) 347-371 (Jul 1996), 1A55
Approximation properties of the h-p version of the FEM, Comput Methods Appl Mech Eng 133(3-4) 319-346 (Jul 1996), 1A56
Co-rotational formulation for 2D continua including incompatible modes, Int J Numer Methods Eng 39(15) 2619-2633 (Aug 1996), 1A57
Comparison of several mesh refinement strategies near edges, Commun Numer Methods Eng 12(7) 373-381 (Jul 1996), 1A58
DOF expanding method for connecting solid and shell element, Commun Numer Methods Eng 12(6) 321-330 (Jun 1996), 1A59
Efficient solutions schemes for interface problems, Finite Elements Anal Des 22(4) 267-280 (Jul 1996), 1A60
Finite-element error estimates for the MAC scheme, IMA J Numer Anal 16(3) 347-379 (Jul 1996), 1A61
Generalized Newton method for higher order FE approximations in nonlinear elasticity, Int J Numer Methods Eng 39(15) 2635-2646 (Aug 1996), 1A62
hp-version discontinuous Galerkin methods for hyperbolic conservation laws, Comput Methods Appl Mech Eng 133(3-4) 259-286 (Jul 1996), 1A63
Iterative methods for p-version FEs: Preconditioning thin solids, Comput Methods Appl Mech Eng 133(3-4) 247-257 (Jul 1996), 1A64
Nonconforming element method and refined hybrid element method for axisymmetric solid, Int J Numer Methods Eng 39(15) 2509-2529 (Aug 1996), 1A65
Object-oriented FEs - I: Principles of symbolic derivations and automatic programming, Comput Methods Appl Mech Eng 132(3-4) 259-276 (Jun 1996), 1A66
Object-oriented FEs - II: A symbolic environment for automatic programming, Comput Methods Appl Mech Eng 132(3-4) 277-304 (Jun 1996), 1A67
Optimal eigenvalue and asymptotic large-time approximations using the moving FEM, IMA J Numer Anal 16(3) 381-398 (Jul 1996), 1A68
Parallel solver for the hp-version of FEMs, Comput Methods Appl Mech Eng 133(3-4) 229-246 (Jul 1996), 1A69
Polylogarithmic bound for an iterative substructuring method for spectral elements in 3D, SIAM J Numer Anal 33(4) 1303-1335 (Aug 1996), 1A70
Preconditioner based on domain decomposition for h-p FE approximation on quasi-uniform meshes, SIAM J Numer Anal 33(4) 1358-1376 (Aug 1996), 1A71
Three and four step least squares FE schemes in the time domain, Commun Numer Methods Eng 12(7) 425-431 (Jul 1996), 1A72
Multigrid methods to accelerate convergence of element-by-element solution algorithms for viscous incompressible flows, Comput Methods Appl Mech Eng 132(3-4) 179-193 (Jun 1996), 1A994
Handbook of Software for Engineers and Scientists (CRC Press, Boca Raton FL, 1996) 2N5
Automated mesh decomposition for FE analysis, Asian J Struct Eng 1(4) 313-335 (1995), 2A27
Computational strategies for iterative solutions of large FEM applications employing voxel data, Int J Numer Methods Eng 39(16) 2743-2767 (Aug 1996), 2A28
Continuous meshless approximations for nonconvex bodies by diffraction and transparency, Comput Mech 18(3) 225-235 (Jul 1996), 2A29
Coupling BEs and FEs: A structured approach, Comput Methods Appl Mech Eng 134(1-2) 117-134 (Jul 1996), 2A30
Design of the classes of object-oriented FE program (Chinese), J Comput Struct Mech Appl 13(3) 269-278 (Aug 1996), 2A31
Enriched FEs for regions with multiple, interacting singular fields, AIAA J 34(9) 1927-1933 (Sep 1996), 2A32
Asymptotic solutions for predicted natural frequencies of 2D elastic solid vibration problems in FE analysis, Int J Numer Methods Eng 39(16) 2821-2835 (Aug 1996), 2A160
Consistent local error computations - Part II: FE applications, Int J Numer Methods Eng 39(19) 3235-3246 (Oct 1996), 3A19
Data design approach for object-oriented FEM programs, Comput Struct 61(3) 503-513 (Nov 1996), 3A20
Fourier-FEM for Poisson's equation in axisymmetric domains with edges, SIAM J Numer Anal 33(5) 1885-1911 (Oct 1996), 3A21
Mesh refinement formulations in adaptive FEMs, Proc Inst Mech Eng C 210(C4) 353-361 (1996), 3A22
New approach to dynamic condensation for FEM, Comput Struct 61(4) 763-773 (Nov 1996), 3A23
Robust and efficient methods for stochastic FE analysis using Monte Carlo simulation, Comput Methods Appl Mech Eng 134(3-4) 325-340 (Aug 1996), 3A24
Second International Conference on Computational Structures Technology, Adv Eng Software 27(1-2) 1-178 (Oct-Nov 1996), 3A25
Superconvergence of Galerkin methods for hyperbolic IBVP, SIAM J Numer Anal 33(5) 1778-1796 (Oct 1996), 3A26
Three-dimensional unstructured mesh generation - Part 1: Fundamental aspects of triangulation and point creation, Comput Methods Appl Mech Eng 134(3-4) 249-268 (Aug 1996), 3A27
Three-dimensional unstructured mesh generation - Part 2: Surface meshes, Comput Methods Appl Mech Eng 134(3-4) 269-284 (Aug 1996), 3A28
Three-dimensional unstructured mesh generation - Part 3: Volume meshes, Comput Methods Appl Mech Eng 134(3-4) 285-310 (Aug 1996), 3A29
Total orthogonalization of redundants in the force method, Int J Numer Methods Eng 39(19) 3351-3365 (Oct 1996), 3A30
Two-dimensional sensitivity analysis, Comput Struct 61(3) 563-571 (Nov 1996), 3A31
Two-grid discretization techniques for linear and nonlinear PDEs, SIAM J Numer Anal 33(5) 1759-1777 (Oct 1996), 3A32
Whisker weaving algorithm: A connectivity-based method for constructing all-hexahedral FE meshes, Int J Numer Methods Eng 39(19) 3327-3349 (31t 1996), 3A33
Accuracy required of experimental data for FE model updating, J Sound Vib 196(3) 323-336 (Sep 1996), 4A27
Finite element integration for the control volume method, Commun Numer Methods Eng 12(9) 543-555 (Sep 1996), 4A28
Improvement in model reduction schemes using the system equivalent reduction expansion process, AIAA J 34(10) 2217-2219 (Oct 1996), 4T29
Micromechanically based stochastic FEs: Length scales and anisotropy, Probab Eng Mech 11(4) 205-214 (Oct 1996), 4A30
Object-oriented architecture for a FEM knowledge-based system, Int J Numer Methods Eng 39(20) 3497-3517 (Oct 1996), 4A31
Three-dimensional FE meshing by incremental node insertion, Int J Numer Methods Eng 39(20) 3519-3534 (Oct 1996), 4A32
Multigrid Methods for Finite Elements (Kluwer, Netherlands, 1995) 5N2
Balancing domain decomposition for problems with large jumps in coefficients, Math Comput 65(216) 1387-1401 (Oct 1996), 5A35
Free mesh method: A new meshless FEM, Comput Mech 18(5) 383-386 (Sep 1996), 5A36
H-p clouds: An h-p meshless method, Numer Methods PDE 12(6) 673-705 (Nov 1996), 5A37
MUSCL method satisfying all the numerical entropy inequalities, Math Comput 65(216) 1439-1461 (Oct 1996), 5A38
Nonoverlapping domain decomposition method with mixed element for elliptic problems, J Comput Math 14(4) 291-300 (Oct 1996), 5A39
Optimal interior and local error estimates of a recovered gradient of linear elements on nonuniform triangulations, J Comput Math 14(4) 345-362 (Oct 1996), 5A40
p and hp versions of the FEM for problems with boundary layers, Math Comput 65(216) 1403-1429 (Oct 1996), 5A41
Subconvergence of FEs and a self-adaptive algorithm, J Comput Math 14(4) 336-344 (Oct 1996), 5A42
TICAM S34posium held at the University of Texas in April 1995, J Comput Appl Math 74(1-2) 1-344 (Nov 1996), 5A43
Ultraconvergence of the patch recovery technique, Math Comput 65(216) 1431-1437 (Oct 1996), 5A44
Benchmark computational study of FE error estimation, Int J Numer Methods Eng 39(23) 3969-3983 (Dec 1996), 6A39
Best approximation property of the moving FEM, SIAM J Numer Anal 33(6) 2286-2302 (Dec 1996), 6A40
Criteria to achieve nearly optimal meshes in the h-adaptive FEM, Int J Numer Methods Eng 39(23) 4039-4061 (Dec 1996), 6A41
Element resequencing for use with a multiple front algorithm, Int J Numer Methods Eng 39(23) 3999-4020 (Dec 1996), 6A42
General method for recovering equilibrating element tractions, Comput Methods Appl Mech Eng 137(2) 111-151 (Oct 1996), 6A43
h-p adaptive method using clouds, Comput Methods Appl Mech Eng 139(1-4) 237-262 (Dec 1996), 6A44
hp-meshless cloud method, Comput Methods Appl Mech Eng 139(1-4) 263-288 (Dec 1996), 6A45
Object-oriented programming of adaptive FE and finite volume methods, Appl Numer Math 21(4) 439-467 (Oct 1996), 6A46
Parameter selection strategies in FE model updating, J Vib Acoust 119(1) 37-45 (Jan 1997), 6A47
Performance study of the domain decomposition method with direct equation solver for parallel FE analysis, Comput Mech 19(2) 84-93 (Dec 1996), 6A48
A posteriori error estimators for the Raviart-Thomas element, SIAM J Numer Anal 33(6) 2431-2444 (Dec 1996), 6A49
Preconditioner for the h-p version of the FEM in 2D, Numer Math 75(1) 59-77 (Nov 1996), 6A50
Recovery by equilibrium in patches (REP), Int J Numer Methods Eng 40(1) 137-164 (Jan 1997), 6A51
Automating node and element assignments on conforming four-sided sections defining a domain for mapping quadrilateral elements, Comput Struct 62(2) 373-380 (1997), 7A32
Incremental objectivity in cyclic shearing deformations, Commun Numer Methods Eng 12(12) 863-871 (Dec 1996), 7A33
Moore-Penrose inverse method of topological variation of FE systems, Comput Struct 62(2) 243-251 (1997), 7A34
Multilevel preconditioning for perturbed FE matrices, IMA J Numer Anal 17(1) 125-149 (Jan 1997), 7A35
Parametric studies on vertical boundary location in dynamic FE analyses, Comput Struct 62(3) 595-601 (1997), 7A36
Partition of unity method, Int J Numer Methods Eng 40(4) 727-758 (Feb 1997), 7A37
Superconvergence of isoparametric bilinear FEs, Commun Numer Methods Eng 12(12) 849-862 (Dec 1996), 7A38
Two-dimensional frame model of the differential quadrature element method, Comput Struct 62(3) 555-571 (1997), 7A39
Formulation and survey of ALE method in nonlinear solid mechanics, Finite Elements Anal Des 24(4) 253-269 (Feb 1997), 8A14
Algorithmic aspects of adaptive multigrid FE analysis, Int J Numer Methods Eng 40(5) 919-936 (Mar 1997), 8A39
Boundary node method for potential problems, Int J Numer Methods Eng 40(5) 797-815 (Mar 1997), 8A40
Computation of the boundary integral of space-time deforming FEs, Commun Numer Methods Eng 13(2) 53-59 (Feb 1997), 8A41
Domain decomposition for FE analysis, Commun Numer Methods Eng 13(2) 61-71 (Feb 1997), 8A42
Eigen-force method for FE analysis and reanalysis, Int J Numer Methods Eng 40(5) 777-796 (Mar 1997), 8A43
Geometrical-mechanical interpretation of gradient-weighted moving FEs, SIAM J Numer Anal 34(1) 67-90 (Feb 1997), 8A44
How to generate local refinements of unstructured tetrahedral meshes satisfying a regularity ball condition, Numer Methods PDE 13(2) 201-214 (Mar 1997), 8A45
L_∞ convergence of TRUNC element for the biharmonic equation, J Comput Math 15(1) 14-22 (Jan 1997), 8A46

Polynomial liftings on a tetrahedron and applications to the h-p version of the FEM in 3D, SIAM J Numer Anal 34(1) 282-314 (Feb 1997), 8A47

Simple p-adaptive refinement procedure for structural shape optimization, Finite Elements Anal Des 24(3) 133-155 (Jan 1997), 8A48

Superconvergent Patch Recovery: A key to quality assessed FE solutions, Adv Eng Software 28(2) 85-95 (Mar 1997), 8A49

Efficiency of refinement procedures for the p-version of the adaptive FEM, Eng Comput 14(1) 98-118 (1997), 9A31

Error estimation in FE transient dynamic analysis using modal superposition, Eng Comput 14(1) 135-158 (1997), 9A32

Evaluation of automatic domain partitioning algorithms for parallel FE analysis, Int J Numer Methods Eng 40(6) 1025-1051 (Mar 1997), 9A33

FE shooting method for solving infinite domain problems, Commun Numer Methods Eng 13(3) 173-180 (Mar 1997), 9A34

Finite element stress extraction by the complementary energy principle, Int J Numer Methods Eng 40(7) 1335-1354 (Apr 1997), 9A35

Formulation of geometrically nonlinear problems in the spatial reference frame, Int J Numer Methods Eng 40(7) 1263-1280 (Apr 1997), 9A36

Improving modularity in object-oriented FE programming, Commun Numer Methods Eng 13(3) 193-198 (Mar 1997), 9A37

Modification of Gauss sampling points of 6-node and 16-node isoparametric FEs, Comput Struct 63(3) 607-623 (May 1997), 9A38

Optimization of tetrahedral meshes based on element shape measures, Comput Struct 63(5) 951-961 (Jun 1997), 9A39

Polymorphic constitutive equations in FE codes, Comput Methods Appl Mech Eng 141(3-4) 355-372 (Feb 1997), 9A40

Representation of infinite domains in FEM computations, Comput Struct 63(5) 889-897 (Jun 1997), 9A41

Superconvergent patch recovery in problems of mixed form, Commun Numer Methods Eng 13(3) 207-217 (Mar 1997), 9A42

Use of the multi-level iterative aggregation method in 3D FE analysis of solid, truss, frame, and shell structures, Comput Struct 63(5) 927-938 (Jun 1997), 9A43

Superconvergent stress recovery technique with equilibrium constraint, Int J Numer Methods Eng 40(6) 1139-1160 (Mar 1997), 9A444

Adaptive meshing - Part I, Finite Elements Anal Des 25(1-2) 1-198 (Mar 1997), 10A5

Improved stress recovery for elements at boundaries, Struct Eng and Mech 5(2) 127-135 (Mar 1997), 10A8

Unstructured mesh generation including directional refinement for aerodynamic flow simulation, Finite Elements Anal Des 25(3-4) 343-356 (Apr 1997), 10A38

Finite element simulation of jetting behavior in metal injection molding using remeshing scheme, Finite Elements Anal Des 25(3-4) 319-330 (Apr 1997), 10A40

Adaptive mesh generation using a normal offsetting technique, Finite Elements Anal Des 25(3-4) 275-295 (Apr 1997), 10A42

Adaptive solver for the p-version of FEM, Int J Numer Methods Eng 40(10) 1767-1784 (May 1997), 10A43

Automatic generation of efficient routines for evaluating multivariate polynomials arising in FE computations, Adv Eng Software 28(4) 239-245 (Jun 1997), 10A44

Continuous field approximation of experimentally given data by FEs, Comput Struct 63(6) 1195-1204 (Jun 1997), 10A45

C^1-Continuous stress recovery in FE analysis, Comput Methods Appl Mech Eng 143(3-4) 299-316 (Apr 1997), 10A46

Delaunay triangulation and 3D adaptive mesh generation, Finite Elements Anal Des 25(3-4) 331-341 (Apr 1997), 10A47

Finite element remeshing: A metal forming approach for quadrilateral mesh generation and refinement, Int J Numer Methods Eng 40(8) 1449-1464 (Apr 1997), 10A48

High-order boundary conditions and FEs for infinite domains, Comput Methods Appl Mech Eng 143(1-2) 13-39 (Apr 1997), 10A49

Improvements on Delaunay-based 3D automatic mesh generator, Finite Elements Anal Des 25(3-4) 297-317 (Apr 1997), 10A50

Inverse vibration problems for FE models, Inverse Prob 13(2) 311-322 (Apr 1997), 10A51

Large scale object-oriented FE code design, Comput Methods Appl Mech Eng 142(1-2) 165-187 (Mar 1997), 10A52

Method for graphic stress representation, Comput Struct 63(6) 1223-1228 (Jun 1997), 10A53

Modification of FE model based on identified error locations (Chinese), J Vib Eng 10(1) 1-7 (Mar 1997), 10T54

Monotone FEM with test space of Legendre polynomials, Comput Methods Appl Mech Eng 143(3-4) 349-372 (Apr 1997), 10A55

Numerical analysis of the modified EVSS method, Comput Methods Appl Mech Eng 143(1-2) 79-95 (Apr 1997), 10A56

Pade approximants applied to a nonlinear FE solution strategy, Commun Numer Methods Eng 13(4) 229-238 (Apr 1997), 10A57

Physically nonlinear dual mixed FE formulation, Comput Methods Appl Mech Eng 144(1-2) 77-92 (May 1997), 10A58

A posteriori error estimation in FE analysis, Comput Methods Appl Mech Eng 142(1-2) 1-88 (Mar 1997), 10A59

Prerequisites for quadrature elimination in structural FE analysis, Commun Numer Methods Eng 13(4) 301-306 (Apr 1997), 10A60

Stress recovery procedure for the FEM, Comput Struct 63(6) 1121-1137 (Jun 1997), 10A61

Three-dimensional mesh generator for arbitrary multiple material domains, Finite Elements Anal Des 25(3-4) 219-241 (Apr 1997), 10A62

Tree-cotree decompositions for first-order complete tangential vector FEs, Int J Numer Methods Eng 40(9) 1667-1685 (May 1997), 10A63

Robust preconditioners for linear elasticity FEM analyses, Int J Numer Methods Eng 40(11) 2109-2127 (Jun 1997), 10A572

Implicit integrations in elastoplastic geotechnics, Mech Cohesive-Frictional Mat 2(2) 165-183 (Apr 1997), 10A718

Automatic adaptive 3D FE refinement using different-order tetrahedral elements, Int J Numer Methods Eng 40(12) 2195-2226 (Jun 1997), 11A38

Class of C^1 discrete interpolants over tetrahedra, J Comput Math 15(2) 149-158 (Apr 1997), 11A39

Equilibrium method for local, a posteriori, pointwise estimation of the FE error, Comput Methods Appl Mech Eng 145(3-4) 263-283 (Jun 1997), 11A40

Feed-back approach to error control in FEMs: Application to linear elasticity, Comput Mech 19(5) 434-446 (Apr 1997), 11A41

Mesh smoothing using a posteriori error estimates, SIAM J Numer Anal 34(3) 979-997 (Jun 1997), 11A42

Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part I: Formulation, Comput Methods Appl Mech Eng 145(1-2) 87-98 (Jun 1997), 11A103

Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part II: Algorithms and analysis, Comput Methods Appl Mech Eng 145(1-2) 99-107 (Jun 1997), 11A104

Optimization on Low Rank Nonconvex Structures (Kluwer, MA, 1997) 12N5

Parallel Computing in Optimization (Kluwer, MA, 1997) 12N6

Error estimation for natural frequency FE analysis, Finite Elements Anal Des 26(1) 21-40 (May 1997), 12A13

Optimization of FE grids using shape sensitivity analysis in terms of nodal positions, Finite Elements Anal Des 26(1) 1-19 (May 1997), 12A17

New solution to structural fuzzy FE equilibrium equations (SFFEEE), Appl Math Mech 18(4) 385-391 (Apr 1997), 12A52

Object-oriented programming of FEM for continuum mechanics problems - Part 1: Idealogy of the object-oriented approach and its application to the FEM, Composite Mech Des 2(2) 77-88 (1996), 12A53

Preconditioning technique for indefinite linear systems, Finite Elements Anal Des 26(3) 253-258 (Jun 1997), 12A54

102N. Element development

Adaptive FE analysis of plates by shear-flexible quadrilateral Reissner-Mindlin elements, Finite Elements Anal Des 22(4) 329-366 (Jul 1996), 1A73

High-accuracy low-order 3D brick elements, Int J Numer Methods Eng 39(14) 2337-2361 (Jul 1996), 1A74

Shape-derived anisotropy directions in quadrangle and brick FEs, Commun Numer Methods Eng 12(6) 351-357 (Jun 1996), 1A75

Development of a simplified plate element for large deflection elasto-plastic FE analysis, Comput Struct 61(1) 183-188 (Aug 1996), 1A584

Incompatible plane finite dynamic element (Chinese), J Comput Struct Mech Appl 13(3) 287-294 (Aug 1996), 2A33

Refined consistent formulation of a curved triangular finite rotation shell element, Int J Numer Methods Eng 39(16) 2803-2820 (Aug 1996), 2A34

Set of hybrid equilibrium FE models for the analysis of 3D solids, Int J Numer Methods Eng 39(16) 2789-2802 (Aug 1996), 2A35

Solid elements with rotational dofs by explicit hybrid stabilization, Int J Numer Methods Eng 39(17) 2987-3005 (Sep 1996), 2A36

Finite Element Method Using MATLAB (CRC Press, Boca Raton FL, 1997) 3R1

Equivalence between enhanced assumed strain method and assumed stress hybrid method based on the Hellinger-Reissner principle, Int J Numer Methods Eng 39(18) 3083-3099 (Sep 1996), 3A34

Explicit plane quadrilateral element for nonlinear material analysis, Comput Struct 61(3) 529-538 (Nov 1996), 3A35

General formulation of equilibrium macro-elements with control of spurious kinematic modes: The exorcism of an old curse, Int J Numer Methods Eng 39(18) 3175-3194 (Sep 1996), 3A36

h-type adaptive FE, Appl Math Mech 17(6) 507-513 (Jun 1996), 3A37

Note on enhanced strain methods for large deformations, Comput Methods Appl Mech Eng 135(3-4) 201-209 (Sep 1996), 3A38

New one-point quadrature, quadrilateral shell element with drilling dof, Comput Methods Appl Mech Eng 136(1-2) 165-203 (Sep 1996), 3A544

Development of a rigid-ended beam element for analysis of bracketed frame structures, Marine Struct 9(10) 971-990 (1996), 3A805

Frequency-independent infinite elements for analyzing semi-infinite problems, Int J Numer Methods Eng 39(20) 3553-3569 (Oct 1996), 4A33

Mesh generation based on a new label-driven subdivision (Japanese), J Japan Soc Precision Eng 62(9) 1282-1286 (Sep 1996), 4A34

Modified quadrangle FE for solving 2D problems of nonlinear structure deformation, Mech Solids 31(2) 132-141 (1996), 4T35

Three-dimensional non-conforming 8-node solid elements with rotational dof, Struct Eng and Mech 4(5) 569-586 (Sep 1996), 4A36

Unconditionally stable higher-order accurate Hermitian time FEs, Int J Numer Methods Eng 39(20) 3475-3495 (Oct 1996), 4A37

Analysis of 3D frames of rectilinear anisotropic bars, Mech Solids 31(3) 108-116 (1996), 5A45

Explicit integration of the stiffness matrix of a four-noded-plane-elasticity FE, Commun Numer Methods Eng 12(11) 731-743 (Nov 1996), 5A46

Jacobians for isoparametric FEs, Commun Numer Methods Eng 12(11) 755-766 (Nov 1996), 5A47

Penalty-equilibrating approach and an innovative formulation of a 4-noded hybrid stress elements, Commun Numer Methods Eng 12(11) 707-717 (Nov 1996), 5A48

Partial hybrid degenerated plate-shell element for the analysis of laminated composites, Int J Numer Methods Eng 39(21) 3625-3639 (Nov 1996), 5A487

s-version of FEM for laminated composites, Int J Numer Methods Eng 39(21) 3641-3662 (Nov 1996), 5A488

Mixed and hybrid FEMs - Part II, Finite Elements Anal Des 24(1) 1-47 (Dec 1996), 6A17

Efficient 3D enhanced strain element with Taylor expansion of the shape functions, Comput Mech 19(1) 30-40 (Nov 1996), 6A52

Modeling and sensitivity analysis of multibody systems using new solid, shell, and beam elements, Comput Methods Appl Mech Eng 138(1-4) 187-211 (Dec 1996), 6A53

New formulation of isoparametric FEs and the relationship between hybrid stress element and incompatible element, Int J Numer Methods Eng 40(1) 15-27 (Jan 1997), 6A54

Non-conventional formulations for the FEM, Struct Eng and Mech 4(6) 655-678 (Nov 1996), 6A55

Overhauser triangular elements for 3D potential problems using BEMs, Int J Numer Methods Eng 39(24) 4183-4198 (Dec 1996), 6A56

Solution of 3D-Laplace and Helmholtz equations in exterior domains using hp-infinite elements, Comput Methods Appl Mech Eng 137(3-4) 239-273 (Nov 1996), 6A57

Use of homogenization theory to build a beam element with thermomechanical microscale properties, Struct Eng and Mech 4(6) 613-630 (Nov 1996), 6A58

Semi-analytical FEs in the higher-order theory of beams, Comput Methods Appl Mech Eng 138(1-4) 19-72 (Dec 1996), 6A575

Improved enhanced strain four-node element with Taylor expansion of the shape functions, Int J Numer Methods Eng 40(3) 407-421 (Feb 1997), 7A40

Isoparametric interface FE for 3D - Problems (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(4) 447-466 (1996), 7A41

Mathematical formulation of embedded reinforcements in 3D brick elements, Commun Numer Methods Eng 12(12) 897-903 (Dec 1996), 7A42

Raasch challenge for shell elements, AIAA J 35(2) 375-381 (Feb 1997), 7A43

Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, Struct Eng and Mech 5(1) 69-83 (Jan 1997), 8A50

Survey of Trefftz-type element formulations, Comput Struct 63(2) 225-242 (Apr 1997), 8A51

Quadratic triangular C^0 plate bending element, Int J Numer Methods Eng 40(5) 937-951 (Mar 1997), 8A592

8-node brick element with mixed formulation for large deformation analyses, Comput Methods Appl Mech Eng 141(1-2) 157-204 (Feb 1997), 9A44

Assumed strain formulation with selective polynomial order enrichment for p-version shells, Comput Struct 63(5) 899-913 (Jun 1997), 9A569

Practicable and highly accurate flat shell hybrid element for engineering applications on a PC, Comput Struct 63(5) 915-925 (Jun 1997), 9A579

Spurious free four-node displacement-based fluid element for fluid-structure interaction analysis, Eng Struct 19(8) 665-678 (Aug 1997), 10A23

Finite element method for stochastic structures with random material properties, Comput Model Simul in Eng 2(2) 195-208 (May 1997), 10A64

Hierarchial FE analysis of the vibration of membranes, J Sound Vib 201(4) 465-472 (Apr 1997), 10A65

Hybrid stress quadrilateral shell element with full rotational DOFs, Int J Numer Methods Eng 40(10) 1785-1800 (May 1997), 10A66

Incremental potential flow based membrane wing element, AIAA J 35(5) 782-788 (May 1997), 10A67

Mesh generation based on a new label-driven subdivision, Int J Japan Soc Precision Eng 30(4) 353-358 (Dec 1996), 10A68

New FE with "drilling" dof, Comput Methods Appl Mech Eng 143(1-2) 1-11 (Apr 1997), 10A69

Nonlinear analysis with an axisymmetric thick shell element, Commun Numer Methods Eng 13(4) 261-271 (Apr 1997), 10A70

Selection of a locking-free *hp* element for elasticity problems, Int J Numer Methods Eng 40(11) 2045-2062 (Jun 1997), 10A71

Transverse vibrations of short beams: FE models obtained by a condensation method, J Sound Vib 201(3) 353-363 (Apr 1997), 10A187

Natural vibrations of a clamped-clamped arch with an open transverse crack, J Vib Acoust 119(2) 145-151 (Apr 1997), 10A222

Static and dynamic applications of a five noded horizontally curved beam element with shear deformation, Int J Numer Methods Eng 40(10) 1801-1819 (May 1997), 10A630

Explicit hybrid-stabilized 18-node solid element for thin shell analysis, Int J Numer Methods Eng 40(10) 1839-1856 (May 1997), 10A650

Nonlinear analysis of laminates through a Mindlin-type shear deformable shallow shell element, Comput Methods Appl Mech Eng 143(1-2) 155-173 (Apr 1997), 10A654

Hierarchical functions set for predicting very high order plate bending modes with any boundary conditions, J Sound Vib 202(5) 633-655 (May 1997), 11A43

Spinning finite beam element of general orientation analyzed with Rayleigh-Timoshenko and Saint-Venant theory, J Eng Gas Turbines Power 118(1) 86-94 (Jan 1996), 11A44

Triangular elements for Reissner-Mindlin plate, Appl Math Mech 18(3) 267-272 (Mar 1997), 11A45

Triangular wavelet based FEs via multivalued scaling equations, Comput Methods Appl Mech Eng 146(1-2) 1-17 (Jul 1997), 11A46

TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells, Comput Methods Appl Mech Eng 145(1-2) 11-85 (Jun 1997), 11A47

Stability of imperfect steel conical tanks under hydrostatic loading, J Struct Eng 123(6) 703-712 (Jun 1997), 11A536

High precision FE, Finite Elements Anal Des 26(2) 97-114 (Jun 1997), 12A15

Accuracy in modeling the acoustic wave equation with Chebyshev spectral FEs, Finite Elements Anal Des 26(2) 115-128 (Jun 1997), 12A41

Mixed FEM for Hele-Shaw cell equations, Comput Geosci 1(1) 35-58 (Apr 1997), 12A47

Analytical stiffness matrix for first- and second-order upright triangular prismatic FEs, Commun Numer Methods Eng 13(6) 467-473 (Jun 1997), 12A55

Dynamic analysis of the flexible rod of a quick-return mechanism with time-dependent coefficients by the FEM, J Sound Vib 202(2) 187-201 (May 1997), 12A56

Finite elements based on a first-order shear deformation moderate rotation shell theory with applications to the analysis of composite structures, Int J Non-Linear Mech 32(6) 1123-1142 (Nov 1997), 12A57

Superconvergent recoveries of Carey non-conforming element approximations, Commun Numer Methods Eng 13(6) 439-452 (Jun 1997), 12A58

104. FINITE DIFFERENCE METHODS

104A. General theory

Practical Guide to Pseudospectral Methods (Cambridge UP, New York, 1996) 1R1

Recent developments in FEM for structural acoustics, Arch Comput Methods Eng 3(2-3) 131-309 (1996), 1A76

Integrated method for the updating of FE models based on experimental modal data (Spanish), Rev

Int Metodos Numer Calc Diseno Ing 12(1) 53-71 (1996), 3A39
Runge-Kutta theory in a nutshell, SIAM J Numer Anal 33(5) 1712-1735 (Oct 1996), 3A40
Existence of solutions of singular boundary value problems for higher order difference equations, Nonlinear Anal 28(2) 277-287 (Jan 1997), 5T49
Numerical Solutions for Partial Differential Equations: Problem Solving Using Mathematica (CRC Press, Boca Raton FL, 1996) 6R2
Study on the nonlinear computations of the DQ and DC methods, Numer Methods PDE 13(1) 57-75 (Jan 1997), 6A23
Centenary of Runge-Kutta methods, Appl Numer Math 22(1-3) 3-398 (Nov 1996), 6A59
Variable step explicit difference method for parabolic partial differential equations (Chinese), J Dalian Univ Tech 36(6) 651-656 (Nov 1996), 6A60
Large oscillations arising in a dispersive numerical scheme, Physica D 99(2-3) 191-216 (Dec 1996), 7A44
Unified Riemann-problem-based extension of the Warming-Beam and Lax-Wendroff schemes, IMA J Numer Anal 17(1) 61-102 (Jan 1997), 7A45
Finite-difference approximation for the velocity-vorticity formulation on staggered and non-staggered grids, Comput Fluids 26(1) 59-82 (Jan 1997), 7A47
Oscillation theorems for some nonlinear difference equations, Appl Math Comput 83(1) 43-52 (Apr 1997), 9T45
Non-overlapping TH-domain decomposition, Adv Eng Software 28(4) 223-229 (Jun 1997), 10A72
Partitioned solution procedure for simultaneous integration of coupled-field problems, Commun Numer Methods Eng 13(4) 239-247 (Apr 1997), 10A73
Family of fourth-order parallel splitting methods for parabolic partial differential equations, Numer Methods PDE 13(4) 357-373 (Jul 1997), 11A48
Gauss-Galerkin finite-difference method for singular partial differential equations in two space variables, Numer Methods PDE 13(4) 331-355 (Jul 1997), 11A49
Period-doubling bifurcations for systems of difference equations and applications to models in population biology, Nonlinear Anal 29(2) 185-199 (Jul 1997), 11T50
Octree-advancing front method for generation of unstructured surface and volume meshes, AIAA J 35(6) 976-984 (Jun 1997), 12A60
Nodal sensitivities as error estimates in computational mechanics, Acta Mech 121(1-4) 191-213 (1997), 12A69

104B. Solid mechanics applications

Application of finite volume method in 2D problems of solid mechanics (Chinese), J Comput Struct Mech Appl 13(3) 333-341 (Aug 1996), 2A37
Staggered finite-difference method for elastic waves in transversely isotropic media (Chinese), J Dalian Univ Tech 36(4) 408-412 (Jul 1996), 2A207
Application of finite difference method to the determination of deflections in ring-shaped plates, Arch Civil Eng 42(2) 159-176 (1996), 2A503
Explicit finite difference procedure for contact-impact analysis of crack edges, Arch Appl Mech 66(7) 493-502 (Jul 1996), 2A700
Buckling of complex toroidal shell structures, Thin-Walled Struct 26(3) 195-212 (Nov 1996), 3A559
Finite element modeling of hot metal forming, Indian J Eng Mat Sci 3(6) 234-238 (Dec 1996), 6A681
Small oscillations of finitely deformed elastic networks, J Sound Vib 202(5) 619-631 (May 1997), 11A121

104C. Fluid mechanics applications

Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 3: FED-Volume 238 (ASME Press, New York, 1996) 1N45
Discrete compatibility in finite difference methods for viscous incompressible fluid flow, J Comput Phys 126(2) 468-478 (Jul 1996), 1A900
Newton-GMRES algorithm applied to compressible flows, Int J Numer Methods Fluids 23(2) 177-190 (Jul 1996), 1A1009
Force fields on inviscid, slender, annular liquid jets, Int J Numer Methods Fluids 23(3) 221-239 (Aug 1996), 1A1054
Comparison of accuracy and performance for lattice Boltzmann and finite difference simulations of steady viscous flow, Int J Numer Methods Fluids 23(1) 1-18 (Jul 1996), 1A1424
Optimal vorticity conditions for the node-centered finite-difference discretization of the second-order vorticity-velocity equations, J Comput Phys 127(1) 208-217 (Aug 1996), 2A38
Estimation of shock-cell structure of axisymmetric supersonic free jets, Indian J Eng Mat Sci 3(4) 141-147 (Aug 1996), 2A1022
Turbulent flow calculations by the nonlinear multigrid method, Z Angew Math Mech 76(8) 463-469 (1996), 2A1059
Stability of interpolation on overlapping grids, Comput Fluids 25(6) 583-605 (Jul 1996), 3A44
Comparison of some upwind-biased high-order formulations with a second-order central-difference scheme for time integration of the incompressible Navier-Stokes equations, Comput Fluids 25(7) 647-665 (Sep 1996), 3A1041
Numerical simulation of unsteady flow in air-lift pump, JSME Int J Ser B 39(3) 525-532 (Aug 1996), 3T1085
Computational Fluid Dynamics with Moving Boundaries (Taylor & Francis, PA, 1996) 4R1
Efficient higher-order finite-difference schemes for parabolic models, Coastal Eng 28(1-4) 57-92 (Sep 1996), 4A38
Numerical study of high-Reynolds-number flow past a bluff object, Int J Numer Methods Fluids 23(7) 711-732 (Oct 1996), 4A1057
Factored-implicit finite difference solution of a non-Newtonian fluid lubrication equation for 3D bearings, J Trib 118(4) 824-831 (Oct 1996), 4A1170
Depth-integrated 2D coastal and estuarine model with conformal boundary-fitted mesh generation, Int J Numer Methods Fluids 23(8) 819-846 (Oct 1996), 4A1428
Navier-Stokes analysis of Korn aerofoil, Acta Mech 118(1-4) 235-239 (1996), 5A1071
Anomalies of the numerical solutions of the Euler equations, Acta Mech 119(1-4) 131-139 (1996), 6A61
Numerical and asymptotic solution of a sixth-order nonlinear diffusion equation and related coupled systems, IMA J Appl Math 57(1) 79-98 (Aug 1996), 6A62
Accurate finite difference scheme for solving convection-dominated diffusion equations, Int J Numer Methods Fluids 24(2) 169-183 (Jan 1997), 7A46
Finite-difference approximation for the velocity-vorticity formulation on staggered and non-staggered grids, Comput Fluids 26(1) 59-82 (Jan 1997), 7A47
High-order accuracy explicit difference scheme for solving the equation of 2D parabolic type, Appl Math Mech 17(11) 1075-1079 (Nov 1996), 7A48
Finite difference schemes for incompressible flows in the velocity-impulse density formulation, J Comput Phys 130(1) 67-76 (Jan 1997), 7A1038
Finite difference schemes for 3D time-dependent convection-diffusion equation using full global discretization, J Comput Phys 130(1) 109-122 (Jan 1997), 7T1383
Novel implicit difference algorithm of primitive variable flow equations with higher-order extra terms, Comput Fluids 26(2) 163-182 (Feb 1997), 8A52
Nonlinear fluid dynamic modeling of reactive silencers involving extended inlet-outlet and perforated ducts, Noise Control Eng J 45(1) 35-51 (Jan-Feb 1997), 8A339
Compact finite difference-Fourier spectral method for 3D incompressible Navier-Stokes equations, Acta Mech Sinica 12(4) 296-306 (1996), 8A1083
Numerical method for unsteady 3D Navier-Stokes equations in velocity-vorticity form, Comput Fluids 26(2) 193-216 (Feb 1997), 8A1087
Performance evaluation of vaned pipe bends in turbulent flow of liquid propellants, Appl Math Model 21(1) 48-62 (Jan 1997), 8A1142
Computational fluid dynamics simulation of the automotive spray painting process, Comput Model Simul in Eng 2(2) 131-144 (May 1997), 10T1051
Effects of magnetic reconnection in the Kelvin-Helmholtz instability at the magnetospheric boundary, Planet Space Sci 45(4) 495-510 (Apr 1997), 10A1206
Investigation of the effects of flue gas injection on natural draft cooling tower performance, J Eng Gas Turbines Power 119(2) 478-484 (Apr 1997), 10A1281
Wavenumber-extended high-order upwind-biased finite-difference schemes for convective scalar transport, J Comput Phys 133(2) 235-255 (May 1997), 10A1383
Behavior of wake vortices near ground, AIAA J 35(5) 849-855 (May 1997), 10A1476
Computational Fluid Mechanics and Heat Transfer, Second Edition (Taylor & Francis, Bristol PA, 1997) 11N4
Euler and Navier-Stokes Solvers Using Multi-Dimensional Upwind Schemes and Multigrid Acceleration (Verlag Vieweg, Wiesbaden, 1997) 11N6
Gradient-based aerodynamic shape optimization using alternating direction implicit method, J Aircraft 34(3) 346-352 (May-Jun 1997), 11A987
Three-dimensional nonlinear hydrodynamic analysis of vertical cylinder during earthquakes - I: Rigid motion, J Eng Mech 123(5) 458-465 (May 1997), 11A1493
Numerical wave propagation and steady-state solutions: Soft wall and outer boundary conditions, AIAA J 35(6) 965-975 (Jun 1997), 12A59
Octree-advancing front method for generation of unstructured surface and volume meshes, AIAA J 35(6) 976-984 (Jun 1997), 12A60
Numerically nonreflecting boundary and interface conditions for compressible flow and aeroacoustic computations, AIAA J 35(7) 1126-1133 (Jul 1997), 12A1099
Linear stability of hypersonic flow in thermomechanical nonequilibrium, AIAA J 35(6) 958-964 (Jun 1997), 12A1138
Direct numerical simulations of wake vortices in intense homogeneous turbulence, AIAA J 35(6) 1030-1040 (Jun 1997), 12A1139
Computation of aerodynamic load and coefficient for satellite launch vehicle, Indian J Eng Mat Sci 4(2) 41-48 (Apr 1997), 12A1172
Investigation of wedge probe wall proximity effects - Part 2: Numerical and analytical modeling, J Eng Gas Turbines Power 119(3) 605-611 (Jul 1997), 12A1242
Coupled Lagrangian Monte Carlo PDF-CFD computation of gas turbine combustor flowfields with finite-rate chemistry, J Eng Gas Turbines Power 119(3) 519-526 (Jul 1997), 12A1397

104D. Other applications

Nonstationary diffraction of plane elastic waves by a cone, Mech Solids 31(1) 31-37 (1996), 1A317
Elastic finite-difference modeling of strong motion in Ashigara Valley for the 1900 Odawara, Japan, earthquake, Bull Seismol Soc Am 86(4) 981-990 (Aug 1996), 2A1392
Simulating seismic wave propagation in 3D elastic media using staggered-grid finite differences, Bull Seismol Soc Am 86(4) 1091-1106 (Aug 1996), 2A1394
Analysis of the vibrations of inflatable dams under overflow conditions, Thin-Walled Struct 26(4) 241-259 (Dec 1996), 4A845
Amplification and differential motion due to an anti-plane 2D resonance in the sediment valleys embedded in a layer over the half-space, Bull Seismol Soc Am 86(5) 1434-1446 (Oct 1996), 4A1423
Modeling the effect of San Andreas fault structure on receiver functions using elastic 3D finite differences, Bull Seismol Soc Am 86(5) 1608-1622 (Oct 1996), 4A1424
Difference methods of order two and four for systems of mildly nonlinear biharmonic problems of the second kind in two space dimensions, Numer Methods PDE 12(6) 707-717 (Nov 1996), 5A50
Stability study, error estimation, and condition number for semi-implicit schemes using incremental unknowns, Numer Methods PDE 12(6) 743-766 (Nov 1996), 5A51
New fourth order self-adaptive time integration algorithm, Struct Eng and Mech 4(6) 589-600 (Nov 1996), 6A63
Numerical studies of bearing-capacity factor N_γ, J Geotech Geoenv Eng 123(1) 20-29 (Jan 1997), 8A36
Entropy-based correction of finite-difference predictions, Numer Heat Transfer B 31(2) 177-194 (Mar 1997), 9A46
Analysis of the distribution and attenuation of acoustic energy flux in lined duct containing inhomogeneous medium by the finite difference method, Acustica 83(1) 1-12 (Jan-Feb 1997), 10A74
Finite difference solution for equations of heat conduction caused by pulse laser processing silicon steel sheets (Chinese), J Dalian Univ Tech 37(1) 59-62 (Jan 1997), 10A757
Dual coordinate system finite difference method for forward and inverse solutions of the volume conductor problem in neurology, Med Eng Phys 19(2) 164-170 (Mar 1997), 11A51
Immersed interface method for acoustic wave equations with discontinuous coefficients, Wave Motion 25(3) 237-263 (May 1997), 11A251
Dispersion and cost analysis of some finite difference schemes on one-parameter acoustic wave modeling, Comput Geosci 1(1) 1-33 (Apr 1997), 12A61
Experiments with Higdon's absorbing boundary conditions for a number of wave equations, Comput Geosci 1(1) 85-108 (Apr 1997), 12A62
Estimation of aeroelastic models in structural limit-cycle oscillations from test data, AIAA J 35(6) 1025-1029 (Jun 1997), 12A286

104E. Algorithms and grid development

Practical Guide to Pseudospectral Methods (Cambridge UP, New York, 1996) 1R1
Combined octant-Delaunay method for fully automatic 3D mesh generation with multiple level octant differences, Commun Numer Methods Eng 12(6) 343-349 (Jun 1996), 1A77
Geometric mesh adaptivity, Eng Comput 13(5) 4-12 (1996), 1A78
Potential model for space conservation law calculations of moving curvilinear meshes, Int J Comput Fluid Dyn 6(3) 207-208 (1996), 1T79
Retrofit based methodology for the fast generation and optimization of large-scale mesh partitions: Beyond the minimum interface size criterion, Comput Methods Appl Mech Eng 133(1-2) 25-45 (Jun 1996), 1A80
Uniqueness of steady-state solutions for difference equations on overlapping grids, SIAM J Numer Anal 33(4) 1336-1357 (Aug 1996), 1A81
Explicit generation of orthogonal grids for ocean models, J Comput Phys 126(2) 251-273 (Jul 1996), 1A1428
Automatic grid generation, Acta Numer 5 121-148 (1996), 2A39
Efficient fractional-step technique for unsteady incompressible flows using a semi-staggered grid strategy, J Comput Phys 127(1) 218-225 (Aug 1996), 2T40
$O(k^3 + h^4)$ finite difference method for one-space Burger's equation in polar coordinates, Numer Methods PDE 12(5) 579-583 (Sep 1996), 2A41
Reducing the computational requirements of the differential quadrature method, Numer Methods PDE 12(5) 565-577 (Sep 1996), 2A42
Three dimensional auto-numerical grid generation around ship hulls by PDE method (Chinese), J Dalian Univ Tech 36(4) 461-465 (Jul 1996), 2A43
Use of high order difference methods for the system of one space second order nonlinear hyperbolic equations with variable coefficients, J Comput Appl Math 72(2) 421-431 (Aug 1996), 2A44
Algorithm for 2D and 3D automatic structured mesh generation, Comput Struct 61(3) 471-477 (Nov 1996), 3A41
Anisotropic smoothing and solution adaption for unstructured grids, Int J Numer Methods Eng 39(18) 3163-3174 (Sep 1996), 3A42
Composite grid method for hybrid systems, Comput Methods Appl Mech Eng 135(3-4) 307-325 (Sep 1996), 3A43
Stability of interpolation on overlapping grids, Comput Fluids 25(6) 583-605 (Jul 1996), 3A44
Numerical generation of grids with curvilinear coordinates for free surface flow calculations (Spanish), Ingenieria Hidraul Mex 11(3) 13-24 (Sep-Dec 1996), 3T1019
Solution-adaptive grid generation for compressible flow, Comput Fluids 25(6) 551-560 (Jul 1996), 3A1061
Extensions and improvements of the advancing front grid generation technique, Commun Numer Methods Eng 12(10) 683-702 (Oct 1996), 4A39
Improved ale mesh velocities for moving bodies, Commun Numer Methods Eng 12(10) 599-608 (Oct 1996), 4A40
Optimal Delaunay point insertion, Int J Numer Methods Eng 39(20) 3407-3437 (Oct 1996), 4A41
Some numerical experiments on high accuracy fast direct finite difference method for elliptic problems, Commun Numer Methods Eng 12(10) 631-641 (Oct 1996), 4A42
Cell exclusion algorithm for determining all the solutions of a nonlinear system of equations, Appl Math Comput 80(2-3) 181-208 (Dec 1996), 5T52
Modified strong implicit procedure with adaptive optimization of its iteration parameter, Numer Heat Transfer B 30(3) 255-270 (Oct-Nov 1996), 5A53
Numerical Solutions for Partial Differential Equations: Problem Solving Using Mathematica (CRC Press, Boca Raton FL, 1996) 6R2
Cascadic multigrid method for elliptic problems, Numer Math 75(2) 135-152 (Dec 1996), 6T64
Fourier-Laplace analysis of the multigrid waveform relaxation method for hyperbolic equations, BIT 36(4) 831-841 (Dec 1996), 6A65
Hexahedral mesh generation of medial surface subdivision - Part II: Solids with flat and concave edges, Int J Numer Methods Eng 40(1) 111-136 (Jan 1997), 6A66
Numerical grid generation of an irregular region, Int J Numer Methods Eng 40(2) 343-356 (Jan 1997), 6A67
Quadtree grid generation: Information handling, boundary fitting, and CFD applications, Comput Fluids 25(8) 759-769 (Nov 1996), 6A68
Reconstruction of boundary contours and surfaces in arbitrary unstructured triangular and tetrahedral grids, Eng Comput 13(8) 66-81 (1996), 6A69
Unstructured grid generation and a simple triangulation algorithm for arbitrary 2D geometries using object oriented programing, Int J Numer Methods Eng 40(2) 251-268 (Jan 1997), 6A70
Adaptive grid scheme for the discrete Hamilton-Jacobi-Bellman equation, Numer Math 75(3) 319-337 (Jan 1997), 7A49
Effect of node placement algorithm on adaptive mesh generation, Comput Struct 62(5) 909-917 (Mar 1997), 7A50
Preconditioning the Poincare-Steklov operator by using Green's function, Math Comput 66(217) 125-138 (Jan 1997), 7A51
Using longest-side bisection techniques for the automatic refinement of Delaunay triangulations, Int J Numer Methods Eng 40(4) 581-597 (Feb 1997), 7A52
Adaptive agglomeration method for additive correction multigrid, Int J Numer Methods Eng 40(5) 887-903 (Mar 1997), 8A53
Adaptive grid refinement using cell-level and global imbalances, Int J Numer Methods Fluids 24(4) 375-392 (Feb 1997), 8A54

Automatic tetrahedral mesh generation scheme by the advancing front method, Commun Numer Methods Eng 13(1) 33-46 (Jan 1997), 8A55
Highly continuous interpolants for one-step ODE solvers and their application to Runge-Kutta methods, SIAM J Numer Anal 34(1) 22-47 (Feb 1997), 8A56
Improved coarse-mesh nodal integral method for partial differential equations, Numer Methods PDE 13(2) 113-145 (Mar 1997), 8A57
Multigrid methods for nearly singular linear equations and eigenvalue problems, SIAM J Numer Anal 34(1) 178-200 (Feb 1997), 8A58
MUSCL type schemes and discrete entropy conditions, J Comput Math 15(1) 72-80 (Jan 1997), 8A59
Adaptive mesh refinement for localized phenomena, Comput Struct 63(3) 475-495 (May 1997), 9A47
Renumbering unstructured grids to improve the performance of codes on hierarchical memory machines, Adv Eng Software 28(3) 189-201 (Apr 1997), 9A48
Three-dimensional mesh adaptation: Optimization of tetrahedral meshes by advancing front technique, Comput Methods Appl Mech Eng 141(3-4) 335-354 (Feb 1997), 9A49
Aspects of 2D Delaunay mesh generation, Int J Numer Methods Eng 40(11) 1957-1975 (Jun 1997), 10A75
Automatic timestep selection for the super-time-stepping acceleration on unstructured grids using object-oriented programming, Commun Numer Methods Eng 13(4) 249-260 (Apr 1997), 10A76
General topology-based mesh data structure, Int J Numer Methods Eng 40(9) 1573-1596 (May 1997), 10A77
Least-squares solutions of a general numerical method for arbitrary irregular grids, Int J Numer Methods Eng 40(9) 1701-1717 (May 1997), 10A78
Standard staggered and staggered Newton schemes in thermo-hydromechanical problems, Comput Methods Appl Mech Eng 144(1-2) 93-109 (May 1997), 10A79
Memory-efficient unstructured grid refinement algorithm for computation of 3D steady viscous flows, Commun Numer Methods Eng 13(4) 219-228 (Apr 1997), 10A1099
Lanczos-type solvers for nonsymmetric linear systems of equations, Acta Numer 6 271-397 (1997), 11A52
Multiblock multigrid generation algorithms: Overcoming multigrid anisotropy, Appl Math Comput 84(2-3) 247-267 (Jul 1997), 11A53
Streamline based grid adaption for Euler and Navier-Stokes: Direct and inverse design applications, Comput Fluids 26(4) 339-357 (May 1997), 11A945
Finite volume schemes for elliptic and elliptic-hyperbolic problems on triangular meshes, Comput Methods Appl Mech Eng 147(1-2) 85-103 (Jul 1997), 12A63
Unconditionally stable higher-order Newmark methods by sub-stepping procedure, Comput Methods Appl Mech Eng 147(1-2) 61-84 (Jul 1997), 12A64

106. OTHER METHODS IN COMPUTATIONAL MECHANICS

106A. Boundary element methods: General

Boundary elements on distributed memory architectures, Boundary Elements Comm 7(2) 57-60 (1996), 1A82
Infinite BEs for the analysis of half-space problems, Comput Geotech 19(2) 137-151 (1996), 1A83
Superconvergence of a Galerkin collocation method for first kind boundary integral equations on smooth curves, J Comput Appl Math 72(1) 1-20 (Jul 1996), 1A84
Sensitivity analysis for BE error estimation and mesh refinement, Int J Numer Methods Eng 39(17) 2907-2920 (Sep 1996), 2A45
Boundary Elements XVIII (Comput Mech, Billerica MA, 1996) 3N2
Adaptive grid scheme using the BEM, J Comput Phys 127(2) 452-463 (Sep 1996), 3A45
Formulation of the BEM in 3D elasticity with macroelements on non-nodal collocation (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(2) 171-186 (1996), 3A46
General BEM for nonlinear problems, Int J Numer Methods Fluids 23(5) 467-483 (Sep 1996), 3A47
New boundary spectral strip method for non-periodical geometrical entities based on analytical integrations, Comput Methods Appl Mech Eng 135(3-4) 327-342 (Sep 1996), 3A48
New implementation of the BEM using a B-rep geometric modeler, Boundary Elements Comm 7(3) 106-108 (1996), 3A49
Effect of numerical integration in the Galerkin BEM, Numer Math 74(3) 337-359 (Sep 1996), 4A43
High-order BEM formulations for strongly nonlinear problems governed by quite general nonlinear differential operators, Int J Numer Methods Fluids 23(8) 739-751 (Oct 1996), 4A44
Analysis of convergence properties of projection methods for solving CEM applications, Boundary Elements Comm 7(4) 151-154 (1996), 5T54
Boundary element method based on a new second kind integral equation formulation, Eng Anal Boundary Elements 17(4) 313-320 (Jun 1996), 5A55
Direct differentiation formulation for BE shape sensitivity analysis of axisymmetric elastic solids, Int J Solids Struct 34(1) 99-112 (Jan 1997), 5A56
Regularization of nearly singular boundary integrals in 3D potential problems, Boundary Elements Comm 7(4) 164-172 (1996), 5A57
Regularization of strongly singular integrals in boundary integral equations, Commun Numer Methods Eng 12(11) 787-793 (Nov 1996), 5A58
Wavelet approximations for first kind boundary integral equations on polygons, Numer Math 74(4) 479-516 (Oct 1996), 5T59
Adaptive BEMs for some first kind integral equations, SIAM J Numer Anal 33(6) 2166-2183 (Dec 1996), 6A71
Boundary element method for potential fields with corner singularities, Appl Math Model 20(11) 847-852 (Nov 1996), 6A72
Evaluation of hypersingular integrals in the BEM by complex variable techniques, Int J Solids Struct 34(2) 203-221 (Jan 1997), 6A73
In- and out-of-core BEM equation solver with parallel and nonlinear options, Int J Numer Methods Eng 39(24) 4215-4242 (Dec 1996), 6T74
Iterative solution scheme for systems of weakly connected BE equations, Int J Numer Methods Eng 39(23) 3933-3951 (Dec 1996), 6A75
Laminated shell model for the infarcted left ventricle, Int J Solids Struct 34(2) 223-241 (Jan 1997), 6A76
Potential function construction by use of an adaptive mesh algorithm for a class of singular integral equations, Appl Numer Math 22(4) 451-475 (Dec 1996), 6A77
Solving nonlinear differential equations of mechanics with the BEM and radial basis functions, Int J Numer Methods Eng 40(1) 61-73 (Jan 1997), 6A78
Gauge conditions and the analysis of singular fields with boundary integral equations, Eng Anal Boundary Elements 18(1) 1-8 (Jul 1996), 7A53
Improved multiquadric approximation for partial differential equations, Eng Anal Boundary Elements 18(1) 9-17 (Jul 1996), 7A54
New formulation for developing CVBEM approximation functions, Eng Anal Boundary Elements 18(1) 39-41 (Jul 1996), 7A55
Relation between the formulations of the BEM, J Appl Math Mech 60(4) 615-620 (1996), 7A56
Singular integration in the P-version of the FEM and in BEM, Boundary Elements Comm 7(6) 247-252 (1996), 8T15
Asymptotic convergence of a collocation method for some boundary integral equations of the first kind, J Comput Appl Math 78(2) 329-353 (Feb 1997), 8A60
Hybrid approximation functions in the dual reciprocity BEM, Commun Numer Methods Eng 13(2) 83-94 (Feb 1997), 8A61
New h-adaptive refinement scheme for the BEM using local reanalysis, Appl Math Comput 82(2-3) 239-271 (Mar 1997), 8A62
Adaptive coupling and fast solution of FEM-BEM equations for parabolic-elliptic interface problems, Math Methods Appl Sci 20(5) 403-423 (Mar 1997), 9A50
Application of the ordinary least-squares approach for solution of complex variable BE problems, Int J Numer Methods Eng 40(7) 1281-1293 (Apr 1997), 9A51
Differentiability of strongly singular and hypersingular boundary integral formulations with respect to boundary perturbations, Comput Mech 19(3) 240-246 (Feb 1997), 9A52
hp-version of the BEM in R^3: The basic approximation results, Math Methods Appl Sci 20(5) 461-476 (Mar 1997), 9A53
Parabolic problems and boundary integral equations, Math Methods Appl Sci 20(5) 449-459 (Mar 1997), 9A54
Three-Dimensional Analysis of Crack Growth (Comput Mech, Billerica MA, 1996) 10R14
Adaptive method for the determination of element degree for acquiring the desired accuracy in 2D BEM, Adv Eng Software 28(4) 259-265 (Jun 1997), 10A80
Adaptive successive over relaxation domain decomposition by the boundary spectral strip method, Int J Numer Methods Eng 40(8) 1383-1397 (Apr 1997), 10A81
Continuity and collocation effects in the BEM, Int J Numer Methods Eng 40(10) 1877-1891 (May 1997), 10A82
C^1-continuous elements for BE analysis, Int J Numer Methods Eng 40(11) 2087-2108 (Jun 1997), 10A83
Integration of singular Galerkin-type BE integrals for 3D elasticity problems, Numer Math 76(2) 143-165 (Apr 1997), 10A84
Preconditioning strategy for BE Galerkin methods, Numer Methods PDE 13(3) 283-301 (May 1997), 10A85
Symmetric BEM and the symmetric coupling of BEs and FEs, IMA J Numer Anal 17(2) 201-238 (Apr 1997), 10A86
Evaluation of the stresses in the BEM for Reissner plate-bending problems, Appl Math Model 21(3) 155-163 (Mar 1997), 10A637
New boundary integral formulation for the prediction of sound radiation, J Sound Vib 202(4) 491-509 (May 1997), 11A54
Transfer matrix and the BEM, Proc Estonian Acad Sci Eng 3(1) 3-12 (1997), 11A55
Wavelet methods for boundary integral equations, Commun Numer Methods Eng 13(5) 373-385 (May 1997), 11A56
Boundary element method for a second order elliptic partial differential equation with variable coefficients, Eng Anal Boundary Elements 18(4) 311-316 (Dec 1996), 12A65
Development of the direct BEM for thin bodies with general boundary conditions, J Sound Vib 202(3) 361-373 (May 1997), 12A66
Dual BE formulation for sound propagation around barriers over an impedance plane, J Sound Vib 202(2) 235-247 (May 1997), 12A67
Explicit Kutta condition for unsteady 2D high-order potential BEM, AIAA J 35(6) 1080-1081 (Jun 1997), 12T68
Nodal sensitivities as error estimates in computational mechanics, Acta Mech 121(1-4) 191-213 (1997), 12A69
Semi-analytic BEM for parabolic problems, Eng Anal Boundary Elements 18(4) 253-264 (Dec 1996), 12A70
Use of FFT algorithm for the circumferential coordinate in BE formulation of axisymmetric problems, Int J Numer Methods Eng 40(13) 2385-2412 (Jul 1997), 12A71
Virtual BE-least square method for solving boundary value problems of elliptic partial differential equations (Chinese), J Dalian Univ Tech 37(3) 254-258 (May 1997), 12A72
Weakly singular 2D quadratures for some fundamental solutions, Eng Anal Boundary Elements 18(4) 333-336 (Dec 1996), 12A73

106B. Boundary element methods: Applications

Finite element and boundary element analyses of beams and thin-wall structures: A bibliography (1994-1995), Finite Elements Anal Des 23(1) 77-89 (Aug 1996), 1A29
Finite element method and boundary element method in geomechanics - Foundations and soil-structure interaction: A bibliography (1992-1994), Finite Elements Anal Des 22(3) 249-263 (Jul 1996), 1A51
Boundary element formulation of the forward problem of electrocardiology utilizing discontinuous elements, Boundary Elements Comm 7(2) 51-56 (1996), 1A85
h-p BEM for solving 2D and 3D problems, Comput Methods Appl Mech Eng 133(3-4) 183-208 (Jul 1996), 1A86
Identification of the thermal conductivity and heat capacity in unsteady nonlinear heat conduction problems using the BEM, J Comput Phys 126(2) 410-420 (Jul 1996), 1T87
Muffler performance studies using a direct mixed-body BEM and a three-point method for evaluating transmission loss, J Vib Acoust 118(3) 479-484 (Jul 1996), 1A88
Interelement stress evaluation by BEs, Int J Numer Methods Eng 39(14) 2399-2415 (Jul 1996), 1A450
Necessary and sufficient boundary integral formulation for plane elasticity problems, Commun Numer Methods Eng 12(7) 413-424 (Jul 1996), 1A452
Analysis of the transient response of vertically loaded single piles by time-domain BEM, Comput Geotech 19(2) 117-136 (1996), 1A621
Multi-region BE analysis of unconfined seepage problems in excavations, Comput Geotech 19(2) 75-96 (1996), 1A626
Interaction of a main crack with ordered distributions of microcracks: A numerical technique by displacement discontinuity BEs, Int J Fracture 76(4) 373-389 (1995), 1A785
Application of the BEM to modeling of crack propagation trajectories, Comp Assisted Mech Eng Sci 3(2) 155-167 (1996), 2A46
Boundary element analysis of the pullout behavior of an anchor bolt embedded in concrete, Mech Cohesive-Frictional Mat 1(3) 235-249 (Jul 1996), 2A47
Application of the BEM to rubber-like elasticity, Appl Math Model 20(9) 654-661 (Sep 1996), 2A459
Virtual BE-least square method for solving 3D problems of thick shell (Chinese), J Dalian Univ Tech 36(4) 413-418 (Jul 1996), 2A495
Boundary element evaluation of stress intensity factors for interface edge cracks in a unidirectional composite, Eng Fracture Mech 55(1) 1-6 (Sep 1996), 2A660
Fracture mechanics analysis of cracked 2D anisotropic media with a new formulation of the BEM, Int J Fracture 77(2) 161-174 (1996), 2A691
Analysis of dynamic stress concentration in an infinite body with parallel penny-shaped cracks by BIEM, Eng Fracture Mech 55(2) 191-207 (Sep 1996), 2A697
Time-dependent BE analysis for an interface crack in a 2D unidirectional viscoelastic model composite, Int J Fracture 77(1) 15-28 (1996), 2A716
Three-dimensional design optimization using the boundary integral equation method, J Strain Anal Eng Des 31(4) 289-298 (Jul 1996), 2A767
Application of a C^{0m} continuous element to the evaluation of hypersingular integrals, Boundary Elements Comm 7(3) 109-114 (1996), 3T50
Boundary element analysis for the motion of a porous body near a plane wall, Boundary Elements Comm 7(3) 101-105 (1996), 3A51
Numerical simulation of the phenomena due to the passing-by of two bodies using the unsteady BEM, Int J Numer Methods Fluids 23(5) 445-454 (Sep 1996), 3A52
Parallel adaptive BE analysis, Comput Methods Appl Mech Eng 134(3-4) 341-350 (Aug 1996), 3A53
Two-dimensional time domain BEM for scattering of elastic waves in solids of general anisotropy, Int J Solids Struct 33(26) 3843-3864 (Nov 1996), 3A54
Scattering of waves by subterranean structures via the BEM, Soil Dyn Earthquake Eng 15(6) 387-397 (Aug 1996), 3A213
Analytical integration of membrane-bending coupling terms in nonlinear BE analysis of Mindlin-Reissner plates, J Brazilian Soc Mech Sci 18(3) 218-226 (Sep 1996), 3A539
Stress intensity factor solution for radial and circumferential cracks in hollow cylinders using indirect boundary integral, Int J Pressure Vessels Piping 69(1) 45-52 (Nov 1996), 3A693
Analysis of crack closure problem using the dual BEM, Int J Fracture 77(4) 323-336 (1996), 3A719
Computational Fluid Dynamics with Moving Boundaries (Taylor & Francis, PA, 1996) 4R1
High-order BEM formulations for strongly nonlinear problems governed by quite general nonlinear differential operators, Int J Numer Methods Fluids 23(8) 739-751 (Oct 1996), 4A44
New regularized BE formulation for Kirchhoff plates, Eur J Mech A 15(5) 915-931 (1996), 4A45
Study of the elastic-plastic problem undergoing finite plastic strain using the BE technique (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(3) 291-312 (1996), 4A519
Side curvature effect on the stress intensity factor K, of finite width cracked elements subjected to tension and bending, J Theor Appl Mech 34(4) 683-693 (1996), 4A741
Determination of an equivalent elastic modulus for bodies with cracks by BEM, Acta Mech Solida Sinica 9(3) 210-216 (1996), 4A773
Numerical study of some approaches to shape design sensitivity analysis using BEs, J Strain Anal Eng Des 31(5) 361-369 (Sep 1996), 4A812
Three-dimensional shape optimization approach based on natural design variables and the BEM, J Strain Anal Eng Des 31(5) 377-387 (Sep 1996), 4A822
Boundary integral formulation for elastically deformable particles in a viscous fluid, Z Angew Math Phys 47(5) 672-694 (Sep 1996), 4A974
Combined BE-FE method in structure dynamics, Mech Solids 31(3) 100-107 (1996), 5A17
Implicit BEM formulations for usual and sensitivity problems in elasto-plasticity using the consistent tangent operator concept, Int J Solids Struct 33(30) 4461-4480 (Dec 1996), 5A60
Quadratic time domain BEM formulation for 2D elastodynamic transient analysis, Int J Solids Struct 34(1) 129-151 (Jan 1997), 5A61
Stochastic BEMs for 3D problems with centrifugal forces and reliability analysis, Chinese J Aeronaut 9(2) 98-103 (May 1996), 5A62
Stress analysis with arbitrary body force by BEM, Eng Anal Boundary Elements 17(4) 295-302 (Jun 1996), 5A63
Boundary element formulations in fracture mechanics, Appl Mech Rev 50(2) 83-96 (Feb 1997), 5A700
BIE formulation for transient problems of thermoelastodynamics, Boundary Elements Comm 7(5) 206-211 (1996), 6A79
Effective 3D BEM with mixed boundary conditions for surface crack problems, Boundary Elements Comm 7(5) 201-205 (1996), 6A80
Symmetric coupling of BEs and Raviart-Thomas-type mixed FEs in elastostatics, Numer Math 75(2) 153-174 (Dec 1996), 6A81
Unified approach for multi-site damage tolerance and fatigue analysis, Boundary Elements Comm 7(5) 212-216 (1996), 6A748
Weight function technique in 3D fracture mechanics: Static and dynamic, Int J Fracture 78(2) 101-115 (1996), 6A812

Study on dynamic response of bridge caused by loads in line at high speed by BEM (Japanese), Proc JSCE 549(I-37) 107-114 (Oct 1996), 6A903
Low Reynolds number motion of a porous particle near a plane interface, Appl Math Model 20(11) 829-837 (Nov 1996), 6A1024
Elastic-plastic impact response analysis and impact resistant design of steel pipe check dam (Japanese), Proc JSCE 549(I-37) 159-173 (Oct 1996), 6A1434
Dynamic Fracture Mechanics: Displacement Discontinuity Method (Comput Mech, Billerica MA, 1996) 7R1
Application of viscoelastic BEM to creep problems in chemical engineering structures, Int J Pressure Vessels Piping 70(1) 27-31 (Jan 1997), 7A57
Boundary element method applied to the analysis of shallow liquid sloshing in moving tanks, JSME Int J Ser C 39(4) 800-807 (Dec 1996), 7A58
Boundary element method solution of the 3D internal Neumann problem and a regularized formulation for the potential velocity gradients, Int J Numer Methods Fluids 24(1) 81-100 (Jan 1997), 7A59
Computational aspect of the dual reciprocity method for dynamics, Eng Anal Boundary Elements 18(1) 43-61 (Jul 1996), 7A60
Numerical simulation of shallow water wave propagation using a BE wave equation model, Int J Numer Methods Fluids 24(1) 1-15 (Jan 1997), 7A61
Transient BE analysis of elastoplastic plates on elastic foundation, Soil Dyn Earthquake Eng 16(1) 21-27 (Jan 1997), 7A62
All particular solution BEM analyzing sound radiation by structure (Chinese), J Vib Eng 9(4) 341-347 (Dec 1996), 7A252
Derivation of boundary integral equations for the fluid velocity in potential and viscous flows past arbitrary bodies, Boundary Elements Comm 7(6) 257-260 (1996), 8A63
Error estimates for the BE approximation of a contact problem in elasticity, Math Methods Appl Sci 20(3) 205-217 (Feb 1997), 8A64
Time-domain BE analysis in 3D dynamic fracture mechanics, Boundary Elements Comm 7(6) 253-256 (1996), 8A65
Pile response due to excavation-induced lateral soil movement, J Geotech Geoenv Eng 123(2) 94-99 (Feb 1997), 8A665
Seismic radiation from explosively loaded cavities in isotropic and transversely isotropic media, Bull Seismol Soc Am 86(6) 1910-1924 (Dec 1996), 8A1492
IABEM Symposium on Boundary Integral Methods for Nonlinear Problems (Kluwer, Netherlands, 1996) 9N3
BEM application for numerical solution of non-steady and nonlinear thermal diffusion problems, Comp Assisted Mech Eng Sci 3(4) 327-346 (1996), 9A55
Boundary element inverse analysis for improving accuracy of measuring polarization characteristics (Japanese), J Soc Mat Sci Japan 46(2) 176-180 (Feb 1997), 9A56
Boundary element method to the study of a Stokes flow past an obstacle in a channel, Arch Mech 49(1) 129-142 (1997), 9A57
Large deformations of dynamically loaded elasto-sticky-plastic circular membrane (Polish), Biuletyn Wojskowej Akademii Technicznej 45(7) 77-94 (Jul 1996), 9A58
Mixed Green element formulation for the transient Burgers equation, Int J Numer Methods Fluids 24(6) 563-578 (Mar 1997), 9A59
Vector and scalar models of a quasi-stationary electromagnetic field in boundary-integral approach, Bull Polish Acad Sci Tech Sci 44(2) 119-128 (1996), 9T60
Beam response derived from a 3D hybrid boundary integral method in elastodynamics, Mech Syst Signal Processing 11(2) 257-268 (Mar 1997), 9A129
Boundary element analysis of galvanic corrosion of long structure buried in soil with gradient electrical conductivity (Japanese), J Soc Mat Sci Japan 46(2) 170-175 (Feb 1997), 9A712
Mixed-type integral equations for transient elastodynamic plane crack problems, Int J Fracture 81(1) 39-53 (1996), 9A769
Harmonic wave response analysis of elastic floating plates by modal superposition method, Proc JSCE 556(I-38) 43-52 (Jan 1997), 9A915
Application of the BEM to the fatigue cracked propagation in a crack heterogeneous body, Eng Fracture Mech 56(6) 839-840 (Apr 1997), 10A87
Boundary element method for steady ship wave-making potential problems, Acta Mech Solida Sinica 10(1) 66-75 (1997), 10A88
Boundary element solution of an inverse elasticity problem and applications to determining residual stress and contact stress, Int J Solids Struct 34(16) 2073-2086 (Jun 1997), 10A89
High-order BEM formulations for strongly nonlinear problems governed by quite general nonlinear differential operators - Part 2: Some 2D examples, Int J Numer Methods Fluids 24(9) 863-873 (May 1997), 10A90
High-order schemes in BEMs for transient nonlinear free surface problems, Int J Numer Methods Fluids 24(10) 1049-1072 (May 1997), 10A91
New numerical integration schemes for applications of Galerkin BEM to 2D problems, Int J Numer Methods Eng 40(11) 1977-1999 (Jun 1997), 10A92
Parallel BEM and related methods and algorithms, Eng Anal Boundary Elements 18(3) 183-250 (Oct 1996), 10A93
Numerical analysis of membrane stability in air flow, J Sound Vib 201(3) 281-292 (Apr 1997), 10A319
Novel method for calculating 2D blade vortex interaction, AIAA J 35(5) 909-912 (May 1997), 10A338
Comparison of a ray model with a Fourier-BEM for traffic noise situations with multiple diffractions and reflections, Acustica 83(1) 35-47 (Jan-Feb 1997), 10A355
Complete image-source method for the prediction of sound distribution in non-diffuse enclosed spaces, J Sound Vib 201(4) 473-489 (Apr 1997), 10A383
Effect of length on the acoustic attenuation performance of concentric expansion chambers: An analytical, computational, and experimental investigation, J Sound Vib 201(4) 407-426 (Apr 1997), 10A389
Experimental and numerical studies in model composites - Part II: Numerical results, Int J Fracture 82(2) 175-192 (1996), 10A818
Fiber-matrix interface crack: A numerical analysis using BEs, Int J Fracture 82(1) 11-29 (1996), 10A825
Analysis of dynamic crack propagation using a time-domain boundary integral equation method, Int J Solids Struct 34(17) 2087-2103 (Jun 1997), 10A830
Evaluations of the T-stress for interface cracks by the BEM, Eng Fracture Mech 56(6) 813-825 (Apr 1997), 10A843
Analysis of mechanically fastened repairs and lap joints, Fatigue Fracture Eng Mat Struct 20(4) 583-593 (1997), 10A1006
Boundary Element Technology XII (Comput Mech, Billerica MA, 1997) 11N3
Computational Methods and Experimental Measurements VIII (Comput Mech, Billerica MA, 1997) 11N5
New boundary integral formulation for the prediction of sound radiation, J Sound Vib 202(4) 491-509 (May 1997), 11A54
Boundary element method for solving dynamical response of viscoelastic thin plate - I, Appl Math Mech 18(3) 229-235 (Mar 1997), 11A57
Iterative solution of large 3D BEM elastostatic analyses using the GMRES technique, Int J Numer Methods Eng 40(12) 2227-2236 (Jun 1997), 11A58
Two-dimensional scattering of P, SV and Rayleigh waves: Preliminary results for the Valley of Mexico, Earthquake Eng Struct Dyn 26(6) 595-616 (Jun 1997), 11T181
Wall-bounded blade-tip vortex interaction noise, J Sound Vib 202(5) 605-618 (May 1997), 11A246
Effective elastic constants of solids containing spherical exclusions, J Composite Mat 31(9) 910-934 (1997), 11A366
New techniques for modeling reservoir-dam and foundation-dam interaction, Soil Dyn Earthquake Eng 16(4) 285-293 (Jun 1997), 11A1486
Boundary Element Methods in Manufacturing (Oxford UP, New York, 1997) 12R1
Boundary element analysis of skew plates using a new fundamental solution, Mech Res Commun 24(4) 407-414 (Jul-Aug 1997), 12T74
Calculation of plates by BEMs (Russian), Prikl Mekh (Appl Mech) 33(3) 79-83 (1997), 12A75
New regularization formulas in the BEM for anisotropic elasticity, Mech Res Commun 24(4) 391-397 (Jul-Aug 1997), 12T76
Stress field around holes in antiplane shear using complex variable BEM, J Appl Mech 64(2) 432-435 (Jun 1997), 12T77
Vocal tract shape identification from formant frequency spectra: A simulation using 3D BE models, J Sound Vib 203(4) 581-596 (Jun 1997), 12A345
Solving transient dynamic crack problems by the hypersingular BEM, Fatigue Fracture Eng Mat Struct 20(5) 799-812 (1997), 12A845
Propagation of a shear crack on a nonplanar fault: A method of calculation, Bull Seismol Soc Am 87(1) 61-66 (Feb 1997), 12A1475

106C. Collocation, least-square, Galerkin, and related methods

Hybrid WKB-Galerkin method and its application, Tech Mech 15(4) 281-294 (1995), 1A89
Entropy variable formulation and applications for the 2D shallow water equations, Int J Numer Methods Fluids 23(1) 29-46 (Jul 1996), 1A254
Analysis of thin shells by the element-free Galerkin method, Int J Solids Struct 33(20-22) 3057-3080 (Aug 1996), 1A568
Numerical Methods for Least Squares Problems (SIAM, Phila, PA, 1996) 2R2
Initial-boundary-value problem for the extensible beam with attached load, Math Methods Appl Sci 19(12) 943-957 (Aug 1996), 2A118
Post-buckling behavior of plates under stress gradient, Struct Eng and Mech 4(4) 397-413 (Jul 1996), 2A510
Buckling behavior of plates partially restrained against rotation under stress gradient, Struct Eng and Mech 4(4) 383-396 (Jul 1996), 2A518
Flux difference splitting for 3D steady incompressible Navier-Stokes equations in curvilinear coordinates, Int J Numer Methods Fluids 23(4) 347-366 (Aug 1996), 2A974
Superconvergence of Galerkin methods for hyperbolic IBVP, SIAM J Numer Anal 33(5) 1778-1796 (Oct 1996), 3A26
Adaptive procedure for approximating functions by continuous piecewise polynomials, Commun Numer Methods Eng 12(8) 483-495 (Aug 1996), 3A55
Element-free Galerkin methods in combination with FE approaches, Comput Methods Appl Mech Eng 135(1-2) 143-166 (Aug 1996), 3A56
Generalized Schwarz splitting method based on Hermite collocation for elliptic boundary value problems, Appl Numer Math 21(3) 265-290 (Jul 1996), 3A57
Multiblock implementation of a non-orthogonal, collocated finite volume algorithm for complex turbulent flows, Int J Numer Methods Fluids 23(6) 567-588 (Sep 1996), 3A58
Stability results for collocation methods for Volterra integral equations, Appl Math Comput 79(2-3) 267-288 (Oct 1996), 3A59
Finite-volume-Newton method for a two-phase heat flow problem using primitive variables and collocated grids, J Comput Phys 127(2) 330-345 (Sep 1996), 3A1248
Anisotropic mesh refinement in stabilized Galerkin methods, Numer Math 74(3) 261-282 (Sep 1996), 4A46
Discontinuous Galerkin method with a posteriori $L_2(0,t)$ error estimate for second-kind Volterra problems, Numer Math 74(3) 361-383 (Sep 1996), 4A47
Simulation of some model viscoelastic extensional flows, Int J Numer Methods Fluids 23(7) 691-710 (Oct 1996), 4A495
Implicit multidomain spectral collocation method for the simulation of gas bearings between textured surfaces, J Trib 118(4) 783-793 (Oct 1996), 4A830
Split, characteristic based semi-implicit algorithm for laminar-turbulent incompressible flows, Int J Numer Methods Fluids 23(8) 787-809 (Oct 1996), 4A999
Bibliography on radial basis function approximation, Boundary Elements Comm 7(4) 155-163 (1996), 5T64
Boundary element collocation methods using splines with multiple knots, Numer Math 74(4) 419-451 (Oct 1996), 5A65
Study on B-spline surface fitting onto dense measured point data: Method of setting knot location and parameter with considering curvature (Japanese), J Japan Soc Precision Eng 62(10) 1425-1429 (Oct 1996), 5A66
Unified least-squares approach to the evaluation of geometric errors using discrete measurement data, Int J Machine Tools Manuf 36(11) 1269-1290 (Nov 1996), 5A67
Error bounds estimate of weighted residuals method using genetic algorithms, Appl Math Comput 81(2-3) 207-219 (Feb 1997), 6A82
Least squares data fitting with implicit functions, BIT 36(4) 842-854 (Dec 1996), 6A83
Multimesh and multiresolution analysis for mesh adaptive interpolation, Appl Numer Math 22(4) 477-493 (Dec 1996), 6A84
Penalized weighted residual method for the initial value problems, AIAA J 35(1) 172-177 (Jan 1997), 6A85
Resolution of regularized output least squares estimation procedures, Appl Math Comput 81(2-3) 139-172 (Feb 1997), 6A86
Stochastic FE analysis of plate structures by weighted integral method, Struct Eng and Mech 4(6) 703-715 (Nov 1996), 6A87
Variable time step Galerkin method for a 1D Stefan problem, Appl Math Comput 81(2-3) 189-200 (Feb 1997), 6A88
Galerkin and weighted Galerkin methods for a forward backward heat equation, Numer Math 75(3) 339-356 (Jan 1997), 7A63
General framework for high-accuracy parametric interpolation, Math Comput 66(217) 237-260 (Jan 1997), 7A64
Optimum influence of initial observations in regression models with AR (2) errors, Appl Math Comput 82(1) 57-65 (3 1997), 7T65
Discrete Projection Methods for Integral Equations (Comput Mech, UK, 1997) 8R2
Matrices for the direct determination of the barycentric weights of rational interpolation, J Comput Appl Math 78(2) 355-370 (Feb 1997), 8T66
Nonlinear Galerkin approximation, J Comput Math 15(1) 23-35 (Jan 1997), 8A67
Spectral pollution in the FE approximation of thin elastic "membrane" shells, Numer Math 75(4) 473-500 (Feb 1997), 8A68
Effect of lateral restraint on the buckling behavior of plates under non-uniform edge compression, Struct Eng and Mech 5(1) 85-104 (Jan 1997), 8A603
Local plastic mechanisms in thin steel plates under in-plane compression, Thin-Walled Struct 27(3) 245-261 (Mar 1997), 8A607
C^r-collocation-like method for elliptic equations on rectangular regions, J Austral Math Soc B 38(3) 368-387 (Jan 1997), 9A61
H-adaptive Element-Free Trefftz method, Comp Assisted Mech Eng Sci 3(4) 347-359 (1996), 9A62
Analysis of an algorithm for generating locally optimal meshes for L_2 approximation by discontinuous piecewise polynomials, Math Comput 66(218) 623-650 (Apr 1997), 10A94
Boundary conditions in the element-free Galerkin method, Comput Mech 19(4) 264-270 (Mar 1997), 10A95
Mass lumping emanating from residual-free bubbles, Comput Methods Appl Mech Eng 142(2-3) 353-360 (Mar 1997), 10A96
Moving least-square reproducing kernel methods - I: Methodology and convergence, Comput Methods Appl Mech Eng 143(1-2) 113-154 (Apr 1997), 10A97
Note on conjugate gradient convergence, Numer Math 76(2) 209-230 (Apr 1997), 10T98
Unlocking with residual-free bubbles, Comput Methods Appl Mech Eng 142(2-3) 361-364 (Mar 1997), 10A99
Analysis of cylindrical shells using generalized differential quadrature, Shock Vib 4(3) 193-198 (1997), 10A202
Use of flexible internal support to suppress vibrations of a rotating shaft passing through a critical speed, J Vib and Control 3(2) 213-233 (May 1997), 10A220
Oscillations of a Timoshonko sandwich cantilever beam, J Sound Vib 202(1) 139-144 (Apr 1997), 10T224
Coiflet interpolation and approximate solutions of elliptic partial differential equations, Numer Methods PDE 13(4) 303-320 (Jul 1997), 11A59
Collocation method for mixed boundary value problems on domains with curved polygonal boundaries, Numer Math 76(3) 355-381 (May 1997), 11A60
Image-averaging in the analysis of data from pressure-sensitive film, Exp Tech 21(3) 19-22 (May-Jun 1997), 11A61
Free vibration of plates by the high accuracy quadrature element method, J Sound Vib 202(5) 689-702 (May 1997), 11A125
Galerkin method for initial value problems based on the principle of total virtual action, J Sound Vib 203(3) 457-472 (Jun 1997), 12A83
Stationary and non-stationary probability density function for nonlinear oscillators, Int J Non-Linear Mech 32(6) 1051-1064 (Nov 1997), 12A148
Accurate free vibration analysis of shear-deformable plates with torsional elastic edge support, J Sound Vib 203(2) 209-218 (Jun 1997), 12A186
Nonlinear vibration and dynamic instability of thin shallow shells, J Sound Vib 202(3) 303-311 (May 1997), 12A196
Sound transmission through an aeroelastic plate into a cavity, AIAA J 35(7) 1113-1118 (Jul 1997), 12A310
Viscoelastic analysis of von Karman laminated plates under in-plane compression with initial deflection, Int J Non-Linear Mech 32(6) 1065-1075 (Nov 1997), 12A517
Post-buckling behavior of graphite-epoxy stiffened panels with initial imperfections subjected to eccentric biaxial compression loading, Int J Non-Linear Mech 32(6) 1017-1033 (Nov 1997), 12A659
Global-local integrated study of roller chain meshing dynamics, J Sound Vib 203(1) 41-62 (May 1997), 12A1003
Direct methods for the discretization of a heat-conduction equation using spline functions, Appl Math Comput 85(1) 87-96 (Aug 1997), 12A1299

106D. Transform methods (incl FFT)

Ocean waves: Simulation and spectral analysis, J Brazilian Soc Mech Sci 18(2) 143-162 (Jun 1996), 1A1426
Benchmark integral transform results for flow over a backward-facing step, Comput Fluids 25(5) 527-540 (34n 1996), 2A48
Fluid point source and point forces in linear elastic diffusive half-spaces, Mech Mat 23(3) 241-253 (Jul 1996), 2A401
Influence function method for random seismic response of soil-structure system (Chinese), J Vib Eng 9(2) 161-168 (Jun 1996), 2A1381
Handbook of Function and Generalized Function Transformations (CRC Press, Boca Raton FL, 1996) 3N3

Effect of the formulation of nonlinear terms on aliasing errors in spectral methods, Appl Numer Math **21**(3) 207-219 (Jul 1996), 3A60
Computational Fluid Dynamics with Moving Boundaries (Taylor & Francis, PA, 1996) 4R1
Fractional relaxation-oscillation and fractional diffusion-wave phenomena, Chaos Solitons Fractals **7**(9) 1461-1477 (Sep 1996), 4A48
How to speed up fast Fourier transform computation: A recurrence method, J Theor Appl Mech **34**(3) 597-607 (1996), 4T49
Comparison of convergence acceleration schemes for eigenfunction expansions of partial differential equations, Int J Numer Methods Heat & Fluid Flow **6**(6) 85-97 (Sep 1996), 5A68
Spectral methods on arbitrary grids, J Comput Phys **129**(1) 74-86 (Nov 1996), 5T69
Table of analytical discrete Fourier transforms, Appl Numer Math **21**(4) 375-384 (Oct 1996), 6A89
Series representation of Daubechies' wavelets, J Comput Math **15**(1) 81-96 (Jan 1997), 8T69
Determination of acoustic absorber parameters in impedance tubes, Appl Acoust **50**(1) 79-89 (Jan 1997), 10A100
Hermite equation and the generalized Laplace transform, Z Angew Math Mech **77**(3) 227-229 (1997), 10T101
Acoustic 2D radiation and scattering from cylinders using source density, SVD and Fourier methods, J Sound Vib **201**(3) 305-321 (Apr 1997), 10A353
Explicit stability conditions for viscoelastic structural members, J Vib and Control **3**(2) 161-182 (May 1997), 10A579
Overlapping Schwarz method for spectral element solution of the incompressible Navier-Stokes equations, J Comput Phys **133**(1) 84-101 (May 1997), 10A1100
Application of the Taylor transform to nonlinear vibration problems, J Vib Acoust **118**(1) 83-87 (Jan 1996), 11A62
Modified Fourier transform profilometry for the measurement of 3D steep shapes, Opt Lasers Eng **27**(5) 493-505 (Jul 1997), 11A63
Recursive pseudo-inversion of the Laplace transform on the real line, Appl Math Comput **84**(2-3) 213-220 (Jul 1997), 11A64
Wavelet and multiscale methods for operator equations, Acta Numer **6** 55-228 (1997), 11T65
Harmonic balance and continuation techniques in the dynamic analysis of Duffing's equation, J Sound Vib **202**(5) 717-731 (May 1997), 11A96
Free-Vibration of an L-shaped plate: The general solution and an example of a simply-supported plate with a clamped cutout, J Vib Acoust **118**(1) 107-111 (Jan 1996), 11A126
Geometrical and spatial effects on effective mobilities of annular interfaces, J Sound Vib **202**(4) 511-537 (May 1997), 11A128
Time frequency analysis of dispersive waves by means of wavelet transform, J Appl Mech **62**(4) 841-846 (Dec 1995), 11A184
Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, J Sound Vib **203**(2) 307-319 (Jun 1997), 12A138
Identification of damping in multi-dof systems using time-scale decomposition, J Sound Vib **203**(2) 283-305 (Jun 1997), 12A152
Normal multi-modes of nonlinear Euler beams, J Sound Vib **202**(2) 145-160 (May 1997), 12A164
Predictive acoustic modeling applied to the control of intake-exhaust noise of internal combustion engines, J Sound Vib **202**(2) 249-274 (May 1997), 12A308
Sound transmission through an aeroelastic plate into a cavity, AIAA J **35**(7) 1113-1118 (Jul 1997), 12A310
Effects of sampling rate and length of an adaptive filter on the active control of a plane sound wave in a lossy semi-infinite waveguide, J Sound Vib **203**(1) 127-150 (May 1997), 12A332

106E. Hybrid and other methods (inverse scattering transforms, Pade etc)

Hybrid formulation for the analysis of time-periodic linear systems via Chebyshev polynomials, J Sound Vib **195**(3) 518-527 (Aug 1996), 2T49
Two-point Pade approximants to Stieltjes series representation of bulk moduli of regular composites, Comp Assisted Mech Eng Sci **3**(2) 121-132 (1996), 2A50
S-continued fractions for complex transport coefficients of two-phase composites, Comp Assisted Mech Eng Sci **3**(2) 109-119 (1996), 2A536
Extended Kalman filter: Control volume method for solving inverse heat-conduction problems in a moving body, Bull Polish Acad Sci Tech Sci **44**(1) 39-53 (1996), 4A50
Introduction to the Mathematical Theory of Inverse Problems (Springer-Verlag, New York, 1996) 6R1
Accurate numerical simulation of advection using large time steps, Int J Numer Methods Fluids **24**(2) 127-139 (Jan 1997), 7A66
Usage of artificial intelligence methods in inverse problems for estimation of material parameters, Int J Numer Methods Heat & Fluid Flow **6**(8) 19-29 (Dec 1996), 7A67
Uniqueness of an inverse problem for a 1D wave equation from transmission data, SIAM J Appl Math **57**(1) 195-204 (Feb 1997), 8A70
Space-time generalization of R-function method, Comp Assisted Mech Eng Sci **3**(4) 317-326 (1996), 9A63
Approximate solution of Hamilton-Jacobi inequality by neural networks, Appl Math Comput **84**(1) 49-64 (Jun 1997), 10A102
Strip distributed transfer function analysis of circular and sectorial plates, J Sound Vib **201**(5) 641-647 (Apr 1997), 10T197
Numerical simulation of receptivity phenomena in transitional boundary-layer flows, AIAA J **35**(5) 789-795 (May 1997), 10A395
New version of the fast multipole method for the Laplace equation in 3D, Acta Numer **6** 229-269 (1997), 11A66
Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, J Sound Vib **203**(2) 307-319 (Jun 1997), 12A138
Transverse vibrations of simply supported rectangular plates with rectangular cutouts, J Sound Vib **202**(2) 275-283 (May 1997), 12T182
Predictive acoustic modeling applied to the control of intake-exhaust noise of internal combustion engines, J Sound Vib **202**(2) 249-274 (May 1997), 12A308

106F. Stochastic analysis

Maximum entropy principle and non-stationary distributions of stochastic systems, Probab Eng Mech **11**(3) 169-178 (Jul 1996), 1A90
Stochastic structural interface defects in fiber composites, Int J Solids Struct **33**(20-22) 3035-3056 (Aug 1996), 1A510
Diagnosing time series dynamical structures, Chaos Solitons Fractals **7**(7) 977-990 (Jul 1996), 2A51
Response of dynamic systems to Poisson white noise, J Sound Vib **195**(3) 375-389 (Aug 1996), 2A52
Application of the theory of random processes to estimate probability density of pressure distribution on surface microcontact spots, J Friction Wear **16**(4) 9-16 (1995), 2A853
Ideal and physical white noise in stochastic analysis, Int J Non-Linear Mech **31**(5) 581-590 (Sep 1996), 3A61
Multiplication-free evaluation of polynomials via a Stochatic Bernstein Representation, Appl Math Comput **79**(1) 1-25 (Sep 1996), 3A62
Simulation of ergodic multivariate stochastic processes, J Eng Mech **122**(8) 778-787 (Aug 1996), 3A63
Simulation of multivariate Gaussian fields conditioned by realizations of the fields and their derivatives, J Appl Mech **63**(3) 758-765 (Sep 1996), 3A64
Asymptotic behavior of oscillatory solutions of operator differential equations perturbed by a fast Markov process, Probab Eng Mech **11**(4) 251-255 (Oct 1996), 4A51
Chebyshev norm as a deterministic alternative for problems with uncertainties, Probab Eng Mech **11**(4) 215-219 (Oct 1996), 4A52
Markov process modeling of groundwater contamination problems, Probab Eng Mech **11**(4) 243-250 (Oct 1996), 4A53
Approach to probabilistic optimal design of composite materials under service conditions (Spanish), Rev Int Metodos Numer Calc Diseno Ing **12**(3) 269-290 (1996), 4A535
Second-order wave kinematics conditional on a given wave crest, Appl Ocean Res **18**(2-3) 119-128 (Apr-Jun 1996), 5A182
Partial differential equation for the characteristic function of the response of nonlinear systems to additive Poisson white noise, J Sound Vib **198**(2) 193-202 (Nov 1996), 6A90
Analytical study of the Duffing oscillator excited by colored noise using a systematic adiabatic expansion, J Appl Mech **63**(4) 1027-1032 (Dec 1996), 7A68
Catastrophic fragmentation as a stochastic process: Sizes and shapes of fragments, Planet Space Sci **44**(12) 1563-1578 (12 1996), 7A69
Random field representation and synthesis using wavelet bases, J Appl Mech **63**(4) 946-952 (Dec 1996), 7A70
Probabilistic liquefaction risk analysis including fuzzy variables, Soil Dyn Earthquake Eng **16**(1) 63-79 (Jan 1997), 7A571
Analysis of uncertain structural systems using interval analysis, AIAA J **35**(4) 727-735 (Apr 1997), 9A64
Exact convolution of discrete random variables, Appl Math Comput **83**(1) 69-77 (Apr 1997), 9A65
Modeling of 2D random fields, Probab Eng Mech **12**(2) 115-121 (Apr 1997), 9A66
Probabilistic methods for failure risk assessment, Rev Francaise Mec **0**(1) 9-15 (1997), 9A67
Random elasticity theory in geotechnical engineering (Polish), Hydro-Tech Transactions **59** 29-55 (1995), 9A68
Random errors for an improved frequency response function estimator, Mech Syst Signal Processing **11**(2) 323-326 (Mar 1997), 9A69
Simulation of stochastic processes by spectral representation, Probab Eng Mech **12**(2) 105-113 (Apr 1997), 9A70
Geometric approach to nondestructive identification of faults in stochastic structural systems, AIAA J **35**(4) 700-705 (Apr 1997), 9A815
Finite element method for stochastic structures with random material properties, Comput Model Simul in Eng **2**(2) 195-208 (May 1997), 10A64
Proposal of new method for determination of radius distribution of the air voids and air content in hardened concrete on the basis of probability theory (Chinese), Proc JSCE **557**(V-34) 55-64 (Feb 1997), 10A103
Stochastic modeling and estimating of pipe tip level using cokriging (Japenese), Proc JSCE **561**(III-38) 63-74 (Mar 1997), 10A680
Experimental and computational study of swirling hydrogen jet diffusion flames, J Eng Gas Turbines Power **119**(2) 305-314 (Apr 1997), 10A1149
Mean and covariance equations for boundary-value problems, J Eng Mech **123**(5) 485-488 (May 1997), 11A67
Equivalent statistical quadratization and cubicization for nonlinear systems, J Eng Mech **123**(5) 512-523 (May 1997), 11A106
Model to design QA-QC programs for geomembrane liner seams, J Eng Mech **123**(6) 586-595 (Jun 1997), 11A503
Damage detection and assessment of structures from static response, J Eng Mech **123**(6) 568-576 (Jun 1997), 11A761
Generalized cross-correlation - Part II: Discretization of generalized cross-correlation and progress to date in its implementation, J Appl Mech **64**(2) 327-335 (Jun 1997), 12A78
Generalized cross-correlation functions for engineering applications - Part I: Basic theory, J Appl Mech **64**(2) 321-326 (Jun 1997), 12A79
Mean-square stability of linear stochastic dynamical systems under parametric wide-band excitations, Probab Eng Mech **12**(3) 137-147 (Jul 1997), 12T80
Unified second-order stochastic averaging approach, J Appl Mech **64**(2) 281-291 (Jun 1997), 12A107
Asymptotic analysis and linearization of the randomly perturbed two-wells Duffing oscillator, Probab Eng Mech **12**(3) 171-178 (Jul 1997), 12T143
Multimodal nonlinear spectral response of a beam with impact under random input, Probab Eng Mech **12**(3) 163-170 (Jul 1997), 12A147
Stationary and non-stationary probability density function for nonlinear oscillators, Int J Non-Linear Mech **32**(6) 1051-1064 (Nov 1997), 12A148
Long-term strength and damage analysis of laminated composites, AIAA J **35**(6) 1057-1063 (Jun 1997), 12A786
Approximation of system reliabilities using a shooting Monte Carlo approach, AIAA J **35**(6) 1064-1071 (Jun 1997), 12A897
Possibilistic reliability theory: Theoretical aspects and applications, Struct Safety **19**(2) 173-201 (1997), 12A899
Calculations of swirl combustors using joint velocity-scalar probability density function method, AIAA J **35**(7) 1143-1150 (Jul 1997), 12A1131
Coupled Lagrangian Monte Carlo PDF-CFD computation of gas turbine combustor flowfields with finite-rate chemistry, J Eng Gas Turbines Power **119**(3) 519-526 (Jul 1997), 12A1397

106G. Asymptotic and perturbation methods

Diffraction of plane waves on a parabolic cylinder, Reports Math Phys **37**(3) 349-364 (Jun 1996), 2A53
Relevance of perturbation methods in the mechanics of adhesion, J Adhesion Sci Tech **10**(9) 775-806 (1996), 2A54
Application of the first-order perturbation method to optimal structural design, Struct Eng and Mech **4**(4) 425-436 (Jul 1996), 2A752
Asymptotic Distribution of Eigenvalues of Partial Differential Operators (Am Math Soc, Providence RI, 1996) 4N2
Asymptotic solution of the plane contact problem for a thin multilayer coating, Mech Solids **31**(2) 88-105 (1996), 4A54
Magnetohydrodynamic flow of viscous fluid in a slot between curvilinear surfaces of revolution, Eng Trans **44**(1) 113-140 (1996), 4T55
Multibump solutions for perturbations of periodic second order Hamiltonian systems, Nonlinear Anal **27**(12) 1355-1372 (Dec 1996), 4T56
Outlooks in Saint Venant theory - Part II: Torsional rigidity, shear-stress "and all that" in the torsion of cylinders with section of variable thickness, Arch Mech **48**(4) 753-763 (1996), 4A57
Polynomial boundary perturbation for optimal plastic design of heads of plane tension members, Eng Trans **44**(2) 261-281 (1996), 4A815
Averaging of singularly perturbed systems, Nonlinear Anal **28**(11) 1851-1865 (Jun 1997), 8T71
Direct-perturbation method versus the discretization-perturbation method: Linear systems, J Sound Vib **199**(5) 825-832 (Feb 1997), 8T72
Scaling, Self-Similarity, and Intermediate Asymptotics (Cambridge UP, New York, 1996) 9R1
Asymptotic expansion of solution of the torsion problem for an elastic rod with a cavity and a thin bonded multilayer, Arch Mech **49**(1) 35-48 (1997), 9A71
Asymptotic stability of nonlinear functional differential equations, Nonlinear Anal **28**(12) 1997-2003 (Jun 1997), 9T72
Harmonic and intermodulation performance of some abrupt and weak nonlinearities, Appl Math Comput **83**(1) 87-96 (Apr 1997), 9A73
Singular perturbations for a class of boundary value problems of higher order nonlinear differential equations, Appl Math Mech **17**(12) 1193-1201 (Dec 1996), 9T74
Vibrations of continuous systems having arbitrary quadratic and cubic nonlinearities, Appl Mech Eng **1**(3) 445-463 (1996), 9A75
Application of asymptotic methods of nonlinear mechanics for solving of some problems of oscillation theory, Facta Univ Mech Auto Control Robotic **2**(6) 1-9 (1996), 10T104
Asymptotic method for analyzing the stress in a functionally gradient material layer on a surface of a structural component, Acta Mech Solida Sinica **10**(1) 36-47 (1997), 10A105
Detailed balance in non-equilibrium systems, Dyn Stability Syst **12**(1) 61-70 (1997), 10A106
Asymptotic behavior of solutions of polyharmonic semilinear equations - II, Nonlinear Anal **29**(3) 327-336 (Aug 1997), 11T68
Controllability of nonlinear systems under phase restrictions and persistent perturbations, Nonlinear Anal **29**(1) 1-7 (Jul 1997), 11T69
Chaotic dynamics of shallow arch structures under 1:2 resonance, J Eng Mech **123**(6) 612-619 (Jun 1997), 11A90
Chaotic motion of shallow arch structures under 1:1 internal resonance, J Eng Mech **123**(6) 620-627 (Jun 1997), 11A91
Mechanical-wave filtering in a periodically corrugated elastic plate, J Vib Acoust **118**(1) 16-20 (Jan 1996), 11A129
Effects of bearing and shaft asymmetries on the resonant oscillations of a rotor-dynamic system, J Eng Gas Turbines Power **118**(1) 107-114 (Jan 1996), 11A144
Thermomechanical postbuckling of stiffened laminated cylindrical shell, J Eng Mech **123**(5) 433-443 (May 1997), 11A537
Damage detection and assessment of structures from static response, J Eng Mech **123**(6) 568-576 (Jun 1997), 11A761
Higher order method of multiple scales, J Sound Vib **202**(2) 284-287 (May 1997), 12A81
Kind of approximate solution technique which does not depend upon small parameters - II: An application in fluid mechanics, Int J Non-Linear Mech **32**(5) 815-822 (Sep 1997), 12A82
Generalized lie symmetries and the integrability of generalized Holmes-Rand nonlinear oscillator, Int J Non-Linear Mech **32**(6) 1187-1192 (Nov 1997), 12T118
Periodic solutions of strongly nonlinear Mathieu oscillators, Int J Non-Linear Mech **32**(6) 1177-1185 (Nov 1997), 12A127
Resonant almost periodic oscillations in systems with slow varying parameters, Int J Non-Linear Mech **32**(6) 1143-1152 (Nov 1997), 12A129
Transition to escape in a system of coupled oscillators, Int J Non-Linear Mech **32**(6) 1193-1206 (Nov 1997), 12A131
Normalized modal eigenvalue approach for resolving modal interaction, J Eng Gas Turbines Power **119**(3) 647-650 (Jul 1997), 12A139
Asymptotic analysis and linearization of the randomly perturbed two-wells Duffing oscillator, Probab Eng Mech **12**(3) 171-178 (Jul 1997), 12T143
Effect of nonlinear inertia on the steady state response of a beam system subjected to combined excitations, J Sound Vib **203**(3) 373-387 (Jun 1997), 12A158
Steelpan as a system of nonlinear mode-localized oscillators - Part II: coupled sub-systems, simulations and experiments, J Sound Vib **203**(4) 547-561 (Jun 1997), 12A185
Stability analysis of a rotating beam under a moving motion-dependent force, J Sound Vib **202**(3) 427-437 (May 1997), 12A193
Strong nonlinear dynamics of cutting processes, J Sound Vib **203**(3) 363-372 (Jun 1997), 12A207
Asymptotic expansions of the dispersion relation for an incompressible elastic plate, Int J Solids Struct **34**(22) 2785-2802 (Aug 1997), 12A227

Asymptotics of flexural waves in isotropic elastic plates, J Appl Mech 64(2) 336-342 (Jun 1997), 12A228
Solitary waves in initially stressed thin elastic tubes, Int J Non-Linear Mech 32(6) 1165-1176 (Nov 1997), 12A273
Effects of area change and friction on acoustic propagation in compressible flow through long ducts, Int J Non-Linear Mech 32(5) 979-987 (Sep 1997), 12A314
Unsteady transonic flow: Flow about a suddenly deflected wedge, AIAA J 35(7) 1179-1186 (Jul 1997), 12A1090
Exponentially decaying flow in a gently curved annular pipe, Int J Non-Linear Mech 32(5) 823-835 (Sep 1997), 12A1126

106H. Variational methods

Brief discussion on some dynamic energy principles, J Vib and Control 2(3) 275-287 (Aug 1996), 1A91
Variational model of sandpile growth, European J Appl Math 7(3) 225-235 (Jun 1996), 1A1381
Recent developments in parametrized variational principles for mechanics, Comput Mech 18(3) 159-174 (Jul 1996), 2A55
Variational method of accelerating linear iterations and its applications, Comput Fluids 25(5) 467-484 (Jun 1996), 2A56
Variational upper-bound method for plane strain problems, J Manuf Sci Eng 118(3) 301-309 (Aug 1996), 2A425
Tolerances of initial deflections of steel plates and strength of I cross-section in compression and bending, J Construct Steel Res 38(3) 219-238 (Jul 1996), 2A799
Dynamic properties of optimal solutions of variational problems, Nonlinear Anal 27(8) 895-931 (Oct 1996), 3T65
Nonsmooth computational mechanics algorithms, quasidifferentiability and related topics, Adv Eng Software 26(3) 171-184 (Aug 1996), 3A66
Nonuniqueness of solutions obtained with simplified variational principles, J Appl Mech 63(3) 820-827 (Sep 1996), 3A67
Stresses and failure patterns in the bending of sandwich beams with transversely flexible cores and laminated composite skins, Composite Struct 35(2) 143-152 (Jun 1996), 3A514
Buckling of complex toroidal shell structures, Thin-Walled Struct 26(3) 195-212 (Nov 1996), 3A559
Size and density influence on overall moduli of finite media with cracks, Mech Mat 23(4) 287-294 (Aug 1996), 3A726
Numerical analysis of non-convex variational problems, Numer Math 74(3) 325-336 (Sep 1996), 4A58
Variational analysis in nonreflexive spaces and applications to control problems with L^1 perturbations, Nonlinear Anal 28(5) 889-915 (Mar 1997), 6T91
Variational principle for fluid mechanics, Arch Appl Mech 67(1-2) 96-104 (Dec 1996), 6A92
Complete solution for stresses in terms of stress functions - Part II: Modification of variational principles, Tech Mech 16(3) 197-208 (1996), 7A398
Bifurcation theory for a nonconvex unilateral laminated plate problem formulated as a hemivariational inequality involving a potential operator, Z Angew Math Mech 77(1) 45-51 (1997), 8A73
Elastic behavior of multi-stiffened plates under uniform compression, Thin-Walled Struct 27(4) 311-335 (Apr 1997), 8A605
Modification of the structural tangent stiffness due to nonlinear configuration-dependent conservative loading, Comp Assisted Mech Eng Sci 3(4) 367-388 (1996), 9A76
Variational principles for the linear theory of piezoelectric micropolar thermoelasticity in the case of a quasistatic electric field, Bull Polish Acad Sci Tech Sci 44(3) 243-254 (1996), 9A77
Variational principles of linear vibration system and its discretization solution in time domain (Chinese), J Vib Eng 10(1) 104-111 (Mar 1997), 10T107
Closed-form formulas for fundamental vibration frequency of beams under off-center load, J Sound Vib 201(4) 528-533 (Apr 1997), 10T172
Note on the fundamental shape function and frequency for beams under off-center load, J Sound Vib 202(1) 134-138 (Apr 1997), 10T183
Calculation of the natural frequencies of composite plates by the Rayleigh-Ritz method with orthogonal polynomials, J Sound Vib 201(3) 385-387 (Apr 1997), 10A194
Vibration of thin skew fiber reinforced composite laminates, J Sound Vib 201(3) 335-352 (Apr 1997), 10A200
Stick-slip motion of frictionally damped turbine airfoils: A FE in time approach, J Vib Acoust 119(2) 236-242 (Apr 1997), 10A212
Free vibrations of circular plates of varying thickness partially embedded in an elastic foundation, J Sound Vib 202(1) 125-133 (Apr 1997), 10T225
Generalized quasi-variational inequalities and some applications, Nonlinear Anal 29(1) 27-40 (Jul 1997), 11T70
Transverse vibrations of simply supported rectangular plates with rectangular cutouts carrying an elastically mounted concentrated mass, J Sound Vib 202(4) 585-592 (May 1997), 11T136
Vibration of thick doubly-curved stress free shallow shells of curvilinear planform, J Eng Mech 123(5) 413-421 (May 1997), 11A138
Method of analyzing finite periodic structures - Part 1: Theory and examples, J Sound Vib 202(4) 555-569 (May 1997), 11A169
Maximum buckling loads for unsymmetric thin hybrid laminates under in-plane and shear forces, Composite Struct 36(1-2) 1-11 (Sep-Oct 1996), 11A538
Variational analysis of earth pressure on a rigid earth-retaining wall, J Eng Mech 123(5) 524-530 (May 1997), 11A567
Unifying treatise of variational principles for two types of micropolar continua, Acta Mech 121(1-4) 215-232 (1997), 12A6
Galerkin method for initial value problems based on the principle of total virtual action, J Sound Vib 203(3) 457-472 (Jun 1997), 12A83
Nature of stationarity of the natural frequencies at the natural modes in the Rayleigh-Ritz method, J Sound Vib 203(2) 251-263 (Jun 1997), 12A84
Nonlinear variational and constrained hemivariational inequalities involving relaxed operators, Z Angew Math Mech 77(5) 387-391 (1997), 12A85
Free and forced vibration of a cantilever beam contacting with a rigid cylindrical foundation, J Sound Vib 202(2) 161-185 (May 1997), 12A160
Vibration of rectangular plates by reduction of the plate partial differential equation into simultaneous ordinary differential equations, J Sound Vib 203(1) 169-180 (May 1997), 12A188
Dynamic substructuring of damped structures using singular value decomposition, J Appl Mech 64(2) 292-298 (Jun 1997), 12A238
Estimations for the overall properties of some locally-ordered composites, Acta Mech 121(1-4) 177-190 (1997), 12A578
Distributed structural actuation with electrostrictors, J Sound Vib 203(1) 11-40 (May 1997), 12A895
Stationary weak solutions for a class of non-Newtonian fluids with energy transfer, Int J Non-Linear Mech 32(5) 961-972 (Sep 1997), 12T1080
Variational method in the statistical theory of turbulence, Physica D 105(1-3) 185-202 (Jun 1997), 12A1142

106I. Algorithms and software development

Practical Guide to Pseudospectral Methods (Cambridge UP, New York, 1996) 1R1
Afternotes on Numerical Analysis (SIAM, Phila, PA, 1996) 1N2
Computation of Special Functions: With Computer Programs in FORTRAN (Wiley, New York, 1996) 1N3
High Performance Computing in Fluid Dynamics (Kluwer, MA, 1996) 1N4
Solving Large Scale Problems in Mechanics: Parallel and Distributed Computer Applications (Wiley, New York, 1996) 1N6
Advances in multiple scale kernel particle methods, Comput Mech 18(2) 73-111 (Jun 1996), 1A92
Combined effect of explicit time-stepping and quadrature for curvature driven flows, Numer Math 74(1) 105-136 (Jul 1996), 1T93
Convergence analysis of the parallel multisplitting TOR method, J Comput Appl Math 72(1) 169-177 (Jul 1996), 1A94
Convergence domains of the p-cyclic SOR, J Comput Appl Math 72(1) 63-83 (Jul 1996), 1A95
Fast accurate eigenvalue methods for graded positive definite matrices, Numer Math 74(1) 85-103 (Jul 1996), 1A96
Matrix transformations for computing rightmost eigenvalues of large sparse non-symmetric eigenvalue problems, IMA J Numer Anal 16(3) 297-346 (Jul 1996), 1A97
New POCS algorithms for regularization of inverse problems, J Comput Appl Math 72(1) 21-39 (Jul 1996), 1A98
Preserving monotonicity in the numerical solution of Riccati differential equations, Numer Math 74(1) 35-47 (Jul 1996), 1T99
Lectures on Finite Precision Computations (SIAM, Phila, PA, 1996) 2R1
Engineering Mathematics with MAPLE (McGraw-Hill, New York, 1996) 2N3
Handbook of Software for Engineers and Scientists (CRC Press, Boca Raton FL, 1996) 2N5
Basic concepts of an open distributed system for cooperative design and structure analysis, Comp Assisted Mech Eng Sci 3(2) 169-186 (1996), 2A57
Computation of wavelet-Galerkin approximation on a bounded interval, Int J Numer Methods Eng 39(17) 2921-2944 (Sep 1996), 2A58
Development of a parallel direct simulation code to investigate reactive flows, Comput Fluids 25(5) 485-496 (Jun 1996), 2A59
Experiment for truly parallel logic programming, J Intelligent & Robotic Syst 16(2) 169-184 (Jun 1996), 2A60
Manzur and Hamed algorithm for resequencing nodes in the undirected graphs to minimize the storage by reducing the bandwidth of sparse symmetric matrices, Comput Struct 61(2) 361-374 (Oct 1996), 2A61
Object-oriented framework for interactive numerical analysis in a graphical user interface environment, Int J Numer Methods Eng 39(17) 2945-2971 (Sep 1996), 2A62
Multiplication-free evaluation of polynomials via a Stochatic Bernstein Representation, Appl Math Comput 79(1) 1-25 (Sep 1996), 3A62
Asymptotic error bounds of product formulas for functions with interior singularity, Numer Math 74(2) 137-151 (Aug 1996), 3T68
Consistent local error computations - Part I: Theory, Int J Numer Methods Eng 39(19) 3219-3234 (Oct 1996), 3A69
Fast algorithms for polynomial interpolation, integration, and differentiation, SIAM J Numer Anal 33(5) 1689-1711 (Oct 1996), 3A70
Gaussian quadrature for products of exponential functions, Appl Math Comput 79(2-3) 189-202 (Oct 1996), 3A71
Overflow and underflow in multiplication and division, Appl Numer Math 21(3) 221-239 (Jul 1996), 3A72
Parallel explicit unstructured grid solvers on distributed memory computers, Adv Eng Software 26(3) 189-200 (Aug 1996), 3A73
Partitioning ordinary differential equations using Runge-Kutta methods, Appl Math Comput 79(2-3) 289-309 (Oct 1996), 3A74
Piecewise linear Petrov-Galerkin error estimates for the box method, SIAM J Numer Anal 33(5) 1864-1884 (Oct 1996), 3A75
Structure of weighting coefficient matrices of harmonic differential quadrature and its applications, Commun Numer Methods Eng 12(8) 455-459 (Aug 1996), 3A76
Symbolic integration of polynomial functions over a linear polyhedron in euclidean 3D space, Commun Numer Methods Eng 12(8) 461-470 (Aug 1996), 3A77
Unfactored implicit moving mesh method for the 2D unsteady N-S equations, Int J Numer Methods Fluids 23(6) 607-631 (Sep 1996), 3A78
Computational Differentiation: Techniques, Applications, and Tools (SIAM, Phila, PA, 1996) 4N3
Integration Algorithms and Classical Mechanics (Am Math Soc, Providence RI, 1996) 4N4
Acceleration of five-point red-black Gauss-Seidel in multigrid for Poisson equation, Appl Math Comput 80(1) 73-93 (Nov 1996), 4T59
Adaptive sign detection method of 4 × 4 determinant method - 2nd Report: Sign detection method for arbitrary homogeneous polynomials (Japanese), J Japan Soc Precision Eng 62(9) 1267-1271 (Sep 1996), 4A60
Automation of M-D-o-F mechanical system dynamics calculations, Arch Budowy Maszyn 41(3-4) 219-233 (1994), 4A61
Computational efficiency and implementation of block-iterative algorithms for nonlinear coupled problems, Eng Comput 13(6) 4-30 (1996), 4A62
Invariant manifolds and global error estimates of numerical integration schemes applied to stiff systems of singular perturbation type - Part II: Linear multistep methods, Numer Math 74(3) 305-323 (Sep 1996), 4T63
LAPACK for Fortran 90, Appl Math Comp Sci 6(2) 375-382 (1996), 4T64
Multivariate scattered data fitting, J Comput Appl Math 73(1-2) 1-270 (Oct 1996), 4A65
Note on the application of the average correction technique, Int J Numer Methods Fluids 23(8) 811-817 (Oct 1996), 4A66
Use of spline-on-spline for the approximation of Cauchy principal value integrals, Appl Math Comput 80(1) 23-32 (Nov 1996), 4A67
Implicit-multigrid algorithms for incompressible turbulent flows on unstructured grids, J Comput Phys 128(2) 391-408 (Oct 1996), 4A1093
Column recurrence algorithm for solving linear least squares problem, J Comput Math 14(4) 301-310 (Oct 1996), 5A70
Convergence of parallel AOR and GAOR methods applied to H-matrices, IMA J Numer Anal 16(4) 485-499 (Oct 1996), 5A71
New perturbation analyses for the Cholesky factorization, IMA J Numer Anal 16(4) 457-484 (Oct 1996), 5A72
Optimal symmetrical points for polynomial interpolation of real functions in the tetrahedron, Comput Methods Appl Mech Eng 137(1) 89-94 (Oct 1996), 5A73
Tree-based analysis of a family of augmented systems for the computation of singular points, IMA J Numer Anal 16(4) 501-527 (Oct 1996), 5A74
Partial Differential Equations and Mathematica (CRC Press, Boca Raton FL, 1997) 6N5
Cost-effective multigrid projection operator, J Comput Appl Math 76(1-2) 325-333 (Dec 1996), 6A93
Neural networks in computational mechanics, Arch Comput Methods Eng 3(4) 435-512 (1996), 6A94
Recursive interpolation algorithm: A formalism for solving systems of linear equations - I: Direct methods, J Comput Appl Math 76(1-2) 13-30 (Dec 1996), 6A95
Recursive interpolation algorithm: A formalism for solving systems of linear equations - II: Iterative methods, J Comput Appl Math 76(1-2) 31-53 (Dec 1996), 6A96
Exterior-point method for linear programming problems, J Optim Theory Appl 91(3) 561-583 (Dec 1996), 6T370
Asymptotically optimal algorithm for approximating bounded analytic functions, Numer Math 75(3) 397-404 (Jan 1997), 7T71
Efficient parallel Gauss-Doolittle matrix triangulation, Comput Struct 62(1) 185-195 (Jan 1997), 7A72
Further discussion of numerical errors in CFD, Int J Numer Methods Fluids 23(12) 1263-1274 (Dec 1996), 7A73
Interpolating clothoidal spline curve by computer algebra system (Japanese), J Japan Soc Precision Eng 62(12) 1717-1721 (12 1996), 7A74
Matrices generated by adding Dyads (rank 1 matrices): Properties and applications (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(4) 427-445 (1996), 7A75
New expressions for the solution of the matrix equation $A^TX + XA = H$, J Elast 45(1) 61-72 (Oct 1996), 7A76
Numerical solutions of linear mixed boundary value problems using stochastic representations, Int J Numer Methods Eng 40(3) 387-405 (Feb 1997), 7A77
Perturbation of LU and Cholesky factors, IMA J Numer Anal 17(1) 1-6 (Jan 1997), 7A78
Point-in-polygon test dealing with the polygons including curve edges based on the 4 × 4 determinant method (Japanese), J Japan Soc Precision Eng 62(12) 1712-1716 (12 1996), 7A79
Triangular matrices of Gaussian elimination and related decompositions, IMA J Numer Anal 17(1) 7-16 (Jan 1997), 7A80
Analysis of a minimum perturbation algorithm for nonsymmetric linear systems, SIAM J Numer Anal 34(1) 48-66 (Feb 1997), 8A74
Existence of optimal solution for exponential model by least squares, J Comput Appl Math 78(2) 317-328 (Feb 1997), 8A75
Multilevel methods, Appl Numer Math 23(1) 3-192 (Feb 1997), 8A76
Use of the singular value decomposition method to detect ill-conditioning of structural identification problems, Comput Struct 63(2) 267-275 (Apr 1997), 8A77
CRC Computer Science and Engineering Handbook (CRC Press, Boca Raton FL, 1997) 9N2
Mathematica 3.0: Standard Add-On Packages (Cambridge UP, UK, 1996) 9N4
Derivation of equations of dynamics for a certain class of models of mechanical systems, Comp Assisted Mech Eng Sci 3(4) 289-296 (1996), 9A78
Intersection curves of surfaces, Eng Comput 14(1) 159-169 (1997), 9A79
New hybrid quadratic-bisection algorithm for finding the zero of a nonlinear function without using derivatives, Adv Eng Software 28(3) 145-149 (Apr 1997), 9A80
Theoretical cost of sequential and parallel algorithms for solving linear systems of equations, Appl Math Mech 17(12) 1141-1146 (Dec 1996), 9A81
Numerical Methods and Software Tools in industrial Mathematics (Birkhauser Boston, MA, 1997) 10N1
Convergence of zero-finding eigensolution algorithms for solving nonlinear eigenvalue problems, Int J Numer Methods Eng 40(11) 2037-2044 (Jun 1997), 10A108
Higher-order semi-explicit symplectic partitioned Runge-Kutta methods for constrained Hamiltonian systems, Numer Math 76(2) 231-247 (Apr 1997), 10T109
Interval algorithm for linear-nonlinear coupled systems, Z Angew Math Mech 77(3) 229-232 (1997), 10T110
New approach to the differential quadrature method for fourth-order equations, Int J Numer Methods Eng 40(11) 1941-1956 (Jun 1997), 10A111
Numerical methods for finding multiple eigenvalues of matrices depending on parameters, Numer Math 76(2) 189-208 (Apr 1997), 10T112
Optimal construction of a mass-spring system with prescribed modal and spectral data, J Sound Vib 201(3) 323-334 (Apr 1997), 10A170
Finite element model update via Bayesian estimation of minimization of dynamic residuals, AIAA J 35(5) 879-886 (May 1997), 10A248
Substructuring and component mode synthesis, Shock Vib 4(3) 199-210 (1997), 10A252
Non-random adaptive grid method for high-speed optimization of highly dimensional, badly behaving real time functions, J Eng Gas Turbines Power 119(2) 265-272 (Apr 1997), 10A1005
Algorithms for Linear-Quadratic Optimization (Marcel Dekker, New York, 1996) 11N2
Modern Software Tools for Scientific Computing (Birkhauser Boston, MA, 1997) 11N7

Design of materials with extreme thermal expansion using a three-phase topology optimization method, J Mech Phys Solids 45(6) 1037-1067 (Jun 1997), 11A6
Application of the multiquadratic method for numerical solution of elliptic partial differential equations, Appl Math Comput 84(2-3) 275-302 (Jul 1997), 11A71
Comparative study of pressure correction and block-implicit finite volume algorithms on parallel computers, Int J Numer Methods Fluids 24(11) 1111-1128 (Jun 1997), 11A72
Improvement of convergence in Newton's method, Comput Methods Appl Mech Eng 145(3-4) 323-327 (Jun 1997), 11A73
Inverse free parallel spectral divide and conquer algorithm for nonsymmetric eigenproblems, Numer Math 76(3) 279-308 (May 1997), 11A74
Modified Runge-Kutta methods for the numerical solution of ODE's with oscillating solutions, Appl Math Comput 84(2-3) 131-143 (Jul 1997), 11A75
Pivoted block solvers for large banded linear equation systems, Commun Numer Methods Eng 13(5) 407-415 (May 1997), 11A76
Stability analysis and fast algorithms for triangularization of Toeplitz matrices, Numer Math 76(3) 383-402 (May 1997), 11T77
Parallelization efficiency of CFD problems on a MIMD computer, Comput Fluids 26(4) 359-371 (May 1997), 11A78
Approximate Newton methods for nonsmooth equations, J Optim Theory Appl 93(2) 373-394 (May 1997), 11T288
New version of the Newton method for nonsmooth equations, J Optim Theory Appl 93(2) 395-415 (May 1997), 11T289
Hybrid spectral finite difference simulations of stratified turbulent flows on distributed memory architectures, Int J Numer Methods Fluids 24(11) 1129-1158 (Jun 1997), 11A1101
Discovering Curves and Surfaces with Maple (Springer-Verlag, New York, 1997) 12N2
Innovation in Mathematics (Comput Mech, UK, 1997) 12N3
Multilevel Optimization: Algorithms and Applications (Kluwer, MA, 1997) 12N4
Optimization on Low Rank Nonconvex Structures (Kluwer, MA, 1997) 12N5
Parallel Computing in Optimization (Kluwer, MA, 1997) 12N6
Numerical wave propagation and steady-state solutions: Soft wall and outer boundary conditions, AIAA J 35(6) 965-975 (Jun 1997), 12A59
Octree-advancing front method for generation of unstructured surface and volume meshes, AIAA J 35(6) 976-984 (Jun 1997), 12A60
Adaptive sign detection method using a floating point processing unit: Sign detection for 3 × 3 determinants (Japanese), J Japan Soc Precision Eng 63(5) 657-663 (May 1997), 12T86
Algorithm for computing the numerical radius, IMA J Numer Anal 17(3) 329-342 (Jul 1997), 12A87
Consistent pseudo-derivatives in meshless methods, Comput Methods Appl Mech Eng 146(3-4) 371-386 (Jul 1997), 12A88
Continuous cell-to-cell mapping, J Sound Vib 202(3) 395-415 (May 1997), 12A89
Solution of large linear systems on pipeline SIMD machines, Int J Numer Methods Eng 40(13) 2433-2448 (Jul 1997), 12A90
Nonstandard analysis of a simple discontinuous force equation modeling continuous motion, J Sound Vib 202(2) 288-297 (May 1997), 12T156
Optimal digital filtering requi. s a different cut-off frequency strategy for the determination of the higher derivatives, J Biomech 30(8) 851-855 (Aug 1997), 12A1571

106K. Computer architectures, systems, hardware

Engineering Problem Solving with MATLAB, Second Edition (Prentice Hall, Upper Saddle River, NJ, 1997) 2N4
Comparative study of pressure correction and block-implicit finite volume algorithms on parallel computers, Int J Numer Methods Fluids 24(11) 1111-1128 (Jun 1997), 11A72
Parallelization efficiency of CFD problems on a MIMD computer, Comput Fluids 26(4) 359-371 (May 1997), 11A78
Third US-Japan Symposium on FEM in large-scale computational fluid dynamics, held on April 1-3, 1996 at the Army High Performance Computing Research Center, University of Minnesota, Int J Numer Methods Fluids 24(12) 1253-1461 (Jun 1997), 12A40

II. DYNAMICS & VIBRATION

150. KINEMATICS AND DYNAMICS

150A. General theory

Dissipative systems, conservation laws, and symmetries, Int J Solids Struct 33(20-22) 2959-2968 (Aug 1996), 1A3
Canonical equations in terms of generalized impulse variables, Tech Mech 15(4) 263-270 (1995), 1A100
Complementary formulation of the Appell equation, Tech Mech 16(2) 187-196 (1996), 1A101
Unification of the Hamilton principles in nonholonomic system and in holonomic system, Appl Math Mech 17(5) 457-463 (May 1996), 1A102
Problem of construction of the first integral of nonconservative dynamic system (Russian), Prikl Mekh (Appl Mech) 32(5) 89-94 (1996), 2A63
Symmetries, Topology, and Resonances in Hamiltonian Mechanics (Springer-Verlag, New York, 1996) 3R5
Smoothing dynamic systems, Nonlinear Anal 27(10) 1117-1124 (Nov 1996), 3T79
Hamiltonian Dynamics and Celestial Mechanics (Am Math Soc, Providence RI, 1996) 4N5
Analysis of the dynamics of parallel-structure mechanism with elastic links, J Machinery Manuf Reliab 2 10-17 (1996), 4T941
Newtonian Mechanics on Kahler Manifold, Appl Math Mech 17(8) 751-764 (Aug 1996), 5A75
Heteroclinic chains for a reversible Hamiltonian system, Nonlinear Anal 28(5) 871-887 (Mar 1997), 6T97
Nonholonomic mechanical systems with symmetry, Arch Rational Mech Anal 136(1) 21-99 (1996), 6T98
Notes on a study of vector bundle dynamical systems (II) - Part I, Appl Math Mech 17(9) 805-818 (Sep 1996), 6A99
Stability of the equilibrium position of a non-autonomous mechanical system, J Appl Math Mech 60(3) 381-389 (1996), 6A100
Equations of motion for mechanical systems: A unified approach, Int J Non-Linear Mech 31(6) 951-958 (Nov 1996), 7A81
Given force cannot be a function of acceleration, Tech Mech 16(3) 221-226 (1996), 7A82
Criteria of d-δ operations' exchange relationship in nonholonomic systems of analytical dynamics, Mech Res Commun 24(1) 3-9 (Jan-Feb 1997), 8T78
Steady motions and relative equilibria of mechanical systems with symmetry, J Appl Math Mech 60(5) 729-735 (1996), 8A79
Brachistochrone with Coulomb friction, SIAM J Control Optim 35(2) 562-584 (Mar 1997), 8A379
Dynamics for Engineers (Springer-Verlag, New York, 1997) 9R5
Elements of Newtonian Mechanics Including Nonlinear Dynamics, Second Edition (Springer-Verlag, New York, 1996) 9R6
Analytical dynamics of controllable systems (Russian), Prikl Mekh (Appl Mech) 32(9) 88-96 (1996), 9T82
Another class D'Alembert principle and a new Maggi equation for arbitrary order nonholonomic mechanical systems in derivative space, Appl Math Mech 17(12) 1165-1169 (Dec 1996), 9A83
Homogeneous formalism and Dirac's theory of degenerate systems, Facta Univ Mech Auto Control Robotic 2(6) 11-24 (1996), 10T113
Investigation of a new formulation of the Lagrange method for constrained dynamic systems, J Appl Mech 64(1) 116-122 (Mar 1997), 10A114
Higher-order Cayley transforms with applications to attitude representations, J Guidance Control Dyn 20(3) 528-534 (May-Jun 1997), 10T463
Fractional Analysis: Methods of Motion Decomposition (Birkhauser Boston, MA, 1997) 11R8
Classical Dynamics (Dover, Mineola NY, 1997) 11N10
General equations of analytical dynamics, J Appl Math Mech 60(6) 899-909 (1996), 11A79
Infinite-dimensional Hamilton-Jacobi-Bellman equations in Gauss-Sobolev spaces, Nonlinear Anal 29(4) 415-426 (Aug 1997), 11T80
Invariant sets and symmetric periodic motions of reversible mechanical systems, J Appl Math Mech 60(6) 941-952 (1996), 11A81
Transformation properties of the nonlinear Hamel equations, J Appl Mech 62(4) 924-929 (Dec 1995), 11A82
Linearized dynamics: A tensorial treatment based on the raw form of Lagrange's equations, Eur J Mech A 16(3) 529-555 (1997), 11A86
Continuum dynamics of a peptide chain, Int J Non-Linear Mech 32(5) 769-801 (Sep 1997), 12T91

150B. Kinematics of rigid bodies and particles

Kinematics and Dynamics of Machinery (Marcel Dekker, New York, 1996) 1R7
Study on an evaluation method of angular motion for air spindle (Japanese), J Japan Soc Precision Eng 62(6) 840-844 (Jun 1996), 1A103
Trajectory of a multi-segment wheeled vechicle, Mech Struct Machines 24(3) 389-404 (1996), 2A64
Recent Advances in Robot Kinematics (Kluwer, MA, 1996) 3N12
Mechanisms and Mechanical Devices Sourcebook, Second Edition (McGraw-Hill, New York, 1996) 5N5
Stability of a slider with hemispherical legs in plane contacting a flat surface, Appl Acoust 49(2) 163-177 (Oct 1996), 5A76
Direct and inverse kinematics for coordinated motion tasks of a two-manipulator system, J Dyn Syst Meas Control 118(4) 691-697 (Dec 1996), 6A420
Vector analysis of keyblock rotations, J Geotech Eng 122(12) 976-987 (Dec 1996), 6A668
Fundamentals of Robotic Mechanical Systems: Theory, Methods, and Algorithms (Springer-Verlag, New York, 1997) 7R8
Closed-form solution of the direct kinematics of the 6-3 type Stewart Platform using one extra sensor, Meccanica 31(6) 705-714 (12 1996), 7A380
Dynamics for Engineers (Springer-Verlag, New York, 1997) 9R5
Analysis of rigid body motion from measured data, J Dyn Syst Meas Control 117(4) 578-584 (Dec 1995), 11A83
Linear representation of the screw triangle: A unification of finite and infinitesimal kinematics, J Mech Des 117(4) 554-560 (Dec 1995), 11A84
Symmetry groups for arbitrary motions of hyperelastic solids, Int J Eng Sci 35(7) 637-657 (May 1997), 12A92

150D. Dynamics of rigid bodies and particles

Linear and quadratic integrals of a compound mechanical system, J Appl Math Mech 60(1) 31-39 (1996), 1A104
Motion of cross-shaped bodies around a fixed point in a central Newtonian force field, J Appl Math Mech 60(1) 25-30 (1996), 1A105
Symmetries, Topology, and Resonances in Hamiltonian Mechanics (Springer-Verlag, New York, 1996) 3R5
Oscillations of a particle suspended on an ideal thread, J Appl Math Mech 60(2) 233-242 (1996), 3A80
Pendulum as a dynamical billiard, Chaos Solitons Fractals 7(8) 1145-1178 (Aug 1996), 3A81
Solid angle theorem in rigid body dynamics, J Appl Math Mech 60(2) 319-322 (1996), 3A82
Evolution of rotation of a nearly dynamically spherical triaxial satellite under the action of light pressure torques, Mech Solids 31(2) 1-12 (1996), 4A68
New integrable problems in the dynamics of rigid bodies with the Kovalevskaya configuration - I: The case of axisymmetric forces, Mech Res Commun 23(5) 423-427 (Sep-Oct 1996), 4A69
New integrable problems in the dynamics of rigid bodies with the Kovalevskaya configuration - II: The case of asymmetric forces, Mech Res Commun 23(5) 429-431 (Sep-Oct 1996), 4A70
Optimization of energy reception in systems powered by periodical moment, J Theor Appl Mech 34(4) 803-828 (1996), 4T71
Quasistationary motions of a fluid-filled top, Mech Solids 31(2) 27-31 (1996), 4T72
Quaternions and dynamics of controled motion of a rigid body, Mech Solids 31(2) 11-19 (1996), 4A73
Planning shortest bounded-curvature paths for a class of nonholonomic vehicles among obstacles, J Intelligent & Robotic Syst 16(4) 387-405 (Aug 1996), 4A455
Four wheel steering system for vehicle handling improvement: A robust model reference control using the sliding mode, Proc Inst Mech Eng D 210(D4) 335-346 (1996), 5A318
Coupling between rigid body and deformation modes, J Sound Vib 198(5) 617-637 (Dec 1996), 6A101
Identification of rigid body inertia properties from experimental data, Mech Syst Signal Processing 10(6) 697-709 (Nov 1996), 6A102
Motion of a disc rolling on a horizontal plane: Path controllability and feedback control, Comput Methods Appl Mech Eng 137(3-4) 345-356 (Nov 1996), 6A103
Pendulum motion (Russian), Prikl Mekh (Appl Mech) 32(6) 90-94 (1996), 6A104
Noetherian perspective of Eulerian motion of a free rigid body, J Guidance Control Dyn 20(1) 193-196 (Jan-Feb 1997), 7T83
Unilaterally constrained motions of rigid bodies systems, Appl Math Mech 17(10) 939-944 (Oct 1996), 7A84
Velocity and acceleration analysis of contact between 3D rigid bodies, J Appl Mech 63(4) 974-984 (Dec 1996), 7A85
Dynamics for Engineers (Springer-Verlag, New York, 1997) 9R5
Elements of Newtonian Mechanics Including Nonlinear Dynamics, Second Edition (Springer-Verlag, New York, 1996) 9R6
Estimate of parameters of auto-oscillations of two-weight system with the presence of dry friction (Russian), Prikl Mekh (Appl Mech) 32(8) 87-94 (1996), 9T84
Influence of the intensity of the velocity variation on tractive-energy requirements of a car (Polish), Archiwum Motoryzacji 2 125-134 (1996), 9A85
Kinematic differential geometry of a rigid body in spatial motion - I: A new adjoint approach and instantaneous properties of a point trajectory in spatial kinematics, Mech Machine Theory 32(4) 419-432 (May 1997), 9A86
Kinematic differential geometry of a rigid body in spatial motion - II: A new adjoint approach and instantaneous properties of a line trajectory in spatial kinematics, Mech Machine Theory 32(4) 433-444 (May 1997), 9A87
Kinematic differential geometry of a rigid body in spatial motion - III: Distribution of characteristic lines in the moving body in spatial motion, Mech Machine Theory 32(4) 445-457 (May 1997), 9A88
Lagrange's equations for holonomic systems with rigid bodies, Arch Mech 49(1) 27-33 (1997), 9A89
Studies of Melnikov method and transversal homoclinic orbits in the circular planar restricted three-body problem, Appl Math Mech 17(12) 1177-1187 (Dec 1996), 9A90
Horizontal version of the inverse pendulum problem, Comput Methods Appl Mech Eng 141(3-4) 297-309 (Feb 1997), 9A328
Theoretical investigation of a prototype active roll control system, Proc Inst Mech Eng D 211(D1) 3-12 (1997), 9A370
Classical Mechanics: Transformations, Flows, Integrable and Chaotic Dynamics (Cambridge UP, New York, 1997) 10R2
Unilaterality and dry friction: A geometric formulation for 2D rigid body dynamics, Nonlinear Dyn 12(4) 343-366 (Apr 1997), 10A115
Intelligent control for an acrobot, J Intelligent & Robotic Syst 18(3) 209-248 (Mar 1997), 10A464
Mooring system design vased on analytical expressions of catastrophes of slow-motion dynamics, J Offshore Mech Arctic Eng 119(2) 86-95 (May 1997), 11A1127
Physics with Answers: 500 Problems and Solutions (Cambridge UP, UK, 1997) 12N14
Dynamic characteristics of magnetically-levitated vehicle systems, Appl Mech Rev 50(11-PT 1) 647-670 (Nov 1997), 12A93
Kelvin theorem and partial work of impulsive forces, J Appl Mech 64(2) 438-440 (Jun 1997), 12A94
Geometric unification of constrained system dynamics, Multibody Syst Dyn 1(1) 3-21 (Mar 1997), 12A96
Control of contact interactions with acatastatic nonholonomic constraints, Int J Robotics Res 16(3) 357-374 (Jun 1997), 12A436

150F. Multibody and variable mass systems

Kinematics and Dynamics of Machinery (Marcel Dekker, New York, 1996) 1R7
Longitudinal train dynamics (Spanish), J Brazilian Soc Mech Sci 18(2) 107-118 (Jun 1996), 1A106
Numerical modeling of convex particle assemblies, Comput Struct 61(1) 119-130 (Aug 1996), 1A107
Sensitivity analysis of constrained flexible multibody systems with stability considerations, Mech Machine Theory 31(7) 859-863 (Oct 1996), 1A108
Distributed and discrete nonlinear deformations on multibody dynamics, Nonlinear Dyn 10(4) 359-379 (Aug 1996), 2A65
Analysis of Complex Nonlinear Mechanical Systems: A Computer Algebra Assisted Approach (World Sci Pub, River Edge, NJ, 1995) 3R4
Flexible multibody dynamics and adaptive FE techniques for model synthesis and estimation, Comput Methods Appl Mech Eng 136(1-2) 1-25 (Sep 1996), 3A83
Jordan canonical forms of matrices over quaternion field, Appl Math Mech 17(6) 559-568 (Jun 1996), 3A84
Lagrange dynamic equations of multi-rigidbody systems with external shocks, Appl Math Mech 17(6) 589-595 (Jun 1996), 3A85
Method for solving the dynamics of multibody systems with rheonomic and nonholonomic constraints, Appl Math Mech 17(6) 577-584 (Jun 1996), 3A86

Sliding velocity flow of rough collisions in multi-body systems, J Appl Mech **63**(3) 804-809 (Sep 1996), 3A87
Iterative design of time-varying stabilizers for multi-input systems in chained form, Syst Control Lett **28**(5) 255-262 (Sep 1996), 4T75
Dynamics of multibody tracked vehicles using experimentally identified modal parameters, J Dyn Syst Meas Control **118**(3) 499-507 (Sep 1996), 4A391
Motion variables leading to efficient equations of motion, Int J Robotics Res **15**(5) 522-532 (Oct 1996), 4A442
Relativistic variation principles and equation of motion for variable mass controlable mechanical systems, Appl Math Mech **17**(7) 683-692 (Jul 1996), 5A77
Trial-and-error based method for the investigation of multi-body systems with friction, J Sound Vib **197**(5) 629-637 (Nov 1996), 5T78
Formulating 3D contact dynamics problems, Mech Struct Machines **24**(4) 405-437 (1996), 6A105
Symbolic generation of a multibody formalism of order N: Extension to closed-loop systems using the coordinate partitioning method, Int J Numer Methods Eng **39**(23) 4091-4112 (Dec 1996), 6A106
Computer simulation of the motion of the bullet belt of airplane gun, Appl Math Mech **17**(11) 1059-1066 (Nov 1996), 7A86
Criterion on inclusion of stress stiffening effects in flexible multibody dynamic system simulation, Comput Struct **62**(6) 1035-1048 (Mar 1997), 7A87
Optimization of multibody dynamics using object oriented programming and a mixed numerical-symbolic penalty formulation, Mech Machine Theory **32**(2) 161-174 (Feb 1997), 7A88
Determination of the solutions for the kinetic state of single-freedom multi-body systems with friction, Z Angew Math Mech **77**(1) 53-58 (1997), 8A80
Dynamics in a chain of overdamped pendula driven by constant torques, SIAM J Appl Math **57**(1) 294-305 (Feb 1997), 8A81
Eigenvalue problem of constrained flexible multi-body systems, Mech Res Commun **24**(1) 11-16 (Jan-Feb 1997), 8T82
One-, two-, and three-dof systems with linear damping, Mech Res Commun **24**(1) 27-31 (Jan-Feb 1997), 8T83
Parallelization of multibody formalism for rigid bodies using natural coordinates and modified state space, Eur J Mech A **16**(2) 325-339 (1997), 8A84
Multibody Dynamics with Unilateral Contacts (Wiley, New York, 1996) 10R3
Dynamic multi-rigid-body contact problems with Coulomb friction, Z Angew Math Mech **77**(4) 267-279 (1997), 10A116
Stability of the unison response for a rotating system with multiple tautochronic pendulum vibration absorbers, J Appl Mech **64**(1) 149-156 (Mar 1997), 10A124
Stabilization of a parametrically driven inverted double pendulum, Z Angew Math Mech **77**(2) 143-146 (1997), 10A125
Comparison of various techniques for modeling flexible beams in multibody dynamics, Nonlinear Dyn **12**(4) 367-397 (Apr 1997), 10A174
Attitude behavior of a variable mass cylinder, J Appl Mech **62**(4) 935-940 (Dec 1995), 11A85
Linearized dynamics: A tensorial treatment based on the raw form of Lagrange's equations, Eur J Mech A **16**(3) 529-555 (1997), 11A86
Rotational dynamics of axisymmetric variable mass systems, J Appl Mech **62**(4) 970-974 (Dec 1995), 11A87
Contact-impact in hybrid parameter multiple body mechanical systems, J Dyn Syst Meas Control **117**(4) 559-569 (Dec 1995), 11A185
Computational procedure for simulating the contact-impact response in flexible multibody systems, Comput Methods Appl Mech Eng **147**(1-2) 153-166 (Jul 1997), 12A95
Geometric unification of constrained system dynamics, Multibody Syst Dyn **1**(1) 3-21 (Mar 1997), 12A96
Multibody dynamic response optimization with ALM and approximate line search, Multibody Syst Dyn **1**(1) 47-64 (Mar 1997), 12A97
Symbolic processing of multiloop mechanism dynamics using closed-form kinematics solutions, Multibody Syst Dyn **1**(1) 23-45 (Mar 1997), 12A1035
Parametric identification of multibody models for crash victim simulation, Multibody Syst Dyn **1**(1) 85-112 (Mar 1997), 12A1545

150G. Deformable body dynamics

Dynamics and Control of Structures in Space III (Comput Mech, Billerica MA, 1996) 1N12
Rolling of a deformable wheel along a deformable rail, Mech Solids **31**(1) 22-30 (1996), 1A109
Influence of surface properties on the rebound of a rigid ball on a rubber surface, J Adhesion **57**(1-4) 5-19 (1996), 1A441
Dynamics of Civil Engineering Structures (Balkema, Rotterdam, Netherlands, 1996) 2R17
Dynamic stiffening of flexible bodies having high angular velocity, Mech Struct Machines **24**(3) 313-329 (1996), 2A66
Primary resonances of elastic linkages (Chinese), J Vib Eng **9**(2) 116-127 (Jun 1996), 2A67
Dynamic analysis of flexible multi-body mechanical systems, Proc Inst Mech Eng C **210**(C4) 309-316 (1996), 3A88
Dynamics of two spring-connected masses in orbit, Celest Mech Dyn Astron **63**(3-4) 289-312 (1995), 3A89
Securing of rigid semi-trailers on roll-on and roll-off ships, Int J Mech Sci **39**(1) 1-14 (Jan 1997), 3A90
Time-optimal control of the bending of a plane two-link mechanism, J Appl Math Mech **60**(2) 243-251 (1996), 3A91
Physics of Skiing: Skiing at the Triple Point (AIP, Woodbury, NY, 1996) 4R33
Dynamic response of the manipulator tip to a random excitation, J Dyn Syst Meas Control **118**(3) 629-632 (Sep 1996), 4A437
Localized impact on sandwich structures with laminated facings, Appl Mech Rev **50**(2) 69-82 (Feb 1997), 5A169
Influence of crane support system on motion of the lifted load, Mech Machine Theory **32**(1) 9-20 (Jan 1997), 5A877
Coupling between rigid body and deformation modes, J Sound Vib **198**(5) 617-637 (Dec 1996), 6A101
Dynamic elastic-plastic behavior of whipping pipes: Experiments and theoretical model, Int J Impact Eng **18**(7-8) 703-733 (Oct-Dec 1996), 6A107
Crash worthiness design optimization using multipoint sequential linear programming, Struct Optim **12**(4) 222-228 (Dec 1996), 6A845
AIAA Astrodynamics Conference (AIAA, MD, 1996) 7N4
Flexible rotor beam element for the manipulators with joint and link flexibility, Mech Machine Theory **32**(2) 209-219 (Feb 1997), 7A383
Fully symbolic generation of the equations of motion of multibody systems containing flexible beams, Comput Methods Appl Mech Eng **142**(1-2) 123-152 (Mar 1997), 10A117
Slaving the in-plane motions of a nonlinear plate to its flexural motions: An invariant manifold approach, J Appl Mech **64**(1) 175-182 (Mar 1997), 10A196
Existence of solutions in nonlinear elastodynamics, Appl Math Mech **18**(3) 243-249 (Mar 1997), 11A88
Use of an elastic-plastic contact law for the impact of a single flexible link, J Dyn Syst Meas Control **117**(4) 527-533 (Dec 1995), 11A187
Balance and variational formulations of the equation of motion of a body deploying along a cable, J Appl Mech **64**(2) 369-374 (Jun 1997), 12A98
Dynamic analysis for the design of CALM system in shallow and deep waters, J Offshore Mech Arctic Eng **119**(3) 151-157 (Aug 1997), 12A99
Efficient simulation of large overall motion of beams undergoing large deflection, Multibody Syst Dyn **1**(1) 113-126 (Mar 1997), 12A100
Nonlinear dynamic modeling of the flexible connecting rod of a slider-crank mechanism with input torque, J Sound Vib **203**(3) 523-532 (Jun 1997), 12T101
Separation dynamics of heat shield fairings, Proc Inst Mech Eng J Aerospace Eng **211**(G2) 67-80 (1997), 12A102
Dynamics of thick viscoelastic beams, J Eng Mat Tech **119**(3) 273-278 (Jul 1997), 12A505

150H. Stability of motion

Influence of damping forces randomly changing in time on the stability of nonconservative systems, Acta Mech **116**(1-4) 203-212 (1996), 1A110
Stability of rolling of a heavy ellipsoid of revolution on a rough plane, Mech Solids **31**(1) 9-14 (1996), 1A111
Aggregation forms of nonlinear systems: Regions of asymptotic stability: Survey (Russian), Prikl Mekh (Appl Mech) **32**(4) 3-19 (1996), 2T68
Invariant manifolds and behavior of dynamical systems with symmetry near by the boundary of stability domain (Russian), Prikl Mekh (Appl Mech) **32**(5) 81-88 (1996), 2A69
Investigation on the revision of the formula for calculating stability threshold speed of turbine-generator bearings (Chinese), J Vib Eng **9**(2) 173-176 (Jun 1996), 2A70
Moment Lyapunov exponent for two coupled oscillators driven by real noise, SIAM J Appl Math **56**(5) 1400-1423 (Oct 1996), 3A92
Prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, Wear **198**(1-2) 1-6 (Oct 1996), 3A93
Rocking instability of a pulled suitcase with two wheels, Acta Mech **117**(1-4) 165-179 (1996), 3A94
Stability of equilibrium of non-stationary systems, J Appl Math Mech **60**(2) 199-203 (1996), 3A95
Analytical vibration and resonant motion of a stretched spinning nonlinear tether, J Guidance Control Dyn **19**(5) 1162-1171 (Sep-Oct 1996), 3A154
Stability problem formulation of structurally compliant robot manipulators during contact task execution: A singular perturbation approach, Mech Machine Theory **31**(8) 1053-1067 (Nov 1996), 3A407
Area-preserving mappings and their applications to the dynamics of systems with collisions, Mech Solids **31**(2) 32-47 (1996), 4A74
Iterative design of time-varying stabilizers for multi-input systems in chained form, Syst Control Lett **28**(5) 255-262 (Sep 1996), 4T75
Maxwell's treatment of governors fitted with differential gears, Int J Control **65**(3) 385-408 (Oct 1996), 4A76
Periodic and Poisson stable trajectories of a body moving in a resisting medium, Mech Solids **31**(2) 48-55 (1996), 4T77
Pulse-width stabilization of a rigid body with fixed axis, Mech Solids **31**(2) 20-26 (1996), 4A78
Whirl orbit and stability of journal bearing under the nonlinear oil film force, J Vib Eng **9**(3) 302-307 (Sep 1996), 4A189
Asymptotic stabilization of a class of continuous-time linear periodic systems, Syst Control Lett **28**(4) 189-196 (Aug 1996), 4T323
Stability of a friction driver using a describing function, J Mat Processing Tech **59**(4) 315-319 (Jun 1996), 4A414
Study on the stability and motion control of a unicycle - 3rd report: Characteristics of unicycle robot, JSME Int J Ser C **39**(3) 560-568 (Sep 1996), 5A327
Study on the stability and motion control of a unicycle - 4th report: Fuzzy gain schedule PD controller for managing nonlinearity of system, JSME Int J Ser C **39**(3) 569-576 (Sep 1996), 5A328
Global stability properties of the complex Lorenz model, Physica D **99**(1) 45-58 (Dec 1996), 6A108
Branches of stable three-tori using Hamiltonian methods in Hopf bifurcation on a rhombic lattice, Dyn Stability Syst **11**(4) 267-302 (1996), 7A89
Invariance of stretching and expansion spectra, and Oseledec' multiplicative ergodic theorem, Physica D **100**(1-2) 142-144 (Jan 1997), 7A101
Designing against capsize in beam seas: Recent advances and new insights, Appl Mech Rev **50**(5) 307-325 (May 1997), 7A1165
Experimental investigation of a small-aspect-ratio elliptic jet under pseudoloacal excitation, Int J Turbo Jet Engines **13**(2) 143-153 (1996), 8A85
Robust stability of dynamical systems, Eng Trans **44**(3-4) 411-432 (1996), 9A91
Stability of a spinning axisymmetric rocket with dissipative internal mass motion, J Guidance Control Dyn **20**(2) 306-312 (Mar-Apr 1997), 9A236
Analysis of stability and instability regions in parametrically excited Hamiltonian systems, Nonlinear Dyn **12**(4) 327-341 (Apr 1997), 10A118
Comments on "dynamic stability of spinning beams of unsymmetrical cross-section with distinct end conditions", J Sound Vib **201**(4) 518-519 (Apr 1997), 10T119
Instability of vibrations of a mass moving uniformly along an axially compressed beam on a viscoelastic foundation, J Sound Vib **201**(5) 567-576 (Apr 1997), 10A120
Localization and the flutter and divergence instabilities of dynamical systems, Proc Estonian Acad Sci Eng **2**(2) 166-175 (1996), 10A121
Quantitative measure of vehicle stability, Comput Model Simul in Eng **2**(2) 163-176 (May 1997), 10T122
Stability of motion for a constrained Birkhoff's system in terms of independent variables, Appl Math Mech **18**(1) 55-60 (Jan 1997), 10A123
Stability of the unison response for a rotating system with multiple tautochronic pendulum vibration absorbers, J Appl Mech **64**(1) 149-156 (Mar 1997), 10A124
Stabilization of a parametrically driven inverted double pendulum, Z Angew Math Mech **77**(2) 143-146 (1997), 10A125
Supercritical and subcritical Hopf bifurcations in a stochastically excited system, J Sound Vib **201**(5) 648-656 (Apr 1997), 10T126
Application of center manifold theory to regulation of a flexible beam, J Vib Acoust **119**(2) 158-165 (Apr 1997), 10A151
Natural frequencies and stability of an axially-traveling string in contact with a stationary load system, J Vib Acoust **119**(2) 152-157 (Apr 1997), 10A190
Optimization of bearing locations for rotor systems with magnetic bearings, J Eng Gas Turbines Power **119**(2) 464-468 (Apr 1997), 10A217
Harmonic balance and continuation techniques in the dynamic analysis of Duffing's equation, J Sound Vib **202**(5) 717-731 (May 1997), 11A96
Vibration and stability of two tubes in cross-flow, J Pressure Vessel Tech **119**(2) 142-149 (May 1997), 11A212
Dynamics With Friction: Modeling, Analysis and Experiment, Parts I and II (World Sci Pub, River Edge, NJ, 1996) 12N13
Dynamic analysis of the flexible rod of a quick-return mechanism with time-dependent coefficients by the FEM, J Sound Vib **202**(2) 187-201 (May 1997), 12A56
Dynamic characteristics of magnetically-levitated vehicle systems, Appl Mech Rev **50**(11-PT 1) 647-670 (Nov 1997), 12A93
Bifurcations of the circular motion of one-link systems with rolling (Russian), Prikl Mekh (Appl Mech) **32**(10) 88-94 (1996), 12A103
Definition for global stability and a problem of breaking a three-wheel vehicle (Russian), Prikl Mekh (Appl Mech) **33**(1) 76-79 (1997), 12T104
Lyapunov exponents and stochastic stability of 2D random system (Chinese), J Vib Eng **10**(2) 213-218 (Jun 1997), 12T105
Stability of equilibrium for almost periodic systems, Nonlinear Anal **29**(8) 957-962 (Oct 1997), 12T106
Unified second-order stochastic averaging approach, J Appl Mech **64**(2) 281-291 (Jun 1997), 12A107
Stability of an equilibrium position and rotational motion of a gyrostat, Mech Res Commun **24**(4) 457-462 (Jul-Aug 1997), 12A111
Periodic solutions of strongly nonlinear Mathieu oscillators, Int J Non-Linear Mech **32**(6) 1177-1185 (Nov 1997), 12A127
Resonant almost periodic oscillations in systems with slow varying parameters, Int J Non-Linear Mech **32**(6) 1143-1152 (Nov 1997), 12A129
Oscillations in tubular systems with mobile masses (Russian), Prikl Mekh (Appl Mech) **33**(3) 84-90 (1997), 12A154
Energy decay of two coupled strings through a joint damper, J Sound Vib **203**(3) 447-455 (Jun 1997), 12A168
Stability analysis of a rotating beam under a moving motion-dependent force, J Sound Vib **202**(3) 427-437 (May 1997), 12A193
Destabilization via active stiffness, Dyn Control **7**(3) 263-268 (Jul 1997), 12T391

150I. Gyrodynamics

Bifurcations and chaos in a rate gyro with harmonic excitation, J Sound Vib **194**(1) 107-117 (Jul 1996), 1T112
Nonlinear FE model for dynamics of flexible manipulators, Mech Machine Theory **31**(8) 1109-1119 (Nov 1996), 3A7
Theory of linear gyroscopic systems, J Appl Math Mech **60**(2) 227-232 (1996), 3A96
Momentum transfer in two-rotor gyrostats, J Guidance Control Dyn **19**(5) 1157-1161 (Sep-Oct 1996), 3T368
Dynamics of a vibrating cylinder gyro with imperfection, Proc Inst Mech Eng C **210**(C5) 453-464 (1996), 5A79
Electric model of the hemispherical resonator gyro, Mech Solids **31**(3) 122-131 (1996), 5A80
Analytical approach for large scale non-classically damped dynamic system, Acta Mech Sinica **12**(3) 272-280 (1996), 6A109
Euler-Poinsot top: A non-commutatively integrable system without global action-angle coordinates, Z Angew Math Phys **47**(6) 953-976 (Nov 1996), 6A110
Regular and chaotic motions of a symmetric heavy gyroscope with harmonic excitation, J Sound Vib **198**(2) 131-147 (Nov 1996), 6A111
Steady-state behavior of flexible rotordynamic systems with oil journal bearings, Nonlinear Dyn **11**(3) 295-313 (Nov 1996), 6A112
Bifurcations and chaotic motions in a rate gyro with a sinusoidal velocity about the spin axis, J Sound Vib **200**(2) 121-137 (Feb 1997), 8A86
Eigenvalue problem for damped gyroscopic systems, Int J Mech Sci **39**(6) 741-750 (Jun 1997), 8A87
Comparison of Inverse modification techniques for some gyroscopic systems, J Guidance Control Dyn **20**(2) 299-305 (Mar-Apr 1997), 9T92
Stability of non-conservative linear gyroscopic systems, Appl Math Mech **17**(12) 1171-1175 (Dec 1996), 9A93
Articulated, flexible multibody dynamics modeling: Geostationary Operational Environmental Satellite-8 case study, J Guidance Control Dyn **20**(2) 276-283 (Mar-Apr 1997), 9A234
Elastic suspension design framework for tuned gyroscopes, J Mech Des **119**(1) 81-87 (Mar 1997), 9A971
Annihilation of transverse velocity bias during spinning-up maneuvers, J Guidance Control Dyn **20**(3) 416-421 (May-Jun 1997), 10T455
Rotational dynamics of axisymmetric variable mass systems, J Appl Mech **62**(4) 970-974 (Dec 1995), 11A87
Free vibration analysis of rotating nonlinearly elastic structures with symmetry: An efficient group-equivariance approach, Nonlinear Dyn **13**(1) 1-37 (May 1997), 11A95
Dynamics of Gyroscopic Systems: Flow Induced Vibration of Structures, Gyroelasticity, Oscillation of Rotors, and Mechanics of High Speed Moving Continua (World Sci Pub, River Edge, NJ, 1997) 12N12

Dynamic analysis of rotors using modal reduction, Finite Elements Anal Des 26(1) 41-55 (May 1997), 12A44
Exploration on failure diagnosis of electrostatic suspended gyro (Chinese), J Vib Eng 10(2) 163-168 (Jun 1997), 12T108
Global asymptotic stabilization of a spinning top with torque actuators using stereographic projection, Dyn Control 7(3) 215-233 (Jul 1997), 12A109
Nonlinear influences of whirl speed on bifurcation and chaos of a cracked rotor (Chinese), J Vib Eng 10(2) 190-197 (Jun 1997), 12T110
Stability of an equilibrium position and rotational motion of a gyrostat, Mech Res Commun 24(4) 457-462 (Jul-Aug 1997), 12A111

150K. Nonlinear dynamics (incl chaos, bifurcation, fractals)

Oscillations in Planar Dynamic Systems (World Sci Pub, River Edge, NJ, 1996) 1R9
AIAA Dynamics Specialist Conference Proceedings (AIAA, MD, 1996) 1N11
Asymptotic solution for the nonlinear dynamic problem of mechanical systems with time dependent parameters, Tech Mech 15(3) 229-236 (1995), 1A113
Buckling of a beam subjected to electromagnetic force and its stabilization by controlling the perturbation of the bifurcation, Nonlinear Dyn 10(3) 271-285 (Jul 1996), 1A114
Chaos detection methods, Int J Bifurcation Chaos 6(3) 529-543 (Mar 1996), 1A115
Chaotic motions of a rigid rotor in short journal bearings, Nonlinear Dyn 10(3) 251-269 (Jul 1996), 1T116
Clarifying chaos: Examples and counterexamples, Int J Bifurcation Chaos 6(2) 219-249 (Feb 1996), 1A117
Control of the Arnold Circle Map, Int J Bifurcation Chaos 6(3) 437-453 (Mar 1996), 1A118
Controlling chaos in a two-well oscillator, Int J Bifurcation Chaos 6(2) 337-347 (Feb 1996), 1A119
Detecting parameter changes using experimental nonlinear dynamics and chaos, J Vib Acoust 118(3) 375-383 (Jul 1996), 1A120
Different and coexisting routes to chaos along a common bifurcation path in the Maxwell-Bloch equations, Int J Bifurcation Chaos 6(3) 589-601 (Mar 1996), 1A121
Dynamics of rolling disks and sliding disks, Nonlinear Dyn 10(3) 287-305 (Jul 1996), 1A122
Exact synchronization of mismatched chaotic systems, Int J Bifurcation Chaos 6(3) 569-580 (Mar 1996), 1A123
Homoclinic bifurcations in self-excited oscillators, Mech Res Commun 23(4) 381-386 (Jul-Aug 1996), 1T124
Interactions between commensurate parametric and forcing excitations in a system with clearance, J Sound Vib 194(3) 317-336 (Jul 1996), 1A125
Limit cycle analysis of a class of strongly nonlinear oscillation equations, Nonlinear Dyn 10(3) 221-233 (Jul 1996), 1T126
Local bifurcation theory of nonlinear systems with parametric excitation, Nonlinear Dyn 10(3) 203-220 (Jul 1996), 1A127
Looking for chaos: An extension and alternative to Melnikov's method, Int J Bifurcation Chaos 6(3) 485-496 (Mar 1996), 1A128
Natural frequency considerations of an impact oscillator, J Sound Vib 194(3) 452-460 (Jul 1996), 1T129
Nonlinear normal modes of systems with internal resonance, J Vib Acoust 118(3) 340-345 (Jul 1996), 1A130
Nonstationary response near generic bifurcations, Nonlinear Dyn 10(3) 235-250 (Jul 1996), 1A131
Scale properties of periodical movements of nonlinear conservative oscillators when passing to chaos (Russian), Prikl Mekh (Appl Mech) 32(1) 75-81 (1996), 1A132
Spectral signature of weakly bilinear oscillators, J Vib Acoust 118(3) 352-361 (Jul 1996), 1A133
Spiral-plus-saddle attractors and elementary mechanisms for chaos generation, Int J Bifurcation Chaos 6(3) 513-527 (Mar 1996), 1A134
State space reconstruction parameters in the analysis of chaotic time series - The role of the time window length, Physica D 95(1) 13-28 (Aug 1996), 1A135
Subharmonic oscillations of a damped pendulum under parametric excitation, Mech Solids 31(1) 2-8 (1996), 1A136
Theoretical and numerical validation of the stochastic interrogation experimental method, J Vib and Control 2(3) 323-348 (Aug 1996), 1A137
Topology of basin boundaries in a class of 3D dynamical systems, Int J Bifurcation Chaos 6(1) 161-167 (Jan 1996), 1A138
Forced nonlinear vibrations of a string, Mech Solids 31(1) 15-21 (1996), 1A184
Dynamics of shallow elastic arches - Part I: Chaotic response of harmonically shaped arches, Eur J Mech A 15(3) 513-528 (1996), 1A195
Spatial chaos in weakly dispersive and viscous media: A nonperturbative theory of the driven kdV-Burgers equation, Physica D 95(1) 62-80 (Aug 1996), 1A252
Adaptive approach to the control and synchronization of continuous-time chaotic systems, Int J Bifurcation Chaos 6(3) 557-568 (Mar 1996), 1A351
Local control of chaos: The neighborhood size, Int J Bifurcation Chaos 6(1) 169-178 (Jan 1996), 1A354
Symmetries and dynamics for 2D Navier-Stokes flow, Physica D 95(1) 81-93 (Aug 1996), 1A1061
Controlling Chaos: Theoretical and Practical Methods in Nonlinear Dynamics (Academic, San Diego, CA, 1996) 2R6
Waves Called Solitons: Concepts and Experiments, Second Edition (Springer-Verlag, New York, 1996) 2N12
Distributed and discrete nonlinear deformations on multibody dynamics, Nonlinear Dyn 10(4) 359-379 (Aug 1996), 2A65
Adiabatic invariants for strongly nonlinear dynamical systems described with complex functions, Quart Appl Math 54(3) 407-421 (Sep 1996), 2A71
Analytical solution of the forced Duffing's oscillator, J Sound Vib 194(4) 513-520 (Jul 1996), 2A72
Bifurcation and chaos in solid and structural dynamics, Meccanica 31(3) 225-385 (Jun 1996), 2T73
Chaotic oscillations in pipes conveying pulsating fluid, Nonlinear Dyn 10(4) 333-357 (Aug 1996), 2A74
Fourier analysis of a rational harmonic balance approximation for periodic solutions, J Sound Vib 195(3) 528-530 (Aug 1996), 2T75
Iterative method of point mapping under cell reference for the global analysis of nonlinear dynamical systems, J Sound Vib 194(4) 605-621 (Jul 1996), 2A76
Nonlinear vibration analysis of mechanism with elastic connecting rod (Chinese), J Vib Eng 9(2) 198-204 (Jun 1996), 2A77
Periodic solution of a second order, autonomous, nonlinear system, Nonlinear Dyn 10(4) 307-316 (Aug 1996), 2T78
Perturbation methods for nonlinear autonomous discrete-time dynamical systems, Nonlinear Dyn 10(4) 317-331 (Aug 1996), 2A79
Post-Hopf-bifurcation response of an airfoil in incompressible 2D flow, Nonlinear Dyn 10(4) 381-400 (Aug 1996), 2A80
Recognizing chaotic time-waveforms in terms of a parametrized family of nonlinear predictors, Physica D 95(3-4) 380-395 (Sep 1996), 2A81
Symmetry-breaking and bifurcation study on the laminar flows through curved pipes with a circular cross section, J Comput Phys 127(1) 73-87 (Aug 1996), 2A1014
Bifurcation of an equation arising in porous-medium combustion, IMA J Appl Math 56(3) 219-234 (Jun 1996), 2T1362
Analysis of Complex Nonlinear Mechanical Systems: A Computer Algebra Assisted Approach (World Sci Pub, River Edge, NJ, 1995) 3R4
Nonlinear Dynamics and Controls (ASME, New York, 1996) 3N8
Asymptotically exact stopping rule for the numerical computation of the Lyapunov spectrum, Chaos Solitons Fractals 7(8) 1213-1225 (Aug 1996), 3A97
Chaos suppression through changes in the system variables and numerical rounding errors, Chaos Solitons Fractals 7(8) 1305-1316 (Aug 1996), 3A98
Dynamical flow characterization of transitional and chaotic regimes in converging-diverging channels, J Fluid Mech 321 25-57 (Aug 1996), 3A99
Fractal structures and their physical properties (Japanese), J Japan Soc Precision Eng 62(8) 1091-1095 (Aug 1996), 3T100
Hamiltonian balanced dynamics and the slowest invariant manifold, J Atmos Sci 53(2) 276-297 (Jan 1996), 3A101
Hopf bifurcations of viscoelastic fluids hested from below, J Non-Newtonian Fluid Mech 66(1) 1-34 (Sep 1996), 3A102
Lorenz-Krishnamurthy slow manifold, J Atmos Sci 53(10) 1433-1437 (May 1996), 3T103
Method of derivation of Mac-Millan's equation for the nonlinear non-holonomic system, Appl Math Mech 17(6) 585-587 (Jun 1996), 3A104
Nonlinear rocking motions - I: Chaos under noisy periodic excitations, J Eng Mech 122(8) 719-727 (Aug 1996), 3A105
Nonlinear rocking motions - II: Overturning under random excitations, J Eng Mech 122(8) 728-735 (Aug 1996), 3A106
Numerical solutions of second-order implicit nonlinear ordinary differential equations, J Sound Vib 195(4) 553-574 (Aug 1996), 3A107
Rotation of a clamped spherical ball due to linear reciprocating motion, J Appl Mech 63(3) 683-691 (Sep 1996), 3A108
Science of complexity-chaos, complex adaptive systems and self-organized criticality (Japanese), J Japan Soc Precision Eng 62(8) 1081-1086 (Aug 1996), 3T109
Chaotic behaviors of contact vibration, Japan J Trib 40(7) 647-655 (1995), 3T118
Analytical vibration and resonant motion of a stretched spinning nonlinear tether, J Guidance Control Dyn 19(5) 1162-1171 (Sep-Oct 1996), 3A154
Response of a two-dof articulated tower to different environmental conditions, Int J Non-Linear Mech 31(5) 717-741 (Sep 1996), 3A820
Point of contact between new mathematical science and tribology, fractal geometry and fractal statistics, Japan J Trib 40(7) 597-603 (1995), 3T844
Fractal characteristics of wear particles, Japan J Trib 40(7) 617-624 (1995), 3T855
Generalized stability theory - Part I: Autonomous operators, J Atmos Sci 53(14) 2025-2040 (Jul 1996), 3A1124
Generalized stability theory - Part II: Nonautonomous operators, J Atmos Sci 53(14) 2041-2053 (Jul 1996), 3A1125
Fractal surfaces and hydrodynamic lubrication, Japan J Trib 40(7) 625-634 (1995), 3A1206
Evaluation of fractal dimension for mixing and combustion by the schlieren method, Exp Fluids 21(4) 248-258 (Aug 1996), 3A1332
Fractal geometry of isoconcentration surfaces in a smoke plume, J Atmos Sci 53(1) 5-21 (Jan 1996), 3T1467
Finite element approach to the chaotic motion of geometrically exact rods undergoing in-plane deformations, Nonlinear Dyn 11(2) 189-212 (Oct 1996), 4A17
Bifurcations of a nonlinear rotor-bearing system, J Vib Eng 9(3) 266-275 (Sep 1996), 4A79
Chaotic oscillations of tropical climate: A dynamic system theory for ENSO, J Atmos Sci 53(19) 2786-2802 (Oct 1996), 4T80
Chaotic vibration affected by initial conditions in a parametrically and externally excited system with backlash, J Theor Appl Mech 34(3) 567-577 (1996), 4A81
Coupling between high-frequency modes and a low-frequency mode: Theory and experiment, Nonlinear Dyn 11(1) 17-36 (Sep 1996), 4A82
Deterministic and stochastic analyses of chaotic and overturning responses of a slender rocking object, Nonlinear Dyn 11(1) 83-106 (Sep 1996), 4T83
Dynamical systems theory and extra rates of strain in turbulent flows, Exp Thermal Fluid Sci 13(3) 180-189 (Oct 1996), 4A84
Forced oscillations of a vertical continuous rotor with geometric nonlinearity, Nonlinear Dyn 11(2) 107-120 (Oct 1996), 4A85
Nonlinear combination resonances in cantilever composite plates, Nonlinear Dyn 11(2) 143-169 (Oct 1996), 4T86
Nonlinear vibration analysis of a clamped-clamped beam by a reduced multibody method, Nonlinear Dyn 11(2) 121-141 (Oct 1996), 4A87
Normal vibrations of a general class of conservative oscillators, Nonlinear Dyn 11(1) 1-15 (Sep 1996), 4A88
Pathways to Hopf bifurcations in dynamic continuous-time optimization problems, J Optim Theory Appl 91(2) 299-320 (Nov 1996), 4T89
Primary pulse transmission in a strongly nonlinear periodic system, Nonlinear Dyn 11(1) 61-81 (Sep 1996), 4A90
Static and dynamic stability of a single-dof autonomous system with distinct critical points, Struct Eng and Mech 4(5) 529-540 (Sep 1996), 4A91
Non-periodic motions of a Jeffcott rotor with nonlinear elastic restoring forces, Nonlinear Dyn 11(1) 37-59 (Sep 1996), 4A938
Numerical simulation of the mechanisms governing the onset of the Benard-von Karman instability, Int J Numer Methods Fluids 23(8) 753-785 (Oct 1996), 4A1080
Spatio-temporal structure of spiral-defect chaos, Physica D 97(1-3) 164-179 (Oct 1996), 4A1200
Adaptive fuzzy neural networks as identifiers of discrete-time nonlinear dynamic systems, J Intelligent & Robotic Syst 17(2) 119-168 (Oct 1996), 5A81
Effect of laminar chaos on reaction and dispersion in eccentric annular flow, J Fluid Mech 325 219-237 (Oct 1996), 5A82
Experimental and numerical study of a 90° bifurcation, Fluid Dyn Res 19(1) 1-26 (Jan 1997), 5A83
Fractal analysis of adhesion at the contact between rough solids, Proc Inst Mech Eng J: Eng Trib 210(J4) 269-279 (1996), 5A84
Investigation of nonlinear oscillations of a compound pendulum, Mech Solids 31(3) 137-142 (1996), 5T85
Melnikov theory for subharmonics and their bifurcations in forced oscillations, SIAM J Appl Math 56(6) 1720-1765 (Dec 1996), 5A86
Resonant forced vibrations of a Hamiltonian system with one dof, Mech Solids 31(3) 143-150 (1996), 5A87
Computation of periodic solutions of Hamiltonian systems, Appl Math Lett 9(6) 7-11 (Nov 1996), 5A88
Steelpan as a system of nonlinear mode-localized oscillators - I: Theory, simulations, experiments, and bifurcations, J Sound Vib 197(4) 471-487 (Nov 1996), 5A109
General fractal distribution function for rough surface profiles, SIAM J Appl Math 56(6) 1694-1719 (Dec 1996), 5A843
Euler-Poinsot top: A non-commutatively integrable system without global action-angle coordinates, Z Angew Math Phys 47(6) 953-976 (Nov 1996), 6A110
Asymptotic analysis of the 1:3:4 Hamiltonian normal form, Physica D 99(1) 1-17 (Dec 1996), 6A113
Bifurcation scenarios of the noisy Duffing-van der Pol oscillator, Nonlinear Dyn 11(3) 255-274 (Nov 1996), 6T114
Chaos in singular impulsive ODE, Nonlinear Anal 28(4) 655-671 (Feb 1997), 6T115
Controlling erosion of safe basin in nonlinear parametrically excited systems, Acta Mech Sinica 12(3) 281-288 (1996), 6A116
Experimental assessment of fractal scale-similarity in turbulent flows - Part 1: 1D intersections, J Fluid Mech 327 35-72 (Nov 1996), 6A117
Jump frequencies in the response of the Duffing oscillator, J Sound Vib 198(4) 522-525 (Dec 1996), 6T118
Local bifurcation analysis of strongly nonlinear Duffing system, Appl Math Mech 17(9) 837-845 (Sep 1996), 6A119
Nonlinear dynamics and chaos in mechanical systems, Chaos Solitons Fractals 7(10) 1507-1751 (Oct 1996), 6A120
Nonlinear vibrations in beams and frames: The effects of the deformed equilibrium state, Nonlinear Dyn 11(3) 275-293 (Nov 1996), 6A121
Selection of an optimal force-state map, Mech Syst Signal Processing 10(6) 683-695 (Nov 1996), 6A122
Separatrices and limit cycles of strongly nonlinear oscillators by the perturbation-incremental method, Nonlinear Dyn 11(3) 213-233 (Nov 1996), 6A123
Significance of higher modes for evolution of chaos in structural mechanics systems, J Sound Vib 198(3) 267-277 (Dec 1996), 6A124
Spectral analyses of nonlinear interactions, Mech Syst Signal Processing 10(6) 711-727 (Nov 1996), 6A125
Experimental study of a mechanical system containing a local continuous stiffness nonlinearity under periodic excitation and a static load, J Sound Vib 198(3) 279-298 (Dec 1996), 6A188
New procedure for detecting nonlinearity from transient data using the Gabor transform, Nonlinear Dyn 11(3) 235-254 (Nov 1996), 6A360
New dynamic model for study of dislocation pattern formation, Acta Mech Sinica 12(3) 200-212 (1996), 6A523
Development of asymmetry and period doubling for oscillatory flow in baffled channels, J Fluid Mech 328 19-48 (Dec 1996), 6A1109
Spatio-temporal behavior in a rotating annulus with a source-sink flow, J Fluid Mech 328 271-296 (Dec 1996), 6A1137
Approach to the periodic and chaotic behavior of the impact oscillator by a continuum method, Eur J Mech A 16(1) 141-163 (1997), 7A90
Approximation of attractors using Chebyshev polynomials, Physica D 99(2-3) 162-174 (Dec 1996), 7A91
Bifurcation of self-excited rigid bodies subjected to small perturbation torques, J Guidance Control Dyn 20(1) 123-128 (Jan-Feb 1997), 7A92
Bifurcations of higher subharmonics and chaos in a forced vibratory system with an asymmetrical restoring force, JSME Int J Ser C 39(4) 753-766 (Dec 1996), 7A93
Detection of symmetry of attractors from observations - I: Theory, Physica D 100(1-2) 58-70 (Jan 1997), 7A94
Detection of symmetry of attractors from observations - II: An experiment with S_2 symmetry, Physica D 100(1-2) 71-84 (Jan 1997), 7A95
Dynamic analysis of geometrically nonlinear robot manipulators, Nonlinear Dyn 11(4) 329-346 (Dec 1996), 7A96
Dynamic buckling of a beam with transverse constraints, Nonlinear Dyn 11(4) 315-328 (Dec 1996), 7A97
Dynamics of a kicked oscillator with a delay in its parametric feedback loop: An analytical study, Nonlinear Dyn 11(4) 407-419 (Dec 1996), 7A98
Groups and nonlinear dynamical systems: Dynamics on the SU(2) group, Physica D 99(2-3) 237-251 (Dec 1996), 7A99
Hamiltonian chaos in two coupled three-wave parametric interactions with quadratic nonlinearity, Physica D 99(2-3) 269-275 (Dec 1996), 7A100
Invariance of stretching and expansion spectra, and Oseledec' multiplicative ergodic theorem, Physica D 100(1-2) 142-144 (Jan 1997), 7A101
Limited effectiveness of normal forms: A critical review and extension of local bifurcation studies of the Brusselator PDE, Physica D 100(1-2) 1-10 (Jan 1997), 7A102
Oscillatory and chaotic wakes behind moving boundaries in reaction-diffusion systems, Dyn Stability Syst 11(4) 303-324 (1996), 7A103
Random excitation of coupled oscillators with single and simultaneous internal resonances, Nonlinear Dyn 11(4) 347-400 (Dec 1996), 7A104

Random vibrations of an isochronous SDOF bilinear system, Nonlinear Dyn 11(4) 401-405 (Dec 1996), 7A105

Recovering map static nonlinearities from chaotic data using dynamical models, Physica D 100(1-2) 41-57 (Jan 1997), 7A106

Simultaneous modeling of nonlinear deterministic and stochastic dynamics, Physica D 99(2-3) 175-190 (Dec 1996), 7A107

Study of a class of subharmonic motions using a non-smooth temporal transformation (NSTT), Physica D 100(1-2) 145-164 (Jan 1997), 7A108

Study on bifurcation control using pattern recognition of thermal convection, JSME Int J Ser B 39(4) 762-767 (Nov 1996), 7T109

Transverse bifurcations of homoclinic cycles, Physica D 100(1-2) 85-100 (Jan 1997), 7A110

Equations of nonlinear vibrations, Int J Non-Linear Mech 31(6) 907-913 (Nov 1996), 7A111

Chaotic motion of a tethered satellite system, Tech Mech 16(4) 327-331 (1996), 7A243

Application of the minimal control synthesis algorithm to the control and synchronization of chaotic systems, Int J Control 65(6) 925-938 (Dec 1996), 7T334

Noise-induced snap-through of a buckled column with continuously distributed mass: A chaotic dynamics approach, Int J Non-Linear Mech 31(6) 861-869 (Nov 1996), 7A538

Role of higher modes in the chaotic motion of the buckled beam - I, Int J Non-Linear Mech 31(6) 931-939 (Nov 1996), 7A556

Role of higher modes in the chaotic motion of the buckled beam - II, Int J Non-Linear Mech 31(6) 941-950 (Nov 1996), 7A557

Wavelet analysis of nonstationary turbulence, Boundary-Layer Meteorol 81(3-4) 271-288 (Dec 1996), 7A1149

Designing against capsize in beam seas: Recent advances and new insights, Appl Mech Rev 50(5) 307-325 (May 1997), 7A1165

Resonant interactions in Benard-Marangoni convection in cylindrical containers, Physica D 99(4) 487-502 (Jan 1997), 7A1256

Nonlinear Dynamics and Chaos in Mechanical Systems with Discontinuities (World Sci Pub, River Edge, NJ, 1997) 8N5

Bifurcations and chaotic motions in a rate gyro with a sinusoidal velocity about the spin axis, J Sound Vib 200(2) 121-137 (Feb 1997), 8A86

Adaptive control of chaos in Lorenz system, Dyn Control 7(2) 143-154 (Apr 1997), 8A88

Bifocal homoclinic bifurcations, Physica D 102(1-2) 1-14 (Mar 1997), 8A89

Boundaries of safe operation of mechanical oscillators, Appl Math Model 21(2) 66-76 (Feb 1997), 8A90

Chaos in general semiflows, Nonlinear Anal 28(10) 1719-1727 (May 1997), 8T91

Characterization of chaotic vibration without system equations, Int J Non-Linear Mech 32(3) 547-562 (May 1997), 8A92

Coexistence of periodic, almost-periodic, and chaotic attractors in the van der Pol-Duffing oscillator, J Sound Vib 199(2) 165-175 (Jan 1997), 8A93

Distortions of reconstruction for chaotic attractors, Physica D 101(3-4) 207-226 (Mar 1997), 8A94

Irregular dynamics and homoclinic orbits to Hamiltonian saddle centers, Commun Pure Appl Math 50(2) 105-147 (Feb 1997), 8A95

Isodynamical tracks and potentials, J Sound Vib 199(4) 667-678 (Jan 1997), 8A96

Melnikov method and exponentially small splitting of separatrices, Physica D 101(3-4) 227-248 (Mar 1997), 8A97

Modified interpolated cell mapping method, J Sound Vib 199(2) 189-206 (Jan 1997), 8A98

Necessary condition for chaos in rotor systems, Mech Machine Theory 32(3) 411-416 (Apr 1997), 8A99

Non-conservative systems with symmetrizable stiffness matrices exhibiting limit cycles, Int J Non-Linear Mech 32(3) 515-529 (May 1997), 8A100

Normalization of perturbed nonlinear Hamiltonian oscillators, Int J Non-Linear Mech 32(3) 443-453 (May 1997), 8A101

Period of large amplitude free vibration of conservative autonomous oscillators with static and inertia type cubic nonlinearities, J Sound Vib 199(5) 737-750 (Feb 1997), 8A102

Period-doubling for 2D non-invertible maps: Renormalization group analysis and quantitative universality, Physica D 101(3-4) 249-269 (Mar 1997), 8A103

Reconstructing attractors from filtered time series, Physica D 101(3-4) 195-206 (Mar 1997), 8A104

Renormalization and transition to chaos in area preserving nontwist maps, Physica D 100(3-4) 311-329 (Feb 1997), 8A105

Self-synchronization of coupled oscillators with hysteretic responses, Physica D 100(3-4) 279-300 (Feb 1997), 8A106

Symmetry breaking and overturning oscillations in thermohaline-driven flows, J Fluid Mech 331 169-198 (Jan 1997), 8A107

Symmetry breaking Hopf bifurcations in equations with O(2) symmetry with application to the Kuramoto-Sivashinsky equation, J Comput Phys 131(1) 181-192 (Feb 1997), 8T108

Problem of an elastic-plastic beam dynamics and an incomplete co-dimension two bifurcation, Int J Non-Linear Mech 32(1) 127-143 (Jan 1997), 8A138

Regular and chaotic responses of a Hamiltonian beam model, Eur J Mech A 16(2) 341-368 (1997), 8A139

Computation of homoclinic solutions to periodic orbits in a reduced water-wave problem, Physica D 102(1-2) 101-124 (Mar 1997), 8A250

Pulse dynamics in an unstable medium, SIAM J Appl Math 57(1) 205-251 (Feb 1997), 8A255

Discrete-time dynamical systems under observational uncertainty, Appl Math Comput 82(2-3) 181-205 (Mar 1997), 8A291

Directing orbits of chaotic systems in the presence of noise: Feedback correction, Dyn Control 7(1) 25-47 (Jan 1997), 8A385

Adaptive control scheme for recovering periodic motion of chaotic systems, J Sound Vib 199(2) 269-274 (Jan 1997), 8A395

Global dynamics of symmetric and asymmetric wakes, J Fluid Mech 331 231-260 (Jan 1997), 8A1155

Experiments with stability analysis of discrete incompressible flows in the lid-driven cavity, Int J Numer Methods Fluids 24(5) 477-492 (Mar 1997), 8A1162

Identification of parameters in amplitude equations describing coupled wakes, Physica D 102(1-2) 37-56 (Mar 1997), 8A1168

Degenerate bifurcation in stably stratified plane Poiseuille flow, J Fluid Mech 331 261-282 (Jan 1997), 8A1172

Reappraisal of the Kelvin-Helmholtz problem - Part 2: Interaction of the Kelvin-Helmholtz, superharmonic, and Benjamin-Feir instabilities, J Fluid Mech 333 327-373 (Feb 1997), 8A1177

Experimental study to determine fractal parameters for lean premixed flames, Exp Fluids 22(4) 312-320 (Feb 1997), 8A1430

Elements of Newtonian Mechanics Including Nonlinear Dynamics, Second Edition (Springer-Verlag, New York, 1996) 9R6

Poincare and the Three Body Problem (Am Math Soc, Providence RI, 1997) 9R7

IUTAM Symposium on Interaction between Dynamics and Control in Advanced Mechanical Systems (Kluwer, Netherlands, 1997) 9N11

Analysis and comparison of the density functions in a chaotic, slewing link, J Sound Vib 200(3) 371-378 (Feb 1997), 9T94

Chaotic billiards seen as mirror cabinets, Physica D 102(3-4) 227-233 (Apr 1 1997), 9A95

Chaotic mixing and transport in Rossby-wave critical layers, J Fluid Mech 334 315-351 (Mar 1997), 9A96

Chaotic motion in a spinning spacecraft with circumferential nutational damper, Nonlinear Dyn 12(1) 69-87 (Jan 1997), 9A97

Chaotic oscillation of saddle form cable-suspended roofs under vertical excitation action, Nonlinear Dyn 12(1) 57-68 (Jan 1997), 9A98

KBM derivative expansion method is equivalent to the multiple-time-scales method, J Sound Vib 200(4) 433-440 (Mar 1997), 9A99

Nonlinear dynamics of the tethered subsatellite system in the station keeping phase, J Guidance Control Dyn 20(2) 403-406 (Mar-Apr 1997), 9T100

Parameter uncertainties in models of equivariant dynamical systems, Physica D 102(3-4) 208-226 (Apr 1 1997), 9A101

Slow periodic crossing of a pitchfork bifurcation in an oscillating system, Nonlinear Dyn 12(1) 1-37 (Jan 1997), 9A102

Uniqueness of angular frequency using harmonic balance from the equation of motion and the energy relation, J Sound Vib 200(3) 367-370 (Feb 1997), 9T103

Nonstationary vibrations of a string with time-varying length and a mass-spring attached at the lower end, Nonlinear Dyn 12(1) 39-55 (Jan 1997), 9A136

Residence time distribution in twisted pipe flows: Helically coiled system and chaotic system, Exp Fluids 22(5) 359-368 (Mar 1997), 9A1090

Classical Mechanics: Transformations, Flows, Integrable and Chaotic Dynamics (Cambridge UP, New York, 1997) 10R2

Multibody Dynamics with Unilateral Contacts (Wiley, New York, 1996) 10R3

Infinite-Dimensional Dynamical Systems in Mechanics and Physics, Second Edition (Springer-Verlag, New York, 1997) 10N6

Analysis of stability and instability regions in parametrically excited Hamiltonian systems, Nonlinear Dyn 12(4) 327-341 (Apr 1997), 10A118

Supercritical and subcritical Hopf bifurcations in a stochastically excited system, J Sound Vib 201(5) 648-656 (Apr 1997), 10T126

Analysis of nonlinear oscillations by Gabor spectrograms, Nonlinear Dyn 12(3) 215-236 (Mar 1997), 10A127

Bifurcation analysis of the dynamics of a simplified shell model, Nonlinear Dyn 12(4) 307-317 (Apr 1997), 10A128

Bifurcation and chaos in the Duffing oscillator with a PID controller, Nonlinear Dyn 12(3) 251-262 (Mar 1997), 10A129

Bifurcation control of parametrically excited Duffing system by a combined linear-plus-nonlinear feedback control, Nonlinear Dyn 12(3) 263-274 (Mar 1997), 10T130

Elliptic Lindstedt-Poincare method for certain strongly nonlinear oscillators, Nonlinear Dyn 12(3) 199-213 (Mar 1997), 10T131

Equivalent nonlinear system method for stochastically excited and dissipated integrable Hamiltonian systems, J Appl Mech 64(1) 209-216 (Mar 1997), 10A132

Experiments on nonlinear dynamic behavior of an oscillator with clearance and periodically time-varying parameters, J Appl Mech 64(1) 217-226 (Mar 1997), 10A133

Free vibration in a class of self-excited oscillators with 1:3 internal resonance, Nonlinear Dyn 12(2) 109-128 (Feb 1997), 10A134

Is there chaotic synchronization in space extend systems?, Nonlinear Dyn 12(4) 319-326 (Apr 1997), 10T135

Nonlinearities in mechanical engineering, Chaos Solitons Fractals 8(4) 455-726 (Apr 1997), 10A136

Periodic resonant solutions and the transition boundaries of strongly nonlinear Duffing's Equation (Chinese), J Vib Eng 10(1) 29-34 (Mar 1997), 10T137

Stability of hyperbolic vector fields, Dyn Stability Syst 12(1) 25-37 (1997), 10T138

Stochastic averaging of quasi-nonintegrable-Hamiltonian systems, J Appl Mech 64(1) 157-164 (Mar 1997), 10A139

Third International Stochastic Structural Dynamics Conference, Int J Non-Linear Mech 32(4) 639-768 (Jul 1997), 10A140

Three-to-one internal resonances in hinged-clamped beams, Nonlinear Dyn 12(2) 129-154 (Feb 1997), 10A141

Multiple internal resonance in suspended cables under random in-plane loading, Nonlinear Dyn 12(3) 275-303 (Mar 1997), 10A189

Stick-slip motion of frictionally damped turbine airfoils: A FE in time approach, J Vib Acoust 119(2) 236-242 (Apr 1997), 10A212

Nonlinear random response of ocean structures using first-and-second-order stochastic averaging, Nonlinear Dyn 12(2) 155-197 (Feb 1997), 10A316

Nonlinear dynamic stability of normal and arthritic greyhounds, Nonlinear Dyn 12(3) 237-250 (Mar 1997), 10A1551

New Advances in Modal Synthesis of Large Structures: Nonlinear Damped and Nondeterministic Cases (Balkema, Brookfield, VT, 1997) 11N11

Nonlinear Dynamics and Chaos in Mechanical Systems with Discontinuities (World Sci Pub, River Edge, NJ, 1997) 11N12

Application of the Taylor transform to nonlinear vibration problems, J Vib Acoust 118(1) 83-87 (Jan 1996), 11A62

Boundary of the basin of attraction for weakly damped primary resonance, J Appl Mech 62(4) 941-946 (Dec 1995), 11A89

Chaotic dynamics of shallow arch structures under 1:2 resonance, J Eng Mech 123(6) 612-619 (Jun 1997), 11A90

Chaotic motion of shallow arch structures under 1:1 internal resonance, J Eng Mech 123(6) 620-627 (Jun 1997), 11A91

Chaotic rotation of triaxial ellipsoids in simple shear flow, J Fluid Mech 340 83-100 (Jun 1997), 11A92

Control of noisy chaotic motion in a system with nonlinear excitation and restoring forces, Chaos 7(2) 290-300 (Jun 1997), 11A93

Delay-differential equation versus 1D-map: Application to chaos control, Physica D 104(2) 127-147 (May 1997), 11A94

Free vibration analysis of rotating nonlinearly elastic structures with symmetry: An efficient group-equivariance approach, Nonlinear Dyn 13(1) 1-37 (May 1997), 11A95

Harmonic balance and continuation techniques in the dynamic analysis of Duffing's equation, J Sound Vib 202(5) 717-731 (May 1997), 11A96

Interaction of resonances in a weakly nonlinear oscillator with a quasiperiodic excitation, Chaos 7(2) 270-277 (Jun 1997), 11A97

Localization of Hopf bifurcations in fluid flow problems, Int J Numer Methods Fluids 24(11) 1185-1210 (Jun 1997), 11A98

Nonintegrable three mode interaction in the Zakharov equations, Physica D 104(2) 119-126 (May 1997), 11A99

Phase-space reconstructions and stick-slip, Nonlinear Dyn 13(1) 39-57 (May 1997), 11T100

Results on dynamics of special double-loop ΣΔ-modulators, Nonlinear Dyn 13(1) 59-82 (May 1997), 11T101

Strong stochasticity threshold in some anharmonic lattices, Physica D 104(2) 148-162 (May 1997), 11A102

Nonlinear analysis of rotordynamic instabilities in high-speed turbomachinery, J Eng Gas Turbines Power 118(1) 122-129 (Jan 1996), 11A149

Intermittency route to chaos of a cantilevered pipe conveying fluid with a mass defect at the free end, J Appl Mech 62(4) 903-907 (Dec 1995), 11A216

Symplectic mapping approach to the study of the stochasticity in asteroidal resonances, Celest Mech Dyn Astron 65(4) 421-437 (1996), 11A240

Backlash detection in geared mechanisms: Modeling, simulation, and experimentation, Mech Syst Signal Processing 11(3) 391-408 (May 1997), 11A846

Three-dimensional chaotic mixing of fluids in a cylindrical cavity, J Fluids Eng 117(4) 582-588 (Dec 1995), 11A1053

Experimental assessment of fractal scale similarity in turbulent flows - Part 2: Higher-dimensional intersections and non-fractal inclusions, J Fluid Mech 338 89-126 (May 1997), 11A1107

Experimental assessment of fractal scale similarity in turbulent flows - Part 3: Multifractal scaling, J Fluid Mech 338 127-155 (May 1997), 11A1108

Continuous cell-to-cell mapping, J Sound Vib 202(3) 395-415 (May 1997), 12A89

Analysis of autoparametric systems, Z Angew Math Mech 77(6) 407-418 (1997), 12A112

Control of the operating condition of a subharmonic vibromachine, J Sound Vib 203(3) 495-503 (Jun 1997), 12A113

Efficient numerical integration of the equations of motion of non-smooth mechanical systems, Z Angew Math Mech 77(6) 419-427 (1997), 12A114

Event maps in a stick-slip system, Nonlinear Dyn 13(2) 99-115 (Jun 1997), 12A115

Final solution of duffing equation of mixed parity, AIAA J 35(7) 1246-1248 (Jul 1997), 12T116

Fractal analysis of stiction in microelectromechanical systems, J Trib 119(3) 391-400 (Jul 1997), 12A117

Generalized lie symmetries and the integrability of generalized Holmes-Rand nonlinear oscillator, Int J Non-Linear Mech 32(6) 1187-1192 (Nov 1997), 12T118

Global dynamics of a rapidly forced cart and pendulum, Nonlinear Dyn 13(2) 131-170 (Jun 1997), 12A119

Homoclinic tangencies and non-normal Jacobians: Effects of noise in nonhyperbolic chaotic systems, Physica D 105(1-3) 79-96 (Jun 1997), 12A120

New route to chaos in railway dynamics, Nonlinear Dyn 13(2) 117-129 (Jun 1997), 12T121

Non-uniqueness of the motions of a friction oscillator with self-excitation, Int J Non-Linear Mech 32(6) 1153-1164 (Nov 1997), 12A122

Nonlinear behavior of a flexible shaft partly supported by a squeeze film damper, Wear 206(1-2) 244-250 (May 1997), 12A123

Nonlinear valve train dynamics simulation with a distributed parameter model of valve springs, J Eng Gas Turbines Power 119(3) 692-698 (Jul 1997), 12A124

Period-doubling bifurcation of a strongly nonlinear vibration system (Chinese), J Vib Eng 10(2) 183-189 (Jun 1997), 12T125

Periodic solution of a Mathieu-Duffing type equation, Int J Non-Linear Mech 32(5) 905-912 (Sep 1997), 12A126

Periodic solutions of strongly nonlinear Mathieu oscillators, Int J Non-Linear Mech 32(6) 1177-1185 (Nov 1997), 12A127

Phase synchronization of chaotic oscillators by external driving, Physica D 104(3-4) 219-238 (Jun 1997), 12A128

Resonant almost periodic oscillations in systems with slow varying parameters, Int J Non-Linear Mech 32(6) 1143-1152 (Nov 1997), 12A129

Spatio-temporal chaos: A solvable model, Physica D 104(3-4) 269-285 (Jun 1997), 12A130

Transition to escape in a system of coupled oscillators, Int J Non-Linear Mech 32(6) 1193-1206 (Nov 1997), 12A131

Effect of nonlinear inertia on the steady state response of a beam system subjected to combined excitations, J Sound Vib 203(3) 373-387 (Jun 1997), 12A158

Normal multi-modes of nonlinear Euler beams, J Sound Vib 202(2) 145-160 (May 1997), 12A164

Steelpan as a system of nonlinear mode-localized oscillators - Part II: coupled sub-systems, simulations and experiments, J Sound Vib 203(4) 547-561 (Jun 1997), 12A185

Dynamics of an unbalanced shaft interacting with a limited power supply, Nonlinear Dyn 13(2) 171-187 (Jun 1997), 12A190

Strong nonlinear dynamics of cutting processes, J Sound Vib 203(3) 363-372 (Jun 1997), 12A207

Theoretical and experimental implementation of a control method based on saturation, Nonlinear Dyn 13(2) 189-202 (Jun 1997), 12A214

Pattern formation in weakly damped parametric surface waves driven by two frequency components, J Fluid Mech 341 225-244 (13n 1997), 12A256

One-dof rotational galloping under strong wind conditions, Int J Non-Linear Mech 32(5) 803-814 (Sep 1997), 12A271

Study of nonlinear dynamics of automotive under water vehicles with regard for the cable effect (Russian), Prikl Mekh (Appl Mech) 33(1) 80-86 (1997), 12A401

Study of nonlinear dynamics of underwater self-propelled cable-controlled apparatus (Russian),

Prikl Mekh (Appl Mech) 33(3) 91-98 (1997), 12T402
Bifurcation to vortex solutions in superconducting films, European J Appl Math 8(2) 125-148 (Apr 1997), 12A675
Dynamical ensembles equivalence in fluid mechanics, Physica D 105(1-3) 163-184 (Jun 1997), 12A1065
Example of bifurcation and non-uniqueness in electrohydrodynamics, European J Appl Math 8(2) 165-175 (Apr 1997), 12A1157

150Y. Computational techniques

Procedure based on FEs for the solution of nonlinear problems in the kinematic analysis of mechanisms, Finite Elements Anal Des 22(4) 305-327 (Jul 1996), 1A54
Implicit time-stepping scheme for rigid body dynamics with inelastic collisions and Coulomb friction, Int J Numer Methods Eng 39(15) 2673-2691 (Aug 1996), 1A139
Matrix decompositions in the mechanics of systems (Russian), Prikl Mekh (Appl Mech) 32(1) 82-90 (1996), 1A140
Examples of gauge conservation laws in nonholonomic systems, Reports Math Phys 37(3) 295-308 (Jun 1996), 2A82
Minimal period solutions of nonlinear Hamiltonian systems, Nonlinear Anal 27(7) 821-839 (Oct 1996), 2T83
Note on the eigenvalues of the Hamiltonian of the harmonic oscillator perturbed by the potential $\lambda x^2/(1 + gx^2)$, Reports Math Phys 37(2) 283-293 (Apr 1996), 2T84
Periodic solutions for second order impulsive differential systems, Nonlinear Anal 27(7) 811-820 (Oct 1996), 2T85
Explicit finite-difference methods for nonlinear dynamic systems: Froude's pendulum, Comput Methods Appl Mech Eng 135(3-4) 243-264 (Sep 1996), 3A110
Numerical integration of multibody system dynamic equations using the coordinate partitioning method in an implicit Newmark scheme, Comput Methods Appl Mech Eng 135(1-2) 85-105 (Aug 1996), 3A111
Stability of symplectic and energy-momentum algorithms for nonlinear Hamiltonian systems with symmetry, Comput Methods Appl Mech Eng 134(3-4) 197-222 (Aug 1996), 3A112
Flexible mechanisms through natural coordinates and component synthesis: An approach fully compatible with the rigid case, Int J Numer Methods Eng 39(20) 3535-3551 (Oct 1996), 4A92
Computation of periodic solutions of Hamiltonian systems, Appl Math Lett 9(6) 7-11 (Nov 1996), 5A88
General method for solving dynamic problems, Appl Math Mech 17(7) 665-676 (Jul 1996), 5A89
Inverse problem in nonholonomic dynamics, Inverse Prob Eng 3(4) 219-232 (1996), 5A90
Optimal truncated low-dimensional dynamical systems based on flow databases, Acta Mech Sinica 12(2) 104-116 (1996), 6A126
Parallelization of multibody formalism for rigid bodies using natural coordinates and modified state space, Eur J Mech A 16(2) 325-339 (1997), 8A84
Optimal regularization of an inverse dynamics problem, Comput Struct 63(2) 243-248 (Apr 1997), 8A109
Closed-loop control of the motion of a sphere rolling on a moving horizontal plane, J Optim Theory Appl 92(2) 377-391 (Feb 1997), 8A392
Exact model reduction procedure for mechanical systems, Comput Methods Appl Mech Eng 143(1-2) 69-78 (Apr 1997), 10A142
Procedure for the optimal synthesis of planar mechanisms based on nonlinear position problems, Int J Numer Methods Eng 40(8) 1505-1524 (Apr 1997), 10A143
Analysis of rigid body motion from measured data, J Dyn Syst Meas Control 117(4) 578-584 (Dec 1995), 11A83
Localization of Hopf bifurcations in fluid flow problems, Int J Numer Methods Fluids 24(11) 1185-1210 (Jun 1997), 11A98
Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part I: Formulation, Comput Methods Appl Mech Eng 145(1-2) 87-98 (Jun 1997), 11A103
Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part II: Algorithms and analysis, Comput Methods Appl Mech Eng 145(1-2) 99-107 (Jun 1997), 11A104
Qualitative analysis of nonlinear dynamical systems, Comput Methods Appl Mech Eng 145(1-2) 135-145 (Jun 1997), 11A105
Identification of linear mechanical systems by deconvolution techniques, Mech Syst Signal Processing 11(3) 351-373 (May 1997), 11A275
Automotive research center, Mech Struct Machines 25(1) 1-137 (1997), 11T860
Numerical solutions to inverse problems of general planar motion, Comput Methods Appl Mech Eng 146(3-4) 197-214 (Jul 1997), 12A132

150Z. Experimental techniques

AIAA Dynamics Specialist Conference Proceedings (AIAA, MD, 1996) 1N11
Evaluation of fractal dimension for mixing and combustion by the schlieren method, Exp Fluids 21(4) 248-258 (Aug 1996), 3A1332
Determining the central principal inertial dyadic of a golf club head, Exp Tech 20(5) 13-17 (Sep-Oct 1996), 4T93
Novel vibratory device for angular rate measurement, J Dyn Syst Meas Control 117(4) 585-591 (Dec 1995), 11A321

152. VIBRATIONS OF SOLIDS (BASIC)

152A. General theory

Oscillations in Planar Dynamic Systems (World Sci Pub, River Edge, NJ, 1996) 1R9
Nonlinear resonance in systems with hysteresis, Nonlinear Anal 27(5) 561-577 (Sep 1996), 1T141
Periodic response of mechanical systems with local nonlinearities using an enhanced Galerkin technique, J Sound Vib 194(2) 243-263 (Jul 1996), 1A142
Bifurcation and chaos in solid and structural dynamics, Meccanica 31(3) 225-385 (Jun 1996), 2T73
Analysis of four-parameter fractional derivative model of real solid materials, J Sound Vib 195(1) 103-115 (Aug 1996), 2A86
Shock-excited vibrations of a conservative Duffing oscillator with application to shock protection in portable electronics, Int J Solids Struct 33(24) 3627-3642 (Oct 1996), 2A87
Calculation of mechanical systems with pulsed excitation, J Appl Math Mech 60(2) 217-226 (1996), 3A113
Energy-based approach to computing resonant nonlinear normal modes, J Appl Mech 63(3) 810-819 (Sep 1996), 3A114
Integral estimates in nonlinear oscillatory systems, J Appl Math Mech 60(2) 333-336 (1996), 3A115
Transient vibration of gyroscopic systems with unsteady superposed motion, J Sound Vib 195(5) 797-807 (Sep 1996), 3A116
Application of the IRS and balanced realization methods to obtain reduced models of structures with local nonlinearities, J Sound Vib 196(4) 453-468 (Oct 1996), 4A94
Identification of external structural loads from measured harmonic responses, J Sound Vib 196(1) 59-74 (Sep 1996), 4A95
Integral formulas for non-self-adjoint distributed dynamic systems, AIAA J 34(10) 2132-2139 (Oct 1996), 4A96
Power series approach for the study of periodic motion, J Sound Vib 196(4) 401-406 (Oct 1996), 4A97
Principles and Techniques of Vibrations (Prentice Hall, Upper Saddle River, NJ, 1997) 5R4
Effect of an undamped finite dof "fuzzy" substructure: Numerical solutions and theoretical discussion, J Acoust Soc Am 100(5) 3159-3164 (Nov 1996), 5A91
Nonlinear Mechanical Vibrations (Wiley, New York, 1995) 6R7
Almost-periodic resonance oscillations in nonlinear 2D systems with slowly varying parameters, J Appl Math Mech 60(3) 391-398 (1996), 6A127
Motion of a system close to Hamiltonian with one dof when there is resonance in forced vibrations, J Appl Math Mech 60(3) 399-406 (1996), 6A128
Separation principle for gyroscopic conservative systems, J Vib Acoust 119(1) 110-119 (Jan 1997), 6A129
Numerical study on identification of time varying parameters of vibration systems, Shock Vib 4(1) 69-76 (1996), 6A361
Equations of nonlinear vibrations, Int J Non-Linear Mech 31(6) 907-913 (Nov 1996), 7A111
Applicability conditions of a nonlinear superposition technique, J Sound Vib 200(1) 3-14 (Feb 1997), 8A110
Application of the Ince algebraization to the stability of nonlinear normal vibration modes, Int J Non-Linear Mech 32(2) 393-409 (Mar 1997), 8A111
Impurity modes in disordered nonlinear lattices, Int J Non-Linear Mech 32(1) 21-30 (Jan 1997), 8A112
Structural Dynamics and Controls, J Vib and Control 3(1) 5-143 (Feb 1997), 8A113
Surveillance methods, Mech Syst Signal Processing 11(1) 3-167 (Jan 1997), 8T114
Correlation between the modal and force equations, Comput Struct 63(3) 367-370 (May 1997), 9A104
Doubly asymptotic approximations for transient elastodynamics, Int J Solids Struct 34(11) 1293-1305 (Apr 1997), 9A105
Engineering identification method for curvilinear hysteretic systems excited by varying amplitude dynamic loading, Inverse Prob Eng 4(3) 177-208 (1997), 9A106
Subharmonic orbits in an anharmonic oscillator, J Austral Math Soc B 38(3) 307-315 (Jan 1997), 9A107
50 Years of Shock and Vibration Technology (SEM, Bethel CT, 1996) 10N5
Application of asymptotic methods of nonlinear mechanics for solving of some problems of oscillation theory, Facta Univ Mech Auto Control Robotic 2(6) 1-9 (1996), 10T104
Combination resonances in the system of periodic coefficients and a small parameter, Facta Univ Mech Auto Control Robotic 2(6) 83-95 (1996), 10A144
Computational formulation for periodic vibration of geometrically nonlinear structures - Part I: Theoretical background, Int J Solids Struct 34(15) 1925-1947 (May 1997), 10A145
Fuzzy dynamic analysis of single dof nonlinear systems, Comput Struct 63(6) 1101-1111 (Jun 1997), 10A146
Computational formulation for periodic vibration of geometrically nonlinear structures - Part 2: Numerical strategy and examples, Int J Solids Struct 34(15) 1949-1964 (May 1997), 10A169
Receptance model based on isotropic damping functions and elastic displacement modes, Int J Solids Struct 34(21) 2733-2754 (Jul 1997), 12A10
Analytical and numerical method for solving linear and nonlinear vibration problems, Int J Solids Struct 34(21) 2709-2731 (Jul 1997), 12A133
Critique of location criteria in modal methods for structural damage identification, J Sound Vib 203(4) 728-729 (Jun 1997), 12T134
Decoupling the normal modes of continuous symmetric structures using group representation theory, Int J Non-Linear Mech 32(5) 973-978 (Sep 1997), 12A135
Effect of prestrain on the resonants vibrations and dissipative heating of viscoelastic cylinder of finite length (Russian), Prikl Mekh (Appl Mech) 33(1) 39-42 (1997), 12A136
Existence of periodic motions of dynamic systems with simplest symmetry (Russian), Prikl Mekh (Appl Mech) 33(1) 87-96 (1997), 12T137
Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, J Sound Vib 203(2) 307-319 (Jun 1997), 12A138
Normalized modal eigenvalue approach for resolving modal interaction, J Eng Gas Turbines Power 119(3) 647-650 (Jul 1997), 12A139
Predicting localization via Lyapunov exponent statistics, J Sound Vib 203(1) 151-157 (May 1997), 12T140
Statistical investigation of the forced response of finite, nearly periodic assemblies, J Sound Vib 203(1) 158-168 (May 1997), 12T141
Model for general periodic excitation with random disturbance and its application, J Sound Vib 203(4) 607-620 (Jun 1997), 12A146
Vibrational energy flows in beam networks with compliant and dissipative joints, J Sound Vib 203(2) 321-339 (Jun 1997), 12A165

152B. Linear theory

Derivatives of repeated eigenvalues and their associated eigenvectors, J Vib Acoust 118(3) 390-397 (Jul 1996), 1A143
Efficient computation of the steady-state response of linear systems with periodic coefficients, J Vib Acoust 118(3) 522-526 (Jul 1996), 1A144
Inverse vibration method applied to bond evaluation of space shuttle tiles, J Vib Acoust 118(3) 454-462 (Jul 1996), 1A145
Vibrations of a system with an eigenfrequency identical to that of one of its subsystems - Part 2, J Vib Acoust 118(3) 414-416 (Jul 1996), 1A146
Asymmetric effects on mode localization of symmetric structures, J Sound Vib 194(4) 645-651 (Jul 1996), 2T88
Estimation of reciprocal residual flexibility from experimental modal data, AIAA J 34(8) 1678-1685 (Aug 1996), 2A89
Simple application of nonstandard analysis to forced vibration of a spring-mass system, J Sound Vib 195(2) 340-345 (Aug 1996), 2T90
Use of interpolated eigenvectors to position coupling elements between substructures - Part I: Theory, Modal Analysis 11(1-2) 10-25 (Jul 1996), 2A91
Use of interpolated eigenvectors to position coupling elements between substructures - Part II: Applications, Modal Analysis 11(1-2) 26-38 (Jul 1996), 2A92
Use of rotational elements in structural dynamic modification, Modal Analysis 11(1-2) 76-82 (Jul 1996), 2A93
Method for identification of a set of optimal measurement points for experimental modal analysis, Modal Analysis 11(1-2) 1-9 (Jul 1996), 2A105
Eigenvalue, frequency response, and variance bounds of linear damped systems, Eur J Mech A 15(4) 617-646 (1996), 3A137
Eigensolutions sensitivity for quadratic eigenproblems, J Sound Vib 196(2) 179-188 (Sep 1996), 4A98
Frequency equations of combined systems, Z Angew Math Mech 76(9) 538-539 (1996), 4T99
Natural frequencies of near-periodic structures, J Vib and Control 2(4) 371-380 (Nov 1996), 4A100
Original method for computing the response of a parametrically excited forced system, J Sound Vib 196(2) 165-177 (Sep 1996), 4A101
Practical complete modal space and its applications, AIAA J 34(10) 2211-2214 (Oct 1996), 4T102
Time-harmonic vibration of an incompressible linearly non-homogeneous half-space, Earthquake Eng Struct Dyn 25(11) 1195-1209 (Nov 1996), 4A103
Exact elastodynamic solution to vibration problems of a composite structure in the plane stress state, J Sound Vib 196(1) 85-96 (Sep 1996), 4A163
Hybrid inverse mode problem for fixed-fixed mass-spring models, J Vib Acoust 118(4) 641-648 (Oct 1996), 4A329
Modal parameter estimation using the state space method, J Sound Vib 197(4) 387-402 (Nov 1996), 5A276
Active and reactive structural energy flow, J Vib Acoust 119(1) 70-79 (Jan 1997), 6A130
Improved approximations via Rayleigh's quotient, J Sound Vib 199(1) 155-164 (Jan 1997), 6A131
Use of ambient response measurements to determine dynamic characteristics of slender structures, Eng Struct 19(2) 145-150 (Feb 1997), 6A132
Closed-form transient response of distributed damped systems - Part I: Modal analysis and Green's function formula, J Appl Mech 63(4) 997-1003 (Dec 1996), 7A112
Closed-form transient response of distributed damped systems - Part II: Energy formulation for constrained and combined systems, J Appl Mech 63(4) 1004-1010 (Dec 1996), 7A113
Improved method for determining free-free modes using constrained test data, AIAA J 35(2) 400-402 (Feb 1997), 7T114
Modal analysis of close modes using perturbative sensitivity approach, Eng Struct 19(6) 397-406 (Jun 1997), 9A108
New results on the identification of normal modes from experimental complex modes, Mech Syst Signal Processing 11(2) 229-243 (Mar 1997), 9A109
Orthogonalization of measured modes: Revisited, AIAA J 35(4) 744-745 (Apr 1997), 9T110
Rayleigh's optimization concept and the use of sinusoidal co-ordinated functions, J Sound Vib 200(4) 557-561 (Mar 1997), 9T111
Eigenfrequencies and simplified models of semi-infinite cascades with variable boundary mass, Z Angew Math Mech 77(3) 232-235 (1997), 10T147
Modal decoupling of systems described by three linear operators, J Appl Mech 64(1) 238-240 (Mar 1997), 10T148
Response of 2D periodic structures to impulsive point loading, J Sound Vib 201(2) 235-253 (Mar 1997), 10A149
Moving force identification: A time domain method, J Sound Vib 201(1) 1-22 (Mar 1997), 10A415
Structural Dynamics for Engineers (Telford, UK, 1997) 11R9
Simultaneous triangularization of the coefficients of linear systems, J Appl Mech 64(2) 430-432 (Jun 1997), 12T142

152C. Crystals

Mean-square stability of linear stochastic dynamical systems under parametric wide-band excitations, Probab Eng Mech 12(3) 137-147 (Jul 1997), 12T80

152D. Stochastic effects, incl random excitation

Approximate solutions for nonlinear random vibration problems, Probab Eng Mech 11(3) 179-185 (Jul 1996), 1A147
New equivalent nonlinearization technique, Probab Eng Mech 11(3) 129-137 (Jul 1996), 1A148
Random vibrations of elastic-plastic structures, Tech Mech 16(2) 131-138 (1996), 1A149
Dynamics of shallow elastic arches - Part I: Chaotic response of harmonically shaped arches, Eur J Mech A 15(3) 513-528 (1996), 1A195
Nonstationary random response of laminated composite structures by a hybrid strain-based laminated flat triangular shell FE, Finite Elements Anal Des 23(1) 23-35 (Aug 1996), 1A538
Analysis of random dynamical systems by interpolated cell mapping, J Sound Vib 194(4) 521-536 (Jul 1996), 2A94
Dynamic response of nonlinear systems to renewal impulses by path integration, J Sound Vib 195(2) 175-193 (Aug 1996), 2A95

Response of a bending-torsion coupled beam to deterministic and random loads, J Sound Vib **195**(2) 267-283 (Aug 1996), 2A125

Random excitation forces in tube bundles subjected to two-phase cross-flow, J Pressure Vessel Tech **118**(3) 265-277 (Aug 1996), 2A236

Boundedness evaluation of structural systems with randomly distributed initial conditions, Int J Non-Linear Mech **31**(5) 743-754 (Sep 1996), 3A117

Chaotic behaviors of contact vibration, Japan J Trib **40**(7) 647-655 (1995), 3T118

Cumulant-neglect closure method in stochastic dynamics, Int J Non-Linear Mech **31**(5) 657-684 (Sep 1996), 3A119

Design of a system of linear oscillators spectrally equivalent to a nonlinear one, Int J Non-Linear Mech **31**(5) 573-580 (Sep 1996), 3A120

Dynamic response of nonlinear systems with parameter uncertainties, Int J Non-Linear Mech **31**(5) 631-645 (Sep 1996), 3A121

Equivalent Gaussian process in stochastic dynamics with application to along-wind response of structures, Int J Non-Linear Mech **31**(5) 779-794 (Sep 1996), 3A122

Exact and approximate solutions for randomly excited MDOF nonlinear systems, Int J Non-Linear Mech **31**(5) 647-655 (Sep 1996), 3A123

Iterative schemes for stability problems with non-singular Fokker-Planck equations, Int J Non-Linear Mech **31**(5) 707-715 (Sep 1996), 3A124

Joint PDF parametric models for the rate of upcrossings of the acceleration for a nonlinear stochastic oscillator, Int J Non-Linear Mech **31**(5) 591-599 (Sep 1996), 3A125

Nonlinear stochastic dynamics of systems with random properties: A spectral approach combined with statistical linearization, Int J Non-Linear Mech **31**(5) 619-630 (Sep 1996), 3A126

Recursive response analysis of structures subjected to nonwhite random excitation, Comput Struct **61**(3) 539-543 (Nov 1996), 3A127

Simulation of a class of non-normal random processes, Int J Non-Linear Mech **31**(5) 601-617 (Sep 1996), 3A128

Stationary and non-stationary random vibration of oscillators with bilinear hysteresis, Int J Non-Linear Mech **31**(5) 553-562 (Sep 1996), 3A129

Stochastic exponential and asymptotic stability of simple nonlinear systems, Int J Non-Linear Mech **31**(5) 693-705 (Sep 1996), 3A130

Stochastic Hopf bifurcation: An example, Int J Non-Linear Mech **31**(5) 685-692 (Sep 1996), 3A131

Comparison of FE nonlinear beam random response with experimental results, J Sound Vib **195**(5) 719-737 (Sep 1996), 3A147

faster simulation method for the stochastic response of hysteretic structures subject to earthquakes, Soil Dyn Earthquake Eng **15**(6) 359-368 (Aug 1996), 3A1383

Forced random parametric vibration in single-dof systems, AIAA J **34**(10) 2140-2148 (Oct 1996), 4A104

Stationary model for periodic excitation with uncorrelated random disturbances, Probab Eng Mech **11**(4) 191-203 (Oct 1996), 4A105

Stochastic flutter of elastic and viscoelastic in a supersonic flow, Eur J Mech A **15**(5) 883-900 (1996), 4A257

Statistical Energy Analysis: An Overview, with Applications in Structural Dynamics (Cambridge UP, New York, 1996) 6N9

Dynamically modified linear structures: Deterministic and stochastic response, J Eng Mech **122**(11) 1044-1051 (Nov 1996), 6A133

Random response to periodic excitation with correlated disturbances, J Eng Mech **122**(11) 1101-1108 (Nov 1996), 6A134

Response spectral densities of strongly nonlinear systems under random excitation, Probab Eng Mech **12**(1) 41-47 (Jan 1997), 6A135

Time dependent correlation function of linear systems excited by shot noise with different arrival rates, J Sound Vib **198**(3) 331-342 (Dec 1996), 6A136

Stochastic Analysis of Structural and Mechanical Vibrations (Prentice Hall, Upper Saddle River, NJ, 1997) 7R3

Random FE analysis for stochastical responses of structures, Comput Struct **62**(4) 611-616 (Feb 1997), 7A115

Response analysis for fuzzy stochastic dynamical systems with multiple dof, Earthquake Eng Struct Dyn **26**(2) 151-166 (Feb 1997), 7A116

Response cumulant equations for dynamic systems under delta-correlated processes, J Eng Mech **123**(2) 174-177 (Feb 1997), 7A117

Asymptotic analysis of first-passage problems, Int J Non-Linear Mech **32**(1) 173-186 (Jan 1997), 8T115

Comparing quasi-conservative averaging and dissipation energy balancing methods in nonlinear random vibration, Int J Non-Linear Mech **32**(1) 121-126 (Jan 1997), 8A116

Identification technique for nonlinear dynamical systems under stochastic excitations, J Sound Vib **200**(1) 31-40 (Feb 1997), 8A117

Mean and mean-square responses of a prototypical master-fuzzy structure, J Acoust Soc Am **101**(3) 1441-1449 (Mar 1997), 8A118

Periodic and stochastic self-excited oscillations in a system with hereditary-type dry friction, J Appl Math Mech **60**(5) 845-850 (1996), 8A119

Global attenuation of random vibrations in a tapered and swept panel, J Sound Vib **199**(5) 751-776 (Feb 1997), 8A146

Phase-lock-loop-based control system for suppressing periodic vibration in smart structural systems, Smart Mat Struct **6**(1) 10-22 (Feb 1997), 8A893

Direct spectral method for continuous-time stochastic system estimation based on measured data and a priori information, Mech Syst Signal Processing **11**(2) 287-306 (Mar 1997), 9A112

Random vibration of systems with frequency-dependent parameters or fractional derivatives, J Eng Mech **123**(3) 290-292 (Mar 1997), 9A113

Spectral response of a stochastic oscillator under impacts, Meccanica **32**(1) 1-12 (Feb 1997), 9A114

Third International Stochastic Structural Dynamics Conference, Int J Non-Linear Mech **32**(4) 639-768 (Jul 1997), 10A140

Nonlinear vibrations and stability of a rotor-bearing system with nonsymmetric clearances, J Eng Gas Turbines Power **119**(2) 418-424 (Apr 1997), 10A216

Equivalent statistical quadratization and cubicization for nonlinear systems, J Eng Mech **123**(5) 512-523 (May 1997), 11A106

Flutter boundary prediction based on nonstationary data measurement, J Aircraft **34**(3) 427-432 (May-Jun 1997), 11A223

Optimum parameters of multiple tuned mass dampers for base-excited damped systems, J Sound Vib **202**(5) 657-667 (May 1997), 11A315

Stability of elastic and viscoelastic systems under action of random stationary narrow-band loads, Int J Mech Sci **39**(8) 935-942 (Aug 1997), 11A540

Uncertainty Modeling in Finite Element, Fatigue and Stability of Systems (World Sci Pub, River Edge, NJ, 1997) 12N7

Uncertainty Modeling in Vibration, Control, and Fuzzy Analysis of Structural Systems (World Sci Pub, River Edge, NJ, 1997) 12N15

Normalized modal eigenvalue approach for resolving modal interaction, J Eng Gas Turbines Power **119**(3) 647-650 (Jul 1997), 12A139

Asymptotic analysis and linearization of the randomly perturbed two-wells Duffing oscillator, Probab Eng Mech **12**(3) 171-178 (Jul 1997), 12T143

Higher order statistics of the response of MDOF linear systems excited by linearly parametric white noises and external excitations, Probab Eng Mech **12**(3) 179-188 (Jul 1997), 12A144

Higher order statistics of the response of MDOF linear systems under polynomials of filtered normal white noises, Probab Eng Mech **12**(3) 189-196 (Jul 1997), 12A145

Model for general periodic excitation with random disturbance and its application, J Sound Vib **203**(4) 607-620 (Jun 1997), 12A146

Multimodal nonlinear spectral response of a beam with impact under random input, Probab Eng Mech **12**(3) 163-170 (Jul 1997), 12A147

Stationary and non-stationary probability density function for nonlinear oscillators, Int J Non-Linear Mech **32**(6) 1051-1064 (Nov 1997), 12A148

Stochastic integro-differential and differential equations of nonlinear systems excited by parametric Poisson pulses, Int J Non-Linear Mech **32**(5) 855-862 (Sep 1997), 12A149

Experimental investigation of friction-base isolation, Probab Eng Mech **12**(3) 125-136 (Jul 1997), 12A151

Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars, J Sound Vib **203**(1) 1-9 (May 1997), 12A162

Design of a mega-sub-controlled building system under stochastic wind loads, Probab Eng Mech **12**(3) 149-162 (Jul 1997), 12A200

Stochastic analysis for offshore structures with added mechanical dampers, Ocean Eng **24**(9) 817-834 (Oct 1997), 12A283

Nonlinear bearing stiffness parameter extraction from random response in flexible rotor-bearing systems, J Sound Vib **203**(3) 389-408 (Jun 1997), 12A1012

152F. Damping, decay, and control of vibrations

Influence of damping forces randomly changing in time on the stability of nonconservative systems, Acta Mech **116**(1-4) 203-212 (1996), 1A110

Adaptive fuzzy control algorithm for model-indepcendent active vibration damping of flexible beam-like structures, J Intelligent Mat Syst Struct **7**(2) 168-175 (Mar 1996), 1A150

Solid-state actuation of rotor blade servo-flap for active vibration control, J Intelligent Mat Syst Struct **7**(2) 192-202 (Mar 1996), 1A151

Some design considerations for active and passive constrained layer damping treatments, Smart Mat Struct **5**(3) 301-313 (Jun 1996), 1A152

Theoretical analysis of damping characteristics of air-lubricated slideways, Int J Japan Soc Precision Eng **30**(1) 77-82 (Mar 1996), 1A153

Vibration control of plates with active constrained layer damping, Smart Mat Struct **5**(3) 272-280 (Jun 1996), 1A154

Dynamic bending of a beam lying on a rough surface, Mech Solids **31**(1) 154-157 (1996), 1A159

Analysis and control of microvibrations on ARTEMIS satellite, J Intelligent Mat Syst Struct **7**(2) 216-226 (Mar 1996), 1A205

Evaluation of active damping performances in orbit, J Intelligent Mat Syst Struct **7**(2) 227-234 (Mar 1996), 1A206

Vibration control for precision manufacturing using piezoelectric actuators, J Intelligent Mat Syst Struct **7**(2) 182-191 (Mar 1996), 1A429

Structural Vibration Analysis and Damping (Wiley, New York, 1996) 2R8

Applications of fractional calculus to dynamic problems of linear and nonlinear hereditary mechanics of solids, Appl Mech Rev **50**(1) 15-68 (Jan 1997), 2A7

Application of the strain-phase-shift method for the determination of damping in metals, Exp Mech **36**(3) 243-250 (Sep 1996), 2A96

Component mode synthesis for nonclassically damped systems, AIAA J **34**(8) 1664-1669 (Aug 1996), 2A97

Decrement method for the simultaneous estimation of Coulomb and viscous friction, J Sound Vib **195**(1) 149-154 (Aug 1996), 2T98

Suppression of low frequency structural vibrations using intelligent control methods, J Reinforced Plastics Composites **15**(8) 779-792 (Aug 1996), 2A99

Vibration suppression effect of liquid crystal under electromagnetic field, J Intelligent Mat Syst Struct **7**(3) 272-277 (May 1996), 2A100

Vibration suppression of a cylindrical shell using a hybrid control method, J Intelligent Mat Syst Struct **7**(3) 278-287 (May 1996), 2A101

Rotation of a clamped spherical ball due to linear reciprocating motion, J Appl Mech **63**(3) 683-691 (Sep 1996), 3A108

Active vibration control of elastic beam by means of shape memory alloys layers, Smart Mat Struct **5**(4) 400-406 (Aug 1996), 3A132

Active vibration control of intelligent composite laminate structures incorporating an electro-rheological fluid, J Intelligent Mat Syst Struct **7**(4) 411-419 (Jul 1996), 3A133

Adaptive lightweight CFRP strut for active vibration damping in truss structures, J Intelligent Mat Syst Struct **7**(4) 433-440 (Jul 1996), 3T134

Applications of electro-rheological fluids in vibration control: A survey, Smart Mat Struct **5**(4) 464-482 (Aug 1996), 3A135

Damping characteristics of thick rectangular laminates, J Acoust Soc Am **100**(3) 1561-1570 (Sep 1996), 3A136

Eigenvalue, frequency response, and variance bounds of linear damped systems, Eur J Mech A **15**(4) 617-646 (1996), 3A137

Extending the logarithmic decrement method to analyze two dof transient responses, Mech Syst Signal Processing **10**(4) 497-500 (Jul 1996), 3A138

Finite element analysis of load-deflection and creep characteristics of compressed rubber components for vibration control devices, J Mech Des **118**(3) 328-336 (Sep 1996), 3A139

Investigation of the damping behavior of a vibrating shape memory alloy rod using a micromechanical model, Smart Mat Struct **5**(4) 456-463 (Aug 1996), 3A140

Suppression of one-dof flutter by gyroscopic damper (Japanese), Proc JSCE **543**(I-36) 229-237 (Jul 1996), 3A141

Vibration suppression experiments on composite laminated plates using an embedded piezoelectric sensor and actuator, Smart Mat Struct **5**(4) 501-507 (Aug 1996), 3A142

Structural damping of composite beams with tapered boundaries, Composite Struct **35**(2) 207-212 (Jun 1996), 3A493

Design criteria for the damping effectiveness of structural fuzzies, J Acoust Soc Am **100**(4-PART 1) 2029-2033 (Oct 1996), 4A106

Distributive vibration control in flexible multibody dynamics, Comput Struct **61**(5) 957-965 (Dec 1996), 4A107

Electrostatically driven torsional resonator with two dof - 1st Report: The principle and the characteristics of motion (Japanese), J Japan Soc Precision Eng **62**(9) 1292-1296 (Sep 1996), 4T108

Influence of thermal aging on the damping properties of an acrylic-cored laminated steel, J Composite Mat **30**(15) 1628-1646 (1996), 4A109

Systems with magnetoelectric vibration dampers, Mech Solids **31**(2) 56-65 (1996), 4A110

Development of antiresonance enforced active vibration absorber system, JSME Int J Ser C **39**(3) 464-469 (Sep 1996), 5A92

Nonlinear Mechanical Vibrations (Wiley, New York, 1995) 6R7

Analytical approach for large scale non-classically damped dynamic system, Acta Mech Sinica **12**(3) 272-280 (1996), 6A109

Applications of electro-rheological fluids for constrained layer damping treatment of structures, J Intelligent Mat Syst Struct **7**(5) 541-549 (Sep 1996), 6A137

Displacement-dependent dry friction damping of a beam-like structure, J Sound Vib **198**(3) 313-329 (Dec 1996), 6A138

New servoassisted hyper-stiffened damper for structural control: The "IRIS" project, Mech Res Commun **23**(6) 599-606 (Nov-Dec 1996), 6T139

Nonlinear parameter identification of an electro-rheological fluid damper, J Intelligent Mat Syst Struct **7**(5) 560-564 (Sep 1996), 6T140

Passive and active damping technologies, Smart Mat Struct **5**(5) 509-722 (Oct 1996), 6A141

Poshekhonov pendulum, J Appl Math Mech **60**(3) 407-411 (1996), 6A142

Vibration analysis of structures subjected to boundary condition modifications using experimental data, J Brazilian Soc Mech Sci **18**(4) 374-382 (Dec 1996), 6A143

Applied System Identification (Prentice Hall, Upper Saddle River, NJ, 1994) 7R6

Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, Smart Mat Struct **5**(6) 751-758 (Dec 1996), 7A118

Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, Smart Mat Struct **5**(6) 751-758 (Dec 1996), 7A119

H^{∞} control of transverse-torsional coupled vibrations using multiple active dynamic vibration absorbers, JSME Int J Ser C **39**(4) 728-737 (Dec 1996), 7A120

Structural vibration suppression by concurrent piezoelectric sensor and actuator, Smart Mat Struct **5**(6) 806-813 (Dec 1996), 7A121

Structural vibration suppression by concurrent piezoelectric sensor and actuator, Smart Mat Struct **5**(6) 806-813 (Dec 1996), 7A122

Vibration control method for parallel structures connected by damper and spring, JSME Int J Ser C **39**(4) 714-720 (Dec 1996), 7A123

One-, two-, and three-dof systems with linear damping, Mech Res Commun **24**(1) 27-31 (Jan-Feb 1997), 8T83

Application of fractional operators to the analysis of damped vibrations of viscoelastic single-mass systems, J Sound Vib **199**(4) 567-586 (Jan 1997), 8A120

Chatter suppression by adaptive speed modulation, Int J Machine Tools Manuf **37**(3) 355-369 (Mar 1997), 8A121

Fluid surface damping versus constrained layer damping for vibration suppression of simply supported beams, Smart Mat Struct **6**(1) 40-46 (Feb 1997), 8A122

Measurement of nonlinear damping in a Gr-Al metal-matrix composite, Exp Mech **37**(1) 5-10 (Mar 1997), 8A123

Ascertaining the stability of internal-resonance-based vibration suppression laws, Dyn Control **7**(1) 73-90 (Jan 1997), 8A387

Broadband vibration damping using highly distributed tuned mass absorbers, AIAA J **35**(4) 753-755 (Apr 1997), 9T115

Experimental analysis of impact-damped flexible beams, J Eng Mech **123**(4) 376-383 (Apr 1997), 9A116

Hysteretic damping revisited, Adv Eng Software **28**(3) 165-171 (Apr 1997), 9A117

Numerical model of impact-damped continuous systems, J Eng Mech **123**(4) 384-392 (Apr 1997), 9A118

Phenomenological model for magnetorheological dampers, J Eng Mech **123**(3) 230-238 (Mar 1997), 9A119

Placing constrained layer damping patches using reactive shearing structural intensity measurements, J Acoust Soc Am **101**(4) 2075-2082 (Apr 1997), 9A120

Response errors of non-proportionally lightly damped structures, J Sound Vib **200**(4) 543-550 (Mar 1997), 9T121

Vibratory power flow through a nonlinear path into a resonant receiver, J Acoust Soc Am **101**(4) 2059-2069 (Apr 1997), 9A122

Modeling of actively damped beams with piezoelectric actuators with finite stiffness bond, J Intelligent Mat Syst Struct **7**(6) 677-688 (Nov 1996), 9A132

Effects of piezo-actuator delamination on the performance of active noise and vibration control systems, J Intelligent Mat Syst Struct **7**(6) 668-676 (Nov 1996), 9A279

Materials for Smart Systems II (Mat Res Soc, Pittsburgh PA, 1997) 10N7

Adaptive feedforward controller for rejection of periodic disturbances, J Sound Vib **201**(4) 427-435 (Apr 1997), 10A150

Application of center manifold theory to regulation of a flexible beam, J Vib Acoust **119**(2) 158-165 (Apr 1997), 10A151

Application of direct integration in the case of external and internal damping, Proc Estonian Acad Sci Eng **2**(2) 184-195 (1996), 10A152

Approximate solutions of non-classically damped linear systems in normalized and physical coordinates, J Sound Vib **201**(2) 262-271 (Mar 1997), 10T153

Boundary control of beams using active constrained layer damping, J Vib Acoust **119**(2) 166-172 (Apr 1997), 10A154

Closed loop FE modeling of active structural damping in the frequency domain, Smart Mat Struct **6**(2) 161-168 (Apr 1997), 10A155

Damping function estimation based on modal receptance models and neural nets, Comput Mech **19**(4) 271-286 (Mar 1997), 10A156

Driver's seat with active suspension of electropneumatic type, J Vib Acoust **119**(2) 230-235 (Apr 1997), 10T157

Fluid viscous device modeling by fractional derivatives, Struct Eng and Mech **5**(2) 177-191 (Mar 1997), 10A158

Mechanics and control of coupled bending and twisting vibration of laminated beams, Smart Mat Struct **6**(2) 123-133 (Apr 1997), 10A159

Modeling and simulation methods for MDOF structures and rotating machinery with impact dampers, J Eng Gas Turbines Power **119**(2) 436-446 (Apr 1997), 10T160

Motion of lineal bodies subject to linear damping, J Appl Mech **64**(1) 227-229 (Mar 1997), 10A161

New type of constrained vibration-damping coating, J Low Frequency Noise and Vib **15**(3) 107-113 (1996), 10A162

Representations of Coulomb friction for dynamic analysis, Earthquake Eng Struct Dyn **26**(5) 541-548 (May 1997), 10A163

Rigidity-plasticity-viscosity: Can electorheological dampers protect base-isolated structures from near-source ground motions, Earthquake Eng Struct Dyn **26**(5) 571-591 (May 1997), 10A164

Robust vibration control of composite beams using piezoelectric devices and neural networks, Smart Mat Struct **6**(2) 178-189 (Apr 1997), 10A165

Thermodynamic damping in porous materials with ellipsoidal cavities, J Sound Vib **201**(5) 555-565 (Apr 1997), 10A166

Variational formulation, a work-energy relation and damping mechanisms of active constrained layer treatments, J Vib Acoust **119**(2) 192-199 (Apr 1997), 10A167

Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel, Proc Inst Mech Eng C **211**(C1) 49-53 (1997), 10A168

Vibration and damping characteristics of a beam with a partially sandwiched viscoelastic layer, J Adhesion **61**(1-4) 97-122 (1997), 10A188

Use of flexible internal support to suppress vibrations of a rotating shaft passing through a critical speed, J Vib and Control **3**(2) 213-233 (May 1997), 10A220

Energy models of 1D, multi-propagative systems, J Sound Vib **201**(5) 535-554 (Apr 1997), 10A256

Application of simple adaptive control to a 2-mass spring system, Int J Japan Soc Precision Eng **30**(4) 351-352 (Dec 1996), 10T427

Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, J Vib and Control **3**(2) 235-254 (May 1997), 10A431

Semiactive and active suspensions for vehicle ride control using velocity feedback, J Vib and Control **3**(2) 201-212 (May 1997), 10A499

Structural Dynamics for Engineers (Telford, UK, 1997) 11R9

Diophantine type fractional derivative representation of structural hysteresis - Part I: Formulation, Comput Mech **19**(5) 335-340 (Apr 1997), 11A107

Diophantine type fractional derivative representation of structural hysteresis - Part II: Fitting, Comput Mech **19**(5) 341-355 (Apr 1997), 11A108

Evolutionary model of viscoelastic dampers for structural applications, J Eng Mech **123**(6) 551-560 (Jun 1997), 11A109

Almost-balanced structural dynamics, J Sound Vib **202**(5) 669-687 (May 1997), 11A110

On-line control of machine tool vibration in turning, Int J Machine Tools Manuf **37**(6) 801-811 (Jun 1997), 11A158

Optimum parameters of multiple tuned mass dampers for base-excited damped systems, J Sound Vib **202**(5) 657-667 (May 1997), 11A315

Dynamics With Friction: Modeling, Analysis and Experiment, Parts I and II (World Sci Pub, River Edge, NJ, 1996) 12N13

Criticality of damping in multi-dof systems, J Appl Mech **64**(2) 387-393 (Jun 1997), 12A150

Experimental investigation of friction-base isolation, Probab Eng Mech **12**(3) 125-136 (Jul 1997), 12A151

Identification of damping in multi-dof systems using time-scale decomposition, J Sound Vib **203**(2) 283-305 (Jun 1997), 12A152

Joint stiffness control of a one-link flexible arm, J Sound Vib **203**(2) 341-351 (Jun 1997), 12A153

Oscillations in tubular systems with mobile masses (Russian), Prikl Mekh (Appl Mech) **33**(3) 84-90 (1997), 12A154

Vibrational energy flows in beam networks with compliant and dissipative joints, J Sound Vib **203**(2) 321-339 (Jun 1997), 12A165

Energy decay of two coupled strings through a joint damper, J Sound Vib **203**(3) 447-455 (Jun 1997), 12A168

Design of a mega-sub-controlled building system under stochastic wind loads, Probab Eng Mech **12**(3) 149-162 (Jul 1997), 12A200

PI control of HFSDs for active control of rotor-bearing systems, J Eng Gas Turbines Power **119**(3) 658-667 (Jul 1997), 12A209

Dynamic substructuring of damped structures using singular value decomposition, J Appl Mech **64**(2) 292-298 (Jun 1997), 12A238

Extraction of normal modes and full modal damping from complex modal parameters, AIAA J **35**(7) 1187-1194 (Jul 1997), 12A354

Distributed structural actuation with electrostrictors, J Sound Vib **203**(1) 11-40 (May 1997), 12A895

Stability analysis of state dependent dynamic frictional sliding, Int J Non-Linear Mech **32**(5) 837-853 (Sep 1997), 12A932

Semi-active control of friction dampers, J Sound Vib **202**(2) 203-218 (May 1997), 12A999

Seismic testing of a building structure with a semi-active fluid damper control system, Earthquake Eng Struct Dyn **26**(7) 759-777 (Jul 1997), 12A1492

152Y. Computational techniques

Derivatives of repeated eigenvalues and their associated eigenvectors, J Vib Acoust **118**(3) 390-397 (Jul 1996), 1A143

Extraction of normal modes from contaminated measurement with noise for highly coupled structures, J Vib Acoust **118**(3) 430-435 (Jul 1996), 1A155

Periodic movements in multidimensional systems (Russian), Prikl Mekh (Appl Mech) **32**(2) 81-87 (1996), 1A156

Estimation of reciprocal residual flexibility from experimental modal data, AIAA J **34**(8) 1678-1685 (Aug 1996), 2A89

Component mode synthesis for nonclassically damped systems, AIAA J **34**(8) 1664-1669 (Aug 1996), 2A97

Analytic disassembly of structural matrices, Modal Analysis **1**(1-2) 39-48 (Jul 1996), 2A102

Explicit unconditionally stable approaches for built-up shell structural configurations, AIAA J **34**(8) 1725-1733 (Aug 1996), 2A103

Numerical method for sensitivity analysis of eigensystems with non-repeated and repeated eigenvalues, J Sound Vib **195**(1) 17-32 (Aug 1996), 2A104

Spectral element methods for nonlinear temporal dynamical systems, Comput Mech **18**(4) 302-313 (Aug 1996), 3A143

Application of the IRS and balanced realization methods to obtain reduced models of structures with local nonlinearities, J Sound Vib **196**(4) 453-468 (Oct 1996), 4A94

Computation of derivatives of repeated eigenvalues and corresponding eigenvectors by simultaneous iteration, AIAA J **34**(10) 2214-2216 (Oct 1996), 4T111

Eigenvector derivatives with repeated eigenvalues using generalized inverse technique, AIAA J **34**(10) 2206-2209 (Oct 1996), 4T112

Residual flexibility approach for decoupled analysis of systems of combined components, J Vib Acoust **118**(4) 682-686 (Oct 1996), 4A113

Solution of an inverse vibration problem using a linear least-squares error method, Appl Math Model **20**(10) 785-788 (Oct 1996), 4A114

Boundary element methods in dynamic analysis - Part II (1986-1996), Appl Mech Rev **50**(3) 149-197 (Mar 1997), 5A3

Efficient eigenvector sensitivities by a new procedure based on Lanczos vectors, AIAA J **34**(11) 2392-2394 (Nov 1996), 5A93

Frequency and spatial shaping of inputs for multiaxis shaker testing, Shock Vib **3**(6) 393-401 (1996), 5A94

Real bifurcations of two-unit systems with rolling, J Appl Math Mech **60**(3) 413-419 (1996), 6A144

Accelerated iterative procedure for calculating eigenvector derivatives, AIAA J **35**(2) 340-348 (Feb 1997), 7A124

Double asymptotic method for nonlinear forced oscillations problem of mechanical systems with time dependent parameters, Tech Mech **16**(4) 285-296 (1996), 7A125

Method for structural model update using dynamically measured static flexibility matrices, AIAA J **35**(2) 362-368 (Feb 1997), 7A126

Multiple eigenvalues arising from a class of repetitive substructures, AIAA J **35**(2) 355-361 (Feb 1997), 7A127

Numerical procedure for the dynamic analysis of 3D aeronautical structures, J Aircraft **34**(1) 120-130 (Jan-Feb 1997), 8A124

Reduction method for large scale unsymmetric eigenvalue problems in structural dynamics, J Sound Vib **199**(2) 253-268 (Jan 1997), 8A125

Fast eigenvalue sensitivity calculations for special structures of system matrix derivatives, J Sound Vib **199**(3) 463-471 (Jan 1997), 8A369

Doubly asymptotic approximations for transient elastodynamics, Int J Solids Struct **34**(11) 1293-1305 (Apr 1997), 9A105

Direct spectral method for continuous-time stochastic system estimation based on measured data and a priori information, Mech Syst Signal Processing **11**(2) 287-306 (Mar 1997), 9A112

Accurate modal method for computing response to periodic excitation, Comput Struct **63**(3) 625-631 (May 1997), 9A123

Efficient computation of many eigenvector derivatives using dynamic flexibility method, AIAA J **35**(4) 712-718 (Apr 1997), 9A124

Hybrid inverse mode problem for structure-foundation systems, J Eng Mech **123**(4) 312-321 (Apr 1997), 9A125

Improved damage location accuracy using strain energy-based mode selection criteria, AIAA J **35**(4) 693-699 (Apr 1997), 9A126

Experimental model analysis of large structures by substructuring, Mech Syst Signal Processing **11**(2) 245-256 (Mar 1997), 9A127

Natural frequencies and dampings identification using wavelet transform: Application to real data, Mech Syst Signal Processing **11**(2) 207-218 (Mar 1997), 9A308

Computational formulation for periodic vibration of geometrically nonlinear structures - Part 1: Theoretical background, Int J Solids Struct **34**(15) 1925-1947 (May 1997), 10A145

Representations of Coulomb friction for dynamic analysis, Earthquake Eng Struct Dyn **26**(5) 541-548 (May 1997), 10A163

Computational formulation for periodic vibration of geometrically nonlinear structures - Part 2: Numerical strategy and examples, Int J Solids Struct **34**(15) 1949-1964 (May 1997), 10A169

Optimal construction of a mass-spring system with prescribed modal and spectral data, J Sound Vib **201**(3) 323-334 (Apr 1997), 10A170

Stick-slip motion of frictionally damped turbine airfoils: A FE in time approach, J Vib Acoust **119**(2) 236-242 (Apr 1997), 10A212

Almost-balanced structural dynamics, J Sound Vib **202**(5) 669-687 (May 1997), 11A110

Confidence region of identified parameters due to effects of measurement noise (Japanese), Proc JSCE **563**(I39) 189-194 (Apr 1997), 11A111

Efficient numerical integration of the equations of motion of non-smooth mechanical systems, Z Angew Math Mech **77**(6) 419-427 (1997), 12A114

Analytical and numerical method for solving linear and nonlinear vibration problems, Int J Solids Struct **34**(21) 2709-2731 (Jul 1997), 12A133

Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, J Sound Vib **203**(2) 307-319 (Jun 1997), 12A138

Identification of damping in multi-dof systems using time-scale decomposition, J Sound Vib **203**(2) 283-305 (Jun 1997), 12A152

Frequency response functions of vibrating systems from output-only measurements using the minimum variance spectral estimation, Mech Res Commun **24**(4) 415-422 (Jul-Aug 1997), 12T155

Nonstandard analysis of a simple discontinuous force equation modeling continuous motion, J Sound Vib **202**(2) 288-297 (May 1997), 12T156

Semi-active control of friction dampers, J Sound Vib **202**(2) 203-218 (May 1997), 12A999

152Z. Experimental techniques

Debond detection using broad-band high-frequency excitation and non-contacting laser vibrometer system, J Intelligent Mat Syst Struct **7**(2) 176-181 (Mar 1996), 1A157

Use of rotational elements in structural dynamic modification, Modal Analysis **1**(1-2) 76-82 (Jul 1996), 2A93

Method for identification of a set of optimal measurement points for experimental modal analysis, Modal Analysis **1**(1-2) 1-9 (Jul 1996), 2A105

Statistical sensitivity of experimental modal frequencies and damping ratios to measurement noise, Modal Analysis **1**(1-2) 63-75 (Jul 1996), 2A106

Grinding vibration detection using a neural network, Proc Inst Mech Eng J Eng Manuf **210**(B4) 349-352 (1996), 2A602

Designing random vibration tests, Int J Non-Linear Mech **31**(5) 563-572 (Sep 1996), 3A144

Weighted least-squares discrete FE formulation for modeling 3D velocity response fields measured by a laser doppler vibrometer, Mech Syst Signal Processing **10**(4) 471-495 (Jul 1996), 3A145

Evaluation of dynamic properties of structures subjected to irregular base movements (French), Rev Francaise Mec **0**(3) 231-240 (1996), 6A145

Integration of vibration testing and FE analysis for estimating dynamic mechanical properties of cantilever-beam samples, Exp Tech **20**(6) 21-24 (Nov-Dec 1996), 6A146

Vibration mode shape identification by digital speckle correlation (Disc), Exp Tech **20**(6) 17-19 (Nov-Dec 1996), 6A147

Shape and vibration mode sensing using a fiber optic Bragg grating array, Smart Mat Struct **5**(6) 759-765 (Dec 1996), 7A128

Shape and vibration mode sensing using a fiber optic Bragg grating array, Smart Mat Struct **5**(6) 759-765 (Dec 1996), 7A129

Error measures for the finite strip vibration analysis method, J Sound Vib **200**(2) 139-149 (Feb 1997), 8A126

Natural frequency error estimation using a patch recovery technique, J Sound Vib **200**(2) 151-165 (Feb 1997), 8A127

Experimental model analysis of large structures by substructuring, Mech Syst Signal Processing **11**(2) 245-256 (Mar 1997), 9A127

New approach to impact testing instrumentation using an electronic slave hammer, Mech Syst Signal Processing **11**(2) 269-285 (Mar 1997), 9A128

Torsional (rotational) vibration: Excitation of small rotating machines, J Sound Vib **201**(4) 437-463 (Apr 1997), 10A171

Design of experiments for the controller of rotor systems with a magnetic bearing, J Vib Acoust **119**(2) 200-207 (Apr 1997), 10A213

Confidence region of identified parameters due to effects of measurement noise (Japanese), Proc JSCE **563**(I39) 189-194 (Apr 1997), 11A111

Experimental investigation of friction-base isolation, Probab Eng Mech **12**(3) 125-136 (Jul 1997), 12A151

Semi-active control of friction dampers, J Sound Vib **202**(2) 203-218 (May 1997), 12A999

154. VIBRATIONS (STRUCTURAL ELEMENTS)

154B. Beams, columns, rods, and bars

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 9 (ASME Press, New York, 1996) 1N13

Coriolis effects in the dynamics of a rotating elastic structure, Acta Mech **116**(1-4) 223-227 (1996), 1A158

Dynamic bending of a beam lying on a rough surface, Mech Solids **31**(1) 154-157 (1996), 1A159

Dynamics of an infinite Timoshenko beam lying on a base with two elastic characteristics under motion of a deformable carriage, Mech Solids **31**(1) 158-172 (1996), 1A160

Experimental determination of bending strain power spectra from vibration measurements, Exp Mech **36**(2) 166-172 (Jun 1996), 1A161

Experimental verification of the steady-state behavior of a beam system with discontinuous support, Exp Mech **36**(2) 159-165 (Jun 1996), 1A162

Free and forced vibrations of a spinning viscoelastic beam, J Vib Acoust **118**(3) 467-468 (Jul 1996), 1A163

Green's functions for uniform Timoshenko beams, J Sound Vib **194**(1) 93-102 (Jul 1996), 1A164

Method to determine the boundary conditions of the FE model of a slender beam using measured modal parameters, J Vib Acoust **118**(3) 474-478 (Jul 1996), 1A165

Revisiting the moving mass problem: Onset of separation between the mass and beam, J Vib Acoust **118**(3) 516-521 (Jul 1996), 1A166

Timoshenko beam on an elastic foundation and subject to a moving step load - Part 1: Steady-state response, J Vib Acoust **118**(3) 277-284 (Jul 1996), 1A167

Timoshenko beam on an elastic foundation and subject to a moving step load - Part 2: Transient response, J Vib Acoust **118**(3) 285-291 (Jul 1996), 1A168

Transverse vibrations of a linearly tapered cantilever beam with tip mass of rotatory inertia and eccentricity, J Sound Vib **194**(1) 25-34 (Jul 1996), 1A169

Truncated pyramidal cantilever beam: A convenient dynamically stiffened structural element, J Sound Vib **194**(3) 448-451 (Jul 1996), 1T170

Nonlinear dynamic response of shallow arches to harmonic forcing, J Sound Vib **194**(3) 353-367 (Jul 1996), 1A189

Holographic measurement of lower loss tangent using a beam of variable cross section - 1st report: Calculation and measurement of amplitude distribution, Int J Japan Soc Precision Eng **30**(1) 65-70 (Mar 1996), 1A804

Structural Vibration Analysis and Damping (Wiley, New York, 1996) 2R8

Spectral FE analysis of stationary vibrations in a beam-plate structure, Acustica **82**(3) 478-497 (May-Jun 1996), 2A26

Analysis of mode localization of a structure due to symmetry breaking (Chinese), J Vib Eng **9**(2) 186-190 (Jun 1996), 2A107

Approximate determination of the fundamental frequency of a cantilevered beam with point masses and restraining springs, J Sound Vib **195**(2) 229-240 (Aug 1996), 2A108

Coupled Timoshenko beam vibration equations for free symmetric bodies, J Sound Vib **195**(2) 348-352 (Aug 1996), 2T109

Dynamic studies on beams with unconstrained layer damping treatment, J Sound Vib **195**(3) 417-427 (Aug 1996), 2A110

Effect of an arbitrarily located mass on the longitudinal vibrations of a bar, J Sound Vib **194**(5) 751-756 (Aug 1996), 2T111

Effect of an attached spring-mass system on the frequency spectrum of a cantilevered beam, J Sound Vib **195**(1) 163-168 (Aug 1996), 2T112

Eigenfrequencies of cantilevered beams carrying a tip mass and spring-mass in-span, Int J Mech Sci **38**(12) 1295-1306 (Dec 1996), 2A113

Energy decaying scheme for nonlinear beam models, Comput Methods Appl Mech Eng **134**(1-2) 37-56 (Jul 1996), 2A114

Experimental and analytical power flow in beams using a scanning laser Doppler vibrometer, Shock Vib **3**(5) 325-336 (1996), 2A115

Free vibrations of stepped beams with flexible ends, in the presence of follower forces at the step, J Sound Vib **194**(4) 631-635 (Jul 1996), 2T116

Influence of small change of support location on vibration frequencies (Chinese), J Vib Eng **9**(2) 138-144 (Jun 1996), 2A117

Initial-boundary-value problem for the extensible beam with attached load, Math Methods Appl Sci **19**(12) 943-957 (Aug 1996), 2A118

Instability of a clamped-elastically restrained Timoshenko column carrying a tip load, subjected to a follower force, J Sound Vib **194**(4) 623-630 (Jul 1996), 2T119

Intrinsic equations for the nonlinear dynamics of space beams, AIAA J **34**(8) 1657-1663 (Aug 1996), 2A120

Lateral free vibration of a single pile with or without an axial load, J Sound Vib **195**(3) 531-544 (Aug 1996), 2T121

Moving loads on beams with general boundary conditions, J Sound Vib **195**(1) 85-102 (Aug 1996), 2A122

Natural frequencies and buckling loads of beam-columns stiffened by rings, Appl Math Model **20**(9) 646-653 (Sep 1996), 2A123

Non-uniform, axially loaded Euler-Bernoulli beam having complex ends, Quart J Mech Appl Math **49**(3) 353-371 (Aug 1996), 2A124

Response of a bending-torsion coupled beam to deterministic and random loads, J Sound Vib **195**(2) 267-283 (Aug 1996), 2A125

Transverse vibrations of beams traversed by point masses: A general, approximate solution, J Sound Vib **195**(2) 353-358 (Aug 1996), 2T126

Variational approach to the vibration of tapered beams with elastically restrained ends, J Sound Vib **195**(3) 507-511 (Aug 1996), 2T127

Exact dynamic stiffness matrix for composite Timoshenko beams with applications, J Sound Vib **194**(4) 573-585 (Jul 1996), 2A155

Thick beam theory and FE model with zig-zag sublaminate approximations, AIAA J **34**(8) 1627-1632 (Aug 1996), 2A472

Active and passive vibration control of an axially moving beam by smart hybrid bearings, J Sound Vib **195**(4) 575-584 (Aug 1996), 3A146

Comparison of FE nonlinear beam random response with experimental results, J Sound Vib **195**(5) 719-737 (Sep 1996), 3A147

Experimental study of nonlinear transient motion confinement in a system of coupled beams, J Sound Vib **195**(4) 629-648 (Aug 1996), 3A148

Justification for investigating the dynamic properties of an elastic bar using a model of a system of coupled rigid bodies, J Appl Math Mech **60**(2) 343-347 (1996), 3A149

Linear vibration analysis of laminated rectangular plates using the hierarchical FEM - II: Forced vibration analysis, Comput Struct **61**(4) 713-724 (Nov 1996), 3A150

Stabilization of nonstationary parametric main resonance of a laminated angle-ply column, Comput Struct **61**(4) 695-703 (Nov 1996), 3A151

Vibrations of a finite length beam with an axially movable load, Eur J Mech A **15**(4) 667-680 (1996), 3A152

Vibration control of a flexible beam using shape memory alloy actuators, J Guidance Control Dyn **19**(5) 1178-1180 (Sep-Oct 1996), 3T389

Effects of higher vibration modes in the analysis of three point bend testing, Int J Fracture **77**(4) 367-379 (1996), 3A714

Finite element approach to the chaotic motion of geometrically exact rods undergoing in-plane deformations, Nonlinear Dyn **11**(2) 189-212 (Oct 1996), 4A17

Coupling between high-frequency modes and a low-frequency mode: Theory and experiment, Nonlinear Dyn **11**(1) 17-36 (Sep 1996), 4A82

Nonlinear vibration analysis of a clamped-clamped beam by a reduced multibody method, Nonlinear Dyn **11**(2) 121-141 (Oct 1996), 4A87

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part I: Driving point mobility matrix of beams and rectangular plates, J Sound Vib **196**(4) 469-493 (Oct 1996), 4A115

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part II: Vibrational power analysis and control schemes, J Sound Vib **196**(4) 495-508 (Oct 1996), 4A116

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part III: Vibrational power cancellation and control experiments, J Sound Vib **196**(4) 509-522 (Oct 1996), 4A117

Analysis of the characteristics of pseudo-resonance and anti-resonance, J Vib Acoust **118**(4) 663-667 (Oct 1996), 4A118

Asymptotic analysis of the free in-plane vibrations of beams with arbitrarily varying curvature and cross-section, J Sound Vib **196**(5) 659-680 (Oct 1996), 4A119

Dynamic analysis of generally supported beams using Fourier series, J Sound Vib **196**(3) 285-293 (Sep 1996), 4A120

Dynamic analysis of the flexible connecting rod of a slider-crank mechanism, J Vib Acoust **118**(4) 687-689 (Oct 1996), 4T121

Dynamic behavior of an unbalanced rotor on lubricated bearings, Trib Trans **39**(4) 859-869 (Oct 1996), 4A122

Energy-conserving planar finite beam element for dynamics of flexible mechanisms, Eng Comput **13**(6) 60-85 (1996), 4A123

Exact dynamic analysis of beam-mass systems, J Sound Vib **196**(4) 529-533 (Oct 1996), 4T124

Finite element solution of nonlinear intrinsic equations for curved composite beams, J Am Helicopter Soc **41**(4) 313-321 (Oct 1996), 4A125

Higher order Timoshenko quotient in the stability and dynamic analysis of smoothly tapered beams, J Sound Vib **196**(3) 253-262 (Sep 1996), 4A126

Localized and non-localized nonlinear normal modes in a multi-span beam with geometric nonlinearities, J Vib Acoust **118**(4) 533-542 (Oct 1996), 4A127

Vibration of a rotating Timoshenko beam, J Vib Acoust **118**(4) 606-613 (Oct 1996), 4A128

Concentrated excitation of structures, J Sound Vib **196**(3) 295-321 (Sep 1996), 4A147

Pendulum as vibration absorber for flexible structures: Experiments and theory, J Vib Acoust **118**(4) 558-566 (Oct 1996), 4A194

H_∞ robust control of flexible beam vibration by using a hybrid damper, J Dyn Syst Meas Control **118**(3) 643-648 (Sep 1996), 4A394

Use of consistent approximations for the optimal design of beams, SIAM J Control Optim **34**(6) 1891-1913 (Nov 1996), 4T939

Harmonic analysis of the vibrations of a cantilevered beam with a closing crack, Comput Struct **61**(6) 1057-1074 (Dec 1996), 5A95

Parametric instability of partially covered sandwich beams, J Sound Vib **197**(2) 137-152 (Oct 1996), 5A96

Primal and mixed variational principles for dynamics of spatial beams, AIAA J **34**(11) 2395-2401 (Nov 1996), 5A97

Small displacements about equilibrium of a beam subjected to large static loads, AIAA J **34**(11) 2384-2391 (Nov 1996), 5A98

Thermally induced bending vibrations of internally heated beams in air, J Thermal Stresses **19**(7) 649-670 (Oct 1996), 5A99

Planar motion of an articulated tower with an elastic appendage, J Sound Vib **198**(1) 27-50 (Nov 1996), 5A129

Effect of period asymmetry on wave propagation in periodic beams, J Sound Vib **197**(4) 427-445 (Nov 1996), 5A149

Experimental determination of flexural power flow in beams using a modified Prony method, J Sound Vib **197**(3) 309-328 (Oct 1996), 5A150

Nonlinear vibrations in beams and frames: The effects of the deformed equilibrium state, Nonlinear Dyn **11**(3) 275-293 (Nov 1996), 6A121

Another mode of vibration in a Timoshenko beam, J Sound Vib **198**(4) 517-521 (Dec 1996), 6T148

Crack identification in a cantilever beam from modal response, J Sound Vib **198**(5) 527-545 (Dec 1996), 6A149

Dynamic behavior of multi-span beams under moving loads, J Sound Vib **199**(1) 33-50 (Jan 1997), 6A150

Dynamic response of a Timoshenko beam subjected to a moving mass, J Sound Vib **198**(2) 249-256 (Nov 1996), 6A151

Exact dynamic stiffness matrix for beams of arbitrarily varying cross sections, Int J Numer Methods Eng **40**(2) 233-250 (Jan 1997), 6A152

Finite element analysis of longitudinally stiffened cylinders in bending, J Eng Mech **122**(11) 1060-1068 (Nov 1996), 6A153

Isospectral systems for tapered beams, J Sound Vib **198**(3) 257-266 (Dec 1996), 6A154

Peak response statistics of vertical cylinders in 2D irregular waves, J Offshore Mech Arctic Eng **118**(4) 276-283 (Nov 1996), 6A155

Spectral element methods for nonlinear spatio-temporal dynamics of an Euler-Bernoulli beam, Comput Mech **19**(2) 136-151 (Dec 1996), 6A156

Vibration and stability of an elastic column subject to a generalized load, Arch Appl Mech **67**(1-2) 105-116 (Dec 1996), 6A157

Flow-induced vibration of tubes in cross-flow, J Offshore Mech Arctic Eng **118**(4) 253-258 (Nov 1996), 6A294

Vibrational control of a flexible beam, Int J Control **65**(5) 803-825 (Nov 1996), 6A396

Vibration of poroelastic beams with axial diffusion, Eur J Mech A **15**(6) 1077-1094 (1996), 6A1386

Finite element approach to the prediction of foil bearing rotor dynamic coefficients, J Trib **119**(1) 85-90 (Jan 1997), 7A25

Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, Smart Mat Struct **5**(6) 751-758 (Dec 1996), 7A118

Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, Smart Mat Struct **5**(6) 751-758 (Dec 1996), 7A119

Computer program for the free vibration analysis of elastic arcs, Comput Struct **62**(3) 475-485 (1997), 7A130

Efficient optimal frequency design of elastically supported distributed-parameter cantilevers, Comput Struct **62**(1) 107-117 (Jan 1997), 7A131

Generalized approach for implementing general boundary conditions in the GDQ free vibration analysis of plates, Int J Solids Struct **34**(7) 837-846 (3 1997), 7A132

Implementation of clamped and simply supported boundary conditions in the GDQ free vibration analysis of beams and plates, Int J Solids Struct **34**(7) 819-835 (3 1997), 7A133

Response of an elastically supported infinite Timoshenko beam to a moving vibrating mass, J Acoust Soc Am **101**(1) 337-340 (Jan 1997), 7A134

Timoshenko's shear coefficient for transverse vibrations of trigonal crystals of rectangular cross section, JSME Int J Ser C **39**(4) 708-713 (Dec 1996), 7A135

Experimental investigation on the static and dynamic characteristics of journal bearings under the influence of twisting misalignment, J Trib **119**(1) 188-192 (Jan 1997), 7A160

Nonlinear model for structural vibrations in rolling element bearings - Part I: Derivation of governing equations, J Trib **119**(1) 126-131 (Jan 1997), 7A1195

Fluid surface damping versus constrained layer damping for vibration suppression of simply supported beams, Smart Mat Struct **6**(1) 40-46 (Feb 1997), 8A122

Active robust vibration control of flexible composite beams with parameter perturbations, Int J Mech Sci **39**(7) 751-760 (Jul 1997), 8A128

Continuity of the boundary value problem for vibrating free-free straight beams under axial loads, J Sound Vib **200**(1) 110-119 (Feb 1997), 8A129

Dynamic behavior of a semi-infinite elastic-hardening-softening beam, Int J Non-Linear Mech **32**(1) 145-159 (Jan 1997), 8A130

Dynamic characteristics of a beam specimen featuring electrorheological fluids, Exp Mech **37**(1) 1-4 (Mar 1997), 8A131

Korn's inequalities for junctions of spatial bodies and thin rods, Math Methods Appl Sci **20**(3) 219-243 (Feb 1997), 8A132

Large amplitude free vibrations of a restrained uniform beam carrying an intermediate lumped mass, J Sound Vib **199**(5) 711-736 (Feb 1997), 8A133

Natural vibrations of tapered beams with attached inertia elements, J Sound Vib **199**(3) 522-530 (Jan 1997), 8T134

Nonlinear vibrations of a beam-mass system under different boundary conditions, J Sound Vib **199**(4) 679-696 (Jan 1997), 8A135

Out-of-plane vibration of a uniform Euler-Bernoulli beam attached to the inside of a rotating rim, J Sound Vib **200**(1) 63-81 (Feb 1997), 8A136

Power series solution for the nonlinear vibration of beams, J Sound Vib **199**(4) 587-594 (Jan 1997), 8A137

Problem of an elastic-plastic beam dynamics and an incomplete co-dimension two bifurcation, Int J Non-Linear Mech **32**(1) 127-143 (Jan 1997), 8A138

Regular and chaotic responses of a Hamiltonian beam model, Eur J Mech A **16**(2) 341-368 (1997), 8A139

Steady motions of an elastic rod with application to contact problems, Int J Solids Struct **34**(9) 1123-1143 (Mar 1997), 8A140

Vibration analysis of a Timoshenko beam subjected to a traveling mass, J Sound Vib **199**(4) 615-628 (Jan 1997), 8A141

Vibration analysis of laminated beams using an iterative smeared laminate model, J Sound Vib **199**(2) 275-284 (Jan 1997), 8A142

Feasibility analysis of using piezoceramic transducers for cantilever beam modal testing, Smart Mat Struct **6**(1) 106-116 (Feb 1997), 8A183

Behavior of uniform anisotropic beams of rectangular section under transverse impact of a mass, Shock Vib **4**(2) 125-141 (1997), 8A238

Low-velocity impact response for laminated stepped beam, Composite Struct **35**(4) 343-355 (Aug 1996), 8A558

Beam response derived from a 3D hybrid boundary integral method in elastodynamics, Mech Syst Signal Processing **11**(2) 257-268 (Mar 1997), 9A129

Complex modal analysis of a flexural vibrating beam with viscous end conditions, J Sound Vib **200**(3) 327-345 (Feb 1997), 9A130

Consistent cracked bar vibration theory, J Sound Vib **200**(3) 303-313 (Feb 1997), 9A131

Modeling of actively damped beams with piezoelectric actuators with finite stiffness bond, J Intelligent Mat Syst Struct **7**(6) 677-688 (Nov 1996), 9A132

Resonant frequency of a reciprocating load on an elastic beam, J Sound Vib **200**(5) 621-629 (Mar 1997), 9A133

Study of the numerical convergence of Rayleigh-Ritz method for the free vibrations of cantilever beam of variable cross-section with tip mass, Eng Trans **44**(3-4) 375-388 (1996), 9A134

Reduction of residual vibrations in a rotating flexible beam with a moving payload mass, J Syst Control Eng **211**(I1) 25-34 (1997), 9T400

Vibrational energy flow analysis using a substructure approach: The application of receptance theory to FEA and SEA, J Sound Vib **201**(4) 491-513 (Apr 1997), 10A26

Instability of vibrations of a mass moving uniformly along an axially compressed beam on a viscoelastic foundation, J Sound Vib **201**(5) 567-576 (Apr 1997), 10A120

Three-to-one internal resonances in hinged-clamped beams, Nonlinear Dyn **12**(2) 129-154 (Feb 1997), 10A141

Application of center manifold theory to regulation of a flexible beam, J Vib Acoust **119**(2) 158-165 (Apr 1997), 10A151

Boundary control of beams using active constrained layer damping, J Vib Acoust **119**(2) 166-172 (Apr 1997), 10A154

Mechanics and control of coupled bending and twisting vibration of laminated beams, Smart Mat Struct **6**(2) 123-133 (Apr 1997), 10A159

Variational formulation, a work-energy relation and damping mechanisms of active constrained layer treatments, J Vib Acoust **119**(2) 192-199 (Apr 1997), 10A167

Torsional (rotational) vibration: Excitation of small rotating machines, J Sound Vib **201**(4) 437-463 (Apr 1997), 10A171

Closed-form formulas for fundamental vibration frequency of beams under off-center load, J Sound Vib **201**(4) 528-533 (Apr 1997), 10T172

Comments on "resonance conditions and deformable body co-ordinate systems", J Sound Vib **201**(5) 633-635 (Apr 1997), 10T173

Comparison of various techniques for modeling flexible beams in multibody dynamics, Nonlinear Dyn **12**(4) 367-397 (Apr 1997), 10A174

Damping of beams: Optimal distribution of cuts in the viscoelastic constrained layer, Struct Optim **13**(2-3) 167-171 (Apr 1997), 10A175

Decoupling longitudinal and transverse vibrations of a cylindrical beam in time and frequency domains, J Sound Vib **201**(2) 272-280 (Mar 1997), 10T176

Dynamic deflection of a cracked beam with moving mass, Proc Inst Mech Eng C **211**(C1) 77-87 (1997), 10A177

Evaluation of natural vibration frequency of a compression bar with varying cross-section by using the shooting method, J Sound Vib **201**(4) 520-527 (Apr 1997), 10T178

Exact solution for the transverse vibration of a beam a part of which is a taper beam and other part is a uniform beam, Int J Solids Struct **34**(17) 2115-2129 (Jun 1997), 10A179

Fundamental frequency of tensioned free-free beams, J Sound Vib **201**(4) 515-517 (Apr 1997), 10T180

Isospectral vibration of quasi-uniform rods and strings, Proc Estonian Acad Sci Eng **2**(2) 224-232 (1996), 10A181

Long-time behavior of solutions of a nonlinear fourth order wave equation, describing the dynamics of marine risers, Z Angew Math Mech **77**(3) 209-215 (1997), 10A182

Note on the fundamental shape function and frequency for beams under off-center load, J Sound Vib **202**(1) 134-138 (Apr 1997), 10T183

Receptances and natural frequencies of finite beams on non-uniformly spaced supports, J Low Frequency Noise and Vib **15**(3) 115-124 (1996), 10A184

Relationship between fundamental natural frequency and maximum static deflection for rotating Timoshenko beams, J Sound Vib **201**(3) 404-406 (Apr 1997), 10T185

Sensitivity of the eigenvalues of a damped Euler-Bernoulli beam (German), Z Angew Math Mech **77**(3) 235-237 (1997), 10T186

Transverse vibrations of short beams: FE models obtained by a condensation method, J Sound Vib **201**(3) 353-363 (Apr 1997), 10A187

Vibration and damping characteristics of a beam with a partially sandwiched viscoelastic layer, J Adhesion **61**(1-4) 97-122 (1997), 10A188

Oscillations of a Timoshenko sandwich cantilever beam, J Sound Vib **202**(1) 139-144 (Apr 1997), 10T224

Vibration characteristics of a suspension footbridge, J Sound Vib **202**(1) 29-46 (Apr 1997), 10A231

Derivation of structural design sensitivities from vibration test data, J Sound Vib **201**(5) 613-631 (Apr 1997), 10A421

Distributed and boundary control for a parallel system of Euler-Bernoulli beams, J Vib and Control **3**(2) 183-199 (May 1997), 10T430

Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, J Vib and Control **3**(2) 235-254 (May 1997), 10A431

Improved analysis of microbeams under mechanical and electrostatic loads, J Micromech Microeng **7**(1) 24-29 (Mar 1997), 10A508

Fluid inertia effects on the performance of short and long squeeze film dampers executing periodic vibration, J Trib **119**(2) 306-314 (Apr 1997), 10A992

Experimental investigation on the misalignment effects in journal bearings, Trib Trans **40**(2) 235-242 (Apr 1997), 10A994

Nonlinear model for structural vibrations in rolling element bearing - Part II: Simulation and results, J Trib **119**(2) 323-331 (Apr 1997), 10A997

Spinning finite beam element of general orientation analyzed with Rayleigh-Timoshenko and Saint-Venant theory, J Eng Gas Turbines Power **118**(1) 86-94 (Jan 1996), 11A44

Analysis of modal parameters of adhesively bonded double-strap joints by the modal strain energy method, J Vib Acoust **118**(1) 28-35 (Jan 1996), 11A112

Approximate method of response analysis of vibrations for cracked beams, Appl Math Mech **18**(3) 221-228 (Mar 1997), 11A113

Correction factor for measured natural frequencies in beams, J Eng Mech **123**(6) 629-632 (Jun 1997), 11A114

Experimental verification of the importance of the nonlinear curvature in the response of a cantilever beam, J Vib Acoust **118**(1) 21-27 (Jan 1996), 11A115

Longitudinal vibrations of rods coupled by a double spring-mass system, J Sound Vib **202**(5) 748-755 (May 1997), 11A116

Out-of-plane impact at the tip of a right-angled bent cantilever beam, J Appl Mech **62**(4) 887-892 (Dec 1995), 11A117

Prediction of dynamic stresses for long, large-diameter horizontal pipes at or near the ocean free surface, J Offshore Mech Arctic Eng **117**(4) 239-244 (Nov 1995), 11A118

Mindlin plate theory: Best shear coefficient and higher spectra validity, J Sound Vib **202**(4) 539-553 (May 1997), 11A135

Method of analyzing finite periodic structures - Part 2: Comparison with infinite periodic structure theory, J Sound Vib **202**(4) 571-583 (May 1997), 11A170

Vibration of a tube bundle in two-phase Freon cross-flow, J Pressure Vessel Tech **117**(4) 321-329 (Nov 1995), 11A206

Frequency domain control of flexible beams with piezoelectric actuator, J Dyn Syst Meas Control **117**(4) 541-546 (Dec 1995), 11A312

Stability and controllability of Euler-Bernoulli beams with intelligent constrained layer treatments, J Vib Acoust **118**(1) 70-77 (Jan 1996), 11A771

Dynamic analysis of the flexible rod of a quick-return mechanism with time-dependent coefficients by the FEM, J Sound Vib **202**(2) 187-201 (May 1997), 12A56

Periodic solution of a Mathieu-Duffing type equation, Int J Non-Linear Mech **32**(5) 905-912 (Sep 1997), 12A126

Decoupling the normal modes of continuous symmetric structures using group representation theory, Int J Non-Linear Mech **32**(5) 973-978 (Sep 1997), 12A135

Predicting localization via Lyapunov exponent statistics, J Sound Vib **203**(1) 151-157 (May 1997), 12T140

Statistical investigation of the forced response of finite, nearly periodic assemblies, J Sound Vib **203**(1) 158-168 (May 1997), 12T141

Multimodal nonlinear spectral response of a beam with impact under random input, Probab Eng Mech **12**(3) 163-170 (Jul 1997), 12A147

Joint stiffness control of a one-link flexible arm, J Sound Vib **203**(2) 341-351 (Jun 1997), 12A153

Detection of the location and size of a crack in stepped cantilever beams based on measurements of natural frequencies, J Sound Vib **203**(3) 435-446 (Jun 1997), 12A157

Effect of nonlinear inertia on the steady state response of a beam system subjected to combined excitations, J Sound Vib **203**(3) 373-387 (Jun 1997), 12A158

Experimental investigations and shape functions for lateral vibration of axially constrained beams with a concentrated mass at the center, J Sound Vib **202**(3) 446-451 (May 1997), 12T159

Free and forced vibration of a cantilever beam contacting with a rigid cylindrical foundation, J Sound Vib **202**(2) 161-185 (May 1997), 12A160

Free vibrations of a stepped, spinning Timoshenko beam, J Sound Vib **203**(4) 717-722 (Jun 1997), 12T161

Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars, J Sound Vib **203**(1) 1-9 (May 1997), 12A162

Identifying nodes and anti-nodes of an axially vibrating bar with lumped mass, J Sound Vib **203**(3) 533-535 (Jun 1997), 12T163

Normal multi-modes of nonlinear Euler beams, J Sound Vib **202**(2) 145-160 (May 1997), 12A164

Vibrational energy flows in beam networks with compliant and dissipative joints, J Sound Vib **203**(2) 321-339 (Jun 1997), 12A165

Simultaneous forward and backward whirling in a Jeffcott rotor supported on dissimilar hydrodynamic bearings, J Sound Vib **203**(4) 707-716 (Jun 1997), 12A192

Theoretical and experimental implementation of a control method based on saturation, Nonlinear Dyn **13**(2) 189-202 (Jun 1997), 12A214

Physical description of the response of coupled beams, J Sound Vib **203**(4) 563-580 (Jun 1997), 12A226

Simulation of 2D squeeze film and solid contact forces acting on a heat exchanger tube, J Sound Vib **203**(4) 621-639 (Jun 1997), 12A240

Dynamic analysis of a thin beam impacting against a stop of general 3D geometry, J Sound Vib **203**(2) 237-249 (Jun 1997), 12A241

Maupertuis-Lagrange mixed variational formula for laminated composite structures with a refined higher-order beam theory, Int J Non-Linear Mech **32**(5) 989-1001 (Sep 1997), 12A483

Rotordynamic coefficients of circumferentially-grooved liquid seals using the averaged Navier-Stokes equations, J Trib **119**(3) 556-567 (Jul 1997), 12A1021

154C. Strings, cables, chains, and ropes

Mechanics of Musical Instruments (Springer-Verlag, New York, 1995) 1R8

Analysis of the spatial nonlinear vibrations of a string, J Appl Math Mech **60**(1) 85-95 (1996), 1A171

Free vibration of a string with moving boundary conditions by the method of distorted images, J Sound Vib **194**(1) 35-47 (Jul 1996), 1A172

Free vibration of serpentine belt drive systems, J Vib Acoust **118**(3) 406-413 (Jul 1996), 1A173

Stability and limit cycles of parametrically excited, axially moving strings, J Vib Acoust **118**(3) 346-351 (Jul 1996), 1A174

Vibration of coupled traveling string and air bearing systems, J Vib Acoust **118**(3) 398-405 (Jul 1996), 1A175

Active vibration control of the axially moving string using space feedforward and feedback controllers, J Vib Acoust **118**(3) 306-312 (Jul 1996), 1A367

Boundary control of a nonlinear string, J Sound Vib **195**(1) 169-174 (Aug 1996), 2T128

Determination method of optimum pre-stress in cables of cable-stayed bridges by using fuzzy sets theory (Japanese), Proc JSCE **540**(VI-31) 105-112 (Jun 1996), 2A129

Aerodynamics of the cable of cable-stayed bridges (Japanese), Proc JSCE **543**(I-36) 153-162 (Jul 1996), 3A153

Analytical vibration and resonant motion of a stretched spinning nonlinear tether, J Guidance Control Dyn **19**(5) 1162-1171 (Sep-Oct 1996), 3A154

Tension structures, J Construct Steel Res **39**(1) 3-84 (Aug 1996), 3A155

Periodic motion in the tethered satellite system, J Guidance Control Dyn **19**(5) 1195-1197 (Sep-Oct 1996), 3T288

Analysis of a self-excited vibrations of a torsion string, Z Angew Math Mech **76**(10) 547-557 (1996), 4A129

Nonlinear coupled vibration response of serpentine belt drive systems, J Vib Acoust **118**(4) 567-574 (Oct 1996), 4A130

Numerical solutions of forced vibration and whirling of a nonlinear string using the theory of a Cosserat point, J Sound Vib **197**(1) 85-101 (Oct 1996), 4A131

Freely propagating waves in elastic cables, J Sound Vib **196**(2) 189-202 (Sep 1996), 4A197

Dynamic response of a stack-cable system subjected to vortex induced vibration, J Sound Vib **196**(3) 337-349 (Sep 1996), 4A243

Audible noise predicted by the sporadic changes of tensile forces in a belt driven system, J Low Frequency Noise and Vib **14**(4) 193-211 (1995), 4A277

Active boundary control of elastic cables: Theory and experiment, J Sound Vib **198**(1) 17-26 (Nov 1996), 5A100

Dual series representation and its applications to a string subjected to support motions, Adv Eng Software **27**(3) 227-238 (Dec 1996), 5A101

Analysis of long torsional strings by proper orthogonal decomposition, Arch Appl Mech **67**(1-2) 68-80 (Dec 1996), 6A158

Nonlinear vibration of a small-sag cable subjected to an axial time-varying load and transverse time-varying load (Japanese), Proc JSCE **549**(I-37) 115-124 (Oct 1996), 6A159

Planar and non-planar nonlinear dynamics of suspended cables under random in-plane loading - I: Single internal resonance, Int J Non-Linear Mech **31**(6) 837-859 (Nov 1996), 7A136

Frequency-domain dynamic analysis of cables, Eng Struct **19**(6) 499-506 (Jun 1997), 9A135

Nonstationary vibrations of a string with time-varying length and a mass-spring attached at the lower end, Nonlinear Dyn **12**(1) 39-55 (Jan 1997), 9A136

Nonlinear vibration of power transmission belts, J Sound Vib **200**(4) 419-431 (Mar 1997), 9A950

Multiple internal resonance in suspended cables under random in-plane loading, Nonlinear Dyn **12**(3) 275-303 (Mar 1997), 10A189

Natural frequencies and stability of an axially-traveling string in contact with a stationary load system, J Vib Acoust **119**(2) 152-157 (Apr 1997), 10A190

Transient amplitude of the viscoelastic traveling string: An integral constitutive law, J Sound Vib **201**(2) 153-167 (Mar 1997), 10A191

Vibration suppression of a nonlinear axially moving string by boundary control, J Sound Vib **201**(1) 145-152 (Mar 1997), 10T920

Finite element modeling of spatially chaotic structures, Int J Numer Methods Eng **40**(12) 2237-2256 (Jun 1997), 11A119

Propagation of boundary disturbances in an axially moving strip in contact with rigid and flexible constraints, J Appl Mech **62**(4) 873-879 (Dec 1995), 11A120

Analysis of cantilever bouncing against a stop according to Timoshenko beam theory, Struct Eng and Mech **5**(3) 297-306 (May 1997), 12A166

Dynamic analysis of the axially moving string based on wave propagation, J Appl Mech **64**(2) 394-400 (Jun 1997), 12A167

Energy decay of two coupled strings through a joint damper, J Sound Vib **203**(3) 447-455 (Jun 1997), 12A168

Vibration and wave localization in a nearly periodic beaded string, J Acoust Soc Am **101**(6) 3430-3442 (Jun 1997), 12A169

Passing through the "elastic wave barrier" by a load moving along a waveguide, J Sound Vib **203**(4) 597-606 (Jun 1997), 12A222

154D. Rings

Micromechanical analysis of dynamic behavior of conventional and negative Poisson's ratio foams, J Eng Mat Tech **118**(3) 285-288 (Jul 1996), 1A176

Forces and moments due to misalignment vibrations in annular liquid seals using the averaged Navier-Stokes equations, J Trib **119**(2) 279-290 (Apr 1997), 10A999

Vibration detection of liquid rocket engine based on fuzzy neural networks, J Vib Eng **10**(2) 219-224 (Jun 1997), 12T170

154E. Springs

Dynamics of two spring-connected masses in orbit, Celest Mech Dyn Astron **63**(3-4) 289-312 (1995), 3A89

Harmonic synthesis design methodology for dynamic spring balancing, J Dyn Syst Meas Control **118**(4) 733-740 (Dec 1996), 6A160

Finite element model optimization using diagonal mass matrix, Shock Vib **4**(3) 163-168 (1997), 10A21

Shock protection of portable electronic products: Shock response spectrum, damage boundary approach, and beyond, Shock Vib **4**(3) 169-191 (1997), 10A285

Free vibration analysis of non-cylindrical coil springs by combined use of the transfer matrix and the complementary functions methods, Commun Numer Methods Eng **13**(6) 487-494 (Jun 1997), 12A171

154F. Membranes

Mechanics of Musical Instruments (Springer-Verlag, New York, 1995) 1R8

Adaptable spline element for membrane vibration analysis, Int J Numer Methods Eng **39**(14) 2457-2476 (Jul 1996), 1A177

Vibration of rectangular membranes with linearly varying tension and low flexural rigidity, Modal Analysis **11**(1-2) 106-115 (Jul 1996), 2A130

Approximate determination of vibration frequencies of doubly connected membranes of complicated boundary shape, Appl Acoust **48**(4) 301-309 (Aug 1996), 3A156

Free vibrations of a non-homogeneous rectangular membrane, J Sound Vib **195**(4) 674-678 (Aug 1996), 3T157

Practical error estimator for FE predicted natural frequencies of membrane vibration problems, J Sound Vib **195**(5) 739-756 (Sep 1996), 3A158

Vibration analysis of membranes and plates by a discrete least squares technique, J Sound Vib **195**(4) 595-605 (Aug 1996), 3A159

Substructuring method and eigenfunction representation for a rolling tire coupled to a secondary mechanical system, Proc Inst Mech Eng D **210**(D4) 313-325 (1996), 5A131

Development of an active mass damper for a suspended load on a floating crane (Japanese), Proc JSCE **549**(I-37) 149-158 (Oct 1996), 6A161

Holographic visualization of vibration distribution on a loudspeaker membrane in the growth and decay of the excitation signal, J Sound Vib **198**(5) 589-600 (Dec 1996), 6A162

Dynamic analysis of tension structures, Comput Struct **62**(3) 467-474 (1997), 7A137

Large deformations of dynamically loaded elasto-sticky-plastic circular membrane (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(7) 77-94 (Jul 1996), 9A58

Transverse vibrations of a square membrane with an eccentric circular or quasi-square hole, J Sound Vib **201**(1) 133-136 (Mar 1997), 10T192

Numerical analysis of membrane stability in air flow, J Sound Vib **201**(3) 281-292 (Apr 1997), 10A319

Small oscillations of finitely deformed elastic networks, J Sound Vib **202**(5) 619-631 (May 1997), 11A121

Vibrations of composite, doubly connected square membranes, J Sound Vib **203**(3) 542-545 (Jun 1997), 12T172

154G. Plates

Vibration control of plates with active constrained layer damping, Smart Mat Struct **5**(3) 272-280 (Jun 1996), 1A154

Approximate solution of eigen-frequencies of transverse vibration of rectangular plates with elastical restraints, Appl Math Mech **17**(5) 451-456 (May 1996), 1A178

Approximate theories for vibration of laminated plates, J Brazilian Soc Mech Sci **18**(2) 198-206 (Jun 1996), 1A179

Effect of laminations on the vibrational modes of circular annular plates, Exp Mech **36**(2) 180-186 (Jun 1996), 1A180

Effect of metallographic structure on clamped plate vibration characteristics, Exp Mech **36**(2) 127-134 (Jun 1996), 1A181

Effect of Poisson ratio and certain approximation schemes on transverse vibrations of thin, rectangular plates with a free edge, J Sound Vib **194**(3) 439-444 (Jul 1996), 1T182

Exact perturbation for the vibration of almost annular or circular plates, J Vib Acoust **118**(3) 436-445 (Jul 1996), 1A183

Forced nonlinear vibrations of a string, Mech Solids **31**(1) 15-21 (1996), 1A184

Large amplitude circular plate vibration with transverse shear and rotatory inertia effects, J Sound Vib **194**(3) 463-469 (Jul 1996), 1T185

Superposition-Galerkin method for free vibration analysis of rectangular plates, J Sound Vib **194**(2) 187-198 (Jul 1996), 1A186

Two dimensional analysis of thin, shell, or plate like muffler elements, J Sound Vib **194**(2) 137-171 (Jul 1996), 1A187

Effects of dissipation energy on vibrational and sound energy flow, Tech Mech **16**(2) 107-116 (1996), 1A301

Spectral FE analysis of stationary vibrations in a beam-plate structure, Acustica **82**(3) 478-497 (May-Jun 1996), 2A26

Behavior of spinning pretwisted composite plates using a nonlinear FE approach, AIAA J **34**(8) 1686-1695 (Aug 1996), 2A131

Determination of the elastic constants of materials, in the form of plates, by a free vibration method, J Sound Vib **194**(4) 497-512 (Jul 1996), 2A132

Direct identification of elastic constants of anisotropic plates by modal analysis: Theoretical and numerical aspects, J Sound Vib **195**(3) 401-415 (Aug 1996), 2A133

Influence of geometry and end conditions on optimal fundamental natural frequencies of symmetrically laminated plates, J Reinforced Plastics Composites **15**(9) 877-893 (Sep 1996), 2A134

Influence of the material constants on the low frequency modes of a free guitar plate, J Sound Vib **194**(4) 640-644 (Jul 1996), 2T135

Minimum weight design of laminated composite plates subject to strength constraint, AIAA J **34**(8) 1699-1708 (Aug 1996), 2A136

Planar vibrations and vibroheating of plate-like inelastic bodies with temperature dependent properties (Russian), Prikl Mekh (Appl Mech) **32**(4) 62-70 (1996), 2A137

Shear and bending response of a rigid plastic circular plate struck transversely by a mass, Mech Struct Machines **24**(3) 361-388 (1996), 2A138

Symmetric and antisymmetric normal modes of a cantilever rectangular plate: Effect of Poisson's ratio and a concentrated mass, J Sound Vib **195**(1) 142-148 (Aug 1996), 2T139

Transverse vibration on triangular plates with variable thickness, J Sound Vib **194**(4) 471-496 (Jul 1996), 2A140

Vibrations and elastic stability of thin circular plates with variable profile, J Sound Vib **195**(3) 391-399 (Aug 1996), 2A141

Numerical analysis of vibration control of composite laminates by piezoelectric devices (Chinese), J Vib Eng **9**(2) 107-114 (Jun 1996), 2A487

Vibration analysis of membranes and plates by a discrete least squares technique, J Sound Vib **195**(4) 595-605 (Aug 1996), 3A159

Analysis of nonlinear vibration of hybrid composite plates, Comput Struct **61**(3) 573-578 (Nov 1996), 3A160

Linear vibration analysis of laminated rectangular plates using the hierarchical FEM - I: Free vibration analysis, Comput Struct **61**(4) 705-712 (Nov 1996), 3A161

Vibrations of clamped rectangular plates on elastic foundations subjected to uniform compressive forces, J Eng Mech **122**(8) 714-718 (Aug 1996), 3A162

Linear transient analysis of rectangular laminated plates by a finite strip-mode superposition method, Composite Struct **35**(2) 213-228 (Jun 1996), 3A527

Nonlinear combination resonances in cantilever composite plates, Nonlinear Dyn **11**(2) 143-169 (Oct 1996), 4T86

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part I: Driving point mobility matrix of beams and rectangular plates, J Sound Vib **196**(4) 469-493 (Oct 1996), 4A115

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part II: Vibrational power analysis and control schemes, J Sound Vib **196**(4) 495-508 (Oct 1996), 4A116

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part III: Vibrational power cancellation and control experiments, J Sound Vib **196**(4) 509-522 (Oct 1996), 4A117

Characterizing the dynamic response of a thermally loaded, acoustically excited plate, J Sound Vib **196**(5) 635-658 (Oct 1996), 4A132

Dynamic analysis of folded plate structures, J Vib Acoust **118**(4) 591-598 (Oct 1996), 4A133

Dynamic response obtained by direct numerical integration for pre-deformed rectangular plates subjected to in-plane loading, J Sound Vib **197**(1) 67-83 (Oct 1996), 4A134

Finite-difference scheme for elastic wave propagation in a circular disk, J Acoust Soc Am **100**(4-PART 1) 2139-2155 (Oct 1996), 4A135

Free vibration of simply supported general triangular thin plates: An accurate simplified solution, J Sound Vib **196**(1) 45-57 (Sep 1996), 4A136

Free vibration solution for clamped orthotropic plates using the Kantorovich method, J Sound Vib **196**(2) 243-247 (Sep 1996), 4T137

Free vibrations frequencies and forms of the sandwich plate for various support conditions, Arch Budowy Maszyn **42**(1-2) 29-46 (1995), 4A138

General approximate solution of the problem of free vibrations of annular plates of stepped thickness, J Sound Vib **196**(3) 275-283 (Sep 1996), 4A139

Nonstationary von Karman equations, Z Angew Math Mech **76**(10) 559-571 (1996), 4A140

Relationship between the fundamental frequency and static deflections of thin elastic plates, J Sound Vib **196**(4) 523-528 (Oct 1996), 4T141

Transient plate bending analysis by hybrid Trefftz element approach, Commun Numer Methods Eng **12**(10) 609-616 (Oct 1996), 4A142

Vibration of annular sector Mindlin plates with intermediate arc supports by the spline strip method, Comput Struct **61**(5) 819-829 (Dec 1996), 4A143

Attenuation of waves in plates and bars using a graded impedance interface at edges, J Sound Vib **196**(1) 107-127 (Sep 1996), 4A200

Stochastic flutter of elastic and viscoelastic in a supersonic flow, Eur J Mech A **15**(5) 883-900 (1996), 4A257

Acoustic interaction between two thin elastic plates through an angular welded joint, J Sound Vib **196**(1) 75-84 (Sep 1996), 4A288

Near-field approach to active control of sound radiation from a fluid-loaded rectangular plate, J Sound Vib **196**(5) 579-593 (Oct 1996), 4A305

Vibration damping using piezoelectric stiffener-actuators with application to orthotropic plates, Composite Struct **35**(3) 251-261 (Jul 1996), 4A404

Computational structures technology, Struct Eng Review **8**(4) 315-374 (Nov 1996), 5A19

Analysis of dynamic response of an impacted elastic plate, Appl Math Mech **17**(7) 677-682 (Jul 1996), 5A102

Analytical solution of transverse vibration of rectangular plates simply supported at two opposite edges with arbitrary number of elastic line supports in one way, Appl Math Mech **17**(8) 773-779 (Aug 1996), 5A103

Closed form approximation of vibration modes of rectangular cantilever plates by the variational reduction method, J Sound Vib **197**(3) 263-281 (Oct 1996), 5A104

Eigenvalue solutions predicting the wrinkling of rectangular webs under nonlinearly distributed edge loading, J Sound Vib **197**(2) 179-189 (Oct 1996), 5A105

Free and forced magneto-thermo-elastic vibrations in a conducting plate layer, J Thermal Stresses **19**(7) 671-691 (Oct 1996), 5A106

Large amplitude free flexural vibration of stiffened plates, AIAA J **34**(11) 2377-2383 (Nov 1996), 5A107

Normal modes and acoustic response of finite 1D and 2D multi-bay periodic panels, J Sound Vib **197**(5) 527-545 (Nov 1996), 5A108

Steelpan as a system of nonlinear mode-localized oscillators - I: Theory, simulations, experiments, and bifurcations, J Sound Vib **197**(4) 471-487 (Nov 1996), 5A109

Transverse vibration of a rectangular plate with bidirectional thickness variation, J Sound Vib **198**(1) 51-65 (Nov 1996), 5A110

Analytical study on the laser induced reverse-plugging effect by using the classical elastic plate theory - II: Reverse-bulge motion, Appl Math Mech **17**(7) 607-620 (Jul 1996), 5A473

Free vibration of rectangular plates with circular openings, Ocean Eng **24**(1) 19-24 (Jan 1997), 6A163

Fundamental frequency determination of stiffened plates using sequential quadratic programing, J Sound Vib **199**(1) 87-106 (Jan 1997), 6A164

Natural frequencies of rectangular plates, Mech Res Commun **23**(6) 625-631 (Nov-Dec 1996), 6T165

Solving the vibration of thick symmetric laminates by Reissner-Mindlin plate theory and the p-Ritz method, J Sound Vib **198**(3) 343-360 (Dec 1996), 6A166

Three-dimensional free vibration analysis of cross-ply laminated rectangular plates with clamped edges, Comput Methods Appl Mech Eng **140**(3-4) 383-392 (Jan 1997), 6A167

Vibrations of a rectangular plate with a free edge in the case of discontinuously varying thickness, Ocean Eng **24**(1) 45-49 (Jan 1997), 6A168

Relation between whistling noise of a circular saw blade and its vibrations, Acoust Lett **19**(7) 136-141 (Jan 1996), 6A173

Experimental observations and discussion of counterintuitive behavior of plates and shallow shells subjected to blast loading, Int J Impact Eng **18**(7-8) 783-802 (Oct-Dec 1996), 6A252

Generalized approach for implementing general boundary conditions in the GDQ free vibration analysis of plates, Int J Solids Struct **34**(7) 837-846 (3 1997), 7A132

Implementation of clamped and simply supported boundary conditions in the GDQ free vibration analysis of beams and plates, Int J Solids Struct **34**(7) 819-835 (3 1997), 7A133

Analysis of energy flow in thick plate structures, Comput Struct **62**(4) 747-756 (Feb 1997), 7A138

Approximate method for analyzing transverse vibrations of circular, annular plates of non-uniform thickness and a free inner boundary, Comput Struct **62**(4) 795-797 (Feb 1997), 7A139

Distinctive features of counter-intuitive behavior of plates and shells after removal of impulse load, Int J Impact Eng **19**(2) 175-187 (Feb 1997), 7A140

Free vibration analysis of penta, heptagonal shaped plates, Comput Struct **62**(2) 395-407 (1997), 7A141

Relationships between Mindlin and Kirchhoff bending solutions for tapered circular and annular plates, Eng Struct **19**(3) 255-258 (Mar 1997), 7A142

Use of characteristic orthogonal polynomials in the free vibration analysis of rectangular anisotropic plates with mixed boundaries and concentrated masses, Comput Struct **62**(4) 699-713 (Feb 1997), 7A143

Comparative study of vibrating loaded plates between the Rayleigh-Ritz and experimental methods, J Sound Vib **199**(2) 285-297 (Jan 1997), 8A143

Free vibration of shear-deformable general triangular plates, J Sound Vib **199**(4) 595-613 (Jan 1997), 8A144

Geometrically nonlinear vibration analysis of thin, rectangular plates using the hierarchical FEM - I: The fundamental mode of isotropic plates, Comput Struct **63**(2) 295-308 (Apr 1997), 8A145

Global attenuation of random vibrations in a tapered and swept panel, J Sound Vib **199**(5) 751-776 (Feb 1997), 8A146

Improved model for predicting fundamental frequencies of plates carrying multiple masses, J Sound Vib **200**(2) 235-239 (Feb 1997), 8T147

Transverse vibrations of rectangular plates of non-uniform thickness with a free, concentric circular hole, J Sound Vib **199**(4) 704-710 (Jan 1997), 8T148

Vibration analysis of helicoidal plates, Proc Inst Mech Eng C **210**(C6) 501-517 (1996), 8A149

Use of the analytical-and-numerical-combined method in the free vibration analysis of a rectangular plate with any number of point masses and translational springs, J Sound Vib **200**(2) 179-194 (Feb 1997), 8A176

Investigation of the coupling loss factor for a cylinder-plate structure, J Sound Vib **199**(4) 629-643 (Jan 1997), 8A307

SEA-like approach for the derivation of energy flow coefficients with a FE model, J Sound Vib **199**(4) 645-666 (Jan 1997), 8A310

Estimation of material and patch parameters in a PDE-based circular plate model, J Sound Vib **199**(5) 777-799 (Feb 1997), 8A366

Nonlinear static and dynamic analysis of stiffened laminated plates, Int J Non-Linear Mech **32**(1) 89-101 (Jan 1997), 8A575

Efficient multi-level substructuring with constraints for buckling and vibration analysis of prismatic plate assemblies, Int J Mech Sci **39**(7) 795-805 (Jul 1997), 8A604

Vibration, buckling, and parametric instability behavior of plates with centrally located cutouts subjected to in-plane edge loading (tension or compression), Thin-Walled Struct **27**(4) 287-310 (Apr 1997), 8A608

Experiments on the parametric vibration response of plates under tensile loading, Exp Mech **37**(1) 56-61 (Mar 1997), 8A614

Error estimation for natural frequency analysis using plate elements, Eng Comput **14**(1) 119-134 (1997), 9A137

Stability, free vibration, and bending behavior of multistiffened plates, J Eng Mech **123**(4) 328-337 (Apr 1997), 9A138

Using modal analysis for estimation of anisotropic material constants, J Eng Mech **123**(3) 222-229 (Mar 1997), 9A139

Vibrational energy flow analysis using a substructure approach: The application of receptance theory to FEA and SEA, J Sound Vib **201**(4) 491-513 (Apr 1997), 10A26

Analysis of vibration by the wave propagation method and Bolotin's method for a rectangular thin plate with at least one side roller-supported, Wave Motion **25**(2) 169-180 (Mar 1997), 10A193

Calculation of the natural frequencies of composite plates by the Rayleigh-Ritz method with orthogonal polynomials, J Sound Vib **201**(3) 385-387 (Apr 1997), 10A194

Effect of thermal prestress on the free vibration characteristics of clamped rectangular plates: Theory and experiment, J Vib Acoust **119**(2) 243-249 (Apr 1997), 10A195

Slaving the in-plane motions of a nonlinear plate to its flexural motions: An invariant manifold approach, J Appl Mech **64**(1) 175-182 (Mar 1997), 10A196

Strip distributed transfer function analysis of circular and sectorial plates, J Sound Vib **201**(5) 641-647 (Apr 1997), 10T197

Symmetry in the problem of vibration of a polar-orthotropic non-homogeneous plate on an elastic foundation, J Sound Vib **201**(3) 365-381 (Apr 1997), 10A198

Vibration of thermomechanically loaded flat and curved panels taking into account geometric imperfections and tangential edge restraints, Int J Solids Struct **34**(17) 2161-2181 (Jun 1997), 10A199

Vibration of thin skew fiber reinforced composite laminates, J Sound Vib **201**(3) 335-352 (Apr 1997), 10A200

Vibrations of rectangular membranes and plates with rectangular holes with fixed boundaries, J Sound Vib **201**(5) 636-640 (Apr 1997), 10T201

Surface mobility of a circular contact area on an infinite plate, J Sound Vib **202**(1) 95-108 (Apr 1997), 10A247

Hydroelastic vibration of circular plates, J Sound Vib **201**(3) 293-303 (Apr 1997), 10A312

Active control of nonlinear panel vibration and sound radiation, J Sound Vib **201**(3) 390-403 (Apr 1997), 10A476

Hierarchical functions set for predicting very high order plate bending modes with any boundary conditions, J Sound Vib **202**(5) 633-655 (May 1997), 11A43

Combination resonances of a circular plate with three-mode interaction, J Appl Mech **62**(4) 1015-1022 (Dec 1995), 11A122

Comments on "Vibration frequencies of simply supported polygonal sandwich plates via Kirchhoff solutions", J Sound Vib **202**(5) 733-735 (May 1997), 11T123

Free vibration analysis of a rectangular plate carrying any number of point masses and translational springs by using the modified and quasi-analytical and numerical combined methods, Int J Numer Methods Eng **40**(12) 2171-2193 (Jun 1997), 11A124

Free vibration of plates by the high accuracy quadrature element method, J Sound Vib **202**(5) 689-702 (May 1997), 11A125

Free-Vibration of an L-shaped plate: The general solution and an example of a simply-supported plate with a clamped cutout, J Vib Acoust **118**(1) 107-111 (Jan 1996), 11A126

Generalized power series solutions of the vibration of classical circular plates with variable thickness, J Sound Vib **202**(4) 593-599 (May 1997), 11T127

Geometrical and spatial effects on effective mobilities of annular interfaces, J Sound Vib **202**(4) 511-537 (May 1997), 11A128

Mechanical-wave filtering in a periodically corrugated elastic plate, J Vib Acoust **118**(1) 16-20 (Jan 1996), 11A129

Vibration and buckling analysis of rectangular plates with nonlinear elastic end restraints against rotation, Int J Solids Struct **34**(18) 2291-2301 (Jun 1997), 11A130

Modeling of an elastic disk with finite hub motions and small elastic vibrations with application to rotordynamics, J Vib Acoust **118**(1) 10-15 (Jan 1996), 11A141

Experimental modal analysis technique for miniature structures, J Vib Acoust **118**(1) 1-9 (Jan 1996), 11A156

Active control of sound fields from a composite plate using the anisotropy and shape of distributed PVDF actuators, J Sound Vib **202**(4) 461-476 (May 1997), 11A254

Planar free vibrations of off-axis piezoelectric laminates, J Eng Mech **123**(6) 604-611 (Jun 1997), 11A770

Attempt to model the effect of a stress concentration field on the lower natural frequencies of structural elements, J Sound Vib **203**(2) 358-361 (Jun 1997), 12T173

Forced motion of a stepped semi-infinite plate, J Sound Vib **203**(4) 697-705 (Jun 1997), 12A174

Free nonlinear vibrations for a class of 2D plate equations: Standing and discrete-rotating waves, Nonlinear Anal **29**(5) 501-531 (Sep 1997), 12T175

Free vibration analysis of circular plates with stepped thickness over a concentric region by the differential quadrature element method, J Sound Vib **202**(3) 452-459 (May 1997), 12T176

Free vibration of eccentrically stiffened laminated plates, J Reinforced Plastics Composites **16**(10) 884-902 (1997), 12A177

Free vibration of partially clamped rectangular plates with and without rigid point supports, J Sound Vib **203**(2) 181-192 (Jun 1997), 12A178

Hybrid energy method for predicting high frequency vibrational response of point-loaded plates, J Sound Vib **202**(3) 375-394 (May 1997), 12A179

Multiple-scattering theory for mean response in a plate with sprung masses, J Acoust Soc Am **101**(6) 3466-3474 (Jun 1997), 12A180

Transverse vibrations of polygonal plates of discontinuously varying thickness with a free, concentric circular edge, J Sound Vib **203**(2) 352-357 (Jun 1997), 12T181

Transverse vibrations of simply supported rectangular plates with rectangular cutouts, J Sound Vib **202**(2) 275-283 (May 1997), 12T182

Vibration isolation in a thin rectangular plate using a large number of optimally positioned point masses, J Sound Vib **202**(2) 219-234 (May 1997), 12A183

Fourier series approach to the measurement of flexural wave intensity in plates, J Sound Vib **203**(1) 101-126 (May 1997), 12A229

Control parameter optimization of a pre-stressed shallow cylindrical panel, Optimal Control Appl Methods **18**(2) 139-148 (Mar-Apr 1997), 12A366

Review of mechanics of shape memory alloy structures, Appl Mech Rev **50**(11-PT 1) 629-645 (Nov 1997), 12A554

154H. Shells

Two dimensional analysis of thin, shell, or plate like muffler elements, J Sound Vib **194**(2) 137-171 (Jul 1996), 1A187

Approximate nonlinear boundary value problems of reinforced shell dynamics, J Sound Vib **194**(3) 369-387 (Jul 1996), 1A188

Nonlinear dynamic response of shallow arches to harmonic forcing, J Sound Vib **194**(3) 353-367 (Jul 1996), 1A189

High frequency response of a fluid-filled cylindrical shell with an internal column of gas bubbles: Application to active acoustic gas leak detection, J Sound Vib **194**(3) 417-437 (Jul 1996), 1A277

Forced vibrations and sound emission of an elastic hemisphere fixed in an endless plane screen, Tech Mech **15**(4) 303-314 (1995), 1A302

Dynamics of a discretely-stiffened shell under the action of moving load, Russian Aeronaut **38**(4) 1-4 (1995), 1A576

Dynamic behavior of gas-liquid media in ellipsoidal shells subjected to the effect of vibration (Russian), Prikl Mekh (Appl Mech) 32(2) 12-19 (1996), 1T1013

Design of scaled down models for predicting shell vibration response, J Sound Vib 195(2) 301-311 (Aug 1996), 2A142

Dynamic response of thin composite shells experiencing nonlinear elastic deformations coupled with large and rapid overall motions, Int J Numer Methods Eng 39(16) 2695-2723 (Aug 1996), 2A143

Natural frequencies of vibration of layered hollow spheres using exact 3D elasticity equations, J Sound Vib 195(1) 155-162 (Aug 1996), 2T144

Natural vibrations and stability loss of the compressed shells (Russian), Prikl Mekh (Appl Mech) 32(5) 45-50 (1996), 2T145

Steady radial thermoelastic oscillations of the system of two hollow round cylinders with frictional heating (Russian), Prikl Mekh (Appl Mech) 32(4) 26-33 (1996), 2A146

Vibration analysis of orthotropic thin cylindrical shells with free ends by the Rayleigh-Ritz method, J Sound Vib 195(1) 117-135 (Aug 1996), 2A147

Free vibration analysis of composite laminated conical shells by generalized differential quadrature, J Sound Vib 194(4) 587-604 (Jul 1996), 2A157

Bifurcation and chaos in externally excited circular cylindrical shells, J Appl Mech 63(3) 565-574 (Sep 1996), 3A163

Comparison of two independent modeling techniques of dispersion properties for cylindric shells of infinite length by FEM (Czech), Strojnicky Casopis 47(4) 229-236 (1996), 3A164

Free vibrations of circular cylindrical shell on Winkler and Pasternak foundations, Int J Pressure Vessels Piping 69(1) 79-89 (Nov 1996), 3A165

Free vibrations of laminated composite non-circular thick cylindrical shells, Int J Solids Struct 33(27) 4079-4100 (Nov 1996), 3A166

Higher-order theory for vibration of doubly curved shallow shells, J Appl Mech 63(3) 587-593 (Sep 1996), 3A167

Vibration and elastic instability of thin-walled domes under uniform external pressure, Thin-Walled Struct 26(3) 159-177 (Nov 1996), 3A168

Added mass matrix in the vibration of thin-walled multi-cell structures, Marine Tech Trans 6 57-70 (1995), 3T276

Constraint energy momentum algorithm and its application to nonlinear dynamics of shells, Comput Methods Appl Mech Eng 136(3-4) 293-315 (Sep 1996), 4A144

Governing equations of a stiffened laminated inhomogeneous conical shell, AIAA J 34(10) 2118-2125 (Oct 1996), 4A145

Vibration of elastic spherical shell in bubbly layer, J Vib Eng 9(3) 237-243 (Sep 1996), 4A146

Dynamic response of large strain elasto-plastic plate and shell structures, Thin-Walled Struct 26(4) 223-239 (Dec 1996), 4A507

Free vibrations of a conical shell with temperature-dependent material properties, J Thermal Stresses 19(8) 711-729 (Nov 1996), 5A111

Identification of the resonances of a cylindrical shell stiffened by an internal lengthwise rib, J Acoust Soc Am 100(5) 3135-3143 (Nov 1996), 5A112

Maycel's formula generalized for piezoelectric vibrations: Application to thin shells of revolution, AIAA J 34(11) 2402-2405 (Nov 1996), 5A113

Vibration characteristics of a stiffened conical shell, J Sound Vib 197(2) 191-206 (Oct 1996), 5A114

Vibrations of fiber-reinforced laminated deep shells, J Pressure Vessel Tech 118(4) 407-414 (Nov 1996), 5A115

Axial vibrations of fluid-filled bellows expansion joints, J Pressure Vessel Tech 118(4) 484-490 (Nov 1996), 5A207

Effect of constructive anisotropy on the vibration frequencies of cylindrical shells (Russian), Prikl Mekh (Appl Mech) 32(7) 55-59 (1996), 6A169

Oscillations and dissipative heating of a multilayer shell of revolution made of viscoelastic material (Russian), Prikl Mekh (Appl Mech) 32(6) 82-89 (1996), 6T170

Nonlinear analysis of pressurized spinning fiber-reinforced tori, AIAA J 34(12) 2596-2603 (Dec 1996), 6A176

Three-dimensional vibration analysis of fiber reinforced composite laminated cylindrical shells, J Vib Acoust 119(1) 46-51 (Jan 1997), 6A184

Dynamic analysis of anisotropic open cylindrical shells, Comput Struct 62(1) 1-12 (Jan 1997), 7A144

Free vibration of laminated anisotropic shallow shells including transverse shear deformation by the boundary-domain element method, Comput Struct 62(1) 151-156 (Jan 1997), 7A145

Free vibrations of a non-uniformly heated viscoelastic cylindrical shell, Tech Mech 16(3) 251-256 (1996), 7A146

Free vibrations of anisotropic spherical shell embodod in an elastic medium (Chinese), J Vib Eng 9(4) 323-332 (Dec 1996), 7A147

Large amplitude free vibration behavior of doubly curved shallow open shells with simply-supported edges, Comput Struct 62(1) 35-49 (Jan 1997), 7A148

Localized families of bending waves in a non-circular cylindrical shell with sloping edges, J Appl Math Mech 60(4) 629-637 (1996), 7A149

Ritz method for vibration analysis of cylindrical shells with ring stiffeners, J Eng Mech 123(2) 134-142 (Feb 1997), 7A150

Role of thickness compression in shell dynamics, J Appl Math Mech 60(4) 639-645 (1996), 7A151

Static, free, and forced vibration analysis of arbitrary non-uniform shells with tapered stiffeners, Comput Struct 62(5) 919-933 (Mar 1997), 7A152

Vibration of cylindrical shells with ring support, Int J Mech Sci 39(4) 455-471 (Apr 1997), 7A153

Importance of instability in impact response and damage resistance of composite shells, AIAA J 35(2) 389-396 (Feb 1997), 7A199

Dynamic response of curved pipes, Int J Pressure Vessels Piping 70(3) 167-172 (Mar 1997), 8A150

Dynamic response of laminated circular cylindrical shells under impulse loads, Comput Struct 63(1) 149-157 (Apr 1997), 8A151

Free vibration of curved panels with cutouts, J Sound Vib 200(2) 227-234 (Feb 1997), 8T152

Free vibration of laminated composite plates with a central circular hole, Composite Struct 35(4) 357-368 (Aug 1996), 8A153

Free vibration of thin rectangular planform shallow shells with slits, J Sound Vib 199(3) 513-521 (Jan 1997), 8T154

Geometrically nonlinear dynamic analysis of laminated shells using Bezier functions, Int J Non-Linear Mech 32(3) 425-442 (May 1997), 8A155

Geometrically nonlinear vibration analysis of thin, rectangular plates using the hierarchical FEM - II: 1st mode of laminated plates and higher modes of isotropic and laminated plates, Comput Struct 63(2) 309-318 (Apr 1997), 8A156

Wave-number space response of a near periodically ribbed shell, J Acoust Soc Am 101(2) 877-886 (Feb 1997), 8A157

Active constrained layer damping treatments for shell structures: A deep-shell theory, some intuitive results, and an energy analysis, Smart Mat Struct 6(1) 89-101 (Feb 1997), 8A201

Shell-plate interaction in the free vibrations of circular cylindrical tanks partially filled with a liquid: The artificial spring method, J Sound Vib 199(3) 431-452 (Jan 1997), 8A272

Free vibrations of cylindrical shells with non-axisymmetric mass distribution on elastic bed, Meccanica 32(1) 71-84 (Feb 1997), 9A140

Influence of geometric nonlinearities on the free vibrations of orthotropic open cylindrical shells, Int J Numer Methods Eng 40(6) 1115-1137 (Mar 1997), 9A141

Model for calculating the insertion losses of pipe lagging, J Sound Vib 200(5) 579-587 (Mar 1997), 9A142

Natural frequencies and mode shapes of curved pipes, Comput Struct 63(3) 465-473 (May 1997), 9A143

Vibration of shallow shells: A review with bibliography, Appl Mech Rev 50(8) 431-444 (Aug 1997), 9A144

Bifurcation analysis of the dynamics of a simplified shell model, Nonlinear Dyn 12(4) 307-317 (Apr 1997), 10A128

Vibration of thermomechanically loaded flat and curved panels taking into account geometric imperfections and tangential edge restraints, Int J Solids Struct 34(17) 2161-2181 (Jun 1997), 10A199

Analysis of cylindrical shells using generalized differential quadrature, Shock Vib 4(3) 193-198 (1997), 10A202

Free vibration of piezoelectric cylindrical shells, Acta Mech Solida Sinica 10(1) 48-55 (1997), 10A203

Free vibrations of piezoelectric cylindrical shells filled with compressible fluid, Int J Solids Struct 34(16) 2025-2034 (Jun 1997), 10A204

Layer-wise analysis for free vibrations of thick composite spherical panels, J Composite Mat 31(7) 658-671 (1997), 10A205

Three-dimensional analysis of the spheroidal and toroidal elastic vibrations of thick-walled spherical bodies of revolution, Int J Numer Methods Eng 40(8) 1359-1382 (Apr 1997), 10A206

Vibration analysis of a rotating truncated circular conical shell, Int J Solids Struct 34(17) 2183-2197 (Jun 1997), 10A207

Nonlinear dynamic analysis of orthotropic open cylindrical shells subjected to a flowing fluid, J Sound Vib 202(1) 67-93 (Apr 1997), 10A313

Loss factor of the partially covered sandwich beam (Japanese), Proc JSCE 563(139) 183-187 (Apr 1997), 11A131

Numerical method for vibration analysis of cylindrical shells, J Eng Mech 123(6) 544-550 (Jun 1997), 11A132

Wave mixing effects on a periodically ribbed cylindrical shell, J Vib Acoust 118(1) 100-111 (Jan 1996), 11A172

Effect of the meridian form on the natural frequencies and form of vibrations of the shells of revolution (Russian), Prikl Mekh (Appl Mech) 33(1) 59-60 (1997), 12A184

Steelpan as a system of nonlinear mode-localized oscillators - Part II: coupled sub-systems, simulations and experiments, J Sound Vib 203(4) 547-561 (Jun 1997), 12A185

Active control of vibration transmission in a cylindrical shell, J Sound Vib 203(3) 409-434 (Jun 1997), 12A388

Dispersion of radial vibrations of an orthotropic cylindrical tube placed in a magnetic field, Mech Res Commun 24(4) 423-434 (Jul-Aug 1997), 12A667

154I. Plates and shells (thick)

Study on free vibration of moderately thick orthotropic laminated shallow shells by boundary-domain elements, Appl Math Model 20(8) 579-584 (Aug 1996), 1A190

Vibration studies on moderately thick double-curved elliptic shallow shells, Acta Mech 116(1-4) 83-96 (1996), 1A191

Numerical analysis of vibration control of composite laminates by piezoelectric devices (Chinese), J Vib Eng 9(2) 107-114 (Jun 1996), 2A487

Vibration of thick laminated cylindrical panels by the spline strip method, Comput Struct 61(3) 441-457 (Nov 1996), 3A169

Concentrated excitation of structures, J Sound Vib 196(3) 295-321 (Sep 1996), 4A147

Natural frequencies of thick arbitrary quadrilateral plates using the pb-2 Ritz method, J Sound Vib 196(4) 371-385 (Oct 1996), 4A148

Vibration characteristics of cantilevered thick cylindrical shallow shells, AIAA J 34(11) 2451-2453 (Nov 1996), 5T116

Free vibrations of thick hollow circular cylinders from 3D analysis, J Vib Acoust 119(1) 89-95 (Jan 1997), 6A171

Scattering of flexural waves and dynamic stress concentrations in Mindlin's thick plates with a cutout, Acta Mech Sinica 12(2) 169-185 (1996), 6A172

Dynamic model for elastic-plastic plates, Tech Mech 16(4) 343-356 (1996), 7A154

Experimental procedure and results for the identification of elastic constants of thick orthotropic plates, J Composite Mat 31(4) 360-382 (1997), 9A789

Harmonic wave response analysis of elastic floating plates by modal superposition method, Proc JSCE 556(I-38) 43-52 (Jan 1997), 9A915

Damping characteristics of laminated thick plates, J Appl Mech 64(1) 132-138 (Mar 1997), 10A208

Effects of laminations on the vibrational behavior of electrical machine stators, J Sound Vib 202(5) 703-715 (May 1997), 11A133

Free bending vibrations of adhesively bonded orthotropic plates with a single lap joint, J Vib Acoust 118(1) 122-134 (Jan 1996), 11A134

Mindlin plate theory: Best shear coefficient and higher spectra validity, J Sound Vib 202(4) 539-553 (May 1997), 11A135

Transverse vibrations of simply supported rectangular plates with rectangular cutouts carrying an elastically mounted concentrated mass, J Sound Vib 202(4) 585-592 (May 1997), 11T136

Vibration characteristics of simply supported thick skew plates in 3D setting, J Appl Mech 62(4) 880-886 (Dec 1995), 11A137

Vibration of thick doubly-curved stress free shallow shells of curvilinear planform, J Eng Mech 123(5) 413-421 (May 1997), 11A138

Accurate free vibration analysis of shear-deformable plates with torsional elastic edge support, J Sound Vib 203(2) 209-218 (Jun 1997), 12A186

Vibration analysis of arbitrary quadrilateral unsymmetrically laminated thick plates, AIAA J 35(7) 1251-1253 (Jul 1997), 12T187

Vibration of rectangular plates by reduction of the plate partial differential equation into simultaneous ordinary differential equations, J Sound Vib 203(1) 169-180 (May 1997), 12A188

154J. Discs and blades

Dynamics of rolling disks and sliding disks, Nonlinear Dyn 10(3) 287-305 (Jul 1996), 1A122

Effect of disk flexibility on rocking mode frequencies of a disk drive spindle motor system, Trib Trans 39(3) 579-586 (Jul 1996), 1T192

Theory of frictional vibration in wet clutches considering poroelastic properties of paper-based facing, J Trib 118(3) 520-526 (Jul 1996), 1A193

In-plane response of a rotating annular disk under fixed concentrated edge loads, Int J Mech Sci 38(12) 1285-1293 (Dec 1996), 2A148

Lifting rotor inflow mode shapes and blade flapping vibration system eigen-analysis, Comput Methods Appl Mech Eng 134(1-2) 91-105 (Jul 1996), 2A149

Free vibration of flexible rotating disks, J Sound Vib 196(5) 537-577 (Oct 1996), 4A149

Harmonic FE for the analysis of flexural, torsional, and axial rotordynamic behavior of discs, J Sound Vib 196(1) 19-43 (Sep 1996), 4A150

Mathematical analysis of stability of a spinning disk under rotating, arbitrarily large damping forces, J Vib Acoust 118(4) 657-662 (Oct 1996), 4A151

Studies on the determination of natural frequencies of industrial turbine blades, J Sound Vib 196(5) 681-703 (Oct 1996), 4A152

Transverse vibrations of a variable composite flywheel with optimum design, Z Angew Math Mech 76(9) 537-538 (1996), 4T153

Vibration analysis of rotating disk-head system (Japanese), J Japan Soc Precision Eng 62(9) 1233-1237 (Sep 1996), 4T154

Free vibrations of circular plates coupled with liquids: Revising the Lamb problem, J Fluids Struct 10(7) 743-761 (Oct 1996), 5T117

Transfer matrix approach to free vibration localization in mistuned blade assemblies, J Sound Vib 197(5) 589-618 (Nov 1996), 5A118

Relation between whistling noise of a circular saw blade and its vibrations, Acoust Lett 19(7) 136-141 (Jan 1996), 6A173

Disc flexibility effects in rotor bearing systems, Comput Struct 62(4) 715-719 (Feb 1997), 7A155

Dynamics of pretwisted blade under nonconstant rotating speed, Comput Struct 62(4) 643-651 (Feb 1997), 7A156

VABS: A new concept for composite rotor blade cross-sectional modeling, J Am Helicopter Soc 42(1) 27-38 (Jan 1997), 7A157

Vibration and coupling phenomena in asymmetric disk-spindle systems, J Appl Mech 63(4) 953-961 (Dec 1996), 7A158

Adaptive perturbation scheme for the analysis of mistuned bladed disks, J Eng Gas Turbines Power 119(1) 153-160 (Jan 1997), 8A158

Reduced order approach for the vibration of mistuned bladed disk assemblies, J Eng Gas Turbines Power 119(1) 161-167 (Jan 1997), 8A159

Resonant response of a tapered beam and its implications to blade vibration, J Eng Gas Turbines Power 119(1) 147-152 (Jan 1997), 8A160

Nonlinear aeroelasticity analysis of a fan blade using unstructured dynamic meshes, Proc Inst Mech Eng C 210(C6) 549-564 (1996), 8A289

Vibration of shallow shells: A review with bibliography, Appl Mech Rev 50(8) 431-444 (Aug 1997), 9A144

Vibration and dynamic instability analysis of turbomachinery blades and airfoils, J Brazilian Soc Mech Sci 19(1) 30-47 (Mar 1997), 9A145

Dynamic stress analysis and a fracture mechanics approach to life prediction of turbine blades, Mech Machine Theory 32(4) 511-527 (May 1997), 9A775

Iterated dynamic condensation technique and its applications in modal testing, Shock Vib 4(3) 143-151 (1997), 10A22

Modeling and vibration analysis of spinning-disk and moving-head assembly in computer storage systems, J Vib Acoust 119(2) 185-191 (Apr 1997), 10A209

Nonclassical vibration analysis of a multiple rotating disk and spindle assembly, J Appl Mech 64(1) 165-174 (Mar 1997), 10A210

Parametric resonance of a spinning disk under space-fixed pulsating edge loads, J Appl Mech 64(1) 139-143 (Mar 1997), 10A211

Stick-slip motion of frictionally damped turbine airfoils: A FE in time approach, J Vib Acoust 119(2) 236-242 (Apr 1997), 10A212

Forced harmonic response of grouped blade systems - Part I: Discrete theory, J Eng Gas Turbines Power 118(1) 130-136 (Jan 1996), 11A139

Forced harmonic responses of grouped blade systems - Part II: Application, J Eng Gas Turbines Power 118(1) 137-145 (Jan 1996), 11A140

Modeling of an elastic disk with finite hub motions and small elastic vibrations with application to rotordynamics, J Vib Acoust 118(1) 10-15 (Jan 1996), 11A141

Coupled shaft-tension and blade-bending vibrations of a rotating shaft-disk-blade unit, J Eng Gas Turbines Power 118(1) 100-106 (Jan 1996), 11A143

Coupling dynamic analysis of composite rotor blade (Chinese), J Dalian Univ Tech 37(3) 345-350 (May 1997), 12A189

Closed-form forced response of a damped, rotating, multiple disks-spindle system, J Appl Mech 64(2) 343-352 (Jun 1997), 12A198

154K. Rotating shafts (critical speed, balancing)

Chaotic motions of a rigid rotor in short journal bearings, Nonlinear Dyn 10(3) 251-269 (Jul 1996), 1T116

Theory of frictional vibration in wet clutches considering poroelastic properties of paper-based facing, J Trib 118(3) 520-526 (Jul 1996), 1A193

Modified semi-analytical approach towards the modeling of a shaft-disc system, Comput Struct 61(1) 189-191 (Aug 1996), 1A194

Nonlinear stability analysis of a rigid rotor on tilting pad journal bearings, Trib Int 29(7) 571-578 (Nov 1996), 1A918

Dynamic instability of a rotating asymmetric shaft with internal viscous damping, supported in anisotropic bearings, J Sound Vib **195**(1) 75-84 (Aug 1996), 2A150

Influence of bearing damping on instability of asymmetric shafts - Part I: Stabilizing and destabilizing effects, Int J Mech Sci **38**(12) 1349-1358 (Dec 1996), 2A151

Influence of bearing damping on instability of asymmetric shafts - Part II: Mode veering, Int J Mech Sci **38**(12) 1359-1365 (Dec 1996), 2A152

Measurement test of torsional characteristics of a rotor with unbalance (Chincse), J Vib Eng **9**(2) 182-185 (Jun 1996), 2A153

Approach to ship hull-shafting coupled vibrations, Marine Tech Trans **6** 173-196 (1995), 3A170

Prediction of the dynamic behavior of non-symmetric coaxial co- or counter-rotating rotors, J Sound Vib **195**(4) 649-666 (Aug 1996), 3A171

Propeller-induced and kinematically excited transversal vibrations of the B 354 ship's shafting, Marine Tech Trans **6** 351-365 (1995), 3A172

Rotation of clamped parts due to reciprocating motion, J Appl Mech **63**(3) 610-620 (Sep 1996), 3A173

Simplified description of propeller-induced and kinematically excited shafting transversal vibrations, Marine Tech Trans **6** 197-218 (1995), 3A174

Self-excited vibrations in active hydrodynamic bearings, J Brazilian Soc Mech Sci **18**(3) 263-272 (Sep 1996), 3A1208

Numerical solutions of forced vibration and whirling of a nonlinear string using the theory of a Cosserat point, J Sound Vib **197**(1) 85-101 (Oct 1996), 4A131

Harmonic FE for the analysis of flexural, torsional, and axial rotordynamic behavior of discs, J Sound Vib **196**(1) 19-43 (Sep 1996), 4A150

Coupled vibrations of marine medium speed diesel engine crankshafting (Chincse), J Dalian Univ Tech **36**(5) 581-584 (Sep 1996), 4A155

Determination of crankshaft coupled stiffness by using static condensation of dof (Chincse), J Dalian Univ Tech **36**(5) 572-575 (Sep 1996), 4A156

Engine noise resulting from crankshaft torsional vibrations (Chincse), J Dalian Univ Tech **36**(5) 576-580 (Sep 1996), 4A157

Rotordynamic experiments on composite shafts, J Composite Tech Res **18**(4) 256-264 (Oct 1996), 4A158

Torsional vibrations of a shaft under a random axial load, Mech Solids **31**(2) 145-151 (1996), 4T159

Stability of rheo-linear rotor systems based on some new first integrals, Mech Res Commun **23**(5) 519-530 (Sep-Oct 1996), 4T186

Analytical and experimental analysis of a self-compensating dynamic balancer in a rotating mechanism, J Dyn Syst Meas Control **118**(3) 468-475 (Sep 1996), 4A937

Resonances of symmetric modes in shafts coupled by mechanisms, J Sound Vib **197**(5) 519-525 (Nov 1996), 5A119

Rotational vibration of a helical gear pair having tooth surface deviation during transmission of light load, JSME Int J Ser C **39**(3) 614-620 (Sep 1996), 5A862

Steady-state behavior of flexible rotordynamic systems with oil journal bearings, Nonlinear Dyn **11**(3) 295-313 (Nov 1996), 6A112

Dynamics of rotors immersed in eccentric annular flow - Part 2: Experiments, J Fluids Struct **10**(8) 919-944 (Nov 1996), 6A174

Experimental verification of simultaneous forward and backward whirling at different points of a Jeffcott rotor supported on identical journal bearings, J Sound Vib **198**(3) 379-388 (Dec 1996), 6T175

Nonlinear analysis of pressurized spinning fiber-reinforced tori, AIAA J **34**(12) 2596-2603 (Dec 1996), 6A176

Nonstationary oscillation of a rotating shaft with nonlinear spring characteristics during acceleration through a major critical speed: A discussion by the asymptotic method and the complex-FFT method, J Vib Acoust **119**(1) 31-36 (Jan 1997), 6A177

Rayleigh estimates of the fundamental frequencies of vibration of circular plates, J Sound Vib **198**(3) 389-394 (Dec 1996), 6T178

Railway wheelset dynamics (Spanish), J Brazilian Soc Mech Sci **18**(4) 318-329 (Dec 1996), 6A201

Dynamics of rotors immersed in eccentric annular flow - Part 1: Theory, J Fluids Struct **10**(8) 893-918 (Nov 1996), 6A293

Dynamic stability of linear misaligned journal bearings via Lyapunov's direct method, Trib Trans **40**(1) 138-146 (Jan 1997), 7A159

Experimental investigation on the static and dynamic characteristics of journal bearings under the influence of twisting misalignment, J Trib **119**(1) 188-192 (Jan 1997), 7A160

Necessary condition for chaos in rotor systems, Mech Machine Theory **32**(3) 411-416 (Apr 1997), 8A99

Development and modification of a unified balancing method for unsymmetrical rotor-bearing systems, J Sound Vib **199**(3) 349-368 (Jan 1997), 8A161

Dynamic stability of spinning Timoshenko shafts with a time-dependent spin rate, J Sound Vib **199**(3) 401-415 (Jan 1997), 8A162

Identification of the unbalance distribution in flexible rotors, Int J Mech Sci **39**(7) 841-857 (Jul 1997), 8A163

Instability analysis of unsymmetrical rotor-bearing systems using the transfer matrix method, J Sound Vib **199**(3) 381-400 (Jan 1997), 8A164

Stability behavior of a non-conservative spinning Timoshenko shaft with an overhung disk, J Sound Vib **200**(1) 41-61 (Feb 1997), 8A165

Steady-state response of the flexible connecting rod of a slider-crank mechanism with time-dependent boundary condition, J Sound Vib **199**(2) 237-251 (Jan 1997), 8A166

Torsional vibrations of the drive shafts of mechanisms, J Sound Vib **199**(4) 559-565 (Jan 1997), 8A167

Vibration analysis of a nonlinear coupled textile-rotor system with synchronous whirling, J Sound Vib **199**(2) 207-221 (Jan 1997), 8A168

Vibration and variable structure control with integral compensation in a non-constant rotating disk system, J Sound Vib **199**(2) 223-236 (Jan 1997), 8A169

Service-life design of torsional shafts by the fatigue criterion, J Machinery Manuf Reliab **3** 54-58 (1996), 8A973

Influence of transverse crack on flexural vibrations of slender continuous shaft (Polish), Strojnicky Casopis **48**(1) 25-36 (1997), 9A146

Efficient method for the unbalance response analysis of rotor-bearing systems, J Sound Vib **200**(4) 491-504 (Mar 1997), 9A167

Modeling and simulation methods for MDOF structures and rotating machinery with impact dampers, J Eng Gas Turbines Power **119**(2) 436-446 (Apr 1997), 10T160

Design of experiments for the controller of rotor systems with a magnetic bearing, J Vib Acoust **119**(2) 200-207 (Apr 1997), 10A213

Energy analysis to the design of rotor-bearing systems, J Eng Gas Turbines Power **119**(2) 411-417 (Apr 1997), 10A214

Mechanical and electrical run-out removal on a precision rotor-vibration research spindle, J Vib Acoust **119**(2) 216-220 (Apr 1997), 10T215

Nonlinear vibrations and stability of a rotor-bearing system with nonsymmetric clearances, J Eng Gas Turbines Power **119**(2) 418-424 (Apr 1997), 10A216

Optimization of bearing locations for rotor systems with magnetic bearings, J Eng Gas Turbines Power **119**(2) 464-468 (Apr 1997), 10A217

Self-excited vibration caused by internal friction in universal joints and its stabilizing method, J Vib Acoust **119**(2) 221-229 (Apr 1997), 10A218

Synchronous dynamics of a coupled shaft-bearing-housing system with auxiliary support from a clearance bearing: Analysis and experiment, J Eng Gas Turbines Power **119**(2) 430-435 (Apr 1997), 10A219

Use of flexible internal support to suppress vibrations of a rotating shaft passing through a critical speed, J Vib and Control **3**(2) 213-233 (May 1997), 10A220

Balanced model reduction and control of rotor-bearing systems, J Eng Gas Turbines Power **119**(2) 456-463 (Apr 1997), 10A477

Dynamic response of a cracked rotor with some comments on crack detection, J Eng Gas Turbines Power **119**(2) 447-455 (Apr 1997), 10A511

Adaptive forced balancing for multivariable systems, J Dyn Syst Meas Control **117**(4) 496-502 (Dec 1995), 11A142

Coupled shaft-tension and blade-bending vibrations of a rotating shaft-disk-blade unit, J Eng Gas Turbines Power **118**(1) 100-106 (Jan 1996), 11A143

Effects of bearing and shaft asymmetries on the resonant oscillations of a rotor-dynamic system, J Eng Gas Turbines Power **118**(1) 107-114 (Jan 1996), 11A144

Explicit formulae for designing the two-contra-rotating-mass balancers of spatial mechanisms, Mech Machine Theory **32**(5) 629-639 (Jul 1997), 11A145

Improving traditional balancing methods for high-speed rotors, J Eng Gas Turbines Power **118**(1) 95-99 (Jan 1996), 11A146

Instability threshold and stability boundaries of rotor-bearing systems, J Eng Gas Turbines Power **118**(1) 115-121 (Jan 1996), 11A147

Modeling and analysis of the intermediate shaft between two universal joints, J Vib Acoust **118**(1) 88-99 (Jan 1996), 11A148

Nonlinear analysis of rotordynamic instabilities in high-speed turbomachinery, J Eng Gas Turbines Power **118**(1) 122-129 (Jan 1996), 11A149

Rotor dynamic coefficients of eccentric mechanical face seals, J Trib **118**(1) 215-224 (Jan 1996), 11A150

Two-rotating-mass balancers for partial balancing of spatial mechanisms, Mech Machine Theory **32**(5) 617-628 (Jul 1997), 11A151

Use of dFRFs for diagnosis of asymmetric-anisotropic properties in rotor-bearing system, J Vib Acoust **118**(1) 64-69 (Jan 1996), 11A152

Oscillating fluid mechanics method for studying oil film oscillation and dynamic characteristics of journal bearings, J Trib **118**(1) 239-245 (Jan 1996), 11A1176

Dynamics of an unbalanced shaft interacting with a limited power supply, Nonlinear Dyn **13**(2) 171-187 (Jun 1997), 12A190

Rotor balancing technique based on load identification (Chincse), J Vib Eng **10**(2) 198-202 (Jun 1997), 12T191

Simultaneous forward and backward whirling in a Jeffcott rotor supported on dissimilar hydrodynamic bearings, J Sound Vib **203**(4) 707-716 (Jun 1997), 12A192

Stability analysis of a rotating beam under a moving motion-dependent force, J Sound Vib **202**(3) 427-437 (May 1997), 12A193

Nonlinear bearing stiffness parameter extraction from random response in flexible rotor-bearing systems, J Sound Vib **203**(3) 389-408 (Jun 1997), 12A1012

Rotordynamic coefficients of circumferentially-grooved liquid seals using the averaged Navier-Stokes equations, J Trib **119**(3) 556-567 (Jul 1997), 12A1021

154L. Frames, trusses, and arches

Dynamics of shallow elastic arches - Part I: Chaotic response of harmonically shaped arches, Eur J Mech A **15**(3) 513-528 (1996), 1A195

Dynamics of shallow elastic arches - Part II: Optimal forms, Eur J Mech A **15**(3) 529-543 (1996), 1A196

Vibration of a nearly cyclic system, Proc Inst Mech Eng C **210**(C3) 267-275 (1996), 1A197

Nonlinear and linearized equations of motion for elastic space structures, Mech Solids **31**(1) 141-153 (1996), 1A552

In-plane vibration and stability of a spinning annular disk, J Sound Vib **195**(4) 585-593 (Aug 1996), 3A175

Structural dynamic and viscoelastic analysis via electric analogy, J Struct Eng **122**(9) 1118-1121 (Sep 1996), 3A176

Friction-damped moment-resisting frames, Earthquake Spectra **12**(3) 623-633 (Aug 1996), 3A1384

Exact calculation of natural frequencies of repetitive structures, Struct Eng and Mech **4**(5) 553-568 (Sep 1996), 4A16

Accurate solution for the in-plane transient response of a circular arch, J Sound Vib **196**(5) 595-609 (Oct 1996), 4A160

Dynamic characterization of a highly flexible reticular structure, J Vib and Control **2**(4) 431-446 (Nov 1996), 4A161

Seismic response of concentrically braced moment-resisting steel frames, Earthquake Eng Struct Dyn **25**(11) 1275-1299 (Nov 1996), 4A1411

Nonlinear vibrations in beams and frames: The effects of the deformed equilibrium state, Nonlinear Dyn **11**(3) 275-293 (Nov 1996), 6A121

Nonlinear dynamic response of frames using Lanczos modal analysis, J Struct Eng **122**(12) 1418-1426 (Dec 1996), 6A179

Free and forced vibration of cross-ply laminated composite shallow arches, Int J Solids Struct **34**(10) 1217-1234 (Apr 1997), 8A170

Non-destructive evaluation of the dynamic response of a brickwork arch, Proc Inst Civil Eng Struct Build **122**(1) 69-82 (Feb 1997), 8A171

Vibration mode localization in disordered large planar lattice trusses, Chaos Solitons Fractals **8**(3) 433-454 (Mar 1997), 9A147

Natural frequency error estimation for 3D brick elements, Struct Eng and Mech **5**(2) 137-148 (Mar 1997), 10A10

Dynamic analysis and response of semirigid frames, Eng Struct **19**(8) 644-654 (Aug 1997), 10A221

Natural vibrations of a clamped-clamped arch with an open transverse crack, J Vib Acoust **119**(2) 145-151 (Apr 1997), 10A222

Optimal prestress in modal analysis via induced temperature modeling, Struct Optim **13**(2-3) 95-103 (Apr 1997), 10A903

Chaotic dynamics of shallow arch structures under 1:2 resonance, J Eng Mech **123**(6) 612-619 (Jun 1997), 11A90

Chaotic motion of shallow arch structures under 1:1 internal resonance, J Eng Mech **123**(6) 620-627 (Jun 1997), 11A91

Localizing a notch in a steel frame from frequency measurements, J Eng Mech **123**(5) 422-432 (May 1997), 11A277

System identification with limited observations and without input, J Eng Mech **123**(5) 504-511 (May 1997), 11A282

Free vibration analysis of sandwich arches with elastic or viscoelastic core and various kinds of axis-shape and boundary conditions, J Sound Vib **203**(3) 505-522 (Jun 1997), 12A194

Frequency response of a 2D trusslike periodic panel, J Acoust Soc Am **101**(6) 3457-3465 (Jun 1997), 12A195

Nonlinear vibration and dynamic instability of thin shallow shells, J Sound Vib **202**(3) 303-311 (May 1997), 12A196

154M. Sandwich materials

Dynamic responses of plates with viscoelastic free layer damping treatment, J Vib Acoust **118**(3) 362-367 (Jul 1996), 1A198

Minimization of the mass of multilayer plates at impulse loading, AIAA J **34**(8) 1718-1724 (Aug 1996), 2A154

Natural frequencies of vibration of a class of solids composed of layers of isotropic materials, Int J Mech Sci **39**(1) 97-104 (Jan 1997), 3A177

Free vibrations frequencies and forms of the sandwich plate for various support conditions, Arch Budowy Maszyn **42**(1-2) 29-46 (1995), 4A138

Response of aerospace sandwich panels to launch acoustic environment, J Sound Vib **196**(1) 1-18 (Sep 1996), 4A162

Parametric instability of partially covered sandwich beams, J Sound Vib **197**(2) 137-152 (Oct 1996), 5A96

Vibration analysis of viscoelastically damped sandwich shells, Shock Vib **3**(6) 403-417 (1996), 5A120

Free vibration analysis of continuous sandwich beams with elastic or viscoelastic cores by applying the discrete Green function, J Sound Vib **190**(4) 439-454 (Dec 1996), 6A180

Vibration characteristics of partially covered double-sandwich cantilever beam, AIAA J **34**(12) 2622-2626 (Dec 1996), 6A181

Further study on large amplitude vibration of circular sandwich plates, Appl Math Mech **17**(11) 1087-1094 (Nov 1996), 7A161

Vibration of a rectangular laminated elastic plate with embedded piezoelectric sensors and actuators, Comput Struct **63**(2) 203-216 (Apr 1997), 8A172

Hierarchial FE analysis of the vibration of membranes, J Sound Vib **201**(4) 465-472 (Apr 1997), 10A65

Free vibrations and stability analysis of laminated composite plates and shells with hybrid-mixed formulation, Comput Struct **63**(6) 1149-1163 (Jun 1997), 10A223

Oscillations of a Timoshenko sandwich cantilever beam, J Sound Vib **202**(1) 139-144 (Apr 1997), 10T224

Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams, J Sound Vib **202**(1) 47-54 (Apr 1997), 10A246

Assessment of continuum models for sandwich panel honeycomb cores, Comput Methods Appl Mech Eng **145**(3-4) 341-360 (Jun 1997), 11A153

Dynamics of geometrically-exact sandwich beams-1D plates: Computational aspects, Comput Methods Appl Mech Eng **146**(1-2) 135-172 (Jul 1997), 11A154

Free vibration analysis of sandwich arches with elastic or viscoelastic core and various kinds of axis-shape and boundary conditions, J Sound Vib **203**(3) 505-522 (Jun 1997), 12A194

Analysis of composite swept wing structures, J Eng Appl Sci **44**(2) 325-338 (Apr 1997), 12A197

154N. Composite materials

Approximate theories for vibration of laminated plates, J Brazilian Soc Mech Sci **18**(2) 198-206 (Jun 1996), 1A179

Study on free vibration of moderately thick orthotropic laminated shallow shells by boundary-domain elements, Appl Math Model **20**(8) 579-584 (Aug 1996), 1A190

Axisymmetric vibration of piezocomposite hollow circular cylinder, Acta Mech **116**(1-4) 213-222 (1996), 1A199

Damping of composite tubes with embedded viscoelastic layers, J Vib Acoust **118**(3) 384-389 (Jul 1996), 1A200

Free vibration analysis of fiber reinforced composite beams using higher order theories and FE modeling, J Sound Vib **194**(3) 337-351 (Jul 1996), 1A201

Behavior of spinning pretwisted composite plates using a nonlinear FE approach, AIAA J **34**(8) 1686-1695 (Aug 1996), 2A131

Minimum weight design of laminated composite plates subject to strength constraint, AIAA J **34**(8) 1699-1708 (Aug 1996), 2A136

Exact dynamic stiffness matrix for composite Timoshenko beams with applications, J Sound Vib **194**(4) 573-585 (Jul 1996), 2A155

Forced vibration analysis of composite laminates using a discrete layer stress based model, J Reinforced Plastics Composites **15**(9) 958-970 (Sep 1996), 2A156

Free vibration analysis of composite laminated conical shells by generalized differential quadrature, J Sound Vib **194**(4) 587-604 (Jul 1996), 2A157

Analytical solution for low-velocity impact response of composite plates, AIAA J **34**(8) 1633-1640 (Aug 1996), 2A209

Central and noncentral normal impact on orthotropic composite cylindrical shells, AIAA J **34**(8) 1619-1626 (Aug 1996), 2A210

Environmental effects on flutter characteristics of laminated composite rectangular and skew panels, Shock Vib **3**(5) 361-372 (1996), 2A251

Inverse method to measure the axial modulus of composite materials under tension, J Sound Vib **195**(4) 545-551 (Aug 1996), 3A502

Nonlinear combination resonances in cantilever composite plates, Nonlinear Dyn **11**(2) 143-169 (Oct 1996), 4T86

Exact elastodynamic solution to vibration problems of a composite structure in the plane stress state, J Sound Vib **196**(1) 85-96 (Sep 1996), 4A163

Exact symplectic solution for the dynamic analysis of shear deformable antisymmetric angle-ply laminated plates, Acta Mech Solida Sinica **9**(3) 263-273 (1996), 4A164

Natural frequencies and mode shapes of laminated composite plates: Experiments and FEA, J Vib and Control **2**(4) 381-414 (Nov 1996), 4A165

Free vibration of cord-rubber composite laminates, J Sound Vib **197**(3) 373-380 (Oct 1996), 5T121

Effect of delamination on the natural frequencies of a laminated composite beam, J Sound Vib **197**(3) 283-292 (Oct 1996), 5A624

Solving the vibration of thick symmetric laminates by Reissner-Mindlin plate theory and the p-Ritz method, J Sound Vib **198**(3) 343-360 (Dec 1996), 6A166

Finite element method for nonlinear free vibrations of composite plates, AIAA J **35**(1) 159-166 (Jan 1997), 6A182

Free vibration analysis of symmetrically laminated composite rectangular plates, J Sound Vib **199**(1) 71-85 (Jan 1997), 6A183

Three-dimensional vibration analysis of fiber reinforced composite laminated cylindrical shells, J Vib Acoust **119**(1) 46-51 (Jan 1997), 6A184

Experimental and FE analysis of pultruded glass-graphite-epoxy hybrids in axial and flexural modes of vibration, J Composite Mat **30**(18) 1996-2018 (1996), 6A558

Fourth Greek Congress on mechanics, Appl Composite Mat **3**(5) 267-353 (1996), 6A561

Free vibration of pretwisted, cantilevered composite shallow conical shells, AIAA J **35**(2) 327-333 (Feb 1997), 7A162

Vibration analysis of laminated beams using an iterative smeared laminate model, J Sound Vib **199**(2) 275-284 (Jan 1997), 8A142

Free and forced vibration of cross-ply laminated composite shallow arches, Int J Solids Struct **34**(10) 1217-1234 (Apr 1997), 8A170

Analytical solutions in the time domain for vibration problems of discrete viscoelastic systems, J Sound Vib **199**(2) 337-348 (Jan 1997), 8T173

Discrete and continuous models for dry masonry columns, J Eng Mech **123**(4) 399-403 (Apr 1997), 9A148

Dynamic response of non-uniform composite beams, J Sound Vib **200**(5) 563-577 (Mar 1997), 9A149

Free vibration analysis of skew fiber-reinforced composite laminates based on first-order shear deformation plate theory, Comput Struct **63**(3) 525-538 (May 1997), 9A150

Natural vibration frequencies of delaminated composite beams, Comp Assisted Mech Eng Sci **3**(3) 233-243 (1996), 9A151

Calculation of the natural frequencies of composite plates by the Rayleigh-Ritz method with orthogonal polynomials, J Sound Vib **201**(3) 385-387 (Apr 1997), 10A194

Vibration of thin skew fiber reinforced composite laminates, J Sound Vib **201**(3) 335-352 (Apr 1997), 10A200

Damping characteristics of laminated thick plates, J Appl Mech **64**(1) 132-138 (Mar 1997), 10A208

Delamination in composite rotors, Composites Part A Appl Sci and Manuf **28A**(6) 523-527 (1997), 11A155

Active control of sound fields from a composite plate using the anisotropy and shape of distributed PVDF actuators, J Sound Vib **202**(4) 461-476 (May 1997), 11A254

Dynamic response of cross-ply laminated shell panels, J Pressure Vessel Tech **119**(2) 157-160 (May 1997), 11A481

Planar free vibrations of off-axis piezoelectric laminates, J Eng Mech **123**(6) 604-611 (Jun 1997), 11A770

Coupling dynamic analysis of composite rotor blade (Chinese), J Dalian Univ Tech **37**(3) 345-350 (May 1997), 12A189

Maupertuis-Lagrange mixed variational formula for laminated composite structures with a refined higher-order beam theory, Int J Non-Linear Mech **32**(5) 989-1001 (Sep 1997), 12A483

154O. Structural elements on foundations

New interpolation functions in eigen-frequency analysis of Timoshenko beams on two-parameter elastic soil, Eng Trans **44**(2) 283-294 (1996), 4T166

Tapered thin open section beams on elastic foundation - II: Vibration analysis, Comput Struct **61**(5) 859-869 (Dec 1996), 4A167

Vibration analysis of Timoshenko beam-columns on two-parameter elastic foundations, Comput Struct **61**(6) 995-1007 (Dec 1996), 5A122

Vibrational impact of high-speed trains - I: Effect of track dynamics, J Acoust Soc Am **100**(5) 3121-3134 (Nov 1996), 5A123

Dynamic analysis of beams on an elastic foundation subjected to moving loads, J Sound Vib **198**(2) 149-169 (Nov 1996), 6A185

Free vibration analysis of Kirchhoff plates resting on elastic foundation by mixed FE formulation based on Gateaux differential, Int J Numer Methods Eng **40**(2) 295-317 (Jan 1997), 6A186

Forced vertical vibration of four rigid strips on a semi-infinite elastic solid, Int J Solids Struct **34**(8) 1017-1033 (Mar 1997), 8A174

Mode jumping of simply supported rectangular plates on nonlinear elastic foundation, Int J Non-Linear Mech **32**(1) 161-172 (Jan 1997), 8A175

Two-parameter optimization of an axially loaded beam on a foundation, J Sound Vib **199**(5) 801-812 (Feb 1997), 8A885

Dynamic response with respect to base movement of spring frame supported cantilever simple beam with concentrated mass, Comput Struct **63**(5) 977-985 (Jun 1997), 9A152

Earthquake analysis of beams resting on elastic foundations by using a modified Vlasov model, J Sound Vib **200**(3) 315-325 (Feb 1997), 9A153

Free vibrations of circular plates of varying thickness partially embedded in an elastic foundation, J Sound Vib **202**(1) 125-133 (Apr 1997), 10T225

Propagation of boundary disturbances in an axially moving strip in contact with rigid and flexible constraints, J Appl Mech **62**(4) 873-879 (Dec 1995), 11A120

Analysis of fluid storage tanks including foundation-superstructure interaction using differential quadrature method, Appl Math Model **21**(4) 193-205 (Apr 1997), 12A276

154P. Complex systems

Mechanics of Musical Instruments (Springer-Verlag, New York, 1995) 1R8

Revisiting the moving mass problem: Onset of separation between the mass and beam, J Vib Acoust **118**(3) 516-521 (Jul 1996), 1A166

Free vibration of a rectangular plate-beam coupled system, J Sound Vib **194**(1) 49-65 (Jul 1996), 1A202

Two-dimensional analysis of thin shell- or plate-like muffler elements of non-uniform thickness, J Sound Vib **195**(3) 445-475 (Aug 1996), 2A158

Calculating resonance frequencies of perforated panels, J Sound Vib **196**(4) 387-399 (Oct 1996), 4A168

Investigation of damping effects on statistical energy analysis of coupled structures, J Sound Vib **197**(3) 351-371 (Oct 1996), 5A124

Modeling and sensitivity analysis of multibody systems using new solid, shell, and beam elements, Comput Methods Appl Mech Eng **138**(1-4) 187-211 (Dec 1996), 6A53

Dynamic analysis of the multi-link five-point suspension system using point and joint coordinates, Acta Mech **119**(1-4) 221-228 (1996), 6A187

Experimental study of a mechanical system containing a local continuous stiffness nonlinearity under periodic excitation and a static load, J Sound Vib **198**(3) 279-298 (Dec 1996), 6A188

Stability of a jointed free-free beam under end rocket thrust, J Sound Vib **199**(1) 1-15 (Jan 1997), 6A628

Time and frequency domain analyses of single dof systems, Nucl Eng Des **167**(1) 1-5 (Nov 1996), 6A1459

Use of the analytical-and-numerical-combined method in the free vibration analysis of a rectangular plate with any number of point masses and translational springs, J Sound Vib **200**(2) 179-194 (Feb 1997), 8A176

Method for computing vibration fields in systems of a complicated structure with mutiple discontinuities, J Machinery Manuf Reliab **3** 10-15 (1996), 8A206

Effect of torsion on stability, dynamic forces, and vibration characteristics in drillstrings, J Energy Resources Tech **119**(1) 11-19 (Mar 1997), 9A154

Response of 2D periodic structures to impulsive point loading, J Sound Vib **201**(2) 235-253 (Mar 1997), 10A149

Modeling and simulation methods for MDOF structures and rotating machinery with impact dampers, J Eng Gas Turbines Power **119**(2) 436-446 (Apr 1997), 10T160

Nonclassical vibration analysis of a multiple rotating disk and spindle assembly, J Appl Mech **64**(1) 165-174 (Mar 1997), 10A210

Estimation of mass, stiffness and damping matrices from frequency response functions, J Vib Acoust **118**(1) 78-82 (Jan 1996), 11A274

Closed-form forced response of a damped, rotating, multiple disks-spindle system, J Appl Mech **64**(2) 343-352 (Jun 1997), 12A198

Rotordynamic coefficients of circumferentially-grooved liquid seals using the averaged Navier-Stokes equations, J Trib **119**(3) 556-567 (Jul 1997), 12A1021

154Y. Computational techniques

Method to determine the boundary conditions of the FE model of a slender beam using measured modal parameters, J Vib Acoust **118**(3) 474-478 (Jul 1996), 1A165

Study on free vibration of moderately thick orthotropic laminated shallow shells by boundary-domain elements, Appl Math Model **20**(8) 579-584 (Aug 1996), 1A190

Estimation of reciprocal residual flexibility from experimental modal data, AIAA J **34**(8) 1678-1685 (Aug 1996), 2A89

Explicit unconditionally stable approaches for built-up shell structural configurations, AIAA J **34**(8) 1725-1733 (Aug 1996), 2A103

Analytical model updating and model reduction, AIAA J **34**(9) 1966-1969 (Sep 1996), 2T159

Asymptotic solutions for predicted natural frequencies of 2D elastic solid vibration problems in FE analysis, Int J Numer Methods Eng **39**(16) 2821-2835 (Aug 1996), 2A160

Non-stationary response of linear systems under stochastic Gaussian and non-Gaussian excitation: A brief overview of recent results, Chaos Solitons Fractals **7**(7) 961-971 (Jul 1996), 2A161

Stability of an explicit multi-time step integration algorithm for linear structural dynamics equations, Comput Mech **18**(3) 236-244 (Jul 1996), 2A162

Observation and simulation of a large signal mechanical vibrating system, Comput Methods Appl Mech Eng **135**(1-2) 1-13 (Aug 1996), 3A178

New method for accurate and consistent identification of modal parameters, J Guidance Control Dyn **19**(5) 992-999 (Sep-Oct 1996), 3A334

Nonlinear vibration analysis of a clamped-clamped beam by a reduced multibody method, Nonlinear Dyn **11**(2) 121-141 (Oct 1996), 4A87

Residual flexibility approach for decoupled analysis of systems of combined components, J Vib Acoust **118**(4) 682-686 (Oct 1996), 4A113

Dynamic analysis of folded plate structures, J Vib Acoust **118**(4) 591-598 (Oct 1996), 4A133

Mass and stiffness modifications to achieve desired natural frequencies, Commun Numer Methods Eng **12**(9) 531-542 (Sep 1996), 4A169

Modeling of free vibrations of cylindrical coil, J Tech Phys **37**(2) 131-136 (1996), 4A170

Analysis of the performance of operational data analysis methods, Mech Syst Signal Processing **10**(5) 579-593 (Sep 1996), 4A855

Efficient eigenvector sensitivities by a new procedure based on Lanczos vectors, AIAA J **34**(11) 2392-2394 (Nov 1996), 5A93

Frequency and spatial shaping of inputs for multiaxis shaker testing, Shock Vib **3**(6) 393-401 (1996), 5A94

Numerical analysis of dynamic problems with negative stiffness, Comput Struct **61**(6) 1009-1011 (Dec 1996), 5A125

Solving vibration problem of thin plates using integral equation method, Appl Math Mech **17**(7) 693-698 (Jul 1996), 5A126

Fractional-spectral method for vibration of damped space structures, Eng Struct **18**(12) 947-956 (Dec 1996), 5A145

Numerical scheme and program for the solution and stability analysis of a steady periodic vibration problem, JSME Int J Ser C **39**(3) 456-463 (Sep 1996), 5A147

Statistical energy analysis of multiple, non-conservatively coupled systems, J Sound Vib **198**(1) 95-122 (Nov 1996), 5A265

Vibration of cracked structures: A state of the art review, Eng Fracture Mech **55**(5) 831-857 (Nov 1996), 5A644

Nonlinear dynamic response of frames using Lanczos modal analysis, J Struct Eng **122**(12) 1418-1426 (Dec 1996), 6A179

Bound set of possible eigenvalues of structures with uncertain but non-random parameters, Chaos Solitons Fractals **7**(11) 1845-1857 (Nov 1996), 6A189

Explicit time integration algorithms for structural dynamics with optimal numerical dissipation, Comput Methods Appl Mech Eng **137**(2) 175-188 (Oct 1996), 6A190

Predicted natural frequencies of 2D elastodynamic problems: A practical error estimator, Eng Comput **13**(8) 19-37 (1996), 6A191

Rayleigh's own method versus the two-term Rayleigh-Ritz method, Indust Math **46**(1) 1-8 (1996), 6A192

Time-stepping procedure for structural dynamics using Gauss point collocation, Int J Numer Methods Eng **39**(23) 3985-3998 (Dec 1996), 6A193

Two simple fast integration methods for large-scale dynamic problems in engineering, Int J Numer Methods Eng **39**(24) 4199-4214 (Dec 1996), 6A194

Method for structural model update using dynamically measured static flexibility matrices, AIAA J **35**(2) 362-368 (Feb 1997), 7A126

Multiple eigenvalues arising from a class of repetitive substructures, AIAA J **35**(2) 355-361 (Feb 1997), 7A127

Generalized approach for implementing general boundary conditions in the GDQ free vibration analysis of plates, Int J Solids Struct **34**(7) 837-846 (3 1997), 7A132

Implementation of clamped and simply supported boundary conditions in the GDQ free vibration analysis of beams and plates, Int J Solids Struct **34**(7) 819-835 (3 1997), 7A133

Combined FE-Riccati transfer matrix method in frequency domain for transient structural response, Comput Struct **62**(2) 215-220 (1997), 7A163

Comparison of several approximate modal methods for computing mode shape derivatives, Comput Struct **62**(2) 381-393 (1997), 7A164

Critique of mode acceleration and modal truncation augmentation methods for modal response analysis, Comput Struct **62**(6) 985-998 (Mar 1997), 7A165

Efficient algebraic method for the computation of natural frequency and mode shape sensitivities - Part I: Distinct natural frequencies, Comput Struct **62**(3) 429-435 (1997), 7A166

Efficient algebraic method for the computation of natural frequency and mode shape sensitivities - Part II: Multiple natural frequencies, Comput Struct **62**(3) 437-443 (1997), 7A167

Forced response of coupled substructures using experimentally based component mode synthesis, AIAA J **35**(2) 334-339 (Feb 1997), 7A168

Mixed-basis superposition method for the perturbation analysis of eigensolutions, Commun Numer Methods Eng **12**(12) 835-847 (Dec 1996), 7A169

Multilevel aggregation method for solving large-scale generalized eigenvalue problems in structural dynamics, Int J Numer Methods Eng **40**(3) 453-471 (Feb 1997), 7A170

Procedure for the determination of effective mass sensitivities in a general tridimensional structure, Comput Struct **62**(6) 1013-1024 (Mar 1997), 7A171

Selection of structural parameters for correcting frequency random errors, Comput Struct **62**(2) 221-226 (1997), 7A172

Numerical procedure for the dynamic analysis of 3D aeronautical structures, J Aircraft **34**(1) 120-130 (Jan-Feb 1997), 8A124

Reduction method for large scale unsymmetric eigenvalue problems in structural dynamics, J Sound Vib **199**(2) 253-268 (Jan 1997), 8A125

Applications of matched-field processing to structural vibration problems, J Acoust Soc Am **101**(3) 1430-1440 (Mar 1997), 8A177

Computational methods for differential eigensystems, Comput Struct **63**(2) 259-265 (Apr 1997), 8A178

Determination of the natural frequencies and mode shapes for large structures by accelerated Newton-Raphson method, Comput Struct **63**(1) 61-68 (Apr 1997), 8A179

Selecting a Ritz basis for the reanalysis of the frequency response functions of modified structures, J Sound Vib **199**(2) 309-322 (Jan 1997), 8A180

Solution of the inverse nodal problem, Inverse Prob **13**(1) 203-213 (Feb 1996), 8A181

Efficient computation of many eigenvector derivatives using dynamic flexibility method, AIAA J **35**(4) 712-718 (Apr 1997), 9A124

Improved damage location accuracy using strain energy-based mode selection criteria, AIAA J **35**(4) 693-699 (Apr 1997), 9A126

Free vibrations of cylindrical shells with non-axisymmetric mass distribution on elastic bed, Meccanica **32**(1) 71-84 (Feb 1997), 9A140

Three-dimensional vibration analysis of solid cylinders of polygonal cross-section using the p-Ritz method, J Sound Vib **200**(4) 505-518 (Mar 1997), 9A155

Analysis of vibration by the wave propagation method and Bolotin's method for a rectangular thin plate with at least one side roller-supported, Wave Motion **25**(2) 169-180 (Mar 1997), 10A193

Balancers of any frequency term of the shaking moment of spatial mechanisms, Proc Inst Mech Eng C **211**(C1) 37-48 (1997), 10A226

Effect of different coordinate functions when employing the Rayleigh-Ritz method in the case of a vibrating rectangular plate with a free edge, J Sound Vib **201**(2) 258-261 (Mar 1997), 10T227

Frequency domain modal parameter identification of high order systems in a numerically stable way, J Vib Acoust **119**(2) 265-270 (Apr 1997), 10A228

Transformation of the modal equations into the force equations, Comput Struct **63**(6) 1085-1094 (Jun 1997), 10A229

Surface mobility of a circular contact area on an infinite plate, J Sound Vib **202**(1) 95-108 (Apr 1997), 10A247

Design sensitivity analysis of structure-induced noise and vibration, J Vib Acoust 119(2) 173-179 (Apr 1997), 10A422
Hierarchical functions set for predicting very high order plate bending modes with any boundary conditions, J Sound Vib 202(5) 633-655 (May 1997), 11A43
Small oscillations of finitely deformed elastic networks, J Sound Vib 202(5) 619-631 (May 1997), 11A121
Free vibration of plates by the high accuracy quadrature element method, J Sound Vib 202(5) 689-702 (May 1997), 11A125
Geometrical and spatial effects on effective mobilities of annular interfaces, J Sound Vib 202(4) 511-537 (May 1997), 11A128
Numerical method for vibration analysis of cylindrical shells, J Eng Mech 123(6) 544-550 (Jun 1997), 11A132
Effects of laminations on the vibrational behavior of electrical machine stators, J Sound Vib 202(5) 703-715 (May 1997), 11A133
Vibration of thick doubly-curved stress free shallow shells of curvilinear planform, J Eng Mech 123(5) 413-421 (May 1997), 11A138
Dynamic analysis of the flexible rod of a quick-return mechanism with time-dependent coefficients by the FEM, J Sound Vib 202(2) 187-201 (May 1997), 12A56
Statistical investigation of the forced response of finite, nearly periodic assemblies, J Sound Vib 203(1) 158-168 (May 1997), 12T141
Free and forced vibration of a cantilever beam contacting with a rigid cylindrical foundation, J Sound Vib 202(2) 161-185 (May 1997), 12A160
Normal multi-modes of nonlinear Euler beams, J Sound Vib 202(2) 145-160 (May 1997), 12A164
Free vibration analysis of circular plates with stepped thickness over a concentric region by the differential quadrature element method, J Sound Vib 202(3) 452-459 (May 1997), 12T176
Hybrid energy method for predicting high frequency vibrational response of point-loaded plates, J Sound Vib 202(3) 375-394 (May 1997), 12A179
Accurate free vibration analysis of shear-deformable plates with torsional elastic edge support, J Sound Vib 203(2) 209-218 (Jun 1997), 12A186
Vibration of rectangular plates by reduction of the plate partial differential equation into simultaneous ordinary differential equations, J Sound Vib 203(1) 169-180 (May 1997), 12A188
Nonlinear vibration and dynamic instability of thin shallow shells, J Sound Vib 202(3) 303-311 (May 1997), 12A196
Quadratic representation of a nonlinear dynamic stiffness matrix and related eigenvalue problems, Comput Methods Appl Mech Eng 146(3-4) 313-323 (Jul 1997), 12A199
Fourier series approach to the measurement of flexural wave intensity in plates, J Sound Vib 203(1) 101-126 (May 1997), 12A229

154Z. Experimental techniques

Modal and physical deflections of beams using distributed wire sensors, Smart Mat Struct 5(3) 261-271 (Jun 1996), 1A203
Experimental and analytical power flow in beams using a scanning laser Doppler vibrometer, Shock Vib 3(5) 325-336 (1996), 2A115
Design of scaled down models for predicting shell vibration response, J Sound Vib 195(2) 301-311 (Aug 1996), 2A142
Weighted least-squares discrete FE formulation for modeling 3D velocity response fields measured by a laser doppler vibrometer, Mech Syst Signal Processing 10(4) 471-495 (Jul 1996), 3A145
Error analysis on measurement of vibration intensity based on dual transducers, J Vib Eng 9(3) 253-259 (Sep 1996), 4A171
Application of two experimental modal analysis methods for the determination of operational deflection shapes, J Sound Vib 196(4) 429-438 (Oct 1996), 4A276
Experimental investigation on the static and dynamic characteristics of journal bearings under the influence of twisting misalignment, J Trib 119(1) 188-192 (Jan 1997), 7A160
Error measures for the finite strip vibration analysis method, J Sound Vib 200(2) 139-149 (Feb 1997), 8A126
Natural frequency error estimation using a patch recovery technique, J Sound Vib 200(2) 151-165 (Feb 1997), 8A127
Extension of the tip excitation technique to the rotational compliance measurement of curved structures, J Acoust Soc Am 101(2) 887-894 (Feb 1997), 8A182
Feasibility analysis of using piezoceramic transducers for cantilever beam modal testing, Smart Mat Struct 6(1) 106-116 (Feb 1997), 8A183
Modal analysis of Lamb wave generation in elastic plates by liquid wedge transducers, J Acoust Soc Am 101(2) 834-842 (Feb 1997), 8A184
Advanced machine diagnostics, Shock Vib Digest 29(1) 6-30 (Jan-Feb 1997), 8A839
New approach to impact testing instrumentation using an electronic slave hammer, Mech Syst Signal Processing 11(2) 269-285 (Mar 1997), 9A128
Short-time coherence functions: Instantaneous and tuned, Mech Syst Signal Processing 11(2) 169-185 (Mar 1997), 9A156
Thermodynamic damping in porous materials with ellipsoidal cavities, J Sound Vib 201(5) 555-565 (Apr 1997), 10A166
Effect of thermal prestress on the free vibration characteristics of clamped rectangular plates: Theory and experiment, J Vib Acoust 119(2) 243-249 (Apr 1997), 10A195
Self-excited vibration caused by internal friction in universal joints and its stabilizing method, J Vib Acoust 119(2) 221-229 (Apr 1997), 10A218
Derivation of structural design sensitivities from vibration test data, J Sound Vib 201(5) 613-631 (Apr 1997), 10A421
Experimental verification of the importance of the nonlinear curvature in the response of a cantilever beam, J Vib Acoust 118(1) 21-27 (Jan 1996), 11A115
Experimental modal analysis technique for miniature structures, J Vib Acoust 118(1) 1-9 (Jan 1996), 11A156
Experimental investigations and shape functions for lateral vibration of axially constrained beams with a concentrated mass at the center, J Sound Vib 202(3) 446-451 (May 1997), 12T159
Free vibration of partially clamped rectangular plates with and without rigid point supports, J Sound Vib 203(2) 181-192 (Jun 1997), 12A178
Distributed structural actuation with electrostrictors, J Sound Vib 203(1) 11-40 (May 1997), 12A895

156. VIBRATIONS (STRUCTURES)

156B. Buildings and foundations

Active control for tall-slender structure vibration induced by wind (Chinese), J Vib Eng 9(2) 153-160 (Jun 1996), 2A163
Two dof lumped-parameter model of dynamic impedances of foundation soils (Chinese), J Dalian Univ Tech 36(4) 477-482 (Jul 1996), 2A164
Forced vibration of full-scale wall-backfill system, J Geotech Eng 122(10) 849-858 (Oct 1996), 3A179
Issues on the seismic retrofit of a building near resonant response and structural pounding, Earthquake Spectra 12(3) 567-597 (Aug 1996), 3A1388
Seismic upgrading of old brick-masonry urban houses: Tying of walls with steel ties, Earthquake Spectra 12(3) 599-622 (Aug 1996), 3A1396
Analysis for nonlinear vibration of foundations, J Vib Eng 9(3) 292-296 (Sep 1996), 4A172
Analysis of galloping oscillations of highrise structures, J Vib Eng 9(3) 244-252 (Sep 1996), 4T173
Efficient seismic analysis of multi-story buildings, Struct Eng and Mech 4(5) 497-511 (Sep 1996), 4A1403
Behavior of reinforced-concrete-framed shear walls, Nucl Eng Des 166(1) 55-68 (Oct 1996), 5A769
Dynamic analysis of tall building using reduced-order continuum model, J Struct Eng 122(11) 1284-1291 (Nov 1996), 6A195
Measuring and modeling dynamic loads imposed by moving crowds, J Struct Eng 122(12) 1468-1474 (Dec 1996), 6A196
Wind-induced fatigue loading and damage to hip and gable roof claddings, J Struct Eng 122(12) 1475-1483 (Dec 1996), 6A730
Site coefficients for design of buildings in eastern United States, Soil Dyn Earthquake Eng 16(1) 29-40 (Jan 1997), 7A1490
Human-structure interaction in vertical vibrations, Proc Inst Civil Eng Struct Build 122(1) 1-9 (Feb 1997), 8A185
Chaotic oscillation of saddle form cable-suspended roofs under vertical excitation action, Nonlinear Dyn 12(1) 57-68 (Jan 1997), 9A98
Simulation of wind-induced lateral-torsional motion of tall buildings, Comput Struct 63(3) 601-606 (May 1997), 9A157
Effective optimal structural control of soil-structure interaction systems, Earthquake Eng Struct Dyn 26(5) 549-570 (May 1997), 10A1456
Comparative study on the seismic retrofit of a mid-rise steel building: Steel bracing vs energy dissipation, Earthquake Eng Struct Dyn 26(6) 637-655 (Jun 1997), 11T160
Method of estimating the parameters of tuned mass dampers for seismic applications, Earthquake Eng Struct Dyn 26(6) 617-635 (Jun 1997), 11A161
Method of analyzing finite periodic structures - Part I: Theory and examples, J Sound Vib 202(4) 555-569 (May 1997), 11A169
Localizing a notch in a steel frame from frequency measurements, J Eng Mech 123(5) 422-432 (May 1997), 11A277
Design of a mega-sub-controlled building system under stochastic wind loads, Probab Eng Mech 12(3) 149-162 (Jul 1997), 12A200
Seismic testing of a building structure with a semi-active fluid damper control system, Earthquake Eng Struct Dyn 26(7) 759-777 (Jul 1997), 12A1492

156C. Towers and chimneys

Semi-explicit optimal frequency design of chimneys with geometrical constraints, Finite Elements Anal Des 23(1) 37-56 (Aug 1996), 1A837
Experimental study on vortex-induced vibration of circular cylinder towers at high wind speed (Japanese), Proc JSCE 543(I-36) 195-207 (Jul 1996), 3A180
Inelastic seismic resistance of reinforced concrete stack-like structures, Earthquake Eng Struct Dyn 26(5) 501-513 (May 1997), 10T1462

156D. Bridges

Evaluation of equivalent linear analysis methods of bridge isolation, J Struct Eng 122(8) 972-976 (Aug 1996), 3A181
Nonlinear response of bridges under multisupport excitation, J Struct Eng 122(10) 1147-1159 (Oct 1996), 3A182
Quantitative approach to rapid seismic evaluation of slab-on-girder steel highway bridges, J Struct Eng 122(10) 1160-1168 (Oct 1996), 3A183
Time domain modeling of bridge deck flutter (Japanese), Proc JSCE 543(I-36) 19-30 (Jul 1996), 3A184
Stochastic stability of wind-excited long-span bridges, Probab Eng Mech 11(4) 257-261 (Oct 1996), 4A174
Vehicle-guideway dynamic interaction in maglev systems, J Dyn Syst Meas Control 118(3) 526-530 (Sep 1996), 4A403
Vibrational impact of high-speed trains - I: Effect of track dynamics, J Acoust Soc Am 100(5) 3121-3134 (Nov 1996), 5A123
Composite damping ratio of seismically isolated regular bridges, Eng Struct 19(1) 55-62 (Jan 1997), 6A197
Dynamic investigation of a repaired cable-stayed bridge, Earthquake Eng Struct Dyn 26(1) 41-59 (Jan 1997), 6A198
Dynamic response of cable-stayed bridges to moving vehicles using the structural impedance method, Appl Math Model 20(12) 877-889 (Dec 1996), 6A199
Amplitude and turbulence effects on bridge flutter derivatives, J Struct Eng 123(2) 232-236 (Feb 1997), 7A173
Dynamic interaction between heavy vehicles and highway bridges, Comput Struct 62(2) 253-264 (1997), 7A174
Numerical simulation of wind-induced forces on bridge deck sections of long-span bridges, Comput Struct 62(4) 667-679 (Feb 1997), 7A175
Signal versus noise in damage detection by experimental modal analysis, J Struct Eng 123(2) 237-245 (Feb 1997), 7A176
Study of special spacer with damping device for suppressing wake galloping in tandem cables of cable-stayed bridges and its application to full scale bridge (Japanese), Proc JSCE 553(VI-33) 129-142 (Dec 1996), 8A186
Horizontal bridge-soil interaction assessment by dynamic testing, Exp Mech 37(1) 69-77 (Mar 1997), 8A684
Vibrational behavior of continuous span highway bridge: Influencing variables, J Struct Eng 123(3) 333-344 (Mar 1997), 9A158
Multiple-support response spectrum method and application to bridge structures (German), Bauingenieur 72(3) 113-121 (Mar 1997), 10A230
Vibration characteristics of a suspension footbridge, J Sound Vib 202(1) 29-46 (Apr 1997), 10A231
Modal analysis of tower-cable system of Tsing Ma long suspension bridge, Eng Struct 19(10) 857-867 (Oct 1997), 12A201

156E. Hydraulic structures

Analysis of the vibrations of inflatable dams under overflow conditions, Thin-Walled Struct 26(4) 241-259 (Dec 1996), 4A845
Response of earth dams to P and SV waves using coupled FE-BE formulation, Earthquake Eng Struct Dyn 25(11) 1177-1194 (Nov 1996), 4A1408
Identification of Fei-Tsui arch dam from both ambient and seismic response data, Soil Dyn Earthquake Eng 15(7) 465-483 (Oct 1996), 5A127
Computationally efficient techniques in the hydroelasticity analysis of very large floating structures, Comput Struct 62(4) 603-610 (Feb 1997), 7A177

156F. Marine structures

Effect of springing response of a TLP on tether fatigue, J Offshore Mech Arctic Eng 118(3) 169-173 (Aug 1996), 2A636
Dynamic response of compliant offshore structures: Review, J Aerospace Eng 9(4) 114-131 (Oct 1996), 4A852
Parametric uncertainties for dynamic response evaluation of offshore structures, Comput Mech 18(6) 454-463 (Oct 1996), 5A128
Planar motion of an articulated tower with an elastic appendage, J Sound Vib 198(1) 27-50 (Nov 1996), 5A129
Application of multivariable linear control design to marine towed systems, J Guidance Control Dyn 19(6) 1246-1251 (Nov-Dec 1996), 5A316
Analytical and numerical analysis of the dynamics of a marine riser connected to a floating platform, Ocean Eng 24(2) 111-131 (Feb 1997), 6A200
Coupled dynamics of tethered buoy systems, Ocean Eng 24(5) 445-464 (May 1997), 8A187
Dynamics of a moored barge under regular and random waves, Ocean Eng 24(5) 401-430 (May 1997), 8A188
Nonlinear dynamics of a coupled surge-heave small-body ocean mooring system, Ocean Eng 24(5) 479-495 (May 1997), 8A189
Static drilling riser model using free boundary conditions, Ocean Eng 24(5) 431-444 (May 1997), 8A190
Modal analysis of an existing offshore platform, Eng Struct 19(6) 487-498 (Jun 1997), 9A159
Nonlinear random response of ocean structures using first-and-second-order stochastic averaging, Nonlinear Dyn 12(2) 155-197 (Feb 1997), 10A316
Ringing and double frequency response of a tripod, J Offshore Mech Arctic Eng 119(2) 79-85 (May 1997), 11A210
Special issue on jack-up platforms, Marine Struct 10(2-4) 85-301 (Feb-May 1997), 11A820
Field verification of linear and nonlinear hybrid wave models for offshore tower response prediction, J Offshore Mech Arctic Eng 119(3) 158-165 (Aug 1997), 12A202
Alternative stochastic representation of drag forces on offshore structures for dynamic analyses, J Offshore Mech Arctic Eng 119(3) 178-183 (Aug 1997), 12A1058

156G. Vehicles (incl locomotives)

Longitudinal train dynamics (Spanish), J Brazilian Soc Mech Sci 18(2) 107-118 (Jun 1996), 1A106
Experimental verification of resistance control semi-active damping, Vehicle Syst Dyn 26(2) 143-159 (Aug 1996), 1A369
Interaction dynamics between an electric vehicle's "pantograph" and the road, Vehicle Syst Dyn 26(2) 81-102 (Aug 1996), 1A371
Investigations on the stochastically optimized PID controller for a linear quarter - car road vehicle, Vehicle Syst Dyn 26(2) 103-116 (Aug 1996), 1A372
Proposal for testing and rating of traction and stability control systems, Vehicle Syst Dyn 26(2) 117-126 (Aug 1996), 1A375
Friction model of non-homogeneous surfaces for wheeled vehicle motion simulation, Archiwum Motoryzacji 1 5-21 (1996), 2A165
Lateral kinematic of multibody vehicle (Polish), Archiwum Motoryzacji 1 31-44 (1996), 2A166
Transmission of vibration to the occupants of a car seat with a suspended back-rest, Proc Inst Mech Eng D 210(D3) 199-207 (1996), 2A167
Discrete adaptive active suspension for hardware implementation, Vehicle Syst Dyn 26(3) 161-196 (Sep 1996), 3A375
Preview control for a semi-active suspension system, Int J Vehicle Des 17(4) 384-397 (1996), 3A383
Suboptimal control design of active and passive suspensions based on a full car model, Vehicle Syst Dyn 26(3) 197-222 (Sep 1996), 3A386
Model of digging mechanism with hydrokinetic coupling for SchRs 1200 bucket wheel excavator, Arch Budowy Maszyn 41(3-4) 275-293 (1994), 4A175
Control of suspensions for vehicles with flexible bodies - Part I: Active suspensions, J Dyn Syst Meas Control 118(3) 508-517 (Sep 1996), 4A387
Control of suspensions for vehicles with flexible bodies - Part II: Semi-active suspensions, J Dyn Syst Meas Control 118(3) 518-525 (Sep 1996), 4A388
Dynamics of multibody tracked vehicles using experimentally identified modal parameters, J Dyn Syst Meas Control 118(3) 499-507 (Sep 1996), 4A391
LQ approach to active control of vibrations in helicopters, J Dyn Syst Meas Control 118(3) 482-488 (Sep 1996), 4A395
Vehicle-guideway dynamic interaction in maglev systems, J Dyn Syst Meas Control 118(3) 526-530 (Sep 1996), 4A403

Dynamic loads in automotive suspension, Arch Budowy Maszyn 42(1-2) 81-101 (1995), 4A856
Railhead corrugation growth explained by dynamic interaction between track and bogie wheelsets, Proc Inst Mech Eng F 210(F1) 11-20 (1996), 5A130
Substructuring method and eigenfunction representation for a rolling tire coupled to a secondary mechanical system, Proc Inst Mech Eng D 210(D4) 313-325 (1996), 5A131
Analysis of influence of design parameters on steered wheels shimmy of heavy vehicles, Vehicle Syst Dyn 26(5) 343-379 (Nov 1996), 5A315
H, formulation for the design of passive vibration-isolation system for cars, Vehicle Syst Dyn 26(5) 381-393 (Nov 1996), 5A320
Measurements of path and other parameters in motor vehicle dynamics tests and their errors, Vehicle Syst Dyn 26(5) 321-342 (Nov 1996), 5A322
Dynamic analysis of the multi-link five-point suspension system using point and joint coordinates, Acta Mech 119(1-4) 221-228 (1996), 6A187
Railway wheelset dynamics (Spanish), J Brazilian Soc Mech Sci 18(4) 318-329 (Dec 1996), 6A201
Simulation of coupled car and caravan handling behavior, Vehicle Syst Dyn 26(6) 397-429 (Dec 1996), 6A394
Stabilization control for rider-motorcycle model in Hamiltonian form, Vehicle Syst Dyn 26(6) 431-448 (Dec 1996), 6A395
Numerical method for dynamic analysis of vehicles moving on flexible structures having gaps, Int J Numer Methods Eng 40(3) 511-531 (Feb 1997), 7A178
Analysis of the dynamic forces in the steering linkage of an off-road vehicle, Int J Vehicle Des 18(1) 83-99 (1997), 8A191
Aspects of the vibrating behavior of a vibratory roller in soil compaction (Japanese), Proc JSCE 554(III-37) 231-237 (Dec 1996), 8A192
Dynamic response of railway ballast to the action of trains moving at different speeds, Proc Inst Mech Eng F 210(F2) 95-101 (1996), 8A193
Measures to reduce the lateral vibration of the tail car in a high speed train, Proc Inst Mech Eng F 210(F2) 87-93 (1996), 8A194
Passive and semi-active airspring suspensions for rail passenger vehicles: Theory and practice, Proc Inst Mech Eng F 210(F2) 103-117 (1996), 8A195
Development and simulation of a novel roll control system for the Interconnected Hydragas Suspension, Vehicle Syst Dyn 27(1) 1-18 (Jan 1997), 8A396
Effect of load-distributing devices on the stability of heavy vehicles, Heavy Vehicle Syst 4(1) 29-48 (1997), 8A398
Mobility of cross-country vehicles, with emphasis on modeling their dynamic motion, Heavy Vehicle Syst 4(1) 49-71 (1997), 8T400
Semi-active suspension with dynamic absorbers of ground vehicles using fuzzy reasoning, Int J Vehicle Des 18(1) 19-34 (1997), 8A405
Substantiation of the loading scheme for a single-axle trailer subjected to dynamic tests, J Machinery Manuf Reliab 3 95-100 (1996), 8A406
Proceedings of the 2nd International Colloquium on Tyre Models for Vehicle Dynamic Analysis, held at the Technical University of Berlin, Germany, February 20-21, 1997, Vehicle Syst Dyn 27(S) 2-342 (1996), 8A936
Dynamic interaction between a lumped mass vehicle and a discretely supported continuous rail track, Comput Struct 63(5) 987-997 (Jun 1997), 9A160
Identification of vibration parameters for motor vehicles, Vehicle Syst Dyn 27(2) 65-88 (Feb 1997), 9A161
Modeling of tire and road interaction (Polish), Biuletyn Wojskowej Akademii Technicznej 45(4) 21-36 (Apr 1996), 9A162
Modeling the tires non-uniformity as a car vibrations cause (Polish), Archiwum Motoryzacji 2 91-106 (1996), 9A163
Running safety of railway vehicle on oscillating track using a mechanical model with vertical wheel flanges (Japanese), Proc JSCE 556(I-38) 169-178 (Jan 1997), 9A164
Active control of a high-speed pantograph, J Dyn Syst Meas Control 119(1) 1-4 (Mar 1997), 9A353
Optimal adaptive active suspensions for a full car model, Vehicle Syst Dyn 27(2) 89-107 (Feb 1997), 9A365
Evaluation of shock absorber models, Vehicle Syst Dyn 27(2) 109-127 (Feb 1997), 9A374
Contact modeling of the tire-road interface, Int J Vehicle Des 18(2) 194-202 (1997), 9A916
Driver's seat with active suspension of electro-pneumatic type, J Vib Acoust 119(2) 230-235 (Apr 1997), 10T157
Road induced evolutionary random response of vehicle (Chinese), J Vib Eng 10(1) 86-91 (Mar 1997), 10T232
Design sensitivity analysis of structure-induced noise and vibration, J Vib Acoust 119(2) 173-179 (Apr 1997), 10A422
Modeling and control of an automated vehicle, Vehicle Syst Dyn 27(3) 131-155 (Mar 1997), 10A487
Regenerative systems for vibration control, J Vib Acoust 119(2) 208-215 (Apr 1997), 10A496
Decentralized control of active vehicle suspensions with preview, J Dyn Syst Meas Control 117(4) 478-483 (Dec 1995), 11A310
New route to chaos in railway dynamics, Nonlinear Dyn 13(2) 117-129 (Jun 1997), 12T121
Land vehicle roll-yaw product of inertia measurement, J Dyn Syst Meas Control 119(2) 212-216 (Jun 1997), 12A203
Vehicle-road and vehicle-bridge interaction: Third Engineering Foundation Conference, Noordwijkerhout, he Netherlands, June 5-10, 1994, Heavy Vehicle Syst 3(1-4) 1-472 (1996), 12T204

156H. Ships

Approach to ship hull-shafting coupled vibrations, Marine Tech Trans 6 173-196 (1995), 3A170
Nonlinear robust control designs for a remotely operated underwater vehicle depth control system, J Syst Control Eng 210(I3) 201-214 (1996), 4A396
Dynamic behavior analysis of a lifeboat system under simulated accidents, Mech Syst Signal Processing 10(6) 763-774 (Nov 1996), 6A202
Response of a hydrofoil to wave orbital velocity fields, Ocean Eng 24(3) 235-263 (Mar 1997), 6A203
Vibrational energy flow analysis using a substructure approach: The application of receptance theory to FEA and SEA, J Sound Vib 201(4) 491-513 (Apr 1997), 10A26
Transient analysis of the ship-water interaction system excited by a pressure water wave, Marine Struct 10(5) 302-321 (Jun 1997), 11A23
Piezoelectric modal sensor-actuator design for monitoring-generating flexural and torsional vibrations of cylindrical shells, J Vib Acoust 118(1) 48-55 (Jan 1996), 11A769

156I. Aircraft

Use of quadrature method for determining flexural oscillations shapes and frequencies of the unswept wing of variable section, Russian Aeronaut 38(4) 66-69 (1995), 1A204
Determination of equilibrium points for an aircraft dynamic model, J Guidance Control Dyn 19(6) 1392-1394 (Nov-Dec 1996), 5T1082
Influence of elastomeric damper modeling on the dynamic response of helicopter rotors, AIAA J 35(2) 349-354 (Feb 1997), 7A183
Integrated rotor-flight control system optimization with aeroelastic and handling qualities constraints, J Guidance Control Dyn 20(2) 217-224 (Mar-Apr 1997), 9T361
Shimmy analysis of asymmetric landing gear (Russian), Prikl Mekh (Appl Mech) 33(2) 89-95 (1997), 12A205

156J. Spacecraft, spacestations

Analysis and control of microvibrations on ARTEMIS satellite, J Intelligent Mat Syst Struct 7(2) 216-226 (Mar 1996), 1A205
Evaluation of active damping performances in orbit, J Intelligent Mat Syst Struct 7(2) 227-234 (Mar 1996), 1A206
Vibration technique for space shuttle tiles bond assessment - Part I: Modeling, Modal Analysis 11(1-2) 49-56 (Jul 1996), 2A168
Vibration technique for space shuttle tiles bond assessment - Part II: Experimental results, Modal Analysis 11(1-2) 57-62 (Jul 1996), 2A169
High-performance active control of dynamically complex space structures, J Guidance Control Dyn 19(5) 1071-1080 (Sep-Oct 1996), 3A380
Elastic response of accelerating launch vehicles subjected to varying control pulses, J Spacecraft Rockets 33(6) 889-890 (Nov-Dec 1996), 6T204
Formulation and analysis of launch vehicle maneuvering loads, J Spacecraft Rockets 33(6) 815-821 (Nov-Dec 1996), 6A205
Identification of vibration modes in a spacecraft using nonparametric and parametric methods, Model Ident Control 17(4) 231-259 (Oct 1996), 8A196
Chaotic motion in a spinning spacecraft with circumferential nutational damper, Nonlinear Dyn 12(1) 69-87 (Jan 1997), 9A97
Secondary system analysis for space pay-load, Nonlinear Dyn 12(1) 89-107 (Jan 1997), 9T165
Articulated, flexible multibody dynamics modeling: Geostationary Operational Environmental Satellite-8 case study, J Guidance Control Dyn 20(2) 276-283 (Mar-Apr 1997), 9A234
Active damping of structures with guy cables, J Guidance Control Dyn 20(2) 320-326 (Mar-Apr 1997), 9A354
Slewing flexible spacecraft with deflection-limiting input shaping, J Guidance Control Dyn 20(2) 291-298 (Mar-Apr 1997), 9A369
Effects of severed tethers in space, J Spacecraft Rockets 34(2) 239-245 (Mar-Apr 1997), 10A233
Experimental investigation of spacecraft in-flight disturbances and dynamic response, J Spacecraft Rockets 34(2) 199-204 (Mar-Apr 1997), 10A234
Hammerhead wake effects on elastic vehicle dynamics, J Spacecraft Rockets 34(2) 145-151 (Mar-Apr 1997), 10A235
Two-step structural damage detection approach with limited instrumentation, J Vib Acoust 119(2) 258-264 (Apr 1997), 10A236
Annihilation of transverse velocity bias during spinning-up maneuvers, J Guidance Control Dyn 20(3) 416-421 (May-Jun 1997), 10T455
Separation dynamics of heat shield fairings, Proc Inst Mech Eng J Aerospace Eng 211(G2) 67-80 (1997), 12A102
Dynamic model for global positioning system block IIR space vehicle, J Spacecraft Rockets 34(3) 354-359 (May-Jun 1997), 12A206

156K. Machine elements

Interactions between commensurate parametric and forcing excitations in a system with clearance, J Sound Vib 194(3) 317-336 (Jul 1996), 1A125
Gear transmission error measurement using phase demodulation, Proc Inst Mech Eng C 210(C3) 201-213 (1996), 1A207
Threaded components under axial harmonic vibration - Part 1: Experiments, J Vib Acoust 118(3) 417-422 (Jul 1996), 1A208
Threaded components under axial harmonic vibration - Part 2: Kinematic analysis, J Vib Acoust 118(3) 423-429 (Jul 1996), 1A209
Clutch ability for torque transfer in dynamic loading condition (Polish), Archiwum Motoryzacji 1 23-30 (1996), 2T170
Analysis of torsional vibrations of discrete-continuous systems in class of generalized functions, J Theor Appl Mech 34(3) 579-596 (1996), 4A176
Influence of ponderable shafts on dynamic loads between gear teeth in single gear transmission, Arch Budowy Maszyn 41(3-4) 295-314 (1994), 4A177
Significance of the electromagnetic forces on the mechanical resonances of stator laminations, Mech Syst Signal Processing 10(5) 501-515 (Sep 1996), 4A178
Suppression of chatter vibration of a CNC machine center: An example, Mech Syst Signal Processing 10(5) 551-560 (Sep 1996), 4A179
Gear defect detection through model-based wideband demodulation of vibrations, Mech Syst Signal Processing 10(5) 653-665 (Sep 1996), 4A920
Identification of linearized dynamic characteristics of rolling element bearings, J Vib Acoust 119(1) 60-69 (Jan 1997), 6A206
Special Issue: Journal of materials processing technology, J Mat Processing Tech 61(4) 323-394 (Oct 1996), 6T684
Flexural vibrations of elastic manipulators with prismatic joints, Comput Struct 62(5) 897-908 (Mar 1997), 7A179
Prediction of impact forces in a vibratory ball mill using an inverse technique, Int J Impact Eng 19(2) 117-126 (Feb 1997), 7A180
Effects of the manipulator type on the vibrational excitation during motion, Mech Machine Theory 32(2) 221-233 (Feb 1997), 7A382
Dynamic stability of spinning Timoshenko shafts with a time-dependent spin rate, J Sound Vib 199(3) 401-415 (Jan 1997), 8A162
Instability analysis of unsymmetrical rotor-bearing systems using the transfer matrix method, J Sound Vib 199(3) 381-400 (Jan 1997), 8A164
New preshaped input function with high robustness for minimizing residual vibration of manipulators, Mech Machine Theory 32(3) 405-410 (Apr 1997), 8A197
Vibration control of redundant flexible-joint manipulators, J Manuf Sci Eng 119(1) 119-125 (Feb 1997), 8A198
Experimental measurement of precision bearing dynamic stiffness, J Sound Vib 202(1) 55-66 (Apr 1997), 10A237
Characteristics of abrasive waterjet generated surfaces and effects of cutting parameters and structure vibration, J Eng Indust 117(4) 516-525 (Nov 1995), 11A594
Ball bearing dynamic analysis using computer methods - Part I: Analysis, J Trib 118(1) 52-58 (Jan 1996), 11A851
Bearing localized defect detection by bicoherence analysis of vibrations, J Eng Indust 117(4) 625-629 (Nov 1995), 11A852
Control of the operating condition of a subharmonic vibromachine, J Sound Vib 203(3) 495-503 (Jun 1997), 12A113

156L. Machine tools

Autonomous operation planning with evaluating machine tool characteristics (Japanese), J Japan Soc Precision Eng 62(6) 871-875 (Jun 1996), 1A210
Dynamic analysis of the ultrasonic machining process, J Manuf Sci Eng 118(3) 376-381 (Aug 1996), 2A171
Study on regenerative chatter vibration in end mill operation - 1st report: Theoretical analysis of chatter stability limit in side cutting- (Japanese), J Japan Soc Precision Eng 62(8) 1136-1140 (Aug 1996), 3A185
Elliptical vibration cutting - 1st report: Cutting principle and basic performance (Japanese), J Japan Soc Precision Eng 62(8) 1127-1131 (Aug 1996), 3A627
Effect of installation of cylindrical grinding machine upon its dynamic characteristics, Int J Japan Soc Precision Eng 30(2) 146-147 (Jun 1996), 3T638
Suppression of chatter vibration of a CNC machine center: An example, Mech Syst Signal Processing 10(5) 551-560 (Sep 1996), 4A179
Complex dynamics of simple machine tool-cutting process system, Arch Budowy Maszyn 42(3-4) 151-165 (1995), 4A180
Experimental research on cutting force variation during regenerative chatter vibration in a plain milling operation, Int J Machine Tools Manuf 36(10) 1073-1092 (Oct 1996), 4A181
Modeling and diagnosis of motion error of multi-axis machines using a ball bar test, J Dyn Syst Meas Control 118(3) 531-539 (Sep 1996), 4A182
Sensing of motion related errors in multiaxis machines, J Dyn Syst Meas Control 118(3) 425-433 (Sep 1996), 4A183
Fuzzy clustering for automated tool condition monitoring in machining, Mech Syst Signal Processing 10(5) 533-550 (Sep 1996), 4A908
Self-organizing neural networks for automated machinery monitoring systems, Mech Syst Signal Processing 10(5) 517-532 (Sep 1996), 4A910
Effects of ultrasonic vibration on machining accuracy in microdrilling, Int J Japan Soc Precision Eng 30(3) 210-216 (Sep 1996), 7A607
Milling cutter wear monitoring using spindle shaft vibration, J Manuf Sci Eng 119(1) 118-119 (Feb 1997), 8A199
Tool wear and chatter detection using the coherence function of two crossed accelerations, Int J Machine Tools Manuf 37(4) 425-435 (Apr 1997), 8A942
Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), J Japan Soc Precision Eng 63(3) 389-393 (Mar 1997), 10A238
Analytical presumption of cutting tool wear in machining with chatter vibration (Japanese), J Japan Soc Precision Eng 63(3) 420-425 (Mar 1997), 10A972
Identification of statistical properties of cutting tool vibrations in a continuous turning operation: Correlation to structural properties, Mech Syst Signal Processing 11(3) 459-489 (May 1997), 11A157
On-line control of machine tool vibration in turning, Int J Machine Tools Manuf 37(6) 801-811 (Jun 1997), 11A158
Regenerative chatter vibration occurring in turning with different side cutting edge angles, J Eng Indust 117(4) 551-558 (Nov 1995), 11A159
Strong nonlinear dynamics of cutting processes, J Sound Vib 203(3) 363-372 (Jun 1997), 12A207

156M. Rotating machines and turbomachinery

Asymptotic analysis of the torsional vibrations in reciprocating machinery, J Vib Acoust 118(3) 485-490 (Jul 1996), 1A211
Dynamic stiffness method for linear rotor-bearing systems, J Vib Acoust 118(3) 332-339 (Jul 1996), 1A212
Method for calculating the dynamics of rotating flexible structures - Part 1: Derivation, J Vib Acoust 118(3) 313-317 (Jul 1996), 1A213
Method for calculating the dynamics of rotating flexible structures - Part 2: Example calculations, J Vib Acoust 118(3) 318-322 (Jul 1996), 1A214
Modified influence coefficient method for balancing unsymmetrical rotor-bearing systems, J Sound Vib 194(2) 199-218 (Jul 1996), 1A215
On-line identification and location of rotor cracks, J Sound Vib 194(1) 67-82 (Jul 1996), 1A216
Torsional instabilities in a system incorporating a Hooke's joint, J Vib Acoust 118(3) 368-374 (Jul 1996), 1A217
Balancing of flexible rotors, Modal Analysis 11(1-2) 96-105 (Jul 1996), 2A172
Dynamic response of transmission housings, Shock Vib Digest 28(4) 15-18 (Jul-Aug 1996), 2A173
Finite element analysis of rotor fragment impact on containment structures, Comput Model Simul in Eng 1(3) 391-427 (Aug 1996), 2A174
Interaction of rotational and oscillation movements in the Flywheel system with friction clutch (Russian), Prikl Mekh (Appl Mech) 32(3) 86-94 (1996), 2A175
Sensitivity analysis of the aeroacoust response of turbomachinery blade rows, AIAA J 34(8) 1545-1554 (Aug 1996), 2A176
Time domain method for the localization of cracks in rotors, J Sound Vib 195(1) 57-73 (Aug 1996), 2A177

Torsional vibration measurements on a diesel engine and dynamometer, Shock Vib Digest **28**(4) 8-14 (Jul-Aug 1996), 2A178

Unsteady aerodynamic analysis of supersonic through-flow fan with vibrating blades under non-zero mean loading, J Sound Vib **194**(5) 709-750 (Aug 1996), 2A179

Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part I: Model development, J Sound Vib **194**(5) 653-669 (Aug 1996), 2A501

Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part II: Numerical solution, J Sound Vib **194**(5) 671-683 (Aug 1996), 2A502

Rotation of clamped parts due to reciprocating motion, J Appl Mech **63**(3) 610-620 (Sep 1996), 3A173

Bifurcations of a nonlinear rotor-bearing system, J Vib Eng **9**(3) 266-275 (Sep 1996), 4A79

Determination of crankshaft coupled stiffness by using static condensation of dof (Chinese), J Dalian Univ Tech **36**(5) 572-575 (Sep 1996), 4A156

Engine noise resulting from crankshaft torsional vibrations (Chinese), J Dalian Univ Tech **36**(5) 576-580 (Sep 1996), 4A157

Complete vibration-diagnostic condition monitoring for a powerful turbogenerator, Shock Vib Digest **28**(5) 8-11 (Sep-Oct 1996), 4A184

Contours of critical frequencies and sensitivity for design of fan-foundation systems (Spanish), Rev Int Metodos Numer Calc Diseno Ing **12**(3) 251-268 (1996), 4A185

Stability of rheo-linear rotor systems based on some new first integrals, Mech Res Commun **23**(5) 519-530 (Sep-Oct 1996), 4T186

Study on fault properties of the rotor connected by the gear coupling, J Vib Eng **9**(3) 297-301 (Sep 1996), 4T187

Theoretical investigation of rotating frequency noise with axial fan of skewed blade, J Vib Eng **9**(3) 308-312 (Sep 1996), 4T188

Whirl orbit and stability of journal bearing under the nonlinear oil film force, J Vib Eng **9**(3) 302-307 (Sep 1996), 4A189

Self-excited oscillations in sliding with a constant friction coefficient: A simple model, J Trib **118**(4) 819-823 (Oct 1996), 4A877

Computed effects of rotor-induced swirl on brush seal performance - Part 2: Bristle force analysis, J Trib **118**(4) 920-926 (Oct 1996), 4A934

Analytical and experimental analysis of a self-compensating dynamic balancer in a rotating mechanism, J Dyn Syst Meas Control **118**(3) 468-475 (Sep 1996), 4A937

Dynamics of a vibrating cylinder gyro with imperfection, Proc Inst Mech Eng C **210**(C5) 453-464 (1996), 5A79

Adaptive vibration control of a rigid rotor supported by active magnetic bearings, J Eng Gas Turbines Power **118**(4) 825-829 (Oct 1996), 5A132

Aerodynamic loading and magnetic bearing controller robustness using a gain-scheduled Kalman filter, J Eng Gas Turbines Power **118**(4) 836-842 (Oct 1996), 5A133

Identification of the unbalance distribution and dynamic characteristics of bearings in flexible rotors, Proc Inst Mech Eng C **210**(C5) 409-432 (1996), 5A134

Synchronous instability of a compressor rotor due to bearing journal differential heating, J Eng Gas Turbines Power **118**(4) 816-824 (Oct 1996), 5A135

Test results of a new damper seal for vibration reduction in turbomachinery, J Eng Gas Turbines Power **118**(4) 843-846 (Oct 1996), 5A136

Theoretical and experimental comparisons for damping coefficients of a short-length open-end squeeze film damper, J Eng Gas Turbines Power **118**(4) 810-815 (Oct 1996), 5A137

Machine health monitoring and life management using FE-based neural networks, J Eng Gas Turbines Power **118**(4) 830-835 (Oct 1996), 5A739

Dynamics of forced nonlinear systems using shoot and arc-length continuation method: Application to rotor systems, J Vib Acoust **119**(1) 9-20 (Jan 1997), 6A207

Harmonic balance vibration analysis of turbine blades with friction dampers, J Vib Acoust **119**(1) 96-103 (Jan 1997), 6A208

Hover testing of smart rotor with induced-strain actuation of blade twist, AIAA J **35**(1) 6-16 (Jan 1997), 6A209

Slow-speed balancing of a 310 MW LP turbine saves $250,000, Shock Vib Digest **28**(6) 8-10 (Nov-Dec 1996), 6A210

Efficient computation of the sensitivities of reciprocating engine dynamics to dimensional tolerances, Mech Machine Theory **32**(2) 241-253 (Feb 1997), 7A181

Note on the contact problem in an ultrasonic traveling wave motor, Int J Non-Linear Mech **31**(6) 915-924 (Nov 1996), 7A182

Eigenvalue problem for damped gyroscopic systems, Int J Mech Sci **39**(6) 741-750 (Jun 1997), 8A87

Resonant response of a tapered beam and its implications to blade vibration, J Eng Gas Turbines Power **119**(1) 147-152 (Jan 1997), 8A160

Development and modification of a unified balancing method for unsymmetrical rotor-bearing systems, J Sound Vib **199**(3) 349-368 (Jan 1997), 8A161

Vibration analysis of a nonlinear coupled textile-rotor system with synchronous whirling, J Sound Vib **199**(2) 207-221 (Jan 1997), 8A168

Damage tolerance based life prediction in gas turbine engine blades under vibratory high cycle fatigue, J Eng Gas Turbines Power **119**(1) 143-146 (Jan 1997), 8A200

Vibration and dynamic instability analysis of turbomachinery blades and airfoils, J Brazilian Soc Mech Sci **19**(1) 30-47 (Mar 1997), 9A145

Analysis of computed order tracking, Mech Syst Signal Processing **11**(2) 187-205 (Mar 1997), 9A166

Efficient method for the unbalance response analysis of rotor-bearing systems, J Sound Vib **200**(4) 491-504 (Mar 1997), 9A167

Free-vibration analysis of turbine blades using nonlinear FEM, AIAA J **35**(3) 590-591 (Mar 1997), 9T168

Mathematical modeling of a helicopter rotor track and balance: Theory, J Sound Vib **200**(5) 589-603 (Mar 1997), 9A169

Mathematical modeling of a helicopter rotor track and balance: Results, J Sound Vib **200**(5) 605-620 (Mar 1997), 9A170

Nonlinear model of vibration in rotor-bearings system - Part II: Calculation results, Trans Inst Fluid-Flow Machinery **0**(101) 69-88 (1996), 9A171

Numerical analysis of an impact of different degrees of bearing nodes simplification on operation of large rotormachine (Turbogenerator 200MW) (Polish), Trans Inst Fluid-Flow Machinery **0**(101) 43-67 (1996), 9A172

Vibration analysis of rotating machinery using a bispectrum, J Sound Vib **200**(4) 533-539 (Mar 1997), 9A173

Torsional (rotational) vibration: Excitation of small rotating machines, J Sound Vib **201**(4) 437-463 (Apr 1997), 10A171

Energy analysis to the design of rotor-bearing systems, J Eng Gas Turbines Power **119**(2) 411-417 (Apr 1997), 10A214

"Snapping" torsional response of an anisotropic radially loaded rotor, J Eng Gas Turbines Power **119**(2) 397-403 (Apr 1997), 10A239

Comparison of the rotor dynamic and structure dynamic calculation of compressors, J Eng Gas Turbines Power **119**(2) 425-429 (Apr 1997), 10A240

Condition monitoring using time waveform parameters, Shock Vib Digest **29**(2) 16-19 (Mar-Apr 1997), 10A241

Influences of fluid inertia force on double stable response of SFD-supported flexible rotors (Chinese), J Vib Eng **10**(1) 65-70 (Mar 1997), 10T242

Time estimation of disturbance occurrences in monitoring systems, Z Angew Math Mech **77**(2) 107-114 (1997), 10A243

Torsional vibrations at guide-vane shaft of pump-turbine model, Shock Vib **4**(3) 153-162 (1997), 10A244

Vibration problems in vertical pumps: Need for integrated approach in design and testing, Shock Vib Digest **29**(2) 8-15 (Mar-Apr 1997), 10T245

Frequency spectrum analysis and applications to steam turbine vibrations, J Eng Gas Turbines Power **119**(3) 734-736 (Jul 1997), 12T208

PI control of HFSDs for active control of rotor-bearing systems, J Eng Gas Turbines Power **119**(3) 658-667 (Jul 1997), 12A209

Pump instability theory using an acoustic feedback mechanism, J Eng Gas Turbines Power **119**(3) 651-657 (Jul 1997), 12A210

Receptance method for the sensitivity analysis of critical speeds to rotor support stiffness, J Eng Gas Turbines Power **119**(3) 736-739 (Jul 1997), 12A211

156N. Damping

Dynamic responses of plates with viscoelastic free layer damping treatment, J Vib Acoust **118**(3) 362-367 (Jul 1996), 1A198

Development of an electrically controllable damper using a liquid crystal, J Vib Acoust **118**(3) 510-515 (Jul 1996), 1A218

Perturbation stability of frictional sliding with varying normal force, J Vib Acoust **118**(3) 491-497 (Jul 1996), 1A219

Dynamic studies on beams with unconstrained layer damping treatment, J Sound Vib **195**(3) 417-427 (Aug 1996), 2A110

Influence of bearing damping on instability of asymmetric shafts - Part I: Stabilizing and destabilizing effects, Int J Mech Sci **38**(12) 1349-1358 (Dec 1996), 2A151

Influence of bearing damping on instability of asymmetric shafts - Part II: Mode veering, Int J Mech Sci **38**(12) 1359-1365 (Dec 1996), 2A152

Correlation coefficients for modal response combination of non-classically damped systems, Nucl Eng Des **165**(1-2) 67-80 (Aug 1996), 4A190

Experimental study on the effect of a circumferential feeding groove on the dynamic force response of a sealed squeeze film damper, J Trib **118**(4) 900-905 (Oct 1996), 4A191

Performance of particle dampers under random excitation, J Vib Acoust **118**(4) 614-621 (Oct 1996), 4A192

Force dispersion and shock damping mediated by close-packed arrays of distally connected cells, Int J Mech Sci **39**(2) 137-146 (Feb 1997), 4A220

Characterization of mechanical vibration damping by piezoelectric materials, J Sound Vib **197**(4) 489-513 (Nov 1996), 5A138

Vibration suppression by using self-arranging mass: Effects of adding restoring force, J Sound Vib **197**(4) 403-425 (Nov 1996), 5A143

Influence of damping and parameter uncertainty on seismic secondary response spectra: A random vibration approach, Nucl Eng Des **166**(1) 1-7 (Oct 1996), 5A1416

Measurement of nonlinear internal damping in metals: Processing of decay signals in a uniaxial stress field, J Sound Vib **198**(4) 395-409 (Dec 1996), 6A211

Transient response of structures on viscoelastic or elastoplastic mounts: Prediction and experiment, J Sound Vib **198**(3) 361-378 (Dec 1996), 6A212

Active damping of a large flexible manipulator with a short-reach robot, J Dyn Syst Meas Control **118**(4) 704-713 (Dec 1996), 6A425

Influence of elastomeric damper modeling on the dynamic response of helicopter rotors, AIAA J **35**(2) 349-354 (Feb 1997), 7A183

Mode shape reversal with viscous damping, Comput Struct **62**(4) 775-793 (Feb 1997), 7A184

Fluid surface damping versus constrained layer damping for vibration suppression of simply supported beams, Smart Mat Struct **6**(1) 40-46 (Feb 1997), 8A122

Human-structure interaction in vertical vibrations, Proc Inst Civil Eng Struct Build **122**(1) 1-9 (Feb 1997), 8A185

Study of special spacer with damping device for suppressing wake galloping in tandem cables of cable-stayed bridges and its application to full scale bridge (Japanese), Proc JSCE **553**(VI-33) 129-142 (Dec 1996), 8A186

Active constrained layer damping treatments for shell structures: A deep-shell theory, some intuitive results, and an energy analysis, Smart Mat Struct **6**(1) 89-101 (Feb 1997), 8A201

Design and analysis of a sensorless magnetic damper, J Eng Gas Turbines Power **119**(1) 174-177 (Jan 1997), 8A202

Identification of the damping properties of orthotropic composite materials using a mixed numerical experimental method, Appl Composite Mat **4**(1) 13-33 (1997), 8A203

Performance of multiple tuned mass dampers for torsionally coupled system, Earthquake Eng Struct Dyn **26**(3) 307-317 (Mar 1997), 8A204

Complex modal analysis of a flexural vibrating beam with viscous end conditions, J Sound Vib **200**(3) 327-345 (Feb 1997), 9A130

Optimization of tuned liquid column dampers, Eng Struct **19**(6) 476-486 (Jun 1997), 9A174

Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams, J Sound Vib **202**(1) 47-54 (Apr 1997), 10A246

Comparative study on the seismic retrofit of a mid-rise steel building: Steel bracing vs energy dissipation, Earthquake Eng Struct Dyn **26**(6) 637-655 (Jun 1997), 11T160

Method of estimating the parameters of tuned mass dampers for seismic applications, Earthquake Eng Struct Dyn **26**(6) 617-635 (Jun 1997), 11A161

Hydrodynamic damping, flow-induced oscillations, and biharmonic response, J Offshore Mech Arctic Eng **117**(4) 232-238 (Nov 1995), 11A204

Earthquake-resistant structure - Structural frame damper system: An approach to design., Proc Inst Civil Eng Struct Build **122**(2) 165-172 (May 1997), 11A802

Design of a mega-sub-controlled building system under stochastic wind loads, Probab Eng Mech **12**(3) 149-162 (Jul 1997), 12A200

Modeling foam damping materials in automotive structures, J Eng Mat Tech **119**(3) 279-283 (Jul 1997), 12A212

156O. Isolation

Optimization of passive and active nonlinear vibration mounting systems based on vibratory power transmission, J Sound Vib **194**(3) 295-316 (Jul 1996), 1A220

Performance of a smart vibration isolator for precision spacecraft instruments, J Intelligent Mat Syst Struct **7**(2) 211-215 (Mar 1996), 1A221

Vibration isolation of mechanical systems with nonlinear foundations, J Sound Vib **194**(2) 173-185 (Jul 1996), 1A222

Vibration isolation, suppression, and steering, J Intelligent Mat Syst Struct **7**(2) 241-245 (Mar 1996), 1A223

Dissipation of hysteretic energy in base isolated structure, Shock Vib **3**(5) 353-359 (1996), 2A1383

Active Control of Vibration and Noise (ASME, New York, 1996) 3N6

Evaluation of equivalent linear analysis methods of bridge isolation, J Struct Eng **122**(8) 972-976 (Aug 1996), 3A181

Dynamic analysis for structures isolated with dampers, China Ocean Eng **10**(3) 269-280 (1996), 4A193

Effects of modal truncation errors on transmitted dynamic power estimates in discretely joined component assemblies, J Acoust Soc Am **100**(5) 3144-3158 (Nov 1996), 5A139

Shock isolation by a low-damped multi-dof mechanical system, J Sound Vib **197**(3) 381-385 (Oct 1996), 5T140

Vibration isolation review - Part II: Shock Excitation, Shock Vib **3**(6) 451-459 (1996), 5A141

Vibro-acoustical modal analysis: Reciprocity, model symmetry, and model validity, J Acoust Soc Am **100**(5) 3172-3181 (Nov 1996), 5A142

Dynamic response of equipment in structures with sliding support, Earthquake Eng Struct Dyn **26**(1) 61-77 (Jan 1997), 6A213

Vibration isolation: Moments and rotations included, J Sound Vib **198**(2) 171-191 (Nov 1996), 6A214

Modeling, actuation, and control of an active fluid vibration isolator, J Vib Acoust **119**(1) 52-59 (Jan 1997), 6A868

Method for seismic base isolation of liquid-storage tanks, J Struct Eng **123**(1) 113-116 (Jan 1997), 6A1443

Analytical hysteresis model for elastomeric seismic isolation bearings, Earthquake Eng Struct Dyn **26**(2) 215-231 (Feb 1997), 7A1479

Modulated homogeneous friction: A semi-active damping strategy, Earthquake Eng Struct Dyn **26**(3) 361-376 (Mar 1997), 8A401

Phase-lock-loop-based control system for suppressing periodic vibration in smart structural systems, Smart Mat Struct **6**(1) 10-22 (Feb 1997), 8A893

Seismic response of submerged secondary systems in base-isolated structures, Eng Struct **19**(6) 452-464 (Jun 1997), 9A1487

Integrated passive-active vibration absorber for multistory buildings, J Struct Eng **123**(4) 499-504 (Apr 1997), 9A1494

Study of elastoplastic bridge seismic isolation system, J Struct Eng **123**(4) 489-498 (Apr 1997), 9A1499

Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams, J Sound Vib **202**(1) 47-54 (Apr 1997), 10A246

Surface mobility of a circular contact area on an infinite plate, J Sound Vib **202**(1) 95-108 (Apr 1997), 10A247

Conceptual design of isolation systems for bridge structures, J Earthquake Eng **1**(1) 193-218 (Jan 1997), 11A162

Vibration Control of Active Structures: An Introduction (Kluwer, Netherlands, 1997) 12R19

Visco-hyperelastic model for filled rubbers used in vibration isolation, J Eng Mat Tech **119**(3) 292-297 (Jul 1997), 12A213

156P. Absorption

Analysis and design of ER damper for seismic protection of structures, J Eng Mech **122**(10) 1003-1011 (Oct 1996), 3A186

Dynamic vibration absorbers used for increasing the noise transmission loss of aircraft panels, Appl Acoust **48**(4) 311-321 (Aug 1996), 3A187

Theory of a multi-dof dynamic absorber, J Sound Vib **195**(4) 607-615 (Aug 1996), 3A188

Tuned mass dampers for structures with bilinear hysteresis, J Eng Mech **122**(8) 797-800 (Aug 1996), 3A189

Pendulum as vibration absorber for flexible structures: Experiments and theory, J Vib Acoust **118**(4) 558-566 (Oct 1996), 4A194

Tuned vibration absorbers for floating bodies, J Vib and Control **2**(4) 415-429 (Nov 1996), 4A195

Combination of fuzzy logic and neural network algorithms for active vibration control, J Syst Control Eng **210**(I3) 153-167 (1996), 4A385

Control of a one-dof active hydraulic mount - Part II, J Dyn Syst Meas Control **118**(3) 443-448 (Sep 1996), 4A411

Modeling of a one-dof active hydraulic mount - Part I, J Dyn Syst Meas Control **118**(3) 439-442 (Sep 1996), 4A413

Vibration suppression by using self-arranging mass: Effects of adding restoring force, J Sound Vib **197**(4) 403-425 (Nov 1996), 5A143

Active vibration absorption using delayed resonator with relative position measurement, J Vib Acoust **119**(1) 131-136 (Jan 1997), 6A215

Characteristics of liquid column vibration absorbers (LCVA) - I, Eng Struct **19**(2) 126-134 (Feb 1997), 6A216

Characteristics of liquid column vibration absorbers (LCVA) - II, Eng Struct **19**(2) 135-144 (Feb 1997), 6A217

Active maximum power absorber for the reduction of noise and vibration, J Sound Vib **200**(3) 261-279 (Feb 1997), 9A175

Effects of dynamic absorbers on the forced vibration of a cylindrical shell and its coupled interior sound field, J Sound Vib **200**(4) 401-418 (Mar 1997), 9A176
Electromechanical vibration absorber, J Sound Vib **200**(4) 551-556 (Mar 1997), 9T177
Modeling and design of an inertial vibration reflector, J Mech Des **119**(1) 20-27 (Mar 1997), 9A178
Optimal energy absorption as an active noise and vibration control strategy, J Sound Vib **200**(3) 243-259 (Feb 1997), 9A179
Time varying passive vibration absorption for flexible structures, J Vib Acoust **118**(1) 36-40 (Jan 1996), 11A163
Tunable active vibration absorber: The delayed resonator, J Dyn Syst Meas Control **117**(4) 513-519 (Dec 1995), 11A164
Parametric control of structural vibrations via adaptable stiffness dynamic absorbers, J Vib Acoust **118**(1) 41-47 (Jan 1996), 11A316
Theoretical and experimental implementation of a control method based on saturation, Nonlinear Dyn **13**(2) 189-202 (Jun 1997), 12A214

156Y. Computational techniques

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 9 (ASME Press, New York, 1996) 1N13
Statistical analysis of the power injection method, J Acoust Soc Am **100**(1) 294-303 (Jul 1996), 1A224
Stability of an explicit multi-time step integration algorithm for linear structural dynamics equations, Comput Mech **18**(3) 236-244 (Jul 1996), 2A162
Damage detection by system identification: An application of the generalized singular value decomposition, Arch Appl Mech **66**(8) 555-568 (Sep 1996), 3A190
Automation of M-D-o-F mechanical system dynamics calculations, Arch Budowy Maszyn **41**(3-4) 219-233 (1994), 4A61
Residual flexibility approach for decoupled analysis of systems of combined components, J Vib Acoust **118**(4) 682-686 (Oct 1996), 4A113
Analysis of the performance of operational data analysis methods, Mech Syst Signal Processing **10**(5) 579-593 (Sep 1996), 4A855
Use of power spectral density in deriving response spectral shapes for aseismic design, Nucl Eng Des **165**(1-2) 151-160 (Aug 1996), 4A1416
Efficient eigenvector sensitivities by a new procedure based on Lanczos vectors, AIAA J **34**(11) 2392-2394 (Nov 1996), 5A93
Frequency and spatial shaping of inputs for multiaxis shaker testing, Shock Vib **3**(6) 393-401 (1996), 5A94
Complex eigensensitivity-based characterization of structures with viscoelastic damping, J Acoust Soc Am **100**(5) 3182-3191 (Nov 1996), 5A144
Fractional-spectral method for vibration of damped space structures, Eng Struct **18**(12) 947-956 (Dec 1996), 5A145
Frequency response analysis of large-scale damped structures using component mode synthesis, JSME Int J Ser C **39**(3) 450-455 (Sep 1996), 5A146
Numerical scheme and program for the solution and stability analysis of a steady periodic vibration problem, JSME Int J Ser C **39**(3) 456-463 (Sep 1996), 5A147
Eigenvector scaling for mode localization in vibrating systems, J Guidance Control Dyn **19**(6) 1342-1348 (Nov-Dec 1996), 5A317
Analysis of preloaded bolted joints under exponentially decaying pressure, J Pressure Vessel Tech **118**(4) 393-398 (Nov 1996), 5A879
Statistical Energy Analysis: An Overview, with Applications in Structural Dynamics (Cambridge UP, New York, 1996) 6N9
Vibration analysis of structures subjected to boundary condition modifications using experimental data, J Brazilian Soc Mech Sci **18**(4) 374-382 (Dec 1996), 6A143
Family of modal methods for computing eigenvector derivatives with repeated roots, Acta Mech Sinica **12**(2) 158-168 (1996), 6A218
Finite element method application to linear closed loop steady system vibration analysis, Int J Mech Sci **39**(3) 315-330 (Mar 1997), 6A219
Free vibration analysis of thin walled structures by finite node-strip method (Japanese), Proc JSCE **549**(I-37) 141-148 (Oct 1996), 6A220
Forced response of coupled substructures using experimentally based component mode synthesis, AIAA J **35**(2) 334-339 (Feb 1997), 7A168
High precision direct integration method for structures subjected to arbitrary dynamic loading and its parallel implementation (Chinese), J Vib Eng **9**(4) 333-340 (Dec 1996), 7A185
Reduction method for large scale unsymmetric eigenvalue problems in structural dynamics, J Sound Vib **199**(2) 253-268 (Jan 1997), 8A125
Selecting a Ritz basis for the reanalysis of the frequency response functions of modified structures, J Sound Vib **199**(2) 309-322 (Jan 1997), 8A180
Dynamic stiffness formulation for structural elements: A general approach, Comput Struct **63**(1) 101-103 (Apr 1997), 8A205
Method for computing vibration fields in systems of a complicated structure with mutiple discontinuities, J Machinery Manuf Reliab **3** 10-15 (1996), 8A206
New component mode synthesis method: Quasi-static mode compensation, Finite Elements Anal Des **24**(4) 271-281 (Feb 1997), 8A207
Efficient computation of many eigenvector derivatives using dynamic flexibility method, AIAA J **35**(4) 712-718 (Apr 1997), 9A124
Hybrid inverse mode problem for structure-foundation systems, J Eng Mech **123**(4) 312-321 (Apr 1997), 9A125
Improved damage location accuracy using strain energy-based mode selection criteria, AIAA J **35**(4) 693-699 (Apr 1997), 9A126
Two-step structural damage detection approach with limited instrumentation, J Vib Acoust **119**(2) 258-264 (Apr 1997), 10A236
Surface mobility of a circular contact area on an infinite plate, J Sound Vib **202**(1) 95-108 (Apr 1997), 10A247
Finite element model update via Bayesian estimation of minimization of dynamic residuals, AIAA J **35**(5) 879-886 (May 1997), 10A248
Left eigenvectors: Extraction from measurements and physical interpretation, J Appl Mech **64**(1) 97-105 (Mar 1997), 10A249
Perturbation method for reduction of eigenvalue analysis of structures with large stiffnesses and small masses, Int J Numer Methods Eng **40**(11) 2019-2035 (Jun 1997), 10A250
Stiffness matrix adjustment using incomplete measured modes, AIAA J **35**(5) 917-919 (May 1997), 10T251
Substructuring and component mode synthesis, Shock Vib **4**(3) 199-210 (1997), 10A252
New Advances in Modal Synthesis of Large Structures: Nonlinear Damped and Nondeterministic Cases (Balkema, Brookfield, VT, 1997) 11N11
Time varying passive vibration absorption for flexible structures, J Vib Acoust **118**(1) 36-40 (Jan 1996), 11A163
Parallel triangular decomposition algorithm on a workstation network with application to structural vibration analysis, Comput Mech **19**(5) 411-419 (Apr 1997), 11A165
Structural dynamic analysis using the Interacting Objects Process Model, Adv Eng Software **28**(5) 293-301 (Jul 1997), 11A166
Time domain analysis for damage detection in smart structures, Mech Syst Signal Processing **11**(3) 409-423 (May 1997), 11A325
Dynamic model for global positioning system block IIR space vehicle, J Spacecraft Rockets **34**(3) 354-359 (May-Jun 1997), 12A206
Evolutionary natural frequency optimization of 2D structures with additional non-structural lumped masses, Eng Comput **14**(2-3) 233-251 (1997), 12A215
Exact modal synthesis techniques using residual constraint modes, Int J Numer Methods Eng **40**(13) 2475-2492 (Jul 1997), 12A216
High precision integration for dynamic structural systems with holonomic constraints, Struct Eng and Mech **5**(3) 283-295 (May 1997), 12A217
Newmark recursive algorithm for nonstationary response moment of nonlinear systems (Chinese), J Vib Eng **10**(2) 242-246 (Jun 1997), 12T218
Wavelet decomposition of vibrations for detection of bearing-localized defects, NDT&E Int **30**(3) 143-149 (Jun 1997), 12A219
Vibration reduction using multi-hump input shapers, J Dyn Syst Meas Control **119**(2) 320-326 (Jun 1997), 12A405

156Z. Experimental techniques

Bearing condition monitoring by pattern recognition based on bicoherence analysis of vibrations, Proc Inst Mech Eng C **210**(C3) 277-285 (1996), 1A225
Vibration measurement of rotating elements by using an optical non-contacting slip-ring (Japanese), J Japan Soc Precision Eng **62**(6) 835-839 (Jun 1996), 1A226
Weighted least-squares discrete FE formulation for modeling 3D velocity response fields measured by a laser doppler vibrometer, Mech Syst Signal Processing **10**(4) 471-495 (Jul 1996), 3A145
Experimental research on cutting force variation during regenerative chatter vibration in a plain milling operation, Int J Machine Tools Manuf **36**(10) 1073-1092 (Oct 1996), 4A181
Experimental study on the effect of a circumferential feeding groove on the dynamic force response of a sealed squeeze film damper, J Trib **118**(4) 900-905 (Oct 1996), 4A191
Measurement of dynamic joint motion using magnetohydrodynamic angular rate sensors, Shock Vib Digest **28**(5) 12-17 (Sep-Oct 1996), 4A196
Mechanical impedance inspection of aluminum honeycomb structures, Mat Eval **54**(12) 1390-1396 (Dec 1996), 6A836
Equivalence criteria between mechanical environments, European J Mech Eng **41**(4) 219-226 (1996), 7T186
Advanced machine diagnostics, Shock Vib Digest **29**(1) 6-30 (Jan-Feb 1997), 8A839
Experimental verification of biaxial box-van truck curvilinear motion model (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(4) 37-53 (Apr 1996), 9A180
Torsional (rotational) vibration: Excitation of small rotating machines, J Sound Vib **201**(4) 437-463 (Apr 1997), 10A171
Vibration characteristics of a suspension footbridge, J Sound Vib **202**(1) 29-46 (Apr 1997), 10A231
Experimental measurement of precision bearing dynamic stiffness, J Sound Vib **202**(1) 55-66 (Apr 1997), 10A237
Torsional vibrations at guide-vane shaft of pump-turbine model, Shock Vib **4**(3) 153-162 (1997), 10A244
Numerical method for the prediction of bladed disk forced response, J Eng Gas Turbines Power **119**(2) 404-410 (Apr 1997), 10A314
Experimental identification technique of vibrating structures with geometrical nonlinearity, J Appl Mech **64**(2) 275-280 (Jun 1997), 12A220

158. WAVE MOTIONS IN SOLIDS

158A. General theory

Waves and Distributions (World Sci Pub, River Edge, NJ, 1995) 1R10
Self-excitation of transverse waves in hyperelastic materials: The third approximation (Russian), Prikl Mekh (Appl Mech) **32**(5) 30-38 (1996), 2A180
Study of propagation of nonstationary waves in axisymmetrical problems of the bound theory of thermoelasticity (Russian), Prikl Mekh (Appl Mech) **32**(5) 11-21 (1996), 2A181
Wave propagators for transient waves in 1D media, Wave Motion **24**(1) 85-99 (Aug 1996), 3A191
Slowly decaying solutions for semilinear wave equations in odd space dimensions, Nonlinear Anal **28**(2) 327-357 (Jan 1997), 5T148
Mixture theory for contact in multi-material Eulerian formulations, Comput Methods Appl Mech Eng **140**(1-2) 59-86 (Jan 1997), 6A221
Three-wave interaction and second harmonic generation in one-phase and two-phase hyperelastic media (Russian), Prikl Mekh (Appl Mech) **32**(7) 38-45 (1996), 6A222
Stability and Wave Propagation in Fluids and Solids (Springer-Verlag, New York, 1995) 7R2
Two-velocity dynamical system: Boundary control of waves and inverse problems, Wave Motion **25**(1) 83-107 (Feb 1997), 8A208
Simple waves in solid mixtures (Russian), Prikl Mekh (Appl Mech) **32**(9) 40-45 (1996), 9A181
Structure of a shock wave front in a gas (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(7) 37-75 (Jul 1996), 9A214
Bounds on phase velocity changes of plane waves in elastic media due to changes in elastic moduli, Int J Solids Struct **34**(17) 2105-2114 (Jun 1997), 10A253
Principal waves in monotropic laminated bodies, Arch Rational Mech Anal **137**(1) 27-47 (1997), 10A254
SH wave in a cylindrically anisotropic elastic solid: A general solution for a point source, Wave Motion **25**(2) 197-212 (Mar 1997), 10A263
Exact complex source representations of time-harmonic radiation, Wave Motion **25**(2) 127-141 (Mar 1997), 10A275
Periodic solutions of a superlinear wave equation, Nonlinear Anal **29**(3) 265-282 (Aug 1997), 11T167
Resonant transcritical flow over a wavy bed, Wave Motion **25**(3) 295-302 (May 1997), 11A168
Nonresonance for systems of semilinear wave equations, Nonlinear Anal **29**(6) 627-638 (Sep 1997), 12T221
Passing through the "elastic wave barrier" by a load moving along a waveguide, J Sound Vib **203**(4) 597-606 (Jun 1997), 12A222
Propagation of magnetoelastic waves in regular-laminar media (Russian), Prikl Mekh (Appl Mech) **33**(4) 35-40 (1997), 12T223
Surface magnetoelastic waves of shift on the interface of periodically laminated structure and metallized magnetoelastic ferrite (Russian), Prikl Mekh (Appl Mech) **33**(2) 49-55 (1997), 12T224
Viscosity and strain gradient effects on the kinetics of propagating phase boundaries in solids, J Elast **46**(1) 53-90 (Jan 1997), 12A225
Potential inversion from transmission data for the 1D, wave equation, Wave Motion **25**(4) 319-329 (Jun 1997), 12A236

158B. Rods and beams, elastic

End resonance in infinite immersed rods of different cross sections, J Acoust Soc Am **100**(1) 92-97 (Jul 1996), 1A227
Guided waves in a water loaded hollow cylinder, Nondestruct Test Eval **12**(5) 323-339 (1996), 1A228
Trapped torsional modes in solid cylinders, J Acoust Soc Am **100**(1) 285-293 (Jul 1996), 1A229
Experimental technique for imposing dynamic multiaxial-compression with mechanical confinement, Exp Mech **36**(2) 155-158 (Jun 1996), 1A795
Analytical approximate 3D solution for the longitudinally vibrating cylinder, Arch Appl Mech **66**(7) 447-459 (Jul 1996), 2A182
Dynamic modeling of railway track based on wave propagation, J Sound Vib **195**(3) 477-505 (Aug 1996), 2A183
Experimental wavelet analysis of flexural waves in beams, Exp Mech **36**(3) 212-217 (Sep 1996), 2A184
Propagating waves and end modes in pretwisted beams, J Sound Vib **195**(2) 313-330 (Aug 1996), 2A185
Freely propagating waves in elastic cables, J Sound Vib **196**(2) 189-202 (Sep 1996), 4A197
Thermally excited stress waves in a rod resting on elastic foundation, J Theor Appl Mech **34**(3) 503-520 (1996), 4A198
Wave radiation in a 1D system due to a non-uniformly moving constant load, Wave Motion **24**(2) 185-196 (Sep 1996), 4A199
Effect of period asymmetry on wave propagation in periodic beams, J Sound Vib **197**(4) 427-445 (Nov 1996), 5A149
Experimental determination of flexural power flow in beams using a modified Prony method, J Sound Vib **197**(3) 309-328 (Oct 1996), 5A150
Study of a negative impulsive wave generator, J Sound Vib **197**(5) 573-587 (Nov 1996), 5A151
Longitudinal elastic waves in columns due to earthquake motion, Int J Impact Eng **18**(7-8) 889-898 (Oct-Dec 1996), 6A223
Transmission and reflection coefficients for longitudinal waves obtained by a combination of refined rod theory and FEM, J Sound Vib **198**(5) 571-587 (Dec 1996), 6A224
Nonlinear waves in elastic bar, Eur J Mech A **15**(6) 1049-1075 (1996), 6A233
Dissipation of wave energy in a viscoelastic junction between elastic bars: Dependence on transmission direction, J Sound Vib **199**(2) 323-336 (Jan 1997), 8A209
Effect of discontinuities on the long-range propagation of Lamb waves in pipes, Proc Inst Mech Eng E **210**(E3) 217-226 (1996), 8A210
Reflection of flexural waves in geometrically periodic beams, J Sound Vib **199**(3) 453-461 (Jan 1997), 8A211
Steady-state displacements of a beam on an elastic half-space due to a uniformly moving constant load, Eur J Mech A **16**(2) 295-306 (1997), 8A212
Uni-axial strain loading of a rubber rod by planar shock waves, Acta Mech **120**(1-4) 91-107 (1997), 8A213
Dynamic stiffness matrix for axially vibrating stochastic rods using Stratonovich's averaging principle, Arch Appl Mech **67**(3) 200-213 (Feb 1997), 9A182
Longitudinal standing waves in compound bars and rods, Wave Motion **25**(2) 181-196 (Mar 1997), 10A41
Effect on ultrasound propagation in metal rod due to contact with liquid, Acustica **83**(1) 78-81 (Jan-Feb 1997), 10A255
Energy models of 1D, multi-propagative systems, J Sound Vib **201**(5) 535-554 (Apr 1997), 10A256
Energy preserving-decaying schemes for nonlinear beam dynamics using the helicoidal approximation, Comput Methods Appl Mech Eng **143**(3-4) 393-415 (Apr 1997), 10A257
Study on influence of boundary, junction and discontinuities on disturbance propagation in 1D waveguide (Chinese), J Vib Eng **10**(1) 54-60 (Mar 1997), 10T258
Method of analyzing finite periodic structures - Part 1: Theory and examples, J Sound Vib **202**(4) 555-569 (May 1997), 11A169
Method of analyzing finite periodic structures - Part 2: Comparison with infinite periodic structure theory, J Sound Vib **202**(4) 571-583 (May 1997), 11A170
Timoshenko beam vibrating under an obstacle condition, Meccanica **32**(2) 101-114 (Apr 1997), 11A171
Physical description of the response of coupled beams, J Sound Vib **203**(4) 563-580 (Jun 1997), 12A226

158C. Plates and shells, elastic

Dispersion of flexural waves on shells, J Vib Acoust **118**(3) 526-529 (Jul 1996), 1A230
In-plane and out-of-plane waves' power transmission through an L-plate junction using the mobility power flow approach, J Acoust Soc Am **100**(1) 857-870 (Aug 1996), 2A186
Laser generated and recorded transient bending waves in composite tubes, Exp Mech **36**(3) 224-231 (Sep 1996), 2A187
Propagation of elastic waves in anisotropic hollow cylinders (Russian), Prikl Mekh (Appl Mech) **32**(5) 39-44 (1996), 2A188
Attenuation of waves in plates and bars using a graded impedance interface at edges, J Sound Vib **196**(1) 107-127 (Sep 1996), 4A200
Theory of elastic waves in 3D anisotropic plates, J Acoust Soc Am **100**(5) 2964-2968 (Nov 1996), 5A152
Response of 2D periodic structures to point harmonic forcing, J Sound Vib **197**(4) 447-469 (Nov 1996), 5A154
Dynamic response of composite cylinders subjected to a moving internal pressure, J Reinforced Plastics Composites **15**(11) 1088-1105 (Nov 1996), 5A452
Diverging elastic waves in thin tapered plates, Int J Solids Struct **34**(3) 289-296 (Jan 1997), 6A225
Study of flexural waves in the infinite shell of revolution (Russian), Prikl Mekh (Appl Mech) **32**(7) 60-64 (1996), 6T226
Wave dispersion modeling in anisotropic shells and rods by the FEM, J Sound Vib **198**(4) 429-438 (Dec 1996), 6A227
Numerical solution of transient torsional wave propagation in a transversely isotropic cylinder, Arch Appl Mech **67**(1-2) 15-21 (Dec 1996), 6A236
Pressure-shear stress wave analysis in plate impact experiments, Int J Impact Eng **19**(2) 147-164 (Feb 1997), 7A207
Waves in initially stressed fluid-filled thick tubes, J Biomech **30**(3) 273-276 (Mar 1997), 7A1547
Localized wave forms of motion of an infinite shell of revolution, J Appl Math Mech **60**(5) 813-820 (1996), 8A214
Plane infinitesimal waves in elastic sheets with bending stiffness, Math Mech Solids **2**(1) 75-89 (Mar 1997), 8A215
Nonlinear traveling waves in a neo-Hookean plate subjected to a simple shear, Math Mech Solids **2**(1) 27-48 (Mar 1997), 8A225
Dispersion properties of transversely isotropic layered shells, Arch Acoust **21**(3) 311-316 (1996), 9A185
Analysis of vibration by the wave propagation method and Bolotin's method for a rectangular thin plate with at least one side roller-supported, Wave Motion **25**(2) 169-180 (Mar 1997), 10A193
Prediction of the vibro-acoustic transmission loss of planar hose-pipe systems, J Acoust Soc Am **101**(5) 2524-2535 (May 1997), 10A259
Wave mode conversion in stiffened cylindrical shells with periodic axial curvature, J Vib Acoust **119**(2) 180-184 (Apr 1997), 10A260
Transient torsional waves in transversely isotropic tube (Chinese), J Dalian Univ Tech **37**(1) 29-32 (Jan 1997), 10A264
Thermally induced stress waves in functionally graded materials with temperature-dependent material properties, J Thermal Stresses **20**(3-4) 281-294 (Apr-Jun 1997), 10A1367
Mindlin plate theory: Best shear coefficient and higher spectra validity, J Sound Vib **202**(4) 539-553 (May 1997), 11A135
Wave mixing effects on a periodically ribbed cylindrical shell, J Vib Acoust **118**(1) 100-111 (Jan 1996), 11A172
Asymptotic expansions of the dispersion relation for an incompressible elastic plate, Int J Solids Struct **34**(22) 2785-2802 (Aug 1997), 12A227
Asymptotics of flexural waves in isotropic elastic plates, J Appl Mech **64**(2) 336-342 (Jun 1997), 12A228
Fourier series approach to the measurement of flexural wave intensity in plates, J Sound Vib **203**(1) 101-126 (May 1997), 12A229

158D. Infinite and semi-infinite media, elastic

Analytical study of a disk-type torsional shear-wave radiator immersed in an elastic medium, J Acoust Soc Am **100**(1) 108-119 (Jul 1996), 1A231
Forced flexural oscillations of an elastic half-strip for mixed boundary conditions, J Appl Math Mech **60**(2) 337-342 (1996), 3A192
Green's functions for the vector wave equation in a mildly heterogeneous continuum, Wave Motion **24**(1) 59-83 (Aug 1996), 3A193
Propagation of oscillations from a point source in an anisotropic plane and half-plane with a thin coating, J Appl Math Mech **60**(2) 295-303 (1996), 3A194
Primary pulse transmission in a strongly nonlinear periodic system, Nonlinear Dyn **11**(1) 61-81 (Sep 1996), 4A90
Propagation of antiplane self-balanced elastic waves from the boundary of a half-space, Mech Solids **31**(2) 106-114 (1996), 4A201
Ultrasonic 2D SH probe modeling in anisotropic solids, J Acoust Soc Am **100**(4-PART 1) 2132-2138 (Oct 1996), 4A202
Green's function for anisotropic half-space solids in frequency space and calculation of mechanical admittance, J Acoust Soc Am **100**(5) 2960-2963 (Nov 1996), 5A153
Response of 2D periodic structures to point harmonic forcing, J Sound Vib **197**(4) 447-469 (Nov 1996), 5A154
One-dimensional wave propagation in the linear theory of thermoelasticity without energy dissipation, J Thermal Stresses **19**(8) 695-710 (Nov 1996), 5A1300
Green functions for an incompressible linearly nonhomogeneous half-space, Arch Appl Mech **67**(1-2) 81-95 (Dec 1996), 6A228
Lamb's problem for solids of general anisotropy, Wave Motion **24**(3) 227-242 (Nov 1996), 6A229
Reflection and transmission coefficients for 3D plane waves in elastic media, Wave Motion **24**(4) 371-393 (Dec 1996), 6A230
Stress-induced azimuthal anisotropy in borehole flexural waves, Geophys **61**(6) 1899-1907 (Nov-Dec 1996), 6A231
SH-wave in a cylindrically anisotropic solid, Z Angew Math Phys **47**(6) 906-914 (Nov 1996), 6A237
Acoustic waves generated by a transient line source in an anisotropic half-space, Acustica **82**(6) 839-851 (Nov-Dec 1996), 7A260
Infinite domain correction for anti-plane shear waves in a 2D BE analysis, Int J Numer Methods Eng **40**(5) 953-964 (Mar 1997), 8A216
Time-domain dynamic surface response of an anisotropic elastic solid to an impulsive line force, Int J Eng Sci **35**(4) 321-327 (Mar 1997), 8A217
Time-harmonic problem for non-homogeneous elastic half-space with shear modulus limited at infinite depth, Eur J Mech A **16**(2) 277-294 (1997), 8A218
Two techniques for the absorption of elastic waves using an artificial transition layer, Wave Motion **25**(1) 15-33 (Feb 1997), 8A219
Wave propagation in elastic solids with a doubly periodic array of cracks, Wave Motion **25**(1) 61-72 (Feb 1997), 8A220
Detection of underground obstacles by SASW method: Numerical aspects, J Geotech Geoenv Eng **123**(3) 212-219 (Mar 1997), 9A29
Interaction of an oblique incident elastic wave with a pair of surface-breaking cracks, J Vib and Control **3**(2) 147-159 (May 1997), 10A274
Self-excited oscillations of two elastic half-spaces sliding with a constant coefficient of friction, J Appl Mech **62**(4) 867-872 (Dec 1995), 11A173
Two-dimensional scattering of P, SV and Rayleigh waves: Preliminary results for the Valley of Mexico, Earthquake Eng Struct Dyn **26**(6) 595-616 (Jun 1997), 11T181
Experiments with Higdon's absorbing boundary conditions for a number of wave equations, Comput Geosci **1**(1) 85-108 (Apr 1997), 12A62

158E. Structures, elastic

Calculation of wave propagation in rib-stiffened plate structures, J Sound Vib **198**(2) 203-224 (Nov 1996), 6A232
Wave coherence, coupling power, and statistical energy analysis, J Sound Vib **199**(3) 369-380 (Jan 1997), 8A221

158F. Surface waves

High-frequency surface acoustic wave devices at very low temperature: Application to loss mechanisms evaluation, J Acoust Soc Am **100**(1) 272-277 (Jul 1996), 1A232
Rayleigh waves in a half-space with a finite system of surface electrodes, Mech Solids **31**(1) 38-43 (1996), 1A233
Surfaces waves in 3D half-space tetragonal solids, J Acoust Soc Am **100**(1) 86-88 (Jul 1996), 1A234
Dispersion characteristics of Rayleigh wave in anisotropic layered soils (Chinese), J Vib Eng **9**(2) 191-197 (Jun 1996), 2A189
Surface magnetoelastic shift waves in periodic structure ferrite-dielectric with metallized interfaces (Russian), Prikl Mekh (Appl Mech) **32**(3) 3-11 (1996), 2A190
Surface magnetoelastic waves in metallized ferrite layer on regular-layered dielectric backing (Russian), Prikl Mekh (Appl Mech) **32**(4) 20-25 (1996), 2T191
Behavior of Lamb waves in stressed polymer foils, J Acoust Soc Am **100**(3) 1509-1513 (Sep 1996), 3A195
Hertz problem for a rigid punch moving across the surface of a semi-infinite elastic solid, Z Angew Math Phys **47**(4) 601-615 (Jul 1996), 3A196
Modeling variations of Rayleigh wave velocity due to distributions of 1D surface-breaking cracks, J Acoust Soc Am **100**(3) 1542-1550 (Sep 1996), 3A197
Calculating dynamic response of soils by using love wave characteristics, J Vib Eng **9**(3) 281-285 (Sep 1996), 4T203
Propagation of surface waves in a prestressed piezoelectric material, J Acoust Soc Am **100**(4-PART 1) 2112-2122 (Oct 1996), 4A204
Surface stress waves in a nonhomogeneous elastic half-space - Part I: General results based on spectral analysis, existence and analyticity theorems, Arch Mech **48**(3) 493-512 (1996), 4A205
Surface stress waves in a nonhomogeneous elastic half-space - Part II: Existence of surface waves for an arbitrary variation of Poisson's ratio, approximate solution based on perturbation methods, Arch Mech **48**(3) 513-539 (1996), 4A206
Behavior of lamb waves and multilayered Rayleigh waves in an anisotropic periodically multilayered medium: Application to the long-wave length domain, Acustica **82**(5) 738-748 (Sep-Oct 1996), 5A155
Frequency influence on the singular stress field in a compound waveguide, Mech Solids **31**(3) 21-26 (1996), 5A156
Generation, propagation, and detection of Lamb waves in plates using air-coupled ultrasonic transducers, J Acoust Soc Am **100**(5) 3070-3077 (Nov 1996), 5A157
Penetration depth of the Rayleigh surface waves, Nondestruct Test Eval **13**(2) 113-119 (Jan 1997), 8A222
Theory of leaky waves in crystals, Wave Motion **25**(1) 35-49 (Feb 1997), 8A223
Circumferential creeping waves around a fluid-filled cylindrical cavity in an elastic medium, J Acoust Soc Am **101**(5) 2496-2503 (May 1997), 10A261
Influence of rubber thickness on the existence of Schallamach waves, Int J Adhesion Adhesives **17**(2) 107-110 (May 1997), 11A174
Experimental and numerical investigation of the interaction of Rayleigh surface waves with corners, J Nondestruct Eval **16**(1) 21-30 (Mar 1997), 11A751
Effects of an elastic membrane on tube waves in permeable formations, J Acoust Soc Am **101**(6) 3322-3329 (Jun 1997), 12A230
Upper-mantle shear velocities beneath southern California determined from long-period surface waves, Bull Seismol Soc Am **87**(1) 200-209 (Feb 1997), 12A1459

158G. Nonlinear motions

Waves Called Solitons: Concepts and Experiments, Second Edition (Springer-Verlag, New York, 1996) 2N12
Nonlinear elastic shear waves, Arch Appl Mech **66**(7) 460-478 (Jul 1996), 2A192
Symmetry reduction and some exact solutions of nonlinear biwave equations, Reports Math Phys **37**(2) 267-281 (Apr 1996), 2T193
Comparisons between Maxwell's equations and an extended nonlinear Schrodinger equation, Wave Motion **24**(1) 1-12 (Aug 1996), 3A198
Frequency spectra of nonlinear elastic pulse-mode waves, J Acoust Soc Am **100**(3) 1375-1382 (Sep 1996), 3A199
Laboratory study of linear and nonlinear elastic pulse propagation in sandstone, J Acoust Soc Am **100**(3) 1383-1391 (Sep 1996), 3A200
Study of finite amplitude plane wave propagation in a rubber-like solid, Wave Motion **24**(2) 211-225 (Sep 1996), 4A207
Nonlinear waves in elastic bar, Eur J Mech A **15**(6) 1049-1075 (1996), 6A233
Invariant manifold approach for studying waves in a 1D array of nonlinear oscillators, Int J Non-Linear Mech **31**(6) 871-886 (Nov 1996), 7A187
Stability of a plane longitudinal shock wave in an isotropic elastic medium, J Appl Math Mech **60**(4) 621-627 (1996), 7A188
Linearity of waves in some systems of nonlinear elastodynamics, Int J Non-Linear Mech **32**(2) 353-360 (Mar 1997), 8A224
Nonlinear traveling waves in a neo-Hookean plate subjected to a simple shear, Math Mech Solids **2**(1) 27-48 (Mar 1997), 8A225
Wave beams in viscoelastic dispersive nonlinear initially deformed medium with free surface, Int J Non-Linear Mech **32**(2) 385-392 (Mar 1997), 8A226
Nonlinear Partial Differential Equations for Scientists and Engineers (Birkhauser Boston, MA, 1997) 10R4
Dynamic analysis of base-isolated shear beams bumping against stops, Earthquake Eng Struct Dyn **26**(5) 515-528 (May 1997), 10A1461
Asymptotic research of nonlinear wave processes in saturated porous media, Nonlinear Dyn **13**(1) 83-98 (May 1997), 11T175
Limit cycles arising from the parametric excitation of standing waves, Wave Motion **25**(3) 275-294 (May 1997), 11A176
Nonlinear and simple waves in solid mixtures: Survey (Russian), Prikl Mekh (Appl Mech) **33**(1) 3-38 (1997), 12A231

158H. Plastic, viscoplastic waves

Riemann problems for 5 × 5 systems of fully nonlinear equations related to hypoplasticity, Math Methods Appl Sci **19**(18) 1433-1444 (Dec 1996), 6A234
Observations on localization in non-local and gradient damage models, Eur J Mech A **15**(6) 937-953 (1996), 6A757
Engineering analysis of plastic wave propagation in the Taylor test, Int J Impact Eng **19**(2) 95-106 (Feb 1997), 7A189
Propagation of elastic-viscoplastic waves in damage-softened polycrystalline materials, Int J Plasticity **12**(8) 1005-1022 (1996), 7A190
Continuum mechanics code analysis of steady plastic wave propagation in the Taylor test, Int J Impact Eng **19**(3) 231-256 (Mar 1997), 8A227
Propagation of waves in rate-dependent plastic softening rod and beam, J Eng Mech **123**(3) 190-195 (Mar 1997), 9A183

158I. Viscoelastic waves

Staggered-grid pseudospectral viscoacoustic wave field simulation in 2D media, J Acoust Soc Am **100**(1) 120-131 (Jul 1996), 1A235
Viscoelastic approximation of poroelastic media for wave scattering problems, Soil Dyn Earthquake Eng **15**(5) 337-346 (Jul 1996), 1A236
Inhomogeneous waves in transversely isotropic solids, Quart J Mech Appl Math **49**(3) 451-469 (Aug 1996), 2A194
Study of Green's tensor in magneto-viscoelastic media, Appl Math Lett **9**(5) 111-115 (Sep 1996), 3A201
Free vibrations of a non-uniformly heated viscoelastic cylindrical shell, Tech Mech **16**(3) 251-256 (1996), 7A146
Theoretical study of the Stoneley-Scholte wave at the interface between an ideal fluid and a viscoelastic solid, Acustica **82**(6) 829-838 (Nov-Dec 1996), 7A191
Application of fractional derivatives to the analysis of damped vibrations of viscoelastic single mass systems, Acta Mech **120**(1-4) 109-125 (1997), 8A228
Shock waves in materials with memory, Wave Motion **25**(1) 73-81 (Feb 1997), 8A229
Use of viscoelastic Split Hopkinson Pressure Bar, Int J Impact Eng **19**(4) 319-330 (Apr 1997), 9A184
Energy flux and dissipation of inhomogeneous plane wave forms in Kelvin-Voigt viscoelasticity, Int J Eng Sci **35**(6) 561-572 (May 1997), 11A177
Excitation of the Stoneley-Scholte wave at the boundary between an ideal fluid and a viscoelastic solid, J Sound Vib **203**(2) 193-208 (Jun 1997), 12A232

158J. Ultrasonic propagation

Linear ultrasonic traveling wave motor of the ring type, Smart Mat Struct **5**(3) 361-368 (Jun 1996), 1A237
Cavity-opening tensor method and its application to reflection and transmission of ultrasonic wave by defects, J Appl Mech **63**(3) 836-842 (Sep 1996), 3A202
Synthesis and experimental results of saw dispersive filters for spectrum analyzers, J Tech Phys **37**(1) 39-49 (1996), 4A208

158K. Anisotropic media

Inhomogeneous waves in transversely isotropic solids, Quart J Mech Appl Math **49**(3) 451-469 (Aug 1996), 2A194
Staggered finite-difference method for elastic waves in transversely isotropic media (Chinese), J Dalian Univ Tech **36**(4) 408-412 (Jul 1996), 2A207
Scattering of antiplane shear waves in a fiber-reinforced composite medium with interfacial layers, Acta Mech **117**(1-4) 181-190 (1996), 3A212
Asymptotic waves for the hydrodynamical model of semiconductors, Wave Motion **24**(2) 151-167 (Sep 1996), 4A209
Comparison of experimental velocity measurements with theoretical results in a solid-solid composite material, Geophys **61**(5) 1429-1435 (Sep-Oct 1996), 4A210
Dynamic self-consistent analysis for elastic wave propagation in fiber reinforced composites, J Acoust Soc Am **100**(4-PART 1) 2002-2010 (Oct 1996), 4A211

Behavior of lamb waves and multilayered Rayleigh waves in an anisotropic periodically multilayered medium: Application to the long-wave length domain, Acustica **82**(5) 738-748 (Sep-Oct 1996), 5A155
Experimental study of ultrasonic waves attentuation in porous rocks (French), Acustica **82**(5) 749-762 (Sep-Oct 1996), 5A158
Interaction of plane SH-waves and non-circular cavity surfaced with lining in anisotropic media, Appl Math Mech **17**(9) 855-867 (Sep 1996), 6A235
Numerical solution of transient torsional wave propagation in a transversely isotropic cylinder, Arch Appl Mech **67**(1-2) 15-21 (Dec 1996), 6A236
SH-wave in a cylindrically anisotropic solid, Z Angew Math Phys **47**(6) 906-914 (Nov 1996), 6A237
Bernstein-Bezier harmonics and their application to robot trajectory synthesis with minimal vibrational excitation, J Mech Des **118**(4) 509-514 (Dec 1996), 6A417
New technique for analyzing the 3D wave fields in anisotropic laminates excited by point harmonic loads, JSME Int J Ser C **39**(4) 679-686 (Dec 1996), 7A192
Guided waves in plates and their use in materials characterization, Appl Mech Rev **50**(5) 247-284 (May 1997), 7A193
Acoustic waves generated by a transient line source in an anisotropic half-space, Acustica **82**(6) 839-851 (Nov-Dec 1996), 7A260
Boundary integral equation method in the steady state oscillation problems for anisotropic bodies, Math Methods Appl Sci **20**(2) 95-119 (Jan 1997), 8A230
Numerical simulation of elastic wave propagation in inhomogeneous media, Wave Motion **25**(2) 109-125 (Mar 1997), 10A262
SH wave in a cylindrically anisotropic elastic solid: A general solution for a point source, Wave Motion **25**(2) 197-212 (Mar 1997), 10A263
Transient torsional waves in transversely isotropic tube (Chinese), J Dalian Univ Tech **37**(1) 29-32 (Jan 1997), 10A264
Wave propagation and localization in disordered periodic laminated materials, Composite Struct **36**(1-2) 59-70 (Sep-Oct 1996), 11A178
Generalized radon transform inversions for reflectivity in anisotropic elastic media, Inverse Prob **13**(3) 669-690 (Jun 1997), 11A1470
Experiments with Higdon's absorbing boundary conditions for a number of wave equations, Comput Geosci **1**(1) 85-108 (Apr 1997), 12A62
Bounds and approximations for elastic wave speeds in cubic crystals, J Acoust Soc Am **101**(6) 3415-3420 (Jun 1997), 12A233
Concavities on the zonal slowness section of a transversely isotropic elastic material, Wave Motion **25**(4) 347-359 (Jun 1997), 12A234
Scalar wave analysis of distributed and moving sources by means of Huygens construction, Wave Motion **25**(4) 303-318 (Jun 1997), 12A235

158L. Layered and nonhomogeneous media

Transient axisymmetric stress wave propagation in weakly coupled layered structures, J Sound Vib **194**(3) 389-416 (Jul 1996), 1A238
Dispersion characteristics of Rayleigh wave in anisotropic layered soils (Chinese), J Vib Eng **9**(2) 191-197 (Jun 1996), 2A189
Dispersive acoustical propagation in stratified structures (French), Acustica **82**(3) 442-449 (May-Jun 1996), 2A268
Damping characteristics of thick rectangular laminates, J Acoust Soc Am **100**(3) 1561-1570 (Sep 1996), 3A136
Rayleigh wave dispersion equation for a layered spherical earth with exponential function solutions in each shell, Pure Appl Geophys **147**(3) 515-536 (Aug 1996), 3A203
Theory of Scholte, leaky Rayleigh, and lateral wave excitation via the laser-induced thermoelastic effect, J Acoust Soc Am **100**(3) 1514-1528 (Sep 1996), 3A204
Scattering of anitplane shear waves in a fiber-reinforced composite medium with interfacial layers, Acta Mech **117**(1-4) 181-190 (1996), 3A212
Analysis of wave dispersion in coarsely laminated symmetric composite plates, J Acoust Soc Am **100**(4-PART 1) 1981-1991 (Oct 1996), 4A212
Propagation of elastic waves through polycrystalline materials, Eur J Mech A **15**(5) 859-881 (1996), 4A213
Interfacial waves in an elastic body fractured by periodic cracks, J Acoust Soc Am **100**(5) 2942-2948 (Nov 1996), 5A159
Stress waves in composite laminates excited by transverse plane shock waves, Shock Vib **3**(6) 419-433 (1996), 5A160
Material symmetries and inhomogeneous waves in piezoelectric media, Acta Mech **119**(1-4) 27-37 (1996), 5A507
Green functions for an incompressible linearly nonhomogeneous half-space, Arch Appl Mech **67**(1-2) 81-95 (Dec 1996), 6A228
Three-dimensional two-point ray tracing for heterogeneous, weakly transversely isotropic media, Geophys **61**(6) 1883-1894 (Nov-Dec 1996), 6A238
New technique for analyzing the 3D wave fields in anisotropic laminates excited by point harmonic loads, JSME Int J Ser C **39**(4) 679-686 (Dec 1996), 7A192
Guided waves in plates and their use in materials characterization, Appl Mech Rev **50**(5) 247-284 (May 1997), 7A193
Time-harmonic problem for non-homogeneous elastic half-space with shear modulus limited at infinite depth, Eur J Mech A **16**(2) 277-294 (1997), 8A218
Elastic wave band gaps and defect states in 2D composites, J Acoust Soc Am **101**(3) 1256-1261 (Mar 1997), 8A231
Fundamental solutions to Helmholtz's equation for inhomogeneous media by a first-order differential equation system, Soil Dyn Earthquake Eng **16**(2) 81-94 (Feb 1997), 8A232
Slip with friction between a layer and a substrate caused by an SH pulse, Mech Res Commun **24**(1) 85-91 (Jan-Feb 1997), 8T233
Transient waves in a periodic stack: Experiments and comparison with analysis, J Acoust Soc Am **101**(2) 860-866 (Feb 1997), 8A234
Simple waves in solid mixtures (Russian), Prikl Mekh (Appl Mech) **32**(9) 40-45 (1996), 9A181
Dispersion properties of transversely isotropic layered shells, Arch Acoust **21**(3) 311-316 (1996), 9A185
Bounds on phase velocity changes of plane waves in elastic media due to changes in elastic moduli, Int J Solids Struct **34**(17) 2105-2114 (Jun 1997), 10A253
Eigenvalue asymptotics of layered media and their applications to the inverse problem, SIAM J Appl Math **57**(2) 453-471 (Apr 1997), 10A265
Near field transient axisymmetric waves in layered structures: Effects of weak coupling, Int J Numer Methods Eng **40**(9) 1639-1665 (May 1997), 10A266
Seismic waves in a laterally inhomogeneous layered medium - Part I: Theory, J Appl Mech **64**(1) 50-58 (Mar 1997), 10A267
Seismic waves in a laterally inhomogeneous layered medium - Part II: Analysis, J Appl Mech **64**(1) 59-65 (Mar 1997), 10A268
Transmission and reflection of transient elastodynamic waves at a linear slip interface, J Acoust Soc Am **101**(5) 2473-2484 (May 1997), 10A269
Potential inversion from transmission data for the 1D, wave equation, Wave Motion **25**(4) 319-329 (Jun 1997), 12A236
Wave propagation in poroelastic media saturated by two fluids, J Appl Mech **64**(2) 313-320 (Jun 1997), 12A1428

158M. Granular and porous media

Characteristics of propagation of elastic waves in saturated soils (Chinese), J Vib Eng **9**(2) 128-137 (Jun 1996), 2A195
Empirical method to estimate shear wave velocity of soils in the New Madrid seismic zone, Soil Dyn Earthquake Eng **15**(6) 399-408 (Aug 1996), 3A205
Interparticle contact behavior and wave propagation, J Geotech Eng **122**(10) 831-839 (Oct 1996), 3A206
Behavior of acceleration waves in a viscoelastic porous medium with a structure - Part I: Propagation conditions and growth equations, J Theor Appl Mech **34**(3) 521-531 (1996), 4A214
Behavior of acceleration waves in a viscoelastic porous medium with a structure - Part II: Linear viscoelastic fluid-saturated porous solid, J Theor Appl Mech **34**(3) 533-546 (1996), 4A215
Wave propagation in granular rod using high-gradient theory, J Eng Mech **123**(1) 52-59 (Jan 1997), 6A239
Growth and decay of acceleration waves in non-associative elastic-plastic fluid-saturated porous media, Int J Solids Struct **34**(13) 1583-1608 (May 1997), 9A186
Wave propagation in poro-acoustic media, Wave Motion **25**(3) 265-272 (May 1997), 11A179
Analysis of topographic amplification of inclined shear waves in a steep coastal bluff, Bull Seismol Soc Am **87**(3) 692-700 (Jun 1997), 12T683

158N. Random waves or media

Stochastic turning point problem in a 1D refractive random multilayer, SIAM J Appl Math **56**(4) 1164-1180 (Aug 1996), 1A239
Diffuse reflection of light from a dense random medium using fibers dipped into the medium, Waves in Random Media **6**(3) 197-211 (Jul 1996), 2A196
Heuristic model approximation for scattering from perfectly conducting 1D random rough surfaces, Waves in Random Media **6**(3) 213-228 (Jul 1996), 2A197
Joint moments of the wave beam amplitude and inverse power in an absorbing random medium with lens properties, Waves in Random Media **6**(3) 171-187 (Jul 1996), 2A198
Joint moments of the wave beam amplitude and inverse power in an absorbing random medium with lens properties, Waves in Random Media **6**(3) 171-187 (Jul 1996), 2A199
Pomraning-Eddington approximation for radiative transfer in a spherical turbid medium, Waves in Random Media **6**(3) 189-196 (Jul 1996), 2A200
Strong focusing of plane waves behind a power-law random phase screen, Waves in Random Media **6**(3) 281-289 (Jul 1996), 2A201
Effects of irregular boundaries in a layered half-space on seismic waves, J Sound Vib **195**(1) 1-16 (Aug 1996), 2A1372
Nonlinear waves in complex structures modeled by elastic-viscoplastic stochastic media, Int J Non-Linear Mech **31**(5) 771-777 (Sep 1996), 3A207
Parabolic and Gaussian white noise approximation for wave propagation in random media, SIAM J Appl Math **56**(5) 1445-1470 (Oct 1996), 3A208
Statistical inversion from reflections of spherical waves by a randomly layered medium, Waves in Random Media **6**(4) 293-334 (Oct 1996), 5A161
Transport equations for elastic and other waves in random media, Wave Motion **24**(4) 327-370 (Dec 1996), 6A240
Anomalous reflections near a caustic, Wave Motion **25**(1) 1-14 (Feb 1997), 8A235
Dynamic stiffness matrix for axially vibrating stochastic rods using Stratonovich's averaging principle, Arch Appl Mech **67**(3) 200-213 (Feb 1997), 9A182
Observation of Biot compressional wave of the second kind in granular soils, Geotechnique **47**(1) 133-147 (Mar 1997), 9A187
Transverse spectra of waves in random media, Waves in Random Media **7**(2) 257-282 (Apr 1997), 10A270
Wave propagation and localization in disordered periodic laminated materials, Composite Struct **36**(1-2) 59-70 (Sep-Oct 1996), 11A178

158Q. Reflection, refraction, diffraction, and scattering

Anti-plane elastic wave scattering from a rough volumetric crack, Int J Solids Struct **33**(23) 3463-3476 (Sep 1996), 1A240
Heuristic model approximation for scattering from perfectly conducting 1D random rough surfaces, Waves in Random Media **6**(3) 213-228 (Jul 1996), 2A197
Evaluation of light scattering in attenuated total reflection configuration, Waves in Random Media **6**(3) 269-280 (Jul 1996), 2A202
Fluctuations of the acoustic field Bragg-backscattered from rough surfaces, Waves in Random Media **6**(3) 229-249 (Jul 1996), 2A203
Perturbation theory results for the diffuse scattering of light from 2D randomly rough metal surfaces, Waves in Random Media **6**(3) 251-267 (Jul 1996), 2A204
Transient scattering of Rayleigh waves by surface-breaking and sub-surface cracks, Int J Eng Sci **34**(9) 1059-1075 (Jul 1996), 2A205
Ultrasonic Methods of Non-Destructive Testing (Chapman and Hall, UK, 1996) 3R20
Diffraction of elastic waves by 3D cracks of arbitrary shape in a plane, J Appl Math Mech **60**(2) 277-283 (1996), 3A209
Dynamic stress intensity factor of a cracked dielectric medium in a uniform electric field, Acta Mech **117**(1-4) 1-10 (1996), 3A210
Integrodifferential equations of the problem of the scattering of elastic waves by a plane thin-walled inclusion of large stiffness, J Appl Math Mech **60**(2) 269-275 (1996), 3A211
Scattering of anitplane shear waves in a fiber-reinforced composite medium with interfacial layers, Acta Mech **117**(1-4) 181-190 (1996), 3A212
Scattering of waves by subterranean structures via the BEM, Soil Dyn Earthquake Eng **15**(6) 387-397 (Aug 1996), 3A213
Simple inversion procedure for shallow seismic refraction in continuously nonhomogeneous soils, Soil Dyn Earthquake Eng **15**(6) 381-386 (Aug 1996), 3A214
Transient SIF results for a cracked viscoelastic strip under concentrated impact loading: An integral-transform and function-theoretic approach, Wave Motion **24**(1) 41-57 (Aug 1996), 3A215
Scattering of acoustic and elastic waves using hybrid multiple multipole expansions: FE technique, J Acoust Soc Am **100**(3) 1325-1338 (Sep 1996), 3A309
Reflection and refraction of P waves at the interface of two monoclinic media, Int J Eng Sci **34**(11) 1271-1284 (Sep 1996), 3A1363
Results on the scattering of guided elastic SH waves from material and geometric waveguide discontinuities, J Acoust Soc Am **100**(5) 3078-3087 (Nov 1996), 5A162
Transient resonance scattering and target identification, Appl Mech Rev **50**(3) 131-148 (Mar 1997), 5A247
Reflection of thermoelastic waves at a solid half-space with two relaxation times, J Thermal Stresses **19**(8) 749-762 (Nov 1996), 5A1301
Scattering of P and S waves by a spherically symmetric inclusion, Pure Appl Geophys **147**(4) 675-718 (Oct 1996), 5A1410
Introduction to the Mathematical Theory of Inverse Problems (Springer-Verlag, New York, 1996) 6R1
Scattering of flexural waves and dynamic stress concentrations in Mindlin's thick plates with a cutout, Acta Mech Sinica **12**(2) 169-185 (1996), 6A172
Angular-spectrum representations for scattering by infinite rough surfaces, Wave Motion **24**(4) 421-433 (Dec 1996), 6A241
High-frequency surface currents induced on a spherical reflector by the edge-diffraction of obliquely incident waves, Wave Motion **24**(4) 395-419 (Dec 1996), 6A242
Non-uniqueness of reflected and transmitted waves, Mech Res Commun **23**(6) 571-576 (Nov-Dec 1996), 6T243
Radiation and scattering of waves on an elastic half-space: A non-commutative matrix Wiener-Hopf problem, J Mech Phys Solids **44**(12) 2125-2154 (Dec 1996), 6A244
Rayleigh wave scattering by a wedge II, Wave Motion **24**(3) 307-314 (Nov 1996), 6A245
Scattering of SH waves in multilayered media with irregular interfaces, Earthquake Eng Struct Dyn **25**(12) 1391-1404 (Dec 1996), 6A246
Three-dimensional scattering of seismic waves from topographical structures, Soil Dyn Earthquake Eng **16**(1) 41-61 (Jan 1997), 7A194
Wave scattering from biased elastic dielectrics, Mecc-anica **31**(6) 673-686 (12 1996), 7A195
Diffraction of elastic waves by spherical defects, J Appl Math Mech **60**(5) 821-832 (1996), 8A236
Finite element approach for scattering from inhomogeneous media with a rough interface, Waves in Random Media **7**(1) 119-127 (Jan 1997), 8A237
Analysis of different boundary condition models for study of wave scattering from fiber-matrix interphases, J Acoust Soc Am **101**(4) 2031-2042 (Apr 1997), 9A188
Diffraction of elastic shift waves on radially distributed rigid inclusion (Russian), Prikl Mekh (Appl Mech) **32**(8) 56-62 (1996), 9A189
Backscatter of elastic wave from a thermally affected inhomogeneous layer, J Thermal Stresses **20**(3-4) 363-371 (Apr-Jun 1997), 10A271
Half-space Green's function due to a spatially harmonic line load and scattered fields in the far field region, Acta Mech Solida Sinica **10**(1) 56-65 (1997), 10A272
Hybrid method for transient wave scattering by flaws in composite plates, Int J Solids Struct **34**(14) 1719-1734 (May 1997), 10A273
Interaction of an oblique incident elastic wave with a pair of surface-breaking cracks, J Vib and Control **3**(2) 147-159 (May 1997), 10A274
Experimental localization of a pole of the reflection coefficient of a porous layer, J Sound Vib **202**(4) 600-604 (May 1997), 11A180
Two-dimensional scattering of P, SV and Rayleigh waves: Preliminary results for the Vallcy of Mexico, Earthquake Eng Struct Dyn **26**(6) 595-616 (Jun 1997), 11T181
Wave propagation in elastic media with cracks - Part I: Transient nonlinear response of a single crack, Eur J Mech A **16**(3) 377-408 (1997), 11A182
Detection of utility pole rot damage by measuring the reflection coefficient, J Nondestruct Eval **16**(1) 43-56 (Mar 1997), 11A749
P-wave reflection coefficients for transversely isotropic models with vertical and horizontal axis of symmetry, Geophys **62**(3) 713-722 (May-Jun 1997), 11A1464
Analysis of Rayleigh-Lamb wave scattering by a crack in an elastic plate, Comput Mech **19**(6) 533-537 (May 1997), 12A237
Scattering of vorticity waves by a supersonic rectangular wing, Wave Motion **25**(4) 369-383 (Jun 1997), 12A326

158Y. Computational techniques

Application of hp-adaptive BEMs and FEMs to elastic scattering, Comput Methods Appl Mech Eng **133**(3-4) 287-317 (Jul 1996), 1A241
Boundary integral equation method in 2D and 3D problems of elastodynamics, Comput Mech **18**(2) 147-157 (Jun 1996), 1A242

Frequency band-averaged wave transmission coefficient of a periodic structure, J Acoust Soc Am 100(1) 304-311 (Jul 1996), 1A243
Lattice correction to mechanical admittance of solids, J Acoust Soc Am 100(1) 89-91 (Jul 1996), 1A244
Stability analysis of model problems for elastodynamic BE discretizations, Numer Methods PDE 12(5) 585-613 (Sep 1996), 2A206
Staggered finite-difference method for elastic waves in transversely isotropic media (Chinese), J Dalian Univ Tech 36(4) 408-412 (Jul 1996), 2A207
Green's function for surface acoustic waves: Comparison between theory and experiment, J Acoust Soc Am 100(3) 1538-1541 (Sep 1996), 3A216
Two-dimensional time-harmonic elastodynamic Green's functions for anisotropic media, Int J Eng Sci 34(11) 1327-1338 (Sep 1996), 3A217
Discrete-continuous models in the analysis of low structures subject to kinematic excitations caused by transversal waves, J Theor Appl Mech 34(3) 547-566 (1996), 4A216
Extrapolation non-reflecting boundary conditions, Wave Motion 24(2) 117-138 (Sep 1996), 4A217
Reducing spurious diffractions in elastic wavefield calculations, Geophys 61(5) 1436-1439 (Sep-Oct 1996), 4A218
Sequential and parallel methods for solving first-order hyperbolic equations, Commun Numer Methods Eng 12(9) 557-568 (Sep 1996), 4A219
Boundary element methods in dynamic analysis - Part II (1986-1996), Appl Mech Rev 50(3) 149-197 (Mar 1997), 5A3
Application of the perfectly matched layer (PML) absorbing boundary condition to elastic wave propagation, J Acoust Soc Am 100(5) 3061-3069 (Nov 1996), 5A163
Aspherical correction for free vibration of elastically anisotropic solid by means of the XYZ algorithm, Pure Appl Geophys 147(4) 719-727 (Oct 1996), 5A164
Fundamental solutions for dynamic BE analyses of incompressible problems, Eng Anal Boundary Elements 17(4) 303-305 (Jun 1996), 5A165
Further improvements on 3D transient BEM elastodynamic analysis, Eng Anal Boundary Elements 17(3) 231-243 (Apr 1996), 5A166
Multiple multipole expansions for elastic scattering, J Acoust Soc Am 100(5) 2969-2979 (Nov 1996), 5A167
Parallel interval algorithm for parameter identification in the frequency domain, Inverse Prob Eng 3(4) 305-325 (1996), 5A168
Wave dispersion modeling in anisotropic shells and rods by the FEM, J Sound Vib 198(4) 429-438 (Dec 1996), 6A227
Analysis of preconditions for hyperbolic partial differential equations, SIAM J Numer Anal 33(6) 2131-2165 (Dec 1996), 6A247
Stability analysis and design of time-stepping schemes for general elastodynamic BE models, Int J Numer Methods Eng 40(2) 319-342 (Jan 1997), 6A248
Two-component representation of time-harmonic elastic body waves in the high- and intermediate-frequency regimes, J Acoust Soc Am 101(1) 52-65 (Jan 1997), 7A196
Fast computation of the 3D Radon transform, Geophys 62(1) 362-364 (Jan-Feb 1997), 7A1466
Rapid multi-wave-type ray tracing in complex 2D and 3D isotropic media, Geophys 62(1) 298-308 (Jan-Feb 1997), 7A1474
Application of fractional derivatives to the analysis of damped vibrations of viscoelastic single mass systems, Acta Mech 120(1-4) 109-125 (1997), 8A228
Boundary integral equation method in the steady state oscillation problems for anisotropic bodies, Math Methods Appl Sci 20(2) 95-119 (Jan 1997), 8A230
Piecewise exponential method (PEM) for the numerical simulation of wave propagation - Part 1: Longitudinal wave in a bar, Commun Numer Methods Eng 13(3) 163-171 (Mar 1997), 9A190
Quasi-analytic treatment of hysteretic nonlinear response in elastic wave propagation, J Acoust Soc Am 101(4) 1885-1898 (Apr 1997), 9A191
Wave mode conversion in stiffened cylindrical shells with periodic axial curvature, J Vib Acoust 119(2) 180-184 (Apr 1997), 10A260
Numerical simulation of elastic wave propagation in inhomogeneous media, Wave Motion 25(2) 109-125 (Mar 1997), 10A262
Interaction of an oblique incident elastic wave with a pair of surface-breaking cracks, J Vib and Control 3(2) 147-159 (May 1997), 10A274
Exact complex source representations of time-harmonic radiation, Wave Motion 25(2) 127-141 (Mar 1997), 10A275
Explicit methods for inverse wave scattering in solids, Inverse Prob 13(2) 509-521 (Apr 1997), 10A276
Infinite domain correction for in-plane body waves in a 2D BE analysis, Int J Numer Methods Eng 40(9) 1687-1700 (May 1997), 10A277
Numerical approximation of elastic waves equations by implicit spectral methods, Comput Methods Appl Mech Eng 144(1-2) 33-50 (May 1997), 10A278
Dynamic analysis of base-isolated shear beams bumping against stops, Earthquake Eng Struct Dyn 26(5) 515-528 (May 1997), 10A1461
Method of analyzing finite periodic structures - Part 1: Theory and examples, J Sound Vib 202(4) 555-569 (May 1997), 11A169
Method of analyzing finite periodic structures - Part 2: Comparison with infinite periodic structure theory, J Sound Vib 202(4) 571-583 (May 1997), 11A170
Two-dimensional scattering of P, SV and Rayleigh waves: Preliminary results for the Valley of Mexico, Earthquake Eng Struct Dyn 26(6) 595-616 (Jun 1997), 11T181
Numerical method for axisymmetric wave propagation problem of anisotropic solids, Comput Methods Appl Mech Eng 145(1-2) 109-116 (Jun 1997), 11A183
Time frequency analysis of dispersive waves by means of wavelet transform, J Appl Mech 62(4) 841-846 (Dec 1995), 11A184
Fourier series approach to the measurement of flexural wave intensity in plates, J Sound Vib 203(1) 101-126 (May 1997), 12A229
Scalar wave analysis of distributed and moving sources by means of Huygens construction, Wave Motion 25(4) 303-318 (Jun 1997), 12A235
Dynamic substructuring of damped structures using singular value decomposition, J Appl Mech 64(2) 292-298 (Jun 1997), 12A238

158Z. Experimental techniques

Approach for wave velocity measurement in solid cylindrical rods subjected to elastic impact, Int J Solids Struct 33(26) 3925-3935 (Nov 1996), 3A218
Nondestructive evaluation of pavements using spectral analysis of surface waves in the frequency wave-number domain, J Nondestruct Eval 15(2) 71-82 (Jun 1996), 5A742
Estimate and measurement of longitudinal wave intensity, Acta Mech Sinica 12(3) 250-262 (1996), 6A249
Torsional vibration monitor consisting of five intel-8098 units (Chinese), J Dalian Univ Tech 37(1) 118-121 (Jan 1997), 10A279
Experimental localization of a pole of the reflection coefficient of a porous layer, J Sound Vib 202(4) 600-604 (May 1997), 11A180
Excitation of the Stoneley-Scholte wave at the boundary between an ideal fluid and a viscoelastic solid, J Sound Vib 203(2) 193-208 (Jun 1997), 12A232
New method for the separation of waves: Application to the SHPB technique for an unlimited duration of measurement, J Mech Phys Solids 45(7) 1185-1202 (Jul 1997), 12A239

160. IMPACT ON SOLIDS

160A. General theory

Shock-excited vibrations of a conservative Duffing oscillator with application to shock protection in portable electronics, Int J Solids Struct 33(24) 3627-3642 (Oct 1996), 2A87
Phenomenological model for perforation of moderately thick plates by tumbling projectiles, Int J Solids Struct 33(24) 3561-3575 (Oct 1996), 2A208
Evaluation of critical impact velocity of materials and its application to processing thin plates (Japanese), J Soc Mat Sci Japan 45(7) 805-810 (Jul 1996), 2A699
Crashworthiness of Transportation Systems: Structural Impact and Occupant Protection (Kluwer, Netherlands, 1997) 9N9
Structural Impact (Cambridge UP, UK, 1997) 9N10
50 Years of Shock and Vibration Technology (SEM, Bethel CT, 1996) 10N5
Ballistic impact of thin-walled composite structures, AIAA J 35(5) 875-878 (May 1997), 10A280
Modeling the impact of waterdrops on targets with a thin protective layer, Comput Model Simul in Eng 2(2) 177-194 (May 1997), 10A281
Simulation of 2D squeeze film and solid contact forces acting on a heat exchanger tube, J Sound Vib 203(4) 621-639 (Jun 1997), 12A240

160B. Dynamic contact problems

Ricochet of deforming projectiles from deforming plates, Int J Impact Eng 18(6) 601-610 (Sep 1996), 1A245
Transient, high-speed, liquid impact into soft soil, Comput Model Simul in Eng 1(1) 79-106 (Feb 1996), 1A246
Stress analysis of laminated E-glass epoxy composite plates subject to impact dynamic loading, Comput Struct 61(1) 1-11 (Aug 1996), 1A577
Analytical solution for low-velocity impact response of composite plates, AIAA J 34(8) 1633-1640 (Aug 1996), 2A209
Central and noncentral normal impact on orthotropic composite cylindrical shells, AIAA J 34(8) 1619-1626 (Aug 1996), 2A210
Evaluation of collision analysis of ship to pile type fender (Japanese), Proc JSCE 540(VI-31) 49-57 (Jun 1996), 2A211
Impact of composite structures: The momentum balance method, J Composite Mat 30(10) 1068-1087 (1996), 2A212
Elasto-Impact and Friction in Dynamic Systems (ASME, New York, 1996) 3N7
Force dispersion and shock damping mediated by close-packed arrays of distally connected cells, Int J Mech Sci 39(2) 137-146 (Feb 1997), 4A220
Analysis of dynamic response of an impacted elastic plate, Appl Math Mech 17(7) 677-682 (Jul 1996), 5A102
Localized impact on sandwich structures with laminated facings, Appl Mech Rev 50(2) 69-82 (Feb 1997), 5A169
Sensitivity of occupant response subject to prescribed corridors for impact testing, Shock Vib 3(6) 435-450 (1996), 5A170
Two-dimensional collisions of vehicles: Case of consideration of vehicle movements during impact, JSME Int J Ser C 39(3) 470-476 (Sep 1996), 5A171
Influence of internal pressure on the impact behavior of steel pipelines, J Pressure Vessel Tech 118(4) 464-471 (Nov 1996), 5A809
Strain sensing of composite plates subjected to low velocity impact with distributed piezoelectric sensors: A mixed FE approach, J Sound Vib 199(1) 17-31 (Jan 1997), 6A250
Theory for ballistic limit of thin ductile tubes hit by blunt missiles, Int J Impact Eng 18(7-8) 735-752 (Oct-Dec 1996), 6A251
Spectral strip analysis for composite cylinders subjected to lateral impact, Comput Mech 19(1) 11-29 (Nov 1996), 6A593
Crashworthiness analysis and design using rigid-flexible multibody dynamics with application to train vehicles, Int J Numer Methods Eng 40(4) 655-687 (Feb 1997), 7A197
Impact analysis of laminated composite plates with statical indentation laws, Comput Struct 62(5) 817-829 (Mar 1997), 7A198
Importance of instability in impact response and damage resistance of composite shells, AIAA J 35(2) 389-396 (Feb 1997), 7A199
Penetration of steel targets finite in radial extent, Int J Impact Eng 19(1) 49-62 (Jan 1997), 7A200
Dynamic response of laminated circular cylindrical shells under impulse loads, Comput Struct 63(1) 149-157 (Apr 1997), 8A151
Uni-axial strain loading of a rubber rod by planar shock waves, Acta Mech 120(1-4) 91-107 (1997), 8A213
Behavior of uniform anisotropic beams of rectangular section under transverse impact of a mass, Shock Vib 4(2) 125-141 (1997), 8A238
Dynamic response of rectangular plates under drop mass impact, Int J Impact Eng 19(3) 207-229 (Mar 1997), 8A239
Low-velocity impact response for laminated stepped beam, Composite Struct 35(4) 343-355 (Aug 1996), 8A558
Indentation of a punch into an elastic 3D wedge as a model of contact interaction between the surfaces of gearing teeth, J Machinery Manuf Reliab 3 89-94 (1996), 8T952
Experimental analysis of impact-damped flexible beams, J Eng Mech 123(4) 376-383 (Apr 1997), 9A116
Numerical model of impact-damped continuous systems, J Eng Mech 123(4) 384-392 (Apr 1997), 9A118
Dynamic response of intact piles to impulse loads, Int J Numer Anal Methods Geomech 21(4) 255-275 (Apr 1997), 10A282
Impact tests for road restraint systems (German), Bauingenieur 72(2) 93-97 (Feb 1997), 10A283
Saturated impulse for pulse-loaded elastic-plastic square plates, Int J Solids Struct 34(14) 1709-1718 (May 1997), 10A284
Shock protection of portable electronic products: Shock response spectrum, damage boundary approach, and beyond, Shock Vib 4(3) 169-191 (1997), 10A285
Solution method for dynamic contact problems, Comput Struct 63(6) 1053-1063 (Jun 1997), 10A286
Dynamic analysis of base-isolated shear beams bumping against stops, Earthquake Eng Struct Dyn 26(5) 515-528 (May 1997), 10A1461
Contact-impact in hybrid parameter multiple body mechanical systems, J Dyn Syst Meas Control 117(4) 559-569 (Dec 1995), 11A185
Three-dimensional frictional rigid-body impact, J Appl Mech 62(4) 893-898 (Dec 1995), 11A186
Use of an elastic-plastic contact law for the impact of a single flexible link, J Dyn Syst Meas Control 117(4) 527-533 (Dec 1995), 11A187
Stability of integral force control in case of contact with stiff surfaces, J Dyn Syst Meas Control 117(4) 547-553 (Dec 1995), 11A308
Analysis of cantilever bouncing against a stop according to Timoshenko beam theory, Struct Eng and Mech 5(3) 297-306 (May 1997), 12A166
Dynamic analysis of a thin beam impacting against a stop of general 3D geometry, J Sound Vib 203(2) 237-249 (Jun 1997), 12A241
Coefficient of restitution for collinear collisions of elastic-perfectly plastic spheres, J Appl Mech 64(2) 383-386 (Jun 1997), 12A524

160C. Explosive loading

Influence of projectile nose shape on the morphology of interface in impact spot welds, Int J Impact Eng 18(6) 657-669 (Sep 1996), 1A938
Development of simplified analytical methods for predicting the response of offshore structures to blast and fire loading, Marine Struct 9(10) 949-970 (1996), 3A817
Structures under Extreme Loading Conditions - 1996 (ASME, New York, 1996) 4N7
Interaction between concrete cladding panels and fixings under blast loading, Cement & Concrete Composites 18(5) 323-332 (1996), 4A221
Experimental observations and discussion of counterintuitive behavior of plates and shallow shells subjected to blast loading, Int J Impact Eng 18(7-8) 783-802 (Oct-Dec 1996), 6A252
Incipient deformation mechanisms of a semicircular cantilever beam subjected to an out-of-plane step-loading, Int J Impact Eng 18(7-8) 829-848 (Oct-Dec 1996), 6A253
Large deformation of thin plates under localized impulsive loading, Int J Impact Eng 18(7-8) 899-918 (Oct-Dec 1996), 6A577
Reflected-afterflow virtual-source model compared to exact calculations for elastic cylinders attacked by planar waves, Shock Vib 4(2) 93-102 (1997), 8A240
Laser Doppler vibrometer: Application of DOE-Taguchi methodologies to pyroshock response spectra, Shock Vib 4(2) 115-123 (1997), 8A245
Influence of cavitation upon anomalous behavior of a plate-liquid-underwater explosion system, Int J Impact Eng 19(4) 345-359 (Apr 1997), 9A192
Mesh, gravity, and load effects on FE simulations of blast loaded reinforced concrete structures, Comput Struct 63(6) 1113-1120 (Jun 1997), 10A287

160E. Hypervelocity

Hypervelocity model for the forces produced in a thick target by the penetration of projectile, Comput Struct 61(2) 231-249 (Oct 1996), 2A213
First evidence of planetary water maser emission induced by the comet-Jupiter catastrophic impact, Planet Space Sci 44(8) 735-739 (Aug 1996), 5T172
Computational and experimental investigations of ionization near hypersonic vehicles, J Spacecraft Rockets 33(6) 800-806 (Nov-Dec 1996), 6A254
Penetration of confined boron carbide targets by tungsten long rods at impact velocities from 1.5 to 5.0 km/s, Int J Impact Eng 19(1) 15-29 (Jan 1997), 7A201
Penetration of confined silicon carbide targets by tungsten long rods at impact velocities from 1.5 to 4.6 km/s, Int J Impact Eng 19(1) 1-13 (Jan 1997), 7A202
Velocity dependence of impact fluorescence, Int J Impact Eng 19(3) 273-276 (Mar 1997), 8A241
Fragmentation and dispersion of aluminum nitride ceramic plates by hypervelocity impact, Int J Impact Eng 19(4) 285-295 (Apr 1997), 9A193
Cracking characteristics of dual-wall structures following simulated orbital debris particle impact, J Spacecraft Rockets 34(3) 318-324 (May-Jun 1997), 12A242
Internal effects model for spacecraft modules perforated by orbital debris, J Spacecraft Rockets 34(3) 325-333 (May-Jun 1997), 12A243

160F. Spallation and fracture

High strength concrete response to hard projectile impact, Int J Impact Eng 18(6) 583-599 (Sep 1996), 1A247
Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), J Soc Mat Sci Japan 45(7) 792-798 (Jul 1996), 2A698
Static and impact crushing of layered foam-plate systems, Int J Mech Sci 39(1) 69-86 (Jan 1997), 3A219
Compression strength of composite sandwich structures after barely visible impact damage, J Composite Tech Res 18(4) 274-284 (Oct 1996), 4A750
Impact damage and residual strengths of woven fabric glass-polyester laminates, Composites Part A Appl Sci and Manuf 27A(12) 1147-1156 (1996), 5A173

Impact testing on composites laminates and sandwich panels, J Composite Mat **30**(17) 1873-1911 (1996), 5A174
Review of low-velocity impact properties of composite materials, Composites Part A Appl Sci and Manuf **27A**(12) 1123-1131 (1996), 5A454
Water intrusion in graphite-epoxy sandwich panels subjected to low level impact damage, J Reinforced Plastics Composites **15**(11) 1106-1116 (Nov 1996), 5A458
Modeling of damage behaviors of high impact polystyrene, Eng Fracture Mech **55**(4) 583-591 (Nov 1996), 5A690
Perforation of aluminum plates with ogive-nose steel rods at normal and oblique impacts, Int J Impact Eng **18**(7-8) 877-887 (Oct-Dec 1996), 6A255
Projectile perforation of moving plates: Experimental investigation, Int J Impact Eng **18**(7-8) 859-875 (Oct-Dec 1996), 6A256
Tearing of blast loaded plates with clamped boundary conditions, Int J Impact Eng **18**(7-8) 803-827 (Oct-Dec 1996), 6A257
Crack straining-based spall model, Int J Impact Eng **19**(2) 107-116 (Feb 1997), 7A203
Prediction of impact induced penetration and delamination in thick composite laminates, Int J Impact Eng **19**(1) 31-48 (Jan 1997), 7A204
Dynamic ductile rupture under conditions of plane strain, Int J Impact Eng **19**(3) 189-206 (Mar 1997), 8A242
Transport treatment of crack population in finite medium - Part II: Damage behavior in different zones, Int J Impact Eng **19**(3) 257-272 (Mar 1997), 8A243
Ballistic properties of tool steel as a potential improved armour plate, Int J Impact Eng **19**(4) 297-309 (Apr 1997), 9A194
Correlation between the ballistic behavior and dynamic properties of titanium-alloy plates, Int J Impact Eng **19**(4) 311-318 (Apr 1997), 9A195
Elastic-cracked model for penetration into unreinforced concrete targets with ogival nose projectiles, Int J Solids Struct **34**(12) 1479-1491 (Apr 1997), 9A196
Local response of concrete slabs to low velocity missile impact, Int J Impact Eng **19**(4) 331-343 (Apr 1997), 9A197
Deformation modes in fiberglass under weak impact, J Reinforced Plastics Composites **16**(4) 321-331 (1997), 10A610
Effect of stitching on impact and interlaminar properties of graphite-epoxy laminates, J Thermoplastic Composite Mat **10**(3) 241-253 (May 1997), 10A612
Cracking characteristics of dual-wall structures following simulated orbital debris particle impact, J Spacecraft Rockets **34**(3) 318-324 (May-Jun 1997), 12A242
Energy-based approach to impact damage in CFRP laminates, Composites Part A Appl Sci and Manuf **28A**(7) 647-655 (1997), 12A244
Estimating the toughness of laminated composite barriers, Composite Mech Des **2**(2) 13-31 (1996), 12A245
Global strength of hybrid shape memory composite plates subjected to low-velocity impact, J Reinforced Plastics Composites **16**(9) 791-809 (1997), 12A591

160Y. Computational techniques

Rigid-plastic FE simulation of peening process with plastically deforming shot, JSME Int J Ser A **39**(3) 306-312 (Jul 1996), 1A42
Computational study of the influence of projectile strength on the performance of long-rod penetrators, Int J Impact Eng **18**(6) 671-677 (Sep 1996), 1A248
Structural mechanics modeling of the impact of a double cantilever beam, Int J Fracture **76**(4) 311-326 (1995), 1A778
Normalized smoothing functions for SPH impact computations, Int J Numer Methods Eng **39**(16) 2725-2741 (Aug 1996), 2A214
Sensitivity analysis of the contact-impact response of composite structures, Comput Struct **61**(2) 251-269 (Oct 1996), 2T215
Dynamics of impact oscillator with dry friction, Chaos Solitons Fractals **7**(9) 1455-1459 (Sep 1996), 4A911
Impulsive stress analysis of plates at the concentrated impact loading point by the 3D dynamic theory of elasticity, Exp Mech **36**(4) 421-429 (Dec 1996), 5A175
Axisymmetric form of the material point method with applications to upsetting and Taylor impact problems, Comput Methods Appl Mech Eng **139**(1-4) 409-429 (Dec 1996), 6A258
Impact analysis of laminated composite plates and shells by super FEs, Int J Impact Eng **18**(7-8) 765-782 (Oct-Dec 1996), 6A259
SPH for high velocity impact computations, Comput Methods Appl Mech Eng **139**(1-4) 347-373 (Dec 1996), 6A260
Application of the FEM to determine the response of a pretorsioned pipe cluster to static or dynamic axial impact loading, Comput Struct **62**(2) 353-368 (1997), 7A205
Automatic sliding interface algorithm for intense impulsive loading computations, Commun Numer Methods Eng **12**(12) 885-896 (Dec 1996), 7A206
Pressure-shear stress wave analysis in plate impact experiments, Int J Impact Eng **19**(2) 147-164 (Feb 1997), 7A207
Impact of a cylinder against a rigid target - Part II: Initial condition, Eng Trans **44**(3-4) 433-443 (1996), 9A198
Large-scale contact-impact simulation and sensitivity analysis on distributed-memory computers, Comput Methods Appl Mech Eng **141**(3-4) 373-388 (Feb 1997), 9A199
Ballistic impact of thin-walled composite structures, AIAA J **35**(5) 875-878 (May 1997), 10A280
Adaptive Lagrangian modeling of ballistic penetration of metallic targets, Comput Methods Appl Mech Eng **142**(2-3) 269-301 (Mar 1997), 10A288
Space-time FEMs for the sensitivity analysis of contact-impact response of axisymmetric composite structures, Comput Methods Appl Mech Eng **144**(3-4) 371-389 (May 1997), 11A188
Computational procedure for simulating the contact-impact response in flexible multibody systems, Comput Methods Appl Mech Eng **147**(1-2) 153-166 (Jul 1997), 12A95
Analysis of cantilever bouncing against a stop according to Timoshenko beam theory, Struct Eng and Mech **5**(3) 297-306 (May 1997), 12A166
Dynamic analysis of a thin beam impacting against a stop of general 3D geometry, J Sound Vib **203**(2) 237-249 (Jun 1997), 12A241
Stress points for tension instability in SPH, Int J Numer Methods Eng **40**(13) 2325-2341 (Jul 1997), 12A246

160Z. Experimental techniques

Recovery experimental techniques of tensile impact, Acta Mech Sinica **12**(3) 243-250 (1996), 6A261
Method for measuring transient out-of-plane deformation during impact, Int J Impact Eng **19**(2) 127-133 (Feb 1997), 7A208
Sensing block method for measuring impact force generated at a contact part, Int J Impact Eng **19**(2) 165-174 (Feb 1997), 7A209
Development of surface measurement method of impact force using the sheet piezoelectricity (Japanese), Proc JSCE **553**(VI-33) 73-80 (Dec 1996), 8A244
Laser Doppler vibrometer: Application of DOE-Taguchi methodologies to pyroshock response spectra, Shock Vib **4**(2) 115-123 (1997), 8A245
Note on the geometric scaling of long-rod penetration, Int J Impact Eng **19**(3) 277-283 (Mar 1997), 8A246
Use of viscoelastic Split Hopkinson Pressure Bar, Int J Impact Eng **19**(4) 319-330 (Apr 1997), 9A184
Detection of impact location and magnitude for isotropic plates using neural networks, J Intelligent Mat Syst Struct **8**(1) 90-99 (Jan 1997), 9A200
Effects of target curvature on the impact characteristics of simulated hailstones, Proc Inst Mech Eng J Aerospace Eng **211**(G2) 81-90 (1997), 12A247

162. WAVES IN INCOMPRESSIBLE FLUIDS

162A. General theory

Water Waves Generated by Underwater Explosion (World Sci Pub, River Edge, NJ, 1996) 2R9
Boundary integrodifferential equation arising from the linearized theory of water waves, Meccanica **31**(4) 433-440 (Aug 1996), 2A216
Propagation of bores II: 3D theory, Nonlinear Anal **27**(8) 963-986 (Oct 1996), 3T220
Asymptotic expansions in the problem of a solitary wave, J Fluid Mech **319** 109-123 (Jul 1996), 3A221
Interaction of capillary waves with longer waves - Part I: General theory and specific applications to waves in one dimension, J Fluid Mech **321** 87-120 (Aug 1996), 3A231
Semi-analytical solution for second-order wave diffraction by a truncated circular cylinder in monochromatic waves, J Fluid Mech **319** 171-196 (Jul 1996), 3A241
Traveling wave solutions to model equations of van der Waals fluids, Arch Mech **48**(4) 675-709 (1996), 4A222
Two-dimensional Boussinesq equation for water waves and some of its solutions, J Fluid Mech **323** 65-78 (Sep 1996), 4A226
Chaotic particle motion under linear surface waves, Chaos **6**(4) 554-563 (Dec 1996), 6A262
Impedance inversion from transmission data for the wave equation, Wave Motion **24**(3) 263-274 (Nov 1996), 6A263
Stability and Wave Propagation in Fluids and Solids (Springer-Verlag, New York, 1995) 7R2
Role of drift mass in the kinetic energy and momentum of periodic water waves and sound waves, J Fluid Mech **331** 429-438 (Jan 1997), 8A247
New way for the calculation of steady periodic capillary-gravity waves on deep water, Eur J Mech B **16**(2) 257-275 (1997), 8A261
Energy velocity of complex harmonic plane waves in viscous fluids, Wave Motion **25**(1) 51-60 (Feb 1997), 8A262
Subcritical, transcritical, and supercritical flows over a step, J Fluid Mech **333** 257-271 (Feb 1997), 8A1021
Effect of length on the acoustic attenuation performance of concentric expansion chambers: An analytical, computational, and experimental investigation, J Sound Vib **201**(4) 407-426 (Apr 1997), 10A389
Excitation of the Stoneley-Scholte wave at the boundary between an ideal fluid and a viscoelastic solid, J Sound Vib **203**(2) 193-208 (Jun 1997), 12A232

162C. Nonlinear, finite amplitude, and solitary waves

Finite-amplitude solitary wave on a stream with linear vorticity, Eur J Mech B **15**(3) 395-411 (1996), 1A249
Fully nonlinear calculation of 2D water wave generated by rocker flap wavemaker, J Hydrodyn **8**(1) 52-59 (1996), 1T250
Numerical solution of the sine-Gordon equation - I: Integrable discretizations and homoclinic manifolds, J Comput Phys **126**(2) 299-314 (Jul 1996), 1A251
Spatial chaos in weakly dispersive and viscous media: A nonperturbative theory of the driven kdV-Burgers equation, Physica D **95**(1) 62-80 (Aug 1996), 1A252
Time-domain simulation of the generation and propagation of second-order Stokes waves in a 2D wave flume - Part I: Monochromatic wavemaker motions, J Fluids Struct **10**(4) 319-335 (May 1996), 1T253
Eulerian mean current and Stokes drift under non-breaking waves on a perfect fluid over a plane beach, Fluid Dyn Res **18**(3) 117-150 (Aug 1996), 1A255
Water Waves Generated by Underwater Explosion (World Sci Pub, River Edge, NJ, 1996) 2R9
Waves Called Solitons: Concepts and Experiments, Second Edition (Springer-Verlag, New York, 1996) 2N12
Asymptotic stability of solitary waves for the regularized long-wave equation, Commun Pure Appl Math **49**(4) 399-441 (Apr 1996), 2A217
Dissipation in Hamiltonian systems: Decaying cnoidal waves, SIAM J Math Anal **27**(5) 1424-1447 (Sep 1996), 2A218
Nonlinear shallow-water oscillations in a parabolic channel: Exact solutions and trajectory analyses, J Fluid Mech **318** 49-76 (Jul 1996), 2A219
Computations of nonlinear wave interaction in shock-wave focusing process using finite volume TVD schemes, Comput Fluids **25**(5) 509-525 (Jun 1996), 2A227
Asymptotic expansions in the problem of a solitary wave, J Fluid Mech **319** 109-123 (Jul 1996), 3A221
Asymptotic theory for the generation of nonlinear surface gravity waves by turbulent air flow, J Fluid Mech **320** 287-304 (Aug 1996), 3A222
Atmospheric solitary waves: Some applications to the morning glory of the Gulf of Carpentaria, J Fluid Mech **321** 137-155 (Aug 1996), 3A223
Collision interactions of envelope Rossby solitons in a barotropic atmosphere, J Atmos Sci **53**(11) 1604-1616 (Jun 1996), 3A224
Exploring solutions of nonlinear Rossby waves in shallow water equations, J Phys Soc Japan **65**(8) 2717-2721 (Aug 1996), 3A225
Generalized stability criterion for resonant triad interactions, J Fluid Mech **319** 67-76 (Jul 1996), 3A226
Korteweg-de Vries equation for oblique modes in magnetized multi-ion plasmas, J Phys Soc Japan **65**(8) 2522-2525 (Aug 1996), 3A227
Mixing driven by vertically variable forcing: An application to the case of Langmuir circulation, J Fluid Mech **322** 81-107 (Sep 1996), 3A228
Nonlinear interference and the Korteweg-de Vries equation, Appl Math Lett **9**(5) 89-92 (Sep 1996), 3A229
Interaction of capillary waves with longer waves - Part I: General theory and specific applications to waves in one dimension, J Fluid Mech **321** 87-120 (Aug 1996), 3A231
Propagation and breaking at high altitudes of gravity waves excited by tropospheric forcing, J Atmos Sci **53**(15) 2186-2216 (Aug 1996), 3T246
Wave breaking and transition to turbulence in stratified shear flows, J Atmos Sci **53**(8) 1057-1085 (Apr 1996), 3A249
Interfacial waves over random topography, Wave Motion **24**(2) 169-184 (Sep 1996), 4A223
Resonant generation of a solitary wave in a thermocline, Exp Fluids **21**(5) 374-379 (Sep 1996), 4A224
Asymptotic approach to solitary wave instability and critical collapse in long-wave KdV-type evolution equations, Physica D **98**(1) 139-155 (Nov 1996), 5A176
Nonlinear long waves generated by a moving pressure disturbance, J Fluid Mech **325** 399-418 (Oct 1996), 5A177
Numerical study of surface solitary wave and Kelvin solitary wave propagation in a wide channel, Fluid Dyn Res **19**(1) 27-45 (Jan 1997), 5A178
Nonlinear dynamics of vorticity waves in the coastal zone, J Fluid Mech **326** 181-203 (Nov 1996), 5A1425
Envelope solitary Rossby waves and modulational instabilities of uniform Rossby wave trains in two space dimensions, Wave Motion **24**(3) 315-325 (Nov 1996), 6A264
Evolution of lump solutions for the KP equation, Wave Motion **24**(3) 291-305 (Nov 1996), 6A265
Vortex solitons in a rotating fluid within a non-uniform tube, Wave Motion **24**(3) 243-262 (Nov 1996), 6A266
Low-frequency equatorial waves in vertically sheared zonal flow - Part II: Unstable waves, J Atmos Sci **53**(23) 3589-3605 (Dec 1996), 6T1483
Application of domain decomposition to time-domain computations of nonlinear water waves with a panel method, J Comput Phys **129**(2) 332-344 (Dec 1996), 7A210
Nonlinear damping of parametrically excited 2D gravity waves, Fluid Dyn Res **19**(4) 201-217 (Apr 1997), 7A211
Surface ripples due to steady breaking waves, J Fluid Mech **329** 309-339 (Dec 1996), 7A212
Onset of Langmuir circulation when shear flow and Stokes drift are not parallel, Fluid Dyn Res **19**(3) 149-167 (Mar 1997), 7A217
Wave-current bottom shear stresses and sediment resuspension in Cleveland Bay, Australia, Coastal Eng **29**(1-2) 169-188 (Dec 1996), 7A219
Attractors and approximate inertial manifolds for the generalized Benjamin-Bona-Mahony equation, Math Methods Appl Sci **20**(3) 189-203 (Feb 1997), 8A248
Bifurcation of long waves in the parameter space of pressure head and flowforce, Quart J Mech Appl Math **50**(1) 17-34 (Feb 1997), 8A249
Computation of homoclinic solutions to periodic orbits in a reduced water-wave problem, Physica D **102**(1-2) 101-124 (Mar 1997), 8A250
Exact solutions of nonlinear shallow water equations, Int J Non-Linear Mech **32**(3) 633-636 (May 1997), 8A251
Formation of bound states by interacting nonlocal solitary waves, Physica D **101**(3-4) 270-288 (Mar 1997), 8A252
Kinematics of overturning solitary waves and their relations to breaker types, Coastal Eng **29**(3-4) 317-346 (Jan 1997), 8A253
Mass transport in contaminated flows, Int J Non-Linear Mech **32**(3) 531-545 (May 1997), 8A254
Pulse dynamics in an unstable medium, SIAM J Appl Math **57**(1) 205-251 (Feb 1997), 8A255
Theoretical amplitude and period of precursor soliton generation in two-layer flow, Acta Mech Sinica **12**(4) 323-337 (1996), 8A256
Asymmetric gravity-capillary solitary waves, J Fluid Mech **330** 215-232 (Jan 1997), 8A259
BEM-numerics and KdV-model analysis for solitary wave split-up, Comput Mech **19**(3) 179-187 (Feb 1997), 9A201
Nonlinear water waves in Lagrangian coordinates: Shallow fluids, J Hydrodyn **8**(4) 25-34 (1996), 9T202
Strong attractors for the Benjamin-Bona-Mahony equation, Appl Math Lett **10**(2) 23-28 (Mar 1997), 9A203
Ultrasonic probes and data processing to study interfacial solitary waves, Exp Fluids **22**(5) 380-386 (Mar 1997), 9A204
Nonlinear Partial Differential Equations for Scientists and Engineers (Birkhauser Boston, MA, 1997) 10R4
Open boundary conditions for obliquely propagating nonlinear shallow-water waves in a wave channel, Comput Fluids **26**(3) 269-278 (Mar 1997), 10A289
Three dimensional multigrid model for fully nonlinear water waves, Coastal Eng **30**(3-4) 235-258 (May 1997), 10A290
Crest instabilities of gravity waves - Part 3: Nonlinear development and breaking, J Fluid Mech **336** 33-50 (Apr 1997), 10A291
Pattern formation in weakly damped parametrix surface waves, J Fluid Mech **336** 301-330 (Apr 1997), 10A295

Effects of weak wind and damping on Wilton's ripples, J Fluid Mech 335 141-163 (Mar 1997), 10A297
Field verification of linear and nonlinear hybrid wave models for offshore tower response prediction, J Offshore Mech Arctic Eng 119(3) 158-165 (Aug 1997), 12A202
Non-Gaussian extreme waves in the Central North Sea, J Offshore Mech Arctic Eng 119(3) 146-150 (Aug 1997), 12A248
Plunging jet characteristics of plunging breakers, Coastal Eng 31(1-4) 125-141 (Jul 1997), 12A249
Two dimensional long waves in turbulent flow over a sloping bottom, J Fluid Mech 341 195-223 (Jun 1997), 12A250
Solitary waves and chaotic twisting in a PDE model of Faraday resonance, Fluid Dyn Res 21(2) 115-137 (Aug 1997), 12A258
Solitary waves in initially stressed thin elastic tubes, Int J Non-Linear Mech 32(6) 1165-1176 (Nov 1997), 12A273

162D. Gravity waves (incl breaking, etc)

Fully nonlinear calculation of 2D water wave generated by rocker flap wavemaker, J Hydrodyn 8(1) 52-59 (1996), 1T250
Entropy variable formulation and applications for the 2D shallow water equations, Int J Numer Methods Fluids 23(1) 29-46 (Jul 1996), 1A254
Eulerian mean current and Stokes drift under non-breaking waves on a perfect fluid over a plane beach, Fluid Dyn Res 18(3) 117-150 (Aug 1996), 1A255
Groupiness of sea waves and their characteristic parameters, China Ocean Eng 10(1) 85-98 (1996), 1A256
Oblique diffraction of surface waves by a submerged vertical plate, J Eng Math 30(4) 459-470 (Jul 1996), 1A257
Representation of non-stationary time series of significant wave height with autoregressive models, Probab Eng Mech 11(3) 139-148 (Jul 1996), 1A258
Theory of long water-waves on a rotating earth, Acta Mech 116(1-4) 123-138 (1996), 1A259
Dynamics of surf-zone turbulence in a spilling breaker, Coastal Eng 27(2-3) 131-160 (Jul 1996), 2A220
Model of water wave "horse-shoe" patterns, J Fluid Mech 318 375-404 (Jul 1996), 2A221
Periodic waves with constant vorticity in water of infinite depth, IMA J Appl Math 56(3) 207-217 (Jun 1996), 2A222
Wave set-up coral reefs - 1: Set-up and wave-generated flow on an idealized 2D horizontal reef, Coastal Eng 27(2-3) 161-193 (Jul 1996), 2A223
Resonance of modes in the problem of 2D capillary-gravity waves, Physica D 95(3-4) 336-350 (Sep 1996), 2A224
Propagation of wind errors through ocean wave hindcasts, J Offshore Mech Arctic Eng 118(3) 184-189 (Aug 1996), 2A1418
Kinematic Wave Modeling in Water Resources: Surface-Water Hydrology (Wiley, New York, 1996) 3R31
Ocean Surface Waves: Their Physics and Prediction (World Sci Pub, River Edge, NJ, 1996) 3R43
Asymptotic theory for the generation of nonlinear surface gravity waves by turbulent air flow, J Fluid Mech 320 287-304 (Aug 1996), 3A222
Generalized stability criterion for resonant triad interactions, J Fluid Mech 319 67-76 (Jul 1996), 3A226
Impact of waves on air-sea exchange of sensible heat and momentum, Boundary-Layer Meteorol 79(3) 279-300 (May 1996), 3T230
Interaction of capillary waves with longer waves - Part I: General theory and specific applications to waves in one dimension, J Fluid Mech 321 87-120 (Aug 1996), 3A231
Non-causal impulse response functions related to propagating water waves, Appl Ocean Res 17(6) 379-389 (Dec 1995), 3A232
Observability of finite-depth short-crested water waves, J Fluid Mech 322 1-19 (Sep 1996), 3A233
Surface-wave generation: A viscoclastic model, J Fluid Mech 322 131-145 (Sep 1996), 3A234
Model equations for water waves in the presence of surface tension, Eur J Mech B 15(4) 471-492 (1996), 3A235
Second-order wave force on a vertical cylinder, J Fluid Mech 320 417-443 (Aug 1996), 3A240
Subharmonic resonance of short internal standing waves by progressive surface waves, J Fluid Mech 321 217-233 (Aug 1996), 3A247
Tadpole: A design problem in the mechanics of the use of sea wave energy, Proc Inst Mech Eng A 210(A4) 273-277 (1996), 3A1459
Mathematical Problems in the Theory of Water Waves (Am Math Soc, Providence RI, 1996) 4N6
Periodic solutions for a complex Hamiltonian system: New standing water-waves, Wave Motion 24(2) 139-150 (Sep 1996), 4A225
Two-dimensional Boussinesq equation for water waves and some of its solutions, J Fluid Mech 323 65-78 (Sep 1996), 4A226
Wave set-up on coral reefs - 2: Set-up on reefs with various profiles, Coastal Eng 28(1-4) 17-55 (Sep 1996), 4T227
Hydrodynamic loads on a slender cylinder moving unsteadily in a 3D non-uniform flow field, Appl Ocean Res 18(1) 29-36 (Feb 1996), 4A249
Water impact loads on circular structural members, Appl Ocean Res 18(1) 45-54 (Feb 1996), 4A253
One-dimensional modeling of individual waves and wave-induced longshore currents in the surf zone, Coastal Eng 28(1-4) 121-145 (Sep 1996), 4T967
Free-surface wave-induced separation, J Fluids Eng 118(3) 546-554 (Sep 1996), 4A984
Nonlinear long waves generated by a moving pressure disturbance, J Fluid Mech 325 399-418 (Oct 1996), 5A177
Forced surface waves due to a partially immersed vertical wave-maker in water of infinite depth, Quart Appl Math 54(4) 709-719 (Dec 1996), 5A179
Hybrid wave model for unidirectional irregular waves - Part I: Theory and numerical scheme, Appl Ocean Res 18(2-3) 77-92 (Apr-Jun 1996), 5A180
Hybrid wave model for unidirectional irregular waves - Part II: Comparison with laboratory measurements, Appl Ocean Res 18(2-3) 93-110 (Apr-Jun 1996), 5A181
Second-order wave kinematics conditional on a given wave crest, Appl Ocean Res 18(2-3) 119-128 (Apr-Jun 1996), 5A182
Wave-induced boundary layer flows above and in a permeable bed, J Fluid Mech 325 195-218 (Oct 1996), 5A183
Approximations to wave trapping by topography, J Fluid Mech 325 357-376 (Oct 1996), 5A184
Effect of entrained air in violent water wave impacts, J Fluid Mech 325 377-397 (Oct 1996), 5A185
Peak response statistics of vertical cylinders in 2D irregular waves, J Offshore Mech Arctic Eng 118(4) 276-283 (Nov 1996), 6A155
Capillary gravity waves on the free surface of an inviscid fluid of infinity depth: Existence of solitary waves, Arch Rational Mech Anal 136(1) 1-19 (1996), 6A267
General theory of 3D wave groups - Part II: Interaction with a breakwater, Ocean Eng 24(3) 281-300 (Mar 1997), 6A268
General theory on 3D wave groups - Part I: The formal derivation, Ocean Eng 24(3) 265-280 (Mar 1997), 6A269
Inadequacy of a conventional Keulegen-Carpenter number for wave and current combination, J Offshore Mech Arctic Eng 118(4) 309-311 (Nov 1996), 6A270
Modeling and statistical analysis of ocean-wave data using transformed Gaussian processes, Marine Struct 10(1) 13-47 (Jan 1997), 6A271
Modified nonlinear Schrodinger equation for broader bandwidth gravity waves on deep water, Wave Motion 24(3) 281-289 (Nov 1996), 6A272
Statistical uncertainty in long-term distributions of significant wave height, J Offshore Mech Arctic Eng 118(4) 284-291 (Nov 1996), 6A273
Turbulent structure beneath surface gravity waves sheared by the wind, J Fluid Mech 328 313-344 (Dec 1996), 6A274
Wave induced motion of FLIP, Ocean Eng 24(2) 95-110 (Feb 1997), 6A275
Wave pattern formation in a fluid annulus with a radially vibrating inner cylinder, J Fluid Mech 328 229-252 (Dec 1996), 6A276
Small oscillations of two immiscible liquids in an arbitrary basin (French), Z Angew Math Phys 47(6) 915-925 (Nov 1996), 6A280
Added mass and damping on bottom-mounted rectangular cylinders, J Brazilian Soc Mech Sci 18(4) 355-373 (Dec 1996), 6A302
Mathematical Techniques for Water Waves (Comput Mech, Billerica MA, 1997) 7N5
Nonlinear damping of parametrically excited 2D gravity waves, Fluid Dyn Res 19(4) 201-217 (Apr 1997), 7A211
Surface ripples due to steady breaking waves, J Fluid Mech 329 309-339 (Dec 1996), 7A212
Boussinesq model for simulating wave and current interaction, Ocean Eng 24(4) 335-350 (Apr 1997), 7A213
Experimental study on the effective transformation of wave energy into potential energy (Japanese), Proc JSCE 551(II-37) 89-99 (Nov 1996), 7A214
Growth of fetch limited waves in water of finite depth - Part 1: Total energy and peak frequency, Coastal Eng 29(1-2) 47-78 (Dec 1996), 7T215
Moderate and steep Faraday waves: Instabilities, modulation, and temporal asymmetries, J Fluid Mech 329 275-307 (Dec 1996), 7A216
Onset of Langmuir circulation when shear flow and Stokes drift are not parallel, Fluid Dyn Res 19(3) 149-167 (Mar 1997), 7A217
Rapid-distortion turbulence models in the theory of surface-wave generation, J Fluid Mech 329 147-153 (Dec 1996), 7A218
Wave-current bottom shear stresses and sediment resuspension in Cleveland Bay, Australia, Coastal Eng 29(1-2) 169-188 (Dec 1996), 7A219
Kinematics of overturning solitary waves and their relations to breaker types, Coastal Eng 29(3-4) 317-346 (Jan 1997), 8A253
Experimental investigation of the vorticity generation within a spilling water wave, J Fluid Mech 330 113-139 (Jan 1997), 8A257
Fluxes of mass, momentum, and energy in currents of uniform vorticity, Quart J Mech Appl Math 50(1) 1-16 (Feb 1997), 8A258
Irregular, nonlinear waves in a spread sea, J Offshore Mech Arctic Eng 119(1) 37-41 (Feb 1997), 8A1506
Two-way nesting procedure for the WAM model: Application to the Spanish coast, J Offshore Mech Arctic Eng 119(1) 20-24 (Feb 1997), 8A1509
Existence theorems of periodic traveling wave solution to the generalized forced Kadomtsev-Petviashvili equation, Arch Mech 48(5) 925-931 (1996), 9A205
Interaction of vortices with a progressive surface wave, J Hydrodyn 8(4) 63-68 (1996), 9A206
Inverse problem of water wave generation in a wave tank, J Hydrodyn 8(4) 94-102 (1996), 9T207
Wave-induced currents in the vicinity of a seawall, Coastal Eng 30(1-2) 23-52 (Mar 1997), 9A1002
Boussinesq equations for wave transformation on porous beds, Coastal Eng 30(1-2) 125-156 (Mar 1997), 9A1423
Volume II: Safety and Reliability (ASME, New York, 1997) 10N8
Volume I: Offshore Technology (ASME, New York, 1997) 10N26
Crest instabilities of gravity waves - Part 3: Nonlinear development and breaking, J Fluid Mech 336 33-50 (Apr 1997), 10A291
Crest instabilities of steep surface waves, J Fluid Mech 336 51-68 (Apr 1997), 10A292
Existence of trapped modes in channels of arbitrary cross-section, Math Methods Appl Sci 20(6) 521-545 (Apr 1997), 10A293
Numerical model for 3D run-up, Int J Numer Methods Fluids 24(9) 913-931 (May 1997), 10A294
Pattern formation in weakly damped parametrix surface waves, J Fluid Mech 336 301-330 (Apr 1997), 10A295
Radiation of water waves by a heaving submerged horizontal disc, J Fluid Mech 337 365-379 (Apr 1997), 10A296
Motion of a bubble in waves, J Hydrodyn 9(1) 56-62 (1997), 10A1132
Zero wave resistance for ships moving in shallow channels at supercritical speeds, J Fluid Mech 335 305-321 (Mar 1997), 10A1212
Application of Fourier methods to water waves in small depths, Appl Ocean Res 18(5) 275-281 (Oct 1996), 11T189
Limit of wave propagation on the free surface of a viscous fluid, J Appl Mech 62(4) 899-902 (Dec 1995), 11T190
Trapped modes about multiple cylinders in a channel, J Fluid Mech 339 331-356 (May 1997), 11A191
Trapped modes in an axisymmetric water-wave problem, Quart J Mech Appl Math 50(2) 165-178 (May 1997), 11A192
Upstream-advancing waves generated by a current over a sinusoidal bed, Fluid Dyn Res 21(1) 1-28 (Jul 1997), 11A193
Vorticity of long gravity waves in water of variable depth, Wave Motion 25(3) 273-274 (May 1997), 11A194
Wave diffraction by a long array of cylinders, J Fluid Mech 339 309-330 (May 1997), 11A196
Discussion on the second-order wave forces and wave drift damping, Appl Ocean Res 18(5) 257-263 (Oct 1996), 11A914
Comparison of real and theoretical values of oscillatory flow in the surf zone, Ingenieria Hidraul Mex 12(2) 17-27 (May-Aug 1997), 11T933
Plunging jet characteristics of plunging breakers, Coastal Eng 31(1-4) 125-141 (Jul 1997), 12A249
Two dimensional long waves in turbulent flow over a sloping bottom, J Fluid Mech 341 195-223 (Jun 1997), 12A250
Analytical investigation of wave-induced oscillations of water in a rectangular harbor, Indian J Eng Mat Sci 4(2) 54-62 (Apr 1997), 12A251
Harmonic generation past a submerged porous step, Coastal Eng 31(1-4) 281-304 (Jul 1997), 12A252
Internal characteristics and numerical analysis of plunging breaker on a slope, Coastal Eng 31(1-4) 143-161 (Jul 1997), 12A253
Irregular points in 2D free surface flows with surface tension for the wavemaker boundary value problem, Appl Ocean Res 18(6) 293-302 (Dec 1996), 12A254
Long-term distribution of seabed shear stresses beneath random waves, Coastal Eng 31(1-4) 327-337 (Jul 1997), 12A255
Pattern formation in weakly damped parametric surface waves driven by two frequency components, J Fluid Mech 341 225-244 (13n 1997), 12A256
Research on characteristics of density current under the action of waves, China Ocean Eng 11(1) 69-78 (1997), 12A257
Solitary waves and chaotic twisting in a PDE model of Faraday resonance, Fluid Dyn Res 21(2) 115-137 (Aug 1997), 12A258
Wave height, setup and currents around a detached breakwater submitted to regular or random wave forcing, Coastal Eng 31(1-4) 77-96 (Jul 1997), 12A259
Wave kinematics for simulated shallow water storm waves: Analysis and experiments, Ocean Eng 24(9) 835-865 (Oct 1997), 12T260
Oblique wave scattering by submerged thin wall with gap in finite-depth water, Appl Ocean Res 18(6) 319-327 (Dec 1996), 12A262
Determination of frequencies and decrements of oscillations of viscous liquid which partially fills a circular horizontal canal (Russian), Prikl Mekh (Appl Mech) 33(4) 89-98 (1997), 12T263
Use of numerical wind-wave models for assessment of the offshore wave energy resource, J Offshore Mech Arctic Eng 119(3) 184-190 (Aug 1997), 12A1499

162F. Capillary waves and waves in thin films

Capillary-gravity interfacial waves in infinite depth, Eur J Mech B 15(3) 367-393 (1996), 1A260
Direct simulation of unsteady capillary gravity waves on deep water, J Phys Soc Japan 65(7) 2060-2067 (Jul 1996), 1A261
Pattern selection in Faraday surface waves, J Phys Soc Japan 65(7) 2072-2080 (Jul 1996), 1A262
Viscous response of an anchored spinning liquid column to various axial excitations, Acta Mech 116(1-4) 153-170 (1996), 1A263
Asymptotic analysis of small holes in thin fluid layers, J Eng Math 30(4) 445-457 (Jul 1996), 1A983
Resonance of modes in the problem of 2D capillary-gravity waves, Physica D 95(3-4) 336-350 (Sep 1996), 2A224
Model equations for water waves in the presence of surface tension, Eur J Mech B 15(4) 471-492 (1996), 3A235
Nonlinear rupture theory of a thin free liquid film with insoluble surfactant, J Phys Soc Japan 65(8) 2494-2501 (Aug 1996), 3A236
Capillary waves with variable surface tension, Z Angew Math Phys 47(5) 799-808 (Sep 1996), 4A228
Patterns and spatiotemporal chaos in parametrically forced surface waves: A systematic survey at large aspect ratio, Physica D 97(1-3) 133-154 (Oct 1996), 4A229
Asymmetric gravity-capillary solitary waves, J Fluid Mech 330 215-232 (Jan 1997), 8A259
Capillary waves and air-sea gas transfer, J Fluid Mech 332 341-358 (Feb 1997), 8A260
New way for the calculation of steady periodic capillary-gravity waves on deep water, Eur J Mech B 16(2) 257-275 (1997), 8A261
Effects of weak wind and damping on Wilton's ripples, J Fluid Mech 335 141-163 (Mar 1997), 10A297
Nonlinear ripples of Kelvin-Helmholtz type which arise from an interfacial mode interaction, J Fluid Mech 341 295-315 (Jun 1997), 12A261

162H. Reflection, refraction, diffraction, and scattering

Refraction-diffraction model for irregular wave and directional spectrum considering current, China Ocean Eng 10(2) 193-202 (1996), 1A264
Diffraction of water waves by a sphere, Z Angew Math Mech 76(8) 471-478 (1996), 2A225
Absorbing boundary condition for floating 2D objects in current and waves, J Eng Math 30(5) 573-586 (Sep 1996), 3A237
Diffraction of Kelvin waves and bores at coastal bends, J Atmos Sci 53(9) 1327-1337 (May 1996), 3A238
Low-latitude reflection of Rossby wave trains, J Atmos Sci 53(3) 482-496 (Feb 1996), 3T239
Second-order wave force on a vertical cylinder, J Fluid Mech 320 417-443 (Aug 1996), 3A240
Semi-analytical solution for second-order wave diffraction by a truncated circular cylinder in monochromatic waves, J Fluid Mech 319 171-196 (Jul 1996), 3A241
Wave drift damping of floating bodies in slow yaw motion, J Fluid Mech 319 323-352 (Jul 1996), 3A275
Wave set-up on coral reefs - 2: Set-up on reefs with various profiles, Coastal Eng 28(1-4) 17-55 (Sep 1996), 4T227
Interaction of non-breaking directional random waves with submerged breakwaters, Coastal Eng 28(1-4) 249-266 (Sep 1996), 4T230
New non-dimensional number for the analysis of wave reflection from rubble mount breakwaters, Coastal Eng 28(1-4) 93-120 (Sep 1996), 4A231

Three-dimensional non-breaking regular wave interaction with submerged breakwaters, Coastal Eng **28**(1-4) 229-248 (Sep 1996), 4A232

Unique solvable higher order BEM for wave diffraction and radiation, China Ocean Eng **10**(3) 333-342 (1996), 4A233

Approximations to wave trapping by topography, J Fluid Mech **325** 357-376 (Oct 1996), 5A184

Effect of entrained air in violent water wave impacts, J Fluid Mech **325** 377-397 (Oct 1996), 5A185

Scattering of water waves by an array of circular cylinders in a channel, J Eng Math **30**(6) 661-682 (Nov 1996), 5A186

Wave diffraction around 3D bodies in a current, J Offshore Mech Arctic Eng **118**(4) 247-252 (Nov 1996), 6A277

Second-order vertical diffraction forces on truncated cylinders, J Offshore Mech Arctic Eng **118**(4) 259-266 (Nov 1996), 6A1000

Topographic wave radiation and modon decay, Geophys Astrophys Fluid Dyn **83**(1-2) 51-77 (Nov 1996), 6T1479

Second order exact theory of nonlinear wave diffraction due to a cylindrical structure (Japanese), Proc JSCE **551**(II-37) 75-87 (Nov 1996), 7A220

Horseshoe vortex and vortex shedding around a vertical wall-mounted cylinder exposed to waves, J Fluid Mech **332** 41-70 (Feb 1997), 8A1076

Scattering of oblique waves by a thin vertical wall with a submerged gap, Arch Mech **48**(6) 959-972 (1996), 9A208

Second order wave diffraction in two layer fluids, Appl Math Mech **17**(12) 1147-1152 (Dec 1996), 9A209

Radiation of water waves by a heaving submerged horizontal disc, J Fluid Mech **337** 365-379 (Apr 1997), 10A296

Open, partial reflection and incident-absorbing boundary conditions in wave analysis with a boundary integral method, Coastal Eng **30**(3-4) 281-298 (May 1997), 10A302

Acoustic 2D radiation and scattering from cylinders using source density, SVD and Fourier methods, J Sound Vib **201**(3) 305-321 (Apr 1997), 10A353

Trapped modes about multiple cylinders in a channel, J Fluid Mech **339** 331-356 (May 1997), 11A191

Study of blast wave loading on cantilevers, Shock Waves **7**(3) 175-190 (Jun 1997), 11A195

Wave diffraction by a long array of cylinders, J Fluid Mech **339** 309-330 (May 1997), 11A196

Harmonic generation past a submerged porous step, Coastal Eng **31**(1-4) 281-304 (Jul 1997), 12A252

Oblique wave scattering by submerged thin wall with gap in finite-depth water, Appl Ocean Res **18**(6) 319-327 (Dec 1996), 12A262

162J. Pipes, ducts, channels (incl water hammer and surging, etc)

Energy analysis of propagation of axisymmetrical waves in a hollow piezoelectric cylinder with liquid (Russian), Prikl Mekh (Appl Mech) **32**(2) 3-11 (1996), 1A284

Water waves incident on an infinitely long rectangular inlet, Appl Ocean Res **18**(1) 1-11 (Feb 1996), 4A234

Wave-induced boundary layer flows above and in a permeable bed, J Fluid Mech **325** 195-218 (Oct 1996), 5A183

Waves in initially stressed fluid-filled thick tubes, J Biomech **30**(3) 273-276 (Mar 1997), 7A1547

Energy models of 1D, multi-propagative systems, J Sound Vib **201**(5) 535-554 (Apr 1997), 10A256

Determination of frequencies and decrements of oscillations of viscous liquid which partially fills a circular horizontal canal (Russian), Prikl Mekh (Appl Mech) **33**(4) 89-98 (1997), 12T263

162K. Rotating flows

Theory of long water-waves on a rotating earth, Acta Mech **116**(1-4) 123-138 (1996), 1A259

Viscous response of an anchored spinning liquid column to various axial excitations, Acta Mech **116**(1-4) 153-170 (1996), 1A263

Exploring solutions of nonlinear Rossby waves in shallow water equations, J Phys Soc Japan **65**(8) 2717-2721 (Aug 1996), 3A225

Diffraction of Kelvin waves and bores at coastal bends, J Atmos Sci **53**(9) 1327-1337 (May 1996), 3A238

Low-latitude reflection of Rossby wave trains, J Atmos Sci **53**(3) 482-496 (Feb 1996), 3T239

Low-frequency equatorial waves in vertically sheared zonal flow - Part I: Stable waves, J Atmos Sci **53**(3) 449-467 (Feb 1996), 3A242

Propagation of gravity-inertia waves and lee waves under a critical level, J Atmos Sci **53**(11) 1505-1523 (Jun 1996), 3T243

Azimuthal flow associated with inertial wave resonance in a precessing cylinder, J Fluid Mech **319** 387-406 (Jul 1996), 3A1022

Wave excitation and the formation of recirculation eddies in an axisymmetric flow of uniformly rotating fluids, J Fluid Mech **322** 165-200 (Sep 1996), 3A1027

Rossby wave interaction in a shear flow with critical levels, J Fluid Mech **323** 317-338 (Sep 1996), 4A1438

Numerical study of surface solitary wave and Kelvin solitary wave propagation in a wide channel, Fluid Dyn Res **19**(1) 27-45 (Jan 1997), 5A178

Extension of baroclinic coastal-trapped wave theory to superinertial frequencies, J Phys Oceanog **26**(11) 2305-2315 (Nov 1996), 5T187

Chaotic mixing and transport in Rossby-wave critical layers, J Fluid Mech **334** 315-351 (Mar 1997), 9A96

Laboratory studies of equatorially trapped waves using ferrofluid, J Fluid Mech **338** 35-58 (May 1997), 11A1496

Inertial waves in a rotating spherical shell, J Fluid Mech **341** 77-99 (Jun 1997), 12A264

162L. Stratified flows and internal waves

Capillary-gravity interfacial waves in infinite depth, Eur J Mech B **15**(3) 367-393 (1996), 1A260

Selective withdrawal from stratified streams, J Austral Math Soc B **38**(1) 26-40 (Jul 1996), 1A265

Weakly nonlinear interfacial waves in a duct of arbitrary cross section, Eur J Mech B **15**(3) 331-366 (1996), 1A266

Collision interactions of envelope Rossby solitons in a barotropic atmosphere, J Atmos Sci **53**(11) 1604-1616 (Jun 1996), 3A224

Low-frequency equatorial waves in vertically sheared zonal flow - Part I: Stable waves, J Atmos Sci **53**(3) 449-467 (Feb 1996), 3A242

Propagation of gravity-inertia waves and lee waves under a critical level, J Atmos Sci **53**(11) 1505-1523 (Jun 1996), 3T243

Diffusion process produced by random internal waves, J Fluid Mech **322** 355-382 (Sep 1996), 3A244

Flow field of two stratified liquids in the presence of interfacial waves, Comput Mech **18**(4) 279-289 (Aug 1996), 3A245

Propagation and breaking at high altitudes of gravity waves excited by tropospheric forcing, J Atmos Sci **53**(15) 2186-2216 (Aug 1996), 3T246

Subharmonic resonance of short internal standing waves by progressive surface waves, J Fluid Mech **321** 217-233 (Aug 1996), 3A247

Viscous effects in internal waves of two-layered fluids with variable depth, Eur J Mech B **15**(4) 445-470 (1996), 3A248

Wave breaking and transition to turbulence in stratified shear flows, J Atmos Sci **53**(8) 1057-1085 (Apr 1996), 3A249

Use of ducting theory in an observed case of gravity waves, J Atmos Sci **53**(12) 1724-1736 (Jun 1996), 3T1021

Vertical structure and stability in a mathematical model of the ocean internal waves, Int J Eng Sci **34**(11) 1311-1326 (Sep 1996), 3A1411

Resonant generation of a solitary wave in a thermocline, Exp Fluids **21**(5) 374-379 (Sep 1996), 4A224

Extension of baroclinic coastal-trapped wave theory to superinertial frequencies, J Phys Oceanog **26**(11) 2305-2315 (Nov 1996), 5T187

Dynamic excitation of internal gravity waves in the equatorial oceans, J Phys Oceanog **26**(11) 2398-2419 (Nov 1996), 5A188

Higher-order resonant instabilities of internal gravity waves, J Fluid Mech **324** 1-23 (Oct 1996), 5A189

Asymptotic form of the far field of an internal wave source moving in an exponentially stratified medium, J Appl Math Mech **60**(3) 521-525 (1996), 6A278

Direct simulation of interfacial waves in a high-viscosity-ratio and axisymmetric core-annular flow, J Fluid Mech **327** 1-34 (Nov 1996), 6A279

Small oscillations of two immiscible liquids in an arbitrary basin (French), Z Angew Math Phys **47**(6) 915-925 (Nov 1996), 6A280

Uniform approximations of the fundamental solution of the equation of internal waves, J Appl Math Mech **60**(3) 439-447 (1996), 6A281

Theoretical amplitude and period of precursor soliton generation in two-layer flow, Acta Mech Sinica **12**(4) 323-337 (1996), 8A256

Formation of singularities in a stratified fluid in the presence of a critical level, J Austral Math Soc B **38**(3) 316-324 (Jan 1997), 9A210

Internal solitary waves with stratification in density, J Austral Math Soc B **38**(4) 563-580 (Apr 1997), 10A298

Laboratory study of the interaction between two internal wave rays, J Fluid Mech **336** 91-122 (Apr 1997), 10A299

Note on the application of linear wave theory at a critical level, Boundary-Layer Meteorol **82**(3) 399-416 (Mar 1997), 10A300

Nonlinear ripples of Kelvin-Helmholtz type which arise from an interfacial mode interaction, J Fluid Mech **341** 295-315 (Jun 1997), 12A261

162Y. Computational techniques

Numerical solution of the sine-Gordon equation - I: Integrable discretizations and homoclinic manifolds, J Comput Phys **126**(2) 299-314 (Jul 1996), 1A251

R-adaptive BEM for unsteady free-surface flow analysis, Int J Numer Methods Eng **39**(16) 2769-2787 (Aug 1996), 2A226

Modeling of wave propagation in the nearshore region using the mild slope equation with GMRES-based iterative solvers, Int J Numer Methods Fluids **23**(4) 397-411 (Aug 1996), 2A1403

Convergence of a boundary integral method for water waves, SIAM J Numer Anal **33**(5) 1797-1843 (Oct 1996), 3A250

Numerical simulation and physical simulation of sea wave groups, China Ocean Eng **10**(3) 295-305 (1996), 4A235

Soliton-like solutions for a (2 + 1)-dimensional generalization of the shallow water wave equations, Chaos Solitons Fractals **7**(9) 1497-1499 (Sep 1996), 4A236

Least-squares FE scheme for the RLW equation, Commun Numer Methods Eng **12**(11) 795-804 (Nov 1996), 5A190

New 2D FE model for the shallow water equations using a Lagrangian framework constructed along particle trajectories, Int J Numer Methods Eng **39**(24) 4159-4182 (Dec 1996), 6A282

Mathematical Techniques for Water Waves (Comput Mech, Billerica MA, 1997) 7N5

Comparison of H and P FE approximations of the shallow water equations, Int J Numer Methods Fluids **24**(1) 61-79 (Jan 1997), 7A24

Numerical simulation of shallow water wave propagation using a BE wave equation model, Int J Numer Methods Fluids **24**(1) 1-15 (Jan 1997), 7A61

Application of domain decomposition to time-domain computations of nonlinear water waves with a panel method, J Comput Phys **129**(2) 332-344 (Dec 1996), 7A210

Spectral element method for the shallow water equations on the sphere, J Comput Phys **130**(1) 92-108 (Jan 1997), 7A1504

Wave equation model to solve the multidimensional transport equation, Int J Numer Methods Fluids **24**(5) 423-439 (Mar 1997), 8A1398

Open boundary conditions for obliquely propagating nonlinear shallow-water waves in a wave channel, Comput Fluids **26**(3) 269-278 (Mar 1997), 10A289

Three dimensional multigrid model for fully nonlinear water waves, Coastal Eng **30**(3-4) 235-258 (May 1997), 10A290

Junction characteristics of energy wave methods, Proc Inst Mech Eng C **211**(C1) 25-35 (1997), 10A301

Open, partial reflection and incident-absorbing boundary conditions in wave analysis with a boundary integral method, Coastal Eng **30**(3-4) 281-298 (May 1997), 10A302

Internal characteristics and numerical analysis of plunging breaker on a slope, Coastal Eng **31**(1-4) 143-161 (Jul 1997), 12A253

Irregular points in 2D free surface flows with surface tension for the wavemaker boundary value problem, Appl Ocean Res **18**(6) 293-302 (Dec 1996), 12A254

Oblique wave scattering by submerged thin wall with gap in finite-depth water, Appl Ocean Res **18**(6) 319-327 (Dec 1996), 12A262

Modeling an undular bore with B-splines, Comput Methods Appl Mech Eng **147**(1-2) 147-152 (Jul 1997), 12A265

162Z. Experimental techniques

Wave pattern formation in a fluid annulus with a radially vibrating inner cylinder, J Fluid Mech **328** 229-252 (Dec 1996), 6A276

Inverse problem of water wave generation in a wave tank, J Hydrodyn **8**(4) 94-102 (1996), 9T207

Laboratory studies of equatorially trapped waves using ferrofluid, J Fluid Mech **338** 35-58 (May 1997), 11A1496

Excitation of the Stoneley-Scholte wave at the boundary between an ideal fluid and a viscoelastic solid, J Sound Vib **203**(2) 193-208 (Jun 1997), 12A232

164. WAVES IN COMPRESSIBLE FLUIDS

New kind of nonlinear mild-slope equation for combined refraction-diffraction of multifrequency waves, Coastal Eng **31**(1-4) 3-36 (Jul 1997), 12T266

164A. General theory

Waves and Distributions (World Sci Pub, River Edge, NJ, 1995) 1R10

Pulses and Other Wave Processes in Fluids: An Asymptotical Approach to Initial Problems (Kluwer, Netherlands, 1996) 2R7

Traveling wave solutions to model equations of van der Waals fluids, Arch Mech **48**(4) 675-709 (1996), 4A222

Energy velocity of complex harmonic plane waves in viscous fluids, Wave Motion **25**(1) 51-60 (Feb 1997), 8A262

Reciprocity and energy theorems for waves in a compressible inhomogeneous moving fluid, Wave Motion **25**(2) 143-167 (Mar 1997), 10A303

Vorticity jump across a shock in a non-uniform flow, J Fluid Mech **341** 371-384 (Jun 1997), 12A268

164B. Expansion and compression

Air blast and heat radiation from fuel-rich mixture detonations, Shock Waves **6**(1) 21-28 (Jun 1996), 1T267

Shock wave emission and cavitation bubble generation by picosecond and nanosecond optical breakdown in water, J Acoust Soc Am **100**(1) 148-165 (Jul 1996), 1A268

Role of cavitation effects in the mechanisms of destruction and explosive processes, Shock Waves **7**(2) 63-76 (Apr 1997), 10T304

164D. Shock, sonic boom, blast

Effects of numerical viscosities - I: Slowly moving shocks, J Comput Phys **126**(2) 373-389 (Jul 1996), 1A269

Level set methods applied to modeling detonation shock dynamics, J Comput Phys **126**(2) 390-409 (Jul 1996), 1A270

Measurement of $O(^1D)$ formation during thermal decomposition of CO, behind shock waves, Shock Waves **6**(2) 79-83 (Jul 1996), 1T271

Shock induced Richtmyer-Meshkov instability in the presence of a wall boundary layer, Shock Waves **6**(1) 1-8 (Jun 1996), 1T272

Direct initiation of detonations in unconfined gasoline sprays, Shock Waves **6**(2) 67-71 (Jul 1996), 1T1309

Computations of nonlinear wave interaction in shock-wave focusing process using finite volume TVD schemes, Comput Fluids **25**(5) 509-525 (Jun 1996), 2A227

Development of longitudinal gas oscillations in a closed tube, J Sound Vib **195**(3) 359-374 (Aug 1996), 2A228

Dynamics of a shock-bubble interaction, J Fluid Mech **318** 129-163 (Jul 1996), 2A229

Resonant gas oscillations exhibiting mixed nonlinearity, J Fluid Mech **318** 251-271 (Jul 1996), 2A230

Shockwave reduction by chute diffractor, Exp Fluids **21**(3) 209-217 (Jul 1996), 2A231

High-resolution hybrid compact-ENO scheme for shock-turbulence interaction problems, J Comput Phys **127**(1) 27-51 (Aug 1996), 2A232

Analysis of the characteristic equation of D'yakov through the stability theory of shock corrugation (French), Z Angew Math Phys **47**(4) 631-635 (Jul 1996), 3A251

Influence of cellular structure on detonation transmission, Shock Waves **6**(3) 119-129 (Sep 1996), 3T252

Numerical predictions of oblique detonation stability boundaries, Shock Waves **6**(3) 147-156 (Sep 1996), 3A253

Propagation of converging and diverging shock waves under isothermal condition, Shock Waves **6**(3) 177-182 (Sep 1996), 3T254

Resonance gas oscillations in closed tubes, J Fluid Mech **322** 147-163 (Sep 1996), 3A1056

Unsteady gasdynamic evolution of an induction domain between a contact surface and a shock wave - I: Thermal runaway, SIAM J Appl Math **56**(5) 1295-1316 (Oct 1996), 3A1058

Entropy jump across an inviscid shock wave, Theor Comput Fluid Dyn **8**(5) 365-375 (Sep 1996), 4A237

Improved shock-capturing methods for multicomponent and reacting flows, J Comput Phys **128**(1) 237-253 (Oct 1996), 4A238

Computational analysis of dense gas shock tube flow, Shock Waves **6**(4) 241-248 (Oct 1996), 4T239

High-speed photographic study of the transition from deflagration to detonation wave, Shock Waves **6**(4) 205-210 (Oct 1996), 4T240

Evolution of a fast flame behind an induction zone, Shock Waves **6**(4) 225-231 (Oct 1996), 4A1292

Front dynamics approach to curvature-dependent flow, SIAM J Appl Math **56**(6) 1523-1538 (Dec 1996), 5A191

Imploding shocks in a non-ideal medium, J Eng Math **30**(6) 683-692 (Nov 1996), 5A192

Numerical investigation of the propagation of shock waves in rigid porous materials: Development of the computer code and comparison with experimental results, J Fluid Mech **324** 163-179 (Oct 1996), 5A193

Sound wave structures downstream of pseudo-steady weak and strong Mach reflections, J Fluid Mech **324** 309-332 (Oct 1996), 5A194

Structure and stability of a spherical shock wave in a van der Waals gas, Quart J Mech Appl Math **49**(4) 501-543 (Nov 1996), 5A195

Analytical solution for shock waves in dusty gases, Acta Mech **119**(1-4) 53-63 (1996), 6A283

Propagation of weak shocks in non-uniform flows, J Fluid Mech **327** 161-197 (Nov 1996), 6A284

Shock waves from an open-ended shock tube with different shapes, Shock Waves **6**(5) 249-258 (Nov 1996), 6T285

Shock tube research facility for high-resolution measurements of compressible turbulence, Exp Thermal Fluid Sci **13**(4) 430-446 (Nov 1996), 6A1144

Mass, momentum and total excess energy transported by a weak plane N wave, Shock Waves **6**(6) 313-322 (Dec 1996), 7T221

Shock-induced two-phase flows in an aligned baffle system filled with suspended particles, Shock Waves **6**(6) 367-372 (Dec 1996), 7A222

Designing an efficient solution strategy for fluid flows - 1: A stable high order finite difference scheme and sharp shock resolution for the Euler equations, J Comput Phys **129**(2) 245-262 (Dec 1996), 7A223

Numerical study of a turbulent flow compressed by a weak shock wave, Int J Comput Fluid Dyn **8**(1) 63-75 (1997), 7T1134

Effects of shock waves on living tissues: Numerical analysis of a propagating pressure wave toward living tissue, JSME Int J Ser B **39**(4) 714-720 (Nov 1996), 7A1548

Analytical and empirical solutions of the oblique and normal shock waves with application to real ammonia, Acta Mech **120**(1-4) 141-156 (1997), 8A263

Propagation of converging and diverging shock waves under intense heat-exchange conditions, J Appl Math Mech **60**(5) 745-752 (1996), 8A264

Analytical solution of an unsteady gas flow with shocks, Arch Appl Mech **67**(3) 158-166 (Feb 1997), 9A211

Compression of spherical gas bubble surrounded by layer of incompressible liquid (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(6) 5-23 (Jun 1996), 9A212

Experimental investigation of the interaction between weak shock waves and granular layers, Exp Fluids **22**(5) 432-443 (Mar 1997), 9A213

Structure of a shock wave front in a gas (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(7) 37-75 (Jul 1996), 9A214

Predictions of impacting sonic and supersonic jets, J Fluids Eng **119**(1) 83-89 (Mar 1997), 9A1038

Influence of entropy fluctuations on the interaction of turbulence with a shock wave, J Fluid Mech **334** 353-379 (Mar 1997), 9A1109

Interaction of a shock with a longitudinal vortex, J Fluid Mech **337** 129-153 (Apr 1997), 10A305

Sound and weak shock wave propagation in gas-liquid foams, Shock Waves **7**(2) 77-88 (Apr 1997), 10T306

Nonstationary shock reflection over nonstraight surfaces: An approach with a method of multiple steps, Shock Waves **7**(1) 55-62 (Feb 1997), 10T307

Mechanism of compressive stress formation during weak shock waves impact with granular materials, Exp Fluids **22**(6) 507-518 (Apr 1997), 10A1439

Analytical investigation of 2D unsteady shock-on-shock interactions, J Fluid Mech **340** 101-128 (Jun 1997), 11A197

Low-frequency 2D linear instability of plane detonation, J Fluid Mech **340** 249-295 (Jun 1997), 11A198

Strong shock approximation in the new theory of shock dynamics, Quart J Mech Appl Math **50**(2) 251-259 (May 1997), 11A199

Wave pattern characteristics of a two-phase nozzle flow by shock propagation, Shock Waves **7**(3) 127-133 (Jun 1997), 11T200

Transient shock wave flows in tubes with a sudden change in cross section, Shock Waves **7**(3) 151-162 (Jun 1997), 11T201

Aero-thermodynamic loss analysis in cases of normal shock wave-turbulent shear layer interaction, J Fluids Eng **119**(2) 297-303 (Jun 1997), 11A1025

Nonlinear stability and detonability limit of a detonation wave for a model three-step chain-branching reaction, J Fluid Mech **339** 89-119 (May 1997), 11A1068

Interaction of isotropic turbulence with shock waves: Effect of shock strength, J Fluid Mech **340** 225-247 (Jun 1997), 11A1089

New kind of nonlinear mild-slope equation for combined refraction-diffraction of multifrequency waves, Coastal Eng **31**(1-4) 3-36 (Jul 1997), 12T266

Propagation of strongly nonlinear plane N-waves, J Fluid Mech **341** 59-76 (Jun 1997), 12A267

Vorticity jump across a shock in a non-uniform flow, J Fluid Mech **341** 371-384 (Jun 1997), 12A268

Parametric study of Mach reflection in steady flows, J Fluid Mech **341** 101-125 (Jun 1997), 12A269

164F. Reflection, refraction, diffraction, scattering, absorption

Mechanics of Musical Instruments (Springer-Verlag, New York, 1995) 1R8

Conical Mach reflection of moving shock waves - Part 1: Analytical considerations, Shock Waves **6**(1) 29-39 (Jun 1996), 1A273

Shockwave reduction by chute diffractor, Exp Fluids **21**(3) 209-217 (Jul 1996), 2A231

Sound wave structures downstream of pseudo-steady weak and strong Mach reflections, J Fluid Mech **324** 309-332 (Oct 1996), 5A194

Reflection of a shock wave over a cone, Shock Waves **6**(5) 267-273 (Nov 1996), 6T286

Mass, momentum and total excess energy transported by a weak plane N wave, Shock Waves **6**(6) 313-322 (Dec 1996), 7T221

Effects of thermal conductivity and viscosity of argon on shock waves diffracting over rigid ramps, J Fluid Mech **331** 1-36 (Jan 1997), 8A265

Case of reflection of simple wave from a contact discontinuity, Eng Trans **44**(3-4) 307-319 (1996), 9A215

Nonstationary shock reflection over nonstraight surfaces: An approach with a method of multiple steps, Shock Waves **7**(1) 55-62 (Feb 1997), 10T307

Three-dimensional shock wave reflection over a corner of two intersecting wedges, Shock Waves **7**(2) 107-121 (Apr 1997), 10A308

Parametric study of Mach reflection in steady flows, J Fluid Mech **341** 101-125 (Jun 1997), 12A269

164K. Other problems of compressible fluids

Numerical predictions of oblique detonation stability boundaries, Shock Waves **6**(3) 147-156 (Sep 1996), 3A253

Improved shock-capturing methods for multicomponent and reacting flows, J Comput Phys **128**(1) 237-253 (Oct 1996), 4A238

Numerical investigation of transient detonation in granulated material, Shock Waves **6**(4) 183-195 (Oct 1996), 4T1328

Propagation of weak shocks in non-uniform flows, J Fluid Mech **327** 161-197 (Nov 1996), 6A284

Shock-induced two-phase flows in an aligned baffle system filled with suspended particles, Shock Waves **6**(6) 367-372 (Dec 1996), 7A222

Effects of thermal conductivity and viscosity of argon on shock waves diffracting over rigid ramps, J Fluid Mech **331** 1-36 (Jan 1997), 8A265

Double waves and wave-wave interaction in gasdynamics, Arch Mech **48**(6) 1069-1088 (1996), 9A216

Reciprocity and energy theorems for waves in a compressible inhomogeneous moving fluid, Wave Motion **25**(2) 143-167 (Mar 1997), 10A303

Sound and weak shock wave propagation in gas-liquid foams, Shock Waves **7**(2) 77-88 (Apr 1997), 10T306

Analytical investigation of 2D unsteady shock-on-shock interactions, J Fluid Mech **340** 101-128 (Jun 1997), 11A197

Wave pattern characteristics of a two-phase nozzle flow by shock propagation, Shock Waves **7**(3) 127-133 (Jun 1997), 11T200

Transient shock wave flows in tubes with a sudden change in cross section, Shock Waves **7**(3) 151-162 (Jun 1997), 11T201

Reliability analysis for offshore platform structural systems, China Ocean Eng **11**(1) 1-10 (1997), 12T270

164Y. Computational techniques

Effects of numerical viscosities - I: Slowly moving shocks, J Comput Phys **126**(2) 373-389 (Jul 1996), 1A269

Level set methods applied to modeling detonation shock dynamics, J Comput Phys **126**(2) 390-409 (Jul 1996), 1A270

Spectral method with subcell resolution for shock wave calculations, Appl Numer Math **21**(2) 141-153 (Jun 1996), 1A274

Existence and uniqueness of self-similar solutions involving Jouguet points on the shock adiabatic curve, J Appl Math Mech **60**(1) 61-65 (1996), 1A1007

High-resolution hybrid compact-ENO scheme for shock-turbulence interaction problems, J Comput Phys **127**(1) 27-51 (Aug 1996), 2A232

Influence of cellular structure on detonation transmission, Shock Waves **6**(3) 119-129 (Sep 1996), 3T252

Improved shock-capturing methods for multicomponent and reacting flows, J Comput Phys **128**(1) 237-253 (Oct 1996), 4A238

Computational analysis of dense gas shock tube flow, Shock Waves **6**(4) 241-248 (Oct 1996), 4T239

Front dynamics approach to curvature-dependent flow, SIAM J Appl Math **56**(6) 1523-1538 (Dec 1996), 5A191

Comparison of computer codes for the propagation of sonic boom waveforms through isothermal atmospheres, J Acoust Soc Am **100**(5) 3017-3027 (Nov 1996), 5A196

Numerical study of wave processes in a pressure-wave refrigerator, Shock Waves **6**(5) 301-308 (Nov 1996), 6A287

Designing an efficient solution strategy for fluid flows - 1: A stable high order finite difference scheme and sharp shock resolution for the Euler equations, J Comput Phys **129**(2) 245-262 (Dec 1996), 7A223

Postshock oscillations due to shock capturing schemes in unsteady flows, J Comput Phys **130**(1) 25-40 (Jan 1997), 7A224

Numerical study of a turbulent flow compressed by a weak shock wave, Int J Comput Fluid Dyn **8**(1) 63-75 (1997), 7T1134

Uniformly accurate schemes for hyperbolic systems with relaxation, SIAM J Numer Anal **34**(1) 246-281 (Feb 1997), 8A266

Compression of spherical gas bubble surrounded by layer of incompressible liquid (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(6) 5-23 (Jun 1996), 9A212

Correction of conservative Euler solvers for gas mixtures, J Comput Phys **132**(1) 91-107 (Mar 1997), 9T217

Traveling waves in laser sustained plasma: Coonstant coefficient case, Arch Mech **48**(5) 869-892 (1996), 9A1142

164Z. Experimental techniques

Transverse and parallel injection of hydrogen with supersonic combustion in a shock tunnel, Shock Waves **6**(1) 53-59 (Jun 1996), 1A1324

High-speed photographic study of the transition from deflagration to detonation wave, Shock Waves **6**(4) 205-210 (Oct 1996), 4T240

Shock waves from an open-ended shock tube with different shapes, Shock Waves **6**(5) 249-258 (Nov 1996), 6T285

Shock tube research facility for high-resolution measurements of compressible turbulence, Exp Thermal Fluid Sci **13**(4) 430-446 (Nov 1996), 6A1144

Turbulent spots in boundary layers in a free-piston shock-tunnel flow, Shock Waves **6**(6) 337-343 (Dec 1996), 7A225

Experimental investigation of the interaction between weak shock waves and granular layers, Exp Fluids **22**(5) 432-443 (Mar 1997), 9A213

Laser absorption density direct measurements with limitation of temperature variation field in shock-induced gaseous mixing, Shock Waves **7**(1) 43-47 (Feb 1997), 10T309

Shock waves in molecular solids: Ultrafast vibrational spectroscopy of the first nanosecond, Shock Waves **7**(3) 135-145 (Jun 1997), 11A202

166. SOLID FLUID INTERACTIONS

166A. General theory

Interaction between a bubble and a submerged compliant structure, J Sound Vib **197**(1) 17-44 (Oct 1996), 4A241

Bloch-wave homogenization for a spectral problem in fluid-solid structures, Arch Rational Mech Anal **135**(3) 197-257 (1996), 5A197

Interaction of elastic scalar fields, Math Methods Appl Sci **19**(18) 1445-1469 (Dec 1996), 6A288

Lattice gas method and interaction with an elastic solid, J Fluids Struct **10**(8) 873-892 (Nov 1996), 6A289

Nonlinear coupled response of offshore tension leg platforms to regular wave forces, Ocean Eng **24**(7) 577-592 (Jul 1997), 9T223

Eccentric impact of an ice feature: Linearized model, Cold Regions Sci Tech **25**(3) 159-171 (Apr 1997), 10A1497

Onset of river ice breakup, Cold Regions Sci Tech **25**(3) 183-196 (Apr 1997), 10A1501

Fluid transport due to nonlinear fluid-structure interaction, J Fluids Struct **11**(3) 327-344 (Apr 1997), 11T203

166B. Nonlinear theory

Nonlinear analysis of dynamic characteristics of cylindrical bearing oil film, JSME Int J Ser C **39**(3) 577-585 (Sep 1996), 5A868

One-dof rotational galloping under strong wind conditions, Int J Non-Linear Mech **32**(5) 803-814 (Sep 1997), 12A271

166C. External flow

Ponding problem of plates in nonlinear nature, Mech Res Commun **23**(4) 335-337 (Jul-Aug 1996), 1T275

Flow-Induced Vibration - 1996 (ASME Press, New York, 1996) 2N10

Finite element analysis of a samara-wing decelerator, J Aircraft **33**(4) 793-802 (Jul-Aug 1996), 2A233

Flat spin of a circular cylinder, J Aircraft **33**(4) 722-729 (Jul-Aug 1996), 2A234

Karman vortex development: Relation to symmetry and circulation of transition vortices, AIAA J **34**(9) 1954-1956 (Sep 1996), 2T235

Random excitation forces in tube bundles subjected to two-phase cross-flow, J Pressure Vessel Tech **118**(3) 265-277 (Aug 1996), 2A236

Calculation of the timing of vortex formation from an oscillating cylinder, J Fluids Struct **10**(5) 527-541 (Jul 1996), 3A255

Different modes of vortex shedding: An overview, J Fluids Struct **10**(5) 427-437 (Jul 1996), 3A256

Vortex formation from a forced system of two cylinders - Part I: Tandem arrangement, J Fluids Struct **10**(5) 473-489 (Jul 1996), 3A257

Vortex formation from a forced system of two cylinders - Part II: Side-by-side arrangement, J Fluids Struct **10**(5) 491-500 (Jul 1996), 3T258

Improvement to the quasi-steady model with application to cross-flow-induced vibration of tube arrays, J Fluid Mech **320** 163-184 (Aug 1996), 3A269

Experimental study of the mean flow and turbulence structure of cross-flow over tube bundles, Proc Inst Mech Eng C **210**(C4) 317-331 (1996), 3A1165

Cavity pressure oscillations: The generating mechanism visualized, J Sound Vib **196**(2) 248-252 (Sep 1996), 4T242

Dynamic response of a stack-cable system subjected to vortex induced vibration, J Sound Vib **196**(3) 337-349 (Sep 1996), 4A243

Rotational 1-dof galloping in the presence of viscous and frictional damping, J Fluids Struct **10**(7) 673-689 (Oct 1996), 5T198

Aerodynamic drag on trains in tunnels - Part 1: Synthesis and definition, Proc Inst Mech Eng F **210**(F1) 29-38 (1996), 5A1073

Aerodynamic drag on trains in tunnels - Part 2: Prediction and validation, Proc Inst Mech Eng F **210**(F1) 39-40 (1996), 5A1074

Dynamics of rotors immersed in eccentric annular flow - Part 2: Experiments, J Fluids Struct **10**(8) 919-944 (Nov 1996), 6A174

Analysis and simulation tools for wind engineering, Probab Eng Mech **12**(1) 9-31 (Jan 1997), 6A290

Analytical solution of oscillating inviscid flow over oblate spheroids with spheres and flat disks as special cases, Ocean Eng **24**(3) 217-225 (Mar 1997), 6A291

Computation of unsteady flowfield over a hydrofoil, including boundary layer and wake, AIAA J **35**(1) 40-50 (Jan 1997), 6A292

Dynamics of rotors immersed in eccentric annular flow - Part 1: Theory, J Fluids Struct **10**(8) 893-918 (Nov 1996), 6A293

Flow-induced vibration of tubes in cross-flow, J Offshore Mech Arctic Eng **118**(4) 253-258 (Nov 1996), 6A294

Identification of vortex-induced-response parameters in time domain, J Eng Mech **122**(11) 1031-1037 (Nov 1996), 6A295

Properties of technical stability of solution of the boundary value problem for the extended rod system moving in the liquid (Russian), Prikl Mekh (Appl Mech) **32**(7) 84-89 (1996), 6A296

Fluid-structure coupling for an unbaffled elastic panel immersed in a diffuse field, J Sound Vib **198**(4) 485-506 (Dec 1996), 6A331

Dynamic behavior of tubes subjected to internal and external cross flows, Shock Vib **4**(2) 77-91 (1997), 8A267

Fast nonlinear stratified flow over several obstacles, Int J Non-Linear Mech **32**(3) 483-488 (May 1997), 8A268

Moving wall effects causing fluidelastic instability, J Aircraft **34**(1) 23-28 (Jan-Feb 1997), 8A269

Vibration analysis of anisotropic open cylindrical shells subjected to a flowing fluid, J Fluids Struct **11**(1) 111-134 (Jan 1997), 8A270

Fluctuating lift and drag forces on finite lengths of a circular cylinder in the subcritical Reynolds number range, J Fluids Struct **11**(2) 135-158 (Feb 1997), 9A218

Fluid transport due to nonlinear fluid-structure interaction, J Fluids Struct **11**(3) 327-344 (Apr 1997), 11T203

Hydrodynamic damping, flow-induced oscillations, and biharmonic response, J Offshore Mech Arctic Eng 117(4) 232-238 (Nov 1995), 11A204
Oscillating turbulent flow with or without a current about a circular cylinder, J Offshore Mech Arctic Eng 119(2) 73-78 (May 1997), 11A205
Vibration of a tube bundle in two-phase Freon cross-flow, J Pressure Vessel Tech 117(4) 321-329 (Nov 1995), 11A206
Assessment of hydrodynamic coefficients of cylinders in heaving, Ocean Eng 24(8) 743-763 (Aug 1997), 11A208
Structural and acrodynamic calculation of sails as flexible membranes, Ship Tech Res 44(2) 88-97 (May 1997), 12A272

166D. Internal flow (incl sloshing)

Fluid-structure interaction and cavitation in a single-elbow pipe system, J Fluids Struct 10(4) 395-420 (May 1996), 1A276
High frequency response of a fluid-filled cylindrical shell with an internal column of gas bubbles: Application to active acoustic gas leak detection, J Sound Vib 194(3) 417-437 (Jul 1996), 1A277
Flow-Induced Vibration - 1996 (ASME Press, New York, 1996) 2N10
Fluid-Structure Interaction - 1996 (ASME Press, New York, 1996) 2N11
Device to suppress vortexing during draining from cylindrical tanks, J Spacecraft Rockets 33(4) 598-600 (Jul-Aug 1996), 2T237
Dynamical behavior of cryogenic helium in a partially filled dewar in microgravity, Proc Inst Mech Eng J Aerospace Eng 210(G3) 221-230 (1996), 2A238
Experimental evidence of the rapid distortion of turbulence in the air flow over water waves, J Fluid Mech 318 273-302 (Jul 1996), 2A239
Free vibration analysis of cylindrical tanks partially filled with liquid, J Sound Vib 195(3) 429-444 (Aug 1996), 2A240
Influence of rotation and vibration on discharge of liquid from a cylindrical tank, Indian J Eng Mat Sci 3(4) 133-140 (Aug 1996), 2T241
Nonlinear surface waves in fluid in cylindrical vessel making nonperiodical movements in space (Russian), Prikl Mekh (Appl Mech) 32(4) 78-81 (1996), 2A242
Slosh dynamics coupled with spacecraft attitude dynamics - Part 2: Orbital environment application, J Spacecraft Rockets 33(4) 582-593 (Jul-Aug 1996), 2A243
Seismic behavior of unanchored liquid containers, J Pressure Vessel Tech 118(3) 257-264 (Aug 1996), 2A1386
Dynamic response of rectangular flexible fluid containers, J Eng Mech 122(9) 807-817 (Sep 1996), 3A259
Finite element solution for mass oscillations in a surge tank on sudden valve opening, Adv Eng Software 26(3) 185-187 (Aug 1996), 3A260
Fuel slosh in skewed tanks, J Guidance Control Dyn 19(5) 1172-1177 (Sep-Oct 1996), 3A261
Laterally excited flexible tanks with nonuniform density liquid, J Eng Mech 122(10) 948-956 (Oct 1996), 3A262
Sloshing characteristics in rectangular tanks with a submerged block, Comput Struct 61(3) 401-413 (Nov 1996), 3A263
Effects of internal flow on vortex-induced vibration and fatigue life of submarine pipelines, China Ocean Eng 10(3) 251-260 (1996), 4A244
Stochastic seismic performance evaluation of tuned liquid column dampers, Earthquake Eng Struct Dyn 25(11) 1259-1274 (Nov 1996), 4A245
Oscillatory impingement of liquid inside reciprocating pipes, J Sound Vib 197(5) 619-628 (Nov 1996), 5A210
Bulging modes of circular bottom plates in rigid cylindrical containers filled with a liquid, Shock Vib 4(1) 51-68 (1996), 6A297
Fluid-solid interaction in a rectangular container, Eur J Mech B 15(6) 865-883 (1996), 6A298
Nonlinear sloshing analysis of circular tuned liquid damper by using boussinesq equation (Japanese), Proc JSCE 549(I-37) 125-140 (Oct 1996), 6A299
Parametric excitation of the oscillations of a viscous continuously stratified fluid in a closed vessel, J Appl Math Mech 60(3) 449-454 (1996), 6A300
Unsteady flow in hydraulic capsule pipeline, J Eng Mech 122(12) 1168-1173 (Dec 1996), 6A301
Modeling, actuation, and control of an active fluid vibration isolator, J Vib Acoust 119(1) 52-59 (Jan 1997), 6A868
Dynamic behavior of a U-type tuned liquid damper, Int Shipbuild Prog 43(436) 331-345 (Dec 1996), 6A1105
Boundary element method applied to the analysis of shallow liquid sloshing in moving tanks, JSME Int J Ser C 39(4) 800-807 (Dec 1996), 7A58
Second order exact theory of nonlinear wave diffraction due to a cylindrical structure (Japanese), Proc JSCE 551(II-37) 75-87 (Nov 1996), 7A220
Control of wall joint on the coupled wave propagation in a fluid-filled shell (Chinese), J Vib Eng 9(4) 389-394 (Dec 1996), 7T226
Earthquake analysis of flexible rectangular tanks by using the Lagrangian fluid FE, Eur J Mech A 16(1) 165-182 (1997), 7A227
Dynamic behavior of tubes subjected to internal and external cross flows, Shock Vib 4(2) 77-91 (1997), 8A267
Damped oscillations of a liquid-gas surface upon step reduction in gravity, J Spacecraft Rockets 34(1) 110-117 (Jan-Feb 1996), 8A271
Shell-plate interaction in the free vibrations of circular cylindrical tanks partially filled with a liquid: The artificial spring method, J Sound Vib 199(3) 431-452 (Jan 1997), 8A272
Linearized unsteady model for computing dynamics of cylindrical structures subjected to nonuniform annular flows at high Reynolds numbers, J Fluids Struct 11(2) 183-205 (Feb 1997), 9A219
Fluidelastic instability in a tube array subjected to partial admission water cross-flow, J Fluids Struct 11(2) 159-181 (Feb 1997), 9T230
Investigation of stability of blood motion in viscoelastic blood vessels, Nonlinear World 3(4) 673-693 (1996), 9A1589
Nonlinear vibrations of a structure caused by water sloshing in a rectangular tank, J Sound Vib 201(1) 23-41 (Mar 1997), 10A310
Behavior of a fluid-loaded cylindrical shell with mean flow, J Fluid Mech 338 387-410 (May 1997), 11A207
Prediction of viscous ship roll damping by unsteady Navier-Stokes techniques, J Offshore Mech Arctic Eng 119(2) 108-113 (May 1997), 11A1128
Solitary waves in initially stressed thin elastic tubes, Int J Non-Linear Mech 32(6) 1165-1176 (Nov 1997), 12A273

166E. Vibration of structures in fluids

Structural Dynamics (Balkema, Rotterdam, Netherlands, 1996) 1N36
Elastic wave contributions in high-resolution acoustic images of fluid-filled, finite cylindrical shells in water, J Acoust Soc Am 100(1) 64-71 (Jul 1996), 1A278
Free oscillations of a ring plate contacting with liquid (Russian), Prikl Mekh (Appl Mech) 32(1) 42-47 (1996), 1A279
Vibration and sound radiation of fluid-loaded stiffened plates with consideration of in-plane deformation, J Acoust Soc Am 100(1) 312-319 (Jul 1996), 1A280
Dynamics of Civil Engineering Structures (Balkema, Rotterdam, Netherlands, 1996) 2R17
Post-Hopf-bifurcation response of an airfoil in incompressible 2D flow, Nonlinear Dyn 10(4) 381-400 (Aug 1996), 2A80
Nonlinear transient analysis of submerged circular plates subjected to underwater explosions, Comput Methods Appl Mech Eng 134(1-2) 163-179 (Jul 1996), 2A244
Reduction to parts: A semianalytical approach to the structural acoustics of a cylindrical shell with hemispherical endcaps, J Acoust Soc Am 100(1) 871-881 (Aug 1996), 2A245
Comparison of various basic wavelets for the analysis of flow-induced vibration of a cylinder in cross flow, J Fluids Struct 10(6) 633-651 (Aug 1996), 3T264
Consistent infinitesimal FE cell method: 3D scalar wave equation, J Appl Mech 63(3) 650-654 (Sep 1996), 3A265
Demonstration of adaptive least-mean-square control of small amplitude vortex-induced vibrations, J Fluids Struct 10(6) 615-632 (Aug 1996), 3A266
Dynamics of a hydroelastic cylinder with very low mass and damping, J Fluids Struct 10(5) 455-472 (Jul 1996), 3T267
Hydrodynamic effects on dynamic response of reactor vessel internals, Int J Pressure Vessels Piping 69(1) 65-74 (Nov 1996), 3A268
Improvement to the quasi-steady model with application to cross-flow-induced vibration of tube arrays, J Fluid Mech 320 163-184 (Aug 1996), 3A269
Influence of the curvature on the dispersion curves of a submerged cylindrical shell, J Acoust Soc Am 100(3) 1551-1560 (Sep 1996), 3A270
Study of the dynamic response of submerged rectangular flat plates, Marine Struct 9(10) 913-933 (1996), 3A271
Ultrasonic pulsed beam interaction with a fluid-loaded elastic plate: Theory, J Acoust Soc Am 100(3) 1339-1348 (Sep 1996), 3A272
Ultrasonic pulsed beam interaction with a fluid-loaded elastic plate: Experimental validation, J Acoust Soc Am 100(3) 1349-1356 (Sep 1996), 3A273
Viscosity-induced attenuation of longitudinal guided waves in fluid-loaded rods, J Acoust Soc Am 100(3) 1501-1508 (Sep 1996), 3A274
Simulations of flow over a flexible cable: A comparison of forced and flow-induced vibration, J Fluids Struct 10(5) 439-453 (Jul 1996), 3A277
Vibration of elastic spherical shell in bubbly layer, J Vib Eng 9(3) 237-243 (Sep 1996), 4A146
Tuned vibration absorbers for floating bodies, J Vib and Control 2(4) 415-429 (Nov 1996), 4A195
Two-dimensional Tchebycheff collocation method for the study of the vibration of a baffled fluid-loaded rectangular plate, J Sound Vib 196(4) 407-427 (Oct 1996), 4A246
Sound generated by a vortex interacting with a rib-stiffened elastic plate, J Sound Vib 197(1) 103-115 (Oct 1996), 4A279
Homogenization of a nonlinear array of confined beams, Nucl Eng Des 165(1-2) 213-223 (Aug 1996), 4A1458
Free vibrations of circular plates coupled with liquids: Revising the Lamb problem, J Fluids Struct 10(7) 743-761 (Oct 1996), 5T117
Cylindrical shell in a nonstationary flow of viscous fluid, Mech Solids 31(3) 76-80 (1996), 5A199
Drag of freely rotatable cylinder-splitter-plate body at subcritical Reynolds number, AIAA J 34(11) 2446-2448 (Nov 1996), 5T200
Efficient foil propulsion through vortex control, AIAA J 34(11) 2315-2319 (Nov 1996), 5A201
Spatial evolution of a monochromatically forced flat-plate wake, AIAA J 34(11) 2299-2305 (Nov 1996), 5A202
Wind-induced ovalling oscillations of cylindrical shells: Critical onset velocity and mode prediction, J Fluids Struct 10(7) 691-704 (Oct 1996), 5A203
Acoustic radiation from a finite-length shell with non-axisymmetric substructures using a surface variational principle, J Sound Vib 197(3) 329-350 (Oct 1996), 5A223
Response of a hydrofoil to wave orbital velocity fields, Ocean Eng 24(3) 235-263 (Mar 1997), 6A203
Added mass and damping on bottom-mounted rectangular cylinders, J Brazilian Soc Mech Sci 18(4) 355-373 (Dec 1996), 6A302
Dynamic stability of pneumatic structures in wind: Theory and experiment, J Fluids Struct 10(8) 945-963 (Nov 1996), 6T303
Nonlinear hydrodynamic pressures generated by a moving high-rise offshore cylinder, Ocean Eng 24(3) 201-216 (Mar 1997), 6A304
Waves due to rolling of a ship in water of finite depth, Arch Appl Mech 67(1-2) 35-43 (Dec 1996), 6A305
Wind-induced deflections of free-standing lattice towers, Eng Struct 19(1) 79-91 (Jan 1997), 6A913
Coupling between a supersonic turbulent boundary layer and a flexible structure, AIAA J 35(1) 58-66 (Jan 1997), 6A1077
Response of turbulent flow to the disturbance of a vibrating ribbon, Acta Mech Sinica 12(3) 193-199 (1996), 6A1080
Reflected-afterflow virtual-source model compared to exact calculations for elastic cylinders attacked by planar waves, Shock Vib 4(2) 93-102 (1997), 8A240
Conversion of a Stoneley wave at the extremity of a fluid loaded plate, J Acoust Soc Am 101(3) 1347-1357 (Mar 1997), 8A273
Effect of internal oscillators on the acoustic response of a submerged shell, J Acoust Soc Am 101(2) 895-899 (Feb 1997), 8A274
Generation of a Stoneley wave at the end of a fluid loaded plate by an incident bounded beam, J Acoust Soc Am 101(3) 1366-1372 (Mar 1997), 8A275
Influence of an inclusion on the phase of a Stoneley wave, J Acoust Soc Am 101(3) 1358-1365 (Mar 1997), 8A276
Natural vibration of a beam-water interaction system, J Sound Vib 199(3) 491-512 (Jan 1997), 8A277
Oscillating rectangular and octagonal profiles: Interaction of leading- and trailing-edge vortex formation, J Fluids Struct 11(1) 3-31 (Jan 1997), 8A278
Structural and acoustical wave interaction at a wedge-shaped junction of fluid-loaded plates, J Acoust Soc Am 101(2) 867-876 (Feb 1997), 8A279
Structural wave reflection coefficients of cylindrical shell terminations: Numerical extraction and reciprocity constraints, J Acoust Soc Am 101(2) 900-908 (Feb 1997), 8A280
Response of a two-layer compliant slab to inviscid incompressible fluid flow, J Acoust Soc Am 101(4) 2070-2074 (Apr 1997), 9A220
Transient vibratory response of fluid-loaded shells using convolution integral equations, J Acoust Soc Am 101(4) 1877-1884 (Apr 1997), 9A221
Torsional vibrations at guide-vane shaft of pump-turbine model, Shock Vib 4(3) 153-162 (1997), 10A244
Active control of panel oscillation induced by accelerating boundary layer and sound, AIAA J 35(5) 796-801 (May 1997), 10A311
Hydroelastic vibration of circular plates, J Sound Vib 201(3) 293-303 (Apr 1997), 10A312
Nonlinear dynamic analysis of orthotropic open cylindrical shells subjected to a flowing fluid, J Sound Vib 202(1) 67-93 (Apr 1997), 10A313
Numerical method for the prediction of bladed disk forced response, J Eng Gas Turbines Power 119(2) 404-410 (Apr 1997), 10A314
Assessment of hydrodynamic coefficients of cylinders in heaving, Ocean Eng 24(8) 743-763 (Aug 1997), 11A208
Dynamics and forcing of a tethered sphere in a fluid flow, J Fluids Struct 11(3) 293-305 (Apr 1997), 11A209
Ringing and double frequency response of a tripod, J Offshore Mech Arctic Eng 119(2) 79-85 (May 1997), 11A210
Translating and transversely oscillating cylinder - Part I: The effect of the Strouhal number on the hydrodynamic forces and the near-wake structure, Ocean Eng 24(8) 677-693 (Aug 1997), 11A211
Vibration and stability of two tubes in cross-flow, J Pressure Vessel Tech 119(2) 142-149 (May 1997), 11A212
Simulation of stiff massless tethers, Ocean Eng 24(8) 765-783 (Aug 1997), 11A219
Vortex-induced vibration of marine cables: Experiments using force feedback, J Fluids Struct 11(3) 307-326 (Apr 1997), 11A220
Experimental fretting-wear studies of steam generator materials, J Pressure Vessel Tech 117(4) 312-320 (Nov 1995), 11A657
Added mass and damping in fluid-structure interaction, Comput Methods Appl Mech Eng 146(3-4) 387-405 (Jul 1997), 12A274

166F. Interactions of waves with flexible structures

Action of cnoidal waves on vertical walls, China Ocean Eng 10(2) 129-144 (13 1996), 1A281
Offshore design waves for Dayaowan port area of Dalian Port, China Ocean Eng 10(2) 203-218 (1996), 1A282
Wave forces on vertical cylinders upon shoals, Coastal Eng 27(2-3) 263-286 (Jul 1996), 2A246
Second-order wave force on a vertical cylinder, J Fluid Mech 320 417-443 (Aug 1996), 3A240
Semi-analytical solution for second-order wave diffraction by a truncated circular cylinder in monochromatic waves, J Fluid Mech 319 171-196 (Jul 1996), 3A241
Wave drift damping of floating bodies in slow yaw motion, J Fluid Mech 319 323-352 (Jul 1996), 3A275
Extended boundary integral equation method for the removal of irregular frequency effects, Int J Numer Methods Fluids 23(7) 637-660 (Oct 1996), 4A247
Free vibration of a partially liquid-filled and partially submerged, clamped-free circular cylindrical shell, J Acoust Soc Am 100(4-PART 1) 2170-2180 (Oct 1996), 4A248
Hydrodynamic loads on a slender cylinder moving unsteadily in a 3D non-uniform flow field, Appl Ocean Res 18(1) 29-36 (Feb 1996), 4A249
Oblique wave diffraction by two parallel vertical barriers with submerged gaps in water of uniform finite depth, J Tech Phys 37(2) 187-204 (1996), 4A250
Total wave force on cylinder considering free surface fluctuation, Appl Ocean Res 18(1) 37-43 (Feb 1996), 4A251
Treatment of hydrodynamic loading for random sea state, China Ocean Eng 10(3) 307-322 (1996), 4A252
Water impact loads on circular structural members, Appl Ocean Res 18(1) 45-54 (Feb 1996), 4A253
Estimation of inertia forces on a horizontal circular cylinder in regular and irregular waves at low Keulegan-Carpenter numbers, Appl Ocean Res 18(2-3) 145-156 (Apr-Jun 1996), 5A204
Time frequency analysis of energy distribution for circumferential waves on cylindrical elastic shells, Acustica 82(5) 707-716 (Sep-Oct 1996), 5A205
Scattering of an obliquely incident plane acoustic wave by a circular cylindrical shell: Results of computations, Acustica 82(5) 689-697 (Sep-Oct 1996), 5A245
Interaction of elastic scalar fields, Math Methods Appl Sci 19(18) 1445-1469 (Dec 1996), 6A288
Simulation of plunging wave impact on a vertical wall, J Fluid Mech 327 221-254 (Nov 1996), 6A306
In-line response of a horizontal cylinder in regular and random waves, J Fluids Struct 11(1) 73-87 (Jan 1997), 8A281
Unstable sloshing vibration in a thin cylindrical weir, J Pressure Vessel Tech 119(1) 68-73 (Feb 1997), 8A282
Motions and internal forces of a moored semi-submersible in regular waves, Ocean Eng 24(7) 593-603 (Jul 1997), 9T222
Nonlinear coupled response of offshore tension leg platforms to regular wave forces, Ocean Eng 24(7) 577-592 (Jul 1997), 9T223
Finite element computations for unsteady fluid and elastic membrane interaction problems, Int J Numer Methods Fluids 24(11) 1091-1110 (Jun 1997), 11A31

Behavior of a fluid-loaded cylindrical shell with mean flow, J Fluid Mech **338** 387-410 (May 1997), 11A207
Acoustic radiation from a phased line source at a fluid-solid boundary, IMA J Appl Math **58**(2) 93-110 (Apr 1997), 11A213
Identification of nonlinear effects in predicting the motion response of an offshore platform, Ocean Eng **24**(8) 695-720 (Aug 1997), 11T214
Sound generated by turbulence and discrete vortices interacting with a perforated elastic plate in low-Mach-number flow, Quart J Mech Appl Math **50**(2) 279-301 (May 1997), 11A215
Discussion on the second-order wave forces and wave drift damping, Appl Ocean Res **18**(5) 257-263 (Oct 1996), 11A914
Characteristics of wave propagation and vibrational power flow in a fluid-filled cylindrical shell (Chinese), J Vib Eng **10**(2) 230-235 (Jun 1997), 12A275

166H. Flexible tanks and containers

Acoustical properties of fluid in a wall-driven elastic tube, J Acoust Soc Am **100**(1) 262-271 (Jul 1996), 1A283
Energy analysis of propagation of axisymmetrical waves in a hollow piezoelectric cylinder with liquid (Russian), Prikl Mekh (Appl Mech) **32**(2) 3-11 (1996), 1A284
Nonstationary wave movements of liquid in an oscillating cylindrical vessel when it passes through the resonance zone (Russian), Prikl Mekh (Appl Mech) **32**(1) 36-41 (1996), 1A285
Fluid-Structure Interaction - 1996 (ASME Press, New York, 1996) 2N11
Nonlinear surface waves in fluid in cylindrical vessel making nonperiodical movements in space (Russian), Prikl Mekh (Appl Mech) **32**(4) 78-81 (1996), 2A242
Vertical movement of the elastic tank with liquid (Russian), Prikl Mekh (Appl Mech) **32**(5) 75-80 (1996), 2A247
Axisymmetric elastic membranes subjected to fluid loading, IMA J Appl Math **56**(3) 303-320 (Jun 1996), 2A496
Added mass matrix in the vibration of thin-walled multi-cell structures, Marine Tech Trans **6** 57-70 (1995), 3T276
Simulations of flow over a flexible cable: A comparison of forced and flow-induced vibration, J Fluids Struct **10**(5) 439-453 (Jul 1996), 3A277
Nonlinear waves in a prestressed thick elastic tube filled with an inviscid fluid, Int J Eng Sci **34**(13) 1519-1529 (Oct 1996), 5A206
Fluid-solid interaction in a rectangular container, Eur J Mech B **15**(6) 865-883 (1996), 6A298
Small but finite amplitude waves in a prestressed viscoelastic thin tube filled with an inviscid fluid, Int J Eng Sci **35**(4) 353-363 (Mar 1997), 8A283
Linearized unsteady model for computing dynamics of cylindrical structures subjected to nonuniform annular flows at high Reynolds numbers, J Fluids Struct **11**(2) 183-205 (Feb 1997), 9A219
Nonstationary dynamic processes in the system "Cylindrical reservoir fluid" (Russian), Prikl Mekh (Appl Mech) **32**(8) 72-79 (1996), 9A224
Free vibrations of piezoelectric cylindrical shells filled with compressible fluid, Int J Solids Struct **34**(16) 2025-2034 (Jun 1997), 10A204
Unitive analysis schemes on problems of multiple moving boundaries with 3D liquid-solid multiple nonlinear coupling for uplift of anchored liquid storage tanks, Appl Math Mech **18**(1) 69-79 (Jan 1997), 10A315
Mechanical analogies for liquid storage tanks and action of eccentric gravity loads, J Eng Mech **123**(6) 561-567 (Jun 1997), 11A1492
Acoustic Interactions with Submerged Elastic Structures, Part 1 (World Sci Pub, River Edge, NJ, 1996) 12N8
Acoustic Interactions with Submerged Elastic Structures, Part 2 (World Sci Pub, River Edge, NJ, 1997) 12N9
Acoustic Interactions with Submerged Elastic Structures, Part 3 (World Sci Pub, River Edge, NJ, 1997) 12N10
Acoustic Interactions with Submerged Elastic Structures, Part 4 (World Sci Pub, River Edge, NJ, 1997) 12N11
Analysis of fluid storage tanks including foundation-superstructure interaction using differential quadrature method, Appl Math Model **21**(4) 193-205 (Apr 1997), 12A276
Analysis of power exchange between proper forms of liquid in cylindric vessel fasted on elastic supports, Prikl Mekh (Appl Mech) **33**(4) 54-61 (1997), 12A277
Finite element modeling of the damping of cylindrical shells vibrating in contact with an annular fluid region, J Sound Vib **203**(4) 723-727 (Jun 1997), 12T278
Influence of elastic bottom plate motion on the resonant response of a liquid free surface in a cylindrical container: A linear analysis, J Sound Vib **202**(3) 417-426 (May 1997), 12A279

166I. Pipes with flowing fluids

Non-intrusive fluid-wave actuator and sensor pair for the active control of fluid-borne vibrations in a pipe, Smart Mat Struct **5**(3) 281-296 (Jun 1996), 1A286
Fluid-Structure Interaction - 1996 (ASME Press, New York, 1996) 2N11
Chaotic oscillations in pipes conveying pulsating fluid, Nonlinear Dyn **10**(4) 333-357 (Aug 1996), 2A74
Slosh dynamics coupled with spacecraft attitude dynamics - Part 1: Formulation and theory, J Spacecraft Rockets **33**(4) 575-581 (Jul-Aug 1996), 2A248
Large post-buckling deformations of cylindrical shells conveying viscous flow, J Fluids Struct **10**(6) 565-599 (Aug 1996), 3A278
Stabilization of cantilevered flexible structures by means of an internal flowing field, J Fluids Struct **10**(6) 653-661 (Aug 1996), 3T279
Effects of initial stresses and wall thickness on wave characteristics in elastic tubes, Z Angew Math Mech **76**(9) 521-530 (1996), 4A254
Structure-borne noise prediction in liquid-conveying pipe systems, J Syst Control Eng **210**(13) 189-200 (1996), 4A255
Axial vibrations of fluid-filled bellows expansion joints, J Pressure Vessel Tech **118**(4) 484-490 (Nov 1996), 5A207
Fluid-structure interaction in a T-piece pipe, J Fluids Struct **10**(7) 763-786 (Oct 1996), 5A208
Nonlinear analysis of the parametric resonances of a planar fluid-conveying cantilevered pipe, J Fluids Struct **10**(7) 787-825 (Oct 1996), 5T209
Oscillatory impingement of liquid inside reciprocating pipes, J Sound Vib **197**(5) 619-628 (Nov 1996), 5A210
Vibration analysis of anisotropic open cylindrical shells subjected to a flowing fluid, J Fluids Struct **11**(1) 111-134 (Jan 1997), 8A270
Application of a general purpose FEM to elastic pipes conveying fluid, J Fluids Struct **11**(2) 207-222 (Feb 1997), 9T225
Lamb wave tomography and its application in pipe erosion-corrosion monitoring, Res Nondestructive Eval **8**(4) 189-197 (1996), 10A797
Intermittency route to chaos of a cantilevered pipe conveying fluid with a mass defect at the free end, J Appl Mech **62**(4) 903-907 (Dec 1995), 11A216
Nonlinear active vibration control of a cantilever pipe conveying fluid, J Sound Vib **202**(4) 477-490 (May 1997), 11A217
Effect of initial twist on wave characteristics in a prestressed fluid-filled elastic thin tube, Appl Math Model **21**(4) 181-191 (Apr 1997), 12A280

166J. Turbomachine blades excitation

Effect of leading-edge flaps on vortices and vortex breakdown, J Aircraft **33**(6) 1079-1086 (Nov-Dec 1996), 6A1188
Effect of shear-layer control on leading-edge vortices, J Aircraft **33**(6) 1087-1093 (Nov-Dec 1996), 6A1189
Chordwise bending cascade unsteady aerodynamics by an experimental influence coefficient technique, J Propulsion Power **13**(1) 39-48 (Jan-Feb 1997), 7A228
Numerical method for the prediction of bladed disk forced response, J Eng Gas Turbines Power **119**(2) 404-410 (Apr 1997), 10A314
Fluid force moment on a centrifugal impeller shroud in precessing motion, J Fluids Eng **119**(2) 366-371 (Jun 1997), 11A218

166K. Ocean structures

Wave uplift forces on the bottom of a circular cylinder, China Ocean Eng **10**(2) 169-180 (1996), 1A287
Efficient foil propulsion through vortex control, AIAA J **34**(11) 2315-2319 (Nov 1996), 5A201
Wind-induced ovalling oscillations of cylindrical shells: Critical onset velocity and mode prediction, J Fluids Struct **10**(7) 691-704 (Oct 1996), 5A203
Initiation of breakout of half-buried submarine pipe from sea bed due to wave action, Appl Ocean Res **18**(2-3) 129-135 (Apr-Jun 1996), 5A211
Simulation of slow-drift motions of offshore structures, Appl Ocean Res **18**(2-3) 55-64 (Apr-Jun 1996), 5A212
Ship hull drag reduction using bottom air injection, Ocean Eng **24**(2) 161-175 (Feb 1997), 6A307
Elastic-plastic dynamic buckling analysis of steel circular pier (Japanese), Proc JSCE **549**(I-37) 205-219 (Oct 1996), 6A604
Nonstationary response analysis of offshore guyed tower subjected to earthquake loading, Eng Struct **19**(1) 63-70 (Jan 1997), 6A1444
Hydro-structural analysis program for TLPs, Ocean Eng **24**(4) 313-334 (Apr 1997), 7A229
Hydrodynamic characteristics of floating toroidal bodies, Ocean Eng **24**(4) 381-399 (Apr 1997), 7A230
Hydrodynamic interactions between two vertical circular cylinders in linear oscillatory flow, Ocean Eng **24**(4) 351-380 (Apr 1997), 7A231
Application of a panel method to hydrodynamics of underwater vehicles, Ocean Eng **24**(6) 501-512 (Jun 1997), 8A284
Wave-induced uplift force on a submarine pipeline buried in a compressible seabed, Ocean Eng **24**(6) 551-576 (Jun 1997), 8A285
Motions and internal forces of a moored semi-submersible in regular waves, Ocean Eng **24**(7) 593-603 (Jul 1997), 9T222
Nonlinear random response of ocean structures using first-and-second-order stochastic averaging, Nonlinear Dyn **12**(2) 155-197 (Feb 1997), 10A316
Eccentric impact of an ice feature: Linearized model, Cold Regions Sci Tech **25**(3) 159-171 (Apr 1997), 10A1497
Identification of nonlinear effects in predicting the motion response of an offshore platform, Ocean Eng **24**(8) 695-720 (Aug 1997), 11T214
Simulation of stiff massless tethers, Ocean Eng **24**(8) 765-783 (Aug 1997), 11A219
Vortex-induced vibration of marine cables: Experiments using force feedback, J Fluids Struct **11**(3) 307-326 (Apr 1997), 11A220
Discussion on the second-order wave forces and wave drift damping, Appl Ocean Res **18**(5) 257-263 (Oct 1996), 11A914
Analytical investigations on loop-mancuver of underwater towed cable-array system, Appl Ocean Res **18**(6) 353-360 (Dec 1996), 12A281
Numerical simulation of dynamic response of towed systems, China Ocean Eng **11**(1) 53-60 (1997), 12A282
Stochastic analysis for offshore structures with added mechanical dampers, Ocean Eng **24**(9) 817-834 (Oct 1997), 12A283

166N. Flutter and flutter control

Automated matched flutter optimization of the HSCT aircraft, Comput Model Simul in Eng **1**(2) 203-221 (May 1996), 1A288
Flutter of a viscoelastic plate, J Appl Math Mech **60**(1) 167-170 (1996), 1A289
Numerical calculation of flutter derivatives via indicial functions, J Fluids Struct **10**(4) 337-351 (May 1996), 1T290
Active control of panel flutter with piezoelectric transducers, J Aircraft **33**(4) 768-774 (Jul-Aug 1996), 2A249
Adaptive flutter suppression of an unswept wing, J Aircraft **33**(4) 775-783 (Jul-Aug 1996), 2A250
Environmental effects on flutter characteristics of laminated composite rectangular and skew panels, Shock Vib **3**(5) 361-372 (1996), 2A251
Total least-squares criteria in parameter identification for flight flutter testing, J Aircraft **33**(4) 784-792 (Jul-Aug 1996), 2A252
Active control of cascade flutter by means of sound waves from duct wall sources, JSME Int J Ser B **39**(3) 608-614 (Aug 1996), 3T280
Active flutter control of a cantilever tube conveying fluid using piezoelectric actuators, J Sound Vib **196**(1) 97-105 (Sep 1996), 4A256
Stochastic flutter of elastic and viscoelastic in a supersonic flow, Eur J Mech A **15**(5) 883-900 (1996), 4A257
Stability of a slider with hemispherical legs in plane contacting a flat surface, Appl Acoust **49**(2) 163-177 (Oct 1996), 5A76
Flutter characteristics of laminated composite wings, J Aircraft **33**(6) 1204-1206 (Nov-Dec 1996), 6T308
Wing flutter computations using an aerodynamic model based on the Navier-Stokes equations, J Aircraft **33**(6) 1139-1147 (Nov-Dec 1996), 6A309
Flutter sensitivity analysis using residualization for actively controlled flight vehicles, Struct Optim **12**(4) 229-236 (Dec 1996), 6A848
Flutter analysis using unsteady aerodynamics in non-Pade form, J Aircraft **34**(1) 133-136 (Jan-Feb 1997), 8T286
Eigenmode analysis in unsteady aerodynamics: Reduced order models, Appl Mech Rev **50**(6) 371 (Jun 1997), 8A1225
Flutter prediction for composite wings using parametric studies, AIAA J **35**(4) 746-748 (Apr 1997), 9T226
Further observations on wave propagation in 1D multi-bay periodic panels under supersonic fluid flow, J Sound Vib **200**(3) 359-366 (Feb 1997), 9T227
Semiactive flutter control of wing-store system with electro-magnetic friction damper, J Sound Vib **200**(5) 736-741 (Mar 1997), 9T228
Subsonic flutter calculation of an aircraft with nonlinear control system based on center-manifold reduction, Arch Mech **49**(1) 3-26 (1997), 9A229
Criteria for occurrence of flutter instability before buckling in nonconservative dissipative systems, AIAA J **35**(3) 509-518 (Mar 1997), 9A597
Active flutter suppression using multi-input and multi-output adaptive least mean square control, J Aircraft **34**(2) 244-250 (Mar-Apr 1997), 10A317
Investigation of wing-store flutter semi-active suppression with Coulomb damper (Chinese), J Vib Eng **10**(1) 96-99 (Mar 1997), 10T318
Numerical analysis of membrane stability in air flow, J Sound Vib **201**(3) 281-292 (Apr 1997), 10A319
Numerical simulations of flow induced oscillation in cavity and its suppression by sound excitation (Chinese), J Vib Eng **10**(1) 61-64 (Mar 1997), 10T320
Explicit stability conditions for viscoelastic structural members, J Vib and Control **3**(2) 161-182 (May 1997), 10A579
Flutter of a cantilever rod with a relocatable lumped mass, Comput Methods Appl Mech Eng **144**(1-2) 23-31 (May 1997), 10A669
Authors reply, J Sound Vib **202**(5) 738 (May 1997), 11T221
Comments on "The role of eigenvectors in aeroelastic analysis", J Sound Vib **202**(5) 736-737 (May 1997), 11T222
Flutter boundary prediction based on nonstationary data measurement, J Aircraft **34**(3) 427-432 (May-Jun 1997), 11A223
Multivariable active lifting surface control using strain actuation: Analytical and experimental results, J Aircraft **34**(3) 313-321 (May-Jun 1997), 11A224
Refined aeroelastic analysis of hingless rotor blades in hover, J Aircraft **34**(3) 408-415 (May-Jun 1997), 11A225
From piston theory to a unified hypersonic-supersonic lifting surface method, J Aircraft **34**(3) 304-312 (May-Jun 1997), 11A977
Convergence of methods for nonlinear eigenvalue problems, AIAA J **35**(6) 1084-1087 (Jun 1997), 12A284
Reduced-order aeroservoelastic model with an unsteady aerodynamic eigen formulation, AIAA J **35**(6) 1087-1088 (Jun 1997), 12A285

166R. Buffeting, gust, and turbulence effects

Effect of incident turbulence on the surface pressures of surface-mounted prisms, J Fluids Struct **10**(4) 367-393 (May 1996), 1A291
Flow-Induced Vibration - 1996 (ASME Press, New York, 1996) 2N10
Experimental investigation of twin-fin buffeting and suppression, J Aircraft **33**(4) 761-767 (Jul-Aug 1996), 2A253
Fin buffeting characteristics of a generic single fin aircraft, Proc Inst Mech Eng J Aerospace Eng **210**(G3) 247-260 (1996), 2A254
Nonlinear response of a non-rotating rotor blade to a periodic gust, J Fluids Struct **10**(7) 721-742 (Oct 1996), 5A213
Computation of F/A-18 tail buffet, J Aircraft **33**(6) 1181-1189 (Nov-Dec 1996), 6A310
Finite element simulation of gust loading, Int J Numer Methods Fluids **23**(11) 1197-1210 (Dec 1996), 6A311
Application of wavelet analysis to incident wind in relevance to wind loads on low-rise structures, J Fluids Eng **118**(4) 874-876 (Dec 1996), 7T232
Matched filter concept and maximum gust loads, J Aircraft **34**(1) 101-108 (Jan-Feb 1997), 8A287
Fluidelastic instability in a tube array subjected to partial admission water cross-flow, J Fluids Struct **11**(2) 159-181 (Feb 1997), 9T230

166T. Aeroelasticity (incl aerothermoelasticity)

AIAA Dynamics Specialist Conference Proceedings (AIAA, MD, 1996) 1N11
Comments on the Onera stall aerodynamic model and its impact on aeroelastic stability, J Fluids Struct **10**(4) 353-366 (May 1996), 1A292
Nonlinear dynamics of an airfoil forced to oscillate in dynamic stall, J Sound Vib **194**(2) 265-283 (Jul 1996), 1A1089
Post-Hopf-bifurcation response of an airfoil in incompressible 2D flow, Nonlinear Dyn **10**(4) 381-400 (Aug 1996), 2A80
Time domain modeling of bridge deck flutter (Japanese), Proc JSCE **543**(I-36) 19-30 (Jul 1996), 3A184
Accurate numerical integration of state-space models for aeroelastic systems with free play, AIAA J **34**(10) 2202-2205 (Oct 1996), 4T258
Aeroelastic stability of a beam traveling in a tunnel lined with resonators, AIAA J **34**(10) 2005-2013 (Oct 1996), 4A1130
Development of a FE aeroelastic analysis capability, J Aircraft **33**(5) 995-1002 (Sep-Oct 1996), 4A1137

Rotational 1-dof galloping in the presence of viscous and frictional damping, J Fluids Struct 10(7) 673-689 (Oct 1996), 5T198
Asymptotic analysis of stability and postcritical behavior of elastic panels in a supersonic flow, Mech Solids 31(3) 65-75 (1996), 5A214
Synthesis of an aeroelastic mathematical model of an airplane with allowance for the motion of fuel in the tanks, Mech Solids 31(3) 81-88 (1996), 5A215
Dynamic stability of pneumatic structures in wind: Theory and experiment, J Fluids Struct 10(8) 945-963 (Nov 1996), 6T303
Damping prediction for hingeless rotor aeroelastic stability with experimental correlation, J Aircraft 33(6) 1071-1078 (Nov-Dec 1996), 6A312
Application of wavelet analysis to incident wind in relevance to wind loads on low-rise structures, J Fluids Eng 118(4) 874-876 (Dec 1996), 7T232
High performance solution of 3D nonlinear aeroelastic problems via parallel partitioned algorithms: methodology and preliminary results, Adv Eng Software 28(1) 43-61 (Jan 1997), 8A288
Nonlinear aeroelasticity analysis of a fan blade using unstructured dynamic meshes, Proc Inst Mech Eng C 210(C6) 549-564 (1996), 8A289
Incremental potential flow based membrane wing element, AIAA J 35(5) 782-788 (May 1997), 10AA7
Results of an aeroelastic tailoring study for a composite tiltrotor wing, J Am Helicopter Soc 42(2) 126-136 (Apr 1997), 10A321
Stability and accuracy of numerical boundary conditions in aeroelastic analysis, Int J Numer Methods Fluids 24(8) 739-757 (Apr 1997), 10A322
Integrated design of an adaptive neurocontroller for a 2D aeroelastic system, Struct Optim 13(2-3) 172-181 (Apr 1997), 10A485
Behavior of a fluid-loaded cylindrical shell with mean flow, J Fluid Mech 338 387-410 (May 1997), 11A207
Analysis and computation of nonlinear dynamic response of a 2-dof system and its application in aeroelasticity, J Fluids Struct 11(3) 225-246 (Apr 1997), 11A226
Estimation of aeroelastic models in structural limit-cycle oscillations from test data, AIAA J 35(6) 1025-1029 (Jun 1997), 12A286
Interactions of space bodies with atmospheres of planets, Appl Mech Rev 50(11-PT 1) 671-688 (Nov 1997), 12A293
Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 1: Structural aspects, Wind Eng 20(6) 405-421 (1996), 12T1174
Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 2: Aerodynamic aspects and application, Wind Eng 20(6) 423-440 (1996), 12T1175

166Y. Computational techniques

Finite element modeling for water waves-soil interaction, Soil Dyn Earthquake Eng 15(5) 283-300 (Jul 1996), 1A47
Numerical calculation of flutter derivatives via indicial functions, J Fluids Struct 10(4) 337-351 (May 1996), 1T290
Geometric conservation laws for flow problems with moving boundaries and deformable meshes, and their impact on aeroelastic computations, Comput Methods Appl Mech Eng 134(1-2) 71-90 (Jul 1996), 2A255
Feedback control of Karman vortex shedding, J Appl Mech 63(3) 828-835 (Sep 1996), 3A281
Two-dimensional Tchebycheff collocation method for the study of the vibration of a baffled fluid-loaded rectangular plate, J Sound Vib 196(4) 407-427 (Oct 1996), 4A246
Extended boundary integral equation method for the removal of irregular frequency effects, Int J Numer Methods Fluids 23(7) 637-660 (Oct 1996), 4A247
Lower-upper symmetric Gauss-Seidel scheme exhibiting asymmetric vortices over slender bodies, J Spacecraft Rockets 33(5) 750-752 (Sep-Oct 1996), 4T259
Boundary integral formulation for elastically deformable particles in a viscous fluid, Z Angew Math Phys 47(5) 672-694 (Sep 1996), 4A974
Launch-vehicle simulations using a concurrent, implicit Navier-Stokes solver, J Spacecraft Rockets 33(5) 601-606 (Sep-Oct 1996), 4A1015
Accurate development of leading-edge vortex using an embedded conical grid, AIAA J 34(10) 2038-2046 (Oct 1996), 4A1135
Boundary element methods in dynamic analysis - Part II (1986-1996), Appl Mech Rev 50(3) 149-197 (Mar 1997), 5A3
Order of convergence of eigenfrequencies in FE approximations of fluid-structure interaction problems, Math Comput 65(216) 1463-1475 (Oct 1996), 5A216
Lattice gas method and interaction with an elastic solid, J Fluids Struct 10(8) 873-892 (Nov 1996), 6A289
Simulation of plunging wave impact on a vertical wall, J Fluid Mech 327 221-254 (Nov 1996), 6A306
Finite element simulation of gust loading, Int J Numer Methods Fluids 23(11) 1197-1210 (Dec 1996), 6A311
Explosion gas bubbles near simple boundaries, Shock Vib 4(1) 11-25 (1996), 6A313
Hydrodynamic coefficients for an oscillating rectangular structure on a free surface with sidewall, Ocean Eng 24(2) 177-199 (Feb 1997), 6A314
Modeling and simulation of underwater shock problems using a coupled Lagrangian-Eulerian analysis approach, Shock Vib 4(1) 1-10 (1996), 6A315
Spectral FE analysis of the vibration of straight fluid-filled pipes with flanges, J Sound Vib 199(1) 125-154 (Jan 1997), 6A316
Response behavior of a submerged cylindrical shell using the doubly asymptotic approximation method, Comput Struct 62(6) 1025-1034 (Mar 1997), 7A233
Two-dimensional fluid-structure interaction problems by an arbitrary Lagrangian-Eulerian FEM, Int J Comput Fluid Dyn 8(1) 1-9 (1997), 7T234
Sensitivity analysis of coupled structural-acoustic problems using perturbation techniques, J Acoust Soc Am 101(2) 918-924 (Feb 1997), 8A290
Scattering of oblique waves by a thin vertical wall with a submerged gap, Arch Mech 48(6) 959-972 (1996), 9A208
Application of a general purpose FEM to elastic pipes conveying fluid, J Fluids Struct 11(2) 207-222 (Feb 1997), 9T225
Conservative load projection and tracking for fluid-structure problems, AIAA J 35(4) 687-692 (Apr 1997), 9A231
Stability and accuracy of numerical boundary conditions in aeroelastic analysis, Int J Numer Methods Fluids 24(8) 739-757 (Apr 1997), 10A322
Displacement-pressure based mixed FE formulations for acoustic fluid-structure interaction problems, Int J Numer Methods Eng 40(11) 2001-2017 (Jun 1997), 10A323
Excess attenuation of leaky Lamb waves due to viscous fluid loading, J Acoust Soc Am 101(5) 2649-2658 (May 1997), 10A324
Finite element solution of incompressible fluid-structure vibration problems, Int J Numer Methods Eng 40(8) 1435-1448 (Apr 1997), 10A325
Coupled fluid-structural characteristics of actuators for flow control, AIAA J 35(5) 832-837 (May 1997), 10A502
Computation of added wave resistance of a restrained floating body in the time-domain, Int Shipbuild Prog 44(437) 27-57 (Apr 1997), 10A1214
Nonlinear active vibration control of a cantilever pipe conveying fluid, J Sound Vib 202(4) 477-490 (May 1997), 11A217
Analysis and computation of nonlinear dynamic response of a 2-dof system and its application in aeroelasticity, J Fluids Struct 11(3) 225-246 (Apr 1997), 11A226
Mechanical analogies for liquid storage tanks and action of eccentric gravity loads, J Eng Mech 123(6) 561-567 (Jun 1997), 11A1492
Influence of elastic bottom plate motion on the resonant response of a liquid free surface in a cylindrical container: A linear analysis, J Sound Vib 202(3) 417-426 (May 1997), 12A279
Numerical simulation of dynamic response of towed systems, China Ocean Eng 11(1) 53-60 (1997), 12A282
Aeroelastic computations in the time domain using unstructured meshes, Int J Numer Methods Eng 40(13) 2413-2431 (Jul 1997), 12A287
Application ICED-ALE methodology to integrated nonlinear aeroelasticity analyses, Eng Comput 14(2-3) 281-305 (1997), 12A288

166Z. Experimental techniques

Active control of panel oscillation induced by accelerating boundary layer and sound, AIAA J 35(5) 796-801 (May 1997), 10A311
Coupled fluid-structural characteristics of actuators for flow control, AIAA J 35(5) 832-837 (May 1997), 10A502
Flutter boundary prediction based on nonstationary data measurement, J Aircraft 34(3) 427-432 (May-Jun 1997), 11A223
Multivariable active lifting surface control using strain actuation: Analytical and experimental results, J Aircraft 34(3) 313-321 (May-Jun 1997), 11A224
Measuring instantaneous fluid dynamic forces on bodies, using only velocity fields and their derivatives, J Fluids Struct 11(3) 345-350 (Apr 1997), 11A227
One-dof rotational galloping under strong wind conditions, Int J Non-Linear Mech 32(5) 803-814 (Sep 1997), 12A271

168. ASTRONAUTICS (CELESTIAL AND ORBITAL MECHANICS)

168A. General theory

Kepler's problem with variable angular momentum, Celest Mech Dyn Astron 63(2) 199-203 (1995), 1A293
Fundamental physics from space and in space, Acta Phys Polonica B B27(8) 1801-1818 (Aug 1996), 2T256
Comentary activity and nucleus modeling: A new approach, Planet Space Sci 44(6) 541-546 (Jun 1996), 4A260
Special issue: Comet nucleus modeling, Planet Space Sci 44(7) 619-734 (Jul 1996), 4T261
Plasma structures at weakly outgrassing comets: Results from bi-ion fluid analysis, Planet Space Sci 44(6) 519-528 (Jun 1996), 4A1102
Orbital Mechanics (Krieger, Melbourne FL, 1997) 5R3
Flow of the N-body problem near a simultaneous-binary-collision singularity and integrals of motion on the collision manifold, Arch Rational Mech Anal 134(4) 303-340 (1996), 5A217
Study of the generalized solutions of n-body type problems with weak forces, Nonlinear Anal 28(1) 49-59 (Jan 1997), 5T218
Astronomical units and constants in the general relativity framework, Celest Mech Dyn Astron 64(3) 231-242 (1996), 7A235
Virial oscillations of celestial bodies - V: The structure of the potential and kinetic energies of a celestial body as a record of its creation history, Celest Mech Dyn Astron 64(3) 167-183 (1996), 7A236
Discrete-time dynamical systems under observational uncertainty, Appl Math Comput 82(2-3) 181-205 (Mar 1997), 8A291
Spaceflight Mechanics 1997, Volume 95 Parts I and II: Advances in the Astronautical Sciences (Univelt, San Diego, 1997) 11N13
The need to take into account the potential energy of mass systems, J Appl Math Mech 60(6) 891-897 (1996), 11A228

168D. Celestial mechanics

Dynamics of Mars-orbiting dust: Effects of light pressure and planetary oblateness, Celest Mech Dyn Astron 63(3-4) 313-339 (1995), 3A282
Three-dimensional solution of the problem of three fixed centers, Appl Math Mech 17(6) 555-558 (Jun 1996), 3A283
Moving singularities of the perturbation expansion of the classical Kepler problem, SIAM J Appl Math 56(5) 1363-1378 (Oct 1996), 3A285
Hamiltonian Dynamics and Celestial Mechanics (Am Math Soc, Providence RI, 1996) 4N5
Resonant excitation of density waves in Saturn's rings, Planet Space Sci 44(6) 579-587 (Jun 1996), 4A262
Rotational properties of asteroids: CCD observations of nine small asteroids, Planet Space Sci 44(6) 555-558 (Jun 1996), 4T263
Self-consistent model of clock event in outer Jovian electron radiation belts, Planet Space Sci 44(6) 565-568 (Jun 1996), 4A264
Study of the plane unrestricted three-body problem, J Appl Math Mech 60(3) 349-367 (1996), 6A317
Application of the Nekhoroshev theorem to the restricted three-body problem, Celest Mech Dyn Astron 64(3) 261-272 (1996), 7A237
Instability of Lagrangian configurations of attracting point masses, J Appl Math Mech 60(4) 591-598 (1996), 7A238
Slow-down treatment for close binaries, Celest Mech Dyn Astron 64(3) 197-208 (1996), 7A239
Gas drag effects on planetesimals in the 2:1 resonance with proto-Jupiter, Planet Space Sci 45(3) 337-344 (Mar 1997), 9A232
Elliptical orbit with non-central force field in celestial mechanics, Celest Mech Dyn Astron 65(4) 373-388 (1996), 11A229

168G. Orbital mechanics

Analogies between the Chaplygin problem and the Kepler problem, Tech Mech 15(4) 315-324 (1995), 1A294
Recurrence time in the homoclinic tangle, Celest Mech Dyn Astron 63(2) 189-197 (1995), 1A295
Altitude for maximum angular velocity about the earth during hypersonic cruise, J Guidance Control Dyn 19(5) 1193-1195 (Sep-Oct 1996), 3T284
Moving singularities of the perturbation expansion of the classical Kepler problem, SIAM J Appl Math 56(5) 1363-1378 (Oct 1996), 3A285
Optimal rendezvous maneuvers for space vehicles, J Brazilian Soc Mech Sci 18(3) 297-301 (Sep 1996), 3A286
Robust predictor-corrector guidance for aeroassisted orbital transfer, J Guidance Control Dyn 19(5) 1134-1141 (Sep-Oct 1996), 3T290
Optimal power-limited rendezvous with upper and lower bounds on thrust, J Guidance Control Dyn 19(5) 1124-1133 (Sep-Oct 1996), 3T371
Model comparison for optimal Mars ascent trajectories, Eng Optim 26(4) 271-285 (Jul 1996), 4A265
Thermal force perturbations of the LAGEOS orbit: The albedo radiation part, Planet Space Sci 44(6) 611-617 (Jun 1996), 4A266
Orbital Mechanics (Krieger, Melbourne FL, 1997) 5R3
Explicit, near-optimal guidance for power-limited transfers between coplanar circular orbits, J Guidance Control Dyn 19(6) 1317-1325 (Nov-Dec 1996), 5T306
Optimality and guidance for planar multiple-burn orbit transfers, J Guidance Control Dyn 19(6) 1310-1316 (Nov-Dec 1996), 5A308
Bifurcation and stability of the steady motions and relative equilibria of a rigid body in a central gravitational field, J Appl Math Mech 60(3) 369-380 (1996), 6A318
Near-optimal low-thrust orbit transfers generated by a genetic algorithm, J Spacecraft Rockets 33(6) 859-862 (Nov-Dec 1996), 6A319
AIAA Astrodynamics Conference (AIAA, MD, 1996) 7N4
Kozai resonance in the outer solar system and the dynamics of long-period comets, Celest Mech Dyn Astron 64(3) 209-229 (1996), 7A240
Stability of stochastically perturbed orbital motions, J Appl Math Mech 60(4) 579-590 (1996), 7A241
Impulsive time-free transfers between halo orbits, Celest Mech Dyn Astron 64(4) 281-303 (1996), 8A292
Mars-Jupiter aerogravity assist trajectories for high-energy missions, J Spacecraft Rockets 34(1) 16-21 (Jan-Feb 1996), 8A293
Planning spiral motions of nonholonomic free-flying space robots, J Spacecraft Rockets 34(1) 137-143 (Jan-Feb 1996), 8A294
Rarefied-flow transition regime orbiter aerodynamic acceleration flight measurements, J Spacecraft Rockets 34(1) 8-15 (Jan-Feb 1996), 8A295
Orbital similarity of Earth-crossing asteroids (2101) Adonis and 1995 CS, Planet Space Sci 45(3) 327-335 (Mar 1997), 9T233
Mercury: The planet and its magnetosphere, Planet Space Sci 45(1) 3-180 (Jan 1997), 9T1447
Calculation method to the perturbation of a satellite caused by the gravitation field of the earth, Appl Math Mech 18(2) 163-171 (Feb 1997), 10A326
Thermal force effects on slowly rotating, spherical artificial satellites - II: Earth infrared heating, Planet Space Sci 45(4) 419-425 (Apr 1997), 10A327
Suboptimal singular orbital transfer, J Guidance Control Dyn 20(3) 605-609 (May-Jun 1997), 10T474
V_∞ leveraging for interplanetary missions: Multiple-revolution orbit techniques, J Guidance Control Dyn 20(3) 409-415 (May-Jun 1997), 10T475
Extension of the Kepler Problem towards minimization of energy and gravity softening, Celest Mech Dyn Astron 65(4) 399-405 (1996), 11A230
Levi-Civita time transformation and a killing vector for the Kepler problem, Meccanica 32(2) 135-142 (Apr 1997), 11A231
Procession constant: Values and constraints on the dynamical ellipticity; link with Oppolzer terms and tilt-over-mode, Celest Mech Dyn Astron 65(4) 439-458 (1996), 11A232
Solving Kepler's equation for nearly parabolic orbits, Celest Mech Dyn Astron 65(4) 389-398 (1996), 11A233
Heliospheric boundary exploration using ion propulsion spacecraft, J Spacecraft Rockets 34(3) 365-371 (May-Jun 1997), 12T289
Six-dof trajectory targeting and optimization for Titan launch vehicles, J Spacecraft Rockets 34(3) 341-346 (May-Jun 1997), 12A290
Trajectory options to Pluto via gravity assists from Venus, Mars, and Jupiter, J Spacecraft Rockets 34(3) 347-353 (May-Jun 1997), 12A291

168K. Stability and control

Analytical investigation of nonlinear stability of the Lagrangian point L_4 around the commensurability 1:2, Celest Mech Dyn Astron 63(2) 205-225 (1995), 1A296
Closed-form solution of an idealized, optimal, highly eccentric hyperbolic rendezvous problem, Dyn Control 6(3) 293-307 (Jul 1996), 1A362
Altitude for maximum angular velocity about the earth during hypersonic cruise, J Guidance Control Dyn 19(5) 1193-1195 (Sep-Oct 1996), 3T284
Moving mass trim control for aerospace vehicles, J Guidance Control Dyn 19(5) 1064-1070 (Sep-Oct 1996), 3A287
Periodic motion in the tethered satellite system, J Guidance Control Dyn 19(5) 1195-1197 (Sep-Oct 1996), 3T288
Planar heliocentric roto-translatory motion of a spacecraft with a solar sail of complex shape, Ce-

lest Mech Dyn Astron 63(3-4) 255-269 (1995), 3A289
Robust predictor-corrector guidance for aeroassisted orbital transfer, J Guidance Control Dyn 19(5) 1134-1141 (Sep-Oct 1996), 3T290
Momentum transfer in two-rotor gyrostats, J Guidance Control Dyn 19(5) 1157-1161 (Sep-Oct 1996), 3T368
New pulse-modulation technique for guidance and control of automated spacecraft, J Guidance Control Dyn 19(5) 1007-1016 (Sep-Oct 1996), 3A370
Optimal power-limited rendezvous with upper and lower bounds on thrust, J Guidance Control Dyn 19(5) 1124-1133 (Sep-Oct 1996), 3T371
Robust digital autopilot design for spacecraft equipped with pulse-operated thrusters, J Guidance Control Dyn 19(5) 1047-1055 (Sep-Oct 1996), 3A372
Control and flight performance of tethered satellite small expendable deployment system-II, J Guidance Control Dyn 19(5) 1148-1156 (Sep-Oct 1996), 3T373
Global stabilization of flexible multibody spacecraft using quaternion-based nonlinear control law, J Guidance Control Dyn 19(5) 1186-1188 (Sep-Oct 1996), 3T378
High-performance active control of dynamically complex space structures, J Guidance Control Dyn 19(5) 1071-1080 (Sep-Oct 1996), 3A380
Explicit, near-optimal guidance for power-limited transfers between coplanar circular orbits, J Guidance Control Dyn 19(6) 1317-1325 (Nov-Dec 1996), 5T306
Optimality and guidance for planar multiple-burn orbit transfers, J Guidance Control Dyn 19(6) 1310-1316 (Nov-Dec 1996), 5A308
Preliminary study of optimal thrust-limited path-constrained maneuvers, J Guidance Control Dyn 19(6) 1303-1309 (Nov-Dec 1996), 5A310
Spacecraft attitude estimation using the global positioning system: Methodology and results for RADCAL, J Guidance Control Dyn 19(6) 1201-1209 (Nov-Dec 1996), 5A312
Coning instability of spacecraft during periods of thrust, J Spacecraft Rockets 33(6) 781-788 (Nov-Dec 1996), 6A320
Roll torques produced by fixed-nozzle solid rocket motors, J Spacecraft Rockets 33(6) 789-793 (Nov-Dec 1996), 6A321
Active magnetic damping attitude control for gravity gradient stabilized spacecraft, J Guidance Control Dyn 20(1) 117-122 (Jan-Feb 1997), 7T242
Chaotic motion of a tethered satellite system, Tech Mech 16(4) 327-331 (1996), 7A243
Estimation of vehicle dynamic and static parameters from magnetometer data, J Guidance Control Dyn 20(1) 111-116 (Jan-Feb 1997), 7A244
Orbital maneuvers via feedback linearization and bang-bang control, J Guidance Control Dyn 20(1) 104-110 (Jan-Feb 1997), 7A245
Range-rate control algorithms and space rendezvous schemes, J Guidance Control Dyn 20(1) 206-208 (Jan-Feb 1997), 7T246
Slewing multimode flexible spacecraft with zero derivative robustness constraints, J Guidance Control Dyn 20(1) 204-206 (Jan-Feb 1997), 7T247
Attitude estimation algorithms for spinning satellites using global positioning system phase data, J Guidance Control Dyn 20(1) 164-169 (Jan-Feb 1997), 7T345
Entry guidance and trajectory control for reusable launch vehicle, J Guidance Control Dyn 20(1) 143-149 (Jan-Feb 1997), 7T346
Near-optimal low-thrust trajectories via micro-genetic algorithms, J Guidance Control Dyn 20(1) 196-198 (Jan-Feb 1997), 7T348
Origins, evolution, and future of satellite navigation, J Guidance Control Dyn 20(1) 11-25 (Jan-Feb 1997), 7A352
Redundant dynamical sliding mode control scheme for an asymptotic space vehicle stabilization, Int J Control 65(6) 901-912 (Dec 1996), 7A359
Nonlinear dynamics of the tethered subsatellite system in the station keeping phase, J Guidance Control Dyn 20(2) 403-406 (Mar-Apr 1997), 9T100
Articulated, flexible multibody dynamics modeling: Geostationary Operational Environmental Satellite-8 case study, J Guidance Control Dyn 20(2) 276-283 (Mar-Apr 1997), 9A234
Pole-placement technique for magnetic momentum removal of earth-pointing spacecraft, J Guidance Control Dyn 20(2) 268-275 (Mar-Apr 1997), 9T235
Stability of a spinning axisymmetric rocket with dissipative internal mass motion, J Guidance Control Dyn 20(2) 306-312 (Mar-Apr 1997), 9A236
Strategy for the passive maneuvering of tether-connected systems, J Guidance Control Dyn 20(2) 284-290 (Mar-Apr 1997), 9T237
Adaptive robust bank-to-turn missile autopilot design using neural networks, J Guidance Control Dyn 20(2) 346-354 (Mar-Apr 1997), 9T346
External angle of attack over a singular thrust arc in rocket flight, J Guidance Control Dyn 20(2) 391-393 (Mar-Apr 1997), 9T347
Navigation filter estimate fusion for enhanced spacecraft rendezvous, J Guidance Control Dyn 20(2) 338-345 (Mar-Apr 1997), 9T349
Optimal earth-moon trajectories using nuclear electric propulsion, J Guidance Control Dyn 20(2) 239-245 (Mar-Apr 1997), 9T351
Optimal earth-moon trajectories using combined chemical-electric propulsion, J Guidance Control Dyn 20(2) 253-258 (Mar-Apr 1997), 9T352
Control-structure integrated design for flexible spacecraft undergoing on-orbit maneuvers, J Guidance Control Dyn 20(2) 313-319 (Mar-Apr 1997), 9A357
Fuel-time optimal control of spacecraft maneuvers, J Guidance Control Dyn 20(2) 394-397 (Mar-Apr 1997), 9T360
Robustness of a variable structure control system for maneuverable flight vehicles, J Guidance Control Dyn 20(2) 377-383 (Mar-Apr 1997), 9T367
Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, J Guidance Control Dyn 20(3) 471-478 (May-Jun 1997), 10T457
Missile Control using fuzzy cerebellar model arithmetic computer neural networks, J Guidance Control Dyn 20(3) 557-565 (May-Jun 1997), 10A465
New penalty functions and optimal control formulation for spacecraft attitude control problems, J Guidance Control Dyn 20(3) 428-434 (May-Jun 1997), 10A466
Optimal steering for north-south stationkeeping of geostationary spacecraft, J Guidance Control Dyn 20(3) 435-444 (May-Jun 1997), 10T468
Predictive filtering for attitude estimation without rate sensors, J Guidance Control Dyn 20(3) 522-527 (May-Jun 1997), 10A472
Suboptimal singular orbital transfer, J Guidance Control Dyn 20(3) 605-609 (May-Jun 1997), 10T474
Constrained steering law of pyramid-type control moment gyros and ground tests, J Guidance Control Dyn 20(3) 445-449 (May-Jun 1997), 10A479
Feedback control law design for the dual-spin turn of spacecraft, J Guidance Control Dyn 20(3) 450-456 (May-Jun 1997), 10A482
Optimal regulation and passivity results for axisymmetric rigid bodies using two controls, J Guidance Control Dyn 20(3) 457-463 (May-Jun 1997), 10A490
Spaceflight Mechanics 1997, Volume 95 Parts I and II: Advances in the Astronautical Sciences (Univelt, San Diego, 1997) 11N13
Attitude behavior of a variable mass cylinder, J Appl Mech 62(4) 935-940 (Dec 1995), 11A85
Effect of oblateness on the nonlinear stability of L, in the restricted three-body problem, Celest Mech Dyn Astron 65(3) 291-312 (1996), 11A234
Nonlinear stability in the generalized restricted three-body problem, Celest Mech Dyn Astron 65(3) 253-289 (1996), 11A235

168P. Other topics in astronautics

Review of debris-cloud modeling techniques, J Spacecraft Rockets 33(4) 550-555 (Jul-Aug 1996), 2A257
Solid-rocket-motor contribution to large-particle orbital debris population, J Spacecraft Rockets 33(4) 513-518 (Jul-Aug 1996), 2A258
"Phobos events": Signatures of solar wind dust interaction, Planet Space Sci 44(6) 589-601 (Jun 1996), 4A267
Martian surface wind speeds described by the Weibull distribution, J Spacecraft Rockets 33(5) 754-756 (Sep-Oct 1996), 4T268
Visual utility for the localization of corona-accelerated nuclei, J Spacecraft Rockets 33(5) 722-728 (Sep-Oct 1996), 4A269
Amounts of crustal stretching in Valles Marineris, Mars, Planet Space Sci 44(8) 749-782 (Aug 1996), 5T219
Physical properties of M class asteroids, Planet Space Sci 44(8) 783-794 (Aug 1996), 5A220
Evolution of the obliquities for ten asteroids, Planet Space Sci 44(10) 1177-1183 (Oct 1996), 6A322
Meter-scale variations of the charge carried by mesospheric dust, Planet Space Sci 44(10) 1191-1194 (Oct 1996), 6A323
Resonant excitation of density waves in Saturn's rings: The effect of interparticle collisions, Planet Space Sci 44(10) 1185-1190 (Oct 1996), 6A324
Self-consistent determination of dayside magnetopause shape and position, Planet Space Sci 44(10) 1195-1208 (Oct 1996), 6A325
Global lunar gravity recovery from satellite-to-satellite tracking, Planet Space Sci 44(10) 1081-1097 (Oct 1996), 6A1404
Lunar moments, tides, orientation, and coordinate frames, Planet Space Sci 44(10) 1077-1080 (Oct 1996), 6T1406
Thermal force effects on slowly rotating, spherical artificial satellites - Part I: Solar heating, Planet Space Sci 44(12) 1551-1561 (12 1996), 7A248
Constraints to Uranus' Great Collision - II, Planet Space Sci 45(2) 181-187 (Feb 1997), 9A238
Did a discrete asteroid breakup event affect Gaspra's cratering record?, Planet Space Sci 45(2) 235-240 (Feb 1997), 9A239
Dust and gas in D-shoemaker-Levy 9, Surveys Geophys 18(1) 39-55 (Jan 1997), 9A240
Dynamics of a pair of spherical gravitating shells, Chaos 7(1) 187-197 (Mar 1997), 9A241
Electrostatic and rotational ejection of dust particles from a disintegrating cometary aggregate, Planet Space Sci 45(2) 221-228 (Feb 1997), 9A242
Evaluation of flat-earth approximation results for geopotential missions, J Guidance Control Dyn 20(2) 246-252 (Mar-Apr 1997), 9T243
Evaluation of star identification techniques, J Guidance Control Dyn 20(2) 259-267 (Mar-Apr 1997), 9T244
Number of objects in the original asteroid belt, Planet Space Sci 45(2) 229-233 (Feb 1997), 9A245
Mercury: The planet and its magnetosphere, Planet Space Sci 45(1) 3-180 (Jan 1997), 9T1447
Extreme value flight duration analysis of four-engine spacecraft, J Spacecraft Rockets 34(3) 402-405 (May-Jun 1997), 12T292
Interactions of space bodies with atmospheres of planets, Appl Mech Rev 50(11-PT 1) 671-688 (Nov 1997), 12A293
Maximum-payload transfers to geosynchronous orbit using arcjet thrusters, J Spacecraft Rockets 34(3) 405-407 (May-Jun 1997), 12T294

168Y. Computational techniques

Construction of dynamic systems from given integrals, Celest Mech Dyn Astron 63(2) 149-170 (1995), 1A297
Planetary theories with the aid of the expansions of elliptic functions, Celest Mech Dyn Astron 63(2) 171-188 (1995), 1A298
Relationship between Lyapunov times and macroscopic instability times, Celest Mech Dyn Astron 63(2) 227-239 (1995), 1A299
Computation of elliptic Hansen coefficients and their derivatives, Celest Mech Dyn Astron 63(3-4) 357-374 (1995), 3A291
Expansions of (r/a)^n cos jv and (r/a)^n sin jv to high eccentricities, Celest Mech Dyn Astron 63(3-4) 375-408 (1995), 3A292
Integrable cases of the three-body problem at second-order resonance under the high oblateness of the central body, Celest Mech Dyn Astron 63(3-4) 341-355 (1995), 3A293
Investigation of periodic orbits in elliptical galaxies using the method of implicit functions, Celest Mech Dyn Astron 63(3-4) 271-287 (1995), 3A294
Normal form, Lie-Poisson structure and reduction for the Henon-Heiles system, Celest Mech Dyn Astron 63(3-4) 245-253 (1995), 3A295
Resonant excitation of density waves in Saturn's rings, Planet Space Sci 44(6) 579-587 (Jun 1996), 4A262
Analytic solutions for intermediate-thrust arcs of rocket trajectories in a Newtonian field, J Appl Math Mech 60(3) 421-427 (1996), 6A326
Chaos in gravitational N-body systems, Celest Mech Dyn Astron 64(1-2) 1-166 (1996), 6A327
Global applicability of the symplectic integrator method of Hamiltonian systems, Celest Mech Dyn Astron 64(3) 185-195 (1996), 7A249
Simple generalization of Wisdom's perturbative method, Celest Mech Dyn Astron 64(3) 243-260 (1996), 7A250
Compatible potentials and orbits in synodic systems, Celest Mech Dyn Astron 64(4) 351-361 (1996), 8A296
Distribution of periodic orbits and the homoclinic tangle, Celest Mech Dyn Astron 64(4) 363-381 (1996), 8A297
Global expansion of the disturbing function in the planar elliptic restricted three-body problem, Celest Mech Dyn Astron 64(4) 313-350 (1996), 8A298
Multistep numerical methods based on the Scheifele G-functions with application to satellite dynamics, SIAM J Numer Anal 34(1) 359-375 (Feb 1997), 8A299
Spectral method of global minimum and its application to problems of heliospheric and planetary physics, Planet Space Sci 45(2) 241-250 (Feb 1997), 9A246
Resolution of the Gibbs phenomenon for spherical harmonics, Math Comput 66(218) 699-717 (Apr 1997), 10A328
Fourth Alexander von Humboldt Colloquium on Celestial Mechanics: The dynamical behavior of our planetary system, Celest Mech Dyn Astron 65(1-2) 1-222 (1996), 11A236
Mapping for nonconservative systems, Celest Mech Dyn Astron 65(4) 407-419 (1996), 11A237
Numerical experiments on the efficiency of second-order mixed-variable symplectic integrators for N-body problems, Celest Mech Dyn Astron 65(4) 355-371 (1996), 11A238
Numerical transformation of variables in perturbation theory, Celest Mech Dyn Astron 65(4) 345-354 (1996), 11A239
Symplectic mapping approach to the study of the stochasticity in asteroidal resonances, Celest Mech Dyn Astron 65(4) 421-437 (1996), 11A240

168Z. Experimental techniques

LUVIMS lunar UV and IR mapping spectrometer, Planet Space Sci 44(10) 1099-1119 (Oct 1996), 6A328
Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, Planet Space Sci 44(10) 1149-1162 (Oct 1996), 6A329
Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, Planet Space Sci 45(4) 409-418 (Apr 1997), 10A329
Moon-sun attitude sensor, J Spacecraft Rockets 34(3) 360-364 (May-Jun 1997), 12A295

170. EXPLOSIONS AND BALLISTICS

170C. Explosion, detonation, deflagration

Water Waves Generated by Underwater Explosion (World Sci Pub, River Edge, NJ, 1996) 2R9
Properties of detonation waves, Math Methods Appl Sci 19(16) 1279-1301 (Nov 1996), 4A270
Detonation structures generated by multiple shocks on ram-accelerator projectiles, Combust Flame 108(1-2) 173-186 (Jan 1997), 6A330
Accounting for reactant consumption in the thermal explosion problem - Part II: A direct solution with application to the Frank-Kamenetskii problem, Combust Flame 108(4) 361-386 (Mar 1997), 8A300
Theory of deflagration-to-detonation transition in unconfined flames, Combust Flame 108(4) 503-517 (Mar 1997), 8A301
Reaction-zone structure of a steady-state detonation wave in a cylindrical charge, Combust Flame 109(1-2) 253-265 (Apr 1997), 9A247
Combustion and microexplosion of hydroxylammonium nitrate-based liquid gun propellants at elevated pressures, J Propulsion Power 13(3) 448-450 (May-Jun 1997), 10A330
Multidimensional linear stability of a detonation wave at high activation energy, SIAM J Appl Math 57(2) 307-326 (Apr 1997), 10A331
Design charts relating to protection of structures against airblast from high explosives, Proc Inst Civil Eng Struct Build 122(2) 186-192 (May 19[illegible] 11A798
Violence of thermal explosion in solid explosives, Combust Flame 110(1-2) 264-280 (Jul 1997), 12A296
Dusty detonation simulations with adaptive unstructured FEs, AIAA J 35(6) 1018-1024 (Jun 1997), 12A1383

170L. Guns, ballistics

In-flight flexure and spin lock-in for antitank kinetic energy projectiles, J Spacecraft Rockets 33(5) 657-664 (Sep-Oct 1996), 4A271
Hollow projectile operation in the ram accelerator, J Propulsion Power 12(6) 1183-1186 (Nov-Dec 1996), 5A221
Elastic-cracked model for penetration into unreinforced concrete targets with ogival nose projectiles, Int J Solids Struct 34(12) 1479-1491 (Apr 1997), 9A196
Experimental determination of aerodynamic characteristics of ballistic objects of complex construction system (Polish), Biuletyn Wojskowej Akademii Technicznej 45(2) 69-80 (Feb 1996), 9A248
Theoretic analysis of dynamic properties of ballistic objects of complex aerodynamic system (Polish), Biuletyn Wojskowej Akademii Technicznej 45(2) 81-95 (Feb 1996), 9A249

170P. Other topics in explosions and ballistics

Direct penetration of a group of bodies into an elastoplastic medium, Mech Solids 31(1) 70-76 (1996), 1A471
Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, Mech Solids 31(1) 109-108 (1996), 1A687
Compression of spherical gas bubble surrounded by layer of incompressible liquid (Polish), Biuletyn Wojskowej Akademii Technicznej 45(6) 5-23 (Jun 1996), 9A212
Assessment of reinforcement details for blast containment structures, ACI Struct J 94(2) 124-132 (Mar-Apr 1997), 10A928

170Y. Computational techniques

Hybrid computational approach for the analysis of blast resistant connections, Comput Struct **61**(5) 831-843 (Dec 1996), 4A272
Finite element simulation of response of buried shelters to blast loadings, Finite Elements Anal Des **24**(3) 113-132 (Jan 1997), 8A18
Simulation and diagnosis of ballistic trajectories (French), Rev Francaise Mec **0**(4) 295-305 (1996), 8T302
Assessment of numerical simulation capabilities for medium-structure interaction systems under explosive loads, Comput Struct **63**(5) 875-887 (Jun 1997), 9A250

172. ACOUSTICS

172A. General theory

Solitons, pulse splitting, and AM-FM conversion in cylindrical ducts, J Acoust Soc Am **100**(1) 139-147 (Jul 1996), 1A300
Distortion and dispersion of nonlinear waves in a rectangular duct due to a bifrequency excitation, Acustica **82**(3) 411-422 (May-Jun 1996), 2A259
Proceedings of the ASME Noise Control and Acoustics Division, Volume 1 (ASME, New York, 1996) 3N9
Complex-transducer-point model for finite emitting and receiving ultrasonic transducers, Wave Motion **24**(1) 21-40 (Aug 1996), 3A296
Effects of jet flow on jet noise via an extension to the Lighthill model, J Fluid Mech **321** 1-24 (Aug 1996), 3A297
Emission of nonstationary acoustic waves by a system of two unidirectional cylindrical piezotransformers, Mech Solids **31**(2) 160-166 (1996), 4T273
Perceptibility of the frequency drop caused by the Doppler effect for simulated sound source motion in the median plane, Arch Acoust **21**(2) 149-157 (1996), 4A274
Study of wave propagation in varying cross-section waveguides by modal decomposition - Part I: Theory and validation, J Acoust Soc Am **100**(4-PART 1) 2034-2048 (Oct 1996), 4A275
Nonlinear and thermoviscous phenomena in acoustics - Part 1, Acustica **82**(4) 579-606 (Jul-Aug 1996), 5A222
Nonlinear propagation applied to the improvement of resolution in diagnostic medical ultrasound, J Acoust Soc Am **101**(1) 143-154 (Jan 1997), 7A251
Acoustic radiation force on a spherical particle in a viscous heat-conducting fluid - I: General formula, J Acoust Soc Am **101**(2) 713-721 (Feb 1997), 8A303
Acoustic radiation force on a spherical particle in a viscous heat-conducting fluid - II: Force on a rigid sphere, J Acoust Soc Am **101**(2) 722-730 (Feb 1997), 8A304
Acoustic radiation force on a spherical particle in a viscous heat-conducting fluid - III: Force on a liquid drop, J Acoust Soc Am **101**(2) 731-740 (Feb 1997), 8A305
Scattering of sound waves by a cylindrical vortex: A semi-analytical theory, J Fluid Mech **333** 273-299 (Feb 1997), 8A329
Acoustic fields in trapezoidal cavities, Acustica **83**(1) 13-18 (Jan-Feb 1997), 10A332
Method of detection low frequency fluctuations of liquid flow, J Low Frequency Noise and Vib **15**(3) 125-129 (1996), 10A333
Ultrasonic studies on poly(methylmethacrylate) in Dioxane, Acustica **83**(1) 74-77 (Jan-Feb 1997), 10A334
Ultrasonic study on the complexation kinetics of N,N-diethylformamide and zinc acetate in aqueous solutions, Acustica **83**(1) 67-73 (Jan-Feb 1997), 10A335
Design sensitivity analysis of structure-induced noise and vibration, J Vib Acoust **119**(2) 173-179 (Apr 1997), 10A422
Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars, J Sound Vib **203**(1) 1-9 (May 1997), 12A162
Coupled radially symmetric linear thermoelasticity, Wave Motion **25**(4) 385-400 (Jun 1997), 12A297
Technique for the assessment of strength of coupling between sea subsystems: Experiments with two coupled plates and two coupled rooms, J Sound Vib **203**(2) 265-282 (Jun 1997), 12A298
Vocal tract shape identification from formant frequency spectra: A simulation using 3D BE models, J Sound Vib **203**(4) 581-596 (Jun 1997), 12A345

172B. Sound generation by moving surfaces

Effects of dissipation energy on vibrational and sound energy flow, Tech Mech **16**(2) 107-116 (1996), 1A301
Forced vibrations and sound emission of an elastic hemisphere fixed in an endless plane screen, Tech Mech **15**(4) 303-314 (1995), 1A302
Sensitivity analysis of the acroacoust response of turbomachinery blade rows, AIAA J **34**(8) 1545-1554 (Aug 1996), 2A176
Approximate determination of vibration frequencies of doubly connected membranes of complicated boundary shape, Appl Acoust **48**(4) 301-309 (Aug 1996), 3A156
Dynamic vibration absorbers used for increasing the noise transmission loss of aircraft panels, Appl Acoust **48**(4) 311-321 (Aug 1996), 3A187
Effects of jet flow on jet noise via an extension to the Lighthill model, J Fluid Mech **321** 1-24 (Aug 1996), 3A297
Characterizing the dynamic response of a thermally loaded, acoustically excited plate, J Sound Vib **196**(5) 635-658 (Oct 1996), 4A132
Application of two experimental modal analysis methods for the determination of operational deflection shapes, J Sound Vib **196**(4) 429-438 (Oct 1996), 4A276
Audible noise predicted by the sporadic changes of tensile forces in a belt driven system, J Low Frequency Noise and Vib **14**(4) 193-211 (1995), 4A277
Characterization of fluid machines as acoustic multiport sources, J Sound Vib **197**(1) 1-16 (Oct 1996), 4A278
Sound generated by a vortex interacting with a rib-stiffened elastic plate, J Sound Vib **197**(1) 103-115 (Oct 1996), 4A279
Generation of low-frequency Rayleigh waves by heavy lorries, J Low Frequency Noise and Vib **14**(4) 165-172 (1995), 4A857
Investigation of damping effects on statistical energy analysis of coupled structures, J Sound Vib **197**(3) 351-371 (Oct 1996), 5A124
Acoustic radiation from a finite-length shell with non-axisymmetric substructures using a surface variational principle, J Sound Vib **197**(3) 329-350 (Oct 1996), 5A223
Bowed string as a nonlinear dynamic system, Acustica **82**(4) 657-664 (Jul-Aug 1996), 5A224
Generation of ground vibrations by accelerating and braking road vehicles, Acustica **82**(4) 642-649 (Jul-Aug 1996), 5A225
Ground attenuation of railroad noise, Acustica **82**(4) 636-641 (Jul-Aug 1996), 5A226
Integrated FEM-BEM approach to the dynamic and acoustic analysis of plate structures, Eng Anal Boundary Elements **17**(4) 269-277 (Jun 1996), 5A227
Modal radiation from an unbaffled rotating disk, J Acoust Soc Am **100**(5) 3192-3202 (Nov 1996), 5A228
Active sonic boom control, J Fluid Mech **325** 1-28 (Oct 1996), 5A254
Holographic visualization of vibration distribution on a loudspeaker membrane in the growth and decay of the excitation signal, J Sound Vib **198**(5) 589-600 (Dec 1996), 6A162
Fluid-structure coupling for an unbaffled elastic panel immersed in a diffuse field, J Sound Vib **198**(4) 485-506 (Dec 1996), 6A331
Radiation impedance computations of a square piston in a rigid infinite baffle, J Sound Vib **198**(3) 299-312 (Dec 1996), 6A332
All particular solution BEM analyzing sound radiation by structure (Chinese), J Vib Eng **9**(4) 341-347 (Dec 1996), 7A252
Computational study of the aeroacoustics of rotors in hover, J Am Helicopter Soc **42**(1) 39-51 (Jan 1997), 7A253
Wave coherence, coupling power, and statistical energy analysis, J Sound Vib **199**(3) 369-380 (Jan 1997), 8A221
Assessment of whole-body vibration containing single event shocks, Noise Control Eng J **45**(1) 19-25 (Jan-Feb 1997), 8A306
Investigation of the coupling loss factor for a cylinder-plate structure, J Sound Vib **199**(4) 629-643 (Jan 1997), 8A307
Radiation efficiency for unbaffled plates with experimental validation, J Sound Vib **199**(3) 473-489 (Jan 1997), 8A308
Railroad noise in an open space, Appl Acoust **49**(4) 291-306 (Dec 1996), 8A309
SEA-like approach for the derivation of energy flow coefficients with a FE model, J Sound Vib **199**(4) 645-666 (Jan 1997), 8A310
Source characterization of the lower front-end of a diesel engine, Appl Acoust **49**(4) 383-404 (Dec 1996), 8A311
Model for calculating the insertion losses of pipe lagging, J Sound Vib **200**(5) 579-587 (Mar 1997), 9A142
Effects of dynamic absorbers on the forced vibration of a cylindrical shell and its coupled interior sound field, J Sound Vib **200**(4) 401-418 (Mar 1997), 9A176
Acoustic radiation from membranes at high frequencies: The quantum chaos regime, J Acoust Soc Am **101**(4) 1793-1807 (Apr 1997), 9A251
Radiation from finite phased and focused linear array including interaction, J Acoust Soc Am **101**(4) 1859-1867 (Apr 1997), 9A252
Use of "ectoplasm" to predict radiation and transmission loss of a holed plate in a cavity, J Sound Vib **200**(4) 441-465 (Mar 1997), 9A253
Classical electrodynamics and acoustics: Sound radiation by moving multipoles, J Vib Acoust **119**(2) 271-282 (Apr 1997), 10A336
Complex envelope displacement analysis: A quasistatic approach to vibrations, J Sound Vib **201**(2) 205-233 (Mar 1997), 10A337
Novel method for calculating 2D blade vortex interaction, AIAA J **35**(5) 909-912 (May 1997), 10A338
Active control of nonlinear panel vibration and sound radiation, J Sound Vib **201**(3) 390-403 (Apr 1997), 10A476
Computation of noise radiation from fan inlet and aft ducts, J Aircraft **34**(3) 387-393 (May-Jun 1997), 11A241
Mean flow effects on a plate-backed cavity - Part 1: Theory, Acustica **83**(2) 243-251 (Mar-Apr 1997), 11A242
Mean flow effects on a plate-backed cavity - Part 2: Results, Acustica **83**(2) 252-259 (Mar-Apr 1997), 11A243
Efficient and robust method for predicting helicopter high-speed impulsive noise, J Sound Vib **203**(1) 87-100 (May 1997), 12A299
Equivalent source method for calculation of the sound radiated from aircraft engines, J Sound Vib **203**(4) 667-695 (Jun 1997), 12A300
Estimating acoustic radiation from a Bernoulli-Euler beam using shaped polyvinylidene flouride film, J Acoust Soc Am **101**(6) 3475-3485 (Jun 1997), 12A301
Noise source identification in a propfan model by means of acoustical near field measurements, J Sound Vib **203**(4) 641-665 (Jun 1997), 12A302
Propagation of train noise in housing estates, Appl Acoust **51**(1) 1-12 (May 1997), 12A303
Vortex ring eigen-oscillations as a source of sound, J Fluid Mech **341** 19-57 (Jun 1997), 12A304
Vane sweep effects on rotor-stator interaction noise, AIAA J **35**(6) 945-951 (Jun 1997), 12A312

172C. Sound generation by flow

Acoustical resonance of tube-in shell units, J Vib Acoust **118**(3) 299-305 (Jul 1996), 1A303
Boundary integral formulation for 2D acoustic radiation in a subsonic uniform flow, J Acoust Soc Am **100**(1) 98-107 (Jul 1996), 1A304
Prediction of supersonic jet noise from a statistical acoustic model and a compressible turbulence closure, J Sound Vib **194**(2) 219-242 (Jul 1996), 1A305
Sound in an inverse sinusoidal nozzle with low Mach number mean flow, J Acoust Soc Am **100**(1) 355-363 (Jul 1996), 1A306
Time evolution of acoustic streaming from a planar ultrasound source, J Acoust Soc Am **100**(1) 132-138 (Jul 1996), 1A307
Sound generation by a ring vortex-shock wave interaction, AIAA J **34**(9) 1948-1949 (Sep 1996), 2T260
High-frequency acoustic noise emission excited by laser-driven cavitation, J Fluid Mech **318** 77-84 (Jul 1996), 2A262
Aeroacoustic properties of a supersonic diamond-shaped jet, AIAA J **34**(8) 1562-1569 (Aug 1996), 2A981
Acoustic streaming field structure: The influence of the radiator, J Acoust Soc Am **100**(3) 1399-1408 (Sep 1996), 3A298
Sound radiation during local laminar breakdown in a low-Mach-number boundary layer, J Fluid Mech **319** 197-218 (Jul 1996), 3A299
Structure-borne noise prediction in liquid-conveying pipe systems, J Syst Control Eng **210**(I3) 189-200 (1996), 4A255
Acoustics of low Mach number bulged, throated and baffled nozzles, J Sound Vib **196**(5) 611-633 (Oct 1996), 4A280
Numerical evaluation of viscous effects on vortex induced noise, J Sound Vib **196**(2) 129-146 (Sep 1996), 4A281
Sound radiation from sources close to a corner in supersonic flow, Wave Motion **24**(2) 197-210 (Sep 1996), 4A282
Pressure field around a rectangular supersonic jet in screech, AIAA J **34**(10) 1990-1996 (Oct 1996), 4A1004
Tone excitation of a supersonic bounded shear layer, AIAA J **34**(10) 1997-2004 (Oct 1996), 4A1005
Computation of quadrupole noise using acoustic analogy, AIAA J **34**(11) 2247-2254 (Nov 1996), 5A229
Phase-locking condition in the feedback loop of low-speed edgetones, J Acoust Soc Am **100**(5) 3028-3032 (Nov 1996), 5A230
Inverse aeroacoustic problem for a streamlined body - Part I: Basic formulation, AIAA J **34**(11) 2233-2240 (Nov 1996), 5A1069
Inverse aeroacoustic problem for a streamlined body - Part 2: Accuracy of solutions, AIAA J **34**(11) 2241-2246 (Nov 1996), 5A1070
Sound propagation in an annular duct with mean potential swirling flow, J Sound Vib **198**(5) 601-616 (Dec 1996), 6A333
Emendation of the Brown and Michael equation, with application to sound generation by vortex motion near a half-plane, J Fluid Mech **329** 89-101 (Dec 1996), 7A254
Edge, cavity, and aperture tones at very low Mach numbers, J Fluid Mech **330** 61-84 (Jan 1997), 8A312
Effect of protective layer on the performance of absorptive ducts, Noise Control Eng J **45**(1) 14-18 (Jan-Feb 1997), 8A313
Screech tones from rectangular jets with spanwise oblique shock-cell structures, J Fluid Mech **330** 141-168 (Jan 1997), 8A314
Sound generation in a mixing layer, J Fluid Mech **330** 375-409 (Jan 1997), 8A315
Implementing and improving statistical energy analysis models using quality technology, Noise Control Eng J **45**(1) 27-34 (Jan-Feb 1997), 8A349
Two parallel plane jets: Mean flow and effects of acoustic excitation, Exp Fluids **22**(3) 251-260 (Jan 1997), 8A1161
Effect of acoustics on flow passing a high-AOA airfoil, J Sound Vib **199**(2) 177-188 (Jan 1997), 8A1212
Analysis of the sound generated by the pairing of two axisymmetric co-rotating vortex rings, J Sound Vib **200**(3) 347-358 (Feb 1997), 9A254
Modeling of the noise spectra of axial flow fans in a free field, J Sound Vib **200**(4) 379-399 (Mar 1997), 9A255
Noise from supersonic coaxial jets - Part 1: Mean flow predictions, J Sound Vib **200**(5) 643-663 (Mar 1997), 9A256
Noise from supersonic coaxial jets - Part 2: Normal velocity profile, J Sound Vib **200**(5) 665-699 (Mar 1997), 9A257
Noise from supersonic coaxial jets - Part 3: Inverted velocity profile, J Sound Vib **200**(5) 701-719 (Mar 1997), 9A258
Proposed inflow-outflow boundary condition for direct computation of aerodynamic sound, AIAA J **35**(4) 740-742 (Apr 1997), 9T259
Sound radiation from elliptic vortex rings: Evolution and interaction, J Sound Vib **200**(3) 281-301 (Feb 1997), 9A260
Vortex-oscillation model of airfoil side-edge noise, AIAA J **35**(3) 441-449 (Mar 1997), 9A261
Analysis of the distribution and attenuation of acoustic energy flux in lined duct containing inhomogeneous medium by the finite difference method, Acustica **83**(1) 1-12 (Jan-Feb 1997), 10A74
Acoustic field of a pulse in a stratified medium with fluid flow, Acoust Lett **19**(9) 175-179 (Mar 1996), 10A339
Box-length requirements for simulation of sound from large structures in jets, AIAA J **35**(5) 912-915 (May 1997), 10T340
Cessation of screech in underexpanded jets, J Fluid Mech **336** 69-90 (Apr 1997), 10A341
Computation of jet mixing noise due to coherent structures: The plane jet case, J Fluid Mech **335** 261-304 (Mar 1997), 10A342
Flap side-edge noise: Acoustic analysis of Sen's model, AIAA J **35**(5) 810-815 (May 1997), 10A343
Interaction of perturbed vortex rings and its sound generation, J Sound Vib **202**(1) 1-27 (Apr 1997), 10A344
Control of vortex pairing sound, AIAA J **35**(5) 802-809 (May 1997), 10A374
Numerical simulation of receptivity phenomena in transitional boundary-layer flows, AIAA J **35**(5) 789-795 (May 1997), 10A395
New boundary integral formulation for the prediction of sound radiation, J Sound Vib **202**(4) 491-509 (May 1997), 11A54
Sound generated by turbulence and discrete vortices interacting with a perforated elastic plate in low-Mach-number flow, Quart J Mech Appl Math **50**(2) 279-301 (May 1997), 11A215
Quantification of acoustic and hydrodynamic fields in flow duct systems, Appl Acoust **50**(3) 205-230 (Mar 1997), 11A244
Spectra of aerodynamic noise and aeroacoustic fatigue, Prog Aerospace Sci **33**(5-6) 353-389 (May-Jun 1997), 11A245
Wall-bounded blade-tip vortex interaction noise, J Sound Vib **202**(5) 605-618 (May 1997), 11A246
Equivalent source method for calculation of the sound radiated from aircraft engines, J Sound Vib **203**(4) 667-695 (Jun 1997), 12A300
Noise source identification in a propfan model by means of acoustical near field measurements, J Sound Vib **203**(4) 641-665 (Jun 1997), 12A302

Flight effects on the far-field noise of a heated supersonic jet, AIAA J 35(6) 952-957 (Jun 1997), 12A305
Investigation of environmental low-frequency noise, Appl Acoust 51(1) 33-51 (May 1997), 12A306
Oscillation modes of supersonic multijets, J Acoust Soc Am 101(6) 3353-3360 (Jun 1997), 12A307
Predictive acoustic modeling applied to the control of intake-exhaust noise of internal combustion engines, J Sound Vib 202(2) 249-274 (May 1997), 12A308
Screech tones of supersonic jets from bevelled rectangular nozzles, AIAA J 35(7) 1119-1125 (Jul 1997), 12A309
Sound transmission through an aeroelastic plate into a cavity, AIAA J 35(7) 1113-1118 (Jul 1997), 12A310
Unsteady flowfield and cavity acoustics of the stratospheric observatory for infrared astronomy, J Spacecraft Rockets 34(3) 372-378 (May-Jun 1997), 12A311
Vane sweep effects on rotor-stator interaction noise, AIAA J 35(6) 945-951 (Jun 1997), 12A312
Effects of choking on the aeroacoustics of an axisymmetric supersonic inlet, J Sound Vib 203(1) 63-73 (May 1997), 12A1130

172D. Sound waves in gases

Gas pulsations in thin, curved, or flat cavities due to multiple mass flow sources with special attention to multi-cylinder compressors, J Sound Vib 197(1) 45-66 (Oct 1996), 4A283
Influence of acoustic waves on plasma parameters in a molecular gas discharge, Acustica 82(4) 619-627 (Jul-Aug 1996), 5A231
Lagrange Pade parabolic equation (LP-PE) for the prediction of long range sound propagation in the atmosphere, Appl Acoust 49(2) 105-125 (Oct 1996), 5A232
Subjective perception of seat dip attenuation, Acustica 82(5) 784-792 (Sep-Oct 1996), 5A233
Free gas pulsations in acoustic systems composed of two thin, curved, or flat, 2D gas cavities which share a common open boundary, J Sound Vib 198(2) 225-248 (Nov 1996), 6A334
Investigation of dispersion-relation-preserving scheme and spectral analysis methods for acoustic waves, J Vib Acoust 119(2) 250-257 (Apr 1997), 10A345
Onset of transient cavitation in gassy liquids, J Acoust Soc Am 101(5) 2536-2540 (May 1997), 10A346
Atmospheric absorption conditions for horizontal sound propagation, Appl Acoust 50(3) 231-245 (Mar 1997), 11A247
Model of acoustic sources related to negative point-to-plane discharges in ambiant air, Acustica 83(2) 359-366 (Mar-Apr 1997), 11A248
Acoustic resonance of radially symmetric waves in a thermoviscous gas, Acta Mech 121(1-4) 97-113 (1997), 12A313
Effects of area change and friction on acoustic propagation in compressible flow through long ducts, Int J Non-Linear Mech 32(5) 979-987 (Sep 1997), 12A314

172E. Sound waves in liquids (underwater acoustics)

Bathymetric and volumetric contributions to ocean acoustic mode coupling, J Acoust Soc Am 100(1) 219-224 (Jul 1996), 1A308
Emission of sound by a semi-submerged object in shallow water, J Acoust Soc Am 100(1) 252-261 (Jul 1996), 1A309
Theoretical and simulation study of acoustic normal mode coupling effects due to the Barents Sea Polar Front, with applications to acoustic tomography and matched-field processing, J Acoust Soc Am 100(1) 193-205 (Jul 1996), 1A310
Effect of saturated transmission scintillation on ocean acoustic intensity measurements, J Acoust Soc Am 100(1) 769-783 (Aug 1996), 2A261
High-frequency acoustic noise emission excited by laser-driven cavitation, J Fluid Mech 318 77-84 (Jul 1996), 2A262
Ocean acoustic tomography based on peak arrivals, J Acoust Soc Am 100(1) 797-813 (Aug 1996), 2A263
Two-dimensional angle of arrival fluctuations, J Acoust Soc Am 100(1) 814-824 (Aug 1996), 2A264
Effect of injected water on hydraulic fracturing deduced from acoustic emission monitoring (Japanese), Proc JSCE 541(III-35) 173-187 (Jun 1996), 2A955
Computational methods for the acoustic modal analysis of an enclosed fluid with application to a loudspeaker cabinet, Appl Acoust 48(4) 275-299 (Aug 1996), 3A300
Effect of suspended particulate matter on sound attenuation in seawater, J Acoust Soc Am 100(3) 1447-1450 (Sep 1996), 3A301
Gaussian ray bundles for modeling high-frequency propagation loss under shallow-water conditions, J Acoust Soc Am 100(3) 1421-1431 (Sep 1996), 3A302
Shallow-water receptions from the transarctic acoustic propagation experiment, J Acoust Soc Am 100(3) 1482-1492 (Sep 1996), 3A303
Effects of a sediment scattering layer in underwater-acoustic studies of intensity sensitivity and data matching, J Acoust Soc Am 100(4-PART 1) 1971-1980 (Oct 1996), 4A284
Effects of transverse isotropy on modes and mode coupling in shallow water, J Acoust Soc Am 100(4-PART 1) 2079-2092 (Oct 1996), 4A285
Measurement of modal group time delays in the deep ocean, J Acoust Soc Am 100(4-PART 1) 2093-2102 (Oct 1996), 4A286
Performance of high-rate adaptive equalization on a shallow water acoustic channel, J Acoust Soc Am 100(4-PART 1) 2213-2219 (Oct 1996), 4A287
Acoustic waves in a shallow inhomogeneous ocean with a layer of sediment, Acustica 82(5) 729-737 (Sep-Oct 1996), 5A234
Application of multilayered neural networks to ocean acoustic tomography inversions, Inverse Prob Eng 3(4) 281-304 (1996), 5A235
Convergence zone feature dependence on ocean temperature structure, J Acoust Soc Am 100(5) 3033-3041 (Nov 1996), 5A236
Inversion of a cylindrical vibrating body in shallow water from aspect-limited data using filtered SVD and the L-curve, Acustica 82(5) 717-728 (Sep-Oct 1996), 5A237
Acoustic radiation pressure exerted by a spherical wave on a bubble in a viscous liquid, Wave Motion 24(3) 275-279 (Nov 1996), 6A335
Theoretical study of the Stoneley-Scholte wave at the interface between an ideal fluid and a viscoelastic solid, Acustica 82(6) 829-838 (Nov-Dec 1996), 7A191
Acoustic characterization of an adult bubble injected into a fully developed turbulent flow field, J Acoust Soc Am 101(1) 218-226 (Jan 1997), 7A255
Fresnel zones for modes, J Acoust Soc Am 101(1) 163-173 (Jan 1997), 7A256
Internal friction and boundary conditions in lossy fluid seabeds, J Acoust Soc Am 101(1) 233-240 (Jan 1997), 7A257
Robust maximum-likelihood source localization in an uncertain shallow-water waveguide, J Acoust Soc Am 101(1) 241-249 (Jan 1997), 7A258
Seafloor acoustic backscattering from different geological provinces in the Atlantic Natural Laboratory, J Acoust Soc Am 101(1) 193-208 (Jan 1997), 7A259
Acoustic propagation through an internal wave field in a shallow water waveguide, J Acoust Soc Am 101(2) 789-808 (Feb 1997), 8A316
Narrow-band source localization in the presence of internal waves for 1000-km range and 25-Hz acoustic frequency, J Acoust Soc Am 101(3) 1336-1346 (Mar 1997), 8A317
Note on nonlinear radiation from a gas bubble in liquids, J Acoust Soc Am 101(2) 809-812 (Feb 1997), 8A318
Acoustic propagation through a low Mach number, stratified flow, J Acoust Soc Am 101(4) 1936-1944 (Apr 1997), 9A262
Analysis and model-data comparison of broadband acoustic propagation at the Atlantic Generating Station site, J Acoust Soc Am 101(4) 1921-1935 (Apr 1997), 9A263
Spark-generated bubble model with semi-empirical mass transport, J Acoust Soc Am 101(4) 1908-1920 (Apr 1997), 9A264
Analytical expressions for high-frequency acoustic fluctuations from suspended particles in the ocean, J Acoust Soc Am 101(5) 2644-2648 (May 1997), 10A347
Interference aspect of the interaction between two elastic tubes: Impulsive and quasi-harmonic studies (French), Acustica 83(1) 48-58 (Jan-Feb 1997), 10A348
Modeling low-frequency reverberation near the Mid-Atlantic Ridge and comparison with ARSRP data, J Acoust Soc Am 101(5) 2555-2565 (May 1997), 10A349
Modeling the environmental influence on the vertical directionality of ambient noise in shallow water, J Acoust Soc Am 101(5) 2541-2554 (May 1997), 10A350
Subharmonic oscillations and combination-frequency subharmonic emissions from a resonant bubble: Their properties and generation mechanisms, Acustica 83(1) 59-66 (Jan-Feb 1997), 10A351
Nonlinear and Thermoviscous phenomena in acoustics: Part II, Acustica 83(2) 197-222 (Mar-Apr 1997), 11A249
Numerical simulation method to study sea surface acoustical effects (French), Acustica 83(2) 228-242 (Mar-Apr 1997), 11A250
Acoustic Interactions with Submerged Elastic Structures, Part 1 (World Sci Pub, River Edge, NJ, 1996) 12N8
Acoustic interactions with Submerged Elastic Structures, Part 2 (World Sci Pub, River Edge, NJ, 1997) 12N9
Acoustic Interactions with Submerged Elastic Structures, Part 3 (World Sci Pub, River Edge, NJ, 1997) 12N10
Acoustic Interactions with Submerged Elastic Structures, Part 4 (World Sci Pub, River Edge, NJ, 1997) 12N11
Frequency dependence of broadband propagation in coastal regions, J Acoust Soc Am 101(6) 3361-3370 (Jun 1997), 12A315
Observations on attenuation and shear-wave velocity in fine-grained marine sediments, J Acoust Soc Am 101(6) 3385-3397 (Jun 1997), 12A316

172F. Sound waves in solids

Modeling of train noise in underground stations, J Sound Vib 195(2) 241-255 (Aug 1996), 2A265
Transmission of sound in uniform pipes carrying hot gas flows, J Sound Vib 195(2) 257-266 (Aug 1996), 2A266
Attenuation of waves in plates and bars using a graded impedance interface at edges, J Sound Vib 196(1) 107-127 (Sep 1996), 4A200
Acoustic interaction between two thin elastic plates through an angular welded joint, J Sound Vib 196(1) 75-84 (Sep 1996), 4A288
Effect of decay rate variability on statistical response predictions in acoustic systems, J Sound Vib 196(2) 147-164 (Sep 1996), 4A289
Low-frequency sound transmission through periodically inhomogeneous plates with arbitrary local anisotropy and arbitrary global symmetry, Acustica 82(4) 628-635 (Jul-Aug 1996), 5A238
Acoustic waves generated by a transient line source in an anisotropic half-space, Acustica 82(6) 839-851 (Nov-Dec 1996), 7A260
Power transmission from a vibrating body to a circular cylindrical shell through passive and active isolators, J Acoust Soc Am 101(3) 1479-1491 (Mar 1997), 8A319
Sound transmission through parallel plates coupled along a line, Appl Acoust 49(4) 353-372 (Dec 1996), 8A320
Effect on ultrasound propagation in metal rod due to contact with liquid, Acustica 83(1) 78-81 (Jan-Feb 1997), 10A255
Diffuse transmission of structure-borne sound at periodic junctions of semi-infinite plates, J Acoust Soc Am 101(6) 3443-3456 (Jun 1997), 12A317
Reduction of structure-borne noise using an air-voided elastomer, J Acoust Soc Am 101(6) 3306-3312 (Jun 1997), 12A318

172G. Sound waves in nonhomogeneous, porous and random media

Numerical prediction of sound transmission through finite multilayer systems with poroelastic materials, J Acoust Soc Am 100(1) 346-354 (Jul 1996), 1A311
Probability distribution for the complex field of waves propagating in random media, J Acoust Soc Am 100(1) 237-244 (Jul 1996), 1A312
Acoustic radiation pressure in a 3D lossy medium, J Acoust Soc Am 100(1) 741-747 (Aug 1996), 2A267
Dispersive acoustical propagation in stratified structures (French), Acustica 82(3) 442-449 (May-Jun 1996), 2A268
Induced coagulation of small particles under the action of sound, Acustica 82(3) 459-463 (May-Jun 1996), 2A269
Three-dimensional waves in layered media with non-parallel and curved interfaces: A theoretical approach, J Acoust Soc Am 100(1) 709-716 (Aug 1996), 2A270
Viscous attenuation of sound in dilute suspensions of rigid particles, J Acoust Soc Am 100(1) 825-831 (Aug 1996), 2A271
Spectral analysis of a multistratified acoustic strip - Part II: Asymptotic behavior of solutions for a simple stratification, SIAM J Math Anal 27(6) 1631-1652 (Nov 1996), 4A290
Acoustic emission waveform analysis in 2D models (Japanese), J Soc Mat Sci Japan 45(9) 1055-1060 (Sep 1996), 5A239
Acoustic wave propagation through porous media revisited, J Acoust Soc Am 100(5) 2949-2959 (Nov 1996), 5A240
Application of a cubic pressure-strain correlation to turbulent flow over sand ripples, Math Eng Industry 6(1) 15-37 (- 1997), 7A261
Porous road pavements: Acoustical characterization and propagation effects, J Acoust Soc Am 101(1) 155-162 (Jan 1997), 7A262
Computing effective reflection coefficients in layered media, J Acoust Soc Am 101(2) 741-748 (Feb 1997), 8A321
Partial coherence of transient ultrasonic fields in anisotropic random media: Application to coherent echo detection, J Acoust Soc Am 101(2) 690-704 (Feb 1997), 8A322
Sound propagation in an irregular 2D waveguide, J Acoust Soc Am 101(3) 1250-1255 (Mar 1997), 8A323
Transient acoustic wave fields in a continuously layered media with depth-dependent attenuation: An analysis based on higher-order asymptotics, J Acoust Soc Am 101(4) 1808-1820 (Apr 1997), 9A265
Acoustic field of a pulse in a stratified medium with fluid flow, Acoust Lett 19(9) 175-179 (Mar 1996), 10A339
Propagation of a Gaussian-beam wave through a random phase screen, Waves in Random Media 7(2) 229-244 (Apr 1997), 10A352
Active intensity control for the reduction of radiated duct noise, J Sound Vib 201(5) 595-611 (Apr 1997), 10A371
Approximating moments of acoustic fields in random media, Waves in Random Media 7(2) 193-212 (Apr 1997), 10A382
Modeling microwave backscatter from discrete random media using a multiple-scattering series: Convergence issues, Waves in Random Media 7(2) 213-227 (Apr 1997), 10A392
Immersed interface method for acoustic wave equations with discontinuous coefficients, Wave Motion 25(3) 237-263 (May 1997), 11A251
Studies of sound transmission in various types of stored grain for acoustic detection of insects, Appl Acoust 50(4) 263-278 (Apr 1997), 12A319
Time-reversal method for an acoustical pulse propagating in randomly layered media, Wave Motion 25(4) 361-368 (Jun 1997), 12A320

172H. Reflection, refraction, diffraction, and scattering

Acoustic wave scattering from transversely isotropic cylinders, J Acoust Soc Am 100(1) 57-63 (Jul 1996), 1A313
Diffraction of a high-frequency acoustic wave by a narrow-angle absolutely rigid cone of arbitrary shape, J Appl Math Mech 60(1) 67-73 (1996), 1A314
Diffractional radiation in 2D elastic systems, Mech Solids 31(1) 44-48 (1996), 1A315
Modeling of seafloor wave propagation and acoustic scattering in 3D heterogeneous media, J Acoust Soc Am 100(1) 225-236 (Jul 1996), 1A316
Nonstationary diffraction of plane elastic waves by a cone, Mech Solids 31(1) 31-37 (1996), 1A317
Sensitivity calculations for broad-band acoustic radiated noise design optimization problems, J Vib Acoust 118(3) 529-532 (Jul 1996), 1T318
Sound propagation in housing estates from a passing vehicle, Appl Acoust 48(2) 175-183 (Jun 1996), 1A319
Three-dimensional acoustic scattering of a source-generated field from a cylindrical island, J Acoust Soc Am 100(1) 206-218 (Jul 1996), 1A320
Comparison of a step approximation to an exact solution of acoustic scattering in a uniform-width pipe with non-uniform wall impedance, Quart J Mech Appl Math 49(3) 419-437 (Aug 1996), 2A272
Effective ultrasonic transmission coefficient for randomly rough surfaces, J Acoust Soc Am 100(1) 832-839 (Aug 1996), 2A273
Hybrid computational model for noise propagation through a fuselage boundary layer, AIAA J 34(9) 1785-1792 (Sep 1996), 2A274
Modal resonances of peripheral waves, Acustica 82(3) 401-410 (May-Jun 1996), 2A275
Reverberation in rectangular long enclosures with geometrically reflecting boundaries, Acustica 82(3) 509-516 (May-Jun 1996), 2A276
Role of the admittance operator in rough-surface scattering, J Acoust Soc Am 100(1) 759-768 (Aug 1996), 2A277
Solvable model for the transmission of sound through a screen with narrow slit in the presence of a low-Mach-number bias flow, Reports Math Phys 37(3) 419-426 (Jun 1996), 2A278
Sound propagation and radiation in a curved duct, AIAA J 34(9) 1778-1784 (Sep 1996), 2A279
Spatial coherence and angular spreading of sound forward scattered from the sea surface: Measurements and interpretive model, J Acoust Soc Am 100(1) 748-758 (Aug 1996), 2A280
Wide-band approximation of the sound field scattered by an impenetrable body of arbitrary shape, J Sound Vib 194(4) 537-572 (Jul 1996), 2A281
Acoustic scattering by a narrow crack in an elastic plate, Wave Motion 24(1) 101-115 (Aug 1996), 3A304
Acoustic scattering from a thermally driven buoyant plume, J Acoust Soc Am 100(3) 1451-1462 (Sep 1996), 3A305
Connection between the scattering diagram and the amplitudes of the surface waves for acoustic scat-

tering by a baffled flexible plate, J Sound Vib **195**(4) 667-673 (Aug 1996), 3A306
Diffraction of a whispering-gallery mode by a spherical soft-hard cap, Int J Eng Sci **34**(11) 1247-1258 (Sep 1996), 3A307
Direct optimization approach to the 2D acoustic inverse problem in the time domain, Wave Motion **24**(1) 13-20 (Aug 1996), 3A308
Scattering of acoustic and elastic waves using hybrid multiple multipole expansions: FE technique, J Acoust Soc Am **100**(3) 1325-1338 (Sep 1996), 3A309
Two-dimensional acoustical diffraction by a penetrable wedge, J Acoust Soc Am **100**(3) 1316-1324 (Sep 1996), 3A310
Acoustic scattering from a semi-infinite, elastic, cylindrical shell, J Sound Vib **196**(2) 203-236 (Sep 1996), 4A291
Determination of far-field pattern of rigid scatterers using independent FEM and eigenfunction expansion - Part 1: Axisymmetric scattering, J Vib Acoust **118**(4) 575-582 (Oct 1996), 4A292
Determination of far-field pattern of rigid scatterers using independent FEM and eigenfunction expansion - Part 2: Nonaxisymmetric scattering, J Vib Acoust **118**(4) 583-590 (Oct 1996), 4A293
Invariance theorem in acoustic scattering theory, Inverse Prob **12**(5) 627-632 (Oct 1996), 4A294
Modeling sea surface scattering by the time-domain finite-difference method, J Acoust Soc Am **100**(4-PART 1) 2070-2078 (Oct 1996), 4A295
Near-field acoustic levitation of planar specimens using flexural vibration, J Acoust Soc Am **100**(4-PART 1) 2057-2061 (Oct 1996), 4A296
Nonlinear scattering of acoustic waves by discontinuity-like defects in application to crack detection, J Vib and Control **2**(4) 465-478 (Nov 1996), 4A297
Remote target identification of a pair of submerged elastic shells by active sonar, Inverse Prob Eng **3**(1-3) 67-78 (1996), 4A298
Sound scattering and attenuation of Albunex bubbles, J Acoust Soc Am **100**(4-PART 1) 2011-2028 (Oct 1996), 4A299
Acoustic scattering from cylindrical objects embedded between two half-spaces, J Acoust Soc Am **100**(5) 3053-3060 (Nov 1996), 5A241
Reflection coefficients for scattering from a pressure-release, sinusoidal surface, J Acoust Soc Am **100**(5) 2919-2936 (Nov 1996), 5A242
Reflection with beam displacement from simple barriers, Acustica **82**(4) 607-614 (Jul-Aug 1996), 5A243
Scattering of a horizontally polarized oblique wave by a pair of surface-breaking cracks, J Acoust Soc Am **100**(5) 2937-2941 (Nov 1996), 5A244
Scattering of an obliquely incident plane acoustic wave by a circular cylindrical shell: Results of computations, Acustica **82**(5) 689-697 (Sep-Oct 1996), 5A245
Sound transmission in buildings with elastic layers at joints, Appl Acoust **49**(2) 141-162 (Oct 1996), 5A246
Transient resonance scattering and target identification, Appl Mech Rev **50**(3) 131-148 (Mar 1997), 5A247
Wavefront expansions for pulse scattering by a surface inhomogeneity, Quart J Mech Appl Math **49**(4) 657-674 (Nov 1996), 5A248
Non-uniqueness of reflected and transmitted waves, Mech Res Commun **23**(6) 571-576 (Nov-Dec 1996), 6T243
Acoustic radiation from multi-span baffled panels, J Vib Acoust **119**(1) 80-84 (Jan 1997), 6A336
Influence of diffraction effects upon slightly-divergent acoustical beams forming in ocean waveguides, Acoust Lett **19**(7) 130-135 (Jan 1996), 6A337
Numerical modeling of the sound field near a tall building with balconies near a road, J Sound Vib **198**(4) 507-515 (Dec 1996), 6A338
Shape reconstruction of an impentrable scattering body via the Rayleigh hypothesis, Inverse Prob **12**(6) 1027-1055 (Dec 1996), 6A339
Stability of recovering the near-field wave from the scattering amplitude, Inverse Prob **12**(6) 859-867 (Dec 1996), 6A340
Two-dimensional focusing of sonic boom noise penetrating an air-water interface, AIAA J **35**(1) 35-39 (Jan 1997), 6A341
Acoustic backscatter from materials with rough surfaces and finite size microstructure: Theory, J Acoust Soc Am **101**(1) 264-271 (Jan 1997), 7A263
Acoustic signal-to-noise ratio for an inclusion beneath a randomly rough surface and in the presence of microstructure, J Acoust Soc Am **101**(1) 272-280 (Jan 1997), 7A264
Circular concentric Helmholtz resonators, J Acoust Soc Am **101**(1) 41-51 (Jan 1997), 7A265
Generalized network formulation for acoustic scattering, J Acoust Soc Am **101**(1) 107-118 (Jan 1997), 7A266
Schlieren image of 2D ultrasonic fields and cavity resonances, J Acoust Soc Am **101**(1) 250-256 (Jan 1997), 7A267
Two Scholte-Stoneley waves on doubly fluid-loaded plates and shells, J Acoust Soc Am **101**(1) 135-142 (Jan 1997), 7A268
Wave reflection from a transitional layer between the seawater and the bottom, J Acoust Soc Am **101**(1) 227-232 (Jan 1997), 7A269
Acoustic emission source location using Lamb wave modes, J Eng Mech **123**(2) 154-161 (Feb 1997), 7A788
Boundary diffraction wave model for a spherically focused ultrasonic transducer, J Acoust Soc Am **101**(3) 1269-1277 (Mar 1997), 8A324
Plane wave diffraction by a reactive step, Int J Eng Sci **35**(4) 311-319 (Mar 1997), 8A325
Reflection of a plane sound wave from a semi-infinite periodic transversely isotropic set of layers, J Acoust Soc Am **101**(3) 1239-1249 (Mar 1997), 8A326
Resonant scattering of acoustic waves by ellipsoid air bubbles in liquids, J Acoust Soc Am **101**(2) 681-685 (Feb 1997), 8A327
Scattering from an elastic shell and a rough fluid-elastic interface: Theory, J Acoust Soc Am **101**(2) 767-788 (Feb 1997), 8A328
Scattering of sound waves by a cylindrical vortex: A semi-analytical theory, J Fluid Mech **333** 273-299 (Feb 1997), 8A329
Simulation of structural response to sonic booms using structural acoustic techniques, J Acoust Soc Am **101**(3) 1456-1467 (Mar 1997), 8A330
Time-domain simulation of the influence of close barriers on sound propagation to the environment, J Acoust Soc Am **101**(3) 1278-1285 (Mar 1997), 8A331
Error estimation for FEM in acoustic scattering, Comp Assisted Mech Eng Sci **3**(4) 389-401 (1996), 9A30
Use of "ectoplasm" to predict radiation and transmission loss of a holed plate in a cavity, J Sound Vib **200**(4) 441-465 (Mar 1997), 9A253
Acousto-elastic multiple scattering: A comparison of ultrasonic experiments with multiple multipole expansions, J Acoust Soc Am **101**(4) 1836-1846 (Apr 1997), 9A266
Bottom reflection coefficient measurement and geoacoustic inversion at the continental margin near Vancouver Island with the aid of spiking filters, J Acoust Soc Am **101**(4) 1953-1960 (Apr 1997), 9A267
Graphical approach to wave propagation in a rigid duct, J Sound Vib **200**(5) 729-735 (Mar 1997), 9T268
Low-frequency acoustic scattering by gas-filled prolate spheroids in liquids, J Acoust Soc Am **101**(4) 1945-1952 (Apr 1997), 9A269
Restoration of the bottom characteristics by the interference structure of the wide-band sound, Acoust Lett **19**(8) 159-162 (Feb 1996), 9A270
Streaming generated by a bubble in an ultrasound field, J Acoust Soc Am **101**(4) 1899-1907 (Apr 1997), 9A271
Theory of the background amplitudes in acoustic resonance scattering, J Acoust Soc Am **101**(4) 2083-2087 (Apr 1997), 9A272
Acoustic 2D radiation and scattering from cylinders using source density, SVD and Fourier methods, J Sound Vib **201**(3) 305-321 (Apr 1997), 10A353
Acoustic scattering of a plane wave by two spherical elastic shells above the coincidence frequency, J Acoust Soc Am **101**(5) 2659-2668 (May 1997), 10A354
Comparison of a ray model with a Fourier-BEM for traffic noise situations with multiple diffractions and reflections, Acustica **83**(1) 35-47 (Jan-Feb 1997), 10A355
Comparison of design optimization formulations for minimization of noise transmission in a cylinder, J Aircraft **34**(2) 236-243 (Mar-Apr 1997), 10A356
GTD analysis of scattering by two elastic spheres, Acustica **83**(1) 93-104 (Jan-Feb 1997), 10A357
Investigation of the small slope approximation for scattering from rough surfaces - Part II: Numerical studies, J Acoust Soc Am **101**(5) 2615-2625 (May 1997), 10A358
Low-frequency acoustic scattering by a cube: Experimental measurements and theoretical predictions, J Acoust Soc Am **101**(5) 2571-2582 (May 1997), 10A359
New formulation of the resonance scattering theory, J Acoust Soc Am **101**(5) 2491-2495 (May 1997), 10A360
Radiation force on a spherical object in the field of a focused cylindrical transducer, J Acoust Soc Am **101**(5) 2443-2447 (May 1997), 10A361
Simultaneous acoustic and microwave backscattering from the sea surface, J Acoust Soc Am **101**(5) 2583-2595 (May 1997), 10A362
Variability of high-frequency acoustic backscatter from the region near the sea surface, J Acoust Soc Am **101**(5) 2596-2602 (May 1997), 10A363
Acoustic radiation from a phased line source at a fluid-solid boundary, IMA J Appl Math **58**(2) 93-110 (Apr 1997), 11A213
Impedance scattering problem for a point source field: The small resistive sphere, Quart J Mech Appl Math **50**(2) 321-332 (May 1997), 11A252
Development of the direct BEM for thin bodies with general boundary conditions, J Sound Vib **202**(3) 361-373 (May 1997), 12A66
Studies of sound transmission in various types of stored grain for acoustic detection of insects, Appl Acoust **50**(4) 263-278 (Apr 1997), 12A319
Acoustic dispersion and attenuation in many spherical scatterer systems with the Kramers-Kronig relations, J Acoust Soc Am **101**(6) 3299-3305 (Jun 1997), 12A321
Anomalous attenuation effect of reflectivity of an ultrasonic wave from a thin layer between dissimilar materials, J Acoust Soc Am **101**(6) 3405-3414 (Jun 1997), 12A322
Goupillaud inverse problem with arbitrary input, J Acoust Soc Am **101**(6) 3255-3260 (Jun 1997), 12A323
New method for predicting the sound absorption of perforated absorber systems, Appl Acoust **51**(1) 71-84 (May 1997), 12A324
Scattering of antisymmetric edge modes, J Acoust Soc Am **101**(6) 3261-3269 (Jun 1997), 12A325
Scattering of vorticity waves by a supersonic rectangular wing, Wave Motion **25**(4) 369-383 (Jun 1997), 12A326
Stroh formalism and the reciprocity properties of reflection-transmission problems in crystal piezoacoustics, Wave Motion **25**(4) 331-345 (Jun 1997), 12A327

172I. Acoustic properties of materials

Acoustic properties of wool, Appl Acoust **48**(2) 101-120 (Jun 1996), 1A321
Improved empirical model of sound propagation through a fibrous material, Appl Acoust **48**(2) 121-132 (Jun 1996), 1A322
Direct measurement of dynamic compressibility modulus: Introducing the K-meter and experimental difficulties (French), Acustica **82**(3) 431-441 (May-Jun 1996), 2A282
Sound absorption of wood-based materials, Appl Acoust **48**(4) 339-356 (Aug 1996), 3A311
Acoustic performance of an interference-type noise-barrier profile, Appl Acoust **49**(1) 1-16 (Sep 1996), 4A300
Effect of oiling up on the failure of concrete determined by acoustic emission, Arch Acoust **21**(2) 215-223 (1996), 4A841
Analysis of a rigid frame model of porous media for the acoustic properties of dense snow, J Sound Vib **196**(4) 439-451 (Oct 1996), 4A1468
Acoustic properties of synthetic films, Appl Acoust **49**(2) 127-140 (Oct 1996), 5A249
Dynamic Young's modulus and loss factor of floor covering materials, Appl Acoust **49**(2) 179-190 (Oct 1996), 5A250
Numerical study on the propagation of sound through capillary tubes with mean flow, J Sound Vib **198**(1) 67-79 (Nov 1996), 5A251
Ultrasonic velocity and attenuation measurements in sodium lead borate glasses, Acustica **82**(4) 615-618 (Jul-Aug 1996), 5A252
Potentials and limitations of acoustic metrology for dimensional conformance: A comparative study, J Sound Vib **197**(2) 153-178 (Oct 1996), 5A733
Investigation of an open screen acoustic performance, Appl Acoust **49**(3) 263-282 (Nov 1996), 6A342
Liquid dielectric with dispersed particles as an active medium for an "acoustic" laser, J Intelligent Mat Syst Struct **7**(5) 503-506 (Sep 1996), 6A343
Determination of grain-size distribution from ultrasonic attenuation: Transformation and inversion, J Acoust Soc Am **101**(2) 686-689 (Feb 1997), 8A332
Study of the transmission of ultrasound across solid-rubber interfaces, J Acoust Soc Am **101**(2) 970-981 (Feb 1997), 8A333
Acoustic wave propagation in two-phase viscoelastic fluids: The case of polymeric emulsions, J Acoust Soc Am **101**(4) 1868-1876 (Apr 1997), 9A273
Real time ultrasonic spectroscopy for acoustic characterization of materials, Acoust Lett **19**(8) 153-158 (Feb 1996), 9A274
Sound absorption height and width limits for polymer relaxations, J Acoust Soc Am **101**(4) 2008-2011 (Apr 1997), 9A275
Experimental study of ultrasonic attenuation in microporous polyethylene, Appl Acoust **50**(1) 23-33 (Jan 1997), 10A364
Model of anomalous elastic nonlinearity of microinhomogeneous media, Acoust Lett **19**(9) 171-174 (Mar 1996), 10A365
Parallel 3D computational aeroacoustics method using nonlinear disturbance equations, J Comput Phys **133**(1) 56-74 (May 1997), 10A366
Temperature and pressure dependence of thermoacoustical parameters of liquid argon and xenon, Acustica **83**(1) 90-92 (Jan-Feb 1997), 10A367
Simple, relaxational models for the acoustical properties of porous media, Appl Acoust **50**(3) 171-188 (Mar 1997), 11A253

172J. Noise control and reduction (incl active control)

Two dimensional analysis of thin, shell, or plate like muffler elements, J Sound Vib **194**(2) 137-171 (Jul 1996), 1A187
Development of sound pressure level integral sensitivity and its application to vehicle interior noise reduction, Eng Comput **13**(5) 91-107 (1996), 1A323
Flow noise calculations for extended hydrophones in fluid- and solid-filled towed arrays, J Acoust Soc Am **100**(1) 245-251 (Jul 1996), 1A324
Mixed experimental and theoretical method for noise propagation and radiation prediction of a cowled axial fan, J Acoust Soc Am **100**(1) 166-177 (Jul 1996), 1A325
New package for blast noise prediction at UK artillery and testing ranges, Appl Acoust **48**(2) 133-154 (Jun 1996), 1A326
Optimal design of acoustical foam treatments, J Vib Acoust **118**(3) 498-504 (Jul 1996), 1A327
Tutorial on sound propagation outdoors, J Acoust Soc Am **100**(1) 31-48 (Jul 1996), 1A328
Two-dimensional analysis of thin shell- or plate-like muffler elements of non-uniform thickness, J Sound Vib **195**(3) 445-475 (Aug 1996), 2A158
Active control of multi-modal propagation of tonal noise in ducts, J Sound Vib **195**(1) 33-56 (Aug 1996), 2A283
Effect of inlet reflections on fan noise radiation, AIAA J **34**(9) 1771-1777 (Sep 1996), 2A284
Effects of a porous jacket on sound radiated from a pipe, J Acoust Soc Am **100**(1) 882-888 (Aug 1996), 2A285
Effects of multiple secondary paths on convergence properties in active noise control systems with LMS algorithm, J Sound Vib **195**(2) 217-228 (Aug 1996), 2A286
Effects of orchestra shells, J Acoust Soc Am **100**(1) 889-898 (Aug 1996), 2A287
Helmholtz resonators: 1D limit for small cavity length-to-diameter ratios, J Sound Vib **195**(3) 512-517 (Aug 1996), 2T288
NASA noise reduction program for advanced subsonic transports, Noise Control Eng J **44**(3) 135-140 (May-Jun 1996), 2A289
Rating index for estimating insertion loss of noise barriers under traffic noise conditions, Acustica **82**(3) 504-508 (May-Jun 1996), 2A290
Room acoustic prediction based on a unified treatment of diffuse and specular reflection, J Acoust Soc Am **100**(1) 899-909 (Aug 1996), 2A291
Active Control of Vibration and Noise (ASME, New York, 1996) 3N6
Active control of cascade flutter by means of sound waves from duct wall sources, JSME Int J Ser B **39**(3) 608-614 (Aug 1996), 3T280
Analysis and robust design of active noise control systems incorporating compact sources, Int J Active Control **1**(2) 109-144 (1995), 3A312
Assessment of the sound insulation of a wood joist construction due to different types of impact sources, Appl Acoust **48**(3) 195-203 (Jul 1996), 3A313
Characteristics of noise in air-conditioned landscaped offices, Appl Acoust **48**(3) 249-267 (Jul 1996), 3A314
Phase compensation for feedback control of enclosed sound fields, J Sound Vib **195**(5) 701-718 (Sep 1996), 3A315
Theoretical analysis of the acoustical behavior of roadside barriers with diffusive internal surfaces, Appl Acoust **48**(4) 323-338 (Aug 1996), 3A316
Use of genetic algorithms to optimize vibration actuator placement for active control of harmonic interior noise in a cylinder with floor structure, Noise Control Eng J **44**(4) 169-184 (Jul-Aug 1996), 3A317
Dependence of diffusion parameters in a room acoustics prediction model on auditorium sizes and shapes, J Acoust Soc Am **100**(4-PART 1) 2193-2203 (Oct 1996), 4A301
Distributed piezoelectric actuators for shell interior noise control, J Vib Acoust **118**(4) 676-681 (Oct 1996), 4A302
Minimization of acoustic potential energy in irregularly shaped cavities, J Vib Acoust **118**(4) 599-605 (Oct 1996), 4A303
Modeling of the seat dip effect using the finite-difference time-domain method, J Acoust Soc Am **100**(4-PART 1) 2204-2212 (Oct 1996), 4A304
Near-field approach to active control of sound radiation from a fluid-loaded rectangular plate, J Sound Vib **196**(5) 579-593 (Oct 1996), 4A305
Proceedings of the ASME Noise Control and Acoustics Division, Volume 2 (ASME, New York, 1996) 5N6
Active control of finite beam volume velocity using shaped PVDF sensor, Acustica **82**(5) 772-783 (Sep-Oct 1996), 5A253
Active sonic boom control, J Fluid Mech **325** 1-28 (Oct 1996), 5A254

Ear muff performance in impulsive noise as a function of angle of incidence, Acustica **82**(5) 763-771 (Sep-Oct 1996), 5A255

Efficient calculation of the 3D sound pressure field around a noise barrier, J Sound Vib **197**(5) 547-571 (Nov 1996), 5A256

Modified H_∞ feedforward active control system for suppressing broadband random and transient noises, J Sound Vib **198**(1) 81-94 (Nov 1996), 5A257

Relationship between volume velocity and far-field radiated pressure of a planar structure, J Sound Vib **197**(2) 252-254 (Oct 1996), 5T258

Spatial information of sound fields for room-acoustics evaluation and diagnosis, J Acoust Soc Am **100**(5) 3215-3226 (Nov 1996), 5A259

Transform domain optimization to increase the convergence speed of the multichannel filtered-X least-mean-square algorithm, J Acoust Soc Am **100**(5) 3203-3214 (Nov 1996), 5A260

Noise Control in Industry: A Practical Guide (Noyes, Westwood, NJ, 1996) 6N8

Active control of fan-generated tone noise, AIAA J **35**(1) 17-22 (Jan 1997), 6A344

Actuators for active noise and vibration control, Int J Active Control **1**(3) 237-247 (1995), 6A345

Differential Riccati equation for the active control of a problem in structural acoustics, J Optim Theory Appl **91**(3) 695-728 (Dec 1996), 6A346

Low flow-noise microphone for active noise control applications, AIAA J **35**(1) 29-34 (Jan 1997), 6A347

Phase controller for laboratory testing of active sound and vibration control strategies, Int J Active Control **1**(3) 223-236 (1995), 6A348

Sound absorption of a cavity-backed membrane: A step towards design method for membrane-type absorbers, Appl Acoust **49**(3) 237-247 (Nov 1996), 6A349

Unified adaptive active control mechanism for noise cancellation and vibration suppression, Mech Syst Signal Processing **10**(6) 667-682 (Nov 1996), 6A350

Actuator technologies for active noise control in gas turbines, J Aircraft **33**(6) 1174-1180 (Nov-Dec 1996), 6A1359

Active control of axial-flow fan noise, J Acoust Soc Am **101**(1) 341-349 (Jan 1997), 7A270

Arrangement of error sensors for adaptive active noise control in free sound field (Chinese), J Vib Eng **9**(4) 348-352 (Dec 1996), 7T271

Global attenuation of broadband noise fields using energy density control, J Acoust Soc Am **101**(1) 350-359 (Jan 1997), 7A272

Interrupted traffic noise, J Acoust Soc Am **101**(1) 360-371 (Jan 1997), 7A273

Simplified model of the ground effect, J Acoust Soc Am **101**(1) 372-376 (Jan 1997), 7A274

Effect of protective layer on the performance of absorptive ducts, Noise Control Eng J **45**(1) 14-18 (Jan-Feb 1997), 8A313

Acoustic modeling of multiple path silencers with experimental validations, J Sound Vib **200**(2) 195-225 (Feb 1997), 8A334

Actively created quiet zones by multiple control sources in free space, J Acoust Soc Am **101**(3) 1492-1501 (Mar 1997), 8A335

Interior noise analysis based on acoustic excitation tests, Int J Vehicle Des **18**(1) 1-18 (1997), 8A336

New hybrid passive-active noise absorption system, J Acoust Soc Am **101**(3) 1512-1515 (Mar 1997), 8A337

Noise reduction of diesel engines with internal stiffeners, Noise Control Eng J **45**(1) 1-13 (Jan-Feb 1997), 8A338

Nonlinear fluid dynamic modeling of reactive silencers involving extended inlet-outlet and perforated ducts, Noise Control Eng J **45**(1) 35-51 (Jan-Feb 1997), 8A339

Sound transmission through a double leaf partition with edge flanking, J Acoust Soc Am **101**(2) 964-969 (Feb 1997), 8A340

Time-domain analysis and synthesis of active noise control systems in ducts, J Acoust Soc Am **101**(3) 1502-1511 (Mar 1997), 8A341

Acoustics and Noise Control Handbook for Architects and Builders (Krieger, Melbourne FL, 1997) 9N8

Placing constrained layer damping patches using reactive shearing structural intensity measurements, J Acoust Soc Am **101**(4) 2075-2082 (Apr 1997), 9A120

Active maximum power absorber for the reduction of noise and vibration, J Sound Vib **200**(3) 261-279 (Feb 1997), 9A175

Optimal energy absorption as an active noise and vibration control strategy, J Sound Vib **200**(3) 243-259 (Feb 1997), 9A179

Active control or passive control: Outline of active noise control and its application to practical problems, Arch Acoust **21**(3) 255-266 (1996), 9A276

Adaptive IIR filtered-v algorithms for active noise control, J Acoust Soc Am **101**(4) 2097-2103 (Apr 1997), 9A277

Design of active structural acoustic control systems using a nonvolumetric eigenproperty assignment approach, J Acoust Soc Am **101**(4) 2088-2096 (Apr 1997), 9A278

Effects of piezo-actuator delamination on the performance of active noise and vibration control systems, J Intelligent Mat Syst Struct **7**(6) 668-676 (Nov 1996), 9A279

Electro-pneumatic active vibration control system for the driver's seat of agricultural tractors, Arch Acoust **21**(3) 345-353 (1996), 9A280

Enclosures solutions, studies of acoustic effectiveness under real conditions, Arch Acoust **21**(3) 287-298 (1996), 9A281

Influence of the external wall on the airborne sound insulation in buildings, Arch Acoust **21**(3) 299-309 (1996), 9A282

Optimal placement of piezoelectric actuators for active noise control, AIAA J **35**(3) 526-533 (Mar 1997), 9A283

Sound intensity: State-of-the art in noise control of buildings, Arch Acoust **21**(3) 231-254 (1996), 9T284

Nozzle thrust optimization while reducing jet noise, AIAA J **35**(3) 420-427 (Mar 1997), 9A1092

Energy models of 1D, multi-propagative systems, J Sound Vib **201**(5) 535-554 (Apr 1997), 10A256

Active anechoic termination for low frequencies with mean flow, Acustica **83**(1) 25-34 (Jan-Feb 1997), 10A368

Active cancellation of pressure at a point in a pure tone diffracted diffuse sound field, J Sound Vib **201**(1) 43-65 (Mar 1997), 10A369

Active control of transient noise transmission, Appl Acoust **50**(1) 1-22 (Jan 1997), 10A370

Active intensity control for the reduction of radiated duct noise, J Sound Vib **201**(5) 595-611 (Apr 1997), 10A371

Active noise control based on intelligent fuzzy control tactics (Chinese), J Vib Eng **10**(1) 42-47 (Mar 1997), 10A372

Adaptive-passive noise control with self-tuning Helmholtz resonators, J Sound Vib **202**(1) 109-123 (Apr 1997), 10A373

Control of vortex pairing sound, AIAA J **35**(5) 802-809 (May 1997), 10A374

Development of a feedforward active noise control system by using the H_2 and H_∞ model matching principle, J Sound Vib **201**(2) 189-204 (Mar 1997), 10A375

Modal suppression and modal reconstruction of active structures by secondary force (Chinese), J Vib Eng **10**(1) 35-41 (Mar 1997), 10A376

Modified JMC method in active control of sound, Acustica **83**(1) 105-112 (Jan-Feb 1997), 10A377

Noise control in power plant, Proc Inst Mech Eng A **211**(A1) 73-93 (1997), 10A378

Noise reduction by a barrier having a random edge profile, J Acoust Soc Am **101**(5) 2669-2676 (May 1997), 10A379

Optimization of an active noise control system using spherical harmonics expansion of the primary field, J Sound Vib **201**(5) 577-593 (Apr 1997), 10A380

Active control of sound fields from a composite plate using the anisotropy and shape of distributed PVDF actuators, J Sound Vib **202**(4) 461-476 (May 1997), 11A254

Active feedback noise control of a magnetic bearing pump, Noise Control Eng J **45**(2) 78-84 (Mar-Apr 1997), 11A255

Iterative design method to reduce the exhaust and venting noise of a vacuum cleaner motor with minimum use of absorptive foam, Noise Control Eng J **45**(2) 63-68 (Mar-Apr 1997), 11A256

Micro-perforated panels for duct silencing, Noise Control Eng J **45**(2) 69-77 (Mar-Apr 1997), 11A257

Sound intensity measurement, Appl Acoust **50**(2) 97-166 (Feb 1997), 11A258

Uniform theory of sound screens and dams, Acustica **83**(2) 260-283 (Mar-Apr 1997), 11A259

Use of optimally shaped piezoelectric film sensors in the active control of free field structural radiation - Part 2: Feedback control, J Vib Acoust **118**(1) 112-121 (Jan 1996), 11A260

Dual BE formulation for sound propagation around barriers over an impedance plane, J Sound Vib **202**(2) 235-247 (May 1997), 12A67

Propagation of train noise in housing estates, Appl Acoust **51**(1) 1-12 (May 1997), 12A303

Active control of environmental noise - II: Non-compact acoustic sources, J Sound Vib **202**(3) 313-359 (May 1997), 12A328

Active control of turbomachine discrete frequency noise utilizing oscillating flaps and pistons, AIAA J **35**(7) 1105-1112 (Jul 1997), 12A329

Application of a least squares lattice algorithm to active noise control for an automobile, J Dyn Syst Meas Control **119**(2) 318-320 (Jun 1997), 12A330

Characterization of a diffuse field in a reverberant room, J Acoust Soc Am **101**(6) 3517-3524 (Jun 1997), 12A331

Effects of sampling rate and length of an adaptive filter on the active control of a plane sound wave in a lossy semi-infinite waveguide, J Sound Vib **203**(1) 127-150 (May 1997), 12A332

Experiments on the active control of broadband sound radiation from a lightweight partition, J Sound Vib **202**(3) 438-445 (May 1997), 12T333

Generation of zones of quiet using a virtual microphone arrangement, J Acoust Soc Am **101**(6) 3498-3516 (Jun 1997), 12A334

Surface impedance control for sound absorption: Direct and Hybrid passive-active strategies, J Sound Vib **203**(2) 219-236 (Jun 1997), 12A335

172Y. Computational techniques

Space-time FEM for structural acoustics in infinite domains - Part I: Formulation, stability, and convergence, Comput Methods Appl Mech Eng **132**(3-4) 195-227 (Jun 1996), 1A32

Space-time FEM for structural acoustics in infinite domains - Part 2: Exact time-dependent non-reflecting boundary conditions, Comput Methods Appl Mech Eng **132**(3-4) 229-258 (Jun 1996), 1A33

Recent developments in FEM for structural acoustics, Arch Comput Methods Eng **3**(2-3) 131-309 (1996), 1A76

Extraction of normal modes from contaminated measurement with noise for highly coupled structures, J Vib Acoust **118**(3) 430-435 (Jul 1996), 1A155

Comparison of algorithms for solving parabolic wave equations, J Acoust Soc Am **100**(1) 178-182 (Jul 1996), 1A329

Construction and analysis of fourth-order finite difference schemes for the acoustic wave equation in nonhomogeneous media, SIAM J Numer Anal **33**(4) 1266-1302 (Aug 1996), 1A330

Error bounds on ultrasonic scatterer size estimates, J Acoust Soc Am **100**(1) 392-399 (Jul 1996), 1A331

Estimation of error in FE acoustic analysis, Comput Struct **61**(1) 13-19 (Aug 1996), 1A332

Finite element analysis of the propagation of acoustic waves in waveguides, J Sound Vib **194**(2) 119-136 (Jul 1996), 1A333

Locating sound sources with vector sound-intensity probes, using polynomial continuation, J Acoust Soc Am **100**(1) 49-56 (Jul 1996), 1A334

Numerical solution and *a posteriori* error estimation of exterior acoustics problems by a BEM at high wave numbers, J Acoust Soc Am **100**(1) 335-345 (Jul 1996), 1A335

Plane-wave decomposition method for modeling scattering from objects and bathymetry in a waveguide, J Acoust Soc Am **100**(1) 183-192 (Jul 1996), 1A336

Single-reference calibration technique for multiple-element array sonar imaging systems, J Acoust Soc Am **100**(1) 400-407 (Jul 1996), 1A337

Spectral statistics in damped systems - Part I: Modal decay rate statistics, J Acoust Soc Am **100**(1) 320-326 (Jul 1996), 1A338

Spectral statistics in damped systems - Part II: Spectral density fluctuations, J Acoust Soc Am **100**(1) 327-334 (Jul 1996), 1A339

Three-dimensional finite difference simulation of sonic logging, J Acoust Soc Am **100**(1) 72-79 (Jul 1996), 1A340

Distortion and dispersion of nonlinear waves in a rectangular duct due to a bifrequency excitation, Acustica **82**(3) 411-422 (May-Jun 1996), 2A259

Application of wavelet to inverse scattering: II, Inverse Prob **12**(4) 499-516 (Aug 1996), 2A292

Finite element modeling of scattering problems involving infinite domains using drilling dofs, Comput Methods Appl Mech Eng **134**(1-2) 57-70 (Jul 1996), 2A293

Generalized approximation for a Cramer-Rao lower bound on direction-of-arrival estimates for a pair of closely spaced sources, J Acoust Soc Am **100**(1) 918-924 (Aug 1996), 2A294

Modified gradient approach to inverse scattering for binary objects in stratified media, Inverse Prob **12**(4) 463-481 (Aug 1996), 2A295

Quantized pyramidal beam tracing: A new algorithm for room acoustics and noise immission prognosis, Acustica **82**(3) 517-525 (May-Jun 1996), 2A296

Rational approximations to $1/\sqrt{1 - s^2}$, one-way wave equations and absorbing boundary conditions, J Comput Appl Math **72**(2) 245-259 (Aug 1996), 2A297

Simple calculation approach for the second harmonic sound field generated by an arbitrary axial-symmetric source, J Acoust Soc Am **100**(1) 727-733 (Aug 1996), 2A298

Simple method for solving inverse scattering problems in the resonance region, Inverse Prob **12**(4) 383-393 (Aug 1996), 2A299

Acoustic estimation of seafloor parameters: A radial basis functions approach, J Acoust Soc Am **100**(3) 1473-1481 (Sep 1996), 3A318

Adaptive grid procedure for high intensity pulses propagating in air, Appl Acoust **48**(3) 205-235 (Jul 1996), 3A319

Combined volume and surface scattering in a channel using a modal formulation, J Acoust Soc Am **100**(3) 1463-1472 (Sep 1996), 3A320

Hybrid coupled wave-number integration approach to range-dependent seismoacoustic modeling, J Acoust Soc Am **100**(3) 1409-1420 (Sep 1996), 3A321

Local sound field reproduction using digital signal processing, J Acoust Soc Am **100**(3) 1584-1593 (Sep 1996), 3A322

Matched-field inversion for source location and optimal equivalent bathymetry, J Acoust Soc Am **100**(3) 1493-1500 (Sep 1996), 3A323

New complex-valued formulation and eigenvalue analysis of the Helmholtz equation by BEM, Adv Eng Software **26**(3) 219-227 (Aug 1996), 3A324

Numerical model for moderately nonlinear sound propagation in 3D structures, J Acoust Soc Am **100**(3) 1357-1367 (Sep 1996), 3A325

Riccati method for the Helmholtz equation, J Acoust Soc Am **100**(3) 1432-1446 (Sep 1996), 3A326

Analytical solution of a condenser microphone model as an example of the mathematical treatment of coupled acoustic systems, J Acoust Soc Am **100**(4-PART 1) 2156-2165 (Oct 1996), 4A306

Application of Hilbert space techniques and Green's function methods to a realistic condenser microphone model, J Acoust Soc Am **100**(4-PART 1) 2166-2169 (Oct 1996), 4A307

Comparison of three diffuse reflection modeling methods used in room acoustics computer models, J Acoust Soc Am **100**(4-PART 1) 2181-2192 (Oct 1996), 4A308

Fast new method to solve inverse scattering problems, Inverse Prob **12**(5) 731-742 (Oct 1996), 4A309

Finite difference time marching in the frequency domain: A parabolic formulation for the convective wave equation, J Vib Acoust **118**(4) 622-629 (Oct 1996), 4A310

Finite element computation of attenuation in bar-silencers and comparison with measured data, J Sound Vib **196**(3) 351-369 (Sep 1996), 4A311

Implicit high-order compact algorithm for computational acoustics, AIAA J **34**(10) 2029-2037 (Oct 1996), 4A312

Room response to frequency change and its relation to the pitch changes, Arch Acoust **21**(2) 201-214 (1996), 4T313

Superconvergent patch recovery technique for the FEM in acoustics, Commun Numer Methods Eng **12**(9) 581-594 (Sep 1996), 4A314

Synthesis of organ pipe sound based on simplified physical models, Arch Acoust **21**(2) 131-147 (1996), 4A315

Ultrasonic tomography using curved ray paths obtained by wave propagation simulations on a massively parallel computer, J Acoust Soc Am **100**(4-PART 1) 2103-2111 (Oct 1996), 4A316

Ultrasound fields from triangular apertures, J Acoust Soc Am **100**(4-PART 1) 2049-2056 (Oct 1996), 4A317

Uniqueness in inverse obstacle scattering with conductive boundary condition, Inverse Prob **12**(5) 619-625 (Oct 1996), 4A318

Application of the FEM for modeling backed transducers, J Acoust Soc Am **100**(5) 3098-3103 (Nov 1996), 5A261

Matrix-free interpretation of the non-local Dirichlet-to-Neumann radiation boundary condition, Int J Numer Methods Eng **39**(21) 3705-3713 (Nov 1996), 5A262

Numerical solution of parabolic equations for strongly curved focusing sources, Acustica **82**(5) 698-706 (Sep-Oct 1996), 5A263

Reconstruction of the vibro-acoustic field over the surface enclosing an interior space using the BEM, J Acoust Soc Am **100**(5) 3003-3016 (Nov 1996), 5A264

Statistical energy analysis of multiple, non-conservatively coupled systems, J Sound Vib **198**(1) 95-122 (Nov 1996), 5A265

Variational formulation of interior cavity frequencies for spheroidal bodies, J Acoust Soc Am **100**(5) 2980-2988 (Nov 1996), 5A266

Computer Systems for Acoustic Diagnostics (Polish) (Sci Pub, Warsaw, 1996) 6R6

Solution of 3D-Laplace and Helmholtz equations in exterior domains using hp-infinite elements, Comput Methods Appl Mech Eng **137**(3-4) 239-273 (Nov 1996), 6A57

Analysis of preconditions for hyperbolic partial differential equations, SIAM J Numer Anal **33**(6) 2131-2165 (Dec 1996), 6A247

Note on higher-order surface radiation conditions, IMA J Appl Math **57**(2) 137-163 (Oct 1996), 6A351

Reducing spurious dispersion, anisotropy, and reflection in FE analysis of time-harmonic acoustics, Comput Methods Appl Mech Eng **140**(1-2) 39-58 (Jan 1997), 6A352

Solution of discontinuous interior Helmholtz problems by the boundary and shell element method, Comput Methods Appl Mech Eng **140**(3-4) 393-404 (Jan 1997), 6A353

Versatile Kirchhoff code for aeroacoustic predictions, AIAA J **35**(1) 198-200 (Jan 1997), 6T354

Cartesian boundary treatment of curved walls for high-order computational aeroacoustics schemes, AIAA J **35**(1) 133-140 (Jan 1997), 6A1049

Acoustic BEM using analytical-numerical matching, J Acoust Soc Am **101**(1) 92-106 (Jan 1997), 7A275

Aeroacoustic BEM using analytical-numerical matching, AIAA J **35**(2) 244-254 (Feb 1997), 7A276

Boundary element evaluation on the performance of sound absorbing wedges for anechoic chambers, Eng Anal Boundary Elements **18**(2) 103-110 (Sep 1996), 7A277

Computation of acoustic waves through sliding-zone interfaces, AIAA J **35**(2) 263-268 (Feb 1997), 7A278

Direct optimization methods, ray propagation, and chaos - I: Continuous media, J Acoust Soc Am **101**(1) 174-183 (Jan 1997), 7A279

Direct optimization methods, ray propagation, and chaos - II: Propagation with discrete transitions, J Acoust Soc Am **101**(1) 184-192 (Jan 1997), 7A280

Finding the eigenmodes of 2D cavities with two axes of symmetry, Acustica **82**(6) 811-822 (Nov-Dec 1996), 7A281

Low-dispersion finite volume scheme for aeroacoustic applications, AIAA J **35**(2) 255-262 (Feb 1997), 7A282

New phenomena on King integral with dissipation, J Acoust Soc Am **101**(1) 119-124 (Jan 1997), 7A283

Optimal selection of parameters for the angular spectrum approach to numerically evaluate acoustic fields, J Acoust Soc Am **101**(1) 125-134 (Jan 1997), 7A284

A posteriori error estimate for a first-kind integral equation, Math Comput **66**(217) 139-155 (Jan 1997), 7A285

Ray shooting, eigenray search, and complex resonances for submerged structures, J Acoust Soc Am **101**(1) 66-76 (Jan 1997), 7A286

Spatial resolution of diffraction tomography, J Acoust Soc Am **101**(1) 77-86 (Jan 1997), 7A287

Two alternative expressions for the spherical wave expansion of the time domain scalar free-space Green's function and an application: Scattering by a soft sphere, J Acoust Soc Am **101**(1) 87-91 (Jan 1997), 7A288

Wavelet-based denoising of underwater acoustic signals, J Acoust Soc Am **101**(1) 377-383 (Jan 1997), 7A289

Nonlinear fluid dynamic modeling of reactive silencers involving extended inlet-outlet and perforated ducts, Noise Control Eng J **45**(1) 35-51 (Jan-Feb 1997), 8A339

Acoustic SH phonons in a superlattice with (111) interfaces, J Acoust Soc Am **101**(3) 1380-1387 (Mar 1997), 8A342

Analytical method for describing the paraxial region of finite amplitude sound beams, J Acoust Soc Am **101**(3) 1298-1308 (Mar 1997), 8A343

Application of analytical-numerical matching to structural discontinuities in structural-acoustic problems, J Acoust Soc Am **101**(2) 925-935 (Feb 1997), 8A344

Application of the Foldy-Wouthuysen transformation to the reduced wave equation in range-dependent environments, J Acoust Soc Am **101**(3) 1309-1327 (Mar 1997), 8A345

Boundary integral approach for acoustic radiation of axisymmetric bodies with arbitrary boundary conditions valid for all wave numbers, J Acoust Soc Am **101**(3) 1468-1478 (Mar 1997), 8A346

Finite element solution in the Helmholtz equation with high wave number - Part II: The h-p version of the FEM, SIAM J Numer Anal **34**(1) 315-358 (Feb 1997), 8A347

Hybrid split-step-finite-difference PE algorithm for variable-density media, J Acoust Soc Am **101**(3) 1328-1335 (Mar 1997), 8A348

Implementing and improving statistical energy analysis models using quality technology, Noise Control Eng J **45**(1) 27-34 (Jan-Feb 1997), 8A349

Lamb waves in piezoelectric focused radiator as a reason for discrepancy between O'Neil's formula and experiment, J Acoust Soc Am **101**(3) 1286-1297 (Mar 1997), 8A350

Rational square-root approximations for parabolic equation algorithms, J Acoust Soc Am **101**(2) 760-766 (Feb 1997), 8T351

Riccati equations for the scattering matrices in 2D, Inverse Prob **13**(1) 1-13 (Feb 1996), 8A352

Singular points of intensity streamlines in 2D sound fields, J Acoust Soc Am **101**(2) 705-712 (Feb 1997), 8A353

Statistical analysis for an inverse acoustic problem in estimating spatially varying sound velocity, J Acoust Soc Am **101**(3) 1262-1268 (Mar 1997), 8A354

Statistical consideration for the estimation of spatially varying sound velocity and water density in acoustic inversion, Inverse Prob Eng **4**(2) 129-151 (1996), 8A355

Study on beam optimizing of wideband stagger-tuned array, J Acoust Soc Am **101**(2) 854-859 (Feb 1997), 8A356

Wave propagation and attenuation in Herschel-Venturi tubes, J Acoust Soc Am **101**(2) 936-942 (Feb 1997), 8A357

Laser ultrasonic studies of solid-liquid interfaces, J Acoust Soc Am **101**(2) 843-853 (Feb 1997), 8A852

Active, wideband detection and localization in an uncertain multipath environment, J Acoust Soc Am **101**(4) 1961-1970 (Apr 1997), 9A285

Analytic investigation of chaos in a class of parabolic ray systems, J Acoust Soc Am **101**(4) 1971-1980 (Apr 1997), 9A286

Complete extension of the Biot-Tolstoy solution to the density contrast wedge with sample calculations, J Acoust Soc Am **101**(4) 1821-1835 (Apr 1997), 9A287

Dielectric resonator figure of merit, Bull Polish Acad Sci Tech Sci **44**(2) 129-139 (1996), 9T288

Finite element analysis of the propagation of acoustic waves along waveguides immersed in water, J Sound Vib **200**(4) 519-530 (Mar 1997), 9A289

High resolution scheme for the numerical simulation of second sound in crystals, Meccanica **32**(1) 85-92 (Feb 1997), 9A290

Numerical algorithms for acoustic integrals with examples for rotor noise prediction, AIAA J **35**(4) 625-630 (Apr 1997), 9A291

Sound field simulation of the tractor's gearbox structure using structural and acoustic interactions, Arch Acoust **21**(3) 317-324 (1996), 9A292

Speckle coherence and implications for adaptive imaging, J Acoust Soc Am **101**(4) 1847-1858 (Apr 1997), 9A293

Termination criteria in iterative solution of large scattering problems using integral equation methods, Commun Numer Methods Eng **13**(3) 199-206 (Mar 1997), 9A294

Multigrid acceleration of a high-resolution computational aeroacoustics scheme, AIAA J **35**(3) 428-433 (Mar 1997), 9A1171

High-order boundary conditions and FEs for infinite domains, Comput Methods Appl Mech Eng **143**(1-2) 13-39 (Apr 1997), 10A49

Determination of acoustic absorber parameters in impedance tubes, Appl Acoust **50**(1) 79-89 (Jan 1997), 10A100

Classical electrodynamics and acoustics: Sound radiation by moving multipoles, J Vib Acoust **119**(2) 271-282 (Apr 1997), 10A336

Box-length requirements for simulation of sound from large structures in jets, AIAA J **35**(5) 912-915 (May 1997), 10T340

Flap side-edge noise: Acoustic analysis of Sen's model, AIAA J **35**(5) 810-815 (May 1997), 10A343

Interaction of perturbed vortex rings and its sound generation, J Sound Vib **202**(1) 1-27 (Apr 1997), 10A344

Investigation of dispersion-relation-preserving scheme and spectral analysis methods for acoustic waves, J Vib Acoust **119**(2) 250-257 (Apr 1997), 10A345

Comparison of a ray model with a Fourier-BEM for traffic noise situations with multiple diffractions and reflections, Acustica **83**(1) 35-47 (Jan-Feb 1997), 10A355

Parallel 3D computational aeroacoustics method using nonlinear disturbance equations, J Comput Phys **133**(1) 56-74 (May 1997), 10A366

Optimization of an active noise control system using spherical harmonics expansion of the primary field, J Sound Vib **201**(5) 577-593 (Apr 1997), 10A380

ACOUSALLE: A computer program with expertise for the planning and analysis of the acoustics of indoor spaces, Adv Eng Software **28**(4) 211-216 (Jun 1997), 10A381

Approximating moments of acoustic fields in random media, Waves in Random Media **7**(2) 193-212 (Apr 1997), 10A382

Complete image-source method for the prediction of sound distribution in non-diffuse enclosed spaces, J Sound Vib **201**(4) 473-489 (Apr 1997), 10A383

Computation of the modal response of regularly ribbed cylinders, J Acoust Soc Am **101**(5) 2452-2472 (May 1997), 10A384

Coupled-amplitude approach to solving the Helmholtz equation, J Acoust Soc Am **101**(5) 2566-2570 (May 1997), 10A385

Distributed source method for inverse acoustic scattering, Inverse Prob **13**(2) 531-545 (Apr 1997), 10A386

Domain decomposition method for the acoustic wave equation with discontinuous coefficients and grid change, SIAM J Numer Anal **34**(2) 603-639 (Apr 1997), 10A387

Double-sum technique for performing a Fourier transformation, J Acoust Soc Am **101**(5) 2448-2451 (May 1997), 10A388

Effect of length on the acoustic attenuation performance of concentric expansion chambers: An analytical, computational, and experimental investigation, J Sound Vib **201**(4) 407-426 (Apr 1997), 10A389

Efficient and robust method for computing quadrupole noise, J Am Helicopter Soc **42**(2) 172-181 (Apr 1997), 10A390

Measuring coupling loss factors by structural acoustic intensity technique (Chinese), J Vib Eng **10**(1) 48-53 (Mar 1997), 10T391

Modeling microwave backscatter from discrete random media using a multiple-scattering series: Convergence issues, Waves in Random Media **7**(2) 213-227 (Apr 1997), 10A392

New theoretical approach to absorbing layers, SIAM J Numer Anal **34**(2) 671-698 (Apr 1997), 10A393

Numerical scheme based on mean value solutions for the Helmholtz equation on triangular grids, Math Comput **66**(218) 477-493 (Apr 1997), 10A394

Numerical simulation of receptivity phenomena in transitional boundary-layer flows, AIAA J **35**(5) 789-795 (May 1997), 10A395

Numerical simulations with horizontal-refraction-modal tomography - Part I: Adiabatic propagation, J Acoust Soc Am **101**(5) 2636-2643 (May 1997), 10A396

Parametric error analysis of the backward integration method for reverberation time estimation, J Acoust Soc Am **101**(5) 2686-2693 (May 1997), 10A397

Rational operators for filtering, J Acoust Soc Am **101**(5) 2518-2523 (May 1997), 10A398

Shape retrieval of an obstacle immersed in shallow water from single-frequency farfields using a complete family method, Inverse Prob **13**(2) 487-508 (Apr 1997), 10A399

Solving ray acoustic problems with a DNA computer, J Acoust Soc Am **101**(5) 2485-2490 (May 1997), 10A400

Study of wave propagation in varying cross-section waveguides by modal decomposition - Part II: Results, J Acoust Soc Am **101**(5) 2504-2517 (May 1997), 10A401

Computation of noise radiation from fan inlet and aft ducts, J Aircraft **34**(3) 387-393 (May-Jun 1997), 11A241

Wall-bounded blade-tip vortex interaction noise, J Sound Vib **202**(5) 605-618 (May 1997), 11A246

Immersed interface method for acoustic wave equations with discontinuous coefficients, Wave Motion **25**(3) 237-263 (May 1997), 11A251

Simple, relaxational models for the acoustical properties of porous media, Appl Acoust **50**(3) 171-188 (Mar 1997), 11A253

Finite-element method for Laplace- and Helmholtz-type boundary value problems with singularities, SIAM J Numer Anal **34**(3) 1037-1050 (Jun 1997), 11A261

General formalism for analzying acoustic 2-port networks, J Sound Vib **202**(5) 739-747 (May 1997), 11A262

h-A34ptive FE computation of time-harmonic exterior acoustics problems in 2D, Comput Methods Appl Mech Eng **146**(1-2) 65-89 (Jul 1997), 11A263

Iterative solution of multiple radiation and scattering problems in structural acoustics using a block quasi-minimal residual algorithm, Comput Methods Appl Mech Eng **146**(1-2) 173-196 (Jul 1997), 11A264

Scattering and inverse scattering of sound-hard obstacles via shape deformation, Inverse Prob **13**(3) 585-606 (Jun 1997), 11A265

Transmission line matrix acoustic modeling on a PC, Appl Acoust **50**(3) 247-255 (Mar 1997), 11A266

Accuracy in modeling the acoustic wave equation with Chebyshev spectral FEs, Finite Elements Anal Des **26**(2) 115-128 (Jun 1997), 12A41

Dispersion and cost analysis of some finite difference schemes on one-parameter acoustic wave modeling, Comput Geosci **1**(1) 1-33 (Apr 1997), 12A61

Development of the direct BEM for thin bodies with general boundary conditions, J Sound Vib **202**(3) 361-373 (May 1997), 12A66

Dual BE formulation for sound propagation around barriers over an impedance plane, J Sound Vib **202**(2) 235-247 (May 1997), 12A67

Efficient and robust method for predicting helicopter high-speed impulsive noise, J Sound Vib **203**(1) 87-100 (May 1997), 12A299

Equivalent source method for calculation of the sound radiated from aircraft engines, J Sound Vib **203**(4) 667-695 (Jun 1997), 12A300

Predictive acoustic modeling applied to the control of intake-exhaust noise of internal combustion engines, J Sound Vib **202**(2) 249-274 (May 1997), 12A308

Sound transmission through an aeroelastic plate into a cavity, AIAA J **35**(7) 1113-1118 (Jul 1997), 12A310

Unsteady flowfield and cavity acoustics of the stratospheric observatory for infrared astronomy, J Spacecraft Rockets **34**(3) 372-378 (May-Jun 1997), 12A311

Vane sweep effects on rotor-stator interaction noise, AIAA J **35**(6) 945-951 (Jun 1997), 12A312

Active control of environmental noise - II: Noncompact acoustic sources, J Sound Vib **202**(3) 313-359 (May 1997), 12A328

Effects of sampling rate and length of an adaptive filter on the active control of a plane sound wave in a lossy semi-infinite waveguide, J Sound Vib **203**(1) 127-150 (May 1997), 12A332

All-frequency normal-mode solution of the 3D acoustic scattering from a vertical cylinder in a plane-horizontal waveguide, J Acoust Soc Am **101**(6) 3371-3384 (Jun 1997), 12A336

Boundary integral method for acoustic radiation and scattering, J Acoust Soc Am **101**(6) 3330-3335 (Jun 1997), 12A337

Combined integro-modal approach for predicting acoustic properties of irregular-shaped cavities, J Acoust Soc Am **101**(6) 3313-3321 (Jun 1997), 12A338

Efficient FE scheme for solving the 3D poroelasticity problem in acoustics, J Acoust Soc Am **101**(6) 3287-3298 (Jun 1997), 12A339

Fast evaluation of radial basis functions: Methods for 2D polyharmonic splines, IMA J Numer Anal **17**(3) 343-372 (Jul 1997), 12A340

Generalized internal source density method for the forward and backward projection of harmonic pressure fields from complex bodies, J Acoust Soc Am **101**(6) 3270-3277 (Jun 1997), 12A341

Hypersingular boundary integral equations for exterior acoustic problems, J Acoust Soc Am **101**(6) 3336-3342 (Jun 1997), 12A342

Sound propagation from a dipole source near an impedance plane, J Acoust Soc Am **101**(6) 3343-3352 (Jun 1997), 12A343

Ultrasonic anisotropic phase velocity determination with the Radon transformation, J Acoust Soc Am **101**(6) 3278-3286 (Jun 1997), 12A344

Vocal tract shape identification from formant frequency spectra: A simulation using 3D BE models, J Sound Vib **203**(4) 581-596 (Jun 1997), 12A345

Global-local integrated study of roller chain meshing dynamics, J Sound Vib **203**(1) 41-62 (May 1997), 12A1003

Numerically nonreflecting boundary and interface conditions for compressible flow and aeroacoustic computations, AIAA J **35**(7) 1126-1133 (Jul 1997), 12A1099

172Z. Experimental techniques

Acoustic calibration of a pressure-velocity probe, J Acoust Soc Am **100**(1) 364-371 (Jul 1996), 1A341

Artificial neural network for sound localization using binaural cues, J Acoust Soc Am **100**(1) 372-383 (Jul 1996), 1A342

Optimal design of immersed SAW devices for high- and low-frequency sensor applications, Smart Mat Struct **5**(3) 369-378 (Jun 1996), 1A343

Robust source localization in an acoustic waveguide, J Acoust Soc Am **100**(1) 384-391 (Jul 1996), 1A344

European intercomparison of ultrasonic power measurements, Acustica **82**(3) 450-458 (May-Jun 1996), 2A300

Factors which determine the tunable frequency range of tunable transducers, J Acoust Soc Am **100**(1) 840-847 (Aug 1996), 2A301

Identifying cross-correlation peaks due to multipaths with application to optimal passive localization of transient signals and tomographic mapping of the environment, J Acoust Soc Am **100**(1) 910-917 (Aug 1996), 2A302

Porous materials for scale model experiments in outdoor sound propagation, J Sound Vib **194**(5) 685-708 (Aug 1996), 2A303

Reconstruction of a bilinear sound speed profile in a ground-based refraction waveguide, Acoust Lett **19**(3) 47-52 (Sep 1995), 2A304

Simulation of fixed microphone arrays for directional hearing aids, J Acoust Soc Am **100**(1) 848-856 (Aug 1996), 2A305

Three accelerometer method for the measurement of flow rate in pipe, J Acoust Soc Am **100**(1) 717-726 (Aug 1996), 2A1016

Effects of intense sound on static pressure measurements in flow ducts, J Sound Vib **195**(2) 285-299 (Aug 1996), 2A1141

Error in bending wave power measurements resulting from longitudinal waves, Noise Control Eng J **44**(4) 185-192 (Jul-Aug 1996), 3A327

Synthesis and experimental results of saw dispersive filters for spectrum analyzers, J Tech Phys **37**(1) 39-49 (1996), 4A208

Synthesis of organ pipe sound based on simplified physical models, Arch Acoust **21**(2) 131-147 (1996), 4A315

Effect of receiver size on nonlinear pressure field measurements, J Acoust Soc Am **100**(4-PART 1) 2062-2069 (Oct 1996), 4A319

Microprobe techniques in saw measurements, Arch Acoust **21**(2) 195-200 (1996), 4A320

Effect of oiling up on the failure of concrete determined by acoustic emission, Arch Acoust **21**(2) 215-223 (1996), 4A841

New techniques for panel measurements, J Acoust Soc Am **100**(5) 3227-3236 (Nov 1996), 5A267

Response of transiently excited thick transducers at low frequencies, J Acoust Soc Am **100**(5) 3115-3120 (Nov 1996), 5A268

Acoustoelasticity: Ultrasonic stress field reconstruction, Exp Mech **36**(4) 325-332 (Dec 1996), 5A731

Analysis of harmonic distortion in electroacoustic transducers under indirect drive conditions, J Acoust Soc Am **101**(1) 297-314 (Jan 1997), 7A290

Characterization of ultrasonic transducers by means of double-exposure holographic interferometry, J Acoust Soc Am **101**(1) 281-288 (Jan 1997), 7A291

Field characterization of an air-coupled micromachined ultrasonic capacitance transducer, J

Acoust Soc Am **101**(1) 315-322 (Jan 1997), 7A292
Limiting strain of metals subjected to high-intensity ultrasound, Acustica **82**(6) 823-828 (Nov-Dec 1996), 7A293
Microphone positioning system for acoustical reverberation chamber, Exp Tech **21**(1) 21-24 (Jan-Feb 1997), 7T294
Multifrequency acoustic measurement of concentration and grain size of suspended sand in water, J Acoust Soc Am **101**(1) 209-217 (Jan 1997), 7A295
Shallow water beamforming with small aperture, horizontal, towed arrays, J Acoust Soc Am **101**(1) 384-394 (Jan 1997), 7A296
Study on the vibrational characteristics of ultrasonic transducers using tapered piezoelectric ceramic elements, J Acoust Soc Am **101**(1) 323-329 (Jan 1997), 7A297
Measurements of scaling properties for acoustic propagation in a single pore, J Acoust Soc Am **101**(3) 1388-1397 (Mar 1997), 8A358
Reciprocity calibration of acoustic emission transducers in Rayleigh-wave and longitudinal-wave sound fields, J Acoust Soc Am **101**(3) 1450-1455 (Mar 1997), 8A359
Robust wideband matched-field processing with a short vertical array, J Acoust Soc Am **101**(2) 749-759 (Feb 1997), 8A360
Use of large ultrasonic transducers to improve transmission coefficient measurements on viscoelastic anisotropic plates, J Acoust Soc Am **101**(3) 1373-1379 (Mar 1997), 8A361
Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measurements - Part 1: Evaluation of inaccuracies attached to the simplifications of the model in the case of a single vibrating side, Arch Acoust **21**(3) 325-333 (1996), 9A295
Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measurements - Part 2: Determination of the acoustic radiation contribution of each vibrating side, Arch Acoust **21**(3) 335-344 (1996), 9T296
Optical pulse width measurements of sonoluminescence in cavitation-bubble fields, J Acoust Soc Am **101**(4) 1994-2002 (Apr 1997), 9A297
Use of a combination frequency technique to measure the surf zone bubble population, J Acoust Soc Am **101**(4) 1981-1989 (Apr 1997), 9A298
Experimental study of ultrasonic attenuation in microporous polyethylene, Appl Acoust **50**(1) 23-33 (Jan 1997), 10A364
Adaptive-passive noise control with self-tuning Helmholtz resonators, J Sound Vib **202**(1) 109-123 (Apr 1997), 10A373
Complete image-source method for the prediction of sound distribution in non-diffuse enclosed spaces, J Sound Vib **201**(4) 473-489 (Apr 1997), 10A383
Effect of length on the acoustic attenuation performance of concentric expansion chambers: An analytical, computational, and experimental investigation, J Sound Vib **201**(4) 407-426 (Apr 1997), 10A389
Comparison of methods for determining specific acoustic impedance, J Acoust Soc Am **101**(5) 2694-2704 (May 1997), 10A402
Detection of tethered and rising bubbles using multiple acoustic techniques, J Acoust Soc Am **101**(5) 2626-2635 (May 1997), 10A403
Directional accuracy of transient sound employing an intensity probe, Appl Acoust **50**(1) 65-77 (Jan 1997), 10A404
Measuring the relative strengths of a set of partially coherent acoustic sources, J Sound Vib **201**(1) 103-125 (Mar 1997), 10A405
Computation of noise radiation from fan inlet and aft ducts, J Aircraft **34**(3) 387-393 (May-Jun 1997), 11A241
Measurement of acoustic particle velocity using particle image velocimetry techniques, Acustica **83**(2) 354-358 (Mar-Apr 1997), 11A267
Sound intensity vector measurement with a two microphone rotative probe (French), Acustica **83**(2) 342-353 (Mar-Apr 1997), 11A268
Test procedure and automatic system for sound insulation measurement using the sound intensity method, Noise Control Eng J **45**(2) 85-94 (Mar-Apr 1997), 11A269
Test rig for studying lawnmower blade noise, Noise Control Eng J **45**(2) 95-99 (Mar-Apr 1997), 11A270
Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars, J Sound Vib **203**(1) 1-9 (May 1997), 12A162
Technique for the assessment of strength of coupling between sea subsystems: Experiments with two coupled plates and two coupled rooms, J Sound Vib **203**(2) 265-282 (Jun 1997), 12A298
Equivalent source method for calculation of the sound radiated from aircraft engines, J Sound Vib **203**(4) 667-695 (Jun 1997), 12A300
Noise source identification in a propfan model by means of acoustical near field measurements, J Sound Vib **203**(4) 641-665 (Jun 1997), 12A302
Flight effects on the far-field noise of a heated supersonic jet, AIAA J **35**(6) 952-957 (Jun 1997), 12A305
Active control of turbomachine discrete frequency noise utilizing oscillating flaps and pistons, AIAA J **35**(7) 1105-1112 (Jul 1997), 12A329
Experiments on the active control of broadband sound radiation from a lightweight partition, J Sound Vib **202**(3) 438-445 (May 1997), 12T333
Surface impedance control for sound absorption: Direct and Hybrid passive-active strategies, J Sound Vib **203**(2) 219-236 (Jun 1997), 12A335
Optimizing and assessing the performance of an algorithm that cross-correlates acquired acoustic emissions from internally feeding larvae to count infested wheat kernels in grain samples, Appl Acoust **50**(4) 297-308 (Apr 1997), 12A346
Outdoor sound propagation measurements using an MLS technique, Appl Acoust **51**(1) 13-32 (May 1997), 12A347
Quantifying larval infestation with an acoustical sensor array and cluster analysis of cross-correlation outputs, Appl Acoust **50**(4) 279-296 (Apr 1997), 12A348
Scale modeling of train noise propagation in an underground station, J Sound Vib **202**(2) 298-302 (May 1997), 12A349
Visualization of acoustic particle interaction and agglomeration: Theory evaluation, J Acoust Soc Am **101**(6) 3421-3429 (Jun 1997), 12A350
Acoustic analyzer study of SAW propagation in homogeneous and composite models, Composite Mech Des **2**(2) 107-111 (1996), 12A600
Global-local integrated study of roller chain meshing dynamics, J Sound Vib **203**(1) 41-62 (May 1997), 12A1003
Effects of choking on the aeroacoustics of an axisymmetric supersonic inlet, J Sound Vib **203**(1) 63-73 (May 1997), 12A1130

III. AUTOMATIC CONTROL

200. SYSTEMS THEORY AND DESIGN

200A. General theory

7th workshop on dynamics and control, July 2994, Ulm, Germany, Appl Math Comput **78**(2-3) 103-297 (Sep 1996), 2T306
Review of complex systems engineering (Japanese), J Japan Soc Precision Eng **62**(8) 1077-1080 (Aug 1996), 3T328
Eigenvectors and generalized eigenvectors in multivariable descriptor control systems, J Syst Control Eng **210**(I3) 183-188 (1996), 4T321
Methods and effects of introduction of the functional component grouping process into systemization, JSME Int J Ser C **39**(3) 660-666 (Sep 1996), 5A269
Dynamic Systems: Modeling and Analysis (McGraw-Hill, New York, 1997) 6R10
Identification of linearized dynamic characteristics of rolling element bearings, J Vib Acoust **119**(1) 60-69 (Jan 1997), 6A206
Introduction to duality in optimization theory, J Optim Theory Appl **91**(3) 523-542 (Dec 1996), 6A373
Implicit small gain condition and an upper bound for the real structured singular value, Syst Control Lett **29**(4) 197-205 (Jan 1997), 7T300
Key sampling formula relating the Laplace and F transforms, Syst Control Lett **29**(4) 181-190 (Jan 1997), 7A311
Frequency-domain performance bounds for uncertain structures with sensor and actuator dynamics, Int J Control **66**(3) 381-392 (Feb 1997), 8T365
Model order reduction by selective sensitivity, AIAA J **35**(3) 557-562 (Mar 1997), 9A310
Approximate solution of Hamilton-Jacobi inequality by neural networks, Appl Math Comput **84**(1) 49-64 (Jun 1997), 10A102
Adaptive feedforward controller for rejection of periodic disturbances, J Sound Vib **201**(4) 427-435 (Apr 1997), 10A150
Implementation of adaptive hyperplanes for the determination of robust control, J Intelligent & Robotic Syst **18**(3) 289-308 (Mar 1997), 10A406
Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, J Vib and Control **3**(2) 235-254 (May 1997), 10A431
Balanced model reduction and control of rotor-bearing systems, J Eng Gas Turbines Power **119**(2) 456-463 (Apr 1997), 10A477
Extended maximum principle, Nonlinear Anal **29**(2) 159-183 (Jul 1997), 11T271
Small gain theorem for linear stochastic systems, Syst Control Lett **30**(5) 243-251 (Jun 1997), 12T362

200B. Controllability, observability, realizability

Efficient approach to analysis of generalized systems, J Vib and Control **2**(3) 289-298 (Aug 1996), 1A345
Local controllability and minimum energy control of continuous 2D linear time-invariant system, Bull Polish Acad Sci Tech Sci **44**(1) 67-74 (1996), 4T322
Uniform observation of nonuniformly observable systems, Syst Control Lett **29**(1) 9-19 (Sep 1996), 5T270
Computational approach to controllability issues for flow-related models - I: Pointwise control of the viscous Burgers equation, Int J Comput Fluid Dyn **7**(3) 237-252 (1996), 6A355
Influence of heat transfer law on the performance of a Carnot engine, Appl Thermal Eng **17**(3) 277-282 (Mar 1997), 7A298
Speed and load effects on the availability balances and irreversibilities production in a multi-cylinder turbocharged diesel engine, Appl Thermal Eng **17**(3) 299-313 (Mar 1997), 7A299
Two-velocity dynamical system: Boundary control of waves and inverse problems, Wave Motion **25**(1) 83-107 (Feb 1997), 8A208
Controllability conception for stochastic systems, SIAM J Control Optim **35**(2) 384-398 (Mar 1997), 8T362
Effect of weak nonlincarities on linear controllability and observability norms, an invariant manifold approach, J Sound Vib **199**(3) 417-429 (Jan 1997), 8A363
Exact controllability and complete stabilizability for linear systems in Hilbert spaces, Appl Math Lett **10**(1) 35-40 (Jan 1997), 8A364
Extension of the pole assignment for descriptor linear systems with nonsquare matrix pencils, Bull Polish Acad Sci Tech Sci **44**(4) 399-404 (1996), 9T299
Reachability and controllability of non-negative 2D Roesser type models, Bull Polish Acad Sci Tech Sci **44**(4) 405-410 (1996), 9A300
Configuration controllability of simple mechanical control systems, SIAM J Control Optim **35**(3) 766-790 (May 1997), 10A407
Nonlinear continuous observers, Int J Control **66**(6) 943-954 (Apr 1997), 10T408
Observation of qualitative states by means of a qualitative model, Int J Control **66**(6) 885-903 (Apr 1997), 10T409
Pole assignment and controllability subspaces in descriptor systems, Int J Control **66**(5) 677-709 (Mar 1997), 10T410
System realization using information matrix, J Guidance Control Dyn **20**(3) 492-500 (May-Jun 1997), 10T419
Almost-balanced structural dynamics, J Sound Vib **202**(5) 669-687 (May 1997), 11A110
Complete controllability of continuous-time recurrent neural networks, Syst Control Lett **30**(4) 177-183 (May 1997), 11T272
Well-conditioned observer design for observer-based monitoring systems, J Dyn Syst Meas Control **117**(4) 592-599 (Dec 1995), 11A326
Stability and controllability of Euler-Bernoulli beams with intelligent constrained layer treatments, J Vib Acoust **118**(1) 70-77 (Jan 1996), 11A771

200D. Stability, robustness

Robust stability of a Clarke-Gawthrop type of self-tuning controller, Int J Control **64**(4) 721-731 (Jul 1996), 1T361
Improved stability robustness bounds for digital control systems in state-space models, Int J Control **64**(5) 991-994 (Jul 1996), 2A307
Robust stability of multivariable interval control systems, Int J Control **64**(5) 807-828 (Jul 1996), 2T320
Stabilization of an uncertain linear dynamic system by state and output feedback: A quadratic stabilizability approach, Int J Control **64**(5) 839-858 (Jul 1996), 2A321
Probabilistic stability robustness of structural systems, J Eng Mech **122**(10) 1012-1021 (Oct 1996), 3A329
Stability analysis and design for a class of continuous-time fuzzy control systems, Int J Control **64**(6) 1069-1087 (Aug 1996), 3T330
Stabilization by constrained controls, SIAM J Control Optim **34**(5) 1616-1649 (Sep 1996), 3T331
Passification approach to adaptive nonlinear stabilization, Syst Control Lett **28**(2) 73-84 (Jun 1996), 3T340
Robust control of nonlinear feedback passive systems, Syst Control Lett **28**(2) 85-93 (Jun 1996), 3A353
Asymptotic stabilization of a class of continuous-time linear periodic systems, Syst Control Lett **28**(4) 189-196 (Aug 1996), 4T323
Exponential stability of nonlinear differential delay equations, Syst Control Lett **28**(3) 159-165 (Jul 1996), 4T324
New algorithm for testing the stability of a polytope: A geometric approach for simplification, J Dyn Syst Meas Control **118**(3) 611-615 (Sep 1996), 4T325
Numerical stabilization of bilinear control systems, SIAM J Control Optim **34**(6) 2024-2050 (Nov 1996), 4T326
Stability of retarded delay differential systems, Int J Control **65**(2) 347-364 (Sep 1996), 4T327
Stability radii of systems with stochastic uncertainty and their optimization by output feedback, SIAM J Control Optim **34**(6) 1972-1998 (Nov 1996), 4T328
Stability and performance robustness analysis of repetitive control systems using structured singular values, J Dyn Syst Meas Control **118**(3) 593-597 (Sep 1996), 4A336
Robust analysis and synthesis of linear time-delay systems with norm-bounded time-varying uncertainty, Syst Control Lett **28**(5) 281-289 (Sep 1996), 4T349
Control oriented modeling of distributed systems: The question of control system stability, J Dyn Syst Meas Control **118**(3) 632-635 (Sep 1996), 4A369
Lyapunov stability analysis of daisy chain control allocation, J Guidance Control Dyn **19**(6) 1226-1230 (Nov-Dec 1996), 5A271
Simple criteria for stability of neutral delay-differential systems, Appl Math Comput **80**(2-3) 257-271 (Dec 1996), 5A272
Stability of discrete-delay systems: Boundary criteria, Appl Math Comput **80**(2-3) 95-104 (Dec 1996), 5A273
Decentralized robust control design for large-scale time-delay systems with time-varying uncertainties, JSME Int J Ser C **39**(3) 528-533 (Sep 1996), 5A287
State-space approach to stabilizing predictive control, Int J Control **65**(4) 619-637 (Nov 1996), 5A304
Asymptotic stability of continuous-time systems with saturation nonlinearities, Syst Control Lett **29**(3) 175-180 (Nov 1996), 6T356
Robust stabilizability of uncertain linear time-delay systems with Markovian jumping parameters, J Dyn Syst Meas Control **118**(4) 776-783 (Dec 1996), 6T357
Robust stability of closed-loop systems resulting from nonsequential MIMO-QFT design, J Dyn Syst Meas Control **118**(4) 753-756 (Dec 1996), 6A383
Improved Lyapunov function for power system stability analysis, Int J Control **65**(5) 791-802 (Nov 1996), 6A942
Dynamics of a kicked oscillator with a delay in its parametric feedback loop: An analytical study, Nonlinear Dyn **11**(4) 407-419 (Dec 1996), 7A98
Implicit small gain condition and an upper bound for the real structured singular value, Syst Control Lett **29**(4) 197-205 (Jan 1997), 7T300
Robust semi-global stabilization of linear systems with imperfect actuators, Syst Control Lett **29**(4) 215-221 (Jan 1997), 7T301
Robust stability bound on linear time-varying uncertainties for linear digital control systems under finite wordlength effects, JSME Int J Ser C **39**(4) 767-771 (Dec 1996), 7A302
Stability robustness for linear state space models: A Lyapunov mapping approach, Syst Control Lett **29**(4) 191-196 (Jan 1997), 7T303
Robust stabilization by dynamic combined state and output feedback compensator for nonlinear systems with jumps, J Optim Theory Appl **92**(1) 63-75 (Jan 1997), 7A327
Digital high-gain and sliding-mode control, Int J Control **66**(1) 65-83 (Jan 1997), 7A328
Robustness properties of repetitive controllers, Int J Control **65**(6) 939-961 (Dec 1996), 7A343
Frequency-domain performance bounds for uncertain structures with sensor and actuator dynamics, Int J Control **66**(3) 381-392 (Feb 1997), 8T365
Output-to-state stability and detectability of nonlinear systems, Syst Control Lett **29**(5) 279-290 (Feb 1997), 8T375
Ascertaining the stability of internal-resonance-based vibration suppression laws, Dyn Control **7**(1) 73-90 (Jan 1997), 8A387
Robust stability of nonlinear feedback systems with parameter deviations and perturbed nonlincarities, J Dyn Syst Meas Control **119**(1) 133-135 (Mar 1997), 9T301
Stability of actively controlled structures with actuator saturation, J Struct Eng **123**(4) 505-512 (Apr 1997), 9A1498
Analysis of stability and instability regions in parametrically excited Hamiltonian systems, Nonlinear Dyn **12**(4) 327-341 (Apr 1997), 10A118
Bifurcation and chaos in the Duffing oscillator with a PID controller, Nonlinear Dyn **12**(3) 251-262 (Mar 1997), 10A129
Stabilization of systems with input constraints, Int J Control **66**(5) 653-675 (Mar 1997), 10A411
Distributed and boundary control for a parallel system of Euler-Bernoulli beams, J Vib and Control **3**(2) 183-199 (May 1997), 10T430
Vibration suppression using acceleration feedback control with multiple proof-mass actuators, AIAA J **35**(5) 856-862 (May 1997), 10A501

Exponential stability of discrete-time filters for bounded observation noise, Syst Control Lett **30**(4) 185-193 (May 1997), 11T281
New matching condition for nonlinear robust control design, J Dyn Syst Meas Control **117**(4) 453-458 (Dec 1995), 11A303
Probabilistic robustness analysis: Explicit bounds for the minimum number of samples, Syst Control Lett **30**(5) 237-242 (Jun 1997), 12T351
Stability theorem in terms of two measures, Nonlinear Anal **29**(7) 737-740 (Oct 1997), 12T352
Stabilization of a class of nonlinear systems through Lyapunov function decomposition, Int J Control **67**(3) 381-409 (Jun 1997), 12T353
Global stabilization of linear discrete-time systems with bounded feedback, Syst Control Lett **30**(5) 273-281 (Jun 1997), 12T377
Robust decentralized stabilization of large-scale delay systems via sliding mode control, J Dyn Syst Meas Control **119**(2) 307-312 (Jun 1997), 12A383
Destabilization via active stiffness, Dyn Control **7**(3) 263-268 (Jul 1997), 12T391

200E. Identification and estimation

Inverse vibration method applied to bond evaluation of space shuttle tiles, J Vib Acoust **118**(3) 454-462 (Jul 1996), 1A145
Extraction of normal modes from contaminated measurement with noise for highly coupled structures, J Vib Acoust **118**(3) 430-435 (Jul 1996), 1A155
Direct identification of elastic constants of anisotropic plates by modal analysis: Theoretical and numerical aspects, J Sound Vib **195**(3) 401-415 (Aug 1996), 2A133
Fast orthogonal identification of nonlinear stochastic models and radial basis function neural networks, Int J Control **64**(5) 871-886 (Jul 1996), 2A308
Omitted coordinate systems and artificial constraints in spatially incomplete identification, Modal Analysis **11**(1-2) 83-95 (Jul 1996), 2A309
Damage detection by system identification: An application of the generalized singular value decomposition, Arch Appl Mech **66**(8) 555-568 (Sep 1996), 3A190
Error models with parameter constraints, Int J Control **64**(6) 1089-1111 (Aug 1996), 3T332
Instrumentation analysis using parameter estimation of simulated data, J Guidance Control Dyn **19**(5) 1191-1193 (Sep-Oct 1996), 3T333
New method for accurate and consistent identification of modal parameters, J Guidance Control Dyn **19**(5) 992-999 (Sep-Oct 1996), 3A334
Optimized pseudo-inverse algorithm (OPIA) for multi-input multi-output modal parameter identification, Mech Syst Signal Processing **10**(4) 365-380 (Jul 1996), 3A335
Stable sequential identification of continuous nonlinear dynamical systems by growing radial basis function networks, Int J Control **65**(1) 53-69 (Sep 1996), 3T336
Robustified adaptive minimum-variance controller, Int J Control **65**(1) 117-129 (Sep 1996), 3T363
Identification of external structural loads from measured harmonic responses, J Sound Vib **196**(1) 59-74 (Sep 1996), 4A95
Hybrid inverse mode problem for fixed-fixed mass-spring models, J Vib Acoust **118**(4) 641-648 (Oct 1996), 4A329
In-situ identification of active magnetic bearing system using directional frequency response functions, J Dyn Syst Meas Control **118**(3) 586-592 (Sep 1996), 4A330
Model error compensation for bearing temperature and preload estimation, J Dyn Syst Meas Control **118**(3) 580-585 (Sep 1996), 4A331
On-line identification of modal parameters using artificial neural networks, J Vib Acoust **118**(4) 649-656 (Oct 1996), 4A332
Stable on-line parameter identification algorithms for systems with non-parametric uncertainties and disturbances, Int J Control **65**(2) 329-345 (Sep 1996), 4T333
Strong tracking filtering of nonlinear time-varying stochastic systems with colored noise: Application to parameter estimation and empirical robustness analysis, Int J Control **65**(2) 295-307 (Sep 1996), 4T334
Dynamics of multibody tracked vehicles using experimentally identified modal parameters, J Dyn Syst Meas Control **118**(3) 499-507 (Sep 1996), 4A391
Experimental robot identification using optimized periodic trajectories, Mech Syst Signal Processing **10**(5) 561-577 (Sep 1996), 4A438
Global-local observer Markov parameter identification for system realization, J Guidance Control Dyn **19**(6) 1221-1225 (Nov-Dec 1996), 5T274
Identification of two dissimilar surface cracks hidden in solid using neural networks and computational mechanics, Comput Model Simul in Eng **1**(4) 477-491 (Nov 1996), 5A275
Modal parameter estimation using the state space method, J Sound Vib **197**(4) 387-402 (Nov 1996), 5A276
State-space system identification from closed-loop frequency response data, J Guidance Control Dyn **19**(6) 1378-1380 (Nov-Dec 1996), 5T277
Techniques for the mechanical characterization of civil structures, Mat Struct **29**(193) 562-570 (Nov 1996), 5A278
Removing bias from discrete time models based on finite interval response data, J Guidance Control Dyn **19**(6) 1216-1220 (Nov-Dec 1996), 5A279
Sensor placement for time-domain modal parameter estimation, J Guidance Control Dyn **19**(6) 1349-1356 (Nov-Dec 1996), 5A332
Structural damage detection using real-time modal parameter identification algorithm, AIAA J **34**(11) 2370-2376 (Nov 1996), 5A708
Identification of rigid body inertia properties from experimental data, Mech Syst Signal Processing **10**(6) 697-709 (Nov 1996), 6A102
Use of ambient response measurements to determine dynamic characteristics of slender structures, Eng Struct **19**(2) 145-150 (Feb 1997), 6A132
Crack identification in a cantilever beam from modal response, J Sound Vib **198**(5) 527-545 (Dec 1996), 6A149
Analysis of a multivariate autoregressive process, Mech Syst Signal Processing **10**(6) 747-761 (Nov 1996), 6A358
Integrated estimation-identification using second-order dynamic models, J Vib Acoust **119**(1) 1-9 (Jan 1997), 6A359
New procedure for detecting nonlinearity from transient data using the Gabor transform, Nonlinear Dyn **11**(3) 235-254 (Nov 1996), 6A360
Numerical study on identification of time varying parameters of vibration systems, Shock Vib **4**(1) 69-76 (1996), 6A361
Structural damage identification using assigned partial eigenstructure, AIAA J **35**(1) 152-158 (Jan 1997), 6A362
Stochastic comparison algorithm for continuous optimization with estimation, J Optim Theory Appl **91**(3) 585-615 (Dec 1996), 6T374
On-line identification of continuous time-delay systems combining least-squares techniques with a genetic algorithm, Int J Control **66**(1) 23-42 (Jan 1997), 7A304
Sequential prediction-error method for structural identification, J Eng Mech **123**(2) 115-122 (Feb 1997), 7A305
Adaptive filters for real-time system identification and control, J Guidance Control Dyn **20**(1) 61-66 (Jan-Feb 1997), 7A306
Modal Parameter identification of controlled structures, J Guidance Control Dyn **20**(1) 184-186 (Jan-Feb 1997), 7T356
Identification technique for nonlinear dynamical systems under stochastic excitations, J Sound Vib **200**(1) 31-40 (Feb 1997), 8A117
Identification of vibration modes in a spacecraft using nonparametric and parametric methods, Model Ident Control **17**(4) 231-259 (Oct 1996), 8A196
Two-velocity dynamical system: Boundary control of waves and inverse problems, Wave Motion **25**(1) 83-107 (Feb 1997), 8A208
Estimation of material and patch parameters in a PDE-based circular plate model, J Sound Vib **199**(5) 777-799 (Feb 1997), 8A366
Inverse dynamics of non-minimum phase systems with non-zero initial conditions, Dyn Control **7**(1) 49-71 (Jan 1997), 8A367
On-line parameter estimation for infinite-dimensional dynamical systems, SIAM J Control Optim **35**(2) 678-713 (Mar 1997), 8T368
Process identification in on-line optimizing control, an application to a heat pump, Model Ident Control **17**(4) 261-278 (Oct 1996), 8A412
Cutting state identification, J Sound Vib **200**(1) 15-29 (Feb 1997), 8A701
Parametric identification of nonlinear structural dynamic systems using time FEM, AIAA J **35**(4) 719-726 (Apr 1997), 9A23
New results on the identification of normal modes from experimental complex modes, Mech Syst Signal Processing **11**(2) 229-243 (Mar 1997), 9A109
Hybrid inverse mode problem for structure-foundation systems, J Eng Mech **123**(4) 312-321 (Apr 1997), 9A125
Using modal analysis for estimation of anisotropic material constants, J Eng Mech **123**(3) 222-229 (Mar 1997), 9A139
Identification of vibration parameters for motor vehicles, Vehicle Syst Dyn **27**(2) 65-88 (Feb 1997), 9A161
Evaluation of star identification techniques, J Guidance Control Dyn **20**(2) 259-267 (Mar-Apr 1997), 9T244
Applications of system identification and the role of regularization, Bull Polish Acad Sci Tech Sci **44**(3) 214-242 (1996), 9A302
Estimation of nonlinear system parameters using higher-order frequency response functions, Mech Syst Signal Processing **11**(2) 219-228 (Mar 1997), 9A303
Frequency domain identification scheme for control and fault diagnosis, J Dyn Syst Meas Control **119**(1) 48-56 (Mar 1997), 9A304
Identification of engineering system parameters, J Syst Control Eng **211**(I1) 1-14 (1997), 9A305
Linearizing transfer characteristics of precision time-interval digitizer with neural network, Biuletyn Wojskowej Akademii Technicznej **44**(10) 53-72 (Oct 1995), 9A306
Modular neural network architecture for accurate estimation of dynamic system parameters, Bull Polish Acad Sci Tech Sci **44**(2) 141-150 (1996), 9T307
Natural frequencies and dampings identification using wavelet transform: Application to real data, Mech Syst Signal Processing **11**(2) 207-218 (Mar 1997), 9A308
Parallel estimation approach to adaptive filtering, Bull Polish Acad Sci Tech Sci **44**(4) 385-397 (1996), 9A309
Second-order correction and numerical considerations for the two-step optimal estimator, J Guidance Control Dyn **20**(2) 362-369 (Mar-Apr 1997), 9T313
Finite element model update via Bayesian estimation of minimization of dynamic residuals, AIAA J **35**(5) 879-886 (May 1997), 10A248
Observation of qualitative states by means of a qualitative model, Int J Control **66**(6) 885-903 (Apr 1997), 10T409
Estimation of structural response using remote sensor locations, J Guidance Control Dyn **20**(3) 501-508 (May-Jun 1997), 10A412
Explicit method for parameter identification, J Guidance Control Dyn **20**(3) 486-491 (May-Jun 1997), 10A413
Identification of Wiener-type nonlinear systems in a noisy environment, Int J Control **66**(6) 923-941 (Apr 1997), 10T414
Moving force identification: A time domain method, J Sound Vib **201**(1) 1-22 (Mar 1997), 10A415
Parameter set estimation algorithms for time-varying systems, Int J Control **66**(5) 711-731 (Mar 1997), 10A416
Relationship between parameter estimation method based on bode diagram and co-quad diagram (Japanese), J Japan Soc Precision Eng **63**(4) 570-574 (Apr 1997), 10A417
State estimation of stochastic singularly perturbed discrete-time systems, Optimal Control Appl Methods **18**(1) 15-28 (Jan-Feb 1997), 10A418
System realization using information matrix, J Guidance Control Dyn **20**(3) 492-500 (May-Jun 1997), 10T419
Time and frequency domain procedure for identification of structural dynamic models, J Sound Vib **201**(1) 137-144 (Mar 1997), 10T420
Predictive filtering for nonlinear systems, J Guidance Control Dyn **20**(3) 566-572 (May-Jun 1997), 10A424
Predictive filtering for attitude estimation without rate sensors, J Guidance Control Dyn **20**(3) 522-527 (May-Jun 1997), 10A472
Use of dFRFs for diagnosis of asymmetric-anisotropic properties in rotor-bearing system, J Vib Acoust **118**(1) 64-69 (Jan 1996), 11A152
Identification of statistical properties of cutting tool vibrations in a continuous turning operation: Correlation to structural properties, Mech Syst Signal Processing **11**(3) 459-489 (May 1997), 11A157
Block-recursive identification of parameters and delay in the presence of noise, J Dyn Syst Meas Control **117**(4) 600-607 (Dec 1995), 11A273
Estimation of mass, stiffness and damping matrices from frequency response functions, J Vib Acoust **118**(1) 78-82 (Jan 1996), 11A274
Identification of linear mechanical systems by deconvolution techniques, Mech Syst Signal Processing **11**(3) 351-373 (May 1997), 11A275
Identification of physical parameters using an instrumental variables technique, Mech Syst Signal Processing **11**(3) 425-439 (May 1997), 11A276
Localizing a notch in a steel frame from frequency measurements, J Eng Mech **123**(5) 422-432 (May 1997), 11A277
Neural approximators for nonlinear finite-memory state estimation, Int J Control **67**(2) 275-301 (May 1997), 11T278
Stable on-line parameter identification with general knowledge on level of information noise: Discrete-time case, Syst Control Lett **30**(2-3) 83-91 (Apr 1997), 11T279
Time domain state space identification of structural systems, J Dyn Syst Meas Control **117**(4) 608-618 (Dec 1995), 11A280
System identification with limited observations and without input, J Eng Mech **123**(5) 504-511 (May 1997), 11A282
Identification using the algorithm of singular value decomposition: An application to the realization of dynamic systems and to fault detection and localization, Mech Syst Signal Processing **11**(3) 441-457 (May 1997), 11A323
Local tooth fault detection in gearboxes using a moving window procedure, Mech Syst Signal Processing **11**(3) 331-350 (May 1997), 11A324
Well-conditioned observer design for observer-based monitoring systems, J Dyn Syst Meas Control **117**(4) 592-599 (Dec 1995), 11A326
Friction identification in a sight stabilization system at low velocities, Mech Syst Signal Processing **11**(3) 491-505 (May 1997), 11T828
Robust tool wear estimation with radial basis function neural networks, J Dyn Syst Meas Control **117**(4) 459-467 (Dec 1995), 11A840
Extraction of normal modes and full modal damping from complex modal parameters, AIAA J **35**(7) 1187-1194 (Jul 1997), 12A354
Modal parameter identification using simulated evolution, AIAA J **35**(7) 1204-1208 (Jul 1997), 12A355

200F. Sensitivity

Numerical method for sensitivity analysis of eigensystems with non-repeated and repeated eigenvalues, J Sound Vib **195**(1) 17-32 (Aug 1996), 2A104
Sensitivity analysis of the acroacoust response of turbomachinery blade rows, AIAA J **34**(8) 1545-1554 (Aug 1996), 2A176
Application of the Trefftz method to sensitivity analysis of a 3D potential problem, Mech Struct Machines **24**(3) 295-311 (1996), 2A310
Accurate computation of design sensitivities for dynamically loaded structures with displacement constraints, AIAA J **34**(8) 1670-1677 (Aug 1996), 2A751
Nonlinear incremental analysis of loading and design sensitivity problems, Mech Struct Machines **24**(3) 331-360 (1996), 2A757
Implementation of design sensitivity analysis and numerical optimization in engineering analysis, Appl Math Model **20**(11) 792-799 (Nov 1996), 6A363
Sensitivity of parameter changes in structural damage detection, Shock Vib **4**(1) 27-37 (1996), 6A721
Multiobjective control for multivariable systems with mixed-sensitivity specifications, Int J Control **66**(2) 225-243 (Jan 1997), 7T320
Fast eigenvalue sensitivity calculations for special structures of system matrix derivatives, J Sound Vib **199**(3) 463-471 (Jan 1997), 8A369
Modal analysis of close modes using perturbative sensitivity approach, Eng Struct **19**(6) 397-406 (Jun 1997), 9A108
Model order reduction by selective sensitivity, AIAA J **35**(3) 557-562 (Mar 1997), 9A310
Pole assignment with minimum eigenvalue differential sensitivity, J Syst Control Eng **211**(I1) 63-74 (1997), 9T315
Derivation of structural design sensitivities from vibration test data, J Sound Vib **201**(5) 613-631 (Apr 1997), 10A421
Design sensitivity analysis of structure-induced noise and vibration, J Vib Acoust **119**(2) 173-179 (Apr 1997), 10A422
Weighted sensitivity minimization for causal, linear, discrete time-varying systems, SIAM J Control Optim **35**(3) 791-809 (May 1997), 10T423
Sensitivity reduction of constraint forces and position control for mechanical descriptor systems, J Dyn Syst Meas Control **119**(2) 286-289 (Jun 1997), 12A356

200G. Filtering techniques

Strong tracking filtering of nonlinear time-varying stochastic systems with colored noise: Application to parameter estimation and empirical robustness analysis, Int J Control **65**(2) 295-307 (Sep 1996), 4T334
Improving the tracking of generalized predictive control controllers, J Syst Control Eng **210**(I3) 169-182 (1996), 4A380
Global-local observer Markov parameter identification for system realization, J Guidance Control Dyn **19**(6) 1221-1225 (Nov-Dec 1996), 5T274
Removing bias from discrete time models based on finite interval response data, J Guidance Control Dyn **19**(6) 1216-1220 (Nov-Dec 1996), 5A279
Optimal parallel model solutions using the polynomial approach, Int J Control **65**(4) 681-697 (Nov 1996), 5T295
Modified recursive maximum likelihood adaptive filter for nonlinear aircraft flight-path reconstruction, J Guidance Control Dyn **19**(6) 1285-1295 (Nov-Dec 1996), 5A1076
Robust Kalman filter synthesis for uncertain multiple time-delay stochastic systems, J Dyn Syst Meas Control **118**(4) 803-808 (Dec 1996), 6A364
Duality of leakage and aliasing and improved digital spectral analysis techniques, J Dyn Syst Meas Control **118**(4) 741-747 (Dec 1996), 6A401
Adaptive filters for real-time system identification and control, J Guidance Control Dyn **20**(1) 61-66 (Jan-Feb 1997), 7A306
Interference-term elimination for Wigner distribution using a frequency domain adaptive filter, JSME Int J Ser C **39**(4) 808-814 (Dec 1996), 7A307
Lyapunov exponents for finite state nonlinear filtering, SIAM J Control Optim **35**(1) 36-55 (Jan 1997), 7T308

H_∞ filtering via convex optimization, Int J Control **66**(1) 15-22 (Jan 1997), 7T319
Implicit Kalman filtering, Int J Control **66**(3) 393-412 (Feb 1997), 8T370
Nonlinear filtering revisited: A spectral approach, SIAM J Control Optim **35**(2) 435-461 (Mar 1997), 8T371
Data assimilation in transport models, Appl Math Model **21**(1) 2-14 (Jan 1997), 8A1394
Analytical solutions for exponentially correlated acceleration tracking filters, J Guidance Control Dyn **20**(2) 397-400 (Mar-Apr 1997), 9T311
Kalman filtering error due to inaccuracy in filter's initial condition, J Dyn Syst Meas Control **119**(1) 119-122 (Mar 1997), 9A312
Second-order correction and numerical considerations for the two-step optimal estimator, J Guidance Control Dyn **20**(2) 362-369 (Mar-Apr 1997), 9T313
Investigation of dispersion-relation-preserving scheme and spectral analysis methods for acoustic waves, J Vib Acoust **119**(2) 250-257 (Apr 1997), 10A345
Active intensity control for the reduction of radiated duct noise, J Sound Vib **201**(5) 595-611 (Apr 1997), 10A371
State estimation of stochastic singularly perturbed discrete-time systems, Optimal Control Appl Methods **18**(1) 15-28 (Jan-Feb 1997), 10A418
Predictive filtering for nonlinear systems, J Guidance Control Dyn **20**(3) 566-572 (May-Jun 1997), 10A424
Predictive filtering for attitude estimation without rate sensors, J Guidance Control Dyn **20**(3) 522-527 (May-Jun 1997), 10A472
Identification of physical parameters using an instrumental variables technique, Mech Syst Signal Processing **11**(3) 425-439 (May 1997), 11A276
Exponential stability of discrete-time filters for bounded observation noise, Syst Control Lett **30**(4) 185-193 (May 1997), 11T281
System identification with limited observations and without input, J Eng Mech **123**(5) 504-511 (May 1997), 11A282
Powerful numerical technique solving Zakai equation for nonlinear filtering, Dyn Control **7**(3) 293-308 (Jul 1997), 12T357
Robust filtering for interconnected uncertain systems under sampled measurements, J Dyn Syst Meas Control **119**(2) 337-340 (Jun 1997), 12A358
Transient error detection during UDU^T covariance calculations using algorithm based fault tolerance, J Dyn Syst Meas Control **119**(2) 284-286 (Jun 1997), 12A423

200H. Design methods

Advanced Control System Design (Prentice Hall, Upper Saddle River, NJ, 1996) 1R14
Linear Robust Control (Prentice-Hall, Englewood Cliffs NJ, 1995) 1R15
Generic data structures dedicated to integrated structural design, Finite Elements Anal Des **22**(4) 281-303 (Jul 1996), 1A346
Proportional and integral control of nonlinear systems, Int J Control **64**(4) 679-692 (Jul 1996), 1A356
Two dof design method of linear-quadratic servo systems with an integral compensator: Analysis of the performance deterioration by the introduction of an observer, Int J Control **64**(5) 941-958 (Jul 1996), 2A311
Actuator placement based on reachable set optimization for expected disturbance, J Optim Theory Appl **90**(2) 279-300 (Aug 1996), 2A314
Numerically robust pole assignment for second-order systems, Int J Control **64**(6) 1113-1127 (Aug 1996), 3T337
Linear quadratic optimal output feedback control for systems with poles in a specified region, Int J Control **64**(6) 1151-1164 (Aug 1996), 3A343
Optimal bounded-state control with application to building structure, Optimal Control Appl Methods **17**(3) 209-230 (Jul-Sep 1996), 3A346
Robust control design for a class of mismatched uncertain nonlinear systems, J Optim Theory Appl **90**(3) 605-626 (Sep 1996), 3A362
Subrate weighted minimum-variance control law, Int J Control **65**(1) 93-115 (Sep 1996), 3A364
Controller design to optimize a composite performance measure, J Optim Theory Appl **91**(1) 91-113 (Oct 1996), 4A350
Controller design with real parametric uncertainty, Int J Control **65**(3) 469-509 (Oct 1996), 4A375
Building a unified product model with complex method, Chinese J Aeronaut **9**(2) 111-121 (May 1996), 5A280
Optimum design and FEM (Japanese), J Japan Soc Precision Eng **62**(10) 1384-1388 (Oct 1996), 5T281
Interpolation approach to multiobjective H_∞ design, Int J Control **65**(4) 699-720 (Nov 1996), 5A292
Controller and observer design of non-redundant linear mechanical systems including actuator dynamics, Int J Control **65**(5) 827-845 (Nov 1996), 6A378
Synthesis of compensators for nonovershooting step response, J Dyn Syst Meas Control **118**(4) 757-763 (Dec 1996), 6A384
Design of sequential pneumatic controls as a finite state machine, European J Mech Eng **41**(4) 203-212 (1996), 7A309
Pole assignment with optimal spectral conditioning, Syst Control Lett **29**(5) 241-253 (Feb 1997), 8T372
Semantic recognition-based approach for car's concept design, Int J Vehicle Des **18**(1) 53-82 (1997), 8T462
Note on pole assignment in uncertain systems, Int J Control **66**(4) 487-497 (Mar 1997), 9T314
Pole assignment with minimum eigenvalue differential sensitivity, J Syst Control Eng **211**(I1) 63-74 (1997), 9T315
Close-loop pole design for vibration suppression, J Guidance Control Dyn **20**(2) 333-337 (Mar-Apr 1997), 9A332
Robust controller design with damping and stability specifications, J Guidance Control Dyn **20**(2) 400-403 (Mar-Apr 1997), 9T339
Robust polynomial eigenstructure assignment using dynamic feedback controllers, J Syst Control Eng **211**(I1) 35-51 (1997), 9A343
Pole assignment and controllability subspaces in descriptor systems, Int J Control **66**(5) 677-709 (Mar 1997), 10T410
Time-delayed state and unknown input observation, Int J Control **66**(5) 733-745 (Mar 1997), 10A425
Feasible controller design for stochastic systems, J Guidance Control Dyn **20**(3) 535-541 (May-Jun 1997), 10A445
Design and analysis of simple robust controllers, Int J Control **66**(6) 905-921 (Apr 1997), 10A448
Improving control design for nonlinear parameteric uncertainty, Int J Control **66**(6) 863-883 (Apr 1997), 10A450
Three-dimensional shape optimization with variational geometry, Struct Optim **13**(2-3) 81-94 (Apr 1997), 10A911
Feedforward controllers and tracking accuracy in the presence of plant uncertainties, J Dyn Syst Meas Control **117**(4) 490-495 (Dec 1995), 11A283
Reverse engineering of engine intake ports by digitization and surface approximation, Int J Machine Tools Manuf **37**(6) 855-871 (Jun 1997), 11A284
Control system synthesis based on plant test data, J Dyn Syst Meas Control **117**(4) 484-489 (Dec 1995), 11A299
Design of stable systems with uncertainties and constrained performance variations, Int J Control **67**(1) 23-32 (May 1997), 11A300
Robust control of discrete critical systems with specifications in the frequency domain, Int J Control **67**(2) 169-192 (May 1997), 11A307
Sensitivity reduction of constraint forces and position control for mechanical descriptor systems, J Dyn Syst Meas Control **119**(2) 286-289 (Jun 1997), 12A356
Parameters selection and stability analysis of adaptive feedforward vibration control (Chinese), J Vib Eng **10**(2) 176-182 (Jun 1997), 12T359
Approximate output feedback optimal control of higher-order dynamical systems, Optimal Control Appl Methods **18**(2) 123-137 (Mar-Apr 1997), 12A364
Coupling between the modeling and controller-design problems - Part II: Design, J Dyn Syst Meas Control **119**(2) 278-283 (Jun 1997), 12A374
Feasible output feedback controller design for linear systems, Optimal Control Appl Methods **18**(2) 109-122 (Mar-Apr 1997), 12A376
LQ controller with a prescribed pole region: A data-based design approach, J Dyn Syst Meas Control **119**(2) 271-277 (Jun 1997), 12A378
New approach for designing robust controllers for the servomechanism problem, J Dyn Syst Meas Control **119**(2) 293-298 (Jun 1997), 12A380
Robust control design for a class of mismatched coupled uncertain systems, Optimal Control Appl Methods **18**(2) 83-107 (Mar-Apr 1997), 12A381
Computer-aided optimum design and NC milling of planar cam mechanisms, Int J Machine Tools Manuf **37**(8) 1131-1142 (Aug 1997), 12A1027

200I. Modelling and simulation

Reduced-order models with delay, Int J Control **64**(4) 733-744 (Jul 1996), 1A347
Evaluation of contact pressure in gears with electrical simulation, J Friction Wear **16**(3) 55-58 (1995), 1A879
Dynamic Systems: Modeling and Analysis (McGraw-Hill, New York, 1997) 6R10
Annotated bond graphs: A communication tool, J Dyn Syst Meas Control **118**(4) 797-800 (Dec 1996), 6T365
Exothermic chemical reaction with linear feedback control, Dyn Stability Syst **11**(3) 219-238 (1996), 6A366
Partitioned simulation of fluid power systems: An approach for reduced communication between processors, J Syst Control Eng **210**(I4) 221-230 (1996), 7A363
Thermal-hydraulic performance prediction in fluid power systems, J Syst Control Eng **210**(I4) 231-242 (1996), 7A365
Accuracy of aerodynamic model parameters estimated from flight test data, J Guidance Control Dyn **20**(1) 74-80 (Jan-Feb 1997), 7A1173
Modeling micropumps with electrical equivalent networks, J Micromech Microeng **6**(4) 398-404 (Dec 1996), 8A373
Parameter-dependent model order reduction, Int J Control **66**(3) 463-485 (Feb 1997), 8T374
Identification of engineering system parameters, J Syst Control Eng **211**(I1) 1-14 (1997), 9A305
Reconstruction of service load histories with time series models for random vibration simulation tests, J Dyn Syst Meas Control **119**(1) 27-33 (Mar 1997), 9A870
Phase-space reconstructions and stick-slip, Nonlinear Dyn **13**(1) 39-57 (May 1997), 11T100
Algorithm for obtaining proper models of distributed and discrete systems, J Dyn Syst Meas Control **117**(4) 534-540 (Dec 1995), 11A285
Applied modeling and simulation, Model Ident Control **18**(2) 89-175 (Apr 1997), 11T286
Modeling of vapor compression cycles for multivariable feedback control of HVAC systems, J Dyn Syst Meas Control **119**(2) 183-191 (Jun 1997), 12A409
System dynamics modeling of porous media, J Dyn Syst Meas Control **119**(2) 251-259 (Jun 1997), 12A416

200J. Adaptive and learning systems

Robust stability of a Clarke-Gawthrop type of self-tuning controller, Int J Control **64**(4) 721-731 (Jul 1996), 1T361
Learning algorithm of large BP neural networks (Chinese), J Dalian Univ Tech **36**(4) 499-503 (Jul 1996), 2A312
Error models with parameter constraints, Int J Control **64**(6) 1089-1111 (Aug 1996), 3T332
Passification approach to adaptive nonlinear stabilization, Syst Control Lett **28**(2) 73-84 (Jun 1996), 3T340
Adaptive tracking controller for multiple-phase permanent-magnet machines, Int J Control **64**(6) 997-1022 (Aug 1996), 3A352
Comparison and combination of learning controllers: Computational enhancement and experiments, J Guidance Control Dyn **19**(5) 1116-1123 (Sep-Oct 1996), 3A356
Model reference adaptive control systems with terminal sliding modes, Int J Control **64**(6) 1165-1176 (Aug 1996), 3T358
Robustified adaptive minimum-variance controller, Int J Control **65**(1) 117-129 (Sep 1996), 3T363
Discrete adaptive active suspension for hardware implementation, Vehicle Syst Dyn **26**(3) 161-196 (Sep 1996), 3A375
Iterative learning control using optimal feedback and feedforward actions, Int J Control **65**(2) 277-293 (Sep 1996), 4A335
Stability and performance robustness analysis of repetitive control systems using structured singular values, J Dyn Syst Meas Control **118**(3) 593-597 (Sep 1996), 4A336
Design of adaptive LQ regulators for MIMO systems based on multirate sampling of the plant output, J Optim Theory Appl **91**(1) 35-60 (Oct 1996), 4T368
Adaptive controller for continuous systems with single internal and external delays, Dyn Control **6**(4) 387-403 (Oct 1996), 4A372
Adaptive rejection of periodic disturbances with unknown period, J Dyn Syst Meas Control **118**(3) 606-610 (Sep 1996), 4A373
Dynamical adaptive pulse-width-modulation control of DC-to-DC power converters: A backstepping approach, Int J Control **65**(2) 205-222 (Sep 1996), 4T379
Parametrically adaptive drives of mechanical systems control over the angular position, J Machinery Manuf Reliab **2** 68-78 (1996), 4T399
Experimental results of adaptive periodic disturbance cancellation in a high performance magnetic disk drive, J Dyn Syst Meas Control **118**(3) 416-424 (Sep 1996), 4A418
Adaptive mapping and navigation by teams of simple robots, Robotics Autonomous Syst **18**(4) 411-434 (Oct 1996), 4T458
Adaptive predictive controller for hydraulic systems driven by fast switching on-off solenoid valves, JSME Int J Ser C **39**(3) 522-527 (Sep 1996), 5A282
Application of a learning control algorithm to a rotor blade tab, J Guidance Control Dyn **19**(6) 1383-1386 (Nov-Dec 1996), 5T283
Self-tuning control of a cold mill automatic gauge control system, Int J Control **65**(4) 573-588 (Nov 1996), 5A329
New class of nonlinear robust adaptive controllers, Int J Control **65**(5) 745-769 (Nov 1996), 6A379
Adaptive learning control of uncertain robotic systems, Int J Control **65**(5) 725-744 (Nov 1996), 6A387
Adaptive, high bandwidth control of hydraulic actuator, J Dyn Syst Meas Control **118**(4) 714-720 (Dec 1996), 6A398
Adaptive filters for real-time system identification and control, J Guidance Control Dyn **20**(1) 61-66 (Jan-Feb 1997), 7A306
Interference-term elimination for Wigner distribution using a frequency domain adaptive filter, JSME Int J Ser C **39**(4) 808-814 (Dec 1996), 7A307
Adaptive control of a hybrid servo system for magnetic disk drives, JSME Int J Ser C **39**(4) 772-780 (Dec 1996), 7A310
Model reference learning control scheme for a class of nonlinear systems, Int J Control **66**(2) 271-287 (Jan 1997), 7A325
Neural-network-based controler used for directional control of tunneling machine, JSME Int J Ser C **39**(4) 781-789 (Dec 1996), 7A349
Moderated reinforcement learning of active and semi-active vehicle suspension control laws, J Syst Control Eng **210**(I4) 249-257 (1996), 7A357
Simplified STR applied to level control of electrohydraulic bending machine, JSME Int J Ser C **39**(4) 746-752 (Dec 1996), 7A376
Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, JSME Int J Ser C **39**(4) 721-727 (Dec 1996), 7A1557
On-line parameter estimation for infinite-dimensional dynamical systems, SIAM J Control Optim **35**(2) 678-713 (Mar 1997), 8T368
Genetic approach to adaptive control system design, J Syst Control Eng **211**(I1) 15-23 (1997), 9A335
Multivariable decoupling design of an ROV depth control system: A direct adaptive fuzzy SMC approach, J Dyn Syst Meas Control **119**(1) 89-94 (Mar 1997), 9A364
Optimal adaptive active suspensions for a full car model, Vehicle Syst Dyn **27**(2) 89-107 (Feb 1997), 9A365
Sampled-data indirect adaptive control of bioreactor using affine radial basis function network architecture, J Dyn Syst Meas Control **119**(1) 94-97 (Mar 1997), 9T373
Adaptive control: Practical aspects and application to a grinding circuit, Optimal Control Appl Methods **18**(1) 29-47 (Jan-Feb 1997), 10A426
Application of simple adaptive control to a 2-mass spring system, Int J Japan Soc Precision Eng **30**(4) 351-352 (Dec 1996), 10T427
Asymptotically efficient adaptive choice of control laws in controlled Markov chains, SIAM J Control Optim **35**(3) 715-743 (May 1997), 10T428
Synthesis of robust gain matrices for adaptive rotor vibration control, J Dyn Syst Meas Control **119**(2) 298-300 (Jun 1997), 12A403

200L. Pattern recognition

Construction of boolean classification rules and their applications in computer vision problems, Machine Graphics & Vision **5**(1-2) 5-23 (1996), 4A337
Mathematical modeling of binary image and object and nose interaction by scanning method, Machine Graphics & Vision **5**(1-2) 141-146 (1996), 4T338
New energy term combining Kalman-filter and active contour models for object tracking, Machine Graphics & Vision **5**(1-2) 157-165 (1996), 4T339
Real-time vergence control using local phase differences, Machine Graphics & Vision **5**(1-2) 51-63 (1996), 4A340
Machined feature recognition based on feature loop and convex polyhedron, JSME Int J Ser C **39**(3) 652-659 (Sep 1996), 5A284
Parameter estimation of Markov random field model of image textures, Bull Polish Acad Sci Tech Sci **44**(2) 151-156 (1996), 9A316
Subband coding for thermal image compression, Bull Polish Acad Sci Tech Sci **44**(2) 169-175 (1996), 9T317

200M. Nonlinear systems

Local bifurcation theory of nonlinear systems with parametric excitation, Nonlinear Dyn **10**(3) 203-220 (Jul 1996), 1A127
Gain bounds of higher-order nonlinear transfer functions, Int J Control **64**(4) 767-773 (Jul 1996), 1T353
Periodic solution of a second order, autonomous, nonlinear system, Nonlinear Dyn **10**(4) 307-316 (Aug 1996), 2T78
Perturbation methods for nonlinear autonomous discrete-time dynamical systems, Nonlinear Dyn **10**(4) 317-331 (Aug 1996), 2A79
Fast orthogonal identification of nonlinear stochastic models and radial basis function neural networks, Int J Control **64**(5) 871-886 (Jul 1996), 2A308
Stable sequential identification of continuous nonlinear dynamical systems by growing radial basis function networks, Int J Control **65**(1) 53-69 (Sep 1996), 3T336

Causal and non-causal discrete-time transfer functions and their applications, Int J Control **65**(1) 195-204 (Sep 1996), 3T338
Output frequency characteristics of nonlinear systems, Int J Control **64**(6) 1049-1067 (Aug 1996), 3T339
Passification approach to adaptive nonlinear stabilization, Syst Control Lett **28**(2) 73-84 (Jun 1996), 3T340
Form creation for automobile design, Int J Vehicle Des **17**(4) 360-383 (1996), 3A421
Normal vibrations of a general class of conservative oscillators, Nonlinear Dyn **11**(1) 1-15 (Sep 1996), 4A88
Exponential stability of nonlinear differential delay equations, Syst Control Lett **28**(3) 159-165 (Jul 1996), 4T324
Bound for the magnitude characteristics of nonlinear output frequency response functions - Part 1: Analysis and computation, Int J Control **65**(2) 309-328 (Sep 1996), 4T341
Decentralized robust control for a class of uncertain large-scale interconnected nonlinear dynamical systems, J Optim Theory Appl **91**(1) 235-256 (Oct 1996), 4T343
Uniform observation of nonuniformly observable systems, Syst Control Lett **29**(1) 9-19 (Sep 1996), 5T270
Decomposition of generalized frequency response functions for nonlinear systems using symbolic computation, Int J Control **65**(4) 589-618 (Nov 1996), 5A285
Stabilization of linear systems in the presence of output measurement saturation, Syst Control Lett **29**(1) 27-30 (Sep 1996), 5A286
Separatrices and limit cycles of strongly nonlinear oscillators by the perturbation-incremental method, Nonlinear Dyn **11**(3) 213-233 (Nov 1996), 6A123
Asymptotic stability of continuous-time systems with saturation nonlinearities, Syst Control Lett **29**(3) 175-180 (Nov 1996), 6T356
New procedure for detecting nonlinearity from transient data using the Gabor transform, Nonlinear Dyn **11**(3) 235-254 (Nov 1996), 6A360
Lyapunov exponents for finite state nonlinear filtering, SIAM J Control Optim **35**(1) 36-55 (Jan 1997), 7T308
Output-to-state stability and detectability of nonlinear systems, Syst Control Lett **29**(5) 279-290 (Feb 1997), 8T375
Analysis of nonlinear oscillations by Gabor spectrograms, Nonlinear Dyn **12**(3) 215-236 (Mar 1997), 10A127
Implementation of adaptive hyperplanes for the determination of robust control, J Intelligent & Robotic Syst **18**(3) 289-308 (Mar 1997), 10A406
Nonlinear continuous observers, Int J Control **66**(6) 943-954 (Apr 1997), 10T408
Identification of Wiener-type nonlinear systems in a noisy environment, Int J Control **66**(6) 923-941 (Apr 1997), 10T414
Predictive filtering for nonlinear systems, J Guidance Control Dyn **20**(3) 566-572 (May-Jun 1997), 10A424
Robust input to state stabilization for minimum-phase nonlinear systems, Int J Control **66**(6) 825-842 (Apr 1997), 10T429
Harmonic probing algorithm for the multi-input Volterra series, J Sound Vib **201**(1) 67-84 (Mar 1997), 10A434
Neural approximators for nonlinear finite-memory state estimation, Int J Control **67**(2) 275-301 (May 1997), 11T278

200N. Discrete systems

Linear Robust Control (Prentice-Hall, Englewood Cliffs NJ, 1995) 1R15
Checking information-measuring channels in digital two-channeled automatic control systems of aircraft engines, Russian Aeronaut **38**(4) 70-73 (1995), 1A378
Perturbation methods for nonlinear autonomous discrete-time dynamical systems, Nonlinear Dyn **10**(4) 317-331 (Aug 1996), 2A79
Removing bias from discrete time models based on finite interval response data, J Guidance Control Dyn **19**(6) 1216-1220 (Nov-Dec 1996), 5A279
Duality of leakage and aliasing and improved digital spectral analysis techniques, J Dyn Syst Meas Control **118**(4) 741-747 (Dec 1996), 6A401
Key sampling formula relating the Laplace and F transforms, Syst Control Lett **29**(4) 181-190 (Jan 1997), 7A311
Weighted sensitivity minimization for causal, linear, discrete time-varying systems, SIAM J Control Optim **35**(3) 791-809 (May 1997), 10T423
Results on dynamics of special double-loop ΣΔ-modulators, Nonlinear Dyn **13**(1) 59-82 (May 1997), 11T101
Stable on-line parameter identification with general knowledge on level of information noise: Discrete-time case, Syst Control Lett **30**(2-3) 83-91 (Apr 1997), 11T279
Algorithm for obtaining proper models of distributed and discrete systems, J Dyn Syst Meas Control **117**(4) 534-540 (Dec 1995), 11A285
Probabilistic robustness analysis: Explicit bounds for the minimum number of samples, Syst Control Lett **30**(5) 237-242 (Jun 1997), 12T351
Robust filtering for interconnected uncertain systems under sampled measurements, J Dyn Syst Meas Control **119**(2) 337-340 (Jun 1997), 12A358

200O. Distributed parameter and delayed systems

Reduced-order models with delay, Int J Control **64**(4) 733-744 (Jul 1996), 1A347
Exponential stability of nonlinear differential delay equations, Syst Control Lett **28**(3) 159-165 (Jul 1996), 4T324
Stability of retarded delay differential systems, Int J Control **65**(2) 347-364 (Sep 1996), 4T327
Optimal redesign of linear systems, J Dyn Syst Meas Control **118**(3) 598-605 (Sep 1996), 4A342
Decentralized robust control design for large-scale time-delay systems with time-varying uncertainties, JSME Int J Ser C **39**(3) 528-533 (Sep 1996), 5A287
Robust stabilizability of uncertain linear time-delay systems with Markovian jumping parameters, J Dyn Syst Meas Control **118**(4) 776-783 (Dec 1996), 6T357
On-line identification of continuous time-delay systems combining least-squares techniques with a genetic algorithm, Int J Control **66**(1) 23-42 (Jan 1997), 7A304
On-line parameter estimation for infinite-dimensional dynamical systems, SIAM J Control Optim **35**(2) 678-713 (Mar 1997), 8T368
Functional observer and state feedback for input time-delay systems, Int J Control **66**(4) 603-617 (Mar 1997), 9A318
Time-delayed state and unknown input observation, Int J Control **66**(5) 733-745 (Mar 1997), 10A425
Distributed and boundary control for a parallel system of Euler-Bernoulli beams, J Vib and Control **3**(2) 183-199 (May 1997), 10T430
Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, J Vib and Control **3**(2) 235-254 (May 1997), 10A431
Block-recursive identification of parameters and delay in the presence of noise, J Dyn Syst Meas Control **117**(4) 600-607 (Dec 1995), 11A273
Algorithm for obtaining proper models of distributed and discrete systems, J Dyn Syst Meas Control **117**(4) 534-540 (Dec 1995), 11A285
Robustness of natural controls of distributed-parameter systems, J Vib Acoust **118**(1) 56-63 (Jan 1996), 11A329
Robust decentralized stabilization of large-scale delay systems via sliding mode control, J Dyn Syst Meas Control **119**(2) 307-312 (Jun 1997), 12A383

200P. Decentralized systems

Decentralized robust control for a class of uncertain large-scale interconnected nonlinear dynamical systems, J Optim Theory Appl **91**(1) 235-256 (Oct 1996), 4T343
Stability analysis of linear structural control systems with noncolocated feedback, Comput Struct **62**(4) 685-690 (Feb 1997), 7A312
Disturbances attenuation for interconnected systems by decentralized control, Int J Control **66**(2) 213-224 (Jan 1997), 7T315
Decentralized robust control design with insufficient number of controllers, Int J Control **65**(6) 1015-1030 (Dec 1996), 7A335
Limitations of decentralized control, J Guidance Control Dyn **20**(2) 384-390 (Mar-Apr 1997), 9A319
Robust decentralized control of power systems utilizing only swing angle measurements, Int J Control **66**(4) 581-601 (Mar 1997), 9T320
New algorithm for computing LQ suboptimal output feedback gains of decentralized control systems, J Optim Theory Appl **93**(3) 597-607 (Jun 1997), 11A293
Decentralized control of active vehicle suspensions with preview, J Dyn Syst Meas Control **117**(4) 478-483 (Dec 1995), 11A310
Robust decentralized stabilization of large-scale delay systems via sliding mode control, J Dyn Syst Meas Control **119**(2) 307-312 (Jun 1997), 12A383

200Q. Stochastic or fuzzy systems

Adaptive fuzzy control algorithm for model-independent active vibration damping of flexible beam-like structures, J Intelligent Mat Syst Struct **7**(2) 168-175 (Mar 1996), 1A150
Design of a force reflection controller for telerobot systems using neural network and fuzzy logic, J Intelligent & Robotic Syst **16**(1) 1-24 (May 1996), 1A394
Development of user-friendly structural design system for pressure vessels, JSME Int J Ser A **39**(3) 354-361 (Jul 1996), 1A869
Determination method of optimum pre-stress in cables of cable-stayed bridges by using fuzzy sets theory (Japanese), Proc JSCE **540**(VI-31) 105-112 (Jun 1996), 2A129
Fast orthogonal identification of nonlinear stochastic models and radial basis function neural networks, Int J Control **64**(5) 871-886 (Jul 1996), 2A308
Fuzzy diagnosis for fault of valves of internal combustion engines (Chinese), J Vib Eng **9**(2) 205-208 (Jun 1996), 2A334
Intelligential fuzzy control theory with predictive and decoupling functions (Chinese), J Dalian Univ Tech **36**(5) 543-546 (Sep 1996), 4A344
Study of fuzzy control theory application to engine transient testbed (Chinese), J Dalian Univ Tech **36**(5) 547-550 (Sep 1996), 4A345
Detection of roller bearing defects using expert system and fuzzy logic, Mech Syst Signal Processing **10**(5) 595-614 (Sep 1996), 4A924
Study on the stability and motion control of a unicycle - 4th report: Fuzzy gain schedule PD controller for managing nonlinearity of system, JSME Int J Ser C **39**(3) 569-576 (Sep 1996), 5A328
Position control of servo hydraulic cylinder using a neuro-fuzzy controller with on-line searched parameters, JSME Int J Ser C **39**(3) 534-540 (Sep 1996), 5A359
Experimental research on machine position fuzzy controller (Chinese), J Dalian Univ Tech **36**(6) 692-696 (Nov 1996), 6A367
Fuzzy logic approach in the control of a twin-spool aircraft gas turbine engine under development, J Syst Control Eng **210**(I4) 273-281 (1996), 7A362
Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, JSME Int J Ser C **39**(4) 721-727 (Dec 1996), 7A1557
Controllability conception for stochastic systems, SIAM J Control Optim **35**(2) 384-398 (Mar 1997), 8T362
Stochastic approximation with two time scales, Syst Control Lett **29**(5) 291-294 (Feb 1997), 8T376
Analysis of tunnels: Fuzzy (German), Bauingenieur **72**(1) 33-47 (Jan 1997), 10A39
Active noise control based on intelligent fuzzy control tactics (Chinese), J Vib Eng **10**(1) 42-47 (Mar 1997), 10A372
Identification of Wiener-type nonlinear systems in a noisy environment, Int J Control **66**(6) 923-941 (Apr 1997), 10T414
State estimation of stochastic singularly perturbed discrete-time systems, Optimal Control Appl Methods **18**(1) 15-28 (Jan-Feb 1997), 10A418
Fuzzy modeling in structural mechanics (German), Bauingenieur **72**(2) 75-84 (Feb 1997), 10A432
Improvement of fuzzy inference of fuzzy controller using neural networks (Chinese), J Dalian Univ Tech **37**(1) 83-86 (Jan 1997), 10A433
Negative information problem in mechanical diagnostics, J Eng Gas Turbines Power **119**(2) 370-377 (Apr 1997), 10A515
"Naive" fuzzy logic, applications to structural problems (Spanish), Rev Int Metodos Numer Calc Diseno Ing **13**(1) 33-55 (1997), 10A889
Analytical-experimental comparison of probabilistic methods and fuzzy set based methods for designing under uncertainty, Struct Optim **13**(2-3) 69-80 (Apr 1997), 10A921
Neural approximators for nonlinear finite-memory state estimation, Int J Control **67**(2) 275-301 (May 1997), 11T278
Special issue on latest developments in neuro-fuzzy intelligent robotic systems, J Robotic Syst **14**(6) 389-511 (Jun 1997), 11T287
Stochastic modification for global optimization problems: An efficient implementation for the control of the vulcanization process, Int J Control **67**(1) 1-21 (May 1997), 11T297
Fuzzy-nets in-process system for tool-breakage monitoring in end-milling operations, Int J Machine Tools Manuf **37**(6) 783-800 (Jun 1997), 11A603
Cellular automata in fuzzy backgrounds, Physica D **105**(1-3) 105-120 (Jun 1997), 12A360
Identification of nonlinearities in cushioning packaging using neural networks with fuzzy adaptive control, Mech Res Commun **24**(4) 447-455 (Jul-Aug 1997), 12T361
Small gain theorem for linear stochastic systems, Syst Control Lett **30**(5) 243-251 (Jun 1997), 12T362

200Y. Computational techniques

Numerically robust pole assignment for second-order systems, Int J Control **64**(6) 1113-1127 (Aug 1996), 3T337
Numerical solution of constrained optimal control problems with parameters, Appl Math Comput **80**(1) 43-62 (Nov 1996), 4A346
Decomposition of generalized frequency response functions for nonlinear systems using symbolic computation, Int J Control **65**(4) 589-618 (Nov 1996), 5A285
Computational approach to controllability issues for flow-related models - I: Pointwise control of the viscous Burgers equation, Int J Comput Fluid Dyn **7**(3) 237-252 (1996), 6A355
New procedure for detecting nonlinearity from transient data using the Gabor transform, Nonlinear Dyn **11**(3) 235-254 (Nov 1996), 6A360
Stochastic comparison algorithm for continuous optimization with estimation, J Optim Theory Appl **91**(3) 585-615 (Dec 1996), 6T374
Accelerated iterative procedure for calculating eigenvector derivatives, AIAA J **35**(2) 340-348 (Feb 1997), 7A124
Parameter-dependent model order reduction, Int J Control **66**(3) 463-485 (Feb 1997), 8T374
Second-order correction and numerical considerations for the two-step optimal estimator, J Guidance Control Dyn **20**(2) 362-369 (Mar-Apr 1997), 9T313
Application of LMI to the 2D Roesser model, Bull Polish Acad Sci Tech Sci **44**(4) 411-415 (1996), 9A321
Robust stability region for linear discrete-time systems, Bull Polish Acad Sci Tech Sci **44**(4) 417-429 (1996), 9A322
Harmonic probing algorithm for the multi-input Volterra series, J Sound Vib **201**(1) 67-84 (Mar 1997), 10A434
Balanced model reduction and control of rotor-bearing systems, J Eng Gas Turbines Power **119**(2) 456-463 (Apr 1997), 10A477
Block-recursive identification of parameters and delay in the presence of noise, J Dyn Syst Meas Control **117**(4) 600-607 (Dec 1995), 11A273
Approximate Newton methods for nonsmooth equations, J Optim Theory Appl **93**(2) 373-394 (May 1997), 11T288
New version of the Newton method for nonsmooth equations, J Optim Theory Appl **93**(2) 395-415 (May 1997), 11T289
Global optimization of a quadratic functional with quadratic equality constraints - Part 2, J Optim Theory Appl **93**(3) 547-556 (Jun 1997), 11A291
Powerful numerical technique solving Zakai equation for nonlinear filtering, Dyn Control **7**(3) 293-308 (Jul 1997), 12T357

200Z. Experimental systems analysis

Development of spherical ultrasonic motor, Japan J Trib **40**(8) 711-719 (1995), 5T347

202. CONTROL SYSTEMS

202A. General theory

Advanced Control System Design (Prentice Hall, Upper Saddle River, NJ, 1996) 1R14
7th workshop on dynamics and control, July 2994, Ulm, Germany, Appl Math Comput **78**(2-3) 103-297 (Sep 1996), 2T306
Selection of input variables for model identification of static nonlinear systems, J Intelligent & Robotic Syst **16**(2) 185-207 (Jun 1996), 2A313
Proceedings of the ASME Dynamic Systems and Control Division (ASME, New York, 1996) 3N11
Constrained stabilization of continuous-time linear systems, Syst Control Lett **28**(2) 95-102 (Jun 1996), 3T357
Eigenvectors and generalized eigenvectors in multivariable descriptor control systems, J Syst Control Eng **210**(I3) 183-188 (1996), 4T321
Characterization of some gain conditions via the Hamilton-Jacobi inequality, Syst Control Lett **28**(5) 263-271 (Sep 1996), 4T347
Domain optimization problem for stationary heat equation, Appl Math Comp Sci **6**(2) 353-374 (1996), 4A348
Robust analysis and synthesis of linear time-delay systems with norm-bounded time-varying uncertainty, Syst Control Lett **28**(5) 281-289 (Sep 1996), 4T349
Separation theorem for linearly constrained LQG optimal control, Syst Control Lett **28**(4) 227-235 (Aug 1996), 4T359
Linearization of discrete-time systems, SIAM J Control Optim **34**(6) 1999-2023 (Nov 1996), 4A367
Human-imitating intelligent control and triple inverted-pendulum, Chinese J Aeronaut **9**(2) 135-146 (May 1996), 5A288
Maximum principle for optimal control for a class of controlled systems, J Austral Math Soc B **38**(2) 172-181 (Oct 1996), 5A289
Optimal control computation to account for eccentric movement, J Austral Math Soc B **38**(2) 182-193 (Oct 1996), 5A290
System Dynamics: An Introduction (Prentice Hall, Upper Saddle River, NJ, 1997) 6R11

Variable-Structure Control Systems: Discrete and Digital (CRC Press, Boca Raton FL, 1995) 6R13
Control of Systems with Aftereffect (Am Math Soc, Providence RI, 1996) 7R7
Analysis of robust H_2 performance using multiplier theory, SIAM J Control Optim **35**(1) 160-177 (Jan 1997), 7T313
Complete controllability criteria for classes of mechanical systems with bounded controls, J Appl Math Mech **60**(5) 703-712 (1996), 8A377
Discrete positive realness of the discrete min-max control law, Dyn Control **7**(2) 135-142 (Apr 1997), 8T378
Combination of sliding mode control and fuzzy control, Facta Univ Mech Auto Control Robotic **2**(6) 133-142 (1996), 10A435
Decomposition principle based on sliding mode in variable structure system with proportional-plus-integral action, Facta Univ Mech Auto Control Robotic **2**(6) 155-162 (1996), 10A436
Multi-target control problems, J Optim Theory Appl **93**(1) 121-139 (Apr 1997), 10T437
Polynomial Methods for Control Systems Design: Theory and Applications (Springer-Verlag, New York, 1996) 11N17
Feedforward controllers and tracking accuracy in the presence of plant uncertainties, J Dyn Syst Meas Control **117**(4) 490-495 (Dec 1995), 11A283
Multivariable Feedback Control: Analysis and Design (Wiley, UK, 1996) 12R17
Solutions Manual to *System Dynamics: An Introduction* (Prentice Hall, Upper Saddle River, NJ, 1997) 12N21
Non-normality measure of the condition number for monitoring and control, J Dyn Syst Meas Control **119**(2) 217-222 (Jun 1997), 12T363

202B. Optimization techniques and algorithms

Cooperation requirements planning (CRP) for multiprocessors: Optimal assignment and execution planning, J Intelligent & Robotic Syst **15**(4) 419-435 (Apr 1996), 1A348
Dynamic locally optimal tracking control systems, Russian Aeronaut **38**(4) 20-23 (1995), 1A349
Upper bound explicit solutions of the Lyapunov equation, Dyn Control **6**(3) 309-316 (Jul 1996), 1T350
Analysis of approximations to the delay dynamics in the optimization of control systems (Spanish), J Brazilian Soc Mech Sci **18**(2) 182-197 (Jun 1996), 1A358
Numerical Optimization: A powerful tool for engineering design, Comput Model Simul in Eng **1**(1) 107-126 (Feb 1996), 1A834
Actuator placement based on reachable set optimization for expected disturbance, J Optim Theory Appl **90**(2) 279-300 (Aug 1996), 2A314
Necessary conditions for a domain optimization problem with various constraints, J Optim Theory Appl **90**(2) 243-255 (Aug 1996), 2T315
Restricted trust region method with supermemory for unconstrained optimization, J Comput Math **14**(3) 195-202 (Jul 1996), 2A316
Stochastic optimization using the stochastic preconditioned conjugate gradient method, AIAA J **34**(9) 1969-1971 (Sep 1996), 2T317
Generalized hybrid method for fuzzy multi-objective optimization of engineering systems, AIAA J **34**(8) 1709-1717 (Aug 1996), 2A754
Computations and time-optimal controls, Optimal Control Appl Methods **17**(3) 171-185 (Jul-Sep 1996), 3T341
Discrete-time H_∞ algebraic Riccati equation and parametrization of all H_∞ filters, Int J Control **64**(6) 1129-1149 (Aug 1996), 3T342
Linear quadratic optimal output feedback control for systems with poles in a specified region, Int J Control **64**(6) 1151-1164 (Aug 1996), 3A343
Maximum principle for positional controls and the problem of optimal system synthesis, J Appl Math Mech **60**(2) 173-182 (1996), 3A344
Nonlinear optimal greenhouse control problem with heating and ventilation, Optimal Control Appl Methods **17**(3) 157-169 (Jul-Sep 1996), 3A345
Optimal bounded-state control with application to building structure, Optimal Control Appl Methods **17**(3) 209-230 (Jul-Sep 1996), 3A346
Optimal design of robust controllers for uncertain discrete-time systems, Int J Control **65**(1) 71-91 (Sep 1996), 3A347
Optimality conditions in smooth nonlinear programming, J Optim Theory Appl **90**(3) 483-515 (Sep 1996), 3T348
Quadratic stabilization with an H^∞ performance bound of uncertain linear-time-varying systems, Syst Control Lett **28**(2) 103-114 (Jun 1996), 3T349
Stabilization of dynamical systems under persistent perturbations, J Appl Math Mech **60**(2) 191-197 (1996), 3A350
Synthesis of optimal control in a fourth-order linear speed of response problem, J Appl Math Mech **60**(2) 183-190 (1996), 3A351
Riccati equation approach to robust L_2-gain synthesis for a class of uncertain nonlinear systems, Int J Control **64**(6) 1177-1188 (Aug 1996), 3T361
Closed-form optimal guidance law for missiles of time-varying velocity, J Guidance Control Dyn **19**(5) 1017-1022 (Sep-Oct 1996), 3A365
Optimal power-limited rendezvous with upper and lower bounds on thrust, J Guidance Control Dyn **19**(5) 1124-1133 (Sep-Oct 1996), 3T371
Effect of damping on the structure of the time-optimal control profile, J Guidance Control Dyn **19**(5) 1182-1184 (Sep-Oct 1996), 3T376
Near-optimal operation of dual-fuel launch vehicles, J Guidance Control Dyn **19**(5) 1180-1182 (Sep-Oct 1996), 3T382
Robust H_∞ stabilizing controllers for a seeker scan loop system, J Guidance Control Dyn **19**(5) 1081-1087 (Sep-Oct 1996), 3T385
Vibration control of flexible structures using a combined H_∞ filter approach, J Guidance Control Dyn **19**(5) 1000-1007 (Sep-Oct 1996), 3A390
Pathways to Hopf bifurcations in dynamic continuous-time optimization problems, J Optim Theory Appl **91**(2) 299-320 (Nov 1996), 4T89
Iterative learning control using optimal feedback and feedforward actions, Int J Control **65**(2) 277-293 (Sep 1996), 4A335
Optimal redesign of linear systems, J Dyn Syst Meas Control **118**(3) 598-605 (Sep 1996), 4A342
Characterization of some gain conditions via the Hamilton-Jacobi inequality, Syst Control Lett **28**(5) 263-271 (Sep 1996), 4T347
Controller design to optimize a composite performance measure, J Optim Theory Appl **91**(1) 91-113 (Oct 1996), 4A350
Convergence properties of ordinal comparison in the simulation of discrete event dynamic systems, J Optim Theory Appl **91**(2) 363-388 (Nov 1996), 4T351
Disturbance rejection using internal model control with limiting properties of the optimal control (Japanese), J Japan Soc Precision Eng **62**(9) 1287-1291 (Sep 1996), 4A352
Extended well-posedness of optimization problems, J Optim Theory Appl **91**(1) 257-266 (Oct 1996), 4T353
Modified trajectory method for practical global optimization problems, AIAA J **34**(10) 2126-2131 (Oct 1996), 4A354
Perturbed steepest-descent technique in multiextremal problems, J Optim Theory Appl **91**(1) 185-214 (Oct 1996), 4T355
Relaxation of constrained control problems, SIAM J Control Optim **34**(6) 2077-2091 (Nov 1996), 4T356
Riccati equation approach to the design of memoryless stabilizing controllers and observers for uncertain linear systems with time-varying delay, J Syst Control Eng **210**(13) 215-218 (1996), 4T357
Robust control for nonlinear systems with structured L_2-gain bounded uncertainty, Syst Control Lett **28**(3) 167-172 (Jul 1996), 4T358
Separation theorem for linearly constrained LQG optimal control, Syst Control Lett **28**(4) 227-235 (Aug 1996), 4T359
Series solution of a class of nonlinear optimal regulators, J Optim Theory Appl **91**(2) 321-345 (Nov 1996), 4A360
Solutions for a class of optimal control problems with time delay - Part 1, J Optim Theory Appl **91**(1) 155-184 (Oct 1996), 4A361
Solutions for a class of optimal control problems with time delay - Part 2, J Optim Theory Appl **91**(2) 455-490 (Nov 1996), 4T362
Target recognition problem: Sequential analysis and optimal control, SIAM J Control Optim **34**(6) 2116-2132 (Nov 1996), 4A363
Improving the tracking of generalized predictive control controllers, J Syst Control Eng **210**(13) 169-182 (1996), 4A380
Control of suspensions for vehicles with flexible bodies - Part I: Active suspensions, J Dyn Syst Meas Control **118**(3) 508-517 (Sep 1996), 4A387
Damage-mitigating control of a reusable rocket engine - Part II: Formulation of an optimal policy, J Dyn Syst Meas Control **118**(3) 409-415 (Sep 1996), 4A390
Examination of different control strategies of heavy-vehicle performance, J Dyn Syst Meas Control **118**(3) 489-498 (Sep 1996), 4A392
H_∞ robust control of flexible beam vibration by using a hybrid damper, J Dyn Syst Meas Control **118**(3) 643-648 (Sep 1996), 4A394
LQ approach to active control of vibrations in helicopters, J Dyn Syst Meas Control **118**(3) 482-488 (Sep 1996), 4A395
Optimum planning in joint space for robots using genetic algorithms, Robotics Autonomous Syst **18**(4) 373-393 (Oct 1996), 4A398
Tolerance analysis in setup planning for rotational parts, J Manuf Syst **15**(5) 340-350 (1996), 4A467
Use of consistent approximations for the optimal design of beams, SIAM J Control Optim **34**(6) 1891-1913 (Nov 1996), 4T939
Homotopy algorithm for fixed order mixed H_2-H_∞ design, J Guidance Control Dyn **19**(6) 1262-1269 (Nov-Dec 1996), 5T291
Interpolation approach to multiobjective H_∞ design, Int J Control **65**(4) 699-720 (Nov 1996), 5A292
Nonlinear H_∞ method for Volterra systems, Int J Control **65**(4) 667-680 (Nov 1996), 5T293
Optimal control problem for the Lotka-Volterra system with delay, Nonlinear Anal **28**(2) 247-262 (Jan 1997), 5T294
Optimal parallel model solutions using the polynomial approach, Int J Control **65**(4) 681-697 (Nov 1996), 5T295
Least squares pole assignment by memoryless output feedback, Syst Control Lett **29**(1) 31-42 (Sep 1996), 5T302
Method for automatic costate calculation, J Guidance Control Dyn **19**(6) 1252-1261 (Nov-Dec 1996), 5A305
Optimal planar evasive aircraft maneuvers against proportional navigation missiles, J Guidance Control Dyn **19**(6) 1210-1215 (Nov-Dec 1996), 5A307
Application of multivariable linear control design to marine towed systems, J Guidance Control Dyn **19**(6) 1246-1251 (Nov-Dec 1996), 5A316
H_2 formulation for the design of passive vibration-isolation system for cars, Vehicle Syst Dyn **26**(5) 381-393 (Nov 1996), 5A320
Mixed linear-quadratic-eigenstructure strategy for design of stability augmentation systems, J Guidance Control Dyn **19**(6) 1231-1238 (Nov-Dec 1996), 5A323
Multivariable high-authority control of plate-like active structures, J Guidance Control Dyn **19**(6) 1357-1363 (Nov-Dec 1996), 5A324
Constraint handling in genetic search using expression strategies, AIAA J **34**(11) 2414-2420 (Nov 1996), 5A743
Second-law-based optimization - Part 1: Methodology, J Eng Gas Turbines Power **118**(4) 693-697 (Oct 1996), 5A760
Second-law-based optimization - Part 2: Application, J Eng Gas Turbines Power **118**(4) 698-703 (Oct 1996), 5A761
Harmonic synthesis design methodology for dynamic spring balancing, J Dyn Syst Meas Control **118**(4) 733-740 (Dec 1996), 6A160
Differential Riccati equation for the active control of a problem in structural acoustics, J Optim Theory Appl **91**(3) 695-728 (Dec 1996), 6A346
Constrained infinite-time linear quadratic optimal control, Syst Control Lett **29**(3) 121-129 (Nov 1996), 6T368
Execution of multidisciplinary design optimization approaches on common test problems, AIAA J **35**(1) 178-186 (Jan 1997), 6A369
Exterior-point method for linear programming problems, J Optim Theory Appl **91**(3) 561-583 (Dec 1996), 6T370
Higher-order method for dynamic optimization of a class of linear systems, J Dyn Syst Meas Control **118**(4) 786-790 (Dec 1996), 6A371
H^∞ optimization problem with sign-indefinite quadratic form, Syst Control Lett **29**(3) 157-164 (Nov 1996), 6T372
Introduction to duality in optimization theory, J Optim Theory Appl **91**(3) 523-542 (Dec 1996), 6A373
Stochastic comparison algorithm for continuous optimization with estimation, J Optim Theory Appl **91**(3) 585-615 (Dec 1996), 6T374
New formulation of multiple-input multiple-output quantitative feedback theory, J Dyn Syst Meas Control **118**(4) 748-752 (Dec 1996), 6A380
Optimal feedforward prefilter with frequency domain specification for nonminimum phase systems, J Dyn Syst Meas Control **118**(4) 791-795 (Dec 1996), 6T381
Application of optimal control theory to inverse simulations of car handling, Vehicle Syst Dyn **26**(6) 449-461 (Dec 1996), 6A388
Control of linear motors for machine tool feed drives: Design and implementation of H_∞ optimal feedback control, J Dyn Syst Meas Control **118**(4) 649-656 (Dec 1996), 6A402
Optimal control of a production system with periodic maintenance, Optimal Control Appl Methods **17**(4) 281-307 (Oct-Dec 1996), 6A455
Eigenpair derivative with respect to boundary shape, AIAA J **35**(1) 167-171 (Jan 1997), 6A847
Enhancing hydrostatic gear efficiency through nonlinear optimal control strategies, J Dyn Syst Meas Control **118**(4) 727-732 (Dec 1996), 6A950
Control of Systems with Aftereffect (Am Math Soc, Providence RI, 1996) 7R7
Kalman-filter-based observer design around optimal control policy for gas pipelines, Int J Numer Methods Fluids **24**(2) 233-245 (Jan 1997), 7A26
On-line identification of continuous time-delay systems combining least-squares techniques with a genetic algorithm, Int J Control **66**(1) 23-42 (Jan 1997), 7A304
Analysis of robust H_2 performance using multiplier theory, SIAM J Control Optim **35**(1) 160-177 (Jan 1997), 7T313
Conversion of optimal control problems into parameter optimization problems, J Guidance Control Dyn **20**(1) 57-60 (Jan-Feb 1997), 7A314
Disturbances attenuation for interconnected systems by decentralized control, Int J Control **66**(2) 213-224 (Jan 1997), 7T315
Family of projected descent methods for optimization problems with simple bounds, J Optim Theory Appl **92**(1) 1-31 (Jan 1997), 7T316
First- and second-order sufficient optimality conditions for bang-bang controls, SIAM J Control Optim **35**(1) 315-340 (Jan 1997), 7T317
H_∞ control attenuating initial-state uncertainties, Int J Control **66**(2) 245-252 (Jan 1997), 7T318
H_∞ filtering via convex optimization, Int J Control **66**(1) 15-22 (Jan 1997), 7T319
Multiobjective control for multivariable systems with mixed-sensitivity specifications, Int J Control **66**(2) 225-243 (Jan 1997), 7T320
Sampled-data H_∞ problem: A unified framework for discretization-based methods and Riccati equation solution, Int J Control **66**(2) 289-309 (Jan 1997), 7T321
Stabilization of dynamic systems using positional solutions of special optimal control problems, J Appl Math Mech **60**(4) 541-550 (1996), 7A322
Sufficient optimality conditions for optimal control subject to state constraints, SIAM J Control Optim **35**(1) 205-227 (Jan 1997), 7T323
Upper and lower bounds of the solution for the continuous Riccati matrix equation, Int J Control **66**(1) 105-118 (Jan 1997), 7T324
Solvability criterion for the constrained discrete Lyapunov and Riccati equations, J Optim Theory Appl **92**(1) 149-160 (Jan 1997), 7T329
Robust end-point optimizing feedback for nonlinear dynamic processes, Int J Control **65**(6) 995-1014 (Dec 1996), 7A342
μ controllers: Mixed and fixed, J Guidance Control Dyn **20**(1) 34-41 (Jan-Feb 1997), 7A344
Optimal production planning in a stochastic manufacturing system with long-run average cost, J Optim Theory Appl **92**(1) 161-188 (Jan 1997), 7T393
Flight control applications of l_1 optimization, J Guidance Control Dyn **20**(1) 49-56 (Jan-Feb 1997), 7A1169
Time-domain FEM for inverse problem of aircraft maneuvers, J Guidance Control Dyn **20**(1) 97-103 (Jan-Feb 1997), 7A1170
Brachistochrone with Coulomb friction, SIAM J Control Optim **35**(2) 562-584 (Mar 1997), 8A379
Control synthesis in the problem of the time-optimal intersection of a sphere, J Appl Math Mech **60**(5) 717-727 (1996), 8A380
Minimax optimal control of discrete-time uncertain systems with structured uncertainty, Dyn Control **7**(1) 5-24 (Jan 1997), 8T381
Model-based optimizing control of a water-to-water heat pump unit, Model Ident Control **17**(4) 279-295 (Oct 1996), 8A382
Nonconvex problems of global optimization: Linear-quadratic control problems with quadratic constraints, Dyn Control **7**(2) 99-134 (Apr 1997), 8T383
Optimality conditions in differentiable multiobjective programming, J Optim Theory Appl **92**(2) 419-427 (Feb 1997), 8T384
Algorithms for unconstrained optimization problems via control theory, J Optim Theory Appl **92**(3) 581-604 (Mar 1997), 8A390
IUTAM Symposium on Interaction between Dynamics and Control in Advanced Mechanical Systems (Kluwer, Netherlands, 1997) 9N11
Experimental approach to selecting H_∞ weighting functions for DC servos, J Dyn Syst Meas Control **119**(1) 101-105 (Mar 1997), 9A323
Inverting and noninverting H_∞ controllers, Syst Control Lett **30**(1) 31-38 (Mar 1997), 9T324
Optimal control problem with unbounded control operator and unbounded observation operator where the algebraic Riccati equation is satisfied as a Lyapunov equation, Appl Math Lett **10**(2) 95-102 (Mar 1997), 9A325
Study on controlling algorithm to realize high-speed and high-accuracy control systems - 2nd Report: Proposal of modified delta operation with variable modulation method (Japanese), J Japan Soc Precision Eng **63**(2) 213-217 (Feb 1997), 9T326
Optimal rejection of stochastic and deterministic disturbances, J Dyn Syst Meas Control **119**(1) 140-143 (Mar 1997), 9A337
Robust eigenstructure assignment using the genetic algorithm and constrained state feedback, J Syst Control Eng **211**(I1) 53-61 (1997), 9A340
Near-optimal guidance law of ballistic missile interception, J Guidance Control Dyn **20**(2) 355-361 (Mar-Apr 1997), 9T350
Optimal earth-moon trajectories using nuclear electric propulsion, J Guidance Control Dyn **20**(2) 239-245 (Mar-Apr 1997), 9T351
Optimal earth-moon trajectories using combined chemical-electric propulsion, J Guidance Control Dyn **20**(2) 253-258 (Mar-Apr 1997), 9T352
Fuel-time optimal control of spacecraft maneuvers, J Guidance Control Dyn **20**(2) 394-397 (Mar-Apr 1997), 9T360
Optimal adaptive active suspensions for a full car model, Vehicle Syst Dyn **27**(2) 89-107 (Feb 1997), 9A365
Robustness of a variable structure control system for maneuverable flight vehicles, J Guidance Control Dyn **20**(2) 377-383 (Mar-Apr 1997), 9T367
Multi-target control problems, J Optim Theory Appl **93**(1) 121-139 (Apr 1997), 10T437

Analytical functions optimizing competing constraints, SIAM J Math Anal **28**(3) 749-767 (May 1997), 10A438

Constrained regular LQ-control problems, SIAM J Control Optim **35**(3) 876-900 (May 1997), 10T439

Discrete-time H^∞ problem with a strictly proper controller, Int J Control **66**(5) 747-765 (Mar 1997), 10T440

l_1 minimization with magnitude constraints in the frequency domain, J Optim Theory Appl **93**(1) 27-51 (Apr 1997), 10T441

Optimal control for holonomic and nonholonomic mechanical systems with symmetry and Lagrangian reduction, SIAM J Control Optim **35**(3) 901-929 (May 1997), 10T442

Synthesis of heat exchanger networks using genetic algorithm (Chinese), J Dalian Univ Tech **37**(1) 54-58 (Jan 1997), 10A443

Optimization of observations: A stochastic control approach, SIAM J Control Optim **35**(3) 1030-1052 (May 1997), 10T446

Frequency-domain linear quadratic optimal system design with 2dof configuration, Optimal Control Appl Methods **18**(1) 73-82 (Jan-Feb 1997), 10T449

Neighboring extremal control design using error compensation, J Guidance Control Dyn **20**(3) 542-548 (May-Jun 1997), 10A451

Robust LQG control of uncertain linear systems via simultaneous H_2 and H_∞ approach, Optimal Control Appl Methods **18**(1) 49-58 (Jan-Feb 1997), 10T452

Robust nonlinear-nonquadratic feedback control via parameter-dependent Lyapunov functions, Int J Control **66**(6) 843-861 (Apr 1997), 10A453

Concatenated approach to trajectory optimization, J Guidance Control Dyn **20**(3) 617-621 (May-Jun 1997), 10T459

New penalty functions and optimal control formulation for spacecraft attitude control problems, J Guidance Control Dyn **20**(3) 428-434 (May-Jun 1997), 10A466

Reliability-based optimization of plant precast concrete building systems, Acta Polytech Scand Civil Eng Build **0**(108) 7-168 (1997), 10T925

Algorithms for Linear-Quadratic Optimization (Marcel Dekker, New York, 1996) 11N2

Applied modeling and simulation, Model Ident Control **18**(2) 89-175 (Apr 1997), 11T286

Direct optimal control: A hybrid approach, Int J Control **67**(2) 193-212 (May 1997), 11A290

Global optimization of a quadratic functional with quadratic equality constraints - Part 2, J Optim Theory Appl **93**(3) 547-556 (Jun 1997), 11A291

H_∞ control with parametric Lyapunov functions, Syst Control Lett **30**(2-3) 57-69 (Apr 1997), 11T292

New algorithm for computing LQ suboptimal output feedback gains of decentralized control systems, J Optim Theory Appl **93**(3) 597-607 (Jun 1997), 11A293

Nonlinear H_∞ control around periodic orbits, Syst Control Lett **30**(2-3) 127-137 (Apr 1997), 11T294

Piecewise-linear pathways to the optimal solution set in linear programming, J Optim Theory Appl **93**(3) 619-634 (Jun 1997), 11T295

Robust discrete-time H_∞ control, Int J Control **67**(2) 213-231 (May 1997), 11T296

Stochastic modification for global optimization problems: An efficient implementation for the control of the vulcanization process, Int J Control **67**(1) 1-21 (May 1997), 11T297

Universal alignment probabilities and subset selection for ordinal optimization, J Optim Theory Appl **93**(3) 455-489 (Jun 1997), 11T298

Integrated structure-control design of high speed flexible robots based on time optimal control, J Dyn Syst Meas Control **117**(4) 503--512 (Dec 1995), 11A313

Nonlinear and Optimal Control Systems (Wiley, New York, 1997) 12R18

Sensitivity reduction of constraint forces and position control for mechanical descriptor systems, J Dyn Syst Meas Control **119**(2) 286-289 (Jun 1997), 12A356

Approximate output feedback optimal control of higher-order dynamical systems, Optimal Control Appl Methods **18**(2) 123-137 (Mar-Apr 1997), 12A364

Approximate solutions to H_2/H_∞ problems via sequences of H_2-cost/H_∞-constraint optimization problems, Int J Control **67**(3) 333-353 (Jun 1997), 12T365

Control parameter optimization of a pre-stressed shallow cylindrical panel, Optimal Control Appl Methods **18**(2) 139-148 (Mar-Apr 1997), 12A366

Further development of an alternative algorithm for a class of H_∞ design problems, Optimal Control Appl Methods **18**(2) 149-158 (Mar-Apr 1997), 12T367

H^∞ controller design for pure delay and other distributed systems, Int J Control **67**(3) 355-369 (Jun 1997), 12A368

Numerical solutions of optimal control for thermally convective flows, Int J Numer Methods Fluids **25**(2) 205-223 (Jul 1997), 12A369

Qualitative structure of a class of infinite horizon optimal control problems, Optimal Control Appl Methods **18**(3) 195-215 (May-Jun 1997), 12T370

Regularity properties of solutions to linear quadratic optimal control problems with state constraints, Syst Control Lett **30**(5) 265-272 (Jun 1997), 12T371

Study on controlling algorithm to realize high-speed and high-accuracy control systems - 3rd Report: An application of modified delta operation with VMM to optimal control systems (Japanese), J Japan Soc Precision Eng **63**(5) 689-693 (May 1997), 12T372

Feasible output feedback controller design for linear systems, Optimal Control Appl Methods **18**(2) 109-122 (Mar-Apr 1997), 12A376

LQ controller with a prescribed pole region: A data-based design approach, J Dyn Syst Meas Control **119**(2) 206-211 (Jun 1997), 12A378

Stable optimal model reduction of linear discrete-time systems, J Dyn Syst Meas Control **119**(2) 300-304 (Jun 1997), 12A386

Constrained H_∞ control of an experimental flexible link, J Dyn Syst Meas Control **119**(2) 206-211 (Jun 1997), 12A389

Distributed link-layer control for automated highway systems, J Dyn Syst Meas Control **119**(2) 192-197 (Jun 1997), 12A392

Advanced control design for marine diesel engine propulsion systems, J Dyn Syst Meas Control **119**(2) 167-174 (Jun 1997), 12A410

Design of optimal MIMO DIVSC systems and its application to idle speed control of spark ignition engine, J Dyn Syst Meas Control **119**(2) 175-182 (Jun 1997), 12A412

Robust power system stabilizer design, Optimal Control Appl Methods **18**(3) 179-193 (May-Jun 1997), 12A413

Identification of the optimal switching structure for range-optimal atmospheric flight trajectories, Optimal Control Appl Methods **18**(3) 159-177 (May-Jun 1997), 12A1170

202C. Nonlinear systems

Analysis of Piecewise Linear Dynamical Systems (Wiley, New York, 1995) 1N17

Adaptive approach to the control and synchronization of continuous-time chaotic systems, Int J Bifurcation Chaos **6**(3) 557-568 (Mar 1996), 1A351

Adaptive synchronization and control of nonlinear dynamical systems, Int J Bifurcation Chaos **6**(3) 455-471 (Mar 1996), 1A352

Gain bounds of higher-order nonlinear transfer functions, Int J Control **64**(4) 767-773 (Jul 1996), 1T353

Local control of chaos: The neighborhood size, Int J Bifurcation Chaos **6**(1) 169-178 (Jan 1996), 1A354

Multiple-surface sliding control of a class of uncertain nonlinear systems, Int J Control **64**(4) 693-706 (Jul 1996), 1A355

Proportional and integral control of nonlinear systems, Int J Control **64**(4) 679-692 (Jul 1996), 1A356

Sliding mode control of multivariable nonlinear systems, Int J Control **64**(4) 745-765 (Jul 1996), 1A357

Controlling Chaos: Theoretical and Practical Methods in Nonlinear Dynamics (Academic, San Diego, CA, 1996) 2R6

Application of Taylor transformation to nonlincar predictive control problem, Appl Math Model **20**(9) 699-710 (Sep 1996), 2A318

Robust output tracking using a sliding-mode controller-observer scheme, Int J Control **64**(5) 967-983 (Jul 1996), 2A319

Nonlinear Dynamics and Controls (ASME, New York, 1996) 3N8

Output frequency characteristics of nonlinear systems, Int J Control **64**(6) 1049-1067 (Aug 1996), 3T339

Computations and time-optimal controls, Optimal Control Appl Methods **17**(3) 171-185 (Jul-Sep 1996), 3T341

Adaptive tracking controller for multiple-phase permanent-magnet machines, Int J Control **64**(6) 997-1022 (Aug 1996), 3A352

Robust control of nonlinear feedback passive systems, Syst Control Lett **28**(2) 85-93 (Jun 1996), 3A353

Model reference adaptive control systems with terminal sliding modes, Int J Control **64**(6) 1165-1176 (Aug 1996), 3T358

Riccati equation approach to robust L_2-gain synthesis for a class of uncertain nonlinear systems, Int J Control **64**(6) 1177-1188 (Aug 1996), 3T361

Robust control design for a class of mismatched uncertain nonlinear systems, J Optim Theory Appl **90**(3) 605-626 (Sep 1996), 3A362

Global stabilization of flexible multibody spacecraft using quaternion-based nonlinear control law, J Guidance Control Dyn **19**(5) 1186-1188 (Sep-Oct 1996), 3T378

Robust control of passive-jointed robot and experimental validation using sliding mode, J Guidance Control Dyn **19**(5) 1039-1046 (Sep-Oct 1996), 3A414

Numerical stabilization of bilinear control systems, SIAM J Control Optim **34**(6) 2024-2050 (Nov 1996), 4T326

Decentralized robust control for a class of uncertain large-scale interconnected nonlinear dynamical systems, J Optim Theory Appl **91**(1) 235-256 (Oct 1996), 4T343

Characterization of some gain conditions via the Hamilton-Jacobi inequality, Syst Control Lett **28**(5) 263-271 (Sep 1996), 4T347

Robust control for nonlinear systems with structured L_2-gain bounded uncertainty, Syst Control Lett **28**(3) 167-172 (Jul 1996), 4T358

Series solution of a class of nonlinear optimal regulators, J Optim Theory Appl **91**(2) 321-345 (Nov 1996), 4A360

Adaptive control of nonlinear vibration system via artificial neural network, J Vib Eng **9**(3) 260-265 (Sep 1996), 4A364

Exact linearization of nonlinear systems: Trajectory tracking with bounded controls and state constraints, Int J Control **65**(3) 455-467 (Oct 1996), 4T365

Globally stable discrete-time controller for current-fed induction motors, Syst Control Lett **28**(3) 123-128 (Jul 1996), 4T366

Linearization of discrete-time systems, SIAM J Control Optim **34**(6) 1999-2023 (Nov 1996), 4A367

Corrective control of sequential machines, Int J Control **65**(2) 249-276 (Sep 1996), 4A376

Design of variable structure controllers with continuous switching control, Int J Control **65**(3) 409-431 (Oct 1996), 4T377

Discontinuous feedback in nonlinear tracking problems, Dyn Control **6**(4) 323-332 (Oct 1996), 4A378

Control of nonlinear structures using the fuzzy control approach, Nonlinear Dyn **11**(2) 171-187 (Oct 1996), 4A386

Servo design for a 3D laser-tracking measurement system, J Dyn Syst Meas Control **118**(3) 476-481 (Sep 1996), 4A401

Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, J Dyn Syst Meas Control **118**(3) 463-467 (Sep 1996), 4A402

Appropriate realization of gain-scheduled controllers with application to wind turbine regulation, Int J Control **65**(2) 223-248 (Sep 1996), 4A409

Comparison of sliding mode control with state feedback and PID control applied to a proportional solenoid valve, J Dyn Syst Meas Control **118**(3) 434-438 (Sep 1996), 4A410

Control of a one-dof active hydraulic mount - Part II, J Dyn Syst Meas Control **118**(3) 443-448 (Sep 1996), 4A411

Modeling of a one-dof active hydraulic mount - Part I, J Dyn Syst Meas Control **118**(3) 439-442 (Sep 1996), 4A413

Stabilization of linear systems in the presence of output measurement saturation, Syst Control Lett **29**(1) 27-30 (Sep 1996), 5A286

Nonlinear H_∞ method for Volterra systems, Int J Control **65**(4) 667-680 (Nov 1996), 5T293

Antiwindup controllers for systems with input nonlincarities, J Guidance Control Dyn **19**(6) 1387-1390 (Nov-Dec 1996), 5T296

Bound on the number of integrators needed to linearize a control system, Syst Control Lett **29**(1) 43-50 (Sep 1996), 5A297

Further results on global stabilization of discrete nonlinear systems, Syst Control Lett **29**(1) 51-59 (Sep 1996), 5T298

Sliding mode control using modified Rodrigues parameters, J Guidance Control Dyn **19**(6) 1381-1383 (Nov-Dec 1996), 5T299

Variable structure controler design for robust tracking and model following, J Guidance Control Dyn **19**(6) 1395-1397 (Nov-Dec 1996), 5T300

Robust semi-global output tracking for nonlinear singularly perturbed systems, Int J Control **65**(4) 639-666 (Nov 1996), 5T303

Position tracking control of a smart flexible structure featuring a piczofilm actuator, J Guidance Control Dyn **19**(6) 1364-1369 (Nov-Dec 1996), 5A325

Stability and flying qualities robustness of a dynamic inversion aircraft control law, J Guidance Control Dyn **19**(6) 1270-1277 (Nov-Dec 1996), 5A326

H^∞/μ control-based frequency-shaped sliding mode control for flexible structures, JSME Int J Ser C **39**(3) 493-501 (Sep 1996), 5A351

Extension of the small gain theorem in L_∞, Int J Control **65**(5) 771-789 (Nov 1996), 6T375

Stabilization and tracking in the nonholonomic integrator via sliding modes, Syst Control Lett **29**(2) 91-99 (Oct 1996), 6T376

Time-varying feedback control of nonaffine nonlinear systems without drift, Syst Control Lett **29**(2) 101-110 (Oct 1996), 6T377

New class of nonlinear robust adaptive controllers, Int J Control **65**(5) 745-769 (Nov 1996), 6A379

Gain scheduled SPR controllers for nonlinear flexible systems, J Dyn Syst Meas Control **118**(4) 698-703 (Dec 1996), 6A392

Smooth robust adaptive sliding mode control of manipulators with guaranteed transient performance, J Dyn Syst Meas Control **118**(4) 764-775 (Dec 1996), 6A437

Enhancing hydrostatic gear efficiency through nonlinear optimal control strategies, J Dyn Syst Meas Control **118**(4) 727-732 (Dec 1996), 6A950

Model reference learning control scheme for a class of nonlinear systems, Int J Control **66**(2) 271-287 (Jan 1997), 7A325

Neural-net-based direct self-tuning control of nonlinear plants, Int J Control **66**(1) 85-104 (Jan 1997), 7A326

Robust stabilization by dynamic combined state and output feedback compensator for nonlinear systems with jumps, J Optim Theory Appl **92**(1) 63-75 (Jan 1997), 7A327

Parametrization of all stabilizing controllers of nonlinear systems, Syst Control Lett **29**(4) 207-213 (Jan 1997), 7T339

Robust end-point optimizing feedback for nonlinear dynamic processes, Int J Control **65**(6) 995-1014 (Dec 1996), 7A342

Pilot-induced oscillation analysis and prediction with actuator rate limiting, J Guidance Control Dyn **20**(1) 81-89 (Jan-Feb 1997), 7A358

Redundant dynamical sliding mode control scheme for an asymptotic space vehicle stabilization, Int J Control **65**(6) 901-912 (Dec 1996), 7A359

Directing orbits of chaotic systems in the presence of noise: Feedback correction, Dyn Control **7**(1) 25-47 (Jan 1997), 8A385

Robust stability of nonlinear feedback systems with parameter deviations and perturbed nonlinearities, J Dyn Syst Meas Control **119**(1) 133-135 (Mar 1997), 9T301

Componentwise bounded controllers for robust exponential convergence, J Dyn Syst Meas Control **119**(1) 73-79 (Mar 1997), 9A327

Horizontal version of the inverse pendulum problem, Comput Methods Appl Mech Eng **141**(3-4) 297-309 (Feb 1997), 9A328

Sliding mode control for nonlinear systems with global invariance, J Syst Control Eng **211**(I1) 75-82 (1997), 9A329

Robust controller design for discrete uncertain multiple time-delay systems, J Dyn Syst Meas Control **119**(1) 122-127 (Mar 1997), 9A338

Bifurcation control of parametrically excited Duffing system by a combined linear-plus-nonlinear feedback control, Nonlinear Dyn **12**(3) 263-274 (Mar 1997), 10T130

Robust input to state stabilization for minimum-phase nonlinear systems, Int J Control **66**(6) 825-842 (Apr 1997), 10T429

Robust control for a nonlinear servomechanism problem, Int J Control **66**(6) 779-802 (Apr 1997), 10A444

Design and analysis of gain-scheduled control using local controller networks, Int J Control **66**(5) 619-651 (Mar 1997), 10A447

Robust nonlinear-nonquadratic feedback control via parameter-dependent Lyapunov functions, Int J Control **66**(6) 843-861 (Apr 1997), 10A453

Nonlinear control of a proof-mass actuator, J Guidance Control Dyn **20**(3) 464-470 (May-Jun 1997), 10A488

New matching condition for nonlinear robust control design, J Dyn Syst Meas Control **117**(4) 453-458 (Dec 1995), 11A303

Nonlinear and Optimal Control Systems (Wiley, New York, 1997) 12R18

Stabilization of a class of nonlinear systems through Lyapunov function decomposition, Int J Control **67**(3) 381-409 (Jun 1997), 12T353

Robust control design for a class of mismatched coupled uncertain systems, Optimal Control Appl Methods **18**(2) 83-107 (Mar-Apr 1997), 12A381

202D. Discrete systems

Linear Robust Control (Prentice-Hall, Englewood Cliffs NJ, 1995) 1R15

Improved stability robustness bounds for digital control systems in state-space models, Int J Control **64**(5) 991-994 (Jul 1996), 2A307

Causal and non-causal discrete-time transfer functions and their applications, Int J Control **65**(1) 195-204 (Sep 1996), 3T338

Discrete-time H_∞ algebraic Riccati equation and parametrization of all H_∞ filters, Int J Control **64**(6) 1129-1149 (Aug 1996), 3T342

Optimal design of robust controllers for uncertain discrete-time systems, Int J Control **65**(1) 71-91 (Sep 1996), 3A347

Subrate weighted minimum-variance control law, Int J Control **65**(1) 93-115 (Sep 1996), 3A364

Convergence properties of ordinal comparison in the simulation of discrete event dynamic systems, J Optim Theory Appl **91**(2) 363-388 (Nov 1996), 4T351

Globally stable discrete-time controller for current-fed induction motors, Syst Control Lett **28**(3) 123-128 (Jul 1996), 4T366

Linearization of discrete-time systems, SIAM J Control Optim **34**(6) 1999-2023 (Nov 1996), 4A367

Design of adaptive LQ regulators for MIMO systems based on multirate sampling of the plant output, J Optim Theory Appl **91**(1) 35-60 (Oct 1996), 4T368

Further results on global stabilization of discrete nonlinear systems, Syst Control Lett **29**(1) 51-59 (Sep 1996), 5T298

System Dynamics: An Introduction (Prentice Hall, Upper Saddle River, NJ, 1997) 6R11
Variable-Structure Control Systems: Discrete and Digital (CRC Press, Boca Raton FL, 1995) 6R13
Design of PAM and PWM controllers for sampled-data interval systems, J Dyn Syst Meas Control 118(4) 673-682 (Dec 1996), 6A400
Isotropic optimal control of active magnetic bearing system, J Dyn Syst Meas Control 118(4) 721-726 (Dec 1996), 6A407
Sampled-data H_∞ problem: A unified framework for discretization-based methods and Riccati equation solution, Int J Control 66(2) 289-309 (Jan 1997), 7T321
Digital high-gain and sliding-mode control, Int J Control 66(1) 65-83 (Jan 1997), 7A328
Solvability criterion for the constrained discrete Lyapunov and Riccati equations, J Optim Theory Appl 92(1) 149-160 (Jan 1997), 7T329
Robust control of sampled-data uncertain systems using digitally redesigned observer-based controllers, Int J Control 66(1) 43-64 (Jan 1997), 7T340
Robustness properties of repetitive controllers, Int J Control 65(6) 939-961 (Dec 1996), 7A343
Discrete positive realness of the discrete min-max control law, Dyn Control 7(2) 135-142 (Apr 1997), 8T378
Minimax optimal control of discrete-time uncertain systems with structured uncertainty, Dyn Control 7(1) 5-24 (Jan 1997), 8T381
Characterization of sampled-data controllers in the lifted domain, Syst Control Lett 29(5) 269-277 (Feb 1997), 8T386
Robust sliding mode control of uncertain dynamic delay systems in the presence of matched and unmatched uncertainties, J Dyn Syst Meas Control 119(1) 69-72 (Mar 1997), 9A344
Discrete-time H^∞ problem with a strictly proper controller, Int J Control 66(5) 747-765 (Mar 1997), 10T440
Robust control of discrete critical systems with specifications in the frequency domain, Int J Control 67(2) 169-192 (May 1997), 11A307
Multivariable Feedback Control: Analysis and Design (Wiley, UK, 1996) 12R17
Solutions Manual to *System Dynamics: An Introduction* (Prentice Hall, Upper Saddle River, NJ, 1997) 12N21
Discretization of existing continuous control systems, J Dyn Syst Meas Control 119(2) 315-320 (Jun 1997), 12A375
Global stabilization of linear discrete-time systems with bounded feedback, Syst Control Lett 30(5) 273-281 (Jun 1997), 12T377
Stable optimal model reduction of linear discrete-time systems, J Dyn Syst Meas Control 119(2) 300-304 (Jun 1997), 12A386
Zero phase error tracking system with arbitrarily specified gain characteristics, J Dyn Syst Meas Control 119(2) 260-264 (Jun 1997), 12A387

202E. Distributed parameter and delayed systems

AIAA-ASME Adaptive Structures Forum Proceedings (AIAA, MD, 1996) 1N16
Analysis of approximations to the delay dynamics in the optimization of control systems (Spanish), J Brazilian Soc Mech Sci 18(2) 182-197 (Jun 1996), 1A358
Structured perturbations for two classes of linear infinite-dimensional systems, Dyn Control 6(3) 227-261 (Jul 1996), 1T359
Space-time spectral element method for optimal slewing of a flexible beam, Int J Numer Methods Eng 39(18) 3101-3121 (Sep 1996), 3A354
Robust analysis and synthesis of linear time-delay systems with norm-bounded time-varying uncertainty, Syst Control Lett 28(5) 281-289 (Sep 1996), 4T349
Riccati equation approach to the design of memoryless stabilizing controllers and observers for uncertain linear systems with time-varying delay, J Syst Control Eng 210(I3) 215-218 (1996), 4T357
Solutions for a class of optimal control problems with time delay - Part 1, J Optim Theory Appl 91(1) 155-184 (Oct 1996), 4A361
Solutions for a class of optimal control problems with time delay - Part 2, J Optim Theory Appl 91(2) 455-490 (Nov 1996), 4T362
Control oriented modeling of distributed systems: The question of control system stability, J Dyn Syst Meas Control 118(3) 632-635 (Sep 1996), 4A369
Domain optimization problems for parabolic control systems, Appl Math Comp Sci 6(2) 277-289 (1996), 4A370
Adaptive controller for continuous systems with single internal and external delays, Dyn Control 6(4) 387-403 (Oct 1996), 4A372
Minimal k-step delay controller for robust tracking of non-minimum phase systems, Syst Control Lett 28(4) 197-203 (Aug 1996), 4T381
Control of suspensions for vehicles with flexible bodies - Part I: Active suspensions, J Dyn Syst Meas Control 118(3) 508-517 (Sep 1996), 4A387
Control of suspensions for vehicles with flexible bodies - Part II: Semi-active suspensions, J Dyn Syst Meas Control 118(3) 518-525 (Sep 1996), 4A388
Hydraulic actuator turning in the control of a rotating flexible beam mechanism, J Dyn Syst Meas Control 118(3) 449-456 (Sep 1996), 4A393
H_∞ robust control of flexible beam vibration by using a hybrid damper, J Dyn Syst Meas Control 118(3) 643-648 (Sep 1996), 4A394
Modeling and test of an electropneumatic servovalve controlled long rodless actuator, J Dyn Syst Meas Control 118(3) 457-462 (Sep 1996), 4A412
Numerical analysis of a control problem in heat conducting Navier-Stokes fluid, Int J Eng Sci 34(13) 1467-1476 (Oct 1996), 5A301
Hankel singular values of flexible structures in discrete time, J Guidance Control Dyn 19(6) 1370-1377 (Nov-Dec 1996), 5T319
Robust Kalman filter synthesis for uncertain multiple time-delay stochastic systems, J Dyn Syst Meas Control 118(4) 803-808 (Dec 1996), 6A364
Gain scheduled SPR controllers for nonlinear flexible systems, J Dyn Syst Meas Control 118(4) 698-703 (Dec 1996), 6A392
Vibrational control of a flexible beam, Int J Control 65(5) 803-825 (Nov 1996), 6A396
Dynamics of a kicked oscillator with a delay in its parametric feedback loop: An analytical study, Nonlinear Dyn 11(4) 407-419 (Dec 1996), 7A98
Approach to the problem of stabilizing systems with delay, J Appl Math Mech 60(4) 529-539 (1996), 7A330
Minimum time maneuver of flexible systems using pulse response based control, J Guidance Control Dyn 20(1) 129-136 (Jan-Feb 1997), 7A355
Computed torque-time delay approach to the end-point control of a one-link flexible manipulator, Dyn Control 7(2) 171-189 (Apr 1997), 8A439
Functional observer and state feedback for input time-delay systems, Int J Control 66(4) 603-617 (Mar 1997), 9A318
Optimal driving strategies for a train on a track with continuously varying gradient, J Austral Math Soc B 38(3) 388-410 (Jan 1997), 9A330
Robust controller design for discrete uncertain multiple time-delay systems, J Dyn Syst Meas Control 119(1) 122-127 (Mar 1997), 9A338
H^∞ controller design for pure delay and other distributed systems, Int J Control 67(3) 355-369 (Jun 1997), 12A368
Stabilizing control for a class of uncertain delay systems with limited measurable state variables, Dyn Control 7(3) 235-262 (Jul 1997), 12A385

202F. Stochastic systems

Linear Stochastic Control Systems (CRC Press, Boca Raton FL, 1995) 2R13
Stability radii of systems with stochastic uncertainty and their optimization by output feedback, SIAM J Control Optim 34(6) 1972-1998 (Nov 1996), 4T328
Convergence properties of ordinal comparison in the simulation of discrete event dynamic systems, J Optim Theory Appl 91(2) 363-388 (Nov 1996), 4T351
Decentralized robust control design for large-scale time-delay systems with time-varying uncertainties, JSME Int J Ser C 39(3) 528-533 (Sep 1996), 5A287
State-space approach to stabilizing predictive control, Int J Control 65(4) 619-637 (Nov 1996), 5A304
Robust Kalman filter synthesis for uncertain multiple time-delay stochastic systems, J Dyn Syst Meas Control 118(4) 803-808 (Dec 1996), 6A364
Risk sensitive control of Markov processes in countable state space, Syst Control Lett 29(3) 147-155 (Nov 1996), 6T382
Limits of singularly perturbed control problems with statistical dynamics of fast motions, SIAM J Control Optim 35(1) 1-28 (Jan 1997), 7T331
Solution of the problem of synthesizing a stochastic optimal control using nonlinear probabilistic criteria, J Appl Math Mech 60(4) 561-566 (1996), 7A332
Synthesis of suboptimal control of stochastic systems using a prognosing model, J Appl Math Mech 60(4) 551-560 (1996), 7A333
Application of the minimal control synthesis algorithm to the control and synchronization of chaotic systems, Int J Control 65(6) 925-938 (Dec 1996), 7T334
Control of time delay linear systems with Gaussian white noise, Probab Eng Mech 12(2) 89-96 (Apr 1997), 9A331
Feasible controller design for stochastic systems, J Guidance Control Dyn 20(3) 535-541 (May-Jun 1997), 10A445
Optimization of observations: A stochastic control approach, SIAM J Control Optim 35(3) 1030-1052 (May 1997), 10T446
Uncertainty Modeling in Vibration, Control, and Fuzzy Analysis of Structural Systems (World Sci Pub, River Edge, NJ, 1997) 12N15

202H. Other systems and techniques

Multiple-surface sliding control of a class of uncertain nonlinear systems, Int J Control 64(4) 693-706 (Jul 1996), 1A355
Sliding mode control of multivariable nonlinear systems, Int J Control 64(4) 745-765 (Jul 1996), 1A357
Neural network controller with flexible structure based on feedback-error-learning approach, J Intelligent & Robotic Syst 15(4) 367-387 (Apr 1996), 1A360
Robust stability of a Clarke-Gawthrop type of self-tuning controller, Int J Control 64(4) 721-731 (Jul 1996), 1T361
Two dof design method of linear-quadratic servo systems with an integral compensator: Analysis of the performance deterioration by the introduction of an observer, Int J Control 64(5) 941-958 (Jul 1996), 2A311
Robust output tracking using a sliding-mode controller-observer scheme, Int J Control 64(5) 967-983 (Jul 1996), 2A319
Robust stability of multivariable interval control systems, Int J Control 64(5) 807-828 (Jul 1996), 2T320
Stabilization of an uncertain linear dynamic system by state and output feedback: A quadratic stabilizability approach, Int J Control 64(5) 839-858 (Jul 1996), 2A321
Demonstration of adaptive least-mean-square control of small amplitude vortex-induced vibrations, J Fluids Struct 10(6) 615-632 (Aug 1996), 3A266
Stabilization of cantilevered flexible structures by means of an internal flowing field, J Fluids Struct 10(6) 653-661 (Aug 1996), 3T279
Stability analysis and design for a class of continuous-time fuzzy control systems, Int J Control 64(6) 1069-1087 (Aug 1996), 3T330
Stabilization by constrained controls, SIAM J Control Optim 34(5) 1616-1649 (Sep 1996), 3T331
Computations and time-optimal controls, Optimal Control Appl Methods 17(3) 171-185 (Jul-Sep 1996), 3T341
Linear quadratic optimal output feedback control for systems with poles in a specified region, Int J Control 64(6) 1151-1164 (Aug 1996), 3A343
Balanced actuator and sensor placement for flexible structures, Int J Control 65(1) 131-145 (Sep 1996), 3T355
Comparison and combination of learning controllers: Computational enhancement and experiments, J Guidance Control Dyn 19(5) 1116-1123 (Sep-Oct 1996), 3A356
Constrained stabilization of continuous-time linear systems, Syst Control Lett 28(2) 95-102 (Jun 1996), 3T357
Model reference adaptive control systems with terminal sliding modes, Int J Control 64(6) 1165-1176 (Aug 1996), 3T358
New computer method for temperature measurement based on an optimal control problem, Comput Methods Appl Mech Eng 135(1-2) 167-185 (Aug 1996), 3A359
Probability-one homotopy algorithms for full-and reduced-order H^2/H^∞ controller synthesis, Optimal Control Appl Methods 17(3) 187-208 (Jul-Sep 1996), 3T360
Riccati equation approach to robust L_2-gain synthesis for a class of uncertain nonlinear systems, Int J Control 64(6) 1177-1188 (Aug 1996), 3T361
Robust control design for a class of mismatched uncertain nonlinear systems, J Optim Theory Appl 90(3) 605-626 (Sep 1996), 3A362
Robustified adaptive minimum-variance controller, Int J Control 65(1) 117-129 (Sep 1996), 3T363
Subrate weighted minimum-variance control law, Int J Control 65(1) 93-115 (Sep 1996), 3A364
Quantitative feedback theory with a scheduled gain for full envelope longitudinal control, J Guidance Control Dyn 19(5) 1095-1101 (Sep-Oct 1996), 3A384
Swinging control of nonlinear oscillations, Int J Control 64(6) 1189-1202 (Aug 1996), 3A387
Stability radii of systems with stochastic uncertainty and their optimization by output feedback, SIAM J Control Optim 34(6) 1972-1998 (Nov 1996), 4T328
Model error compensation for bearing temperature and preload estimation, J Dyn Syst Meas Control 118(3) 580-585 (Sep 1996), 4A331
Iterative learning control using optimal feedback and feedforward actions, Int J Control 65(2) 277-293 (Sep 1996), 4A335
Stability and performance robustness analysis of repetitive control systems using structured singular values, J Dyn Syst Meas Control 118(3) 593-597 (Sep 1996), 4A336
Decentralized robust control for a class of uncertain large-scale interconnected nonlinear dynamical systems, J Optim Theory Appl 91(1) 235-256 (Oct 1996), 4T343
Controller design to optimize a composite performance measure, J Optim Theory Appl 91(1) 91-113 (Oct 1996), 4A350
Relaxation of constrained control problems, SIAM J Control Optim 34(6) 2077-2091 (Nov 1996), 4T356
Riccati equation approach to the design of memoryless stabilizing controllers and observers for uncertain linear systems with time-varying delay, J Syst Control Eng 210(I3) 215-218 (1996), 4T357
Exact linearization of nonlinear systems: Trajectory tracking with bounded controls and state constraints, Int J Control 65(3) 455-467 (Oct 1996), 4T365
Active control of instabilities in laminar boundary layers: Overview and concept validation, J Fluids Eng 118(3) 494-497 (Sep 1996), 4A371
Adaptive controller for continuous systems with single internal and external delays, Dyn Control 6(4) 387-403 (Oct 1996), 4A372
Adaptive rejection of periodic disturbances with unknown period, J Dyn Syst Meas Control 118(3) 606-610 (Sep 1996), 4A373
Control system of flywheel electric motors with minimal redundancy, Mech Solids 31(2) 66-71 (1996), 4T374
Controller design with real parametric uncertainty, Int J Control 65(3) 469-509 (Oct 1996), 4A375
Corrective control of sequential machines, Int J Control 65(2) 249-276 (Sep 1996), 4A376
Design of variable structure controllers with continuous switching control, Int J Control 65(3) 409-431 (Oct 1996), 4T377
Discontinuous feedback in nonlinear tracking problems, Dyn Control 6(4) 323-332 (Oct 1996), 4A378
Dynamical adaptive pulse-width-modulation control of DC-to-DC power converters: A backstepping approach, Int J Control 65(2) 205-222 (Sep 1996), 4T379
Improving the tracking of generalized predictive control controllers, J Syst Control Eng 210(I3) 169-182 (1996), 4A380
Minimal k-step delay controller for robust tracking of non-minimum phase systems, Syst Control Lett 28(4) 197-203 (Aug 1996), 4T381
Operational method for nonparametric analysis of feedback control systems, J Dyn Syst Meas Control 118(3) 639-643 (Sep 1996), 4A382
Quantitative feedback design of uncertain multivariable control systems, Int J Control 65(3) 537-553 (Oct 1996), 4A383
Review: MEMS and its applications for flow control, J Fluids Eng 118(3) 437-447 (Sep 1996), 4A384
Appropriate realization of gain-scheduled controllers with application to wind turbine regulation, Int J Control 65(2) 223-248 (Sep 1996), 4A409
Computations of boundary optimal control problems for an electrically conducting fluid, J Comput Phys 128(2) 319-330 (Oct 1996), 4T1104
Lyapunov stability analysis of daisy chain control allocation, J Guidance Control Dyn 19(6) 1226-1230 (Nov-Dec 1996), 5A271
Homotopy algorithm for fixed order mixed H_2-H_∞ design, J Guidance Control Dyn 19(6) 1262-1269 (Nov-Dec 1996), 5T291
Interpolation approach to multiobjective H_∞ design, Int J Control 65(4) 699-720 (Nov 1996), 5A292
Optimal parallel model solutions using the polynomial approach, Int J Control 65(4) 681-697 (Nov 1996), 5T295
Antiwindup controllers for systems with input nonlinearities, J Guidance Control Dyn 19(6) 1387-1390 (Nov-Dec 1996), 5T296
Bound on the number of integrators needed to linearize a control system, Syst Control Lett 29(1) 43-50 (Sep 1996), 5A297
Least squares pole assignment by memoryless output feedback, Syst Control Lett 29(1) 31-42 (Sep 1996), 5T302
Robust semi-global output tracking for nonlinear singularly perturbed systems, Int J Control 65(4) 639-666 (Nov 1996), 5T303
State-space approach to stabilizing predictive control, Int J Control 65(4) 619-637 (Nov 1996), 5A304
Eigenvector scaling for mode localization in vibrating systems, J Guidance Control Dyn 19(6) 1342-1348 (Nov-Dec 1996), 5A317
Self-tuning control of a cold mill automatic gauge control system, Int J Control 65(4) 573-588 (Nov 1996), 5A329
Performance enhancement of wind turbine power regulation by switched linear control, Int J Control 65(4) 555-572 (Nov 1996), 5A330
Modeling pressure distribution in a rectangular gas bearing using neural networks, Trib Int 30(2) 139-150 (Feb 1997), 5A867
Time-varying feedback control of nonaffine nonlinear systems without drift, Syst Control Lett 29(2) 101-110 (Oct 1996), 6T377
Controller and observer design of non-redundant linear mechanical systems including actuator dynamics, Int J Control 65(5) 827-845 (Nov 1996), 6A378
New class of nonlinear robust adaptive controllers, Int J Control 65(5) 745-769 (Nov 1996), 6A379

New formulation of multiple-input multiple-output quantitative feedback theory, J Dyn Syst Meas Control 118(4) 748-752 (Dec 1996), 6A380
Optimal feedforward prefilter with frequency domain specification for nonminimum phase systems, J Dyn Syst Meas Control 118(4) 791-795 (Dec 1996), 6T381
Risk sensitive control of Markov processes in countable state space, Syst Control Lett 29(3) 147-155 (Nov 1996), 6T382
Robust stability of closed-loop systems resulting from nonsequential MIMO-QFT design, J Dyn Syst Meas Control 118(4) 753-756 (Dec 1996), 6A383
Synthesis of compensators for nonovershooting step response, J Dyn Syst Meas Control 118(4) 757-763 (Dec 1996), 6A384
Transient response of repetitive control systems, J Dyn Syst Meas Control 118(4) 795-797 (Dec 1996), 6A385
Nonlinear feedback control of the wake past a plate with a suction point on the downstream wall, J Fluid Mech 327 303-324 (Nov 1996), 6A399
Flow visualization study on feedback control of vortex shedding from a circular cylinder, J Fluids Struct 10(8) 965-970 (Nov 1996), 6A1029
First- and second-order sufficient optimality conditions for bang-bang controls, SIAM J Control Optim 35(1) 315-340 (Jan 1997), 7T317
H_∞ control attenuating initial-state uncertainties, Int J Control 66(2) 245-252 (Jan 1997), 7T318
Sufficient optimality conditions for optimal control subject to state constraints, SIAM J Control Optim 35(1) 205-227 (Jan 1997), 7T323
Neural-net-based direct self-tuning control of nonlinear plants, Int J Control 66(1) 85-104 (Jan 1997), 7A326
Robust stabilization by dynamic combined state and output feedback compensator for nonlinear systems with jumps, J Optim Theory Appl 92(1) 63-75 (Jan 1997), 7A327
Digital high-gain and sliding-mode control, Int J Control 66(1) 65-83 (Jan 1997), 7A328
Limits of singularly perturbed control problems with statistical dynamics of fast motions, SIAM J Control Optim 35(1) 1-28 (Jan 1997), 7T331
Application of the minimal control synthesis algorithm to the control and synchronization of chaotic systems, Int J Control 65(6) 925-938 (Dec 1996), 7T334
Decentralized robust control design with insufficient number of controllers, Int J Control 65(6) 1015-1030 (Dec 1996), 7A335
Determination of time-domain signal levels at the specification stage in quantitative feedback theory controller synthesis, Int J Control 66(2) 329-348 (Jan 1997), 7A336
Improved method of determining time-domain transient performance bounds from frequency response uncertainty regions, Int J Control 66(2) 311-327 (Jan 1997), 7A337
Low-gain control of uncertain regular linear systems, SIAM J Control Optim 35(1) 78-116 (Jan 1997), 7T338
Parametrization of all stabilizing controllers of nonlinear systems, Syst Control Lett 29(4) 207-213 (Jan 1997), 7T339
Robust control of sampled-data uncertain systems using digitally redesigned observer-based controllers, Int J Control 66(1) 43-64 (Jan 1997), 7T340
Robust controller design for uncertain linear systems with circular pole constraints, Int J Control 65(6) 1045-1054 (Dec 1996), 7T341
Robust end-point optimizing feedback for nonlinear dynamic processes, Int J Control 65(6) 995-1014 (Dec 1996), 7A342
Robustness properties of repetitive controllers, Int J Control 65(6) 939-561 (Dec 1996), 7A343
μ controllers: Mixed and fixed, J Guidance Control Dyn 20(1) 34-41 (Jan-Feb 1997), 7A344
Missile autopilot design using a new linear time-varying control technique, J Guidance Control Dyn 20(1) 150-157 (Jan-Feb 1997), 7T347
Near-optimal low-thrust trajectories via microgenetic algorithms, J Guidance Control Dyn 20(1) 196-198 (Jan-Feb 1997), 7T348
Minimum time maneuver of flexible systems using pulse response based control, J Guidance Control Dyn 20(1) 129-136 (Jan-Feb 1997), 7A355
Adaptive control of chaos in Lorenz system, Dyn Control 7(2) 143-154 (Apr 1997), 8A88
Inverse dynamics of non-minimum phase systems with non-zero initial conditions, Dyn Control 7(1) 49-71 (Jan 1997), 8A367
Pole assignment with optimal spectral conditioning, Syst Control Lett 29(5) 241-253 (Feb 1997), 8T372
Characterization of sampled-data controllers in the lifted domain, Syst Control Lett 29(5) 269-277 (Feb 1997), 8T386
Ascertaining the stability of internal-resonance-based vibration suppression laws, Dyn Control 7(1) 73-90 (Jan 1997), 8A387
State-space approach in robust control for singularly perturbed systems, Int J Control 66(3) 435-462 (Feb 1997), 8T388
Systems theory approach to the feedback stabilization of infinitesimal and finite-amplitude disturbances in plane Poiseuille flow, J Fluid Mech 332 157-184 (Feb 1997), 8A389
Pole-placement technique for magnetic momentum removal of earth-pointing spacecraft, J Guidance Control Dyn 20(2) 268-275 (Mar-Apr 1997), 9T235
Note on pole assignment in uncertain systems, Int J Control 66(4) 487-497 (Mar 1997), 9T314
Limitations of decentralized control, J Guidance Control Dyn 20(2) 384-390 (Mar-Apr 1997), 9A319
Robust decentralized control of power systems utilizing only swing angle measurements, Int J Control 66(4) 581-601 (Mar 1997), 9T320
Inverting and noninverting H_∞ controllers, Syst Control Lett 30(1) 31-38 (Mar 1997), 9T324
Componentwise bounded controllers for robust exponential convergence, J Dyn Syst Meas Control 119(1) 73-79 (Mar 1997), 9A327
Close-loop pole design for vibration suppression, J Guidance Control Dyn 20(2) 333-337 (Mar-Apr 1997), 9A332
Design of two-dof robust controllers for a seeker scan loop system, Int J Control 66(4) 517-537 (Mar 1997), 9T333
Feedback control of chaotic circular point sets with arbitrary velocity profile, Chaos Solitons Fractals 8(3) 313-326 (Mar 1997), 9A334
Genetic approach to adaptive control system design, J Syst Control Eng 211(I1) 15-23 (1997), 9A335
Nonlinear PI compensators that achieve high performance, J Dyn Syst Meas Control 119(1) 105-110 (Mar 1997), 9A336
Optimal rejection of stochastic and deterministic disturbances, J Dyn Syst Meas Control 119(1) 140-143 (Mar 1997), 9A337
Robust controller design for discrete uncertain multiple time-delay systems, J Dyn Syst Meas Control 119(1) 122-127 (Mar 1997), 9A338
Robust controller design with damping and stability specifications, J Guidance Control Dyn 20(2) 400-403 (Mar-Apr 1997), 9T339
Robust eigenstructure assignment using the genetic algorithm and constrained state feedback, J Syst Control Eng 211(I1) 53-61 (1997), 9A340
Robust nondiagonal controller design for uncertain multivariable regulating systems, J Dyn Syst Meas Control 119(1) 80-85 (Mar 1997), 9A341
Robust output regulation for linear systems with structured uncertainty, Int J Control 66(4) 499-515 (Mar 1997), 9T342
Robust polynomial eigenstructure assignment using dynamic feedback controllers, J Syst Control Eng 211(I1) 35-51 (1997), 9A343
Robust sliding mode control of uncertain dynamic delay systems in the presence of matched and unmatched uncertainties, J Dyn Syst Meas Control 119(1) 69-72 (Mar 1997), 9A344
Balanced dissipative controllers for flexible structures, J Dyn Syst Meas Control 119(1) 5-9 (Mar 1997), 9A355
Parameter varying control of a high-performance aircraft, J Guidance Control Dyn 20(2) 225-231 (Mar-Apr 1997), 9A366
Sampled-data indirect adaptive control of bioreactor using affine radial basis function network architecture, J Dyn Syst Meas Control 119(1) 94-97 (Mar 1997), 9T373
Bifurcation and chaos in the Duffing oscillator with a PID controller, Nonlinear Dyn 12(3) 251-262 (Mar 1997), 10A129
Bifurcation control of parametrically excited Duffing system by a combined linear-plus-nonlinear feedback control, Nonlinear Dyn 12(3) 263-274 (Mar 1997), 10T130
Stabilization of systems with input constraints, Int J Control 66(5) 653-675 (Mar 1997), 10A411
l_1 minimization with magnitude constraints in the frequency domain, J Optim Theory Appl 93(1) 27-51 (Apr 1997), 10T441
Robust control for a nonlinear servomechanism problem, Int J Control 66(6) 779-802 (Apr 1997), 10A444
Feasible controller design for stochastic systems, J Guidance Control Dyn 20(3) 535-541 (May-Jun 1997), 10A445
Design and analysis of gain-scheduled control using local controller networks, Int J Control 66(5) 619-651 (Mar 1997), 10A447
Design and analysis of simple robust controllers, Int J Control 66(6) 905-921 (Apr 1997), 10A448
Frequency-domain linear quadratic optimal system design with 2dof configuration, Optimal Control Appl Methods 18(1) 73-82 (Jan-Feb 1997), 10T449
Improving control design for nonlinear parameteric uncertainty, Int J Control 66(6) 863-883 (Apr 1997), 10A450
Neighboring extremal control design using error compensation, J Guidance Control Dyn 20(3) 542-548 (May-Jun 1997), 10A451
Robust LQG control of uncertain linear systems via simultaneous H_2 and H_∞ approach, Optimal Control Appl Methods 18(1) 49-58 (Jan-Feb 1997), 10T452
Robust nonlinear-nonquadratic feedback control via parameter-dependent Lyapunov functions, Int J Control 66(6) 843-861 (Apr 1997), 10A453
Concatenated approach to trajectory optimization, J Guidance Control Dyn 20(3) 617-621 (May-Jun 1997), 10T459
Finite horizon static output H_∞ control with automatic beam guidance application, J Guidance Control Dyn 20(3) 549-556 (May-Jun 1997), 10T462
Constrained steering law of pyramid-type control moment gyros and ground tests, J Guidance Control Dyn 20(3) 445-449 (May-Jun 1997), 10A479
Experimental comparison of robust H_∞ control techniques for uncertain structural systems, J Guidance Control Dyn 20(3) 611-614 (May-Jun 1997), 10T481
Life-extending control of reusable rocket engines, J Guidance Control Dyn 20(3) 621-623 (May-Jun 1997), 10T486
Piezoelectric stack actuators and control system design: Strategies and pitfalls, J Guidance Control Dyn 20(3) 479-485 (May-Jun 1997), 10A494
Complete controllability of continuous-time recurrent neural networks, Syst Control Lett 30(4) 177-183 (May 1997), 11T272
Direct optimal control: A hybrid approach, Int J Control 67(2) 193-212 (May 1997), 11A290
Nonlinear H_∞ control around periodic orbits, Syst Control Lett 30(2-3) 127-137 (Apr 1997), 11T294
Robust discrete-time H_∞ control, Int J Control 67(2) 213-231 (May 1997), 11T296
Control system synthesis based on plant test data, J Dyn Syst Meas Control 117(4) 484-489 (Dec 1995), 11A299
Design of stable systems with uncertainties and constrained performance variations, Int J Control 67(1) 23-32 (May 1997), 11A300
Dynamic output feedback compensation for linear systems with independent amplitude and rate saturations, Int J Control 67(1) 89-116 (May 1997), 11T301
Exact-output tracking theory for systems with parameter jumps, Int J Control 67(1) 117-131 (May 1997), 11T302
New matching condition for nonlinear robust control design, J Dyn Syst Meas Control 117(4) 453-458 (Dec 1995), 11A303
Observer-based state feedback control of parametrically excited systems, Syst Control Lett 30(2-3) 119-125 (Apr 1997), 11T304
Periodic Lyapunov equations: Some applications and new algorithms, Int J Control 67(1) 69-87 (May 1997), 11T305
Robust composite control for singularly perturbed systems with time-varying uncertainties, J Dyn Syst Meas Control 117(4) 445-452 (Dec 1995), 11T306
Robust control of discrete critical systems with specifications in the frequency domain, Int J Control 67(2) 169-192 (May 1997), 11A307
Stability of integral force control in case of contact with stiff surfaces, J Dyn Syst Meas Control 117(4) 547-553 (Dec 1995), 11A308
Stabilizing controllers for interconnected systems, Int J Control 67(1) 45-68 (May 1997), 11T309
Frequency domain control of flexible beams with piezoelectric actuator, J Dyn Syst Meas Control 117(4) 541-546 (Dec 1995), 11A312
Thermal manufacturing process control by lumped mimo and distributed-parameter methods, J Dyn Syst Meas Control 117(4) 625-632 (Dec 1995), 11A319
Application of a least squares lattice algorithm to active noise control for an automobile, J Dyn Syst Meas Control 119(2) 318-320 (Jun 1997), 12A330
Stabilization of a class of nonlinear systems through Lyapunov function decomposition, Int J Control 67(3) 381-409 (Jun 1997), 12T353
Sensitivity reduction of constraint forces and position control for mechanical descriptor systems, J Dyn Syst Meas Control 119(2) 286-289 (Jun 1997), 12A356
Approximate output feedback optimal control of higher-order dynamical systems, Optimal Control Appl Methods 18(2) 123-137 (Mar-Apr 1997), 12A364
Approximate solutions to H_2/$H\infty$ problems via sequences of H_2-cost/H_2-constraint optimization problems, Int J Control 67(3) 333-353 (Jun 1997), 12T365
Further development of an alternative algorithm for a class of H_∞ design problems, Optimal Control Appl Methods 18(2) 149-158 (Mar-Apr 1997), 12T367
H^∞ controller design for pure delay and other distributed systems, Int J Control 67(3) 355-369 (Jun 1997), 12A368
Control of sequential machines with disturbances, Int J Control 67(3) 307-331 (Jun 1997), 12T373
Coupling between the modeling and controller-design problems - Part II: Design, J Dyn Syst Meas Control 119(2) 278-283 (Jun 1997), 12A374
Discretization of existing continuous control systems, J Dyn Syst Meas Control 119(2) 315-320 (Jun 1997), 12A375
Feasible output feedback controller design for linear systems, Optimal Control Appl Methods 18(2) 109-122 (Mar-Apr 1997), 12A376
Global stabilization of linear discrete-time systems with bounded feedback, Syst Control Lett 30(5) 273-281 (Jun 1997), 12T377
LQ controller with a prescribed pole region: A data-based design approach, J Dyn Syst Meas Control 119(2) 271-277 (Jun 1997), 12A378
Modification of the PID controller, Dyn Control 7(3) 269-277 (Jul 1997), 12T379
New approach for designing robust controllers for the servomechanism problem, J Dyn Syst Meas Control 119(2) 293-298 (Jun 1997), 12A380
Robust control design for a class of mismatched coupled uncertain systems, Optimal Control Appl Methods 18(2) 83-107 (Mar-Apr 1997), 12A381
Robust controller for second-order systems using acceleration measurements, J Dyn Syst Meas Control 119(2) 350-355 (Jun 1997), 12A382
Robust decentralized stabilization of large-scale delay systems via sliding mode control, J Dyn Syst Meas Control 119(2) 307-312 (Jun 1997), 12A383
Robust stable generalized predictive control, Int J Control 67(3) 411-434 (Jun 1997), 12A384
Stabilizing control for a class of uncertain delay systems with limited measurable state variables, Dyn Control 7(3) 235-262 (Jul 1997), 12A385
Stable optimal model reduction of linear discrete-time systems, J Dyn Syst Meas Control 119(2) 300-304 (Jun 1997), 12A386
Zero phase error tracking system with arbitrarily specified gain characteristics, J Dyn Syst Meas Control 119(2) 260-264 (Jun 1997), 12A387
Synthesis of robust gain matrices for adaptive rotor vibration control, J Dyn Syst Meas Control 119(2) 298-300 (Jun 1997), 12A403
Digital robust controller for cutting force control in the end milling process, J Dyn Syst Meas Control 119(2) 146-152 (Jun 1997), 12A407
Advanced control design for marine diesel engine propulsion systems, J Dyn Syst Meas Control 119(2) 167-174 (Jun 1997), 12A410
Design of optimal MIMO DIVSC systems and its application to idle speed control of spark ignition engine, J Dyn Syst Meas Control 119(2) 175-182 (Jun 1997), 12A412

202Y. Computational techniques

Analysis of Piecewise Linear Dynamical Systems (Wiley, New York, 1995) 1N17
Numerical stabilization of bilinear control systems, SIAM J Control Optim 34(6) 2024-2050 (Nov 1996), 4T326
Target recognition problem: Sequential analysis and optimal control, SIAM J Control Optim 34(6) 2116-2132 (Nov 1996), 4A363
State-space system identification from closed-loop frequency response data, J Guidance Control Dyn 19(6) 1378-1380 (Nov-Dec 1996), 5T277
Optimal parallel model solutions using the polynomial approach, Int J Control 65(4) 681-697 (Nov 1996), 5T295
Method for automatic costate calculation, J Guidance Control Dyn 19(6) 1252-1261 (Nov-Dec 1996), 5A305
Domain decomposition method with coupled transmission conditions for the optimal control of systems governed by elliptic partial differential equations, SIAM J Numer Anal 33(6) 2401-2416 (Dec 1996), 6A386
Algorithms for unconstrained optimization problems via control theory, J Optim Theory Appl 92(3) 581-604 (Mar 1997), 8A390
Sequential and parallel splitting methods for bilinear control problems in Hilbert spaces, SIAM J Numer Anal 34(1) 91-118 (Feb 1997), 8A391
Robust eigenstructure assignment using the genetic algorithm and constrained state feedback, J Syst Control Eng 211(I1) 53-61 (1997), 9A340
State-control spectral Chebyshev parameterization for linearly constrained quadratic optimal control problems, J Comput Appl Math 79(1) 19-40 (Mar 1997), 9A345
Penalty function approach to linear trilevel programming, J Optim Theory Appl 93(1) 183-197 (Apr 1997), 10T454
Optimal planar interception with fixed end conditions: Approximate solutions, J Optim Theory Appl 93(1) 1-25 (Apr 1997), 10T467
Periodic Lyapunov equations: Some applications and new algorithms, Int J Control 67(1) 69-87 (May 1997), 11T305
Numerical solutions of optimal control for thermally convective flows, Int J Numer Methods Fluids 25(2) 205-223 (Jul 1997), 12A369

204. SYSTEMS AND CONTROL APPLICATIONS

204B. Guidance, navigation, motion control

Closed-form solution of an idealized, optimal, highly eccentric hyperbolic rendezvous problem, Dyn Control 6(3) 293-307 (Jul 1996), 1A362

Comparative analysis of clothoid and cubic spline curves as applied to continuous path control, Int J Japan Soc Precision Eng 30(1) 71-76 (Mar 1996), 1A363

Geometrical approach to a problem of forming a flight path for a surface effect vechile, Russian Aeronaut 38(4) 10-15 (1995), 1A364

Initial adjustment of platformless inertial system by rate modulus measurements (Russian), Prikl Mekh (Appl Mech) 32(2) 88-94 (1996), 1T365

7th workshop on dynamics and control, July 2994, Ulm, Germany, Appl Math Comput 78(2-3) 103-297 (Sep 1996), 2T306

Robotics and Autonomous Systems, Robotics Autonomous Syst 18(3) 293-372 (Aug 1996), 2A339

Moving mass trim control for acrospace vehicles, J Guidance Control Dyn 19(5) 1064-1070 (Sep-Oct 1996), 3A287

Periodic motion in the tethered satellite system, J Guidance Control Dyn 19(5) 1195-1197 (Sep-Oct 1996), 3T288

Robust predictor-corrector guidance for aeroassisted orbital transfer, J Guidance Control Dyn 19(5) 1134-1141 (Sep-Oct 1996), 3T290

Closed-form optimal guidance law for missiles of time-varying velocity, J Guidance Control Dyn 19(5) 1017-1022 (Sep-Oct 1996), 3A365

Development and flight testing of quantitative feedback theory pitch rate stability augmentation system, J Guidance Control Dyn 19(5) 1109-1115 (Sep-Oct 1996), 3T366

Discrete-time, mixed-norm control synthesis applied to aircraft terrain following, J Guidance Control Dyn 19(5) 1088-1094 (Sep-Oct 1996), 3T367

Momentum transfer in two-rotor gyrostats, J Guidance Control Dyn 19(5) 1157-1161 (Sep-Oct 1996), 3T368

New optimal approach to global positioning system-differential global positioning system integrity monitoring, J Guidance Control Dyn 19(5) 1023-1033 (Sep-Oct 1996), 3T369

New pulse-modulation technique for guidance and control of automated spacecraft, J Guidance Control Dyn 19(5) 1007-1016 (Sep-Oct 1996), 3A370

Optimal power-limited rendezvous with upper and lower bounds on thrust, J Guidance Control Dyn 19(5) 1124-1133 (Sep-Oct 1996), 3T371

Robust digital autopilot design for spacecraft equipped with pulse-operated thrusters, J Guidance Control Dyn 19(5) 1047-1055 (Sep-Oct 1996), 3A372

Control and flight performance of tethered satellite small expendable deployment system-II, J Guidance Control Dyn 19(5) 1148-1156 (Sep-Oct 1996), 3T373

Near-optimal operation of dual-fuel launch vehicles, J Guidance Control Dyn 19(5) 1180-1182 (Sep-Oct 1996), 3T382

Maxwell's treatment of governors fitted with differential gears, Int J Control 65(3) 385-408 (Oct 1996), 4A76

Target recognition problem: Sequential analysis and optimal control, SIAM J Control Optim 34(6) 2116-2132 (Nov 1996), 4A363

Optimum planning in joint space for robots using genetic algorithms, Robotics Autonomous Syst 18(4) 373-393 (Oct 1996), 4A398

Robot robust path tracking, Dyn Control 6(4) 333-359 (Oct 1996), 4A450

Adaptive mapping and navigation by teams of simple robots, Robotics Autonomous Syst 18(4) 411-434 (Oct 1996), 4T458

Sliding mode control using modified Rodrigues parameters, J Guidance Control Dyn 19(6) 1381-1383 (Nov-Dec 1996), 5T299

Variable structure controler design for robust tracking and model following, J Guidance Control Dyn 19(6) 1395-1397 (Nov-Dec 1996), 5T300

Explicit, near-optimal guidance for power-limited transfers between coplanar circular orbits, J Guidance Control Dyn 19(6) 1317-1325 (Nov-Dec 1996), 5T306

Optimal planar evasive aircraft mancuvers against proportional navigation missiles, J Guidance Control Dyn 19(6) 1210-1215 (Nov-Dec 1996), 5A307

Optimality and guidance for planar multiple-burn orbit transfers, J Guidance Control Dyn 19(6) 1310-1316 (Nov-Dec 1996), 5A308

Precision table control system by friction drive for optical disk mastering machine (Japanese), J Japan Soc Precision Eng 62(10) 1444-1448 (Oct 1996), 5A309

Preliminary study of optimal thrust-limited path-constrained maneuvers, J Guidance Control Dyn 19(6) 1303-1309 (Nov-Dec 1996), 5A310

Reduction of coolant fuel losses in hypersonic flight by optimal trajectory control, J Guidance Control Dyn 19(6) 1278-1284 (Nov-Dec 1996), 5A311

Spacecraft attitude estimation using the global positioning system: Methodology and results for RADCAL, J Guidance Control Dyn 19(6) 1201-1209 (Nov-Dec 1996), 5A312

Study on positioning sensor for human navigation: Measurement method of linear acceleration and rotation angular acceleration (Japancse), J Japan Soc Precision Eng 62(10) 1439-1443 (Oct 1996), 5T313

Aircraft flight control and navigation systems, Japan J Trib 40(10) 987-996 (1995), 5A314

Decentralized sliding mode control for flexible link robots, J Intelligent & Robotic Syst 17(1) 61-79 (Sep 1996), 5A338

Dynamic simulation and neural network compliance control of an intelligent forging center, J Intelligent & Robotic Syst 17(1) 81-99 (Sep 1996), 5A548

Modified recursive maximum likelihood adaptive filter for nonlinear aircraft flight-path reconstruction, J Guidance Control Dyn 19(6) 1285-1295 (Nov-Dec 1996), 5A1076

Adaptive and optimal control of the water gate of a dam using a FEM, Int J Comput Fluid Dyn 7(3) 253-273 (1996), 6A35

Smooth robust adaptive sliding mode control of manipulators with guaranteed transient performance, J Dyn Syst Meas Control 118(4) 764-775 (Dec 1996), 6A437

Application of self-tuning fuzzy controller to dynamic positioning system of floating production system, J Offshore Mech Arctic Eng 118(4) 241-246 (Nov 1996), 6A1170

Active magnetic damping attitude control for gravity gradient stabilized spacecraft, J Guidance Control Dyn 20(1) 117-122 (Jan-Feb 1997), 7T242

Orbital maneuvers via feedback linearization and bang-bang control, J Guidance Control Dyn 20(1) 104-110 (Jan-Feb 1997), 7A245

Range-rate control algorithms and space rendezvous schemes, J Guidance Control Dyn 20(1) 206-208 (Jan-Feb 1997), 7T246

Slewing multimode flexible spacecraft with zero derivative robustness constraints, J Guidance Control Dyn 20(1) 204-206 (Jan-Feb 1997), 7T247

Attitude estimation algorithms for spinning satellites using global positioning system phase data, J Guidance Control Dyn 20(1) 164-169 (Jan-Feb 1997), 7T345

Entry guidance and trajectory control for reusable launch vehicle, J Guidance Control Dyn 20(1) 143-149 (Jan-Feb 1997), 7T346

Missile autopilot design using a new linear time-varying control technique, J Guidance Control Dyn 20(1) 150-157 (Jan-Feb 1997), 7T347

Near-optimal low-thrust trajectories via micro-genetic algorithms, J Guidance Control Dyn 20(1) 196-198 (Jan-Feb 1997), 7T348

Neural-network-based controler used for directional control of tunneling machine, JSME Int J Ser C 39(4) 781-789 (Dec 1996), 7A349

Nonlinear flight control using neural networks, J Guidance Control Dyn 20(1) 26-33 (Jan-Feb 1997), 7A350

Optimal guidance with reduced sensitivity to time-to-go estimation errors, J Guidance Control Dyn 20(1) 158-163 (Jan-Feb 1997), 7T351

Origins, evolution, and future of satellite navigation, J Guidance Control Dyn 20(1) 11-25 (Jan-Feb 1997), 7A352

Pilot prefilter design via H_∞ model-matching approach, J Guidance Control Dyn 20(1) 186-189 (Jan-Feb 1997), 7T353

Control of multi-axis robots with elastic joints via cascade compensation using the method of exact linearization, J Intelligent & Robotic Syst 17(4) 351-370 (Dec 1996), 7A381

Robust adaptive sliding-mode control for rigid robotic manipulators with arbitrary bounded input disturbances, J Intelligent & Robotic Syst 17(4) 371-386 (Dec 1996), 7A384

Flight control applications of l_1 optimization, J Guidance Control Dyn 20(1) 49-56 (Jan-Feb 1997), 7A1169

Flight control system design with rate saturating actuators, J Guidance Control Dyn 20(1) 90-96 (Jan-Feb 1997), 7A1172

Brachistochrone with Coulomb friction, SIAM J Control Optim 35(2) 562-584 (Mar 1997), 8A379

Closed-loop control of the motion of a sphere rolling on a moving horizontal plane, J Optim Theory Appl 92(2) 377-391 (Feb 1997), 8A392

Construction of an aircraft stabilizing control using the Lyapunov function, J Appl Math Mech 60(5) 713-716 (1996), 8A393

Output feedback controller for trajectory tracking of RLED robots using an observed backstepping approach, Int J Robotics Autom 11(4) 149-160 (1996), 8A448

Modeling and design of an inertial vibration reflector, J Mech Des 119(1) 20-27 (Mar 1997), 9A178

Articulated, flexible multibody dynamics modeling: Geostationary Operational Environmental Satellite-8 case study, J Guidance Control Dyn 20(2) 276-283 (Mar-Apr 1997), 9A234

Strategy for the passive maneuvering of tether-connected systems, J Guidance Control Dyn 20(2) 284-290 (Mar-Apr 1997), 9T237

Adaptive robust bank-to-turn missile autopilot design using neural networks, J Guidance Control Dyn 20(2) 346-354 (Mar-Apr 1997), 9T346

External angle of attack over a singular thrust arc in rocket flight, J Guidance Control Dyn 20(2) 391-393 (Mar-Apr 1997), 9T347

Gravity turn descent with quadratic air drag, J Guidance Control Dyn 20(2) 393-394 (Mar-Apr 1997), 9T348

Navigation filter estimate fusion for enhanced spacecraft rendezvous, J Guidance Control Dyn 20(2) 338-345 (Mar-Apr 1997), 9T349

Near-optimal guidance law of ballistic missile interception, J Guidance Control Dyn 20(2) 355-361 (Mar-Apr 1997), 9T350

Optimal earth-moon trajectories using nuclear electric propulsion, J Guidance Control Dyn 20(2) 239-245 (Mar-Apr 1997), 9T351

Optimal earth-moon trajectories using combined chemical-electric propulsion, J Guidance Control Dyn 20(2) 253-258 (Mar-Apr 1997), 9T352

Control-structure integrated design for flexible spacecraft undergoing on-orbit maneuvers, J Guidance Control Dyn 20(2) 313-319 (Mar-Apr 1997), 9A357

Dynamic path planning for robot navigation using sonor mapping and neural networks, J Dyn Syst Meas Control 119(1) 19-26 (Mar 1997), 9A391

Trajectory synthesis for air traffic automation, J Guidance Control Dyn 20(2) 232-238 (Mar-Apr 1997), 9T1165

Annihilation of transverse velocity bias during spinning-up maneuvers, J Guidance Control Dyn 20(3) 416-421 (May-Jun 1997), 10T455

Collision avoidance by a ship with a moving obstacle: Computation of feasible command strategies, J Optim Theory Appl 93(1) 53-66 (Apr 1997), 10A456

Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, J Guidance Control Dyn 20(3) 471-478 (May-Jun 1997), 10T457

Complete automatic piloting of an airplane (French), European J Mech Eng 42(1) 9-17 (1997), 10A458

Concatenated approach to trajectory optimization, J Guidance Control Dyn 20(3) 617-621 (May-Jun 1997), 10T459

Conflict probability estimation for free flight, J Guidance Control Dyn 20(3) 588-596 (May-Jun 1997), 10T460

Digital high-gain PD control of robot manipulators, J Robotic Syst 14(5) 375-387 (May 1997), 10A461

Finite horizon static output H_∞ control with automatic beam guidance application, J Guidance Control Dyn 20(3) 549-556 (May-Jun 1997), 10T462

Higher-order Cayley transforms with applications to attitude representations, J Guidance Control Dyn 20(3) 528-534 (May-Jun 1997), 10T463

Intelligent control for an acrobot, J Intelligent & Robotic Syst 18(3) 209-248 (Mar 1997), 10A464

Missile Control using fuzzy cerebellar model arithmetic computer neural networks, J Guidance Control Dyn 20(3) 557-565 (May-Jun 1997), 10A465

New penalty functions and optimal control formulation for spacecraft attitude control problems, J Guidance Control Dyn 20(3) 428-434 (May-Jun 1997), 10A466

Optimal planar interception with fixed end conditions: Approximate solutions, J Optim Theory Appl 93(1) 1-25 (Apr 1997), 10T467

Optimal steering for north-south stationkeeping of geostationary spacecraft, J Guidance Control Dyn 20(3) 435-444 (May-Jun 1997), 10T468

Path planning for space manipulators to reduce attitude disturbances, J Guidance Control Dyn 20(3) 609-611 (May-Jun 1997), 10T469

Planar aeroassisted attainability domain, J Guidance Control Dyn 20(3) 422-427 (May-Jun 1997), 10T470

Prediction of pilot-in-the-loop oscillations due to rate saturation, J Guidance Control Dyn 20(3) 581-587 (May-Jun 1997), 10T471

Predictive filtering for attitude estimation without rate sensors, J Guidance Control Dyn 20(3) 522-527 (May-Jun 1997), 10A472

Robust flutter margins of an F-A-18 aircraft from aeroelastic flight data, J Guidance Control Dyn 20(3) 597-604 (May-Jun 1997), 10T473

Suboptimal singular orbital transfer, J Guidance Control Dyn 20(3) 605-609 (May-Jun 1997), 10T474

V_∞ leveraging for interplanetary missions: Multiple-revolution orbit techniques, J Guidance Control Dyn 20(3) 409-415 (May-Jun 1997), 10T475

Optimal regulation and passivity results for axisymmetric rigid bodies using two controls, J Guidance Control Dyn 20(3) 457-463 (May-Jun 1997), 10A490

Adaptive fuzzy force control of manipulators with unknown environment parameters, J Robotic Syst 14(5) 341-353 (May 1997), 10A537

Trajectory planning of tracked vehicles, J Dyn Syst Meas Control 117(4) 619-624 (Dec 1995), 11A318

Robot obstacle avoidance in n-dimensional space using planar harmonic artificial potential fields, J Dyn Syst Meas Control 119(2) 160-166 (Jun 1997), 12A398

Time-optimal negative input shapers, J Dyn Syst Meas Control 119(2) 198-205 (Jun 1997), 12A404

Fuzzy neural network control for DC-motor micro-maneuvering, J Dyn Syst Meas Control 119(2) 312-315 (Jun 1997), 12A420

Planning robust displacement missions by means of robot-tasks and local maps, Robotics Autonomous Syst 20(1) 99-114 (Apr 1997), 12T450

Identification of the optimal switching structure for range-optimal atmospheric flight trajectories, Optimal Control Appl Methods 18(3) 159-177 (May-Jun 1997), 12A1170

204C. Control of structures and vehicles

AIAA-ASME Adaptive Structures Forum Proceedings (AIAA, MD, 1996) 1N16

Optimization of passive and active nonlinear vibration mounting systems based on vibratory power transmission, J Sound Vib 194(3) 295-316 (Jul 1996), 1A220

Active shape control of a deployable space antenna reflector, J Intelligent Mat Syst Struct 7(2) 235-240 (Mar 1996), 1A366

Active vibration control of the axially moving string using space feedforward and feedback controllers, J Vib Acoust 118(3) 306-312 (Jul 1996), 1A367

Automated emergency four-wheel-steered vehicle using continuous gain equations, Vehicle Syst Dyn 26(2) 127-142 (Aug 1996), 1A368

Experimental verification of resistance control semi-active damping, Vehicle Syst Dyn 26(2) 143-159 (Aug 1996), 1A369

Handling and stability performance of four-track steering vehicles, J Terramech 32(6) 285-302 (Nov 1995), 1A370

Interaction dynamics between an electric vehicle's "pantograph" and the road, Vehicle Syst Dyn 26(2) 81-102 (Aug 1996), 1A371

Investigations on the stochastically optimized PID controller for a linear quarter - car road vehicle, Vehicle Syst Dyn 26(2) 103-116 (Aug 1996), 1A372

Nonlinear hysteresis compensation of piezoelectric ceramic actuators, J Intelligent Mat Syst Struct 7(2) 150-156 (Mar 1996), 1A373

Principles of surface effect vehicle control in extended range of altitudes, Russian Aeronaut 38(4) 16-19 (1995), 1A374

Proposal for testing and rating of traction and stability control systems, Vehicle Syst Dyn 26(2) 117-126 (Aug 1996), 1A375

Shape control of an adaptive mirror at different angles of inclination, J Intelligent Mat Syst Struct 7(2) 203-210 (Mar 1996), 1A376

Tracking control of flexible joint manipulators using only position measurements, Int J Control 64(4) 567-593 (Jul 1996), 1A399

Self-sensing active suppression of vibration of flexible steel sheet, J Vib Acoust 118(3) 469-473 (Jul 1996), 1A841

Suppression of low frequency structural vibrations using intelligent control methods, J Reinforced Plastics Composites 15(8) 779-792 (Aug 1996), 2A99

Active control for tall-slender structure vibration induced by wind (Chinese), J Vib Eng 9(2) 153-160 (Jun 1996), 2A163

Deflection shape control of a flexible beam by using shape memory alloy wires under the genetic algorithm control, J Intelligent Mat Syst Struct 7(3) 336-341 (May 1996), 2A322

Observations on physical duality and colocation of structural control sensors and actuators, J Sound Vib 194(5) 765-770 (Aug 1996), 2T323

Optimal allocation of the control matrix of flexible structures (Chinese), J Comput Struct Mech Appl 13(3) 303-307 (Aug 1996), 2A324

Optimal control of deflections of unfastened heated spherical shells (Russian), Prikl Mekh (Appl Mech) 32(3) 39-45 (1996), 2A325

Recursive control of robotic motion, Int J Control 64(5) 775-787 (Jul 1996), 2A352

Numerical analysis of vibration control of composite laminates by piezoelectric devices (Chinese), J Vib Eng 9(2) 107-114 (Jun 1996), 2A487

Study of helicopter vibration reduction technique with stochastic adaptive HHC (Chinese), J Vib Eng 9(2) 177-181 (Jun 1996), 2A833

Moving mass trim control for acrospace vehicles, J Guidance Control Dyn 19(5) 1064-1070 (Sep-Oct 1996), 3A287

Optimal bounded-state control with application to building structure, Optimal Control Appl Methods 17(3) 209-230 (Jul-Sep 1996), 3A346

Balanced actuator and sensor placement for flexible structures, Int J Control **65**(1) 131-145 (Sep 1996), 3T355

Comparison and combination of learning controllers: Computational enhancement and experiments, J Guidance Control Dyn **19**(5) 1116-1123 (Sep-Oct 1996), 3A356

Development and flight testing of quantitative feedback theory pitch rate stability augmentation system, J Guidance Control Dyn **19**(5) 1109-1115 (Sep-Oct 1996), 3T366

Discrete-time, mixed-norm control synthesis applied to aircraft terrain following, J Guidance Control Dyn **19**(5) 1088-1094 (Sep-Oct 1996), 3T367

Momentum transfer in two-rotor gyrostats, J Guidance Control Dyn **19**(5) 1157-1161 (Sep-Oct 1996), 3T368

New pulse-modulation technique for guidance and control of automated spacecraft, J Guidance Control Dyn **19**(5) 1007-1016 (Sep-Oct 1996), 3A370

Robust digital autopilot design for spacecraft equipped with pulse-operated thrusters, J Guidance Control Dyn **19**(5) 1047-1055 (Sep-Oct 1996), 3A372

Control and flight performance of tethered satellite small expendable deployment system-II, J Guidance Control Dyn **19**(5) 1148-1156 (Sep-Oct 1996), 3T373

Decoupling of the longitudinal modes of advanced aircraft, J Guidance Control Dyn **19**(5) 1184-1186 (Sep-Oct 1996), 3T374

Discrete adaptive active suspension for hardware implementation, Vehicle Syst Dyn **26**(3) 161-196 (Sep 1996), 3A375

Effect of damping on the structure of the time-optimal control profile, J Guidance Control Dyn **19**(5) 1182-1184 (Sep-Oct 1996), 3T376

Feasible command strategies for the control of motion of a simple mobile robot, J Optim Theory Appl **90**(3) 671-692 (Sep 1996), 3A377

Global stabilization of flexible multibody spacecraft using quaternion-based nonlinear control law, J Guidance Control Dyn **19**(5) 1186-1188 (Sep-Oct 1996), 3T378

Ground-based simulation of space manipulators using test bed with suspension system, J Guidance Control Dyn **19**(5) 985-991 (Sep-Oct 1996), 3A379

High-performance active control of dynamically complex space structures, J Guidance Control Dyn **19**(5) 1071-1080 (Sep-Oct 1996), 3A380

Impact of liquid load shift on the braking characteristics of partially filled tank vehicles, Vehicle Syst Dyn **26**(3) 223-240 (Sep 1996), 3A381

Near-optimal operation of dual-fuel launch vehicles, J Guidance Control Dyn **19**(5) 1180-1182 (Sep-Oct 1996), 3T382

Preview control for a semi-active suspension system, Int J Vehicle Des **17**(4) 384-397 (1996), 3A383

Quantitative feedback theory with a scheduled gain for full envelope longitudinal control, J Guidance Control Dyn **19**(5) 1095-1101 (Sep-Oct 1996), 3A384

Robust H_∞ stabilizing controllers for a seeker scan loop system, J Guidance Control Dyn **19**(5) 1081-1087 (Sep-Oct 1996), 3T385

Suboptimal control design of active and passive suspensions based on a full car model, Vehicle Syst Dyn **26**(3) 197-222 (Sep 1996), 3A386

Swinging control of nonlinear oscillations, Int J Control **64**(6) 1189-1202 (Aug 1996), 3A387

Theoretical model to analyze the collision of an automobile vehicle, Int J Vehicle Des **17**(4) 415-429 (1996), 3A388

Vibration control of a flexible beam using shape memory alloy actuators, J Guidance Control Dyn **19**(5) 1178-1180 (Sep-Oct 1996), 3T389

Vibration control of flexible structures using a combined H_∞ filter approach, J Guidance Control Dyn **19**(5) 1000-1007 (Sep-Oct 1996), 3A390

Improved computation of time-optimal control trajectory for robotic point-to-point motion, Int J Control **65**(1) 177-194 (Sep 1996), 3A420

Modeling and shape control of composite beams with embedded piezoelectric actuators, Composite Struct **35**(2) 237-244 (Jun 1996), 3A513

Acceleration feedback control of MDOF structures, J Eng Mech **122**(9) 907-918 (Sep 1996), 3A737

Actuator dynamics and delay compensation using neurocontrollers, J Eng Mech **122**(10) 966-975 (Oct 1996), 3A744

Heuristic-based algorithm for active control, J Eng Mech **122**(8) 801-803 (Aug 1996), 3A747

Modeling the response of ER damper: Phenomenology and emulation, J Eng Mech **122**(9) 897-906 (Sep 1996), 3A750

Modified bang-bang control law for structural control implementation, J Eng Mech **122**(8) 771-777 (Aug 1996), 3A751

Robust H_∞ control considering actuator saturation - I: Theory, J Eng Mech **122**(10) 976-983 (Oct 1996), 3A757

Robust H_∞ control considering actuator saturation - II: Applications, J Eng Mech **122**(10) 984-993 (Oct 1996), 3A758

Rule-based control algorithm for active tuned mass dampers, J Eng Mech **122**(8) 705-713 (Aug 1996), 3A759

Optimum design of a steering column to minimize the injury of a passenger, Int J Vehicle Des **17**(4) 398-414 (1996), 3A909

Gain-scheduled bank-to-turn autopilot design using linear parameter varying transformations, J Guidance Control Dyn **19**(5) 1056-1063 (Sep-Oct 1996), 3A1185

Closed-loop, estimator-based model of human posture following reduced gravity exposure, J Guidance Control Dyn **19**(5) 1102-1108 (Sep-Oct 1996), 3A1516

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part I: Driving point mobility matrix of beams and rectangular plates, J Sound Vib **196**(4) 469-493 (Oct 1996), 4A115

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part II: Vibrational power analysis and control schemes, J Sound Vib **196**(4) 495-508 (Oct 1996), 4A116

Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part III: Vibrational power cancellation and control experiments, J Sound Vib **196**(4) 509-522 (Oct 1996), 4A117

Modeling and diagnosis of motion error of multi-axis machines using a ball bar test, J Dyn Syst Meas Control **118**(3) 531-539 (Sep 1996), 4A182

Sensing of motion related errors in multiaxis machines, J Dyn Syst Meas Control **118**(3) 425-433 (Sep 1996), 4A183

Active flutter control of a cantilever tube conveying fluid using piezoelectric actuators, J Sound Vib **196**(1) 97-105 (Sep 1996), 4A256

In-situ identification of active magnetic bearing system using directional frequency response functions, J Dyn Syst Meas Control **118**(3) 586-592 (Sep 1996), 4A330

Combination of fuzzy logic and neural network algorithms for active vibration control, J Syst Control Eng **210**(I3) 153-167 (1996), 4A385

Control of nonlinear structures using the fuzzy control approach, Nonlinear Dyn **11**(2) 171-187 (Oct 1996), 4A386

Control of suspensions for vehicles with flexible bodies - Part I: Active suspensions, J Dyn Syst Meas Control **118**(3) 508-517 (Sep 1996), 4A387

Control of suspensions for vehicles with flexible bodies - Part II: Semi-active suspensions, J Dyn Syst Meas Control **118**(3) 518-525 (Sep 1996), 4A388

Damage-mitigating control of a reusable rocket engine - Part I: Life prediction of the main thrust chamber wall, J Dyn Syst Meas Control **118**(3) 401-408 (Sep 1996), 4A389

Damage-mitigating control of a reusable rocket engine - Part II: Formulation of an optimal policy, J Dyn Syst Meas Control **118**(3) 409-415 (Sep 1996), 4A390

Dynamics of multibody tracked vehicles using experimentally identified modal parameters, J Dyn Syst Meas Control **118**(3) 499-507 (Sep 1996), 4A391

Examination of different control strategies of heavy-vehicle performance, J Dyn Syst Meas Control **118**(3) 489-498 (Sep 1996), 4A392

Hydraulic actuator turning in the control of a rotating flexible beam mechanism, J Dyn Syst Meas Control **118**(3) 449-456 (Sep 1996), 4A393

H_∞ robust control of flexible beam vibration by using a hybrid damper, J Dyn Syst Meas Control **118**(3) 643-648 (Sep 1996), 4A394

LQ approach to active control of vibrations in helicopters, J Dyn Syst Meas Control **118**(3) 482-488 (Sep 1996), 4A395

Nonlinear robust control designs for a remotely operated underwater vehicle depth control system, J Syst Control Eng **210**(I3) 201-214 (1996), 4A396

Observer-based feedback linearizing control of an electromagnetic suspension, J Dyn Syst Meas Control **118**(3) 615-619 (Sep 1996), 4A397

Optimum planning in joint space for robots using genetic algorithms, Robotics Autonomous Syst **18**(4) 373-393 (Oct 1996), 4A398

Parametrically adaptive drives of mechanical systems control over the angular position, J Machinery Manuf Reliab **2** 68-78 (1996), 4T399

Robust joint and Cartesian control of underactuated manipulators, J Dyn Syst Meas Control **118**(3) 557-565 (Sep 1996), 4A400

Servo design for a 3D laser-tracking measurement system, J Dyn Syst Meas Control **118**(3) 476-481 (Sep 1996), 4A401

Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, J Dyn Syst Meas Control **118**(3) 463-467 (Sep 1996), 4A402

Vehicle-guideway dynamic interaction in maglev systems, J Dyn Syst Meas Control **118**(3) 526-530 (Sep 1996), 4A403

Vibration damping using piezoelectric stiffener-actuators with application to orthotropic plates, Composite Struct **35**(3) 251-261 (Jul 1996), 4A404

Integrated communication and control system for a multi-link active catheter, J Micromech Microeng **6**(3) 345-351 (Sep 1996), 4A426

Synthesis of hybrid impedance control strategies for robot manipulators, J Dyn Syst Meas Control **118**(3) 566-571 (Sep 1996), 4A451

Adaptive mapping and navigation by teams of simple robots, Robotics Autonomous Syst **18**(4) 411-434 (Oct 1996), 4T458

Neural network modeling for tool path planning of the rough cut in complex pocket milling, J Manuf Syst **15**(5) 295-304 (1996), 4A673

Control of flexural vibration in stiffened structures using multiple piezoceramic actuators, Appl Acoust **49**(1) 17-48 (Sep 1996), 4A825

Minimization of residual vibrations in lumped parameter positioners: A non-time-optimal bang-bang control, J Sound Vib **196**(3) 263-274 (Sep 1996), 4A828

Partitioned model reduction for large space structural control problem, AIAA J **34**(10) 2149-2153 (Oct 1996), 4A829

Analytical and experimental analysis of a self-compensating dynamic balancer in a rotating mechanism, J Dyn Syst Meas Control **118**(3) 468-475 (Sep 1996), 4A937

Open- and closed-loop results of a strain-actuated active aeroelastic wing, J Aircraft **33**(5) 987-994 (Sep-Oct 1996), 4A1119

Control of building vibrations with active-passive devices, Earthquake Eng Struct Dyn **25**(10) 1019-1039 (Oct 1996), 4A1401

Application of a learning control algorithm to a rotor blade tab, J Guidance Control Dyn **19**(6) 1383-1386 (Nov-Dec 1996), 5T283

Spacecraft attitude estimation using the global positioning system: Methodology and results for RADCAL, J Guidance Control Dyn **19**(6) 1201-1209 (Nov-Dec 1996), 5A312

Aircraft flight control and navigation systems, Japan J Trib **40**(10) 987-996 (1995), 5A314

Analysis of influence of design parameters on steered wheels shimmy of heavy vehicles, Vehicle Syst Dyn **26**(5) 343-379 (Nov 1996), 5A315

Application of multivariable linear control design to marine towed systems, J Guidance Control Dyn **19**(6) 1246-1251 (Nov-Dec 1996), 5A316

Eigenvector scaling for mode localization in vibrating systems, J Guidance Control Dyn **19**(6) 1342-1348 (Nov-Dec 1996), 5A317

Four wheel steering system for vehicle handling improvement: A robust model reference control using the sliding mode, Proc Inst Mech Eng D **210**(D4) 335-346 (1996), 5A318

Hankel singular values of flexible structures in discrete time, J Guidance Control Dyn **19**(6) 1370-1377 (Nov-Dec 1996), 5T319

H_∞ formulation for the design of passive vibration-isolation system for cars, Vehicle Syst Dyn **26**(5) 381-393 (Nov 1996), 5A320

Intelligent vehicle highway systems, Vehicle Syst Dyn **26**(4) 243-320 (Oct 1996), 5T321

Measurements of path and other parameters in motor vehicle dynamics tests and their errors, Vehicle Syst Dyn **26**(5) 321-342 (Nov 1996), 5A322

Mixed linear-quadratic-eigenstructure strategy for design of stability augmentation systems, J Guidance Control Dyn **19**(6) 1231-1238 (Nov-Dec 1996), 5A323

Multivariable high-authority control of plate-like active structures, J Guidance Control Dyn **19**(6) 1357-1363 (Nov-Dec 1996), 5A324

Position tracking control of a smart flexible structure featuring a piezofilm actuator, J Guidance Control Dyn **19**(6) 1364-1369 (Nov-Dec 1996), 5A325

Stability and flying qualities robustness of a dynamic inversion aircraft control law, J Guidance Control Dyn **19**(6) 1270-1277 (Nov-Dec 1996), 5A326

Study on the stability and motion control of a unicycle - 3rd report: Characteristics of unicycle robot, JSME Int J Ser C **39**(3) 560-568 (Sep 1996), 5A327

Study on the stability and motion control of a unicycle - 4th report: Fuzzy gain schedule PD controller for managing nonlinearity of system, JSME Int J Ser C **39**(3) 569-576 (Sep 1996), 5A328

Application of real structured singular values to flight control law validation, J Guidance Control Dyn **19**(6) 1239-1245 (Nov-Dec 1996), 5T1077

Determination of equilibrium points for an aircraft dynamic model, J Guidance Control Dyn **19**(6) 1392-1394 (Nov-Dec 1996), 5T1082

New servoassisted hyper-stiffened damper for structural control: The "IRIS" project, Mech Res Commun **23**(6) 599-606 (Nov-Dec 1996), 6T139

Higher-order method for dynamic optimization of a class of linear systems, J Dyn Syst Meas Control **118**(4) 786-790 (Dec 1996), 6A371

Adaptive learning control of uncertain robotic systems, Int J Control **65**(5) 725-744 (Nov 1996), 6A387

Application of optimal control theory to inverse simulations of car handling, Vehicle Syst Dyn **26**(6) 449-461 (Dec 1996), 6A388

Control law design for a thrust vectoring fighter aircraft using robust inverse dynamics estimation (RIDE), Proc Inst Mech Eng J Aerospace Eng **210**(G4) 333-343 (1996), 6A389

Extended adaptive control of nonlinear multivariable servomechanisms not requiring acceleration sensing, J Syst Eng **6**(4) 242-257 (1996), 6A390

Fuzzy set theory in the control of coordinate measuring machines (CMMSs), J Syst Eng **6**(4) 225-232 (1996), 6A391

Gain scheduled SPR controllers for nonlinear flexible systems, J Dyn Syst Meas Control **118**(4) 698-703 (Dec 1996), 6A392

Perception-based learning for motion in contact in task planning, J Intelligent & Robotic Syst **17**(3) 283-308 (Nov 1996), 6A393

Simulation of coupled car and caravan handling behavior, Vehicle Syst Dyn **26**(6) 397-429 (Dec 1996), 6A394

Stabilization control for rider-motorcycle model in Hamiltonian form, Vehicle Syst Dyn **26**(6) 431-448 (Dec 1996), 6A395

Vibrational control of a flexible beam, Int J Control **65**(5) 803-825 (Nov 1996), 6A396

Dynamics and control of a biped walking robot with seven dof, J Dyn Syst Meas Control **118**(4) 683-690 (Dec 1996), 6A412

Predictor-corrector guidance control scheme for AGV navigation, Autonomous Robots **3**(4) 329-353 (Dec 1996), 6A415

Sonar-based mobile robot navigation through supervised learning on a neural net, Autonomous Robots **3**(4) 355-374 (Dec 1996), 6A416

Active damping of a large flexible manipulator with a short-reach robot, J Dyn Syst Meas Control **118**(4) 704-713 (Dec 1996), 6A425

Smooth robust adaptive sliding mode control of manipulators with guaranteed transient performance, J Dyn Syst Meas Control **118**(4) 764-775 (Dec 1996), 6A437

Adaptive control for a mechanical system with oscillation disturbance, J Sound Vib **199**(1) 107-123 (Jan 1997), 6A861

Control of flexural vibration in a stiffened plate using piezoceramic actuators and an angle stiffener, Int J Active Control **1**(3) 277-301 (1995), 6A862

Design of supplemental dampers for control of structures, J Struct Eng **122**(12) 1394-1399 (Dec 1996), 6A863

Development of a DSP-based active small amplitude vibration control system for flexible beams by using the LQG algorithms and intelligent materials, J Sound Vib **198**(4) 411-427 (Dec 1996), 6A864

Optimal vibration suppression in modal space for flexible beams subjected to moving loads, Shock Vib **4**(1) 39-50 (1996), 6A869

Real-time simulation and active vibration control of flexible structures, Int J Active Control **1**(3) 249-275 (1995), 6A871

Robust multiobjective controllers for smart structures, J Reinforced Plastics Composites **15**(12) 1237-1248 (Dec 1996), 6A872

Semi-active dynamic vibration absorbers for controlling transient response, J Sound Vib **198**(5) 547-569 (Dec 1996), 6A873

Applied System Identification (Prentice Hall, Upper Saddle River, NJ, 1994) 7R6

H^∞ control of transverse-torsional coupled vibrations using multiple active dynamic vibration absorbers, JSME Int J Ser C **39**(4) 728-737 (Dec 1996), 7A120

Active magnetic damping attitude control for gravity gradient stabilized spacecraft, J Guidance Control Dyn **20**(1) 117-122 (Jan-Feb 1997), 7T242

Estimation of vehicle dynamic and static parameters from magnetometer data, J Guidance Control Dyn **20**(1) 111-116 (Jan-Feb 1997), 7A244

Orbital maneuvers via feedback linearization and bang-bang control, J Guidance Control Dyn **20**(1) 104-110 (Jan-Feb 1997), 7A245

Adaptive filters for real-time system identification and control, J Guidance Control Dyn **20**(1) 61-66 (Jan-Feb 1997), 7A306

Entry guidance and trajectory control for reusable launch vehicle, J Guidance Control Dyn **20**(1) 143-149 (Jan-Feb 1997), 7T346

Active control of multi-mode rotor-bearing systems using HSFDs, J Trib **119**(1) 49-56 (Jan 1997), 7A354

Minimum time maneuver of flexible systems using pulse response based control, J Guidance Control Dyn **20**(1) 129-136 (Jan-Feb 1997), 7A355

Modal Parameter identification of controlled structures, J Guidance Control Dyn **20**(1) 184-186 (Jan-Feb 1997), 7T356

Moderated reinforcement learning of active and semi-active vehicle suspension control laws, J Syst Control Eng **210**(I4) 249-257 (1996), 7A357

Pilot-induced oscillation analysis and prediction with actuator rate limiting, J Guidance Control Dyn **20**(1) 81-89 (Jan-Feb 1997), 7A358

Redundant dynamical sliding mode control scheme for an asymptotic space vehicle stabilization, Int J Control **65**(6) 901-912 (Dec 1996), 7A359

Uncertainty modeling and fixed-order controller design for a hypersonic vehicle model, J Guidance Control Dyn **20**(1) 42-48 (Jan-Feb 1997), 7T360

Flight control system design by self-organizing fuzzy logic controller, J Guidance Control Dyn **20**(1) 189-190 (Jan-Feb 1997), 7T1171

Active and semi-active control of structures under seismic excitation, Earthquake Eng Struct Dyn **26**(2) 193-213 (Feb 1997), 7A1478

Active robust vibration control of flexible composite beams with parameter perturbations, Int J Mech Sci **39**(7) 751-760 (Jul 1997), 8A128

Steady-state response of the flexible connecting rod of a slider-crank mechanism with time-dependent boundary condition, J Sound Vib **199**(2) 237-251 (Jan 1997), 8A166

Vibration and variable structure control with integral compensation in a non-constant rotating disk system, J Sound Vib **199**(2) 223-236 (Jan 1997), 8A169

Performance of multiple tuned mass dampers for torsionally coupled system, Earthquake Eng Struct Dyn **26**(3) 307-317 (Mar 1997), 8A204

Active dual mode tilt control for narrow ground vehicles, Vehicle Syst Dyn **27**(1) 19-36 (Jan 1997), 8A394

Adaptive control scheme for recovering periodic motion of chaotic systems, J Sound Vib **199**(2) 269-274 (Jan 1997), 8A395

Development and simulation of a novel roll control system for the Interconnected Hydragas Suspension, Vehicle Syst Dyn **27**(1) 1-18 (Jan 1997), 8A396

Discrete-time neural control method for manipulator tracking problems, Int J Robotics Autom **11**(4) 169-174 (1996), 8A397

Effect of load-distributing devices on the stability of heavy vehicles, Heavy Vehicle Syst **4**(1) 29-48 (1997), 8A398

Effects of geometrical asymmetries of structure on dynamical characteristics of two coupled control surfaces, J Sound Vib **199**(2) 299-308 (Jan 1997), 8A399

Mobility of cross-country vehicles, with emphasis on modeling their dynamic motion, Heavy Vehicle Syst **4**(1) 49-71 (1997), 8T400

Modulated homogeneous friction: A semi-active damping strategy, Earthquake Eng Struct Dyn **26**(3) 361-376 (Mar 1997), 8A401

Multi-objective optimization of a flexible rotor in magnetic bearings with critical speeds and control current constraints, J Eng Gas Turbines Power **119**(1) 186-195 (Jan 1997), 8A402

Multicriteria optimization of anti-lock braking system control algorithms, Eng Optim **27**(3) 199-227 (Dec 1996), 8A403

Objective method for the evaluation of off-road wheeled vehicle mobility, Heavy Vehicle Syst **4**(1) 72-90 (1997), 8T404

Semi-active suspension with dynamic absorbers of ground vehicles using fuzzy reasoning, Int J Vehicle Des **18**(1) 19-34 (1997), 8A405

Substantiation of the loading scheme for a single-axle trailer subjected to dynamic tests, J Machinery Manuf Reliab **3** 95-100 (1996), 8A406

Tuning the fuzzy control autopilot strategy for driving pattern simulation of road vehicles, Int J Vehicle Des **18**(1) 35-52 (1997), 8A407

Vibration and control of a flexible rotor in magnetic bearings using hybrid method and H^{∞} control theory, J Eng Gas Turbines Power **119**(1) 178-185 (Jan 1997), 8A408

Vibration in a parametrically excited electromechanical system, J Machinery Manuf Reliab **3** 16-22 (1996), 8T409

Discontinuous feedback stabilization of nonholonomic wheeled mobile robots, Dyn Control **7**(2) 155-169 (Apr 1997), 8A426

Computed torque-time delay approach to the end-point control of a one-link flexible manipulator, Dyn Control **7**(2) 171-189 (Apr 1997), 8A439

Output feedback parallel force-position regulator for a robot manipulator in contact with a compliant environment, Syst Control Lett **29**(5) 295-300 (Feb 1997), 8A449

Active vibration control and suppression for intelligent structures, J Sound Vib **200**(2) 167-177 (Feb 1997), 8A889

Analytical wheel models for ride dynamic simulation of off-road tracked vehicles, Vehicle Syst Dyn **27**(1) 37-63 (Jan 1997), 8A935

Proceedings of the 2nd International Colloquium on Tyre Models for Vehicle Dynamic Analysis, held at the Technical University of Berlin, Germany, February 20-21, 1997, Vehicle Syst Dyn **27**(S) 2-342 (1996), 8A936

Method for improving bicycle shifting performance, Int J Vehicle Des **18**(1) 100-117 (1997), 8A953

Comparison of Inverse modification techniques for some gyroscopic systems, J Guidance Control Dyn **20**(2) 299-305 (Mar-Apr 1997), 9T92

Identification of vibration parameters for motor vehicles, Vehicle Syst Dyn **27**(2) 65-88 (Feb 1997), 9A161

Optimization of tuned liquid column dampers, Eng Struct **19**(6) 476-486 (Jun 1997), 9A174

Stability of a spinning axisymmetric rocket with dissipative internal mass motion, J Guidance Control Dyn **20**(2) 306-312 (Mar-Apr 1997), 9A236

Close-loop pole design for vibration suppression, J Guidance Control Dyn **20**(2) 333-337 (Mar-Apr 1997), 9A332

Adaptive robust bank-to-turn missile autopilot design using neural networks, J Guidance Control Dyn **20**(2) 346-354 (Mar-Apr 1997), 9T346

Near-optimal guidance law of ballistic missile interception, J Guidance Control Dyn **20**(2) 355-361 (Mar-Apr 1997), 9T350

Active control of a high-speed pantograph, J Dyn Syst Meas Control **119**(1) 1-4 (Mar 1997), 9A353

Active damping of structures with guy cables, J Guidance Control Dyn **20**(2) 320-326 (Mar-Apr 1997), 9A354

Balanced dissipative controllers for flexible structures, J Dyn Syst Meas Control **119**(1) 5-9 (Mar 1997), 9A355

Closed loop control of the motion of a cart, Appl Math Lett **10**(2) 129-132 (Mar 1997), 9A356

Control-structure integrated design for flexible spacecraft undergoing on-orbit maneuvers, J Guidance Control Dyn **20**(2) 313-319 (Mar-Apr 1997), 9A357

Electromechanical modeling of hybrid piezohydraulic actuator system for active control, J Dyn Syst Meas Control **119**(1) 10-18 (Mar 1997), 9A358

Emulation of stiff walls and static friction with a magnetically levitated input-output device, J Dyn Syst Meas Control **119**(1) 127-132 (Mar 1997), 9A359

Fuel-time optimal control of spacecraft maneuvers, J Guidance Control Dyn **20**(2) 394-397 (Mar-Apr 1997), 9T360

Integrated rotor-flight control system optimization with aeroelastic and handling qualities constraints, J Guidance Control Dyn **20**(2) 217-224 (Mar-Apr 1997), 9T361

Modeling and path-tracking for a load-haul-dump mining vehicle, J Dyn Syst Meas Control **119**(1) 40-47 (Mar 1997), 9A362

Multicomponent model of a vehicle drive with traction control (Polish), Archiwum Motoryzacji **2** 107-124 (1996), 9A363

Multivariable decoupling design of an ROV depth control system: A direct adaptive fuzzy SMC approach, J Dyn Syst Meas Control **119**(1) 89-94 (Mar 1997), 9A364

Optimal adaptive active suspensions for a full car model, Vehicle Syst Dyn **27**(2) 89-107 (Feb 1997), 9A365

Parameter varying control of a high-performance aircraft, J Guidance Control Dyn **20**(2) 225-231 (Mar-Apr 1997), 9A366

Robustness of a variable structure control system for maneuverable flight vehicles, J Guidance Control Dyn **20**(2) 377-383 (Mar-Apr 1997), 9T367

Rule-based technique for two-state switchable suspension dampers, Proc Inst Mech Eng D **211**(D1) 13-20 (1997), 9A368

Slewing flexible spacecraft with deflection-limiting input shaping, J Guidance Control Dyn **20**(2) 291-298 (Mar-Apr 1997), 9A369

Theoretical investigation of a prototype active roll control system, Proc Inst Mech Eng D **211**(D1) 3-12 (1997), 9A370

Uniform bound for the Jacobian of the gravitational force vector for a class of robot manipulators, J Dyn Syst Meas Control **119**(1) 110-114 (Mar 1997), 9T371

Evaluation of shock absorber models, Vehicle Syst Dyn **27**(2) 109-127 (Feb 1997), 9A374

Neural network and fuzzy logic applications to vehicle systems: Literature survey, Int J Vehicle Des **18**(2) 132-193 (1997), 9A378

Dynamic path planning for robot navigation using sonor mapping and neural networks, J Dyn Syst Meas Control **119**(1) 19-26 (Mar 1997), 9A391

Nonstationary random dynamics of a mobile robotic manipulator, J Dyn Syst Meas Control **119**(1) 135-139 (Mar 1997), 9A393

Experimental study of resolved acceleration control of robots at singularities: Damped least-squares approach, J Dyn Syst Meas Control **119**(1) 97-101 (Mar 1997), 9T397

Reduction of residualvibrations in a rotating flexible beam with a moving payload mass, J Syst Control Eng **211**(I1) 25-34 (1997), 9T400

Role of environment dynamics in contact force control of manipulation robots, J Dyn Syst Meas Control **119**(1) 86-89 (Mar 1997), 9A401

Instantaneous control of structures with time-delay consideration, Eng Struct **19**(6) 465-475 (Jun 1997), 9A846

Vibration control of smart structures by using neural networks, J Dyn Syst Meas Control **119**(1) 34-39 (Mar 1997), 9A853

Reconstruction of service load histories with time series models for random vibration simulation tests, J Dyn Syst Meas Control **119**(1) 27-33 (Mar 1997), 9A870

Contact modeling of the tire-road interface, Int J Vehicle Des **18**(2) 194-202 (1997), 9A916

Efficiency analysis and improved design of a rubber V-belt CVT, Int J Vehicle Des **18**(2) 119-131 (1997), 9A949

Adaptive feedforward controller for rejection of periodic disturbances, J Sound Vib **201**(4) 427-435 (Apr 1997), 10A150

Boundary control of beams using active constrained layer damping, J Vib Acoust **119**(2) 166-172 (Apr 1997), 10A154

Variational formulation, a work-energy relation and damping mechanisms of active constrained layer treatments, J Vib Acoust **119**(2) 192-199 (Apr 1997), 10A167

Damping of beams: Optimal distribution of cuts in the viscoelastic constrained layer, Struct Optim **13**(2-3) 167-171 (Apr 1997), 10A175

Design of experiments for the controller of rotor systems with a magnetic bearing, J Vib Acoust **119**(2) 200-207 (Apr 1997), 10A213

Active control of panel oscillation induced by accelerating boundary layer and sound, AIAA J **35**(5) 796-801 (May 1997), 10A311

Active flutter suppression using multi-input and multi-output adaptive least mean square control, J Aircraft **34**(2) 244-250 (Mar-Apr 1997), 10A317

Implementation of adaptive hyperplanes for the determination of robust control, J Intelligent & Robotic Syst **18**(3) 289-308 (Mar 1997), 10A406

Estimation of structural response using remote sensor locations, J Guidance Control Dyn **20**(3) 501-508 (May-Jun 1997), 10A412

Distributed and boundary control for a parallel system of Euler-Bernoulli beams, J Vib and Control **3**(2) 183-199 (May 1997), 10T430

Neighboring extremal control design using error compensation, J Guidance Control Dyn **20**(3) 542-548 (May-Jun 1997), 10A451

Collision avoidance by a ship with a moving obstacle: Computation of feasible command strategies, J Optim Theory Appl **93**(1) 53-66 (Apr 1997), 10A456

Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, J Guidance Control Dyn **20**(3) 471-478 (May-Jun 1997), 10T457

Complete automatic piloting of an airplane (French), European J Mech Eng **42**(1) 9-17 (1997), 10A458

Finite horizon static output H_{∞} control with automatic beam guidance application, J Guidance Control Dyn **20**(3) 549-556 (May-Jun 1997), 10T462

Missile Control using fuzzy cerebellar model arithmetic computer neural networks, J Guidance Control Dyn **20**(3) 557-565 (May-Jun 1997), 10A465

Path planning for space manipulators to reduce attitude disturbances, J Guidance Control Dyn **20**(3) 609-611 (May-Jun 1997), 10T469

Prediction of pilot-in-the-loop oscillations due to rate saturation, J Guidance Control Dyn **20**(3) 581-587 (May-Jun 1997), 10T471

Active control of nonlinear panel vibration and sound radiation, J Sound Vib **201**(3) 390-403 (Apr 1997), 10A476

Balanced model reduction and control of rotor-bearing systems, J Eng Gas Turbines Power **119**(2) 456-463 (Apr 1997), 10A477

Comparison of alternative intervention strategies for unintended roadway departure (URD) control, Vehicle Syst Dyn **27**(3) 157-186 (Mar 1997), 10A478

Constrained steering law of pyramid-type control moment gyros and ground tests, J Guidance Control Dyn **20**(3) 445-449 (May-Jun 1997), 10A479

Displacement control of prestressed structures, Comput Methods Appl Mech Eng **144**(1-2) 51-59 (May 1997), 10A480

Experimental comparison of robust H_{∞} control techniques for uncertain structural systems, J Guidance Control Dyn **20**(3) 611-614 (May-Jun 1997), 10T481

Feedback control law design for the dual-spin turn of spacecraft, J Guidance Control Dyn **20**(3) 450-456 (May-Jun 1997), 10A482

Improved vehicle performance using combined suspension and braking forces, Vehicle Syst Dyn **27**(4) 235-265 (Apr 1997), 10A483

Improvement of pressure behavior of hydraulic brake control system, Acta Polytech Scand Mech Eng **0**(124) 9-108 (1997), 10A484

Integrated design of an adaptive neurocontroller for a 2D aeroelastic system, Struct Optim **13**(2-3) 172-181 (Apr 1997), 10A485

Life-extending control of reusable rocket engines, J Guidance Control Dyn **20**(3) 621-623 (May-Jun 1997), 10T486

Modeling and control of an automated vehicle, Vehicle Syst Dyn **27**(3) 131-155 (Mar 1997), 10A487

Nonlinear control of a proof-mass actuator, J Guidance Control Dyn **20**(3) 464-470 (May-Jun 1997), 10A488

Numerical simulation of vehicle behavior during straight line keeping on undulating road surfaces, Vehicle Syst Dyn **27**(4) 267-283 (Apr 1997), 10A489

Optimal regulation and passivity results for axisymmetric rigid bodies using two controls, J Guidance Control Dyn **20**(3) 457-463 (May-Jun 1997), 10A490

Optimal vibration control of structures with great disparity in rigidity (Chinese), J Vib Eng **10**(1) 100-103 (Mar 1997), 10T491

Output tracking with nonhyperbolic and near nonhyperbolic internal dynamics: Helicopter hover control, J Guidance Control Dyn **20**(3) 573-580 (May-Jun 1997), 10T492

Periodic optimal cruise for a hypersonic vehicle with constraints, J Spacecraft Rockets **34**(2) 165-171 (Mar-Apr 1997), 10A493

Piezoelectric stack actuators and control system design: Strategies and pitfalls, J Guidance Control Dyn **20**(3) 479-485 (May-Jun 1997), 10A494

Prestressed tendon based passive control system for bridges, Comput Struct **63**(6) 1165-1175 (Jun 1997), 10A495

Regenerative systems for vibration control, J Vib Acoust **119**(2) 208-215 (Apr 1997), 10A496

Robust multivariable control of rotorcraft in forward flight, J Am Helicopter Soc **42**(2) 149-160 (Apr 1997), 10A497

Robustness to speed of 4WS vehicles for yaw and lateral dynamics, Vehicle Syst Dyn **27**(4) 221-234 (Apr 1997), 10A498

Semiactive and active suspensions for vehicle ride control using velocity feedback, J Vib and Control **3**(2) 201-212 (May 1997), 10A499

Vehicle modeling aspects for an embedded real-time application, Vehicle Syst Dyn **27**(3) 187-219 (Mar 1997), 10A500

Vibration suppression using acceleration feedback control with multiple proof-mass actuators, AIAA J **35**(5) 856-862 (May 1997), 10A501

Genetic algorithm for control design of biped locomotion, J Robotic Syst **14**(5) 365-373 (May 1997), 10A521

Impedance-based modeling of induced strain actuators bonded on ring structures, J Sound Vib **201**(2) 169-187 (Mar 1997), 10A918

Robust autopilot design for ship steering in waves, Int Shipbuild Prog **44**(437) 59-75 (Apr 1997), 10A1213

Effective optimal structural control of soil-structure interaction systems, Earthquake Eng Struct Dyn **26**(5) 549-570 (May 1997), 10A1456

Eleventh Ship Control Systems Symposium, Volumes 1 and 2 (Comput Mech, Billerica MA, 1997) 11N15

Identification of statistical properties of cutting tool vibrations in a continuous turning operation: Correlation to structural properties, Mech Syst Signal Processing **11**(3) 459-489 (May 1997), 11A157

Tunable active vibration absorber: The delayed resonator, J Dyn Syst Meas Control **117**(4) 513-519 (Dec 1995), 11A164

Nonlinear active vibration control of a cantilever pipe conveying fluid, J Sound Vib **202**(4) 477-490 (May 1997), 11A217

Time domain state space identification of structural systems, J Dyn Syst Meas Control **117**(4) 608-618 (Dec 1995), 11A280

Direct optimal control: A hybrid approach, Int J Control **67**(2) 193-212 (May 1997), 11A290

Stability of integral force control in case of contact with stiff surfaces, J Dyn Syst Meas Control **117**(4) 547-553 (Dec 1995), 11A308

Decentralized control of active vehicle suspensions with preview, J Dyn Syst Meas Control **117**(4) 478-483 (Dec 1995), 11A310

Dynamic feedback linearization for electrohydraulically actuated control systems, J Dyn Syst Meas Control **117**(4) 468-477 (Dec 1995), 11A311

Frequency domain control of flexible beams with piezoelectric actuator, J Dyn Syst Meas Control **117**(4) 541-546 (Dec 1995), 11A312

Integrated structure-control design of high speed flexible robots based on time optimal control, J Dyn Syst Meas Control **117**(4) 503--512 (Dec 1995), 11A313

Mechanisms of localized vibration control in complex structures, J Vib Acoust **118**(1) 135-139 (Jan 1996), 11A314

Optimum parameters of multiple tuned mass dampers for base-excited damped systems, J Sound Vib **202**(5) 657-667 (May 1997), 11A315

Parametric control of structural vibrations via adaptable stiffness dynamic absorbers, J Vib Acoust **118**(1) 41-47 (Jan 1996), 11A316

Static output polynomial control for linear structures, J Eng Mech **123**(6) 639-643 (Jun 1997), 11A317

Trajectory planning of tracked vehicles, J Dyn Syst Meas Control **117**(4) 619-624 (Dec 1995), 11A318

Time domain analysis for damage detection in smart structures, Mech Syst Signal Processing **11**(3) 409-423 (May 1997), 11A325

Singularity avoidance in robotic manipulators: A differential form approach, Syst Control Lett **30**(4) 165-176 (May 1997), 11T337

Inverse kinematic control algorithms with a reduced Coriolis component for use in motion simulators, J Dyn Syst Meas Control **117**(4) 570-577 (Dec 1995), 11A340

Stability and controllability of Euler-Bernoulli beams with intelligent constrained layer treatments, J Vib Acoust **118**(1) 70-77 (Jan 1996), 11A771

Earthquake-resistant structure - Structural frame damper system: An approach to design., Proc Inst Civil Eng Struct Build **122**(2) 165-172 (May 1997), 11A802

Computer and information technologies in today's vehicle design, Int J Vehicle Des **18**(5) 413-580 (1997), 11A861

Rapid recursive structure redesign for improved dynamics of a single link robot, J Dyn Syst Meas Control **117**(4) 520-526 (Dec 1995), 11A862

KEEP EAGLE F-15E high angle-of-attack flight test program, J Aircraft **34**(3) 265-270 (May-Jun 1997), 11T1146

Vibration Control of Active Structures: An Introduction (Kluwer, Netherlands, 1997) 12R19
Structronic Systems: Smart Structures, Devices, and Systems, Parts 1 and 2 (World Sci Pub, River Edge, NJ, 1997) 12N22
Definition for global stability and a problem of breaking a three-wheel vehicle (Russian), Prikl Mekh (Appl Mech) 33(1) 76-79 (1997), 12T104
Global asymptotic stabilization of a spinning top with torque actuators using stereographic projection, Dyn Control 7(3) 215-233 (Jul 1997), 12A109
Global dynamics of a rapidly forced cart and pendulum, Nonlinear Dyn 13(2) 131-170 (Jun 1997), 12A119
Land vehicle roll-yaw product of inertia measurement, J Dyn Syst Meas Control 119(2) 212-216 (Jun 1997), 12A203
Vehicle-road and vehicle-bridge interaction: Third Engineering Foundation Conference, Noordwijkerhout, he Netherlands, June 5-10, 1994, Heavy Vehicle Syst 3(1-4) 1-472 (1996), 12T204
Control parameter optimization of a pre-stressed shallow cylindrical panel, Optimal Control Appl Methods 18(2) 139-148 (Mar-Apr 1997), 12A366
Active control of vibration transmission in a cylindrical shell, J Sound Vib 203(3) 409-434 (Jun 1997), 12A388
Constrained H_∞ control of an experimental flexible link, J Dyn Syst Meas Control 119(2) 206-211 (Jun 1997), 12A389
Critical mode control of a wind-loaded tall building using an active tuned mass damper, Eng Struct 19(10) 834-842 (Oct 1997), 12A390
Destabilization via active stiffness, Dyn Control 7(3) 263-268 (Jul 1997), 12T391
Distributed link-layer control for automated highway systems, J Dyn Syst Meas Control 119(2) 192-197 (Jun 1997), 12A392
Inclination control of the motion of a rolling disk by using a rotor, Comput Methods Appl Mech Eng 146(3-4) 253-263 (Jul 1997), 12A393
Mech-electric coupling dynamic analysis and vibration control of intelligent truss structures (Chinese), J Vib Eng 10(2) 119-124 (Jun 1997), 12T394
Multiple objective LQG control of wind-excited buildings, J Struct Eng 123(7) 943-951 (Jul 1997), 12A395
Nonlinear control for a train-like vehicle, Int J Robotics Res 16(3) 300-319 (Jun 1997), 12A396
Position control of single link flexible manipulator by variable structure model following control, J Dyn Syst Meas Control 119(2) 330-335 (Jun 1997), 12A397
Robot obstacle avoidance in n-dimensional space using planar harmonic artificial potential fields, J Dyn Syst Meas Control 119(2) 160-166 (Jun 1997), 12A398
Robustness of adaptive rotor vibration control to structured uncertainty, J Dyn Syst Meas Control 119(2) 243-250 (Jun 1997), 12A399
Semi-active vibration control strategy based on piecewise-linear vibration absorbers (Chinese), J Vib Eng 10(2) 125-130 (Jun 1997), 12T400
Study of nonlinear dynamics of automotive under water vehicles with regard for the cable effect (Russian), Prikl Mekh (Appl Mech) 33(1) 80-86 (1997), 12A401
Study of nonlinear dynamics of underwater self-propelled cable-controlled apparatus (Russian), Prikl Mekh (Appl Mech) 33(3) 91-98 (1997), 12T402
Synthesis of robust gain matrices for adaptive rotor vibration control, J Dyn Syst Meas Control 119(2) 298-300 (Jun 1997), 12A403
Time-optimal negative input shapers, J Dyn Syst Meas Control 119(2) 198-205 (Jun 1997), 12A404
Vibration reduction using multi-hump input shapers, J Dyn Syst Meas Control 119(2) 320-326 (Jun 1997), 12A405
Multiple whole-limb manipulation: An analysis in the force domain, Robotics Autonomous Syst 20(1) 15-38 (Apr 1997), 12A428
Dynamics of mobile legs suspended from wire, Robotics Autonomous Syst 20(1) 85-98 (Apr 1997), 12A430
Inverse kinematics of space manipulators for avoiding dynamic singularities, J Dyn Syst Meas Control 119(2) 340-346 (Jun 1997), 12A441
Vibration controllability of 3D flexible manipulators, J Dyn Syst Meas Control 119(2) 326-330 (Jun 1997), 12A447
Intelligent collision avoidance by fuzzy logic control, Robotics Autonomous Syst 20(1) 61-83 (Apr 1997), 12A448
Singularity avoidance for articulated robots, Robotics Autonomous Syst 20(1) 39-47 (Apr 1997), 12A452
Distributed sensor-actuator design for plates: Spatial shape and shading as design parameters, J Sound Vib 203(3) 473-493 (Jun 1997), 12A894

204D. Process control

Variance minimization-relationship between completion-time variance and waiting-time variance, J Austral Math Soc B 38(1) 126-139 (Jul 1996), 1A377
Application of Taylor transformation to nonlinear predictive control problem, Appl Math Model 20(9) 699-710 (Sep 1996), 2A318
Nonlinear optimal greenhouse control problem with heating and ventilation, Optimal Control Appl Methods 17(3) 157-169 (Jul-Sep 1996), 3A345
Analogue feedback control system of RFX, Fusion Eng Des 31(3) 221-238 (Aug 1996), 3A391
Design of a closed loop computer controlled system for selective area laser deposition - Part I: Laser systems, gasflow, and substrate temperature control, Mat Manuf Processes 11(4) 673-701 (1996), 3A657
Design of a closed loop computer controlled system for selective area laser deposition - Part II: Remote plasma source and pressure control, Mat Manuf Processes 11(4) 703-725 (1996), 3T658
Model error compensation for bearing temperature and preload estimation, J Dyn Syst Meas Control 118(3) 580-585 (Sep 1996), 4A331
Application of minimum cross entropy to model-based monitoring in diamond turning, Mech Syst Signal Processing 10(5) 615-631 (Sep 1996), 4A405
Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 540-548 (Sep 1996), 4A406
Control of the fabrication of long slender workpieces of arbitrary shape - Part II: Closed-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 549-556 (Sep 1996), 4A407
System simulation and control of batch-fed solid waste incinerators, J Dyn Syst Meas Control 118(3) 620-625 (Sep 1996), 4A408
Self-tuning control of a cold mill automatic gauge control system, Int J Control 65(4) 573-588 (Nov 1996), 5A329
Application of repetitive control to eccentricity compensation in rolling, J Dyn Syst Meas Control 118(4) 657-664 (Dec 1996), 6A397
Optimal distance meter using a pulsed laser diode and fast avalanche photo diodes for measurements of molten steel levels, J Dyn Syst Meas Control 118(4) 800-803 (Dec 1996), 6A403
Optimal control of impressed cathodic protection systems in ship building, Appl Math Model 20(11) 823-828 (Nov 1996), 6A408
Design of sequential pneumatic controls as a finite state machine, European J Mech Eng 41(4) 203-212 (1996), 7A309
Dynamic characteristics of a rolling mill, J Syst Control Eng 210(I4) 259-271 (1996), 7A361
Model-based optimizing control of a water-to-water heat pump unit, Model Ident Control 17(4) 279-295 (Oct 1996), 8A382
Dissipative feedback synthesis for a singularly perturbed model of a piston driven flow of a non-Newtonian fluid, Math Methods Appl Sci 20(1) 79-94 (Jan 1997), 8A410
Nonlinear time-optimal control of a photolithography platen, Comput Model Simul in Eng 2(1) 39-64 (Feb 1997), 8A411
Process identification in on-line optimizing control, an application to a heat pump, Model Ident Control 17(4) 261-278 (Oct 1996), 8A412
Applied modeling and simulation, Model Ident Control 18(1) 5-88 (Jan 1997), 9A372
Sampled-data indirect adaptive control of bioreactor using affine radial basis function network architecture, J Dyn Syst Meas Control 119(1) 94-97 (Mar 1997), 9T373
Numerical optimization of process control variables for the Bridgman casting process, Model Simulation Mat Sci Eng 5(1) 23-34 (Jan 1997), 9A677
Adaptive control: Practical aspects and application to a grinding circuit, Optimal Control Appl Methods 18(1) 29-47 (Jan-Feb 1997), 10A426
Applied modeling and simulation, Model Ident Control 18(2) 89-175 (Apr 1997), 11T286
Stochastic modification for global optimization problems: An efficient implementation for the control of the vulcanization process, Int J Control 67(1) 1-21 (May 1997), 11T297
Thermal manufacturing process control by lumped mimo and distributed-parameter methods, J Dyn Syst Meas Control 117(4) 625-632 (Dec 1995), 11A319
Robust tool wear estimation with radial basis function neural networks, J Dyn Syst Meas Control 117(4) 459-467 (Dec 1995), 11A840
Vehicles and environment, Int J Vehicle Des 18(3-4) 233-410 (1997), 11T1555
Determination of a dynamic grinding model, J Dyn Syst Meas Control 119(2) 289-293 (Jun 1997), 12A406
Digital robust controller for cutting force control in the end milling process, J Dyn Syst Meas Control 119(2) 146-152 (Jun 1997), 12A407
Force control of turning based on robust PI controller design, Proc Inst Mech Eng J Eng Manuf 211(B2) 165-175 (1997), 12A408
Modeling of vapor compression cycles for multivariable feedback control of HVAC systems, J Dyn Syst Meas Control 119(2) 183-191 (Jun 1997), 12A409
Lobing behavior in centerless grinding - Part I: Stability estimation, J Dyn Syst Meas Control 119(2) 153-159 (Jun 1997), 12A740

204E. Power systems

Checking information-measuring channels in digital two-channeled automatic control systems of aircraft engines, Russian Aeronaut 38(4) 70-73 (1995), 1A378
Appropriate realization of gain-scheduled controllers with application to wind turbine regulation, Int J Control 65(2) 223-248 (Sep 1996), 4A409
Performance enhancement of wind turbine power regulation by switched linear control, Int J Control 65(4) 555-572 (Nov 1996), 5A330
Investigation on application of orthogonal network optimal method to performance optimization of diesel engines (Chinese), J Dalian Univ Tech 36(6) 697-701 (Nov 1996), 6A1357
Fuzzy logic approach in the control of a twin-spool aircraft gas turbine engine under development, J Syst Control Eng 210(I4) 273-281 (1996), 7A362
Robust decentralized control of power systems utilizing only swing angle measurements, Int J Control 66(4) 581-601 (Mar 1997), 9T320
Efficient methods for the optimal power flow problem of large-scale power systems, J Eng Appl Sci 44(1) 157-172 (Feb 1997), 11A320
Advanced control design for marine diesel engine propulsion systems, J Dyn Syst Meas Control 119(2) 167-174 (Jun 1997), 12A410
Assessing the potential for energy regeneration in dynamic subsystems, J Dyn Syst Meas Control 119(2) 265-270 (Jun 1997), 12A411
Design of optimal MIMO DIVSC systems and its application to idle speed control of spark ignition engine, J Dyn Syst Meas Control 119(2) 175-182 (Jun 1997), 12A412
Robust power system stabilizer design, Optimal Control Appl Methods 18(3) 179-193 (May-Jun 1997), 12A413
Tuning power system stabilizers over a wide range of load models using an artificial neural network, J Eng Appl Sci 44(2) 389-406 (Apr 1997), 12A414

204F. Fluidic systems, pneumatics

Control method for helium gas pressure and concentration in X-ray steppers (Japanese), J Japan Soc Precision Eng 62(6) 860-864 (Jun 1996), 1T379
Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, J Micromech Microeng 6(2) 217-227 (Jun 1996), 2T332
Impact of liquid load shift on the braking characteristics of partially filled tank vehicles, Vehicle Syst Dyn 26(3) 223-240 (Sep 1996), 3A381
Bilinear fault detection observer and its application to a hydraulic drive system, Int J Control 64(6) 1023-1047 (Aug 1996), 3A392
Hydraulic actuator turning in the control of a rotating flexible beam mechanism, J Dyn Syst Meas Control 118(3) 449-456 (Sep 1996), 4A393
Comparison of sliding mode control with state feedback and PID control applied to a proportional solenoid valve, J Dyn Syst Meas Control 118(3) 434-438 (Sep 1996), 4A410
Control of a one-dof active hydraulic mount - Part II, J Dyn Syst Meas Control 118(3) 443-448 (Sep 1996), 4A411
Modeling and test of an electropneumatic servovalve controlled long rodless actuator, J Dyn Syst Meas Control 118(3) 457-462 (Sep 1996), 4A412
Modeling of a one-dof active hydraulic mount - Part I, J Dyn Syst Meas Control 118(3) 439-442 (Sep 1996), 4A413
Fabrication of fluorinated polyimide microgrids using magnetically controlled reactive ion etching and their applications to an ion drag integrated micropump, J Micromech Microeng 6(3) 310-319 (Sep 1996), 4T425
Application of unified predictive control to on-off control of hydraulic system driven by fast-switching solenoid valves, JSME Int J Ser C 39(3) 515-521 (Sep 1996), 5A871
Control of turbulent separated flow over a backward-facing step by local forcing, Exp Fluids 21(6) 417-426 (Oct 1996), 5A997
Adaptive, high bandwidth control of hydraulic actuator, J Dyn Syst Meas Control 118(4) 714-720 (Dec 1996), 6A398
Nonlinear feedback control of the wake past a plate with a suction point on the downstream wall, J Fluid Mech 327 303-324 (Nov 1996), 6A399
Partitioned simulation of fluid power systems: An approach for reduced communication between processors, J Syst Control Eng 210(I4) 221-230 (1996), 7A363
Perspective: Fluid dynamics and performance of automotive torque converters: An assessment, J Fluids Eng 118(4) 665-676 (Dec 1996), 7A364
Thermal-hydraulic performance prediction in fluid power systems, J Syst Control Eng 210(I4) 231-242 (1996), 7A365
Influence of forces due to electromagnetic pick-ups on the performance of small turbine flowmeters, J Syst Control Eng 210(I4) 243-247 (1996), 7A371
Calculation of forced vibration in flexible metallic pipelines, J Machinery Manuf Reliab 3 23-28 (1996), 8A413
Optimization of pumping units of internal involute gear pumps, J Machinery Manuf Reliab 3 29-34 (1996), 8A963
Evaluation of shock absorber models, Vehicle Syst Dyn 27(2) 109-127 (Feb 1997), 9A374
Combustion oscillation control by cyclic fuel injection, J Eng Gas Turbines Power 119(2) 340-343 (Apr 1997), 10A1407
Control of Flow Instabilities and Unsteady Flows (Springer-Verlag, Wien, 1996) 11N14
Dynamic feedback linearization for electrohydraulically actuated control systems, J Dyn Syst Meas Control 117(4) 468-477 (Dec 1995), 11A311
Dynamic evaluation technique for liquid flow meters based on hydraulic line dynamics, J Dyn Syst Meas Control 119(2) 305-307 (Jun 1997), 12A415
System dynamics modeling of porous media, J Dyn Syst Meas Control 119(2) 251-259 (Jun 1997), 12A416

204G. Digital and numerical control systems

General type of digital optimal preview servo system, Appl Math Mech 17(5) 423-436 (May 1996), 1A380
Stability of a friction driver using a describing function, J Mat Processing Tech 59(4) 315-319 (Jun 1996), 4A414
Design of PAM and PWM controllers for sampled-data interval systems, J Dyn Syst Meas Control 118(4) 673-682 (Dec 1996), 6A400
Duality of leakage and aliasing and improved digital spectral analysis techniques, J Dyn Syst Meas Control 118(4) 741-747 (Dec 1996), 6A401
Robust stability bound on linear time-varying uncertainties for linear digital control systems under finite wordlength effects, JSME Int J Ser C 39(4) 767-771 (Dec 1996), 7A302

204H. Control components, sensors

Modal and physical deflections of beams using distributed wire sensors, Smart Mat Struct 5(3) 261-271 (Jun 1996), 1A203
Self-calibration method for 2D displacement sensor (Japanese), J Japan Soc Precision Eng 62(6) 845-849 (Jun 1996), 1A381
Actuator placement based on reachable set optimization for expected disturbance, J Optim Theory Appl 90(2) 279-300 (Aug 1996), 2A314
Plant identification from leaves using quasi-sensor fusion, J Manuf Sci Eng 118(3) 382-387 (Aug 1996), 2A326
Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, J Micromech Microeng 6(2) 217-227 (Jun 1996), 2T332
Adaptive tracking controller for multiple-phase permanent-magnet machines, Int J Control 64(6) 997-1022 (Aug 1996), 3A352
Characterization of transfer functions for piezoceramic and conventional transducers, J Intelligent Mat Syst Struct 7(4) 390-398 (Jul 1996), 3A393
Filter sensitivity in exoatmospheric target vehicle tracking, Appl Math Comput 79(2-3) 249-265 (Oct 1996), 3A394
Efficient robust adaptive control law for robot manipulators, Proc Inst Mech Eng C 210(C4) 363-372 (1996), 3A413
Globally stable discrete-time controller for current-fed induction motors, Syst Control Lett 28(3) 123-128 (Jul 1996), 4T366
Dynamical adaptive pulse-width-modulation control of DC-to-DC power converters: A backstepping approach, Int J Control 65(2) 205-222 (Sep 1996), 4T379
Development of a load cell for force measurements subject to flow interferences, Exp Tech 20(5) 25-29 (Sep-Oct 1996), 4T415
Distributed parameter modal filtering using smart sensors, J Vib Acoust 118(4) 630-640 (Oct 1996), 4A416
Practical limitations in achieving shaped modal sensors with induced strain materials, J Vib Acoust 118(4) 668-675 (Oct 1996), 4A417
Comb-drive actuators for large displacements, J Micromech Microeng 6(3) 320-329 (Sep 1996), 4A421
Design and process considerations for a tunneling tip accelerometer, J Micromech Microeng 6(3) 352-358 (Sep 1996), 4A422
Energy-based design criterion for magnetic microactuators, J Micromech Microeng 6(3) 337-344 (Sep 1996), 4A424
Processing signals from an internal sensor using neural networks, Int J Machine Tools Manuf 36(11) 1291-1306 (Nov 1996), 5A331

Sensor placement for time-domain modal parameter estimation, J Guidance Control Dyn 19(6) 1349-1356 (Nov-Dec 1996), 5A332
Fuzzy adaptive control of machining processes with a self-learning algorithm, J Manuf Sci Eng 118(4) 522-530 (Nov 1996), 5A369
Control of linear motors for machine tool feed drives: Design and implementation of H_∞ optimal feedback control, J Dyn Syst Meas Control 118(4) 649-656 (Dec 1996), 6A402
Optimal distance meter using a pulsed laser diode and fast avalanche photo diodes for measurements of molten steel levels, J Dyn Syst Meas Control 118(4) 800-803 (Dec 1996), 6A403
Estimation of vehicle dynamic and static parameters from magnetometer data, J Guidance Control Dyn 20(1) 111-116 (Jan-Feb 1997), 7A244
Robust semi-global stabilization of linear systems with imperfect actuators, Syst Control Lett 29(4) 215-221 (Jan 1997), 7T301
Disturbance rejection approach to actuator and sensor placement, J Guidance Control Dyn 20(1) 202-204 (Jan-Feb 1997), 7T366
Fiber optic sensor development for real-time in-situ epoxy cure monitoring, J Composite Mat 31(1) 87-102 (1997), 7A367
Influence of forces due to electromagnetic pick-ups on the performance of small turbine flowmeters, J Syst Control Eng 210(I4) 243-247 (1996), 7A371
Finite element modeling of the transient response of MEMS sensors, Smart Mat Struct 6(1) 53-61 (Feb 1997), 8A414
Three-axis capacitive accelerometer with uniform axial sensitivities, J Micromech Microeng 6(4) 431-435 (12 1996), 8A415
Force tracking in impedance control, Int J Robotics Res 16(1) 97-117 (Feb 1997), 8A442
Experimental approach to selecting H_∞ weighting functions for DC servos, J Dyn Syst Meas Control 119(1) 101-105 (Mar 1997), 9A323
Design impact of piezoelectric actuator nonlinearities, J Guidance Control Dyn 20(2) 327-332 (Mar-Apr 1997), 9A375
Development of scanning type minature 2D image sensor (Japanese), J Japan Soc Precision Eng 63(2) 218-222 (Feb 1997), 9A376
Hydrostatic force sensor for robotic applications, J Dyn Syst Meas Control 119(1) 115-119 (Mar 1997), 9A377
Development of an artificial skin ridge for pattern recognition, J Intelligent Mat Syst Struct 8(1) 4-11 (Jan 1997), 9A396
Materials for Smart Systems II (Mat Res Soc, Pittsburgh PA, 1997) 10N7
Piezoelectric stack actuators and control system design: Strategies and pitfalls, J Guidance Control Dyn 20(3) 479-485 (May-Jun 1997), 10A494
Coupled fluid-structural characteristics of actuators for flow control, AIAA J 35(5) 832-837 (May 1997), 10A502
Design of a smart flap using polymeric C-block actuators and a hybrid optimization technique, Smart Mat Struct 6(2) 134-144 (Apr 1997), 10A519
Determination of the stress components of an array of piezoelectric sensors: A numerical study, Smart Mat Struct 6(2) 152-160 (Apr 1997), 10A673
Handbook of Modern Sensors: Physics, Designs, and Applications, Second Edition (AIP, Woodbury, NY, 1996) 11N16
Use of optimally shaped piczoelectric film sensors in the active control of free field structural radiation - Part 2: Feedback control, J Vib Acoust 118(1) 112-121 (Jan 1996), 11A260
Nonlinear analysis of ductile metal coated optical fiber sensors embedded in a unidirectional laminate, J Composite Mat 31(10) 1026-1045 (1997), 11T413
Fast electro-optical sensing system for measuring thermal response of a rotating roll without generating contact noise, J Manuf Sci Eng 119(2) 193-200 (May 1997), 11A586
Real-time image processing for monitoring of free weld pool surface, J Manuf Sci Eng 119(2) 161-169 (May 1997), 11A881
Real-time sensing of sag geometry during GTA welding, J Manuf Sci Eng 119(2) 151-160 (May 1997), 11A882
Mechatronics System Design (PWS, Boston, MA, 1997) 12R16
Sensors Handbook (McGraw-Hill, New York, 1997) 12N20
Dynamical characteristics of gyroscopic weight measuring device, J Dyn Syst Meas Control 119(2) 346-350 (Jun 1997), 12A417
Cross calibration by FFT equalization, J Dyn Syst Meas Control 119(2) 236-242 (Jun 1997), 12A418
Shape from motion approach to rapid and precise force-torque sensor calibration, J Dyn Syst Meas Control 119(2) 229-235 (Jun 1997), 12A419

204I. Instrumentation, computer hardware

Modeling and diagnosis of motion error of multi-axis machines using a ball bar test, J Dyn Syst Meas Control 118(3) 531-539 (Sep 1996), 4A182
Experimental results of adaptive periodic disturbance cancellation in a high performance magnetic disk drive, J Dyn Syst Meas Control 118(3) 416-424 (Sep 1996), 4A418
Emulation of stiff walls and static friction with a magnetically levitated input-output device, J Dyn Syst Meas Control 119(1) 127-132 (Mar 1997), 9A359
Novel vibratory device for angular rate measurement, J Dyn Syst Meas Control 117(4) 585-591 (Dec 1995), 11A321
Dynamical characteristics of gyroscopic weight measuring device, J Dyn Syst Meas Control 119(2) 346-350 (Jun 1997), 12A417
Cross calibration by FFT equalization, J Dyn Syst Meas Control 119(2) 236-242 (Jun 1997), 12A418
Shape from motion approach to rapid and precise force-torque sensor calibration, J Dyn Syst Meas Control 119(2) 229-235 (Jun 1997), 12A419

204K. Software, expert systems, artificial intelligence

Integrating material-part-process design for polymer composites: A knowledge-based problem-solving approach, J Thermoplastic Composite Mat 9(3) 218-238 (Jul 1996), 1A412
Fast orthogonal identification of nonlinear stochastic models and radial basis function neural networks, Int J Control 64(5) 871-886 (Jul 1996), 2A308
Application of fuzzy set theory and back-propagation neural networks in progressive die design, J Manuf Syst 15(4) 268-281 (1996), 2A359
Backpropagation neural networks for predicting ultimate strengths of unidirectional graphite-epoxy tensile specimens, Adv Performance Mat 3(1) 75-83 (Jan 1996), 2A460
Combination of fuzzy logic and neural network algorithms for active vibration control, J Syst Control Eng 210(I3) 153-167 (1996), 4A385
Control of nonlinear structures using the fuzzy control approach, Nonlinear Dyn 11(2) 171-187 (Oct 1996), 4A386
Artificial neural network architecture design using similarity measure with applications in engineering monitoring and diagnosis, J Dyn Syst Meas Control 118(3) 635-639 (Sep 1996), 4A419
Genetic algorithm for determining facility design and configuration of single-stage flexible electronic assembly systems, J Manuf Syst 15(5) 316-324 (1996), 4T464
ICMESE: Intelligent consultant system for material handling equipment selection and evaluation, J Manuf Syst 15(5) 325-333 (1996), 4A465
Neural network modeling for tool path planning of the rough cut in complex pocket milling, J Manuf Syst 15(5) 295-304 (1996), 4A673
Improving the evaluation sensitivity of an ultrasonic pulse echo technique using a neural classifier, NDT&E Int 29(3) 175-179 (Jun 1996), 4A796
Neural network for crack sizing trained by FE calculations, NDT&E Int 29(3) 147-155 (Jun 1996), 4A797
Modified H_∞ feedforward active control system for suppressing broadband random and transient noises, J Sound Vib 198(1) 81-94 (Nov 1996), 5A257
Intelligent vehicle highway systems, Vehicle Syst Dyn 26(4) 243-320 (Oct 1996), 5T321
Neuro-fuzzy approach to select welding conditions for welding quality improvement in horizontal fillet welding, J Manuf Syst 15(6) 392-403 (1996), 5A881
Sensory evaluation of past design cases and design candidates for conceptual structural design, JSME Int J Ser C 39(3) 645-651 (Sep 1996), 5A1518
Flat composite panel design advisory system using knowledge based and case based reasoning, J Mech Des 118(4) 461-469 (Dec 1996), 6A404
LP-neuro method: A new approach for solving neural network problems, J Dyn Syst Meas Control 118(4) 784-785 (Dec 1996), 6A405
Tool condition monitoring in machining by fuzzy neural networks, J Dyn Syst Meas Control 118(4) 665-672 (Dec 1996), 6A406
Optimization of multibody dynamics using object oriented programming and a mixed numerical-symbolic penalty formulation, Mech Machine Theory 32(2) 161-174 (Feb 1997), 7A88
Nonlinear flight control using neural networks, J Guidance Control Dyn 20(1) 26-33 (Jan-Feb 1997), 7A350
Fuzzy logic approach in the control of a twin-spool aircraft gas turbine engine under development, J Syst Control Eng 210(I4) 273-281 (1996), 7A362
Intelligent curing of thick composites using a knowledge-based system, J Composite Mat 31(1) 22-51 (1997), 7A632
Prediction of fracture toughness using artificial neural networks, Eng Fracture Mech 56(3) 311-319 (Feb 1997), 7A771
Flight control system design by self-organizing fuzzy logic controller, J Guidance Control Dyn 20(1) 189-190 (Jan-Feb 1997), 7T1171
Semi-active suspension with dynamic absorbers of ground vehicles using fuzzy reasoning, Int J Vehicle Des 18(1) 19-34 (1997), 8A405
Tuning the fuzzy control autopilot strategy for driving pattern simulation of road vehicles, Int J Vehicle Des 18(1) 35-52 (1997), 8A407
Numerical and experimental investigation of neural network-based intelligent control of molding processes, J Manuf Sci Eng 119(1) 88-94 (Feb 1997), 8A466
Neural network and fuzzy logic applications to vehicle systems: Literature survey, Int J Vehicle Des 18(2) 132-193 (1997), 9A378
Vibration control of smart structures by using neural networks, J Dyn Syst Meas Control 119(1) 34-39 (Mar 1997), 9A853
Missile Control using fuzzy cerebellar model arithmetic computer neural networks, J Guidance Control Dyn 20(3) 557-565 (May-Jun 1997), 10A465
Neural network-based adaptive control of a class of uncertain nonlinear systems, Appl Math Mech 18(1) 91-95 (Jan 1997), 10A503
Preliminary investigation of neural network technique to predict tribological properties, Trib Trans 40(2) 312-320 (Apr 1997), 10A504
Multivariable trend analysis using neural networks for intelligent diagnostics of rotating machinery, J Eng Gas Turbines Power 119(2) 378-384 (Apr 1997), 10A514
Negative information problem in mechanical diagnostics, J Eng Gas Turbines Power 119(2) 370-377 (Apr 1997), 10A515
Novel network planning method: Group decision network planning technique (Chinese), J Dalian Univ Tech 37(1) 112-117 (Jan 1997), 10A555
Prediction of critical load and wear rate of coatings by fuzzy theory, Mat Manuf Processes 12(2) 345-357 (1997), 10A987
Special issue on latest developments in neuro-fuzzy intelligent robotic systems, J Robotic Syst 14(6) 389-511 (Jun 1997), 11T287
Direct optimal control: A hybrid approach, Int J Control 67(2) 193-212 (May 1997), 11A290
Method of using neural networks and inverse kinematics for machine tools error estimation and correction, J Manuf Sci Eng 119(2) 247-254 (May 1997), 11A322
Robust tool wear estimation with radial basis function neural networks, J Dyn Syst Meas Control 117(4) 459-467 (Dec 1995), 11A840
Object-oriented programming of FEM for continuum mechanics problems - Part 1: Ideology of the object-oriented approach and its application to the FEM, Composite Mech Des 2(2) 77-88 (1996), 12A53
Fuzzy neural network control for DC-motor micromaneuvering, J Dyn Syst Meas Control 119(2) 312-315 (Jun 1997), 12A420
Multivariable trend analysis for system monitoring through self-organizing neural networks, J Dyn Syst Meas Control 119(2) 223-228 (Jun 1997), 12A422
Intelligent collision avoidance by fuzzy logic control, Robotics Autonomous Syst 20(1) 61-83 (Apr 1997), 12A448

204M. Mechatronics (computer-integrated electromechanical systems)

Simulation study on control of hydrostatic transmission propelled by recovery braked AC motor, Arch Budowy Maszyn 42(1-2) 47-62 (1995), 4T420
High-precision control of AC servo motor positioning systems by friction compensation, JSME Int J Ser C 39(3) 477-483 (Sep 1996), 5A350
ICRAM'95 conference papers, Robotics Autonomous Syst 19(2) 117-227 (Dec 1996), 7A368
Introducing virtual axis to path control system using superficial evaluation term, JSME Int J Ser C 39(4) 815-821 (Dec 1996), 7A387
Experience with self-tuning controlling design for servodrives in positioning systems, Facta Univ Mech Auto Control Robotic 2(6) 143-154 (1996), 10A505
Mechatronics System Design (PWS, Boston, MA, 1997) 12R16

204P. Microelectromechanics, nanotechnology

Nanoscopic hardness measurement by atomic force microscope, JSME Int J Ser A 39(3) 456-462 (Jul 1996), 1A798
Cobalt disilicide interconnects for micromechanical devices, J Micromech Microeng 6(2) 272-278 (Jun 1996), 2T327
Control of liquid bridging induced stiction of micromechanical structures, J Micromech Microeng 6(2) 213-216 (Jun 1996), 2A328
Development of surface micromachining techniques compatible with on-chip electronics, J Micromech Microeng 6(2) 197-21 (Jun 1996), 2A329
Manufacturing of 3D micro-parts by UV laser induced polymerization, J Micromech Microeng 6(2) 240-253 (Jun 1996), 2T330
Modified MOS IC process suitable for bulk micromachining, J Micromech Microeng 6(2) 236-239 (Jun 1996), 2T331
Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, J Micromech Microeng 6(2) 217-227 (Jun 1996), 2T332
Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, Acta Phys Polonica A 90(2) 423-426 (Aug 1996), 2A333
Microelectromechanical Systems (ASME, New York, 1996) 3N10
Structural Analysis in Microelectronics and Fiber Optics - 1996 (ASME, New York, 1996) 3N13
Fabrication of a linear motion microsystem on a Si wafer, Int J Japan Soc Precision Eng 30(2) 168-169 (Jun 1996), 3T395
Review: MEMS and its applications for flow control, J Fluids Eng 118(3) 437-447 (Sep 1996), 4A384
Comb-drive actuators for large displacements, J Micromech Microeng 6(3) 320-329 (Sep 1996), 4A421
Design and process considerations for a tunneling tip accelerometer, J Micromech Microeng 6(3) 352-358 (Sep 1996), 4A422
Determining mean and gradient residual stresses in thin films using micromachined cantilevers, J Micromech Microeng 6(3) 301-309 (Sep 1996), 4A423
Energy-based design criterion for magnetic microactuators, J Micromech Microeng 6(3) 337-344 (Sep 1996), 4A424
Fabrication of fluorinated polyimide microgrids using magnetically controlled reactive ion etching and their applications to an ion drag integrated micropump, J Micromech Microeng 6(3) 310-319 (Sep 1996), 4T425
Integrated communication and control system for a multi-link active catheter, J Micromech Microeng 6(3) 345-351 (Sep 1996), 4A426
Numerical modeling of micromechanical devices using the direct simulation Monte Carlo method, J Fluids Eng 118(3) 464-469 (Sep 1996), 4A427
Thermomechanical deflection of microcantilever beams in scanning force microscopes, J Micromech Microeng 6(3) 330-336 (Sep 1996), 4A428
Novel pump for MEMS applications, J Fluids Eng 118(3) 624-627 (Sep 1996), 4A935
Three-dimensional microscopic measurement and analysis of chemical flow and transport in porous media, J Fluids Eng 118(3) 470-480 (Sep 1996), 4A1357
Modeling micropumps with electrical equivalent networks, J Micromech Microeng 6(4) 398-404 (Dec 1996), 8A373
Three-axis capacitive accelerometer with uniform axial sensitivities, J Micromech Microeng 6(4) 431-435 (12 1996), 8A415
Micromechanical engineering: A basis for the low-cost manufacturing of mechanical microdevices using microequipment, J Micromech Microeng 6(4) 410-425 (Dec 1996), 8T416
Porous silicon as a sacrificial material, J Micromech Microeng 6(4) 361-369 (Dec 1996), 8T417
Sacrificial etching of III-V compounds for micromechanical devices, J Micromech Microeng 6(4) 370-375 (Dec 1996), 8T418
Stiction in surface micromachining, J Micromech Microeng 6(4) 385-397 (Dec 1996), 8T419
Surface micromachining by sacrificial aluminium etching, J Micromech Microeng 6(4) 376-384 (Dec 1996), 8T420
Application of sparse matrix techniques and self-adopting mesh generation to 3D transient thermal simulation, Bull Polish Acad Sci Tech Sci 44(2) 185-191 (1996), 9A379
Computer-aided analysis of integrated electrostatic micromotors, Bull Polish Acad Sci Tech Sci 44(2) 177-184 (1996), 9A380
Experiments on interlayer exchange coupling, Acta Phys Polonica A 91(1) 7-14 (Jan 1997), 9A381
Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, J Dyn Syst Meas Control 119(1) 57-60 (Mar 1997), 9A382
Strain relaxation of ZnTe-CdTe and CdTe-ZnTe heterostructures: *In situ* study, Acta Phys Polonica A 90(5) 911-914 (Nov 1996), 9A383
Structure and magnetic properties of Ni-Ti multilayers, Acta Phys Polonica A 91(1) 233-236 (Jan 1997), 9A384
Surface effects in Fe-based nanocrystalline alloys, Acta Phys Polonica A 91(1) 229-232 (Jan 1997), 9A385
Tunneling in semiconductor nanostructures: Physics and devices, Acta Phys Polonica A 90(4) 667-679 (Oct 1996), 9T386
Thermal expansion of GaN bulk crystals and homoepitaxial layers, Acta Phys Polonica A 90(5) 887-890 (Nov 1996), 9A1336

Electro-thermally and laterally driven polysilicon microactuator, J Micromech Microeng 7(1) 7-13 (Mar 1997), 10A506
High-sensitivity surface micromachined structures for internal stress and stress gradient evaluation, J Micromech Microeng 7(1) 30-36 (Mar 1997), 10T507
Improved analysis of microbeams under mechanical and electrostatic loads, J Micromech Microeng 7(1) 24-29 (Mar 1997), 10A508
Silicon dioxide sacrificial layer etching in surface micromachining, J Micromech Microeng 7(1) R1-R13 (Mar 1997), 10T509

204R. Fault diagnosis, failure detection, and isolation

Analytical modeling and analysis of flexible manufacturing systems considering system component failure-repair rates, J Manuf Syst 15(3) 143-154 (1996), 1A415
Manufacturing of 3D micro-parts by UV laser induced polymerization, J Micromech Microeng 6(2) 240-253 (Jun 1996), 2T330
Fuzzy diagnosis for fault of valves of internal combustion engines (Chinese), J Vib Eng 9(2) 205-208 (Jun 1996), 2A334
Bilinear fault detection observer and its application to a hydraulic drive system, Int J Control 64(6) 1023-1047 (Aug 1996), 3A392
Self-adapting decision support for interactive fault diagnosis of manufacturing systems, Int J Comput Integrated Manuf 9(5) 392-401 (Sep-Oct 1996), 3A425
Corrective control of sequential machines, Int J Control 65(2) 249-276 (Sep 1996), 4A376
Damage-mitigating control of a reusable rocket engine - Part I: Life prediction of the main thrust chamber wall, J Dyn Syst Meas Control 118(3) 401-408 (Sep 1996), 4A389
Artificial neural network architecture design using similarity measure with applications in engineering monitoring and diagnosis, J Dyn Syst Meas Control 118(3) 635-639 (Sep 1996), 4A419
Research on techniques of knowledge processing for fault diagnostic expert system of turbogenerator, J Vib Eng 9(3) 230-236 (Sep 1996), 4A429
Study of the master-slave neural network in fault diagnosis of a rotating machinery, J Vib Eng 9(3) 220-229 (Sep 1996), 4T430
Estimation of the effect of the form of a loading cycle on cyclic longevity, J Machinery Manuf Reliab 2 34-39 (1996), 4T942
Tool condition monitoring in machining by fuzzy neural networks, J Dyn Syst Meas Control 118(4) 665-672 (Dec 1996), 6A406
Failure detection and location using residual difference generation detection filters, J Syst Control Eng 210(I4) 283-290 (1996), 7A369
Intelligent diagnostic model of multiple level abstraction and hybrid reasoning and its application (Chinese), J Vib Eng 9(4) 353-357 (Dec 1996), 7T370
Frequency domain identification scheme for control and fault diagnosis, J Dyn Syst Meas Control 119(1) 48-56 (Mar 1997), 9A304
Time estimation of disturbance occurrences in monitoring systems, Z Angew Math Mech 77(2) 107-114 (1997), 10A243
Life-extending control of reusable rocket engines, J Guidance Control Dyn 20(3) 621-623 (May-Jun 1997), 10T486
Detection of helicopter rotor system simulated faults using neural networks, J Am Helicopter Soc 42(2) 161-171 (Apr 1997), 10A510
Dynamic response of a cracked rotor with some comments on crack detection, J Eng Gas Turbines Power 119(2) 447-455 (Apr 1997), 10A511
Identification of simple-supported beam cracks by means of the wavelet analysis (Chinese), J Vib Eng 10(1) 81-85 (Mar 1997), 10T512
Investigation on limitations for demodulation analysis application in failure diagnosis (Chinese), J Vib Eng 10(1) 13-20 (Mar 1997), 10T513
Multivariable trend analysis using neural networks for intelligent diagnostics of rotating machinery, J Eng Gas Turbines Power 119(2) 378-384 (Apr 1997), 10A514
Negative information problem in mechanical diagnostics, J Eng Gas Turbines Power 119(2) 370-377 (Apr 1997), 10A515
Numerical simulation of blade fault signatures from unsteady wall pressure signals, J Eng Gas Turbines Power 119(2) 362-369 (Apr 1997), 10A516
Structural dynamic model modification and damage diagnosis method based on neural networks (Chinese), J Vib Eng 10(1) 8-12 (Mar 1997), 10T517
Identification using the algorithm of singular value decomposition: An application to the realization of dynamic systems and to fault detection and localization, Mech Syst Signal Processing 11(3) 441-457 (May 1997), 11A323
Local tooth fault detection in gearboxes using a moving window procedure, Mech Syst Signal Processing 11(3) 331-350 (May 1997), 11A324
Time domain analysis for damage detection in smart structures, Mech Syst Signal Processing 11(3) 409-423 (May 1997), 11A325
Well-conditioned observer design for observer-based monitoring systems, J Dyn Syst Meas Control 117(4) 592-599 (Dec 1995), 11A326
Backlash detection in geared mechanisms: Modeling, simulation, and experimentation, Mech Syst Signal Processing 11(3) 391-408 (May 1997), 11A846
Multiple fault simultaneous diagnosis for rotating machine based on ellipsoidal unit neural networks (Chinese), J Vib Eng 10(2) 131-138 (Jun 1997), 12T421
Multivariable trend analysis for system monitoring through self-organizing neural networks, J Dyn Syst Meas Control 119(2) 223-228 (Jun 1997), 12A422
Transient error detection during UDU^T covariance calculations using algorithm based fault tolerance, J Dyn Syst Meas Control 119(2) 284-286 (Jun 1997), 12A423

204T. Other applications

Sensing of motion related errors in multiaxis machines, J Dyn Syst Meas Control 118(3) 425-433 (Sep 1996), 4A183
Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 540-548 (Sep 1996), 4A406
Control of the fabrication of long slender workpieces of arbitrary shape - Part II: Closed-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 549-556 (Sep 1996), 4A407
H^∞ control of milling AMB spindle, JSME Int J Ser C 39(3) 502-508 (Sep 1996), 5A333
Quick Hough Transform Parameter Search algorithm for flexible part inspection, J Manuf Syst 15(6) 404-418 (1996), 5A366
Differential Riccati equation for the active control of a problem in structural acoustics, J Optim Theory Appl 91(3) 695-728 (Dec 1996), 6A346
Application of repetitive control to eccentricity compensation in rolling, J Dyn Syst Meas Control 118(4) 657-664 (Dec 1996), 6A397
Isotropic optimal control of active magnetic bearing system, J Dyn Syst Meas Control 118(4) 721-726 (Dec 1996), 6A407
Optimal control of impressed cathodic protection systems in ship building, Appl Math Model 20(11) 823-828 (Nov 1996), 6A408
Enhancing hydrostatic gear efficiency through nonlinear optimal control strategies, J Dyn Syst Meas Control 118(4) 727-732 (Dec 1996), 6A950
Influence of forces due to electromagnetic pick-ups on the performance of small turbine flowmeters, J Syst Control Eng 210(I4) 243-247 (1996), 7A371
Four dimensional holospectrum: A new method for analyzing force distributions, J Manuf Sci Eng 119(1) 95-104 (Feb 1997), 8A421
Implementation of wind turbine controllers, Int J Control 66(3) 349-380 (Feb 1997), 8A422
Method of 3D cutter compensation based on digitizing copying system, J Dalian Univ Tech 37(1) 73-77 (Jan 1997), 10A518
Implementation methodology for the supervisory control of flexible manufacturing workcells, J Manuf Syst 16(2) 91-101 (1997), 10A546
Self-contained automated methodology for optimal flow control, AIAA J 35(5) 816-824 (May 1997), 10A1144
Optimal feedback control strategy for waste disposal management in agroecosystems, Appl Math Model 21(3) 165-174 (Mar 1997), 10A1505
Nonlinear dynamic stability of normal and arthritic greyhounds, Nonlinear Dyn 12(3) 237-250 (Mar 1997), 10A1551
Adaptive forced balancing for multivariable systems, J Dyn Syst Meas Control 117(4) 496-502 (Dec 1995), 11A142
Control of a fluidized bed combustor using fuzzy logic, J Eng Gas Turbines Power 118(1) 204-209 (Jan 1996), 11A1393
Display of feel for the manipulation of dynamic virtual objects, J Dyn Syst Meas Control 117(4) 554-558 (Dec 1995), 11A1588
Application of a least squares lattice algorithm to active noise control for an automobile, J Dyn Syst Meas Control 119(2) 318-320 (Jun 1997), 12A330
Modeling of vapor compression cycles for multivariable feedback control of HVAC systems, J Dyn Syst Meas Control 119(2) 183-191 (Jun 1997), 12A409
Modeling the systematic uncertainty of photogrammetric tracking of human motion, J Dyn Syst Meas Control 119(2) 358-361 (Jun 1997), 12A1562
Neural network approach to electromyographic signal processing for a motor control task, J Dyn Syst Meas Control 119(2) 335-337 (Jun 1997), 12A1563
Numerical differentiation of tracking data of human motion: The virtual accelerometer, J Dyn Syst Meas Control 119(2) 355-358 (Jun 1997), 12A1564

204Z. Experimental techniques

Measurement of 3D objects using gray code projection - 2nd Report: Improvement of reliability of space encoding method (Japanese), J Japan Soc Precision Eng 62(6) 830-834 (Jun 1996), 1T382
Optical noncontact measuring instrument for 3D shapes - 3rd report: Expansion of detecting range with a low resolution optical system (Japanese), J Japan Soc Precision Eng 62(6) 855-859 (Jun 1996), 1A808
Experimental results of adaptive periodic disturbance cancellation in a high performance magnetic disk drive, J Dyn Syst Meas Control 118(3) 416-424 (Sep 1996), 4A418
Measurements of path and other parameters in motor vehicle dynamics tests and their errors, Vehicle Syst Dyn 26(5) 321-342 (Nov 1996), 5A322
Experimental approach to selecting H_∞ weighting functions for DC servos, J Dyn Syst Meas Control 119(1) 101-105 (Mar 1997), 9A323
Experimental evaluation of path accuracy of hydraulic excavator fixture, Eng Trans 44(3-4) 499-512 (1996), 9A387
Experimental comparison of robust H_∞ control techniques for uncertain structural systems, J Guidance Control Dyn 20(3) 611-614 (May-Jun 1997), 10T481
Coarse interval linearity-calibration method involving self-inspection technique for displacement sensors (Japanese), J Japan Soc Precision Eng 63(5) 684-688 (May 1997), 12T424

206. ROBOTICS

206B. End effectors

Force and position control of grasp in multiple robotic mechanisms, J Robotic Syst 13(8) 515-525 (Aug 1996), 1A383
Contact force canonical decomposition and the role of internal forces in robust grasp planning problems, Int J Robotics Res 15(4) 351-364 (Aug 1996), 2A335
Force control of a flexible finger with distributed sensors and piezoelectric actuators, J Intelligent Mat Syst Struct 7(3) 301-306 (May 1996), 2A336
Soft robotic fingertips - Part I: A comparison of construction materials, Int J Robotics Res 15(4) 320-334 (Aug 1996), 2A337
Motions with minimal base reactions for redundant manipulators, Comput Struct 61(4) 651-656 (Nov 1996), 3A396
Soft-handling gripper driven by piezoceramic bimorph strips, Smart Mat Struct 5(4) 407-414 (Aug 1996), 3A397
Optimum grasping planning for multi-fingered dextrous hands based on the asymptotical stability, Chinese J Aeronaut 9(2) 147-155 (May 1996), 5A334
Analysis of drill failure modes by multi-sensors on a robotic end effector, J Manuf Sci Eng 118(4) 672-676 (Nov 1996), 5A555
New models for a class of adhesive grippers: The hemivariational inequality approach, Arch Appl Mech 67(1-2) 50-61 (Dec 1996), 6A409
Soft fruit grading using a robotics gripper, Int J Robotics Autom 11(3) 93-101 (1996), 6A410
Analysis and simulation of grasping-manipulation by multi-fingersurface, Mech Machine Theory 32(2) 175-191 (Feb 1997), 7A372
Implementation of the velocities of the end-effector with the distributed arithmetic architecture, J Intelligent & Robotic Syst 17(4) 387-417 (Dec 1996), 7A373
Analysis of astrictive prehension, Int J Robotics Res 16(1) 1-10 (Feb 1997), 8A423
Computing four-finger equilibrium and force-closure grasps of polyhedral objects, Int J Robotics Res 16(1) 11-35 (Feb 1997), 8A424
RoManSy 11: Theory and Practice of Robots and Manipulators (Springer-Verlag, New York, 1997) 11N18
Development of an intelligent gripper with a dynamic vibration absorber, Int J Japan Soc Precision Eng 31(1) 63-67 (Mar 1997), 11A327
Manipulation of objects in three-fingered grasp, J Mech Des 117(4) 561-565 (Dec 1995), 11A328
Development of end effector utilizing parallel mechanism for EDM with a scanning motion (Japanese), J Japan Soc Precision Eng 63(5) 721-725 (May 1997), 12T425
Human prehension and dexterous robot hands, Int J Robotics Res 16(3) 285-299 (Jun 1997), 12A426
Mechanisms in a humanoid robot hand, Autonomous Robots 4(2) 199-209 (May 1997), 12A427
Multiple whole-limb manipulation: An analysis in the force domain, Robotics Autonomous Syst 20(1) 15-38 (Apr 1997), 12A428
Invariant hybrid force-position control of a velocity controlled robot with compliant end effector using modal decoupling, Int J Robotics Res 16(3) 340-356 (Jun 1997), 12A440

206C. Actuators (prime movers)

Finite element models for the piezoelectric actuation in ultrasonic traveling wave motors, J Intelligent Mat Syst Struct 7(2) 157-161 (Mar 1996), 1A52
Solid-state actuation of rotor blade servo-flap for active vibration control, J Intelligent Mat Syst Struct 7(2) 192-202 (Mar 1996), 1A151
Powder-metallurgical giant magnetostrictive material and its application to actuators: Development of magnetostrictive pump (Japanese), J Japan Soc Precision Eng 62(6) 891-894 (Jun 1996), 1A384
Study of hydrostatic supports in high-speed hydraulic actuators, J Friction Wear 16(3) 44-49 (1995), 1A385
Proc of 1996 Japan-USA Flexible Automation Conf, Boston MA, July 1996 (ASME Press, New York, 1996) 2N14
Force control of a flexible finger with distributed sensors and piezoelectric actuators, J Intelligent Mat Syst Struct 7(3) 301-306 (May 1996), 2A336
Fuzzy control of burnout of multilayer ceramic actuators, Smart Mat Struct 5(4) 449-455 (Aug 1996), 3T398
Modeling and analysis of a shape memory alloy-elastomer composite actuator, J Intelligent Mat Syst Struct 7(4) 441-447 (Jul 1996), 3A399
Distributed piezoelectric actuators for shell interior noise control, J Vib Acoust 118(4) 676-681 (Oct 1996), 4A302
High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 2nd Report: Extension to six-dof (Japanese), J Japan Soc Precision Eng 62(9) 1302-1306 (Sep 1996), 4A431
Survey of applicability of electrically-mechanically stimulated materials to sensors and actuators in smart structures, J Theor Appl Mech 34(3) 621-640 (1996), 4A432
Development of a spherical in-parallel actuated mechanism with three dof with large working space and high motion transmissibility: Evaluation of motion transmissibility and analysis of working space, JSME Int J Ser C 39(3) 541-548 (Sep 1996), 5A335
Parametric study of segmented transducers laminated on cylindrical shells - Part 1: Sensor patches, J Sound Vib 197(2) 207-224 (Oct 1996), 5A352
Parametric study of segmented transducers laminated on cylindrical shells - Part 2: Actuator patches, J Sound Vib 197(2) 225-249 (Oct 1996), 5A353
Application of unified predictive control to on-off control of hydraulic system driven by fast-switching solenoid valves, JSME Int J Ser C 39(3) 515-521 (Sep 1996), 5A871
Theory of Robot Control (Springer-Verlag, New York, 1996) 6R12
Adaptive, high bandwidth control of hydraulic actuator, J Dyn Syst Meas Control 118(4) 714-720 (Dec 1996), 6A398
Investigation of load-carrying capacity of hydrostatic supports in high-speed hydraulic actuators, J Friction Wear 17(2) 91-96 (1996), 7A374
Simplest identification model of an asymmetric hydraulic system, JSME Int J Ser C 39(4) 738-745 (Dec 1996), 7A375
Simplified STR applied to level control of electrohydraulic bending machine, JSME Int J Ser C 39(4) 746-752 (Dec 1996), 7A376
Characterization and modeling of a conducting polymer muscle-like linear actuator, Smart Mat Struct 6(1) 23-34 (Feb 1997), 8A425
High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 3rd Report: Development of five dof simple mechanism (Japanese), J Japan Soc Precision Eng 63(2) 223-227 (Feb 1997), 9A388
Large-amplitude rotary induced-strain actuator, J Intelligent Mat Syst Struct 8(1) 41-50 (Jan 1997), 9A389
Design of a smart flap using polymeric C-block actuators and a hybrid optimization technique, Smart Mat Struct 6(2) 134-144 (Apr 1997), 10A519
RoManSy 11: Theory and Practice of Robots and Manipulators (Springer-Verlag, New York, 1997) 11N18
Robustness of natural controls of distributed-parameter systems, J Vib Acoust 118(1) 56-63 (Jan 1996), 11A329

206D. Locomotion (mobility)

Development of indoor mobile robot system based on RECS concept (Japanese), J Japan Soc Precision Eng 62(6) 815-819 (Jun 1996), 1T386
Experiments with nontraditional hybrid control technique of biped locomotion robots, J Intelligent & Robotic Syst 16(1) 25-43 (May 1996), 1A387

Mapping in unknown graph-like worlds, J Robotic Syst 13(8) 539-559 (Aug 1996), 1A402
Proc of 1996 Japan-USA Flexible Automation Conf, Boston MA, July 1996 (ASME Press, New York, 1996) 2N14
Efficient steering control formulation for the articulated body mobile robot "KR-II", Autonomous Robots 3(1) 7-18 (Apr 1996), 2T338
Robotics and Autonomous Systems, Robotics Autonomous Syst 18(3) 293-372 (Aug 1996), 2A339
Special Issue: Autonomous underwater robots, Autonomous Robots 3(2-3) 1-320 (Jun-Jul 1996), 2T340
Feasible command strategies for the control of motion of a simple mobile robot, J Optim Theory Appl 90(3) 671-692 (Sep 1996), 3A377
Autonomous guided vehicle for cargo handling applications, Int J Robotics Res 15(5) 407-440 (Oct 1996), 4A433
Second World Automation Congress, May 1996, Montpellier, France: Mobile manipulators, J Robotic Syst 13(11) 687-764 (Nov 1996), 4A434
Robot design for stair navigation, JSME Int J Ser C 39(3) 629-635 (Sep 1996), 5A336
Theory of Robot Control (Springer-Verlag, New York, 1996) 6R12
Application of heuristic asymmetric mapping for mobile robot navigation using ultrasonic sensors, J Intelligent & Robotic Syst 17(3) 243-264 (Nov 1996), 6A411
Dynamics and control of a biped walking robot with seven dof, J Dyn Syst Meas Control 118(4) 683-690 (Dec 1996), 6A412
Force distribution for the legs of a quadruped walking vehicle, J Robotic Syst 14(1) 1-8 (Jan 1997), 6A413
Planning of collision-free paths for a reconfigurable dual manipulator equipped mobile robot, J Intelligent & Robotic Syst 17(3) 223-242 (Nov 1996), 6A414
Predictor-corrector guidance control scheme for AGV navigation, Autonomous Robots 3(4) 329-353 (Dec 1996), 6A415
Sonar-based mobile robot navigation through supervised learning on a neural net, Autonomous Robots 3(4) 355-374 (Dec 1996), 6A416
Dynamic modeling of a four-legged robot, J Intelligent & Robotic Syst 17(4) 419-428 (Dec 1996), 7A377
Recent progress on the theoretical developments for mobile robots, J Robotic Syst 14(2) 63-147 (2 1997), 7A378
Stability analysis of a mobile base robot with an energy function, Int J Machine Tools Manuf 37(2) 215-221 (Feb 1997), 7A379
Proc of the 1997 Bioengineering Conference, BED-Vol 35 (ASME, New York, 1997) 8N28
Discontinuous feedback stabilization of nonholonomic wheeled mobile robots, Dyn Control 7(2) 155-169 (Apr 1997), 8A426
Fuzzy Maps: A new tool for mobile robot perception and planning, J Robotic Syst 14(3) 179-197 (Mar 1997), 8A427
Control of a nonholonomic mobile robot: Backstepping kinematics into dynamics, J Robotic Syst 14(3) 149-163 (Mar 1997), 8A430
Value-added approach for automated guided vehicle task assignment, J Manuf Syst 16(1) 24-34 (1997), 8A467
Behavior synthesis of the erect stance for a biped control, J Intelligent & Robotic Syst 18(2) 127-145 (Feb 1997), 9A390
Dynamic path planning for robot navigation using sonor mapping and neural networks, J Dyn Syst Meas Control 119(1) 19-26 (Mar 1997), 9A391
Mobile manipulator motion planning for multiple tasks using global optimization approach, J Intelligent & Robotic Syst 18(2) 169-190 (Feb 1997), 9A392
Nonstationary random dynamics of a mobile robotic manipulator, J Dyn Syst Meas Control 119(1) 135-139 (Mar 1997), 9A393
Recent practical developments for mobile robots, J Robotic Syst 14(4) 231-340 (Apr 1997), 9T394
Task oriented positioning of a mobile manipulator base in a cluttered environment, J Intelligent & Robotic Syst 18(2) 147-168 (Feb 1997), 9A395
Cooperative mobile robotics: Antecedents and directions, Autonomous Robots 4(1) 7-27 (Mar 1997), 10A520
Genetic algorithm for control design of biped locomotion, J Robotic Syst 14(5) 365-373 (May 1997), 10A521
Motion planning for carlike robots using a probabilistic learning approach, Int J Robotics Res 16(2) 119-143 (Apr 1997), 10A522
Robot pose estimation in unknown environments by matching 2D range scans, J Intelligent & Robotic Syst 18(3) 249-275 (Mar 1997), 10A523
Development of indoor mobile guiding robot with fluorescent light detecting vision sensor, Int J Japan Soc Precision Eng 31(1) 68-70 (Mar 1997), 11T330
Design and control of a prototype quadruped microrover, Autonomous Robots 4(2) 211-220 (May 1997), 12A429
Dynamics of mobile legs suspended from wire, Robotics Autonomous Syst 20(1) 85-98 (Apr 1997), 12A430
Force workspace: A tool for the design and motion planning of multi-limb robotic systems, J Mech Des 119(2) 218-224 (Jun 1997), 12A431
Obtaining optimal mobile-robot paths with nonsmooth anisotropic cost functions using qualitative-state reasoning, Int J Robotics Res 16(3) 375-399 (Jun 1997), 12A432
Smooth local-path planning for autonomous vehicles, Int J Robotics Res 16(3) 263-284 (Jun 1997), 12A433
Terrain-adaptive gait for walking machines, Int J Robotics Res 16(3) 320-339 (Jun 1997), 12A434
Intelligent collision avoidance by fuzzy logic control, Robotics Autonomous Syst 20(1) 61-83 (Apr 1997), 12A448

206E. Kinematics, dynamics

Dynamics and Control of Structures in Space III (Comput Mech, Billerica MA, 1996) 1N12
Coordinating multiple groups of robots for gaiting process, J Robotic Syst 13(8) 499-513 (Aug 1996), 1A388
Linearization and optimization of robot dynamics via inertial parameter design, J Robotic Syst 13(8) 527-538 (Aug 1996), 1A389
Trajectory optimization for a two-link flexible manipulator, Int J Robotics Autom 11(2) 56-61 (1996), 1A390
Proc of 1996 Japan-USA Flexible Automation Conf, Boston MA, July 1996 (ASME Press, New York, 1996) 2N14
Adaptive explicit force control of position-controled manipulators, J Robotic Syst 13(9) 603-618 (Sep 1996), 2A341
Collision-avoidance for redundant robots through control of the self-motion of the manipulator, J Intelligent & Robotic Syst 16(2) 123-149 (Jun 1996), 2A342
Compensation of nonlinear friction in robotics systems (Russian), Prikl Mekh (Appl Mech) 32(5) 69-74 (1996), 2A343
Deformable sheet metal fixturing: Principles, algorithms, and simulations, J Manuf Sci Eng 118(3) 318-324 (Aug 1996), 2A344
Dynamics of kinematic chains, Int J Robotics Res 15(4) 393-405 (Aug 1996), 2A345
Intelligent dispatching rules for trip-based material handling systems, J Manuf Syst 15(4) 226-239 (1996), 2T346
Inverse dynamics of a flexible hub-arm system through Liapunov second method, Inverse Prob Eng 2(4) 301-317 (1996), 2A347
Predictive end-point trajectory control of elastic manipulators, J Robotic Syst 13(9) 561-569 (Sep 1996), 2A348
Symbolic computation of robot models for geometric parameters identification with singularity analysis, J Intelligent & Robotic Syst 16(2) 103-121 (Jun 1996), 2T349
Virtual springs method: Path planning and collision redundant manipulators, Int J Robotics Res 15(4) 300-319 (Aug 1996), 2A350
Recent Advances in Robot Kinematics (Kluwer, MA, 1996) 3N12
Nonlinear FE model for dynamics of flexible manipulators, Mech Machine Theory 31(8) 1109-1119 (Nov 1996), 3A7
Design of zero reaction manipulators, J Mech Des 118(3) 372-376 (Sep 1996), 3A400
Dynamics and control of multiple cooperating manipulators with rolling contacts, J Robotic Syst 13(10) 619-648 (Oct 1996), 3A401
Inverse analysis of a planar two-spring system, J Robotic Syst 13(10) 679-684 (Oct 1996), 3A402
Inverse kinematics of serial-chain manipulators, J Mech Des 118(3) 396-404 (Sep 1996), 3A403
Kinematic characteristics analysis of 3 dof in-parallel actuated pyramid mechanisms, Mech Machine Theory 31(8) 1009-1018 (Nov 1996), 3A404
Local fault tolerance of a kinematically redundant manipulator, J Robotic Syst 13(10) 649-661 (Oct 1996), 3A405
Real-time planning algorithm for obstacle avoidance of redundant robots, J Intelligent & Robotic Syst 16(3) 229-243 (Jul 1996), 3A406
Stability problem formulation of structurally compliant robot manipulators during contact task execution: A singular perturbation approach, Mech Machine Theory 31(8) 1053-1067 (Nov 1996), 3A407
Study on the kinematic characteristics of 3 dof in-parallel actuated platform mechanisms, Mech Machine Theory 31(8) 999-1007 (Nov 1996), 3A408
Task space decomposition for invariant control of constrained robots, J Intelligent & Robotic Syst 16(3) 209-227 (Jul 1996), 3A409
Tracking control of manipulators with active inertias by using sliding Lagrangian, J Intelligent & Robotic Syst 16(3) 245-267 (Jul 1996), 3A410
Velocity problems of two 3-R robots manipulating a four-bar linkage payload, Mech Machine Theory 31(8) 1019-1032 (Nov 1996), 3A411
Dynamic analysis of mechanisms and robots with redundant constraints - Part I: Inverse problem, Arch Budowy Maszyn 42(3-4) 167-176 (1995), 4A435
Dynamic analysis of mechanisms and robots with redundant constraints - Part II: Direct problem, Arch Budowy Maszyn 42(3-4) 177-187 (1995), 4A436
Dynamic response of the manipulator tip to a random excitation, J Dyn Syst Meas Control 118(3) 629-632 (Sep 1996), 4A437
Experimental robot identification using optimized periodic trajectories, Mech Syst Signal Processing 10(5) 561-577 (Sep 1996), 4A438
Fast and robust robot control including motor dynamics, Bull Polish Acad Sci Tech Sci 44(1) 55-65 (1996), 4A439
Inverse dynamics algorithm for space robots, J Dyn Syst Meas Control 118(3) 625-629 (Sep 1996), 4A440
Motion planning with reversal maneuvers for a nonholonomic constrained robot, Proc Inst Mech Eng J Eng Manuf 210(B5) 487-497 (1996), 4A441
Motion variables leading to efficient equations of motion, Int J Robotics Res 15(5) 522-532 (Oct 1996), 4A442
Scaling of direct drive robot arms, Int J Robotics Res 15(5) 459-472 (Oct 1996), 4A443
Stabilization of flexible one-link arm position: Stability domains in the space of feedback gains, Int J Robotics Res 15(5) 492-504 (Oct 1996), 4A444
Comparitive study of robust saturation-based control of robot manipulators: Analysis and experiments, Int J Robotics Res 15(5) 473-491 (Oct 1996), 4A446
Robot robust path tracking, Dyn Control 6(4) 333-359 (Oct 1996), 4A450
Adaptive control of redundant multiple robots in cooperative motion, J Intelligent & Robotic Syst 17(2) 169-194 (Oct 1996), 5A337
Decentralized sliding mode control for flexible link robots, J Intelligent & Robotic Syst 17(1) 61-79 (Sep 1996), 5A338
Generation of continuous robot configurations for articulated robot arm using self-organization of cell group (Japanese), J Japan Soc Precision Eng 62(10) 1415-1419 (Oct 1996), 5A339
Mechanics of Turin parallel robot, Mech Machine Theory 32(1) 51-77 (Jan 1997), 5A340
On-line parameter estimation scheme for generalized Stewart platform type parallel manipulators, Mech Machine Theory 32(1) 79-89 (Jan 1997), 5A341
Output regulation for flexible-joint manipulators using partial state measurement, J Intelligent & Robotic Syst 17(1) 101-110 (Sep 1996), 5A342
Robot modeling and determination of robot configuration by applying self-organization of cell group (Japanese), J Japan Soc Precision Eng 62(10) 1410-1414 (Oct 1996), 5A343
Dynamic simulation and neural network compliance control of an intelligent forging center, J Intelligent & Robotic Syst 17(1) 81-99 (Sep 1996), 5A548
Bernstein-Bezier harmonics and their application to robot trajectory synthesis with minimal vibrational excitation, J Mech Des 118(4) 509-514 (Dec 1996), 6A417
Calibration index and taxonomy for robot kinematic calibration methods, Int J Robotics Res 15(6) 573-591 (Dec 1996), 6A418
Digital signal processing and parallel processing in the real-time simulation of a flexible manipulator system, Mech Syst Signal Processing 10(6) 729-745 (Nov 1996), 6A419
Direct and inverse kinematics for coordinated motion tasks of a two-manipulator system, J Dyn Syst Meas Control 118(4) 691-697 (Dec 1996), 6A420
Minimum-weight design of flexible arms for specified fundamental frequency, J Robotic Syst 14(1) 49-57 (Jan 1997), 6A421
Normal forms of non-redundant singular robot kinematics: Three dof worked examples, J Robotic Syst 13(12) 765-791 (Dec 1996), 6A422
Practical force-motion models for sliding manipulation, Int J Robotics Res 15(6) 557-572 (Dec 1996), 6A423
Stable pushing: Mechanics, controllability, and planning, Int J Robotics Res 15(6) 533-556 (Dec 1996), 6A424
Design of tactical and executive level of redundant robot control via distributed positioning, Int J Robotics Autom 11(3) 102-110 (1996), 6A430
Designing fault-tolerant manipulators: How many dof?, Int J Robotics Res 15(6) 611-628 (Dec 1996), 6A438
Analysis of design parameters in platform manipulators, J Mech Des 118(4) 526-531 (Dec 1996), 6A967
Computation of shortest paths on free-form parametric surfaces, J Mech Des 118(4) 499-508 (Dec 1996), 6A968
Fundamentals of Robotic Mechanical Systems: Theory, Methods, and Algorithms (Springer-Verlag, New York, 1997) 7R8
Dynamic analysis of geometrically nonlinear robot manipulators, Nonlinear Dyn 11(4) 329-346 (Dec 1996), 7A96
Implementation of the velocities of the end-effector with the distributed arithmetic architecture, J Intelligent & Robotic Syst 17(4) 387-417 (Dec 1996), 7A373
Closed-form solution of the direct kinematics of the 6-3 type Stewart Platform using one extra sensor, Meccanica 31(6) 705-714 (12 1996), 7A380
Control of multi-axis robots with elastic joints via cascade compensation using the method of exact linearization, J Intelligent & Robotic Syst 17(4) 351-370 (Dec 1996), 7A381
Effects of the manipulator type on the vibrational excitation during motion, Mech Machine Theory 32(2) 221-233 (Feb 1997), 7A382
Flexible rotor beam element for the manipulators with joint and link flexibility, Mech Machine Theory 32(2) 209-219 (Feb 1997), 7A383
Robust adaptive sliding-mode control for rigid robotic manipulators with arbitrary bounded input disturbances, J Intelligent & Robotic Syst 17(4) 371-386 (Dec 1996), 7A384
Neural network controller for flexible-link robots, J Intelligent & Robotic Syst 17(4) 327-349 (Dec 1996), 7A385
Kinematic analysis and dimensional synthesis of general-type Sarrus mechanism, JSME Int J Ser C 39(4) 790-799 (Dec 1996), 7A951
New preshaped input function with high robustness for minimizing residual vibration of manipulators, Mech Machine Theory 32(3) 405-410 (Apr 1997), 8A197
Collision detection of multiple robots, Int J Robotics Autom 11(4) 183-189 (1996), 8A428
Collision-free trajectory planning for two cooperative redundant manipulators using the minimum-time criterion, J Intelligent & Robotic Syst 18(1) 17-45 (Jan 1997), 8A429
Control of a nonholonomic mobile robot: Backstepping kinematics into dynamics, J Robotic Syst 14(3) 149-163 (Mar 1997), 8A430
Dynamic simulation of manipulator with a flexible arm, J Machinery Manuf Reliab 3 77-82 (1996), 8A431
Dynamics of a flexible five bar manipulator, Comput Struct 63(2) 283-294 (Apr 1997), 8A432
Singularities of nonredundant robot kinematics, Int J Robotics Res 16(1) 60-76 (Feb 1997), 8A433
Synthesis of a nominal trajectory for control law of a one-link flexible arm, Int J Robotics Res 16(1) 36-46 (Feb 1997), 8A434
Trajectory tracking by learning of flexible joint arms, Int J Robotics Autom 11(4) 190-194 (1996), 8A435
Use of the cylindroid for the singularity analysis of rank 3 robot manipulators, Mech Machine Theory 32(3) 391-404 (Apr 1997), 8A436
Velocity problems of two 3-R robots manipulating a planar open-chain payload, Int J Robotics Autom 11(4) 161-168 (1996), 8A437
Well-posedness of inverse dynamics of flexible robot arms, Int J Robotics Autom 11(4) 175-182 (1996), 8A438
Image divergence and deformation from closed curves, Int J Robotics Res 16(1) 77-96 (Feb 1997), 8A444
Connectivity in open and closed loop robotic mechanisms, Mech Machine Theory 32(3) 279-293 (Apr 1997), 8A964
Simple and general method for kinematic synthesis of spatial mechanisms, Mech Machine Theory 32(3) 323-341 (Apr 1997), 8A968
Uniform bound for the Jacobian of the gravitational force vector for a class of robot manipulators, J Dyn Syst Meas Control 119(1) 110-114 (Mar 1997), 9T371
Nonstationary random dynamics of a mobile robotic manipulator, J Dyn Syst Meas Control 119(1) 135-139 (Mar 1997), 9A393
Impedance control as a particular case of the unified approach to the control of robots interacting with a dynamic known environment, J Intelligent & Robotic Syst 18(2) 191-204 (Feb 1997), 9A399
Analytical boundary of the workspace for general 3-dof mechanisms, Int J Robotics Res 16(2) 198-213 (Apr 1997), 10A524
Collision avoidance by using space-time representations of motion processes, Autonomous Robots 4(1) 101-119 (Mar 1997), 10A525
Decentralized motion planning for multiple mobile robots: The cocktail party model, Autonomous Robots 4(1) 121-135 (Mar 1997), 10A526
Existence and the manipulability recovery rate of self-motion at manipulator singularities, Int J Robotics Res 16(2) 171-184 (Apr 1997), 10A527
Experimental study of nonlinear stiffness, hysteresis, and friction effects in robot joints with harmonic drives and torque sensors, Int J Robotics Res 16(2) 214-239 (Apr 1997), 10A528
Group behaviors for systems with significant dynamics, Autonomous Robots 4(1) 137-153 (Mar 1997), 10A529
Kinematic isotropy and the optimum design of parallel manipulators, Int J Robotics Res 16(2) 185-197 (Apr 1997), 10A530
Load independence of the dynamically consistent inverse of the Jacobian matrix, Int J Robotics Res 16(2) 168-170 (Apr 1997), 10A531

Movement analysis of the Alpineski and the skiing robot (Japanese), J Japan Soc Precision Eng 63(4) 487-490 (Apr 1997), 10T532

Nonlinear Performance Index: A tool for manipulator dynamics improvement, J Intelligent & Robotic Syst 18(3) 277-287 (Mar 1997), 10A533

On-line manipulation planning for two robot arms in a dynamic environment, Int J Robotics Res 16(2) 144-167 (Apr 1997), 10A534

Platform-type planar robots: Topology-based selection for rigidity and work space, J Robotic Syst 14(5) 355-364 (May 1997), 10A535

Solution of constrained motion robot tasks via kinematic redundancy, Facta Univ Mech Auto Control Robotic 2(6) 113-132 (1996), 10A536

Instantaneous kinematics of general hybrid parallel manipulators, J Mech Des 117(4) 581-588 (Dec 1995), 11A331

Kinestatic analysis of general parallel manipulators, J Mech Des 117(4) 601-606 (Dec 1995), 11A332

Motion interpolation with G^2 composite Bezier motions, J Mech Des 117(4) 520-525 (Dec 1995), 11A333

Planning for manipulating a multiple contacted object by single-prismatic-jointed fingers, Mech Machine Theory 32(5) 569-581 (Jul 1997), 11A334

Position-force control of robot manipulators without velocity-force measurements, Int J Robotics Autom 12(1) 1-14 (1997), 11A335

Robust PID regulator for robots yielding constant torque disturbance rejection, Int J Robotics Autom 12(1) 25-32 (1997), 11A336

Singularity avoidance in robotic manipulators: A differential form approach, Syst Control Lett 30(4) 165-176 (May 1997), 11T337

Inverse kinematic control algorithms with a reduced Coriolis component for use in motion simulators, J Dyn Syst Meas Control 117(4) 570-577 (Dec 1995), 11A340

Rapid recursive structure redesign for improved dynamics of a single link robot, J Dyn Syst Meas Control 117(4) 520-526 (Dec 1995), 11A862

Geometro-kinematical analysis of multi-point-conjugation joint, Mech Machine Theory 32(5) 597-608 (Jul 1997), 11A864

Kinematic synthesis of mechanisms and robotic manipulators with binary actuators, J Mech Des 117(4) 573-580 (Dec 1995), 11A867

Display of feel for the manipulation of dynamic virtual objects, J Dyn Syst Meas Control 117(4) 554-558 (Dec 1995), 11A1588

Collision avoidance control of a quadruple arm SCARA robot (Japanese), J Japan Soc Precision Eng 63(5) 669-673 (May 1997), 12A435

Control of contact interactions with nonholonomic constraints, Int J Robotics Res 16(3) 357-374 (Jun 1997), 12A436

Cooperation protocols in multi-agent robotic systems, Autonomous Robots 4(2) 175-198 (May 1997), 12A437

Coupled rigid-elastic motion of filament-wound composite robotic arms, Comput Methods Appl Mech Eng 147(1-2) 117-123 (Jul 1997), 12A438

Effects of actuation schemes on the kinematic performance of manipulators, J Mech Des 119(2) 212-217 (Jun 1997), 12A439

Invariant hybrid force-position control of a velocity controlled robot with compliant end effector using modal decoupling, Int J Robotics Res 16(3) 340-356 (Jun 1997), 12A440

Inverse kinematics of space manipulators for avoiding dynamic singularities, J Dyn Syst Meas Control 119(2) 340-346 (Jun 1997), 12A441

Operational envelope of a spatial Stewart platform, J Mech Des 119(2) 330-332 (Jun 1997), 12A442

Path planning of free-floating prismatic-jointed manipulators, Multibody Syst Dyn 1(1) 127-140 (Mar 1997), 12A443

Study on the inverse kinematics problem of robot - 2nd Report: Analysis of plurality of inverse kinematics solutions of 3R type robot (Japanese), J Japan Soc Precision Eng 63(5) 699-703 (May 1997), 12A444

Singularity avoidance for articulated robots, Robotics Autonomous Syst 20(1) 39-47 (Apr 1997), 12A452

206F. Sensors and controls

Coordinating multiple groups of robots for gaiting process, J Robotic Syst 13(8) 499-513 (Aug 1996), 1A388

Adaptive control algorithm for robot manipulators in task space, Int J Robotics Autom 11(2) 49-55 (1996), 1A391

Artificial neural network based robot control: An overview, J Intelligent & Robotic Syst 15(4) 333-365 (Apr 1996), 1A392

Back-propagation neural networks for identification and control of a direct drive robot, J Intelligent & Robotic Syst 16(1) 45-64 (May 1996), 1A393

Design of a force reflection controller for telerobot systems using neural network and fuzzy logic, J Intelligent & Robotic Syst 16(1) 1-24 (May 1996), 1A394

Effect of separation on dwell time of an electromechanical crash sensor, J Sound Vib 194(1) 1-11 (Jul 1996), 1A395

Experimental results of an adaptive controller for robot manipulators, J Robotic Syst 13(8) 489-497 (Aug 1996), 1A396

Impedance control with on-line neural-network compensator for robot contact tasks, J Intelligent & Robotic Syst 15(4) 389-399 (Apr 1996), 1A397

Improving tracking control for robots using neural networks, Int J Robotics Autom 11(2) 74-82 (1996), 1A398

Tracking control of flexible joint manipulators using only position measurements, Int J Control 64(4) 567-593 (Jul 1996), 1A399

Development of reduction gears for robot-arms, Int J Japan Soc Precision Eng 30(1) 85-86 (Mar 1996), 1T911

Proc of 1996 Japan-USA Flexible Automation Conf, Boston MA, July 1996 (ASME Press, New York, 1996) 2N14

Force control of a flexible finger with distributed sensors and piezoelectric actuators, J Intelligent Mat Syst Struct 7(3) 301-306 (May 1996), 2A336

Adaptive explicit force control of position-controled manipulators, J Robotic Syst 13(9) 603-618 (Sep 1996), 2A341

Predictive end-point trajectory control of elastic manipulators, J Robotic Syst 13(9) 561-569 (Sep 1996), 2A348

Geometric sensing of known planar shapes, Int J Robotics Res 15(4) 365-392 (Aug 1996), 2A351

Recursive control of robotic motion, Int J Control 64(5) 775-787 (Jul 1996), 2A352

Representation and collision detection of robots, J Intelligent & Robotic Syst 16(2) 151-168 (Jun 1996), 2A353

Resource-bounded sensing and planning in autonomous systems, Autonomous Robots 3(1) 31-48 (Apr 1996), 2A354

Sensor-based collision avoidance: Theory and experiments, J Robotic Syst 13(9) 571-586 (Sep 1996), 2A355

Dual-sensor based robotic deburring, J Manuf Sci Eng 118(3) 439-441 (Aug 1996), 2A362

Combined robotic-universal force sensor approach to determine *in situ* forces of knee ligaments, J Biomech 29(10) 1357-1360 (Oct 1996), 3A412

Efficient robust adaptive control law for robot manipulators, Proc Inst Mech Eng C 210(C4) 363-372 (1996), 3A413

Robust control of passive-jointed robot and experimental validation using sliding mode, J Guidance Control Dyn 19(5) 1039-1046 (Sep-Oct 1996), 3A414

Simultaneous control of robot manipulator impedance and generalized force and position, Mech Machine Theory 31(8) 1069-1080 (Nov 1996), 3A415

Ultrasonic sensor data integration and its application to environment perception, J Robotic Syst 13(10) 663-677 (Oct 1996), 3A416

Improved computation of time-optimal control trajectory for robotic point-to-point motion, Int J Control 65(1) 177-194 (Sep 1996), 3A420

Hydraulic actuator turning in the control of a rotating flexible beam mechanism, J Dyn Syst Meas Control 118(3) 449-456 (Sep 1996), 4A393

Optimum planning in joint space for robots using genetic algorithms, Robotics Autonomous Syst 18(4) 373-393 (Oct 1996), 4A398

Robust joint and Cartesian control of underactuated manipulators, J Dyn Syst Meas Control 118(3) 557-565 (Sep 1996), 4A400

Distributed parameter modal filtering using smart sensors, J Vib Acoust 118(4) 630-640 (Oct 1996), 4A416

Practical limitations in achieving shaped modal sensors with induced strain materials, J Vib Acoust 118(4) 668-675 (Oct 1996), 4A417

Survey of applicability of electrically-mechanically stimulated materials to sensors and actuators in smart structures, J Theor Appl Mech 34(3) 621-640 (1996), 4A432

Acoustic wave sensors, Arch Acoust 21(2) 179-194 (1996), 4A445

Comparitive study of robust saturation-based control of robot manipulators: Analysis and experiments, Int J Robotics Res 15(5) 473-491 (Oct 1996), 4A446

Electroluminescent effect and its application to electric field intensity measurements, J Tech Phys 37(2) 251-259 (1996), 4A447

Interpretation of phase and intensity data from AMCW light detection sensors for reliable ranging, Int J Robotics Res 15(5) 441-458 (Oct 1996), 4A448

Proposition of a robot shear force sensor, Arch Budowy Maszyn 41(3-4) 255-273 (1994), 4A449

Robot robust path tracking, Dyn Control 6(4) 333-359 (Oct 1996), 4A450

Synthesis of hybrid impedance control strategies for robot manipulators, J Dyn Syst Meas Control 118(3) 566-571 (Sep 1996), 4A451

Autonomous robot calibration using a trigger probe, Robotics Autonomous Syst 18(4) 395-410 (Oct 1996), 4A452

Thermoanemometric sensor model, Appl Mech Eng 1(2) 193-209 (1996), 4A1220

Accurate robot motion-time model of start-stop point-to-point operations, J Manuf Sci Eng 118(4) 531-538 (Nov 1996), 5A344

Adaptive control of single rigid robotic manipulators Interacting with dynamic environment: An overview, J Intelligent & Robotic Syst 17(1) 1-30 (Sep 1996), 5A345

Binocular machine vision system using an active view point (Japanese), J Japan Soc Precision Eng 62(10) 1434-1438 (Oct 1996), 5A346

Development of spherical ultrasonic motor, Japan J Trib 40(8) 711-719 (1995), 5T347

Dynamics and control of intelligent jig with function of manipulation, JSME Int J Ser C 39(3) 549-559 (Sep 1996), 5A348

Exact solution of orthotropic cylindrical shell with piezoelectric layers under cylindrical bending, Int J Solids Struct 33(30) 4481-4494 (Dec 1996), 5A349

High-precision control of AC servo motor positioning systems by friction compensation, JSME Int J Ser C 39(3) 477-483 (Sep 1996), 5A350

H^{∞}/μ control-based frequency-shaped sliding mode control for flexible structures, JSME Int J Ser C 39(3) 493-501 (Sep 1996), 5A351

Parametric study of segmented transducers laminated on cylindrical shells - Part 1: Sensor patches, J Sound Vib 197(2) 207-224 (Oct 1996), 5A352

Parametric study of segmented transducers laminated on cylindrical shells - Part 2: Actuator patches, J Sound Vib 197(2) 225-249 (Oct 1996), 5A353

Sensitivity effects on distributed-effect optical sensor output, J Sound Vib 198(1) 123-130 (Nov 1996), 5T354

Tracking controller for manipulators with flexible joints using sliding observer, JSME Int J Ser C 39(3) 484-492 (Sep 1996), 5A355

Use of active deformable models in model-based robotic visual servoing, J Intelligent & Robotic Syst 17(2) 195-221 (Oct 1996), 5A356

Theory of Robot Control (Springer-Verlag, New York, 1996) 6R12

Adaptive learning control of uncertain robotic systems, Int J Control 65(5) 725-744 (Nov 1996), 6A387

Vibrational control of a flexible beam, Int J Control 65(5) 803-825 (Nov 1996), 6A396

Active damping of a large flexible manipulator with a short-reach robot, J Dyn Syst Meas Control 118(4) 704-713 (Dec 1996), 6A425

Adaptive control of robotic manipulators using multiple models and switching, Int J Robotics Res 15(6) 592-610 (Dec 1996), 6A426

Adaptive tracking control of rigid manipulators using only position measurements, J Robotic Syst 14(1) 9-26 (Jan 1997), 6A427

Class of nonlinear PD-type controllers for robot manipulators, J Robotic Syst 13(12) 793-802 (Dec 1996), 6A428

Decentralized adaptive tracking control of robot manipulators, J Robotic Syst 13(12) 803-816 (Dec 1996), 6A429

Design of tactical and executive level of redundant robot control via distributed positioning, Int J Robotics Autom 11(3) 102-110 (1996), 6A430

Evolutional robots, Robotics Autonomous Syst 19(1) 1-111 (Nov 1996), 6T431

Experiments with fuzzy logic robot control with model-based dynamic compensation in nonadaptive decentralized control scheme, Int J Robotics Autom 11(3) 118-131 (1996), 6A432

Exploiting image motion for active vision in a visual servoing framework, Int J Robotics Res 15(6) 629-645 (Dec 1996), 6A433

Impact control scheme inspired by human reflex, J Robotic Syst 13(12) 837-855 (Dec 1996), 6A434

Passivity of a class of sampled-data systems: Application to Haptic interfaces, J Robotic Syst 14(1) 37-47 (Jan 1997), 6A435

Position control of mechanical manipulators using the optimal root locus, J Brazilian Soc Mech Sci 18(4) 308-317 (Dec 1996), 6A436

Smooth robust adaptive sliding mode control of manipulators with guaranteed transient performance, J Dyn Syst Meas Control 118(4) 764-775 (Dec 1996), 6A437

Mathematical programming formulation and optimum design of robot control system, Appl Math Model 20(11) 853-865 (Nov 1996), 6A964

Model reference learning control scheme for a class of nonlinear systems, Int J Control 66(2) 271-287 (Jan 1997), 7A325

ICRAM'95 conference papers, Robotics Autonomous Syst 19(2) 117-227 (Dec 1996), 7A368

Control of multi-axis robots with elastic joints via cascade compensation using the method of exact linearization, J Intelligent & Robotic Syst 17(4) 351-370 (Dec 1996), 7A381

Robust adaptive sliding-mode control for rigid robotic manipulators with arbitrary bounded input disturbances, J Intelligent & Robotic Syst 17(4) 371-386 (Dec 1996), 7A384

Neural network controller for flexible-link robots, J Intelligent & Robotic Syst 17(4) 327-349 (Dec 1996), 7A385

Optical scanning system for recording large image, JSME Int J Ser C 39(4) 822-827 (Dec 1996), 7A386

Vibration control of redundant flexible-joint manipulators, J Manuf Sci Eng 119(1) 119-125 (Feb 1997), 8A198

Inverse dynamics of non-minimum phase systems with non-zero initial conditions, Dyn Control 7(1) 49-71 (Jan 1997), 8A367

Discrete-time neural control method for manipulator tracking problems, Int J Robotics Autom 11(4) 169-174 (1996), 8A397

Discontinuous feedback stabilization of nonholonomic wheeled mobile robots, Dyn Control 7(2) 155-169 (Apr 1997), 8A426

Computed torque-time delay approach to the end-point control of a one-link flexible manipulator, Dyn Control 7(2) 171-189 (Apr 1997), 8A439

Design of multi-task, compact, climbing Robotic NDT systems for remote operation on large surfaces and in hazardous environments, Nondestruct Test Eval 13(2) 85-111 (Jan 1997), 8A440

Force sensing using Kalman filtering techniques for robot complaint motion control, J Intelligent & Robotic Syst 18(1) 1-16 (Jan 1997), 8A441

Force tracking in impedance control, Int J Robotics Res 16(1) 97-117 (Feb 1997), 8A442

Identification of Coulomb and viscous friction in robot drives: An experimental comparison of methods, Proc Inst Mech Eng C 210(C6) 529-540 (1996), 8A443

Image divergence and deformation from closed curves, Int J Robotics Res 16(1) 77-96 (Feb 1997), 8A444

Impedance control with on-line neural network compensator for dual-arm robots, J Intelligent & Robotic Syst 18(1) 87-104 (Jan 1997), 8A445

Integrated PID-type learning and fuzzy control for flexible-joint manipulators, J Intelligent & Robotic Syst 18(1) 47-66 (Jan 1997), 8A446

Nonlinear feedback controller for a single-link flexible manipulator based on a FE model, J Robotic Syst 14(3) 165-178 (Mar 1997), 8A447

Output feedback controller for trajectory tracking of RLED robots using an observed backstepping approach, Int J Robotics Autom 11(4) 149-160 (1996), 8A448

Output feedback parallel force-position regulator for a robot manipulator in contact with a compliant environment, Syst Control Lett 29(5) 295-300 (Feb 1997), 8A449

Robot learning control based on recurrent neural network inverse model, J Robotic Syst 14(3) 199-212 (Mar 1997), 8A450

Trajectory control of mass balanced manipulators, Mech Machine Theory 32(3) 313-322 (Apr 1997), 8A451

Development of scanning type minature 2D image sensor (Japanese), J Japan Soc Precision Eng 63(2) 218-222 (Feb 1997), 9A376

Development of an artificial skin ridge for pattern recognition, J Intelligent Mat Syst Struct 8(1) 4-11 (Jan 1997), 9A396

Experimental study of resolved acceleration control of robots at singularities: Damped least-squares approach, J Dyn Syst Meas Control 119(1) 97-101 (Mar 1997), 9T397

Force sensorless control in a flexible link arm based on estimated reaction torque, J Japan Soc Precision Eng 63(2) 198-202 (Feb 1997), 9A398

Impedance control as a particular case of the unified approach to the control of robots interacting with a dynamic known environment, J Intelligent & Robotic Syst 18(2) 191-204 (Feb 1997), 9A399

Reduction of residualvibrations in a rotating flexible beam with a moving payload mass, J Syst Control Eng 211(11) 25-34 (1997), 9T400

Role of environment dynamics in contact force control of manipulation robots, J Dyn Syst Meas Control 119(1) 86-89 (Mar 1997), 9A401

Digital high-gain PD control of robot manipulators, J Robotic Syst 14(5) 375-387 (May 1997), 10A461

Path planning for space manipulators to reduce attitude disturbances, J Guidance Control Dyn 20(3) 609-611 (May-Jun 1997), 10T469

Nonlinear Performance Index: A tool for manipulator dynamics improvement, J Intelligent & Robotic Syst 18(3) 277-287 (Mar 1997), 10A533

Adaptive fuzzy force control of manipulators with unknown environment parameters, J Robotic Syst 14(5) 341-353 (May 1997), 10A537

Development and evaluation of an inexpensive sensor system for use in measuring relative finger positions, Med Eng Phys 19(1) 1-6 (Jan 1997), 10A1553

Handbook of Modern Sensors: Physics, Designs, and Applications, Second Edition (AIP, Woodbury, NY, 1996) 11N16

Special issue on latest developments in neuro-fuzzy intelligent robotic systems, J Robotic Syst 14(6) 389-511 (Jun 1997), 11T287

Stability of integral force control in case of contact with stiff surfaces, J Dyn Syst Meas Control 117(4) 547-553 (Dec 1995), 11A308

Dynamic feedback linearization for electrohydraulically actuated control systems, J Dyn Syst Meas Control 117(4) 468-477 (Dec 1995), 11A311

Integrated structure-control design of high speed flexible robots based on time optimal control, J Dyn Syst Meas Control 117(4) 503--512 (Dec 1995), 11A313
Position-force control of robot manipulators without velocity-force measurements, Int J Robotics Autom 12(1) 1-14 (1997), 11A335
Robust PID regulator for robots yielding constant torque disturbance rejection, Int J Robotics Autom 12(1) 25-32 (1997), 11A336
Active force control of a flexible manipulator by distal feedback, Mech Machine Theory 32(5) 583-596 (Jul 1997), 11A338
Control of interaction impedance using an electrohydraulic servosystem: An application to robotic deburring, J Mat Processing Tech 65(1-3) 172-178 (Mar 1997), 11A339
Inverse kinematic control algorithms with a reduced Coriolis component for use in motion simulators, J Dyn Syst Meas Control 117(4) 570-577 (Dec 1995), 11A340
Constrained H_∞ control of an experimental flexible link, J Dyn Syst Meas Control 119(2) 206-211 (Jun 1997), 12A389
Position control of single link flexible manipulator by variable structure model following control, J Dyn Syst Meas Control 119(2) 330-335 (Jun 1997), 12A397
Robot obstacle avoidance in n-dimensional space using planar harmonic artificial potential fields, J Dyn Syst Meas Control 119(2) 160-166 (Jun 1997), 12A398
Multiple whole-limb manipulation: An analysis in the force domain, Robotics Autonomous Syst 20(1) 15-38 (Apr 1997), 12A428
Design of tactile fixtures for robotics and manufacturing, J Mech Des 119(2) 204-211 (Jun 1997), 12A445
Intelligent robotic systems SIRS'95, Robotics Autonomous Syst 19(3-4) 229-368 (Mar 1997), 12A446
Vibration controllability of 3D flexible manipulators, J Dyn Syst Meas Control 119(2) 326-330 (Jun 1997), 12A447

206G. Position applications

Trajectory optimization for a two-link flexible manipulator, Int J Robotics Autom 11(2) 56-61 (1996), 1A390
Experimental studies on ultra-precision positioning - 2nd report: Newly developed inchworm dual movement method to reduce interference between fine and coarse positionings (Japanese), J Japan Soc Precision Eng 62(6) 825-829 (Jun 1996), 1T400
Heuristic approach to robot path planning based on task requirements using a genetic algorithm, J Intelligent & Robotic Syst 16(1) 65-88 (May 1996), 1A401
Mapping in unknown graph-like worlds, J Robotic Syst 13(8) 539-559 (Aug 1996), 1A402
Method for detecting circular pads on a modulus board using the Hough transform for the semiconductor chip placement tool (Japanese), J Japan Soc Precision Eng 62(6) 810-814 (Jun 1996), 1A403
Three-dimensional surface-tracking with a robot manipulator, J Intelligent & Robotic Syst 15(4) 401-417 (Apr 1996), 1A404
Criterion for the locality of a manipulator arm with respect to an operating point, Proc Inst Mech Eng J Eng Manuf 210(B4) 385-394 (1996), 2A356
Forward displacement analysis and uncertainty configurations of parallel manipulators with a redundant branch, J Robotic Syst 13(9) 587-601 (Sep 1996), 2A357
Three-dimensional shortest path planning in the presence of polyhedral obstacles, Proc Inst Mech Eng C 210(C4) 373-381 (1996), 3A417
Autonomous robot calibration using a trigger probe, Robotics Autonomous Syst 18(4) 395-410 (Oct 1996), 4A452
Measurement and storage of a network of Jacobians as a method for the visual positioning of a robot arm, J Intelligent & Robotic Syst 16(4) 407-422 (Aug 1996), 4A453
Modeling of the dynamics of a hydraulic positional cylinder, Eng Trans 44(1) 3-16 (1996), 4A454
Planning shortest bounded-curvature paths for a class of nonholonomic vehicles among obstacles, J Intelligent & Robotic Syst 16(4) 387-405 (Aug 1996), 4A455
Collision-free path planning and modification based on task requirements, Mech Machine Theory 32(1) 21-37 (Jan 1997), 5A357
Development of a bilateral manipulator for surgical operation: Characteristics of developed manipulator (Japanese), J Japan Soc Precision Eng 62(10) 1449-1453 (Oct 1996), 5T358
Position control of servo hydraulic cylinder using a neuro-fuzzy controller with on-line searched parameters, JSME Int J Ser C 39(3) 534-540 (Sep 1996), 5A359
Position control of mechanical manipulators using the optimal root locus, J Brazilian Soc Mech Sci 18(4) 308-317 (Dec 1996), 6A436
Designing fault-tolerant manipulators: How many dof?, Int J Robotics Res 15(6) 611-628 (Dec 1996), 6A438
New potential field-based algorithm for path planning, J Intelligent & Robotic Syst 17(3) 265-282 (Nov 1996), 6A439
Restatement of first-order shear-deformation theory for laminated plates, Int J Solids Struct 34(4) 481-492 (Feb 1997), 6A440
Singularity-consistent path planning and motion control through instantaneous self-motion singularities of parallel-link manipulators, J Robotic Syst 14(1) 27-36 (Jan 1997), 6A441
Introducing virtual axis to path control system using superficial evaluation term, JSME Int J Ser C 39(4) 815-821 (Dec 1996), 7A387
Task oriented positioning of a mobile manipulator base in a cluttered environment, J Intelligent & Robotic Syst 18(2) 147-168 (Feb 1997), 9A395
Obstacle collision detection using best ellipsoid fit, J Intelligent & Robotic Syst 18(2) 105-126 (Feb 1997), 9A402
Analytical boundary of the workspace for general 3-dof mechanisms, Int J Robotics Res 16(2) 198-213 (Apr 1997), 10A524
Application of a precision-enhancing measure in 3D rigid-body positioning using camera-space manipulation, Int J Robotics Res 16(2) 240-257 (Apr 1997), 10A538
Singularity avoidance in robotic manipulators: A differential form approach, Syst Control Lett 30(4) 165-176 (May 1997), 11T337
Intelligent collision avoidance by fuzzy logic control, Robotics Autonomous Syst 20(1) 61-83 (Apr 1997), 12A448
Quantification of penetration between general objects, Int J Robotics Res 16(3) 400-409 (Jun 1997), 12A449

206H. Assembly applications

GAPP: A generative assembly process planner, J Manuf Syst 15(4) 282-293 (1996), 2T363
Hierarchical processing for presenting reaction forces in virtual assembly environments (Japanese), J Japan Soc Precision Eng 62(8) 1182-1186 (Aug 1996), 3A418
Robotic assembly operation strategy investigation without force sensors through the research on contact point location and range of peg movement, Proc Inst Mech Eng J Eng Manuf 210(B5) 471-485 (1996), 4A456
Sensor fusion techniques used for learning-identifying features of robot's part assembly tasks, Proc Inst Mech Eng J Eng Manuf 210(B5) 429-435 (1996), 4A457
Genetic algorithm for determining facility design and configuration of single-stage flexible electronic assembly systems, J Manuf Syst 15(5) 316-324 (1996), 4T464
Active damping of a large flexible manipulator with a short-reach robot, J Dyn Syst Meas Control 118(4) 704-713 (Dec 1996), 6A425
Dynamic modeling and control of a multi-robot system for assembly of flexible payloads with applications to automotive body assembly, J Robotic Syst 13(12) 817-836 (Dec 1996), 6A442
Robotic assembly for computer-integrated manufacturing, Int J Robotics Autom 11(3) 132-140 (1996), 6A443
ICRAM'95 conference papers, Robotics Autonomous Syst 19(2) 117-227 (Dec 1996), 7A368
Robust motion control for robotic assembly tasks using variable structure control scheme, J Intelligent & Robotic Syst 18(1) 67-86 (Jan 1997), 8A452

206I. Miscellaneous applications

Construction robot for 3D shapes based on the nesting behavior of paper wasps (Japanese), J Japan Soc Precision Eng 62(6) 805-809 (Jun 1996), 1A405
Force-control-based robotic drilling in hazardous environments, Int J Robotics Autom 11(2) 62-73 (1996), 1A406
Ground-based simulation of space manipulators using test bed with suspension system, J Guidance Control Dyn 19(5) 985-991 (Sep-Oct 1996), 3A379
Painting of industrial art object using teaching robot and spherical SCARA robot, Int J Japan Soc Precision Eng 30(2) 170-171 (Jun 1996), 3T419
Adaptive mapping and navigation by teams of simple robots, Robotics Autonomous Syst 18(4) 411-434 (Oct 1996), 4T458
Monitoring of the forming of configuration parts on bending robots using a technical-vision device, J Machinery Manuf Reliab 2 59-61 (1996), 4T459
Underwater Robots (Kluwer, Netherlands, 1996) 5N7
Automated determination of a novel anti-inflammatory drug in plasma using batch robotic sample preparation and HPLC, Lab Robotics Autom 8(4) 237-242 (1996), 5A360
Automated plaque picking and arraying on a robotic system equipped with a CCD camera and a sampling device using intramedic tubing, Lab Robotics Autom 8(4) 195-203 (1996), 5T361
Modeling and optimization of motion of a tube-crawling robot, Mech Solids 31(3) 151-163 (1996), 5T362
Evolutional robots, Robotics Autonomous Syst 19(1) 1-111 (Nov 1996), 6T431
Existence of solutions in modular fixturing, Int J Robotics Res 15(6) 646-656 (Dec 1996), 6A444
Learning with a friendly interactive robot for service tasks in hospital environments, Autonomous Robots 3(4) 399-414 (Dec 1996), 6T445
Development of the composite third robot arm of the six-axis articulated robot manipulator, Composite Struct 35(4) 331-342 (Aug 1996), 8A453
Overview of robot-assisted die and mold polishing with emphasis on process modeling, J Manuf Syst 16(1) 48-58 (1997), 8A460
Automated sample processing using robotics for genetic typing of short tandem repeat polymorphisms by capillary electrophoresis, Lab Robotics Autom 9(1) 3-7 (1997), 9A403
Laboratory robotics: An automated tool for preparing ion chromatography calibration standards, Lab Robotics Autom 9(1) 21-29 (1997), 9A404
Reinforcement learning in the multi-robot domain, Autonomous Robots 4(1) 73-83 (Mar 1997), 10A539
Task modeling in collective robotics, Autonomous Robots 4(1) 53-72 (Mar 1997), 10A540
Cybernetic modeling of material handling and equipment set-up in one-of-a-kind production, Int J Robotics Autom 12(1) 15-24 (1997), 11A343
Planning robust displacement missions by means of robot-tasks and local maps, Robotics Autonomous Syst 20(1) 99-114 (Apr 1997), 12T450
Robot cleaning of underground liquid storage tanks: Feasibility and design considerations, Robotics Autonomous Syst 20(1) 49-60 (Apr 1997), 12T451

206Y. Computational techniques

Improved computation of time-optimal control trajectory for robotic point-to-point motion, Int J Control 65(1) 177-194 (Sep 1996), 3A420
Inverse dynamics algorithm for space robots, J Dyn Syst Meas Control 118(3) 625-629 (Sep 1996), 4A440
Fredholm integral equations on the Euclidean motion group, Inverse Prob 12(5) 579-599 (Oct 1996), 4A460
Evolutional robots, Robotics Autonomous Syst 19(1) 1-111 (Nov 1996), 6T431
Singularity analysis of serial robot-manipulators, J Mech Des 118(4) 520-525 (Dec 1996), 6A446
Dynamic simulation of manipulator with a flexible arm, J Machinery Manuf Reliab 3 77-82 (1996), 8A431
Reverse static force analysis of a special planar three-spring system, Mech Machine Theory 32(5) 609-615 (Jul 1997), 11A341
Robot obstacle avoidance in n-dimensional space using planar harmonic artificial potential fields, J Dyn Syst Meas Control 119(2) 160-166 (Jun 1997), 12A398
Intelligent robotic systems SIRS'95, Robotics Autonomous Syst 19(3-4) 229-368 (Mar 1997), 12A446
Vibration controllability of 3D flexible manipulators, J Dyn Syst Meas Control 119(2) 326-330 (Jun 1997), 12A447
Singularity avoidance for articulated robots, Robotics Autonomous Syst 20(1) 39-47 (Apr 1997), 12A452

206Z. Experimental techniques

Multivariate economic analysis of robot performance repeatability and accuracy, J Manuf Syst 15(4) 215-225 (1996), 2A378
Ground-based simulation of space manipulators using test bed with suspension system, J Guidance Control Dyn 19(5) 985-991 (Sep-Oct 1996), 3A379
Autonomous robot calibration using a trigger probe, Robotics Autonomous Syst 18(4) 395-410 (Oct 1996), 4A452
Influence of constant and monotonic loadings on subsequent biaxial behavior of 15HM boiler steel, Eng Trans 44(2) 181-206 (1996), 4A461
Evolutional robots, Robotics Autonomous Syst 19(1) 1-111 (Nov 1996), 6T431
Robot link and contract surface dynamic interaction: An experimental study of contact task instability, J Robotic Syst 14(3) 213-227 (Mar 1997), 8A454
Hydrostatic force sensor for robotic applications, J Dyn Syst Meas Control 119(1) 115-119 (Mar 1997), 9A377
Constrained H_∞ control of an experimental flexible link, J Dyn Syst Meas Control 119(2) 206-211 (Jun 1997), 12A389
Intelligent robotic systems SIRS'95, Robotics Autonomous Syst 19(3-4) 229-368 (Mar 1997), 12A446

208. MANUFACTURING

Design of stability-guaranteed neurofuzzy logic controller for nuclear steam generators, Nucl Eng Des 166(1) 17-29 (Oct 1996), 5A363

208B. Product and process design

Interaction dynamics between an electric vehicle's "pantograph" and the road, Vehicle Syst Dyn 26(2) 81-102 (Aug 1996), 1A371
Concept exploration method for determining robust top-level specifications, Eng Optim 26(2) 137-158 (May 1996), 1A407
Control over tribological behavior of laminated polymer composites in design and processing, J Friction Wear 16(3) 97-103 (1995), 1A408
Design rule checker for sheet metal components using medial axis transformation and geometric reasoning, J Manuf Syst 15(3) 179-189 (1996), 1A409
Determining the manual setting order of components on PC boards, J Manuf Syst 15(3) 155-163 (1996), 1T410
Incorporation of tool deflection in tool path computation: Simulation and analysis, J Manuf Syst 15(3) 190-199 (1996), 1A411
Integrating material-part-process design for polymer composites: A knowledge-based problem-solving approach, J Thermoplastic Composite Mat 9(3) 218-238 (Jul 1996), 1A412
New concept, "Principle of Manufacture" based on consciousness revolution (Japanese), J Japan Soc Precision Eng 62(6) 795-799 (Jun 1996), 1T413
Metal forming and machining, J Mat Processing Tech 59(1-2) 1-180 (May 1996), 1A634
Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, Acta Phys Polonica A 90(2) 423-426 (Aug 1996), 2A333
12th International Conference on computer aided production engineering, Cookeville, TN, August 5-7, 1996, J Mat Processing Tech 61(1-2) 1-231 (Aug 1996), 2T358
Application of fuzzy set theory and back-propagation neural networks in progressive die design, J Manuf Syst 15(4) 268-281 (1996), 2A359
Concurrent engineering assessment: A proposed framework, Proc Inst Mech Eng J Eng Manuf 210(B4) 321-328 (1996), 2A360
Development of autonomous operation planning system with genetic algorithm (Japanese), J Japan Soc Precision Eng 62(7) 974-978 (Jul 1996), 2A361
Dual-sensor based robotic deburring, J Manuf Sci Eng 118(3) 439-441 (Aug 1996), 2A362
GAPP: A generative assembly process planner, J Manuf Syst 15(4) 282-293 (1996), 2T363
Generative inspection process and probe path planning for coordinate measuring machines, J Manuf Syst 15(4) 240-255 (1996), 2T364
How to manufacture circular arc hinges (Japanese), J Japan Soc Precision Eng 62(7) 1029-1031 (Jul 1996), 2T365
Noncontact sphericity measurement by means of phase shift interferometry, J Manuf Sci Eng 118(3) 394-399 (Aug 1996), 2A366
Optimal orthogonal subdivision of rectangular sheets, J Manuf Sci Eng 118(3) 281-288 (Aug 1996), 2A367
Process and technology perspectives on integrated product development, J Manuf Sci Eng 118(3) 455-457 (Aug 1996), 2A368
Survey of design philosophies, models, methods and systems, Proc Inst Mech Eng J Eng Manuf 210(B4) 301-320 (1996), 2T369
Powder particle manipulation and assemblage using microprobe, J Intelligent Mat Syst Struct 7(3) 267-271 (May 1996), 2A428
Papers from the International Symposium on Metal-forming Related Environmental Issues, J Mat Processing Tech 59(3) 183-284 (May 1996), 2T586
Machining accuracy analysis for computer-aided fixture design verification, J Manuf Sci Eng 118(3) 289-300 (Aug 1996), 2A593
Form creation for automobile design, Int J Vehicle Des 17(4) 360-383 (1996), 3A421
Object-oriented modeling of a feature-based reverse engineering system, Int J Comput Integrated Manuf 9(5) 354-368 (Sep-Oct 1996), 3T422
Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 540-548 (Sep 1996), 4A406
Control of the fabrication of long slender workpieces of arbitrary shape - Part II: Closed-loop control of

the multi-axis bending process, J Dyn Syst Meas Control 118(3) 549-556 (Sep 1996), 4A407
Assessing the suitability of various types of cellulose for the production of cellulose carbamate, Fibres Textiles in E Europe 4(1) 62-64 (Jan-Mar 1996), 4T462
Current directions in developmental work at STILON: Experimental department in polyamide fibers and polymers, Fibres Textiles in E Europe 4(1) 30-33 (Jan-Mar 1996), 4T463
Genetic algorithm for determining facility design and configuration of single-stage flexible electronic assembly systems, J Manuf Syst 15(5) 316-324 (1996), 4T464
ICMESE: Intelligent consultant system for material handling equipment selection and evaluation, J Manuf Syst 15(5) 325-333 (1996), 4A465
Performance standards and testing of 2D bar code systems for overhead scanning, J Manuf Syst 15(5) 305-315 (1996), 4A466
Tolerance analysis in setup planning for rotational parts, J Manuf Syst 15(5) 340-350 (1996), 4A467
Tool management and job allocation in flexible machining cells - Part 1: Work-oriented strategies, Proc Inst Mech Eng J Eng Manuf 210(B5) 405-415 (1996), 4A468
Tool management and job allocation in flexible machining cells - Part 2: Tool-oriented strategies, Proc Inst Mech Eng J Eng Manuf 210(B5) 417-427 (1996), 4A469
Multi-processor distributed simulation for job-shop scheduling: boob or bane?, Int J Comput Integrated Manuf 9(6) 434-442 (Nov-Dec 1996), 4A474
CyberCut: A world wide web based design-to-fabrication tool, J Manuf Syst 15(6) 432-442 (1996), 5A364
Innovative approach to increase the accuracy of multi-axis machines for process-intermittent inspection, J Manuf Sci Eng 118(4) 585-594 (Nov 1996), 5A365
Quick Hough Transform Parameter Search algorithm for flexible part inspection, J Manuf Syst 15(6) 404-418 (1996), 5A366
Feature-based machining of curved surfaces using the steepest directed tree approach, J Manuf Syst 15(6) 379-391 (1996), 5A557
Monitoring of thermal energy distribution in abrasive waterjet cutting using infrared thermography, J Manuf Sci Eng 118(4) 555-563 (Nov 1996), 5A560
Automation in drug discovery, Lab Robotics Autom 8(5) 261-315 (1996), 6T447
Genetic algorithm for scheduling and decomposition of multidisciplinary design problems, J Mech Des 118(4) 486-489 (Dec 1996), 6A448
Modeling relationships among design activities, J Mech Des 118(4) 454-460 (Dec 1996), 6A449
Negotiation in constraint-based design, J Mech Des 118(4) 470-477 (Dec 1996), 6A450
Problems of creating computer integrated manufacture for pilot mechanical engineering, Proc Inst Mech Eng J Eng Manuf 210(B6) 501-507 (1996), 6T451
Procedure for robust design: Minimizing variations caused by noise factors and control factors, J Mech Des 118(4) 478-485 (Dec 1996), 6A452
Computer-aided forging-die design for 2D cross-sectional components, J Mat Processing Tech 62(1-3) 124-132 (Nov 1996), 6A677
Special issue on consolidation, Mat Manuf Processes 11(6) 905-1071 (1996), 6T709
Assessment of quasi-static and operational errors in NC machine tools, J Manuf Syst 16(1) 59-68 (1997), 8A455
Development of an automated adaptive system for controlling the straightening of long parts, J Machinery Manuf Reliab 3 83-88 (1996), 8T456
Objective-based clustering approach to design of manufacturing cells, Int J Robotics Autom 11(4) 141-148 (1996), 8A457
Optimum design based on mathematical model and neural network to predict weld parameters for fillet joints, J Manuf Syst 16(1) 13-23 (1997), 8A458
Optimum parting line design of molded and cast parts for manufacturability, J Manuf Syst 16(1) 1-12 (1997), 8A459
Overview of robot-assisted die and mold polishing with emphasis on process modeling, J Manuf Syst 16(1) 48-58 (1997), 8A460
Reference Free Part Encapsulation: A new universal fixturing concept, J Manuf Syst 16(1) 35-47 (1997), 8A461
Semantic recognition-based approach for car's concept design, Int J Vehicle Des 18(1) 53-82 (1997), 8T462
Study of the interaction of titanium and its alloys with the environment in manufacturing sophisticated structures, J Machinery Manuf Reliab 3 67-72 (1996), 8T463
Design philosophy as a basis of manufacturing (Japanese), J Japan Soc Precision Eng 63(2) 154-157 (Feb 1997), 9T405
Experimental analysis of changes in quality needles during the technological process, Fibres Textiles in E Europe 4(2) 45-48 (Apr-Jun 1996), 9T406
Manufacturing philosophy: Concept of principle of manufacturing (Japanese), J Japan Soc Precision Eng 63(2) 150-153 (Feb 1997), 9T407
Role of grit blasting in the production of high-adhesion plasma sprayed alumina coatings, Proc Inst Mech Eng J Eng Manuf 211(B1) 1-9 (1997), 9A408
Study on the occurrence of stop marks and periodic bars in fabric, Fibres Textiles in E Europe 4(2) 38-44 (Apr-Jun 1996), 9T409
Using manufacturing planning to generate manufacturability feedback, J Mech Des 119(1) 73-80 (Mar 1997), 9A410
Three dimensional generation by dot-matrix EDM - 1st Report: Proposal of dot-matrix EDM, J Japan Soc Precision Eng 63(2) 254-258 (Feb 1997), 9A672
Study of powder sintering-compaction by a micro-mechanics model, Proc Inst Mech Eng J Eng Manuf 211(B1) 73-81 (1997), 9A685
4th International Scientific Conference Achievements in Mechanical and Materials Engineering: Selected papers Gliwice-Wisla Poland, November 30-December 1st, 1995, J Mat Processing Tech 64(1-3) 1-415 (Feb 1997), 10A541
Design for quality by a decompositional approach - 1st report: The case in which the product is decomposed into plural parts in parallel (Japanese), J Japan Soc Precision Eng 63(4) 509-514 (Apr 1997), 10A542
Development of a new internal finishing process applying magnetic abrasive finishing by use of pole rotation system, Int J Japan Soc Precision Eng 30(4) 317-322 (Dec 1996), 10A543
Fabrication and transformation characteristics of reversible shape memory alloy thin film actuators (Japanese), J Japan Soc Precision Eng 63(4) 530-534 (Apr 1997), 10A544
Forming minimum-cost machine cells with exceptional parts using zero-one integer programming, J Manuf Syst 16(2) 79-90 (1997), 10A545
Implementation methodology for the supervisory control of flexible manufacturing workcells, J Manuf Syst 16(2) 91-101 (1997), 10A546
Scheduling for IC sort and test facilities with precedence constraints via Lagrangian relaxation, J Manuf Syst 16(2) 117-128 (1997), 10T547
Scheduling printed circuit board production systems using the two-level scheduling approach, J Manuf Syst 16(2) 129-149 (1997), 10T548
Statistical tolerance analysis based on beta distributions, J Manuf Syst 16(2) 150-158 (1997), 10A549
Tabu search approach to scheduling an automated wet etch station, J Manuf Syst 16(2) 102-116 (1997), 10T550
Accelerating product development by the exchange of preliminary product design information, J Mech Des 117(4) 491-498 (Dec 1995), 11A342
Cybernetic modeling of material handling and equipment set-up in one-of-a-kind production, Int J Robotics Autom 12(1) 15-24 (1997), 11A343
Optimal model-based decomposition of powertrain system design, J Mech Des 117(4) 499-505 (Dec 1995), 11A344
Study on accuracy of angled advanced composite tools, Mat Manuf Processes 12(3) 473-486 (1997), 11A345
Surface improvement and durability of case-carburized gear: Results of basic rollers running test, Int J Japan Soc Precision Eng 31(1) 33-38 (Mar 1997), 11A346
Computer and information technologies in today's vehicle design, Int J Vehicle Des 18(5) 413-580 (1997), 11A861
Obtaining optimal mobile-robot paths with nonsmooth anisotropic cost functions using qualitative-state reasoning, Int J Robotics Res 16(3) 375-399 (Jun 1997), 12A432
Irrationality in engineering design, J Mech Des 119(2) 194-203 (Jun 1997), 12A453
Laser lithography for making jewels - 2nd Report: An algorithm of diagonal irradiation method (Japanese), J Japan Soc Precision Eng 63(5) 652-656 (May 1997), 12A454
Multi-objective mathematical model to optimize the configuration of a facility layout, J Eng Appl Sci 44(2) 357-372 (Apr 1997), 12A455
Parallel disassembly by onion peeling, J Mech Des 119(2) 267-274 (Jun 1997), 12A456
Plant layout improvements to a medium volume manufacturing system using systematic techniques to form just-in-time manufacturing cells, Proc Inst Mech Eng J Eng Manuf 211(B2) 109-124 (1997), 12T457
Shape-preserving interpolation in R^3, IMA J Numer Anal 17(3) 373-419 (Jul 1997), 12A458
Tool path planning for five-axis machining using the principal axis method, Int J Machine Tools Manuf 37(7) 1025-1040 (Jul 1997), 12A459
Two-stage algorithm for determination of the bending sequence in sheet metal products, J Mech Des 119(2) 259-266 (Jun 1997), 12A460
Form of tolerancing theory using fractals and wavelets, J Mech Des 119(2) 185-193 (Jun 1997), 12A1024

208E. Systems design, integration, and control

Design rule checker for sheet metal components using medial axis transformation and geometric reasoning, J Manuf Syst 15(3) 179-189 (1996), 1A409
Determining the manual setting order of components on PC boards, J Manuf Syst 15(3) 155-163 (1996), 1T410
Incorporation of tool deflection in tool path computation: Simulation and analysis, J Manuf Syst 15(3) 190-199 (1996), 1A411
Adaptive cutting force control for a machining center by using indirect cutting force measurements, Int J Machine Tools Manuf 36(8) 925-937 (Aug 1996), 1A414
Analytical modeling and analysis of flexible manufacturing systems considering system component failure-repair rates, J Manuf Syst 15(3) 143-154 (1996), 1A415
Combination of machining and measurement makes high accuracy and rationalization of production (Japanese), J Japan Soc Precision Eng 62(6) 784-788 (Jun 1996), 1T416
Computer simulation of manufacturing processes: Casting and welding, Comput Model Simul in Eng 1(1) 127-174 (Feb 1996), 1A417
Design of optimal cutting conditions based on self-organization of a tribosystem, J Friction Wear 16(3) 110-116 (1995), 1A418
Development of a new production system for high-precision, low-cost gears of automobile manual transaxles under high-volume production, Int J Japan Soc Precision Eng 30(1) 1-5 (Mar 1996), 1T419
Development of a tool failure detection system using multi-sensors, Int J Machine Tools Manuf 36(8) 861-870 (Aug 1996), 1A420
Development of an automatic molding system using cassette mold for injection molding of plastic materials, Int J Japan Soc Precision Eng 30(1) 6-11 (Mar 1996), 1A421
Monitoring of lapping process with piezoelectric ceramic sensor - 1st report: Relation between lapping conditions and detected acoustic signals (Japanese), J Japan Soc Precision Eng 62(6) 881-885 (Jun 1996), 1T422
New hardware module for automated visual inspection based on a cellular automation architecture, J Intelligent & Robotic Syst 16(1) 89-102 (May 1996), 1A423
No contact capacitive sensor to mechanical working control, Int J Machine Tools Manuf 36(8) 851-859 (Aug 1996), 1A424
Nonstochastic analysis of manufacturing systems using timed-event graphs, J Manuf Syst 15(3) 200-207 (1996), 1T425
Performance of deadlock avoidance algorithms in flexible manufacturing systems, J Manuf Syst 15(3) 164-178 (1996), 1T426
Study on the generation mechanism and the compensation for the exponential-type lost motion for feed drive system of NC machine tools, Int J Japan Soc Precision Eng 30(1) 51-52 (Mar 1996), 1T427
Synthesis of joint replenishment policies for inventory systems when demand is lumpy, Eng Optim 26(3) 207-225 (Jun 1996), 1A428
Vibration control for precision manufacturing using piezoelectric actuators, J Intelligent Mat Syst Struct 7(2) 182-191 (Mar 1996), 1A429
GAPP: A generative assembly process planner, J Manuf Syst 15(4) 282-293 (1996), 2T363
Generative inspection process and probe path planning for coordinate measuring machines, J Manuf Syst 15(4) 240-255 (1996), 2T364
Application of meta functions to the quasi-static analysis of workpiece displacement within a machining fixture, J Manuf Sci Eng 118(3) 325-331 (Aug 1996), 2A370
Computer rigid disk surface assessment with laser interferometry using DDS, J Manuf Sci Eng 118(3) 448-455 (Aug 1996), 2A371
Control of multiple constraints within an open architecture machine tool controller, J Manuf Sci Eng 118(3) 388-393 (Aug 1996), 2A372
Optical sensor for detecting a position and an inclination, J Manuf Sci Eng 118(3) 400-405 (Aug 1996), 2A373
Parametric contract modeler for DFM analysis, J Manuf Syst 15(4) 256-267 (1996), 2T374
Real time control of thermal distortion during pulsed laser welding of optical packages, J Manuf Sci Eng 118(3) 445-448 (Aug 1996), 2A375
Strategy for the verification of tolerances by coordinate measuring machines, Proc Inst Mech Eng J Eng Manuf 210(B4) 377-383 (1996), 2A376
Control of cutting force for end milling processes using an extended model reference adaptive control scheme, J Manuf Sci Eng 118(3) 339-347 (Aug 1996), 2A589
Skill learning in manual machine tool operation: Development of new virtual lathe and study on minute grooving by using it (Japanese), J Japan Soc Precision Eng 62(7) 999-1003 (Jul 1996), 2A1472
Object-oriented modeling of a feature-based reverse engineering system, Int J Comput Integrated Manuf 9(5) 354-368 (Sep-Oct 1996), 3T422
Construction of a surface model and layered manufacturing data from 3D homogenization output, J Mech Des 118(3) 412-418 (Sep 1996), 3A423
Event graph modeling of automated sorting and buffering system, Int J Comput Integrated Manuf 9(5) 369-380 (Sep-Oct 1996), 3A424
Self-adapting decision support for interactive fault diagnosis of manufacturing systems, Int J Comput Integrated Manuf 9(5) 392-401 (Sep-Oct 1996), 3A425
Simultaneous identification of group technology machine cells and part families using a multiple solution framework, Int J Comput Integrated Manuf 9(5) 402-416 (Sep-Oct 1996), 3A426
Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 540-548 (Sep 1996), 4A406
Control of the fabrication of long slender workpieces of arbitrary shape - Part II: Closed-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 549-556 (Sep 1996), 4A407
Genetic algorithm for determining facility design and configuration of single-stage flexible electronic assembly systems, J Manuf Syst 15(5) 316-324 (1996), 4T464
ICMESE: Intelligent consultant system for material handling equipment selection and evaluation, J Manuf Syst 15(5) 325-333 (1996), 4A465
Performance standards and testing of 2D bar code systems for overhead scanning, J Manuf Syst 15(5) 305-315 (1996), 4A466
Computerized diagraph and matrix approach for evaluation of metal stamping layouts, J Mat Processing Tech 59(4) 285-293 (Jun 1996), 4A470
Effects of the hob cutter regrinding and setting on ZE-type worm gear manufacture, Int J Machine Tools Manuf 36(10) 1123-1135 (Oct 1996), 4A471
Feature extraction and selection for fault detection in production of glass bottles, Machine Graphics & Vision 5(1-2) 77-86 (1996), 4A472
Manufacturing systems engineering and design: An intelligent, multi-model, integration architecture, Int J Comput Integrated Manuf 9(6) 443-453 (Nov-Dec 1996), 4A473
Multi-processor distributed simulation for job-shop scheduling: boob or bane?, Int J Comput Integrated Manuf 9(6) 434-442 (Nov-Dec 1996), 4A474
Open control-interface for multi-axis manufacturing entities, Int J Comput Integrated Manuf 9(6) 419-433 (Nov-Dec 1996), 4A475
Periodic maintenance and repair rate control in stochastic manufacturing systems, J Optim Theory Appl 91(2) 347-361 (Nov 1996), 4T476
Composing and combining complex designs from different project perspectives, Int J Comput Integrated Manuf 9(6) 454-462 (Nov-Dec 1996), 4T477
Composite behavioral modeling approach for manufacturing enterprises, Int J Comput Integrated Manuf 9(6) 463-475 (Nov-Dec 1996), 4T478
Facility layout problem: Recent and emerging trends and perspectives, J Manuf Syst 15(5) 351-366 (1996), 4T479
Accurate robot motion-time model of start-stop point-to-point operations, J Manuf Sci Eng 118(4) 531-538 (Nov 1996), 5A344
CyberCut: A world wide web based design-to-fabrication tool, J Manuf Syst 15(6) 432-442 (1996), 5A364
Digraphic approach for dimensional chain identification in design and manufacturing, J Manuf Sci Eng 118(4) 539-544 (Nov 1996), 5A367
Distributed-parameter control of the heat source trajectory in thermal materials processing, J Manuf Sci Eng 118(4) 571-578 (Nov 1996), 5A368
Fuzzy adaptive control of machining processes with a self-learning algorithm, J Manuf Sci Eng 118(4) 522-530 (Nov 1996), 5A369
Modeling and calibration of a structured-light optical CMM via skewed frame representation, J Manuf Sci Eng 118(4) 595-603 (Nov 1996), 5A370
Modeling reentrant manufacturing systems with inspection stations, J Manuf Syst 15(6) 367-378 (1996), 5A371
Modular CNC design for intelligent machining- Part 1: Design of a hierarchical motion control module for CNC machine tools, J Manuf Sci Eng 118(4) 506-513 (Nov 1996), 5A372
Modular CNC design for intelligent machining - Part 2: Modular integration of sensor based milling process monitoring and control tasks, J Manuf Sci Eng 118(4) 514-521 (Nov 1996), 5A373
Multivariate statistical approach to metrology, J Manuf Sci Eng 118(4) 652-657 (Nov 1996), 5A374
Nesting of complex 2D parts within irregular boundaries, J Manuf Sci Eng 118(4) 615-622 (Nov 1996), 5A375
New measuring strategy for sculptured surfaces using offset surfaces, J Manuf Sci Eng 118(4) 646-651 (Nov 1996), 5A376

Simulation study of FMS tool allocation procedures, J Manuf Syst 15(6) 419-431 (1996), 5A377
Flexible ball-end milling system model for cutting force and machining error prediction, J Manuf Sci Eng 118(4) 461-469 (Nov 1996), 5A558
Exothermic chemical reaction with linear feedback control, Dyn Stability Syst 11(3) 219-238 (1996), 6A366
Automation in drug discovery, Lab Robotics Autom 8(5) 261-315 (1996), 6T447
Cogeneration system design optimization, J Brazilian Soc Mech Sci 18(4) 330-337 (Dec 1996), 6A453
Fuzzy-control simulation of cross-sectional shape in six-high cold-rolling mills, J Mat Processing Tech 62(1-3) 61-69 (Nov 1996), 6A454
Optimal control of a production system with periodic maintenance, Optimal Control Appl Methods 17(4) 281-307 (Oct-Dec 1996), 6A455
Case of digitization of technical documents and workflow (Japanese), J Japan Soc Precision Eng 62(12) 1671-1674 (12 1996), 7T388
Computation of sphericity from minimum circumscribing and maximum inscribing centers by means of simulation data and downhill simplex method, Int J Japan Soc Precision Eng 30(3) 253-258 (Sep 1996), 7A389
Design and implementation of computer integrated manufacturing systems, Int J Comput Integrated Manuf 10(1-4) 4-308 (Jan-Aug 1997), 7A390
Fundamental study of laser rapid prototyping of metallic parts, Int J Japan Soc Precision Eng 30(3) 278-279 (Sep 1996), 7T391
New approach to physical edge detection using the curvature at the boundary contour points, Int J Japan Soc Precision Eng 30(3) 259-264 (Sep 1996), 7A392
Optimal production planning in a stochastic manufacturing system with long-run average cost, J Optim Theory Appl 92(1) 161-188 (Jan 1997), 7T393
Simulation for manufacturing systems, Int J Japan Soc Precision Eng 30(3) 195-199 (Sep 1996), 7A394
Tool path generation using C-space for 5-axis control machining (Japanese), J Japan Soc Precision Eng 62(12) 1783-1787 (12 1996), 7T395
Two new parameters: Axial dispersion degree and radial dispersion intensity of sample zone injected in flow-injection analysis systems, Lab Robotics Autom 8(6) 351-360 (1996), 7A396
Connection design methodology for automated assembly and the framing of buildings, J Manuf Sci Eng 119(1) 37-49 (Feb 1997), 8A464
Form-accuracy analysis and prediction in computer integrated manufacturing, Int J Machine Tools Manuf 37(3) 237-248 (Mar 1997), 8A465
Numerical and experimental investigation of neural network-based intelligent control of molding processes, J Manuf Sci Eng 119(1) 88-94 (Feb 1997), 8A466
Value-added approach for automated guided vehicle task assignment, J Manuf Syst 16(1) 24-34 (1997), 8A467
Artificial intelligence for the design and management of manufacturing systems (French), Rev Francaise Mec 0(4) 245-250 (1996), 8A468
Application of PFS model (Production Flow Schema) based analysis of manufacturing systems for performance assessment, J Brazilian Soc Mech Sci 19(1) 58-71 (Mar 1997), 9A411
Computer aided optimum design of machine tool spindle systems with hydrostatic bearings, Proc Inst Mech Eng J Eng Manuf 211(B1) 43-51 (1997), 9A412
Constrained 3D component layout using simulated annealing, J Mech Des 119(1) 28-35 (Mar 1997), 9A413
Evaluation of failure diagnosis in conceptual design of mechanical systems, J Mech Des 119(1) 57-64 (Mar 1997), 9A414
Finding the best possible solutions to simple assembly line balancing problems, Proc Inst Mech Eng J Eng Manuf 211(B1) 53-61 (1997), 9A415
Geometric technique for design centering and a polytope approximation of the feasible region, J Eng Appl Sci 43(5) 871-885 (Oct 1996), 9A416
Inspection of reliability of unit production objects, Biuletyn Wojskowej Akademii Technicznej 44(10) 124-126 (Oct 1995), 9A417
Microlens array in optical inspection of critical surface roughness of cold-rolled steel, Opt Lasers Eng 27(4) 429-433 (Jul 1997), 9A418
Modeling and analysis of nonlinear guideway for double-ball bar measurement and diagnosis, Int J Machine Tools Manuf 37(5) 687-707 (May 1997), 9A419
Optimization of the recognition of defects in flat steel products with the cost matrices theory, NDT&E Int 30(1) 3-10 (Feb 1997), 9A420
Role of sensitivity in ultraprecision manufacturing (Japanese), J Japan Soc Precision Eng 63(2) 162-165 (Feb 1997), 9T421
Simple approach for on-line tool wear monitoring using the analytic hierarchy process, Proc Inst Mech Eng J Eng Manuf 211(B1) 19-27 (1997), 9A422
Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, J Japan Soc Precision Eng 63(2) 259-263 (Feb 1997), 9A423
Systematic approach to enhance machine tool accuracy for precision manufacturing, Int J Machine Tools Manuf 37(5) 669-685 (May 1997), 9A424
Tool interference detection and avoidance based on offset nets, Int J Machine Tools Manuf 37(5) 717-722 (May 1997), 9A425
Touch probe radius compensation for coordinate measurement using kriging interpolation, Proc Inst Mech Eng J Eng Manuf 211(B1) 11-18 (1997), 9A426
Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), J Japan Soc Precision Eng 63(4) 575-579 (Apr 1997), 10A551
Development of gear finishing by a compound lapping machine (Japanese), J Japan Soc Precision Eng 63(3) 394-398 (Mar 1997), 10A552
Improvement of tool life by jet supplied cutting fluid (Japanese), J Japan Soc Precision Eng 63(4) 540-544 (Apr 1997), 10A553
Measurement and compensation of corner-tracking errors of CNC machine tools, Int J Japan Soc Precision Eng 30(4) 331-336 (Dec 1996), 10A554
Novel network planning method: Group decision network planning technique (Chinese), J Dalian Univ Tech 37(1) 112-117 (Jan 1997), 10A555
Operational rates of automatic production lines with a loading buffer: Loading frequencies to the buffer and the buffer capacity (Japanese), J Japan Soc Precision Eng 63(4) 499-503 (Apr 1997), 10A556
Thermal manufacturing process control by lumped mimo and distributed-parameter methods, J Dyn Syst Meas Control 117(4) 625-632 (Dec 1995), 11A319
Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 1: Theory derivation, J Eng Indust 117(4) 584-590 (Nov 1995), 11A347
Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 2: Experimental verification, J Eng Indust 117(4) 591-600 (Nov 1995), 11A348
Automated generation of fixture configuration design, J Manuf Sci Eng 119(2) 208-219 (May 1997), 11A349
Automatic synthesis of membership functions for the force control of turning operations, J Mat Processing Tech 65(1-3) 80-87 (Mar 1997), 11A350
Delay time multi-level on-condition preventive maintenance inspection model based on constant base interval risk - when inspection detects pending failure, Int J Machine Tools Manuf 37(6) 823-836 (Jun 1997), 11A351
Development of a microscopic laser interferometry system for precision surface measurement, J Eng Indust 117(4) 619-624 (Nov 1995), 11A352
Investigation of techniques for asymmetry rectification, J Mech Des 117(4) 620-626 (Dec 1995), 11A353
Optimization strategy for maximizing coordinate measuring machine productivity - Part 1: Quantifying the effects of operating speed on measurement quality, J Eng Indust 117(4) 601-609 (Nov 1995), 11A354
Optimization strategy for maximizing coordinate measuring machine productivity - Part 2: Problem formulation, solution, and experimental results, J Eng Indust 117(4) 610-618 (Nov 1995), 11A355
Set-theoretic automatic selection of cutting tools in manufacturing system, J Mat Processing Tech 65(1-3) 99-106 (Mar 1997), 11A356
Three-dimensional measurement of red-hot ingot using slit-ray projection method, Int J Japan Soc Precision Eng 31(1) 57-62 (Mar 1997), 11A758
Force control of turning based on robust PI controller design, Proc Inst Mech Eng J Eng Manuf 211(B2) 165-175 (1997), 12A408
Design of tactile fixtures for robotics and manufacturing, J Mech Des 119(2) 204-211 (Jun 1997), 12A445
Cell control architecture for manufacturing applications, J Mat Processing Tech 66(1-3) 137-145 (Apr 1997), 12A461
Enumerating possible design options for integral attachment using a hierarchical classification scheme, J Mech Des 119(2) 178-184 (Jun 1997), 12A462
Geometry and generation of NC tool paths, J Mech Des 119(2) 253-258 (Jun 1997), 12A463
Model for prediction of dimensional tolerances of laser cut holes in mild steel thin plates, Int J Machine Tools Manuf 37(8) 1069-1078 (Aug 1997), 12A464
Performance evaluation of a new screw conveyor for metal swarf, Int J Machine Tools Manuf 37(7) 981-996 (Jul 1997), 12A465
Rule-based ARIMA models for FMS, J Mat Processing Tech 66(1-3) 240-243 (Apr 1997), 12A466
Two-stage iterative approach to soaking pit loading of composite ingots, J Mech Behavior Mat 8(1) 49-68 (1997), 12A467
Automatic supervision of blanking tool wear using pattern recognition analysis, Int J Machine Tools Manuf 37(8) 1079-1095 (Aug 1997), 12A909

208H. Management and economics

Cost per piece determination in machining process: An alternative approach, Int J Machine Tools Manuf 36(8) 939-946 (Aug 1996), 1A430
Effectiveness of quality management tools and techniques: An examination of the key influences in five plants, Proc Inst Mech Eng J Eng Manuf 210(B4) 329-339 (1996), 2T377
Multivariate economic analysis of robot performance repeatability and accuracy, J Manuf Syst 15(4) 215-225 (1996), 2A378
Composing and combining complex designs from different project perspectives, Int J Comput Integrated Manuf 9(6) 454-462 (Nov-Dec 1996), 4T477
Composite behavioral modeling approach for manufacturing enterprises, Int J Comput Integrated Manuf 9(6) 463-475 (Nov-Dec 1996), 4T478
Facility layout problem: Recent and emerging trends and perspectives, J Manuf Syst 15(5) 351-366 (1996), 4T479
Simulation study of FMS tool allocation procedures, J Manuf Syst 15(6) 419-431 (1996), 5A377
Adaptive tool replacement policies in machining economics, J Manuf Sci Eng 118(4) 658-663 (Nov 1996), 5A378
Cogeneration system design optimization, J Brazilian Soc Mech Sci 18(4) 330-337 (Dec 1996), 6A453
Pollution control and the dynamics of the firm: the Effects of market-based instruments on optimal firm investments, Optimal Control Appl Methods 17(4) 267-279 (Oct-Dec 1996), 6T456
Design and implementation of computer integrated manufacturing systems, Int J Comput Integrated Manuf 10(1-4) 4-308 (Jan-Aug 1997), 7A390
Value-added approach for automated guided vehicle task assignment, J Manuf Syst 16(1) 24-34 (1997), 8A467
Artificial intelligence for the design and management of manufacturing systems (French), Rev Francaise Mec 0(4) 245-250 (1996), 8A468

IV. MECHANICS OF SOLIDS

250. ELASTICITY

250A. General theory

Finite Elasticity and Viscoelasticity (World Sci Pub, River Edge, NJ, 1996) 1R20
Life and Legacy of GI Taylor (Cambridge UP, New York, 1996) 1R39
Unified co-rotational framework for solids, shells, and beams, Int J Solids Struct 33(20-22) 2969-2992 (Aug 1996), 1A27
Coaxiality of strain and stress in anisotropic linear elasticity, J Elast 42(3) 283-289 (Mar 1996), 1A431
Complete solution for stresses in terms of stress functions - Part I: Derivation from the principle of virtual work, Tech Mech 16(2) 147-168 (1996), 1A432
Energy-momentum tensors in nonsimple elastic dielectrics, J Elast 42(3) 275-281 (Mar 1996), 1A433
Saint-Venant's principle in linear elastodynamics, J Elast 42(3) 201-215 (Mar 1996), 1A434
Complex Variable Methods in Plane Elasticity (World Sci Pub, River Edge, NJ, 1995) 2R16
Operational form Hilbert Nullstellentz and symbolic algorithm for construction of general solution to systems in elasticity (Chinese), J Dalian Univ Tech 36(4) 373-379 (Jul 1996), 2A379
Positive definiteness of anisotropic elastic constants, Math Mech Solids 1(3) 301-314 (Sep 1996), 2A380
Integral equation methods in plane asymmetric elasticity, J Elast 43(1) 31-43 (Apr 1996), 2A405
Application of objective rates in mechanical modeling of solids, J Appl Mech 63(3) 692-698 (Sep 1996), 3A427
Complete set of corollaries of the reciprocal theorems in elasticity, Int J Solids Struct 33(27) 4065-4078 (Nov 1996), 3A428
Linearization of the Dirichlet-to-Neumann map in the anisotropic Kirchhoff-Love plate theory, SIAM J Appl Math 56(5) 1329-1352 (Oct 1996), 3A429
Symmetry classes for elasticity tensors, J Elast 43(2) 81-108 (May 1996), 3A430
Power scaling laws and dimensional transitions in solid mechanics, Chaos Solitons Fractals 7(9) 1343-1364 (Sep 1996), 4A2
Averaging on distributing stress and strain?, Eur J Mech A 15(5) 749-759 (1996), 4A480
Computing strain fields from discrete displacement fields in 2D-solids, Int J Solids Struct 33(29) 4293-4307 (Dec 1996), 4A481
Curved bar subjected to an arbitrarily distributed loading: Another paradox in the 2D theory of elasticity, Acta Mech Solida Sinica 9(3) 253-262 (1996), 4A594
Constitutive model for compressible elastomeric solids, Comput Mech 18(5) 339-355 (Sep 1996), 5A379
Galerkin vector and the Eshelby solution in linear elasticity, J Elast 44(1) 1-8 (Jul 1996), 5A380
Gradient elasticity with surface energy: Mode-III crack problem, Int J Solids Struct 33(30) 4531-4559 (Dec 1996), 5A381
Reformulation of the strong ellipticity conditions for unconstrained hyperelastic media, J Elast 44(1) 89-96 (Jul 1996), 5A382
Symmetries of 2D elastic and hyperelastic tensors, J Elast 43(3) 203-225 (Jun 1996), 5A383
Thin hyperelastic sheets of compressible material: Field equations, airy stress function, and an application in fracture mechanics, J Elast 44(1) 37-59 (Jul 1996), 5A384
General duality principle in elasticity, Mech Mat 24(2) 87-123 (Oct 1996), 5A399
Fundamental solution of the oscillation equations of the thermoelasticity theory of mixture of two elastic solids, J Thermal Stresses 19(7) 633-648 (Oct 1996), 5A1290
General characteristics of the stress-strain relation of polycrystalline metals, J Mech Phys Solids 44(12) 2103-2111 (Dec 1996), 6A6
Effect of a variation in the elastic moduli on Saint-Venant's principle for a half-cylinder, J Elast 44(2) 161-182 (Aug 1996), 6A457
Gleanings of radial cavitation, J Elast 44(2) 183-192 (Aug 1996), 6A458
Hamiltonian system and the Saint Venant problem in elasticity, Appl Math Mech 17(9) 827-836 (Sep 1996), 6A459
Sufficiency conditions for optimal design based on extremum principles of mechanics, J Mech Phys Solids 45(1) 135-150 (1 1997), 7A7
Buoyancy-induced deformations in a compressible elastic solid, Int J Non-Linear Mech 31(6) 811-822 (Nov 1996), 7A397
Complete solution for stresses in terms of stress functions - Part II: Modification of variational principles, Tech Mech 16(3) 197-208 (1996), 7A398
Determination of nonuniform stresses in an isotropic elastic half space from measurements of the dispersion of surface waves, J Mech Phys Solids 45(1) 51-66 (1 1997), 7A399
Exact time-dependent plane stress solutions for elastic beams: A novel approach, J Appl Mech 63(4) 962-966 (Dec 1996), 7A400
Internal variables and thermodynamic modeling of pseudoelasticity, Appl Math Mech 17(10) 969-978 (Oct 1996), 7A401
Note on strain jump conditions and Cesaro integrals for bonded and slipping inclusions, J Elast 45(1) 45-51 (Oct 1996), 7A402
Principal axis intrinsic method and the high dimensional tensor equation AX - XA = C, Appl Math Mech 17(10) 945-951 (Oct 1996), 7A403
Two notes on nonlocal field theory, Acta Mech Solida Sinica 9(4) 350-356 (1996), 7A404
Mathematical Theory of Elastic Structures (Springer-Verlag, Berlin, 1996) 8R7
Korn's inequalities for junctions of spatial bodies and thin rods, Math Methods Appl Sci 20(3) 219-243 (Feb 1997), 8A132
Direct determination of the rotation tensor from the deformation gradient, Math Mech Solids 2(1) 17-26 (Mar 1997), 8A469
Kinematic compatibility equation related to elastic stress-free joints and crystal twins, J Elast 45(2) 73-89 (Nov 1996), 8A470
Mixed variational formulations of linear elasticity using nonsymmetric stresses and displacements, Int J Solids Struct 34(10) 1283-1292 (Apr 1997), 8A471
Separation of stress-induced and texture-induced birefringence in acoustoelasticity, J Elast 45(2) 91-116 (Nov 1996), 8A472
New estimates of the third-order elastic constants for isotropic aggregates of cubic crystals, J Mech Phys Solids 45(4) 471-490 (Apr 1997), 9A11
Analysis of the elastic properties of open-cell foams with tetrakaidecahedral cells, J Mech Phys Solids 45(3) 319-343 (Mar 1997), 9A427
Application of vector to small deformation, Appl Math Mech 17(12) 1137-1140 (Dec 1996), 9A428
One approach to solution of spatial boundary value problems of the elasticity theory doubly-connected problems (Russian), Prikl Mekh (Appl Mech) 32(8) 41-47 (1996), 9A429
Temporal evolution of shear band thickness, J Mech Phys Solids 45(3) 345-359 (Mar 1997), 9A430
Three-dimensional deformation of the bilayered half-space under the effect of the surface mobile load (Russian), Prikl Mekh (Appl Mech) 32(8) 48-55 (1996), 9A474
Coordinates of principal stresses for elastic plane problem, Appl Math Mech 18(2) 157-162 (Feb 1997), 10A557

Use of a plane-strain model to solve generalized plain-strain problems, J Appl Mech 64(1) 236-238 (Mar 1997), 10A558
Universal relation characterizing transversely hemitropic hyperelastic materials, Math Mech Solids 2(2) 181-188 (Jun 1997), 11A5
Compressible materials capable of sustaining axisymmetric shear deformations - Part 2: Rotational shear of isotropic hyperelastic materials, Quart J Mech Appl Math 50(2) 211-237 (May 1997), 11A357
Solutions of Boussinesq, Love, and Reissner and Wennagel for axisymmetric elastic deformations, Quart J Mech Appl Math 50(2) 195-210 (May 1997), 11A360
Shape change of a pore in a stressed solid via surface diffusion motivated by surface and elastic energy variation, J Mech Phys Solids 45(5) 709-729 (May 1997), 11A673
Explicit tensor expression for the fundamental solutions of a bimaterial space problem, Appl Math Mech 18(4) 331-340 (Apr 1997), 12A468
Global volume changes accompanying certain plane-strain nonlinear elastic deformations, Int J Solids Struct 34(22) 2803-2813 (Aug 1997), 12A469
Isotropic invariants of the elasticity tensor, J Elast 46(2) 115-149 (Feb 1997), 12A470
New formula for principal axes, Mech Res Commun 24(4) 443-445 (Jul-Aug 1997), 12T471
One equivalent system of equations of generalized theory of shallow shells, Prikl Mekh (Appl Mech) 32(10) 74-80 (1996), 12T472
Saint-Venant problem and principle in elasticity, Int J Solids Struct 34(22) 2815-2827 (Aug 1997), 12A473
Saint-Venant's principle in linear isotropic elasticity for incompressible or nearly incompressible materials, J Elast 46(1) 43-52 (Jan 1997), 12A474
Spatial boundary value problems of mechanics of piecewise-homogeneous bodies with non-canonical interfaces: Survey (Russian), Prikl Mekh (Appl Mech) 32(10) 3-37 (1996), 12A475
Decay and other estimates for a semi-infinite magnetoelastic cylinder: Saint-Venant's principle, Int J Non-Linear Mech 32(6) 1087-1099 (Nov 1997), 12A665

250B. Linear theory

Numerical methods versus asymptotic expansion for torsion of hollow elastic beams, Tech Mech 16(2) 169-177 (1996), 1A453
Exterior mixed problem in plane elasticity, Math Mech Solids 1(3) 335-342 (Sep 1996), 2A381
Elastic field for eccentrically loaded rigid plate on multilayered solids, Int J Solids Struct 33(27) 4019-4049 (Nov 1996), 3A431
Torsion of a non-homogeneous infinite elastic cylinder slackened by a circular cut, J Eng Math 30(5) 547-555 (Sep 1996), 3A432
Torsion of an elastic non-homogeneous layer by two circular disks, J Eng Math 30(5) 557-572 (Sep 1996), 3A433
Wrinkling of rectangular webs under nonlinearly distributed edge loading, J Appl Mech 63(3) 655-659 (Sep 1996), 3A533
Wrinkling of thin, flat, rectangular webs, J Appl Mech 63(3) 774-779 (Sep 1996), 3A534
Elasticity problem posed in stresses, Mech Solids 31(2) 72-80 (1996), 4A482
External circular crack under arbitrary shear loading, Z Angew Math Phys 47(5) 717-729 (Sep 1996), 4A483
Perturbation series for shear stress in flexure of Saint-Venant cylinders with Bredt-like sections, Mech Res Commun 23(5) 557-564 (Sep-Oct 1996), 4T484
General duality principle in elasticity, Mech Mat 24(2) 87-123 (Oct 1996), 5A399
Computation of the stressed state of the components in the circumferential direction of the bodies of revolution (Russian), Prikl Mekh (Appl Mech) 32(7) 32-37 (1996), 6A460
Fundamental solutions for bimaterials with inextensible interface, J Eng Mech 122(11) 1052-1059 (Nov 1996), 6A461
Membrane analogy for Saint-Venant torsion: New results, J Eng Mech 122(11) 1110-1112 (Nov 1996), 6A462
Strain analysis of moving objects using a Fourier transform grid method, NDT&E Int 29(4) 197-203 (Aug 1996), 6A825
Integral-equation formulation for anisotropic elastostatics, J Appl Mech 63(4) 891-902 (Dec 1996), 7A405
Semi-inverse shape optimization problem in linear anti-plane shear, J Elast 45(1) 53-60 (Oct 1996), 7A406
Mixed variational formulations of linear elasticity using nonsymmetric stresses and displacements, Int J Solids Struct 34(10) 1283-1292 (Apr 1997), 8A471
Asymptotics of solutions and eigenvalues of the boundary value problem with rapidly alternating boundary conditions for the system of elasticity, Rendiconti Lincei Matematica e Appl VII(1) 5-15 (1996), 8A473
Integrity basis for plane elasticity tensors, Arch Mech 49(1) 197-208 (1997), 9A431
Note on antiplane deformations of inhomogeneous elastic materials, Int J Eng Sci 35(6) 593-601 (May 1997), 11A358
Pure bending of a solid cone, J Mech Phys Solids 45(5) 753-761 (May 1997), 11A359
Solutions of Boussinesq, Love, and Reissner and Wennagel for axisymmetric elastic deformations, Quart J Mech Appl Math 50(2) 195-210 (May 1997), 11A360
Deformation of O-rings compressed by smooth rigid plates, J Energy Resources Tech 119(2) 73-80 (Jun 1997), 12A612
Geometry of spatial polygons and screw polygons, J Mech Des 119(2) 246-252 (Jun 1997), 12A1034

250C. Nonlinear and finite deformation problems

Design of simple low order FEs for large strain analysis of nearly incompressible solids, Int J Solids Struct 33(20-22) 3277-3296 (Aug 1996), 1A2
Finite strain generalization of small-strain constitutive relations for any finite strain tensor and additive volumetric-deviatoric split, Int J Solids Struct 33(20-22) 2887-2897 (Aug 1996), 1A7
Using assumed enhanced strain elements for large compressive deformation, Int J Solids Struct 33(20-22) 3151-3159 (Aug 1996), 1A28
Large elasto-plastic FE analysis of solids and shells with the enhanced assumed strain concept, Int J Solids Struct 33(20-22) 3215-3237 (Aug 1996), 1A41
Boundary-field equation method for a nonlinear exterior elasticity problem in the plane, J Elast 43(1) 45-68 (Apr 1996), 2A382
Chemorheological relaxation, residual stress, and permanent set arising in radial deformation of elastomeric hollow spheres, Math Mech Solids 1(3) 267-299 (Sep 1996), 2A383
Existence and a priori bounds for the finite torsion solution for a class of general Blatz-Ko materials, Math Mech Solids 1(3) 315-326 (Sep 1996), 2A384
Saint-Venant's principle for a helical piezoelectric body, J Elast 43(1) 69-79 (Apr 1996), 2A385
Small amplitude sinusoidal disturbances superimposed on finite circular shear of a compressible, nonlinearly elastic material, Int J Eng Sci 34(10) 1197-1210 (Aug 1996), 2A386
Two instructive instabilities in nonlinear elasticity: Biaxially loaded membrane, and rubber balloons, Meccanica 31(4) 387-395 (Aug 1996), 2A499
Note on enhanced strain methods for large deformations, Comput Methods Appl Mech Eng 135(3-4) 201-209 (Sep 1996), 3A38
Consolidation of a nonlinear poroelastic layer in finite deformations, Eur J Mech A 15(4) 575-598 (1996), 3A434
Micromechanics of nonlinear behavior in solid-filled Mooney-Rivlin rubber specimen, J Propulsion Power 12(5) 991-994 (Sep-Oct 1996), 3A435
Mathematical aspects of dual variables in continuum mechanics - Part 2: Applications in nonlinear solid mechanics, Z Angew Math Mech 76(9) 497-504 (1996), 4A1
Finite deformation analysis of polycrystal by considering the influence of grain boundary, Acta Mech Solida Sinica 9(3) 189-200 (1996), 4A485
Well-posedness for nonlinear problems in the theory of elastic materials with voids, Z Angew Math Mech 76(10) 573-582 (1996), 4A486
Geometrically nonlinear torsion of an elastic space with a spheroidal cavity, Mech Solids 31(3) 12-15 (1996), 5A385
Restrictions on nonlinear constitutive equations for elastic rods, J Elast 44(1) 9-36 (Jul 1996), 5A466
Deformations of nonlinear elastic solids in unbounded domains, Math Mech Solids 1(4) 463-472 (Dec 1996), 6A463
Further results for the eversion of highly compressible elastic cylinders, Math Mech Solids 1(4) 355-367 (Dec 1996), 6A464
General properties of the equations of the nonlinear theory of elasticity for piecewise-linear potentials, J Appl Math Mech 60(3) 503-512 (1996), 6A465
General solution and Green function with bifurcation for nonlinear plane stress deformation of a compressible wedge, Int J Solids Struct 34(3) 379-392 (Jan 1997), 6A466
Spatial decay estimates for a class of second-order quasilinear elliptic partial differential equations arising in anisotropic nonlinear elasticity, Math Mech Solids 1(4) 411-423 (Dec 1996), 6A467
Treatment of elastic deformation in finite elastic-viscoplastic theory, Int J Plasticity 12(7) 951-965 (1996), 6A468
Family of solutions describing plane strain cylindrical inflation in finite compressible elasticity, J Elast 45(1) 1-11 (Oct 1996), 7A407
No-tension elastic materials, Eur J Mech A 16(1) 103-116 (1997), 7A408
Quasi-principal axis method in finite deformation, Appl Math Mech 17(10) 909-921 (Oct 1996), 7A409
Pressure projection method for nearly incompressible rubber hyperelasticity - Part I: Theory, J Appl Mech 63(4) 862-868 (Dec 1996), 7A492
Pressure projection method for nearly incompressible rubber hyperelasticity - Part II: Applications, J Appl Mech 63(4) 869-876 (Dec 1996), 7A493
Extension of Herrmann's principle to nonlinear elasticity, Appl Math Model 21(2) 97-107 (Feb 1997), 8A474
Family of solutions describing spherical inflation in finite, compressible elasticity, Quart J Mech Appl Math 50(1) 35-45 (Feb 1997), 8A475
Necessary condition for energy-minimizing plane deformations of elastic solids with intrinsic boundary elasticity, Math Mech Solids 2(1) 3-16 (Mar 1997), 8A476
Note on inhomogeneous deformations of linear elastic layers, IMA J Appl Math 57(3) 311-324 (Dec 1996), 8A477
Finite strain singular field near the tip of a crack terminating at a material interface, Math Mech Solids 2(1) 49-73 (Mar 1997), 8A784
Elastic arches with large elevation: Singularly perturbed problem of nonlinear elasticity, J Elast 45(3) 153-214 (Dec 1996), 9A432
Hyperelastic constitutive equation for rotated Biot stress, Arch Mech 48(5) 947-953 (1996), 9A433
Large deformation analysis of rubber based on a reproducing kernel particle method, Comput Mech 19(3) 211-227 (Feb 1997), 9A434
Uniqueness in nonlinear theory of porous elastic materials, Arch Mech 49(1) 67-75 (1997), 9A435
Variational formulation for finite elasticity with independent rotation and Biot-axial fields, Comput Mech 19(3) 153-168 (Feb 1997), 9A436
Eversion of compressible elastic cylinders, Int J Solids Struct 34(15) 1893-1914 (May 1997), 10A559
Nonlinear elasticity of granular media, J Appl Mech 64(1) 39-49 (Mar 1997), 10A1441
Characteristics of elastically contacting ideal rough surfaces, J Trib 118(1) 90-97 (Jan 1996), 11A361
Rolling-sliding of a vibrating elastic body on an elastic substrate, J Trib 118(1) 147-152 (Jan 1996), 11A369
Effect of intermittent contact on the stability of thermoelastic sliding contact, J Trib 118(1) 102-108 (Jan 1996), 11A1189
Finite element implementation of rubber-like materials at finite strains, Eng Comput 14(2-3) 216-232 (1997), 12A32
Global volume changes accompanying certain plane-strain nonlinear elastic deformations, Int J Solids Struct 34(22) 2803-2813 (Aug 1997), 12A469
Finite strain elastostatics with stiffening materials: A constrained minimization model, J Appl Mech 64(2) 440-442 (Jun 1997), 12A476
General solution of second order effects in elastic half-space acted upon by a non-uniform shear load, Appl Math Mech 18(4) 365-380 (Apr 1997), 12A477
Large deformations of semicrystalline polymer modeled using the necking network concept, J Eng Mat Tech 119(3) 228-232 (Jul 1997), 12A478

250D. Three-dimensional problems

Boundary formulation for 3D anisotropic crack problems, Appl Math Model 20(9) 662-674 (Sep 1996), 2A398
Elliptic cavity in a 3D anisotropic body with inclined strata deformed by line loads and dislocations, Arch Appl Mech 66(8) 507-522 (Sep 1996), 3A445
Stress analysis of closely-coiled helical springs using differential quadrature, Mech Res Commun 23(6) 589-598 (Nov-Dec 1996), 6T469
Fundamental solution of the incompatibility problem in 3D infinite anisotropic elasticity theory, Acta Mech 119(1-4) 25-34 (1996), 6A482
Generalized method of rotational superposition for problems with elliptical distribution of boundary values, J Appl Mech 63(4) 911-918 (Dec 1996), 7A410
Concentrated ring loadings in a full space or half space: Solutions for transverse isotropy and isotropy, Int J Solids Struct 34(11) 1379-1418 (Apr 1997), 9A437
Integration of singular Galerkin-type BE integrals for 3D elasticity problems, Numer Math 76(2) 143-165 (Apr 1997), 10A84
Contact between elastic bodies with an elliptic contact interface in torsion, J Appl Mech 64(1) 144-148 (Mar 1997), 10A562
Rational deduction of plate theories from the 3D linear elasticity, Z Angew Math Mech 77(5) 349-366 (1997), 12A621

250E. Stress concentrations and singularities

Fatigue damage calculation in stress concentration fields under variable uniaxial stress, Int J Fatigue 18(4) 245-253 (May 1996), 1A700
Analysis of newly-defined stress intensity factors for angular corners using singular integral equations of the body force method, Int J Fracture 76(3) 243-261 (1995), 1A738
Analysis and design of adhesively bonded tee joints with a single support plus angled reinforcement, J Adhesion Sci Tech 10(8) 681-724 (1996), 1A941
Problem of an orthotropic semi-infinite strip with a crack along the fixed end, Eng Fracture Mech 55(1) 7-17 (Sep 1996), 2A387
Stress singularities near corner of wedged multi-dissimilar materials (Chinese), J Dalian Univ Tech 36(4) 391-395 (Jul 1996), 2A388
Approximate expressions for 3D notch tip stress fields, Fatigue Fracture Eng Mat Struct 19(7) 893-902 (1996), 2A418
Stress concentration in the matrix around the fibers in laminae, J Reinforced Plastics Composites 15(8) 818-827 (Aug 1996), 2A438
Solution of cracks developing from stress raisers, in finite bodies, by a hybrid disiocation density-BEM approach, Int J Fracture 77(2) 175-184 (1996), 2A662
Torsion of a non-homogeneous infinite elastic cylinder slackened by a circular cut, J Eng Math 30(5) 547-555 (Sep 1996), 3A432
Point force and edge dislocation in a two-phase anisotropic medium, Z Angew Math Phys 47(4) 617-630 (Jul 1996), 3A436
Stress concentration factor parametric equations for tubular X and DT joints, Int J Fatigue 18(6) 363-387 (Aug 1996), 3A437
Updated stress concentration factors for filleted shafts in bending and tension, J Mech Des 118(3) 321-327 (Sep 1996), 3A438
Using internal fiber geometry to improve the performance of pin-loaded holes in composite materials, Appl Composite Mat 3(2) 117-134 (1996), 3A491
Approximate biaxial stress solution for orthotropic open-hole composite laminates, Adv Composites Letters 5(4) 107-111 (1996), 3A499
Stress concentration and fatigue strength of rectangular plates with bolted circular holes (Japanese), Proc JSCE 543(I-36) 123-132 (Jul 1996), 3A718
Limits of stress reduction in a plate with a hole using piezoelectric actuators, J Intelligent Mat Syst Struct 7(4) 363-371 (Jul 1996), 3A748
Analysis of an isotropic finite wedge under antiplane deformation, Int J Solids Struct 34(1) 113-128 (Jan 1997), 5A386
Elastic stress and displacement distribution in an orthotropic layer due to a concentrated load, Eng Anal Boundary Elements 17(3) 205-221 (Apr 1996), 5A387
Elastic stress singularities and corresponding generalized stress intensity factors for angular corners under various boundary conditions, Eng Fracture Mech 55(4) 529-556 (Nov 1996), 5A388
Modeling strong discontinuities in solid mechanics via strain softening constitutive equations - Part 1: Fundamentals, Int J Numer Methods Eng 39(21) 3575-3600 (Nov 1996), 5A389
Modeling strong discontinuities in solid mechanics via strain softening constitutive equations - Part 2: Numerical simulation, Int J Numer Methods Eng 39(21) 3601-3623 (Nov 1996), 5A390
Stress concentration at fictitiously rounded sharp notches in shear loading, Eng Fracture Mech 55(4) 675-676 (Nov 1996), 5A391
Study on the stress concentration at the round corners of flat heads in pressure vessels subjected to internal pressure, J Pressure Vessel Tech 118(4) 429-433 (Nov 1996), 5A392
Unified approach to the evaluation of linear elastic stress fields in the neighborhood of cracks and notches, Int J Fracture 78(1) 3-19 (1996), 5A393
Mapping flat cracks onto penny-shaped cracks, with application to somewhat circular tensile cracks, Quart Appl Math 54(4) 663-675 (Dec 1996), 5A648
Stress-strain field near the crack-tip of an incompress rubber-like material, Appl Math Mech 17(8) 765-772 (Aug 1996), 5A662
Homogenized penetration calculations, Int J Solids Struct 34(1) 47-59 (Jan 1997), 5A689
Higher order crack tip fields and its implication for fracture of solids under mode II conditions, Eng Fracture Mech 55(5) 777-794 (Nov 1996), 5A703
Singular stress amplification between two holes in tension, J Elast 44(2) 131-144 (Aug 1996), 6A470
Solutions of 2D linear elastostatic and heat-transfer problems in the vicinity of singular points, Int J Solids Struct 34(2) 243-274 (Jan 1997), 6A471
Stress amplification in vanishingly small geometries, Comput Mech 19(2) 77-83 (Dec 1996), 6A472
Stress concentrations around multiple fiber breaks in an elastic matrix with local yielding or debonding using quadratic influence superposition, J Mech Phys Solids 44(12) 1997-2039 (Dec 1996), 6A783
Calculations of fracture criteria by classical mechanics - I: Pellini's Duplex Rule, Int J Fracture 78(2) 117-124 (1996), 6A803
Elastic longitudinal stress estimation in the neighborhood of notches, Eng Fracture Mech 56(1) 137-138 (Jan 1997), 7A411

Rigid line inclusions under anti-plane deformation and in-plane electric field in piezoelectric materials, Eng Fracture Mech 56(2) 265-274 (Jan 1997), 7A565
Stress concentration factors for shoulder fillets in round and flat bars under various loads, Int J Fatigue 19(1) 75-84 (Jan 1997), 8A478
Stress singularities in a dissimilar materials joint with edge tractions under mechanical and thermal loadings, Int J Solids Struct 34(10) 1199-1216 (Apr 1997), 8A479
Evaluation of the method for lowering stress concentration at the thread root of bolted joints with modifications of nut shape, J Pressure Vessel Tech 119(1) 1-9 (Feb 1997), 8A976
Stress properties at the tip of a conical notch, Int J Solids Struct 34(12) 1531-1546 (Apr 1997), 9A438
Stress singularities for crack normal to and terminating at bimaterial interface on orthotropic half-plates, Int J Fracture 81(2) 147-162 (1996), 9A766
Studies of stress concentration by using special hybrid stress elements, Int J Numer Methods Eng 40(8) 1399-1411 (Apr 1997), 10A560
New points of view on the nonlocal field theory and their applications to the fracture mechanics - I: Fundamental theory, Appl Math Mech 18(1) 45-54 (Jan 1997), 10A798
Complete eigen-solutions for plane notches with multi-materials by the imbedding method, Int J Fracture 81(4) 373-381 (1996), 10A841
Analytical, numerical, and experimental studies of effective elastic properties of periodically perforated materials, J Eng Mat Tech 118(1) 43-48 (Jan 1996), 11A362
Numerical solution of singular integral equations in stress concentration problems, Int J Solids Struct 34(19) 2429-2444 (Jul 1997), 11A363
Stress concentration factors of DK square-to-square tubular joints, J Offshore Mech Arctic Eng 117(4) 265-275 (Nov 1995), 11A364
Interaction of an arbitrary force with a flexible punch or with a penny-shaped crack, Quart J Mech Appl Math 50(2) 303-319 (May 1997), 11A374
Stress field around holes in antiplane shear using complex variable BEM, J Appl Mech 64(2) 432-435 (Jun 1997), 12T77
Analysis of the stress concentration factor for a shallow notch by the slip-line field method, Int J Fatigue 19(3) 191-194 (Mar 1997), 12A479
Free-edge stress singularity in a 2D unidirectional viscoelastic laminate model, J Appl Mech 64(2) 408-414 (Jun 1997), 12A480
Weight functions for notches: Constructive and variational definition, J Appl Mech 64(2) 270-274 (Jun 1997), 12A481
Tailored fiber placement to minimize stress concentrations, Composites Part A Appl Sci and Manuf 28A(7) 619-625 (1997), 12A571
Singular stress at the crack tip of a thick plate under in-plane loading, Int J Fracture 82(3) 237-252 (1996), 12A844

250F. Elastic imperfections (dislocations, etc)

Uniqueness in elastodynamics of dipolar materials with voids, J Thermal Stresses 19(5) 431-444 (Jul-Aug 1996), 1A435
Stress fields due to dislocation arrays at interfaces, Mech Mat 23(3) 191-203 (Jul 1996), 2A389
Stress fields due to dislocation walls in infinite and semi-infinite bodies, Mech Mat 23(3) 169-189 (Jul 1996), 2A390
Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - I: Sequential emission, Mech Mat 24(1) 1-10 (Sep 1996), 4A733
Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - II: Simultaneous emission, Mech Mat 24(1) 11-17 (Sep 1996), 4A734
Gleanings of radial cavitation, J Elast 44(2) 183-192 (Aug 1996), 6A458
Green's functions for a point force and dislocation outside an elliptic inclusion in plane elasticity, Z Angew Math Phys 47(6) 894-905 (Nov 1996), 6A473
Interaction of a dislocation and an inclusion in nonlocal elasticity, Int J Eng Sci 34(14) 1675-1688 (Nov 1996), 6A474
Somigliana ring dislocation revisited - Part I: Papkovich potential solutions for dislocations in an infinite space, J Elast 44(2) 97-114 (Aug 1996), 6A475
Somigliana ring dislocation revisited -Part II: Solutions for dislocations in a half space and in one of two perfectly bonded dissimilar half spaces, J Elast 44(2) 115-129 (Aug 1996), 6A476
Micromechanical analysis of surface defects, Math Mech Solids 1(4) 369-391 (Dec 1996), 6A522
Elastic force on a point defect in or near a surface layer, J Appl Mech 63(4) 1042-1045 (Dec 1996), 7A412
Continuum damage modeling: Approximation of crack induced anisotropy, Mech Res Commun 24(2) 109-114 (Mar-Apr 1997), 8T2
Interacting stress field around a composite crack with a misfitting inclusion, Int J Fracture 81(2) 163-170 (1996), 9A734
Generalized Peierls-Nabarro model for non-planar screw dislocation cores, J Mech Phys Solids 45(6) 903-921 (Jun 1997), 11A440
Fundamental dislocation solution for an infinite plate with application to related crack problems, Int J Solids Struct 34(21) 2755-2770 (Jul 1997), 12A482
Axisymmetric thermoelastic interactions without energy dissipation in an unbounded body with cylindrical cavity, J Elast 46(1) 19-31 (Jan 1997), 12A1337

250G. Variational and energy methods

Gradient theory of internal variables, Acta Mech 116(1-4) 1-14 (1996), 1A436
Variational formulations for the plane strain elastic-plastic problem for materials governed by the von Mises criterion, Int J Plasticity 12(4) 547-560 (1996), 1A469
Recent developments in parametrized variational principles for mechanics, Comput Mech 18(3) 159-174 (Jul 1996), 2A55
Variational approach to 2D grain growth - I: Theory, Acta Mat 44(12) 4765-4775 (Dec 1996), 5A394
Variational approach to 2D grain growth - II: Numerical results, Acta Mat 44(12) 4777-4789 (Dec 1996), 5A395
Global view of microstructural evolution: Energetics, kinetics and dynamical systems, Acta Mech Sinica 12(2) 144-157 (1996), 6A800
Variational principle on magnetoelastic interaction of ferromagnetic thin plates, Acta Mech Solida Sinica 10(1) 1-10 (1997), 10A674
Comprehensive energy formulation for general nonlinear material continua, J Appl Mech 64(2) 353-360 (Jun 1997), 12A2
Maupertuis-Lagrange mixed variational formula for laminated composite structures with a refined higher-order beam theory, Int J Non-Linear Mech 32(5) 989-1001 (Sep 1997), 12A483

250H. Contact problems and inclusions

Steady-state response of a Cosserat medium with a spherical inclusion, Acta Mech 116(1-4) 97-110 (1996), 1A5
Distribution of contact stresses along a worn fretting surface, Int J Solids Struct 33(23) 3477-3489 (Sep 1996), 1A437
Effect of microstructural fabric on dynamic load transfer in 2D assemblies of elliptical particles, J Mech Phys Solids 44(8) 1283-1303 (Aug 1996), 1A438
Elastic contact between a cylindrical surface and a flat surface: A non-Hertzian model of multi-asperity contact, Mech Res Commun 23(4) 367-380 (Jul-Aug 1996), 1T439
Finite element-quadratic programming approach for contact problems with geometrical nonlinearity, Comput Struct 61(1) 31-41 (Aug 1996), 1A440
Influence of surface properties on the rebound of a rigid ball on a rubber surface, J Adhesion 57(1-4) 5-19 (1996), 1A441
Interaction between a plane inclined ring-shaped punch and an elastic half-space, J Appl Math Mech 60(1) 127-134 (1996), 1A442
Piezoelectric solid with an elliptic inclusion or hole, Int J Solids Struct 33(23) 3343-3361 (Sep 1996), 1A443
Problem of elastic inclusions at finite concentration, Int J Solids Struct 33(20-22) 3131-3150 (Aug 1996), 1A444
Steady antiplane dynamic contact problem of a periodic structure for an elastic half-space, J Appl Math Mech 60(1) 135-144 (1996), 1A445
Stress analysis for nano-scaled elastic materials: Elastic contact problems considering surface stresses, JSME Int J Ser A 39(3) 337-345 (Jul 1996), 1A446
Two-level iterative FEM technique for rigorous solution of nonlinear interaction problems under large deformations, Comput Struct 61(1) 43-54 (Aug 1996), 1A447
Evaluation of contact pressure in gears with electrical simulation, J Friction Wear 16(3) 55-58 (1995), 1A879
Thermostressed state of transversally: Isotropic body with rigid elliptical inclusion (Russian), Prikl Mekh (Appl Mech) 32(1) 11-17 (1996), 1A1283
Contact problem for conforming cylindrical bodies, J Friction Wear 16(4) 35-44 (1995), 2A391
Contact problem for regular array of punches on an elastic layer bonded to an elastic substrate, J Friction Wear 16(4) 17-24 (1995), 2A392
Elliptic inclusion in anti-plane shear, Math Mech Solids 1(3) 327-333 (Sep 1996), 2A393
Pressure rolling contact: Steady state flow analysis and comparison with experimental data, Int J Solids Struct 33(25) 3739-3753 (Oct 1996), 2A394
Rectangular rigid stamp on a nonlocal elastic half-plane, Int J Solids Struct 33(24) 3577-3586 (Oct 1996), 2A395
State of stress induced by a conical indenter, J Strain Anal Eng Des 31(4) 325-327 (Jul 1996), 2A396
Stress distribution and crack initiation for an elastic contact including friction, Int J Solids Struct 33(25) 3673-3696 (Oct 1996), 2A397
Contact of rough spheres, J Friction Wear 16(5) 33-39 (1995), 2A857
Estimation of contact durability basing on metal strength and concentration of non-metallic inclusions, J Friction Wear 16(5) 58-66 (1995), 2A900
Hertz problem for a rigid punch moving across the surface of a semi-infinite elastic solid, Z Angew Math Phys 47(4) 601-615 (Jul 1996), 3A196
Approximate solution for the compression of a bonded thin annular disk, J Appl Mech 63(3) 780-787 (Sep 1996), 3A439
Indentation with adhesion of a symmetrical punch into an elastic half-plane, J Appl Math Mech 60(2) 261-267 (1996), 3A440
Interaction between a crack and a circular elastic inclusion under remote uniform heat flow, Int J Solids Struct 33(26) 3865-3880 (Nov 1996), 3A441
Lack-of-contact conditions for a penny-shaped crack under a polynomial normal loading, Acta Mech 117(1-4) 229-235 (1996), 3A442
Periodical contact problems for a half-space involving frictional heating, Int J Mech Sci 39(1) 87-95 (Jan 1997), 3A443
Stepwise loading of half-spaces in elliptical contact, J Appl Mech 63(3) 766-773 (Sep 1996), 3A444
Elliptic cavity in a 3D anisotropic body with inclined strata deformed by line loads and dislocations, Arch Appl Mech 66(8) 507-522 (Sep 1996), 3A445
Photoelastic determination of contact stresses of foundations, J Geotech Eng 122(8) 692-696 (Aug 1996), 3A592
Contact mechanics of rough surfaces and tribology, J Friction Wear 16(6) 3-19 (1995), 3A871
Nonuniqueness and stability in Barber's model of thermoelastic contact, J Appl Mech 63(3) 582-586 (Sep 1996), 3A1271
Transient response in a 1D model of thermoelastic contact, J Appl Mech 63(3) 575-581 (Sep 1996), 3A1274
Well-posedness for nonlinear problems in the theory of elastic materials with voids, Z Angew Math Mech 76(10) 573-582 (1996), 4A486
Closed-form Green's functions for transversely isotropic bi-solids with a slipping interface, Struct Eng and Mech 4(5) 469-484 (Sep 1996), 4A487
Inverse analysis for elastic medium with various lozenge cavities under in-plane and out-of-plane loadings (Japanese), J Soc Mat Sci Japan 45(8) 907-911 (Aug 1996), 4A488
Normal and tangential compliance for conforming binder contact - I: Elastic binder, Int J Solids Struct 33(29) 4337-4349 (Dec 1996), 4A489
Thinly coated inclusion with stress free strains in an elastic medium, Mech Res Commun 23(5) 505-509 (Sep-Oct 1996), 4T490
Normal and tangential compliance for conforming binder contact - II: Visco-elastic binder, Int J Solids Struct 33(29) 4351-4363 (Dec 1996), 4A508
Two axi-symmetrical contact problems with the steady-state frictional heating, J Theor Appl Mech 34(4) 767-779 (1996), 4A1257
Dynamic analysis of 2D frictional contact by linear complementarity problem formulation, Int J Solids Struct 33(30) 4605-4624 (Dec 1996), 5A396
Rhombic lattice of equi-stress inclusions in an elastic plate, Quart J Mech Appl Math 49(4) 565-580 (Nov 1996), 5A397
Green's functions for a point force and dislocation outside an elliptic inclusion in plane elasticity, Z Angew Math Phys 47(6) 894-905 (Nov 1996), 6A473
Adhesive contact and rolling of a rigid cylinder under the pull of gravity on the underside of a smooth-surfaced sheet of rubber, Int J Adhesion Adhesives 16(4) 249-254 (Nov 1996), 6A477
Contact problem of the elasticity theory for transversally isotropic half-space with elliptical boundary line of the boundary conditions (Russian), Prikl Mekh (Appl Mech) 32(6) 40-47 (1996), 6A478
Elasticity solutions for Hertzian loaded composite sandwich plates, J Aerospace Eng 10(1) 27-37 (Jan 1997), 6A479
Eshelby's inclusion problem for polygons and polyhedra, J Mech Phys Solids 44(12) 1977-1995 (Dec 1996), 6A480
Non-contact study of mechanical contact problem using TV-holographic interferometry, Int J Mech Sci 39(3) 331-340 (Mar 1997), 6A481
Contact force-displacement laws and the mechanical behavior of random packs of identical spheres, Mech Mat 24(3) 229-240 (Nov 1996), 6A537
Deformation of an elastic helix in contact with a rigid cylinder, Arch Appl Mech 67(1-2) 117-139 (Dec 1996), 6A572
Axisymmetric problem of a disc in a bimaterial sandwich: The (history dependent) scalar potential case, Int J Eng Sci 35(3) 229-251 (Feb 1997), 7A413
Delaminated inclusion in the case of adhesion and slippage, J Appl Math Mech 60(4) 665-675 (1996), 7A414
Eigenstrain problem of a spherical inclusion with an imperfectly bonded interface, J Appl Mech 63(4) 877-883 (Dec 1996), 7A415
Elastic field in a half-space with a circular cylindrical inclusion, J Appl Mech 63(4) 925-932 (Dec 1996), 7A416
Exact solution of tangential contact problem for a circular domain, J Mech Phys Solids 45(1) 113-134 (1 1997), 7A417
Extremum problem formulations of mixed-form models for elastostatics, J Appl Mech 63(4) 1041-1042 (Dec 1996), 7A418
Interaction of an arbitrary force with a flexible punch or with an external circular crack, Int J Eng Sci 34(15) 1753-1765 (Dec 1996), 7A419
Oblique compression of two elastic spheres, J Appl Mech 63(4) 1039-1041 (Dec 1996), 7A420
Transient response of an infinite elastic medium containing a spherical cavity with and without a shell embedment, Int J Eng Sci 35(2) 89-112 (Jan 1997), 7A421
Elastic stress fluctuations in random structure particulate composites, Eur J Mech A 16(1) 79-102 (1997), 7A481
Quasistatic thermoelastic contact problem for infinite two-layer circular cylinder under friction heating, J Thermal Stresses 20(1) 47-65 (Jan-Feb 1997), 7A1352
Application of the space enrichment method to problems of mechanical contact, Finite Elements Anal Des 24(3) 157-170 (Jan 1997), 8A20
Error estimates for the BE approximation of a contact problem in elasticity, Math Methods Appl Sci 20(3) 205-217 (Feb 1997), 8A64
Class of limit states of frictional joints: Formulation and existence theorem, Quart Appl Math 55(1) 69-87 (Mar 1997), 8A480
Conditions for contact-lack of contact along a loaded simple straight crack in plane isotropic elasticity, Eng Fracture Mech 56(5) 675-689 (Mar 1997), 8A481
Design of energy conserving algorithms for frictionless dynamic contact problems, Int J Numer Methods Eng 40(5) 863-886 (Mar 1997), 8A482
Exact solution of the plane elasticity problems for the non-symmetric airfoil crack, Mech Res Commun 24(2) 131-136 (Mar-Apr 1997), 8T483
Failure of a thin film due to inclusions on the interface, Int J Solids Struct 34(8) 949-967 (Mar 1997), 8A484
Pressure of a narrow ring-shaped punch on an elastic half-space, J Appl Math Mech 60(5) 799-812 (1996), 8A485
Resultant reactions in the transient contact problem for an anisotropic elastic half-space, J Appl Math Mech 60(5) 789-797 (1996), 8A486
Unsymmetrical elastic stamp on a nonlocal elastic half-plane, Comput Struct 63(1) 39-50 (Apr 1997), 8A487
Stress intensity factors for an embedded elliptical crack in a plate of finite thickness, Acta Mech 120(1-4) 127-140 (1997), 8A776
Diffraction of elastic shift waves on radially distributed rigid inclusion (Russian), Prikl Mekh (Appl Mech) 32(8) 56-62 (1996), 9A189
Large-scale contact-impact simulation and sensitivity analysis on distributed-memory computers, Comput Methods Appl Mech Eng 141(3-4) 373-388 (Feb 1997), 9A199
Approximate determination of dynamical and statistical contact stresses on rigid inner support (Russian), Prikl Mekh (Appl Mech) 32(9) 66-71 (1996), 9A439
Edge contact forces and quasi-balanced power, Meccanica 32(1) 33-52 (Feb 1997), 9A440
Efficient treatment of binary nonlinearities applied to elastic contact problems without friction, J Eng Math 31(1) 81-98 (Jan 1997), 9A441
Spherical indentation of compositionally graded materials: Theory and experiments, Acta Mat 45(4) 1307-1321 (Apr 1997), 9A442
Young's modulus and Poisson's ratio of an n-phase composite body reinforced with inclined inclusions, J Reinforced Plastics Composites 16(2) 167-181 (1997), 9A501
Contact algorithm for problems involving quadrilateral approximation of surfaces, Comput Struct 63(5) 963-975 (Jun 1997), 9A942
Contact stress analysis in ball screw mechanism using the tubular medial axis representation of contacting surfaces, J Mech Des 119(1) 8-14 (Mar 1997), 9A954
Thermostressed state of transversally-isotropic body with rigid elliptical inclusion subject to the action of the uniform heat flow in the inclusion plane (Russian), Prikl Mekh (Appl Mech) 32(8) 31-40 (1996), 9A1319
Boundary element solution of an inverse elasticity problem and applications to determining residual stress and contact stress, Int J Solids Struct 34(16) 2073-2086 (Jun 1997), 10A89
Solution method for dynamic contact problems, Comput Struct 63(6) 1053-1063 (Jun 1997), 10A286

Circular rigid punch with one smooth and another sharp ends on a half-plane with edge crack, J Appl Mech 64(1) 73-79 (Mar 1997), 10A561
Contact between elastic bodies with an elliptic contact interface in torsion, J Appl Mech 64(1) 144-148 (Mar 1997), 10A562
Linear complementary formulations involving frictional contact for elasto-plastic deformable bodies, J Appl Mech 64(1) 80-89 (Mar 1997), 10A563
Method for contact problems using virtual elements, Comput Methods Appl Mech Eng 143(3-4) 229-247 (Apr 1997), 10A564
Multiple circular inclusions in plane thermoelasticity, Int J Solids Struct 34(15) 1873-1892 (May 1997), 10A565
Nonstationary 3D contact problems of the generalized theory of elastothermodiffusion, Facta Univ Mech Auto Control Robotic 2(6) 33-37 (1996), 10A566
Volume integral equation technique for multiple inclusion and crack interaction problems, J Appl Mech 64(1) 23-31 (Mar 1997), 10A567
Stress intensity factors for an interface crack along an elliptical inclusion, Int J Fracture 82(2) 131-152 (1996), 10A803
In situ measurement of the Young's modulus of an embedded inclusion by acoustic microscopy, J Eng Mat Tech 119(2) 143-147 (Apr 1997), 10A859
Effect of friction and cavity depth on the elastic indentation of a cylindrical rod, Mech Mat 25(3) 163-172 (Apr 1997), 11A27
Characteristics of elastically contacting ideal rough surfaces, J Trib 118(1) 90-97 (Jan 1996), 11A361
Circular inclusion with imperfect interface: Eshelby's tensor and related problems, J Appl Mech 62(4) 860-866 (Dec 1995), 11A365
Effective elastic constants of solids containing spherical exclusions, J Composite Mat 31(9) 910-934 (1997), 11A366
Infinite plane loaded by a rivet of a different material, Int J Solids Struct 34(19) 2477-2496 (Jul 1997), 11A367
Mechanistic model for contact between rough surfaces, J Eng Mech 123(5) 475-484 (May 1997), 11A368
Rolling-sliding of a vibrating elastic body on an elastic substrate, J Trib 118(1) 147-152 (Jan 1996), 11A369
Rough elastic spheres in contact: Memory effects and the transverse force, J Mech Phys Solids 45(6) 1025-1036 (Jun 1997), 11A370
Stress singularities induced by the discretization in curved receding contact surfaces: A BEM analysis, Int J Numer Methods Eng 40(12) 2301-2320 (Jun 1997), 11A371
Interaction of an arbitrary force with a flexible punch or with a penny-shaped crack, Quart J Mech Appl Math 50(2) 303-319 (May 1997), 11A374
Indentation of solids with gradients in elastic properties - Part I: Point force, Int J Solids Struct 34(19) 2357-2392 (Jul 1997), 11A378
Indentation of solids with gradients in elastic properties - Part II: Axisymmetric indentors, Int J Solids Struct 34(19) 2393-2428 (Jul 1997), 11A379
Three-dimensional stress analysis in laminated composites with fasteners based on the B-spline approximation, Composites Part A Appl Sci and Manuf 28A(6) 559-571 (1997), 11A487
Computational Methods on Contact Mechanics III (Comput Mech, UK, 1997) 12N28
Stress field around holes in antiplane shear using complex variable BEM, J Appl Mech 64(2) 432-435 (Jun 1997), 12T77
Computation of the resultant forces and moments in elastic contact problems, Int J Eng Sci 35(7) 681-698 (May 1997), 12A484
Contact interaction of prestressed layer and elastic cylindrical dies, Prikl Mekh (Appl Mech) 33(4) 41-47 (1997), 12A485
Contact pressures as an elastic roller crosses a scratch, J Appl Mech 64(2) 425-427 (Jun 1997), 12A486
Flat inclusion problem in bonded dissimilar anisotropic elastic media under longitudinal shear loading, Acta Mech 121(1-4) 131-142 (1997), 12A487
Limit equilibrium of a stamp with a rounded base on the boundary of an elastic semiplane, Int J Eng Sci 35(7) 629-635 (May 1997), 12A488
Numerical-experimental analysis of an API 8-round connection, J Energy Resources Tech 119(2) 81-88 (Jun 1997), 12A489
Penny-shaped crack above the pole of a spherical inhomogeneity, Mech Mat 25(4) 263-272 (May-Jun 1997), 12A490
Regularization method for calculating engineering loads from strain data, Inverse Prob Eng 4(4) 271-294 (1997), 12A491
Simulation of rough, elastic contacts, J Appl Mech 64(2) 361-368 (Jun 1997), 12A492
Soil stress state orientation beneath a tire at various loads and inflation pressures, J Terramech 33(4) 185-194 (Jul 1996), 12A493
Stressed state of nonlinear elastic medium with spherical inclusion (Russian), Prikl Mekh (Appl Mech) 33(2) 18-25 (1997), 12A494
Stressed state of transversally isotropic half-space affected by forces and bending moments in the case of nonplane die elliptical in a plan (Russian), Prikl Mekh (Appl Mech) 32(10) 59-66 (1996), 12A495
Stresses in a flat plate due to a loose pin pressing against a cracked hole, J Strain Anal Eng Des 32(2) 145-156 (Mar 1997), 12A496
Elastic field of a spherical inhomogeneity with an imperfectly bonded interface, J Elast 46(2) 91-113 (Feb 1997), 12A499
Review on contact area measurement of pneumatic tire on rigid and deformable surfaces, J Terramech 33(5) 253-264 (Sep 1996), 12A697
Study of the effect of a rigid inclusion on thermal stressed state of a transversally isotropic body (Russian), Prikl Mekh (Appl Mech) 33(3) 36-43 (1997), 12A1340

250I. Anisotropic media

Positive definiteness of anisotropic elastic constants, Math Mech Solids 1(3) 301-314 (Sep 1996), 2A380
Boundary formulation for 3D anisotropic crack problems, Appl Math Model 20(9) 662-674 (Sep 1996), 2A398
Existence of an extraordinary degenerate matrix N for anisotropic elastic materials, Quart J Mech Appl Math 49(3) 405-417 (Aug 1996), 2A399
Stroh orthogonality relations: An alternative proof applicable to Lekhnitskii and Eshelby theories of an anisotropic body, J Elast 43(2) 137-145 (May 1996), 3A1
Point force and edge dislocation in a two-phase anisotropic medium, Z Angew Math Phys 47(4) 617-630 (Jul 1996), 3A436
Elliptic cavity in a 3D anisotropic body with inclined strata deformed by line loads and dislocations, Arch Appl Mech 66(8) 507-522 (Sep 1996), 3A445
Closed-form Green's functions for transversely isotropic bi-solids with a slipping interface, Struct Eng and Mech 4(5) 469-484 (Sep 1996), 4A487
Deformation of an anisotropic non-homogeneous cylinder, J Theor Appl Mech 34(4) 733-748 (1996), 4A491
Inversion technique for recovering the elastic constants of transversely isotropic materials, Geophys 61(5) 1247-1257 (Sep-Oct 1996), 4A786
Conservation laws and canonical forms in the Stroh formalism of anisotropic elasticity, Quart Appl Math 54(4) 739-758 (Dec 1996), 5A398
General duality principle in elasticity, Mech Mat 24(2) 87-123 (Oct 1996), 5A399
Plane strain gradient theory of multilevel media, Mech Solids 31(3) 2-11 (1996), 5A400
Spatial decay estimates for a class of second-order quasilinear elliptic partial differential equations arising in anisotropic nonlinear elasticity, Math Mech Solids 1(4) 411-423 (Dec 1996), 6A467
Fundamental solution of the incompatibility problem in 3D infinite anisotropic elasticity theory, Acta Mech 119(1-4) 25-34 (1996), 6A482
Periodic inclusions in anisotropic elasticity, Int J Eng Sci 34(14) 1623-1630 (Nov 1996), 6A483
Stroh formalism for anisotropic materials that possess an almost extraordinary degenerate matrix N, Int J Solids Struct 34(4) 401-413 (Feb 1997), 6A484
Axisymmetric problems of generalized anisotropic thermoelasticity, J Thermal Stresses 19(9) 781-794 (Dec 1996), 6A1299
Minimal representations for constitutive equations of anisotropic elastic materials, J Elast 45(1) 13-32 (Oct 1996), 7A422
Coatings optimization of embedded fiber optical sensors under thermal and mechanical load, Acta Mech Solida Sinica 9(4) 320-329 (1996), 7A1367
T, path independent integral in anisotropic media, Mech Res Commun 24(2) 137-144 (Mar-Apr 1997), 8T488
United point force solution for both isotropic and transversely isotropic media, Commun Numer Methods Eng 13(2) 95-102 (Feb 1997), 8A489
Soil response in cross-anisotropic seabed due to standing waves, J Geotech Geoenv Eng 123(1) 9-19 (Jan 1997), 8A654
Stress intensity factors of regularly perturbed-interface cracks of anisotropic bimaterials, Int J Solids Struct 34(10) 1235-1253 (Apr 1997), 8A777
Concentrated ring loadings in a full space or half space: Solutions for transverse isotropy and isotropy, Int J Solids Struct 34(11) 1379-1418 (Apr 1997), 9A437
Determinative equations of elastoplastic repeated deformation of a solid body taking into account the deformation anisotropy of material (Russian), Prikl Mekh (Appl Mech) 32(8) 14-22 (1996), 9A455
Boundary integro-differential equation for anisotropic bodies with initial strains or stresses, Appl Math Model 21(3) 145-153 (Mar 1997), 10A568
Evolution of anisotropy under plane stress, J Mech Phys Solids 45(5) 841-851 (May 1997), 11A372
Formula for the fundamental solution of anisotropic elasticity, Quart J Mech Appl Math 50(2) 179-194 (May 1997), 11A373
Interaction of an arbitrary force with a flexible punch or with a penny-shaped crack, Quart J Mech Appl Math 50(2) 303-319 (May 1997), 11A374
End effects in laminated anisotropic beams - Part I, J Energy Resources Tech 117(4) 279-284 (Dec 1995), 11A470
End effects in laminated anisotropic beams - Part II, J Energy Resources Tech 117(4) 285-289 (Dec 1995), 11A471
New regularization formulas in the BEM for anisotropic elasticity, Mech Res Commun 24(4) 391-397 (Jul-Aug 1997), 12T76
Flat inclusion problem in bonded dissimilar anisotropic elastic media under longitudinal shear loading, Acta Mech 121(1-4) 131-142 (1997), 12A487
Averaging anisotropic elastic constant data, J Elast 46(2) 151-180 (Feb 1997), 12A497
Generalized inverse of the compliance tensor, and behavior of incompressible anisotropic materials: Application to damage, Mech Res Commun 24(4) 371-376 (Jul-Aug 1997), 12T498
Effective anisotropy of short-fiber composites due to fiber ellipticity, Composites Sci Tech 57(6) 677-685 (Jun 1997), 12A565

250J. Nonhomogeneous media

Mechanics of Poroelastic Media (Kluwer, MA, 1996) 1N29
Forces and stresses in seam welded overlap joints derived from outer surface deformation, Eng Fracture Mech 54(6) 743-750 (Aug 1996), 1A937
Stress singularities near corner of wedged multi-dissimilar materials (Chinese), J Dalian Univ Tech 36(4) 391-395 (Jul 1996), 2A388
Deformation of nonhomogeneous anisotropic hollow bodies with different types of layers conjugation (Russian), Prikl Mekh (Appl Mech) 32(3) 12-18 (1996), 2T400
Fluid point source and point forces in linear elastic diffusive half-spaces, Mech Mat 23(3) 241-253 (Jul 1996), 2A401
Elastostatics of multilayered solids subjected to general surface traction, Quart J Mech Appl Math 49(3) 471-499 (Aug 1996), 2A440
Standardized complex and logarithmic eigensolutions for n-material wedges and junctions, Int J Fracture 77(1) 51-76 (1996), 2A694
Torsion of a non-homogeneous infinite elastic cylinder slackened by a circular cut, J Eng Math 30(5) 547-555 (Sep 1996), 3A432
Torsion of an elastic non-homogeneous layer by two circular disks, J Eng Math 30(5) 557-572 (Sep 1996), 3A433
Consolidation of a nonlinear poroelastic layer in finite deformations, Eur J Mech A 15(4) 575-598 (1996), 3A434
Antiplane shear analysis of a semi-infinite multi-layered monoclinic strip, Acta Mech 117(1-4) 205-214 (1996), 3A446
Deformation of an anisotropic non-homogeneous cylinder, J Theor Appl Mech 34(4) 733-748 (1996), 4A491
Twinning in thin films - I: Elastic analysis, Acta Mat 44(10) 4085-4096 (Oct 1996), 4A492
Twinning in thin films - II: Equilibrium microstructures, Acta Mat 44(10) 4097-4113 (Oct 1996), 4A493
Influence of the different behavior at tension and compression on density distribution of porous metals, Mech Res Commun 23(5) 537-542 (Sep-Oct 1996), 4T517
Mechanical Properties of Ceramics (Wiley, New York, 1996) 5R9
Decay estimates for micropolar elastic cylinders, Int J Eng Sci 34(14) 1601-1609 (Nov 1996), 6A485
Hierarchical modeling of heterogeneous bodies, Comput Methods Appl Mech Eng 138(1-4) 273-298 (Dec 1996), 6A486
Stress singularity analysis in 3D bonded structure, Int J Solids Struct 34(4) 461-480 (Feb 1997), 6A487
Note on inhomogeneous deformations of linear elastic layers, IMA J Appl Math 57(3) 311-324 (Dec 1996), 8A477
Stress analysis in elastic joint structures, Int J Mech Sci 39(7) 873-883 (Jul 1997), 8A490
Characterization and modeling of the tensile properties of plain weft-knit fabric-reinforced composites, Composites Sci Tech 57(1) 1-22 (Jan 1997), 8A539
Analysis of the mechanical behavior of bimetallic strips under the plain strain compression test (Spanish), J Brazilian Soc Mech Sci 19(1) 80-91 (Mar 1997), 9A443
Analytical treatment of axisymmetrical thermoelastic field with Kassir's nonhomogeneous material properties and its adaptation to boundary value problem of slab under steady temperature field, J Thermal Stresses 20(3-4) 325-343 (Apr-Jun 1997), 10A1373
Conservation laws in nonhomogeneous plane elastostatics, J Mech Phys Solids 45(5) 789-805 (May 1997), 11A375
Heterogeneous solids - Part I: Analytical and numerical 1D results on boundary effects, Eur J Mech A 16(3) 409-423 (1997), 11A376
Heterogeneous solids - Part II: Numerical 2D results on boundary and other relevant phenomena, Eur J Mech A 16(3) 425-443 (1997), 11A377
Indentation of solids with gradients in elastic properties - Part I: Point force, Int J Solids Struct 34(19) 2357-2392 (Jul 1997), 11A378
Indentation of solids with gradients in elastic properties - Part II: Axisymmetric indentors, Int J Solids Struct 34(19) 2393-2428 (Jul 1997), 11A379
Note on stress- and strain-analysis for materials with different elastic modulus and a photoelastic solution of the stress state for points on the interface, J Mat Processing Tech 65(1-3) 165-171 (Mar 1997), 11A380
Two-dimensional stress analysis and strength evaluation of band adhesive butt joints subjected to tensile loads, J Adhesion Sci Tech 11(6) 811-833 (1997), 11A381
Drained granular material under cyclic loading with temperature-induced soil and structure interaction, Appl Mech Rev 50(10) 553-579 (Oct 1997), 11A554
Elastic energy of disordered cubic networks of springs, Mech Mat 25(3) 173-182 (Apr 1997), 11A1440
Flat inclusion problem in bonded dissimilar anisotropic elastic media under longitudinal shear loading, Acta Mech 121(1-4) 131-142 (1997), 12A487
Elastic field of a spherical inhomogeneity with an imperfectly bonded interface, J Elast 46(2) 91-113 (Feb 1997), 12A499
Surface displacements of a nonhomogeneous elastic half-space subjected to uniform surface tractions - Part I: Loading on arbitrarily shaped areas, Int J Numer Anal Methods Geomech 21(6) 361-378 (Jun 1997), 12A500
Surface displacements of a nonhomogeneous elastic half-space subjected to uniform surface tractions - Part II: Loading on rectangular shaped areas, Int J Numer Anal Methods Geomech 21(6) 379-395 (Jun 1997), 12A501

250K. Residual stresses

Stress analysis for nano-scaled elastic materials: Elastic contact problems considering surface strcsses, JSME Int J Ser A 39(3) 337-345 (Jul 1996), 1A446
Surface strains due to face loading of a slot in a layered half-space, J Eng Mat Tech 118(3) 410-418 (Jul 1996), 1A448
Method for measuring residual strains in fiber-reinforced titanium matrix composites, Acta Mat 44(8) 3397-3406 (Aug 1996), 1A524
Optimization of depth increment distribution in the ring-core method, J Strain Anal Eng Des 31(4) 251-258 (Jul 1996), 2A402
Residual stress induced distortions during fabrication of composite shells, J Reinforced Plastics Composites 15(8) 793-805 (Aug 1996), 2A485
Numerical study of quenching of an aluminum solid cylinder, J Thermal Stresses 19(6) 513-529 (Sep 1996), 3A1273
Volume-relaxation effects on the thermal-residual stresses in an injection-molded strip, J Thermal Stresses 19(9) 795-808 (Dec 1996), 6A488
Residual stresses associated with post-cure shrinkage in GRP tubes, Composites Sci Tech 57(1) 47-54 (Jan 1997), 8A538
Plane-strain FE model for process-induced residual stresses in a graphite-PEEK composite, J Composite Mat 31(3) 212-243 (1997), 9A27
Boundary element solution of an inverse elasticity problem and applications to determining residual stress and contact stress, Int J Solids Struct 34(16) 2073-2086 (Jun 1997), 10A89
Residual stresses in composites with coated particles, J Composite Mat 31(10) 1046-1059 (1997), 11A382
Stress calculation error analysis for incremental hole-drilling residual stress measurements, J Eng Mat Tech 118(1) 120-126 (Jan 1996), 11A383
New method to determine triaxial non-uniform residual stresses from measurements using the hole drilling method, Strain 33(2) 39-45 (May 1997), 12A48

250Y. Computational techniques

Generalized Newton method for higher order FE approximations in nonlinear elasticity, Int J Numer Methods Eng 39(15) 2635-2646 (Aug 1996), 1A62
Green's tensor for an elastic cylinder and its applications in the development of the Saint-Venant theory, J Appl Math Mech 60(1) 97-104 (1996), 1A449
Interelement stress evaluation by BEs, Int J Numer Methods Eng 39(14) 2399-2415 (Jul 1996), 1A450
Method of homogeneous solutions and biorthogonal expansions in the plane problem of the theory of

elasticity for an orthotropic body, J Appl Math Mech 60(1) 105-112 (1996), 1A451
Necessary and sufficient boundary integral formulation for plane elasticity problems, Commun Numer Methods Eng 12(7) 413-424 (Jul 1996), 1A452
Numerical methods versus asymptotic expansion for torsion of hollow elastic beams, Tech Mech 16(2) 169-177 (1996), 1A453
Stress-induced phase transformations in elastic solids under anti-plane deformations: Dissipative constitutive models and numerical simulation, Comput Methods Appl Mech Eng 133(1-2) 47-77 (Jun 1996), 1A454
Universal algorithm based on complex hypersingular integral equation to solve plane elasticity problems, Comput Mech 18(2) 127-138 (Jun 1996), 1A455
Set of hybrid equilibrium FE models for the analysis of 3D solids, Int J Numer Methods Eng 39(16) 2789-2802 (Aug 1996), 2A35
Fluid point source and point forces in linear elastic diffusive half-spaces, Mech Mat 23(3) 241-253 (Jul 1996), 2A401
Effective error estimation from continuous, boundary admissible estimated stress fields, Comput Struct 61(2) 331-343 (Oct 1996), 2A403
Elastic-plastic FE analysis of spall formation in gears, Wear 197(1-2) 197-205 (Sep 1996), 2A404
Integral equation methods in plane asymmetric elasticity, J Elast 43(1) 31-43 (Apr 1996), 2A405
Class of integral equations of the axisymmetric theory of elasticity for a composite space with gaps at the interface, J Appl Math Mech 60(2) 253-259 (1996), 3A447
Computational methods for inverse finite elastostatics, Comput Methods Appl Mech Eng 136(1-2) 47-57 (Sep 1996), 3A448
Finite element implementation of incompressible, transversely isotropic hyperelasticity, Comput Methods Appl Mech Eng 135(1-2) 107-128 (Aug 1996), 3A449
Non-singular Somigliana stress identities in elasticity, Int J Numer Methods Eng 39(19) 3273-3304 (Oct 1996), 3A450
Numerical computation of algorithmic (consistent) tangent moduli in large-strain computational inelasticity, Comput Methods Appl Mech Eng 134(3-4) 223-240 (Aug 1996), 3A451
Semi-analytical solution of 2D elasticity problems by the strip distributed transfer function method, Int J Solids Struct 33(27) 3983-4005 (Nov 1996), 3A452
Outlooks in Saint Venant theory - Part II: Torsional rigidity, shear-stress "and all that" in the torsion of cylinders with section of variable thickness, Arch Mech 48(4) 753-763 (1996), 4A57
Closed-form Green's functions for transversely isotropic bi-solids with a slipping interface, Struct Eng and Mech 4(5) 469-484 (Sep 1996), 4A487
Inverse analysis for elastic medium with various lozenge cavities under in-plane and out-of-plane loadings (Japanese), J Soc Mat Sci Japan 45(8) 907-911 (Aug 1996), 4A488
Stress analysis of closely-coiled helical springs using differential quadrature, Mech Res Commun 23(6) 589-598 (Nov-Dec 1996), 6T469
Absolutely stable numerical procedures for solution of nonlinear deformation problems of solids (Russian), Prikl Mekh (Appl Mech) 32(6) 66-73 (1996), 6A489
General exact transformation of body-force volume integral in BEM for 2D anisotropic elasticity, Comput Mech 19(1) 1-10 (Nov 1996), 6A490
Image method for Green's function of anisotropic half-plane with inclined boundary, Int J Eng Sci 34(14) 1563-1571 (Nov 1996), 6A491
Mixed FEMs for incompressible and nearly incompressible finite elasticity, Comput Mech 19(2) 105-119 (Dec 1996), 6A492
Removal of rigid body motions in the solution of elastostatic problems by direct BEM, Int J Numer Methods Eng 39(23) 4021-4038 (Dec 1996), 6A493
Symmetric BEM in 2D elasticity: Evaluation of double integrals for curved elements, Comput Mech 19(1) 58-68 (Nov 1996), 6A494
Treatment of body-force volume integrals in BEM by exact transformation for 2D anisotropic elasticity, Int J Numer Methods Eng 40(1) 89-109 (Jan 1997), 6A495
Construction of solutions of problems in the theory of elasticity in the form of series in powers of the elasticity constants and their application to viscoelasticity, J Appl Math Mech 60(4) 647-655 (1996), 7A423
Finite element approach for J, calculation in anisotropic materials, Comput Struct 62(4) 635-641 (Feb 1997), 7A424
r-Adaptation in FE modeling of elastic solids, Comput Struct 63(2) 249-257 (Apr 1997), 8A24
Applications of fractals in material science and engineering, Chaos Solitons Fractals 8(2) 135-301 (Feb 1997), 8A491
Complex variable solution for a deforming circular tunnel in an elastic half-plane, Int J Numer Anal Methods Geomech 21(2) 77-89 (Feb 1997), 8A492
Singular solutions of the theory of elasticity, J Appl Math Mech 60(5) 863-865 (1996), 8A493
Superconvergent stress recovery technique with equilibrium constraint, Int J Numer Methods Eng 40(6) 1139-1160 (Mar 1997), 9A444
Selection of a locking-free *hp* element for elasticity problems, Int J Numer Methods Eng 40(11) 2045-2062 (Jun 1997), 10A71
Asymptotic method for analyzing the stress in a functionally gradient material layer on a surface of a structural component, Acta Mech Solida Sinica 10(1) 36-47 (1997), 10A105
Boundary integro-differential equation for anisotropic bodies with initial strains or stresses, Appl Math Model 21(3) 145-153 (Mar 1997), 10A568
Analysis of some quadrilateral nonconforming elements for incompressible elasticity, SIAM J Numer Anal 34(2) 640-663 (Apr 1997), 10A569
Mixed least squares method for solving problems in linear elasticity: Formulation and initial results, Comput Mech 19(4) 317-326 (Mar 1997), 10A570
Perturbed Lagrangian formulation for nearly incompressible and incompressible hyperelasticity, Comput Methods Appl Mech Eng 142(2-3) 335-351 (Mar 1997), 10A571
Robust preconditioners for linear elasticity FEM analyses, Int J Numer Methods Eng 40(11) 2109-2127 (Jun 1997), 10A572
Two-level Schwarz methods for Wilson element approximation of elasticity problem, Comput Methods Appl Mech Eng 142(2-3) 257-268 (Mar 1997), 10A573
Upper bound FE procedure for solving large plane strain deformation, Int J Numer Methods Eng 40(10) 1909-1922 (May 1997), 10A574
Iterative solution of large 3D BEM elastostatic analyses using the GMRES technique, Int J Numer Methods Eng 40(12) 2227-2236 (Jun 1997), 11A58
Highly accurate numerical solution of a biharmonic equation, Numer Methods PDE 13(4) 375-391 (Jul 1997), 11A384
Non-nested Galerkin multi-grid method for solving linear and nonlinear solid mechanics problems, Comput Methods Appl Mech Eng 144(3-4) 307-325 (May 1997), 11A385
Nonlinear stress analysis problems by spectral collocation methods, Comput Methods Appl Mech Eng 145(1-2) 185-201 (Jun 1997), 11A386
Preconditioned conjugate residual methods for mixed spectral discretizations of elasticity and Stokes problems, Comput Methods Appl Mech Eng 146(1-2) 19-30 (Jul 1997), 11A387
Boundary Element Methods in Manufacturing (Oxford UP, New York, 1997) 12R1
Computational Methods on Contact Mechanics III (Comput Mech, UK, 1997) 12N28
Boundary element based solution of an inverse elasticity problem by conjugate gradient and regularization method, Inverse Prob Eng 4(4) 295-321 (1997), 12A502
Corner tensor in 3D linear elasticity, Eng Anal Boundary Elements 18(4) 327-331 (Dec 1996), 12A503
Symmetry of PDEs and their applications to elasticity equations (Chinese), J Dalian Univ Tech 37(3) 247-253 (May 1997), 12A504

252. VISCOELASTICITY

252A. General theory

New viscoelastic constitutive model for continuous media at finite thermomechanical changes, Int J Solids Struct 33(20-22) 3019-3034 (Aug 1996), 1A9
Control volume approach for integral viscoelastic models and its application to contraction flow of polymer melts, J Non-Newtonian Fluid Mech 64(2-3) 173-189 (Jun 1996), 1A456
Determination of parameters of the Bodner-Partom model of thermoviscoelastic deformation of materials (Russian), Prikl Mekh (Appl Mech) 32(2) 64-72 (1996), 1A1278
Motions with zero acceleration and their relevance in viscoelasticity, J Non-Newtonian Fluid Mech 65(2-3) 299-306 (Aug 1996), 3A453
Hadamard stability for compressible viscoelastic constitutive equations, J Non-Newtonian Fluid Mech 65(2-3) 151-163 (Aug 1996), 3A1133
Constitutive model in thermoviscoelasticity, Mech Res Commun 23(5) 543-548 (Sep-Oct 1996), 4T494
Asymptotic approximations for systems incorporating fractional derivative damping, J Dyn Syst Meas Control 118(3) 572-579 (Sep 1996), 4A919
Decay rates for viscoelastic plates with memory, J Elast 44(1) 61-87 (Jul 1996), 5A470
Oscillations and dissipative heating of a multilayer shell of revolution made of viscoelastic material (Russian), Prikl Mekh (Appl Mech) 32(6) 82-89 (1996), 6T170
Numerical conversion of transient to harmonic response functions for linear viscoelastic materials, J Biomech 30(2) 197-202 (Feb 1997), 7A1543
Detailed comparison of various FENE dumbbell models, J Non-Newtonian Fluid Mech 68(1) 17-42 (Jan 1997), 8A494
Inverse problems for identification of memory kernels in viscoelasticity, Math Methods Appl Sci 20(4) 291-314 (Mar 1997), 8A495
Saint-Venant's principle in dynamic linear viscoelasticity, Quart Appl Math 55(1) 139-149 (Mar 1997), 8T496
Separation of energies in viscoelasticity, Mech Res Commun 24(2) 167-177 (Mar-Apr 1997), 8A497
Approximation to the KBKZ constitutive equation, J Non-Newtonian Fluid Mech 69(2-3) 239-254 (Apr 1997), 11A388
Distributional concept of the elastic viscoelastic correspondence principle, J Appl Mech 62(4) 847-852 (Dec 1995), 11A389
Effective properties of porous ideally plastic or viscoplastic materials containing rigid particles, J Mech Phys Solids 45(6) 873-902 (Jun 1997), 11A390
Dynamics of thick viscoelastic beams, J Eng Mat Tech 119(3) 273-278 (Jul 1997), 12A505

252B. Linear theory

Time-dependent tension softening, Mech Cohesive-Frictional Mat 1(3) 295-304 (Jul 1996), 2A6
Analytic expression of the free energy in linear viscoelasticity, J Elast 43(3) 247-278 (Jun 1996), 5A401
Quasi-static problems with elastic and viscous boundary conditions in linear viscoelasticity, Quart Appl Math 54(4) 687-696 (Dec 1996), 5A402
Particle orientation in talc-filled thermoplastics extruded through cylindrical, rectangular, and annular dies, J Non-Newtonian Fluid Mech 66(2-3) 257-270 (Oct 1996), 6A682
Saint-Venant's principle in dynamic linear viscoelasticity, Quart Appl Math 55(1) 139-149 (Mar 1997), 8T496
Singular stress behavior in a bonded hereditarily-elastic aging wedge - Part I: Problem statement and degenerate case, Math Methods Appl Sci 20(1) 13-30 (Jan 1997), 8A498
Singular stress behavior in a bonded hereditarily-elastic aging wedge - Part II: General heredity, Math Methods Appl Sci 20(1) 31-45 (Jan 1997), 8T499
Viscoelastic continuum damage model and its application to uniaxial behavior of asphalt concrete, Mech Mat 24(4) 241-255 (Dec 1996), 8A770
Free-edge stress singularity in a 2D unidirectional viscoelastic laminate model, J Appl Mech 64(2) 408-414 (Jun 1997), 12A480
Response of beams of nonlinear viscoelastic materials exhibiting strain-dependent stress relaxation, Int J Non-Linear Mech 32(5) 863-883 (Sep 1997), 12A506
Linear stability of multilayer plane Poiseuille flows of Oldroyd B fluids, J Non-Newtonian Fluid Mech 71(1-2) 1-23 (Jul 1997), 12A1137

252C. Nonlinear and finite deformation problems

Finite Elasticity and Viscoelasticity (World Sci Pub, River Edge, NJ, 1996) 1R20
Adaptive viscoelastic stress splitting scheme and its applications: AVSS-SI and AVSS-SUPG, J Non-Newtonian Fluid Mech 65(1) 75-91 (Jul 1996), 1T457
Observations of viscoelastic instabilities in recirculation flows of Boger fluids, J Non-Newtonian Fluid Mech 64(2-3) 141-155 (Jun 1996), 1A458
Structural transformations and viscoelastic response of sheared fingerprint cholesteric textures, J Non-Newtonian Fluid Mech 64(2-3) 207-227 (Jun 1996), 1A459
Numerical solution for dry contact between two viscoelastic rollers, Trib Trans 39(3) 627-635 (Jul 1996), 1A464
Inverse problems of nonelastic plate shaping, Mech Solids 31(1) 84-92 (1996), 1A559
Large solutions for the quasistatic problem in nonlinear viscoelasticity with the constitutive equations of Bodner-Partom, Math Methods Appl Sci 19(12) 933-942 (Aug 1996), 2A406
Hopf bifurcations of viscoelastic fluids heated from below, J Non-Newtonian Fluid Mech 66(1) 1-34 (Sep 1996), 3A102
Nonstationary von Karman equations, Z Angew Math Mech 76(10) 559-571 (1996), 4A140
Simulation of some model viscoelastic extensional flows, Int J Numer Methods Fluids 23(7) 691-710 (Oct 1996), 4A495
Predictions of nonlinear viscoelastic behavior using a hybrid approach, Int J Solids Struct 33(30) 4561-4570 (Dec 1996), 5A403
Can nonlinear deformation amplify subtle differences in linear viscoelasticity?, J Non-Newtonian Fluid Mech 66(2-3) 193-212 (Oct 1996), 6A496
Initiation and growth of strain bands in rate-type viscoelastic materials - Part I: Discontinuous strain solutions, Eur J Mech A 15(6) 969-988 (1996), 6A497
Initiation and growth of strain bands in rate-type viscoelastic materials - Part II: The energetics of the banding mechanism, Eur J Mech A 15(6) 989-1011 (1996), 6A498
Motion of a sphere oscillating at low Reynolds numbers in a viscoelastic-fluid-filled cylindrical tube, J Non-Newtonian Fluid Mech 66(2-3) 169-192 (Oct 1996), 6A499
Pressurized cylinder problem for nonlinear viscoelastic materials with a strain clock, Math Mech Solids 1(4) 393-409 (Dec 1996), 6A500
Application of fractional operators to the analysis of damped vibrations of viscoelastic single-mass systems, J Sound Vib 199(4) 567-586 (Jan 1997), 8A120
Flow of a viscoelastic fluid between two rotating circular cylinders subject to suction or injection, Int J Numer Methods Fluids 24(3) 337-349 (Feb 1997), 8A500
Model of adaptive links in finite viscoelasticity, Mech Res Commun 24(2) 161-166 (Mar-Apr 1997), 8T501
Comparative evaluation of some existing rate-type constitutive equations for a viscoelastic fluid undergoing wiggle flow, J Non-Newtonian Fluid Mech 68(1) 1-15 (Jan 1997), 8A1010
Formulation and implementation of 3D viscoelasticity at small and finite strains, Comput Mech 19(3) 228-239 (Feb 1997), 9A445
Orthotropic viscoelastic winding model including a nonlinear radial stiffness, J Appl Mech 64(1) 201-208 (Mar 1997), 10A575
Post buckling analysis of imperfect nonlinear viscoelastic columns, Int J Solids Struct 34(14) 1751-1760 (May 1997), 10A659
Deformable roll coating flows: Steady state and linear perturbation analysis, J Fluid Mech 339 143-172 (May 1997), 11A391
Extrudate swell and isothermal melt spinning analysis of linear low density polyethylene using the Wagner constitutive equation, J Non-Newtonian Fluid Mech 69(2-3) 113-136 (Apr 1997), 11A392
Shear-band formation in a non-Newtonian fluid model with a constitutive instability, J Non-Newtonian Fluid Mech 69(2-3) 195-206 (Apr 1997), 11A393
Brownian configuration fields and variance reduced CONNFFESSIT, J Non-Newtonian Fluid Mech 70(3) 255-261 (Jun 1997), 11T401
Development of secondary motions in straight channels induced by the second normal stress difference: Experiments and simulations, J Non-Newtonian Fluid Mech 69(2-3) 255-271 (Apr 1997), 11A1036
Visco-hyperelastic model for filled rubbers used in vibration isolation, J Eng Mat Tech 119(3) 292-297 (Jul 1997), 12A213
Constitutive model for nonlinear viscoelastic media, Int J Solids Struct 34(21) 2685-2707 (Jul 1997), 12A507
Multiaxial nonlinear viscoelastic characterization and modeling of a structural adhesive, J Eng Mat Tech 119(3) 205-210 (Jul 1997), 12A508
Presentation and comparison of two large deformation viscoelasticity models, J Eng Mat Tech 119(3) 251-255 (Jul 1997), 12A509
Viscoelastic analysis of von Karman laminated plates under in-plane compression with initial deflection, Int J Non-Linear Mech 32(6) 1065-1075 (Nov 1997), 12A517
Non-viscoelastic drag reducing cationic surfactant system, J Non-Newtonian Fluid Mech 71(1-2) 59-72 (Jul 1997), 12A1121

252F. Creep

Continuum predictions of deformation in composites with two creeping phases - I: Model systems, Acta Mat 44(8) 3249-3257 (Aug 1996), 1A460
Creep densification of copper powder compact, Int J Mech Sci 38(11) 1197-1208 (Nov 1996), 1A461
Inelastic flow behavior of argillaceous salt, Int J Damage Mech 5(3) 292-314 (Jul 1996), 1A462
Method for the transformation of creep constitutive equations, Int J Pressure Vessels Piping 68(3) 299-309 (Oct 1996), 1A463
Fatigue and creep in titanium grade 2, Int J Fatigue 18(4) 227-233 (May 1996), 1A694
Size effect on creep energy dissipation during stable crack growth, Eng Fracture Mech 54(6) 897-899 (Aug 1996), 1A711
Time-dependent tension softening, Mech Cohesive-Frictional Mat 1(3) 295-304 (Jul 1996), 2A6
Creep constitutive equations for a 0.5Cr-0.5Mo-0.25V ferritic steel in the temperature range 600 - 675°C, J Strain Anal Eng Des 31(4) 299-314 (Jul 1996), 2A407
High-temperature creep of low-dielectric-constant glass composites, J Mat Res 11(8) 2098-2103 (Aug 1996), 2A408
Variational principles, numerical schemes, and bounding theorems for deformation by Nabarro-Herring creep, J Mech Phys Solids 44(9) 1429-1452 (Sep 1996), 3A454
Carbide coarsening during creep in 12% CrMoV steel, J Eng Mat Tech 118(4) 485-492 (Oct 1996), 4A496

Creep in building stones under tensile conditions, J Eng Mat Tech 118(4) 456-462 (Oct 1996), 4A497
Note on the variation of Young's modulus, absorptive power of impactive energy, fracture toughness and creep strain rate during the creep process, J Mat Processing Tech 59(4) 394-396 (Jun 1996), 4A498
Densification forming of alumina powder: Effects of power law creep and friction, J Eng Mat Tech 118(4) 471-477 (Oct 1996), 4A687
New creep lifetime prediction method: The C-project concept, Int J Pressure Vessels Piping 69(2) 161-167 (Dec 1996), 4A720
Creep constitutive modeling of an aluminum alloy under multiaxial and cyclic loading, Int J Plasticity 12(6) 761-780 (1996), 5A404
Full scale highway load test of flexible pavement systems with geogrid reinforced base courses, Geosynthetics Int 3(4) 537-549 (1996), 5A405
Creep buckling of ovalized tubes under external pressure, J Pressure Vessel Tech 118(4) 460-463 (Nov 1996), 5A500
Study of fatigue and creep behavior of four high temperature solders, Fatigue Fracture Eng Mat Struct 19(11) 1401-1409 (1996), 5A598
Observations on the creep of two-material structures, J Strain Anal Eng Des 31(6) 441-461 (Nov 1996), 6A501
Application of viscoelastic BEM to creep problems in chemical engineering structures, Int J Pressure Vessels Piping 70(1) 27-31 (Jan 1997), 7A57
Influence of microstructural variations on steady state creep and facet stresses in 2D freely sliding polycrystals, Int J Solids Struct 34(6) 703-726 (Feb 1997), 7A425
Modeling of recovery controlled creep in nickel-based superalloy single crystals, Acta Mat 45(1) 125-135 (Jan 1997), 7A426
Creep behavior of a SiC particulate reinforced Al-2618 metal matrix composite, Acta Mat 45(1) 41-49 (Jan 1997), 7A463
Fatigue crack propagation in austenitic steels and their weldments under isothermal and thermal cyclic loading in the range of creep temperatures, Int J Pressure Vessels Piping 70(2) 85-90 (Feb 1997), 7T660
Concrete at High Temperatures: Material Properties and Mathematical Models (Longman Sci Tech, Harlow, Essex, UK, 1996) 8R1
Compressive creep of IM7-K3B composite and the effects of physical aging on viscoelastic behavior, Exp Mech 37(1) 62-68 (Mar 1997), 8A502
Creep behavior of an aluminum 2024 alloy produced by powder metallurgy, Acta Mat 45(2) 529-540 (Feb 1997), 8A503
Creep response of woven-fiber composites and the effect of stitching, Composites Sci Tech 57(1) 91-98 (Jan 1997), 8A504
Creep rupture of polymers: A statistical model, Int J Solids Struct 34(9) 1105-1122 (Mar 1997), 8A505
Three-dimensional analysis of the creep due to a viscous grain boundary phase, Acta Mat 45(3) 1259-1273 (Mar 1997), 8A506
Uniaxial ratchetting in linear viscoelasticity, Acta Mech 120(1-4) 157-172 (1997), 8A507
Asymptotic analysis to a tensile crack in creeping solids coupled with damage - Part II: Large damage region very near the crack tip, Int J Solids Struct 34(10) 1183-1197 (Apr 1997), 8A779
Creep damage modeling based on ultrasonic velocities in copper, Int J Solids Struct 34(10) 1169-1182 (Apr 1997), 8A780
Constitutive creep model for single crystal ice, Mech Mat 25(2) 97-112 (Mar 1997), 9A5
Transverse creep behavior of a unidirectional metal matrix composite, Mech Mat 25(1) 37-46 (Jan-Feb 1997), 9A446
Application of the model of nonlinear creep to determine the long-term creep strength of conveyor belts, Arch Gornictwa 41(4) 543-551 (1996), 9A948
Elastic stress in single crystal Ni-base superalloys and the driving force for their microstructural evolution under high temperature creep conditions, Acta Mat 45(5) 1801-1810 (May 1997), 10A576
Method for estimating the stress distributions on the center line of an axisymmetric, two-material, cross-weld, creep test specimen, Int J Mech Sci 39(8) 885-898 (Aug 1997), 11A394
Uniaxial constant compressive stress creep tests on sea ice, J Offshore Mech Arctic Eng 117(4) 283-289 (Nov 1995), 11A395
Analysis of a set of creep-strain-rate and time-to-creep fracture data for a 9CR-1Mo-0.2V steel, High Temp Mat Proc 16(2) 97-107 (Apr-Jun 1997), 11A658
Damage mechanics treatment of creep failure in rock salt, Int J Damage Mech 6(2) 121-152 (Apr 1997), 11A661
Practical method based on stress evaluation (σ_c criterion) to predict initiation of crack under creep and creep-fatigue conditions, J Pressure Vessel Tech 117(4) 335-340 (Nov 1995), 11A663
Probabilistic model for the growth of creep cracks, Eng Fracture Mech 57(1) 25-39 (May 1997), 11A669
High-temperature creep behavior of aluminium-matrix composites reinforced with SiC, Al_2O_3 and TiB, particles, Composites Sci Tech 57(6) 697-702 (Jun 1997), 12A510
Recovering nonisothermal physical aging shift factors via continuous test data: Theory and experimental results, J Eng Mat Tech 119(3) 233-241 (Jul 1997), 12A511
Secant-viscosity approach to the time-dependent creep of an elastic-viscoplastic composite, J Mech Phys Solids 45(7) 1069-1083 (Jul 1997), 12A512
Stress singularities at the free surface of an axisymmetric two-material creep test specimen, J Strain Anal Eng Des 32(2) 107-117 (Mar 1997), 12A513
Time-dependent adhesion-induced phenomena: Viscoelastic creep of a substrate polymer over rigid particles, J Adhesion 62(1-4) 151-168 (May 1997), 12A514

252G. Stress relaxation

Time-dependent tension softening, Mech Cohesive-Frictional Mat 1(3) 295-304 (Jul 1996), 2A6
Process-induced stress relaxation analysis of AS4-3501-6 laminate, J Reinforced Plastics Composites 16(1) 2-16 (1997), 7A427
Stress relaxation properties of alloy HP50Nb and their application to life assessment of reformer furnace tubing, Int J Pressure Vessels Piping 70(1) 59-68 (Jan 1997), 7A428
Stress relaxation by plastic flow, interfacial sliding and diffusion in an inclusion bearing material, Acta Mat 45(2) 429-438 (Feb 1997), 8A508
Prediction of stress relaxation from known creep of nonlinear materials, J Eng Mat Tech 119(2) 121-124 (Apr 1997), 10A577
Thixotropy: A review, J Non-Newtonian Fluid Mech 70(1-2) 1-33 (May 1997), 11A396
Effect of cure state on stress relaxation in 3501-6 epoxy resin, J Eng Mat Tech 119(3) 262-265 (Jul 1997), 12A515

252H. Contact problems, inclusions, and other mechanisms

Numerical solution for dry contact between two viscoelastic rollers, Trib Trans 39(3) 627-635 (Jul 1996), 1A464
Moving punch on a two-layered viscoelastic medium, Int J Eng Sci 34(9) 1047-1057 (Jul 1996), 2A409
Displacement analysis and back-analysis of viscoelastic medium with arbitrary shaped tunnel under quasi 3D rock stresses (Japanese), J Soc Mat Sci Japan 45(8) 876-881 (Aug 1996), 4A653
Eigenstrain problem of a spherical inclusion with an imperfectly bonded interface, J Appl Mech 63(4) 877-883 (Dec 1996), 7A415
Necking in steady-state drawing of polymer fibers, Arch Mech 48(6) 1101-1113 (1996), 9A447
Thixotropy: A review, J Non-Newtonian Fluid Mech 70(1-2) 1-33 (May 1997), 11A396
Viscoelastic effects in modeling web handling systems: Steady-state analysis, J Appl Mech 62(4) 908-914 (Dec 1995), 11A397

252I. Material characterization

Applications of fractional calculus to dynamic problems of linear and nonlinear hereditary mechanics of solids, Appl Mech Rev 50(1) 15-68 (Jan 1997), 2A7
Asymptotic approximations for systems incorporating fractional derivative damping, J Dyn Syst Meas Control 118(3) 572-579 (Sep 1996), 4A919
Thermomechanical properties of basalt fibers, Fibres Textiles in E Europe 4(1) 72-73 (Jan-Mar 1996), 4A1272
Entry flow calculations using multi-mode models, J Non-Newtonian Fluid Mech 66(2-3) 271-281 (Oct 1996), 6A987
Concrete at High Temperatures: Material Properties and Mathematical Models (Longman Sci Tech, Harlow, Essex, UK, 1996) 8R1
Detailed comparison of various FENE dumbbell models, J Non-Newtonian Fluid Mech 68(1) 17-42 (Jan 1997), 8A494
Stress-strain relations of a viscoelastic composite reinforced with elliptic cylinders, J Thermoplastic Composite Mat 10(1) 19-30 (Jan 1997), 8A509
Constitutive equations for solid propellants, J Eng Mat Tech 119(2) 125-132 (Apr 1997), 10A578
Constitutive equation with ordered parameters for viscoelastic material containing defects, Acta Mech Solida Sinica 10(1) 11-27 (1997), 10A807
Viscoelastic properties of pressure-sensitive adhesives, J Adhesion 60(1-4) 233-248 (1997), 10A1016
Shear-band formation in a non-Newtonian fluid model with a constitutive instability, J Non-Newtonian Fluid Mech 69(2-3) 195-206 (Apr 1997), 11A393
Thixotropy: A review, J Non-Newtonian Fluid Mech 70(1-2) 1-33 (May 1997), 11A396
Duration of constant and ramp loading of strength of wood, J Eng Mech 123(5) 489-494 (May 1997), 11A398
Micromechanical simulation of hot mix asphalt, J Eng Mech 123(5) 495-503 (May 1997), 11A399
Viscoelastic analysis of diametral compression of asphalt concrete, J Eng Mech 123(6) 596-603 (Jun 1997), 11A400
Thermomechanical effects associated with crystallization of rubber under stretch and during slow extension, J Eng Mat Tech 119(3) 298-304 (Jul 1997), 12A516
Constitutive modeling and material characterization of polymeric foams, J Eng Mat Tech 119(3) 284-291 (Jul 1997), 12A526

252K. Anisotropic and nonhomogeneous media

Viscoelastic approximation of poroelastic media for wave scattering problems, Soil Dyn Earthquake Eng 15(5) 337-346 (Jul 1996), 1A236
Theory of thermoviscoelastic dielectrics, J Thermal Stresses 19(5) 419-430 (Jul-Aug 1996), 1A1289
Viscoelastic effects on the interlaminar fracture behavior of thermoplastic matrix composites - II: Rate and temperature dependence in unidirectional PEEK-carbon-fiber laminates, Composites Sci Tech 56(11) 1253-1260 (Nov 1996), 7A752
Bounds on the complex bulk and shear moduli of a 2D two-phase viscoelastic composite, Mech Mat 25(2) 79-95 (Mar 1997), 9A448
Micromechanical simulation of hot mix asphalt, J Eng Mech 123(5) 495-503 (May 1997), 11A399
Viscoelastic analysis of diametral compression of asphalt concrete, J Eng Mech 123(6) 596-603 (Jun 1997), 11A400
Viscoelastic analysis of diametral compression of asphalt concrete, J Eng Mech 123(6) 596-603 (Jun 1997), 11A400
Viscoelastic analysis of von Karman laminated plates under in-plane compression with initial deflection, Int J Non-Linear Mech 32(6) 1065-1075 (Nov 1997), 12A517
Free edge stresses in elastic and viscoelastic composites under uniaxial extension, bending, and twisting loadings, J Eng Mat Tech 119(3) 266-272 (Jul 1997), 12A573
Influence of inclusion microgeometry on some thermomechanical properties of isotropic polymer-matrix composites, J Eng Mat Tech 119(3) 242-250 (Jul 1997), 12A1345

252Y. Computational techniques

Nonmonotone solutions of an integrodifferential equation in linear viscoelasticity, SIAM J Numer Anal 33(4) 1410-1424 (Aug 1996), 1A465
Numerical simulation of viscoelastic flow using flux difference splitting at moderate Reynolds numbers, J Non-Newtonian Fluid Mech 64(2-3) 269-298 (Jun 1996), 1A466
Three-dimensional schapery representation for nonlinear viscoelasticity and FE implementation, Comput Mech 18(3) 182-191 (Jul 1996), 2A410
Use of viscoelastic model for the seismic response of base-isolated buildings, J Pressure Vessel Tech 118(3) 374-383 (Aug 1996), 2A411
Adaptive hp-FE viscoelastic flow calculations, Comput Methods Appl Mech Eng 136(1-2) 93-110 (Sep 1996), 3A455
Linear inverse problems in viscoelastic continua and a minimax method for Fredholm equations of the first kind, Int J Eng Sci 34(11) 1221-1245 (Sep 1996), 3A456
Natural damped frequencies of a rotating viscoelastic infinitely long column, Forschung Ingenieur 62(7-8) 214-227 (Jul-Aug 1996), 3A457
Simulation of some model viscoelastic extensional flows, Int J Numer Methods Fluids 23(7) 691-710 (Oct 1996), 4A495
Adaptive solutions for viscoelastic flows, Commun Numer Methods Eng 12(10) 643-655 (Oct 1996), 4A499
Large strain viscoelasticity: Continuum formulation and FE applications to elastomeric structures, Int J Numer Methods Eng 39(22) 3903-3926 (Nov 1996), 5A406
Viscoelastic multilayer program: VEROAD, Heron 41(1) 71-91 (1996), 5A407
Finite element modeling of free surface viscoelastic flows with particular application to rubber mixing, Int J Numer Methods Fluids 23(11) 1117-1132 (Dec 1996), 6A502
Identification by a non-integer order model of the mechanical behavior of an elastomer, Chaos Solitons Fractals 7(11) 1807-1824 (Nov 1996), 6A503
Construction of solutions of problems in the theory of elasticity in the form of series in powers of the elasticity constants and their application to viscoelasticity, J Appl Math Mech 60(4) 647-655 (1996), 7A423
Flow of a viscoelastic fluid between two rotating circular cylinders subject to suction or injection, Int J Numer Methods Fluids 24(3) 337-349 (Feb 1997), 8A500
Viscoelastic modeling of entrance flow using multi-mode Leonov model, Int J Numer Methods Fluids 24(5) 493-517 (Mar 1997), 8A510
Comparative study of the discontinuous Galerkin and continuous SUPG FEMs for computations of viscoelastic flows, Comput Methods Appl Mech Eng 141(1-2) 47-65 (Feb 1997), 9A449
Explicit stability conditions for viscoelastic structural members, J Vib and Control 3(2) 161-182 (May 1997), 10A579
Galkerkin-least-squares FEMs for the three-field Stokes system in R^3, Comput Methods Appl Mech Eng 142(2-3) 235-256 (Mar 1997), 10A580
Generalized Gear's method for computing the flow of a viscoelastic fluid, Comput Methods Appl Mech Eng 142(1-2) 111-121 (Mar 1997), 10A581
Three-dimensional BE formulation of viscoelastic media with gravity, Comput Mech 19(4) 308-316 (Mar 1997), 10A582
Finite element algorithms for dynamic simulations of viscoelastic composite shell structures using conjugated gradient method on coarse grained and massively parallel machines, Int J Numer Methods Eng 40(10) 1857-1875 (May 1997), 10A651
Boundary element method for solving dynamical response of viscoelastic thin plate - I, Appl Math Mech 18(3) 229-235 (Mar 1997), 11A57
Approximation to the KBKZ constitutive equation, J Non-Newtonian Fluid Mech 69(2-3) 239-254 (Apr 1997), 11A388
Viscoelastic analysis of diametral compression of asphalt concrete, J Eng Mech 123(6) 596-603 (Jun 1997), 11A400
Brownian configuration fields and variance reduced CONNFFESSIT, J Non-Newtonian Fluid Mech 70(3) 255-261 (Jun 1997), 11T401
Simulation of viscoelastic flows using Brownian configuration fields, J Non-Newtonian Fluid Mech 70(1-2) 79-101 (May 1997), 11A402

252Z. Experimental techniques

Simple novel technique for evaluation of viscoelastic properties of ceramic composites, Appl Composite Mat 3(1) 3-13 (1996), 2A412
Experimental investigation of the use of random squeezing to determine the complex modulus of viscoelastic fluids, J Non-Newtonian Fluid Mech 65(2-3) 177-194 (Aug 1996), 3A959
Copolyesters with controllable melting temperatures, Fibres Textiles in E Europe 4(1) 38-41 (Jan-Mar 1996), 4T500
Effect of an additional drawing stage under superheated steam on the mechanical properties and compensation stress of precursor PAN fibers, Fibres Textiles in E Europe 4(1) 42-45 (Jan-Mar 1996), 4A501
X-ray diffraction investigations of the crystallinity of a semicrystalline polymer blended with an amorphous copolymer, Fibres Textiles in E Europe 4(1) 46-49 (Jan-Mar 1996), 4T502
Properties of laboratory manufactured polypropylene fibers, Fibres Textiles in E Europe 4(1) 50-52 (Jan-Mar 1996), 4A583
Surface characterization of textile and technical fibers, Fibres Textiles in E Europe 4(1) 66-68 (Jan-Mar 1996), 4A907
Micromechanical simulation of hot mix asphalt, J Eng Mech 123(5) 495-503 (May 1997), 11A399
Yield surface of viscoelastic and plastic fluids in a vane viscometer, J Non-Newtonian Fluid Mech 70(3) 237-253 (Jun 1997), 11A403

254. PLASTICITY AND VISCOPLASTICITY

254A. General theory

Discontinuous bifurcation states for associated smooth plasticity and damage with isotropic elasticity, Int J Solids Struct 33(20-22) 3239-3256 (Aug 1996), 1A11
Multisurface thermoplasticity for single crystals at large strains in terms of Eulerian vector updates, Int J Solids Struct 33(20-22) 3103-3130 (Aug 1996), 1A467
Results on nonisothermal plasticity, Mech Solids 31(1) 49-53 (1996), 1A468
Variational formulations for the plane strain elastic-plastic problem for materials governed by the von Mises criterion, Int J Plasticity 12(4) 547-560 (1996), 1A469
Compatible mixed formulations for elastoplastic models, Mech Res Commun 23(4) 339-348 (Jul-Aug 1996), 1T481
Corners in plasticity: Koiter's theory revisited, Int J Solids Struct 33(25) 3697-3721 (Oct 1996), 2A413
Estimation of efficiency of some approaches to solution of the problem of thermoplasticity of thin lay-

ers (Russian), Prikl Mekh (Appl Mech) 32(3) 27-33 (1996), 2A414
Extension of the Hill (1948) yield criterion to the case of prismatic monoclinic symmetry, Int J Mech Sci 38(12) 1273-1284 (Dec 1996), 2A415
Study of the coefficients in yield functions modeling metal powder deformation, Acta Mat 44(9) 3543-3552 (Sep 1996), 2A416
Hypoplastic relation for granular materials with a predefined limit state surface, Mech Cohesive-Frictional Mat 1(3) 251-271 (Jul 1996), 2A544
Method of generating analytical yield surfaces of crystalline materials, Int J Plasticity 12(5) 575-610 (1996), 3A458
Modeling of cyclic ratchetting plasticity - Part I: Development of constitutive relations, J Appl Mech 63(3) 720-725 (Sep 1996), 3A459
Modeling of cyclic ratchetting plasticity - Part II: Comparison of model simulations with experiments, J Appl Mech 63(3) 726-733 (Sep 1996), 3A460
Roles of plastic spin in shear banding, Int J Plasticity 12(5) 671-693 (1996), 3A461
Uniqueness of the dynamic finite-step problem in gradient-dependent softening plasticity, Int J Solids Struct 33(26) 3881-3902 (Nov 1996), 3A462
Application of multisurface plasticity theory: Yield surfaces of textured materials, Acta Mat 44(10) 4027-4032 (Oct 1996), 4A503
Limit form of the ideal plasticity condition, Mech Solids 31(2) 115-118 (1996), 4T504
Tracking of shear bands - I: The 1D case, Mech Mat 24(1) 31-41 (Sep 1996), 4A505
The Mroz model, European J Appl Math 7(5) 473-497 (Oct 1996), 5A408
Thermodynamic closure of the plasticity theory on the basis of the hardening function, Mech Solids 31(3) 27-35 (1996), 5A409
Limit Analysis of Solids and Structures (CRC Press, Boca Raton FL, 1996) 6R14
Failures in the plasticity theory (Russian), Prikl Mekh (Appl Mech) 32(7) 65-68 (1996), 6A504
Scaling law for the effect of inertia on the formation of adiabatic shear bands, Int J Plasticity 12(7) 927-934 (1996), 6A505
General theory of plastic deformation and instability in thin-walled tubes under combined loading, J Mech Phys Solids 44(12) 2041-2057 (Dec 1996), 6A600
ESIS TC7D-1-96: Guidelines for terminology and nomenclature in the field of structural integrity, Fatigue Fracture Eng Mat Struct 19(12) 1515-1533 (1996), 6A841
Thermoplasticity theory for bidirectionally functionally graded materials, J Thermal Stresses 19(9) 809-861 (Dec 1996), 6A1302
Determination of the forming limiting curves using 3G plasticity rules (French), European J Mech Eng 41(4) 213-217 (1996), 7A429
Dynamic shakedown and a reduced kinematic theorem, Int J Plasticity 12(8) 1055-1068 (1996), 7A430
Endochronic theory accounting for deformation induced anisotropy of metals under biaxial load, Int J Plasticity 12(8) 987-1004 (1996), 7A431
Extension of Hencky's theorem, J Appl Math Mech 60(4) 699-701 (1996), 7A432
General solution to the two-surface plasticity theory, J Eng Mat Tech 119(1) 20-25 (Jan 1997), 7A433
Nonlinearity, periodicity, and patterning in plasticity and fracture, Int J Non-Linear Mech 31(6) 797-809 (Nov 1996), 7A434
Significance of J, to the prediction of shear bands, Int J Plasticity 12(9) 1179-1197 (1996), 7A435
Suitability of yield functions for the approximation of subsequent yield surfaces, Int J Plasticity 12(9) 1151-1177 (1996), 7A436
Views on multiplicative elastoplasticity and the continuum theory of dislocations, Int J Eng Sci 34(15) 1717-1735 (Dec 1996), 7A437
New method for estimating nonproportional notch-root stresses and strains, J Eng Mat Tech 119(1) 40-45 (Jan 1997), 7A699
Composite plasticity based on matrix average second order stress moment, Int J Solids Struct 34(8) 1007-1015 (Mar 1997), 8A511
Nature of the response functions in rate-independent plasticity, Int J Non-Linear Mech 32(1) 103-119 (Jan 1997), 8A512
Lensky's hypothesis of local determinability under nonproportional cyclic loading, Int J Solids Struct 34(12) 1517-1529 (Apr 1997), 9A450
Polymer Melt Rheology Conference, University of Wales, Aberystwyth, September 3-6, 1995, J Non-Newtonian Fluid Mech 68(2-3) 141-322 (Feb 1997), 10A1020
Generalized standard media and variational principles in classical and finite strain elastoplasticity, J Mech Phys Solids 45(5) 667-688 (May 1997), 11A1
Thermodynamic formulation of constitutive equations and application to the viscoplasticity and viscoelasticity of metals and polymers, Int J Solids Struct 34(18) 2239-2254 (Jun 1997), 11A4
Asymmetric yield surface of plastically orthotropic materials: A phenomenological study, Acta Mat 45(6) 2397-2406 (Jun 1997), 11A404
Elastoplastic damage model for concrete subjected to sustained high temperatures, Int J Damage Mech 6(2) 195-216 (Apr 1997), 11A405
Extended flow rule in plasticity, Int J Plasticity 13(1-2) 37-58 (1997), 11A406
Inelastic behavior of materials - Part II: Energetics associated with discontinuous deformation twinning, Int J Plasticity 13(1-2) 1-35 (1997), 11A407
New constitutive model in the theory of plasticity - Part I: Theory, J Pressure Vessel Tech 117(4) 365-370 (Nov 1995), 11A408
New constitutive model in the theory of plasticity - Part II: Examples, J Pressure Vessel Tech 117(4) 371-377 (Nov 1995), 11A409
Theory of dichotomy for concrete modeling under cyclic biaxial loading, Int J Damage Mech 6(2) 166-194 (Apr 1997), 11A410
Theory of evolution of crystal lattice orientation density and state variables in Euler space, Int J Plasticity 13(1-2) 59-74 (1997), 11A411
Mode I damage modeling in brittle preloading, Int J Damage Mech 6(2) 153-165 (Apr 1997), 11A716
Continuum analysis of transformation plastic localization in ceramics, Int J Plasticity 13(3) 201-213 (1997), 12A518
Equivalence of stress- and strain-based plasticity theories, Comput Methods Appl Mech Eng 147(1-2) 125-138 (Jul 1997), 12A519
New free energy for plastic damage analysis, Mech Res Commun 24(4) 377-383 (Jul-Aug 1997), 12A794

254C. Nonlinear and finite deformation problems

Comparison of 3D continuum and shell elements for finite plasticity, Int J Solids Struct 33(20-22) 3309-3326 (Aug 1996), 1A18
Analysis of strong discontinuities in multiplicative finite strain plasticity and their relation with the numerical simulation of strain localization in solids, Int J Solids Struct 33(20-22) 2863-2885 (Aug 1996), 1A470
Direct penetration of a group of bodies into an elastoplastic medium, Mech Solids 31(1) 70-76 (1996), 1A471
Mathematical simulation and optimization of technological processes described by relations of geometrically nonlinear theory of plasticity (Russian), Prikl Mekh (Appl Mech) 32(2) 73-80 (1996), 1A472
Nonlinear optimization procedure for limit analysis, Eur J Mech A 15(3) 487-512 (1996), 1A504
Softening solids: Reality or misinterpretation?, Tech Mech 16(1) 89-96 (1996), 1A602
Elementary Mechanics of Plastic Flow in Metal Forming (Wiley, UK, 1996) 2R18
Dynamic explicit FE analysis for 3D sheet forming processes (Chinese), J Comput Struct Mech Appl 13(3) 253-268 (Aug 1996), 2A23
Nonlocal analysis of stable states and stable paths of propagation of damage shear bands based on large deformation theory (Chinese), J Dalian Univ Tech 36(4) 483-487 (Jul 1996), 2A417
Model of elastoplastic bodies with continuously distributed dislocations, Int J Plasticity 12(5) 611-627 (1996), 3A463
Post-yield analysis for rigid-plastic plates with large deflections, Eur J Mech A 15(4) 599-615 (1996), 3A464
Finite deformation analysis of polycrystal by considering the influence of grain boundary, Acta Mech Solida Sinica 9(3) 189-200 (1996), 4A485
Bifurcations of homogeneous deformation of the bar in finite elasto-plasticity, Eur J Mech A 15(5) 761-786 (1996), 4A506
Dynamic response of large strain elasto-plastic plate and shell structures, Thin-Walled Struct 26(4) 223-239 (Dec 1996), 4A507
Collapse of tubular beams loaded by a wedge-shaped indenter, Exp Mech 36(4) 374-378 (Dec 1996), 5A410
Study of three elastic-plastic constitutive models by non-proportional finite deformations of OFHC copper, Int J Plasticity 12(6) 737-759 (1996), 5A411
Theoretical analysis of large deformation simultaneous tearing and peeling of elastoplastic materials, Proc Inst Mech Eng C 210(C5) 433-444 (1996), 5A412
Modeling of strain localization in a large strain context, Struct Eng and Mech 4(6) 645-654 (Nov 1996), 6A29
Dynamic elastic-plastic behavior of whipping pipes: Experiments and theoretical model, Int J Impact Eng 18(7-8) 703-733 (Oct-Dec 1996), 6A107
Tearing of blast loaded plates with clamped boundary conditions, Int J Impact Eng 18(7-8) 803-827 (Oct-Dec 1996), 6A257
Extremal paths in progressive plasticity, Int J Impact Eng 18(7-8) 753-764 (Oct-Dec 1996), 6A506
Modeling large strain multiaxial effects in FCC polycrystals, Int J Plasticity 12(7) 875-902 (1996), 6A507
Static and dynamic axial crushing of square thin-walled aluminium extrusions, Int J Impact Eng 18(7-8) 949-968 (Oct-Dec 1996), 6A508
Behavior of axially crushed corrugated tubes, Int J Mech Sci 39(3) 249-268 (Mar 1997), 6A576
Stress, deformation, and damage fields near the tip of a crack in a damaged nonlinear material, Int J Fracture 79(1) 1-26 (1996), 6A772
Experimental evaluation of the strain field history during plastic progressive folding of aluminium circular tubes, Int J Mech Sci 39(5) 575-583 (May 1997), 7A438
Quasi-flow corner theory on large plastic deformation of ductile metals and its applications, Appl Math Mech 17(11) 1067-1074 (Nov 1996), 7A439
Endochronic analysis for finite elastoplastic deformation and application to metal tube under torsion and metal rectangular block under biaxial compression, Int J Plasticity 12(10) 1287-1316 (1996), 8A513
Large plastic deformation of beams of angle-section under symmetric bending, Int J Mech Sci 39(7) 829-839 (Jul 1997), 8A514
Loading rate dependence of stick-slip fracture in polymers, Mech Res Commun 24(2) 115-121 (Mar-Apr 1997), 8T737
Crack growth resistance curves and stick-slip fracture instabilities, Mech Res Commun 24(2) 123-130 (Mar-Apr 1997), 8T818
Micro-mechanics of plastic deformations in a poly-crystalline material subjected to monotone and variable loadings, J Machinery Manuf Reliab 3 59-66 (1996), 8T820
Minimum weight of internally pressurized domes subject to plastic load failure, Thin-Walled Struct 27(2) 127-146 (Feb 1997), 8A917
Axisymmetric sudden expansion flow of a non-Newtonian viscoplastic fluid, J Fluids Eng 119(1) 193-200 (Mar 1997), 9A451
Spherical Couette flow of a viscoelastic fluid - Part II: Numerical study for the inner sphere rotation, J Non-Newtonian Fluid Mech 69(1) 47-70 (Mar 1997), 10A583
Theory of transversely isotropic plastic viscoelastic fluids to represent the flow of talc and similar disc-like particle suspensions in thermoplastics, J Non-Newtonian Fluid Mech 69(1) 15-27 (Mar 1997), 10A584
Optimal cross-section and configuration design of elastic-plastic structures subject to dynamic cyclic loading, Struct Optim 13(2-3) 112-118 (Apr 1997), 10A902
Generalized design-based elastoplastic analysis of steel frames by section assemblage concept, Eng Struct 19(8) 628-636 (Aug 1997), 10A951
Polymer Melt Rheology Conference, University of Wales, Aberystwyth, September 3-6, 1995, J Non-Newtonian Fluid Mech 68(2-3) 141-322 (Feb 1997), 10A1020
Spherical Couette flow of a viscoelastic fluid - Part I: Experimental study of the inner sphere rotation, J Non-Newtonian Fluid Mech 69(1) 29-46 (Mar 1997), 10A1088
Constitutive modeling of superplastic deformation - Part I: Theory and experiments, Int J Plasticity 13(1-2) 143-164 (1997), 11A412
Nonlinear analysis of ductile metal coated optical fiber sensors embedded in a unidirectional laminate, J Composite Mat 31(10) 1026-1045 (1997), 11T413
Study on the large ductile deformations and perforation of mild steel plates struck by a mass - Part I: Experimental results, J Pressure Vessel Tech 119(2) 178-184 (May 1997), 11A414
Study on the large ductile deformations and perforation of mild steel plates struck by a mass - Part II: Discussion, J Pressure Vessel Tech 119(2) 185-191 (May 1997), 11A415
Internal stresses in contact of a rough body and a viscoelastic layered semi-infinite plane, J Trib 118(1) 131-136 (Jan 1996), 11A417
Nonlinear analysis of RC members using plasticity with multiple failure criteria, J Struct Eng 123(5) 643-651 (May 1997), 11A784
Three-dimensional, finite deformation, viscoplastic constitutive models for polymeric materials, Mech Mat 25(4) 235-253 (May-Jun 1997), 12A8
Finite element analysis of the squeeze flow of an elasto-viscoplastic paste material, J Non-Newtonian Fluid Mech 71(1-2) 41-57 (Jul 1997), 12A36
"Inertial" time in stability of materials with non-monotone yield stress, Acta Mech 121(1-4) 21-34 (1997), 12A520
Impact buckling and post-buckling of elasto-viscoplastic cylindrical shell under torsion, China Ocean Eng 11(1) 43-52 (1997), 12T521
Influence of crosslinking on the plastic behavior of amorphous polymers at large strains, J Eng Mat Tech 119(3) 223-227 (Jul 1997), 12A522
Necking of elasto-plastic rods under tension, Int J Non-Linear Mech 32(6) 1077-1086 (Nov 1997), 12A523
Influence of friction and geometry on plastic spread, Mech Res Commun 24(4) 351-358 (Jul-Aug 1997), 12T719

254D. Stress concentrations and singularities

Analysis of the deformation of a perforated sheet under uniaxial tension, J Mat Processing Tech 58(2-3) 139-144 (Mar 1996), 1A473
Effect of defect shape and size on the initiation of adiabatic shear bands, Acta Mech 116(1-4) 239-243 (1996), 1A483
Approximate expressions for 3D notch tip stress fields, Fatigue Fracture Eng Mat Struct 19(7) 893-902 (1996), 2A418
Competition between brittle fracture and plastic collapse in the failure of thin rectangular panels, Int J Fracture 77(3) 185-198 (1996), 3A695
Influences of non-singular stresses on plane-stress near-tip fields for pressure-sensitive materials and applications to transformation-toughened ceramics, Int J Fracture 77(3) 223-241 (1996), 3A699
Singular stress fields at V-notch tips in elastoplastic pressure-sensitive materials, Acta Mech 118(1-4) 151-170 (1996), 5A419
Correction of plasticity effect at the hole edge when using the center hole method for measuring high welding residual stress, Strain 32(4) 125-129 (Nov 1996), 6A509
Critical assessment of the application of the J integral and CTOD concepts to circumferentially cracked copper bars, Int J Fracture 79(4) 373-391 (1996), 6A767
Calculations of fracture criteria by classical mechanics - II: COD, Int J Fracture 78(2) 125-130 (1996), 6A804
Evaluation of the plastic zone in an elastic-plastic dissimilar materials joint, Eng Fracture Mech 56(5) 691-710 (Mar 1997), 8A515
Finite element study of the effect of void initiation and growth on mixed-mode ductile fracture, Mech Mat 25(2) 113-127 (Mar 1997), 9A26
Multiaxial stress concentration in an externally pressurized cylinder with an external circumferential groove, J Pressure Vessel Tech 117(4) 404-409 (Nov 1995), 11A416
Stress singularities at the free surface of an axisymmetric two-material creep test specimen, J Strain Anal Eng Des 32(2) 107-117 (Mar 1997), 12A513

254E. Contact problems and inclusions

Rigid-plastic FE simulation of peening process with plastically deforming shot, JSME Int J Ser A 39(3) 306-312 (Jul 1996), 1A42
Velocity, strain rate, and stress fields around a spheroidal cavity in a linearly viscous material, Eur J Mech A 15(3) 397-422 (1996), 1A474
Analysis of nanoindentation load-displacement loading curves, J Mat Res 11(8) 1987-1995 (Aug 1996), 2A419
Edge effect on elastic-plastic rolling-sliding contacts, Comput Mech 18(4) 259-268 (Aug 1996), 3A465
Elastic-plastic indentation model and its solutions, J Mat Res 11(9) 2358-2367 (Sep 1996), 3A466
Continuum aspects of directionally dependent cracking of an interface between copper and alumina crystals, Mech Mat 23(4) 271-286 (Aug 1996), 3A709
Normal and tangential compliance for conforming binder contact - I: Elastic binder, Int J Solids Struct 33(29) 4337-4349 (Dec 1996), 4A489
Normal and tangential compliance for conforming binder contact - II: Visco-elastic binder, Int J Solids Struct 33(29) 4351-4363 (Dec 1996), 4A508
Two-dimensional collisions of vehicles: Case of consideration of vehicle movements during impact, JSME Int J Ser C 39(3) 470-476 (Sep 1996), 5A171
Flow of a rigid-plastic medium around a cone, Mech Solids 31(3) 39-45 (1996), 5A413
Gap element for 3D elastoplastic contact problems, Comput Struct 61(6) 1155-1167 (Dec 1996), 5A414
Plasticity of a two-phase composite with partially debonded inclusions, Int J Plasticity 12(6) 781-804 (1996), 5A415
Overall elastoplastic behavior of multiphase materials with isotropic components, Acta Mech 119(1-4) 93-117 (1996), 6A515
Eigenstrain problem of a spherical inclusion with an imperfectly bonded interface, J Appl Mech 63(4) 877-883 (Dec 1996), 7A415
Contact problems and dual variational inequality of 2D elastoplastic beam theory, Appl Math Mech 17(10) 953-968 (Oct 1996), 7A440
Stress relaxation by plastic flow, interfacial sliding and diffusion in an inclusion bearing material, Acta Mat 45(2) 429-438 (Feb 1997), 8A508
Sensitivity analysis for frictionless contact problems, Comp Assisted Mech Eng Sci 3(4) 403-423 (1996), 9A452
Internal stresses in contact of a rough body and a viscoelastic layered semi-infinite plane, J Trib 118(1) 131-136 (Jan 1996), 11A417

Coefficient of restitution for collinear collisions of elastic-perfectly plastic spheres, J Appl Mech 64(2) 383-386 (Jun 1997), 12A524
Elastic tensile stresses beneath perfectly plastic indentation fields, J Appl Mech 64(2) 437-438 (Jun 1997), 12T525

254F. Material characterization

Plasticity in the compression stress state, J Mech Behavior Mat 7(1) 39-49 (1996), 1A475
Damage evolution in ductile materials, Int J Damage Mech 5(3) 241-258 (Jul 1996), 1A730
Localized deformation modes and non-Schmid effects in crystalline solids - Part I: Critical conditions of localization, Mech Mat 23(2) 71-102 (Jun 1996), 2A4
Localized deformation modes and non-Schmid effects in crystalline solids - Part II: Deformation patterns, Mech Mat 23(2) 103-132 (Jun 1996), 2A5
Scaled memory description of hysteretic material behavior, J Appl Mech 63(3) 750-757 (Sep 1996), 3A467
Thermomechanical properties in a thin film of shape memory polymer of polyurethane series, Smart Mat Struct 5(4) 483-491 (Aug 1996), 3A468
Science of Whitewares (Am Ceramic Soc, Westerville OH, 1996) 4N22
Prediction of the flow stress of an extra-low carbon steel in the two-phase region using continuous cooling curves, J Eng Mat Tech 118(4) 463-470 (Oct 1996), 4A509
Thermodynamical model of cyclic behavior of Ti-Ni and Cu-Zn-Al shape memory alloys under isothermal undulated tensile tests, Mech Mat 24(1) 59-73 (Sep 1996), 4A510
Thermodynamical constitutive model for shape memory materials - Part I: The monolithic shape memory alloy, Int J Plasticity 12(6) 805-842 (1996), 5A5
Failure criteria for nonlinear analysis of concrete structures, Indian J Eng Mat Sci 3(5) 175-179 (Oct 1996), 5A416
Constitutive equations of silicon bronzes, J Mat Processing Tech 62(1-3) 133-139 (Nov 1996), 6A510
Evaluation of a constitutive model for shape memory alloys embedded in shell structures, J Reinforced Plastics Composites 15(12) 1249-1261 (Dec 1996), 6A511
High-strain-rate superplasticity of SiC/8090 aluminum composite, Appl Composite Mat 3(6) 369-378 (1996), 6A555
Phenomenological model for cyclic plasticity, J Eng Mat Tech 119(1) 7-11 (Jan 1997), 7A441
Accurate determination of biaxial stress-strain relationships from hydraulic bulging tests of sheet metals, Int J Mech Sci 39(7) 761-769 (Jul 1997), 8A516
Analysis of pyramid indentation of pressure-sensitive hard metals and ceramics, Mech Mat 25(1) 1-35 (Jan-Feb 1997), 9A24
Yield function parameters for metal powder compaction based on unit cell studies, Acta Mat 45(4) 1425-1444 (Apr 1997), 9A453
Influence of microstructural scale on plastic flow behavior of metal matrix composites, Acta Mat 45(4) 1633-1643 (Apr 1997), 9A511
Application of the secant method to prediction of flow curves in multi-microstructual steels, Acta Mat 45(5) 1923-1929 (May 1997), 10A585
Constitutive model and its identification for the deformation characterized by dynamic recovery, J Eng Mat Tech 119(2) 138-142 (Apr 1997), 10A586
Constitutive response of 63-37 Sn-Pb eutectic solder, J Eng Mat Tech 118(1) 1-11 (Jan 1996), 11A418
Effect of stress-state on the large strain inelastic deformation behavior of 304L stainless steel, J Eng Mat Tech 118(1) 28-36 (Jan 1996), 11A419
Modeling of deformation texture development based on rate independent crystal plasticity, Int J Plasticity 13(1-2) 75-85 (1997), 11A420
Plasticity considerations in probabilistic ceramic-to-metal joint design, J Eng Gas Turbines Power 118(1) 159-166 (Jan 1996), 11A421
Viscoplastic behavior of a notch root at 650°C: ISDG measurement and FE modeling, J Eng Mat Tech 118(1) 88-93 (Jan 1996), 11A422
Nonunique dynamic equilibrium constitutive relation of metal powder depending on its microstructure, J Eng Mat Tech 118(1) 12-18 (Jan 1996), 11A634
Constitutive modeling and material characterization of polymeric foams, J Eng Mat Tech 119(3) 284-291 (Jul 1997), 12A526
Effects of the state of stress on the tensile and creep properties of γ-TiAl, J Strain Anal Eng Des 32(2) 97-105 (Mar 1997), 12A527
Influence of aging at intermediate temperatures on the monotonic stress-strain behavior and fracture toughness of a duplex stainless steel, Fatigue Fracture Eng Mat Struct 20(5) 645-657 (1997), 12A528

254G. Work hardening

Distortional hardening within a cubic yield theory, Tech Mech 15(4) 333-339 (1995), 1A476
Modeling the shock response of silicon carbide, boron carbide, and titanium diboride, Int J Impact Eng 18(6) 611-631 (Sep 1996), 1A777
Comparative study of hardening theories in torsion using the Taylor polycrystal model, Int J Plasticity 12(5) 695-718 (1996), 3A469
Thermoelastoplastic stress analysis of a thick-walled tube of nonlinear strain hardening, J Mech Des 118(3) 340-346 (Sep 1996), 3A1276
Study of directionality of latent hardening behavior in aluminum single crystals, Acta Mech Solida Sinica 9(3) 246-252 (1996), 4A511
Transformation method for implementing classical multi-yield-surface theory using the hardening rule of Mroz, Int J Solids Struct 33(28) 4239-4261 (Nov 1996), 4A512
Theoretical evaluation of plasticity hardening algorithms for nonproportional loadings, Acta Mech 118(1-4) 213-234 (1996), 5A431
Computation of crack extension energy rate for elastic-plastic hardening materials under variable loading, Eng Fracture Mech 55(5) 813-830 (Nov 1996), 5A656
Incremental analysis of plane strain fully plastic crack growth in strain-hardening materials under extension, Int J Fracture 79(1) 27-48 (1996), 6A768
Values of J-integral within the plastic zone, Eng Fracture Mech 55(6) 869-881 (Dec 1996), 6A774
Simulation of the behavior of FCC polycrystals during reversed torsion, Int J Plasticity 12(9) 1199-1219 (1996), 7A442
Analytical forms of higher-order asymptotic elastic-plastic crack-tip fields in a linear hardening material under antiplane shear, Int J Fracture 80(1) 59-71 (1996), 7A725
Simplified method based on the deformation theory for structural limit analysis - I: Theory and formulation, Int J Pressure Vessels Piping 70(1) 43-49 (Jan 1997), 7A798
Simplified method based on the deformation theory for structural limit analysis - II: Numerical application and investigation on mesh density, Int J Pressure Vessels Piping 70(1) 51-58 (Jan 1997), 7A799
Implicit integration of elastoplastic constitutive models for frictional materials with highly nonlinear hardening functions, Mech Cohesive-Frictional Mat 2(1) 1-29 (Jan 1997), 8A4
Shear banding in strain hardening polycrystals during rolling, Int J Plasticity 12(10) 1257-1285 (1996), 8A517
Two-surface model describing ratchetting behaviors and transient hardening under nonproportional loading, Acta Mech Sinica 12(4) 368-376 (1996), 8A518
Analysis of the shear failure of rigid-linear hardening beams under impulsive loading, Acta Mech Sinica 12(4) 338-348 (1996), 8A570
Shakedown of 3D elastoplastic strain-hardening structures, Int J Plasticity 12(10) 1241-1256 (1996), 8A876
Work-hardening in 3D slip-line fields, Eng Trans 44(3-4) 389-402 (1996), 9A454
Effect of porosity on the strength coefficient and strain-hardening exponent of sintered ferrous materials, J Brazilian Soc Mech Sci 19(1) 72-79 (Mar 1997), 9A1409
Ramberg-Osgood strain-hardening characterization of an ASTM A302-B steel, J Pressure Vessel Tech 117(4) 341-345 (Nov 1995), 11A423
Micromechanical modeling of strain hardening and tension softening in cementitious composites, Comput Mech 19(6) 453-462 (May 1997), 12A529

254H. Cyclic and variable loading

Experiments on the ratchetting behavior of AISI 316L (N) austenitic steel at room temperature, J Eng Mat Tech 118(3) 281-284 (Jul 1996), 1A477
Generalization of the Coffin equations with respect to the effect of large mean plastic strain, J Eng Mat Tech 118(3) 387-392 (Jul 1996), 1A478
Ratcheting limit of flat end cylindrical shell connections under internal pressure, Int J Pressure Vessels Piping 68(3) 293-298 (Oct 1996), 1A479
Self heating and thermal failure of polymers sustaining a compressive cyclic loading, Int J Solids Struct 33(23) 3439-3462 (Sep 1996), 1A688
Low-cycle fatigue under non-proportional loading, Fatigue Fracture Eng Mat Struct 19(7) 839-854 (1996), 2A633
Effect of cyclic loading on the yield surface evolution of 18G2A low-allow steel, Int J Mech Sci 39(1) 51-68 (Jan 1997), 3A470
Fracture mechanics analysis of warm pre-stressing for power-hardening materials, Eng Fracture Mech 55(3) 347-353 (Oct 1996), 3A698
Dislocation density based constitutive model for cyclic deformation, J Eng Mat Tech 118(4) 441-447 (Oct 1996), 4A513
Elasto-plastic analysis of a cylinder with surface layer under cyclic loading, Arch Budowy Maszyn 42(3-4) 189-210 (1995), 4A514
Mechanics of static and dynamic inversion processes, Int J Mech Sci 39(2) 147-161 (Feb 1997), 4A515
Simple unified theory for the cyclic deformation of metals at high temperature, Acta Mech 118(1-4) 135-149 (1996), 5A4
Creep constitutive modeling of an aluminum alloy under multiaxial and cyclic loading, Int J Plasticity 12(6) 761-780 (1996), 5A404
High temperature cyclic deformation of a directionally solidified Ni-based superalloy, Fatigue Fracture Eng Mat Struct 19(8) 955-962 (1996), 5A417
Development of a constitutive model for biaxial low-cycle fatigue, Fatigue Fracture Eng Mat Struct 19(10) 1169-1179 (1996), 5A602
Effect of non-proportional overloading on fatigue life, Fatigue Fracture Eng Mat Struct 19(10) 1197-1206 (1996), 5A603
Evaluation of low cycle fatigue under non-proportional loading, Fatigue Fracture Eng Mat Struct 19(10) 1161-1168 (1996), 5A604
Generalized fatigue limit criterion and a unified theory of low-cycle fatigue damage, Fatigue Fracture Eng Mat Struct 19(10) 1207-1219 (1996), 5A606
Useful scalar parameters for multiaxial fatigue deformation studies, Fatigue Fracture Eng Mat Struct 19(10) 1181-1195 (1996), 5A614
Shakedown state simulation techniques based on linear elastic solutions, Comput Methods Appl Mech Eng 140(3-4) 259-279 (Jan 1997), 6A512
Engineering analysis of plastic wave propagation in the Taylor test, Int J Impact Eng 19(2) 95-106 (Feb 1997), 7A189
Constitutive equations for cyclic plasticity of Waspaloy, Int J Plasticity 12(8) 967-985 (1996), 7A443
Mode approximation method for the dynamic response of a strain-hardening cantilever, Int J Impact Eng 19(1) 81-94 (Jan 1997), 7A444
Numerical assessment of the safety factor of elastic-plastic structures under variable loading, Int J Mech Sci 39(4) 417-433 (Apr 1997), 7A445
Influence of temperature on cyclic stress response and fracture behavior of aluminum alloy 6061, Eng Fracture Mech 56(4) 531-550 (Mar 1997), 7A664
Investigation of cyclic plastic strain response and fracture behavior of steel-based metal-matrix composites, Eng Fracture Mech 56(4) 451-481 (Mar 1997), 7A742
Dynamic response of rectangular plates under drop mass impact, Int J Impact Eng 19(3) 207-229 (Mar 1997), 8A239
Dynamic ductile rupture under conditions of plane strain, Int J Impact Eng 19(3) 189-206 (Mar 1997), 8A242
Anelastic behavior of zirconia ceramics under monotonic and cyclic loadings, Acta Mat 45(2) 463-469 (Feb 1997), 8A519
Compatibility equations of strains for degenerate shakedown problems, Comput Struct 63(2) 277-282 (Apr 1997), 8A520
Uniaxial ratchetting in rate-independent plasticity laws, Acta Mech 120(1-4) 173-198 (1997), 8A521
Low cycle fatigue of a copper bicrystal under constant plastic strain control, Int J Fatigue 19(1) 59-65 (Jan 1997), 8A744
Shakedown of elastic-plastic solids with frictionless unilateral contact boundary conditions, Int J Mech Sci 39(7) 819-828 (Jul 1997), 8A877
Description of stress-strain hysteresis loops with a simple approach, Int J Fatigue 19(2) 141-149 (Feb 1997), 10A778
Investigation of cyclic transient behavior and implications on fatigue life estimates, J Eng Mat Tech 119(2) 161-170 (Apr 1997), 10A784
High strain-rate fracture characteristics of ductile metals at elevated and sub-ambient temperatures, Fatigue Fracture Eng Mat Struct 20(4) 573-581 (1997), 10A829
Constitutive model with capability to simulate complex multiaxial ratcheting behavior of materials, Int J Plasticity 13(1-2) 127-142 (1997), 11A424
Incremental growth of mechanical structures subjected to cyclic thermal and mechanical loading, Int J Pressure Vessels Piping 71(2) 121-127 (Apr 1997), 11A425
Micro and macro anisotropic cyclic damage-plasticity models for MMCS, Int J Eng Sci 35(5) 467-484 (Apr 1997), 11A426
Two surface plasticity model with bounding surface softening, J Eng Mat Tech 118(1) 37-42 (Jan 1996), 11A427
Behavior of fiber-reinforced concrete beams under cyclic loading, J Struct Eng 123(5) 660-668 (May 1997), 11A777
Constitutive model for elastic-plastic deformation under cyclic multiaxial straining, Fatigue Fracture Eng Mat Struct 20(5) 747-758 (1997), 12A530
Cyclic deformation behavior of an α-β titanium alloy - I: Micromechanisms of plasticity under various loading paths, Acta Mat 45(7) 2685-2701 (Jul 1997), 12A531
Cyclic deformation behavior of an α-β titanium alloy - II: Internal stresses and micromechanic modeling, Acta Mat 45(7) 2703-2714 (Jul 1997), 12A532
Cyclic stress-strain response and dislocation structure of a [345]/[117] copper bicrystal, Acta Mat 45(7) 2655-2670 (Jul 1997), 12A533
Rate dependent deformation of semi-crystalline polypropylene near room temperature, J Eng Mat Tech 119(3) 216-222 (Jul 1997), 12A534

254I. Visco- and elasto-plastic media

Continuum model of elastic-plastic materials with anisotropic damage by oriented microvoids, Eur J Mech A 15(3) 367-396 (1996), 1A6
Random vibrations of elastic-plastic structures, Tech Mech 16(2) 131-138 (1996), 1A149
Automated evaluation of material parameters of viscoplastic constitutive equations, J Eng Mat Tech 118(3) 273-280 (Jul 1996), 1A480
Compatible mixed formulations for elastoplastic models, Mech Res Commun 23(4) 339-348 (Jul-Aug 1996), 1T481
Dynamically accelerating Dugdale-zone in elastic and viscoelastic material, J Mech Phys Solids 44(8) 1353-1370 (Aug 1996), 1A482
Effect of defect shape and size on the initiation of adiabatic shear bands, Acta Mech 116(1-4) 239-243 (1996), 1A483
Effect of void size difference on growth and cavitation instabilities, J Mech Phys Solids 44(8) 1237-1253 (Aug 1996), 1A484
Elastic response of inelastic structures, Acta Mech 116(1-4) 111-122 (1996), 1A485
Experimental investigation for modeling of elastic-plastic-damage materials: Investigation of damage surface under multiaxial loading (Japanese), J Soc Mat Sci Japan 45(6) 667-674 (Jun 1996), 1A486
Interaction between material length scale and imperfection size for localization phenomena in viscoplastic media, Eur J Mech A 15(3) 447-464 (1996), 1A487
Micromechanical deformation analysis of beta alloy titanium in elastic and elastic-plastic tension, Exp Mech 36(2) 120-126 (Jun 1996), 1A488
Parameter identification for viscoplastic models based on analytical derivatives of a least-squares functional and stability investigations, Int J Plasticity 12(4) 451-479 (1996), 1A489
Shakedown and steady-state responses of elastic-plastic solids in large displacements, Int J Solids Struct 33(23) 3415-3437 (Sep 1996), 1A490
Smooth bifurcations in non-associative elastoplasticity, J Mech Phys Solids 44(8) 1337-1351 (Aug 1996), 1A491
Adiabatic shear band localization of inelastic single crystals in symmetric double-slip process, Arch Appl Mech 66(6) 369-384 (Jun 1996), 1A499
Influence of random bridging on the elastic and elastoplastic properties of fiber-reinforced composites, Acta Mech 116(1-4) 29-44 (1996), 1A521
Finite flow-line regions approach to visioplasticity in plane-strain extrusion, J Mat Processing Tech 58(2-3) 308-313 (Mar 1996), 1A639
Constraint effects on the ductile-brittle transition in small scale yielding, J Mech Phys Solids 44(8) 1255-1282 (Aug 1996), 1A727
Damage in a viscoplastic material - Part I: Cavity growth, Int J Plasticity 12(4) 481-505 (1996), 1A747
Exact stress integration for von Mises elasto-plastic model with constant hardening modulus, Int J Numer Anal Methods Geomech 20(8) 605-613 (Aug 1996), 2A420
Kinetic formulation of elasto-viscoplasticity, Int J Eng Sci 34(9) 1033-1046 (Jul 1996), 2A421
Self-consistent method to the analyses of elastic and elasto-plastic materials with inclusions, Z Angew Math Mech 76(8) 427-437 (1996), 2A453
Associative versus non-associative porous viscoplasticity based on internal state variable concepts, Int J Plasticity 12(5) 629-669 (1996), 3A471
Consideration of aging of shotcrete in the context of a 3D viscoplastic material model, Int J Numer Methods Eng 39(18) 3123-3143 (Sep 1996), 3A472
Constitutive model for the analysis of elastoplastic solids undergoing large strains (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(2) 147-169 (1996), 3A473
Cracking of thin films bonded to elastic-plastic substrates, J Mech Phys Solids 44(9) 1411-1428 (Sep 1996), 3A474
Development of elastoplastic material models in a natural coordinate system, Comput Methods Appl Mech Eng 135(3-4) 283-306 (Sep 1996), 3A475
General theory of finite deformation of viscoplastic thin shells, Acta Mech 117(1-4) 47-70 (1996), 3A476
Modeling and computation of instability phenomena in multisurface elasto-plasticity, Comput Mech 18(4) 245-258 (Aug 1996), 3A477
Numerical analyses of tunnel linings by means of a viscoplastic material model for shotcrete, Int J

Numer Methods Eng 39(18) 3145-3162 (Sep 1996), 3A478
Rainflow counting and energy dissipation for hysteresis models in elastoplasticity, Eur J Mech A 15(4) 705-737 (1996), 3A664
Bifurcations of homogeneous deformation of the bar in finite elasto-plasticity, Eur J Mech A 15(5) 761-786 (1996), 4A506
Dynamic cavitation problem in viscoplastic solids, Mech Res Commun 23(5) 461-474 (Sep-Oct 1996), 4T516
Influence of the different behavior at tension and compression on density distribution of porous metals, Mech Res Commun 23(5) 537-542 (Sep-Oct 1996), 4T517
Localization analysis in multisurface hyperelasto-plasticity, J Mech Phys Solids 44(10) 1691-1713 (Oct 1996), 4A518
Study of the elastic-plastic problem undergoing finite plastic strain using the BE technique (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(3) 291-312 (1996), 4A519
Two dimensional texture study based on a double-slip model of polycrystal plasticity with analysis of thin-walled tubes under torsion, Int J Solids Struct 33(28) 4167-4193 (Nov 1996), 4A520
Use of couple-stress theory in elasto-plasticity, Comput Methods Appl Mech Eng 136(3-4) 205-224 (Sep 1996), 4A521
Stability of viscoelastic solid systems with monotone relaxation, Eur J Mech A 15(5) 787-797 (1996), 4A626
Formulation of damage evolution equation for elastic-plastic-damage materials in stress space (Japanese), J Soc Mat Sci Japan 45(8) 893-900 (Aug 1996), 4A729
Extended shakedown theory for elastic-plastic-damage material models, Eur J Mech A 15(5) 825-858 (1996), 4A806
Modeling of the thermo-elastoplastic behavior of a coating on a substrate (French), European J Mech Eng 41(3) 131-136 (1996), 4A1260
Isotropic viscoplasticity theory based on overstress (VBO): The influence of the direction of the dynamic recovery term in the growth law of the equilibrium stress, Int J Plasticity 12(6) 719-735 (1996), 5A418
Singular stress fields at V-notch tips in elastoplastic pressure-sensitive materials, Acta Mech 118(1-4) 151-170 (1996), 5A419
Analysis for plastic buckling of thin-walled cylinders via non-classical constitutive theory of plasticity, Int J Solids Struct 33(30) 4495-4509 (Dec 1996), 5A493
Riemann problems for 5 × 5 systems of fully nonlinear equations related to hypoplasticity, Math Methods Appl Sci 19(18) 1433-1444 (Dec 1996), 6A234
Treatment of elastic deformation in finite elastic-viscoplastic theory, Int J Plasticity 12(7) 951-965 (1996), 6A468
Consistent approach to continuum and discrete rate elastoplastic structural problems, Comput Methods Appl Mech Eng 137(3-4) 207-238 (Nov 1996), 6A513
Distortional and orientational hardening at large viscoplastic deformations, Int J Plasticity 12(7) 903-925 (1996), 6A514
Overall elastoplastic behavior of multiphase materials with isotropic components, Acta Mech 119(1-4) 93-117 (1996), 6A515
Riemann problems for an elastoplastic model for antiplane shearing with a nonassociative flow rule, Math Mech Solids 1(4) 425-443 (Dec 1996), 6A516
Sensitivity analysis in plane stress elasto-plasticity and elasto-viscoplasticity, Comput Methods Appl Mech Eng 137(3-4) 395-409 (Nov 1996), 6A517
Variant of the theory of plasticity of two-phase composite media, Acta Mech 119(1-4) 65-78 (1996), 6A518
Optimal plastic limit and shakedown design of bar structures with constraints on plastic deformation, Eng Struct 19(1) 19-27 (Jan 1997), 6A842
Dynamic model for elastic-plastic plates, Tech Mech 16(4) 343-356 (1996), 7A154
Stress relaxation propertics of alloy HP50Nb and their application to life assessment of reformer furnace tubing, Int J Pressure Vessels Piping 70(1) 59-68 (Jan 1997), 7A428
Constitutive description of temperature-dependent nonproportional cyclic viscoplasticity, J Eng Mat Tech 119(1) 12-19 (Jan 1997), 7A446
Detection of multiple active yield conditions for Mohr-Coulomb elasto-plasticity, Comput Struct 62(1) 51-61 (Jan 1997), 7A447
Dynamic patterning of shear bands in Cosserat continuum, J Eng Mech 123(2) 123-133 (Feb 1997), 7A448
Modeling of high homologous temperature deformation behavior using the viscoplasticity theory based on overstress (VBO) - Part II: Characteristics of the VBO model, J Eng Mat Tech 119(1) 1-6 (Jan 1997), 7A449
Rotating elastic-plastic solid shaft with fixed ends, Int J Eng Sci 35(3) 253-267 (Feb 1997), 7A450
Texture predictions using a polycrystal plasticity model incorporating neighbor interactions, Int J Plasticity 12(8) 1023-1054 (1996), 7A451
Three-dimensional FE analysis of subsurface stresses and shakedown due to repeated sliding on a layered medium, J Appl Mech 63(4) 967-973 (Dec 1996), 7A452
Mechanical property changes in drawing-extrusion of hardening viscoplastic materials with damage, Int J Mech Sci 39(5) 565-573 (May 1997), 7A595
Modeling of cutting for viscoplastic materials, Int J Mech Sci 39(4) 369-389 (Apr 1997), 7A596
Numerical study of dynamic crack growth in elastic-viscoplastic solids, Int J Solids Struct 34(7) 769-787 (3 1997), 7A766
Regular and chaotic responses of a Hamiltonian beam model, Eur J Mech A 16(2) 341-368 (1997), 8A139
Continuum mechanics code analysis of steady plastic wave propagation in the Taylor test, Int J Impact Eng 19(3) 231-256 (Mar 1997), 8A227
Qualitative and numerical analysis of quasi-static problems in elastoplasticity, SIAM J Numer Anal 34(1) 143-177 (Feb 1997), 8A522
Void growth in glassy polymers, J Mech Phys Solids 45(3) 405-437 (Mar 1997), 9A15
Temporal evolution of shear band thickness, J Mech Phys Solids 45(3) 345-359 (Mar 1997), 9A430
Determinative equations of elastoplastic repeated deformation of a solid body taking into account the deformation anisotropy of material (Russian), Prikl Mekh (Appl Mech) 32(8) 14-22 (1996), 9A455
Effective elastoplastic algorithms for ductile matrix composites, J Eng Mech 123(3) 260-266 (Mar 1997), 9A456
Numerical study of elastoplastic state of laminated shells in the process of axisymmetric deformation by trajectories of small curvatures with regard for geometric linearity (Russian), Prikl Mekh (Appl Mech) 32(8) 80-86 (1996), 9A566
Saturated impulse for pulse-loaded elastic-plastic square plates, Int J Solids Struct 34(14) 1709-1718 (May 1997), 10A284
Linear complementary formulations involving frictional contact for elasto-plastic deformable bodies, J Appl Mech 64(1) 80-89 (Mar 1997), 10A563
Endochronic description for viscoplastic behavior of materials under multiaxial loading, Int J Solids Struct 34(17) 2131-2160 (Jun 1997), 10A587
Viscoplastic behavior of PMMA blends: The effect of moisture absorption, J Reinforced Plastics Composites 16(4) 306-320 (1997), 10A609
Plastic bending of a residually stressed beam, Int J Solids Struct 34(16) 1985-2002 (Jun 1997), 10A628
Asymptotic solution to the antiplane shear dynamic crack-tip field in an elastic strain-softening viscoplastic material, Appl Math Mech 18(2) 173-179 (Feb 1997), 10A840
Rheology for Polymer Melt Processing (Elsevier Sci, New York, 1996) 11N33
Phase transitions in elastoplastic materials: Continuum thermomechanical theory and examples of control - Part I, J Mech Phys Solids 45(6) 923-947 (Jun 1997), 11A2
Analysis of shear band development in a viscoplastic double slip, single crystal in tension, J Appl Mech 62(4) 827-833 (Dec 1995), 11A428
Constitutive modeling of the visco-plastic response of Hastelloy-X and Aluminum alloy 8009, J Eng Mat Tech 118(1) 19-27 (Jan 1996), 11A429
New theory of the stored energy in elasto-plasticity and the torsion test, Eur J Mech A 16(3) 467-500 (1997), 11A430
Non-isothermal plane plastic flow of a thin layer compressed by flat rigid dies, Int J Mech Sci 39(8) 899-912 (Aug 1997), 11A577
Near-tip field for steady dynamic crack growth in a compressible elastic-plastic material, J Mech Phys Solids 45(6) 989-1005 (Jun 1997), 11A721
Phase transitions in elastoplastic materials: Continuum thermomechanical theory and examples of control - Part II, J Mech Phys Solids 45(7) 1203-1222 (Jul 1997), 12A4
Development of the theory of constitutive equations of physically nonlinear viscoelastic bodies under cyclic deformations (Russian), Prikl Mekh (Appl Mech) 32(10) 46-51 (1996), 12A7
Secant-viscosity approach to the time-dependent creep of an elastic-viscoplastic composite, J Mech Phys Solids 45(7) 1069-1083 (Jul 1997), 12A512
Analysis of the plane-strain compression of visco-plastic materials, J Appl Mech 64(2) 420-424 (Jun 1997), 12A535
Parameter identification for finite deformation elasto-plasticity in principal directions, Comput Methods Appl Mech Eng 147(1-2) 17-39 (Jul 1997), 12A536
Rate-sensitive analysis of framed structures - Part I: Model formulation and verification, Struct Eng and Mech 5(3) 221-237 (May 1997), 12A537
Rate-sensitive analysis of framed structures - Part II: Implementation and application to steel and R-C frames, Struct Eng and Mech 5(3) 239-256 (May 1997), 12A538
Theory and numerics of large viscoplastic deformation, Comput Methods Appl Mech Eng 146(3-4) 351-369 (Jul 1997), 12A539
Viscoplastic behavior of porous metallic materials saturated with liquid - Part I: Constitutive equations, Int J Plasticity 13(3) 215-235 (1997), 12A540
Viscoplastic behavior of porous metallic materials saturated with liquid - Part II: Experimental identification on a Sn-Pb model alloy, Int J Plasticity 13(3) 237-259 (1997), 12A541
Simulation of viscoelastic behavior of layered members of constructions of anisotropic elastomeric materials (Russian), Prikl Mekh (Appl Mech) 32(10) 52-58 (1996), 12A574
Dynamic crack growth along an elastoplastic bimaterial interface, Acta Mech 121(1-4) 51-77 (1997), 12A825
Thermodynamical analysis of thermoviscoplastic model deformation of materials (Russian), Prikl Mekh (Appl Mech) 33(2) 41-48 (1997), 12A1335

254K. Anisotropic and nonhomogeneous media

Nonlinear FE analysis for composite materials, Finite Elements Anal Des 22(3) 211-223 (Jul 1996), 1A31
Concentration of slip and mechanics of orthotropic material, Mech Solids 31(1) 62-69 (1996), 1A492
Influence of rotation of the principal orthotropy axes on the deformation of anisotropic ideally plastic materials, Mech Solids 31(1) 58-61 (1996), 1A493
Method of plasticity for general aligned spheroidal void or fiber-reinforced composites, Int J Plasticity 12(4) 439-449 (1996), 1A494
Predicting the mechanical behavior of two-phase materials with cellular automata, Int J Plasticity 12(4) 561-574 (1996), 1A495
Sheet orientation and forming limits under diffuse necking, Appl Math Model 20(8) 624-635 (Aug 1996), 1A496
Observations and calculations on mechanical anisotropy and plastic flow of an Al ZnMg extrusion, Acta Mat 44(9) 3497-3504 (Sep 1996), 2A422
Matrix formulation for the elastoplastic homogenization of layered materials, Mech Cohesive-Frictional Mat 1(3) 273-294 (Jul 1996), 2A441
Creep and plasticity due to chemo-mechanical couplings, Arch Appl Mech 66(8) 523-535 (Sep 1996), 3A479
Continuum aspects of directionally dependent cracking of an interface between copper and alumina crystals, Mech Mat 23(4) 271-286 (Aug 1996), 3A709
Stress singularities at a joint formed by dissimilar elastic-plastic materials under mechanical loading, Int J Fracture 77(3) 263-279 (1996), 3A713
Theoretical and experimental studies on elasto-plastic deformation of an element with surface layer, Eng Trans 44(1) 69-83 (1996), 4A522
Variation of the elliptic paraboloid failure locus beyond the elastic unit, Int J Damage Mech 5(4) 317-352 (Oct 1996), 5A420
Study of the elasto-plastic axially tensile properties of metal matrix composites with fiber-end debonding, Appl Math Mech 17(8) 723-727 (Aug 1996), 5A445
Variant of the theory of plasticity of two-phase composite media, Acta Mech 119(1-4) 65-78 (1996), 6A518
Development of plastic anisotropy in rolled aluminium sheets, Int J Plasticity 12(7) 935-949 (1996), 6A519
Anisotropic yield and plastic flow of polycrystalline solids, Int J Plasticity 12(10) 1221-1240 (1996), 8A523
From mesoscopic heterogeneity of slip to macroscopic fluctuations of stress and strain, Acta Mat 45(3) 1067-1075 (Mar 1997), 8A524
Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 2: Theoretical analysis using an elastoplasticity model, Mech Cohesive-Frictional Mat 2(1) 71-92 (Jan 1997), 8A656
Limit analysis of geosynthetic-reinforced soil slopes, Geosynthetics Int 3(6) 721-740 (1996), 8A679
Finite element simulation of large plastic deformation in heterophase materials, Model Simulation Mat Sci Eng 5(1) 1-21 (Jan 1997), 9A25
Displacement and strain fields for a bimetallic strip under remote tension, J Appl Mech 62(4) 997-1004 (Dec 1995), 11A431
Energy approach to the plasticity of a two-phase composite containing aligned inclusions, J Appl Mech 62(4) 1039-1046 (Dec 1995), 11A432
Experimental investigation of an anisotropy in copper subjected to predeformation due to constant and monotonic loadings, Int J Plasticity 13(1-2) 87-109 (1997), 11A433
Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, Int J Plasticity 13(1-2) 165-181 (1997), 11A434
Quadratic yield function for fiber-reinforced composites, J Composite Mat 31(8) 788-811 (1997), 11A435
Stiffest wire, J Appl Mech 62(4) 947-951 (Dec 1995), 11A480
Analytical model for the inelastic axial shear response of unidirectional metal matrix composites, Int J Plasticity 13(3) 261-289 (1997), 12A542
Micromechanical modeling of the elastoplastic behavior of polycrystals containing precipitates: Application to hypo- and hyper-eutectoid shells, Int J Plasticity 13(3) 183-199 (1997), 12A543
Numerical analysis of an inside-out tube inversion process, J Mat Processing Tech 66(1-3) 130-136 (Apr 1997), 12A544
Numerical study of cavitation and yield in amorphous polymer-rubber blends, J Eng Mat Tech 119(3) 256-261 (Jul 1997), 12A545
Plastic anisotropy in a superplastic duplex stainless steel, Acta Mat 45(7) 2747-2757 (Jul 1997), 12A546
Nonlinear behavior of composite materials, Composite Mech Des 2(2) 89-105 (1996), 12A587
Simplified approach for evaluating bendability and springback in plastic bending of anisotropic sheet metals, J Mat Processing Tech 66(1-3) 9-17 (Apr 1997), 12A712

254L. Residual stress

Research on residual stresses after hydrobulging of spherical vessels, Int J Pressure Vessels Piping 68(3) 231-235 (Oct 1996), 1A497
Research on the residual stresses of hydrobulged spherical vessels, J Mat Processing Tech 58(2-3) 166-169 (Mar 1996), 1A498
Residual stress mapping in a steam turbine disk using the L_{cr} ultrasonic technique, Mat Eval 54(7) 832-839 (Jul 1996), 1A823
Optimization of depth increment distribution in the ring-core method, J Strain Anal Eng Des 31(4) 251-258 (Jul 1996), 2A402
Ultrasonic measurement of residual stress in the rims of inductively heated railroad wheels, Mat Eval 54(8) 929-934 (Aug 1996), 2A737
Residual stress in some elastoplastic problems of rolling contact with friction, Int J Mech Sci 39(1) 15-32 (Jan 1997), 3A480
Determination of biaxial residual stresses by a holographic-hole drilling technique, J Eng Mat Tech 118(4) 583-588 (Oct 1996), 4A523
Measuring method for residual stresses in explosively clad plates and a method of residual stress reduction, J Eng Mat Tech 118(4) 576-582 (Oct 1996), 4A524
Study on the distribution of residual stress due to surface induction hardening, J Eng Mat Tech 118(4) 571-575 (Oct 1996), 4A525
Determination of residual stresses in components using the fracture mechanics weight function, Eng Fracture Mech 55(4) 571-576 (Nov 1996), 5A421
Determination of surface residual stresses in machined ceramics using indentation fracture, J Manuf Sci Eng 118(4) 483-489 (Nov 1996), 5A422
Residual stresses in PVC-cylindors determined with the weight function method, Eng Fracture Mech 55(5) 859-863 (Nov 1996), 5A423
Measurement of the 3D residual stress distribution around split-sleeve cold-expanded holes, J Strain Anal Eng Des 31(6) 413-421 (Nov 1996), 6A520
Prediction of stresses in concrete pavements subjected to nonlinear gradients, Cement & Concrete Composites 18(6) 381-387 (1996), 10A588
Effect of welding parameters on the residual stress by the parallel heat welding, Int J Pressure Vessels Piping 71(2) 197-202 (Apr 1997), 11A436
Residual stress measurement in 304 stainless steel weld overlay pipes, J Eng Mat Tech 118(1) 135-142 (Jan 1996), 11A437
Residual stresses in steel and zirconium weldments, J Pressure Vessel Tech 119(2) 137-141 (May 1997), 11A438
Benchmarking of a destructive technique to determine residual stresses in thick-walled axisymmetric components, J Strain Anal Eng Des 32(2) 87-96 (Mar 1997), 12A547

254M. Physical theory (dislocations, etc)

Adiabatic shear band localization of inelastic single crystals in symmetric double-slip process, Arch Appl Mech 66(6) 369-384 (Jun 1996), 1A499
Atomic mechanics simulation on nucleation process of grain boundary groove in aluminum conductor of microelectronic packages, JSME Int J Ser A 39(3) 291-296 (Jul 1996), 1A783
Numerical analyses for the material bifurcation in plane sheet under tension, Eng Fracture Mech 55(2) 223-234 (Sep 1996), 2A423
Modeling of single crystal plasticity with backstress evolution, Eur J Mech A 15(4) 553-573 (1996), 3A481
Experimental study evaluating macroscopic cavity interactions as a model of microvoid ductility, J Eng Mat Tech 118(4) 515-521 (Oct 1996), 4A526
Motion and flow equations for stresses, Acta Geophys Polonica 44(1) 19-29 (1996), 4A527

Simulation of void growth in WC-Co hardmetals using crystal plasticity theory, Int J Mech Sci 39(2) 173-183 (Feb 1997), 4A528

Three-dimensional model for the probabilistic intergranular failure of polycrystalline arrays, Model Simulation Mat Sci Eng 4(3) 261-279 (May 1996), 4A529

Analysis of the influence of the substructure of a crystal on shear band localization phenomena of plastic deformation, Mech Mat 24(2) 141-158 (Oct 1996), 5A424

Numerical study of adiabatic shear banding in mild steel by dislocation mechanics based constitutive relations, Mech Mat 24(2) 125-139 (Oct 1996), 5A425

Shear band initiation of brittle damage materials, Int J Damage Mech 5(4) 403-421 (Oct 1996), 5A426

Interaction of a thin-film-covered mode III crack with screw dislocations: Emission of a screw dislocation dipole from the interface, Mech Mat 24(2) 159-173 (Oct 1996), 5A647

Interfacial geometry in simulated rolling and recrystallization textures, Model Simulation Mat Sci Eng 4(5) 455-472 (Sep 1996), 6A521

Micromechanical analysis of surface defects, Math Mech Solids 1(4) 369-391 (Dec 1996), 6A522

New dynamic model for study of dislocation pattern formation, Acta Mech Sinica 12(3) 200-212 (1996), 6A523

Note on the model of crystalline defects in Ericksen-Pitteri neighborhoods, Physica D 99(2-3) 350-358 (Dec 1996), 7A453

Stress relaxation in the interface between creep particle and elastic matrix-strengthening mechanism, Int J Eng Sci 34(15) 1789-1810 (Dec 1996), 7T454

Consideration of processes on the microscale of metallic materials for the development of constitutive models, Acta Mech 120(1-4) 1-30 (1997), 8A1

Mathematical modeling of decoration peak associated with dragging point defects situated selectively at the kink chain with special references to hydrogenated bcc and fcc metals, Appl Math Model 21(1) 26-41 (Jan 1997), 8A525

Constitutive creep model for single crystal ice, Mech Mat 25(2) 97-112 (Mar 1997), 9A5

Implementing image stresses in a 3D dislocation simulation, Model Simulation Mat Sci Eng 4(6) 581-596 (Nov 1996), 9A457

Determination of fiber-bridging tractions in fiber-reinforced composites, Mech Mat 25(1) 47-57 (Jan-Feb 1997), 9A750

Finite element method for simulating interface motion - I: Migrations of phase and grain boundaries, Acta Mat 45(5) 1907-1915 (May 1997), 10A29

Exact solutions of some shear dislocation problems involving a stopping effect, J Appl Mech 64(1) 183-192 (Mar 1997), 10A589

Analysis of shear band development in a viscoplastic double slip, single crystal in tension, J Appl Mech 62(4) 827-833 (Dec 1995), 11A428

Driving force on phase transition fronts in thermoelectroelastic crystals, Math Mech Solids 2(2) 199-214 (Jun 1997), 11A439

Generalized Peierls-Nabarro model for non-planar screw dislocation cores, J Mech Phys Solids 45(6) 903-921 (Jun 1997), 11A440

Orientation modeling of 2D textures, Model Simulation Mat Sci Eng 5(2) 117-127 (Mar 1997), 11A441

254Y. Computational techniques

Algorithmic tangent matrix approach for mixed hardening model of endochronic plasticity, Comput Methods Appl Mech Eng 133(1-2) 1-14 (Jun 1996), 1A500

Effet des conditions aux limites sur le comportement des assemblages bois boulonnes (French), Mat Struct 29(190) 372-382 (Jul 1996), 1A501

Evaluation of the stress tensor in 3D elastoplasticity by direct solving of hypersingular integrals, Int J Numer Methods Eng 39(15) 2555-2573 (Aug 1996), 1A502

Integration methods for complex plastic constitutive equations, Comput Methods Appl Mech Eng 133(1-2) 125-155 (Jun 1996), 1A503

Nonlinear optimization procedure for limit analysis, Eur J Mech A 15(3) 487-512 (1996), 1A504

Novel developments in FE procedures for gradient-dependent plasticity, Int J Numer Methods Eng 39(14) 2477-2505 (Jul 1996), 1A505

Simulation of polycrystals using an FEM-based representative volume element, Tech Mech 16(1) 51-62 (1996), 1A506

Computation of bounds on chosen measures of real plastic deformation for beams, Comput Struct 61(1) 171-182 (Aug 1996), 1A551

Elastic-plastic FE analysis of short flat bars with projections - Part 3: Combined axial and shear loading, J Strain Anal Eng Des 31(4) 269-288 (Jul 1996), 2A24

Algorithm for integrating the spin on convected bases, Int J Numer Methods Eng 39(17) 2973-2985 (Sep 1996), 2A424

Variational upper-bound method for plane strain problems, J Manuf Sci Eng 118(3) 301-309 (Aug 1996), 2A425

Simplified method for predicting ultimate compressive strength of ship panels, Int Shipbuild Prog 43(434) 139-157 (Jul 1996), 2A823

Numerical computation of algorithmic (consistent) tangent moduli in large-strain computational inelasticity, Comput Methods Appl Mech Eng 134(3-4) 223-240 (Aug 1996), 3A451

Exponential map algorithm for stress updates in anisotropic multiplicative elastoplasticity for single crystals, Int J Numer Methods Eng 39(19) 3367-3390 (Oct 1996), 3A482

Finite element-formulation of a non-local plasticity theory, Comput Methods Appl Mech Eng 136(1-2) 127-144 (Sep 1996), 3A483

Finite strain elasto-plastic formulations using the method of mixed interpolation of tensorial components, Comput Mech 18(4) 290-301 (Aug 1996), 3A484

Implicit projection algorithm for simultaneous flow of plasticity and damage in standard generalized materials, Int J Numer Methods Eng 39(18) 3065-3082 (Sep 1996), 3A485

Finite element analysis of textured materials, J Theor Appl Mech 34(4) 713-731 (1996), 4A19

New computational approach to crystal plasticity: fcc single crystal, Mech Mat 24(1) 43-57 (Sep 1996), 4A530

Three-dimensional slip-line field theory with rotational continuity, Eng Trans 44(2) 207-228 (1996), 4A531

Unified approach for parameter identification of inelastic material models in the frame of the FEM, Comput Methods Appl Mech Eng 136(3-4) 225-258 (Sep 1996), 4A532

Velocity based approach including acceleration to the FE computation of viscoplastic problems, Int J Numer Methods Eng 39(20) 3439-3451 (Oct 1996), 4A533

Yield stress distribution in the natural surface layer of polycrystals, Eng Trans 44(2) 143-156 (1996), 4A534

Modified analysis of the backward extrusion of internally circular-shaped tubes from arbitrarily shaped billets by the upper-bound elemental technique, J Mat Processing Tech 59(4) 351-358 (Jun 1996), 4A658

Implicit integration and consistent linearization for yield criteria of the Mohr-Coulomb type, Mech Cohesive-Frictional Mat 1(4) 367-383 (Oct 1996), 5A23

Numerical study of adiabatic shear banding in mild steel by dislocation mechanics based constitutive relations, Mech Mat 24(2) 125-139 (Oct 1996), 5A425

Generalized variable formulation for gradient dependent softening plasticity, Int J Numer Methods Eng 39(21) 3731-3755 (Nov 1996), 5A427

Localization properties of a frictional material model based on regularized strong discontinuity, Int J Numer Anal Methods Geomech 20(11) 771-783 (Nov 1996), 5A428

Macroscopic theory and nonlinear FE analysis of micromechanics of single crystals at finite strains, Comput Mech 18(6) 471-484 (Oct 1996), 5A429

Numerical implementation of constitutive integration for rate-independent elastoplasticity, Comput Mech 18(5) 387-396 (Sep 1996), 5A430

Theoretical evaluation of plasticity hardening algorithms for nonproportional loadings, Acta Mech 118(1-4) 213-234 (1996), 5A431

Numerical analysis of concrete structures subjected to alkali-aggregate reaction, Mech Cohesive-Frictional Mat 1(4) 305-319 (Oct 1996), 5A438

Theoretical study of steady-state wedge cutting through metal plates, Int J Fracture 78(1) 45-66 (1996), 5A547

Governing parameter method for implicit integration of viscoplastic constitutive relations for isotropic and orthotropic metals, Comput Mech 19(1) 49-57 (Nov 1996), 6A524

h-adaptive coupling of FE and BE for viscoplastic and elastoplastic interface problems, J Comput Appl Math 75(2) 345-363 (Nov 1996), 6A525

Internal variable formulations of elastic-plastic dynamic problems, Int J Impact Eng 18(7-8) 849-858 (Oct-Dec 1996), 6A526

Limit state solutions, based upon linear elastic solutions with a spatially varying elastic modulus, Comput Methods Appl Mech Eng 140(3-4) 237-258 (Jan 1997), 6A527

A posteriori error estimation for elastoplastic problems based on duality theory, Comput Methods Appl Mech Eng 138(1-4) 317-339 (Dec 1996), 6A528

Transfer operators for evolving meshes in small strain elasto-plasticity, Comput Methods Appl Mech Eng 137(3-4) 331-344 (Nov 1996), 6A529

Analytical and experimental study on asymmetrical sheet rolling, Int J Mech Sci 39(3) 289-303 (Mar 1997), 6A669

Simple procedure to simulate the failure evolution, Struct Eng and Mech 4(6) 601-612 (Nov 1996), 6A810

Ad hoc exact solutions for the stress and velocity fields in rigid, perfectly plastic materials under plane-strain conditions, Int J Plasticity 12(8) 1069-1109 (1996), 7A455

Field BE formulation for damage mechanics, Eng Anal Boundary Elements 18(2) 137-147 (Sep 1996), 7A456

Sensitivity analysis for 3D elastoplastic structural reliability, Acta Mech Solida Sinica 9(4) 296-305 (1996), 7A817

Implicit integration of elastoplastic constitutive models for frictional materials with highly nonlinear hardening functions, Mech Cohesive-Frictional Mat 2(1) 1-29 (Jan 1997), 8A4

Distinct element simulation of grain alignment in mushy-state forging of magnets, Int J Mech Sci 39(7) 771-780 (Jul 1997), 8A526

Limit load analysis of perforated disks with square penetration pattern, J Pressure Vessel Tech 119(1) 122-126 (Feb 1997), 8A527

Plastic behavior of perforated sheets under biaxial stress state, Int J Mech Sci 39(7) 781-793 (Jul 1997), 8A528

Simple method for calculating shear band angles for pressure sensitive plastic materials, Mech Res Commun 24(1) 69-74 (Jan-Feb 1997), 8T529

Minimum weight of internally pressurized domes subject to plastic load failure, Thin-Walled Struct 27(2) 127-146 (Feb 1997), 8A917

Plastic work in the peeling of work hardening foils, J Adhesion Sci Tech 11(2) 141-154 (1997), 8A985

Finite element simulation of large plastic deformation in heterophase materials, Model Simulation Mat Sci Eng 5(1) 1-21 (Jan 1997), 9A25

Axisymmetric sudden expansion flow of a non-Newtonian viscoplastic fluid, J Fluids Eng 119(1) 193-200 (Mar 1997), 9A451

Convergence of inexact Newton-like iterations in incremental FE analysis of elastoplastic problems, Comput Methods Appl Mech Eng 141(3-4) 281-295 (Feb 1997), 9A458

Assessments of methods for locating the point of initial yield, Comput Methods Appl Mech Eng 141(3-4) 389-397 (Feb 1997), 9A459

Efficient stress algorithm with applications in viscoplasticity and plasticity, Int J Numer Methods Eng 40(6) 991-1013 (Mar 1997), 9A460

Implicit integration of bounding surface plasticity models, Comput Struct 63(3) 385-395 (May 1997), 9A461

Inelastic constitutive parameter identification using an evolutionary algorithm with continuous individuals, Int J Numer Methods Eng 40(6) 1071-1090 (Mar 1997), 9A462

Mixed FE model for plane strain elastic-plastic analysis - Part I: Formulation and assessment of the overall behavior, Comput Methods Appl Mech Eng 141(1-2) 67-79 (Feb 1997), 9A463

Mixed FE model for plane strain elastic-plastic analysis - Part II: Application to the 4-node bilinear element, Comput Methods Appl Mech Eng 141(1-2) 81-93 (Feb 1997), 9A464

Numerical method for reference stress in the evaluation of structure integrity, Int J Pressure Vessels Piping 71(1) 47-53 (Apr 1997), 9A465

Semi-implicit integration scheme for rate-dependent and rate-independent plasticity, Comput Struct 63(3) 579-600 (May 1997), 9A466

Simplified model of Brazier effect in plastic bending of cylindrical tubes, Int J Pressure Vessels Piping 71(1) 19-28 (Apr 1997), 9A467

Spherical Couette flow of a viscoelastic fluid - Part II: Numerical study for the inner sphere rotation, J Non-Newtonian Fluid Mech 69(1) 47-70 (Mar 1997), 10A583

Error estimates and adaptive remeshing techniques in elastoplasticity, Commun Numer Methods Eng 13(4) 285-299 (Apr 1997), 10A590

Evolution of plastic anisotropy for high-strain-rate computations, Comput Methods Appl Mech Eng 143(3-4) 249-270 (Apr 1997), 10A591

Finite element formulation of the rigid-plastic limit analysis problem, Int J Numer Methods Eng 40(11) 2063-2086 (Jun 1997), 10A592

Numerical treatment of finite deformations in elastoviscoplasticity, Comput Methods Appl Mech Eng 144(1-2) 1-21 (May 1997), 10A593

Optimal control variational principle and FEs analysis for viscoplastic dynamics, Appl Math Mech 18(1) 61-68 (Jan 1997), 10A594

Three-dimensional cell model analyses of void growth in ductile materials, Int J Fracture 81(3) 235-258 (1996), 10A837

Analysis and computation of a cyclic plasticity model by aid of Diassl, Comput Mech 19(5) 380-385 (Apr 1997), 11A442

Computational simulation of 3D neck propagation in polymeric specimens under tension and hybrid identification of constitutive equation, Int J Mech Sci 39(8) 913-923 (Aug 1997), 11A443

Convergence analysis of an h-version FEM with high-order elements for 2D elasto-plasticity problems, SIAM J Numer Anal 34(3) 998-1036 (Jun 1997), 11A444

Deformation plasticity failure assessment diagram for materials with non-Ramberg-Osgood stress-strain curves, J Pressure Vessel Tech 117(4) 346-356 (Nov 1995), 11A445

Minimum weight design of pressure components using r-nodes, J Pressure Vessel Tech 119(2) 224-231 (May 1997), 11A446

Mixed element method in gradient plasticity for pressure dependent materials and modeling of strain localization, Comput Methods Appl Mech Eng 144(3-4) 287-305 (May 1997), 11A447

Plastic deformation of a tube during bending, J Eng Indust 117(4) 494-500 (Nov 1995), 11A448

Simple method of calculating lower-bound limit loads for axisymmetric thin shells, J Pressure Vessel Tech 119(2) 236-242 (May 1997), 11A522

Numerical implementation of orthotropic plasticity for sheet-metal forming analysis, J Mat Processing Tech 65(1-3) 143-152 (Mar 1997), 11A578

Analysis of superplastic sheet-metal forming in a circular closed-die considering non-uniform thinning, J Mat Processing Tech 65(1-3) 215-227 (Mar 1997), 11A623

K,-L, failure assessment diagrams as applied to a flaw in the vicinity of a stress concentration: The effect of the severity of the stress concentration, Int J Pressure Vessels Piping 71(2) 107-111 (Apr 1997), 11A729

Lower bound limit loads using variational concepts: The m_α-method, Int J Pressure Vessels Piping 71(2) 93-106 (Apr 1997), 11A763

Weight-saving plastic design of pressure vessels, J Pressure Vessel Tech 119(2) 161-166 (May 1997), 11A825

Boundary Element Methods in Manufacturing (Oxford UP, New York, 1997) 12R1

Error-correcting merit of the volumetrically elastic and deviatorically rigid-plastic FEM, J Mat Processing Tech 66(1-3) 165-171 (Apr 1997), 12A30

Finite element analysis of the squeeze flow of an elasto-viscoplastic paste material, J Non-Newtonian Fluid Mech 71(1-2) 41-57 (Jul 1997), 12A36

Convergence of Newton-type methods in incremental return mapping analysis of elastoplastic problems, Comput Methods Appl Mech Eng 147(1-2) 167-185 (Jul 1997), 12A548

Consistent tangent operator algorithm for thermoplastic problems, Comput Methods Appl Mech Eng 146(3-4) 215-230 (Jul 1997), 12A1348

254Z. Experimental techniques

Determination of elastic-plastic stresses and strains from measured surface strain data, Exp Mech 36(2) 99-112 (Jun 1996), 1A507

Theoretical and experimental studies on elasto-plastic deformation of an element with surface layer, Eng Trans 44(1) 69-83 (1996), 4A522

Changes of temperature during the simple shear test of stainless steel, Arch Mech 48(4) 779-788 (1996), 4A789

Precision strain rate sensitivity measurement using the step-ramp method, Exp Mech 36(4) 360-366 (Dec 1996), 5A432

Correction of plasticity effect at the hole edge when using the center hole method for measuring high welding residual stress, Strain 32(4) 125-129 (Nov 1996), 6A509

Direct measurement of isothermal flow stress of metals at elevated temperatures and high strain rates with application to Ta and Ta-W alloys, Acta Mat 45(3) 907-919 (Mar 1997), 8A530

Microindentation method for estimating interfacial shear strength and its use in studying the influence of titanium transition layers on the interface strength of opitaxial copper films on sapphire, Acta Mat 45(2) 489-499 (Feb 1997), 8A841

Poisson's ratio of steel at large plastic deformations, Arch Civil Eng 42(3) 309-323 (1996), 9A791

Measurement of prior plastic deformation in metallic alloys using the neutron diffraction technique, J Strain Anal Eng Des 32(1) 37-46 (Jan 1997), 10A595

Environmental Stress Cracking of Plastics (Rapra, UK, 1996) 11R21

Yield surface of viscoelastic and plastic fluids in a vane viscometer, J Non-Newtonian Fluid Mech 70(3) 237-253 (Jun 1997), 11A403

256. COMPOSITE MATERIAL MECHANICS

Notched and pin bearing strengths of GFRP composite laminates, J Composite Mat 30(18) 2042-2055 (1996), 6A530

Error limitations in the determination of mechanical properties of thin films, J Reinforced Plastics Composites 16(1) 17-32 (1997), 7A457

256A. General theory

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3 (ASME Press, New York, 1996) 1N32

Hygro-thermo-mechanical constitutive model for multiphase composite materials, Int J Solids Struct 33(20-22) 3179-3186 (Aug 1996), 1A8
Control over tribological behavior of laminated polymer composites in design and processing, J Friction Wear 16(3) 97-103 (1995), 1A408
Elastic constants and thermal expansion of aluminum-SiC metal-matrix composites, Res Nondestructive Eval 8(1) 23-37 (1996), 1A508
Overall mechanical behavior modeling of composite laminate, Eur J Mech A 15(3) 423-445 (1996), 1A509
Stochastic structural interface defects in fiber composites, Int J Solids Struct 33(20-22) 3035-3056 (Aug 1996), 1A510
Thermoelastic field in a composite material with inhomogeneities, J Thermoplastic Composite Mat 9(3) 246-258 (Jul 1996), 1A1293
Composite Materials, Volume I: Properties, Nondestructive Testing, and Repair (Prentice Hall, Upper Saddle River, NJ, 1997) 2N20
Composite Materials, Volume II: Processing, Fabrication, and Applications (Prentice Hall, Upper Saddle River, NJ, 1997) 2N21
Composite Materials: Testing and Design, Twelfth Volume (ASTM, 1996) 2N22
Fiber, Matrix, and Interface Properties (ASTM, 1996) 2N24
Life Predictions Methodology for Titanium Matrix Composites (ASTM, 1996) 2N25
Mathematical model of inhomogeneous deformation of composites (Russian), Prikl Mekh (Appl Mech) 32(5) 22-29 (1996), 2A426
Advanced Composites World Reference Dictionary (Krieger, Melbourne FL, 1996) 3N22
Joining of Al-based metal matrix composites: A review, Mat Manuf Processes 11(1) 45-66 (1996), 3A486
Approach to probabilistic optimal design of composite materials under service conditions (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(3) 269-290 (1996), 4A535
Effective elastoplastic behavior of two-phase ductile matrix composites: A micromechanical framework, Int J Solids Struct 33(29) 4267-4291 (Dec 1996), 4A536
Intelligent composite structures: General theory and applications, Int J Solids Struct 33(29) 4411-4429 (Dec 1996), 4A537
Overall view of laminate theories based on displacement hypothesis, J Composite Mat 30(14) 1539-1561 (1996), 4A538
Model for defective fibrous composites, J Mech Phys Solids 44(11) 1929-1951 (Nov 1996), 5A433
Anti-plane shear deformations of anisotropic sandwich structures: End effects, Int J Solids Struct 34(1) 79-98 (Jan 1997), 5A786
Approach to analysis of composite structures subjected to action of high-energy laser beam, J Aerospace Eng 10(1) 38-42 (Jan 1997), 6A531
Deformation of composite materials under microdischarge (Russian), Prikl Mekh (Appl Mech) 32(6) 52-58 (1996), 6A532
Elastic moduli of brittle matrix composites with interfacial debonding, Int J Solids Struct 34(2) 177-201 (Jan 1997), 6A533
Thermodynamical constitutive model for shape memory materials - Part II: The SMA composite material, Int J Plasticity 12(7) 843-873 (1996), 6A534
Introduction to Composite Materials, Second Edition (Cambridge UP, New York, 1996) 7N14
Bounds of third order for the overall response of nonlinear composites, J Mech Phys Solids 45(1) 87-111 (1 1997), 7A458
Theoretical modeling of residual and transformational stresses in SMA composites, Smart Mat Struct 5(6) 731-743 (Dec 1996), 7A459
Theoretical modeling of residual and transformational stresses in SMA composites, Smart Mat Struct 5(6) 731-743 (Dec 1996), 7A460
Thermomechanical model for chemically decomposing composites - I: Theory, Int J Eng Sci 35(2) 113-128 (Jan 1997), 7A461
Thermomechanical model for chemically decomposing composites - II: Application, Int J Eng Sci 35(2) 129-139 (Jan 1997), 7A462
Development of elastomer-based composites and control of their friction and wear, J Friction Wear 17(2) 46-50 (1996), 7A852
Proceeding of the American Society for Composites: Eleventh Technical Conference, Oct 1996, Atlanta GA (Technomic, Lancaster PA, 1996) 8N13
Stress singularities in a dissimilar materials joint with edge tractions under mechanical and thermal loadings, Int J Solids Struct 34(10) 1199-1216 (Apr 1997), 8A479
Composite plasticity based on matrix average second order stress moment, Int J Solids Struct 34(8) 1007-1015 (Mar 1997), 8A511
Energy analysis of dislocation arrays near bimaterial interfaces, Int J Solids Struct 34(9) 1053-1073 (Mar 1997), 8A531
Response of shape memory alloy composites, Smart Mat Struct 6(1) 1-9 (Feb 1997), 8A532
Thermal and Mechanical Test Methods and Behavior of Continuous-Fiber Ceramic Composites (ASTM, 1997) 9N20
Bounds on the complex bulk and shear moduli of a 2D two-phase viscoelastic composite, Mech Mat 25(2) 79-95 (Mar 1997), 9A448
Duality relations, correspondences, and numerical results for planar elastic composites, J Mech Phys Solids 45(4) 565-590 (Apr 1997), 9A468
Elastic bodies reinforced with inextensible surfaces, J Elast 45(3) 215-250 (Dec 1996), 9A469
Exact moduli and bounds of two-phase composites with coupled multifield linear responses, J Mech Phys Solids 45(3) 385-398 (Mar 1997), 9A470
Imperfection sensitivity of fiber micro-buckling in elastic-nonlinear polymer-matrix composites, Int J Solids Struct 34(13) 1667-1679 (May 1997), 9A471
More exact results concerning multifield moduli of two-phase composites, J Mech Phys Solids 45(3) 399-404 (Mar 1997), 9A472
Recent trends of composite constructions in the civil engineering field (Japancse), Proc JSCE 556(I-38) 31-42 (Jan 1997), 9A473
Three-dimensional deformation of the bilayered half-space under the effect of the surface mobile load (Russian), Prikl Mekh (Appl Mech) 32(8) 48-55 (1996), 9A474
Variational methods, bounds, and size effects for composites with highly conducting interface, J Mech Phys Solids 45(3) 361-384 (Mar 1997), 9A475
Composite Materials: Fatigue and Fracture, Sixth Volume (ASTM, 1997) 10N15
Composites Engineering Handbook (Marcel Dekker, New York, 1997) 10N16
Shape-memory alloys: Modeling and numerical simulations of the finite-strain superelastic behavior, Comput Methods Appl Mech Eng 143(1-2) 175-194 (Apr 1997), 10A596
Defect structures at thin film-substrate interfaces, J Mech Phys Solids 45(5) 637-665 (May 1997), 11A449
Use of homogenization theory to design optimal piezocomposites for hydrophone applications, J Mech Phys Solids 45(5) 689-708 (May 1997), 11A450
Effective electroelastic properties of piezoelectric composites containing spatially oriented inclusions, Int J Solids Struct 34(19) 2445-2461 (Jul 1997), 11A544
Advanced Composites Manufacturing (Wiley, New York, 1997) 12N27
Secant-viscosity approach to the time-dependent creep of an elastic-viscoplastic composite, J Mech Phys Solids 45(7) 1069-1083 (Jul 1997), 12A512
Applied problems of mechanics of composite structures, J Composite Mat 31(12) 1249-1260 (1997), 12A549
Correct variants of the refined theories of composite beams, plates, and shells, Composite Mech Des 2(1) 79-96 (1996), 12A550
Garteur "damage tolerance", Composite Struct 36(3-4) 173-275 (Nov-Dec 1996), 12A551
General theory for the accurate stress analysis of homogeneous and laminated composite beams, Int J Solids Struct 34(22) 2857-2885 (Aug 1997), 12A552
Response of composites under compression loads: FE modeling of interphase effects, J Mech Behavior Mat 8(1) 29-39 (1997), 12A553
Review of mechanics of shape memory alloy structures, Appl Mech Rev 50(11-PT 1) 629-645 (Nov 1997), 12A554
Role and importance of the physical modeling approach in describing and predicting the effective physico-mechanical properties and behavior of heterogeneous polymer media - Part I: Elastic and limiting properties, Composite Mech Des 2(1) 14-44 (1996), 12A555
Strain gradients and continuum modeling of size effect in metal matrix composites, Acta Mech 121(1-4) 165-176 (1997), 12A556
Effect of anisotropic physico-mechanical properties of material on the surface instability of layered half-bounded media (Russian), Prikl Mekh (Appl Mech) 33(2) 3-8 (1997), 12A638
Thermal expansion of isotropic multiphase composites and polycrystals, J Mech Phys Solids 45(7) 1223-1252 (Jul 1997), 12A1333

256B. Particulate media, incl cements

Effect of microstructural fabric on dynamic load transfer in 2D assemblies of elliptical particles, J Mech Phys Solids 44(8) 1283-1303 (Aug 1996), 1A438
Incremental theory of particulate-reinforced composites including debonding damage, JSME Int J Ser A 39(3) 389-397 (Jul 1996), 1A511
Modelisation des deformations differees des betons a hautes performances: Relation entre le retrait et le fluage (French), Mat Struct 29(190) 345-353 (Jul 1996), 1A512
Tensile properties of particulate-reinforced metal matrix composites, Composites Part A Appl Sci and Manuf 27A(8) 655-665 (1996), 1A513
Analysis of the failure of ceramics due to subcritical crack growth, J Eng Mat Tech 118(3) 343-348 (Jul 1996), 1A679
Parametric sensitivity of fracture behavior of concrete, Nucl Eng Des 163(3) 397-403 (Jul 1996), 1A776
High-temperature creep of low-dielectric-constant glass composites, J Mat Res 11(8) 2098-2103 (Aug 1996), 2A408
Analysis of superplasticizer influence on cement paste with multicriteria statistical optimization, Arch Civil Eng 42(2) 195-206 (1996), 2A427
Powder particle manipulation and assemblage using microprobe, J Intelligent Mat Syst Struct 7(3) 267-271 (May 1996), 2A428
Effects of grain surface roughness on phase transformation and failure lines under undrained torsional simple shear (Japanese), Proc JSCE 541(III-35) 223-232 (Jun 1996), 2A540
Experimental study on lateral resistance behavior of pile with enlarged base in sand (Japanese), Proc JSCE 541(III-35) 215-222 (Jun 1996), 2A541
Study on high pressure dewatering method of cement-stabilized soft clay (Japanese), Proc JSCE 540(VI-31) 113-122 (Jun 1996), 2A547
Effect of grain size characteristics on the effectiveness of cement fixing agent method for preventing liquefaction of sand to silt deposits (Japanese), Proc JSCE 541(III-35) 133-146 (Jun 1996), 2A551
Plastic flow and fracture of a particulate metal matrix composite, Acta Mat 44(9) 3465-3476 (Sep 1996), 2A686
Temperature and rate effects on stable crack growth in a particulate composite material, Exp Mech 36(3) 290-295 (Sep 1996), 2A687
Explosively generated pulse propagation through particles containing natural cracks, Mech Mat 23(4) 255-270 (Aug 1996), 3A487
Strain localization in confined high-strength concrete columns, J Struct Eng 122(9) 1055-1061 (Sep 1996), 3A488
Concrete behavior under freezing when subjected to mechanical stresses (French), Mat Struct 29(191) 395-400 (Aug-Sep 1996), 4A539
Drying of saturated lightweight concrete: An experimental investigation, Mat Struct 29(191) 401-405 (Aug-Sep 1996), 4A540
Measurement of apparent activation energy of cements in mortars by means of Langavant's semi-adiabatic calorimeter (French), Mat Struct 29(191) 444-447 (Aug-Sep 1996), 4A541
Mechanical properties of cement-treated mixtures of milled bituminous concrete and crushed aggregates, Mat Struct 29(191) 411-417 (Aug-Sep 1996), 4A542
Plasticity of a two-phase composite with partially debonded inclusions, Int J Plasticity 12(6) 781-804 (1996), 5A415
Analytical formulation of the complete stress-strain curve for high strength concrete, Mat Struct 29(193) 529-533 (Nov 1996), 5A434
Distribution of particulates in cast metal matrix composites, J Reinforced Plastics Composites 15(11) 1131-1148 (Nov 1996), 5A435
Examination of the possibility of a fluid-mechanics treatment of dense granular flows, Mech Cohesive-Frictional Mat 1(4) 385-403 (Oct 1996), 5A436
Influence of the type of loading and temperature on the modulus of elasticity of cement-bound mixes of milled bituminous concrete and crushed aggregates, Mat Struct 29(193) 543-551 (Nov 1996), 5A437
Numerical analysis of concrete structures subjected to alkali-aggregate reaction, Mech Cohesive-Frictional Mat 1(4) 305-319 (Oct 1996), 5A438
Propagation and closure of small cracks in SiC particulate reinforced aluminum alloy in high cycle and low cycle fatigue, Eng Fracture Mech 55(5) 751-762 (Nov 1996), 5A585
Fatigue of a particulate reinforced aluminium metal matrix composite subjected to axial, torsional, and combined axial-torsional loading conditions, Fatigue Fracture Eng Mat Struct 19(8) 1031-1043 (1996), 5A593
Crush-crack: A non-local damage model for concrete, Mech Cohesive-Frictional Mat 1(4) 321-347 (Oct 1996), 5A640
Boltzmann-Matano analysis of chloride diffusion into blended cement concrete, J Mat in Civil Eng 8(4) 195-200 (Nov 1996), 6A535
Compressive behavior of concrete: Physical mechanisms and modeling, J Eng Mech 122(11) 1038-1043 (Nov 1996), 6A536
Contact force-displacement laws and the mechanical behavior of random packs of identical spheres, Mech Mat 24(3) 229-240 (Nov 1996), 6A537
Experimental investigation on the use of fly ash for lightweight precast structural elements, Mat Struct 29(194) 632-638 (Dec 1996), 6A538
Strength growth as chemo-plastic hardening in early age concrete, J Eng Mech 122(12) 1123-1132 (Dec 1996), 6A539
Thermal conductivity of autoclaved aerated concrete: Modeling by the self-consistent method (French), Mat Struct 29(194) 609-615 (Dec 1996), 6A540
Validation of BTRHEOM, the new rhoemeter for soft-to-fluid concrete, Mat Struct 29(194) 620-631 (Dec 1996), 6A541
Comparison between high strength concrete and normal strength concrete subjected to high temperature, Mat Struct 29(194) 616-619 (Dec 1996), 6A882
Microporous and Macroporous Materials (Mat Res Soc, Pittsburgh PA, 1996) 7N18
Creep behavior of a SiC particulate reinforced Al-2618 metal matrix composite, Acta Mat 45(1) 41-49 (Jan 1997), 7A463
Design and life prediction issues for high-temperature engineering ceramics and their composites, Acta Mat 45(1) 23-40 (Jan 1997), 7A464
Two-dimensional grained composites of minimum stress concentration, Int J Solids Struct 34(6) 661-672 (Feb 1997), 7A465
Mode II fracture of composites interlayered with nylon particles, Composites Sci Tech 56(11) 1223-1240 (Nov 1996), 7A744
Prediction of mechanical behavior of particulate composites using an improved modulus degradation model, J Composite Mat 31(2) 104-127 (1997), 8A533
Simulation of concrete shrinkage taking into account aggregate restraint, Struct Eng and Mech 5(1) 105-113 (Jan 1997), 8A534
Viscoelastic constitutive model for particulate composites with growing damage, Int J Solids Struct 34(8) 931-947 (Mar 1997), 8A535
Viscoelastic continuum damage model and its application to uniaxial behavior of asphalt concrete, Mech Mat 24(4) 241-255 (Dec 1996), 8A770
Size effect tests of high strength concrete, J Mat in Civil Eng 9(1) 46-48 (Feb 1997), 8A837
Determination of E-modulus of young concrete with nondestructive method, J Mat in Civil Eng 9(1) 15-20 (Feb 1997), 8A838
Micromechanical model for the initial rearrangement stage of liquid phase sintering, Mech Mat 25(2) 137-157 (Mar 1997), 9A476
Particle shape effect in stress-force-fabric relationship for granular media, J Mech Behavior Mat 7(3) 219-233 (1996), 9A477
Reinforcement redistribution in Al-SiC composites under cyclic deformations, Acta Mat 45(4) 1351-1364 (Apr 1997), 9A478
Thermal softening of a particle-modified tungsten-based composite under adiabatic compression, Int J Solids Struct 34(13) 1563-1581 (May 1997), 9A479
Mechanical behavior of Al_2O_3-particle-reinforced 6061 aluminum alloy under uniaxial and multiaxial cyclic loading, Composites Sci Tech 57(2) 237-248 (Feb 1997), 9A707
Confined concrete model under cyclic load, Mat Struct 30(197) 139-147 (Apr 1997), 10A853
Determination of length changes due to moisture variations in autoclaved aerated concrete, Mat Struct 30(197) 148-153 (Apr 1997), 10A854
Estimate of concrete cube strength by means of different diameter cores: A statistical approach, Mat Struct 30(197) 131-138 (Apr 1997), 10A855
State-of-the-art in the applications of fiber-optic sensors to cementitious composites, Cement & Concrete Composites 19(1) 3-19 (Feb 1997), 10A870
Effective properties of porous ideally plastic or viscoplastic materials containing rigid particles, J Mech Phys Solids 45(6) 873-902 (Jun 1997), 11A390
Load-deformation behavior of high-strength concrete columns (B65-B115) under compression: Theoretical models and design rules (German), Bauingenieur 72(4) 167-175 (Apr 1997), 11A783
High-temperature creep behavior of aluminium-matrix composites reinforced with SiC, Al_2O_3 and TiB_2 particles, Composites Sci Tech 57(6) 697-702 (Jun 1997), 12A510
Bounds of the expansion coefficients of composites reinforced by spherically isotropic particles, Appl Math Mech 18(4) 341-348 (Apr 1997), 12A557
Effect of wet curing duration upon mechanical properties of commonly-used concretes (French), Mat Struct 30(199) 284-292 (Jun 1997), 12A558
Influence of structural features of the effective mechanical properties of granular composites - I: Plane deformation, Composite Mech Des 2(2) 62-65 (1996), 12A559
Reinforcement fracture and tensile ductility in sphere-reinforced metal-matrix composites, Fatigue Fracture Eng Mat Struct 20(5) 689-702 (1997), 12A816

256D. Carbon fiber reinforced media

Assessment of the effect of inhibitor oxidation on the response of oxidation-resistant carbon-carbon composites, Composites Sci Tech 56(5) 569-579 (1996), 1A514
Clamping effect in $[\pm\alpha]_s$-angle-ply laminates, Arch Appl Mech 66(6) 419-426 (Jun 1996), 1A515
Recycling carbon-fiber-reinforced thermoplastic composites, J Thermoplastic Composite Mat 9(3) 239-245 (Jul 1996), 1A516
Cutting forces in orthogonal cutting of unidirectional GFRP composites, J Eng Mat Tech 118(3) 419-425 (Jul 1996), 1A652

Tensile fatigue behavior of a coated 2D carbon-carbon composite laminate, J Composite Tech Res **18**(3) 202-208 (Jul 1996), 1A699

Damage and inelastic deformation mechanics in notched thermoset and thermoplastic laminates, Composites Sci Tech **56**(5) 557-568 (1996), 1A754

Influence of cyclic fatigue damage on the fracture toughness of carbon-carbon composites, Composites Part A Appl Sci and Manuf **27A**(8) 641-646 (1996), 1A761

Interlaminar morphology effects on fracture resistance of amorphous polymer-modified epoxy-carbon fiber composites, Composites Part A Appl Sci and Manuf **27A**(8) 625-631 (1996), 1A764

Theoretical and experimental investigation of failure and damage progression of graphite-epoxy composites in flexural bending test, J Reinforced Plastics Composites **15**(7) 740-755 (Jul 1996), 1A767

Modeling lamina longitudinal compression strength of carbon fiber composite laminates, J Composite Mat **30**(10) 1115-1131 (1996), 2A429

Prediction of the post-impact compressive strength of CFRP laminated composites, Composites Sci Tech **56**(6) 677-684 (1996), 2A430

Measurement of the degree of cure of carbon fiber epoxy composite materials, J Composite Mat **30**(13) 1436-1457 (1996), 2A608

Fatigue behavior of stitched GRP laminates, Composites Sci Tech **56**(6) 695-701 (1996), 2A628

Failure behavior of unidirectional AS4/3501-6 carbon-epoxy laminates, J Composite Mat **30**(10) 1150-1176 (1996), 2A678

Mixed-mode fracture of adhesively bonded CF-epoxy composite joints, J Composite Mat **30**(11) 1248-1265 (1996), 2A682

Effect of impact damage on residual compressive strength of glass-fiber reinforced polyester laminates, Composite Struct **35**(2) 171-181 (Jun 1996), 3A728

One-dimensional model of a shape memory alloy fiber reinforced aluminum metal matrix composite, J Intelligent Mat Syst Struct **7**(4) 448-454 (Jul 1996), 3A753

Interfacial micromechanics in thermoplastic and thermosetting matrix carbon fiber composites, Composites Part A Appl Sci and Manuf **27A**(10) 973-980 (1996), 4A543

Strength prediction of adhesively bonded carbon-epoxy joints, J Adhesion Sci Tech **10**(10) 1089-1104 (1996), 4A544

Unidirectional composite compression strengths obtained by testing cross-ply laminates, J Composite Tech Res **18**(4) 241-248 (Oct 1996), 4A545

Nondestructive characterization-evaluation of functional sandwich and hybrid carbon-carbon composites, J Reinforced Plastics Composites **15**(10) 988-1010 (Oct 1996), 4A798

Flexural behavior of reinforced concrete beams strengthened with carbon fiber sheets, Composites Part A Appl Sci and Manuf **27A**(10) 981-987 (1996), 4A836

Effects of resin thermal degradation on thermostructural response of carbon-phenolic composites and the manufacturing process of carbon-carbon composites, J Reinforced Plastics Composites **15**(10) 1011-1026 (Oct 1996), 4A1268

Determination of interface parameters for carbon-carbon composites by the fiber-bundle pull-out test, Composites Sci Tech **56**(9) 1017-1029 (Sep 1996), 5A439

Effect of molding temperature on flexure, impact strength, and interlaminar fracture toughness of CF-PEI composite, J Reinforced Plastics Composites **15**(11) 1117-1130 (Nov 1996), 5A568

Modeling the conditions for fatigue failure in metal matrix composites, Fatigue Fracture Eng Mat Struct **19**(9) 1093-1105 (1996), 5A597

Dynamic compressive failure of fiber composites, J Mech Phys Solids **44**(11) 1867-1890 (Nov 1996), 5A664

Failure characteristics in carbon-epoxy composite tows, Composites Part A Appl Sci and Manuf **27A**(12) 1183-1194 (1996), 5A671

Mechanical performance of carbon-fiber and glass-fiber-reinforced epoxy I-beams - II: Fractographic failure observations, Composites Sci Tech **56**(9) 1031-1045 (Sep 1996), 5A677

Time-dependent damage in carbon fiber-reinforced polymer composites, Composites Part A Appl Sci and Manuf **27A**(12) 1223-1227 (1996), 5A681

Delamination gage for carbon fiber composites, Exp Mech **36**(4) 388-398 (Dec 1996), 5A710

Thermomechanical behavior of interfacial region in carbon fiber-epoxy composites, Composites Part A Appl Sci and Manuf **27A**(11) 1067-1074 (1996), 5A1304

Failure of unidirectionally reinforced composites with frictional matrix, J Eng Mech **122**(11) 1086-1092 (Nov 1996), 6A542

Behavior of hybrid aluminium-CFRP box beams at low temperatures, Composites Part A Appl Sci and Manuf **28A**(2) 121-129 (1997), 7A466

Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, Smart Mat Struct **5**(6) 796-800 (Dec 1996), 7A467

Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, Smart Mat Struct **5**(6) 796-800 (Dec 1996), 7A468

Effect of mean stress on fatigue behavior of GFRP pultruded rod composites, Composites Part A Appl Sci and Manuf **28A**(1) 87-91 (1997), 7A655

Determination of the interface failure mechanism during transverse loading of single fiber SiC/Ti-6Al-4V composites from torsion tests, Acta Mat **45**(1) 309-320 (Jan 1997), 7A734

Effect of strain rate on the fracture process in interlaminar shear specimens of carbon fiber-reinforced laminates, Composites Part A Appl Sci and Manuf **28A**(2) 171-180 (1997), 7A735

Viscoelastic effects on the interlaminar fracture behavior of thermoplastic matrix composites - II: Rate and temperature dependence in unidirectional PEEK-carbon-fiber laminates, Composites Sci Tech **56**(11) 1253-1260 (Nov 1996), 7A752

Development of the composite third robot arm of the six-axis articulated robot manipulator, Composite Struct **35**(4) 331-342 (Aug 1996), 8A453

Effect of adhesive bonding between aluminum and composite prepreg on the mechanical properties of carbon-fiber-reinforced metal laminates, Composites Sci Tech **57**(1) 35-45 (Jan 1997), 8A536

Effects of end-tab shape on strain field of unidirectional carbon-epoxy composite specimens subjected to off-axis tension, Composites Part A Appl Sci and Manuf **28A**(3) 267-275 (1997), 8A537

Residual stresses associated with post-cure shrinkage in GRP tubes, Composites Sci Tech **57**(1) 47-54 (Jan 1997), 8A538

Experimental assessment of debonding damage in a carbon-fiber reinforced plastic sandwich panel by frequency variations, Composite Struct **35**(4) 435-444 (Aug 1996), 8A797

Failure and relaxations of carbon fiber-reinforced plastic tested by exoemission and luminescence methods, Int J Adhesion Adhesives **17**(1) 75-78 (Feb 1997), 8A798

Dynamic crack initiation and growth in thick unidirectional graphite-epoxy plates, Composites Sci Tech **57**(1) 55-65 (Jan 1997), 8A816

Design and evaluation frontiers of composite materials - II: Evaluation methods of reinforcing fibers and interface (Japanese), J Soc Mat Sci Japan **46**(2) 204-210 (Feb 1997), 9T480

Effect of surface oxidation and sizing treatment of carbon fiber on interfacial adhesion (Japanese), J Soc Mat Sci Japan **46**(2) 163-169 (Feb 1997), 9A481

Experimental analysis of relation between shear coupling element and bias angle of carbon fiber reinforced polyether-polyester elastomer composites, J Reinforced Plastics Composites **16**(3) 217-225 (1997), 9A482

Mechanical properties and solid lubricant wear behavior of Al-Al_2O_3-C hybrid metal matrix composites fabricated by squeeze casting method, J Composite Mat **31**(4) 316-344 (1997), 9A483

Pullout of inclined flexible fiber in cementitious composite, J Eng Mech **123**(3) 239-246 (Mar 1997), 9A484

Tensile strength and its scatter of unidirectional carbon fiber reinforced composites, J Reinforced Plastics Composites **16**(2) 119-130 (1997), 9A485

Transverse impact behavior of knitted carbon-fiber fabric-reinforced thermoplastic composite sheets, J Thermoplastic Composite Mat **10**(2) 163-172 (Mar 1997), 9A486

Bending fatigue of carbon-fiber-reinforced epoxy composite strands, Composites Sci Tech **57**(2) 229-235 (Feb 1997), 9A697

Fatigue of carbon-fiber-reinforced plastics under block-loading conditions, Composites Part A Appl Sci and Manuf **28A**(4) 327-337 (1997), 9A704

Infrared line scanning technique for detecting delaminations in carbon fiber tubes, NDT&E Int **29**(6) 371-377 (Dec 1996), 9A816

Model of global thermal conductivity in laminated carbon-carbon composites, Composites Sci Tech **57**(3) 277-285 (Mar 1997), 9A1270

Effects of moisture content on nonlinear deformation behavior of CF-epoxy composites, J Composite Mat **31**(6) 530-551 (1997), 10A597

Relationship between shear angle and wrinkling of textile composite preforms, Composites Part A Appl Sci and Manuf **28A**(5) 491-503 (1997), 10A598

Combined bending and torsional fatigue of woven roving GRP, J Eng Mat Tech **119**(2) 180-185 (Apr 1997), 10A764

Prediction of flexural fatigue strength of CRFP composites under arbitrary frequency, stress ratio, and temperature, J Composite Mat **31**(6) 619-638 (1997), 10A774

Carbon fiber reinforcement of nitrogen glass, Composites Part A Appl Sci and Manuf **28A**(6) 581-586 (1997), 11A451

Experimental and theoretical assessment of the longitudinal tensile strength of unidirectional SiC-fiber and titanium-matrix composites, Composites Sci Tech **57**(4) 471-481 (Apr 1997), 11A452

Response of resin transfer molded (RTM) composites under reversed cyclic loading, J Eng Mat Tech **118**(1) 49-57 (Jan 1996), 11A453

Thermal-spike-enhanced moisture absorption by polymer-matrix carbon-free composites, Composites Sci Tech **57**(4) 451-461 (Apr 1997), 11A454

Towards the optimization of the densification of pan-based carbon-fiber-reinforced carbon laminates, Composites Sci Tech **57**(4) 483-490 (Apr 1997), 11A455

Die-less forming of thermoplastic-matrix continuous fiber composite materials: Process and demonstration, J Eng Indust **117**(4) 501-507 (Nov 1995), 11A625

Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature, J Composite Tech Res **19**(2) 55-64 (Apr 1997), 11A644

Characterization of interface sliding damage in SiC fiber-reinforced Ti-15-3 matrix composite by cyclic fatigue, Acta Mat **45**(6) 2257-2270 (Jun 1997), 11A695

Effect of surface flaws on SiC fiber strength in an SiC/Ti-alloy composite, J Composite Mat **31**(11) 1062-1079 (1997), 11A701

Mechanical properties and failure behavior of carbon fiber-reinforced polymer composites under the influence of moisture, Composites Part A Appl Sci and Manuf **28A**(6) 595-604 (1997), 11A706

Progressive damage and residual strength of a carbon fiber reinforced metal laminate, J Composite Mat **31**(8) 762-787 (1997), 11A709

Transverse ply cracking in cross-ply CFRP laminates: Initiation or propagation controlled?, J Composite Mat **31**(11) 1080-1112 (1997), 11A712

Preliminary evaluation of carbon fiber reinforced polymer plates for strengthening reinforced concrete members, Proc Inst Civil Eng Struct Build **122**(2) 127-142 (May 1997), 11A786

Investigation of the effective conductivities of carbon-carbon fiber composites with inhomogeneous interphase, Appl Math Mech **18**(3) 211-220 (Mar 1997), 11A1314

Influence of the free surface on the thermal stresses in unidirectional composites, Composites Part A Appl Sci and Manuf **28A**(6) 573-579 (1997), 11A1376

Energy-based approach to impact damage in CFRP laminates, Composites Part A Appl Sci and Manuf **28A**(7) 647-655 (1997), 12A244

Importance of the temperature and lateral pressure on the CFRP joints strength under uniaxial loading, J Reinforced Plastics Composites **16**(9) 825-847 (1997), 12A560

Strength and reliability of fiber-reinforced composites: Localized load-sharing and associated size effects, Int J Solids Struct **34**(21) 2649-2668 (Jul 1997), 12A561

Tribological characteristics of short glass fiber reinforced polycarbonate composites, Wear **206**(1-2) 60-68 (May 1997), 12A562

Effect of preparation parameters on the properties of unidirectional SiC-fiber-reinforced MAS and BMAS glass-ceramics, Composites Sci Tech **57**(5) 533-541 (May 1997), 12A805

Interlaminar and intralaminar fracture toughness of uniaxial continuous and discontinuous carbon fiber-epoxy composites, Composites Part A Appl Sci and Manuf **28A**(7) 627-636 (1997), 12A809

Strengthening of concrete prisms using the plate-bonding technique, Int J Fracture **82**(3) 253-266 (1996), 12A818

Shear and flexural strengthening of R-C beams with carbon fiber sheets, J Struct Eng **123**(7) 903-911 (Jul 1997), 12A907

Influence of surface properties of carbon fiber-epoxy matrix interfacial adhesion, J Adhesion **62**(1-4) 213-245 (May 1997), 12A1042

Thermal shock damage in a 2D SiC-SiC composite reinforced with woven SiC fibers, Composites Sci Tech **57**(5) 607-611 (May 1997), 12A1343

256F. Other fiber reinforced media

Method of plasticity for general aligned spheroidal void or fiber-reinforced composites, Int J Plasticity **12**(4) 439-449 (1996), 1A494

Behavior of a unidirectional metal-matrix composite under thermomechanical loading, J Eng Mat Tech **118**(3) 310-316 (Jul 1996), 1A517

Effect of fiber waviness on stiffness and strength reduction of unidirectional composites under compressive loading, Composites Sci Tech **56**(5) 581-593 (1996), 1A518

Fabrication and mechanical properties of multi-reciprocal braided composite tube, Adv Composites Letters **5**(3) 77-79 (1996), 1A519

Influence of fiber architecture on the inelastic response of metal matrix composites, Int J Plasticity **12**(4) 507-545 (1996), 1A520

Influence of random bridging on the elastic and elastoplastic properties of fiber-reinforced composites, Acta Mech **116**(1-4) 29-44 (1996), 1A521

Interactions of Kevlar fibers with selected model compounds: Water sorption and dynamic mechanical properties of fiber-matrix samples, J Adhesion Sci Tech **10**(7) 635-650 (1996), 1A522

Interfacial shear strength in glass-fiber-vinylester-resin composites, Composites Sci Tech **56**(5) 533-539 (1996), 1A523

Method for measuring residual strains in fiber-reinforced titanium matrix composites, Acta Mat **44**(8) 3397-3406 (Aug 1996), 1A524

Physico-chemical characterization of the influence of moisture on the fiber-matrix interaction in epoxy-anhydride composites, J Adhesion **57**(1-4) 245-260 (1996), 1A525

Response of metal matrix laminated cylindrical panels to combined uniform temperature change and edge displacements, Acta Mech **116**(1-4) 187-201 (1996), 1A526

Single-fiber pull-out test - I: Review and interpretation, Composites Part A Appl Sci and Manuf **27A**(8) 597-612 (1996), 1A527

Comparative study of the fatigue behavior of GRP hand lay-up and pultruded phenolic composites, Int J Fatigue **18**(4) 255-263 (May 1996), 1A689

Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes, J Composite Tech Res **18**(3) 215-220 (Jul 1996), 1A691

Simplified approach for modeling fatigue of unidirectional ceramic matrix composites, J Composite Tech Res **18**(3) 167-178 (Jul 1996), 1A697

Analytical stress around mode II crack parallel to principle axis in orthotropic composite plate, Eng Fracture Mech **54**(6) 791-803 (Aug 1996), 1A752

Damage in a [0/90]$_s$ nicalon-reinforced CAS glass ceramic composite, Int J Damage Mech **5**(3) 278-291 (Jul 1996), 1A755

Debonding criterion in the pushout process of fiber-reinforced ceramics, Acta Mat **44**(8) 3267-3277 (Aug 1996), 1A756

Experimental investigation of the failure modes in hybrid ceramic matrix composites, J Composite Tech Res **18**(3) 194-201 (Jul 1996), 1A759

Interactive growth of multiple fiber-bridged matrix cracks in unidirectional composites, J Eng Mat Tech **118**(3) 295-301 (Jul 1996), 1A763

Single-fiber pull-out test - 2: Quantitative evaluation of an uncatalyzed TGDDM-DDS epoxy cure study, Composites Part A Appl Sci and Manuf **27A**(8) 613-624 (1996), 1A765

Time-temperature failure analysis of epoxies and unidirectional glass-epoxy composites in compression, Composites Part A Appl Sci and Manuf **27A**(8) 585-596 (1996), 1A768

Adhesion in fiber reinforced plastics investigated by means of acoustic emission, Int J Adhesion Adhesives **16**(3) 141-146 (Aug 1996), 1A814

Analysis of metallic fiber-reinforced concrete beams submitted to bending, Mat Struct **29**(190) 354-361 (Jul 1996), 1A844

Use of homogenization methods for estimating anisotropic viscosities of composite melts, Composites Sci Tech **56**(5) 595-603 (1996), 1A951

Equivalent thermal conductivity of 2D and 3D orthogonally fiber-reinforced composites in 1D heat flow, J Composite Tech Res **18**(3) 221-227 (Jul 1996), 1A1232

Determination of the interfacial shear strength of glass-fiber-reinforced phenolic composites by a bimatrix fragmentation technique, Composites Sci Tech **56**(6) 609-622 (1996), 2A431

Effective thermal conductivity of misoriented short-fiber reinforced thermoplastics, Mech Mat **23**(3) 217-228 (Jul 1996), 2A432

Effects of compaction on the stiffness and strength of plain weave fabric RTM composites, J Composite Mat **30**(11) 1210-1247 (1996), 2A433

Effects of fiber and interphase on matrix-initiated transverse failure in polymer composites, Composites Sci Tech **56**(6) 657-665 (1996), 2A434

Fundamental study on fiber-reinforced epoxy composites using glass fabric treated by low-temperature ammonia plasma, J Adhesion Sci Tech **10**(9) 823-832 (1996), 2A435

Influence of molecular weight on the morphology and crystallization kinetics of poly(phenylene sulfide) composites, J Mat Processing Manuf Sci **4**(3) 233-242 (Jan 1996), 2A436

Optimized design of pultruded composite beams, J Reinforced Plastics Composites **15**(8) 758-778 (Aug 1996), 2A437

Stress concentration in the matrix around the fibers in laminae, J Reinforced Plastics Composites **15**(8) 818-827 (Aug 1996), 2A438

Toughness of FRC composites, Cement & Concrete Composites **18**(4) 223-297 (1996), 2A439

Dry spot formation and changes in liquid composite molding - I: Experimental, J Composite Mat **30**(13) 1458-1474 (1996), 2A605

Dry spot formation and changes in liquid composite molding - II: Modeling and simulation, J Composite Mat **30**(13) 1475-1493 (1996), 2A606

Mode I fatigue crack growth in a continuous alumina fiber-reinforced magnesium matrix composite, Int J Fatigue **18**(5) 287-296 (Jul 1996), 2A619

Damage-enhanced creep and rupture in fiber-reinforced composites, Acta Mat **44**(9) 3439-3451 (Sep 1996), 2A648

Analysis of mode I interlaminar deformation ahead of crack front in composite DCB specimens, Int J Fracture **77**(1) 41-50 (1996), 2A670

Crack problem of a fiber-matrix composite with a nonhomogeneous interfacial zone under torsional

loading - II: A ring-shaped crack in the matrix, Eng Fracture Mech **55**(1) 139-145 (Sep 1996), 2A673
Experimental study and numerical simulation of split growth for unidirectional composites with a surface notch, Appl Composite Mat **3**(1) 43-64 (1996), 2A677
Interface and matrix fracture in brittle fiber-reinforced composites, Eng Fracture Mech **55**(2) 249-273 (Sep 1996), 2A680
Methodology to derive the implicit equation of failure criteria for fibrous composite laminates, J Composite Mat **30**(10) 1088-1114 (1996), 2A681
Optimum *in situ* strength design of composite laminates - Part I: *In situ* strength parameters, J Composite Mat **30**(12) 1314-1337 (1996), 2A685
Transverse failure of a single-fiber metal-matrix composite: Experiment and modeling, Composites Sci Tech **56**(6) 667-676 (1996), 2A688
Selected papers presented at the 4th International Conference on Interfacial Phenomena in Composite Matcrials, Eindhoven, Netherlands on September 11-13, 1995, Composites Part A Appl Sci and Manuf **27A**(9) 675-912 (1996), 2A942
Influence of stamping temperature on the properties of a glass mat thermoplastic composite, J Composite Mat **30**(11) 1266-1281 (1996), 2A1286
Processing of composites of chopped PE fiber-reinforced PE matrix, Adv Composites Letters **5**(4) 103-106 (1996), 3A489
Statistical model and experimental study of the strain rate and temperature dependence of the strength of fibers, Appl Composite Mat **3**(2) 98-101 (1996), 3A490
Using internal fiber geometry to improve the performance of pin-loaded holes in composite materials, Appl Composite Mat **3**(2) 117-134 (1996), 3A491
Elastic constants of textured short-fiber composites, J Mech Phys Solids **44**(9) 1509-1541 (Sep 1996), 3A496
Creep crack growth in fiber reinforced composites with rate-dependent bridging: Role of a viscous fiber matrix interface, Mech Mat **23**(4) 295-309 (Aug 1996), 3A704
Micromechanical analysis of fiber fracture in unidirectional composite materials, Int J Solids Struct **33**(26) 3795-3812 (Nov 1996), 3A707
Analysis and evaluation of the single-fiber fragmentation test, Composites Sci Tech **56**(8) 893-909 (1996), 4A546
Analysis of fragmentation in the single filament composite: Roles of fiber strength distributions and exclusion zone models, J Mech Phys Solids **44**(10) 1715-1737 (Oct 1996), 4A547
Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, Composites Sci Tech **56**(8) 967-975 (1996), 4A548
Characterization of mechanical stresses in metal matrix composites by internal friction, Acta Mat **44**(10) 3895-3903 (Oct 1996), 4A549
Comprehensive model to predict the stress fields in a single fiber composite, J Composite Mat **30**(14) 1514-1538 (1996), 4A550
Elastic properties of composites with fiber waviness, Composites Part A Appl Sci and Manuf **27A**(10) 931-941 (1996), 4A551
Electrical percolation behavior of short-fiber composites: Experimental characterization and modeling, Composites Sci Tech **56**(8) 911-920 (1996), 4A552
Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma, J Composite Tech Res **18**(4) 249-255 (Oct 1996), 4A553
Inelastic thermal response of Gr-Cu with nonuniform fiber distribution, J Aerospace Eng **9**(4) 93-105 (Oct 1996), 4A554
Nonlinear elastic behavior of unidirectional composites with fiber wavincss under compressive loading, J Eng Mat Tech **118**(4) 561-570 (Oct 1996), 4A555
Prediction of the strength distribution for unidirectional fiber reinforced composites, Acta Mat **44**(11) 4433-4446 (Nov 1996), 4A556
Control of fiber orientation in ceramic and metal composites by open-ended injection molding, Composites Sci Tech **56**(8) 921-928 (1996), 4A685
Compressive fiber fragmentation in carbon-polypropylene composites: Effects of residual thermal stresses and transcrystallinity, J Adhesion **58**(1-2) 25-42 (1996), 4A751
Failure criteria of Mohr for transversely isotropic material such as fiber composites (German), Z Angew Math Mech **76**(9) 505-520 (1996), 4A753
Fracture behavior of polypropylene-fiber-reinforced concrete under biaxial loading: An experimental investigation, Composites Sci Tech **56**(8) 933-945 (1996), 4A754
Fracture behavior of polypropylene-fiber-reinforced concrete: Modeling and computer simulation, Composites Sci Tech **56**(8) 947-956 (1996), 4A755
Multiobjective material architecture optimization of pultruded FRP I-beams, Composite Struct **35**(3) 271-281 (Jul 1996), 4A811
Parametric design optimization of an entrapped fiber connection, Composite Struct **35**(3) 283-293 (Jul 1996), 4A814
Thermoviscoplastic theory for composite materials by using a matrix-partitioned unmixing-mixing scheme, J Composite Mat **30**(15) 1647-1669 (1996), 4A1261
Improvements in the prediction and characterization of the thermoelastic response of glass-fiber reinforced composite products, Int J Mech Sci **39**(2) 163-172 (Feb 1997), 4A1270
Comparative study of strain rate effects on mechanical properties of glass fiber-reinforced thermoset matrix composite, Composites Part A Appl Sci and Manuf **27A**(12) 1169-1181 (1996), 5A440
Conservation law $\partial_t u + \partial_x \sqrt{1-u^2} = 0$ and deformations of fiber-reinforced materials, SIAM J Appl Math **56**(6) 1539-1560 (Dec 1996), 5A441
Development of novel cost effective hybrid ply carbon-fiber composites, Composites Sci Tech **56**(9) 1047-1054 (Sep 1996), 5A442
Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - Part 3: Strength and strain at failure, Composites Part A Appl Sci and Manuf **27A**(11) 1075-1084 (1996), 5A443
Seismic strengthening of circular bridge pier models with fiber composites, ACI Struct J **93**(6) 639-647 (Nov-Dec 1996), 5A444
Study of the elasto-plastic axially tensile properties of metal matrix composites with fiber-end debonding, Appl Math Mech **17**(8) 723-727 (Aug 1996), 5A445
Tensile behavior of a silicon carbide fiber-reinforced titanium matrix composite, Appl Composite Mat **3**(4) 215-247 (1996), 5A446
Single fiber microbuckling in a model composite, J Composite Mat **30**(17) 1912-1921 (1996), 5A496
Effects of a single mode III loading cycle on mode I crack initiation and growth toughnesses in a cross-ply $[90°/0°]_s$ Ti-6Al-4V/SiC composite, J Composite Mat **30**(17) 1858-1872 (1996), 5A591
Methodology for thermomechanical fatigue crack growth testing in MMCs, Exp Mech **36**(4) 367-373 (Dec 1996), 5A636
Dynamic compressive failure of fiber composites, J Mech Phys Solids **44**(11) 1867-1890 (Nov 1996), 5A664
Evaluations of effective crack growth and residual strength of fiber-reinforced metal laminates with a sharp notch, Composites Sci Tech **56**(9) 1079-1088 (Sep 1996), 5A666
Interfacial toughness evaluation from the single-fiber fragmentation test, Composites Sci Tech **56**(9) 1105-1109 (Sep 1996), 5A674
Prediction of matrix-initiated transverse failure in polymer composites, Composites Sci Tech **56**(9) 1089-1097 (Sep 1996), 5A678
Thermal stresses in metal matrix composites studied by internal friction, Acta Mat **44**(12) 4881-4888 (Dec 1996), 5A1303
Failure of unidirectionally reinforced composites with frictional matrix, J Eng Mech **122**(11) 1086-1092 (Nov 1996), 6A542
Anisotropic heat-affected zone in the laser grooving of fiber-reinforced composite material, J Mat Processing Tech **62**(1-3) 54-60 (Nov 1996), 6A543
Effects of size and stacking sequence of composite laminated patch on bonded repair for cracked hole, Appl Composite Mat **3**(6) 355-367 (1996), 6A544
Evaluating the influence of fiber coatings on the compression strength of a unidirectional polymer composite, J Composite Mat **30**(18) 1958-1976 (1996), 6A545
Experimental study of stress-strain curve of SIFCON in tension (Chinese), J Dalian Univ Tech **36**(6) 785-788 (Nov 1996), 6A546
Influence of unidirectional composite compression specimen thickness and loading method, J Reinforced Plastics Composites **15**(12) 1217-1225 (Dec 1996), 6A547
Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: Titanium alloy matrix composites, J Mat Processing Tech **62**(1-3) 100-107 (Nov 1996), 6A680
Film cracking and debonding in a coated fiber, Int J Fracture **79**(4) 351-372 (1996), 6A780
Study of skin-core adhesion in glass fiber reinforced sandwich materials, Appl Composite Mat **3**(6) 407-420 (1996), 6A983
Orthogonal cutting of fiber-reinforced composites: A FE analysis, Int J Mech Sci **39**(5) 597-613 (May 1997), 7A20
Analysis and modeling of plain knitted fabric reinforced composites, J Composite Mat **31**(1) 52-70 (1997), 7A469
Anisotropic effects of quasi-isotropic composites - I: Modeling, Appl Math Mech **17**(10) 923-931 (Oct 1996), 7A470
Anisotropic effects of quasi-isotropic composites - II: Applications and micromechanical analysis, Appl Math Mech **17**(10) 933-938 (Oct 1996), 7A471
Effects of fiber length and fiber orientation distributions on the tensile strength of short-fiber-reinforced polymers, Composites Sci Tech **56**(10) 1179-1190 (Oct 1996), 7A472
Mechanical properties and localized corrosion behavior of powder metallurgical whisker reinforced aluminium metal matrix composites (Japanese), J Soc Mat Sci Japan **45**(11) 1198-1204 (Nov 1996), 7A473
Stress distributions of short fiber composite materials, Comput Struct **62**(6) 999-1012 (Mar 1997), 7A474
Three-dimensional effects in fiber-reinforced composites under compression, Composites Sci Tech **56**(10) 1113-1118 (Oct 1996), 7A475
Special volume containing the proceedings of the Third Asia Pacific Conference on Materials Processing, Hong Kong, November 12-14, 1996, J Mat Processing Tech **63**(1-3) 1-934 (Jan 1997), 7A600
Effects of coating properties on crack propagation in Nicalon-fiber/SiC-matrix composites, Composites Sci Tech **56**(11) 1271-1281 (Nov 1996), 7A647
Fiber composite fatigue-life determination, Composites Part A Appl Sci and Manuf **28A**(1) 5-15 (1997), 7A662
Statistical strength of unidirectional composites and the effect of the interfacial shear strength, Composites Sci Tech **56**(10) 1191-1200 (Oct 1996), 7A707
Failure modes in unidirectional composites under transverse loading, J Reinforced Plastics Composites **16**(1) 33-49 (1997), 7A737
Influence of the split-surfaces delay effect on split growth in unidirectional glass-epoxy composites with a surface notch, Composites Sci Tech **56**(11) 1241-1252 (Nov 1996), 7A740
Investigation of cyclic plastic strain response and fracture behavior of steel-based metal-matrix composites, Eng Fracture Mech **56**(4) 451-481 (Mar 1997), 7A742
Local and interfacial damage analysis of metal matrix composites using the FEM, Eng Fracture Mech **56**(4) 483-511 (Mar 1997), 7A743
Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography, J Composite Tech Res **19**(1) 10-19 (Jan 1997), 7A749
Simple transverse damage model for unidirectional composites, Eng Fracture Mech **56**(1) 57-64 (Jan 1997), 7A751
Mechanical and wear behavior of an Al/Si alloy metal-matrix composite reinforced with alumi-nosilicate fiber, Composites Sci Tech **56**(11) 1261-1270 (Nov 1996), 7A881
Creep response of woven-fiber composites and the effect of stitching, Composites Sci Tech **57**(1) 91-98 (Jan 1997), 8A504
Characterization and modeling of the tensile properties of plain weft-knit fabric-reinforced composites, Composites Sci Tech **57**(1) 1-22 (Jan 1997), 8A539
Effect of fiber alignment on composite strength - I: Single-fiber studies, Composites Sci Tech **56**(12) 1435-1442 (Dec 1996), 8A540
Effect of fiber alignment on composite strength - II: The strength of angle-ply laminates, Composites Sci Tech **56**(12) 1443-1451 (Dec 1996), 8A541
Exact solution of elastoplastic stresses in a metal-matrix composite beam of arbitrary orientation subjected to transverse loads, Composites Sci Tech **56**(12) 1383-1389 (Dec 1996), 8A542
Experimental and theoretical studies of the elastic behavior of knitted-fabric composites, Composites Sci Tech **56**(12) 1391-1403 (Dec 1996), 8A543
Investigation of tensile properties and a simple constitutive model for a random continuous fiber thermoplastic composite, J Thermoplastic Composite Mat **10**(1) 2-18 (Jan 1997), 8A544
Kink band analysis accounting for the microstructure of fiber reinforced materials, Mech Mat **24**(4) 305-315 (Dec 1996), 8A545
Lower and upper numerical bounds to the off-axis strength of unidirectional fiber-reinforced composites by limit analysis methods, Eur J Mech A **16**(2) 213-234 (1997), 8A546
Microbuckle propagation in fiber composites, Acta Mat **45**(3) 921-932 (Mar 1997), 8A547
Modeling and simulation of the macromechanical nonlinear behavior of fiber-reinforced ceramics on the basis of a micromechanical-statistical material description, Acta Mech **120**(1-4) 47-60 (1997), 8A548
Buckling optimization of hybrid-fiber multilayer-sandwich cylindrical shells under external lateral pressure, Composites Sci Tech **56**(12) 1349-1353 (Dec 1996), 8A610
Tension-compression fatigue behavior of a unidirectional titanium-matrix composite at elevated temperature, Composites Sci Tech **57**(1) 99-117 (Jan 1997), 8A746
Damage analysis and elasto-plastic behavior of metal matrix composites using the FEM, Eng Fracture Mech **56**(5) 623-646 (Mar 1997), 8A788
Damage and failure in ceramic matrix minicomposites: Experimental study and model, Acta Mat **45**(3) 1025-1044 (Mar 1997), 8A789
Deformation and damage mechanisms in fiber-reinforced aluminium alloy composites under tension, Composites Part A Appl Sci and Manuf **28A**(3) 289-297 (1997), 8A790
Effect of interfacial properties and weave structure on mode I interlaminar fracture behavior of glass satin woven fabric composites, Composites Part A Appl Sci and Manuf **28A**(3) 257-266 (1997), 8A793
Examination of the effect of composite constituent properties on the notched-strength performance of composite materials, Composites Sci Tech **56**(12) 1405-1413 (Dec 1996), 8A795
Experimental and numerical investigation into the single-fiber fragmentation test: Stress transfer by a locally yielding matrix, Composites Part A Appl Sci and Manuf **28A**(3) 237-249 (1997), 8A796
Fiber damage model for early stage consolidation of metal-coated fibers, Acta Mat **45**(3) 973-986 (Mar 1997), 8A799
New approach to the analysis of unidirectional titanium matrix composites with bridge and unbridged cracks, Eng Fracture Mech **56**(5) 711-726 (Mar 1997), 8A803
Revised shear-lag analysis of an energy model for fiber-matrix debonding, Adv Composites Letters **5**(5) 131-135 (1996), 8A804
Shear *versus* dilatational damage mechanisms in the compressive failure of fiber-reinforced composites, Composites Part A Appl Sci and Manuf **28A**(3) 215-222 (1997), 8A805
Study of the influence of interfacial damage on stress concentrations in unidirectional composites, Composites Sci Tech **57**(1) 129-135 (Jan 1997), 8A808
Stress transfer into a fragmented, anisotropic fiber through an imperfect interface, Int J Solids Struct **34**(10) 1255-1281 (Apr 1997), 8A815
Transverse creep behavior of a unidirectional metal matrix composite, Mech Mat **25**(1) 37-46 (Jan-Feb 1997), 9A446
Imperfection sensitivity of fiber micro-buckling in elastic-nonlinear polymer-matrix composites, Int J Solids Struct **34**(13) 1667-1679 (May 1997), 9A471
Design and evaluation frontiers of composite materials - II: Evaluation methods of reinforcing fibers and interface (Japanese), J Soc Mat Sci Japan **46**(2) 204-210 (Feb 1997), 9T480
Pullout of inclined flexible fiber in cementitious composite, J Eng Mech **123**(3) 239-246 (Mar 1997), 9A484
Advanced composites with embedded fiber optic sensors for smart applications, J Reinforced Plastics Composites **16**(2) 144-154 (1997), 9A487
Effect of an interlaminar adhesive on the yielding behavior of aluminum-fiber-reinforced thermoplastics composite laminates, J Thermoplastic Composite Mat **10**(2) 124-135 (Mar 1997), 9A488
Effect of coating and interfacial reaction zone on the residual stresses in fiber-reinforced metal-matrix composite, J Reinforced Plastics Composites **16**(2) 104-118 (1997), 9A489
Improving the conditions of applying tension to yarn, Fibres Textiles in E Europe **4**(2) 34-37 (Apr-Jun 1996), 9A490
Influence of interfacial debonding and free edges upon compressive strength of unidirectional FRP composites, J Thermoplastic Composite Mat **10**(2) 108-123 (Mar 1997), 9A491
Kink band initiation and band broadening in clear wood under compressive loading, Mech Mat **25**(1) 67-77 (Jan-Feb 1997), 9A492
Mathematical simulation of yarn formation in ring spinning, Fibres Textiles in E Europe **4**(2) 25-27 (1996), 9T493
Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - I: Microstructural analyses, mechanical behavior and damage mechanisms of composite tubes under pure tensile loading, pure internal pressure, and combined loading, Composites Sci Tech **57**(2) 141-153 (Feb 1997), 9A494
Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - II: Micromechanical model of damage initiation and the competition between different mechanisms, Composites Sci Tech **57**(2) 155-164 (Feb 1997), 9A495
Modification of the residual stress state in a SiC_p-6061Al composite by low-temperature treatment, Composites Sci Tech **57**(2) 165-172 (Feb 1997), 9A496
Passive and active tagging of glass-fiber polymeric composites for in-process and in-field non-destructive evaluation, J Intelligent Mat Syst Struct **7**(6) 623-634 (Nov 1996), 9A497
Spatial distribution of yarns and mechanical properties in 3D braided tubular composites, Appl Composite Mat **4**(2) 121-132 (1997), 9A498
Stress transfer in a model composite containing a single embedded fiber, Acta Mat **45**(4) 1469-1476 (Apr 1997), 9A499
Unit-cell geometry in plain-weave fabrics during shear deformations, Composites Sci Tech **57**(3) 345-351 (Mar 1997), 9A500
Young's modulus and Poisson's ratio of an n-phase composite body reinforced with inclined inclusions, J Reinforced Plastics Composites **16**(2) 167-181 (1997), 9A501
Control of fiber orientation in injection molded ceramic composites, Composites Part A Appl Sci and Manuf **28A**(4) 339-346 (1997), 9A680
Bridged versus cohesive crack in the flexural behavior of brittle-matrix composites, Int J Fracture **81**(2) 125-145 (1996), 9A744

Experimental investigation of compressive failure strength of fiber-reinforced polymer-matrix composite plates under impact loading, Composites Sci Tech **57**(3) 287-292 (Mar 1997), 9A754

Fracture toughness and damage propagation of ultra-high-modulus polyethylene fiber-reinforced composites, J Thermoplastic Composite Mat **10**(2) 151-162 (Mar 1997), 9A755

Localized stress redistribution after fiber fracture in brittle matrix composites, Composites Part A Appl Sci and Manuf **28A**(4) 347-353 (1997), 9A757

Progressive fracture of fiber composite build-up structures, J Reinforced Plastics Composites **16**(2) 182-198 (1997), 9A759

Tensile deformation and fracture behavior of a titanium-alloy metal-matrix composite, Composites Part A Appl Sci and Manuf **28A**(4) 365-376 (1997), 9A762

Tensile deformation and fracture behavior of a tool-steel-based metal-matrix composite, Composites Part A Appl Sci and Manuf **28A**(4) 377-385 (1997), 9A763

Time-dependent failure in fiber-reinforced composites by fiber degradation, Acta Mat **45**(4) 1489-1502 (Apr 1997), 9A764

Thermal stresses and thermal expansion coefficients of n-layered fiber-reinforced composites, Composites Sci Tech **57**(2) 249-260 (Feb 1997), 9A1329

Design of Concrete Structures with Stress Fields (Birkhauser, Switzerland, 1997) 10R10

Continuous chain model for the elastic extension of polymer fibers in the glassy state, J Rheol **41**(3) 549-573 (May-Jun 1997), 10A599

Drapability of aligned discontinuous fiber composites, J Composite Mat **31**(5) 428-465 (1997), 10A600

Effect of fiber modulus of elasticity on the long term properties of micro-fiber reinforced cementitious composites, Cement & Concrete Composites **18**(6) 389-399 (1996), 10A601

Elastic extension of polymer fibers in the glassy state: Experimental results, J Rheol **41**(3) 575-598 (May-Jun 1997), 10A602

Strengthening of concrete beams using fiber-reinforced plastics, Mat Struct **30**(197) 160-166 (Apr 1997), 10A603

Strength and deformation properties of soils reinforced with fibrillated fibers, Geosynthetics Int **4**(1) 65-79 (1997), 10A717

Influence of fiber on the cutting stress state in machining idealized glass fiber composite, J Strain Anal Eng Des **32**(1) 19-27 (Jan 1997), 10A736

Moldability of tackified fiber preforms in liquid composite molding, J Composite Mat **31**(7) 720-744 (1997), 10A753

Growth of freely initiating fatigue cracks in an unnotched SiC-titanium composite, Int J Fatigue **19**(2) 151-159 (Feb 1997), 10A761

Cyclic creep and creep-fatigue interaction in sandwich beams, J Strain Anal Eng Des **32**(1) 1-18 (Jan 1997), 10A789

Compressive failure of polymeric composites under hydrostatic confinement, Composites Part A Appl Sci and Manuf **28A**(5) 409-418 (1997), 10A814

Discussion on the damage mechanism and the apparent fracture strength of notched fiber-reinforced composite laminates, J Composite Mat **31**(6) 580-595 (1997), 10A815

Energy release rate of the fiber-polymer matrix interface: Measurement and theoretical analysis, J Reinforced Plastics Composites **16**(4) 341-352 (1997), 10A816

Experimental and numerical studies in model composites - Part I: Experimental results, Int J Fracture **82**(2) 153-174 (1996), 10A817

Experimental and numerical studies in model composites - Part II: Numerical results, Int J Fracture **82**(2) 175-192 (1996), 10A818

Fracture behavior and acoustic emission in bending tests on single-fiber composites, Eng Fracture Mech **56**(6) 779-796 (Apr 1997), 10A819

Fiber-matrix interface crack: A numerical analysis using BEs, Int J Fracture **82**(1) 11-29 (1996), 10A825

Experimental research on steel fiber reinforced concrete poles (Chinese), J Dalian Univ Tech **37**(1) 91-96 (Jan 1997), 10A934

Two-way interaction between anisotropic flow and fiber orientation in squeeze flow, J Rheol **41**(3) 491-511 (May-Jun 1997), 10A1018

Effect of thermal residual stress on the interlaminar crack extension behavior in cross-ply laminates due to transverse loading, J Thermal Stresses **20**(3-4) 231-245 (Apr-Jun 1997), 10A1370

Thermo-micromechanical theory for effective elastic constants of composite materials, J Reinforced Plastics Composites **16**(5) 392-413 (1997), 10A1376

Quadratic yield function for fiber-reinforced composites, J Composite Mat **31**(8) 788-811 (1997), 11A435

(± 45)° Off-axis tension test for shear characterization of plain weave fabric composites, J Composite Tech Res **19**(2) 77-85 (Apr 1997), 11A456

Continuous vs discontinuous bridged-crack model for fiber-reinforced materials in flexure, Int J Solids Struct **34**(18) 2321-2338 (Jun 1997), 11A457

Development of a flexible composite material, Adv Composites Letters **6**(1) 5-8 (1997), 11A458

Elastostatic surface displacements of a half-space reinforced by a thin film due to an axial ring load, Int J Eng Sci **35**(6) 603-611 (May 1997), 11A459

High strain rate compression of fiber composites, J Mech Phys Solids **45**(5) 731-751 (May 1997), 11A460

Investigation of necking instability in fiber reinforced polypropylene, J Eng Mat Tech **118**(1) 80-87 (Jan 1996), 11A461

Mechanics of z-fiber reinforcement, Composite Struct **36**(1-2) 23-32 (Sep-Oct 1996), 11A462

Modeling of the mechanical properties of discontinuous-aligned-fiber composites after thermoforming, Composites Sci Tech **57**(4) 405-413 (Apr 1997), 11A463

Out-of-plane buckling of fiber-reinforced thermoplastic sheets under homogeneous biaxial conditions, J Appl Mech **62**(4) 834-840 (Dec 1995), 11A464

Power-law matrix creep in fiber composites due to transverse stress gradients, Eur J Mech A **16**(3) 445-465 (1997), 11A465

Preliminary design of tubular composite structures using netting theory and composite degradation factors, J Pressure Vessel Tech **117**(4) 390-394 (Nov 1995), 11A466

Short banana fiber reinforced polyester composites: Mechanical, failure and aging characteristics, J Reinforced Plastics Composites **16**(8) 744-765 (1997), 11A467

Similarity solution of unsteady boundary layer equations with a magnetic field, Meccanica **32**(2) 157-163 (Apr 1997), 11A468

Evaluation of cut quality of fiber-reinforced plastics: A review, Int J Machine Tools Manuf **37**(6) 723-736 (Jun 1997), 11A600

Feasibility study of abrasive-waterjet milling of fiber-reinforced plastics, J Manuf Sci Eng **119**(2) 133-142 (May 1997), 11A601

Mechanistic approach to predicting the cutting forces in drilling: With application to fiber-reinforced composite materials, J Eng Indust **117**(4) 559-570 (Nov 1995), 11A609

Optimal design of process parameters for resin transfer molding, J Composite Mat **31**(11) 1113-1140 (1997), 11A629

Analysis of the fragmentation test based on aluminium matrix silicon carbide single fiber composites experiments, Composites Part A Appl Sci and Manuf **28A**(6) 549-557 (1997), 11A693

Crack bridging in fiber reinforced cementitious composites with slip-hardening interfaces, J Mech Phys Solids **45**(5) 763-787 (May 1997), 11A696

Delamination and fiber bridging modeling in composite samples, J Composite Mat **31**(9) 874-888 (1997), 11A697

Improvement of strength and ductility of adhesively bonded joints by inclusion of SiC whiskers, J Composite Tech Res **19**(2) 86-92 (Apr 1997), 11A704

Initiation and axial propagation of kink bands in fiber composites, Acta Mat **45**(6) 2443-2454 (Jun 1997), 11A705

Moisture and temperature effects of the compressive failure of CFRP unidirectional laminates, J Composite Mat **31**(8) 832-849 (1997), 11A708

Residual strength of an ARALL laminate containing a crack, J Composite Mat **31**(8) 746-761 (1997), 11A711

Behavior of concrete columns confined by fiber composites, J Struct Eng **123**(5) 583-590 (May 1997), 11A776

Shear domain of fiber-reinforced high-strength concrete beams, Eng Struct **19**(9) 738-747 (Sep 1997), 11A789

Study of moment redistribution in prestressed concrete beams, J Struct Eng **123**(5) 561-566 (May 1997), 11A796

Stress analysis and strength prediction of mechanically fastened joints in FRP: A review, Composites Part A Appl Sci and Manuf **28A**(6) 529-547 (1997), 11A875

High-temperature mechanical behavior and microstructure of SiC-whisker-reinforced MoSi, composites, Composites Sci Tech **57**(4) 463-469 (Apr 1997), 11A1379

Analysis of dependence of macroscopic shift modules of porous fibrous composite on the parameters of its structure (Russian), Prikl Mekh (Appl Mech) **33**(2) 26-32 (1997), 12T563

Effect of BN coating on the strength of a mullite type fiber, Appl Composite Mat **4**(5) 263-272 (1997), 12A564

Effective anisotropy of short-fiber composites due to fiber ellipticity, Composites Sci Tech **57**(6) 677-685 (Jun 1997), 12A565

Folding of continuous fiber thermoplastic composites, Appl Composite Mat **4**(5) 273-282 (1997), 12A566

Impact fatigue of short glass fiber reinforced polycarbonate, J Reinforced Plastics Composites **16**(10) 903-925 (1997), 12A567

Kink band formation in fiber reinforced materials, J Mech Phys Solids **45**(7) 1121-1136 (Jul 1997), 12A568

Modeling of non-uniform spatial arrangement of fibers in a ceramic matrix composite, Acta Mat **45**(7) 3059-3069 (Jul 1997), 12A569

Role of scarf angle in the performance of aluminum matrix composite joints, Acta Mat **45**(7) 2765-2775 (Jul 1997), 12A570

Tailored fiber placement to minimize stress concentrations, Composites Part A Appl Sci and Manuf **28A**(7) 619-625 (1997), 12A571

Tensile properties of plain weft knitted glass fiber fabric reinforced epoxy composites, J Reinforced Plastics Composites **16**(10) 946-966 (1997), 12A572

Flexural behavior of high-strength fiber reinforced concrete beams, J Eng Appl Sci **44**(2) 279-294 (Apr 1997), 12A608

Flexural fatigue behavior of UDGFRP experimental approach, Int J Fatigue **19**(3) 253-262 (Mar 1997), 12A755

Corrosion of E-glass fibers in acidic environments, Composites Sci Tech **57**(5) 497-507 (May 1997), 12A771

Statistical simulation of fiber fragmentation in a single-fiber composite, Composites Sci Tech **57**(5) 543-555 (May 1997), 12A787

Effect of crack-face contact on fiber-matrix debonding in transverse tensile loading, Composites Sci Tech **57**(5) 523-532 (May 1997), 12A804

Fatigue fracture process in a model composite, Composites Part A Appl Sci and Manuf **28A**(7) 657-666 (1997), 12A807

Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, Fatigue Fracture Eng Mat Struct **20**(5) 703-716 (1997), 12A812

Modeling of steel fiber reinforced concrete response in tension (French), Mat Struct **30**(199) 259-268 (Jun 1997), 12A904

One dimensional isothermal spinning models for liquid crystalline polymer fibers, J Rheol **41**(4) 821-850 (Jul-Aug 1997), 12A1051

Thermal stress concentration due to imperfect adhesion in fiber-reinforced composites, Composites Sci Tech **57**(6) 687-696 (Jun 1997), 12A1346

256H. Layered media

Nonlinear FE analysis for composite materials, Finite Elements Anal Des **22**(3) 211-223 (Jul 1996), 1A31

Effect of laminations on the vibrational modes of circular annular plates, Exp Mech **36**(2) 180-186 (Jun 1996), 1A180

Overall mechanical behavior modeling of composite laminate, Eur J Mech A **15**(3) 423-445 (1996), 1A509

Circular delamination in a composite plate of arbitrary shape under bending, Mech Solids **31**(1) 121-128 (1996), 1A528

General multilayer geometrically-exact beams and 1D plates with piecewise linear section deformation, Z Angew Math Mech **76**(7) 391-409 (1996), 1A529

Numerical analysis of composite laminated plates using the BEM, Boundary Elements Comm **7**(2) 61-64 (1996), 1A530

Shift waves in a layer contacting with regularly-layered and homogeneous half-space (Russian), Prikl Mekh (Appl Mech) **32**(1) 18-24 (1996), 1A531

Analysis of forming loads for thermoplastic composite laminates, Composites Part A Appl Sci and Manuf **27A**(8) 633-640 (1996), 1A665

Effect of loading frequency and interleaf on the delamination characteristics of laminated composites, J Composite Tech Res **18**(3) 179-193 (Jul 1996), 1A690

Nonlinear model of delamination in laminated composites, Tech Mech **15**(3) 191-194 (1995), 1A715

Statistical approach to the analysis of ultimate strengths of bolted joints in laminated composites, Composites Sci Tech **56**(5) 505-517 (1996), 1A719

Influence of thermoplastic film interleaving on the interlaminar shear strength and Mode I fracture of laminated composites, J Eng Mat Tech **118**(3) 302-309 (Jul 1996), 1A762

Size effect and fracture characteristics of composite laminates, J Eng Mat Tech **118**(3) 317-324 (Jul 1996), 1A766

Calculation on nonaxisymmetrical thermal stressed state of discretely homogeneous bodies of revolution with orthotropic layers (Russian), Prikl Mekh (Appl Mech) **32**(2) 53-58 (1996), 1A1282

Nonlinear FE analysis of isotropic and composite shells by a total Lagrangian decomposition scheme, Mech Composite Mat Struct **3**(3) 241-271 (Sep 1996), 2A21

Elastostatics of multilayered solids subjected to general surface traction, Quart J Mech Appl Math **49**(3) 471-499 (Aug 1996), 2A440

Matrix formulation for the elastoplastic homogenization of layered materials, Mech Cohesive-Frictional Mat **1**(3) 273-294 (Jul 1996), 2A441

Solution of spatial problem of symmetrical deformation of a laminas cone with noncanonical interfaces (Russian), Prikl Mekh (Appl Mech) **32**(4) 42-48 (1996), 2A442

Stability of composite structures, Composite Struct **35**(1) 1-130 (May 1996), 2A443

Supporting power of laminar plates with fillers (Russian), Prikl Mekh (Appl Mech) **32**(3) 67-72 (1996), 2T444

Asymptotically correct linear laminated plate theory, Int J Solids Struct **33**(25) 3649-3671 (Oct 1996), 2A480

Residual stress induced distortions during fabrication of composite shells, J Reinforced Plastics Composites **15**(8) 793-805 (Aug 1996), 2A485

Influence of interlaminar stresses on fatigue behavior of notched composite laminates, J Reinforced Plastics Composites **15**(9) 894-921 (Sep 1996), 2A629

Prediction of fatigue damage and life for composite laminates under service loading spectra, Composites Sci Tech **56**(6) 635-648 (1996), 2A634

Probabilistic strength analysis of four-directional laminated composites, Composites Sci Tech **56**(6) 649-656 (1996), 2A652

Edge delamination in a laminated composite strip under generalized plane deformations, Int J Fracture **77**(2) 95-110 (1996), 2A674

Effect of matrix cracking on stiffness of composite laminates, Mech Composite Mat Struct **3**(3) 225-239 (Sep 1996), 2A675

Efficient method to simulate 1D and 2D delamination growth in composite laminates, J Reinforced Plastics Composites **15**(9) 944-957 (Sep 1996), 2A676

Mode III crack in a laminated medium, Int J Solids Struct **33**(24) 3611-3625 (Oct 1996), 2A683

Modeling and simulation of crack propagation in mixed-modes interlaminar fracture specimens, Int J Fracture **77**(2) 111-140 (1996), 2A684

Optimum *in situ* strength design of composite laminates - Part II: Optimum design, J Composite Mat **30**(12) 1338-1358 (1996), 2A760

Free vibrations of laminated composite non-circular thick cylindrical shells, Int J Solids Struct **33**(27) 4079-4100 (Nov 1996), 3A166

Antiplane shear analysis of a semi-infinite multi-layered monoclinic strip, Acta Mech **117**(1-4) 205-214 (1996), 3A446

Analytical method for 3D analysis of circular laminated composite plates, Acta Mech **117**(1-4) 191-203 (1996), 3A492

Structural damping of composite beams with tapered boundaries, Composite Struct **35**(2) 207-212 (Jun 1996), 3A493

Elastic deformation of thick, laminated composite shells, Composite Struct **35**(2) 153-170 (Jun 1996), 3A536

Neural network thrust force controller to minimize delamination during drilling of graphite-epoxy laminates, Int J Machine Tools Manuf **36**(9) 985-1003 (Sep 1996), 3A676

Influence of water and accelerated aging on the shear fracture properties of glass-epoxy composite, Appl Composite Mat **3**(2) 71-87 (1996), 3A705

Composite fatigue design methodology: A simplified approach, Composite Struct **35**(2) 183-194 (Jun 1996), 3A727

Dispersion of stress waves in 1D semi-infinite, weakly coupled layered systems, Int J Solids Struct **33**(28) 4195-4213 (Nov 1996), 4A557

Doubly periodic arrays of bridged cracks and short fiber-reinforced cementitious composites, J Mech Phys Solids **44**(10) 1565-1586 (Oct 1996), 4A558

Analytical transient analysis of layered composite medium subjected to dynamic inplane impact loadings, Int J Solids Struct **33**(28) 4223-4238 (Nov 1996), 4A563

Indentation of composite sandwich beams, J Strain Anal Eng Des **31**(5) 353-360 (Sep 1996), 4A593

Stability and failure of symmetrically laminated plates, Struct Eng and Mech **4**(5) 485-496 (Sep 1996), 4A623

Fatigue crack growth rates in adhesive joints tested at different frequencies, J Adhesion **58**(3-4) 191-204 (1996), 4A700

Compression strength of composite sandwich structures after barely visible impact damage, J Composite Tech Res **18**(4) 274-284 (Oct 1996), 4A750

Interlaminar failure of unidirectional glass-epoxy due to combined through thickness shear and tension, Composites Part A Appl Sci and Manuf **27A**(10) 921-929 (1996), 4A757

Modeling of translaminar cracks in cross-ply composite laminates, J Composite Mat **30**(15) 1683-1709 (1996), 4A760

Transverse cracking of cross-ply laminates - Part 1: Analysis, Composites Part A Appl Sci and Manuf **27A**(10) 989-1001 (1996), 4A761

Transverse cracking of cross-ply laminates - Part 2: Progressive widthwise cracking, Composites Part A Appl Sci and Manuf **27A**(10) 1003-1010 (1996), 4A762

Effect of the secondary transition on the behavior of epoxy adhesive joints at high rates of loading, J Adhesion **58**(3-4) 281-298 (1996), 4A956

Evaluation of thermal stresses at the interface of a stitch in a stitched laminate, J Reinforced Plastics Composites **15**(10) 972-987 (Oct 1996), 4A1269

Effect of stacking sequence on energy release rate distributions in multidirectional DCB and ENF

specimens, Eng Fracture Mech 55(4) 557-569 (Nov 1996), 5A665
Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - I: Laminate geometry, J Composite Mat 30(16) 1748-1778 (1996), 5A668
Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - II: Analytical predictions, J Composite Mat 30(16) 1779-1822 (1996), 5A669
Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - III: Effect of fabric geometry, J Composite Mat 30(16) 1823-1856 (1996), 5A670
Property degradation of anisotropic composite laminates with matrix cracking - Part I: Development of constitutive relations for $(\theta_2/90_2)_s$ cracked laminates by stiffness partition, J Reinforced Plastics Composites 15(11) 1149-1160 (Nov 1996), 5A679
Suppression of delaminations in curved structures by stitching, Composites Part A Appl Sci and Manuf 27A(12) 1133-1138 (1996), 5A680
Analytical solution of boundary value problems of heat conduction in composite regions with arbitrary convection boundary conditions, Acta Mech 118(1-4) 65-78 (1996), 5A1227
Stress singularity analysis in 3D bonded structure, Int J Solids Struct 34(4) 461-480 (Feb 1997), 6A487
Effect of adherend alignment on the behavior of adhesively bonded double lap joints, Int J Adhesion Adhesives 16(4) 241-247 (Nov 1996), 6A548
High temperature hybrid titanium composite laminates: An early analytical assessment, Appl Composite Mat 3(6) 379-390 (1996), 6A549
Layerwise mechanics and FE for the dynamic analysis of piezoelectric composite plates, Int J Solids Struct 34(3) 359-378 (Jan 1997), 6A550
Parametrization in laminate design for optimal compliance, Int J Solids Struct 34(4) 415-434 (Feb 1997), 6A551
Solution of a spatial problem on asymmetric deformation of the laminated cone with non-canonical interfaces (Russian), Prikl Mekh (Appl Mech) 32(6) 74-81 (1996), 6A552
Stress fields in general composite laminates, AIAA J 34(12) 2604-2608 (Dec 1996), 6A553
Simulation of fatigue performance of cross-ply composite laminates, Appl Composite Mat 3(6) 391-406 (1996), 6A745
Delamination of beams: An application to the DCB specimen, Int J Fracture 79(3) 225-247 (1996), 6A778
Influence of the constitutive characteristics of resins on the composite materials delamination, Eng Fracture Mech 55(6) 1001-1012 (Dec 1996), 6A781
Layered Materials for Structural Applications (Mat Res Soc, Pittsburgh PA, 1996) 7N15
Application of genetic algorithms to the back-calculation of pavement layer moduli (Japanese), Proc JSCE 550(V33) 195-204 (Nov 1996), 7T476
Conditions at an interface between two materials in plane deformation, J Elast 45(1) 33-44 (Oct 1996), 7T477
Lamination theory incorporating the effect of interlayer deformation (Japanese), J Soc Mat Sci Japan 45(11) 1224-1230 (Nov 1996), 7A478
Shear-lag analysis about an internally-dropped ply, J Reinforced Plastics Composites 16(1) 73-85 (1997), 7A479
Refined theory of laminated shells with higher-order transverse shear deformation, Int J Solids Struct 34(6) 673-683 (Feb 1997), 7A526
Effects of hole machining defects on strength and fatigue life of composite laminates, Composites Part A Appl Sci and Manuf 28A(2) 141-151 (1997), 7A674
Delamination characterization of woven glass-polyester composites, J Composite Tech Res 19(1) 20-28 (Jan 1997), 7A733
Modeling analysis for splitting failure of orthotropic laminates with a surface notch, Composites Sci Tech 56(10) 1201-1207 (Oct 1996), 7A745
Modeling of matrix failure in ceramic matrix composites, J Composite Tech Res 19(1) 29-40 (Jan 1997), 7A746
Progressive damage model and analysis methodology for predicting the residual strength of composite laminates, J Composite Tech Res 19(1) 3-9 (Jan 1997), 7A748
Thermally induced damage in composite laminates: Predictive methodology and experimental investigation, Composites Sci Tech 56(10) 1209-1219 (Oct 1996), 7A1371
Metallurgical and Ceramic Protective Coatings (ASM Int, Materials Park OH, 1996) 8N11
Cosserat continuum model for layered materials, Comput Geotech 20(1) 15-45 (1997), 8A9
Free vibration of laminated composite plates with a central circular hole, Composite Struct 35(4) 357-368 (Aug 1996), 8A153
Failure of a thin film due to inclusions on the interface, Int J Solids Struct 34(8) 949-967 (Mar 1997), 8A484
Elastothermodynamic damping in laminated composites, Int J Solids Struct 34(9) 1075-1092 (Mar 1997), 8A549
Evaluation of the Ko-Lin model for interlaminar stresses in composite laminates with an open hole, Adv Composites Letters 5(5) 143-146 (1996), 8A550
Investigation of graphite PEEK composite under compression with a centrally located circular discontinuity, Composite Struct 35(4) 375-386 (Aug 1996), 8A551
Mechanical properties of thin and thick coatings applied to various substrates - Part II: Young's modulus determination of coating materials, J Adhesion Sci Tech 11(3) 373-391 (1997), 8A552
Mechanical properties of thin and thick coatings applied to various substrates - Part I: An elastic analysis of residual stresses with coating materials, J Adhesion Sci Tech 11(2) 281-299 (1997), 8A573
Multiaxial fatigue life evaluation of tubular adhesively bonded joints, Int J Adhesion Adhesives 17(1) 55-63 (Feb 1997), 8A758
Delamination cracking in functionally graded coating-metal substrate systems, Acta Mat 45(3) 1055-1066 (Mar 1997), 8A791
Effects of starter film thickness, residual stresses and layup on G_c of a 0°-0° interface, Adv Composites Letters 5(6) 159-163 (1996), 8A794
Special issue of the International Journal of Damage Mechanics, Int J Damage Mech 6(1) 5-118 (Jan 1997), 8A807
Analysis for cracks parallel to the interface of bimaterial systems, J Thermoplastic Composite Mat 10(1) 31-50 (Jan 1997), 8A810
Optimum design of erosion-stable heatshield composite materials, Appl Composite Mat 4(1) 35-52 (1997), 8A1387
Analysis of the mechanical behavior of bimetallic strips under the plain strain compression test (Spanish), J Brazilian Soc Mech Sci 19(1) 80-91 (Mar 1997), 9A443
Contact laws of carbon-epoxy laminated composite plates, J Reinforced Plastics Composites 16(2) 155-166 (1997), 9A502
Effect of stacking sequence on failure of [± 45/90/0]$_s$ quasi-isotropic coupons with hole under compression, J Thermoplastic Composite Mat 10(2) 136-150 (Mar 1997), 9A503
Effective properties of smart elastic laminates and the screening phenomenon, Int J Solids Struct 34(13) 1633-1643 (May 1997), 9A504
Nonlinear deformation of laminated composite materials under macrodestructions, Prikl Mekh (Appl Mech) 32(9) 46-51 (1996), 9A505
Stability of laminated coating of tribotechnical purpose (Russian), Prikl Mekh (Appl Mech) 32(9) 16-24 (1996), 9T506
Stability of unidirectional fibrous composites (Russian), Prikl Mekh (Appl Mech) 32(8) 3-13 (1996), 9A507
Testing of angle-ply laminates to obtain unidirectional composite compression strengths, Composites Part A Appl Sci and Manuf 28A(4) 387-396 (1997), 9A508
Approximate elasticity solution for a long and thick laminated circular cylindrical shell of revolution, Int J Solids Struct 34(11) 1327-1341 (Apr 1997), 9A568
Fatigue reliability analysis of composite laminates under spectrum stress, Int J Solids Struct 34(12) 1441-1461 (Apr 1997), 9A705
Cohesive zone model for cracks terminating at a bimaterial interface, Int J Solids Struct 34(11) 1307-1326 (Apr 1997), 9A746
Damage mechanisms in composite-composite bonded joints under static tensile loading, Appl Composite Mat 4(2) 95-119 (1997), 9A748
Propagation of hole machining defects in pin-loaded composite laminates, J Composite Mat 31(4) 383-408 (1997), 9A760
Near-tip Mode-I elastic fields in bimaterial layered systems, Int J Solids Struct 34(15) 1849-1871 (May 1997), 10A604
Thermoelastic properties in combined bending and extension of thin composite laminates with transverse matrix cracks, Int J Solids Struct 34(16) 2035-2060 (Jun 1997), 10A605
Subliminate buckling and compression strength of stitched uniweave graphite-epoxy laminates, J Reinforced Plastics Composites 16(5) 425-434 (1997), 10A666
General theory for laminated plates with delaminations, Int J Solids Struct 34(16) 2003-2024 (Jun 1997), 10A791
Loading rate effect on mode I interlaminar fracture of carbon-epoxy composite, J Reinforced Plastics Composites 16(6) 537-549 (1997), 10A821
Property degradation of anisotropic composite laminates with matrix cracking - Part 2: Determination of resolved stiffness and numerical study of stiffness degradation, J Reinforced Plastics Composites 16(5) 478-486 (1997), 10A822
Buckling behavior of composite panels using the FEM, Composite Struct 36(1-2) 33-43 (Sep-Oct 1996), 11A12
Finite element analysis of ply-by-ply and equivalent stress concentrations in composite plates with multiple holes under tensile and shear loading, Composite Struct 36(1-2) 45-58 (Sep-Oct 1996), 11A16
Finite element prediction of the post-impact compressive strength of fiber composites, Composite Struct 36(1-2) 141-153 (Sep-Oct 1996), 11A19
Numerical study on stresses in resin transfer molding lap joints reinforced with transverse stitching, Composite Struct 36(1-2) 91-100 (Sep-Oct 1996), 11A20
Analysis of layer waviness in flat compression-loaded thermoplastic composite laminates, J Eng Mat Tech 118(1) 63-70 (Jan 1996), 11A469
End effects in laminated anisotropic beams - Part I, J Energy Resources Tech 117(4) 279-284 (Dec 1995), 11A470
End effects in laminated anisotropic beams - Part II, J Energy Resources Tech 117(4) 285-289 (Dec 1995), 11A471
Interfacial toughness for the shipboard aluminum-steel structural transition joint, Marine Struct 10(5) 353-362 (Jun 1997), 11A472
Mechanics of the edge delamination test, J Electron Packaging 117(4) 340-343 (Dec 1995), 11A473
Use of higher order plate theoreies for determining free-edge stresses, J Reinforced Plastics Composites 16(8) 731-743 (1997), 11A504
Compression behavior of flat stiffened panels made of composite material, Composite Struct 36(1-2) 161-169 (Sep-Oct 1996), 11A512
Maximum buckling loads for unsymmetric thin hybrid laminates under in-plane and shear forces, Composite Struct 36(1-2) 1-11 (Sep-Oct 1996), 11A538
Assessment of failure criteria to predict the strength of adhesively bonded composite double lap joints, J Reinforced Plastics Composites 16(8) 698-713 (1997), 11A694
Doubly periodic matrix cracking in composite laminates - Part 1: General in-plane loading, Composite Struct 36(1-2) 113-130 (Sep-Oct 1996), 11A699
Doubly periodic matrix cracking in composite laminates - Part 2: Thermal biaxial loading, Composite Struct 36(1-2) 131-140 (Sep-Oct 1996), 11A700
Evaluating Weibull parameters for transverse cracking in cross-ply laminates, J Composite Mat 31(9) 935-951 (1997), 11A702
Static behavior and damage of thick composite laminates, Composite Struct 36(1-2) 13-22 (Sep-Oct 1996), 11A740
Propagation of magnetoelastic waves in regular-laminar media (Russian), Prikl Mekh (Appl Mech) 33(4) 35-40 (1997), 12T223
Surface magnetoelastic waves of shift on the interface of periodically laminated structure and metallized magnetoelastic ferrite (Russian), Prikl Mekh (Appl Mech) 33(2) 49-55 (1997), 12T224
Analytical model for the inelastic axial shear response of unidirectional metal matrix composites, Int J Plasticity 13(3) 261-289 (1997), 12A542
Free edge stresses in elastic and viscoelastic composites under uniaxial extension, bending, and twisting loadings, J Eng Mat Tech 119(3) 266-272 (Jul 1997), 12A573
Simulation of viscoelastic behavior of layered members of constructions of anisotropic elastomeric materials (Russian), Prikl Mekh (Appl Mech) 32(10) 52-58 (1996), 12A574
Strength of composite laminates containing holes and subjected to complex loading conditions, J Composite Mat 31(12) 1214-1248 (1997), 12A575
Theory on bending of laminated plates (Russian), Prikl Mekh (Appl Mech) 33(3) 64-70 (1997), 12A622
Asymptotic theory for nonlinear analysis of multilayered anisotropic plates, J Mech Phys Solids 45(7) 1105-1120 (Jul 1997), 12A627
Buckling and postbuckling behavior of composite laminates with a delamination, Composites Sci Tech 57(5) 557-564 (May 1997), 12A658
Exact solutions for simply supported laminated piezoelectric plates, J Appl Mech 64(2) 299-306 (Jun 1997), 12A671
Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - I: Modeling, Int J Fatigue 19(3) 201-207 (Mar 1997), 12A762
Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - II: Experimental evaluation, Int J Fatigue 19(3) 209-217 (Mar 1997), 12A763
Calculation of stress intensity factors for interlaminar cracks in composite laminates, Composites Sci Tech 57(6) 637-650 (Jun 1997), 12A797
Failure mode dependent strength criteria for composite laminates, J Reinforced Plastics Composites 16(10) 926-945 (1997), 12A806
Mixed-mode delamination fracture toughness of unidirectional glass-epoxy composites under fatigue loading, Composites Sci Tech 57(5) 597-605 (May 1997), 12A810
Physically based failure criterion for dimensioning of thick-walled laminates, Appl Composite Mat 4(5) 321-332 (1997), 12A814
Stressed state of the isotropic layer with a crack (Russian), Prikl Mekh (Appl Mech) 33(1) 43-51 (1997), 12A819

256J. Micromechanics

Four-layered self-consistent scheme applied to two-phase composites, Mech Res Commun 23(4) 359-366 (Jul-Aug 1996), 1T532
Effect of interfacial decohesion on stiffness reduction in a random discontinuous-fiber composite containing matrix microcracks, Composites Sci Tech 56(5) 541-555 (1996), 1A757
Deformation of thermoplastic composite laminates under processing conditions, Mech Composite Mat Struct 3(3) 183-200 (Sep 1996), 2A445
Designing with 4-step braided fabric components, Composites Sci Tech 56(6) 623-634 (1996), 2A446
Influence of thermal expansion mismatch on residual stresses and flow response of microballoon composites, Mech Mat 23(2) 133-146 (Jun 1996), 2A447
Micromechanical analysis of hybrid composites, J Reinforced Plastics Composites 15(8) 828-836 (Aug 1996), 2A448
Notes on the modeling of preform compaction - II: Effect of sizing on bundle level micromechanics, J Reinforced Plastics Composites 15(8) 837-861 (Aug 1996), 2A449
Effect of chromium on the microstructure and micromechanical properties of TiAl-base alloys, Mat Manuf Processes 11(3) 381-410 (1996), 3A494
Elastic properties of imperfectly bonded short fiber composites, Composite Struct 35(2) 195-206 (Jun 1996), 3A495
Processing and characterization of fiber reinforced intermetallic matrix composites, Mat Manuf Processes 11(2) 283-305 (1996), 3T652
Synthesis and analysis of ZrB_2-based composites, Mat Manuf Processes 11(4) 575-587 (1996), 3T654
Micromechanics of low temperature strength and toughness of intermetallic-metallic microlaminate composites, Acta Mat 44(11) 4289-4299 (Nov 1996), 4A559
Incorporating fiber damage in a micromechanical analysis of metal matrix composite laminates, J Composite Tech Res 18(4) 265-273 (Oct 1996), 4A756
Analysis and testing of dynamic micromechanical behavior of composite materials at elevated temperatures, J Eng Mat Tech 118(4) 554-560 (Oct 1996), 4A1267
Rhombic lattice of equi-stress inclusions in an elastic plate, Quart J Mech Appl Math 49(4) 565-580 (Nov 1996), 5A397
Alternate unified approach to the micromechanical analysis of composite materials, J Composite Mat 30(16) 1732-1747 (1996), 5A447
Micromechanics determination of the effective properties of piezoelectric composites containing spatially oriented short fibers, Acta Mat 44(12) 4889-4898 (Dec 1996), 5A448
Decay estimates for micropolar elastic cylinders, Int J Eng Sci 34(14) 1601-1609 (Nov 1996), 6A485
Three-point bounds for the overall properties of a nonlinear composite dielectric, IMA J Appl Math 57(1) 41-52 (Aug 1996), 6A554
Effects of non-periodic microstructure and defects on the compressive strength of 2D cellular solids, Int J Mech Sci 39(5) 549-563 (May 1997), 7A480
Elastic stress fluctuations in random structure particulate composites, Eur J Mech A 16(1) 79-102 (1997), 7A481
Three-dimensional micromechanical analysis of woven-fabric composites - I: Geometric analysis, Composites Sci Tech 56(11) 1303-1315 (Nov 1996), 7A482
Three-dimensional micromechanical analysis of woven-fabric composites - II: Elastic analysis, Composites Sci Tech 56(11) 1317-1327 (Nov 1996), 7A483
Lower and upper numerical bounds to the off-axis strength of unidirectional fiber-reinforced composites by limit analysis methods, Eur J Mech A 16(2) 213-234 (1997), 8A546
Modeling and simulation of the macromechanical nonlinear behavior of fiber-reinforced ceramics on the basis of a micromechanical-statistical material description, Acta Mech 120(1-4) 47-60 (1997), 8A548
Micromechanical analysis of fatigue properties of metal-matrix composites, Mech Res Commun 24(1) 65-68 (Jan-Feb 1997), 8T553
Stereological unfolding of the trivariate size-shape-orientation distribution of spheroidal particles with application, Acta Mat 45(3) 1105-1113 (Mar 1997), 8A554
Effective elastoplastic algorithms for ductile matrix composites, J Eng Mech 123(3) 260-266 (Mar 1997), 9A456
Micromechanical model for the initial rearrangement stage of liquid phase sintering, Mech Mat 25(2) 137-157 (Mar 1997), 9A476
Conductivity of materials containing insulated cross-ply strips, Mech Mat 25(2) 129-135 (Mar 1997), 9A509
Fractal analysis and simulation of surface roughness of ceramic particles for composite materials, Appl Composite Mat 4(2) 69-81 (1997), 9A510

Influence of microstructural scale on plastic flow behavior of metal matrix composites, Acta Mat 45(4) 1633-1643 (Apr 1997), 9A511
Microstresses and effective elastic moduli of a solid reinforced by periodically distributed spheroidal particles, Int J Solids Struct 34(11) 1353-1366 (Apr 1997), 9A512
Nonlinear deformation of fibrous composites under microfailures of the binder (Russian), Prikl Mekh (Appl Mech) 32(8) 23-30 (1996), 9A513
Piezoelectric inhomogeneity problems in anti-plane shear and in-plane electric fields: How to obtain the coupled fields from the uncoupled dielectric solution, Mech Mat 25(1) 59-65 (Jan-Feb 1997), 9A514
Stability of micro-periodic materials under finite deformations, Arch Mech 49(1) 143-158 (1997), 9T515
Three-dimensional micromechanical model of the compressive behavior of unidirectional FRP composites, J Thermoplastic Composite Mat 10(2) 173-184 (Mar 1997), 9A516
Stochastic model of an R-curve due to crack bridging in fibrous and textured ceramics, Acta Mat 45(4) 1445-1454 (Apr 1997), 9A721
Experimental characterization of microscopic failure process under quasi-static tension in interleaved and toughness-improved CFRP cross-ply laminates, Composites Sci Tech 57(3) 267-275 (Mar 1997), 9A753
Experimental micromechanical analysis of a 2D granular material: Relation between structure evolution and loading path, Mech Cohesive-Frictional Mat 2(2) 121-163 (Apr 1997), 10A606
Elastothermodynamic damping in particulate composites: Hollow spherical inclusions, J Appl Mech 64(1) 111-115 (Mar 1997), 10A1360
Continuum Micromechanics (Springer-Verlag, Wien, 1997) 11N25
Micromechanics model for predicting the tensile strength of unidirectional metal matrix composites, J Reinforced Plastics Composites 16(8) 676-685 (1997), 11A474
Method based on microcarrier nucleation and growth for describing the mechanical beahvior of heterogeneous continua, Composite Mech Des 2(1) 56-70 (1996), 12A3
Analytical method for micromechanics of textile composites, Composites Sci Tech 57(6) 703-713 (Jun 1997), 12A576
Effect of interphase on the elastic behavior of a glass-epoxy bundle, Composites Sci Tech 57(6) 617-622 (Jun 1997), 12A577
Estimations for the overall properties of some locally-ordered composites, Acta Mech 121(1-4) 177-190 (1997), 12A578
Mechanics of multiphase materials, Z Angew Math Mech 77(5) 341-348 (1997), 12A579
Micromechanical model for textile composite plates, J Composite Mat 31(12) 1187-1213 (1997), 12A580
Micropolar elastic fields due to a circular cylindrical inclusion, Int J Eng Sci 35(7) 659-668 (May 1997), 12A581
Analysis of interfacial failure in particle-filled elastomers, J Eng Mat Tech 119(3) 198-204 (Jul 1997), 12A785

256L. Macroscopic characterization

Continuum predictions of deformation in composites with two creeping phases - I: Model systems, Acta Mat 44(8) 3249-3257 (Aug 1996), 1A460
Influence of strain rate and temperature on the radial compression behavior of wet spruce, J Eng Mat Tech 118(3) 289-294 (Jul 1996), 1A533
Material characterization of pultruded laminates and shapes, J Reinforced Plastics Composites 15(7) 701-717 (Jul 1996), 1A534
Stiffness and strength anisotropy in the tensile response of weft knitted fabric-reinforced peek-and pet-composites, Adv Composites Letters 5(3) 71-75 (1996), 1A535
Stress-free temperature of the macro-interface in selectively reinforced aluminum castings, J Composite Tech Res 18(3) 209-214 (Jul 1996), 1A1292
Design and material evaluation of shape memory composites, J Intelligent Mat Syst Struct 7(3) 321-330 (May 1996), 2T450
Mechanical properties and microstructural analysis of a diamond-like carbon coating on an alumina-glass composite, J Mat Res 11(8) 1934-1942 (Aug 1996), 2A451
Modeling the elastic properties of knitted-fabric-reinforced composites, Composites Sci Tech 56(6) 685-694 (1996), 2A452
Self-consistent method to the analyses of elastic and elasto-plastic materials with inclusions, Z Angew Math Mech 76(8) 427-437 (1996), 2A453
Computational aspects of homogenization of thermopiezoelectric composites, Comp Assisted Mech Eng Sci 3(2) 133-154 (1996), 2A1285
Elastic constants of textured short-fiber composites, J Mech Phys Solids 44(9) 1509-1541 (Sep 1996), 3A496
Mixing anisotropic formulation for analysis of composites, Commun Numer Methods Eng 12(8) 471-482 (Aug 1996), 3A497
9th French National Colloquium on Composite Materials, Composites Sci Tech 56(7) 711-888 (1996), 3A648
Synthesis and analysis of ZrB_2-based composites, Mat Manuf Processes 11(4) 575-587 (1996), 3T654
Fiber orientation in composite structures for optimal resistance to creep failure, J Eng Mech 122(9) 855-860 (Sep 1996), 3A674
Correlation of tensile and bending strength of composites with a circular hole, J Eng Mat Tech 118(4) 542-547 (Oct 1996), 4A560
Effect of loading path on the stress-strain relation and progressive damage of a polymer-matrix composite under tension-torsion biaxial loading, J Thermoplastic Composite Mat 9(4) 329-341 (Oct 1996), 4A561
Mechanical properties and deformation of shear-induced polymer liquid crystalline fibers in an engineering thermoplastic, J Composite Mat 30(14) 1613-1626 (1996), 4A562
Effects of moisture and thermal cycling on in-plane shear properties of graphite fiber-reinforced cyanate ester resin composites, Composites Part A Appl Sci and Manuf 27A(11) 1015-1022 (1996), 5A449
Performance limits for stiffness-critical graphitic foam structures - Part I: Comparisons with high-modulus foams, refractory alloys, and graphite-epoxy composites, J Composite Mat 30(17) 1922-1937 (1996), 5A450
Performance limits for stiffness-critical graphitic foam structures - Part II: Comparisons of foams, foam-core, and honeycomb-core sandwiches in bending-shear, J Composite Mat 30(17) 1938-1956 (1996), 5A451
Prediction of stress-strain response of SCS-6 and Timetal-21S subjected to a hypersonic flight profile, Composites Part A Appl Sci and Manuf 27A(11) 1033-1040 (1996), 5A1302
High-strain-rate superplasticity of SiC_w/8090 aluminum composite, Appl Composite Mat 3(6) 369-378 (1996), 6A555
Properties of a chiral honeycomb with a Poisson's ratio of -1, Int J Mech Sci 39(3) 305-314 (Mar 1997), 6A556
Representative volumes (RV) of composite materials, J Eng Mech 122(12) 1159-1167 (Dec 1996), 6A557
Analytical procedure for the prediction of elastic properties of plain knitted fabric-reinforced composites, Composites Part A Appl Sci and Manuf 28A(1) 25-37 (1997), 7A484
Effect of the interphase zone on the bulk modulus of a particulate composite, J Appl Mech 63(4) 855-861 (Dec 1996), 7A485
Horizontal density variation in randomly-formed short-fiber wood composite boards, Composites Part A Appl Sci and Manuf 28A(1) 57-64 (1997), 7A486
Influence of the metal-ceramic interface on the microstructure and mechanical properties of HIPed iron-based composites, Composites Sci Tech 56(11) 1329-1337 (Nov 1996), 7A487
Material model of metallic cellular solids, Comput Struct 62(6) 1049-1057 (Mar 1997), 7A488
Tow collapse model for compression strength of textile composites, J Reinforced Plastics Composites 16(1) 86-101 (1997), 7A489
Thermomechanical properties of smart composites, Acta Mech Solida Sinica 9(4) 357-363 (1996), 7A1372
Compressive creep of IM7-K3B composite and the effects of physical aging on viscoelastic behavior, Exp Mech 37(1) 62-68 (Mar 1997), 8A502
Stress-strain relations of a viscoelastic composite reinforced with elliptic cylinders, J Thermoplastic Composite Mat 10(1) 19-30 (Jan 1997), 8A509
Local displacements and load transfer in shape memory alloy composites, Exp Mech 37(1) 78-86 (Mar 1997), 8A555
New electromechanical effect in discontinuous-filament elastomer-matrix composites, Smart Mat Struct 6(1) 102-105 (Feb 1997), 8A624
Conductivity of materials containing insulated cross-ply strips, Mech Mat 25(2) 129-135 (Mar 1997), 9A509
Effect of shear deformation on the processing and mechanical properties of aligned reinforcements, Composites Sci Tech 57(3) 327-344 (Mar 1997), 9A517
Effects of material and manufacturing variations on dimensionally stable composite structure, J Reinforced Plastics Composites 16(3) 270-287 (1997), 9A518
Effects of voids on the mechanical strength and ultrasonic attenuation of laminated composites, J Composite Mat 31(3) 276-292 (1997), 9A519
Elastic constants of 3D orthotropic composites with platelet-ribbon reinforcement, Composites Sci Tech 57(2) 173-184 (Feb 1997), 9A520
Experimental investigation of the mini-sandwich laminate as used to obtain unidirectional composite compression strengths, J Composite Mat 31(3) 293-314 (1997), 9A521
Experimental investigation of uniaxial and biaxial rate-dependent behavior of a discontinuous metal-matrix composite at 538°C, Composites Sci Tech 57(3) 307-318 (Mar 1997), 9A522
High strain rate properties of Cycom 5920-1583 cloth glass-epoxy composites, AIAA J 35(3) 553-556 (Mar 1997), 9A523
Magnetoviscoelastic response of elastomer composites consisting of ferrous particles embedded in a polymer matrix, J Intelligent Mat Syst Struct 7(6) 613-622 (Nov 1996), 9A524
Numerical evaluation of isostrain and weighted-average models for elastic moduli of 3D composites, Composites Sci Tech 57(3) 293-305 (Mar 1997), 9A525
Bruggeman formalism for two models of uniaxial composite media: Dielectric properties, Composites Sci Tech 57(2) 185-196 (Feb 1997), 9A601
Elastic moduli of injection-molded short-glass-fiber-reinforced poly(ethylene terephthalate), J Reinforced Plastics Composites 16(4) 290-305 (1997), 10A607
Experimental evaluation of thermal effects on the tensile mechanical properties of pultruded GFRP rods, Appl Composite Mat 4(3) 133-143 (1997), 10A608
Viscoplastic behavior of PMMA blends: The effect of moisture absorption, J Reinforced Plastics Composites 16(4) 306-320 (1997), 10A609
Role of adhesion in the mechanical properties of filled polymer composites, J Adhesion Sci Tech 11(4) 471-493 (1997), 10A1013
Thermomechanical behavior of composite materials and structures under high temperatures - 1: Materials, Composites Part A Appl Sci and Manuf 28A(5) 453-461 (1997), 10A1377
Thermomechanical behavior of composite materials and structures under high temperatures - 2: Structures, Composites Part A Appl Sci and Manuf 28A(5) 463-471 (1997), 10A1378
Heterogeneous solids - Part I: Analytical and numerical 1D results on boundary effects, Eur J Mech A 16(3) 409-423 (1997), 11A376
Heterogeneous solids - Part II: Numerical 2D results on boundary and other relevant phenomena, Eur J Mech A 16(3) 425-443 (1997), 11A377
Elastic moduli of composites reinforced by multiphase particles, J Appl Mech 62(4) 1023-1028 (Dec 1995), 11A475
Homogenized of periodic masonry: Plane stress, generalized plane strain or 3D modeling, Commun Numer Methods Eng 13(5) 319-326 (May 1997), 11A476
Interfacial effects on the dynamic mechanical behavior of weft-knitted glass fiber fabric-reinforced polypropylene composites produced of commingled yarns tensile and flexural response, Appl Composite Mat 4(4) 209-218 (1997), 11A477
Modified three-phase model for determining the elastic constants of a short fiber composite, J Reinforced Plastics Composites 16(8) 714-730 (1997), 11A478
Progressive crush of resin transfer molded square tube stiffened beam elements, J Composite Mat 31(10) 981-1001 (1997), 11A479
Stiffest wire, J Appl Mech 62(4) 947-951 (Dec 1995), 11A480
Modeling of mechanical properties of composite materials at high temperatures - Part 2: Properties of unidirectional composites, Appl Composite Mat 4(4) 239-261 (1997), 11A1380
Modeling of the mechanical properties of composite materials at high temperatures - Part 1: Matrix and fibers, Appl Composite Mat 4(4) 219-237 (1997), 11A1381
Estimating the toughness of laminated composite barriers, Composite Mech Des 2(2) 13-31 (1996), 12A245
Acoustic resonance of radially symmetric waves in a thermoviscous gas, Acta Mech 121(1-4) 97-113 (1997), 12A313
Deformation behavior of an X2080 AL-20 Vol% SiC_p metal matrix composite under plane-stress and plane strain, J Mech Behavior Mat 8(1) 1-14 (1997), 12A582
Energy absorption characteristics of hybrid braided composite tubes, J Composite Mat 31(12) 1164-1186 (1997), 12A583
Exposure of structural elements made from composite materials to high-intensity energy fluxes, Composite Mech Des 2(2) 42-56 (1996), 12T584
Influence of moisture on the thermal and mechanical properties of autoclaved and oven-cured Kevlar-49 and epoxy laminates, Composites Sci Tech 57(5) 565-571 (May 1997), 12A585
Microstructural stability of stressed lamellar and fiber composites, Acta Mat 45(7) 2715-2733 (Jul 1997), 12A586
Nonlinear behavior of composite materials, Composite Mech Des 2(2) 89-105 (1996), 12A587
Prediction of the mechanical properties of 3D braided composites, Composites Sci Tech 57(6) 623-629 (Jun 1997), 12A588
Shape-memory alloys: Macromodeling and numerical simulations of the superelastic behavior, Comput Methods Appl Mech Eng 146(3-4) 281-312 (Jul 1997), 12A589
Cyclic fatigue of Al_2O_3 and Al_2O_3-$AlTiO_3$ composites in direct push-pull, Fatigue Fracture Eng Mat Struct 20(5) 789-798 (1997), 12A754
Residual properties of an injection-molded poly(phenylene ether ketone)-carbon composite during flexural fatigue, Composites Sci Tech 57(6) 669-676 (Jun 1997), 12A764
Fracture behavior of untreated and silane-treated talc-filled polypropylene composites, Fatigue Fracture Eng Mat Struct 20(5) 659-670 (1997), 12A808
Notched strength of ceramic-matrix composites, Composites Sci Tech 57(6) 631-635 (Jun 1997), 12A813

256N. Dynamic behavior

Micromechanical analysis of dynamic behavior of conventional and negative Poisson's ratio foams, J Eng Mat Tech 118(3) 285-288 (Jul 1996), 1A176
Effect of fiber material on the energy absorption behavior of thermoplastic composite tubes, J Thermoplastic Composite Mat 9(3) 259-279 (Jul 1996), 1A536
Elastic impact response of glass-epoxy laminated ogival shells, Int J Impact Eng 18(6) 633-655 (Sep 1996), 1A537
Nonstationary random response of laminated composite structures by a hybrid strain-based laminated flat triangular shell FE, Finite Elements Anal Des 23(1) 23-35 (Aug 1996), 1A538
Effects of the intralaminar shear loading rate on the damage of multi-ply composites, Int J Impact Eng 18(6) 679-699 (Sep 1996), 1A758
Influence of geometry and end conditions on optimal fundamental natural frequencies of symmetrically laminated plates, J Reinforced Plastics Composites 15(9) 877-893 (Sep 1996), 2A134
Forced vibration analysis of composite laminates using a discrete layer stress based model, J Reinforced Plastics Composites 15(9) 958-970 (Sep 1996), 2A156
Impact of composite structures: The momentum balance method, J Composite Mat 30(10) 1068-1087 (1996), 2A212
Dynamic punch shear behavior of AS4-3501-6, J Composite Mat 30(13) 1494-1512 (1996), 2A454
Static and impact crushing of layered foam-plate systems, Int J Mech Sci 39(1) 69-86 (Jan 1997), 3A219
Structural damping of composite beams with tapered boundaries, Composite Struct 35(2) 207-212 (Jun 1996), 3A493
Modeling and shape control of composite beams with embedded piezoelectric actuators, Composite Struct 35(2) 237-244 (Jun 1996), 3A513
Linear transient analysis of rectangular laminated plates by a finite strip-mode superposition method, Composite Struct 35(2) 213-228 (Jun 1996), 3A527
Elastic deformation of thick, laminated composite shells, Composite Struct 35(2) 153-170 (Jun 1996), 3A536
Simple nonlocal damage model for predicting failure of notched laminates, Composite Struct 35(2) 229-236 (Jun 1996), 3A685
Seismic behavior of masonry walls: Experimental simulation, J Struct Eng 122(9) 1040-1047 (Sep 1996), 3A1393
Seismic behavior of masonry walls: Modeling of hysteretic rules, J Struct Eng 122(9) 1048-1054 (Sep 1996), 3A1394
Influence of thermal aging on the damping properties of an acrylic-cored laminated steel, J Composite Mat 30(15) 1628-1646 (1996), 4A109
Rotordynamic experiments on composite shafts, J Composite Tech Res 18(4) 256-264 (Oct 1996), 4A158
Exact symplectic solution for the dynamic analysis of shear deformable antisymmetric angle-ply laminated plates, Acta Mech Solida Sinica 9(3) 263-273 (1996), 4A164
Analytical transient analysis of layered composite medium subjected to dynamic inplane impact loadings, Int J Solids Struct 33(28) 4223-4238 (Nov 1996), 4A563
Dynamic properties of fiber-reinforced polymers exposed to hot, wet conditions, Composites Sci Tech 56(8) 977-997 (1996), 4A564
Dynamic radial loading of thin GRP tubes, Thin-Walled Struct 26(4) 315-324 (Dec 1996), 4A565
Identification of composite material parameters of plates using vibration test data, Inverse Prob Eng 3(1-3) 145-161 (1996), 4A566
Stress-wave displacement polarizations and attenuation in unidirectional composites: Theory and experiment, Res Nondestructive Eval 8(2) 101-123 (1996), 4A567
Vibrations of fiber-reinforced laminated deep shells, J Pressure Vessel Tech 118(4) 407-414 (Nov 1996), 5A115
Localized impact on sandwich structures with laminated facings, Appl Mech Rev 50(2) 69-82 (Feb 1997), 5A169
Impact damage and residual strengths of woven fabric glass-polyester laminates, Composites Part A Appl Sci and Manuf 27A(12) 1147-1156 (1996), 5A173

Impact testing on composites laminates and sandwich panels, J Composite Mat 30(17) 1873-1911 (1996), 5A174
Dynamic response of composite cylinders subjected to a moving internal pressure, J Reinforced Plastics Composites 15(11) 1088-1105 (Nov 1996), 5A452
Exact transient solutions of buried dynamic point forces for elastic bimaterials, Int J Solids Struct 33(30) 4511-4529 (Dec 1996), 5A453
Review of low-velocity impact properties of composite materials, Composites Part A Appl Sci and Manuf 27A(12) 1123-1131 (1996), 5A454
Strain sensing of composite plates subjected to low velocity impact with distributed piezoelectric sensors: A mixed FE approach, J Sound Vib 199(1) 17-31 (Jan 1997), 6A250
Experimental and FE analysis of pultruded glass-graphite-epoxy hybrids in axial and flexural modes of vibration, J Composite Mat 30(18) 1996-2018 (1996), 6A558
Guided waves in plates and their use in materials characterization, Appl Mech Rev 50(5) 247-284 (May 1997), 7A193
Prediction of impact induced penetration and delamination in thick composite laminates, Int J Impact Eng 19(1) 31-48 (Jan 1997), 7A204
Impact damage resistance and tolerance of high-performance polymeric composites subjected to environmental aging, Composites Sci Tech 56(10) 1129-1140 (Oct 1996), 7A739
Modeling of the interaction between matrix cracks and delaminations during impact of composite plates, Composites Sci Tech 56(10) 1171-1178 (Oct 1996), 7A747
Measurement of nonlinear damping in a Gr-Al metal-matrix composite, Exp Mech 37(1) 5-10 (Mar 1997), 8A123
Free and forced vibration of cross-ply laminated composite shallow arches, Int J Solids Struct 34(10) 1217-1234 (Apr 1997), 8A170
Identification of the damping properties of orthotropic composite materials using a mixed numerical experimental method, Appl Composite Mat 4(1) 13-33 (1997), 8A203
Development of the composite third robot arm of the six-axis articulated robot manipulator, Composite Struct 35(4) 331-342 (Aug 1996), 8A453
Glass fabric vinyl-ester composites: Tailoring the fiber bundle-matrix interphase with nylon coatings to modify energy absorption behavior, J Composite Mat 31(2) 182-209 (1997), 8A556
Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - 4: Impact properties, Composites Part A Appl Sci and Manuf 28A(3) 277-288 (1997), 8A801
Vibration of shallow shells: A review with bibliography, Appl Mech Rev 50(8) 431-444 (Aug 1997), 9A144
Kink band initiation and band broadening in clear wood under compressive loading, Mech Mat 25(1) 67-77 (Jan-Feb 1997), 9A492
Dynamic permeability of textiles, Fibres Textiles in E Europe 4(2) 54-55 (Apr-Jun 1996), 9A526
Finite element method for prediction of energy absorption capability of crashworthy polymer composite materials, J Reinforced Plastics Composites 16(3) 226-242 (1997), 9A527
Progressive crush response of hybrid felt-fabric composite structures, J Reinforced Plastics Composites 16(3) 243-269 (1997), 9A528
Characterization of impact damage resistance of CF-PEEK and CF-toughened epoxy laminates under low and high velocity impact tests, J Reinforced Plastics Composites 16(2) 131-143 (1997), 9A745
Effect of near-surface impact-induced damage on the residual strength of woven glass-epoxy composite beams, Composites Sci Tech 57(2) 205-216 (Feb 1997), 9A752
Method to apply structure relevant impact damage to small structure relevant specimens for damage tolerance studies, Appl Composite Mat 4(2) 83-94 (1997), 9A758
Composite Materials: Fatigue and Fracture, Sixth Volume (ASTM, 1997) 10N15
Results of an aeroelastic tailoring study for a composite tiltrotor wing, J Am Helicopter Soc 42(2) 126-136 (Apr 1997), 10A321
Deformation modes in fiberglass under weak impact, J Reinforced Plastics Composites 16(4) 321-331 (1997), 10A610
Derived dynamic ply properties from test data on angle ply laminates, Appl Composite Mat 4(3) 157-172 (1997), 10A611
Effect of stitching on impact and interlaminar properties of graphite-epoxy laminates, J Thermoplastic Composite Mat 10(3) 241-253 (May 1997), 10A612
Impact studies in glass epoxy laminates containing foam, J Reinforced Plastics Composites 16(7) 618-630 (1997), 10A613
Delamination in composite rotors, Composites Part A Appl Sci and Manuf 28A(6) 523-527 (1997), 11A155
Dynamic response of cross-ply laminated shell panels, J Pressure Vessel Tech 119(2) 157-160 (May 1997), 11A481
Free vibration of eccentrically stiffened laminated plates, J Reinforced Plastics Composites 16(10) 884-902 (1997), 12A177
Flexural strength and interlaminar shear strength of stitched GRP laminates following repeated impacts, Composites Sci Tech 57(5) 509-522 (May 1997), 12A590
Global strength of hybrid shape memory composite plates subjected to low-velocity impact, J Reinforced Plastics Composites 16(9) 791-809 (1997), 12A591
Impact response of composite cylinders, Int J Solids Struct 34(21) 2669-2684 (Jul 1997), 12A592

256Q. Structural applications

Integrating material-part-process design for polymer composites: A knowledge-based problem-solving approach, J Thermoplastic Composite Mat 9(3) 218-238 (Jul 1996), 1A412
Effect of lay-up, core material, and cross-sectional geometry on the structural performance of pultruded fiberglass utility poles, J Reinforced Plastics Composites 15(7) 692-700 (Jul 1996), 1A539
Environmental and mechanical fatigue of wind turbine blades made of composites materials, J Reinforced Plastics Composites 15(7) 673-691 (Jul 1996), 1A693
Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - I: Experimental behavior, J Construct Steel Res 38(2) 125-164 (Jun 1996), 1A793
Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - II: Prediction of moment capacity, J Construct Steel Res 38(2) 165-198 (Jun 1996), 1A850
Nonlinear FE analysis of isotropic and composite shells by a total Lagrangian decomposition scheme, Mech Composite Mat Struct 3(3) 241-271 (Sep 1996), 2A21
Stability of composite structures, Composite Struct 35(1) 1-130 (May 1996), 2A443
Bonded repair of minimum-gage composite sandwich structures, J Am Helicopter Soc 41(3) 232-238 (Jul 1996), 2A455
Special issue devoted to the structural materials center at the defense research agency, United Kingdom, Adv Performance Mat 3(3-4) 251-393 (Jul-Oct 1996), 2T456
Strength envelope of bolted composite joints under bypass loads, J Composite Mat 30(13) 1402-1435 (1996), 2A457
Topology design for composite components of minimum weight, Appl Composite Mat 3(1) 29-41 (1996), 2A458
Edge debonding in patched cylindrical panels, Int J Solids Struct 33(25) 3755-3777 (Oct 1996), 2A654
Bearing failure of bolted composite joints - Part I: Experimental characterization, J Composite Mat 30(12) 1284-1313 (1996), 2A671
Bearing failure of bolted composite joints - Part II: Model and verification, J Composite Mat 30(12) 1359-1400 (1996), 2A672
Effect of matrix cracking on stiffness of composite laminates, Mech Composite Mat Struct 3(3) 225-239 (Sep 1996), 2A675
Optimal dseign of 3D axisymmetric elastic structures, Struct Optim 12(1) 35-45 (Aug 1996), 2A758
Reliability based design with a degradation model of laminated composite structures, Struct Optim 12(1) 16-28 (Aug 1996), 2A763
Joining of Al-based metal matrix composites: A review, Mat Manuf Processes 11(1) 45-66 (1996), 3A486
Modal density of composite honeycomb sandwich panels, J Sound Vib 195(5) 687-699 (Sep 1996), 3A498
Stresses and failure patterns in the bending of sandwich beams with transversely flexible cores and laminated composite skins, Composite Struct 35(2) 143-152 (Jun 1996), 3A514
Linear transient analysis of rectangular laminated plates by a finite strip-mode superposition method, Composite Struct 35(2) 213-228 (Jun 1996), 3A527
Buckling and postbuckling of shear-deformable rectangular plates of composite construction, Thin-Walled Struct 26(3) 213-221 (Nov 1996), 3A557
Three-dimensional failure analysis of composite masonry walls, J Struct Eng 122(9) 1031-1039 (Sep 1996), 3A565
Simple nonlocal damage model for predicting failure of notched laminates, Composite Struct 35(2) 229-236 (Jun 1996), 3A685
Composite fatigue design methodology: A simplified approach, Composite Struct 35(2) 183-194 (Jun 1996), 3A727
Effect of impact damage on residual compressive strength of glass-fiber reinforced polyester laminates, Composite Struct 35(2) 171-181 (Jun 1996), 3A728
Application of FRC in construction of the underground railway track, Cement & Concrete Composites 18(5) 305-312 (1996), 4A568
Design and manufacture of a transverse floor beam from thermoplastic composite material: A case study, J Thermoplastic Composite Mat 9(4) 396-417 (Oct 1996), 4A569
Durability of closed-end pressurized GRP pipes under hygrothermal conditions - Part I: Monotonic tests, J Composite Mat 30(14) 1562-1580 (1996), 4A570
Durability of closed-end pressurized GRP filament wound pipes under hygrothermal aging conditions - Part II: Creep tests, J Composite Mat 30(14) 1581-1595 (1996), 4A571
Effect of architecture on the strength of braided tubes under biaxial tension and compression, J Eng Mat Tech 118(4) 478-484 (Oct 1996), 4A572
Experimental and numerical evaluation of beam-to-column connections for pultruded structures, J Reinforced Plastics Composites 15(10) 1052-1067 (Oct 1996), 4A573
Strength prediction of mechanically fastened quasi-isotropic carbon-epoxy joints, J Composite Mat 30(14) 1596-1612 (1996), 4A574
Towards the fastenerless composite design, Composites Part A Appl Sci and Manuf 27A(10) 915-920 (1996), 4A575
Higher-order shear deformation theory for thin-walled composite beams, J Aircraft 33(5) 978-986 (Sep-Oct 1996), 4A590
Delamination in asymmetrically trapped composites loaded in tension, Composite Struct 35(3) 309-322 (Jul 1996), 4A722
Mechanics of Laminated Composite Plates: Theory and Analysis (CRC Press, Boca Raton FL, 1997) 5R10
Fabrication of woven carbon fiber-polycarbonate repair patches, Composites Part A Appl Sci and Manuf 27A(11) 1089-1095 (1996), 5A455
Mechanical performance of ceramic matrix composite I-beams, Composites Part A Appl Sci and Manuf 27A(12) 1157-1167 (1996), 5A456
Reliability analysis of uniaxially ground brittle materials, J Eng Gas Turbines Power 118(4) 863-871 (Oct 1996), 5A457
Water intrusion in graphite-epoxy sandwich panels subjected to low level impact damage, J Reinforced Plastics Composites 15(11) 1106-1116 (Nov 1996), 5A458
Experimental study and simple failure analysis of stitched J-stiffened composite shear panels, J Reinforced Plastics Composites 15(11) 1070-1087 (Nov 1996), 5A667
Integral equation method for the torsion of a composite cylinder with crack and inclusion, Eng Fracture Mech 55(5) 763-775 (Nov 1996), 5A673
Local fracture mechanics analysis of stringer pull-off and delamination in a post-buckled compression panel, Appl Composite Mat 3(4) 249-264 (1996), 5A676
Multicriteria optimization of cylindrical sandwich shells under combinod loads, Struct Optim 12(2-3) 159-166 (Oct 1996), 5A755
Use of functionally graded materials to eliminate or control thermal deformation, Composites Sci Tech 56(9) 1099-1104 (Sep 1996), 5A1293
Effect of environmental exposure on the external strengthening of concrete with composites: Short term bond durability, J Reinforced Plastics Composites 15(12) 1194-1216 (Dec 1996), 6A559
Bending of a simply supported rectangular plate with arbitrary lamination, Mech Composite Mat Struct 3(4) 341-358 (Dec 1996), 6A586
Interlaminar stresses in shells of revolution, Mech Composite Mat Struct 3(4) 321-339 (Dec 1996), 6A587
Effect of interfacial imperfection on buckling and bending behavior of composite laminates, AIAA J 34(12) 2590-2595 (Dec 1996), 6A623
Growth of thin delaminations in laminate composite beams under cyclic bending, Mech Composite Mat Struct 3(4) 275-295 (Dec 1996), 6A624
Damage and Interfacial Debonding in Composites (Elsevier Sci BV, Netherlands, 1996) 7N11
Ferrocement applications in architecture, J Ferrocement 26(4) 251-306 (Oct 1996), 7A490
Manufacturing and applications of structural sandwich components, Composites Part A Appl Sci and Manuf 28A(2) 97-111 (1997), 7A491
Burst behavior of ± 75° filament-wound Kevlar-epoxy and carbon-epoxy tubes at high loading rates, Composites Sci Tech 56(10) 1151-1159 (Oct 1996), 7A850
Recent advances in computational thermostructural analysis of composite plates and shells with strong nonlinearities, Appl Mech Rev 50(5) 285-306 (May 1997), 7A1369
Evaluation of materials for composite repair applications, J Thermoplastic Composite Mat 10(1) 51-60 (Jan 1997), 8A557
Low-velocity impact response for laminated stepped beam, Composite Struct 35(4) 343-355 (Aug 1996), 8A558
Tolerance of composite pipes to local impact damage, Proc Inst Mech Eng E 210(E3) 181-192 (1996), 8A559
Models for the elastic deformation of honeycombs, Composite Struct 35(4) 403-422 (Aug 1996), 8A916
State-of-the-art review on the design of beam-to-column connections for pultruded frames, Composite Struct 35(4) 387-401 (Aug 1996), 8A929
Brazier effect for finite length composite cylinders under bending, Int J Solids Struct 34(12) 1419-1440 (Apr 1997), 9A529
Stress distribution in the strip fabricated from the composite material with small-scale curved structure, Prikl Mekh (Appl Moch) 32(9) 32-39 (1996), 9A530
Buckling analysis of thick-walled composite pipe under external pressure, J Composite Mat 31(4) 409-426 (1997), 9A594
Manufacturing of an aileron rib with advance thermoplastic composites, J Thermoplastic Composite Mat 10(2) 185-195 (Mar 1997), 9A681
Effect of frequency on the fatigue performance of filament-wound pipes under biaxial loading: Experimental results and damage model, Composites Sci Tech 57(3) 353-364 (Mar 1997), 9A703
Structural durability of damaged metallic panel repaired with composite patches, J Reinforced Plastics Composites 16(3) 200-216 (1997), 9A761
Optimum design and validation of flat composite beams subject to frequency constraints, AIAA J 35(3) 540-545 (Mar 1997), 9A836
Building of a composite transmission tower, J Reinforced Plastics Composites 16(5) 414-424 (1997), 10A614
Design and analysis of composite wraps for concrete columns, J Reinforced Plastics Composites 16(7) 588-602 (1997), 10A615
Production and evaluation of secondary composite aircraft components : A comprehensive case study, Composites Part A Appl Sci and Manuf 28A(5) 481-489 (1997), 10A616
Steel strip reinforced high-density wood shaving-cement board ribbed roof panel, Cement & Concrete Composites 18(6) 429-436 (1996), 10A617
Strength-limited design of composite-monolith transitions in metallic structures, Composites Part A Appl Sci and Manuf 28A(5) 399-407 (1997), 10A618
Buckling of isotropic and orthotropic cylinders under induced moments, Int J Solids Struct 34(15) 1915-1923 (May 1997), 10A661
Failure of composite stiffened plates loaded in compression, J Reinforced Plastics Composites 16(4) 332-340 (1997), 10A665
Design and manufacturing of filament wound elastomeric matrix composite flywheels, J Reinforced Plastics Composites 16(6) 488-502 (1997), 10A751
Effect of high shear on the moment capacity of composite cruciform endplate connections, J Construct Steel Res 40(2) 129-163 (Nov 1996), 10A950
Stress development in wet filament wound pipes, J Reinforced Plastics Composites 16(4) 372-390 (1997), 10A966
Numerical study on stresses in resin transfer molding lap joints reinforced with transverse stitching, Composite Struct 36(1-2) 91-100 (Sep-Oct 1996), 11A20
Manufacturing and performance of RTM U-beams, Composites Part A Appl Sci and Manuf 28A(6) 513-521 (1997), 11A627
Fracture mechanics approach for designing an adhesive joint for glass fiber-reinforced pipes, J Adhesion Sci Tech 11(5) 719-733 (1997), 11A703
Modeling the initiation and growth of delaminations in composite structures, J Composite Mat 31(8) 812-831 (1997), 11A707
Progressive fracture of composite cylindrical shells subjected to external pressure, J Composite Tech Res 19(2) 65-71 (Apr 1997), 11A710
Design of composite finplate and angle cleated connections, J Construct Steel Res 41(1) 1-29 (Jan 1997), 11A800
Review of mechanics of shape memory alloy structures, Appl Mech Rev 50(11-PT 1) 629-645 (Nov 1997), 12A554
Partial interaction in composite steel and concrete beams with full shear connection, J Construct Steel Res 41(2-3) 235-248 (Feb-Mar 1997), 12A593
Time dependent service load behavior of prestressed composite tee beams, Struct Eng and Mech 5(3) 307-327 (May 1997), 12A594
Thermoelastic stress analysis of a GRP tee joint, Appl Composite Mat 4(5) 283-303 (1997), 12A1347

256T. Ceramics, refractories, glasses

Stability and strength analysis of glass wall systems stiffened by glass fins, Finite Elements Anal Des 23(1) 57-75 (Aug 1996), 1A595
Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, Mech Solids 31(1) 100-108 (1996), 1A687

Slow impact punching in brittle materials (Japanese), J Soc Mat Sci Japan **45**(7) 811-816 (Jul 1996), 2A701

Measuring method for impact tensile strength of brittle materials, J Soc Mat Sci Japan **45**(7) 823-828 (Jul 1996), 2A726

Ceramic coatings on titanium alloy by C0, laser treatment, Mat Manuf Processes **11**(2) 199-206 (1996), 3T656

Electrical discharge machining of ZrB_2-based ceramics, Mat Manuf Processes **11**(4) 565-574 (1996), 3A662

Computational aspects of localized deformations in amorphous glassy polymers, Eur J Mech A **15**(5) 799-823 (1996), 4A576

Mechanical Properties of Ceramics (Wiley, New York, 1996) 5R9

Development of life prediction techniques for structural ceramics, J Eng Gas Turbines Power **118**(4) 847-855 (Oct 1996), 5A459

Long-term testing of advanced ceramics: Concerns, insights, and recommendations, J Eng Gas Turbines Power **118**(4) 704-710 (Oct 1996), 5A460

Strength prediction of ceramic components under complex stress states, J Eng Gas Turbines Power **118**(4) 856-862 (Oct 1996), 5A461

Critical load for a mode-I crack reinforced by bridging fibers, Quart J Mech Appl Math **49**(4) 545-564 (Nov 1996), 5A663

Continuum description of damage in ceramic-matrix composites, Eur J Mech A **16**(1) 53-78 (1997), 7A731

Strain and hysteresis by stochastic matrix cracking in ceramic matrix composites, J Mech Phys Solids **45**(2) 177-209 (Feb 1997), 8A560

Singular stress and electric fields of a piezoelectric ceramic strip with a finite crack under longitudinal shear, Acta Mech **120**(1-4) 31-45 (1997), 8A634

Local and global energy release rates for an electrically yielded crack in a piezoelectric ceramic, J Mech Phys Solids **45**(4) 491-510 (Apr 1997), 9A603

Dynamic fatigue testing of candidate ceramic materials for turbine engines to determine slow-crack-growth parameters, J Eng Gas Turbines Power **119**(2) 273-278 (Apr 1997), 10A767

Thermal cycling effects on dynamic mechanical properties and crystallographic structures of silicon nitride-based structural ceramics, J Eng Gas Turbines Power **119**(2) 279-284 (Apr 1997), 10A777

Plasticity considerations in probabilistic ceramic-to-metal joint design, J Eng Gas Turbines Power **119**(1) 159-166 (Jan 1996), 11A421

Ceramic hybrid bearings in air-cycle machines, J Eng Gas Turbines Power **118**(1) 184-190 (Jan 1996), 11A482

Durability evaluation of ceramic components using CARES-LIFE, J Eng Gas Turbines Power **118**(1) 150-158 (Jan 1996), 11A483

Evaluation of ceramic rotor strength by cold and hot spin tests, J Eng Gas Turbines Power **118**(1) 191-197 (Jan 1996), 11A484

Mechanics of integral armor: Discontinuous ceramic-cored sandwich structure under tension and shear, Composite Struct **36**(1-2) 81-90 (Sep-Oct 1996), 11A485

SPSLIFE: A user-friendly approach to the structural design and life assessment of ceramic components, J Eng Gas Turbines Power **118**(1) 179-183 (Jan 1996), 11A486

Fatigue strength as a function of preloading in dynamic fatigue testing of glass and ceramics, J Eng Gas Turbines Power **119**(3) 493-499 (Jul 1997), 12A595

Investigation of properties and microstructures of ceramic lined of pipe produced by SHS (Chinese), J Dalian Univ Tech **37**(3) 290-294 (May 1997), 12A596

Technique to achieve uniform stress distribution in compressive creep testing of advanced ceramics at high temperatures, J Eng Gas Turbines Power **119**(3) 500-505 (Jul 1997), 12A597

Failure mechanism of a whisker-reinforced ceramic tool when machining nickel-based alloys, Wear **208**(1-2) 220-225 (Jul 1997), 12A945

256V. Plastics, elastomers, rubbers

Tensile deformation behavior of rubber composite plate (Japanese), J Soc Mat Sci Japan **45**(6) 650-655 (Jun 1996), 1A540

Chemorheological relaxation, residual stress, and permanent set arising in radial deformation of elastomeric hollow spheres, Math Mech Solids **1**(3) 267-299 (Sep 1996), 2A383

Application of the BEM to rubber-like elasticity, Appl Math Model **20**(9) 654-661 (Sep 1996), 2A459

Experimental study on physical properties of compression molded SMC parts under plane strain condition, Composite Struct **35**(2) 131-141 (Jun 1996), 3A500

Dynamic radial loading of thin GRP tubes, Thin-Walled Struct **26**(4) 315-324 (Dec 1996), 4A565

Study of the dynamic behavior of elastomeric materials using FEs, J Eng Mat Tech **118**(4) 503-508 (Oct 1996), 4A577

Experimental investigation of *in situ* consolidation of thermoplastic matrix composites, J Mat Processing Manuf Sci **4**(4) 279-297 (Apr 1996), 6A560

Pressure projection method for nearly incompressible rubber hyperelasticity - Part I: Theory, J Appl Mech **63**(4) 862-868 (Dec 1996), 7A492

Pressure projection method for nearly incompressible rubber hyperelasticity - Part II: Applications, J Appl Mech **63**(4) 869-876 (Dec 1996), 7A493

Criterion for crack initiation in glassy polymers subjected to a composite-like stress state, Composites Sci Tech **56**(11) 1291-1301 (Nov 1996), 7A641

Uni-axial strain loading of a rubber rod by planar shock waves, Acta Mech **120**(1-4) 91-107 (1997), 8A213

Effect of temperature on the dynamic characteristics of heat-resistant thermoplastic composites, Composites Sci Tech **56**(12) 1425-1434 (Dec 1996), 8A561

Statistical mechanics material model for the constitutive modeling of elastomeric compounds, Proc Inst Mech Eng C **210**(C6) 575-585 (1996), 8A562

Necking in steady-state drawing of polymer fibers, Arch Mech **48**(6) 1101-1113 (1996), 9A447

Design and optimization of a thermoplastic tow-placement process with *in situ* consolidation, J Composite Mat **31**(3) 244-275 (1997), 9A531

Long-term durability of wood-flour-polypropylene-elastomer composites, J Mech Behavior Mat **7**(3) 195-204 (1996), 9A532

Immersed fatigue response of polymer composites, Int J Fracture **82**(1) 31-42 (1996), 10A769

Machining of filled polymers using single-edge tools, J Composite Tech Res **19**(2) 72-76 (Apr 1997), 11A606

Creep rupture of polymer composites, Composites Sci Tech **57**(4) 375-388 (Apr 1997), 11A660

Numerical study of cavitation and yield in amorphous polymer-rubber blends, J Eng Mat Tech **119**(3) 256-261 (Jul 1997), 12A545

256Y. Computational techniques

Model for analysis of arbitrary composite and porous microstructures with Voronoi Cell FEs, Int J Numer Methods Eng **39**(14) 2363-2398 (Jul 1996), 1A541

Parallel FEM for the analysis of crystalline solids, Comput Methods Appl Mech Eng **132**(3-4) 345-357 (Jun 1996), 1A542

Strain distribution in a taper-taper adhesive-bonded joint in a composite flat plate, J Thermoplastic Composite Mat **9**(3) 280-291 (Jul 1996), 1A543

Stress- and rotation-based hierarchic models for laminated composites, Int J Numer Methods Eng **39**(15) 2647-2671 (Aug 1996), 1A544

Wavelet-Galerkin method for periodic heterogeneous media, Comput Struct **61**(1) 55-65 (Aug 1996), 1A545

Application of durability analysis to glare aeronautical components, Int J Fatigue **18**(4) 265-272 (May 1996), 1A717

Effective thermal conductivity of misoriented short-fiber reinforced thermoplastics, Mech Mat **23**(3) 217-228 (Jul 1996), 2A432

Deformation of thermoplastic composite laminates under processing conditions, Mech Composite Mat Struct **3**(3) 183-200 (Sep 1996), 2A445

Backpropagation neural networks for predicting ultimate strengths of unidirectional graphite-epoxy tensile specimens, Adv Performance Mat **3**(1) 75-83 (Jan 1996), 2A460

Identical probability distribution of first-ply failure strains and design allowables computation based on multi-sample data of composite laminates, Comput Struct **61**(2) 225-230 (Oct 1996), 2A461

Shear correction factors for thin-walled composite boxbeam considering nonclassical behaviors, J Composite Mat **30**(10) 1132-1149 (1996), 2A475

S-continued fractions for complex transport coefficients of two-phase composites, Comp Assisted Mech Eng Sci **3**(2) 109-119 (1996), 2A536

Elastic properties of imperfectly bonded short fiber composites, Composite Struct **35**(2) 195-206 (Jun 1996), 3A495

Approximate biaxial stress solution for orthotropic open-hole composite laminates, Adv Composites Letters **5**(4) 107-111 (1996), 3A499

Experimental study on physical properties of compression molded SMC parts under plane strain condition, Composite Struct **35**(2) 131-141 (Jun 1996), 3A500

Use of FE in micromechanics of natural composites, Comput Struct **61**(3) 415-420 (Nov 1996), 3A501

Boundary value problems for Poisson's equation in a multi-wedge-multi-layered region - Part II: General type of interfacial conditions, Arch Mech **48**(4) 711-745 (1996), 4A5

Analysis and modeling of shrinkage in composite material curing, using fractal geometry, Machine Graphics & Vision **5**(1-2) 403-412 (1996), 4A578

Boussinesq problem for elastic half-space reinforced with fibers in vertical direction, Eng Trans **44**(1) 55-67 (1996), 4A579

FE modeling of a boundary layer corrector for composites using the homogenization theory, Eng Comput **13**(6) 31-42 (1996), 4A580

Probabilistic micromechanics model for damaged composites, J Eng Mat Tech **118**(4) 548-553 (Oct 1996), 4A725

Calculating strain energy release rate in cracked orthotropic beams, J Thermoplastic Composite Mat **9**(4) 381-395 (Oct 1996), 4A749

Influence of the Schulgasser inequality on effective moduli of two-phase isotropic composites, Arch Mech **48**(3) 475-492 (1996), 4A1275

Nonlinear 3D analysis of composite laminated plates, Appl Math Mech **17**(7) 621-632 (Jul 1996), 5A472

J-integral in periodically layered composites, Int J Fracture **78**(1) 89-100 (1996), 5A675

Use of homogenization theory to build a beam element with thermomechanical microscale properties, Struct Eng and Mech **4**(6) 613-630 (Nov 1996), 6A58

Flat composite panel design advisory system using knowledge based and case based reasoning, J Mech Des **118**(4) 461-469 (Dec 1996), 6A404

Fourth Greek Congress on mechanics, Appl Composite Mat **3**(5) 267-353 (1996), 6A561

Numerical study of the boundary effects in the composites reinforced with rectangular fibers (Russian), Prikl Mekh (Appl Mech) **32**(6) 59-65 (1996), 6A562

Finite element analysis of laminated hat-stiffened plates, J Reinforced Plastics Composites **15**(12) 1174-1193 (Dec 1996), 6A590

Effect of stringers and patches on the stress intensities around cracks in plates, Eng Fracture Mech **55**(6) 935-955 (Dec 1996), 6A763

Multicontinuum theory for thermal-elastic FE analysis of composite materials, J Composite Mat **31**(1) 71-86 (1997), 7A19

Process-induced stress relaxation analysis of AS4-3501-6 laminate, J Reinforced Plastics Composites **16**(1) 2-16 (1997), 7A427

Nonlinear FE simulation of superelastic shape memory alloy parts, Comput Struct **62**(5) 799-810 (Mar 1997), 7A494

Thermoelastic determination of stress intensity factors in orthotropic composites using the J-integral, Eng Fracture Mech **56**(4) 579-592 (Mar 1997), 7A724

Recent advances in the numerical modeling of constitutive relations, Finite Elements Anal Des **24**(3) 171-185 (Jan 1997), 8A37

Analysis of adhesively bonded composite double lap joints, J Thermoplastic Composite Mat **10**(1) 61-75 (Jan 1997), 8A563

Determination of triaxial stresses in bonded joints, Int J Adhesion Adhesives **17**(1) 17-25 (Feb 1997), 8A564

Life prediction methodology for composite structures - Part I: Constant amplitude and two-stress level fatigue, J Composite Mat **31**(2) 128-157 (1997), 8A749

Life prediction methodology for composite structures - Part II: Spectrum fatigue, J Composite Mat **31**(2) 158-181 (1997), 8A750

NIST-CTCMS international workshop on optimal design for materials and structures, Struct Optim **13**(1) 4-68 (Feb 1997), 8A878

Plane-strain FE model for process-induced residual stresses in a graphite-PEEK composite, J Composite Mat **31**(3) 212-243 (1997), 9A27

Generalized laminate theories based on double superposition hypothesis, Int J Numer Methods Eng **40**(7) 1197-1212 (Apr 1997), 9A533

Improved Mindlin plate stress analysis for laminated composites in FEM, AIAA J **35**(3) 587-590 (Mar 1997), 9T534

Analysis of composite structures using the 3D global and 3D local method, J Reinforced Plastics Composites **16**(4) 353-371 (1997), 10A619

Analysis of tapered laminated composites with nonsymmetric lay-up, J Reinforced Plastics Composites **16**(7) 631-660 (1997), 10A620

Three dimensional effective properties of composite materials for FE applications, J Composite Mat **31**(5) 466-485 (1997), 10A621

Stresses and deformations induced during manufacturing - Part I: Theoretical analysis of composite cylinders and shells, J Composite Mat **31**(7) 672-695 (1997), 10A644

Stresses and deformations induced during manufacturing - Part II: A Study of the spring-in phenomenon, J Composite Mat **31**(7) 696-719 (1997), 10A645

Tensor polynomial failure criterion: Coefficient limits based on convexity requirements, J Reinforced Plastics Composites **16**(5) 435-477 (1997), 10A824

Simultaneous cost and weight minimization of composite-stiffened panels under compression and shear, Composites Part A Appl Sci and Manuf **28A**(5) 419-435 (1997), 10A909

Residual stresses in composites with coated particles, J Composite Mat **31**(10) 1046-1059 (1997), 11A382

Three-dimensional stress analysis in laminated composites with fasteners based on the B-spline approximation, Composites Part A Appl Sci and Manuf **28A**(6) 559-571 (1997), 11A487

Buckling of beam-plates having multiple delaminations, J Composite Mat **31**(10) 1002-1025 (1997), 11A526

Interactive simulation of resin transfer molding, J Composite Mat **31**(10) 954-980 (1997), 11A626

Solving heat dissipation problems in unidirectional composite structure, J Reinforced Plastics Composites **16**(8) 686-697 (1997), 11A1323

Thermostructural FE analysis of laminated doubly curved composite shells, J Reinforced Plastics Composites **16**(9) 848-868 (1997), 12A28

Analytic methods of study of the strength of thin-wall structures made of composite materials, Composite Mech Des **2**(2) 66-73 (1996), 12A598

Calculation of effective transverse elastic moduli of fiber-reinforced composites by numerical homogenization, Composites Sci Tech **57**(5) 573-586 (May 1997), 12A599

Numerical analysis of a thick-adherend lap shear specimen, J Adhesion **62**(1-4) 257-280 (May 1997), 12A1044

256Z. Experimental techniques

Experimental investigation of composite repair, Exp Mech **36**(2) 142-147 (Jun 1996), 1A546

Reactions and early-age properties in *in-situ* polymerized gypsum-acryl amide composites, Mat Struct **29**(190) 366-371 (Jul 1996), 1A547

Strain measurement in the wavy-ply region of an externally pressurized cross-ply composite ring, J Eng Mat Tech **118**(3) 325-329 (Jul 1996), 1A548

Study of tension test specimens of laminated hybrid composites - 1: Methods of approach, Composites Part A Appl Sci and Manuf **27A**(8) 647-654 (1996), 1A549

Under load strain partition of a ceramic matrix composite using an ultrasonic method, Exp Mech **36**(2) 148-154 (Jun 1996), 1A550

Simple novel technique for evaluation of viscoelastic properties of ceramic composites, Appl Composite Mat **3**(1) 3-13 (1996), 2A412

Acoustic emission in fiber reinforced concrete, Exp Mech **36**(3) 258-261 (Sep 1996), 2A462

Experimental measurement of fiber-fiber interaction using Micro Raman Spectroscopy, Mech Mat **23**(3) 205-216 (Jul 1996), 2A463

Health monitoring of a continuous fiber reinforced aluminum composite with embedded optical fiber, J Intelligent Mat Syst Struct **7**(3) 307-311 (May 1996), 2A464

Stress analysis of an orthotropic material under diametral compression, Exp Mech **36**(3) 204-211 (Sep 1996), 2A465

Explosively generated pulse propagation through particles containing natural cracks, Mech Mat **23**(4) 255-270 (Aug 1996), 3A487

Inverse method to measure the axial modulus of composite materials under tension, J Sound Vib **195**(4) 545-551 (Aug 1996), 3A502

Thermal effects on measurements of dynamic processes in composite structures using piezoelectric sensors, Smart Mat Struct **5**(4) 379-385 (Aug 1996), 3A503

Measurements of thermal residual stresses in SiC-Ti-15-3 composites, J Thermal Stresses **19**(6) 579-593 (Sep 1996), 3A1282

Evaluation of interfacial mechanical properties of fiber reinforced composites using the microindentation method, Composites Part A Appl Sci and Manuf **27A**(10) 961-971 (1996), 4A581

Frictional resistance of thermoset prepregs and its influence on honeycomb composite processing, Composites Part A Appl Sci and Manuf **27A**(10) 943-951 (1996), 4A582

Properties of laboratory manufactured polypropylene fibers, Fibres Textiles in E Europe **4**(1) 50-52 (Jan-Mar 1996), 4A583

Study on principal strain direction measurement in the uniaxial tensile test of composites, Mech Res Commun **23**(5) 531-536 (Sep-Oct 1996), 4A584

Surface characterization of textile and technical fibers, Fibres Textiles in E Europe **4**(1) 66-68 (Jan-Mar 1996), 4A907

Influence of the type of loading and temperature on the modulus of elasticity of cement-bound mixes of milled bituminous concrete and crushed aggregates, Mat Struct **29**(193) 543-551 (Nov 1996), 5A437

Experimental study of thickness-tapered unidirectional composite compression specimens, Exp Mech **36**(4) 345-352 (Dec 1996), 5A462

Hybrid moire-numerical stress analysis around cutouts in loaded composites, Exp Mech **36**(4) 379-387 (Dec 1996), 5A463

Influence of water immersion on skin-core debonding in GFRP-balsa sandwich structures, J Reinforced Plastics Composites **15**(11) 1161-1172 (Nov 1996), 5A464

Interlaminar tensile strength (ILTS) measurement of woven glass-polyester laminates using a four-point

curved beam specimen, Composites Part A Appl Sci and Manuf 27A(11) 1097-1105 (1996), 5A465
Compact polariscope-shearing interferometer for mapping stress fields in bimaterial systems, Exp Mech 36(4) 404-411 (Dec 1996), 5A709
In situ determination of adhesive shear moduli using strain gages, Exp Mech 36(4) 297-304 (Dec 1996), 5A720
Flaw detection in composite materials using infra-red thermography by the method of external heating, Proc Inst Mech Eng C 210(C5) 399-407 (1996), 5A724
Multiplexed optical fiber sensors for air frame repair patch monitoring, Exp Mech 36(4) 353-359 (Dec 1996), 5A726
Experimental investigation on the use of fly ash for lightweight precast structural elements, Mat Struct 29(194) 632-638 (Dec 1996), 6A538
Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, Mat Struct 29(194) 620-631 (Dec 1996), 6A541
Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, Int J Adhesion Adhesives 16(4) 219-226 (Nov 1996), 6A563
Energy absorption of composite plates under off-axis loads, J Composite Mat 30(18) 1977-1995 (1996), 6A564
New electromagnetic forming technology of composite materials (Chinese), J Dalian Univ Tech 36(6) 756-758 (Nov 1996), 6A707
Analysis of acoustic emission signals generated during the fatigue testing of GFRP, J Composite Mat 30(18) 2019-2041 (1996), 6A827
Automated ultrasonic NDE of composite specimens by cluster and fractal analysis, Nondestruct Test Eval 13(1) 15-30 (Oct 1996), 6A828
Ultrasonic through-transmission characterization of thick fiber-reinforced composites, NDT&E Int 29(4) 225-236 (Aug 1996), 6A833
Study of single-lap compression-shear test for brittle substrates bonded with a structural adhesive, J Adhesion Sci Tech 10(11) 1153-1164 (1996), 6A982
Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, Smart Mat Struct 5(6) 796-800 (Dec 1996), 7A467
Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, Smart Mat Struct 5(6) 796-800 (Dec 1996), 7A468
Dynamic tensile testing of aramid and polyethylene fiber composites, Int J Impact Eng 19(2) 135-146 (Feb 1997), 7A495
Interfacial behavior of a glass-epoxy composite during a micro-indentation test: Assessment of interfacial shear strength using reduced indentation curves, Composites Part A Appl Sci and Manuf 28A(1) 39-46 (1997), 7A496
Measurement of modulus in filament wound ring specimen using split disk test, Exp Tech 21(1) 25-28 (Jan-Feb 1997), 7A497
Experimental monitoring of strain localization and failure behavior of composite materials, Composites Sci Tech 56(11) 1283-1290 (Nov 1996), 7A736
Recent development of an ultrasonic NDE technique for metal matrix composites, J Composite Tech Res 19(1) 41-44 (Jan 1997), 7A791
Locus of failure of T-peel joints formed between aluminium and various adhesives, Int J Adhesion Adhesives 17(1) 33-38 (Feb 1997), 8A565
Thermal expansion measurement of composites with optical heterodyne interferometry, Exp Mech 37(1) 21-25 (Mar 1997), 8A566
Thermal and Mechanical Test Methods and Behavior of Continuous-Fiber Ceramic Composites (ASTM, 1997) 9N20
Correction for system compliance during point-loading of thin brittle films, Exp Tech 21(2) 28-31 (Mar-Apr 1997), 9T535
Transverse single-fiber test for interfacial debonding in composites - 1: Experimental observations, Composites Part A Appl Sci and Manuf 28A(4) 309-315 (1997), 9A536
Transverse single-fiber test for interfacial debonding in composites - 2: Modeling, Composites Part A Appl Sci and Manuf 28A(4) 317-326 (1997), 9A537
Holographic tests on ceramic coatings on metal surfaces, Composites Sci Tech 57(3) 365-369 (Mar 1997), 9A800
Ultrasonic evaluation of the bonding strength of dissimilar metal bonds, NDT&E Int 29(6) 355-361 (Dec 1996), 9A807
Damage detection by piezoelectric patches in a free vibration method, J Composite Mat 31(4) 345-359 (1997), 9A808
Acoustic emission during tensile testing of SiC-fiber-reinforced BMAS glass-ceramic composites, Composites Part A Appl Sci and Manuf 28A(5) 473-480 (1997), 10A622
Biaxial testing of unidirectional carbon-epoxy composite using biaxial losipescu test fixture, J Composite Mat 31(5) 486-508 (1997), 10A623
Design of a cylindrical specimen for biaxial testing of composite materials, J Reinforced Plastics Composites 16(6) 550-565 (1997), 10A624
Multiple NDE techniques for the measurement of constituent volume fractions in metal matrix composites, Res Nondestructive Eval 9(1) 41-57 (1997), 10A625
Fiber reinforced metal matrix composite by a high deformation consolidation process, Mat Manuf Processes 12(2) 229-240 (1997), 10T750
Study of the crack deviation angle in adhesive ruptures of ceramic adhesively-bonded assemblies, J Adhesion 60(1-4) 1-14 (1997), 10A823
Selection of papers presented at the First Joint Belgian-Hellenic Conference on NDT May 22-23, 1995, Patras Greece, NDT&E Int 30(2) 61-106 (Apr 1997), 10A873
Test method for accelerated humidity conditioning and estimation of adhesive bond durability, J Adhesion 60(1-4) 153-162 (1997), 10T1015
Comparison of the short beam shear and interlaminar shear device tests, Composites Part A Appl Sci and Manuf 28A(6) 587-594 (1997), 11A488
DCB testing of thermoplastic composites: A nonlinear micro-macro numerical analysis, Composites Sci Tech 57(4) 437-450 (Apr 1997), 11A489
Determination of stress gradients in fibrous composites by X-ray diffraction from fillers, J Composite Mat 31(9) 852-873 (1997), 11A490
Experimental description of the response of paper, Composite Struct 36(1-2) 101-111 (Sep-Oct 1996), 11A491
Measurement of the interfacial normal strength in single fiber transverse tensile tests, Adv Composites Letters 6(1) 13-18 (1997), 11A492
New ideas on the measurement of the in-plane shear strength of unidirectional composites, J Composite Mat 31(9) 889-895 (1997), 11A493
Test fixture for mapping thermal conduction in composites under transient and steady-state conditions, Exp Tech 21(3) 12-14 (May-Jun 1997), 11A494
Determining the interfacial shear strength in the presence of transcrystallinity in composites by the "single-fiber microcomposite compressive fragmentation test", Appl Composite Mat 4(4) 197-207 (1997), 11A698
Impact behavior of pultruded composite box-beams, Composite Struct 36(1-2) 155-160 (Sep-Oct 1996), 11A742
Acoustic emission applied to pipes of GFRP that have been exposed to corrosive mediums, J Composite Mat 31(9) 896-909 (1997), 11A746
Discrete wavelet decomposition of acoustic emission signals from carbon-fiber-reinforced composites, Composites Sci Tech 57(4) 389-403 (Apr 1997), 11A750
Laser induced fluorescence imaging of thermal damage in polymer matrix composites, Mat Eval 55(6) 726-729 (Jun 1997), 11A757
Dry sliding wear of aluminium composites: A review, Composites Sci Tech 57(4) 415-435 (Apr 1997), 11A831
Experimental Characterization of Advanced Composite Materials, Second Edition (Technomic, Lancaster PA, 1997) 12R23
Effect of wet curing duration upon mechanical properties of commonly-used concretes (French), Mat Struct 30(199) 284-292 (Jun 1997), 12A558
Acoustic analyzer study of SAW propagation in homogeneous and composite models, Composite Mech Des 2(2) 107-111 (1996), 12A600
Experimental investigations in the drilling of carbon fiber-reinforced plastic composite laminates, Int J Machine Tools Manuf 37(8) 1097-1108 (Aug 1997), 12A601
Measurement of tensile properties using filament wound ring specimens, J Reinforced Plastics Composites 16(9) 810-824 (1997), 12A602
Scratch testing of advanced composite surfaces, Composites Part A Appl Sci and Manuf 28A(7) 683-686 (1997), 12A603
Ultrasonic detection of delaminations on composite materials, J Reinforced Plastics Composites 16(9) 768-790 (1997), 12A868

258. CABLES, ROPES, BEAMS, ETC

258A. General theory

Statics and Mechanics of Materials: An Integrated Approach (Wiley, New York, 1995) 1R22
Coupling between 3D bodies and slipping cables, Int J Solids Struct 33(24) 3587-3600 (Oct 1996), 2A466
Cantilever strip plate under torsion, bending, or flexure at infinity, J Elast 43(2) 109-136 (May 1996), 3A504
Further analysis of end effects for plane deformations of sandwich strips, Int J Solids Struct 33(29) 4327-4336 (Dec 1996), 4A585
Optimum beam design using FEs, Appl Math Comput 80(2-3) 155-179 (Dec 1996), 5A25
Hamiltonian dynamics of an elastica and the stability of solitary waves, Arch Rational Mech Anal 135(4) 357-396 (1996), 6A565
Mechanics of Materials, Third Edition (Prentice Hall, Upper Saddle River, NJ, 1997) 7N17
Modeling of yarn geometry: Continuous filament yarns, Math Eng Industry 6(1) 63-78 (1997), 7A498
General theory for the accurate stress analysis of homogeneous and laminated composite beams, Int J Solids Struct 34(22) 2857-2885 (Aug 1997), 12A552

258B. Nonlinear and finite deformation problems

Computation of bounds on chosen measures of real plastic deformation for beams, Comput Struct 61(1) 171-182 (Aug 1996), 1A551
Nonlinear and linearized equations of motion for elastic space structures, Mech Solids 31(1) 141-153 (1996), 1A552
Nonlinear dynamics of multibodies with composite laminates - I: Theoretical formulation, Comput Methods Appl Mech Eng 133(1-2) 15-24 (Jun 1996), 1A553
Finite deformations and the dynamic measurement of radial strains in compression Kolsky bar experiments, Int J Solids Struct 33(25) 3723-3738 (Oct 1996), 2A467
Remarks on invariance requirements for constrained rods, Math Mech Solids 1(3) 343-348 (Sep 1996), 2A468
Nonprismatic beam and column design tables: For nonlinear analysis, Asian J Struct Eng 1(4) 337-349 (1995), 2A515
Polymers toughened with rubber microspheres: An analytical solution for stresses and strains in the rubber particles at equilibrium and rupture, Int J Fracture 77(2) 141-159 (1996), 2A693
Optimization of rigid-plastic shallow curved beams, Struct Optim 12(1) 57-62 (Aug 1996), 2A759
Exact deflections in nonprismatic members, Comput Struct 61(3) 515-528 (Nov 1996), 3A505
Computational structures technology, Struct Eng Review 8(4) 315-374 (Nov 1996), 5A19
Collapse of tubular beams loaded by a wedge-shaped indenter, Exp Mech 36(4) 374-378 (Dec 1996), 5A410
Theoretical analysis of large deformation simultaneous tearing and peeling of elastoplastic materials, Proc Inst Mech Eng C 210(C5) 433-444 (1996), 5A412
Restrictions on nonlinear constitutive equations for elastic rods, J Elast 44(1) 9-36 (Jul 1996), 5A466
Symmetric and unsymmetric buckling of circular arches, Quart Appl Math 54(4) 759-775 (Dec 1996), 5A467
Incipient deformation mechanisms of a semicircular cantilever beam subjected to an out-of-plane step-loading, Int J Impact Eng 18(7-8) 829-848 (Oct-Dec 1996), 6A253
Finite element analysis of arches undergoing large rotations - II: Classification, Finite Elements Anal Des 24(4) 237-252 (Feb 1997), 8A17
Finite element analysis of arches undergoing large rotations - I: Theoretical comparison, Finite Elements Anal Des 24(4) 213-235 (Feb 1997), 8A27
Large plastic deformation of beams of angle-section under symmetric bending, Int J Mech Sci 39(7) 829-839 (Jul 1997), 8A514
Large deflections of an end supported beam subjected to a point load, Int J Non-Linear Mech 32(1) 63-72 (Jan 1997), 8A567
Optimal loading conditions for nonlinear deflections, Int J Non-Linear Mech 32(3) 505-514 (May 1997), 8A568
Peculiar instabilities due to the clamping of shearable rods, Int J Non-Linear Mech 32(1) 31-54 (Jan 1997), 8A569
Nonlinear analysis of beams and arches undergoing large rotations, J Eng Mech 123(4) 394-398 (Apr 1997), 9A538
Orthotropic viscoelastic winding model including a nonlinear radial stiffness, J Appl Mech 64(1) 201-208 (Mar 1997), 10A575
Finite deformation theory for beam, plate and shell - Part I: The 2D beam theory, Comput Methods Appl Mech Eng 146(1-2) 53-63 (Jul 1997), 11A495
Plastic load capacity and stability of frames in fire, Eng Struct 19(9) 764-771 (Sep 1997), 11A496
Solution of open and closed elasticas using intrinsic coordinate FEs, Comput Methods Appl Mech Eng 146(1-2) 127-134 (Jul 1997), 11A497
Evaluation of nonlinear frame FE models, J Struct Eng 123(7) 958-966 (Jul 1997), 12A22
Numerical simulation of the "pull-in" operation in submarine pipelines, Eng Struct 19(10) 868-876 (Oct 1997), 12A24
Finite-element solution of variable-arc-length beams under a point load, J Struct Eng 123(7) 968-970 (Jul 1997), 12A37
Rate-sensitive analysis of framed structures - Part I: Model formulation and verification, Struct Eng and Mech 5(3) 221-237 (May 1997), 12A537
Rate-sensitive analysis of framed structures - Part II: Implementation and application to steel and R-C frames, Struct Eng and Mech 5(3) 239-256 (May 1997), 12A538
Analytical approach for nonlinear response of elastic cable under complex loads, Struct Eng and Mech 5(3) 329-338 (May 1997), 12A604
Comparison of tests of bridged and unbridged purlins with a nonlinear analysis model, J Construct Steel Res 41(2-3) 197-220 (Feb-Mar 1997), 12A605
Contact between 3D beams undergoing large deflections, Commun Numer Methods Eng 13(6) 429-438 (Jun 1997), 12A606
Pala's method for plastic bending with torsion, J Appl Mech 64(2) 435-437 (Jun 1997), 12T609
Testing of semi-rigid unbraced frames for calibration of second-order inelastic analysis, J Construct Steel Res 41(2-3) 159-195 (Feb-Mar 1997), 12A921

258C. Strings, wires, chains

Remarks on invariance requirements for constrained rods, Math Mech Solids 1(3) 343-348 (Sep 1996), 2A468
Mechanical models of helical strands, Appl Mech Rev 50(1) 1-14 (Jan 1997), 2A469
Stability of axial motions of nonlinearly elastic loops, Z Angew Math Phys 47(5) 809-816 (Sep 1996), 4A586
Symmetric linear elastic model for helical wire strands under axisymmetric loads, J Strain Anal Eng Des 31(5) 389-399 (Sep 1996), 4A587
Failures of chain systems, Eng Failure Anal 4(1) 57-70 (Mar 1997), 9A539
Balance and variational formulations of the equation of motion of a body deploying along a cable, J Appl Mech 64(2) 369-374 (Jun 1997), 12A98
Dynamic analysis for the design of CALM system in shallow and deep waters, J Offshore Mech Arctic Eng 119(3) 151-157 (Aug 1997), 12A99

258E. Ropes, cables, and belts

Mechanical models of helical strands, Appl Mech Rev 50(1) 1-14 (Jan 1997), 2A469
Acrobatic works: Computation of shock forces on belaying ropes (French), Rev Francaise Mec 0(2) 141-150 (1996), 2A1470
Tension structures, J Construct Steel Res 39(1) 3-84 (Aug 1996), 3A155
Numerical modeling of the extension-torsion coupling in cables, Mech Res Commun 23(5) 511-517 (Sep-Oct 1996), 4T588
Prediction of axial hysteresis in locked coil ropes, J Strain Anal Eng Des 31(5) 341-351 (Sep 1996), 4A589
Statics of Suspension Cable Roofs (Balkema, Rotterdam, Netherlands, 1995) 6R15
Characterizing simple-stranded wire cables under axial loading, Finite Elements Anal Des 24(2) 49-66 (Dec 1996), 6A25
Dynamic response of cable-stayed bridges to moving vehicles using the structural impedance method, Appl Math Model 20(12) 877-889 (Dec 1996), 6A199
Basic study on simultaneous identification of cable tension and flexual rigidity by extended Kalman filter (Japanese), Proc JSCE 556(I-38) 189-196 (Jan 1997), 9A540
Failure analysis of a mine hoist rope, Eng Failure Anal 4(1) 25-38 (Mar 1997), 9A541
New version of the criterion of winding rope contraction, Arch Gornictwa 41(4) 531-542 (1996), 9T542
Differential equations governing the geometry of a diamond mesh cod-end of a trawl net, J Appl Mech 64(1) 7-14 (Mar 1997), 10A640
Cable inclination effect on the equivalent load of prestressing cables in plane structures, J Eng Appl Sci 44(2) 265-277 (Apr 1997), 12A607

258F. Beams (bending and torsion)

Statics and Mechanics of Materials: An Integrated Approach (Wiley, New York, 1995) 1R22
Frictional behavior of thermally loaded beams resting on a plane, Int J Mech Sci 38(11) 1219-1229 (Nov 1996), 1A554
Solution of the initial-boundary value problem for the simply supported semi-infinite Timoshenko beam, J Elast 42(3) 217-241 (Mar 1996), 1T555
Three-dimensional FE analysis of curved beams in bending, J Composite Mat 30(11) 1178-1190 (1996), 2A22
Automated method of geodetic measurements of tensioning force and elongation of strings (Polish), Inzynieria Budownictwo 52(6) 350-352 (1996), 2A470
Cross-sectional analysis of composite beams including large initial twist and curvature effects, AIAA J 34(9) 1913-1920 (Sep 1996), 2A471

Thick beam theory and FE model with zig-zag sublaminate approximations, AIAA J **34**(8) 1627-1632 (Aug 1996), 2A472
Torsion of an angle bar, Mech Struct Machines **24**(3) 283-294 (1996), 2A473
Slenderness limit of class 3 I cross-sections made of high strength steel, J Construct Steel Res **38**(3) 201-217 (Jul 1996), 2A798
Tolerances of initial deflections of steel plates and strength of I cross-section in compression and bending, J Construct Steel Res **38**(3) 219-238 (Jul 1996), 2A799
Bending of pretwisted bars by a terminal transverse load, Int J Eng Sci **34**(11) 1285-1299 (Sep 1996), 3A506
Exact stiffnesses for tapered members, J Struct Eng **122**(10) 1234-1239 (Oct 1996), 3A507
Load Capacity of nested, laterally braced, cold-formed steel Z-section beams, J Struct Eng **122**(8) 968-971 (Aug 1996), 3A508
Shear lag in shear-core walls, J Struct Eng **122**(9) 1097-1104 (Sep 1996), 3A509
Higher-order shear deformation theory for thin-walled composite beams, J Aircraft **33**(5) 978-986 (Sep-Oct 1996), 4A590
Nonlinear viscoelastic elliptical bar under combined torsion with tension, Eng Trans **44**(1) 31-53 (1996), 4T591
Ultimate load and postfailure behavior of box-section beams under pure bending, Eng Trans **44**(2) 229-251 (1996), 4A807
Geometrically constrained thickness optimization of flexible beams, Eng Optim **26**(4) 295-314 (Jul 1996), 4A810
Mechanical performance of ceramic matrix composite I-beams, Composites Part A Appl Sci and Manuf **27A**(12) 1157-1167 (1996), 5A456
Optimal shape design of engine connecting rod with special lumping-mass constraint, JSME Int J Ser C **39**(3) 597-605 (Sep 1996), 5A873
Fatigue crack repair of steel beams with tapered cover plate details, J Struct Eng **122**(11) 1337-1346 (Nov 1996), 6A566
New warping function for thin-walled beams - I: Theory, J Struct Eng **122**(12) 1437-1442 (Dec 1996), 6A567
New warping function for thin-walled beams - II: FEM and applications, J Struct Eng **122**(12) 1443-1452 (Dec 1996), 6A568
Stiffness formulation for nonprismatic beam elements, J Struct Eng **122**(12) 1484-1489 (Dec 1996), 6A569
Multiple K-factors of a leaning column, Eng Struct **19**(1) 50-54 (Jan 1997), 6A608
Physical tests and analyses of composite steel-concrete beam-columns, J Struct Eng **122**(11) 1317-1326 (Nov 1996), 6A916
Representation of concrete-filled steel tube cross-section strength, J Struct Eng **122**(11) 1327-1336 (Nov 1996), 6A918
Contact problems and dual variational inequality of 2D elastoplastic beam theory, Appl Math Mech **17**(10) 953-968 (Oct 1996), 7A440
Mode approximation method for the dynamic response of a strain-hardening cantilever, Int J Impact Eng **19**(1) 81-94 (Jan 1997), 7A444
Approximated calculus of torsional rigidity of beams with solid cross-section, Comput Struct **62**(4) 771-774 (Feb 1997), 7A499
Homogeneous solutions and Saint-Venant problems for a naturally twisted rod, J Appl Math Mech **60**(4) 657-664 (1996), 7A500
Safety factors of beams subjected to pure bending, Comput Struct **62**(2) 313-316 (1997), 7A501
Exact solution of elastoplastic stresses in a metal-matrix composite beam of arbitrary orientation subjected to transverse loads, Composites Sci Tech **56**(12) 1383-1389 (Dec 1996), 8A542
Analysis of the shear failure of rigid-linear hardening beams under impulsive loading, Acta Mech Sinica **12**(4) 338-348 (1996), 8A570
Beam motion with unilateral contact constraints and wear of contact sites, J Pressure Vessel Tech **119**(1) 105-110 (Feb 1997), 8A571
Effect of size on flexural behavior of high-strength concrete beams, ACI Struct J **94**(1) 59-67 (Jan-Feb 1997), 8A901
Shear tests of fiber concrete beams without stirrups, ACI Struct J **94**(1) 68-76 (Jan-Feb 1997), 8A911
Structural Analysis (PWS, Boston, MA, 1995) 9R15
Brazier effect for finite length composite cylinders under bending, Int J Solids Struct **34**(12) 1419-1440 (Apr 1997), 9A529
CDM-based computational model for the Timoshenko beam, Eng Comput **14**(1) 57-74 (1997), 9A543
Complex variable BEM for torsion of composite shafts, Int J Numer Methods Eng **40**(7) 1165-1179 (Apr 1997), 9A544
Torsion of nonlinear viscous shafts, J Eng Mech **123**(4) 338-341 (Apr 1997), 9A545
LBE-modeling applied to reinforced concrete T-section-steel U-section composite beam, Proc Estonian Acad Sci Eng **2**(2) 151-165 (1996), 10A626
Note on the form of the shear coefficient, Int J Solids Struct **34**(14) 1681-1685 (May 1997), 10A627
Plastic bending of a residually stressed beam, Int J Solids Struct **34**(16) 1985-2002 (Jun 1997), 10A628
Analytical investigation of static models of piezoelectric patches attached to beams and plates, Smart Mat Struct **6**(2) 204-213 (Apr 1997), 10A675
Flexural behavior of strengthened reinforced concrete beams, Mat Struct **30**(197) 154-159 (Apr 1997), 10A856
Analytical prediction of flexural behavior of concrete beams reinforced by FRP bars, J Composite Mat **31**(7) 640-657 (1997), 10A927
Time-dependent deflections of reinforced concrete beams revisited, J Struct Eng **123**(6) 823-830 (Jun 1997), 11A792
Response of beams of nonlinear viscoelastic materials exhibiting strain-dependent stress relaxation, Int J Non-Linear Mech **32**(5) 863-883 (Sep 1997), 12A506
General theory for the accurate stress analysis of homogeneous and laminated composite beams, Int J Solids Struct **34**(22) 2857-2885 (Aug 1997), 12A552
Flexural behavior of high-strength fiber reinforced concrete beams, J Eng Appl Sci **44**(2) 279-294 (Apr 1997), 12A608
Pala's method for plastic bending with torsion, J Appl Mech **64**(2) 435-437 (Jun 1997), 12T609

258G. Beams on foundations

Dynamics of an infinite Timoshenko beam lying on a base with two elastic characteristics under motion of a deformable carriage, Mech Solids **31**(1) 158-172 (1996), 1A160
Unilateral contact forces of strip footing and bend ground due to mining (Polish), Inzynieria Budownictwo **52**(7) 423-426 (1996), 2A474
Theory for ballistic limit of thin ductile tubes hit by blunt missiles, Int J Impact Eng **18**(7-8) 735-752 (Oct-Dec 1996), 6A251
Inequality constraints in 1D FEs for an elastic beam on a tensionless Winkler foundation, Finite Elements Anal Des **24**(2) 67-75 (Dec 1996), 6A570
Steady-state displacements of a beam on an elastic half-space due to a uniformly moving constant load, Eur J Mech A **16**(2) 295-306 (1997), 8A212
Buckling mode localization in nonhomogeneous beams on elastic foundations, Chaos Solitons Fractals **8**(3) 411-431 (Mar 1997), 9A584
Dynamic analysis of arrest of buckle propagation on a beam on a nonlinear elastic foundation by FEM, Acta Mech Solida Sinica **10**(1) 28-35 (1997), 10A658
Equivalent vertical stiffness of an elastic half-space interacting with a beam, including the shear stresses at the beam - half-space interface, Eur J Mech A **16**(3) 515-527 (1997), 11A498
Bending analysis of a finite beam on a reinforced halfplane, Strain **33**(2) 47-51 (May 1997), 12A848

258H. Thin walled beams

Shear correction factors for thin-walled composite boxbeam considering nonclassical behaviors, J Composite Mat **30**(10) 1132-1149 (1996), 2A475
Buckling and initial post-buckling of thin-walled composite beams, Mech Composite Mat Struct **3**(3) 201-223 (Sep 1996), 2A527
Bending and shear behavior of web elements with openings, J Struct Eng **122**(8) 854-859 (Aug 1996), 3A510
Web buckling in thin webbed castellated beams, J Struct Eng **122**(8) 860-866 (Aug 1996), 3A511
Static and dynamic axial crushing of square thin-walled aluminium extrusions, Int J Impact Eng **18**(7-8) 949-968 (Oct-Dec 1996), 6A508
Simplified analysis of thin-walled composite members, J Struct Eng **122**(11) 1379-1383 (Nov 1996), 6A571
Strength of webs subjected to compressive edge loading, J Struct Eng **123**(2) 176-183 (Feb 1997), 7A502
Studies on static analysis of composite thin-walled box beam, Comput Struct **62**(4) 625-634 (Feb 1997), 7A503
Study of warping torsion of thin-walled beams with closed cross-section using macro-elements, Commun Numer Methods Eng **12**(12) 873-884 (Dec 1996), 7A504
Instability of a curved pipe under three-point bending, Int J Pressure Vessels Piping **70**(2) 91-96 (Feb 1997), 7A550
Analysis of curved multicell box girder assemblages, Struct Eng and Mech **5**(1) 33-49 (Jan 1997), 8A16
Modeling of cold-formed purlin-sheeting systems - Part 2: Simplified model, Thin-Walled Struct **27**(4) 263-286 (Apr 1997), 8A572
Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, J Dyn Syst Meas Control **119**(1) 57-60 (Mar 1997), 9A382
Plastic analysis of bending-torsion of thin-walled beams (Spanish), J Brazilian Soc Mech Sci **19**(1) 48-57 (Mar 1997), 9A546
Constrained warping of thin-walled hollow composite beams, AIAA J **35**(6) 1082-1084 (Jun 1997), 12T610

258I. Anisotropic beams

Testing and analysis of steel-concrete-steel sandwich beams, J Construct Steel Res **38**(3) 257-279 (Jul 1996), 2A476
Buckling and initial post-buckling of thin-walled composite beams, Mech Composite Mat Struct **3**(3) 201-223 (Sep 1996), 2A527
Structural damping of composite beams with tapered boundaries, Composite Struct **35**(2) 207-212 (Jun 1996), 3A493
Anisotropic beam theories with shear deformation, J Appl Mech **63**(3) 660-668 (Sep 1996), 3A512
Modeling and shape control of composite beams with embedded piezoelectric actuators, Composite Struct **35**(2) 237-244 (Jun 1996), 3A513
Use of homogenization theory to build a beam element with thermomechanical microscale properties, Struct Eng and Mech **4**(6) 613-630 (Nov 1996), 6A58
Growth of thin delaminations in laminate composite beams under cyclic bending, Mech Composite Mat Struct **3**(4) 275-295 (Dec 1996), 6A624
Strengthening of concrete beams using fiber-reinforced plastics, Mat Struct **30**(197) 160-166 (Apr 1997), 10A603
Finite element for anchored bars under cyclic load reversals, J Struct Eng **123**(5) 614-623 (May 1997), 11A17
Composite beams subjected to static and fatigue loads, J Struct Eng **123**(6) 765-771 (Jun 1997), 11A499
Time-dependent service-load behavior of wood floors: Experimental results, J Struct Eng **123**(6) 836-843 (Jun 1997), 11A664
Impact behavior of pultruded composite box-beams, Composite Struct **36**(1-2) 155-160 (Sep-Oct 1996), 11A742
Effect of discrete member size on reliability of wood beams, J Struct Eng **123**(6) 831-835 (Jun 1997), 11A774
Shear domain of fiber-reinforced high-strength concrete beams, Eng Struct **19**(9) 738-747 (Sep 1997), 11A789
Stress-strain model for confined reinforced concrete in bridge piers, J Struct Eng **123**(5) 624-633 (May 1997), 11A791
Study of moment redistribution in prestressed concrete beams, J Struct Eng **123**(5) 561-566 (May 1997), 11A796
Partial interaction in composite steel and concrete beams with full shear connection, J Construct Steel Res **41**(2-3) 235-248 (Feb-Mar 1997), 12A593
Constrained warping of thin-walled hollow composite beams, AIAA J **35**(6) 1082-1084 (Jun 1997), 12T610
Raffia palm-reinforced concrete beams, Mat Struct **30**(199) 313-316 (Jun 1997), 12A905
Shear and flexural strengthening of R-C beams with carbon fiber sheets, J Struct Eng **123**(7) 903-911 (Jul 1997), 12A907

258J. Nonhomogeneous beams

General multilayer geometrically-exact beams and 1D plates with piecewise linear section deformation, Z Angew Math Mech **76**(7) 391-409 (1996), 1A529
Analysis of metallic fiber-reinforced concrete beams submitted to bending, Mat Struct **29**(190) 354-361 (Jul 1996), 1A844
Testing and analysis of steel-concrete-steel sandwich beams, J Construct Steel Res **38**(3) 257-279 (Jul 1996), 2A476
Strain concentrations in pipelines with concrete coating, J Offshore Mech Arctic Eng **118**(3) 225-231 (Aug 1996), 2A849
Stresses and failure patterns in the bending of sandwich beams with transversely flexible cores and laminated composite skins, Composite Struct **35**(2) 143-152 (Jun 1996), 3A514
Inelastic analysis of reinforced concrete beams subjected to combined torsion, flexural, and axial loads, Comput Struct **61**(3) 479-494 (Nov 1996), 3A768
Analysis of interfacial slip in layered beams, Arch Budowy Maszyn **42**(3-4) 135-150 (1995), 4A592
Indentation of composite sandwich beams, J Strain Anal Eng Des **31**(5) 353-360 (Sep 1996), 4A593
Analytical model for the analysis of composite beams with partial interaction, Comput Struct **62**(3) 493-504 (1997), 7A505
Formulation of an adaptive sandwich beam, Smart Mat Struct **5**(6) 814-823 (Dec 1996), 7A506
Formulation of an adaptive sandwich beam, Smart Mat Struct **5**(6) 814-823 (Dec 1996), 7A507
Numerical analysis of push-out specimens with perfobond rib connectors, Comput Struct **62**(4) 617-624 (Feb 1997), 7A508
Finite element coupled thermostructural analysis of composite beams, Comput Struct **63**(3) 539-549 (May 1997), 9A547
Theoretical fundamentals of calculation of the car bumpers sandwich beams (Polish), Archiwum Motoryzacji **2** 135-143 (1996), 9A548
Bending strength of steel beams with corrugated webs, J Struct Eng **123**(6) 772-782 (Jun 1997), 11A500

258K. Nonuniform beams

Mechanical properties of thin and thick coatings applied to various substrates - Part I: An elastic analysis of residual stresses with coating materials, J Adhesion Sci Tech **11**(2) 281-299 (1997), 8A573

258L. Curved beams and rings

Shallow arch models: An asymptotic approach, J Elast **43**(1) 1-29 (Apr 1996), 2A477
Curved bar subjected to an arbitrarily distributed loading: Another paradox in the 2D theory of elasticity, Acta Mech Solida Sinica **9**(3) 253-262 (1996), 4A594
Symmetric and unsymmetric buckling of circular arches, Quart Appl Math **54**(4) 759-775 (Dec 1996), 5A467
Deformation of an elastic helix in contact with a rigid cylinder, Arch Appl Mech **67**(1-2) 117-139 (Dec 1996), 6A572
Comparison of critical own weights and different critical pressures acting on circular arches, Indust Math **46**(1) 73-76 (1996), 6A612
Nonlinear elastic stress analysis in curved composite beams, Comput Struct **62**(5) 837-859 (Mar 1997), 7A509
Finite element analysis of arches undergoing large rotations - II: Classification, Finite Elements Anal Des **24**(4) 237-252 (Feb 1997), 8A17
Finite element analysis of arches undergoing large rotations - I: Theoretical comparison, Finite Elements Anal Des **24**(4) 213-235 (Feb 1997), 8A27
Buckling of helical springs under combined compression and torsion, Int J Mech Sci **39**(6) 697-704 (Jun 1997), 8A601
Elastic arches with large elevation: Singularly perturbed problem of nonlinear elasticity, J Elast **45**(3) 153-214 (Dec 1996), 9A432
Timoshenko curved beam bending solutions in terms of Euler-Bernoulli solutions, Arch Appl Mech **67**(3) 179-190 (Feb 1997), 9A549
Applied Structural Mechanics: Fundamentals of Elasticity, Load-Bearing Structures, Structural Optimization (Springer-Verlag, Berlin, 1997) 10R9
Linear elastic stress analysis of curved pipes under generalized loads using a reduced integration finite ring element, J Strain Anal Eng Des **32**(1) 47-59 (Jan 1997), 10A629
Axisymmetric substitute structure for scalloped disks with noncentral holes, Int J Solids Struct **34**(22) 2843-2856 (Aug 1997), 12A611
Deformation of O-rings compressed by smooth rigid plates, J Energy Resources Tech **119**(2) 73-80 (Jun 1997), 12A612

258M. Rotating shafts

Stress analysis of the rotational object under the conditions of transient state (Russian), Prikl Mekh (Appl Mech) **32**(3) 62-66 (1996), 2A791
Modeling the dynamic behavior of a rotating shaft with a transverse crack (Spanish), Rev Int Metodos Numer Calc Diseno Ing **12**(2) 125-146 (1996), 3A515
Service-life design of torsional shafts by the fatigue criterion, J Machinery Manuf Reliab **3** 54-58 (1996), 8A973

258Y. Computational techniques

Numerical solution of both ends fixed deep beams, Comput Struct **61**(1) 21-29 (Aug 1996), 1A556
Finite element model for static and dynamic analysis of thin-walled beams with asymmetric cross-sections, Comput Struct **61**(5) 897-908 (Dec 1996), 4A595
Curved beam elements based on strain fields, Commun Numer Methods Eng **12**(11) 767-773 (Nov 1996), 5A468
Determination of optimal transition profile of a stepped bar in tension or in torsion by BEM, Eng Anal Boundary Elements **17**(4) 307-312 (Jun 1996), 5A469
Beam stiffness matrix based on the elasticity equations, Int J Numer Methods Eng **40**(2) 211-232 (Jan 1997), 6A573
Nonlinear FE solution for thin-walled open-section composite beams, J Struct Eng **122**(11) 1369-1378 (Nov 1996), 6A574

Semi-analytical FEs in the higher-order theory of beams, Comput Methods Appl Mech Eng 138(1-4) 19-72 (Dec 1996), 6A575
Analytical calculation of circular rods of variable cross-section by the initial values method, Comput Struct 62(3) 445-461 (1997), 7A510
Equilibrium based iterative solutions for the nonlinear beam problem, Int J Numer Methods Eng 40(3) 423-437 (Feb 1997), 7A511
Nonlinear FE analysis of beams and arches using parallel processors, Comput Struct 63(3) 413-428 (May 1997), 9A550
Static and dynamic applications of a five noded horizontally curved beam element with shear deformation, Int J Numer Methods Eng 40(10) 1801-1819 (May 1997), 10A630
New formulation of FEM for deterministic and stochastic beams through generalization of Fuchs' approach, Comput Methods Appl Mech Eng 144(3-4) 235-243 (May 1997), 11A501
Structural analysis by an inverse procedure using Bernoulli and Euler functions, Eng Struct 19(9) 724-732 (Sep 1997), 11A502
Analytical approach for nonlinear response of elastic cable under complex loads, Struct Eng and Mech 5(3) 329-338 (May 1997), 12A604
Comparison of tests of bridged and unbridged purlins with a nonlinear analysis model, J Construct Steel Res 41(2-3) 197-220 (Feb-Mar 1997), 12A605
Unified FE based on the classical and shear deformation theories of beams and axisymmetric circular plates, Commun Numer Methods Eng 13(6) 495-510 (Jun 1997), 12A613

258Z. Experimental techniques

Tests on beam-column strong and weak axis connections, Comput Struct 61(3) 393-399 (Nov 1996), 3A516
Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, J Dyn Syst Meas Control 119(1) 57-60 (Mar 1997), 9A382
Composite beams subjected to static and fatigue loads, J Struct Eng 123(6) 765-771 (Jun 1997), 11A499
Bending strength of steel beams with corrugated webs, J Struct Eng 123(6) 772-782 (Jun 1997), 11A500
Local buckling of thin-walled circular steel sections with or without internal restraint, J Construct Steel Res 41(2-3) 137-157 (Feb-Mar 1997), 12A649

260. PLATES, SHELLS, MEMBRANES, ETC

260A. General theory

Finite Element Methods for Thin Shell Problems (Wiley, New York, 1996) 1R21
Unified co-rotational framework for solids, shells, and beams, Int J Solids Struct 33(20-22) 2969-2992 (Aug 1996), 1A27
Approximated shell model based on additive decomposition of deformation gradient, Tech Mech 15(3) 237-250 (1995), 1A557
General theory of finite deformation of viscoplastic thin shells, Acta Mech 117(1-4) 47-70 (1996), 3A476
A-posteriori modeling error estimation for hierarchic plate models, Numer Math 74(2) 221-259 (Aug 1996), 3A517
Rigorous method for the analysis of localization behavior of compression plate (Japanese), Proc JSCE 543(I-36) 55-70 (Jul 1996), 3A518
Decay rates for viscoelastic plates with memory, J Elast 44(1) 61-87 (Jul 1996), 5A470
General theory of plastic deformation and instability in thin-walled tubes under combined loading, J Mech Phys Solids 44(12) 2041-2057 (Dec 1996), 6A600
Structural Mechanics: A Unified Approach (E&FN Spon, Andover, Hants, UK, 1997) 8R9
Classical versus improved thin shell theories: A theoretical argument or a design concern?, J Pressure Vessel Tech 119(1) 96-104 (Feb 1997), 8A574
First order approximation of non-Kirchhoff-Love theory for elastic circular plate with fixed boundary under uniform surface loading, Appl Math Mech 18(1) 1-18 (Jan 1997), 10A631
Model to design QA-QC programs for geomembrane liner seams, J Eng Mech 123(6) 586-595 (Jun 1997), 11A503
Use of higher order plate theoreies for determining free-edge stresses, J Reinforced Plastics Composites 16(8) 731-743 (1997), 11A504
Variational approaches to plate models, Meccanica 32(2) 143-156 (Apr 1997), 11A505
Minimum material volume based shell-plate-frame-pipe system, Proc Estonian Acad Sci Eng 3(1) 50-59 (1997), 11A547
Correct variants of the refined theories of composite beams, plates, and shells, Composite Mech Des 2(1) 79-96 (1996), 12A550
Axisymmetric substitute structure for scalloped disks with noncentral holes, Int J Solids Struct 34(22) 2843-2856 (Aug 1997), 12A611
Non-classical theory of deformation of orthotropical shells (Russian), Prikl Mekh (Appl Mech) 33(4) 62-66 (1997), 12T614
Nonlinear asymptotic equilibrium equations for the shells with geometrical imperfections (Russian), Prikl Mekh (Appl Mech) 33(1) 61-68 (1997), 12T615
Optimal point support of the shells and plates, Prikl Mekh (Appl Mech) 33(4) 67-70 (1997), 12T616

260B. Nonlinear and finite deformation theory

Isoparametric FE thermoelasto-plastic creep analysis of shells of revolution, Int J Pressure Vessels Piping 68(3) 249-259 (Oct 1996), 1A40
Large elasto-plastic FE analysis of solids and shells with the enhanced assumed strain concept, Int J Solids Struct 33(20-22) 3215-3237 (Aug 1996), 1A41
Ponding problem of plates in nonlinear nature, Mech Res Commun 23(4) 335-337 (Jul-Aug 1996), 1T275
Experimental research and FE simulation of plates hydrobulging in pairs, Int J Pressure Vessels Piping 68(3) 243-248 (Oct 1996), 1A558
Inverse problems of nonelastic plate shaping, Mech Solids 31(1) 84-92 (1996), 1A559
Nonlinear elastic plate model of moderate thickness: Existence, uniqueness, and duality, J Elast 42(3) 243-273 (Mar 1996), 1A560
Nonlinear theory of isotropically elastic thin shells with allowance for transverse shear, Mech Solids 31(1) 109-120 (1996), 1A561
Nonlinear deformation of shells of revolution of arbitrary meridian in a nonsteady magnetic field (Russian), Prikl Mekh (Appl Mech) 32(3) 19-26 (1996), 2A478
Nonlinear response of long orthotropic tubes under bending including the Brazier effect, AIAA J 34(9) 1934-1940 (Sep 1996), 2A479
Post-yield analysis for rigid-plastic plates with large deflections, Eur J Mech A 15(4) 599-615 (1996), 3A464
General theory of finite deformation of viscoplastic thin shells, Acta Mech 117(1-4) 47-70 (1996), 3A476
Finite twist and extension of a cylindrical elastic membrane, Acta Mech 117(1-4) 129-143 (1996), 3A519
Dynamics of shells in the theory of Kirchhoff and Love, Eur J Mech A 15(4) 647-666 (1996), 3A525
Analytical integration of membrane-bending coupling terms in nonlinear BE analysis of Mindlin-Reissner plates, J Brazilian Soc Mech Sci 18(3) 218-226 (Sep 1996), 3A539
Nonstationary von Karman equations, Z Angew Math Mech 76(10) 559-571 (1996), 4A140
Comparison of two theories of geometrically nonlinear shells, J Theor Appl Mech 34(4) 749-766 (1996), 4A596
Dynamic instability of plates made of nonlinear viscoelastic materials, Eng Trans 44(2) 169-180 (1996), 4A597
Shape optimization for a rectangular plate at elasto-plastic bending, Mech Solids 31(2) 142-144 (1996), 4A819
Non-symmetrical large deformation of a shallow thin spherical shell, Appl Math Mech 17(8) 705-722 (Aug 1996), 5A471
Nonlinear 3D analysis of composite laminated plates, Appl Math Mech 17(7) 621-632 (Jul 1996), 5A472
Nonlinear analysis of thick plates on an elastic foundation by HT FE with p-extension capabilities, Int J Solids Struct 33(30) 4583-4604 (Dec 1996), 5A483
Extremal paths in progressive plasticity, Int J Impact Eng 18(7-8) 753-764 (Oct-Dec 1996), 6A506
Behavior of axially crushed corrugated tubes, Int J Mech Sci 39(3) 249-268 (Mar 1997), 6A576
Large deformation of thin plates under localized impulsive loading, Int J Impact Eng 18(7-8) 899-918 (Oct-Dec 1996), 6A577
Numerical solution of dynamic problems of nonlinear theory of stiffened shells (Russian), Prikl Mekh (Appl Mech) 32(7) 46-51 (1996), 6A578
Approaches to numerical solution of linear and nonlinear problems of the theory of shells in classical and refined statements: Survey (Russian), Prikl Mekh (Appl Mech) 32(6) 3-39 (1996), 6A594
Stress resultant geometrically exact shell theory for finite rotations and its FE implementation, Appl Mech Rev 50(4) 199-226 (Apr 1997), 7A12
Experimental evaluation of the strain field history during plastic progressive folding of aluminium circular tubes, Int J Mech Sci 39(5) 575-583 (May 1997), 7A438
Large deflections of shells subjected to an external load and temperature changes, Int J Solids Struct 34(6) 755-768 (Feb 1997), 7A512
Nonlinear static and dynamic analysis of stiffened laminated plates, Int J Non-Linear Mech 32(1) 89-101 (Jan 1997), 8A575
Thermodynamics of mixtures of reacting and non-reacting fluids with heat conduction, diffusion, and viscosity, Int J Non-Linear Mech 32(2) 241-257 (Mar 1997), 8A576
Thermodynamics of non-reacting mixtures of any symmetry with heat conduction, diffusion, and viscosity, Int J Non-Linear Mech 32(2) 235-240 (Mar 1997), 8A577
Framework for nonlinear shells based on generalized stress and strain measures, Int J Solids Struct 34(13) 1609-1632 (May 1997), 9A551
Nonlinear theory of multilayer sandwich shells and its application - I: General theory, Appl Math Mech 18(1) 19-27 (Jan 1997), 10A632
Shear deformation models for large-strain shell analysis, Int J Solids Struct 34(14) 1687-1708 (May 1997), 10A633
Problem of the nonlinear unsymmetrical bending for cylindrically orthotropic circular thin plate with variable thickness, Appl Math Mech 18(3) 279-295 (Mar 1997), 11A506
Remarks on nonlinear membrane shell problems, Math Mech Solids 2(2) 215-237 (Jun 1997), 11A510
Elastoplastic analysis of circular plates on elastoplastic foundation, J Struct Eng 123(6) 808-815 (Jun 1997), 11A516
Modeling the initiation and growth of delaminations in composite structures, J Composite Mat 31(8) 812-831 (1997), 11A707
Behavior of slender plate girders subjected to patch loading, J Construct Steel Res 42(1) 1-19 (Apr 1997), 12A20
Inverse FE characterization of nonlinear hyperelastic membranes, J Appl Mech 64(2) 257-262 (Jun 1997), 12A35
Nonlinear deformation of a conical shell being in the magnetic field (Russian), Prikl Mekh (Appl Mech) 33(3) 58-63 (1997), 12A617
Nondimensional parameters for geometric nonlinear effects in pressurized cylinders with axial cracks, J Appl Mech 64(2) 401-407 (Jun 1997), 12A923

260C. Plates (flexure and torsion)

Nonlinear analysis of reinforced concrete foundation plates, Comput Struct 61(1) 87-106 (Aug 1996), 1A562
Plastic bending of clamped polygonal plates with an application to radial buckling in milk bottle tops, Int J Mech Sci 38(11) 1187-1196 (Nov 1996), 1A563
Special Issue: Plate bending, Eng Anal Boundary Elements 17(2) 93-180 (1996), 1A564
Stress concentrations and failure criteria in anisotropic plates with circular holes subjected to tension or compression, Comput Struct 61(1) 67-78 (Aug 1996), 1A565
Supporting power of flexible thin walled reinforced prismatic folded systems (Russian), Prikl Mekh (Appl Mech) 32(2) 33-40 (1996), 1T566
Exact piezothermoelastic solution of simply-supported orthotropic flat panel cylindrical bending, Int J Mech Sci 38(11) 1161-1177 (Nov 1996), 1A606
Discrete variable optimization of plate structures using penalty approaches and approximation concepts, Eng Optim 26(3) 195-205 (Jun 1996), 1A829
Efficient computational model for the stress analysis of smart plate structures, Smart Mat Struct 5(3) 353-360 (Jun 1996), 1A838
Generalized thermo-viscoelastic problem of an infinitely extended thin plate containing a circular hole, J Thermal Stresses 19(5) 465-480 (Jul-Aug 1996), 1A1287
Asymptotically correct linear laminated plate theory, Int J Solids Struct 33(25) 3649-3671 (Oct 1996), 2A480
Nonstationary dynamic behavior of a rectangular plate with a hole under effect of suddenly applied load (Russian), Prikl Mekh (Appl Mech) 32(4) 71-77 (1996), 2A481
Plastic Bending: Theory and Applications (World Sci Pub, River Edge, NJ, 1996) 3R17
Direct determination of invariant parameters governing anisotropic plate bending problems, Int J Solids Struct 33(27) 3969-3982 (Nov 1996), 3A520
Numerical modeling of brick masonry panels subject to lateral loadings, Comput Struct 61(4) 735-745 (Nov 1996), 3A521
Exact 3D solution for simply supported rectangular piezoelectric plates, J Appl Mech 63(3) 628-638 (Sep 1996), 3A573
New regularized BE formulation for Kirchhoff plates, Eur J Mech A 15(5) 915-931 (1996), 4A45
Deflection of rectangular orthotropic plates under uniform load, AIAA J 34(10) 2205-2206 (Oct 1996), 4T598
Simplified analysis of circular cellular plates, Comput Struct 61(5) 789-804 (Dec 1996), 4A599
Shape optimization for a rectangular plate at elasto-plastic bending, Mech Solids 31(2) 142-144 (1996), 4A819
Finite element evaluation of shear enhancement of high-strength concrete plates, ACI Struct J 93(6) 667-673 (Nov-Dec 1996), 5A20
Impulsive stress analysis of plates at the concentrated impact loading point by the 3D dynamic theory of elasticity, Exp Mech 36(4) 421-429 (Dec 1996), 5A175
Analytical study on the laser induced reverse-plugging effect by using the classical elastic plate theory - II: Reverse-bulge motion, Appl Math Mech 17(7) 607-620 (Jul 1996), 5A473
Green's function method solution of the Reissner's plate problem, Eng Anal Boundary Elements 17(4) 255-262 (Jun 1996), 5A474
Optimum design of plates and shells using the DCOC method, Struct Optim 12(2-3) 87-92 (Oct 1996), 5A759
Design principles and error analysis for reduced-shear plate-bending FEs, Numer Math 75(2) 223-266 (Dec 1996), 6A27
Analysis of a bend of the transversally isotropic plates (Russian), Prikl Mekh (Appl Mech) 32(7) 69-75 (1996), 6A579
Geometric and material nonlinearities in steel plates, J Struct Eng 122(12) 1427-1436 (Dec 1996), 6A580
Stress concentration on the contour of a plate opening of an arbitrary corner radius of curvature, Marine Struct 10(1) 1-12 (Jan 1997), 6A581
Wrinkling behavior of rectangular plates under lateral constraint, Int J Solids Struct 34(2) 153-176 (Jan 1997), 6A582
Asymptotic membrane theory of thin hyperelastic plates, Int J Eng Sci 35(2) 151-170 (Jan 1997), 7A513
Finite element analysis of stiffened laminated plates under transverse loading, Composites Sci Tech 56(12) 1355-1361 (Dec 1996), 8A22
Fredholm equations of the first kind in the theory of bending of elastic plates, Quart J Mech Appl Math 50(1) 85-96 (Feb 1997), 8A578
Nonlinear analysis of imperfect plates under transient lateral pressure loading, Comput Struct 63(1) 27-37 (Apr 1997), 8A579
Spectral solution for the bending of arbitrarily shaped plates, Comput Struct 63(1) 159-171 (Apr 1997), 8A580
Experimental investigation on shear enhancement types for high-strength concrete plates, ACI Struct J 94(1) 49-58 (Jan-Feb 1997), 8A904
Bending analysis of simply supported shear deformable skew plates, J Eng Mech 123(3) 214-221 (Mar 1997), 9A552
Bending solution of a rectangular plate with one edge built-in and one corner point supported subjected to uniform load, Appl Math Mech 17(12) 1153-1163 (Dec 1996), 9A553
Exact method of bending of elastic thin plates with arbitrary shape, Appl Math Mech 17(12) 1189-1192 (Dec 1996), 9A554
Exact solutions for axisymmetric bending of continuous annular plates, Comput Struct 63(3) 455-464 (May 1997), 9A555
Design Tables for Reinforced Laterally Loaded Masonry Panels: To BS 5628 Parts 1 and 2 (Telford, UK, 1996) 10N18
Analysis of vibration by the wave propagation method and Bolotin's method for a rectangular thin plate with at least one side roller-supported, Wave Motion 25(2) 169-180 (Mar 1997), 10A193
Saturated impulse for pulse-loaded elastic-plastic square plates, Int J Solids Struct 34(14) 1709-1718 (May 1997), 10A284
Analytic and FE solutions for bending and buckling of orthotropic rectangular plates, Int J Solids Struct 34(14) 1797-1822 (May 1997), 10A634
Analytical modeling of column-base plates under cyclic loading, J Construct Steel Res 40(3) 225-238 (Dec 1996), 10A635
Equilibrium of a radially symmetric inhomogeneous plate under tension and load, J Appl Mech 64(1) 233-236 (Mar 1997), 10A636
Evaluation of the stresses in the BEM for Reissner plate-bending problems, Appl Math Model 21(3) 155-163 (Mar 1997), 10A637
Exact piezothermoelastic solution for simply supported laminated flat panel in cylindrical bending, Z Angew Math Mech 77(4) 281-293 (1997), 10A638
First-order approximation of non-Kirchhoff-Love theory for elastic circular plate with fixed boundary under uniform surface loading - II, Appl Math Mech 18(2) 103-112 (Feb 1997), 10A639
Exact analytical solutions for non-selfadjoint variable-topology shape optimization problems: Perforated cantilever plates in plane stress subject to displacement constraints - Part I, Struct Optim 13(2-3) 119-127 (Apr 1997), 10A897
Optimization of stiffened plates by genetic search, Struct Optim 13(2-3) 134-141 (Apr 1997), 10A905
Optimum design of plate structures using three-point approximation, Struct Optim 13(2-3) 142-147 (Apr 1997), 10A906

Elastic boundary conditions in the theory of plates, Math Mech Solids 2(2) 189-197 (Jun 1997), 11A507
Mixed problems in the theory of bending of elastic plates with transverse shear deformation, Quart J Mech Appl Math 50(2) 239-249 (May 1997), 11A508
Stress analysis on rectangular cross-sectional ring headers, J Pressure Vessel Tech 117(4) 293-297 (Nov 1995), 11A509
Application of an orthotropic macro-strip plate element with stiffness discontinuities, Finite Elements Anal Des 26(3) 193-212 (Jun 1997), 12A19
Boundary element analysis of skew plates using a new fundamental solution, Mech Res Commun 24(4) 407-414 (Jul-Aug 1997), 12T74
Calculation of plates by BEMs (Russian), Prikl Mekh (Appl Mech) 33(3) 79-83 (1997), 12A75
Fundamental dislocation solution for an infinite plate with application to related crack problems, Int J Solids Struct 34(21) 2755-2770 (Jul 1997), 12A482
Review of mechanics of shape memory alloy structures, Appl Mech Rev 50(11-PT 1) 629-645 (Nov 1997), 12A554
Mathematical modeling of the ADAS energy dissipation device, Eng Struct 19(10) 811-821 (Oct 1997), 12A618
Nonaxisymmetric loading of nonhomogeneous annular plates of variable thickness, J Appl Mech 64(2) 307-312 (Jun 1997), 12A619
Numerical solution of circular elastic plates using the method of local variations, Mech Res Commun 24(4) 385-390 (Jul-Aug 1997), 12T620
Rational deduction of plate theories from the 3D linear elasticity, Z Angew Math Mech 77(5) 349-366 (1997), 12A621
Theory on bending of laminated plates (Russian), Prikl Mekh (Appl Mech) 33(3) 64-70 (1997), 12A622
Nonlinear problems of current-carrying round plates with varying thickness in the electromagnetic field, Appl Math Mech 18(4) 355-364 (Apr 1997), 12A668

260D. Shells (membrane theory)

Infinitesimal deformations of surfaces and the stress distribution on some membranes under constant inner pressure, Int J Eng Sci 34(9) 993-1004 (Jul 1996), 2A482
Finite twist and extension of a cylindrical elastic membrane, Acta Mech 117(1-4) 129-143 (1996), 3A519
Asymptotic analysis of linearly elastic shells: Generalized membrane shells, J Elast 43(2) 147-188 (May 1996), 3T522
Post-critical analysis of axisymmetric hyper-elastic membranes by the FEM, Comput Methods Appl Mech Eng 135(3-4) 265-281 (Sep 1996), 3A523
Two dimensional texture study based on a double-slip model of polycrystal plasticity with analysis of thin-walled tubes under torsion, Int J Solids Struct 33(28) 4167-4193 (Nov 1996), 4A520
Funicular shapes in structural analysis and applications, Eur J Mech A 15(5) 901-914 (1996), 4A600
Incremental elastic moduli in prestressed membranes, Mech Res Commun 23(5) 565-567 (Sep-Oct 1996), 4T601
Optimal structural membranes - I: Formulation of a curved quadrilateral element for surface definition, Comput Struct 61(5) 871-883 (Dec 1996), 4A602
Optimal structural membranes - II: Form-finding of prestressed membranes using a curved quadrilateral FE for surface definition, Comput Struct 61(5) 885-895 (Dec 1996), 4A603
Stress analysis of hemispherical shells with single nonradially penetrated nozzles, Eng Struct 18(12) 894-900 (Dec 1996), 5A475
Wrinkling of inflated elastic cylindrical membranes under flexure, Int J Eng Sci 34(13) 1531-1550 (Oct 1996), 5A476
Thermoelastic deformation of microstretch elastic beams, J Thermal Stresses 19(8) 763-777 (Nov 1996), 5A1291
Asymptotic analysis of linearly elastic shells - Part I: Justification of membrane shell equations, Arch Rational Mech Anal 136(2) 119-161 (1996), 6A583
Stress resultant geometrically exact shell theory for finite rotations and its FE implementation, Appl Mech Rev 50(4) 199-226 (Apr 1997), 7A12
Pressurized eggshell analysis, Int J Mech Sci 39(4) 391-396 (Apr 1997), 7A514
Puncture protection of geomembranes - Part I: Theory, Geosynthetics Int 3(5) 605-628 (1996), 7A515
Puncture protection of geomembranes - Part II: Experimental, Geosynthetics Int 3(5) 629-653 (1996), 7A516
Puncture protection of geomembranes - Part III: Examples, Geosynthetics Int 3(5) 655-675 (1996), 7A517
Spectral pollution in the FE approximation of thin elastic "membrane" shells, Numer Math 75(4) 473-500 (Feb 1997), 8A68
Model for simulating flexible surfaces of cloth objects, Comput Struct 63(1) 133-147 (Apr 1997), 8A581
Ultimate strength of stiffened cylindrical shells subjected to axial and lateral forces (Japanese), Proc JSCE 556(I-38) 107-118 (Jan 1997), 9A556
Finite element analysis of wall pressure in imperfect silos, Int J Solids Struct 34(16) 2061-2072 (Jun 1997), 10A19
Incremental potential flow based membrane wing element, AIAA J 35(5) 782-788 (May 1997), 10A67
Shell Structures in Civil and Mechanical Engineering (Telford, UK., 1997) 11R24
Remarks on nonlinear membrane shell problems, Math Mech Solids 2(2) 215-237 (Jun 1997), 11A510
Experimental study of prefabricated funicular shell units, Eng Struct 19(9) 748-759 (Sep 1997), 11A523
Finite element analysis of wrinkling membranes, J Appl Mech 64(2) 263-269 (Jun 1997), 12A31
Ellipticity of the middle surface of a shell and its application to the asymptotic analysis of "membrane shells", J Elast 46(1) 33-42 (Jan 1997), 12T623
Mixed geometrical nonlinear problem of statics for plane membranes (Russian), Prikl Mekh (Appl Mech) 33(1) 69-75 (1997), 12A624

260E. Shells (bending theory)

Approximated shell model based on additive decomposition of deformation gradient, Tech Mech 15(3) 237-250 (1995), 1A557
Analysis of a cylindrical shell supported by two longitudinal beams, Proc Inst Mech Eng E 210(E2) 109-119 (1996), 1A567
Analysis of thin shells by the element-free Galerkin method, Int J Solids Struct 33(20-22) 3057-3080 (Aug 1996), 1A568
Approximate determination of inherent characteristics of a cylindrical shell with a hole (Russian), Prikl Mekh (Appl Mech) 32(2) 27-32 (1996), 1A569
Construction of special functions for the analytic solution of boundary-value problems of the theory of conical shells, J Appl Math Mech 60(1) 121-125 (1996), 1A570
Effect of different factors on contact interaction of a shell with frame and support (Russian), Prikl Mekh (Appl Mech) 32(1) 31-35 (1996), 1A571
Inverse problems of deformation of flexible cylindrical shells from nonlinearly-elastic composite materials (Russian), Prikl Mekh (Appl Mech) 32(2) 20-26 (1996), 1T572
Refined theory of the vibrations of a cylindrical shell based on an expansion in series of the normal displacement, J Appl Math Mech 60(1) 113-119 (1996), 1A573
Optimal control of deflections of unfastened heated spherical shells (Russian), Prikl Mekh (Appl Mech) 32(3) 39-45 (1996), 2A325
Bending stresses at longitudinal weld joints of pressurized cylindrical shells due to angular distortion, J Pressure Vessel Tech 118(3) 369-373 (Aug 1996), 2A483
Effects of local departures from nominal dimensions on stresses in thin torispherical end closures, J Strain Anal Eng Des 31(4) 315-324 (Jul 1996), 2A484
Residual stress induced distortions during fabrication of composite shells, J Reinforced Plastics Composites 15(8) 793-805 (Aug 1996), 2A485
Frangible roof joint behavior of cylindrical oil storage tanks designed to API 650 rules, J Pressure Vessel Tech 118(3) 326-331 (Aug 1996), 2A851
Redesign of the corrugated tin can, Thin-Walled Struct 26(3) 179-193 (Nov 1996), 3A9
Asymptotic theory for dynamic response of doubly curved laminated shells, Int J Solids Struct 33(26) 3813-3841 (Nov 1996), 3A524
Dynamics of shells in the theory of Kirchhoff and Love, Eur J Mech A 15(4) 647-666 (1996), 3A525
Stress state problem for a box-shaped shell weakened by a crack outgoing to a rib, Mech Solids 31(2) 125-131 (1996), 4A738
Finite element for the analysis of shell intersections, J Pressure Vessel Tech 118(4) 399-406 (Nov 1996), 5A21
Geometrically nonlinear analysis of cylindrical shells using surface-parallel quadratic elements, Comput Struct 61(6) 1143-1154 (Dec 1996), 5A477
Limit analysis of a spherical shell under axial loading on central boss, J Pressure Vessel Tech 118(4) 454-459 (Nov 1996), 5A478
Nonlinear analysis of imperfect metallic and laminated cylinders under bending loads, AIAA J 34(11) 2406-2413 (Nov 1996), 5A479
Signorini problem for inclusions in shells, European J Appl Math 7(5) 499-510 (Oct 1996), 5A482
Optimum design of plates and shells using the DCOC method, Struct Optim 12(2-3) 87-92 (Oct 1996), 5A759
Reinforcement design method based on analysis of large openings in cylindrical pressure vessels, J Pressure Vessel Tech 118(4) 502-506 (Nov 1996), 5A804
Asymptotic analysis of linearly elastic shells - Part I: Justification of flexural shell equations, Arch Rational Mech Anal 136(2) 163-190 (1996), 6T584
Asymptotic analysis of linearly elastic shells - Part III: Justification of Koiter's shell equations, Arch Rational Mech Anal 136(2) 191-200 (1996), 6T585
Analysis of the effect of interaction between shear and bending loads on the buckling stre[illegible]n of cylindrical shells, Nucl Eng Des 167(1) 23-53 (Nov 1996), 6A619
Bending stresses in composite spherical shells under axisymmetric edge-loads, Comput Struct 62(1) 157-163 (Jan 1997), 7A518
Exact piezoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, Int J Solids Struct 34(6) 685-702 (Feb 1997), 7A519
Geometrically nonlinear analysis of the shallow shell by the displacement-based BE formulation, Eng Anal Boundary Elements 18(1) 63-70 (Jul 1996), 7A520
Imperfection sensitivity of shear deformable moderately thick laminated cylindrical shells, Comput Struct 62(1) 165-174 (Jan 1997), 7A540
Design formulas of U-shaped bellows, J Pressure Vessel Tech 119(1) 127-131 (Feb 1997), 8A582
Prediction of stresses in pipes caused by ice plug formation, Proc Inst Mech Eng E 210(E3) 151-158 (1996), 8A583
Finite element analysis of shell structures, Arch Comput Methods Eng 4(1) 3-61 (1997), 9A21
Vibration of shallow shells: A review with bibliography, Appl Mech Rev 50(8) 431-444 (Aug 1997), 9A144
Simplified model of Brazier effect in plastic bending of cylindrical tubes, Int J Pressure Vessels Piping 71(1) 19-28 (Apr 1997), 9A467
Ultimate strength of stiffened cylindrical shells subjected to axial and lateral forces (Japanese), Proc JSCE 556(I-38) 107-118 (Jan 1997), 9A556
Complete analytic elastic study of a 90° branch connection of a cylinder on a sphere subjected to a bending load, Int J Pressure Vessels Piping 71(1) 61-69 (Apr 1997), 9A557
General solution of cylindrical shell equations, Appl Math Mech 17(12) 1107-1112 (Dec 1996), 9A558
In-plane limit moment for an elbow: Lower-bound analytical solution and FE processing by elastic compensation method, Int J Pressure Vessels Piping 71(1) 29-34 (Apr 1997), 9A559
Stress analysis of V-shaped expansion joints under internal pressure, Int J Pressure Vessels Piping 71(1) 35-45 (Apr 1997), 9A560
Plastic deformation of a tube during bending, J Eng Indust 117(4) 494-500 (Nov 1995), 11A448
Torsion and flexure of microstretch elastic circular cylinders, Int J Eng Sci 35(6) 573-583 (May 1997), 11A511
Progressive fracture of composite cylindrical shells subjected to external pressure, J Composite Tech Res 19(2) 65-71 (Apr 1997), 11A710
Analytic methods of study of the strength of thin-wall structures made of composite materials, Composite Mech Des 2(2) 66-73 (1996), 12A598

260F. Anisotropic membranes, plates, shells

Clamping effect in [± α]$_n$-angle-ply laminates, Arch Appl Mech 66(6) 419-426 (Jun 1996), 1A515
Response of metal matrix laminated cylindrical panels to combined uniform temperature change and edge displacements, Acta Mech 116(1-4) 187-201 (1996), 1A526
Circular delamination in a composite plate of arbitrary shape under bending, Mech Solids 31(1) 121-128 (1996), 1A528
Elastic impact response of glass-epoxy laminated ogival shells, Int J Impact Eng 18(6) 633-655 (Sep 1996), 1A537
Nonstationary random response of laminated composite structures by a hybrid strain-based laminated flat triangular shell FE, Finite Elements Anal Des 23(1) 23-35 (Aug 1996), 1A538
Peculiarities of stresses of anisotropic plate with angular cut (Russian), Prikl Mekh (Appl Mech) 32(1) 48-52 (1996), 1A574
Stress distribution in an anisotropic plate with heat-insulated faces under the action of heat sources and sinks, Mech Solids 31(1) 129-131 (1996), 1A575
Plastic instability of anisotropic thin plates in the biaxial stress state (Spanish), J Brazilian Soc Mech Sci 18(2) 174-181 (Jun 1996), 1A601
Nonlinear FE analysis of isotropic and composite shells by a total Lagrangian decomposition scheme, Mech Composite Mat Struct 3(3) 241-271 (Sep 1996), 2A21
Deformation of thermoplastic composite laminates under processing conditions, Mech Composite Mat Struct 3(3) 183-200 (Sep 1996), 2A445
Asymptotically correct linear laminated plate theory, Int J Solids Struct 33(25) 3649-3671 (Oct 1996), 2A480
Dynamic behavior of orthotropic rectangular plate under effect of suddenly applied load (Russian), Prikl Mekh (Appl Mech) 32(3) 73-79 (1996), 2T486
Numerical analysis of vibration control of composite laminates by piezoelectric devices (Chinese), J Vib Eng 9(2) 107-114 (Jun 1996), 2A487
Analytical method for 3D analysis of circular laminated composite plates, Acta Mech 117(1-4) 191-203 (1996), 3A492
Exact piezothermoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, Arch Appl Mech 66(8) 537-554 (Sep 1996), 3A526
Linear transient analysis of rectangular laminated plates by a finite strip-mode superposition method, Composite Struct 35(2) 213-228 (Jun 1996), 3A527
Mixed boundary-value problems for anisotropic plates of variable thickness, J Appl Math Mech 60(2) 285-293 (1996), 3A528
Elastic deformation of thick, laminated composite shells, Composite Struct 35(2) 153-170 (Jun 1996), 3A536
Stresses around extremely large or interacting multiple holes in orthotropic composites, Comput Struct 61(5) 935-950 (Dec 1996), 4A604
Stability and failure of symmetrically laminated plates, Struct Eng and Mech 4(5) 485-496 (Sep 1996), 4A623
Effect of lamination constitution on buckling of angle-ply laminated cylindrical shells under bending (Japanese), J Soc Mat Sci Japan 45(8) 888-892 (Aug 1996), 4A625
Linear, first-order shell model for transverse isotropic material under a uniform change of temperature, Math Methods Appl Sci 19(15) 1177-1197 (Oct 1996), 4A1259
Mechanics of Laminated Composite Plates: Theory and Analysis (CRC Press, Boca Raton FL, 1997) 5R10
Modified form of Hill's orientation-dependent yield criterion for orthotropic sheet metals, J Mech Phys Solids 44(11) 1739-1764 (Nov 1996), 5A9
Bending of an orthotropic plate with delamination, Mech Solids 31(3) 89-93 (1996), 5A480
Multicriteria optimization of cylindrical sandwich shells under combined loads, Struct Optim 12(2-3) 159-166 (Oct 1996), 5A755
Postpeak behavior of laterally reinforced concrete panels in compression-tension, ACI Struct J 93(6) 685-695 (Nov-Dec 1996), 5A779
Effect of constructive anisotropy on the vibration frequencies of cylindrical shells (Russian), Prikl Mekh (Appl Mech) 32(7) 55-59 (1996), 6A169
Bending of a simply supported rectangular plate with arbitrary lamination, Mech Composite Mat Struct 3(4) 341-358 (Dec 1996), 6A586
Interlaminar stresses in shells of revolution, Mech Composite Mat Struct 3(4) 321-339 (Dec 1996), 6A587
Micro-macro model for the effects of thermo-mechanical fields on optical fibers embedded in a laminated composite plate with applications to sensing, Mech Composite Mat Struct 3(4) 297-320 (Dec 1996), 6A588
Two models of shear deformable laminated plates and shells and their use in prediction of global response behavior, Eur J Mech A 15(6) 1095-1120 (1996), 6A589
Free vibrations of anisotropic spherical shell embedded in an elastic medium (Chinese), J Vib Eng 9(4) 323-332 (Dec 1996), 7A147
Theory for multilayered anisotropic plates with weakened interfaces, J Appl Mech 63(4) 1019-1026 (Dec 1996), 7A521
Numerical studies for the identification of orthotropic elastic constants of thick plates, Eur J Mech A 16(1) 117-140 (1997), 7A531
Free vibration of laminated composite plates with a central circular hole, Composite Struct 35(4) 357-368 (Aug 1996), 8A153
Time-dependent mechanical response of HDPE geomembranes, J Geotech Geoenv Eng 123(1) 57-65 (Jan 1997), 8A584
Finite element analysis of deflection control of plates with piezoelectric actuators, Composite Struct 35(4) 423-433 (Aug 1996), 8A891
Deformation of flexible anisotropic elastic systems of the shells of revolution on elastic foundation (Russian), Prikl Mekh (Appl Mech) 32(9) 52-58 (1996), 9A561
Design Tables for Reinforced Laterally Loaded Masonry Panels: To BS 5628 Parts 1 and 2 (Telford, UK, 1996) 10N18
Differential equations governing the geometry of a diamond mesh cod-end of a trawl net, J Appl Mech 64(1) 7-14 (Mar 1997), 10A640
Cracking of plain or reinforced high performance concrete slabs, Int J Struct 16(1) 1-22 (Jan-Jun 1996), 10A930
Finite element analysis of ply-by-ply and equivalent stress concentrations in composite plates with multiple holes under tensile and shear loading,

Composite Struct 36(1-2) 45-58 (Sep-Oct 1996), 11A16
Preliminary design of tubular composite structures using netting theory and composite degradation factors, J Pressure Vessel Tech 117(4) 390-394 (Nov 1995), 11A466
Compression behavior of flat stiffened panels made of composite material, Composite Struct 36(1-2) 161-169 (Sep-Oct 1996), 11A512
Maximum buckling loads for unsymmetric thin hybrid laminates under in-plane and shear forces, Composite Struct 36(1-2) 1-11 (Sep-Oct 1996), 11A538
Preliminary evaluation of carbon fiber reinforced polymer plates for strengthening reinforced concrete members, Proc Inst Civil Eng Struct Build 122(2) 127-142 (May 1997), 11A786
Finite elements based on a first-order shear deformation moderate rotation shell theory with applications to the analysis of composite structures, Int J Non-Linear Mech 32(6) 1123-1142 (Nov 1997), 12A57
Non-classical theory of deformation of orthotropical shells (Russian), Prikl Mekh (Appl Mech) 33(4) 62-66 (1997), 12T614
Calculation of the facing layer of a three layered reinforced concrete external wall panel (German), Bauingenieur 72(5) 235-240 (May 1997), 12A625
Deformation of flexible anisotropic shells on elastic foundation in the post-critical area (Russian), Prikl Mekh (Appl Mech) 33(2) 56-60 (1997), 12A626
Stresses in laminated glass subject to low velocity impact, Eng Struct 19(10) 851-856 (Oct 1997), 12A856

260G. Stiffened and sandwich plates and shells

Dynamics of a discretely-stiffened shell under the action of moving load, Russian Aeronaut 38(4) 1-4 (1995), 1A576
Stress analysis of laminated E-glass epoxy composite plates subject to impact dynamic loading, Comput Struct 61(1) 1-11 (Aug 1996), 1A577
Behavior of antisymmetric angle-ply laminated plates using the affine transformation, Comput Struct 61(2) 375-383 (Oct 1996), 2A488
Experimental investigation on blade-stiffened panel with stiffener-to-skin fiber stitching, AIAA J 34(9) 1964-1966 (Sep 1996), 2T489
Thermoelasticity of laminated shallow shells of complicated shape (Russian), Prikl Mekh (Appl Mech) 32(4) 49-53 (1996), 2A490
Redesign of the corrugated tin can, Thin-Walled Struct 26(3) 179-193 (Nov 1996), 3A9
Multicriterial material tailoring of a hollow cylinder in functionally gradient materials: Scheme to global reduction of thermoelastic stresses, Comput Methods Appl Mech Eng 135(3-4) 369-380 (Sep 1996), 3A529
Shear stiffness D_{Q_x} for C-core sandwich panels, J Struct Eng 122(8) 958-966 (Aug 1996), 3A530
Structural behavior of end-plate bolted connections to stiffened columns, J Struct Eng 122(8) 926-935 (Aug 1996), 3A531
Thermoelastic analysis of cross-ply laminated circular cylindrical shells, Int J Solids Struct 33(27) 4007-4017 (Nov 1996), 3A532
Wrinkling of rectangular webs under nonlinearly distributed edge loading, J Appl Mech 63(3) 655-659 (Sep 1996), 3A533
Wrinkling of thin, flat, rectangular webs, J Appl Mech 63(3) 774-779 (Sep 1996), 3A534
Generalized solution for the prediction of springback in laminated strip, J Mat Processing Tech 61(3) 254-264 (Sep 1996), 4A605
Performance limits for stiffness-critical graphitic foam structures - Part I: Comparisons with high-modulus foams, refractory alloys, and graphite-epoxy composites, J Composite Mat 30(17) 1922-1937 (1996), 5A450
Performance limits for stiffness-critical graphitic foam structures - Part II: Comparisons of foams, foam-core, and honeycomb-core sandwiches in bending-shear, J Composite Mat 30(17) 1938-1956 (1996), 5A451
Layerwise mechanics and FE model for laminated piezoelectric shells, AIAA J 34(11) 2353-2360 (Nov 1996), 5A481
Signorini problem for inclusions in shells, European J Appl Math 7(5) 499-510 (Oct 1996), 5A482
Evaluation of a constitutive model for shape memory alloys embedded in shell structures, J Reinforced Plastics Composites 15(12) 1249-1261 (Dec 1996), 6A511
Finite element analysis of laminated hat-stiffened plates, J Reinforced Plastics Composites 15(12) 1174-1193 (Dec 1996), 6A590
Localized load effects in high-order bending of sandwich panels with flexible core, J Eng Mech 122(11) 1069-1076 (Nov 1996), 6A591
Method to predict critical stresses for stiffened cylindrical shells under axial compression (Russian), Prikl Mekh (Appl Mech) 32(7) 52-54 (1996), 6A592
Spectral strip analysis for composite cylinders subjected to lateral impact, Comput Mech 19(1) 11-29 (Nov 1996), 6A593
Further study on large amplitude vibration of circular sandwich plates, Appl Math Mech 17(11) 1087-1094 (Nov 1996), 7A161
Analysis and design of fiber-reinforced composite shells, J Appl Mech 63(4) 939-945 (Dec 1996), 7A522
Analysis of stiffened plates under lateral loading using sequential quadratic programming, Comput Struct 62(1) 63-80 (Jan 1997), 7A523
Exact solutions for laminated piezoelectric plates in cylindrical bending, J Appl Mech 63(4) 903-910 (Dec 1996), 7A524
Laminated composite structures by continuum-based shell elements with transverse deformation, Comput Struct 62(6) 1073-1090 (Mar 1997), 7A525
Refined theory of laminated shells with higher-order transverse shear deformation, Int J Solids Struct 34(6) 673-683 (Feb 1997), 7A526
Thermal-mechanical stress analysis of inhomogeneous antisymmetric cross-ply laminates, Comput Struct 62(1) 25-34 (Jan 1997), 7A527
Analysis of filament-wound cylindrical shells under combined centrifugal, pressure, and axial loading, Composites Part A Appl Sci and Manuf 28A(1) 47-55 (1997), 7A849
Finite element analysis of laminated shells with exact through-thickness integration, Comput Struct 63(1) 173-184 (Apr 1997), 8A585
Load-displacement prediction for horizontally loaded vertical plates, J Geotech Geoenv Eng 123(1) 74-76 (Jan 1997), 8A586
Elastic behavior of multi-stiffened plates under uniform compression, Thin-Walled Struct 27(4) 311-335 (Apr 1997), 8A605
Contact laws of carbon-epoxy laminated composite plates, J Reinforced Plastics Composites 16(2) 155-166 (1997), 9A502
Elastic-plastic FE analysis of metal matrix plates with edge notches, Comput Struct 63(3) 551-558 (May 1997), 9A562
Experimental study of stability of ribbed shells: Survey (Russian), Prikl Mekh (Appl Mech) 32(9) 3-15 (1996), 9T563
Extended trigonometric series analysis of box girders with diaphragms, J Eng Mech 123(4) 293-301 (Apr 1997), 9A564
Investigation of mutual transverse cooperation of floor precast boards in the composite 2k floor construction (Polish), Inzynieria Budownictwo 53(1) 32-37 (1997), 9A565
Numerical study of elastoplastic state of laminated shells in the process of axisymmetric deformation by trajectories of small curvatures with regard for geometric linearity (Russian), Prikl Mekh (Appl Mech) 32(8) 80-86 (1996), 9A566
Some aspects of analysis of reinforced concrete two-way slabs (Polish), Inzynieria Budownictwo 52(10) 582-585 (1996), 9A567
Hybrid method for transient wave scattering by flaws in composite plates, Int J Solids Struct 34(14) 1719-1734 (May 1997), 10A273
Exact piezothermoelastic solution for simply supported laminated flat panel in cylindrical bending, Z Angew Math Mech 77(4) 281-293 (1997), 10A638
Homogenization and perturbation procedures in the theory of ring-stiffened shells, Tech Mech 17(1) 67-71 (1997), 10A641
Nonlinear theory of multilayer sandwich shells and its application - II: Fundamental equations for orthotropic shallow shells, Appl Math Mech 18(2) 129-139 (Feb 1997), 10A642
Strength of composite T-joints under pull-out loads, J Reinforced Plastics Composites 16(6) 503-518 (1997), 10A643
Stresses and deformations induced during manufacturing - Part I: Theoretical analysis of composite cylinders and shells, J Composite Mat 31(7) 672-695 (1997), 10A644
Stresses and deformations induced during manufacturing - Part II: A Study of the spring-in phenomenon, J Composite Mat 31(7) 696-719 (1997), 10A645
Optimization for buckling of composite sandwich plates, AIAA J 35(5) 863-868 (May 1997), 10A904
Mechanics of integral armor: Discontinuous ceramic-cored sandwich structure under tension and shear, Composite Struct 36(1-2) 81-90 (Sep-Oct 1996), 11A485
Analysis of ring-stiffened cylindrical shells, J Appl Mech 62(4) 1005-1014 (Dec 1995), 11A513
Global-local analysis of composite plates with cut-outs, Comput Mech 19(5) 386-396 (Apr 1997), 11A514
Refined asymptotic theory and computational model for multilayered composite plates, Comput Methods Appl Mech Eng 145(1-2) 167-184 (Jun 1997), 11A515
Reliability-based method for optimal structural design of stiffened panels, Marine Struct 10(5) 323-352 (Jun 1997), 11A767
Structural analysis of the adhesive bond in a honeycomb core sandwich panel, Finite Elements Anal Des 26(3) 213-227 (Jun 1997), 12A27
Asymptotic theory for nonlinear analysis of multilayered anisotropic plates, J Mech Phys Solids 45(7) 1105-1120 (Jul 1997), 12A627
Dynamic formulation for geometrically-exact sandwich shells, Int J Solids Struct 34(20) 2517-2548 (Jul 1997), 12A628
Nonlinear theory of multilayer sandwich shells and its application - III: Large deflection and post-buckling of shallow shells, Appl Math Mech 18(4) 321-329 (Apr 1997), 12A629
Numerical solution of 2D dynamical problems of Timoshenko type geometrically nonlinear theory of discrete stiffened cylindrical shells (Russian), Prikl Mekh (Appl Mech) 33(2) 61-67 (1997), 12A630
Resistance on conical shells from reinforced materials under the external pressure outside the elasticity limit (Russian), Prikl Mekh (Appl Mech) 33(3) 44-52 (1997), 12A631

260H. Plates and shells on foundations

Dynamic interaction of a rigid plate with water-saturated porous-elastic basement (Russian), Prikl Mekh (Appl Mech) 32(1) 69-74 (1996), 1A578
Effect of anisotropy of plates on the contact region resting on tensionless elastic foundation, Prikl Mekh (Appl Mech) 32(2) 41-46 (1996), 1A579
Large deflection problem of thin orthotropic circular plate on elastic foundation with variable thickness under uniform pressure, Appl Math Mech 17(5) 477-485 (May 1996), 1A580
Energy method for base uplifting analysis of liquid-storage tanks, J Pressure Vessel Tech 118(3) 332-335 (Aug 1996), 2A491
General solution for plastic circular plates resting on a fluid, Int Shipbuild Prog 43(434) 119-138 (Jul 1996), 2A492
Generation and use of simplified uplift shape functions in unanchored cylindrical tanks, J Pressure Vessel Tech 118(3) 278-286 (Aug 1996), 2A493
Stiffness maximization of variable thickness sheet with unilateral contact, Quart Appl Math 54(3) 541-550 (Sep 1996), 2A765
Free vibrations of circular cylindrical shell on Winkler and Pasternak foundations, Int J Pressure Vessels Piping 69(1) 79-89 (Nov 1996), 3A165
Transient waves in an infinite thick plate on elastic foundation subjected to concentrated moving loads (Japanese), Proc JSCE 543(I-36) 71-81 (Jul 1996), 3A535
Nonlinear analysis of thick plates on an elastic foundation by HT FE with p-extension capabilities, Int J Solids Struct 33(30) 4583-4604 (Dec 1996), 5A483
Transient BE analysis of elastoplastic plates on elastic foundation, Soil Dyn Earthquake Eng 16(1) 21-27 (Jan 1997), 7A62
Free vibrations of anisotropic spherical shell embedded in an elastic medium (Chinese), J Vib Eng 9(4) 323-332 (Dec 1996), 7A147
Analysis of orthotropic plate-foundation interaction by mixed FE formulation using Gateaux differential, Comput Struct 62(1) 93-106 (Jan 1997), 7A528
Nonlinear problem of vibration for free edge rectangular plate on elastic foundation (Chinese), J Vib Eng 9(4) 411-414 (Dec 1996), 7T529
Simply-supported plate subject to loads distributed over an arbitrarily shaped area, Comput Struct 62(2) 413-416 (1997), 7A530
Analytical solution of cracked shell resting on elastic foundation, Acta Mech Solida Sinica 9(4) 306-319 (1996), 7A768
Orthotropic shallow spherical shell on a Kerr foundation, J Pressure Vessel Tech 119(1) 131-133 (Feb 1997), 8A587
Finite element analysis of floor slabs under warping effect, Eng Struct 19(7) 533-539 (Jul 1997), 10A18
Elastic analysis of an annular slab-soil interaction problem using a hybrid method, Comput Geotech 20(2) 161-176 (1997), 10A646
Shear and attachment effects on the behavior of rectangular plates resting on tensionless elastic foundation, Eng Struct 19(7) 551-567 (Jul 1997), 10A647
Elastoplastic analysis of circular plates on elastoplastic foundation, J Struct Eng 123(6) 808-815 (Jun 1997), 11A516
Optimal design of an elastic plate with unilateral elastic foundation and rigid supports, using the Reissner-Mindlin plate model - I: Continuous problems, Z Angew Math Mech 77(5) 377-385 (1997), 12A632

260I. Thick plates and shells

Adaptive FE analysis of plates by shear-flexible quadrilateral Reissner-Mindlin elements, Finite Elements Anal Des 22(4) 329-366 (Jul 1996), 1A73
Nonlinear theory of isotropically elastic thin shells with allowance for transverse shear, Mech Solids 31(1) 109-120 (1996), 1A561
Deflection and stress-resultants of axisymmetric Mindlin plates in terms of corresponding Kirchhoff solutions, Int J Mech Sci 38(11) 1179-1185 (Nov 1996), 1A581
Fundamental solutions and boundary integral equations of moderately thick symmetrically laminated anisotropic plates, Commun Numer Methods Eng 12(7) 383-394 (Jul 1996), 1A582
Three-dimensional analysis of simply supported laminated cylindrical shells with arbitrary thickness, AIAA J 34(9) 1960-1964 (Sep 1996), 2T494
Virtual BE-least square method for solving 3D problems of thick shell (Chinese), J Dalian Univ Tech 36(4) 413-418 (Jul 1996), 2A495
Small deformations superimposed upon the symmetrical expansion of a spherical shell, Quart J Mech Appl Math 49(3) 337-351 (Aug 1996), 2A523
Free vibrations of laminated composite non-circular thick cylindrical shells, Int J Solids Struct 33(27) 4079-4100 (Nov 1996), 3A166
Elastic deformation of thick, laminated composite shells, Composite Struct 35(2) 153-170 (Jun 1996), 3A536
Buckling and postbuckling of shear-deformable rectangular plates of composite construction, Thin-Walled Struct 26(3) 213-221 (Nov 1996), 3A557
Thermoelastoplastic stress analysis of a thick-walled tube of nonlinear strain hardening, J Mech Des 118(3) 340-346 (Sep 1996), 3A1276
Numerical studies for the identification of orthotropic elastic constants of thick plates, Eur J Mech A 16(1) 117-140 (1997), 7A531
Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, Struct Eng and Mech 5(1) 69-83 (Jan 1997), 8A50
Buckling analysis of thick-walled composite pipe under torsion, J Pressure Vessel Tech 119(1) 111-121 (Feb 1997), 8A609
Approximate elasticity solution for a long and thick laminated circular cylindrical shell of revolution, Int J Solids Struct 34(11) 1327-1341 (Apr 1997), 9A568
Optimization of FE grids using shape sensitivity analysis in terms of nodal positions, Finite Elements Anal Des 26(1) 1-19 (May 1997), 12A17
Solution of the problem on stressed state of inhomogeneous thick-walled plates by the spline collocation method (Russian), Prikl Mekh (Appl Mech) 33(4) 71-81 (1997), 12A633

260J. Inflatable membranes

Axisymmetric elastic membranes subjected to fluid loading, IMA J Appl Math 56(3) 303-320 (Jun 1996), 2A496
Road-damaging potential of measured dynamic tire forces in mixed traffic, Proc Inst Mech Eng D 210(D3) 215-225 (1996), 2A497
Spatial repeatability of measured dynamic tire forces, Proc Inst Mech Eng D 210(D3) 185-197 (1996), 2A498
Two instructive instabilities in nonlinear elasticity: Biaxially loaded membrane, and rubber balloons, Meccanica 31(4) 387-395 (Aug 1996), 2A499
Deployment of curved closed tubes, J Mech Des 118(3) 337-339 (Sep 1996), 3A537
Geosynthetic tubes for confining pressurized slurry: Some design aspects, J Geotech Eng 122(8) 682-690 (Aug 1996), 3A538
Inflation of joined dissimilar elastic tubes, Quart J Mech Appl Math 50(1) 69-83 (Feb 1997), 8A588

260K. Rotating discs, blades, and shells

Study of thermostressed state of the aviation engine blade by the method of R-functions (Russian), Prikl Mekh (Appl Mech) 32(2) 47-52 (1996), 1T583
Determination of critical external pressure under dynamic loading of the shells of revolution (Russian), Prikl Mekh (Appl Mech) 32(4) 54-61 (1996), 2A500
Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part I: Model development, J Sound Vib 194(5) 653-669 (Aug 1996), 2A501
Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part II: Numerical solution, J Sound Vib 194(5) 671-683 (Aug 1996), 2A502
Study concerning elastic analysis of disk centrifugal separators, Comput Methods Appl Mech Eng 144(3-4) 275-285 (May 1997), 11A517

260Y. Computational techniques

Finite Element Methods for Thin Shell Problems (Wiley, New York, 1996) 1R21

DOF expanding method for connecting solid and shell element, Commun Numer Methods Eng **12**(6) 321-330 (Jun 1996), 1A59

Development of a simplified plate element for large deflection elasto-plastic FE analysis, Comput Struct **61**(1) 183-188 (Aug 1996), 1A584

Four-node C^0 shell element reformulated, Int J Numer Methods Eng **39**(14) 2417-2455 (Jul 1996), 1A585

Scale resolution, locking, and high-order FE modeling of shells, Comput Methods Appl Mech Eng **133**(3-4) 157-182 (Jul 1996), 1A586

Stress analysis of approximately ellipsoidal cold-spun tri-arc tank head and parameter optimization, Int J Pressure Vessels Piping **68**(3) 237-242 (Oct 1996), 1A587

Refined consistent formulation of a curved triangular finite rotation shell element, Int J Numer Methods Eng **39**(16) 2803-2820 (Aug 1996), 2A34

Application of finite difference method to the determination of deflections in ring-shaped plates, Arch Civil Eng **42**(2) 159-176 (1996), 2A503

Derivative superconvergence of rectangular FEs for the Reissner-Mindlin plate, Comput Methods Appl Mech Eng **134**(1-2) 1-16 (Jul 1996), 2A504

Finite strip method in the analysis of thin plate structures with various edge restraints, Comput Struct **61**(2) 303-313 (Oct 1996), 2A505

Finite-element analysis of hyperelastic thin shells with large strains, Comput Mech **18**(3) 200-214 (Jul 1996), 2A506

Four-noded FE post-process method using a displacement field of higher-order laminated composite plate theory, Comput Struct **61**(2) 283-290 (Oct 1996), 2A507

Nonlinear analysis of thick plates by HT FE approach, Comput Struct **61**(2) 271-281 (Oct 1996), 2A508

Vibration and elastic instability of thin-walled domes under uniform external pressure, Thin-Walled Struct **26**(3) 159-177 (Nov 1996), 3A168

Analytical integration of membrane-bending coupling terms in nonlinear BE analysis of Mindlin-Reissner plates, J Brazilian Soc Mech Sci **18**(3) 218-226 (Sep 1996), 3A539

Finite element analysis of nonlinear orthotropic hyperelastic membranes, Comput Mech **18**(4) 269-278 (Aug 1996), 3A540

h-p-n adaptive FE scheme for shell problems, Adv Eng Software **26**(3) 201-207 (Aug 1996), 3A541

Hybrid-mixed FE model based on Legendre polynomials for Reissner-Mindlin plates, Comput Methods Appl Mech Eng **136**(1-2) 111-126 (Sep 1996), 3A542

New axisymmetrical membrane element for anisotropic, finite strain analysis of arteries, Commun Numer Methods Eng **12**(8) 507-517 (Aug 1996), 3A543

New one-point quadrature, quadrilateral shell element with drilling dof, Comput Methods Appl Mech Eng **136**(1-2) 165-203 (Sep 1996), 3A544

Thermoelastic analysis of doubly curved laminated shells, J Thermal Stresses **19**(6) 531-563 (Sep 1996), 3A1270

Adaptive hpq-FEMs of hierarchical models for plate- and shell-like structures, Comput Methods Appl Mech Eng **136**(3-4) 317-345 (Sep 1996), 4A606

C^0 eight-node membrane-shear-bending element for geometrically nonlinear (static and dynamic) analysis of laminates, Int J Numer Methods Eng **39**(20) 3453-3474 (Oct 1996), 4A607

Instabilities induced by coarse meshes for a nonlinear shell problem, Eng Comput **13**(6) 110-114 (1996), 4A608

Mixed FE for shell model with free edge boundary conditions - Part 3: Numerical aspects, Comput Methods Appl Mech Eng **136**(3-4) 273-292 (Sep 1996), 4A609

Numerical Green's function approach to finite-sized plate analysis, Int J Solids Struct **33**(28) 4215-4222 (Nov 1996), 4A610

Adaptive mesh refinement for shells with modified Ahmad elements, Comput Struct **61**(6) 1135-1141 (Dec 1996), 5A484

Finite element for wrinkled curved elastic membranes, and its application to sails, Commun Numer Methods Eng **12**(11) 775-785 (Nov 1996), 5A485

Flat triangular shell element with Loof nodes, Int J Numer Methods Eng **39**(22) 3867-3887 (Nov 1996), 5A486

Partial hybrid degenerated plate-shell element for the analysis of laminated composites, Int J Numer Methods Eng **39**(21) 3625-3639 (Nov 1996), 5A487

s-version of FEM for laminated composites, Int J Numer Methods Eng **39**(21) 3641-3662 (Nov 1996), 5A488

Improved transverse shear stresses in composite FEs based on first order shear deformation theory, Int J Numer Methods Eng **40**(1) 51-60 (Jan 1997), 6A28

Stochastic FE analysis of plate structures by weighted integral method, Struct Eng and Mech **4**(6) 703-715 (Nov 1996), 6A87

Approaches to numerical solution of linear and nonlinear problems of the theory of shells in classical and refined statements: Survey (Russian), Prikl Mekh (Appl Mech) **32**(6) 3-39 (1996), 6A594

Augmented Lagrangian FEs for plate contact problems, Int J Numer Methods Eng **39**(24) 4141-4158 (Dec 1996), 6A595

Eulerian approach for large displacements of thin shells including geometrical nonlinearities, Comput Methods Appl Mech Eng **140**(3-4) 361-381 (Jan 1997), 6A596

Mixed-hybrid FEM for anisotropic plate bending problems, Int J Numer Methods Eng **39**(23) 4063-4089 (Dec 1996), 6A597

New class of mixed FEMs for Reissner-Mindlin plates, SIAM J Numer Anal **33**(6) 2457-2467 (Dec 1996), 6A598

New Korn's type inequality for thin domains and its application to iterative methods, Comput Methods Appl Mech Eng **138**(1-4) 299-315 (Dec 1996), 6A599

Combined steady-state nonlinear heat transfer-thermal postbuckling computations in unstiffened and stiffened laminated composite plates and shells, Comput Methods Appl Mech Eng **138**(1-4) 131-185 (Dec 1996), 6A1305

Stress resultant geometrically exact shell theory for finite rotations and its FE implementation, Appl Mech Rev **50**(4) 199-226 (Apr 1997), 7A12

Analysis of composite plates using charge simulation method, Eng Anal Boundary Elements **18**(2) 131-135 (Sep 1996), 7A532

Large deformations of thin elasto-plastic shells: Implementation of a finite rotation model for quadrilateral shell element, Int J Numer Methods Eng **40**(4) 689-726 (Feb 1997), 7A533

Large displacement extension of consistent shell element for static and dynamic analysis, Comput Struct **62**(6) 943-960 (Mar 1997), 7A534

Locking-free FEMs for shells, Math Comput **66**(217) 1-14 (Jan 1997), 7A535

Reduced constraint hp FEM for shell problems, Math Comput **66**(217) 15-29 (Jan 1997), 7A536

Solving plate bending problems using finite strips on networked workstations, Comput Struct **62**(2) 227-236 (1997), 7A537

Finite element modeling of stiffened and unstiffened orthotropic plates, Comput Struct **63**(1) 105-117 (Apr 1997), 8A589

Finite strip element for the analysis of variable thickness rectangular thick plates, Comput Struct **63**(2) 349-362 (Apr 1997), 8A590

Four-node differential quadrature method for straight-sided quadrilateral Reissner-Mindlin plates, Commun Numer Methods Eng **13**(2) 73-81 (Feb 1997), 8A591

Quadratic triangular C^0 plate bending element, Int J Numer Methods Eng **40**(5) 937-951 (Mar 1997), 8A592

Approximate elasticity solution for a long and thick laminated circular cylindrical shell of revolution, Int J Solids Struct **34**(11) 1327-1341 (Apr 1997), 9A568

Assumed strain formulation with selective polynomial order enrichment for p-version shells, Comput Struct **63**(5) 899-913 (Jun 1997), 9A569

Behavior of fiber composite plate cantilever in bending, Arch Civil Eng **42**(3) 293-307 (1996), 9A570

Classical solution shape functions in the FE analysis of circular and annular plates, Int J Numer Methods Eng **40**(6) 969-990 (Mar 1997), 9A571

Eight-node curvilinear differential quadrature formulation for Reissner-Mindlin plates, Comput Methods Appl Mech Eng **141**(3-4) 265-280 (Feb 1997), 9A572

Finite element analysis of smooth, folded, and multi-shell structures, Comput Methods Appl Mech Eng **141**(1-2) 1-46 (Feb 1997), 9A573

Galerkin solution to geometrically nonlinear laminated shallow shell equations, Comput Struct **63**(5) 859-874 (Jun 1997), 9A574

Geometric nonlinear analysis by using refined triangular thin plate element and free form membrane locking, Comput Struct **63**(5) 999-1005 (Jun 1997), 9A575

Hierarchical composite grid method for global-local analysis of laminated composite shells, Appl Numer Math **23**(2) 241-258 (Mar 1997), 9A576

Increase of computational algorithm efficiency for elastoplastic shell analysis, Eng Comput **14**(1) 75-97 (1997), 9A577

Note on a numerical benchmark test: An axisymmetric shell under ring loads, Commun Numer Methods Eng **13**(3) 181-192 (Mar 1997), 9A578

Practicable and highly accurate flat shell hybrid element for engineering applications on a PC, Comput Struct **63**(5) 915-925 (Jun 1997), 9A579

Nonlinear analysis with an axisymmetric thick shell element, Commun Numer Methods Eng **13**(4) 261-271 (Apr 1997), 10A70

Homogenization and perturbation procedures in the theory of ring-stiffened shells, Tech Mech **17**(1) 67-71 (1997), 10A641

Boundary element analysis of stress concentration in micropolar elastic plate, Int J Numer Methods Eng **40**(9) 1611-1622 (May 1997), 10A648

Calculation of shallow shell subject to influence of load local effect by the difference technique on irregular networks, Int J Numer Methods Eng **40**(10) 1749-1765 (May 1997), 10A649

Explicit hybrid-stabilized 18-node solid element for thin shell analysis, Int J Numer Methods Eng **40**(10) 1839-1856 (May 1997), 10A650

Finite element algorithms for dynamic simulations of viscoelastic composite shell structures using conjugated gradient method on coarse grained and massively parallel machines, Int J Numer Methods Eng **40**(10) 1857-1875 (May 1997), 10A651

hp Error analysis of MITC plate elements, SIAM J Numer Anal **34**(2) 544-568 (Apr 1997), 10A652

Indirect BEM for plate bending analysis, Int J Numer Methods Eng **40**(9) 1597-1610 (May 1997), 10A653

Nonlinear analysis of laminates through a Mindlin-type shear deformable shallow shell element, Comput Methods Appl Mech Eng **143**(1-2) 155-173 (Apr 1997), 10A654

Problems of computational mechanics of rigid deformed body, Facta Univ Mech Auto Control Robotic **2**(6) 39-56 (1996), 10A655

Triangular elements for Reissner-Mindlin plate, Appl Math Mech **18**(3) 267-272 (Mar 1997), 11A45

TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells, Comput Methods Appl Mech Eng **145**(1-2) 11-85 (Jun 1997), 11A47

Structural analysis by an inverse procedure using Bernoulli and Euler functions, Eng Struct **19**(9) 724-732 (Sep 1997), 11A502

Auto-adaptive FE analysis software for stiffened plate and shell structures, Adv Eng Software **28**(5) 285-291 (Jul 1997), 11A518

Comparison between serendipity and Lagrange plate elements in the FEM, Commun Numer Methods Eng **13**(5) 343-353 (May 1997), 11A519

Differential cubature method: A solution technique for Kirchhoff plates of arbitrary shape, Comput Methods Appl Mech Eng **145**(1-2) 1-10 (Jun 1997), 11A520

Large displacement analysis of thin plates and shells using a flat facet FE formulation, Comput Methods Appl Mech Eng **145**(3-4) 285-299 (Jun 1997), 11A521

Simple method of calculating lower-bound limit loads for axisymmetric thin shells, J Pressure Vessel Tech **119**(2) 236-242 (May 1997), 11A522

Finite elements based on a first-order shear deformation moderate rotation shell theory with applications to the analysis of composite structures, Int J Non-Linear Mech **32**(6) 1123-1142 (Nov 1997), 12A57

Asymptotic expansions of the dispersion relation for an incompressible elastic plate, Int J Solids Struct **34**(22) 2785-2802 (Aug 1997), 12A227

Nonaxisymmetric loading of nonhomogeneous annular plates of variable thickness, J Appl Mech **64**(2) 307-312 (Jun 1997), 12A619

Combination of adaptivity and mesh smoothing for the FE analysis of shells with intersections, Int J Numer Methods Eng **40**(13) 2459-2474 (Jul 1997), 12A634

Creep bending of thin-walled shells and plates by consideration of finite deflections, Comput Mech **19**(6) 490-495 (May 1997), 12A635

Finite volume method for analyzing the bending deformation of thick and thin plates, Comput Methods Appl Mech Eng **147**(1-2) 199-208 (Jul 1997), 12A636

Predictor-corrector FE approach for electroelastic analysis of hybrid composite plates, Comput Methods Appl Mech Eng **147**(1-2) 139-145 (Jul 1997), 12A637

260Z. Experimental techniques

Test fixture for eccentricity and stiffness of corrugated board, Exp Mech **36**(3) 262-268 (Sep 1996), 2A509

Large displacements of the cylindrical shell evoked by external load and temperature changes, Arch Budowy Maszyn **42**(3-4) 261-279 (1995), 4A611

Experimental study of prefabricated funicular shell units, Eng Struct **19**(9) 748-759 (Sep 1997), 11A523

262. STRUCTURAL STABILITY (BUCKLING, POSTBUCKLING)

262A. General theory

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 9 (ASME Press, New York, 1996) 1N13

Effect of void size difference on growth and cavitation instabilities, J Mech Phys Solids **44**(8) 1237-1253 (Aug 1996), 1A484

Rigorous method for the analysis of localization behavior of compression plate (Japanese), Proc JSCE **543**(1-36) 55-70 (Jul 1996), 3A518

Experimental re-examination of coupled buckling strength formula expressed as function of initial imperfections (Japanese), Proc JSCE **543**(1-36) 31-40 (Jul 1996), 3A545

Stability of generalized equilibria in constrained pseudodissipative systems, J Appl Mech **63**(3) 603-609 (Sep 1996), 3A546

Influence of scale size on the stability of periodic solids and the role of associated higher order gradient continuum models, J Mech Phys Solids **44**(11) 1891-1928 (Nov 1996), 5A8

Role of geometrically exact and second-order theories in buckling and post-buckling analysis of 3D beam structures, Comput Struct **61**(6) 1101-1114 (Dec 1996), 5A489

General theory of plastic deformation and instability in thin-walled tubes under combined loading, J Mech Phys Solids **44**(12) 2041-2057 (Dec 1996), 6A600

Catastrophe Theory and Its Applications (Dover, Mineola NY, 1996) 7N10

Stability of structures, Eng Struct **19**(5) 345-392 (May 1997), 8A593

Stability of unidirectional fibrous composites (Russian), Prikl Mekh (Appl Mech) **32**(8) 3-13 (1996), 9A507

Gradient theory and its applications to stability analysis of materials and structures, J Mech Behavior Mat **7**(4) 235-263 (1996), 9A580

Lateral buckling of thin-walled open members with shear lag using optimization techniques, Int J Solids Struct **34**(11) 1343-1352 (Apr 1997), 9A581

Effect of anisotropic physico-mechanical properties of material on the surface instability of layered half-bounded media (Russian), Prikl Mekh (Appl Mech) **33**(2) 3-8 (1997), 12A638

Stability of discrete systems with structural perturbations, Prikl Mekh (Appl Mech) **33**(4) 82-88 (1997), 12A639

Stability of interface of two bodies under compression along the cracks located in the interface: Exact solutions (Russian), Prikl Mekh (Appl Mech) **33**(4) 28-34 (1997), 12T640

Stability of two bodies interface under compression along cracks distributed in the interface - Exact solutions I: A case of unequal roots (Russian), Prikl Mekh (Appl Mech) **33**(3) 28-35 (1997), 12A641

262B. Nonlinear and finite deformation theory

Nonlinear dynamic buckling mechanism of autonomous dissipative and nondissipative discrete structural systems, Arch Appl Mech **66**(6) 395-408 (Jun 1996), 1A588

Two instructive instabilities in nonlinear elasticity: Biaxially loaded membrane, and rubber balloons, Meccanica **31**(4) 387-395 (Aug 1996), 2A499

Buckling and initial post-buckling of thin-walled composite beams, Mech Composite Mat Struct **3**(3) 201-223 (Sep 1996), 2A527

Analysis of 3D frames of rectilinear anisotropic bars, Mech Solids **31**(3) 108-116 (1996), 5A45

Steel and aluminum structures, Thin-Walled Struct **27**(1) 3-126 (Jan 1997), 5A490

Global buckling load of a nonlinearly elastic bar, Acta Mech **119**(1-4) 229-234 (1996), 6A601

Remarks on secondary bifurcation in elastic systems with double Z_-symmetries, Mech Res Commun **24**(1) 17-26 (Jan-Feb 1997), 8T596

Nonlinear Stability of Structures: Theory and Computational Techniques (Springer-Verlag, New York, 1995) 9R14

Stability and bifurcation of finite deformations of elastic cylindrical membranes - Part I: Stability analysis, Int J Solids Struct **34**(14) 1735-1749 (May 1997), 10A656

Cyclic nonlinear model for concrete-filled tubes - I: Formulation, J Struct Eng **123**(6) 736-744 (Jun 1997), 11A13

Cyclic nonlinear model for concrete-filled tubes - II: verification, J Struct Eng **123**(6) 745-754 (Jun 1997), 11A14

Tube collapse under combined external pressure, tension and bending, Marine Struct **10**(5) 389-410 (Jun 1997), 11A24

Stability of imperfect steel conical tanks under hydrostatic loading, J Struct Eng **123**(6) 703-712 (Jun 1997), 11A536

Strength curves for metal columns, J Struct Eng **123**(6) 721-728 (Jun 1997), 11A807

Nonlinear dynamics of filaments - I: Dynamical instabilities, Physica D **105**(1-3) 20-44 (Jun 1997), 12A642

Nonlinear dynamics of filaments - II: Nonlinear analysis, Physica D **105**(1-3) 45-61 (Jun 1997), 12A643

Local buckling behavior of polygonal sections, J Construct Steel Res 41(2-3) 221-233 (Feb-Mar 1997), 12A648
Nonlinear cyclic stress-strain relationship of reinforcing bars including buckling, Eng Struct 19(10) 822-826 (Oct 1997), 12A650

262C. Postbuckling theory

Finite strip large deflection and post-overall-buckling analysis of diaphragm-supported plate structures, Comput Struct 61(1) 155-170 (Aug 1996), 1A589
Post-buckling axisymmetric deflections of thin shells of revolution under axial loading, Tech Mech 16(2) 117-130 (1996), 1A590
Post-buckling behavior of plates under stress gradient, Struct Eng and Mech 4(4) 397-413 (Jul 1996), 2A510
Prediction of post-buckling strength of stiffened laminated composite panels based on the criterion of mixed-mode stress intensity factors, Comput Mech 18(3) 215-224 (Jul 1996), 2A511
Theoretical study of ultimate load of locally buckled stub columns loaded eccentricity, J Construct Steel Res 38(3) 239-255 (Jul 1996), 2A512
Time-optimal control of the bending of a plane two-link mechanism, J Appl Math Mech 60(2) 243-251 (1996), 3A91
Experimental analysis of post-buckling and collapse behavior of thin-walled box-section beam, Thin-Walled Struct 26(4) 287-314 (Dec 1996), 4A612
Local fracture mechanics analysis of stringer pull-off and delamination in a post-buckled compression panel, Appl Composite Mat 3(4) 249-264 (1996), 5A676
Global buckling load of a nonlinearly elastic bar, Acta Mech 119(1-4) 229-234 (1996), 6A601
Noise-induced snap-through of a buckled column with continuously distributed mass: A chaotic dynamics approach, Int J Non-Linear Mech 31(6) 861-869 (Nov 1996), 7A538
Postbuckling analysis of composite laminates with a delamination, Comput Struct 62(6) 975-983 (Mar 1997), 7A539
Post-buckling analysis of imperfect stiffened laminated cylindrical shells under combined external pressure and axial compression, Comput Struct 63(2) 335-348 (Apr 1997), 8A594
Postbuckling and vibration of shear deformable flat and curved panels on a nonlinear elastic foundation, Int J Non-Linear Mech 32(2) 211-225 (Mar 1997), 8A595
Remarks on secondary bifurcation in elastic systems with double Z,-symmetries, Mech Res Commun 24(1) 17-26 (Jan-Feb 1997), 8T596
Thermal postbuckling analysis of imperfect stiffened laminated cylindrical shells, Int J Non-Linear Mech 32(2) 259-275 (Mar 1997), 8A597
Vibration behaviors of thermally postbuckled anisotropic plates using first-order shear deformable plate theory, Comput Struct 63(3) 371-378 (May 1997), 9A582
Thermal post-buckling analysis of imperfect shear-deformable plates on two-parameter elastic foundations, Comput Struct 63(6) 1187-1193 (Jun 1997), 10A657
Thermomechanical postbuckling of stiffened laminated cylindrical shell, J Eng Mech 123(5) 433-443 (May 1997), 11A537
Nonlinear theory of multilayer sandwich shells and its application - III: Large deflection and post-buckling of shallow shells, Appl Math Mech 18(4) 321-329 (Apr 1997), 12A629
Post-collapse bifurcation analysis of shells of revolution by the accumulated arc-length method, Int J Numer Methods Eng 40(13) 2369-2383 (Jul 1997), 12A644

262D. Imperfection sensitivity

Imperfection sensitivity due to the elastic moduli in the Roorda-Koiter frame, Chaos Solitons Fractals 7(8) 1179-1186 (Aug 1996), 3A547
Thermomechanical postbuckling of imperfect moderately thick plates on nonlinear elastic foundations, Mech Struct Machines 24(4) 513-530 (1996), 6A602
Imperfection sensitivity of shear deformable moderately thick laminated cylindrical shells, Comput Struct 62(1) 165-174 (Jan 1997), 7A540
Imperfection sensitivity of structures with semi-rigid joints, Thin-Walled Struct 27(2) 187-201 (Feb 1997), 8A598
Parameter sensitivity of inelastic buckling and post-buckling response, Comput Methods Appl Mech Eng 145(3-4) 239-262 (Jun 1997), 11A524
Perturbation method for the determination of the buckling strength of imperfection-sensitive structures, Comput Methods Appl Mech Eng 145(3-4) 203-215 (Jun 1997), 11A525
Method for determining the lower bound dynamic buckling loads of imperfection-sensitive structures, Z Angew Math Mech 77(6) 447-456 (1997), 12A662

262E. Columns and beams

Buckling of a beam subjected to electromagnetic force and its stabilization by controlling the perturbation of the bifurcation, Nonlinear Dyn 10(3) 271-285 (Jul 1996), 1A114
Partially embedded piles subjected to critical buckling load: Sensitivity analysis, Comput Struct 61(1) 193-196 (Aug 1996), 1A591
Natural frequencies and buckling loads of beam-columns stiffened by rings, Appl Math Model 20(9) 646-653 (Sep 1996), 2A123
Theoretical study of ultimate load of locally buckled stub columns loaded eccentricity, J Construct Steel Res 38(3) 239-255 (Jul 1996), 2A512
Braced, partially braced and unbraced columns: Complete set of classical stability equations, Struct Eng and Mech 4(4) 365-381 (Jul 1996), 2A513
Construction of branching solutions under study of stability of curvilinear rods (Russian), Prikl Mekh (Appl Mech) 32(5) 58-68 (1996), 2A514
Nonprismatic beam and column design tables: For nonlinear analysis, Asian J Struct Eng 1(4) 337-349 (1995), 2A515
Stabilization of nonstationary parametric main resonance of a laminated angle-ply column, Comput Struct 61(4) 695-703 (Nov 1996), 3A151
Buckling analysis of curved beams by FE discretization, J Eng Mech 122(8) 762-770 (Aug 1996), 3A548
Buckling analysis of elastic space rods under torsional moment, J Eng Mech 122(9) 826-833 (Sep 1996), 3A549
Buckling modes at coincident singularities of stiffness matrix, J Eng Mech 122(8) 804-806 (Aug 1996), 3A550
Lateral distortional buckling of monosymmetric beams under point load, J Eng Mech 122(10) 1022-1029 (Oct 1996), 3A551
Parametric instability of a dual-cored sandwich beam, Comput Struct 61(4) 665-671 (Nov 1996), 3A552
Restraint demand factors and effective lengths of braced columns, J Struct Eng 122(10) 1216-1224 (Oct 1996), 3A553
Structural Stability Research Council: Link between research and practice, Eng Struct 18(10) 745-825 (Oct 1996), 3A554
Nonlinear behavior of composite columns under varying load histories, J Eng Mech 122(8) 743-752 (Aug 1996), 3A772
Experimental analysis of post-buckling and collapse behavior of thin-walled box-section beam, Thin-Walled Struct 26(4) 287-314 (Dec 1996), 4A612
Critical Euler load for a cantilever tapered beam, J Theor Appl Mech 34(4) 843-851 (1996), 4T613
Parametric instability of viscoelastic nonlinear (elastica) columns, Eng Trans 44(2) 157-167 (1996), 4T614
Stability of a self-gravitating rod, Mech Solids 31(2) 157-159 (1996), 4A615
Stability of rectilinear beams under compression-torsion with allowance for finite torsional rigidity, Mech Solids 31(2) 152-156 (1996), 4A616
Tapered thin open section beams on elastic foundation - I: Buckling analysis, Comput Struct 61(5) 845-857 (Dec 1996), 4A617
Analysis for imperfect sensitivity of a superconducting rod, Acta Mech Solida Sinica 9(3) 236-245 (1996), 4A631
Dynamic stability of a viscoelastic beam subjected to harmonic and parametric excitations simultaneously, J Sound Vib 198(1) 1-16 (Nov 1996), 5A491
Vibration and stability of an elastic column subject to a generalized load, Arch Appl Mech 67(1-2) 105-116 (Dec 1996), 6A157
Global buckling load of a nonlinearly elastic bar, Acta Mech 119(1-4) 229-234 (1996), 6A601
Buckling of moderately thick orthotropic columns: Comparison of an elasticity solution with the Euler and Engesser-Haringx-Timoshenko formula, Int J Solids Struct 34(3) 341-357 (Jan 1997), 6A603
Elastic-plastic dynamic buckling analysis of steel circular pier (Japanese), Proc JSCE 549(I-37) 205-219 (Oct 1996), 6A604
Finite element method and analytical solutions for buckling of nonlinear masonry members, J Struct Eng 123(1) 104-111 (Jan 1997), 6A605
Improved frame stability analysis with effective lengths, J Struct Eng 122(11) 1275-1283 (Nov 1996), 6A606
Local buckling of delaminated sandwich beams using continuous analysis, Int J Solids Struct 34(2) 275-288 (Jan 1997), 6A607
Multiple K-factors of a leaning column, Eng Struct 19(1) 50-54 (Jan 1997), 6A608
Postbuckling of 1D elements with thin-walled angle section using simplified models, Mech Struct Machines 24(4) 475-497 (1996), 6A609
Prediction of buckling load of columns using artificial neural networks, J Struct Eng 122(11) 1385-1387 (Nov 1996), 6A610
Twisted axially loaded rod with shear and compressibility, Acta Mech 119(1-4) 119-130 (1996), 6A611
Buckling of poroelastic columns with axial diffusion, Int J Mech Sci 39(4) 409-415 (Apr 1997), 7A541
Galerkin procedure for localized buckling of a strut on a nonlinear elastic foundation, Int J Solids Struct 34(6) 727-739 (Feb 1997), 7A542
Singular points of the creep deformation and buckling of a column, Int J Eng Sci 35(3) 221-227 (Feb 1997), 7A543
Initial post-buckling behavior of piles partially embedded in soil, Comput Struct 62(5) 831-835 (Mar 1997), 7A578
Column curves of steel-concrete composite members, J Construct Steel Res 39(2) 121-135 (Sep 1996), 7A820
Buckling of an elastic rotating beam, Eur J Mech A 16(2) 307-324 (1997), 8A599
Instability of a nonlinearly elastic beam under tension, J Appl Math Mech 60(5) 777-788 (1996), 8A600
Buckling of piles with general power distribution of lateral subgrade reaction, J Geotech Geoenv Eng 123(2) 123-130 (Feb 1997), 8A660
Analysis of behavior of stone columns and lime columns, Comput Geotech 20(1) 47-70 (1997), 8A685
Modeling of cold-formed purlin-sheeting systems - Part 1: Full model, Thin-Walled Struct 27(3) 223-243 (Mar 1997), 8A928
Buckling analysis of continuous welded rail track, Heron 41(3) 175-186 (1996), 9A583
Buckling mode localization in nonhomogeneous beams on elastic foundations, Chaos Solitons Fractals 8(3) 411-431 (Mar 1997), 9A584
Global stability of a thick solid supported by elastica columns, J Eng Mech 123(3) 287-289 (Mar 1997), 9A585
Investigation of the stability of elastic and viscoelastic rods under a stochastic excitation, Int J Solids Struct 34(11) 1367-1377 (Apr 1997), 9A586
Dynamic analysis of arrest of buckle propagation on a beam on a nonlinear elastic foundation by FEM, Acta Mech Solida Sinica 10(1) 28-35 (1997), 10A658
Post buckling analysis of imperfect nonlinear viscoelastic columns, Int J Solids Struct 34(14) 1751-1760 (May 1997), 10A659
Cyclic nonlinear model for concrete-filled tubes - I: Formulation, J Struct Eng 123(6) 736-744 (Jun 1997), 11A13
Cyclic nonlinear model for concrete-filled tubes - II: verification, J Struct Eng 123(6) 745-754 (Jun 1997), 11A14
Bending strength of steel beams with corrugated webs, J Struct Eng 123(6) 772-782 (Jun 1997), 11A500
Buckling of beam-plates having multiple delaminations, J Composite Mat 31(10) 1002-1025 (1997), 11A526
Girders with corrugated webs under partial compressive edge loading, J Struct Eng 123(6) 783-791 (Jun 1997), 11A527
Lateral-distortional buckling of hollow flange beams, J Struct Eng 123(6) 695-702 (Jun 1997), 11A528
Lateral-torsional buckling of monosymmetric I-beams with compact section (Japanese), Proc JSCE 563(139) 11-22 (Apr 1997), 11A529
Stability of steel columns in case of fire: Numerical modeling, J Struct Eng 123(6) 713-720 (Jun 1997), 11A530
Comparison of tests of bridged and unbridged purlins with a nonlinear analysis model, J Construct Steel Res 41(2-3) 197-220 (Feb-Mar 1997), 12A605
Elastic buckling of end-loaded, tapered, cantilevered beams with initial curvature, Struct Eng and Mech 5(3) 257-268 (May 1997), 12A645
Elastic distortional buckling of continuous I-beams, J Construct Steel Res 41(2-3) 249-266 (Feb-Mar 1997), 12A646
Elastic distortional buckling of tapered composite beams, Struct Eng and Mech 5(3) 269-281 (May 1997), 12A647
Local buckling behavior of polygonal sections, J Construct Steel Res 41(2-3) 221-233 (Feb-Mar 1997), 12A648
Local buckling of thin-walled circular steel sections with or without internal restraint, J Construct Steel Res 41(2-3) 137-157 (Feb-Mar 1997), 12A649
Nonlinear cyclic stress-strain relationship of reinforcing bars including buckling, Eng Struct 19(10) 822-826 (Oct 1997), 12A650
Post-buckling of a clamped-simply supported elastica, Int J Non-Linear Mech 32(6) 1115-1122 (Nov 1997), 12A651
Stability of columns in unbraced frames, J Struct Eng 123(7) 952-957 (Jul 1997), 12A652
Design of single and multiple angle columns and beams, J Struct Eng 123(7) 847-856 (Jul 1997), 12A912

262F. Rings and arches

Comparison of critical own weights and different critical pressures acting on circular arches, Indust Math 46(1) 73-76 (1996), 6A612
Flexural-torsional buckling analysis of arches with warping using DQM, Eng Struct 19(3) 247-254 (Mar 1997), 7A544
Looping behavior of arches using corotational FE, Comput Struct 62(6) 1059-1071 (Mar 1997), 7A545
Buckling of helical springs under combined compression and torsion, Int J Mech Sci 39(6) 697-704 (Jun 1997), 8A601
Elastic arches with large elevation: Singularly perturbed problem of nonlinear elasticity, J Elast 45(3) 153-214 (Dec 1996), 9A432
Shell restraint to ring buckling at cone-cylinder intersections, Eng Struct 19(6) 425-431 (Jun 1997), 9A587

262G. Framed structures

Application of the new method of stiffness distribution to computation of effective length of columns in multistory frames (Polish), Inzynieria Budownictwo 52(8) 461-465 (1996), 2A516
Semi-analytical method for the analysis of the interactive buckling of thin-walled elastic structures in the second order approximation, Int J Solids Struct 33(25) 3779-3790 (Oct 1996), 2A517
Stability of shear deformable thin-walled space frames and circular arches, J Eng Mech 122(9) 844-854 (Sep 1996), 3A555
Stability Design of Semi-Rigid Frames (Wiley, New York, 1996) 4R12
Prediction of hypersonic shock-wave and turbulent boundary-layer interactions, J Spacecraft Rockets 33(5) 614-619 (Sep-Oct 1996), 4A618
Sensitivity analysis of buckling loads of physically nonlinear frames using dynamic and static criteria, Appl Math Comp Sci 6(2) 291-302 (1996), 4A619
Study on the instability problem for 2D-frames, Comput Methods Appl Mech Eng 136(3-4) 347-361 (Sep 1996), 4A620
Analysis of 3D frames of rectilinear anisotropic bars, Mech Solids 31(3) 108-116 (1996), 5A45
Steel and aluminum structures, Thin-Walled Struct 27(1) 3-126 (Jan 1997), 5A490
Effects of member buckling and yielding on ultimate strengths of space trusses, Eng Struct 19(2) 179-191 (Feb 1997), 6A613
Behavior of pipes with a circular hole subjected to compressive loading, Strain 33(1) 21-27 (Feb 1997), 9A20
Postcritical imperfection-sensitive buckling and optimal bracing of large regular frames, J Struct Eng 123(4) 513-522 (Apr 1997), 9A588
Primary bending effect and the buckling boundary-value problem in elastic framed structures, Eng Struct 19(6) 432-438 (Jun 1997), 9A589
Some remarks concerning the stability of guyed masts (Polish), Inzynieria Budownictwo 52(10) 586-589 (1996), 9A590
Further studies of practical advanced analysis for weak-axis bending, Eng Struct 19(6) 407-416 (Jun 1997), 9A902
Topology optimization of trusses with local stability constraints and multiple loading conditions: A heuristic approach, Struct Optim 13(2-3) 155-166 (Apr 1997), 10A913
Stability design of steel plane frames by second-order elastic analysis, Eng Struct 19(8) 617-627 (Aug 1997), 10A953
Inelastic buckling of concrete column in braced frame, J Struct Eng 123(5) 634-642 (May 1997), 11A531
Story stability of braced partially braced, and unbraced frames: Classical approach, J Struct Eng 123(6) 799-807 (Jun 1997), 11A532
K-Factors for braced frames, Eng Struct 19(9) 760-763 (Sep 1997), 11A804
Shakedown analysis for trusses and frames, J Appl Mech 64(2) 415-419 (Jun 1997), 12A880

262H. Plates

Plastic bending of clamped polygonal plates with an application to radial buckling in milk bottle tops, Int J Mech Sci 38(11) 1187-1196 (Nov 1996), 1A563
Buckling and post-buckling analysis of moderately thick laminated rectangular plates, Comput Struct 61(1) 79-86 (Aug 1996), 1A592
Curves for natural frequencies of axially compressed prismatic plate assemblies, J Sound Vib 194(1) 13-24 (Jul 1996), 1A593
Destruction of expanded plates with a marginal crack with account of preliminary local loss of stability (Russian), Prikl Mekh (Appl Mech) 32(2) 59-63 (1996), 1T594
Stability and strength analysis of glass wall systems stiffened by glass fins, Finite Elements Anal Des 23(1) 57-75 (Aug 1996), 1A595
Stability of composite structures, Composite Struct 35(1) 1-130 (May 1996), 2A443
Post-buckling behavior of plates under stress gradient, Struct Eng and Mech 4(4) 397-413 (Jul 1996), 2A510
Buckling behavior of plates partially restrained against rotation under stress gradient, Struct Eng and Mech 4(4) 383-396 (Jul 1996), 2A518

Dynamic buckling of long thin elastic plate under rapidly applied shear loading, AIAA J **34**(8) 1752-1755 (Aug 1996), 2T519

Stability of shear deformable thin-walled space frames and circular arches, J Eng Mech **122**(9) 844-854 (Sep 1996), 3A555

Analysis of plastic buckling of steel plates in shear based on the Tresca yield criterion, Int J Solids Struct **33**(26) 3903-3923 (Nov 1996), 3A556

Buckling and postbucking of shear-deformable rectangular plates of composite construction, Thin-Walled Struct **26**(3) 213-221 (Nov 1996), 3A557

Error estimation for plate buckling elements, Comput Struct **61**(4) 747-761 (Nov 1996), 3A558

Exact buckling solutions for composite laminates: Proper free edge conditions under in-plane loadings, Acta Mech **117**(1-4) 115-128 (1996), 3A562

Determination of effective breadth and effective width of stiffened plates by finite strip analyses, Thin-Walled Struct **26**(4) 261-286 (Dec 1996), 4A15

Dynamic instability of plates made of nonlinear viscoelastic materials, Eng Trans **44**(2) 169-180 (1996), 4A597

Analysis of axisymmetric buckling and growth of circular-shaped delamination, Acta Mech Solida Sinica **9**(3) 201-209 (1996), 4A621

Local buckling of cracked and pin-loaded plates, AIAA J **34**(10) 2171-2175 (Oct 1996), 4A622

Stability and failure of symmetrically laminated plates, Struct Eng and Mech **4**(5) 485-496 (Sep 1996), 4A623

Eigenvalue solutions predicting the wrinkling of rectangular webs under nonlinearly distributed edge loading, J Sound Vib **197**(2) 179-189 (Oct 1996), 5A105

Steel and aluminum structures, Thin-Walled Struct **27**(1) 3-126 (Jan 1997), 5A490

FE-FD model for magnetoelastic buckling of ferromagnetic plates, Comput Struct **61**(6) 1115-1123 (Dec 1996), 5A492

Experimental snap-through boundaries for acoustically excited, thermally buckled plates, Exp Mech **36**(4) 312-317 (Dec 1996), 5A1297

Buckling of circular, annular plates of non-uniform thickness, Ocean Eng **24**(1) 51-61 (Jan 1997), 6A614

Buckling response of symmetric laminated plates, Mech Struct Machines **24**(4) 439-452 (1996), 6A615

Theoretical model of magnetoelastic buckling for soft ferromagnetic thin plates, Acta Mech Sinica **12**(3) 213-224 (1996), 6A616

Use of bubble functions for the stability of plates with different end conditions, Eng Struct **19**(2) 151-161 (Feb 1997), 6A617

Vibration and stability of simply supported elliptical plates, AIAA J **34**(12) 2637-2639 (Dec 1996), 6T618

Stability and vibration of initially stressed plates composed of spatially distributed fiber composites, J Sound Vib **199**(1) 51-69 (Jan 1997), 6A627

Buckling instabilities of thick elastic plates subjected to in-plane stresses, Comput Struct **62**(1) 205-214 (Jan 1997), 7A546

Failure mechanisms of composite plates with a circular hole under remote biaxial planar compressive loads, J Eng Mat Tech **119**(1) 56-64 (Jan 1997), 7A547

Optimal design of symmetrically laminated plates for maximum buckling temperature, J Thermal Stresses **20**(1) 21-33 (Jan-Feb 1997), 7A548

Bifurcation theory for a nonconvex unilateral laminated plate problem formulated as a hemivariational inequality involving a potential operator, Z Angew Math Mech **77**(1) 45-51 (1997), 8A73

Buckling load relationship between Reddy and Kirchhoff plates of polygonal shape with simply supported edges, Mech Res Commun **24**(1) 103-108 (Jan-Feb 1997), 8T602

Effect of lateral restraint on the buckling behavior of plates under non-uniform edge compression, Struct Eng and Mech **5**(1) 85-104 (Jan 1997), 8A603

Efficient multi-level substructuring with constraints for buckling and vibration analysis of prismatic plate assemblies, Int J Mech Sci **39**(7) 795-805 (Jul 1997), 8A604

Elastic behavior of multi-stiffened plates under uniform compression, Thin-Walled Struct **27**(4) 311-335 (Apr 1997), 8A605

Finite deflection and snapping of thin elastic flat panels, J Appl Math Mech **60**(5) 851-861 (1996), 8A606

Local plastic mechanisms in thin steel plates under in-plane compression, Thin-Walled Struct **27**(3) 245-261 (Mar 1997), 8A607

Vibration, buckling, and parametric instability behavior of plates with centrally located cutouts subjected to in-plane edge loading (tension or compression), Thin-Walled Struct **27**(4) 287-310 (Apr 1997), 8A608

Stability, free vibration, and bending behavior of multistiffened plates, J Eng Mech **123**(4) 328-337 (Apr 1997), 9A138

Bulging of flexible plates under effect of lateral and longitudinal loads (Russian), Prikl Mekh (Appl Mech) **32**(9) 80-87 (1996), 9T591

Plate stability under local heating (Russian), Prikl Mekh (Appl Mech) **32**(9) 72-79 (1996), 9T592

Analytic and FE solutions for bending and buckling of orthotropic rectangular plates, Int J Solids Struct **34**(14) 1797-1822 (May 1997), 10A634

Biaxial buckling and post-buckling of composite laminated plates on two-parameter elastic foundations, Comput Struct **63**(6) 1177-1185 (Jun 1997), 10A660

Buckling behavior of composite panels using the FEM, Composite Struct **36**(1-2) 33-43 (Sep-Oct 1996), 11A12

Vibration and buckling analysis of rectangular plates with nonlinear elastic end restraints against rotation, Int J Solids Struct **34**(18) 2291-2301 (Jun 1997), 11A130

Corrugated webs in plate girders for bridges, Proc Inst Civil Eng Struct Build **122**(2) 157-164 (May 1997), 11A533

Finite element solution of the stability problem for nonlinear undamped and damped systems under nonconservative loading, Int J Solids Struct **34**(19) 2497-2516 (Jul 1997), 11A534

Local flange buckling in plate girders with corrugated webs, Proc Inst Civil Eng Struct Build **122**(2) 148-156 (May 1997), 11A535

Stochastic resistance of square plate under uniaxial compression, Eng Struct **19**(10) 827-833 (Oct 1997), 12A653

Thermal stability of a round orthotropic plate with a hole (Russian), Prikl Mekh (Appl Mech) **33**(2) 68-73 (1997), 12A654

262I. Shells

Post-buckling axisymmetric deflections of thin shells of revolution under axial loading, Tech Mech **16**(2) 117-130 (1996), 1A590

Two methods of calculations for stability of shells with multimodal imperfections (Russian), Prikl Mekh (Appl Mech) **32**(1) 25-30 (1996), 1A596

Criterion approach in the investigation of dynamic snap-through buckling of a panel, Mech Solids **31**(1) 132-140 (1996), 1A599

Buckling experiments on damaged cylindrical shells, Int J Solids Struct **33**(24) 3539-3548 (Oct 1996), 2A520

Buckling of cylindrical shells under external pressure proposition of a new shape of self-stiffened shell, Struct Eng and Mech **4**(4) 451-460 (Jul 1996), 2A521

Further experimental investigation on the eccentricity factor in the progressive crushing of tubes, Int J Solids Struct **33**(24) 3517-3538 (Oct 1996), 2A522

Small deformations superimposed upon the symmetrical expansion of a spherical shell, Quart J Mech Appl Math **49**(3) 337-351 (Aug 1996), 2A523

Stability and oscillations of heated spherical shells (Russian), Prikl Mekh (Appl Mech) **32**(3) 34-38 (1996), 2A524

Stability of orthotropic spherical shell of imperfect shape (Russian), Prikl Mekh (Appl Mech) **32**(3) 46-51 (1996), 2T525

Stability of spherical belts under the effect of external pressure (Russian), Prikl Mekh (Appl Mech) **32**(3) 52-56 (1996), 2A526

Vibration and elastic instability of thin-walled domes under uniform external pressure, Thin-Walled Struct **26**(3) 159-177 (Nov 1996), 3A168

Buckling of complex toroidal shell structures, Thin-Walled Struct **26**(3) 195-212 (Nov 1996), 3A559

Localization of axisymmetric buckling patterns of cylindrical shells under cyclic loading (Japanese), Proc JSCE **543**(I-36) 41-53 (Jul 1996), 3A560

Solution of mode jumping phenomena in thin-walled shell structures, Comput Methods Appl Mech Eng **136**(1-2) 59-92 (Sep 1996), 3A561

Analysis of the effect of interaction between shear and bending load on the buckling strength of cylindrical shells, Nucl Eng Des **165**(1-2) 111-141 (Aug 1996), 4A624

Effect of lamination constitution on buckling of angle-ply laminated cylindrical shells under bending (Japanese), J Soc Mat Sci Japan **45**(8) 888-892 (Aug 1996), 4A625

Analysis for plastic buckling of thin-walled cylinders via non-classical constitutive theory of plasticity, Int J Solids Struct **33**(30) 4495-4509 (Dec 1996), 5A493

Nonlinear dynamic buckling of a cylindrical shell panel model, AIAA J **34**(11) 2421-2428 (Nov 1996), 5A494

Study on the buckling of rectangular bellows under pressure loads, J Pressure Vessel Tech **118**(4) 491-495 (Nov 1996), 5A495

Analysis of the effect of interaction between shear and bending loads on the buckling strength of cylindrical shells, Nucl Eng Des **167**(1) 23-53 (Nov 1996), 6A619

Buckling behavior of polyethylene liner system, J Mat in Civil Eng **8**(4) 201-206 (Nov 1996), 6A620

Elastic instability of thin cylindrical shells: Numerical and experimental investigation, Ocean Eng **24**(2) 133-160 (Feb 1997), 6A621

Distinctive features of counter-intuitive behavior of plates and shells after removal of impulse load, Int J Impact Eng **19**(2) 175-187 (Feb 1997), 7A140

Effect of vertical seismic load on shear-bending buckling strength of thin cylindrical shells, JSME Int J Ser C **39**(4) 687-695 (Dec 1996), 7A549

Instability of a curved pipe under three-point bending, Int J Pressure Vessels Piping **70**(2) 91-96 (Feb 1997), 7A550

Multiobjective design of laminated cylindrical shells for maximum torsional and axial buckling loads, Comput Struct **62**(2) 237-242 (1997), 7A551

Influence of radial edge constraint on the stability of stiffened conical shells in compression, Thin-Walled Struct **27**(2) 147-163 (Feb 1997), 8A19

Buckling analysis of thick-walled composite pipe under torsion, J Pressure Vessel Tech **119**(1) 111-121 (Feb 1997), 8A609

Buckling optimization of hybrid-fiber multilayer-sandwich cylindrical shells under external lateral pressure, Composites Sci Tech **56**(12) 1349-1353 (Dec 1996), 8A610

Elastic, plastic, and creep buckling of imperfect cylinders under mechanical and thermal loading, J Pressure Vessel Tech **119**(1) 27-36 (Feb 1997), 8A611

Performance of integral buckle arrestors for offshore pipelines, Int J Mech Sci **39**(6) 643-669 (Jun 1997), 8A612

Experimental study of stability of ribbed shells: Survey (Russian), Prikl Mekh (Appl Mech) **32**(9) 3-15 (1996), 9T563

Study of the effect of low perturbing actions on the shell stability (Russian), Prikl Mekh (Appl Mech) **32**(9) 59-65 (1996), 9T593

Buckling of isotropic and orthotropic cylinders under induced moments, Int J Solids Struct **34**(15) 1915-1923 (May 1997), 10A661

Dynamic stability of activated composite shells, Facta Univ Mech Auto Control Robotic **2**(6) 69-81 (1996), 10A662

Inelastic general instability of ring-stiffened circular cylinders and cones under uniform external pressure, Struct Eng and Mech **5**(2) 193-207 (Mar 1997), 10A663

Snap-buckling of dished shallow shells under uniform loads, Appl Math Mech **18**(1) 29-36 (Jan 1997), 10A664

Buckling behavior of composite panels using the FEM, Composite Struct **36**(1-2) 33-43 (Sep-Oct 1996), 11A12

Stability of imperfect steel conical tanks under hydrostatic loading, J Struct Eng **123**(6) 703-712 (Jun 1997), 11A536

Thermomechanical postbuckling of stiffened laminated cylindrical shell, J Eng Mech **123**(5) 433-443 (May 1997), 11A537

Finite element analysis of wrinkling membranes, J Appl Mech **64**(2) 263-269 (Jun 1997), 12A31

Analytical solutions of stability problem for shells close to cylindrical in their shape (Russian), Prikl Mekh (Appl Mech) **33**(3) 53-57 (1997), 12A655

Stability of the shells in a rigid casing, Prikl Mekh (Appl Mech) **33**(4) 48-53 (1997), 12T656

Torsional instability of moderately thick composite cylindrical shells by various shell theories, AIAA J **35**(7) 1243-1246 (Jul 1997), 12A657

262J. Pipes and pressure vessels

Stability of composite structures, Composite Struct **35**(1) 1-130 (May 1996), 2A443

Nonlinear analysis of imperfect metallic and laminated cylinders under bending loads, AIAA J **34**(11) 2406-2413 (Nov 1996), 5A479

Calculation of forced vibration in flexible metallic pipelines, J Machinery Manuf Reliab **3** 23-28 (1996), 8A413

Buckling analysis of thick-walled composite pipe under external pressure, J Composite Mat **31**(4) 409-426 (1997), 9A594

Crossover of integral-ring buckle arrestor: Computational results, J Eng Mech **123**(4) 359-366 (Apr 1997), 9A595

Experimental study on earth pressure on and deformation of buried flexible pipes (Japanese), Proc JSCE **561**(III-38) 245-255 (Mar 1997), 10A965

Reliability-based calibration study for upheaval buckling of pipelines, J Offshore Mech Arctic Eng **119**(3) 203-208 (Aug 1997), 12A902

262K. Stiffened and anisotropic structures

Supporting power of flexible thin walled reinforced prismatic folded systems (Russian), Prikl Mekh (Appl Mech) **32**(2) 33-40 (1996), 1T566

Inelastic analysis of panel collapse by stiffener buckling, Comput Struct **61**(1) 107-117 (Aug 1996), 1A597

Buckling and initial post-buckling of thin-walled composite beams, Mech Composite Mat Struct **3**(3) 201-223 (Sep 1996), 2A527

Buckling and postbuckling of shear-deformable rectangular plates of composite construction, Thin-Walled Struct **26**(3) 213-221 (Nov 1996), 3A557

Exact buckling solutions for composite laminates: Proper free edge conditions under in-plane loadings, Acta Mech **117**(1-4) 115-128 (1996), 3A562

Influence of stiffener location on the stability of stiffened plates under compression and in-plane bending, Int J Mech Sci **39**(1) 33-49 (Jan 1997), 3A563

Local buckling of curved I-girder flanges, J Struct Eng **122**(8) 936-947 (Aug 1996), 3A564

Three-dimensional failure analysis of composite masonry walls, J Struct Eng **122**(9) 1031-1039 (Sep 1996), 3A565

Determination of effective breadth and effective width of stiffened plates by finite strip analyses, Thin-Walled Struct **26**(4) 261-286 (Dec 1996), 4A15

Single fiber microbuckling in a model composite, J Composite Mat **30**(17) 1912-1921 (1996), 5A496

Effect of delamination on buckling behavior of quasi-isotropic laminates, J Reinforced Plastics Composites **15**(12) 1262-1277 (Dec 1996), 6A622

Effect of interfacial imperfection on buckling and bending behavior of composite laminates, AIAA J **34**(12) 2590-2595 (Dec 1996), 6A623

Growth of thin delaminations in laminate composite beams under cyclic bending, Mech Composite Mat Struct **3**(4) 275-295 (Dec 1996), 6A624

Numerical modeling of buckling of ring-stiffened cylinders, AIAA J **35**(1) 187-195 (Jan 1997), 6A625

Three-dimensional effects in fiber-reinforced composites under compression, Composites Sci Tech **56**(10) 1113-1118 (Oct 1996), 7A475

Influence of radial edge constraint on the stability of stiffened conical shells in compression, Thin-Walled Struct **27**(2) 147-163 (Feb 1997), 8A19

Kink band analysis accounting for the microstructure of fiber reinforced materials, Mech Mat **24**(4) 305-315 (Dec 1996), 8A545

Microbuckle propagation in fiber composites, Acta Mat **45**(3) 921-932 (Mar 1997), 8A547

Influence of interfacial debonding and free edges upon compressive strength of unidirectional FRP composites, J Thermoplastic Composite Mat **10**(2) 108-123 (Mar 1997), 9A491

Three-dimensional micromechanical model of the compressive behavior of unidirectional FRP composites, J Thermoplastic Composite Mat **10**(2) 173-184 (Mar 1997), 9A516

Collapse analysis of ring-stiffened cylinders using ring elements, J Eng Mech **123**(4) 367-375 (Apr 1997), 9A596

Failure of composite stiffened plates loaded in compression, J Reinforced Plastics Composites **16**(4) 332-340 (1997), 10A665

Sublaminate buckling and compression strength of stitched uniweave graphite-epoxy laminates, J Reinforced Plastics Composites **16**(5) 425-434 (1997), 10A666

Optimization for buckling of composite sandwich plates, AIAA J **35**(5) 863-868 (May 1997), 10A904

Thermomechanical postbuckling of stiffened laminated cylindrical shell, J Eng Mech **123**(5) 433-443 (May 1997), 11A537

Maximum buckling loads for unsymmetric thin hybrid laminates under in-plane and shear forces, Composite Struct **36**(1-2) 1-11 (Sep-Oct 1996), 11A538

Garteur "damage tolerance", Composite Struct **36**(3-4) 173-275 (Nov-Dec 1996), 12A551

Microstructural stability of stressed lamellar and fiber composites, Acta Mat **45**(7) 2715-2733 (Jul 1997), 12A586

Buckling and postbuckling behavior of composite laminates with a delamination, Composites Sci Tech **57**(5) 557-564 (May 1997), 12A658

Post-buckling behavior of graphite-epoxy stiffened pancls with initial imperfections subjected to eccentric biaxial compression loading, Int J Non-Linear Mech **32**(6) 1017-1033 (Nov 1997), 12A659

Thermal post-buckling analysis of imperfect laminated plates using a higher-order shear deformation theory, Int J Non-Linear Mech **32**(6) 1035-1050 (Nov 1997), 12A660

262L. Dynamic stability

Buckling of a beam subjected to electromagnetic force and its stabilization by controlling the perturbation of the bifurcation, Nonlinear Dyn **10**(3) 271-285 (Jul 1996), 1A114

Torsional instabilities in a system incorporating a Hooke's joint, J Vib Acoust **118**(3) 368-374 (Jul 1996), 1A217

Perturbation stability of frictional sliding with varying normal force, J Vib Acoust **118**(3) 491-497 (Jul 1996), 1A219

Nonlinear dynamic buckling mechanism of autonomous dissipative and nondissipative discrete structural systems, Arch Appl Mech **66**(6) 395-408 (Jun 1996), 1A588

Characterization of torsional instabilities in a Hooke's joint driven system via maximal Lyapunov exponents, J Sound Vib **194**(1) 83-91 (Jul 1996), 1A598

Criterion approach in the investigation of dynamic snap-through buckling of a panel, Mech Solids 31(1) 132-140 (1996), 1A599
Multi-dof model for dynamic buckling of an elastic-plastic structure, Int J Solids Struct 33(23) 3377-3398 (Sep 1996), 1A600
Vibrations and elastic stability of thin circular plates with variable profile, J Sound Vib 195(3) 391-399 (Aug 1996), 2A141
Dynamic instability of a rotating asymmetric shaft with internal viscous damping, supported in anisotropic bearings, J Sound Vib 195(1) 75-84 (Aug 1996), 2A150
Mathematical analysis of stability of a spinning disk under rotating, arbitrarily large damping forces, J Vib Acoust 118(4) 657-662 (Oct 1996), 4A151
Stochastic stability of wind-excited long-span bridges, Probab Eng Mech 11(4) 257-261 (Oct 1996), 4A174
Almost sure stability of viscoelastic structural members driven by random loads, J Sound Vib 197(3) 293-307 (Oct 1996), 5A497
Dynamic instability characteristics of plates subjected to partially distributed follower edge loading with damping, Proc Inst Mech Eng C 210(C5) 445-452 (1996), 5A498
Elastic pulse buckling of cylindrical shells under radial impulsive loading, Appl Math Mech 17(8) 781-788 (Aug 1996), 5A499
Stability analysis and complex dynamics of a gear-pair system supported by a squeeze film damper, J Vib Acoust 119(1) 85-88 (Jan 1997), 6A626
Stability and vibration of initially stressed plates composed of spatially distributed fiber composites, J Sound Vib 199(1) 51-69 (Jan 1997), 6A627
Stability of a jointed free-free beam under end rocket thrust, J Sound Vib 199(1) 1-15 (Jan 1997), 6A628
Stability of a parametrically excited damped inverted pendulum, J Sound Vib 198(5) 643-650 (Dec 1996), 6A629
Dynamic buckling of a beam with transverse constraints, Nonlinear Dyn 11(4) 315-328 (Dec 1996), 7A97
Effect of vertical seismic load on shear-bending buckling strength of thin cylindrical shells, JSME Int J Ser C 39(4) 687-695 (Dec 1996), 7A549
Dynamic instability criteria for structures subjected to sudden step loads, Int J Pressure Vessels Piping 70(2) 121-126 (Feb 1997), 7A552
Dynamic instability of a transversely isotropic column subjected to a compression pulse, Comput Struct 62(5) 811-815 (Mar 1997), 7A553
Nonlinear dynamic buckling of multi-dof structural dissipative systems under impact loading, Int J Impact Eng 19(1) 63-80 (Jan 1997), 7A554
Qualitative criteria in nonlinear dynamic buckling and stability of autonomous dissipative systems, Int J Non-Linear Mech 31(6) 887-906 (Nov 1996), 7A555
Role of higher modes in the chaotic motion of the buckled beam - I, Int J Non-Linear Mech 31(6) 931-939 (Nov 1996), 7A556
Role of higher modes in the chaotic motion of the buckled beam - II, Int J Non-Linear Mech 31(6) 941-950 (Nov 1996), 7A557
Dynamic stability of spinning Timoshenko shafts with a time-dependent spin rate, J Sound Vib 199(3) 401-415 (Jan 1997), 8A162
Stability behavior of a non-conservative spinning Timoshenko shaft with an overhung disk, J Sound Vib 200(1) 41-61 (Feb 1997), 8A165
Dynamic buckling of an imperfect spherical shell under an axial impulse, Int J Non-Linear Mech 32(1) 201-209 (Jan 1997), 8A613
Experiments on the parametric vibration response of plates under tensile loading, Exp Mech 37(1) 56-61 (Mar 1997), 8A614
Global dynamic stability of a shallow arch by Poincare-like simple cell mapping, Int J Non-Linear Mech 32(2) 411-424 (Mar 1997), 8A615
Stability of a translating beam with fixed and moving viscous damping, J Sound Vib 199(4) 701-703 (Jan 1997), 8A616
Nonlinear Stability of Structures: Theory and Computational Techniques (Springer-Verlag, New York, 1995) 9R14
Criteria for occurrence of flutter instability before buckling in nonconservative dissipative systems, AIAA J 35(3) 509-518 (Mar 1997), 9A597
Dynamic instability of components in complex structures, Int J Solids Struct 34(17) 2199-2217 (Jun 1997), 10A667
Dynamic stability of a rectangular plate on non-homogeneous Winkler foundation, Comput Struct 63(6) 1213-1222 (Jun 1997), 10A668
Flutter of a cantilever rod with a relocatable lumped mass, Comput Methods Appl Mech Eng 144(1-2) 23-31 (May 1997), 10A669
Instability of lightly damped linear nonconservative systems, AIAA J 35(5) 901-908 (May 1997), 10A670
Strain-rate effects in the dynamic buckling of a simple elastic-plastic model, J Appl Mech 64(1) 193-200 (Mar 1997), 10A671
Finite element solution of the stability problem for nonlinear undamped and damped systems under nonconservative loading, Int J Solids Struct 34(19) 2497-2516 (Jul 1997), 11A534
Material instability in dynamical systems, Eur J Mech A 16(3) 501-513 (1997), 11A539
Nonlinear vibration and dynamic instability of thin shallow shells, J Sound Vib 202(3) 303-311 (May 1997), 12A196
Nonlinear dynamics of filaments - I: Dynamical instabilities, Physica D 105(1-3) 20-44 (Jun 1997), 12A642
Nonlinear dynamics of filaments - II: Nonlinear analysis, Physica D 105(1-3) 45-61 (Jun 1997), 12A643
Dynamic stability of a radially rotating beam subjected to base excitation, Comput Methods Appl Mech Eng 146(3-4) 265-279 (Jul 1997), 12A661
Method for determining the lower bound dynamic buckling loads of imperfection-sensitive structures, Z Angew Math Mech 77(6) 447-456 (1997), 12A662
Plastic dynamic stability of a column under nonconservative forces, Appl Math Mech 18(4) 399-405 (Apr 1997), 12A663

262M. Viscoelastic and creep buckling

Dynamic instability of plates made of nonlinear viscoelastic materials, Eng Trans 44(2) 169-180 (1996), 4A597
Stability of viscoelastic solid systems with monotone relaxation, Eur J Mech A 15(5) 787-797 (1996), 4A626
Creep buckling of ovalized tubes under external pressure, J Pressure Vessel Tech 118(4) 460-463 (Nov 1996), 5A500
Parametric stabilization of a viscoelastic beam subjected to a follower force, Mech Solids 31(3) 117-121 (1996), 5A501
Explicit stability conditions for viscoelastic structural members, J Vib and Control 3(2) 161-182 (May 1997), 10A579
Stability of elastic and viscoelastic systems under action of random stationary narrow-band loads, Int J Mech Sci 39(8) 935-942 (Aug 1997), 11A540

262N. Plastic and elastoplastic buckling

Plastic instability of anisotropic thin plates in the biaxial stress state (Spanish), J Brazilian Soc Mech Sci 18(2) 174-181 (Jun 1996), 1A601
Softening solids: Reality or misinterpretation?, Tech Mech 16(1) 89-96 (1996), 1A602
Plastic buckling paradox for cylindrical shells, Proc Inst Mech Eng C 210(C5) 477-488 (1996), 5A502
Adaptive meshing for dynamic strain localization, Comput Methods Appl Mech Eng 137(3-4) 285-306 (Nov 1996), 6A630
Automated band identification procedure for dynamic strain localization, Comput Methods Appl Mech Eng 137(3-4) 307-330 (Nov 1996), 6A631
Dynamic elastic-plastic buckling phenomena in a rod due to axial impact, Int J Impact Eng 18(7-8) 919-947 (Oct-Dec 1996), 6A632
Mixed displacement-pressure formulation for numerical analysis of plastic failure, Comput Struct 62(1) 13-23 (Jan 1997), 7A558
Strain-rate effects in the dynamic buckling of a simple elastic-plastic model, J Appl Mech 64(1) 193-200 (Mar 1997), 10A671
Out-of-plane buckling of fiber-reinforced thermoplastic sheets under homogeneous biaxial conditions, J Appl Mech 62(4) 834-840 (Dec 1995), 11A464
Inelastic buckling of concrete column in braced frame, J Struct Eng 123(5) 634-642 (May 1997), 11A531
Plastic buckling of T-beams under pure bending, J Eng Mech 123(5) 466-474 (May 1997), 11A541

262Y. Computational techniques

Two methods of calculations for stability of shells with multimodal imperfections (Russian), Prikl Mekh (Appl Mech) 32(1) 25-30 (1996), 1A596
Buckling of thin-walled compression members with shear lag using spline finite member element method, Comput Mech 18(2) 139-146 (Jun 1996), 1A603
Numerical methods for steady-state mode interactions, IMA J Numer Anal 16(3) 435-456 (Jul 1996), 1A604
Critical displacement approach for predicting structural instability, Comput Methods Appl Mech Eng 134(1-2) 135-161 (Jul 1996), 2A528
Koiter's analysis of thin-walled structures by a FE approach, Int J Numer Methods Eng 39(17) 3007-3031 (Sep 1996), 2A529
Buckling mode localization in randomly disordered continuous beams using a simplified model, Chaos Solitons Fractals 7(8) 1127-1144 (Aug 1996), 3A566
Compound branching in elastic systems, Comput Methods Appl Mech Eng 135(1-2) 187-200 (Aug 1996), 3A567
Nonlinear stability and bifurcation of the fork type in dynamical systems with the simplest symmetry, J Appl Math Mech 60(2) 323-327 (1996), 3A568
Stability Design of Semi-Rigid Frames (Wiley, New York, 1996) 4R12
Spline finite member element method for buckling of thin-walled members with any cross sections in pure bending, Comput Methods Appl Mech Eng 136(3-4) 259-271 (Sep 1996), 4A627
Buckling of plates with variable thickness: An analog equation solution, Eng Anal Boundary Elements 18(2) 149-154 (Sep 1996), 7A559
Passive control of buckling deformation via Anderson localization phenomenon, Chaos Solitons Fractals 8(1) 59-75 (Jan 1997), 7A560
Technique for computing failure probability of a structure using importance sampling, Comput Struct 62(4) 659-665 (Feb 1997), 7A561
Unified Timoshenko beam B-spline Rayleigh-Ritz method for vibration and buckling analysis of thick and thin beams and plates, Int J Numer Methods Eng 40(3) 473-491 (Feb 1997), 7A562
Imperfection sensitivity of structures with semi-rigid joints, Thin-Walled Struct 27(2) 187-201 (Feb 1997), 8A598
Computing Hopf bifurcations - I, SIAM J Numer Anal 34(1) 1-21 (Feb 1997), 8A617
Mode jumping and attractive paths in multimode elastic buckling, Int J Numer Methods Eng 40(5) 833-861 (Mar 1997), 8A618
Sign of the determinant of the structural stiffness matrix for determination of loading increment in arc-length algorithms, Commun Numer Methods Eng 13(1) 47-49 (Jan 1997), 8A619
Modification of the structural tangent stiffness due to nonlinear configuration-dependent conservative loading, Comp Assisted Mech Eng Sci 3(4) 367-388 (1996), 9A76
Automated solution procedures for negotiating abrupt nonlinearities and branch points, Eng Comput 14(1) 31-56 (1997), 9A598
Pinpointing bifurcation points and brand-switching, J Eng Mech 123(3) 179-189 (Mar 1997), 9A599
Instability of lightly damped linear nonconservative systems, AIAA J 35(5) 901-908 (May 1997), 10A670
Beam elements in instability problems, Comput Methods Appl Mech Eng 144(1-2) 163-197 (May 1997), 10A672
Lateral-distortional buckling of hollow flange beams, J Struct Eng 123(6) 695-702 (Jun 1997), 11A528
Stability of steel columns in case of fire: Numerical modeling, J Struct Eng 123(6) 713-720 (Jun 1997), 11A530
Story stability of braced partially braced, and unbraced frames: Classical approach, J Struct Eng 123(6) 799-807 (Jun 1997), 11A532
Elastic buckling of end-loaded, tapered, cantilevered beams with initial curvature, Struct Eng and Mech 5(3) 257-268 (May 1997), 12A645
Elastic distortional buckling of continuous I-beams, J Construct Steel Res 41(2-3) 249-266 (Feb-Mar 1997), 12A646
Elastic distortional buckling of tapered composite beams, Struct Eng and Mech 5(3) 269-281 (May 1997), 12A647
Post-buckling behavior of graphite-epoxy stiffened panels with initial imperfections subjected to eccentric biaxial compression loading, Int J Non-Linear Mech 32(6) 1017-1033 (Nov 1997), 12A659
Thermal post-buckling analysis of imperfect laminated plates using a higher-order shear deformation theory, Int J Non-Linear Mech 32(6) 1035-1050 (Nov 1997), 12A660
Nonlinear beam FE for the post-buckling analysis of plane frames by Koiter's perturbation approach, Comput Methods Appl Mech Eng 146(3-4) 325-349 (Jul 1997), 12A664

262Z. Experimental techniques

Experimental analysis of post-buckling and collapse behavior of thin-walled box-section beam, Thin-Walled Struct 26(4) 287-314 (Dec 1996), 4A612
Inelastic general instability of ring-stiffened circular cylinders and cones under uniform external pressure, Struct Eng and Mech 5(2) 193-207 (Mar 1997), 10A663
Local flange buckling in plate girders with corrugated webs, Proc Inst Civil Eng Struct Build 122(2) 148-156 (May 1997), 11A535
Plastic buckling of T-beams under pure bending, J Eng Mech 123(5) 466-474 (May 1997), 11A541
Post-buckling behavior of graphite-epoxy stiffened panels with initial imperfections subjected to eccentric biaxial compression loading, Int J Non-Linear Mech 32(6) 1017-1033 (Nov 1997), 12A659

264. ELECTROMAGNETO SOLID MECHANICS

Determination of the stress components of an array of piezoelectric sensors: A numerical study, Smart Mat Struct 6(2) 152-160 (Apr 1997), 10A673

264B. Continuum theory

Coupled electronic-dislocation bulk and surface waves in a deformable semiconductor, J Tech Phys 37(2) 169-186 (1996), 4A628
Generalized standard media and variational principles in classical and finite strain elastoplasticity, J Mech Phys Solids 45(5) 667-688 (May 1997), 11A1

264C. Magnetoelasticity

Plane boundary-value problems for the sine-Helmholtz equation in the theory of elasticity of liquid crystals in non-uniform magnetic fields, J Appl Math Mech 60(1) 75-83 (1996), 1A605
Nonlinear deformation of shells of revolution of arbitrary meridian in a nonsteady magnetic field (Russian), Prikl Mekh (Appl Mech) 32(3) 19-26 (1996), 2A478
Study of Green's tensor in magneto-viscoelastic media, Appl Math Lett 9(5) 111-115 (Sep 1996), 3A201
Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, Res Nondestructive Eval 8(2) 83-100 (1996), 4A629
Free and forced magneto-thermo-elastic vibrations in a conducting plate layer, J Thermal Stresses 19(7) 671-691 (Oct 1996), 5A106
FE-FD model for magnetoelastic buckling of ferromagnetic plates, Comput Struct 61(6) 1115-1123 (Dec 1996), 5A492
Theoretical model of magnetoelastic buckling for soft ferromagnetic thin plates, Acta Mech Sinica 12(3) 213-224 (1996), 6A616
Energy bounds in dynamical problems for a semi-infinite magnetoelastic beam, Z Angew Math Phys 47(6) 880-893 (Nov 1996), 6A633
Dissipation of energy for magnetoelastic waves in a conductive medium, Quart Appl Math 55(1) 23-39 (Mar 1997), 8A620
Longitudinal electromagnetic levitator, J Mat Processing Manuf Sci 5(1) 79-91 (Jul 1996), 8A621
Magneto-thermo-elastic interactions in an infinite isotropic elastic cylinder subjected to a periodic loading, Int J Eng Sci 35(4) 437-444 (Mar 1997), 8A622
Investigations of the nonlocal exchange energy model on a single body of ferromagnetic material, J Intelligent Mat Syst Struct 8(1) 80-89 (Jan 1997), 9A600
Complete solution of the linear magnetoelasticity and the magnetic fields in a magnetized elastic half-space, J Appl Mech 62(4) 930-934 (Dec 1995), 11A542
Propagation of magnetoelastic waves in regular-laminar media (Russian), Prikl Mekh (Appl Mech) 33(4) 35-40 (1997), 12T223
Surface magnetoelastic waves of shift on the interface of periodically laminated structure and metallized magnetoelastic ferrite (Russian), Prikl Mekh (Appl Mech) 33(2) 49-55 (1997), 12T224
Nonlinear deformation of a conical shell being in the magnetic field (Russian), Prikl Mekh (Appl Mech) 33(3) 58-63 (1997), 12A617
Decay and other estimates for a semi-infinite magnetoelastic cylinder: Saint-Venant's principle, Int J Non-Linear Mech 32(6) 1087-1099 (Nov 1997), 12A665
Deformation of a superconducting cylindrical tube in a perpendicular magnetic field, J Elast 46(1) 1-17 (Jan 1997), 12A666
Dispersion of radial vibrations of an orthotropic cylindrical tube placed in a magnetic field, Mech Res Commun 24(4) 423-434 (Jul-Aug 1997), 12A667
Nonlinear problems of current-carrying round plates with varying thickness in the electromagnetic field, Appl Math Mech 18(4) 355-364 (Apr 1997), 12A668

264D. Electroelasticity

Surface magnetoelastic shift waves in periodic structure ferrite-dielectric with metallized interfaces (Russian), Prikl Mekh (Appl Mech) 32(3) 3-11 (1996), 2A190
Surface magnetoelastic waves in metallized ferrite layer on regular-layered dielectric backing (Russian), Prikl Mekh (Appl Mech) 32(4) 20-25 (1996), 2T191
Dynamic stress intensity factor of a cracked dielectric medium in a uniform electric field, Acta Mech 117(1-4) 1-10 (1996), 3A210
Comparative study of AC and DC electrorheological material based adaptive structures in small ampli-

tude vibration, J Intelligent Mat Syst Struct 7(4) 455-469 (Jul 1996), 3A569
Effects of an electrically conducting first wall on the blanket loading during a Tokamak plasma disruption, Fusion Eng Des 31(4) 313-321 (Aug 1996), 4A1105
Pulse excitation of a piezoceramic half-space with tunnel cavities, Mech Solids 31(3) 16-20 (1996), 5A503
Dynamic behavior of a harmonically excited electromechanical drive with elastic couplings, J Vib Acoust 119(1) 21-30 (Jan 1997), 6A634
Electro-elastic interactions and second order anisotropic constitutive equations, Meccanica 31(6) 657-664 (12 1996), 7A2
Dissipation of energy for magnetoelastic waves in a conductive medium, Quart Appl Math 55(1) 23-39 (Mar 1997), 8A620
Electroelastic properties of cracked piezoelectric materials under longitudinal shear, Mech Mat 24(4) 287-303 (Dec 1996), 8A623
New electromechanical effect in discontinuous-filament elastomer-matrix composites, Smart Mat Struct 6(1) 102-105 (Feb 1997), 8A624
Bruggeman formalism for two models of uniaxial composite media: Dielectric properties, Composites Sci Tech 57(2) 185-196 (Feb 1997), 9A601
Variational principle on magnetoelastic interaction of ferromagnetic thin plates, Acta Mech Solida Sinica 10(1) 1-10 (1997), 10A674
Driving force on phase transition fronts in thermoelectroelastic crystals, Math Mech Solids 2(2) 199-214 (Jun 1997), 11A439
Stability condition and energy estimate for nonstationary problems of coupled electroelasticity, Math Mech Solids 2(2) 153-180 (Jun 1997), 11A543
Exposure of structural elements made from composite materials to high-intensity energy fluxes, Composite Mech Des 2(2) 42-56 (1996), 12T584
Electroelastic fields and effective moduli of a medium containing cavities or rigid inclusions of arbitrary shape under anti-plane mechanical and in-plane electric fields, Acta Mech 121(1-4) 79-96 (1997), 12A669

264E. Piezoelectricity

Axisymmetric vibration of piezocomposite hollow circular cylinder, Acta Mech 116(1-4) 213-222 (1996), 1A199
Energy analysis of propagation of axisymmetrical waves in a hollow piezoelectric cylinder with liquid (Russian), Prikl Mekh (Appl Mech) 32(2) 3-11 (1996), 1A284
Nonlinear hysteresis compensation of piezoelectric ceramic actuators, J Intelligent Mat Syst Struct 7(2) 150-156 (Mar 1996), 1A373
Exact piezothermoelastic solution of simply-supported orthotropic flat panel cylindrical bending, Int J Mech Sci 38(11) 1161-1177 (Nov 1996), 1A606
New developments concerning piezoelectric materials with defects, Int J Solids Struct 33(23) 3399-3414 (Sep 1996), 1A607
Similitude analyses for piezostructures, J Intelligent Mat Syst Struct 7(2) 162-167 (Mar 1996), 1A608
Taguchi optimization of strain transfer in an induced strain actuator, Smart Mat Struct 5(3) 327-337 (Jun 1996), 1A609
Saint-Venant's principle for a helical piezoelectric body, J Elast 43(1) 69-79 (Apr 1996), 2A385
Electrothermoelastic behavior of piezoelectric coupled cylinders, AIAA J 34(8) 1612-1618 (Aug 1996), 2A530
Extraction of model parameters of piezoelectric ultrasound transducers based on the measurement of electrical data (German), Acustica 82(3) 540-548 (May-Jun 1996), 2A531
Numerical modeling of vibration heating and heating stresses in the Langevin type piezoelectric transducer (Russian), Prikl Mekh (Appl Mech) 32(3) 80-85 (1996), 2A532
Z-matrix model of the thickness-mode piezoelectric transducer, Acoust Lett 19(3) 43-46 (Sep 1995), 2A744
Modal control of piezolaminated anisotropic rectangular plates - Part 1: Modal transducer theory, AIAA J 34(9) 1868-1875 (Sep 1996), 2A770
Modal control of piezolaminated anisotropic rectangular plates - Part 2: Control theory, AIAA J 34(9) 1876-1884 (Sep 1996), 2A771
Computational aspects of homogenization of thermopiezoelectric composites, Comp Assisted Mech Eng Sci 3(2) 133-154 (1996), 2A1285
Classification of pulsating flow patterns in curved pipes, J Biomech Eng 118(3) 311-317 (Aug 1996), 2A1457
Consistent theory of thin piezoelectric plates, J Intelligent Mat Syst Struct 7(4) 372-390 (Jul 1996), 3A570
Effective properties of piezoactive matrix composite materials, J Appl Math Mech 60(2) 309-317 (1996), 3A571
Electro-mechanical dynamic analysis of the piezoelectric stack, Smart Mat Struct 5(4) 492-500 (Aug 1996), 3A572
Exact 3D solution for simply supported rectangular piezoelectric plates, J Appl Mech 63(3) 628-638 (Sep 1996), 3A573
Control of flexural vibration in a stiffened cylinder using piezoceramic actuators and an angle stiffener, Int J Active Control 1(2) 167-221 (1995), 3A745
Pyroelectric and thermal strain effects of piezoelectric (PVDF and PZT) devices, Mech Syst Signal Processing 10(4) 459-469 (Jul 1996), 3A756
Parametric phonon-helicon interaction in centro-symmetric crystals with strain-dependent dielectric constant, Acta Phys Polonica A 90(3) 531-539 (Sep 1996), 4A630
Elastic wave generation by piezoceramic patches, AIAA J 34(10) 2110-2117 (Oct 1996), 4A799
Maysel's formula generalized for piezoelectric vibrations: Application to thin shells of revolution, AIAA J 34(11) 2402-2405 (Nov 1996), 5A113
Characterization of mechanical vibration damping by piezoelectric materials, J Sound Vib 197(4) 489-513 (Nov 1996), 5A138
Position tracking control of a smart flexible structure featuring a piezofilm actuator, J Guidance Control Dyn 19(6) 1364-1369 (Nov-Dec 1996), 5A325
Micromechanics determination of the effective properties of piezoelectric composites containing spatially oriented short fibers, Acta Mat 44(12) 4889-4898 (Dec 1996), 5A448
Layerwise mechanics and FE model for laminated piezoelectric shells, AIAA J 34(11) 2353-2360 (Nov 1996), 5A481
Electro-mechanical response in a piezo sensor that can be used in monitoring shear deformations, J Sound Vib 197(4) 515-518 (Nov 1996), 5T504
Exact piezothermoelastic axisymmetric solution of a finite transversely isotropic cylindrical shell, Comput Struct 61(6) 1085-1099 (Dec 1996), 5A505
Green's functions for transversely isotropic piezoelectric solids, Int J Solids Struct 33(30) 4571-4581 (Dec 1996), 5A506
Material symmetries and inhomogeneous waves in piezoelectric media, Acta Mech 118(1-4) 27-37 (1996), 5A507
New constitutive relations for piezoelectric composites and porous piezoelectric ceramics, J Acoust Soc Am 100(5) 3104-3114 (Nov 1996), 5A508
Saint-Venant's problem for linear piezoelectric bodies, J Elast 43(3) 227-245 (Jun 1996), 5A509
Thermal stresses analysis of a 3D crack in a thermopiezoelectric solid, Eng Fracture Mech 55(5) 737-750 (Nov 1996), 5A642
Dynamic crack propagation in piezoelectric materials - Part I: Electrode solution, J Mech Phys Solids 44(11) 1799-1830 (Nov 1996), 5A693
Dynamic crack propagation in piezoelectric materials - Part II: Vacuum solution, J Mech Phys Solids 44(11) 1831-1866 (Nov 1996), 5A694
Layerwise mechanics and FE for the dynamic analysis of piezoelectric composite plates, Int J Solids Struct 34(3) 359-378 (Jan 1997), 6A550
Stability, resonance, and stress concentration in pre-stressed piezoelectric crystals containing a crack, Int J Eng Sci 34(14) 1647-1673 (Nov 1996), 6A635
Three-dimensional solution for simply-supported piezoelectric cylindrical shell for axisymmetric load, Comput Methods Appl Mech Eng 140(1-2) 139-155 (Jan 1997), 6A636
Branched interface cracks between two piezoelectric materials, Mech Res Commun 23(6) 615-620 (Nov-Dec 1996), 6T766
Modeling piezoceramic actuation of beams in torsion, AIAA J 34(12) 2582-2589 (Dec 1996), 6A867
Timoshenko's shear coefficient for transverse vibrations of trigonal crystals of rectangular cross section, JSME Int J Ser C 39(4) 708-713 (Dec 1996), 7A135
Exact solutions for laminated piezoelectric plates in cylindrical bending, J Appl Mech 63(4) 903-910 (Dec 1996), 7A524
Efficient power amplifiers for piezoelectric applications, Smart Mat Struct 5(6) 766-775 (Dec 1996), 7A563
Exact moduli of layered piezoelectric media, Int J Solids Struct 34(7) 847-858 (3 1997), 7A564
Rigid line inclusions under anti-plane deformation and in-plane electric field in piezoelectric materials, Eng Fracture Mech 56(2) 265-274 (Jan 1997), 7A565
Stress control of piezoelectric ZnO films on silicon substrates, Smart Mat Struct 5(6) 744-750 (Dec 1996), 7T566
Three-dimensional piezothermoelastic solution for shape control of cylindrical panel, J Thermal Stresses 20(1) 67-85 (Jan-Feb 1997), 7A1353
Electroelastic properties of cracked piezoelectric materials under longitudinal shear, Mech Mat 24(4) 287-303 (Dec 1996), 8A623
Energy release rate and crack propagation in piezoelectric materials - Part I: Mechanical-electrical load, Acta Mat 45(2) 849-857 (Feb 1997), 8A625
Energy release rate and crack propagation in piezoelectric materials - Part II: Combined mechanical and electrical loads, Acta Mat 45(2) 859-868 (Feb 1997), 8A626
Existence and continuous dependence results in the dynamical theory of piezoelectricity, Rendiconti Lincei Matematica e Appl VII(1) 59-66 (1996), 8A627
Finite element modeling of structures including piezoelectric active devices, Int J Numer Methods Eng 40(5) 817-832 (Mar 1997), 8A628
Further results on invariant properties of the stress in plane elasticity and its extension to piezoelectricity, Mech Res Commun 24(2) 229-230 (Mar-Apr 1997), 8T629
Homogenization of heterogeneous piezoelectric medium, Mech Res Commun 24(1) 75-84 (Jan-Feb 1997), 8T630
Homogenization of linear piezoelectric media, Mech Res Commun 24(2) 145-150 (Mar-Apr 1997), 8T631
Modeling of piezoelectric ceramic vibrators including thermal effects - Part III: Bond graph model for 1D heat conduction, J Acoust Soc Am 101(3) 1398-1407 (Mar 1997), 8A632
Modeling of piezoelectric ceramic vibrators including thermal effects - Part IV: Development and experimental evaluation of a bond graph model of the thickness vibrator, J Acoust Soc Am 101(3) 1408-1429 (Mar 1997), 8A633
Singular stress and electric fields of a piezoelectric ceramic strip with a finite crack under longitudinal shear, Acta Mech 120(1-4) 31-45 (1997), 8A634
Concurrent design of a structure and its distributed piezoelectric actuators, Smart Mat Struct 6(1) 62-66 (Feb 1997), 8A890
Using energy methods to derive beam FEs incorporating piezoelectric materials, J Intelligent Mat Syst Struct 8(1) 26-40 (Jan 1997), 9A19
Variational principles for the linear theory of piezoelectric micropolar thermoelasticity in the case of a quasistatic electric field, Bull Polish Acad Sci Tech Sci 44(3) 243-254 (1996), 9A77
Electromechanical modeling of hybrid piezohydraulic actuator system for active control, J Dyn Syst Meas Control 119(1) 10-18 (Mar 1997), 9A358
Design impact of piezoelectric actuator nonlinearities, J Guidance Control Dyn 20(2) 327-332 (Mar-Apr 1997), 9A375
Lateral resonances in 1-3 piezoelectric periodic composite: Modeling and experimental results, J Acoust Soc Am 101(4) 2043-2051 (Apr 1997), 9A602
Local and global energy release rates for an electrically yielded crack in a piezoelectric ceramic, J Mech Phys Solids 45(4) 491-510 (Apr 1997), 9A603
Problems of the dynamical theory of linear non-magnetizable piezoelectric micropolar thermoelasticity, Int J Solids Struct 34(12) 1493-1503 (Apr 1997), 9A604
Damage detection by piezoelectric patches in a free vibration method, J Composite Mat 31(4) 345-359 (1997), 9A808
Robust vibration control of composite beams using piezoelectric devices and neural networks, Smart Mat Struct 6(2) 178-189 (Apr 1997), 10A165
Free vibration of piezoelectric cylindrical shells, Acta Mech Solida Sinica 10(1) 48-55 (1997), 10A203
Free vibrations of piezoelectric cylindrical shells filled with compressible fluid, Int J Solids Struct 34(16) 2025-2034 (Jun 1997), 10A204
Piezoelectric stack actuators and control system design: Strategies and pitfalls, J Guidance Control Dyn 20(3) 479-485 (May-Jun 1997), 10A494
Exact piezothermoelastic solution for simply supported laminated flat panel in cylindrical bending, Z Angew Math Mech 77(4) 281-293 (1997), 10A638
Analytical investigation of static models of piezoelectric patches attached to beams and plates, Smart Mat Struct 6(2) 204-213 (Apr 1997), 10A675
Comparative overview of strain actuated surfaces' design, J Reinforced Plastics Composites 16(6) 519-536 (1997), 10A676
Stress analysis of piezoceramic cylinders, Smart Mat Struct 6(2) 169-177 (Apr 1997), 10A677
Interfacial debonding of a circular inhomogeneity in piezoelectric materials, Int J Solids Struct 34(16) 1965-1984 (Jun 1997), 10A792
Control of transient thermoelastic displacement of an isotropic plate associated with a piezoelectric ceramic plate, J Thermal Stresses 20(3-4) 407-427 (Apr-Jun 1997), 10A1362
Use of homogenization theory to design optimal piezocomposites for hydrophone applications, J Mech Phys Solids 45(5) 689-708 (May 1997), 11A450
Effective electroelastic properties of piezoelectric composites containing spatially oriented inclusions, Int J Solids Struct 34(19) 2445-2461 (Jul 1997), 11A544
Optimal design of piezoelectric microstructures, Comput Mech 19(5) 397-410 (Apr 1997), 11A545
Electroelastic fields and effective moduli of a medium containing cavities or rigid inclusions of arbitrary shape under anti-plane mechanical and in-plane electric fields, Acta Mech 121(1-4) 79-96 (1997), 12A669
Consideration of internal folding and nonsymmetric fold formation in axisymmetric axial collapse of round tubes, Int J Solids Struct 34(20) 2611-2630 (Jul 1997), 12A670
Exact solutions for simply supported laminated piezoelectric plates, J Appl Mech 64(2) 299-306 (Jun 1997), 12A671
Fracture criterion of a penny-shaped crack in transversely isotropic piezoelectric media, Int J Solids Struct 34(20) 2631-2644 (Jul 1997), 12A672
Line force, charge and dislocation in anisotropic piezoelectric materials with an elliptic hole or a crack, Mech Res Commun 24(4) 399-405 (Jul-Aug 1997), 12T673
Numerical algorithms for dynamics of thermopiezoceramic bars, Z Angew Math Mech 77(6) 429-445 (1997), 12A674

264F. Elastic stability in electromagnetic fields

Magnetomechanical instabilities in elastic-plastic cylinders - Part I: Elastic response, J Appl Mech 63(3) 734-741 (Sep 1996), 3A574
Magnetomechanical instabilities in elastic-plastic cylinders - Part II: Plastic response, J Appl Mech 63(3) 742-749 (Sep 1996), 3A575
In-situ identification of active magnetic bearing system using directional frequency response functions, J Dyn Syst Meas Control 118(3) 586-592 (Sep 1996), 4A330
Observer-based feedback linearizing control of an electromagnetic suspension, J Dyn Syst Meas Control 118(3) 615-619 (Sep 1996), 4A397
Analysis for imperfect sensitivity of a superconducting rod, Acta Mech Solida Sinica 9(3) 236-245 (1996), 4A631
Vibration in a parametrically excited electromechanical system, J Machinery Manuf Reliab 3 16-22 (1996), 8T409

264G. Mechanics of superconducting materials

Bean critical-state model in superconductivity, European J Appl Math 7(3) 237-247 (Jun 1996), 1A610
High-kappa limits for the time-dependent Ginzburg-Landau model, SIAM J Appl Math 56(4) 1060-1093 (Aug 1996), 1A611
Ginzburg-Landau equations and stable solutions in a rotational domain, SIAM J Math Anal 27(5) 1360-1385 (Sep 1996), 2A533
Long-time behavior of the transient Ginzburg-Landau model for superconductivity II, Appl Math Lett 9(5) 107-109 (Sep 1996), 3A576
Instability of symmetric vortices with large charge and coupling constant, Commun Pure Appl Math 49(10) 1051-1080 (Oct 1996), 4A632
Existence of multiple solutions for a Ginzburg-Landau type model of superconductivity, European J Appl Math 7(6) 559-574 (Dec 1996), 8A635
Nucleation of vortices in type-II superconductors in increasing magnetic fields, Appl Math Lett 10(2) 29-31 (Mar 1997), 9A605
Bifurcation to vortex solutions in superconducting films, European J Appl Math 8(2) 125-148 (Apr 1997), 12A675

264Y. Computational techniques

Properties of the natural frequencies of electroelastic bodies of bounded dimensions, J Appl Math Mech 60(1) 145-152 (1996), 1A612
Two-point Pade approximants to Stieltjes series representation of bulk moduli of regular composites, Comp Assisted Mech Eng Sci 3(2) 121-132 (1996), 2A50
Brillouin zone mapping of the existence conditions for interface bilayer spin-waves: Effects of the configuration of the film magnetization, Acta Phys Polonica A 89(5-6) 675-688 (May-Jun 1996), 2T534
Crystal field theory of magnetic behavior of $Er_2(SO_4)_3 \times 8H_2O$, Acta Phys Polonica A 89(5-6) 649-655 (May-Jun 1996), 2T535
S-continued fractions for complex transport coefficients of two-phase composites, Comp Assisted Mech Eng Sci 3(2) 109-119 (1996), 2A536
Fundamental solutions in unsteady problems of electroelasticity, J Appl Math Mech 60(2) 305-307 (1996), 3A577
Certain integral approach to the solution of Maxwell equations, J Tech Phys 37(2) 159-168 (1996), 4T633
Numerical modeling of layered structures for magnetic field computations, J Tech Phys 37(2) 145-154 (1996), 4A634
Properties of electromagnetic field in the neighborhood of a metallic body of large curvature, J Tech Phys 37(2) 155-158 (1996), 4T635
Influence of the Schulgasser inequality on effective moduli of two-phase isotropic composites, Arch Mech 48(3) 475-492 (1996), 4A1275

Vector and scalar models of a quasi-stationary electromagnetic field in boundary-integral approach, Bull Polish Acad Sci Tech Sci 44(2) 119-128 (1996), 9T60
Dynamic susceptibility in thin films with antiferromagnetic coupling between layers, Acta Phys Polonica A 90(6) 1214-1226 (Dec 1996), 9A606
Interlayer exchange coupling: Effect of alloying, Acta Phys Polonica A 91(1) 15-25 (Jan 1997), 9A607
Numerical algorithms for dynamics of thermopiezoceramic bars, Z Angew Math Mech 77(6) 429-445 (1997), 12A674

264Z. Experimental techniques

Synthesis, structure, and magnetism of heterobinuclear complex GdCu(OTF)$_2$(bdmap)$_2$(H$_2$O) × THF, Acta Phys Polonica A 90(2) 393-398 (Aug 1996), 2T537
Magnetic behavior of U$_{1-x}$Dy$_x$Ni$_2$ systems, Acta Phys Polonica A 90(3) 565-568 (Sep 1996), 4T636
Feasibility analysis of using piezoceramic transducers for cantilever beam modal testing, Smart Mat Struct 6(1) 106-116 (Feb 1997), 8A183
Magnetic anisotropy of V^{++} in CdS, Acta Phys Polonica A 90(4) 809-812 (Oct 1996), 9A608
Magnetism and magnetoresistance of multilayers prepared on microstructured substrates, Acta Phys Polonica A 91(1) 27-36 (Jan 1997), 9A609

266. SOIL MECHANICS (BASIC)

266A. General theory

Baltic Geotechnics 1995 (Balkema, Rotterdam, Netherlands, 1995) 1N23
Embedded localization band in undrained soil based on regularized strong discontinuity: Theory and FE-analysis, Int J Solids Struct 33(20-22) 3081-3101 (Aug 1996), 1A613
Effect of principal stress direction on undrained cyclic shear behavior of dense sand (Japanese), Proc JSCE 541(III-35) 199-213 (Jun 1996), 2A538
Effective stresses: A clarification, Arch Appl Mech 66(7) 479-492 (Jul 1996), 2A539
Effects of grain surface roughness on phase transformation and failure lines under undrained torsional simple shear (Japanese), Proc JSCE 541(III-35) 223-232 (Jun 1996), 2A540
Experimental study on lateral resistance behavior of pile with enlarged base in sand (Japanese), Proc JSCE 541(III-35) 215-222 (Jun 1996), 2A541
Neural network approach to evaluate drawdown curves from pumping test (Japanese), Proc JSCE 541(III-35) 67-74 (Jun 1996), 2A542
Modern Issues in Non-Saturated Soils (Springer-Verlag, New York, 1995) 3R16
New versatile expression for yield and plastic potential surfaces, Comput Geotech 19(3) 171-191 (1996), 3A578
Deformation and friction of frozen peat soil, J Friction Wear 16(6) 89-93 (1995), 3A589
Soil Mechanics in the Light of Critical State Theories: An Introduction (Balkema, Rotterdam, Netherlands, 1995) 5R11
Elastoplastic constitutive equation of soils based on the concepts of subloading surface and rotational hardening (Japanese), Proc JSCE 547(III-36) 127-144 (Sep 1996), 5A510
Calibration of a constitutive model using genetic algorithms, Comput Geotech 19(4) 325-348 (1996), 7A567
Imperfection sensitive strength variation of soil specimens, J Mech Phys Solids 45(2) 293-315 (Feb 1997), 8A636
Analysis of behavior of stone columns and lime columns, Comput Geotech 20(1) 47-70 (1997), 8A685
Observation of Biot compressional wave of the second kind in granular soils, Geotechnique 47(1) 133-147 (Mar 1997), 9A187
Assessment of a model of heat and moisture transfer in unsaturated soil, Geotechnique 47(1) 113-131 (Mar 1997), 9A610
Concept of effective stress for soil, concrete and rock, Geotechnique 47(1) 61-78 (Mar 1997), 9A611
Mechanism of pipeline failures caused by soil liquefaction during the 1983 Nihonkai-Chubu earthquake, Proc JSCE 556(I-38) 53-63 (Jan 1997), 9A612
Micromechanics of granular media - Part II: Overall tangential moduli and localization model for periodic assemblies of circular disks, Comput Methods Appl Mech Eng 141(3-4) 221-246 (Feb 1997), 9A613
Shear bands in plane strain compression of loose sand, Geotechnique 47(1) 149-165 (Mar 1997), 9A614
Work input to an unsaturated granular material, Geotechnique 47(1) 193-196 (Mar 1997), 9T615
Roles of mean pore size index and grain size distribution on permeability phenomenon (Japanese), Proc JSCE 561(III-38) 193-204 (Mar 1997), 10A678
Steady flow of an incompressible elastic-plastic material past thin cones: Numerical results, Comput Geotech 20(2) 143-159 (1997), 10A679
Stochastic modeling and estimating of pipe tip level using cokriging (Japenese), Proc JSCE 561(III-38) 63-74 (Mar 1997), 10A680
Effect of principal stress direction on undrained cyclic shear and recompression behavior of dense sand (Japanese), Proc JSCE 561(III-38) 163-174 (Mar 1997), 10A683
Average balance equations for granular materials, Int J Eng Sci 35(5) 523-548 (Apr 1997), 11A546
Minimum material volume based shell-plate-frame-pipe system, Proc Estonian Acad Sci Eng 3(1) 50-59 (1997), 11A547

266B. Structure and classification

Variation of fabric anisotropy of kaolinite in triaxial loading, J Geotech Eng 122(8) 633-640 (Aug 1996), 3A579
Deformation and friction of frozen peat soil, J Friction Wear 16(6) 89-93 (1995), 3A589
Soil Testing in Civil Engineering (Balkema, Rotterdam, Netherlands, 1995) 4R10
Study on development of soil improvement method using construction waste soil (Japanese), Proc JSCE 547(III-36) 199-210 (Sep 1996), 5T511
Soil characterization using electrical measurements, Geotechnique 47(1) 179-183 (Mar 1997), 9T631
Perforation strength of geosynthetics and sphericity of coarse grains: A new approach, Geotextiles Geomembranes 14(10) 585-600 (Oct 1996), 9T645
Estimation of geotechnical properties of alluvial secondary shirasu ground (Japanese), Proc JSCE 561(III-38) 237-244 (Mar 1997), 10A681

266C. Constitutive relations and models

Euroflex 93 (Balkema, Rotterdam, Netherlands, 1996) 1N25
Fundamental concepts of multiphase micropolar materials, Tech Mech 16(1) 77-88 (1996), 1A614
Analysis of strain localization on the basis of a strain gradient dependent constitutive model, Proc JSCE 541(III-35) 247-250 (Jun 1996), 2A543
Hypoplastic relation for granular materials with a predefined limit state surface, Mech Cohesive-Frictional Mat 1(3) 251-271 (Jul 1996), 2A544
Sand reinforced with shredded waste tires, J Geotech Eng 122(9) 760-767 (Sep 1996), 3A580
Elastic visco-plastic modeling of 1D consolidation, Geotechnique 46(3) 515-527 (Sep 1996), 4A637
Soil Mechanics in the Light of Critical State Theories: An Introduction (Balkema, Rotterdam, Netherlands, 1995) 5R11
Formation of shear zones in reinforced sand, J Geotech Eng 122(11) 873-885 (Nov 1996), 6A637
Micro-macro properties of geomaterials: A homogenization method for viscoelastic problem, Struct Eng and Mech 4(6) 631-644 (Nov 1996), 6A638
Model for efficiency of soil flushing using PVD-enhanced system, J Geotech Eng 122(11) 914-919 (Nov 1996), 6A639
Analytical description of stress-strain relationship for rocks and soils, Commun Numer Methods Eng 12(12) 827-834 (Dec 1996), 7A568
Void fabric tensor and ultimate state surface of soils, J Geotech Geoenv Eng 123(2) 173-181 (Feb 1997), 8A637
Effect of degradation on seismic response of Israeli continental slope, J Geotech Geoenv Eng 123(2) 85-93 (Feb 1997), 8A638
Experimental verification of CRS consolidation theory, J Geotech Geoenv Eng 123(5) 430-437 (May 1997), 11A557

266D. Pore pressure, phase movement

Deformation of water-saturated sand - II: Effect of pore water flow and shear banding, Geotechnique 46(3) 457-472 (Sep 1996), 4A639
Water diffusion through geomembranes under hydraulic pressure, Geosynthetics Int 3(6) 741-769 (1996), 8A683
Work input to an unsaturated granular material, Geotechnique 47(1) 193-196 (Mar 1997), 9T615
Dilation-induced pore fluid cavitation in sands, Geotechnique 47(1) 173-177 (Mar 1997), 9T616
Hydrology of the ground water (Polish), Inzynieria Budownictwo 53(1) 38-43 (1997), 9A1426
Experimental study on earth pressure on and deformation of buried flexible pipes (Japanese), Proc JSCE 561(III-38) 245-255 (Mar 1997), 10A965

266E. Mechanical properties

Cyclic strength and deformation of crushable carbonate sand, Soil Dyn Earthquake Eng 15(5) 331-336 (Jul 1996), 1A615
Simplified procedure for torsional impedance functions of embedded foundations in a soil layer, Comput Geotech 19(2) 97-115 (1996), 1A616
Identifying soil parameters by means of laboratory and *in situ* testing, Comput Geotech 19(2) 153-170 (1996), 1A620
Back-analysis of dynamic soil parameters based on dropping weight vibration test, Proc JSCE 541(III-35) 241-246 (Jun 1996), 2A545
Method for predicting in-situ undrained strength of clays based on the suction value and unconfined compressive strength (Japanese), Proc JSCE 541(III-35) 147-157 (Jun 1996), 2A556
Strength of Dilating Soil and Load-Holding Capacity of Deep Foundations: Introduction to Theory and Practical Application (Balkema, Rotterdam, Netherlands, 1995) 3R19
Deformation characteristics of Piedmont residual soils, J Geotech Eng 122(10) 822-830 (Oct 1996), 3A581
Dynamic properties of Piedmont residual soils, J Geotech Eng 122(10) 813-821 (Oct 1996), 3A582
Elastic properties of soils, J Geotech Eng 122(8) 641-648 (Aug 1996), 3A583
Deformation of water-saturated sand - I: Uniform undrained deformation and shear banding, Geotechnique 46(3) 441-456 (Sep 1996), 4A638
Deformation of water-saturated sand - II: Effect of pore water flow and shear banding, Geotechnique 46(3) 457-472 (Sep 1996), 4A639
New evaluation of loading cycles in an oedometer, Geotechnique 46(3) 547-553 (Sep 1996), 4T640
Void ratio evolution inside shear bands in triaxial sand specimens studied by computed tomography, Geotechnique 46(3) 529-546 (Sep 1996), 4A641
Characteristics of strength increasing on soft ariake clays in construction works used quicklime and pozzolanic materials (Japanese), Proc JSCE 547(III-36) 97-106 (Sep 1996), 5A512
Effect of stress history on cyclic undrained deformation: Strength characteristics of volcanic coarse-grained soils (Japanese), Proc JSCE 547(III-36) 221-229 (Sep 1996), 5A513
Static and cyclic shear behavior and particle crushing of volcanic coarse grained soils in Hokkaido (Japanese), Proc JSCE 547(III-36) 159-170 (Sep 1996), 5A514
Exposure of bentonite to salt solution: Osmotic and mechanical effects, Geotechnique 46(4) 695-707 (Dec 1996), 6A640
Fabric and hydraulic conductivity of sheared clays, Geotechnique 46(4) 761-768 (Dec 1996), 6T641
Insight into liquefaction by system identification, Geotechnique 46(4) 641-655 (Dec 1996), 6A647
Effect of degradation on seismic response of Israeli continental slope, J Geotech Geoenv Eng 123(2) 85-93 (Feb 1997), 8A638
Influence of water distribution on the compression behavior of unsaturated soil (Japanese), Proc JSCE 554(III-37) 57-69 (Dec 1996), 8A639
Liquefaction shaking table tests for sandy ground with embankment, Proc JSCE 554(III-37) 1-17 (Dec 1996), 8A640
Relation between failure criterion, unconfined compressive strength and initial void ratio of lightweight soil (Japanese), Proc JSCE 554(III-37) 251-257 (Dec 1996), 8A641
Resilient modulus of cohesive soils, J Geotech Geoenv Eng 123(2) 131-136 (Feb 1997), 8A642
Steady state and liquefaction strengths of crushable soils (Japanese), Proc JSCE 554(III-37) 197-209 (Dec 1996), 8A643
Undrained cyclic strength of compacted rockfill material from triaxial and torsional simple shear tests (Japanese), Proc JSCE 554(III-37) 173-184 (Dec 1996), 8A644
Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 1: Experimental observations, Mech Cohesive-Frictional Mat 2(1) 47-70 (Jan 1997), 8A655
Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 2: Theoretical analysis using an elastoplasticity model, Mech Cohesive-Frictional Mat 2(1) 71-92 (Jan 1997), 8A656
Influence of shear test method and restraint condition on residual strength of soil (Japanese), Proc JSCE 554(III-37) 139-146 (Dec 1996), 8A659
Method for estimating postcyclic undrained secant modulus of clays, J Geotech Geoenv Eng 123(3) 204-211 (Mar 1997), 9A617
Estimation of geotechnical properties of alluvial secondary shirasu ground (Japanese), Proc JSCE 561(III-38) 237-244 (Mar 1997), 10A681
Characteristics of deformation on remolded shimajiri clay (Japanese), Proc JSCE 561(III-38) 109-118 (Mar 1997), 10A682
Effect of principal stress direction on undrained cyclic shear and recompression behavior of dense sand (Japanese), Proc JSCE 561(III-38) 163-174 (Mar 1997), 10A683
Mechanical properties and failure criterion of normally and over consolidated cement-treated soil (Japanese), Proc JSCE 561(III-38) 205-214 (Mar 1997), 10A684
Particle breakage of volcanic coarse: Grained soils and its evaluation (Japanese), Proc JSCE 561(III-38) 257-269 (Mar 1997), 10A685
Effective stress model of sand and clay based on cyclic shear strength and its application to liquefaction analysis (Japanese), Proc JSCE 561(III-38) 295-308 (Mar 1997), 10T691
Experimental analysis and theoretical interpretation of triaxial load controlled loose sand specimen collapses, Mech Cohesive-Frictional Mat 2(2) 93-120 (Apr 1997), 10A692
Fundamental study on the effect of fines on liquefaction strength of reclaimed ground (Japanese), Proc JSCE 561(III-38) 271-282 (Mar 1997), 10A693
Effect of ram mass and area on ram impact acceleration and penetration of sandy ground (Japanese), Proc JSCE 561(III-38) 227-236 (Mar 1997), 10T696
Ram penetration behavior and ensuing earth pressure during ram blow on sandy soil (Japanese), Proc JSCE 561(III-38) 215-226 (Mar 1997), 10A698
Low strain shear moduli of cemented sands, J Geotech Geoenv Eng 123(6) 540-545 (Jun 1997), 11A548
Surface thermodynamics and some engineering properties of an organo-clay, J Geotech Geoenv Eng 123(6) 580-587 (June 1997), 11A549
Triaxial determination of shear strength of tire chips, J Geotech Geoenv Eng 123(5) 479-482 (May 1997), 11A560
Shear-enhanced compaction and permeability reduction: Triaxial extension tests on porous sandstone, Mech Mat 25(3) 199-214 (Apr 1997), 11A736
Determination of ionic strength and equilibrium concentrations of heavy metals by the electrical conductivity method, Geotech Testing J 20(1) 3-11 (Mar 1997), 12A676
Determination of shear strength parameters of unsaturated silts and sands based on the water retention curve, Geotech Testing J 20(1) 40-48 (Mar 1997), 12A677
Subgrade resilient modulus correction for saturation effects, J Geotech Geoenv Eng 123(7) 663-670 (Jul 1997), 12A678
Numerical simulations of tire-soil interaction based on critical state soil mechanics, J Terramech 33(5) 209-221 (Sep 1996), 12A687

266F. Expansive clays

Consideration on failure of cut slope of weathered serpentine clay (Japanese), Proc JSCE 541(III-35) 57-65 (Jun 1996), 2A546
Study on high pressure dewatering method of cement-stabilized soft clay (Japanese), Proc JSCE 540(VI-31) 113-122 (Jun 1996), 2A547
Experimental Rheology of Clayey Soils (Balkema, Rotterdam, Netherlands, 1995) 3R14
Laboratory study of the strength of four stiff clays, Geotechnique 46(3) 491-514 (Sep 1996), 4A642
Hygrothermal stress of clay in a high-speed drying furnace, J Thermal Stresses 19(7) 599-612 (Oct 1996), 5A515
Chemo-plasticity of clays subjected to stress and flow of a single contaminant, Int J Numer Anal Methods Geomech 21(1) 43-72 (Jan 1997), 7A569
Finite element modeling of a deep sea clay in long-term laboratory creep tests, Int J Numer Anal Methods Geomech 20(12) 887-905 (Dec 1996), 7A570
Effect of degradation on seismic response of Israeli continental slope, J Geotech Geoenv Eng 123(2) 85-93 (Feb 1997), 8A638
Soil characterization using electrical measurements, Geotechnique 47(1) 179-183 (Mar 1997), 9T631
Thermo-viscoplastic constitutive model for clays, Int J Numer Anal Methods Geomech 21(5) 313-335 (May 1997), 10A686

266G. Consolidation, settlement, and compaction

Compression and Consolidation of Clayey Soils (Balkema, Rotterdam, Netherlands, 1996) 1N24
Fractors influenced vibrative compaction of noncohesive soils (Polish), Inzynieria Budownictwo 52(8) 475-479 (1996), 2A548
Particle crushing and formation of adhesion bonds in naturally deposited sands under high pressure (Japanese), Proc JSCE 541(III-35) 47-55 (Jun 1996), 2A549
Study for evaluation of compacted density of granular materials (Japanese), Proc JSCE 541(III-35) 159-171 (Jun 1996), 2A550
Approximate theory for radial filtration-consolidation, J Geotech Eng 122(10) 797-805 (Oct 1996), 3A584

Effect of gravel on pumping behavior of compacted soil, J Geotech Eng 122(10) 863-866 (Oct 1996), 3A585
Numerical modeling of consolidation and evaporation of slurried mine tailings, Int J Numer Anal Methods Geomech 20(9) 647-671 (Sep 1996), 3A586
Investigation of impact stresses induced in laboratory dynamic compaction of soft soils, Int J Numer Anal Methods Geomech 20(10) 753-767 (Oct 1996), 4A643
One-dimensional consolidation of layered soils, Geotechnique 46(3) 555-560 (Sep 1996), 4T644
Sizewell B foundation dewatering: System design, construction and performance monitoring, Geotechnique 46(3) 473-490 (Sep 1996), 4T645
Estimating settlement of sand caused by construction vibration, J Geotech Eng 122(11) 920-928 (Nov 1996), 6A642
Modeling of sinkholes in weakly cemented sand, J Geotech Eng 122(12) 998-1005 (Dec 1996), 6A643
Nonlinear permeability relation depending on the activation energy of pore liquid, Geotechnique 46(4) 769-774 (Dec 1996), 6T644
Representative of compacted clay minifabric using random networks, J Geotech Eng 122(11) 906-913 (Nov 1996), 6A645
Surface settlements due to deformation of a tunnel in an elastic half plane, Geotechnique 46(4) 753-756 (Dec 1996), 6A646
Ground-movement-related building damage, J Geotech Eng 122(11) 886-896 (Nov 1996), 6A914
Aspects of the vibrating behavior of a vibratory roller in soil compaction (Japanese), Proc JSCE 554(III-37) 231-237 (Dec 1996), 8A192
Consolidation behavior of clay subjected to temperature effects at secondary compression term (Japanese), Proc JSCE 554(III-37) 47-55 (Dec 1996), 8A645
Estimation of the clay ground improved by sand compaction piles at Kawasaki man-made island (Japanese), Proc JSCE 553(VI-33) 41-48 (Dec 1996), 8T646
Experimental study on the consolidation efficiency and the equivalent diameter of cross shaped drain (Japanese), Proc JSCE 554(III-37) 221-230 (Dec 1996), 8T647
Relation between compacted area and ram momentum by heavy tamping: Density and strength increases due to single point tamping (Japanese), Proc JSCE 554(III-37) 185-196 (Dec 1996), 8A648
Settlement rates during 1D consolidation of peat (Japanese), Proc JSCE 554(III-37) 111-118 (Dec 1996), 8A649
Thermoporoelastic coupling with application to consolidation, Int J Numer Anal Methods Geomech 21(2) 121-132 (Feb 1997), 8A650
Settlements of shallow foundations on sand: Geometrical effects, Geotechnique 47(1) 49-60 (Mar 1997), 9A618
Equivalent model and back-analysis technique for modeling in situ consolidation behavior of drainage-installed soft deposits, Comput Geotech 20(2) 125-142 (1997), 10A687
Experimental study on the consolidation efficiency of a plastic board drain for larger depth of soft clay (Japanese), Proc JSCE 560(VI-34) 69-78 (Mar 1997), 10A688
Settlement and disintegration behavior of soft rock by in-situ exposure and laboratory slaking tests (Japanese), Proc JSCE 561(III-38) 99-108 (Mar 1997), 10A689
Surface settlement and lining stress of shield tunnel in sand observed in a centrifuge (Japanese), Proc JSCE 561(III-38) 283-293 (Mar 1997), 10A690
Mechanism of a lateral spreading of the saturated sandy ground (Japanese), Proc JSCE 561(III-38) 129-140 (Mar 1997), 10A694
Improved vi method to evaluate consolidation test results, Geotech Testing J 20(1) 121-125 (Mar 1997), 12A679
Soil stress and compaction effects for four tractor tires, J Terramech 33(5) 223-232 (Sep 1996), 12A680

266H. Soil and sand liquefaction

Effect of grain size characteristics on the effectiveness of cement fixing agent method for preventing liquefaction of sand to silt deposits (Japanese), Proc JSCE 541(III-35) 133-146 (Jun 1996), 2A551
Fuzzy recognition theory for liquefaction potential of light loam under action of earthquake (Chinese), J Dalian Univ Tech 36(4) 471-476 (Jul 1996), 2A552
Evaluation of sheet pile-ring countermeasure against liquefaction for oil tank site, Soil Dyn Earthquake Eng 15(6) 369-379 (Aug 1996), 3A1373
Deformation of water-saturated sand - I: Uniform undrained deformation and shear banding, Geotechnique 46(3) 441-456 (Sep 1996), 4A638
Deformation of water-saturated sand - II: Effect of pore water flow and shear banding, Geotechnique 46(3) 457-472 (Sep 1996), 4A639
Stress-strain transformations and liquefaction of sands, Soil Dyn Earthquake Eng 15(7) 411-418 (Oct 1996), 5A516
Settlements of oil storage tank during liquefaction (Japanese), Proc JSCE 547(III-36) 57-65 (Sep 1996), 5A522
Stability of embankment on liquefiable sand layers in centrifuge shaking table tests (Japanese), Proc JSCE 547(III-36) 107-116 (Sep 1996), 5A530
Insight into liquefaction by system identification, Geotechnique 46(4) 641-655 (Dec 1996), 6A647
Liquefaction phenomena of granular materials and constitutive stability, Eng Comput 13(7) 5-28 (1996), 6A648
Magnitude scaling factors for soil liquefaction evaluations, J Geotech Eng 122(11) 929-936 (Nov 1996), 6A649
Probabilistic liquefaction risk analysis including fuzzy variables, Soil Dyn Earthquake Eng 16(1) 63-79 (Jan 1997), 7A571
Ground re-liquefaction in historical earthquakes in the Tokyo lowland (Japanese), Proc JSCE 554(III-37) 157-171 (Dec 1996), 8A651
Mapping liquefiable layer thickness for seismic hazard assessment, J Geotech Geoenv Eng 123(1) 46-56 (Jan 1997), 8A652
Seismic response of liquefaction sites, J Geotech Geoenv Eng 123(1) 37-45 (Jan 1997), 8A653
Soil response in cross-anisotropic seabed due to standing waves, J Geotech Geoenv Eng 123(1) 9-19 (Jan 1997), 8A654
Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 1: Experimental observations, Mech Cohesive-Frictional Mat 2(1) 47-70 (Jan 1997), 8A655
Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 2: Theoretical analysis using an elastoplasticity model, Mech Cohesive-Frictional Mat 2(1) 71-92 (Jan 1997), 8A656
Study on suitable slurry properties with slurry-type shield driving in sandy soils (Japanese), Proc JSCE 554(III-37) 129-138 (Dec 1996), 8A1115
Liquefaction and residual strength of sands from drained triaxial tests, J Geotech Geoenv Eng 123(3) 220-228 (Mar 1997), 9A619
Effect of principal stress direction on undrained cyclic shear and recompression behavior of dense sand (Japanese), Proc JSCE 561(III-38) 163-174 (Mar 1997), 10A683
Effective stress model of sand and clay based on cyclic shear strength and its application to liquefaction analysis (Japanese), Proc JSCE 561(III-38) 295-308 (Mar 1997), 10T691
Experimental analysis and theoretical interpretation of triaxial load controlled loose sand specimen collapses, Mech Cohesive-Frictional Mat 2(2) 93-120 (Apr 1997), 10A692
Fundamental study on the effect of fines on liquefaction strength of reclaimed ground (Japanese), Proc JSCE 561(III-38) 271-282 (Mar 1997), 10A693
Mechanism of a lateral spreading of the saturated sandy ground (Japanese), Proc JSCE 561(III-38) 129-140 (Mar 1997), 10A694
Characteristics of lateral spreading in liquefied deposits during the 1995 Hanshin-Awaji earthquake, J Earthquake Eng 1(1) 23-55 (Jan 1997), 11A550
Liquefaction at Moss Landing during Loma Prieta earthquake, J Geotech Geoenv Eng 123(5) 453-467 (May 1997), 11A551
Seismic response of shallow foundation on liquefiable sand, J Geotech Geoenv Eng 123(6) 557-567 (Jun 1997), 11A561
Influence of building existence on seismic liquefaction of subsoils, Earthquake Eng Struct Dyn 26(7) 691-699 (Jul 1997), 12T681

266I. Rheological properties

Experimental Rheology of Clayey Soils (Balkema, Rotterdam, Netherlands, 1995) 3R14
Analytical model for particle migration within base soil-filter system, J Geotech Geoenv Eng 123(2) 100-109 (Feb 1997), 8A657
Freeze-thaw cycling and hydraulic conductivity of bentonitic barriers, J Geotech Geoenv Eng 123(3) 229-238 (Mar 1997), 9A648
Permeability of flowrate slurry materials containing foundry sand and fly ash, J Geotech Geoenv Eng 123(5) 446-452 (May 1997), 11A552
Infiltration tests on fractured compacted clay, J Geotech Geoenv Eng 123(5) 469-473 (May 1997), 11A558
Shear-enhanced compaction and permeability reduction: Triaxial extension tests on porous sandstone, Mech Mat 25(3) 199-214 (Apr 1997), 11A736
Influence of intersection angle at single-well flow tests in fracture-wellbore systems, Geotech Testing J 20(1) 110-120 (Mar 1997), 12A682

266J. Plasticity, viscoelasticity, and viscoplasticity

Micro-macro properties of geomaterials: A homogenization method for viscoelastic problem, Struct Eng and Mech 4(6) 631-644 (Nov 1996), 6A638
Cumulative plastic deformation for fine-grained subgrade soils, J Geotech Eng 122(12) 1006-1013 (Dec 1996), 6A650
Three-dimensional FE simulation of creep deformation in rock salt, Eng Comput 13(8) 82-105 (1996), 6A651
Beyond failure in granular materials, Int J Numer Anal Methods Geomech 21(3) 153-174 (Mar 1997), 9A620
Method to correct yield surface drift in soil plasticity under mixed control and explicit integration, Int J Numer Anal Methods Geomech 21(3) 175-197 (Mar 1997), 9A621
Steady flow of an incompressible elastic-plastic material past thin cones: Numerical results, Comput Geotech 20(2) 143-159 (1997), 10A679
Undrained shear band deformation in granular media, J Eng Mech 123(6) 577-585 (Jun 1997), 11A553

266K. Dynamics

Earthquake Geotechnical Engineering (Balkema, Rotterdam, Netherlands, 1996) 1N50
Hazard mapping of normalized peak strain in soils during earthquakes: Microzonation of a metropolitan area, Soil Dyn Earthquake Eng 15(5) 321-329 (Jul 1996), 1A617
Empirical method to estimate shear wave velocity of soils in the New Madrid seismic zone, Soil Dyn Earthquake Eng 15(6) 399-408 (Aug 1996), 3A205
Interparticle contact behavior and wave propagation, J Geotech Eng 122(10) 831-839 (Oct 1996), 3A206
Inference of dynamic shear modulus from Lotung downhole data, J Geotech Eng 122(8) 657-665 (Aug 1996), 3A587
Theory and practice of projectile's penetration in soils, J Geotech Eng 122(10) 806-812 (Oct 1996), 3A588
Nonlinear soil response: 1994 Northridge, California, earthquake, J Geotech Eng 122(9) 725-735 (Sep 1996), 3A1374
Wave-induced soil response in a nearly saturated seabed of finite thickness, Geotechnique 46(3) 427-440 (Sep 1996), 4A646
Dynamic soil parameters determination by geophysical prospecting in Mexico City: Implication for site effect modeling, Soil Dyn Earthquake Eng 15(8) 549-559 (Dec 1996), 5A517
Experimental investigation of vertical vibration of model footings on sand, Soil Dyn Earthquake Eng 15(7) 431-445 (Oct 1996), 5A518
Identification and modeling of earthquake ground response - I: Site amplification, Soil Dyn Earthquake Eng 15(8) 499-522 (Dec 1996), 5A1412
Effect of degree of weathering on dynamic properties of residual soils, J Geotech Eng 122(12) 988-997 (Dec 1996), 6A652
Rotational shear effects on ground earthquake response, Soil Dyn Earthquake Eng 16(1) 9-19 (Jan 1997), 7A572
Soil response in cross-anisotropic seabed due to standing waves, J Geotech Geoenv Eng 123(1) 9-19 (Jan 1997), 8A654
Application of genetic algorithms to constrain shallow elastic parameters using *in situ* ground inclination measurements, Soil Dyn Earthquake Eng 16(3) 223-234 (Apr 1997), 9A622
Stabilized FEs for harmonic soil dynamics problems near the undrained-incompressible limit, Soil Dyn Earthquake Eng 16(3) 161-171 (Apr 1997), 9A623
Discrete element study of the relationship of fabric to wave propagational behaviors in granular materials, Int J Numer Anal Methods Geomech 21(5) 295-311 (May 1997), 10A695
Effect of ram mass and area on ram impact acceleration and penetration of sandy ground (Japanese), Proc JSCE 561(III-38) 227-236 (Mar 1997), 10T696
Multibody approach in granular dynamics simulations, Comput Mech 19(4) 287-296 (Mar 1997), 10A697
Ram penetration behavior and ensuing earth pressure during ram blow on sandy soil (Japanese), Proc JSCE 561(III-38) 215-226 (Mar 1997), 10A698
Low strain shear moduli of cemented sands, J Geotech Geoenv Eng 123(6) 540-545 (Jun 1997), 11A548
Drained granular material under cyclic loading with temperature-induced soil and structure interaction, Appl Mech Rev 50(10) 553-579 (Oct 1997), 11A554
Coupled seismic-geotechnical approach to site-specific strong motion, Soil Dyn Earthquake Eng 16(4) 259-272 (Jun 1997), 11A1481
Nonlinear response of soils to horizontal and vertical bedrock earthquake motion, J Earthquake Eng 1(1) 93-119 (Jan 1997), 11A1483
Analysis of topographic amplification of inclined shear waves in a steep coastal bluff, Bull Seismol Soc Am 87(3) 692-700 (Jun 1997), 12T683
Dynamic deformations of shallow sediments in the Valley of Mexico - Part I: 3D strains and rotations recorded on a seismic array, Bull Seismol Soc Am 87(3) 528-539 (Jun 1997), 12A684
Dynamic deformations of shallow sediments in the Valley of Mexico - Part II: Single-station estimates, Bull Seismol Soc Am 87(3) 540-550 (Jun 1997), 12A685

266L. Frost and permafrost

Two-dimensional frost action modeling using the segregation potential of soils, Cold Regions Sci Tech 24(3) 263-278 (Jul 1996), 1A618
Deformation and friction of frozen peat soil, J Friction Wear 16(6) 89-93 (1995), 3A589
Boundary layer transport of metal ions in frozen soil, Int J Numer Anal Methods Geomech 20(10) 693-713 (Oct 1996), 4A647
Long-term pile load testing system performance in saline and ice-rich permafrost, J Cold Regions Eng 10(3) 149-162 (Sep 1996), 4A648
Influence of temperature and total water content on the unfrozen water content below 0° in three model soils, Arch Hydro-Eng Env Mech 42(3-4) 51-70 (1995), 9A624
Movement of liquid contaminants in partially saturated frozen granular soils, Cold Regions Sci Tech 25(2) 111-117 (Mar 1997), 9A625
Soil freezing - The concept of soil water potential: State of the art, Cold Regions Sci Tech 25(2) 101-110 (Mar 1997), 9A626
Experimental study of fracture toughness K_{Ic} for frozen soil (Chinese), J Dalian Univ Tech 37(1) 20-23 (Jan 1997), 10A699

266Y. Computational techniques

Embedded localization band in undrained soil based on regularized strong discontinuity: Theory and FE-analysis, Int J Solids Struct 33(20-22) 3081-3101 (Aug 1996), 1A613
Simplified procedure for torsional impedance functions of embedded foundations in a soil layer, Comput Geotech 19(2) 97-115 (1996), 1A616
Undrained cavity expansions in critical state soils, Int J Numer Anal Methods Geomech 20(7) 489-516 (Jul 1996), 1A619
Finite element modeling of settlements on spatially random soil, J Geotech Eng 122(9) 777-779 (Sep 1996), 3A590
Boundary element analysis of reinforced soil systems using geotextiles, Eng Anal Boundary Elements 17(3) 183-192 (Apr 1996), 5A519
Discrete element modeling of granular materials, Heron 41(2) 139-157 (1996), 5A520
Parallel computing solution of heat and moisture transfer in unsaturated soil, Int J Numer Methods Eng 39(22) 3793-3808 (Nov 1996), 5A521
Analysis of disjoint 2D particle assemblies, J Eng Mech 122(12) 1139-1148 (Dec 1996), 6A653
Eulerean FE model for penetration in layered soil, Int J Numer Anal Methods Geomech 20(12) 865-886 (Dec 1996), 7A573
Analysis of soil nailed earth slope by discrete element method, Comput Geotech 20(1) 1-14 (1997), 8A658
Random elasticity theory in geotechnical engineering (Polish), Hydro-Tech Transactions 59 29-55 (1995), 9A68
Finite element limit analysis of reinforced soils, Comput Struct 63(3) 567-577 (May 1997), 9A627
Regularization of plastic flow localization in a soil material, Eng Trans 44(3-4) 445-469 (1996), 9A628
Plane-strain modeling of smear effects associated with vertical drains, J Geotech Geoenv Eng 123(5) 474-478 (May 1997), 11A555
Modeling heat and moisture transfer in unsaturated soil using a finite difference self-implicit method on parallel computers, Int J Numer Anal Methods Geomech 21(6) 409-419 (Jun 1997), 12A686
Numerical simulations of tire-soil interaction based on critical state soil mechanics, J Terramech 33(5) 209-221 (Sep 1996), 12A687

266Z. Experimental techniques

Pressuremeter and Its New Avenues (Le Pressiometre et Ses Nouvelles Orientations) (Balkema, Rotterdam, Netherlands, 1995) 1N31
Identifying soil parameters by means of laboratory and *in situ* testing, Comput Geotech 19(2) 153-170 (1996), 1A620
Design and performance of compact load cell for measuring earth pressure in a centrifuge

(Japanese), Proc JSCE **540**(VI-31) 203-213 (Jun 1996), 2A553
Experimental research of rheological strain of soil under load distributed on circular surface (Polish), Inzynieria Budownictwo **52**(8) 479-482 (1996), 2A554
Measurement of the distribution of sandy soil void diameter by air intrusion method (Japanese), Proc JSCE **541**(III-35) 189-198 (Jun 1996), 2A555
Method for predicting in-situ undrained strength of clays based on the suction value and unconfined compressive strength (Japanese), Proc JSCE **541**(III-35) 147-157 (Jun 1996), 2A556
Use of the Kolsky method for confined tests of soft soils, Exp Mech **36**(3) 237-242 (Sep 1996), 2A557
Analysis of cone pressuremeter tests in sands, J Geotech Eng **122**(8) 623-632 (Aug 1996), 3A591
Soil Testing in Civil Engineering (Balkema, Rotterdam, Netherlands, 1995) 4R10
Using digital image processing in field measurement, Geotechnique **46**(3) 561-563 (Sep 1996), 4T649
Insight into liquefaction by system identification, Geotechnique **46**(4) 641-655 (Dec 1996), 6A647
Advective-diffusive contaminant migration in unsaturated sand and gravel, J Geotech Eng **122**(12) 965-975 (Dec 1996), 6A654
Simple procedure to calculate the fundamental frequency of horizontal soil layers, Geotechnique **46**(4) 757-760 (Dec 1996), 6T655
Application of photo-viscoplasticity to geotechnical engineering, Exp Tech **21**(1) 12-14 (Jan-Feb 1997), 7T574
Experimental study on the consolidation efficiency and the equivalent diameter of cross shaped drain (Japanese), Proc JSCE **554**(III-37) 221-230 (Dec 1996), 8T647
Influence of shear test method and restraint condition on residual strength of soil (Japanese), Proc JSCE **554**(III-37) 139-146 (Dec 1996), 8A659
Liquefaction and residual strength of sands from drained triaxial tests, J Geotech Geoenv Eng **123**(3) 220-228 (Mar 1997), 9A619
Behavior of gravity caisson on sand, J Geotech Geoenv Eng **123**(3) 187-196 (Mar 1997), 9A629
Factors affecting apparent position of steady-state line, J Geotech Geoenv Eng **123**(3) 281-288 (Mar 1997), 9A630
Soil characterization using electrical measurements, Geotechnique **47**(1) 179-183 (Mar 1997), 9T631
Survey problems in the soil test load method (Polish), Inzynieria Budownictwo **53**(1) 43-46 (1997), 9A632
Undrained behavior of claycy sands in load controlled triaxial tests, Geotechnique **47**(1) 97-111 (Mar 1997), 9A633
Use of in situ measurements of ground inclination for determining shallow elastic parameters, Geotechnique **47**(1) 79-95 (Mar 1997), 9A634
Perforation strength of geosynthetics and sphericity of coarse grains: A new approach, Geotextiles Geomembranes **14**(10) 585-600 (Oct 1996), 9T645
Particle breakage of volcanic coarse: Grained soils and its evaluation (Japanese), Proc JSCE **561**(III-38) 257-269 (Mar 1997), 10A685
Experimental analysis and theoretical interpretation of triaxial load controlled loose sand specimen collapses, Mech Cohesive-Frictional Mat **2**(2) 93-120 (Apr 1997), 10A692
Gas chromatography micro-column method for measuring retardation of volatile organic chemical gas transport in soils (Chinese), Proc JSCE **559**(VII-2) 13-22 (Feb 1997), 10A700
Low strain shear moduli of cemented sands, J Geotech Geoenv Eng **123**(6) 540-545 (Jun 1997), 11A548
Undrained shear band deformation in granular media, J Eng Mech **123**(6) 577-585 (Jun 1997), 11A553
Cyclic interface and joint shear device including pore pressure effects, J Geotech Geoenv Eng **123**(6) 568-579 (Jun 1997), 11A556
Experimental verification of CRS consolidation theory, J Geotech Geoenv Eng **123**(5) 430-437 (May 1997), 11A557
Infiltration tests on fractured compacted clay, J Geotech Geoenv Eng **123**(5) 469-473 (May 1997), 11A558
Secondary compression of peat with or without surcharging, J Geotech Geoenv Eng **123**(5) 411-421 (May 1997), 11A559
Triaxial determination of shear strength of tire chips, J Geotech Geoenv Eng **123**(5) 479-482 (May 1997), 11A560
Seismic response of shallow foundation on liquefiable sand, J Geotech Geoenv Eng **123**(6) 557-567 (Jun 1997), 11A561
Calibration and use of grid-based tactile pressure sensors in granular material, Geotech Testing J **20**(2) 218-241 (Jun 1997), 12A688
Centrifuge-modeled rigid structure to investigate dynamic soil-structure interaction, Geotech Testing J **20**(2) 139-148 (Jun 1997), 12A689
Comparison of laboratory-measured GCL hydraulic conductivity based on three parameter types, Geotech Testing J **20**(1) 49-62 (Mar 1997), 12A690
Equipment for 1D compression and triaxial testing of unsaturated granular soils at low stress levels, Geotech Testing J **20**(1) 74-89 (Mar 1997), 12A691
Low strain measurements using random noise excitation, Geotech Testing J **20**(1) 29-39 (Mar 1997), 12A692
Measurement of volume changes in triaxial tests using digital imaging techniques, Geotech Testing J **20**(1) 103-109 (Mar 1997), 12A693
Methods for broad-band dielectric permittivity measurements: Soil-water mixtures, 5 Hz to 1.3 GHz, Geotech Testing J **20**(2) 168-178 (Jun 1997), 12A694
Particle-size analysis of soils using laser light scattering and X-ray absorption technology, Geotech Testing J **20**(1) 63-73 (Mar 1997), 12A695
Performance evaluation of LDTs for use in triaxial tests, Geotech Testing J **20**(2) 149-167 (Jun 1997), 12A696
Review on contact area measurement of pneumatic tire on rigid and deformable surfaces, J Terramech **33**(5) 253-264 (Sep 1996), 12A697

268. SOIL MECHANICS (APPLIED)

268B. Shallow foundations

Reinforcement and Reconstruction of Foundations (Balkema, Rotterdam, Netherlands, 1996) 1N34
Study on a new mechanical model for foundations and its elastic settlement response, Int J Numer Anal Methods Geomech **20**(8) 595-604 (Aug 1996), 2A558
Earth Reinforcement (Balkema, Rotterdam, Netherlands, 1996) 3N29
Photoelastic determination of contact stresses of foundations, J Geotech Eng **122**(8) 692-696 (Aug 1996), 3A592
Structural analysis model for mat foundations, J Struct Eng **122**(9) 1114-1117 (Sep 1996), 3A593
Sizewell B foundation dewatering: System design, construction and performance monitoring, Geotechnique **46**(3) 473-490 (Sep 1996), 4T645
Settlements of oil storage tank during liquefaction (Japanese), Proc JSCE **547**(III-36) 57-65 (Sep 1996), 5A522
Simplified subgrade model for 3D soil-foundation interaction analysis, Soil Dyn Earthquake Eng **15**(7) 419-429 (Oct 1996), 5A523
Rocking response of flexible circular foundations on layered media, Soil Dyn Earthquake Eng **15**(8) 485-497 (Dec 1996), 5A1421
Reinforcement and Reconstruction of Foundations (Balkema, Rotterdam, Netherlands, 1996) 7N19
Numerical studies of bearing-capacity factor N_γ, J Geotech Geoenv Eng **123**(1) 20-29 (Jan 1997), 8A36
Buckling of piles with general power distribution of lateral subgrade reaction, J Geotech Geoenv Eng **123**(2) 123-130 (Feb 1997), 8A660
Dynamic and static displacement property of rigid foundation on weathered rock by field test (Japanese), Proc JSCE **554**(III-37) 31-45 (Dec 1996), 8A661
Earthquake response of submerged gravity foundation on soft rock, Soil Dyn Earthquake Eng **16**(2) 125-139 (Feb 1997), 8A662
Large model spread footing load tests on geosynthetic reinforced soil foundations, J Geotech Geoenv Eng **123**(1) 66-72 (Jan 1997), 8A678
Behavior of model footings on sand reinforced with discrete inclusions, Geotextiles Geomembranes **14**(10) 575-584 (Oct 1996), 9A635
Elastic analysis of an annular slab-soil interaction problem using a hybrid method, Comput Geotech **20**(2) 161-176 (1997), 10A646
Approximation for analysis of raft and piled raft foundations, Comput Geotech **20**(2) 105-123 (1997), 10A701
Soil inertia effects on the bearing capacity of rectangular foundations on cohesive soils, Eng Struct **19**(8) 637-643 (Aug 1997), 10A702
Seismic response of shallow foundation on liquefiable sand, J Geotech Geoenv Eng **123**(6) 557-567 (Jun 1997), 11A561
Soil stress state orientation beneath a tire at various loads and inflation pressures, J Terramech **33**(4) 185-194 (Jul 1996), 12A493

268C. Deep foundation, piles

Reinforcement and Reconstruction of Foundations (Balkema, Rotterdam, Netherlands, 1996) 1N34
Analysis of the transient response of vertically loaded single piles by time-domain BEM, Comput Geotech **19**(2) 117-136 (1996), 1A621
Analysis of laterally loaded pile group with varying foundation modulus, Asian J Struct Eng **1**(4) 395-402 (1995), 2A559
Failure mechanism of a dry sandy ground around a deep circular shaft at active state (Japanese), Proc JSCE **541**(III-35) 87-98 (Jun 1996), 2A560
Study of design method of pile anchored to bedrock (Japanese), Proc JSCE **540**(VI-31) 1-4 (Jun 1996), 2A56!
Study on lateral resistance properties of pile groups (Japanese), Proc JSCE **541**(III-35) 35-46 (Jun 1996), 2A562
Strength of Dilating Soil and Load-Holding Capacity of Deep Foundations: Introduction to Theory and Practical Application (Balkema, Rotterdam, Netherlands, 1995) 3R19
Analysis of piles used for slope stabilization, Int J Numer Anal Methods Geomech **20**(9) 635-646 (Sep 1996), 3A594
Behavior of pile-supported dolphins in marine clay under lateral loading, J Geotech Eng **122**(8) 607-612 (Aug 1996), 3A595
Field investigation of potential contamination by bitumen-coated piles, J Geotech Eng **122**(9) 736-744 (Sep 1996), 3A596
Influence of foundation nonlinearity on offshore towers response, J Geotech Eng **122**(9) 717-724 (Sep 1996), 3A597
Simplified method for design of underpinning piles, J Geotech Eng **122**(9) 745-751 (Sep 1996), 3A598
Experimental investigation into pile group-layered soil interaction, J Strain Anal Eng Des **31**(5) 371-375 (Sep 1996), 4A650
Determination of the bearing capacity of the pile by means of stress wave theory (Japanese), Proc JSCE **547**(III-36) 67-74 (Sep 1996), 5A524
Effect of pile compressibility on shaft friction capacity, Proc JSCE **547**(III-36) 1-10 (Sep 1996), 5A525
In-situ loading tests of diaphragm wall foundation and property of its bearing capacity (Japanese), Proc JSCE **546**(VI-32) 77-86 (Sep 1996), 5A526
Analysis of behavior of sand surrounding pile tips, J Geotech Eng **122**(11) 897-905 (Nov 1996), 6A656
Centrifuge modeling of piled raft foundations on clay, Geotechnique **46**(4) 741-752 (Dec 1996), 6A657
Difference between load-transfer relationships for laterally loaded pile groups: Active p-y or passive p-δ, J Geotech Eng **122**(12) 1015-1018 (Dec 1996), 6A658
Lateral capacity of helical piles in clays, J Geotech Eng **122**(11) 938-941 (Nov 1996), 6A659
Optimal location design method of steel pipe pile foundation using genetic algorithm (Japanese), Proc JSCE **549**(I-37) 97-105 (Oct 1996), 6A660
Assessment on pile effective lengths and their effects on design - I: Assessment, Comput Struct **62**(2) 265-286 (1997), 7A575
Assessment on pile effective lengths and their effects on design - II: Practical applications, Comput Struct **62**(2) 287-312 (1997), 7A576
Degradation model for one-way cyclic lateral load on piles in soft clay, Comput Geotech **19**(4) 289-300 (1996), 7A577
Initial post-buckling behavior of piles partially embedded in soil, Comput Struct **62**(5) 831-835 (Mar 1997), 7A578
Software to predict the behavior of tension piles, Comput Struct **62**(4) 653-658 (Feb 1997), 7A579
Three dimensional FE modeling of pile groups adjacent to surcharge loads, Comput Geotech **19**(4) 301-324 (1996), 7A580
Torsional piles in non-homogeneous media, Comput Geotech **19**(4) 265-287 (1996), 7A581
Deep-footing and wide-slab effects in reinforced sandy ground, J Geotech Geoenv Eng **123**(1) 30-36 (Jan 1997), 8A663
Dynamic response of laterally excited pile groups, J Geotech Geoenv Eng **123**(1) 1-8 (Jan 1997), 8A664
Pile response due to excavation-induced lateral soil movement, J Geotech Geoenv Eng **123**(2) 94-99 (Feb 1997), 8A665
Probability method applied to dynamic pile-driving control, J Geotech Geoenv Eng **123**(2) 137-144 (Feb 1997), 8A666
Prediction of the measured response of a scaled soil-pile-superstructure system, Soil Dyn Earthquake Eng **16**(2) 113-124 (Feb 1997), 8A1479
Design method for stabilization of slopes with piles, J Geotech Geoenv Eng **123**(4) 314-323 (Apr 1997), 9A636
Dynamic response of intact piles to impulse loads, Int J Numer Anal Methods Geomech **21**(4) 255-275 (Apr 1997), 10A282
Classification of vibration performance of penetration piles into the ground (Japanese), Proc JSCE **561**(III-38) 141-149 (Mar 1997), 10A703
Influence of pile plugging on skin friction in over-consolidated clay, J Geotech Geoenv Eng **123**(6) 525-533 (Jun 1997), 11A562
Vertical vibration of pile in vibration-induced excess pore pressure field, J Geotech Geoenv Eng **123**(5) 422-429 (May 1997), 11A563

268D. Machine foundations

Shape optimization of a dynamically loaded machine foundation coupled to a semi-infinite inelastic medium, Struct Optim **12**(1) 29-34 (Aug 1996), 2A764
Boundary-integral equation approach for foundations resting on a deformable half-space with limit contact pressure, Int J Numer Anal Methods Geomech **20**(9) 617-634 (Sep 1996), 3A599
Control of foundation shape and loading parameters to preserve uniform settlement, Commun Numer Methods Eng **12**(11) 745-753 (Nov 1996), 5A527
Flexural capacity of edge loaded annular foundations, Int J Numer Anal Methods Geomech **21**(6) 397-407 (Jun 1997), 12A698

268E. Anchoring

Geotechnical properties of paper mill sludges for use in landfill covers, J Geotech Eng **122**(9) 768-775 (Sep 1996), 3A600
Pullout simulation of postinstalled chemically bonded anchors, J Struct Eng **122**(9) 1016-1024 (Sep 1996), 3A601
Closure of a thickly formed frozen wall under the influence of ground water flow (Japanese), Proc JSCE **547**(III-36) 75-86 (Sep 1996), 5A908
Interface pullout formula for extensible sheet reinforcement, Geosynthetics Int **3**(5) 565-582 (1996), 7A582
Development of a removable grouting anchor (German), Bauingenieur **72**(5) 221-234 (May 1997), 12A699

268F. Stability

Stability of geosynthetic-reinforced soil above a cavity, Geotextiles Geomembranes **14**(2) 95-109 (Feb 1996), 1A622
Consideration on failure of cut slope of weathered serpentine clay (Japanese), Proc JSCE **541**(III-35) 57-65 (Jun 1996), 2A546
Failure mechanism of a dry sandy ground around a deep circular shaft at active state (Japanese), Proc JSCE **541**(III-35) 87-98 (Jun 1996), 2A560
Landslide process simulations of the clayey slope with sand lens, Proc JSCE **541**(III-35) 1-7 (Jun 1996), 2A563
Stability estimation method for masonry wall (Japanese), Proc JSCE **541**(III-35) 9-20 (Jun 1996), 2A564
Stability of slurry trenches constructed in cohesive soil ground (Japanese), Proc JSCE **541**(III-35) 21-34 (Jun 1996), 2A565
Landslides: Investigation and Mitigation (TRB, DC, 1996) 4N16
Landslides (Balkema, Rotterdam, Netherlands, 1996) 5N14
Landslides (Balkema, Rotterdam, Netherlands, 1996) 5N15
Mechanical characteristics and countermeasures of landslides at the fractured zone on meadian tectonic line (Japanese), Proc JSCE **546**(VI-32) 125-132 (Sep 1996), 5T528
Random-field approach to slope failure along a subsea pipeline route, Appl Ocean Res **18**(2-3) 111-117 (Apr-Jun 1996), 5A529
Stability of embankment on liquefiable sand layers in centrifuge shaking table tests (Japanese), Proc JSCE **547**(III-36) 107-116 (Sep 1996), 5A530
New design method for reinforced sloped embankments, Eng Struct **19**(1) 28-36 (Jan 1997), 6A661
Collapse load computation for high-friction soil, Comput Struct **62**(4) 681-684 (Feb 1997), 7A583
Stability analysis of reinforced and unreinforced embankments on soft ground, Geosynthetics Int **3**(5) 583-604 (1996), 7A584
Influence of soil strength brittleness and nonlincarity on slope stability, Comput Geotech **20**(1) 95-104 (1997), 8A667
Seismic stability and permanent displacement of landfill cover systems, J Geotech Geoenv Eng **123**(2) 113-122 (Feb 1997), 8A668
Three dimensional effects on stability of slopes during earthquakes (Japanese), Proc JSCE **554**(III-37) 119-128 (Dec 1996), 8A669
Design method for stabilization of slopes with piles, J Geotech Geoenv Eng **123**(4) 314-323 (Apr 1997), 9A636
Failure of volcano slopes, Geotechnique **47**(1) 1-31 (Mar 1997), 9T637
Slope stability analyses in stiff fissured clays, J Geotech Geoenv Eng **123**(4) 335-343 (Apr 1997), 9A638
Slope stability analysis using the sprngs attached to the interslice plains (Japanese), Proc JSCE **561**(III-38) 33-46 (Mar 1997), 10A704
Deep rotational stability of tiedback excavations in clay, J Geotech Geoenv Eng **123**(6) 506-515 (Jun 1997), 11A564
Field behavior of excavation stabilized by deep soil mixing, J Geotech Geoenv Eng **123**(6) 516-524 (Jun 1997), 11A565
Stability of uniformly reinforced slopes, J Geotech Geoenv Eng **123**(6) 546-556 (Jun 1997), 11A566
Effect of tine rake angle and aspect ratio on soil failure patterns in dry loam soil, J Terramech **33**(5) 233-252 (Sep 1996), 12A700

Effects of initial density on soil instability at high pressures, J Geotech Geoenv Eng 123(7) 671-677 (Jul 1997), 12A701
Modeling of dilative shear failure, J Geotech Geoenv Eng 123(7) 609-616 (Jul 1997), 12A702

268G. Earth dams and embankments

Centrifuge modeling of geosynthetic reinforced embankments on soft ground, Geotextiles Geomembranes 14(2) 147-155 (Feb 1996), 1A623
Design of geosynthetic reinfcored embankments on soft soil, Geotextiles Geomembranes 14(2) 137-145 (Feb 1996), 1A624
Influence of rain infiltration on slope failure of embankment (Japanese), Proc JSCE 541(III-35) 99-108 (Jun 1996), 2A566
Large earth retaining wall using precast SRC struts (Japanese), Proc JSCE 540(VI-31) 11-24 (Jun 1996), 2A567
Dam Breach Modeling Technology (Kluwer, MA, 1996) 3N26
Earth Reinforcement (Balkema, Rotterdam, Netherlands, 1996) 3N29
Forced vibration of full-scale wall-backfill system, J Geotech Eng 122(10) 849-858 (Oct 1996), 3A179
Centrifuge modeling of geotextile-reinforced cohesive soil retaining walls, J Geotech Eng 122(10) 840-848 (Oct 1996), 3A602
Influence of viscous damping in the dynamic analysis of an earth dam using simple constitutive models, Comput Geotech 19(3) 245-263 (1996), 3A603
Geotextile reinforced lime treated cohesive soil retaining walls, Geosynthetics Int 3(3) 393-405 (34 1996), 3A612
Threshold accelerations for rotation or sliding of bridge abutments, J Geotech Eng 122(9) 752-759 (Sep 1996), 3A1375
Explicit solutions for seepage infiltrating into a porous earth dam due to precipitation, Int J Numer Anal Methods Geomech 20(10) 715-723 (Oct 1996), 4A651
Limit equilibrium analysis of embedded retaining walls, Geotechnique 46(4) 709-723 (Dec 1996), 6A662
Ground response during diaphragm wall installation in clay: Centrifuge model tests, Geotechnique 46(4) 725-739 (Dec 1996), 6A664
Aseismatic studies of concrete faced rockfill dams: State-of-the-art (Chinese), J Dalian Univ Tech 36(6) 708-720 (Nov 1996), 6A1461
Directional dependency of reinforcement force in reinforced embankments on soft soil, Geotextiles Geomembranes 14(9) 507-519 (Sep 1996), 7A585
Liquefaction shaking table tests for sandy ground with embankment, Proc JSCE 554(III-37) 1-17 (Dec 1996), 8A640
Effect of wall geometry on the behavior of reinforced soil walls, Geotextiles Geomembranes 14(10) 521-541 (Oct 1996), 9A639
Passive pressure coefficients, critical failure surface and its kinematic admissibility, Geotechnique 47(1) 185-192 (Mar 1997), 9T640

268H. Lateral earth pressures

Pressures in a square planform silo during discharge, Proc Inst Mech Eng E 210(E2) 101-108 (1996), 1A625
Wall displacement modes dependent active earth pressure analyses using smeared shear band method with two bands, Comput Geotech 19(3) 193-219 (1996), 3A604
Optimization and sensitivity of retaining structures, J Geotech Eng 122(8) 649-656 (Aug 1996), 3A739
Study on water sealing mechanism of earth pressure balanced shield subject to high water pressure (Japanese), Proc JSCE 546(VI-32) 189-198 (Sep 1996), 5A531
Identification and modeling of earthquake ground response - II: Site liquefaction, Soil Dyn Earthquake Eng 15(8) 523-547 (Dec 1996), 5A1413
Lateral earth pressure problem of cohesive backfill with inclined surface, J Geotech Geoenv Eng 123(2) 110-112 (Feb 1997), 8A670
Earth pressures with sloping backfill, J Geotech Geoenv Eng 123(3) 250-259 (Mar 1997), 9A641
Passive pressure determination by method of slices, Int J Numer Anal Methods Geomech 21(5) 337-345 (May 1997), 10A705
Earth pressure coefficients based on the Lade-Duncan failure criterion, Eng Struct 19(9) 733-737 (Sep 1997), 11A36
Variational analysis of earth pressure on a rigid earth-retaining wall, J Eng Mech 123(5) 524-530 (May 1997), 11A567

268I. Excavating and tunneling

Multi-region BE analysis of unconfined seepage problems in excavations, Comput Geotech 19(2) 75-96 (1996), 1A626
Development on thrust ram system for tunnel boring machine (TBM) by using parallel link (Japanese), Proc JSCE 540(VI-31) 135-143 (Jun 1996), 2A568
Finite element analyses and model tests for excavation problems (Japanese), Proc JSCE 541(III-35) 109-118 (Jun 1996), 2A569
"New Implicit Method" for tunnel analysis, Int J Numer Anal Methods Geomech 20(9) 673-690 (Sep 1996), 3A605
Analysis of deep excavation with column type of ground improvement in soft clay, J Geotech Eng 122(9) 709-716 (Sep 1996), 3A606
Ground response of circular tunnel in poorly consolidated rock, J Geotech Eng 122(9) 703-708 (Sep 1996), 3A607
Tunnel rock mass classification technique and its applicability using resistivity and seismic wave velocity (Japanese), Proc JSCE 547(III-36) 117-125 (Sep 1996), 5A532
Temperature changes and thermal stresses obtained during construction of immersed-type tunnel (Japanese), Proc JSCE 546(VI-32) 51-62 (Sep 1996), 5A793
Computational mechanics of the excavation of tunnels, Eng Comput 13(7) 49-69 (1996), 6A663
Ground response during diaphragm wall installation in clay: Centrifuge model tests, Geotechnique 46(4) 725-739 (Dec 1996), 6A664
Side load-transfer mechanisms in drilled shafts in soft argillaceous rock, J Geotech Geoenv Eng 123(2) 145-152 (Feb 1997), 8A38
Elastoplastic analysis of cylindrical cavity problems in geomaterials, Int J Numer Anal Methods Geomech 21(2) 133-149 (Feb 1997), 8A671
Rock behavior measured by means of borehole strain gauges during a large underground cavern excavation (Japanese), Proc JSCE 554(III-37) 19-30 (Dec 1996), 8A672
Stability analysis of key block at excavation surface with probabilistic approach (Japanese), Proc JSCE 554(III-37) 89-98 (Dec 1996), 8A673
Stability evaluation of rock masses with tunnel supports by taking into account dissipation energy (Japanese), Proc JSCE 554(III-37) 71-80 (Dec 1996), 8A674
Study on acting forces to the disk cutters during excavation by using TBM-interaction forces between rock and disk cutters (Japanese), Proc JSCE 554(III-37) 211-220 (Dec 1996), 8T675
Design method for drilled shafts in soft argillaceous rock, J Geotech Geoenv Eng 123(3) 272-280 (Mar 1997), 9A642
Back analysis by EK-filter for coefficient of subgrade reaction and earth pressure in excavation work (Japanese), Proc JSCE 561(III-38) 119-127 (Mar 1997), 10A706
Estimation of lateral pressure and coefficient of subgrade reaction during excavation work in Osaka (Japanese), Proc JSCE 560(VI-34) 107-116 (Mar 1997), 10A707
Study of auto steering control method in the small-diameter pipe excavation-thrust method (Japanese), Proc JSCE 560(VI-34) 57-67 (Mar 1997), 10A708
Study on box shield tunneling method in trial field operation (Japanese), Proc JSCE 560(VI-34) 31-42 (Mar 1997), 10A709
Deep rotational stability of tiedback excavations in clay, J Geotech Geoenv Eng 123(6) 506-515 (Jun 1997), 11A564
Field behavior of excavation stabilized by deep soil mixing, J Geotech Geoenv Eng 123(6) 516-524 (Jun 1997), 11A565
Analysis of stress-change disturbance caused by ideal drilling in clay, J Geotech Geoenv Eng 123(7) 626-634 (Jul 1997), 12A42
Calculation of excavations in normally consolidated soft ground (German), Bauingenieur 72(5) 207-213 (May 1997), 12A703

268J. Highways, runways, and railways

Euroflex 93 (Balkema, Rotterdam, Netherlands, 1996) 1N25
Triaxial dynamics tests on undisturbed samples of a collapsible soil (Spanish), Revista Eng Ciencias Aplicadas 2 91-97 (1994), 1A627
Reinforced soil in motorway construction (Polish), Inzynieria Budownictwo 52(9) 531-534 (1996), 2A572
Soil mechanics in pavement engineering, Geotechnique 46(3) 383-426 (Sep 1996), 4A652
Design and practice of ground improvement in airport construction project on super soft ground (Japanese), Proc JSCE 546(VI-32) 23-37 (Sep 1996), 5A533
Finite elements simulation of reflective cracking in asphaltic overlays, Heron 41(1) 5-28 (1996), 5A534
Study on durability of chemically stabilized roadbed under repeated train load (Japanese), Proc JSCE 546(VI-32) 181-188 (Sep 1996), 5A535
Study on utilization of fly ash and flue gas desulfurization wastes for road base under light traffic (Japanese), Proc JSCE 546(VI-32) 199-210 (Sep 1996), 5T536
Application of genetic algorithms to the back-calculation of pavement layer moduli (Japanese), Proc JSCE 550(V33) 195-204 (Nov 1996), 7T476
Response of thin seal coated road pavement to the swelling and shrinkage of reactive clay subgrades, Proc JSCE 557(V-34) 111-120 (Feb 1997), 10A710
Studies on abrasion characteristics of concrete pavement (Chinese), Proc JSCE 557(V-34) 87-100 (Feb 1997), 10A711
Time domain backcalculation of pavement structure by using matrix reduction (Chinese), Proc JSCE 557(V-34) 77-85 (Feb 1997), 10A712
Study of dynamic load coefficient of airfield's cement concrete pavement (Chinese), J Dalian Univ Tech 37(3) 367-370 (May 1997), 12A704

268L. Mechanical and chemical stabilization, incl geotextiles

Centrifuge modeling of geosynthetic reinforced embankments on soft ground, Geotextiles Geomembranes 14(2) 147-155 (Feb 1996), 1A623
Design of geosynthetic reinforced embankments on soft soil, Geotextiles Geomembranes 14(2) 137-145 (Feb 1996), 1A624
Use of a geotextile separator to minimize intrusion of clay into a coarse stone layer, Geotextiles Geomembranes 14(2) 73-93 (Feb 1996), 1A628
9th GRI Conference on geosynthetics in infrastructure enhancement and remediation, Drexel Univ, PA, December 12-13, 1995, Geotextiles Geomembranes 14(3-4) 159-237 (Mar-Apr 1996), 2A570
Principles of design analysis of reinforced soil construction of retaining walls (Polish), Inzynieria Budownictwo 52(7) 419-423 (1996), 2A571
Reinforced soil in motorway construction (Polish), Inzynieria Budownictwo 52(9) 531-534 (1996), 2A572
9th GRI conference on geosynthetics in infrastructure enhancement and remediation, Geotextiles Geomembranes 14(7-8) 329-447 (Jul-Aug 1996), 3A608
9th GRI conference on geosynthetics in infrastructure enhancement and remediation, Drexel Univ, PA, December 12-13,1995, Geotextiles Geomembranes 14(5-6) 243-328 (Jun-Jul 1996), 3T609
Combined allowable strength reduction factor for geosynthetic creep and installation damage, Geosynthetics Int 3(3) 407-439 (1996), 3A610
Comparisons of predicted and observed failure mechanisms in model reinforced soil walls, Geosynthetics Int 3(3) 329-347 (1996), 3A611
Geotextile reinforced lime treated cohesive soil retaining walls, Geosynthetics Int 3(3) 393-405 (34 1996), 3A612
New unit-cell to study the deformation mechanism of super soft clay overlaid by geogrid and sand, Geosynthetics Int 3(3) 349-367 (1996), 3A613
Bearing capacity of geosynthetic clay liners for cover soils of varying particle size, Geosynthetics Int 3(4) 447-461 (1996), 5A537
Soil stabilization by ambient pore pressure and geomembrane containment, Geosynthetics Int 3(4) 463-491 (1996), 5A538
Geosynthetics: Applications, Design, and Construction (Balkema, Rotterdam, Netherlands, 1996) 7N13
Geotextile reinforced brick faced retaining walls, Geotextiles Geomembranes 14(9) 449-464 (Sep 1996), 7A586
Tests to determine the suitability of a geotextile for use in the containment of hydraulically placed backfill, Geotextiles Geomembranes 14(9) 465-480 (Sep 1996), 7A587
Time-dependent mechanical response of HDPE geomembranes, J Geotech Geoenv Eng 123(1) 57-65 (Jan 1997), 8A584
Deep-footing and wide-slab effects in reinforced sandy ground, J Geotech Geoenv Eng 123(1) 30-36 (Jan 1997), 8A663
Experimental study on load transfer within multi-layered geosynthetics liner (Japanese), Proc JSCE 554(III-37) 239-249 (Dec 1996), 8A676
Field evaluation of protective covers for landfill geomembrane liners under construction loading, Geosynthetics Int 3(6) 679-700 (1996), 8A677
Large model spread footing load tests on geosynthetic reinforced soil foundations, J Geotech Geoenv Eng 123(1) 66-72 (Jan 1997), 8A678
Limit analysis of geosynthetic-reinforced soil slopes, Geosynthetics Int 3(6) 721-740 (1996), 8A679
One proposal on the design of nonwoven geotextile filter layer considering permeability due to clogging (Japanese), Proc JSCE 553(VI-33) 155-170 (Dec 1996), 8T680
Role of specimen geometry, soil height and sleeve length on the pull-out behavior of geogrids, Geosynthetics Int 3(6) 701-719 (1996), 8A681
Shear behavior of reinforced geosynthetic clay liners, Geosynthetics Int 3(6) 771-786 (1996), 8A682
Water diffusion through geomembranes under hydraulic pressure, Geosynthetics Int 3(6) 741-769 (1996), 8A683
Behavior of model footings on sand reinforced with discrete inclusions, Geotextiles Geomembranes 14(10) 575-584 (Oct 1996), 9A635
Geosynthetics in civil engineering, Inzynieria Budownictwo 52(11) 617-620 (1996), 9A643
Influence of the confinement, soil density and displacement rate on soil: Geogrid interaction, Geotextiles Geomembranes 14(10) 543-554 (Oct 1996), 9A644
Perforation strength of geosynthetics and sphericity of coarse grains: A new approach, Geotextiles Geomembranes 14(10) 585-600 (Oct 1996), 9T645
Laboratory evaluation of the load-deflection behavior of clay beams reinforced with galvanized wire netting, Geotextiles Geomembranes 14(10) 555-573 (Oct 1996), 9A885
Critical parameters for specification of prefabricated vertical drains, Geosynthetics Int 4(1) 51-64 (1997), 10A713
Designing to residual strength of geosynthetics instead of stress-rupture, Geosynthetics Int 4(1) 1-10 (1997), 10A714
In-isolation strain measurement of geosynthetics in wide-width strip tension test, Geosynthetics Int 4(1) 11-32 (1997), 10A715
Polymer geogrids for bridging mining voids, Geosynthetics Int 4(1) 33-50 (1997), 10A716
Strength and deformation properties of soils reinforced with fibrillated fibers, Geosynthetics Int 4(1) 65-79 (1997), 10A717
Geosynthetic clay liners subjected to differential settlement, J Geotech Geoenv Eng 123(5) 402-410 (May 1997), 11A568
Leakage through flaws in geomembrane liners, J Geotech Geoenv Eng 123(6) 534-539 (Jun 1997), 11A569
Effect of in-plane tensile loads on the retention characteristics of geotextiles, Geotech Testing J 20(2) 211-217 (Jun 1997), 12A705

268Y. Computational techniques

Finite element method and boundary element method in geomechanics - Foundations and soil-structure interaction: A bibliography (1992-1994), Finite Elements Anal Des 22(3) 249-263 (Jul 1996), 1A51
Artificial fuzzy neural networks in civil engineering, Comput Struct 61(2) 291-302 (Oct 1996), 2A573
Numerical simulation of shear band formation with a polar hypoplastic constitutive model, Comput Geotech 19(3) 221-244 (1996), 3A614
Analysis of disjoint 2D particle assemblies, J Eng Mech 122(12) 1139-1148 (Dec 1996), 6A653
Nonlinear FE analysis of stresses and deformations beneath rigid footings, Comput Struct 62(3) 487-492 (1997), 7A588
Lateral earth pressure problem of cohesive backfill with inclined surface, J Geotech Geoenv Eng 123(2) 110-112 (Feb 1997), 8A670
Random elasticity theory in geotechnical engineering (Polish), Hydro-Tech Transactions 59 29-55 (1995), 9A68
Slope stability analyses in stiff fissured clays, J Geotech Geoenv Eng 123(4) 335-343 (Apr 1997), 9A638
Approximation for analysis of raft and piled raft foundations, Comput Geotech 20(2) 105-123 (1997), 10A701
Soil inertia effects on the bearing capacity of rectangular foundations on cohesive soils, Eng Struct 19(8) 637-643 (Aug 1997), 10A702
Implicit integrations in elastoplastic geotechnics, Mech Cohesive-Frictional Mat 2(2) 165-183 (Apr 1997), 10A718
Earth pressure coefficients based on the Lade-Duncan failure criterion, Eng Struct 19(9) 733-737 (Sep 1997), 11A36
Plane-strain modeling of smear effects associated with vertical drains, J Geotech Geoenv Eng 123(5) 474-478 (May 1997), 11A555
Variational analysis of earth pressure on a rigid earth-retaining wall, J Eng Mech 123(5) 524-530 (May 1997), 11A567

268Z. Field testing and sampling

Triaxial dynamics tests on undisturbed samples of a collapsible soil (Spanish), Revista Eng Ciencias Aplicadas 2 91-97 (1994), 1A627
Study of design method of pile anchored to bedrock (Japanese), Proc JSCE 540(VI-31) 1-4 (Jun 1996), 2A561

Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), Proc JSCE 540(VI-31) 25-35 (Jun 1996), 2A574
Development of a multi-surveying system using GPS for the measurement of ground displacements (Japanese), Proc JSCE 540(VI-31) 5-10 (Jun 1996), 2A575
Experimental study on applicability of high sensitivity radar to diagnosis of impermeable asphalt layer (Japanese), Proc JSCE 540(VI-31) 157-169 (Jun 1996), 2A576
Earth Reinforcement (Balkema, Rotterdam, Netherlands, 1996) 3N29
Analysis of cone pressuremeter tests in sands, J Geotech Eng 122(8) 623-632 (Aug 1996), 3A591
Correlations between simple field test and relative density-test values, J Geotech Eng 122(10) 860-862 (Oct 1996), 3A615
Estimation of ground properties based on a fuzzy reasoning method during vertical hole excavation, J Terramech 33(2) 103-112 (Mar 1996), 3A616
Developments of a ground displacement monitoring system by using the global positioning system (Japanese), Proc JSCE 546(VI-32) 157-168 (Sep 1996), 5A539
Dynamic and static displacement property of rigid foundation on weathered rock by field test (Japanese), Proc JSCE 554(III-37) 31-45 (Dec 1996), 8A661
Rock behavior measured by means of borehole strain gauges during a large underground cavern excavation (Japanese), Proc JSCE 554(III-37) 19-30 (Dec 1996), 8A672
Field evaluation of protective covers for landfill geomembrane liners under construction loading, Geosynthetics Int 3(6) 679-700 (1996), 8A677
Horizontal bridge-soil interaction assessment by dynamic testing, Exp Mech 37(1) 69-77 (Mar 1997), 8A684
Aging effects on oil-contaminated Kuwaiti sand, J Geotech Geoenv Eng 123(3) 290-293 (Mar 1997), 9A646
Cavity expansion and penetration resistance in sand, J Geotech Geoenv Eng 123(4) 344-354 (Apr 1997), 9A647
Freeze-thaw cycling and hydraulic conductivity of bentonitic barriers, J Geotech Geoenv Eng 123(3) 229-238 (Mar 1997), 9A648
Interpretation of large-strain seismic cross-hole tests, J Geotech Geoenv Eng 123(4) 382-388 (Apr 1997), 9A649
Liquefaction at Moss Landing during Loma Prieta earthquake, J Geotech Geoenv Eng 123(5) 453-467 (May 1997), 11A551
Influence of pile plugging on skin friction in overconsolidated clay, J Geotech Geoenv Eng 123(6) 525-533 (Jun 1997), 11A562
Inaccuracies associated with estimating random measurement errors, J Geotech Geoenv Eng 123(5) 393-401 (May 1997), 11A570
Design and performance of a portable piezocone driver for high resolution profiling of wetland sediments, Geotech Testing J 20(2) 191-198 (Jun 1997), 12A706

270. ROCK MECHANICS

270A. General theory

Mechanics of Jointed and Faulted Rock (Balkema, Rotterdam, Netherlands, 1995) 1N28
Tools and Techniques in Rock Mechanics (Balkema, Rotterdam, Netherlands, 1996) 1N37
Geomechanics and Fluiddodynamics: With Applications to Reservoir Engineering (Kluwer, Netherlands, 1996) 4R8
Analysis of stress transfer, deformation and fracture strength by FESM: An analysis method for discontinuous medium (Japanese), Proc JSCE 547(III-36) 23-38 (Sep 1996), 5A540
Survey and the analysis of rock joint and the determination of jointed rock mass model (Japanese), Proc JSCE 547(III-36) 145-157 (Sep 1996), 5T541
Milestones in Rock Engineering: The Bieniawski Jubilee Collection (Balkema, Rotterdam, Netherlands, 1996) 6N16
Effect of scale on rock fracture toughness: A fractal approach, Geotechnique 46(4) 683-693 (Dec 1996), 6A665
Analysis of behavior of stone columns and lime columns, Comput Geotech 20(1) 47-70 (1997), 8A685
Behavior of joints and interfaces subjected to water pressure, Comput Geotech 20(1) 71-93 (1997), 8A686
Concept of effective stress for soil, concrete and rock, Geotechnique 47(1) 61-78 (Mar 1997), 9A611
Mechanics of Hydraulic Fracturing (Gulf Publ, Houston, 1997) 11R23
Mathematical modeling of the distributed state of a fragmented rock media, Composite Mech Des 2(1) 45-55 (1996), 12A707

270B. Mechanical properties

High- and low-frequency elastic moduli for a saturated porous-cracked rock-differential self-consistent and poroelastic theories, Geophys 61(4) 1080-1094 (Jul-Aug 1996), 1A629
Brittle Failure of Rock Materials: Test Results and Constitutive Models (Balkema, Rotterdam, Netherlands, 1995) 2R15
Rock resistivity and its correlation to mechanical properties (Japanese), Proc JSCE 541(III-35) 75-86 (Jun 1996), 2T577
Measurements of third-order elastic constants in rocks, J Acoust Soc Am 100(3) 1392-1398 (Sep 1996), 3A617
Remarks on thermal behavior of rock mass around openings affected by low temperature (Japanese), Proc JSCE 547(III-36) 211-220 (Sep 1996), 5T542
Predicting porosity from acoustic velocities in siliciclastics: A new look, Geophys 62(1) 118-128 (Jan-Feb 1997), 7A589
Double packer permeameter with long packers: An approximate analytical solution, Appl Sci Res 56(4) 281-297 (1996), 8A1255
Double packer permeameter with narrow packers: Analytical solution for non-steady flow, Appl Sci Res 56(4) 255-279 (1996), 8A1256
Velocity dispersion: A tool for characterizing reservoir rocks, Geophys 62(2) 477-486 (Mar-Apr 1997), 9A650
Deformation characteristics of sedimentary soft rocks (Japanese), Proc JSCE 561(III-38) 1-17 (Mar 1997), 10T719
Mechanical properties of rock at high temperatures (Japanese), Proc JSCE 561(III-38) 151-162 (Mar 1997), 10T720

270D. Elasticity, viscoelasticity, plasticity

Modelling the Effects of Blasting on Rock Breakage (Balkema, Rotterdam, Netherlands, 1995) 4R9
Poroviscoelastic analysis of borehole and cylinder problems, Acta Mech 119(1-4) 199-219 (1996), 6A666
Incorporating pore geometry and fluid pressure communication into modeling the elastic behavior of porous rocks, Geophys 62(1) 106-117 (Jan-Feb 1997), 7A590

270F. Anisotropy and nonhomogeneity

Water reservoir loading of long anisotropic valleys with irregular topographies, Appl Math Model 20(12) 909-924 (Dec 1996), 6A1390

270G. Failure mechanisms

Tools and Techniques in Rock Mechanics (Balkema, Rotterdam, Netherlands, 1996) 1N37
Brittle Failure of Rock Materials: Test Results and Constitutive Models (Balkema, Rotterdam, Netherlands, 1995) 2R15
Geomechanics and Fluiddodynamics: With Applications to Reservoir Engineering (Kluwer, Netherlands, 1996) 4R8
Application of a splitting fracture model to the simulation of rock indentation subsurface fractures, Int J Numer Anal Methods Geomech 21(1) 1-13 (Jan 1997), 7A591
Semi-automatic analysis of rock fracture orientations from borehole wall images, Geophys 62(1) 129-137 (Jan-Feb 1997), 7A592
Deformation characteristics and wave velocities of hard rock block with cracks at low strain levels (Japanese), Proc JSCE 561(III-38) 75-87 (Mar 1997), 10A721
Dry and hydraulic extensile fracturing of porous impermeable materials, Heron 41(4) 241-266 (1996), 10A722

270I. Rock strengthening (bolts, etc)

Design method of rock bolts in jointed rock masses (Japanese), Proc JSCE 553(VI-33) 143-153 (Dec 1996), 8A687
Analysis of rockbolt reinforcement using beam-column theory, Int J Numer Anal Methods Geomech 21(4) 241-253 (Apr 1997), 10A723
Mechanical effect of grouted rock bolts on tunnel stability (Japanese), Proc JSCE 561(III-38) 19-31 (Mar 1997), 10A724

270J. Drilling

Applied Geomechanics in Drilling (Balkema, Rotterdam, Netherlands, 1995) 5R8
Experimental consideration on the impact cutting productivity of mortar by a point attack bit (Japanese), Proc JSCE 560(VI-34) 131-140 (Mar 1997), 10A725

270K. Comminution (blasting, grinding, etc)

Modelling the Effects of Blasting on Rock Breakage (Balkema, Rotterdam, Netherlands, 1995) 4R9
Rock Fragmentation by Blasting (Balkema, Rotterdam, Netherlands, 1996) 5N17
Fractal crushing of granular materials, J Mech Phys Solids 44(12) 2079-2102 (Dec 1996), 6A1365
Dynamically induced phase transitions and the modeling of comminution in brittle solids, Math Mech Solids 2(2) 99-116 (Jun 1997), 11A571
Experimental investigations of pick-rock interface temperature in drag-pick cutting, Indian J Eng Mat Sci 4(2) 63-66 (Apr 1997), 12A708

270L. Excavations (tunneling, etc)

Displacement analysis and back-analysis of viscoelastic medium with arbitrary shaped tunnel under quasi 3D rock stresses (Japanese), J Soc Mat Sci Japan 45(8) 876-881 (Aug 1996), 4A653
Prediction and Performance in Rock Mechanics and Rock Engineering (Balkema, Rotterdam, Netherlands, 1996) 6N17
New possibility of the gravimetric inversion of the state of the rockmass affected by expansion of the post-exploitation cavities, Arch Gornictwa 41(3) 325-339 (1996), 9A651
Preloading at the south end of Confignon tunnel, J Geotech Geoenv Eng 123(4) 355-368 (Apr 1997), 9A652

270Y. Computational techniques

Tools and Techniques in Rock Mechanics (Balkema, Rotterdam, Netherlands, 1996) 1N37
Advancements in the theory of heat transfer in rock masses destroyed by openings (Polish), Arch Gornictwa 41(2) 191-202 (1996), 4A1273
Back analysis method using measured displacements for predicting deformational behavior of discontinuous rock mass (Japanese), Proc JSCE 547(III-36) 11-22 (Sep 1996), 5A543
Thermomechanical consolidation coupling analysis on jointed rock mass by the FEM, Eng Comput 13(7) 70-86 (1996), 6A667
Vector analysis of keyblock rotations, J Geotech Eng 122(12) 976-987 (Dec 1996), 6A668
Reliability analysis of rock wedges, J Geotech Geoenv Eng 123(6) 498-505 (Jun 1997), 11A572

270Z. Experimental techniques

Grouting test using a suspension of ultrafine clay on artificially cracked rock samples (Japanese), Proc JSCE 547(III-36) 231-242 (Sep 1996), 5A544
Study on the evaluation of rock condition for construction and adoption of assisting methods based on the past records of twin tunnel construction (Japanese), Proc JSCE 553(VI-33) 21-31 (Dec 1996), 8T688
Immediate tensile strength of irregular mineral particles, Arch Gornictwa 41(3) 341-360 (1996), 9A653
Study of the Brazilian test, Eng Trans 44(3-4) 321-347 (1996), 9A654
Permeability changes during the flow of carbon dioxide solution in rock pores, Arch Gornictwa 41(4) 483-498 (1996), 9A1445
Laboratory hydraulic fracturing experiments on coal, Arch Gornictwa 41(3) 361-370 (1996), 9A1526
Settlement and disintegration behavior of soft rock by in-situ exposure and laboratory slaking tests (Japanese), Proc JSCE 561(III-38) 99-108 (Mar 1997), 10A689
Development of monitoring technics of rocks in situ using precise measurement system of elastic waves (Japanese), Proc JSCE 561(III-38) 185-192 (Mar 1997), 10A726
Cyclic interface and joint shear device including pore pressure effects, J Geotech Geoenv Eng 123(6) 568-579 (Jun 1997), 11A556
Experimental investigations of pick-rock interface temperature in drag-pick cutting, Indian J Eng Mat Sci 4(2) 63-66 (Apr 1997), 12A708
Study of rock fracture by permeability method, J Geotech Geoenv Eng 123(7) 601-608 (Jul 1997), 12A709

272. MATERIALS PROCESSING

Effects of feedstock and laser post-spray treatment on plasma sprayed bioceramic coatings, Mat Manuf Processes 11(5) 869-882 (1996), 4T654
Fabrication of graded, sprayed, and fused coatings and their high temperature erosion performance, Mat Manuf Processes 11(5) 847-854 (1996), 4T902
Hot isostatic pressing modifications of pore size distribution in plasma sprayed coatings, Mat Manuf Processes 12(2) 291-307 (1997), 10T727
Theoretical investigations on sprayed particle-plasma interactions to optimize processing parameters in DC thermal plasma spraying, Mat Manuf Processes 12(2) 309-328 (1997), 10T728
Effects of thermomechanical treatments on superplasticity of Zn-22% Al alloy, Mat Manuf Processes 12(2) 199-214 (1997), 10T1365

272B. Applications of plasticity theory

Application of anisotropic viscoplastic behavior in 3D FE simulations of hot rolling, J Mat Processing Tech 58(2-3) 201-211 (Mar 1996), 1A630
Effect of secondary yielding on nett-shape forming, J Mat Processing Tech 58(2-3) 145-152 (Mar 1996), 1A631
Influence of viscoplasticity in the interpretation of the ring test, J Mat Processing Tech 58(2-3) 286-292 (Mar 1996), 1A632
Mathematical model of the formation of the plastic deformation zone in the rolling of rheologically complex metals and alloys, J Mat Processing Tech 58(2-3) 184-188 (Mar 1996), 1A633
Metal forming and machining, J Mat Processing Tech 59(1-2) 1-180 (May 1996), 1A634
Modeling polymer melt flows in wirecoating processes, J Non-Newtonian Fluid Mech 64(2-3) 191-206 (Jun 1996), 1A635
Numerical simulation and experimental verification of microstructure evolution in a 3D hot-upsetting process, J Mat Processing Tech 58(2-3) 331-336 (Mar 1996), 1A636
UBST approach to the stress analysis of plane-strain upsetting with a newly constructed model of the slip-line field, J Mat Processing Tech 58(2-3) 267-273 (Mar 1996), 1A637
Theoretical and experimental analysis of failure for the hemisphere punch hydroforming processes, J Manuf Sci Eng 118(3) 434-438 (Aug 1996), 2A578
Theoretical and experimental investigation of limit strains in sheet metal forming, Int J Mech Sci 38(12) 1307-1317 (Dec 1996), 2A579
Plastic Bending: Theory and Applications (World Sci Pub, River Edge, NJ, 1996) 3R17
Blank shape design for a planar anisotropic sheet based on ideal forming design theory and FEM analysis, Int J Mech Sci 39(1) 105-120 (Jan 1997), 3A618
Object-process analysis of computer integrated manufacturing documentation and inspection functions, Int J Comput Integrated Manuf 9(5) 339-353 (Sep-Oct 1996), 3A619
Three-dimensional transient mold cooling analysis based on Galerkin FE formulation with a matrix-free conjugate gradient technique, Int J Numer Methods Eng 39(18) 3049-3064 (Sep 1996), 3A620
Multilayer film casting of modified Giesekus fluids - Part 1: Steady-state analysis, J Non-Newtonian Fluid Mech 66(1) 71-93 (Sep 1996), 3A644
Multilayer film casting of modified Giesekus fluids - Part 2: Linear stability analysis, J Non-Newtonian Fluid Mech 66(1) 95-114 (Sep 1996), 3A1134
Mechanics of static and dynamic inversion processes, Int J Mech Sci 39(2) 147-161 (Feb 1997), 4A515
Analysis of the metal flow in swaging: Numerical modeling and experimental verification, Int J Mech Sci 39(2) 221-231 (Feb 1997), 4A655
Fracture condition based on the upper bound method for the extrusion of bimetallic tubes, J Mat Processing Tech 61(3) 265-274 (Sep 1996), 4A656
Modeling the frictional boundary conditions in a rolling process, J Mat Processing Tech 59(4) 373-380 (Jun 1996), 4A657
Modified analysis of the backward extrusion of internally circular-shaped tubes from arbitrarily shaped billets by the upper-bound elemental technique, J Mat Processing Tech 59(4) 351-358 (Jun 1996), 4A658
Theoretical method for estimation of mean pressure on contact area between rolling tools and workpiece in cross wedge rolling processes, Int J Mech Sci 39(2) 233-243 (Feb 1997), 4A659
Upper-bound analysis of friction in metal forming, Int J Mech Sci 39(2) 201-209 (Feb 1997), 4A660
Variational approach to 2D grain growth - I: Theory, Acta Mat 44(12) 4765-4775 (Dec 1996), 5A394

Variational approach to 2D grain growth - II: Numerical results, Acta Mat 44(12) 4777-4789 (Dec 1996), 5A395
Pore shape effects during consolidation processing, Acta Mat 44(12) 4815-4824 (Dec 1996), 5A545
Texture and shape memory strain in TiNi alloy sheets, Acta Mat 44(12) 4825-4834 (Dec 1996), 5A546
Theoretical study of steady-state wedge cutting through metal plates, Int J Fracture 78(1) 45-66 (1996), 5A547
Influence of drill pipe rotation and eccentricity on pressure drop over borehole during drilling, Eur J Mech B 15(5) 695-711 (1996), 5A559
Development of plastic anisotropy in rolled aluminium sheets, Int J Plasticity 12(7) 935-949 (1996), 6A519
Analytical and experimental study on asymmetrical sheet rolling, Int J Mech Sci 39(3) 289-303 (Mar 1997), 6A669
Analytical approach to asymmetrical cold- and hot-rolling of clad sheet using the slab method, J Mat Processing Tech 62(1-3) 249-259 (Nov 1996), 6A670
Axisymmetric tube extrusion through a flat-faced circular die: Numerical construction of slip-line fields and associated velocity fields, Int J Mech Sci 39(3) 341-366 (Mar 1997), 6A671
Class of upper-bound solutions for the extrusion of square shapes from square billets through curved dies, J Mat Processing Tech 62(1-3) 185-190 (Nov 1996), 6A672
Hollow cylinder upsetting between flat platens considering unequal frictional conditions, J Strain Anal Eng Des 31(6) 403-412 (Nov 1996), 6A673
Model for the hot deformation of low-carbon steel, J Mat Processing Tech 62(1-3) 180-184 (Nov 1996), 6A674
Three-dimensional UBET model applied to the forging of square blocks between flat dies and grooved dies of simple geometry, J Mat Processing Tech 62(1-3) 81-89 (Nov 1996), 6A675
Upper-bound analysis of square-die forward extrusion, J Mat Processing Tech 62(1-3) 242-248 (Nov 1996), 6A676
Combined rod and tube extrusion: Numerical solution of axi-symmetric slip-line fields and associated velocity fields, Int J Mech Sci 39(4) 435-454 (Apr 1997), 7A593
Edge stresses in wide strip hot rolling, Int J Mech Sci 39(4) 397-408 (Apr 1997), 7A594
Mechanical property changes in drawing-extrusion of hardening viscoplastic materials with damage, Int J Mech Sci 39(5) 565-573 (May 1997), 7A595
Modeling of cutting for viscoplastic materials, Int J Mech Sci 39(4) 369-389 (Apr 1997), 7A596
Non-incremental time-space algorithm for numerical simulation of forming process, Appl Math Mech 17(11) 1021-1029 (Nov 1996), 7A597
Plastic zone size determination by temperature measurement, J Eng Mat Tech 119(1) 32-39 (Jan 1997), 7A598
Process-independent force characterization for metal-cutting simulation, J Eng Mat Tech 119(1) 86-94 (Jan 1997), 7A599
Special volume containing the proceedings of the Third Asia Pacific Conference on Materials Processing, Hong Kong, November 12-14, 1996, J Mat Processing Tech 63(1-3) 1-934 (Jan 1997), 7A600
Stability of biaxial stretching with application to the optimization of superplastic blow-forming, J Eng Mat Tech 119(1) 26-31 (Jan 1997), 7A601
Thermo-mechanical analysis of stability in dieless wire drawing, Int J Mech Sci 39(5) 615-627 (May 1997), 7A1362
Shear banding in strain hardening polycrystals during rolling, Int J Plasticity 12(10) 1257-1285 (1996), 8A517
Analysis and experimental investigation of a simplified burnishing process, Int J Mech Sci 39(6) 629-641 (Jun 1997), 8A689
Plane strain extrusion by sequential limit analysis, Int J Mech Sci 39(7) 807-817 (Jul 1997), 8A690
Rate-dependent model for hot-rolling, Int J Mech Sci 39(6) 705-727 (Jun 1997), 8A691
Plastic analysis of metal surface layers undergoing the roller burnishing process, Eng Trans 44(3-4) 471-481 (1996), 9A655
Orientation and formability of orthotropic sheet metals, J Strain Anal Eng Des 32(1) 61-81 (Jan 1997), 10A729
Bend allowance and developed length calculation for pressbrake bending, J Manuf Sci Eng 119(2) 227-237 (May 1997), 11A573
Coupled FEM and texture modeling of plane strain extrusion of an aluminium alloy, Int J Plasticity 13(1-2) 111-125 (1997), 11A574
Die shape optimal design in bimetal extrusion by the FEM, J Manuf Sci Eng 119(2) 143-150 (May 1997), 11A575
Investigation of unequal interface frictional conditions during the upsetting process, J Mat Processing Tech 65(1-3) 292-301 (Mar 1997), 11A576
Non-isothermal plane plastic flow of a thin layer compressed by flat rigid dies, Int J Mech Sci 39(8) 899-912 (Aug 1997), 11A577
Numerical implementation of orthotropic plasticity for sheet-metal forming analysis, J Mat Processing Tech 65(1-3) 143-152 (Mar 1997), 11A578
Upper bound analysis of extrusion of I-section bars from square-rectangular billets through square dies, Int J Mech Sci 39(8) 925-934 (Aug 1997), 11A579
Low speed mixed lubrication of bulk metal forming processes, J Trib 118(1) 83-89 (Jan 1996), 11A1188
Finite-element analysis on the upsetting process of semi-solid aluminum material, J Mat Processing Tech 66(1-3) 76-84 (Apr 1997), 12A34
Numerical analysis of an inside-out tube inversion process, J Mat Processing Tech 66(1-3) 130-136 (Apr 1997), 12A544
Analysis of tube-spinning processes by the upper-bound stream-function method, J Mat Processing Tech 66(1-3) 195-203 (Apr 1997), 12A710
Investigation of the effect of dissimilar interface frictional properties on the process of hollow cylinder upsetting, J Mat Processing Tech 66(1-3) 204-215 (Apr 1997), 12A711
Simplified approach for evaluating bendability and springback in plastic bending of anisotropic sheet metals, J Mat Processing Tech 66(1-3) 9-17 (Apr 1997), 12A712

272C. Forging

Evaluation of FE models for the calculation of die-cavity compensation, J Mat Processing Tech 58(2-3) 212-216 (Mar 1996), 1A37
Process design in multi-stage cold forging by the FEM, J Mat Processing Tech 58(2-3) 174-183 (Mar 1996), 1A638
Automated design of progressive dies, Proc Inst Mech Eng J Eng Manuf 210(B4) 367-376 (1996), 2A580
Design of forging process parameters with deformation and temperature constraints, J Manuf Sci Eng 118(3) 441-444 (Aug 1996), 2A581
Effects of die chilling and flow stress characteristics on the deformation of non-isothermal forging of Ti-6Al-4V alloy, J Mat Processing Manuf Sci 4(3) 205-219 (Jan 1996), 2A582
Study on the forging of spur gears, Int J Mech Sci 38(12) 1333-1347 (Dec 1996), 2A583
Three-dimensional upper bound elemental technique for forging analysis, Proc Inst Mech Eng J Eng Manuf 210(B4) 353-359 (1996), 2A584
Effect of phase transformation on densification during hot isostatic pressing, Mat Manuf Processes 11(4) 655-671 (1996), 3T621
Finite element simulation and experimental study of hot closed-die upsetting, Int J Machine Tools Manuf 36(9) 1021-1032 (Sep 1996), 3A622
Analysis of the drop forging of a piston using slip-line fields and FEM, Int J Mech Sci 39(2) 211-220 (Feb 1997), 4A661
Dynamic effects during a high-speed sinter-forging process, Int J Machine Tools Manuf 36(10) 1109-1122 (Oct 1996), 4A662
Dynamic simulation and neural network compliance control of an intelligent forging center, J Intelligent & Robotic Syst 17(1) 81-99 (Sep 1996), 5A548
Computer-aided forging-die design for 2D cross-sectional components, J Mat Processing Tech 62(1-3) 124-132 (Nov 1996), 6A677
Development of product and process comparison criteria for an intelligent knowledge-based system for forging die design, Proc Inst Mech Eng J Eng Manuf 210(B6) 565-578 (1996), 6A678
New approach to optimal design of multi-stage metal forming processes with micro genetic algorithms, Int J Machine Tools Manuf 37(1) 29-44 (Jan 1997), 6A679
Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: Titanium alloy matrix composites, J Mat Processing Tech 62(1-3) 100-107 (Nov 1996), 6A680
Distinct element simulation of grain alignment in mushy-state forging of magnets, Int J Mech Sci 39(7) 771-780 (Jul 1997), 8A526
Quantitative data for precision, closed-die, forging: Internal deformations and computer simulations, Int J Machine Tools Manuf 37(4) 523-554 (Apr 1997), 8A692
Qualitative data for precision, closed-die forging via "line-averaged" residual plastic-strains, Int J Machine Tools Manuf 37(5) 657-667 (May 1997), 9T656
Grain size modeling and optimization of rotary forged Alloy 718, J Eng Mat Tech 119(2) 133-137 (Apr 1997), 10A730
Numerical simulation of axisymmetric forging processes through FE analysis: A simple method for the modeling of friction (Spanish), Rev Int Metodos Numer Calc Diseno Ing 13(1) 57-69 (1997), 10A731
Forging parameter optimization considering stress distributions in products through FEM analysis and robust design methodology, Int J Machine Tools Manuf 37(6) 775-782 (Jun 1997), 11A580
Injection forging of tubular materials: A workability analysis, J Mat Processing Tech 65(1-3) 88-93 (Mar 1997), 11A581
Study on center thinning in the rotary forging of a circular plate, J Mat Processing Tech 66(1-3) 101-106 (Apr 1997), 12A713
Upper-bound elemental technique with convex parallelepiped and convex spherical elements for 3D forging analysis, Int J Machine Tools Manuf 37(8) 1053-1067 (Aug 1997), 12A714

272D. Extrusion

Finite flow-line regions approach to visioplasticity in plane-strain extrusion, J Mat Processing Tech 58(2-3) 308-313 (Mar 1996), 1A639
Investigation into the thermo-viscoplastic FE analysis of square die extrusion of square section with Lagrangian description, Int J Machine Tools Manuf 36(8) 907-924 (Aug 1996), 1A640
Limits of lubrication in backward can extrusion: Analysis by the FEM and physical modeling experiments, J Mat Processing Tech 61(3) 275-286 (Sep 1996), 4A663
Analysis of axisymmetric tube extrusion, Int J Machine Tools Manuf 36(11) 1253-1267 (Nov 1996), 5A549
Central bursting and optimal die profile for axisymmetric extrusion, J Manuf Sci Eng 118(4) 579-584 (Nov 1996), 5A550
Rapid polymer-gas solution formation for continuous production of microcellular plastics, J Manuf Sci Eng 118(4) 639-645 (Nov 1996), 5A551
Three-dimensional extrudate swell: Formulation with the stream tube method and numerical results for a Newtonian fluid, Int J Numer Methods Fluids 23(9) 937-952 (Nov 1996), 5A552
Finite element modeling of hot metal forming, Indian J Eng Mat Sci 3(6) 234-238 (Dec 1996), 6A681
Particle orientation in talc-filled thermoplastics extruded through cylindrical, rectangular, and annular dies, J Non-Newtonian Fluid Mech 66(2-3) 257-270 (Oct 1996), 6A682
Prediction of surface-fracture initiation in the axisymmetric extrusion and simple upsetting of an aluminum alloy, J Mat Processing Tech 62(1-3) 166-174 (Nov 1996), 6A710
Finite element simulation of the influence of die-elasticity on component dimensions in forward extrusion, Int J Machine Tools Manuf 37(2) 183-192 (Feb 1997), 7A602
Extrusion of power-law shear-thinning fluids with small exponent, Int J Non-Linear Mech 32(1) 187-199 (Jan 1997), 8A693
Optimization of crystallinity distribution in sheet extrusion, Inverse Prob Eng 4(2) 153-176 (1996), 8A694
Pressurization and heat transfer during twin screw extrusion processing of concentrated suspensions, J Mat Processing Manuf Sci 5(1) 57-76 (Jul 1996), 8A695
Extrudate swell and isothermal melt spinning analysis of linear low density polyethylene using the Wagner constitutive equation, J Non-Newtonian Fluid Mech 69(2-3) 113-136 (Apr 1997), 11A392
Development of helical coordinate system and its application to analysis of polymer flow in screw extruders - Part I: The balance equations in a helical coordinate system, J Non-Newtonian Fluid Mech 69(2-3) 155-167 (Apr 1997), 11A582
Mechanical material model for aluminium extrusions during on-line quenching, J Eng Mat Tech 118(1) 114-119 (Jan 1996), 11A583
Oscillatory enchancement of the squeezing flow of yield stress fluids: A novel experimental result, J Fluid Mech 339 77-87 (May 1997), 11A584
UBET-simulation meant for basic understanding of the extrusion of aluminum profiles, J Eng Indust 117(4) 485-493 (Nov 1995), 11A585
FEM simulation of friction testing method based on combined forward rod-backward can extrusion, J Trib 119(3) 501-506 (Jul 1997), 12A715
Modeling central bursting in the extrusion of particulate reinforced metal matrix composite materials, Int J Machine Tools Manuf 37(7) 901-915 (Jul 1997), 12T716

272E. Rolling

Sheet orientation and forming limits under diffuse necking, Appl Math Model 20(8) 624-635 (Aug 1996), 1A496
Analysis of cold strip rolling under hydrodynamic lubrication, J Mat Processing Tech 58(2-3) 256-266 (Mar 1996), 1A641
Finite element analysis of flat rolling and application of fuzzy set theory, Int J Machine Tools Manuf 36(8) 947-969 (Aug 1996), 1A642
Measurements of friction in cold metal rolling, J Trib 118(3) 629-636 (Jul 1996), 1A643
Pressure rolling contact: Steady state flow analysis and comparison with experimental data, Int J Solids Struct 33(25) 3739-3753 (Oct 1996), 2A394
Development of oils for cold rolling of deformation-resistant metals, J Friction Wear 16(5) 98-101 (1995), 2T585
Object-process analysis of computer integrated manufacturing documentation and inspection functions, Int J Comput Integrated Manuf 9(5) 339-353 (Sep-Oct 1996), 3A619
Cold rolling of multi-layer explosively cladded strips, Int J Machine Tools Manuf 36(9) 1033-1044 (Sep 1996), 3A623
Profiling of rollers for thread rolling, J Mat Processing Tech 59(4) 333-336 (Jun 1996), 4A664
Application of repetitive control to eccentricity compensation in rolling, J Dyn Syst Meas Control 118(4) 657-664 (Dec 1996), 6A397
Fuzzy-control simulation of cross-sectional shape in six-high cold-rolling mills, J Mat Processing Tech 62(1-3) 61-69 (Nov 1996), 6A454
Interfacial geometry in simulated rolling and recrystallization textures, Model Simulation Mat Sci Eng 4(5) 455-472 (Sep 1996), 6A521
Simulation of rail rolling using the generalized plane-strain FE approach, J Mat Processing Tech 62(1-3) 229-234 (Nov 1996), 6A683
Special Issue: Journal of materials processing technology, J Mat Processing Tech 61(4) 323-394 (Oct 1996), 6T684
Dynamic characteristics of a rolling mill, J Syst Control Eng 210(I4) 259-271 (1996), 7A361
Forming mechanism of planetary conical rolling, J Manuf Sci Eng 119(1) 30-36 (Feb 1997), 8A696
Morphology of austenite grains in ferritic-austenitic steel 00H20N5M1 (Polish), Biuletyn Wojskowej Akademii Technicznej 45(8) 63-72 (Aug 1996), 9A657
Behavior of cold-rolling oil-in-water emulsions: A rheological approach, J Trib 119(2) 250-258 (Apr 1997), 10A732
Viscoelastic effects in modeling web handling systems: Steady-state analysis, J Appl Mech 62(4) 908-914 (Dec 1995), 11A397
Fast electro-optical sensing system for measuring thermal response of a rotating roll without generating contact noise, J Manuf Sci Eng 119(2) 193-200 (May 1997), 11A586
Prediction of strip profile in rolling process using influence coefficients and Boussinesq's equations, J Manuf Sci Eng 119(2) 220-226 (May 1997), 11A587
Study on residual stresses in rolling, Int J Machine Tools Manuf 37(6) 837-853 (Jun 1997), 11A588
Approach to the optimal design of rolling passes, Int J Machine Tools Manuf 37(8) 1143-1154 (Aug 1997), 12A717
Coupled solidification analysis of materials and cooling roller in direct rolling process, J Mat Processing Tech 66(1-3) 277-286 (Apr 1997), 12A718
Influence of friction and geometry on plastic spread, Mech Res Commun 24(4) 351-358 (Jul-Aug 1997), 12T719
Problems of dynamics of rolling mills (Russian), Prikl Mekh (Appl Mech) 33(3) 3-27 (1997), 12A720
Roll pass evaluation for 3D section rolling using a simplified FEM, Proc Inst Mech Eng J Eng Manuf 211(B2) 143-158 (1997), 12A721

272F. Drawing

Analysis of axisymmetric cup drawing in relation to friction, J Mat Processing Tech 58(2-3) 293-301 (Mar 1996), 1A644
Finite-element modeling of the deep-drawing of square sections of coated steels, J Mat Processing Tech 58(2-3) 153-159 (Mar 1996), 1A645
Extent of stretching during deep drawing, J Mat Processing Tech 59(4) 386-390 (Jun 1996), 4A665
Mathematical model study on the die-less drawing of variable-section tubular parts, J Mat Processing Tech 59(4) 391-393 (Jun 1996), 4A666
Heating effects in the drawing of wire and strip under hydrodynamic lubrication conditions, J Manuf Sci Eng 118(4) 628-638 (Nov 1996), 5A553
Optimization of single and multistep wire drawing processes with respect to minimization of the forming energy, Struct Optim 12(2-3) 120-126 (Oct 1996), 5A554
Deep drawing of ultra thin aluminium sheet with use of piezoelectric actuator (Japanese), J Japan Soc Precision Eng 62(12) 1737-1741 (12 1996), 7T603
Prediction of the limiting drawing ratio and the maximum drawing load in cup-drawing, Int J Machine Tools Manuf 37(2) 201-213 (Feb 1997), 7A604
Work-hardening in 3D slip-line fields, Eng Trans 44(3-4) 389-402 (1996), 9A454
Topographic characterization of progressive wear on deep drawing dies, Trib Trans 40(2) 346-352 (Apr 1997), 10A980
Prediction of die wear in the wire-drawing process, J Mat Processing Tech 65(1-3) 11-17 (Mar 1997), 11A589
Experimental set-up and data processing of the radial strip-drawing friction test, J Mat Processing Tech 66(1-3) 216-223 (Apr 1997), 12A722
Numerical analysis of deep drawing process for thermoplastic composite laminates, J Eng Mat Tech 119(3) 314-318 (Jul 1997), 12A723

Influence of die geometry on tool wear in deep drawing. Wear 207(1-2) 10-15 (Jun 1997), 12A949

272G. Sheet metal forming and stamping

Application of numerical simulation in the bending of aluminum-alloy profiles, J Mat Processing Tech 58(2-3) 274-285 (Mar 1996), 1A35
Accommodation of springback error in channel forming using active binder force control: Numerical simulations and experiments, J Eng Mat Tech 118(3) 426-435 (Jul 1996), 1A646
Determination of material parameters from superplastic inflation tests, J Mat Processing Tech 58(2-3) 233-246 (Mar 1996), 1A647
Investigating the influence of wear of shaping contour of skinned punch on part springing, Russian Aeronaut 38(4) 39-42 (1995), 1T648
Susceptibility to localized necking of defect-free metal sheets under biaxial stretching, J Mat Processing Tech 58(2-3) 251-255 (Mar 1996), 1A649
Elementary Mechanics of Plastic Flow in Metal Forming (Wiley, UK, 1996) 2R18
Papers from the International Symposium on Metal-forming Related Environmental Issues, J Mat Processing Tech 59(3) 183-284 (May 1996), 2T586
Shot peen forming sheet metal: FE prediction of deformed shape, Proc Inst Mech Eng J Eng Manuf 210(B4) 361-366 (1996), 2A587
Design and implementation of sensor-based tool-wear monitoring systems, Mech Syst Signal Processing 10(4) 439-458 (Jul 1996), 3A624
R-S adapted arbitrary Lagrangian-Eulerian FEM for metal-forming problems with strain localization, Int J Numer Methods Eng 39(19) 3247-3272 (Oct 1996), 3A625
Monitoring of the forming of configuration parts on bending robots using a technical-vision device, J Machinery Manuf Reliab 2 59-61 (1996), 4T459
Computerized diagraph and matrix approach for evaluation of metal stamping layouts, J Mat Processing Tech 59(4) 285-293 (Jun 1996), 4A470
Modeling of superplastic blow forming, Int J Mech Sci 39(2) 193-199 (Feb 1997), 4A667
V-shape forming of super hybrid material plate (Japanese), J Soc Mat Sci Japan 45(8) 882-887 (Aug 1996), 4A668
Development of an on-line evaluation system of formability in cold-rolled steel sheets using electromagnetic acoustic transducers (EMATs), NDT&E Int 29(3) 141-146 (Jun 1996), 4A795
New one-pass approach for large deformation multibody frictional contact analysis, Commun Numer Methods Eng 12(9) 569-579 (Sep 1996), 4A912
New mechanics model of stamping a thin strip on an elastic foundation, Int J Solids Struct 34(3) 327-339 (Jan 1997), 6A685
Sensitivity of forming processes to shape parameters, Comput Methods Appl Mech Eng 137(3-4) 189-206 (Nov 1996), 6A686
Stiffness of screw presses, Int J Machine Tools Manuf 37(1) 93-100 (Jan 1997), 6A687
Theoretical analysis and experimental research into the integral hydro-bulge forming of oblate shells, J Mat Processing Tech 62(1-3) 199-205 (Nov 1996), 6A688
Forming-limit diagrams for Al 2124 and Al-Li 8090 through fracture mechanics and perturbation analysis, J Mat Processing Tech 62(1-3) 275-282 (Nov 1996), 6A755
Rigid viscoplastic FE analysis of the gas-pressure constrained bulging of superplastic circular sheets into cone disk shape dies, Int J Mech Sci 39(4) 487-496 (Apr 1997), 7A22
Application of fully automatic remeshing to complex metal-forming analyses, Comput Struct 62(3) 417-427 (1997), 7A605
Analysis of an equivalent drawbead model for the FE simulation of a stamping process, Int J Machine Tools Manuf 37(4) 409-423 (Apr 1997), 8A697
Fracture prediction in stretch forming using FE simulation combined with ductile fracture criterion, Arch Appl Mech 67(3) 143-150 (Feb 1997), 9A658
Generation of a model for die-sinking from digitized data (Japanese), J Japan Soc Precision Eng 63(2) 183-187 (Feb 1997), 9A659
Parameter sensitivity of metal forming processes, Comp Assisted Mech Eng Sci 3(3) 263-282 (1996), 9A660
Preform die shape design in metal forming using an optimization method, Int J Numer Methods Eng 40(7) 1213-1230 (Apr 1997), 9A661
Strain gradient approach for deformation localization and forming limit diagrams, J Mech Behavior Mat 7(4) 265-277 (1996), 9A662
Topology optimization of sheets in contact by a subgradient method, Int J Numer Methods Eng 40(7) 1295-1321 (Apr 1997), 9A840
Influence of material behavior in air bending of steel sheet, European J Mech Eng 42(1) 19-23 (1997), 10A733
Finite-element simulation of V-die bending: A comparison with experimental results, J Mat Processing Tech 65(1-3) 52-58 (Mar 1997), 11A28
Development of high-productivity machine for precision dies and molds, Int J Japan Soc Precision Eng 31(1) 6-9 (Mar 1997), 11A590
Two-stage algorithm for determination of the bending sequence in sheet metal products, J Mech Des 119(2) 259-266 (Jun 1997), 12A460
Analysis of single-side shearing by using punch with high slenderness ratio, Int J Machine Tools Manuf 37(8) 1109-1122 (Aug 1997), 12A724
Friction in bulk metal forming: A general friction model vs the law of constant friction, J Mat Processing Tech 66(1-3) 186-194 (Apr 1997), 12A725
Predicted rolling force model for high-speed end milling operation, Int J Machine Tools Manuf 37(7) 969-979 (Jul 1997), 12A726
Research into the dieless hydro-forming of non-uniform thickness spherical vessels, Int J Machine Tools Manuf 37(8) 1123-1130 (Aug 1997), 12A727
Rolling process 2D FE model analysis, Finite Elements Anal Des 26(2) 143-160 (Jun 1997), 12A728
System analysis of metal forming technique in welding processes, J Mat Processing Tech 66(1-3) 264-269 (Apr 1997), 12A729
Screening the performance of lubricants for the ironing of stainless steel with a strip reduction test, Wear 207(1-2) 1-5 (Jun 1997), 12A1231

272H. Machining (incl NM)

Incorporation of tool deflection in tool path computation: Simulation and analysis, J Manuf Syst 15(3) 190-199 (1996), 1A411
Combination of machining and measurement makes high accuracy and rationalization of production (Japanese), J Japan Soc Precision Eng 62(6) 784-788 (Jun 1996), 1T416
Abnormal cutting state detection using model parameters, Int J Japan Soc Precision Eng 30(1) 41-46 (Mar 1996), 1A650
Analysis of fracture in burr formation at the exit stage of metal cutting, J Mat Processing Tech 58(2-3) 189-200 (Mar 1996), 1A651
Cutting forces in orthogonal cutting of unidirectional GFRP composites, J Eng Mat Tech 118(3) 419-425 (Jul 1996), 1A652
Design optimization of a split-point drill by force analysis, J Mat Processing Tech 58(2-3) 314-322 (Mar 1996), 1A653
Planning of simultaneous machining sequence for turning by considering division of machining areas: Generation of effective combinations for simultaneous machining (Japanese), J Japan Soc Precision Eng 62(6) 820-824 (Jun 1996), 1A654
Low-cost automatic system for machining photoelastic specimens, Exp Tech 20(4) 11-15 (Jul-Aug 1996), 1T806
Simulation of blank-tool wear in finishing precision surfaces, J Friction Wear 16(3) 142-149 (1995), 1A881
Determination of tip parameters for the protuberance preshaving cutters, Mech Machine Theory 31(7) 839-849 (Oct 1996), 1A910
Dynamic analysis of the ultrasonic machining process, J Manuf Sci Eng 118(3) 376-381 (Aug 1996), 2A171
Application of meta functions to the quasi-static analysis of workpiece displacement within a machining fixture, J Manuf Sci Eng 118(3) 325-331 (Aug 1996), 2A370
Control of multiple constraints within an open architecture machine tool controller, J Manuf Sci Eng 118(3) 388-393 (Aug 1996), 2A372
Biochemical machining of biodegradable plastics: Development of microremoval process by enzyme (Japanese), J Japan Soc Precision Eng 62(7) 984-988 (Jul 1996), 2A588
Control of cutting force for end milling processes using an extended model reference adaptive control scheme, J Manuf Sci Eng 118(3) 339-347 (Aug 1996), 2A589
Determination of optimum tilting angle of ball-end mill in 5-axis control machining: Determination based on finished surface roughness and application of neural network (Japanese), J Japan Soc Precision Eng 62(7) 1019-1023 (Jul 1996), 2A590
Dynamic interaction of the cutting process, workpiece, and Lathe's structure in facing, J Manuf Sci Eng 118(3) 348-358 (Aug 1996), 2A591
Effect of workpiece temperature on the machinability of an aluminum-SiC MMC, J Manuf Sci Eng 118(3) 422-427 (Aug 1996), 2A592
Machining accuracy analysis for computer-aided fixture design verification, J Manuf Sci Eng 118(3) 289-300 (Aug 1996), 2A593
Modeling of tool forces for worn tools: Flank wear effects, J Manuf Sci Eng 118(3) 359-366 (Aug 1996), 2A594
Penetrability of lubricants as the characteristic of metal cutting efficiency, J Friction Wear 16(5) 89-97 (1995), 2A595
PMPS: A prototype CAPP system for parallel machining, J Manuf Sci Eng 118(3) 406-414 (Aug 1996), 2A596
Proceedings of the 3rd International Conference on Computer Integrated Manufacturing, J Mat Processing Tech 58(4) 337-400 (Apr 1996), 2A597
Reasoning of the machinability and cutting condition based on the chemical compositions of material - 1st report: Influence of the chemical composition on machinability (Japanese), J Japan Soc Precision Eng 62(7) 1004-1008 (Jul 1996), 2A598
Statistical analysis of the effects of feed, speed, and wear on hole quality in drilling, J Manuf Sci Eng 118(3) 367-375 (Aug 1996), 2A599
Trial making of a polishing apparatus by hot iron metal for CVD diamond cutting tools and its characteristics (Japanese), J Japan Soc Precision Eng 62(7) 969-973 (Jul 1996), 2A600
Friction contact properties and metal machining, J Friction Wear 16(5) 11-16 (1995), 2A861
Chip breaking process simulation by thermo-elastic plastic FEM (Japanese), J Japan Soc Precision Eng 62(8) 1161-1166 (Aug 1996), 3A10
Analytical model for material removal in abrasive jet machining for brittle materials, Mat Manuf Processes 11(4) 535-554 (1996), 3A626
Elliptical vibration cutting - 1st report: Cutting principle and basic performance (Japanese), J Japan Soc Precision Eng 62(8) 1127-1131 (Aug 1996), 3A627
Emergence of complicated patterns from the viewpoint of machining (Japanese), J Japan Soc Precision Eng 62(8) 1101-1105 (Aug 1996), 3T628
Examination of wire electrical discharge machining (WEDM) of Al_2O_3 particulate reinforced aluminum based composites, Mat Manuf Processes 11(3) 341-350 (1996), 3T629
Experimental study of burr formation in square shoulder face milling, Int J Machine Tools Manuf 36(9) 1005-1020 (Sep 1996), 3A630
Influence of cutting edge radius on the machined surface of brittle materials in simulated orthogonal machining, Int J Machine Tools Manuf 36(9) 971-983 (Sep 1996), 3A631
Influence of thermo-currents on BUE forms and cutting mechanism, Japan J Trib 40(7) 681-690 (1995), 3T632
Machining of micro-parts by ultra-precision milling machine (Japanese), J Japan Soc Precision Eng 62(8) 1132-1135 (Aug 1996), 3A633
Prediction of ball-end milling forces from orthogonal cutting data, Int J Machine Tools Manuf 36(9) 1059-1072 (Sep 1996), 3A634
Prediction of tool life in oblique machining with nose radius tools, Wear 198(1-2) 220-228 (Oct 1996), 3A635
Simulation analysis of cutting performance of diamond in titanium machining, Int J Japan Soc Precision Eng 30(2) 144-145 (Jun 1996), 3T636
Electrical discharge machining of ZrB_2-based ceramics, Mat Manuf Processes 11(4) 565-574 (1996), 3A662
Neural network thrust force controller to minimize delamination during drilling of graphite-epoxy laminates, Int J Machine Tools Manuf 36(9) 985-1003 (Sep 1996), 3A676
Formation mechanism of adherent layers on a cutting tool, Wear 198(1-2) 192-196 (Oct 1996), 3A854
Monitoring the tool wear in the turning process using acoustic emission (Spanish), J Brazilian Soc Mech Sci 18(3) 227-238 (Sep 1996), 3A880
Determining mean and gradient residual stresses in thin films using micromachined cantilevers, J Micromech Microeng 6(3) 301-309 (Sep 1996), 4A423
Tolerance analysis in setup planning for rotational parts, J Manuf Syst 15(5) 340-350 (1996), 4A467
Chaotic cutting process and determining optimal cutting parameter values using neural networks, Int J Machine Tools Manuf 36(10) 1161-1172 (Oct 1996), 4A669
Distribution of forces in inductors for electrodynamic working of metals, Arch Budowy Maszyn 42(3-4) 233-250 (1995), 4A670
Drilling of high hardness steels with the high pressure supply of coolant (Japanese), J Japan Soc Precision Eng 62(9) 1310-1314 (Sep 1996), 4T671
Hybrid algorithm for predicting chip form-chip breakability in machining, Int J Machine Tools Manuf 36(10) 1093-1107 (Oct 1996), 4A672
Neural network modeling for tool path planning of the rough cut in complex pocket milling, J Manuf Syst 15(5) 295-304 (1996), 4A673
Precision machining and assembly technologies for optical fibers and components (Japanese), J Japan Soc Precision Eng 62(9) 1255-1258 (Sep 1996), 4T674
Prediction of cutting forces and built-up edge formation conditions in machining with oblique nose radius tools, Proc Inst Mech Eng J Eng Manuf 210(B5) 457-469 (1996), 4A675
Structure control for improvement of machinability of ADI in drilling (Japanese), J Japan Soc Precision Eng 62(9) 1315-1319 (Sep 1996), 4T676
Study of cutting by a knife-edged cutter - 1st Report: Test apparatus for cutting and a few results (Japanese), J Japan Soc Precision Eng 62(9) 1340-1344 (Sep 1996), 4A677
Study on microcutting for the configuration of tools using molecular dynamics, J Mat Processing Tech 59(4) 309-314 (Jun 1996), 4A678
Machining of green Si_3N_4 polymer bonded ceramic materials, Mat Manuf Processes 11(5) 775-787 (1996), 4T695
Evaluation of chip separation criteria for the FEM simulation of machining, J Manuf Sci Eng 118(4) 545-554 (Nov 1996), 5A28
H^∞ control of milling AMB spindle, JSME Int J Ser C 39(3) 502-508 (Sep 1996), 5A333
CyberCut: A world wide web based design-to-fabrication tool, J Manuf Syst 15(6) 432-442 (1996), 5A364
Fuzzy adaptive control of machining processes with a self-learning algorithm, J Manuf Sci Eng 118(4) 522-530 (Nov 1996), 5A369
Modular CNC design for intelligent machining- Part 1: Design of a hierarchical motion control module for CNC machine tools, J Manuf Sci Eng 118(4) 506-513 (Nov 1996), 5A372
Modular CNC design for intelligent machining - Part 2: Modular integration of sensor based milling process monitoring and control tasks, J Manuf Sci Eng 118(4) 514-521 (Nov 1996), 5A373
Adaptive tool replacement policies in machining economics, J Manuf Sci Eng 118(4) 658-663 (Nov 1996), 5A378
Analysis of drill failure modes by multi-sensors on a robotic end effector, J Manuf Sci Eng 118(4) 672-676 (Nov 1996), 5A555
Analytical evaluation of the cutting forces in self-piloting drilling using the model of shear zone with parallel boundaries - Part 1: Theory, Int J Machine Tools Manuf 36(11) 1187-1200 (Nov 1996), 5A556
Feature-based machining of curved surfaces using the steepest directed tree approach, J Manuf Syst 15(6) 379-391 (1996), 5A557
Flexible ball-end milling system model for cutting force and machining error prediction, J Manuf Sci Eng 118(4) 461-469 (Nov 1996), 5A558
Influence of drill pipe rotation and eccentricity on pressure drop over borehole during drilling, Eur J Mech B 15(5) 695-711 (1996), 5A559
Monitoring of thermal energy distribution in abrasive waterjet cutting using infrared thermography, J Manuf Sci Eng 118(4) 555-563 (Nov 1996), 5A560
Monitoring rotating tools using laser diffraction, J Manuf Sci Eng 118(4) 664-667 (Nov 1996), 5A561
Study of electrochemical jet machining process, J Manuf Sci Eng 118(4) 490-498 (Nov 1996), 5A562
Theoretical study of erosion phenomenon in abrasive jet machining, J Manuf Sci Eng 118(4) 564-570 (Nov 1996), 5A563
Thermo-viscoplastic modeling of machining process using a mixed FEM, J Manuf Sci Eng 118(4) 470-482 (Nov 1996), 5A1295
Tool condition monitoring in machining by fuzzy neural networks, J Dyn Syst Meas Control 118(4) 665-672 (Dec 1996), 6A406
Anisotropic heat-affected zone in the laser grooving of fiber-reinforced composite material, J Mat Processing Tech 62(1-3) 54-60 (Nov 1996), 6A543
Analytical evaluation of the cutting forces in self-piloting drilling using the model of shear zone with parallel boundaries - Part 2: Application, Int J Machine Tools Manuf 36(12) 1335-1345 (Dec 1996), 6A689
Burr formation and fracture in oblique cutting, J Mat Processing Tech 62(1-3) 24-36 (Nov 1996), 6A690
CAD approach to helical groove machining - Part 2: Numerical evaluation and sensitivity analysis, Int J Machine Tools Manuf 37(1) 101-117 (Jan 1997), 6A691
Closed form formulation of cutting forces for ball and flat end mills, Int J Machine Tools Manuf 37(1) 17-27 (Jan 1997), 6A692
Image detection approach to NC rough-cut milling from solid models, Int J Machine Tools Manuf 36(12) 1321-1333 (Dec 1996), 6A693
Integrated planning for precision machining of complex surfaces - Part 1: Cutting-path and feedrate optimization, Int J Machine Tools Manuf 37(1) 61-75 (Jan 1997), 6A694
Integrated planning for precision machining of complex surfaces - Part 2: Application to the machining of a turbine blade die, Int J Machine Tools Manuf 37(1) 77-91 (Jan 1997), 6A695
Mechanism of spark generation during electrochemical discharge machining: A theoretical model and experimental verification, J Mat Processing Tech 62(1-3) 46-53 (Nov 1996), 6A696
Optimization of machining parameters for milling operations, Int J Machine Tools Manuf 37(1) 1-16 (Jan 1997), 6A697
Study of thermally induced machine tool errors in real cutting conditions, Int J Machine Tools Manuf 36(12) 1401-1411 (Dec 1996), 6A698
Three-dimensional model of chip flow, chip curl and chip breaking for oblique cutting, Int J Machine Tools Manuf 36(12) 1385-1400 (Dec 1996), 6A699

Two-stage approach for nesting in 2D cutting problems using neural network and simulated annealing, Proc Inst Mech Eng J Eng Manuf **210**(B6) 509-519 (1996), 6A700

Use of Voronoi Diagram for defining the cutting path (Spanish), J Brazilian Soc Mech Sci **18**(4) 383-394 (Dec 1996), 6A701

Study of the jet-flow rate of cooling in machining - Part 1: Theoretical analysis, J Mat Processing Tech **62**(1-3) 149-156 (Nov 1996), 6A1226

Study of the jet-flow rate of cooling in machining - Part 2: Simulation study, J Mat Processing Tech **62**(1-3) 157-165 (Nov 1996), 6A1227

Finite element analysis of thermal behavior in metal machining - 1st report: Influence of thermophysical properties on cutting temperature, JSME Int J Ser C **39**(4) 857-863 (Dec 1996), 7A17

Finite element analysis of thermal behavior in metal machining - 2nd report: Determination of energy balance and its application to 3D analysis, JSME Int J Ser C **39**(4) 864-870 (Dec 1996), 7A18

Orthogonal cutting of fiber-reinforced composites: A FE analysis, Int J Mech Sci **39**(5) 597-613 (May 1997), 7A20

Development of CAM system based on simulation of the copy operation, JSME Int J Ser C **39**(4) 843-849 (Dec 1996), 7A606

Effects of ultrasonic vibration on machining accuracy in microdrilling, Int J Japan Soc Precision Eng **30**(3) 210-216 (Sep 1996), 7A607

Estimation method for perpendicularity of motion of vertical milling machine by model of machine tools (Japanese), J Japan Soc Precision Eng **62**(12) 1742-1746 (12 1996), 7A608

Fabrication of SiC aspherical mirror by elastic emission machining, Int J Japan Soc Precision Eng **30**(3) 235-236 (Sep 1996), 7T609

Fast calibration and modeling of thermally-induced machine tool errors in real machining, Int J Machine Tools Manuf **37**(2) 159-169 (Feb 1997), 7A610

Positioning accuracy improvement in five-axis milling by post processing, Int J Machine Tools Manuf **37**(2) 223-236 (Feb 1997), 7T611

Selected papers from 2nd International Conference on Production Engineering, Singapore, November 22-24,1996, J Mat Processing Tech **62**(4) 287-457 (Dec 1996), 7T612

Squared corner shaping by 6-axis control (Japanese), J Japan Soc Precision Eng **62**(12) 1762-1766 (12 1996), 7A613

Study on a 5-axis machine tool for sculptured surface having a fixed point in the tip of the tool, Int J Japan Soc Precision Eng **38**(3) 271-275 (Sep 1996), 7A614

Study on a new kind of combined machining technology of ultrasonic machining and electrical discharge machining, Int J Machine Tools Manuf **37**(2) 193-199 (Feb 1997), 7A615

Upper-bound cutting model for oblique cutting tools with a nose radius, Int J Machine Tools Manuf **37**(2) 119-134 (Feb 1997), 7A616

Systems theory approach to modeling of cutting temperature with experimental identification, Int J Machine Tools Manuf **37**(2) 149-158 (Feb 1997), 7A1359

Porous silicon as a sacrificial material, J Micromech Microeng **6**(4) 361-369 (Dec 1996), 8T417

Stiction in surface micromachining, J Micromech Microeng **6**(4) 385-397 (Dec 1996), 8T419

Surface micromachining by sacrificial aluminium etching, J Micromech Microeng **6**(4) 376-384 (Dec 1996), 8T420

Assessment of quasi-static and operational errors in NC machine tools, J Manuf Syst **16**(1) 59-68 (1997), 8A455

Reference Free Part Encapsulation: A new universal fixturing concept, J Manuf Syst **16**(1) 35-47 (1997), 8A461

Analysis of striation formation in laser material cutting process, J Mat Processing Manuf Sci **5**(1) 3-15 (Jul 1996), 8A698

Assessment of plasma enhanced machining for improved machinability of Inconel 718, J Manuf Sci Eng **119**(1) 125-129 (Feb 1997), 8A699

Comprehensive monitoring system in metal cutting - 1st Report: Proposed system and construction (Japanese), J Japan Soc Precision Eng **63**(1) 65-69 (Jan 1997), 8A700

Cutting state identification, J Sound Vib **200**(1) 15-29 (Feb 1997), 8A701

Deformations and pressure distribution on machine tool sideways, Int J Machine Tools Manuf **37**(3) 309-318 (Mar 1997), 8A702

Design and machining of globoidal index cams, J Manuf Sci Eng **119**(1) 21-29 (Feb 1997), 8A703

Design of an automatic tool changer with disc magazine for a CNC horizontal machining center, Int J Machine Tools Manuf **37**(3) 277-286 (Mar 1997), 8A704

Development of a micro-depth control system for an ultra-precision lathe using a piezo-electric actuator, Int J Machine Tools Manuf **37**(4) 495-509 (Apr 1997), 8A705

Development of a prototype laser processing system for shaping advanced ceramic materials, J Manuf Sci Eng **119**(1) 55-67 (Feb 1997), 8A706

Enhanced dynamic model in turning including the effect of ploughing forces, J Manuf Sci Eng **119**(1) 10-20 (Feb 1997), 8A707

Machining with super-pressure (690 MPa) waterjets, Int J Machine Tools Manuf **37**(4) 465-479 (Apr 1997), 8A708

Macro-level optimization of cutting tool geometry, J Manuf Sci Eng **119**(1) 1-9 (Feb 1997), 8A709

Process analysis and monitoring in abrasive water jet machining of alumina ceramics, Int J Machine Tools Manuf **37**(3) 295-307 (Mar 1997), 8A710

Study of wire breaking process and monitoring of WEDM, Int J Machine Tools Manuf **37**(4) 555-567 (Apr 1997), 8A711

Use of cutting force and acoustic emission signals for the monitoring of tool insert geometry during rough face milling, Int J Machine Tools Manuf **37**(4) 481-494 (Apr 1997), 8A867

Study of concurrent decision-making protocols in the design of a metal cutting tool using monotonicity arguments, Eng Optim **27**(3) 229-264 (Dec 1996), 8A974

Effects of water-mixture film on impact contact in abrasive waterjet machining, Int J Mech Sci **39**(6) 729-739 (Jun 1997), 8A1112

Advanced coated ceramic tools for machining superalloys, Int J Machine Tools Manuf **37**(5) 591-605 (May 1997), 9A663

Chip-breaking system for mild steel in turning, Int J Machine Tools Manuf **37**(5) 607-617 (May 1997), 9A664

Development of versatile vacuum-chuck (Japanese), J Japan Soc Precision Eng **63**(2) 188-192 (Feb 1997), 9A665

Energy approach to chip-breaking when machining with grooved tool inserts, Int J Machine Tools Manuf **37**(5) 569-577 (May 1997), 9A666

Estimation of machining errors using the concept of cyclic symmetry, Int J Machine Tools Manuf **37**(5) 635-647 (May 1997), 9A667

Experimental investigation of contact behavior in grinding, Trib Int **30**(4) 283-294 (Apr 1997), 9T668

Feed, cutting speed and cutting forces as machinability parameters of Al-Cu alloys, J Mech Behavior Mat **7**(3) 167-178 (1996), 9A669

Shear instability in chip formation in orthogonal machining, J Mech Behavior Mat **7**(4) 279-292 (1996), 9A670

Theory and practice of achieving quality surface in turn milling, Int J Machine Tools Manuf **37**(5) 709-715 (May 1997), 9A671

Three dimensional generation by dot-matrix EDM - 1st Report: Proposal of dot-matrix EDM, J Japan Soc Precision Eng **63**(2) 254-258 (Feb 1997), 9A672

Machine vision system for tool wear assessment, Trib Int **30**(4) 295-304 (Apr 1997), 9T945

General mathematical model for gears cut by CNC hobbing machines, J Mech Des **119**(1) 108-113 (Mar 1997), 9A955

Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), J Japan Soc Precision Eng **63**(3) 389-393 (Mar 1997), 10A238

Method of 3D cutter compensation based on digitizing copying system, J Dalian Univ Tech **37**(1) 73-77 (Jan 1997), 10A518

4th International Scientific Conference Achievements in Mechanical and Materials Engineering: Selected papers Gliwice-Wisla Poland, November 30-December 1st, 1995, J Mat Processing Tech **64**(1-3) 1-415 (Feb 1997), 10A541

Improvement of tool life by jet supplied cutting fluid (Japanese), J Japan Soc Precision Eng **63**(4) 540-544 (Apr 1997), 10A553

5-axis control machining by use of conicoid end mill (Japanese), J Japan Soc Precision Eng **63**(3) 415-419 (Mar 1997), 10A734

Implicit-type elastic-plastic FEM analysis of cutting mechanism - 2nd report: Simulation of chip formation process using chip breaker (Japanese), J Japan Soc Precision Eng **63**(4) 565-569 (Apr 1997), 10A735

Influence of fiber on the cutting stress state in machining idealized glass fiber composite, J Strain Anal Eng Des **32**(1) 19-27 (Jan 1997), 10A736

Miro drilling of printed circuit boards - 2nd Report: FEM analysis of torsional strength for twist drill (Japanese), J Japan Soc Precision Eng **63**(3) 431-435 (Mar 1997), 10A737

Preparation of fine grain diamond coated WC-Co tools and their cutting performance (Japanese), J Japan Soc Precision Eng **63**(4) 525-529 (Apr 1997), 10T738

Skill training of manual machine operation by simulator: In the case of small-diameter deep-hole machining with drilling machine (Japanese), J Japan Soc Precision Eng **63**(4) 555-559 (Apr 1997), 10A739

Universal algorithm for revolving cutters with equal helical angle edge (Chinese), J Dalian Univ Tech **37**(1) 63-66 (Jan 1997), 10A740

Effect of auditory feedback on operating efficiency and fatigue: In the case of manual cut-off turning with virtual lathe, Int J Japan Soc Precision Eng **30**(4) 325-330 (Dec 1996), 10A782

Machining of nickel-based superalloy using PcBN endmill tool: Effect of high-pressure coolant supply on tool wear, Int J Japan Soc Precision Eng **30**(4) 323-324 (Dec 1996), 10T977

Regenerative chatter vibration occurring in turning with different side cutting edge angles, J Eng Indust **117**(4) 551-558 (Nov 1995), 11A159

Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 1: Theory derivation, J Eng Indust **117**(4) 584-590 (Nov 1995), 11A347

Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 2: Experimental verification, J Eng Indust **117**(4) 591-600 (Nov 1995), 11A348

Automatic synthesis of membership functions for the force control of turning operations, J Mat Processing Tech **65**(1-3) 80-87 (Mar 1997), 11A350

Set-theoretic automatic selection of cutting tools in manufacturing system, J Mat Processing Tech **65**(1-3) 99-106 (Mar 1997), 11A356

Alternative method for the evaluation of the abrasive water-jet cutting of grey cast iron, J Mat Processing Tech **65**(1-3) 65-72 (Mar 1997), 11A591

Assisting designers in the forecasting of surfaces used for easier fixturing in a machining process, J Mat Processing Tech **65**(1-3) 26-33 (Mar 1997), 11A592

Burr minimization in face milling: A geometric approach, J Manuf Sci Eng **119**(2) 170-177 (May 1997), 11A593

Characteristics of abrasive waterjet generated surfaces and effects of cutting parameters and structure vibration, J Eng Indust **117**(4) 516-525 (Nov 1995), 11A594

Cycle-time reduction in machining by recursive constraint bounding, J Manuf Sci Eng **119**(2) 201-207 (May 1997), 11A595

Design of a 3D cut-away tool for the turning of high manganese steels, Int J Japan Soc Precision Eng **31**(1) 26-32 (Mar 1997), 11A596

Dual-mechanism approach to the prediction of machining forces - Part 1: Model development, J Eng Indust **117**(4) 526-533 (Nov 1995), 11A597

Dual-Mechanism Approach to the prediction of machining forces - Part 2: Calibration and validation, J Eng Indust **117**(4) 534-541 (Nov 1995), 11A598

Effect of abrasive waterjet parameters on volume removal trends in turning, J Eng Indust **117**(4) 475-484 (Nov 1995), 11A599

Evaluation of cut quality of fiber-reinforced plastics: A review, Int J Machine Tools Manuf **37**(6) 723-736 (Jun 1997), 11A600

Feasibility study of abrasive-waterjet milling of fiber-reinforced plastics, J Manuf Sci Eng **119**(2) 133-142 (May 1997), 11A601

Formulation of surface roughness models for machining nickel super alloy with different tools, Mat Manuf Processes **12**(3) 395-408 (1997), 11T602

Fuzzy-neta in-process system for tool-breakage monitoring in end-milling operations, Int J Machine Tools Manuf **37**(6) 783-800 (Jun 1997), 11A603

Identification of cutter axis tilt in end milling, J Manuf Sci Eng **119**(2) 178-185 (May 1997), 11A604

Laser machining for secondary finishing applications, J Eng Indust **117**(4) 629-636 (Nov 1995), 11A605

Machining of filled polymers using single-edge tools, J Composite Tech Res **19**(2) 72-76 (Apr 1997), 11A606

Manipulation of uncertainties in the determination of optimal machining conditions under multiple criteria, J Manuf Sci Eng **119**(2) 186-192 (May 1997), 11A607

Material properties in abrasive-waterjet machining, J Eng Indust **117**(4) 578-583 (Nov 1995), 11A608

Mechanistic approach to predicting the cutting forces in drilling: With application to fiber-reinforced composite materials, J Eng Indust **117**(4) 559-570 (Nov 1995), 11A609

New method for the identification of stability lobes in machining, Int J Machine Tools Manuf **37**(6) 763-774 (Jun 1997), 11A610

Novel approach to the design of self-piloting drills with external chip removal - Part 1: Geometry of the cutting tip and grinding process, J Eng Indust **117**(4) 453-463 (Nov 1995), 11A611

Novel approach to the design of self-piloting drills with external chip removal - Part 2: Bottom clearance topology and experimental results, J Eng Indust **117**(4) 464-474 (Nov 1995), 11A612

Residual stresses with different tool flank wear lengths in the ultra-precision machining of Ni-P alloys, J Mat Processing Tech **65**(1-3) 116-126 (Mar 1997), 11A613

Simulation analysis of 3D continuous chip formation processes - Part 1: FE formulation and experimental verification, Int J Japan Soc Precision Eng **31**(1) 39-46 (Mar 1997), 11A614

Thermal expansion of the workpiece in turning, J Eng Indust **117**(4) 542-550 (Nov 1995), 11A615

Analysis of 3D transient heat condition for predicting wire erosion in the wire electrical discharge machining process, J Mat Processing Tech **65**(1-3) 134-142 (Mar 1997), 11A1308

Strong nonlinear dynamics of cutting processes, J Sound Vib **203**(3) 363-372 (Jun 1997), 12A207

Digital robust controller for cutting force control in the end milling process, J Dyn Syst Meas Control **119**(2) 146-152 (Jun 1997), 12A407

Force control of turning based on robust PI controller design, Proc Inst Mech Eng J Eng Manuf **211**(B2) 165-175 (1997), 12A408

Geometry and generation of NC tool paths, J Mech Des **119**(2) 253-258 (Jun 1997), 12A463

Experimental investigations in the drilling of carbon fiber-reinforced plastic composite laminates, Int J Machine Tools Manuf **37**(8) 1097-1108 (Aug 1997), 12A601

Cross-coupled precompensation method for the contouring accuracy of computer numerically controlled machine tools, Int J Machine Tools Manuf **37**(7) 947-967 (Jul 1997), 12A730

Development of a high efficiency rough cutting for metal molds and dies machining (Japanese), J Japan Soc Precision Eng **63**(5) 711-715 (May 1997), 12T731

Development of the new-type indexable inserts with helical rake faces, Proc Inst Mech Eng J Eng Manuf **211**(B2) 159-164 (1997), 12A732

Force model of a single-point tool with a chamfered main cutting edge when wearing has occurred, J Mat Processing Tech **66**(1-3) 49-62 (Apr 1997), 12A733

Formation of an adherent layer on a cutting tool studied by micro-machining and FE analysis, Wear **208**(1-2) 61-66 (Jul 1997), 12A734

High-speed machining of aluminium using diamond endmills, Int J Machine Tools Manuf **37**(8) 1155-1165 (Aug 1997), 12A735

Tool-chip interface stress distributions, ploughing force and size effect in machining, Int J Machine Tools Manuf **37**(7) 885-899 (Jul 1997), 12A736

272I. Grinding

Analysis and simulation of the grinding process - Part I: Generation of the grinding wheel surface, Int J Machine Tools Manuf **36**(8) 871-882 (Aug 1996), 1A655

Analysis and simulation of the grinding process - Part II: Mechanics of grinding, Int J Machine Tools Manuf **36**(8) 883-896 (Aug 1996), 1T656

Analysis and simulation of the grinding process - Part III: Comparison with experiment, Int J Machine Tools Manuf **36**(8) 897-906 (Aug 1996), 1T657

Energy flowing rate into workpiece in surface grinding based on 3D temperature analysis - 1st report: Discussion on temperature distribution in workpiece measured by hole method, Int J Japan Soc Precision Eng **30**(1) 29-34 (Mar 1996), 1A658

Grinding mode identification and surface quality prediction using neural network in grinding of silicon nitride, Int J Japan Soc Precision Eng **30**(1) 35-40 (Mar 1996), 1A659

In-situ measurement and compensation control in external grinding of large cylinders, Acta Polytech Scand Mech Eng **0**(121) 11-123 (1996), 1A660

Slot and vertical face grinding of aerospace components, J Eng Gas Turbines Power **118**(3) 620-625 (Jul 1996), 1A661

Influence of grinding direction on fracture strength of silicon nitride, J Eng Mat Tech **118**(3) 335-342 (Jul 1996), 1A716

Fractal characteristics of grinding wheel surface (Japanese), J Japan Soc Precision Eng **62**(7) 979-983 (Jul 1996), 2A601

Mechanism of fluid transport across the grinding zone, J Manuf Sci Eng **118**(3) 332-338 (Aug 1996), 2A1011

Development of straight cup wheel to prevent grinding seizure for grinding center, Int J Japan Soc Precision Eng **30**(2) 134-139 (Jun 1996), 3T637

Effect of installation of cylindrical grinding machine upon its dynamic characteristics, Int J Japan Soc Precision Eng **30**(2) 146-147 (Jun 1996), 3T638

Highly efficient grinding of ceramic parts by electrolytic in-process dressing (ELID) grinding, Mat Manuf Processes **11**(1) 31-44 (1996), 3T639

Relationship between performance and sparks generated in selected cylindrical grinding experiments, Mat Manuf Processes **11**(3) 491-508 (1996), 3A640

Thermal deformation rate control grinding for improving surface finish (Japanese), J Japan Soc Precision Eng **62**(8) 1156-1160 (Aug 1996), 3A641

Wear characteristics of vitrified bonded CBN wheels in grinding mild steel (Japanese), J Japan Soc Precision Eng **62**(8) 1117-1121 (Aug 1996), 3T642

Grinding-like polishing using magnetic fluid: Surface polishing characteristics of silicon wafer, Int J Japan Soc Precision Eng **30**(2) 142-143 (Jun 1996), 3T660

Numerical investigation of transient thermal stresses of workpiece in surface grinding, J Thermal Stresses **19**(6) 565-578 (Sep 1996), 3A1272

Effects of the hob cutter regrinding and setting on ZE-type worm gear manufacture, Int J Machine Tools Manuf **36**(10) 1123-1135 (Oct 1996), 4A471

Characterization of the grinding wheel surface by means of image processing - 1st Report: Post-process measurement of abrasive grain and cut-

ting-edge distribution on the wheel surface (Japanese), J Japan Soc Precision Eng 62(9) 1297-1301 (Sep 1996), 4A679
Ductile regime mirror finish grinding of ceramics with electrolytic in-process dressing (ELID) grinding, Mat Manuf Processes 11(5) 789-801 (1996), 4T680
Mechanism of material removal in electrical discharge diamond grinding, Int J Machine Tools Manuf 36(10) 1173-1185 (Oct 1996), 4A681
Study on electro-discharge diamond wheel grinding (EDGM) of ceramic materials, Mat Manuf Processes 11(5) 763-774 (1996), 4A682
Topography generation by nontraditional surface grinding, Arch Budowy Maszyn 42(3-4) 251-259 (1995), 4A683
Application of 3D surface measurement techniques to characterizing grinding wheel topography, Int J Machine Tools Manuf 36(11) 1207-1226 (Nov 1996), 5A564
Influences of the bond for grinding wheel on the generation of ground groove of ferrite in slot grinding (Japanese), J Japan Soc Precision Eng 62(10) 1454-1458 (Oct 1996), 5A565
Analysis of grinding temperatures by energy partitioning, Proc Inst Mech Eng J Eng Manuf 210(B6) 579-588 (1996), 6A702
Interaction of abrasive water jet with cut material at high velocity of impact: Development of an experimental correlation, Eur J Mech A 15(6) 1037-1047 (1996), 6A703
Edge-chipping generation of ferrite in slot grinding, Int J Japan Soc Precision Eng 30(3) 223-228 (Sep 1996), 7A617
Gear grinding by threaded vitrified-bonded CBN wheel, Int J Japan Soc Precision Eng 30(3) 229-234 (Sep 1996), 7T618
Installation of surface grinding machines in case of five-point support, Int J Japan Soc Precision Eng 30(3) 239-240 (Sep 1996), 7T619
Magnetic fluid grinding of advanced ceramic balls, Wear 200(1-2) 148-153 (Dec 1996), 7A620
Method for ball screw generation without form-dressing, JSME Int J Ser C 39(4) 871-877 (Dec 1996), 7A621
Single-grit orthogonal cutting with shaped superabrasive grains - 2nd Report: Friction behavior of superabrasive tools in metal cutting (Japanese), J Japan Soc Precision Eng 62(12) 1732-1736 (12 1996), 7T622
Study on an ultraprecision grinding wheel spindle, both-end supported, Int J Japan Soc Precision Eng 30(3) 237-238 (Sep 1996), 7T623
Study on the simulation of grinding process - 3rd Report: Influence of cutting edge distribution on finished surface roughness and grinding force (Japanese), J Japan Soc Precision Eng 62(12) 1778-1782 (12 1996), 7A624
Theory of form-shaping systems and its application to grinding machines, JSME Int J Ser C 39(4) 850-856 (Dec 1996), 7A625
Mathematical model of spiral bevel and hypoid gears manufactured by the modified roll method, Mech Machine Theory 32(2) 121-136 (Feb 1997), 7A940
Overview of robot-assisted die and mold polishing with emphasis on process modeling, J Manuf Syst 16(1) 48-58 (1997), 8A460
Development of nanocrystalline CBN for enhanced superalloy grinding performance, J Manuf Sci Eng 119(1) 110-117 (Feb 1997), 8A712
Search for an economic domain of operation when grinding below the film boiling limit, Int J Machine Tools Manuf 37(4) 391-399 (Apr 1997), 8A713
Study on residual stress of ground surface of silicon nitrides (Japanese), J Japan Soc Precision Eng 63(1) 91-95 (Jan 1997), 8A714
Thermal deformation of CNC surface grinding machine under the warming-up operation (Japanese), J Japan Soc Precision Eng 63(1) 76-80 (Jan 1997), 8T715
Applied mechanics in grinding - V: Thermal residual stresses, Int J Machine Tools Manuf 37(5) 619-633 (May 1997), 9A673
Estimation of intensity distribution of heat source in surface grinding based on surface generation theory and its application to grinding simulation (Japanese), J Japan Soc Precision Eng 63(2) 248-253 (Feb 1997), 9A674
Grinding using directionally aligned SiC whisker wheel: Anti-loading by addition of abrasive grains to grinding fluid (Japanese), J Japan Soc Precision Eng 63(2) 238-242 (Feb 1997), 9A675
Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), J Japan Soc Precision Eng 63(2) 228-232 (Feb 1997), 9A676
Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), J Japan Soc Precision Eng 63(4) 560-564 (Apr 1997), 10A741
Ductile grinding of glass-ceramics with bronze-bonded diamond wheels (Japanese), J Japan Soc Precision Eng 63(4) 535-539 (Apr 1997), 10T742
Finishing characteristics of ELID-lap grinding using ultra fine grain lapping wheel, Int J Japan Soc Precision Eng 30(4) 305-310 (Dec 1996), 10A743
High speed grinding: Evaluation of wheel performance and surface integrity, J Mat Processing Manuf Sci 5(2) 115-126 (Oct 1996), 10A744
Impact grinding and disintegrators, Proc Estonian Acad Sci Eng 2(2) 209-223 (1996), 10A745
Kinetics of alumina ultrafine grinding in a planetary ball mill, Mat Manuf Processes 12(2) 241-260 (1997), 10A746
Measurement of workpiece size errors with AE sensor in grinding, Int J Japan Soc Precision Eng 30(4) 347-348 (Dec 1996), 10T747
Ultrafine motion table using piezoelectric actuator for ultraprecision grinding, Int J Japan Soc Precision Eng 30(4) 345-346 (Dec 1996), 10T748
Analysis of transient temperatures in grinding, J Eng Indust 117(4) 571-577 (Nov 1995), 11A616
CAP-GO computer-aided planning of grinding operations for ferrous components, J Mat Processing Tech 65(1-3) 34-40 (Mar 1997), 11A617
Contact length in grinding - Part 1: Contact length measurement, Proc Inst Mech Eng J: Eng Trib 211(J1) 67-76 (1997), 11A618
Mirror surface grinding of ZrO_2 by metal resin bonded wheel with ELID, Int J Japan Soc Precision Eng 31(1) 55-56 (Mar 1997), 11T619
Modeling of ceramic grinding processes - Part I: Number of cutting points and grinding forces per grit, J Mat Processing Tech 65(1-3) 1-10 (Mar 1997), 11A620
Stochastic simulation approach to modeling diamond wheel topography, Int J Machine Tools Manuf 37(6) 751-761 (Jun 1997), 11A621
Principles of Abrasive Processing (Oxford UP, New York, 1996) 12R26
Determination of a dynamic grinding model, J Dyn Syst Meas Control 119(2) 289-293 (Jun 1997), 12A406
Fixed-abrasive grinding of brittle hard-disk substrates, Int J Machine Tools Manuf 37(7) 935-946 (Jul 1997), 12A737
Force modeling and forecasting in creep feed grinding using improved BP neural network, Int J Machine Tools Manuf 37(8) 1167-1178 (Aug 1997), 12A738
Fuzzy ID3 and its application to rules generation for process distribution in grinding (Japanese), J Japan Soc Precision Eng 63(5) 716-720 (May 1997), 12A739
Lobing behavior in centerless grinding - Part I: Stability estimation, J Dyn Syst Meas Control 119(2) 153-159 (Jun 1997), 12A740

272J. Casting

Determination of the die profile for the investment casting of aerofoil-shaped turbine blades using the FEM, J Mat Processing Tech 58(2-3) 223-226 (Mar 1996), 1A36
Mesh generation and flow calculations in highly contorted geometries, Comput Methods Appl Mech Eng 133(1-2) 79-92 (Jun 1996), 1A662
Metallurgical and tribological investigations of aluminum bronze bushes made by a novel centrifugal casting technique, Trib Int 29(6) 487-492 (Sep 1996), 1T663
Squeeze casting of light alloys and their composites, J Mat Processing Tech 58(2-3) 302-307 (Mar 1996), 1A664
Grinding vibration detection using a neural network, Proc Inst Mech Eng J Eng Manuf 210(B4) 349-352 (1996), 2A602
Optimal cooling strategies in continuous casting of steel with variable casting speed, Inverse Prob Eng 2(4) 289-300 (1996), 2A603
Shrinkage, residual stresses, and distortions in castings, Comput Model Simul in Eng 1(3) 369-383 (Aug 1996), 2A604
Cast Irons (ASM Int, Materials Park OH, 1996) 3N24
Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, Comput Methods Appl Mech Eng 134(3-4) 241-247 (Aug 1996), 3A643
Multilayer film casting of modified Giesekus fluids - Part 1: Steady-state analysis, J Non-Newtonian Fluid Mech 66(1) 71-93 (Sep 1996), 3A644
Performance of zinc alloy based metal matrix composites produced through squeeze casting, Mat Manuf Processes 11(3) 351-366 (1996), 3T645
Thermokinematic analysis of pipe shaping in cast ingots: A numerical simulation via FDM, Int J Eng Sci 34(12) 1349-1367 (Sep 1996), 3A646
Multilayer film casting of modified Giesekus fluids - Part 2: Linear stability analysis, J Non-Newtonian Fluid Mech 66(1) 95-114 (Sep 1996), 3A1134
Computational modeling of thermal transport phenomena in continuous casting process based on non-orthogonal control volume approach, Commun Numer Methods Eng 12(10) 657-671 (Oct 1996), 4A684
Simulation of the continuous casting process by a mathematical model, Int J Mech Sci 39(2) 185-192 (Feb 1997), 4A1233
Numerical simulation of fluid flow in electromagnetic centrifugal casting, Model Simulation Mat Sci Eng 4(4) 421-432 (Jul 1996), 5A566
Removal of pinholes and bubbles from rotationally molded products, Proc Inst Mech Eng J Eng Manuf 210(B6) 521-533 (1996), 6A704
Study of calculation model of mold resisting stress (Chinese), J Dalian Univ Tech 36(6) 687-691 (Nov 1996), 6A705
Effect of factors on quality of alumina injection molding product (Japanese), J Japan Soc Precision Eng 62(12) 1752-1761 (12 1996), 7T626
Numerical modeling of twin-roll casting by the coupled fluid flow and heat transfer model, Int J Numer Methods Eng 40(3) 493-509 (Feb 1997), 7A627
Three-dimensional finite-volume and Newton method for thermal-capillary problems, Int J Numer Methods Eng 40(4) 621-636 (Feb 1997), 7A628
Optimum parting line design of molded and cast parts for manufacturability, J Manuf Syst 16(1) 1-12 (1997), 8A459
Numerical optimization of process control variables for the Bridgman casting process, Model Simulation Mat Sci Eng 5(1) 23-34 (Jan 1997), 9A677
Permanent mold of Y-PSZ-Zircon composite for brass casting, J Mat Processing Manuf Sci 5(2) 161-169 (Oct 1996), 10A749
Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, Comput Methods Appl Mech Eng 144(3-4) 227-233 (May 1997), 11A622
Experimental investigation and FE modeling in gravity die casting, Proc Inst Mech Eng J Eng Manuf 211(B2) 93-107 (1997), 12A741

272K. High deformation rate forming

Special issue devoted to the structural materials center at the defense research agency, United Kingdom, Adv Performance Mat 3(3-4) 251-393 (Jul-Oct 1996), 2T456
Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, J Dyn Syst Meas Control 118(3) 540-548 (Sep 1996), 4A406
p-harmonic functions, convex duality and an asymptotic formula for injection mold filling, European J Appl Math 7(5) 417-437 (Oct 1996), 5A567
Analysis of superplastic forming processes using a FEM, J Mat Processing Tech 62(1-3) 90-99 (Nov 1996), 6A706
New electromagnetic forming technology of composite materials (Chinese), J Dalian Univ Tech 36(6) 756-758 (Nov 1996), 6A707
Development of a micro-depth control system for an ultra-precision lathe using a piezo-electric actuator, Int J Machine Tools Manuf 37(4) 495-509 (Apr 1997), 8A705
Investigation of the skin melt formation during gas-assisted injection molding, Mech Res Commun 24(1) 49-56 (Jan-Feb 1997), 8T716
Mechanism of high strain rate superplasticity in aluminium alloy composites, Acta Mat 45(2) 561-568 (Feb 1997), 8A717
Fiber reinforced metal matrix composite by a high deformation consolidation process, Mat Manuf Processes 12(2) 229-240 (1997), 10T750
Deformable roll coating flows: Steady state and linear perturbation analysis, J Fluid Mech 339 143-172 (May 1997), 11A391
Analysis of superplastic sheet-metal forming in a circular closed-die considering non-uniform thinning, J Mat Processing Tech 65(1-3) 215-227 (Mar 1997), 11A623
Thickness distribution in a superplastically formed rectangular pan under plane-strain conditions, J Mat Processing Tech 65(1-3) 59-64 (Mar 1997), 11A624

272L. Residual stresses

Distortion and residual stress in quenched aluminum bars, J Appl Mech 63(3) 699-704 (Sep 1996), 3A647
Determination of sub-surface distributions of residual stresses by a holographic-hole drilling technique, J Eng Mat Tech 119(1) 95-103 (Jan 1997), 7A629
Residual stress evaluation by the hole-drilling method with off-center hole: An extension of the integral method, J Eng Mat Tech 119(1) 79-85 (Jan 1997), 7A630
Macro and micro scale modeling of thermal residual stresses in metal matrix composite surface layers by the homogenization method, Comput Mech 19(3) 188-202 (Feb 1997), 9A678

272M. Wrapping and laying-up (composite materials)

Analysis of forming loads for thermoplastic composite laminates, Composites Part A Appl Sci and Manuf 27A(8) 633-640 (1996), 1A665
Effective average permeability of multi-layer preforms in resin transfer molding, Composites Sci Tech 56(5) 519-531 (1996), 1A666
Effects of pull speed on die wall temperatures for flat composites of various sizes, J Reinforced Plastics Composites 15(7) 718-739 (Jul 1996), 1A667
High performance materials obtained by solid state forming of polymers, J Reinforced Plastics Composites 15(7) 652-662 (Jul 1996), 1A668
Special issue devoted to Processing of Advanced Materials, J Mat Processing Tech 58(1) 3-135 (Mar 1996), 1A669
Composite Materials, Volume I: Properties, Nondestructive Testing, and Repair (Prentice Hall, Upper Saddle River, NJ, 1997) 2N20
Composite Materials, Volume II: Processing, Fabrication, and Applications (Prentice Hall, Upper Saddle River, NJ, 1997) 2N21
Notes on the modeling of preform compaction - II: Effect of sizing on bundle level micromechanics, J Reinforced Plastics Composites 15(8) 837-861 (Aug 1996), 2A449
Dry spot formation and changes in liquid composite molding - I: Experimental, J Composite Mat 30(13) 1458-1474 (1996), 2A605
Dry spot formation and changes in liquid composite molding - II: Modeling and simulation, J Composite Mat 30(13) 1475-1493 (1996), 2A606
Effect of surface tension on tow impregnation of unidirectional fibrous preform in resin transfer molding, J Composite Mat 30(11) 1191-1209 (1996), 2A607
Measurement of the degree of cure of carbon fiber epoxy composite materials, J Composite Mat 30(13) 1436-1457 (1996), 2A608
9th French National Colloquium on Composite Materials, Composites Sci Tech 56(7) 711-888 (1996), 3A648
Fabrication process for aluminum alloys reinforced with Al-Fe-V-Si particles, Mat Manuf Processes 11(1) 153-163 (1996), 3T649
Investigation of the role of processing in the high temperature creep of whisker-reinforced alumina composites, Mat Manuf Processes 11(4) 589-604 (1996), 3T650
Novel processing technique for tow fiber reinforced metal matrix composites with tailored interfaces, Mat Manuf Processes 11(2) 245-262 (1996), 3T651
Processing and characterization of fiber reinforced intermetallic matrix composites, Mat Manuf Processes 11(2) 283-305 (1996), 3T652
Simulation of erosions in a single discharge EDM process, Mat Manuf Processes 11(4) 555-563 (1996), 3A653
Synthesis and analysis of ZrB_2-based composites, Mat Manuf Processes 11(4) 575-587 (1996), 3T654
Control of fiber orientation in ceramic and metal composites by open-ended injection molding, Composites Sci Tech 56(8) 921-928 (1996), 4A685
Capillary impregnation of aligned fibrous beds: Experiments and model, J Reinforced Plastics Composites 15(10) 1027-1051 (Oct 1996), 4A1048
Effects of resin thermal degradation on thermostructural response of carbon-phenolic composites and the manufacturing process of carbon-carbon composites, J Reinforced Plastics Composites 15(10) 1011-1026 (Oct 1996), 4A1268
Quick cure of thermosetting composites, Composites Part A Appl Sci and Manuf 27A(10) 953-960 (1996), 4A1271
Effect of molding temperature on flexure, impact strength, and interlaminar fracture toughness of CF-PEI composite, J Reinforced Plastics Composites 15(11) 1117-1130 (Nov 1996), 5A568
Squeeze flow testing of glass mat thermoplastic material, Composites Part A Appl Sci and Manuf 27A(12) 1195-1200 (1996), 5A569
Fiber optic sensor development for real-time in-situ epoxy cure monitoring, J Composite Mat 31(1) 87-102 (1997), 7A367
Manufacturing and applications of structural sandwich components, Composites Part A Appl Sci and Manuf 28A(2) 97-111 (1997), 7A491
Fiber consolidation in the filament winding process: Modeling with undulating channels, Composites Sci Tech 56(10) 1161-1169 (Oct 1996), 7A631
Intelligent curing of thick composites using a knowledge-based system, J Composite Mat 31(1) 22-51 (1997), 7A632
Mid-infrared attenuated total internal reflection cure sensor for control of resin transfer molding of a pre-ceramic polymer, Composites Part A Appl Sci and Manuf 28A(2) 163-170 (1997), 7A633

Modeling of pre-heating of flat panels prior to press forming, Composites Part A Appl Sci and Manuf **28A**(1) 17-24 (1997), 7A634

Effects of fluid type and viscosity on the steady-state and advancing front permeability behavior of textile preforms, J Reinforced Plastics Composites **16**(1) 50-72 (1997), 7A1096

Measurement of void collapse during resin transfer molding, Composites Part A Appl Sci and Manuf **28A**(3) 201-214 (1997), 8A718

Effect of shear deformation on the processing and mechanical properties of aligned reinforcements, Composites Sci Tech **57**(3) 327-344 (Mar 1997), 9A517

Design and optimization of a thermoplastic tow-placement process with *in situ* consolidation, J Composite Mat **31**(3) 244-275 (1997), 9A531

Assessment of data formats for layered manufacturing, Adv Eng Software **28**(3) 151-164 (Apr 1997), 9A679

Control of fiber orientation in injection molded ceramic composites, Composites Part A Appl Sci and Manuf **28A**(4) 339-346 (1997), 9A680

Manufacturing of an aileron rib with advance thermoplastic composites, J Thermoplastic Composite Mat **10**(2) 185-195 (Mar 1997), 9A681

Relationship between shear angle and wrinkling of textile composite preforms, Composites Part A Appl Sci and Manuf **28A**(5) 491-503 (1997), 10A598

Stresses and deformations induced during manufacturing - Part I: Theoretical analysis of composite cylinders and shells, J Composite Mat **31**(7) 672-695 (1997), 10A644

Stresses and deformations induced during manufacturing - Part II: A Study of the spring-in phenomenon, J Composite Mat **31**(7) 696-719 (1997), 10A645

Design and manufacturing of filament wound elastomeric matrix composite flywheels, J Reinforced Plastics Composites **16**(6) 488-502 (1997), 10A751

High speed and high acceleration feed drive system for NC machine tools, Int J Japan Soc Precision Eng **30**(4) 295-298 (Dec 1996), 10A752

Moldability of tackified fiber preforms in liquid composite molding, J Composite Mat **31**(7) 720-744 (1997), 10A753

Numerical study on the capillary effect of resin transfer molding, J Reinforced Plastics Composites **16**(6) 566-586 (1997), 10A754

Ultra high speed milling and cutting tools, Int J Japan Soc Precision Eng **30**(4) 299-303 (Dec 1996), 10A755

Modeling of heat transfer and crystallization in thermoplastic composite tape placement process, J Thermoplastic Composite Mat **10**(3) 198-240 (May 1997), 10A1338

Study on accuracy of angled advanced composite tools, Mat Manuf Processes **12**(3) 473-486 (1997), 11A345

Die-less forming of thermoplastic-matrix continuous fiber composite materials: Process and demonstration, J Eng Indust **117**(4) 501-507 (Nov 1995), 11A625

Interactive simulation of resin transfer molding, J Composite Mat **31**(10) 954-980 (1997), 11A626

Manufacturing and performance of RTM U-beams, Composites Part A Appl Sci and Manuf **28A**(6) 513-521 (1997), 11A627

Nonlinear wound roll model allowing for large deformation, J Appl Mech **62**(4) 853-859 (Dec 1995), 11A628

Optimal design of process parameters for resin transfer molding, J Composite Mat **31**(11) 1113-1140 (1997), 11A629

Optimal design problems in mechanics of growing composite solids - Part I: Preload optimization, J Appl Mech **62**(4) 975-982 (Dec 1995), 11A630

Optimal design problems in mechanics of growing composite solids - Part II: Shape optimization, J Appl Mech **62**(4) 983-988 (Dec 1995), 11A631

Examination of void formation mechanism by numerical analysis, Adv Composites Letters **6**(1) 19-24 (1997), 11A1038

Prediction of filling time and vent locations for resin transfer molds, J Composite Mat **31**(11) 1141-1161 (1997), 11A1039

Pultrusion of powder-impregnated thermoplastic composites, Composites Part A Appl Sci and Manuf **28A**(7) 637-646 (1997), 12A742

Interactions between flows occurring inside and outside fabric tows during RTM, Composites Sci Tech **57**(5) 587-596 (May 1997), 12A1125

272N. Powder metallurgy

Powder injection molding: An original simulation of paste flow, Eur J Mech A **15**(3) 465-485 (1996), 1A670

Simulation of hot isostatic pressing of metal powder components to near net shape, Eng Comput **13**(5) 13-37 (1996), 1A671

Analysis of cold and hot isostatic compaction of spherical particles, Acta Mat **44**(9) 3655-3666 (Sep 1996), 2A609

Recent advances in ferrous powder metallurgy, Adv Performance Mat **3**(1) 7-27 (Jan 1996), 2A610

Influence of the different behavior at tension and compression on density distribution of porous metals, Mech Res Commun **23**(5) 537-542 (Sep-Oct 1996), 4T517

Applications of powdered materials: State-of-the-art and prospects, J Machinery Manuf Reliab **2** 1-9 (1996), 4T686

Densification forming of alumina powder: Effects of power law creep and friction, J Eng Mat Tech **118**(4) 471-477 (Oct 1996), 4A687

Evolution of the pore structure of a ceramic powder compact during sintering, J Mat Processing Tech **59**(4) 297-302 (Jun 1996), 4A688

High temperature densification forming of alumina powder: Constitutive model and experiments, J Eng Mat Tech **118**(4) 448-455 (Oct 1996), 4A689

Powder hot pressing and front pad extrusion method for aluminum-lithium based matrix composites, Mat Manuf Processes **11**(5) 749-761 (1996), 4A690

Formation of powder particles during thermal interaction of liquid and solidified drops in the process of metal atomization, J Mat Processing Tech **62**(1-3) 216-224 (Nov 1996), 6A708

Special issue on consolidation, Mat Manuf Processes **11**(6) 905-1071 (1996), 6T709

Mathematical modeling of sintering during powder forming processes, Int J Mech Sci **39**(5) 585-596 (May 1997), 7A635

Yield function parameters for metal powder compaction based on unit cell studies, Acta Mat **45**(4) 1425-1444 (Apr 1997), 9A453

Fabrication and assessment of properties of Cu-Ni highly plastic sinters (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(6) 75-89 (Jun 1996), 9A682

Investigation of explosively thickened sinters with addition of B_4C and SiC carbons (Polish), Biuletyn Wojskowej Akademii Technicznej **44**(11-12) 15-21 (Nov-Dec 1995), 9A683

Investigation of influence of gas filling of pores on the effects of explosive compaction of iron powder (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(6) 25-46 (Jun 1996), 9A684

Study of powder sintering-compaction by a micromechanics model, Proc Inst Mech Eng J Eng Manuf **211**(B1) 73-81 (1997), 9A685

Theoretical analysis of the influence of gas filling of pores on the effects of explosive compaction of powders (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(6) 47-73 (Jun 1996), 9A686

Finite element simulation of jetting behavior in metal injection molding using remeshing scheme, Finite Elements Anal Des **25**(3-4) 319-330 (Apr 1997), 10A40

Fluidized-bed nitridation of stainless steel powder, Mat Manuf Processes **12**(2) 275-290 (1997), 10T756

Evolution of porosity distribution for 1D problem of viscous sintering, Commun Numer Methods Eng **13**(5) 355-372 (May 1997), 11A632

Inner friction factor of fine powders, Proc Estonian Acad Sci Eng **3**(1) 35-49 (1997), 11A633

Nonunique dynamic equilibrium constitutive relation of metal powder depending on its microstructure, J Eng Mat Tech **118**(1) 12-18 (Jan 1996), 11A634

272P. Rapid solidification

Solidification of aluminum spray-formed billets: An analysis of thin layering effects, J Eng Math **30**(4) 417-443 (Jul 1996), 1A672

Strip welding of aluminum bronze, J Mat Procesing Manuf Sci **4**(3) 243-267 (Jan 1996), 2A611

Freezing range effect on shell growth instability during alloy solidification, J Appl Mech **63**(3) 594-602 (Sep 1996), 3A655

Design of a closed loop computer controlled system for selective area laser deposition - Part I: Laser systems, gasflow, and substrate temperature control, Mat Manuf Processes **11**(4) 673-701 (1996), 3A657

Modified effective capacitance method for solidification modeling using linear tetrahedral FEs, Int J Numer Methods Eng **39**(18) 3195-3215 (Sep 1996), 3A1253

Dynamic aspects of wetting balance tests, J Electron Packaging **118**(3) 174-183 (Sep 1996), 4A691

Inverse-based reconstruction of internal solid-liquid phase boundaries and associated solid phase temperature fields, Inverse Prob Eng **3**(1-3) 93-113 (1996), 4A692

Continuum theory for the thermomechanics of solidification, Int J Non-Linear Mech **32**(1) 3-20 (Jan 1997), 8A719

Pattern selection mechanism in mesophase carbon fibers, Model Simulation Mat Sci Eng **5**(1) 67-77 (Jan 1997), 9A687

Investigation of properties and microstructures of ceramic lined of pipe produced by SHS (Chinese), J Dalian Univ Tech **37**(3) 290-294 (May 1997), 12A596

272R. Microprocessing (eg by laser and ion beams)

Application of vibroscanning method to on-the-machine measurement of micro electro discharge machining, Int J Japan Soc Precision Eng **30**(1) 49-50 (Mar 1996), 1T673

End-point detector for planarization of semiconductor devices by chemical mechanical polishing, Int J Japan Soc Precision Eng **30**(1) 55-58 (Mar 1996), 1A674

Methods of electrochemical shaping of GTE blade, Russian Aeronaut **38**(4) 89-93 (1995), 1A675

Model of magnetorheological finishing, J Intelligent Mat Syst Struct **7**(2) 131-137 (Mar 1996), 1A676

Use of the pancl method to calculate GTE blade-edge shaping in ECP, Russian Aeronaut **38**(4) 43-46 (1995), 1A677

Control of liquid bridging induced stiction of micromechanical structures, J Micromech Microeng **6**(2) 213-216 (Jun 1996), 2A328

Development of surface micromachining techniques compatible with on-chip electronics, J Micromech Microeng **6**(2) 197-21 (Jun 1996), 2A329

Combined molecular dynamics and rigid-plastic FEM simulation of atomic level cutting (Japanese), J Japan Soc Precision Eng **62**(7) 989-993 (Jul 1996), 2A612

Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), J Japan Soc Precision Eng **62**(7) 994-998 (Jul 1996), 2T613

Ceramic coatings on titanium alloy by C0, laser treatment, Mat Manuf Processes **11**(2) 199-206 (1996), 3T656

Design of a closed loop computer controlled system for selective area laser deposition - Part I: Laser systems, gasflow, and substrate temperature control, Mat Manuf Processes **11**(4) 673-701 (1996), 3A657

Design of a closed loop computer controlled system for selective area laser deposition - Part II: Remote plasma source and pressure control, Mat Manuf Processes **11**(4) 703-725 (1996), 3T658

Fabrication, processing, and characterization of braided, continuous SiC fiber-reinforced-CVI SiC matrix ceramic composites, Mat Manuf Processes **11**(1) 99-118 (1996), 3T659

Grinding-like polishing using magnetic fluid: Surface polishing characteristics of silicon wafer, Int J Japan Soc Precision Eng **30**(2) 142-143 (Jun 1996), 3T660

Laser deposition of hydroxyapatite coatings, Mat Manuf Processes **11**(3) 481-490 (1996), 3T661

Formation and characterization of corrosion-resistant amorphous coatings by thermal spraying, Mat Manuf Processes **11**(5) 855-867 (1996), 4T693

Simulation of SiC deposition in a fiber coating CVD reactor, Mat Manuf Processes **11**(5) 821-835 (1996), 4T694

Control of cutting ability in superfinishing (Japanese), J Japan Soc Precision Eng **62**(10) 1469-1473 (Oct 1996), 5T570

Oxygen ion beam etching of single crystal diamond chips using an ECR-type ion source (Japanese), J Japan Soc Precision Eng **62**(10) 1459-1463 (Oct 1996), 5T571

Process planning strategy for removing an arbitrary profile by hydrodynamic polishing process, Int J Machine Tools Manuf **36**(11) 1227-1245 (Nov 1996), 5A572

Surface modification of electric shaver foil using ion beam (Japanese), J Japan Soc Precision Eng **62**(10) 1474-1478 (Oct 1996), 5T573

Electrotechnology: Industrial and Environmental Applications (Noyes, Westwood, NJ, 1996) 7N12

Atomistic analysis of diamond-turning processes in single-crystal copper (Japanese), J Japan Soc Precision Eng **62**(12) 1767-1772 (12 1996), 7T636

Fundamental study on biomachining: Machining of metals by thiobacillus ferrooxidans, JSME Int J Ser C **39**(4) 837-842 (Dec 1996), 7A637

New dressing method for gear honing wheel and its effectiveness - 2nd Report: Improvement of dressing ability with slant feeding (Japanese), J Japan Soc Precision Eng **62**(12) 1727-1731 (12 1996), 7A638

Spin angle control lapping of balls - 1st Report: Theoretical analysis of lapping mechanism (Japanese), J Japan Soc Precision Eng **62**(12) 1773-1777 (12 1996), 7A639

Nonlinear time-optimal control of a photolithography platen, Comput Model Simul in Eng **2**(1) 39-64 (Feb 1997), 8A411

Study of wire breaking process and monitoring of WEDM, Int J Machine Tools Manuf **37**(4) 555-567 (Apr 1997), 8A711

Decreasing the core loss of grain-oriented silicon steel by laser processing, J Mat Processing Manuf Sci **5**(1) 17-26 (Jul 1996), 8A720

Fuzzy pulse discriminating system for electrical discharge machining, Int J Machine Tools Manuf **37**(4) 511-522 (Apr 1997), 8A721

Lapping system for improving the waviness of ultra-precision steel balls (Japanese), J Japan Soc Precision Eng **63**(1) 96-102 (Jan 1997), 8A722

Study on the effect of a magnetic field on an electrolytic finishing process, Int J Machine Tools Manuf **37**(4) 401-408 (Apr 1997), 8A723

Theoretical and experimental investigation into laser melting of steel samples, Opt Lasers Eng **27**(3) 297-307 (Jun 1997), 8A724

Surface engineering, Mat Manuf Processes **12**(1) 1-151 (1997), 8T946

High-sensitivity surface micromachined structures for internal stress and stress gradient evaluation, J Micromech Microeng **7**(1) 30-36 (Mar 1997), 10T507

Silicon dioxide sacrificial layer etching in surface micromachining, J Micromech Microeng **7**(1) R1-R13 (Mar 1997), 10T509

Finite difference solution for equations of heat conduction caused by pulse laser processing silicon steel sheets (Chinese), J Dalian Univ Tech **37**(1) 59-62 (Jan 1997), 10A757

Characteristics of molybdenum thin-film plate oscillators fabricated by minimum deformation micromachining, Int J Japan Soc Precision Eng **31**(1) 53-54 (Mar 1997), 11T635

Effect of surfactant properties on lapping behavior of materials, Int J Japan Soc Precision Eng **31**(1) 21-25 (Mar 1997), 11A636

Ion beam assisted deposition: A molecular dynamics simulation, Mat Manuf Processes **12**(3) 529-539 (1997), 11T637

Properties of coatings: Comparisons of electroplated, physical vapor deposited, chemical vapor deposited, and plasma sprayed coatings, Mat Manuf Processes **12**(3) 437-472 (1997), 11T839

Development of the magneto-electrolytic-abrasive polishing system and finishing characteristics of a Cr-coated roller, Int J Machine Tools Manuf **37**(7) 997-1006 (Jul 1997), 12A743

Study on magnetic polishing of free-form surfaces, Int J Machine Tools Manuf **37**(8) 1179-1187 (Aug 1997), 12A744

272T. Ceramics, refractories, glasses

FE strategy for glass sheet manufacture by creep forming, Commun Numer Methods Eng **12**(6) 331-341 (Jun 1996), 1A678

Superfinishing of fine ceramics: Influence of machining damage on bending strength (Japanese), J Japan Soc Precision Eng **62**(7) 1014-1018 (Jul 1996), 2A614

Highly efficient grinding of ceramic parts by electrolytic in-process dressing (ELID) grinding, Mat Manuf Processes **11**(1) 31-44 (1996), 3T639

Fabrication process for aluminum alloys reinforced with Al-Fe-V-Si particles, Mat Manuf Processes **11**(1) 153-163 (1996), 3T649

Fabrication, processing, and characterization of braided, continuous SiC fiber-reinforced-CVI SiC matrix ceramic composites, Mat Manuf Processes **11**(1) 99-118 (1996), 3T659

Electrical discharge machining of ZrB_2-based ceramics, Mat Manuf Processes **11**(4) 565-574 (1996), 3A662

Ductile regime mirror finish grinding of ceramics with electrolytic in-process dressing (ELID) grinding, Mat Manuf Processes **11**(5) 789-801 (1996), 4T680

Study on electro-discharge diamond wheel grinding (EDGM) of ceramic materials, Mat Manuf Processes **11**(5) 763-774 (1996), 4A682

Machining of green Si_3N_4 polymer bonded ceramic materials, Mat Manuf Processes **11**(5) 775-787 (1996), 4T695

Kerf characteristics in abrasive waterjet cutting of ceramic materials, Int J Machine Tools Manuf **36**(11) 1201-1206 (Nov 1996), 5A574

Moving boundary computation of the float-zone process, Int J Numer Methods Eng **40**(7) 1231-1261 (Apr 1997), 9A688

In-feed internal honing of fine ceramics, Int J Japan Soc Precision Eng **31**(1) 71-72 (Mar 1997), 11A638

In-feed internal honing of fine ceramics, Int J Japan Soc Precision Eng **31**(1) 71-72 (Mar 1997), 11T639

272V. Plastics, elastomers, rubbers

Modeling polymer melt flows in wirecoating processes, J Non-Newtonian Fluid Mech **64**(2-3) 191-206 (Jun 1996), 1A635

Real-time embedded electronic sensing during resin transfer molding, J Mat Processing Manuf Sci **4**(3) 179-203 (Jan 1996), 2A949

Further studies of the injection molding process, Appl Math Model **20**(10) 719-730 (Oct 1996), 4A696

Flexible automated foam cutting system, Int J Machine Tools Manuf **37**(4) 437-449 (Apr 1997), 8A725

Identification and control of heat sources in materials during thermal processing, Inverse Prob Eng **4**(2) 111-128 (1996), 8A726

Out-of-plane buckling of fiber-reinforced thermoplastic sheets under homogeneous biaxial conditions, J Appl Mech 62(4) 834-840 (Dec 1995), 11A464

274. FRACTURE AND DAMAGE PROCESSES

274B. Crack initiation

Advances in Fatigue Lifetime Predictive Techniques, Third Volume (ASTM, 1996) 2N19

Thermomechanical Fatigue Behavior of Materials, Second Volume (STP 1263) (ASTM, 1996) 2N29

Fatigue crack initiation in high-purity titanium crystals, Int J Fatigue 18(5) 329-333 (Jul 1996), 2A615

A Course on Damage Mechanics, Second Edition (Springer-Verlag, New York, 1996) 3N25

Damage evolution ahead of sharp notches under cyclic loading, Nucl Eng Des 165(1-2) 1-14 (Aug 1996), 4A697

Study of mixed-mode dynamic crack initiation in PMMA, Mech Res Commun 23(5) 475-481 (Sep-Oct 1996), 4T698

Crack path prediction under fretting fatigue: A theoretical and experimental approach, J Trib 118(4) 711-720 (Oct 1996), 4A717

Cracks in functionally graded materials, Int J Solids Struct 34(1) 1-17 (Jan 1997), 5A639

Prediction of surface-fracture initiation in the axisymmetric extrusion and simple upsetting of an aluminum alloy, J Mat Processing Tech 62(1-3) 166-174 (Nov 1996), 6A710

Damage development in a sidegrooved CT specimen based on a 3D endochronic damage model, Int J Fracture 79(3) 209-224 (1996), 6A805

Cracking induced by fretting of aluminium alloys, J Trib 119(1) 36-42 (Jan 1997), 7A640

Criterion for crack initiation in glassy polymers subjected to a composite-like stress state, Composites Sci Tech 56(11) 1291-1301 (Nov 1996), 7A641

Initiation behavior of fatigue crack from corrosion pits (Japanese), J Soc Mat Sci Japan 45(11) 1236-1241 (Nov 1996), 7T642

Mean strain effect on crack initiation lives for notched specimens under biaxial nonproportional loading paths, J Eng Mat Tech 119(1) 104-112 (Jan 1997), 7A643

Creep rupture of polymers: A statistical model, Int J Solids Struct 34(9) 1105-1122 (Mar 1997), 8A505

Analysis of crack initiation and propagation in fretting fatigue: The effective initial flaw size methodology, Fatigue Fracture Eng Mat Struct 20(1) 61-70 (1997), 8A727

Dynamic crack initiation in polycarbonate under mixed-mode loading, Mech Res Commun 24(1) 57-64 (Jan-Feb 1997), 8T728

New model for the numerical determination of pitting resistance of gear teeth flanks, Fatigue Fracture Eng Mat Struct 20(1) 71-83 (1997), 8A729

Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), J Japan Soc Precision Eng 63(1) 86-90 (Jan 1997), 8A730

Crack initiation mechanisms in torsional fatigue, Fatigue Fracture Eng Mat Struct 20(2) 227-235 (1997), 9A689

Definition of a materials data base for heavy structures created by experimental characterization of toughness impact strength, Rev Francaise Mec 0(1) 17-25 (1997), 9A690

Interfacial cracking from the free-edge of a long bimaterial strip, Int J Solids Struct 34(13) 1645-1665 (May 1997), 9A691

Nucleation of splitting cracks in columnar freshwater ice, Acta Mat 45(4) 1411-1423 (Apr 1997), 9A692

Two parameter description of crack growth initiation including thickness effects through probabilistic modeling, Fatigue Fracture Eng Mat Struct 20(2) 179-199 (1997), 9A693

Experimental analysis of viscoelastic criteria for crack initiation and growth in polymers, Int J Fracture 81(1) 55-75 (1996), 9A738

Applicability of the magnetic emission technique for determining ductile crack initiation in impact tests, Fatigue Fracture Eng Mat Struct 20(2) 143-150 (1997), 9A783

Initiation of surface and interface edge cracks in functionally graded ceramic thermal barrier coatings, J Eng Mat Tech 119(2) 148-152 (Apr 1997), 10A758

Semi-analytical modeling of crack initiation dominant contact fatigue life for roller bearings, J Trib 119(2) 233-240 (Apr 1997), 10A759

Crack propagation during thermo mechanical loading of bimaterials: Analyze and experiment (German), Z Angew Math Mech 77(3) 163-188 (1997), 10A1368

Theoretical model for the prediction of initial growth angles and sites of fretting fatigue cracks, Trib Int 30(6) 391-400 (Jun 1997), 12T778

Effects of multiple cracking on crack growth and coalescence in contact fatigue, J Trib 119(3) 385-390 (Jul 1997), 12A967

274C. Subcritical crack propagation

Analysis of the failure of ceramics due to subcritical crack growth, J Eng Mat Tech 118(3) 343-348 (Jul 1996), 1A679

Classic brittle failures in large welded structures, Eng Failure Anal 3(2) 115-127 (Jun 1996), 1A680

Combined influences of Young's modulus and stress ratio on the LEFM fatigue crack growth process: A new mechanistic approach, Eng Fracture Mech 54(6) 761-790 (Aug 1996), 1A681

Comparison of fatigue crack retardation methods, Eng Failure Anal 3(2) 137-147 (Jun 1996), 1A682

Continual service reassurance of steam turbine blades, Eng Failure Anal 3(2) 95-102 (Jun 1996), 1A683

Failure in plain and reinforced concrete: An analysis of crack width and crack spacing, Int J Solids Struct 33(20-22) 3257-3276 (Aug 1996), 1A684

Fatigue growth behavior for a corner crack at a vessel-nozzle junction, Int J Pressure Vessels Piping 68(3) 319-324 (Oct 1996), 1A685

Propagation of small surface cracks in stainless steel at high temperature, Eng Fracture Mech 54(6) 751-759 (Aug 1996), 1A686

Effect of strain-dependent cohesive zone model on predictions of crack growth resistance, Int J Solids Struct 33(20-22) 3297-3308 (Aug 1996), 1A782

Thermomechanical Fatigue Behavior of Materials, Second Volume (STP 1263) (ASTM, 1996) 2N29

Detailed physical analysis of the R-effect on LEFM fatigue crack growth - II: On the combined roles of growth mechanisms and stress ratio, Eng Fracture Mech 55(2) 289-312 (Sep 1996), 2A616

Detailed physical analysis of the R-effect on LEFM fatigue crack growth - I: On the combined roles of critical zones, LEFM parameters and stress ratio, Eng Fracture Mech 55(1) 115-132 (Sep 1996), 2A617

Effect of loading frequency on fatigue crack growth under high temperature, Int J Solids Struct 33(24) 3601-3610 (Oct 1996), 2A618

Mode I fatigue crack growth in a continuous alumina fiber-reinforced magnesium matrix composite, Int J Fatigue 18(5) 287-296 (Jul 1996), 2A619

Quasi-automatic simulation of crack propagation for 2D LEFM problems, Eng Fracture Mech 55(2) 321-334 (Sep 1996), 2A620

Stress intensity, stress concentration, and fatigue crack growth along evacuator holes of pressurized, autofrettaged tubes, J Pressure Vessel Tech 118(3) 336-342 (Aug 1996), 2A621

Transient fatigue crack growth behavior following single overloads at high stress ratios, Fatigue Fracture Eng Mat Struct 19(7) 879-891 (1996), 2A622

The ΔK_{eff}-concept: A unique and complete description of fatigue crack propagation, Eng Fracture Mech 55(1) 95-114 (Sep 1996), 2A623

Effect of lateral load on fatigue growth rate of surface cracks in welded joints, Int J Pressure Vessels Piping 69(1) 59-64 (Nov 1996), 3A663

Assessment of airshaft failures in paper reels, Eng Failure Anal 3(3) 183-190 (Sep 1996), 4A699

Fatigue crack growth rates in adhesive joints tested at different frequencies, J Adhesion 58(3-4) 191-204 (1996), 4A700

Growth model for catastrophic cracking in an RAAF aircraft, Eng Failure Anal 3(3) 191-201 (Sep 1996), 4A701

Influencing factors on fatigue crack propagation of high strength steels in air (Japanese), J Soc Mat Sci Japan 45(8) 933-938 (Aug 1996), 4A708

Six case histories of pressure vessel failures, Eng Failure Anal 3(3) 157-170 (Sep 1996), 4A871

Crack growth of carburized materials due to thermal striping in sodium, Eng Fracture Mech 55(4) 679-687 (Nov 1996), 5A575

Crack propagation and fracture in contacting bodies, Fatigue Fracture Eng Mat Struct 19(11) 1329-1338 (1996), 5A576

Crack propagation under mixed Mode (I + III) loading, Fatigue Fracture Eng Mat Struct 19(10) 1285-1290 (1996), 5A577

Equivalent constant amplitude concepts examined under fatigue crack propagation by block loading, Fatigue Fracture Eng Mat Struct 19(8) 997-1008 (1996), 5A578

Experimental parameter J_{max} in elastic-plastic fatigue crack growth, Fatigue Fracture Eng Mat Struct 19(9) 1081-1091 (1996), 5A579

Fatigue crack growth under mixed-mode I and II loading, Fatigue Fracture Eng Mat Struct 19(10) 1277-1284 (1996), 5A580

Fatigue life measurements and analysis for overstrained tubes with evacuator holes, J Pressure Vessel Tech 118(4) 424-428 (Nov 1996), 5A581

Mechanism of Stage II fatigue crack growth, Fatigue Fracture Eng Mat Struct 19(11) 1295-1300 (1996), 5A582

Microcrack propagation and microstructural parameters of fatigue damage, Fatigue Fracture Eng Mat Struct 19(9) 1107-1115 (1996), 5A583

New approach for estimation of ΔJ and for measurement of crack growth at elevated temperature, Fatigue Fracture Eng Mat Struct 19(8) 975-983 (1996), 5A584

Propagation and closure of small cracks in SiC particulate reinforced aluminum alloy in high cycle and low cycle fatigue, Eng Fracture Mech 55(5) 751-762 (Nov 1996), 5A585

Quantitative fractographic analyses of fatigue crack growth in longerons of in-service helicopter rotor-blades, Fatigue Fracture Eng Mat Struct 19(9) 1129-1141 (1996), 5A586

Short crack propagation in eutectoid steel wires, Int J Fatigue 18(7) 451-456 (Oct 1996), 5A587

Study of fatigue crack growth and crack closure in mechanical heterogeneous welded joints, Eng Fracture Mech 55(4) 689-697 (Nov 1996), 5A588

Analysis of cracks at deep notches, Eng Fracture Mech 55(4) 605-616 (Nov 1996), 5A649

Approximate method for fatigue-life prediction of framed structures, Fatigue Fracture Eng Mat Struct 19(12) 1481-1491 (1996), 6A711

Crack growth in non-homogeneous transformable ceramics - Part I: Constrained straight cracks, Int J Fracture 79(3) 249-271 (1996), 6A712

Crack growth in non-homogeneous transformable ceramics - Part II: Crack deflection, Int J Fracture 79(3) 273-293 (1996), 6A713

Development of semi-elliptic fatigue cracks in AK6 aluminium alloy under biaxial loading, Fatigue Fracture Eng Mat Struct 19(12) 1445-1458 (1996), 6A714

Fatigue propagation of surface flaws in round bars: A three parameter theoretical model, Fatigue Fracture Eng Mat Struct 19(12) 1471-1480 (1996), 6A715

Hertzian fatigue cone crack propagation in ceramics, Int J Fracture 79(3) 295-307 (1996), 6A716

Mixed mode fatigue crack growth: A literature survey, Eng Fracture Mech 55(6) 969-990 (Dec 1996), 6A717

Primary fracture propagation from circular cavities loaded in compression, Int J Fracture 79(1) 49-64 (1996), 6A718

Sustained Mode I and Mode II fatigue crack growth in flat plates, Eng Fracture Mech 55(6) 883-899 (Dec 1996), 6A719

Fourth Greek National Congress on Mechanics, Int J Fracture 79(2) 101-208 (1996), 6A756

Finite element analysis of the slow crack growth process in mixed mode fracture, Eng Fracture Mech 56(4) 551-577 (Mar 1997), 7A16

Analysis of sustained mixed mode fatigue crack growth, Eng Fracture Mech 56(1) 9-24 (Jan 1997), 7A644

Crack growth behavior in a solid propellant, Eng Fracture Mech 56(1) 127-135 (Jan 1997), 7A645

Effect of Mode II fatigue loading on Mode I fatigue growth, Eng Fracture Mech 56(4) 593-602 (Mar 1997), 7A646

Effects of coating properties on crack propagation in Nicalon-fiber/SiC-matrix composites, Composites Sci Tech 56(11) 1271-1281 (Nov 1996), 7A647

Engineering model for propagation of small cracks in fatigue, Eng Fracture Mech 56(3) 357-377 (Feb 1997), 7A648

Formation and propagation of mode I branch cracks in mixed mode fatigue failure, Eng Fracture Mech 56(2) 213-231 (Jan 1997), 7A649

Fracture mechanics analysis of fatigue crack growth in a complex cross section, Eng Failure Anal 3(4) 249-265 (Dec 1996), 7A650

Influence of sodium environment and load ratio (R) on fatigue crack growth behavior of a Type 316 LN stainless steel at 813K, Int J Pressure Vessels Piping 70(1) 77-82 (Jan 1997), 7A651

Thermoelastic FE analysis of subsurface cracking due to sliding surface traction, J Eng Mat Tech 119(1) 71-78 (Jan 1997), 7A652

Transformation toughening of a ceramic in stable crack growth under plane stress conditions, Acta Mech Solida Sinica 9(4) 330-336 (1996), 7A653

Influences of fatigue frequency and hydrogen content on crack propagation in hydrogen embrittlement environment (Japanese), J Soc Mat Sci Japan 45(11) 1181-1185 (Nov 1996), 7A665

Energy release rate and crack propagation in piezoelectric materials - Part I: Mechanical-electrical load, Acta Mat 45(2) 849-857 (Feb 1997), 8A625

Energy release rate and crack propagation in piezoelectric materials - Part II: Combined mechanical and electrical loads, Acta Mat 45(2) 859-868 (Feb 1997), 8A626

Crack closure effects on fatigue crack growth thresholds and remaining life in an HSLA steel, J Pressure Vessel Tech 119(1) 37-44 (Feb 1997), 8A731

Fatigue crack growth under ultrasonic fatigue loading, Fatigue Fracture Eng Mat Struct 20(1) 23-28 (1997), 8A732

Fatigue crack propagation in residual stress fields of welded plates, Int J Fatigue 19(1) 43-49 (Jan 1997), 8A733

Influence of pre-existing dislocations on cleavage crack propagation behavior in crystals, J Mech Phys Solids 45(2) 211-238 (Feb 1997), 8A734

Numerical joint studies on crack growth in a steel tubular T-joint, Int J Mech Sci 39(7) 859-871 (Jul 1997), 8A735

Technique to produce automatic welds with enhanced fatigue crack propagation lives under transverse loading, Int J Pressure Vessels Piping 70(3) 173-181 (Mar 1997), 8A736

Mechanically short crack growth from notches in a mild steel, Fatigue Fracture Eng Mat Struct 20(2) 129-142 (1997), 9A694

Statistical theory of fatigue crack growth at damage cumulation, Arch Appl Mech 67(3) 151-157 (Feb 1997), 9A695

Integrable K-solutions for common fatigue crack growth specimens, Int J Fracture 81(1) 89-97 (1996), 9A733

Analysis of ductile crack growth by means of a cohesive damage model, Int J Fracture 81(2) 99-112 (1996), 9A739

Crack trajectories under mixed mode and non-proportional loading, Int J Fracture 81(2) 171-193 (1996), 9A785

Examination of the fatigue crack growth equations, Int J Fracture 81(4) 343-355 (1996), 10A760

Growth of freely initiating fatigue cracks in an unnotched SiC-titanium composite, Int J Fatigue 19(2) 151-159 (Feb 1997), 10A761

Methodology for predicting variability in microstructurally short fatigue crack growth rates, J Eng Mat Tech 119(2) 171-179 (Apr 1997), 10A762

Retardation and repair of fatigue cracks by adhesive infiltration, Fatigue Fracture Eng Mat Struct 20(4) 605-614 (1997), 10A763

Review of the J and I integrals and their implications for crack growth resistance and toughness in ductile fracture, Int J Fracture 81(4) 357-372 (1996), 10A813

Crack propagation during thermo mechanical loading of bimaterials: Analyze and experiment (German), Z Angew Math Mech 77(3) 163-188 (1997), 10A1368

Fatigue crack growth properties of a cryogenic structural steel at liquid helium temperature, J Eng Mat Tech 118(1) 109-113 (Jan 1996), 11A640

Stress corrosion cracking simulation, Model Simulation Mat Sci Eng 5(2) 129-147 (Mar 1997), 11A656

Symmetrical propagation of a central crack in orthotropic material, J Appl Mech 62(4) 1047-1052 (Dec 1995), 11A717

Effect of load-mix on fatigue crack growth in 63Sn-37Pb solder joints, J Electron Packaging 119(2) 114-118 (Jun 1997), 12A745

Front development of a long fatigue crack during its growth, Fatigue Fracture Eng Mat Struct 20(6) 849-862 (1997), 12A746

Morpohological aspects of fatigue crack propagation - Part I: Computational procedure, Int J Fracture 82(3) 205-220 (1996), 12A747

Morpohological aspects of fatigue crack propagation - Part II: Effects of stress biaxiality and welding residual stress, Int J Fracture 82(3) 221-235 (1996), 12A748

Semi-elliptical fatigue crack growth under rotation or reversed bending combined with steady torsion, Fatigue Fracture Eng Mat Struct 20(6) 895-906 (1997), 12A749

Subcritical crack growth in glasses under cyclic loads: Effect of hydrodynamic pressure in aqueous environments, Acta Mat 45(7) 2671-2684 (Jul 1997), 12A750

Use of the strip-yield model to predict fatigue crack growth under irregular loading, Fatigue Fracture Eng Mat Struct 20(5) 759-770 (1997), 12A751

Effects of multiple cracking on crack growth and coalescence in contact fatigue, J Trib 119(3) 385-390 (Jul 1997), 12A967

Low-cycle fatigue crack growth considerations in pipe fracture analyses, Nucl Eng Des 168(1-3) 105-118 (May 1997), 12A1510

New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water, Nucl Eng Des 168(1-3) 53-75 (May 1997), 12A1511

274D. Dynamic processes

Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, Mech Solids 31(1) 100-108 (1996), 1A687

Self heating and thermal failure of polymers sustaining a compressive cyclic loading, Int J Solids Struct 33(23) 3439-3462 (Sep 1996), 1A688

Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation, Mod Eng Phys 18(5) 396-404 (Jul 1996), 1A1446

Theory of local limiting speed in dynamic fracture, J Mech Phys Solids 44(9) 1453-1474 (Sep 1996), 3A686

Study of mixed-mode dynamic crack initiation in PMMA, Mech Res Commun 23(5) 475-481 (Sep-Oct 1996), 4T698

Threshold velocities of the surface erosion fracture of solids, Mech Solids 31(3) 61-64 (1996), 5A589

Role of the process zone in dynamic fracture, J Mech Phys Solids 44(12) 1955-1976 (Dec 1996), 6A720

Sensitivity of parameter changes in structural damage detection, Shock Vib 4(1) 27-37 (1996), 6A721

Vibration induced fatigue life estimation of corner leads of peripheral leaded components, J Electron Packaging 118(4) 244-249 (Dec 1996), 6A722
Loading rate dependence of stick-slip fracture in polymers, Mech Res Commun 24(2) 115-121 (Mar-Apr 1997), 8T737
Consistent cracked bar vibration theory, J Sound Vib 200(3) 303-313 (Feb 1997), 9A131
Transient analysis of crack in composite layered medium subjected to dynamic loadings, AIAA J 35(4) 706-711 (Apr 1997), 9A696
Role of microcracks in the dynamic fracture of brittle materials, J Mech Phys Solids 45(4) 535-563 (Apr 1997), 9A727
Repair of earthquake-damaged RC columns with FRP wraps, ACI Struct J 94(2) 206-215 (Mar-Apr 1997), 10A939
Fuzzy-nets in-process system for tool-breakage monitoring in end-milling operations, Int J Machine Tools Manuf 37(6) 783-800 (Jun 1997), 11A603
Seismic damage analyses on box culvert with intermediate columns (Japanese), Proc JSCE 563(139) 125-136 (Apr 1997), 11A641
Fatigue Damage, Crack Growth and Life Prediction (Chapman and Hall, New York, 1996) 12R25
Failure mode maps in the thin film scratch adhesion test, Trib Int 30(7) 491-498 (Jul 1997), 12T752
Statistical formulation and experimental determination of growth rate of micrometer cracks under impact loading, Int J Solids Struct 34(22) 2905-2925 (Aug 1997), 12A831

274E. Fatigue characteristics of materials

Fatigue '96 (Pergamon, Tarrytown, NY, 1996) 1N26
Fatigue and Fracture (ASM Int, Materials Park OH, 1996) 1N27
Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3 (ASME Press, New York, 1996) 1N32
Comparative study of the fatigue behavior of GRP hand lay-up and pultruded phenolic composites, Int J Fatigue 18(4) 255-263 (May 1996), 1A689
Effect of loading frequency and interleaf on the delamination characteristics of laminated composites, J Composite Tech Res 18(3) 179-193 (Jul 1996), 1A690
Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes, J Composite Tech Res 18(3) 215-220 (Jul 1996), 1A691
Energy criterion for fatigue strength of wood structural members, J Eng Mat Tech 118(3) 375-378 (Jul 1996), 1A692
Environmental and mechanical fatigue of wind turbine blades made of composites materials, J Reinforced Plastics Composites 15(7) 673-691 (Jul 1996), 1A693
Fatigue and creep in titanium grade 2, Int J Fatigue 18(4) 227-233 (May 1996), 1A694
Microcracking and electric fatigue of polycrystalline ferroelectric ceramics, Smart Mat Struct 5(3) 321-326 (Jun 1996), 1A695
Mixed-mode fatigue crack growth in stainless steels under biaxial loading, J Eng Mat Tech 118(3) 349-355 (Jul 1996), 1A696
Simplified approach for modeling fatigue of unidirectional ceramic matrix composites, J Composite Tech Res 18(3) 167-178 (Jul 1996), 1A697
Symmetric branching of Mode II and mixed-mode fatigue crack growth in a stainless steel, J Eng Mat Tech 118(3) 356-361 (Jul 1996), 1A698
Tensile fatigue behavior of a coated 2D carbon-carbon composite laminate, J Composite Tech Res 18(3) 202-208 (Jul 1996), 1A699
Continuous observation of cavity growth and coalescence by creep-fatigue tests in SEM, JSME Int J Ser A 39(3) 382-388 (Jul 1996), 1A723
Influence of cyclic fatigue damage on the fracture toughness of carbon-carbon composites, Composites Part A Appl Sci and Manuf 27A(8) 641-646 (1996), 1A761
Effect of loading frequency on fatigue crack growth under high temperature, Int J Solids Struct 33(24) 3601-3610 (Oct 1996), 2A618
Anisotropic damage model for the multiaxial static and fatigue behavior of plain concrete, Eng Fracture Mech 55(2) 163-179 (Sep 1996), 2A624
Aspects of fatigue thresholds under mode III and mixed mode III and I loadings, Int J Fatigue 18(5) 279-285 (Jul 1996), 2A625
Assessment of surface fatigue effects in toughened Zirconia using a new point contact method, Fatigue Fracture Eng Mat Struct 19(7) 903-910 (1996), 2A626
Effect of mean stress and ratcheting strain on fatigue life of steel, Int J Fatigue 18(5) 335-341 (Jul 1996), 2A627
Fatigue behavior of stitched GRP laminates, Composites Sci Tech 56(6) 695-701 (1996), 2A628
Influence of interlaminar stresses on fatigue behavior of notched composite laminates, J Reinforced Plastics Composites 15(9) 894-921 (Sep 1996), 2A629
Influence of mean stress on fatigue in several aluminum alloys utilizing K_{th} threshold procedures, Fatigue Fracture Eng Mat Struct 19(7) 949-954 (1996), 2A630
Influence of microstructure on the fatigue properties of austempered ductile irons - I: High-cycle fatigue, Int J Fatigue 18(5) 297-307 (Jul 1996), 2A631
Influence of microstructure on the fatigue properties of austempered ductile irons - II: Low-cycle fatigue, Int J Fatigue 18(5) 309-320 (Jul 1996), 2A632
Low-cycle fatigue under non-proportional loading, Fatigue Fracture Eng Mat Struct 19(7) 839-854 (1996), 2A633
Prediction of fatigue damage and life for composite laminates under service loading spectra, Composites Sci Tech 56(6) 635-648 (1996), 2A634
Rainflow counting and energy dissipation for hysteresis models in elastoplasticity, Eur J Mech A 15(4) 705-737 (1996), 3A664
Fatigue and Fracture - 1996, Volume 2 (ASME, New York, 1996) 4N14
Comparative analysis of experimental and calculated fatigue life of the 45 steel notched structural member, Arch Budowy Maszyn 42(1-2) 111-122 (1995), 4A702
Design curve to characterize fatigue strength, J Eng Mat Tech 118(4) 535-541 (Oct 1996), 4A703
Effects of prestrain on the fatigue properties of VIRALL laminate, Composites Sci Tech 56(8) 929-932 (1996), 4A704
Fatigue life of panels with multiple site damage, J Aircraft 33(5) 1003-1013 (Sep-Oct 1996), 4A705
Fatigue of welded steel joints under wideband loadings, Probab Eng Mech 11(4) 221-227 (Oct 1996), 4A706
Influence of steel structure and strength on corrosive-fatigue crack growth in the threshold-close area, J Theor Appl Mech 34(4) 829-841 (1996), 4A707
Influencing factors on fatigue crack propagation of high strength steels in air (Japanese), J Soc Mat Sci Japan 45(8) 933-938 (Aug 1996), 4A708
Prediction of fatigue failure of 60Sn-40Pb solder using constitutive model for cyclic viscoplasticity, J Electron Packaging 118(3) 164-169 (Sep 1996), 4A709
Residual strength of panels with multiple site damage, J Aircraft 33(5) 1014-1021 (Sep-Oct 1996), 4A710
Semi-empirical model for predicting overload-affected fatigue crack growth in steels, J Theor Appl Mech 34(4) 695-711 (1996), 4A711
Effect of laser surface treatment on high cycle fatigue of AISI 316L stainless steel, Fatigue Fracture Eng Mat Struct 19(8) 985-995 (1996), 5A590
Effects of a single mode III loading cycle on mode I crack initiation and growth toughnesses in a cross-ply [90°/0°]$_s$ Ti-6Al-4V/SiC$_f$ composite, J Composite Mat 30(17) 1858-1872 (1996), 5A591
Effects of environment and heat treatment on the tensile and fatigue properties of Ti - 24 at%Al - 11 at%Nb, Fatigue Fracture Eng Mat Struct 19(11) 1339-1355 (1996), 5A592
Fatigue of a particulate reinforced aluminium metal matrix composite subjected to axial, torsional, and combined axial-torsional loading conditions, Fatigue Fracture Eng Mat Struct 19(8) 1031-1043 (1996), 5A593
Fatigue properties of Al_2O_3-particle-reinforced 6061 aluminium alloy in the high-cycle regime, Int J Fatigue 18(7) 475-481 (Oct 1996), 5A594
Fracture and fatigue-crack growth along aluminum-alumina interfaces, Acta Mat 44(12) 4713-4728 (Dec 1996), 5A595
Initial fatigue quality confidence-interval approach for determination of inspection intervals, AIAA J 34(11) 2361-2369 (Nov 1996), 5A596
Modeling the conditions for fatigue failure in metal matrix composites, Fatigue Fracture Eng Mat Struct 19(9) 1093-1105 (1996), 5A597
Study of fatigue and creep behavior of four high temperature solders, Fatigue Fracture Eng Mat Struct 19(11) 1401-1409 (1996), 5A598
Vibration induced fatigue life estimation of corner leads of peripheral leaded components, J Electron Packaging 118(4) 244-249 (Dec 1996), 6A722
Characterization of high-temperature fatigue by the uniaxial tensile test, J Mat Processing Tech 62(1-3) 42-45 (Nov 1996), 6A723
Cyclic fatigue of zirconia, Fatigue Fracture Eng Mat Struct 19(12) 1411-1420 (1996), 6A724
Fatigue behavior of sharp-notch specimens under cyclic compressive load (Chinese), J Dalian Univ Tech 36(6) 664-667 (Nov 1996), 6A725
Fracture mechanisms near threshold conditions of nickel alloyed PM steel, Eng Fracture Mech 55(6) 901-917 (Dec 1996), 6A726
Influence of hydrogen on the fatigue behavior of the beta-titanium alloy Ti-3Al-8V-6Cr-4Mo-4Zr, Fatigue Fracture Eng Mat Struct 19(12) 1421-1434 (1996), 6A727
Short fatigue crack growth behavior in Waspaloy at room and elevated temperatures, Fatigue Fracture Eng Mat Struct 19(12) 1505-1514 (1996), 6A728
Static and cyclic fretting fatigue behavior of silicon nitride, Fatigue Fracture Eng Mat Struct 19(12) 1493-1504 (1996), 6A729
Wind-induced fatigue loading and damage to hip and gable roof claddings, J Struct Eng 122(12) 1475-1483 (Dec 1996), 6A730
Experimental investigation of the effects of cycling frequency and temperature on the fatigue life of 60 Tin-40 lead solder, J Electron Packaging 118(4) 280-284 (Dec 1996), 6T976
Initiation behavior of fatigue crack from corrosion pits (Japanese), J Soc Mat Sci Japan 45(11) 1236-1241 (Nov 1996), 7T642
Automated fatigue data fitting using structural shift detection, J Eng Mat Tech 119(1) 51-55 (Jan 1997), 7A654
Effect of mean stress on fatigue behavior of GFRP pultruded rod composites, Composites Part A Appl Sci and Manuf 28A(1) 87-91 (1997), 7A655
Experimental study on relationship between type of cements and fracture properties of concrete (Japanese), Proc JSCE 550(V33) 43-52 (Nov 1996), 7A656
Fatigue and fracture behavior of a gamma-titanium aluminide intermetallic: Influence of ductile phase reinforcement, Eng Fracture Mech 56(3) 379-395 (Feb 1997), 7A657
Fatigue crack propagation and closure behavior of modified 1070 steel: Experimental results, Eng Fracture Mech 56(2) 167-187 (Jan 1997), 7A658
Fatigue crack propagation and closure behavior of modified 1070 steel: FE study, Eng Fracture Mech 56(2) 189-212 (Jan 1997), 7A659
Fatigue crack propagation in austenitic steels and their weldments under isothermal and thermal cyclic loading in the range of creep temperatures, Int J Pressure Vessels Piping 70(2) 85-90 (Feb 1997), 7T660
Fatigue life studies in carbon dual-phase steels, Int J Fatigue 18(8) 529-533 (Nov 1996), 7A661
Fiber composite fatigue-life determination, Composites Part A Appl Sci and Manuf 28A(1) 5-15 (1997), 7A662
Influence of mean stress on Ti6Al4V fatigue crack growth at very high frequency, Eng Fracture Mech 56(2) 255-264 (Jan 1997), 7A663
Influence of temperature on cyclic stress response and fracture behavior of aluminum alloy 6061, Eng Fracture Mech 56(4) 531-550 (Mar 1997), 7A664
Influences of fatigue frequency and hydrogen content on crack propagation in hydrogen embrittlement environment (Japanese), J Soc Mat Sci Japan 45(11) 1181-1185 (Nov 1996), 7A665
Investigation of the cyclic fatigue and fracture behavior of a niobium aluminide intermetallic, Eng Fracture Mech 56(3) 293-309 (Feb 1997), 7A666
Mechanical and environmental factors in the cyclic and static fatigue of a machinable glass-ceramic, Int J Fatigue 18(8) 523-527 (Nov 1996), 7A667
Probabilistic mesomechanical fatigue crack nucleation model, J Eng Mat Tech 119(1) 65-70 (Jan 1997), 7A668
Simple approaches to reliable fatigue damage prediction, J Am Helicopter Soc 42(1) 79-88 (Jan 1997), 7A669
Residual strength of equine bone is not reduced by intense fatigue loading: Implications for stress fracture, J Biomech 30(2) 109-114 (Feb 1997), 7A1532
Databook on Fatigue Strength of Metallic Materials (Elsevier Sci BV, Netherlands, 1996) 8N10
Micromechanical analysis of fatigue properties of metal-matrix composites, Mech Res Commun 24(1) 65-68 (Jan-Feb 1997), 8T553
Assessment of cyclic properties of 18G2A low-alloy steel at biaxial stress state, Acta Mech 120(1-4) 71-89 (1997), 8A738
Crack growth response of IMI 834 under variable amplitude loading, Int J Fatigue 19(1) 33-41 (Jan 1997), 8A739
Effect of alloying content on high cycle fatigue behavior of Cu-Ti alloys, Int J Fatigue 19(1) 51-57 (Jan 1997), 8A740
Factors controlling the fatigue strength of nitrided titanium, Fatigue Fracture Eng Mat Struct 20(1) 85-92 (1997), 8A741
Fatigue crack propagation of D6AC laser welds, Int J Fatigue 19(1) 25-31 (Jan 1997), 8A742
Influence of a negative R ratio on the creep-fatigue behavior of the N18 nickel base superalloy, Fatigue Fracture Eng Mat Struct 20(1) 93-107 (1997), 8A743
Low cycle fatigue of a copper bicrystal under constant plastic strain control, Int J Fatigue 19(1) 59-65 (Jan 1997), 8A744
Microstructure change due to thermal and mechanical histories in stainless steel weld metals (Japanese), J Soc Mat Sci Japan 46(1) 7-12 (Jan 1997), 8A745
Tension-compression fatigue behavior of a unidirectional titanium-matrix composite at elevated temperature, Composites Sci Tech 57(1) 99-117 (Jan 1997), 8A746
Evaluation of long-term creep-fatigue life of stainless steel weldment based on a microstructure degradation model (Japanese), J Soc Mat Sci Japan 46(1) 65-69 (Jan 1997), 8A748
Prediction of crack initiation life of converter shell based on stress analysis (Japanese), J Soc Mat Sci Japan 46(1) 47-52 (Jan 1997), 8A751
Approaches and criteria used in estimating the longevity and wear-resistance of materials, J Machinery Manuf Reliab 3 35-48 (1996), 8T947
Bending fatigue of carbon-fiber-reinforced epoxy composite strands, Composites Sci Tech 57(2) 229-235 (Feb 1997), 9A697
Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, High Temp Mat Proc 16(1) 65-76 (Jan-Mar 1997), 9A698
Comparisons of concrete fracture models, J Eng Mech 123(3) 196-203 (Mar 1997), 9A699
Compression fatigue crack growth behavior of an aluminium alloy: Effect of overloading, Fatigue Fracture Eng Mat Struct 20(2) 249-256 (1997), 9A700
Crack initiation and small fatigue crack growth behavior of squeeze-cast Al-Si aluminium alloys, Fatigue Fracture Eng Mat Struct 20(2) 237-247 (1997), 9A701
Effect of biaxial mean stress on cyclic stress-strain response and behavior of short fatigue cracks in a high strength spring steel, Fatigue Fracture Eng Mat Struct 20(2) 167-177 (1997), 9A702
Effect of frequency on the fatigue performance of filament-wound pipes under biaxial loading: Experimental results and damage model, Composites Sci Tech 57(3) 353-364 (Mar 1997), 9A703
Fatigue of carbon-fiber-reinforced plastics under block-loading conditions, Composites Part A Appl Sci and Manuf 28A(4) 327-337 (1997), 9A704
Fatigue reliability analysis of composite laminates under spectrum stress, Int J Solids Struct 34(12) 1441-1461 (Apr 1997), 9A705
Fracture surface development in an overloaded D16T Al-alloy subjected to biaxial loading: A fractographic analysis, Fatigue Fracture Eng Mat Struct 20(2) 151-166 (1997), 9A706
Mechanical behavior of Al_2O_3-particle-reinforced 6061 aluminum alloy under uniaxial and multiaxial cyclic loading, Composites Sci Tech 57(2) 237-248 (Feb 1997), 9A707
Practical approach for the indirect prediction of structural fatigue from measured flight parameters, Proc Inst Mech Eng J Aerospace Eng 211(G1) 29-38 (1997), 9A1167
Composite Materials: Fatigue and Fracture, Sixth Volume (ASTM, 1997) 10N15
Effects of the Environment on the Initiation of Crack Growth (ASTM, 1997) 10N20
Fatigue and Fracture Mechanics: 27th Volume (ASTM, 1997) 10N21
Combined bending and torsional fatigue of woven roving GRP, J Eng Mat Tech 119(2) 180-185 (Apr 1997), 10A764
Constant and variable amplitude loading of 6261 aluminium alloy I-beams with welded cover plates: Influence of weld quality and stress relief, Int J Fatigue 19(2) 125-133 (Feb 1997), 10A765
Cyclic strain resistance, fatigue life, and final fracture behavior of magnesium alloys, Eng Fracture Mech 56(6) 735-758 (Apr 1997), 10A766
Dynamic fatigue testing of candidate ceramic materials for turbine engines to determine slow-crack-growth parameters, J Eng Gas Turbines Power 119(2) 273-278 (Apr 1997), 10A767
High temperature multiaxial low cycle fatigue of CMSX-2 Ni-base single crystal superalloy, J Eng Mat Tech 119(2) 153-160 (Apr 1997), 10A768
Immersed fatigue response of polymer composites, Int J Fracture 82(1) 31-42 (1996), 10A769
Influence of the K gradient and K_{th} level on fatigue response during the K_{th} threshold testing of Van 80 steel and Astroloy, Int J Fatigue 19(2) 177-182 (Feb 1997), 10A770
Low cycle fatigue behavior of a medium carbon microalloyed steel, Int J Fatigue 19(2) 135-140 (Feb 1997), 10A771
Mechanisms and fatigue performance of two steels in cyclic torsion with axial static tension-compression, Fatigue Fracture Eng Mat Struct 20(4) 547-557 (1997), 10A772
Prediction of fatigue life of asphalt concrete beams, Int J Fatigue 19(2) 117-124 (Feb 1997), 10A773
Prediction of flexural fatigue strength of CRFP composites under arbitrary frequency, stress ratio, and temperature, J Composite Mat 31(6) 619-638 (1997), 10A774
Response of SiC/Si_3N_4 composites under static and cyclic loading: An experimental and statistical analysis, J Eng Mat Tech 119(2) 186-193 (Apr 1997), 10A775
Short fatigue crack growth behavior in Al 5083 alloy, Int J Fatigue 19(2) 161-168 (Feb 1997), 10A776
Thermal cycling effects on dynamic mechanical properties and crystallographic structures of silicon nitride-based structural ceramics, J Eng Gas Turbines Power 119(2) 279-284 (Apr 1997), 10A777
Dwell sensitivity fatigue behavior of high temperature materials, High Temp Mat Proc 16(2) 87-96 (Apr-Jun 1997), 11A642
Effect of microdamage on fatigue-crack growth, J Appl Math Mech 60(6) 1007-1015 (1996), 11A643
Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature, J Composite Tech Res 19(2) 55-64 (Apr 1997), 11A644

Fatigue crack initiation and propagation behavior of pressure vessel steels, Eng Fracture Mech 57(1) 85-104 (May 1997), 11A645
Fatigue design curves for 6061-T6 aluminum, J Pressure Vessel Tech 119(2) 211-215 (May 1997), 11A646
Fatigue failure probability in a powder metallurgy Ni-base superalloy, Eng Fracture Mech 57(1) 41-55 (May 1997), 11A647
Field measurement and fatigue assessment of orthotropic steel deck with asphalt pavement (Japanese), Proc JSCE 563(139) 161-171 (Apr 1997), 11A648
Prediction of the comparative fatigue performance for realistic loading distributions, Prog Aerospace Sci 33(5-6) 391-430 (May-Jun 1997), 11A649
Thermomechanical and isothermal fatigue behavior of bare and coated superalloys, J Eng Mat Tech 118(1) 94-102 (Jan 1996), 11A650
Application of fracture mechanics to the surface crack propagation in stainless steel at elevated temperatures, Acta Mat 45(6) 2495-2500 (Jun 1997), 11A674
Fatigue strength of the joint between diaphragms and longitudinal ribs in box section girders (Japanese), Proc JSCE 563(139) 35-40 (Apr 1997), 11A873
Simple method of estimating wind turbine blade fatigue at potential wind turbine sites, J Solar Energy Eng 119(2) 174-186 (May 1997), 11A1550
Fatigue Damage, Crack Growth and Life Prediction (Chapman and Hall, New York, 1996) 12R25
Elevated Temperature Effects on Fatigue and Fracture (ASTM, 1997) 12N29
Cyclic stress-strain response and dislocation structure of a [345]/[117] copper bicrystal, Acta Mat 45(7) 2655-2670 (Jul 1997), 12A533
Fatigue strength as a function of preloading in dynamic fatigue testing of glass and ceramics, J Eng Gas Turbines Power 119(3) 493-499 (Jul 1997), 12A595
Crack initiation and growth behavior of Al2024-T4 under fretting fatigue, Int J Fatigue 19(3) 243-251 (Mar 1997), 12A753
Cyclic fatigue of Al_2O_3 and Al_2O_3-Al_2TiO_5 composites in direct push-pull, Fatigue Fracture Eng Mat Struct 20(5) 789-798 (1997), 12A754
Flexural fatigue behavior of UDGFRP experimental approach, Int J Fatigue 19(3) 253-262 (Mar 1997), 12A755
High temperature fatigue in single crystal superalloys, Fatigue Fracture Eng Mat Struct 20(5) 771-788 (1997), 12A756
Influence of aging at intermediate temperatures on the mechanical behavior of a duplex stainless steel - Part II: Fatigue life and fatigue crack growth, Fatigue Fracture Eng Mat Struct 20(6) 917-928 (1997), 12A757
Investigation of the effects of stress ratio and crack closure on the micromechanisms of fatigue crack growth in Ti-6Al-4V, Acta Mat 45(7) 2777-2787 (Jul 1997), 12A758
Methodology for fatigue crack growth and residual strength prediction with applications to aircraft fuselages, Comput Mech 19(6) 527-532 (May 1997), 12A759
Microstructural effect on low cycle fatigue behavior in Ti-alloys under biaxial loading, Fatigue Fracture Eng Mat Struct 20(6) 941-950 (1997), 12A760
Mode I and mixed mode I-II fatigue cracking in Ni$_3$Al(CrB) single crystals, Fatigue Fracture Eng Mat Struct 20(6) 883-894 (1997), 12A761
Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - I: Modeling, Int J Fatigue 19(3) 201-207 (Mar 1997), 12A762
Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - II: Experimental evaluation, Int J Fatigue 19(3) 209-217 (Mar 1997), 12A763
Residual properties of an injection-molded poly(phenylene ether ketone)-carbon composite during flexural fatigue, Composites Sci Tech 57(6) 669-676 (Jun 1997), 12A764
Strength, longevity and fracture of construction materials under multicycle loading: Survey (Russian), Prikl Mekh (Appl Mech) 33(4) 3-26 (1997), 12A765
Fatigue fracture process in a model composite, Composites Part A Appl Sci and Manuf 28A(7) 657-666 (1997), 12A807
Mixed-mode delamination fracture toughness of unidirectional glass-epoxy composites under fatigue loading, Composites Sci Tech 57(5) 597-605 (May 1997), 12A810

274F. Stress or strain life analysis of fatigue

Fatigue Design: Life Expectancy of Machine Parts (CRC Press, Boca Raton FL, 1996) 1R19
Fatigue '96 (Pergamon, Tarrytown, NY, 1996) 1N26
Fatigue and Fracture (ASM Int, Materials Park OH, 1996) 1N27
Fatigue damage calculation in stress concentration fields under variable uniaxial stress, Int J Fatigue 18(4) 245-253 (May 1996), 1A700
Method of predicting the fatigue life curve for misaligned welded joints, Int J Fatigue 18(4) 221-226 (May 1996), 1A701
Advances in Fatigue Lifetime Predictive Techniques, Third Volume (ASTM, 1996) 2N19
Effect of undercut and residual stresses on fatigue behavior of misaligned butt joints, Eng Fracture Mech 55(3) 453-469 (Oct 1996), 3A665
Fatigue analysis of spot-welded joints under variable amplitude load history, Eng Fracture Mech 55(3) 363-369 (Oct 1996), 3A666
Fatigue strength assessment in uniaxial state of stress, Marine Tech Trans 6 219-238 (1995), 3A667
Low-cycle fatigue in rotating cantilever under bending - I: Theoretical analysis, Int J Fatigue 18(6) 401-412 (Aug 1996), 3A668
Bias in the estimation of wave-induced fatigue damage of offshore structures, Appl Ocean Res 17(6) 363-378 (Dec 1995), 3A815
Fatigue and Fracture - 1996, Volume 1 (ASME, New York, 1996) 4N13
Fatigue and Fracture - 1996, Volume 2 (ASME, New York, 1996) 4N14
Life prediction of notched specimens using multiaxial surface and subsurface strain analyses, J Eng Mat Tech 118(4) 529-534 (Oct 1996), 4A712
Stress analysis and fatigue life prediction for a U-bend steam generator tube, Nucl Eng Des 165(1-2) 101-109 (Aug 1996), 4A713
Fatigue-Fracture, NDE, Materials, and Manufacturing (ASME, New York, 1996) 5N12
Corrosion-fatigue life prediction for notched components based on the local strain and linear elastic fracture mechanics concepts, Int J Fatigue 18(7) 491-498 (Oct 1996), 5A599
Fatigue crack repair of steel beams with tapered cover plate details, J Struct Eng 122(11) 1337-1346 (Nov 1996), 6A566
Fatigue lifetime estimation based on rainflow counted data using the local strain approach, Eur J Mech A 15(6) 955-968 (1996), 6A731
Fatigue strength of tensile plate with side gussets subjected to static transverse load (Japanese), Proc JSCE 549(I-37) 33-42 (Oct 1996), 6A732
Life prediction of solder joints by damage and fracture mechanics, J Electron Packaging 118(4) 193-200 (Dec 1996), 6A733
Statical and fatigue strength tests of insulated friction-type connections (Japanese), Proc JSCE 549(I-37) 65-76 (Oct 1996), 6A734
Fatigue life prediction of interference fit fastener and cold worked holes, Int J Fatigue 18(8) 515-521 (Nov 1996), 7A670
Model of hysteretic behavior of RC members based on lumped damage theory (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(4) 411-426 (1996), 7A823
Effect of mean axial load on axial fatigue life of spiral strands, Int J Fatigue 19(1) 1-11 (Jan 1997), 8A747
Evaluation of long-term creep-fatigue life of stainless steel weldment based on a microstructure degradation model (Japanese), J Soc Mat Sci Japan 46(1) 65-69 (Jan 1997), 8A748
Life prediction methodology for composite structures - Part I: Constant amplitude and two-stress level fatigue, J Composite Mat 31(2) 128-157 (1997), 8A749
Life prediction methodology for composite structures - Part II: Spectrum fatigue, J Composite Mat 31(2) 158-181 (1997), 8A750
Prediction of crack initiation life of converter shell based on stress analysis (Japanese), J Soc Mat Sci Japan 46(1) 47-52 (Jan 1997), 8A751
New criterion for positive mean stress fatigue design, J Mech Des 119(1) 135-137 (Mar 1997), 9A708
Probabilistic method for the fatigue design of powder metallurgy parts of aircraft engines, Rev Francaise Mec 0(1) 63-68 (1997), 9A856
Fatigue reliability reassessment applications: State-of-the-art paper, J Struct Eng 123(3) 277-285 (Mar 1997), 9A858
Fatigue reliability reassessment procedures: State-of-the-art paper, J Struct Eng 123(3) 271-276 (Mar 1997), 9A859
Description of stress-strain hysteresis loops with a simple approach, Int J Fatigue 19(2) 141-149 (Feb 1997), 10A778
Low cycle fatigue life prediction: A new model, Int J Fatigue 19(2) 109-115 (Feb 1997), 10A779
Stochastic reconstruction of loading histories from a rainflow matrix, Z Angew Math Mech 77(3) 217-226 (1997), 10A780
Fatigue of ship critical structural details, J Offshore Mech Arctic Eng 119(2) 96-107 (May 1997), 11A651
Overcoming limitations of the conventional strain-life fatigue damage model, J Eng Mat Tech 118(1) 103-108 (Jan 1996), 11A652
Fatigue and Fracture Mechanics of High Risk Parts: Application of LEFM and FMDM Theory (Chapman and Hall, New York, 1997) 12R24
Riveted single lap joints - Part 2: Fatigue life prediction, Proc Inst Mech Eng J Aerospace Eng 211(G2) 123-128 (1997), 12A766

274G. Other aspects of fatigue

Fatigue Design: Life Expectancy of Machine Parts (CRC Press, Boca Raton FL, 1996) 1R19
Fatigue '96 (Pergamon, Tarrytown, NY, 1996) 1N26
Critical review on multiaxial fatigue assessments of metals, Int J Fatigue 18(4) 235-244 (May 1996), 1A702
Effect of stress ratio on short fatigue crack growth, J Eng Mat Tech 118(3) 362-366 (Jul 1996), 1A703
Fatigue failure of a rotating chemical vessel, Eng Failure Anal 3(2) 77-93 (Jun 1996), 1A704
Fatigue failure of welded vertical members of a steel truss bridge, Eng Failure Anal 3(2) 103-108 (Jun 1996), 1A705
Fatigue of welds, Fatigue Fracture Eng Mat Struct 19(6) 635-819 (1996), 1A706
Life prediction techniques for variable amplitude multiaxial fatigue - Part 1: Theories, J Eng Mat Tech 118(3) 367-370 (Jul 1996), 1A707
Life prediction techniques for variable amplitude multiaxial fatigue - Part 2: Comparison with experimental results, J Eng Mat Tech 118(3) 371-374 (Jul 1996), 1A708
Plastic zone size in fatigue cracking, Int J Pressure Vessels Piping 68(3) 279-285 (Oct 1996), 1A750
Crack modeling: A technique for the fatigue design of components, Eng Failure Anal 3(2) 129-136 (Jun 1996), 1A788
Continuum damage model of low-cycle fatigue and fatigue damage analysis of welded joint, Eng Fracture Mech 55(1) 155-161 (Sep 1996), 2A635
Effect of springing response of a TLP on tether fatigue, J Offshore Mech Arctic Eng 118(3) 169-173 (Aug 1996), 2A636
Influence of shot-peening on short crack behavior in a medium carbon steel, Fatigue Fracture Eng Mat Struct 19(7) 911-917 (1996), 2A637
Spectral fatigue analysis of shallow water jacket platforms, J Offshore Mech Arctic Eng 118(3) 190-197 (Aug 1996), 2A638
Microcrack growth law for multiaxial fatigue, Fatigue Fracture Eng Mat Struct 19(7) 821-837 (1996), 2A703
Thermomechanical fatigue crack growth, Int J Fatigue 18(6) 349-361 (Aug 1996), 3A669
Air crash case study, Eng Failure Anal 3(3) 203-210 (Sep 1996), 4A714
Tooth bending fatigue failures in gears, Eng Failure Anal 3(3) 219-225 (Sep 1996), 4A715
Fatigue-Fracture, NDE, Materials, and Manufacturing (ASME, New York, 1996) 5N12
Biaxial high cycle fatigue tests on a gas transmission pipeline steel, Fatigue Fracture Eng Mat Struct 19(10) 1231-1238 (1996), 5A600
Biaxial thermal fatigue testing with non-uniform strain distributions, Fatigue Fracture Eng Mat Struct 19(10) 1239-1253 (1996), 5A601
Development of a constitutive model for biaxial low-cycle fatigue, Fatigue Fracture Eng Mat Struct 19(10) 1169-1179 (1996), 5A602
Effect of non-proportional overloading on fatigue life, Fatigue Fracture Eng Mat Struct 19(10) 1197-1206 (1996), 5A603
Evaluation of low cycle fatigue under non-proportional loading, Fatigue Fracture Eng Mat Struct 19(10) 1161-1168 (1996), 5A604
Fatigue crack closure and its effect on life prediction in compact tension specimens, Int J Fatigue 18(7) 499-505 (Oct 1996), 5A605
Generalized fatigue limit criterion and a unified theory of low-cycle fatigue damage, Fatigue Fracture Eng Mat Struct 19(10) 1207-1219 (1996), 5A606
Invariant formulation of a gradient dependent multiaxial high-cycle fatigue criterion, Eng Fracture Mech 55(4) 513-528 (Nov 1996), 5A607
Micro-mechanics model of corrosion-fatigue crack growth in steels, Fatigue Fracture Eng Mat Struct 19(11) 1383-1400 (1996), 5A608
Model of growth of a penny-shaped low-cycle fatigue crack, Mech Solids 31(3) 46-52 (1996), 5A609
Multiaxial fatigue criterion with mean stress effect, Int J Pressure Vessels Piping 69(3) 263-266 (Dec 1996), 5A610
Notch fatigue behavior in cast irons explained using a fracture mechanics approach, Int J Fatigue 18(7) 439-445 (Oct 1996), 5A611
Possible mechanical quantification of fatigue damage, Fatigue Fracture Eng Mat Struct 19(10) 1221-1229 (1996), 5A612
Prevention of fatigue failures in elastic coupling discs and in fan blades, Int J Fatigue 18(7) 447-450 (Oct 1996), 5A613
Useful scalar parameters for multiaxial fatigue deformation studies, Fatigue Fracture Eng Mat Struct 19(10) 1181-1195 (1996), 5A614
Determination of stress intensity factors in ultrasonic fatigue loading, Int J Fatigue 18(7) 457-461 (Oct 1996), 5A652
Retrospective view on the role of the plastic zone at a fatigue crack tip, Fatigue Fracture Eng Mat Struct 19(11) 1301-1306 (1996), 5A661
Application of the Villari effect in a fatigue examination of nickel, Fatigue Fracture Eng Mat Struct 19(12) 1435-1443 (1996), 6A735
New recognition and untouched engineering subjects on the phenomenon of fatigue, J Mat Processing Tech 62(1-3) 37-41 (Nov 1996), 6A736
Case studies of failed austenitic drillcollars, Eng Failure Anal 3(4) 281-297 (Dec 1996), 7A671
Corrosion fatigue short crack growth behavior in a high strength steel, Int J Fatigue 18(8) 557-566 (Nov 1996), 7A672
Effectiveness of stress relief features in austenitic drillcollar connections, Eng Failure Anal 3(4) 267-279 (Dec 1996), 7A673
Effects of hole machining defects on strength and fatigue life of composite laminates, Composites Part A Appl Sci and Manuf 28A(2) 141-151 (1997), 7A674
Fatigue crack closure study based on whole-field displacements, Int J Fatigue 18(8) 593-601 (Nov 1996), 7A675
Fatigue damage repair: A comparison of some possible methods, Int J Fatigue 18(8) 535-546 (Nov 1996), 7A676
High cycle fatigue, Int J Fracture 80(2-3) 103-255 (1996), 7T677
Low-cycle fatigue in rotating cantilever under bending II: Experimental investigations on smooth specimens, Int J Fatigue 18(8) 577-592 (Nov 1996), 7A678
Micromechanical modeling of low cycle fatigue under complex loadings - Part I: Theoretical formulation, Int J Plasticity 12(9) 1111-1121 (1996), 7A679
Micromechanical modeling of low cycle fatigue under complex loadings - Part II: Applications, Int J Plasticity 12(9) 1123-1149 (1996), 7A680
Study on fatigue life in butt-welded joints containing surface crack under non-constant spectrum loading, Int J Pressure Vessels Piping 70(2) 117-120 (Feb 1997), 7A681
Prediction of fatigue behaviors by stress field intensity approach, Acta Mech Solida Sinica 9(4) 337-349 (1996), 7A716
Arc sine √P transformation: An effective tool for graphical and numerical evaluation of planned Wohler experiments, Int J Fracture 80(4) 339-351 (1996), 8A752
Detail fatigue analysis exceedance spectra determined from random multidirectional force components, J Aircraft 34(1) 109-113 (Jan-Feb 1997), 8A753
Effect of nitriding on low-cycle fatigue properties, Int J Fatigue 19(1) 67-73 (Jan 1997), 8A754
Effects of grain boundary properties on intergranular cracking in fatigued fcc metals, Acta Mat 45(2) 715-725 (Feb 1997), 8A755
Failure analysis and life prediction of a set of extra high pressure heat exchangers containing defects, Int J Pressure Vessels Piping 70(3) 197-200 (Mar 1997), 8A756
Investigations on the origin of grain boundary cracks in fatigued fcc metals, Acta Mat 45(2) 709-714 (Feb 1997), 8A757
Multiaxial fatigue life evaluation of tubular adhesively bonded joints, Int J Adhesion Adhesives 17(1) 55-63 (Feb 1997), 8A758
Problems of fatigue strength definition for shell structures, Exp Mech 37(1) 102-104 (Mar 1997), 8A759
Statistical theory of fatigue crack growth at damage cumulation, Arch Appl Mech 67(3) 151-157 (Feb 1997), 9A695
Fatigue reliability analysis of composite laminates under spectrum stress, Int J Solids Struct 34(12) 1441-1461 (Apr 1997), 9A705
Causes of fatigue failure in an aero-engine component, Eng Failure Anal 4(1) 39-47 (Mar 1997), 9A709
Detailed observation of change in strain near fatigue crack tip (Japanese), J Soc Mat Sci Japan 46(2) 138-142 (Feb 1997), 9A710
Effect of rim thickness on gear crack propagation path, J Mech Des 119(1) 88-95 (Mar 1997), 9A711
Optimization of reliability and maintenance of steel engineering works, Rev Francaise Mec 0(1) 27-33 (1997), 9A834
Determination on the most appropriate mesh size for a 2D FE analysis of fatigue crack closure behavior, Fatigue Fracture Eng Mat Struct 20(4) 533-545 (1997), 10A781
Effect of auditory feedback on operating efficiency and fatigue: In the case of manual cut-off turning with virtual lathe, Int J Japan Soc Precision Eng 30(4) 325-330 (Dec 1996), 10A782
Fatigue and durability behavior of automotive adhesives - Part I: Fracture mechanics tests, J Adhesion 61(1-4) 71-95 (1997), 10A783
Investigation of cyclic transient behavior and implications on fatigue life estimates, J Eng Mat Tech 119(2) 161-170 (Apr 1997), 10A784
Low-temperature autofrettage: Improved technique to enhance the fatigue resistance of thick-walled tubes against pulsating internal pressure, Fatigue Fracture Eng Mat Struct 20(4) 595-604 (1997), 10A785

Study of fatigue crack closure by elastic-plastic FE analysis for constant-amplitude loading, Int J Fracture **82**(1) 43-65 (1996), 10A786
Workshop on nondestructive and nondisruptive property measurements: Identification of technology gaps, J Nondestruct Eval **15**(3-4) 89-176 (Dec 1996), 10A887
Hybrid bearing technology for advanced turbomachinery: Rolling contact fatigue testing, J Eng Gas Turbines Power **118**(1) 173-178 (Jan 1996), 11A653
Peak stress and fatigue assessment at the saddle support of a cylindrical vessel, J Pressure Vessel Tech **117**(4) 305-311 (Nov 1995), 11A654
Fatigue design for cope hole details in I-section members of steel bridges, Proc JSCE **563**(I39) 41-47 (Apr 1997), 11A812
In-time fatigue monitoring using neural networks, Marine Struct **10**(5) 363-387 (Jun 1997), 11A819
Impact fatigue of short glass fiber reinforced polycarbonate, J Reinforced Plastics Composites **16**(10) 903-925 (1997), 12A567
Comparative study of multiaxial high-cycle fatigue criteria for metals, Int J Fatigue **19**(3) 219-235 (Mar 1997), 12A767
Fatigue failure of the de Havilland Comet I, Eng Failure Anal **4**(2) 147-154 (Jun 1997), 12A768
Structural integrity monitoring, Eng Failure Anal **4**(2) 117-131 (Jun 1997), 12A769
Study on fatigue crack growth under out-of-phase combined loadings, Fatigue Fracture Eng Mat Struct **20**(6) 929-940 (1997), 12A770
Possibilistic reliability theory: Theoretical aspects and applications, Struct Safety **19**(2) 173-201 (1997), 12A899
Contact fatigue in rolling-element bearings, Eng Failure Anal **4**(2) 155-160 (Jun 1997), 12T966
Surface contact fatigue failures in gears, Eng Failure Anal **4**(2) 99-107 (Jun 1997), 12A970

274H. Corrosion and embrittlement

Fatigue and Fracture (ASM Int, Materials Park OH, 1996) 1N27
Mechanics and mechanisms of fracture in stress corrosion cracking of aluminum alloys, Eng Fracture Mech **54**(6) 879-889 (Aug 1996), 1A709
Review of present mechanisms of transgranular stress corrosion cracking, J Mech Behavior Mat **7**(1) 1-14 (1996), 1A710
Effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, Wear **197**(1-2) 286-294 (Sep 1996), 2A639
Fracture mechanism in 475°C embrittled ferritic stainless steels, Fatigue Fracture Eng Mat Struct **19**(7) 919-933 (1996), 2A640
Fracture mechanism of 475°C embrittlement in a duplex stainless steel, Fatigue Fracture Eng Mat Struct **19**(7) 935-947 (1996), 2A641
Numerical analysis on hydrogen diffusion and concentration in solid with emission around the crack tip, Eng Fracture Mech **55**(1) 47-60 (Sep 1996), 2A642
Dependence of erosion-corrosion wastage on carbide-metal binder proportion for HVOF carbide-metal cermet coatings, Wear **196**(1-2) 141-146 (Aug 1996), 2A906
Advances in Failure Mechanisms in Brittle Materials (ASME, New York, 1996) 3N23
Influence of warm overloading on stress-corrosion cracking of welded structures, Int J Pressure Vessels Piping **69**(1) 91-96 (Nov 1996), 3A670
Stochastic damage model for brittle materials subjected to monotonic loading, J Eng Mech **122**(8) 788-795 (Aug 1996), 3A680
Effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, Wear **198**(1-2) 267-270 (Oct 1996), 3A851
Stress corrosion cracking susceptibility of steam generator tube materials in AVT (all volatile treatment) chemistry contaminated with lead, Nucl Eng Des **165**(1-2) 161-169 (Aug 1996), 4A716
Statistical model for the analysis and prediction of the effect of neutron irradiation on Charpy impact energy curves, Nucl Eng Des **165**(1-2) 43-56 (Aug 1996), 4A1459
Cyclic behavior and room temperature micromechanisms of 3Y-TZP ceramics at submicron and nanocrystalline levels, Fatigue Fracture Eng Mat Struct **19**(8) 1009-1018 (1996), 5A615
Effect of cathodic protection potential on corrosion fatigue crack growth rate of an offshore structural steel, Fatigue Fracture Eng Mat Struct **19**(8) 1019-1029 (1996), 5A616
Effect of non-metallic inclusions on corrosion fatigue resistance of P-M duplex stainless steel, Fatigue Fracture Eng Mat Struct **19**(8) 1045-1053 (1996), 5A617
Acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, Wear **199**(2) 253-259 (Nov 1996), 5A825
Occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, Wear **199**(2) 245-252 (Nov 1996), 5A828
Effect of alkali chlorides on erosion-corrosion of cooled mild steel and Cr_3C_2-NiCr coating, Wear **199**(2) 268-274 (Nov 1996), 5A839
Evaluation of dynamic strength of concrete from results of static tests, J Eng Mech **122**(12) 1133-1138 (Dec 1996), 6A737
Mathematical modeling of electrochemical steel corrosion in concrete, J Eng Mech **122**(12) 1113-1122 (Dec 1996), 6A738
Nitriding induced embrittlement, J Mat Processing Manuf Sci **4**(4) 271-277 (Apr 1996), 6A739
Mechanical properties and localized corrosion behavior of powder metallurgical whisker reinforced aluminium metal matrix composites (Japanese), J Soc Mat Sci Japan **45**(11) 1198-1204 (Nov 1996), 7A473
Initiation behavior of fatigue crack from corrosion pits (Japanese), J Soc Mat Sci Japan **45**(11) 1236-1241 (Nov 1996), 7T642
Case study of Bi-Sn-induced embrittlement, Eng Failure Anal **3**(4) 241-247 (Dec 1996), 7A682
Corrosion and hydrogen absorption of carbon steels in CO_2 environment (Japanese), J Soc Mat Sci Japan **45**(11) 1186-1191 (Nov 1996), 7A683
Corrosion pillowing stresses in fuselage lap joints, AIAA J **35**(2) 317-320 (Feb 1997), 7A684
Corrosion resistance of muffler materials in automotive exhaust gas condensates (Japanese), J Soc Mat Sci Japan **45**(11) 1192-1197 (Nov 1996), 7A685
Corrosions influenced by physical phenomena (Japanese), J Soc Mat Sci Japan **45**(11) 1172-1175 (Nov 1996), 7T686
Hydrogen-assisted stress cracking of high-strength wheel bolts, Eng Failure Anal **3**(4) 231-240 (Dec 1996), 7A687
Prediction of steel corrosion portion and area by natural potential measurement (Japanese), Proc JSCE **550**(V33) 13-22 (Nov 1996), 7A688
Size effect in compression fracture: Splitting crack band propagation, J Eng Mech **123**(2) 162-172 (Feb 1997), 7A689
Specificity in liquid metal induced embrittlement, Eng Failure Anal **3**(4) 299-302 (Dec 1996), 7T690
Stains on shell of non-coating rolling stock (Japanese), J Soc Mat Sci Japan **45**(11) 1176-1180 (Nov 1996), 7A691
Adaptive Monte Carlo simulation for time-variant reliability analysis of brittle structures, AIAA J **35**(2) 321-326 (Feb 1997), 7A815
Effect of water flow rate upon the environmentally assisted cracking response of a low-alloy steel: Experimental results plus modeling, J Pressure Vessel Tech **119**(1) 83-90 (Feb 1997), 8A760
Role of dynamic strain-ageing in the environment assisted cracking observed in pressure vessel steels, Fatigue Fracture Eng Mat Struct **20**(1) 1-12 (1997), 8A761
Boundary element inverse analysis for improving accuracy of measuring polarization characteristics (Japanese), J Soc Mat Sci Japan **46**(2) 176-180 (Feb 1997), 9A56
Boundary element analysis of galvanic corrosion of long structure buried in soil with gradient electrical conductivity (Japanese), J Soc Mat Sci Japan **46**(2) 170-175 (Feb 1997), 9A712
Changes in electromagnetic properties during thermal aging of duplex stainless steel, Int J Pressure Vessels Piping **71**(1) 7-12 (Apr 1997), 9A713
Hydrogen damage analysis in catalytical cracking units steels of petroleum refineries by scanning electron microscopy, J Brazilian Soc Mech Sci **19**(1) 92-103 (Mar 1997), 9A714
Modeling of irradiation embrittlement of reactor pressure vessel steels (Japanese), J Soc Mat Sci Japan **46**(2) 124-130 (Feb 1997), 9A715
Electrochemical potential variations in a small 40 MW feedwater storage vessel: The influence of weldment surface condition, Int J Pressure Vessels Piping **71**(1) 1-5 (Apr 1997), 9A978
Brittle fracture of 475°C embrittled cast duplex stainless steel, Fatigue Fracture Eng Mat Struct **20**(4) 565-571 (1997), 10A787
Environmental Stress Cracking of Plastics (Rapra, UK, 1996) 11R21
Aircraft crash caused by stress corrosion cracking, J Eng Gas Turbines Power **118**(1) 146-149 (Jan 1996), 11A655
Stress corrosion cracking simulation, Model Simulation Mat Sci Eng **5**(2) 129-147 (Mar 1997), 11A656
Corrosion of E-glass fibers in acidic environments, Composites Sci Tech **57**(5) 497-507 (May 1997), 12A771
Effect of crack size on dynamic SCC behavior of Ti-6Al-4V alloy in 3% NaCl solution, Fatigue Fracture Eng Mat Struct **20**(6) 839-847 (1997), 12A772
Influence of loading rate on hydrogen induced cracking of microalloyed steels, Fatigue Fracture Eng Mat Struct **20**(5) 717-727 (1997), 12A773
K-Dominance condition in hydrogen assisted cracking: The role of the far field, Fatigue Fracture Eng Mat Struct **20**(5) 729-745 (1997), 12A774

274I. Fretting, wear, and erosion

Distribution of contact stresses along a worn fretting surface, Int J Solids Struct **33**(23) 3477-3489 (Sep 1996), 1A437
Effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, Wear **197**(1-2) 286-294 (Sep 1996), 2A639
Abrasion and erosion of hard materials related to wear in the abrasive waterjet, Wear **196**(1-2) 120-125 (Aug 1996), 2A643
Erosion ripple formation mechanism in aluminum and aluminum alloys, Wear **196**(1-2) 285-294 (Aug 1996), 2A644
Fretting wear of a fine particulate reinforced aluminum alloy matrix composite against a medium carbon steel, Wear **197**(1-2) 179-191 (Sep 1996), 2A645
Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, Wear **197**(1-2) 192-196 (Sep 1996), 2A646
Solid particle erosion mechanism in glass, Wear **196**(1-2) 263-269 (Aug 1996), 2A647
Dependence of erosion-corrosion wastage on carbide-metal binder proportion for HVOF carbide-metal cermet coatings, Wear **196**(1-2) 141-146 (Aug 1996), 2A906
Mechanics of fretting fatigue crack formation, Wear **198**(1-2) 93-107 (Oct 1996), 3A671
Progress of erosive wear in spheroidal graphite cast iron, Wear **198**(1-2) 150-155 (Oct 1996), 3A672
Crack path prediction under fretting fatigue: A theoretical and experimental approach, J Trib **118**(4) 711-720 (Oct 1996), 4A717
Measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, Wear **199**(1) 36-44 (Nov 1996), 4A718
Erosive and erosive-corrosive wear behavior of cast nitrogenated stainless steels, Wear **199**(1) 33-35 (Nov 1996), 4A886
Erosion model for abrasive waterjet milling of polycrystalline ceramics, Wear **199**(2) 275-282 (Nov 1996), 5A618
Study for erosion of Si_3N_4 ceramics by impact of solid particles, Wear **199**(2) 283-286 (Nov 1996), 5A619
Effect of alkali chlorides on erosion-corrosion of cooled mild steel and Cr_3C_2-NiCr coating, Wear **199**(2) 268-274 (Nov 1996), 5A839
Erosion and deposition of solid particles in porous media: Homogenization analysis of a formation damage, Transport Porous Media **25**(2) 121-146 (Nov 1996), 6A1382
Cracking induced by fretting of aluminium alloys, J Trib **119**(1) 36-42 (Jan 1997), 7A640
Erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, Wear **201**(1-2) 64-79 (Dec 1996), 7A692
Fretting behavior of PVD TiN coatings in aqueous solutions, Wear **201**(1-2) 171-177 (Dec 1996), 7A693
Gross plastic fretting mechanical deterioration of silver coated electrical contacts, Wear **201**(1-2) 244-254 (Dec 1996), 7A694
Gross plastic fretting: Examination of the gross weld regime, Wear **201**(1-2) 255-264 (Dec 1996), 7A695
Quantification of fretting damage, Wear **200**(1-2) 186-205 (Dec 1996), 7A696
Contact of spheres with account for cumulative damage and change in mechanical characteristics of surface layer, J Friction Wear **17**(2) 13-18 (1996), 7A902
Erosion of A356 Al-SiC_p composites due to multiple particle impact, Wear **202**(2) 154-164 (Jan 1997), 9A716
Conception des Machines: Principes et Applications, Volume 1: Statique (French) (Presses Polytech Univ et Romandes, Lausanne, 1997) 11R19
Experimental fretting-wear studies of steam generator materials, J Pressure Vessel Tech **117**(4) 312-320 (Nov 1995), 11A657
Riveted single lap joints - Part 2: Fatigue life prediction, Proc Inst Mech Eng J Aerospace Eng **211**(G2) 123-128 (1997), 12A766
Characterization of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, Wear **208**(1-2) 169-176 (Jul 1997), 12A775
Erosion-oxidation of carbon steel in the convection section of an industrial boiler cofiring coal-water fuel and natural gas, J Eng Gas Turbines Power **119**(3) 717-722 (Jul 1997), 12A776
Numerical investigation of the grinding process in a beater wheel mill with classifier, J Eng Gas Turbines Power **119**(3) 723-733 (Jul 1997), 12A777
Theoretical model for the prediction of initial growth angles and sites of fretting fatigue cracks, Trib Int **30**(6) 391-400 (Jun 1997), 12T778
Boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behavior, Wear **208**(1-2) 125-131 (Jul 1997), 12A935
Basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, Wear **208**(1-2) 132-137 (Jul 1997), 12A973

274J. Creep

Size effect on creep energy dissipation during stable crack growth, Eng Fracture Mech **54**(6) 897-899 (Aug 1996), 1A711
Continuous observation of cavity growth and coalescence by creep-fatigue tests in SEM, JSME Int J Ser A **39**(3) 382-388 (Jul 1996), 1A723
Damage-enhanced creep and rupture in fiber-reinforced composites, Acta Mat **44**(9) 3439-3451 (Sep 1996), 2A648
Assessment of the crack tip opening displacement criterion for predicting creep crack growth, Int J Fracture **77**(1) 29-40 (1996), 2A664
Cleavage and creep fracture of rock salt, Acta Mat **44**(9) 3553-3565 (Sep 1996), 2A689
Creep and plasticity due to chemo-mechanical couplings, Arch Appl Mech **66**(8) 523-535 (Sep 1996), 3A479
Combined allowable strength reduction factor for geosynthetic creep and installation damage, Geosynthetics Int **3**(3) 407-439 (1996), 3A610
Comparative study on characterization parameters for high temperature creep crack growth with special emphasis on dual value behavior of crack growth rate, Eng Fracture Mech **55**(3) 493-503 (Oct 1996), 3A673
Fiber orientation in composite structures for optimal resistance to creep failure, J Eng Mech **122**(9) 855-860 (Sep 1996), 3A674
Creep crack growth in fiber reinforced composites with rate-dependent bridging: Role of a viscous fiber matrix interface, Mech Mat **23**(4) 295-309 (Aug 1996), 3A704
Modeling the creep in a welded plate using a three-director Cosserat model, Acta Mech **117**(1-4) 11-21 (1996), 3A929
Note on the variation of Young's modulus, absorptive power of impactive energy, fracture toughness and creep strain rate during the creep process, J Mat Processing Tech **59**(4) 394-396 (Jun 1996), 4A498
Determination of rupture time and strain rate in creep by means of the uniaxial tensile test, J Mat Processing Tech **59**(4) 294-296 (Jun 1996), 4A719
New creep lifetime prediction method: The C-project concept, Int J Pressure Vessels Piping **69**(2) 161-167 (Dec 1996), 4A720
Sensitivity study of BP-KX and B3 creep and shrinkage models, Mat Struct **29**(192) 500-505 (Oct 1996), 4A721
Crack closure effect on crack growth rate at 650°C in double notched specimens of a nickel base superalloy, Fatigue Fracture Eng Mat Struct **19**(9) 1117-1128 (1996), 5A620
Estimation of metal temperature variations for scarred boiler tubes, Int J Pressure Vessels Piping **69**(3) 239-246 (Dec 1996), 5A621
Prediction of plane-strain creep-crack growth using continuum damage mechanics, Int J Damage Mech **5**(4) 353-383 (Oct 1996), 5A622
Poroviscoelastic analysis of borehole and cylinder problems, Acta Mech **119**(1-4) 199-219 (1996), 6A666
Study of tertiary creep of rock salt, J Eng Mech **123**(1) 77-82 (Jan 1997), 6A740
Biaxial creep strains at notch roots: Measurement and modeling, J Eng Mat Tech **119**(1) 46-50 (Jan 1997), 7A697
Creep crack growth measured in tension with a four-point bending device, Eng Fracture Mech **56**(3) 443-448 (Feb 1997), 7A698
New method for estimating nonproportional notch-root stresses and strains, J Eng Mat Tech **119**(1) 40-45 (Jan 1997), 7A699
Non-Newtonian creep into a 2D cavity of near-rectangular shape, J Appl Mech **63**(4) 1047-1051 (Dec 1996), 7A700
Numerical analysis of time dependent stress fields ahead of stationary interface cracks at creep regime - Part I: Interface cracks in bimaterials, Eng Fracture Mech **56**(4) 513-529 (Mar 1997), 7A758
Creep behavior of an aluminum 2024 alloy produced by powder metallurgy, Acta Mat **45**(2) 529-540 (Feb 1997), 8A503
Microstructure change due to thermal and mechanical histories in stainless steel weld metals (Japanese), J Soc Mat Sci Japan **46**(1) 7-12 (Jan 1997), 8A745
Evaluation of long-term creep-fatigue life of stainless steel weldment based on a microstructure degradation model (Japanese), J Soc Mat Sci Japan **46**(1) 65-69 (Jan 1997), 8A748
Prediction of crack initiation life of converter shell based on stress analysis (Japanese), J Soc Mat Sci Japan **46**(1) 47-52 (Jan 1997), 8A751
Numerical analysis of time dependent stress fields ahead of stationary interface cracks at creep regime - Part II: Interface cracks in layered materials, Eng Fracture Mech **56**(5) 657-674 (Mar 1997), 8A762
Nondestructive evaluation of creep damage in power-plant steam generators and piping by magnetic

measurements, NDT&E Int 30(1) 11-17 (Feb 1997), 9A819
Designing to residual strength of geosynthetics instead of stress-rupture, Geosynthetics Int 4(1) 1-10 (1997), 10A714
Assessment of notched tubular ferritic oxide-dispersion-strengthened components subjected to multiaxial creep loading at 1100°C, Int J Fracture 82(2) 115-129 (1996), 10A788
Cyclic creep and creep-fatigue interaction in sandwich beams, J Strain Anal Eng Des 32(1) 1-18 (Jan 1997), 10A789
Finite element analysis of creep fracture initiation in a model superalloy material, Int J Fracture 81(4) 299-320 (1996), 10A790
Mathematical model for the prediction of volume change cracking in end-restrained concrete members, Mat Struct 30(197) 174-181 (Apr 1997), 10A827
Power-law matrix creep in fiber composites due to transverse stress gradients, Eur J Mech A 16(3) 445-465 (1997), 11A465
Analysis of a set of creep-strain-rate and time-to-creep fracture data for a 9CR-1Mo-0.2V steel, High Temp Mat Proc 16(2) 97-107 (Apr-Jun 1997), 11A658
Creep crack growth behavior of steam pipe steels: Effects of inclusions content and primary creep, Eng Fracture Mech 57(1) 105-130 (May 1997), 11A659
Creep rupture of polymer composites, Composites Sci Tech 57(4) 375-388 (Apr 1997), 11A660
Damage mechanics treatment of creep failure in rock salt, Int J Damage Mech 6(2) 121-152 (Apr 1997), 11A661
Life assessment evaluation of piping branch connection under creep and fatigue, Int J Pressure Vessels Piping 71(2) 147-154 (Apr 1997), 11A662
Practical method based on stress evaluation (σ_c criterion) to predict initiation of crack under creep and creep-fatigue conditions, J Pressure Vessel Tech 117(4) 335-340 (Nov 1995), 11A663
Time-dependent service-load behavior of wood floors: Experimental results, J Struct Eng 123(6) 836-843 (Jun 1997), 11A664
Long-term service-load behavior of simply supported profiled composite slabs, Proc Inst Civil Eng Struct Build 122(2) 193-208 (May 1997), 11A805
Elevated Temperature Effects on Fatigue and Fracture (ASTM, 1997) 12N29
Research on nonstationary random thermal creep stresses in mass concrete structures, Finite Elements Anal Des 26(2) 83-95 (Jun 1997), 12A51
Creep crack growth with small scale bridging in ceramic matrix composites, Acta Mat 45(7) 2897-2909 (Jul 1997), 12A779
Influence of prolonged aging on creep embrittlement susceptibility, Eng Failure Anal 4(2) 109-116 (Jun 1997), 12A780
Type III creep cracking at main steam line welds, Eng Failure Anal 4(2) 89-98 (Jun 1997), 12A781
Unified modeling of time dependent damage taking into account an explicit dependency on backstress, Int J Fatigue 19(3) 195-200 (Mar 1997), 12A782
Tensile and flexural creep rupture tests on partially-damaged concrete specimens, Mat Struct 30(199) 269-276 (Jun 1997), 12A908

274K. Ablation, spallation, delamination

Incremental theory of particulate-reinforced composites including debonding damage, JSME Int J Ser A 39(3) 389-397 (Jul 1996), 1A511
Circular delamination in a composite plate of arbitrary shape under bending, Mech Solids 31(1) 121-128 (1996), 1A528
Application of damage mechanics to the analysis of spall damage, JSME Int J Ser A 39(3) 375-381 (Jul 1996), 1A712
Cracking process and delamination strength of WC film coated by high-speed flame spraying (Japanese), J Soc Mat Sci Japan 45(6) 680-686 (Jun 1996), 1A713
Delamination prediction in composite beams with built-in piezoelectric devices using modal analysis and neural network, Smart Mat Struct 5(3) 338-347 (Jun 1996), 1A714
Nonlinear model of delamination in laminated composites, Tech Mech 15(3) 191-194 (1995), 1A715
Effect of ply-drop configuration on delamination strength of tapered composite structures, AIAA J 34(8) 1650-1656 (Aug 1996), 2A649
Multidomain modeling and analysis of delaminated stiffened composite shells, AIAA J 34(9) 1894-1904 (Sep 1996), 2A650
Elastic properties of imperfectly bonded short fiber composites, Composite Struct 35(2) 195-206 (Jun 1996), 3A495
Debonded interface anticrack, J Appl Mech 63(3) 621-627 (Sep 1996), 3A675
Neural network thrust force controller to minimize delamination during drilling of graphite-epoxy laminates, Int J Machine Tools Manuf 36(9) 985-1003 (Sep 1996), 3A676
Dynamic cavitation problem in viscoplastic solids, Mech Res Commun 23(5) 461-474 (Sep-Oct 1996), 4T516
Delamination in asymmetrically trapped composites loaded in tension, Composite Struct 35(3) 309-322 (Jul 1996), 4A722
Delamination modes in composite plates, J Aerospace Eng 9(4) 106-113 (Oct 1996), 4A723
Local buckling of delaminated composite sandwich plates, AIAA J 34(10) 2176-2183 (Oct 1996), 4A724
Bending of an orthotropic plate with delamination, Mech Solids 31(3) 89-93 (1996), 5A480
Asymptotic analysis of the 3D problem on a crack-delamination in a two-layer plate, Mech Solids 31(3) 53-60 (1996), 5A623
Effect of delamination on the natural frequencies of a laminated composite beam, J Sound Vib 197(3) 283-292 (Oct 1996), 5A624
Elastic moduli of brittle matrix composites with interfacial debonding, Int J Solids Struct 34(2) 177-201 (Jan 1997)i 6A533
Local buckling of delaminated sandwich beams using continuous analysis, Int J Solids Struct 34(2) 275-288 (Jan 1997), 6A607
Growth of thin delaminations in laminate composite beams under cyclic bending, Mech Composite Mat Struct 3(4) 275-295 (Dec 1996), 6A624
Energy release rate and stress intensity factors for delaminated composite laminates, Int J Solids Struct 34(4) 451-459 (Feb 1997), 6A741
Interfacial delamination analysis for multichip module thin film interconnects, J Electron Packaging 118(4) 206-213 (Dec 1996), 6A742
Damage and Interfacial Debonding in Composites (Elsevier Sci BV, Netherlands, 1996) 7N11
Crack straining-based spall model, Int J Impact Eng 19(2) 107-116 (Feb 1997), 7A203
Model of damaged adhesives, Eur J Mech A 16(1) 19-52 (1997), 7A701
Study on deterioration of tightness of cover concrete due to internal cracking based on air permeability (Japanese), Proc JSCE 550(V33) 163-172 (Nov 1996), 7A702
Study of wire breaking process and monitoring of WEDM, Int J Machine Tools Manuf 37(4) 555-567 (Apr 1997), 8A711
Evaluation of data reduction methods for the mixed mode bending test, AIAA J 35(3) 546-552 (Mar 1997), 9A717
Initial failure maps for ceramic and metal matrix composite laminates, Model Simulation Mat Sci Eng 4(6) 553-580 (Nov 1996), 9A718
Process modeling of laser ablating ferrous materials, Model Simulation Mat Sci Eng 5(1) 79-92 (Jan 1997), 9A719
Simplified method for predicting onset of open-mode free edge delamination, AIAA J 35(3) 580-582 (Mar 1997), 9T720
General theory for laminated plates with delaminations, Int J Solids Struct 34(16) 2003-2024 (Jun 1997), 10A791
Interfacial debonding of a circular inhomogeneity in piezoelectric materials, Int J Solids Struct 34(16) 1965-1984 (Jun 1997), 10A792
Axisymmetric edge debonding in patched plates, Int J Solids Struct 34(18) 2255-2289 (Jun 1997), 11A665
Contact problem at delamination, J Appl Mech 62(4) 989-996 (Dec 1995), 11A666
Nonlinear delamination mechanics for thin films, J Mech Phys Solids 45(7) 1137-1159 (Jul 1997), 12A783
Thermomechanical mechanism for delamination of polymer coatings from optical fibers, J Electron Packaging 119(2) 133-137 (Jun 1997), 12A784
Dynamic crack growth along an elastoplastic bimaterial interface, Acta Mech 121(1-4) 51-77 (1997), 12A825
Energy release rates for an interface crack embedded in a laminated beam subjected to three-point bending, J Appl Mech 64(2) 375-382 (Jun 1997), 12A829

274M. Micromechanisms

Influence of grinding direction on fracture strength of silicon nitride, J Eng Mat Tech 118(3) 335-342 (Jul 1996), 1A716
Diffusive crack growth at a bimaterial interface, J Appl Mech 63(3) 796-803 (Sep 1996), 3A677
Intergranular crack nucleation in bicrystalline materials under fatigue, J Appl Mech 63(3) 788-795 (Sep 1996), 3A678
Matrix-fiber crack in an elastic solid, J Appl Mech 63(3) 639-649 (Sep 1996), 3A679
Frictional resistance of thermoset prepregs and its influence on honeycomb composite processing, Composites Part A Appl Sci and Manuf 27A(10) 943-951 (1996), 4A582
Cyclic behavior and room temperature micromechanisms of 3Y-TZP ceramics at submicron and nanocrystalline levels, Fatigue Fracture Eng Mat Struct 19(8) 1009-1018 (1996), 5A615
Inelastic microstructural failure mechanisms in crystalline materials with high angle grain boundaries, J Mech Phys Solids 44(11) 1765-1798 (Nov 1996), 5A625
Fundamental study on applications of damage mechanics to evaluation of material degradation, Nucl Eng Des 167(1) 69-76 (Nov 1996), 6A788
Determination for the time-to-fracture of solids, Int J Fracture 79(4) 341-350 (1996), 6A798
Energy analysis of triple junction crack nucleation due to the wedging action of grain boundary dislocations, Int J Fracture 78(2) 165-191 (1996), 6A799
Plane problem of macro-microcrack interaction taking account of crack closure, Eng Fracture Mech 55(6) 957-967 (Dec 1996), 6A801
Fractal analysis of stiction in microelectromechanical systems, J Trib 119(3) 391-400 (Jul 1997), 12A117
Analysis of interfacial failure in particle-filled elastomers, J Eng Mat Tech 119(3) 198-204 (Jul 1997), 12A785
Analysis and modelization of short crack growth by ductile fracture micromechanisms, Fatigue Fracture Eng Mat Struct 20(5) 633-644 (1997), 12A827
Determination of the energetic parameters controlling cleavage fracture initiation in steels, Fatigue Fracture Eng Mat Struct 20(5) 619-632 (1997), 12A828

274X. Stochastic aspects

Application of durability analysis to glare aeronautical components, Int J Fatigue 18(4) 265-272 (May 1996), 1A717
Probabilistic treatment of microstructural effects on fatigue crack growth of large cracks, J Eng Mat Tech 118(3) 379-386 (Jul 1996), 1A718
Statistical approach to the analysis of ultimate strengths of bolted joints in laminated composites, Composites Sci Tech 56(5) 505-517 (1996), 1A719
Stochastic nonlocal damage model, Int J Fracture 76(2) 121-140 (1995), 1A720
Application of Monte Carlo simulation for fractographic analysis of fatigue crack propagation, Int J Fatigue 18(5) 321-327 (Jul 1996), 2A651
Probabilistic strength analysis of four-directional laminated composites, Composites Sci Tech 56(6) 649-656 (1996), 2A652
Stochastic damage model for brittle materials subjected to monotonic loading, J Eng Mech 122(8) 788-795 (Aug 1996), 3A680
Prediction of the strength distribution for unidirectional fiber reinforced composites, Acta Mat 44(11) 4433-4446 (Nov 1996), 4A556
Probabilistic micromechanics model for damaged composites, J Eng Mat Tech 118(4) 548-553 (Oct 1996), 4A725
Simulation of the stochastic damage evolution process under low cycle fatigue by the FEM, Acta Mech Solida Sinica 9(3) 274-281 (1996), 4A726
Statistical model for cleavage fracture of low alloy steel, Acta Mat 44(10) 3979-3989 (Oct 1996), 4A727
Reliability estimation of pressurized pipelines subject to localized corrosion defects, Int J Pressure Vessels Piping 69(3) 267-272 (Dec 1996), 5A626
Reliability of steam generator tubes with axial cracks, J Pressure Vessel Tech 118(4) 441-446 (Nov 1996), 5A627
Simulation of load sequences from rainflow matrices: Markov method, Int J Fatigue 18(7) 429-438 (Oct 1996), 5A628
Study on the prediction of remaining life and ageing of material for pressurized tubes of industrial furnace operated at elevated temperature, Int J Pressure Vessels Piping 69(3) 247-252 (Dec 1996), 5A629
Study on the reliability assessment methodology for pressure vessels containing defects, Int J Pressure Vessels Piping 69(3) 273-277 (Dec 1996), 5A630
Theoretical framework of nonequilibrium statistical fracture mechanics, Eng Fracture Mech 55(5) 699-716 (Nov 1996), 5A699
Search for methods to assess the fuzzy fracture probability of spherical tanks, Int J Pressure Vessels Piping 69(3) 225-231 (Dec 1996), 5A707
Reliability of systems subject to common-cause hazards assumed to obey an exponential power model, Nucl Eng Des 167(1) 85-90 (Nov 1996), 6A743
Reliability of welded structures containing fatigue cracks, J Offshore Mech Arctic Eng 118(4) 300-306 (Nov 1996), 6A744
Simulation of fatigue performance of cross-ply composite laminates, Appl Composite Mat 3(6) 391-406 (1996), 6A745
Transferability model for brittle fracture including constraint and ductile tearing effects: A probabilistic approach, Int J Fracture 79(4) 309-340 (1996), 6A773
Effect of load histories on scatter of fatigue crack growth in aluminum alloy 2024-T351, Eng Fracture Mech 56(1) 65-76 (Jan 1997), 7A703
Influence of correlations between stresses on calculated fatigue life of machine elements, Int J Fatigue 18(8) 547-555 (Nov 1996), 7A704
Nonequilibrium statistical theory of damage fracture for quasi-brittle materials, Eng Fracture Mech 56(3) 321-330 (Feb 1997), 7A705
Reliability updating of welded joints damaged by fatigue, Int J Fatigue 18(8) 567-575 (Nov 1996), 7A706
Statistical strength of unidirectional composites and the effect of the interfacial shear strength, Composites Sci Tech 56(10) 1191-1200 (Oct 1996), 7A707
Measurement of fiber strength parameters in fragmentation tests by using acoustic emission, Composites Sci Tech 56(10) 1119-1127 (Oct 1996), 7A789
Determination of sample size in service inspection, J Pressure Vessel Tech 119(1) 57-60 (Feb 1997), 8A763
Useful formulae for Monte Carlo simulations relating to the Weibull and to the exponential probability distribution functions, Fatigue Fracture Eng Mat Struct 20(1) 109-117 (1997), 8A764
Probabilistic model for creep-fatigue failure, J Pressure Vessel Tech 119(1) 45-51 (Feb 1997), 8A896
Fatigue reliability of TLP tether systems, J Offshore Mech Arctic Eng 119(1) 53-60 (Feb 1997), 8A898
Computer model for probabilistic leak-rate analysis of nuclear piping and piping welds, Int J Pressure Vessels Piping 70(3) 209-221 (Mar 1997), 8A1512
Statistical theory of fatigue crack growth at damage cumulation, Arch Appl Mech 67(3) 151-157 (Feb 1997), 9A695
Stochastic model of an R-curve due to crack bridging in fibrous and textured ceramics, Acta Mat 45(4) 1445-1454 (Apr 1997), 9A721
Nonparametric estimation of the next failure time, Appl Math Mech 18(1) 97-101 (Jan 1997), 10A793
Techniques to establish the characteristic curve for microcrack growth in brittle laminated materials, Eng Fracture Mech 56(6) 827-837 (Apr 1997), 10A836
Plasticity considerations in probabilistic ceramic-to-metal joint design, J Eng Gas Turbines Power 118(1) 159-166 (Jan 1996), 11A421
Cumulative detection probability as a basis for pressure vessel inspection intervals, J Pressure Vessel Tech 117(4) 399-403 (Nov 1995), 11A667
New concept: Probabilistic failure assessment diagram, Int J Pressure Vessels Piping 71(2) 165-168 (Apr 1997), 11A668
Probabilistic model for the growth of creep cracks, Eng Fracture Mech 57(1) 25-39 (May 1997), 11A669
Size effects in the biaxial tensile-compressive behavior of concrete: Physical mechanisms and modeling, Mat Struct 30(198) 210-216 (May 1997), 11A737
Long-term strength and damage analysis of laminated composites, AIAA J 35(6) 1057-1063 (Jun 1997), 12A786
Statistical simulation of fiber fragmentation in a single-fiber composite, Composites Sci Tech 57(5) 543-555 (May 1997), 12A787

274Y. Computational techniques

Computational modeling of impact damage in brittle materials, Int J Solids Struct 33(20-22) 2899-2938 (Aug 1996), 1A721
Damage localization in structures without baseline modal parameters, AIAA J 34(8) 1644-1649 (Aug 1996), 2A709
Hypersingular integral equation for a curved crack problem of circular region in antiplane elasticity, J Appl Mech 63(3) 845-849 (Sep 1996), 3T681
Failure cause analysis: A structural approach, J Pressure Vessel Tech 118(4) 434-440 (Nov 1996), 5A631
Boundary element formulations in fracture mechanics, Appl Mech Rev 50(2) 83-96 (Feb 1997), 5A700
Structural damage detection using real-time modal parameter identification algorithm, AIAA J 34(11) 2370-2376 (Nov 1996), 5A708
Damage detection in beam structures using subspace rotation algorithm with strain data, AIAA J 34(12) 2609-2614 (Dec 1996), 6A746
Minimum-rank optimal update of elemental stiffness parameters for structural damage identification, AIAA J 34(12) 2615-2621 (Dec 1996), 6A747
Unified approach for multi-site damage tolerance and fatigue analysis, Boundary Elements Comm 7(5) 212-216 (1996), 6A748
Three-dimensional BEM analysis for fatigue crack growth in welded components, Int J Pressure Vessels Piping 70(2) 135-144 (Feb 1997), 7A708
Mechanistic model for fatigue life prediction of solder joints for electronic packages, Int J Fatigue 19(1) 85-91 (Jan 1997), 8A765
Structural FE analysis with new interface model, J Eng Mech 123(3) 276-285 (Mar 1997), 9A722
Curvilinear integral method: A question to the critical plane concept, Int J Fatigue 19(2) 101-107 (Feb 1997), 10A794

Numerical modeling of ductile crack growth in 3D using computational cell elements, Int J Fracture 82(1) 67-95 (1996), 10A795

274Z. Experimental techniques

Experimental investigation for modeling of elastic-plastic-damage materials: Investigation of damage surface under multiaxial loading (Japanese), J Soc Mat Sci Japan 45(6) 667-674 (Jun 1996), 1A486
Accelerated vibratory fatigue test by ultrasonic frequency at cryogenic temperature, Eng Fracture Mech 54(6) 891-895 (Aug 1996), 1A722
Continuous observation of cavity growth and coalescence by creep-fatigue tests in SEM, JSME Int J Ser A 39(3) 382-388 (Jul 1996), 1A723
In-situ strain analysis with high spatial resolution: A new failure inspection tool for integrated circuit applications, Eng Failure Anal 3(2) 109-113 (Jun 1996), 1A724
Three dimensional measurements on small cracks, Exp Tech 20(4) 17-20 (Jul-Aug 1996), 1T725
Analysis of dental shear bond strength tests, shear or tensile?, Int J Adhesion Adhesives 16(3) 147-154 (Aug 1996), 1A943
Study on thermal fatigue testing of a prototypical first wall component, Fusion Eng Des 31(3) 245-258 (Aug 1996), 3A682
Detection of internal defects using phase shifting holographic interferometry, NDT&E Int 29(3) 163-173 (Jun 1996), 4A792
Confocal scanning laser microscopy measurements of the growth and morphology of microstructurally short fatigue cracks in Al 2024-T351 alloy, Fatigue Fracture Eng Mat Struct 19(9) 1153-1159 (1996), 5A632
Constraint based evaluation of crack growth experiments in the transition region, Fatigue Fracture Eng Mat Struct 19(9) 1059-1080 (1996), 5A633
Experimental study for reliability of electronic packaging under vibration, Exp Mech 36(4) 339-344 (Dec 1996), 5A634
Fractography and its role in fracture interpretation, Fatigue Fracture Eng Mat Struct 19(11) 1307-1316 (1996), 5A635
Methodology for thermomechanical fatigue crack growth testing in MMCs, Exp Mech 36(4) 367-373 (Dec 1996), 5A636
Test method for mode II fatigue crack growth relating to a model for rolling contact fatigue, Fatigue Fracture Eng Mat Struct 19(10) 1265-1275 (1996), 5A637
Dynamic fracture toughness measurements and local approach modeling of titanium alloys, Fatigue Fracture Eng Mat Struct 19(11) 1317-1327 (1996), 5A688
Fracture energy of concrete for large size specimens (Chinese), J Dalian Univ Tech 36(6) 782-784 (Nov 1996), 6A749
New testing methodology for the assessment of fatigue properties of structural adhesives, Int J Adhesion Adhesives 16(4) 289-299 (Nov 1996), 6A750
Test research on aggregate's interlock behavior on cracked surface in concrete (Chinese), J Dalian Univ Tech 36(6) 789-794 (Nov 1996), 6A751
Using the fracture efficiency to compare adhesion tests, Int J Solids Struct 34(4) 509-525 (Feb 1997), 6A752
Analysis of acoustic emission signals generated during the fatigue testing of GFRP, J Composite Mat 30(18) 2019-2041 (1996), 6A827
Measurement of the yield and tensile strengths of neutron-irradiated and post-irradiation recovered vessel steels with notched specimens, Nucl Eng Des 167(1) 11-22 (Nov 1996), 6A1503
Assessment of cyclic properties of 18G2A low-alloy steel at biaxial stress state, Acta Mech 120(1-4) 71-89 (1997), 8A738
Novel method to detect crack location and volume in opaque and semi-opaque brittle materials, Smart Mat Struct 6(1) 35-39 (Feb 1997), 8A766
Simplified method for determination of fracture toughness in transition temperature region (Japanese), J Soc Mat Sci Japan 46(1) 71-76 (Jan 1997), 8A767
Failures of chain systems, Eng Failure Anal 4(1) 57-70 (Mar 1997), 9A539
Failure analysis of a mine hoist rope, Eng Failure Anal 4(1) 25-38 (Mar 1997), 9A541
Blunt notch extended compact tension specimen for the study of short and long crack propagation, Exp Tech 21(2) 24-26 (Mar-Apr 1997), 9T723
Investigation of the MV Kurdistan casualty, Eng Failure Anal 4(1) 3-24 (Mar 1997), 9A724
Method for measuring effective crack tip fracture toughness in bridging materials (Japanese), J Soc Mat Sci Japan 46(2) 148-151 (Feb 1997), 9A725
Normal and tangential force calibration in fretting fatigue test, Exp Tech 21(2) 9-12 (Mar-Apr 1997), 9T726
Impact perforation fracture in polymeric materials (Japanese), J Soc Mat Sci Japan 46(2) 152-156 (Feb 1997), 9A792
Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, NDT&E Int 29(6) 379-385 (Dec 1996), 9A813
Bursting of a silo, Eng Failure Anal 4(1) 49-55 (Mar 1997), 9A923
Thermal cycling effects on dynamic mechanical properties and crystallographic structures of silicon nitride-based structural ceramics, J Eng Gas Turbines Power 119(2) 279-284 (Apr 1997), 10A777
Automated real-time measurements of fatigue crack length and crack opening load using unloading elastic compliance method, Int J Fatigue 19(2) 169-176 (Feb 1997), 10A796
Lamb wave tomography and its application in pipe erosion-corrosion monitoring, Res Nondestructive Eval 8(4) 189-197 (1996), 10A797
Field measurement and fatigue assessment of orthotropic steel deck with asphalt pavement (Japanese), Proc JSCE 563(I39) 161-171 (Apr 1997), 11A648
Damage of solid surfaces by single laser-produced cavitation bubbles, Acustica 83(2) 223-227 (Mar-Apr 1997), 11A670
Failure mode maps in the thin film scratch adhesion test, Trib Int 30(7) 491-498 (Jul 1997), 12T752
New method of dynamic measurements of the plastic deformation occurring at a fatigue crack tip, Int J Fatigue 19(3) 237-241 (Mar 1997), 12A788
Structural damage detection using measured FRF data, Comput Methods Appl Mech Eng 147(1-2) 187-197 (Jul 1997), 12A789
New method for the measurement of mode II fatigue threshold stress intensity factor range ΔK_{IIth}, Fatigue Fracture Eng Mat Struct 20(6) 863-870 (1997), 12A847
Tensile and flexural creep rupture tests on partially-damaged concrete specimens, Mat Struct 30(199) 269-276 (Jun 1997), 12A908

276. FRACTURE AND DAMAGE MECHANICS

276A. General theory

Discontinuous bifurcation states for associated smooth plasticity and damage with isotropic elasticity, Int J Solids Struct 33(20-22) 3239-3256 (Aug 1996), 1A11
Effect of void size difference on growth and cavitation instabilities, J Mech Phys Solids 44(8) 1237-1253 (Aug 1996), 1A484
Stochastic nonlocal damage model, Int J Fracture 76(2) 121-140 (1995), 1A720
Basic fracture mechanics concepts in functionally graded materials, J Mech Phys Solids 44(8) 1221-1235 (Aug 1996), 1A726
Constraint effects on the ductile-brittle transition in small scale yielding, J Mech Phys Solids 44(8) 1255-1282 (Aug 1996), 1A727
Crack-resistance behavior as a consequence of self-similar fracture topologies, Int J Fracture 76(4) 327-340 (1995), 1A728
Damage effective stress and equivalence hypothesis, Int J Damage Mech 5(3) 219-240 (Jul 1996), 1A729
Damage evolution in ductile materials, Int J Damage Mech 5(3) 241-258 (Jul 1996), 1A730
Elastothermodynamic analysis of a Griffith crack, J Mech Phys Solids 44(8) 1305-1336 (Aug 1996), 1A731
Failure indicators in multi-dissipative materials, Int J Solids Struct 33(20-22) 3187-3214 (Aug 1996), 1A732
From damage to fracture mechanics and conversely: A combined approach, Int J Solids Struct 33(20-22) 3327-3342 (Aug 1996), 1A733
Spurious energy dissipation-generation in stiffness recovery models for elastic degradation and damage, Int J Solids Struct 33(20-22) 2939-2957 (Aug 1996), 1A734
Problem of an orthotropic semi-infinite strip with a crack along the fixed end, Eng Fracture Mech 55(1) 7-17 (Sep 1996), 2A387
Creation of mechanics: Brittle failure of materials with initial stresses (Russian), Prikl Mekh (Appl Mech) 32(4) 88-96 (1996), 2T653
Edge debonding in patched cylindrical panels, Int J Solids Struct 33(25) 3755-3777 (Oct 1996), 2A654
Failure of infinitely noncompressible hyperelastic material under compression along the cylindrical crack (Russian), Prikl Mekh (Appl Mech) 32(5) 3-10 (1996), 2A655
Development of the theory of acoustic emission by propagating cracks in terms of fracture mechanics, Eng Fracture Mech 55(3) 443-452 (Oct 1996), 3A683
Further investigation for the macro-microcrack interaction - I: In the infinite isotropic body, Int J Solids Struct 33(27) 4051-4063 (Nov 1996), 3A684
Simple nonlocal damage model for predicting failure of notched laminates, Composite Struct 35(2) 229-236 (Jun 1996), 3A685
Theory of local limiting speed in dynamic fracture, J Mech Phys Solids 44(9) 1453-1474 (Sep 1996), 3A686
Steady linear thermoelastic problem for a circular hole with two radial edge cracks of unequal length, Eng Fracture Mech 55(3) 425-438 (Oct 1996), 3A1278
Solution of Crack Problems: The Distributed Dislocation Technique (Kluwer, Netherlands, 1996) 4R11
Crack propagation criterion based on local shear strain in adhesive bonds subjected to shear, J Mech Phys Solids 44(10) 1669-1689 (Oct 1996), 4A728
Formulation of damage evolution equation for elastic-plastic-damage materials in stress space (Japanese), J Soc Mat Sci Japan 45(8) 893-900 (Aug 1996), 4A729
Mixed mode I-II inclastic line spring, Int J Solids Struct 33(28) 4143-4166 (Nov 1996), 4A730
Unified approach to physically based weakest-link theories for multiaxial fracture of ceramics, J Eng Mat Tech 118(4) 509-514 (Oct 1996), 4A731
Fracture: A Topical Encyclopedia of Current Knowledge (Krieger, Melbourne FL, 1997) 5N13
Gradient elasticity with surface energy: Mode-III crack problem, Int J Solids Struct 33(30) 4531-4559 (Dec 1996), 5A381
Thin hyperelastic sheets of compressible material: Field equations, airy stress function, and an application in fracture mechanics, J Elast 44(1) 37-59 (Jul 1996), 5A384
Shear band initiation of brittle damage materials, Int J Damage Mech 5(4) 403-421 (Oct 1996), 5A426
Applications of the Green function for a half circular crack, Int J Solids Struct 34(1) 19-30 (Jan 1997), 5A638
Cracks in functionally graded materials, Int J Solids Struct 34(1) 1-17 (Jan 1997), 5A639
Crush-crack: A non-local damage model for concrete, Mech Cohesive-Frictional Mat 1(4) 321-347 (Oct 1996), 5A640
Influence of the hardening state on time-dependent damage and its consideration in a unified damage model, Fatigue Fracture Eng Mat Struct 19(9) 1143-1151 (1996), 5A641
Thermal stresses analysis of a 3D crack in a thermopiezoelectric solid, Eng Fracture Mech 55(5) 737-750 (Nov 1996), 5A642
Unilateral damage model for masonry based on a homogenization procedure, Mech Cohesive-Frictional Mat 1(4) 349-366 (Oct 1996), 5A643
Vibration of cracked structures: A state of the art review, Eng Fracture Mech 55(5) 831-857 (Nov 1996), 5A644
Analysis of multiple cracks close to bimaterial interface, J Aerospace Eng 10(1) 16-26 (Jan 1997), 6A753
Far East and Oceanic Fracture Society International Symposium on Fracture and Strength of Solids, July 4-7, 1994, Xian, China, Int J Fracture 78(3-4) 227-383 (1996), 6A754
Forming-limit diagrams for Al 2124 and Al-Li 8090 through fracture mechanics and perturbation analysis, J Mat Processing Tech 62(1-3) 275-282 (Nov 1996), 6A755
Fourth Greek National Congress on Mechanics, Int J Fracture 79(2) 101-208 (1996), 6A756
Observations on localization in non-local and gradient damage models, Eur J Mech A 15(6) 937-953 (1996), 6A757
Statical determination of the limiting state of a solid under separation (Russian), Prikl Mekh (Appl Mech) 32(6) 48-51 (1996), 6T758
Thermomechanically consistent continuum damage model for concrete materials, J Eng Mech 123(1) 60-69 (Jan 1997), 6A759
Weight functions for sub-interface cracks, Int J Solids Struct 34(3) 393-400 (Jan 1997), 6A760
Rotation at the crack tip under uniform heat flow in an infinite medium, Int J Fracture 78(2) 131-138 (1996), 6A1307
Nonequilibrium statistical theory of damage fracture for quasi-brittle materials, Eng Fracture Mech 56(3) 321-330 (Feb 1997), 7A705
Constitutive and damage evolution equations of elastic-brittle materials based on irreversible thermodynamics, Int J Mech Sci 39(4) 473-486 (Apr 1997), 7A709
Interferometric and FE investigation of interfacial crack tip fields: Role of mode-mixity on 3D stress variations, Int J Solids Struct 34(6) 741-754 (Feb 1997), 7A710
Methods of the theory of complex systems in modeling of fracture: A brief review, Eng Fracture Mech 56(1) 47-56 (Jan 1997), 7A711
Size effect caused by brittleness in fracture mechanics, Eng Fracture Mech 56(1) 3-8 (Jan 1997), 7A712
Conditions for contact-lack of contact along a loaded simple straight crack in plane isotropic elasticity, Eng Fracture Mech 56(5) 675-689 (Mar 1997), 8A481
Electroelastic properties of cracked piezoelectric materials under longitudinal shear, Mech Mat 24(4) 287-303 (Dec 1996), 8A623
Influence of pre-existing dislocations on cleavage crack propagation behavior in crystals, J Mech Phys Solids 45(2) 211-238 (Feb 1997), 8A734
Effects of grain boundary properties on intergranular cracking in fatigued fcc metals, Acta Mat 45(2) 715-725 (Feb 1997), 8A755
Investigations on the origin of grain boundary cracks in fatigued fcc metals, Acta Mat 45(2) 709-714 (Feb 1997), 8A757
Fractal models of fracture, J Mech Phys Solids 45(2) 239-259 (Feb 1997), 8A768
Thermal activation approach to the crack resistance of steels, Fatigue Fracture Eng Mat Struct 20(1) 41-47 (1997), 8A769
Viscoelastic continuum damage model and its application to uniaxial behavior of asphalt concrete, Mech Mat 24(4) 241-255 (Dec 1996), 8A770
Classic Papers in Fracture Mechanics (SEM, Bethel CT, 1997) 9N16
Role of microcracks in the dynamic fracture of brittle materials, J Mech Phys Solids 45(4) 535-563 (Apr 1997), 9A727
Tangential stiffness of elastic materials with systems of growing or closing cracks, J Mech Phys Solids 45(4) 611-636 (Apr 1997), 9A728
Theory of mixtures with different constituent temperatures, J Thermal Stresses 20(2) 147-167 (Mar 1997), 9A729
Methods of Fracture Mechanics: Solid Matter Physics (Kluwer, Netherlands, 1997) 10R13
New points of view on the nonlocal field theory and their applications to the fracture mechanics - I: Fundamental theory, Appl Math Mech 18(1) 45-54 (Jan 1997), 10A798
Size effect analysis for pull-out strength by fictitious crack model, Proc JSCE 557(V-34) 145-157 (Feb 1997), 10A799
Validating the size effect expression for predicting the failure of initially cracked brittle structures - I: Simple configurations, Eng Fracture Mech 56(6) 759-765 (Apr 1997), 10A800
New variational theory and a computational algorithm for coupled elastoplastic damage models, Int J Solids Struct 34(14) 1761-1796 (May 1997), 10A844
Damage Mechanics (Elsevier Sci BV, Netherlands, 1996) 11R20
Elastoplastic damage model for concrete subjected to sustained high temperatures, Int J Damage Mech 6(2) 195-216 (Apr 1997), 11A405
Continuous vs discontinuous bridged-crack model for fiber-reinforced materials in flexure, Int J Solids Struct 34(18) 2321-2338 (Jun 1997), 11A457
New theory for free-surface formation in solid continua, Int J Solids Struct 34(18) 2303-2320 (Jun 1997), 11A671
Scaling of structural failure, Appl Mech Rev 50(10) 593-627 (Oct 1997), 11A672
Shape change of a pore in a stressed solid via surface diffusion motivated by surface and elastic energy variation, J Mech Phys Solids 45(5) 709-729 (May 1997), 11A673
Fundamental dislocation solution for an infinite plate with application to related crack problems, Int J Solids Struct 34(21) 2755-2770 (Jul 1997), 12A482
Stability of interface of two bodies under compression along the cracks located in the interface: Exact solutions (Russian), Prikl Mekh (Appl Mech) 33(4) 28-34 (1997), 12T640
Stability of two bodies interface under compression along cracks distributed in the interface - Exact solutions I: A case of unequal roots (Russian), Prikl Mekh (Appl Mech) 33(3) 28-35 (1997), 12A641
Fracture criterion of a penny-shaped crack in transversely isotropic piezoelectric media, Int J Solids Struct 34(20) 2631-2644 (Jul 1997), 12A672
K-Dominance condition in hydrogen assisted cracking: The role of the far field, Fatigue Fracture Eng Mat Struct 20(5) 729-745 (1997), 12A774
Brittle solid under compression - Part I: Gradient mechanisms of microcracking, Int J Solids Struct 34(20) 2563-2581 (Jul 1997), 12A790
Brittle solid under compression - Part II: The problem of macro to micro linkage, Int J Solids Struct 34(20) 2583-2594 (Jul 1997), 12A791
Generalized size effect equation for quasibrittle materials, Fatigue Fracture Eng Mat Struct 20(5) 671-687 (1997), 12A792
Integral estimates to the fast brittle fracture mechanics, Int J Fracture 82(3) 193-203 (1996), 12A793
New free energy for plastic damage analysis, Mech Res Commun 24(4) 377-383 (Jul-Aug 1997), 12A794
Unified invariant description of micromechanically-based effective elastic properties for 2D damaged solids, Mech Mat 25(4) 273-289 (May-Jun 1997), 12A795
Use of finite extension strain energy release rates in fracture of interfacial cracks, Int J Solids Struct 34(20) 2595-2609 (Jul 1997), 12A796
Fracture mechanics model for the wear of gear flanks by pitting, Wear 208(1-2) 177-183 (Jul 1997), 12A947

276B. Linear elastic fracture mechanics

Combined influences of Young's modulus and stress ratio on the LEFM fatigue crack growth process: A

new mechanistic approach, Eng Fracture Mech 54(6) 761-790 (Aug 1996), 1A681
Continual service reassurance of steam turbine blades, Eng Failure Anal 3(2) 95-102 (Jun 1996), 1A683
Fatigue of welds, Fatigue Fracture Eng Mat Struct 19(6) 635-819 (1996), 1A706
Asymmetric growth of hydraulic fracture cracks, Mech Solids 31(1) 93-99 (1996), 1A735
Effect of exposure to elevated temperatures on the fracture energy of plain concrete, Mat Struct 29(190) 383-388 (Jul 1996), 1A736
Boundary element analysis of the pullout behavior of an anchor bolt embedded in concrete, Mech Cohesive-Frictional Mat 1(3) 235-249 (Jul 1996), 2A47
Stress distribution and crack initiation for an elastic contact including friction, Int J Solids Struct 33(25) 3673-3696 (Oct 1996), 2A397
Boundary formulation for 3D anisotropic crack problems, Appl Math Model 20(9) 662-674 (Sep 1996), 2A398
Detailed physical analysis of the R-effect on LEFM fatigue crack growth - II: On the combined roles of growth mechanisms and stress ratio, Eng Fracture Mech 55(2) 289-312 (Sep 1996), 2A616
Detailed physical analysis of the R-effect on LEFM fatigue crack growth - I: On the combined roles of critical zones, LEFM parameters and stress ratio, Eng Fracture Mech 55(1) 115-132 (Sep 1996), 2A617
Quasi-automatic simulation of crack propagation for 2D LEFM problems, Eng Fracture Mech 55(2) 321-334 (Sep 1996), 2A620
The ΔK_{J-}-concept: A unique and complete description of fatigue crack propagation, Eng Fracture Mech 55(1) 95-114 (Sep 1996), 2A623
Linear fracture envelopes for fatigue assessment of welds in bridges, Struct Eng and Mech 4(4) 347-364 (Jul 1996), 2A656
Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part I: Radial crack arrays, J Pressure Vessel Tech 118(3) 357-361 (Aug 1996), 2A657
Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part II: Longitudinal coplanar crack arrays, J Pressure Vessel Tech 118(3) 364-368 (Aug 1996), 2A658
Interaction between a crack and a circular elastic inclusion under remote uniform heat flow, Int J Solids Struct 33(26) 3865-3880 (Nov 1996), 3A441
Dependence of stress intensity factor on loading condition, Eng Fracture Mech 55(3) 355-361 (Oct 1996), 3A687
Development of the leak-before-break assessment method to reduce some shortcomings, Int J Pressure Vessels Piping 69(1) 75-77 (Nov 1996), 3A688
Three-dimensional interactions of a circular crack with dipoles, centers of dilatation, and moments, Int J Solids Struct 33(27) 3951-3967 (Nov 1996), 3A689
Assessment of airshaft failures in paper reels, Eng Failure Anal 3(3) 183-190 (Sep 1996), 4A699
Growth model for catastrophic cracking in an RAAF aircraft, Eng Failure Anal 3(3) 191-201 (Sep 1996), 4A701
"Brittle joint" problem, Mech Solids 31(2) 119-124 (1996), 4A732
Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - I: Sequential emission, Mech Mat 24(1) 1-10 (Sep 1996), 4A733
Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - II: Simultaneous emission, Mech Mat 24(1) 11-17 (Sep 1996), 4A734
Effects of thermoelasticity and a von Mises condition in rapid steady-state quasi-brittle fracture, Int J Solids Struct 33(28) 4131-4142 (Nov 1996), 4A735
Failure analysis of a ceramic bidet, Eng Failure Anal 3(3) 171-181 (Sep 1996), 4A736
Failure analysis of timber bolted joints by fracture mechanics, Mat Struct 29(191) 418-425 (Aug-Sep 1996), 4A737
Stress state problem for a box-shaped shell weakened by a crack outgoing to a rib, Mech Solids 31(2) 125-131 (1996), 4A738
Subsurface crack mechanisms under indentation loading, Wear 199(1) 9-23 (Nov 1996), 4A739
Computational modeling of aircraft structures, Finite Elements Anal Des 23(2-4) 91-403 (Nov 1996), 5A18
Corrosion-fatigue life prediction for notched components based on the local strain and linear elastic fracture mechanics concepts, Int J Fatigue 18(7) 491-498 (Oct 1996), 5A599
Notch fatigue behavior in cast irons explained using a fracture mechanics approach, Int J Fatigue 18(7) 439-445 (Oct 1996), 5A611
Difference between the J_0 and J_∞ crack growth resistance curves for a tensile loading situation, Int J Eng Sci 34(13) 1441-1446 (Oct 1996), 5A645
Fundamental solutions for half plane with an oblique edge crack, Eng Anal Boundary Elements 17(4) 263-267 (Jun 1996), 5A646
Interaction of a thin-film-covered mode III crack with screw dislocations: Emission of a screw dislocation dipole from the interface, Mech Mat 24(2) 159-173 (Oct 1996), 5A647
Mapping flat cracks onto penny-shaped cracks, with application to somewhat circular tensile cracks, Quart Appl Math 54(4) 663-675 (Dec 1996), 5A648
Interaction of an arbitrary force with a flexible punch or with an external circular crack, Int J Eng Sci 34(15) 1753-1765 (Dec 1996), 7A419
Fracture mechanics analysis of fatigue crack growth in a complex cross section, Eng Failure Anal 3(4) 249-265 (Dec 1996), 7A650
High cycle fatigue, Int J Fracture 80(2-3) 103-255 (1996), 7T677
Oblique edge crack and an internal crack in a semi-infinite plane acted on by concentrated force at arbitrary position, Eng Anal Boundary Elements 18(2) 155-161 (Sep 1996), 7A713
Stress intensity factor for a circular crack in an infinitely long cylinder of an inhomogeneous material under axial loading: A simplified approach, Comput Struct 62(4) 691-697 (Feb 1997), 7A714
Yield locus in deep, single-face-cracked specimens under combined bending and tension, J Appl Mech 63(4) 1045-1047 (Dec 1996), 7T715
Exact solution of the plane elasticity problems for the non-symmetric airfoil crack, Mech Res Commun 24(2) 131-136 (Mar-Apr 1997), 8T483
Effect of rim thickness on gear crack propagation path, J Mech Des 119(1) 88-95 (Mar 1997), 9A711
Macroscopic parameters of brittle fracture, Arch Mech 48(5) 825-833 (1996), 9A730
Note on the crack problem for a nonhomogeneous plane, Eng Trans 44(3-4) 349-360 (1996), 9A731
Three-Dimensional Analysis of Crack Growth (Comput Mech, Billerica MA, 1996) 10R14
Retardation and repair of fatigue cracks by adhesive infiltration, Fatigue Fracture Eng Mat Struct 20(4) 605-614 (1997), 10A763
Application of fracture mechanics to the surface crack propagation in stainless steel at elevated temperatures, Acta Mat 45(6) 2495-2500 (Jun 1997), 11A674
Use of end-loaded-split (ELS) test to study stable fracture behavior of composites under mode II loading, Composite Struct 36(1-2) 71-79 (Sep-Oct 1996), 11A675
Fracture of steel moment connections in the Northridge earthquake, Proc Inst Civil Eng Struct Build 122(2) 209-217 (May 1997), 11A720
Fatigue and Fracture Mechanics of High Risk Parts: Application of LEFM and FMDM Theory (Chapman and Hall, New York, 1997) 12R24
Weight functions for notches: Constructive and variational definition, J Appl Mech 64(2) 270-274 (Jun 1997), 12A481
Penny-shaped crack above the pole of a spherical inhomogeneity, Mech Mat 25(4) 263-272 (May-Jun 1997), 12A490
Use of the strip-yield model to predict fatigue crack growth under irregular loading, Fatigue Fracture Eng Mat Struct 20(5) 759-770 (1997), 12A751
Qualitative methods in the problems of thermoelasticity for isotropic medium with plane cracks of normal separation (Russian), Prikl Mekh (Appl Mech) 33(1) 52-58 (1997), 12T1339

276C. Nonlinear elastic fracture problems

Basic balance laws of nonlinear fracture mechanics - Part II: Nonlocal theory, Eng Fracture Mech 54(6) 861-868 (Aug 1996), 1A737
Fracture behavior and strength of stepped-lap bonded joint with adhesive resin under tensile loading, JSME Int J Ser A 39(3) 398-406 (Jul 1996), 1A944
Methods of determination of fracture energy in concrete elements (Polish), Inzynieria Budownictwo 52(8) 466-468 (1996), 2A659
Nonlinear motion of crack tip atoms during cleavage processes, Int J Fracture 77(3) 199-212 (1996), 3A690
Geometrically nonlinear tension of an elastic space with a spheroidal cavity, Mech Solids 31(3) 12-15 (1996), 5A385
Constraint based evaluation of crack growth experiments in the transition region, Fatigue Fracture Eng Mat Struct 19(9) 1059-1080 (1996), 5A633
Prediction of fatigue behaviors by stress field intensity approach, Acta Mech Solida Sinica 9(4) 337-349 (1996), 7A716
Second-order effects in the criteria for the start of cracks in ideally brittle hyperelastic elastomers, J Appl Math Mech 60(5) 839-843 (1996), 8A771
Detecting the size effect in concrete beams using nonlinear fracture mechanics, Eng Struct 19(8) 605-616 (Aug 1997), 10A932
Modeling the tensile behavior of the cement-bone interface using nonlinear fracture mechanics, J Biomech Eng 119(2) 175-178 (May 1997), 10A1568
Applicability of J-integral to tension-softening materials, J Eng Mech 123(5) 531-533 (May 1997), 11A676

276D. Stress intensity factor calculations

Analysis of newly-defined stress intensity factors for angular corners using singular integral equations of the body force method, Int J Fracture 76(3) 243-261 (1995), 1A738
Approximate weight function methods using a new condition, Eng Fracture Mech 54(6) 823-834 (Aug 1996), 1A739
Effect of initial stresses on the intensity coefficient and preliminarily stressed elastic layer weakened by circular crack (Russian), Prikl Mekh (Appl Mech) 32(1) 3-10 (1996), 1A740
Energy method for calculating the stress intensities in orthotropic bimaterial fracture, Int J Fracture 76(2) 97-120 (1995), 1A741
Influence of elastic waves on dynamic stress intensity factors: 3D problems, Arch Appl Mech 66(6) 385-394 (Jun 1996), 1A742
Numerical and experimental evaluation of SIF for threaded connectors, Eng Fracture Mech 54(6) 835-845 (Aug 1996), 1A743
Numerical mode I weight function for calculating stress intensity factors of 3D cracked bodies, Int J Fracture 76(2) 169-191 (1995), 1A744
Semi-infinite-crack model for determining mode I stress intensity factors using crack surface displacements, Int J Fracture 76(4) 355-371 (1995), 1A745
Stress intensity factor for grooved DCB specimens loaded by splitting forces, Int J Fracture 76(4) 341-354 (1995), 1A746
Stress intensity, stress concentration, and fatigue crack growth along evacuator holes of pressurized, autofrettaged tubes, J Pressure Vessel Tech 118(3) 336-342 (Aug 1996), 2A621
Boundary element evaluation of stress intensity factors for interface edge cracks in a unidirectional composite, Eng Fracture Mech 55(1) 1-6 (Sep 1996), 2A660
Mode II stress intensity factor for layered material under arbitrary shear crack surface loading, Eng Fracture Mech 55(1) 85-94 (Sep 1996), 2A661
Solution of cracks developing from stress raisers, in finite bodies, by a hybrid dislocation density-BEM approach, Int J Fracture 77(2) 175-184 (1996), 2A662
Stress intensity factors for deep edge cracks in bending, Eng Fracture Mech 55(1) 19-24 (Sep 1996), 2A663
Fractural analysis for composites with interfacial crack (Chincse), J Dalian Univ Tech 36(4) 396-401 (Jul 1996), 2A679
Dynamic stress intensity factor of a cracked dielectric medium in a uniform electric field, Acta Mech 117(1-4) 1-10 (1996), 3A210
Fracture analysis of semi-circular and semi-circular-bend geometries, Int J Fracture 77(3) 213-222 (1996), 3A691
Limitations in mixed-mode stress intensity factor evaluation by the method of caustics, Eng Fracture Mech 55(3) 371-382 (Oct 1996), 3A692
Stress intensity factor solution for radial and circumferential cracks in hollow cylinders using indirect boundary integral, Int J Pressure Vessels Piping 69(1) 45-52 (Nov 1996), 3A693
Stress intensity solutions for the interaction between a hole edge crack and a line crack, Int J Fracture 77(4) 351-366 (1996), 3A694
Stress concentration and fatigue strength of rectangular plates with bolted circular holes (Japanese), Proc JSCE 543(I-36) 123-132 (Jul 1996), 3A718
Thermal stress intensity factor for functionally gradient half space with an edge crack under thermal load, Arch Appl Mech 66(8) 569-580 (Sep 1996), 3A1279
External circular crack under arbitrary shear loading, Z Angew Math Phys 47(5) 717-729 (Sep 1996), 4A483
Self-similar crack expansion method for 3D cracks in an infinite or semi-infinite medium, Acta Mech Solida Sinica 9(3) 217-235 (1996), 4A740
Side curvature effect on the stress intensity factor K_I of finite width cracked elements subjected to tension and bending, J Theor Appl Mech 34(4) 683-693 (1996), 4A741
Computational modeling of aircraft structures, Finite Elements Anal Des 23(2-4) 91-403 (Nov 1996), 5A18
Elastic stress singularities and corresponding generalized stress intensity factors for angular corners under various boundary conditions, Eng Fracture Mech 55(4) 529-556 (Nov 1996), 5A388
Interaction of a thin-film-covered mode III crack with screw dislocations: Emission of a screw dislocation dipole from the interface, Mech Mat 24(2) 159-173 (Oct 1996), 5A647
Analysis of cracks at deep notches, Eng Fracture Mech 55(4) 605-616 (Nov 1996), 5A649
Crack-line (plane) stress field method for estimating SIFs: A review, Eng Fracture Mech 55(4) 593-603 (Nov 1996), 5A650
Determination of K_I and K_{II} for curvilinear cracks under a non-uniform biaxial stress field, Fatigue Fracture Eng Mat Struct 19(10) 1255-1263 (1996), 5A651
Determination of stress intensity factors in ultrasonic fatigue loading, Int J Fatigue 18(7) 457-461 (Oct 1996), 5A652
Impulse response model for the prediction of thermal striping damage, Eng Fracture Mech 55(5) 795-812 (Nov 1996), 5A1298
Sustained Mode I and Mode II fatigue crack growth in flat plates, Eng Fracture Mech 55(6) 883-899 (Dec 1996), 6A719
Determination of stress intensity factor for embedded elliptical crack in turbine rotor, Eng Fracture Mech 55(6) 1013-1029 (Dec 1996), 6A761
Dynamic stress intensity factors analysis of interface crack using line-spring model, Int J Fracture 79(4) 393-402 (1996), 6A762
Effect of stringers and patches on the stress intensities around cracks in plates, Eng Fracture Mech 55(6) 935-955 (Dec 1996), 6A763
Stress intensity factors for an infinitely long transversely isotropic, thick-walled cylinder which contains a ring-shaped crack, Int J Fracture 78(2) 211-225 (1996), 6A764
Stress intensity factors for cracks emanating from a semicircular notch in a half-plate, J Strain Anal Eng Des 31(6) 433-439 (Nov 1996), 6A765
Effective mixed-mode fracture criterion for concrete, J Dalian Univ Tech 36(6) 776-781 (Nov 1996), 6A787
Application of the plane section method for determining SIF, Eng Fracture Mech 56(2) 285-287 (Jan 1997), 7A717
Determination of thermal shock stress intensity factor for elliptical crack by modified Vainshtok's weight function method, Eng Fracture Mech 56(3) 423-435 (Feb 1997), 7A718
Finite element solutions for stress intensity factors in longitudinally cracked cylindrical components, Int J Pressure Vessels Piping 70(2) 127-133 (Feb 1997), 7A719
Improved weight functions for infinitely long axial and circumferential cracks in a cylinder, Int J Pressure Vessels Piping 70(2) 103-109 (Feb 1997), 7A720
Numerical evaluation of SIF for radial cracks in thick annular ring using cyclic symmetry, Eng Fracture Mech 56(2) 141-153 (Jan 1997), 7A721
Stress intensity factors of a rectangular plate with collinear cracks under uniaxial tension, Eng Fracture Mech 56(3) 347-356 (Feb 1997), 7A722
Stress intensity factors of embedded elliptical cracks and an assessment of the ASME XI defect recharacterization criteria, Int J Pressure Vessels Piping 70(1) 69-76 (Jan 1997), 7A723
Thermoelastic determination of stress intensity factors in orthotropic composites using the J-integral, Eng Fracture Mech 56(4) 579-592 (Mar 1997), 7A724
Singular stress and electric fields of a piezoelectric ceramic strip with a finite crack under longitudinal shear, Acta Mech 120(1-4) 31-45 (1997), 8A634
Automated system for analyzing stress intensity factors of 3D cracks: Its application to analyses of two dissimilar semi-elliptical surface cracks in plate, J Pressure Vessel Tech 119(1) 18-26 (Feb 1997), 8A772
Dynamic stress intensity factors around two parallel cracks in an infinite-orthotropic plane subjected to incident harmonic stress waves, Int J Solids Struct 34(9) 1145-1165 (Mar 1997), 8A773
Green functions for a quarter circular crack in quarter infinite space under normal loading, Eng Fracture Mech 56(5) 605-613 (Mar 1997), 8A774
Notch effect in brittle-ductile transition: General concept (French), Rev Francaise Mec 0(4) 307-312 (1996), 8A775
Stress intensity factors for an embedded elliptical crack in a plate of finite thickness, Acta Mech 120(1-4) 127-140 (1997), 8A776
Stress intensity factors of regularly perturbed-interface cracks of anisotropic bimaterials, Int J Solids Struct 34(10) 1235-1253 (Apr 1997), 8A777
Weight functions for an external longitudinal semi-elliptical surface crack in a thick-walled cylinder, J Pressure Vessel Tech 119(1) 74-82 (Feb 1997), 8A778
Study on simulation of tunnel lining which involves crack (Japanese), Proc JSCE 554(III-37) 147-155 (Dec 1996), 8A924
Stress properties at the tip of a conical notch, Int J Solids Struct 34(12) 1531-1546 (Apr 1997), 9A438
Determining stress intensity factors for mixed mode cracks from thermoelastic data, Fatigue Fracture Eng Mat Struct 20(2) 217-226 (1997), 9A732
Integrable K-solutions for common fatigue crack growth specimens, Int J Fracture 81(1) 89-97 (1996), 9A733
Interacting stress field around a composite crack with a misfitting inclusion, Int J Fracture 81(2) 163-170 (1996), 9A734

Rupture and fatigue initiated from notches: Application of notch intensity factor, Rev Francaise Mec 0(1) 53-61 (1997), 9A735
Stress intensity factor of a patched crack, Int J Solids Struct 34(13) 1557-1562 (May 1997), 9A736
Stress intensity factors for wedge-splitting geometry, Int J Fracture 81(2) 113-124 (1996), 9A737
Effect of the 3-dimensionality of the stress field around a crack tip on the evaluation of SIFs by caustics, J Mech Behavior Mat 7(3) 205-218 (1996), 9A740
Mixed mode near-tip fields for cracks in materials with strain-gradient effects, J Mech Phys Solids 45(3) 439-465 (Mar 1997), 9A742
Circular rigid punch with one smooth and another sharp ends on a half-plane with edge crack, J Appl Mech 64(1) 73-79 (Mar 1997), 10A561
Computation of stress intensity factors for a 2D body from displacements at an arbitrary location, Int J Fracture 81(3) 259-267 (1996), 10A801
Simulating stress intensity factors for anisotropic materials by the least-squares method, Int J Fracture 81(3) 283-297 (1996), 10A802
Stress intensity factors for an interface crack along an elliptical inclusion, Int J Fracture 82(2) 131-152 (1996), 10A803
Stress intensity factors for the extended compact tension specimen obtained by superposition, Fatigue Fracture Eng Mat Struct 20(4) 615-617 (1997), 10T804
Stress intensity factors of multiple radial edge cracks at a circular hole in an infinite plate due to rotating heat source, J Thermal Stresses 20(3-4) 247-268 (Apr-Jun 1997), 10A805
Weight functions for edge cracks in thin surface layers, Int J Fracture 81(3) 205-215 (1996), 10A806
Thermal stresses intensity factor for functionally gradient plate with an edge crack, J Thermal Stresses 20(3-4) 373-387 (Apr-Jun 1997), 10A1371
Brittle fracture in plate elements with sharp notches under mixed-mode loading, J Eng Mech 123(6) 535-543 (Jun 1997), 11A677
Explicit weight function for semi-elliptical surface cracks, J Pressure Vessel Tech 119(2) 216-223 (May 1997), 11A678
Interaction effects in combined arrays of radial and longitudinal semi-elliptical surface cracks in pressurized thick-walled cylinder, J Pressure Vessel Tech 119(2) 167-174 (May 1997), 11A679
Mode III stress intensity factor ahead of a rough crack, J Mech Phys Solids 45(5) 853-872 (May 1997), 11A680
Nonlocal effects on localization in a void-sheet, Int J Solids Struct 34(18) 2221-2238 (Jun 1997), 11A681
Stress intensity factors and weight functions for high aspect ratio semi-elliptical surface cracks in finite-thickness plates, Eng Fracture Mech 57(1) 13-24 (May 1997), 11T682
Stress intensity factors for the annular crack surrounding an elastic fiber under torsion, Int J Solids Struct 34(19) 2463-2476 (Jul 1997), 11A683
Weight functions and stress intensity factors for longitudinal semi-elliptical cracks in thick-wall cylinders, J Pressure Vessel Tech 117(4) 383-389 (Nov 1995), 11A684
Calculation of stress intensity factors for interlaminar cracks in composite laminates, Composites Sci Tech 57(6) 637-650 (Jun 1997), 12A797
Calculation of the stress intensity factor and estimation of its error by a shape sensitivity analysis, Fatigue Fracture Eng Mat Struct 20(5) 813-828 (1997), 12A798
Dynamic stress intensity factors around two rectangular cracks in a half space under impact load, Acta Mech 121(1-4) 153-164 (1997), 12A799
Interaction of newly defined stress intensity factors for angular corners in a row of diamond-shaped inclusions, Int J Fracture 82(3) 267-295 (1996), 12A800
Stress intensity factors for cracks at attachment lugs, Eng Failure Anal 4(2) 133-146 (Jun 1997), 12A801

276E. Viscoelastic problems

Inelastic flow behavior of argillaceous salt, Int J Damage Mech 5(3) 292-314 (Jul 1996), 1A462
Damage in a viscoplastic material - Part I: Cavity growth, Int J Plasticity 12(4) 481-505 (1996), 1A747
Assessment of the crack tip opening displacement criterion for predicting creep crack growth, Int J Fracture 77(1) 29-40 (1996), 2A664
Anti-plane crack in a nonhomogeneous viscoelastic body, Eng Fracture Mech 55(5) 727-735 (Nov 1996), 5A653
Asymptotic analysis to a tensile crack in creeping solids coupled with damage - Part II: Large damage region very near the crack tip, Int J Solids Struct 34(10) 1183-1197 (Apr 1997), 8A779
Creep damage modeling based on ultrasonic velocities in copper, Int J Solids Struct 34(10) 1169-1182 (Apr 1997), 8A780
Experimental analysis of viscoelastic criteria for crack initiation and growth in polymers, Int J Fracture 81(1) 55-75 (1996), 9A738
Constitutive equation with ordered parameters for viscoelastic material containing defects, Acta Mech Solida Sinica 10(1) 11-27 (1997), 10A807
Quasi-statically steady crack growth in rate dependent solids: One-parameter field encompassing different constraints, Int J Fracture 82(2) 97-114 (1996), 10A808
Relationship between viscoelastic and peeling properties of model adhesives - Part I: Cohesive fracture, J Adhesion 61(1-4) 123-157 (1997), 10A809
Moving cohesive interface model for fracture in creeping materials, Comput Mech 19(6) 517-521 (May 1997), 12A802

276F. Crack tip plasticity problems

Comparison of fatigue crack retardation methods, Eng Failure Anal 3(2) 137-147 (Jun 1996), 1A682
Propagation of small surface cracks in stainless steel at high temperature, Eng Fracture Mech 54(6) 751-759 (Aug 1996), 1A686
Fracture resistance of a ferritic-austenitic duplex steel, Acta Mat 44(8) 3307-3319 (Aug 1996), 1A748
Model for predicting the fracture process zone and R-curve for high strength FRC, Cement & Concrete Composites 18(2) 125-133 (1996), 1A749
Plastic zone size in fatigue cracking, Int J Pressure Vessels Piping 68(3) 279-285 (Oct 1996), 1A750
T-stress evaluations of mixed mode I and II fracture specimens and T-effects on mixed mode failure of aluminum, Int J Fracture 76(2) 141-168 (1995), 1A751
Lower-bound shakedown analysis of spherical shells containing defects, Int J Pressure Vessels Piping 68(3) 287-292 (Oct 1996), 1A870
Transient fatigue crack growth behavior following single overloads at high stress ratios, Fatigue Fracture Eng Mat Struct 19(7) 879-891 (1996), 2A622
Numerical analysis on hydrogen diffusion and concentration in solid with emission around the crack tip, Eng Fracture Mech 55(1) 47-60 (Sep 1996), 2A642
Asymptotic solution for mode III crack growth in J_2-elastoplasticity with mixed isotropic-kinematic strain hardening, Int J Fracture 77(1) 77-93 (1996), 2A665
Elastoplastic analysis of the crack tip field in a compact tension specimen, Eng Fracture Mech 55(2) 209-222 (Sep 1996), 2A666
Finite element fracture analysis of WC-Co alloys, Eng Fracture Mech 55(2) 275-287 (Sep 1996), 2A667
J-Q model for predicting fracture in the ductile-brittle transition, Fatigue Fracture Eng Mat Struct 19(7) 869-877 (1996), 2A668
Quest of a universal fracture law governing the process of slow crack growth, Eng Fracture Mech 55(1) 61-83 (Sep 1996), 2A669
Competition between brittle fracture and plastic collapse in the failure of thin rectangular panels, Int J Fracture 77(3) 185-198 (1996), 3A695
Considerations on the Eftis-Liebowitz equation for the COD compliance of a center cracked sheet specimen, Eng Fracture Mech 55(3) 341-346 (Oct 1996), 3A696
Failure assessment diagram for I-II mixed-mode crack structures under biaxial loading, Int J Pressure Vessels Piping 69(1) 53-58 (Nov 1996), 3A697
Fracture mechanics analysis of warm pre-stressing for power-hardening materials, Eng Fracture Mech 55(3) 347-353 (Oct 1996), 3A698
Influences of non-singular stresses on plane-stress near-tip fields for pressure-sensitive materials and applications to transformation-toughened ceramics, Int J Fracture 77(3) 223-241 (1996), 3A699
Numerical simulations of hole growth and ductile fracture initiation under mixed-mode loading, Int J Fracture 77(4) 281-304 (1996), 3A700
Variable-notch one-size test method for fracture energy and process zone length, Eng Fracture Mech 55(3) 383-404 (Oct 1996), 3A701
Generalized characteristic transition temperature of brittleness - II: Thermal activation analysis, Eng Fracture Mech 55(3) 439-442 (Oct 1996), 3A1277
Damage evolution ahead of sharp notches under cyclic loading, Nucl Eng Des 165(1-2) 1-14 (Aug 1996), 4A697
Crack tip fields in strain gradient plasticity, J Mech Phys Solids 44(10) 1621-1648 (Oct 1996), 4A742
Effect of crack blunting in liquid metal environments on K_{scc} determined by the rising load test, Eng Failure Anal 3(3) 227-230 (Sep 1996), 4T743
FEM study of fatigue crack closure under double slip, Acta Mat 44(10) 3955-3965 (Oct 1996), 4A744
Self-consistent model for cleavage in the presence of plastic flow, Acta Mat 44(10) 3943-3954 (Oct 1996), 4A745
Strain-gradient model of cleavage fracture in plastically deforming materials, Acta Mat 44(10) 4051-4058 (Oct 1996), 4A746
Experimental parameter J_{cm} in elastic-plastic fatigue crack growth, Fatigue Fracture Eng Mat Struct 19(9) 1081-1091 (1996), 5A579
Crack closure effect on crack growth rate at 650°C in double notched specimens of a nickel base superalloy, Fatigue Fracture Eng Mat Struct 19(9) 1117-1128 (1996), 5A620
Analytical and experimental fracture assessment of carbon steel piping with circumferential through-wall cracks under bending, Int J Pressure Vessels Piping 69(3) 207-212 (Dec 1996), 5A654
Assessment of geometry effects on plane stress fatigue crack closure using a modified strip-yield model, Int J Fatigue 18(7) 483-490 (Oct 1996), 5A655
Computation of crack extension energy rate for elastic-plastic hardening materials under variable loading, Eng Fracture Mech 55(5) 813-830 (Nov 1996), 5A656
Constraint effects of clad on underclad crack, J Pressure Vessel Tech 118(4) 480-483 (Nov 1996), 5A657
Estimation of plasticity-induced crack closure in a pre-existing plastic zone, Int J Fatigue 18(7) 463-474 (Oct 1996), 5A658
Fully plastic crack-tip fields for plane strain shallow-cracked specimens under pure bending, Int J Fracture 78(1) 21-34 (1996), 5A659
Removal of the influence of stress triaxiality on crack tip opening displacement fracture toughness by continuum damage mechanics approach, Int J Pressure Vessels Piping 69(3) 233-238 (Dec 1996), 5A660
Retrospective view on the role of the plastic zone at a fatigue crack tip, Fatigue Fracture Eng Mat Struct 19(11) 1301-1306 (1996), 5A661
Stress-strain field near the crack-tip of an incompress rubber-like material, Appl Math Mech 17(8) 765-772 (Aug 1996), 5A662
Effects of crack depth, specimen size, and out-of-plane stress on the fracture toughness of reactor vessel steels, J Pressure Vessel Tech 118(4) 415-423 (Nov 1996), 5A1438
Branched interface cracks between two piezoelectric materials, Mech Res Commun 23(6) 615-620 (Nov-Dec 1996), 6T766
Critical assessment of the application of the J integral and CTOD concepts to circumferentially cracked copper bars, Int J Fracture 79(4) 373-391 (1996), 6A767
Incremental analysis of plane strain fully plastic crack growth in strain-hardening materials under extension, Int J Fracture 79(1) 27-48 (1996), 6A768
Interaction between edge dislocations around the tip of a crack, Mech Mat 24(3) 221-227 (Nov 1996), 6A769
J integral estimation fracture analysis for circumferentially cracked carbon steel piping, Nucl Eng Des 167(1) 7-10 (Nov 1996), 6A770
Plastic stress-strain fields and limit loads of a plane strain cracked tensile panel with a mismatched welded joint, Int J Solids Struct 34(3) 297-326 (Jan 1997), 6A771
Stress, deformation, and damage fields near the tip of a crack in a damaged nonlinear material, Int J Fracture 79(1) 1-26 (1996), 6A772
Transferability model for brittle fracture including constraint and ductile tearing effects: A probabilistic approach, Int J Fracture 79(4) 309-340 (1996), 6A773
Values of J-integral within the plastic zone, Eng Fracture Mech 55(6) 869-881 (Dec 1996), 6A774
Equilibrium solute distribution near an interface crack tip and environment-assisted cracking in bimaterials, Mech Res Commun 23(6) 583-588 (Nov-Dec 1996), 6T792
Dynamic asymptotic fields near a crack tip growing in a power-law hardening compressible material, Mech Mat 24(3) 213-220 (Nov 1996), 6A793
Fatigue life prediction of interference fit fastener and cold worked holes, Int J Fatigue 18(8) 515-521 (Nov 1996), 7A670
Analytical forms of higher-order asymptotic elastic-plastic crack-tip fields in a linear hardening material under antiplane shear, Int J Fracture 80(1) 59-71 (1996), 7A725
Ligament-collapse load of plates and cylinders with an axial semi-elliptical flaw, Eng Fracture Mech 56(1) 101-111 (Jan 1997), 7A726
Modeling of the limit state of thin-walled pipes with multiple axial coplanar defects, Int J Pressure Vessels Piping 70(2) 111-115 (Feb 1997), 7A727
Rigid-plastic analysis of the limiting equilibrium of an edge cleavage crack in a rectangular plate, J Appl Math Mech 60(4) 693-697 (1996), 7A728
Ultimate ductile state model for a pipe with an axial through crack, Int J Fracture 80(1) 19-32 (1996), 7A729
Evaluation of the plastic zone in an elastic-plastic dissimilar materials joint, Eng Fracture Mech 56(5) 691-710 (Mar 1997), 8A515
Mechanistic model for fatigue life prediction of solder joints for electronic packages, Int J Fatigue 19(1) 85-91 (Jan 1997), 8A765
Asymptotic analysis to a tensile crack in creeping solids coupled with damage - Part II: Large damage region very near the crack tip, Int J Solids Struct 34(10) 1183-1197 (Apr 1997), 8A779
Damage analysis of crack tip zone in high impact polystyrene, Eng Fracture Mech 56(5) 615-621 (Mar 1997), 8A781
Elastic-plastic analysis of an arbitrarily-oriented model III crack touching an interface, Int J Fracture 80(4) 311-337 (1996), 8A782
Estimation of J in three-point-bend specimens with a crack in a mismatched weld, Int J Pressure Vessels Piping 70(3) 247-257 (Mar 1997), 8A783
Finite strain singular field near the tip of a crack terminating at a material interface, Math Mech Solids 2(1) 49-73 (Mar 1997), 8A784
J-integral estimation method for cracks in welds with mismatched mechanical properties, Int J Pressure Vessels Piping 70(3) 237-245 (Mar 1997), 8A785
Precise elastic-plastic analysis of crack line field for mode II plane strain crack, Int J Fracture 80(4) 353-363 (1996), 8A786
Sensitivity of J-integrals of material law variations for semi-elliptical surface cracks, Int J Fracture 80(4) 365-375 (1996), 8A787
Finite element study of the effect of void initiation and growth on mixed-mode ductile fracture, Mech Mat 25(2) 113-127 (Mar 1997), 9A26
Two parameter description of crack growth initiation including thickness effects through probabilistic modeling, Fatigue Fracture Eng Mat Struct 20(2) 179-199 (1997), 9A693
Mechanically short crack growth from notches in a mild steel, Fatigue Fracture Eng Mat Struct 20(2) 129-142 (1997), 9A694
Detailed observation of change in strain near fatigue crack tip (Japanese), J Soc Mat Sci Japan 46(2) 138-142 (Feb 1997), 9A710
Analysis of ductile crack growth by means of a cohesive damage model, Int J Fracture 81(2) 99-112 (1996), 9A739
Effect of the 3-dimensionality of the stress field around a crack tip on the evaluation of SIFs by caustics, J Mech Behavior Mat 7(3) 205-218 (1996), 9A740
Evaluation of the J-integral by a plastic crack tip element, Int J Fracture 81(1) 1-25 (1996), 9A741
Mixed mode near-tip fields for cracks in materials with strain-gradient effects, J Mech Phys Solids 45(3) 439-465 (Mar 1997), 9A742
Near crack line elastic-plastic analysis for a crack loaded by antiplane point forces, Appl Math Mech 17(12) 1121-1126 (Dec 1996), 9A743
Fatigue and Fracture Mechanics: 27th Volume (ASTM, 1997) 10N21
Elastic-plastic fracture mechanics assessment of low constraint aluminium test specimens, Int J Fracture 81(3) 217-234 (1996), 10A810
Experimental and numerical investigation of fracture in double-edge notched steel plates, Int J Fracture 81(4) 383-399 (1996), 10A811
Interface corner stress states: Plasticity effects, Int J Fracture 81(3) 269-282 (1996), 10A812
Review of the J and I integrals and their implications for crack growth resistance and toughness in ductile fracture, Int J Fracture 81(4) 357-372 (1996), 10A813
Numerical study of crack-tip plasticity in glassy polymers, Mech Mat 25(3) 183-197 (Apr 1997), 11A30
Deformation plasticity failure assessment diagram for materials with non-Ramberg-Osgood stress-strain curves, J Pressure Vessel Tech 117(4) 346-356 (Nov 1995), 11A445
Cleavage crack growth resistance due to plastic flow around a near-tip dislocation-free region, J Mech Phys Solids 45(6) 1007-1023 (Jun 1997), 11A685
Constraint effect: How to link between structural integrity assessment and fracture toughness evaluation, J Offshore Mech Arctic Eng 119(2) 125-133 (May 1997), 11A686
Crack interaction criteria in pressure vessels and pipe, J Offshore Mech Arctic Eng 117(4) 260-264 (Nov 1995), 11A687
Determination of critical circumferential through-wall crack sizes regarding load reduction by increased flexibility in piping systems, Int J Pressure Vessels Piping 71(2) 155-164 (Apr 1997), 11A688
Fracture analysis of multiple cracks in a spinning cylinder experiment, J Pressure Vessel Tech 119(2) 232-235 (May 1997), 11A689
J-integral function for a center-cracked tensile specimen, Int J Pressure Vessels Piping 71(2) 129-138 (Apr 1997), 11A690
J_c evaluation and effective thickness of thin specimens with and without side-grooves, Int J Pressure Vessels Piping 71(2) 181-188 (Apr 1997), 11A691
Precise solutions of elastic-plastic crack line fields for cracked plate loaded by antiplane point forces, Eng Fracture Mech 57(1) 75-83 (May 1997), 11A692
Fracture parameters by polylinear tension-softening analysis, J Eng Mech 123(5) 444-450 (May 1997), 11A715
Near-tip field for steady dynamic crack growth in a compressible elastic-plastic material, J Mech Phys Solids 45(6) 989-1005 (Jun 1997), 11A721

Front development of a long fatigue crack during its growth, Fatigue Fracture Eng Mat Struct 20(6) 849-862 (1997), 12A746
New method of dynamic measurements of the plastic deformation occurring at a fatigue crack tip, Int J Fatigue 19(3) 237-241 (Mar 1997), 12A788
Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks, Nucl Eng Des 168(1-3) 313-317 (May 1997), 12A1512

276G. Residual strength

Effect of plasticity on the residual stress measurement using the groove method, Strain 32(3) 97-103 (Aug 1996), 3A702
Hybrid experimental-computational approach to the assessment of crack growth criteria in composite laminates, Strain 32(4) 131-137 (Nov 1996), 6A775
German leak-before-break concept: Description of German LBB procedures, practices and applications, Int J Pressure Vessels Piping 71(2) 139-146 (Apr 1997), 11A1517

276J. Composites

Tensile properties of particulate-reinforced metal matrix composites, Composites Part A Appl Sci and Manuf 27A(8) 655-665 (1996), 1A513
Effect of fiber waviness on stiffness and strength reduction of unidirectional composites under compressive loading, Composites Sci Tech 56(5) 581-593 (1996), 1A518
Single-fiber pull-out test - I: Review and interpretation, Composites Part A Appl Sci and Manuf 27A(8) 597-612 (1996), 1A527
Effect of loading frequency and interleaf on the delamination characteristics of laminated composites, J Composite Tech Res 18(3) 179-193 (Jul 1996), 1A690
Analytical stress around mode II crack parallel to principle axis in orthotropic composite plate, Eng Fracture Mech 54(6) 791-803 (Aug 1996), 1A752
Composite materials dynamic fracture studies by generalized Shmucly difference algorithm, Eng Fracture Mech 54(6) 869-877 (Aug 1996), 1A753
Damage and inelastic deformation mechanics in notched thermoset and thermoplastic laminates, Composites Sci Tech 56(5) 557-568 (1996), 1A754
Damage in a [0/90]$_s$ nicalon-reinforced CAS glass ceramic composite, Int J Damage Mech 5(3) 278-291 (Jul 1996), 1A755
Debonding criterion in the pushout process of fiber-reinforced ceramics, Acta Mat 44(8) 3267-3277 (Aug 1996), 1A756
Effect of interfacial decohesion on stiffness reduction in a random discontinuous-fiber composite containing matrix microcracks, Composites Sci Tech 56(5) 541-555 (1996), 1A757
Effects of the intralaminar shear loading rate on the damage of multi-ply composites, Int J Impact Eng 18(6) 679-699 (Sep 1996), 1A758
Experimental investigation of the failure modes in hybrid ceramic matrix composites, J Composite Tech Res 18(3) 194-201 (Jul 1996), 1A759
FEAM-based methodology for analyzing composite patch repairs of metallic structures, Comput Model Simul in Eng 1(2) 263-287 (May 1996), 1A760
Influence of cyclic fatigue damage on the fracture toughness of carbon-carbon composites, Composites Part A Appl Sci and Manuf 27A(8) 641-646 (1996), 1A761
Influence of thermoplastic film interleaving on the interlaminar shear strength and Mode I fracture of laminated composites, J Eng Mat Tech 118(3) 302-309 (Jul 1996), 1A762
Interactive growth of multiple fiber-bridged matrix cracks in unidirectional composites, J Eng Mat Tech 118(3) 295-301 (Jul 1996), 1A763
Interlaminar morphology effects on fracture resistance of amorphous polymer-modified epoxy-carbon fiber composites, Composites Part A Appl Sci and Manuf 27A(8) 625-631 (1996), 1A764
Single-fiber pull-out test - 2: Quantitative evaluation of an uncatalyzed TGDDM-DDS epoxy cure study, Composites Part A Appl Sci and Manuf 27A(8) 613-624 (1996), 1A765
Size effect and fracture characteristics of composite laminates, J Eng Mat Tech 118(3) 317-324 (Jul 1996), 1A766
Theoretical and experimental investigation of failure and damage progression of graphite-epoxy composites in flexural bending test, J Reinforced Plastics Composites 15(7) 740-755 (Jul 1996), 1A767
Time-temperature failure analysis of epoxies and unidirectional glass-epoxy composites in compression, Composites Part A Appl Sci and Manuf 27A(8) 585-596 (1996), 1A768
Life Predictions Methodology for Titanium Matrix Composites (ASTM, 1996) 2N25
Prediction of the post-impact compressive strength of CFRP laminated composites, Composites Sci Tech 56(6) 677-684 (1996), 2A430
Determination of the interfacial shear strength of glass-fiber-reinforced phenolic composites by a bimatrix fragmentation technique, Composites Sci Tech 56(6) 609-622 (1996), 2A431
Effects of fiber and interphase on matrix-initiated transverse failure in polymer composites, Composites Sci Tech 56(6) 657-665 (1996), 2A434
Toughness of FRC composites, Cement & Concrete Composites 18(4) 223-297 (1996), 2A439
Special issue devoted to the structural materials center at the defense research agency, United Kingdom, Adv Performance Mat 3(3-4) 251-393 (Jul-Oct 1996), 2T456
Strength envelope of bolted composite joints under bypass loads, J Composite Mat 30(13) 1402-1435 (1996), 2A457
Experimental measurement of fiber-fiber interaction using Micro Raman Spectroscopy, Mech Mat 23(3) 205-216 (Jul 1996), 2A463
Analysis of mode I interlaminar deformation ahead of crack front in composite DCB specimens, Int J Fracture 77(1) 41-50 (1996), 2A670
Bearing failure of bolted composite joints - Part I: Experimental characterization, J Composite Mat 30(12) 1284-1313 (1996), 2A671
Bearing failure of bolted composite joints - Part II: Model and verification, J Composite Mat 30(12) 1359-1400 (1996), 2A672
Crack problem of a fiber-matrix composite with a nonhomogeneous interfacial zone under torsional loading - II: A ring-shaped crack in the matrix, Eng Fracture Mech 55(1) 139-145 (Sep 1996), 2A673
Edge delamination in a laminated composite strip under generalized plane deformations, Int J Fracture 77(2) 95-110 (1996), 2A674
Effect of matrix cracking on stiffness of composite laminates, Mech Composite Mat Struct 3(3) 225-239 (Sep 1996), 2A675
Efficient method to simulate 1D and 2D delamination growth in composite laminates, J Reinforced Plastics Composites 15(9) 944-957 (Sep 1996), 2A676
Experimental study and numerical simulation of split growth for unidirectional composites with a surface notch, Appl Composite Mat 3(1) 43-64 (1996), 2A677
Failure behavior of unidirectional AS4/3501-6 carbon-epoxy laminates, J Composite Mat 30(10) 1150-1176 (1996), 2A678
Fractural analysis for composites with interfacial crack (Chinese), J Dalian Univ Tech 36(4) 396-401 (Jul 1996), 2A679
Interface and matrix fracture in brittle fiber-reinforced composites, Eng Fracture Mech 55(2) 249-273 (Sep 1996), 2A680
Methodology to derive the implicit equation of failure criteria for fibrous composite laminates, J Composite Mat 30(10) 1088-1114 (1996), 2A681
Mixed-mode fracture of adhesively bonded CF-epoxy composite joints, J Composite Mat 30(11) 1248-1265 (1996), 2A682
Mode III crack in a laminated medium, Int J Solids Struct 33(24) 3611-3625 (Oct 1996), 2A683
Modeling and simulation of crack propagation in mixed-modes interlaminar fracture specimens, Int J Fracture 77(2) 111-140 (1996), 2A684
Optimum *in situ* strength design of composite laminates - Part I: *In situ* strength parameters, J Composite Mat 30(12) 1314-1337 (1996), 2A685
Plastic flow and fracture of a particulate metal matrix composite, Acta Mat 44(9) 3465-3476 (Sep 1996), 2A686
Temperature and rate effects on stable crack growth in a particulate composite material, Exp Mech 36(3) 290-295 (Sep 1996), 2A687
Transverse failure of a single-fiber metal-matrix composite: Experiment and modeling, Composites Sci Tech 56(6) 667-676 (1996), 2A688
Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), J Soc Mat Sci Japan 45(7) 792-798 (Jul 1996), 2A698
Micromechanics of composites with shape memory alloy fibers in uniform thermal fields, AIAA J 34(9) 1905-1912 (Sep 1996), 2A705
Selected papers presented at the 4th International Conference on Interfacial Phenomena in Composite Materials, Eindhoven, Netherlands on September 11-13, 1995, Composites Part A Appl Sci and Manuf 27A(9) 675-912 (1996), 2A942
Simple nonlocal damage model for predicting failure of notched laminates, Composite Struct 35(2) 229-236 (Jun 1996), 3A685
Characterization of failure behavior of brittle matrix composites at room and elevated temperatures, Mat Manuf Processes 11(4) 605-633 (1996), 3T703
Creep crack growth in fiber reinforced composites with rate-dependent bridging: Role of a viscous fiber matrix interface, Mech Mat 23(4) 295-309 (Aug 1996), 3A704
Influence of water and accelerated aging on the shear fracture properties of glass-epoxy composite, Appl Composite Mat 3(2) 71-87 (1996), 3A705
Method and theory for nondestructive determination of fracture energy in concrete structures, ACI Struct J 93(5) 602-613 (Sep-Oct 1996), 3A706
Micromechanical analysis of fiber fracture in unidirectional composite materials, Int J Solids Struct 33(26) 3795-3812 (Nov 1996), 3A707
Effect of impact damage on residual compressive strength of glass-fiber reinforced polyester laminates, Composite Struct 35(2) 171-181 (Jun 1996), 3A728
Analysis and evaluation of the single-fiber fragmentation test, Composites Sci Tech 56(8) 893-909 (1996), 4A546
Doubly periodic arrays of bridged cracks and short fiber-reinforced cementitious composites, J Mech Phys Solids 44(10) 1565-1586 (Oct 1996), 4A558
Effect of loading path on the stress-strain relation and progressive damage of a polymer-matrix composite under tension-torsion biaxial loading, J Thermoplastic Composite Mat 9(4) 329-341 (Oct 1996), 4A561
Analytical method for failure prediction of multi-fastener composite joints, Int J Solids Struct 33(29) 4395-4409 (Dec 1996), 4A747
Bonded dissimilar strips with a crack perpendicular to the functionally graded interface, Int J Solids Struct 33(28) 4101-4117 (Nov 1996), 4A748
Calculating strain energy release rate in cracked orthotropic beams, J Thermoplastic Composite Mat 9(4) 381-395 (Oct 1996), 4A749
Compression strength of composite sandwich structures after barely visible impact damage, J Composite Tech Res 18(4) 274-284 (Oct 1996), 4A750
Compressive fiber fragmentation in carbon-polypropylene composites: Effects of residual thermal stresses and transcrystallinity, J Adhesion 58(1-2) 25-42 (1996), 4A751
Damage mechanics model for compression strength of composites, Int J Solids Struct 33(29) 4379-4393 (Dec 1996), 4A752
Failure criteria of Mohr for transversely isotropic material such as fiber composites (German), Z Angew Math Mech 76(9) 505-520 (1996), 4A753
Fracture behavior of polypropylene-fiber-reinforced concrete under biaxial loading: An experimental investigation, Composites Sci Tech 56(8) 933-945 (1996), 4A754
Fracture behavior of polypropylene-fiber-reinforced concrete: Modeling and computer simulation, Composites Sci Tech 56(8) 947-956 (1996), 4A755
Incorporating fiber damage in a micromechanical analysis of metal matrix composite laminates, J Composite Tech Res 18(4) 265-273 (Oct 1996), 4A756
Interlaminar failure of unidirectional glass-epoxy due to combined through thickness shear and tension, Composites Part A Appl Sci and Manuf 27A(10) 921-929 (1996), 4A757
Matrix crack impinging on a frictional interface in unidirectional brittle matrix composites, Int J Solids Struct 33(29) 4309-4326 (Dec 1996), 4A758
Modeling of a cracked metallic structure with bonded composite patch using the three layer technique, Composite Struct 35(3) 295-308 (Jul 1996), 4A759
Modeling of translaminar cracks in cross-ply composite laminates, J Composite Mat 30(15) 1683-1709 (1996), 4A760
Transverse cracking of cross-ply laminates - Part 1: Analysis, Composites Part A Appl Sci and Manuf 27A(10) 989-1001 (1996), 4A761
Transverse cracking of cross-ply laminates - Part 2: Progressive widthwise cracking, Composites Part A Appl Sci and Manuf 27A(10) 1003-1010 (1996), 4A762
Adhesion failure in the stick-slip regime: Optical and AFM characterizations and mechanical analysis, J Adhesion 58(1-2) 143-161 (1996), 4A953
Determining the effective material properties of damaged particle-filled adhesives, J Adhesion 58(3-4) 205-226 (1996), 4A955
Impact damage and residual strengths of woven fabric glass-polyester laminates, Composites Part A Appl Sci and Manuf 27A(12) 1147-1156 (1996), 5A173
Determination of interface parameters for carbon-carbon composites by the fiber-bundle pull-out test, Composites Sci Tech 56(9) 1017-1029 (Sep 1996), 5A439
Comparative study of strain rate effects on mechanical properties of glass fiber-reinforced thermoset matrix composite, Composites Part A Appl Sci and Manuf 27A(12) 1169-1181 (1996), 5A440
Development of novel cost effective hybrid ply carbon-fiber composites, Composites Sci Tech 56(9) 1047-1054 (Sep 1996), 5A442
Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - Part 3: Strength and strain at failure, Composites Part A Appl Sci and Manuf 27A(11) 1075-1084 (1996), 5A443
Tensile behavior of a silicon carbide fiber-reinforced titanium matrix composite, Appl Composite Mat 3(4) 215-247 (1996), 5A446
Effect of molding temperature on flexure, impact strength, and interlaminar fracture toughness of CF-PEI composite, J Reinforced Plastics Composites 15(11) 1117-1130 (Nov 1996), 5A568
Propagation and closure of small cracks in SiC particulate reinforced aluminum alloy in high cycle and low cycle fatigue, Eng Fracture Mech 55(5) 751-762 (Nov 1996), 5A585
Effects of a single mode III loading cycle on mode I crack initiation and growth toughnesses in a cross-ply [90°/0°]$_s$ Ti-6Al-4V/SiC composite, J Composite Mat 30(17) 1858-1872 (1996), 5A591
Modeling the conditions for fatigue failure in metal matrix composites, Fatigue Fracture Eng Mat Struct 19(9) 1093-1105 (1996), 5A597
Critical load for a mode-1 crack reinforced by bridging fibers, Quart J Mech Appl Math 49(4) 545-564 (Nov 1996), 5A663
Dynamic compressive failure of fiber composites, J Mech Phys Solids 44(11) 1867-1890 (Nov 1996), 5A664
Effect of stacking sequence on energy release rate distributions in multidirectional DCB and ENF specimens, Eng Fracture Mech 55(4) 557-569 (Nov 1996), 5A665
Evaluations of effective crack growth and residual strength of fiber-reinforced metal laminates with a sharp notch, Composites Sci Tech 56(9) 1079-1088 (Sep 1996), 5A666
Experimental study and simple failure analysis of stitched J-stiffened composite shear panels, J Reinforced Plastics Composites 15(11) 1070-1087 (Nov 1996), 5A667
Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - I: Laminate geometry, J Composite Mat 30(16) 1748-1778 (1996), 5A668
Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - II: Analytical predictions, J Composite Mat 30(16) 1779-1822 (1996), 5A669
Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - III: Effect of fabric geometry, J Composite Mat 30(16) 1823-1856 (1996), 5A670
Failure characteristics in carbon-epoxy composite tows, Composites Part A Appl Sci and Manuf 27A(12) 1183-1194 (1996), 5A671
Influence of interfacial models on a stress field near a crack terminating at a bimaterial interface, Int J Solids Struct 34(1) 31-46 (Jan 1997), 5A672
Integral equation method for the torsion of a composite cylinder with crack and inclusion, Eng Fracture Mech 55(5) 763-775 (Nov 1996), 5A673
Interfacial toughness evaluation from the single-fiber fragmentation test, Composites Sci Tech 56(9) 1105-1109 (Sep 1996), 5A674
J-integral in periodically layered composites, Int J Fracture 78(1) 89-100 (1996), 5A675
Local fracture mechanics analysis of stringer pull-off and delamination in a post-buckled compression panel, Appl Composite Mat 3(4) 249-264 (1996), 5A676
Mechanical performance of carbon-fiber and glass-fiber-reinforced epoxy I-beams - II: Fractographic failure observations, Composites Sci Tech 56(9) 1031-1045 (Sep 1996), 5A677
Prediction of matrix-initiated transverse failure in polymer composites, Composites Sci Tech 56(9) 1089-1097 (Sep 1996), 5A678
Property degradation of anisotropic composite laminates with matrix cracking - Part I: Development of constitutive relations for (θ_n/90$_n$)$_s$ cracked laminates by stiffness partition, J Reinforced Plastics Composites 15(11) 1149-1160 (Nov 1996), 5A679
Suppression of delaminations in curved structures by stitching, Composites Part A Appl Sci and Manuf 27A(12) 1133-1138 (1996), 5A680
Time-dependent damage in carbon fiber-reinforced polymer composites, Composites Part A Appl Sci and Manuf 27A(12) 1223-1227 (1996), 5A681
Analysis of crack propagation paths at implant and bone-cement interfaces, J Biomech Eng 118(4) 579-585 (Nov 1996), 5A1519
Effects of size and stacking sequence of composite laminated patch on bonded repair for cracked hole, Appl Composite Mat 3(6) 355-367 (1996), 6A544
Energy release rate and stress intensity factors for delaminated composite laminates, Int J Solids Struct 34(4) 451-459 (Feb 1997), 6A741
Damage and deformation growth in brittle-ductile laminates, Eur J Mech A 15(6) 1013-1035 (1996), 6A776
Degradation of elastic response of MMC laminated tubes due to internal fiber cracks, J Aerospace Eng 10(1) 43-48 (Jan 1997), 6A777
Delamination of beams: An application to the DCB specimen, Int J Fracture 79(3) 225-247 (1996), 6A778
Effect of longitudinal and hoop stiffeners on damage propagation in pressurized composite cylinders, AIAA J 35(1) 145-151 (Jan 1997), 6A779
Film cracking and debonding in a coated fiber, Int J Fracture 79(4) 351-372 (1996), 6A780
Influence of the constitutive characteristics of resins on the composite materials delamination, Eng Fracture Mech 55(6) 1001-1012 (Dec 1996), 6A781
Simulation of quasi-statical failure process near the crack edge in polymers and composites under dynamic loading (Russian), Prikl Mekh (Appl Mech) 32(7) 3-31 (1996), 6A782
Stress concentrations around multiple fiber breaks in an elastic matrix with local yielding or debonding using quadratic influence superposition, J Mech Phys Solids 44(12) 1997-2039 (Dec 1996), 6A783

Stress intensity factors of regularly and singularly perturbed-interface cracks, Mech Mat **24**(3) 175-198 (Nov 1996), 6A784

Transversely isotropic moduli of two partially debonded composites, Int J Solids Struct **34**(4) 493-507 (Feb 1997), 6A785

New experimental technique for modeling of a micro-heterogeneous media, Exp Tech **20**(6) 11-13 (Nov-Dec 1996), 6A814

Features of ultrasonic wave propagation to identify defects in composites materials modeled by FEM, NDT&E Int **29**(4) 213-223 (Aug 1996), 6A830

Damage and Interfacial Debonding in Composites (Elsevier Sci BV, Netherlands, 1996) 7N11

Design and life prediction issues for high-temperature engineering ceramics and their composites, Acta Mat **45**(1) 23-40 (Jan 1997), 7A464

Anisotropic effects of quasi-isotropic composites - II: Applications and micromechanical analysis, Appl Math Mech **17**(10) 933-938 (Oct 1996), 7A471

Effects of fiber length and fiber orientation distributions on the tensile strength of short-fiber-reinforced polymers, Composites Sci Tech **56**(10) 1179-1190 (Oct 1996), 7A472

Failure mechanisms of composite plates with a circular hole under remote biaxial planar compressive loads, J Eng Mat Tech **119**(1) 56-64 (Jan 1997), 7A547

Effects of coating properties on crack propagation in Nicalon-fiber/SiC-matrix composites, Composites Sci Tech **56**(11) 1271-1281 (Nov 1996), 7A647

Fatigue and fracture behavior of a gamma-titanium aluminide intermetallic: Influence of ductile phase reinforcement, Eng Fracture Mech **56**(3) 379-395 (Feb 1997), 7A657

Brush-like modes of fatigue fracture in unidirectional fiber composites, Int J Non-Linear Mech **31**(6) 823-836 (Nov 1996), 7A730

Continuum description of damage in ceramic-matrix composites, Eur J Mech A **16**(1) 53-78 (1997), 7A731

Curved interfacial crack between dissimilar isotropic solids, Int J Solids Struct **34**(6) 641-660 (Feb 1997), 7A732

Delamination characterization of woven glass-polyester composites, J Composite Tech Res **19**(1) 20-28 (Jan 1997), 7A733

Determination of the interface failure mechanism during transverse loading of single fiber SiC/Ti-6Al-4V composites from torsion tests, Acta Mat **45**(1) 309-320 (Jan 1997), 7A734

Effect of strain rate on the fracture process in interlaminar shear specimens of carbon fiber-reinforced laminates, Composites Part A Appl Sci and Manuf **28A**(2) 171-180 (1997), 7A735

Experimental monitoring of strain localization and failure behavior of composite materials, Composites Sci Tech **56**(11) 1283-1290 (Nov 1996), 7A736

Failure modes in unidirectional composites under transverse loading, J Reinforced Plastics Composites **16**(1) 33-49 (1997), 7A737

Fracture criterion for notched thin composite laminates, AIAA J **35**(2) 311-316 (Feb 1997), 7A738

Impact damage resistance and tolerance of high-performance polymeric composites subjected to environmental aging, Composites Sci Tech **56**(10) 1129-1140 (Oct 1996), 7A739

Influence of the split-surfaces delay effect on split growth in unidirectional glass-epoxy composites with a surface notch, Composites Sci Tech **56**(11) 1241-1252 (Nov 1996), 7A740

Interface cracking between functionally graded coatings and a substrate under antiplane shear, Int J Eng Sci **34**(15) 1705-1716 (Dec 1996), 7A741

Investigation of cyclic plastic strain response and fracture behavior of steel-based metal-matrix composites, Eng Fracture Mech **56**(4) 451-481 (Mar 1997), 7A742

Local and interfacial damage analysis of metal matrix composites using the FEM, Eng Fracture Mech **56**(4) 483-511 (Mar 1997), 7A743

Mode II fracture of composites interlayered with nylon particles, Composites Sci Tech **56**(11) 1223-1240 (Nov 1996), 7A744

Modeling analysis for splitting failure of orthotropic laminates with a surface notch, Composites Sci Tech **56**(10) 1201-1207 (Oct 1996), 7A745

Modeling of matrix failure in ceramic matrix composites, J Composite Tech Res **19**(1) 29-40 (Jan 1997), 7A746

Modeling of the interaction between matrix cracks and delaminations during impact of composite plates, Composites Sci Tech **56**(10) 1171-1178 (Oct 1996), 7A747

Progressive damage model and analysis methodology for predicting the residual strength of composite laminates, J Composite Tech Res **19**(1) 3-9 (Jan 1997), 7A748

Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography, J Composite Tech Res **19**(1) 10-19 (Jan 1997), 7A749

Reversal in failure scaling transition of fibrous composites, J Eng Mech **123**(2) 107-114 (Feb 1997), 7A750

Simple transverse damage model for unidirectional composites, Eng Fracture Mech **56**(1) 57-64 (Jan 1997), 7A751

Viscoelastic effects on the interlaminar fracture behavior of thermoplastic matrix composites - II: Rate and temperature dependence in unidirectional PEEK-carbon-fiber laminates, Composites Sci Tech **56**(11) 1253-1260 (Nov 1996), 7A752

Thermally induced damage in composite laminates: Predictive methodology and experimental investigation, Composites Sci Tech **56**(10) 1209-1219 (Oct 1996), 7A1371

Failure of a thin film due to inclusions on the interface, Int J Solids Struct **34**(8) 949-967 (Mar 1997), 8A484

Viscoelastic constitutive model for particulate composites with growing damage, Int J Solids Struct **34**(8) 931-947 (Mar 1997), 8A535

Effect of adhesive bonding between aluminum and composite prepreg on the mechanical properties of carbon-fiber-reinforced metal laminates, Composites Sci Tech **57**(1) 35-45 (Jan 1997), 8A536

Effect of fiber alignment on composite strength - II: The strength of angle-ply laminates, Composites Sci Tech **56**(12) 1443-1451 (Dec 1996), 8A541

Investigation of graphite PEEK composite under compression with a centrally located circular discontinuity, Composite Struct **35**(4) 375-386 (Aug 1996), 8A551

Glass fabric vinyl-ester composites: Tailoring the fiber bundle-matrix interphase with nylon coatings to modify energy absorption behavior, J Composite Mat **31**(2) 182-209 (1997), 8A556

Damage analysis and elasto-plastic behavior of metal matrix composites using the FEM, Eng Fracture Mech **56**(5) 623-646 (Mar 1997), 8A788

Damage and failure in ceramic matrix minicomposites: Experimental study and model, Acta Mat **45**(3) 1025-1044 (Mar 1997), 8A789

Deformation and damage mechanisms in fiber-reinforced aluminium alloy composites under tension, Composites Part A Appl Sci and Manuf **28A**(3) 289-297 (1997), 8A790

Delamination cracking in functionally graded coating-metal substrate systems, Acta Mat **45**(3) 1055-1066 (Mar 1997), 8A791

Dynamic mechanical properties of ceramics and ceramic composites at elevated temperatures, J Eng Gas Turbines Power **119**(1) 15-19 (Jan 1997), 8A792

Effect of interfacial properties and weave structure on mode I interlaminar fracture behavior of glass satin woven fabric composites, Composites Part A Appl Sci and Manuf **28A**(3) 257-266 (1997), 8A793

Effects of starter film thickness, residual stresses and layup on G_{ic} of a 0°-0° interface, Adv Composites Letters **5**(6) 159-163 (1996), 8A794

Examination of the effect of composite constituent properties on the notched-strength performance of composite materials, Composites Sci Tech **56**(12) 1405-1413 (Dec 1996), 8A795

Experimental and numerical investigation into the single-fiber fragmentation test: Stress transfer by a locally yielding matrix, Composites Part A Appl Sci and Manuf **28A**(3) 237-249 (1997), 8A796

Experimental assessment of debonding damage in a carbon-fiber reinforced plastic sandwich panel by frequency variations, Composite Struct **35**(4) 435-444 (Aug 1996), 8A797

Failure and relaxations of carbon fiber-reinforced plastic tested by exoemission and luminescence methods, Int J Adhesion Adhesives **17**(1) 75-78 (Feb 1997), 8A798

Fiber damage model for early stage consolidation of metal-coated fibers, Acta Mat **45**(3) 973-986 (Mar 1997), 8A799

Fracture toughness of structural ceramics under biaxial stress state by anticlastic bending test, J Eng Gas Turbines Power **119**(1) 7-14 (Jan 1997), 8A800

Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - 4: Impact properties, Composites Part A Appl Sci and Manuf **28A**(3) 277-288 (1997), 8A801

Interfacial crack in a transversely isotropic composite medium, J Appl Math Mech **60**(5) 833-838 (1996), 8A802

New approach to the analysis of unidirectional titanium matrix composites with bridge and unbridged cracks, Eng Fracture Mech **56**(5) 711-726 (Mar 1997), 8A803

Revised shear-lag analysis of an energy model for fiber-matrix debonding, Adv Composites Letters **5**(5) 131-135 (1996), 8A804

Shear *versus* dilatational damage mechanisms in the compressive failure of fiber-reinforced composites, Composites Part A Appl Sci and Manuf **28A**(3) 215-222 (1997), 8A805

Small scale aluminium-epoxy peel test specimens and measurement of adhesive fracture energy, Int J Adhesion Adhesives **17**(1) 27-32 (Feb 1997), 8A806

Special issue of the International Journal of Damage Mechanics, Int J Damage Mech **6**(1) 5-118 (Jan 1997), 8A807

Study of the influence of interfacial damage on stress concentrations in unidirectional composites, Composites Sci Tech **57**(1) 129-135 (Jan 1997), 8A808

Time dependent cracks in ceramic matrix composites: Crack growth initiation, Int J Solids Struct **34**(9) 1035-1051 (Mar 1997), 8A809

Transverse impact behavior of knitted carbon-fiber fabric-reinforced thermoplastic composite sheets, J Thermoplastic Composite Mat **10**(2) 163-172 (Mar 1997), 9A486

Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - I: Microstructural analyses, mechanical behavior and damage mechanisms of composite tubes under pure tensile loading, pure internal pressure, and combined loading, Composites Sci Tech **57**(2) 141-153 (Feb 1997), 9A494

Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - II: Micromechanical model of damage initiation and the competition between different mechanisms, Composites Sci Tech **57**(2) 155-164 (Feb 1997), 9A495

Effect of stacking sequence on failure of [± 45/90/0], quasi-isotropic coupons with hole under compression, J Thermoplastic Composite Mat **10**(2) 136-150 (Mar 1997), 9A503

Nonlinear deformation of laminated composite materials under macrodestructions, Prikl Mekh (Appl Mech) **32**(9) 46-51 (1996), 9A505

Finite element method for prediction of energy absorption capability of crashworthy polymer composite materials, J Reinforced Plastics Composites **16**(3) 226-242 (1997), 9A527

Transverse single-fiber test for interfacial debonding in composites - 1: Experimental observations, Composites Part A Appl Sci and Manuf **28A**(4) 309-315 (1997), 9A536

Transverse single-fiber test for interfacial debonding in composites - 2: Modeling, Composites Part A Appl Sci and Manuf **28A**(4) 317-326 (1997), 9A537

Interfacial cracking from the free-edge of a long bimaterial strip, Int J Solids Struct **34**(13) 1645-1665 (May 1997), 9A691

Initial failure maps for ceramic and metal matrix composite laminates, Model Simulation Mat Sci Eng **4**(6) 553-580 (Nov 1996), 9A718

Bridged versus cohesive crack in the flexural behavior of brittle-matrix composites, Int J Fracture **81**(2) 125-145 (1996), 9A744

Characterization of impact damage resistance of CF-PEEK and CF-toughened epoxy laminates under low and high velocity impact tests, J Reinforced Plastics Composites **16**(2) 131-143 (1997), 9A745

Cohesive zone model for cracks terminating at a bimaterial interface, Int J Solids Struct **34**(11) 1307-1326 (Apr 1997), 9A746

Crack growth and lifetime of concrete under long time loading, J Eng Mech **123**(4) 350-358 (Apr 1997), 9A747

Damage mechanisms in composite-composite bonded joints under static tensile loading, Appl Composite Mat **4**(2) 95-119 (1997), 9A748

Damage-based modeling of fiber pullout under variable compressive stress, J Eng Mech **123**(4) 342-349 (Apr 1997), 9A749

Determination of fiber-bridging tractions in fiber-reinforced composites, Mech Mat **25**(1) 47-57 (Jan-Feb 1997), 9A750

Effect of loading parameters on damage-induced shear-extension coupling in laminate, AIAA J **35**(3) 578-580 (Mar 1997), 9T751

Effect of near-surface impact-induced damage on the residual strength of woven glass-epoxy composite beams, Composites Sci Tech **57**(2) 205-216 (Feb 1997), 9A752

Experimental characterization of microscopic failure process under quasi-static tension in interleaved and toughness-improved CFRP cross-ply laminates, Composites Sci Tech **57**(3) 267-275 (Mar 1997), 9A753

Experimental investigation of compressive failure strength of fiber-reinforced polymer-matrix composite plates under impact loading, Composites Sci Tech **57**(3) 287-292 (Mar 1997), 9A754

Fracture toughness and damage propagation of ultra-high-modulus polyethylene fiber-reinforced composites, J Thermoplastic Composite Mat **10**(2) 151-162 (Mar 1997), 9A755

Local destruction of orthotropic matrix with linear inclusion (Russian), Prikl Mekh (Appl Mech) **32**(8) 63-71 (1996), 9A756

Localized stress redistribution after fiber fracture in brittle matrix composites, Composites Part A Appl Sci and Manuf **28A**(4) 347-353 (1997), 9A757

Method to apply structure relevant impact damage to small structure relevant specimens for damage tolerance studies, Appl Composite Mat **4**(2) 83-94 (1997), 9A758

Progressive fracture of fiber composite build-up structures, J Reinforced Plastics Composites **16**(2) 182-198 (1997), 9A759

Propagation of hole machining defects in pin-loaded composite laminates, J Composite Mat **31**(4) 383-408 (1997), 9A760

Structural durability of damaged metallic panel repaired with composite patches, J Reinforced Plastics Composites **16**(3) 200-216 (1997), 9A761

Tensile deformation and fracture behavior of a titanium-alloy metal-matrix composite, Composites Part A Appl Sci and Manuf **28A**(4) 365-376 (1997), 9A762

Tensile deformation and fracture behavior of a tool-steel-based metal-matrix composite, Composites Part A Appl Sci and Manuf **28A**(4) 377-385 (1997), 9A763

Time-dependent failure in fiber-reinforced composites by fiber degradation, Acta Mat **45**(4) 1489-1502 (Apr 1997), 9A764

Thermoelastic properties in combined bending and extension of thin composite laminates with transverse matrix cracks, Int J Solids Struct **34**(16) 2035-2060 (Jun 1997), 10A605

Derived dynamic ply properties from test data on angle ply laminates, Appl Composite Mat **4**(3) 157-172 (1997), 10A611

Impact studies in glass epoxy laminates containing foam, J Reinforced Plastics Composites **16**(7) 618-630 (1997), 10A613

Strength-limited design of composite-monolith transitions in metallic structures, Composites Part A Appl Sci and Manuf **28A**(5) 399-407 (1997), 10A618

Design of a cylindrical specimen for biaxial testing of composite materials, J Reinforced Plastics Composites **16**(6) 550-565 (1997), 10A624

Growth of freely initiating fatigue cracks in an unnotched SiC-titanium composite, Int J Fatigue **19**(2) 151-159 (Feb 1997), 10A761

General theory for laminated plates with delaminations, Int J Solids Struct **34**(16) 2003-2024 (Jun 1997), 10A791

Compressive failure of polymeric composites under hydrostatic confinement, Composites Part A Appl Sci and Manuf **28A**(5) 409-418 (1997), 10A814

Discussion on the damage mechanism and the apparent fracture strength of notched fiber-reinforced composite laminates, J Composite Mat **31**(6) 580-595 (1997), 10A815

Energy release rate of the fiber-polymer matrix interface: Measurement and theoretical analysis, J Reinforced Plastics Composites **16**(4) 341-352 (1997), 10A816

Experimental and numerical studies in model composites - Part I: Experimental results, Int J Fracture **82**(2) 153-174 (1996), 10A817

Experimental and numerical studies in model composites - Part II: Numerical results, Int J Fracture **82**(2) 175-192 (1996), 10A818

Fracture behavior and acoustic emission in bending tests on single-fiber composites, Eng Fracture Mech **56**(6) 779-796 (Apr 1997), 10A819

Kink band mechanism for the compressive failure of fiber composite materials, J Appl Mech **64**(1) 1-6 (Mar 1997), 10A820

Loading rate effect on mode I interlaminar fracture of carbon-epoxy composite, J Reinforced Plastics Composites **16**(6) 537-549 (1997), 10A821

Property degradation of anisotropic composite laminates with matrix cracking - Part 2: Determination of resolved stiffness and numerical study of stiffness degradation, J Reinforced Plastics Composites **16**(5) 478-486 (1997), 10A822

Study of the crack deviation angle in adhesive ruptures of ceramic adhesively-bonded assemblies, J Adhesion **60**(1-4) 1-14 (1997), 10A823

Tensor polynomial failure criterion: Coefficient limits based on convexity requirements, J Reinforced Plastics Composites **16**(5) 435-477 (1997), 10A824

Effect of thermal residual stress on the interlaminar crack extension behavior in cross-ply laminates due to transverse loading, J Thermal Stresses **20**(3-4) 231-245 (Apr-Jun 1997), 10A1370

Thermomechanical behavior of composite materials and structures under high temperatures - 2: Structures, Composites Part A Appl Sci and Manuf **28A**(5) 463-471 (1997), 10A1378

Finite element prediction of the post-impact compressive strength of fiber composites, Composite Struct **36**(1-2) 141-153 (Sep-Oct 1996), 11A19

Delamination in composite rotors, Composites Part A Appl Sci and Manuf **28A**(6) 523-527 (1997), 11A155

Study on accuracy of angled advanced composite tools, Mat Manuf Processes **12**(3) 473-486 (1997), 11A345

Experimental and theoretical assessment of the longitudinal tensile strength of unidirectional SiC-fiber and titanium-matrix composites, Composites Sci Tech **57**(4) 471-481 (Apr 1997), 11A452

Response of resin transfer molded (RTM) composites under reversed cyclic loading, J Eng Mat Tech **118**(1) 49-57 (Jan 1996), 11A453

High strain rate ceramic adhesively-bonded assemblies, J Mech Phys Solids **45**(5) 731-751 (May 1997), 11A460

Short banana fiber reinforced polyester composites: Mechanical, failure and aging characteristics, J Reinforced Plastics Composites **16**(8) 744-765 (1997), 11A467

Interfacial toughness for the shipboard aluminum-steel structural transition joint, Marine Struct **10**(5) 353-362 (Jun 1997), 11A472

Micromechanics model for predicting the tensile strength of unidirectional metal matrix composites, J Reinforced Plastics Composites **16**(8) 676-685 (1997), 11A474

Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature, J Composite Tech Res 19(2) 55-64 (Apr 1997), 11A644

Use of end-loaded-split (ELS) test to study stable fracture behavior of composites under mode II loading, Composite Struct 36(1-2) 71-79 (Sep-Oct 1996), 11A675

Analysis of the fragmentation test based on aluminium matrix silicon carbide single fiber composites experiments, Composites Part A Appl Sci and Manuf 28A(6) 549-557 (1997), 11A693

Assessment of failure criteria to predict the strength of adhesively bonded composite double lap joints, J Reinforced Plastics Composites 16(8) 698-713 (1997), 11A694

Characterization of interface sliding damage in SiC fiber-reinforced Ti-15-3 matrix composite by cyclic fatigue, Acta Mat 45(6) 2257-2270 (Jun 1997), 11A695

Crack bridging in fiber reinforced cementitious composites with slip-hardening interfaces, J Mech Phys Solids 45(5) 763-787 (May 1997), 11A696

Delamination and fiber bridging modeling in composite samples, J Composite Mat 31(9) 874-888 (1997), 11A697

Determining the interfacial shear strength in the presence of transcrystallinity in composites by the "single-fiber microcomposite compressive fragmentation test", Appl Composite Mat 4(4) 197-207 (1997), 11A698

Doubly periodic matrix cracking in composite laminates - Part 1: General in-plane loading, Composite Struct 36(1-2) 113-130 (Sep-Oct 1996), 11A699

Doubly periodic matrix cracking in composite laminates - Part 2: Thermal biaxial loading, Composite Struct 36(1-2) 131-140 (Sep-Oct 1996), 11A700

Effect of surface flaws on SiC fiber strength in an SiC/Ti-alloy composite, J Composite Mat 31(11) 1062-1079 (1997), 11A701

Evaluating Weibull parameters for transverse cracking in cross-ply laminates, J Composite Mat 31(9) 935-951 (1997), 11A702

Fracture mechanics approach for designing an adhesive joint for glass fiber-reinforced pipes, J Adhesion Sci Tech 11(5) 719-733 (1997), 11A703

Improvement of strength and ductility of adhesively bonded joints by inclusion of SiC whiskers, J Composite Tech Res 19(2) 86-92 (Apr 1997), 11A704

Initiation and axial propagation of kink bands in fiber composites, Acta Mat 45(6) 2443-2454 (Jun 1997), 11A705

Mechanical properties and failure behavior of carbon fiber-reinforced polymer composites under the influence of moisture, Composites Part A Appl Sci and Manuf 28A(6) 595-604 (1997), 11A706

Modeling the initiation and growth of delaminations in composite structures, J Composite Mat 31(8) 812-831 (1997), 11A707

Moisture and temperature effects of the compressive failure of CFRP unidirectional laminates, J Composite Mat 31(8) 832-849 (1997), 11A708

Progressive damage and residual strength of a carbon fiber reinforced metal laminate, J Composite Mat 31(8) 762-787 (1997), 11A709

Progressive fracture of composite cylindrical shells subjected to external pressure, J Composite Tech Res 19(2) 65-71 (Apr 1997), 11A710

Residual strength of an ARALL laminate containing a crack, J Composite Mat 31(8) 746-761 (1997), 11A711

Transverse ply cracking in cross-ply CFRP laminates: Initiation or propagation controlled?, J Composite Mat 31(11) 1080-1112 (1997), 11A712

Static behavior and damage of thick composite laminates, Composite Struct 36(1-2) 13-22 (Sep-Oct 1996), 11A740

Boundary layer fracture in composite solder joints, J Electron Packaging 117(4) 270-274 (Dec 1995), 11A876

Garteur "damage tolerance", Composite Struct 36(3-4) 173-275 (Nov-Dec 1996), 12A551

Tensile properties of plain weft knitted glass fiber fabric reinforced epoxy composites, J Reinforced Plastics Composites 16(10) 946-966 (1997), 12A572

Strength of composite laminates containing holes and subjected to complex loading conditions, J Composite Mat 31(12) 1214-1248 (1997), 12A575

Energy absorption characteristics of hybrid braided composite tubes, J Composite Mat 31(12) 1164-1186 (1997), 12A583

Flexural strength and interlaminar shear strength of stitched GRP laminates following repeated impacts, Composites Sci Tech 57(5) 509-522 (May 1997), 12A590

Creep crack growth with small scale bridging in ceramic matrix composites, Acta Mat 45(7) 2897-2909 (Jul 1997), 12A779

Long-term strength and damage analysis of laminated composites, AIAA J 35(6) 1057-1063 (Jun 1997), 12A786

Statistical simulation of fiber fragmentation in a single-fiber composite, Composites Sci Tech 57(5) 543-555 (May 1997), 12A787

Determination of the effect of residual curing stresses on an interface crack by means of the weight function method, Comput Mech 19(6) 507-510 (May 1997), 12A803

Effect of crack-face contact on fiber-matrix debonding in transverse tensile loading, Composites Sci Tech 57(5) 523-532 (May 1997), 12A804

Effect of preparation parameters on the properties of unidirectional SiC-fiber-reinforced MAS and BMAS glass-ceramics, Composites Sci Tech 57(5) 533-541 (May 1997), 12A805

Failure mode dependent strength criteria for composite laminates, J Reinforced Plastics Composites 16(10) 926-945 (1997), 12A806

Fatigue fracture process in a model composite, Composites Part A Appl Sci and Manuf 28A(7) 657-666 (1997), 12A807

Fracture behavior of untreated and silane-treated talc-filled polypropylene composites, Fatigue Fracture Eng Mat Struct 20(5) 659-670 (1997), 12A808

Interlaminar and intralaminar fracture toughness of uniaxial continuous and discontinuous carbon fiber-epoxy composites, Composites Part A Appl Sci and Manuf 28A(7) 627-636 (1997), 12A809

Mixed-mode delamination fracture toughness of unidirectional glass-epoxy composites under fatigue loading, Composites Sci Tech 57(5) 597-605 (May 1997), 12A810

Mode I fracture of orthotropic laminated composite plates, J Mech Behavior Mat 8(1) 41-48 (1997), 12A811

Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, Fatigue Fracture Eng Mat Struct 20(5) 703-716 (1997), 12A812

Notched strength of ceramic-matrix composites, Composites Sci Tech 57(6) 631-635 (Jun 1997), 12A813

Physically based failure criterion for dimensioning of thick-walled laminates, Appl Composite Mat 4(5) 321-332 (1997), 12A814

Problem of equilibrium length of a bridged crack, J Appl Mech 64(2) 427-430 (Jun 1997), 12A815

Reinforcement fracture and tensile ductility in sphere-reinforced metal-matrix composites, Fatigue Fracture Eng Mat Struct 20(5) 689-702 (1997), 12A816

SEM study of the fracture mechanism in a X8019 AL-20 Vol% SiC_p metal matrix composite, J Mech Behavior Mat 8(1) 15-27 (1997), 12A817

Strengthening of concrete prisms using the plate-bonding technique, Int J Fracture 82(3) 253-266 (1996), 12A818

Stressed state of the isotropic layer with a crack (Russian), Prikl Mekh (Appl Mech) 33(1) 43-51 (1997), 12A819

Toughening and strengthening by inclined ligament bridging, Acta Mat 45(7) 2813-2820 (Jul 1997), 12A820

Energy release rates for an interface crack embedded in a laminated beam subjected to three-point bending, J Appl Mech 64(2) 375-382 (Jun 1997), 12A829

Ultrasonic detection of delaminations on composite materials, J Reinforced Plastics Composites 16(9) 768-790 (1997), 12A868

Environmental ageing of adhesively-bonded joints - II: Mechanical studies, J Adhesion 62(1-4) 317-335 (May 1997), 12A1041

Thermal shock damage in a 2D SiC-SiC composite reinforced with woven SiC fibers, Composites Sci Tech 57(5) 607-611 (May 1997), 12A1343

276L. Other anisotropic and nonhomogeneous media

Finite element analysis of an interface crack with large crack-tip contact zones, Eng Fracture Mech 54(6) 847-860 (Aug 1996), 1A38

Asymmetric growth of hydraulic fracture cracks, Mech Solids 31(1) 93-99 (1996), 1A735

Cleavage and static toughness, J Adhesion 57(1-4) 31-43 (1996), 1A769

Collinear periodic cracks in an anisotropic medium, Int J Fracture 76(3) 207-219 (1995), 1A770

Delayed ettringite formation, Cement & Concrete Composites 18(3) 161-215 (1996), 1A771

Effects of microstructures, specimen, and loading geometries on K_c of brittle honeycombs, Eng Fracture Mech 54(6) 813-821 (Aug 1996), 1A772

Fracture mechanics study of natural rubber-to-metal bond failure, J Adhesion Sci Tech 10(7) 593-616 (1996), 1A773

Interaction between an interface crack and a parallel subinterface crack, Int J Fracture 76(3) 279-291 (1995), 1A774

Nickel-alumina interfacial fracture toughness: Experiments and analysis of residual stress effects, Int J Fracture 76(3) 221-241 (1995), 1A775

Parametric sensitivity of fracture behavior of concrete, Nucl Eng Des 163(3) 397-403 (Jul 1996), 1A776

Anisotropic damage model for the multiaxial static and fatigue behavior of plain concrete, Eng Fracture Mech 55(2) 163-179 (Sep 1996), 2A624

Cleavage and creep fracture of rock salt, Acta Mat 44(9) 3553-3565 (Sep 1996), 2A689

Deformation fields of interfacial cracks in adhesively bonded DCBs, Eng Fracture Mech 55(2) 181-189 (Sep 1996), 2A690

Fracture mechanics analysis of cracked 2D anisotropic media with a new formulation of the BEM, Int J Fracture 77(2) 161-174 (1996), 2A691

Fracture mechanics approaches to coating strength evaluation, Eng Fracture Mech 55(2) 235-248 (Sep 1996), 2A692

Polymers toughened with rubber microspheres: An analytical solution for stresses and strains in the rubber particles at equilibrium and rupture, Int J Fracture 77(2) 141-159 (1996), 2A693

Standardized complex and logarithmic eigensolutions for n-material wedges and junctions, Int J Fracture 77(1) 51-76 (1996), 2A694

Sub-critical indentation fracture process in soda-lime-silica glass, Eng Fracture Mech 55(1) 35-46 (Sep 1996), 2A695

Composite beam analogy fracture model for concrete, J Eng Mech 122(10) 957-965 (Oct 1996), 3A708

Continuum aspects of directionally dependent cracking of an interface between copper and alumina crystals, Mech Mat 23(4) 271-286 (Aug 1996), 3A709

Effects of 3D constraint on cracks on bimaterial interfaces, Eng Fracture Mech 55(3) 471-483 (Oct 1996), 3A710

Effects of anisotropic hardening on crack propagation in porous-ductile materials, J Mech Phys Solids 44(9) 1475-1508 (Sep 1996), 3A711

Separation of crack extension modes in orthotropic delamination models, Int J Fracture 77(4) 305-321 (1996), 3A712

Stress singularities at a joint formed by dissimilar elastic-plastic materials under mechanical loading, Int J Fracture 77(3) 263-279 (1996), 3A713

Analytical computation of the punching strength of reinforced concrete, ACI Struct J 93(5) 503-511 (Sep-Oct 1996), 3A763

Aging and low-temperature cracking of asphalt concrete mixture, J Cold Regions Eng 10(3) 134-148 (Sep 1996), 4A763

Architecture of functionally graded ceramic coatings against surface thermal fracture, J Eng Mat Tech 118(4) 522-528 (Oct 1996), 4A764

Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, Acta Mat 44(10) 3881-3893 (Oct 1996), 4A765

Growth of interface defects and its effect on crack deflection and toughening criteria, Acta Mat 44(10) 3905-3922 (Oct 1996), 4A766

Variation of the elliptic paraboloid failure locus beyond the elastic unit, Int J Damage Mech 5(4) 317-352 (Oct 1996), 5A420

Fracture and fatigue-crack growth along aluminum-alumina interfaces, Acta Mat 44(12) 4713-4728 (Dec 1996), 5A595

Integral equation approaches to the mechanics of fiber-crack interaction, Eng Anal Boundary Elements 17(4) 287-294 (Jun 1996), 5A682

Model of anisotropic damage by Mesocrack growth; Unilateral effect, Int J Damage Mech 5(4) 384-402 (Oct 1996), 5A683

Relationship of anisotropic and isotropic materials for antiplane problems, AIAA J 34(11) 2453-2456 (Nov 1996), 5T684

Singular thermal stress fields in brazed three-layer joints, Eng Fracture Mech 55(4) 647-655 (Nov 1996), 5A685

Stresses around a periodic array of planar cracks in an anisotropic bimaterial, Int J Eng Sci 34(13) 1457-1466 (Oct 1996), 5A686

Transient motion of an interface dislocation and self-similar propagation of an interface crack: Anti-plane motion, Eng Fracture Mech 55(5) 717-725 (Nov 1996), 5A687

Numerical analysis of plasma-sprayed ceramic coatings for high-temperature applications, Struct Eng and Mech 4(6) 679-702 (Nov 1996), 6A38

Crack growth in non-homogeneous transformable ceramics - Part I: Constrained straight cracks, Int J Fracture 79(3) 249-271 (1996), 6A712

Crack growth in non-homogeneous transformable ceramics - Part II: Crack deflection, Int J Fracture 79(3) 273-293 (1996), 6A713

Axisymmetric crack problem in a nonhomogeneous interfacial region between homogeneous half-spaces, Int J Fracture 78(2) 139-164 (1996), 6A786

Effective mixed-mode fracture criterion for concrete, J Dalian Univ Tech 36(6) 776-781 (Nov 1996), 6A787

Fundamental study on applications of damage mechanics to evaluation of material degradation, Nucl Eng Des 167(1) 69-76 (Nov 1996), 6A788

New damage variable in failure analysis of concrete, J Mat in Civil Eng 8(4) 184-188 (Nov 1996), 6A789

Study of an edge crack problem in a semi-infinite functionally graded medium with two dimensionally nonhomogeneous coefficients of thermal expansion under thermal load, J Thermal Stresses 19(9) 863-888 (Dec 1996), 6A790

Two-parameter characterization of the near-tip stress fields for a bi-material elastic-plastic interface crack, Int J Fracture 79(1) 65-83 (1996), 6A791

Damage and Interfacial Debonding in Composites (Elsevier Sci BV, Netherlands, 1996) 7N11

Crack growth behavior in a solid propellant, Eng Fracture Mech 56(1) 127-135 (Jan 1997), 7A645

Investigation of the cyclic fatigue and fracture behavior of a niobium aluminide intermetallic, Eng Fracture Mech 56(3) 293-309 (Feb 1997), 7A666

Anisotropy in fracture behavior of thin Al 7075-T651 plates, Eng Fracture Mech 56(3) 437-442 (Feb 1997), 7A753

Edge function analysis of crack interaction in anisotropic materials, Eng Fracture Mech 56(2) 233-248 (Jan 1997), 7A754

Fracture of interface cracks under combined loading, Eng Fracture Mech 56(1) 77-86 (Jan 1997), 7A755

Fracture toughness of re-entrant foam materials with a negative Poisson's ratio: Experiment and analysis, Int J Fracture 80(1) 73-83 (1996), 7A756

New conservation integral for an arbitrarily kinked interfacial crack, Int J Fracture 80(1) 45-57 (1996), 7A757

Numerical analysis of time dependent stress fields ahead of stationary interface cracks at creep regime - Part I: Interface cracks in bimaterials, Eng Fracture Mech 56(4) 513-529 (Mar 1997), 7A758

Transient thermoelastic fracture of brittle substrates bonded to brittle films, J Thermal Stresses 20(1) 35-45 (Jan-Feb 1997), 7A1364

Numerical analysis of time dependent stress fields ahead of stationary interface cracks at creep regime - Part II: Interface cracks in layered materials, Eng Fracture Mech 56(5) 657-674 (Mar 1997), 8A762

Stress intensity factors of regularly perturbed-interface cracks of anisotropic bimaterials, Int J Solids Struct 34(10) 1235-1253 (Apr 1997), 8A777

Analysis for cracks parallel to the interface of bimaterial systems, J Thermoplastic Composite Mat 10(1) 31-50 (Jan 1997), 8A810

Effects of microcracks in CVD coating layers on cemented carbide and cermet substrates on residual stress and transverse rupture strength, J Manuf Sci Eng 119(1) 50-54 (Feb 1997), 8A811

Interfacial crack initiation under quasistatic and dynamic loading conditions: An experimental study, Fatigue Fracture Eng Mat Struct 20(1) 49-60 (1997), 8A812

Reinitiation of a crack reaching an interface, Int J Fracture 80(4) 257-276 (1996), 8A813

Stress intensity factors of slightly undulating interface cracks of bimaterials, Int J Fracture 80(4) 277-293 (1996), 8A814

Stress transfer into a fragmented, anisotropic fiber through an imperfect interface, Int J Solids Struct 34(10) 1255-1281 (Apr 1997), 8A815

Atomic force microscopy study of the effect of surface roughness on the fracture energy of adhesively bonded aluminium, J Adhesion Sci Tech 11(2) 207-223 (1997), 8A981

Numerical analysis of concrete fracture based on a homogenization technique, Comput Struct 63(3) 497-509 (May 1997), 9A765

Stress singularities for crack normal to and terminating at bimaterial interface on orthotropic half-plates, Int J Fracture 81(2) 147-162 (1996), 9A766

Composite Materials: Fatigue and Fracture, Sixth Volume (ASTM, 1997) 10N15

Initiation of surface and interface edge cracks in functionally graded ceramic thermal barrier coatings, J Eng Mat Tech 119(2) 148-152 (Apr 1997), 10A758

Fiber-matrix interface crack: A numerical analysis using BEs, Int J Fracture 82(1) 11-29 (1996), 10A825

Investigation of mode-I fracture of early age concrete by a non-local plasticity approach, Proc JSCE 557(V-34) 135-144 (Feb 1997), 10A826

Mathematical model for the prediction of volume change cracking in end-restrained concrete members, Mat Struct 30(197) 174-181 (Apr 1997), 10A827

New approach to predicting interfacial crack growth, Appl Math Mech 18(1) 37-44 (Jan 1997), 10A828

Aggregate interlock and steel shear forces in the analysis of RC membrane elements, ACI Struct J 94(2) 159-170 (Mar-Apr 1997), 10A926

Simulation of thermal stress in reinforced concrete at early ages with a simplified model, Mat Struct 30(197) 167-173 (Apr 1997), 10A941

Mechanics of Hydraulic Fracturing (Gulf Publ, Houston, 1997) 11R23

Analysis of an internal central crack with bridging fibers in a finite orthotropic plate, Int J Eng Sci 35(6) 549-560 (May 1997), 11A713

Crack nucleation due to dislocation pile-ups at I-, U- and amorphized triple lines, Mech Mat 25(3) 215-234 (Apr 1997), 11A714

Fracture parameters by polylinear tension-softening analysis, J Eng Mech 123(5) 444-450 (May 1997), 11A715

Mode I damage modeling in brittle preloading, Int J Damage Mech 6(2) 153-165 (Apr 1997), 11A716

Symmetrical propagation of a central crack in orthotropic material, J Appl Mech 62(4) 1047-1052 (Dec 1995), 11A717
Long-term durability in water of aluminium alloy adhesive joints bonded with epoxy adhesives, Int J Adhesion Adhesives 17(2) 89-105 (May 1997), 11A888
Limitations on the use of the mixed-mode delaminating beam test specimen: Effects of the size of the region of K-dominance, Mech Mat 25(4) 291-308 (May-Jun 1997), 12A46
Generalized inverse of the compliance tensor, and behavior of incompressible anisotropic materials: Application to damage, Mech Res Commun 24(4) 371-376 (Jul-Aug 1997), 12T498
Moisture migration and cracking in plastic quad flat packages, J Electron Packaging 119(2) 85-88 (Jun 1997), 12A821
Simulation of the process of destruction of orthotropic materials under biaxial loading, Prikl Mekh (Appl Mech) 32(10) 81-87 (1996), 12A822
Treatment of anisotropic damage development within a scalar damage formulation, Comput Mech 19(6) 522-526 (May 1997), 12A823

276N. Crack stability and branching

Destruction of expanded plates with a marginal crack with account of preliminary local loss of stability (Russian), Prikl Mekh (Appl Mech) 32(2) 59-63 (1996), 1T594
Bifurcation of crack pattern in arrays of 2D cracks, Int J Fracture 77(1) 1-14 (1996), 2A696
CTOA-based approach to burst and leak-before-break behavior, Int J Pressure Vessels Piping 69(2) 125-134 (Dec 1996), 4A767
Effect of interface roughness on fatigue crack growth in Sn-Pb solder joints, J Electron Packaging 118(3) 170-173 (Sep 1996), 4A768
Equilibrium solute distribution near an interface crack tip and environment-assisted cracking in bimaterials, Mech Res Commun 23(6) 583-588 (Nov-Dec 1996), 6T792
Formation and propagation of mode I branch cracks in mixed mode fatigue failure, Eng Fracture Mech 56(2) 213-231 (Jan 1997), 7A649
Effects of the Environment on the Initiation of Crack Growth (ASTM, 1997) 10N20
Ductile crack as trigger of brittle fracture in steel, J Struct Eng 123(6) 729-735 (Jun 1997), 11A15
Stability of cohesive crack model - Part I: Energy principles, J Appl Mech 62(4) 959-964 (Dec 1995), 11A718
Stability of cohesive crack model - Part II: Eigenvalue analysis of size effect on strength and ductility of structures, J Appl Mech 62(4) 965-969 (Dec 1995), 11A719

276Q. Impulsive loading and impact

Modeling the shock response of silicon carbide, boron carbide, and titanium diboride, Int J Impact Eng 18(6) 611-631 (Sep 1996), 1A777
Structural mechanics modeling of the impact of a double cantilever beam, Int J Fracture 76(4) 311-326 (1995), 1A778
Analysis of dynamic stress concentration in an infinite body with parallel penny-shaped cracks by BIEM, Eng Fracture Mech 55(2) 191-207 (Sep 1996), 2A697
Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), J Soc Mat Sci Japan 45(7) 792-798 (Jul 1996), 2A698
Evaluation of critical impact velocity of materials and its application to processing thin plates (Japanese), J Soc Mat Sci Japan 45(7) 805-810 (Jul 1996), 2A699
Explicit finite difference procedure for contact-impact analysis of crack edges, Arch Appl Mech 66(7) 493-502 (Jul 1996), 2A700
Slow impact punching in brittle materials (Japanese), J Soc Mat Sci Japan 45(7) 811-816 (Jul 1996), 2A701
Measuring method for impact tensile strength of brittle materials, J Soc Mat Sci Japan 45(7) 823-828 (Jul 1996), 2A726
Explosively generated pulse propagation through particles containing natural cracks, Mech Mat 23(4) 255-270 (Aug 1996), 3A487
Effects of higher vibration modes in the analysis of three point bend testing, Int J Fracture 77(4) 367-379 (1996), 3A714
Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, Int J Pressure Vessels Piping 69(2) 97-104 (Dec 1996), 4A769
Dynamic fracture toughness measurements and local approach modeling of titanium alloys, Fatigue Fracture Eng Mat Struct 19(11) 1317-1327 (1996), 5A688
Homogenized penetration calculations, Int J Solids Struct 34(1) 47-59 (Jan 1997), 5A689
Modeling of damage behaviors of high impact polystyrene, Eng Fracture Mech 55(4) 583-591 (Nov 1996), 5A690
Pressure vessel steel fracture toughness in the regime from room temperature to 400°C, Nucl Eng Des 167(2) 215-222 (Nov 1996), 6A1499
Dynamic fracture analysis of an inclined subsurface crack subjected to dynamic moving loadings, Int J Fracture 80(1) 1-18 (1996), 7A759
Transport treatment of crack population in finite medium - Part II: Damage behavior in different zones, Int J Impact Eng 19(3) 257-272 (Mar 1997), 8A243
Fragmentation and dispersion of aluminum nitride ceramic plates by hypervelocity impact, Int J Impact Eng 19(4) 285-295 (Apr 1997), 9A193
Ballistic properties of tool steel as a potential improvised armour plate, Int J Impact Eng 19(4) 297-309 (Apr 1997), 9A194
Local response of concrete slabs to low velocity missile impact, Int J Impact Eng 19(4) 331-343 (Apr 1997), 9A197
Axisymmetric dynamic response of a penny-shaped crack to a pair of transient concentrated forces, Int J Fracture 81(1) 77-88 (1996), 9A767
Numerical simulation of anvil interactions in the impact testing of notched bend specimens, Int J Fracture 81(1) 27-37 (1996), 9A768
High strain-rate fracture characteristics of ductile metals at elevated and sub-ambient temperatures, Fatigue Fracture Eng Mat Struct 20(4) 573-581 (1997), 10A829
Fracture of steel moment connections in the Northridge earthquake, Proc Inst Civil Eng Struct Build 122(2) 209-217 (May 1997), 11A720
Garteur "damage tolerance", Composite Struct 36(3-4) 173-275 (Nov-Dec 1996), 12A551
Dynamic stress intensity factors around two rectangular cracks in a half space under impact load, Acta Mech 121(1-4) 153-164 (1997), 12A799

276S. Dynamic crack propagation

Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, Mech Solids 31(1) 100-108 (1996), 1A687
Influence of elastic waves on dynamic stress intensity factors: 3D problems, Arch Appl Mech 66(6) 385-394 (Jun 1996), 1A742
Characterization of isochromatic fringe patterns for a dynamically propagating interface crack, Int J Fracture 76(4) 293-310 (1995), 1A779
Investigation of loading rate and plate thickness effects on dynamic fracture toughness of PMMA, Eng Fracture Mech 54(6) 805-811 (Aug 1996), 1A780
Molecular dynamics simulation of effects of lattice orientation on crack propagation in alpha-iron when the primary slip direction is in the plane of tensile stress, JSME Int J Ser A 39(3) 321-329 (Jul 1996), 1A781
Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation, Med Eng Phys 18(5) 396-404 (Jul 1996), 1A1446
Investigation of dynamic crack initiation in PMMA, Mech Mat 23(3) 229-239 (Jul 1996), 2A702
Explosively generated pulse propagation through particles containing natural cracks, Mech Mat 23(4) 255-270 (Aug 1996), 3A487
Modeling the dynamic behavior of a rotating shaft with a transverse crack (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(2) 125-146 (1996), 3A515
Theory of local limiting speed in dynamic fracture, J Mech Phys Solids 44(9) 1453-1474 (Sep 1996), 3A686
Elastic wedge with an extending crack - II, Eng Fracture Mech 55(3) 413-423 (Oct 1996), 3A715
Evaluation of crack propagation stability with the Williams stress function - I: Stress field analysis, Comput Struct 61(4) 775-780 (Nov 1996), 3A716
Tearing of an elastic wedge - I, Eng Fracture Mech 55(3) 405-411 (Oct 1996), 3A717
Fracture: A Topical Encyclopedia of Current Knowledge (Krieger, Melbourne FL, 1997) 5N13
Dynamic crack propagation and crack arrest investigated with a new specimen geometry - Part I: Experimental and numerical calculations, Fatigue Fracture Eng Mat Struct 19(11) 1357-1367 (1996), 5A691
Dynamic crack propagation and crack arrest investigated with a new specimen geometry - Part II: Experimental study on a low-alloy ferritic steel, Fatigue Fracture Eng Mat Struct 19(11) 1369-1381 (1996), 5A692
Dynamic crack propagation in piezoelectric materials - Part I: Electrode solution, J Mech Phys Solids 44(11) 1799-1830 (Nov 1996), 5A693
Dynamic crack propagation in piezoelectric materials - Part II: Vacuum solution, J Mech Phys Solids 44(11) 1831-1866 (Nov 1996), 5A694
Transient wave analysis of an antiplane crack interaction with half-plane boundary, Int J Eng Sci 34(13) 1507-1517 (Oct 1996), 5A695
Role of the process zone in dynamic fracture, J Mech Phys Solids 44(12) 1955-1976 (Dec 1996), 6A720
Dynamic asymptotic fields near a crack tip growing in a power-law hardening compressible material, Mech Mat 24(3) 213-220 (Nov 1996), 6A793
Nonlinear stochastic model of fatigue crack dynamics, Probab Eng Mech 12(1) 33-40 (Jan 1997), 6A794
Propagation of cracks in elastic media, Arch Rational Mech Anal 136(3) 235-290 (1996), 6T795
Rapid crack propagation in plastic water pipes: Measurement of dynamic fracture resistance, Int J Fracture 79(1) 85-95 (1996), 6A796
Asymptotic fields for dynamic crack growth at a ductile-brittle interface, J Mech Phys Solids 45(1) 67-85 (1 1997), 7A760
Development and validation of a dynamic fracture propagation model for gas transmission pipelines, Int J Pressure Vessels Piping 70(1) 11-25 (Jan 1997), 7A761
Dynamic cracks in an elasto-plastic body, Eng Fracture Mech 56(2) 249-254 (Jan 1997), 7A762
Dynamic self-similar debonding of interface at very high velocity: Anti-plane case, Acta Mech Solida Sinica 9(4) 283-295 (1996), 7A763
Effect of orthotropy on the intersonic shear crack propagation, J Appl Mech 63(4) 933-938 (Dec 1996), 7A764
Energy balance analysis on mode-III dynamic crack propagation in fixed-sided strip, Int J Fracture 80(1) 33-44 (1996), 7A765
Numerical study of dynamic crack growth in elastic-viscoplastic solids, Int J Solids Struct 34(7) 769-787 (3 1997), 7A766
Subsonic and intersonic crack growth along a bimaterial interface, J Appl Mech 63(4) 919-924 (Dec 1996), 7A767
Time-domain BE analysis in 3D dynamic fracture mechanics, Boundary Elements Comm 7(6) 253-256 (1996), 8A65
Dynamic crack initiation and growth in thick unidirectional graphite-epoxy plates, Composites Sci Tech 57(1) 55-65 (Jan 1997), 8A816
Dynamic fracture analysis of a finite crack subjected to an incident horizontally polarized shear wave, Int J Solids Struct 34(8) 895-910 (Mar 1997), 8A817
Role of microcracks in the dynamic fracture of brittle materials, J Mech Phys Solids 45(4) 535-563 (Apr 1997), 9A727
Mixed-type integral equations for transient elastodynamic plane crack problems, Int J Fracture 81(1) 39-53 (1996), 9A769
Three-dimensional dynamic perturbation of a propagating crack, J Mech Phys Solids 45(4) 591-610 (Apr 1997), 9A770
Effects of the Environment on the Initiation of Crack Growth (ASTM, 1997) 10N20
Analysis of dynamic crack propagation using a time-domain boundary integral equation method, Int J Solids Struct 34(17) 2087-2103 (Jun 1997), 10A830
Driving force and deformation analysis for dynamic crack propagation in gas pipelines under different boundary conditions, Acta Mech Solida Sinica 10(1) 86-94 (1997), 10A831
Dynamic crack propagation in a layered medium under antiplane shear, J Appl Mech 64(1) 66-72 (Mar 1997), 10A832
Finite element analysis of plane strain dynamic crack growth at a ductile-brittle interface, Int J Fracture 81(4) 321-341 (1996), 10A833
Near-tip field for steady dynamic crack growth in a compressible elastic-plastic material, J Mech Phys Solids 45(6) 989-1005 (Jun 1997), 11A721
Transient analysis of dynamic crack propagation with boundary effect, J Appl Mech 62(4) 1029-1038 (Dec 1995), 11A722
Fatigue Damage, Crack Growth and Life Prediction (Chapman and Hall, New York, 1996) 12R25
Influence of aging at intermediate temperatures on the monotonic stress-strain behavior and fracture toughness of a duplex stainless steel, Fatigue Fracture Eng Mat Struct 20(5) 645-657 (1997), 12A528
Crack path stability in a layered material, Comput Mech 19(6) 545-552 (May 1997), 12A824
Dynamic crack growth along an elastoplastic bimaterial interface, Acta Mech 121(1-4) 51-77 (1997), 12A825
Finite element analysis of horizontal and branched subsurface cracks in brittle materials, Wear 208(1-2) 237-242 (Jul 1997), 12A826

276U. Crack arrest or retardation

Effect of strain-dependent cohesive zone model on predictions of crack growth resistance, Int J Solids Struct 33(20-22) 3297-3308 (Aug 1996), 1A782
Edge debonding in patched cylindrical panels, Int J Solids Struct 33(25) 3755-3777 (Oct 1996), 2A654
Stress concentration and fatigue strength of rectangular plates with bolted circular holes (Japanese), Proc JSCE 543(I-36) 123-132 (Jul 1996), 3A718
Predicting structural crack arrest behavior using small-scale material characterization tests, Int J Pressure Vessels Piping 69(2) 185-196 (Dec 1996), 4A770
Crack arrest toughness of a heat-affected zone containing local brittle zones, J Offshore Mech Arctic Eng 118(4) 292-299 (Nov 1996), 6A797
Crack growth resistance curves and stick-slip fracture instabilities, Mech Res Commun 24(2) 123-130 (Mar-Apr 1997), 8T818
Criteria for the arrest of a crack in a pressure vessel, Int J Pressure Vessels Piping 71(1) 55-60 (Apr 1997), 9A771
Effect of compressive load on overload retardation (Chinese), J Dalian Univ Tech 37(1) 24-28 (Jan 1997), 10A834
Cleavage crack growth resistance due to plastic flow around a near-tip dislocation-free region, J Mech Phys Solids 45(6) 1007-1023 (Jun 1997), 11A685
Crack arrest test using a toughness gradient steel plate, J Pressure Vessel Tech 117(4) 330-334 (Nov 1995), 11A723

276W. Micromechanisms

Molecular dynamics simulation of effects of lattice orientation on crack propagation in alpha-iron when the primary slip direction is in the plane of tensile stress, JSME Int J Ser A 39(3) 321-329 (Jul 1996), 1A781
Atomic mechanics simulation on nucleation process of grain boundary groove in aluminum conductor of microelectronic packages, JSME Int J Ser A 39(3) 291-296 (Jul 1996), 1A783
Interaction between an interface crack and a microcrack under antiplane loading, Int J Fracture 76(3) 263-278 (1995), 1A784
Interaction of a main crack with ordered distributions of microcracks: A numerical technique by displacement discontinuity BEs, Int J Fracture 76(4) 373-389 (1995), 1A785
Molecular dynamics study on stress-strain in very thin film: Size and location of region for defining stress and strain, JSME Int J Ser A 39(3) 346-353 (Jul 1996), 1A786
Microcrack growth law for multiaxial fatigue, Fatigue Fracture Eng Mat Struct 19(7) 821-837 (1996), 2A703
Microcrack toughening in brittle materials containing weak and strong interfaces, Acta Mat 44(9) 3599-3609 (Sep 1996), 2A704
Micromechanics of composites with shape memory alloy fibers in uniform thermal fields, AIAA J 34(9) 1905-1912 (Sep 1996), 2A705
Iterative integral equation formulation for the macrocrack: Array of microcracks interaction problem, Arch Appl Mech 66(7) 434-446 (Jul 1996), 2A713
Brittle intergranular failure in 2D microstructures: Experiments and computer simulations, Acta Mat 44(10) 4003-4018 (Oct 1996), 4A771
Microcrack propagation and microstructural parameters of fatigue damage, Fatigue Fracture Eng Mat Struct 19(9) 1107-1115 (1996), 5A583
Micro-mechanics model of corrosion-fatigue crack growth in steels, Fatigue Fracture Eng Mat Struct 19(11) 1383-1400 (1996), 5A608
Correlation between characteristics of fracture process zone and tension-softening properties of concrete, Nucl Eng Des 165(3) 359-376 (Sep 1996), 5A696
Influence of damage in the vicinity of a macrocrack tip, Eng Fracture Mech 55(4) 617-632 (Nov 1996), 5A697
Modeling fracture process in a ductile solid under intense impulsive loading using a model of the void growth with temperature-dependency, Eng Fracture Mech 55(4) 657-674 (Nov 1996), 5A698
Theoretical framework of nonequilibrium statistical fracture mechanics, Eng Fracture Mech 55(5) 699-716 (Nov 1996), 5A699
Equilibrium solute distribution near an interface crack tip and environment-assisted cracking in bimaterials, Mech Res Commun 23(6) 583-588 (Nov-Dec 1996), 6T792
Determination for the time-to-fracture of solids, Int J Fracture 79(4) 341-350 (1996), 6A798
Energy analysis of triple junction crack nucleation due to the wedging action of grain boundary dislocations, Int J Fracture 78(2) 165-191 (1996), 6A799
Global view of microstructural evolution: Energetics, kinetics and dynamical systems, Acta Mech Sinica 12(2) 144-157 (1996), 6A800
Plane problem of macro-microcrack interaction taking account of crack closure, Eng Fracture Mech 55(6) 957-967 (Dec 1996), 6A801
Contribution of subinterface microcracks near the tip of an interface macrocrack to the J-integral in bimaterial solids, Int J Eng Sci 35(4) 387-407 (Mar 1997), 8A819
Micro-mechanics of plastic deformations in a polycrystalline material subjected to monotone and variable loadings, J Machinery Manuf Reliab 3 59-66 (1996), 8T820
Size effects in brittle specimen with microcrack interaction, Comput Struct 63(3) 429-437 (May 1997), 9A772

Methods of Fracture Mechanics: Solid Matter Physics (Kluwer, Netherlands, 1997) 10R13
Numerical modeling of ductile crack growth in 3D using computational cell elements, Int J Fracture 82(1) 67-95 (1996), 10A795
Microcrack initiation at tip of a rigid line inhomogeneity, Int J Fracture 82(1) 1-9 (1996), 10A835
Techniques to establish the characteristic curve for microcrack growth in brittle laminated materials, Eng Fracture Mech 56(6) 827-837 (Apr 1997), 10A836
Three-dimensional cell model analyses of void growth in ductile materials, Int J Fracture 81(3) 235-258 (1996), 10A837
Damage Mechanics (Elsevier Sci BV, Netherlands, 1996) 11R20
Scaling of structural failure, Appl Mech Rev 50(10) 593-627 (Oct 1997), 11A672
Impact resistance and fracture toughness of vanadium-based microalloyed forging steel in the as-forged and Q&T conditions, J Eng Mat Tech 118(1) 71-79 (Jan 1996), 11A724
New post-yield fracture toughness parameters for engineering materials, J Pressure Vessel Tech 117(4) 395-398 (Nov 1995), 11A725
Brittle solid under compression - Part I: Gradient mechanisms of microcracking, Int J Solids Struct 34(20) 2563-2581 (Jul 1997), 12A790
Brittle solid under compression - Part II: The problem of macro to micro linkage, Int J Solids Struct 34(20) 2583-2594 (Jul 1997), 12A791
SEM study of the fracture mechanism in a X8019 AL-20 Vol% SiC_p metal matrix composite, J Mech Behavior Mat 8(1) 15-27 (1997), 12A817
Analysis and modelization of short crack growth by ductile fracture micromechanisms, Fatigue Fracture Eng Mat Struct 20(5) 633-644 (1997), 12A827
Determination of the energetic parameters controlling cleavage fracture initiation in steels, Fatigue Fracture Eng Mat Struct 20(5) 619-632 (1997), 12A828
Energy release rates for an interface crack embedded in a laminated beam subjected to three-point bending, J Appl Mech 64(2) 375-382 (Jun 1997), 12A829
Morphological studies relating to the fracture stress and fracture toughness of silicon nitride, Fatigue Fracture Eng Mat Struct 20(6) 829-838 (1997), 12A830
Statistical formulation and experimental determination of growth rate of micrometer cracks under impact loading, Int J Solids Struct 34(22) 2905-2925 (Aug 1997), 12A831
Stress concentrations and microfracturing patterns in a brittle elastic solid with interacting pores of diverse shapes, Int J Solids Struct 34(22) 2887-2904 (Aug 1997), 12A832
Zener-Stroh crack near an interface, Int J Solids Struct 34(22) 2829-2842 (Aug 1997), 12A833

276Y. Computational techniques

Computational modeling of impact damage in brittle materials, Int J Solids Struct 33(20-22) 2899-2938 (Aug 1996), 1A721
Atomic mechanics simulation on nucleation process of grain boundary groove in aluminum conductor of microelectronic packages, JSME Int J Ser A 39(3) 291-296 (Jul 1996), 1A783
Molecular dynamics study on stress-strain in very thin film: Size and location of region for defining stress and strain, JSME Int J Ser A 39(3) 346-353 (Jul 1996), 1A786
Application of the weight function method to 2D elastodynamic fracture mechanics, Int J Fracture 76(3) 193-206 (1995), 1A787
Crack modeling: A technique for the fatigue design of components, Eng Failure Anal 3(2) 129-136 (Jun 1996), 1A788
Green's functions of 2D anisotropic body with a parabolic boundary, Appl Math Mech 17(5) 393-402 (May 1996), 1A789
Sensitivity of material parameters in the FE computation of microvoid nucleation and growth, Int J Damage Mech 5(3) 259-277 (Jul 1996), 1A790
Finite element analysis of strain softening response for damaged materials (Chinese), J Comput Struct Mech Appl 13(3) 279-286 (Aug 1996), 2A25
Application of the BEM to modeling of crack propagation trajectories, Comp Assisted Mech Eng Sci 3(2) 155-167 (1996), 2A46
Elastic-plastic FE analysis of spall formation in gears, Wear 197(1-2) 197-205 (Sep 1996), 2A404
Explicit finite difference procedure for contact-impact analysis of crack edges, Arch Appl Mech 66(7) 493-502 (Jul 1996), 2A700
Investigation of dynamic crack initiation in PMMA, Mech Mat 23(3) 229-239 (Jul 1996), 2A702
Application of genetic algorithms to identify damage in elastic structures, J Sound Vib 195(2) 195-215 (Aug 1996), 2A706
Calculations on the stress distribution in an infinite sheet with a single crack and with periodic colinear cracks, Eng Fracture Mech 55(2) 313-320 (Sep 1996), 2A707
Certain aspects related to computation by modified crack closure integral, Eng Fracture Mech 55(2) 335-339 (Sep 1996), 2A708
Damage localization in structures without baseline modal parameters, AIAA J 34(8) 1644-1649 (Aug 1996), 2A709
Determination of surface and interior cracks from electrostatic measurements using Schwarz-Christoffel transformations, Int J Eng Sci 34(10) 1165-1181 (Aug 1996), 2A710
Finite element calculation of energy release rate prior to crack kinking in 2D solids, Int J Numer Methods Eng 39(17) 3033-3046 (Sep 1996), 2A711
Identification of cracks in 3D bodies by many boundary measurements, Inverse Prob 12(4) 395-408 (Aug 1996), 2A712
Iterative integral equation formulation for the macrocrack: Array of microcracks interaction problem, Arch Appl Mech 66(7) 434-446 (Jul 1996), 2A713
New method for simulating fracture using an elastically uniform random geometry lattice, Int J Eng Sci 34(10) 1131-1144 (Aug 1996), 2A714
Recursive distribution method for probabilistic fracture mechanics, Comput Mech 18(3) 175-181 (Jul 1996), 2A715
Time-dependent BE analysis for an interface crack in a 2D unidirectional viscoelastic model composite, Int J Fracture 77(1) 15-28 (1996), 2A716
Application of the BEM to modeling of crack propagation trajectories, Trans Inst Fluid-Flow Machinery 0(100) 155-173 (1996), 2A1113
FEM study of driving forces of short cracks at inclusions in hard steels, Int J Fatigue 18(6) 389-399 (Aug 1996), 3A11
Three-dimensional FE analyses of corner cracks at stress concentrations, Eng Fracture Mech 55(3) 505-512 (Oct 1996), 3A13
Method and theory for nondestructive determination of fracture energy in concrete structures, ACI Struct J 93(5) 602-613 (Sep-Oct 1996), 3A706
Analysis of crack closure problem using the dual BEM, Int J Fracture 77(4) 323-336 (1996), 3A719
Finite element analysis of a subsurface crack, Int J Fracture 77(4) 337-350 (1996), 3A720
General treatment of interacting cracks near an interfacial crack, Int J Eng Sci 34(12) 1397-1408 (Sep 1996), 3A721
Gradient enhanced damage for quasi-brittle materials, Int J Numer Methods Eng 39(19) 3391-3403 (Oct 1996), 3A722
Solution of edge crack problem by using a novel weight function formulation, Commun Numer Methods Eng 12(8) 497-505 (Aug 1996), 3A723
Three-dimensional nonplanar fracture model using the surface integral method, Int J Fracture 77(3) 243-262 (1996), 3A724
Solution of Crack Problems: The Distributed Dislocation Technique (Kluwer, Netherlands, 1996) 4R11
Fracture condition based on the upper bound method for the extrusion of bimetallic tubes, J Mat Processing Tech 61(3) 265-274 (Sep 1996), 4A656
Side curvature effect on the stress intensity factor K_I of finite width cracked elements subjected to tension and bending, J Theor Appl Mech 34(4) 683-693 (1996), 4A741
Conservatism of the net-section stress procedure for predicting the failure of cracked piping systems: The effect of crack shape complexity on the degree of conservatism, Int J Pressure Vessels Piping 69(2) 197-201 (Dec 1996), 4A772
Determination of an equivalent elastic modulus for bodies with cracks by BEM, Acta Mech Solida Sinica 9(3) 210-216 (1996), 4A773
Identification of planar cracks by complete overdetermined data: Inversion formulae, Inverse Prob 12(5) 553-563 (Oct 1996), 4A774
Inverse elastic scattering from a crack, Inverse Prob 12(5) 667-684 (Oct 1996), 4A775
K_I-L, failure assessment diagrams as applied to a flaw in the vicinity of a stress concentration, Int J Pressure Vessels Piping 69(2) 203-206 (Dec 1996), 4A776
Weight functions of loading modes I, II, and III for a round hole with two symmetric radial cracks, J Theor Appl Mech 34(3) 609-620 (1996), 4A777
Fracture: A Topical Encyclopedia of Current Knowledge (Krieger, Melbourne FL, 1997) 5N13
Group of isoparametric elements suitable for St Venant's torsion of a bar with cracks, Appl Math Mech 17(8) 795-804 (Aug 1996), 5A29
Unified approach to the evaluation of linear elastic stress fields in the neighborhood of cracks and notches, Int J Fracture 78(1) 3-19 (1996), 5A393
Determination of residual stresses in components using the fracture mechanics weight function, Eng Fracture Mech 55(4) 571-576 (Nov 1996), 5A421
Reliability of steam generator tubes with axial cracks, J Pressure Vessel Tech 118(4) 441-446 (Nov 1996), 5A627
Study on the prediction of remaining life and ageing of material for pressurized tubes of industrial furnace operated at elevated temperature, Int J Pressure Vessels Piping 69(3) 247-252 (Dec 1996), 5A629
Failure cause analysis: A structural approach, J Pressure Vessel Tech 118(4) 434-440 (Nov 1996), 5A631
Crush-crack: A non-local damage model for concrete, Mech Cohesive-Frictional Mat 1(4) 321-347 (Oct 1996), 5A640
Boundary element formulations in fracture mechanics, Appl Mech Rev 50(2) 83-96 (Feb 1997), 5A700
Boundary element method for the frictionless arc-shaped crack closure problem, Eng Anal Boundary Elements 17(3) 245-252 (Apr 1996), 5A701
FEM analysis of concrete structures subjected to mode-I and mixed-mode loading conditions, Comput Struct 61(6) 1043-1055 (Dec 1996), 5A702
Higher order crack tip fields and its implication for fracture of solids under mode II conditions, Eng Fracture Mech 55(5) 777-794 (Nov 1996), 5A703
Modeling of 3D mixed-mode fractures near planar bimaterial interfaces using surface integrals, Int J Numer Methods Eng 39(21) 3679-3703 (Nov 1996), 5A704
Numerical simulation of rapid crack propagation in viscoplastic materials, Comput Struct 61(6) 1169-1175 (Dec 1996), 5A705
Recent advances in the alternating method for elastic and inelastic fracture analyses, Comput Methods Appl Mech Eng 137(1) 1-58 (Oct 1996), 5A706
Search for methods to assess the fuzzy fracture probability of spherical tanks, Int J Pressure Vessels Piping 69(3) 225-231 (Dec 1996), 5A707
Structural damage detection using real-time modal parameter identification algorithm, AIAA J 34(11) 2370-2376 (Nov 1996), 5A708
Effective 3D BEM with mixed boundary conditions for surface crack problems, Boundary Elements Comm 7(5) 201-205 (1996), 6A80
Damage detection in beam structures using subspace rotation algorithm with strain data, AIAA J 34(12) 2609-2614 (Dec 1996), 6A746
Minimum-rank optimal update of elemental stiffness parameters for structural damage identification, AIAA J 34(12) 2615-2621 (Dec 1996), 6A747
Unified approach for multi-site damage tolerance and fatigue analysis, Boundary Elements Comm 7(5) 212-216 (1996), 6A748
Stress concentrations around multiple fiber breaks in an elastic matrix with local yielding or debonding using quadratic influence superposition, J Mech Phys Solids 44(12) 1997-2039 (Dec 1996), 6A783
Stress intensity factors of regularly and singularly perturbed-interface cracks, Mech Mat 24(3) 175-198 (Nov 1996), 6A784
BIEM optimization method for fracture dynamics inverse problem, Acta Mech Sinica 12(3) 263-271 (1996), 6A802
Calculations of fracture criteria by classical mechanics - I: Pellini's Duplex Rule, Int J Fracture 78(2) 117-124 (1996), 6A803
Calculations of fracture criteria by classical mechanics - II: COD, Int J Fracture 78(2) 125-130 (1996), 6A804
Damage development in a sidegrooved CT specimen based on a 3D endochronic damage model, Int J Fracture 79(3) 209-224 (1996), 6A805
Discrete formulation for elastic solids with damaging interfaces, Comput Methods Appl Mech Eng 140(3-4) 329-359 (Jan 1997), 6A806
Elastic Green's function for a bimaterial composite solid containing a crack inclined to the interface, Comput Mech 19(1) 41-48 (Nov 1996), 6A807
Evaluation of the energy parameter J on rubber-like materials: Comparison between experimental and numerical results, Eng Fracture Mech 55(6) 919-933 (Dec 1996), 6A808
Performance of quarter-point BEs in analyzing thermally stressed kinked and curved cracks, Comput Methods Appl Mech Eng 137(2) 153-165 (Oct 1996), 6A809
Simple procedure to simulate the failure evolution, Struct Eng and Mech 4(6) 601-612 (Nov 1996), 6A810
Smoothed particle hydrodynamics: Some recent improvements and applications, Comput Methods Appl Mech Eng 139(1-4) 375-408 (Dec 1996), 6A811
Weight function technique in 3D fracture mechanics: Static and dynamic, Int J Fracture 78(2) 101-115 (1996), 6A812
Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes, Nucl Eng Des 167(1) 55-67 (Nov 1996), 6A1498
Dynamic Fracture Mechanics: Displacement Discontinuity Method (Comput Mech, Billerica MA, 1996) 7R1
Finite element analysis of local damage and post-failure behavior for strain-softening solid, Int J Fracture 80(1) 85-95 (1996), 7A15
Transformation toughening of a ceramic in stable crack growth under plane stress conditions, Acta Mech Solida Sinica 9(4) 330-336 (1996), 7A653
Analytical solution of cracked shell resting on elastic foundation, Acta Mech Solida Sinica 9(4) 306-319 (1996), 7A768
Computation of residual stress intensity factors for non-propagated cracks with phase-transformation zones in finite bodies, Eng Fracture Mech 56(3) 397-408 (Feb 1997), 7A769
Influence of strength mis-matching on crack driving force and failure assessment curve of weldment, Int J Pressure Vessels Piping 70(1) 33-41 (Jan 1997), 7A770
Prediction of fracture toughness using artificial neural networks, Eng Fracture Mech 56(3) 311-319 (Feb 1997), 7A771
Residual crack profiles under weak phase-transformation conditions, Eng Fracture Mech 56(2) 275-284 (Jan 1997), 7A772
Semi-analytical study of the edge-cracked circular disc by use of the boundary collocation method, Eng Fracture Mech 56(3) 331-346 (Feb 1997), 7A773
Weight functions for cracks near the interface of a bimaterial joint, and application to thermal stresses, Eng Fracture Mech 56(1) 87-100 (Jan 1997), 7A774
Thermal stresses around the thin circular disc-like inclusion in an infinite medium under general temperature conditions, J Thermal Stresses 20(1) 1-19 (Jan-Feb 1997), 7A1363
Cruciform crack problem and sigmoidal transformations, Math Methods Appl Sci 20(2) 121-132 (Jan 1997), 8A821
Damage occurrence under dynamic loading for strain rate sensitive materials, Commun Numer Methods Eng 13(2) 113-126 (Feb 1997), 8A822
Finite element analysis of non-prescribed crack propagation in concrete, Comput Struct 63(1) 17-26 (Apr 1997), 8A823
Finite element technique to simulate the stable shape evolution of planar cracks with an application to a semi-elliptical surface crack in a bimaterial finite solid, Int J Numer Methods Eng 40(5) 905-917 (Mar 1997), 8A824
Mixed boundary problems for a mixed mode crack in a finite plate, Eng Fracture Mech 56(5) 647-655 (Mar 1997), 8A825
New algorithm for Cauchy principal value and Hadamard finite-part integrals, J Comput Appl Math 78(2) 255-275 (Feb 1997), 8A826
Novel weight function approach for plane elasticity crack problem, Int J Eng Sci 35(4) 423-435 (Mar 1997), 8A827
Prediction of fatigue failure in a crankshaft using the technique of crack modeling, Fatigue Fracture Eng Mat Struct 20(1) 13-21 (1997), 8A828
Probabilistic fracture analysis of cracked pipes with circumferential flaws, Int J Pressure Vessels Piping 70(3) 223-236 (Mar 1997), 8A829
Simulation of progressive fracturing under dynamic loading conditions, Commun Numer Methods Eng 13(2) 127-138 (Feb 1997), 8A830
Fracture analysis of the NESC-1 spinning cylinder experiment, J Pressure Vessel Tech 119(1) 52-56 (Feb 1997), 8A1514
Structural FE analysis with new interface model, J Eng Mech 123(3) 276-285 (Mar 1997), 9A722
Boundary element method based computation of stress intensity factor by modified crack closure integral, Comput Mech 19(3) 203-210 (Feb 1997), 9A773
Complex variable approach to the BEM for multiple crack problems, Comput Methods Appl Mech Eng 141(3-4) 247-264 (Feb 1997), 9A774
Dynamic stress analysis and a fracture mechanics approach to life prediction of turbine blades, Mech Machine Theory 32(4) 511-527 (May 1997), 9A775
Evaluation of crack propagation stability with the Williams stress function - Part II: Numerical analysis, Comput Struct 63(5) 1007-1014 (Jun 1997), 9A776
Flexible strategy for numerical path integration, Adv Eng Software 28(3) 203-210 (Apr 1997), 9A777
Fracture behavior of a center cracked tensile specimen, Fatigue Fracture Eng Mat Struct 20(2) 201-216 (1997), 9A778
Numerical scheme for mode III dynamic fracture problems, Int J Numer Methods Eng 40(7) 1181-1196 (Apr 1997), 9A779
Singular p-version FEs for stress intensity factor computations, Int J Numer Methods Eng 40(6) 1091-1114 (Mar 1997), 9A780
State of the art in BEMs for fracture mechanics, Strojnicky Casopis 48(1) 1-24 (1997), 9A781
Uniqueness result on crack location in vibrating rods, Inverse Prob Eng 4(3) 231-254 (1997), 9A782
Three-Dimensional Analysis of Crack Growth (Comput Mech, Billerica MA, 1996) 10R14
Finite element modeling of expansive oxide induced fracture of rebar reinforced concrete, Eng Fracture Mech 56(6) 797-812 (Apr 1997), 10A30
Application of the BEM to the fatigue cracked propagation in a crack heterogeneous body, Eng Fracture Mech 56(6) 839-840 (Apr 1997), 10A87
Two-step structural damage detection approach with limited instrumentation, J Vib Acoust 119(2) 258-264 (Apr 1997), 10A236
Volume integral equation technique for multiple inclusion and crack interaction problems, J Appl Mech 64(1) 23-31 (Mar 1997), 10A567
Analysis of hygral induced crack growth in multi-phase materials, Heron 41(4) 267-286 (1996), 10A838

Anisotropic damage effect tensors for the symmetrization of the effective stress tensor, J Appl Mech 64(1) 106-110 (Mar 1997), 10A839
Asymptotic solution to the antiplane shear dynamic crack-tip field in an elastic strain-softening viscoplastic material, Appl Math Mech 18(2) 173-179 (Feb 1997), 10A840
Complete eigen-solutions for plane notches with multi-materials by the imbedding method, Int J Fracture 81(4) 373-381 (1996), 10A841
Enriched element-free Galerkin methods for crack tip fields, Int J Numer Methods Eng 40(8) 1483-1504 (Apr 1997), 10A842
Evaluations of the T-stress for interface cracks by the BEM, Eng Fracture Mech 56(6) 813-825 (Apr 1997), 10A843
New variational theory and a computational algorithm for coupled elastoplastic damage models, Int J Solids Struct 34(14) 1761-1796 (May 1997), 10A844
Numerical simulation of chaotic and self-organizing damage in brittle disordered materials, Comput Methods Appl Mech Eng 142(1-2) 189-201 (Mar 1997), 10A845
Property of eigenvalues and eigenfunctions for an interface V-notch in antiplane elasticity, Eng Fracture Mech 56(6) 729-734 (Apr 1997), 10A846
Time-domain DBEM for rapidly growing cracks, Int J Numer Methods Eng 40(9) 1555-1572 (May 1997), 10A847
Analysis of mechanically fastened repairs and lap joints, Fatigue Fracture Eng Mat Struct 20(4) 583-593 (1997), 10A1006
Effect of temperature on the fracture modes of BHW-35 steel under mode-II loading, Acta Mech Solida Sinica 10(1) 76-85 (1997), 10A1369
Application of 2D elastic stochastic FEM in the field of fracture mechanics, Int J Pressure Vessels Piping 71(2) 169-173 (Apr 1997), 11A25
Approximate method of response analysis of vibrations for cracked beams, Appl Math Mech 18(3) 221-228 (Mar 1997), 11A113
New concept: Probabilistic failure assessment diagram, Int J Pressure Vessels Piping 71(2) 165-168 (Apr 1997), 11A668
Scaling of structural failure, Appl Mech Rev 50(10) 593-627 (Oct 1997), 11A672
Brittle fracture in plate elements with sharp notches under mixed-mode loading, J Eng Mech 123(6) 535-543 (Jun 1997), 11A677
Fracture parameters by polylinear tension-softening analysis, J Eng Mech 123(5) 444-450 (May 1997), 11A715
Elastic-plastic FE alternating method (EPFEAM) and the prediction of fracture under WFD conditions in aircraft structures - Part I: EPFEAM theory, Comput Mech 19(5) 356-369 (Apr 1997), 11A726
Elastic-plastic FE alternating method and the prediction of fracture under WFD conditions in aircraft structures - Part II: Fracture and the T*-integral parameter, Comput Mech 19(5) 370-379 (Apr 1997), 11T727
Fracture and damage analysis of a cracked body by a new BE model, Commun Numer Methods Eng 13(5) 327-336 (May 1997), 11A728
K_r-L_r failure assessment diagrams as applied to a flaw in the vicinity of a stress concentration: The effect of the severity of the stress concentration, Int J Pressure Vessels Piping 71(2) 107-111 (Apr 1997), 11A729
Shape design sensitivity approach for 2D mixed-mode fracture analysis under general loading, J Appl Mech 62(4) 952-958 (Dec 1995), 11A730
Morphological aspects of fatigue crack propagation - Part II: Effects of stress biaxiality and welding residual stress, Int J Fracture 82(3) 221-235 (1996), 12A748
Accurate method for solving crack problems with discontinuous crack-line tractions, Comput Mech 19(6) 496-500 (May 1997), 12A834
Body force method and its applications to numerical and theoretical problems in fracture and damage, Comput Mech 19(6) 470-480 (May 1997), 12A835
Boussinesq wedge and the J_1, L and M integrals, Fatigue Fracture Eng Mat Struct 20(6) 907-916 (1997), 12A836
Cell model of materials, Comput Mech 19(6) 447-452 (May 1997), 12A837
Fractal fracture in brittle structures: Numerical approach, Comput Methods Appl Mech Eng 147(1-2) 1-15 (Jul 1997), 12A838
Modeling of growth of 3D cracks by a continuous distribution of dislocation loops, Comput Mech 19(6) 538-544 (May 1997), 12A839
Multiple interacting planar cracks in an anisotropic multilayered medium under an antiplane shear stress: A hypersingular integral approach, Eng Anal Boundary Elements 18(4) 297-303 (Dec 1996), 12A840
Multiplicity of solutions in quasi-brittle fracture computations, Comput Mech 19(6) 511-516 (May 1997), 12A841
Numerical modeling of crack growth under dynamic loading conditions, Comput Mech 19(6) 463-469 (May 1997), 12A842
Routine FE determination of stress intensity factors at curved crack fronts using an influence function technique, Comput Mech 19(6) 481-489 (May 1997), 12A843
Singular stress at the crack tip of a thick plate under in-plane loading, Int J Fracture 82(3) 237-252 (1996), 12A844
Solving transient dynamic crack problems by the hypersingular BEM, Fatigue Fracture Eng Mat Struct 20(5) 799-812 (1997), 12A845
Frequency response model of thermal striping for cylindrical geometries, Fatigue Fracture Eng Mat Struct 20(6) 871-882 (1997), 12A1344

276Z. Experimental techniques

Simple method for measuring surface strains around cracks, Exp Mech 36(2) 173-179 (Jun 1996), 1A791
Stress analysis of a fracture test specimen for cementitious materials, Cement & Concrete Composites 18(2) 141-151 (1996), 1A792
Nondestructive detection of damage produced by a sharp indenter in ceramics, J Eng Mat Tech 118(3) 402-409 (Jul 1996), 1A822
Methods of determination of fracture energy in concrete elements (Polish), Inzynieria Budownictwo 52(8) 466-468 (1996), 2A659
Biaxial test specimen for crack arrest studies, Exp Mech 36(3) 277-283 (Sep 1996), 2A717
Direct measurement of microscopic strain distribution near a crack tip, Exp Mech 36(3) 193-198 (Sep 1996), 2A718
Discrete averaging effects of a strain gage at a crack tip, Eng Fracture Mech 55(1) 147-153 (Sep 1996), 2A719
Load shedding effect on constant-ΔK testing, Exp Mech 36(3) 232-236 (Sep 1996), 2A720
Measurement of stretch zone height and its relationship to crack tip opening displacement and initiation J-value in an AISI 316 stainless steel, Fatigue Fracture Eng Mat Struct 19(7) 855-868 (1996), 2A721
New technique for determining fracture toughness K_c and its confidence with single DCB specimen, Eng Fracture Mech 55(1) 133-137 (Sep 1996), 2A722
Simplified determination of drop-weight-test NDT, Eng Fracture Mech 55(1) 25-33 (Sep 1996), 2A723
Method and theory for nondestructive determination of fracture energy in concrete structures, ACI Struct J 93(5) 602-613 (Sep-Oct 1996), 3A706
Strain gage methods for measurement of opening mode stress intensity factor, Eng Fracture Mech 55(3) 485-492 (Oct 1996), 3A725
Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part I: Wrought-to-wrought capability study, Int J Pressure Vessels Piping 69(1) 5-19 (Nov 1996), 3A733
Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part II: Wrought-to-cast capability study, Int J Pressure Vessels Piping 69(1) 21-32 (Nov 1996), 3A734
Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part III: Cast-to-cast capability study, Int J Pressure Vessels Piping 69(1) 33-44 (Nov 1996), 3A735
Dynamic fracture toughness properties of a 9Cr-1Mo weld from instrumented impact and drop-weight tests, Int J Pressure Vessels Piping 69(2) 149-159 (Dec 1996), 4A778
Studies on fracture toughness of nuclear pressure vessel steels by using a small round compact tension specimen and a comparison with a Charpy-size specimen, Int J Pressure Vessels Piping 69(2) 169-174 (Dec 1996), 4A779
Determination of surface residual stresses in machined ceramics using indentation fracture, J Manuf Sci Eng 118(4) 483-489 (Nov 1996), 5A422
Experimental study of thickness-tapered unidirectional composite compression specimens, Exp Mech 36(4) 345-352 (Dec 1996), 5A462
New approach for estimation of ΔJ and for measurement of crack growth at elevated temperature, Fatigue Fracture Eng Mat Struct 19(8) 975-983 (1996), 5A584
Fatigue crack closure and its effect on life prediction in compact tension specimens, Int J Fatigue 18(7) 499-505 (Oct 1996), 5A605
Fractography and its role in fracture interpretation, Fatigue Fracture Eng Mat Struct 19(11) 1307-1316 (1996), 5A635
Methodology for thermomechanical fatigue crack growth testing in MMCs, Exp Mech 36(4) 367-373 (Dec 1996), 5A636
Compact polariscope-shearing interferometer for mapping stress fields in bimaterial systems, Exp Mech 36(4) 404-411 (Dec 1996), 5A709
Delamination gage for carbon fiber composites, Exp Mech 36(4) 388-398 (Dec 1996), 5A710
Determination of fracture toughness by uniaxial tensile test, Eng Fracture Mech 55(5) 865-868 (Nov 1996), 5A711
Determination of the fracture toughness by automatic image processing, Int J Fracture 78(1) 35-44 (1996), 5A712
Digital image processing of crack growth using a modified caustic set-up, J Nondestruct Eval 15(2) 61-70 (Jun 1996), 5A713
Fracture toughness of commercially sintered low alloy steels - Part I: Theoretical background and experimental, Eng Fracture Mech 55(4) 633-646 (Nov 1996), 5A714
Fracture toughness testing a weld metal: Results of a European round robin, Fatigue Fracture Eng Mat Struct 19(8) 963-973 (1996), 5A715
Master curve for brittle cleavage fracture toughness testing, Eng Fracture Mech 55(4) 677-678 (Nov 1996), 5A716
Isochromatic fringe sharpening and interpolation along an isoclinic contour, with application to fracture mechanics, Exp Mech 36(4) 305-311 (Dec 1996), 5A725
Instrumented drop-weight test results for normalized and tempered 9Cr-1Mo steel, Int J Pressure Vessels Piping 69(3) 253-261 (Dec 1996), 5A1439
Hybrid experimental-computational approach to the assessment of crack growth criteria in composite laminates, Strain 32(4) 131-137 (Nov 1996), 6A775
Microtomographic measurements of internal damage in Portland-cement-based composites, J Aerospace Eng 10(1) 2-6 (Jan 1997), 6A813
New experimental technique for modeling of a micro-heterogeneous media, Exp Tech 20(6) 11-13 (Nov-Dec 1996), 6A814
Question of crack propagation in thin walled construction elements, Nondestruct Test Eval 13(1) 41-49 (Oct 1996), 6A815
Single log bending test for interfacial fracture toughness determination, Int J Fracture 78(2) 193-210 (1996), 6A816
Unified correlations in transition temperatures of low-alloy steels and weld metals of various toughnesses, Fatigue Fracture Eng Mat Struct 19(12) 1459-1470 (1996), 6A817
Spectral analysis of acousto-ultrasonic waves for defect sizing, NDT&E Int 29(4) 237-240 (Aug 1996), 6A832
Creep crack growth measured in tension with a four-point bending device, Eng Fracture Mech 56(3) 443-448 (Feb 1997), 7A698
Evaluation of stress field parameters in fracture mechanics by photoelasticity: Revisited, Eng Fracture Mech 56(1) 25-45 (Jan 1997), 7A775
Fracture toughness of commercially sintered low alloy steels - Part II: Results and discussion, Eng Fracture Mech 56(3) 409-421 (Feb 1997), 7A776
Fracture toughness testing of TiAl base intermetallic alloys, Eng Fracture Mech 56(2) 155-165 (Jan 1997), 7A777
Interfacial fracture testing of deposited metal layers under four-point bending, Eng Fracture Mech 56(1) 113-126 (Jan 1997), 7A778
Unsymmetric double cantilever beam test for interfacial fracture toughness determination, Int J Solids Struct 34(7) 799-817 (3 1997), 7A779
Papers presented at the 8th Asia-Pacific Conference on NDT, December 11-14, 1995, Taipei, Taiwan, NDT&E Int 29(5) 263-347 (Oct 1996), 7A790
CTOD measured by means of a modified Charpy-V-specimen, Fatigue Fracture Eng Mat Struct 20(1) 29-39 (1997), 8A831
Influence of test parameters on the measurement of the essential work of fracture of zinc sheets, Int J Fracture 80(4) 295-310 (1996), 8A832
Photoelastic determination of K_I and K_{II}: A numerical study on experimental data, Exp Mech 37(1) 45-55 (Mar 1997), 8A833
Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, Int J Pressure Vessels Piping 70(3) 201-207 (Mar 1997), 8A1513
Applicability of the magnetic emission technique for determining ductile crack initiation in impact tests, Fatigue Fracture Eng Mat Struct 20(2) 143-150 (1997), 9A783
Application of a normalization method for determining J-R curves in glassy polymer PVC at different crosshead speeds, Fatigue Fracture Eng Mat Struct 20(2) 119-127 (1997), 9A784
Crack trajectories under mixed mode and non-proportional loading, Int J Fracture 81(2) 171-193 (1996), 9A785
Tensile toughness test and high temperature fracture analysis of thermal barrier coatings, Acta Mat 45(4) 1767-1784 (Apr 1997), 9A786
Infrared line scanning technique for detecting delaminations in carbon fiber tubes, NDT&E Int 29(6) 371-377 (Dec 1996), 9A816
Influence of the K gradient and K_{max} level on fatigue response during the K_{max} threshold testing of Van 80 steel and Astroloy, Int J Fatigue 19(2) 177-182 (Feb 1997), 10A770
Automated real-time measurements of fatigue crack length and crack opening load using unloading elastic compliance method, Int J Fatigue 19(2) 169-176 (Feb 1997), 10A796
Comparative studies of several methods to determine the dynamic fracture toughness of a nuclear pressure vessel steel A508 CL3 with Charpy-size specimen, Int J Fracture 81(3) 195-204 (1996), 10A848
ESIS TC6 round robin on fracture toughness, Fatigue Fracture Eng Mat Struct 20(4) 513-532 (1997), 10A849
Extended compact tension specimen, Fatigue Fracture Eng Mat Struct 20(4) 559-563 (1997), 10A850
Photoelastic analysis of stress concentrations in a 2D model of hard inclusions in a metal matrix, Trib Trans 40(2) 386-390 (Apr 1997), 10A851
Photoelastic study of an angle crack specimen subject to mixed mode I-III displacements, Eng Fracture Mech 56(6) 767-778 (Apr 1997), 10A852
Fiber-optic crack-tip opening displacement sensor for concrete, Cement & Concrete Composites 19(1) 59-68 (Feb 1997), 10A868
Mechanics of Hydraulic Fracturing (Gulf Publ, Houston, 1997) 11R23
Ductile crack as trigger of brittle fracture in steel, J Struct Eng 123(6) 729-735 (Jun 1997), 11A15
Three-dimensional FE analyses for a new fracture toughness testing method for tubular structures, Int J Pressure Vessels Piping 71(2) 189-195 (Apr 1997), 11A22
Damage of solid surfaces by single laser-produced cavitation bubbles, Acustica 83(2) 223-227 (Mar-Apr 1997), 11A670
Use of end-loaded-split (ELS) test to study stable fracture behavior of composites under mode II loading, Composite Struct 36(1-2) 71-79 (Sep-Oct 1996), 11A675
Brittle fracture in plate elements with sharp notches under mixed-mode loading, J Eng Mech 123(6) 535-543 (Jun 1997), 11A677
Compact mixed mode fracture specimen for adhesive bonded joints, Eng Fracture Mech 57(1) 57-65 (May 1997), 11A731
Fracture toughness evaluation using circumferentially-cracked cylindrical bar specimens, Eng Fracture Mech 57(1) 1-11 (May 1997), 11A732
Note on the effect of plastic strain on fracture toughness, Eng Fracture Mech 57(1) 67-73 (May 1997), 11A733
Ultrasonic 2D SH crack detection in anisotropic solids, J Nondestruct Eval 16(1) 31-41 (Mar 1997), 11A754
Heat-affected zone toughness of a TMCP steel designed for low-temperature applications, J Offshore Mech Arctic Eng 119(2) 134-144 (May 1997), 11A878
Alternative method of RT_{NDT} determination for some reactor vessel weld metals validated by fracture toughness data, J Pressure Vessel Tech 117(4) 378-382 (Nov 1995), 11A1516
Prevention of nonductile fracture in 6061-T6 aluminum nuclear pressure vessels, J Pressure Vessel Tech 119(2) 150-156 (May 1997), 11A1518
Limitations on the use of the mixed-mode delaminating beam test specimen: Effects of the size of the region of K-dominance, Mech Mat 25(4) 291-308 (May-Jun 1997), 12A46
Axisymmetric adhesion tests of pressure sensitive adhesives, J Eng Mat Tech 119(3) 211-215 (Jul 1997), 12A846
New method for the measurement of mode II fatigue threshold stress intensity factor range ΔK_{IIth}, Fatigue Fracture Eng Mat Struct 20(6) 863-870 (1997), 12A847

280. MATERIALS TESTING AND STRESS ANALYSIS

280B. Single and combined loadings

Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - I: Experimental behavior, J Construct Steel Res 38(2) 125-164 (Jun 1996), 1A793
Experimental analysis and modeling of semi-rigid steel joints under cyclic reversal loading, J Construct Steel Res 38(2) 95-123 (Jun 1996), 1A851
Testing and analysis of steel-concrete-steel sandwich beams, J Construct Steel Res 38(3) 257-279 (Jul 1996), 2A476
Base strain effects on force measurements, Exp Mech 36(3) 284-289 (Sep 1996), 2A724
Influence of constant and monotonic loadings on subsequent biaxial behavior of 15HM boiler steel, Eng Trans 44(2) 181-206 (1996), 4A461
Long-term and bending strength of natural building stones, Mat Struct 29(191) 426-435 (Aug-Sep 1996), 4A780
Phenomenological analysis of plateaus on stress-strain hysteresis in TiNi shape memory alloy wires, Mech Mat 24(1) 19-30 (Sep 1996), 4A781
Split tensile test applied to rectangular concrete blocks: Numerical and analytical approach, Mat Struct 29(192) 494-499 (Oct 1996), 4A782

Analysis of accumulating mechanism of distributed and unbonded prestress (Japanese), J Soc Mat Sci Japan 45(9) 1027-1032 (Sep 1996), 5A717
Geomembrane response in the wide strip tension test, Geosynthetics Int 3(4) 517-536 (1996), 5A718
Response of a woven and a nonwoven geotextile to monotonic and cyclic simple tension, Geosynthetics Int 3(4) 493-515 (1996), 5A719
Response of reinforced concrete panels under uniaxial tension, ACI Struct J 93(6) 648-657 (Nov-Dec 1996), 5A780
Test research on aggregate's interlock behavior on cracked surface in concrete (Chinese), J Dalian Univ Tech 36(6) 789-794 (Nov 1996), 6A751
Principle and application of the constant strain rate tensile test with *in situ* scanning electron microscopy for evaluation of the adhesion of films, J Adhesion Sci Tech 11(1) 127-136 (1997), 7A968
Biaxial thermomechanical disk test for glassy polymers, Exp Mech 37(1) 96-101 (Mar 1997), 8A834
Moment-rotation behavior of groups of press-joins in cold-formed steel structures, Thin-Walled Struct 27(3) 203-222 (Mar 1997), 8A835
New apparatus for studying mechanical behavior under pressure, Exp Mech 37(1) 87-95 (Mar 1997), 8A836
Size effect tests of high strength concrete, J Mat in Civil Eng 9(1) 46-48 (Feb 1997), 8A837
Experimental study of pseudoelastic behavior of a CuZnAl polycrystalline shape memory alloy under tension-torsion proportional and non-proportional loading tests, Arch Mech 48(6) 1025-1045 (1996), 9A787
Instantaneous force with static deflection feedback model for irregular tooth pitch end mill (Japanese), J Japan Soc Precision Eng 63(2) 269-273 (Feb 1997), 9A788
Thin Films: Stresses and Mechanical Properties VI (MRS, Pittsburgh PA, 1997) 10N24
Biaxial testing of unidirectional carbon-epoxy composite using biaxial Iosipescu test fixture, J Composite Mat 31(5) 486-508 (1997), 10A623
Analytical modeling of column-base plates under cyclic loading, J Construct Steel Res 40(3) 225-238 (Dec 1996), 10A635
Critical parameters for specification of prefabricated vertical drains, Geosynthetics Int 4(1) 51-64 (1997), 10A713
In-isolation strain measurement of geosynthetics in wide-width strip tension test, Geosynthetics Int 4(1) 11-32 (1997), 10A715
Polymer geogrids for bridging mining voids, Geosynthetics Int 4(1) 33-50 (1997), 10A716
Confined concrete model under cyclic load, Mat Struct 30(197) 139-147 (Apr 1997), 10A853
Determination of length changes due to moisture variations in autoclaved aerated concrete, Mat Struct 30(197) 148-153 (Apr 1997), 10A854
Estimate of concrete cube strength by means of different diameter cores: A statistical approach, Mat Struct 30(197) 131-138 (Apr 1997), 10A855
Flexural behavior of strengthened reinforced concrete beams, Mat Struct 30(197) 154-159 (Apr 1997), 10A856
Measurement and evaluation of microforce and microtorque (Japanese), J Japan Soc Precision Eng 63(3) 337-340 (Mar 1997), 10T857
Studies of multiaxial shear strengths for roller-compacted concrete, ACI Struct J 94(2) 114-123 (Mar-Apr 1997), 10A858
Thin Films: Stresses and Mechanical Properties VI (MRS, Pittsburgh PA, 1997) 11N29
Interfacial toughness for the shipboard aluminum-steel structural transition joint, Marine Struct 10(5) 353-362 (Jun 1997), 11A472
Ductility and load carrying capacity prediction of steel beam-to-column connections under cyclic reversal loading, J Earthquake Eng 1(2) 401-432 (Apr 1997), 11A734
Local phenomena around a steel dowel embedded in a stone masonry wall, Mat Struct 30(198) 238-246 (May 1997), 11A735
Shear-enhanced compaction and permeability reduction: Triaxial extension tests on porous sandstone, Mech Mat 25(3) 199-214 (Apr 1997), 11A736
Size effects in the biaxial tensile-compressive behavior of concrete: Physical mechanisms and modeling, Mat Struct 30(198) 210-216 (May 1997), 11A737
Strength characteristics of stone masonry, Mat Struct 30(198) 233-237 (May 1997), 11A738
Static behavior and damage of thick composite laminates, Composite Struct 36(1-2) 13-22 (Sep-Oct 1996), 11A740
Blockwork masonry compressed in two orthogonal directions, J Struct Eng 123(5) 591-596 (May 1997), 11A810
Fill stresses in a new brick arch bridge subject to heavy axle-load tests, Proc Inst Civil Eng Struct Build 122(2) 173-185 (May 1997), 11A813
Local buckling of thin-walled circular steel sections with or without internal restraint, J Construct Steel Res 41(2-3) 137-157 (Feb-Mar 1997), 12A649
Bending analysis of a finite beam on a reinforced halfplane, Strain 33(2) 47-51 (May 1997), 12A848
Compressive properties of structural clay tile prisms, J Struct Eng 123(7) 920-926 (Jul 1997), 12A849
Effect of dynamic strain ageing on the deformation behavior of Incoloy alloy MA956, Mech Mat 25(4) 255-261 (May-Jun 1997), 12A850
End reinforcement of composite cylinders for biaxial testing, J Strain Anal Eng Des 32(2) 129-143 (Mar 1997), 12A851

280G. Determination of elastic constants

Influence of local-spin configuration on elastic moduli, melting temperature T_m, T_s - related quantities, and activation enthalpy of diffusion, Acta Tech CSAV 41(3) 259-278 (1996), 1A794
Linearization of inverse spectral problems for non-homogeneous elastic bodies, Inverse Prob 12(4) 483-497 (Aug 1996), 2A725
Size and density influence on overall moduli of finite media with cracks, Mech Mat 23(4) 287-294 (Aug 1996), 3A726
Properties and Units for Engineering Alloys (ASM Int, Materials Park OH, 1996) 4N20
Determination of elastic constants by inverse analysis, Inverse Prob Eng 3(1-3) 1-19 (1996), 4A783
Experiments on effective elastic modulus of 2D solids with cracks and holes, Int J Solids Struct 33(28) 4119-4130 (Nov 1996), 4A784
Frequency dependence of Poisson's ratio using the method of reduced variables, Mech Mat 24(1) 75-85 (Sep 1996), 4A785
Inversion technique for recovering the elastic constants of transversely isotropic materials, Geophys 61(5) 1247-1257 (Sep-Oct 1996), 4A786
Influence of the type of loading and temperature on the modulus of elasticity of cement-bound mixes of milled bituminous concrete and crushed aggregates, Mat Struct 29(193) 543-551 (Nov 1996), 5A437
In situ determination of adhesive shear moduli using strain gages, Exp Mech 36(4) 297-304 (Dec 1996), 5A720
Regularization method for the linear error localization of models of elastomechanical systems, Inverse Prob Eng 3(4) 197-217 (1996), 5A721
Young's modulus interpreted from compression tests with end friction, J Eng Mech 123(1) 1-7 (Jan 1997), 6A818
Numerical studies for the identification of orthotropic elastic constants of thick plates, Eur J Mech A 16(1) 117-140 (1997), 7A531
New method for measuring *in situ* concrete elastic constants using horizontally polarized conical transducers, J Acoust Soc Am 101(1) 330-336 (Jan 1997), 7A780
Determination of E-modulus of young concrete with nondestructive method, J Mat in Civil Eng 9(1) 15-20 (Feb 1997), 8A838
Experimental procedure and results for the identification of elastic constants of thick orthotropic plates, J Composite Mat 31(4) 360-382 (1997), 9A789
Longevity of constructional materials in 3D stress state, J Mech Behavior Mat 7(4) 293-308 (1996), 9A790
Poisson's ratio of steel at large plastic deformations, Arch Civil Eng 42(3) 309-323 (1996), 9A791
Experimental micromechanical analysis of a 2D granular material: Relation between structure evolution and loading path, Mech Cohesive-Frictional Mat 2(2) 121-163 (Apr 1997), 10A606
In situ measurement of the Young's modulus of an embedded inclusion by acoustic microscopy, J Eng Mat Tech 119(2) 143-147 (Apr 1997), 10A859
Thin Films: Stresses and Mechanical Properties VI (MRS, Pittsburgh PA, 1997) 11N29
Tension test for alumina ceramic materials using open-loop and closed-loop in-situ loading device, Exp Tech 21(3) 35-39 (May-Jun 1997), 11A739
Identification of Gurson's material constants by using Kalman filter, Comput Mech 19(6) 501-506 (May 1997), 12A852

280H. Repeated loading (fatigue)

Application of the strain-phase-shift method for the determination of damping in metals, Exp Mech 36(3) 243-250 (Sep 1996), 2A96
Linear fracture envelopes for fatigue assessment of welds in bridges, Struct Eng and Mech 4(4) 347-364 (Jul 1996), 2A656
Composite fatigue design methodology: A simplified approach, Composite Struct 35(2) 183-194 (Jun 1996), 3A727
Confocal scanning laser microscopy measurements of the growth and morphology of microstructurally short fatigue cracks in Al 2024-T351 alloy, Fatigue Fracture Eng Mat Struct 19(9) 1153-1159 (1996), 5A632
Experimental study for reliability of electronic packaging under vibration, Exp Mech 36(4) 339-344 (Dec 1996), 5A634
Determination of shear stress-strain curve from torsion tests for loading-unloading and cyclic loading, J Eng Mat Tech 119(1) 113-115 (Jan 1997), 7A781
Cyclic behavior of reinforced concrete low-rise shear walls - Part I: Experimental results, J Eng Appl Sci 43(6) 1189-1203 (Dec 1996), 9A862
Composite beams subjected to static and fatigue loads, J Struct Eng 123(6) 765-771 (Jun 1997), 11A499
Ductility and load carrying capacity prediction of steel beam-to-column connections under cyclic reversal loading, J Earthquake Eng 1(2) 401-432 (Apr 1997), 11A734
Static behavior and damage of thick composite laminates, Composite Struct 36(1-2) 13-22 (Sep-Oct 1996), 11A740
Fatigue strength as a function of preloading in dynamic fatigue testing of glass and ceramics, J Eng Gas Turbines Power 119(3) 493-499 (Jul 1997), 12A595
Transition between fatigue and ductile fracture in steel, J Struct Eng 123(7) 864-870 (Jul 1997), 12A853

280I. Dynamic loading (impact)

Computational modeling of impact damage in brittle materials, Int J Solids Struct 33(20-22) 2899-2938 (Aug 1996), 1A721
Experimental technique for imposing dynamic multiaxial-compression with mechanical confinement, Exp Mech 36(2) 155-158 (Jun 1996), 1A795
Use of SHPB techniques to determine the dynamic behavior of materials in the range of small strains, Int J Solids Struct 33(23) 3363-3375 (Sep 1996), 1A796
Experimental wavelet analysis of flexural waves in beams, Exp Mech 36(3) 212-217 (Sep 1996), 2A184
Simplified determination of drop-weight-test NDT, Eng Fracture Mech 55(1) 25-33 (Sep 1996), 2A723
Measuring method for impact tensile strength of brittle materials, J Soc Mat Sci Japan 45(7) 823-828 (Jul 1996), 2A726
Effect of impact damage on residual compressive strength of glass-fiber reinforced polyester laminates, Composite Struct 35(2) 171-181 (Jun 1996), 3A728
Measuring method for residual stresses in explosively clad plates and a method of residual stress reduction, J Eng Mat Tech 118(4) 576-582 (Oct 1996), 4A524
Development of dynamic loading device with stress sensing block and its experimental examination (Japanese), J Soc Mat Sci Japan 45(8) 939-944 (Aug 1996), 4A787
Experimental study of synchronization of impacts in a distributed system with a variable number of impact pairs, J Machinery Manuf Reliab 2 79-83 (1996), 4T788
Precision strain rate sensitivity measurement using the step-ramp method, Exp Mech 36(4) 360-366 (Dec 1996), 5A432
Dynamic strain measurement using piezoelectric polymer film, J Strain Anal Eng Des 31(6) 463-465 (Nov 1996), 6A819
Method for measuring transient out-of-plane deformation during impact, Int J Impact Eng 19(2) 127-133 (Feb 1997), 7A208
Sensing block method for measuring impact force generated at a contact part, Int J Impact Eng 19(2) 165-174 (Feb 1997), 7A209
Dynamic tensile testing of aramid and polyethylene fiber composites, Int J Impact Eng 19(2) 135-146 (Feb 1997), 7A495
Pyro shock qualification tests on pneumatic and hydraulic components of the vulcain main engine, European J Mech Eng 41(4) 231-234 (1996), 7T782
Analysis of the shear failure of rigid-linear hardening beams under impulsive loading, Acta Mech Sinica 12(4) 338-348 (1996), 8A570
Advanced machine diagnostics, Shock Vib Digest 29(1) 6-30 (Jan-Feb 1997), 8A839
Application of SVD in optimization of structural modal test, Comput Struct 63(1) 51-59 (Apr 1997), 8A840
Transient response of moment-resistant steel frames with flexible and hysteretic joints, J Construct Steel Res 39(3) 221-243 (Sep 1996), 8A931
Impact perforation fracture in polymeric materials (Japanese), J Soc Mat Sci Japan 46(2) 152-156 (Feb 1997), 9A792
Load maximum condition and Hart's instability criterion in uniaxial impact tensile testing (Japanese), J Soc Mat Sci Japan 46(2) 113-117 (Feb 1997), 9A793
Identification of defects in piles through dynamic testing, Int J Numer Anal Methods Geomech 21(4) 277-291 (Apr 1997), 10A860
Vibration measurement and analysis of micromechanisms (Japanese), J Japan Soc Precision Eng 63(3) 332-336 (Mar 1997), 10T861
Vibration measurements of micromachined gyroscope (Japanese), J Japan Soc Precision Eng 63(3) 345-348 (Mar 1997), 10T862
Finite element prediction of the post-impact compressive strength of fiber composites, Composite Struct 36(1-2) 141-153 (Sep-Oct 1996), 11A19
Detection of structural damage through changes in frequency: A review, Eng Struct 19(9) 718-723 (Sep 1997), 11A741
Impact behavior of pultruded composite box-beams, Composite Struct 36(1-2) 155-160 (Sep-Oct 1996), 11A742
Behavior of partially concrete-filled steel bridge piers under cyclic and dynamic loading, J Construct Steel Res 41(2-3) 121-136 (Feb-Mar 1997), 12A854
Dynamic behavior of steel frames with beam flanges shaved around connection, J Construct Steel Res 42(1) 49-70 (Apr 1997), 12A855
Stresses in laminated glass subject to low velocity impact, Eng Struct 19(10) 851-856 (Oct 1997), 12A856

280J. Thermal loading

Stress distribution in an anisotropic plate with heat-insulated faces under the action of heat sources and sinks, Mech Solids 31(1) 129-131 (1996), 1A575
Use of nickel foil strain gages at varying temperatures, Exp Mech 36(2) 113-119 (Jun 1996), 1A797
Nondestructive characterization of ceramic composites used as combustor liners in advanced gas turbines, J Eng Gas Turbines Power 118(3) 486-490 (Jul 1996), 1A1362
General microhardness indentation theory for multilayer contacts, J Trib 119(1) 1-7 (Jan 1997), 7A783
Technique for smoothing interior thermoelastic data and enhancing boundary information, Strain 33(1) 9-13 (Feb 1997), 9A794
Simulation of thermal stress in reinforced concrete at early ages with a simplified model, Mat Struct 30(197) 167-173 (Apr 1997), 10A941
Plastic load capacity and stability of frames in fire, Eng Struct 19(9) 764-771 (Sep 1997), 11A496
Stability of steel columns in case of fire: Numerical modeling, J Struct Eng 123(6) 713-720 (Jun 1997), 11A530
Doubly periodic matrix cracking in composite laminates - Part 2: Thermal biaxial loading, Composite Struct 36(1-2) 131-140 (Sep-Oct 1996), 11A700
Effects of frame continuity on the behavior of steel columns under fire conditions and fire resistant design proposals, J Construct Steel Res 41(1) 93-111 (Jan 1997), 11A816

280K. Creep, relaxation, and plastic flow testing

How workability studies of metallic materials using hot torsion test (Spanish), Revista Eng Ciencias Aplicadas 2 133-148 (1994), 1A1297
Changes of temperature during the simple shear test of stainless steel, Arch Mech 48(4) 779-788 (1996), 4A789
Characterization of the stress-relaxation response of a class of linear viscoelastic material using acousto-ultrasonics: A pattern recognition approach, Mech Mat 24(3) 199-211 (Nov 1996), 6A829
Technique to achieve uniform stress distribution in compressive creep testing of advanced ceramics at high temperatures, J Eng Gas Turbines Power 119(3) 500-505 (Jul 1997), 12A597

280N. Hardness, abrasion, and wear testing

Nanoscopic hardness measurement by atomic force microscope, JSME Int J Ser A 39(3) 456-462 (Jul 1996), 1A798
Analysis of nanoindentation load-displacement loading curves, J Mat Res 11(8) 1987-1995 (Aug 1996), 2A419
Effect of extrinsic and intrinsic factors on an indentation test, Int J Solids Struct 33(24) 3497-3516 (Oct 1996), 2A727
Elastic-plastic indentation model and its solutions, J Mat Res 11(9) 2358-2367 (Sep 1996), 3A466
Properties and Units for Engineering Alloys (ASM Int, Materials Park OH, 1996) 4N20
Interfacial behavior of a glass-epoxy composite during a micro-indentation test: Assessment of interfacial shear strength using reduced indentation curves, Composites Part A Appl Sci and Manuf 28A(1) 39-46 (1997), 7A496
General microhardness indentation theory for multilayer contacts, J Trib 119(1) 1-7 (Jan 1997), 7A783
Hardness estimated from the indentation of a spherical body: Some implications for nanoindentation test results, Trib Letters 2(4) 381-391 (Dec 1996), 7A933
Microindentation method for estimating interfacial shear strength and its use in studying the influence

of titanium transition layers on the interface strength of epitaxial copper films on sapphire, Acta Mat 45(2) 489-499 (Feb 1997), 8A841
Surface engineering, Mat Manuf Processes 12(1) 1-151 (1997), 8T946
Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, J Japan Soc Precision Eng 63(2) 259-263 (Feb 1997), 9A423
Spherical indentation of compositionally graded materials: Theory and experiments, Acta Mat 45(4) 1307-1321 (Apr 1997), 9A442
Method for measuring effective crack tip fracture toughness in bridging materials (Japanese), J Soc Mat Sci Japan 46(2) 148-151 (Feb 1997), 9A725
Experimental technique to investigate the dynamic indentation hardness of materials, Exp Tech 21(3) 16-18 (May-Jun 1997), 11A743
Hardness of thin-film media: Scratch experiments and FE simulations, J Trib 118(1) 1-11 (Jan 1996), 11A744
Scanning micro-sclerometer: A new method for scratch hardness mapping, Trib Int 30(7) 483-490 (Jul 1997), 12A857
Experiences from scratch testing of tribological PVD coatings, Trib Int 30(7) 507-516 (Jul 1997), 12T991

280R. Optical nondestructive testing (NDT)

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 4 (ASME Press, New York, 1996) 1N33
Micromechanical deformation analysis of beta alloy titanium in elastic and elastic-plastic tension, Exp Mech 36(2) 120-126 (Jun 1996), 1A488
Simple method for measuring surface strains around cracks, Exp Mech 36(2) 173-179 (Jun 1996), 1A791
Development of dual servo STM (Japanese), J Japan Soc Precision Eng 62(6) 850-854 (Jun 1996), 1A799
Double pulsed holography used to investigate noisy brakes, Opt Lasers Eng 25(6) 455-494 (Dec 1996), 1A800
Extended range pseudo-heterodyne demodulation for fiber optic sensors, Exp Mech 36(2) 135-141 (Jun 1996), 1A801
Fringe-pattern analysis by phase-shifting method using extraction of characteristic, Exp Tech 20(4) 25-29 (Jul-Aug 1996), 1T802
Holographic evaluation of edge delamination in bars bonded to a rigid support with foam-adhesive, J Eng Mat Tech 118(3) 330-334 (Jul 1996), 1A803
Holographic measurement of lower loss tangent using a beam of variable cross section - 1st report: Calculation and measurement of amplitude distribution, Int J Japan Soc Precision Eng 30(1) 65-70 (Mar 1996), 1A804
Improvement of optical probe response to large-amplitude ultrasound, JSME Int J Ser A 39(3) 422-428 (Jul 1996), 1A805
Low-cost automatic system for machining photoelastic specimens, Exp Tech 20(4) 11-15 (Jul-Aug 1996), 1T806
Optical inspection, Nondestruct Test Eval 12(6) 343-400 (1996), 1A807
Optical noncontact measuring instrument for 3D shapes - 3rd report: Expansion of detecting range with a low resolution optical system (Japanese), J Japan Soc Precision Eng 62(6) 855-859 (Jun 1996), 1A808
Particle image velocimetry analysis of IC engine in-cylinder flows, Opt Lasers Eng 25(6) 415-432 (Dec 1996), 1A809
Whole-field optical diagnostics for structural analysis in the automotive industry, Opt Lasers Eng 25(6) 433-453 (Dec 1996), 1A810
Composite Materials, Volume I: Properties, Nondestructive Testing, and Repair (Prentice Hall, Upper Saddle River, NJ, 1997) 2N20
Laser generated and recorded transient bending waves in composite tubes, Exp Mech 36(3) 224-231 (Sep 1996), 2A187
Noncontact sphericity measurement by means of phase shift interferometry, J Manuf Sci Eng 118(3) 394-399 (Aug 1996), 2A366
Computer rigid disk surface assessment with laser interferometry using DDS, J Manuf Sci Eng 118(3) 448-455 (Aug 1996), 2A371
Stress analysis of an orthotropic material under diametral compression, Exp Mech 36(3) 204-211 (Sep 1996), 2A465
Interferometric strain rosette technique, Exp Mech 36(3) 199-203 (Sep 1996), 2A728
Method for defect segmentation in digital radiographs of pipeline girth welds, Mat Eval 54(8) 925-928 (Aug 1996), 2A729
Two- and three-dimensional separation of stresses using automated photoelasticity, Exp Mech 36(3) 269-276 (Sep 1996), 2A730
Strain and Stress Analysis by Holographic and Speckle Interferometry (Wiley, UK, 1996) 3R18
Effect of plasticity on the residual stress measurement using the groove method, Strain 32(3) 97-103 (Aug 1996), 3A702
Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), J Japan Soc Precision Eng 62(8) 1198-1202 (Aug 1996), 3T729
Electro-optic holographic technique for the measurement of the components of the strain tensor on 3D object surfaces, Opt Lasers Eng 26(1) 43-58 (Jan 1997), 3A730
Measurement of Y-notch tip plastic zone by the laser speckle technique, Strain 32(3) 87-90 (Aug 1996), 3A731
Three fringe photoelasticity: Use of color image processing hardware to automate ordering of isochromatics, Strain 32(3) 79-86 (Aug 1996), 3A732
Adaptive system for smart fringe image processing, Machine Graphics & Vision 5(1-2) 245-256 (1996), 4A790
Automated radiographic NDT system for weld inspection - Part I: Weld extraction, NDT&E Int 29(3) 157-162 (Jun 1996), 4A791
Detection of internal defects using phase shifting holographic interferometry, NDT&E Int 29(3) 163-173 (Jun 1996), 4A792
Method of X-ray stress measurement for cubic polycrystals with fiber texture (Japanese), J Soc Mat Sci Japan 45(8) 945-950 (Aug 1996), 4A793
Hybrid moire-numerical stress analysis around cut-outs in loaded composites, Exp Mech 36(4) 379-387 (Dec 1996), 5A463
Monitoring rotating tools using laser diffraction, J Manuf Sci Eng 118(4) 664-667 (Nov 1996), 5A561
Compact polariscope-shearing interferometer for mapping stress fields in bimaterial systems, Exp Mech 36(4) 404-411 (Dec 1996), 5A709
Digital image processing of crack growth using a modified caustic set-up, J Nondestruct Eval 15(2) 61-70 (Jun 1996), 5A713
Characterization of the panoramic annular lens, Exp Mech 36(4) 333-338 (Dec 1996), 5A722
CT multiscan: Using small area detectors to image large components, J Eng Gas Turbines Power 118(4) 711-716 (Oct 1996), 5A723
Flaw detection in composite materials using infra-red thermography by the method of external heating, Proc Inst Mech Eng C 210(C5) 399-407 (1996), 5A724
Isochromatic fringe sharpening and interpolation along an isoclinic contour, with application to fracture mechanics, Exp Mech 36(4) 305-311 (Dec 1996), 5A725
Multiplexed optical fiber sensors for air frame repair patch monitoring, Exp Mech 36(4) 353-359 (Dec 1996), 5A726
New method for phase readout in phase modulated interferometer, JSME Int J Ser C 39(3) 509-514 (Sep 1996), 5A727
Photomechanical properties of some birefringent polymers around their glass transition temperatures, Exp Mech 36(4) 399-403 (Dec 1996), 5A728
Speckle and speckle shearing interferometry - II, Opt Lasers Eng 26(4-5) 279-460 (Mar 1997), 5T729
Three-dimensional stress relief displacement resulting from drilling a blind hole in acrylic, Exp Mech 36(4) 412-420 (Dec 1996), 5A730
Simple model for predicting torsional strength of reinforced and prestressed concrete sections, ACI Struct J 93(6) 658-666 (Nov-Dec 1996), 5A781
Full-field separation of principal stresses by combined thermo- and photoelasticity, Exp Mech 36(4) 318-324 (Dec 1996), 5A1307
Question of crack propagation in thin walled construction elements, Nondestruct Test Eval 13(1) 41-49 (Oct 1996), 6A815
DDGS high speed camera with some applications, Acta Mech Sinica 12(2) 186-192 (1996), 6A820
New optical measuring system for solder joint inspection, Opt Lasers Eng 26(6) 487-514 (Apr 1997), 6A821
Novel approach to high-sensitivity grating interferometry, Opt Lasers Eng 26(6) 461-471 (Apr 1997), 6A822
Phase-shifting methodologies in photoelastic analysis: The application of Jones calculus, J Strain Anal Eng Des 31(6) 423-432 (Nov 1996), 6A823
Sensing free surface of arc weld pool using specular reflection: principle and analysis, Proc Inst Mech Eng J Eng Manuf 210(B6) 553-564 (1996), 6A824
Strain analysis of moving objects using a Fourier transform grid method, NDT&E Int 29(4) 197-203 (Aug 1996), 6A825
Strain-gradient stress analysis in Saint-Venant bending, Acta Mech Sinica 12(3) 225-242 (1996), 6A826
Evaluation of stress field parameters in fracture mechanics by photoelasticity: Revisited, Eng Fracture Mech 56(1) 25-45 (Jan 1997), 7A775
New fiber optics illumination system for application to electronics holography, Int J Non-Linear Mech 31(6) 925-930 (Nov 1996), 7A784
Optical methods for residual strain measurement, Opt Lasers Eng 27(1) 3-136 (May 1997), 7T785
Out-of-plane displacement derivative measurements using interferometric strain-slope gage, J Appl Mech 63(4) 1033-1038 (Dec 1996), 7A786
Photoelasticity using retroreflection, Exp Tech 21(1) 17-19 (Jan-Feb 1997), 7T787
Photoelastic determination of K_I and K_{II}: A numerical study on experimental data, Exp Mech 37(1) 45-55 (Mar 1997), 8A833
Absolute Moire contouring, Opt Lasers Eng 27(2) 149-159 (May 1997), 8A842
Absolute phase measurement in extrinsic Fabry-Perot optical fiber sensors using multiple path-match conditions, Exp Mech 37(1) 26-32 (Mar 1997), 8A843
Accurate dimensional measurements within small internal structures, Opt Lasers Eng 27(2) 141-148 (May 1997), 8A844
Coordinate measuring method using laser plane scanners - 2nd Report: 2D measurement (Japanese), J Japan Soc Precision Eng 63(1) 119-123 (Jan 1997), 8A845
Electronic techniques in isodyne stress analysis - Part I: Basic relations, Exp Mech 37(1) 33-38 (Mar 1997), 8A846
Measurement method of scattered light photoelasticity using unpolarized light, Exp Mech 37(1) 39-44 (Mar 1997), 8A847
Possibility of using laser-fiber optics as a fire detection system, Opt Lasers Eng 27(2) 201-210 (May 1997), 8A848
Production and use of an interferometric optical strain gauge with comparison to conventional techniques, Opt Lasers Eng 27(3) 269-284 (Jun 1997), 8A849
Real-time optical measuring system for dye color and concentration - II: Dispersive dye, Opt Lasers Eng 27(3) 259-267 (Jun 1997), 8A850
Speckle averaging in deformation analysis using video speckle interferometry, Opt Lasers Eng 27(2) 179-190 (May 1997), 8A851
Microlens array in optical inspection of critical surface roughness of cold-rolled steel, Opt Lasers Eng 27(4) 429-433 (Jul 1997), 9A418
Hydrogen damage analysis in catalytical cracking units steels of petroleum refineries by scanning electron microscopy, J Brazilian Soc Mech Sci 19(1) 92-103 (Mar 1997), 9A714
Determination of fiber-bridging tractions in fiber-reinforced composites, Mech Mat 25(1) 47-57 (Jan-Feb 1997), 9A750
Analysis of rigid rotations in holographic interferometry for simple flexural loadings tests, Opt Lasers Eng 27(4) 369-378 (Jul 1997), 9A795
Analysis of stress distribution in a thin rectangular plate by the method of caustics, Arch Mech 48(6) 1011-1024 (1996), 9A796
Computer simulation of a 3D sensing system with structured illumination, Opt Lasers Eng 27(4) 379-393 (Jul 1997), 9A797
Effects of motion on dynamic Moire interferometry, Opt Lasers Eng 27(4) 343-354 (Jul 1997), 9A798
Elastic characterization of isotropic materials by a single test based on the experimental determination of natural frequencies using laser interferometry, J Acoust Soc Am 101(4) 1990-1993 (Apr 1997), 9A799
Holographic tests on ceramic coatings on metal surfaces, Composites Sci Tech 57(3) 365-369 (Mar 1997), 9A800
Intelligent visual evaluation system for mirror finished surfaces (Japanese), J Japan Soc Precision Eng 63(2) 208-212 (Feb 1997), 9A801
Non-contact strain measurement using metal foil gauges with the application of the laser speckle method, Strain 33(1) 15-19 (Feb 1997), 9A802
Numerical analysis of a spectral photoelastic effect, Comp Assisted Mech Eng Sci 3(3) 215-222 (1996), 9A803
Single exposure reflection moire interferometric technique for complete curvature analysis of bent plates, Strain 33(1) 3-7 (Feb 1997), 9A804
Application of optical cutting method to measurements of tooth-profile error of minute module gears - 1st report: Examination of the method by means of bright field observation (Japanese), J Japan Soc Precision Eng 63(4) 585-589 (Apr 1997), 10T863
Deformation measurements of mortars at early ages and of large concrete components on site by means of embedded fiber-optic microstrain sensors, Cement & Concrete Composites 19(1) 81-102 (Feb 1997), 10A864
Distributed fiber Bragg grating strain sensing in reinforced concrete structural components, Cement & Concrete Composites 19(1) 45-57 (Feb 1997), 10A865
Distributed water ingress and water potential measurements using fiber optics, Cement & Concrete Composites 19(1) 35-44 (Feb 1997), 10A866
Fiber-optic Bragg grating sensors for bridge monitoring, Cement & Concrete Composites 19(1) 21-33 (Feb 1997), 10A867
Fiber-optic crack-tip opening displacement sensor for concrete, Cement & Concrete Composites 19(1) 59-68 (Feb 1997), 10A868
Implementation of EFPI-based optical-fiber sensor instrumentation for the NDE of concrete structures, Cement & Concrete Composites 19(1) 69-79 (Feb 1997), 10A869
State-of-the-art in the applications of fiber-optic sensors to cementitious composites, Cement & Concrete Composites 19(1) 3-19 (Feb 1997), 10A870
Evaluation of a method to determine interferometric phase derivatives, Opt Lasers Eng 27(5) 451-465 (Jul 1997), 11A745
Automation of white light photoelasticity by phase-shifting technique using color image processing hardware, Opt Lasers Eng 28(1) 47-60 (Sep 1997), 12A858
Boundary element analysis of moire fields in anisotropic materials, Eng Anal Boundary Elements 18(4) 317-325 (Dec 1996), 12A859
Computer aided photoelastic stress analysis of a variable-pitch lead screw, J Strain Anal Eng Des 32(2) 157-164 (Mar 1997), 12A860
Engineering the development of optical fiber sensors for adverse environments, Nucl Eng Des 167(3) 239-249 (Apr 1996), 12A861
Fiber-optic technology and structural condition monitoring of mechanical cables, J Sound Vib 203(3) 536-541 (Jun 1997), 12T862
Image analysis for birefringence measurements in photoelasticity, Opt Lasers Eng 28(1) 17-36 (Sep 1997), 12A863
Shape detection by scanning object with coaxial laser beam (Japanese), J Japan Soc Precision Eng 63(5) 674-678 (May 1997), 12A864
Study on the production of 950°C moire gratings in metal materials, Strain 33(2) 53-56 (May 1997), 12A865
Three-dimensional measurement of macro- and microdomains using optical methods, Opt Lasers Eng 28(1) 1-16 (Sep 1997), 12A866

280S. Acoustic NDT

Guided waves in a water loaded hollow cylinder, Nondestruct Test Eval 12(5) 323-339 (1996), 1A228
Experimental investigation for modeling of elastic-plastic-damage materials: Investigation of damage surface under multiaxial loading (Japanese), J Soc Mat Sci Japan 45(6) 667-674 (Jun 1996), 1A486
Under load strain partition of a ceramic matrix composite using an ultrasonic method, Exp Mech 36(2) 148-154 (Jun 1996), 1A550
Acoustic microscopy for spherical inclusion characterization, J Acoust Soc Am 100(1) 80-85 (Jul 1996), 1A811
Acoustic monitoring of cold-setting adhesive curing in wood laminates, Int J Adhesion Adhesives 16(3) 165-172 (Aug 1996), 1A812
Acousto-ultrasonic decay in metal matrix composite panels, Res Nondestructive Eval 8(1) 39-50 (1996), 1A813
Adhesion in fiber reinforced plastics investigated by means of acoustic emission, Int J Adhesion Adhesives 16(3) 141-146 (Aug 1996), 1A814
Characterization of spherically focused transducers using an ultrasonic measurement model approach, Res Nondestructive Eval 8(1) 1-21 (1996), 1A815
Detection of porosity in glass ceramic matrix composites using an ultrasonic multiple-gate C-scan technique, Mat Eval 54(7) 827-831 (Jul 1996), 1A816
Digital computer algorithms to calculate ultrasonic wave speed, Mat Eval 54(7) 840-843 (Jul 1996), 1A817
Elastic moduli for FEA-FEM from ultrasonic velocity, Exp Tech 20(4) 21-24 (Jul-Aug 1996), 1T818
Geometrical analysis of segmented ultrasonic flaw regions, Nondestruct Test Eval 12(5) 285-303 (1996), 1A819
Identification of failure modes of carbon-carbon composites at various processing stages using the acoustic emission technique, J Vib Acoust 118(3) 446-453 (Jul 1996), 1A820
Laser ultrasonic signal processing: A model-reference approach, J Acoust Soc Am 100(1) 278-284 (Jul 1996), 1A821
Nondestructive detection of damage produced by a sharp indenter in ceramics, J Eng Mat Tech 118(3) 402-409 (Jul 1996), 1A822
Residual stress mapping in a steam turbine disk using the L_{cr} ultrasonic technique, Mat Eval 54(7) 832-839 (Jul 1996), 1A823
Ultrasonic evaluation of cement adhesion in wall tiles, Cement & Concrete Composites 18(2) 119-124 (1996), 1A824
Ultrasonic testing technique for small-caliber piping containing defects, Int J Pressure Vessels Piping 68(3) 325-330 (Oct 1996), 1A825
Nondestructive evaluation of thermally shocked silicon carbide by impact-acoustic resonance, J Eng Gas Turbines Power 118(3) 491-494 (Jul 1996), 1A1363
Acoustic emission during fatigue experiments on first year sea ice, Cold Regions Sci Tech 24(3) 237-250 (Jul 1996), 1A1439
Proceedings of 10th International Symposium on Nondestructive Testing of Wood (Presses Polytech Romandes et Univ, Lausanne, 1996) 2N27
Residual Stresses in Design, Fabrication, Assessment, and Repair (ASME Press, New York, 1996) 2N28

Acoustic emission in fiber reinforced concrete, Exp Mech 36(3) 258-261 (Sep 1996), 2A462
Acoustic emission: A tool for the bridge engineer, Mat Eval 54(8) 888-900 (Aug 1996), 2T731
Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, J Manuf Sci Eng 118(3) 428-433 (Aug 1996), 2A732
Conditions to apply the phase corrected filter to traced profiles for roughness profiles - 2nd report: Application of the Gaussian low-pass digital filter to derivation of Δ_q (Japanese), J Japan Soc Precision Eng 62(7) 953-957 (Jul 1996), 2A733
Detecting voids in grouted tendon ducts of post-tensioned concrete structures using the impact-echo method, ACI Struct J 93(4) 462-473 (Jul-Aug 1996), 2A734
High-frequency acoustic emission induced by indentation fracture in brittle materials, Acustica 82(3) 498-503 (May-Jun 1996), 2A735
Study on micro-machined profile measurement by means of optical inverse scattering reconstruction phase method: Phase retrieval of periodic fine profile (Japanese), J Japan Soc Precision Eng 62(7) 958-963 (Jul 1996), 2A736
Ultrasonic measurement of residual stress in the rims of inductively heated railroad wheels, Mat Eval 54(8) 929-934 (Aug 1996), 2A737
Ultrasonic Methods of Non-Destructive Testing (Chapman and Hall, UK, 1996) 3R20
Development of the theory of acoustic emission by propagating cracks in terms of fracture mechanics, Eng Fracture Mech 55(3) 443-452 (Oct 1996), 3A683
Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part I: Wrought-to-wrought capability study, Int J Pressure Vessels Piping 69(1) 5-19 (Nov 1996), 3A733
Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part II: Wrought-to-cast capability study, Int J Pressure Vessels Piping 69(1) 21-32 (Nov 1996), 3A734
Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part III: Cast-to-cast capability study, Int J Pressure Vessels Piping 69(1) 33-44 (Nov 1996), 3A735
Application of stress wave theory to quantitative analysis of pile integrity, J Vib Eng 9(3) 286-291 (Sep 1996), 4A794
Development of an on-line evaluation system of formability in cold-rolled steel sheets using electromagnetic acoustic transducers (EMATs), NDT&E Int 29(3) 141-146 (Jun 1996), 4A795
Improving the evaluation sensitivity of an ultrasonic pulse echo technique using a neural classifier, NDT&E Int 29(3) 175-179 (Jun 1996), 4A796
Neural network for crack sizing trained by FE calculations, NDT&E Int 29(3) 147-155 (Jun 1996), 4A797
Nondestructive characterization-evaluation of functional sandwich and hybrid carbon-carbon composites, J Reinforced Plastics Composites 15(10) 988-1010 (Oct 1996), 4A798
Acoustic emission waveform analysis in 2D models (Japanese), J Soc Mat Sci Japan 45(9) 1055-1060 (Sep 1996), 5A239
Correlation between characteristics of fracture process zone and tension-softening properties of concrete, Nucl Eng Des 165(3) 359-376 (Sep 1996), 5A696
Acoustoelasticity: Ultrasonic stress field reconstruction, Exp Mech 36(4) 325-332 (Dec 1996), 5A731
Nondestructive evaluation of cementite content in steel and white cast iron using inductive Barkhausen noise, J Nondestruct Eval 15(2) 45-60 (Jun 1996), 5A732
Potentials and limitations of acoustic metrology for dimensional conformance: A comparative study, J Sound Vib 197(2) 153-178 (Oct 1996), 5A733
Spectral analysis for ultrasonic NDE applications using autoregressive, Prony, and multiple signal classification methods, J Acoust Soc Am 100(5) 3165-3171 (Nov 1996), 5A734
Ultrasonic guided wave NDE for piping, Mat Eval 54(11) 1310-1313 (Nov 1996), 5A735
Ultrasonic wave attenuation as a tool for estimating frost action on limestone rocks, Mat Struct 29(193) 552-561 (Nov 1996), 5A736
Analysis of acoustic emission signals generated during the fatigue testing of GFRP, J Composite Mat 30(18) 2019-2041 (1996), 6A827
Automated ultrasonic NDE of composite specimens by cluster and fractal analysis, Nondestruct Test Eval 13(1) 15-30 (Oct 1996), 6A828
Characterization of the stress-relaxation response of a class of linear viscoelastic material using acousto-ultrasonics: A pattern recognition approach, Mech Mat 24(3) 199-211 (Nov 1996), 6A829
Features of ultrasonic wave propagation to identify defects in composites materials modeled by FEM, NDT&E Int 29(4) 213-223 (Aug 1996), 6A830
Simple measurement of ultrasonic refraction angle, velocity ratio, and focused transducer beam included angle in cylindrical material, Mat Eval 54(12) 1385-1389 (Dec 1996), 6A831
Spectral analysis of acousto-ultrasonic waves for defect sizing, NDT&E Int 29(4) 237-240 (Aug 1996), 6A832
Ultrasonic through-transmission characterization of thick fiber-reinforced composites, NDT&E Int 29(4) 225-236 (Aug 1996), 6A833
Using LabVIEW under windows in advanced ultrasonic testing, Nondestruct Test Eval 13(1) 31-40 (Oct 1996), 6A834
Acoustic emission source location using Lamb wave modes, J Eng Mech 123(2) 154-161 (Feb 1997), 7A788
Measurement of fiber strength parameters in fragmentation tests by using acoustic emission, Composites Sci Tech 56(10) 1119-1127 (Oct 1996), 7A789
Papers presented at the 8th Asia-Pacific Conference on NDT, December 11-14, 1995, Taipei, Taiwan, NDT&E Int 29(5) 263-347 (Oct 1996), 7A790
Recent development of an ultrasonic NDE technique for metal matrix composites, J Composite Tech Res 19(1) 41-44 (Jan 1997), 7A791
Ultrasonic response of various types of code recommended reference defects: A comparative study, Int J Pressure Vessels Piping 70(2) 97-101 (Feb 1997), 7T792
Penetration depth of the Rayleigh surface waves, Nondestruct Test Eval 13(2) 113-119 (Jan 1997), 8A222
Laser ultrasonic studies of solid-liquid interfaces, J Acoust Soc Am 101(2) 843-853 (Feb 1997), 8A852
Measurement of longitudinal and shear ultrasonic velocities, Nondestruct Test Eval 13(2) 121-126 (Jan 1997), 8A853
Optimal recovery of the elasticity tensor of general anisotropic materials from ultrasound velocity data, J Acoust Soc Am 101(2) 813-833 (Feb 1997), 8A854
Practical application of solid coupled ultrasonic transducers, Mat Eval 55(3) 401-406 (Mar 1997), 8A855
Thickness measurements and flaw detection in concrete using ultrasonic echo method, Nondestruct Test Eval 13(2) 73-84 (Jan 1997), 8A856
Effects of voids on the mechanical strength and ultrasonic attenuation of laminated composites, J Composite Mat 31(3) 276-292 (1997), 9A519
Determination of the higher-order elastic compliance constants of metals from measurements of the dependence of ultrasound velocity on stress, J Acoust Soc Am 101(4) 2111-2121 (Apr 1997), 9A805
Study on improvement of time-resolution of ultrasonic inspection by deconvolution method (Japanese), Proc JSCE 556(I-38) 77-83 (Jan 1997), 9A806
Ultrasonic evaluation of the bonding strength of dissimilar metal bonds, NDT&E Int 29(6) 355-361 (Dec 1996), 9A807
Acoustic emission during tensile testing of SiC-fiber-reinforced BMAS glass-ceramic composites, Composites Part A Appl Sci and Manuf 28A(5) 473-480 (1997), 10A622
Fracture behavior and acoustic emission in bending tests on single-fiber composites, Eng Fracture Mech 56(6) 779-796 (Apr 1997), 10A819
Cavitation erosion and sonoluminescence at high hydrostatic pressures, Acustica 83(1) 19-24 (Jan-Feb 1997), 10A871
Fiber optic ultrasonic system to monitor the cure of epoxy, Res Nondestructive Eval 9(1) 13-24 (1997), 10A872
Selection of papers presented at the First Joint Belgian-Hellenic Conference on NDT May 22-23, 1995, Patras Greece, NDT&E Int 30(2) 61-106 (Apr 1997), 10A873
Ultrasonic characterization of the radius of curvature at the root of a surface breaking AFS mark, Mat Eval 55(5) 596-601 (May 1997), 10A874
Ultrasonic determination of stiffness properties of an orthotropic viscoelastic material, Res Nondestructive Eval 9(1) 25-39 (1997), 10A875
Different levels of modeling for the purpose of bridge evaluation, Appl Acoust 50(3) 189-204 (Mar 1997), 11A35
Acoustic emission applied to pipes of GFRP that have been exposed to corrosive mediums, J Composite Mat 31(9) 896-909 (1997), 11A746
Beam profiles in wood from critically refracted longitudinal wave probes, Mat Eval 55(6) 721-725 (Jun 1997), 11A747
Correlation between acoustic emission and wear of multi-layer ceramic coated carbide tools, J Manuf Sci Eng 119(2) 238-246 (May 1997), 11A748
Detection of utility pole rot damage by measuring the reflection coefficient, J Nondestruct Eval 16(1) 43-56 (Mar 1997), 11A749
Discrete wavelet decomposition of acoustic emission signals from carbon-fiber-reinforced composites, Composites Sci Tech 57(4) 389-403 (Apr 1997), 11A750
Experimental and numerical investigation of the interaction of Rayleigh surface waves with corners, J Nondestruct Eval 16(1) 21-30 (Mar 1997), 11A751
Laser phased array generated ultrasound for NDE of ceramic materials, J Nondestruct Eval 16(1) 1-9 (Mar 1997), 11A752
Theory of 3D imaging of strong scatterers in scanning acoustic microscopy, Wave Motion 25(3) 213-236 (May 1997), 11A753
Ultrasonic 2D SH crack detection in anisotropic solids, J Nondestruct Eval 16(1) 31-41 (Mar 1997), 11A754
Low strain measurements using random noise excitation, Geotech Testing J 20(1) 29-39 (Mar 1997), 12A692
Development of an ultrasonic system for submarine hull acoustic cladding inspection, NDT&E Int 30(3) 123-133 (Jun 1997), 12A867
Ultrasonic detection of delaminations on composite materials, J Reinforced Plastics Composites 16(9) 768-790 (1997), 12A868
Ultrasonic method for evaluation of annular seals for wells and instrument holes, Geotech Testing J 20(1) 17-28 (Mar 1997), 12A869

280T. Electrical NDT

Calibration of adjustable strain transducers, Exp Mech 36(3) 218-223 (Sep 1996), 2A738
Detection and sizing of defects in control rod drive mechanism penetrations using eddy current and ultrasonics, J Pressure Vessel Tech 118(3) 301-307 (Aug 1996), 2A739
Unique determination of a collection of a finite number of cracks from two boundary measurements, SIAM J Math Anal 27(5) 1336-1340 (Sep 1996), 2A740
22nd International Symposium for Testing and Failure Analysis (ASM Int, Materials Park OH, 1996) 3N21
Strain gage methods for measurement of opening mode stress intensity factor, Eng Fracture Mech 55(3) 485-492 (Oct 1996), 3A725
Three-dimensional embedded strain gauge analysis of the effect of collared versus collarless prostheses on cement mantle stresses in a femoral model of a total hip replacement, J Strain Anal Eng Des 31(5) 329-339 (Sep 1996), 4A1480
Comparison testings between two high-temperature strain measurement systems, Exp Mech 36(4) 430-435 (Dec 1996), 5A1306
Experimental study of an electro-optical displacement sensor, Nondestruct Test Eval 13(1) 5-14 (Oct 1996), 6A835
Damage detection by piezoelectric patches in a free vibration method, J Composite Mat 31(4) 345-359 (1997), 9A808
Detection of delamination in tires using eddy currents, Proc Inst Mech Eng D 211(D1) 79-82 (1997), 9A809
Detecting faults in posttensioning ducts by electrical time-domain reflectometry, J Struct Eng 123(5) 567-574 (May 1997), 11A755
Magnetic pressure stressing of lap joints: Modeling and experimental verification, J Nondestruct Eval 16(1) 11-20 (Mar 1997), 11A756
High frequency electrical measurements of adhesive bonded structures: An investigation of model parallel plate waveguide structures, NDT&E Int 30(3) 151-161 (Jun 1997), 12A870
Pulsed eddy current signal analysis: Application to the experimental detection and characterization of deep flaws in highly conductive materials, NDT&E Int 30(3) 163-170 (Jun 1997), 12A871

280U. Other NDT

On-line identification and location of rotor cracks, J Sound Vib 194(1) 67-82 (Jul 1996), 1A216
Monitoring of lapping process with piezoelectric ceramic sensor - 1st report: Relation between lapping conditions and detected acoustic signals (Japanese), J Japan Soc Precision Eng 62(6) 881-885 (Jun 1996), 1T422
Microwave detection and depth determination of disbonds in low-permittivity and low-loss thick sandwich composites, Res Nondestructive Eval 8(1) 51-63 (1996), 1A826
Proceedings of 10th International Symposium on Nondestructive Testing of Wood (Presses Polytech Romandes et Univ, Lausanne, 1996) 2N27
Time domain method for the localization of cracks in rotors, J Sound Vib 195(1) 57-73 (Aug 1996), 2A177
Application of genetic algorithms to identify damage in elastic structures, J Sound Vib 195(2) 195-215 (Aug 1996), 2A706
Application of piezoelectric paints to damage detection in structural materials, J Reinforced Plastics Composites 15(8) 806-817 (Aug 1996), 2A741
Residual stress analysis on materials with steep stress gradient by using X-ray incidence at higher angles (Japanese), J Soc Mat Sci Japan 45(7) 766-771 (Jul 1996), 2A742
Residual stress distribution in carbon steel pipe welded joints measured by neutron diffraction (Japanese), J Soc Mat Sci Japan 45(7) 772-778 (Jul 1996), 2A743
Z-matrix model of the thickness-mode piezoelectric transducer, Acoust Lett 19(3) 43-46 (Sep 1995), 2A744
Generation of the derivative of out-of-plane displacements in the high-sensitivity grating interferometry configuration, Opt Lasers Eng 26(1) 59-70 (Jan 1997), 3A736
Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, Res Nondestructive Eval 8(2) 83-100 (1996), 4A629
Method of X-ray stress measurement for cubic polycrystals with fiber texture (Japanese), J Soc Mat Sci Japan 45(8) 945-950 (Aug 1996), 4A793
Elastic wave generation by piezoceramic patches, AIAA J 34(10) 2110-2117 (Oct 1996), 4A799
Experimental study of structural health monitoring using incomplete measurements, J Vib Acoust 118(4) 543-550 (Oct 1996), 4A800
Fractal geometry applied to on-line monitoring of surface finish, Int J Machine Tools Manuf 36(10) 1137-1150 (Oct 1996), 4A801
Hybrid technique for compression testing at intermediate strain rates, Exp Tech 20(5) 21-24 (Sep-Oct 1996), 4T802
Influence of dislocation interactions with impurities on their topographical images in silicon crystals, Acta Phys Polonica A 90(3) 541-546 (Sep 1996), 4T803
New grid-making technique for Moire fringe method, Exp Tech 20(5) 9-11 (Sep-Oct 1996), 4T804
Special issue: Speckle and speckle shearing interferometry - I, Opt Lasers Eng 26(2-3) 83-278 (Jan-Feb 1997), 4T805
Development of life prediction techniques for structural ceramics, J Eng Gas Turbines Power 118(4) 847-855 (Oct 1996), 5A459
"Z" approaching minimum zone method for flatness and straightness error calculation, JSME Int J Ser C 39(3) 667-670 (Sep 1996), 5A737
Detection of surface irregularity by means of transferred oil film (Japanese), J Japan Soc Precision Eng 62(10) 1489-1493 (Oct 1996), 5A738
Machine health monitoring and life management using FE-based neural networks, J Eng Gas Turbines Power 118(4) 830-835 (Oct 1996), 5A739
New method of nondestructive measurement for assessment of material degradation of aged reactor pressure vessels, J Pressure Vessel Tech 118(4) 447-453 (Nov 1996), 5A740
Non-contacting displacement measurement of rotating main spindle in the axial direction (Japanese), J Japan Soc Precision Eng 62(10) 1430-1433 (Oct 1996), 5A741
Nondestructive evaluation of pavements using spectral analysis of surface waves in the frequency wave-number domain, J Nondestruct Eval 15(2) 71-82 (Jun 1996), 5A742
ART-based multiple neural networks for monitoring offshore platforms, Appl Ocean Res 18(2-3) 137-143 (Apr-Jun 1996), 5A797
Mechanical impedance inspection of aluminum honeycomb structures, Mat Eval 54(12) 1390-1396 (Dec 1996), 6A836
Microwave diagnosis of low-density fiberglass composites with resin binder, Res Nondestructive Eval 8(3) 177-188 (1996), 6T837
Performance evaluation of the Golay code pulse compression technique, Res Nondestructive Eval 8(3) 125-147 (1996), 6T838
Residual-stress analysis by local laser heating and speckle-correlation interferometry, Exp Tech 20(6) 27-30 (Nov-Dec 1996), 6T839
Decomposition of a welded part by iterative loop generation based on multiple feature recognition (Japanese), J Japan Soc Precision Eng 62(12) 1707-1711 (12 1996), 7A793
Development of straightness measurement technique using the profile matching method, Int J Machine Tools Manuf 37(2) 135-147 (Feb 1997), 7A794
Non-contact 3D 360° shape measuring system using light section method (Japanese), J Japan Soc Precision Eng 62(12) 1790-1794 (12 1996), 7A795
Image divergence and deformation from closed curves, Int J Robotics Res 16(1) 77-96 (Feb 1997), 8A444
Analytical assessment of measurement uncertainty in procision inspection and machine calibration, Int J Machine Tools Manuf 37(3) 263-276 (Mar 1997), 8A857
Calibration procedure for focal plane array cameras and noise equivalent material loss for quantitative thermographic NDT, Mat Eval 55(3) 407-412 (Mar 1997), 8A858
Detection of defects in groove textures of honed surfaces, Int J Machine Tools Manuf 37(3) 371-389 (Mar 1997), 8A859
Efficient method for identification of motion error sources from circular test results in NC machines, Int J Machine Tools Manuf 37(3) 327-340 (Mar 1997), 8A860
Evaluation of sectional curve on progressive lens (Japanese), J Japan Soc Precision Eng 63(1) 103-107 (Jan 1997), 8A861
High speed 3D shape measuring apparatus using shape from focus method (Japanese), J Japan Soc Precision Eng 63(1) 124-128 (Jan 1997), 8T862
Non destructive testing and artificial intelligence (French), Rev Francaise Mec 0(4) 251-258 (1996), 8T863
Pretravel compensation for vertically oriented touch-trigger probes with straight styli, Int J Machine Tools Manuf 37(3) 249-262 (Mar 1997), 8A864
Profile measurement with no standard: Measurement of profile along a circle with Fourier expansion

(Japanese), J Japan Soc Precision Eng 63(1) 129-133 (Jan 1997), 8A865
Small length measurement using regular crystalline lattice for reference - 1st Report: Determining the geometrical distortion of raw STM image and correcting it by 2D FFT analysis (Japanese), J Japan Soc Precision Eng 63(1) 108-113 (Jan 1997), 8T866
Use of cutting force and acoustic emission signals for the monitoring of tool insert geometry during rough face milling, Int J Machine Tools Manuf 37(4) 481-494 (Apr 1997), 8A867
Development of a PC-based remote measurement device for high temperature material testing, Rev Francaise Mec 0(4) 283-287 (1996), 8A1388
Short-time coherence functions: Instantaneous and tuned, Mech Syst Signal Processing 11(2) 169-185 (Mar 1997), 9A156
Analysis of computed order tracking, Mech Syst Signal Processing 11(2) 187-205 (Mar 1997), 9A166
Modeling and analysis of nonlinear guideway for double-ball bar measurement and diagnosis, Int J Machine Tools Manuf 37(5) 687-707 (May 1997), 9A419
Touch probe radius compensation for coordinate measurement using kriging interpolation, Proc Inst Mech Eng J Eng Manuf 211(B1) 11-18 (1997), 9A426
Correction for system compliance during point-loading of thin brittle films, Exp Tech 21(2) 28-31 (Mar-Apr 1997), 9T535
Application of infrared thermography technique for evaluation of cracks in concrete structures (Japanese), J Soc Mat Sci Japan 46(2) 198-203 (Feb 1997), 9A810
Capillarity effect analysis for alternative liquid penetrant chemicals, NDT&E Int 30(1) 19-23 (Feb 1997), 9A811
Development of an advanced SQUID system for nondestructive evaluation of material degradation in power plants, Int J Pressure Vessels Piping 71(1) 13-17 (Apr 1997), 9A812
Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, NDT&E Int 29(6) 379-385 (Dec 1996), 9A813
Generation of 3D medical thermograms, Bio-Med Mat Eng 6(6) 415-428 (1996), 9A814
Geometric approach to nondestructive identification of faults in stochastic structural systems, AIAA J 35(4) 700-705 (Apr 1997), 9A815
Infrared line scanning technique for detecting delaminations in carbon fiber tubes, NDT&E Int 29(6) 371-377 (Dec 1996), 9A816
Measurement of local axial strains in triaxial tests using linear variable differential transformers, Geotechnique 47(1) 167-171 (Mar 1997), 9T817
Measuring microscopic deformations with digital image correlation, Opt Lasers Eng 27(4) 409-428 (Jul 1997), 9A818
Nondestructive evaluation of creep damage in power-plant steam generators and piping by magnetic measurements, NDT&E Int 30(1) 11-17 (Feb 1997), 9A819
Problems encountered in measuring forces on immersed bodies, Exp Tech 21(2) 20-23 (Mar-Apr 1997), 9T820
Studies of fractal aspects of cement, Acta Phys Polonica A 90(6) 1179-1184 (Dec 1996), 9T821
Surface temperature measurement near ambient conditions using infrared radiometers with different detection wavelength bands by applying a grey-body approximation: Estimation of radiative properties for non-metal surfaces, NDT&E Int 29(6) 363-369 (Dec 1996), 9A822
Measurement of particle size in the dense suspension using the extinction method, Particulate Sci Tech 14(4) 327-335 (Oct-Dec 1996), 9A1194
Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), J Japan Soc Precision Eng 63(4) 575-579 (Apr 1997), 10A551
Multiple NDE techniques for the measurement of constituent volume fractions in metal matrix composites, Res Nondestructive Eval 9(1) 41-57 (1997), 10A625
Development of micro torque measurement technology (Japanese), J Japan Soc Precision Eng 63(3) 349-352 (Mar 1997), 10T876
Displacement magnification micromechanism with saddle-shaped click buckling spring strip actuated by SMA wire, Int J Japan Soc Precision Eng 30(4) 343-344 (Dec 1996), 10A877
Dynamics evaluation of micro-motion systems (Japanese), J Japan Soc Precision Eng 63(3) 317-322 (Mar 1997), 10T878
Electronic shearography for detecting disbonds in lattice-skin structures, Res Nondestructive Eval 9(1) 1-11 (1997), 10A879
Evaluation of shims, gaussmeter, penetrameter, and equations for magnetic particle inspection, Mat Eval 55(5) 591-595 (May 1997), 10A880
Measurement and evaluation of mechanical properties of micro materials (Japanese), J Japan Soc Precision Eng 63(3) 323-326 (Mar 1997), 10T881
Measurement of geometric feature and dimension of micro parts (Japanese), J Japan Soc Precision Eng 63(3) 327-331 (Mar 1997), 10T882
Signal processing for in-line inspection of gas transmission pipelines, Res Nondestructive Eval 8(4) 233-247 (1996), 10A883
Structural fault detection using a novelty measure, J Sound Vib 201(1) 85-101 (Mar 1997), 10A884
Studies on roll-off-less polishing of magnetic disk substrate - 1st Report: Change of substrate edge shape in polishing process (Japanese), J Japan Soc Precision Eng 63(3) 404-409 (Mar 1997), 10A885
Variable sensitivity displacement interferometer with application to wave propagation experiments, J Appl Mech 64(1) 123-131 (Mar 1997), 10A886
Workshop on nondestructive and nondisruptive property measurements: Identification of technology gaps, J Nondestruct Eval 15(3-4) 89-176 (Dec 1996), 10A887
Hardness of thin-film media: Scratch experiments and FE simulations, J Trib 118(1) 1-11 (Jan 1996), 11A744
Laser induced fluorescence imaging of thermal damage in polymer matrix composites, Mat Eval 55(6) 726-729 (Jun 1997), 11A757
Three-dimensional measurement of red-hot ingot using slit-ray projection method, Int J Japan Soc Precision Eng 31(1) 57-62 (Mar 1997), 11A758
Wavelet decomposition of vibrations for detection of bearing-localized defects, NDT&E Int 30(3) 143-149 (Jun 1997), 12A219
FEM simulation of friction testing method based on combined forward rod-backward can extrusion, J Trib 119(3) 501-506 (Jul 1997), 12A715
Diagnosis of the leakage point on a structure surface using infrared thermography in near ambient conditions, NDT&E Int 30(3) 135-142 (Jun 1997), 12A872
Laser system for counting cloth filaments, Opt Lasers Eng 28(1) 71-74 (Sep 1997), 12A873
Reverse engineering: Autonomous digitization of free-formed surfaces on a CNC coordinate measuring machine, Int J Machine Tools Manuf 37(7) 1041-1051 (Jul 1997), 12A874
Sampling strategy design for dimensional measurement of geometric features using coordinate measuring machine, Int J Machine Tools Manuf 37(7) 917-934 (Jul 1997), 12A875
Uneven area defects inspection on LCD display using multiple resolute images (Japanese), J Japan Soc Precision Eng 63(5) 647-651 (May 1997), 12T876

280W. Instrumentation

Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - I: Experimental behavior, J Construct Steel Res 38(2) 125-164 (Jun 1996), 1A793
Strategy for the verification of tolerances by coordinate measuring machines, Proc Inst Mech Eng J Eng Manuf 210(B4) 377-383 (1996), 2A376
First year monitoring of the first air-entrained high-performance bridge in North America, ACI Struct J 93(4) 379-386 (Jul-Aug 1996), 2A745
Optical telemetering of temperature information in rotating spindle - 1st report: Development of high-speed multichannel optical telemetering system (Japanese), J Japan Soc Precision Eng 62(7) 1009-1013 (Jul 1996), 2A746
Analysis of piezoresistance gauges for stress in divergent flow fields, J Eng Mech 123(1) 36-44 (Jan 1997), 6A840
Sensor placement and structural damage identification from minimal sensor information, AIAA J 35(2) 369-374 (Feb 1997), 7A796
Design of a non-interferometric vibrometer, Opt Lasers Eng 27(2) 191-200 (May 1997), 8A868
Frequency multiplexed DOG filter, Opt Lasers Eng 27(2) 161-177 (May 1997), 8A869
Optical corrosion meter, Opt Lasers Eng 27(2) 227-233 (May 1997), 8T870
Reduction of vibration for main functional part in precision device based on sensitivity analysis with respect to relative motion (Japanese), J Japan Soc Precision Eng 63(1) 55-59 (Jan 1997), 8T871
Using a programmable interferometer for digital phase-shifting speckle interferometry, Opt Lasers Eng 27(2) 235-240 (May 1997), 8A872
Non-contact strain measurement using metal foil gauges with the application of the laser speckle method, Strain 33(1) 15-19 (Feb 1997), 9A802
In-isolation strain measurement of geosynthetics in wide-width strip tension test, Geosynthetics Int 4(1) 11-32 (1997), 10A715
Measurement of workpiece size errors with AE sensor in grinding, Int J Japan Soc Precision Eng 30(4) 347-348 (Dec 1996), 10T747
Displacement magnification micromechanism with saddle-shaped click buckling spring strip actuated by SMA wire, Int J Japan Soc Precision Eng 30(4) 343-344 (Dec 1996), 10A877
Development of measurement system of angular profile of the polygonal mirror surface, Int J Japan Soc Precision Eng 30(4) 349-350 (Dec 1996), 10A888
Corrections for gage factor and wheatstone bridge nonlinearity, Exp Tech 21(3) 33-34 (May-Jun 1997), 11T759
Strain gage behavior on sandwich glasses, Exp Tech 21(3) 23-27 (May-Jun 1997), 11A760
Scanning micro-sclerometer: A new method for scratch hardness mapping, Trib Int 30(7) 483-490 (Jul 1997), 12A857
Piezoelectric mount force sensor of placement system for surface mount devices (Japanese), J Japan Soc Precision Eng 63(5) 664-668 (May 1997), 12T877

282. STRUCTURES (BASIC)

Multi-disciplinary shape optimization of notches in 2D machine components, Comp Assisted Mech Eng Sci 3(3) 245-262 (1996), 9A823

282A. General theory

Elements of the Theory of Structures (Cambridge UP, New York, 1996) 1R18
Shallow arch models: An asymptotic approach, J Elast 43(1) 1-29 (Apr 1996), 2A477
Account of torsional rigidity of ribs for reinforced structures (Russian), Prikl Mekh (Appl Mech) 32(3) 57-61 (1996), 2T747
Strength of conical structure elements (Russian), Prikl Mekh (Appl Mech) 32(4) 34-41 (1996), 2A748
Variational structure of a nonlinear theory for spatial lattices, Meccanica 31(4) 441-455 (Aug 1996), 2A749
Suboptimal-minimal and suboptimal cycle bases for the force method, Asian J Struct Eng 1(4) 403-411 (1995), 2A766
Analysis of timber structures subjected to wind loads, Asian J Struct Eng 1(4) 359-373 (1995), 2A814
Structural Stability Research Council: Link between research and practice, Eng Struct 18(10) 745-825 (Oct 1996), 3A554
Statics of Suspension Cable Roofs (Balkema, Rotterdam, Netherlands, 1995) 6R15
ESIS TC7D-1-96: Guidelines for terminology and nomenclature in the field of structural integrity, Fatigue Fracture Eng Mat Struct 19(12) 1515-1533 (1996), 6A841
Parametric unification of structural analysis: Classical formulation and mixed FEs (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(4) 371-409 (1996), 7A797
Mathematical Theory of Elastic Structures (Springer-Verlag, Berlin, 1996) 8R7
Matrix Structural Analysis (Wiley, New York, 1997) 8R8
Structural Mechanics: A Unified Approach (E&FN Spon, Andover, Hants, UK, 1997) 8R9
"Natural", "kinematic", and "elastic" displacements of underconstrained structures, Int J Solids Struct 34(8) 911-930 (Mar 1997), 8A873
New classes of reticulated underconstrained structures, Int J Solids Struct 34(9) 1093-1104 (Mar 1997), 8A874
New infrastructure design method considering restriction of energy consumption (Japanese), Proc JSCE 553(VI-33) 1-19 (Dec 1996), 8T875
Structural Analysis (PWS, Boston, MA, 1995) 9R15
Model order reduction by selective sensitivity, AIAA J 35(3) 557-562 (Mar 1997), 9A310
Recent trends of composite constructions in the civil engineering field (Japanese), Proc JSCE 556(I-38) 31-42 (Jan 1997), 9A473
Identification of nonlinear structures by Kalman filter (Japanese), Proc JSCE 556(I-38) 179-187 (Jan 1997), 9A824
Introduction a l'Analyse des Structures (French) (Presses Polytech Romandes et Univ, Lausanne, 1997) 10R11
Handbook of Optomechanical Engineering (CRC Press, Boca Raton FL, 1997) 10N22
Fuzzy modeling in structural mechanics (German), Bauingenieur 72(2) 75-84 (Feb 1997), 10A432
"Naive" fuzzy logic, applications to structural problems (Spanish), Rev Int Metodos Numer Calc Diseno Ing 13(1) 33-55 (1997), 10A889
Determination of extreme properties of springs created from two mutually symmetrically sloped rubber prisms (Polish), Strojnicky Casopis 48(2) 97-105 (1997), 10A890
Foldable bar structures, Int J Solids Struct 34(15) 1825-1847 (May 1997), 10A891
Solution of structures involving elements with non-convex energy potentials, Struct Optim 13(2-3) 182-190 (Apr 1997), 10A892
LRFD Steel Design Using Advanced Analysis (CRC Press, Boca Raton FL, 1997) 11R22
Handbook of Structural Engineering (CRC Press, Boca Raton FL, 1997) 11N28
Damage detection and assessment of structures from static response, J Eng Mech 123(6) 568-576 (Jun 1997), 11A761
Structural identification using neural network and Kalman filter algorithms, Proc JSCE 563(I39) 1-10 (Apr 1997), 11A762
Higher order sensitivities in structural static design, Appl Math Mech 18(4) 393-398 (Apr 1997), 12A878
Theory of a one plane truss-type structure with quasi-regularity in one direction, Composite Mech Des 2(2) 32-41 (1996), 12A879

282B. Limit design (shakedown)

Model of the limit state of bodies, Mech Solids 31(1) 54-57 (1996), 1A827
Limit bearing capacity of compressed bars under interactive transversal loading (Polish), Inzynieria Budownictwo 52(7) 399-404 (1996), 2A750
Limit design of axisymmetric shells with application to cellular cofferdams, J Eng Mech 122(10) 921-929 (Oct 1996), 3A802
Extended shakedown theory for elastic-plastic-damage material models, Eur J Mech A 15(5) 825-858 (1996), 4A806
Ultimate load and postfailure behavior of box-section beams under pure bending, Eng Trans 44(2) 229-251 (1996), 4A807
Limit Analysis of Solids and Structures (CRC Press, Boca Raton FL, 1996) 6R14
Optimal plastic limit and shakedown design of bar structures with constraints on plastic deformation, Eng Struct 19(1) 19-27 (Jan 1997), 6A842
Load-carrying capacity for concrete slabs on grade, J Struct Eng 123(1) 95-103 (Jan 1997), 6A896
Dynamic interaction between heavy vehicles and highway bridges, Comput Struct 62(2) 253-264 (1997), 7A174
Simplified method based on the deformation theory for structural limit analysis - I: Theory and formulation, Int J Pressure Vessels Piping 70(1) 43-49 (Jan 1997), 7A798
Simplified method based on the deformation theory for structural limit analysis - II: Numerical application and investigation on mesh density, Int J Pressure Vessels Piping 70(1) 51-58 (Jan 1997), 7A799
Shakedown of 3D elastoplastic strain-hardening structures, Int J Plasticity 12(10) 1241-1256 (1996), 8A876
Shakedown of elastic-plastic solids with frictionless unilateral contact boundary conditions, Int J Mech Sci 39(7) 819-828 (Jul 1997), 8A877
Certain class of standard stress fields for plastic design, Eng Trans 44(3-4) 483-497 (1996), 9A825
Member stiffness with offset hinges, J Struct Eng 123(4) 527-529 (Apr 1997), 9A826
Lower bound limit loads using variational concepts: The m_α-method, Int J Pressure Vessels Piping 71(2) 93-106 (Apr 1997), 11A763
Shakedown analysis for trusses and frames, J Appl Mech 64(2) 415-419 (Jun 1997), 12A880

282C. Structural optimization

Advanced solution methods in topology optimization and shape sensitivity analysis, Eng Comput 13(5) 57-90 (1996), 1A828
Discrete variable optimization of plate structures using penalty approaches and approximation concepts, Eng Optim 26(3) 195-205 (Jun 1996), 1A829
Higher order expansion method for optimum design of structures for specified fundamental eigenvalue, Eng Optim 26(2) 123-136 (May 1996), 1A830
Method for structural optimization of technological processes, Russian Aeronaut 38(4) 94-96 (1995), 1A831
Minimum constraint perturbation method for system topology optimization, Eng Optim 26(3) 171-186 (Jun 1996), 1A832
Network-based relaxation approach for selecting optimal bridge replacement or rehabilitation strategies, Eng Optim 26(2) 105-121 (May 1996), 1A833
Numerical Optimization: A powerful tool for engineering design, Comput Model Simul in Eng 1(1) 107-126 (Feb 1996), 1A834
Optimization of truss topology using boundary cycle: Derivation of design variables to avoid inexpedient structure, JSME Int J Ser A 39(3) 415-421 (Jul 1996), 1A835
Optimum topology of structural supports, Comput Struct 61(1) 147-154 (Aug 1996), 1A836
Semi-explicit optimal frequency design of chimneys with geometrical constraints, Finite Elements Anal Des 23(1) 37-56 (Aug 1996), 1A837
Multiobjective shape optimization of linear elastic structures considering multiple loading conditions: Dealing with mean compliance minimization problems, JSME Int J Ser A 39(3) 407-414 (Jul 1996), 1A928
Minimization of the mass of multilayer plates at impulse loading, AIAA J 34(8) 1718-1724 (Aug 1996), 2A154
Application of the Trefftz method to sensitivity analysis of a 3D potential problem, Mech Struct Machines 24(3) 295-311 (1996), 2A310

Optimized design of pultruded composite beams, J Reinforced Plastics Composites **15**(8) 758-778 (Aug 1996), 2A437

Topology design for composite components of minimum weight, Appl Composite Mat **3**(1) 29-41 (1996), 2A458

Optimum *in situ* strength design of composite laminates - Part I: *In situ* strength parameters, J Composite Mat **30**(12) 1314-1337 (1996), 2A685

Accurate computation of design sensitivities for dynamically loaded structures with displacement constraints, AIAA J **34**(8) 1670-1677 (Aug 1996), 2A751

Application of the first-order perturbation method to optimal structural design, Struct Eng and Mech **4**(4) 425-436 (Jul 1996), 2A752

Constrained genetic search via schema adaptation: An immune network solution, Struct Optim **12**(1) 11-15 (Aug 1996), 2A753

Generalized hybrid method for fuzzy multi-objective optimization of engineering systems, AIAA J **34**(8) 1709-1717 (Aug 1996), 2A754

Global optimization of structural systems using two new methods, Struct Optim **12**(1) 1-10 (Aug 1996), 2A755

Knowledge-based optimum conceptual ship design, Ship Tech Res **43**(3) 106-114 (Aug 1996), 2A756

Nonlinear incremental analysis of loading and design sensitivity problems, Mech Struct Machines **24**(3) 331-360 (1996), 2A757

Optimal design of 3D axisymmetric elastic structures, Struct Optim **12**(1) 35-45 (Aug 1996), 2A758

Optimization of rigid-plastic shallow curved beams, Struct Optim **12**(1) 57-62 (Aug 1996), 2A759

Optimum *in situ* strength design of composite laminates - Part II: Optimum design, J Composite Mat **30**(12) 1338-1358 (1996), 2A760

Practical considerations in 2D shape optimization of elastic continuum, Comput Struct **61**(2) 315-330 (Oct 1996), 2A761

Relative difference quotient algorithm for discrete optimization, Struct Optim **12**(1) 46-56 (Aug 1996), 2A762

Reliability based design with a degradation model of laminated composite structures, Struct Optim **12**(1) 16-28 (Aug 1996), 2A763

Shape optimization of a dynamically loaded machine foundation coupled to a semi-infinite inelastic medium, Struct Optim **12**(1) 29-34 (Aug 1996), 2A764

Stiffness maximization of variable thickness sheet with unilateral contact, Quart Appl Math **54**(3) 541-550 (Sep 1996), 2A765

Suboptimal-minimal and suboptimal cycle bases for the force method, Asian J Struct Eng **1**(4) 403-411 (1995), 2A766

Three-dimensional design optimization using the boundary integral equation method, J Strain Anal Eng Des **31**(4) 289-298 (Jul 1996), 2A767

Truss topology optimization including bar properties different for tension and compression, Struct Optim **12**(1) 63-74 (Aug 1996), 2A768

Three-dimensional aerodynamic shape optimization using discrete sensitivity analysis, AIAA J **34**(9) 1761-1770 (Sep 1996), 2A1094

Acceleration feedback control of MDOF structures, J Eng Mech **122**(9) 907-918 (Sep 1996), 3A737

Optimal location of redundants for prestressing adaptive trusses, J Intelligent Mat Syst Struct **7**(4) 420-426 (Jul 1996), 3A738

Optimization and sensitivity of retaining structures, J Gootech Eng **122**(8) 649-656 (Aug 1996), 3A739

Parallel structural optimization method and its implementation on a Transtech Paramid, Comput Methods Appl Mech Eng **135**(3-4) 381-392 (Sep 1996), 3A740

Recent advanced technologies for optimization of structural systems-Application of artificial life technology (Japanese), Proc JSCE **543**(I-36) 1-18 (Jul 1996), 3T741

Two algorithms for global optimization of general NLP problems, Int J Numer Methods Eng **39**(19) 3305-3325 (Oct 1996), 3A742

Modified trajectory method for practical global optimization problems, AIAA J **34**(10) 2126-2131 (Oct 1996), 4A354

Full-stress technique for structural shape optimization, Appl Math Comp Sci **6**(2) 303-319 (1996), 4A808

General evolutionary path for fundamental natural frequencies of structural vibration problems: Towards optimum from below, Struct Eng and Mech **4**(5) 513-527 (Sep 1996), 4A809

Geometrically constrained thickness optimization of flexible beams, Eng Optim **26**(4) 295-314 (Jul 1996), 4A810

Multiobjective material architecture optimization of pultruded FRP I-beams, Composite Struct **35**(3) 271-281 (Jul 1996), 4A811

Numerical study of some approaches to shape design sensitivity analysis using BEs, J Strain Anal Eng Des **31**(5) 361-369 (Sep 1996), 4A812

Parallel genetic algorithm implementation in multidisciplinary rotor blade design, J Aircraft **33**(5) 962-969 (Sep-Oct 1996), 4A813

Parametric design optimization of an entrapped fiber connection, Composite Struct **35**(3) 283-293 (Jul 1996), 4A814

Polynomial boundary perturbation for optimal plastic design of heads of plane tension members, Eng Trans **44**(2) 261-281 (1996), 4A815

Rayleigh-Ritz optimal design of orthotropic plates for buckling, Struct Eng and Mech **4**(5) 541-552 (Sep 1996), 4A816

Reliability-based optimization: A proposed analytical-experimental study, AIAA J **34**(10) 2154-2161 (Oct 1996), 4A817

Safety based design and maintenance optimization of large marine engineering systems, Appl Ocean Res **18**(1) 13-27 (Feb 1996), 4A818

Shape optimization for a rectangular plate at elasto-plastic bending, Mech Solids **31**(2) 142-144 (1996), 4A819

Stochastic approach to optimal aerodynamic shape design, J Aircraft **33**(5) 956-961 (Sep-Oct 1996), 4A820

Thickness optimization of a geometrically nonlinear arch at a limit point, Appl Math Comp Sci **6**(2) 189-205 (1996), 4A821

Three-dimensional shape optimization approach based on natural design variables and the BEM, J Strain Anal Eng Des **31**(5) 377-387 (Sep 1996), 4A822

Topology optimization: A new microstructure-based design domain method, Comput Struct **61**(5) 781-788 (Dec 1996), 4A823

Use of consistent approximations for the optimal design of beams, SIAM J Control Optim **34**(6) 1891-1913 (Nov 1996), 4T939

Optimum beam design using FEs, Appl Math Comput **80**(2-3) 155-179 (Dec 1996), 5A25

Optimization of single and multistep wire drawing processes with respect to minimization of the forming energy, Struct Optim **12**(2-3) 120-126 (Oct 1996), 5A554

Constraint handling in genetic search using expression strategies, AIAA J **34**(11) 2414-2420 (Nov 1996), 5A743

Curvilinear search for structural optimization, Struct Optim **12**(2-3) 106-112 (Oct 1996), 5A744

Design optimization of 3D reinforced concrete structures, Struct Optim **12**(2-3) 127-134 (Oct 1996), 5A745

Effective scaling procedures for approximate structural optimization, Eng Optim **27**(1) 43-64 (Aug 1996), 5A746

Generalized method of moving asymptotes (GMMA) including equality constraints, Struct Optim **12**(2-3) 143-146 (Oct 1996), 5A747

Genetic tool for optimal design sequencing in complex engineering systems, Struct Optim **12**(2-3) 186-201 (Oct 1996), 5A748

Global coordinative optimum design of structural systems and the performance synthesis technique, Struct Optim **12**(2-3) 153-158 (Oct 1996), 5A749

Improved strategy for GAs in structural optimization, Comput Struct **61**(6) 1185-1191 (Dec 1996), 5A750

Mathematical model of higher level structural optimization problems and their solution, Struct Optim **12**(2-3) 202-208 (Oct 1996), 5A751

Minimum cost design of multispan partially prestressed concrete T-beams using DCOC, Struct Optim **12**(2-3) 75-86 (Oct 1996), 5A752

Mixed variable optimization using Taguchi's orthogonal arrays, Struct Optim **12**(2-3) 147-152 (Oct 1996), 5A753

Multi-mesh and adaptivity in 3D shape optimization, Comput Struct **61**(6) 1125-1133 (Dec 1996), 5A754

Multicriteria optimization of cylindrical sandwich shells under combined loads, Struct Optim **12**(2-3) 159-166 (Oct 1996), 5A755

Multipoint approximations: Comparisons using structural size, configuration and shape design, Struct Optim **12**(2-3) 177-185 (Oct 1996), 5A756

Nonsmooth and nonconvex structural analysis algorithms based on difference convex optimization techniques, Struct Optim **12**(2-3) 167-176 (Oct 1996), 5A757

Optimization of singular problems, Struct Optim **12**(2-3) 93-97 (Oct 1996), 5A758

Optimum design of plates and shells using the DCOC method, Struct Optim **12**(2-3) 87-92 (Oct 1996), 5A759

Second-law-based optimization - Part 1: Methodology, J Eng Gas Turbines Power **118**(4) 693-697 (Oct 1996), 5A760

Second-law-based optimization - Part 2: Application, J Eng Gas Turbines Power **118**(4) 698-703 (Oct 1996), 5A761

Sparse matrix algorithm for minimum weight design of large structures, Eng Optim **27**(1) 65-85 (Aug 1996), 5A762

Stress-based topology optimization, Struct Optim **12**(2-3) 98-105 (Oct 1996), 5A763

Structural optimization using augmented Lagrangian methods with secant Hessian updating, Struct Optim **12**(2-3) 113-119 (Oct 1996), 5A764

Parametrical optimization of compression helical springs against instability, Struct Optim **12**(2-3) 135-141 (Oct 1996), 5A856

Explicit approximation method for design optimization problems with implicit constraints, Eng Optim **27**(1) 21-42 (Aug 1996), 5A872

Optimal location design method of steel pipe pile foundation using genetic algorithm (Japanese), Proc JSCE **549**(I-37) 97-105 (Oct 1996), 6A660

Activity analysis: Simplifying optimal design problems through qualitative partitioning, Eng Optim **27**(2) 109-137 (Sep 1996), 6A843

Bead pattern optimization, Struct Optim **12**(4) 217-221 (Dec 1996), 6A844

Crash worthiness design optimization using multipoint sequential linear programming, Struct Optim **12**(4) 222-228 (Dec 1996), 6A845

Discrete structural optimization with commercially available sections, Proc JSCE **549**(I-37) 1-18 (Oct 1996), 6A846

Eigenpair derivative with respect to boundary shape, AIAA J **35**(1) 167-171 (Jan 1997), 6A847

Flutter sensitivity analysis using residualization for actively controlled flight vehicles, Struct Optim **12**(4) 229-236 (Dec 1996), 6A848

Genetic algorithms and fictitious domain based approaches in shape optimization, Struct Optim **12**(4) 257-264 (Dec 1996), 6A849

Global optimization using accurate approximations in design synthesis, Struct Optim **12**(4) 251-256 (Dec 1996), 6A850

Integrated optimal structural and vibration control design, Struct Optim **12**(4) 209-216 (Dec 1996), 6A851

New models for optimal truss topology in limit design based on unified elastic-plastic analysis, Comput Methods Appl Mech Eng **140**(1-2) 109-138 (Jan 1997), 6A852

Optimal design with discrete variables: Some numerical experiments, Int J Numer Methods Eng **40**(1) 165-188 (Jan 1997), 6A853

Optimal structural topology design using the homogenization method with multiple constraints, Eng Optim **27**(2) 87-108 (Sep 1996), 6A854

Optimum member location design of truss by genetic immune recruitment mechanism (Japanese), Proc JSCE **549**(I-37) 91-96 (Oct 1996), 6A855

Shape estimation of distorted flexible structures, Struct Optim **12**(4) 237-243 (Dec 1996), 6A856

Shape optimization with the biological growth method: A parameter study, Eng Comput **13**(8) 4-18 (1996), 6A857

Shortcomings in Michell's truss theory, Struct Optim **12**(4) 244-250 (Dec 1996), 6A858

Simplified optimal design of a tension leg platform (TLP), Struct Optim **12**(4) 265-268 (Dec 1996), 6A859

Two-level decomposition method for shape optimization of structures, Int J Numer Methods Eng **40**(1) 75-88 (Jan 1997), 6A860

Efficient optimal frequency design of elastically supported distributed-parameter cantilevers, Comput Struct **62**(1) 107-117 (Jan 1997), 7A131

Multiobjective design of laminated cylindrical shells for maximum torsional and axial buckling loads, Comput Struct **62**(2) 237-242 (1997), 7A551

Computer-aided optimum design of steel tubular telescopic pole structures, Comput Struct **62**(6) 961-973 (Mar 1997), 7A800

Effect of initial nondesign domain on optimal topologies of structures during natural frequency optimization, Comput Struct **62**(1) 119-131 (Jan 1997), 7A801

Effective move limits for approximate structural optimization, J Struct Eng **123**(2) 210-217 (Feb 1997), 7A802

Optimal design of dynamically constrained structures, Comput Struct **62**(1) 141-149 (Jan 1997), 7A803

Optimization methods with structural dynamics applications, Comput Struct **62**(3) 521-525 (1997), 7A804

Strategy for reliability-based optimization, Eng Struct **19**(3) 276-282 (Mar 1997), 7A805

Structural reanalysis for general layout modifications, AIAA J **35**(2) 382-388 (Feb 1997), 7A806

Study on the shape extraction process in the structural topology optimization using homogenized material, Comput Struct **62**(3) 527-538 (1997), 7A807

Three-dimensional design sensitivity analysis using a boundary integral approach, Int J Numer Methods Eng **40**(4) 637-654 (Feb 1997), 7A808

Simple p-adaptive refinement procedure for structural shape optimization, Finite Elements Anal Des **24**(3) 133-155 (Jan 1997), 8A48

NIST-CTCMS international workshop on optimal design for materials and structures, Struct Optim **13**(1) 4-68 (Feb 1997), 8A878

Optimization of mechanical systems: On nonlinear first-order approximation with an additive convex term, Commun Numer Methods Eng **13**(1) 13-20 (Jan 1997), 8A879

Optimization of RC structures using design of experiments, Comput Struct **63**(1) 119-132 (Apr 1997), 8A880

Parametric optimization of composite structures: Application to alpine skis, Commun Numer Methods Eng **13**(2) 139-149 (Feb 1997), 8A881

Quasi-Monte Carlo method for multicriteria design optimization, Eng Optim **27**(3) 177-198 (Dec 1996), 8A882

Structural optimization, Eng Struct **19**(4) 289-331 (Apr 1997), 8A883

Three-dimensional aerodynamic shape optimization using genetic and gradient search algorithms, J Spacecraft Rockets **34**(1) 36-42 (Jan-Feb 1996), 8A884

Two-parameter optimization of an axially loaded beam on a foundation, J Sound Vib **199**(5) 801-812 (Feb 1997), 8A885

Two-step method for the optimum design of trusses with commercially available sections, Struct Eng and Mech **5**(1) 59-68 (Jan 1997), 8A886

Various aspects of evolutionary structural optimization for problems with stiffness constraints, Finite Elements Anal Des **24**(4) 197-212 (Feb 1997), 8A887

Design sensitivity of bars of periodic structure subjected to torsion, Arch Civil Eng **42**(3) 273-292 (1996), 9T827

Generating optimal configurations in structural design using simulated annealing, Int J Numer Methods Eng **40**(6) 1053-1069 (Mar 1997), 9A828

Mathematical model for processes of structure analysis, Comp Assisted Mech Eng Sci **3**(4) 297-316 (1996), 9A829

Minimum weight design of trusses using heuristic rules, Eng Trans **44**(3-4) 361-373 (1996), 9A830

Neural network approximator with novel learning scheme for design optimization with variable complexity data, AIAA J **35**(4) 736-739 (Apr 1997), 9A831

Optimal design of reinforced concrete beams and frames, Comp Assisted Mech Eng Sci **3**(3) 223-231 (1996), 9A832

Optimization of cylindrical shells subjected to pitting corrosion, Comp Assisted Mech Eng Sci **3**(4) 361-365 (1996), 9A833

Optimization of reliability and maintenance of steel engineering works, Rev Francaise Mec **0**(1) 27-33 (1997), 9A834

Optimization of shallow Schwedler domes, Comp Assisted Mech Eng Sci **3**(3) 205-213 (1996), 9A835

Optimum design and validation of flat composite beams subject to frequency constraints, AIAA J **35**(3) 540-545 (Mar 1997), 9A836

Proposal for optimum structural design with the largest buckling load, Comput Struct **63**(5) 1033-1036 (Jun 1997), 9A837

Structural sensitivity as a measure of redundancy, J Struct Eng **123**(3) 360-364 (Mar 1997), 9A838

Systems approach to structural topology optimization: Designing optimal connections, J Mech Des **119**(1) 40-47 (Mar 1997), 9A839

Topology optimization of sheets in contact by a subgradient method, Int J Numer Methods Eng **40**(7) 1295-1321 (Apr 1997), 9A840

Genetic algorithms-based methodologies for design optimization of trusses, J Struct Eng **123**(3) 350-358 (Mar 1997), 9A903

Applied Structural Mechanics: Fundamentals of Elasticity, Load-Boaring Structures, Structural Optimization (Springer-Verlag, Berlin, 1997) 10R9

Discrete Structural Optimization (Springer-Verlag, Wien, 1997) 10N19

Damping of beams: Optimal distribution of cuts in the viscoelastic constrained layer, Struct Optim **13**(2-3) 167-171 (Apr 1997), 10A175

Accuracy test of sensitivity analysis in the semi-analytic method with respect to configuration variables, Comput Struct **63**(6) 1139-1148 (Jun 1997), 10A893

Comparison of shape design sensitivity analysis formulations via material derivative-adjoint variable and implicit differentiation techniques for 3D and 2D curved BE, Comput Methods Appl Mech Eng **142**(1-2) 89-109 (Mar 1997), 10A894

Disturbance attenuation and H^{∞}-optimization in structural analysis, Z Angew Math Mech **77**(3) 189-195 (1997), 10A895

Evolutionary optimization of maximizing the difference between two natural frequencies of a vibrating structure, Struct Optim **13**(2-3) 148-154 (Apr 1997), 10A896

Exact analytical solutions for non-selfadjoint variable-topology shape optimization problems: Perforated cantilever plates in plane stress subject to displacement constraints - Part I, Struct Optim **13**(2-3) 119-127 (Apr 1997), 10A897

Exploiting design length scales in structural optimization, Int J Numer Methods Eng **40**(8) 1465-1482 (Apr 1997), 10A898

Extension of the Zienkiewicz-Zhu error estimator to shape sensitivity analysis, Int J Numer Methods Eng **40**(8) 1413-1433 (Apr 1997), 10A899

Finite element solution of a model free surface problem by the optimal shape design approach, Int J Numer Methods Eng **40**(8) 1525-1550 (Apr 1997), 10A900

Multidiscipline topology optimization, Comput Struct **63**(6) 1205-1212 (Jun 1997), 10A901

Optimal cross-section and configuration design of elastic-plastic structures subject to dynamic cyclic

loading, Struct Optim 13(2-3) 112-118 (Apr 1997), 10A902
Optimal prestress in modal analysis via induced temperature modeling, Struct Optim 13(2-3) 95-103 (Apr 1997), 10A903
Optimization for buckling of composite sandwich plates, AIAA J 35(5) 863-868 (May 1997), 10A904
Optimization of stiffened plates by genetic search, Struct Optim 13(2-3) 134-141 (Apr 1997), 10A905
Optimum design of plate structures using three-point approximation, Struct Optim 13(2-3) 142-147 (Apr 1997), 10A906
Sensitivity of structural joint stiffnesses with respect to beam properties: A hybrid approach, Comput Struct 63(6) 1037-1041 (Jun 1997), 10A907
Shape design sensitivity analysis and optimization for structural durability, Int J Numer Methods Eng 40(9) 1719-1743 (May 1997), 10A908
Simultaneous cost and weight minimization of composite-stiffened panels under compression and shear, Composites Part A Appl Sci and Manuf 28A(5) 419-435 (1997), 10A909
Structural optimization using response approximation and optimality criteria methods, Eng Struct 19(7) 527-532 (Jul 1997), 10A910
Three-dimensional shape optimization with variational geometry, Struct Optim 13(2-3) 81-94 (Apr 1997), 10A911
Topological structural analysis, Struct Optim 13(2-3) 104-111 (Apr 1997), 10A912
Topology optimization of trusses with local stability constraints and multiple loading conditions: A heuristic approach, Struct Optim 13(2-3) 155-166 (Apr 1997), 10A913
Upper limits on the number of elements in elastic structures of minimum weight, Struct Optim 13(2-3) 128-133 (Apr 1997), 10A914
Validity of Prager's example of nonunique Michell structures, Struct Optim 13(2-3) 191-194 (Apr 1997), 10A915
Statistical experimentation methods for achieving affordable concurrent systems design, AIAA J 35(5) 893-900 (May 1997), 10T962
Cascade optimization strategy for solution of difficult design problems, Int J Numer Methods Eng 40(12) 2257-2266 (Jun 1997), 11A764
Optimal design of trusses using available sections, J Struct Eng 123(5) 685-688 (May 1997), 11A765
Passive and active design of hard disk suspension assemblies using multiobjective optimization techniques, Comput Methods Appl Mech Eng 145(1-2) 147-166 (Jun 1997), 11A766
Reliability-based method for optimal structural design of stiffened panels, Marine Struct 10(5) 323-352 (Jun 1997), 11A767
Vibration isolation in a thin rectangular plate using a large number of optimally positioned point masses, J Sound Vib 202(2) 219-234 (May 1997), 12A183
Evolutionary natural frequency optimization of 2D structures with additional non-structural lumped masses, Eng Comput 14(2-3) 233-251 (1997), 12A215
Approximation and derivatives of probabilities of survival in structural analysis and design, Struct Optim 13(4) 230-243 (Jun 1997), 12A881
Automatic differentiation in robust optimization, AIAA J 35(6) 1072-1079 (Jun 1997), 12A882
Distributed neural dynamics algorithms for optimization of large steel structures, J Struct Eng 123(7) 880-888 (Jul 1997), 12A883
Dynamic optimization of a turbine foundation, Struct Optim 13(4) 244-249 (Jun 1997), 12A884
Efficient implementation of adjoint sensitivity analysis for optimal control problems, Struct Optim 13(4) 223-229 (Jun 1997), 12A885
Exact optimal layout of grillages for partially upward and partially downward loading, Struct Optim 13(4) 267-270 (Jun 1997), 12A886
Fitting of tabu search to optimize functions of continuous variables, Int J Numer Methods Eng 40(13) 2449-2457 (Jul 1997), 12A887
Partial relaxation of the orthogonality requirement for classical Michell trusses, Struct Optim 13(4) 271-274 (Jun 1997), 12A888
Response surface for structural optimization, J Offshore Mech Arctic Eng 119(3) 196-202 (Aug 1997), 12A889
Sequentially decomposed programming, AIAA J 35(7) 1209-1216 (Jul 1997), 12T890
Two-dimensional and 3D shape optimization using mesh velocities to integrate analytical sensitivities with associative CAD, Struct Optim 13(4) 213-222 (Jun 1997), 12A891
Two-level definitative and combinatorial algorithm for discrete optimization of structures, Struct Optim 13(4) 250-257 (Jun 1997), 12A892
The ε-relaxed approach in structural topology optimization, Struct Optim 13(4) 258-266 (Jun 1997), 12A893
Direct treatment of distributed loads in the collapse analysis and design of rigid frames, Eng Optim 27(4) 321-339 (Mar 1996), 12A920

282D. Active control, smart structures

Development of an electrically controllable damper using a liquid crystal, J Vib Acoust 118(3) 510-515 (Jul 1996), 1A218
Performance of a smart vibration isolator for precision spacecraft instruments, J Intelligent Mat Syst Struct 7(2) 211-215 (Mar 1996), 1A221
Efficient computational model for the stress analysis of smart plate structures, Smart Mat Struct 5(3) 353-360 (Jun 1996), 1A838
Energy-based parametric control approach for structural vibration suppression via semi-active piezoelectric networks, J Vib Acoust 118(3) 505-509 (Jul 1996), 1A839
Impedance-based system modeling approach for induced strain actuator-driven structures, J Vib Acoust 118(3) 323-331 (Jul 1996), 1A840
Self-sensing active suppression of vibration of flexible steel sheet, J Vib Acoust 118(3) 469-473 (Jul 1996), 1A841
Smart materials and structures: What are they?, Smart Mat Struct 5(3) 247-254 (Jun 1996), 1A842
Super-active shape-memory alloy composites, Smart Mat Struct 5(3) 255-260 (Jun 1996), 1A843
Deflection shape control of a flexible beam by using shape memory alloy wires under the genetic algorithm control, J Intelligent Mat Syst Struct 7(3) 336-341 (May 1996), 2A322
Finite element model for active control of intelligent structures, AIAA J 34(9) 1885-1893 (Sep 1996), 2A769
Modal control of piezolaminated anisotropic rectangular plates - Part 1: Modal transducer theory, AIAA J 34(9) 1868-1875 (Sep 1996), 2A770
Modal control of piezolaminated anisotropic rectangular plates - Part 2: Control theory, AIAA J 34(9) 1876-1884 (Sep 1996), 2A771
Multi-freedom tube type manipulator with Shape Memory Alloy plate, J Intelligent Mat Syst Struct 7(3) 331-335 (May 1996), 2T772
Optimum placement of piezoelectric sensor-actuator for vibration control of laminated beams, AIAA J 34(9) 1921-1926 (Sep 1996), 2A773
Smart materials: A future for composites, J Intelligent Mat Syst Struct 7(3) 353-357 (May 1996), 2T774
Analysis of steady behavior for electrorheological (ER) "Smart" journal bearings (Chinese), J Dalian Univ Tech 36(4) 402-407 (Jul 1996), 2A1121
Active and passive vibration control of an axially moving beam by smart hybrid bearings, J Sound Vib 195(4) 575-584 (Aug 1996), 3A146
Probabilistic stability robustness of structural systems, J Eng Mech 122(10) 1012-1021 (Oct 1996), 3A329
Modeling and analysis of a shape memory alloy-elastomer composite actuator, J Intelligent Mat Syst Struct 7(4) 441-447 (Jul 1996), 3A399
Modeling and shape control of composite beams with embedded piezoelectric actuators, Composite Struct 35(2) 237-244 (Jun 1996), 3A513
Active vibration suppression of flexible manipulator systems: Closed-loop control methods, Int J Active Control 1(2) 79-107 (1995), 3A743
Actuator dynamics and delay compensation using neurocontrollers, J Eng Mech 122(10) 966-975 (Oct 1996), 3A744
Control of flexural vibration in a stiffened cylinder using piezoceramic actuators and an angle stiffener, Int J Active Control 1(2) 167-221 (1995), 3A745
Dynamics of a mechanical system with a shape memory alloy bar, J Intelligent Mat Syst Struct 7(4) 399-410 (Jul 1996), 3A746
Heuristic-based algorithm for active control, J Eng Mech 122(8) 801-803 (Aug 1996), 3A747
Limits of stress reduction in a plate with a hole using piezoelectric actuators, J Intelligent Mat Syst Struct 7(4) 363-371 (Jul 1996), 3A748
Material damping analysis of smart hybrid composite laminated plate structures, J Intelligent Mat Syst Struct 7(4) 427-432 (Jul 1996), 3A749
Modeling the response of ER damper: Phenomenology and emulation, J Eng Mech 122(9) 897-906 (Sep 1996), 3A750
Modified bang-bang control law for structural control implementation, J Eng Mech 122(8) 771-777 (Aug 1996), 3A751
New algorithm for active structural control, J Struct Eng 122(9) 1081-1088 (Sep 1996), 3A752
One-dimensional model of a shape memory alloy fiber reinforced aluminum metal matrix composite, J Intelligent Mat Syst Struct 7(4) 448-454 (Jul 1996), 3A753
Passive structural control with sequential coupling, J Struct Eng 122(9) 1072-1080 (Sep 1996), 3A754
Power transmission characteristics in an actively controlled semi-infinite plate, Int J Active Control 1(2) 145-166 (1995), 3A755
Pyroelectric and thermal strain effects of piezoelectric (PVDF and PZT) devices, Mech Syst Signal Processing 10(4) 459-469 (Jul 1996), 3A756
Robust H_∞ control considering actuator saturation - I: Theory, J Eng Mech 122(10) 976-983 (Oct 1996), 3A757
Robust H_∞ control considering actuator saturation - II: Applications, J Eng Mech 122(10) 984-993 (Oct 1996), 3A758
Rule-based control algorithm for active tuned mass dampers, J Eng Mech 122(8) 705-713 (Aug 1996), 3A759
Smart structure control in matrix second-order form, Smart Mat Struct 5(4) 429-436 (Aug 1996), 3A760
State space modeling and control method for multivariable smart structural systems, Smart Mat Struct 5(4) 386-399 (Aug 1996), 3A761
Tendon control system for active shape control of flexible space structures, J Intelligent Mat Syst Struct 7(4) 470-475 (Jul 1996), 3A762
Optimal polynomial control of seismically excited linear structures, J Eng Mech 122(8) 753-761 (Aug 1996), 3A1390
Vibration control of tall buildings under siesmic and wind loads, J Struct Eng 122(8) 948-957 (Aug 1996), 3A1400
Convex model for seismic design of structures - I: Analysis, Earthquake Eng Struct Dyn 25(9) 927-944 (Sep 1996), 3A1402
Convex model for seismic design of structures - II: Design of conventional and active structures, Earthquake Eng Struct Dyn 25(9) 945-963 (Sep 1996), 3A1403
Vibration damping using piezoelectric stiffener-actuators with application to orthotropic plates, Composite Struct 35(3) 251-261 (Jul 1996), 4A404
Elastic wave generation by piezoceramic patches, AIAA J 34(10) 2110-2117 (Oct 1996), 4A799
Application of the electromechanical surface damping to the vibration control of a cantilever plate, J Vib Acoust 118(4) 551-557 (Oct 1996), 4A824
Control of flexural vibration in stiffened structures using multiple piezoceramic actuators, Appl Acoust 49(1) 17-48 (Sep 1996), 4A825
Distributed modeling and actuator location for piezoelectric control systems, AIAA J 34(10) 2209-2211 (Oct 1996), 4T826
Implementation of an adaptive piezoelectric sensori-actuator, AIAA J 34(10) 2102-2109 (Oct 1996), 4A827
Minimization of residual vibrations in lumped parameter positioners: A non-time-optimal bang-bang control, J Sound Vib 196(3) 263-274 (Sep 1996), 4A828
Partitioned model reduction for large space structural control problem, AIAA J 34(10) 2149-2153 (Oct 1996), 4A829
Open- and closed-loop results of a strain-actuated active aeroelastic wing, J Aircraft 33(5) 987-994 (Sep-Oct 1996), 4A1119
Control of building vibrations with active-passive devices, Earthquake Eng Struct Dyn 25(10) 1019-1039 (Oct 1996), 4A1401
Optimal polynomial control for seismically excited nonlinear and hysteretic structures, Earthquake Eng Struct Dyn 25(11) 1211-1230 (Nov 1996), 4A1406
Development of antiresonance enforced active vibration absorber system, JSME Int J Ser C 39(3) 464-469 (Sep 1996), 5A92
Active boundary control of elastic cables: Theory and experiment, J Sound Vib 198(1) 17-26 (Nov 1996), 5A100
Adaptive vibration control of a rigid rotor supported by active magnetic bearings, J Eng Gas Turbines Power 118(4) 825-829 (Oct 1996), 5A132
Aerodynamic loading and magnetic bearing controller robustness using a gain-scheduled Kalman filter, J Eng Gas Turbines Power 118(4) 836-842 (Oct 1996), 5A133
Multivariable high-authority control of plate-like active structures, J Guidance Control Dyn 19(6) 1357-1363 (Nov-Dec 1996), 5A324
Position tracking control of a smart flexible structure featuring a piezofilm actuator, J Guidance Control Dyn 19(6) 1364-1369 (Nov-Dec 1996), 5A325
Passive and active damping technologies, Smart Mat Struct 5(5) 509-722 (Oct 1996), 6A141
Active vibration absorption using delayed resonator with relative position measurement, J Vib Acoust 119(1) 131-136 (Jan 1997), 6A215
Structural damage identification using assigned partial eigenstructure, AIAA J 35(1) 152-158 (Jan 1997), 6A362
Micro-macro model for the effects of thermo-mechanical fields on optical fibers embedded in a laminated composite plate with applications to sensing, Mech Composite Mat Struct 3(4) 297-320 (Dec 1996), 6A588
Adaptive control for a mechanical system with oscillation disturbance, J Sound Vib 199(1) 107-123 (Jan 1997), 6A861
Control of flexural vibration in a stiffened plate using piezoceramic actuators and an angle stiffener, Int J Active Control 1(3) 277-301 (1995), 6A862
Design of supplemental dampers for control of structures, J Struct Eng 122(12) 1394-1399 (Dec 1996), 6A863
Development of a DSP-based active small amplitude vibration control system for flexible beams by using the LQG algorithms and intelligent materials, J Sound Vib 198(4) 411-427 (Dec 1996), 6A864
Linear-saturation control of buildings, Earthquake Eng Struct Dyn 25(12) 1353-1371 (Dec 1996), 6A865
Modeling of a hybrid constrained layer-piezoceramic approach to active damping, J Vib Acoust 119(1) 120-130 (Jan 1997), 6A866
Modeling piezoceramic actuation of beams in torsion, AIAA J 34(12) 2582-2589 (Dec 1996), 6A867
Modeling, actuation, and control of an active fluid vibration isolator, J Vib Acoust 119(1) 52-59 (Jan 1997), 6A868
Optimal vibration suppression in modal space for flexible beams subjected to moving loads, Shock Vib 4(1) 39-50 (1996), 6A869
Pole assignment self-tuning control for a multivariable vibrating system, J Vib Acoust 119(1) 137-141 (Jan 1997), 6A870
Real-time simulation and active vibration control of flexible structures, Int J Active Control 1(3) 249-275 (1995), 6A871
Robust multiobjective controllers for smart structures, J Reinforced Plastics Composites 15(12) 1237-1248 (Dec 1996), 6A872
Semi-active dynamic vibration absorbers for controlling transient response, J Sound Vib 198(5) 547-569 (Dec 1996), 6A873
Structural control using analog phase-locked loops, J Vib Acoust 119(1) 104-109 (Jan 1997), 6A874
Exact solutions to a class of structure-equipment systems, J Eng Mech 122(11) 1093-1100 (Nov 1996), 6A1435
Gravity-actuator system for control of civil structures, J Struct Eng 123(1) 42-51 (Jan 1997), 6A1467
Medical applications of shape memory alloys, Bio-Med Mat Eng 6(4) 233-312 (1996), 6A1548
Formulation of an adaptive sandwich beam, Smart Mat Struct 5(6) 814-823 (Dec 1996), 7A506
Active aeroelastic tailoring of an adaptive flexspar stabilator, Smart Mat Struct 5(6) 723-730 (Dec 1996), 7A809
Optimal control of adaptive-smart bridge structures, J Struct Eng 123(2) 218-226 (Feb 1997), 7A810
Smart aperture antennas, Smart Mat Struct 5(6) 801-805 (Dec 1996), 7A811
Smart aperture antennas, Smart Mat Struct 5(6) 801-805 (Dec 1996), 7A812
Seventh International Conference on Adaptive Structures (Technomic, Lancaster PA, 1997) 8N15
Dynamic characteristics of a beam specimen featuring electrorheological fluids, Exp Mech 37(1) 1-4 (Mar 1997), 8A131
NIST-CTCMS international workshop on optimal design for materials and structures, Struct Optim 13(1) 4-68 (Feb 1997), 8A878
Active materials and adaptive structures, Smart Mat Struct 6(1) 117-122 (Feb 1997), 8A888
Active vibration control and suppression for intelligent structures, J Sound Vib 200(2) 167-177 (Feb 1997), 8A889
Concurrent design of a structure and its distributed piezoelectric actuators, Smart Mat Struct 6(1) 62-66 (Feb 1997), 8A890
Finite element analysis of deflection control of plates with piezoelectric actuators, Composite Struct 35(4) 423-433 (Aug 1996), 8A891
Finite element analysis of strain transfer in an induced strain actuator, Smart Mat Struct 6(1) 76-88 (Feb 1997), 8A892
Phase-lock-loop-based control system for suppressing periodic vibration in smart structural systems, Smart Mat Struct 6(1) 10-22 (Feb 1997), 8A893
Symmetric motion control for adaptive structure based construction of large space structures, J Spacecraft Rockets 34(1) 118-124 (Jan-Feb 1996), 8A894
Optimization of tuned liquid column dampers, Eng Struct 19(6) 476-486 (Jun 1997), 9A174
Optimal placement of piezoelectric actuators for active noise control, AIAA J 35(3) 526-533 (Mar 1997), 9A283
Electromechanical modeling of hybrid piezohydraulic actuator system for active control, J Dyn Syst Meas Control 119(1) 10-18 (Mar 1997), 9A358
Effective properties of smart elastic laminates and the screening phenomenon, Int J Solids Struct 34(13) 1633-1643 (May 1997), 9A504
Analysis of controled beam deflections using SMA wires, J Intelligent Mat Syst Struct 8(1) 12-25 (Jan 1997), 9A841
Design of extended bandwidth shape memory alloy actuators, J Intelligent Mat Syst Struct 7(6) 635-645 (Nov 1996), 9A842
Distributed piezoelectric segment method for vibration control of smart beams, AIAA J 35(3) 583-584 (Mar 1997), 9T843
Dynamic power and energy capabilities of commercially-available electro-active induced-strain actuators, J Intelligent Mat Syst Struct 7(6) 656-667 (Nov 1996), 9A844
Hybrid model-insensitive control using a piezoelectric sensoriactuator, J Intelligent Mat Syst Struct 7(6) 689-695 (Nov 1996), 9A845

Instantaneous control of structures with time-delay consideration, Eng Struct **19**(6) 465-475 (Jun 1997), 9A846
Mechanics and dynamics of intelligent passive vibration control system, J Eng Mech **123**(4) 322-327 (Apr 1997), 9A847
Modeling of SMA tendons for active control of structures, J Intelligent Mat Syst Struct **8**(1) 51-70 (Jan 1997), 9A848
Stress distribution in a piezoceramic disc applied in vibration control of high-rise building, Eng Trans **44**(3-4) 403-409 (1996), 9A849
Thermomechanical analysis of shape memory devices, Bio-Med Mat Eng **6**(6) 389-403 (1996), 9T850
Thermopiczoelectric control design and actuator placement, AIAA J **35**(3) 534-539 (Mar 1997), 9A851
TIG welding and shape memory effect of TiNi shape memory alloy, J Intelligent Mat Syst Struct **7**(6) 646-655 (Nov 1996), 9A852
Vibration control of smart structures by using neural networks, J Dyn Syst Meas Control **119**(1) 34-39 (Mar 1997), 9A853
Sliding mode control of buildings with ATMD, Earthquake Eng Struct Dyn **26**(4) 409-422 (Apr 1997), 9A1488
Rigidity-plasticity-viscosity: Can electorheological dampers protect base-isolated structures from near-source ground motions, Earthquake Eng Struct Dyn **26**(5) 571-591 (May 1997), 10A164
Fabrication and transformation characteristics of reversible shape memory alloy thin film actuators (Japancse), J Japan Soc Precision Eng **63**(4) 530-534 (Apr 1997), 10A544
Displacement magnification micromechanism with saddle-shaped click buckling spring strip actuated by SMA wire, Int J Japan Soc Precision Eng **30**(4) 343-344 (Dec 1996), 10A877
Application of computed phase transformation power to control shape memory alloy actuators, Smart Mat Struct **6**(2) 190-198 (Apr 1997), 10A916
Design, prototyping and computer simulations of a novel large bending actuator made with a shape memory alloy contractile wire, Smart Mat Struct **6**(2) 214-221 (Apr 1997), 10A917
Impedance-based modeling of induced strain actuators bonded on ring structures, J Sound Vib **201**(2) 169-187 (Mar 1997), 10A918
Self-monitoring of strain in silicon carbide whisker reinforced silicon nitride, Smart Mat Struct **6**(2) 199-203 (Apr 1997), 10A919
Vibration suppression of a nonlinear axially moving string by boundary control, J Sound Vib **201**(1) 145-152 (Mar 1997), 10T920
Balance technique for monitoring in situ structural integrity of prismatic structures, AIAA J **35**(5) 869-874 (May 1997), 10A955
Temperature-induced phase transformation in a shape memory alloy: Phase diagram based kinetics approach, J Mech Phys Solids **45**(6) 949-988 (Jun 1997), 11A8
Multivariable active lifting surface control using strain actuation: Analytical and experimental results, J Aircraft **34**(3) 313-321 (May-Jun 1997), 11A224
Active control of sound fields from a composite plate using the anisotropy and shape of distributed PVDF actuators, J Sound Vib **202**(4) 461-476 (May 1997), 11A254
Use of optimally shaped piezoelectric film sensors in the active control of free field structural radiation - Part 2: Feedback control, J Vib Acoust **118**(1) 112-121 (Jan 1996), 11A260
Electrochemical and histomorphometric evaluation of the TiNiCu shape memory alloy, Bio-Med Mat Eng **7**(1) 1-11 (1997), 11T768
Piezoelectric modal sensor-actuator design for monitoring-generating flexural and torsional vibrations of cylindrical shells, J Vib Acoust **118**(1) 48-55 (Jan 1996), 11A769
Planar free vibrations of off-axis piezoelectric laminates, J Eng Mech **123**(6) 604-611 (Jun 1997), 11A770
Stability and controllability of Euler-Bernoulli beams with intelligent constrained layer treatments, J Vib Acoust **118**(1) 70-77 (Jan 1996), 11A771
Smart stiffness for improved roll control, J Aircraft **34**(3) 445-447 (May-Jun 1997), 11T1140
Structronic Systems: Smart Structures, Devices, and Systems, Parts 1 and 2 (World Sci Pub, River Edge, NJ, 1997) 12N22
Structural Control (World Sci Pub, River Edge, NJ, 1997) 12N31
Distributed sensor-actuator design for plates: Spatial shape and shading as design parameters, J Sound Vib **203**(3) 473-493 (Jun 1997), 12A894
Distributed structural actuation with electrostrictors, J Sound Vib **203**(1) 11-40 (May 1997), 12A895
One-dimensional model for superelastic shape-memory alloys with different elastic properties between austenite and martensite, Int J Non-Linear Mech **32**(6) 1101-1114 (Nov 1997), 12A896

282E. Probabilistic design

Force coefficients for a centrally grooved short squeeze film damper, J Trib **118**(3) 608-616 (Jul 1996), 1A903
Reliability based design with a degradation model of laminated composite structures, Struct Optim **12**(1) 16-28 (Aug 1996), 2A763
Efficient uncertainty analyses using fast probability integration, Nucl Eng Des **166**(2) 225-248 (Oct 1996), 5A765
Design sensitivity analysis extended to perturbation treatment in problems of uncertain structural system, Comput Struct **62**(4) 757-762 (Feb 1997), 7A813
Probability method applied to dynamic pile-driving control, J Geotech Geoenv Eng **123**(2) 137-144 (Feb 1997), 8A666
Extension of convex models and its improvement on the approximate solution, Acta Mech Sinica **12**(4) 349-357 (1996), 8A895
Probabilistic model for creep-fatigue failure, J Pressure Vessel Tech **119**(1) 45-51 (Feb 1997), 8A896
Probabilistic methods for failure risk assessment, Rev Francaise Mec **0**(1) 9-15 (1997), 9A67
Probabilistic design of structures (Used of the rule R6): Design of pressure vessels, Rev Francaise Mec **0**(1) 35-42 (1997), 9A854
Probabilistic framework for detecting and identifying anomalies, Probab Eng Mech **12**(2) 63-73 (Apr 1997), 9A855
Probabilistic method for the fatigue design of powder metallurgy parts of aircraft engines, Rev Francaise Mec **0**(1) 63-68 (1997), 9A856
Probabilistic analysis of ultimate moment of reinforced concrete beams, J Eng Appl Sci **43**(6) 1155-1170 (Dec 1996), 9A865
Statistical tolerance analysis based on beta distributions, J Manuf Syst **16**(2) 150-158 (1997), 10A549
Analytical-experimental comparison of probabilistic methods and fuzzy set based methods for designing under uncertainty, Struct Optim **13**(2-3) 69-80 (Apr 1997), 10A921
Safety evaluation after proof load testing of structural elements in existing structures (German), Bauingenieur **72**(2) 85-92 (Feb 1997), 10A922
Minimum weight design of symmetric angle-ply laminates with incomplete information on initial imperfections, J Appl Mech **64**(1) 90-96 (Mar 1997), 10A1004
Probability-based seismic safety evaluation of existing buildings, Eng Struct **19**(9) 708-717 (Sep 1997), 11A772
Environmental load uncertainties for offshore structures, J Offshore Mech Arctic Eng **117**(4) 245-251 (Nov 1995), 11A818
Approximation and derivatives of probabilities of survival in structural analysis and design, Struct Optim **13**(4) 230-243 (Jun 1997), 12A881
Approximation of system reliabilities using a shooting Monte Carlo approach, AIAA J **35**(6) 1064-1071 (Jun 1997), 12A897

282F. Nonlinear theory

Implicit multidomain spectral collocation method for the simulation of gas bearings between textured surfaces, J Trib **118**(4) 783-793 (Oct 1996), 4A830
Review of research in Japan on nonlinear oscillations of elastic structures, JSME Int J Ser C **39**(3) 439-449 (Sep 1996), 5A766
Generalized potential formulations for elastostatics of constitutively nonlinear structures under general loading, Int J Mech Sci **39**(5) 537-548 (May 1997), 7A814
Comparative investigations for the analysis of reinforced and prestressed concrete beams with lateral buckling according to the second order theory (German), Bauingenieur **72**(4) 157-165 (Apr 1997), 11A778

282G. Reliability design

Reliability-based design for jacket platform under extreme loads, China Ocean Eng **10**(2) 145-160 (1996), 1A858
Structural synthesis with reliability constraints using approximation concepts, AIAA J **34**(8) 1641-1643 (Aug 1996), 2A775
Experimental study of structural health monitoring using incomplete measurements, J Vib Acoust **118**(4) 543-550 (Oct 1996), 4A800
Reliability-based optimization: A proposed analytical-experimental study, AIAA J **34**(10) 2154-2161 (Oct 1996), 4A817
Comparison of local and global approximations for reliability estimation, AIAA J **34**(10) 2162-2170 (Oct 1996), 4A831
Methods to compute probabilistic measures of robustness for structural systems, J Vib and Control **2**(4) 447-463 (Nov 1996), 4A832
Reliability-based evaluation and design of masonry, steel and reinforced concrete structures, Struct Safety **18**(2-3) 65-260 (1996), 4A833
Structural reliability analysis of reinforced concrete columns: A comparison of methods to assess the probability of buckling failure (French), Mat Struct **29**(192) 485-493 (Oct 1996), 4A834
Synthesis of low-pressure air servomechanism using reliability concept, Indian J Eng Mat Sci **3**(5) 191-195 (Oct 1996), 5A767
Structural system reliability analysis of SWATH ships, Eng Struct **18**(12) 901-905 (Dec 1996), 5A800
Reliability of welded structures containing fatigue cracks, J Offshore Mech Arctic Eng **118**(4) 300-306 (Nov 1996), 6A744
Approximate assignment method for structural systems reliability (Chinese), J Dalian Univ Tech **36**(6) 767-770 (Nov 1996), 6A875
Approximate reliability analysis using normal polynomial and simulation results, Struct Safety **18**(4) 329-339 (1996), 6A876
Nonlinear FE reliability analysis of concrete, J Eng Mech **122**(12) 1174-1182 (Dec 1996), 6A877
Reliability of structures under many conditions (Chinese), J Dalian Univ Tech **36**(6) 771-775 (Nov 1996), 6A878
Reliability updating of welded joints damaged by fatigue, Int J Fatigue **18**(8) 567-575 (Nov 1996), 7A706
Strategy for reliability-based optimization, Eng Struct **19**(3) 276-282 (Mar 1997), 7A805
Adaptive Monte Carlo simulation for time-variant reliability analysis of brittle structures, AIAA J **35**(2) 321-326 (Feb 1997), 7A815
Reliability considerations on the confinement of RC columns for ductility, Soil Dyn Earthquake Eng **16**(1) 1-8 (Jan 1997), 7A816
Sensitivity analysis for 3D elastoplastic structural reliability, Acta Mech Solida Sinica **9**(4) 296-305 (1996), 7A817
Study on dynamic reliability analysis of the structures with multi dof, Comput Struct **62**(5) 877-881 (Mar 1997), 7A818
System reliability evaluation considering strength and serviceability requirements, Comput Struct **62**(5) 883-896 (Mar 1997), 7A819
Computational method for first-excursion reliability, Acta Mech Sinica **12**(4) 377-386 (1996), 8A897
Fatigue reliability of TLP tether systems, J Offshore Mech Arctic Eng **119**(1) 53-60 (Feb 1997), 8A898
Human and organization errors in reliability of offshore structures, J Offshore Mech Arctic Eng **119**(1) 46-52 (Feb 1997), 8A899
Analysis of the effect of the parameters used for processing a realization of a random loading process on the accuracy of service life estimation, J Machinery Manuf Reliab **3** 49-53 (1996), 8T971
Reliability assessment of mechanical systems, Proc Inst Mech Eng E **210**(E3) 205-216 (1996), 8A972
Asian-Pacific symposium on structural reliability and its aplications, Struct Safety **19**(1) 3-168 (1997), 9A857
Fatigue reliability reassessment applications: State-of-the-art paper, J Struct Eng **123**(3) 277-285 (Mar 1997), 9A858
Fatigue reliability reassessment procedures: State-of-the-art paper, J Struct Eng **123**(3) 271-276 (Mar 1997), 9A859
Reliability-based optimization of plant precast concrete structures, J Struct Eng **123**(3) 298-304 (Mar 1997), 9A860
Reliability of reinforced concrete girders under corrosion attack, J Struct Eng **123**(3) 286-297 (Mar 1997), 9A866
Reliability-based partial safety factors in cantilever construction of concrete bridges, J Struct Eng **123**(3) 305-312 (Mar 1997), 9A893
Adaptive kernel method for evaluating structural system reliability, Struct Eng and Mech **5**(2) 115-126 (Mar 1997), 10A923
Reliability prediction of structures with random parameters subjected to stationary stochastic input, Tech Mech **17**(1) 51-65 (1997), 10A924
Reliability-based optimization of plant precast concrete building systems, Acta Polytech Scand Civil Eng Build **0**(108) 7-168 (1997), 10T925
Reliability-based method for optimal structural design of stiffened panels, Marine Struct **10**(5) 323-352 (Jun 1997), 11A767
Code development for ship structures: A demonstration, J Offshore Mech Arctic Eng **119**(2) 114-119 (May 1997), 11A773
Effect of discrete member size on reliability of wood beams, J Struct Eng **123**(6) 831-835 (Jun 1997), 11A774
Reliability-based criteria for fixed steel offshore platforms, J Offshore Mech Arctic Eng **119**(2) 120-124 (May 1997), 11A775
Special issue on jack-up platforms, Marine Struct **10**(2-4) 85-301 (Feb-May 1997), 11A820
Approximation of system reliabilities using a shooting Monte Carlo approach, AIAA J **35**(6) 1064-1071 (Jun 1997), 12A897
Improved Rosenblueth method and its application to structural reliability analysis (Chinese), J Dalian Univ Tech **37**(3) 316-321 (May 1997), 12A898
Possibilistic reliability theory: Theoretical aspects and applications, Struct Safety **19**(2) 173-201 (1997), 12A899
Probability-based design standards of structures, Struct Safety **19**(2) 219-234 (1997), 12T900
Reliability assessment of damaged RC framed structures, J Struct Eng **123**(7) 889-895 (Jul 1997), 12A901
Reliability-based calibration study for upheaval buckling of pipelines, J Offshore Mech Arctic Eng **119**(3) 203-208 (Aug 1997), 12A902
Time-dependent reliability of existing RC structures, J Struct Eng **123**(7) 896-902 (Jul 1997), 12A903
Reliability evaluation in nonlinear analysis of reinforced concrete structures, Struct Safety **19**(2) 203-217 (1997), 12A906
Explicit approach to design of stainless steel columns, J Struct Eng **123**(7) 857-863 (Jul 1997), 12A914
Safety of reinforced concrete members designed following ACI 318 building code, Eng Struct **19**(10) 843-850 (Oct 1997), 12A915

282H. Concrete (reinforced)

Nonlinear analysis of reinforced concrete foundation plates, Comput Struct **61**(1) 87-106 (Aug 1996), 1A562
Failure in plain and reinforced concrete: An analysis of crack width and crack spacing, Int J Solids Struct **33**(20-22) 3257-3276 (Aug 1996), 1A684
Effect of exposure to elevated temperatures on the fracture energy of plain concrete, Mat Struct **29**(190) 383-388 (Jul 1996), 1A736
Analysis of metallic fiber-reinforced concrete beams submitted to bending, Mat Struct **29**(190) 354-361 (Jul 1996), 1A844
Degree of hydration-based description of mechanical properties of early age concrete, Mat Struct **29**(190) 335-344 (Jul 1996), 1A845
Factors affecting cathodic disbondment of epoxy coatings for steel reinforcing bars, Cement & Concrete Composites **18**(2) 93-103 (1996), 1A846
New method for *in-situ* measurement of electrical resistivity of reinforced concrete, Mat Struct **29**(190) 362-365 (Jul 1996), 1A847
Resonance testing of the torsionally loaded RC slabs, Acta Tech CSAV **41**(3) 299-310 (1996), 1A848
Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - II: Prediction of moment capacity, J Construct Steel Res **38**(2) 165-198 (Jun 1996), 1A850
Computing in civil and structural engineering special issue, Struct Eng Review **8**(2-3) 79-314 (May-Aug 1996), 1T853
Nonlinear FE analysis of fiber reinforced concrete deep beams, Struct Eng and Mech **4**(4) 437-450 (Jul 1996), 2A20
First year monitoring of the first air-entrained high-performance bridge in North America, ACI Struct J **93**(4) 379-386 (Jul-Aug 1996), 2A745
Bond strength of grouted reinforcing bars, ACI Struct J **93**(4) 486-495 (Jul-Aug 1996), 2A776
Design procedure for reinforced concrete beams with large web openings, ACI Struct J **93**(4) 404-411 (Jul-Aug 1996), 2A777
Investigation of RC beams submitted to impetuous temperature changes (Polish), Inzynieria Budownictwo **52**(6) 361-365 (1996), 2A778
Local load-carrying capacity of slabs in the light of tests and four effort hypotheses, Arch Civil Eng **42**(2) 133-157 (1996), 2A779
Numerical investigation of eccentrically loaded high-strength concrete tied columns, ACI Struct J **93**(4) 449-461 (Jul-Aug 1996), 2A780
Performance of concrete bridge decks and slabs reinforced with epoxy-coated steel under repeated loading, ACI Struct J **93**(4) 397-403 (Jul-Aug 1996), 2A781
Seismic performance of circular columns with low longitudinal reinforcement ratios, ACI Struct J **93**(4) 474-485 (Jul-Aug 1996), 2A782
Study on bond mechanism of steel fiber reinforced ultra rapid hardening concrete applied to concrete overlay (Japanese), Proc JSCE **540**(VI-31) 241-250 (Jun 1996), 2T783
Time-dependent analysis of reinforced and prestressed concrete members, ACI Struct J **93**(4) 420-427 (Jul-Aug 1996), 2A784
Transverse steel content in spiral concrete columns subject to eccentric loading, ACI Struct J **93**(4) 412-419 (Jul-Aug 1996), 2A785
Ultimate elongation of reinforced concrete members, Arch Civil Eng **42**(2) 223-235 (1996), 2A786
Behavior of structural concrete elements designed to the concept of the compressive force path, ACI Struct J **93**(4) 428-436 (Jul-Aug 1996), 2A792
Influence of seismic design parameters on ductility of RC flexural members, Asian J Struct Eng **1**(4) 377-393 (1995), 2A1384
Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), Proc JSCE **540**(VI-31) 85-104 (Jun 1996), 2A1390
Modeling nonlinear bond-slip behavior for FE analyses of reinforced concrete structures, ACI Struct J **93**(5) 538-544 (Sep-Oct 1996), 3A6
Analytical computation of the punching strength of reinforced concrete, ACI Struct J **93**(5) 503-511 (Sep-Oct 1996), 3A763

Cyclic tests of concrete-filled steel box columns, J Struct Eng 122(10) 1169-1177 (Oct 1996), 3A764
Design of round reinforced-concrete columns, J Struct Eng 122(9) 1062-1071 (Sep 1996), 3A765
Effective stiffness model for reinforced concrete slabs, J Struct Eng 122(9) 1025-1030 (Sep 1996), 3A766
Flexural strength of reinforced polymer concrete made with recycled plastic waste, ACI Struct J 93(5) 524-530 (Sep-Oct 1996), 3A767
Inelastic analysis of reinforced concrete beams subjected to combined torsion, flexural, and axial loads, Comput Struct 61(3) 479-494 (Nov 1996), 3A768
Influence of steel fibers on design stress-strain curve for high-strength concrete, J Eng Mech 122(8) 695-704 (Aug 1996), 3A769
Measuring absorbed cyclic energy in reinforced concrete beams, J Struct Eng 122(9) 1110-1113 (Sep 1996), 3A770
Minimum shear reinforcement in normal, medium, and high-strength concrete beams, ACI Struct J 93(5) 576-584 (Sep-Oct 1996), 3A771
Nonlinear behavior of composite columns under varying load histories, J Eng Mech 122(8) 743-752 (Aug 1996), 3A772
Performance of epoxy-coated shear reinforcement, ACI Struct J 93(5) 531-537 (Sep-Oct 1996), 3A773
Rate dependent damage model for concrete in dynamics, J Eng Mech 122(10) 939-947 (Oct 1996), 3A774
Reinforced model to estimate torsional strength of reinforced concrete beams, ACI Struct J 93(5) 614-622 (Sep-Oct 1996), 3A775
Tests of eccentrically loaded high-strength concrete columns, ACI Struct J 93(5) 585-594 (Sep-Oct 1996), 3A776
Truss model and failure mechanism for bar development in C-C-T nodes, ACI Struct J 93(5) 564-575 (Sep-Oct 1996), 3A786
Concrete shear failure in reinforced-concrete elements, J Struct Eng 122(9) 1006-1015 (Sep 1996), 3A790
Punching shear failure in concrete decks as snap-through instability, J Struct Eng 122(9) 998-1005 (Sep 1996), 3A798
Evaluation of reinforced concrete members damaged by earthquakes, Earthquake Spectra 12(3) 457-478 (Aug 1996), 3A1382
Identification of damage in reinforced concrete structures from earthquake records: Optimal location of sensors, Soil Dyn Earthquake Eng 15(6) 347-358 (Aug 1996), 3A1385
Application of FRC in construction of the underground railway track, Cement & Concrete Composites 18(5) 305-312 (1996), 4A568
Split tensile test applied to rectangular concrete blocks: Numerical and analytical approach, Mat Struct 29(192) 494-499 (Oct 1996), 4A782
Reliability-based evaluation and design of masonry, steel and reinforced concrete structures, Struct Safety 18(2-3) 65-260 (1996), 4A833
Behavior of bond between concrete and steel in a large post-yielding field, Mat Struct 29(192) 506-513 (Oct 1996), 4A835
Flexural behavior of reinforced concrete beams strengthened with carbon fiber sheets, Composites Part A Appl Sci and Manuf 27A(10) 981-987 (1996), 4A836
New proposal for defining the ductility of concrete reinforcement steels by means of a single parameter, Mat Struct 29(191) 406-410 (Aug-Sep 1996), 4A837
Special Issue: Historic concrete, Proc Inst Civil Eng Struct Build 116(3-4) 255-480 (Aug-Nov 1996), 4A838
Response of reinforced-prestressed concrete box structures to dynamically applied torsion, Nucl Eng Des 165(1-2) 25-41 (Aug 1996), 4A1409
Computational structures technology, Struct Eng Review 8(4) 315-374 (Nov 1996), 5A19
Finite element evaluation of shear enhancement of high-strength concrete plates, ACI Struct J 93(6) 667-673 (Nov-Dec 1996), 5A20
Failure criteria for nonlinear analysis of concrete structures, Indian J Eng Mat Sci 3(5) 175-179 (Oct 1996), 5A416
FEM analysis of concrete structures subjected to mode-I and mixed-mode loading conditions, Comput Struct 61(6) 1043-1055 (Dec 1996), 5A702
Design optimization of 3D reinforced concrete structures, Struct Optim 12(2-3) 127-134 (Oct 1996), 5A745
Behavior and ductility of reinforced concrete coupling beams of shear walls, ACI Struct J 93(6) 711-720 (Nov-Dec 1996), 5A768
Behavior of reinforced-concrete-framed shear walls, Nucl Eng Des 166(1) 55-68 (Oct 1996), 5A769
Cracking in asphalt concrete, Heron 41(1) 53-70 (1996), 5A770
Designs of concrete bridges with multiple box cells due to torsion using softened truss model, ACI Struct J 93(6) 696-702 (Nov-Dec 1996), 5A771
Development of traffic induced permanent strain in concrete block pavements, Heron 41(1) 29-52 (1996), 5A772
Estimation of ductility in interior beam-column subassemblages of reinforced concrete frames (Japanese), J Soc Mat Sci Japan 45(9) 1033-1041 (Sep 1996), 5A773
Experimental investigations on macrocell corrosion in chloride-contaminated concrete, Heron 41(2) 107-123 (1996), 5A774
Experimental study on anchored bars in RC elements with transverse reinforcement, Mat Struct 29(193) 534-542 (Nov 1996), 5A775
Experimental study on damage and vibrating properties of reinforced concrete column members under external dynamic forces (Japanese), J Soc Mat Sci Japan 45(9) 1042-1047 (Sep 1996), 5A776
Finite element analysis of out-of-plane buckling of reinforced concrete walls, Comput Struct 61(6) 1037-1042 (Dec 1996), 5A777
Flexural behavior of laterally reinforced high-strength concrete sections, ACI Struct J 93(6) 674-684 (Nov-Dec 1996), 5A778
Postpeak behavior of laterally reinforced concrete panels in compression-tension, ACI Struct J 93(6) 685-695 (Nov-Dec 1996), 5A779
Response of reinforced concrete panels under uniaxial tension, ACI Struct J 93(6) 648-657 (Nov-Dec 1996), 5A780
Simple model for predicting torsional strength of reinforced and prestressed concrete sections, ACI Struct J 93(6) 658-666 (Nov-Dec 1996), 5A781
Studies on high-strength concrete columns under eccentric compression, ACI Struct J 93(6) 631-638 (Nov-Dec 1996), 5A782
Study on the bending fatigue properties of roller compacted concrete mixed with recycled aggregates, Proc JSCE 546(VI-32) 133-143 (Sep 1996), 5T783
Truss model for tension bars in reinforced concrete beams: Tension-tension-compression regions, ACI Struct J 93(6) 729-738 (Nov-Dec 1996), 5A784
Effect of environmental exposure on the external strengthening of concrete with composites: Short term bond durability, J Reinforced Plastics Composites 15(12) 1194-1216 (Dec 1996), 6A559
Bond and slip of plain rebars in concrete, J Mat in Civil Eng 8(4) 208-211 (Nov 1996), 6A879
Bond shear modulus of reinforced concrete at high temperatures, Eng Fracture Mech 55(6) 991-999 (Dec 1996), 6A880
Classification methodology for coupled shear walls, J Struct Eng 122(12) 1453-1458 (Dec 1996), 6A881
Comparison between high strength concrete and normal strength concrete subjected to high temperature, Mat Struct 29(194) 616-619 (Dec 1996), 6A882
Effect of length on compressive strain softening of concrete, J Eng Mech 123(1) 25-35 (Jan 1997), 6A883
Effects of repeated loading on creep deflection of reinforced concrete beams, Eng Struct 19(1) 2-18 (Jan 1997), 6A884
Estimation of along-wind moments in RC chimneys, Eng Struct 19(1) 71-78 (Jan 1997), 6A885
Flexure of concrete beams reinforced with advanced composite orthogrids, J Aerospace Eng 10(1) 7-15 (Jan 1997), 6A886
Influence of coatings on bar-concrete bond, J Mat in Civil Eng 8(4) 212-214 (Nov 1996), 6A887
Limit analysis of reinforced concrete beams subjected to pure torsion, J Struct Eng 123(1) 86-94 (Jan 1997), 6A888
Prediction of cracking response of reinforced concrete tensile members, J Struct Eng 123(1) 70-78 (Jan 1997), 6A889
PsD test on four-story R-C buildings designed according to Eurocodes, J Struct Eng 122(12) 1409-1417 (Dec 1996), 6A890
Relationship of bond stress, steel stress, and slip in reinforced concrete, J Struct Eng 123(1) 79-85 (Jan 1997), 6A891
Retrofit of non-ductile moment-resisting frames using precast infill wall panels, Earthquake Spectra 12(4) 741-760 (Nov 1996), 6A892
Serviceability analysis of concrete sections under biaxial bending, J Struct Eng 123(1) 117-119 (Jan 1997), 6A893
Study of earthquake resistant behavior of high strength concrete column reinforced with concrete filled steel tube (Chinese), J Dalian Univ Tech 36(6) 759-766 (Nov 1996), 6A894
Lateral response of older flat slab frames and the economic effect on retrofit, Earthquake Spectra 12(4) 667-691 (Nov 1996), 6A1440
Measured response of roof diaphragms and wall panels in tilt-up systems subjected to cyclic loading, Earthquake Spectra 12(4) 783-802 (Nov 1996), 6A1442
Retrofit of concrete columns with inadequate lab splices by the use of rectangular steel jackets, Earthquake Spectra 12(4) 693-714 (Nov 1996), 6A1449
Seismic evaluation of existing reinforced concrete building columns, Earthquake Spectra 12(4) 715-739 (Nov 1996), 6A1452
Seismic rehabilitation on reinforced concrete beam-column connections, Earthquake Spectra 12(4) 761-780 (Nov 1996), 6A1456
Seismic design and testing of an RC slab-column frame strengthened by steel bracing, Earthquake Spectra 12(4) 645-666 (Nov 1996), 6A1469
Column curves of steel-concrete composite members, J Construct Steel Res 39(2) 121-135 (Sep 1996), 7A820
Constitutive model for 3D cyclic analysis of concrete structures, J Eng Mech 123(2) 143-153 (Feb 1997), 7A821
Element size effects in nonlinear analysis of reinforced concrete members, Comput Struct 62(2) 339-352 (1997), 7A822
Model of hysteretic behavior of RC members based on lumped damage theory (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(4) 411-426 (1996), 7A823
Optimization of reinforced concrete frames, J Struct Eng 123(2) 193-202 (Feb 1997), 7A824
Study on a design method for strengthening concrete members by steel-plate-bonding (Japanese), Proc JSCE 550(V33) 117-129 (Nov 1996), 7A825
Parameter identification for degrading and pinched hysteretic structural concrete systems, Eng Struct 19(3) 224-232 (Mar 1997), 7A1487
Cyclic behavior of steel-fiber mortar overlaid concrete beams, J Mat in Civil Eng 9(1) 21-28 (Feb 1997), 8A900
Effect of size on flexural behavior of high-strength concrete beams, ACI Struct J 94(1) 59-67 (Jan-Feb 1997), 8A901
Elasto-plastic design of reinforced concrete beams and slabs subject to dynamic loading, Proc Inst Civil Eng Struct Build 122(1) 117-123 (Feb 1997), 8A902
Evaluation of repair materials for functional improvement of slabs and beams with corroded reinforcement, Proc Inst Civil Eng Struct Build 122(1) 27-34 (Feb 1997), 8A903
Experimental investigation on shear enhancement types for high-strength concrete plates, ACI Struct J 94(1) 49-58 (Jan-Feb 1997), 8A904
Midbroken reinforced concrete shear frames due to earthquakes: A hysteretic model to quantify damage at the story level, Soil Dyn Earthquake Eng 16(2) 95-112 (Feb 1997), 8A905
Modification of the ACI rectangular stress block for high-strength concrete, ACI Struct J 94(1) 40-48 (Jan-Feb 1997), 8A906
Punching shear strength of flat slab corner column connections - Part I: Reinforced concrete connections, Proc Inst Civil Eng Struct Build 122(1) 10-20 (Feb 1997), 8A907
Punching shear strength of flat slab corner column connections - Part 2: Fiber-reinforced concrete connections, Proc Inst Civil Eng Struct Build 122(1) 21-26 (Feb 1997), 8A908
Response modification factors for seismic design of circular reinforced concrete bridge columns, ACI Struct J 94(1) 23-30 (Jan-Feb 1997), 8A909
Seismic vulnerability assessment of low-rise buildings in regions with infrequent earthquakes, ACI Struct J 94(1) 31-39 (Jan-Feb 1997), 8A910
Shear tests of fiber concrete beams without stirrups, ACI Struct J 94(1) 68-76 (Jan-Feb 1997), 8A911
Structural characteristics of RC beams with exposed main steel, Proc Inst Civil Eng Struct Build 122(1) 35-51 (Feb 1997), 8T912
Tests of reinforced concrete continuous deep beams, ACI Struct J 94(1) 3-12 (Jan-Feb 1997), 8A913
Composite Steel and Concrete Structural Members: Fundamental Behaviour (Elsevier Sci, UK, 1995) 9R12
Computational Mechanics of Reinforced Concrete Structures (Vieweg, Wiesbaden, 1995) 9R13
Bond model for ribbed bars based on concrete confinement, Heron 41(3) 201-226 (1996), 9A861
Cyclic behavior of reinforced concrete low-rise shear walls - Part I: Experimental results, J Eng Appl Sci 43(6) 1189-1203 (Dec 1996), 9A862
Fire-exposed continuous span composite steel-concrete slabs, Heron 41(3) 187-199 (1996), 9A863
Nonlinear response and modeling of RC columns subjected to varying axial load, Eng Struct 19(6) 417-424 (Jun 1997), 9A864
Probabilistic analysis of ultimate moment of reinforced concrete beams, J Eng Appl Sci 43(6) 1155-1170 (Dec 1996), 9A865
Reliability of reinforced concrete girders under corrosion attack, J Struct Eng 123(3) 286-297 (Mar 1997), 9A866
Prediction of global and localized damage and future reliability for RC structures subject to earthquakes, Earthquake Eng Struct Dyn 26(4) 463-475 (Apr 1997), 9A1484
Design of Concrete Structures with Stress Fields (Birkhauser, Switzerland, 1997) 10R10
Concrete in Coastal Structures (Telford, UK, 1997) 10N17
Analytical behavior of connections to concrete-filled steel tubes, J Construct Steel Res 40(2) 95-127 (Nov 1996), 10A14
Finite element modeling of expansive oxide induced fracture of rebar reinforced concrete, Eng Fracture Mech 56(6) 797-812 (Apr 1997), 10A30
Mesh, gravity, and load effects on FE simulations of blast loaded reinforced concrete structures, Comput Struct 63(6) 1113-1120 (Jun 1997), 10A287
Strengthening of concrete beams using fiber-reinforced plastics, Mat Struct 30(197) 160-166 (Apr 1997), 10A603
Design and analysis of composite wraps for concrete columns, J Reinforced Plastics Composites 16(7) 588-602 (1997), 10A615
Flexural behavior of strengthened reinforced concrete beams, Mat Struct 30(197) 154-159 (Apr 1997), 10A856
Studies of multiaxial shear strengths for roller-compacted concrete, ACI Struct J 94(2) 114-123 (Mar-Apr 1997), 10A858
Deformation measurements of mortars at early ages and of large concrete components on site by means of embedded fiber-optic microstrain sensors, Cement & Concrete Composites 19(1) 81-102 (Feb 1997), 10A864
Distributed fiber Bragg grating strain sensing in reinforced concrete structural components, Cement & Concrete Composites 19(1) 45-57 (Feb 1997), 10A865
Implementation of EFPI-based optical-fiber sensor instrumentation for the NDE of concrete structures, Cement & Concrete Composites 19(1) 69-79 (Feb 1997), 10A869
Aggregate interlock and steel shear forces in the analysis of RC membrane elements, ACI Struct J 94(2) 159-170 (Mar-Apr 1997), 10A926
Analytical prediction of flexural behavior of concrete beams reinforced by FRP bars, J Composite Mat 31(7) 640-657 (1997), 10A927
Assessment of reinforcement details for blast containment structures, ACI Struct J 94(2) 124-132 (Mar-Apr 1997), 10A928
Behavior of gravity load designed reinforced concrete buildings subjected to earthquakes, ACI Struct J 94(2) 133-145 (Mar-Apr 1997), 10A929
Cracking of plain or reinforced high performance concrete slabs, Int J Struct 16(1) 1-22 (Jan-Jun 1996), 10A930
Cyclic behavior of concrete bridge bents, ACI Struct J 94(2) 103-113 (Mar-Apr 1997), 10A931
Detecting the size effect in concrete beams using nonlinear fracture mechanics, Eng Struct 19(8) 605-616 (Aug 1997), 10A932
Ductility spectra of reinforced concrete structures subjected to far-field seismic excitations, Eng Struct 19(7) 568-575 (Jul 1997), 10A933
Experimental research on steel fiber reinforced concrete poles (Chinese), J Dalian Univ Tech 37(1) 91-96 (Jan 1997), 10A934
Impact resistance ability in bended point of reinforcing bars at very low temperature (Chinese), Proc JSCE 557(V-34) 15-22 (Feb 1997), 10T935
Influence of blast furnace slag, fly ash and silica fume on corrosion of reinforced concrete in marine environment, Heron 41(4) 287-300 (1996), 10A936
Path-dependent nonlinear analysis of reinforced concrete shells, Proc JSCE 557(V-34) 121-134 (Feb 1997), 10A937
Post-tensioned anchorage zones with single straight concentric anchorages, ACI Struct J 94(2) 146-158 (Mar-Apr 1997), 10A938
Repair of earthquake-damaged RC columns with FRP wraps, ACI Struct J 94(2) 206-215 (Mar-Apr 1997), 10A939
Seismic response of slab-column connections constructed with high-strength concrete, ACI Struct J 94(2) 197-205 (Mar-Apr 1997), 10A940
Simulation of thermal stress in reinforced concrete at early ages with a simplified model, Mat Struct 30(197) 167-173 (Apr 1997), 10A941
Stress transfer across interfaces in reinforced concrete due to aggregate interlock and dowel action, Proc JSCE 557(V-34) 159-172 (Feb 1997), 10A942
Study of shear resisting behavior on concrete beams reinforced with steel and/or FRP rods (Chinese), Proc JSCE 557(V-34) 23-33 (Feb 1997), 10A943
Study on settlement crack for reinforced concrete structures (Chinese), Proc JSCE 557(V-34) 101-109 (Feb 1997), 10A944
Study on streamlining the reinforced concrete structures for inground LNG storage tanks (Japanese), Proc JSCE 560(VI-34) 79-89 (Mar 1997), 10A945
Performance of high-strength concrete tied columns: A parametric study, ACI Struct J 94(2) 91-102 (Mar-Apr 1997), 10A952
Finite element for anchored bars under cyclic load reversals, J Struct Eng 123(5) 614-623 (May 1997), 11A17
Finite element modeling of masonry-infilled RC frames, J Struct Eng 123(5) 604-613 (May 1997), 11A18
Inelastic buckling of concrete column in braced frame, J Struct Eng 123(5) 634-642 (May 1997), 11A531
Size effects in the biaxial tensile-compressive behavior of concrete: Physical mechanisms and modeling, Mat Struct 30(198) 210-216 (May 1997), 11A737
Behavior of concrete columns confined by fiber composites, J Struct Eng 123(5) 583-590 (May 1997), 11A776
Behavior of fiber-reinforced concrete beams under cyclic loading, J Struct Eng 123(5) 660-668 (May 1997), 11A777

Comparative investigations for the analysis of reinforced and prestressed concrete beams with lateral buckling according to the second order theory (German), Bauingenieur 72(4) 157-165 (Apr 1997), 11A778
Cyclic behavior of reinforced concrete low-rise shear walls - Part 2: Discussions and design considerations, J Eng Appl Sci 44(1) 53-68 (Feb 1997), 11A779
Design for the control of cracking in tunnel shells made of water-tight concrete (German), Bauingenieur 72(4) 185-191 (Apr 1997), 11A780
Displacement-based seismic assessment of reinforced concrete buildings, J Earthquake Eng 1(1) 157-192 (Jan 1997), 11A781
Influence of capacity design method on the seismic response of R/C columns, J Earthquake Eng 1(2) 341-399 (Apr 1997), 11A782
Load-deformation behavior of high-strength concrete columns (B65-B115) under compression: Theoretical models and design rules (German), Bauingenieur 72(4) 167-175 (Apr 1997), 11A783
Nonlinear analysis of RC members using plasticity with multiple failure criteria, J Struct Eng 123(5) 643-651 (May 1997), 11A784
Optimal circular reinforced concrete columns, J Eng Appl Sci 44(1) 69-84 (Feb 1997), 11A785
Preliminary evaluation of carbon fiber reinforced polymer plates for strengthening reinforced concrete members, Proc Inst Civil Eng Struct Build 122(2) 127-142 (May 1997), 11A786
Procedure and spectra for analysis of RC structures subjected to strong vertical earthquake loads, J Earthquake Eng 1(1) 121-155 (Jan 1997), 11A787
Seismic design and response of bare and masonry-infilled reinforced concrete buildings - Part I: Bare structures, J Earthquake Eng 1(1) 219-256 (Jan 1997), 11A788
Shear domain of fiber-reinforced high-strength concrete beams, Eng Struct 19(9) 738-747 (Sep 1997), 11A789
Simulation of punching failure in reinforced-concrete structures, J Struct Eng 123(5) 652-659 (May 1997), 11A790
Stress-strain model for confined reinforced concrete in bridge piers, J Struct Eng 123(5) 624-633 (May 1997), 11A791
Time-dependent deflections of reinforced concrete beams revisited, J Struct Eng 123(6) 823-830 (Jun 1997), 11A792
Displacement-based design approach to earthquake-induced torsion in ductile buildings, Eng Struct 19(9) 699-707 (Sep 1997), 11A801
Long-term service-load behavior of simply supported profiled composite slabs, Proc Inst Civil Eng Struct Build 122(2) 193-208 (May 1997), 11A805
Research on nonstationary random thermal creep stresses in mass concrete structures, Finite Elements Anal Des 26(2) 83-95 (Jun 1997), 12A51
Rate-sensitive analysis of framed structures - Part I: Model formulation and verification, Struct Eng and Mech 5(3) 221-237 (May 1997), 12A537
Rate-sensitive analysis of framed structures - Part II: Implementation and application to steel and R-C frames, Struct Eng and Mech 5(3) 239-256 (May 1997), 12A538
Flexural behavior of high-strength fiber reinforced concrete beams, J Eng Appl Sci 44(2) 279-294 (Apr 1997), 12A608
Calculation of the facing layer of a three layered reinforced concrete external wall panel (German), Bauingenieur 72(5) 235-240 (May 1997), 12A625
Reliability assessment of damaged RC framed structures, J Struct Eng 123(7) 889-895 (Jul 1997), 12A901
Time-dependent reliability of existing RC structures, J Struct Eng 123(7) 896-902 (Jul 1997), 12A903
Modeling of steel fiber reinforced concrete response in tension (French), Mat Struct 30(199) 259-268 (Jun 1997), 12A904
Raffia palm-reinforced concrete beams, Mat Struct 30(199) 313-316 (Jun 1997), 12A905
Reliability evaluation in nonlinear analysis of reinforced concrete structures, Struct Safety 19(2) 203-217 (1997), 12A906
Shear and flexural strengthening of R-C beams with carbon fiber sheets, J Struct Eng 123(7) 903-911 (Jul 1997), 12A907
Tensile and flexural creep rupture tests on partially-damaged concrete specimens, Mat Struct 30(199) 269-276 (Jun 1997), 12A908
Safety of reinforced concrete members designed following ACI 318 building code, Eng Struct 19(10) 843-850 (Oct 1997), 12A915

282I. Concrete (prestressed)

Time-dependent analysis of reinforced and prestressed concrete members, ACI Struct J 93(4) 420-427 (Jul-Aug 1996), 2A784
Behavior investigation of concrete slabs subjected to high temperatures, Comput Struct 61(2) 345-360 (Oct 1996), 2A787
Behavior of externally prestressed concrete beams with multiple deviators, ACI Struct J 93(4) 387-396 (Jul-Aug 1996), 2A788
Field measurements of prestress losses in external tendons, ACI Struct J 93(5) 595-601 (Sep-Oct 1996), 3A777
Flexural strength of externally prestressed concrete bridges, ACI Struct J 93(5) 512-523 (Sep-Oct 1996), 3A778
Prestressed Concrete: A Fundamental Approach, Second Edition (Prentice-Hall, Englewood Cliffs NJ, 1996) 4N18
Reinforced Concrete: A Fundamental Approach, Third Edition (Prentice-Hall, Englewood Cliffs NJ, 1996) 4N21
Special Issue: Historic concrete, Proc Inst Civil Eng Struct Build 116(3-4) 255-480 (Aug-Nov 1996), 4A838
Minimum cost design of multispan partially prestressed concrete T-beams using DCOC, Struct Optim 12(2-3) 75-86 (Oct 1996), 5A752
Simple model for predicting torsional strength of reinforced and prestressed concrete sections, ACI Struct J 93(6) 658-666 (Nov-Dec 1996), 5A781
Evaluation of moment redistribution in a two-span continuous prestressed beam, ACI Struct J 93(6) 721-728 (Nov-Dec 1996), 5A785
Serviceability analysis of concrete sections under biaxial bending, J Struct Eng 123(1) 117-119 (Jan 1997), 6A893
Integration algorithms for concrete plasticity, Eng Comput 13(8) 38-65 (1996), 6A895
Load-carrying capacity for concrete slabs on grade, J Struct Eng 123(1) 95-103 (Jan 1997), 6A896
Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration, Nucl Eng Des 166(3) 389-401 (Nov 1996), 6A1496
Influence of initial stresses on the size effect of concrete flexural strength (Japanese), Proc JSCE 550(V33) 85-94 (Nov 1996), 7A826
Recent trends in prestressed concrete structures with external cables (Japanese), Proc JSCE 550(V33) 1-12 (Nov 1996), 7T827
Full-scale testing of prestressed concrete bridge girders, Exp Tech 21(1) 33-35 (Jan-Feb 1997), 7T830
Effects of deviators and tendon configuration on behavior of externally prestressed beams, ACI Struct J 94(1) 13-22 (Jan-Feb 1997), 8A914
Study on the statical behavior and applicability of precast slab joints (Japanese), Proc JSCE 553(VI-33) 103-116 (Dec 1996), 8A915
Properties of Concrete, Fourth Edition (Wiley, New York, 1996) 9N19
Comparative statistical study for the ultimate stress in unbonded post-tensioning, ACI Struct J 94(2) 171-180 (Mar-Apr 1997), 10A946
Study on limit state design method for prestressed concrete sleepers (Chinese), Proc JSCE 557(V-34) 35-54 (Feb 1997), 10A947
Comparative investigations for the analysis of reinforced and prestressed concrete beams with lateral buckling according to the second order theory (German), Bauingenieur 72(4) 157-165 (Apr 1997), 11A778
Epoxy-coated and uncoated strand transfer lengths for PC panels, J Struct Eng 123(5) 550-560 (May 1997), 11A793
Measurement of transfer lengths of pretensioned concrete elements, J Struct Eng 123(5) 541-549 (May 1997), 11A794
Strain-softening of laterally reinforced concrete panels in compression, J Struct Eng 123(5) 575-582 (May 1997), 11A795
Study of moment redistribution in prestressed concrete beams, J Struct Eng 123(5) 561-566 (May 1997), 11A796
Time dependent service load behavior of prestressed composite tee beams, Struct Eng and Mech 5(3) 307-327 (May 1997), 12A594
Automatic supervision of blanking tool wear using pattern recognition analysis, Int J Machine Tools Manuf 37(8) 1079-1095 (Aug 1997), 12A909

282J. Sandwich structure

Double-layer grids: Review of dynamic analysis methods and special topics, J Struct Eng 122(8) 882-892 (Aug 1996), 3A779
Double-layer grids: Review of static and thermal analysis methods, J Struct Eng 122(8) 873-881 (Aug 1996), 3A780
Anti-plane shear deformations of anisotropic sandwich structures: End effects, Int J Solids Struct 34(1) 79-98 (Jan 1997), 5A786
Experimental assessment of debonding damage in a carbon-fiber reinforced plastic sandwich panel by frequency variations, Composite Struct 35(4) 435-444 (Aug 1996), 8A797

282K. Foam and honeycomb structures

Supporting power of flexible thin walled reinforced prismatic folded systems (Russian), Prikl Mekh (Appl Mech) 32(2) 33-40 (1996), 1T566
Stress-strain relations for elastomeric foams in uni-, bi-, and tri-axial compression modes, Arch Appl Mech 66(6) 409-418 (Jun 1996), 1A849
Further experimental investigation on the eccentricity factor in the progressive crushing of tubes, Int J Solids Struct 33(24) 3517-3538 (Oct 1996), 2A522
Theoretical joist-rupture sequences in wood-floor system model, J Struct Eng 122(10) 1225-1233 (Oct 1996), 3A781
Lubricant solidification at heavy-loaded contact of a disk friction machine, J Friction Wear 17(1) 116-119 (1996), 5A787
Design of horizontally curved waffle slab structures, Eng Struct 19(1) 37-49 (Jan 1997), 6A897
Models for the elastic deformation of honeycombs, Composite Struct 35(4) 403-422 (Aug 1996), 8A916
Modeling a class of stochastic porous media, Appl Math Lett 10(2) 87-89 (Mar 1997), 9A867
Structural analysis of the adhesive bond in a honeycomb core sandwich panel, Finite Elements Anal Des 26(3) 213-227 (Jun 1997), 12A27

282L. Dynamic and random loading

Structural Dynamics (Balkema, Rotterdam, Netherlands, 1996) 1N36
Dynamics of Civil Engineering Structures (Balkema, Rotterdam, Netherlands, 1996) 2R17
Seismic performance of circular columns with low longitudinal reinforcement ratios, ACI Struct J 93(4) 474-485 (Jul-Aug 1996), 2A782
Dynamic response variability of structures with uncertain properties, Earthquake Eng Struct Dyn 25(8) 775-793 (Aug 1996), 2A789
State of emergency in rooms threatened by blasts and methods of limiting their effects (Polish), Inzynieria Budownictwo 52(7) 407-412 (1996), 2A790
Stress analysis of the rotational object under the conditions of transient state (Russian), Prikl Mekh (Appl Mech) 32(3) 62-66 (1996), 2A791
Boundedness evaluation of structural systems with randomly distributed initial conditions, Int J Non-Linear Mech 31(5) 743-754 (Sep 1996), 3A117
Cumulant-neglect closure method in stochastic dynamics, Int J Non-Linear Mech 31(5) 657-684 (Sep 1996), 3A119
Design of a system of linear oscillators spectrally equivalent to a nonlinear one, Int J Non-Linear Mech 31(5) 573-580 (Sep 1996), 3A120
Dynamic response of nonlinear systems with parameter uncertainties, Int J Non-Linear Mech 31(5) 631-645 (Sep 1996), 3A121
Equivalent Gaussian process in stochastic dynamics with application to along-wind response of structures, Int J Non-Linear Mech 31(5) 779-794 (Sep 1996), 3A122
Exact and approximate solutions for randomly excited MDOF nonlinear systems, Int J Non-Linear Mech 31(5) 647-655 (Sep 1996), 3A123
Iterative schemes for stability problems with non-singular Fokker-Planck equations, Int J Non-Linear Mech 31(5) 707-715 (Sep 1996), 3A124
Joint PDF parametric models for the rate of upcrossings of the acceleration for a nonlinear stochastic oscillator, Int J Non-Linear Mech 31(5) 591-599 (Sep 1996), 3A125
Nonlinear stochastic dynamics of systems with random properties: A spectral approach combined with statistical linearization, Int J Non-Linear Mech 31(5) 619-630 (Sep 1996), 3A126
Simulation of a class of non-normal random processes, Int J Non-Linear Mech 31(5) 601-617 (Sep 1996), 3A128
Stationary and non-stationary random vibration of oscillators with bilinear hysteresis, Int J Non-Linear Mech 31(5) 553-562 (Sep 1996), 3A129
Stochastic exponential and asymptotic stability of simple nonlinear systems, Int J Non-Linear Mech 31(5) 693-705 (Sep 1996), 3A130
Stochastic Hopf bifurcation: An example, Int J Non-Linear Mech 31(5) 685-692 (Sep 1996), 3A131
Damage detection by system identification: An application of the generalized singular value decomposition, Arch Appl Mech 66(8) 555-568 (Sep 1996), 3A190
Estimation of the effect of the form of a loading cycle on cyclic longevity, J Machinery Manuf Reliab 2 34-39 (1996), 4T942
Frequency response analysis of large-scale damped structures using component mode synthesis, JSME Int J Ser C 39(3) 450-455 (Sep 1996), 5A146
Time dependent correlation function of linear systems excited by shot noise with different arrival rates, J Sound Vib 198(3) 331-342 (Dec 1996), 6A136
One-floor building as elasto-plastic oscillator subject to and interacting with Gaussian base motion, Probab Eng Mech 12(1) 49-56 (Jan 1997), 6A898
Random excitation of coupled oscillators with single and simultaneous internal resonances, Nonlinear Dyn 11(4) 347-400 (Dec 1996), 7A104
Random vibrations of an isochronous SDOF bilinear system, Nonlinear Dyn 11(4) 401-405 (Dec 1996), 7A105
Asymptotic analysis of first-passage problems, Int J Non-Linear Mech 32(1) 173-186 (Jan 1997), 8T115
Seismic vulnerability assessment of low-rise buildings in regions with infrequent earthquakes, ACI Struct J 94(1) 31-39 (Jan-Feb 1997), 8A910
Analysis of the effect of the parameters used for processing a realization of a random loading process on the accuracy of service life estimation, J Machinery Manuf Reliab 3 49-53 (1996), 8T971
Asian-Pacific symposium on structural reliability and its aplications, Struct Safety 19(1) 3-168 (1997), 9A857
Mechanical vibration damper for the reduction of floor vibrations possibility study (Polish), Inzynieria Budownictwo 53(1) 20-23 (1997), 9A868
Passive systems of the damping of vibrations evolved by vortices detachments (Polish), Inzynieria Budownictwo 53(1) 24-28 (1997), 9A869
Reconstruction of service load histories with time series models for random vibration simulation tests, J Dyn Syst Meas Control 119(1) 27-33 (Mar 1997), 9A870
Wind-excited response of structures with uncertain parameters, Probab Eng Mech 12(2) 75-87 (Apr 1997), 9A871
Multiple internal resonance in suspended cables under random in-plane loading, Nonlinear Dyn 12(3) 275-303 (Mar 1997), 10A189
Dynamic analysis and response of semirigid frames, Eng Struct 19(8) 644-654 (Aug 1997), 10A221
Adaptive kernel method for evaluating structural system reliability, Struct Eng and Mech 5(2) 115-126 (Mar 1997), 10A923
Reliability prediction of structures with random parameters subjected to stationary stochastic input, Tech Mech 17(1) 51-65 (1997), 10A924
Behavior of gravity load designed reinforced concrete buildings subjected to earthquakes, ACI Struct J 94(2) 133-145 (Mar-Apr 1997), 10A929
Ductility spectra of reinforced concrete structures subjected to far-field seismic excitations, Eng Struct 19(7) 568-575 (Jul 1997), 10A933
Repair of earthquake-damaged RC columns with FRP wraps, ACI Struct J 94(2) 206-215 (Mar-Apr 1997), 10A939
Seismic response of slab-column connections constructed with high-strength concrete, ACI Struct J 94(2) 197-205 (Mar-Apr 1997), 10A940
Irregularities induced by nonstructural masonry panels in framed buildings, Eng Struct 19(7) 576-585 (Jul 1997), 10A948
Comparison of the present SEAOC-UBC torsional provisions with the old ones, Eng Struct 19(8) 655-664 (Aug 1997), 10A949
Accurate high-speed computation of non-stationary random structural response, Eng Struct 19(7) 586-593 (Jul 1997), 10A954
Behavior of window glass panels during earthquakes, Eng Struct 19(8) 685-694 (Aug 1997), 10A1460
Dynamics - An Introduction for Civil and Structural Engineers (Telford, UK, 1997) 11N26
Ductility and load carrying capacity prediction of steel beam-to-column connections under cyclic reversal loading, J Earthquake Eng 1(2) 401-432 (Apr 1997), 11A734
Probability-based seismic safety evaluation of existing buildings, Eng Struct 19(9) 708-717 (Sep 1997), 11A772
Influence of capacity design method on the seismic response of R/C columns, J Earthquake Eng 1(2) 341-399 (Apr 1997), 11A782
Procedure and spectra for analysis of RC structures subjected to strong vertical earthquake loads, J Earthquake Eng 1(1) 121-155 (Jan 1997), 11A787
Seismic design and response of bare and masonry-infilled reinforced concrete buildings - Part I: Bare structures, J Earthquake Eng 1(1) 219-256 (Jan 1997), 11A788
Design charts relating to protection of structures against airblast from high explosives, Proc Inst Civil Eng Struct Build 122(2) 186-192 (May 1997), 11A798
Displacement-based design approach to earthquake-induced torsion in ductile buildings, Eng Struct 19(9) 699-707 (Sep 1997), 11A801
Seismic Design and Retrofit of Bridges (Wiley, New York, 1996) 12R44
Stochastic resistance of square plate under uniaxial compression, Eng Struct 19(10) 827-833 (Oct 1997), 12A653

282M. Thermal loading

Fire loads in office buildings, J Struct Eng 123(3) 365-368 (Mar 1997), 9A872
Special issue on thermal stresses, Appl Mech Rev 50(9) 475-551 (Sep 1997), 11A797
Research on nonstationary random thermal creep stresses in mass concrete structures, Finite Elements Anal Des 26(2) 83-95 (Jun 1997), 12A51

282P. Design codes

Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - II: Prediction of moment capacity, J Construct Steel Res **38**(2) 165-198 (Jun 1996), 1A850

Experimental analysis and modeling of semi-rigid steel joints under cyclic reversal loading, J Construct Steel Res **38**(2) 95-123 (Jun 1996), 1A851

Braced, partially braced and unbraced columns: Complete set of classical stability equations, Struct Eng and Mech **4**(4) 365-381 (Jul 1996), 2A513

Design procedure for reinforced concrete beams with large web openings, ACI Struct J **93**(4) 404-411 (Jul-Aug 1996), 2A777

Transverse steel content in spiral concrete columns subject to eccentric loading, ACI Struct J **93**(4) 412-419 (Jul-Aug 1996), 2A785

Behavior of structural concrete elements designed to the concept of the compressive force path, ACI Struct J **93**(4) 428-436 (Jul-Aug 1996), 2A792

Design of deep pile caps by strut-and-tie models, ACI Struct J **93**(4) 437-448 (Jul-Aug 1996), 2A793

Estimation of the effective depth of RC section with decomposed reinforcement (Polish), Inzynieria Budownictwo **52**(8) 455-457 (1996), 2A794

Necessity of taking account of solar operation in design of multi-field RC slabs (Polish), Inzynieria Budownictwo **52**(7) 405-407 (1996), 2A795

Revision of the standard PN-84/B-03264: Concrete reinforced concrete and prestressed concrete structures - Statical analysis and design (Polish), Inzynieria Budownictwo **52**(9) 495-502 (1996), 2A796

Sensitivity analysis of bearing capacity of axially compressed bars according to the polish code PN-90/B-03200 (Polish), Inzynieria Budownictwo **52**(8) 452-454 (1996), 2A797

Slenderness limit of class 3 I cross-sections made of high strength steel, J Construct Steel Res **38**(3) 201-217 (Jul 1996), 2A798

Tolerances of initial deflections of steel plates and strength of I cross-section in compression and bending, J Construct Steel Res **38**(3) 219-238 (Jul 1996), 2A799

Composite fatigue design methodology: A simplified approach, Composite Struct **35**(2) 183-194 (Jun 1996), 3A727

Flexural strength of reinforced polymer concrete made with recycled plastic waste, ACI Struct J **93**(5) 524-530 (Sep-Oct 1996), 3A767

Minimum shear reinforcement in normal, medium, and high-strength concrete beams, ACI Struct J **93**(5) 576-584 (Sep-Oct 1996), 3A771

Performance of epoxy-coated shear reinforcement, ACI Struct J **93**(5) 531-537 (Sep-Oct 1996), 3A773

Tests of eccentrically loaded high-strength concrete columns, ACI Struct J **93**(5) 585-594 (Sep-Oct 1996), 3A776

Flexural strength of externally prestressed concrete bridges, ACI Struct J **93**(5) 512-523 (Sep-Oct 1996), 3A778

Effect of high-strength concrete columns on the behavior of slab-column connections, ACI Struct J **93**(5) 545-554 (Sep-Oct 1996), 3A782

IDS model of intelligent design system, Comput Struct **61**(3) 579-586 (Nov 1996), 3A783

Object-oriented blackboard models for integrated design of steel structures, Comput Struct **61**(3) 545-561 (Nov 1996), 3A784

Performance of high-strength concrete corbels, ACI Struct J **93**(5) 555-563 (Sep-Oct 1996), 3A785

Truss model and failure mechanism for bar development in C-C-T nodes, ACI Struct J **93**(5) 564-575 (Sep-Oct 1996), 3A786

Dynamic design analysis method, Shock Vib **3**(6) 461-476 (1996), 5A788

Buckling behavior of polyethylene liner system, J Mat in Civil Eng **8**(4) 201-206 (Nov 1996), 6A620

Resistance of I-girders to concentrated loads, J Construct Steel Res **39**(2) 87-119 (Sep 1996), 7A828

Elasto-plastic design of reinforced concrete beams and slabs subject to dynamic loading, Proc Inst Civil Eng Struct Build **122**(1) 117-123 (Feb 1997), 8A902

Modification of the ACI rectangular stress block for high-strength concrete, ACI Struct J **94**(1) 40-48 (Jan-Feb 1997), 8A906

Response modification factors for seismic design of circular reinforced concrete bridge columns, ACI Struct J **94**(1) 23-30 (Jan-Feb 1997), 8A909

Minimum weight of internally pressurized domes subject to plastic load failure, Thin-Walled Struct **27**(2) 127-146 (Feb 1997), 8A917

Torsional analysis for multiple box cells using softened truss model, Struct Eng and Mech **5**(1) 21-32 (Jan 1997), 8A918

Inelastic response of code-designed eccentric structures subject to bi-directional loading, Struct Eng and Mech **5**(1) 51-58 (Jan 1997), 8A1485

Comparison of two cumulative damage approaches for the assessment of behavior factors for low-rise steel buildings, J Construct Steel Res **40**(1) 39-61 (Oct 1996), 9A873

Design of reinforced concrete structures with application of POLLYTAG aggregate for concrete (Polish), Inzynieria Budownictwo **52**(12) 685-689 (1996), 9A874

Dew point as the criterion of thermal insulation quality, Inzynieria Budownictwo **52**(12) 710-713 (1996), 9A875

Remarks to the method of shear reinforcement estimation suggested in the proposed standard PrPN-B-03264 (Polish), Inzynieria Budownictwo **53**(2) 99-101 (1997), 9A876

Twisting test applied in estimation of the tensile concrete strength (Polish), Inzynieria Budownictwo **53**(1) 29-31 (1997), 9A886

Designing to residual strength of geosynthetics instead of stress-rupture, Geosynthetics Int **4**(1) 1-10 (1997), 10A714

Post-tensioned anchorage zones with single straight concentric anchorages, ACI Struct J **94**(2) 146-158 (Mar-Apr 1997), 10A938

Comparative statistical study for the ultimate stress in unbonded post-tensioning, ACI Struct J **94**(2) 171-180 (Mar-Apr 1997), 10A946

Irregularities induced by nonstructural masonry panels in framed buildings, Eng Struct **19**(7) 576-585 (Jul 1997), 10A948

Comparison of the present SEAOC-UBC torsional provisions with the old ones, Eng Struct **19**(8) 655-664 (Aug 1997), 10A949

Effect of high shear on the moment capacity of composite cruciform endplate connections, J Construct Steel Res **40**(2) 129-163 (Nov 1996), 10A950

Generalized design-based elastoplastic analysis of steel frames by section assemblage concept, Eng Struct **19**(8) 628-636 (Aug 1997), 10A951

Performance of high-strength concrete tied columns: A parametric study, ACI Struct J **94**(2) 91-102 (Mar-Apr 1997), 10A952

Stability design of steel plane frames by second-order elastic analysis, Eng Struct **19**(8) 617-627 (Aug 1997), 10A953

Conceptual design of isolation systems for bridge structures, J Earthquake Eng **1**(1) 193-218 (Jan 1997), 11A162

Stability of steel columns in case of fire: Numerical modeling, J Struct Eng **123**(6) 713-720 (Jun 1997), 11A530

Inelastic buckling of concrete column in braced frame, J Struct Eng **123**(5) 634-642 (May 1997), 11A531

Corrugated webs in plate girders for bridges, Proc Inst Civil Eng Struct Build **122**(2) 157-164 (May 1997), 11A533

Displacement-based seismic assessment of reinforced concrete buildings, J Earthquake Eng **1**(1) 157-192 (Jan 1997), 11A781

Influence of capacity design method on the seismic response of R/C columns, J Earthquake Eng **1**(2) 341-399 (Apr 1997), 11A782

Load-deformation behavior of high-strength concrete columns (B65-B115) under compression: Theoretical models and design rules (German), Bauingenieur **72**(4) 167-175 (Apr 1997), 11A783

Design charts relating to protection of structures against airblast from high explosives, Proc Inst Civil Eng Struct Build **122**(2) 186-192 (May 1997), 11A798

Design live loads for office buildings in Mexico and the US, J Struct Eng **123**(6) 816-822 (Jun 1997), 11A799

Design of composite finplate and angle cleated connections, J Construct Steel Res **41**(1) 1-29 (Jan 1997), 11A800

Displacement-based design approach to earthquake-induced torsion in ductile buildings, Eng Struct **19**(9) 699-707 (Sep 1997), 11A801

Earthquake-resistant structure - Structural frame damper system: An approach to design., Proc Inst Civil Eng Struct Build **122**(2) 165-172 (May 1997), 11A802

Instability analysis of normal- and high-strength reinforced-concrete walls, J Struct Eng **123**(5) 680-684 (May 1997), 11A803

K-Factors for braced frames, Eng Struct **19**(9) 760-763 (Sep 1997), 11A804

Long-term service-load behavior of simply supported profiled composite slabs, Proc Inst Civil Eng Struct Build **122**(2) 193-208 (May 1997), 11A805

New method to design extended end plate connections and semirigid braced frames, J Construct Steel Res **41**(1) 61-91 (Jan 1997), 11A806

Strength curves for metal columns, J Struct Eng **123**(6) 721-728 (Jun 1997), 11A807

Study of Eurocode 3 steel connection classification, Eng Struct **19**(9) 772-779 (Sep 1997), 11A808

Blockwork masonry compressed in two orthogonal directions, J Struct Eng **123**(5) 591-596 (May 1997), 11A810

Composite steel bridges with composite concrete bottom plate in Germany (German), Bauingenieur **72**(4) 193-198 (Apr 1997), 11A811

Elastic distortional buckling of tapered composite beams, Struct Eng and Mech **5**(3) 269-281 (May 1997), 12A647

Stability of columns in unbraced frames, J Struct Eng **123**(7) 952-957 (Jul 1997), 12A652

Advanced analysis and design of spatial structures, J Construct Steel Res **42**(1) 21-48 (Apr 1997), 12A910

Design and construction of non-reinforced, reinforced and prestressed concrete structures according to DIN 1045-1 (German), Bauingenieur **72**(5) 253-261 (May 1997), 12A911

Design of single and multiple angle columns and beams, J Struct Eng **123**(7) 847-856 (Jul 1997), 12A912

Design of steel frames without consideration of effective length, Eng Struct **19**(10) 797-810 (Oct 1997), 12A913

Explicit approach to design of stainless steel columns, J Struct Eng **123**(7) 857-863 (Jul 1997), 12A914

Safety of reinforced concrete members designed following ACI 318 building code, Eng Struct **19**(10) 843-850 (Oct 1997), 12A915

282Y. Computational techniques

Stochastic FE simulation of random structure on uncertain foundation under random loading, Int J Mech Sci **38**(11) 1209-1218 (Nov 1996), 1A43

OPTAC: A portable software package for analyzing and comparing optimization methods by visualization, J Comput Appl Math **72**(1) 41-62 (Jul 1996), 1A852

Numerical investigation of eccentrically loaded high-strength concrete tied columns, ACI Struct J **93**(4) 449-461 (Jul-Aug 1996), 2A780

Behavior of externally prestressed concrete beams with multiple deviators, ACI Struct J **93**(4) 387-396 (Jul-Aug 1996), 2A788

Consideration of body forces in axisymmetric design sensitivity analysis using the BEM, Comput Struct **61**(4) 587-596 (Nov 1996), 3A787

Structural reliability analysis of elastic-plastic structures using neural networks and Monte Carlo simulation, Comput Methods Appl Mech Eng **136**(1-2) 145-163 (Sep 1996), 3A788

Algorithmic framework for flexible FE-based structural modeling, Comput Methods Appl Mech Eng **136**(3-4) 363-384 (Sep 1996), 4A839

Durability of brittle material subjected to static loads, Eng Trans **44**(2) 253-259 (1996), 4A840

Analysis and behavior of grid structures, Composites Sci Tech **56**(9) 1001-1015 (Sep 1996), 5A789

Domain decomposition methods for the study of the particular behavior of a very thin long structure, Numer Methods PDE **12**(6) 643-655 (Nov 1996), 5A790

Equilibrium subsets for multi-parametric structural analysis, Comput Methods Appl Mech Eng **140**(3-4) 305-327 (Jan 1997), 6A899

Refined 3D FE model for end-plate connection, J Struct Eng **122**(11) 1307-1316 (Nov 1996), 6A900

Numerical assessment of the safety factor of elastic-plastic structures under variable loading, Int J Mech Sci **39**(4) 417-433 (Apr 1997), 7A445

Exact structural static reanalysis method, Commun Numer Methods Eng **13**(2) 103-112 (Feb 1997), 8A919

Computational Mechanics of Reinforced Concrete Structures (Vieweg, Wiesbaden, 1995) 9R13

Direct spectral method for continuous-time stochastic system estimation based on measured data and a priori information, Mech Syst Signal Processing **11**(2) 287-306 (Mar 1997), 9A112

Computational bifurcation analysis of geometrically nonlinear structures (Japanese), Proc JSCE **556**(I-38) 95-106 (Jan 1997), 9A877

Effect of structure on dynamic thermal characteristics of multilayer walls, Arch Civil Eng **42**(3) 351-369 (1996), 9A878

Fuzzy and improved penalty approaches for multi-objective mixed-discrete optimization in structural systems, Comput Struct **63**(3) 559-565 (May 1997), 9A879

Improved calculation of eigenvector sensitivities using matrix perturbation analysis, J Mech Des **119**(1) 137-141 (Mar 1997), 9A880

Improvements of simple genetic algorithm in structural design, Int J Numer Methods Eng **40**(7) 1323-1334 (Apr 1997), 9A881

Simplified design method for stress and displacement constraints, J Eng Appl Sci **43**(6) 1137-1153 (Dec 1996), 9A882

Accurate high-speed computation of non-stationary random structural response, Eng Struct **19**(7) 586-593 (Jul 1997), 10A954

Load-deformation behavior of high-strength concrete columns (B65-B115) under compression: Theoretical models and design rules (German), Bauingenieur **72**(4) 167-175 (Apr 1997), 11A783

Simulation of punching failure in reinforced-concrete structures, J Struct Eng **123**(5) 652-659 (May 1997), 11A790

Dynamic animation of stress modes via the integrated force method of structural analysis, Int J Numer Methods Eng **40**(12) 2151-2169 (Jun 1997), 11A809

Parallel Computing in Optimization (Kluwer, MA, 1997) 12N6

Vibration isolation in a thin rectangular plate using a large number of optimally positioned point masses, J Sound Vib **202**(2) 219-234 (May 1997), 12A183

Computational structures technology, Comput Struct **64**(1-4) 1-880 (Jul-Aug 1997), 12A916

282Z. Experimental techniques

New method for *in-situ* measurement of electrical resistivity of reinforced concrete, Mat Struct **29**(190) 362-365 (Jul 1996), 1A847

Methods of determination of fracture energy in concrete elements (Polish), Inzynieria Budownictwo **52**(8) 466-468 (1996), 2A659

Investigation of RC beams submitted to impetuous temperature changes (Polish), Inzynieria Budownictwo **52**(6) 361-365 (1996), 2A778

Performance of concrete bridge decks and slabs reinforced with epoxy-coated steel under repeated loading, ACI Struct J **93**(4) 397-403 (Jul-Aug 1996), 2A781

Aggregate interlock in cracked concrete with excessive crack width, Arch Civil Eng **42**(2) 177-193 (1996), 2A800

Compressive strength development of condensed silica fume modified mortars, Arch Civil Eng **42**(2) 207-222 (1996), 2A801

Durability of loaded concrete in conditions of chemical aggressiveness (Polish), Inzynieria Budownictwo **52**(6) 368-369 (1996), 2A802

Laboratory investigation of composite steel-concrete beams (Polish), Inzynieria Budownictwo **52**(6) 336-339 (1996), 2A803

Loss of prestressing force in strands exposed to fire (Polish), Inzynieria Budownictwo **52**(6) 365-367 (1996), 2A804

Modern methods of concrete quality inspection in road and bridge engineering (Polish), Inzynieria Budownictwo **52**(9) 527-530 (1996), 2A805

Designing random vibration tests, Int J Non-Linear Mech **31**(5) 563-572 (Sep 1996), 3A144

Flexural strength of reinforced polymer concrete made with recycled plastic waste, ACI Struct J **93**(5) 524-530 (Sep-Oct 1996), 3A767

Minimum shear reinforcement in normal, medium, and high-strength concrete beams, ACI Struct J **93**(5) 576-584 (Sep-Oct 1996), 3A771

Performance of epoxy-coated shear reinforcement, ACI Struct J **93**(5) 531-537 (Sep-Oct 1996), 3A773

Tests of eccentrically loaded high-strength concrete columns, ACI Struct J **93**(5) 585-594 (Sep-Oct 1996), 3A776

Field measurements of prestress losses in external tendons, ACI Struct J **93**(5) 595-601 (Sep-Oct 1996), 3A777

Performance of high-strength concrete corbels, ACI Struct J **93**(5) 555-563 (Sep-Oct 1996), 3A785

Measurement of dynamic joint motion using magnetohydrodynamic angular rate sensors, Shock Vib Digest **28**(5) 12-17 (Sep-Oct 1996), 4A196

Effect of oiling up on the failure of concrete determined by acoustic emission, Arch Acoust **21**(2) 215-223 (1996), 4A841

Role of thermal treatment in stress failure of concrete differing in its aggregate grain composition, Eng Trans **44**(1) 17-29 (1996), 4A842

Experimental study on anchored bars in RC elements with transverse reinforcement, Mat Struct **29**(193) 534-542 (Nov 1996), 5A775

Elastic analysis of pavement materials with the bending test by two points loading (Japanese), Proc JSCE **550**(V33) 63-72 (Nov 1996), 7A829

Full-scale testing of prestressed concrete bridge girders, Exp Tech **21**(1) 33-35 (Jan-Feb 1997), 7T830

Cyclic behavior of steel-fiber mortar overlaid concrete beams, J Mat in Civil Eng **9**(1) 21-28 (Feb 1997), 8A900

Structural characteristics of RC beams with exposed main steel, Proc Inst Civil Eng Struct Build **122**(1) 35-51 (Feb 1997), 8T912

"In situ" testing methods applied to building expertises (Polish), Inzynieria Budownictwo **52**(11) 660-663 (1996), 9A883

Improvement of durability of concrete with admixtures and addition of silica fume (Polish), Inzynieria Budownictwo **52**(11) 664-667 (1996), 9A884

Laboratory evaluation of the load-deflection behavior of clay beams reinforced with galvanized wire netting, Geotextiles Geomembranes **14**(10) 555-573 (Oct 1996), 9A885

Twisting test applied in estimation of the tensile concrete strength (Polish), Inzynieria Budownictwo **53**(1) 29-31 (1997), 9A886

Cyclic behavior of concrete bridge bents, ACI Struct J **94**(2) 103-113 (Mar-Apr 1997), 10A931

Balance technique for monitoring in situ structural integrity of prismatic structures, AIAA J **35**(5) 869-874 (May 1997), 10A955

Epoxy-coated and uncoated strand transfer lengths for PC panels, J Struct Eng **123**(5) 550-560 (May 1997), 11A793

Measurement of transfer lengths of pretensioned concrete elements, J Struct Eng 123(5) 541-549 (May 1997), 11A794
Strain-softening of laterally reinforced concrete panels in compression, J Struct Eng 123(5) 575-582 (May 1997), 11A795
Blockwork masonry compressed in two orthogonal directions, J Struct Eng 123(5) 591-596 (May 1997), 11A810
Modeling of steel fiber reinforced concrete response in tension (French), Mat Struct 30(199) 259-268 (Jun 1997), 12A904
Stressed-skin panels of mixed construction: Creep behavior, J Struct Eng 123(7) 934-942 (Jul 1997), 12A917
Tests of tall cavity walls subjected to eccentric loading, J Struct Eng 123(7) 912-919 (Jul 1997), 12A918

284. STRUCTURES (GROUND)

284B. Bridges

Steel Structures: EUROSTEEL 95 (Balkema, Rotterdam, Netherlands, 1995) 1N35
Network-based relaxation approach for selecting optimal bridge replacement or rehabilitation strategies, Eng Optim 26(2) 105-121 (May 1996), 1A833
Computing in civil and structural engineering special issue, Struct Eng Review 8(2-3) 79-314 (May-Aug 1996), 1T853
Determination method of optimum pre-stress in cables of cable-stayed bridges by using fuzzy sets theory (Japanese), Proc JSCE 540(VI-31) 105-112 (Jun 1996), 2A129
Aerodynamic problems of cable stayed and suspension bridges (Polish), Inzynieria Budownictwo 52(9) 508-516 (1996), 2A806
Considerations on the erection of bridge girders by use of floating crane barge and its dynamic behavior in long-period waves (Japanese), Proc JSCE 540(VI-31) 227-239 (Jun 1996), 2A807
Perpendicular construction of bridge girder for long span suspension bridge under a rapid stream (Japanese), Proc JSCE 540(VI-31) 181-190 (Jun 1996), 2T808
Proposal of out-of-plane analysis using plane model for suspension brige (Japanese), Proc JSCE 540(VI-31) 215-225 (Jun 1996), 2A809
Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), Proc JSCE 540(VI-31) 85-104 (Jun 1996), 2A1390
Aerodynamics of the cable of cable-stayed bridges (Japanese), Proc JSCE 543(I-36) 153-162 (Jul 1996), 3A153
Tension structures, J Construct Steel Res 39(1) 3-84 (Aug 1996), 3A155
Time domain modeling of bridge deck flutter (Japanese), Proc JSCE 543(I-36) 19-30 (Jul 1996), 3A184
Flexural strength of externally prestressed concrete bridges, ACI Struct J 93(5) 512-523 (Sep-Oct 1996), 3A778
Analysis and model-tests on vortex-induced oscillation of bridges (Japanese), Proc JSCE 543(I-36) 187-194 (Jul 1996), 3A789
Concrete shear failure in reinforced-concrete elements, J Struct Eng 122(9) 1006-1015 (Sep 1996), 3A790
Creep analysis and torsional vibration analysis of cable-stayed bridges with two edge composite girders (Japanese), Proc JSCE 543(I-36) 239-246 (Jul 1996), 3A791
Cross-frame spacing and parametric effects in horizontally curved I-girder bridges, J Struct Eng 122(9) 1089-1096 (Sep 1996), 3A792
Development of an efficient program for the nonlinear analysis of bridges, Comput Struct 61(3) 459-470 (Nov 1996), 3A793
Energy-based damping evaluation of cable-stayed bridges and its application to Tsurumi Tsubasa bridge (Japanese), Proc JSCE 543(I-36) 217-227 (Jul 1996), 3A794
Identification of dynamic characteristics by field vibration test in Tsurumi Tsubasa bridge (Japanese), Proc JSCE 543(I-36) 247-258 (Jul 1996), 3A795
Lateral distribution factor from bridge field testing, J Struct Eng 122(9) 1106-1109 (Sep 1996), 3A796
Nonlinear damping of slender wood bridges, Comput Struct 61(4) 657-664 (Nov 1996), 3A797
Punching shear failure in concrete decks as snap-through instability, J Struct Eng 122(9) 998-1005 (Sep 1996), 3A798
Structural strength of bridge decks reinforced with welded wire fabric, J Struct Eng 122(9) 989-997 (Sep 1996), 3A799
Study on wind resistant design of long-span bridges based on field observation result (Japanese), Proc JSCE 543(I-36) 163-173 (Jul 1996), 3A800
Mobile and Rapidly Assembled Structures II (Comput Mech, Billerica MA, 1996) 4N17
Long-span bridges in Norway constructed in high-strength LWA concrete, Eng Struct 18(11) 845-849 (Nov 1996), 4A843
Roize River experimental bridge, Eng Struct 18(11) 842-844 (Nov 1996), 4T844
Dynamic response of cable-stayed bridges to moving vehicles using the structural impedance method, Appl Math Model 20(12) 877-889 (Dec 1996), 6A199
Initial imperfection data and evaluation of compression strength of orthotropic steel deck for long-span cable-stayed bridges (Japanese), Proc JSCE 549(I-37) 55-64 (Oct 1996), 6A901
New techniques in the elastic analysis of arch bridges using image processing, Strain 32(4) 139-144 (Nov 1996), 6A902
Study on dynamic response of bridge caused by loads in line at high speed by BEM (Japanese), Proc JSCE 549(I-37) 107-114 (Oct 1996), 6A903
Study on the ultimate strength of the main-cable and hanger system of simple-span suspension bridges due to the vertical loads (Japanese), Proc JSCE 549(I-37) 43-53 (Oct 1996), 6A904
System for inferring axial force of high-strength bolts on steel bridges (Japanese), Proc JSCE 549(I-37) 77-90 (Oct 1996), 6A905
Amplitude and turbulence effects on bridge flutter derivatives, J Struct Eng 123(2) 232-236 (Feb 1997), 7A173
Signal versus noise in damage detection by experimental modal analysis, J Struct Eng 123(2) 237-245 (Feb 1997), 7A176
Bridge progressive collapse vulnerability, J Struct Eng 123(2) 227-231 (Feb 1997), 7A831
Recent Advances in Bridge Engineering: Evaluation, Management, and Repair (CIMNE, Barcelona, Spain, 1996) 8N14
Numerical mountain pass solutions of a suspension bridge equation, Nonlinear Anal 28(11) 1811-1826 (Jun 1997), 8T920
Time-delay neural networks in damage detection of railway bridges, Adv Eng Software 28(1) 1-10 (Jan 1997), 8A921
Optimization of reliability and maintenance of steel engineering works, Rev Francaise Mec 0(1) 27-33 (1997), 9A834
Dynamic structural assessment of a highway bridge via hybrid FE model and in situ testing, Comput Struct 63(3) 439-453 (May 1997), 9A887
Dynamical analysis of collapsible bridges on stationary supports in model of virtual bending ridigity (Polish), Biuletyn Wojskowej Akademii Technicznej 45(7) 95-106 (Jul 1996), 9T888
Hybrid testing of steel bridge pier models using the Hyogoken-nanbu earthquake accelerograms (Japanese), Proc JSCE 556(I-38) 119-129 (Jan 1997), 9A889
Local stress and deformation at field joints of orthotropic steel deck (Japanese), Proc JSCE 556(I-38) 65-76 (Jan 1997), 9A890
Modeling of railway bridge-vehicle interaction on high speed tracks, Comput Struct 63(3) 511-523 (May 1997), 9A891
Numerical analysis of ribbon-type bridges with considering the boundary segment (Polish), Biuletyn Wojskowej Akademii Technicznej 45(7) 107-120 (Jul 1996), 9A892
Reliability-based partial safety factors in cantilever construction of concrete bridges, J Struct Eng 123(3) 305-312 (Mar 1997), 9A893
Thermal phenomena in concrete bridges (Polish), Inzynieria Budownictwo 52(10) 575-579 (1996), 9A894
Distributed water ingress and water potential measurements using fiber optics, Cement & Concrete Composites 19(1) 35-44 (Feb 1997), 10A866
Fiber-optic Bragg grating sensors for bridge monitoring, Cement & Concrete Composites 19(1) 21-33 (Feb 1997), 10A867
Cyclic behavior of concrete bridge bents, ACI Struct J 94(2) 103-113 (Mar-Apr 1997), 10A931
Steel bridges with double composite action in Germany (German), Bauingenieur 72(3) 131-141 (Mar 1997), 10A956
Conceptual design of isolation systems for bridge structures, J Earthquake Eng 1(1) 193-218 (Jan 1997), 11A162
Composite steel bridges with composite concrete bottom plate in Germany (German), Bauingenieur 72(4) 193-198 (Apr 1997), 11A811
Fatigue design for cope hole details in I-section members of steel bridges, Proc JSCE 563(139) 41-47 (Apr 1997), 11A812
Fill stresses in a new brick arch bridge subject to heavy axle-load tests, Proc Inst Civil Eng Struct Build 122(2) 173-185 (May 1997), 11A813
Modeling of steel bridge pier base to footing connections under cyclic loading (Japanese), Proc JSCE 563(139) 105-123 (Apr 1997), 11A814
Vibration control of Kurushima Bridge Tower 5P under construction (Japanese), Proc JSCE 563(139) 173-181 (Apr 1997), 11T815
Optimal allocation of earthquake-induced damage for elevated highway bridges (Japanese), Proc JSCE 563(139) 79-94 (Apr 1997), 11A1490

284C. Dams and spillways

Dam Breach Modeling Technology (Kluwer, MA, 1996) 3N26
Hydrodynamic pressures on rigid dam with a reservoir of arbitrary geometry (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(2) 103-123 (1996), 3A801
Limit design of axisymmetric shells with application to cellular cofferdams, J Eng Mech 122(10) 921-929 (Oct 1996), 3A802
Analysis of the vibrations of inflatable dams under overflow conditions, Thin-Walled Struct 26(4) 241-259 (Dec 1996), 4A845
Analysis of progressive failure and cracking in old British dams, Geotechnique 46(4) 621-640 (Dec 1996), 6A906
Aseismatic studies of concrete faced rockfill dams: State-of-the-art (Chinese), J Dalian Univ Tech 36(6) 708-720 (Nov 1996), 6A1461
ASTROS for reliability-based multidisciplinary structural analysis and optimization, Comput Struct 62(4) 737-745 (Feb 1997), 7A832
Effect of reservoir drawdown and long-term consolidation on the deformation of old embankment dams, Geotechnique 47(1) 33-48 (Mar 1997), 9A895

284D. Tunnels

Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), Proc JSCE 540(VI-31) 25-35 (Jun 1996), 2A574
Study on lining design of earth tunnels with large diameter under high water pressure (Japanese), Proc JSCE 540(VI-31) 123-133 (Jun 1996), 2T810
Study on application of high-strength shotcrete for a high overburden tunnel (Japanese), Proc JSCE 546(VI-32) 145-156 (Sep 1996), 5T791
Study on tunnel face stabilization by X-ray radiography method: Approach by 3D strain analysis (Japanese), Proc JSCE 547(III-36) 87-96 (Sep 1996), 5T792
Temperature changes and thermal stresses obtained during construction of immersed-type tunnel (Japanese), Proc JSCE 546(VI-32) 51-62 (Sep 1996), 5A793
Stability evaluation of rock masses with tunnel supports by taking into account dissipation energy (Japanese), Proc JSCE 554(III-37) 71-80 (Dec 1996), 8A674
Study on the evaluation of rock condition for construction and adoption of assisting methods based on the past records of twin tunnel construction (Japanese), Proc JSCE 553(VI-33) 21-31 (Dec 1996), 8T688
Basic consideration on the parameter identification of road tunnel with heat insulater (Japanese), Proc JSCE 553(VI-33) 201-208 (Dec 1996), 8T922
Design for tunnel linings which involve property of steel fiber reinforced concrete (Japanese), Proc JSCE 554(III-37) 81-88 (Dec 1996), 8A923
Study on simulation of tunnel lining which involves crack (Japanese), Proc JSCE 554(III-37) 147-155 (Dec 1996), 8A924
Dynamic characteristics of submerged floating tunnels due to wave force (Japanese), Proc JSCE 556(I-38) 159-168 (Jan 1997), 9A896
Surface settlement and lining stress of shield tunnel in sand observed in a centrifuge (Japanese), Proc JSCE 561(III-38) 283-293 (Mar 1997), 10A690
Mechanical effect of grouted rock bolts on tunnel stability (Japanese), Proc JSCE 561(III-38) 19-31 (Mar 1997), 10A724
Analyses of interaction between two pairs of shield tunnels and soil, and their application to design and construction of parallel shield tunnels (Japanese), Proc JSCE 561(III-38) 47-62 (Mar 1997), 10A957

284E. Frames, trusses, and arches

Optimization of truss topology using boundary cycle: Derivation of design variables to avoid inexpedient structure, JSME Int J Ser A 39(3) 415-421 (Jul 1996), 1A835
Experimental analysis and modeling of semi-rigid steel joints under cyclic reversal loading, J Construct Steel Res 38(2) 95-123 (Jun 1996), 1A851
Computing in civil and structural engineering special issue, Struct Eng Review 8(2-3) 79-314 (May-Aug 1996), 1T853
Elastic analysis of a plane regular latticed structure, Mech Solids 31(1) 173-181 (1996), 1A854
Constrained genetic search via schema adaptation: An immune network solution, Struct Optim 12(1) 11-15 (Aug 1996), 2A753
Global optimization of structural systems using two new methods, Struct Optim 12(1) 1-10 (Aug 1996), 2A755
Truss topology optimization including bar properties different for tension and compression, Struct Optim 12(1) 63-74 (Aug 1996), 2A768
Experimental study of circular flange joints in tubular structures, J Strain Anal Eng Des 31(4) 259-267 (Jul 1996), 2A811
Analysis of truss structures using distributed object-oriented methods, Comput Mech 18(4) 314-320 (Aug 1996), 3A803
Approximate limit design of frames using elastic analysis, Comput Struct 61(3) 495-501 (Nov 1996), 3A804
Development of a rigid-ended beam element for analysis of bracketed frame structures, Marine Struct 9(10) 971-990 (1996), 3A805
Dome-shaped space trusses formed by means of posttensioning, J Struct Eng 122(10) 1240-1245 (Oct 1996), 3A806
Experimental study of behavior of new space truss system, J Struct Eng 122(8) 845-853 (Aug 1996), 3A807
General nonlinear structural model of a multirod (multibeam) system - I: Theoretical derivations, Comput Struct 61(4) 617-632 (Nov 1996), 3A808
General nonlinear structural model of a multirod (multibeam) system - II: Results, Comput Struct 61(4) 633-644 (Nov 1996), 3A809
Inelastic behavior of steel frames with added viscoelastic dampers, J Struct Eng 122(10) 1178-1186 (Oct 1996), 3A810
Large-displacement analysis of elastoplastic thin-walled frames - I: Formulation and implementation, J Struct Eng 122(8) 905-914 (Aug 1996), 3A811
Large-displacement analysis of elastoplastic thin-walled frames - II: Verification and application, J Struct Eng 122(8) 915-925 (Aug 1996), 3A812
Parameter models for estimating in-situ tensile force in tie-rods, J Eng Mech 122(9) 818-825 (Sep 1996), 3A813
Quartic formulation for elastic beam-columns subject to thermal effects, J Eng Mech 122(9) 861-871 (Sep 1996), 3A814
1996 EERI student paper award modeling of the nonlinear seismic behavior of gravity load designed frames, Earthquake Spectra 12(3) 479-492 (Aug 1996), 3A1376
More rational approach to capacity design of seismic moment frame columns, Earthquake Spectra 12(3) 395-406 (Aug 1996), 3A1389
Mobile and Rapidly Assembled Structures II (Comput Mech, Billerica MA, 1996) 4N17
Effects of linearly varying distributed load on the collapse behavior of frames, Comput Struct 61(5) 909-914 (Dec 1996), 4A846
Nonlinearities in the analysis of frames, Comput Struct 61(6) 1177-1184 (Dec 1996), 5A794
Approximate method for fatigue-life prediction of framed structures, Fatigue Fracture Eng Mat Struct 19(12) 1481-1491 (1996), 6A711
Shape estimation of distorted flexible structures, Struct Optim 12(4) 237-243 (Dec 1996), 6A856
New techniques in the elastic analysis of arch bridges using image processing, Strain 32(4) 139-144 (Nov 1996), 6A902
Analytical and numerical solutions for frames with softening hinges, J Eng Mech 123(1) 8-14 (Jan 1997), 6A907
Evaluation of rib-skin fracture in composite isogrid, J Eng Mech 123(1) 83-90 (Jan 1997), 6A908
Modeling for moment-rotation characteristics for end-plate connections, J Struct Eng 122(11) 1300-1306 (Nov 1996), 6A909
Practical advanced analysis for braced steel frame design, J Struct Eng 122(11) 1266-1274 (Nov 1996), 6A910
Practical advanced analysis for unbraced steel frame design, J Struct Eng 122(11) 1259-1265 (Nov 1996), 6A911
Shape and stress control analysis of prestressed truss structures, J Reinforced Plastics Composites 15(12) 1226-1236 (Dec 1996), 6A912
Wind-induced deflections of free-standing lattice towers, Eng Struct 19(1) 79-91 (Jan 1997), 6A913
Theory and Design of Seismic Resistant Steel Frames (E and FN Spon, NY, 1996) 7R9
Tubular Structures VII (Balkema, Rotterdam, Netherlands, 1996) 7N20
Compatibility relationships in a mixed flexibility-based method of frame analysis, Eng Struct 19(3) 267-275 (Mar 1997), 7A833
Distortion in mechanics of elastic and elastic-plastic frames, Comput Struct 62(5) 861-864 (Mar 1997), 7A834
Inelastic analysis and design: Frames with members in minor-axis bending, J Struct Eng 123(2) 151-156 (Feb 1997), 7A835
New definition of conservative internal moments in space frames, J Eng Mech 123(2) 97-106 (Feb 1997), 7A836
Optimum load and resistance factor design of steel space-frame structures, J Struct Eng 123(2) 184-192 (Feb 1997), 7A837
Posttensioned and shaped hypar space trusses, J Struct Eng 123(2) 130-137 (Feb 1997), 7A838
Review of progressive failure analyses for truss structures, J Struct Eng 123(2) 122-129 (Feb 1997), 7A839
Static analysis of frame structures by the differential quadrature element method, Int J Numer Methods Eng 40(4) 759-772 (Feb 1997), 7A840

Statistical analysis of seismic behavior of steel frame: Influence of overstrength, J Construct Steel Res 39(2) 137-161 (Sep 1996), 7A1485

Elastic frame redesign via a performance-based incremental inverse problem, Comput Struct 63(2) 217-224 (Apr 1997), 8A925

Experimental behavior of a full-scale, semi-rigidly connected composite frame: Overall considerations, J Construct Steel Res 39(3) 167-191 (Sep 1996), 8A926

Experimental behavior of a full-scale, semi-rigidly connected composite frame: Detailed appraisal, J Construct Steel Res 39(3) 193-220 (Sep 1996), 8A927

Modeling of cold-formed purlin-sheeting systems - Part 1: Full model, Thin-Walled Struct 27(3) 223-243 (Mar 1997), 8A928

State-of-the-art review on the design of beam-to-column connections for pultruded frames, Composite Struct 35(4) 387-401 (Aug 1996), 8A929

Static and dynamic modeling of light-frame wood buildings, Comput Struct 63(2) 319-334 (Apr 1997), 8A930

Transient response of moment-resistant steel frames with flexible and hysteretic joints, J Construct Steel Res 39(3) 221-243 (Sep 1996), 8A931

Automation of the force method in the optimal plastic design of frames, Comput Methods Appl Mech Eng 141(1-2) 141-156 (Feb 1997), 9A897

Benchmarks for frames subject to follower loads, Comput Struct 63(3) 379-384 (May 1997), 9A898

Dynamic analysis of supporting structure of mobile antenna, Comput Struct 63(3) 633-637 (May 1997), 9A899

Effective length factor of columns in semirigid and unbraced frames, J Struct Eng 123(3) 313-320 (Mar 1997), 9A900

Elastic nonlinear behavior of truss system under follower and non-follower forces, Comput Struct 63(5) 939-949 (Jun 1997), 9A901

Further studies of practical advanced analysis for weak-axis bending, Eng Struct 19(6) 407-416 (Jun 1997), 9A902

Genetic algorithms-based methodologies for design optimization of trusses, J Struct Eng 123(3) 350-358 (Mar 1997), 9A903

Maximum connection rotations in non-sway semi-rigid frames, J Construct Steel Res 40(1) 1-15 (Oct 1996), 9A904

Modern formulation for preclastic theories on masonry arches, J Eng Mech 123(3) 204-213 (Mar 1997), 9A905

Moment-rotation relationship of blind bolted connections for HSS columns, J Construct Steel Res 40(1) 63-91 (Oct 1996), 9A906

Morphology and architecture, Int J Space Struct 11(1-2) 3-274 (1996), 9A907

Second-order method of generalized geometric programing for spatial frame optimization, Comput Methods Appl Mech Eng 141(1-2) 117-123 (Feb 1997), 9A908

Structural performance of modern roofs with thick over-purlin insulation: Experimental investigation, J Construct Steel Res 40(1) 17-38 (Oct 1996), 9A909

3D simulation of bolted connections to unstiffened columns - II: Extended endplate connections, J Construct Steel Res 40(3) 189-223 (Dec 1996), 10A13

Analytical behavior of connections to concrete-filled steel tubes, J Construct Steel Res 40(2) 95-127 (Nov 1996), 10A14

Effect of member length imperfections on triple-layer space trusses, Eng Struct 19(7) 540-550 (Jul 1997), 10A17

Three-dimensional simulation of bolted connections to unstiffened columns - I: T-stub connections, J Construct Steel Res 40(3) 169-187 (Dec 1996), 10A25

Foldable bar structures, Int J Solids Struct 34(15) 1825-1847 (May 1997), 10A891

Solution of structures involving elements with non-convex energy potentials, Struct Optim 13(2-3) 182-190 (Apr 1997), 10A892

Optimal cross-section and configuration design of elastic-plastic structures subject to dynamic cyclic loading, Struct Optim 13(2-3) 112-118 (Apr 1997), 10A902

Topological structural analysis, Struct Optim 13(2-3) 104-111 (Apr 1997), 10A912

Topology optimization of trusses with local stability constraints and multiple loading conditions: A heuristic approach, Struct Optim 13(2-3) 155-166 (Apr 1997), 10A913

Irregularities induced by nonstructural masonry panels in framed buildings, Eng Struct 19(7) 576-585 (Jul 1997), 10A948

Kinematically exact FE formulation of planar elastic-plastic frames, Comput Methods Appl Mech Eng 144(1-2) 125-151 (May 1997), 10A958

LRFD Steel Design Using Advanced Analysis (CRC Press, Boca Raton FL, 1997) 11R22

Displacement-based seismic assessment of reinforced concrete buildings, J Earthquake Eng 1(1) 157-192 (Jan 1997), 11A781

New method to design extended end plate connections and semirigid braced frames, J Construct Steel Res 41(1) 61-91 (Jan 1997), 11A806

Study of Eurocode 3 steel connection classification, Eng Struct 19(9) 772-779 (Sep 1997), 11A808

Effects of frame continuity on the behavior of steel columns under fire conditions and fire resistant design proposals, J Construct Steel Res 41(1) 93-111 (Jan 1997), 11A816

Prediction of initial stiffness and available rotation capacity of major axis composite flush endplate connections, J Construct Steel Res 41(1) 31-60 (Jan 1997), 11A817

Parametric identification of truss structures using static strains, J Struct Eng 123(7) 927-933 (Jul 1997), 12A25

Behavior of partially concrete-filled steel bridge piers under cyclic and dynamic loading, J Construct Steel Res 41(2-3) 121-136 (Feb-Mar 1997), 12A854

Dynamic behavior of steel frames with beam flanges shaved around connection, J Construct Steel Res 42(1) 49-70 (Apr 1997), 12A855

Theory of a one plane truss-type structure with quasi-regularity in one direction, Composite Mech Des 2(2) 32-41 (1996), 12A879

Advanced analysis and design of spatial structures, J Construct Steel Res 42(1) 21-48 (Apr 1997), 12A910

Design of steel frames without consideration of effective length, Eng Struct 19(10) 797-810 (Oct 1997), 12A913

Appraisal of partially restrained steel columns in nonsway frames, J Struct Eng 123(7) 871-879 (Jul 1997), 12A919

Direct treatment of distributed loads in the collapse analysis and design of rigid frames, Eng Optim 27(4) 321-339 (Mar 1996), 12A920

Testing of semi-rigid unbraced frames for calibration of second-order inelastic analysis, J Construct Steel Res 41(2-3) 159-195 (Feb-Mar 1997), 12A921

284G. Buildings

Steel Structures: EUROSTEEL 95 (Balkema, Rotterdam, Netherlands, 1995) 1N35

Method for prediction of air flows in multizone buildings, Arch Civil Eng 42(2) 237-263 (1996), 2A812

Three-dimensional model of shield buildings (Polish), Inzynieria Budownictwo 52(8) 458-460 (1996), 2A813

Analysis of galloping oscillations of highrise structures, J Vib Eng 9(3) 244-252 (Sep 1996), 4T173

Computation of flow around Texas Tech building using k-ε and Kato-Launder k-ε turbulence model, Eng Struct 18(11) 856-860 (Nov 1996), 4A847

Computer simulation of wind environmental conditions around buildings, Eng Struct 18(11) 876-885 (Nov 1996), 4A848

High-strength concrete for a 186 m high office building in Frankfurt, Germany, Eng Struct 18(11) 850-854 (Nov 1996), 4A849

Investigation of air flow around buildings using computational fluid dynamics techniques, Eng Struct 18(11) 861-875 (Nov 1996), 4A850

Behavior of tall buildings with mixed use of rigid and semi-rigid connections, Comput Struct 61(6) 1193-1206 (Dec 1996), 5A795

Ground-movement-related building damage, J Geotech Eng 122(11) 886-896 (Nov 1996), 6A914

Out-of-plane strength of unreinforced masonary infill panels, Earthquake Spectra 12(4) 825-844 (Nov 1996), 6A915

Physical tests and analyses of composite steel-concrete beam-columns, J Struct Eng 122(11) 1317-1326 (Nov 1996), 6A916

Repair and retrofit of unreinforced masonry structures, Earthquake Spectra 12(4) 903-922 (Nov 1996), 6A917

Representation of concrete-filled steel tube cross-section strength, J Struct Eng 122(11) 1327-1336 (Nov 1996), 6A918

Seismic strengthening of unreinforced masonry piers with steel elements, Earthquake Spectra 12(4) 845-862 (Nov 1996), 6A1368

Expected seismic behavior of older steel structures, Earthquake Spectra 12(4) 805-821 (Nov 1996), 6A1436

Retrofit options for the seismic upgrading of old low-rise school buildings in Mexico, Earthquake Spectra 12(4) 883-902 (Nov 1996), 6A1450

Role of building foundations in seismic retrofit, Earthquake Spectra 12(4) 925-942 (Nov 1996), 6A1451

Seismic rehabilitation of infilled non-ductile frame buildings using post-tensioned steel braces, Earthquake Spectra 12(4) 863-882 (Nov 1996), 6A1455

Alternative view of building structures, Comput Struct 62(2) 409-411 (1997), 7A841

Modeling prestress restoration of buildings by general purpose structural analysis and optimization software, the optimization module of MSC-NASTRAN, Comput Struct 62(1) 81-92 (Jan 1997), 7A842

Connection design methodology for automated assembly and the framing of buildings, J Manuf Sci Eng 119(1) 37-49 (Feb 1997), 8A464

Comparison of two cumulative damage approaches for the assessment of behavior factors for low-rise steel buildings, J Construct Steel Res 40(1) 39-61 (Oct 1996), 9A873

Building related environmental diagnoses, Heron 41(3) 161-174 (1996), 9T910

Computing in civil and structural engineering, Comput Struct 63(4) 647-858 (May 1997), 9A911

New approach to the limit states of building objects on mining exploitation areas (Polish), Inzynieria Budownictwo 53(2) 94-99 (1997), 9A912

Reliability-based optimization of plant precast concrete building systems, Acta Polytech Scand Civil Eng Build 0(108) 7-168 (1997), 10T925

Behavior of gravity load designed reinforced concrete buildings subjected to earthquakes, ACI Struct J 94(2) 133-145 (Mar-Apr 1997), 10A929

Critical mode control of a wind-loaded tall building using an active tuned mass damper, Eng Struct 19(10) 834-842 (Oct 1997), 12A390

Multiple objective LQG control of wind-excited buildings, J Struct Eng 123(7) 943-951 (Jul 1997), 12A395

Torsional moments on buildings subjected to wind loads, Eng Anal Boundary Elements 18(4) 305-310 (Dec 1996), 12A922

284J. Other ground structures

Semi-explicit optimal frequency design of chimneys with geometrical constraints, Finite Elements Anal Des 23(1) 37-56 (Aug 1996), 1A837

Large earth retaining wall using precast SRC struts (Japanese), Proc JSCE 540(VI-31) 11-24 (Jun 1996), 2A567

Analysis of timber structures subjected to wind loads, Asian J Struct Eng 1(4) 359-373 (1995), 2A814

Design of thrustless bar-string structures (Polish), Inzynieria Budownictwo 52(7) 387-390 (1996), 2A815

Mobile and Rapidly Assembled Structures II (Comput Mech, Billerica MA, 1996) 4N17

Frequency domain analysis of the fatigue loads on typical wind turbine blades, J Solar Energy Eng 118(4) 204-211 (Nov 1996), 5A796

Optimal design of steel transmission poles, J Struct Eng 122(11) 1347-1356 (Nov 1996), 6A919

Geotextile reinforced brick faced retaining walls, Geotextiles Geomembranes 14(9) 449-464 (Sep 1996), 7A586

Optimal spherical masonry domes of uniform strength, J Struct Eng 123(2) 203-209 (Feb 1997), 7A843

Finite element simulation of response of buried shelters to blast loadings, Finite Elements Anal Des 24(3) 113-132 (Jan 1997), 8A18

Dynamic modeling of railway track: A periodic model based on a generalized beam formulation, J Sound Vib 199(4) 531-558 (Jan 1997), 8A932

Standardization of steel pole design using discrete optimization, J Struct Eng 123(3) 345-349 (Mar 1997), 9A913

Theory of crack spacing in concrete pavements, J Eng Mech 123(3) 267-275 (Mar 1997), 9A914

Study on streamlining the reinforced concrete structures for inground LNG storage tanks (Japanese), Proc JSCE 560(VI-34) 79-89 (Mar 1997), 10A945

Measurement and identification of deformational behavior of a tunnel reservoir (Japanese), Proc JSCE 560(VI-34) 141-150 (Mar 1997), 10A959

286. STRUCTURES (OCEAN AND COASTAL)

286B. Coastal structures

Dual pontoon floating breakwater, Ocean Eng 24(5) 465-478 (May 1997), 8A933

Concrete in Coastal Structures (Telford, UK, 1997) 10N17

Low cycle fatigue behavior of steel pier beam-column joint (Japanese), Proc JSCE 563(139) 49-60 (Apr 1997), 11A874

286C. Marine applications

Safety based design and maintenance optimization of large marine engineering systems, Appl Ocean Res 19(1) 13-27 (Feb 1996), 4A818

Design and construction of a concrete floating berth, Eng Struct 18(11) 837-841 (Nov 1996), 4A851

Hydrodynamic coefficients for an oscillating rectangular structure on a free surface with sidewall, Ocean Eng 24(2) 177-199 (Feb 1997), 6A314

Optimization of buoyancy of an articulated stinger on submerged pipelines laid with a barge, Ocean Eng 24(4) 301-311 (Apr 1997), 7A844

Sum-frequency diffraction loads on tension-leg platforms in bidirectional waves, J Offshore Mech Arctic Eng 119(1) 14-19 (Feb 1997), 8A1030

286D. Offshore (fixed platforms, etc)

Offshore Technology, Volume I (ASME Press, New York, 1996) 1N30

Steel Structures: EUROSTEEL 95 (Balkema, Rotterdam, Netherlands, 1995) 1N35

Dynamic ice-induced responses of offshore fixed platforms, China Ocean Eng 10(1) 55-63 (1996), 1A855

Experimental study on superficial sliding of a new type of offshore platform, China Ocean Eng 10(1) 121-128 (1996), 1A856

Parametric analysis and experimental study on local flexibility of TY-type tubular joints, China Ocean Eng 10(1) 71-84 (1996), 1A857

Reliability-based design for jacket platform under extreme loads, China Ocean Eng 10(2) 145-160 (1996), 1A858

Shear failure of a clamped dented tubular beam under lateral impact, China Ocean Eng 10(2) 161-168 (1996), 1A859

Static analysis of collision strength of offshore platform, China Ocean Eng 10(1) 45-54 (1996), 1A860

Spectral fatigue analysis of shallow water jacket platforms, J Offshore Mech Arctic Eng 118(3) 190-197 (Aug 1996), 2A638

Stress concentration factor parametric equations for tubular X and DT joints, Int J Fatigue 18(6) 363-387 (Aug 1996), 3A437

Influence of foundation nonlinearity on offshore towers response, J Geotech Eng 122(9) 717-724 (Sep 1996), 3A597

Bias in the estimation of wave-induced fatigue damage of offshore structures, Appl Ocean Res 17(6) 363-378 (Dec 1995), 3A815

Coupled axial and transverse vibrations of oilwell drillstrings, J Sound Vib 195(4) 617-627 (Aug 1996), 3A816

Development of simplified analytical methods for predicting the response of offshore structures to blast and fire loading, Marine Struct 9(10) 949-970 (1996), 3A817

Effects of chord length and boundary conditions on the static strength of a tubular T-joint under brace compression loading, Marine Struct 9(10) 935-947 (1996), 3A818

Random response of catenary moored offshore vessels to nonlinear wave forces, Int J Non-Linear Mech 31(5) 755-769 (Sep 1996), 3A819

Response of a two-dof articulated tower to different environmental conditions, Int J Non-Linear Mech 31(5) 717-741 (Sep 1996), 3A820

Use of quadratic transfer functions to predict response of tension leg platforms, J Eng Mech 122(9) 882-889 (Sep 1996), 3A821

Dynamic response of compliant offshore structures: Review, J Aerospace Eng 9(4) 114-131 (Oct 1996), 4A852

Estimation of probability of damage detection in offshore structural inspection, China Ocean Eng 10(3) 261-268 (1996), 4A853

Floating concrete platform hull made of lightweight aggregate concrete, Eng Struct 18(11) 831-836 (Nov 1996), 4A854

ART-based multiple neural networks for monitoring offshore platforms, Appl Ocean Res 18(2-3) 137-143 (Apr-Jun 1996), 5A797

Stochastic TLP response under long crested random sea, Comput Struct 61(6) 975-993 (Dec 1996), 5A798

Effects of random wave surface fluctuation on response of offshore structures, Probab Eng Mech 12(1) 1-7 (Jan 1997), 6A920

Influence of local inertia on seismic response of offshore jackets, J Struct Eng 123(1) 52-61 (Jan 1997), 6A921

ULSLEA: A limit equilibrium procedure to determine the ultimate limit state loading capacities of template-type platforms, J Offshore Mech Arctic Eng 118(4) 267-275 (Nov 1996), 6A1001

Tubular Structures VII (Balkema, Rotterdam, Netherlands, 1996) 7N20

Numerical joint studies on crack growth in a steel tubular T-joint, Int J Mech Sci 39(7) 859-871 (Jul 1997), 8A735

Human and organization errors in reliability of offshore structures, J Offshore Mech Arctic Eng 119(1) 46-52 (Feb 1997), 8A899

Capacities of template-type platforms in the Gulf of Mexico during hurricane Andrew, J Offshore Mech Arctic Eng 119(1) 1-7 (Feb 1997), 8A934

Behavior of pipes with a circular hole subjected to compressive loading, Strain 33(1) 21-27 (Feb 1997), 9A20

Harmonic wave response analysis of elastic floating plates by modal superposition method, Proc JSCE 556(I-38) 43-52 (Jan 1997), 9A915

Volume II: Safety and Reliability (ASME, New York, 1997) 10N8

Volume I: Offshore Technology (ASME, New York, 1997) 10N26

Stress concentration factors of DK square-to-square tubular joints, J Offshore Mech Arctic Eng 117(4) 265-275 (Nov 1995), 11A364

Reliability-based criteria for fixed steel offshore platforms, J Offshore Mech Arctic Eng 119(2) 120-124 (May 1997), 11A775
Environmental load uncertainties for offshore structures, J Offshore Mech Arctic Eng 117(4) 245-251 (Nov 1995), 11A818
In-time fatigue monitoring using neural networks, Marine Struct 10(5) 363-387 (Jun 1997), 11A819
Special issue on jack-up platforms, Marine Struct 10(2-4) 85-301 (Feb-May 1997), 11A820
Strength of multiplanar tubular KK-joints under antisymmetrical axial loading, J Struct Eng 123(6) 755-764 (Jun 1997), 11A821

286E. Offshore, mobile

Effects of chord length and boundary conditions on the static strength of a tubular T-joint under brace compression loading, Marine Struct 9(10) 935-947 (1996), 3A818
Nonlinear wave effect on the slow drift motion of a floating body, Appl Ocean Res 17(6) 349-362 (Dec 1995), 3A822
Analytical expressions of the bifurcation boundaries for symmetric spread mooring systems, Appl Ocean Res 17(6) 325-341 (Dec 1995), 3A1175
Simulation of slow-drift motions of offshore structures, Appl Ocean Res 18(2-3) 55-64 (Apr-Jun 1996), 5A212
Analytical and numerical analysis of the dynamics of a marine riser connected to a floating platform, Ocean Eng 24(2) 111-131 (Feb 1997), 6A200
Computationally efficient techniques in the hydroelasticity analysis of very large floating structures, Comput Struct 62(4) 603-610 (Feb 1997), 7A177
Coupled dynamics of tethered buoy systems, Ocean Eng 24(5) 445-464 (May 1997), 8A187
Nonlinear dynamics of a coupled surge-heave small-body ocean mooring system, Ocean Eng 24(5) 479-495 (May 1997), 8A189
Static drilling riser model using free boundary conditions, Ocean Eng 24(5) 431-444 (May 1997), 8A190

286F. Underwater structures and habitats

Finite element stress analysis of unilaterally supported submarine pipelines, Comput Struct 61(6) 1207-1226 (Dec 1996), 5A799
Hybrid testing of steel bridge pier models using the Hyogoken-nanbu earthquake accelerograms (Japanese), Proc JSCE 556(I-38) 119-129 (Jan 1997), 9A889
Dynamic characteristics of submerged floating tunnels due to wave force (Japanese), Proc JSCE 556(I-38) 159-168 (Jan 1997), 9A896

288. STRUCTURES (MOBILE)

288B. Ground vehicles (incl tires)

Computation of ground vibrations generated by accelerating and braking road vehicles, J Vib and Control 2(3) 299-321 (Aug 1996), 1A861
Control of maglev suspension systems, J Vib and Control 2(3) 349-368 (Aug 1996), 1A862
Reducing sliding resistance of soil against bulldozing plates by unsmoothed bionics surfaces, J Terramech 32(6) 303-309 (Nov 1995), 1A863
Tire footprint area on hard ground computed from catalog values, J Terramech 32(6) 325-333 (Nov 1995), 1A864
Tire footprint characteristics as a function of soil properties and tire operations, J Terramech 32(6) 311-323 (Nov 1995), 1A865
Dynamic modeling of railway track based on wave propagation, J Sound Vib 195(3) 477-505 (Aug 1996), 2A183
Characteristic loading of light mouldboard ploughs at slow speeds, J Terramech 33(1) 29-53 (Jan 1996), 2A816
Comments on vehicle instability due to brake lockup, J Sound Vib 194(5) 760-764 (Aug 1996), 2T817
Effects of loading patterns on the pressure-sinkage relation of dry loose sand, J Terramech 33(1) 13-20 (Jan 1996), 2A818
Soil stresses under a tractor tire at various loads and inflation pressures, J Terramech 33(1) 1-11 (Jan 1996), 2A819
Traction data analysis with the traction prediction equation, J Terramech 33(1) 21-28 (Jan 1996), 2A820
Rocking instability of a pulled suitcase with two wheels, Acta Mech 117(1-4) 165-179 (1996), 3A94
Bicycle-wheel spoke patterns and spoke fatigue, J Eng Mech 122(8) 736-742 (Aug 1996), 3A823
Computational strategies for tire modeling and analysis, Comput Struct 61(4) 673-693 (Nov 1996), 3A824
Development of a high-speed, half-tracked truck with metal-coreless rubber track, J Terramech 33(2) 113-123 (Mar 1996), 3A825
Dynamic response of spindle forces produced by a tire impacting large obstacles in a plane, J Sound Vib 195(5) 775-796 (Sep 1996), 3A826
Efficient tire model for the analysis of spindle forces produced by a tire impacting large obstacles, Comput Methods Appl Mech Eng 135(1-2) 15-34 (Aug 1996), 3A827
Empirical model for determining the radial force-deflection characteristics of off-road bicycle tires, Int J Vehicle Des 17(4) 471-482 (1996), 3A828
Study on the drag force of steels used for the superconducting magnetic levitation vehicle system (Maglev) guideway (Japanese), Proc JSCE 543(I-36) 141-152 (Jul 1996), 3A829
Analysis of the performance of operational data analysis methods, Mech Syst Signal Processing 10(5) 579-593 (Sep 1996), 4A855
Dynamic loads in automotive suspension, Arch Budowy Maszyn 42(1-2) 81-101 (1995), 4A856
Generation of low-frequency Rayleigh waves by heavy lorries, J Low Frequency Noise and Vib 14(4) 165-172 (1995), 4A857
Analysis of influence of design parameters on steered wheels shimmy of heavy vehicles, Vehicle Syst Dyn 26(5) 343-379 (Nov 1996), 5A315
Measurements of path and other parameters in motor vehicle dynamics tests and their errors, Vehicle Syst Dyn 26(5) 321-342 (Nov 1996), 5A322
Railway wheelset dynamics (Spanish), J Brazilian Soc Mech Sci 18(4) 318-329 (Dec 1996), 6A201
Experimental studies of magnetic levitation train aerodynamics, AIAA J 34(12) 2465-2470 (Dec 1996), 6A922
Mathematical modeling of the interaction between a tracked vehicle and the terrain, Appl Math Model 20(11) 838-846 (Nov 1996), 6A923
Crashworthiness analysis and design using rigid-flexible multibody dynamics with application to train vehicles, Int J Numer Methods Eng 40(4) 655-687 (Feb 1997), 7A197
Analysis of the dynamic forces in the steering linkage of an off-road vehicle, Int J Vehicle Des 18(1) 83-99 (1997), 8A191
Development and simulation of a novel roll control system for the Interconnected Hydragas Suspension, Vehicle Syst Dyn 27(1) 1-18 (Jan 1997), 8A396
Effect of load-distributing devices on the stability of heavy vehicles, Heavy Vehicle Syst 4(1) 29-48 (1997), 8A398
Mobility of cross-country vehicles, with emphasis on modeling their dynamic motion, Heavy Vehicle Syst 4(1) 49-71 (1997), 8T400
Analytical wheel models for ride dynamic simulation of off-road tracked vehicles, Vehicle Syst Dyn 27(1) 37-63 (Jan 1997), 8A935
Proceedings of the 2nd International Colloquium on Tyre Models for Vehicle Dynamic Analysis, held at the Technical University of Berlin, Germany, February 20-21, 1997, Vehicle Syst Dyn 27(S) 2-342 (1996), 8A936
Crashworthiness of Transportation Systems: Structural Impact and Occupant Protection (Kluwer, Netherlands, 1997) 9N9
Contact modeling of the tire-road interface, Int J Vehicle Des 18(2) 194-202 (1997), 9A916
New techniques in tire modal analysis using MSC-NASTRAN, Int J Vehicle Des 18(2) 203-212 (1997), 9A917
Modeling and control of an automated vehicle, Vehicle Syst Dyn 27(3) 131-155 (Mar 1997), 10A487
Displacement and force analysis of five-rod suspension with flexible joints, J Mech Des 117(4) 532-538 (Dec 1995), 11A843
Computer and information technologies in today's vehicle design, Int J Vehicle Des 18(5) 413-580 (1997), 11A861
Vehicles and environment, Int J Vehicle Des 18(3-4) 233-410 (1997), 11T1555
Dynamic characteristics of magnetically-levitated vehicle systems, Appl Mech Rev 50(11-PT 1) 647-670 (Nov 1997), 12A93
Vehicle-road and vehicle-bridge interaction: Third Engineering Foundation Conference, Noordwijkerhout, he Netherlands, June 5-10, 1994, Heavy Vehicle Syst 3(1-4) 1-472 (1996), 12T204
Soil stress state orientation beneath a tire at various loads and inflation pressures, J Terramech 33(4) 185-194 (Jul 1996), 12A493
Soil stress and compaction effects for four tractor tires, J Terramech 33(5) 223-232 (Sep 1996), 12A680
Numerical simulations of tire-soil interaction based on critical state soil mechanics, J Terramech 33(5) 209-221 (Sep 1996), 12A687
Review on contact area measurement of pneumatic tire on rigid and deformable surfaces, J Terramech 33(5) 253-264 (Sep 1996), 12A697
Simple mechanism for the polygonalization of railway wheels by wear, Mech Res Commun 24(4) 435-442 (Jul-Aug 1997), 12A957
Influence of tires on the dynamic behavior of a lawn mower, J Terramech 33(4) 195-208 (Jul 1996), 12A1574

288C. Ships, submarines

Offshore Technology, Volume I (ASME Press, New York, 1996) 1N30
Shear stress in ship structures, J Brazilian Soc Mech Sci 18(2) 163-173 (Jun 1996), 1A866
Knowledge-based optimum conceptual ship design, Ship Tech Res 43(3) 106-114 (Aug 1996), 2A756
Full-scale experiments and analyses of cellular hull sections in compression, J Offshore Mech Arctic Eng 118(3) 232-237 (Aug 1996), 2A821
Seawaves: Basis for dimensioning of ship structures, Ship Tech Res 43(3) 102-105 (Aug 1996), 2A822
Simplified method for predicting ultimate compressive strength of ship panels, Int Shipbuild Prog 43(434) 139-157 (Jul 1996), 2A823
Ship geometry modeling, Ship Tech Res 43(3) 115-123 (Aug 1996), 2A937
Nonlinear robust control designs for a remotely operated underwater vehicle depth control system, J Syst Control Eng 210(13) 201-214 (1996), 4A396
Structural system reliability analysis of SWATH ships, Eng Struct 18(12) 901-905 (Dec 1996), 5A800
Ship hull drag reduction using bottom air injection, Ocean Eng 24(2) 161-175 (Feb 1997), 6A307
Concept design software system for VLCC (Chinese), J Dalian Univ Tech 36(6) 702-707 (Nov 1996), 6A924
Load shedding of fatigue fracture in ship structures, Marine Struct 10(1) 49-80 (Jan 1997), 6A925
Minimum weight design of submersible pressure hull under hydrostatic pressure, Comput Struct 63(2) 187-201 (Apr 1997), 8A937
Investigation of the MV Kurdistan casualty, Eng Failure Anal 4(1) 3-24 (Mar 1997), 9A724
Fatigue of ship critical structural details, J Offshore Mech Arctic Eng 119(2) 96-107 (May 1997), 11A651
Code development for ship structures: A demonstration, J Offshore Mech Arctic Eng 119(2) 114-119 (May 1997), 11A773
Modal-based structural optimization with static aeroelastic and stress constraints, J Aircraft 34(3) 433-440 (May-Jun 1997), 11A822
Stability and drift of underwater vehicle dynamics: Mechanical systems with rigid motion symmetry, Physica D 105(1-3) 130-162 (Jun 1997), 12A1167

288E. Airplanes

FEAM-based methodology for analyzing composite patch repairs of metallic structures, Comput Model Simul in Eng 1(2) 263-287 (May 1996), 1A760
From aerospace to commercial: Advanced computational technology for product design, Comput Model Simul in Eng 1(1) 175-195 (Feb 1996), 1A867
Computer simulation of the bi-stable valve in the A340 landing gear, Proc Inst Mech Eng J Aerospace Eng 210(G3) 261-270 (1996), 2A824
Marrying airframes and engines in ground test facilities: An evolutionary revolution, J Aircraft 33(4) 649-679 (Jul-Aug 1996), 2A825
Testing techniques for chaotic vibration of buckled aircraft structures, Proc Inst Mech Eng J Aerospace Eng 210(G3) 281-290 (1996), 2A826
Proceedings of the ASME Aerospace Division (ASME, New York, 1996) 4N19
Fatigue life of panels with multiple site damage, J Aircraft 33(5) 1003-1013 (Sep-Oct 1996), 4A705
Residual strength of panels with multiple site damage, J Aircraft 33(5) 1014-1021 (Sep-Oct 1996), 4A710
Advanced materials for aircraft structures, Japan J Trib 40(10) 1019-1029 (1995), 5T801
Air transport and environmental issues, Japan J Trib 40(10) 959-968 (1995), 5A802
Trends of commercial transport aircraft, Japan J Trib 40(10) 953-958 (1995), 5T803
Brake system for aircraft, Japan J Trib 40(10) 1057-1065 (1995), 5T857
Structures Technology: Historical Perspective and Evolution (AIAA, MD, 1996) 6N19
Analytic sensitivities and design oriented structural analysis for airplane fuselage shape synthesis, Comput Struct 62(3) 505-519 (1997), 7A845
Evaluation of materials for composite repair applications, J Thermoplastic Composite Mat 10(1) 51-60 (Jan 1997), 8A557
Otto Lilienthal: "The greatest of the precursors", AIAA J 35(4) 601-607 (Apr 1997), 9A1161
Production and evaluation of secondary composite aircraft components : A comprehensive case study, Composites Part A Appl Sci and Manuf 28A(5) 481-489 (1997), 10A616
Comparative overview of strain actuated surfaces' design, J Reinforced Plastics Composites 16(6) 519-536 (1997), 10A676
Analytical crash simulation of three composite fuselage concepts and experimental correlation, J Am Helicopter Soc 42(2) 116-125 (Apr 1997), 10T960
Octave Chanute and the Indiana glider trials of 1896, AIAA J 35(5) 769-775 (May 1997), 10T961
Statistical experimentation methods for achieving affordable concurrent systems design, AIAA J 35(5) 893-900 (May 1997), 10T962
Magnetic pressure stressing of lap joints: Modeling and experimental verification, J Nondestruct Eval 16(1) 11-20 (Mar 1997), 11A756
Modal-based structural optimization with static aeroelastic and stress constraints, J Aircraft 34(3) 433-440 (May-Jun 1997), 11A822
Optimization of an advanced business jet, J Aircraft 34(3) 288-295 (May-Jun 1997), 11T823
Analysis of composite swept wing structures, J Eng Appl Sci 44(2) 325-338 (Apr 1997), 12A197
Fatigue failure of the de Havilland Comet I, Eng Failure Anal 4(2) 147-154 (Jun 1997), 12A768
Structural integrity monitoring, Eng Failure Anal 4(2) 117-131 (Jun 1997), 12A769

288F. Helicopters

Aeroelastic optimization of a helicopter rotor to reduce vibration and dynamic stresses, J Aircraft 33(4) 808-815 (Jul-Aug 1996), 2A827
Aeroelastic response and stability of helicopters with elastomeric lag dampers, J Am Helicopter Soc 41(3) 257-266 (Jul 1996), 2A828
Analysis of bearingless main rotor aeroelasticity using an improved time domain nonlinear elastomeric damper model, J Am Helicopter Soc 41(3) 267-277 (Jul 1996), 2A829
Formulation, validation, and application of a FE model for elastomeric lag dampers, J Am Helicopter Soc 41(3) 247-256 (Jul 1996), 2A830
Off-axis energy absorption characterization of composites for crashworthy rotorcraft design, J Am Helicopter Soc 41(3) 239-246 (Jul 1996), 2A831
Rotorcraft transmission system HUM requirements derived from design safety analysis, Proc Inst Mech Eng J Aerospace Eng 210(G3) 271-279 (1996), 2A832
Study of helicopter vibration reduction technique with stochastic adaptive HHC (Chinese), J Vib Eng 9(2) 177-181 (Jun 1996), 2A833
LQ approach to active control of vibrations in helicopters, J Dyn Syst Meas Control 118(3) 482-488 (Sep 1996), 4A395
Development of the S-76B-PT6B-36B engine acceleration schedule, J Am Helicopter Soc 41(4) 331-341 (Oct 1996), 4A858
Coupled rotor-wing optimization procedure for high speed tilt-rotor aircraft, J Am Helicopter Soc 41(4) 360-369 (Oct 1996), 4A1146
Flight measurements of blade-vortex interaction noise including comparisons with full-scale wind tunnel data, J Am Helicopter Soc 41(4) 291-301 (Oct 1996), 4A1147
Formulation of a helicopter rotor system damage detection methodology, J Am Helicopter Soc 41(4) 302-312 (Oct 1996), 4A1148
Investigation of helicopter dynamic coupling using an analytical model, J Am Helicopter Soc 41(4) 322-330 (Oct 1996), 4A1149
Measurements of rotor tip vortices using three-component laser Doppler velocimetry, J Am Helicopter Soc 41(4) 342-353 (Oct 1996), 4A1150
Parallel computing concepts and methods for Floquet analysis of helicopter trim and stability, J Am Helicopter Soc 41(4) 370-382 (Oct 1996), 4A1151
Response, loads and stability of rotors with interconnected blades, J Am Helicopter Soc 41(4) 283-290 (Oct 1996), 4A1152
Quantitative fractographic analyses of fatigue crack growth in longerons of in-service helicopter rotor-blades, Fatigue Fracture Eng Mat Struct 19(9) 1129-1141 (1996), 5A586
Damping prediction for hingeless rotor aeroelastic stability with experimental correlation, J Aircraft 33(6) 1071-1078 (Nov-Dec 1996), 6A312
Conceptual design of helicopters via genetic algorithm, J Aircraft 33(6) 1062-1070 (Nov-Dec 1996), 6A926
Design safety analysis of helicopter rotor and transmission systems, Proc Inst Mech Eng J Aerospace Eng 210(G4) 345-355 (1996), 6A927
VABS: A new concept for composite rotor blade cross-sectional modeling, J Am Helicopter Soc 42(1) 27-38 (Jan 1997), 7A157
1996 Alexander A Nikolsky lecture: A look back and forward, J Am Helicopter Soc 42(1) 3-14 (Jan 1997), 7A846
Load variability of a two-bladed helicopter, J Am Helicopter Soc 42(1) 15-26 (Jan 1997), 7A847
Output tracking with nonhyperbolic and near nonhyperbolic internal dynamics: Helicopter hover control, J Guidance Control Dyn 20(3) 573-580 (May-Jun 1997), 10T492
Analytical crash simulation of three composite fuselage concepts and experimental correlation, J Am Helicopter Soc 42(2) 116-125 (Apr 1997), 10T960
Refined aeroelastic analysis of hingless rotor blades in hover, J Aircraft 34(3) 408-415 (May-Jun 1997), 11A225
Response, loads, and stability of interconnected rotor-body systems, J Aircraft 34(3) 416-426 (May-Jun 1997), 11A824

288l. Space vehicles and satellites

Slosh dynamics coupled with spacecraft attitude dynamics - Part 2: Orbital environment application, J Spacecraft Rockets 33(4) 582-593 (Jul-Aug 1996), 2A243
Slosh dynamics coupled with spacecraft attitude dynamics - Part 1: Formulation and theory, J Spacecraft Rockets 33(4) 575-581 (Jul-Aug 1996), 2A248
Aerospace plane ascending trajectories with heat consideration, Proc Inst Mech Eng J Aerospace Eng 210(G3) 231-245 (1996), 2A834
Analysis of concepts for single stage to orbit, J Spacecraft Rockets 33(4) 597-598 (Jul-Aug 1996), 2T835
Bent-biconic single-stage-to-orbit vehicle conceptual study, J Spacecraft Rockets 33(4) 470-475 (Jul-Aug 1996), 2A836
Development and verification of a cryogenic Brilliant Eyes thermal storage unit, J Spacecraft Rockets 33(4) 563-568 (Jul-Aug 1996), 2A837
Experimental and computational wake structure study for a wide-angle cone, J Spacecraft Rockets 33(4) 476-482 (Jul-Aug 1996), 2A838
Hypersonic aerodynamic characteristics of a proposed single-stage-to-orbit vehicle, J Spacecraft Rockets 33(4) 463-469 (Jul-Aug 1996), 2A839
Large-angle articulated beam truss design methodology considering offset joint modeling, J Spacecraft Rockets 33(4) 543-549 (Jul-Aug 1996), 2A840
Measured spacecraft instrument and structural interactions, J Spacecraft Rockets 33(4) 556-562 (Jul-Aug 1996), 2A841
Multipayload modeling for the upper atmosphere research satellite, J Spacecraft Rockets 33(4) 489-493 (Jul-Aug 1996), 2A842
Recent aerothermodynamic flight measurements during shuttle orbiter re-entry, J Spacecraft Rockets 33(4) 457-462 (Jul-Aug 1996), 2A843
Virtual aerodynamical coefficients of a rotating satellite, J Spacecraft Rockets 33(4) 594-596 (Jul-Aug 1996), 2T844
Deployment of dishes with surface discontinuities, J Spacecraft Rockets 33(4) 569-574 (Jul-Aug 1996), 2A846
Numerical study of multidirectional-curvature waverider with finlets, J Spacecraft Rockets 33(4) 483-488 (Jul-Aug 1996), 2A983
Ion-thruster plume modeling for backflow contamination, J Spacecraft Rockets 33(4) 525-534 (Jul-Aug 1996), 2A1347
Numerical study of spacecraft contamination and interactions by ion-thruster effluents, J Spacecraft Rockets 33(4) 535-542 (Jul-Aug 1996), 2A1348
Three-dimensional modeling of dual ion-thruster plumes for spacecraft contamination, J Spacecraft Rockets 33(4) 519-524 (Jul-Aug 1996), 2A1351
Modal density of composite honeycomb sandwich panels, J Sound Vib 195(5) 687-699 (Sep 1996), 3A498
Weight minimization of flight components, Comput Struct 61(4) 597-616 (Nov 1996), 3A830
Aerodynamic analysis of commercial experiment transporter re-entry capsule, J Spacecraft Rockets 33(5) 643-646 (Sep-Oct 1996), 4A859
Evaluation of the UK ion thruster, J Spacecraft Rockets 33(5) 739-747 (Sep-Oct 1996), 4A860
Experimental assessment of the influence of heat pipes on a nutating satellite, J Spacecraft Rockets 33(5) 717-721 (Sep-Oct 1996), 4A861
Improved missile control effectiveness payoffs, J Spacecraft Rockets 33(5) 647-650 (Sep-Oct 1996), 4A862
Mars Pathfinder atmospheric entry: Trajectory design and dispersion analysis, J Spacecraft Rockets 33(5) 670-676 (Sep-Oct 1996), 4A863
Microgravity experiment acceleration tolerability on space orbiting laboratories, J Spacecraft Rockets 33(5) 707-716 (Sep-Oct 1996), 4A864
Navier-Stokes calculations for rotating configurations: Implementation for rockets, J Spacecraft Rockets 33(5) 756-758 (Sep-Oct 1996), 4T865
Orbital re-entry experiment vehicle ground and flight dynamic test results comparison, J Spacecraft Rockets 33(5) 635-642 (Sep-Oct 1996), 4A866
Small Solar Probe, J Spacecraft Rockets 33(5) 729-733 (Sep-Oct 1996), 4A867
Space station based tethered interferometer for natural disaster monitoring, J Spacecraft Rockets 33(5) 700-706 (Sep-Oct 1996), 4A868
Space-station broadboard beta gimbal assembly: Thermal-vacuum testing and analyses, J Spacecraft Rockets 33(5) 686-692 (Sep-Oct 1996), 4A869
Spacecraft charging anomaly on a low-altitude satellite in an aurora, J Spacecraft Rockets 33(5) 734-738 (Sep-Oct 1996), 4A870
Transition regime aerodynamic heating of missiles, J Spacecraft Rockets 33(5) 607-613 (Sep-Oct 1996), 4A1013
Launch-vehicle simulations using a concurrent, implicit Navier-Stokes solver, J Spacecraft Rockets 33(5) 601-606 (Sep-Oct 1996), 4A1015
Numerical study of low-thrust nozzles for satellites, J Spacecraft Rockets 33(5) 693-699 (Sep-Oct 1996), 4A1053
Interaction of solid-rocket exhaust with the atmosphere, J Spacecraft Rockets 33(5) 677-685 (Sep-Oct 1996), 4A1066
Sparse matrix algorithm for minimum weight design of large structures, Eng Optim 27(1) 65-85 (Aug 1996), 5A762
Formulation and analysis of launch vehicle maneuvering loads, J Spacecraft Rockets 33(6) 815-821 (Nov-Dec 1996), 6A205
Deployment and retraction of a cable-driven rigid panel solar array, J Spacecraft Rockets 33(6) 836-842 (Nov-Dec 1996), 6A928
Design of a small satellite for earth observation, Proc Inst Mech Eng J Aerospace Eng 210(G4) 323-332 (1996), 6A929
Navier-Stokes heating calculations for benchmark thermal protection system sizing, J Spacecraft Rockets 33(6) 807-814 (Nov-Dec 1996), 6A930
Nonlinear dynamical characteristics analysis of tethered subsatellite in the presence of offset, J Spacecraft Rockets 33(6) 829-835 (Nov-Dec 1996), 6A931
Space-based electrostatic antenna design with pointing and beam width control, J Spacecraft Rockets 33(6) 843-847 (Nov-Dec 1996), 6A932
Constitutive model for 3D cyclic analysis of concrete structures, J Eng Mech 123(2) 143-153 (Feb 1997), 7A821
Planning spiral motions of nonholonomic free-flying space robots, J Spacecraft Rockets 34(1) 137-143 (Jan-Feb 1996), 8A294
Symmetric motion control for adaptive structure based construction of large space structures, J Spacecraft Rockets 34(1) 118-124 (Jan-Feb 1996), 8A894
Design and construction of zero-gravity gymnasium, J Aerospace Eng 10(2) 94-98 (Apr 1997), 9A918
Excavation forces in reduced gravity environment, J Aerospace Eng 10(2) 99-103 (Apr 1997), 9A919
Extravehicular activity hardware for international space station, J Acrospace Eng 10(2) 91-93 (Apr 1997), 9A920
Principles of Space Instrument Design (Cambridge UP, UK, 1997) 10N23
Fundamentals and issues in launch vehicle design, J Spacecraft Rockets 34(2) 192-198 (Mar-Apr 1997), 10A963
Mission performance and design sensitivities of air-breathing hypersonic launch vehicles, J Spacecraft Rockets 34(2) 158-164 (Mar-Apr 1997), 10A964
Future Aeronautical and Space Systems (AIAA, MD, 1996) 12N30
Cracking characteristics of dual-wall structures following simulated orbital debris particle impact, J Spacecraft Rockets 34(3) 318-324 (May-Jun 1997), 12A242
Internal effects model for spacecraft modules perforated by orbital debris, J Spacecraft Rockets 34(3) 325-333 (May-Jun 1997), 12A243

288J. Deployable structures

Computational fluid-structure interaction model for parachute inflation, J Aircraft 33(4) 730-736 (Jul-Aug 1996), 2A845
Deployment of dishes with surface discontinuities, J Spacecraft Rockets 33(4) 569-574 (Jul-Aug 1996), 2A846
Shape and stress control analysis of prestressed truss structures, J Reinforced Plastics Composites 15(12) 1226-1236 (Dec 1996), 6A912
Deployment and retraction of a cable-driven rigid panel solar array, J Spacecraft Rockets 33(6) 836-842 (Nov-Dec 1996), 6A928
Analysis of nonlinear mechanisms in a precision deployable structure using measured flexibility, J Spacecraft Rockets 33(6) 848-852 (Nov-Dec 1996), 6A933
Apparatus and method for measuring angular positions of parachute canopies, J Aircraft 33(6) 1197-1199 (Nov-Dec 1996), 6T934

290. STRUCTURES (CONTAINMENT)

290B. Pressure vessels (reactor vessels, etc)

Research on residual stresses after hydrobulging of spherical vessels, Int J Pressure Vessels Piping 68(3) 231-235 (Oct 1996), 1A497
Stress analysis of approximately ellipsoidal cold-spun tri-arc tank head and parameter optimization, Int J Pressure Vessels Piping 68(3) 237-242 (Oct 1996), 1A587
Fatigue growth behavior for a corner crack at a vessel-nozzle junction, Int J Pressure Vessels Piping 68(3) 319-324 (Oct 1996), 1A685
Application of Papkovich-Neuber function in stress calculation of pressure vessels and piping, Int J Pressure Vessels Piping 68(3) 273-277 (Oct 1996), 1A868
Development of user-friendly structural design system for pressure vessels, JSME Int J Ser A 39(3) 354-361 (Jul 1996), 1A869
Lower-bound shakedown analysis of spherical shells containing defects, Int J Pressure Vessels Piping 68(3) 287-292 (Oct 1996), 1A870
Residual Stresses in Design, Fabrication, Assessment, and Repair (ASME Press, New York, 1996) 2N28
Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part I: Radial crack arrays, J Pressure Vessel Tech 118(3) 357-361 (Aug 1996), 2A657
Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part II: Longitudinal coplanar crack arrays, J Pressure Vessel Tech 118(3) 364-368 (Aug 1996), 2A658
Analysis of thick-walled cylindrical pressure vessels under the effect of cyclic internal pressure and cyclic temperature, Int J Mech Sci 38(12) 1319-1332 (Dec 1996), 2A847
Design and construction of covered triple septic chamber (Polish), Inzynieria Budownictwo 52(7) 391-393 (1996), 2A848
Design and Analysis (ASME, New York, 1996) 3N27
Development, Validation, and Application of Inelastic Methods for Structural Analysis and Design (ASME, New York, 1996) 3N28
Development of the leak-before-break assessment method to reduce some shortcomings, Int J Pressure Vessels Piping 69(1) 75-77 (Nov 1996), 3A688
Analysis for loss of coolant accident in a fusion reactor, Fusion Eng Des 31(3) 259-263 (Aug 1996), 3T831
CTOA-based approach to burst and leak-before-break behavior, Int J Pressure Vessels Piping 69(2) 125-134 (Dec 1996), 4A767
Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, Int J Pressure Vessels Piping 69(2) 97-104 (Dec 1996), 4A769
Six case histories of pressure vessel failures, Eng Failure Anal 3(3) 157-170 (Sep 1996), 4A871
Review of work related to "leak-before-break" assessment, Int J Pressure Vessels Piping 69(2) 135-148 (Dec 1996), 4A1455
Finite elements in the analysis of pressure vessels and piping: A bibliography (1976-1996), Int J Pressure Vessels Piping 69(3) 279-339 (Dec 1996), 5A22
Study on the stress concentration at the round corners of flat heads in pressure vessels subjected to internal pressure, J Pressure Vessel Tech 118(4) 429-433 (Nov 1996), 5A392
Study on the reliability assessment methodology for pressure vessels containing defects, Int J Pressure Vessels Piping 69(3) 273-277 (Dec 1996), 5A630
Reinforcement design method based on analysis of large openings in cylindrical pressure vessels, J Pressure Vessel Tech 118(4) 502-506 (Nov 1996), 5A804
Singular cladding stresses at interface of elastic cylinders, Eng Fracture Mech 55(4) 577-581 (Nov 1996), 5A805
Recent Advances in Solids and Structures and Application of Metallic Materials (ASME, New York, 1996) 6N18
Aspects of the work of the European working groups relating to basic pressure vessel design, Int J Pressure Vessels Piping 70(1) 3-10 (Jan 1997), 7A848
ASME Task Group report on primary stress, J Pressure Vessel Tech 119(1) 61-67 (Feb 1997), 8A938
Flexibility factors for nozzles in the knuckle region of dished pressure vessel heads, Int J Pressure Vessels Piping 70(3) 151-160 (Mar 1997), 8A939
Effect of a long post weld heat treatment on the integrity of a welded joint in a pressure vessel steel, Int J Pressure Vessels Piping 70(3) 183-195 (Mar 1997), 8A979
Numerical analysis of thin torispherical end enclosures, Int J Pressure Vessels Piping 71(1) 77-88 (Apr 1997), 9A22
Criteria for the arrest of a crack in a pressure vessel, Int J Pressure Vessels Piping 71(1) 55-60 (Apr 1997), 9A771
Peak stress and fatigue assessment at the saddle support of a cylindrical vessel, J Pressure Vessel Tech 117(4) 305-311 (Nov 1995), 11A654
Cumulative detection probability as a basis for pressure vessel inspection intervals, J Pressure Vessel Tech 117(4) 399-403 (Nov 1995), 11A667
Interaction effects in combined arrays of radial and longitudinal semi-elliptical surface cracks in pressurized thick-walled cylinder, J Pressure Vessel Tech 119(2) 167-174 (May 1997), 11A679
Weight functions and stress intensity factors for longitudinal semi-elliptical cracks in thick-wall cylinders, J Pressure Vessel Tech 117(4) 383-389 (Nov 1995), 11A684
Crack interaction criteria in pressure vessels and pipe, J Offshore Mech Arctic Eng 117(4) 260-264 (Nov 1995), 11A687
Weight-saving plastic design of pressure vessels, J Pressure Vessel Tech 119(2) 161-166 (May 1997), 11A825
Benchmarking of a destructive technique to determine residual stresses in thick-walled axisymmetric components, J Strain Anal Eng Des 32(2) 87-96 (Mar 1997), 12A547
Nondimensional parameters for geometric nonlinear effects in pressurized cylinders with axial cracks, J Appl Mech 64(2) 401-407 (Jun 1997), 12A923

290D. Heat exchangers

Synthesis of heat exchanger networks using genetic algorithm (Chinese), J Dalian Univ Tech 37(1) 54-58 (Jan 1997), 10A443

290E. Composite vessels

Finite element modeling of internally pressurized closed cell composites, Int J Numer Methods Eng 39(21) 3715-3730 (Nov 1996), 5A806

290F. Wirewound vessels

Influence of the nonhomogeneous temperature field on the optimal winding prestress of the compound pressure vessel, J Pressure Vessel Tech 118(4) 472-479 (Nov 1996), 5A807
Analysis of filament-wound cylindrical shells under combined centrifugal, pressure, and axial loading, Composites Part A Appl Sci and Manuf 28A(1) 47-55 (1997), 7A849
Slippage of helical reinforcing on a bent cylinder, Eng Struct 19(6) 507-515 (Jun 1997), 9A921

290G. Reinforced concrete vessels

V(z) measurement of multiple leaky wave velocities for elastic constant determination, J Acoust Soc Am 100(3) 1529-1537 (Sep 1996), 3A832

290H. Vessels under external pressure

Stability of pressurized long inelastic cylinders under radial transverse loads, Comput Mech 18(6) 444-453 (Oct 1996), 5A808
Nonlinear static stress analysis of submarine high pressure pipelines, Comput Struct 63(3) 397-411 (May 1997), 9A922

290I. Piping

Ultrasonic testing technique for small-caliber piping containing defects, Int J Pressure Vessels Piping 68(3) 325-330 (Oct 1996), 1A825
Experiments to evaluate behavior of containment piping bellows under severe accident conditions, Nucl Eng Des 163(3) 287-299 (Jul 1996), 1A1429
Strain concentrations in pipelines with concrete coating, J Offshore Mech Arctic Eng 118(3) 225-231 (Aug 1996), 2A849
Earthquake performance of gas transmission pipelines, Earthquake Spectra 12(3) 493-527 (Aug 1996), 3A1370
Conservatism of the net-section stress procedure for predicting the failure of cracked piping systems: The effect of crack shape complexity on the degree of conservatism, Int J Pressure Vessels Piping 69(2) 197-201 (Dec 1996), 4A772
Frost-induced deformations and stresses in pipelines, Int J Pressure Vessels Piping 69(2) 105-118 (Dec 1996), 4A872
Shell response of core barrel for tributary pipe break, Int J Pressure Vessels Piping 69(2) 175-183 (Dec 1996), 4A1454
Reliability estimation of pressurized pipelines subject to localized corrosion defects, Int J Pressure Vessels Piping 69(3) 267-272 (Dec 1996), 5A626
Analytical and experimental fracture assessment of carbon steel piping with circumferential through-wall cracks under bending, Int J Pressure Vessels Piping 69(3) 207-212 (Dec 1996), 5A654
Influence of internal pressure on the impact behavior of steel pipelines, J Pressure Vessel Tech 118(4) 464-471 (Nov 1996), 5A809
New method to leak test piping joints, J Manuf Sci Eng 118(4) 604-609 (Nov 1996), 5A810
Optimum support arrangement of piping systems using genetic algorithm, J Pressure Vessel Tech 118(4) 507-512 (Nov 1996), 5A811
Serviceability approach for carbon steel piping to intermittent high temperatures, J Pressure Vessel Tech 118(4) 496-501 (Nov 1996), 5A812
Simple formulae for the approximate computation of axial stresses in pipes due to thermal stratification,

Int J Pressure Vessels Piping 69(3) 213-223 (Dec 1996), 5A813
Technical basis for the extension of ASME Code Case N-494 for assesment of austenitic piping, J Pressure Vessel Tech 118(4) 513-516 (Nov 1996), 5A814
Effects of ductility on seismic response of piping systems and their implication on design and qualification, Nucl Eng Des 166(1) 69-83 (Oct 1996), 5A1436
Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes, Nucl Eng Des 167(1) 55-67 (Nov 1996), 6A1498
Modeling of the limit state of thin-walled pipes with multiple axial coplanar defects, Int J Pressure Vessels Piping 70(2) 111-115 (Feb 1997), 7A727
Ultimate ductile state model for a pipe with an axial through crack, Int J Fracture 80(1) 19-32 (1996), 7A729
Development and validation of a dynamic fracture propagation model for gas transmission pipelines, Int J Pressure Vessels Piping 70(1) 11-25 (Jan 1997), 7A761
Pipe Characteristics Handbook (PennWell, Tulsa OK, 1996) 8N12
Dynamic response of curved pipes, Int J Pressure Vessels Piping 70(3) 167-172 (Mar 1997), 8A150
Prediction of stresses in pipes caused by ice plug formation, Proc Inst Mech Eng E 210(E3) 151-158 (1996), 8A583
Performance of integral buckle arrestors for offshore pipelines, Int J Mech Sci 39(6) 643-669 (Jun 1997), 8A612
Probabilistic fracture analysis of cracked pipes with circumferential flaws, Int J Pressure Vessels Piping 70(3) 223-236 (Mar 1997), 8A829
Pressurized piping elbows under simulated seismic bending: Design code implications, Proc Inst Mech Eng E 210(E3) 159-170 (1996), 8A940
Slippage of helical reinforcing on a bent cylinder, Eng Struct 19(6) 507-515 (Jun 1997), 9A921
Experimental study on earth pressure on and deformation of buried flexible pipes (Japanese), Proc JSCE 561(III-38) 245-255 (Mar 1997), 10A965
Stress development in wet filament wound pipes, J Reinforced Plastics Composites 16(4) 372-390 (1997), 10A966
Volume V: Pipeline Technology (ASME, New York, 1997) 11N30
Life assessment evaluation of piping branch connection under creep and fatigue, Int J Pressure Vessels Piping 71(2) 147-154 (Apr 1997), 11A662
Determination of critical circumferential through-wall crack sizes regarding load reduction by increased flexibility in piping systems, Int J Pressure Vessels Piping 71(2) 155-164 (Apr 1997), 11A688

290J. Pressurized components

Finite-volume approach to the stress analysis of pressurized axisymmetric structures, Int J Pressure Vessels Piping 68(3) 311-317 (Oct 1996), 1A39
Ratcheting limit of flat end cylindrical shell connections under internal pressure, Int J Pressure Vessels Piping 68(3) 293-298 (Oct 1996), 1A479
Limit and shakedown analysis of nozzle-cylinder intersections under internal pressure and in-plane moment loading, Int J Pressure Vessels Piping 68(3) 261-272 (Oct 1996), 1A871
Design and Analysis (ASME, New York, 1996) 3N27
Stress analysis and fatigue life prediction for a U-bend steam generator tube, Nucl Eng Des 165(1-2) 101-109 (Aug 1996), 4A713
Steam generator tube integrity program, Nucl Eng Des 165(1-2) 143-149 (Aug 1996), 4A1456
Fatigue life measurements and analysis for over-strained tubes with evacuator holes, J Pressure Vessel Tech 118(4) 424-428 (Nov 1996), 5A581
Burst behavior of ± 75° filament-wound Kevlar-epoxy and carbon-epoxy tubes at high loading rates, Composites Sci Tech 56(10) 1151-1159 (Oct 1996), 7A850
Failure analysis and life prediction of a set of extra high pressure heat exchangers containing defects, Int J Pressure Vessels Piping 70(3) 197-200 (Mar 1997), 8A756
Stress analysis of V-shaped expansion joints under internal pressure, Int J Pressure Vessels Piping 71(1) 35-45 (Apr 1997), 9A560
Low-temperature autofrettage: Improved technique to enhance the fatigue resistance of thick-walled tubes against pulsating internal pressure, Fatigue Fracture Eng Mat Struct 20(4) 595-604 (1997), 10A785
Axisymmetric elastic-plastic FE analysis of pressurized elbows, J Pressure Vessel Tech 117(4) 357-364 (Nov 1995), 11A11
Multiaxial stress concentration in an externally pressurized cylinder with an external circumferential groove, J Pressure Vessel Tech 117(4) 404-409 (Nov 1995), 11A416
Minimum weight design of pressure components using r-nodes, J Pressure Vessel Tech 119(2) 224-231 (May 1997), 11A446
Effect of geometric gap between cylinder and reinforcement pad on local stresses: Axial thrust load on nozzle, Int J Pressure Vessels Piping 71(2) 113-120 (Apr 1997), 11A826
Risk-based inspection of pressure components in power and process plants, J Pressure Vessel Tech 119(2) 175-177 (May 1997), 11T827
Analysis of pipe flange connections using epoxy adhesives-anaerobic sealant instead of gaskets, J Pressure Vessel Tech 117(4) 298-304 (Nov 1995), 11A883

290K. Containers (tanks, silos, bins, bunkers, etc)

Damage of precast prestressed storage bin after 30 years of exploitation, Inzynieria Budownictwo 52(6) 353-357 (1996), 2A850
Frangible roof joint behavior of cylindrical oil storage tanks designed to API 650 rules, J Pressure Vessel Tech 118(3) 326-331 (Aug 1996), 2A851
Bursting of a silo, Eng Failure Anal 4(1) 49-55 (Mar 1997), 9A923
Mathematical model and its analytical solution for slow depressurization of a gas-filled vessel, J Eng Math 31(1) 43-57 (Jan 1997), 9A1197

292. FRICTION AND WEAR

Tribological behavior of polycrystalline and single-crystal silicon, Trib Letters 2(4) 355-373 (Dec 1996), 7T851

292A. General theory

Effect of structure upon tribocngineering properties of phenylon, J Friction Wear 16(3) 94-96 (1995), 1A13
Hydrodynamic effects at melting of rubbing surfaces, J Friction Wear 16(3) 26-33 (1995), 1A872
Tribological behavior of liquid crystals - Part 1: Tribology of pure liquid crystals and their mixtures, J Friction Wear 16(3) 59-65 (1995), 1A873
Model for the friction of multiphase materials in abrasion, Trib Int 29(6) 467-475 (Sep 1996), 1T877
Adaptation of generalized model of solids contact, J Friction Wear 16(5) 53-57 (1995), 2A852
Application of the theory of random processes to estimate probability density of pressure distribution on surface microcontact spots, J Friction Wear 16(4) 9-16 (1995), 2A853
Development of friction surface wear resistance criteria, J Friction Wear 16(4) 68-73 (1995), 2A854
Relationship of wear rate and tribosystem characteristics, J Friction Wear 16(5) 1-5 (1995), 2A855
Contact temperature of rough surfaces at mixed lubrication, J Friction Wear 16(5) 17-24 (1995), 2A1138
Elasto-Impact and Friction in Dynamic Systems (ASME, New York, 1996) 3N7
Friction, Wear, Lubrication: A Textbook in Tribology (CRC Press, Boca Raton FL, 1996) 3R15
Study on the drag force of steels used for the superconducting magnetic levitation vehicle system (Maglev) guideway (Japanese), Proc JSCE 543(I-36) 141-152 (Jul 1996), 3A829
Characteristic displacement in rate and state-dependent friction from a micromechanical point of view, Pure Appl Geophys 147(3) 433-453 (Aug 1996), 3A833
Contact analysis of non-Gaussian surfaces for minimum static and kinetic friction and wear, Trib Trans 39(4) 890-898 (Oct 1996), 4A873
Friction and wear of magnetic disk (Japanese), J Japan Soc Precision Eng 62(9) 1247-1250 (Sep 1996), 4T874
Friction in the atomic scale, Appl Mech Eng 1(2) 173-191 (1996), 4A875
Model of slider-disk interface wear for proximity recording, J Trib 118(4) 813-818 (Oct 1996), 4A876
Self-excited oscillations in sliding with a constant friction coefficient: A simple model, J Trib 118(4) 819-823 (Oct 1996), 4A877
Thin spacing analysis for head-tape interface, J Trib 118(4) 800-806 (Oct 1996), 4A880
Modeling of surface modified layers in the presence of surface irregularities, J Trib 118(4) 753-758 (Oct 1996), 4A905
Tribology and Mechanics of Magnetic Storage Devices, Second Edition (Springer-Verlag, New York, 1996) 5N18
Dynamic analysis of 2D frictional contact by linear complementarity problem formulation, Int J Solids Struct 33(30) 4605-4624 (Dec 1996), 5A396
Effect of solid lamellar lubricants on tribological characteristics of composites based on aromatic polyamides, J Friction Wear 17(1) 99-106 (1996), 5T815
Spherical particles formation in lubricated sliding contact, J Friction Wear 17(1) 51-59 (1996), 5A816
Contact pressure fluctuations, Proc Inst Mech Eng J: Eng Trib 210(J4) 281-284 (1996), 5T838
Analysis of elliptical Hertzian contacts, Trib Int 30(3) 235-237 (Mar 1997), 6A935
Dynamic friction contact problems for general normal and friction laws, Nonlinear Anal 28(3) 559-575 (Feb 1997), 6T936
Development of elastomer-based composites and control of their friction and wear, J Friction Wear 17(2) 46-50 (1996), 7A852
Elasto-plastic interface model for 3D-frictional orthotropic contact problems, Int J Numer Methods Eng 40(4) 599-619 (Feb 1997), 7A853
Improvement of wear resistance by deformation cladding with flexible tool, J Friction Wear 17(2) 64-66 (1996), 7A854
Influence of oscillations on static friction under preliminary displacement, J Friction Wear 17(2) 1-5 (1996), 7T855
Interactions between adhesion and friction - Part I: Theoretical aspects, J Mech Phys Solids 45(1) 151-174 (1 1997), 7A856
Mathematical approach of the influencing factors on stick-slip induced by decelerative motion, Wear 201(1-2) 80-93 (Dec 1996), 7A857
Modeling and microstructural modification of alumina ceramic for improved tribological properties, Wear 200(1-2) 215-224 (Dec 1996), 7A858
Macro- and Micro-tribology and mechanics of magnetic storage systems, Wear 202(1) 3-122 (Dec 1996), 8A941
11th International Conference on Wear of Materials: San Diego, CA, April 20-23, 1997, Wear 203-204 1-739 (Mar 1997), 9A924
Tribology Data Handbook (CRC Press, Boca Raton FL, 1997) 10N25
Unilaterality and dry friction: A geometric formulation for 2D rigid body dynamics, Nonlinear Dyn 12(4) 343-366 (Apr 1997), 10A115
Simulation of stick-slip friction in control systems, Trib Trans 40(2) 360-366 (Apr 1997), 10A971
Phase-space reconstructions and stick-slip, Nonlinear Dyn 13(1) 39-57 (May 1997), 11T100
Side-pull and stiffness of magnetic bearing radial flux return paths, J Trib 118(1) 98-101 (Jan 1996), 11A856
FFT-based method for rough surface contact, J Trib 119(3) 481-485 (Jul 1997), 12A924
Influence of a hard surface layer on the limit of elastic contact - Part I: Analysis using a real surface model, J Trib 119(3) 493-500 (Jul 1997), 12A925
Mathematical, geometrical wear model for continuous wear measurements based on the normal approach between a spherical and a flat specimen subject to fretting, Wear 208(1-2) 50-56 (Jul 1997), 12A926
Stability of multilayer coatings of tribotechnical purpose under low precritical strains (Russian), Prikl Mekh (Appl Mech) 32(10) 38-45 (1996), 12A927
Interaction of wear and dynamics of a simple mechanism, J Trib 119(3) 597-599 (Jul 1997), 12T951
Eccentricity effects on the rotordynamic coefficients of plain annular seals: Theory versus experiment, J Trib 119(3) 443-448 (Jul 1997), 12A1018
Theoretical and experimental investigation of an externally pressurized porous annular thrust gas bearing and its optimal design, J Trib 119(3) 486-492 (Jul 1997), 12A1227

292B. Friction

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 4 (ASME Press, New York, 1996) 1N33
Measurements of friction in cold metal rolling, J Trib 118(3) 629-636 (Jul 1996), 1A643
Determination of the compression-translation for test parameters for the identification of the coefficients of friction in realistic contact conditions (French), European J Mech Eng 41(2) 75-81 (1996), 1A874
Friction of anomalously elastic bodies - Negative Poisson's ratio - Part 1: Self-locking effect, J Friction Wear 16(3) 19-25 (1995), 1A875
Friction, temperature, and wear analysis for ceramic coated brake disks, J Trib 118(3) 457-465 (Jul 1996), 1T876
Model for the friction of multiphase materials in abrasion, Trib Int 29(6) 467-475 (Sep 1996), 1T877
Principal trends in friction mechanics, J Friction Wear 16(3) 11-18 (1995), 1A878
Scuffing as evaluated from the viewpoint of surface roughness and friction energy, J Trib 118(3) 669-675 (Jul 1996), 1A894
Friction model of thin solid film lubrication, J Trib 118(3) 693-697 (Jul 1996), 1A1137
Physics of Sliding Friction (Kluwer, MA, 1996) 2N26
Pressure rolling contact: Steady state flow analysis and comparison with experimental data, Int J Solids Struct 33(25) 3739-3753 (Oct 1996), 2A394
Bearing characteristics of cast leaded aluminum-silicon alloys, Wear 197(1-2) 105-114 (Sep 1996), 2A856
Contact of rough spheres, J Friction Wear 16(5) 33-39 (1995), 2A857
Effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, Wear 197(1-2) 280-285 (Sep 1996), 2A858
Friction and wear model of a heavy-loaded sliding pair - Part II: Application to an unlubricated journal bearing, Wear 197(1-2) 9-16 (Sep 1996), 2A859
Friction and wear properties of bushing bearing of graphite filled short glass fiber composites in dry sliding, Wear 197(1-2) 145-150 (Sep 1996), 2A860
Friction contact properties and metal machining, J Friction Wear 16(5) 11-16 (1995), 2A861
Internal friction in the parts of tribosystem and its significance for selection of compatible materials, J Friction Wear 16(4) 84-90 (1995), 2A862
Investigation of temperature fields developed at friction of material having regular surface topography, J Friction Wear 16(5) 102-108 (1995), 2A863
Investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, Wear 196(1-2) 82-86 (Aug 1996), 2A864
Investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, Wear 197(1-2) 271-279 (Sep 1996), 2A865
Mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, Wear 197(1-2) 130-136 (Sep 1996), 2A866
Pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, Wear 196(1-2) 214-218 (Aug 1996), 2A867
Regularization of the resting state in Coulomb friction (German), Z Angew Math Mech 76(8) 439-446 (1996), 2A868
Specific force of friction as a parameter of structural adaptability, J Friction Wear 16(4) 80-83 (1995), 2A869
Temperature-dependent tribological regimes and oxidation of carbon-carbon composites up to 1800°C, Wear 196(1-2) 254-262 (Aug 1996), 2A870
Tribological characteristics of graded pencil cores on paper, Wear 197(1-2) 233-241 (Sep 1996), 2A871
Tribological properties of polytetrafluoroethylene-based composite in different lubricant media, Wear 196(1-2) 164-170 (Aug 1996), 2A872
Tribological study of nitrogen implanted niobium, Wear 196(1-2) 197-201 (Aug 1996), 2A873
Wear and friction of nylon-glass fiber composites in non-conformal contact under combined rolling and sliding, Wear 197(1-2) 115-122 (Sep 1996), 2A874
Wear performance of aluminum alloy composites containing unidirectionally-oriented silicon carbide coated boron fibers, Wear 197(1-2) 248-254 (Sep 1996), 2A895
Structural analysis of surface roughness parameters, J Friction Wear 16(5) 40-45 (1995), 2A922
Friction heat distribution between a stationary pin and a rotating disc, Wear 196(1-2) 219-225 (Aug 1996), 2A1236
Friction, Wear, Lubrication: A Textbook in Tribology (CRC Press, Boca Raton FL, 1996) 3R15
Analysis of the friction and wear mechanism of structural ceramic coatings - Part 2: The effect of operating conditions and substrate material, Wear 198(1-2) 7-14 (Oct 1996), 3A834
Contact resistance fluctuations in metallic sliding contacts, J Friction Wear 16(6) 108-112 (1995), 3A835
Effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron-iron frictional system under perfluoropolyether fluid lubrication, Wear 198(1-2) 52-57 (Oct 1996), 3A836
Effect of fiber orientation on a graphite fiber composite in single pendulum scratching, Wear 198(1-2) 122-128 (Oct 1996), 3A837
Effect of humidity on friction and wear of Al-Si eutectic alloy and Al-Si alloy-graphite composites, Wear 198(1-2) 169-175 (Oct 1996), 3A838
Effect of plastic deformation on static friction coefficient, J Friction Wear 16(6) 94-99 (1995), 3A839
Effects of Mn content on the tribological behaviors of Zn-27% Al-2% Cu alloy, Wear 198(1-2) 129-135 (Oct 1996), 3A840
Friction of powder materials on a hard surface - I: Contact characteristics calculation and friction testing, J Friction Wear 16(6) 59-72 (1995), 3A841
Friction of powder materials on a hard surface - Part II: Experimental study of friction contact characteristics and applications, J Friction Wear 16(6) 73-88 (1995), 3A842
High friction coefficient of fullerene C_{60} film, Wear 198(1-2) 165-168 (Oct 1996), 3A843
Point of contact between new mathematical science and tribology, fractal geometry and fractal statistics, Japan J Trib 40(7) 597-603 (1995), 3T844
Theoretical and computational methods in friction, lubrication and wear, Trib Int 29(8) 625-702 (Dec 1996), 3A845
Toward the coherent development of tribology and mathematical science, Japan J Trib 40(7) 589-596 (1995), 3T846

Tribological properties of TZP-graphite self-lubricating ceramics, Wear **198**(1-2) 143-149 (Oct 1996), 3A847
Dry sliding friction and wear behavior of short fiber reinforced zinc-based alloy composites, Wear **198**(1-2) 108-114 (Oct 1996), 3A850
Tribology research in Japan: A state-of-the-art report, Proc Inst Mech Eng J: Eng Trib **210**(J3) 159-172 (1996), 3A861
Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, J Dyn Syst Meas Control **118**(3) 463-467 (Sep 1996), 4A402
Modeling the frictional boundary conditions in a rolling process, J Mat Processing Tech **59**(4) 373-380 (Jun 1996), 4A657
Contact analysis of non-Gaussian surfaces for minimum static and kinetic friction and wear, Trib Trans **39**(4) 890-898 (Oct 1996), 4A873
Model of slider-disk interface wear for proximity recording, J Trib **118**(4) 813-818 (Oct 1996), 4A876
Fundamental study of rolling friction in the region of micro-displacement - 1st Report: Development of forced type testing apparatus for rolling friction (Japanese), J Japan Soc Precision Eng **62**(9) 1325-1329 (Sep 1996), 4A878
Roughness effects on the dynamic coefficients of ultra-thin gas film in magnetic recording, J Trib **118**(4) 774-782 (Oct 1996), 4A879
Thin spacing analysis for head-tape interface, J Trib **118**(4) 800-806 (Oct 1996), 4A880
Tribological behavior of Cu-20% Nb and Cu-15% Cr in situ composites under dry sliding conditions, Wear **199**(1) 74-81 (Nov 1996), 4A881
Wear behavior of alumina toughened zirconia materials, Wear **199**(1) 113-121 (Nov 1996), 4A892
Energy concept of the coefficient of friction, Wear **199**(2) 187-196 (Nov 1996), 5A817
Equation for wear rate of friction unit with contamination particles in a lubricant, J Friction Wear **17**(1) 37-43 (1996), 5A818
Friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, Wear **199**(2) 153-156 (Nov 1996), 5A819
Friction control with a graft layer of a thermo-sensing polymer, Wear **199**(2) 197-201 (Nov 1996), 5A820
Improved friction and wear properties of cast Fe-Mo-S wear-resistant alloy by cerium dioxide doping, Wear **199**(2) 181-186 (Nov 1996), 5A821
Influence of the spatial system of active forces on friction: Super Coulomb external friction, J Friction Wear **17**(1) 44-50 (1996), 5T822
Model of frictional sliding, Pure Appl Geophys **147**(4) 745-762 (Oct 1996), 5A823
Transient temperature of contact spots at sliding friction, J Friction Wear **17**(1) 21-28 (1996), 5A824
Study of wheel-rail friction, wear and cumulative damage, J Friction Wear **17**(1) 7-20 (1996), 5A830
Method for measuring tractions in disk-to-plate contact using caustic images, Japan J Trib **40**(9) 917-925 (1995), 5A855
Friction performance of sports luges and bobsleds sliding along ice track, J Friction Wear **17**(1) 29-36 (1996), 5T1526
Optimization of the upsetting-sliding test parameters for the determination of friction laws at medium and high contact pressures, J Mat Processing Tech **62**(1-3) 140-148 (Nov 1996), 6A937
Tribofragmentation and antiwear behavior of isogeometric phosphorus compounds, Trib Int **30**(3) 199-208 (Mar 1997), 6T938
Fine-particle slurry wear resistance of selected tungsten carbide thermal spray coatings, Trib Int **30**(3) 225-234 (Mar 1997), 6T940
Degradations in a high-speed sliding contact in transient regime, Wear **203**(1-2) 163-170 (Dec 1996), 7A859
Effect of whisker orientation on the friction and wear behavior of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, Wear **203**(1-2) 178-185 (Dec 1996), 7A860
Friction against superplastic aluminium alloys, Wear **203**(1-2) 227-232 (Dec 1996), 7A861
Friction analysis of pneumatic semi-rotary actuators, Trib Trans **40**(1) 57-62 (Jan 1997), 7T862
Friction and wear of polymers in non-conformal contacts, Wear **208**(1-2) 83-94 (Dec 1996), 7A863
In situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, Wear **200**(1-2) 233-237 (Dec 1996), 7A864
Mechanism of multi-valued friction in unsteady sliding line contacts operating in the regime of mixed-film lubrication, J Trib **119**(1) 149-155 (Jan 1997), 7A865
Mechanism-based modeling of friction and wear, Wear **200**(1-2) 1-7 (Dec 1996), 7A866
Present state and future perspective of tribology: Special issue on Commemoration of the 40th Anniversary of the Foundation of JAST, Japan J Trib **41**(1) 1-88 (1996), 7T867
Statistical model for interpreting hard disk drive stiction measurements, J Trib **119**(1) 43-48 (Jan 1997), 7A868
Structure and friction of modified cross-linked polyimides, J Friction Wear **17**(2) 32-37 (1996), 7A869
Tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, Wear **200**(1-2) 105-121 (Dec 1996), 7A870
Tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, Wear **200**(1-2) 95-104 (Dec 1996), 7A871
What role for contact spots and dislocations in friction and wear?, Wear **200**(1-2) 8-29 (Dec 1996), 7A872
Relationship between microstructure and wear of mica-containing glass-ceramics, Wear **200**(1-2) 176-185 (Dec 1996), 7A885
Sliding wear of titanium, J Trib **119**(1) 31-35 (Jan 1997), 7A887
Tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, Wear **201**(1-2) 233-243 (Dec 1996), 7A893
Relation of dry-friction to surface roughness, J Trib **119**(1) 18-25 (Jan 1997), 7A920
Surface potential and magnetic recording media tribology, Trib Trans **40**(1) 69-74 (Jan 1997), 7A927
Video tape behavior on rotary heads: Modeling and results, Japan J Trib **40**(12) 1187-1196 (1995), 7A928
Frictional performance of an O-ring type seal at the commencement of linear motion, Trib Letters **2**(4) 405-416 (Dec 1996), 7T947
Generalized effects in confined fluids: New friction map for boundary lubrication, Wear **200**(1-2) 328-335 (Dec 1996), 7A1198
Fractionation of liquid lubricants at solid surfaces, Wear **200**(1-2) 336-345 (Dec 1996), 7A1210
Computer model with surface friction for the prediction of total knee kinematics, J Biomech **30**(2) 177-184 (Feb 1997), 7A1527
Stiction in surface micromachining, J Micromech Microeng **6**(4) 385-397 (Dec 1996), 8T419
Class of limit states of frictional joints: Formulation and existence theorem, Quart Appl Math **55**(1) 69-87 (Mar 1997), 8A480
Macro- and Micro-tribology and mechanics of magnetic storage systems, Wear **202**(1) 3-122 (Dec 1996), 8A941
11th International Conference on Wear of Materials: San Diego, CA, April 20-23, 1997, Wear **203-204** 1-739 (Mar 1997), 9A924
Effect of water vapor on the agglomeration of wear particles of ceramics, Wear **202**(2) 165-171 (Jan 1997), 9A925
Micro-displacement of contacting surface, Japan J Trib **41**(2) 89-98 (1996), 9T926
Modeling of the parameters of acoustic emission under sliding friction of solids, Wear **202**(2) 125-133 (Jan 1997), 9A927
Structure and state of repeatedly rubbed metals, Japan J Trib **41**(2) 99-108 (1996), 9T937
Influence of ultrasonic amplitude on friction and wear properties in ultrasonic drive, Japan J Trib **41**(2) 157-169 (1996), 9A943
Influence of ultrasonic shape on friction and wear properties in ultrasonic drives, Japan J Trib **41**(2) 171-181 (1996), 9T944
Effect of double bonds on friction in the boundary lubrication of magnetic thin film media, Wear **202**(2) 149-153 (Jan 1997), 9A1186
Preliminary investigation of neural network technique to predict tribological properties, Trib Trans **40**(2) 312-320 (Apr 1997), 10A504
Linear complementary formulations involving frictional contact for elasto-plastic deformable bodies, J Appl Mech **64**(1) 80-89 (Mar 1997), 10A563
Numerical simulation of axisymmetric forging processes through FE analysis: A simple method for the modeling of friction (Spanish), Rev Int Metodos Numer Calc Discno Ing **13**(1) 57-69 (1997), 10A731
Fundamental study on rolling friction in the region of micro-displacement - 2nd report: Measurement of rolling characteristics in the transient region (Japanese), J Japan Soc Precision Eng **63**(4) 550-554 (Apr 1997), 10A967
Limits of lubrication conference, Williamsburg VA, April 14-18, 1996, Trib Letters **3**(1) 1-140 (Apr 1997), 10A968
New tooth finishing method with CBN abrasive wheel for involute internal spline: Improvement of tooth accuracy with slant traverse feeding (Japanese), J Japan Soc Precision Eng **63**(4) 545-549 (Apr 1997), 10A969
Realistic friction modeling for simple upsetting, Trib Trans **40**(2) 367-373 (Apr 1997), 10T970
Simulation of stick-slip friction in control systems, Trib Trans **40**(2) 360-366 (Apr 1997), 10A971
Comparison of predicted and measured rotor losses in planar radial magnetic bearings, Trib Trans **40**(2) 219-226 (Apr 1997), 10T993
Influence of rolling speed upon friction in cold rolling of foils, J Trib **119**(2) 349-357 (Apr 1997), 10A1178
Self-excited oscillations of two elastic half-spaces sliding with a constant coefficient of friction, J Appl Mech **62**(4) 867-872 (Dec 1995), 11A173
Friction identification in a sight stabilization system at low velocities, Mech Syst Signal Processing **11**(3) 491-505 (May 1997), 11T828
Incremental convex programming model for solving frictional contact problems, J Eng Appl Sci **44**(1) 125-140 (Feb 1997), 11A829
Two-component mixed friction model for a lubricated line contact, J Trib **118**(1) 183-189 (Jan 1996), 11A830
Experimental study of long-term static friction and magnetic slider-disk interplanar separation, J Trib **118**(1) 12-20 (Jan 1996), 11A836
Friction and wear of metal particle, barium ferrite and metal evaporated tapes in rotary head recorders, J Trib **118**(1) 21-32 (Jan 1996), 11T837
Non-uniqueness of the motions of a friction oscillator with self-excitation, Int J Non-Linear Mech **32**(6) 1153-1164 (Nov 1997), 12A122
Simulation of rough, elastic contacts, J Appl Mech **64**(2) 361-368 (Jun 1997), 12A492
Effect of an external electric field on the operation of an aluminium oxide-cast iron sliding contact joint, Wear **208**(1-2) 113-117 (Jul 1997), 12A928
Effect of sliding friction on contact stresses for multi-layered elastic bodies with rough surfaces, J Trib **119**(3) 476-480 (Jul 1997), 12A929
Enhanced model of a plowing asperity, Wear **206**(1-2) 147-155 (May 1997), 12A930
Phenomenon of triboelectrization in aluminium oxide-polytetrafluoroethylene sliding contact joint operating under reduced lubrication conditions, Wear **208**(1-2) 118-124 (Jul 1997), 12A931
Stability analysis of state dependent dynamic frictional sliding, Int J Non-Linear Mech **32**(5) 837-853 (Sep 1997), 12A932
Al_2O_3-ZrO_2 debris life cycle during wear: Effects of the third body on wear and friction, Wear **208**(1-2) 161-168 (Jul 1997), 12A934
Failure mechanisms of plasma nitrided Inconel 718 film, Wear **208**(1-2) 226-236 (Jul 1997), 12A946
Investigation on the components and the formation of a tribochemical film in the Si_3N_4-gray iron sliding pair lubricated with distilled water, Wear **206**(1-2) 87-93 (May 1997), 12A953
Modeling friction and wear phenomena, Wear **206**(1-2) 136-146 (May 1997), 12A955
Role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, Wear **208**(1-2) 11-16 (Jul 1997), 12A956
Slider designs for controlling contamination, J Trib **119**(3) 537-540 (Jul 1997), 12A959
Comparative study of shotblasted and electrical-discharge-textured rolls with regard to frictional behavior of the rolled steel sheet surfaces, Wear **207**(1-2) 34-40 (Jun 1997), 12A976
Friction and wear studies of carbon overcoated thin films magnetic sliders: Application of Raman microspectroscopy, J Trib **119**(3) 471-475 (Jul 1997), 12A992
Effects of journal misalignment on the performance characteristics of three-lobe bearings, Wear **206**(1-2) 122-129 (May 1997), 12A1011
Determination of accommodation coefficients for N_2 at disk-drive air-bearing surfaces, J Trib **119**(3) 588-589 (Jul 1997), 12A1225

292C. Adhesion

Point of contact between new mathematical science and tribology, fractal geometry and fractal statistics, Japan J Trib **40**(7) 597-603 (1995), 3T844
Theoretical and computational methods in friction, lubrication and wear, Trib Int **29**(8) 625-702 (Dec 1996), 3A845
Interactions between adhesion and friction - Part I: Theoretical aspects, J Mech Phys Solids **45**(1) 151-174 (1 1997), 7A856
Effect of surface oxidation and sizing treatment of carbon fiber on interfacial adhesion (Japanese), J Soc Mat Sci Japan **46**(2) 163-169 (Feb 1997), 9A481
Method and testing results of regenerating gluing cements (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(2) 97-106 (Feb 1996), 9A928
Tribological characteristics of Si_3N_4 ceramic sliding on stainless steel, Wear **206**(1-2) 76-82 (May 1997), 12A933
Friction and wear studies of carbon overcoated thin films magnetic sliders: Application of Raman microspectroscopy, J Trib **119**(3) 471-475 (Jul 1997), 12A992
Hull starting resistance of a boat-type vehicle, J Terramech **33**(4) 167-172 (Jul 1996), 12A1164

292D. Wear (unintentional)

Investigating the influence of wear of shaping contour of skinned punch on part springing, Russian Aeronaut **38**(4) 39-42 (1995), 1T648
Friction, temperature, and wear analysis for ceramic coated brake disks, J Trib **118**(3) 457-465 (Jul 1996), 1T876
Evaluation of contact pressure in gears with electrical simulation, J Friction Wear **16**(3) 55-58 (1995), 1A879
Review of scuffing models, Trib Letters **2**(2) 113-131 (Jun 1996), 1A880
Simulation of blank-tool wear in finishing precision surfaces, J Friction Wear **16**(3) 142-149 (1995), 1A881
Ultimate wear of gear teeth in precision mechanisms, J Friction Wear **16**(3) 40-43 (1995), 1A882
Wear of crushing mills working tools, J Friction Wear **16**(3) 153-160 (1995), 1A883
Wear of the main elements in a ball mechanism of free-travel, J Friction Wear **16**(3) 137-141 (1995), 1A884
Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part II: Model and analysis, Trib Trans **39**(3) 691-697 (Jul 1996), 1A890
Glide avalanche prediction from surface topography, J Trib **118**(3) 644-650 (Jul 1996), 1A891
Modeling of tool forces for worn tools: Flank wear effects, J Manuf Sci Eng **118**(3) 359-366 (Aug 1996), 2A594
Abrasion and erosion of hard materials related to wear in the abrasive waterjet, Wear **196**(1-2) 120-125 (Aug 1996), 2A643
Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, J Manuf Sci Eng **118**(3) 428-433 (Aug 1996), 2A732
Effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, Wear **197**(1-2) 280-285 (Sep 1996), 2A858
Friction and wear model of a heavy-loaded sliding pair - Part II: Application to an unlubricated journal bearing, Wear **197**(1-2) 9-16 (Sep 1996), 2A859
Friction and wear properties of bushing bearing of graphite filled short glass fiber composites in dry sliding, Wear **197**(1-2) 145-150 (Sep 1996), 2A860
Investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, Wear **196**(1-2) 82-86 (Aug 1996), 2A864
Investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, Wear **197**(1-2) 271-279 (Sep 1996), 2A865
Mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, Wear **197**(1-2) 130-136 (Sep 1996), 2A866
Pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, Wear **196**(1-2) 214-218 (Aug 1996), 2A867
Temperature-dependent tribological regimes and oxidation of carbon-carbon composites up to 1800°C, Wear **196**(1-2) 254-262 (Aug 1996), 2A870
Tribological properties of polytetrafluoroethylene-based composite in different lubricant media, Wear **196**(1-2) 164-170 (Aug 1996), 2A872
Tribological study of nitrogen implanted niobium, Wear **196**(1-2) 197-201 (Aug 1996), 2A873
Wear and friction of nylon-glass fiber composites in non-conformal contact under combined rolling and sliding, Wear **197**(1-2) 115-122 (Sep 1996), 2A874
Abrasive wear model for lubricated sliding contacts, Wear **196**(1-2) 72-76 (Aug 1996), 2A875
Abrasive wear properties of experimental metastable duplex stainless steels, Wear **196**(1-2) 92-99 (Aug 1996), 2A876
Analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, Wear **197**(1-2) 74-81 (Sep 1996), 2A877
Approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, Wear **197**(1-2) 17-37 (Sep 1996), 2A878
Comparison of an external gear pump wear model with test data, Wear **196**(1-2) 64-71 (Aug 1996), 2A879
Computational and experimental evaluation of the effect of engine disbalance on wear of crankshaft bearings, J Friction Wear **16**(5) 46-52 (1995), 2A880
Effect of temperature on the sliding wear performance of Al alloys and Al matrix composites, Wear **196**(1-2) 270-278 (Aug 1996), 2A881
Experimental study on the abrasive wear in metal cutting, Wear **197**(1-2) 242-247 (Sep 1996), 2A882
Investigation of adhering layer formation during tool wear progression in turning of free-cutting stainless steel, Wear **197**(1-2) 169-178 (Sep 1996), 2A883
Investigation of nano-wear during contact recording, Wear **197**(1-2) 211-220 (Sep 1996), 2A884
Investigation of wear of binary iron alloys, J Friction Wear **16**(4) 74-79 (1995), 2A885
Micromechanisms of tool wear in machining free cutting steels, Wear **197**(1-2) 45-55 (Sep 1996), 2A886
Sliding wear behavior of nitrided and nitrocarburized cast irons, Wear **197**(1-2) 38-44 (Sep 1996), 2A887
Sliding wear study of ion-beam mixing Ni-Mo multilayer films on steel, Wear **197**(1-2) 228-232 (Sep 1996), 2A888

Slip-line field model of abrasive wear, Wear 196(1-2) 35-45 (Aug 1996), 2A889

Tribological investigation of 2009 Al-20 vol% SiC/17-4 PH - Part I: Composite performance, Wear 197(1-2) 151-159 (Sep 1996), 2A890

Tribological investigation of 2009 Al-20 vol % SiC_p-17 - 4 PH - Part II: counterpart performance, Wear 196(1-2) 202-206 (Aug 1996), 2A891

Wear behavior of high tensile strength aluminum alloys under dry and lubricated conditions, Wear 196(1-2) 46-53 (Aug 1996), 2A892

Wear by plastic ratchetting: An experimental evaluation, Wear 196(1-2) 147-155 (Aug 1996), 2A893

Wear crack characterization by photothermal radiometry, Wear 196(1-2) 54-59 (Aug 1996), 2A894

Wear performance of aluminum alloy composites containing unidirectionally-oriented silicon carbide coated boron fibers, Wear 197(1-2) 248-254 (Sep 1996), 2A895

Wear strength of nitrogen-hardened high-speed steel tools, J Friction Wear 16(4) 115-119 (1995), 2A896

Wear studies of materials for tubes and anitvibration bars in nuclear steam generators, J Pressure Vessel Tech 118(3) 287-300 (Aug 1996), 2A897

Evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants - Part II, Wear 196(1-2) 133-140 (Aug 1996), 2A901

Friction, Wear, Lubrication: A Textbook in Tribology (CRC Press, Boca Raton FL, 1996) 3R15

Wear characteristics of vitrified bonded CBN wheels in grinding mild steel (Japansese), J Japan Soc Precision Eng 62(8) 1117-1121 (Aug 1996), 3T642

Progress of erosive wear in spheroidal graphite cast iron, Wear 198(1-2) 150-155 (Oct 1996), 3A672

Analysis of the friction and wear mechanism of structural ceramic coatings - Part 2: The effect of operating conditions and substrate material, Wear 198(1-2) 7-14 (Oct 1996), 3A834

Effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron-iron frictional system under perfluoropolyether fluid lubrication, Wear 198(1-2) 52-57 (Oct 1996), 3A836

Effect of humidity on friction and wear of Al-Si eutectic alloy and Al-Si alloy-graphite composites, Wear 198(1-2) 169-175 (Oct 1996), 3A838

Effects of Mn content on the tribological behaviors of Zn-27% Al-2% Cu alloy, Wear 198(1-2) 129-135 (Oct 1996), 3A840

Theoretical and computational methods in friction, lubrication and wear, Trib Int 29(8) 625-702 (Dec 1996), 3A845

Toward the coherent development of tribology and mathematical science, Japan J Trib 40(7) 589-596 (1995), 3T846

Tribological properties of TZP-graphite self-lubricating ceramics, Wear 198(1-2) 143-149 (Oct 1996), 3A847

Characterization and application of the sliding wear of hardened die steel against SiC whisker-plastic composite, Wear 198(1-2) 229-235 (Oct 1996), 3A848

Damage processes in Si_3N_4 bearing material under contact loading, Wear 198(1-2) 197-207 (Oct 1996), 3A849

Dry sliding friction and wear behavior of short fiber reinforced zinc-based alloy composites, Wear 198(1-2) 108-114 (Oct 1996), 3A850

Effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, Wear 198(1-2) 267-270 (Oct 1996), 3A851

Effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, Wear 198(1-2) 293-299 (Oct 1996), 3A852

Effect of particle size of nanometer ZrO, on the tribological behavior of PEEK, Wear 198(1-2) 216-219 (Oct 1996), 3A853

Formation mechanism of adherent layers on a cutting tool, Wear 198(1-2) 192-196 (Oct 1996), 3A854

Fractal characteristics of wear particles, Japan J Trib 40(7) 617-624 (1995), 3T855

Indentation energy and abrasive wear of metals, Wear 198(1-2) 77-85 (Oct 1996), 3A856

Lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, Wear 198(1-2) 208-215 (Oct 1996), 3A857

Model for tool wear in rock cutting, Wear 198(1-2) 33-38 (Oct 1996), 3A858

Study on the behavior of adiabatic shear bands in impact wear, Wear 198(1-2) 287-292 (Oct 1996), 3A859

Triboemission characteristics of electrons during wear of amorphous carbon and hydrogenated amorphous carbon films in a dry air atmosphere, Wear 198(1-2) 71-76 (Oct 1996), 3A860

Tribology research in Japan: A state-of-the-art report, Proc Inst Mech Eng J: Eng Trib 210(J3) 159-172 (1996), 3A861

Wear behavior of a TiNi alloy, Wear 198(1-2) 236-241 (Oct 1996), 3A862

Wear maps of TZP-steel reciprocating sliding couple under dry sliding, Wear 198(1-2) 185-191 (Oct 1996), 3A863

Wear of cylinder bore microtopography, Wear 198(1-2) 271-279 (Oct 1996), 3A864

Measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, Wear 199(1) 36-44 (Nov 1996), 4A718

Contact analysis of non-Gaussian surfaces for minimum static and kinetic friction and wear, Trib Trans 39(4) 890-898 (Oct 1996), 4A873

Tribological behavior of Cu-20% Nb and Cu-15% Cr in situ composites under dry sliding conditions, Wear 199(1) 74-81 (Nov 1996), 4A881

Angularity determination of abrasive powders, Wear 199(1) 122-126 (Nov 1996), 4A882

Description of abrasive particle shape and its relation to two-body abrasive wear, Trib Trans 39(4) 803-810 (Oct 1996), 4A883

Dry sliding wear characteristics of some zinc-aluminum alloys: A comparative study with a conventional bearing bronze at a slow speed, Wear 199(1) 142-151 (Nov 1996), 4A884

Enhanced wear performance of transformation toughened ceramics by microstructural optimization, J Trib 118(4) 740-747 (Oct 1996), 4A885

Erosive and erosive-corrosive wear behavior of cast nitrogenated stainless steels, Wear 199(1) 33-35 (Nov 1996), 4A886

Investigations in abrasive water jet erosion based on wear particle analysis, J Trib 118(4) 759-766 (Oct 1996), 4A887

Role of triboelectrification mechanism in the wear behavior of Al_2O_3-SiC platelet composites, Wear 199(1) 54-59 (Nov 1996), 4A888

Sliding wear behavior of planar random zinc-alloy matrix composites, Wear 199(1) 82-88 (Nov 1996), 4A889

Thermal analysis of a medium-carbon steel tribosystem and its application to oxidational wear, J Trib 118(4) 728-739 (Oct 1996), 4T890

Tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, Wear 199(1) 60-65 (Nov 1996), 4A891

Wear behavior of alumina toughened zirconia materials, Wear 199(1) 113-121 (Nov 1996), 4A892

Wear characteristic of aluminum-silicon alloy under lubricated sliding conditions, Trib Trans 39(4) 811-818 (Oct 1996), 4A893

Accelerated high speed water erosion test for concrete wear debris analysis, Trib Trans 39(4) 943-949 (Oct 1996), 4T913

Hip replacement, J Eng Med 210(H3) 141-232 (1996), 4A1498

Friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, Wear 199(2) 153-156 (Nov 1996), 5A819

Improved friction and wear properties of cast Fe-Mo-S wear-resistant alloy by cerium dioxide doping, Wear 199(2) 181-186 (Nov 1996), 5A821

Acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, Wear 199(2) 253-259 (Nov 1996), 5A825

Blanking die wear effected by variations in composition, structure and properties of contact surfaces, J Friction Wear 17(1) 79-87 (1996), 5T826

Investigation of wear debris formed at friction, J Friction Wear 17(1) 88-93 (1996), 5A827

Occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, Wear 199(2) 245-252 (Nov 1996), 5A828

Simulation of the mild wear in a cam-follower contact with follower rotation, Wear 199(2) 202-210 (Nov 1996), 5A829

Study of wheel-rail friction, wear and cumulative damage, J Friction Wear 17(1) 7-20 (1996), 5A830

Study on fretting wear of rolling bearings - Part 3: Effects of Mindlin slip and differential slip on fretting wear, Japan J Trib 40(9) 907-915 (1995), 5T831

Two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, Wear 199(2) 160-168 (Nov 1996), 5A832

Wear mechanisms of $K_2Ti_4O_9$ whiskers reinforced Al-20Si aluminum matrix composites with lubrication of water and tetradecane, Wear 199(2) 222-227 (Nov 1996), 5A833

Wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, Wear 199(2) 217-221 (Nov 1996), 5A834

Study on the prevention method of fretting corrosion damage: Concerning nitriding, Japan J Trib 40(9) 927-938 (1995), 5T847

Tribofragmentation and antiwear behavior of isogeometric phosphorus compounds, Trib Int 30(3) 199-208 (Mar 1997), 6T938

Fine-particle slurry wear resistance of selected tungsten carbide thermal spray coatings, Trib Int 30(3) 225-234 (Mar 1997), 6T940

Effect of whisker orientation on the friction and wear behavior of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, Wear 201(1-2) 178-185 (Dec 1996), 7A860

Friction and wear of polymers in non-conformal contacts, Wear 200(1-2) 83-94 (Dec 1996), 7A863

Mechanism-based modeling of friction and wear, Wear 200(1-2) 1-7 (Dec 1996), 7A866

Present state and future perspective of tribology: Special issue on Commemoration of the 40th Anniversary of the Foundation of JAST, Japan J Trib 41(1) 1-88 (1996), 7T867

Tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, Wear 200(1-2) 105-121 (Dec 1996), 7A870

Tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, Wear 200(1-2) 95-104 (Dec 1996), 7A871

What role for contact spots and dislocations in friction and wear?, Wear 200(1-2) 8-29 (Dec 1996), 7A872

Abrasion resistance of nanostructured and conventional cemented carbides, Wear 200(1-2) 206-214 (Dec 1996), 7A873

Abrasive wear of aluminium composites: A review, Wear 201(1-2) 132-144 (Dec 1996), 7A874

Ceramic wear maps, Wear 200(1-2) 154-175 (Dec 1996), 7A875

Cutting temperature responses to flank wear, Wear 201(1-2) 117-120 (Dec 1996), 7A876

Effect of operating conditions on heavy duty engine valve seat wear, Wear 201(1-2) 15-25 (Dec 1996), 7A877

Effect of steel hardness on the performance of anti-wear additives, Wear 201(1-2) 209-216 (Dec 1996), 7A878

Effects of particle size, polishing pad and contact pressure in free abrasive polishing, Wear 200(1-2) 281-295 (Dec 1996), 7A879

Evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, Wear 201(1-2) 193-198 (Dec 1996), 7A880

Mechanical and wear behavior of an Al/Si alloy metal-matrix composite reinforced with aluminosilicate fiber, Composites Sci Tech 56(11) 1261-1270 (Nov 1996), 7A881

Model for the mild ratchetting wear of metals, Wear 200(1-2) 38-44 (Dec 1996), 7A882

Monitoring of the wear condition and research on the wear process for running equipment, Trib Trans 40(1) 87-90 (Jan 1997), 7A883

Recent progress in microtribology, Wear 200(1-2) 296-304 (Dec 1996), 7A884

Relationship between microstructure and wear of mica-containing glass-ceramics, Wear 200(1-2) 176-185 (Dec 1996), 7A885

Sliding metallic wear test with in-process wear measurement: A new approach to collecting and applying wear data, Wear 200(1-2) 30-37 (Dec 1996), 7A886

Sliding wear of titanium, J Trib 119(1) 31-35 (Jan 1997), 7A887

Sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, Wear 201(1-2) 145-154 (Dec 1996), 7A888

Spall initiation and propagation due to debris denting, Wear 201(1-2) 106-116 (Dec 1996), 7A889

Study on lubrication mechanism and wear scar in sliding circular contacts, Wear 201(1-2) 217-226 (Dec 1996), 7A890

Transitions in wear mechanisms of alumina cutting tools, Wear 201(1-2) 199-208 (Dec 1996), 7A891

Tribological behavior of yttria-stabilized zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, Wear 201(1-2) 26-37 (Dec 1996), 7A892

Tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, Wear 201(1-2) 233-243 (Dec 1996), 7A893

Tribology of videotapes, Wear 200(1-2) 244-251 (Dec 1996), 7A894

Unlubricated sliding and rolling-sliding wear behavior of continuously cooled, low-medium carbon bainitic steels, Wear 200(1-2) 74-82 (Dec 1996), 7A895

Wear mechanisms of multi-layer coated cemented carbide cutting tools, J Trib 119(1) 8-17 (Jan 1997), 7A896

Wear mechanisms of zirconia-steel reciprocating sliding couple under water lubrication, Wear 201(1-2) 51-57 (Dec 1996), 7A897

Wear of card clothing teeth, J Friction Wear 17(2) 72-76 (1996), 7A898

Wear of magnetic video head, Japan J Trib 40(12) 1197-1207 (1995), 7T899

Wear of tribo-elements of video tape recorders, Wear 200(1-2) 252-264 (Dec 1996), 7A900

Tractive forces during rolling motion of the knee: Implications for wear in total knee replacement, J Biomech 30(2) 131-137 (Feb 1997), 7A1536

Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, J Biomech 30(2) 185-188 (Feb 1997), 7A1549

Friction Surface Phenomena (Elsevier Sci BV, Netherlands, 1995) 8R6

Beam motion with unilateral contact constraints and wear of contact sites, J Pressure Vessel Tech 119(1) 105-110 (Feb 1997), 8A571

Macro- and Micro-tribology and mechanics of magnetic storage systems, Wear 202(1) 3-122 (Dec 1996), 8A941

Tool wear and chatter detection using the coherence function of two crossed accelerations, Int J Machine Tools Manuf 37(4) 425-435 (Apr 1997), 8A942

Transition between mild and severe wear in aluminium alloys, Acta Mat 45(2) 513-528 (Feb 1997), 8A943

Wear of CBN tool in turning of silicon nitride with cryogenic cooling, Int J Machine Tools Manuf 37(3) 319-326 (Mar 1997), 8A944

Wear status estimation of fiber composite through fractal characterization of wear debris, Adv Composites Letters 5(5) 137-141 (1996), 8A945

Mechanical properties and solid lubricant wear behavior of Al-Al_2O_3-C hybrid metal matrix composites fabricated by squeeze casting method, J Composite Mat 31(4) 316-344 (1997), 9A483

11th International Conference on Wear of Materials: San Diego, CA, April 20-23, 1997, Wear 203-204 1-739 (Mar 1997), 9A924

Effect of water vapor on the agglomeration of wear particles of ceramics, Wear 202(2) 165-171 (Jan 1997), 9A925

Micro-displacement of contacting surface, Japan J Trib 41(2) 89-98 (1996), 9T926

Advances in research on a multi-channel on-line ferrograph, Trib Int 30(4) 279-282 (Apr 1997), 9A929

Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part I: The effects of physical parameters, Wear 202(2) 172-191 (Jan 1997), 9A930

Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part II: The effect of detergents and dispersants, Wear 202(2) 192-201 (Jan 1997), 9A931

Effect of microstructure on rolling-sliding wear of low carbide bainitic steels, Wear 202(2) 202-207 (Jan 1997), 9A932

Optimal design in abrasive resistance of refractory concretes, Appl Mech Eng 1(3) 367-380 (1996), 9A933

Temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti-6Al-6V-2Sn, Wear 202(2) 142-148 (Jan 1997), 9A934

Wear of Metals, Trib Int 30(5) 321-383 (May 1997), 9A935

Wear of power plant components due to impact and sliding, Appl Mech Rev 50(7) 387-411 (Jul 1997), 9A936

Structure and state of repeatedly rubbed metals, Japan J Trib 41(2) 99-108 (1996), 9T937

Impact wear performances of Cr_3C_2-NiCr coatings by plasma and HVOF spraying, Wear 202(2) 208-214 (Jan 1997), 9A941

Influence of ultrasonic amplitude on friction and wear properties in ultrasonic drive, Japan J Trib 41(2) 157-169 (1996), 9A943

Influence of ultrasonic shape on friction and wear properties in ultrasonic drives, Japan J Trib 41(2) 171-181 (1996), 9T944

Preliminary investigation of neural network technique to predict tribological properties, Trib Trans 40(2) 312-320 (Apr 1997), 10A504

Limits of lubrication conference, Williamsburg VA, April 14-18, 1996, Trib Letters 3(1) 1-140 (Apr 1997), 10A968

Analytical presumption of cutting tool wear in machining with chatter vibration (Japansese), J Japan Soc Precision Eng 63(3) 420-425 (Mar 1997), 10A972

Application of numerical descriptors to the characterization of wear particles obtained from joint replacements, J Eng Med 211(H1) 1-10 (1997), 10A973

Clinical wear behavior of ultra-high molecular weight polyethylene cups paired with metal and ceramic ball heads in comparison to metal-on-metal pairings of hip replacements, J Eng Med 211(H1) 73-88 (1997), 10T974

Factors contributing to the wear of polyethylene in clinical practice, J Eng Med 211(H1) 49-57 (1997), 10A975

Frictional heating of bearing materials tested in a hip joint wear simulator, J Eng Med 211(H1) 101-108 (1997), 10T976

Machining of nickel-based superalloy using PcBN endmill tool: Effect of high-pressure coolant supply on tool wear, Int J Japan Soc Precision Eng 30(4) 323-324 (Dec 1996), 10T977

Role of polyethylene wear in joint replacement failure, J Eng Med 211(H1) 65-72 (1997), 10A978

Size and shape of particulate polyethylene wear debris in total joint replacements, J Eng Med 211(H1) 11-15 (1997), 10A979

Topographic characterization of progressive wear on deep drawing dies, Trib Trans 40(2) 346-352 (Apr 1997), 10A980

Wear mechanism analysis of engine exhaust valve seats with a laboratory simulator, Trib Trans 40(2) 209-218 (Apr 1997), 10A981

Wear of the high-density polyethylene socket in total hip arthroplasty and its role in endosteal cavitation, J Eng Med 211(H1) 109-118 (1997), 10T982

Wear of ultra-high molecular weight polyethylene sliding on metallic and ceramic counterfaces representative of current femoral surfaces in joint replacement, J Eng Med 211(H1) 17-24 (1997), 10A983

Wear of unidirectional polymer matrix composites with fiber orientation in the plane of contact, Trib Trans 40(2) 227-234 (Apr 1997), 10T988

Development of a six station knee wear simulator and preliminary wear results, J Eng Med 211(H1) 37-47 (1997), 10A991

Charnley wear model for validation of hip simulators - ball diameter versus polytetrafluoroethylene and polyethylene wear, J Eng Med 211(H1) 25-36 (1997), 10A1562

Conception des Machines: Principes et Applications, Volume 1: Statique (French) (Presses Polytech Univ et Romandes, Lausanne, 1997) 11R19

Prediction of die wear in the wire-drawing process, J Mat Processing Tech 65(1-3) 11-17 (Mar 1997), 11A589

Correlation between acoustic emission and wear of multi-layer ceramic coated carbide tools, J Manuf Sci Eng 119(2) 238-246 (May 1997), 11A748

Dry sliding wear of aluminium composites: A review, Composites Sci Tech 57(4) 415-435 (Apr 1997), 11A831

Effect of debris on the life of tapered roller bearing in contaminated lubricant, Japan J Trib 41(3) 229-239 (1996), 11T832

Reductions in wear rate of carbon samples sliding against wavy copper surfaces, J Trib 118(1) 116-124 (Jan 1996), 11T833

Friction and wear of metal particle, barium ferrite and metal evaporated tapes in rotary head recorders, J Trib 118(1) 21-32 (Jan 1996), 11T837

Tribological characteristics of short glass fiber reinforced polycarbonate composites, Wear 206(1-2) 60-68 (May 1997), 12A562

Formation of an adherent layer on a cutting tool studied by micro-machining and FE analysis, Wear 208(1-2) 61-66 (Jul 1997), 12A734

Characterization of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, Wear 208(1-2) 169-176 (Jul 1997), 12A775

Al_2O_3-ZrO, debris life cycle during wear: Effects of the third body on wear and friction, Wear 208(1-2) 161-168 (Jul 1997), 12A934

Boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behavior, Wear 208(1-2) 125-131 (Jul 1997), 12A935

Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, Wear 206(1-2) 214-220 (May 1997), 12A936

Characterization of wear in boundary lubricated spherical roller thrust bearings, Wear 208(1-2) 194-203 (Jul 1997), 12A937

Characterization of wear scar surfaces using combined 3D topographic analysis and contact resistance measurements, Trib Int 30(7) 517-526 (Jul 1997), 12A938

Comparison of the reciprocating and continuous two-body abrasive wear behavior of solution-treated and age-hardened 2014 Al alloy, Wear 208(1-2) 25-35 (Jul 1997), 12A939

Dry sliding wear mechanisms of the Ti6Al4V alloy, Wear 208(1-2) 105-112 (Jul 1997), 12A940

Effect of discontinuous hard under-coating on the life of solid film lubricant under extreme contact pressure, Trib Int 30(6) 429-434 (Jun 1997), 12A941

Effect of grain size on wear behavior of alumina cutting tools, Wear 206(1-2) 24-32 (May 1997), 12A942

Effect of lubricant additives on the transition pressure from mild to severe wear for grey cast iron sliding pairs, Wear 208(1-2) 1-10 (Jul 1997), 12A943

Effect of sliding speed on wear behavior of A356 Al-30 wt% SiC MMC, Wear 206(1-2) 33-38 (May 1997), 12A944

Failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, Wear 208(1-2) 220-225 (Jul 1997), 12A945

Failure mechanisms of plasma nitrided Inconel 718 film, Wear 208(1-2) 226-236 (Jul 1997), 12A946

Fracture mechanics model for the wear of gear flanks by pitting, Wear 208(1-2) 177-183 (Jul 1997), 12A947

Fundamental characteristics of wear particle deposition measurement by an improved on-line ferrographic analyzer, Wear 208(1-2) 42-49 (Jul 1997), 12A948

Influence of die geometry on tool wear in deep drawing, Wear 207(1-2) 10-15 (Jun 1997), 12A949

Integrated system for automatic wear particle analysis, Wear 208(1-2) 184-193 (Jul 1997), 12A950

Interaction of wear and dynamics of a simple mechanism, J Trib 119(3) 597-599 (Jul 1997), 12T951

Investigation of the anti-wear characteristics of palm oil methyl ester using a four-ball tribometer test, Wear 206(1-2) 179-186 (May 1997), 12A952

Investigation on the components and the formation of a tribochemical film in the Si_3N_4-gray iron sliding pair lubricated with distilled water, Wear 206(1-2) 87-93 (May 1997), 12A953

Laboratory tests for seizure of rail and wheel steels, Wear 208(1-2) 91-104 (Jul 1997), 12A954

Modeling friction and wear phenomena, Wear 206(1-2) 136-146 (May 1997), 12A955

Role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, Wear 208(1-2) 11-16 (Jul 1997), 12A956

Simple mechanism for the polygonalization of railway wheels by wear, Mech Res Commun 24(4) 435-442 (Jul-Aug 1997), 12A957

Simulation of mild wear in spur gears, Wear 207(1-2) 16-23 (Jun 1997), 12A958

Slider designs for controlling contamination, J Trib 119(3) 537-540 (Jul 1997), 12A959

Studies on the wear conditions and the sheared edges in punching, Wear 208(1-2) 81-90 (Jul 1997), 12A960

Tear-off mechanism of sintered diamond tool in cutting SiC-particle-strengthened epoxy composites, Wear 206(1-2) 221-229 (May 1997), 12A961

Wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, Wear 208(1-2) 73-80 (Jul 1997), 12A962

Wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, Wear 208(1-2) 67-72 (Jul 1997), 12A963

Wear resistance of laser processed Al-Si-graphite$_p$ composites, Wear 206(1-2) 83-86 (May 1997), 12A964

Fatigue life reduction due to wear in boundary lubricated spherical roller thrust bearings, Wear 207(1-2) 74-78 (Jun 1997), 12A968

Characterization of surface abrasivity and its relation to two-body abrasive wear, Wear 206(1-2) 69-75 (May 1997), 12A974

Wear simulation with the Winkler surface model, Wear 207(1-2) 79-85 (Jun 1997), 12A989

Phospholipids as boundary lubricants in wear tests of prosthetic joint materials, Wear 207(1-2) 86-91 (Jun 1997), 12A1224

Formation and characterization of self-lubricating MoS_2 precursor films on anodized aluminium, Wear 206(1-2) 187-196 (May 1997), 12A1228

Sintered iron-based antifriction materials with added β-SiC, Wear 206(1-2) 1-7 (May 1997), 12A1229

292E. Contact fatigue

Effect of contact deformation upon surface electron work function, J Friction Wear 16(3) 66-78 (1995), 1A885

Study on rolling contact fatigue life of linear motion ball guides system (Japanese), J Japan Soc Precision Eng 62(6) 865-870 (Jun 1996), 1A886

Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, Wear 197(1-2) 192-196 (Sep 1996), 2A646

Deterioration of rolling contact fatigue life of pearlitic rail steel due dry-wet rolling-sliding line contact, Wear 197(1-2) 255-265 (Sep 1996), 2A898

Elastoplastic analysis of repeated moving contact: Application to railways damage phenomena, Wear 196(1-2) 77-81 (Aug 1996), 2A899

Estimation of contact durability basing on metal strength and concentration of non-metallic inclusions, J Friction Wear 16(5) 58-66 (1995), 2A900

Evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants - Part II, Wear 196(1-2) 133-140 (Aug 1996), 2A901

Microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, Wear 197(1-2) 266-270 (Sep 1996), 2A902

Rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, Wear 196(1-2) 110-119 (Aug 1996), 2A903

Surface-initiated rolling contact fatigue of pearlitic and low carbon bainitic steels, Wear 197(1-2) 137-144 (Sep 1996), 2A904

Prediction of friction and wear when a soft surface slides against a harder rough surface, Wear 196(1-2) 21-34 (Aug 1996), 2A919

Approach towards fatigue wear modeling, Wear 198(1-2) 242-250 (Oct 1996), 3A865

Crack propagation and fracture in contacting bodies, Fatigue Fracture Eng Mat Struct 19(11) 1329-1338 (1996), 5A576

Test method for mode II fatigue crack growth relating to a model for rolling contact fatigue, Fatigue Fracture Eng Mat Struct 19(10) 1265-1275 (1996), 5A637

Study of wheel-rail friction, wear and cumulative damage, J Friction Wear 17(1) 7-20 (1996), 5A830

Hertzian fatigue cone crack propagation in ceramics, Int J Fracture 79(3) 295-307 (1996), 6A716

Conservation of test time for rolling bearing fatigue life - Part II: Effects by designated failure probability for suspension, Japan J Trib 40(12) 1247-1260 (1995), 7T901

Contact of spheres with account for cumulative damage and change in mechanical characteristics of surface layer, J Friction Wear 17(2) 13-18 (1996), 7A902

Effect of two-phase liquid lubricant on fatigue life, Wear 201(1-2) 94-98 (Dec 1996), 7A903

Effects of low speed on roller bearing fatigue life, Trib Trans 40(1) 129-137 (Jan 1997), 7A904

Finite element study of short cracks with different inclusion types under rolling contact fatigue load, Int J Fatigue 19(1) 13-24 (Jan 1997), 8A23

Analysis of crack initiation and propagation in fretting fatigue: The effective initial flaw size methodology, Fatigue Fracture Eng Mat Struct 20(1) 61-70 (1997), 8A727

Structure and state of repeatedly rubbed metals, Japan J Trib 41(2) 99-108 (1996), 9T937

Observation on subsurface defects ultra high molecular weight polyethylene due to rolling contact, Bio-Med Mat Eng 6(6) 441-451 (1996), 9A1603

Semi-analytical modeling of crack initiation dominant contact fatigue life for roller bearings, J Trib 119(2) 233-240 (Apr 1997), 10A759

Fatigue design for cope hole details in I-section members of steel bridges, Proc JSCE 563(139) 41-47 (Apr 1997), 11A812

Numerical 3D model for the contact of rough surfaces by variational principle, J Trib 118(1) 33-42 (Jan 1996), 11A834

Finite element analysis of horizontal and branched subsurface cracks in brittle materials, Wear 208(1-2) 237-242 (Jul 1997), 12A826

Effect of sliding friction on contact stresses for multi-layered elastic bodies with rough surfaces, J Trib 119(3) 476-480 (Jul 1997), 12A929

Analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, Wear 208(1-2) 204-219 (Jul 1997), 12A965

Contact fatigue in rolling-element bearings, Eng Failure Anal 4(2) 155-160 (Jun 1997), 12T966

Effects of multiple cracking on crack growth and coalescence in contact fatigue, J Trib 119(3) 385-390 (Jul 1997), 12A967

Fatigue life reduction due to wear in boundary lubricated spherical roller thrust bearings, Wear 207(1-2) 74-78 (Jun 1997), 12A968

Prediction of the fatigue behavior of physically vapor deposited coatings in the ball-on-rod rolling contact fatigue test, using an elastic-plastic FEM simulation, Wear 206(1-2) 197-203 (May 1997), 12A969

Surface contact fatigue failures in gears, Eng Failure Anal 4(2) 99-107 (Jun 1997), 12A970

Prediction of ball fatigue life in a ball and v-ring test rig, J Trib 119(3) 365-374 (Jul 1997), 12A1015

292F. Thermomechanical effects

Heat generation at friction of polymers, J Friction Wear 16(3) 50-54 (1995), 1A887

Influence of temperature on failure development in steels under transition to seizure, J Trib 118(3) 527-531 (Jul 1996), 1T888

Thermal analysis of sliding rod with coating, J Friction Wear 16(4) 45-52 (1995), 2A905

Effect of wear on rubbing surface temperature of disk brake lining, J Friction Wear 16(4) 25-34 (1995), 2A930

Influence of thermo-currents on BUE forms and cutting mechanism, Japan J Trib 40(7) 681-690 (1995), 3T632

Thermal analysis of a medium-carbon steel tribosystem and its application to oxidational wear, J Trib 118(4) 728-739 (Oct 1996), 4T890

Tribological performance of diamond and diamond-like carbon films at elevated temperatures, Trib Trans 39(4) 787-794 (Oct 1996), 4T894

Triboelectrochemistry on a nanometer scale, Trib Letters 2(3) 287-312 (Oct 1996), 5A835

Effect of temperature on the wear of an electroless nickel coating under lubricated reciprocating sliding conditions, Trib Letters 2(3) 263-272 (Oct 1996), 5T841

Thermal evaluation of a dry nonrotating thin section contact bearing, J Manuf Sci Eng 118(4) 610-614 (Nov 1996), 5A870

Transient temperature of local moving areas of sliding contact, Trib Int 30(3) 209-214 (Mar 1997), 6A939

Frictional heat resistance tests of materials, J Friction Wear 17(2) 38-45 (1996), 7A905

Non-stationary contact problem for rough bodies taking heat generation by friction into account, J Appl Math Mech 60(4) 687-692 (1996), 7A906

Thermoelastic contact problems with frictional heating and convective cooling, Int J Eng Sci 35(3) 211-219 (Feb 1997), 7A907

Thermohydrodynamic analysis of eccentric annular seals using cubic spline interpolations, Trib Trans 40(1) 183-194 (Jan 1997), 7A908

Polishing and lapping temperatures, J Trib 119(1) 163-170 (Jan 1997), 7A919

Energy dissipation in scanning force microscopy: Friction on an atomic scale, Trib Letters 2(4) 327-343 (Dec 1996), 7A931

Frictional heating in sliding contact of two thermoelastic bodies, Int J Solids Struct 34(12) 1505-1516 (Apr 1997), 9A938

Limits of lubrication conference, Williamsburg VA, April 14-18, 1996, Trib Letters 3(1) 1-140 (Apr 1997), 10A968

Pseudospectral-finite difference analysis of an infinitely wide slider bearing with thermal and inertial effects, Trib Trans 40(2) 251-258 (Apr 1997), 10A1267

Global approach of thermal effects including pad deformations in tilting-pad journal bearings submitted to unbalance load, J Trib 118(1) 169-174 (Jan 1996), 11A853

Phase change in a misaligned mechanical face seal, J Trib 118(1) 109-115 (Jan 1996), 11A857

Thermal analysis of noncircular bearings, J Trib 118(1) 246-254 (Jan 1996), 11A1190

Experimental investigation of the effect of shaft heating and cooling on single bore journal bearing, Wear 207(1-2) 112-117 (Jun 1997), 12A971

Tribochemical study of hydrogenated carbon coatings with different hydrogen content levels in ultra high vacuum, J Trib 119(3) 437-442 (Jul 1997), 12A987

Plate-impact technique for measuring dynamic friction at high temperatures, J Trib 119(3) 590-593 (Jul 1997), 12A993

292G. Friction materials

Friction controlled materials wear testing and selection under starved lubrication, Wear 196(1-2) 207-213 (Aug 1996), 2A929

Tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum N-salicylidene derivative of malonic dihydrazide, Wear 196(1-2) 234-237 (Aug 1996), 2A1133

High friction coefficient of fullerene C_{60} film, Wear 198(1-2) 165-168 (Oct 1996), 3A843

Tribological performance of diamond and diamond-like carbon films at elevated temperatures, Trib Trans 39(4) 787-794 (Oct 1996), 4T894

Effects of antiwear additives on the friction and wear of Si_3N_4-steel sliding contacts, Wear 201(1-2) 99-105 (Dec 1996), 7A909

Nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, Wear 201(1-2) 10-14 (Dec 1996), 7A1217

Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part I: The effects of physical parameters, Wear 202(2) 172-191 (Jan 1997), 9A930

Antiseizure and antifriction characteristics of Al-Si-Pb alloys, Wear 202(2) 134-141 (Jan 1997), 9A939

Comparison of the low-speed frictional characteristics of silicon nitride and steel balls using conventional lubricants, J Trib 118(1) 43-51 (Jan 1996), 11T835

Experimental study of long-term static friction and magnetic slider-disk interplanar separation, J Trib 118(1) 12-20 (Jan 1996), 11A836

Friction and wear of metal particle, barium ferrite and metal evaporated tapes in rotary head recorders, J Trib 118(1) 21-32 (Jan 1996), 11T837

Sintered iron-based antifriction materials with added β-SiC, Wear 206(1-2) 1-7 (May 1997), 12A1229

292H. Surface effects, topography, coatings

Elastoplastic FE analyses of an upsetting-sliding test for the determination of friction at medium and high contact pressure, Trib Int 29(7) 603-613 (Nov 1996), 1T45

Stress analysis for nano-scaled elastic materials: Elastic contact problems considering surface stresses, JSME Int J Ser A 39(3) 337-345 (Jul 1996), 1A446

Review of scuffing models, Trib Letters 2(2) 113-131 (Jun 1996), 1A880

Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part I: Experiments, Trib Trans 39(3) 615-620 (Jul 1996), 1A889

Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part II: Model and analysis, Trib Trans 39(3) 691-697 (Jul 1996), 1A890

Glide avalanche prediction from surface topography, J Trib 118(3) 644-650 (Jul 1996), 1A891

Granular collisional lubrication: Effect of surface roughness, particle size and solids fraction, Trib Trans 39(3) 537-546 (Jul 1996), 1A892

Head-disk interface contact detection using a refined acoustic emission technique, J Trib 118(3) 539-542 (Jul 1996), 1A893

Scuffing as evaluated from the viewpoint of surface roughness and friction energy, J Trib 118(3) 669-675 (Jul 1996), 1A894

Surface chemistry-controlled tribological behavior of silicon and diamond, Trib Letters 2(2) 173-187 (Jun 1996), 1T895

Tribological properties of PTFE coatings deposited from active gas phase, J Friction Wear 16(3) 84-89 (1995), 1A896

Wear-resistant boron-containing coatings applied by electrocontact welding, J Friction Wear 16(3) 124-127 (1995), 1A897

Quantification of microscopic wear amounts of steel surfaces with thin layer activation, European J Mech Eng 41(2) 67-74 (1996), 1A898

Formation of viscous surface films by polymer solutions: Boundary or elastohydrodynamic lubrication?, Trib Trans 39(3) 720-725 (Jul 1996), 1A1127

Thermal EHL analysis of circular contacts with measured surface roughness, J Trib 118(3) 473-483 (Jul 1996), 1A1132

Investigation of nano-wear during contact recording, Wear 197(1-2) 211-220 (Sep 1996), 2A884

Dependence of erosion-corrosion wastage on carbide-metal binder proportion for HVOF carbide-metal cermet coatings, Wear 196(1-2) 141-146 (Aug 1996), 2A906

Effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, Wear 197(1-2) 82-88 (Sep 1996), 2A907

Effect of surface roughness on the temperature at the contact between sliding bodies, Wear 197(1-2) 63-73 (Sep 1996), 2A908

Effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, Wear 197(1-2) 160-168 (Sep 1996), 2A909

Effects of compressive stresses on the abrasion of diamond coatings, Wear 196(1-2) 226-233 (Aug 1996), 2A910

Electrodeposited Cr - Al_2O_3 composite coating for wear resistance, Wear 196(1-2) 295-297 (Aug 1996), 2A911

Evaluation of lubricating coatings durability based on analysis of friction surface topography, J Friction Wear 16(4) 120-124 (1995), 2T912

Friction and wear behavior of tungsten and titanium carbide coatings, Wear 196(1-2) 156-163 (Aug 1996), 2A913

Influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, Wear 197(1-2) 123-129 (Sep 1996), 2A914

Investigation of physical, mechanical and tribological behavior of hard coatings, J Friction Wear 16(4) 106-109 (1995), 2A915

Investigation of surface layer after deformation cladding with flexible tools, J Friction Wear 16(5) 72-75 (1995), 2A916

Measurement of topography of finished surface by frustrated total reflection, Wear 196(1-2) 60-63 (Aug 1996), 2A917

Melting of 2D monolayer films, Acta Phys Polonica A 89(5-6) 735-742 (May-Jun 1996), 2A918

Prediction of friction and wear when a soft surface slides against a harder rough surface, Wear 196(1-2) 21-34 (Aug 1996), 2A919

Random Cantor set models for the elastic-perfectly plastic contact of rough surfaces, Wear 196(1-2) 1-15 (Aug 1996), 2A920

Stochastic FEM model of 1D hydrodynamic bearings with rough surfaces, Wear 197(1-2) 221-227 (Sep 1996), 2A921

Structural analysis of surface roughness parameters, J Friction Wear 16(5) 40-45 (1995), 2A922

Structure of surface layers produced in TiC and TiN at friction in vacuum, J Friction Wear 16(4) 96-100 (1995), 2T923

Surface integrity of turned and ground hardened bearing steel, Wear 196(1-2) 279-284 (Aug 1996), 2A924

Tribological behavior of ultra-thin soft metallic deposits on hard substrates, Wear 196(1-2) 171-179 (Aug 1996), 2A925

Wear mechanism of plasma-sprayed TiO, coating against stainless steel, Wear 196(1-2) 238-242 (Aug 1996), 2A926

Wear of alloyed facings, J Friction Wear 16(5) 123-124 (1995), 2A927

Wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, Wear 197(1-2) 56-62 (Sep 1996), 2A928

Asperity level conformity in partial EHL - Part I: Its characterization, Wear 197(1-2) 89-97 (Sep 1996), 2A1122

Asperity level conformity in partial EHL - Part II: Its influence in lubrication, Wear 197(1-2) 98-104 (Sep 1996), 2A1123

Analysis of fracture and delamination in thin coatings subjected to contact loading, Wear 198(1-2) 15-32 (Oct 1996), 3A866

Asperity contact under elastoplastic deformation, J Friction Wear 16(6) 53-58 (1995), 3A867

Changes in surface texture of zinc-coated steel sheets under plastic deformation, Wear 198(1-2) 176-184 (Oct 1996), 3A868

Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - II: Study of surface engineered high-speed steel cutting tools by AES, SIMS and EELFAS methods, Wear 198(1-2) 280-286 (Oct 1996), 3A869

Condition monitoring of the grinding process using light scattering, Wear 198(1-2) 39-45 (Oct 1996), 3A870

Contact mechanics of rough surfaces and tribology, J Friction Wear 16(6) 3-19 (1995), 3A871

Diagnosis of failure of rolling-element bearings of alternators: A study, Wear 198(1-2) 46-51 (Oct 1996), 3A872

Formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, Wear 198(1-2) 86-92 (Oct 1996), 3A873

Influence of coatings on mechanical and electrical contact of rough surfaces, J Friction Wear 16(6) 20-36 (1995), 3A874

Influence of surface melting on dry rolling-sliding wear of aluminum bronze against steel, Wear 198(1-2) 300-306 (Oct 1996), 3A875

Sliding wear behavior of thermally sprayed 75-25 Cr_3C_2-NiCr wear resistant coatings, Wear 198(1-2) 251-266 (Oct 1996), 3A876

Tribological performance of 6061 aluminum alloy-graphite composite materials in oil lubrications with EP additives, Wear 198(1-2) 58-70 (Oct 1996), 3A877

Viscoelastic effects in lubricated contacts, Wear 198(1-2) 307-312 (Oct 1996), 3A878

Theoretical and experimental studies on elasto-plastic deformation of an element with surface layer, Eng Trans 44(1) 69-83 (1996), 4A522

Effects of feedstock and laser post-spray treatment on plasma sprayed biocermic coatings, Mat Manuf Processes 11(5) 869-882 (1996), 4T654

Formation and characterization of corrosion-resistant amorphous coatings by thermal spraying, Mat Manuf Processes 11(5) 855-867 (1996), 4T693

Roughness effects on the dynamic coefficients of ultra-thin gas film in magnetic recording, J Trib 118(4) 774-782 (Oct 1996), 4A879

Thin spacing analysis for head-tape interface, J Trib 118(4) 800-806 (Oct 1996), 4A880

Description of abrasive particle shape and its relation to two-body abrasive wear, Trib Trans 39(4) 803-810 (Oct 1996), 4A883

Enhanced wear performance of transformation toughened ceramics by microstructural optimization, J Trib 118(4) 740-747 (Oct 1996), 4A885

Wear characteristic of aluminum-silicon alloy under lubricated sliding conditions, Trib Trans 39(4) 811-818 (Oct 1996), 4A893

Tribological performance of diamond and diamond-like carbon films at elevated temperatures, Trib Trans 39(4) 787-794 (Oct 1996), 4T894

Comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, Wear 199(1) 132-141 (Nov 1996), 4A895

Developments for single-pass pendulum scratching, Wear 199(1) 66-73 (Nov 1996), 4A896

Effects of CO_2 laser surface hardening in the unlubricated wear of ductile cast iron against alumina, J Trib 118(4) 748-752 (Oct 1996), 4T897

Effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, Wear 199(1) 89-99 (Nov 1996), 4A898

Erosion-corrosion of thermal sprayed coatings in FBC boilers, Wear 199(1) 24-32 (Nov 1996), 4A899

Evaluation of fretting of zircaloy cladding tubes, J Trib 118(4) 705-710 (Oct 1996), 4T900

Evaluations of diamond-like-carbon film optical constants and their effects on flying height determination, J Trib 118(4) 767-773 (Oct 1996), 4A901

Fabrication of graded, sprayed, and fused coatings and their high temperature erosion performance, Mat Manuf Processes 11(5) 847-854 (1996), 4T902

Holographic contouring for determination of 3D description of surface roughness, Wear 199(1) 127-131 (Nov 1996), 4A903

Influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, Wear 199(1) 1-8 (Nov 1996), 4A904

Modeling of surface modified layers in the presence of surface irregularities, J Trib 118(4) 753-758 (Oct 1996), 4A905

Possibility of chemo-mechanical action in magnetic float polishing of silicon nitride, J Trib 118(4) 721-727 (Oct 1996), 4T906

Surface characterization of textile and technical fibers, Fibres Textiles in E Europe 4(1) 66-68 (Jan-Mar 1996), 4A907

Experimental studies of a head-disk interface subjected to impulsive excitation during nonoperation, J Trib 118(4) 807-812 (Oct 1996), 4A915

Abnormal phenomena appearing in EHL contacts, J Trib 118(4) 886-892 (Oct 1996), 4A1160

Model for elastohydrodynamic film failure in contacts between rough surfaces having transverse finish, J Trib 118(4) 847-857 (Oct 1996), 4A1165

Surface roughness effects in journal bearings with non-Newtonian lubricants, Trib Trans 39(4) 819-826 (Oct 1996), 4A1171

Fractal analysis of adhesion at the contact between rough solids, Proc Inst Mech Eng J: Eng Trib 210(J4) 269-279 (1996), 5A84

Characteristics of Ag contact morphology in breaking arcs, Wear 199(2) 237-244 (Nov 1996), 5A836

Contact mechanics of zinc-coated steel sheets, Wear 199(2) 260-267 (Nov 1996), 5A837

Contact pressure fluctuations, Proc Inst Mech Eng J: Eng Trib 210(J4) 281-284 (1996), 5T838

Effect of alkali chlorides on erosion-corrosion of cooled mild steel and Cr_3C_2-NiCr coating, Wear 199(2) 268-274 (Nov 1996), 5A839

Effect of liquid crystalline additive on microrelief of steel surface at friction, J Friction Wear 17(1) 60-66 (1996), 5A840

Effect of temperature on the wear of an electroless nickel coating under lubricated reciprocating sliding conditions, Trib Letters 2(3) 263-272 (Oct 1996), 5T841

Friction and wear properties of Cr_2O_3 coating with aqueous lubrication, Wear 199(2) 157-159 (Nov 1996), 5A842

General fractal distribution function for rough surface profiles, SIAM J Appl Math 56(6) 1694-1719 (Dec 1996), 5A843

Machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, Wear 199(2) 211-216 (Nov 1996), 5A844

Self-organization in a brass-glycerin-steel tribosystem, J Friction Wear 17(1) 107-115 (1996), 5A845

Simulation of rough surface contact, J Friction Wear 17(1) 67-72 (1996), 5A846

Study on the prevention method of fretting corrosion damage: Concerning nitriding, Japan J Trib 40(9) 927-938 (1995), 5T847

Surface effect on braking behavior of PAN-pitch carbon-carbon composite, Wear 199(2) 228-236 (Nov 1996), 5A848

Tribology of thermal sprayed coatings, Japan J Trib 40(8) 701-710 (1995), 5T849

Analysis of contact force and thermal behavior of lip seals, Trib Int 30(2) 113-119 (Feb 1997), 5A865

Micromechanical analysis of surface defects, Math Mech Solids 1(4) 369-391 (Dec 1996), 6A522

Analysis of elliptical Hertzian contacts, Trib Int 30(3) 235-237 (Mar 1997), 6A935

Transient temperature of local moving areas of sliding contact, Trib Int 30(3) 209-214 (Mar 1997), 6A939

Fine-particle slurry wear resistance of selected tungsten carbide thermal spray coatings, Trib Int 30(3) 225-234 (Mar 1997), 6T940

Stains on shell of non-coating rolling stock (Japanese), J Soc Mat Sci Japan 45(11) 1176-1180 (Nov 1996), 7A691

Fretting behavior of PVD TiN coatings in aqueous solutions, Wear 201(1-2) 171-177 (Dec 1996), 7A693

"Self-lubrication" by hydrogen during dry friction of hardened surface layers, Wear 201(1-2) 155-162 (Dec 1996), 7A910

Abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, Wear 200(1-2) 122-136 (Dec 1996), 7A911

Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - Part I: Wear characteristics of surface engineered high-speed steel cutting tools, Wear 201(1-2) 38-44 (Dec 1996), 7A912

Contact analysis of 3D rough surfaces under frictionless and friction contact, Wear 200(1-2) 265-280 (Dec 1996), 7A913

Direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, Wear 200(1-2) 225-232 (Dec 1996), 7A914

Dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, Wear 200(1-2) 238-243 (Dec 1996), 7A915

Evaluation of the real contact areas, pressure distributions and contact temperatures during sliding contact between real metal surfaces, Wear 200(1-2) 55-62 (Dec 1996), 7A916

Influence of surface deformation on mechanical wear, Wear 200(1-2) 45-54 (Dec 1996), 7A917

Influence of topography on the running-in of water-lubricated silicon carbide journal bearings, Wear 201(1-2) 1-9 (Dec 1996), 7A918

Polishing and lapping temperatures, J Trib 119(1) 163-170 (Jan 1997), 7A919

Relation of dry-friction to surface roughness, J Trib 119(1) 18-25 (Jan 1997), 7A920

Roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, Wear 201(1-2) 186-192 (Dec 1996), 7A921

Run-in coatings for diesel engine cylinder liners, J Friction Wear 17(2) 88-90 (1996), 7A922

Scratching maps for polymers, Wear 200(1-2) 137-147 (Dec 1996), 7A923

Study on the criterion of slip-resistance for pedestrian road pavement (Japanese), Proc JSCE 550(V33) 205-212 (Nov 1996), 7T924

Surface engineering and microtribology for microelectromechanical systems, Wear 200(1-2) 305-327 (Dec 1996), 7A925

Surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling-sliding contact, Wear 200(1-2) 63-73 (Dec 1996), 7A926

Surface potential and magnetic recording media tribology, Trib Trans 40(1) 69-74 (Jan 1997), 7A927

Video tape behavior on rotary heads: Modeling and results, Japan J Trib 40(12) 1187-1196 (1995), 7A928

Wear resistance of diffusion boron-silicide coatings, J Friction Wear 17(2) 77-82 (1996), 7A929

Effect of hoop stress on ball bearing life prediction, Trib Trans 40(1) 91-101 (Jan 1997), 7A943

Micro-inertia effects in laminar thin-film flow past a sinusoidal boundary, J Trib 119(1) 211-216 (Jan 1997), 7A1205

Breakdown under contact conditions of Reynolds equation for gas lubricated bearings, J Trib 119(1) 71-75 (Jan 1997), 7A1214

Combined effects of lubricant inertia and viscous dissipation in long bearings, J Trib 119(1) 76-84 (Jan 1997), 7A1218

Friction Surface Phenomena (Elsevier Sci BV, Netherlands, 1995) 8R6

Surface engineering, Mat Manuf Processes 12(1) 1-151 (1997), 8T946

Experimental investigation of contact behavior in grinding, Trib Int 30(4) 283-294 (Apr 1997), 9T668

Wear of Metals, Trib Int 30(5) 321-383 (May 1997), 9A935

Break-in behavior of ceramic coating, J Eng Appl Sci 43(6) 1205-1216 (Dec 1996), 9A940

Impact wear performances of Cr_3C_2-NiCr coatings by plasma and HVOF spraying, Wear 202(2) 208-214 (Jan 1997), 9A941

Three-dimensional FE analysis of subsurface stress and strain fields due to sliding contact on an elastic-plastic layered medium, J Trib 119(2) 332-341 (Apr 1997), 10A24

Limits of lubrication conference, Williamsburg VA, April 14-18, 1996, Trib Letters 3(1) 1-140 (Apr 1997), 10A968

Wear mechanism analysis of engine exhaust valve seats with a laboratory simulator, Trib Trans 40(2) 209-218 (Apr 1997), 10A981

Evaluation of head-disk pseudo-impact contact by acoustic emission technique, Trib Letters 3(2) 165-174 (Apr 1997), 10A984

Inclusion of roughness effects in perturbed Navier-Stokes rotordynamic methods, J Trib 119(2) 358-360 (Apr 1997), 10A985

Optimization of asperities for laser-textured magnetic disk surfaces, Trib Trans 40(2) 303-311 (Apr 1997), 10A986

Prediction of critical load and wear rate of coatings by fuzzy theory, Mat Manuf Processes 12(2) 345-357 (1997), 10A987

Wear of unidirectional polymer matrix composites with fiber orientation in the plane of contact, Trib Trans 40(2) 227-234 (Apr 1997), 10T988

Efficient computation model for calculating surface contact pressures using measured surface roughness, Trib Trans 40(2) 243-250 (Apr 1997), 10A1258

Effect of debris on the life of tapered roller bearing in contaminated lubricant, Japan J Trib 41(3) 229-239 (1996), 11T832

Additive Ep-condition and the critical scuffing limit for rolling-sliding, J Trib 118(1) 125-130 (Jan 1996), 11A838

Properties of coatings: Comparisons of electroplated, physical vapor deposited, chemical vapor deposited, and plasma sprayed coatings, Mat Manuf Processes 12(3) 437-472 (1997), 11T839

Effects of surface texture on EHL point contacts, J Trib 118(1) 59-66 (Jan 1996), 11A1180

FFT-based method for rough surface contact, J Trib 119(3) 481-485 (Jul 1997), 12A924

Influence of a hard surface layer on the limit of elastic contact - Part I: Analysis using a real surface model, J Trib 119(3) 493-500 (Jul 1997), 12A925

Effect of discontinuous hard under-coating on the life of solid film lubricant under extreme contact pressure, Trib Int 30(6) 429-434 (Jun 1997), 12A941

Slider designs for controlling contamination, J Trib 119(3) 537-540 (Jul 1997), 12A959

Analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, Wear 208(1-2) 204-219 (Jul 1997), 12A965

Prediction of the fatigue behavior of physically vapor deposited coatings in the ball-on-rod rolling contact fatigue test, using an elastic-plastic FEM simulation, Wear 206(1-2) 197-203 (May 1997), 12A969

Application of advanced surface treatment technologies in the modern plastics molding industry, Wear 207(1-2) 6-9 (Jun 1997), 12A972

Basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, Wear 208(1-2) 132-137 (Jul 1997), 12A973

Characterization of surface abrasivity and its relation to two-body abrasive wear, Wear 206(1-2) 69-75 (May 1997), 12A974

Characterization of surface topography of wear particles by SEM stereoscopy, Wear 206(1-2) 39-52 (May 1997), 12A975

Comparative study of shotblasted and electrical-dischargo-textured rolls with regard to frictional behavior of the rolled steel sheet surfaces, Wear 207(1-2) 34-40 (Jun 1997), 12A976

Correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, Wear 208(1-2) 147-154 (Jul 1997), 12A977

Effect of controlled surface topographical features on the unlubricated transfer and wear of PEEK, Wear 206(1-2) 94-99 (May 1997), 12A978

Effect of interfacial shear strength on the performance of coated surfaces in repeated sliding, J Trib **119**(3) 541-548 (Jul 1997), 12A979
Formation and evolution of a subsurface layer in a metalworking process, Wear **206**(1-2) 156-170 (May 1997), 12A980
Fractal character of processed metal surfaces, Wear **208**(1-2) 17-24 (Jul 1997), 12A981
High resolution transmission electron microscopy observation of the MoS_x-Au interface formed due to stick-slip of MoS_x sliding on Au in relation to the friction trace, Wear **206**(1-2) 8-14 (May 1997), 12A982
Local slope analysis in the stylus-based assessment of surface integrity, Trib Int **30**(7) 527-532 (Jul 1997), 12T983
Optimum design of the transverse pressure contour slider for enhanced flying characteristics, J Trib **119**(3) 520-524 (Jul 1997), 12A984
Review of "contact recording" technologies, Wear **207**(1-2) 118-121 (Jun 1997), 12A985
Study of basicity resistance of high-alumina bricks coating (Chinese), J Dalian Univ Tech **37**(3) 322-325 (May 1997), 12A986
Tribochemical study of hydrogenated carbon coatings with different hydrogen content levels in ultra high vacuum, J Trib **119**(3) 437-442 (Jul 1997), 12A987
Tribological aspects of an Al-SiC composite under axisymmetric compression, J Mech Behavior Mat **8**(1) 69-80 (1997), 12A988
Wear simulation with the Winkler surface model, Wear **207**(1-2) 79-85 (Jun 1997), 12A989
Debris denting effects on elastohydrodynamic lubricated contacts, J Trib **119**(3) 579-587 (Jul 1997), 12A1212

292I. Wear monitoring

Development of a tool failure detection system using multi-sensors, Int J Machine Tools Manuf **36**(8) 861-870 (Aug 1996), 1A420
Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part I: Experiments, Trib Trans **39**(3) 615-620 (Jul 1996), 1A889
Quantification of microscopic wear amounts of steel surfaces with thin layer activation, European J Mech Eng **41**(2) 67-74 (1996), 1A898
Stress state and wear of polymer piston, J Friction Wear **16**(3) 34-39 (1995), 1A899
Prediction of tool life in oblique machining with nose radius tools, Wear **198**(1-2) 220-228 (Oct 1996), 3A635
In-process monitoring of tool damage by active method: Behavior of damping ratio with cutting conditions (Japanese), J Japan Soc Precision Eng **62**(8) 1146-1150 (Aug 1996), 3A879
Monitoring the tool wear in the turning process using acoustic emission (Spanish), J Brazilian Soc Mech Sci **18**(3) 227-238 (Sep 1996), 3A880
Tool wear monitoring in face milling using force signals, Wear **198**(1-2) 136-142 (Oct 1996), 3A881
Automated measurement of tool wear using an image processing system, Int J Japan Soc Precision Eng **30**(2) 112-117 (Jun 1996), 3A882
Fuzzy clustering for automated tool condition monitoring in machining, Mech Syst Signal Processing **10**(5) 533-550 (Sep 1996), 4A908
In-process measurement of wear of abrasive grain - 3rd Report: Evaluation of image acquired under wet condition (Japanese), J Japan Soc Precision Eng **62**(9) 1320-1324 (Sep 1996), 4A909
Self-organizing neural networks for automated machinery monitoring systems, Mech Syst Signal Processing **10**(5) 517-532 (Sep 1996), 4A910
Hip replacement, J Eng Med **210**(H3) 141-232 (1996), 4A1498
Interaction of abrasive water jet with cut material at high velocity of impact: Development of an experimental correlation, Eur J Mech A **15**(6) 1037-1047 (1996), 6A783
Monitoring of the wear condition and research on the wear process for running equipment, Trib Trans **40**(1) 87-90 (Jan 1997), 7A883
Approaches and criteria used in estimating the longevity and wear-resistance of materials, J Machinery Manuf Reliab **3** 35-48 (1996), 8T947
Advances in research on a multi-channel on-line ferrograph, Trib Int **30**(4) 279-282 (Apr 1997), 9A929
Wear of Metals, Trib Int **30**(5) 321-383 (May 1997), 9A935
Robust tool wear estimation with radial basis function neural networks, J Dyn Syst Meas Control **117**(4) 459-467 (Dec 1995), 11A840
Laboratory wear testing of polyurethane elastomers, Wear **208**(1-2) 155-160 (Jul 1997), 12A990

292Y. Computational techniques

Controlled wear processes: A risk-sensitive formulation, Eng Optim **26**(3) 187-194 (Jun 1996), 1A900
Computational and experimental evaluation of the effect of engine disbalance on wear of crankshaft bearings, J Friction Wear **16**(5) 46-52 (1995), 2A880
Dynamics of impact oscillator with dry friction, Chaos Solitons Fractals **7**(9) 1455-1459 (Sep 1996), 4A911
New one-pass approach for large deformation multibody frictional contact analysis, Commun Numer Methods Eng **12**(9) 569-579 (Sep 1996), 4A912
Computational methods applied to oxidational wear, Wear **199**(2) 169-180 (Nov 1996), 5A850
Novel FE approach to frictional contact problems, Int J Numer Methods Eng **39**(22) 3889-3902 (Nov 1996), 5A851
Displacement formulation of the friction conditions on the contact surface, Comput Struct **62**(1) 133-139 (Jan 1997), 7A930
Contact algorithm for problems involving quadrilateral approximation of surfaces, Comput Struct **63**(5) 963-975 (Jun 1997), 9A942
Constitutive modeling and FE computation of rate-dependent frictional sliding in large deformations, Comput Methods Appl Mech Eng **143**(3-4) 197-227 (Apr 1997), 10A989
New frictional time integration algorithm for large slip multi-body frictional contact problems, Comput Methods Appl Mech Eng **142**(2-3) 303-334 (Mar 1997), 10A990
Hardness of thin-film media: Scratch experiments and FE simulations, J Trib **118**(1) 1-11 (Jan 1996), 11A744
Numerical 3D model for the contact of rough surfaces by variational principle, J Trib **118**(1) 33-42 (Jan 1996), 11A834
Event maps in a stick-slip system, Nonlinear Dyn **13**(2) 99-115 (Jun 1997), 12A115
Numerical study of the stable dynamic behavior of radial face seals with grooved faces, J Trib **119**(3) 507-514 (Jul 1997), 12A1020
Lubrication of slow rolling contacts: The NASA ball on plate tribometer, J Trib **119**(3) 525-530 (Jul 1997), 12A1230

292Z. Experimental techniques

Measurements of friction in cold metal rolling, J Trib **118**(3) 629-636 (Jul 1996), 1A643
Metallurgical and tribological investigations of aluminum bronze bushes made by a novel centrifugal casting technique, Trib Int **29**(6) 487-492 (Sep 1996), 1T663
Determination of the compression-translation for test parameters for the identification of the coefficients of friction in realistic contact conditions (French), European J Mech Eng **41**(2) 75-81 (1996), 1A874
Head-disk interface contact detection using a refined acoustic emission technique, J Trib **118**(3) 539-542 (Jul 1996), 1A893
Three-dimensional measurement of head flying height and attitude using image processing of fringe patterns formed by Michelson laser interferometry, J Trib **118**(3) 564-570 (Jul 1996), 1T901
Friction controlled materials wear testing and selection under starved lubrication, Wear **196**(1-2) 207-213 (Aug 1996), 2A929
Automated measurement of tool wear using an image processing system, Int J Japan Soc Precision Eng **30**(2) 112-117 (Jun 1996), 3A882
Fundamental study on local dissipated energy and rheology model at impact point of concrete specimen by the pendulum impact test (Japanese), Proc JSCE **543**(I-36) 91-105 (Jul 1996), 3A883
Microtribometer for testing of thin surface layers and coatings, J Friction Wear **16**(6) 113-118 (1995), 3A884
Theory of four-ball test machine, J Friction Wear **16**(6) 119-125 (1995), 3A885
Accelerated high speed water erosion test for concrete wear debris analysis, Trib Trans **39**(4) 943-949 (Oct 1996), 4T913
Dynamic friction measurements of MoS_x coated ball bearing surfaces, J Trib **118**(4) 858-864 (Oct 1996), 4T914
Experimental studies of a head-disk interface subjected to impulsive excitation during nonoperation, J Trib **118**(4) 807-812 (Oct 1996), 4A915
Apparatus for repetitive impact wear testing, J Friction Wear **17**(1) 73-78 (1996), 5A852
Determination of interfacial temperatures under extreme pressure conditions, Trib Letters **2**(3) 221-230 (Oct 1996), 5T853
Measurements of distributions of contact pressures between ground surfaces using PET films, JSME Int J Ser C **39**(3) 621-628 (Sep 1996), 5A854
Method for measuring tractions in disk-to-plate contact using caustic images, Japan J Trib **40**(9) 917-925 (1995), 5A855
Statistical model for interpreting hard disk drive stiction measurements, J Trib **119**(1) 43-48 (Jan 1997), 7A868
Frictional heat resistance tests of materials, J Friction Wear **17**(2) 38-45 (1996), 7A905
Energy dissipation in scanning force microscopy: Friction on an atomic scale, Trib Letters **2**(4) 327-343 (Dec 1996), 7A931
Experimental and computational contact stress evaluation - Part 1: Review, J Friction Wear **17**(2) 100-109 (1996), 7A932
Hardness estimated from the indentation of a spherical body: Some implications for nanoindentation test results, Trib Letters **2**(4) 381-391 (Dec 1996), 7A933
Nanomechanical properties of SiC films grown from C_{60} precursors using atomic force microscopy, J Trib **119**(1) 26-30 (Jan 1997), 7T934
Processing of data on abrasion tests, J Friction Wear **17**(2) 6-12 (1996), 7A935
Advances in research on a multi-channel on-line ferrograph, Trib Int **30**(4) 279-282 (Apr 1997), 9A929
Wear of power plant components due to impact and sliding, Appl Mech Rev **50**(7) 387-411 (Jul 1997), 9A936
Influence of ultrasonic amplitude on friction and wear properties in ultrasonic drive, Japan J Trib **41**(2) 157-169 (1996), 9A943
Influence of ultrasonic shape on friction and wear properties in ultrasonic drives, Japan J Trib **41**(2) 171-181 (1996), 9T944
Machine vision system for tool wear assessment, Trib Int **30**(4) 295-304 (Apr 1997), 9T945
On-line condition monitoring system linked by fiber-optic digital network, Trib Int **30**(4) 275-278 (Apr 1997), 9A946
Systematization of equipment management by the introduction of the equipment diagnosis technique, Japan J Trib **41**(2) 109-118 (1996), 9T947
Photoelastic analysis of stress concentrations in a 2D model of hard inclusions in a metal matrix, Trib Trans **40**(2) 386-390 (Apr 1997), 10A851
Wear mechanism analysis of engine exhaust valve seats with a laboratory simulator, Trib Trans **40**(2) 209-218 (Apr 1997), 10A981
Evaluation of head-disk pseudo-impact contact by acoustic emission technique, Trib Letters **3**(2) 165-174 (Apr 1997), 10A984
Development of a six station knee wear simulator and preliminary wear results, J Eng Med **211**(H1) 37-47 (1997), 10A991
Contact length in grinding - Part 1: Contact length measurement, Proc Inst Mech Eng J: Eng Trib **211**(J1) 67-76 (1997), 11A618
Two-component mixed friction model for a lubricated line contact, J Trib **118**(1) 183-189 (Jan 1996), 11A830
Reductions in wear rate of carbon samples sliding against wavy copper surfaces, J Trib **118**(1) 116-124 (Jan 1996), 11T833
Characterization of wear scar surfaces using combined 3D topographic analysis and contact resistance measurements, Trib Int **30**(7) 517-526 (Jul 1997), 12A938
Fundamental characteristics of wear particle deposition measurement by an improved on-line ferrographic analyzer, Wear **208**(1-2) 42-49 (Jul 1997), 12A948
Characterization of surface topography of wear particles by SEM stereoscopy, Wear **206**(1-2) 39-52 (May 1997), 12A975
High resolution transmission electron microscopy observation of the MoS_x-Au interface formed due to stick-slip of MoS_x sliding on Au in relation to the friction trace, Wear **206**(1-2) 8-14 (May 1997), 12A982
Local slope analysis in the stylus-based assessment of surface integrity, Trib Int **30**(7) 527-532 (Jul 1997), 12T983
Experiences from scratch testing of tribological PVD coatings, Trib Int **30**(7) 507-516 (Jul 1997), 12T991
Friction and wear studies of carbon overcoated thin films magnetic sliders: Application of Raman microspectroscopy, J Trib **119**(3) 471-475 (Jul 1997), 12A992
Plate-impact technique for measuring dynamic friction at high temperatures, J Trib **119**(3) 590-593 (Jul 1997), 12A993
Thin film thermocouple arrays for sliding surface temperature measurement, Wear **207**(1-2) 46-54 (Jun 1997), 12A994
Wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, Wear **208**(1-2) 36-41 (Jul 1997), 12A995
Experimental study of high speed sealing capability of single stage ferrofluidic seals, J Trib **119**(3) 416-421 (Jul 1997), 12A1019

294. MACHINE ELEMENTS

Determination of preload in kinematic ball screw pair, Arch Budowy Maszyn **42**(1-2) 5-17 (1995), 4T916

294B. Belts, chains, and cables

Mechanical models of helical strands, Appl Mech Rev **50**(1) 1-14 (Jan 1997), 2A469
Belt number factor in multiple V-belt drives, J Mech Des **118**(3) 347-352 (Sep 1996), 3A886
Belt slip: A unified approach, J Mech Des **118**(3) 432-438 (Sep 1996), 3A887
Nonlinear coupled vibration response of serpentine belt drive systems, J Vib Acoust **118**(4) 567-574 (Oct 1996), 4A130
Conveying velocity of a vibratory feeder, Comput Struct **62**(1) 197-203 (Jan 1997), 7A936
Application of the model of nonlinear creep to determine the long-term creep strength of conveyor belts, Arch Gornictwa **41**(4) 543-551 (1996), 9A948
Efficiency analysis and improved design of a rubber V-belt CVT, Int J Vehicle Des **18**(2) 119-131 (1997), 9A949
Nonlinear vibration of power transmission belts, J Sound Vib **200**(4) 419-431 (Mar 1997), 9A950
Multipulley belt drive mechanics: Creep theory vs shear theory, J Mech Des **117**(4) 506-511 (Dec 1995), 11A841
Design and analysis of automotive serpentine belt drive systems for steady state performance, J Mech Des **119**(2) 162-168 (Jun 1997), 12A996

294C. Cams

Synthesis of a multi-step cam mechanism to drive a shaking belt conveyor, Mech Machine Theory **31**(7) 913-924 (Oct 1996), 1A902
Numerical analysis of the nonsteady EHL process in high-speed rotating engine cam-tappet pairs, J Trib **118**(3) 637-643 (Jul 1996), 1A1129
Profile determination of plate cams with oscillating convex arbitrary-shaped followers, Proc Inst Mech Eng C **210**(C4) 333-339 (1996), 3A888
Curvature optimization of a cam mechanism with a translating flat-faced follower, J Mech Des **118**(3) 446-449 (Sep 1996), 3A911
Computer-aided simulation approach for mechanisms with time-varying topology, European J Mech Eng **41**(3) 145-152 (1996), 4A917
Radius of curvature and entraining velocity of cam follower mechanisms, Trib Trans **39**(4) 899-907 (Oct 1996), 4A918
Design of cam, steel-strip function mechanism, J Mech Des **118**(4) 532-537 (Dec 1996), 6A941
Design and machining of globoidal index cams, J Manuf Sci Eng **119**(1) 21-29 (Feb 1997), 8A703
Profile determination of planar and spatial cams with cylindrical roller-followers, Proc Inst Mech Eng C **210**(C6) 565-574 (1996), 8A948
Surface contact analysis for a spatial cam mechanism, J Mech Des **119**(2) 169-177 (Jun 1997), 12A997

294D. Springs, dampers

Force coefficients for a centrally grooved short squeeze film damper, J Trib **118**(3) 608-616 (Jul 1996), 1A903
Solutions for the combined motion of finite length squeeze film dampers around the bearing center, J Trib **118**(3) 617-622 (Jul 1996), 1A904
Asymptotic approximations for systems incorporating fractional derivative damping, J Dyn Syst Meas Control **118**(3) 572-579 (Sep 1996), 4A919
Effect of disk roughness on the wear of contact recording heads, J Trib **118**(4) 794-799 (Oct 1996), 4A925
Parametrical optimization of compression helical springs against instability, Struct Optim **12**(2-3) 135-141 (Oct 1996), 5A856
Harmonic synthesis design methodology for dynamic spring balancing, J Dyn Syst Meas Control **118**(4) 733-740 (Dec 1996), 6A160
Harmonic synthesis theory for dynamic spring balancing, J Dyn Syst Meas Control **119**(1) 61-88 (Mar 1997), 9A964
Fluid inertia effects on the performance of short and long squeeze film dampers executing periodic vibration, J Trib **119**(2) 306-314 (Apr 1997), 10A992
Evolutionary model of viscoelastic dampers for structural applications, J Eng Mech **123**(6) 551-560 (Jun 1997), 11A109
Inverse force analysis of a planar two-spring system, J Mech Des **117**(4) 548-553 (Dec 1995), 11A842
General equations of a helical spring with a cup damper and static verification, J Mech Des **119**(2) 319-326 (Jun 1997), 12A998
Semi-active control of friction dampers, J Sound Vib **202**(2) 203-218 (May 1997), 12A999

294E. Couplings

Theory of frictional vibration in wet clutches considering poroelastic properties of paper-based facing, J Trib **118**(3) 520-526 (Jul 1996), 1A193

Investigation on ceramic-metal joints for shaft-hub connections in gas turbines, J Eng Gas Turbines Power **118**(3) 626-631 (Jul 1996), 1A905
Improved Lyapunov function for power system stability analysis, Int J Control **65**(5) 791-802 (Nov 1996), 6A942
Quasistatic efficiency of a concentric ER clutch, J Intelligent Mat Syst Struct **7**(5) 534-540 (Sep 1996), 6A943
Stress analysis of taper locks, Comput Struct **62**(4) 721-736 (Feb 1997), 7A937
Dynamic responses of the flexible connecting rod of a slider-crank mechanism with time-dependent boundary effect, Comput Struct **63**(1) 79-90 (Apr 1997), 8A949
Displacement and force analysis of five-rod suspension with flexible joints, J Mech Des **117**(4) 532-538 (Dec 1995), 11A843
Experimental study of Cardan-joint dynamics, J Mech Des **117**(4) 526-531 (Dec 1995), 11A844
Adjustable-torque slipping clutch, Trib Int **30**(6) 455-457 (Jun 1997), 12T1000

294F. Brakes

Realistic braking operation simulation of ventilated disk brakes, J Trib **118**(3) 466-472 (Jul 1996), 1T906
Effect of wear on rubbing surface temperature of disk brake lining, J Friction Wear **16**(4) 25-34 (1995), 2A930
Non-stationary heat exchange in brakes, J Friction Wear **16**(5) 67-71 (1995), 2A931
Brake system for aircraft, Japan J Trib **40**(10) 1057-1065 (1995), 5T857
Optimization of design of railway disc brake pads, Proc Inst Mech Eng F **210**(F1) 51-61 (1996), 5A858
Design of an electro-hydraulic CNC press brake, Int J Machine Tools Manuf **37**(1) 45-59 (Jan 1997), 6A944
Improvement of pressure behavior of hydraulic brake control system, Acta Polytech Scand Mech Eng **0**(124) 9-108 (1997), 10A484

294G. Gears, gear trains, drives

Gear transmission error measurement using phase demodulation, Proc Inst Mech Eng C **210**(C3) 201-213 (1996), 1A207
Ultimate wear of gear teeth in precision mechanisms, J Friction Wear **16**(3) 40-43 (1995), 1A882
Approximate equation for the addendum modification factors for tooth gears with balanced specific sliding, Mech Machine Theory **31**(7) 925-935 (Oct 1996), 1A907
Computerized design and generation of cycloidal gearings, Mech Machine Theory **31**(7) 891-911 (Oct 1996), 1A908
Determination of the addendum modification factors for gears with pre-established contact ratio, Mech Machine Theory **31**(7) 937-945 (Oct 1996), 1A909
Determination of tip parameters for the protuberance preshaving cutters, Mech Machine Theory **31**(7) 839-849 (Oct 1996), 1A910
Development of reduction gears for robot-arms, Int J Japan Soc Precision Eng **30**(1) 85-86 (Mar 1996), 1T911
Injection molded plastic gears now (Japanese), J Japan Soc Precision Eng **62**(6) 789-794 (Jun 1996), 1T912
Mathematical model and undercutting analysis of elliptical gears generated by rack cutters, Mech Machine Theory **31**(7) 879-890 (Oct 1996), 1A913
Minimization of mechanical losses in design of gear transmissions, J Friction Wear **16**(3) 128-132 (1995), 1A914
Study on the forging of spur gears, Int J Mech Sci **38**(12) 1333-1347 (Dec 1996), 2A583
Thickness of lubricating films in tests of tooth gears, J Friction Wear **16**(4) 128-130 (1995), 2A1139
Automatic detection of clearance in mechanical systems: Experimental validation, Mech Syst Signal Processing **10**(4) 395-412 (Jul 1996), 3A889
Displacements in worm gears with ground concave worm profile, Mech Machine Theory **31**(8) 1131-1140 (Nov 1996), 3A890
Effect of contact ratio on spur gear dynamic load with no tooth profile modifications, J Mech Des **118**(3) 439-443 (Sep 1996), 3A891
Isotropic design of tendon-driven manipulators, J Mech Des **118**(3) 360-366 (Sep 1996), 3A892
Stress analysis in worm gears with ground concave worm profile, Mech Machine Theory **31**(8) 1121-1130 (Nov 1996), 3A893
Torsional stiffness of a machine drive element with tensile web structure, Mech Machine Theory **31**(8) 1043-1052 (Nov 1996), 3A894
Conceptual design of hybrid transmissions for motorcycle applications, Int J Vehicle Des **17**(4) 430-448 (1996), 3A903
Computer-aided sketching of epicyclic-type automatic transmission gear trains, J Mech Des **118**(3) 405-411 (Sep 1996), 3A905
Efficient optimum design procedure for bicycle rear derailers, Int J Vehicle Des **17**(4) 483-503 (1996), 3A907
Kinematic characteristics and improvements for the modified intermittent gear mechanism, Mech Machine Theory **31**(8) 1095-1107 (Nov 1996), 3A916
Maxwell's treatment of governors fitted with differential gears, Int J Control **65**(3) 385-408 (Oct 1996), 4A76
Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, J Dyn Syst Meas Control **118**(3) 463-467 (Sep 1996), 4A402
Effects of the hob cutter regrinding and setting on ZE-type worm gear manufacture, Int J Machine Tools Manuf **36**(10) 1123-1135 (Oct 1996), 4A471
Tooth bending fatigue failures in gears, Eng Failure Anal **3**(3) 219-225 (Sep 1996), 4A715
Gear defect detection through model-based wideband demodulation of vibrations, Mech Syst Signal Processing **10**(5) 653-665 (Sep 1996), 4A920
Synthesis of bevel gearings on the basis of the theory of quasilinear contact, J Machinery Manuf Reliab **2** 18-24 (1996), 4T921
Theoretically accurate equations of a straight bevel gear tooth flank, Arch Budowy Maszyn **41**(3-4) 315-324 (1994), 4A922
Curvatures of the enveloped helicoid, Mech Machine Theory **32**(1) 111-120 (Jan 1997), 5A859
Improvement of load-carrying capacity and longevity of high-speed gearings, J Friction Wear **17**(1) 120-122 (1996), 5A860
Load distribution analysis method for cylindrical worm gear teeth, JSME Int J Scr C **39**(3) 606-613 (Sep 1996), 5A861
Rotational vibration of a helical gear pair having tooth surface deviation during transmission of light load, JSME Int J Scr C **39**(3) 614-620 (Sep 1996), 5A862
Study on the mathematical models and contact ratios of extended cycloid and cycloid bevel gear sets, Mech Machine Theory **32**(1) 39-50 (Jan 1997), 5A863
Analytical expression for the time-varying contact length in perfect cylindrical gears: Some possible applications in gear dynamics, J Mech Des **118**(4) 586-589 (Dec 1996), 6A945
Application of FE analysis for determination of load share, real contact ratio, precision of motion, and stress analysis, J Mech Des **118**(4) 561-567 (Dec 1996), 6A946
Computerized design, generation, and simulation of meshing and contact of worm-gear drives with improved geometry, Comput Methods Appl Mech Eng **138**(1-4) 73-103 (Dec 1996), 6A947
Computerized determination of gear tooth surface as envelope to two parameter family of surfaces, Comput Methods Appl Mech Eng **138**(1-4) 213-225 (Dec 1996), 6A948
Design of an engagement guiding mechanism for roller chain drives, J Mech Des **118**(4) 538-543 (Dec 1996), 6A949
Enhancing hydrostatic gear efficiency through nonlinear optimal control strategies, J Dyn Syst Meas Control **118**(4) 727-732 (Dec 1996), 6A950
Finite element and experimental studies of creep at the interface of press fitted gears-shafts connections, J Mech Des **118**(4) 568-572 (Dec 1996), 6A951
Framework for efficiency evaluation of multi-dof gear trains, J Mech Des **118**(4) 556-560 (Dec 1996), 6A952
Kinematic and geometric models of gear drives, J Mech Des **118**(4) 544-550 (Dec 1996), 6A953
Kinematics and strength of biharmonic gear drives, Acta Polytech Scand Mech Eng **0**(122) 9-105 (1996), 6A954
Method for thermal analysis of spiral bevel gears, J Mech Des **118**(4) 580-585 (Dec 1996), 6A955
Simple model for the axial thrust in V-belt drives, J Mech Des **118**(4) 589-592 (Dec 1996), 6A956
Three-dimensional gears modeling in multibody systems analysis, Int J Numer Methods Eng **40**(2) 357-381 (Jan 1997), 6A957
Complete balancing of the shaking moment in spatial linkages by adding planar noncircular gears, Arch Appl Mech **67**(1-2) 44-49 (Dec 1996), 6A959
Computerized design and analysis of face-milled, uniform tooth height spiral bevel gear drives, J Mech Des **118**(4) 573-579 (Dec 1996), 6A961
Computerized design, generation and simulation of meshing and contact of modified involute, Klingelnberg and Flender type worm-gear drives, J Mech Des **118**(4) 551-555 (Dec 1996), 6A962
Bifurcations of higher subharmonics and chaos in a forced vibratory system with an asymmetrical restoring force, JSME Int J Ser C **39**(4) 753-766 (Dec 1996), 7A93
Method for ball screw generation without form-dressing, JSME Int J Ser C **39**(4) 871-877 (Dec 1996), 7A621
New dressing method for gear honing wheel and its effectiveness - 2nd Report: Improvement of dressing ability with slant feeding (Japanese), J Japan Soc Precision Eng **62**(12) 1727-1731 (12 1996), 7A638
Analytical and numerical modeling of engagement of rough, permeable, grooved wet clutches, J Trib **119**(1) 143-148 (Jan 1997), 7A938
Influence of nonlinear stiffness of teeth on dynamic loads in gear transmission, Meccanica **31**(6) 665-672 (12 1996), 7A939
Mathematical model of spiral bevel and hypoid gears manufactured by the modified roll method, Mech Machine Theory **32**(2) 121-136 (Feb 1997), 7A940
Computerized design, generation, and simulation of meshing of rotors of screw compressor, Mech Machine Theory **32**(2) 137-160 (Feb 1997), 7A954
New model for the numerical determination of pitting resistance of gear teeth flanks, Fatigue Fracture Eng Mat Struct **20**(1) 71-83 (1997), 8A729
Analysis of meshing of beveloid gears, Mech Machine Theory **32**(3) 363-373 (Apr 1997), 8A950
Computer-aided design of a two-stage gearbox, Adv Eng Software **28**(1) 73-82 (Jan 1997), 8A951
Indentation of a punch into an elastic 3D wedge as a model of contact interaction between the surfaces of gearing teeth, J Machinery Manuf Reliab **3** 89-94 (1996), 8T952
Method for improving bicycle shifting performance, Int J Vehicle Des **18**(1) 100-117 (1997), 8A953
Modeling and analysis of a high-speed transmission with multi-path, elastomeric load-share gears, Mech Machine Theory **32**(3) 295-312 (Apr 1997), 8A954
Novel worm gear of high efficiency, Proc Inst Mech Eng C **210**(C6) 597-599 (1996), 8A955
Testing of the kinematic conjugation of the flanks active surfaces of gear-pairs of type spiroid, Mech Machine Theory **32**(3) 343-348 (Apr 1997), 8A956
Optimization of pumping units of internal involute gear pumps, J Machinery Manuf Reliab **3** 29-34 (1996), 8A963
Tool paths pattern in planetary gear mechanisms of the trajectory type, J Machinery Manuf Reliab **3** 73-76 (1996), 8T970
Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, J Japan Soc Precision Eng **63**(2) 259-263 (Feb 1997), 9A423
Effect of rim thickness on gear crack propagation path, J Mech Des **119**(1) 88-95 (Mar 1997), 9A711
Analysis of transmission errors under load of helical gears with modified tooth surfaces, J Mech Des **119**(1) 120-126 (Mar 1997), 9A951
Analytical and experimental identification of nonlinearities in a single-nut, preloaded ball screw, J Mech Des **119**(1) 15-19 (Mar 1997), 9A952
Computerized design, generation and simulation of meshing of modified involute spur gears with localized bearing contact and reduced level of transmission errors, J Mech Des **119**(1) 96-100 (Mar 1997), 9A953
Contact stress analysis in ball screw mechanism using the tubular medial axis representation of contacting surfaces, J Mech Des **119**(1) 8-14 (Mar 1997), 9A954
General mathematical model for gears cut by CNC hobbing machines, J Mech Des **119**(1) 108-113 (Mar 1997), 9A955
Internal bevel gear and its applications, Proc Inst Mech Eng J Aerospace Eng **211**(G1) 39-61 (1997), 9A956
Meshing characteristics of the spiroid gearings (Polish), Strojnicky Casopis **48**(1) 37-46 (1997), 9A957
Offset face gear drives: Tooth geometry and contact analysis, J Mech Des **119**(1) 114-119 (Mar 1997), 9A958
EHD lubrication characteristics of a new type of ground cylindrical worm gearing, J Mech Des **119**(1) 101-107 (Mar 1997), 9A1187
Local tooth fault detection in gearboxes using a moving window procedure, Mech Syst Signal Processing **11**(3) 331-350 (May 1997), 11A324
Surface improvement and durability of case-carburized gear: Results of basic rollers running test, Int J Japan Soc Precision Eng **31**(1) 33-38 (Mar 1997), 11A346
Analytical investigation of the change in phase angle between the wave generator and the teeth meshing zone in high-torque mechanical harmonic drives, Mech Machine Theory **32**(5) 533-538 (Jul 1997), 11A845
Backlash detection in geared mechanisms: Modeling, simulation, and experimentation, Mech Syst Signal Processing **11**(3) 391-408 (May 1997), 11A846
Development of ultra-small sized servo actuator with brushless DC Motor, planetary gear drive and optical rotary encoder, Int J Japan Soc Precision Eng **31**(1) 1-5 (Mar 1997), 11A847
Dynamic analysis of spur gear pairs: Steady-state response and stability of the sdof model with time-varying meshing damping, Mech Syst Signal Processing **11**(3) 375-390 (May 1997), 11A848
Finite element modeling of engagement of rough and grooved wet clutches, J Trib **118**(1) 137-146 (Jan 1996), 11A849
Nonlinear dynamic loads on gear teeth in discrete-continuous model of single gear transmission, Meccanica **32**(2) 165-168 (Apr 1997), 11T850
Automatic detection of embedded structure in planetary gear trains, J Mech Des **119**(2) 315-318 (Jun 1997), 12A1001
Experiments of scoring and the calculation of scoring on gears by heat method, Wear **206**(1-2) 204-213 (May 1997), 12A1002
Global-local integrated study of roller chain meshing dynamics, J Sound Vib **203**(1) 41-62 (May 1997), 12A1003
Improved epicyclic gearbox for reduced and controllable subsynchronous vibrations in gas turbogenerator applications, J Eng Gas Turbines Power **119**(3) 640-646 (Jul 1997), 12T1004
LADD transmissions: Design, manufacture, and new compliance models, J Mech Des **119**(2) 197-203 (Jun 1997), 12A1005
Numerical methods for the simulation of geared transmission dynamic behavior formulation and assessment, J Mech Des **119**(2) 292-298 (Jun 1997), 12T1006
Systematic synthesis and applications of novel multi-dof differential systems, J Mech Des **119**(2) 284-291 (Jun 1997), 12A1007
Use of noncircular gears to reduce torque and speed fluctuations in rotating shafts, J Mech Des **119**(2) 299-306 (Jun 1997), 12A1008
Kinematic optimization of a modified helical gear train, J Mech Des **119**(2) 307-314 (Jun 1997), 12A1029

294H. Bearings

Bearing condition monitoring by pattern recognition based on biocoherence analysis of vibrations, Proc Inst Mech Eng C **210**(C3) 277-285 (1996), 1A225
Study on rolling contact fatigue life of linear motion ball guides system (Japanese), J Japan Soc Precision Eng **62**(6) 865-870 (Jun 1996), 1A886
Analysis of a four-bar mechanism with a radially compliant clearance joint, Proc Inst Mech Eng C **210**(C3) 215-223 (1996), 1A915
Estimation of lubricating conditions in standard rolling-contact bearings: Calculation of ball bearings, Russian Aeronaut **38**(4) 30-33 (1995), 1A916
Evaluation of dynamic coefficients of a two-lobe journal bearing using an electrical analogy approach, J Trib **118**(3) 657-662 (Jul 1996), 1A917
Nonlinear stability analysis of a rigid rotor on tilting pad journal bearings, Trib Int **29**(7) 571-578 (Nov 1996), 1A918
Prediction of equivalent radial loads for tapered roller bearings, J Trib **118**(3) 651-656 (Jul 1996), 1A919
Starting and steady-state friction torque of grease-lubricated rolling element bearings at low temperatures - Part I: A parametric study, Trib Trans **39**(3) 517-526 (Jul 1996), 1T920
Steady state analysis of non-circular worn journal bearings in nonlaminar lubrication regimes, Trib Int **29**(6) 493-498 (Sep 1996), 1A921
Characteristics of air bearing suction force in magnetic recording disks, J Trib **118**(3) 549-554 (Jul 1996), 1A1135
Speed dependence, takeoff and stiction of a new class of gas bearing sliders, Trib Trans **39**(3) 603-608 (Jul 1996), 1A1136
Performance of a powder lubricated journal bearing with WS$_2$ powder: Experimental study, J Trib **118**(3) 484-491 (Jul 1996), 1A1139
Experimental study of freely alignable journal bearings - Part 2: Dynamic characteristics, J Trib **118**(3) 503-508 (Jul 1996), 1A1147
Computational and experimental evaluation of the effect of engine disbalance on wear of crankshaft bearings, J Friction Wear **16**(5) 46-52 (1995), 2A880
Bacterial decomposition of excessive oil in sliding bearings, J Friction Wear **16**(5) 109-110 (1995), 2A932
Relation between the characteristic permeability of porous bearings sleeves evaluated from an air or oil flow characteristics, J Friction Wear **16**(4) 59-67 (1995), 2A933
Analysis of steady behavior for electrorheological (ER) "Smart" journal bearings (Chinese), J Dalian Univ Tech **36**(4) 402-407 (Jul 1996), 2A1121
Estimation of lubrication conditions for predicting rolling bearing life, J Friction Wear **16**(5) 25-27 (1995), 2A1125
Active and passive vibration control of an axially moving beam by smart hybrid bearings, J Sound Vib **195**(4) 575-584 (Aug 1996), 3A146
Feasibility of conditioning monitoring of bearings used in a viaduct, Appl Acoust **48**(3) 237-247 (Jul 1996), 3A895
Tribology of bearings and sliding guides with magnetic off-loading, J Friction Wear **16**(6) 37-52 (1995), 3A896
Self-excited vibrations in active hydrodynamic bearings, J Brazilian Soc Mech Sci **18**(3) 263-272 (Sep 1996), 3A1208
In-situ identification of active magnetic bearing system using directional frequency response functions, J Dyn Syst Meas Control **118**(3) 586-592 (Sep 1996), 4A330

Model error compensation for bearing temperature and preload estimation, J Dyn Syst Meas Control **118**(3) 580-585 (Sep 1996), 4A331
Implicit multidomain spectral collocation method for the simulation of gas bearings between textured surfaces, J Trib **118**(4) 783-793 (Oct 1996), 4A830
Analysis of rotors considering distributed bearing stiffness and damping, Comput Struct **61**(5) 951-955 (Dec 1996), 4A923
Detection of roller bearing defects using expert system and fuzzy logic, Mech Syst Signal Processing **10**(5) 595-614 (Sep 1996), 4A924
Effect of disk roughness on the wear of contact recording heads, J Trib **118**(4) 794-799 (Oct 1996), 4A925
Magnetic bearing design for reduced power consumption, J Trib **118**(4) 839-846 (Oct 1996), 4A926
Optimum design of a magnetic bearing-controlled rotor system, Appl Mech Eng **1**(2) 263-291 (1996), 4A927
Rolling-element bearing internal temperatures, Trib Trans **39**(4) 855-858 (Oct 1996), 4A928
Specific features of the formation of a hydrodynamic-lubricant layer in bearings made of a metalfluoroplastic band, J Machinery Manuf Reliab **2** 25-28 (1996), 4A929
Squeeze film behavior in a hemispherical porous bearing using the Brinkman model, Trib Trans **39**(4) 769-778 (Oct 1996), 4T930
Stability of rotors supported in gas bearings with bushes mounted in air rings, Wear **199**(1) 100-112 (Nov 1996), 4A931
Study of the oil-lubricated herringbone-grooved journal bearing - Part I: Numerical analysis, J Trib **118**(4) 906-911 (Oct 1996), 4T932
Computed effects of rotor-induced swirl on brush seal performance - Part I: Leakage analysis, J Trib **118**(4) 912-919 (Oct 1996), 4A933
Inertia effect in multilobe conical bearing with an incompressible Newtonian lubricant, Appl Mech Eng **1**(2) 153-171 (1996), 4A1174
Identification of the unbalance distribution and dynamic characteristics of bearings in flexible rotors, Proc Inst Mech Eng C **210**(C5) 409-432 (1996), 5A134
Study on fretting wear of rolling bearings - Part 3: Effects of Mindlin slip and differential slip on fretting wear, Japan J Trib **40**(9) 907-915 (1995), 5T831
Active thermal preload regulation for machine tool spindles with rolling element bearings, J Manuf Sci Eng **118**(4) 499-505 (Nov 1996), 5A864
Analysis of contact force and thermal behavior of lip seals, Trib Int **30**(2) 113-119 (Feb 1997), 5A865
Computational results of a dynamic simulation of the conforming shell gas journal bearing, Trib Int **30**(2) 151-162 (Feb 1997), 5T866
Modeling pressure distribution in a rectangular gas bearing using neural networks, Trib Int **30**(2) 139-150 (Feb 1997), 5A867
Nonlinear analysis of dynamic characteristics of cylindrical bearing oil film, JSME Int J Ser C **39**(3) 577-585 (Sep 1996), 5A868
Optimum magnetic bearing design considering performance limitations, JSME Int J Ser C **39**(3) 586-596 (Sep 1996), 5A869
Thermal evaluation of a dry nonrotating thin section contact bearing, J Manuf Sci Eng **118**(4) 610-614 (Nov 1996), 5A870
Analytical solution for tilted hydrostatic multi-pad thrust bearings of infinite length, Trib Int **30**(1) 33-39 (Jan 1997), 5A1104
Hydrodynamic lubrication of squeeze-film porous bearings, Acta Mech **118**(1-4) 121-134 (1996), 5A1108
Empirical correlations for the pressure depression in externally pressurized gas bearings, Trib Int **30**(1) 59-67 (Jan 1997), 5T1113
Steady-state behavior of flexible rotordynamic systems with oil journal bearings, Nonlinear Dyn **11**(3) 295-313 (Nov 1996), 6A112
Isotropic optimal control of active magnetic bearing system, J Dyn Syst Meas Control **118**(4) 721-726 (Dec 1996), 6A407
Lubrication analysis of externally pressurized circular porous bearings, Appl Math Model **20**(12) 870-876 (Dec 1996), 6A1207
Active control of multi-mode rotor-bearing systems using HSFDs, J Trib **119**(1) 49-56 (Jan 1997), 7A354
Effects of low speed on roller bearing fatigue life, Trib Trans **40**(1) 129-137 (Jan 1997), 7A904
Analysis of contact parameters calculation methods for nonmetallic sliding bearings, J Friction Wear **17**(2) 19-23 (1996), 7A941
Characteristics of a spindle bearing system with a gear located on the bearing span, Int J Machine Tools Manuf **37**(2) 171-181 (Feb 1997), 7A942
Effect of hoop stress on ball bearing life prediction, Trib Trans **40**(1) 91-101 (Jan 1997), 7A943
How to obtain stiffness and damping coefficients of gas bearings, Wear **201**(1-2) 265-275 (Dec 1996), 7A944
Static characteristics of rotor bearing system lubricated with couple stress fluids, Comput Struct **62**(1) 175-184 (Jan 1997), 7A945
Experimental-analytical study of high-speed, high-load rolling-sliding contacts with ultra-low viscosity fluids, Trib Trans **40**(1) 41-48 (Jan 1997), 7A1194
Nonlinear model for structural vibrations in rolling element bearings - Part I: Derivation of governing equations, J Trib **119**(1) 126-131 (Jan 1997), 7A1195
Transient response of externally pressurized fluid film bearings, Trib Trans **40**(1) 147-155 (Jan 1997), 7T1196
Calculation and measurement of the stiffness and damping coefficients for a low impedance hydrodynamic bearing, J Trib **119**(1) 57-63 (Jan 1997), 7A1202
Multi-objective optimization of a flexible rotor in magnetic bearings with critical speeds and control current constraints, J Eng Gas Turbines Power **119**(1) 186-195 (Jan 1997), 8A402
Vibration and control of a flexible rotor in magnetic bearings using hybrid method and H^{∞} control theory, J Eng Gas Turbines Power **119**(1) 178-185 (Jan 1997), 8A408
Evaluation of indentation and finishing properties of bearing grade silicon nitrides, J Eng Gas Turbines Power **119**(1) 196-199 (Jan 1997), 8A957
Magnetic thrust bearing operation and industrial pump application, J Eng Gas Turbines Power **119**(1) 168-173 (Jan 1997), 8A958
Measured force-current relations in solid magnetic thrust bearings, J Eng Gas Turbines Power **119**(1) 137-142 (Jan 1997), 8A959
Design procedure of an advanced spherical hydrostatic bearing used in rotary forging presses, Int J Machine Tools Manuf **37**(5) 649-656 (May 1997), 9A959
Shaft response characteristics of hybrid type hydrostatic journal gas bearings with fluid damper (Japanese), J Japan Soc Precision Eng **63**(2) 203-207 (Feb 1997), 9A960
Optimization of bearing locations for rotor systems with magnetic bearings, J Eng Gas Turbines Power **119**(2) 464-468 (Apr 1997), 10A217
Synchronous dynamics of a coupled shaft-bearing-housing system with auxiliary support from a clearance bearing: Analysis and experiment, J Eng Gas Turbines Power **119**(2) 430-435 (Apr 1997), 10A219
Multivariable trend analysis using neural networks for intelligent diagnostics of rotating machinery, J Eng Gas Turbines Power **119**(2) 378-384 (Apr 1997), 10A514
Semi-analytical modeling of crack initiation dominant contact fatigue life for roller bearings, J Trib **119**(2) 233-240 (Apr 1997), 10A759
Comparison of predicted and measured rotor losses in planar radial magnetic bearings, Trib Trans **40**(2) 219-226 (Apr 1997), 10T993
Experimental investigation on the misalignment effects in journal bearings, Trib Trans **40**(2) 235-242 (Apr 1997), 10A994
Flying characteristics of the transverse and negative pressure contour (TNP) slider air bearing, J Trib **119**(2) 241-249 (Apr 1997), 10A995
Measurements of static loading versus eccentricity in a flexure-pivot tilting pad journal bearing, J Trib **119**(2) 297-305 (Apr 1997), 10A996
Nonlinear model for structural vibrations in rolling element bearing - Part II: Simulation and results, J Trib **119**(2) 323-331 (Apr 1997), 10A997
Optimum design of high-speed, short journal bearings by mathematical programming, Trib Trans **40**(2) 283-293 (Apr 1997), 10A998
Adaptive forced balancing for multivariable systems, J Dyn Syst Meas Control **117**(4) 496-502 (Dec 1995), 11A142
Ceramic hybrid bearings in air-cycle machines, J Eng Gas Turbines Power **118**(1) 184-190 (Jan 1996), 11A482
Ball bearing dynamic analysis using computer methods - Part I: Analysis, J Trib **118**(1) 52-58 (Jan 1996), 11A851
Bearing localized defect detection by bicoherence analysis of vibrations, J Eng Indust **117**(4) 625-629 (Nov 1995), 11A852
Global approach of thermal effects including pad deformations in tilting-pad journal bearings submitted to unbalance load, J Trib **118**(1) 169-174 (Jan 1996), 11A853
Loss of lubricant from oil-lubricated near-starved spherical roller bearings, Proc Inst Mech Eng J: Eng Trib **211**(J1) 51-66 (1997), 11T854
Radial and axial stiffnesses of tapered roller bearings under combined load, J Trib **118**(1) 257-263 (Jan 1996), 11T855
Side-pull and stiffness of magnetic bearing radial flux return paths, J Trib **118**(1) 98-101 (Jan 1996), 11A856
Static and dynamical behaviors of pure squeeze films in couple stress fluid-lubricated short journal bearings, Proc Inst Mech Eng J: Eng Trib **211**(J1) 29-36 (1997), 11A1177
Thermal analysis of noncircular bearings, J Trib **118**(1) 246-254 (Jan 1996), 11A1190
Thermohydrodynamic analysis of tilting-pad journal bearings operating in turbulent flow regime, J Trib **118**(1) 225-231 (Jan 1996), 11A1191
Thermohydrodynamic design charts for tilting-pad journal bearings, J Trib **118**(1) 232-238 (Jan 1996), 11A1192
Experimental investigation of the effect of shaft heating and cooling on single bore journal bearing, Wear **207**(1-2) 112-117 (Jun 1997), 12A971
Bearing characteristics of hydrostatic gas bearings with hybrid restrictor: Experimental study (Japanese), J Japan Soc Precision Eng **63**(5) 731-733 (May 1997), 12T1009
Cavitation in noncircular journal bearings, Wear **207**(1-2) 122-127 (Jun 1997), 12A1010
Effects of journal misalignment on the performance characteristics of three-lobe bearings, Wear **206**(1-2) 122-129 (May 1997), 12A1011
Nonlinear bearing stiffness parameter extraction from random response in flexible rotor-bearing systems, J Sound Vib **203**(3) 389-408 (Jun 1997), 12A1012
Parameter identification of hysteresis friction of coated ball bearings based on 3D FEM analysis, J Trib **119**(3) 462-470 (Jul 1997), 12A1013
Precision magnetic bearing - 2nd Report: Displacement estimation by an observer and sensorless precision positioning (Japanese), J Japan Soc Precision Eng **63**(5) 694-698 (May 1997), 12T1014
Prediction of ball fatigue life in a ball and v-ring test rig, J Trib **119**(3) 365-374 (Jul 1997), 12A1015
Rotordynamic analysis of a vertical pump with tilting-pad journal bearings, Wear **207**(1-2) 128-136 (Jun 1997), 12A1016
Lubrication theory for a fiber suspension - Part 2: Flow in a journal bearing, J Non-Newtonian Fluid Mech **71**(1-2) 137-161 (Jul 1997), 12A1196
Effects of couple stresses on the lubrication of finite journal bearings, Wear **206**(1-2) 171-178 (May 1997), 12A1206

294I. Gaskets, seals, etc

Advanced seals for engine secondary flowpath, J Propulsion Power **12**(4) 794-799 (Jul-Aug 1996), 1A922
Effects of wall flexibility on the rotordynamic coefficients of turbulent cryogenic annular seals, J Trib **118**(3) 509-519 (Jul 1996), 1A923
Hydrodynamic lubrication of face seal in a turbulent flow regime, J Trib **118**(3) 589-600 (Jul 1996), 1T924
Model for mechanical seals with regular microsurface structure, Trib Trans **39**(3) 677-683 (Jul 1996), 1A925
Radial lip seal analysis: FE solution for a body of revolution, Trib Trans **39**(4) 908-914 (Oct 1996), 4T23
Computed effects of rotor-induced swirl on brush seal performance - Part I: Leakage analysis, J Trib **118**(4) 912-919 (Oct 1996), 4A933
Computed effects of rotor-induced swirl on brush seal performance - Part 2: Bristle force analysis, J Trib **118**(4) 920-926 (Oct 1996), 4A934
Bulk-flow model for the transition to turbulence regime in annular pressure seals, Trib Trans **39**(4) 835-842 (Oct 1996), 4A1168
Hydrodynamic effects on the boiling interface in a misaligned, two-phase, mechanical seal: A qualitative study, Trib Trans **39**(4) 922-928 (Oct 1996), 4A1173
Magnetorheological fluid-based seal, J Intelligent Mat Syst Struct **7**(5) 569-572 (Sep 1996), 6A958
Thermohydrodynamic analysis of eccentric annular seals using cubic spline interpolations, Trib Trans **40**(1) 183-194 (Jan 1997), 7A908
Finite Element Fourier series for asymmetric loads on radial lip seals, Trib Trans **40**(1) 11-20 (Jan 1997), 7A946
Frictional performance of an O-ring type seal at the commencement of linear motion, Trib Letters **2**(4) 405-416 (Dec 1996), 7T947
Influence of clogging of filters and throttles on face seal performance, J Friction Wear **17**(2) 67-71 (1996), 7A948
Rotary lip seal operation with an ingested meniscus, J Trib **119**(1) 205-210 (Jan 1997), 7A949
Steady-state analysis of mechanical seals with two flexibly mounted rotors, J Trib **119**(1) 200-204 (Jan 1997), 7A950
Force analysis of the apex seals in the Wankel rotary compressor including the influence of fluctuations in the crankshaft speed, Mech Machine Theory **32**(3) 349-361 (Apr 1997), 8A960
Numerical investigation of an improved gas and steam turbine seal, Proc Inst Mech Eng A **210**(A6) 477-479 (1996), 8A961
Inclusion of roughness effects in perturbed Navier-Stokes rotordynamic methods, J Trib **119**(2) 358-360 (Apr 1997), 10A985
Forces and moments due to misalignment vibrations in annular liquid seals using the averaged Navier-Stokes equations, J Trib **119**(2) 279-290 (Apr 1997), 10A999
Boiling interface in a misaligned two-phase mechanical seal, J Trib **119**(2) 265-272 (Apr 1997), 10A1266
Rotor dynamic coefficients of eccentric mechanical face seals, J Trib **118**(1) 215-224 (Jan 1996), 11A150
Phase change in a misaligned mechanical face seal, J Trib **118**(1) 109-115 (Jan 1996), 11A857
Roughness influence on turbulent flow through annular seals including inertia effects, J Trib **118**(1) 175-182 (Jan 1996), 11A1184
Analysis of a test case for annular seal flows, J Trib **119**(3) 408-415 (Jul 1997), 12A1017
Eccentricity effects on the rotordynamic coefficients of plain annular seals: Theory versus experiment, J Trib **119**(3) 443-448 (Jul 1997), 12A1018
Experimental study of high speed sealing capability of single stage ferrofluidic seals, J Trib **119**(3) 416-421 (Jul 1997), 12A1019
Numerical study of the stable dynamic behavior of radial face seals with grooved faces, J Trib **119**(3) 507-514 (Jul 1997), 12A1020
Rotordynamic coefficients of circumferentially-grooved liquid seals using the averaged Navier-Stokes equations, J Trib **119**(3) 556-567 (Jul 1997), 12A1021
Modeling rotary lip seals, Wear **207**(1-2) 92-99 (Jun 1997), 12A1216

294J. Linkages

Kinematical model for quick return mechanism using movement restrictions (Spanish), Revista Eng Ciencias Aplicadas **2** 119-132 (1994), 1A931
Fourfold generalization of Peaucellier's inversion cell, Meccanica **31**(4) 407-420 (Aug 1996), 2A934
Branch identification of geared five-bar chains, J Mech Des **118**(3) 384-389 (Sep 1996), 3A897
Rectified synthesis of six-bar mechanisms with well-defined transmission angles for four-position motion generation, J Mech Des **118**(3) 377-383 (Sep 1996), 3A898
The λ-formed 4-bar linkages set in a translation-position to design mechanisms approximating a straight line, Mech Machine Theory **31**(8) 1033-1042 (Nov 1996), 3T919
Multi-generation of coupler curves of spatial linkages, Mech Machine Theory **32**(1) 103-110 (Jan 1997), 5A876
Complete balancing of the shaking moment in spatial linkages by adding planar noncircular gears, Arch Appl Mech **67**(1-2) 44-49 (Dec 1996), 6A959
Passing a central axis congruence through six arbitrary lines in space, J Mech Des **118**(4) 515-519 (Dec 1996), 6A970
Kinematic analysis and dimensional synthesis of general-type Sarrus mechanism, JSME Int J Ser C **39**(4) 790-799 (Dec 1996), 7A951
Synthesis of planar multilink mechanisms based on genetic algorithms, JSME Int J Ser C **39**(4) 828-836 (Dec 1996), 7A952
Synthesis of mechanical error in spatial linkages based on reliability concept, Mech Machine Theory **32**(2) 255-259 (Feb 1997), 7A955
Flexible joints made of polymer composites for load transfer in measuring systems (Polish), Strojnicky Casopis **48**(2) 106-115 (1997), 10A1000
Circuit rectification for four precision position synthesis of four-bar and watt six-bar linkages, J Mech Des **117**(4) 612-619 (Dec 1995), 11A858
Direct rotatability criterion for spherical four-bar linkages, J Mech Des **117**(4) 597-600 (Dec 1995), 11A859
Synthesis of programmable mechanisms using adjustable dyads, J Mech Des **119**(2) 232-237 (Jun 1997), 12A1022

294L. Hydraulic and pneumatic mechanisms

Concept of automatic control for a passenger car clutch, Proc Inst Mech Eng D **210**(D3) 227-233 (1996), 2A935
New dimensionless dynamic model of hydrostatic transmission and its splitting (Czech), Strojnicky Casopis **47**(4) 237-253 (1996), 3A899
Adaptive predictive controller for hydraulic systems driven by fast switching on-off solenoid valves, JSME Int J Ser C **39**(3) 522-527 (Sep 1996), 5A282
Application of unified predictive control to on-off control of hydraulic system driven by fast-switching solenoid valves, JSME Int J Ser C **39**(3) 515-521 (Sep 1996), 5A871
Modeling of Hydrostatic transmission: Steady state, linear, and nonlinear models, Acta Polytech Scand Mech Eng **0**(123) 9-101 (1996), 6A960
Optimization of pumping units of internal involute gear pumps, J Machinery Manuf Reliab **3** 29-34 (1996), 8A963
Evaluation of shock absorber models, Vehicle Syst Dyn **27**(2) 109-127 (Feb 1997), 9A374
Application of differential pneumatic clutches with and without autoregulation in torsionally oscillating mechanical systems (Polish), Strojnicky Casopis **48**(2) 116-125 (1997), 10A1001
Determination and relation of various efficiencies of a symmetric hydrostatic transmission at periodic load (Polish), Strojnicky Casopis **48**(2) 69-85 (1997), 10A1002

294M. Hoisting devices

Load control system for mobile cranes, Mech Res Commun 23(4) 395-400 (Jul-Aug 1996), 1T926

294P. Other mechanisms (incl micromechanisms)

Fourfold generalization of Peaucellier's inversion cell, Meccanica 31(4) 407-420 (Aug 1996), 2A934
Oil as a structural member of machines and mechanisms, J Friction Wear 16(5) 76-80 (1995), 2A1117
Complicated behavior of micromachines (Japanese), J Japan Soc Precision Eng 62(8) 1106-1110 (Aug 1996), 3T900
Number and dimensional synthesis of independent suspension mechanisms, Mech Machine Theory 31(8) 1141-1153 (Nov 1996), 3A901
Novel pump for MEMS applications, J Fluids Eng 118(3) 624-627 (Sep 1996), 4A935
Two-dimensional piston ring lubrication - Part I: Rigid ring and liner solution, Trib Trans 39(4) 757-768 (Oct 1996), 4T936
Dynamics and control of intelligent jig with function of manipulation, JSME Int J Ser C 39(3) 549-559 (Sep 1996), 5A348
Analytical and numerical modeling of engagement of rough, permeable, grooved wet clutches, J Trib 119(1) 143-148 (Jan 1997), 7A938
Inverse dynamics of a toggle mechanism, Comput Struct 63(1) 91-99 (Apr 1997), 8A962
Materials for Mechanical and Optical Microsystems (Mat Res Soc, Pittsburgh PA, 1997) 9N17
Mechanical design for JET-X aperture door, J Mech Des 119(1) 142-144 (Mar 1997), 9T961
Tribology of three-element: Traveller-ring-yarn friction arrangements in ring spinning reaction of ring to traveller in two-contact configuration - Part 1, Fibres Textiles in E Europe 4(2) 28-33 (Apr-Jun 1996), 9A962
Dynamics in Small Confining Systems III (Mat Res Soc, Pittsburgh PA, 1997) 11N27
Finite element modeling of engagement of rough and grooved wet clutches, J Trib 118(1) 137-146 (Jan 1996), 11A849

294Y. Computational techniques

Automated synthesis of surface generation equations with application to gearing, Comput Methods Appl Mech Eng 135(1-2) 63-83 (Aug 1996), 3A902
Study of the oil-lubricated herringbone-grooved journal bearing - Part I: Numerical analysis, J Trib 118(4) 906-911 (Oct 1996), 4T932
Computed effects of rotor-induced swirl on brush seal performance - Part I: Leakage analysis, J Trib 118(4) 912-919 (Oct 1996), 4A933
Numerical analysis of an impact of different degrees of bearing nodes simplification on operation of large rotormachine (Turbogenerator 200MW) (Polish), Trans Inst Fluid-Flow Machinery 0(101) 43-67 (1996), 9A172
Generalized Abbe principle: Position error propagation in machine elements, J Mech Des 119(1) 1-7 (Mar 1997), 9A963
Numerical investigation of tri-pad sliders and comparison to other slider designs, Wear 207(1-2) 107-111 (Jun 1997), 12A1023

296. MACHINE DESIGN

296B. Synthesis and design

Conceptual design of hybrid transmissions for motorcycle applications, Int J Vehicle Des 17(4) 430-448 (1996), 3A903
Synthesis of bevel gearings on the basis of the theory of quasilinear contact, J Machinery Manuf Reliab 2 18-24 (1996), 4T921
Mechanical Design Process, Second Edition (McGraw-Hill, New York, 1997) 7N16
General method for the synthesis of mechanisms with lower and higher joints - I: Planner mechanisms (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(4) 467-495 (1996), 7A953
Peterson's Stress Concentration Factors, Second Edition (Wiley, New York, 1997) 9N18
Efficiency analysis and improved design of a rubber V-belt CVT, Int J Vehicle Des 18(2) 119-131 (1997), 9A949
Harmonic synthesis theory for dynamic spring balancing, J Dyn Syst Meas Control 119(1) 61-88 (Mar 1997), 9A964
Handbook of Optomechanical Engineering (CRC Press, Boca Raton FL, 1997) 10N22
General method for the synthesis of mechanisms with lower and higher joints - II: Position synthesis with kinematic constraints (Spanish), Rev Int Metodos Numer Calc Diseno Ing 13(1) 72-94 (1997), 10A1003
Optimal model-based decomposition of powertrain system design, J Mech Des 117(4) 499-505 (Dec 1995), 11A344
Form of tolerancing theory using fractals and wavelets, J Mech Des 119(2) 185-193 (Jun 1997), 12A1024
Topological synthesis of compliant mechanisms using multi-criteria optimization, J Mech Des 119(2) 238-245 (Jun 1997), 12A1025

296C. Balancing

Contribution to a static optimization of torsionally oscillating mechanical systems (Czech), Strojnicky Casopis 47(4) 272-279 (1996), 3A904
Forced oscillations of a vertical continuous rotor with geometric nonlinearity, Nonlinear Dyn 11(2) 107-120 (Oct 1996), 4A85
Analytical and experimental analysis of a self-compensating dynamic balancer in a rotating mechanism, J Dyn Syst Meas Control 118(3) 468-475 (Sep 1996), 4A937
Non-periodic motions of a Jeffcott rotor with nonlinear elastic restoring forces, Nonlinear Dyn 11(1) 37-59 (Sep 1996), 4A938
Electromechanical modeling of hybrid piezohydraulic actuator system for active control, J Dyn Syst Meas Control 119(1) 10-18 (Mar 1997), 9A358
Robustness of adaptive rotor vibration control to structured uncertainty, J Dyn Syst Meas Control 119(2) 243-250 (Jun 1997), 12A399

296D. Computer aided design (CAD)

Computerized design and generation of cycloidal gearings, Mech Machine Theory 31(7) 891-911 (Oct 1996), 1A908
Design theory and CAD (Japanese), J Japan Soc Precision Eng 62(6) 773-778 (Jun 1996), 1T927
12th International Conference on computer aided production engineering, Cookeville, TN, August 5-7, 1996, J Mat Processing Tech 61(1-2) 1-231 (Aug 1996), 2T358
Integration of CAD and FEA for concurrent engineering design of sheet stamping, J Manuf Sci Eng 118(3) 310-317 (Aug 1996), 2A936
Ship geometry modeling, Ship Tech Res 43(3) 115-123 (Aug 1996), 2A937
Construction of a surface model and layered manufacturing data from 3D homogenization output, J Mech Des 118(3) 412-418 (Sep 1996), 3A423
Computer-aided sketching of epicyclic-type automatic transmission gear trains, J Mech Des 118(3) 405-411 (Sep 1996), 3A905
RECDWELL: CAD of six-link planar dwell mechanisms, Mech Machine Theory 31(8) 1185-1194 (Nov 1996), 3A906
Neural network modeling for tool path planning of the rough cut in complex pocket milling, J Manuf Syst 15(5) 295-304 (1996), 4A673
Machined feature recognition based on feature loop and convex polyhedron, JSME Int J Ser C 39(3) 652-659 (Sep 1996), 5A284
New measuring strategy for sculptured surfaces using offset surfaces, J Manuf Sci Eng 118(4) 646-651 (Nov 1996), 5A376
Sensory evaluation of past design cases and design candidates for conceptual structural design, JSME Int J Ser C 39(3) 645-651 (Sep 1996), 5A1518
Concept design software system for VLCC (Chinese), J Dalian Univ Tech 36(6) 702-707 (Nov 1996), 6A924
Computerized design and analysis of face-milled, uniform tooth height spiral bevel gear drives, J Mech Des 118(4) 573-579 (Dec 1996), 6A961
Computerized design, generation and simulation of meshing and contact of modified involute, Klingelnberg and Flender type worm-gear drives, J Mech Des 118(4) 551-555 (Dec 1996), 6A962
Design of turbine blade rows using a time-marching method (Spanish), J Brazilian Soc Mech Sci 18(4) 395-402 (Dec 1996), 6A963
Development of CAM system based on simulation of the copy operation, JSME Int J Ser C 39(4) 843-849 (Dec 1996), 7A606
Computerized design, generation, and simulation of meshing of rotors of screw compressor, Mech Machine Theory 32(2) 137-160 (Feb 1997), 7A954
Method for improving bicycle shifting performance, Int J Vehicle Des 18(1) 100-117 (1997), 8A953
Three dimensional model shape design - 2nd Report: 3D geometric model focused on shape generating rules (Japanese), J Japan Soc Precision Eng 63(2) 193-197 (Feb 1997), 9A965
Universal algorithm for revolving cutters with equal helical angle edge (Chinese), J Dalian Univ Tech 37(1) 63-66 (Jan 1997), 10A740
Automotive research center, Mech Struct Machines 25(1) 1-137 (1997), 11T860
Computer and information technologies in today's vehicle design, Int J Vehicle Des 18(5) 413-580 (1997), 11A861
Two-dimensional and 3D shape optimization using mesh velocities to integrate analytical sensitivities with associative CAD, Struct Optim 13(4) 213-222 (Jun 1997), 12A891
Computation of self-intersections of offsets of Bezier surface patches, J Mech Des 119(2) 275-283 (Jun 1997), 12A1026
Computer-aided optimum design and NC milling of planar cam mechanisms, Int J Machine Tools Manuf 37(8) 1131-1142 (Aug 1997), 12A1027
Research on feature-based product model for cartridge valve blocks (Chinese), J Dalian Univ Tech 37(3) 306-310 (May 1997), 12A1028

296E. Optimized design

Controlled wear processes: A risk-sensitive formulation, Eng Optim 26(3) 187-194 (Jun 1996), 1A900
Multiobjective shape optimization of linear elastic structures considering multiple loading conditions: Dealing with mean compliance minimization problems, JSME Int J Ser A 39(3) 407-414 (Jul 1996), 1A928
Efficient optimum design procedure for bicycle rear derailers, Int J Vehicle Des 17(4) 483-503 (1996), 3A907
Kinematic design optimization of the variable lead screw mechanism with cone meshing element, Mech Machine Theory 31(8) 1081-1093 (Nov 1996), 3A908
Optimum design of a steering column to minimize the injury of a passenger, Int J Vehicle Des 17(4) 398-414 (1996), 3A909
Optimum material design for functionally gradient material plate, Arch Appl Mech 66(8) 581-589 (Sep 1996), 3A910
Transverse vibrations of a variable composite flywheel with optimum design, Z Angew Math Mech 76(9) 537-538 (1996), 4T153
Use of consistent approximations for the optimal design of beams, SIAM J Control Optim 34(6) 1891-1913 (Nov 1996), 4T939
Verification of numerical models used in microelectronics packaging design by interferometric displacement measurement methods, J Electron Packaging 118(3) 157-163 (Sep 1996), 4A940
Explicit approximation method for design optimization problems with implicit constraints, Eng Optim 27(1) 21-42 (Aug 1996), 5A872
Optimal shape design of engine connecting rod with special lumping-mass constraint, JSME Int J Ser C 39(3) 597-605 (Sep 1996), 5A873
Mathematical programming formulation and optimum design of robot control system, Appl Math Model 20(11) 853-865 (Nov 1996), 6A964
Multiobjective optimal design of a simplified P4R mechanism, Eng Optim 27(2) 139-153 (Sep 1996), 6A965
Successive optimal design procedure applied on conventional fuel injection equipment, J Mech Des 118(4) 490-493 (Dec 1996), 6A966
Optimization of pumping units of internal involute gear pumps, J Machinery Manuf Reliab 3 29-34 (1996), 8A963
Derivation of structural design sensitivities from vibration test data, J Sound Vib 201(5) 613-631 (Apr 1997), 10A421
Minimum weight design of symmetric angle-ply laminates with incomplete information on initial imperfections, J Appl Mech 64(1) 90-96 (Mar 1997), 10A1004
Non-random adaptive grid method for high-speed optimization of highly dimensional, badly behaving real time functions, J Eng Gas Turbines Power 119(2) 265-272 (Apr 1997), 10A1005
Integrated structure-control design of high speed flexible robots based on time optimal control, J Dyn Syst Meas Control 117(4) 503--512 (Dec 1995), 11A313
Optimal design problems in mechanics of growing composite solids - Part I: Preload optimization, J Appl Mech 62(4) 975-982 (Dec 1995), 11A630
Optimal design problems in mechanics of growing composite solids - Part II: Shape optimization, J Appl Mech 62(4) 983-988 (Dec 1995), 11A631
Automotive research center, Mech Struct Machines 25(1) 1-137 (1997), 11T860
Rapid recursive structure redesign for improved dynamics of a single link robot, J Dyn Syst Meas Control 117(4) 520-526 (Dec 1995), 11A862
Simulation study of performance influencing parameters in solar electric water pumping system, J Eng Appl Sci 44(1) 141-155 (Feb 1997), 11A1540
Optimal design of an elastic plate with unilateral elastic foundation and rigid supports, using the Reissner-Mindlin plate model - I: Continuous problems, Z Angew Math Mech 77(5) 377-385 (1997), 12A632
Kinematic optimization of a modified helical gear train, J Mech Des 119(2) 307-314 (Jun 1997), 12A1029
Notes on monotonicity principles, J Mech Des 119(2) 327-330 (Jun 1997), 12T1030
Using genetic algorithm to generate non-homomorphic topological-pattern for layout optimization (Chinese), J Dalian Univ Tech 37(3) 295-300 (May 1997), 12A1031

296F. Kinematics of mechanisms

Computer aided detection of isomorphism among binary chains using the link-link multiplicity distance concept, Mech Machine Theory 31(7) 873-877 (Oct 1996), 1A929
High-order optimum synthesis of a driving mechanism with flexible connector, Mech Machine Theory 31(7) 851-858 (Oct 1996), 1A930
Kinematical model for quick return mechanism using movement restrictions (Spanish), Revista Eng Ciencias Aplicadas 2 119-132 (1994), 1A931
Mechanisms of a kinematic chain and the degree of structural similarity based on the concept of link-path code, Mech Machine Theory 31(7) 865-871 (Oct 1996), 1A932
Selection of best frame, input and output links for function generators modeled as probabilistic systems, Mech Machine Theory 31(7) 973-983 (Oct 1996), 1A933
Inverse kinematics of serial-chain manipulators, J Mech Des 118(3) 396-404 (Sep 1996), 3A403
Kinematic characteristics analysis of 3 dof in-parallel actuated pyramid mechanisms, Mech Machine Theory 31(8) 1009-1018 (Nov 1996), 3A404
Study on the kinematic characteristics of 3 dof in-parallel actuated platform mechanisms, Mech Machine Theory 31(8) 999-1007 (Nov 1996), 3A408
Branch identification of geared five-bar chains, J Mech Des 118(3) 384-389 (Sep 1996), 3A897
Rectified synthesis of six-bar mechanisms with well-defined transmission angles for four-position motion generation, J Mech Des 118(3) 377-383 (Sep 1996), 3A898
Curvature optimization of a cam mechanism with a translating flat-faced follower, J Mech Des 118(3) 446-449 (Sep 1996), 3A911
Five-revolute kinematic loops with intersecting adjacent joint axes, Mech Machine Theory 31(8) 1167-1183 (Nov 1996), 3A912
Freedom analysis of planar kinematic chains using the concept of distance, J Mech Des 118(3) 367-371 (Sep 1996), 3A913
General method for analysis of planar mechanisms using a modular approach, Mech Machine Theory 31(8) 1155-1166 (Nov 1996), 3A914
Geometrically approximated rotatability conditions for spatial RSRC mechanisms with joint angle limitations, J Mech Des 118(3) 444-446 (Sep 1996), 3A915
Kinematic characteristics and improvements for the modified intermittent gear mechanism, Mech Machine Theory 31(8) 1095-1107 (Nov 1996), 3A916
Method for the optimization of the kinematical behavior of linkages (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(1) 31-52 (1996), 3A917
Study of the solvability of the position problem for multi-circuit mechanisms by way of example of the double butterfly linkage, J Mech Des 118(3) 390-395 (Sep 1996), 3A918
The λ-formed 4-bar linkages set in a translation-position to design mechanisms approximating a straight line, Mech Machine Theory 31(8) 1033-1042 (Nov 1996), 3T919
Crank mechanism with variable radius and phase, Mech Machine Theory 32(1) 1-7 (Jan 1997), 5A874
Linkage synthesis: Topology selection fixed by dimensional constraints: Study of an example, Mech Machine Theory 32(1) 91-102 (Jan 1997), 5A875
Multi-generation of coupler curves of spatial linkages, Mech Machine Theory 32(1) 103-110 (Jan 1997), 5A876
Kinematic and geometric models of gear drives, J Mech Des 118(4) 544-550 (Dec 1996), 6A953
Analysis of design parameters in platform manipulators, J Mech Des 118(4) 526-531 (Dec 1996), 6A967
Computation of shortest paths on free-form parametric surfaces, J Mech Des 118(4) 499-508 (Dec 1996), 6A968
Parametric continuous and smooth motion interpolation, J Mech Des 118(4) 494-498 (Dec 1996), 6A969
Passing a central axis congruence through six arbitrary lines in space, J Mech Des 118(4) 515-519 (Dec 1996), 6A970
Use of the cylindroid for the singularity analysis of rank 3 robot manipulators, Mech Machine Theory 32(3) 391-404 (Apr 1997), 8A436
Connectivity in open and closed loop robotic mechanisms, Mech Machine Theory 32(3) 279-293 (Apr 1997), 8A964
Generation of plane kinematic structures, Rev Francaise Mec 0(4) 313-319 (1996), 8T965
Modeling mechanisms with nonholonomic joints using the Boltzmann-Hamel equations, Int J Robotics Res 16(1) 47-59 (Feb 1997), 8A966
Representation and analysis of mechanism by means of motor algebra and graph theory - 5 th Report: Error reduction by Gap-Pair method (Japanese), J Japan Soc Precision Eng 63(1) 114-118 (Jan 1997), 8A967

Simple and general method for kinematic synthesis of spatial mechanisms, Mech Machine Theory **32**(3) 323-341 (Apr 1997), 8A968

Singularity analysis of platform-type multi-loop spatial mechanisms, Mech Machine Theory **32**(3) 375-389 (Apr 1997), 8A969

Tool paths pattern in planetary gear mechanisms of the trajectory type, J Machinery Manuf Reliab **3** 73-76 (1996), 8T970

Center-point curves through six arbitrary points, J Mech Des **119**(1) 36-39 (Mar 1997), 9A966

Hamming number technique - I: Further applications, Mech Machine Theory **32**(4) 477-488 (May 1997), 9A967

Hamming number technique - II: Generation of planar kinematic chains, Mech Machine Theory **32**(4) 489-499 (May 1997), 9A968

Position analysis in analytical form of the 7-link Assur kinematic chain featuring one ternary link connected to ternary links only, Mech Machine Theory **32**(4) 501-509 (May 1997), 9A969

Use of swept volumes in the design of interference free spatial mechanisms, Mech Machine Theory **32**(4) 459-476 (May 1997), 9A970

General method for the synthesis of mechanisms with lower and higher joints - II: Position synthesis with kinematic constraints (Spanish), Rev Int Metodos Numer Calc Diseno Ing **13**(1) 72-94 (1997), 10A1003

Conception des Machines: Principes et Applications, Volume 1: Statique (French) (Presses Polytech Univ et Romandes, Lausanne, 1997) 11R19

Explicit formulae for designing the two-contra-rotating-mass balancers of spatial mechanisms, Mech Machine Theory **32**(5) 629-639 (Jul 1997), 11A145

Two-rotating-mass balancers for partial balancing of spatial mechanisms, Mech Machine Theory **32**(5) 617-628 (Jul 1997), 11A151

Method of using neural networks and inverse kinematics for machine tools error estimation and correction, J Manuf Sci Eng **119**(2) 247-254 (May 1997), 11A322

Motion interpolation with G^2 composite Bezier motions, J Mech Des **117**(4) 520-525 (Dec 1995), 11A333

Planning for manipulating a multiple contacted object by single-prismatic-jointed fingers, Mech Machine Theory **32**(5) 569-581 (Jul 1997), 11A334

Direct rotatability criterion for spherical four-bar linkages, J Mech Des **117**(4) 597-600 (Dec 1995), 11A859

Detection of isomorphism among kinematic chains using the distance concept, J Mech Des **117**(4) 607-611 (Dec 1995), 11A863

Geometro-kinematical analysis of multi-point-conjugation joint, Mech Machine Theory **32**(5) 597-608 (Jul 1997), 11A864

Hybrid approach to solving the position equations for planar mechanisms, J Mech Des **117**(4) 627-632 (Dec 1995), 11A865

Incremental kinematic analysis of mechanisms, J Mech Des **117**(4) 589-596 (Dec 1995), 11A866

Kinematic synthesis of mechanisms and robotic manipulators with binary actuators, J Mech Des **117**(4) 573-580 (Dec 1995), 11A867

Synthesis of Watt's six-link mechanism for manipulation action in relative space, Mech Machine Theory **32**(5) 559-568 (Jul 1997), 11A868

Unified approach for the investigation of branch and circuit defects, Mech Machine Theory **32**(5) 539-557 (Jul 1997), 11A869

Unifying framework for classification and interpretation of mechanism singularities, J Mech Des **117**(4) 566-572 (Dec 1995), 11A870

Synthesis of programmable mechanisms using adjustable dyads, J Mech Des **119**(2) 232-237 (Jun 1997), 12A1022

Automatic synthesis of crank driven four-bar mechanisms for two, three, or four-position motion generation, J Mech Des **119**(2) 225-231 (Jun 1997), 12A1032

Design of ball wheel mechanisms for omnidirectional vehicles with full mobility and invariant kinematics, J Mech Des **119**(2) 153-161 (Jun 1997), 12A1033

Geometry of spatial polygons and screw polygons, J Mech Des **119**(2) 246-252 (Jun 1997), 12A1034

296G. Dynamics of mechanisms

Analysis of a four-bar mechanism with a radially compliant clearance joint, Proc Inst Mech Eng C **210**(C3) 215-223 (1996), 1A915

Modeling and dynamics of epitrochoid generated orbital rotary piston LSHT hydraulic motor: A bondgraph approach, J Manuf Sci Eng **118**(3) 415-421 (Aug 1996), 2A938

Isotropic design of tendon-driven manipulators, J Mech Des **118**(3) 360-366 (Sep 1996), 3A892

Globally optimal force allocation in active mechanisms with four frictional contacts, J Mech Des **118**(3) 353-359 (Sep 1996), 3A920

Analysis of the dynamic forces in the steering linkage of an off-road vehicle, Int J Vehicle Des **18**(1) 83-99 (1997), 8A191

Elastic suspension design framework for tuned gyroscopes, J Mech Des **119**(1) 81-87 (Mar 1997), 9A971

Experimental study of Cardan-joint dynamics, J Mech Des **117**(4) 526-531 (Dec 1995), 11A844

Backlash detection in geared mechanisms: Modeling, simulation, and experimentation, Mech Syst Signal Processing **11**(3) 391-408 (May 1997), 11A846

Dynamic analysis of spur gear pairs: Steady-state response and stability of the sdof model with time-varying meshing damping, Mech Syst Signal Processing **11**(3) 375-390 (May 1997), 11A848

Automotive research center, Mech Struct Machines **25**(1) 1-137 (1997), 11T860

Closed solution for the elastic-dynamic behavior of an industrial press feed mechanism and experimental verification, J Mech Des **117**(4) 539-547 (Dec 1995), 11A871

Steady-state response of periodically time-varying linear systems, with application to an elastic mechanism, J Mech Des **117**(4) 633-639 (Dec 1995), 11A872

Symbolic processing of multiloop mechanism dynamics using closed-form kinematics solutions, Multibody Syst Dyn **1**(1) 23-45 (Mar 1997), 12A1035

296H. Elastodynamics of mechanisms

Effect of cross-sectional parameters on the dynamics of elastic mechanisms, Mech Machine Theory **31**(7) 947-955 (Oct 1996), 1A934

Dynamic analysis of flexible multi-body mechanical systems, Proc Inst Mech Eng C **210**(C4) 309-316 (1996), 3A88

Analysis of the dynamics of parallel-structure mechanism with elastic links, J Machinery Manuf Reliab **2** 10-17 (1996), 4T941

Influence of crane support system on motion of the lifted load, Mech Machine Theory **32**(1) 9-20 (Jan 1997), 5A877

Dynamic analysis of flexible mechanisms with clearances, J Mech Des **118**(4) 592-594 (Dec 1996), 6A971

296I. Reliability analysis and design

Estimation of the effect of the form of a loading cycle on cyclic longevity, J Machinery Manuf Reliab **2** 34-39 (1996), 4T942

Synthesis of low-pressure air servomechanism using reliability concept, Indian J Eng Mat Sci **3**(5) 191-195 (Oct 1996), 5A767

Fatigue reliability of wind turbine fleets: The effect of uncertainty on projected costs, J Solar Energy Eng **118**(4) 222-227 (Nov 1996), 5A878

Development of an integrated design system for thermal reliability prediction of SMT solder interconnects, J Electron Packaging **118**(4) 235-243 (Dec 1996), 6T972

Synthesis of mechanical error in spatial linkages based on reliability concept, Mech Machine Theory **32**(2) 255-259 (Feb 1997), 7A955

Analysis of the effect of the parameters used for processing a realization of a random loading process on the accuracy of service life estimation, J Machinery Manuf Reliab **3** 49-53 (1996), 8T971

Reliability assessment of mechanical systems, Proc Inst Mech Eng E **210**(E3) 205-216 (1996), 8A972

Service-life design of torsional shafts by the fatigue criterion, J Machinery Manuf Reliab **3** 54-58 (1996), 8A973

Integrated infrared failure analysis of printed circuit boards, J Electron Packaging **117**(4) 288-293 (Dec 1995), 11A1371

296Y. Computational techniques

Steady-state behavior of flexible rotordynamic systems with oil journal bearings, Nonlinear Dyn **11**(3) 295-313 (Nov 1996), 6A112

Efficient computation of the sensitivities of reciprocating engine dynamics to dimensional tolerances, Mech Machine Theory **32**(2) 241-253 (Feb 1997), 7A181

Dual iterative displacement analysis of spatial mechanisms using the C^0 programming language, Mech Machine Theory **32**(2) 193-207 (Feb 1997), 7A956

Study of concurrent decision-making protocols in the design of a metal cutting tool using monotonicity arguments, Eng Optim **27**(3) 229-264 (Dec 1996), 8A974

Evaluation of failure diagnosis in conceptual design of mechanical systems, J Mech Des **119**(1) 57-64 (Mar 1997), 9A414

Designer's spreadsheet, J Mech Des **119**(1) 48-56 (Mar 1997), 9A972

Generalizing interval matrix operations for design, J Mech Des **119**(1) 65-72 (Mar 1997), 9T973

298. FASTENING AND JOINING

298B. Mechanical joints

Threaded components under axial harmonic vibration - Part 1: Experiments, J Vib Acoust **118**(3) 417-422 (Jul 1996), 1A208

Threaded components under axial harmonic vibration - Part 2: Kinematic analysis, J Vib Acoust **118**(3) 423-429 (Jul 1996), 1A209

Statistical approach to the analysis of ultimate strengths of bolted joints in laminated composites, Composites Sci Tech **56**(5) 505-517 (1996), 1A719

Deformation and interface pressure distribution of 1/10 tapered joints at high rotation speed, Int J Japan Soc Precision Eng **30**(1) 23-28 (Mar 1996), 1A935

Load distribution along fully grouted bolts, with emphasis on cable bolt reinforcement, Int J Numer Anal Methods Geomech **20**(7) 517-544 (Jul 1996), 1A936

Computer Technology - 1996: Applications and Methodology (ASME Press, New York, 1996) 2N23

Strength envelope of bolted composite joints under bypass loads, J Composite Mat **30**(13) 1402-1435 (1996), 2A457

Analysis of axial loads due to the screw fastenings in the tie rods of built-up columns (Japanese), J Japan Soc Precision Eng **62**(8) 1172-1176 (Aug 1996), 3A921

Nailed tubular connections under axial loading, J Struct Eng **122**(8) 867-872 (Aug 1996), 3A922

Nonlinear "master-slave"relationships for joints in 3D beams with large rotations, Comput Methods Appl Mech Eng **135**(3-4) 211-228 (Sep 1996), 3A923

Optimum fillet radius for a latch, Comput Struct **61**(4) 645-650 (Nov 1996), 3A924

Parametric study of strength of tubular multiplanar KK-joints, J Struct Eng **122**(8) 893-904 (Aug 1996), 3A925

Sectional area for calculation of deformation in screw thread, Int J Japan Soc Precision Eng **30**(2) 172-176 (Jun 1996), 3A926

Three dimensional contact-separation behavior on high strength bolted flange joints (Japanese), Proc JSCE **543**(I-36) 107-121 (Jul 1996), 3A927

Experimental and numerical evaluation of beam-to-column connections for pultruded structures, J Reinforced Plastics Composites **15**(10) 1052-1067 (Oct 1996), 4A573

Strength prediction of mechanically fastened quasi-isotropic carbon-epoxy joints, J Composite Mat **30**(14) 1596-1612 (1996), 4A574

Prediction of fatigue failure of 60Sn-40Pb solder using constitutive model for cyclic viscoplasticity, J Electron Packaging **118**(3) 164-169 (Sep 1996), 4A709

Mixed mode I-II inelastic line spring, Int J Solids Struct **33**(28) 4143-4166 (Nov 1996), 4A730

Effect of interface roughness on fatigue crack growth in Sn-Pb solder joints, J Electron Packaging **118**(3) 170-173 (Sep 1996), 4A768

Computer simulation of solder bridging phenomena, J Electron Packaging **118**(3) 122-126 (Sep 1996), 4A943

Nonlinear analysis of U-shaped bellows using integral equation method, Commun Numer Methods Eng **12**(9) 521-529 (Sep 1996), 4A944

Parametric FEM for predicting shapes of 3D solder joints, J Electron Packaging **118**(3) 142-147 (Sep 1996), 4A945

Prediction of solder joint geometries in array-type interconnects, J Electron Packaging **118**(3) 114-121 (Sep 1996), 4A946

Procedure for automated shape and life prediction in flip-chip and BGA solder joints, J Electron Packaging **118**(3) 127-133 (Sep 1996), 4A947

Reliability simulations for solder joints using stochastic FE and artificial neural network models, J Electron Packaging **118**(3) 148-156 (Sep 1996), 4A948

Simulation and interpretation of wetting balance tests using the surface evolver, J Electron Packaging **118**(3) 134-141 (Sep 1996), 4A949

Analysis of preloaded bolted joints under exponentially decaying pressure, J Pressure Vessel Tech **118**(4) 393-398 (Nov 1996), 5A879

Notched and pin bearing strengths of GFRP composite laminates, J Composite Mat **30**(18) 2042-2055 (1996), 6A530

Statical and fatigue strength tests of insulated friction-type connections (Japanese), Proc JSCE **549**(I-37) 65-76 (Oct 1996), 6A734

System for inferring axial force of high-strength bolts on steel bridges (Japanese), Proc JSCE **549**(I-37) 77-90 (Oct 1996), 6A905

Limit torque for a frictional joint, Mech Struct Machines **24**(4) 499-512 (1996), 6A973

Advanced connection techniques for cold-formed steel structures, J Struct Eng **123**(2) 138-144 (Feb 1997), 7A957

AWS vs international design rules for circular tubular K-connections, Eng Struct **19**(3) 259-266 (Mar 1997), 7A958

Finite element prediction of end plate bolted connection behavior - I: Parametric study, J Struct Eng **123**(2) 157-164 (Feb 1997), 7A959

Finite element prediction of end plate bolted connection behavior - II: Analytic formulation, J Struct Eng **123**(2) 165-175 (Feb 1997), 7A960

Low-cycle fatigue test on stud shear connectors, J Struct Eng **123**(2) 145-150 (Feb 1997), 7A961

Finite element modeling of single lap screw connections in steel sheeting under static shear, Thin-Walled Struct **27**(2) 165-185 (Feb 1997), 8A35

Accurate method of evaluating relaxation in bolted flanged connections, J Pressure Vessel Tech **119**(1) 10-17 (Feb 1997), 8A975

Evaluation of the method for lowering stress concentration at the thread root of bolted joints with modifications of nut shape, J Pressure Vessel Tech **119**(1) 1-9 (Feb 1997), 8A976

Force-state characterization of struts using pinned joints, Shock Vib **4**(2) 103-113 (1997), 8A977

Load distribution between threads in threaded connections, J Pressure Vessel Tech **119**(1) 91-95 (Feb 1997), 8A978

Local stress and deformation at field joints of orthotropic steel deck (Japanese), Proc JSCE **556**(I-38) 65-76 (Jan 1997), 9A890

Characterization of bearing strength factors in pegged timber connections, J Struct Eng **123**(3) 326-332 (Mar 1997), 9A974

Review of current test methods for screwed connections, J Struct Eng **123**(3) 321-325 (Mar 1997), 9A975

Riveted single lap joints - Part 1: A numerical parametric study, Proc Inst Mech Eng J Aerospace Eng **211**(G1) 13-27 (1997), 9A976

Mechanical Fastening, Joining, and Assembly (Marcel Dekker, New York, 1997) 10R12

Volume III: Materials Engineering (ASME, New York, 1997) 10N27

Analysis of mechanically fastened repairs and lap joints, Fatigue Fracture Eng Mat Struct **20**(4) 583-593 (1997), 10A1006

Modeling and analysis of the intermediate shaft between two universal joints, J Vib Acoust **118**(1) 88-99 (Jan 1996), 11A148

Fatigue strength of the joint between diaphragms and longitudinal ribs in box section girders (Japanese), Proc JSCE **563**(I39) 35-40 (Apr 1997), 11A873

Low cycle fatigue behavior of steel pier beam-column joint (Japanese), Proc JSCE **563**(I39) 49-60 (Apr 1997), 11A874

Stress analysis and strength prediction of mechanically fastened joints in FRP: A review, Composites Part A Appl Sci and Manuf **28A**(6) 529-547 (1997), 11A875

Importance of the temperature and lateral pressure on the CFRP joints strength under uniaxial loading, J Reinforced Plastics Composites **16**(9) 825-847 (1997), 12A560

Riveted single lap joints - Part 2: Fatigue life prediction, Proc Inst Mech Eng J Aerospace Eng **211**(G2) 123-128 (1997), 12A766

298C. Welding, brazing, and soldering

Classic brittle failures in large welded structures, Eng Failure Anal **3**(2) 115-127 (Jun 1996), 1A680

Method of predicting the fatigue life curve for misalignod welded joints, Int J Fatigue **18**(4) 221-226 (May 1996), 1A701

Fatigue failure of a rotating chemical vessel, Eng Failure Anal **3**(2) 77-93 (Jun 1996), 1A704

Fatigue failure of welded vertical members of a steel truss bridge, Eng Failure Anal **3**(2) 103-108 (Jun 1996), 1A705

Fatigue of welds, Fatigue Fracture Eng Mat Struct **19**(6) 635-819 (1996), 1A706

Wear-resistant boron-containing coatings applied by electrocontact welding, J Friction Wear **16**(3) 124-127 (1995), 1A897

Forces and stresses in seam welded overlap joints derived from outer surface deformation, Eng Fracture Mech **54**(6) 743-750 (Aug 1996), 1A937

Influence of projectile nose shape on the morphology of interface in impact spot welds, Int J Impact Eng **18**(6) 657-669 (Sep 1996), 1A938

Study on fusing- and evaporating-process of fcc metal due to laser irradiation using molecular dynamics, Int J Japan Soc Precision Eng **30**(1) 47-48 (Mar 1996), 1T939

Residual Stresses in Design, Fabrication, Assessment, and Repair (ASME Press, New York, 1996) 2N28

Real time control of thermal distortion during pulsed laser welding of optical packages, J Manuf Sci Eng **119**(3) 445-448 (Aug 1996), 2A375

Powder particle manipulation and assemblage using microprobe, J Intelligent Mat Syst Struct **7**(3) 267-271 (May 1996), 2A428

Bending stresses at longitudinal weld joints of pressurized cylindrical shells due to angular distortion, J Pressure Vessel Tech **118**(3) 369-373 (Aug 1996), 2A483

Continuum damage model of low-cycle fatigue and fatigue damage analysis of welded joint, Eng Fracture Mech **55**(1) 155-161 (Sep 1996), 2A635

Method for defect segmentation in digital radiographs of pipeline girth welds, Mat Eval **54**(8) 925-928 (Aug 1996), 2A729

Experimental study of resistance spot welding in 1mm thick sheet of low carbon steel, Proc Inst Mech Eng J Eng Manuf **210**(B4) 341-347 (1996), 2A939

Possible mechanism of welding solids, J Friction Wear **16**(4) 91-95 (1995), 2A940

Simple estimating method for reduction of welding residual stresses in thick welded joint from stress-relief annealing - Part I: Development of the analytical method for relaxation tests and its applicability, J Pressure Vessel Tech **118**(3) 343-350 (Aug 1996), 2A1283

Effect of lateral load on fatigue growth rate of surface cracks in welded joints, Int J Pressure Vessels Piping **69**(1) 59-64 (Nov 1996), 3A663

Effect of undercut and residual stresses on fatigue behavior of misaligned butt joints, Eng Fracture Mech **55**(3) 453-469 (Oct 1996), 3A665

Fatigue analysis of spot-welded joints under variable amplitude load history, Eng Fracture Mech **55**(3) 363-369 (Oct 1996), 3A666

Influence of warm overloading on stress-corrosion cracking of welded structures, Int J Pressure Vessels Piping **69**(1) 91-96 (Nov 1996), 3A670

Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part I: Wrought-to-wrought capability study, Int J Pressure Vessels Piping **69**(1) 5-19 (Nov 1996), 3A733

Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part II: Wrought-to-cast capability study, Int J Pressure Vessels Piping **69**(1) 21-32 (Nov 1996), 3A734

Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part III: Cast-to-cast capability study, Int J Pressure Vessels Piping **69**(1) 33-44 (Nov 1996), 3A735

Influence of welding materials on fatigue strength of fillet welded joints made from high strength steel (Japanese), Proc JSCE **543**(I-36) 133-140 (Jul 1996), 3A928

Modeling the creep in a welded plate using a three-director Cosserat model, Acta Mech **117**(1-4) 11-21 (1996), 3A929

Preventing cold cracking in welds of high-strength low-alloy steels, Marine Tech Trans **6** 71-80 (1995), 3T930

Automated radiographic NDT system for weld inspection - Part I: Weld extraction, NDT&E Int **29**(3) 157-162 (Jun 1996), 4A791

Automatic detection of burn-through in GMA welding using a parametric model, Mech Syst Signal Processing **10**(5) 633-651 (Sep 1996), 4A950

Modeling and validation of multiple reflections for enhanced laser welding, Model Simulation Mat Sci Eng **4**(3) 305-322 (May 1996), 4A951

Role of welding parameters in determining the geometrical appearance of weld pool, J Eng Mat Tech **118**(4) 589-596 (Oct 1996), 4A952

Study of fatigue crack growth and crack closure in mechanical heterogeneous welded joints, Eng Fracture Mech **55**(4) 689-697 (Nov 1996), 5A588

Fracture toughness testing a weld metal: Results of a European round robin, Fatigue Fracture Eng Mat Struct **19**(8) 963-973 (1996), 5A715

Effects of welding conditions on molten drop geometry in arc welding, J Manuf Sci Eng **118**(4) 623-627 (Nov 1996), 5A880

Neuro-fuzzy approach to select welding conditions for welding quality improvement in horizontal fillet welding, J Manuf Syst **15**(6) 392-403 (1996), 5A881

Study on crack generation at root of socket welds, Nucl Eng Des **166**(1) 85-98 (Oct 1996), 5A1440

Life prediction of solder joints by damage and fracture mechanics, J Electron Packaging **118**(4) 193-200 (Dec 1996), 6A733

Reliability of welded structures containing fatigue cracks, J Offshore Mech Arctic Eng **118**(4) 300-306 (Nov 1996), 6A744

Plastic stress-strain fields and limit loads of a plane strain cracked tensile panel with a mismatched welded joint, Int J Solids Struct **34**(3) 297-326 (Jan 1997), 6A771

Crack arrest toughness of a heat-affected zone containing local brittle zones, J Offshore Mech Arctic Eng **118**(4) 292-299 (Nov 1996), 6A797

Unified correlations in transition temperatures of low-alloy steels and weld metals of various toughnesses, Fatigue Fracture Eng Mat Struct **19**(12) 1459-1470 (1996), 6A817

New optical measuring system for solder joint inspection, Opt Lasers Eng **26**(6) 487-514 (Apr 1997), 6A821

Sensing free surface of arc weld pool using specular reflection: principle and analysis, Proc Inst Mech Eng J Eng Manuf **210**(B6) 553-564 (1996), 6A824

Analysis and modeling of lead coplanarity distributions, J Electron Packaging **118**(4) 201-205 (Dec 1996), 6A974

Ball grid array thermomechanical response during reflow assembly, J Electron Packaging **118**(4) 214-222 (Dec 1996), 6A975

Experimental investigation of the effects of cycling frequency and temperature on the fatigue life of 60 Tin-40 lead solder, J Electron Packaging **118**(4) 280-284 (Dec 1996), 6T976

Experimental investigation of the formation of surface mount solder joints, J Electron Packaging **118**(4) 223-228 (Dec 1996), 6A977

Theory of forces and stresses in spot welded overlap joints, Arch Appl Mech **67**(1-2) 22-34 (Dec 1996), 6A978

Fatigue crack propagation in austenitic steels and their weldments under isothermal and thermal cyclic loading in the range of creep temperatures, Int J Pressure Vessels Piping **70**(2) 85-90 (Feb 1997), 7T660

Study on fatigue life in butt-welded joints containing surface crack under non-constant spectrum loading, Int J Pressure Vessels Piping **70**(2) 117-120 (Feb 1997), 7A681

Three-dimensional BEM analysis for fatigue crack growth in welded components, Int J Pressure Vessels Piping **70**(2) 135-144 (Feb 1997), 7A708

Influence of strength mis-matching on crack driving force and failure assessment curve of weldment, Int J Pressure Vessels Piping **70**(1) 33-41 (Jan 1997), 7A770

Decomposition of a welded part by iterative loop generation based on multiple feature recognition (Japanese), J Japan Soc Precision Eng **62**(12) 1707-1711 (12 1996), 7A793

Analysis of load and non-load-carrying fillet welds using HBIEs, Eng Anal Boundary Elements **18**(2) 163-173 (Sep 1996), 7A962

Compatibility conditions for modeling tubular joints using different types of elements, Comput Struct **62**(5) 935-942 (Mar 1997), 7A963

Optimum design based on mathematical model and neural network to predict weld parameters for fillet joints, J Manuf Syst **16**(1) 13-23 (1997), 8A458

Fatigue crack propagation in residual stress fields of welded plates, Int J Fatigue **19**(1) 43-49 (Jan 1997), 8A733

Technique to produce automatic welds with enhanced fatigue crack propagation lives under transverse loading, Int J Pressure Vessels Piping **70**(3) 173-181 (Mar 1997), 8A736

Fatigue crack propagation of D6AC laser welds, Int J Fatigue **19**(1) 25-31 (Jan 1997), 8A742

Microstructure change due to thermal and mechanical histories in stainless steel weld metals (Japanese), J Soc Mat Sci Japan **46**(1) 7-12 (Jan 1997), 8A745

Evaluation of long-term creep-fatigue life of stainless steel weldment based on a microstructure degradation model (Japanese), J Soc Mat Sci Japan **46**(1) 65-69 (Jan 1997), 8A748

Estimation of J in three-point-bend specimens with a crack in a mismatched weld, Int J Pressure Vessels Piping **70**(3) 247-257 (Mar 1997), 8A783

J-integral estimation method for cracks in welds with mismatched mechanical properties, Int J Pressure Vessels Piping **70**(3) 237-245 (Mar 1997), 8A785

Effect of a long post weld heat treatment on the integrity of a welded joint in a pressure vessel steel, Int J Pressure Vessels Piping **70**(3) 183-195 (Mar 1997), 8A979

Structural component development of three-layer cylinders for superconducting generators - Part 2: Development of three-layer welding techniques to extend axial length and evaluation of the welds, J Manuf Sci Eng **119**(1) 78-87 (Feb 1997), 8A980

Definition of a materials data base for heavy structures created by experimental characterization of toughness impact strength, Rev Francaise Mec **0**(1) 17-25 (1997), 9A690

Investigation of the MV Kurdistan casualty, Eng Failure Anal **4**(1) 3-24 (Mar 1997), 9A724

Analytical solution for transient temperature distribution in fillet arc welding including the effect of molten metal, Proc Inst Mech Eng J Eng Manuf **211**(B1) 63-72 (1997), 9A977

Electrochemical potential variations in a small 40 MW feedwater storage vessel: The influence of weldment surface condition, Int J Pressure Vessels Piping **71**(1) 1-5 (Apr 1997), 9A978

Geometrical effects in a Joule heating problem from miniature soldering, J Eng Math **31**(1) 59-80 (Jan 1997), 9T979

Study of the strength and shape of surface mount technology leadless chip solder joints, Proc Inst Mech Eng J Eng Manuf **211**(B1) 29-41 (1997), 9A980

Numerical model for steady-state flow in friction welding, Acta Mat **45**(4) 1735-1745 (Apr 1997), 9A1024

Constant and variable amplitude loading of 6261 aluminium alloy I-beams with welded cover plates: Influence of weld quality and stress relief, Int J Fatigue **19**(2) 125-133 (Feb 1997), 10A765

Characteristics and variables of spot welding and weldbonding bimaterials, Mat Manuf Processes **12**(2) 175-186 (1997), 10A1007

Generation of welded-part geometry with manufacturing process rules (Japanese), J Japan Soc Precision Eng **63**(3) 353-357 (Mar 1997), 10A1008

Static and dynamic behavior of a notch filled by either welding or adhesive bonding, Mat Manuf Processes **12**(2) 187-198 (1997), 10A1009

Study on high power CO_2 laser welding - 1st report: Observation and measurement of welding phenomena (Japanese), J Japan Soc Precision Eng **63**(4) 580-584 (Apr 1997), 10T1010

Method for estimating the stress distributions on the center line of an axisymmetric, two-material, cross-weld, creep test specimen, Int J Mech Sci **39**(8) 885-898 (Aug 1997), 11A394

Effect of welding parameters on the residual stress by the parallel heat welding, Int J Pressure Vessels Piping **71**(2) 197-202 (Apr 1997), 11A436

Residual stress measurement in 304 stainless steel weld overlay pipes, J Eng Mat Tech **118**(1) 135-142 (Jan 1996), 11A437

Residual stresses in steel and zirconium weldments, J Pressure Vessel Tech **119**(2) 137-141 (May 1997), 11A438

Constraint effect: How to link between structural integrity assessment and fracture toughness evaluation, J Offshore Mech Arctic Eng **119**(2) 125-133 (May 1997), 11A686

Boundary layer fracture in composite solder joints, J Electron Packaging **117**(4) 270-274 (Dec 1995), 11A876

Cleaning and reflow of Pb-Sn C4 solder bumps, J Electron Packaging **117**(4) 281-287 (Dec 1995), 11A877

Heat-affected zone toughness of a TMCP steel designed for low-temperature applications, J Offshore Mech Arctic Eng **119**(2) 134-144 (May 1997), 11A878

New method to determine crack shape and size in solder joints, J Electron Packaging **117**(4) 266-269 (Dec 1995), 11A879

Parametric study of joint performance in sheet metal assembly, Int J Machine Tools Manuf **37**(6) 873-884 (Jun 1997), 11A880

Real-time image processing for monitoring of free weld pool surface, J Manuf Sci Eng **119**(2) 161-169 (May 1997), 11A881

Real-time sensing of sag geometry during GTA welding, J Manuf Sci Eng **119**(2) 151-160 (May 1997), 11A882

System analysis of metal forming technique in welding processes, J Mat Processing Tech **66**(1-3) 264-269 (Apr 1997), 12A729

Type III creep cracking at main steam line welds, Eng Failure Anal **4**(2) 89-98 (Jun 1997), 12A781

Moisture migration and cracking in plastic quad flat packages, J Electron Packaging **119**(2) 85-88 (Jun 1997), 12A821

Effects of strain rate and thickness on the response of thin layers of solder loaded in pure shear, J Electron Packaging **119**(2) 81-84 (Jun 1997), 12A1036

Finite element modeling of 3D solder joint geometry in SMT, J Electron Packaging **119**(2) 119-126 (Jun 1997), 12A1037

Knowledge base for metal welding process selection, Int J Machine Tools Manuf **37**(7) 1007-1023 (Jul 1997), 12A1038

Study on high power CO_2 laser welding - 2nd Report: A modeling of laser welding process (Japanese), J Japan Soc Precision Eng **63**(5) 679-683 (May 1997), 12T1039

298D. Interfacial bonding

Physico-chemical characterization of the influence of moisture on the fiber-matrix interaction in epoxy-anhydride composites, J Adhesion **57**(1-4) 245-260 (1996), 1A525

Strain distribution in a taper-taper adhesive-bonded joint in a composite flat plate, J Thermoplastic Composite Mat **9**(3) 280-291 (Jul 1996), 1A543

Holographic evaluation of edge delamination in bars bonded to a rigid support with foam-adhesive, J Eng Mat Tech **118**(3) 330-334 (Jul 1996), 1A803

Acoustic monitoring of cold-setting adhesive curing in wood laminates, Int J Adhesion Adhesives **16**(3) 165-172 (Aug 1996), 1A812

Adhesion between rubbers and grafted solids, J Adhesion **57**(1-4) 21-30 (1996), 1A940

Analysis and design of adhesively bonded tee joints with a single support plus angled reinforcement, J Adhesion Sci Tech **10**(8) 681-724 (1996), 1A941

Analysis and design of tee joints with double support, Int J Adhesion Adhesives **16**(3) 187-214 (Aug 1996), 1A942

Analysis of dental shear bond strength tests, shear or tensile?, Int J Adhesion Adhesives **16**(3) 147-154 (Aug 1996), 1A943

Fracture behavior and strength of stepped-lap bonded joint with adhesive resin under tensile loading, JSME Int J Ser A **39**(3) 398-406 (Jul 1996), 1A944

Review of adhesion mechanisms using the peel test in air and liquid media, J Adhesion **57**(1-4) 115-131 (1996), 1A945

Relevance of perturbation methods in the mechanics of adhesion, J Adhesion Sci Tech **10**(9) 775-806 (1996), 2A54

Fundamental study on fiber-reinforced epoxy composites using glass fabric treated by low-temperature ammonia plasma, J Adhesion Sci Tech **10**(9) 823-832 (1996), 2A435

Deformation fields of interfacial cracks in adhesively bonded DCBs, Eng Fracture Mech **55**(2) 181-189 (Sep 1996), 2A690

Adhesion between high strength and high modulus polyethylene fibers by use of polyethylene gel as an adhesive, J Adhesion Sci Tech **10**(9) 869-882 (1996), 2A941

Selected papers presented at the 4th International Conference on Interfacial Phenomena in Composite Materials, Eindhoven, Netherlands on September 11-13, 1995, Composites Part A Appl Sci and Manuf **27A**(9) 675-912 (1996), 2A942

Simplified FE modeling of structural adhesive joints, Comput Struct **61**(2) 385-391 (Oct 1996), 2A943

Study on the adhesion of calcium carbonate to glass: Energy balance in the deposition process, J Adhesion Sci Tech **10**(9) 847-868 (1996), 2A944

Modeling nonlinear bond-slip behavior for FE analyses of reinforced concrete structures, ACI Struct J **93**(5) 538-544 (Sep-Oct 1996), 3A6

Joining of Al-based metal matrix composites: A review, Mat Manuf Processes **11**(1) 45-66 (1996), 3A486

Bond strength for adhesive-bonded single-lap joints, Acta Mech **117**(1-4) 101-113 (1996), 3A931

Handbook of Plastics Joining: A Practical Guide (PDL, 1996) 4N15

Strength prediction of adhesively bonded carbon-epoxy joints, J Adhesion Sci Tech **10**(10) 1089-1104 (1996), 4A544

Adhesion failure in the stick-slip regime: Optical and AFM characterizations and mechanical analysis, J Adhesion **58**(1-2) 143-161 (1996), 4A953

Analysis and design of adhesively bonded modified double containment corner joints - II, J Adhesion Sci Tech **10**(10) 907-937 (1996), 4A954

Determining the effective material properties of damaged particle-filled adhesives, J Adhesion **58**(3-4) 205-226 (1996), 4A955

Effect of the secondary transition on the behavior of epoxy adhesive joints at high rates of loading, J Adhesion **58**(3-4) 281-298 (1996), 4A956

Elastomer-elastomer interfaces: Mechanisms of autohesion, J Adhesion **58**(3-4) 183-190 (1996), 4A957

Simple views on metal-oxide interfaces: Contributions of the long-range interactions to the adhesion energy, J Adhesion **58**(3-4) 253-261 (1996), 4A958

Reliability, Stress Analysis, and Failure Prevention Issues in Fastening and Joining, Composite and Smart Structures, Numerical and FEA Methods, Risk Minimization (ASME, New York, 1996) 5N16

Adhesive contact and rolling of a rigid cylinder under the pull of gravity on the underside of a smooth-surfaced sheet of rubber, Int J Adhesion Adhesives **16**(4) 249-254 (Nov 1996), 6A477

Effect of adherend alignment on the behavior of adhesively bonded double lap joints, Int J Adhesion Adhesives **16**(4) 241-247 (Nov 1996), 6A548

Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, Int J Adhesion Adhesives **16**(4) 219-226 (Nov 1996), 6A563

New testing methodology for the assessment of fatigue properties of structural adhesives, Int J Adhesion Adhesives **16**(4) 289-299 (Nov 1996), 6A750

Finite-element stress analysis of double-lap adhesive joints, J Adhesion Sci Tech **10**(12) 1255-1271 (1996), 6A979

Measurement of van der Waals force of toner adhesion employing a linearly increasing electric field and determining the toner jumping voltage, Particulate Sci Tech **14**(3) 267-277 (Jul-Sep 1996), 6A980

Review of surface pretreatments for aluminium alloys, Int J Adhesion Adhesives **16**(4) 255-275 (Nov 1996), 6A981

Study of single-lap compression-shear test for brittle substrates bonded with a structural adhesive, J Adhesion Sci Tech **10**(11) 1153-1164 (1996), 6A982

Study of skin-core adhesion in glass fiber reinforced sandwich materials, Appl Composite Mat **3**(6) 407-420 (1996), 6A983

Developments in surface fairing procedures, Int Shipbuild Prog **43**(436) 281-313 (Dec 1996), 6A1173

Guided waves in plates and their use in materials characterization, Appl Mech Rev **50**(5) 247-284 (May 1997), 7A193

Model of damaged adhesives, Eur J Mech A **16**(1) 19-52 (1997), 7A701

Analysis of adhesion and interface debonding in laminated safety glass, J Adhesion Sci Tech **11**(1) 49-63 (1997), 7A964

Complex dynamic behavior in adhesive tape peeling, J Adhesion Sci Tech **11**(1) 11-28 (1997), 7A965

Experimental study on the effects of numerous factors on bond-slip relationship (Japanese), Proc JSCE **550**(V33) 73-83 (Nov 1996), 7A966
Influence of desalination on bond behavior between concrete and reinforcing steel (Japanese), Proc JSCE **550**(V33) 53-62 (Nov 1996), 7T967
Principle and application of the constant strain rate tensile test with *in situ* scanning electron microscopy for evaluation of the adhesion of films, J Adhesion Sci Tech **11**(1) 127-136 (1997), 7A968
Stress analysis in elastic joint structures, Int J Mech Sci **39**(7) 873-883 (Jul 1997), 8A490
Mechanical properties of thin and thick coatings applied to various substrates - Part II: Young's modulus determination of coating materials, J Adhesion Sci Tech **11**(3) 373-391 (1997), 8A552
Determination of triaxial stresses in bonded joints, Int J Adhesion Adhesives **17**(1) 17-25 (Feb 1997), 8A564
Locus of failure of T-peel joints formed between aluminium and various adhesives, Int J Adhesion Adhesives **17**(1) 33-38 (Feb 1997), 8A565
Small scale aluminium-epoxy peel test specimens and measurement of adhesive fracture energy, Int J Adhesion Adhesives **17**(1) 27-32 (Feb 1997), 8A806
Atomic force microscopy study of the effect of surface roughness on the fracture energy of adhesively bonded aluminium, J Adhesion Sci Tech **11**(2) 207-223 (1997), 8A981
Capillary bonding of wet surfaces: The effects of contact angle and surface roughness, J Adhesion Sci Tech **11**(3) 359-371 (1997), 8A982
Cohesive zone model for the adhesion of cylinders, J Adhesion Sci Tech **11**(3) 393-406 (1997), 8A983
Modeling of the mechanical behavior of joints bonded by a nonlincar incompressible elastic adhesive, Eur J Mech A **16**(2) 255-276 (1997), 8A984
Plastic work in the peeling of work hardening foils, J Adhesion Sci Tech **11**(2) 141-154 (1997), 8A985
Structural component development of three-layer cylinders for superconducting generators - Part I: Selection of layer-bonding method and development of long large-gauge three-layer cylindrical structure, J Manuf Sci Eng **119**(1) 68-77 (Feb 1997), 8A986
Studies on wood-to-wood bonding adhesives based on natural rubber latex, J Adhesion Sci Tech **11**(2) 225-232 (1997), 8A987
Surface pretreatment of glass fiber-reinforced liquid crystalline polymer composites by excimer laser for adhesive bonding, J Adhesion Sci Tech **11**(2) 183-194 (1997), 8A988
Effect of surface oxidation and sizing treatment of carbon fiber on interfacial adhesion (Japanese), J Soc Mat Sci Japan **46**(2) 163-169 (Feb 1997), 9A481
Investigation of higher temperature influence on Epidian 57 strength (Polish), Biuletyn Wojskowej Akademii Technicznej **45**(2) 107-116 (Feb 1996), 9A981
Elastoplastic FE analysis and strength evaluation of adhesive butt joints of similar and dissimilar hollow shafts subjected to external bending moments, J Adhesion **61**(1-4) 55-69 (1997), 10A28
Fatigue and durability behavior of automotive adhesives - Part I: Fracture mechanics tests, J Adhesion **61**(1-4) 71-95 (1997), 10A783
Relationship between viscoelastic and peeling properties of model adhesives - Part I: Cohesive fracture, J Adhesion **61**(1-4) 123-157 (1997), 10A809
Interface corner stress states: Plasticity effects, Int J Fracture **83**(3) 269-282 (1996), 10A812
Characteristics and variables of spot welding and weldbonding bimaterials, Mat Manuf Processes **12**(2) 175-186 (1997), 10A1007
Static and dynamic behavior of a notch filled by either welding or adhesive bonding, Mat Manuf Processes **12**(2) 187-198 (1997), 10A1009
Adhesion and failure mechanisms of a model hot melt adhesive bonded to polypropylene, J Adhesion **61**(1-4) 1-25 (1997), 10A1011
Adhesive strength of deformed epoxy and polyester coatings, J Adhesion **61**(1-4) 159-174 (1997), 10A1012
Role of adhesion in the mechanical properties of filled polymer composites, J Adhesion Sci Tech **11**(4) 471-493 (1997), 10A1013
Strength analysis of adhesively-bonded tubular single lap steel-steel joints under axial loads considering residual thermal stresses, J Adhesion **60**(1-4) 125-140 (1997), 10A1014
Test method for accelerated humidity conditioning and estimation of adhesive bond durability, J Adhesion **60**(1-4) 153-162 (1997), 10T1015
Viscoelastic properties of pressure-sensitive adhesives, J Adhesion **60**(1-4) 233-248 (1997), 10A1016
Analysis of modal parameters of adhesively bonded double-strap joints by the modal strain energy method, J Vib Acoust **118**(1) 28-35 (Jan 1996), 11A112
Free bending vibrations of adhesively bonded orthotropic plates with a single lap joint, J Vib Acoust **118**(1) 122-134 (Jan 1996), 11A134
Two-dimensional stress analysis and strength evaluation of band adhesive butt joints subjected to tensile loads, J Adhesion Sci Tech **11**(6) 811-833 (1997), 11A381
Assessment of failure criteria to predict the strength of adhesively bonded composite double lap joints, J Reinforced Plastics Composites **16**(8) 698-713 (1997), 11A694
Fracture mechanics approach for designing an adhesive joint for glass fiber-reinforced pipes, J Adhesion Sci Tech **11**(5) 719-733 (1997), 11A703
Improvement of strength and ductility of adhesively bonded joints by inclusion of SiC whiskers, J Composite Tech Res **19**(2) 86-92 (Apr 1997), 11A704
Compact mixed mode fracture specimen for adhesive bonded joints, Eng Fracture Mech **57**(1) 57-65 (May 1997), 11A731
Analysis of pipe flange connections using epoxy adhesives-anaerobic sealant instead of gaskets, J Pressure Vessel Tech **117**(4) 298-304 (Nov 1995), 11A883
Dual reciprocity method for the analysis of adhesively patched sheets, Commun Numer Methods Eng **13**(5) 397-405 (May 1997), 11A884
Dynamic measurements of humidity attack on polymer-glass interfaces under stress, J Adhesion Sci Tech **11**(5) 695-717 (1997), 11A885
Evaluation of friction welded joint performance by discriminant analysis method, Int J Japan Soc Precision Eng **31**(1) 10-14 (Mar 1997), 11A886
Further studies into the effectiveness of CO_2-laser treatment of metals for adhesive bonding, Int J Adhesion Adhesives **17**(2) 143-150 (May 1997), 11A887
Long-term durability in water of aluminium alloy adhesive joints bonded with epoxy adhesives, Int J Adhesion Adhesives **17**(2) 89-105 (May 1997), 11A888
Mathematical modeling of the development of mechanical instability in fracturing systems, J Appl Math Mech **60**(6) 1017-1023 (1996), 11A889
Strength of adhesive-bonded tissue joints, Int J Adhesion Adhesives **17**(2) 127-132 (May 1997), 11A890
Multiaxial nonlinear viscoelastic characterization and modeling of a structural adhesive, J Eng Mat Tech **119**(3) 205-210 (Jul 1997), 12A508
Time-dependent adhesion-induced phenomena: Viscoelastic creep of a substrate polymer over rigid particles, J Adhesion **62**(1-4) 151-168 (May 1997), 12A514
Axisymmetric adhesion tests of pressure sensitive adhesives, J Eng Mat Tech **119**(3) 211-215 (Jul 1997), 12A846
High frequency electrical measurements of adhesive bonded structures: An investigation of model parallel plate waveguide structures, NDT&E Int **30**(3) 151-161 (Jun 1997), 12A870
Environmental ageing of adhesively-bonded joints - I: Dielectric studies, J Adhesion **62**(1-4) 281-315 (May 1997), 12A1040
Environmental ageing of adhesively-bonded joints - II: Mechanical studies, J Adhesion **62**(1-4) 317-335 (May 1997), 12A1041
Influence of surface properties of carbon fiber-epoxy matrix interfacial adhesion, J Adhesion **62**(1-4) 213-245 (May 1997), 12A1042
Mechanisms of peeling of uncrossed-linked pressure sensitive adhesives, J Adhesion **62**(1-4) 45-73 (May 1997), 12A1043
Numerical analysis of a thick-adherend lap shear specimen, J Adhesion **62**(1-4) 257-280 (May 1997), 12A1044

V. MECHANICS OF FLUIDS

350. RHEOLOGY

350B. Continuum theory

Modeling of electrorheological materials, Mech Res Commun **23**(4) 401-407 (Jul-Aug 1996), 1T946
Slip of complex fluids in viscometry, Rheol Acta **35**(3) 242-251 (May-Jun 1996), 1A947
Stress-strain behavior of segmented polyurethan-cureas under pure shear deformation, Rheol Acta **35**(3) 288-295 (May-Jun 1996), 1A948
Fundamental relationship between the relaxation spectra and the tangent distribution function in the theory of linear viscoelasticity, Rheol Acta **35**(4) 308-314 (Jul-Aug 1996), 3A932
Modelization of extensional experiments under constant force using memory-integral constitutive equations and stream-tube analysis, Rheol Acta **35**(4) 337-346 (Jul-Aug 1996), 3A933
Molecular weight distributions from linear viscoelastic measurements, Rheol Acta **35**(4) 356-363 (Jul-Aug 1996), 3A934
Nonlinear method for the calculation of the loss tangent distribution function, Rheol Acta **35**(4) 315-320 (Jul-Aug 1996), 3A935
Rheology and Fluid Mechanics of Nonlinear Materials - 1996 (ASME, New York, 1996) 5N23
Theory of linear viscoelasticity of chiral liquid crystals, Rheol Acta **35**(5) 400-409 (Sep-Oct 1996), 5A882
Rheology of a magnetorheological fluid, J Intelligent Mat Syst Struct **7**(5) 589-593 (Sep 1996), 6A984
Workshop on Unresolved Experimental Dilemmas in the Dynamics of Complex Fluids, J Non-Newtonian Fluid Mech **67** 1-334 (Nov 1996), 6A985
Transverse shear-induced liquid and particle tracer diffusivities of a dilute suspension of spheres undergoing a simple shear flow, J Fluid Mech **327** 255-272 (Nov 1996), 6A1062
Nonisothermal model of glass fiber drawing stability, Rheol Acta **35**(6) 584-596 (Nov-Dec 1996), 7A969
Smoluchowski theory with simply approximations for hydrodynamic interactions in concentrated dispersions, J Rheol **41**(2) 399-425 (Mar-Apr 1997), 8A989
Qualitative correlation between viscometric and linear viscoelastic functions, J Non-Newtonian Fluid Mech **68**(1) 133-135 (Jan 1997), 8A1014
Dynamic simulation of freely draining flexible polymers in steady linear flows, J Fluid Mech **334** 251-291 (Mar 1997), 9A982
Re-entrant corner behavior of the Phan-Thien-Tanner fluid, J Non-Newtonian Fluid Mech **69**(1) 99-104 (Mar 1997), 10T1017
Two-way interaction between anisotropic flow and fiber orientation in squeeze flow, J Rheol **41**(3) 491-511 (May-Jun 1997), 10A1018
Rheology for Polymer Melt Processing (Elsevier Sci, New York, 1996) 11N33
Development of helical coordinate system and its application to analysis of polymer flow in screw extruders - Part I: The balance equations in a helical coordinate system, J Non-Newtonian Fluid Mech **69**(2-3) 155-167 (Apr 1997), 11A582
More on the prediction of molecular weight distributions of linear polymers from their rheology, J Rheol **41**(4) 851-871 (Jul-Aug 1997), 12A1045

350C. Kinetic and statistical theory

Kinetic theory and transport phenomena for a dumbbell model under nonisothermal conditions, J Rheol **40**(5) 857-874 (Sep-Oct 1996), 3A936
Void formation and growth in a class of compressible solids, J Eng Math **30**(6) 693-706 (Nov 1996), 5A10
Kinetics of structure development in liquid-liquid dispersions under simple shear flow: Theory, J Rheol **40**(6) 1095-1113 (Nov-Dec 1996), 5A883
Integral formulation of hydrodynamics, Physica D **101**(3-4) 299-316 (Mar 1997), 8A5
Peterlin approximation for finitely extensible dumbbells, J Non-Newtonian Fluid Mech **68**(1) 85-100 (Jan 1997), 8A990
Rheological behavior of Brownian interacting particles in uniaxial flow combined with electric (magnetic) field, J Non-Newtonian Fluid Mech **68**(1) 43-60 (Jan 1997), 8A991
Mean-field hydrodynamics Brownian dynamics simulations of stabilized colloidal liquids under shear, J Non-Newtonian Fluid Mech **68**(1) 101-124 (Jan 1997), 8A1004
Rheological properties of thin liquid films by molecular dynamics simulations, J Non-Newtonian Fluid Mech **69**(2-3) 169-193 (Apr 1997), 11A891
Smoothed particle hydrodynamics techniques for solution of kinetic theory problems - Part I: Method, J Non-Newtonian Fluid Mech **70**(1-2) 125-154 (May 1997), 11A892

350D. Non-Newtonian fluids

Note on start-up and large amplitude oscillatory shear flow of multimode viscoelastic fluids, Rheol Acta **35**(3) 211-224 (May-Jun 1996), 1A949
Dynamics of laser-induced cavitation bubbles in polymer solutions, Acustica **82**(3) 423-430 (May-Jun 1996), 2A945
Variational models for quasi-static Bingham fluids, Math Methods Appl Sci **19**(12) 991-1015 (Aug 1996), 2T946
Yield surfaces for Herschel-Bulkley flows in complex geometries, IMA J Appl Math **56**(3) 253-276 (Jun 1996), 2A947
Exploring molecular origins of sharkskin, partial slip, and slope change in flow curves of linear low density polyethylene, J Rheol **40**(5) 875-898 (Sep-Oct 1996), 3A937
Transient extensional behavior of polystyrene-based Boger fluids of varying solvent quality and molecular weight, J Rheol **40**(5) 837-856 (Sep-Oct 1996), 3A938
Unsteady flows of viscoelastic fluids with inflow and outflow boundary conditions, Appl Math Lett **9**(5) 93-98 (Sep 1996), 3A1105
Quasi-static non-Newtonian fluids with power-law, Math Methods Appl Sci **19**(15) 1225-1232 (Oct 1996), 4T959
Squeeze flow testing of glass mat thermoplastic material, Composites Part A Appl Sci and Manuf **27A**(12) 1195-1200 (1996), 5A569
Experimental and numerical study of entry flow of low-density polyethylene melts, Rheol Acta **35**(5) 494-507 (Sep-Oct 1996), 5A941
Effects of a piezoviscous lubricant on the dynamics of a journal bearing, J Rheol **40**(6) 1239-1266 (Nov-Dec 1996), 5A1111
Conduit flow of an incompressible, yield-stress fluid, J Rheol **41**(1) 93-101 (Jan-Feb 1997), 7A970
Spin coating of viscoplastic fluids, Rheol Acta **35**(6) 597-615 (Nov-Dec 1996), 7A971
Effects of viscoelasticity on the transient motion of a sphere in a shear-thinning fluid, J Rheol **41**(1) 103-128 (Jan-Feb 1997), 7A1034
Dynamic characteristics of ER fluid squeeze film damper, JSME Int J Ser C **39**(4) 702-707 (Dec 1996), 7A1203
Class of fluids of grade 3, Int J Non-Linear Mech **32**(1) 73-88 (Jan 1997), 8A992
Dynamics of a liquid with momentum anisotropy, J Appl Math Mech **60**(5) 769-775 (1996), 8A993
Free convection in a non-Newtonian fluid saturated porous medium with lateral mass flux, Int J Non-Linear Mech **32**(3) 471-482 (May 1997), 8A994
Measurements of velocity profile development in the spinning flows of liquid crystalline polymer solutions, J Rheol **41**(2) 237-247 (Mar-Apr 1997), 8A995
Steady-state advancement of fingers and bubbles in a Hele-Shaw cell filled by a non-Newtonian fluid, European J Appl Math **8**(1) 73-87 (Feb 1997), 8A1058
Effect of die materials and pressure-dependent slip on the extrusion of linear low-density polyethylene, J Rheol **41**(2) 249-265 (Mar-Apr 1997), 8A1082
Effect of parallel combined steady and oscillatory shear flows on blood and polymer solutions, Rheol Acta **36**(2) 160-172 (Mar-Apr 1997), 10A1019
Polymer Melt Rheology Conference, University of Wales, Aberystwyth, September 3-6, 1995, J Non-Newtonian Fluid Mech **68**(2-3) 141-322 (Feb 1997), 10A1020
Reentrant corner flows of Newtonian and non-Newtonian fluids, J Rheol **41**(3) 787-805 (May-Jun 1997), 10A1021
Singularity in the melt flow of polyethylene with wider implications for polymer melt flow rheology, J Non-Newtonian Fluid Mech **69**(1) 71-98 (Mar 1997), 10A1043
Analysis of entry flow to determine elongation flow properties revisited, J Non-Newtonian Fluid Mech **70**(3) 219-235 (Jun 1997), 11A893
Three-dimensional presentation of extensional flow data, J Non-Newtonian Fluid Mech **70**(3) 205-218 (Jun 1997), 11A894
Temperature and flow fields for the flow of a second grade fluid past a wedge, Int J Non-Linear Mech **32**(5) 933-946 (Sep 1997), 12A1046
Uniqueness results in the theory of microstretch fluids, Int J Eng Sci **35**(7) 669-679 (May 1997), 12A1047
Unsteady flow of a second-grade fluid past a backward-facing step, Int J Non-Linear Mech **32**(5) 947-960 (Sep 1997), 12A1048

350E. Dynamic properties (recoil and stress relaxation)

Self heating and thermal failure of polymers sustaining a compressive cyclic loading, Int J Solids Struct **33**(23) 3439-3462 (Sep 1996), 1A688
Role of end-effects on measurements of extensional viscosity in filament stretching rheometers, J Non-Newtonian Fluid Mech **64**(2-3) 229-267 (Jun 1996), 1A957
Flow-induced structure in a system of nuclear waste simulant slurries, Rheol Acta **35**(4) 382-389 (Jul-Aug 1996), 3A939
Model with two coupled Maxwell modes, J Rheol **40**(5) 917-942 (Sep-Oct 1996), 3A940
Nonlinear response of a long, discontinuous fiber-melt system in elongational flows, Rheol Acta **35**(4) 347-355 (Jul-Aug 1996), 3A941
Rheology-morphology-flow conditions relationships for polymethylmethacrylate-rubber blend, Rheol Acta **35**(4) 369-381 (Jul-Aug 1996), 3A942
1995 Bingham medal address: Oh, thermorheological simplicity, wherefore art thou?, J Rheol **40**(6) 987-1014 (Nov-Dec 1996), 5A884
Hierarchical models for viscoelasticity: Dynamic behavior in the linear range, Rheol Acta **35**(5) 508-519 (Sep-Oct 1996), 5A885
Influence of molecular weight distribution on the melt extrusion of high density polyethylene (HDPE): Effects of melt relaxation behavior on

morphology and orientation in HDPE extruded tubular films, J Rheol 40(6) 1079-1093 (Nov-Dec 1996), 5A886
Predicting the rheology of linear with branched polyethylene blends, Rheol Acta 35(5) 481-493 (Sep-Oct 1996), 5A887
Rheological behavior of a filled wax system, Rheol Acta 35(5) 446-457 (Sep-Oct 1996), 5A888
Rheological study of shear induced crystallization, Rheol Acta 35(5) 391-399 (Sep-Oct 1996), 5A889
Relaxation and viscoelastic properties of complex polymer systems, Rheol Acta 35(6) 631-644 (Nov-Dec 1996), 7A972
Relaxation of linear flexible polymers which are slightly poly-disperse, Rheol Acta 35(6) 645-655 (Nov-Dec 1996), 7A973
Rheological and rheo-optical characterization of shear-induced structure formation in a nonionic drag-reducing surfactant solution, J Rheol 41(1) 151-166 (Jan-Feb 1997), 7A974
Rheology of critical LCST polymer blends: Poly(styrene-co-maleic anhydrite)-poly(methyl methacrylate), Rheol Acta 35(6) 556-566 (Nov-Dec 1996), 7A975
Simultaneous measurement of viscoelastic changes and cell opening during processing of flexible polyurethane foam, Rheol Acta 35(6) 656-666 (Nov-Dec 1996), 7A992
Nonlinear rheology of a wormlike micellar system in the presence of sodium salicylate salt, J Rheol 41(2) 307-318 (Mar-Apr 1997), 8A996
Stress relaxation in cherry fruit, Biorheol 33(6) 451-462 (Nov-Dec 1996), 8A997
Viscoelastic properties of colloidal gels, J Rheol 41(2) 197-218 (Mar-Apr 1997), 8A998
Dynamic simulation of freely draining flexible polymers in steady linear flows, J Fluid Mech 334 251-291 (Mar 1997), 9A982
Experimental validation of steady shear and dynamic viscosity relation for yield stress fluids, Rheol Acta 36(1) 49-55 (Jan-Feb 1997), 9A983
Influence of the flow history on stress growth and structure changes in the thermotropic liquid crystalline polymer Vectra B950, Rheol Acta 36(1) 82-95 (Jan-Feb 1997), 9A984
Structural transitions in wormlike micelles, Rheol Acta 36(1) 1-12 (Jan-Feb 1997), 9A985
Accurate simulation of linear viscoelastic properties by variance reduction through the use of control variates, J Rheol 41(3) 757-768 (May-Jun 1997), 10A1022
Rheology and phase separation in a model upper critical solution temperature polymer blend, J Rheol 41(3) 739-755 (May-Jun 1997), 10A1023
Shear rheology of polymer solutions near the critical condition for elastic instability, Rheol Acta 36(2) 97-109 (Mar-Apr 1997), 10A1024
Stability of the $T_{my} < T_{mx}$ relation between Vogel temperatures of flow and glass trnsition against determination variants, Rheol Acta 36(2) 187-196 (Mar-Apr 1997), 10A1025
Transient rheological response and morphology evolution of immiscible polymer blends, J Rheol 41(3) 705-718 (May-Jun 1997), 10A1026
Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, Rheol Acta 36(2) 173-186 (Mar-Apr 1997), 10A1039
Oscillatory enchancement of the squeezing flow of yield stress fluids: A novel experimental result, J Fluid Mech 339 77-87 (May 1997), 11A584
Analysis of entry flow to determine elongation flow properties revisited, J Non-Newtonian Fluid Mech 70(3) 219-235 (Jun 1997), 11A893
Three-dimensional presentation of extensional flow data, J Non-Newtonian Fluid Mech 70(3) 205-218 (Jun 1997), 11A894
Finite element simulation of a filament stretching extensional rheometer, J Non-Newtonian Fluid Mech 71(1-2) 89-107 (Jul 1997), 12A1052

350F. Volume viscosity

Linear viscoelastic behavior of the Hookean dumbbell with internal viscosity, Rheol Acta 35(3) 225-232 (May-Jun 1996), 1A950
Use of homogenization methods for estimating anisotropic viscosities of composite melts, Composites Sci Tech 56(5) 595-603 (1996), 1A951
Curing effects on viscosity of reactive epoxy resin adhesives, Rheol Acta 35(4) 321-328 (Jul-Aug 1996), 3A943
Extensional viscosity measurements of dilute solutions of various polymers, J Non-Newtonian Fluid Mech 65(2-3) 291-298 (Aug 1996), 3A944
Low frequency-shear rate measurements on polymer melts with a novel rheometer, Rheol Acta 35(4) 303-307 (Jul-Aug 1996), 3A963
Crossover behavior in the viscosity of semiflexible polymers: Intermolecular interactions as a function of concentration and molecular weight, J Rheol 40(6) 1129-1154 (Nov-Dec 1996), 5A890
Crossover behavior in the viscosity of semiflexible polymers: Solutions of sodium hyaluronate as a function of concentration, molecular weight, and temperature, J Rheol 40(6) 1155-1166 (Nov-Dec 1996), 5A891
Anomalous viscosity-temperature behavior of aqueous Carbopol solutions, J Rheol 41(1) 167-173 (Jan-Feb 1997), 7A976
Relation between torsion and cross-sectional area change in the human left ventricle, J Biomech 30(3) 207-212 (Mar 1997), 7A977
Scaling of relative viscosity of emulsions, J Rheol 41(1) 141-150 (Jan-Feb 1997), 7A978
Characterization of the rheological properties of a fast-curing epoxy-molding compound, J Rheol 41(2) 177-195 (Mar-Apr 1997), 8A999
Measurement of bulk viscosity and the elastic-viscous analogy, Acta Mech 120(1-4) 217-225 (1997), 8A1000
Mechanisms for viscosity reduction of polymer blends: Blends of fluoroelastomer and high-density polycthylene, J Rheol 41(2) 319-333 (Mar-Apr 1997), 8A1001
Capillarity effect analysis for alternative liquid penetrant chemicals, NDT&E Int 30(1) 19-23 (Feb 1997), 9A811
Accurate simulation of linear viscoelastic properties by variance reduction through the use of control variates, J Rheol 41(3) 757-768 (May-Jun 1997), 10A1022
Extensional viscosity from entrance pressure drop measurements, Rheol Acta 36(2) 144-151 (Mar-Apr 1997), 10A1027

350G. Normal stresses (second order)

Rheological interpretation of deposits of yield stress fluids, J Non-Newtonian Fluid Mech 66(1) 55-70 (Sep 1996), 3A945
Dissipative stresses in dilute polymer solutions, J Non-Newtonian Fluid Mech 68(1) 61-83 (Jan 1997), 8A1002
Development of secondary motions in straight channels induced by the second normal stress difference: Experiments and simulations, J Non-Newtonian Fluid Mech 69(2-3) 255-271 (Apr 1997), 11A1036

350H. Flow birefringence

Effects of salts on the rheological characteristics of a drag-reducing cationic surfactant solution with shear-induced micellar structures, Rheol Acta 35(5) 470-480 (Sep-Oct 1996), 5A978
Full tensor optical rheometry of polymer fluids, J Rheol 41(2) 343-364 (Mar-Apr 1997), 8A1003
Simulation and analysis of birefringence in Magneto-Optical Discs - Part A: Formulation, J Mat Processing Manuf Sci 5(2) 95-113 (Oct 1996), 10A1028
Simulation and analysis of birefringence in Magneto-Optical Discs - Part B: Numerical and experimental results, J Mat Processing Manuf Sci 5(2) 127-148 (Oct 1996), 10A1029
Rheology for Polymer Melt Processing (Elsevier Sci, New York, 1996) 11N33

350I. Colloids and suspensions

Layered model of electrorheological fluid under flow, Rheol Acta 35(3) 233-241 (May-Jun 1996), 1A952
Anomalous electrorheological behavior of magnesium hydroxide suspensions in silicone oil, J Rheol 40(5) 943-946 (Sep-Oct 1996), 3A946
Constitutive equations for fiber suspensions in viscoelastic media, J Non-Newtonian Fluid Mech 66(1) 35-54 (Sep 1996), 3A947
Diffusive transport of organic colloids from sediment beds, J Env Eng 122(8) 722-729 (Aug 1996), 3T948
Electrorheological dampers - Part I: Analysis and design, J Appl Mech 63(3) 669-675 (Sep 1996), 3A949
Electrorheological dampers - Part II: Testing and modeling, J Appl Mech 63(3) 676-682 (Sep 1996), 3A950
Linear viscoelastic behavior of copper phthalocyanine dispersions used in printing inks, Rheol Acta 35(4) 329-336 (Jul-Aug 1996), 3A951
Numerical simulation of a concentrated emulsion in shear flow, J Fluid Mech 321 395-419 (Aug 1996), 3A952
Reversible shear thickening in monodisperse and bidisperse colloidal dispersions, J Rheol 40(5) 899-916 (Sep-Oct 1996), 3A953
Shear history dependence of the viscosity of aggregated colloidal dispersions, J Rheol 40(5) 799-811 (Sep-Oct 1996), 3A954
Structure-related model to describe asphalt linear viscoelasticity, J Rheol 40(5) 813-836 (Sep-Oct 1996), 3A955
Capillary instability of jets of magneto-rheological fluids, J Rheol 40(5) 727-739 (Sep-Oct 1996), 3A1132
Brownian electrorheological fluids as a model for flocculated dispersions, J Rheol 40(6) 1027-1056 (Nov-Dec 1996), 5A892
Experimental study of particle migration in pipe flow of viscoelastic fluids, J Rheol 40(6) 1057-1077 (Nov-Dec 1996), 5A893
Nonlinear rheological behavior of a concentrated spherical silica suspension, Rheol Acta 35(5) 433-445 (Sep-Oct 1996), 5A894
Quasistatic measurements on a magnetorheological fluid, J Rheol 40(6) 1167-1178 (Nov-Dec 1996), 5A895
Rheological behavior of highly concentrated aqueous silica suspensions in the presence of sodium nitrate and polyethylene oxide, J Rheol 40(6) 1191-1210 (Nov-Dec 1996), 5A896
Rhcology of dense suspensions of platelike particles, J Rheol 40(6) 1211-1232 (Nov-Dec 1996), 5A897
Tensile stress measurements of dilute polymer solutions containing traces of salts and dyes, J Rheol 40(6) 1015-1025 (Nov-Dec 1996), 5A898
Dynamic simulation of suspensions of non-Brownian hard spheres, J Fluid Mech 325 53-77 (Oct 1996), 5A968
Layer formation in monodispersive suspensions and colloids, J Fluid Mech 328 297-311 (Dec 1996), 6A986
Fluidization properties of high-consistency fiber suspensions, Exp Thermal Fluid Sci 14(2) 149-159 (Feb 1997), 7T979
Zeolite-based electrorheological fluids: Testing, modeling and instrumental artifacts, J Rheol 41(1) 75-91 (Jan-Feb 1997), 7A980
Mean-field hydrodynamics Brownian dynamics simulations of stabilized colloidal liquids under shear, J Non-Newtonian Fluid Mech 68(1) 101-124 (Jan 1997), 8A1004
Negative electrorheological effect and electrical properties of a Teflon-silicone oil suspension, J Rheol 41(2) 267-281 (Mar-Apr 1997), 8A1005
Oscillatory shear of a confined fiber suspension, J Rheol 41(2) 445-466 (Mar-Apr 1997), 8A1006
Rheology of charge stabilized silica suspensions, J Rheol 41(2) 373-397 (Mar-Apr 1997), 8A1007
Modeling the thixotropic behavior of dense cohesive sediment suspensions, Rheol Acta 36(1) 56-65 (Jan-Feb 1997), 9A986
Flow of RX-08-FK high-energy paste in a capillary rheometer, J Rheol 41(3) 473-489 (May-Jun 1997), 10A1030
Migration of particles undergoing pressure-driven flow in a circular conduit, J Rheol 41(3) 621-640 (May-Jun 1997), 10A1031
Shear induced gelation of colloidal dispersions, J Rheol 41(3) 531-547 (May-Jun 1997), 10A1032
Viscoelastic material functions of noncolloidal suspensions with spherical particles, J Rheol 41(3) 599-620 (May-Jun 1997), 10A1033
Viscosity equation for concentrated suspensions of charged colloidal particles, J Rheol 41(3) 769-785 (May-Jun 1997), 10A1034
Yield stress in magnetorheological and electrorheological fluids: A comparison between microscopic and macroscopic structural models, J Rheol 41(3) 687-704 (May-Jun 1997), 10A1035
Electroviscous forces on a charged particle suspended in a flowing liquid, J Fluid Mech 338 1-34 (May 1997), 11A895
Influence of surface roughness on the particle-pair distribution function of dilute suspensions of non-colloidal spheres in simple shear flow, J Fluid Mech 339 1-24 (May 1997), 11A896
Bimodal model of suspension viscoelasticity, J Rheol 41(4) 811-819 (Jul-Aug 1997), 12A1049
Quantitative predictions of suspension rheology by nonequilibrium Brownian dynamics and hydrodynamic preaveraging, J Rheol 41(4) 893-899 (Jul-Aug 1997), 12A1050
Effect of surfactants on drop deformation and on rheology of dilute emulsions in Stokes flow, J Fluid Mech 341 165-194 (Jun 1997), 12A1110
Lubrication theory for a fiber suspension - Part 1: Pressure-driven flow in a planar channel having slowly-varying cross-section, J Non-Newtonian Fluid Mech 71(1-2) 109-136 (Jul 1997), 12A1195
Lubrication theory for a fiber suspension - Part 2: Flow in a journal bearing, J Non-Newtonian Fluid Mech 71(1-2) 137-161 (Jul 1997), 12A1196

350J. Liquid crystals

Structural transformations and viscoelastic response of sheared fingerprint cholesteric textures, J Non-Newtonian Fluid Mech 64(2-3) 207-227 (Jun 1996), 1A459
Concentration effects on the rheology and texture of PBG-m-cresol solutions, J Rheol 40(5) 967-981 (Sep-Oct 1996), 3A956
Transient and steady-state rheological behavior of the thermotropic liquid crystalline polymer Vectra B950, J Rheol 40(5) 947-966 (Sep-Oct 1996), 3A957
Chevron patterns in liquid crystal flows, Physica D 98(1) 201-224 (Nov 1996), 5A899
Flow and field induced instabilities in a smectic C liquid crystal, Meccanica 31(6) 611-621 (12 1996), 7A981
One-dimensional models for thin filaments of liquid-crystalline polymers: Coupling of orientation and flow in the stability of simple solutions, Physica D 99(4) 527-554 (Jan 1997), 7A982
Phase-field simulations and experiments of faceted growth in liquid crystals, Physica D 99(2-3) 359-368 (Dec 1996), 7A983
Local stability of biaxial nematic phases between two cylinders, Int J Non-Linear Mech 32(2) 337-351 (Mar 1997), 8A1008
Variational principle in the mechanics of liquid crystals, Int J Non-Linear Mech 32(1) 55-62 (Jan 1997), 8A1009
Orientation ordering for system of ellipsoidal molecules dispersed in cubic lattice, Acta Phys Polonica A 90(6) 1127-1141 (Dec 1996), 9A987
Isothermal elongational behavior of liquid-crystalline polymers and LCPs based blends, Rheol Acta 36(2) 152-159 (Mar-Apr 1997), 10A1036
Smoothed particle hydrodynamics techniques for solution of kinetic theory problems - Part 1: Method, J Non-Newtonian Fluid Mech 70(1-2) 125-154 (May 1997), 11A892
Rheology of highly aligned nematic liquid crystals, J Non-Newtonian Fluid Mech 69(2-3) 273-292 (Apr 1997), 11A897
Visualization of the flow of a thermotropic liquid crystalline polymer in a tube with a conical contraction, J Non-Newtonian Fluid Mech 69(2-3) 207-219 (Apr 1997), 11A898
One dimensional isothermal spinning models for liquid crystalline polymer fibers, J Rheol 41(4) 821-850 (Jul-Aug 1997), 12A1051

350K. Structured continua

Study of friction force influence on the rheology of composites in ring extruder channel, J Friction Wear 16(4) 53-58 (1995), 2A948

350M. Material characterization and models

Brownian dynamics simulations of shear-thickening in dilute polymer solutions, Rheol Acta 35(3) 274-287 (May-Jun 1996), 1A953
Magnetorheological fluids: Materials, characterization, and devices, J Intelligent Mat Syst Struct 7(2) 123-130 (Mar 1996), 1A954
Modified fractional model to describe the entire viscoelastic behavior of polybutadienes from flow to glassy regime, Rheol Acta 35(3) 265-273 (May-Jun 1996), 1A955
Predictive model for impact response of viscoelastic polymers in drop tests, Rheol Acta 35(3) 252-264 (May-Jun 1996), 1A956
Kinetic theory and transport phenomena for a dumbbell model under nonisothermal conditions, J Rheol 40(5) 857-874 (Sep-Oct 1996), 3A936
Constitutive equations for fiber suspensions in viscoelastic media, J Non-Newtonian Fluid Mech 66(1) 35-54 (Sep 1996), 3A947
Compatibility of the Cox-Merz rule with the model of Doi and Edwards, J Non-Newtonian Fluid Mech 65(2-3) 241-246 (Aug 1996), 3A958
Experimental investigation of the use of random squeezing to determine the complex modulus of viscoelastic fluids, J Non-Newtonian Fluid Mech 65(2-3) 177-194 (Aug 1996), 3A959
Model of adaptive links for aging viscoelastic media, J Rheol 40(5) 741-759 (Sep-Oct 1996), 3A960
Multi-mode approach to finite, 3D, nonlinear viscoelastic behavior of polymer glasses, J Rheol 40(5) 779-797 (Sep-Oct 1996), 3A961
Thermal and mechanical characterization of high performance epoxy systems with extended cure times, J Thermal Anal 46(6) 1511-1525 (Jun 1996), 3A962
Residual normal force after cessation of squeezing flow of liquid crystalline polymers, J Rheol 40(6) 1233-1237 (Nov-Dec 1996), 5A900
Entry flow calculations using multi-mode models, J Non-Newtonian Fluid Mech 66(2-3) 271-281 (Oct 1996), 6A987
Conditions for rupture of polymer liquids in extension, J Rheol 41(1) 1-25 (Jan-Feb 1997), 7A984
Determination of the molecular weight between crosslinks of waxy maize starches using the theory of rubber elasticity, J Rheol 41(1) 129-139 (Jan-Feb 1997), 7A985
Excess pressure losses in the capillary flow of molten polymers, Rheol Acta 35(6) 545-555 (Nov-Dec 1996), 7A986
Experimental study of pure bitumens in tension, compression, and shear, J Rheol 41(1) 45-73 (Jan-Feb 1997), 7A987
Melt elongation and recovery of polymer blends, morphology, and influence of interfacial tension, J Rheol 41(1) 27-44 (Jan-Feb 1997), 7A988
Ultrasonic devulcanization of waste rubbers: Experimentation and modeling, Rheol Acta 35(6) 616-630 (Nov-Dec 1996), 7A989
Yield surface and flow rule for orientationally hardening polymers subjected to arbitrary deforma-

tions, J Mech Phys Solids 45(1) 1-20 (1 1997), 7A990
Peterlin approximation for finitely extensible dumbbells, J Non-Newtonian Fluid Mech 68(1) 85-100 (Jan 1997), 8A990
Dissipative stresses in dilute polymer solutions, J Non-Newtonian Fluid Mech 68(1) 61-83 (Jan 1997), 8A1002
Comparative evaluation of some existing rate-type constitutive equations for a viscoelastic fluid undergoing wiggle flow, J Non-Newtonian Fluid Mech 68(1) 1-15 (Jan 1997), 8A1010
Elastic stress in "film fluids", J Rheol 41(2) 365-372 (Mar-Apr 1997), 8A1011
Electrorheological effect in immiscible polymer blends, J Rheol 41(2) 335-341 (Mar-Apr 1997), 8A1012
Exploiting accurate spinline measurements for elongational material characterization, J Rheol 41(2) 283-306 (Mar-Apr 1997), 8A1013
Qualitative correlation between viscometric and linear viscoelastic functions, J Non-Newtonian Fluid Mech 68(1) 133-135 (Jan 1997), 8A1014
Shear-induced lateral migration of Brownian rigid rods in parabolic channel flow, J Fluid Mech 332 1-21 (Feb 1997), 8A1015
Solution rheology of a hydrophobically modified alkali-soluble associative polymer, J Rheol 41(2) 427-444 (Mar-Apr 1997), 8A1016
Thermodynamic approach to rheological modeling and simulations at the configuration space level of description, J Rheol 41(2) 219-235 (Mar-Apr 1997), 8A1017
Nonlinear flow properties of viscoelastic surfactant solutions, Rheol Acta 36(1) 13-27 (Jan-Feb 1997), 9A988
Oscillatory and simple shear flows of a flour-water dough: A constitutive model, Rheol Acta 36(1) 38-48 (Jan-Feb 1997), 9A989
Viscoelastic plastic rheological model for particle filled polymer melts, Rheol Acta 36(1) 66-81 (Jan-Feb 1997), 9A990
Theory of transversely isotropic plastic viscoelastic fluids to represent the flow of talc and similar disc-like particle suspensions in thermoplastics, J Non-Newtonian Fluid Mech 69(1) 15-27 (Mar 1997), 10A584
Behavior of cold-rolling oil-in-water emulsions: A rheological approach, J Trib 119(2) 250-258 (Apr 1997), 10A732
Polymer Melt Rheology Conference, University of Wales, Aberystwyth, September 3-6, 1995, J Non-Newtonian Fluid Mech 68(2-3) 141-322 (Feb 1997), 10A1020
Effects of different sulfur compounds on jet fuel oxidation and deposition, J Eng Gas Turbines Power 119(2) 322-327 (Apr 1997), 10A1037
Finitely extensible bead spring chains in time-dependent shear flows, Rheol Acta 36(2) 197-201 (Mar-Apr 1997), 10A1038
Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, Rheol Acta 36(2) 173-186 (Mar-Apr 1997), 10A1039
Modeling spurt and stress oscillations in flows of molten polymers, Rheol Acta 36(2) 110-127 (Mar-Apr 1997), 10A1040
Molecular-level modeling of the viscoelasticity of crosslinked polymers: Effect of time and temperature, J Rheol 41(3) 641-670 (May-Jun 1997), 10A1041
Recursive model for Rheotens tests, J Rheol 41(3) 719-737 (May-Jun 1997), 10A1042
Singularity in the melt flow of polyethylene with wider implications for polymer melt flow rheology, J Non-Newtonian Fluid Mech 69(1) 71-98 (Mar 1997), 10A1043
Generic properties of rheological flow curves, J Non-Newtonian Fluid Mech 69(1) 1-14 (Mar 1997), 10A1263
Finite-element simulation of circulating steady flow for fluids of the memory-integral type: Flow in a single-crew extruder, J Non-Newtonian Fluid Mech 70(1-2) 35-58 (May 1997), 11A32
High Weissenberg number limit of the UCM model and the Euler equations, J Non-Newtonian Fluid Mech 69(2-3) 293-301 (Apr 1997), 11A899
Kinetic network model for nonlinear flow behavior of molten plastics in both shear and extension, J Non-Newtonian Fluid Mech 70(1-2) 103-123 (May 1997), 11A900
Two-parameter model for three-types of nuclepore filtration of leukocytes, Appl Math Mech 18(3) 251-258 (Mar 1997), 11A901
Proceedings of the 11th International Congress on Thermal Analysis and Calorimetry, Philadelphia PA, J Thermal Anal 49(1) 7-580 (1997), 12T1246
Numerical simulation of a concentrated emulsion in shear flow, J Fluid Mech 321 395-419 (Aug 1996), 3A952
Numerical study of the rheological properties of suspensions of rigid, non-Brownian fibers, J Fluid Mech 329 155-186 (Dec 1996), 7A991
Necking in steady-state drawing of polymer fibers, Arch Mech 48(6) 1101-1113 (1996), 9A447
Pultrusion of powder-impregnated thermoplastic composites, Composites Part A Appl Sci and Manuf 28A(7) 637-646 (1997), 12A742
Unsteady flow of a second-grade fluid past a backward-facing step, Int J Non-Linear Mech 32(5) 947-960 (Sep 1997), 12A1048
Finite element simulation of a filament stretching extensional rheometer, J Non-Newtonian Fluid Mech 71(1-2) 89-107 (Jul 1997), 12A1052

350Z. Experimental techniques

Rheological and physical studies of lubricating greases before and after use in bearings, J Trib 118(3) 681-686 (Jul 1996), 1T1140
Analytical and computational investigation of high-rate rheometry, J Trib 118(3) 601-607 (Jul 1996), 1A1146
Real-time embedded electronic sensing during resin transfer molding, J Mat Processing Manuf Sci 4(3) 179-203 (Jan 1996), 2A949
Extensional viscosity measurements of dilute solutions of various polymers, J Non-Newtonian Fluid Mech 65(2-3) 291-298 (Aug 1996), 3A944
Low frequency-shear rate measurements on polymer melts with a novel rheometer, Rheol Acta 35(4) 303-307 (Jul-Aug 1996), 3A963
Oscillatory measurements of silicone oils: Loss and storage modulus master curves, Rheol Acta 35(4) 364-368 (Jul-Aug 1996), 3A964
Stress tensor measurement using birefringence in oblique transmission, Rheol Acta 35(4) 297-302 (Jul-Aug 1996), 3A965
Use of rheological measurements to estimate the molecular weight distribution of linear polyethylene, J Rheol 40(5) 761-778 (Sep-Oct 1996), 3A966
Fifty cent rheometer for yield stress measurement, J Rheol 40(6) 1179-1189 (Nov-Dec 1996), 5A901
Imbedded disk retraction method for measurement of interfacial tension between polymer melts, Rheol Acta 35(5) 458-469 (Sep-Oct 1996), 5A902
Micro-Fourier rheometer: Inertial effects, Rheol Acta 35(5) 410-416 (Sep-Oct 1996), 5A903
Nuclear magnetic resonance imaging of apparent slip effects in xanthan solutions, J Rheol 40(6) 1115-1128 (Nov-Dec 1996), 5A904
Rheometry on magnetorheological (MR) fluids - I: Steady shear flow in stationary magnetic fields, Rheol Acta 35(5) 417-432 (Sep-Oct 1996), 5A905
Workshop on Unresolved Experimental Dilemmas in the Dynamics of Complex Fluids, J Non-Newtonian Fluid Mech 67 1-334 (Nov 1996), 6A985
Simultaneous measurement of viscoelastic changes and cell opening during processing of flexible polyurethane foam, Rheol Acta 35(6) 656-666 (Nov-Dec 1996), 7A992
Heat transfer to viscoclastic polymer solutions flowing over a smooth cylinder, Appl Mech Eng 1(3) 355-365 (1996), 9A991
Laser Doppler measurements of flow in a cone-and-plate rheometer and the effect of cone misalignment, Rheol Acta 36(1) 28-37 (Jan-Feb 1997), 9A992
Extensional rheometry of polymer multilayers: A sensitive probe of interfaces, J Rheol 41(3) 671-685 (May-Jun 1997), 10A1044
Shear rate dependent thermal conductivity measurements of non-Newtonian fluids, Exp Thermal Fluid Sci 15(1) 16-24 (Jul 1997), 10T1344
Influence of surface roughness on the particle-pair distribution function of dilute suspensions of non-colloidal spheres in simple shear flow, J Fluid Mech 339 1-24 (May 1997), 11A896
Experimental characterization of sharkskin in polyethylenes, J Rheol 41(4) 873-892 (Jul-Aug 1997), 12A1053
Shear flow of wormlike micelles in pipe and cyclindrical Couette geometries as studied by nuclear magnetic resonance microscopy, J Rheol 41(4) 901-924 (Jul-Aug 1997), 12A1128

352. HYDRAULICS

350Y. Computational techniques

Role of end-effects on measurements of extensional viscosity in filament stretching rheometers, J Non-Newtonian Fluid Mech 64(2-3) 229-267 (Jun 1996), 1A957
Surface-wave generation: A viscoelastic model, J Fluid Mech 322 131-145 (Sep 1996), 3A234
Basic equations of water hammer, J Hydrodyn 8(2) 62-71 (1996), 3T967
Generalized form of the Saint-Venant equation with velocity and shear stress profiles (French), J Hydraul Res 34(4) 481-501 (1996), 3A970
Practical Hydraulics Handbook, Second Edition (CRC Press, Boca Raton FL, 1996) 4N24
Stochastic Hydraulics '96 (Balkema, Rotterdam, Netherlands, 1996) 4N26
Perturbation solution to the transient pipe flow problem, J Hydraul Res 34(5) 633-649 (1996), 6A996
Statistical-dynamical method for predicting long term coastal evolution, Coastal Eng 30(3-4) 259-280 (May 1997), 10T1062
Modeling turbulence mechanisms in flows over abrupt drops in bed elevation, J Eng Mech 123(6) 633-638 (Jun 1997), 11A1112
Intercomparison of coastal area morphodynamic models, Coastal Eng 31(1-4) 97-123 (Jul 1997), 12T1060

352A. General theory

Scaling of thermohydraulic systems, Nucl Eng Des 163(3) 359-395 (Jul 1996), 1A958
Hydraulic Engineering Software VI (Comput Mech, Billerica MA, 1996) 3N36
Issues and Directions in Hydraulics (Balkema, Rotterdam, Netherlands, 1996) 3N37

352B. Closed conduit flow

Basic equations of water hammer, J Hydrodyn 8(2) 62-71 (1996), 3T967
k-Factor data of interacting duct fittings based on measurement and CFD modeling, Int J Energy Res 20(12) 1129-1136 (Dec 1996), 7A993
Internal solitary waves with stratification in density, J Austral Math Soc B 38(4) 563-580 (Apr 1997), 10A298
Development of a piston-type closed conduit to generate oscillatory flow with arbitrary profile (Chinese), Proc JSCE 558(II-38) 153-157 (Feb 1997), 10A1045
Hydraulic conveying in small diameter horizontal pipes, J Hydrology and Hydromech 44(5) 265-290 (1996), 11T902
Theoretical description and numerical sensitivity analysis of Wilson model for hydraulic transport of solids in pipelines, J Hydrology and Hydromech 44(4) 208-222 (1996), 11T903
Theoretical model of flow of an inelastic fluid through isotropic elastic porous pipes (French), J Hydraul Res 35(3) 301-322 (1997), 11T904

352C. Open channel flow (incl hydraulic jumps)

Open channel flow past a bottom obstruction, J Eng Math 30(4) 487-499 (341 1996), 1A959
Discharge prediction in straight compound channels using the mixing length concept, J Hydraul Res 34(3) 381-394 (1996), 2T950
Hydraulic jumps at positive and negative steps on sloping floors, J Hydraul Res 34(3) 409-420 (1996), 2A951
Prediction of the transition nappe/skimming flow on a stepped channel, J Hydraul Res 34(3) 421-429 (1996), 2A952
Variational data assimilation for a nonlinear hydraulic model, Appl Math Model 20(9) 675-682 (Sep 1996), 2A953
Fractionwise calculation of bed load transport, J Hydraul Res 34(3) 363-379 (1996), 2T954
Channel routing with flow losses, J Hydraul Eng 122(10) 580-582 (Oct 1996), 3T968
Design of global control algorithm for irrigation canals, J Hydraul Eng 122(9) 503-511 (Sep 1996), 3T969
Generalized form of the Saint-Venant equation with velocity and shear stress profiles (French), J Hydraul Res 34(4) 481-501 (1996), 3A970
Hydraulic jump in sloping channels, J Hydraul Eng 122(8) 436-442 (Aug 1996), 3A971
Physically based hydraulic jump model for depth-averaged computations, J Hydraul Eng 122(10) 540-548 (Oct 1996), 3A972
Transition from hydraulic jump to open channel flow, J Hydraul Eng 122(9) 526-528 (Sep 1996), 3A973
Vortex development in viscoelastic expansion and contraction flows, J Non-Newtonian Fluid Mech 65(2-3) 133-149 (Aug 1996), 3A974
Water-surface slope at critical controls in open channel flow, J Hydraul Res 34(4) 517-536 (1996), 3A975
Incipient jump conditions for flows over a vertical sill, J Hydraul Eng 122(8) 465-469 (Aug 1996), 3T978
Prediction of cavitation damage for spillways, J Hydraul Eng 122(9) 481-488 (Sep 1996), 3A982
Influence of approach channel on wave propagation with varying incident angles, China Ocean Eng 10(3) 323-331 (1996), 4A960
Hydraulic jumps at boundaries in rotating fluids, J Fluid Mech 324 55-82 (Oct 1996), 5A906
Turbulent flow structure at concordant and discordant open-channel confluences, Exp Fluids 21(6) 437-446 (Oct 1996), 5A1010
Air entrainment at drops, J Hydraul Res 34(5) 579-588 (1996), 6A988
Depth ratio of hydraulic jump in rectangular stilling basins, J Hydraul Res 34(5) 597-604 (1996), 6T989
Effects of bed discordance on flow dynamics at open channel confluences, J Hydraul Eng 122(12) 676-682 (Dec 1996), 6T990
Experimental study of flow resulting from a dam-break (Spanish), Ingenieria Hidraul Mex 12(1) 65-75 (Jan-Apr 1997), 6T991
Fully conservative Beam and Warming scheme for transient open channel flows, J Hydraul Res 34(5) 605-621 (1996), 6T992
Water surface profiles in compound channel with multiple critical depths, J Hydraul Eng 122(12) 703-709 (Dec 1996), 6T993
Fundamental properties of flows in open channels with dead zone, J Hydraul Eng 123(2) 98-107 (Feb 1997), 7A994
Numerical simulation of discontinuous flow in circular conduits, J Hydrodyn 8(3) 64-74 (1996), 7A995
Pulsatile laminar flow in a viscoelastic system, J Fluids Eng 118(4) 829-832 (Dec 1996), 7A996
Stability of organized horizontal vortices and momentum transport in open channel flows with bank vegetation (Japanese), Proc JSCE 551(II-37) 63-73 (Nov 1996), 7A997
Formation and propagation of vortex rings and pairs of vortex rings, J Fluid Mech 332 121-139 (Feb 1997), 8A1018
Numerical calculations of the free surface flow under a sluice gate, J Fluid Mech 330 339-347 (Jan 1997), 8A1019
Open-channel turbulent flow over non-uniform gravel beds, Appl Sci Res 56(4) 243-254 (1996), 8A1020
Subcritical, transcritical, and supercritical flows over a step, J Fluid Mech 333 257-271 (Feb 1997), 8A1021
Purging of saline water from rectangular and trapezoidal cavities by an overflow of turbulent sweet water, J Hydraul Res 35(1) 43-62 (1997), 8A1025
Investigation into the hydraulic characteristics of channels with flood plains, Arch Hydro-Eng Env Mech 42(3-4) 31-50 (1995), 9A993
Simulation of dam-break flow with grid adaptation, Adv Water Resources 21(1) 1-9 (Feb 1997), 9T994
Characteristics of open-channel flows with adverse pressure gradients (Chinese), Proc JSCE 558(II-38) 71-79 (Feb 1997), 10A1046
Laboratory study on large horizontal vortices in compound open channel flow (Chinese), Proc JSCE 558(II-38) 91-102 (Feb 1997), 10T1047
Space-time correlation structures of horizontal coherent vortices in compound open-channel flows by using particle-tracking velocimetry, J Hydraul Res 35(2) 191-208 (1997), 10T1048
Transition to a free-surface flow at end of a horizontal conduit, J Hydraul Res 35(2) 225-242 (1997), 10T1049
Principles and practice of hydraulic modeling of braided gravel-bed rivers, J Hydrology 35(2) 175-198 (1996), 10T1055
Three-dimensional FE model to simulate secondary flows: Development and validation (French), J Hydraul Res 35(3) 291-300 (1997), 11T34
Depth averaged hydrodynamic model in curvilinear collocated grid, J Hydraul Eng 123(5) 380-388 (May 1997), 11A905
Linear and angular momentum conservation in hydraulic jump, J Hydraul Res 35(3) 323-354 (1997), 11A906
One-dimensional dam-break solutions for variable width channels, J Hydraul Eng 123(5) 464-468 (May 1997), 11T907
Subcritical junction flow, J Hydraul Eng 123(5) 447-455 (May 1997), 11T908
Free surface flow profile and fluctuations of a circular hydraulic jump formed by an impinging jet, J Fluids Eng 117(4) 677-682 (Dec 1995), 11A1048
Penetration of a long bubble through a viscoelastic fluid in a tube, J Non-Newtonian Fluid Mech 71(1-2) 73-88 (Jul 1997), 12A1054
Vertical distribution of oil concentration in sediment-laden open channel flow (Chinese), J Dalian Univ Tech 37(3) 355-361 (May 1997), 12A1055

352D. Pipe losses (friction and geometry)

Comprehensive study of combining flow conditions at pipe junctions, J Hydrodyn 8(1) 76-84 (1996), 1T960
Viscous effects in internal waves of two-layered fluids with variable depth, Eur J Mech B 15(4) 445-470 (1996), 3A248
Filling of pipelines with undulating elevation profiles, J Hydraul Eng 122(10) 534-539 (Oct 1996), 3T976
Dividing rectangular closed conduit flows, J Hydraul Eng 122(12) 687-691 (Dec 1996), 6T994
Optimization of water distribution networks, J Hydraul Res 34(5) 623-632 (1996), 6T995
Perturbation solution to the transient pipe flow problem, J Hydraul Res 34(5) 633-649 (1996), 6A996

Numerical simulation of discontinuous flow in circular conduits, J Hydrodyn **8**(3) 64-74 (1996), 7A995
Increase in losses coefficient with age for small diameter pipes, J Hydraul Eng **123**(2) 157-159 (Feb 1997), 7T998
Novel method to measure capsule pressure gradient in a pipeline, J Fluids Eng **118**(4) 867-870 (Dec 1996), 7T999
Preliminary observations of turbulent flow at culvert inlets, J Hydraul Eng **123**(2) 116-124 (Feb 1997), 7T1000
Study of unsteady orifice flow characteristics in hydraulic oil lines, J Fluids Eng **118**(4) 743-748 (Dec 1996), 7A1001
Reaction of bursting to an oscillating homogeneous pressure gradient, Eur J Mech B **16**(1) 89-120 (1997), 7A1137
Optimal design of water distribution networks, J Hydraul Res **35**(1) 63-79 (1997), 8T1022
Coupled analysis of fluid transients and structural dynamic responses of a pipeline system, J Hydraul Res **35**(1) 119-131 (1997), 8T1023
Numerical algorithms for flows in the nodes of 2D models of pipe networks, J Comput Phys **132**(1) 62-77 (Mar 1997), 9T995
Experimental and analytical study of single-phase liquid flow in a horizontal well, J Energy Resources Tech **119**(1) 20-25 (Mar 1997), 9A1086
Unsteady solids flow in a long slurry pipeline with pumps in series: Process of material aggregation, J Hydrology and Hydromech **44**(6) 396-409 (1996), 11T997
CFD prediction of k-factors of duct elbows, Int J Energy Res **21**(7) 675-681 (Jun 1997), 12A1056

352E. Unsteady flow

Comprehensive study of combining flow conditions at pipe junctions, J Hydrodyn **8**(1) 76-84 (1996), 1T960
Filling of pipelines with undulating elevation profiles, J Hydraul Eng **122**(10) 534-539 (Oct 1996), 3T976
Experimental study of flow resulting from a dam-break (Spanish), Ingenieria Hidraul Mex **12**(1) 65-75 (Jan-Apr 1997), 6T991
Fully conservative Beam and Warming scheme for transient open channel flows, J Hydraul Res **34**(5) 605-621 (1996), 6T992
Perturbation solution to the transient pipe flow problem, J Hydraul Res **34**(5) 633-649 (1996), 6A996
Study of unsteady orifice flow characteristics in hydraulic oil lines, J Fluids Eng **118**(4) 743-748 (Dec 1996), 7A1001
Computation of energy dissipation in transient flow, J Hydraul Eng **123**(2) 108-115 (Feb 1997), 7A1004
Coupled analysis of fluid transients and structural dynamic responses of a pipeline system, J Hydraul Res **35**(1) 119-131 (1997), 8T1023
Transient fluid-structure interaction in a control valve, J Fluids Eng **119**(2) 354-359 (Jun 1997), 11A910
Unsteady turbulent flow past solid fence, J Hydraul Eng **123**(6) 560-565 (Jun 1997), 11A911

352F. Stratified flow

Environmental Hydraulics (Kluwer, MA, 1996) 2N48
Numerical simulations of density currents in sheared environments within a vertically confined channel, J Atmos Sci **53**(5) 770-786 (Mar 1996), 3A977
Analytical study of density currents in sheared, stratified fluids including the effects of latent heating, J Atmos Sci **53**(22) 3303-3312 (Nov 1996), 6A997
Selective withdrawal through an intake fitted with a collar, J Hydraul Eng **122**(12) 683-686 (Dec 1996), 6A998
Self-similar multi-layer exchange flow through a contraction, J Fluid Mech **328** 49-66 (Dec 1996), 6A999
Flow structure in turbidity currents, J Hydraul Res **34**(5) 713-718 (1996), 6A1003
Multi-layer modeling of 3D hydrodynamic transport processes, J Hydraul Res **34**(5) 677-693 (1996), 6A1005
Flushing criteria in estuarine and laboratory experiments, J Hydraul Eng **122**(12) 728-734 (Dec 1996), 6A1009
Spreading of 3D inclined gravity plumes, J Hydraul Res **34**(5) 695-711 (1996), 6A1124
Propagation of internal bores, J Fluid Mech **331** 81-106 (Jan 1997), 8A1024
Purging of saline water from rectangular and trapezoidal cavities by an overflow of turbulent sweet water, J Hydraul Res **35**(1) 43-62 (1997), 8A1025
Effect of sub-aqueous disposal of mine tailings in standing waters, J Hydraul Res **35**(2) 147-159 (1997), 10A1050
Experimental study of reservoir turbidity current, J Hydraul Eng **123**(6) 520-528 (Jun 1997), 11T909
Characteristic analysis of turbid underflows, J Hydraul Eng **123**(5) 420-431 (May 1997), 11A919

352G. Obstructions

Prediction of the transition nappe/skimming flow on a stepped channel, J Hydraul Res **34**(3) 421-429 (1996), 2A952
Kinematic Wave Modeling in Water Resources: Surface-Water Hydrology (Wiley, New York, 1996) 3R31
Hydraulic jump in sloping channels, J Hydraul Eng **122**(8) 436-442 (Aug 1996), 3A971
Incipient jump conditions for flows over a vertical sill, J Hydraul Eng **122**(8) 465-469 (Aug 1996), 3T978
Scattering of water waves by an array of circular cylinders in a channel, J Eng Math **30**(6) 661-682 (Nov 1996), 5A186
Air entrainment at drops, J Hydraul Res **34**(5) 579-588 (1996), 6A988
Depth ratio of hydraulic jump in rectangular stilling basins, J Hydraul Res **34**(5) 597-604 (1996), 6T989
Self-similar multi-layer exchange flow through a contraction, J Fluid Mech **328** 49-66 (Dec 1996), 6A999
Pier and abutment scour: Integrated approach, J Hydraul Eng **123**(2) 125-136 (Feb 1997), 7T1010
Relaxation of pore pressure in a slender core of a rockfill dam, J Hydraul Res **35**(2) 161-176 (1997), 10T1052
Three-dimensional FE model to simulate secondary flows: Development and validation (French), J Hydraul Res **35**(3) 291-300 (1997), 11T34
Subcritical junction flow, J Hydraul Eng **123**(5) 447-455 (May 1997), 11T908
Transient fluid-structure interaction in a control valve, J Fluids Eng **119**(2) 354-359 (Jun 1997), 11A910
Unsteady turbulent flow past solid fence, J Hydraul Eng **123**(6) 560-565 (Jun 1997), 11A911

352H. Orifices, nozzles, valves, and gates

Nonlinear free-surface flows emerging from vessels and flows under a sluice gate, J Austral Math Soc B **38**(1) 63-86 (Jul 1996), 1A961
Time-dependent flow in a penstock during head-gate closure, Appl Math Model **20**(8) 614-623 (Aug 1996), 1A962
Three-dimensional analysis of partially open butterfly valve flows, J Fluids Eng **118**(3) 562-568 (Sep 1996), 4A961
Air entrainment at drops, J Hydraul Res **34**(5) 579-588 (1996), 6A988
Effects of bed discordance on flow dynamics at open channel confluences, J Hydraul Eng **122**(12) 676-682 (Dec 1996), 6T990
Problems about the sizing of two-phase flow safety valves, Heat Tech **14**(1) 67-95 (1996), 7T1002
Proposed criteria for discharge capacity of prefabricated vertical drains, Geotextiles Geomembranes **14**(9) 481-505 (Sep 1996), 7A1003
Numerical calculations of the free surface flow under a sluice gate, J Fluid Mech **330** 339-347 (Jan 1997), 8A1019
Computational fluid dynamics simulation of the automotive spray painting process, Comput Model Simul in Eng **2**(2) 131-144 (May 1997), 10T1051
Relaxation of pore pressure in a slender core of a rockfill dam, J Hydraul Res **35**(2) 161-176 (1997), 10T1052
Three-dimensional turbulent boundary layer flow around bridge piers, J Hydraul Res **35**(2) 209-224 (1997), 10A1057
Unconfined expansion of supercritical water flow, J Eng Mech **123**(5) 451-457 (May 1997), 11A912

352I. Forces on hydraulic structures

Note on the forces that move particles in a second-order fluid, J Non-Newtonian Fluid Mech **64**(2-3) 299-302 (Jun 1996), 1A1012
Force identification by vorticity fields: Techniques based on flow imaging, J Fluids Struct **10**(6) 663-668 (Aug 1996), 3A979
Heat transfer between a filtrating fluid and channel walls in packed beds, Thermophys and Aeromech **3**(2) 165-171 (1996), 5T907
Simulation of plunging wave impact on a vertical wall, J Fluid Mech **327** 221-254 (Nov 1996), 6A306
Oscillating rectangular and octagonal profiles: Interaction of leading- and trailing-edge vortex formation, J Fluids Struct **11**(1) 3-31 (Jan 1997), 8A278
In-line response of a horizontal cylinder in regular and random waves, J Fluids Struct **11**(1) 73-87 (Jan 1997), 8A281
Reliability analysis of hydraulic structures considering unit hydrograph uncertainty, Stochastic Hydrology Hydraul **11**(1) 33-50 (Feb 1997), 8T1026
Fluctuating lift and drag forces on finite lengths of a circular cylinder in the subcritical Reynolds number range, J Fluids Struct **11**(2) 135-158 (Feb 1997), 9A218
Dynamics and forcing of a tethered sphere in a fluid flow, J Fluids Struct **11**(3) 293-305 (Apr 1997), 11A209
Identification of nonlinear effects in predicting the motion response of an offshore platform, Ocean Eng **24**(8) 695-720 (Aug 1997), 11T214
Hydraulic roughness of coral reef platforms, Appl Ocean Res **18**(5) 265-274 (Oct 1996), 11T913
Analytical investigations on loop-maneuver of underwater towed cable-array system, Appl Ocean Res **18**(6) 353-360 (Dec 1996), 12A281
Calculation of wave pressure and pressure spectrum for perforated-pipe breakwater, China Ocean Eng **11**(1) 79-88 (1997), 12T1057

352J. Wave loads on structures

Absorbing boundary condition for floating 2D objects in current and waves, J Eng Math **30**(5) 573-586 (Sep 1996), 3A237
Second-order vertical diffraction forces on truncated cylinders, J Offshore Mech Arctic Eng **118**(4) 259-266 (Nov 1996), 6A1000
ULSLEA: A limit equilibrium procedure to determine the ultimate limit state loading capacities of template-type platforms, J Offshore Mech Arctic Eng **118**(4) 267-275 (Nov 1996), 6A1001
Hydrodynamic loads on a conical slender cylinder, J Offshore Mech Arctic Eng **119**(1) 42-45 (Feb 1997), 8A1027
Interactions between wave-currents and offshore structures with consideration of fluid viscosity, Acta Mech Sinica **12**(4) 307-322 (1996), 8A1028
Polynomial approximation of Morison wave loading, J Offshore Mech Arctic Eng **119**(1) 30-36 (31b 1997), 8A1029
Sum-frequency diffraction loads on tension-leg platforms in bidirectional waves, J Offshore Mech Arctic Eng **119**(1) 14-19 (Feb 1997), 8A1030
Wind and current forces acting on a very large floating structure, J Offshore Mech Arctic Eng **119**(1) 8-13 (Feb 1997), 8A1031
Second order wave diffraction in two layer fluids, Appl Math Mech **17**(12) 1147-1152 (Dec 1996), 9A209
Hydraulic roughness of coral reef platforms, Appl Ocean Res **18**(5) 265-274 (Oct 1996), 11T913
Discussion on the second-order wave forces and wave drift damping, Appl Ocean Res **18**(5) 257-263 (Oct 1996), 11A914
Three-dimensional nonlinear hydrodynamic analysis of vertical cylinder during earthquakes - I: Rigid motion, J Eng Mech **123**(5) 458-465 (May 1997), 11A1493
Alternative stochastic representation of drag forces on offshore structures for dynamic analyses, J Offshore Mech Arctic Eng **119**(3) 178-183 (Aug 1997), 12A1058
Semi-analytical hydrodynamics and motions for a TLP structure - Part I: Enhancement of Pontoon results using two of Haskind's theorems, J Offshore Mech Arctic Eng **119**(3) 166-177 (Aug 1997), 12A1166

352K. Stilling basins and other energy dissipators

Environmental Hydraulics (Kluwer, MA, 1996) 2N48
New formulation for the stochastic control of systems with bounded state variables: An application to a single reservoir system, Stochastic Hydrology Hydraul **10**(3) 167-186 (Aug 1996), 3T980
Dynamic response behaviors of upright breakwaters under breaking wave impact, China Ocean Eng **10**(3) 343-352 (1996), 4A962
Numerical model for mixing areas of pollutant discharging into tidal flows, China Ocean Eng **10**(3) 353-366 (1996), 4A963
Oblique wave diffraction by segmented offshore breakwaters, Ocean Eng **24**(1) 63-82 (Jan 1997), 6A1002
Computation of energy dissipation in transient flow, J Hydraul Eng **123**(2) 108-115 (Feb 1997), 7A1004

352L. Cavitation

Fluid-structure interaction and cavitation in a single-elbow pipe system, J Fluids Struct **10**(4) 395-420 (May 1996), 1A276
Cavitation modeling with a CFD approach, J Hydrodyn **8**(1) 1-12 (1996), 1T963
Interaction of single traveling bubbles with the boundary layer and attached cavitation, J Fluid Mech **322** 329-353 (Sep 1996), 3A981
Prediction of cavitation damage for spillways, J Hydraul Eng **122**(9) 481-488 (Sep 1996), 3A982
Possibility of quantitative prediction of cavitation erosion without model test, J Fluids Eng **118**(3) 582-588 (Sep 1996), 4A964
Nonlinear calculation of rotating cavitation in inducers, J Fluids Eng **118**(3) 589-594 (Sep 1996), 4A1142
Effects of solid particle properties on cavitation erosion in solid-water mixtures, J Fluids Eng **118**(4) 749-755 (Dec 1996), 7A1005
Experiments on unsteady cavitation, Exp Fluids **22**(3) 191-198 (Jan 1997), 8A1032
Towards the concept of hydrodynamic cavitation control, J Fluid Mech **332** 377-394 (Feb 1997), 8A1033
Effects of salt water on bubble cavitation, J Fluids Eng **119**(1) 155-163 (Mar 1997), 9A996
Studies on bubble dynamics, Shock Waves **7**(1) 33-42 (Feb 1997), 10A1053
Application of piezoelectric film in cavitation research, J Hydraul Eng **123**(6) 539-548 (Jun 1997), 11T915
Case of the singing Vortex, J Fluids Eng **119**(2) 271-276 (Jun 1997), 11A916
Numerical modeling of the thermodynamic effects of cavitation, J Fluids Eng **119**(2) 420-427 (Jun 1997), 11A917
Tip vortex formation and cavitation, J Fluids Eng **119**(2) 413-419 (Jun 1997), 11A918

352M. Erosion, scouring, sediment transport

Advances in Fluvial Dynamics and Stratigraphy (Wiley, New York, 1996) 1N40
Hydrodynamic modeling of sedimentation tanks, Proc Inst Mech Eng E **210**(E2) 83-91 (1996), 1A964
Sediment Transport: Theory and Practice (McGraw-Hill, New York, 1996) 2N32
Neural network approach to evaluate drawdown curves from pumping test (Japanese), Proc JSCE **541**(III-35) 67-74 (Jun 1996), 2A542
Fractionwise calculation of bed load transport, J Hydraul Res **34**(3) 363-379 (1996), 2T954
Development and testing of riverbank-stability analysis, J Hydraul Eng **122**(8) 443-454 (Aug 1996), 3A983
Modeling sediment in gravel-bedded streams using HEC-6, J Hydraul Eng **122**(10) 559-564 (Oct 1996), 3T984
Numerical modeling of 3D suspended sediment for estuarine and coastal waters, J Hydraul Res **34**(4) 435-456 (1996), 3A985
Numerical models for flow and sediment transport in Estuaries during flooding, Ingenieria Hidraul Mex **11**(3) 47-52 (Sep-Dec 1996), 3T986
Toe-scour estimation in stabilized bendways, J Hydraul Eng **122**(8) 460-464 (Aug 1996), 3A987
Turbulent bursting-based diffusion model for suspended sediment in open channel flows, J Hydraul Res **34**(4) 457-472 (1996), 3T988
Velocity and concentration profiles in sheet-flow layer of movable bed, J Hydraul Eng **122**(10) 549-558 (Oct 1996), 3A989
Parameter identification for sediment routing in rivers, J Hydraul Res **34**(4) 473-480 (1996), 3T991
Particle spinning motion during saltating process, J Hydraul Eng **122**(10) 587-590 (Oct 1996), 3A1067
Stochastic Hydraulics '96 (Balkema, Rotterdam, Netherlands, 1996) 4N26
Temporal variation of sediment yield, J Hydrologic Eng **1**(4) 169-176 (Oct 1996), 4A965
Closure of a thickly formed frozen wall under the influence of ground water flow (Japanese), Proc JSCE **547**(III-36) 75-86 (Sep 1996), 5A908
Flow structure in turbidity currents, J Hydraul Res **34**(5) 713-718 (1996), 6A1003
Hydraulic shear stress model for rapid highly concentrated flow, J Hydraul Res **34**(5) 589-596 (1996), 6T1004
Multi-layer modeling of 3D hydrodynamic transport processes, J Hydraul Res **34**(5) 677-693 (1996), 6A1005
Representing grain size of bed material, Ocean Eng **24**(1) 1-18 (Jan 1997), 6A1006
Effects of solid particle properties on cavitation erosion in solid-water mixtures, J Fluids Eng **118**(4) 749-755 (Dec 1996), 7A1005
Erosion of mud-sand mixtures, Coastal Eng **29**(1-2) 1-25 (Dec 1996), 7A1006
Field observation of infragravity motion and suspended sand transport under a swell (Japanese), Proc JSCE **551**(II-37) 101-111 (Nov 1996), 7A1007
Mechanics of sewer sediment erosion and transport, J Hydraul Res **34**(6) 753-769 (1996), 7A1008
Numerical model for flow-salt-sediment movement in tidal estuaries, J Hydrodyn **8**(3) 1-7 (1996), 7T1009
Pier and abutment scour: Integrated approach, J Hydraul Eng **123**(2) 125-136 (Feb 1997), 7T1010
Settling and consolidation of mud-sand mixtures, Coastal Eng **29**(1-2) 27-45 (Dec 1996), 7T1011
Systematic data analysis on oscillatory sheet flow in light of sediment particle properties (Japanese), Proc JSCE **551**(II-37) 113-122 (Nov 1996), 7A1012

Watershed-specific model for streamflow, sediment, and metal transport, J Env Eng 123(1) 61-70 (Jan 1997), 7A1013
Experimental study of saltating particle trajectories, Exp Fluids 22(4) 321-326 (Feb 1997), 8A1034
Modeling of storm wash-off of suspended solids from impervious surfaces, J Hydraul Res 35(1) 99-118 (1997), 8A1035
Scour at the head of a vertical-wall breakwater, Coastal Eng 29(3-4) 201-230 (Jan 1997), 8A1036
Scour at the round head of a rubble-mound breakwater, Coastal Eng 29(3-4) 231-262 (Jan 1997), 8T1037
Stone mobility and longshore transport at reshaping breakwaters, Coastal Eng 29(3-4) 263-289 (Jan 1997), 8T1038
Effects of variable permeability on the wave-induced seabed response, Ocean Eng 24(7) 623-643 (Jul 1997), 9T997
Finite element model for erosive wear of a pipe bend containing a flow of solid particles, J Eng Appl Sci 43(5) 949-966 (Oct 1996), 9A998
Morphology model for an eroding beach backed by a seawall, Coastal Eng 30(1-2) 53-75 (Mar 1997), 9T999
Sediment transport in a river under 1D and unsteady flow conditions, Arch Hydro-Eng Env Mech 42(3-4) 3-18 (1995), 9A1000
Tidal characteristics of suspended sediment concentrations, J Hydraul Eng 123(4) 341-350 (Apr 1997), 9A1001
Wave-induced currents in the vicinity of a seawall, Coastal Eng 30(1-2) 23-52 (Mar 1997), 9A1002
Problems in characterizing dynamics of mud shore profiles, J Hydraul Eng 123(4) 351-361 (Apr 1997), 9T1005
Problems of harbor bottom sediments contamination (Polish), Hydro-Tech Transactions 59 1-28 (1995), 9A1558
Field observation of movement of sand body due to waves and verification of its mechanism by numerical model (Chinese), Proc JSCE 558(II-38) 113-128 (Feb 1997), 10A1054
Principles and practice of hydraulic modeling of braided gravel-bed rivers, J Hydrology 35(2) 175-198 (1996), 10T1055
Sediment in oscillatory flows over a plane bed, J Hydraul Res 35(2) 177-190 (1997), 10A1056
Three-dimensional turbulent boundary layer flow around bridge piers, J Hydraul Res 35(2) 209-224 (1997), 10A1057
Sediment dispersion and duration of storage in a model braided river, J Hydrology 35(2) 213-237 (1996), 10T1060
Numerical models and intercomparisons of beach profile evolution, Coastal Eng 30(3-4) 169-201 (May 1997), 10A1061
Inverse analysis of a regional groundwater flow model by extended Bayesian method: In case of unsteady flow data (Japanese), Proc JSCE 561(III-38) 175-183 (Mar 1997), 10T1064
Upstream-advancing waves generated by a current over a sinusoidal bed, Fluid Dyn Res 21(1) 1-28 (Jul 1997), 11A193
Characteristic analysis of turbid underflows, J Hydraul Eng 123(5) 420-431 (May 1997), 11A919
Choice of turbulence model for prediction of flows over river bed forms, J Hydraul Res 35(3) 355-362 (1997), 11A920
Debris flow run-out and landslide sediment delivery model tests, J Hydraul Eng 123(5) 410-419 (May 1997), 11T921
Design of single-chamber settling basins, J Hydraul Eng 123(5) 469-471 (May 1997), 11T922
Erosion of fluid mud layers - I: Entrainment model, J Hydraul Eng 123(6) 504-511 (Jun 1997), 11A923
Erosion of fluid mud layers - II: Experiments and model validation, J Hydraul Eng 123(6) 512-519 (Jun 1997), 11T924
Race-track recirculating flume for cohesive sediment research, J Hydraul Res 35(3) 377-396 (1997), 11A925
Sediment transport registration in nearshore regions, J Hydrology and Hydromech 44(6) 361-375 (1996), 11T926
Turbulence model for water flow over 2D bed forms, J Hydraul Eng 123(5) 402-409 (May 1997), 11A927
Velocity distribution in sediment-laden flow (Spanish), Ingenieria Hidraul Mex 12(2) 5-15 (May-Aug 1997), 11A928
Wave-induced liquefaction potential at the tip of breakwater: An analytical solution, Appl Ocean Res 18(5) 229-241 (Oct 1996), 11T934
Vertical distribution of oil concentration in sediment-laden open channel flow (Chinese), J Dalian Univ Tech 37(3) 355-361 (May 1997), 12A1055
Comparisons between sediment transport models and observations made in wave and current flows above plane beds, Coastal Eng 31(1-4) 163-198 (Jul 1997), 12T1059
Phase-resolving cross shore sediment transport model for beach profile evolution, Coastal Eng 31(1-4) 231-261 (Jul 1997), 12T1061
Statistical properties of multiple bars, Coastal Eng 31(1-4) 263-280 (Jul 1997), 12T1063
Wind tunnel measurement of boundary-layer response to sediment transport, Boundary-Layer Meteorol 84(1) 67-83 (Jul 1997), 12A1109

352N. Waterways

Ocean Circulation Inverse Problem (Cambridge UP, New York, 1996) 2R45
Kinematic Wave Modeling in Water Resources: Surface-Water Hydrology (Wiley, New York, 1996) 3R31
Design of global control algorithm for irrigation canals, J Hydraul Eng 122(9) 503-511 (Sep 1996), 3T969
Development and testing of riverbank-stability analysis, J Hydraul Eng 122(8) 443-454 (Aug 1996), 3A983
Numerical models for flow and sediment transport in Estuaries during flooding, Ingenieria Hidraul Mex 11(3) 47-52 (Sep-Dec 1996), 3T986
Toe-scour estimation in stabilized bendways, J Hydraul Eng 122(8) 460-464 (Aug 1996), 3A987
Velocity and concentration profiles in sheet-flow layer of movable bed, J Hydraul Eng 122(10) 549-558 (Oct 1996), 3A989
Hydrodynamic flow modeling at confluence of two streams, J Eng Mech 122(10) 994-1002 (Oct 1996), 3A990
Parameter identification for sediment routing in rivers, J Hydraul Res 34(4) 473-480 (1996), 3T991
Transport in lungs and branched estuaries, J Fluid Mech 325 331-355 (Oct 1996), 5A909
Turbulent flow structure at concordant and discordant open-channel confluences, Exp Fluids 21(6) 437-446 (Oct 1996), 5A1010
Backwater computation for transcritical river flows, J Hydraul Eng 122(12) 745-748 (Dec 1996), 6T1007
Turbulence model for depth-averaged flows in navigation installations, J Hydraul Eng 122(12) 718-727 (Dec 1996), 6T1008
Unidimensional and bidimensional modeling of the pollutant transport in rivers (Spanish), Ingenieria Hidraul Mex 12(1) 5-14 (Jan-Apr 1997), 6T1512
Fundamental properties of flows in open channels with dead zone, J Hydraul Eng 123(2) 98-107 (Feb 1997), 7A994
Channel-meandering effect on the large-scale structure of turbulent secondary flow (Japanese), Proc JSCE 551(II-37) 37-46 (Nov 1996), 7T1014
Optimal design of water distribution networks, J Hydraul Res 35(1) 63-79 (1997), 8T1022
Tidal characteristics of suspended sediment concentrations, J Hydraul Eng 123(4) 341-350 (Apr 1997), 9A1001
Bottom shear stresses of flows over a wavy bed by using depth averaged flow equations (Chinese), Proc JSCE 558(II-38) 81-89 (Feb 1997), 10A1058
Secondary current control in river bend by the action of obliquely arranged square bar elements (Chinese), Proc JSCE 558(II-38) 61-70 (Feb 1997), 10A1059
Sediment dispersion and duration of storage in a model braided river, J Hydrology 35(2) 213-237 (1996), 10T1060
Choice of turbulence model for prediction of flows over river bed forms, J Hydraul Res 35(3) 355-362 (1997), 11A920
Debris flow run-out and landslide sediment delivery model tests, J Hydraul Eng 123(5) 410-419 (May 1997), 11T921
Characterization of stream meanders for stream restoration, J Hydraul Eng 123(6) 567-570 (Jun 1997), 11T929
Control of contaminant releases in rivers - II: Optimal design, J Hydraul Eng 123(6) 493-503 (Jun 1997), 11T930
Coupled modeling of alluvial flows, J Hydraul Eng 123(5) 440-446 (May 1997), 11T931
Reservoir flow prediction by contravariant shallow water equations, J Hydraul Eng 123(5) 432-439 (May 1997), 11T932
Control of contaminant releases in rivers - I: Adjoint sensitivity analysis, J Hydraul Eng 123(6) 486-492 (Jun 1997), 11T1552

352O. Estuaries

Numerical models for flow and sediment transport in Estuaries during flooding, Ingenieria Hidraul Mex 11(3) 47-52 (Sep-Dec 1996), 3T986
Can series of maximal annual flow discharges be treated as realizations of stationary processes?, Acta Geophys Polonica 44(1) 61-77 (1996), 4A1441
Flushing criteria in estuarine and laboratory experiments, J Hydraul Eng 122(12) 728-734 (Dec 1996), 6A1009
Numerical model for flow-salt-sediment movement in tidal estuaries, J Hydrodyn 8(3) 1-7 (1996), 7T1009

352P. Coasts, beaches, harbors

Longshore current on an equilibrium beach, China Ocean Eng 10(2) 181-192 (1996), 1A965
Relationships between tidal prism and throat area of tidal inlets along yellow sea and Bohai sea coasts, China Ocean Eng 10(2) 229-238 (1996), 1A966
Simulation on the strength of model armor block on rubble-mound breakwaters, China Ocean Eng 10(2) 219-228 (1996), 1A967
Interaction of non-breaking directional random waves with submerged breakwaters, Coastal Eng 28(1-4) 249-266 (Sep 1996), 4T230
New non-dimensional number for the analysis of wave reflection from rubble mount breakwaters, Coastal Eng 28(1-4) 93-120 (Sep 1996), 4A231
Three-dimensional non-breaking regular wave interaction with submerged breakwaters, Coastal Eng 28(1-4) 229-248 (Sep 1996), 4A232
Managed coastal retreat, reducing flood risks and protection costs, Dungeness Nuclear Power Station, UK, Coastal Eng 28(1-4) 1-15 (Sep 1996), 4T966
One-dimensional modeling of individual waves and wave-induced longshore currents in the surf zone, Coastal Eng 28(1-4) 121-145 (Sep 1996), 4T967
Oscillations in a coupled bay-river system - I: Analytic solution, Coastal Eng 28(1-4) 147-164 (Sep 1996), 4T968
Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, Eur J Mech B 15(5) 665-694 (1996), 5A1030
Application of a cubic pressure-strain correlation to turbulent flow over sand ripples, Math Eng Industry 6(1) 15-37 (- 1997), 7A261
Scour at the head of a vertical-wall breakwater, Coastal Eng 29(3-4) 201-230 (Jan 1997), 8A1036
Scour at the round head of a rubble-mound breakwater, Coastal Eng 29(3-4) 231-262 (Jan 1997), 8T1037
Stone mobility and longshore transport at reshaping breakwaters, Coastal Eng 29(3-4) 263-289 (Jan 1997), 8T1038
Effects of variable permeability on the wave-induced seabed response, Ocean Eng 24(7) 623-643 (Jul 1997), 9T997
Morphology model for an eroding beach backed by a seawall, Coastal Eng 30(1-2) 53-75 (Mar 1997), 9T999
Laboratory study of longshore currents over barred and non-barred beaches, Coastal Eng 30(1-2) 1-22 (Mar 1997), 9A1003
Numerical modeling of tide-induced beach water table fluctuations, Coastal Eng 30(1-2) 105-123 (Mar 1997), 9A1004
Problems in characterizing dynamics of mud shore profiles, J Hydraul Eng 123(4) 351-361 (Apr 1997), 9T1005
Expanded mild-slope equations for the analysis of wave-induced ship motion in a harbor, Coastal Eng 30(1-2) 77-103 (Mar 1997), 9A1148
Problems of harbor bottom sediments contamination (Polish), Hydro-Tech Transactions 59 1-28 (1995), 9A1558
Numerical models and intercomparisons of beach profile evolution, Coastal Eng 30(3-4) 169-201 (May 1997), 10A1061
Statistical-dynamical method for predicting long term coastal evolution, Coastal Eng 30(3-4) 259-280 (May 1997), 10T1062
Sediment transport registration in nearshore regions, J Hydrology and Hydromech 44(6) 361-375 (1996), 11T926
Comparison of real and theoretical values of oscillatory flow in the surf zone, Ingenieria Hidraul Mex 12(2) 17-27 (May-Aug 1997), 11T933
Wave-induced liquefaction potential at the tip of breakwater: An analytical solution, Appl Ocean Res 18(5) 229-241 (Oct 1996), 11T934
Analytical investigation of wave-induced oscillations of water in a rectangular harbor, Indian J Eng Mat Sci 4(2) 54-62 (Apr 1997), 12A251
Wave height, setup and currents around a detached breakwater submitted to regular or random wave forcing, Coastal Eng 31(1-4) 77-96 (Jul 1997), 12A259
Calculation of wave pressure and pressure spectrum for perforated-pipe breakwater, China Ocean Eng 11(1) 79-88 (1997), 12T1057
Intercomparison of coastal area morphodynamic models, Coastal Eng 31(1-4) 97-123 (Jul 1997), 12T1060
Phase-resolving cross shore sediment transport model for beach profile evolution, Coastal Eng 31(1-4) 231-261 (Jul 1997), 12T1061
Short-term shoreline changes due to cross-shore structures: A one-line numerical model, Coastal Eng 31(1-4) 59-75 (Jul 1997), 12A1062
Statistical properties of multiple bars, Coastal Eng 31(1-4) 263-280 (Jul 1997), 12T1063
Improvement of the full-range equation for bottom friction under 3D wave-current combined motion, Coastal Eng 31(1-4) 217-229 (Jul 1997), 12T1495

352R. Ice transport

Sea ice ridging schemes, J Phys Oceanog 26(11) 2420-2428 (Nov 1996), 5T910
Normal modes of an ice sheet, J Fluid Mech 335 393-413 (Mar 1997), 10A1063

352Y. Computational techniques

Cavitation modeling with a CFD approach, J Hydrodyn 8(1) 1-12 (1996), 1T963
Application of an artificial compressibility methodology for the incompressible flow through a wavy channel, Commun Numer Methods Eng 12(6) 359-369 (Jun 1996), 1A968
R-adaptive BEM for unsteady free-surface flow analysis, Int J Numer Methods Eng 39(16) 2769-2787 (Aug 1996), 2A226
Hydraulic Engineering Software VI (Comput Mech, Billerica MA, 1996) 3N36
Numerical simulations of density currents in sheared environments within a vertically confined channel, J Atmos Sci 53(5) 770-786 (Mar 1996), 3A977
Turbulent bursting-based diffusion model for suspended sediment in open channel flows, J Hydraul Res 34(4) 457-472 (1996), 3T988
Free boundary problem for the 2D seepage flow, Appl Math Mech 17(6) 549-554 (Jun 1996), 3A992
Backwater computation for transcritical river flows, J Hydraul Eng 122(12) 745-748 (Dec 1996), 6T1007
Boundary-value problem on drainage at the edge of fresh ground water and its applications, J Appl Math Mech 60(3) 493-502 (1996), 6A1010
Filtered solution of the primitive shallow-water equations, Adv Water Resources 20(1) 23-35 (Feb 1997), 6A1011
Formation and propagation of vortex rings and pairs of vortex rings, J Fluid Mech 332 121-139 (Feb 1997), 8A1018
Interactions between wave-currents and offshore structures with consideration of fluid viscosity, Acta Mech Sinica 12(4) 307-322 (1996), 8A1028
Schur-complement multigrid: A robust method for groundwater flow and transport problems, Numer Math 75(4) 523-545 (Feb 1997), 8A1039
Simulation of dam-break flow with grid adaptation, Adv Water Resources 21(1) 1-9 (Feb 1997), 9T994
Numerical algorithms for flows in the nodes of 2D models of pipe networks, J Comput Phys 132(1) 62-77 (Mar 1997), 9T995
Adaptive FE scheme for hydraulic fracturing with proppant transport, Int J Numer Methods Fluids 24(7) 645-670 (Apr 1997), 10A32
Open boundary conditions for obliquely propagating nonlinear shallow-water waves in a wave channel, Comput Fluids 26(3) 269-278 (Mar 1997), 10A289
Numerical models and intercomparisons of beach profile evolution, Coastal Eng 30(3-4) 169-201 (May 1997), 10A1061
Normal modes of an ice sheet, J Fluid Mech 335 393-413 (Mar 1997), 10A1063
Inverse analysis of a regional groundwater flow model by extended Bayesian method: In case of unsteady flow data (Japanese), Proc JSCE 561(III-38) 175-183 (Mar 1997), 10T1064
Methods for calculating flow from observed or simulated hydraulic head, Adv Eng Software 28(4) 267-272 (Jun 1997), 10A1065
Depth averaged hydrodynamic model in curvilinear collocated grid, J Hydraul Eng 123(5) 380-388 (May 1997), 11A905
Numerical modeling of the thermodynamic effects of cavitation, J Fluids Eng 119(2) 420-427 (Jun 1997), 11A917
Reservoir flow prediction by contravariant shallow water equations, J Hydraul Eng 123(5) 432-439 (May 1997), 11T932
Three-dimensional nonlinear hydrodynamic analysis of vertical cylinder during earthquakes - I: Rigid motion, J Eng Mech 123(5) 458-465 (May 1997), 11A1493
Modeling an undular bore with B-splines, Comput Methods Appl Mech Eng 147(1-2) 147-152 (Jul 1997), 12A265
Comparisons between sediment transport models and observations made in wave and current flows above plane beds, Coastal Eng 31(1-4) 163-198 (Jul 1997), 12T1059
Short-term shoreline changes due to cross-shore structures: A one-line numerical model, Coastal Eng 31(1-4) 59-75 (Jul 1997), 12A1062
Algebraic grid generation technique for 3D natural river reaches, Commun Numer Methods Eng 13(6) 475-485 (Jun 1997), 12A1064

352Z. Experimental techniques

Effect of injected water on hydraulic fracturing deduced from acoustic emission monitoring (Japanese), Proc JSCE **541**(III-35) 173-187 (Jun 1996), 2A955
Novel method to measure capsule pressure gradient in a pipeline, J Fluids Eng **118**(4) 867-870 (Dec 1996), 7T999
Investigation into the hydraulic characteristics of channels with flood plains, Arch Hydro-Eng Env Mech **42**(3-4) 31-50 (1995), 9A993
Application of piezoelectric film in cavitation research, J Hydraul Eng **123**(6) 539-548 (Jun 1997), 11T915
Design of single-chamber settling basins, J Hydraul Eng **123**(5) 469-471 (May 1997), 11T922
Evolution of equations from hydraulic data - Part I: Theory, J Hydraul Res **35**(3) 397-410 (1997), 11A935
Evolution of equations from hydraulic data - Part II: Applications, J Hydraul Res **35**(3) 411-430 (1997), 11A936

354. INCOMPRESSIBLE FLOW

354A. General theory

Attractors for Navier-Stokes equations in domains with finite measure, Nonlinear Anal **27**(5) 605-616 (Sep 1996), 1T969
Centrifugal destabilization and restabilization of plane shear flows, Int J Bifurcation Chaos **6**(2) 409-413 (Feb 1996), 1A970
Navier-Stokes equations in the vorticity-velocity formulation: The 2D case, Appl Numer Math **21**(2) 185-206 (Jun 1996), 1A971
Global splitting, integrability, and regularity of 3D Euler and Navier-Stokes equations for uniformly rotating fluids, Eur J Mech B **15**(3) 291-300 (1996), 1T980
Existence of smooth, stationary interfaces for Marangoni-type flow, Nonlinear Anal **27**(11) 1329-1350 (Dec 1996), 3T993
Long time behavior of the solutions to the Navier-Stokes equations with diffusion, Nonlinear Anal **27**(11) 1229-1239 (Dec 1996), 3T994
Contributions of Da Rios and Levi-Civita to asymptotic potential theory and vortex filament dynamics, Fluid Dyn Res **18**(5) 245-268 (Oct 1996), 3A1001
Helicity generation and vorticity dynamics in helically symmetric flow, J Fluid Mech **319** 125-149 (Jul 1996), 3A1004
Brief Introduction to Fluid Mechanics (Wiley, New York, 1997) 4R23
Proceedings of the ASME Fluids Engineering Division (ASME, New York, 1996) 4N25
Stokes layers in horizontal-wave outer flows, J Fluids Eng **118**(3) 537-545 (Sep 1996), 4A978
Singular effects of surface tension in evolving Hele-Shaw flows, J Fluid Mech **323** 201-236 (Sep 1996), 4A988
Nonequilibrium Statistical Mechanics of Heterogeneous Fluid Systems (CRC Press, Boca Raton FL, 1995) 5R19
Mathematical analysis of the coupling of a turbulent kinetic energy equation to the Navier-Stokes equation with an eddy viscosity, Nonlinear Anal **28**(2) 393-417 (Jan 1997), 5T911
Slippage induced by surface diffusion, J Eng Math **30**(6) 647-659 (Nov 1996), 5A912
Basic equations for incompressible, non-Newtonian fluids in curvilinear, non-orthogonal, and accelerated coordinate systems, Acta Mech **118**(1-4) 39-54 (1996), 5A940
Effect of Atwood number on the kinematic mixing of two fluids, J Mat Processing Manuf Sci **4**(4) 323-337 (Apr 1996), 6A1012
Vorticity-velocity formulation for the Navier-Stokes equations: The 3D case, Numer Methods PDE **13**(1) 19-38 (Jan 1997), 6A1013
Shear and curvature vorticity equations, J Atmos Sci **53**(22) 3384-3394 (Nov 1996), 6A1018
Extended theory for incompressible viscous fluid flow, J Non-Newtonian Fluid Mech **66**(2-3) 233-255 (Oct 1996), 6A1020
Investigations of a two-phase fluid model, Eur J Mech B **15**(6) 885-896 (1996), 6A1027
Prediction algorithm of pressure drop for impingement cooling of heat sinks with longitudinal fins, Heat Transfer Japan Res **24**(4) 315-327 (1995), 7A1015
Steady flows with Lamb surfaces, Int J Eng Sci **35**(3) 197-209 (Feb 1997), 7A1016
Point-matching method for examining time-dependent Stokesian flow around a stationary axisymmetric body, Fluid Dyn Res **19**(2) 91-114 (Feb 1997), 7A1029
Collected Papers of Sir James Lighthill (Oxford UP, New York, 1997) 8R16
Introduction to Theoretical and Computational Fluid Dynamics (Oxford UP, New York, 1997) 8R17
Mathematical Topics in Fluid Mechanics, Volume 1: Incompressible Models (Oxford UP, New York, 1996) 8R18
Annual Review of Fluid Mechanics, Volume 29 (Annu Rev, Palo Alto CA, 1995) 8N19
Asymptotic and numerical analysis of vertical, planar liquid sheets subject to London-van der Waals forces, Int J Numer Methods Heat & Fluid Flow **7**(1) 42-62 (1997), 8T1040
Qualitative properties for the stochastic Navier-Stokes equation, Nonlinear Anal **28**(9) 1545-1563 (May 1997), 8T1041
Weak and classical solutions of a family of second grade fluids, Int J Non-Linear Mech **32**(2) 317-335 (Mar 1997), 8A1042
Engineering Fluid Dynamics: An Interdisciplinary Systems Approach (Cambridge UP, UK, 1997) 9R21
Fluid Mechanics (Springer-Verlag, Berlin, 1997) 9R22
Etude mathematique des petites oscillations planes d'un liquide heterogene dans un container ferme par un couvercle elastique - I: Existence et unicite de la solution du probleme dans le cas general (French), Bull Polish Acad Sci Tech Sci **44**(4) 347-356 (1996), 9A1006
Etude mathematique es petites oscillations planes d'un liquide heterogene dans un container ferme par un couvercle elastique - II: Etude du probleme spectral dans le cas d'un container rectangulaire (French), Bull Polish Acad Sci Tech Sci **44**(4) 357-366 (1996), 9T1007
Slightly reduced Navier-Stokes equations, J Fluids Eng **119**(1) 90-95 (Mar 1997), 9A1010
Flows at Large Reynolds Numbers (Comput Mech, Billerica MA, 1997) 11N32
Vorticity distribution caused by 3D disturbance in 2D shear flow, Fluid Dyn Res **21**(1) 29-46 (Jul 1997), 11A942
Mass transport in viscous flow under a progressive water wave, J Fluid Mech **340** 61-82 (Jun 1997), 11A943
Dynamical ensembles equivalence in fluid mechanics, Physica D **105**(1-3) 163-184 (Jun 1997), 12A1065
Solitons in (2 + 0) dimensions and their applications in vortex dynamics, Fluid Dyn Res **21**(2) 101-114 (Aug 1997), 12A1066

354B. Irrotational flow

One-dimensional models of steady, inviscid, annular liquid jets, Appl Math Model **20**(8) 593-607 (Aug 1996), 1A978
Efficient analytic series solutions for 2D potential flow problems, Int J Numer Methods Fluids **23**(5) 415-430 (Sep 1996), 3A995
Inviscid fluid flow around a submerged circular cylinder induced by free-surface traveling waves, J Eng Math **30**(5) 587-601 (Sep 1996), 3A996
Perturbation method for surface singularity solutions for potential flow, Acta Mech **117**(1-4) 81-86 (1996), 3A997
Waves generated by a source below a free surface in water of finite depth, J Eng Math **30**(5) 603-609 (Sep 1996), 3A998
Hele-Shaw flows with free boundaries driven along infinite strips by a pressure difference, European J Appl Math **7**(4) 345-366 (Aug 1996), 3A1103
Effects of welding conditions on molten drop geometry in arc welding, J Manuf Sci Eng **118**(4) 623-627 (Nov 1996), 5A880
Expanding gas clouds of ellipsoidal shape: New exact solutions, J Fluid Mech **325** 113-144 (Oct 1996), 5A913
Sudden changes in a potential flow with a free surface due to impact, Quart J Mech Appl Math **49**(4) 581-591 (Nov 1996), 5A914
Effective method for conformal mapping of multiply connected domains, Acta Mech **119**(1-4) 35-52 (1996), 6A1014
Fluid flow through a vortical slot under gravity, Appl Math Model **20**(12) 934-939 (Dec 1996), 6A1015
Trailing edge singularity and Kutta condition for 3D airfoils, Eur J Mech B **15**(6) 809-830 (1996), 6A1183
Application of analytic functions to axisymmetric flow problems, Appl Math Model **21**(2) 91-96 (Feb 1997), 8A1043
Unsteady potential plane flow past a porous circle, Z Angew Math Mech **77**(4) 259-265 (1997), 10A1066

354C. Rotational (nonviscous) flow, vortices

Flow around a source doublet in shear flow, J Phys Soc Japan **65**(7) 2033-2043 (Jul 1996), 1A972
Calculation of vorticity from velocity measurements, Trans Inst Fluid-Flow Machinery **0**(100) 109-125 (1996), 2A956
Advanced investigation of interaction of allocated quasi-2D vortices, Chaos **6**(3) 297-308 (Sep 1996), 3A999
Beta drift of baroclinic vortices - Part I: Adiabatic vortices, J Atmos Sci **53**(3) 411-427 (Feb 1996), 3A1000
Contributions of Da Rios and Levi-Civita to asymptotic potential theory and vortex filament dynamics, Fluid Dyn Res **18**(5) 245-268 (Oct 1996), 3A1001
Coupled Batchelor flows in a confined cavity, J Fluid Mech **319** 305-322 (Jul 1996), 3A1002
Experimental studies of vortex disconnection and connection at a free surface, J Fluid Mech **321** 59-86 (Aug 1996), 3A1003
Helicity generation and vorticity dynamics in helically symmetric flow, J Fluid Mech **319** 125-149 (Jul 1996), 3A1004
Improved multistage time stepping for second-order upwind TVD schemes, Comput Fluids **25**(7) 629-645 (Sep 1996), 3A1005
Axisymmetric swirling flow around a vortex breakdown point, J Fluid Mech **323** 79-105 (Sep 1996), 4A969
Effects of anisotropic pressure Hessian on the interaction between vorticity and strain fields, J Phys Soc Japan **65**(9) 2745-2748 (Sep 1996), 4A970
Experimental study of viscous vortex rings, Exp Fluids **21**(5) 315-324 (Sep 1996), 4A972
Natural formulation of the random choice method for 2D inert high-speed flow fields, Int J Numer Methods Fluids **23**(8) 847-858 (Oct 1996), 4A997
Formation of singularities in the Euler and Euler-Poisson equations, Physica D **98**(1) 67-74 (Nov 1996), 5A915
Steady two-layer vortices on the beta-plane, Dyn Atmos Oceans **25**(2) 67-86 (Nov 1996), 5T916
Vortex evolution in non-axisymmetric impulsive spin-up from rest, J Fluid Mech **324** 109-134 (Oct 1996), 5A927
Onset of instability in exact vortex rings with swirl, J Comput Phys **129**(1) 8-29 (Nov 1996), 5A1033
Growth of perturbations associated with the linear stability of inviscid fluid flows, Appl Math Comput **81**(1) 23-30 (Jan 1997), 6A1016
Pair of stream functions for 3D vortex flows, Z Angew Math Phys **47**(6) 821-836 (Nov 1996), 6A1017
Shear and curvature vorticity equations, J Atmos Sci **53**(22) 3384-3394 (Nov 1996), 6A1018
Axisymmetric vortex breakdown for generalized Newtonian fluid contained between rotating spheres, J Non-Newtonian Fluid Mech **66**(2-3) 145-168 (Oct 1996), 6A1033
Non-uniform recovery of vortex breakdown over delta wing in response to blowing along vortex core, Exp Fluids **22**(1) 33-44 (Nov 1996), 6A1180
Beta drift of baroclinic vortices - Part II: Diabatic vortices, J Atmos Sci **53**(24) 3737-3756 (Dec 1996), 7T1017
Convergence of panel methods using discrete vortices around 2D bodies, JSME Int J Ser B **39**(4) 706-713 (Nov 1996), 7A1018
Vortex breakdown in an unconfined vortical flow, Exp Thermal Fluid Sci **14**(2) 131-148 (Feb 1997), 7T1124
Asymptotic expansions and monopolar solitary Rossby vortices in barotropic and two-layer models, Geophys Astrophys Fluid Dyn **83**(3-4) 159-194 (Dec 1996), 8T1044
Diagnostic equations for 2D vortical flows, Acta Mech **120**(1-4) 227-231 (1997), 8A1045
Equilibrium configurations of point vortices for channel flows past interior obstacles, Eur J Mech B **16**(2) 277-292 (1997), 8A1046
Dynamics of vorticity defects in shear, J Fluid Mech **333** 197-230 (Feb 1997), 8A1048
One-dimensional solutions for a flow with a helical symmetry, Thermophys and Aeromech **3**(4) 297-301 (1996), 8T1133
Mixing mechanisms of vortex ring formed by gravity slumping motion, Exp Fluids **22**(4) 271-280 (Feb 1997), 8A1551
Interaction of vortices with a progressive surface wave, J Hydrodyn **8**(4) 63-68 (1996), 9A206
Flow field unsteadiness in the tip region of a transonic compressor rotor, J Fluids Eng **119**(1) 122-128 (Mar 1997), 9A1181
Evolution of laminar vortex rings, Exp Fluids **22**(6) 447-457 (Apr 1997), 10A1067
Intense vortex motion in a stratified fluid on the beta-plane: An analytical theory and its validation, J Fluid Mech **336** 203-220 (Apr 1997), 10A1068
Robust low diffusive kinetic scheme for the Navier-Stokes-Euler equations, J Comput Phys **133**(2) 193-204 (May 1997), 10A1103
Case of the singing Vortex, J Fluids Eng **119**(2) 271-276 (Jun 1997), 11A916
Dynamics of a swirling flow in a pipe and transition to axisymmetric vortex breakdown, J Fluid Mech **340** 177-223 (Jun 1997), 11A937
Formation of a 2D vortex pair and its 3D breakup: An experimental study, Exp Fluids **23**(1) 29-37 (May 1997), 11A938
Role of Kelvin-Helmholtz-like instability in the formation of turbulent vortex rings, Fluid Dyn Res **21**(1) 47-56 (Jul 1997), 11A939
Simulations of the formation of an axisymmetric vortex ring, J Fluid Mech **339** 199-211 (May 1997), 11A940
Time-dependent vortex breakdown in a cylinder with a rotating lid, J Fluids Eng **119**(2) 450-453 (Jun 1997), 11A941
Vorticity distribution caused by 3D disturbance in 2D shear flow, Fluid Dyn Res **21**(1) 29-46 (Jul 1997), 11A942
Three-dimensional vortex simulation of time dependent incompressible internal viscous flows, J Comput Phys **134**(1) 75-95 (Jun 1997), 11A946
Interaction of rolling vortices with a turbulent boundary layer, J Fluids Eng **117**(4) 564-570 (Dec 1995), 11A1020
Prediction of vortex breakdown and longitudinal characteristics of swept slender planforms, J Aircraft **34**(3) 353-359 (May-Jun 1997), 11A1135
Solitons in (2 + 0) dimensions and their applications in vortex dynamics, Fluid Dyn Res **21**(2) 101-114 (Aug 1997), 12A1066
Secondary flow in a vortex tube, Fluid Dyn Res **21**(2) 73-86 (Aug 1997), 12A1067
Three-dimensionally perturbed vortex tubes in a rotating flow, J Fluid Mech **341** 127-163 (Jun 1997), 12A1068

354D. Viscous flow

Transverse squeeze flow of concentrated aligned fibers in viscous fluids, J Non-Newtonian Fluid Mech **65**(1) 47-74 (Jul 1996), 1A973
Unsteady flow past a stretching sheet, Mech Res Commun **23**(4) 413-422 (Jul-Aug 1996), 1T974
Formulas for viscous fluid and heat flows around a hexagonal lattice of circular tubes, Fluid Dyn Res **18**(4) 211-222 (Sep 1996), 2A957
Hydrotron: Creep and slip, Fluid Dyn Res **18**(4) 199-210 (Sep 1996), 2A958
Implicit numerical scheme for the simulation of internal viscous flow on unstructured grids, Comput Fluids **25**(5) 447-466 (Jun 1996), 2A959
Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, Commun Pure Appl Math **49**(2) 85-123 (Feb 1996), 2A967
Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, Commun Pure Appl Math **49**(2) 85-123 (Feb 1996), 2T968
Existence of smooth, stationary interfaces for Marangoni-type flow, Nonlinear Anal **27**(11) 1329-1350 (Dec 1996), 3T993
Long time behavior of the solutions to the Navier-Stokes equations with diffusion, Nonlinear Anal **27**(11) 1229-1239 (Dec 1996), 3T994
Linearized stability of the viscous incompressible bipolar equations, Nonlinear Anal **27**(9) 1013-1030 (Nov 1996), 3T1006
Three-dimensional agglomeration multigrid solver for the Reynolds-averaged Navier-Stokes equations on unstructured meshes, Int J Numer Methods Fluids **23**(6) 527-544 (Sep 1996), 3A1007
Viscous flow at the inlet-outlet sections of a finite annulus (Spanish), Rev Int Metodos Numer Calc Diseno Ing **12**(1) 17-29 (1996), 3A1008
Navier-Stokes problem with free boundary, Appl Math Lett **9**(5) 39-43 (Sep 1996), 3A1018
Experiments on the rise of air bubbles in clean viscous liquids, J Fluid Mech **321** 421-441 (Aug 1996), 3A1076
Models for thin viscous sheets, European J Appl Math **7**(4) 321-343 (Aug 1996), 3A1088
Comparison of visualization of Stokes flow in a V-shaped and rectangular channel, Fluid Dyn Res **18**(6) 307-312 (Nov 1996), 4A971
Experimental study of viscous vortex rings, Exp Fluids **21**(5) 315-324 (Sep 1996), 4A972
Stationary Stokes flow through a spherical region with large variations of density and viscosity coefficient, Arch Mech **48**(4) 765-778 (1996), 4A973
Effects of fluid viscosity in hydraulic fracturing deduced from acoustic emission monitoring (Japanese), Proc JSCE **547**(III-36) 183-198 (Sep 1996), 5A917
Full viscous modeling in generalized coordinates of heat conducting flows in rotating systems, J Thermophys Heat Transfer **10**(4) 621-626 (Oct-Dec 1996), 5A918
Numerical simulation of unsteady viscous flows using an implicit projection method, Int J Numer Methods Fluids **23**(9) 897-921 (Nov 1996), 5A919
Time-dependent decay of the motion of a sphere translating and rotating in a viscous liquid, Quart J Mech Appl Math **49**(4) 621-633 (Nov 1996), 5A920
Finite volume method for the solution of the extrudate swell problem on unstructured triangular meshes, Int J Numer Methods Heat & Fluid Flow **6**(6) 65-83 (Sep 1996), 5A946
Nonlinear development of flow in channels with nonparallel walls, J Fluid Mech **326** 265-284 (Nov 1996), 5A1002
Centenary of a Paper on Slow Viscous Flow by the Physicist HA Lorentz (Kluwer, Netherlands, 1996) 6N21

Electrorheological effect of reducing the suspension viscosity in laminar flows below the viscosity of anisotropic dispersive medium, J Intelligent Mat Syst Struct 7(5) 484-488 (Sep 1996), 6A1019
Extended theory for incompressible viscous fluid flow, J Non-Newtonian Fluid Mech 66(2-3) 233-255 (Oct 1996), 6A1020
Spreading of miscible, viscous gravity currents, Eur J Mech B 15(6) 761-770 (1996), 6A1021
Stokes flow through a tube with annular fins, Eur J Mech B 15(6) 781-789 (1996), 6A1022
Assessment of grid interface treatments for multi-block incompressible viscous flow computation, Comput Fluids 25(8) 719-740 (Nov 1996), 6A1034
Interaction of an obliquely rising vortex ring with a free surface in a viscous fluid, Meccanica 31(6) 623-655 (12 1996), 7A1019
MHD squeezing flow between two parallel discs, Tech Mech 16(4) 309-316 (1996), 7A1162
Derivation of boundary integral equations for the fluid velocity in potential and viscous flows past arbitrary bodies, Boundary Elements Comm 7(6) 257-260 (1996), 8A63
Discontinuities in velocity gradients and temperature in the Stokes' first problem with nonclassical heat conduction, Quart Appl Math 55(1) 167-176 (Mar 1997), 8A1047
Dynamics of vorticity defects in shear, J Fluid Mech 333 197-230 (Feb 1997), 8A1048
Impulsive stretching of a surface in a viscous fluid, SIAM J Appl Math 57(1) 1-14 (Feb 1997), 8A1049
Regular perturbation solutions in fluid mechanics, Quart J Mech Appl Math 50(1) 129-147 (Feb 1997), 8A1050
Numerical studies of singularity formation at free surfaces and fluid interfaces in 2D Stokes flow, J Fluid Mech 331 145-167 (Jan 1997), 8A1067
Compact finite difference-Fourier spectral method for 3D incompressible Navier-Stokes equations, Acta Mech Sinica 12(4) 296-306 (1996), 8A1083
Prediction of incompressible turbulent separated flows using a viscous layer model, Int J Turbo Jet Engines 13(3) 183-191 (1996), 8A1197
Flow driven by a torsionally-oscillating shrouded endwall disk, J Fluids Eng 119(1) 115-121 (Mar 1997), 9A1008
Laminar pulsatile flow through an axisymmetric sudden expansion, J Fluids Eng 119(1) 208-211 (Mar 1997), 9T1009
Slightly reduced Navier-Stokes equations, J Fluids Eng 119(1) 90-95 (Mar 1997), 9A1010
Some existence results for a Stokes flow between two arbitrarily closed curves, Arch Mech 48(6) 973-984 (1996), 9A1011
Flow along a diverging channel, J Fluid Mech 336 183-202 (Apr 1997), 10A1069
Flow past periodic arrays of spheres at low Reynolds number, J Fluid Mech 335 189-212 (Mar 1997), 10A1070
Multiple states of a viscous free surface flow: Transition from pre-metered to a metering inflow, Int J Numer Methods Fluids 24(9) 813-831 (May 1997), 10A1071
Temporal evolution of periodic disturbances in two-layer Couette flow, J Comput Phys 132(2) 346-361 (Apr 1997), 10A1072
Stokes flow in a half-filled annulus between rotating coaxial cylinders, J Fluid Mech 337 263-282 (Apr 1997), 10A1076
High-order-accurate schemes for incompressible viscous flow, Int J Numer Methods Fluids 24(7) 715-734 (Apr 1997), 10A1097
Mass transport in viscous flow under a progressive water wave, J Fluid Mech 340 61-82 (Jun 1997), 11A943
Numerical study on motion of sphere coated with a thin liquid film at intermediate Reynolds numbers, J Fluids Eng 119(2) 397-403 (Jun 1997), 11A944
Streamline based grid adaption for Euler and Navier-Stokes: Direct and inverse design applications, Comput Fluids 26(4) 339-357 (May 1997), 11A945
Three-dimensional vortex simulation of time dependent incompressible internal viscous flows, J Comput Phys 134(1) 75-95 (Jun 1997), 11A946
Break-up of a falling drop containing dispersed particles, J Fluid Mech 340 161-175 (Jun 1997), 11A1002
Longitudinal flow through an array of rectangular cylinders, IMA J Appl Math 58(2) 111-126 (Apr 1997), 11A1449
Determination of frequencies and decrements of oscillations of viscous liquid which partially fills a circular horizontal canal (Russian), Prikl Mekh (Appl Mech) 33(4) 89-98 (1997), 12T263
Exponentially decaying flow in a gently curved annular pipe, Int J Non-Linear Mech 32(5) 823-835 (Sep 1997), 12A1126

354E. Three-dimensional flow

Flow around a source doublet in shear flow, J Phys Soc Japan 65(7) 2033-2043 (Jul 1996), 1A972
Ventilation of passenger car cabins: Comparison of experimental data and numerical calculations, Forschung Ingenieur 62(6) 161-167 (Jun 1996), 2A960
Effects of anisotropic pressure Hessian on the interaction between vorticity and strain fields, J Phys Soc Japan 65(9) 2745-2748 (Sep 1996), 4A970
Pair of stream functions for 3D vortex flows, Z Angew Math Phys 47(6) 821-836 (Nov 1996), 6A1017
Numerical study of additive bulb effects on the resistance and self-propulsion characteristics of a full ship form, Ship Tech Res 44(2) 98-108 (May 1997), 12A1165

354F. Low Reynolds number (incl creeping flow)

Homogenization of the Stokes problem with non-homogeneous slip boundary conditions, Math Methods Appl Sci 19(11) 857-881 (Jul 1996), 1A975
Effect of slip on the motion of two droplets and of a droplet close to a plane surface of a liquid, Aerosol Sci Tech 25(2) 101-112 (Aug 1996), 2A961
Path and efficiency of two micromachines with rigid tails, Comput Mech 18(3) 192-199 (Jul 1996), 2A962
Stokes slip flow between corrugated walls, Z Angew Math Phys 47(4) 591-599 (Jul 1996), 3A1065
Comparison of visualization of Stokes flow in a V-shaped and rectangular channel, Fluid Dyn Res 18(6) 307-312 (Nov 1996), 4A971
Boundary integral formulation for elastically deformable particles in a viscous fluid, Z Angew Math Phys 47(5) 672-694 (Sep 1996), 4A974
Stokes flow past a porous sphere with an impermeable core, Mech Res Commun 23(5) 449-460 (Sep-Oct 1996), 4A975
Boundary element analysis of creeping flow past two porous bodies of arbitrary shape, Eng Anal Boundary Elements 17(3) 193-204 (Apr 1996), 5A921
Creep flow and pressure relaxation in bubbly medium, Int J Solids Struct 34(1) 61-78 (Jan 1997), 5A922
Eddy genesis in the double-lid-driven cavity, Quart J Mech Appl Math 49(4) 635-655 (Nov 1996), 5A923
Settling of discs inside a vertical fluid-filled tube, Appl Sci Res 56(1) 43-51 (1996), 5A924
Small Reynolds number flow between eccentric rotating cylinders with a permeable sleeve, J Austral Math Soc B 38(2) 255-273 (Oct 1996), 5A925
Steady Stokes flow in an annular cavity, Quart J Mech Appl Math 49(4) 593-619 (Nov 1996), 5A926
Centenary of a Paper on Slow Viscous Flow by the Physicist HA Lorentz (Kluwer, Netherlands, 1996) 6N21
Interfacial instabilities and fingering formation in Hele-Shaw flow, IMA J Appl Math 57(2) 101-135 (Oct 1996), 6A1023
Low Reynolds number motion of a porous particle near a plane interface, Appl Math Model 20(11) 829-837 (Nov 1996), 6A1024
Motion of a slip spherical particle in an arbitrary Stokes flow, Eur J Mech B 15(6) 791-807 (1996), 6A1059
Asymptotic analysis of the growth of cake layers in filters, IMA J Appl Math 57(1) 1-28 (Aug 1996), 6A1071
Creeping flow analyses of free surface cavity flows, Theor Comput Fluid Dyn 8(6) 415-433 (Nov 1996), 6A1119
Adaptive linearization and grid iterations with the tri-tree multigrid refinement-recoarsement algorithm for the Navier-Stokes equations, Int J Numer Methods Fluids 24(2) 155-168 (Jan 1997), 7A1020
Analysis and convergence of a covolume method for the generalized Stokes problem, Math Comput 66(217) 85-104 (Jan 1997), 7A1021
Point-matching method for examining time-dependent Stokesian flow around a stationary axisymmetric body, Fluid Dyn Res 19(2) 91-114 (Feb 1997), 7A1029
Finite element methods for the Stokes system in 3D exterior domains, Math Methods Appl Sci 20(3) 245-269 (Feb 1997), 8A28
"Power-logarithmic" solutions to the Dirichlet problem for the Stokes system in a dihedral angle, Math Methods Appl Sci 20(4) 315-346 (Mar 1997), 8T1051
Analysis and convergence of a MAC-like scheme for the generalized Stokes problem, Numer Methods PDE 13(2) 147-162 (Mar 1997), 8A1052
Least-square mixed method for Stokes equations, Numer Methods PDE 13(2) 191-199 (Mar 1997), 8A1053
New approach to the classical Stokes flow problem - Part I: Methodology and first-order analytical results, J Comput Appl Math 78(2) 213-232 (Feb 1997), 8A1054
New approach to the classical Stokes flow pattern - Part II: Series solutions and higher-order applications, J Comput Appl Math 78(2) 233-254 (Feb 1997), 8A1055
A posteriori error estimators for the Stokes and Oseen equations, SIAM J Numer Anal 34(1) 228-245 (Feb 1997), 8A1056
Slow oscillatory Stokes flow, Quart Appl Math 55(1) 1-22 (Mar 1997), 8A1057
Steady-state advancement of fingers and bubbles in a Hele-Shaw cell filled by a non-Newtonian fluid, European J Appl Math 8(1) 73-87 (Feb 1997), 8A1058
Viscous flows with time-dependent free boundaries in a non-planar Hele-Shaw cell, European J Appl Math 8(1) 23-35 (Feb 1997), 8A1059
Shear flow over a protuberance on a plane wall, J Eng Math 31(1) 29-42 (Jan 1997), 9A1012
Stokes flow through a transversely finned channel, J Fluids Eng 119(1) 110-114 (Mar 1997), 9A1013
Nonlinear adaptive full tri-tree multigrid method for the mixed FE formulation of the Navier-Stokes equations, Int J Numer Methods Fluids 24(10) 1037-1047 (May 1997), 10A36
Finite element formulation for the Stokes problem allowing equal velocity-pressure interpolation, Comput Methods Appl Mech Eng 143(3-4) 373-391 (Apr 1997), 10A1073
Finite element solution of the Stokes problem with dominating Coriolis force, Comput Methods Appl Mech Eng 142(2-3) 215-234 (Mar 1997), 10A1074
Least-squares FEM for the Stokes problem with zero residual of mass conservation, SIAM J Numer Anal 34(2) 480-489 (Apr 1997), 10A1075
Stokes flow in a half-filled annulus between rotating coaxial cylinders, J Fluid Mech 337 263-282 (Apr 1997), 10A1076
Three-dimensional FEMs for the Stokes problem, SIAM J Numer Anal 34(2) 664-670 (Apr 1997), 10A1077
Displacement of fluid droplets from solid surfaces in low-Reynolds-number shear flows, J Fluid Mech 336 351-378 (Apr 1997), 10A1129
Flow in two-sided lid-driven cavities: Non-uniqueness, instabilities, and cellular structures, J Fluid Mech 336 267-299 (Apr 1997), 10A1153
Comparison of viscous fingering patterns in polymer and Newtonian solutions, Physica D 105(1-3) 121-129 (Jun 1997), 12T1069
Squeezing flow of an Eyring fluid, J Trib 119(3) 593-596 (Jul 1997), 12A1070

354G. Unsteady flow

Unsteady flow past a stretching sheet, Mech Res Commun 23(4) 413-422 (Jul-Aug 1996), 1T974
Characteristics ALE method for the unsteady 3D Navier-Stokes equations with a free surface, Int J Comput Fluid Dyn 6(3) 175-188 (1996), 1A976
Simulation of a viscous flow around an oscillating cylinder at low Keulegan-Carpenter numbers, Int J Comput Fluid Dyn 6(3) 239-252 (1996), 1A1046
Unfactored implicit moving mesh method for the 2D unsteady N-S equations, Int J Numer Methods Fluids 23(6) 607-631 (Sep 1996), 3A78
Implicit method for the computation of unsteady flows on unstructured grids, J Comput Phys 127(2) 380-397 (Sep 1996), 3A1009
Method-of-lines solution of time-dependent 2D Navier-Stokes equations, Int J Numer Methods Fluids 23(5) 455-466 (Sep 1996), 3A1010
Oscillatory flow over a circular cylinder close to a plane boundary, Fluid Dyn Res 18(5) 269-288 (Oct 1996), 3A1011
Near-wake structure of an oscillating cylinder: Effect of controled shear-layer vortices, J Fluid Mech 322 21-49 (Sep 1996), 3A1030
Numerical study of oscillatory flow about a circular cylinder for low values of beta parameter, J Fluids Struct 10(5) 501-526 (Jul 1996), 3A1031
Effects of inertia and finite amplitude on oscillatory plane shear flow of K-BKZ fluids such as LDPE melts, J Non-Newtonian Fluid Mech 65(2-3) 195-220 (Aug 1996), 3A1037
Flow around a cylinder: Effect of the wall boundary condition on the domain width (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(3) 313-330 (1996), 4A976
Parallel multigrid computation of the unsteady incompressible Navier-Stokes equations, J Comput Phys 128(1) 223-236 (Oct 1996), 4A977
Stokes layers in horizontal-wave outer flows, J Fluids Eng 118(3) 537-545 (Sep 1996), 4A978
Expanding gas clouds of ellipsoidal shape: New exact solutions, J Fluid Mech 325 113-144 (Oct 1996), 5A913
Sudden changes in a potential flow with a free surface due to impact, Quart J Mech Appl Math 49(4) 581-591 (Nov 1996), 5A914
Numerical simulation of unsteady viscous flows using an implicit projection method, Int J Numer Methods Fluids 23(9) 897-921 (Nov 1996), 5A919
Time-dependent decay of the motion of a sphere translating and rotating in a viscous liquid, Quart J Mech Appl Math 49(4) 621-633 (Nov 1996), 5A920
Vortex evolution in non-axisymmetric impulsive spin-up from rest, J Fluid Mech 324 109-134 (Oct 1996), 5A927
Numerical study of axisymmetric vortex breakdown in an annulus, Acta Mech 118(1-4) 79-95 (1996), 5A934
Flow field due to a body in impulsive motion, J Fluid Mech 325 79-111 (Oct 1996), 5A936
Numerical and experimental investigations of the flow over a disk undergoing unsteady motion, J Fluids Struct 10(7) 705-719 (Oct 1996), 5A937
Motion of a sphere oscillating at low Reynolds numbers in a viscoelastic-fluid-filled cylindrical tube, J Non-Newtonian Fluid Mech 66(2-3) 169-192 (Oct 1996), 6A499
Application of the LES method to the oscillating flow past a circular cylinder, J Fluids Struct 10(8) 851-872 (Nov 1996), 6T1025
Evaluation of multigrid acceleration for preconditioned time-accurate Navier-Stokes algorithms, Comput Fluids 25(8) 791-811 (Nov 1996), 6A1026
Numerical study of flow past a rotationally oscillating circular cylinder, J Fluids Struct 10(8) 829-849 (Nov 1996), 6T1130
Flow structure analysis around an oscillating circular cylinder at low KC number: A numerical study, Comput Fluids 26(1) 83-106 (Jan 1997), 7A1027
Fractional step method for unsteady incompressible flows on unstructured meshes, Int J Comput Fluid Dyn 8(1) 11-29 (1997), 7T1040
MHD squeezing flow between two parallel discs, Tech Mech 16(4) 309-316 (1996), 7A1162
Discontinuities in velocity gradients and temperature in the Stokes' first problem with nonclassical heat conduction, Quart Appl Math 55(1) 167-176 (Mar 1997), 8A1047
Impulsive stretching of a surface in a viscous fluid, SIAM J Appl Math 57(1) 1-14 (Feb 1997), 8A1049
Slow oscillatory Stokes flow, Quart Appl Math 55(1) 1-22 (Mar 1997), 8A1057
Oscillatory flow over a cylinder resting on a plane boundary, European J Appl Math 7(6) 545-558 (Dec 1996), 8A1060
Laminar pulsatile flow through an axisymmetric sudden expansion, J Fluids Eng 119(1) 208-211 (Mar 1997), 9T1009
Free-surface effects on spin-up in a rectangular tank, J Fluid Mech 334 189-210 (Mar 1997), 9A1019
Asymptotic solutions for 2D low Reynolds number flow around an impulsively started circular cylinder, J Fluid Mech 334 31-59 (Mar 1997), 9A1021
Calculation of incompressible viscous flows by an unconditionally stable projection FEM, J Comput Phys 132(1) 12-33 (Mar 1997), 9T1025
Computational investigation of unsteady separated flows, Int J Heat Fluid Flow 18(3) 297-306 (Jun 1997), 10A1078
Boundary layer arising in the spin-up of a stratified fluid in a container with sloping walls, J Fluid Mech 335 233-259 (Mar 1997), 10A1086
Motion fields generated by the oscillatory motion of a circular cylinder in a linearly stratified fluid, Exp Thermal Fluid Sci 14(3) 277-296 (Apr 1997), 10A1090
Pegase: A Navier-Stokes solver for direct numerical simulation of incompressible flows, Int J Numer Methods Fluids 24(9) 833-861 (May 1997), 10A1101
Translating and transversely oscillating cylinder - Part I: The effect of the Strouhal number on the hydrodynamic forces and the near-wake structure, Ocean Eng 24(8) 677-693 (Aug 1997), 11A211
Axisymmetric inertial oscillations in transient rotating flows in a cylinder, J Fluids Eng 119(2) 390-396 (Jun 1997), 11A947
Unsteady detached separation from a circular cylinder performing rotational oscillations in a uniform viscous incompressible flow, Int J Numer Methods Fluids 25(2) 125-142 (Jul 1997), 12A1075

354H. Secondary flow

Large-eddy simulation of a plane jet in a cross-flow, Int J Heat Fluid Flow 17(3) 296-306 (Jun 1996), 2A963
Experimental and numerical investigation of stator exit flow field of an automotive torque converter, J Turbomachinery 118(4) 835-843 (Oct 1996), 5A928
Numerical study of axisymmetric vortex breakdown in an annulus, Acta Mech 118(1-4) 79-95 (1996), 5A934
Interstage disk-cavity brush seal numerical flow visualization study, Int J Turbo Jet Engines 13(2) 75-90 (1996), 8A1061
Two-dimensional vortex dynamics of inviscid-viscous interaction at turbulent slot-jet impingement, Int J Heat Fluid Flow 18(3) 316-327 (Jun 1997), 10A1079

354I. Thermal convection flow

Two- and three-dimensional linear convection in a rotating annulus, Geophys Astrophys Fluid Dyn 82(1-2) 23-34 (Mar 1996), 1A977

Laminar natural convection flow over a vertical forward-facing step, J Thermophys Heat Transfer 10(3) 517-523 (Jul-Sep 1996), 1A1168

Combined numerical and experimental study of air convection in a differentially heated rotating cubic cavity, Int J Heat Mass Transfer 39(15) 3193-3210 (Oct 1996), 1A1170

Natural convection in a cubical cavity heated from below at low Rayleigh numbers, Int J Heat Mass Transfer 39(15) 3233-3247 (Oct 1996), 1A1173

Natural convection in the annulus between concentric horizontal circular and square cylinders, J Thermophys Heat Transfer 10(3) 524-531 (Jul-Sep 1996), 1A1175

Numerical analysis of natural convection around a vertical channel in a rectangular enclosure, Heat and Mass Transfer Warme 31(5) 313-321 (Jun 1996), 1A1177

Transient free convection flow between two vertical parallel plates, Heat and Mass Transfer Warme 31(5) 329-331 (Jun 1996), 1A1178

Visualization of natural convection in a side-heated cavity: Transition to the final steady state, Int J Heat Mass Transfer 39(16) 3497-3509 (Nov 1996), 1A1179

Experimental observation and conjugated heat transfer analysis of vortex flow development in mixed convection of air in a horizontal rectangular duct, Int J Heat Mass Transfer 39(17) 3667-3683 (Nov 1996), 1A1182

Numerical investigation of mixed convection heat transfer past an in-line bundle of cylinders, Heat and Mass Transfer Warme 31(5) 347-352 (Jun 1996), 1A1183

Flow transitions and combined free and forced convective heat transfer in a rotating curved circular tube, Int J Heat Mass Transfer 39(16) 3381-3400 (Nov 1996), 1A1186

Heat transfer and skin friction comparison of dimpled versus protrusion roughness, J Enhanced Heat Transfer 3(4) 273-280 (1996), 2A1152

Penetrative flow due to an isothermal vertical wall in a stable two-layer environment generated by a room fire, Int J Heat Mass Transfer 39(18) 3977-3987 (Dec 1996), 2A1165

Effect of Prandtl number and computational schemes on the oscillatory natural convection in an enclosure, Numer Heat Transfer A 30(3) 271-282 (Aug 1996), 2A1166

Experimental study of turbulent natural convection in a tall air cavity, Exp Heat Transfer 9(2) 165-194 (Apr-Jun 1996), 2A1167

Numerical prediction of the buoyancy-driven flow in the annulus between horizontal eccentric elliptical cylinders, Numer Heat Transfer A 30(3) 283-303 (Aug 1996), 2A1170

Flow and mixed convection heat transfer in a divergent heated vertical channel, J Heat Transfer 118(3) 606-615 (Aug 1996), 2A1176

Simulation of laminar confined flow past a circular cylinder with integral wake splitter involving heat transfer, Int J Numer Methods Heat & Fluid Flow 6(4) 65-81 (Jul 1996), 2A1179

Combined natural convection and radiation in a vertical annulus, Heat and Mass Transfer Warme 31(6) 371-379 (Aug 1996), 2A1251

Closed mesoscale cellular convection driven by cloud-top radiative cooling, J Atmos Sci 53(15) 2144-2165 (Aug 1996), 3A1012

Numerical study of penetrative and "solid lid" non-penetrative convective boundary layers, J Atmos Sci 53(1) 101-112 (Jan 1996), 3A1013

Penetrative turbulent convection into a rotating two-layer fluid, J Fluid Mech 321 299-313 (Aug 1996), 3A1014

Thermal convection in a magnetic fluid, J Fluid Mech 321 121-136 (Aug 1996), 3A1015

Rapidly rotating turbulent Rayleigh-Benard convection, J Fluid Mech 322 243-273 (Sep 1996), 3A1025

Spectra in the unstable surface layer, J Atmos Sci 53(1) 49-61 (Jan 1996), 3A1150

Asymptotic solution of natural convection problem in a square cavity heated from below, Int J Numer Methods Heat & Fluid Flow 6(5) 29-36 (Aug 1996), 3A1226

Natural convective heat transfer in an enclosure partly filled with a non-porous insulation, Int J Numer Methods Heat & Fluid Flow 6(5) 37-48 (Aug 1996), 3A1227

Numerical study of the steady state freezing of water in an open rectangular cavity, Int J Numer Methods Heat & Fluid Flow 6(5) 3-16 (Aug 1996), 3A1228

Three-dimensional transition of natural-convection flows, J Fluid Mech 319 281-303 (Jul 1996), 3A1232

Tilting instability with buoyant forcing in a 2D viscous fluid, J Atmos Sci 53(18) 2671-2684 (Sep 1996), 4A1077

Numerical investigation of natural convection in a vertical slot with two heat source elements, Int J Heat Fluid Flow 17(5) 474-482 (Oct 1996), 4A1196

Structures of moving transverse and mixed rolls in mixed convection of air in a horizontal plane channel, Int J Heat Mass Transfer 40(2) 333-346 (Jan 1997), 4A1209

Buoyancy-force-driven transitions in flow structures and their effects on heat transfer in a rotating curved channel, Int J Heat Mass Transfer 40(2) 223-235 (Jan 1997), 4A1211

Three-dimensional instability of axisymmetric buoyant convection in cylinders heated from below, J Fluid Mech 326 399-415 (Nov 1996), 5A1028

Dual steady solutions in natural convection between horizontal concentric cylinders, Int J Heat Fluid Flow 17(6) 587-593 (Dec 1996), 5A1144

Effects of wall conduction, internal heat sources and an internal baffle on natural convection heat transfer in a rectangular enclosure, Int J Heat Mass Transfer 40(4) 915-929 (Mar 1997), 5A1145

Gravitational effects on laminar convection to near-critical water in a vertical tube, J Thermophys Heat Transfer 10(4) 627-632 (Oct-Dec 1996), 5A1147

Numerical simulation of flow pattern formation in a bottom heated cylindrical fluid layer, Numer Heat Transfer A 30(5) 459-476 (Oct 1996), 5A1152

Numerical simulation of natural convection of gallium in a narrow gap, Int J Heat Mass Transfer 40(5) 1169-1180 (Mar 1997), 5A1153

Oscillatory phenomena of low-Prandtl-number fluids in a rectangular cavity, Numer Heat Transfer A 30(5) 427-437 (Oct 1996), 5A1155

Direct boundary-layer stability analysis of steady-state cavity convection flow, Int J Heat Fluid Flow 17(6) 539-546 (Dec 1996), 5A1158

Three-dimensional numerical simulation of thermocapillary instabilities in floating zones, Appl Sci Res 56(1) 19-41 (1996), 5A1166

Transient buoyancy-thermocapillary convection in two superposed immiscible liquid layers, Numer Heat Transfer A 30(5) 477-501 (Oct 1996), 5A1186

Steady-state solutions of buoyancy-assisted internal flows using a fast false implicit transient scheme, Int J Numer Methods Heat & Fluid Flow 6(6) 3-23 (Sep 1996), 5A1204

Droplet spindown in a high-temperature gas environment, Int J Heat Fluid Flow 17(6) 567-578 (Dec 1996), 5A1218

Bioconvection in suspensions of oxytactic bacteria: Linear theory, J Fluid Mech 324 223-259 (Oct 1996), 5A1494

Effect of gravity modulation on natural convection in a vertical slot, Int J Heat Mass Transfer 40(6) 1411-1426 (Apr 1997), 6A1237

Flow structure and temperature measurements in a 3D vertical free convective enclosure at high Rayleigh numbers, Int J Heat Mass Transfer 40(6) 1467-1480 (Apr 1997), 6A1238

Navier-Stokes study of natural convection and heat transfer in vertical symmetrically heated plate-fin heat sinks, Numer Heat Transfer A 30(7) 703-720 (Nov 1996), 6A1239

Straightforward approximation to the equations governing convective flows in multi-component fluids, Int J Heat Mass Transfer 40(6) 1427-1436 (Apr 1997), 6A1243

Numerical modeling of buoyancy-driven flows in a rotating cylindrical cavity: Comparison of a FE model with a spectral model, Numer Heat Transfer A 30(8) 779-798 (Dec 1996), 6A1245

Laminar flow heat transfer to viscous power-law fluids in double-sine ducts, Int J Heat Mass Transfer 40(6) 1379-1390 (Apr 1997), 6A1246

Thermomechanical equations governing a material with prescribed temperature-dependent density with application to nonisothermal plane Poiseuille flow, J Appl Mech 63(4) 1011-1018 (Dec 1996), 7A1022

Numerical prediction of lock-on effect on convective heat transfer from a transversely oscillating circular cylinder, Int J Heat Mass Transfer 40(8) 1825-1834 (May 1997), 7A1235

Numerical simulation of natural convection-dominated melting and solidification from a finned vertical wall, Numer Heat Transfer A 31(1) 71-86 (Jan 1997), 7A1246

Numerical study of natural convection in a vertical annulus with constant heat flux on the inner wall, Int J Numer Methods Heat & Fluid Flow 6(7) 31-46 (Nov 1996), 7A1250

Simulation of 2D, low-PR natural convection in harmonically oscillated, differentially heated enclosures, Numer Heat Transfer A 31(1) 1-19 (Jan 1997), 7A1251

Numerical study of the effects of rotational buoyancy on fully developed flow in rotating rectangular ducts, Int J Numer Methods Heat & Fluid Flow 6(7) 47-62 (Nov 1996), 7A1266

Suppression of temperature oscillation in Czochralski convection by superimposing rotating flows, Int J Heat Mass Transfer 40(7) 1667-1675 (May 1997), 7A1267

Finite-amplitude convection in rotating spherical fluid shells, J Fluid Mech 332 359-376 (Feb 1997), 8A1062

Horizontal scale of rotating convection in the geostrophic regime, J Fluid Mech 333 85-95 (Feb 1997), 8A1063

Two-dimensional model for slow convection at infinite Marangoni number, J Fluid Mech 331 283-312 (Jan 1997), 8A1080

Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 1: 2D flow, J Fluid Mech 333 23-56 (Feb 1997), 8A1207

Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 2: 3D flow, J Fluid Mech 333 57-83 (Feb 1997), 8A1208

Development of multicellular solutions in natural convection in an air-filled vertical cavity, J Heat Transfer 119(1) 97-101 (Feb 1997), 8A1281

Natural convection heat transfer in vertical channels with and without transverse square ribs, Int J Heat Mass Transfer 40(9) 2173-2185 (Jun 1997), 8A1283

Numerical investigation of transient flow-mode transition of laminar natural convection in an inclined enclosure, Numer Heat Transfer A 31(2) 193-206 (Feb 1997), 8A1286

Numerical study of heat transfer and flow of natural convection in an enclosure with a heat-generating conducting body, Numer Heat Transfer A 31(3) 289-303 (Feb 1997), 8A1287

Turbulent natural convection in an enclosure with localized heating from below, Exp Heat Transfer 9(4) 305-321 (Oct-Dec 1996), 8A1288

Theoretical and experimental studies of laminar mixed convection in water pipe flow with density inversion effect, Int J Heat Mass Transfer 40(9) 2019-2033 (Jun 1997), 8A1295

Effects of buoyancy and periodic rotation on the melt flow in a vertical Bridgman configuration, Int J Heat Mass Transfer 40(9) 2105-2113 (Jun 1997), 8A1297

Experimental study of heat transfer from the rear and front of blunt moving bodies, J Eng Appl Sci 43(5) 985-1003 (Oct 1996), 9A1014

Numerical study of the effect of free surface deformation on buoyancy and thermocapillary convection, J Comput Phys 132(1) 34-50 (Mar 1997), 9A1023

Effects of intrinsic three dimensionality on heat transfer and friction loss in a periodic array of parallel plates, Numer Heat Transfer A 31(4) 327-353 (Mar 1997), 9A1204

Effects of a geometric perturbation on buoyancy induced flow and heat transfer in a cylindrical annulus, Int J Heat Mass Transfer 40(12) 2901-2911 (Aug 1997), 9A1215

Experimental study of transient natural convection in an inclined rectangular enclosure, Int J Heat Mass Transfer 40(11) 2679-2690 (Jul 1997), 9A1217

Steady natural convection in a two-layer system of immiscible liquids, Int J Heat Mass Transfer 40(12) 2799-2812 (Aug 1997), 9A1220

Mixed convection heat and moisture transfer from a horizontal furry cylinder in a transverse wind, Int J Heat Mass Transfer 40(10) 2273-2281 (Jul 1997), 9A1225

Introduction to Physical Oceanography (AIP, Woodbury, NY, 1996) 10R29

Flow measurement for micro-engineering (Japanese), J Japan Soc Precision Eng 63(3) 341-344 (Mar 1997), 10T1080

Strongly turbulent Rayleigh-Benard convection in mercury: Comparison with results at moderate Prandtl number, J Fluid Mech 335 111-140 (Mar 1997), 10A1081

Boundary layer arising in the spin-up of a stratified fluid in a container with sloping walls, J Fluid Mech 335 233-259 (Mar 1997), 10A1086

Decay of convective turbulence revisited, Boundary-Layer Meteorol 82(3) 501-515 (Mar 1997), 10A1180

Turbulent flow heat transfer and friction in a rectangular channel with varying numbers of ribbed walls, J Turbomachinery 119(2) 374-380 (Apr 1997), 10A1285

Vortical structures in channel flows with a backward-facing step, Int J Turbo Jet Engines 13(4) 277-293 (1996), 10A1286

Long-wave instability of natural-convection boundary layers, J Fluid Mech 335 57-73 (Mar 1997), 10A1288

Transient confined natural convection with internal heat generation, Int J Heat Fluid Flow 18(3) 328-333 (Jun 1997), 10A1291

Finite element solutions of laminar and turbulent flows with forces and mixed convection in an air-cooled room, Numer Heat Transfer A 31(5) 529-550 (Apr 1997), 10A1293

Mixed convection heat transfer past in-line cylinders in a vertical duct, Numer Heat Transfer A 31(5) 551-562 (Apr 1997), 10A1294

Laminar convective heat transfer of a Bingham plastic in a circular pipe - I: Analytical approach - thermally fully developed flow and thermally developing flow (the Graetz problem extended), Int J Heat Mass Transfer 40(13) 3025-3037 (Sep 1997), 10A1303

Transient free convection flow of an incompressible viscous dissipative fluid, Heat and Mass Transfer Warme 32(4) 301-305 (Apr 1997), 10A1305

Thermally driven motions in a rotating stratified fluid: Theory and experiment, J Fluid Mech 339 391-411 (May 1997), 11A953

Flow and heat transfer around a single row of circular cylinders, Heat Transfer Japan Res 25(3) 192-200 (1996), 11A1208

Laminar forced convection in the entrance region of helical pipes, Int J Heat Mass Transfer 40(14) 3293-3304 (Sep 1997), 11A1218

Numerical study of convective heat transfer from periodic open cavities in a channel with oscillatory throughflow, Int J Heat Fluid Flow 18(4) 376-383 (Aug 1997), 11A1221

Free surface mixing with heat transfer, Numer Heat Transfer A 31(7) 685-702 (May 1997), 11A1222

Laminar natural convection flow over a vertical backward-facing step, J Heat Transfer 117(4) 895-901 (Nov 1995), 11A1223

Transient free convection past a semi-infinite vertical plate with variable surface temperature, Int J Numer Methods Heat & Fluid Flow 7(4) 280-296 (1997), 11A1226

Conjugate natural convection of a power law fluid in a vertical finite thick channel with heat sources, Int J Numer Methods Heat & Fluid Flow 7(2-3) 200-214 (1997), 11T1227

Enhancement of heat transfer rate by application of a static magnetic field during natural convection of liquid metal in a cube, J Heat Transfer 119(2) 265-271 (May 1997), 11A1230

Laminar natural convection in a discretely heated cavity - I: Assessment of 3D effects, J Heat Transfer 117(4) 902-909 (Nov 1995), 11A1232

Laminar natural convection in a discretely heated cavity - II: Comparisons of experimental and theoretical results, J Heat Transfer 117(4) 910-917 (Nov 1995), 11A1233

Oscillatory natural convection of water near the density extremum at high Rayleigh numbers, Int J Heat Mass Transfer 40(14) 3449-3465 (Sep 1997), 11A1235

Shape of an enclosure with uniform-flux, isothermal, nonhorizontal walls, J Heat Transfer 117(4) 936-941 (Nov 1995), 11A1236

Three dimensional natural convective flow in a vertical annulus with longitudinal fins, Int J Heat Mass Transfer 40(14) 3323-3334 (Sep 1997), 11A1238

Turbulent penetrative and recirculating flow in a compartment fire, J Heat Transfer 117(4) 927-935 (Nov 1995), 11A1239

Long-wavelength thermal convection in a weak shear flow, IMA J Appl Math 58(2) 159-184 (Apr 1997), 11A1241

Effects of aspect ratio on vortex flow patterns in mixed convection of air through a bottom-heated horizontal rectangular duct, Numer Heat Transfer A 31(7) 745-764 (May 1997), 11A1244

Mixed convection in a partially divided rectangular enclosure, Numer Heat Transfer A 31(6) 655-683 (May 1997), 11A1246

Non-Newtonian flow and heat transfer in an obstructed channel with radio-frequency heating, J Heat Transfer 117(4) 889-894 (Nov 1995), 11A1255

Numerical solutions of optimal control for thermally convective flows, Int J Numer Methods Fluids 25(2) 205-223 (Jul 1997), 12A369

Pseudospectral code for convection with an analytical-numerical implementation of horizontal boundary conditions, Int J Numer Methods Fluids 25(2) 151-166 (Jul 1997), 12A1071

Experimental study of the effect of transverse oscillation on convection heat transfer from a circular cylinder, J Heat Transfer 119(3) 474-482 (Aug 1997), 12A1249

Effects of partial inlet blockages on high-velocity flow through a thin rectangular duct: Experimental and analytical results, J Heat Transfer 119(3) 440-450 (Aug 1997), 12A1255

Numerical study of fluid flow and heat transfer in a channel with heated normal plates, Numer Heat Transfer A 31(8) 853-865 (Jun 1997), 12A1260

Buoyancy induced convection in a narrow open-ended annulus, J Heat Transfer 119(3) 483-494 (Aug 1997), 12A1261

Effects of horizontal fins on natural-convective heat transfer in a square enclosure, Exp Heat Transfer 10(2) 119-131 (Apr-Jun 1997), 12A1262

Simulation of natural convection in a vertical enclosure by using a new incompressible flow formulation: Pseudovorticity-velocity formulation, Numer Heat Transfer A 31(8) 881-896 (Jun 1997), 12A1272

354J. Stratified flow and free surface flow

Single-layer FE approximation of 3D Navier-Stokes equations with free boundaries for shallow water flows, Int J Numer Methods Fluids 23(2) 143-161 (Jul 1996), 1A49

Finite-amplitude solitary wave on a stream with linear vorticity, Eur J Mech B **15**(3) 395-411 (1996), 1A249
Open channel flow past a bottom obstruction, J Eng Math **30**(4) 487-499 (341 1996), 1A959
Time-dependent flow in a penstock during head-gate closure, Appl Math Model **20**(8) 614-623 (Aug 1996), 1A962
Characteristics ALE method for the unsteady 3D Navier-Stokes equations with a free surface, Int J Comput Fluid Dyn **6**(3) 175-188 (1996), 1A976
One-dimensional models of steady, inviscid, annular liquid jets, Appl Math Model **20**(8) 593-607 (Aug 1996), 1A978
Controlled motion of a cylinder through a free surface: Effect of depth of penetration, J Fluids Struct **10**(4) 309-317 (May 1996), 1A981
Experimental evidence of the rapid distortion of turbulence in the air flow over water waves, J Fluid Mech **318** 273-302 (Jul 1996), 2A239
Orogenic blocking and deflection of stratified air flow on an f-plane, Tellus **48A**(4) 572-583 (Aug 1996), 2T964
Inviscid fluid flow around a submerged circular cylinder induced by free-surface traveling waves, J Eng Math **30**(5) 587-601 (Sep 1996), 3A996
Waves generated by a source below a free surface in water of finite depth, J Eng Math **30**(5) 603-609 (Sep 1996), 3A998
Beta drift of baroclinic vortices - Part I: Adiabatic vortices, J Atmos Sci **53**(3) 411-427 (Feb 1996), 3A1000
Penetrative turbulent convection into a rotating two-layer fluid, J Fluid Mech **321** 299-313 (Aug 1996), 3A1014
Flow regimes and transient dynamics of 2D stratified flow over an isolated mountain ridge, J Atmos Sci **53**(1) 139-158 (Jan 1996), 3T1016
Higher-order schemes for free surface flows with arbitrary configurations, Int J Numer Methods Fluids **23**(6) 545-566 (Sep 1996), 3A1017
Navier-Stokes problem with free boundary, Appl Math Lett **9**(5) 39-43 (Sep 1996), 3A1018
Numerical generation of grids with curvilinear coordinates for free surface flow calculations (Spanish), Ingenieria Hidraul Mex **11**(3) 13-24 (Sep-Dec 1996), 3T1019
Stability of stratified flow of large depth over finite-amplitude topography, J Fluid Mech **320** 369-394 (Aug 1996), 3A1020
Use of ducting theory in an observed case of gravity waves, J Atmos Sci **53**(12) 1724-1736 (Jun 1996), 3T1021
Models for thin viscous sheets, European J Appl Math **7**(4) 321-343 (Aug 1996), 3A1088
Nonlinear flow past an elliptic mountain ridge, J Atmos Sci **53**(17) 2465-2489 (Sep 1996), 4T979
Free-surface wave-induced separation, J Fluids Eng **118**(3) 546-554 (Sep 1996), 4A984
Optical measurement of liquid film thickness and wave velocity in liquid film flows, Exp Fluids **21**(5) 357-362 (Sep 1996), 4A1182
Three-dimensional extrudate swell: Formulation with the stream tube method and numerical results for a Newtonian fluid, Int J Numer Methods Fluids **23**(9) 937-952 (Nov 1996), 5A552
Steady two-layer vortices on the beta-plane, Dyn Atmos Oceans **25**(2) 67-86 (Nov 1996), 5T916
Cauchy integral approach to Hele-Shaw problems with a free boundary: The case of zero surface tension, Arch Rational Mech Anal **135**(2) 175-196 (1996), 5A929
Fast nonlinear stratified flow over an obstacle, Appl Math Lett **9**(6) 41-46 (Nov 1996), 5A930
Free-surface flows with two stagnation points, J Fluid Mech **324** 393-406 (Oct 1996), 5A931
Internal Lee waves and turbulence mixing over an isolated seamount: Results from turbulence energy models, Int J Numer Methods Fluids **23**(10) 1043-1072 (Nov 1996), 5A932
Non-isothermal spreading of a thin liquid film on an inclined plane, J Fluid Mech **324** 261-286 (Oct 1996), 5A933
Selective withdrawal through an intake fitted with a collar, J Hydraul Eng **122**(12) 683-686 (Dec 1996), 6A998
Fluid flow through a vertical slot under gravity, Appl Math Model **20**(12) 934-939 (Dec 1996), 6A1015
Spreading of miscible, viscous gravity currents, Eur J Mech B **15**(6) 761-770 (1996), 6A1021
Investigations of a two-phase fluid model, Eur J Mech B **15**(6) 885-896 (1996), 6A1027
Free boundary fluid flow in a trough: A numerical approach, Appl Math Model **20**(12) 890-897 (Dec 1996), 6A1039
Gravity current of fluid mud sloping bed, J Hydraul Eng **122**(12) 710-717 (Dec 1996), 6A1058
Rapid-distortion turbulence models in the theory of surface-wave generation, J Fluid Mech **329** 147-153 (Dec 1996), 7A218
Beta drift of baroclinic vortices - Part II: Diabatic vortices, J Atmos Sci **53**(24) 3737-3756 (Dec 1996), 7T1017
Improved MAC method (SIMAC) for unsteady high-Reynolds free surface flows, Int J Numer Methods Fluids **24**(2) 185-214 (Jan 1997), 7A1023
Nonlinear deformation and breakup of stretching liquid bridges, J Fluid Mech **329** 207-245 (Dec 1996), 7A1032
Experimental investigation of the vorticity generation within a spilling water wave, J Fluid Mech **330** 113-139 (Jan 1997), 8A257
Steady-state advancement of fingers and bubbles in a Hele-Shaw cell filled by a non-Newtonian fluid, European J Appl Math **8**(1) 73-87 (Feb 1997), 8A1058
Viscous flows with time-dependent free boundaries in a non-planar Hele-Shaw cell, European J Appl Math **8**(1) 23-35 (Feb 1997), 8A1059
Cusp flow due to a submerged source with a free surface partially covered by a lid, Eur J Mech B **16**(2) 249-255 (1997), 8A1064
Fast stratified flow over several obstacles, including wings, IMA J Appl Math **57**(3) 243-256 (Dec 1996), 8A1065
High-order projection method for tracking fluid interfaces in variable density incompressible flows, J Comput Phys **130**(2) 269-282 (Jan 1997), 8A1066
Numerical studies of singularity formation at free surfaces and fluid interfaces in 2D Stokes flow, J Fluid Mech **331** 145-167 (Jan 1997), 8A1067
Similarity solution for viscous source flow on a vertical plane, European J Appl Math **8**(1) 37-47 (Feb 1997), 8A1068
Three-dimensional simulation of instabilities and rivulet formation in heated falling films, J Comput Phys **131**(1) 70-88 (Feb 1997), 8T1069
Velocity field and surfactant concentration measurement techniques for free-surface flows, Exp Fluids **22**(3) 239-248 (Jan 1997), 8A1070
Flow past a cylinder close to a free surface, J Fluid Mech **330** 1-30 (Jan 1997), 8A1075
Inclusion of compressibility effects in the scorer parameter, J Atmos Sci **54**(2) 362-367 (Jan 1997), 8T1104
Moving contact lines in liquid-liquid-solid systems, J Fluid Mech **334** 211-249 (Mar 1997), 9A1015
Physical simulations in rotating tank of Ice cyclogenesis, Exp Fluids **22**(5) 387-396 (Mar 1997), 9A1016
Pseudohyperbolic problem arising in the dynamics of stratified rotating fluids, Appl Math Lett **10**(2) 117-122 (Mar 1997), 9A1017
Numerical simulation of incompressible flows with moving interfaces, Int J Numer Methods Fluids **24**(6) 615-638 (Mar 1997), 9A1031
High-order schemes in BEMs for transient nonlinear free surface problems, Int J Numer Methods Fluids **24**(10) 1049-1072 (May 1997), 10A91
Laboratory study of the interaction between two internal wave rays, J Fluid Mech **336** 91-122 (Apr 1997), 10A299
Intense vortex motion in a stratified fluid on the beta-plane: An analytical theory and its validation, J Fluid Mech **336** 203-220 (Apr 1997), 10A1068
Multiple states of a viscous free surface flow: Transition from pre-metered to a metering inflow, Int J Numer Methods Fluids **24**(9) 813-831 (May 1997), 10A1071
Application of a novel algorithm for moving surface flows, J Hydrodyn **9**(1) 87-95 (1997), 10A1082
Numerical stability analysis for free surface flows, Int J Numer Methods Fluids **24**(9) 893-912 (May 1997), 10A1083
Velocity field near moving contact lines, J Fluid Mech **337** 49-66 (Apr 1997), 10A1084
Volume-tracking methods for interfacial flow calculations, Int J Numer Methods Fluids **24**(7) 671-691 (Apr 1997), 10A1085
Motion fields generated by the oscillatory motion of a circular cylinder in a linearly stratified fluid, Exp Thermal Fluid Sci **14**(3) 277-296 (Apr 1997), 10A1090
Experimental study of reservoir turbidity current, J Hydraul Eng **123**(6) 520-528 (Jun 1997), 11T909
Experimental study of coating flows in a partially-filled horizontally rotating cylinder, Exp Fluids **23**(1) 1-13 (May 1997), 11A948
Introduction of micro cells to treat pressure in free surface fluid flow problems, J Fluids Eng **117**(4) 683-690 (Dec 1995), 11A949
Radar imaging of water surface flow fields, Exp Fluids **23**(1) 14-19 (May 1997), 11A950
Solution of the 2D shallow water equations using the finite volume method on unstructured triangular meshes, Int J Numer Methods Fluids **24**(11) 1225-1245 (Jun 1997), 11A951
Thermally driven motions in a rotating stratified fluid: Theory and experiment, J Fluid Mech **339** 391-411 (May 1997), 11A953
Implicit centered scheme for steady and unsteady incompressible one and two-phase flows, Comput Fluids **26**(4) 373-393 (May 1997), 11A1013
Research on characteristics of density current under the action of waves, China Ocean Eng **11**(1) 69-78 (1997), 12A257
Axisymmetric free boundary problems, J Fluid Mech **341** 269-294 (Jun 1997), 12A1072
Two-fluid flow in sedimentary rock: Simulation, transport, and complexity, J Fluid Mech **341** 343-370 (Jun 1997), 12A1427

354K. Rotating flow or surfaces

Two- and three-dimensional linear convection in a rotating annulus, Geophys Astrophys Fluid Dyn **82**(1-2) 23-34 (Mar 1996), 1A977
Flows dominated by centrifugal and Coriolis forces: A survey of EUROMECH 336, Fluid Dyn Res **18**(2) 53-64 (Jul 1996), 1A979
Global splitting, integrability, and regularity of 3D Euler and Navier-Stokes equations for uniformly rotating fluids, Eur J Mech B **15**(3) 291-300 (1996), 1T980
LDA investigation of the flow development through rotating U-ducts, J Turbomachinery **118**(3) 590-596 (Jul 1996), 1A1118
Orogenic blocking and deflection of stratified air flow on an f-plane, Tellus **48A**(4) 572-583 (Aug 1996), 2T964
Air flows and particle distribution around a rotating grinding wheel, Aerosol Sci Tech **25**(2) 121-133 (Aug 1996), 2A965
Time-dependent drop deformation in a rotating high viscosity fluid, Quart Appl Math **54**(3) 551-556 (Sep 1996), 2A970
Effects of spanwise rotation on the vorticity stretching in transitional and turbulent channel flow, Int J Heat Fluid Flow **17**(3) 324-332 (Jun 1996), 2A1039
Turbulence modeling of rotating confined flows, Int J Heat Fluid Flow **17**(3) 283-289 (Jun 1996), 2A1054
Beta drift of baroclinic vortices - Part I: Adiabatic vortices, J Atmos Sci **53**(3) 411-427 (Feb 1996), 3A1000
Penetrative turbulent convection into a rotating two-layer fluid, J Fluid Mech **321** 299-313 (Aug 1996), 3A1014
Navier-Stokes problem with free boundary, Appl Math Lett **9**(5) 39-43 (Sep 1996), 3A1018
Azimuthal flow associated with inertial wave resonance in a precessing cylinder, J Fluid Mech **319** 387-406 (Jul 1996), 3A1022
Existence of extra vortex and twin vortex of anomalous mode in Taylor vortex flow with a small aspect ratio, Acta Mech **117**(1-4) 33-46 (1996), 3A1023
Linear Couette flow between two rotating cylinders, Eur J Mech B **15**(4) 493-505 (1996), 3A1024
Rapidly rotating turbulent Rayleigh-Benard convection, J Fluid Mech **322** 243-273 (Sep 1996), 3A1025
Shear-layer and inertial modifications to the geostrophic drag on a slowly rising particle or drop in a rotating fluid, J Fluid Mech **319** 219-249 (Jul 1996), 3A1026
Wave excitation and the formation of recirculation eddies in an axisymmetric flow of uniformly rotating fluids, J Fluid Mech **322** 165-200 (Sep 1996), 3A1027
Asymptotic solution for laminar flow of an incompressible fluid between rotating surfaces of revolution showing inertia effects, Appl Mech Eng **1**(2) 231-261 (1996), 4T980
Magnetohydrodynamic effects on a fluid film squeezed between two rotating naturally permeable discs: Similarity solutions, Z Angew Math Mech **76**(10) 583-593 (1996), 4A981
Strong conservative form of the incompressible Navier-Stokes equations in a rotating frame with a solution procedure, J Comput Phys **128**(2) 427-437 (Oct 1996), 4T982
Hydraulic jumps at boundaries in rotating fluids, J Fluid Mech **324** 55-82 (Oct 1996), 5A906
Steady two-layer vortices on the beta-plane, Dyn Atmos Oceans **25**(2) 67-86 (Nov 1996), 5T916
Full viscous modeling in generalized coordinates of heat conducting flows in rotating systems, J Thermophys Heat Transfer **10**(4) 621-626 (Oct-Dec 1996), 5A918
Numerical study of axisymmetric vortex breakdown in an annulus, Acta Mech **118**(1-4) 79-95 (1996), 5A934
Unsteady film flow of power-law liquids on a rotating disk, J Non-Newtonian Fluid Mech **66**(2-3) 117-125 (Oct 1996), 6A1028
Spatio-temporal behavior in a rotating annulus with a source-sink flow, J Fluid Mech **328** 271-296 (Dec 1996), 6A1137
Beta drift of baroclinic vortices - Part II: Diabatic vortices, J Atmos Sci **53**(24) 3737-3756 (Dec 1996), 7T1017
Effect of disk warpage-skew on the deflection and vibration of a flexible disk spinning above a base-plate and in contact with a point-head, J Trib **119**(1) 64-70 (Jan 1997), 7A1024
Small-gap Taylor problem: An approximation and some exact results for non-axisymmetric modes, Fluid Dyn Res **19**(4) 185-199 (Apr 1997), 7A1025
Effect of rotation and surface friction on orographic drag, J Atmos Sci **54**(1) 193-210 (Jan 1997), 7A1026
Flow of a viscoelastic fluid between two rotating circular cylinders subject to suction or injection, Int J Numer Methods Fluids **24**(3) 337-349 (Feb 1997), 8A500
Asymptotic expansions and monopolar solitary Rossby vortices in barotropic and two-layer models, Geophys Astrophys Fluid Dyn **83**(3-4) 159-194 (Dec 1996), 8T1044
Finite-amplitude convection in rotating spherical fluid shells, J Fluid Mech **332** 359-376 (Feb 1997), 8A1062
Horizontal scale of rotating convection in the geostrophic regime, J Fluid Mech **333** 85-95 (Feb 1997), 8A1063
Performance assessment of an annular s-shaped duct, J Turbomachinery **119**(1) 149-156 (Jan 1997), 8A1071
Pulsed flow between concentric rotating cylinders, Eur J Mech B **16**(2) 227-248 (1997), 8A1072
Three-dimensional unsteady flow and forces in centrifugal impellers with circumferential distortion of the outlet static pressure, J Turbomachinery **119**(1) 94-102 (Jan 1997), 8A1073
Physical simulations in rotating tank of Ice cyclogenesis, Exp Fluids **22**(5) 387-396 (Mar 1997), 9A1016
Pseudohyperbolic problem arising in the dynamics of stratified rotating fluids, Appl Math Lett **10**(2) 117-122 (Mar 1997), 9A1017
Flow of Newtonian and non-Newtonian fluids in an eccentric annulus with rotation of the inner cylinder, Int J Heat Fluid Flow **18**(2) 236-246 (Apr 1997), 9A1018
Free-surface effects on spin-up in a rectangular tank, J Fluid Mech **334** 189-210 (Mar 1997), 9A1019
Prediction of ingress rates to turbine and compressor wheelspaces, Int J Heat Fluid Flow **18**(2) 218-228 (Apr 1997), 9A1020
Spherical Couette flow of a viscoelastic fluid - Part II: Numerical study for the inner sphere rotation, J Non-Newtonian Fluid Mech **69**(1) 47-70 (Mar 1997), 10A583
Stokes flow in a half-filled annulus between rotating coaxial cylinders, J Fluid Mech **337** 263-282 (Apr 1997), 10A1076
Boundary layer arising in the spin-up of a stratified fluid in a container with sloping walls, J Fluid Mech **335** 233-259 (Mar 1997), 10A1086
Laboratory and numerical studies of baroclinic waves in an internally heated rotating fluid annulus: A case of wave-vortex duality?, J Fluid Mech **337** 155-191 (Apr 1997), 10A1087
Spherical Couette flow of a viscoelastic fluid - Part I: Experimental study of the inner sphere rotation, J Non-Newtonian Fluid Mech **69**(1) 29-46 (Mar 1997), 10A1088
Time-dependent vortex breakdown in a cylinder with a rotating lid, J Fluids Eng **119**(2) 450-453 (Jun 1997), 11A941
Axisymmetric inertial oscillations in transient rotating flows in a cylinder, J Fluids Eng **119**(2) 390-396 (Jun 1997), 11A947
Study of particle paths in non-axisymmetric Taylor-Couette flows, J Fluid Mech **338** 341-362 (May 1997), 11A952
Thermally driven motions in a rotating stratified fluid: Theory and experiment, J Fluid Mech **339** 391-411 (May 1997), 11A953
Linear growth of Gortler vortices, Int J Heat Fluid Flow **18**(4) 389-399 (Aug 1997), 11A1081
Comparative study of Navier-Stokes calculations and experiments for the Savonius rotor, J Solar Energy Eng **117**(4) 344-346 (Nov 1995), 11T1159
Inertial waves in a rotating spherical shell, J Fluid Mech **341** 77-99 (Jun 1997), 12A264
Three-dimensionally perturbed vortex tubes in a rotating flow, J Fluid Mech **341** 127-163 (Jun 1997), 12A1068
Development of an axisymmetric wave packet in rotating-disk flow, Fluid Dyn Res **21**(2) 87-100 (Aug 1997), 12A1073
Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part I: Flow at exit of turbine, J Turbomachinery **119**(3) 624-633 (Jul 1997), 12A1191
Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part II: Unsteady pressure on the stator blade surface, J Turbomachinery **119**(3) 634-645 (Jul 1997), 12A1192

354M. Nonequilibrium and chemical effects

Development of a parallel direct simulation code to investigate reactive flows, Comput Fluids **25**(5) 485-496 (Jun 1996), 2A59
Plasmadynamics model for nonequilibrium processes in N,-H, arcjets, J Thermophys Heat Transfer **10**(4) 554-562 (Oct-Dec 1996), 5A935
Numerical study of 2D and 3D flowfields in a high-power pulsed chemical laser, Int J Numer Methods Heat & Fluid Flow **7**(1) 24-41 (1997), 8T1088
Load balancing and performance issues for data parallel simulation of stiff chemical nonequilibrium flows, AIAA J **35**(3) 486-493 (Mar 1997), 9A1041

Unsplit schemes for hyperbolic conservation laws with source terms in one space dimension, J Comput Phys 134(1) 31-61 (Jun 1997), 11T973

354O. Flow around bodies

Controlled motion of a cylinder through a free surface: Effect of depth of penetration, J Fluids Struct 10(4) 309-317 (May 1996), 1A981
Ideal free streamline flow over a curved obstacle, J Comput Appl Math 72(1) 193-214 (Jul 1996), 1A982
Sedimentation of a sphere through an elastic fluid - Part 2: Transient motion, J Non-Newtonian Fluid Mech 65(1) 17-46 (Jul 1996), 1A986
Simulation of a viscous flow around an oscillating cylinder at low Keulegan-Carpenter numbers, Int J Comput Fluid Dyn 6(3) 239-252 (1996), 1A1046
Study of unsteady wake flows past a 2D square cylinder with and without planar jet injection into the vortex formation region, Appl Sci Res 55(3) 187-210 (Oct 1995), 1A1049
Stability of the flow past a row of square bars, J Phys Soc Japan 65(6) 1673-1685 (Jun 1996), 1A1059
Inviscid and viscous fluid calculations around yachting sails, Ship Tech Res 43(3) 95-101 (Aug 1996), 2A1071
Numerical simulation of the phenomena due to the passing-by of two bodies using the unsteady BEM, Int J Numer Methods Fluids 23(5) 445-454 (Sep 1996), 3A52
Calculation of the timing of vortex formation from an oscillating cylinder, J Fluids Struct 10(5) 527-541 (Jul 1996), 3A255
Inviscid fluid flow around a submerged circular cylinder induced by free-surface traveling waves, J Eng Math 30(5) 587-601 (Sep 1996), 3A996
Oscillatory flow over a circular cylinder close to a plane boundary, Fluid Dyn Res 18(5) 269-288 (Oct 1996), 3A1011
Flow regimes and transient dynamics of 2D stratified flow over an isolated mountain ridge, J Atmos Sci 53(1) 139-158 (Jan 1996), 3T1016
Stability of stratified flow of large depth over finite-amplitude topography, J Fluid Mech 320 369-394 (Aug 1996), 3A1020
Shear-layer and inertial modifications to the geostrophic drag on a slowly rising particle or drop in a rotating fluid, J Fluid Mech 319 219-249 (Jul 1996), 3A1026
Confined flow of polyethylene melts past a cylinder in a planar channel, J Non-Newtonian Fluid Mech 65(2-3) 247-268 (Aug 1996), 3A1028
Look at a universal parameter for 2D and 3D bluff body flows, J Fluids Struct 10(5) 543-553 (Jul 1996), 3T1029
Near-wake structure of an oscillating cylinder: Effect of controled shear-layer vortices, J Fluid Mech 322 21-49 (Sep 1996), 3A1030
Numerical study of oscillatory flow about a circular cylinder for low values of beta parameter, J Fluids Struct 10(5) 501-526 (Jul 1996), 3A1031
Occurrence of lock-in under highly sheared conditions, J Fluids Struct 10(5) 555-561 (Jul 1996), 3A1032
Use of mass- and area-dimensional power laws for determining precipitation particle terminal velocities, J Atmos Sci 53(12) 1710-1723 (Jun 1996), 3A1033
Steady flow of a power-law fluid past a cylinder, Acta Mech 117(1-4) 87-100 (1996), 3A1038
Stokes flow past a porous sphere with an impermeable core, Mech Res Commun 23(5) 449-460 (Sep-Oct 1996), 4A975
Nonlinear flow past an elliptic mountain ridge, J Atmos Sci 53(17) 2465-2489 (Sep 1996), 4T979
Fast and efficient vortex-blobs simulation of the flow past the circular cylinder, Arch Budowy Maszyn 42(3-4) 281-298 (1995), 4A983
Free-surface wave-induced separation, J Fluids Eng 118(3) 546-554 (Sep 1996), 4A984
Modification of the Theodorsen's method, Bull Polish Acad Sci Tech Sci 44(1) 13-26 (1996), 4A985
Nonlinear modeling of vortex shedding control in cylinder wakes, Physica D 97(1-3) 264-273 (Oct 1996), 4A986
Settling of discs inside a vertical fluid-filled tube, Appl Sci Res 56(1) 43-51 (1996), 5A924
Internal Loe waves and turbulence mixing over an isolated seamount: Results from turbulence energy models, Int J Numer Methods Fluids 23(10) 1043-1072 (Nov 1996), 5A932
Flow field due to a body in impulsive motion, J Fluid Mech 325 79-111 (Oct 1996), 5A936
Numerical and experimental investigations of the flow over a disk undergoing unsteady motion, J Fluids Struct 10(7) 705-719 (Oct 1996), 5A937
Motion of solid particles suspended in viscoelastic liquids under torsional shear, J Fluid Mech 324 199-222 (Oct 1996), 5A970
Three-dimensional separated flow structure over a cylinder with a hemispherical cap, J Fluid Mech 324 83-108 (Oct 1996), 5A999
Stability of 3D time-periodic flows with ellipsoidal stream surfaces, J Fluid Mech 324 379-391 (Oct 1996), 5A1025
Computation of unsteady flowfield over a hydrofoil, including boundary layer and wake, AIAA J 35(1) 40-50 (Jan 1997), 6A292
Motion of a sphere oscillating at low Reynolds numbers in a viscoelastic-fluid-filled cylindrical tube, J Non-Newtonian Fluid Mech 66(2-3) 169-192 (Oct 1996), 6A499
Stokes flow through a tube with annular fins, Eur J Mech B 15(6) 781-789 (1996), 6A1022
Flow visualization study on feedback control of vortex shedding from a circular cylinder, J Fluids Struct 10(8) 965-970 (Nov 1996), 6A1029
Non-Newtonian shear-thinning flows past a flat plate, J Non-Newtonian Fluid Mech 66(2-3) 127-144 (Oct 1996), 6A1030
Numerical study of flow past a rotationally oscillating circular cylinder, J Fluids Struct 10(8) 829-849 (Nov 1996), 6T1130
Effect of rotation and surface friction on orographic drag, J Atmos Sci 54(1) 193-210 (Jan 1997), 7A1026
Flow structure analysis around an oscillating circular cylinder at low KC number: A numerical study, Comput Fluids 26(1) 83-106 (Jan 1997), 7A1027
Onset of asymmetry: Flow past circular and elliptic cylinders, Int J Numer Methods Fluids 23(12) 1327-1345 (Dec 1996), 7A1028
Point-matching method for examining time-dependent Stokesian flow around a stationary axisymmetric body, Fluid Dyn Res 19(2) 91-114 (Feb 1997), 7A1029
Slow motion of a body in a fluid of second grade, Int J Eng Sci 35(1) 33-54 (Jan 1997), 7A1030
Numerical study of the early stages of impulsively started unsteady laminar flow past a square cylinder, Int J Numer Methods Heat & Fluid Flow 6(8) 53-70 (Dec 1996), 7A1045
Simplified settling velocity formula for sediment particle, J Hydraul Eng 123(2) 149-152 (Feb 1997), 7A1069
Effect of evaporation on droplet drag, J Fluids Eng 118(4) 862-864 (Dec 1996), 7A1072
Family of laminar boundary layers along a semi-infinite flat plate, Fluid Dyn Res 19(4) 235-249 (Apr 1997), 7A1084
Simultaneous measurements of water impact on a 2D body, Fluid Dyn Res 19(3) 125-148 (Mar 1997), 7A1108
Turbulence models for the computation of flow past airplanes, Prog Aerospace Sci 33(1-2) 71-165 (Jan-Feb 1997), 7A1155
Equilibrium configurations of point vortices for channel flows past interior obstacles, Eur J Mech B 16(2) 277-292 (1997), 8A1046
Slow oscillatory Stokes flow, Quart Appl Math 55(1) 1-22 (Mar 1997), 8A1057
Cusp flow due to a submerged source with a free surface partially covered by a lid, Eur J Mech B 16(2) 249-255 (1997), 8A1064
Fast stratified flow over several obstacles, including wings, IMA J Appl Math 57(3) 243-256 (Dec 1996), 8A1065
Finite difference solutions of vortex generation and shedding from a circular cylinder in oscillatory plus mean flow, Adv Eng Software 28(1) 25-29 (Jan 1997), 8A1074
Flow past a cylinder close to a free surface, J Fluid Mech 330 1-30 (Jan 1997), 8A1075
Horseshoe vortex and vortex shedding around a vertical wall-mounted cylinder exposed to waves, J Fluid Mech 332 41-70 (Feb 1997), 8A1076
Hybrid vortex method for flows over a bluff body, Int J Numer Methods Fluids 24(3) 253-274 (Feb 1997), 8A1077
Steady separated flow around an inclined flat plate, J Fluid Mech 333 403-413 (Feb 1997), 8A1078
Study of 3D aspects of vortex shedding from a bluff body with a mild geometric disturbance, J Fluid Mech 330 85-112 (Jan 1997), 8A1079
Concerning 3D flow past a tall building on flat ground, Quart J Mech Appl Math 50(1) 97-128 (Feb 1997), 8A1132
Instability of the shear layer separating from a bluff body, J Fluid Mech 333 375-402 (Feb 1997), 8A1135
Structure and development of a counter-rotating wing-tip vortex pair, J Fluid Mech 332 71-104 (Feb 1997), 8A1218
Numerical studies of small island wakes in the ocean, Geophys Astrophys Fluid Dyn 83(3-4) 195-231 (Dec 1996), 8T1508
Fluctuating lift and drag forces on finite lengths of a circular cylinder in the subcritical Reynolds number range, J Fluids Struct 11(2) 135-158 (Feb 1997), 9A218
Flow driven by a torsionally-oscillating shrouded endwall disk, J Fluids Eng 119(1) 115-121 (Mar 1997), 9A1008
Shear flow over a protuberance on a plane wall, J Eng Math 31(1) 29-42 (Jan 1997), 9A1012
Stokes flow through a transversely finned channel, J Fluids Eng 119(1) 110-114 (Mar 1997), 9A1013
Asymptotic solutions for 2D low Reynolds number flow around an impulsively started circular cylinder, J Fluid Mech 334 31-59 (Mar 1997), 9A1021
Stochastic vortex method for viscous incompressible flows in a spatially periodic domain, Arch Mech 49(1) 209-232 (1997), 9A1022
Turbulent wind flow patterns and pressure fields across a tall building, Wind Eng 20(4) 241-257 (1996), 9T1113
Numerical study on the capillary effect of resin transfer molding, J Reinforced Plastics Composites 16(6) 566-586 (1997), 10A754
Unsteady potential plane flow past a porous circle, Z Angew Math Mech 77(4) 259-265 (1997), 10A1066
Flow past periodic arrays of spheres at low Reynolds number, J Fluid Mech 335 189-212 (Mar 1997), 10A1070
Experimental and numerical study of the isothermal flowfield behind a bluff body flameholder, J Eng Gas Turbines Power 119(2) 328-339 (Apr 1997), 10A1089
Motion fields generated by the oscillatory motion of a circular cylinder in a linearly stratified fluid, Exp Thermal Fluid Sci 14(3) 277-296 (Apr 1997), 10A1090
Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part I: Rotor passage flow field, J Turbomachinery 119(2) 201-213 (Apr 1997), 10A1242
Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part II: Rotor exit flow field, J Turbomachinery 119(2) 214-224 (Apr 1997), 10A1243
Translating and transversely oscillating cylinder - Part I: The effect of the Strouhal number on the hydrodynamic forces and the near-wake structure, Ocean Eng 24(8) 677-693 (Aug 1997), 11A211
Numerical study on motion of sphere coated with a thin liquid film at intermediate Reynolds numbers, J Fluids Eng 119(2) 397-403 (Jun 1997), 11A944
Flow characteristics of a bluff body cut from a circular cylinder, J Fluids Eng 119(2) 453-454 (Jun 1997), 11T954
Flow over tube banks: A visualization study, J Fluids Eng 119(2) 480-483 (Jun 1997), 11T955
Testing 3D bluff-body models in a low-speed 2D adaptive wall test section, J Fluids Eng 117(4) 546-551 (Dec 1995), 11A956
Creeping motion of a sphere in tubes filled with a Bingham plastic material, J Non-Newtonian Fluid Mech 70(1-2) 59-77 (May 1997), 11A957
Numerical simulations of laminar flow over a 3D backward-facing step, Int J Numer Methods Fluids 24(11) 1159-1183 (Jun 1997), 11A967
Topological flow structures in backward-facing step channels, Comput Fluids 26(4) 321-337 (May 1997), 11A971
Lattice Boltzmann method on curvilinear coordinates system: Flow around a circular cylinder, J Comput Phys 134(2) 306-315 (Jul 1997), 12A1074
Unsteady detached separation from a circular cylinder performing rotational oscillations in a uniform viscous incompressible flow, Int J Numer Methods Fluids 25(2) 125-142 (Jul 1997), 12A1075

354P. Surface tension flow (eg in low gravity environments)

Asymptotic analysis of small holes in thin fluid layers, J Eng Math 30(4) 445-457 (Jul 1996), 1A983
General contact-angle conditions with and without kinetics, Quart Appl Math 54(3) 557-569 (Sep 1996), 2A966
Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, Commun Pure Appl Math 49(2) 85-123 (Feb 1996), 2A967
Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, Commun Pure Appl Math 49(2) 85-123 (Feb 1996), 2T968
Moving contact lines in the Cahn-Hilliard theory, Int J Eng Sci 34(9) 977-992 (Jul 1996), 2A969
Time-dependent drop deformation in a rotating high viscosity fluid, Quart Appl Math 54(3) 551-556 (Sep 1996), 2A970
Influence of buoyancy on the surface tension driven flow around a bubble on a heated wall, Exp Fluids 21(3) 181-186 (Jul 1996), 2A995
Flow in an open channel capillary, J Fluid Mech 322 109-129 (Sep 1996), 3A1034
Geometrical theory of capillarity with applications to the Stefan problem, Acta Mech 117(1-4) 145-158 (1996), 3A1035
Numerical simulation of coalescence of inviscid drops at a solid surface, Commun Numer Methods Eng 12(8) 447-454 (Aug 1996), 3A1036
Mechanism for rivulet formation in heated falling films, J Fluid Mech 321 279-298 (Aug 1996), 3A1141
Fast numerical computation of 2D free surface jet flow with surface tension, J Comput Phys 128(2) 409-426 (Oct 1996), 4T987
Singular effects of surface tension in evolving Hele-Shaw flows, J Fluid Mech 323 201-236 (Sep 1996), 4A988
Miscible displacements in capillary tubes - Part 1: Experiments, J Fluid Mech 326 37-56 (Nov 1996), 5A938
Miscible displacements in capillary tubes - Part 2: Numerical simulations, J Fluid Mech 326 57-90 (Nov 1996), 5A939
Stability of a deformed finite length inviscid liquid column, J Spacecraft Rockets 33(6) 887-889 (Nov-Dec 1996), 6T1031
Weakly nonlinear oscillations of nearly inviscid axisymmetric liquid bridges, J Fluid Mech 328 95-128 (Dec 1996), 6A1032
Fluid motion and heat transmission in a horizontal liquid layer heated locally from free surface, JSME Int J Ser B 39(4) 780-788 (Nov 1996), 7T1031
Nonlinear deformation and breakup of stretching liquid bridges, J Fluid Mech 329 207-245 (Dec 1996), 7A1032
Numerical investigation of the dynamic influence of the contact line region on the macroscopic meniscus shape, J Fluid Mech 329 137-146 (Dec 1996), 7A1033
Benard-Marangoni instability in rigid rectangular containers, J Fluid Mech 329 25-64 (Dec 1996), 7A1125
Marangoni instability in tri-layer liquid systems, Eur J Mech B 16(1) 49-74 (1997), 7A1127
Similarity solution for viscous source flow on a vertical plane, European J Appl Math 8(1) 37-47 (Feb 1997), 8A1068
Two-dimensional model for slow convection at infinite Marangoni number, J Fluid Mech 331 283-312 (Jan 1997), 8A1080
Stability of slender liquid bridges subjected to axial flows, J Fluid Mech 330 189-213 (Jan 1997), 8A1178
Thin liquid lining of a weakly curved cylindrical tube, J Fluid Mech 331 373-403 (Jan 1997), 8A1567
Numerical study of the effect of free surface deformation on buoyancy and thermocapillary convection, J Comput Phys 132(1) 34-50 (Mar 1997), 9A1023
Velocity field near moving contact lines, J Fluid Mech 337 49-66 (Apr 1997), 10A1084
Experimental study of coating flows in a partially-filled horizontally rotating cylinder, Exp Fluids 23(1) 1-13 (May 1997), 11A948
Surfactant-induced retardation of the thermocapillary migration of a droplet, J Fluid Mech 340 35-59 (Jun 1997), 11A1007
Capillary instability of a liquid film on a wire, J Fluids Eng 117(4) 673-676 (Dec 1995), 11A1084
Dynamics of inviscid capillary breakup: Collapse and pinchoff of a film bridge, J Fluid Mech 341 245-267 (Jun 1997), 12A1076
Finite element modeling of surface tension effects using a Lagrangian-Eulerian kinematic description, Comput Methods Appl Mech Eng 147(1-2) 41-60 (Jul 1997), 12A1077
Local gravity-capillary flows near the intersection of a free surface with a vertical wall, European J Appl Math 8(2) 177-184 (Apr 1997), 12A1078
Nonlinear evolution and secondary instabilities of Marangoni convection in a liquid-gas system with deformable interface, J Fluid Mech 341 317-341 (Jun 1997), 12A1140

354R. Non-Newtonian flow

Transverse squeeze flow of concentrated aligned fibers in viscous fluids, J Non-Newtonian Fluid Mech 65(1) 47-74 (Jul 1996), 1A973
Conformation of semi-rigid polymers during flow through a fixed fiber bed, J Non-Newtonian Fluid Mech 64(2-3) 95-140 (Jun 1996), 1A984
Fluid displacement in a horizontal tube, J Non-Newtonian Fluid Mech 65(1) 1-15 (Jul 1996), 1A985
Sedimentation of a sphere through an elastic fluid - Part 2: Transient motion, J Non-Newtonian Fluid Mech 65(1) 17-46 (Jul 1996), 1A986
Hydrodynamic diffusion near solid boundaries with applications to heat and mass transport into sheared suspensions and fixed-fiber beds, J Fluid Mech 318 31-47 (Jul 1996), 2A971
Numerical approach to model heat transfer in polymer melts flowing in constricted channels, Numer Heat Transfer A 30(2) 103-123 (Aug 1996), 2A1186
Motions with zero acceleration and their relevance in viscoelasticity, J Non-Newtonian Fluid Mech 65(2-3) 299-306 (Aug 1996), 3A453
Confined flow of polyethylene melts past a cylinder in a planar channel, J Non-Newtonian Fluid Mech 65(2-3) 247-268 (Aug 1996), 3A1028
Effects of inertia and finite amplitude on oscillatory plane shear flow of K-BKZ fluids such as LDPE melts, J Non-Newtonian Fluid Mech 65(2-3) 195-220 (Aug 1996), 3A1037
Steady flow of a power-law fluid past a cylinder, Acta Mech 117(1-4) 87-100 (1996), 3A1038
Analogues of Ito's equations for the flow of non-Newtonian liquids through curved tubes, Appl Mech Eng 1(2) 293-306 (1996), 4A989
Non-uniform stagnant motions of materially non-uniform simple fluids, Arch Mech 48(3) 577-582 (1996), 4A990

Stationary and oscillatory flow of the Reiner-Rivlin fluid between two external rollers, Eng Trans **44**(1) 85-98 (1996), 4A991

p-harmonic functions, convex duality and an asymptotic formula for injection mold filling, European J Appl Math **7**(5) 417-437 (Oct 1996), 5A567

Basic equations for incompressible, non-Newtonian fluids in curvilinear, non-orthogonal, and accelerated coordinate systems, Acta Mech **118**(1-4) 39-54 (1996), 5A940

Experimental and numerical study of entry flow of low-density polythylene melts, Rheol Acta **35**(5) 494-507 (Sep-Oct 1996), 5A941

Flow of a non-Newtonian fluid between intersecting planes, one of which is moving, Rheol Acta **35**(5) 520-522 (Sep-Oct 1996), 5T942

Motion of solid particles suspended in viscoelastic liquids under torsional shear, J Fluid Mech **324** 199-222 (Oct 1996), 5A970

Motion of a sphere oscillating at low Reynolds numbers in a viscoelastic-fluid-filled cylindrical tube, J Non-Newtonian Fluid Mech **66**(2-3) 169-192 (Oct 1996), 6A499

Extended theory for incompressible viscous fluid flow, J Non-Newtonian Fluid Mech **66**(2-3) 233-255 (Oct 1996), 6A1020

Unsteady film flow of power-law liquids on a rotating disk, J Non-Newtonian Fluid Mech **66**(2-3) 117-125 (Oct 1996), 6A1028

Non-Newtonian shear-thinning flows past a flat plate, J Non-Newtonian Fluid Mech **66**(2-3) 127-144 (Oct 1996), 6A1030

Axisymmetric vortex breakdown for generalized Newtonian fluid contained between rotating spheres, J Non-Newtonian Fluid Mech **66**(2-3) 145-168 (Oct 1996), 6A1033

Conduit flow of an incompressible, yield-stress fluid, J Rheol **41**(1) 93-101 (Jan-Feb 1997), 7A970

Spin coating of viscoplastic fluids, Rheol Acta **35**(6) 597-615 (Nov-Dec 1996), 7A971

Effects of viscoelasticity on the transient motion of a sphere in a shear-thinning fluid, J Rheol **41**(1) 103-128 (Jan-Feb 1997), 7A1034

Momentum and heat transfer on a continuous moving surface in a power law fluid, Int J Heat Mass Transfer **40**(8) 1853-1861 (May 1997), 7A1269

Flow of a viscoelastic fluid between two rotating circular cylinders subject to suction or injection, Int J Numer Methods Fluids **24**(3) 337-349 (Feb 1997), 8A500

Measurements of velocity profile development in the spinning flows of liquid crystalline polymer solutions, J Rheol **41**(2) 237-247 (Mar-Apr 1997), 8A995

Cross-streamline migration of slender Brownian fibers in plane Poiscuille flow, J Fluid Mech **332** 23-39 (Feb 1997), 8A1081

Effect of die materials and pressure-dependent slip on the extrusion of linear low-density polyethylene, J Rheol **41**(2) 249-265 (Mar-Apr 1997), 8A1082

Flow of Newtonian and non-Newtonian fluids in an eccentric annulus with rotation of the inner cylinder, Int J Heat Fluid Flow **18**(2) 236-246 (Apr 1997), 9A1018

Numerical model for steady-state flow in friction welding, Acta Mat **45**(4) 1735-1745 (Apr 1997), 9A1024

Reentrant corner flows of Newtonian and non-Newtonian fluids, J Rheol **41**(3) 787-805 (May-Jun 1997), 10A1021

Spherical Couette flow of a viscoelastic fluid - Part I: Experimental study of the inner sphere rotation, J Non-Newtonian Fluid Mech **69**(1) 29-46 (Mar 1997), 10A1088

Theoretical model of flow of an inelastic fluid through isotropic elastic porous pipes (French), J Hydraul Res **35**(3) 301-322 (1997), 11T904

Creeping motion of a sphere in tubes filled with a Bingham plastic material, J Non-Newtonian Fluid Mech **70**(1-2) 59-77 (May 1997), 11A957

Thin film core-annular flow of upper-convected maxwell liquids, J Non-Newtonian Fluid Mech **70**(1-2) 155-183 (May 1997), 11A958

Unsteady 3D stagnation point flow of a viscoelastic fluid, Int J Eng Sci **35**(5) 445-454 (Apr 1997), 11A959

Uniqueness results in the theory of microstretch fluids, Int J Eng Sci **35**(7) 669-679 (May 1997), 12A1047

Squeezing flow of an Eyring fluid, J Trib **119**(3) 593-596 (Jul 1997), 12A1070

Hodograph transformation methods in incompressible second grade fluid, Mech Res Commun **24**(4) 463-472 (Jul-Aug 1997), 12A1079

Stationary weak solutions for a class of non-Newtonian fluids with energy transfer, Int J Non-Linear Mech **32**(5) 961-972 (Sep 1997), 12T1080

354Y. Computational techniques

High Performance Computing in Fluid Dynamics (Kluwer, MA, 1996) 1N4

Finite element analysis of complex incompressible flows, J Hydrodyn **8**(1) 85-92 (1996), 1A46

Single-layer FE approximation of 3D Navier-Stokes equations with free boundarics for shallow water flows, Int J Numer Methods Fluids **23**(2) 143-161 (Jul 1996), 1A49

Characteristics ALE method for the unsteady 3D Navier-Stokes equations with a free surface, Int J Comput Fluid Dyn **6**(3) 175-188 (1996), 1A976

Attractors and error estimates for discretizations of incompressible Navier-Stokes equations, SIAM J Numer Anal **33**(4) 1451-1472 (Aug 1996), 1A987

Bubble stabilization of FEMs for the linearized incompressible Navier-Stokes equations, Comput Methods Appl Mech Eng **132**(3-4) 335-343 (Jun 1996), 1A988

Comparison of second order convection discretization schemes for incompressible fluid flow, Commun Numer Methods Eng **12**(7) 395-411 (Jul 1996), 1A989

Discrete compatibility in finite difference methods for viscous incompressible fluid flow, J Comput Phys **126**(2) 468-478 (Jul 1996), 1A990

Efficient 2D vortex method with long time accuracy, SIAM J Numer Anal **33**(4) 1425-1450 (Aug 1996), 1A991

Fourier analysis of the SIMPLE algorithm formulated on a collocated grid, Numer Heat Transfer B **30**(1) 45-66 (Jul-Aug 1996), 1A992

Method for determining the velocity induced by highly anisotropic vorticity blobs, J Comput Phys **126**(2) 286-298 (Jul 1996), 1T993

Multigrid methods to accelerate convergence of element-by-element solution algorithms for viscous incompressible flows, Comput Methods Appl Mech Eng **132**(3-4) 179-193 (Jun 1996), 1A994

Recent progress in incompressible Reynolds-averaged Navier-Stokes solvers, J Hydrodyn **8**(1) 13-30 (1996), 1T995

Space-time coupled p-version least squares FE formulation for unsteady 2D Navier-Stokes equations, Int J Numer Methods Eng **39**(15) 2593-2618 (Aug 1996), 1A996

Towards a new model-free simulation of high-Reynolds-flows: Local average direct numerical simulation, Int J Numer Methods Fluids **23**(2) 125-142 (Jul 1996), 1A1085

Improved BEM and its application to time-dependent convection, Numer Heat Transfer B **30**(1) 93-109 (Jul-Aug 1996), 1A1200

Optimal vorticity conditions for the node-centered finite-difference discretization of the second-order vorticity-velocity equations, J Comput Phys **127**(1) 208-217 (Aug 1996), 2A38

Implicit numerical scheme for the simulation of internal viscous flow on unstructured grids, Comput Fluids **25**(5) 447-466 (Jun 1996), 2A959

Computational study of the error in the vortex method associated with discontinuous vorticity, Numer Methods PDE **12**(5) 547-564 (Sep 1996), 2A972

Convergence of the point vortex methods for Euler equation on half plane, J Comput Math **14**(3) 213-222 (Jul 1996), 2A973

Flux difference splitting for 3D steady incompressible Navier-Stokes equations in curvilinear coordinates, Int J Numer Methods Fluids **23**(4) 347-366 (Aug 1996), 2A974

Local existence results for the generalized inverse of the vorticity equation in the plane, Inverse Prob **12**(4) 437-454 (Aug 1996), 2A975

Local predictive convection-diffusion refinement indicator for the Tri-Tree adapted FE multigrid algorithm of the Navier-Stokes equations, Comput Methods Appl Mech Eng **134**(1-2) 181-196 (Jul 1996), 2A976

Uncoupled temporally second-order accurate implicit solver of incompressible Navier-Stokes equations, AIAA J **34**(9) 1829-1834 (Sep 1996), 2A977

Variable-order spectral element method for incompressible viscous flow simulation, Int J Numer Methods Eng **39**(17) 2865-2887 (Sep 1996), 2A978

Fully discrete high-resolution schemes for hyperbolic conservation laws, Int J Numer Methods Fluids **23**(4) 309-323 (Aug 1996), 2A986

Comparisons of two different mixed Eulerian-Lagrangian schemes based on a study of flare-slamming hydrodynamics, J Offshore Mech Arctic Eng **118**(3) 174-183 (Aug 1996), 2A1069

Finite volume method for the solution of convection-diffusion 2D problems by a quadratic profile with smoothing, Int J Numer Methods Heat & Fluid Flow **6**(4) 3-24 (Jul 1996), 2A1197

Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995 (Vieweg, Wiesbaden, 1996) 3N34

First-order exactly incompressible FE for axisymmetric fluid flow, SIAM J Numer Anal **33**(5) 1736-1758 (Oct 1996), 3A14

Effect of the formulation of nonlinear terms on aliasing errors in spectral methods, Appl Numer Math **21**(3) 207-219 (Jul 1996), 3A60

Unfactored implicit moving mesh method for the 2D unsteady N-S equations, Int J Numer Methods Fluids **23**(6) 607-631 (Sep 1996), 3A78

Efficient analytic series solutions for 2D potential flow problems, Int J Numer Methods Fluids **23**(5) 415-430 (Sep 1996), 3A995

Improved multistage time stepping for second-order upwind TVD schemes, Comput Fluids **25**(7) 629-645 (Sep 1996), 3A1005

Three-dimensional agglomeration multigrid solver for the Reynolds-averaged Navier-Stokes equations on unstructured meshes, Int J Numer Methods Fluids **23**(6) 527-544 (Sep 1996), 3A1007

Method-of-lines solution of time-dependent 2D Navier-Stokes equations, Int J Numer Methods Fluids **23**(5) 455-466 (Sep 1996), 3A1010

Higher-order schemes for free surface flows with arbitrary configurations, Int J Numer Methods Fluids **23**(6) 545-566 (Sep 1996), 3A1017

Linear Couette flow between two rotating cylinders, Eur J Mech B **15**(4) 493-505 (1996), 3A1024

Anisotropic local grid refinement method for fluid flow simulation, Numer Heat Transfer B **30**(2) 195-215 (Sep 1996), 3A1039

Bubble-stabilized spectral methods for the incompressible Navier-Stokes equations, Comput Methods Appl Mech Eng **135**(1-2) 35-61 (Aug 1996), 3A1040

Comparison of some upwind-biased high-order formulations with a second-order central-difference scheme for time integration of the incompressible Navier-Stokes equations, Comput Fluids **25**(7) 647-665 (Sep 1996), 3A1041

Guide to credible computer simulations of fluid flows, J Propulsion Power **12**(5) 940-948 (Sep-Oct 1996), 3A1042

Multigrid algorithm for a multiblock pressure-based flow and heat transfer solver, Numer Heat Transfer B **30**(2) 239-254 (Sep 1996), 3A1043

Normalized weighting factor method: A novel technique for accelerating the convergence of high-resolution convective schemes, Numer Heat Transfer B **30**(2) 217-237 (Sep 1996), 3A1044

Point-vortex method for periodic weak solutions of the 2D Euler equations, Commun Pure Appl Math **49**(9) 911-965 (Sep 1996), 3A1045

Simplified control-volume FEM, Numer Heat Transfer B **30**(2) 179-194 (Sep 1996), 3A1046

Simulation of multiple spheres falling in a liquid-filled tube, Comput Methods Appl Mech Eng **134**(3-4) 351-373 (Aug 1996), 3A1047

Spectral domain decomposition approach for steady Navier-Stokes problems in circular geometries, Comput Fluids **25**(6) 541-549 (Jul 1996), 3A1048

Tri-Tree multigrid recoarsement algorithm for the FE formulation of the Navier-Stokes equations, Comput Methods Appl Mech Eng **135**(1-2) 129-142 (Aug 1996), 3A1049

Vorticity boundary conditions for Navier-Stokes equations, Comput Methods Appl Mech Eng **134**(3-4) 311-323 (Aug 1996), 3A1050

Vorticity-streamfunction formulation for steady incompressible 2D flows, Int J Numer Methods Fluids **23**(5) 431-444 (Sep 1996), 3A1051

Parallel multigrid computation of the unsteady incompressible Navier-Stokes equations, J Comput Phys **128**(1) 223-236 (Oct 1996), 4A977

Strong conservative form of the incompressible Navier-Stokes equations in a rotating frame with a solution procedure, J Comput Phys **128**(2) 427-437 (Oct 1996), 4T982

Fast numerical computation of 2D free surface jet flow with surface tension, J Comput Phys **128**(2) 409-426 (Oct 1996), 4T987

Analysis of the shape of the water droplet on an inclined glass plate and visualization with the revolved surface with B-spline cross-section, Machine Graphics & Vision **5**(1-2) 335-346 (1996), 4A992

Comparison of segregated and coupled methods for the solution of the incompressible Navier-Stokes equations, Commun Numer Methods Eng **12**(10) 617-630 (Oct 1996), 4A993

Computational and experimental flow visualization, Bull Polish Acad Sci Tech Sci **44**(1) 3-12 (1996), 4A994

Concept for conformal mapping of multiply connected quasicircular domains, Bull Polish Acad Sci Tech Sci **44**(1) 27-37 (1996), 4T995

Higher-order numerical model for simulation of time-dependent variable-density flows, AIAA J **34**(10) 2090-2098 (Oct 1996), 4A996

Natural formulation of the random choice method for 2D inert high-speed flow fields, Int J Numer Methods Fluids **23**(8) 847-858 (Oct 1996), 4A997

Recursive numerical algorithm for conformal mapping in 2D hydrodynamics, AIAA J **34**(10) 2014-2020 (Oct 1996), 4A998

Split, characteristic based semi-implicit algorithm for laminar-turbulent incompressible flows, Int J Numer Methods Fluids **23**(8) 787-809 (Oct 1996), 4A999

Advances in Numerical Heat Transfer, Volume 1 (Taylor & Francis, Bristol PA, 1997) 5N26

Three-dimensional extrudate swell: Formulation with the stream tube method and numerical results for a Newtonian fluid, Int J Numer Methods Fluids **23**(9) 937-952 (Nov 1996), 5A552

Numerical simulation of unsteady viscous flows using an implicit projection method, Int J Numer Methods Fluids **23**(9) 897-921 (Nov 1996), 5A919

Free-surface flows with two stagnation points, J Fluid Mech **324** 393-406 (Oct 1996), 5A931

Miscible displacements in capillary tubes - Part 2: Numerical simulations, J Fluid Mech **326** 57-90 (Nov 1996), 5A939

Application of CFD to engineering problems using FLOTRAN (Japanese), J Japan Soc Precision Eng **62**(10) 1394-1397 (Oct 1996), 5T943

Existence of approximate solutions for 2D potential flow problems, Numer Methods PDE **12**(6) 719-727 (Nov 1996), 5A944

Fast solvers for finite difference approximations for the Stokes and Navier-Stokes equations, J Austral Math Soc B **38**(2) 274-290 (Oct 1996), 5A945

Finite volume method for the solution of the extrudate swell problem on unstructured triangular meshes, Int J Numer Methods Heat & Fluid Flow **6**(6) 65-83 (Sep 1996), 5A946

Flow simulation and high performance computing, Comput Mech **18**(6) 397-412 (Oct 1996), 5A947

Numerical simulation of 3D incompressible flow by a new formulation, Int J Numer Methods Fluids **23**(10) 1073-1084 (Nov 1996), 5A948

Numerical study of steady laminar flow through tubes with multiple constrictions using curvilinear co-ordinates, Int J Numer Methods Fluids **23**(10) 1021-1041 (Nov 1996), 5A949

Unified method for the numerical analysis of compressible and incompressible viscous flows, Comput Mech **18**(5) 369-376 (Sep 1996), 5A950

Unstructured grid finite volume analysis for acoustic and pulsed wave propagation characteristics in exhaust silencer systems, Numer Heat Transfer A **30**(5) 439-457 (Oct 1996), 5A951

Turbulent flow calculation with orthodox QUICK scheme, Numer Heat Transfer A **30**(6) 589-604 (Nov 1996), 5A1055

Modified SIMPLE formulation on a collocated grid with an assessment of the simplified QUICK scheme, Numer Heat Transfer B **30**(3) 291-314 (Oct-Nov 1996), 5A1199

Simulation of time-dependent flow in cavities with the additive-correction multigrid method - Part I: Mathematical formulation, Numer Heat Transfer B **30**(3) 341-350 (Oct-Nov 1996), 5A1202

Simulation of time-dependent flow in cavities with the additive-correction multigrid method - Part II: Applications, Numer Heat Transfer B **30**(3) 351-370 (Oct-Nov 1996), 5A1203

True transient vorticity-velocity method using preconditioned Bi-CGSTAB, Numer Heat Transfer B **30**(3) 315-339 (Oct-Nov 1996), 5A1205

Application of the LES method to the oscillating flow past a circular cylinder, J Fluids Struct **10**(8) 851-872 (Nov 1996), 6T1025

Evaluation of multigrid acceleration for preconditioned time-accurate Navier-Stokes algorithms, Comput Fluids **25**(8) 791-811 (Nov 1996), 6A1026

Assessment of grid interface treatments for multi-block incompressible viscous flow computation, Comput Fluids **25**(8) 719-740 (Nov 1996), 6A1034

Distributed FEM for solving the incompressible Navier-Stokes equations, Int J Numer Methods Eng **39**(24) 4243-4258 (Dec 1996), 6A1035

Domain decomposition method for almost incompressible flow, Comput Fluids **25**(8) 771-789 (Nov 1996), 6A1036

Exact solutions of the axially symmetric Euler equations, J Appl Math Mech **60**(3) 433-437 (1996), 6A1037

Fourier nonlinear Galerkin approximation for the 2D Navier-Stokes equations, Appl Math Mech **17**(9) 879-887 (Sep 1996), 6A1038

Free boundary fluid flow in a trough: A numerical approach, Appl Math Model **20**(12) 890-897 (Dec 1996), 6A1039

Karhunen-Loeve based Galerkin approximation to Boussinesq equation, Comput Methods Appl Mech Eng **137**(3-4) 275-284 (Nov 1996), 6A1040

Prolonged Adaptive Multigrid Method for FE Navier-Stokes equations, Comput Methods Appl Mech Eng **138**(1-4) 227-271 (Dec 1996), 6A1041

Stabilized finite point method for analysis of fluid mechanics problems, Comput Methods Appl Mech Eng **139**(1-4) 315-346 (Dec 1996), 6A1042

Implicit solution method for incompressible Navier-Stokes equations including two-layer k-τ turbulence model, AIAA J **34**(12) 2501-2508 (Dec 1996), 6A1159

Convergence of panel methods using discrete vortices around 2D bodies, JSME Int J Ser B **39**(4) 706-713 (Nov 1996), 7A1018

Adaptive linearization and grid iterations with the tri-tree multigrid refinement-recoarsement algorithm for the Navier-Stokes equations, Int J Numer Methods Fluids **24**(2) 155-168 (Jan 1997), 7A1020

Improved MAC method (SIMAC) for unsteady high-Reynolds free surface flows, Int J Numer Methods Fluids **24**(2) 185-214 (Jan 1997), 7A1023

Onset of asymmetry: Flow past circular and elliptic cylinders, Int J Numer Methods Fluids **23**(12) 1327-1345 (Dec 1996), 7A1028

Numerical investigation of the dynamic influence of the contact line region on the macroscopic meniscus shape, J Fluid Mech **329** 137-146 (Dec 1996), 7A1033

Adaptive BEM for the solution of potential flow problems, Eng Anal Boundary Elements **18**(1) 29-37 (Jul 1996), 7A1035

Development of a one-step accurate flux vector-splitting implicit algorithm for Euler and Navier-Stokes equations, Int J Numer Methods Heat & Fluid Flow **6**(8) 3-18 (Dec 1996), 7A1036

Efficiency and accuracy aspects of a full-multigrid SIMPLE algorithm for 3D flows, Numer Heat Transfer B **31**(1) 23-42 (Jan-Feb 1997), 7A1037

Finite difference schemes for incompressible flows in the velocity-impulse density formulation, J Comput Phys **130**(1) 67-76 (Jan 1997), 7A1038

Finite-volume calculation procedure for 3D viscous incompressible flows in complex geometries, Heat Tech **13**(1) 3-18 (1995), 7A1039

Fractional step method for unsteady incompressible flows on unstructured meshes, Int J Comput Fluid Dyn **8**(1) 11-29 (1997), 7T1040

High-precision numerical method for the incompressible Navier-Stokes equations tested by Stuart solution, JSME Int J Ser B **39**(4) 692-697 (Nov 1996), 7T1041

Inverse formulation for viscous 2D and axisymmetric flow problems, Inverse Prob Eng **4**(1) 1-19 (1996), 7A1042

New bounded skew central difference scheme - Part I: Formulation and testing, Numer Heat Transfer B **31**(1) 91-110 (Jan-Feb 1997), 7A1043

Numerical method for the computation of flow in irregular domains that exhibit geometric periodicity using nonstaggered grids, Numer Heat Transfer B **31**(1) 1-21 (Jan-Feb 1997), 7A1044

Numerical study of the early stages of impulsively started unsteady laminar flow past a square cylinder, Int J Numer Methods Heat & Fluid Flow **6**(8) 53-70 (Dec 1996), 7A1045

Preconditioned scalar approximate factorization method for incompressible fluid flows, Int J Comput Fluid Dyn **7**(4) 311-325 (1996), 7A1046

Riemann-problem-based approach for steady incompressible flows, Int J Numer Methods Heat & Fluid Flow **6**(7) 81-93 (Nov 1996), 7A1047

Splitting method for 2D phreatic flow equation, Appl Math Mech **17**(11) 1051-1057 (Nov 1996), 7A1048

New bounded skew central difference scheme - Part II: Application to natural convection in an eccentric annulus, Numer Heat Transfer B **31**(1) 111-133 (Jan-Feb 1997), 7A1277

Pseudo-compressibility method for reactive flows at zero Mach number, Int J Comput Fluid Dyn **7**(4) 291-310 (1996), 7A1425

Introduction to Theoretical and Computational Fluid Dynamics (Oxford UP, New York, 1997) 8R17

Chebyshev spectral-FEM for 3D unsteady Navier-Stokes equation, Appl Math Comput **82**(2-3) 97-127 (Mar 1997), 8A26

Regular perturbation solutions in fluid mechanics, Quart J Mech Appl Math **50**(1) 129-147 (Feb 1997), 8A1050

High-order projection method for tracking fluid interfaces in variable density incompressible flows, J Comput Phys **130**(2) 269-282 (Jan 1997), 8A1066

Numerical studies of singularity formation at free surfaces and fluid interfaces in 2D Stokes flow, J Fluid Mech **331** 145-167 (Jan 1997), 8A1067

Three-dimensional simulation of instabilities and rivulet formation in heated falling films, J Comput Phys **131**(1) 70-88 (Feb 1997), 8T1069

Velocity field and surfactant concentration measurement techniques for free-surface flows, Exp Fluids **22**(3) 239-248 (Jan 1997), 8A1070

Hybrid vortex method for flows over a bluff body, Int J Numer Methods Fluids **24**(3) 253-274 (Feb 1997), 8A1077

Compact finite difference-Fourier spectral method for 3D incompressible Navier-Stokes equations, Acta Mech Sinica **12**(4) 296-306 (1996), 8A1083

Explicit time marching methods for the time-dependent Euler computations, J Comput Phys **130**(2) 191-202 (Jan 1997), 8T1084

Finite volume method for steady state 2D shallow water flows, Int J Numer Methods Heat & Fluid Flow **7**(1) 4-23 (1997), 8T1085

Implementation of a free boundary condition to Navier-Stokes equations, Int J Numer Methods Heat & Fluid Flow **7**(1) 95-111 (1997), 8T1086

Numerical method for unsteady 3D Navier-Stokes equations in velocity-vorticity form, Comput Fluids **26**(2) 193-216 (Feb 1997), 8A1087

Numerical study of 2D and 3D flowfields in a high-power pulsed chemical laser, Int J Numer Methods Heat & Fluid Flow **7**(1) 24-41 (1997), 8T1088

Semi-implicit scheme for the barotropic primitive equations of atmospheric dynamics, Int J Numer Methods Heat & Fluid Flow **7**(1) 63-80 (1997), 8T1089

Solution of the Navier-Stokes equations using Chebyshev projection schemes with third-order accuracy in time, Comput Fluids **26**(2) 107-116 (Feb 1997), 8A1090

Flow driven by a torsionally-oscillating shrouded endwall disk, J Fluids Eng **119**(1) 115-121 (Mar 1997), 9A1008

Slightly reduced Navier-Stokes equations, J Fluids Eng **119**(1) 90-95 (Mar 1997), 9A1010

Numerical study of the effect of free surface deformation on buoyancy and thermocapillary convection, J Comput Phys **132**(1) 34-50 (Mar 1997), 9A1023

Calculation of incompressible viscous flows by an unconditionally stable projection FEM, J Comput Phys **132**(1) 12-33 (Mar 1997), 9T1025

Dilation-free solutions for the incompressible flow equations on nonstaggered grids, AIAA J **35**(3) 585-586 (Mar 1997), 9T1026

Element-by-element BICGSTAB iterative method for 3D steady Navier-Stokes equations, J Comput Appl Math **79**(1) 147-165 (Mar 1997), 9A1027

Exact solutions to equations of motion of an incompressible second grade fluid, Appl Mech Eng **1**(3) 435-444 (1996), 9A1028

Indecomposable continua in dynamical systems with noise: Fluid flow past an array of cylinders, Chaos **7**(1) 125-138 (Mar 1997), 9A1029

Nonlinear, subgrid embedded FE basis for accurate, monotone, steady CFD solutions, Numer Heat Transfer B **31**(2) 135-175 (Mar 1997), 9A1030

Numerical simulation of incompressible flows with moving interfaces, Int J Numer Methods Fluids **24**(6) 615-638 (Mar 1997), 9A1031

Pressure-based method for unstructured meshes, Numer Heat Transfer B **31**(2) 195-215 (Mar 1997), 9A1032

Study of plane steady flows of an incompressible fluid of variable viscosity using Martin's method, Appl Mech Eng **1**(3) 397-433 (1996), 9T1033

Three-dimensional FE adaptive analysis of incompressible flow based on control of node density distribution and *a posteriori* error estimation, Adv Eng Software **28**(3) 173-187 (Apr 1997), 9A1034

Stationary transverse Euler and Stokes gas flows through a cylindrical region with large variations of density and viscosity coefficient, Arch Mech **48**(5) 933-946 (1996), 9A1047

Two-dimensional unsteady Navier-Stokes solution method with moving overset grids, AIAA J **35**(3) 471-476 (Mar 1997), 9A1048

Open boundary conditions for the streamfunction-vorticity formulation of unsteady laminar convection, Numer Heat Transfer B **31**(2) 217-234 (Mar 1997), 9A1236

Simulation of annular swirling turbulent flows with a new algebraic Reynolds stress model, Numer Heat Transfer B **31**(2) 235-249 (Mar 1997), 9A1238

Introduction to Physical Oceanography (AIP, Woodbury, NY, 1996) 10R29

Discretization schemes of the FEM for advection terms of an incompressible two-fluid model, Comput Model Simul in Eng **2**(2) 145-161 (May 1997), 10A33

Nonlinear adaptive full tri-tree multigrid method for the mixed FE formulation of the Navier-Stokes equations, Int J Numer Methods Fluids **24**(10) 1037-1047 (May 1997), 10A36

Three-dimensional flow calculations with an A-L-E description using space-time FEs, Commun Numer Methods Eng **13**(4) 273-284 (Apr 1997), 10A37

High-order schemes in BEMs for transient nonlinear free surface problems, Int J Numer Methods Fluids **24**(10) 1049-1072 (May 1997), 10A91

Temporal evolution of periodic disturbances in two-layer Couette flow, J Comput Phys **132**(2) 346-361 (Apr 1997), 10A1072

Application of a novel algorithm for moving surface flows, J Hydrodyn **9**(1) 87-95 (1997), 10A1082

Numerical stability analysis for free surface flows, Int J Numer Methods Fluids **24**(9) 893-912 (May 1997), 10A1083

Volume-tracking methods for interfacial flow calculations, Int J Numer Methods Fluids **24**(7) 671-691 (Apr 1997), 10A1085

Adaptive parallel multigrid solution of 2D incompressible Navier-Stokes equations, Int J Numer Methods Fluids **24**(9) 875-892 (May 1997), 10A1091

Analysis of the spatial error for a class of finite difference methods for viscous incompressible flow, SIAM J Numer Anal **34**(2) 723-755 (Apr 1997), 10A1092

Discrete projection methods for the incompressible Navier-Stokes equations: An algorithmical approach, Comput Methods Appl Mech Eng **143**(3-4) 271-288 (Apr 1997), 10A1093

Equal-order interpolations: A unified approach to stabilize the incompressible and advective effects, Comput Methods Appl Mech Eng **143**(3-4) 317-331 (Apr 1997), 10A1094

Finite element formulation for incompressible flow problems using a generalized streamline operator, Comput Methods Appl Mech Eng **143**(1-2) 49-67 (Apr 1997), 10A1095

Fractional four-step FE formulation of the unsteady incompressible Navier-Stokes equations using SUPG and linear equal-order element methods, Comput Methods Appl Mech Eng **143**(3-4) 333-348 (Apr 1997), 10A1096

High-order-accurate schemes for incompressible viscous flow, Int J Numer Methods Fluids **24**(7) 715-734 (Apr 1997), 10A1097

Linearizing convection terms in the Navier-Stokes equations, Comput Methods Appl Mech Eng **143**(3-4) 289-297 (Apr 1997), 10A1098

Memory-efficient unstructured grid refinement algorithm for computation of 3D steady viscous flows, Commun Numer Methods Eng **13**(4) 219-228 (Apr 1997), 10A1099

Overlapping Schwarz method for spectral element solution of the incompressible Navier-Stokes equations, J Comput Phys **133**(1) 84-101 (May 1997), 10A1100

Pegase: A Navier-Stokes solver for direct numerical simulation of incompressible flows, Int J Numer Methods Fluids **24**(9) 833-861 (May 1997), 10A1101

Quadrilateral "mini" FE for the Stokes problem, Comput Methods Appl Mech Eng **143**(1-2) 41-47 (Apr 1997), 10A1102

Robust low diffusive kinetic scheme for the Navier-Stokes-Euler equations, J Comput Phys **133**(2) 193-204 (May 1997), 10A1103

Use of 3D computational fluid dynamics in the design of extrusion dies, J Reinforced Plastics Composites **16**(7) 661-674 (1997), 10A1104

High-order scheme implementation using Newton-Krylov solution methods, Numer Heat Transfer B **31**(3) 295-312 (Apr-May 1997), 10A1312

Performance evaluation of iterative tomographic algorithms applied to reconstruction of a 3D temperature field, Numer Heat Transfer B **31**(3) 347-372 (Apr-May 1997), 10A1314

Spatially fourth-order-accurate scheme for unsteady-convection problems, Numer Heat Transfer B **31**(3) 373-385 (Apr-May 1997), 10A1316

Computational Fluid Mechanics and Heat Transfer, Second Edition (Taylor & Francis, Bristol PA, 1997) 11N4

Simulations of the formation of an axisymmetric vortex ring, J Fluid Mech **339** 199-211 (May 1997), 11A940

Streamline based grid adaption for Euler and Navier-Stokes: Direct and inverse design applications, Comput Fluids **26**(4) 339-357 (May 1997), 11A945

Introduction of micro cells to treat pressure in free surface fluid flow problems, J Fluids Eng **117**(4) 683-690 (Dec 1995), 11A949

Solution of the 2D shallow water equations using the finite volume method on unstructured triangular meshes, Int J Numer Methods Fluids **24**(11) 1225-1245 (Jun 1997), 11A951

Assessment of artificial dissipation models for 3D incompressible flow solutions, J Fluids Eng **119**(2) 331-340 (Jun 1997), 11A960

Conservative fractional step method to solve non-isentropic Euler equations, Comput Methods Appl Mech Eng **144**(3-4) 199-225 (May 1997), 11A961

Convergence of vortex with BEMs, J Comput Math **15**(2) 127-137 (Apr 1997), 11A962

Finite element formulation for filling a thin section cavity, Int J Numer Methods Heat & Fluid Flow **7**(4) 344-366 (1997), 11A963

General algorithm for compressible and incompressible flow: Stability analysis and explicit time integration, Int J Numer Methods Heat & Fluid Flow **7**(2-3) 141-168 (1997), 11T964

Local mesh refinement within a multi-block structured-grid scheme for general flows, Comput Methods Appl Mech Eng **144**(3-4) 327-369 (May 1997), 11A965

Non-overlapping domain decomposition method for adaptive hp approximations of the Stokes problem with discontinuous pressure fields, Comput Methods Appl Mech Eng **145**(3-4) 361-379 (Jun 1997), 11A966

Numerical simulations of laminar flow over a 3D backward-facing step, Int J Numer Methods Fluids **24**(11) 1159-1183 (Jun 1997), 11A967

Sequential regularization method for time-dependent incompressible Navier-Stokes equations, SIAM J Numer Anal **34**(3) 1051-1071 (Jun 1997), 11A968

Space-time Galerkin-least-squares FE formulation of the Navier-Stokes equations for moving domain problems, Comput Methods Appl Mech Eng **146**(1-2) 91-126 (Jul 1997), 11A969

Stabilization of higher-order high resolution schemes for the compressible Navier-Stokes equations, Int J Numer Methods Heat & Fluid Flow **7**(2-3) 250-274 (1997), 11T970

Topological flow structures in backward-facing step channels, Comput Fluids **26**(4) 321-337 (May 1997), 11A971

Trial-free-boundary method for computing Batchelor flows, J Comput Appl Math **80**(1) 31-48 (Apr 1997), 11A972

Unsplit schemes for hyperbolic conservation laws with source terms in one space dimension, J Comput Phys **134**(1) 31-61 (Jun 1997), 11T973

Numerical investigation of the interaction of coaxial vortex rings, Int J Numer Methods Heat & Fluid Flow **7**(2-3) 120-140 (1997), 11T1082

Feasibility of the LES for engineering problems, Int J Numer Methods Heat & Fluid Flow **7**(2-3) 236-249 (1997), 11T1111

Numerical study of 3D incompressible thermal flows in complex geometries - Part I: Theory and benchmark solutions, Int J Numer Methods Heat & Fluid Flow **7**(4) 297-343 (1997), 11A1267

Space-time spectral element methods for unsteady convection-diffusion problems, Int J Numer Methods Heat & Fluid Flow **7**(2-3) 215-235 (1997), 11T1268

Numerical solutions of optimal control for thermally convective flows, Int J Numer Methods Fluids **25**(2) 205-223 (Jul 1997), 12A369

Pseudospectral code for convection with an analytical-numerical implementation of horizontal boundary conditions, Int J Numer Methods Fluids **25**(2) 151-166 (Jul 1997), 12A1071

Lattice Boltzmann method on curvilinear coordinates system: Flow around a circular cylinder, J Comput Phys **134**(2) 306-315 (Jul 1997), 12A1074

Unsteady detached separation from a circular cylinder performing rotational oscillations in a uniform viscous incompressible flow, Int J Numer Methods Fluids **25**(2) 125-142 (Jul 1997), 12A1075

Hodograph transformation methods in incompressible second grade fluid, Mech Res Commun **24**(4) 463-472 (Jul-Aug 1997), 12A1079

Derivation of the Buckley-Leverett model from the two fluid Navier-Stokes equations in a thin domain, Comput Geosci **1**(1) 59-83 (Apr 1997), 12A1081

Numerical method for the prediction of free surface flows in domains with moving boundaries, Numer Heat Transfer B **31**(4) 387-399 (Jun 1997), 12A1082

Pressure correction Dual Reciprocity BEM solution for heat transfer and fluid flow in incompressible viscous fluids, Eng Anal Boundary Elements **18**(4) 265-270 (Dec 1996), 12A1083

Second-order unsplit Godunov scheme for 2D and 3D Euler equations, J Comput Phys **134**(2) 261-281 (Jul 1997), 12T1084

Monotonic, multidimensional flux discretization scheme for all Peclet numbers, Numer Heat Transfer B **31**(4) 441-457 (Jun 1997), 12A1271

354Z. Experimental techniques

Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 4: FED-Volume 239 (ASME Press, New York, 1996) 1N46

Flow Measurement Engineering Handbook, Third Edition (McGraw-Hill, New York, 1996) 2N31

Real-time embedded electronic sensing during resin transfer molding, J Mat Processing Manuf Sci **4**(3) 179-203 (Jan 1996), 2A949

Triple hot-wire system for indoor air flow measurements, J Solar Energy Eng **118**(3) 168-176 (Aug 1996), 2A1201

Computational and experimental flow visualization, Bull Polish Acad Sci Tech Sci **44**(1) 3-12 (1996), 4A994

Optical measurement of liquid film thickness and wave velocity in liquid film flows, Exp Fluids **21**(5) 357-362 (Sep 1996), 4A1182

Experiment and prediction of a cavity type separated flow, Appl Sci Res **56**(4) 299-311 (1996), 8A1091

Laser Doppler measurements of flow in a cone-and-plate rheometer and the effect of cone misalignment, Rheol Acta **36**(1) 28-37 (Jan-Feb 1997), 9A992

Evolution of laminar vortex rings, Exp Fluids **22**(6) 447-457 (Apr 1997), 10A1067

Design of the fully rotary valve for calibration purposes in flow analysis, Lab Robotics Autom **9**(2) 47-54 (1997), 10A1105

Measurement of the flow inside the tip clearance of a rotating gas turbine rotor, Int J Turbo Jet Engines **13**(4) 227-237 (1996), 10A1239

Flow characteristics and aerodynamic losses of film-cooling jets with compound angle orientations, J Turbomachinery **119**(2) 310-319 (Apr 1997), 10A1254

Remote surface pressure measurement technique for rotating elements, J Turbomachinery **119**(2) 397-399 (Apr 1997), 10T1255

Radar imaging of water surface flow fields, Exp Fluids **23**(1) 14-19 (May 1997), 11A950

Secondary flow in a vortex tube, Fluid Dyn Res **21**(2) 73-86 (Aug 1997), 12A1067

Comparison of viscous fingering patterns in polymer and Newtonian solutions, Physica D **105**(1-3) 121-129 (Jun 1997), 12T1069

Laser velocimeter measurements in the turbine of an automotive torque converter - Part I: Average measurements, J Turbomachinery **119**(3) 646-654 (Jul 1997), 12A1193

Laser velocimeter measurements in the turbine of an automotive torque converter - Part II: Unsteady measurements, J Turbomachinery **119**(3) 655-662 (Jul 1997), 12A1194

356. COMPRESSIBLE FLOW

356A. General theory

Attractors for Navier-Stokes equations in domains with finite measure, Nonlinear Anal **27**(5) 605-616 (Sep 1996), 1T969

Area rule and volume rule for integral quantities, Acta Mech **116**(1-4) 45-60 (1996), 1A997

Continuous dependence on initial data for discontinuous solutions of the Navier-Stokes equations for 1D, compressible flow, SIAM J Math Anal **27**(5) 1193-1211 (Sep 1996), 2A979

Existence and stability of entropy solutions for the hyperbolic systems of isentropic gas dynamics in Eulerian and Lagrangian coordinates, Commun Pure Appl Math **49**(6) 599-638 (Jun 1996), 2A980

Suppression of embedded shocks in supersonic free-shear-layer structures, Shock Waves **6**(3) 167-175 (Sep 1996), 3A1054

Proceedings of the ASME Fluids Engineering Division (ASME, New York, 1996) 4N25

Entropy jump across an inviscid shock wave, Theor Comput Fluid Dyn **8**(5) 365-375 (Sep 1996), 4A237

Mathematical analysis of the coupling of a turbulent kinetic energy equation to the Navier-Stokes equation with an eddy viscosity, Nonlinear Anal **28**(2) 393-417 (Jan 1997), 5T911

Collected Papers of Sir James Lighthill (Oxford UP, New York, 1997) 8R16

Annual Review of Fluid Mechanics, Volume 29 (Annu Rev, Palo Alto CA, 1995) 8N19

Qualitative properties for the stochastic Navier-Stokes equation, Nonlinear Anal **28**(9) 1545-1563 (May 1997), 8T1041

Compressible Navier-Stokes equations in a bounded domain with inflow boundary condition, SIAM J Math Anal **28**(1) 94-108 (Jan 1997), 8A1092

Group analysis for the equations describing the 1D motion of an ideal gas in the hodograph plane, Int J Non-Linear Mech **32**(3) 455-464 (May 1997), 8A1093

Solutions to Euler equations using Lie group analysis, Int J Non-Linear Mech **32**(2) 303-316 (Mar 1997), 8A1094

Mathematical modeling of dusty-gas boundary layers, Appl Mech Rev **50**(6) 357 (Jun 1997), 8A1114

Engineering Fluid Dynamics: An Interdisciplinary Systems Approach (Cambridge UP, UK, 1997) 9R21

Langley's aeronautical research: A modern critique and reassessment, AIAA J **35**(3) 409-419 (Mar 1997), 9A1176

New class of particle methods, Numer Math **76**(1) 87-109 (Mar 1997), 10A1

Gas dynamics system: Two special cases, SIAM J Math Anal **28**(3) 499-515 (May 1997), 10A1106

Particle model of compressible fluids, Numer Math **76**(1) 111-142 (Mar 1997), 10A1107

Flows at Large Reynolds Numbers (Comput Mech, Billerica MA, 1997) 11N32

Propagation of strongly nonlinear plane N-waves, J Fluid Mech **341** 59-76 (Jun 1997), 12A267

356B. Subsonic flow

Aero- and gas-dynamics of flight vehicles and their engines: Flow around thin bodies of revolution by axisymmetric subsonic stream, Russian Aeronaut **38**(4) 24-29 (1995), 1A998

Wake development in turbulent subsonic axisymmetric flows, Exp Fluids **21**(3) 145-150 (Jul 1996), 2A1024

Experimental results on aerofoil manipulators at high subsonic speeds, Exp Fluids **21**(4) 275-285 (Aug 1996), 3A1052

Mie scattering measurements of probability density functions in compressible mixing layers, Exp Fluids **21**(4) 291-301 (Aug 1996), 3A1053

Multigrid acceleration of second-order ENO schemes from low subsonic to high supersonic flows, Int J Numer Methods Fluids **23**(6) 589-606 (Sep 1996), 3A1060

Subsonic unsteady aerodynamics caused by gusts using the indicial method, J Aircraft **33**(5) 869-879 (Sep-Oct 1996), 4A1121

Unsteady aerodynamics of a flapped airfoil in subsonic flow by indicial concepts, J Aircraft **33**(5) 855-868 (Sep-Oct 1996), 4A1123

Parallel implementation for solving the 2D Navier-Stokes equations on a cell-centered, unstructured grid, Numer Heat Transfer B **30**(4) 387-408 (Dec 1996), 6A1053

Study of hot streak phenomena in subsonic and transonic flows, Int J Turbo Jet Engines **13**(2) 131-141 (1996), 8A1095

Model of unsteady subsonic flow with acoustics excluded, J Fluid Mech **334** 135-155 (Mar 1997), 9A1035

Review: Hot-wire anemometry in transonic and subsonic slip flows, J Fluids Eng **119**(1) 14-18 (Mar 1997), 9A1036

Composite asymptotic model for the wave motion in a steady 3D subsonic boundary layer, J Fluid Mech **337** 103-128 (Apr 1997), 10A1108

A general solution of the two-phase compressible flow through a sudden enlargement (French), European J Mech Eng **42**(1) 3-8 (1997), 10A1109

Inverse design method for transonic multiple wing systems using integral equations, J Aircraft **34**(3) 322-329 (May-Jun 1997), 11A1132

356C. Transonic flow

Compressible mixing layer growth rate and turbulence characteristics, J Fluid Mech **320** 235-258 (Aug 1996), 3A1095

Acroelastic analysis for flap of airfoil in transonic flow, Comput Struct **61**(3) 421-430 (Nov 1996), 3A1183

Transonic and boundary layer similarity laws in dense gases, J Fluids Eng **118**(3) 481-485 (Sep 1996), 4A1000

Viscous approximation for a 2D steady semiconductor or transonic gas dynamic flow: Existence theorem for potential flow, Commun Pure Appl Math **49**(10) 999-1049 (Oct 1996), 4A1001

Rarefaction and compressibility effects in gas microflows, J Fluids Eng **118**(3) 448-456 (Sep 1996), 4A1018

Natural transition in transonic flows using an efficient temporal-spatial formulation, J Aircraft **33**(5) 931-937 (Sep-Oct 1996), 4A1117

High order accuracy scheme for 2D transonic flows, Chinese J Aeronaut **9**(2) 86-91 (May 1996), 5A952

Application of turbulence models for aerodynamic and propulsion flowfields, AIAA J **34**(11) 2291-2298 (Nov 1996), 5A1050

Computation of 3D transonic viscous flow using the JUMBO3D code, Acta Mech **119**(1-4) 181-197 (1996), 6A1050

Near-wall Reynolds-stress 3D transonic flow computation, AIAA J **35**(2) 228-236 (Feb 1997), 7A1049

Numerical prediction of viscous transonic 3D flow in a channel, Int J Comput Fluid Dyn **8**(1) 51-62 (1997), 7A1062

Study of hot streak phenomena in subsonic and transonic flows, Int J Turbo Jet Engines **13**(2) 131-141 (1996), 8A1095

Numerical uncertainties in transonic flow calculations for aerofoils with blunt trailing edges, Int J Numer Methods Fluids **24**(4) 355-373 (Feb 1997), 8A1096

Robust numerical methods for transonic flows, Int J Numer Methods Fluids **24**(5) 457-476 (Mar 1997), 8A1107

Evaluation of the interaction losses in a transonic turbine HP rotor-LP vane configuration, J Turbomachinery **119**(1) 68-76 (Jan 1997), 8A1243

Design and flow field calculations for transonic and supersonic radial inflow turbine guide vanes, J Turbomachinery **119**(1) 103-113 (Jan 1997), 8A1244

Review: Hot-wire anemometry in transonic and subsonic slip flows, J Fluids Eng **119**(1) 14-18 (Mar 1997), 9A1036

New pseudo-potential model for rotational turbo-flow - I: Variational formulation and FE solution for transonic blade-to-blade flow, Int J Turbo Jet Engines **13**(4) 263-275 (1996), 10A1253

Steady 2D transonic analysis using a boundary integral equation method, J Fluids Struct **11**(3) 247-269 (Apr 1997), 11A974

Inverse design method for transonic multiple wing systems using integral equations, J Aircraft **34**(3) 322-329 (May-Jun 1997), 11A1132

Applied Aero-Acoustics: Prediction Methods (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N34

Unsteady flowfield and cavity acoustics of the stratospheric observatory for infrared astronomy, J Spacecraft Rockets **34**(3) 372-378 (May-Jun 1997), 12A311

Evaluation of flow field approximations for transonic compressor stages, J Turbomachinery **119**(3) 445-451 (Jul 1997), 12A1085

Unsteady transonic flow: Flow about a suddenly deflected wedge, AIAA J **35**(7) 1179-1186 (Jul 1997), 12A1090

High-resolution finite volume computation of turbulent transonic flow past airfoils, AIAA J **35**(7) 1134-1142 (Jul 1997), 12A1097

Zero-lift drag characteristics of afterbodies with a square base, J Spacecraft Rockets **34**(3) 290-293 (May-Jun 1997), 12A1102

Three-dimensional shock loss model applied to an aft-swept, transonic compressor rotor, J Turbomachinery **119**(3) 452-459 (Jul 1997), 12A1189

356D. Supersonic flow

Prediction of supersonic jet noise from a statistical acoustic model and a compressible turbulence closure, J Sound Vib **194**(2) 219-242 (Jul 1996), 1A305

Processes of molecular energy exchange at the interaction of low-density supersonic flows, Thermophys and Aeromech **2**(4) 313-320 (1995), 1T999

Aeroacoustic properties of a supersonic diamond-shaped jet, AIAA J **34**(8) 1562-1569 (Aug 1996), 2A981

Interface wavelength between supersonic jets and subsonic flowfields, AIAA J **34**(9) 1946-1948 (Sep 1996), 2T982

Mie scattering measurements of probability density functions in compressible mixing layers, Exp Fluids **21**(4) 291-301 (Aug 1996), 3A1053

Suppression of embedded shocks in supersonic free-shear-layer structures, Shock Waves **6**(3) 167-175 (Sep 1996), 3A1054

Multigrid acceleration of second-order ENO schemes from low subsonic to high supersonic flows, Int J Numer Methods Fluids **23**(6) 589-606 (Sep 1996), 3A1060

Three-dimensional computations of transverse helium jets in a supersonic air flow, Int J Numer Methods Heat & Fluid Flow **6**(5) 71-94 (Aug 1996), 3A1062

Ignition in the supersonic hydrogen-air mixing layer with reduced reaction mechanisms, J Fluid Mech **322** 275-296 (Sep 1996), 3A1293

Sound radiation from sources close to a corner in supersonic flow, Wave Motion **24**(2) 197-210 (Sep 1996), 4A282

Large-scale structure evolution in supersonic interacting shear layers, AIAA J **34**(10) 2062-2070 (Oct 1996), 4A1002

Model for adiabatic supersonic turbulent boundary layers, Theor Comput Fluid Dyn **8**(5) 349-364 (Sep 1996), 4A1003

Pressure field around a rectangular supersonic jet in screech, AIAA J **34**(10) 1990-1996 (Oct 1996), 4A1004

Tone excitation of a supersonic bounded shear layer, AIAA J **34**(10) 1997-2004 (Oct 1996), 4A1005

Computational study of supersonic lateral jet flow interactions, J Spacecraft Rockets **33**(5) 651-656 (Sep-Oct 1996), 4A1063

Time-dependent supersonic separation of tangent bodies, J Aircraft **33**(5) 938-949 (Sep-Oct 1996), 4A1122

Algebraic turbulence model simulations of supersonic open-cavity flow physics (Disimile), AIAA J **34**(11) 2255-2260 (Nov 1996), 5A953

Combined laser Doppler velocimetry and cross-wire anemometry analysis for supersonic turbulent flow, AIAA J **34**(11) 2269-2275 (Nov 1996), 5A954

Counterflow thrust vectoring of supersonic jets, AIAA J **34**(11) 2306-2314 (Nov 1996), 5A955

Experimental study of supersonic microjets, Exp Fluids **21**(6) 401-409 (Oct 1996), 5A956

Turbulent Shear Layers in Supersonic Flow (AIP, Woodbury, NY, 1996) 6R20

Computational mesh construction for numerical analysis of 3D supersonic flow over two bodies, Thermophys and Aeromech **3**(3) 203-212 (1996), 6T1043

Instability wave analysis of confined supersonic jets using the FEM, J Sound Vib **198**(4) 455-483 (Dec 1996), 6A1044

Second-order small-disturbance solution for wing at supersonic speeds, AIAA J **34**(12) 2562-2568 (Dec 1996), 6A1182

Numerical simulation of supersonic, chemically reacting flow using an implicit finite volume method, J Thermophys Heat Transfer **11**(1) 45-51 (Jan-Mar 1997), 7A1050

Spatial supersonic motion of a body through a large-scale inhomogeneity in a stratified atmosphere, J Appl Math Mech **60**(4) 607-613 (1996), 7A1051

Tangential injection from overlaid slots into a supersonic stream, J Propulsion Power **13**(1) 59-63 (Jan-Feb 1997), 7A1111

Screech tones from rectangular jets with spanwise oblique shock-cell structures, J Fluid Mech **330** 141-168 (Jan 1997), 8A314

Supersonic flows of dense gases in cascade configurations, J Fluid Mech **330** 31-59 (Jan 1997), 8A1097

Wavelet transform analysis applied to unsteady aspects of supersonic jet screech resonance, Exp Fluids **22**(3) 229-238 (Jan 1997), 8A1098

Design and flow field calculations for transonic and supersonic radial inflow turbine guide vanes, J Turbomachinery **119**(1) 103-113 (Jan 1997), 8A1244

Effects of internal nozzle geometry on compression-ramp mixing in supersonic flow, AIAA J **35**(4) 663-670 (Apr 1997), 9A1037

Predictions of impacting sonic and supersonic jets, J Fluids Eng **119**(1) 83-89 (Mar 1997), 9A1038

Theoretical study of supersonic flow separation over a rearward-facing step, J Propulsion Power **13**(2) 324-326 (Mar-Apr 1997), 9T1039

Multigrid convergence acceleration for turbulent supersonic flows, Int J Numer Methods Fluids **24**(10) 1019-1035 (May 1997), 10A1110

Turbulent flow structure characterization of angled injection into a supersonic crossflow, J Spacecraft Rockets **34**(2) 205-213 (Mar-Apr 1997), 10A1111

Analysis of intermittency and probe data in a supersonic flow with injection, Exp Fluids **23**(1) 38-47 (May 1997), 11A975

From piston theory to a unified hypersonic-supersonic lifting surface method, J Aircraft **34**(3) 304-312 (May-Jun 1997), 11A977

Analytic sensitivities and approximations in supersonic and subsonic wing-control surface unsteady aerodynamics, J Aircraft **34**(3) 370-379 (May-Jun 1997), 11A1141

Effect of Yaw on pressure oscillation frequency within rectangular cavity at Mach 2, AIAA J **35**(7) 1233-1235 (Jul 1997), 12T1086

Pressure distribution on sabots in hypervelocity flight, J Spacecraft Rockets **34**(3) 279-284 (May-Jun 1997), 12A1087

Zero-lift drag characteristics of afterbodies with a square base, J Spacecraft Rockets **34**(3) 290-293 (May-Jun 1997), 12A1102

356E. Hypersonic flow

Electron and vibrational kinetics in the boundary layer of hypersonic flow, J Thermophys Heat Transfer **10**(3) 406-412 (Jul-Sep 1996), 1A1000

Statistical error analysis for the direct simulation Monte Carlo technique, J Comput Phys **126**(2) 434-448 (Jul 1996), 1T1001

Hypersonic aerodynamic characteristics of a proposed single-stage-to-orbit vehicle, J Spacecraft Rockets **33**(4) 463-469 (Jul-Aug 1996), 2A839

Numerical study of multidirectional-curvature waverider with finlets, J Spacecraft Rockets **33**(4) 483-488 (Jul-Aug 1996), 2A983

Structure of coherent instabilities in a supersonic shear layer, AIAA J **34**(8) 1555-1561 (Aug 1996), 2A1096

Automatic liquid crystal thermography for transient heat transfer measurements in hypersonic flow, Exp Fluids **21**(4) 227-236 (Aug 1996), 3A1055

Comparison of catalytic wall conditions for hypersonic flow, J Spacecraft Rockets **33**(5) 620-627 (Sep-Oct 1996), 4A1006

Detailed mechanism of the unsteady combustion around hypersonic projectiles, AIAA J **34**(10) 2082-2089 (Oct 1996), 4A1007

Hypersonic nonequilibrium parallel multiblock Navier-Stokes solver, J Spacecraft Rockets **33**(5) 748-750 (Sep-Oct 1996), 4T1008

Stability of regular and Mach reflection wave configurations in steady flows, AIAA J **34**(10) 2196-2198 (Oct 1996), 4T1009

Leading-edge bluntness effects in high enthalpy, hypersonic compression corner flow, AIAA J **34**(11) 2284-2290 (Nov 1996), 5A957

Multiple-source Schlieren noise reduction measurements, AIAA J **34**(11) 2444-2446 (Nov 1996), 5T958

Nose-tip surface heat reduction mechanism, J Thermophys Heat Transfer **10**(4) 598-606 (Oct-Dec 1996), 5A963

Transverse gas jet injection behind a rearward-facing step, J Propulsion Power **12**(6) 1129-1136 (Nov-Dec 1996), 5A1019

Application of approximate equations for waveriders with multi-directional curvature, Proc Inst Mech Eng J Aerospace Eng **210**(G4) 297-307 (1996), 6A1045

14th AIAA Applied Aerodynamics Conference (AIAA, MD, 1996) 7N23

Analytical model of unsteady shock motion on hypersonic forebodies, J Propulsion Power **13**(1) 10-16 (Jan-Feb 1997), 7A1052

Evaluation of real-gas phenomena in high-enthalpy impulse test facilities: A review, J Thermophys Heat Transfer **11**(1) 10-18 (Jan-Mar 1997), 7A1053

Novel approach for calculating equilibrium radiating flows, J Thermophys Heat Transfer **11**(1) 52-58 (Jan-Mar 1997), 7A1054

Overlay method for calculating excited state species properties in hypersonic flows, AIAA J **35**(2) 288-294 (Feb 1997), 7A1055

Vibrationally relaxing flow of N_2 past an infinite cylinder, J Thermophys Heat Transfer **11**(1) 27-35 (Jan-Mar 1997), 7A1056

Flight simulation of a waverider-based hypersonic vehicle, Comput Fluids **26**(1) 19-41 (Jan 1997), 7A1175

Influence of roughness on attachment line boundary layer transition in hypersonic flow, Exp Fluids **22**(4) 286-291 (Feb 1997), 8A1129

Effect of pressure gradients on transition zone length in hypersonic boundary layers, J Fluids Eng **119**(1) 36-41 (Mar 1997), 9A1040

Effect of angle of attack on hypersonic boundary-layer stability, AIAA J **35**(3) 464-470 (Mar 1997), 9A1080

Calculation of stagnation streamline quantities in hypersonic blunt body flows, Shock Waves **7**(1) 13-23 (Feb 1997), 10A1112

Hypersonic jet control effectiveness, Shock Waves **7**(1) 1-12 (Feb 1997), 10T1113

Asymptotic defect boundary layer theory applied to thermochemical non-equilibrium hypersonic flows, J Fluid Mech **339** 213-238 (May 1997), 11A976

From piston theory to a unified hypersonic-supersonic lifting surface method, J Aircraft 34(3) 304-312 (May-Jun 1997), 11A977
Experimental results on a Mach 14 waverider with blunt leading edges, J Aircraft 34(3) 296-303 (May-Jun 1997), 11A984
Comparison between numerical and experimental results on different Hermes elevon shapes, J Spacecraft Rockets 34(3) 272-278 (May-Jun 1997), 12T1088
Optimal properties of bodies of revolution in continuum and free molecular regimes, J Spacecraft Rockets 34(3) 400-402 (May-Jun 1997), 12T1089
Numerical correlations between flight and plasma wind-tunnel tests, J Spacecraft Rockets 34(3) 397-399 (May-Jun 1997), 12A1092
Linear stability of hypersonic flow in thermomechanical nonequilibrium, AIAA J 35(6) 958-964 (Jun 1997), 12A1138

356F. Unsteady effects, vortices

Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 3: FED-Volume 238 (ASME Press, New York, 1996) 1N45
Calculation of pressure wave propagation through a tube junction, Proc Inst Mech Eng C 210(C3) 239-244 (1996), 1A1002
Continuous dependence on initial data for discontinuous solutions of the Navier-Stokes equations for 1D, compressible flow, SIAM J Math Anal 27(5) 1193-1211 (Sep 1996), 2A979
Resonance gas oscillations in closed tubes, J Fluid Mech 322 147-163 (Sep 1996), 3A1056
Computation of quadrupole noise using acoustic analogy, AIAA J 34(11) 2247-2254 (Nov 1996), 5A229
Generalized Rayleigh's problem for a compressible flow over the surface of a dihedral corner, Acta Mech 118(1-4) 171-184 (1996), 5A959
Computational study on the flowfields associated with oblique shock-vortex interactions, AIAA J 34(12) 2545-2533 (Dec 1996), 6A1046
Numerical simulation of vortex-induced oblique shock-wave distortion, AIAA J 35(1) 209-211 (Jan 1997), 6T1047
Advances in Turbulence VI (Kluwer, Netherlands, 1996) 7N24
Stability of a counter-rotating vortex pair immersed in cross-stream shear flow, AIAA J 35(2) 295-305 (Feb 1997), 7A1057
Study on the Hartmann-Sprenger tube flow driven by a sonic jet, Int J Turbo Jet Engines 13(3) 173-182 (1996), 8A1099
Unsteady flow of a viscous fluid due to non-coaxial rotations of a disk and a fluid at infinity, Int J Non-Linear Mech 32(2) 285-290 (Mar 1997), 8A1100
Analytical solution of an unsteady gas flow with shocks, Arch Appl Mech 67(3) 158-166 (Feb 1997), 9A211
Model of unsteady subsonic flow with acoustics excluded, J Fluid Mech 334 135-155 (Mar 1997), 9A1035
Stability of gaseous stars in spherically symmetric motions, SIAM J Math Anal 28(3) 539-569 (May 1997), 10A1171
From piston theory to a unified hypersonic-supersonic lifting surface method, J Aircraft 34(3) 304-312 (May-Jun 1997), 11A977
Unsteady Flow in Turbomachines (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N39
Unsteady transonic flow: Flow about a suddenly deflected wedge, AIAA J 35(7) 1179-1186 (Jul 1997), 12A1090
Subgrid volumetric quadrature accuracy for transient compressible flow predictions, Int J Numer Methods Fluids 25(2) 143-149 (Jul 1997), 12A1100

356G. Viscous effects

Analysis of probabilistic balance of IMO stability regulation by piecewise linear method, Marine Tech Trans 6 5-55 (1995), 3T1057
Stationary Stokes flow through a spherical region with large variations of density and viscosity coefficient, Arch Mech 48(4) 765-778 (1996), 4A973
Viscous approximation for a 2D steady semiconductor or transonic gas dynamic flow: Existence theorem for potential flow, Commun Pure Appl Math 49(10) 999-1049 (Oct 1996), 4A1001
Generalized Rayleigh's problem for a compressible flow over the surface of a dihedral corner, Acta Mech 118(1-4) 171-184 (1996), 5A959
Navier-Stokes analysis of Korn acrofoil, Acta Mech 118(1-4) 235-239 (1996), 5A1071
Anisotropic artificial viscosity method: Application to the simulation of compressible viscous flows, Int J Comput Fluid Dyn 7(4) 327-338 (1996), 7A1058
Numerical prediction of viscous transonic 3D flow in a channel, Int J Comput Fluid Dyn 8(1) 51-62 (1997), 7A1062
Compressible Navier-Stokes equations in a bounded domain with inflow boundary condition, SIAM J Math Anal 28(1) 94-108 (Jan 1997), 8A1092
Dynamical pseudo-spectral domain decomposition technique: Application to viscous compressible flows, J Comput Phys 131(1) 89-108 (Feb 1997), 8A1101
Unsteady perturbed flow at low Mach number of a viscous compressible fluid, Quart Appl Math 55(1) 157-165 (Mar 1997), 8A1102
Transient Stewartson layers of a rotating compressible fluid, Fluid Dyn Res 19(5) 303-325 (May 1997), 9A1042
Nonlinear iteration methods for high speed laminar compressible Navier-Stokes equations, Comput Fluids 26(3) 249-268 (Mar 1997), 10A1117

356H. Internal flow problems

A general solution of the two-phase compressible flow through a sudden enlargement (French), European J Mech Eng 42(1) 3-8 (1997), 10A1109
Effects of compressibility on flow characteristics and dynamics of swing check valves: Part I, J Pressure Vessel Tech 119(2) 192-198 (May 1997), 11A978
Effects of compressibility on flow characteristics and dynamics of swing check valves: Part II, J Pressure Vessel Tech 119(2) 199-206 (May 1997), 11A979
Prediction of compressible flow pressure losses in 30° - 150° sharp-cornered bends, J Fluids Eng 117(4) 589-592 (Dec 1995), 11A980

356I. Flow around bodies

Acoustic approximation in the slamming problem, J Fluid Mech 318 165-188 (Jul 1996), 2A985
Computation of flow around Texas Tech building using k-ε and Kato-Launder k-ε turbulence model, Eng Struct 18(11) 856-860 (Nov 1996), 4A847
Computer simulation of wind environmental conditions around buildings, Eng Struct 18(11) 876-885 (Nov 1996), 4A848
Investigation of air flow around buildings using computational fluid dynamics techniques, Eng Struct 18(11) 861-875 (Nov 1996), 4A850
Reflection of a shock wave over a cone, Shock Waves 6(5) 267-273 (Nov 1996), 6T286
Compressibility effects on dynamic stall, Prog Aerospace Sci 32(6) 523-573 (Dec 1996), 6A1174
IUTAM Symposium on Nonlinear Instability and Transition in Three-Dimensional Boundary Layers (Kluwer, Netherlands, 1996) 7N28
Approximate method for the drags of 2D obstacles at low Reynolds numbers, J Appl Mech 63(4) 990-996 (Dec 1996), 7A1059
Asymptotic solution of the problem of a thin 3D body entering a compressible fluid, J Appl Math Mech 60(4) 599-606 (1996), 7A1060
Computational fluid dynamics simulation of turbulent waverider flowfield with sideslip, J Spacecraft Rockets 34(1) 76-82 (Jan-Feb 1996), 8A1103
Inclusion of compressibility effects in the scorer parameter, J Atmos Sci 54(2) 362-367 (Jan 1997), 8T1104
Composite asymptotic model for the wave motion in a steady 3D subsonic boundary layer, J Fluid Mech 337 103-128 (Apr 1997), 10A1108
Calculation of stagnation streamline quantities in hypersonic blunt body flows, Shock Waves 7(1) 13-23 (Feb 1997), 10A1112
Modeling of Darcy-Forchheimer drag for fluid flow across a bank of circular cylinders, Int J Heat Mass Transfer 40(13) 3149-3155 (Sep 1997), 10A1444
Asymptotic defect boundary layer theory applied to thermochemical non-equilibrium hypersonic flows, J Fluid Mech 339 213-238 (May 1997), 11A976
Navier-Stokes computations of the NREL airfoil using a κ-ω turbulent model at high angles of attack, J Solar Energy Eng 117(4) 304-310 (Nov 1995), 11A1133
Interactions of space bodies with atmospheres of planets, Appl Mech Rev 50(11-PT 1) 671-688 (Nov 1997), 12A293
Zero-lift drag characteristics of afterbodies with a square base, J Spacecraft Rockets 34(3) 290-293 (May-Jun 1997), 12A1102
Film cooling effect of hydrogen on cylinder in supersonic airflow, J Spacecraft Rockets 34(3) 285-289 (May-Jun 1997), 12A1120

356K. Nonequilibrium and chemical effects

Direct simulation of shock front radiation in air, J Thermophys Heat Transfer 10(3) 413-418 (Jul-Sep 1996), 1A1003
Modeling of nonequilibrium radiation phenomena: An assessment, J Thermophys Heat Transfer 10(3) 385-396 (Jul-Sep 1996), 1A1004
Nonequilibrium vibrational kinetics in the boundary layer of re-entering bodies, J Thermophys Heat Transfer 10(3) 397-405 (Jul-Sep 1996), 1A1005
Continuous optical discharge stabilized by gas flow in weakly focused laser beam, AIAA J 34(8) 1584-1588 (Aug 1996), 2A984
Unsteady gasdynamic evolution of an induction domain between a contact surface and a shock wave - I: Thermal runaway, SIAM J Appl Math 56(5) 1295-1316 (Oct 1996), 3A1058
Detailed mechanism of the unsteady combustion around hypersonic projectiles, AIAA J 34(10) 2082-2089 (Oct 1996), 4A1007
Additive semi-implicit Runge-Kutta methods for computing high-speed nonequilibrium reactive flows, J Comput Phys 128(1) 19-31 (Oct 1996), 4T1010
Chemical nonequilibrium inviscid flow over a blunt cone at incidence, AIAA J 34(10) 2054-2061 (Oct 1996), 4A1011
Conservative species weighting scheme for the direct simulation Monte Carlo method, J Thermophys Heat Transfer 10(4) 579-585 (Oct-Dec 1996), 5A960
High-resolution solutions of stiff chemically reacting flows, J Thermophys Heat Transfer 10(4) 570-578 (Oct-Dec 1996), 5A961
Shock slip-relations for thermal and chemical nonequilibrium flows, Acta Mech Sinica 12(2) 117-123 (1996), 6A1092
Numerical investigation of vibrational nonequilibrium effects in hydrogen-oxygen rocket engines, J Thermophys Heat Transfer 11(1) 19-26 (Jan-Mar 1997), 7A1061
Load balancing and performance issues for data parallel simulation of stiff chemical nonequilibrium flows, AIAA J 35(3) 486-493 (Mar 1997), 9A1041
Alternative Mathematical Theory of Non-Equilibrium Phenomena (Academic, UK, 1997) 12R32
Nonequilibrium effects in near-wake ionizing flows, AIAA J 35(7) 1151-1163 (Jul 1997), 12A1091
Numerical correlations between flight and plasma wind-tunnel tests, J Spacecraft Rockets 34(3) 397-399 (May-Jun 1997), 12A1092

356L. Thermal effects

Processes of molecular energy exchange at the interaction of low-density supersonic flows, Thermophys and Aeromech 2(4) 313-320 (1995), 1T999
Radiation affected compressible turbulent flow over a backward facing step, Int J Heat Mass Transfer 39(16) 3325-3332 (Nov 1996), 1A1255
Radiative heat transfer effects in chemically reacting nozzle flows, J Thermophys Heat Transfer 10(3) 436-444 (Jul-Sep 1996), 1A1257
Unsteady gasdynamic evolution of an induction domain between a contact surface and a shock wave - I: Thermal runaway, SIAM J Appl Math 56(5) 1295-1316 (Oct 1996), 3A1058
High-enthalpy and perfect-gas heating measurements on a blunt cone, J Spacecraft Rockets 33(5) 628-634 (Sep-Oct 1996), 4A1012
Transition regime aerodynamic heating of missiles, J Spacecraft Rockets 33(5) 607-613 (Sep-Oct 1996), 4A1013
Injection cooling of blunt bodies flying at high Mach numbers, J Thermophys Heat Transfer 10(4) 586-592 (Oct-Dec 1996), 5A962
Nose-tip surface heat reduction mechanism, J Thermophys Heat Transfer 10(4) 598-606 (Oct-Dec 1996), 5A963
Time-dependent interaction between water at supercritical pressures and a hot surface, Numer Heat Transfer A 30(6) 535-553 (Nov 1996), 5A1220
Thermomechanical equations governing a material with prescribed temperature-dependent density with application to nonisothermal plane Poiseuille flow, J Appl Mech 63(4) 1011-1018 (Dec 1996), 7A1022
Investigation of transport equations for turbulent heat fluxes in compressible flows, Int J Heat Mass Transfer 40(11) 2721-2738 (Jul 1997), 9A1118
Compressibility effect on the gas flow and heat transfer in a microtube, Int J Heat Mass Transfer 40(13) 3251-3254 (Sep 1997), 10T1278

356M. Rotating fluids or surfaces

Growth of perturbations associated with the linear stability of inviscid fluid flows, Appl Math Comput 81(1) 23-30 (Jan 1997), 6A1016
Combined effects of rotation and translation on a MHD flow due to compressible viscous fluid, Arch Appl Mech 67(1-2) 62-67 (Dec 1996), 6A1164
Extrusion of a compressible Newtonian fluid with periodic inflow and slip at the wall, Rheol Acta 35(6) 531-544 (Nov-Dec 1996), 7A1122
Transient Stewartson layers of a rotating compressible fluid, Fluid Dyn Res 19(5) 303-325 (May 1997), 9A1042
Effects of surface blowing-suction on the aerodynamics of helicopter rotor blade-vortex interactions - A numerical simulation, J Am Helicopter Soc 42(2) 182-194 (Apr 1997), 10A1219
Prediction of the flow field of a rotor in ground effect, J Am Helicopter Soc 42(2) 195-198 (Apr 1997), 10A1225
Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part I: A model for subsonic flow, J Turbomachinery 118(1) 73-80 (Jan 1996), 11A1165
Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part II: A model for supersonic flow, J Turbomachinery 118(1) 81-87 (Jan 1996), 11A1166

356R. Free surface flow

Acoustic approximation in the slamming problem, J Fluid Mech 318 165-188 (Jul 1996), 2A985

356Y. Computational techniques

Aerothermodynamics for Space Vehicles and High-Velocity Flow Data Base (Wiley, New York, 1996) 1N41
Direct simulation of shock front radiation in air, J Thermophys Heat Transfer 10(3) 413-418 (Jul-Sep 1996), 1A1003
Calculating separated flows near sinks, Russian Aeronaut 38(4) 74-77 (1995), 1A1006
Existence and uniqueness of self-similar solutions involving Jouguet points on the shock adiabatic curve, J Appl Math Mech 60(1) 61-65 (1996), 1A1007
Modeling and numerical simulation of low-Mach-number compressible flows, Int J Numer Methods Fluids 23(2) 77-103 (Jul 1996), 1A1008
Newton-GMRES algorithm applied to compressible flows, Int J Numer Methods Fluids 23(2) 177-190 (Jul 1996), 1A1009
Submodel of helical motions in gas dynamics, J Appl Math Mech 60(1) 47-59 (1996), 1A1010
Fully discrete high-resolution schemes for hyperbolic conservation laws, Int J Numer Methods Fluids 23(4) 309-323 (Aug 1996), 2A986
Navier-Stokes simulation of a cone-derived waverider with multidirectional curvature, AIAA J 34(8) 1739-1741 (Aug 1996), 2T987
Pseudotime method for shape design of Euler flows, AIAA J 34(9) 1807-1813 (Sep 1996), 2A988
Three-dimensional hyperbolic grid generation with inherent dissipation and Laplacian smoothing, AIAA J 34(9) 1801-1806 (Sep 1996), 2A989
Direct numerical simulation of a cooling flow in a ribbed channel: Pegase code (French), Rev Francaise Mec 0(2) 87-92 (1996), 2A1196
Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995 (Vieweg, Wiesbaden, 1996) 3N34
High-order positivity-preserving kinetic schemes for the compressible Euler equations, SIAM J Numer Anal 33(5) 2050-2067 (Oct 1996), 3A1059
Multigrid acceleration of second-order ENO schemes from low subsonic to high supersonic flows, Int J Numer Methods Fluids 23(6) 589-606 (Sep 1996), 3A1060
Solution-adaptive grid generation for compressible flow, Comput Fluids 25(6) 551-560 (Jul 1996), 3A1061
Three-dimensional computations of transverse helium jets in a supersonic air flow, Int J Numer Methods Heat & Fluid Flow 6(5) 71-94 (Aug 1996), 3A1062
Artificial viscosity models for vortex and particle methods, J Comput Phys 127(2) 299-308 (Sep 1996), 3T1161
Directionally adaptive methodology using an edge-based error estimate on quadrilateral grids, Int J Numer Methods Fluids 23(7) 673-690 (Oct 1996), 4A22
Higher-order numerical model for simulation of time-dependent variable-density flows, AIAA J 34(10) 2090-2098 (Oct 1996), 4A996
Additive semi-implicit Runge-Kutta methods for computing high-speed nonequilibrium reactive flows, J Comput Phys 128(1) 19-31 (Oct 1996), 4T1010
Chemical nonequilibrium inviscid flow over a blunt cone at incidence, AIAA J 34(10) 2054-2061 (Oct 1996), 4A1011
Implicit upwind residual-distribution Euler and Navier-Stokes solver on unstructured meshes, AIAA J 34(10) 2021-2028 (Oct 1996), 4A1014
Launch-vehicle simulations using a concurrent, implicit Navier-Stokes solver, J Spacecraft Rockets 33(5) 601-606 (Sep-Oct 1996), 4A1015
Numerical simulation of viscous flow over rotors using a distributed computing strategy, AIAA J 34(10) 2189-2191 (Oct 1996), 4T1016
Proving algorithm symmetry for flows exhibiting symmetry breaking, AIAA J 34(10) 2193-2195 (Oct 1996), 4T1017
Rarefaction and compressibility effects in gas microflows, J Fluids Eng 118(3) 448-456 (Sep 1996), 4A1018
Unsteady flow calculations with a multigrid Navier-Stokes method, AIAA J 34(10) 2047-2053 (Oct 1996), 4A1094

Accurate development of leading-edge vortex using an embedded conical grid, AIAA J 34(10) 2038-2046 (Oct 1996), 4A1135
Unified method for the numerical analysis of compressible and incompressible viscous flows, Comput Mech 18(5) 369-376 (Sep 1996), 5A950
Conservative species weighting scheme for the direct simulation Monte Carlo method, J Thermophys Heat Transfer 10(4) 579-585 (Oct-Dec 1996), 5A960
Optimal recovery using thin plate splines in finite volume methods for the numerical solution of hyperbolic conservation laws, IMA J Numer Anal 16(4) 549-581 (Oct 1996), 5A964
Parallelization of a 3D flow solver for Euler rotorcraft aerodynamics predictions, AIAA J 34(11) 2276-2283 (Nov 1996), 5A965
Novel approach to aerodynamic analysis using analytical-numerical matching, AIAA J 34(11) 2225-2232 (Nov 1996), 5A1083
Anomalies of the numerical solutions of the Euler equations, Acta Mech 119(1-4) 131-139 (1996), 6A61
Variational principle for fluid mechanics, Arch Appl Mech 67(1-2) 96-104 (Dec 1996), 6A92
Numerical study of wave processes in a pressure-wave refrigerator, Shock Waves 6(5) 301-308 (Nov 1996), 6A287
Domain decomposition method for almost incompressible flow, Comput Fluids 25(8) 771-789 (Nov 1996), 6A1036
Computational mesh construction for numerical analysis of 3D supersonic flow over two bodies, Thermophys and Aeromech 3(3) 203-212 (1996), 6T1043
BGK-based schemes for the simulation of compressible flow, Int J Comput Fluid Dyn 7(3) 213-235 (1996), 6T1048
Cartesian boundary treatment of curved walls for high-order computational acroacoustics schemes, AIAA J 35(1) 133-140 (Jan 1997), 6A1049
Computation of 3D transonic viscous flow using the JUMBO3D code, Acta Mech 119(1-4) 181-197 (1996), 6A1050
Construction of essentially non-oscillatory finite volume approximations to hyperbolic conservation laws on general triangulations: Polynomial recovery, accuracy, and stencil selection, Comput Methods Appl Mech Eng 140(1-2) 157-181 (Jan 1997), 6A1051
Gas flows with shock waves which diverge from an axis or center of symmetry with finite velocity, J Appl Math Mech 60(3) 463-472 (1996), 6A1052
Parallel implementation for solving the 2D Navier-Stokes equations on a cell-centered, unstructured grid, Numer Heat Transfer B 30(4) 387-408 (Dec 1996), 6A1053
Unsteady escape of a gas through a plane slit into a vacuum, J Appl Math Mech 60(3) 473-486 (1996), 6A1054
Curvilinear coordinates and physical components: An application to the problem of viscous flow and heat transfer in smoothly curved ducts, J Appl Mech 63(4) 985-989 (Dec 1996), 7A4
Development of a one-step accurate flux vector-splitting implicit algorithm for Euler and Navier-Stokes equations, Int J Numer Methods Heat & Fluid Flow 6(8) 3-18 (Dec 1996), 7A1036
Numerical simulation of supersonic, chemically reacting flow using an implicit finite volume method, J Thermophys Heat Transfer 11(1) 45-51 (Jan-Mar 1997), 7A1050
Anisotropic artificial viscosity method: Application to the simulation of compressible viscous flows, Int J Comput Fluid Dyn 7(4) 327-338 (1996), 7A1058
Numerical prediction of viscous transonic 3D flow in a channel, Int J Comput Fluid Dyn 8(1) 51-62 (1997), 7A1062
FAST: A generalized FV solution of convection-diffusion problems by means of monotonic v-splines profiles, Int J Numer Methods Heat & Fluid Flow 6(7) 3-30 (Nov 1996), 7A1276
Chebyshev spectral-FEM for 3D unsteady Navier-Stokes equation, Appl Math Comput 82(2-3) 97-127 (Mar 1997), 8A26
Uniformly accurate schemes for hyperbolic systems with relaxation, SIAM J Numer Anal 34(1) 246-281 (Feb 1997), 8A266
Wavelet transform analysis applied to unsteady aspects of supersonic jet screech resonance, Exp Fluids 22(3) 229-238 (Jan 1997), 8A1098
Dynamical pseudo-spectral domain decomposition technique: Application to viscous compressible flows, J Comput Phys 131(1) 89-108 (Feb 1997), 8A1101
High-order accurate discontinuous FEM for the numerical solution of the compressible Navier-Stokes equations, J Comput Phys 131(2) 267-279 (Mar 1997), 8A1105
Indicial aerodynamics in compressible flow: Direct computational fluid dynamic calculations, J Aircraft 34(1) 131-133 (Jan-Feb 1997), 8T1106
Robust numerical methods for transonic flows, Int J Numer Methods Fluids 24(5) 457-476 (Mar 1997), 8A1107
Computation of high-speed reacting flow for gun propulsion applications, Numer Heat Transfer A 31(4) 355-374 (Mar 1997), 9A1043
Preconditioning techniques for the Newton-Krylov solution of compressible flows, J Comput Phys 132(1) 51-61 (Mar 1997), 9T1044
Quadratic-reconstruction finite volume scheme for compressible flows on unstructured adaptive grids, AIAA J 35(4) 631-639 (Apr 1997), 9A1045
Response of a 2D cascade to an upstream disturbance, AIAA J 35(3) 434-440 (Mar 1997), 9A1046
Stationary transverse Euler and Stokes gas flows through a cylindrical region with large variations of density and viscosity coefficient, Arch Mech 48(5) 933-946 (1996), 9A1047
Two-dimensional unsteady Navier-Stokes solution method with moving overset grids, AIAA J 35(3) 471-476 (Mar 1997), 9A1048
Fast and accurate method of calculation of gaseous transmission functions in planetary atmospheres, Planet Space Sci 45(3) 369-377 (Mar 1997), 9T1054
Computational methods for self-similar solutions of the compressible Euler equations, J Comput Phys 132(2) 327-345 (Apr 1997), 10A1114
Difficulties in sensitivity calculations for flows with discontinuities, AIAA J 35(5) 842-848 (May 1997), 10A1115
High-resolution pressure-based method for compressible flows, Comput Fluids 26(3) 217-231 (Mar 1997), 10A1116
Nonlinear iteration methods for high speed laminar compressible Navier-Stokes equations, Comput Fluids 26(3) 249-268 (Mar 1997), 10A1117
Computational Fluid Mechanics and Heat Transfer, Second Edition (Taylor & Francis, Bristol PA, 1997) 11N4
General algorithm for compressible and incompressible flow: Stability analysis and explicit time integration, Int J Numer Methods Heat & Fluid Flow 7(2-3) 141-168 (1997), 11T964
Steady 2D transonic analysis using a boundary integral equation method, J Fluids Struct 11(3) 247-269 (Apr 1997), 11A974
Penalized FEM for a compressible Stokes system, SIAM J Numer Anal 34(3) 1093-1105 (Jun 1997), 11A981
Regular partially invariant submodels of the equations of gas dynamics, J Appl Math Mech 60(6) 969-978 (1996), 11A982
Unlimited cumulation under 1D unsteady compression of an ideal gas, J Appl Math Mech 60(6) 979-986 (1996), 11A983
27th Computational Fluid Dynamics (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N33
Applied Aero-Acoustics: Prediction Methods (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N34
Unsteady flowfield and cavity acoustics of the stratospheric observatory for infrared astronomy, J Spacecraft Rockets 34(3) 372-378 (May-Jun 1997), 12A311
Pressure distribution on sabots in hypervelocity flight, J Spacecraft Rockets 34(3) 279-284 (May-Jun 1997), 12A1087
Comparison between numerical and experimental results on different Hermes elevon shapes, J Spacecraft Rockets 34(3) 272-278 (May-Jun 1997), 12T1088
Unsteady transonic flow: Flow about a suddenly deflected wedge, AIAA J 35(7) 1179-1186 (Jul 1997), 12A1090
Aerodynamically accurate 3D Navier-Stokes method, AIAA J 35(6) 1089-1090 (Jun 1997), 12A1093
Anisotropic h-adaptive FEM for compressible Navier-Stokes equations, Comput Methods Appl Mech Eng 146(3-4) 231-252 (Jul 1997), 12A1094
Fast Euler solver for the solution of 3D rotational compressible flows, Eng Comput 14(2-3) 306-324 (1997), 12A1095
Generalized vortex lattice method for planar supersonic flow, AIAA J 35(7) 1230-1233 (Jul 1997), 12T1096
High-resolution finite volume computation of turbulent transonic flow past airfoils, AIAA J 35(7) 1134-1142 (Jul 1997), 12A1097
Motion of a body through large-scale inhomogeneity in the stratified atmosphere, AIAA J 35(7) 1224-1226 (Jul 1997), 12A1098
Numerically nonreflecting boundary and interface conditions for compressible flow and aeroacoustic computations, AIAA J 35(7) 1126-1133 (Jul 1997), 12A1099
Subgrid volumetric quadrature accuracy for transient compressible flow predictions, Int J Numer Methods Fluids 25(2) 143-149 (Jul 1997), 12A1100
Verticity jump in surface coordinates across a shock in nonsteady flow, AIAA J 35(7) 1228-1230 (Jul 1997), 12T1101
Film cooling effect of hydrogen on cylinder in supersonic airflow, J Spacecraft Rockets 34(3) 285-289 (May-Jun 1997), 12A1120

356Z. Experimental techniques

Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 4: FED-Volume 239 (ASME Press, New York, 1996) 1N46
Rotational and vibrational temperature measurements using CARS in a hypervelocity shock layer flow and comparisons with CFD calculations, Shock Waves 6(1) 41-51 (Jun 1996), 1T1091
Flow Measurement Engineering Handbook, Third Edition (McGraw-Hill, New York, 1996) 2N31
Characteristic features of large structures in compressible mixing layers, AIAA J 34(9) 1814-1821 (Sep 1996), 2A990
Effect of correlated precision errors on uncertainty of a subsonic venturi calibration, AIAA J 34(9) 1862-1867 (Sep 1996), 2A991
Automatic liquid crystal thermography for transient heat transfer measurements in hypersonic flow, Exp Fluids 21(4) 227-236 (Aug 1996), 3A1055
Experimental study of supersonic microjets, Exp Fluids 21(6) 401-409 (Oct 1996), 5A956
Liquid crystal thermography for heat transfer measurement in hypersonic flows: A review, J Spacecraft Rockets 33(6) 761-768 (Nov-Dec 1996), 6T1055
Simple shock tunnel driver gas detector, Shock Waves 6(5) 309-312 (Nov 1996), 6A1056
Shock tube research facility for high-resolution measurements of compressible turbulence, Exp Thermal Fluid Sci 13(4) 430-446 (Nov 1996), 6A1144
Tunnel-induced gradients and their effect on drag, AIAA J 34(12) 2575-2581 (Dec 1996), 6A1216
Tracer gas technology for airflow measurements in HVAC systems, Int J Energy Res 20(12) 1081-1093 (Dec 1996), 7A1063
Review: Hot-wire anemometry in transonic and subsonic slip flows, J Fluids Eng 119(1) 14-18 (Mar 1997), 9A1036
Effect of pressure gradients on transition zone length in hypersonic boundary layers, J Fluids Eng 119(1) 36-41 (Mar 1997), 9A1040
Compressible flow hot-wire calibration, Exp Fluids 22(5) 444-446 (Mar 1997), 9A1049
Large structure convection velocity measurements in compressible transverse injection flowfields, Exp Fluids 22(5) 397-407 (Mar 1997), 9A1050
Measurements of the velocity and turbulence structure of a rotor tip vortex, AIAA J 35(3) 477-485 (Mar 1997), 9A1051
Near-field experiments on tip vortices at Mach 3.1, AIAA J 35(4) 750-753 (Apr 1997), 9T1052
Permissible 3D testing in a 2D adaptive wall wind tunnel, AIAA J 35(4) 749-750 (Apr 1997), 9T1053
Hypersonic jet control effectiveness, Shock Waves 7(1) 1-12 (Feb 1997), 10T1113
Shock waves in molecular solids: Ultrafast vibrational spectroscopy of the first nanosecond, Shock Waves 7(3) 135-145 (Jun 1997), 11A202
Analysis of intermittency and probe data in a supersonic flow with injection, Exp Fluids 23(1) 38-47 (May 1997), 11A975
Experimental results on a Mach 14 waverider with blunt leading edges, J Aircraft 34(3) 296-303 (May-Jun 1997), 11A984
Particle Image Velocimetry (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N37
Effect of Yaw on pressure oscillation frequency within rectangular cavity at Mach 2, AIAA J 35(7) 1233-1235 (Jul 1997), 12T1086
Pressure distribution on sabots in hypervelocity flight, J Spacecraft Rockets 34(3) 279-284 (May-Jun 1997), 12A1087
Comparison between numerical and experimental results on different Hermes elevon shapes, J Spacecraft Rockets 34(3) 272-278 (May-Jun 1997), 12T1088
Zero-lift drag characteristics of afterbodies with a square base, J Spacecraft Rockets 34(3) 290-293 (May-Jun 1997), 12A1102

358. RAREFIED FLOW

358B. Kinetic theory

Exact solutions of discrete kinetic models and stationary problems for the plane Broadwell model, Math Methods Appl Sci 19(10) 825-845 (Jul 1996), 1A1011
Equilibrium vibrational properties of ground state nitrogen up to 35,000 K, AIAA J 34(9) 1843-1846 (Sep 1996), 2A992
Application of extended kinetic theory to particle transport with inelastic scattering, Z Angew Math Phys 47(4) 539-552 (Jul 1996), 3A1063
Visual utility for the localization of corona-accelerated nuclei, J Spacecraft Rockets 33(5) 722-728 (Sep-Oct 1996), 4A269
Boundary-layer behavior in the fluid-dynamic limit for a nonlinear model Boltzmann equation, Arch Rational Mech Anal 135(1) 61-105 (1996), 5A966
Difference scheme for the Boltzmann equation based on the Fast Fourier Transform, Eur J Mech B 16(2) 293-306 (1997), 8T1108
First-order correction for the hydrodynamic limit of asymmetric simple exclusion processes in dimension d ≥ 3, Commun Pure Appl Math 50(2) 149-202 (Feb 1997), 8A1109
Kinetic flux-vector splitting for the Navier-Stokes equations, J Comput Phys 130(2) 217-230 (Jan 1997), 8T1110
Thermodynamic potentials and extremum principles for a Boltzmann gas, Arch Mech 48(5) 791-812 (1996), 9A8
Convergence of solutions of the Landau equations in the collisionless limit, Math Methods Appl Sci 20(8) 679-688 (May 1997), 10A1118
Motion of Brownian particles and sediment on an inclined plate, J Fluid Mech 337 25-47 (Apr 1997), 10A1124
Stationary solutions of the relativistic Vlasov-Maxwell system, Math Methods Appl Sci 20(8) 667-677 (May 1997), 10A1200
Class of invariants for the Boltzmann equation and the Broadwell model, Eur J Mech B 16(3) 387-399 (1997), 11T985
Development and substantiation of the kinetic theory of gases in the twentieth century, J Appl Math Mech 60(6) 959-968 (1996), 11A986
Gradient-based aerodynamic shape optimization using alternating direction implicit method, J Aircraft 34(3) 346-352 (May-Jun 1997), 11A987
Kinetic method for computing inhomogeneous fluid behavior, J Comput Phys 134(2) 364-388 (Jul 1997), 12T1103

358D. Free molecular flow

Optimal properties of bodies of revolution in continuum and free molecular regimes, J Spacecraft Rockets 34(3) 400-402 (May-Jun 1997), 12T1089
Nocilla model parameters obtained from forces exerted on surfaces by molecular beams, J Spacecraft Rockets 34(3) 379-383 (May-Jun 1997), 12A1104

358E. Gas surface interaction

Slippage induced by surface diffusion, J Eng Math 30(6) 647-659 (Nov 1996), 5A912
New scattering kernel for gas-surface interaction, AIAA J 35(6) 1000-1011 (Jun 1997), 12A1105

358F. Flow in tubes and ducts (Knudsen flow)

Diffusion limits for flows in thin layers, SIAM J Appl Math 56(5) 1280-1294 (Oct 1996), 3A1064
Stokes slip flow between corrugated walls, Z Angew Math Phys 47(4) 591-599 (Jul 1996), 3A1065

358G. Multicomponents (gas mixtures)

Computational and experimental investigations of rarefied flows in small nozzles, AIAA J 34(11) 2320-2326 (Nov 1996), 5A1013
Self-similar solutions for a modified Broadwell model and its fluid-dynamic limits, SIAM J Math Anal 28(4) 831-851 (Jul 1997), 12A1106
Three-dimensional Boltzmann-like model of outgassing and contamination, European J Appl Math 8(2) 229-249 (Apr 1997), 12A1107
Isotropic and anisotropic correlations in turbulent wind speed data, Boundary-Layer Meteorol 84(1) 149-167 (Jul 1997), 12T1506

358Y. Computational techniques

Method for calculating force coefficients of bodies of revolution, J Spacecraft Rockets 33(5) 665-669 (Sep-Oct 1996), 4A1019
Nonoscillatory schemes for kinetic model equations for gases with internal energy states, AIAA J 34(10) 2071-2081 (Oct 1996), 4A1020
Self-avoiding walk problem and generalized Jordan-Wigner transformations, J Tech Phys 37(1) 67-83 (1996), 4T1021
Generalized multiple scale reproducing kernel particle methods, Comput Methods Appl Mech Eng 139(1-4) 91-157 (Dec 1996), 6A15
Moving least-squares reproducing kernel method - Part II: Fourier analysis, Comput Methods Appl Mech Eng 139(1-4) 159-193 (Dec 1996), 6A19
Convergence of a weighted particle method for solving the Boltzmann (BGK) equation, SIAM J Numer Anal 33(6) 2099-2119 (Dec 1996), 6A1057

Difference scheme for the Boltzmann equation based on the Fast Fourier Transform, Eur J Mech B 16(2) 293-306 (1997), 8T1108
Kinetic flux-vector splitting for the Navier-Stokes equations, J Comput Phys 130(2) 217-230 (Jan 1997), 8T1110
Effect of a phase transition on the boundary conditions for rarefied gases, J Appl Math Mech 60(5) 753-758 (1996), 8A1111
Fast and accurate method of calculation of gaseous transmission functions in planetary atmospheres, Planet Space Sci 45(3) 369-377 (Mar 1997), 9T1054
Rarefied gas flows: Hydrodynamic versus Monte Carlo modeling, Planet Space Sci 45(3) 361-368 (Mar 1997), 9A1055
Gradient-based aerodynamic shape optimization using alternating direction implicit method, J Aircraft 34(3) 346-352 (May-Jun 1997), 11A987
Hamiltonian particle hydrodynamics, Comput Methods Appl Mech Eng 146(1-2) 43-52 (Jul 1997), 11A988
Kinetic method for computing inhomogeneous fluid behavior, J Comput Phys 134(2) 364-388 (Jul 1997), 12T1103

358Z. Experimental techniques

Spectral and electrical diagnostics of gliding arc, Acta Phys Polonica A 89(5-6) 595-603 (May-Jun 1996), 2A993
Attenuation of shock waves in gas-particle mixtures, AIAA J 35(3) 576-578 (Mar 1997), 9T1056
Nocilla model parameters obtained from forces exerted on surfaces by molecular beams, J Spacecraft Rockets 34(3) 379-383 (May-Jun 1997), 12A1104

360. MULTIPHASE FLOWS

Effects of inlet conditions on the flow in a fishtail curved diffuser with strong curvature, J Fluids Eng 118(4) 772-778 (Dec 1996), 7A1064

360A. General theory

Cryogenic Two-Phase Flow: Applications to Large Scale Systems (Cambridge UP, New York, 1996) 1R38
Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 1: FED-Volume 236 (ASME Press, New York, 1996) 1N43
Process, Enhanced, and Multiphase Heat Transfer: A Festschrift for AE Bergles (Begell House, New York, 1996) 1N49
Flow Modeling and Turbulence Measurements VI (Balkema, Rotterdam, Netherlands, 1996) 3N33
Aspects of choking in two-phase flow, Arch Thermodyn 16(1-2) 85-95 (1995), 4A1022
Non-solenoidal velocity effects and Korteweg stresses in simple mixtures of incompressible liquids, Physica D 97(1-3) 104-125 (Oct 1996), 4A1023
Displacement of inviscid fluid by a sphere moving away from a wall, J Fluid Mech 324 333-353 (Oct 1996), 5A967
Formation of a pointed drop in Taylor's four-roller mill, J Fluid Mech 327 325-341 (Nov 1996), 6A1065
Energy model for artificially generated bubbles in liquids, J Fluid Mech 327 373-392 (Nov 1996), 6A1068
Efficient computation of particle dispersion in turbulent flows with a stochastic-probabilistic model, Int J Heat Mass Transfer 40(8) 1727-1741 (May 1997), 7A1065
Modeling the behavior of stratified liquid natural gas in storage tanks: A study of the rollover phenomenon, Int J Heat Mass Transfer 40(8) 1875-1884 (May 1997), 7A1066
Study on the ability to pass between steel reinforcing bars of highly flowable concrete (Japanese), Proc JSCE 550(V33) 23-32 (Nov 1996), 7A1067
Theoretical analysis of interfacial instability in countercurrent annular two-phase flow, Heat Transfer Japan Res 24(5) 476-490 (1995), 7A1119
Application of a coupled solid-fluids mixture theory: Process of squeezing a sponge, J Elast 45(2) 139-152 (Nov 1996), 8A7
Clarifications and further implications of the concept of motion in mixture theories, J Elast 45(2) 135-137 (Nov 1996), 8T8
Coupled solid-fluids mixture theory that suffices for diffusion problems, J Elast 45(2) 117-134 (Nov 1996), 8A10
Review of multiphase flow through chokes, J Energy Resources Tech 119(1) 1-10 (Mar 1997), 9A1057
Numerical analysis of two steady-state two-phase Stefan problems with internal energy (Spanish), Rev Int Metodos Numer Calc Diseno Ing 13(1) 15-31 (1997), 10T1119
Chaotic rotation of triaxial ellipsoids in simple shear flow, J Fluid Mech 340 83-100 (Jun 1997), 11A92
Ensemble-average equations of a particulate mixture, J Fluids Eng 119(2) 428-434 (Jun 1997), 11A993
Mechanism of fluidelastic instability of a tube placed in an array subjected to two-phase crossflow, J Fluids Eng 117(4) 706-712 (Dec 1995), 11A1071
Combustion and Turbulence in Two-Phase Flows (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N35

360B. Mixtures of liquid or gas with solid particles (eg slurries)

Advances in Fluvial Dynamics and Stratigraphy (Wiley, New York, 1996) 1N40
Note on the forces that move particles in a second-order fluid, J Non-Newtonian Fluid Mech 64(2-3) 299-302 (Jun 1996), 1A1012
Sediment Transport: Theory and Practice (McGraw-Hill, New York, 1996) 2N32
Practical application of an apparatus to improve slurry discharged as construction resources (Japanese), Proc JSCE 540(VI-31) 171-179 (Jun 1996), 2T994
Numerical modeling of 3D suspended sediment for estuarine and coastal waters, J Hydraul Res 34(4) 435-456 (1996), 3A985
Use of mass- and area-dimensional power laws for determining precipitation particle terminal velocities, J Atmos Sci 53(12) 1710-1723 (Jun 1996), 3A1033
Effect of particle inertia on the instability of a particle-laden flow, Comput Fluids 25(7) 667-676 (Sep 1996), 3A1066
Particle spinning motion during saltating process, J Hydraul Eng 122(10) 587-590 (Oct 1996), 3A1067
Prediction of abrasive particle velocity in a high pressure water jet and effect of air on acceleration process, Eur J Mech B 15(4) 527-543 (1996), 3A1068
Resuspension of particle bed by round vertical jet, J Env Eng 122(9) 864-869 (Sep 1996), 3A1069
Shear-induced radial segregation in bidisperse suspensions, J Fluid Mech 321 371-393 (Aug 1996), 3A1070
Acceleration of abrasive particles in premixed abrasive water jet nozzle, JSME Int J Ser B 39(3) 562-567 (Aug 1996), 3A1080
K-ε two-equation turbulence model for the solid-liquid two-phase flows, Appl Math Mech 17(6) 523-531 (Jun 1996), 3A1158
Boundary integral formulation for elastically deformable particles in a viscous fluid, Z Angew Math Phys 47(5) 672-694 (Sep 1996), 4A974
Measurements of the narrow-band decay rates of a gas-particle suspension confined in a cylindrical tube: Relationship to particle concentration, J Acoust Soc Am 100(4-PART 1) 1992-2001 (Oct 1996), 4A1024
Numerical simulation of particle dispersion in a grid turbulent flow: Influence of the lift forces, Mech Res Commun 23(5) 433-439 (Sep-Oct 1996), 4T1025
Study of air filter systems of heavy-duty diesel engines (Chinese), J Dalian Univ Tech 36(5) 620-624 (Sep 1996), 4A1030
Motion of particles near a bubble in a gas-fluidized bed, J Fluid Mech 323 377-385 (Sep 1996), 4A1432
Displacement of inviscid fluid by a sphere moving away from a wall, J Fluid Mech 324 333-353 (Oct 1996), 5A967
Dynamic simulation of suspensions of non-Brownian hard spheres, J Fluid Mech 325 53-77 (Oct 1996), 5A968
Experiments on particle-turbulence interactions in the near-wall region of an open-channel flow: Implications for sediment transport, J Fluid Mech 326 285-319 (Nov 1996), 5A969
Motion of solid particles suspended in viscoelastic liquids under torsional shear, J Fluid Mech 324 199-222 (Oct 1996), 5A970
Reexamination of the derivation of the equilibrium supersaturation curve for soluble particles, J Atmos Sci 53(21) 3157-3163 (Nov 1996), 5T971
Motion of an ellipsoid in tube flow at low Reynolds numbers, J Fluid Mech 324 287-308 (Oct 1996), 5A1001
Analytical solution for shock waves in dusty gases, Acta Mech 119(1-4) 53-63 (1996), 6A283
Formation of powder particles during thermal interaction of liquid and solidified drops in the process of metal atomization, J Mat Processing Tech 62(1-3) 216-224 (Nov 1996), 6A708
Layer formation in monodispersive suspensions and colloids, J Fluid Mech 328 297-311 (Dec 1996), 6A986
Gravity current of fluid mud sloping bed, J Hydraul Eng 122(12) 710-717 (Dec 1996), 6A1058
Motion of a slip spherical particle in an arbitrary Stokes flow, Eur J Mech B 15(6) 791-807 (1996), 6A1059
Powder coating process parameters for a transfer efficiency model, Particulate Sci Tech 14(3) 239-254 (Jul-Sep 1996), 6A1060
Transfer efficiency enhancement of power coating application using response surface methodology, Particulate Sci Tech 14(3) 255-266 (Jul-Sep 1996), 6A1061
Transverse shear-induced liquid and particle tracer diffusivities of a dilute suspension of spheres undergoing a simple shear flow, J Fluid Mech 327 255-272 (Nov 1996), 6A1062
Velocity fidelity of flow tracer particles, Exp Fluids 22(1) 1-13 (Nov 1996), 6A1063
Discriminator laser Doppler velocimetry for measurement of liquid and particle velocities in sediment-laden flows, Exp Fluids 22(1) 45-56 (Nov 1996), 6A1074
Shock-induced two-phase flows in an aligned baffle system filled with suspended particles, Shock Waves 6(6) 367-372 (Dec 1996), 7A222
Fluidization properties of high-consistency fiber suspensions, Exp Thermal Fluid Sci 14(2) 149-159 (Feb 1997), 7T979
Measurements of turbulent coagulation process in turbulent flow and comparison with calculated results, JSME Int J Ser B 39(4) 731-739 (Nov 1996), 7A1068
Simplified settling velocity formula for sediment particle, J Hydraul Eng 123(2) 149-152 (Feb 1997), 7A1069
Flow of Particles in Suspensions (Springer-Verlag, Wien, 1996) 8N20
Pressurization and heat transfer during twin screw extrusion processing of concentrated suspensions, J Mat Processing Manuf Sci 5(1) 57-76 (Jul 1996), 8A695
Effects of water-mixture film on impact contact in abrasive waterjet machining, Int J Mech Sci 39(6) 729-739 (Jun 1997), 8A1112
Eshelby relation in mixtures, Int J Non-Linear Mech 32(2) 227-233 (Mar 1997), 8A1113
Mathematical modeling of dusty-gas boundary layers, Appl Mech Rev 50(6) 357 (Jun 1997), 8A1114
Study on suitable slurry properties with slurry-type shield driving in sandy soils (Japanese), Proc JSCE 554(III-37) 129-138 (Dec 1996), 8A1115
Transient non-Newtonian flow of a suspension with a compressible particle phase, Mech Res Commun 24(1) 41-47 (Jan-Feb 1997), 8T1116
Refractive index matching and marking methods for highly concentrated solid-liquid flows, Exp Fluids 22(3) 261-264 (Jan 1997), 8A1121
Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, Aerosol Sci Tech 26(3) 193-211 (Mar 1997), 8A1439
Granular flow behavior in the transverse plane of a partially filled rotating cylinder, J Fluid Mech 330 233-249 (Jan 1997), 8A1440
Finite element model for erosive wear of a pipe bend containing a flow of solid particles, J Eng Appl Sci 43(5) 949-966 (Oct 1996), 9A998
Boundary layer effects on solid particle motion and erosive wear, J Hydrodyn B(4) 9-17 (1996), 9T1058
Continuous classification of moisture content in waste activated sludges, J Env Eng 123(3) 253-258 (Mar 1997), 9T1059
Flow of sand-water mixtures at velocities below the deposition condition, Particulate Sci Tech 14(4) 293-314 (Oct-Dec 1996), 9A1060
Improved design of final settling tanks, J Env Eng 123(3) 259-268 (Mar 1997), 9T1061
Modeling of saltation and turbulence effects in a horizontal gas-solid boundary layer, Particulate Sci Tech 14(4) 337-350 (Oct-Dec 1996), 9A1062
Unsteady heat or mass transport from a suspended particle at low Peclet numbers, J Fluid Mech 334 111-133 (Mar 1997), 9A1063
Flow past periodic arrays of spheres at low Reynolds number, J Fluid Mech 335 189-212 (Mar 1997), 10A1070
Development of a system to dehydrate construction slurry (Japanese), Proc JSCE 560(VI-34) 117-129 (Mar 1997), 10A1120
Effect of particles accumulation on drag force in solid-liquid two-phase flows (Chinese), Proc JSCE 558(II-38) 147-151 (Feb 1997), 10A1121
Existence of the global generalized solution of the system of equations describing suspension motion, Math Methods Appl Sci 20(6) 495-519 (Apr 1997), 10A1122
Migration of solid particles in the heterogeneous slurry flow through a 90°C bend, Indian J Eng Mat Sci 4(1) 10-20 (Feb 1997), 10A1123
Motion of Brownian particles and sediment on an inclined plate, J Fluid Mech 337 25-47 (Apr 1997), 10A1124
Prediction of concentration and size distribution of solids in a slurry pipeline, Indian J Eng Mat Sci 4(1) 1-9 (Feb 1997), 10A1125
Numerical modeling of 3D fly-ash flow in power utility boilers, Int J Numer Methods Fluids 24(8) 787-807 (Apr 1997), 10A1136
Collision statistics in an isotropic particle-laden turbulent suspension - Part 1: Direct numerical simulations, J Fluid Mech 335 75-109 (Mar 1997), 10A1176
Theoretical description and numerical sensitivity analysis of Wilson model for hydraulic transport of solids in pipelines, J Hydrology and Hydromech 44(4) 208-222 (1996), 11T903
Race-track recirculating flume for cohesive sediment research, J Hydraul Res 35(3) 377-396 (1997), 11A925
Aerosol delivery from an active emission multi-single dose dry powder inhaler, Particulate Sci Tech 15(1) 51-63 (Jan-Mar 1997), 11A989
Behavior of liquid films and drops in relation to liquid-gas separators, Proc Inst Mech Eng E 211(E1) 53-59 (1997), 11A990
Capsule transport in coal slurry medium, J Fluids Eng 117(4) 691-695 (Dec 1995), 11A991
Convection of particle thermals, J Hydraul Res 35(3) 363-376 (1997), 11A992
Ensemble-average equations of a particulate mixture, J Fluids Eng 119(2) 428-434 (Jun 1997), 11A993
Simulation of chaotic particle motion in particle-laden jetflow and application to abrasive waterjet machining, J Fluids Eng 119(2) 435-442 (Jun 1997), 11A994
Solid-liquid separation by sedimentation, Proc Inst Mech Eng E 211(E1) 43-52 (1997), 11A995
Turbulence modification in the limiting cases of heavy- and tracer-particles, J Fluids Eng 119(2) 458-460 (Jun 1997), 11A996
Unsteady solids flow in a long slurry pipeline with pumps in series: Process of material aggregation, J Hydrology and Hydromech 44(6) 396-409 (1996), 11T997
Vortex magnetic separation, Proc Inst Mech Eng E 211(E1) 31-42 (1997), 11A998
Break-up of a falling drop containing dispersed particles, J Fluid Mech 340 161-175 (Jun 1997), 11A1002
Numerical study of the influence of the Basset force on the statistics of LDV velocity data sampled in a flow region with a large spatial velocity gradient, Exp Fluids 23(1) 48-53 (May 1997), 11A1017
Erosion by planar turbulent wall jets, J Fluid Mech 338 317-340 (May 1997), 11A1061
Theory of particle deposition in turbulent pipe flow, J Fluid Mech 340 129-159 (Jun 1997), 11A1104
Velocity distribution function for a dilute granular material in shear flow, J Fluid Mech 340 319-341 (Jun 1997), 11A1441
Flow properties of crushed ice, J Offshore Mech Arctic Eng 117(4) 276-282 (Nov 1995), 11A1554
Fiber-streamline flows of fiber-reinforced viscous fluids, European J Appl Math 8(2) 209-215 (Apr 1997), 12A1108
Wind tunnel measurement of boundary-layer response to sediment transport, Boundary-Layer Meteorol 84(1) 67-83 (Jul 1997), 12A1109

360C. Liquid-gas mixture

Multiphase Reactor and Polymerization System Hydrodynamics (Gulf Publ, Houston, 1996) 1N42
Dynamic behavior of gas-liquid media in ellipsoidal shells subjected to the effect of vibration (Russian), Prikl Mekh (Appl Mech) 32(2) 12-19 (1996), 1T1013
Geometrical automata for two phase flow simulation, Nucl Eng Des 163(1-2) 117-124 (Jun 1996), 1A1014
Post-CHF heat transfer with water and refrigerants, Nucl Eng Des 163(1-2) 163-175 (Jun 1996), 1A1015
Wall friction in annular-dispersed two-phase flow, Nucl Eng Des 163(1-2) 149-161 (Jun 1996), 1A1016
Proceedings of the ASME Heat Transfer Division, Volume 2 (ASME, New York, 1996) 3N42
Experiments on air-water two-phase flow pump impeller with rotating-stationary circular cascades and recirculating flow holes, JSME Int J Ser B 39(3) 575-582 (Aug 1996), 3T1199
Modeling of two-phase flow in dividing T-junctions with various branch orientations, Arch Thermodyn 16(1-2) 53-84 (1995), 4A1026
Velocity field in isothermal turbulent bubbly gas-liquid flow through a pipe, Exp Fluids 21(5) 347-356 (Sep 1996), 4A1027
Numerical studies of multiphase mixing with application to some small-scale experiments, Nucl Eng Des 166(2) 135-145 (Oct 1996), 5A972
Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5-MOD3 computer code, Nucl Eng Des 166(2) 277-291 (Oct 1996), 5A973
Two-phase countercurrent flow in a model of a pressurized water reactor hot leg, Nucl Eng Des 166(2) 121-133 (Oct 1996), 5A974
Mechanical separation process and flow patterns of cyclone dust collectors, Appl Mech Rev 50(3) 97-130 (Mar 1997), 5A1092
Heat transfer to annular gas-liquid mixtures at reduced gravity, J Thermophys Heat Transfer 10(4) 633-639 (Oct-Dec 1996), 5A1213
Liquid-side interphase mass transfer in cocurrent vertical two-phase channel flows, Int J Heat Mass Transfer 40(3) 641-655 (Feb 1997), 5A1311
Momentum and Heat Transfer in Turbulent Gas-Solid Flows (Begell House, New York, 1995) 7R21

Measurement of effective saturation concentration for gas transfer, J Hydraul Eng 123(2) 86-97 (Feb 1997), 7A1070
Prediction in stratified gas-liquid co-current flow in horizontal pipelines, Int J Heat Mass Transfer 40(8) 1923-1935 (May 1997), 7A1071
Fluid mechanical considerations in the design of an improved aerator, J Fluids Eng 118(4) 736-742 (Dec 1996), 7A1073
Investigation on the behavior of laser induced bubble in cryogenic liquid nitrogen, J Fluids Eng 118(4) 850-856 (Dec 1996), 7A1075
Transient gas-liquid flow in upward sloping pipes, approaching the wavy-to-slug flow transition, J Fluids Eng 118(4) 729-735 (Dec 1996), 7A1296
Advances in heat transfer in porous media, Adv Water Resources 20(2-3) 63-187 (Apr-Jun 1997), 7A1447
Measurement of bulk viscosity and the elastic-viscous analogy, Acta Mech 120(1-4) 217-225 (1997), 8A1000
Experiments on unsteady cavitation, Exp Fluids 22(3) 191-198 (Jan 1997), 8A1032
Mathematical modeling of dusty-gas boundary layers, Appl Mech Rev 50(6) 357 (Jun 1997), 8A1114
Study on the propagation process of spontaneous vapor explosions and the behavior of induced pressure waves, Heat Transfer Japan Res 25(2) 76-87 (1996), 9A1064
Eulerian-Lagrangian computations on phase distribution of two-phase bubbly flows, Int J Numer Methods Fluids 24(6) 579-593 (Mar 1997), 9A1072
A general solution of the two-phase compressible flow through a sudden enlargement (French), European J Mech Eng 42(1) 3-8 (1997), 10A1109
Analysis of a non-hyperbolic system modeling two-phase flows - Part 1: The effects of diffusion and relaxation, Math Methods Appl Sci 20(9) 783-803 (Jun 1997), 10A1126
Map of regimes of pressure oscillations induced by absorption during gas jet injection through a submerged nozzle, Heat and Mass Transfer Warme 32(4) 277-283 (Apr 1997), 10A1127
Turbulent two-phase mixing in gas-stirred ladle systems for continuous casting applications, Numer Heat Transfer A 31(5) 493-515 (Apr 1997), 10A1128
Boiling Heat Transfer and Two-Phase Flow, Second Edition (Taylor & Francis, Bristol PA, 1997) 11R34
Flow patterns and pressure drop in air-water two-phase flow in horizontal helicoidal pipes, J Fluids Eng 117(4) 720-726 (Dec 1995), 11A999
Numerical model of slug flow in vertical tubes, Comput Fluids 26(4) 395-415 (May 1997), 11A1000
Effects of slighly soluble surfactants on the flow around a spherical bubble, J Fluid Mech 339 25-53 (May 1997), 11A1008
Motion of interacting gas bubbles in a viscous liquid including wall effects and evaporation, Numer Heat Transfer A 31(6) 629-654 (May 1997), 11A1295

360D. Liquid-vapor mixture

Flow characteristics of horizontal bubbly pipe flow, Nucl Eng Des 163(1-2) 207-212 (Jun 1996), 1A1017
Turbulent two-phase flow through a sudden pipe expansion: LDA experiments and CFD predictions, Int J Comput Fluid Dyn 6(3) 189-205 (1996), 1T1018
CFD application to prediction of void distribution in two-phase bubbly flows in rod bundles, Nucl Eng Des 163(1-2) 81-98 (Jun 1996), 1A1430
Linear separated flow model for two-phase flow instability in boiling channels, J Hydrodyn 8(2) 9-16 (1996), 3T1071
Dynamic response of ducted bubbly flows to turbomachinery-induced perturbations, J Fluids Eng 118(3) 595-601 (Sep 1996), 4A1028
Flooding correlation based on the concept of hyperbolocity breaking in a vertical annular flow, Nucl Eng Des 166(2) 249-258 (Oct 1996), 5A1444
Modeling of the flashing flow: On the closure equations in flashing flow (Polish), Trans Inst Fluid-Flow Machinery 0(101) 3-41 (1996), 9A1065
Pulse-expansion wave tube for nucleation studies at high pressures, Exp Fluids 23(1) 54-63 (May 1997), 11A1001

360E. Liquid drop formation

Satellite drop formation in a swirling liquid jet, Mech Res Commun 23(4) 409-412 (Jul-Aug 1996), 1T1019
Enhancement of evaporation of a droplet using EHD effect: Measurement of steady-state heat flux during evaporation of a single droplet, JSME Int J Ser B 39(3) 583-589 (Aug 1996), 3A1072
Flow characteristics of an underexpanded jet and its application to the study of droplet breakup, Exp Fluids 21(4) 243-247 (Aug 1996), 3A1073
Simple shear flow of suspensions of liquid drops, J Fluid Mech 320 395-416 (Aug 1996), 3A1074
Atomization of a liquid drop by pulsation, Appl Math Mech 17(7) 597-606 (Jul 1996), 5A975
Dynamics of drop formation from a capillary in the presence of an electric field, J Fluid Mech 326 239-263 (Nov 1996), 5A976
Breakage of a drop of inviscid fluid due to a pressure fluctuation at its surface, J Fluid Mech 328 1-17 (Dec 1996), 6A1064
Formation of a pointed drop in Taylor's four-roller mill, J Fluid Mech 327 325-341 (Nov 1996), 6A1065
Lifetime and dynamics of a pocket of dense gas in a hot gas flow, Eur J Mech B 16(1) 141-161 (1997), 7A1079
Measurement of droplet size, velocity, and temperature distributions in Rayleigh flow, Exp Fluids 22(2) 144-152 (Dec 1996), 7A1083
Regimes of coalescence and separation in droplet collision, J Fluid Mech 331 59-80 (Jan 1997), 8A1117
Boundary layer flow about and inside a liquid sphere, J Fluids Eng 119(1) 42-49 (Mar 1997), 9A1066
Vortex ring generation due to the coalescence of a water drop at a free surface, Exp Fluids 22(5) 369-374 (Mar 1997), 9A1067
Displacement of fluid droplets from solid surfaces in low-Reynolds-number shear flows, J Fluid Mech 336 351-378 (Apr 1997), 10A1129
Steady axisymmetric motion of deformable drops falling or rising through a homoviscous fluid in a tube at intermediate Reynolds number, J Fluid Mech 336 1-32 (Apr 1997), 10A1130
Impact of a single drop on a wetted solid surface, Exp Fluids 22(6) 463-472 (Apr 1997), 10A1160
Break-up of a falling drop containing dispersed particles, J Fluid Mech 340 161-175 (Jun 1997), 11A1002
Collision of two deformable drops in shear flow, J Fluid Mech 338 299-315 (May 1997), 11A1003
Drop fall-off from pendent rivulets, J Fluid Mech 338 173-201 (May 1997), 11A1004
Modeling of non-coalescing liquid drops in the presence of thermocapillary convection, Meccanica 32(2) 115-133 (Apr 1997), 11A1005
Simulation of paint transfer in an air spray process, J Fluids Eng 117(4) 713-719 (Dec 1995), 11A1006
Surfactant-induced retardation of the thermocapillary migration of a droplet, J Fluid Mech 340 35-59 (Jun 1997), 11A1007
Transient equation of motion for particles, bubbles, and droplets, J Fluids Eng 119(2) 233-247 (Jun 1997), 11A1010
Effect of surfactants on drop deformation and on rheology of dilute emulsions in Stokes flow, J Fluid Mech 341 165-194 (Jun 1997), 12A1110

360F. Bubble dynamics

Multiphase Reactor and Polymerization System Hydrodynamics (Gulf Publ, Houston, 1996) 1N42
Development of local two-phase flow parameters for vertical bubbly flow in a pipe with sudden expansion, Exp Thermal Fluid Sci 13(2) 152-166 (Aug 1996), 1A1020
Structure of bubble non-equilibrium movement in free-rise and agitated-rise conditions, Nucl Eng Des 163(1-2) 99-115 (Jun 1996), 1A1021
Dynamics of a shock-bubble interaction, J Fluid Mech 318 129-163 (Jul 1996), 2A229
Influence of buoyancy on the surface tension driven flow around a bubble on a heated wall, Exp Fluids 21(3) 181-186 (Jul 1996), 2A995
Calculation of heat transfer in a pulsating bubble, Appl Math Model 20(9) 638-645 (Sep 1996), 2A1239
Bubble shapes in rotating two-phase fluid systems: A thermodynamic approach, J Fluid Mech 319 1-23 (Jul 1996), 3A1075
Experiments on the rise of air bubbles in clean viscous liquids, J Fluid Mech 321 421-441 (Aug 1996), 3A1076
Nonlinear interaction between gas bubble and free surface, Comput Fluids 25(7) 607-628 (Sep 1996), 3A1077
Nucleation of spherical shell-like interfaces by second gradient theory: Numerical simulations, Eur J Mech B 15(4) 545-568 (1996), 3T1078
Steady motion of a semi-infinite bubble through a flexible-walled channel, J Fluid Mech 319 25-65 (Jul 1996), 3A1079
Dynamics of an oscillating spherical gas-vapor bubble, J Acoust Soc Am 100(5) 3088-3097 (Nov 1996), 5A977
Dynamics of fission gas release from molten nuclear fuel, Nucl Eng Des 166(2) 269-276 (Oct 1996), 5A1443
Acoustic radiation pressure exerted by a spherical wave on a bubble in a viscous liquid, Wave Motion 24(3) 275-279 (Nov 1996), 6A335
Concentration waves and the instability of bubbly flows, J Fluid Mech 328 67-93 (Dec 1996), 6A1066
Effect of baffles on orbital accelerations: Induced bubble oscillations in microgravity, Int J Mech Sci 39(3) 269-288 (Mar 1997), 6A1067
Energy model for artificially generated bubbles in liquids, J Fluid Mech 327 373-392 (Nov 1996), 6A1068
Experimental study of the effect of surfactants on the free rise velocity of gas bubbles, J Non-Newtonian Fluid Mech 66(2-3) 213-232 (Oct 1996), 6A1069
Effect of evaporation on droplet drag, J Fluids Eng 118(4) 862-864 (Dec 1996), 7A1072
Fluid mechanical considerations in the design of an improved aerator, J Fluids Eng 118(4) 736-742 (Dec 1996), 7A1073
Generation, growth, and collapse of a bubble in conductive liquid heated directly by electric current, JSME Int J Ser B 39(4) 789-797 (Nov 1996), ·7T1074
Investigation on the behavior of laser induced bubble in cryogenic liquid nitrogen, J Fluids Eng 118(4) 850-856 (Dec 1996), 7A1075
Numerical prediction of two-phase flow in bubble columns, Int J Numer Methods Fluids 23(12) 1289-1310 (Dec 1996), 7A1076
Bubble growth and ink ejection process of a thermal ink jet printhead, Int J Mech Sci 39(6) 683-695 (Jun 1997), 8A1118
Influence of cavitation upon anomalous behavior of a plate-liquid-underwater explosion system, Int J Impact Eng 19(4) 345-359 (Apr 1997), 9A192
Effects of salt water on bubble cavitation, J Fluids Eng 119(1) 155-163 (Mar 1997), 9A996
New mechanism for sonoluminescence, J Acoust Soc Am 101(4) 2003-2007 (Apr 1997), 9A1068
Sonoluminescence: An alternative "electrohydrodynamic" hypothesis, J Acoust Soc Am 101(4) 2012-2030 (Apr 1997), 9A1069
Studies on bubble dynamics, Shock Waves 7(1) 33-42 (Feb 1997), 10A1053
Effects of surfactant on the dynamics of bubble snap-off, J Fluid Mech 337 381-410 (Apr 1997), 10A1131
Motion of a bubble in waves, J Hydrodyn 9(1) 56-62 (1997), 10A1132
Motion of gas bubbles in homogeneous isotropic turbulence, J Fluid Mech 336 221-244 (Apr 1997), 10A1133
Numerical study of the complex dynamic behavior of a reactive gas bubble in water, Appl Math Model 21(3) 127-138 (Mar 1997), 10A1134
Boiling Heat Transfer and Two-Phase Flow, Second Edition (Taylor & Francis, Bristol PA, 1997) 11R34
Effects of slighly soluble surfactants on the flow around a spherical bubble, J Fluid Mech 339 25-53 (May 1997), 11A1008
Rise of bubbles in a vertical shear flow, J Fluids Eng 119(2) 443-449 (Jun 1997), 11A1009
Transient equation of motion for particles, bubbles, and droplets, J Fluids Eng 119(2) 233-247 (Jun 1997), 11A1010
Inviscid stability of parallel bubbly flows, J Fluid Mech 339 261-274 (May 1997), 11A1086
Penetration of a long bubble through a viscoelastic fluid in a tube, J Non-Newtonian Fluid Mech 71(1-2) 73-88 (Jul 1997), 12A1054
Axisymmetric free boundary problems, J Fluid Mech 341 269-294 (Jun 1997), 12A1072

360G. Froth flow and spray flow

Satellite drop formation in a swirling liquid jet, Mech Res Commun 23(4) 409-412 (Jul-Aug 1996), 1T1019
Stochastic-probabilistic efficiency enhanced dispersion modeling of turbulent polydispersed sprays, J Propulsion Power 12(4) 760-769 (Jul-Aug 1996), 1A1022
Experimental and numerical study of a water spray in the wake of an axisymmetric bluff body, Exp Thermal Fluid Sci 13(2) 129-141 (Aug 1996), 1T1053
Effect of boundary conditions on the downstream penetration of pulsed sprays after impaction on a flat surface, Proc Inst Mech Eng D 210(D3) 249-260 (1996), 2A996
Fundamental experiments on wire explosion spraying: Effect of discharging characteristics on sprayed coating (Japanese), J Soc Mat Sci Japan 45(7) 817-822 (Jul 1996), 2A997
Vaporization of a liquid drop suddenly exposed to a high-speed airstream, J Fluid Mech 318 223-236 (Jul 1996), 2A998
Acceleration of abrasive particles in premixed abrasive water jet nozzle, JSME Int J Ser B 39(3) 562-567 (Aug 1996), 3A1080
System identification and feedback control of an aerosol production process, Aerosol Sci Tech 25(3) 292-304 (Oct 1996), 3A1081
Asymptotic approximation of the Wiener-Hopf technique as applied to jet atomization, Physica D 97(1-3) 45-64 (Oct 1996), 4A1079
Effects of salts on the rheological characteristics of a drag-reducing cationic surfactant solution with shear-induced micellar structures, Rheol Acta 35(5) 470-480 (Sep-Oct 1996), 5A978
Evaluation of the effect of droplet collisions on spray mixing, Proc Inst Mech Eng C 210(C5) 465-475 (1996), 5A979
Model for automotive windshield washer spray delivered by a fluidic nozzle, Proc Inst Mech Eng D 210(D4) 327-333 (1996), 5A980
Aerosols produced by spinning discs: A reappraisal, Aerosol Sci Tech 26(1) 51-54 (Jan 1997), 6A1070
Aerosolization of particles from a bubbling liquid: Characteristics and generator development, Aerosol Sci Tech 26(2) 175-190 (Feb 1997), 7A1077
Interaction between sprays from multiple coaxial airblast atomizers, J Fluids Eng 118(4) 762-771 (Dec 1996), 7A1078
Lifetime and dynamics of a pocket of dense gas in a hot gas flow, Eur J Mech B 16(1) 141-161 (1997), 7A1079
Modeling of diesel spray impinging on flat wall, JSME Int J Ser B 39(4) 859-866 (Nov 1996), 7A1080
Peculiarities of the pulsed high-velocity air-fuel jet evolution in the diesel combustion chamber, Thermophys and Aeromech 3(4) 347-355 (1996), 8A1432
Statistical convergence of aerosol deposition measurements, Exp Fluids 22(5) 375-379 (Mar 1997), 9A1070
Non-wetting electrostatic assisted nozzle for spraying a catalytic melt, Particulate Sci Tech 15(1) 1-12 (Jan-Mar 1997), 11A1011
Structure of airblast sprays under high ambient pressure conditions, J Eng Gas Turbines Power 119(3) 512-518 (Jul 1997), 12A1111

360H. Mixtures of liquid, gas, and solid particles

Metal vapor condensation in a converging nozzle, Nanostruct Mat 7(7) 789-803 (Sep-Oct 1996), 3A1082
Three-fluid model of the sand-driven flow, Appl Math Mech 17(7) 647-657 (Jul 1996), 5A981
Statistical convergence of aerosol deposition measurements, Exp Fluids 22(5) 375-379 (Mar 1997), 9A1070
Submicrometer particle separation via high-speed gas centrifuges, Proc Inst Mech Eng E 211(E1) 17-29 (1997), 11A1012

360I. Filtering

Solid-Liquid Filtration and Separation Technology (VCH Publ, New York, 1996) 3R32
Numerical investigation of viscous flow fields around multifiber filters, Aerosol Sci Tech 25(4) 375-391 (Nov 1996), 4A1029
Study of air filter systems of heavy-duty diesel engines (Chinese), J Dalian Univ Tech 36(5) 620-624 (Sep 1996), 4A1030
Cross-flow filtration of machining fluids by microfiltration membranes: Influence of chip size on permeation flux, JSME Int J Ser C 39(3) 636-644 (Sep 1996), 5A982
Asymptotic analysis of the growth of cake layers in filters, IMA J Appl Math 57(1) 1-28 (Aug 1996), 6A1071
Filter inlet velocity redistribution with filter loading, Particulate Sci Tech 14(3) 279-291 (Jul-Sep 1996), 6A1072
Study on sludge accumulation process in the externally pressurized filtration of activated sludge suspension using hollow fiber membranes (Japanese), Proc JSCE 551(II-37) 123-134 (Nov 1996), 7A1081
Theoretical estimation for removal ability of organic pollutants through crushed stone layer around leachate collection pipe and design of the pipe in semiaerobic sanitary landfills (Japanese), Proc JSCE 552(VII-1) 85-93 (Nov 1996), 7T1082
Stability of steady filtration flows of a gas-condensate mixture, J Appl Math Mech 60(5) 759-767 (1996), 8A1119
Pressure drop and interception efficiency of multifiber filters, Aerosol Sci Tech 26(4) 313-325 (Apr 1997), 9A1071
Percolation Models for Transport in Porous Media with Applications to Reservoir Engineering (Kluwer, Netherlands, 1996) 11R37

360Y. Computational techniques

Application of split-coefficient matrix method to transient two phase flows, Int J Numer Methods Heat & Fluid Flow 6(3) 63-76 (May 1996), 1A1023
Revisiting the Carrier-phase source-term formulation in mixed Lagrangian-Eulerian particle models, Numer Heat Transfer B 30(1) 111-116 (Jul-Aug 1996), 1A1024
Zero-relaxation limit versus operator splitting for two-phase fluid flow computations, Comput Methods Appl Mech Eng 133(1-2) 93-124 (Jun 1996), 1A1025

Effect of particle inertia on the instability of a particle-laden flow, Comput Fluids 25(7) 667-676 (Sep 1996), 3A1066

Prediction of abrasive particle velocity in a high pressure water jet and effect of air on acceleration process, Eur J Mech B 15(4) 527-543 (1996), 3A1068

Nonlinear interaction between gas bubble and free surface, Comput Fluids 25(7) 607-628 (Sep 1996), 3A1077

Compressible two-phase boundary-layer flow with finite particulate volume fraction, Int J Eng Sci 34(12) 1409-1422 (Sep 1996), 3A1083

Computer simulation of the flow field and particle deposition by diffusion in a 3D human airway bifurcation, Aerosol Sci Tech 25(3) 338-352 (Oct 1996), 3A1084

Numerical simulation of unsteady flow in air-lift pump, JSME Int J Ser B 39(3) 525-532 (Aug 1996), 3T1085

Significance of particle deposition patterns in bronchial airway bifurcations for extrapolation modeling, Aerosol Sci Tech 25(3) 305-327 (Oct 1996), 3A1086

Direct simulation of interfacial waves in a high-viscosity-ratio and axisymmetric core-annular flow, J Fluid Mech 327 1-34 (Nov 1996), 6A279

Comparison of numerical models for evaporative two-phase flow in a self-heated porous medium, Comput Fluids 25(8) 699-718 (Nov 1996), 6A1073

Combined Eulerian-VOF-Lagrangian method for general gas-liquid flow applications, Numer Heat Transfer B 30(4) 409-422 (Dec 1996), 6A1264

Numerical prediction of two-phase flow in bubble columns, Int J Numer Methods Fluids 23(12) 1289-1310 (Dec 1996), 7A1076

Measurement of dynamic gas disengagement profile by using an analog output level gauge, Exp Fluids 22(3) 249-250 (Jan 1997), 8A1120

Refractive index matching and marking methods for highly concentrated solid-liquid flows, Exp Fluids 22(3) 261-264 (Jan 1997), 8A1121

Boundary layer flow about and inside a liquid sphere, J Fluids Eng 119(1) 42-49 (Mar 1997), 9A1066

Eulerian-Lagrangian computations on phase distribution of two-phase bubbly flows, Int J Numer Methods Fluids 24(6) 579-593 (Mar 1997), 9A1072

Modeling of flow in rectangular sedimentation tanks by an explicit third-order upwinding technique, Int J Numer Methods Fluids 24(6) 537-561 (Mar 1997), 9A1073

Discretization schemes of the FEM for advection terms of an incompressible two-fluid model, Comput Model Simul in Eng 2(2) 145-161 (May 1997), 10A33

Chebyshev collocation method for solving two-phase flow stability problems, J Comput Phys 132(2) 191-200 (Apr 1997), 10T1135

Numerical modeling of 3D fly-ash flow in power utility boilers, Int J Numer Methods Fluids 24(8) 787-807 (Apr 1997), 10A1136

Simulation of chaotic particle motion in particle-laden jetflow and application to abrasive waterjet machining, J Fluids Eng 119(2) 435-442 (Jun 1997), 11A994

Implicit centered scheme for steady and unsteady incompressible one and two-phase flows, Comput Fluids 26(4) 373-393 (May 1997), 11A1013

Three dimensional simulation of fluid-particle interactions with the number of particles reaching 100, Comput Methods Appl Mech Eng 145(3-4) 301-321 (Jun 1997), 11A1014

Regularization of two-phase flow models: A comparison of numerical and differential approaches, J Comput Phys 134(2) 282-295 (Jul 1997), 12T1112

Simultaneous particle and molecule modeling: An approach for combining sectional aerosol equations and elementary gas-phase reactions, Aerosol Sci Tech 27(1) 73-94 (Jul 1997), 12A1113

360Z. Experimental techniques

Nonintrusive auto-transformer technique for the measurement of void fraction, Exp Thermal Fluid Sci 13(2) 92-97 (Aug 1996), 1A1026

Identification of two phase flow regimes via diffusional analysis of experimental time series, Exp Fluids 21(3) 151-160 (Jul 1996), 2A999

Swirl Technology: Enhancement of design, evaluation, and application, J Env Eng 122(8) 741-748 (Aug 1996), 3T1087

Verification of vertically rotating flume using non-Newtonian fluids, J Hydraul Eng 122(8) 456-459 (Aug 1996), 3A1213

Development of a full-field planar Mie scattering technique for evaluating swirling mixers, Exp Fluids 21(5) 325-330 (Sep 1996), 4A1179

Key technique of laser measurement of fuel spray field (Chinese), J Dalian Univ Tech 36(5) 538-542 (Sep 1996), 4A1181

Proceedings of the ASME Heat Transfer Division, Volume 3 (ASME, New York, 1996) 5N22

Workshop on Unresolved Experimental Dilemmas in the Dynamics of Complex Fluids, J Non-Newtonian Fluid Mech 67 1-334 (Nov 1996), 6A985

Discriminator laser Doppler velocimetry for measurement of liquid and particle velocities in sediment-laden flows, Exp Fluids 22(1) 45-56 (Nov 1996), 6A1074

Effects of inlet conditions on the flow in a fishtail curved diffuser with strong curvature, J Fluids Eng 118(4) 772-778 (Dec 1996), 7A1064

Measurement of effective saturation concentration for gas transfer, J Hydraul Eng 123(2) 86-97 (Feb 1997), 7A1070

Measurement of droplet size, velocity, and temperature distributions in Rayleigh flow, Exp Fluids 22(2) 144-152 (Dec 1996), 7A1083

Fine-fracture moisture separation in flow-type cyclone separators, Thermophys and Aeromech 3(4) 357-364 (1996), 8T1450

Improved design of final settling tanks, J Env Eng 123(3) 259-268 (Mar 1997), 9T1061

Vortex ring generation due to the coalescence of a water drop at a free surface, Exp Fluids 22(5) 369-374 (Mar 1997), 9A1067

Statistical convergence of aerosol deposition measurements, Exp Fluids 22(5) 375-379 (Mar 1997), 9A1070

Real-time monitoring of the surface and total composition of aerosol particles, Aerosol Sci Tech 26(4) 291-300 (Apr 1997), 9A1074

Electrochemical probe for bubble size prediction in a bubble column, Exp Thermal Fluid Sci 14(3) 243-250 (Apr 1997), 10T1137

Flow patterns and pressure drop in air-water two-phase flow in horizontal helicoidal pipes, J Fluids Eng 117(4) 720-726 (Dec 1995), 11A999

Device to measure the size of volatile droplets utilizing a hot-film sensor, Aerosol Sci Tech 26(6) 505-515 (Jun 1997), 11A1015

Modeling the response of a vibrating-element density meter in a two-phase mixture, J Fluid Mech 340 343-360 (Jun 1997), 11A1016

Numerical study of the influence of the Basset force on the statistics of LDV velocity data sampled in a flow region with a large spatial velocity gradient, Exp Fluids 23(1) 48-53 (May 1997), 11A1017

Measurement and interpretation of growth of binary droplets suspended in a water-n-propanol-nitrogen mixture by means of a piston expansion tube, Int J Heat Mass Transfer 40(14) 3407-3417 (Sep 1997), 11A1304

Wind tunnel measurement of boundary-layer response to sediment transport, Boundary-Layer Meteorol 84(1) 67-83 (Jul 1997), 12A1109

Instrument for measuring the liquid water content for aerosols, Aerosol Sci Tech 27(1) 50-61 (Jul 1997), 12A1114

362. WALL LAYERS (INCL BOUNDARY LAYERS)

362C. Laminar layers

Note on the flow over a stretching sheet, Acta Mech 116(1-4) 229-233 (1996), 1A1027

Solutions of 3D boundary layer equations by global methods of generalized differential-integral quadrature, Int J Numer Methods Heat & Fluid Flow 6(2) 61-75 (Mar 1996), 1A1028

Flow of gravity-driven rivulets in the entrance region, Trans Inst Fluid-Flow Machinery 0(100) 81-90 (1996), 2A1000

Models for thin viscous sheets, European J Appl Math 7(4) 321-343 (Aug 1996), 3A1088

Resonant growth of 3D modes in Falkner-Skan boundary layers with adverse pressure gradients, J Fluid Mech 320 211-233 (Aug 1996), 3A1089

Magnetohydrodynamic flow past a semi-infinite moving plate, Acta Mech 117(1-4) 159-164 (1996), 3A1169

Jet profile solutions of the Falkner-Skan equation, Z Angew Math Phys 47(5) 790-798 (Sep 1996), 4A1031

Disturbances excited by a point source in an axisymmetric laminar separation bubble, Eur J Mech B 15(5) 651-664 (1996), 5A983

Flow and heat transfer over a longitudinal circular cylinder moving in parallel or reversely to a free stream, Acta Mech 118(1-4) 185-195 (1996), 5A984

Automatic control of laminar boundary-layer transition, AIAA J 35(1) 85-90 (Jan 1997), 6A1075

Simulations of the viscous flow normal to an impulsively started and uniformly accelerated flat plate, J Fluid Mech 328 177-227 (Dec 1996), 6A1076

Predictions and observations of the flow field induced by laminar flow control microperforations, Exp Thermal Fluid Sci 13(4) 395-407 (Nov 1996), 6T1097

Family of laminar boundary layers along a semi-infinite flat plate, Fluid Dyn Res 19(4) 235-249 (Apr 1997), 7A1084

Excitation of small disturbances by a Dirac line source at the wall and their growth in a decelerated laminar boundary layer, Eur J Mech B 16(1) 17-37 (1997), 7A1120

Boundary layer similarity flow driven by power-law shear, Acta Mech 120(1-4) 199-215 (1997), 8A1122

Channel flow of a viscous fluid in the boundary layer, Quart Appl Math 55(1) 51-56 (Mar 1997), 8T1123

Vortex stretching in a laminar boundary layer flow, Exp Fluids 22(4) 351-353 (Feb 1997), 8A1124

High Weissenberg number boundary layers for the upper convected Maxwell fluid, J Non-Newtonian Fluid Mech 68(1) 125-132 (Jan 1997), 8A1134

Similarity solutions of a boundary layer problem over moving surfaces, Appl Math Lett 10(2) 81-85 (Mar 1997), 9A1075

Excitation of secondary instabilities in boundary layers, J Fluid Mech 336 245-266 (Apr 1997), 10A1138

Laminar free convection in the square cavity, Facta Univ Mech Auto Control Robotic 2(6) 57-67 (1996), 10A1139

Mass transfer dominated by thermal diffusion in laminar boundary layers, J Fluid Mech 336 379-409 (Apr 1997), 10A1385

Generation of turbulent spots in a laminar boundary layer, Eur J Mech B 16(3) 349-385 (1997), 11A1022

Late stages of transition induced by a low-amplitude wavepacket in a laminar boundary layer, J Fluid Mech 340 395-411 (Jun 1997), 11A1023

Large-scale structure of a leading-edge separation bubble with local forcing, Fluid Dyn Res 19(6) 363-378 (Jun 1997), 11A1027

Linear theory for Ekman's boundary layer according to a triple deck, Int J Numer Methods Fluids 24(11) 1211-1223 (Jun 1997), 11A1028

362D. Turbulent layers

Modified Spalart-Allmaras one-equation turbulence model for rough wall boundary layers, J Propulsion Power 12(4) 809-812 (Jul-Aug 1996), 1A1029

Turbulent boundary layer over a smooth wall with widely separated transverse square cavities, Appl Sci Res 55(3) 227-243 (Oct 1995), 1A1030

Investigation of riblet effect on a spanwise modulated boundary layer, Thermophys and Aeromech 2(4) 277-286 (1995), 1T1037

Effect of wall inclination on the mean flow and turbulence characteristics in a 2D wall jet, Int J Heat Fluid Flow 17(4) 377-385 (Aug 1996), 2A1001

Large-eddy simulation of a concave wall boundary layer, Int J Heat Fluid Flow 17(3) 290-295 (Jun 1996), 2A1002

Spanwise vorticity structure in turbulent boundary layers, Int J Heat Fluid Flow 17(4) 363-376 (Aug 1996), 2A1003

Reynolds-number-dependence of the maximum in the streamwise velocity fluctuations in wall turbulence, Exp Fluids 21(3) 218-226 (Jul 1996), 2A1035

Numerical study of 3D wall-bounded flows, Int J Heat Fluid Flow 17(3) 333-342 (Jun 1996), 2A1036

Two-equation heat transfer model reflecting second-moment closures for wall and free turbulent flows, Int J Heat Fluid Flow 17(3) 228-237 (Jun 1996), 2A1042

Energy losses due to combination of flow at tees, JSME Int J Ser B 39(3) 489-498 (Aug 1996), 3T1090

Evolution of patterns of streamwise vorticity in the turbulent near wake of a circular cylinder, J Fluid Mech 320 117-137 (Aug 1996), 3A1091

Turbulence measurements around a mild separation bubble and downstream of reattachment, J Fluid Mech 322 297-328 (Sep 1996), 3A1098

Turbulent drag reduction in a d-type rough wall boundary layer with longitudinal thin ribs placed within traverse grooves: Higher-order moments and conditional sampling analysis, JSME Int J Ser B 39(3) 461-469 (Aug 1996), 3A1099

Model for adiabatic supersonic turbulent boundary layers, Theor Comput Fluid Dyn 8(5) 349-364 (Sep 1996), 4A1003

Simple eddy viscosity model of rough turbulent wave boundary layer, China Ocean Eng 10(3) 281-294 (1996), 4A1032

Turbulence characteristics of a boundary layer over a swept bump, J Fluid Mech 323 1-22 (Sep 1996), 4A1033

Experiments on particle-turbulence interactions in the near-wall region of an open-channel flow: Implications for sediment transport, J Fluid Mech 326 285-319 (Nov 1996), 5A969

Numerical investigation of a turbulent flow around a 2D obstacle in the boundary layer, Thermophys and Aeromech 3(2) 137-156 (1996), 5T1015

Formation of longitudinal vortices in a turbulent boundary layer over wavy terrain, J Fluid Mech 326 321-341 (Nov 1996), 5A1042

Velocity and length scale approach to k-ε modeling, J Heat Transfer 118(4) 857-863 (Nov 1996), 5A1052

Coupling between a supersonic turbulent boundary layer and a flexible structure, AIAA J 35(1) 58-66 (Jan 1997), 6A1077

Engineering estimation of fluctuating loads in shock wave-turbulent boundary-layer interactions, AIAA J 34(12) 2554-2561 (Dec 1996), 6A1078

Large eddy simulation of an equilibrium 3D turbulent boundary layer, AIAA J 35(1) 67-74 (Jan 1997), 6A1079

Response of turbulent flow to the disturbance of a vibrating ribbon, Acta Mech Sinica 12(3) 193-199 (1996), 6A1080

Supersonic turbulent boundary layer subjected to step changes in wall temperature, AIAA J 35(1) 51-57 (Jan 1997), 6A1081

Turbulence measurements in a Mach 2.9 boundary layer including mild pressure gradients, AIAA J 34(12) 2479-2483 (Dec 1996), 6A1082

Flow structure peculiarities in a streamwise corner under the conditions of shock wave-boundary layer interaction, Eur J Mech B 15(6) 831-846 (1996), 6A1089

Active control in the turbulent wall layer of a minimal flow unit, J Fluid Mech 329 341-371 (Dec 1996), 7A1085

Convex turbulent boundary layers with zero and favorable pressure gradients, J Fluids Eng 118(4) 787-794 (Dec 1996), 7T1086

Experimental studies of a distorted turbulent spot in a 3D flow, J Fluid Mech 329 1-24 (Dec 1996), 7A1087

Longitudinal curvature effects in turbulent boundary layers, Prog Aerospace Sci 33(1-2) 1-70 (Jan-Feb 1997), 7A1088

Vorticity generation on a flat surface in 3D flows, J Comput Phys 129(2) 345-356 (Dec 1996), 7A1089

Large-scale roughness influence on turbulent hypersonic boundary layers approaching compression corners, J Spacecraft Rockets 34(1) 70-75 (Jan-Feb 1996), 8A1125

Three-dimensional turbulent boundary layers: A review, J Hydraul Res 35(1) 81-98 (1997), 8A1126

Advantages of using a power law in a low R_θ turbulent boundary layer, Exp Fluids 22(4) 348-350 (Feb 1997), 8A1186

Effects of imperfect spatial resolution on turbulence measurements in the very near-wall viscous sublayer region, Exp Fluids 22(4) 327-335 (Feb 1997), 8A1190

Modeling of saltation and turbulence effects in a horizontal gas-solid boundary layer, Particulate Sci Tech 14(4) 337-350 (Oct-Dec 1996), 9A1062

Application of a near-wall turbulence model to the flows over a step with inclined wall, Int J Heat Fluid Flow 18(2) 209-217 (Apr 1997), 9A1076

Measurement of $\partial w/\partial y$ in a turbulent boundary layer over a riblet surface, Int J Heat Fluid Flow 18(2) 183-187 (Apr 1997), 9A1077

Turbulent boundary layer over riblets: Conditional analysis of ejection-like events, Int J Heat Fluid Flow 18(2) 188-196 (Apr 1997), 9A1078

Effects of bulk flow pulsations on film-cooled boundary layer structure, J Fluids Eng 119(1) 56-66 (Mar 1997), 9T1083

Effects of convection and decay of turbulence on the wall pressure wavenumber-frequency spectrum, J Fluids Eng 119(1) 50-55 (Mar 1997), 9A1111

Effects of free stream turbulence on a turbulent boundary layer on a flat plate with zero pressure gradient - Part IV: Calculation of the flow field, Heat Transfer Japan Res 25(2) 65-75 (1996), 9A1112

Computation of unsteady viscous marine-propulsor blade flows - Part 1: Validation and analysis, J Fluids Eng 119(1) 145-155 (Mar 1997), 9A1183

Active control of panel oscillation induced by accelerating boundary layer and sound, AIAA J 35(5) 796-801 (May 1997), 10A311

Effects of free-stream turbulence on surface pressure fluctuations in a separation bubble, J Fluid Mech 337 1-24 (Apr 1997), 10A1142

Experimental study of turbulent concentration flow field in the wake of a biuff body, J Fluids Eng 119(2) 263-270 (Jun 1997), 11A1018

Hydrodynamic design of active panels of marine vehicles, J Offshore Mech Arctic Eng 117(4) 290-294 (Nov 1995), 11A1019

Interaction of rolling vortices with a turbulent boundary layer, J Fluids Eng 117(4) 564-570 (Dec 1995), 11A1020

Three-dimensional boundary layers over an infinite swept bump and free wing, J Fluids Eng 117(4) 605-611 (Dec 1995), 11A1021

Mechanism of turbulent drag reduction in dilute polymer solutions: Dynamics of vortex filaments, J Non-Newtonian Fluid Mech 69(2-3) 137-153 (Apr 1997), 11A1032

Influences of near-wall and induced irrotational motion in a turbulent boundary layer on wall pressure fluctuations, J Energy Resources Tech 117(4) 252-262 (Dec 1995), 11A1094

Shear-free turbulence near a wall, J Fluid Mech 338 363-385 (May 1997), 11A1098

Wavenumber spectra of high magnitude wall pressure events in a numerically simulated turbulent boundary layer, J Fluids Eng 119(2) 281-288 (Jun 1997), 11A1099
Application of roughness-dependent boundary conditions to turbulent oscillatory flows, Int J Heat Fluid Flow 18(4) 368-375 (Aug 1997), 11A1109
Turbulence measurements in a heated, concave boundary layer under high-free-stream turbulence conditions, J Turbomachinery 118(1) 172-180 (Jan 1996), 11A1271
Effect of large blowing rates on the compressible boundary layer flow at the stagnation point of a rotating sphere, Acta Mech 121(1-4) 115-129 (1997), 12A1119
Turbulent transport measurements in a heated boundary layer: Combined effects of free-stream turbulence and removal of concave curvature, J Heat Transfer 119(3) 413-419 (Aug 1997), 12A1275

362E. Transition and relaminarization

Boundary-layer tripping by a roughness element, J Propulsion Power 12(4) 812-814 (Jul-Aug 1996), 1A1031
Experimental study of a swept-wing boundary-layer stability with respect to unsteady disturbances, Thermophys and Aeromech 2(4) 287-312 (1995), 1A1032
Modeling of bypass transition with conditioned Navier-Stokes equations coupled to an intermittency transport equation, Int J Numer Methods Fluids 23(3) 193-220 (Aug 1996), 1A1033
Sound radiation during local laminar breakdown in a low-Mach-number boundary layer, J Fluid Mech 319 197-218 (Jul 1996), 3A299
Resonant growth of 3D modes in Falkner-Skan boundary layers with adverse pressure gradients, J Fluid Mech 320 211-233 (Aug 1996), 3A1089
Effect of solid particles on stability flow in the boundary layer on a flat plate, J Hydrodyn B(2) 35-41 (1996), 3A1092
Development of wedge-shaped disturbances originating from a point source in a 3D boundary layer, Fluid Dyn Res 18(6) 337-354 (Nov 1996), 4A1034
Spatial evolution of a monochromatically forced flat-plate wake, AIAA J 34(11) 2299-2305 (Nov 1996), 5A202
Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part 1: Mean quantities, J Turbomachinery 118(4) 717-727 (Oct 1996), 5A985
Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part 2: Fluctuation quantities, J Turbomachinery 118(4) 728-736 (Oct 1996), 5A986
Effects of streamwise pressure gradient on turbulent spot development, J Turbomachinery 118(4) 737-743 (Oct 1996), 5A987
Large-eddy simulation of transition to turbulence in a boundary layer developing spatially over a flat plate, J Fluid Mech 326 1-36 (Nov 1996), 5A988
Transition correlation in flow over a swept cylinder, AIAA J 34(11) 2431-2432 (Nov 1996), 5T989
Transition in a separation bubble, J Turbomachinery 118(4) 752-759 (Oct 1996), 5A990
Transition length prediction for flows with rapidly changing pressure gradients, J Turbomachinery 118(4) 744-751 (Oct 1996), 5A991
Turbine blade heat transfer prediction in flow transition using k-ω two-equation model, J Thermophys Heat Transfer 10(4) 613-620 (Oct-Dec 1996), 5A992
Vortex-wave interactions - Part 2: Originating from axisymmetric flow with swirl, J Fluid Mech 325 145-161 (Oct 1996), 5A993
Subsonic, supersonic, and hypersonic inflectional-wave-vortex interaction, J Eng Math 30(6) 611-645 (Nov 1996), 5A994
Automatic control of laminar boundary-layer transition, AIAA J 35(1) 85-90 (Jan 1997), 6A1075
Airfoil boundary-layer development and transition with large leading-edge roughness, AIAA J 35(1) 75-84 (Jan 1997), 6A1083
Boundary-layer stability measurements in a hypersonic quiet tunnel, AIAA J 34(12) 2496-2500 (Dec 1996), 6A1084
Space-time correlation measurements in a hypersonic transitional boundary layer, AIAA J 34(12) 2484-2489 (Dec 1996), 6A1085
Reynolds-number-independent instability of the boundary layer over a flat surface, J Fluid Mech 327 101-115 (Nov 1996), 6A1133
IUTAM Symposium on Nonlinear Instability and Transition in Three-Dimensional Boundary Layers (Kluwer, Netherlands, 1996) 7N28
Sensitivity of e^n method of transition prediction, J Fluids Eng 118(4) 860-862 (Dec 1996), 7T1090
Boundary-layer transition detection in a cryogenic wind tunnel using luminescent paint, J Aircraft 34(1) 34-42 (Jan-Feb 1997), 8A1127
Effect of the second harmonic on the fundamental parametric resonance in boundary layers, Int J Non-Linear Mech 32(2) 291-301 (Mar 1997), 8A1128
Influence of roughness on attachment line boundary layer transition in hypersonic flow, Exp Fluids 22(4) 286-291 (Feb 1997), 8A1129
Stability of attachment-line boundary layers - Part 2: The effect of leading-edge curvature, J Fluid Mech 333 125-137 (Feb 1997), 8A1130
Oscillatory momentum transport mechanisms in transitional complex geometry flows, J Fluids Eng 119(1) 29-35 (Mar 1997), 9A1079
Effects of leading-edge roughness on fluid flow and heat transfer in the transitional boundary layer over a flat plate, Int J Heat Mass Transfer 40(12) 2813-2823 (Aug 1997), 9A1205
Excitation of secondary instabilities in boundary layers, J Fluid Mech 336 245-266 (Apr 1997), 10A1138
Spectral analysis of parabolized stability equations, Comput Fluids 26(3) 279-297 (Mar 1997), 10A1140
Numerical simulation of the evolution of Tollmien-Schlichting waves over finite compliant panels, J Fluid Mech 335 361-392 (Mar 1997), 10A1146
Generation of turbulent spots in a laminar boundary layer, Eur J Mech B 16(3) 349-385 (1997), 11A1022
Late stages of transition induced by a low-amplitude wavepacket in a laminar boundary layer, J Fluid Mech 340 395-411 (Jun 1997), 11A1023
Leading-edge receptivity in 3D classical boundary layers, Eur J Mech B 16(3) 321-348 (1997), 11A1024
Nonlinear evolution of a pair of oblique Tollmien-Schlichting waves in boundary layers, J Fluid Mech 340 361-394 (Jun 1997), 11A1067
Path to predicting bypass transition, J Turbomachinery 119(3) 405-411 (Jul 1997), 12A1115
Transition over C4 leading edge and measurement of intermittency factor using PDF of hot-wire signal, J Turbomachinery 119(3) 412-425 (Jul 1997), 12A1116
Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 1: Mean flow results, J Heat Transfer 119(3) 420-426 (Aug 1997), 12A1247
Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 2: Turbulent transport results, J Heat Transfer 119(3) 427-432 (Aug 1997), 12A1248
Velocity and temperature profiles in turbulent boundary layer flows experiencing streamwise pressure gradients, J Heat Transfer 119(3) 433-439 (Aug 1997), 12A1254

362F. Compressible and hypersonic layers

Analysis of hypersonic shock-wave laminar boundary-layer interaction phenomena, Comput Fluids 25(6) 561-581 (Jul 1996), 3A1093
Compressibility boundary layer theory and its significance in computational hydrodynamics, J Hydrodyn B(2) 92-101 (1996), 3A1094
Compressible mixing layer growth rate and turbulence characteristics, J Fluid Mech 320 235-258 (Aug 1996), 3A1095
Influence of wall cooling on hypersonic boundary-layer separation and stability, J Fluid Mech 321 189-216 (Aug 1996), 3A1097
Transonic and boundary layer similarity laws in dense gases, J Fluids Eng 118(3) 481-485 (Sep 1996), 4A1000
Model for adiabatic supersonic turbulent boundary layers, Theor Comput Fluid Dyn 8(5) 349-364 (Sep 1996), 4A1003
Subsonic, supersonic, and hypersonic inflectional-wave-vortex interaction, J Eng Math 30(6) 611-645 (Nov 1996), 5A994
Propagation of perturbations in supersonic boundary layers, J Appl Math Mech 60(3) 455-462 (1996), 6A1086
Semi-implicit method for internal boundary layers in compressible flows, Comput Methods Appl Mech Eng 137(3-4) 379-393 (Nov 1996), 6A1087
Effect of angle of attack on hypersonic boundary-layer stability, AIAA J 35(3) 464-470 (Mar 1997), 9A1080
Effect of large blowing rates on the compressible boundary layer flow at the stagnation point of a rotating sphere, Acta Mech 121(1-4) 115-129 (1997), 12A1119

362G. Shock wave boundary layer interaction

Shock induced Richtmyer-Meshkov instability in the presence of a wall boundary layer, Shock Waves 6(1) 1-8 (Jun 1996), 1T272
Flat-plate boundary-layer flows induced by dusty shock wave, Appl Math Mech 17(5) 437-444 (May 1996), 1A1034
High-resolution hybrid compact-ENO scheme for shock-turbulence interaction problems, J Comput Phys 127(1) 27-51 (Aug 1996), 2A232
Analysis of hypersonic shock-wave laminar boundary-layer interaction phenomena, Comput Fluids 25(6) 561-581 (Jul 1996), 3A1093
Upstream influence and peak heating in hypervelocity shock wave-boundary-layer interaction, J Propulsion Power 12(5) 984-990 (Sep-Oct 1996), 3A1096
Correlation of separation angles induced by glancing interactions, AIAA J 34(10) 2198-2200 (Oct 1996), 4T1035
Flowfield measurements inside a boundary-layer bleed slot, AIAA J 34(10) 1977-1983 (Oct 1996), 4A1036
Interaction of swept and unswept normal shock waves with boundary layers, AIAA J 34(10) 2099-2101 (Oct 1996), 4A1037
Leading-edge bluntness effects in high enthalpy, hypersonic compression corner flow, AIAA J 34(11) 2284-2290 (Nov 1996), 5A957
Expansion corner effects on hypersonic shock wave-turbulent boundary-layer interactions, J Propulsion Power 12(6) 1169-1173 (Nov-Dec 1996), 5A995
Dynamics of isoconcentration surfaces in weak shock turbulent mixing interaction, AIAA J 34(12) 2539-2544 (Dec 1996), 6A1088
Flow structure peculiarities in a streamwise corner under the conditions of shock wave-boundary layer interaction, Eur J Mech B 15(6) 831-846 (1996), 6A1089
Interaction between an externally generated oblique shock wave and a boundary layer in a rectangular half channel, Eur J Mech B 15(6) 847-863 (1996), 6A1090
Investigation on onset of shock-induced separation, Shock Waves 6(5) 275-286 (Nov 1996), 6A1091
Shock slip-relations for thermal and chemical non-equilibrium flows, Acta Mech Sinica 12(2) 117-123 (1996), 6A1092
Effect of geometry on the unsteady type-IV shock interaction, J Aircraft 34(1) 64-71 (Jan-Feb 1997), 8A1131
Algebraic turbulence modeling for swept shock-wave-turbulent boundary-layer interactions, AIAA J 35(3) 456-463 (Mar 1997), 9A1081
Numerical verification of scaling laws for shock-boundary layer interactions in arbitrary gases, J Fluids Eng 119(1) 67-73 (Mar 1997), 9A1082
Interaction of a shock with a longitudinal vortex, J Fluid Mech 337 129-153 (Apr 1997), 10A305
Skin-friction predictions in a crossing-shock turbulent interaction, J Propulsion Power 13(3) 342-348 (May-Jun 1997), 10A1141
Aero-thermodynamic loss analysis in cases of normal shock wave-turbulent shear layer interaction, J Fluids Eng 119(2) 297-303 (Jun 1997), 11A1025
Effect of the structure of swept-shock-wave and turbulent-boundary-layer interactions on turbulence modeling, J Fluid Mech 338 203-230 (May 1997), 11A1026
Structure of a supersonic 3D cylinder-offset-flare turbulent interaction, J Spacecraft Rockets 34(3) 294-302 (May-Jun 1997), 12A1117

362H. Three-dimensional layers

Concerning 3D flow past a tall building on flat ground, Quart J Mech Appl Math 50(1) 97-128 (Feb 1997), 8A1132

362I. Unsteady layers

Class of unsteady boundary layers of finite extent, J Fluid Mech 319 151-170 (Jul 1996), 3A1128
Simulations of the viscous flow normal to an impulsively started and uniformly accelerated flat plate, J Fluid Mech 328 177-227 (Dec 1996), 6A1076
Response of turbulent flow to the disturbance of a vibrating ribbon, Acta Mech Sinica 12(3) 193-199 (1996), 6A1080
Chaotic motion in an oscillatory boundary layer, Chaos 6(4) 601-616 (Dec 1996), 6A1093
Impulsive stretching of a surface in a viscous fluid, SIAM J Appl Math 57(1) 1-14 (Feb 1997), 8A1049
One-dimensional solutions for a flow with a helical symmetry, Thermophys and Aeromech 3(4) 297-301 (1996), 8T1133

362J. Thermal boundary layers

Free convection stagnation point boundary layers driven by catalytic surface reactions - II: Times to ignition, J Eng Math 30(4) 403-415 (Jul 1996), 1A1167
MHD free convection from a vertical semi-infinite flat plate with a step change in the magnetic field, Z Angew Math Mech 76(8) 479-780 (1996), 2T1164
Flow and heat transfer on a continuous flat surface moving in a parallel free stream of power-law fluid, Appl Math Model 20(10) 779-784 (Oct 1996), 4A1038
Flow and heat transfer over a longitudinal circular cylinder moving in parallel or reversely to a free stream, Acta Mech 118(1-4) 185-195 (1996), 5A984
Boundary layer analysis of combined heat and mass transfer by natural convection from a concentrated source in a saturated porous medium, Appl Sci Res 56(1) 1-11 (1996), 5A1143
Effects of transverse magnetic field on mixed convection in a micropolar fluid on a horizontal plate with vectored mass transfer, Acta Mech 118(1-4) 1-12 (1996), 5A1179
Thermal interaction between laminar film condensation and forced convection along a conducting wall, Acta Mech 118(1-4) 13-26 (1996), 5A1216
Mass transfer dominated by thermal diffusion in laminar boundary layers, J Fluid Mech 336 379-409 (Apr 1997), 10A1385
Estimation of the onset of longitudinal vortices in a laminar boundary layer heated from below, J Heat Transfer 117(4) 835-842 (Nov 1995), 11A1245
Bulk flow pulsations and film cooling: Flow structure just downstream of the holes, J Turbomachinery 119(3) 568-573 (Jul 1997), 12A1118
Film cooling from spanwise-oriented holes in two staggered rows, J Turbomachinery 119(3) 562-567 (Jul 1997), 12A1250
Row-of-holes film cooling of curved walls at low injection angles, J Turbomachinery 119(3) 574-579 (Jul 1997), 12A1253

362K. Non-Newtonian layers

Rayleigh similarity solutions and boundary layer flow for concentrated suspensions, J Non-Newtonian Fluid Mech 64(2-3) 157-171 (Jun 1996), 1A1035
Flow and heat transfer on a continuous flat surface moving in a parallel free stream of power-law fluid, Appl Math Model 20(10) 779-784 (Oct 1996), 4A1038
Effects of transverse magnetic field on mixed convection in a micropolar fluid on a horizontal plate with vectored mass transfer, Acta Mech 118(1-4) 1-12 (1996), 5A1179
Buckling and postbuckling behavior of stiffened composite panels loaded in compression, AIAA J 35(1) 202-204 (Jan 1997), 6T1094
High Weissenberg number boundary layers for the upper convected Maxwell fluid, J Non-Newtonian Fluid Mech 68(1) 125-132 (Jan 1997), 8A1134
Added stresses because of the presence of FENE-P bead-spring chains in a random velocity field, J Fluid Mech 337 67-101 (Apr 1997), 10A1182

362M. Separation and reattachment

Vortex simulation of leading-edge separation bubble with local forcing, Fluid Dyn Res 18(2) 99-115 (Jul 1996), 1A1036
Low-Reynolds-number separation on an airfoil, AIAA J 34(8) 1570-1577 (Aug 1996), 2A1083
Influence of wall cooling on hypersonic boundary-layer separation and stability, J Fluid Mech 321 189-216 (Aug 1996), 3A1097
Turbulence measurements around a mild separation bubble and downstream of reattachment, J Fluid Mech 322 297-328 (Sep 1996), 3A1098
Combined experimental and computational study of pressure-driven 3D separation in a turbulent boundary layer, Exp Thermal Fluid Sci 13(3) 252-265 (Oct 1996), 4A1039
Disturbances excited by a point source in an axi-symmetric laminar separation bubble, Eur J Mech B 15(5) 651-664 (1996), 5A983
Aspects of turbulent boundary-layer separation, Prog Aerospace Sci 32(5) 457-521 (Oct 1996), 5A996
Control of turbulent separated flow over a backward-facing step by local forcing, Exp Fluids 21(6) 417-426 (Oct 1996), 5A997
Simulation of 3D symmetric and asymmetric instabilities in attachment-line boundary layers, AIAA J 34(11) 2432-2434 (Nov 1996), 5T998
Three-dimensional separated flow structure over a cylinder with a hemispherical cap, J Fluid Mech 324 83-108 (Oct 1996), 5A999
Investigation on onset of shock-induced separation, Shock Waves 6(5) 275-286 (Nov 1996), 6A1091
Boundary-layer relaxation after a separated region, Exp Thermal Fluid Sci 13(4) 338-348 (Nov 1996), 6A1095
Prediction of fluctuating pressure loads produced by shock-induced turbulent separation, J Aircraft 33(6) 1157-1165 (Nov-Dec 1996), 6A1096
Computation of unsteady separated flow fields using anisotropic vorticity elements, J Fluids Eng 118(4) 839-849 (Dec 1996), 7A1091
Steady separated flow around an inclined flat plate, J Fluid Mech 333 403-413 (Feb 1997), 8A1078
Instability of the shear layer separating from a bluff body, J Fluid Mech 333 375-402 (Feb 1997), 8A1135

Numerical study of a separation bubble with heat transfer, Eur J Mech B 16(2) 169-189 (1997), 8A1136
Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, Thermophys and Aeromech 3(4) 285-292 (1996), 8T1213
Effects of free-stream turbulence on surface pressure fluctuations in a separation bubble, J Fluid Mech 337 1-24 (Apr 1997), 10A1142
Transient simulation of internal separated flows using an intelligent higher-order spatial discretization scheme, Int J Numer Methods Fluids 24(8) 759-769 (Apr 1997), 10A1143
Rapid diagnosis of flow separation around an axial impeller in a mixing vessel, Exp Fluids 22(6) 519-522 (Apr 1997), 10A1241
Large-scale structure of a leading-edge separation bubble with local forcing, Fluid Dyn Res 19(6) 363-378 (Jun 1997), 11A1027
Unsteady detached separation from a circular cylinder performing rotational oscillations in a uniform viscous incompressible flow, Int J Numer Methods Fluids 25(2) 125-142 (Jul 1997), 12A1075

362N. Suction and injection

Predictions and observations of the flow field induced by laminar flow control microperforations, Exp Thermal Fluid Sci 13(4) 395-407 (Nov 1996), 6T1097
High-Reynolds-number cross-flow with injection and suction, Quart J Mech Appl Math 50(1) 47-68 (Feb 1997), 8A1137
Self-contained automated methodology for optimal flow control, AIAA J 35(5) 816-824 (May 1997), 10A1144
Effect of large blowing rates on the compressible boundary layer flow at the stagnation point of a rotating sphere, Acta Mech 121(1-4) 115-129 (1997), 12A1119
Film cooling effect of hydrogen on cylinder in supersonic airflow, J Spacecraft Rockets 34(3) 285-289 (May-Jun 1997), 12A1120
Integral formulation for mass transfer of a reactive species in a channel from a moving surface with blowing, Indian J Eng Mat Sci 4(2) 71-77 (Apr 1997), 12A1122

362O. Surface roughness

Investigation of riblet effect on a spanwise modulated boundary layer, Thermophys and Aeromech 2(4) 277-286 (1995), 1T1037
Effect of solid particles on stability flow in the boundary layer on a flat plate, J Hydrodyn 8(2) 35-41 (1996), 3A1092
Turbulence characteristics of a boundary layer over a 2D bump, J Fluid Mech 320 53-69 (Aug 1996), 3A1146
Turbulence characteristics of a boundary layer over a swept bump, J Fluid Mech 323 1-22 (Sep 1996), 4A1033
Boundary layer flow over a continuously moving wavy surface in micropolar fluids, Appl Mech Eng 1(2) 211-230 (1996), 4A1040
Formation of longitudinal vortices in a turbulent boundary layer over wavy terrain, J Fluid Mech 326 321-341 (Nov 1996), 5A1042
Dynamics of Adsorption at Liquid Interfaces: Theory, Experiment, Application (Elsevier Sci BV, Netherlands, 1995) 7N25
Influence of roughness on attachment line boundary layer transition in hypersonic flow, Exp Fluids 22(4) 286-291 (Feb 1997), 8A1129
Effects of bulk flow pulsations on film-cooled boundary layer structure, J Fluids Eng 119(1) 56-66 (Mar 1997), 9T1083
Stability of wall-bounded shear layers in the presence of simulated distributed surface roughness, J Fluid Mech 335 29-55 (Mar 1997), 10A1168
Formulation of surface roughness models for machining nickel super alloy with different tools, Mat Manuf Processes 12(3) 395-408 (1997), 11T602
Experiments on drag-reducing surfaces and their optimization with an adjustable geometry, J Fluid Mech 338 59-87 (May 1997), 11A1031
Response of a turbulent boundary layer to a square groove, J Fluids Eng 119(2) 466-469 (Jun 1997), 11T1096
Analysis of the characteristics of rough bed turbulent shear stresses in an open channel, Stochastic Hydrology Hydraul 11(3) 193-210 (Jun 1997), 12T1143

362P. Rotating fluids or surfaces

Structure and energetics of optimal Ekman layer perturbations, J Fluid Mech 333 97-123 (Feb 1997), 8A1138
Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, J Turbomachinery 119(1) 114-127 (Jan 1997), 8A1239
Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, J Turbomachinery 119(1) 128-139 (Jan 1997), 8A1240
Rapid diagnosis of flow separation around an axial impeller in a mixing vessel, Exp Fluids 22(6) 519-522 (Apr 1997), 10A1241
Linear theory for Ekman's boundary layer according to a triple deck, Int J Numer Methods Fluids 24(11) 1211-1223 (Jun 1997), 11A1028
Streamwise development of Gortler vortices in a favorable pressure gradient, J Turbomachinery 118(1) 162-171 (Jan 1996), 11A1029
Linear growth of Gortler vortices, Int J Heat Fluid Flow 18(4) 389-399 (Aug 1997), 11A1081
Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part 1: Description of the approach and validation, J Turbomachinery 118(1) 96-108 (Jan 1996), 11A1161
Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part 2: Simulation of unsteady boundary layer flow physics, J Turbomachinery 118(1) 109-122 (Jan 1996), 11A1162
Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, J Turbomachinery 119(3) 426-444 (Jul 1997), 12A1178

362Q. Heat addition and cooling

Effect of free-stream turbulence on flat-plate heat flux signals: Spectra and eddy transport velocities, J Turbomachinery 118(3) 461-467 (Jul 1996), 1A1158
Influence of wall cooling on hypersonic boundary-layer separation and stability, J Fluid Mech 321 189-216 (Aug 1996), 3A1097
Hydrodynamic control of boundary layers around a body of revolution in mixed-convection (French), Int J Heat Mass Transfer 40(3) 657-663 (Feb 1997), 5A1159
Thermal interaction between laminar film condensation and forced convection along a conducting wall, Acta Mech 118(1-4) 13-26 (1996), 5A1216
Effect of localized cooling on laminar flow, Int J Eng Sci 34(14) 1573-1583 (Nov 1996), 6A1098
Stabilization of a nozzle boundary layer by local surface heating, AIAA J 34(12) 2490-2495 (Dec 1996), 6A1099
Numerical study of a separation bubble with heat transfer, Eur J Mech B 16(2) 169-189 (1997), 8A1136
Effect of coarse particles on the heat transfer in a turbulent boundary layer, Int J Heat Mass Transfer 40(9) 2201-2217 (Jun 1997), 8A1139
Effects of leading-edge roughness on fluid flow and heat transfer in the transitional boundary layer over a flat plate, Int J Heat Mass Transfer 40(12) 2813-2823 (Aug 1997), 9A1205
Numerical simulation of heat transfer and flow structure in 3D turbulent boundary layer with imbedded longitudinal vortex, Numer Heat Transfer A 31(4) 433-450 (Mar 1997), 9A1207
Conjugate film flow down a heated vertical wall, Z Angew Math Mech 77(2) 151-154 (1997), 10T1145
Effect of buoyancy on upper-branch Tollmein-Schlichting waves, IMA J Appl Math 58(1) 19-50 (Feb 1997), 10A1167
Mass transfer dominated by thermal diffusion in laminar boundary layers, J Fluid Mech 336 379-409 (Apr 1997), 10A1385
Multiple time-scale turbulence model for wall and homogeneous shear flows based on direct numerical simulations, Int J Heat Fluid Flow 18(4) 346-359 (Aug 1997), 11A1030
Film cooling effect of hydrogen on cylinder in supersonic airflow, J Spacecraft Rockets 34(3) 285-289 (May-Jun 1997), 12A1120
Heat transfer in the forced laminar wall jet, J Heat Transfer 119(3) 451-459 (Aug 1997), 12A1252

362R. Compliant wall

Numerical simulation of the evolution of Tollmien-Schlichting waves over finite compliant panels, J Fluid Mech 335 361-392 (Mar 1997), 10A1146

362S. Drag reduction

Ninth European drag reduction meeting, April 19-21, 1995, University of Naples Federico II, Ravello, Italy, Appl Sci Res 55(4) 289-341 (1995), 2A1004
Note on the drag reduction of a circular cylinder due to double rows of holes, Fluid Dyn Res 18(4) 237-243 (Sep 1996), 2A1005
Turbulent drag reduction in a d-type rough wall boundary layer with longitudinal thin ribs placed within traverse grooves: Higher-order moments and conditional sampling analysis, JSME Int J Ser B 39(3) 461-469 (Aug 1996), 3A1099
Turbulent velocity field in heterogeneously drag reduced pipe flow, J Non-Newtonian Fluid Mech 65(2-3) 221-240 (Aug 1996), 3A1100
Effects of polymer additives on the large scale structure of a 2D submerged jet, Appl Sci Res 56(1) 13-18 (1996), 5A1014
Active control in the turbulent wall layer of a minimal flow unit, J Fluid Mech 329 341-371 (Dec 1996), 7A1085
Combined PIV-LIF-system for the measurement of heterogeneous drag reduction effects in a pipe-flow, Exp Fluids 22(4) 292-299 (Feb 1997), 8A1140
Experimental investigation of thermal and hydrodynamic development regions for drag-reducing surfactant solutions, J Heat Transfer 119(1) 80-88 (Feb 1997), 8A1269
Drag reduction by polymer additives in a turbulent pipe flow: Numerical and laboratory experiments, J Fluid Mech 337 193-231 (Apr 1997), 10A1179
Experiments on drag-reducing surfaces and their optimization with an adjustable geometry, J Fluid Mech 338 59-87 (May 1997), 11A1031
Mechanism of turbulent drag reduction in dilute polymer solutions: Dynamics of vortex filaments, J Non-Newtonian Fluid Mech 69(2-3) 137-153 (Apr 1997), 11A1032
Non-viscoelastic drag reducing cationic surfactant system, J Non-Newtonian Fluid Mech 71(1-2) 59-72 (Jul 1997), 12A1121

362T. Non-equilibrium and chemical effects

Free convection stagnation point boundary layers driven by catalytic surface reactions - II: Times to ignition, J Eng Math 30(4) 403-415 (Jul 1996), 1A1167
Generation of turbulent spots in a laminar boundary layer, Eur J Mech B 16(3) 349-385 (1997), 11A1022
Integral formulation for mass transfer of a reactive species in a channel from a moving surface with blowing, Indian J Eng Mat Sci 4(2) 71-77 (Apr 1997), 12A1122

362Y. Computational techniques

Solutions of 3D boundary layer equations by global methods of generalized differential-integral quadrature, Int J Numer Methods Heat & Fluid Flow 6(2) 61-75 (Mar 1996), 1A1028
Modeling of bypass transition with conditioned Navier-Stokes equations coupled to an intermittency transport equation, Int J Numer Methods Fluids 23(3) 193-220 (Aug 1996), 1A1033
Vortex simulation of leading-edge separation bubble with local forcing, Fluid Dyn Res 18(2) 99-115 (Jul 1996), 1A1036
Numerical simulation of heat transfer in chemically reacting shock wave-turbulent boundary layer interactions, Numer Heat Transfer A 30(1) 55-72 (Jul 1996), 1A1038
Analysis of hypersonic shock-wave laminar boundary-layer interaction phenomena, Comput Fluids 25(6) 561-581 (Jul 1996), 3A1093
Numerical studies of unsteady boundary layer flows past an impulsively started circular cylinder by GDQ and GIQ approaches, Comput Methods Appl Mech Eng 135(3-4) 229-241 (Sep 1996), 3A1101
Large-domain approach for calculating ship boundary layers and wakes and wave fields for nonzero Froude number, J Comput Phys 127(2) 398-411 (Sep 1996), 3T1182
Small silicon pressure transducers for space-time correlation measurements in a flat plate boundary layer, J Fluids Eng 118(3) 457-463 (Sep 1996), 4A1041
Simulations of the viscous flow normal to an impulsively started and uniformly accelerated flat plate, J Fluid Mech 328 177-227 (Dec 1996), 6A1076
Large eddy simulation of an equilibrium 3D turbulent boundary layer, AIAA J 35(1) 67-74 (Jan 1997), 6A1079
Active control in the turbulent wall layer of a minimal flow unit, J Fluid Mech 329 341-371 (Dec 1996), 7A1085
Vorticity generation on a flat surface in 3D flows, J Comput Phys 129(2) 345-356 (Dec 1996), 7A1089
Computation of unsteady separated flow fields using anisotropic vorticity elements, J Fluids Eng 118(4) 839-849 (Dec 1996), 7A1091
High-resolution laser Doppler anemometer for 3D turbulent boundary layers, Exp Fluids 22(2) 111-117 (Dec 1996), 7A1092
Assessment of Navier-Stokes and boundary layer procedures for the prediction of 2D viscous flow in a turbine nozzle, Int J Turbo Jet Engines 13(3) 217-226 (1996), 8A1245
Oscillatory momentum transport mechanisms in transitional complex geometry flows, J Fluids Eng 119(1) 29-35 (Mar 1997), 9A1079
Numerical verification of scaling laws for shock-boundary layer interactions in arbitrary gases, J Fluids Eng 119(1) 67-73 (Mar 1997), 9A1082
Natural convection boundary layer flow of a micropolar fluid along a vertical plate in a thermally stratified medium, Appl Mech Eng 1(3) 381-395 (1996), 9A1084
Spectral analysis of parabolized stability equations, Comput Fluids 26(3) 279-297 (Mar 1997), 10A1140
Transient simulation of internal separated flows using an intelligent higher-order spatial discretization scheme, Int J Numer Methods Fluids 24(8) 759-769 (Apr 1997), 10A1143
Self-contained automated methodology for optimal flow control, AIAA J 35(5) 816-824 (May 1997), 10A1144
Kind of approximate solution technique which does not depend upon small parameters - II: An application in fluid mechanics, Int J Non-Linear Mech 32(5) 815-822 (Sep 1997), 12A82
Unsteady detached separation from a circular cylinder performing rotational oscillations in a uniform viscous incompressible flow, Int J Numer Methods Fluids 25(2) 125-142 (Jul 1997), 12A1075
Integral formulation for mass transfer of a reactive species in a channel from a moving surface with blowing, Indian J Eng Mat Sci 4(2) 71-77 (Apr 1997), 12A1122

362Z. Experimental techniques

Compressibility boundary layer theory and its significance in computational hydrodynamics, J Hydrodyn 8(2) 92-101 (1996), 3A1094
Flowfield measurements inside a boundary-layer bleed slot, AIAA J 34(10) 1977-1983 (Oct 1996), 4A1036
Visualization and analysis of bow shocks in a superorbital expansion tube, AIAA J 34(10) 2200-2202 (Oct 1996), 4T1042
Boundary-layer relaxation after a separated region, Exp Thermal Fluid Sci 13(4) 338-348 (Nov 1996), 6A1095
Boundary-layer characterization on moving walls by an embedded laser velocimetry technique, AIAA J 35(1) 207-209 (Jan 1997), 6T1100
Vortex stretching in a laminar boundary layer flow, Exp Fluids 22(4) 351-353 (Feb 1997), 8A1124
Axisymmetric boundary layer beneath a Rankine-like vortex, Exp Fluids 22(4) 300-311 (Feb 1997), 8A1141
Measurement of $\partial u/\partial y$ in a turbulent boundary layer over a riblet surface, Int J Heat Fluid Flow 18(2) 183-187 (Apr 1997), 9A1077
Turbulent boundary layer over riblets: Conditional analysis of ejection-like events, Int J Heat Fluid Flow 18(2) 188-196 (Apr 1997), 9A1078
Interferometry and reconstruction of strongly refracting fields in 2D boundary layer flow, Exp Fluids 22(5) 423-431 (Mar 1997), 9A1085
Heat flux measurements in a turbulent boundary layer on a rough wall, Int J Heat Mass Transfer 40(12) 2989-2993 (Aug 1997), 9T1241
Transition over C4 leading edge and measurement of intermittency factor using PDF of hot-wire signal, J Turbomachinery 119(3) 412-425 (Jul 1997), 12A1116
Dynamics of the vorticity distribution in endwall junctions, AIAA J 35(6) 1041-1047 (Jun 1997), 12A1123

364. INTERNAL FLOW (PIPE, CHANNEL, COUETTE)

364B. Laminar flow

Unidirectional flows of a nonlinearly viscous fluid in tubes, J Appl Math Mech 60(1) 41-45 (1996), 1A1039
Three-dimensional viscous flow through a rotating channel: A pseudospectral matrix method approach, Int J Numer Methods Fluids 23(4) 379-396 (Aug 1996), 2A1006
Large post-buckling deformations of cylindrical shells conveying viscous flow, J Fluids Struct 10(6) 565-599 (Aug 1996), 3A278
Flow in an open channel capillary, J Fluid Mech 322 109-129 (Sep 1996), 3A1034
Steady motion of a semi-infinite bubble through a flexible-walled channel, J Fluid Mech 319 25-65 (Jul 1996), 3A1079
Viscous flow behavior in a curved annular duct, J Hydrodyn 8(2) 102-110 (1996), 3T1102
Flow in a tube with non-uniform, time-dependent curvature: Governing equations and simple examples, J Fluid Mech 323 237-265 (Sep 1996), 4A1043

Numerical study of steady laminar flow through tubes with multiple constrictions using curvilinear co-ordinates, Int J Numer Methods Fluids **23**(10) 1021-1041 (Nov 1996), 5A949

Computational and experimental study of pressure losses in duct transitions, Int J Energy Res **20**(11) 979-987 (Nov 1996), 5A1000

Motion of an ellipsoid in tube flow at low Reynolds numbers, J Fluid Mech **324** 287-308 (Oct 1996), 5A1001

Nonlinear development of flow in channels with non-parallel walls, J Fluid Mech **326** 265-284 (Nov 1996), 5A1002

Analytical investigation of the fluid flow in the interface region between a porous medium and a clear fluid in channels partially filled with a porous medium, Appl Sci Res **56**(1) 53-67 (1996), 5A1007

Effect of Atwood number on the kinematic mixing of two fluids, J Mat Processing Manuf Sci **4**(4) 323-337 (Apr 1996), 6A1012

Bifurcation of low Reynolds number flows in symmetric channels, AIAA J **35**(1) 99-105 (Jan 1997), 6A1101

Long-wave peristaltic transport of a compressible viscous fluid in a finite pipe subject to a time-dependent pressure drop, Fluid Dyn Res **19**(2) 115-123 (Feb 1997), 7A1093

Systems theory approach to the feedback stabilization of infinitesimal and finite-amplitude disturbances in plane Poiseuille flow, J Fluid Mech **332** 157-184 (Feb 1997), 8A389

Further contributions on the 2D flow in a sudden expansion, J Fluid Mech **330** 169-188 (Jan 1997), 8A1149

Experimental and analytical study of single-phase liquid flow in a horizontal well, J Energy Resources Tech **119**(1) 20-25 (Mar 1997), 9A1086

Analysis of oscillatory flow in consideration of a plasma layer in arterial stenoses, Appl Math Mech **17**(12) 1127-1135 (Dec 1996), 9A1584

Flow along a diverging channel, J Fluid Mech **336** 183-202 (Apr 1997), 10A1069

Volume V: Pipeline Technology (ASME, New York, 1997) 11N30

Experimental investigation into the breakdown of low Reynolds number pulsed flows at a pipe orifice, J Fluids Eng **119**(2) 347-353 (Jun 1997), 11A1033

Perturbation dynamics in viscous channel flows, J Fluid Mech **339** 55-75 (May 1997), 11A1065

364C. Turbulent flow

Velocity field in isothermal turbulent bubbly gas-liquid flow through a pipe, Exp Fluids **21**(5) 347-356 (Sep 1996), 4A1027

Turbulent flow in longitudinally finned tubes, J Fluids Eng **118**(3) 506-513 (Sep 1996), 4A1044

Relaminarization of developing turbulent flow in a 180° curved square channel: A study based on temperature fluctuation measurements, Exp Heat Transfer **9**(3) 267-285 (Jul-Sep 1996), 5A1003

Interaction between an externally generated oblique shock wave and a boundary layer in a rectangular half channel, Eur J Mech B **15**(6) 847-863 (1996), 6A1090

Large-scale structures in a numerical and experimental low-Reynolds number turbulent pipe flow, Eur J Mech B **15**(6) 897-915 (1996), 6A1102

Prediction of strongly curved turbulent duct flows with Reynolds stress model, AIAA J **35**(1) 91-98 (Jan 1997), 6A1103

Performance evaluation of vaned pipe bends in turbulent flow of liquid propellants, Appl Math Model **21**(1) 48-62 (Jan 1997), 8A1142

Study of turbulent flow in pipe contractions, Proc Inst Mech Eng E **210**(E3) 171-180 (1996), 8A1143

Differential stress modeling of turbulent flows in model reciprocating engines, Proc Inst Mech Eng D **211**(D1) 59-77 (1997), 9A1087

Scaling laws for fully developed turbulent flow in pipes, Appl Mech Rev **50**(7) 413-429 (Jul 1997), 9A1088

Volume V: Pipeline Technology (ASME, New York, 1997) 11N30

Hydraulic conveying in small diameter horizontal pipes, J Hydrology and Hydromech **44**(5) 265-290 (1996), 11T902

Theoretical description and numerical sensitivity analysis of Wilson model for hydraulic transport of solids in pipelines, J Hydrology and Hydromech **44**(4) 208-222 (1996), 11T903

LDV measurements of spatially periodic flows over a detached solid-rib array, J Fluids Eng **119**(2) 383-389 (Jun 1997), 11A1041

364D. Transition and relaminarization

Steady developing laminar flow in helical pipes with finite pitch, Int J Comput Fluid Dyn **6**(3) 209-224 (1996), 1A1041

Experimental studies on the onset of turbulence and frictional losses in an oscillatory turbulent pipe flow, Int J Heat Fluid Flow **17**(4) 356-362 (Aug 1996), 2A1007

Evolution of vorticity in perturbed flow in a pipe, Exp Thermal Fluid Sci **13**(3) 206-210 (Oct 1996), 4A1045

Experimental and numerical study of a 90° bifurcation, Fluid Dyn Res **19**(1) 1-26 (Jan 1997), 5A83

Flow through a rectangular-to-semiannular diffusing transition duct, J Propulsion Power **13**(2) 312-317 (Mar-Apr 1997), 9A1089

Experimental investigation into the breakdown of low Reynolds number pulsed flows at a pipe orifice, J Fluids Eng **119**(2) 347-353 (Jun 1997), 11A1033

364E. Unsteady flow

Transient pressure analysis in piping networks due to valve closing and outlet pressure pulsation, J Pressure Vessel Tech **118**(3) 315-325 (Aug 1996), 2A1008

Energy dissipation in oscillating flow through straight and coiled pipes, J Acoust Soc Am **100**(4-PART 1) 2123-2131 (Oct 1996), 4A1046

Flow area of multiple poppet valves, Proc Inst Mech Eng D **210**(D4) 347-351 (1996), 5A1004

Oscillating flow of a heat-conducting fluid in a narrow tube, J Fluid Mech **324** 135-161 (Oct 1996), 5A1006

Approximate method of determination of solutions of the problem on normal oscillations of viscous liquid in the horizontal channel (Russian), Prikl Mekh (Appl Mech) **32**(7) 76-83 (1996), 6A1104

Dynamic behavior of a U-type tuned liquid damper, Int Shipbuild Prog **43**(436) 331-345 (Dec 1996), 6A1105

Long-wave peristaltic transport of a compressible viscous fluid in a finite pipe subject to a time-dependent pressure drop, Fluid Dyn Res **19**(2) 115-123 (Feb 1997), 7A1093

Calculation of steady and oscillating flows in tubes using a vorticity transport algorithm, Int J Numer Methods Fluids **23**(12) 1241-1262 (Dec 1996), 7A1099

Numerical study of effects of pulsatile amplitude on unsteady laminar flows in rigid pipe with ring-type constrictions, Int J Numer Methods Fluids **24**(3) 275-290 (Feb 1997), 8A1144

Sinusoidal excitation of viscous fluids in pipes, Int J Pressure Vessels Piping **70**(3) 161-165 (Mar 1997), 8A1145

Effect of constriction size on the pulsatile flow in a channel, J Fluids Eng **117**(4) 571-576 (Dec 1995), 11A1034

364G. Nonequilibrium and chemical effects

Preliminary observations of turbulent flow at culvert inlets, J Hydraul Eng **123**(2) 116-124 (Feb 1997), 7T1000

364H. Creeping flow

Hele-Shaw flows with free boundaries driven along infinite strips by a pressure difference, European J Appl Math **7**(4) 345-366 (Aug 1996), 3A1103

364I. Swirling flow

Axisymmetric swirling flow around a vortex breakdown point, J Fluid Mech **323** 79-105 (Sep 1996), 4A969

Experimental study of swirling flow pneumatic conveying system in a horizontal pipeline, J Fluids Eng **118**(3) 526-530 (Sep 1996), 4A1047

Swirl flow in technical applications: Review, Thermophys and Aeromech **3**(2) 97-128 (1996), 5A1005

Planar flow model for the vortex chamber flow - 1: Turbulent viscosity in the near-axis region, Thermophys and Aeromech **3**(3) 245-250 (1996), 6T1106

Swirling flow in a porous pipe with an accelerating wall, Acta Mech **119**(1-4) 1-12 (1996), 6A1107

Use of center bodies and de-swirl vanes in the exhaust of cyclone dust separators, Proc Inst Mech Eng E **210**(E3) 193-203 (1996), 8A1146

Effect of induced swirl on mixing, J Fluids Eng **119**(2) 471-473 (Jun 1997), 11T1054

364J. Stratified flow

Weakly nonlinear interfacial waves in a duct of arbitrary cross section, Eur J Mech B **15**(3) 331-366 (1996), 1A266

364K. Rotating fluids or surfaces

Three-dimensional viscous flow through a rotating channel: A pseudospectral matrix method approach, Int J Numer Methods Fluids **23**(4) 379-396 (Aug 1996), 2A1006

Gortler vortices with system rotation, Theor Comput Fluid Dyn **8**(5) 325-347 (Sep 1996), 4A1049

Effect of spanwise system rotation on spatially developing Dean vortices, Int J Numer Methods Fluids **23**(12) 1275-1287 (Dec 1996), 7A1094

Laminar flow in rotating curved pipes, J Fluid Mech **329** 373-388 (Dec 1996), 7A1095

Visualization studies of the transition regime flow in a channel of varying cross section under the influence of Coriolis force, Exp Fluids **23**(1) 64-75 (May 1997), 11A1035

364L. Heat addition

Oscillating flow of a heat-conducting fluid in a narrow tube, J Fluid Mech **324** 135-161 (Oct 1996), 5A1006

Friction factors for fully developed laminar flow in ducts confined by corrugated parallel walls, Int J Heat Mass Transfer **40**(3) 635-639 (Feb 1997), 5A1136

Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, Appl Math Model **20**(12) 898-908 (Dec 1996), 6A1108

Obstruction of pipelines during the flow of waxy crude oils, J Fluids Eng **118**(4) 722-728 (Dec 1996), 7A1097

Experimental studies on flow in convergent and divergent ducts of rectangular cross section, Int J Energy Res **21**(1) 77-86 (Jan 1997), 7A1238

Vortices and heat transfer, Z Angew Math Mech **77**(1) 3-18 (1997), 8A1150

Numerical solutions of pulsating flow and heat transfer characteristics in a channel with a backward-facing step, Heat and Mass Transfer Warme **32**(3) 143-148 (Feb 1997), 8A1273

Pressure drop and heat transfer associated with flows moving laminarly in straight ducts of irregular, singly connected cross-sections, Heat and Mass Transfer Warme **32**(3) 193-197 (Feb 1997), 8A1275

Dual influence of curvature and buoyancy in fully developed tube flows, Int J Heat Mass Transfer **40**(9) 2187-2199 (Jun 1997), 8A1292

Transient mixed convection of a backward-facing step with a periodically heated wall, Acta Mech **120**(1-4) 233-241 (1997), 8A1296

Heat transfer to viscoplastic fluids in laminar flow through isothermal short tubes, J Brazilian Soc Mech Sci **19**(1) 1-14 (Mar 1997), 9A1228

364M. Non-Newtonian flow

Numerical simulation of viscoelastic flow using flux difference splitting at moderate Reynolds numbers, J Non-Newtonian Fluid Mech **64**(2-3) 269-298 (Jun 1996), 1A466

Fluid displacement in a horizontal tube, J Non-Newtonian Fluid Mech **65**(1) 1-15 (Jul 1996), 1A985

Shear banding flow in the Johnson-Segalman fluid, J Non-Newtonian Fluid Mech **65**(1) 93-109 (Jul 1996), 1T1040

Casson fluid flow in a pipe filled with a homogeneous porous medium, Int J Eng Sci **34**(10) 1145-1156 (Aug 1996), 2A1009

Wall effects for dilute polymer solutions in Poiseuille flow, Int J Eng Sci **34**(10) 1101-1109 (Aug 1996), 2A1010

Turbulent velocity field in heterogeneously drag reduced pipe flow, J Non-Newtonian Fluid Mech **65**(2-3) 221-240 (Aug 1996), 3A1100

Channel entry problem for a yield stress fluid, J Non-Newtonian Fluid Mech **65**(2-3) 165-176 (Aug 1996), 3A1104

Unsteady flows of viscoelastic fluids with inflow and outflow boundary conditions, Appl Math Lett **9**(5) 93-98 (Sep 1996), 3A1105

Two-layered model of blood flow through stenosed arteries, Acta Mech **117**(1-4) 221-228 (1996), 3A1514

Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, Appl Math Model **20**(12) 898-908 (Dec 1996), 6A1108

Cross-streamline migration of slender Brownian fibers in plane Poiseuille flow, J Fluid Mech **332** 23-39 (Feb 1997), 8A1081

Stable FE approximations of thermal viscoelastic flows, Mech Res Commun **24**(2) 203-208 (Mar-Apr 1997), 8T1147

Flow resistance and heat transfer characteristics of water solution with surfactant in circular tubes, Heat Transfer Japan Res **24**(7) 603-618 (1995), 8A1302

Analysis of shear-thinning fluid flow in intermeshing twin-screw extruders, Arch Appl Mech **67**(3) 167-178 (Feb 1997), 9A1182

Heat transfer to viscoplastic fluids in laminar flow through isothermal short tubes, J Brazilian Soc Mech Sci **19**(1) 1-14 (Mar 1997), 9A1228

Thin film core-annular flow of upper-convected maxwell liquids, J Non-Newtonian Fluid Mech **70**(1-2) 155-183 (May 1997), 11A958

Development of secondary motions in straight channels induced by the second normal stress difference: Experiments and simulations, J Non-Newtonian Fluid Mech **69**(2-3) 255-271 (Apr 1997), 11A1036

Finite-element study of Newtonian and power-law fluids in conical channel flow, J Fluids Eng **119**(2) 341-346 (Jun 1997), 11A1037

Flow of non-Newtonian fluids through tubes with abrupt expansions and contractions: Square wave tubes, J Non-Newtonian Fluid Mech **71**(1-2) 25-39 (Jul 1997), 12A1124

364N. Roughness effect

Stokes slip flow between corrugated walls, Z Angew Math Phys **47**(4) 591-599 (Jul 1996), 3A1065

Open-channel turbulent flow over non-uniform gravel beds, Appl Sci Res **56**(4) 243-254 (1996), 8A1020

Unsteady gradually varied flow in circular pipes with variable roughness, Adv Eng Software **28**(2) 115-131 (Mar 1997), 8A1148

364O. Porous walls

Mechanism of fluid transport across the grinding zone, J Manuf Sci Eng **118**(3) 332-338 (Aug 1996), 2A1011

Solutions for fluid-particle flow and heat transfer in a porous channel, Int J Eng Sci **34**(12) 1423-1439 (Sep 1996), 3A1106

Capillary impregnation of aligned fibrous beds: Experiments and model, J Reinforced Plastics Composites **15**(10) 1027-1051 (Oct 1996), 4A1048

Analytical investigation of the fluid flow in the interface region between a porous medium and a clear fluid in channels partially filled with a porous medium, Appl Sci Res **56**(1) 53-67 (1996), 5A1007

Structure-oriented micromechanical model for viscous flow through square arrays of fiber clusters, Composites Sci Tech **56**(9) 1055-1069 (Sep 1996), 5A1008

Swirling flow in a porous pipe with an accelerating wall, Acta Mech **119**(1-4) 1-12 (1996), 6A1107

Dynamics of Adsorption at Liquid Interfaces: Theory, Experiment, Application (Elsevier Sci BV, Netherlands, 1995) 7N25

Effects of fluid type and viscosity on the steady-state and advancing front permeability behavior of textile preforms, J Reinforced Plastics Composites **16**(1) 50-72 (1997), 7A1096

Numerical simulation of vortex-shedding phenomenon in a channel with flow induced through porous wall, Int J Heat Fluid Flow **18**(3) 283-296 (Jun 1997), 10A1166

Examination of void formation mechanism by numerical analysis, Adv Composites Letters **6**(1) 19-24 (1997), 11A1038

Prediction of filling time and vent locations for rosin transfer molds, J Composite Mat **31**(11) 1141-1161 (1997), 11A1039

Interactions between flows occurring inside and outside fabric tows during RTM, Composites Sci Tech **57**(5) 587-596 (May 1997), 12A1125

364P. Obstructions

Turbulent two-phase flow through a sudden pipe expansion: LDA experiments and CFD predictions, Int J Comput Fluid Dyn **6**(3) 189-205 (1996), 1T1018

Flow in a pipe with a ring-type obstacle, Int J Comput Fluid Dyn **6**(3) 225-237 (1996), 1A1042

Case study of a proposed monitor for industrial process fouling, J Pressure Vessel Tech **118**(3) 308-314 (Aug 1996), 2A1012

Dynamical flow characterization of transitional and chaotic regimes in converging-diverging channels, J Fluid Mech **321** 25-57 (Aug 1996), 3A99

Displacement oscillation of viscoelastical collapsible tube, J Hydrodyn **8**(2) 17-26 (1996), 3T1107

Flows of polymer solutions through contractions - Part 1: Flows of polyacrylamide solutions through planar contractions, J Non-Newtonian Fluid Mech **65**(2-3) 269-289 (Aug 1996), 3A1109

Turbulent flow in longitudinally finned tubes, J Fluids Eng **118**(3) 506-513 (Sep 1996), 4A1044

Exact solution for unsteady duct flow due to a moving center body, Int J Eng Sci **34**(13) 1551-1559 (Oct 1996), 5A1009

Turbulent flow structure at concordant and discordant open-channel confluences, Exp Fluids **21**(6) 437-446 (Oct 1996), 5A1010

Development of asymmetry and period doubling for oscillatory flow in baffled channels, J Fluid Mech **328** 19-48 (Dec 1996), 6A1109

Flow past an array of cells that are adherent to the bottom plate of a flow channel, Comput Fluids **25**(8) 741-757 (Nov 1996), 6A1110

Obstruction of pipelines during the flow of waxy crude oils, J Fluids Eng **118**(4) 722-728 (Dec 1996), 7A1097

Further contributions on the 2D flow in a sudden expansion, J Fluid Mech **330** 169-188 (Jan 1997), 8A1149
Vortices and heat transfer, Z Angew Math Mech **77**(1) 3-18 (1997), 8A1150
Direct numerical simulation of turbulent flow over a backward-facing step, J Fluid Mech **330** 349-374 (Jan 1997), 8A1188
Effect of constriction size on the pulsatile flow in a channel, J Fluids Eng **117**(4) 571-576 (Dec 1995), 11A1034
Design method for contractions with square end sections, J Fluids Eng **119**(2) 454-458 (Jun 1997), 11T1040
LDV measurements of spatially periodic flows over a detached solid-rib array, J Fluids Eng **119**(2) 383-389 (Jun 1997), 11A1041
Flow of non-Newtonian fluids through tubes with abrupt expansions and contractions: Square wave tubes, J Non-Newtonian Fluid Mech **71**(1-2) 25-39 (Jul 1997), 12A1124

364R. Secondary flow, effects of curvature

Application of an artificial compressibility methodology for the incompressible flow through a wavy channel, Commun Numer Methods Eng **12**(6) 359-369 (Jun 1996), 1A968
Flows dominated by centrifugal and Coriolis forces: A survey of EUROMECH 336, Fluid Dyn Res **18**(2) 53-64 (Jul 1996), 1A979
Steady developing laminar flow in helical pipes with finite pitch, Int J Comput Fluid Dyn **6**(3) 209-224 (1996), 1A1041
Development of 2D wakes within curved channels: Theoretical framework and Experimental investigation, J Turbomachinery **118**(3) 506-518 (Jul 1996), 1A1071
Spatial evolution of Gortler instability in a curved duct of high curvature, AIAA J **34**(9) 1793-1800 (Sep 1996), 2A1013
Symmetry-breaking and bifurcation study on the laminar flows through curved pipes with a circular cross section, J Comput Phys **127**(1) 73-87 (Aug 1996), 2A1014
Viscous flow behavior in a curved annular duct, J Hydrodyn **8**(2) 102-110 (1996), 3T1102
Gortler vortices with system rotation, Theor Comput Fluid Dyn **8**(5) 325-347 (Sep 1996), 4A1049
Secondary instability of flow in a curved duct of square cross-section, J Fluid Mech **323** 387-409 (Sep 1996), 4A1050
Curved two-stream turbulent mixing layers revisited, Exp Thermal Fluid Sci **13**(3) 190-205 (Oct 1996), 4T1082
Convex turbulent boundary layers with zero and favorable pressure gradients, J Fluids Eng **118**(4) 787-794 (Dec 1996), 7T1086
Effect of spanwise system rotation on spatially developing Dean vortices, Int J Numer Methods Fluids **23**(12) 1275-1287 (Dec 1996), 7A1094
Laminar flow in rotating curved pipes, J Fluid Mech **329** 373-388 (Dec 1996), 7A1095
Secondary flow computation using an inviscid multigrid finite volume lambda formulation, J Propulsion Power **13**(1) 49-58 (Jan-Feb 1997), 7A1098
Extension of the wall-driven enclosure flow problem to toroidally shaped geometries of square cross-section, J Fluids Eng **118**(4) 779-786 (Dec 1996), 7A1115
Residence time distribution in twisted pipe flows: Helically coiled system and chaotic system, Exp Fluids **22**(5) 359-368 (Mar 1997), 9A1090
Migration of solid particles in the heterogeneous slurry flow through a 90°C bend, Indian J Eng Mat Sci **4**(1) 10-20 (Feb 1997), 10A1123
Hydrodynamics and heat transfer in helical ducts with rectangular cross-section (Polish), Strojnicky Casopis **48**(2) 126-135 (1997), 10A1147
Simulations of flow in curved tubes, Aerosol Sci Tech **26**(6) 485-504 (Jun 1997), 11A1042
Theoretical and experimental study of development of 2D steady and unsteady wakes within curved channels, J Fluids Eng **117**(4) 593-598 (Dec 1995), 11A1043
Experimental and numerical study of the flow field in a multi-turning variable area duct, J Eng Appl Sci **44**(1) 109-123 (Feb 1997), 11A1046
Gortler vortices promoted by wall roughness, Fluid Dyn Res **19**(6) 343-362 (Jun 1997), 11A1066
Exponentially decaying flow in a gently curved annular pipe, Int J Non-Linear Mech **32**(5) 823-835 (Sep 1997), 12A1126

364T. Suction and injection

Effective average permeability of multi-layer preforms in resin transfer molding, Composites Sci Tech **56**(5) 519-531 (1996), 1A666
Automatic runner balancing of injection molds using flow simulation, J Eng Indust **117**(4) 508-515 (Nov 1995), 11A1044

364Y. Computational techniques

Numerical simulation of viscoelastic flow using flux difference splitting at moderate Reynolds numbers, J Non-Newtonian Fluid Mech **64**(2-3) 269-298 (Jun 1996), 1A466
Turbulent two-phase flow through a sudden pipe expansion: LDA experiments and CFD predictions, Int J Comput Fluid Dyn **6**(3) 189-205 (1996), 1T1018
Flow in a pipe with a ring-type obstacle, Int J Comput Fluid Dyn **6**(3) 225-237 (1996), 1A1042
Nonlocal and local artificial boundary conditions for 2D flow in an infinite channel, Int J Numer Methods Heat & Fluid Flow **6**(3) 47-62 (May 1996), 1A1043
Three-dimensional viscous flow through a rotating channel: A pseudospectral matrix method approach, Int J Numer Methods Fluids **23**(4) 379-396 (Aug 1996), 2A1006
High-order-accurate discretization stencil for an elliptic equation, Int J Numer Methods Fluids **23**(4) 367-377 (Aug 1996), 2A1015
Estimation of inlet temperature profile in laminar duct flow, Inverse Prob Eng **3**(1-3) 131-143 (1996), 4A1051
Numerical study of steady laminar flow through tubes with multiple constrictions using curvilinear co-ordinates, Int J Numer Methods Fluids **23**(10) 1021-1041 (Nov 1996), 5A949
Computational and experimental study of pressure losses in duct transitions, Int J Energy Res **20**(11) 979-987 (Nov 1996), 5A1000
Flow past an array of cells that are adherent to the bottom plate of a flow channel, Comput Fluids **25**(8) 741-757 (Nov 1996), 6A1110
Steady viscous fluid flow in plane channels formed by sections of coaxial circular cylinder, J Appl Math Mech **60**(3) 513-516 (1996), 6A1111
Calculation of steady and oscillating flows in tubes using a vorticity transport algorithm, Int J Numer Methods Fluids **23**(12) 1241-1262 (Dec 1996), 7A1099
How accurate is the streamline diffusion FEM, Math Comput **66**(217) 31-44 (Jan 1997), 7A1384
Numerical study of effects of pulsatile amplitude on unsteady laminar flows in rigid pipe with ring-type constrictions, Int J Numer Methods Fluids **24**(3) 275-290 (Feb 1997), 8A1144
Vortical flow over a 3D backward-facing step, Numer Heat Transfer A **31**(2) 167-192 (Feb 1997), 8A1151
Application of domain decomposition in modeling flow and heat transfer problems, Proc Inst Mech Eng C **210**(C6) 519-528 (1996), 8A1336
Numerical solution of the generalized Stokes problem for the flow in a channel, Numer Methods PDE **13**(3) 237-256 (May 1997), 10A1148
Numerical investigation of free convective flow in divergent channels, Comput Methods Appl Mech Eng **146**(1-2) 31-41 (Jul 1997), 11A1045
Calculation method for fully developed flows in curved rectangular tubes, Appl Math Mech **18**(4) 315-320 (Apr 1997), 12A1127

364Z. Experimental techniques

Three accelerometer method for the measurement of flow rate in pipe, J Acoust Soc Am **100**(1) 717-726 (Aug 1996), 2A1016
Transitional intermittency distribution in a 3D constant pressure diverging flow, Exp Fluids **21**(4) 259-263 (Aug 1996), 3A1108
New method to leak test piping joints, J Manuf Sci Eng **118**(4) 604-609 (Nov 1996), 5A810
Reduction of beam refraction in optical pipe flow experiments by use of sheet-fabricated pipe walls, Exp Fluids **22**(2) 165-173 (Dec 1996), 7A1100
Pipeline leak detection system for oil and gas flowlines, J Manuf Sci Eng **119**(1) 105-109 (Feb 1997), 8A1152
Measurement of fluid flow rates through cracks, Int J Pressure Vessels Piping **71**(1) 71-75 (Apr 1997), 9A1091
Visualization studies of the transition regime flow in a channel of varying cross section under the influence of Coriolis force, Exp Fluids **23**(1) 64-75 (May 1997), 11A1035
LDV measurements of spatially periodic flows over a detached solid-rib array, J Fluids Eng **119**(2) 383-389 (Jun 1997), 11A1041
Shear flow of wormlike micelles in pipe and cyclindrical Couette geometries as studied by nuclear magnetic resonance microscopy, J Rheol **41**(4) 901-924 (Jul-Aug 1997), 12A1128

366. INTERNAL FLOW (INLETS, NOZZLES, DIFFUSERS, CASCADES)

Study of blast wave loading on cantilevers, Shock Waves **7**(3) 175-190 (Jun 1997), 11A195

366B. Steady flow

Gas collection efficiency and entrance flow effect of an annular diffusion denuder, Aerosol Sci Tech **25**(2) 113-120 (Aug 1996), 2A1017
Metal vapor condensation in a converging nozzle, Nanostruct Mat **7**(7) 789-803 (Sep-Oct 1996), 3A1082
Low pressure differential discharge characteristics of saturated liquids passing through orifices, J Fluids Eng **118**(3) 520-525 (Sep 1996), 4A1052
Turbulent flow in a conical diffuser: A review, Exp Thermal Fluid Sci **13**(4) 318-337 (Nov 1996), 6A1112
Prediction of compressible flow pressure losses in 30° - 150° sharp-cornered bends, J Fluids Eng **117**(4) 589-592 (Dec 1995), 11A980
Experimental and numerical study of the flow field in a multi-turning variable area duct, J Eng Appl Sci **44**(1) 109-123 (Feb 1997), 11A1046
Mass flow and thrust performance of nozzles with mixed and unmixed nonuniform flow, J Fluids Eng **117**(4) 617-622 (Dec 1995), 11A1050
Development of flow distortions at the fan face for an axisymmetric supersonic inlet, J Sound Vib **203**(1) 75-85 (May 1997), 12A1129
Effects of choking on the aeroacoustics of an axisymmetric supersonic inlet, J Sound Vib **203**(1) 63-73 (May 1997), 12A1130

366C. Unsteady flow

Turbulent flow in a conical diffuser: A review, Exp Thermal Fluid Sci **13**(4) 318-337 (Nov 1996), 6A1112
Numerical simulation of blade fault signatures from unsteady wall pressure signals, J Eng Gas Turbines Power **119**(2) 362-369 (Apr 1997), 10A516

366E. Nonequilibrium and chemical effects

Influence of film cooling on the secondary flow in a turbine nozzle, AIAA J **35**(1) 111-118 (Jan 1997), 6A1113
Simulation of turbulent square-duct flow: Dissipation and small-scale motion, AIAA J **34**(12) 2509-2513 (Dec 1996), 6A1114
Pulsatile laminar flow in a viscoelastic system, J Fluids Eng **118**(4) 829-832 (Dec 1996), 7A996
Calculations of swirl combustors using joint velocity-scalar probability density function method, AIAA J **35**(7) 1143-1150 (Jul 1997), 12A1131

366F. Swirling flow

Experimental and computational study of swirling hydrogen jet diffusion flames, J Eng Gas Turbines Power **119**(2) 305-314 (Apr 1997), 10A1149
Dynamics of a swirling flow in a pipe and transition to axisymmetric vortex breakdown, J Fluid Mech **340** 177-223 (Jun 1997), 11A937
Calculations of swirl combustors using joint velocity-scalar probability density function method, AIAA J **35**(7) 1143-1150 (Jul 1997), 12A1131
Fuel nozzle aerodynamic design using CFD analysis, J Eng Gas Turbines Power **119**(3) 527-534 (Jul 1997), 12A1132
Three component velocity measurements of an isothermal confined swirling flow, Proc Inst Mech Eng J Aerospace Eng **211**(G2) 113-122 (1997), 12A1407

366G. Secondary flow

Effects of nozzle geometry on parallel injection into a supersonic flow, J Propulsion Power **12**(6) 1159-1168 (Nov-Dec 1996), 5A1011
Two-dimensional vortex dynamics of inviscid-viscous interaction at turbulent slot-jet impingement, Int J Heat Fluid Flow **18**(3) 316-327 (Jun 1997), 10A1079

366H. Non-Newtonian flow

Vortex development in viscoelastic expansion and contraction flows, J Non-Newtonian Fluid Mech **65**(2-3) 133-149 (Aug 1996), 3A974
Flows of polymer solutions through contractions - Part 1: Flows of polyacrylamide solutions through planar contractions, J Non-Newtonian Fluid Mech **65**(2-3) 269-289 (Aug 1996), 3A1109

366J. Separation and reattachment

Calculation of laminar separated flow in symmetric 2D diffusers, J Fluids Eng **117**(4) 612-616 (Dec 1995), 11A1047
Free surface flow profile and fluctuations of a circular hydraulic jump formed by an impinging jet, J Fluids Eng **117**(4) 677-682 (Dec 1995), 11A1048
Numerical prediction of separation and reattachment of turbulent flow in axisymmetric diffuser, Comput Fluids **26**(4) 417-423 (May 1997), 11A1049

366K. Heat addition

Temperature fluctuation measurements for transitional flow in a square channel, Exp Heat Transfer **9**(4) 357-370 (Oct-Dec 1996), 8A1153

366L. Suction and injection

Preconcentration and colorimetric determination of Fe(III) by sequential injection analysis, Lab Robotics Autom **8**(3) 149-156 (1996), 2A1018
Relationships of exponents with coefficients of equations on axial and radial dispersions in flow-injection analysis, Lab Robotics Autom **8**(3) 171-179 (1996), 2A1019
Simultaneous determination of chloride and pH in wastewaters by sequential injection analysis, Lab Robotics Autom **8**(3) 165-170 (1996), 2A1020

366M. Obstructions

Low pressure differential discharge characteristics of saturated liquids passing through orifices, J Fluids Eng **118**(3) 520-525 (Sep 1996), 4A1052
Pulsatile laminar flow in a viscoelastic system, J Fluids Eng **118**(4) 829-832 (Dec 1996), 7A996

366N. Performance and optimization

Flow characteristics of a rectangular multielement supersonic mixer-ejector, J Propulsion Power **12**(5) 1004-1007 (Sep-Oct 1996), 3A1110
Flow properties and passive scalar transport in a model room with relevance to ventilation efficiency, Proc Inst Mech Eng C **210**(C4) 297-307 (1996), 3A1111
Numerical study of low-thrust nozzles for satellites, J Spacecraft Rockets **33**(5) 693-699 (Sep-Oct 1996), 4A1053
Calculation of flow in transition duct using second-order closure and wall functions, AIAA J **34**(11) 2437-2439 (Nov 1996), 5T1012
Computational and experimental investigations of rarefied flows in small nozzles, AIAA J **34**(11) 2320-2326 (Nov 1996), 5A1013
Development of air-cooled ceramic nozzles for a power-generating gas turbine, J Eng Gas Turbines Power **118**(4) 717-723 (Oct 1996), 5A1365
Application of pressure-sensitive paint in supersonic nozzle research, J Aircraft **33**(6) 1109-1114 (Nov-Dec 1996), 6A1115
Nozzle thrust optimization while reducing jet noise, AIAA J **35**(3) 420-427 (Mar 1997), 9A1092
Automated design optimization for the P2 and P8 hypersonic inlets, J Aircraft **34**(2) 228-235 (Mar-Apr 1997), 10A1150
Mass flow and thrust performance of nozzles with mixed and unmixed nonuniform flow, J Fluids Eng **117**(4) 617-622 (Dec 1995), 11A1050

366Y. Computational techniques

Statistical error analysis for the direct simulation Monte Carlo technique, J Comput Phys **126**(2) 434-448 (Jul 1996), 1T1001
Analysis of partially mixed supersonic ejector, J Propulsion Power **12**(4) 736-741 (Jul-Aug 1996), 1A1044
Numerical flowfield analysis of the next generation vulcan nozzle, J Propulsion Power **12**(4) 655-661 (Jul-Aug 1996), 1A1045
Comparative study of inflow conditions for spatially evolving simulation, AIAA J **35**(2) 269-274 (Feb 1997), 7A1101
Numerical solution of the Euler equations in quasi 1D flow, Facta Univ Mech Auto Control Robotic **2**(6) 97-112 (1996), 10A1151
Overexpanded 2D-convergent-divergent nozzle flow simulations: Assessment of turbulence models, J Propulsion Power **13**(3) 444-445 (May-Jun 1997), 10A1152
Calculation of laminar separated flow in symmetric 2D diffusers, J Fluids Eng **117**(4) 612-616 (Dec 1995), 11A1047

Development of flow distortions at the fan face for an axisymmetric supersonic inlet, J Sound Vib 203(1) 75-85 (May 1997), 12A1129
Fuel nozzle aerodynamic design using CFD analysis, J Eng Gas Turbines Power 119(3) 527-534 (Jul 1997), 12A1132

366Z. Experimental techniques

Coaxial jets from lobed-mixer nozzles, AIAA J 34(9) 1822-1828 (Sep 1996), 2A1021
Experimental study of supersonic microjets, Exp Fluids 21(6) 401-409 (Oct 1996), 5A956
Development of square nozzles for supersonic low-disturbance wind tunnels, J Aircraft 33(6) 1131-1138 (Nov-Dec 1996), 6A1116
Mean velocity and static pressure distributions of a circular jet, AIAA J 35(1) 196-197 (Jan 1997), 6T1117
Effects of choking on the aeroacoustics of an axisymmetric supersonic inlet, J Sound Vib 203(1) 63-73 (May 1997), 12A1130

368. FREE SHEAR LAYERS (MIXING LAYERS, JETS, WAKES, CAVITIES, PLUMES)

368B. Laminar incompressible

Simulation of a viscous flow around an oscillating cylinder at low Keulegan-Carpenter numbers, Int J Comput Fluid Dyn 6(3) 239-252 (1996), 1A1046
Different modes of vortex shedding: An overview, J Fluids Struct 10(5) 427-437 (Jul 1996), 3A256
Look at a universal parameter for 2D and 3D bluff body flows, J Fluids Struct 10(5) 543-553 (Jul 1996), 3T1029
Near-wake structure of an oscillating cylinder: Effect of controled shear-layer vortices, J Fluid Mech 322 21-49 (Sep 1996), 3A1030
Occurrence of lock-in under highly sheared conditions, J Fluids Struct 10(5) 555-561 (Jul 1996), 3A1032
Fully coupled resonant triad interactions in a Bickley jet, Eur J Mech B 15(4) 507-526 (1996), 3A1112
Instability of a liquid jet subject to disturbances composed of two wavenumbers, J Fluid Mech 320 185-210 (Aug 1996), 3A1135
Spatial structure of the Benard von Karman instability, Eur J Mech B 15(5) 619-650 (1996), 5A1037
Comparative early developments of wake vortices behind a short semicircular-section cylinder in two opposite arrangements, J Fluid Mech 327 73-99 (Nov 1996), 6A1118
Creeping flow analyses of free surface cavity flows, Theor Comput Fluid Dyn 8(6) 415-433 (Nov 1996), 6A1119
Motion of laminar wing wakes in a stratified fluid, J Fluid Mech 327 139-160 (Nov 1996), 6A1120
Three-dimensional wake transition, J Fluid Mech 328 345-407 (Dec 1996), 6A1121
Stability of a compressible laminar wall-jet with heat transfer, J Fluids Eng 118(4) 824-828 (Dec 1996), 7A1102
Computer-aided flow visualization and vorticity balance in the laminar wake of a circular cylinder, J Fluids Struct 11(1) 33-72 (Jan 1997), 8A1154
Global dynamics of symmetric and asymmetric wakes, J Fluid Mech 331 231-260 (Jan 1997), 8A1155
Primary and secondary instabilities in the wake of a cylinder with free ends, J Fluid Mech 332 295-339 (Feb 1997), 8A1156
Flow in two-sided lid-driven cavities: Non-uniqueness, instabilities, and cellular structures, J Fluid Mech 336 267-299 (Apr 1997), 10A1153
Theory of electrohydrodynamically driven capillary jets, J Fluid Mech 335 165-188 (Mar 1997), 10A1209
Global dynamics and aerodynamic flow vectoring of wakes, J Fluid Mech 338 231-248 (May 1997), 11A1051
Numerical study of the instabilities in the near wake of a circular cylinder at low Reynolds number, J Fluids Struct 11(3) 271-291 (Apr 1997), 11T1052
Three-dimensional chaotic mixing of fluids in a cylindrical cavity, J Fluids Eng 117(4) 582-588 (Dec 1995), 11A1053
Interaction between a jet and a flat plate: An inviscid analysis, J Fluids Eng 117(4) 623-627 (Dec 1995), 11A1060
Absolute and convective instabilities of plane turbulent wakes in a shallow water layer, J Fluid Mech 338 157-172 (May 1997), 11A1083
Enhanced mixing with streamwise vorticity, Prog Aerospace Sci 33(5-6) 323-351 (May-Jun 1997), 11A1386

368C. Laminar compressible

Enhancement of thermal mixing in coaxial supersonic jets, J Propulsion Power 12(4) 730-735 (Jul-Aug 1996), 1A1047
Investigation of the effect of tabs on supersonic jets using advanced diagnostics, J Propulsion Power 12(4) 742-751 (Jul-Aug 1996), 1A1048
Pulses and Other Wave Processes in Fluids: An Asymptotical Approach to Initial Problems (Kluwer, Netherlands, 1996) 2R7
Estimation of shock-cell structure of axisymmetric supersonic free jets, Indian J Eng Mat Sci 3(4) 141-147 (Aug 1996), 2A1022
Jet profile solutions of the Falkner-Skan equation, Z Angew Math Phys 47(5) 790-798 (Sep 1996), 4A1031
Measurements in 3D wake of a surface-mounted winglike symmetrical ellipsoid, Exp Thermal Fluid Sci 13(3) 266-291 (Oct 1996), 4T1056
Emendation of the Brown and Michael equation, with application to sound generation by vortex motion near a half-plane, J Fluid Mech 329 89-101 (Dec 1996), 7A254
Cessation of screech in underexpanded jets, J Fluid Mech 336 69-90 (Apr 1997), 10A341

368D. Turbulent incompressible

Turbulent boundary layer over a smooth wall with widely separated transverse square cavities, Appl Sci Res 55(3) 227-243 (Oct 1995), 1A1030
Study of unsteady wake flows past a 2D square cylinder with and without planar jet injection into the vortex formation region, Appl Sci Res 55(3) 187-210 (Oct 1995), 1A1049
Effect of wall inclination on the mean flow and turbulence characteristics in a 2D wall jet, Int J Heat Fluid Flow 17(4) 377-385 (Aug 1996), 2A1001
Interaction of two opposite conical curved wall jets, Int J Heat Fluid Flow 17(4) 397-402 (Aug 1996), 2A1023
Flow Modeling and Turbulence Measurements VI (Balkema, Rotterdam, Netherlands, 1996) 3N33
Resuspension of particle bed by round vertical jet, J Env Eng 122(9) 864-869 (Sep 1996), 3A1069
Ambient gas entrainment into a transient gas jet: Visualization of surrounding air motion and estimation of entrainment amount by path line method, JSME Int J Ser B 39(3) 546-553 (Aug 1996), 3T1113
Buoyant plumes from multiport diffuser discharge in deep coflowing water, J Hydraul Eng 122(8) 428-435 (Aug 1996), 3A1114
Turbulent kinetic energy balance in the wake of a self-propelled body, Exp Fluids 21(4) 268-274 (Aug 1996), 3A1115
Wake behind a backward-facing step: A numerical study, J Brazilian Soc Mech Sci 18(3) 248-262 (Sep 1996), 3A1116
Local scour by a deeply submerged horizontal circular jet, J Hydraul Eng 122(9) 529-532 (Sep 1996), 3A1120
Experiments on the flow past a square cylinder placed near a wall, Exp Thermal Fluid Sci 13(3) 292-305 (Oct 1996), 4T1054
Lateral vorticity measurements in a turbulent wake, J Fluid Mech 323 173-200 (Sep 1996), 4A1055
Measurements in 3D wake of a surface-mounted winglike symmetrical ellipsoid, Exp Thermal Fluid Sci 13(3) 266-291 (Oct 1996), 4T1056
Numerical study of high-Reynolds-number flow past a bluff object, Int J Numer Methods Fluids 23(7) 711-732 (Oct 1996), 4A1057
Similarity solution for a turbulent round jet, J Fluids Eng 118(3) 618-621 (Sep 1996), 4T1058
Topology of the near-field vortical structures in a 3D wake, Exp Thermal Fluid Sci 13(3) 223-238 (Oct 1996), 4T1059
Turbulent structure of an axisymmetric plume penetrating a strong density stratification, Int J Heat Fluid Flow 17(5) 452-459 (Oct 1996), 4A1060
Velocity perturbations induced by the longitudinal vortices in a cylinder wake, J Fluids Eng 118(3) 531-536 (Sep 1996), 4A1061
Effects of polymer additives on the large scale structure of a 2D submerged jet, Appl Sci Res 56(1) 13-18 (1996), 5A1014
Numerical investigation of a turbulent flow around a 2D obstacle in the boundary layer, Thermophys and Aeromech 3(2) 137-156 (1996), 5T1015
Phase averaged velocity field in an axisymmetric jet subject to a sudden velocity decrease, Exp Fluids 21(6) 447-456 (Oct 1996), 5A1016
Predictions of axisymmetric and 2D impinging turbulent jets, Int J Heat Fluid Flow 17(6) 530-538 (Dec 1996), 5A1017
Round jet in a uniform counterflow: Flow visualization and mean concentration measurements, Exp Fluids 21(6) 427-436 (Oct 1996), 5A1021
Volumetrically heated jet: Large-eddy structure and entrainment characteristics, J Fluid Mech 325 303-330 (Oct 1996), 5A1022
Variable density effects in axisymmetric isothermal turbulent jets: A comparison between a first- and a second-order turbulence model, Int J Heat Mass Transfer 40(4) 823-842 (Mar 1997), 5A1313
Application of the LES method to the oscillating flow past a circular cylinder, J Fluids Struct 10(8) 851-872 (Nov 1996), 6T1025
Comparative early developments of wake vortices behind a short semicircular-section cylinder in two opposite arrangements, J Fluid Mech 327 73-99 (Nov 1996), 6A1118
Images of dissipation layers to quantify mixing within a turbulent jet, AIAA J 34(12) 2531-2538 (Dec 1996), 6A1122
Numerical simulations of persistent contrails, J Atmos Sci 53(22) 3333-3348 (Nov 1996), 6A1123
Large-eddy simulations of forced 3D impinging jets, Int J Comput Fluid Dyn 7(3) 275-289 (1996), 6A1129
Development of structure within the turbulent wake of a porous body - Part 1: The initial formation region, J Fluid Mech 329 103-115 (Dec 1996), 7A1103
Development of structure within the turbulent wake of a porous body - Part 2: Evolution of the 3D features, J Fluid Mech 329 117-136 (Dec 1996), 7A1104
Bacterial impacts of ocean outfalls: Legal challenges, J Env Eng 123(2) 191-196 (Feb 1997), 7T1513
Features of subsonic turbulent cavity flow, Thermophys and Aeromech 3(4) 303-316 (1996), 8A1157
Structures in the near-wake region of an elevated turbulent jet in a crossflow, J Fluid Mech 333 161-195 (Feb 1997), 8A1160
Turbulent flow normal to a triangular cylinder, J Fluid Mech 331 107-125 (Jan 1997), 8A1192
Energy separation in a jet flow, J Fluids Eng 119(1) 74-82 (Mar 1997), 9A1093
Impulsively started turbulent jets, AIAA J 35(4) 657-662 (Apr 1997), 9A1094
Turbulent near wake behind a partially grooved circular cylinder, J Fluids Eng 119(1) 19-28 (Mar 1997), 9A1095
Diffusive turbulence in a confined jet experiment, J Fluid Mech 337 233-261 (Apr 1997), 10A1154
Nonlinear second moment closure consistent with shear and strain flows, AIAA J 35(5) 825-831 (May 1997), 10A1192
Effect of induced swirl on mixing, J Fluids Eng 119(2) 471-473 (Jun 1997), 11T1054
Numerical study of vortex interactions behind two circular cylinders in bistable flow regime, Fluid Dyn Res 19(6) 379-409 (Jun 1997), 11A1055
Predictions of the structure of turbulent, highly underexpanded jets, J Fluids Eng 117(4) 599-604 (Dec 1995), 11A1056
Proper orthogonal decomposition of pressure fluctuations surrounding a turbulent jet, J Fluid Mech 340 1-33 (Jun 1997), 11A1057
Simultaneous velocity and temperature patterns in the far region of a turbulent cylinder wake, J Fluids Eng 119(2) 463-466 (Jun 1997), 11T1058
Transverse velocity increments in turbulent flow using the RELIEF technique, J Fluid Mech 339 287-307 (May 1997), 11A1059
Large-eddy simulation of the turbulent mixing layer, J Fluid Mech 339 357-390 (May 1997), 11A1092
Velocity-mixture fraction statistics of round, self-preserving, buoyant turbulent plumes, J Heat Transfer 117(4) 918-926 (Nov 1995), 11A1093
Enhanced mixing with streamwise vorticity, Prog Aerospace Sci 33(5-6) 323-351 (May-Jun 1997), 11A1386

368E. Turbulent compressible

Wake development in turbulent subsonic axisymmetric flows, Exp Fluids 21(3) 145-150 (Jul 1996), 2A1024
Entrainment characteristics of transient gas jets, Numer Heat Transfer A 30(4) 347-364 (Sep 1996), 3A1117
Shock-tunnel investigation of hypervelocity free shear layers in a planar duct, J Propulsion Power 12(5) 998-1001 (Sep-Oct 1996), 3A1118
Experimental study of compressible turbulent mixing enhancement in swirling jets, J Fluid Mech 330 271-305 (Jan 1997), 8A1158

368F. Stratification

Advances in Fluvial Dynamics and Stratigraphy (Wiley, New York, 1996) 1N40
Pulses and Other Wave Processes in Fluids: An Asymptotical Approach to Initial Problems (Kluwer, Netherlands, 1996) 2R7
Influence of a strong density stratification on the entrainment of a turbulent axisymmetric plume, Exp Fluids 21(3) 170-180 (Jul 1996), 2A1025
Similarity considerations for non-Boussinesq plumes in an unstratified environment, J Fluid Mech 318 237-250 (Jul 1996), 2A1026
Buoyant plumes from multiport diffuser discharge in deep coflowing water, J Hydraul Eng 122(8) 428-435 (Aug 1996), 3A1114
Characteristics of radial jets and mixing under buoyant conditions, J Hydraul Eng 122(9) 495-502 (Sep 1996), 3A1119
Disturbances, lift, and drag forces due to the translation of a horizontal circular cylinder in stratified water, Exp Fluids 21(5) 387-400 (Sep 1996), 4A1126
Motion of laminar wing wakes in a stratified fluid, J Fluid Mech 327 139-160 (Nov 1996), 6A1120
Spreading of 3D inclined gravity plumes, J Hydraul Res 34(5) 695-711 (1996), 6A1124
Evolution of initially turbulent bluff-body wakes at high internal Froude number, J Fluid Mech 337 283-301 (Apr 1997), 10A1155
Numerical simulation of vertical forced plume in a crossflow of stably stratified fluid, J Fluids Eng 117(4) 696-705 (Dec 1995), 11A1062

368H. Rotating fluids or surfaces

Local instability in a periodically forced sliced cylinder, Dyn Atmos Oceans 25(2) 87-107 (Nov 1996), 5A1018
Wall jet in a rotating fluid, J Fluid Mech 335 1-28 (Mar 1997), 10A1156
Theoretical and experimental study of development of 2D steady and unsteady wakes within curved channels, J Fluids Eng 117(4) 593-598 (Dec 1995), 11A1043
Barotropic thin jets over arbitrary topography, Dyn Atmos Oceans 26(2) 73-93 (Aug 1997), 12T1493

368I. Jet-solid surface interaction

Experimental study of heat and mass transfer between high-temperature heterogeneous jets and surface, Thermophys and Aeromech 2(4) 345-349 (1995), 1A1050
Impingement of a liquid jet on an inclined plate, Trans Inst Fluid-Flow Machinery 0(100) 127-139 (1996), 2A1027
Vortex formation from a forced system of two cylinders - Part I: Tandem arrangement, J Fluids Struct 10(5) 473-489 (Jul 1996), 3A257
Vortex formation from a forced system of two cylinders - Part II: Side-by-side arrangement, J Fluids Struct 10(5) 491-500 (Jul 1996), 3T258
Comparison of various basic wavelets for the analysis of flow-induced vibration of a cylinder in cross flow, J Fluids Struct 10(6) 633-651 (Aug 1996), 3T264
Experimental studies of vortex disconnection and connection at a free surface, J Fluid Mech 321 59-86 (Aug 1996), 3A1003
Characteristics of radial jets and mixing under buoyant conditions, J Hydraul Eng 122(9) 495-502 (Sep 1996), 3A1119
Local scour by a deeply submerged horizontal circular jet, J Hydraul Eng 122(9) 529-532 (Sep 1996), 3A1120
Random analysis of apron slab missing stability under water jet lashing, J Hydrodyn 8(2) 77-84 (1996), 3A1121
Investigations in abrasive water jet erosion based on wear particle analysis, J Trib 118(4) 759-766 (Oct 1996), 4A887
Experiments on the flow past a square cylinder placed near a wall, Exp Thermal Fluid Sci 13(3) 292-305 (Oct 1996), 4T1054
Bow shock-jet interaction in compressible transverse injection flowfields, AIAA J 34(10) 2191-2193 (Oct 1996), 4T1062
Computational study of supersonic lateral jet flow interactions, J Spacecraft Rockets 33(5) 651-656 (Sep-Oct 1996), 4A1063
Segregation of drop size and velocity in jet impinging splash-plate atomizers, Int J Heat Fluid Flow 17(5) 509-516 (Oct 1996), 4A1064
Stability of the wall jet formed by the impingement of a single-phase jet, Arch Mech 48(4) 641-658 (1996), 4A1065
Transverse gas jet injection behind a rearward-facing step, J Propulsion Power 12(6) 1129-1136 (Nov-Dec 1996), 5A1019
Free-surface shapes of a jet injecting through a porous wall, IMA J Appl Math 57(2) 193-210 (Oct 1996), 6A1125
Reynolds stress closure applied to axisymmetric impinging turbulent jets, Theor Comput Fluid Dyn 8(6) 435-447 (Nov 1996), 6A1126
Wall pressure and shear stress measurements beneath an impinging jet, Exp Thermal Fluid Sci 13(4) 364-373 (Nov 1996), 6T1127
Modeling of diesel spray impinging on flat wall, JSME Int J Ser B 39(4) 859-866 (Nov 1996), 7A1080
Stability of a compressible laminar wall-jet with heat transfer, J Fluids Eng 118(4) 824-828 (Dec 1996), 7A1102
Development of structure within the turbulent wake of a porous body - Part 1: The initial formation region, J Fluid Mech 329 103-115 (Dec 1996), 7A1103

Development of structure within the turbulent wake of a porous body - Part 2: Evolution of the 3D features, J Fluid Mech 329 117-136 (Dec 1996), 7A1104
Impinging radial and inline jets: A comparison with regard to heat transfer, wall pressure distribution, and pressure loss, Exp Thermal Fluid Sci 14(2) 194-204 (Feb 1997), 7A1105
Panel-structure response to acoustic forcing by a nearly sonic jet, AIAA J 35(2) 219-227 (Feb 1997), 7A1106
Preconditioned flux-differencing scheme for chemically reacting flows at all Mach numbers, Int J Comput Fluid Dyn 8(1) 31-49 (1997), 7A1107
Simultaneous measurements of water impact on a 2D body, Fluid Dyn Res 19(3) 125-148 (Mar 1997), 7A1108
Axisymmetric boundary layer beneath a Rankine-like vortex, Exp Fluids 22(4) 300-311 (Feb 1997), 8A1141
Ideal fluid jet impinging on an uneven wall, J Fluid Mech 333 231-255 (Feb 1997), 8A1159
End-wall corner vortices in a lid-driven cavity, J Fluids Eng 119(1) 201-204 (Mar 1997), 9T1096
Impingement of liquid jet on inclined plate (Polish), Trans Inst Fluid-Flow Machinery 0(101) 131-140 (1996), 9A1097
Wall jet in a rotating fluid, J Fluid Mech 335 1-28 (Mar 1997), 10A1156
Pressure fluctuations on plunge pool floors, J Hydraul Res 35(2) 257-279 (1997), 10T1157
Velocity statistics along the stagnation line of an axisymmetric stagnating turbulent flow, Exp Fluids 22(6) 473-481 (Apr 1997), 10A1158
Interaction between a jet and a flat plate: An inviscid analysis, J Fluids Eng 117(4) 623-627 (Dec 1995), 11A1060
Erosion by planar turbulent wall jets, J Fluid Mech 338 317-340 (May 1997), 11A1061
Oblique and vertical jet dispersion in channels, J Hydraul Eng 123(5) 456-462 (May 1997), 11A1063

368J. Jet-flow interaction

Study of unsteady wake flows past a 2D square cylinder with and without planar jet injection into the vortex formation region, Appl Sci Res 55(3) 187-210 (Oct 1995), 1A1049
Breakup of annular viscous liquid jets in two gas streams, J Propulsion Power 12(4) 752-759 (Jul-Aug 1996), 1A1051
Effect of heat release on streamwise vorticity enhanced mixing, J Propulsion Power 12(4) 638-645 (Jul-Aug 1996), 1A1052
Experimental and numerical study of a water spray in the wake of an axisymmetric bluff body, Exp Thermal Fluid Sci 13(2) 129-141 (Aug 1996), 1T1053
Influence of a strong density stratification on the entrainment of a turbulent axisymmetric plume, Exp Fluids 21(3) 170-180 (Jul 1996), 2A1025
Flow characteristics of an underexpanded jet and its application to the study of droplet breakup, Exp Fluids 21(4) 243-247 (Aug 1996), 3A1073
Numerical analysis of unsteady multiple jet plume interactions, Appl Math Comput 79(2-3) 239-247 (Oct 1996), 3A1122
Observations of a large, burning jet in crossflow, Exp Fluids 21(4) 264-267 (Aug 1996), 3A1123
Fast numerical computation of 2D free surface jet flow with surface tension, J Comput Phys 128(2) 409-426 (Oct 1996), 4T987
Interaction of solid-rocket exhaust with the atmosphere, J Spacecraft Rockets 33(5) 677-685 (Sep-Oct 1996), 4A1066
Asymptotic approximation of the Wiener-Hopf technique as applied to jet atomization, Physica D 97(1-3) 45-64 (Oct 1996), 4A1079
Improved jet coverage through vortex cancellation, AIAA J 34(11) 2443-2444 (Nov 1996), 5T1020
Round jet in a uniform counterflow: Flow visualization and mean concentration measurements, Exp Fluids 21(6) 427-436 (Oct 1996), 5A1021
Fountain flows produced by multiple impinging jets in a crossflow, AIAA J 34(12) 2523-2530 (Dec 1996), 6A1128
Large-eddy simulations of forced 3D impinging jets, Int J Comput Fluid Dyn 7(3) 275-289 (1996), 6A1129
Interaction between sprays from multiple coaxial airblast atomizers, J Fluids Eng 118(4) 762-771 (Dec 1996), 7A1078
Breakup processes of liquid jets in subsonic crossflows, J Propulsion Power 13(1) 64-73 (Jan-Feb 1997), 7A1109
Effect of acoustic perturbations on liquid jet atomization, J Propulsion Power 13(1) 82-88 (Jan-Feb 1997), 7A1110
Tangential injection from overlaid slots into a supersonic stream, J Propulsion Power 13(1) 59-63 (Jan-Feb 1997), 7A1111
Phase-locking modes in a bidimensional network of coupled water jets, Physica D 99(2-3) 318-338 (Dec 1996), 7A1128
Experimental study of compressible turbulent mixing enhancement in swirling jets, J Fluid Mech 330 271-305 (Jan 1997), 8A1158
Structures in the near-wake region of an elevated turbulent jet in a crossflow, J Fluid Mech 333 161-195 (Feb 1997), 8A1160
Two parallel plane jets: Mean flow and effects of acoustic excitation, Exp Fluids 22(3) 251-260 (Jan 1997), 8A1161
Spray characteristics of liquid jet traversing subsonic airstreams, J Propulsion Power 13(2) 250-256 (Mar-Apr 1997), 9A1098
Using controlled unsteady fluid mass addition to enhance jet mixing, AIAA J 35(4) 647-656 (Apr 1997), 9A1099
Diffusive turbulence in a confined jet experiment, J Fluid Mech 337 233-261 (Apr 1997), 10A1154
Crossflow vortices of a jet injected into a supersonic crossflow, AIAA J 35(5) 915-917 (May 1997), 10T1159
Impact of a single drop on a wetted solid surface, Exp Fluids 22(6) 463-472 (Apr 1997), 10A1160
Lobed mixers using simultaneous laser-induced fluorescence and Mie scattering, J Propulsion Power 13(3) 445-448 (May-Jun 1997), 10A1161
Optimization of multiple jets mixing with a confined crossflow, J Eng Gas Turbines Power 119(2) 315-321 (Apr 1997), 10A1162
Studies of seeding particle velocities in a circular free jet using a laser-Doppler anemometer, Acta Polytech Scand Mech Eng 0(125) 7-103 (1997), 10A1163
Erosion by planar turbulent wall jets, J Fluid Mech 338 317-340 (May 1997), 11A1061
Numerical simulation of vertical forced plume in a crossflow of stably stratified fluid, J Fluids Eng 117(4) 696-705 (Dec 1995), 11A1062
Oblique and vertical jet dispersion in channels, J Hydraul Eng 123(5) 456-462 (May 1997), 11A1063
Origin of the "surface current" in turbulent free-surface flows, J Fluid Mech 339 275-285 (May 1997), 11A1064
Interface wavelength between confined supersonic 2D jets and subsonic streams, AIAA J 35(7) 1219-1221 (Jul 1997), 12T1133
Unsteady simulation of jets in a cross flow, J Comput Phys 134(2) 342-356 (Jul 1997), 12A1134

368K. Heat or mass addition

Experimental study of heat and mass transfer between high-temperature heterogeneous jets and surface, Thermophys and Aeromech 2(4) 345-349 (1995), 1A1050
Local instability in a periodically forced sliced cylinder, Dyn Atmos Oceans 25(2) 87-107 (Nov 1996), 5A1018
Volumetrically heated jet: Large-eddy structure and entrainment characteristics, J Fluid Mech 325 303-330 (Oct 1996), 5A1022
Stability of a compressible laminar wall-jet with heat transfer, J Fluids Eng 118(4) 824-828 (Dec 1996), 7A1102
Impinging radial and inline jets: A comparison with regard to heat transfer, wall pressure distribution, and pressure loss, Exp Thermal Fluid Sci 14(2) 194-204 (Feb 1997), 7A1105
Analysis of mass transfer in arctic plumes: Implications for global climate, J Fluids Eng 118(4) 870-872 (Dec 1996), 7T1112
Chaotic motion of fluid and solid particles in plane wakes, Chaos Solitons Fractals 8(1) 109-130 (Jan 1997), 7A1113
Numerical solution of 2D buoyancy-driven turbulence in a tall rectangular cavity, Int J Numer Methods Fluids 23(12) 1311-1326 (Dec 1996), 7A1116
Heat transfer in jet assimilation into a uniform stream, Numer Heat Transfer A 31(3) 273-288 (Feb 1997), 8A1267

368L. Nonequilibrium and chemical effects

Phase averaged velocity field in an axisymmetric jet subject to a sudden velocity decrease, Exp Fluids 21(6) 447-456 (Oct 1996), 5A1016
Experimental study of underexpanded square jet noise, J Sound Vib 197(2) 255-261 (Oct 1996), 5T1023

368Y. Computational techniques

Force fields on inviscid, slender, annular liquid jets, Int J Numer Methods Fluids 23(3) 221-239 (Aug 1996), 1A1054
Finite volume analysis of spiral motion in a rectangular lid-driven cavity, Int J Numer Methods Fluids 23(4) 325-346 (Aug 1996), 2A1028
Lateral vorticity measurements in a turbulent wake, J Fluid Mech 323 173-200 (Sep 1996), 4A1055
Numerical simulation of 3D incompressible flow by a new formulation, Int J Numer Methods Fluids 23(10) 1073-1084 (Nov 1996), 5A948
Instability wave analysis of confined supersonic jets using the FEM, J Sound Vib 198(4) 455-483 (Dec 1996), 6A1044
Large-eddy simulations of forced 3D impinging jets, Int J Comput Fluid Dyn 7(3) 275-289 (1996), 6A1129
Numerical study of flow past a rotationally oscillating circular cylinder, J Fluids Struct 10(8) 829-849 (Nov 1996), 6T1130
Preconditioned flux-differencing scheme for chemically reacting flows at all Mach numbers, Int J Comput Fluid Dyn 8(1) 31-49 (1997), 7A1107
Assessment of the SSG pressure-strain model in free turbulent jets with and without swirl, J Fluids Eng 118(4) 800-809 (Dec 1996), 7A1114
Extension of the wall-driven enclosure flow problem to toroidally shaped geometries of square cross-section, J Fluids Eng 118(4) 779-786 (Dec 1996), 7A1115
Numerical solution of 2D buoyancy-driven turbulence in a tall rectangular cavity, Int J Numer Methods Fluids 23(12) 1311-1326 (Dec 1996), 7A1116
Adaptive grid refinement using cell-level and global imbalances, Int J Numer Methods Fluids 24(4) 375-392 (Feb 1997), 8A54
Computer-aided flow visualization and vorticity balance in the laminar wake of a circular cylinder, J Fluids Struct 11(1) 33-72 (Jan 1997), 8A1154
Two parallel plane jets: Mean flow and effects of acoustic excitation, Exp Fluids 22(3) 251-260 (Jan 1997), 8A1161
Experiments with stability analysis of discrete incompressible flows in the lid-driven cavity, Int J Numer Methods Fluids 24(5) 477-492 (Mar 1997), 8A1162
Large-eddy simulation of mixing layer using vortex method: Effect of subgrid-scale models on early development, Mech Res Commun 24(2) 215-221 (Mar-Apr 1997), 8T1163
Study of the origin of shear zones in quasi-static vertical chute flows by using discrete particle simulations, Mech Mat 24(4) 273-285 (Dec 1996), 8A1164
Numerical study of the instabilities in the near wake of a circular cylinder at low Reynolds number, J Fluids Struct 11(3) 271-291 (Apr 1997), 11T1052
Numerical study of vortex interactions behind two circular cylinders in bistable flow regime, Fluid Dyn Res 19(6) 379-409 (Jun 1997), 11A1055
Numerical simulation of vertical forced plume in a crossflow of stably stratified fluid, J Fluids Eng 117(4) 696-705 (Dec 1995), 11A1062
Numerical method for the prediction of free surface flows in domains with moving boundaries, Numer Heat Transfer B 31(4) 387-399 (Jun 1997), 12A1082
Unsteady simulation of jets in a cross flow, J Comput Phys 134(2) 342-356 (Jul 1997), 12A1134

368Z. Experimental techniques

Force identification by vorticity fields: Techniques based on flow imaging, J Fluids Struct 10(6) 663-668 (Aug 1996), 3A979
Ambient gas entrainment into a transient gas jet: Visualization of surrounding air motion and estimation of entrainment amount by path line method, JSME Int J Ser B 39(3) 546-553 (Aug 1996), 3T1113
Velocity perturbations induced by the longitudinal vortices in a cylinder wake, J Fluids Eng 118(3) 531-536 (Sep 1996), 4A1061
Evaluation of the shadowgraph method for the convective flow in a side-heated cavity, Exp Fluids 21(5) 331-340 (Sep 1996), 4A1067
Wall pressure and shear stress measurements beneath an impinging jet, Exp Thermal Fluid Sci 13(4) 364-373 (Nov 1996), 6T1127
Studies on twin non-parallel unventilated axisymmetric jets, Proc Inst Mech Eng J Aerospace Eng 210(G4) 309-321 (1996), 6A1131
Velocity measurements in a turbulent non-Newtonian jet, J Fluids Eng 118(4) 872-874 (Dec 1996), 7A1117
Energy separation in a jet flow, J Fluids Eng 119(1) 74-82 (Mar 1997), 9A1093
Turbulent near wake behind a partially grooved circular cylinder, J Fluids Eng 119(1) 19-28 (Mar 1997), 9A1095
Velocity measurements of a jet injected into a supersonic crossflow, J Propulsion Power 13(2) 264-273 (Mar-Apr 1997), 9A1100
Crossflow vortices of a jet injected into a supersonic crossflow, AIAA J 35(5) 915-917 (May 1997), 10T1159
Mixing processes in a coaxial geometry with a central lobed mixer-nozzle, AIAA J 35(5) 838-841 (May 1997), 10A1164
Flow characteristics and shear-layer vortex shedding of double concentric jets, AIAA J 35(5) 887-892 (May 1997), 10A1188
Transverse velocity increments in turbulent flow using the RELIEF technique, J Fluid Mech 339 287-307 (May 1997), 11A1059

370. FLOW STABILITY

370A. General theory

Generalized stability theory - Part I: Autonomous operators, J Atmos Sci 53(14) 2025-2040 (Jul 1996), 3A1124
Generalized stability theory - Part II: Nonautonomous operators, J Atmos Sci 53(14) 2041-2053 (Jul 1996), 3A1125
Stability of an inviscid flow in a flexible tube, J Fluid Mech 320 1-17 (Aug 1996), 3A1126
Linear stability of channel flow of fluid with temperature-dependent viscosity, J Fluid Mech 323 107-132 (Sep 1996), 4A1069
Viscous and inviscid instabilities of non-parallel self-similar axisymmetric vortex cores, J Fluid Mech 323 339-365 (Sep 1996), 4A1078
Classification of magnetic instabilities, Geophys Astrophys Fluid Dyn 82(3-4) 221-236 (Jun 1996), 4T1100
Three-dimensional long-wave instability of unidirectional spatially periodic viscous flows, J Fluid Mech 325 283-301 (Oct 1996), 5A1024
Instabilities in quasi 2D magnetohydrodynamic flows, J Fluid Mech 326 125-150 (Nov 1996), 5A1058
Simple criterion for exchange of stabilities in a model of Langmuir circulations, Eur J Mech B 15(6) 771-779 (1996), 6A1141
Critical angle of shear wave instability in a film, J Appl Mech 63(4) 1051-1052 (Dec 1996), 7T1118
Theoretical analysis of interfacial instability in countercurrent annular two-phase flow, Heat Transfer Japan Res 24(5) 476-490 (1995), 7A1119
Instability of a spatially developing liquid sheet, J Fluid Mech 331 127-144 (Jan 1997), 8A1175
Reappraisal of the Kelvin-Helmholtz problem - Part 1: Hamiltonian structure, J Fluid Mech 333 301-325 (Feb 1997), 8A1176
Solitary waves on the surface of a viscoelastic fluid running down an inclined plane, Rheol Acta 36(2) 135-143 (Mar-Apr 1997), 10A1165
Low-frequency 2D linear instability of plane detonation, J Fluid Mech 340 249-295 (Jun 1997), 11A198
Snakes and corkscrews in core-annular down-flow of two fluids, J Fluid Mech 340 297-317 (Jun 1997), 11A1076

370B. Solid boundary (internal flow)

Effect of lateral boundaries on large-scale mode: Linear stability of square cell flows in rectangular regions, J Phys Soc Japan 65(6) 1655-1665 (Jun 1996), 1A1055
Transition to turbulence from a localized vortex array, J Phys Soc Japan 65(6) 1666-1672 (Jun 1996), 1A1066
Strongly nonlinear vortex-Tollmien-Schlichting-wave interactions in the developing flow through a circular pipe, J Fluid Mech 319 77-107 (Jul 1996), 3A1127
Evolution of vorticity in perturbed flow in a pipe, Exp Thermal Fluid Sci 13(3) 206-210 (Oct 1996), 4A1045
Secondary instability of flow in a curved duct of square cross-section, J Fluid Mech 323 387-409 (Sep 1996), 4A1050
Stability properties of the vertical boundary layers in differentially heated cavities, Int J Heat Fluid Flow 17(6) 547-556 (Dec 1996), 5A1165
Swirling flow in a porous pipe with an accelerating wall, Acta Mech 119(1-4) 1-12 (1996), 6A1107
Sidewall flow stability in the MHD channel flows, Acta Mech Sinica 12(2) 97-103 (1996), 6A1132
Absolute and convective instability of a viscous liquid curtain in a viscous gas, J Fluid Mech 332 105-120 (Feb 1997), 8A1165
Flutter and long-wave instabilities in compliant channels conveying developing flows, J Fluid Mech 331 37-58 (Jan 1997), 8A1166
Small-amplitude oscillatory forcing on two-layer plane channel flow, J Fluid Mech 334 87-109 (Mar 1997), 9A1101
Temporal evolution of periodic disturbances in two-layer Couette flow, J Comput Phys 132(2) 346-361 (Apr 1997), 10A1072
Numerical simulation of vortex-shedding phenomenon in a channel with flow induced through porous wall, Int J Heat Fluid Flow 18(3) 283-296 (Jun 1997), 10A1166
Perturbation dynamics in viscous channel flows, J Fluid Mech 339 55-75 (May 1997), 11A1065

Analysis of chaotic instabilities in boiling systems, Nucl Eng Des 167(3) 307-334 (Apr 1996), 12A1135
Shear flow stability and shear induced texture hierarchy of the liquid crystalline polymers, Composite Mech Des 2(1) 109-120 (1996), 12T1136

370C. Solid boundary (external flow)

Experimental study of a swept-wing boundary-layer stability with respect to unsteady disturbances, Thermophys and Aeromech 2(4) 287-312 (1995), 1A1032
Absolute instability of boundary-layer flow over viscoelastic walls, Theor Comput Fluid Dyn 8(4) 237-252 (1996), 1A1056
Linear breakdown of Gortler vortices, Eur J Mech B 15(3) 301-330 (1996), 1A1057
Simulation of nonlinear instabilities in an attachment-line boundary layer, Fluid Dyn Res 18(2) 81-97 (Jul 1996), 1A1058
Stability of the flow past a row of square bars, J Phys Soc Japan 65(6) 1673-1685 (Jun 1996), 1A1059
MHD stability of boundary layer flow over a moving flat plate, Tech Mech 15(4) 325-332 (1995), 1A1087
Resonant growth of 3D modes in Falkner-Skan boundary layers with adverse pressure gradients, J Fluid Mech 320 211-233 (Aug 1996), 3A1089
Effect of solid particles on stability flow in the boundary layer on a flat plate, J Hydrodyn 8(2) 35-41 (1996), 3A1092
Class of unsteady boundary layers of finite extent, J Fluid Mech 319 151-170 (Jul 1996), 3A1128
Three-dimensional Floquet stability analysis of the wake of a circular cylinder, J Fluid Mech 322 215-241 (Sep 1996), 3A1129
Unsteadiness and convective instabilities in 2D flow over a backward-facing step, J Fluid Mech 321 157-187 (Aug 1996), 3A1130
Development of wedge-shaped disturbances originating from a point source in a 3D boundary layer, Fluid Dyn Res 18(6) 337-354 (Nov 1996), 4A1034
Instability in a falling liquid film, Int J Heat Fluid Flow 17(5) 526-527 (Oct 1996), 4T1068
Linear stability of channel flow of fluid with temperature-dependent viscosity, J Fluid Mech 323 107-132 (Sep 1996), 4A1069
Vortex-wave interactions - Part 2: Originating from axisymmetric flow with swirl, J Fluid Mech 325 145-161 (Oct 1996), 5A993
Stability of 3D time-periodic flows with ellipsoidal stream surfaces, J Fluid Mech 324 379-391 (Oct 1996), 5A1025
Three-dimensional wake transition, J Fluid Mech 328 345-407 (Dec 1996), 6A1121
Reynolds-number-independent instability of the boundary layer over a flat surface, J Fluid Mech 327 101-115 (Nov 1996), 6A1133
Excitation of small disturbances by a Dirac line source at the wall and their growth in a decelerated laminar boundary layer, Eur J Mech B 16(1) 17-37 (1997), 7A1120
Stability of two-phase flow over a swept wing, J Fluid Mech 329 247-273 (Dec 1996), 7A1121
Stability of attachment-line boundary layers - Part 2: The effect of leading-edge curvature, J Fluid Mech 333 125-137 (Feb 1997), 8A1130
Singular modes in Rayleigh instability of 3D streamwise-vortex flows, J Fluid Mech 333 139-160 (Feb 1997), 8A1167
Near-boom oil-slick instability criterion in viscous flows and the influence of free-surface boundary conditions, J Energy Resources Tech 119(1) 26-33 (Mar 1997), 9A1102
Excitation of secondary instabilities in boundary layers, J Fluid Mech 336 245-266 (Apr 1997), 10A1138
Self-contained automated methodology for optimal flow control, AIAA J 35(5) 816-824 (May 1997), 10A1144
Effect of buoyancy on upper-branch Tollmein-Schlichting waves, IMA J Appl Math 58(1) 19-50 (Feb 1997), 10A1167
Stability of wall-bounded shear layers in the presence of simulated distributed surface roughness, J Fluid Mech 335 29-55 (Mar 1997), 10A1168
Finite-wavelength instability in a horizontal liquid layer on an oscillating plane, J Fluid Mech 335 213-232 (Mar 1997), 10A1172
Late stages of transition induced by a low-amplitude wavepacket in a laminar boundary layer, J Fluid Mech 340 395-411 (Jun 1997), 11A1023
Leading-edge receptivity in 3D classical boundary layers, Eur J Mech B 16(3) 321-348 (1997), 11A1024
Numerical study of the instabilities in the near wake of a circular cylinder at low Reynolds number, J Fluids Struct 11(3) 271-291 (Apr 1997), 11T1052
Gortler vortices promoted by wall roughness, Fluid Dyn Res 19(6) 343-362 (Jun 1997), 11A1066
Nonlinear evolution of a pair of oblique Tollmien-Schlichting waves in boundary layers, J Fluid Mech 340 361-394 (Jun 1997), 11A1067

370D. Nonlinear theory

Extension of Arnol'd's second stability theorem for the Euler equations, Physica D 94(4) 161-167 (Jul 1996), 1A1060
Symmetries and dynamics for 2D Navier-Stokes flow, Physica D 95(1) 81-93 (Aug 1996), 1A1061
Nonlinear critical layer resulting from the spatial or temporal evolution of weakly unstable disturbances in shear flows, J Fluid Mech 318 189-221 (Jul 1996), 2A1029
Stability of forced dissipative nonlinear system, Appl Math Mech 17(6) 541-548 (Jun 1996), 3A1131
Nonlinear stability of the thin micropolar liquid film flowing down on a vertical plate, J Fluids Eng 118(3) 498-505 (Sep 1996), 4A1070
Nonlinear symmetric stability and the nonlinear saturation of symmetric instability, J Atmos Sci 53(20) 2918-2923 (Oct 1996), 4T1071
Higher-order resonant instabilities of internal gravity waves, J Fluid Mech 324 1-23 (Oct 1996), 5A189
Subsonic, supersonic, and hypersonic inflectional-wave-vortex interaction, J Eng Math 30(6) 611-645 (Nov 1996), 5A994
Taylor-Couette instability of traveling waves with a continuous spectrum, J Fluid Mech 324 181-198 (Oct 1996), 5A1032
Nonlinear hydromagnetic stability analysis of condensation film flow down a vertical plate, Acta Mech 118(1-4) 197-212 (1996), 5A1036
Can nonlinear deformation amplify subtle differences in linear viscoelasticity?, J Non-Newtonian Fluid Mech 66(2-3) 193-212 (Oct 1996), 6A496
Extension of Joseph's criterion to the nonlinear stability of mechanical equilibria in the presence of thermodiffusive conductivity, Theor Comput Fluid Dyn 8(6) 403-413 (Nov 1996), 6A1134
IUTAM Symposium on Nonlinear Instability and Transition in Three-Dimensional Boundary Layers (Kluwer, Netherlands, 1996) 7N28
Singular modes in Rayleigh instability of 3D streamwise-vortex flows, J Fluid Mech 333 139-160 (Feb 1997), 8A1167
Identification of parameters in amplitude equations describing coupled wakes, Physica D 102(1-2) 37-56 (Mar 1997), 8A1168
Nonlinear stability of mass and heat transfer in magnetic fluids, Z Angew Math Mech 77(1) 19-31 (1997), 8A1169
Weakly nonlinear instability of non-parallel shear flows, Int J Non-Linear Mech 32(2) 277-283 (Mar 1997), 8A1170
Nonlinear behavior of the instability of steady natural convection in a vertical air layer, Mech Res Commun 24(2) 179-188 (Mar-Apr 1997), 8A1284
Perspective: Measurements and analyses of nonlinear wave interactions with higher-order spectral moments, J Fluids Eng 119(1) 3-13 (Mar 1997), 9A1106
Analysis of a non-hyperbolic system modeling two-phase flows - Part 1: The effects of diffusion and relaxation, Math Methods Appl Sci 20(9) 783-803 (Jun 1997), 10A1126
Nonlinear stability and detonability limit of a detonation wave for a model three-step chain-branching reaction, J Fluid Mech 339 89-119 (May 1997), 11A1068
Self-similarity and nonlinear dynamics of thermally unstable media, Geophys Astrophys Fluid Dyn 84(3-4) 273-307 (May 1997), 11T1069
Solitons in (2 + 0) dimensions and their applications in vortex dynamics, Fluid Dyn Res 21(2) 101-114 (Aug 1997), 12A1066

370G. Non-Newtonian flow

Observations of viscoelastic instabilities in recirculation flows of Boger fluids, J Non-Newtonian Fluid Mech 64(2-3) 141-155 (Jun 1996), 1A458
Absolute instability of boundary-layer flow over viscoelastic walls, Theor Comput Fluid Dyn 8(4) 237-252 (1996), 1A1056
Capillary instability of jets of magneto-rheological fluids, J Rheol 40(5) 727-739 (Sep-Oct 1996), 3A1132
Hadamard stability for compressible viscoelastic constitutive equations, J Non-Newtonian Fluid Mech 65(2-3) 151-163 (Aug 1996), 3A1133
Multilayer film casting of modified Giesekus fluids - Part 2: Linear stability analysis, J Non-Newtonian Fluid Mech 66(1) 95-114 (Sep 1996), 3A1134
Stability of viscoelastic fluids in a modulated gravitational field, Int J Heat Mass Transfer 40(6) 1401-1410 (Apr 1997), 6A1242
Nonisothermal model of glass fiber drawing stability, Rheol Acta 35(6) 584-596 (Nov-Dec 1996), 7A969
Extrusion of a compressible Newtonian fluid with periodic inflow and slip at the wall, Rheol Acta 35(6) 531-544 (Nov-Dec 1996), 7A1122
Linear stability of Giesekus fluid in Poiseuille flow, Mech Res Commun 24(2) 223-228 (Mar-Apr 1997), 8T1171
Stick-slip transition in capillary flow of linear polyethylene - 3: Surface conditions, Rheol Acta 36(2) 128-134 (Mar-Apr 1997), 10A1169
Three-dimensional ribbing instability in symmetric forward-roll film-coating processes, J Fluid Mech 335 323-359 (Mar 1997), 10A1170
Digital particle velocimetry in flows with nearly closed pathlines: The viscoelastic Taylor-Couette instability, J Non-Newtonian Fluid Mech 69(2-3) 221-237 (Apr 1997), 11A1070
Mechanism of fluidelastic instability of a tube placed in an array subjected to two-phase crossflow, J Fluids Eng 117(4) 706-712 (Dec 1995), 11A1071
Linear stability of multilayer plane Poiseuille flows of Oldroyd B fluids, J Non-Newtonian Fluid Mech 71(1-2) 1-23 (Jul 1997), 12A1137

370H. Nonequilibrium and chemical effects

Hydrodynamic stability of a polymerization front, European J Appl Math 7(3) 303-320 (Jun 1996), 1A1062
Geometric approach to fingering instabilities for reaction fronts in fully coupled geochemical systems, IMA J Appl Math 57(1) 29-40 (Aug 1996), 6A1316
Instabilities and Nonequilibrium Structures V (Kluwer, Netherlands, 1996) 7N26
Multidimensional linear stability of a detonation wave at high activation energy, SIAM J Appl Math 57(2) 307-326 (Apr 1997), 10A331
Linear stability of hypersonic flow in thermomechanical nonequilibrium, AIAA J 35(6) 958-964 (Jun 1997), 12A1138

370I. Pendant drops

Instability of a liquid jet subject to disturbances composed of two wavenumbers, J Fluid Mech 320 185-210 (Aug 1996), 3A1135
Rotation and magnetic effect on the non-axisymmetric temporal stability of a capillary jet, Fluid Dyn Res 18(5) 289-305 (Oct 1996), 3A1136
Atomization of a liquid drop by pulsation, Appl Math Mech 17(7) 597-606 (Jul 1996), 5A975
Breakage of a drop of inviscid fluid due to a pressure fluctuation at its surface, J Fluid Mech 328 1-17 (Dec 1996), 6A1064
Instability caused by the coupling between non-resonant shape oscillation modes of a charged conducting drop, J Fluid Mech 333 1-21 (Feb 1997), 8A1209
Two-step Monte Carlo method for wetting on heterogeneous surfaces, Model Simulation Mat Sci Eng 5(2) 93-103 (Mar 1997), 11A1072

370J. Stratified flows

Instability of evaporation-dominated flows, Geophys Astrophys Fluid Dyn 82(1-2) 69-91 (Mar 1996), 1A1063
Numerical study for the 3D Rayleigh-Taylor instability through the TVD-AC scheme and parallel computation, J Comput Phys 126(2) 343-355 (Jul 1996), 1A1064
Wavelength of stationary instability in the convective flow between heated vertical planes, Eur J Mech B 15(3) 413-437 (1996), 1A1065
Nonlinear critical layer resulting from the spatial or temporal evolution of weakly unstable disturbances in shear flows, J Fluid Mech 318 189-221 (Jul 1996), 2A1029
Instability mechanism in a stably stratified atmospheric layer over a moistened surface, Boundary-Layer Meteorol 78(3-4) 383-398 (Mar 1996), 2A1030
Baroclinic adjustment: A comparison between theory, observations, and models, J Atmos Sci 53(12) 1663-1674 (Jun 1996), 3T1137
Scaling theory for horizontally homogeneous, baroclinically unstable flow on a beta plane, J Atmos Sci 53(7) 946-952 (Apr 1996), 3T1138
Finite-time instabilities of lower-stratospheric flow, J Atmos Sci 53(15) 2129-2143 (Aug 1996), 3T1139
Three-dimensional transition of natural-convection flows, J Fluid Mech 319 281-303 (Jul 1996), 3A1232
Nonlinear stability theorem for Eady's model of quasigeostrophic baroclinic flow, J Atmos Sci 53(10) 1459-1463 (May 1996), 3T1421
Baroclinic adjustment in a two-level model with barotropic shear, J Atmos Sci 53(18) 2749-2754 (Sep 1996), 4A1072
Finite-amplitude baroclinic instability of a mesoscale gravity current in a channel, Geophys Astrophys Fluid Dyn 82(3-4) 173-205 (Jun 1996), 4T1073
Linear stability and structure of convection in a circular mean shear, J Atmos Sci 53(18) 2578-2593 (Sep 1996), 4A1074
Mixed barotropic-baroclinic eddies growing on an eastward mid-latitude jet, Geophys Astrophys Fluid Dyn 82(3-4) 137-171 (Jun 1996), 4T1075
Nonlinear saturation of baroclinic instability in a three-layer model, J Atmos Sci 53(20) 2905-2917 (Oct 1996), 4A1076
Tilting instability with buoyant forcing in a 2D viscous fluid, J Atmos Sci 53(18) 2671-2684 (Sep 1996), 4A1077
Linear stability of mixed convection in a vertical channel flow, J Fluid Mech 325 29-51 (Oct 1996), 5A1026
Nonlinear stability of continuously stratified quasi-geostrophic flow, J Fluid Mech 325 419-439 (Oct 1996), 5A1027
Three-dimensional instability of axisymmetric buoyant convection in cylinders heated from below, J Fluid Mech 326 399-415 (Nov 1996), 5A1028
Instabilities of flows between differentially rotating coaxial vertical cylinders in the presence of a radial temperature gradient, Eur J Mech B 15(5) 605-618 (1996), 5A1029
Full-scale numerical study of interfacial instabilities in thin-film flows, J Fluid Mech 325 163-194 (Oct 1996), 5A1034
Extension of Joseph's criterion to the nonlinear stability of mechanical equilibria in the presence of thermodiffusive conductivity, Theor Comput Fluid Dyn 8(6) 403-413 (Nov 1996), 6A1134
Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part I: Comparison of 2D and 3D flows, J Atmos Sci 53(22) 3173-3191 (Nov 1996), 6A1135
Instability and breakdown of tall columnar vortices in a quasi-geostrophic fluid, J Fluid Mech 328 129-160 (Dec 1996), 6A1138
Finite Amplitude stability of the wind-driven ocean circulation, Geophys Astrophys Fluid Dyn 83(1-2) 1-31 (Nov 1996), 6T1478
Stability of two-phase flow over a swept wing, J Fluid Mech 329 247-273 (Dec 1996), 7A1121
Effect of compressibility on barotropic and baroclinic instability, J Atmos Sci 54(1) 24-31 (Jan 1997), 7A1123
Application of miles-Howard theorem to study the instability of atmospheric gravity waves on a heterogeneous orthogonal shear flow, J Hydrodyn 8(3) 17-24 (1996), 7T1498
Nonlinear stability of mass and heat transfer in magnetic fluids, Z Angew Math Mech 77(1) 19-31 (1997), 8A1169
Degenerate bifurcation in stably stratified plane Poiseuille flow, J Fluid Mech 331 261-282 (Jan 1997), 8A1172
Vibrational convective instability of a horizontal, binary-mixture layer with Soret effect, J Fluid Mech 330 251-269 (Jan 1997), 8A1173
Electroviscoelastic Rayleigh-Taylor instability of Kelvin fluids: Effect of a constant tangential electric field, Fluid Dyn Res 19(5) 327-341 (May 1997), 9A1138
Stability of gaseous stars in spherically symmetric motions, SIAM J Math Anal 28(3) 539-569 (May 1997), 10A1171
Long-wave instability of natural-convection boundary layers, J Fluid Mech 335 57-73 (Mar 1997), 10A1288
Second order nonlinear periodic convection and its stability analysis of thermohaline double-diffusive system, J Hydrodyn 9(1) 24-33 (1997), 10T1390
Application of perturbation theory to the stability analysis of realistic atmospheric flows, Tellus 49A(3) 321-336 (May 1997), 11T1073
Miscible displacement between two parallel plates: BGK lattice gas simulations, J Fluid Mech 338 277-297 (May 1997), 11A1074
Problem in the theory of mixing layers, J Appl Math Mech 60(6) 987-998 (1996), 11A1075
Snakes and corkscrews in core-annular down-flow of two fluids, J Fluid Mech 340 297-317 (Jun 1997), 11A1076
Stability of a front separating water masses with different stratifications, Geophys Astrophys Fluid Dyn 84(3-4) 165-204 (May 1997), 11T1077
Laboratory study of baroclinic waves and turbulence in an internally heated rotating fluid annulus with sloping endwalls, J Fluid Mech 339 173-198 (May 1997), 11A1106
Note on 1D calculations of baroclinic and barotropic instabilities, Tellus 49A(3) 337-346 (May 1997), 11T1498

370K. Rotating flows or surfaces

Asymptotic analysis of equilibrium states for rotating turbulent flows, Theor Comput Fluid Dyn 8(4) 289-308 (1996), 1A1076
Time-dependent drop deformation in a rotating high viscosity fluid, Quart Appl Math 54(3) 551-556 (Sep 1996), 2A970
Existence of extra vortex and twin vortex of anomalous mode in Taylor vortex flow with a small aspect ratio, Acta Mech 117(1-4) 33-46 (1996), 3A1023
Rotation and magnetic effect on the non-axisymmetric temporal stability of a capillary jet, Fluid Dyn Res 18(5) 289-305 (Oct 1996), 3A1136
Baroclinic adjustment: A comparison between theory, observations, and models, J Atmos Sci 53(12) 1663-1674 (Jun 1996), 3T1137

Scaling theory for horizontally homogeneous, baroclinically unstable flow on a beta plane, J Atmos Sci 53(7) 946-952 (Apr 1996), 3T1138
Finite-time instabilities of lower-stratospheric flow, J Atmos Sci 53(15) 2129-2143 (Aug 1996), 3T1139
Streamline-curvature instability of the flow on a rotating disk with uniform suction, J Phys Soc Japan 65(8) 2485-2493 (Aug 1996), 3A1140
Nonlinear stability theorem for Eady's model of quasigeostrophic baroclinic flow, J Atmos Sci 53(10) 1459-1463 (May 1996), 3T1421
Baroclinic adjustment in a two-level model with barotropic shear, J Atmos Sci 53(18) 2749-2754 (Sep 1996), 4A1072
Finite-amplitude baroclinic instability of a mesoscale gravity current in a channel, Geophys Astrophys Fluid Dyn 82(3-4) 173-205 (Jun 1996), 4T1073
Mixed barotropic-baroclinic oddies growing on an eastward mid-latitude jet, Geophys Astrophys Fluid Dyn 82(3-4) 137-171 (Jun 1996), 4T1075
Nonlinear saturation of baroclinic instability in a three-layer model, J Atmos Sci 53(20) 2905-2917 (Oct 1996), 4A1076
Effect of laminar chaos on reaction and dispersion in eccentric annular flow, J Fluid Mech 325 219-237 (Oct 1996), 5A82
Numerical study of axisymmetric vortex breakdown in an annulus, Acta Mech 118(1-4) 79-95 (1996), 5A934
Nonlinear stability of continuously stratified quasigeostrophic flow, J Fluid Mech 325 419-439 (Oct 1996), 5A1027
Instabilities of flows between differentially rotating coaxial vertical cylinders in the presence of a radial temperature gradient, Eur J Mech B 15(5) 605-618 (1996), 5A1029
Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, Eur J Mech B 15(5) 665-694 (1996), 5A1030
Stability of stationary endwall boundary layers during spindown, J Fluid Mech 326 373-398 (Nov 1996), 5A1031
Taylor-Couette instability of traveling waves with a continuous spectrum, J Fluid Mech 324 181-198 (Oct 1996), 5A1032
Effect of rotation on flow instabilities during solidification of a binary alloy, Int J Eng Sci 34(14) 1631-1645 (Nov 1996), 6A1136
Spatio-temporal behavior in a rotating annulus with a source-sink flow, J Fluid Mech 328 271-296 (Dec 1996), 6A1137
Instability and breakdown of tall columnar vortices in a quasi-geostrophic fluid, J Fluid Mech 328 129-160 (Dec 1996), 6A1138
Finite Amplitude stability of the wind-driven ocean circulation, Geophys Astrophys Fluid Dyn 83(1-2) 1-31 (Nov 1996), 6T1478
Small-gap Taylor problem: An approximation and some exact results for non-axisymmetric modes, Fluid Dyn Res 19(4) 185-199 (Apr 1997), 7A1025
Effect of compressibility on barotropic and baroclinic instability, J Atmos Sci 54(1) 24-31 (Jan 1997), 7A1123
Pulsed flow between concentric rotating cylinders, Eur J Mech B 16(2) 227-248 (1997), 8A1072
Absolute instability of the Ekman layer and related rotating flows, J Fluid Mech 331 405-428 (Jan 1997), 8A1174
New nonlinear barotropic stability criterion including Ekman friction, Nonlinear World 3(4) 787-801 (1996), 9A1103
Stability of Couette flow in the wide gap of two circular concentric cylinders with rotating inner cylinder and finite growth rate, Arch Mech 48(5) 835-841 (1996), 9A1104
Laboratory and numerical studies of baroclinic waves in an internally heated rotating fluid annulus: A case of wave-vortex duality?, J Fluid Mech 337 155-191 (Apr 1997), 10A1087
Laboratory and numerical studies of baroclinic waves in an internally heated rotating fluid annulus: A case of wave-vortex duality?, J Fluid Mech 337 155-191 (Apr 1997), 10A1087
Streamwise development of Gortler vortices in a favorable pressure gradient, J Turbomachinery 118(1) 162-171 (Jan 1996), 11A1029
Digital particle velocimetry in flows with nearly closed pathlines: The viscoelastic Taylor-Couette instability, J Non-Newtonian Fluid Mech 69(2-3) 221-237 (Apr 1997), 11A1070
Application of perturbation theory to the stability analysis of realistic atmospheric flows, Tellus 49A(3) 321-336 (May 1997), 11T1073
Stability of a front separating water masses with different stratifications, Geophys Astrophys Fluid Dyn 84(3-4) 165-204 (May 1997), 11T1077
Effect of spanwise rotation on centrifugal instability in rotating curved non-isothermal flows, Comput Mech 19(5) 420-433 (Apr 1997), 11A1078
Taylor-Couette instability with a continuous spectrum, J Appl Mech 62(4) 915-923 (Dec 1995), 11A1079
Laboratory study of baroclinic waves and turbulence in an internally heated rotating fluid annulus with sloping endwalls, J Fluid Mech 339 173-198 (May 1997), 11A1106
Note on 1D calculations of baroclinic and barotropic instabilities, Tellus 49A(3) 337-346 (May 1997), 11T1498
Development of an axisymmetric wave packet in rotating-disk flow, Fluid Dyn Res 21(2) 87-100 (Aug 1997), 12A1073
Heat transfer and flow stability in a rotating disk-stagnation flow chemical vapor deposition reactor, Numer Heat Transfer A 31(8) 867-879 (Jun 1997), 12A1265

370M. Vortices

Linear breakdown of Gortler vortices, Eur J Mech B 15(3) 301-330 (1996), 1A1057
Transition to turbulence from a localized vortex array, J Phys Soc Japan 65(6) 1666-1672 (Jun 1996), 1A1066
Dispersion of a vortex trajectory in 2D turbulence, Physica D 95(2) 163-166 (Aug 1996), 2A1038
Nonlinear modeling of vortex shedding control in cylinder wakes, Physica D 97(1-3) 264-273 (Oct 1996), 4A986
Gortler vortices with system rotation, Theor Comput Fluid Dyn 8(5) 325-347 (Sep 1996), 4A1049
Viscous and inviscid instabilities of non-parallel self-similar axisymmetric vortex cores, J Fluid Mech 323 339-365 (Sep 1996), 4A1078
Onset of instability in exact vortex rings with swirl, J Comput Phys 129(1) 8-29 (Nov 1996), 5A1033
Instability and breakdown of tall columnar vortices in a quasi-geostrophic fluid, J Fluid Mech 328 129-160 (Dec 1996), 6A1138
Vortex breakdown in an unconfined vortical flow, Exp Thermal Fluid Sci 14(2) 131-148 (Feb 1997), 7T1124
Can the system of discrete vortices imitate a boundary layer?, Arch Mech 49(1) 103-109 (1997), 9A1105
Interaction of perturbed vortex rings and its sound generation, J Sound Vib 202(1) 1-27 (Apr 1997), 10A344
Dynamics of a swirling flow in a pipe and transition to axisymmetric vortex breakdown, J Fluid Mech 340 177-223 (Jun 1997), 11A937
Formation of a 2D vortex pair and its 3D breakup: An experimental study, Exp Fluids 23(1) 29-37 (May 1997), 11A938
Role of Kelvin-Helmholtz-like instability in the formation of turbulent vortex rings, Fluid Dyn Res 21(1) 47-56 (Jul 1997), 11A939
Gortler vortices promoted by wall roughness, Fluid Dyn Res 19(6) 343-362 (Jun 1997), 11A1066
Impact of initial conditions on vortex breakdown on pitching delta wings, J Aircraft 34(3) 452-454 (May-Jun 1997), 11T1080
Linear growth of Gortler vortices, Int J Heat Fluid Flow 18(4) 389-399 (Aug 1997), 11A1081
Numerical investigation of the interaction of coaxial vortex rings, Int J Numer Methods Heat & Fluid Flow 7(2-3) 120-140 (1997), 11T1082
Direct numerical simulations of wake vortices in intense homogeneous turbulence, AIAA J 35(6) 1030-1040 (Jun 1997), 12A1139

370P. Free surfaces and interfaces (eg jets)

Instability of evaporation-dominated flows, Geophys Astrophys Fluid Dyn 82(1-2) 69-91 (Mar 1996), 1A1063
Nature of PSE approximation, Theor Comput Fluid Dyn 8(4) 253-273 (1996), 1A1067
Self-induced vibration of a water drop placed on an oscillating plate, J Phys Soc Japan 65(7) 2068-2071 (Jul 1996), 1A1068
Estimation of shock-cell structure of axisymmetric supersonic free jets, Indian J Eng Mat Sci 3(4) 141-147 (Aug 1996), 2A1022
Experimental investigation of initial oscillations in a radial Hele-Shaw cell, Exp Fluids 21(3) 187-200 (Jul 1996), 2A1031
Flow field near a plane surface impinged by multiple jets: Application to wall cooling (French), Rev Francaise Mec 0(2) 99-103 (1996), 2T1032
Note on the capillary thread instability for fluids of equal viscosities, J Fluid Mech 318 373-374 (Jul 1996), 2A1033
Pressure fluctuations in an unstable confined jet, AIAA J 34(9) 1952-1954 (Sep 1996), 2T1034
Observability of finite-depth short-crested water waves, J Fluid Mech 322 1-19 (Sep 1996), 3A233
Nonlinear rupture theory of a thin free liquid film with insoluble surfactant, J Phys Soc Japan 65(8) 2494-2501 (Aug 1996), 3A236
Fully coupled resonant triad interactions in a Bickley jet, Eur J Mech B 15(4) 507-526 (1996), 3A1112
Rotation and magnetic effect on the non-axisymmetric temporal stability of a capillary jet, Fluid Dyn Res 18(5) 289-305 (Oct 1996), 3A1136
Mechanism for rivulet formation in heated falling films, J Fluid Mech 321 279-298 (Aug 1996), 3A1141
Asymptotic approximation of the Wiener-Hopf technique as applied to jet atomization, Physica D 97(1-3) 45-64 (Oct 1996), 4A1079
Absolute, convective, and global instability of a magnetic liquid jet, Fluid Dyn Res 18(6) 325-335 (Nov 1996), 4A1098
Full-scale numerical study of interfacial instabilities in thin-film flows, J Fluid Mech 325 163-194 (Oct 1996), 5A1034
Initial-value problem for the Kelvin-Helmholtz instabilities of high-velocity and magnetized shear layers, Quart Appl Math 54(4) 637-662 (Dec 1996), 5A1035
Nonlinear hydromagnetic stability analysis of condensation film flow down a vertical plate, Acta Mech 118(1-4) 197-212 (1996), 5A1036
Spatial structure of the Benard von Karman instability, Eur J Mech B 15(5) 619-650 (1996), 5A1037
Interfacial instabilitics and fingering formation in Hele-Shaw flow, IMA J Appl Math 57(2) 101-135 (Oct 1996), 6A1023
Weakly nonlinear oscillations of nearly inviscid axisymmetric liquid bridges, J Fluid Mech 328 95-128 (Dec 1996), 6A1032
Concentration waves and the instability of bubbly flows, J Fluid Mech 328 67-93 (Dec 1996), 6A1066
Breakup and atomization of a viscous liquid jet, Acta Mech Sinica 12(2) 124-134 (1996), 6A1139
Effect of an oblique magnetic field on the surface instability of a finite conducting fluid layer, Acta Mech 119(1-4) 165-180 (1996), 6A1140
Simple criterion for exchange of stabilities in a model of Langmuir circulations, Eur J Mech B 15(6) 771-779 (1996), 6A1141
Geometric approach to fingering instabilities for reaction fronts in fully coupled geochemical systems, IMA J Appl Math 57(1) 29-40 (Aug 1996), 6A1316
Moderate and steep Faraday waves: Instabilities, modulation, and temporal asymmetries, J Fluid Mech 329 275-307 (Dec 1996), 7A216
Benard-Marangoni instability in rigid rectangular containers, J Fluid Mech 329 25-64 (Dec 1996), 7A1125
Capillary instability of an ideal jet of large but finite length, Eur J Mech B 16(1) 39-47 (1997), 7A1126
Marangoni instability in tri-layer liquid systems, Eur J Mech B 16(1) 49-74 (1997), 7A1127
Phase-locking modes in a bidimensional network of coupled water jets, Physica D 99(2-3) 318-338 (Dec 1996), 7A1128
Stability of thin liquid sheet flows, J Propulsion Power 13(1) 74-81 (Jan-Feb 1997), 7A1129
Stationary waves on plane liquid sheets falling vertically, Eur J Mech B 16(1) 75-88 (1997), 7A1130
Temporal and spatial instability of an inviscid compound jet, Rheol Acta 35(6) 567-583 (Nov-Dec 1996), 7A1131
Edge, cavity, and aperture tones at very low Mach numbers, J Fluid Mech 330 61-84 (Jan 1997), 8A312
Primary and secondary instabilities in the wake of a cylinder with free ends, J Fluid Mech 332 295-339 (Feb 1997), 8A1156
Absolute and convective instability of a viscous liquid curtain in a viscous gas, J Fluid Mech 332 105-120 (Feb 1997), 8A1165
Instability of a spatially developing liquid sheet, J Fluid Mech 331 127-144 (Jan 1997), 8A1175
Reappraisal of the Kelvin-Helmholtz problem - Part 1: Hamiltonian structure, J Fluid Mech 333 301-325 (Feb 1997), 8A1176
Reappraisal of the Kelvin-Helmholtz problem - Part 2: Interaction of the Kelvin-Helmholtz, superharmonic, and Benjamin-Feir instabilities, J Fluid Mech 333 327-373 (Feb 1997), 8A1177
Stability of slender liquid bridges subjected to axial flows, J Fluid Mech 330 189-213 (Jan 1997), 8A1178
Deformation and kinematic mixing of a collapsing interface, Appl Math Model 21(2) 108-112 (Feb 1997), 8A1279
Moving contact lines in liquid-liquid-solid systems, J Fluid Mech 334 211-249 (Mar 1997), 9A1015
Small-amplitude oscillatory forcing on two-layer plane channel flow, J Fluid Mech 334 87-109 (Mar 1997), 9A1101
Crest instabilities of steep surface waves, J Fluid Mech 336 51-68 (Apr 1997), 10A292
Three-dimensional ribbing instability in symmetric forward-roll film-coating processes, J Fluid Mech 335 323-359 (Mar 1997), 10A1170
Finite-wavelength instability in a horizontal liquid layer on an oscillating plane, J Fluid Mech 335 213-232 (Mar 1997), 10A1172
Global dynamics and aerodynamic flow vectoring of wakes, J Fluid Mech 338 231-248 (May 1997), 11A1051
Miscible displacement between two parallel plates: BGK lattice gas simulations, J Fluid Mech 338 277-297 (May 1997), 11A1074
Absolute and convective instabilities of plane turbulent wakes in a shallow water layer, J Fluid Mech 338 157-172 (May 1997), 11A1083
Capillary instability of a liquid film on a wire, J Fluids Eng 117(4) 673-676 (Dec 1995), 11A1084
Global linear stability analysis of thin aerofoil wakes, J Fluid Mech 339 239-260 (May 1997), 11A1085
Inviscid stability of parallel bubbly flows, J Fluid Mech 339 261-274 (May 1997), 11A1086
Numerical study of the effect of free surface and water depth on the stability of wakes: Use of GDQ formulation, Int J Numer Methods Fluids 24(11) 1079-1090 (Jun 1997), 11A1087
Nonlinear evolution and secondary instabilities of Marangoni convection in a liquid-gas system with deformable interface, J Fluid Mech 341 317-341 (Jun 1997), 12A1140

370Y. Computational techniques

Simulation of nonlinear instabilities in an attachment-line boundary layer, Fluid Dyn Res 18(2) 81-97 (Jul 1996), 1A1058
Numerical study for the 3D Rayleigh-Taylor instability through the TVD-AC scheme and parallel computation, J Comput Phys 126(2) 343-355 (Jul 1996), 1A1064
Three-dimensional Floquet stability analysis of the wake of a circular cylinder, J Fluid Mech 322 215-241 (Sep 1996), 3A1129
Unsteadiness and convective instabilities in 2D flow over a backward-facing step, J Fluid Mech 321 157-187 (Aug 1996), 3A1130
Numerical simulation of the mechanisms governing the onset of the Benard-von Karman instability, Int J Numer Methods Fluids 23(8) 753-785 (Oct 1996), 4A1080
Second mode instability, J Theor Appl Mech 34(3) 641-661 (1996), 4A1081
Large-eddy simulation of transition to turbulence in a boundary layer developing spatially over a flat plate, J Fluid Mech 326 1-36 (Nov 1996), 5A988
Stability of stationary endwall boundary layers during spindown, J Fluid Mech 326 373-398 (Nov 1996), 5A1031
Chebyshev tau-QZ algorithm methods for calculsting spectra of hydrodynamic stability problems, Appl Numer Math 22(4) 399-434 (Dec 1996), 6A1142
Transition to instability in weakly non-uniform flows without dissipation, J Appl Math Mech 60(3) 429-432 (1996), 6A1143
Modeling of void formation in the subcooled boiling regime in the ATHLET code to simulate flow instability for research reactors, Nucl Eng Des 167(2) 175-191 (Nov 1996), 6A1500
Navier-Stokes analysis of airfoils in oscillating transonic cascades for the prediction of aerodynamic damping, J Turbomachinery 119(1) 77-84 (Jan 1997), 8A1179
Chebyshev collocation method for solving two-phase flow stability problems, J Comput Phys 132(2) 191-200 (Apr 1997), 10T1135
Implementation of vortex filament methods on parallel machines with distributed adaptive data structure, Int J Numer Methods Fluids 24(10) 939-951 (May 1997), 10A1173
Three dimensional simulation of unstable immiscible displacement in the porous medium, Appl Math Mech 18(1) 81-89 (Jan 1997), 10A1174
Effects of magnetic reconnection in the Kelvin-Helmholtz instability at the magnetospheric boundary, Planet Space Sci 45(4) 495-510 (Apr 1997), 10A1206
Numerical investigation of the interaction of coaxial vortex rings, Int J Numer Methods Heat & Fluid Flow 7(2-3) 120-140 (1997), 11T1082
Numerical study of the effect of free surface and water depth on the stability of wakes: Use of GDQ formulation, Int J Numer Methods Fluids 24(11) 1079-1090 (Jun 1997), 11A1087
Linear stability of hypersonic flow in thermomechanical nonequilibrium, AIAA J 35(6) 958-964 (Jun 1997), 12A1138
Direct numerical simulations of wake vortices in intense homogeneous turbulence, AIAA J 35(6) 1030-1040 (Jun 1997), 12A1139

370Z. Experimental techniques

Experimental investigation of initial oscillations in a radial Hele-Shaw cell, Exp Fluids 21(3) 187-200 (Jul 1996), 2A1031
Flow field near a plane surface impinged by multiple jets: Application to wall cooling (French), Rev Francaise Mec 0(2) 99-103 (1996), 2T1032
Perspective: Measurements and analyses of nonlinear wave interactions with higher-order spectral moments, J Fluids Eng 119(1) 3-13 (Mar 1997), 9A1106
Formation of a 2D vortex pair and its 3D breakup: An experimental study, Exp Fluids 23(1) 29-37 (May 1997), 11A938
Digital particle velocimetry in flows with nearly closed pathlines: The viscoelastic Taylor-Couette instability, J Non-Newtonian Fluid Mech 69(2-3) 221-237 (Apr 1997), 11A1070

372. TURBULENCE

372A. General theory

Life and Legacy of GI Taylor (Cambridge UP, New York, 1996) 1R39
Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 2: FED-Volume 237 (ASME Press, New York, 1996) 1N44
Basic laws in mechanics of turbulent flows, China Ocean Eng 10(1) 1-44 (1996), 1A1069
Constitutive theory for the Reynolds-stress closures in turbulence modeling, J Hydrodyn 8(1) 103-110 (1996), 1A1078
Introduction to Turbulence (Taylor & Francis, PA, 1996) 3R30
Dynamical systems theory and extra rates of strain in turbulent flows, Exp Thermal Fluid Sci 13(3) 180-189 (Oct 1996), 4A84
Simulation and Modeling of Turbulent Flow (Oxford UP, New York, 1996) 5R20
Note on Kolmogorov's third-order structure-function law, the local isotropy hypothesis and the pressure-velocity correlation, J Fluid Mech 326 343-356 (Nov 1996), 5A1038
Upper bounds for turbulent Couette flow incorporating the poloidal power constraint, J Fluid Mech 328 161-176 (Dec 1996), 6A1151
Advances in Turbulence VI (Kluwer, Netherlands, 1996) 7N24
IUTAM Symposium on Asymptotic Methods for Turbulent Shear Flows at High Reynolds Numbers (Kluwer, Netherlands, 1996) 7N27
Efficient computation of particle dispersion in turbulent flows with a stochastic-probabilistic model, Int J Heat Mass Transfer 40(8) 1727-1741 (May 1997), 7A1065
Evolution of Burgers' turbulence in the presence of external forces, J Fluid Mech 331 313-343 (Jan 1997), 8A1180
Fluid Mechanics (Springer-Verlag, Berlin, 1997) 9R22
Turbulence in Fluids, Third Revised and Enlarged Edition (Kluwer, Netherlands, 1996) 9N25
Circulation density and its role in 3D turbulence, Physica D 102(3-4) 343-348 (Apr 1 1997), 9A1107
Nonlinear interactions in turbulence with strong irrotational straining, J Fluid Mech 337 333-364 (Apr 1997), 10A1175
Role of angular momentum in the magnetic damping of turbulence, J Fluid Mech 336 123-150 (Apr 1997), 10A1205
Effect of a central vortex on a stretched magnetic flux tube, J Fluid Mech 339 121-142 (May 1997), 11A1121
Optimal bounds on the dimension of the attractor of the Navier-Stokes equations, Physica D 105(1-3) 1-19 (Jun 1997), 12A1141
Variational method in the statistical theory of turbulence, Physica D 105(1-3) 185-202 (Jun 1997), 12A1142

372B. Homogeneous or isotropic turbulence

Diffusion of conserved and reactive scalars behind line sources in homogeneous turbulence, J Fluid Mech 318 339-372 (Jul 1996), 2A1041
Experimental values of Kolmogorov constant of turbulence, J Phys Soc Japan 65(8) 2502-2505 (Aug 1996), 3A1142
Shear-free turbulence near a flat free surface, J Fluid Mech 320 19-51 (Aug 1996), 3A1143
Multi-scalar triadic interactions in differential diffusion with and without mean scalar gradients, J Fluid Mech 321 235-278 (Aug 1996), 3A1153
Note on Kolmogorov's third-order structure-function law, the local isotropy hypothesis and the pressure-velocity correlation, J Fluid Mech 326 343-356 (Nov 1996), 5A1038
Eulerian and Lagrangian scaling properties of randomly advected vortex tubes, J Fluid Mech 326 417-436 (Nov 1996), 5A1039
Similarity theory of locally homogeneous and isotropic turbulence generated by a Smagorinsky-type LES, J Fluid Mech 325 239-260 (Oct 1996), 5A1040
Scaling laws and dissipation scale of a passive scalar in fully developed turbulence, Physica D 99(2-3) 369-380 (Dec 1996), 7A1132
Volume integrals of the $Q_* - R_*$ invariants of the velocity gradient tensor in incompressible flows, Fluid Dyn Res 19(4) 219-233 (Apr 1997), 7A1133
Verification of SGS-stress models by direct numerical simulation of compressible homogeneous isotropic turbulence, JSME Int J Ser B 39(4) 685-691 (Nov 1996), 7T1156
Analogy between predictions of Kolmogorov and Yaglom, J Fluid Mech 332 395-409 (Feb 1997), 8A1181
Statistical properties of a turbulent cascade, Physica D 102(1-2) 147-155 (Mar 1997), 8A1182
Evolution of a uniformly sheared thermally stratified turbulent flow, J Fluid Mech 334 61-86 (Mar 1997), 9A1114
Motion of gas bubbles in homogeneous isotropic turbulence, J Fluid Mech 336 221-244 (Apr 1997), 10A1133
Collision statistics in an isotropic particle-laden turbulent suspension - Part 1: Direct numerical simulations, J Fluid Mech 335 75-109 (Mar 1997), 10A1176
Nearly isotropic turbulence generated by a pair of vibrating grids, Exp Thermal Fluid Sci 14(3) 251-262 (Apr 1997), 10A1177
Energy transfer in rotating turbulence, J Fluid Mech 337 303-332 (Apr 1997), 10A1181
Oscillating turbulent flow with or without a current about a circular cylinder, J Offshore Mech Arctic Eng 119(2) 73-78 (May 1997), 11A205
Taylor hypothesis corrections for measured energy spectra of turbulence, Physica D 104(2) 163-183 (May 1997), 11A1088

372E. Compressibility effects

Turbulent Shear Layers in Supersonic Flow (AIP, Woodbury, NY, 1996) 6R20
Shock tube research facility for high-resolution measurements of compressible turbulence, Exp Thermal Fluid Sci 13(4) 430-446 (Nov 1996), 6A1144
Turbulent spots in boundary layers in a free-piston shock-tunnel flow, Shock Waves 6(6) 337-343 (Dec 1996), 7A225
Numerical study of a turbulent flow compressed by a weak shock wave, Int J Comput Fluid Dyn 8(1) 63-75 (1997), 7T1134
Sound generation in a mixing layer, J Fluid Mech 330 375-409 (Jan 1997), 8A315
Effect of compressibility on turbulent shear flow: A rapid-distortion-theory and direct-numerical-simulation study, J Fluid Mech 330 307-338 (Jan 1997), 8A1183
Compressibility effects in modeling turbulent high speed mixing layers, Eng Comput 14(1) 5-13 (1997), 9A1108
Influence of entropy fluctuations on the interaction of turbulence with a shock wave, J Fluid Mech 334 353-379 (Mar 1997), 9A1109
Multigrid convergence acceleration for turbulent supersonic flows, Int J Numer Methods Fluids 24(10) 1019-1035 (May 1997), 10A1110
Influence of rolling speed upon friction in cold rolling of foils, J Trib 119(2) 349-357 (Apr 1997), 10A1178
Effect of the structure of swept-shock-wave and turbulent-boundary-layer interactions on turbulence modeling, J Fluid Mech 338 203-230 (May 1997), 11A1026
Interaction of isotropic turbulence with shock waves: Effect of shock strength, J Fluid Mech 340 225-247 (Jun 1997), 11A1089
PDF model calculations of compressible turbulent flows using smoothed particle hydrodynamics, J Comput Phys 134(1) 150-168 (Jun 1997), 11A1090

372F. Free shear layers

Large-eddy simulation of a plane jet in a cross-flow, Int J Heat Fluid Flow 17(3) 296-306 (Jun 1996), 2A963
Mie scattering measurements of probability density functions in compressible mixing layers, Exp Fluids 21(4) 291-301 (Aug 1996), 3A1053
Evolution of patterns of streamwise vorticity in the turbulent near wake of a circular cylinder, J Fluid Mech 320 117-137 (Aug 1996), 3A1091
Initial streamwise vorticity formation in a two-stream mixing layer, J Fluid Mech 319 251-279 (Jul 1996), 3A1144
Measurements of spatiotemporal dynamics in a forced plane mixing layer, J Fluid Mech 320 71-115 (Aug 1996), 3A1145
Dissipation scale and control of fine-scale turbulence in a plane mixing layer, J Fluid Mech 320 139-161 (Aug 1996), 3A1156
Large-scale structure evolution in supersonic interacting shear layers, AIAA J 34(10) 2062-2070 (Oct 1996), 4A1002
Curved two-stream turbulent mixing layers revisited, Exp Thermal Fluid Sci 13(3) 190-205 (Oct 1996), 4T1082
Scalar mixing and reaction in plane liquid shear layers, J Fluid Mech 323 23-63 (Sep 1996), 4A1083
Relaxation approximation for time-dependent second-order effects in shear turbulence, Theor Comput Fluid Dyn 8(5) 377-386 (Sep 1996), 4A1092
Interaction between a spatially growing turbulent boundary layer and embedded streamwise vortices, J Fluid Mech 326 151-179 (Nov 1996), 5A1041
Reynolds stress closure applied to axisymmetric impinging turbulent jets, Theor Comput Fluid Dyn 8(6) 435-447 (Nov 1996), 6A1126
Calculation of wall-bounded complex flows and free shear flows, Int J Numer Methods Fluids 23(11) 1133-1144 (Dec 1996), 6A1145
Statistics of $\partial u/\partial y$ in a turbulent wake, Fluid Dyn Res 19(3) 169-183 (Mar 1997), 7A1135
Tenth Symposium on Turbulent Shear Flows, Exp Thermal Fluid Sci 14(1) 2-126 (Jan 1997), 7A1136
Sound generation in a mixing layer, J Fluid Mech 330 375-409 (Jan 1997), 8A315
Effect of compressibility on turbulent shear flow: A rapid-distortion-theory and direct-numerical-simulation study, J Fluid Mech 330 307-338 (Jan 1997), 8A1183
Experimental analysis of transverse intermittency in a turbulent jet flow, Exp Fluids 22(3) 268-270 (Jan 1997), 8A1184
Spectral analysis of the turbulent structure in the momentumless wake of a propeller-driven body, Eur J Mech B 16(2) 211-226 (1997), 8A1185
Numerical simulation of wind-induced entrainment in a stably stratified water basin, J Hydraul Res 35(1) 21-41 (1997), 8T1194
Mixing and reaction in curved liquid shear layers, J Fluid Mech 334 381-409 (Mar 1997), 9A1110
Experimental study of turbulent concentration flow field in the wake of a bluff body, J Fluids Eng 119(2) 263-270 (Jun 1997), 11A1018
Proper orthogonal decomposition of pressure fluctuations surrounding a turbulent jet, J Fluid Mech 340 1-33 (Jun 1997), 11A1057
Simultaneous velocity and temperature patterns in the far region of a turbulent cylinder wake, J Fluids Eng 119(2) 463-466 (Jun 1997), 11T1058
Origin of the "surface current" in turbulent free-surface flows, J Fluid Mech 339 275-285 (May 1997), 11A1064
High order accurate difference scheme for complex flow fields, J Comput Phys 134(1) 1-15 (Jun 1997), 11A1091
Large-eddy simulation of the turbulent mixing layer, J Fluid Mech 339 357-390 (May 1997), 11A1092
Velocity-mixture fraction statistics of round, self-preserving, buoyant turbulent plumes, J Heat Transfer 117(4) 918-926 (Nov 1995), 11A1093
Use of pattern recognition and proper orthogonal decomposition in identifying the structure of fully-developed free turbulence, J Fluids Eng 119(2) 289-296 (Jun 1997), 11A1118

372G. Boundary layers

Study on the mechanism of turbulent production and burst detection over a rough wall, J Hydrodyn 8(1) 39-43 (1996), 1A1070
Development of turbulent patch in a subcritical boundary-layer transition, Fluid Dyn Res 18(3) 151-164 (Aug 1996), 1A1077
Turbulence and Transition Modeling (Kluwer, MA, 1996) 2N33
Large-eddy simulation of a concave wall boundary layer, Int J Heat Fluid Flow 17(3) 290-295 (Jun 1996), 2A1002
Reynolds-number-dependence of the maximum in the streamwise velocity fluctuations in wall turbulence, Exp Fluids 21(3) 218-226 (Jul 1996), 2A1035
Preliminary study on the turbulence structure of flows on non-Newtonian fluid, J Hydraul Res 34(3) 345-361 (1996), 2A1040
Review of some basic characteristics of the atmospheric surface layer, Boundary-Layer Meteorol 78(3-4) 215-246 (Mar 1996), 2A1413
Turbulence characteristics of a boundary layer over a 2D bump, J Fluid Mech 320 53-69 (Aug 1996), 3A1146
Zonal embedded grids for numerical simulations of wall-bounded turbulent flows, J Comput Phys 127(2) 412-423 (Sep 1996), 3A1147
Combined experimental and computational study of pressure-driven 3D separation in a turbulent boundary layer, Exp Thermal Fluid Sci 13(3) 252-265 (Oct 1996), 4A1039
Direct numerical simulation of strained 3D wall-bounded flows, Exp Thermal Fluid Sci 13(3) 239-251 (Oct 1996), 4A1084
Perspectives on wall turbulence: The use of complementary techniques, Exp Thermal Fluid Sci 13(3) 211-222 (Oct 1996), 4A1085
Turbulent-spot propagation in a decelerating, compressible flow, J Fluids Eng 118(3) 612-614 (Sep 1996), 4T1086
"Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, J Atmos Sci 53(17) 2512-2524 (Sep 1996), 4T1088
Turbulence, Coherent Structures, Dynamical Systems and Symmetry (Cambridge UP, New York, 1996) 5R21
Large-eddy simulation of transition to turbulence in a boundary layer developing spatially over a flat plate, J Fluid Mech 326 1-36 (Nov 1996), 5A988
Formation of longitudinal vortices in a turbulent boundary layer over wavy terrain, J Fluid Mech 326 321-341 (Nov 1996), 5A1042
Simulating turbulent flow over thin element and flat valley V-shaped riblets, AIAA J 34(11) 2261-2268 (Nov 1996), 5A1043
Diffusion from an extended surface source in a region of backflow, Eur J Mech B 15(5) 713-733 (1996), 5A1457
Turbulent Shear Layers in Supersonic Flow (AIP, Woodbury, NY, 1996) 6R20
Turbulent structure beneath surface gravity waves sheared by the wind, J Fluid Mech 328 313-344 (Dec 1996), 6A274
Calculation of wall-bounded complex flows and free shear flows, Int J Numer Methods Fluids 23(11) 1133-1144 (Dec 1996), 6A1145
Extraction of turbulent wall-pressure time-series using an optimal filtering scheme, Exp Fluids 22(1) 14-22 (Nov 1996), 6A1146
Study of turbulent boundary layer structure using the invariants of the velocity gradient tensor, Exp Thermal Fluid Sci 13(4) 308-317 (Nov 1996), 6A1147
Wave boundary layers in rough turbulent flow, Ocean Eng 24(1) 25-43 (Jan 1997), 6A1148
Adaptive FEM for a two-equation turbulence model in wall-bounded flows, Int J Numer Methods Fluids 24(1) 101-120 (Jan 1997), 7A23
Turbulent spots in boundary layers in a free-piston shock-tunnel flow, Shock Waves 6(6) 337-343 (Dec 1996), 7A225
Longitudinal curvature effects in turbulent boundary layers, Prog Aerospace Sci 33(1-2) 1-70 (Jan-Feb 1997), 7A1088
High-resolution laser Doppler anemometer for 3D turbulent boundary layers, Exp Fluids 22(2) 111-117 (Dec 1996), 7A1092
Tenth Symposium on Turbulent Shear Flows, Exp Thermal Fluid Sci 14(1) 2-126 (Jan 1997), 7A1136
Reaction of bursting to an oscillating homogeneous pressure gradient, Eur J Mech B 16(1) 89-120 (1997), 7A1137
Exploring a three-equation R-k-ϵ turbulence model, J Fluids Eng 118(4) 795-799 (Dec 1996), 7A1152
Three-dimensional turbulent boundary layers: A review, J Hydraul Res 35(1) 81-98 (1997), 8A1126
Advantages of using a power law in a low R_θ turbulent boundary layer, Exp Fluids 22(4) 348-350 (Feb 1997), 8A1186
Coherent structures near the wall in a turbulent channel flow, J Fluid Mech 332 185-214 (Feb 1997), 8A1187
Direct numerical simulation of turbulent flow over a backward-facing step, J Fluid Mech 330 349-374 (Jan 1997), 8A1188
Dynamical characteristics of coherent structure in the outer region of turbulence boundary layer, Acta Mech Sinica 12(4) 289-295 (1996), 8A1189
Effects of imperfect spatial resolution on turbulence measurements in the very near-wall viscous sublayer region, Exp Fluids 22(4) 327-335 (Feb 1997), 8A1190
Spatio-temporal development of wall pressure events in turbulent wall-bounded flow, Eur J Mech B 16(2) 191-210 (1997), 8A1191
Turbulent flow normal to a triangular cylinder, J Fluid Mech 331 107-125 (Jan 1997), 8A1192
Boundary layer effects on solid particle motion and erosive wear, J Hydrodyn 8(4) 9-17 (1996), 9T1058
Application of a near-wall turbulence model to the flows over a step with inclined wall, Int J Heat Fluid Flow 18(2) 209-217 (Apr 1997), 9A1076
Can the system of discrete vortices imitate a boundary layer?, Arch Mech 49(1) 103-109 (1997), 9A1105
Effects of convection and decay of turbulence on the wall pressure wavenumber-frequency spectrum, J Fluids Eng 119(1) 50-55 (Mar 1997), 9A1111
Effects of free stream turbulence on a turbulent boundary layer on a flat plate with zero pressure gradient - Part IV: Calculation of the flow field, Heat Transfer Japan Res 25(2) 65-75 (1996), 9A1112
Turbulent wind flow patterns and pressure fields across a tall building, Wind Eng 20(4) 241-257 (1996), 9T1113
Near-wall Reynolds-stress modeling in noninertial frames of reference, Fluid Dyn Res 19(5) 251-276 (May 1997), 9A1124
Velocity statistics along the stagnation line of an axisymmetric stagnating turbulent flow, Exp Fluids 22(6) 473-481 (Apr 1997), 10A1158
Subgrid-scale modeling for the large-eddy simulation of high-Reynolds-number boundary layers, J Fluid Mech 336 151-182 (Apr 1997), 10A1194
Three-dimensional boundary layers over an infinite swept bump and free wing, J Fluids Eng 117(4) 605-611 (Dec 1995), 11A1021
Influences of near-wall and induced irrotational motion in a turbulent boundary layer on wall pressure fluctuations, J Energy Resources Tech 117(4) 252-262 (Dec 1995), 11A1094
Lagrangian model on the turbulent motion of small solid particle in turbulent boundary layer flows, Appl Math Mech 18(3) 297-306 (Mar 1997), 11A1095
Response of a turbulent boundary layer to a square groove, J Fluids Eng 119(2) 466-469 (Jun 1997), 11T1096

Reynolds stress function for wall layers, J Fluids Eng 119(2) 325-330 (Jun 1997), 11A1097
Shear-free turbulence near a wall, J Fluid Mech 338 363-385 (May 1997), 11A1098
Wavenumber spectra of high magnitude wall pressure events in a numerically simulated turbulent boundary layer, J Fluids Eng 119(2) 281-288 (Jun 1997), 11A1099
Near-wall modeling of plane turbulent wall jets, J Fluids Eng 119(2) 304-313 (Jun 1997), 11A1113
Strongly-coupled multigrid method for 3D incompressible flows using near-wall turbulence closures, J Fluids Eng 119(2) 314-324 (Jun 1997), 11A1116
Analysis of the characteristics of rough bed turbulent shear stresses in an open channel, Stochastic Hydrology Hydraul 11(3) 193-210 (Jun 1997), 12T1143
Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 1: Mean flow results, J Heat Transfer 119(3) 420-426 (Aug 1997), 12A1247
Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 2: Turbulent transport results, J Heat Transfer 119(3) 427-432 (Aug 1997), 12A1248
Velocity and temperature profiles in turbulent boundary layer flows experiencing streamwise pressure gradients, J Heat Transfer 119(3) 433-439 (Aug 1997), 12A1254
Blending and internal boundary-layer heights, and shear stress, Boundary-Layer Meteorol 84(1) 85-98 (Jul 1997), 12A1505

372H. Pipe and channel flow

Development of 2D wakes within curved channels: Theoretical framework and Experimental investigation, J Turbomachinery 118(3) 506-518 (Jul 1996), 1A1071
Dynamic subgrid-scale model for low-Reynolds-number channel flow, Int J Numer Methods Fluids 23(1) 19-27 (Jul 1996), 1A1072
Structure of Reynolds shear stress in the central region of plane Couette flow, Fluid Dyn Res 18(2) 65-79 (Jul 1996), 1A1073
Turbulent flow in integrally enhanced tubes - Part 1: Comprehensive review and database development, Heat Transfer Eng 17(2) 19-29 (Apr-Jun 1996), 1A1074
Turbulent flow in integrally enhanced tubes - Part 2: Analysis and performance comparison, Heat Transfer Eng 17(2) 30-40 (Apr-Jun 1996), 1A1075
Method of discrete displacements for modeling contribution of finite-size organized fluid structures to transport processes in turbulent pipe flow, Int J Numer Methods Fluids 23(2) 105-124 (Jul 1996), 1A1084
Numerical study of 3D wall-bounded flows, Int J Heat Fluid Flow 17(3) 333-342 (Jun 1996), 2A1036
Turbulence control with wall-adjacent thin layer damping spanwise velocity fluctuations, Int J Heat Fluid Flow 17(3) 343-352 (Jun 1996), 2A1037
Very large structures in plane turbulent Couette flow, J Fluid Mech 320 259-285 (Aug 1996), 3A1148
Comparison of turbulence models applied to backward-facing step flow, JSME Int J Ser B 39(3) 453-460 (Aug 1996), 3T1157
Relaminarization of developing turbulent flow in a 180° curved square channel: A study based on temperature fluctuation measurements, Exp Heat Transfer 9(3) 267-285 (Jul-Sep 1996), 5A1003
Modeling of release of gas from high-pressure pipelines, Int J Numer Methods Fluids 23(9) 953-983 (Nov 1996), 5A1054
Turbulence model for depth-averaged flows in navigation installations, J Hydraul Eng 122(12) 718-727 (Dec 1996), 6T1008
Simulation of turbulent square-duct flow: Dissipation and small-scale motion, AIAA J 34(12) 2509-2513 (Dec 1996), 6A1114
Turbulent-field modes in the vicinity of the walls of a square duct, Eur J Mech B 16(1) 121-139 (1997), 7A1138
Variational bounds on shear-driven turbulence and turbulent Boussinesq convection, Physica D 100(3-4) 355-376 (Feb 1997), 8A1193
Improved variational principle for bounds on energy dissipation in turbulent shear flow, Physica D 101(1-2) 178-190 (Feb 1997), 8A1202
Scaling laws for fully developed turbulent flow in pipes, Appl Mech Rev 50(7) 413-429 (Jul 1997), 9A1088
Space-time correlation structures of horizontal coherent vortices in compound open-channel flows by using particle-tracking velocimetry, J Hydraul Res 35(2) 191-208 (1997), 10T1048
Drag reduction by polymer additives in a turbulent pipe flow: Numerical and laboratory experiments, J Fluid Mech 337 193-231 (Apr 1997), 10A1179
Effect of roughness aspect ratio on the "Bursting" period in a fully turbulent channel flow, J Fluids Eng 119(2) 469-471 (Jun 1997), 11T1100

372I. Stratified flows

Mixing driven by vertically variable forcing: An application to the case of Langmuir circulation, J Fluid Mech 322 81-107 (Sep 1996), 3A228
Wave breaking and transition to turbulence in stratified shear flows, J Atmos Sci 53(8) 1057-1085 (Apr 1996), 3A249
Penetrative turbulent convection into a rotating two-layer fluid, J Fluid Mech 321 299-313 (Aug 1996), 3A1014
Experiments on density-gradient anisotropies and scalar dissipation of turbulence in a stably stratified fluid, J Fluid Mech 322 383-409 (Sep 1996), 3A1149
Spectra in the unstable surface layer, J Atmos Sci 53(1) 49-61 (Jan 1996), 3A1150
Wind tunnel study of turbulent flow structure in the convective boundary layer capped by a temperature inversion, J Atmos Sci 53(9) 1273-1289 (May 1996), 3A1151
Spectrum of high-frequency internal waves in the atmospheric waveguide, J Atmos Sci 53(13) 1798-1814 (Jul 1996), 3T1418
Effects of molecular diffusivities on counter-gradient scalar and momentum transfer in strongly stable stratification, J Fluid Mech 326 205-237 (Nov 1996), 5A1044
Self-similarity of decaying 2D turbulence, J Fluid Mech 326 357-372 (Nov 1996), 5A1047
Turbulent structure beneath surface gravity waves sheared by the wind, J Fluid Mech 328 313-344 (Dec 1996), 6A274
Diffusion in stably stratified turbulence, J Fluid Mech 328 253-269 (Dec 1996), 6A1149
Similarity of scalars under stable conditions, Boundary-Layer Meteorol 80(4) 355-373 (Sep 1996), 6A1150
Frequency spectra of scalar fluctuations at entraining stratified interfaces, Fluid Dyn Res 19(2) 65-75 (Feb 1997), 7A1139
Homogeneous turbulence evolution in stably stratified flow - I: Internal gravity waves at low inverse Froude numbers, Int J Heat Mass Transfer 40(8) 1951-1961 (May 1997), 7A1140
Homogeneous turbulence evolution in stably stratified flow - II: Asymptotic regimes of large evolution time at low inverse Froude numbers, Int J Heat Mass Transfer 40(8) 1963-1976 (May 1997), 7A1141
Multi-limit formulation for the equilibrium depth of a stably stratified boundary layer, Boundary-Layer Meteorol 81(3-4) 325-351 (Dec 1996), 7A1499
Numerical simulation of wind-induced entrainment in a stably stratified water basin, J Hydraul Res 35(1) 21-41 (1997), 8T1194
Evolution of a uniformly sheared thermally stratified turbulent flow, J Fluid Mech 334 61-86 (Mar 1997), 9A1114
Measurement of turbulence near shear-free density interfaces, J Fluid Mech 334 293-314 (Mar 1997), 9A1115
Mixing in the tidal environment, J Hydraul Eng 123(4) 332-340 (Apr 1997), 9A1116
Effect of sub-aqueous disposal of mine tailings in standing waters, J Hydraul Res 35(2) 147-159 (1997), 10A1050
Evolution of initially turbulent bluff-body wakes at high internal Froude number, J Fluid Mech 337 283-301 (Apr 1997), 10A1155
Decay of convective turbulence revisited, Boundary-Layer Meteorol 82(3) 501-515 (Mar 1997), 10A1180
Convection of particle thermals, J Hydraul Res 35(3) 363-376 (1997), 11A992
Hybrid spectral finite difference simulations of stratified turbulent flows on distributed memory architectures, Int J Numer Methods Fluids 24(11) 1129-1158 (Jun 1997), 11A1101
Measurements in a turbulent patch in a rotating, linearly-stratified fluid, Dyn Atmos Oceans 26(1) 27-51 (Jul 1997), 11A1102
Laboratory study of baroclinic waves and turbulence in an internally heated rotating fluid annulus with sloping endwalls, J Fluid Mech 339 173-198 (May 1997), 11A1106
Turbulence structure in a stratified boundary layer under stable conditions, Boundary-Layer Meteorol 83(1) 139-161 (Apr 1997), 11A1506
Combustion and Turbulence in Two-Phase Flows (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N35

372J. Rotating flows or surfaces

Asymptotic analysis of equilibrium states for rotating turbulent flows, Theor Comput Fluid Dyn 8(4) 289-308 (1996), 1A1076
Dispersion of a vortex trajectory in 2D turbulence, Physica D 95(2) 163-166 (Aug 1996), 2A1038
Effects of spanwise rotation on the vorticity stretching in transitional and turbulent channel flow, Int J Heat Fluid Flow 17(3) 324-332 (Jun 1996), 2A1039
Rapidly rotating turbulent Rayleigh-Benard convection, J Fluid Mech 322 243-273 (Sep 1996), 3A1025
Upper bounds on the energy dissipation in turbulent precession, J Fluid Mech 321 335-370 (Aug 1996), 3A1152
Methods of classical mechanics applied to turbulence stresses in a tip leakage vortex, J Turbomachinery 118(4) 622-629 (Oct 1996), 5A1045
Self-similarity of decaying 2D turbulence, J Fluid Mech 326 357-372 (Nov 1996), 5A1047
Upper bounds for turbulent Couette flow incorporating the poloidal power constraint, J Fluid Mech 328 161-176 (Dec 1996), 6A1151
IUTAM Symposium on Asymptotic Methods for Turbulent Shear Flows at High Reynolds Numbers (Kluwer, Netherlands, 1996) 7N27
Investigation of turbulent Taylor-Couette flow using laser Doppler velocimetry in a refractive index matched facility, J Fluids Eng 118(4) 810-818 (Dec 1996), 7A1142
Energy transfer in rotating turbulence, J Fluid Mech 337 303-332 (Apr 1997), 10A1181
Convective turbulence and the influence of rotation, Dyn Atmos Oceans 25(4) 217-232 (May 1997), 10A1183
Influence of large-scale, high-intensity turbulence on vane aerodynamic losses, wake growth, and the exit turbulence parameters, J Turbomachinery 119(2) 182-192 (Apr 1997), 10A1246
Air venting in pressure die casting, J Fluids Eng 119(2) 473-476 (Jun 1997), 11T1103
Eulerian and Lagrangian velocity correlations in 2D random geostrophic flows, J Fluid Mech 338 249-276 (May 1997), 11A1105
Laboratory study of baroclinic waves and turbulence in an internally heated rotating fluid annulus with sloping endwalls, J Fluid Mech 339 173-198 (May 1997), 11A1106
LIMPO: An improved version of the PISO algorithm for turbulent swirling flows, Eng Comput 14(2-3) 325-341 (1997), 12A1144

372K. Non-Newtonian flow

Preliminary study on the turbulence structure of flows on non-Newtonian fluid, J Hydraul Res 34(3) 345-361 (1996), 2A1040
Penetrative turbulent convection into a rotating two-layer fluid, J Fluid Mech 321 299-313 (Aug 1996), 3A1014
Drag reduction by polymer additives in a turbulent pipe flow: Numerical and laboratory experiments, J Fluid Mech 337 193-231 (Apr 1997), 10A1179
Added stresses because of the presence of FENE-P bead-spring chains in a random velocity field, J Fluid Mech 337 67-101 (Apr 1997), 10A1182

372L. Heat and mass transfer (diffusion, dispersion, etc)

Turbulent velocity field in isothermal and heated liquid flow through a vertical annular channel, Int J Heat Mass Transfer 39(16) 3333-3346 (Nov 1996), 1A1164
New low-Reynolds-number k-ε model including damping effect due to buoyancy in a stratified flow field, Int J Heat Mass Transfer 39(16) 3483-3496 (Nov 1996), 1A1176
Nonlinear low-Reynolds-number k-ε model for turbulent separated and reattaching flows - II: Thermal field computations, Int J Heat Mass Transfer 39(16) 3465-3474 (Nov 1996), 1A1184
Radiation affected compressible turbulent flow over a backward facing step, Int J Heat Mass Transfer 39(16) 3325-3332 (Nov 1996), 1A1255
Diffusion of conserved and reactive scalars behind line sources in homogeneous turbulence, J Fluid Mech 318 339-372 (Jul 1996), 2A1041
Two-equation heat transfer model reflecting second-moment closures for wall and free turbulent flows, Int J Heat Fluid Flow 17(3) 228-237 (Jun 1996), 2A1042
Heat transfer and skin friction comparison of dimpled versus protrusion roughness, J Enhanced Heat Transfer 3(4) 273-280 (1996), 2A1152
Experimental study on the statistics of wall shear stress in turbulent channel flows, Int J Heat Fluid Flow 17(3) 187-192 (Jun 1996), 2A1154
Forced-convection heat transfer from the bottom of trenches with rectangular or inclined walls, Exp Heat Transfer 9(2) 133-148 (Apr-Jun 1996), 2A1156
Simulation and measurement of turbulent heat transfer in a channel with a surface-mounted rectangular heated block, Heat and Mass Transfer Warme 31(6) 463-473 (Aug 1996), 2A1161
Heatline visualization in turbulent flow, Int J Numer Methods Heat & Fluid Flow 6(4) 37-46 (Jul 1996), 2A1163
Calculation of wall heat transfer in pipe-expansion turbulent flows, Int J Heat Mass Transfer 39(18) 3813-3822 (Dec 1996), 2A1178
Proceedings of the ASME Heat Transfer Division, Volume 2 (ASME, New York, 1996) 3N42
Multi-scalar triadic interactions in differential diffusion with and without mean scalar gradients, J Fluid Mech 321 235-278 (Aug 1996), 3A1153
Use of caged fluorescent dyes for the study of turbulent passive scalar mixing, Exp Fluids 21(4) 237-242 (Aug 1996), 3A1154
Numerical investigation of turbulent forced convection in ducts with rectangular and trapezoidal cross-section area by using different turbulence models, Numer Heat Transfer A 30(4) 321-346 (Sep 1996), 3A1223
Second-order moment structure of dispersing plumes and puffs, J Fluid Mech 320 305-329 (Aug 1996), 3A1469
Solution of the advection-dispersion equation: Continuous load of finite duration, J Env Eng 122(9) 830-832 (Sep 1996), 3A1470
Scalar mixing and reaction in plane liquid shear layers, J Fluid Mech 323 23-63 (Sep 1996), 4A1083
Is temperature passive or active in hard turbulence?, Physica D 97(1-3) 155-157 (Oct 1996), 4A1087
High Rayleigh number convection and passive scalar mixing, Physica D 97(1-3) 286-290 (Oct 1996), 4A1194
Turbulent characteristics of the flow in an axially rotating pipe, Int J Heat Fluid Flow 17(5) 444-451 (Oct 1996), 4A1212
Transport in lungs and branched estuaries, J Fluid Mech 325 331-355 (Oct 1996), 5A909
Turbine blade heat transfer prediction in flow transition using k-ω two-equation model, J Thermophys Heat Transfer 10(4) 613-620 (Oct-Dec 1996), 5A992
Effects of molecular diffusivities on counter-gradient scalar and momentum transfer in strongly stable stratification, J Fluid Mech 326 205-237 (Nov 1996), 5A1044
Molecular diffusion and viscous effects on concentration statistics in grid turbulence, J Fluid Mech 324 25-54 (Oct 1996), 5A1046
Effect of high free-stream turbulence on film cooling effectiveness, J Turbomachinery 118(4) 814-825 (Oct 1996), 5A1128
Temperature wall function formulation for variable-density turbulent flows with application to engine convective heat transfer modeling, Int J Heat Mass Transfer 40(3) 613-625 (Feb 1997), 5A1132
Peculiarities of turbulent heat transfer in electric-arc plasma devices, Int J Heat Mass Transfer 40(5) 1197-1203 (Mar 1997), 5A1140
Application of a finite volume based method of lines to turbulent forced convection in circular tubes, Numer Heat Transfer A 30(5) 503-517 (Oct 1996), 5A1196
Structure of turbulent hydrogen jet diffusion flames with or without swirl, J Heat Transfer 118(4) 877-884 (Nov 1996), 5A1332
Transport of a passive scalar in a turbulent channel flow, Int J Heat Mass Transfer 40(6) 1303-1311 (Apr 1997), 6A1232
Numerical analysis of the transient turbulent flow field in a thermally stratified thermal storage water tank, Numer Heat Transfer A 30(7) 649-667 (Nov 1996), 6A1244
Frequency spectra of scalar fluctuations at entraining stratified interfaces, Fluid Dyn Res 19(2) 65-75 (Feb 1997), 7A1139
Direct measurement of turbulence structures in mixing jar using PIV, J Env Eng 123(2) 115-125 (Feb 1997), 7T1143
Fundamental aspects of modeling turbulent particle dispersion in dilute flows, Prog Energy Combust Sci 22(4) 363-399 (1996), 7A1144
Improved eddy interaction model for numerical simulation of turbulent particle dispersion, J Fluids Eng 118(4) 819-823 (Dec 1996), 7A1145
Influence of non-Gaussianity on turbulent transport, Boundary-Layer Meteorol 81(2) 147-166 (Nov 1996), 7T1146
Forced convection in an air-filled bayonet tube during the laminar-turbulent transition, Int J Heat Mass Transfer 40(8) 1885-1894 (May 1997), 7A1239
Numerical study of a backward-facing step with uniform normal mass bleed, Int J Heat Mass Transfer 40(7) 1677-1686 (May 1997), 7A1263
Numerical study of heterogeneous nucleation and mist formation in turbulent flows between parallel plates, Heat Transfer Japan Res 24(5) 439-456 (1995), 7A1291
Application of Reynolds stress modeling to engine flow calculations, J Fluids Eng 118(4) 710-721 (Dec 1996), 7A1429
Variational bounds on shear-driven turbulence and turbulent Boussinesq convection, Physica D 100(3-4) 355-376 (Feb 1997), 8A1193
Direct numerical simulation of unstably stratified turbulent channel flow, J Heat Transfer 119(1) 53-61 (Feb 1997), 8A1268
Heat transfer analysis of turbulent parallel Couette flows using anisotropic k-ε model, Numer Heat Transfer A 31(3) 223-234 (Feb 1997), 8A1270
Numerical study on heat transport in turbulent Couette flows in concentric annuli, Int J Numer Methods Heat & Fluid Flow 7(1) 81-94 (1997), 8T1274

Influence of large-scale high-intensity turbulence on vane heat transfer, J Turbomachinery 119(1) 23-30 (Jan 1997), 8A1299

Passage flow structure and its influence on endwall heat transfer in a 90° turning duct: Mean flow and high resolution endwall heat transfer experiments, J Turbomachinery 119(1) 39-50 (Jan 1997), 8A1301

Mixing and reaction in curved liquid shear layers, J Fluid Mech 334 381-409 (Mar 1997), 9A1110

Heat transfer in a turbulent falling film subject to intense volumetric heating, J Enhanced Heat Transfer 4(2) 87-98 (1997), 9A1117

Investigation of transport equations for turbulent heat fluxes in compressible flows, Int J Heat Mass Transfer 40(11) 2721-2738 (Jul 1997), 9A1118

Lagrangian stochastic model for particle trajectories in non-Gaussian turbulent flows, Fluid Dyn Res 19(5) 277-288 (May 1997), 9A1119

Numerical simulation of turbulent flow and heat transfer in the wedge-shaped liquid metal pool of a twin-roll caster, Numer Heat Transfer A 31(4) 393-410 (Mar 1997), 9A1208

Hydrodynamics and heat transfer in wavy annular gas-liquid flow: A computational fluid dynamics study, Int J Heat Mass Transfer 40(10) 2445-2460 (Jul 1997), 9A1261

Turbulent dispersion of heavy particles with nonlinear drag, J Fluids Eng 119(1) 170-179 (Mar 1997), 9A1548

Collision statistics in an isotropic particle-laden turbulent suspension - Part 1: Direct numerical simulations, J Fluid Mech 335 75-109 (Mar 1997), 10A1176

Convective turbulence and the influence of rotation, Dyn Atmos Oceans 25(4) 217-232 (May 1997), 10A1183

Effects of free-stream turbulence on the instantaneous heat transfer in a wall jet flow, J Turbomachinery 119(2) 359-363 (Apr 1997), 10A1184

Numerical method for the computation of the dispersion of a cloud of particles by a turbulent gas flow field, J Comput Phys 133(2) 256-278 (May 1997), 10T1185

Uncertainty estimates of turbulent temperature in Rayleigh scattering measurements, Exp Thermal Fluid Sci 15(1) 25-31 (Jul 1997), 10T1186

Laminarization of turbulent gas flow inside a strongly heated tube, Int J Heat Mass Transfer 40(13) 3105-3117 (Sep 1997), 10A1283

Turbulent flow heat transfer and friction in a rectangular channel with varying numbers of ribbed walls, J Turbomachinery 119(2) 374-380 (Apr 1997), 10A1285

Turbulent jet impingement flow computation, Int J Turbo Jet Engines 13(4) 295-306 (1996), 10A1301

Turbulent heat and mass transfer in an asymmetrically heated, vertical parallel-plate channel, Int J Heat Fluid Flow 18(3) 307-315 (Jun 1997), 10A1386

Erosion of fluid mud layers - I: Entrainment model, J Hydraul Eng 123(6) 504-511 (Jun 1997), 11A923

Erosion of fluid mud layers - II: Experiments and model validation, J Hydraul Eng 123(6) 512-519 (Jun 1997), 11T924

Turbulence modification in the limiting cases of heavy- and tracer-particles, J Fluids Eng 119(2) 458-460 (Jun 1997), 11A996

Theory of particle deposition in turbulent pipe flow, J Fluid Mech 340 129-159 (Jun 1997), 11A1104

Turbulent flow and heat transfer in staggered tube banks with displaced tube rows, Numer Heat Transfer A 31(6) 611-627 (May 1997), 11A1211

Turbulent penetrative and recirculating flow in a compartment fire, J Heat Transfer 117(4) 927-935 (Nov 1995), 11A1239

Combined effect of grid turbulence and unsteady wake on film effectiveness and heat transfer coefficient of a gas turbine blade with air and CO$_2$ film injection, J Turbomachinery 119(3) 594-600 (Jul 1997), 12A1145

372N. Geophysical turbulence

Can quasigeostrophic turbulence be modeled stochastically?, J Atmos Sci 53(11) 1617-1633 (Jun 1996), 3T1155

Analysis of poloidal rotation and suppression of plasma turbulence using a dynamo model, J Phys Soc Japan 65(8) 2353-2356 (Aug 1996), 3A1168

Self-similarity of decaying 2D turbulence, J Fluid Mech 326 357-372 (Nov 1996), 5A1047

Measurement of turbulence near shear-free density interfaces, J Fluid Mech 334 293-314 (Mar 1997), 9A1115

Langmuir turbulence in the ocean, J Fluid Mech 334 1-30 (Mar 1997), 9A1503

Dynamical analysis of time dependent katabatic flows, Nonlinear World 3(4) 709-756 (1996), 9A1515

Energy transfer in rotating turbulence, J Fluid Mech 337 303-332 (Apr 1997), 10A1181

Unstably stratified geophysical fluid dynamics, Dyn Atmos Oceans 25(4) 233-272 (May 1997), 10T1187

Measurements in a turbulent patch in a rotating, linearly-stratified fluid, Dyn Atmos Oceans 24(1) 27-51 (Jul 1997), 11A1102

Eulerian and Lagrangian velocity correlations in 2D random geostrophic flows, J Fluid Mech 338 249-276 (May 1997), 11A1105

Laboratory study of baroclinic waves and turbulence in an internally heated rotating fluid annulus with sloping endwalls, J Fluid Mech 339 173-198 (May 1997), 11A1106

Universality of the Lagrangian velocity structure function constant (C_0) across different kinds of turbulence, Boundary-Layer Meteorol 83(2) 207-219 (May 1997), 12T1146

372O. Nonequilibrium and chemical effects

Influence of turbulence modeling on predictions of turbulent combustion, AIAA J 35(1) 106-110 (Jan 1997), 6A1152

Direct measurement of turbulence structures in mixing jar using PIV, J Env Eng 123(2) 115-125 (Feb 1997), 7T1143

Direct numerical simulation of a turbulent reactive plume on a parallel computer, J Comput Phys 129(2) 263-283 (Dec 1996), 7T1147

Computation of turbulent reacting flow in a jet assisted ram combustor, Comput Fluids 26(2) 117-133 (Feb 1997), 8A1200

Alternative Mathematical Theory of Non-Equilibrium Phenomena (Academic, UK, 1997) 12R32

372P. Intermittency and other flow structure

Study on the mechanism of turbulent production and burst detection over a rough wall, J Hydrodyn B(1) 39-43 (1996), 1A1070

Structure of Reynolds shear stress in the central region of plane Couette flow, Fluid Dyn Res 18(2) 65-79 (Jul 1996), 1A1073

Development of turbulent patch in a subcritical boundary-layer transition, Fluid Dyn Res 18(3) 151-164 (Aug 1996), 1A1077

Experimental study of turbulent flow in the near wakes of single and tandem prisms, Int J Heat Fluid Flow 17(3) 219-227 (Jun 1996), 2A1043

Local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, Boundary-Layer Meteorol 79(1-2) 35-50 (Apr 1996), 2A1044

Turbulent near-wakes of periodic array of square blocks on a plate, Int J Heat Fluid Flow 17(3) 211-218 (Jun 1996), 2A1045

Initial streamwise vorticity formation in a two-stream mixing layer, J Fluid Mech 319 251-279 (Jul 1996), 3A1144

Very large structures in plane turbulent Couette flow, J Fluid Mech 320 259-285 (Aug 1996), 3A1148

Dissipation scale and control of fine-scale turbulence in a plane mixing layer, J Fluid Mech 320 139-161 (Aug 1996), 3A1156

Topology of the near-field vortical structures in a 3D wake, Exp Thermal Fluid Sci 13(3) 223-238 (Oct 1996), 4T1059

Perspectives on wall turbulence: The use of complementary techniques, Exp Thermal Fluid Sci 13(3) 211-222 (Oct 1996), 4A1085

Turbulent-spot propagation in a decelerating, compressible flow, J Fluids Eng 118(3) 612-614 (Sep 1996), 4T1086

"Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, J Atmos Sci 53(17) 2512-2524 (Sep 1996), 4T1088

Interaction between a spatially growing turbulent boundary layer and embedded streamwise vortices, J Fluid Mech 326 151-179 (Nov 1996), 5A1041

Criterion for identifying strong flow regions in turbulence, Eur J Mech B 15(5) 735-753 (1996), 5A1048

Use of obliquely rotated principal component analysis to identify coherent structures, Boundary-Layer Meteorol 80(1-2) 19-47 (Jul 1996), 5T1049

Experimental assessment of fractal scale-similarity in turbulent flows - Part 1: 1D intersections, J Fluid Mech 327 35-72 (Nov 1996), 6A117

Large-scale structures in a numerical and experimental low-Reynolds number turbulent pipe flow, Eur J Mech B 15(6) 897-915 (1996), 6A1102

Study of turbulent boundary layer structure using the invariants of the velocity gradient tensor, Exp Thermal Fluid Sci 13(4) 308-317 (Nov 1996), 6A1147

Lineal eddy features under strong shear conditions, J Atmos Sci 53(23) 3430-3549 (Dec 1996), 6A1153

Experimental studies of a distorted turbulent spot in a 3D flow, J Fluid Mech 329 1-24 (Dec 1996), 7A1087

Volume integrals of the Q_s - R_s invariants of the velocity gradient tensor in incompressible flows, Fluid Dyn Res 19(4) 219-233 (Apr 1997), 7A1133

Statistics of $\partial u/\partial y$ in a turbulent wake, Fluid Dyn Res 19(3) 169-183 (Mar 1997), 7A1135

Two-point coherence in the atmospheric surface layer, Boundary-Layer Meteorol 81(2) 105-121 (Nov 1996), 7T1148

Wavelet analysis of nonstationary turbulence, Boundary-Layer Meteorol 81(3-4) 271-288 (Dec 1996), 7A1149

Statistical properties of a turbulent cascade, Physica D 102(1-2) 147-155 (Mar 1997), 8A1182

Spectral analysis of the turbulent structure in the momentumless wake of a propeller-driven body, Eur J Mech B 16(2) 211-226 (1997), 8A1185

Coherent structures near the wall in a turbulent channel flow, J Fluid Mech 332 185-214 (Feb 1997), 8A1187

Dynamical characteristics of coherent structure in the outer region of turbulence boundary layer, Acta Mech Sinica 12(4) 289-295 (1996), 8A1189

Experimental investigation of two-stream mixing flows with streamwise and normal vorticity, Int J Heat Fluid Flow 18(2) 253-261 (Apr 1997), 9A1120

Computation of jet mixing noise due to coherent structures: The plane jet case, J Fluid Mech 335 261-304 (Mar 1997), 10A342

Space-time correlation structures of horizontal coherent vortices in compound open-channel flows by using particle-tracking velocimetry, J Hydraul Res 35(2) 191-208 (1997), 10T1048

Flow characteristics and shear-layer vortex shedding of double concentric jets, AIAA J 35(5) 887-892 (May 1997), 10A1188

Effect of roughness aspect ratio on the "Bursting" period in a fully turbulent channel flow, J Fluids Eng 119(2) 469-471 (Jun 1997), 11T1100

Experimental assesment of fractal scale similarity in turbulent flows - Part 2: Higher-dimensional intersections and non-fractal inclusions, J Fluid Mech 338 89-126 (May 1997), 11A1107

Experimental assesment of fractal scale similarity in turbulent flows - Part 3: Multifractal scaling, J Fluid Mech 338 127-155 (May 1997), 11A1108

Turbulent wall-pressure fluctuations: A new model for off-axis cross-spectral density, J Fluids Eng 119(2) 277-280 (Jun 1997), 11A1117

Coherent eddies and temperature structure functions for three contrasting surfaces - Part I: Ramp model with finite microfront time, Boundary-Layer Meteorol 84(1) 99-123 (Jul 1997), 12A1147

Coherent eddies and temperature structure functions for three contrasting surfaces - Part II: Renewal model for sensible heat flux, Boundary-Layer Meteorol 84(1) 125-147 (Jul 1997), 12T1148

372Q. Modeling of turbulence

Constitutive theory for the Reynolds-stress closures in turbulence modeling, J Hydrodyn B(1) 103-110 (1996), 1A1078

Density fields in burgers and KdV-burgers turbulence, SIAM J Appl Math 56(4) 1008-1038 (Aug 1996), 1A1079

Generalized nonlinear K-ε model for turbulence that models relaxation effects, Theor Comput Fluid Dyn 8(4) 275-288 (1996), 1A1080

Large-eddy simulation of the temporal mixing layer using the clark model, Theor Comput Fluid Dyn 8(4) 309-324 (1996), 1A1081

Theoretical modeling of buoyancy-driven turbulent flows, J Phys Soc Japan 65(7) 2044-2059 (Jul 1996), 1A1082

Wall-bounded buoyant turbulent flow and its modeling, Int J Heat Mass Transfer 39(17) 3595-3606 (Nov 1996), 1A1083

Turbulence and Transition Modeling (Kluwer, MA, 1996) 2N33

Discharge prediction in straight compound channels using the mixing length concept, J Hydraul Res 34(3) 381-394 (1996), 2T950

Computation of 3D systems with various turbulence model variations, Heat and Mass Transfer Warme 31(6) 451-461 (Aug 1996), 2A1046

Modeling near-wall effects in second-moment closures by elliptic relaxation, Int J Heat Fluid Flow 17(3) 255-266 (Jun 1996), 2A1047

Nonequilibrium algebraic model for turbulent density fluctuations, Int J Heat Mass Transfer 39(18) 3989-3991 (Dec 1996), 2T1048

Predictive capabilities of turbulence models for a confined swirling flow, AIAA J 34(8) 1743-1745 (Aug 1996), 2T1049

Reynolds stress closure designed for complex geometries, Int J Heat Fluid Flow 17(3) 245-254 (Jun 1996), 2A1050

Simulation of vortex shedding past a square cylinder near a wall, Int J Heat Fluid Flow 17(3) 267-275 (Jun 1996), 2A1051

Towards the development of second-order closure models for nonequilibrium turbulent flows, Int J Heat Fluid Flow 17(3) 238-244 (Jun 1996), 2A1052

Transport process of turbulence energy in particle-laden turbulent flow, Int J Heat Fluid Flow 17(3) 202-210 (Jun 1996), 2A1053

Turbulence modeling of rotating confined flows, Int J Heat Fluid Flow 17(3) 283-289 (Jun 1996), 2A1054

Turbulence modeling using various turbulent Prandtl number models, Trans Inst Fluid-Flow Machinery 0(100) 141-154 (1996), 2A1055

Turbulence statistics in the stagnation region of an axisymmetric impinging jet flow, Int J Heat Fluid Flow 17(3) 193-201 (Jun 1996), 2A1056

Aerodynamic analysis of turbine cascade by using a second-order closure of turbulence, Int J Heat Fluid Flow 17(3) 276-282 (Jun 1996), 2A1102

Modeling the arctic convective boundary-layer with different turbulence parameterizations, Boundary-Layer Meteorol 79(1-2) 107-130 (Apr 1996), 2T1412

Viscoelastic eddy viscosity for flow over a wavy surface, Boundary-Layer Meteorol 79(1-2) 177-179 (Apr 1996), 2T1416

Comparison of turbulence models applied to backward-facing step flow, JSME Int J Ser B 39(3) 453-460 (Aug 1996), 3T1157

K-ε two-equation turbulence model for the solid-liquid two-phase flows, Appl Math Mech 17(6) 523-531 (Jun 1996), 3A1158

Lagrangian dynamic subgrid-scale model of turbulence, J Fluid Mech 319 353-385 (Jul 1996), 3A1159

Numerical investigation of turbulent shallow recirculating flows by a quasi-3D k-ε model, Int J Numer Methods Fluids 23(5) 485-501 (Sep 1996), 3A1160

Multilevel methods for the simulation of turbulence: A simple model, J Comput Phys 127(2) 309-315 (Sep 1996), 3A1162

Parallel benchmarks of turbulence in complex geometries, Comput Fluids 25(7) 677-698 (Sep 1996), 3A1163

Comparison of some recent eddy-viscosity turbulence models, J Fluids Eng 118(3) 514-519 (Sep 1996), 4A1089

Comparisons between turbulence algebraic stress models for numerical simulation of fluid flows (Chinese), J Dalian Univ Tech 36(5) 610-615 (Sep 1996), 4A1090

Explicit algebraic stress model of turbulence with anisotropic dissipation, AIAA J 34(10) 2186-2189 (Oct 1996), 4T1091

Relaxation approximation for time-dependent second-order effects in plane turbulence, Theor Comput Fluid Dyn 8(5) 377-386 (Sep 1996), 4A1092

Strongly coupled time-marching method for solving the Navier-Stokes and k-ω turbulence model equations with multigrid, J Comput Phys 128(2) 289-300 (Oct 1996), 4A1096

Simulation and Modeling of Turbulent Flow (Oxford UP, New York, 1996) 5R20

Turbulence, Coherent Structures, Dynamical Systems and Symmetry (Cambridge UP, New York, 1996) 5R21

Algebraic turbulence model simulations of supersonic open-cavity flow physics (Disimile), AIAA J 34(11) 2255-2260 (Nov 1996), 5A953

Predictions of axisymmetric and 2D impinging turbulent jets, Int J Heat Fluid Flow 17(6) 530-538 (Dec 1996), 5A1017

Application of turbulence models for aerodynamic and propulsion flowfields, AIAA J 34(11) 2291-2298 (Nov 1996), 5A1050

Assessment of two- and three-scale k-ε models for rotating cavity flows, J Turbomachinery 118(4) 826-834 (Oct 1996), 5A1051

Velocity and length scale approach to k-ε modeling, J Heat Transfer 118(4) 857-863 (Nov 1996), 5A1052

Modeling of release of gas from high-pressure pipelines, Int J Numer Methods Fluids 23(9) 953-983 (Nov 1996), 5A1054

Temperature wall function formulation for variable-density turbulent flows with application to engine convective heat transfer modeling, Int J Heat Mass Transfer 40(3) 613-625 (Feb 1997), 5A1132

Reynolds stress closure applied to axisymmetric impinging turbulent jets, Theor Comput Fluid Dyn 8(6) 435-447 (Nov 1996), 6A1126

Calculation of wall-bounded complex flows and free shear flows, Int J Numer Methods Fluids 23(11) 1133-1144 (Dec 1996), 6A1145

Lineal eddy features under strong shear conditions, J Atmos Sci 53(23) 3430-3549 (Dec 1996), 6A1153

Closure to derive a 3D well-mixed trajectory-model for non-Gaussian, inhomogeneous turbulence, Boundary-Layer Meteorol 80(4) 311-331 (Sep 1996), 6T1154

Fully explicit and self-consistent algebraic Reynolds stress model, Theor Comput Fluid Dyn 8(6) 387-402 (Nov 1996), 6A1155

Recent advances and application of turbulence depth-integrated two-equation closure for modeling contaminant discharges, J Brazilian Soc Mech Sci 18(4) 338-354 (Dec 1996), 6A1156

Turbulence modeling with application to turbomachinery, Prog Aerospace Sci 32(6) 575-624 (Dec 1996), 6A1157

Application of a cubic pressure-strain correlation to turbulent flow over sand ripples, Math Eng Industry 6(1) 15-37 (- 1997), 7A261

Assessment of the SSG pressure-strain model in free turbulent jets with and without swirl, J Fluids Eng 118(4) 800-809 (Dec 1996), 7A1114

Turbulent-field modes in the vicinity of the walls of a square duct, Eur J Mech B 16(1) 121-139 (1997), 7A1138

Advection of passive and reactive tracers in multi-dimensional Burgers' velocity field, Physica D 100(1-2) 119-141 (Jan 1997), 7A1150

Assessment of subgrid-scale models by a direct numerical simulation of a temporally developing turbulent mixing layer, JSME Int J Ser B 39(4) 676-684 (Nov 1996), 7A1151

Exploring a three-equation R-k-ε turbulence model, J Fluids Eng 118(4) 795-799 (Dec 1996), 7A1152

Reynolds stress transport equations in a momentumless wake: Experiments and models, AIAA J 35(2) 281-287 (Feb 1997), 7A1153

Scaling and linear response in the GOY turbulence model, Physica D 100(1-2) 165-186 (Jan 1997), 7A1154

Turbulence models for the computation of flow past airplanes, Prog Aerospace Sci 33(1-2) 71-165 (Jan-Feb 1997), 7A1155

Verification of SGS-stress models by direct numerical simulation of compressible homogeneous isotropic turbulence, JSME Int J Ser B 39(4) 685-691 (Nov 1996), 7T1156

Boundary treatment and an efficient pressure algorithm for internal turbulent flows using the PDF method, Int J Numer Methods Fluids 24(2) 215-232 (Jan 1997), 7A1157

Experimental study of space and time-resolved structures of turbulent diffusion flame, JSME Int J Ser B 39(4) 815-821 (Nov 1996), 7A1394

Application of Reynolds stress modeling to engine flow calculations, J Fluids Eng 118(4) 710-721 (Dec 1996), 7A1429

Analogy between predictions of Kolmogorov and Yaglom, J Fluid Mech 332 395-409 (Feb 1997), 8A1181

Experimental analysis of transverse intermittency in a turbulent jet flow, Exp Fluids 22(3) 268-270 (Jan 1997), 8A1184

Spatio-temporal development of wall pressure events in turbulent wall-bounded flow, Eur J Mech B 16(2) 191-210 (1997), 8A1191

Engineering Foundation Turbulent Heat Transfer Conference, San Diego CA, March 10-15, 1996, Int J Heat Fluid Flow 18(1) 4-180 (Feb 1997), 8A1195

International Symposium on Mathematical Modeling of Turbulent Flows, December 18-20, 1995, Tokyo Japan, Fluid Dyn Res 20(1-6) 1-172 (Feb 1997), 8A1196

Prediction of incompressible turbulent separated flows using a viscous layer model, Int J Turbo Jet Engines 13(3) 183-191 (1996), 8A1197

Self-similar solutions of Barenblatt's model for turbulence, SIAM J Math Anal 28(1) 33-48 (Jan 1997), 8A1198

Stochastic Lagrangian model for near-wall turbulent heat transfer, J Heat Transfer 119(1) 46-52 (Feb 1997), 8A1199

Gradient and counter-gradient scalar transport in turbulent premixed flames, J Fluid Mech 332 263-293 (Feb 1997), 8A1409

Turbulent dispersion with broken reflectional symmetry, J Fluid Mech 332 141-156 (Feb 1997), 8A1552

Modeling of flow in rectangular sedimentation tanks by an explicit third-order upwinding technique, Int J Numer Methods Fluids 24(6) 537-561 (Mar 1997), 9A1073

Algebraic turbulence modeling for swept shock-wave-turbulent boundary-layer interactions, AIAA J 35(3) 456-463 (Mar 1997), 9A1081

Lagrangian stochastic model for particle trajectories in non-Gaussian turbulent flows, Fluid Dyn Res 19(5) 277-288 (May 1997), 9A1119

Chaotic nature of turbulence observed in benchmark analysis of nonlinear plasma simulation, Chaos 7(1) 198-203 (Mar 1997), 9A1121

Critical evaluation of near-wall two-equation models against direct numerical simulation data, Int J Heat Fluid Flow 18(2) 197-208 (Apr 1997), 9A1122

Modeling of the Reynolds stress transport equation, AIAA J 35(3) 450-455 (Mar 1997), 9A1123

Near-wall Reynolds-stress modeling in noninertial frames of reference, Fluid Dyn Res 19(5) 251-276 (May 1997), 9A1124

Turbulent channel flow simulations using a coarse-grained extension of the lattice Boltzmann method, Fluid Dyn Res 19(5) 289-302 (May 1997), 9T1125

Experimental and numerical study of the isothermal flowfield behind a bluff body flamcholder, J Eng Gas Turbines Power 119(2) 328-339 (Apr 1997), 10A1089

Algebraic stress FE model of turbulent flow, Int J Numer Methods Fluids 24(7) 693-714 (Apr 1997), 10A1189

Implicit multigrid method by agglomeration applied to turbulent flows, Comput Fluids 26(3) 299-320 (Mar 1997), 10A1190

Method of analysis for turbulent flows using the streamline coordinate system, Boundary-Layer Meteorol 82(3) 379-397 (Mar 1997), 10T1191

Nonlinear second moment closure consistent with shear and strain flows, AIAA J 35(5) 825-831 (May 1997), 10A1192

Reynolds-stress expressions and near-wall scaling parameters for predicting wall and homogeneous turbulent shear flows, Int J Heat Fluid Flow 18(3) 266-282 (Jun 1997), 10A1193

Subgrid-scale modeling for the large-eddy simulation of high-Reynolds-number boundary layers, J Fluid Mech 336 151-182 (Apr 1997), 10A1194

Validation of standard, modified and nonlinear k-ε turbulence models, Int J Numer Methods Fluids 24(10) 965-986 (May 1997), 10A1197

Choice of turbulence model for prediction of flows over river bed forms, J Hydraul Res 35(3) 355-362 (1997), 11A920

Turbulence model for water flow over 2D bed forms, J Hydraul Eng 123(5) 402-409 (May 1997), 11A927

Numerical model of slug flow in vertical tubes, Comput Fluids 26(4) 395-415 (May 1997), 11A1000

Numerical prediction of separation and reattachment of turbulent flow in axisymmetric diffuser, Comput Fluids 26(4) 417-423 (May 1997), 11A1049

Predictions of the structure of turbulent, highly underexpanded jets, J Fluids Eng 117(4) 599-604 (Dec 1995), 11A1056

Large-eddy simulation of the turbulent mixing layer, J Fluid Mech 339 357-390 (May 1997), 11A1092

Reynolds stress function for wall layers, J Fluids Eng 119(2) 325-330 (Jun 1997), 11A1097

Application of roughness-dependent boundary conditions to turbulent oscillatory flows, Int J Heat Fluid Flow 18(4) 368-375 (Aug 1997), 11A1109

Assessment of a Reynolds stress closure model for appendage-hull junction flows, J Fluids Eng 117(4) 557-563 (Dec 1995), 11A1110

Feasibility of the LES for engineering problems, Int J Numer Methods Heat & Fluid Flow 7(2-3) 236-249 (1997), 11T1111

Modeling turbulence mechanisms in flows over abrupt drops in bed elevation, J Eng Mech 123(6) 633-638 (Jun 1997), 11A1112

Near-wall modeling of plane turbulent wall jets, J Fluids Eng 119(2) 304-313 (Jun 1997), 11A1113

Short comparison of damping functions of standard low-Reynolds-number k-ε models, J Fluids Eng 119(2) 460-463 (Jun 1997), 11T1114

Status of large eddy simulation: Results of a workshop, J Fluids Eng 119(2) 248-262 (Jun 1997), 11A1115

Strongly-coupled multigrid method for 3D incompressible flows using near-wall turbulence closures, J Fluids Eng 119(2) 314-324 (Jun 1997), 11A1116

Turbulent wall-pressure fluctuations: A new model for off-axis cross-spectral density, J Fluids Eng 119(2) 277-280 (Jun 1997), 11A1117

Use of pattern recognition and proper orthogonal decomposition in identifying the structure of fully-developed free turbulence, J Fluids Eng 119(2) 289-296 (Jun 1997), 11A1118

Wall-distance-free low Re k-ε turbulence model, Comput Methods Appl Mech Eng 145(3-4) 227-238 (Jun 1997), 11A1119

Modeling the dynamics of double-diffusive scalar fields at various stability conditions, Int J Heat Fluid Flow 18(4) 360-367 (Aug 1997), 11A1389

High-resolution finite volume computation of turbulent transonic flow past airfoils, AIAA J 35(7) 1134-1142 (Jul 1997), 12A1097

Structure of a supersonic 3D cylinder-offset-flare turbulent interaction, J Spacecraft Rockets 34(3) 294-302 (May-Jun 1997), 12A1117

Computations of unsteady separating flows over an oscillating airfoil, AIAA J 35(7) 1235-1238 (Jul 1997), 12A1149

Explicit algebraic scalar flux approximation, AIAA J 35(6) 985-989 (Jun 1997), 12A1150

k-ζ (Enstrophy) compressible turbulence model for mixing layers and wall bounded flows, AIAA J 35(7) 1221-1224 (Jul 1997), 12A1151

Three-dimensional Navier-Stokes computation of turbine nozzle flow with advanced turbulence models, J Turbomachinery 119(3) 516-530 (Jul 1997), 12A1152

Detailed investigation of the 3D separation about a 6:1 prolate spheroid, AIAA J 35(6) 990-999 (Jun 1997), 12A1239

372Y. Computational techniques

Aerothermodynamics for Space Vehicles and High-Velocity Flow Data Base (Wiley, New York, 1996) 1N41

Numerical simulation of heat transfer in chemically reacting shock wave-turbulent boundary layer interactions, Numer Heat Transfer A 30(1) 55-72 (Jul 1996), 1A1038

Dynamic subgrid-scale model for low-Reynolds-number channel flow, Int J Numer Methods Fluids 23(1) 19-27 (Jul 1996), 1A1072

Large-eddy simulation of the temporal mixing layer using the clark model, Theor Comput Fluid Dyn 8(4) 309-324 (1996), 1A1081

Method of discrete displacements for modeling contribution of finite-size organized fluid structures to transport processes in turbulent pipe flow, Int J Numer Methods Fluids 23(2) 105-124 (Jul 1996), 1A1084

Towards a new model-free simulation of high-Reynolds-flows: Local average direct numerical simulation, Int J Numer Methods Fluids 23(2) 125-142 (Jul 1996), 1A1085

Numerical study of 3D wall-bounded flows, Int J Heat Fluid Flow 17(3) 333-342 (Jun 1996), 2A1036

Turbulence control with wall-adjacent thin layer damping spanwise velocity fluctuations, Int J Heat Fluid Flow 17(3) 343-352 (Jun 1996), 2A1037

Effects of spanwise rotation on the vorticity stretching in transitional and turbulent channel flow, Int J Heat Fluid Flow 17(3) 324-332 (Jun 1996), 2A1039

Direct and large-eddy simulation of turbulent fluid flow using the lattice-Boltzmann scheme, Int J Heat Fluid Flow 17(3) 307-323 (Jun 1996), 2A1057

Resistance and weak prediction by computing turbulent ship flows, Ship Tech Res 43(3) 124-135 (Aug 1996), 2A1058

Turbulent flow calculations by the nonlinear multigrid method, Z Angew Math Mech 76(8) 463-469 (1996), 2A1059

Flow Modeling and Turbulence Measurements VI (Balkema, Rotterdam, Netherlands, 1996) 3N33

Multiblock implementation of a non-orthogonal, collocated finite volume algorithm for complex turbulent flows, Int J Numer Methods Fluids 23(6) 567-588 (Sep 1996), 3A58

Zonal embedded grids for numerical simulations of wall-bounded turbulent flows, J Comput Phys 127(2) 412-423 (Sep 1996), 3A1147

Artificial viscosity models for vortex and particle methods, J Comput Phys 127(2) 299-308 (Sep 1996), 3T1161

Multilevel methods for the simulation of turbulence: A simple model, J Comput Phys 127(2) 309-315 (Sep 1996), 3A1162

Parallel benchmarks of turbulence in complex geometries, Comput Fluids 25(7) 677-698 (Sep 1996), 3A1163

Three-dimensional mixed explicit-implicit generalized Galerkin spectral element methods for high-speed turbulent compressible flows, Comput Methods Appl Mech Eng 135(3-4) 343-367 (Sep 1996), 3A1164

Direct numerical simulation of strained 3D wall-bounded flows, Exp Thermal Fluid Sci 13(3) 239-251 (Oct 1996), 4A1084

Implicit-multigrid algorithms for incompressible turbulent flows on unstructured grids, J Comput Phys 128(2) 391-408 (Oct 1996), 4A1093

Unsteady flow calculations with a multigrid Navier-Stokes method, AIAA J 34(10) 2047-2053 (Oct 1996), 4A1094

Simulation and Modeling of Turbulent Flow (Oxford UP, New York, 1996) 5R20

Eulerian and Lagrangian scaling properties of randomly advected vortex tubes, J Fluid Mech 326 417-436 (Nov 1996), 5A1039

Similarity theory of locally homogeneous and isotropic turbulence generated by a Smagorinsky-type LES, J Fluid Mech 325 239-260 (Oct 1996), 5A1040

Holographic sensor for measurement of wall velocity gradients, Exp Fluids 21(6) 469-476 (Oct 1996), 5A1053

Modeling of release of gas from high-pressure pipelines, Int J Numer Methods Fluids 23(9) 953-983 (Nov 1996), 5A1054

Turbulent flow calculation with orthodox QUICK scheme, Numer Heat Transfer A 30(6) 589-604 (Nov 1996), 5A1055

Diffusion in stably stratified turbulence, J Fluid Mech 328 253-269 (Dec 1996), 6A1149

Fully explicit and self-consistent algebraic Reynolds stress model, Theor Comput Fluid Dyn 8(6) 387-402 (Nov 1996), 6A1155

Discrete probability function method for the calculation of turbulent particle dispersion, AIAA J 35(1) 200-202 (Jan 1997), 6T1158

Implicit solution method for incompressible Navier-Stokes equations including two-layer k-τ turbulence model, AIAA J 34(12) 2501-2508 (Dec 1996), 6A1159

Adaptive FEM for a two-equation turbulence model in wall-bounded flows, Int J Numer Methods Fluids 24(1) 101-120 (Jan 1997), 7A23

High-resolution laser Doppler anemometer for 3D turbulent boundary layers, Exp Fluids 22(2) 111-117 (Dec 1996), 7A1092

Numerical study of a turbulent flow compressed by a weak shock wave, Int J Comput Fluid Dyn 8(1) 63-75 (1997), 7T1134

Investigation of turbulent Taylor-Couette flow using laser Doppler velocimetry in a refractive index matched facility, J Fluids Eng 118(4) 810-818 (Dec 1996), 7A1142

Direct numerical simulation of a turbulent reactive plume on a parallel computer, J Comput Phys 129(2) 263-283 (Dec 1996), 7T1147

Boundary treatment and an efficient pressure algorithm for internal turbulent flows using the PDF method, Int J Numer Methods Fluids 24(2) 215-232 (Jan 1997), 7A1157

High-lift aerodynamic computations with one- and two-equation turbulence models, AIAA J 35(2) 237-243 (Feb 1997), 7A1178

Computation of turbulent reacting flow in a jet assisted ram combustor, Comput Fluids 26(2) 117-133 (Feb 1997), 8A1200

Effect of numerical errors in large eddy simulations of turbulent flows, J Comput Phys 131(2) 310-322 (Mar 1997), 8A1201

Improved variational principle for bounds on energy dissipation in turbulent shear flow, Physica D 101(1-2) 178-190 (Feb 1997), 8A1202

Local mesh refinement algorithm applied to turbulent flow, Int J Numer Methods Fluids 24(5) 519-530 (Mar 1997), 8A1203

Adaptive remeshing for the k-ε model of turbulence, AIAA J 35(4) 640-646 (Apr 1997), 9A1126

Modeling of an ascending flow of air in a heated vertical pipe, Trans Inst Fluid-Flow Machinery 0(101) 89-104 (1996), 9A1127

Monte Carlo methods for turbulent tracers with long range and fractal random velocity fields, Chaos 7(1) 39-48 (Mar 1997), 9A1128

Simulation of annular swirling turbulent flows with a new algebraic Reynolds stress model, Numer Heat Transfer B 31(2) 235-249 (Mar 1997), 9A1238

Numerical method for the computation of the dispersion of a cloud of particles by a turbulent gas flow field, J Comput Phys 133(2) 256-278 (May 1997), 10T1185

Implicit multigrid method by agglomeration applied to turbulent flows, Comput Fluids 26(3) 299-320 (Mar 1997), 10A1190

Fully coupled, implicit, numerical scheme for laminar and turbulent parabolic flows, Int J Numer Methods Eng 40(10) 1821-1837 (May 1997), 10A1195

Hybrid solution of the averaged Navier-Stokes equations for turbulent flow, Comput Mech 19(4) 297-307 (Mar 1997), 10A1196

Validation of standard, modified and nonlinear k-ε turbulence models, Int J Numer Methods Fluids 24(10) 965-986 (May 1997), 10A1197

Multiple time-scale turbulence model for wall and homogeneous shear flows based on direct numerical simulations, Int J Heat Fluid Flow 18(4) 346-359 (Aug 1997), 11A1030

Numerical prediction of separation and reattachment of turbulent flow in axisymmetric diffuser, Comput Fluids 26(4) 417-423 (May 1997), 11A1049

PDF model calculations of compressible turbulent flows using smoothed particle hydrodynamics, J Comput Phys 134(1) 150-168 (Jun 1997), 11A1090

High order accurate difference scheme for complex flow fields, J Comput Phys 134(1) 1-15 (Jun 1997), 11A1091

Status of large eddy simulation: Results of a workshop, J Fluids Eng 119(2) 248-262 (Jun 1997), 11A1115

Velocity and turbulence characteristics of isothermal lobed mixer flows, J Fluids Eng 117(4) 633-638 (Dec 1995), 11A1438

Structure of a supersonic 3D cylinder-offset-flare turbulent interaction, J Spacecraft Rockets 34(3) 294-302 (May-Jun 1997), 12A1117

Explicit algebraic scalar flux approximation, AIAA J 35(6) 985-989 (Jun 1997), 12A1150

New optimal shape design procedure for inviscid and viscous turbulent flows, Int J Numer Methods Fluids 25(2) 183-203 (Jul 1997), 12A1153

372Z. Experimental techniques

Measurements of spatiotemporal dynamics in a forced plane mixing layer, J Fluid Mech 320 71-115 (Aug 1996), 3A1145

Experiments on density-gradient anisotropies and scalar dissipation of turbulence in a stably stratified fluid, J Fluid Mech 322 383-409 (Sep 1996), 3A1149

Experimental study of the mean flow and turbulence structure of cross-flow over tube bundles, Proc Inst Mech Eng C 210(C4) 317-331 (1996), 3A1165

Onset of high-Reynolds-number grid-generated wind tunnel turbulence, J Fluid Mech 320 331-368 (Aug 1996), 3A1166

Stand for investigations of 3D, turbulent flow in axial compressing stage, Arch Budowy Maszyn 41(3-4) 235-254 (1994), 4A1095

Strongly coupled time-marching method for solving the Navier-Stokes and k-ω turbulence model equations with multigrid, J Comput Phys 128(2) 289-300 (Oct 1996), 4A1096

Flow disturbances in a single-stage cold-air turbine, Arch Budowy Maszyn 42(1-2) 63-79 (1995), 4A1140

Extraction of turbulent wall-pressure time-series using an optimal filtering scheme, Exp Fluids 22(1) 14-22 (Nov 1996), 6A1146
Assessment of subgrid-scale models by a direct numerical simulation of a temporally developing turbulent mixing layer, JSME Int J Ser B 39(4) 676-684 (Nov 1996), 7A1151
Taylor's hypothesis and two-point coherence measurements, Boundary-Layer Meteorol 81(3-4) 399-410 (Dec 1996), 7T1158
Towards better uncertainty estimates for turbulence statistics, Exp Fluids 22(2) 129-136 (Dec 1996), 7A1159
Three-Dimensional Velocity and Vorticity Measuring and Image Analysis Techniques (Kluwer, Netherlands, 1996) 8N21
Visualization of flow structures in low Reynolds turbulent open-channel flows, Mech Res Commun 24(1) 33-40 (Jan-Feb 1997), 8T1204
New approach to enhance the sensitivity of a hot-wire anemometer and static response analysis of a variable-temperature anemometer, Exp Fluids 22(3) 212-219 (Jan 1997), 8A1251
Measurements of the velocity and turbulence structure of a rotor tip vortex, AIAA J 35(3) 477-485 (Mar 1997), 9A1051
Nearly isotropic turbulence generated by a pair of vibrating grids, Exp Thermal Fluid Sci 14(3) 251-262 (Apr 1997), 10A1177
Uncertainty estimates of turbulent temperature in Rayleigh scattering measurements, Exp Thermal Fluid Sci 15(1) 25-31 (Jul 1997), 10T1186
Directionally sensitive hot-wire anemometer, Exp Fluids 22(6) 458-462 (Apr 1997), 10A1268
Three-dimensional density field diagnostics by tomographic Moire technique, Exp Fluids 23(1) 76-85 (May 1997), 11A1120
Turbulence measurements in a heated, concave boundary layer under high-free-stream turbulence conditions, J Turbomachinery 118(1) 172-180 (Jan 1996), 11A1271
Detailed investigation of the 3D separation about a 6:1 prolate spheroid, AIAA J 35(6) 990-999 (Jun 1997), 12A1239
Turbulent transport measurements in a heated boundary layer: Combined effects of free-stream turbulence and removal of concave curvature, J Heat Transfer 119(3) 413-419 (Aug 1997), 12A1275

374. ELECTROMAGNETO-FLUID AND PLASMA DYNAMICS

374A. General theory

Ionizational nonequilibrium induced by neutral chemistry in air plasmas, AIAA J 34(8) 1745-1747 (Aug 1996), 2T1060
Anomalous plasma transport in the stochastic magnetic field, Rep Res Inst Appl Mech 41(112) 1-22 (Sep 1995), 3A1167
Approximation of the bounded plasma problem by the plasma and the sheath models, Physica D 97(4) 498-508 (Oct 1996), 4A1097
Steady states in a collisionless plasma, Commun Pure Appl Math 49(11) 1145-1174 (Nov 1996), 5A1056
Time decay of the solutions of the Vlasov-Poisson system in the plasma physical case, Math Methods Appl Sci 19(17) 1409-1413 (Nov 1996), 5A1057
Effective viscosity of an electrorheological fluid, J Intelligent Mat Syst Struct 7(5) 555-559 (Sep 1996), 6A5
Basic observations on Electro-Rheological fluids, J Intelligent Mat Syst Struct 7(5) 479-483 (Sep 1996), 6A1160
Large-scale vortex structures in plasma-like media and the electric explosion of conductors, Chaos 6(4) 568-578 (Dec 1996), 6A1161
Role of conductivities and frequency in the electrorheological effect, J Intelligent Mat Syst Struct 7(5) 599-603 (Sep 1996), 6T1162
Variation with distance of the attraction force between spheres and estimation of static yield stress of ER fluids, J Intelligent Mat Syst Struct 7(5) 573-578 (Sep 1996), 6A1163
General transformations and variational principles for the magnetohydrodynamics of ideal fluids - Part 2: Stability criteria for 2D flows, J Fluid Mech 329 187-205 (Dec 1996), 7A1160
Parametrically excited waves and chaos in magnetic fluids with surface adsorption, Int J Eng Sci 35(3) 269-275 (Feb 1997), 7A1161
Functional solutions for the Vlasov-Poisson system, Appl Math Lett 10(1) 45-50 (Jan 1997), 8A1205
Response time and viscosity of electrorheological fluids, Smart Mat Struct 6(1) 67-75 (Feb 1997), 8A1206
Structure of a shock wave front in a gas (Polish), Biuletyn Wojskowej Akademii Technicznej 45(7) 37-75 (Jul 1996), 9A214
Kinetic theory of nonlinear dust-acoustic waves in a dusty plasma, Planet Space Sci 45(3) 355-360 (Mar 1997), 9A1129
Low frequency electrostatic instabilities in a dusty plasma driven by crossfield beams, Planet Space Sci 45(3) 379-383 (Mar 1997), 9A1130
Mathematical modeling of the dynamic response of electro-rheological fluid, J Intelligent Mat Syst Struct 8(1) 71-79 (Jan 1997), 9A1131
Convergence of solutions of the Landau equations in the collisionless limit, Math Methods Appl Sci 20(8) 679-688 (May 1997), 10A1118
Backlund transformations and Painleve analysis: Exact solutions for a Grad-Shafranov-type magnetohydrodynamic equilibrium, IMA J Appl Math 58(1) 51-69 (Feb 1997), 10A1198
Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, Waves in Random Media 7(2) 169-181 (Apr 1997), 10A1199
Stationary solutions of the relativistic Vlasov-Maxwell system, Math Methods Appl Sci 20(8) 667-677 (May 1997), 10A1200
Uniqueness for unbounded classical solutions of the MHD equations, Math Methods Appl Sci 20(7) 617-623 (May 1997), 10A1201
Unified electro-magneto-fluid dynamics: Introductory concepts, Int J Non-Linear Mech 32(5) 913-922 (Sep 1997), 12A1154
Unified electro-magneto-fluid dynamics: A survey of mathematical models, Int J Non-Linear Mech 32(5) 923-932 (Sep 1997), 12A1155

374D. Flow in magnetic fields

MHD flow over a moving flat plate with a step change in the magnetic field, Acta Mech 116(1-4) 235-238 (1996), 1A1086
MHD stability of boundary layer flow over a moving flat plate, Tech Mech 15(4) 325-332 (1995), 1A1087
Fluid film squeezed between two rotating disks in the presence of a magnetic field, Int J Eng Sci 34(10) 1183-1195 (Aug 1996), 2A1061
Pattern selection in magnetic fluids with surface adsorption, Int J Eng Sci 34(9) 1077-1092 (Jul 1996), 2A1062
MHD free convection from a vertical semi-infinite flat plate with a step change in the magnetic field, Z Angew Math Mech 76(8) 479-780 (1996), 2T1164
Korteweg-de Vries equation for oblique modes in magnetized multi-ion plasmas, J Phys Soc Japan 65(8) 2522-2525 (Aug 1996), 3A227
Thermal convection in a magnetic fluid, J Fluid Mech 321 121-136 (Aug 1996), 3A1015
Rotation and magnetic effect on the non-axisymmetric temporal stability of a capillary jet, Fluid Dyn Res 18(5) 289-305 (Oct 1996), 3A1136
Analysis of poloidal rotation and suppression of plasma turbulence using a dynamo model, J Phys Soc Japan 65(8) 2353-2356 (Aug 1996), 3A1168
Magnetohydrodynamic flow past a semi-infinite moving plate, Acta Mech 117(1-4) 159-164 (1996), 3A1169
MHD flow between two parallel plates with heat transfer, Acta Mech 117(1-4) 215-220 (1996), 3A1170
Numerical analysis of natural convection of thermo-electrically conducting fluids in a square cavity under a uniform magnetic field: Calculated results, frequency characteristics, JSME Int J Ser B 39(3) 508-516 (Aug 1996), 3T1171
Magnetohydrodynamic flow of viscous fluid in a slot between curvilinear surfaces of revolution, Eng Trans 44(1) 113-140 (1996), 4T55
"Phobos events": Signatures of solar wind dust interaction, Planet Space Sci 44(6) 589-601 (Jun 1996), 4A267
Magnetohydrodynamic effects on a fluid film squeezed between two rotating naturally permeable discs: Similarity solutions, Z Angew Math Mech 76(10) 583-593 (1996), 4A981
Absolute, convective, and global instability of a magnetic liquid jet, Fluid Dyn Res 18(6) 325-335 (Nov 1996), 4A1098
Anelastic evolutionary geodynamo simulation driven by compositional and thermal convection, Physica D 97(1-3) 81-94 (Oct 1996), 4A1099
Classification of magnetic instabilities, Geophys Astrophys Fluid Dyn 82(3-4) 221-236 (Jun 1996), 4T1100
Investigation of the ultrasonic propagation velocity anisotropy in magnetic liquids in a constant magnetic field, Acoust Lett 19(5) 87-92 (Nov 1995), 4A1101
Plasma structures at weakly outgrassing comets: Results from bi-ion fluid analysis, Planet Space Sci 44(6) 519-528 (Jun 1996), 4A1102
Whistler waves generation and current closure by a pulsed tether in ionspheric plasmas, Planet Space Sci 44(6) 603-610 (Jun 1996), 4A1103
Subcritical excitation of plasma turbulence, J Phys Soc Japan 65(9) 2749-2752 (Sep 1996), 4A1106
Statistical stability of convection dynamos, Physica D 97(1-3) 158-163 (Oct 1996), 4A1201
Numerical simulation of fluid flow in electromagnetic centrifugal casting, Model Simulation Mat Sci Eng 4(4) 421-432 (Jul 1996), 5A566
Initial-value problem for the Kelvin-Helmholtz instabilities of high-velocity and magnetized shear layers, Quart Appl Math 54(4) 637-662 (Dec 1996), 5A1035
Nonlinear hydromagnetic stability analysis of condensation film flow down a vertical plate, Acta Mech 118(1-4) 197-212 (1996), 5A1036
Instabilities in quasi 2D magnetohydrodynamic flows, J Fluid Mech 326 125-150 (Nov 1996), 5A1058
Magnetohydrodynamic flow in a right-angle bend in a strong magnetic field, J Fluid Mech 326 91-123 (Nov 1996), 5A1059
Sidewall flow stability in the MHD channel flows, Acta Mech Sinica 12(2) 97-103 (1996), 6A1132
Effect of an oblique magnetic field on the surface instability of a finite conducting fluid layer, Acta Mech 119(1-4) 165-180 (1996), 6A1140
Combined effects of rotation and translation on a MHD flow due to compressible viscous fluid, Arch Appl Mech 67(1-2) 62-67 (Dec 1996), 6A1164
General transformations and variational principles for the magnetohydrodynamics of ideal fluids - Part 2: Stability criteria for 2D flows, J Fluid Mech 329 187-205 (Dec 1996), 7A1160
MHD squeezing flow between two parallel discs, Tech Mech 16(4) 309-316 (1996), 7A1162
Rheological behavior of Brownian interacting particles in uniaxial flow combined with electric (magnetic) field, J Non-Newtonian Fluid Mech 68(1) 43-60 (Jan 1997), 8A991
Nonlinear stability of mass and heat transfer in magnetic fluids, Z Angew Math Mech 77(1) 19-31 (1997), 8A1169
Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 1: 2D flow, J Fluid Mech 333 23-56 (Feb 1997), 8A1207
Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 2: 3D flow, J Fluid Mech 333 57-83 (Feb 1997), 8A1208
Effect of a transverse magnetic field on natural convection in micropolar fluids, Appl Mech Eng 1(3) 337-353 (1996), 9A1132
Expansion of a dusty plasma into a vacuum: Effects of charge nonneutrality, Planet Space Sci 45(2) 251-254 (Feb 1997), 9A1133
Hall current effects on the velocity and temperature fields of an unsteady Hartmann flow, J Eng Appl Sci 43(5) 887-902 (Oct 1996), 9A1134
Magnetohydrodynamic boundary layer flow and heat transfer on a continuous moving wavy surface, Arch Mech 48(5) 813-823 (1996), 9A1135
Spatial structure of transversally small-scale hydromagnetic waves in a plane finite-β model magnetosphere, Planet Space Sci 45(2) 269-279 (Feb 1997), 9A1136
Unsteady compressible boundary layer flow at the stagnation point of a rotating sphere with an applied magnetic field, Arch Mech 49(1) 111-127 (1997), 9A1137
Earth's Ionosphere: A wall-less plasma laboratory, Surveys Geophys 18(1) 57-127 (Jan 1997), 9T1507
Effect of mass transfer on a similar flow in the magnetohydrodynamic squeeze film, J Appl Mech 64(1) 240-243 (Mar 1997), 10A1202
Homogenization of a set of parallel fibers, Waves in Random Media 7(2) 245-256 (Apr 1997), 10A1203
Influence of low-frequency varying magnetic field on the pulsatile flow in a rigid round tube, Appl Math Mech 18(2) 121-127 (Feb 1997), 10A1204
Role of angular momentum in the magnetic damping of turbulence, J Fluid Mech 336 123-150 (Apr 1997), 10A1205
Heat transfer in the MHD flow of a viscoelastic fluid over a stretching sheet, Z Angew Math Mech 77(4) 317-319 (1997), 10T1302
State space approach to viscoelastic fluid flow of hydromagnetic fluctuating boundary layer through a porous medium, Z Angew Math Mech 77(3) 197-207 (1997), 10A1451
Similarity solution of unsteady boundary layer equations with a magnetic field, Meccanica 32(2) 157-163 (Apr 1997), 11A468
Effect of a central vortex on a stretched magnetic flux tube, J Fluid Mech 339 121-142 (May 1997), 11A1121
Heat and mass transfer along a vertical plate with variable surface tension and concentration in the presence of the magnetic field, Int J Eng Sci 35(5) 515-522 (Apr 1997), 11A1122
Liquid-metal MHD flow in rectangular ducts with thin conducting or insulating walls: Laminar and turbulent solutions, Int J Eng Sci 35(5) 485-503 (Apr 1997), 11A1123
Calculation of the free surface shape in the electromagnetic processing of liquid metals, Appl Math Model 21(4) 207-214 (Apr 1997), 12A1285

374E. Flow in electric fields

Enhancement of evaporation of a droplet using EHD effect: Measurement of steady-state heat flux during evaporation of a single droplet, JSME Int J Ser B 39(3) 583-589 (Aug 1996), 3A1072
Interfacial stability and nonlinear properties of electrohydrodynamics, Int J Eng Sci 34(12) 1385-1395 (Sep 1996), 3A1172
Stability of natural convection in an inclined fluid layer in the presence of ac electric field, J Phys Soc Japan 65(8) 2479-2484 (Aug 1996), 3A1231
Computations of boundary optimal control problems for an electrically conducting fluid, J Comput Phys 128(2) 319-330 (Oct 1996), 4T1104
Effects of an electrically conducting first wall on the blanket loading during a Tokamak plasma disruption, Fusion Eng Des 31(4) 313-321 (Aug 1996), 4A1105
Subcritical excitation of plasma turbulence, J Phys Soc Japan 65(9) 2749-2752 (Sep 1996), 4A1106
Statistical stability of convection dynamos, Physica D 97(1-3) 158-163 (Oct 1996), 4A1201
Dynamics of drop formation from a capillary in the presence of an electric field, J Fluid Mech 326 239-263 (Nov 1996), 5A976
Magnetohydrodynamic flow in a right-angle bend in a strong magnetic field, J Fluid Mech 326 91-123 (Nov 1996), 5A1059
Measurement of van der Waals force of toner sdhesion employing a linearly increasing electric field and determining the toner jumping voltage, Particulate Sci Tech 14(3) 267-277 (Jul-Sep 1996), 6A980
Powder coating process parameters for a transfer efficiency model, Particulate Sci Tech 14(3) 239-254 (Jul-Sep 1996), 6A1060
Effect of the electric field on wave motion in a thin suspension layer flowing over an inclined plane, J Intelligent Mat Syst Struct 7(5) 507-510 (Sep 1996), 6A1165
Current-driven dust-acoustic instability in a collisional plasma, Planet Space Sci 44(12) 1593-1598 (12 1996), 7A1163
Electroviscoelastic stability of a Kelvin fluid layer, Int J Eng Sci 34(15) 1811-1826 (Dec 1996), 7A1164
Dynamic characteristics of ER fluid squeeze film damper, JSME Int J Ser C 39(4) 702-707 (Dec 1996), 7A1203
Rheological behavior of Brownian interacting particles in uniaxial flow combined with electric (magnetic) field, J Non-Newtonian Fluid Mech 68(1) 43-60 (Jan 1997), 8A991
Instability caused by the coupling between non-resonant shape oscillation modes of a charged conducting drop, J Fluid Mech 333 1-21 (Feb 1997), 8A1209
Electroviscoelastic Rayleigh-Taylor instability of Kelvin fluids: Effect of a constant tangential electric field, Fluid Dyn Res 19(5) 327-341 (May 1997), 9A1138
Homogenization of a set of parallel fibers, Waves in Random Media 7(2) 245-256 (Apr 1997), 10A1203
Effects of magnetic reconnection in the Kelvin-Helmholtz instability at the magnetospheric boundary, Planet Space Sci 45(4) 495-510 (Apr 1997), 10A1206
Frequency properties of random photonic lattices, Waves in Random Media 7(2) 183-192 (Apr 1997), 10A1207
Influence of dust mass distributions on generalized Jeans-Bunerman instabilities in dusty plasmas, Planet Space Sci 45(4) 449-454 (Apr 1997), 10A1208
Theory of electrohydrodynamically driven capillary jets, J Fluid Mech 335 165-188 (Mar 1997), 10A1209
Electroviscous forces on a charged particle suspended in a flowing liquid, J Fluid Mech 338 1-34 (May 1997), 11A895
Effect of a central vortex on a stretched magnetic flux tube, J Fluid Mech 339 121-142 (May 1997), 11A1121
Second harmonic resonance on the marginally neutral curve in electrohydrodynamics, Int J Eng Sci 35(6) 585-591 (May 1997), 11A1124
Calculation of electrohydrodynamic flow in a circular cylindrical conduit, Z Angew Math Mech 77(6) 457-465 (1997), 12A1156
Example of bifurcation and non-uniqueness in electrohydrodynamics, European J Appl Math 8(2) 165-175 (Apr 1997), 12A1157
Stabilizing effect of vanishing diffusion in electrohydrodynamics, European J Appl Math 8(2) 217-227 (Apr 1997), 12A1158
Ultimate strength of electrorheological suspension as a function of electrical field intensity, Composite Mech Des 2(1) 97-108 (1996), 12A1159
Calculation of the free surface shape in the electromagnetic processing of liquid metals, Appl Math Model 21(4) 207-214 (Apr 1997), 12A1285

374H. Heat transfer aspects

Numerical analysis of turbulent pipe flow in a transverse magnetic field, Int J Heat Mass Transfer 40(8) 1839-1851 (May 1997), 7A1243

Difference methods for quasilinear 2D-diffusion problems in toroidal configurations, Math Methods Appl Sci 20(6) 477-493 (Apr 1997), 10A1210
Heat transfer in an electromagnetic bearing, J Heat Transfer 119(3) 611-616 (Aug 1997), 12A1160
Theoretical and experimental study of electrohydrodynamic heat transfer enhancement through wire-plate corona discharge, J Heat Transfer 119(3) 604-610 (Aug 1997), 12A1161

374M. Energy conversion, propulsion

Magnetic field line mappings for a tokamak with ergodic limiters, Chaos Solitons Fractals 7(7) 991-1010 (Jul 1996), 2A1063
Characteristics of L-H transition of the edge plasma in tokamaks, Rep Res Inst Appl Mech 41(112) 23-51 (Sep 1995), 3A1173
Transport coefficient and heat pulse propagation in tokamak plasma, Rep Res Inst Appl Mech 41(112) 53-76 (Sep 1995), 3A1174

374Y. Computational techniques

Numerical approximation of the 1D Vlasov-Poisson system with periodic boundary conditions, SIAM J Numer Anal 33(4) 1377-1409 (Aug 1996), 1A1088
Numerical analysis of natural convection of thermo-electrically conducting fluids in a square cavity under a uniform magnetic field: Calculated results, frequency characteristics, JSME Int J Ser B 39(3) 508-516 (Aug 1996), 3T1171
Whistler waves generation and current closure by a pulsed tether in ionspheric plasmas, Planet Space Sci 44(6) 603-610 (Jun 1996), 4A1103
Computations of boundary optimal control problems for an electrically conducting fluid, J Comput Phys 128(2) 319-330 (Oct 1996), 4T1104
Comparison of some flux corrected transport and total variation diminishing numerical schemes for hydrodynamic and magnetohydrodynamic problems, J Comput Phys 128(1) 82-100 (Oct 1996), 4A1107
Numerical modeling of the edge plasma in tokamaks, J Tech Phys 37(1) 7-37 (1996), 4A1108
Numerical analysis of channel flows of ER fluid, J Intelligent Mat Syst Struct 7(5) 604-609 (Sep 1996), 6A1166
Two-dimensional solutions of MHD equations with an adapted Roe method, Int J Numer Methods Fluids 23(11) 1211-1222 (Dec 1996), 6A1167
Verified computations of solutions for nondifferentiable elliptic equations related to MHD equilibria, Nonlinear Anal 28(3) 577-587 (Feb 1997), 6T1168
Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 2: 3D flow, J Fluid Mech 333 57-83 (Feb 1997), 8A1208
Implicit scheme for nonideal magnetohydrodynamics, J Comput Phys 130(2) 231-242 (Jan 1997), 8A1210
Global strong solutions of equations of magnetohydrodynamic type, J Austral Math Soc B 38(3) 291-306 (Jan 1997), 9A1139
Integral equations for disturbance propagation in linearized Vlasov plasmas numerical results, Arch Mech 48(6) 1047-1067 (1996), 9A1140
Plasma double layer system leading to chaos, intermittency and flicker noise, Arch Mech 49(1) 159-176 (1997), 9T1141
Traveling waves in laser sustained plasma: Coonstant coefficient case, Arch Mech 48(5) 869-892 (1996), 9A1142
Adaptive mesh refinement for singular current sheets in incompressible magnetohydrodynamic flows, J Comput Phys 134(1) 190-198 (Jun 1997), 11T1125

374Z. Experimental techniques

Experiments on ion-acoustic solitons in a plasma, Chaos Solitons Fractals 7(7) 1023-1031 (Jul 1996), 2A1064
Spherical probe for measuring charge on a single airborn particle, Trans Inst Fluid-Flow Machinery 0(100) 37-54 (1996), 2A1065
Investigation of the expansion of laser-produced plasma in a strong axial magnetic field, J Tech Phys 37(2) 217-233 (1996), 4A1109
Approximating collisional freestream attenuation at transitional Knudsen numbers, AIAA J 35(3) 574-576 (Mar 1997), 9T1143
Nuclear temperature measurements with isotropic thermometer, Acta Phys Polonica B B28(1-2) 401-406 (Jan-Feb 1997), 9A1144
Uncertainties in plasma measurements: Effects of lower cutoff energy and spacecraft charge, Planet Space Sci 45(2) 255-267 (Feb 1997), 9A1145
Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, Waves in Random Media 7(2) 169-181 (Apr 1997), 10A1199

376. NAVAL HYDROMECHANICS

376A. General theory

Hydrodynamic model of the Weis-Fogh hydrofoil, J Hydrodyn 8(4) 35-39 (1996), 9A1154

376C. Ship motions, resistance, performance

Displacement series of ships, Int Shipbuild Prog 43(434) 93-107 (Jul 1996), 2A1066
Effect of trailing edge flaps on the performance of a yacht with a winged keel, Int Shipbuild Prog 43(434) 159-166 (Jul 1996), 2A1067
Investigation of resistance performance test for channel planning craft with hydrofoils (Chinese), J Dalian Univ Tech 36(4) 466-470 (Jul 1996), 2A1070
Analytical expressions of the bifurcation boundaries for symmetric spread mooring systems, Appl Ocean Res 17(6) 325-341 (Dec 1995), 3A1175
High and low frequency motions of a moored vessel, Marine Tech Trans 6 301-315 (1995), 3A1176
Tensions in lines of mooring positioning system of a vessel in irregular waves, Marine Tech Trans 6 281-299 (1995), 3A1177
Calculations of wave resistance for a high-speed displacement ship, Int Shipbuild Prog 43(435) 189-207 (Sep 1996), 5A1060
Influence of a yacht's heeling stability on optimum sail design, Fluid Dyn Res 19(1) 47-63 (Jan 1997), 5A1061
Study on Xizhang Junk form barge train, Int Shipbuild Prog 43(436) 315-330 (Dec 1996), 6A1169
Autonomous oscillations and bifurcations of a tug-tanker tow, Ship Tech Res 44(1) 4-12 (Feb 1997), 9A1146
Elimination of wave resistance by a cambered twin-hull at supercritical speed, Ship Tech Res 44(1) 13-21 (Feb 1997), 9A1147
Expanded mild-slope equations for the analysis of wave-induced ship motion in a harbor, Coastal Eng 30(1-2) 77-103 (Mar 1997), 9A1148
Optimal pressure distributions for river-based air-cushion vehicles, Ship Tech Res 44(1) 32-36 (Feb 1997), 9A1149
Viscous effects in seakeeping prediction of twin-hull ships, Ship Tech Res 44(1) 44-52 (Feb 1997), 9A1150
Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, J Fluids Eng 119(1) 136-144 (Mar 1997), 9A1155
Ship wave-making resistance calculation by panel method and numerical flow field visualization (Chinese), J Dalian Univ Tech 37(1) 87-90 (Jan 1997), 10A1211
Zero wave resistance for ships moving in shallow channels at supercritical speeds, J Fluid Mech 335 305-321 (Mar 1997), 10A1212
Horizontal motions of an SPM tanker under alternative mooring configurations, J Offshore Mech Arctic Eng 117(4) 223-231 (Nov 1995), 11A1126
Mooring system design vased on analytical expressions of catastrophes of slow-motion dynamics, J Offshore Mech Arctic Eng 119(2) 86-95 (May 1997), 11A1127
Prediction of viscous ship roll damping by unsteady Navier-Stokes techniques, J Offshore Mech Arctic Eng 119(2) 108-113 (May 1997), 11A1128
Bow form optimization of displacement ships by mathematical programming, Ship Tech Res 44(2) 80-87 (May 1997), 12A1162
Effect of the form parameters of a tracked APC on its swimming resistance, J Terramech 33(4) 173-183 (Jul 1996), 12A1163
Hull starting resistance of a boat-type vehicle, J Terramech 33(4) 167-172 (Jul 1996), 12A1164
Numerical study of additive bulb effects on the resistance and self-propulsion characteristics of a full ship form, Ship Tech Res 44(2) 98-108 (May 1997), 12A1165
Semi-analytical hydrodynamics and motions for a TLP structure - Part I: Enhancement of Pontoon results using two of Haskind's theorems, J Offshore Mech Arctic Eng 119(3) 166-177 (Aug 1997), 12A1166

376G. Ship stability and control

Application of a novel control scheme to ship steering, Int Shipbuild Prog 43(434) 167-184 (Jul 1996), 2A1068
Nonlinear robust control designs for a remotely operated underwater vehicle depth control system, J Syst Control Eng 210(I3) 201-214 (1996), 4A396
Influence of a yacht's heeling stability on optimum sail design, Fluid Dyn Res 19(1) 47-63 (Jan 1997), 5A1061
Theoretical study of the capsize of the ferry "Herald of Free Enterprise", Int Shipbuild Prog 43(435) 209-235 (Sep 1996), 5A1062
Added mass and damping on bottom-mounted rectangular cylinders, J Brazilian Soc Mech Sci 18(4) 355-373 (Dec 1996), 6A302
Application of self-tuning fuzzy controller to dynamic positioning system of floating production system, J Offshore Mech Arctic Eng 118(4) 241-246 (Nov 1996), 6A1170
Stability and wave profile of a ship in oblique waves, Int Shipbuild Prog 43(436) 359-380 (Dec 1996), 6A1171
Designing against capsize in beam seas: Recent advances and new insights, Appl Mech Rev 50(5) 307-325 (May 1997), 7A1165
Stability-based design of two-point mooring systems with hydrodynamic memory, J Offshore Mech Arctic Eng 119(1) 61-69 (Feb 1997), 8A1211
Prediction method for ship maneuvring motion in the proximity of a pier, Ship Tech Res 44(1) 22-31 (Feb 1997), 9A1151
Robust autopilot design for ship steering in waves, Int Shipbuild Prog 44(437) 59-75 (Apr 1997), 10A1213
Stability and drift of underwater vehicle dynamics: Mechanical systems with rigid motion symmetry, Physica D 105(1-3) 130-162 (Jun 1997), 12A1167

376I. Ship propulsion

Propeller-induced and kinematically excited transversal vibrations of the B 354 ship's shafting, Marine Tech Trans 6 351-365 (1995), 3A172
Simplified description of propeller-induced and kinematically excited shafting transversal vibrations, Marine Tech Trans 6 197-218 (1995), 3A174
Effective mean velocity in model propulsion tests - The essence of the idea: The possible definitions, Marine Tech Trans 6 161-172 (1995), 3A1178
Influence of ship propulsion control system structure on torque transients, Marine Tech Trans 6 81-95 (1995), 3A1179
New method for calculation of hydrodynamic parameters of waterjet propulsors, Marine Tech Trans 6 263-279 (1995), 3A1180
Relation between the mean effective velocities from selected model propulsion tests and from numerical simulation procedures, Marine Tech Trans 6 135-159 (1995), 3A1181
Uncertainty analysis in propeller open water tests, Int Shipbuild Prog 43(435) 237-246 (Sep 1996), 5A1063
Wake rollup model for heavily loaded marine propellers, Int Shipbuild Prog 43(435) 247-272 (Sep 1996), 5A1064
Hydrodynamic design method for highly skewed propeller and its validation, J Hydrodyn 8(4) 88-93 (1996), 9T1152
Numerical description of a propeller blade, Ship Tech Res 44(2) 75-79 (May 1997), 12A1168

376N. Fluid dynamics effects

Resistance and weak prediction by computing turbulent ship flows, Ship Tech Res 43(3) 124-135 (Aug 1996), 2A1058
Comparisons of two different mixed Eulerian-Lagrangian schemes based on a study of flare-slamming hydrodynamics, J Offshore Mech Arctic Eng 118(3) 174-183 (Aug 1996), 2A1069
Investigation of resistance performance test for channel planning craft with hydrofoils (Chinese), J Dalian Univ Tech 36(4) 466-470 (Jul 1996), 2A1070
Inviscid and viscous fluid calculations around yachting sails, Ship Tech Res 43(3) 95-101 (Aug 1996), 2A1071
Interaction of single traveling bubbles with the boundary layer and attached cavitation, J Fluid Mech 322 329-353 (Sep 1996), 3A981
Large-domain approach for calculating ship boundary layers and wakes and wave fields for nonzero Froude number, J Comput Phys 127(2) 398-411 (Sep 1996), 3T1182
Experiment investigation of a high-lift rudder circulation control rudder, Int Shipbuild Prog 43(436) 347-357 (Dec 1996), 6A1172
Viscous scale effects on propeller tip vortex cavitation, J Hydrodyn 8(3) 44-57 (1996), 7T1182
Hydrodynamic design method for highly skewed propeller and its validation, J Hydrodyn 8(4) 88-93 (1996), 9T1152
Far-field and near-field dispersive waves, Ship Tech Res 44(1) 37-43 (Feb 1997), 9A1153
Hydrodynamic model of the Weis-Fogh hydrofoil, J Hydrodyn 8(4) 35-39 (1996), 9A1154
Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, J Fluids Eng 119(1) 136-144 (Mar 1997), 9A1155
Nature of nonlinear effects in ship wave making, Ship Tech Res 44(1) 53-61 (Feb 1997), 9A1156
Ship wave-making resistance calculation by panel method and numerical flow field visualization (Chinese), J Dalian Univ Tech 37(1) 87-90 (Jan 1997), 10A1211
Computation of added wave resistance of a restrained floating body in the time-domain, Int Shipbuild Prog 44(437) 27-57 (Apr 1997), 10A1214
Hydrodynamic design of active panels of marine vehicles, J Offshore Mech Arctic Eng 117(4) 290-294 (Nov 1995), 11A1019
Assessment of a Reynolds stress closure model for appendage-hull junction flows, J Fluids Eng 117(4) 557-563 (Dec 1995), 11A1110
Ducted tip: A hydrofoil tip geometry with superior cavitation performance, J Fluids Eng 117(4) 665-672 (Dec 1995), 11A1129
Ship hull bottom slamming, J Offshore Mech Arctic Eng 117(4) 252-259 (Nov 1995), 11A1130

376Y. Computational techniques

Large-domain approach for calculating ship boundary layers and wakes and wave fields for nonzero Froude number, J Comput Phys 127(2) 398-411 (Sep 1996), 3T1182
Recursive numerical algorithm for conformal mapping in 2D hydrodynamics, AIAA J 34(10) 2014-2020 (Oct 1996), 4A998
Developments in surface fairing procedures, Int Shipbuild Prog 43(436) 281-313 (Dec 1996), 6A1173
Shell-function solutions for 3D nonlinear body-motion problems, Ship Tech Res 44(1) 62-70 (Feb 1997), 9A1157
Boundary element method for steady ship wave-making potential problems, Acta Mech Solida Sinica 10(1) 66-75 (1997), 10A88
Vortex lattice method for a straight hydrofoil near a free surface, Int Shipbuild Prog 44(437) 5-26 (Apr 1997), 10A1215

378. AERODYNAMICS

Compressibility effects on dynamic stall, Prog Aerospace Sci 32(6) 523-573 (Dec 1996), 6A1174

378B. Wings and airfoils

Life and Legacy of GI Taylor (Cambridge UP, New York, 1996) 1R39
Nonlinear dynamics of an airfoil forced to oscillate in dynamic stall, J Sound Vib 194(2) 265-283 (Jul 1996), 1A1089
Aircraft with synchronically deployed wings, J Aircraft 33(4) 832-835 (Jul-Aug 1996), 2T1072
Boundary-layer transition due to isolated 3D roughness on airfoil leading edge, AIAA J 34(9) 1949-1952 (Sep 1996), 2T1073
Comparative study of delta wings with blunt leading edges and vortex flaps, J Aircraft 33(4) 828-830 (Jul-Aug 1996), 2T1074
Correlation of shock angles caused by flat Delta wings, AIAA J 34(9) 1956-1958 (Sep 1996), 2T1075
Counter-rotating structures over a Delta wing, AIAA J 34(9) 1958-1960 (Sep 1996), 2T1076
Enhancement of the leading-edge separation vortices by trailing-edge lateral blowing, AIAA J 34(9) 1943-1945 (Sep 1996), 2T1077
Experimental study of vortex flow control on double-delta wings using fillets, J Aircraft 33(4) 743-751 (Jul-Aug 1996), 2A1078
Flow about a slotted cylinder-airfoil combination in a wind tunnel, J Aircraft 33(4) 716-721 (Jul-Aug 1996), 2A1079
Flow visualization of an oscillating airfoil with sawtooth trailing edge, AIAA J 34(8) 1748-1750 (Aug 1996), 2T1080
Hodograph method for airfoil design: The general case, J Aircraft 33(4) 680-690 (Jul-Aug 1996), 2A1081
Interaction of supersonic wing-tip vortices with a normal shock, AIAA J 34(9) 1855-1861 (Sep 1996), 2A1082
Low-Reynolds-number separation on an airfoil, AIAA J 34(8) 1570-1577 (Aug 1996), 2A1083
Multipoint inverse airfoil design method for slot-suction airfoils, J Aircraft 33(4) 708-715 (Jul-Aug 1996), 2A1084
Reynolds number effects on vortex breakdown of a blunt-edged delta, J Aircraft 33(4) 835-837 (Jul-Aug 1996), 2T1085
Ring wing for a compressed missile, J Aircraft 33(4) 837-839 (Jul-Aug 1996), 2T1086
Ring wing for an underwater missile, J Aircraft 33(4) 830-832 (Jul-Aug 1996), 2T1087
Sensitivity analysis of aeroelastic response of a wing using piecewise pressure representation, J Aircraft 33(4) 803-807 (Jul-Aug 1996), 2A1088
Spanwise variations in profile drag for airfoils at low Reynolds numbers, J Aircraft 33(4) 699-707 (Jul-Aug 1996), 2A1089

Vortex-wake characteristics of a supersonic transport wing planform at Mach 2.5, AIAA J 34(8) 1750-1752 (Aug 1996), 2T1090
Experimental results on aerofoil manipulators at high subsonic speeds, Exp Fluids 21(4) 275-285 (Aug 1996), 3A1052
Aeroelastic analysis for flap of airfoil in transonic flow, Comput Struct 61(3) 421-430 (Nov 1996), 3A1183
Stochastic approach to optimal aerodynamic shape design, J Aircraft 33(5) 956-961 (Sep-Oct 1996), 4A820
Airfoil design via transpiration and optimal control theory, Inverse Prob Eng 3(1-3) 45-65 (1996), 4A1110
Divergent-trailing-edge airfoil flow, J Aircraft 33(5) 950-955 (Sep-Oct 1996), 4A1111
Effects of fences on airfoil aerodynamics at -90° incidence, AIAA J 34(10) 1984-1989 (Oct 1996), 4A1112
Experimental measurements of dynamic control surface effectiveness, J Aircraft 33(5) 880-887 (Sep-Oct 1996), 4A1113
Inviscid Batchelor-model flow past an airfoil with a vortex trapped in a cavity, J Fluid Mech 323 367-376 (Sep 1996), 4A1114
Lifting-line theory of an arched wing in asymmetric flight, J Aircraft 33(5) 1023-1026 (Sep-Oct 1996), 4T1115
Multiple-actuator control of vortex breakdown on a pitching delta wing, AIAA J 34(10) 2184-2186 (Oct 1996), 4T1116
Natural transition in transonic flows using an efficient temporal-spatial formulation, J Aircraft 33(5) 931-937 (Sep-Oct 1996), 4A1117
NPARC study of a 2D transonic wall interference, J Aircraft 33(5) 906-912 (Sep-Oct 1996), 4A1118
Open- and closed-loop results of a strain-actuated active aeroelastic wing, J Aircraft 33(5) 987-994 (Sep-Oct 1996), 4A1119
Performance of a propeller embedded in the flowfield of a wing, J Aircraft 33(5) 919-923 (Sep-Oct 1996), 4A1120
Subsonic unsteady aerodynamics caused by gusts using the indicial method, J Aircraft 33(5) 869-879 (Sep-Oct 1996), 4A1121
Time-dependent supersonic separation of tangent bodies, J Aircraft 33(5) 938-949 (Sep-Oct 1996), 4A1122
Unsteady aerodynamics of a flapped airfoil in subsonic flow by indicial concepts, J Aircraft 33(5) 855-868 (Sep-Oct 1996), 4A1123
Wind-tunnel tests of flap gap seals on a 2D wing model, J Aircraft 33(5) 1026-1028 (Sep-Oct 1996), 4T1124
Wing in heaving oscillatory motion, J Aircraft 33(5) 913-918 (Sep-Oct 1996), 4A1125
Controlled leading-edge suction for management of unsteady separation over pitching airfoils, AIAA J 34(11) 2327-2336 (Nov 1996), 5A1065
Forced oscillations of airfoil flows, Exp Fluids 21(6) 457-464 (Oct 1996), 5A1066
Inclusion of transverse shear deformation in optimum design of aircraft wing panels, AIAA J 34(11) 2456-2458 (Nov 1996), 5T1067
Interactions of a vortex with an oscillating leading edge, AIAA J 34(11) 2448-2450 (Nov 1996), 5T1068
Inverse aeroacoustic problem for a streamlined body - Part 1: Basic formulation, AIAA J 34(11) 2233-2240 (Nov 1996), 5A1069
Inverse aeroacoustic problem for a streamlined body - Part 2: Accuracy of solutions, AIAA J 34(11) 2241-2246 (Nov 1996), 5A1070
Navier-Stokes analysis of Korn aerofoil, Acta Mech 118(1-4) 235-239 (1996), 5A1071
Separation control for the outwing of a Strake-wing by rotating cone placed near the leading edge, Chinese J Aeronaut 9(2) 79-85 (May 1996), 5A1072
Wind tunnel test of the S814 thick root airfoil, J Solar Energy Eng 118(4) 217-221 (Nov 1996), 5A1085
What Makes Airplanes Fly? History, Science, and Applications of Aerodynamics, Second Edition (Springer-Verlag, New York, 1997) 6N23
Numerical simulations of persistent contrails, J Atmos Sci 53(22) 3333-3348 (Nov 1996), 6A1123
Aerodynamic efficiency of wings in rain, J Aircraft 33(6) 1047-1053 (Nov-Dec 1996), 6A1175
Boundary-layer transition on a forward-swept wing in canard configuration, J Aircraft 33(6) 1202-1204 (Nov-Dec 1996), 6T1176
Discrete vortex method for airfoil with unsteady separated flow, J Aircraft 33(6) 1208-1210 (Nov-Dec 1996), 6T1177
Effects of leading-edge lateral blowing on delta wing aerodynamics, AIAA J 34(12) 2471-2478 (Dec 1996), 6A1178
Improved procedure for the inverse design of 2D airfoils in ground effect, J Aircraft 33(6) 1094-1100 (Nov-Dec 1996), 6A1179
Non-uniform recovery of vortex breakdown over delta wing in response to blowing along vortex core, Exp Fluids 22(1) 33-44 (Nov 1996), 6A1180
Rapid design space approximation for 2D transonic aerofoil design, J Aircraft 33(6) 1101-1108 (Nov-Dec 1996), 6A1181
Second-order small-disturbance solution for wing at supersonic speeds, AIAA J 34(12) 2562-2568 (Dec 1996), 6A1182
Trailing edge singularity and Kutta condition for 3D airfoils, Eur J Mech B 15(6) 809-830 (1996), 6A1183
Velocity measurements over a pitching airfoil, AIAA J 35(1) 119-126 (Jan 1997), 6A1184
14th AIAA Applied Aerodynamics Conference (AIAA, MD, 1996) 7N23
Inverse method for the design of transonic airfoils and wings, Inverse Prob Eng 4(1) 21-51 (1996), 7A1166
Subsonic-supersonic yawed gust over an airfoil, AIAA J 35(2) 397-399 (Feb 1997), 7T1167
Trailing vortex wake growth characteristics of a high aspect ratio rectangular airfoil, AIAA J 35(2) 275-280 (Feb 1997), 7A1168
Collected Papers of Sir James Lighthill (Oxford UP, New York, 1997) 8R16
Effect of acoustics on flow passing a high-AOA airfoil, J Sound Vib 199(2) 177-188 (Jan 1997), 8A1212
Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, Thermophys and Aeromech 3(4) 285-292 (1996), 8T1213
High-lift Reynolds number airfoil design, J Aircraft 34(1) 72-79 (Jan-Feb 1997), 8A1214
Nonlinear behavior of a typical airfoil section with control surface freeplay: A numerical and experimental study, J Fluids Struct 11(1) 89-109 (Jan 1997), 8T1215
Nonlinear singular integral representation analysis for inviscid flowfields of unsteady airfoils, Int J Non-Linear Mech 32(2) 377-384 (Mar 1997), 8A1216
Numerical simulation of the flow about a swept wing with leading-edge ice accretions, Comput Fluids 26(2) 183-192 (Feb 1997), 8A1217
Structure and development of a counter-rotating wing-tip vortex pair, J Fluid Mech 332 71-104 (Feb 1997), 8A1218
Universal algorithm for solving the direct, inverse, and mixed problems of the airfoil theory, Z Angew Math Mech 77(1) 77-80 (1997), 8T1219
Two-dimensional turbulent viscous flow simulation past airfoils at fixed incidence, Comput Fluids 26(2) 135-162 (Feb 1997), 8A1234
Vortex-oscillation model of airfoil side-edge noise, AIAA J 35(3) 441-449 (Mar 1997), 9A261
Airfoil section characteristics at a low Reynolds number, J Fluids Eng 119(1) 129-135 (Mar 1997), 9A1158
Diamond, cropped, delta, double-delta wing vortex breakdown during dynamic pitching, AIAA J 35(3) 567-569 (Mar 1997), 9T1159
Evolution of vortical structure over delta-wing with transient along-core blowing, AIAA J 35(4) 617-624 (Apr 1997), 9A1160
Otto Lilienthal: "The greatest of the precursors", AIAA J 35(4) 601-607 (Apr 1997), 9A1161
Types of flow on the lee side of delta wings, Prog Aerospace Sci 33(3-4) 167-257 (Mar-Apr 1997), 9A1162
Vortex breakdown over unsteady delta wings and its control, AIAA J 35(3) 571-574 (Mar 1997), 9T1163
Application of Wagner functions in symmetrical airfoil design, J Aircraft 34(2) 259-260 (Mar-Apr 1997), 10T1216
Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, J Turbomachinery 119(2) 225-237 (Apr 1997), 10A1217
Effect of canards on delta wing vortex breakdown during dynamic pitching, J Aircraft 34(2) 168-173 (Mar-Apr 1997), 10A1218
Effects of surface blowing-suction on the aerodynamics of helicopter rotor blade-vortex interactions - A numerical simulation, J Am Helicopter Soc 42(2) 182-194 (Apr 1997), 10A1219
Induced drag computations on wings with accurately modeled wakes, J Aircraft 34(2) 253-255 (Mar-Apr 1997), 10T1220
Lifting line equation for a curved wing in oscillatory motion, Z Angew Math Mech 77(4) 295-315 (1997), 10A1221
New blunt trailing-edge airfoil design by inverse optimization method, J Aircraft 34(2) 255-257 (Mar-Apr 1997), 10T1222
Prediction of the flow field of a rotor in ground effect, J Am Helicopter Soc 42(2) 195-198 (Apr 1997), 10A1225
Global linear stability analysis of thin aerofoil wakes, J Fluid Mech 339 239-260 (May 1997), 11A1085
Derivation of four-digit airfoils from the Sunya airfoil, J Aircraft 34(3) 441-443 (May-Jun 1997), 11T1131
Inverse design method for transonic multiple wing systems using integral equations, J Aircraft 34(3) 322-329 (May-Jun 1997), 11A1132
Navier-Stokes computations of the NREL airfoil using a κ-ω turbulent model at high angles of attack, J Solar Energy Eng 117(4) 304-310 (Nov 1995), 11A1133
Prediction of delta wing leading-edge vortex circulation and lift-curve slope, J Aircraft 34(3) 450-452 (May-Jun 1997), 11A1134
Prediction of vortex breakdown and longitudinal characteristics of swept slender planforms, J Aircraft 34(3) 353-359 (May-Jun 1997), 11A1135
Unsteady pressure measurements for parallel vortex-airfoil interaction at low speed, J Aircraft 34(3) 330-336 (May-Jun 1997), 11A1144
Rear fuselage transonic flow characteristics for a complete wing-body configuration, J Aircraft 34(3) 337-345 (May-Jun 1997), 11A1147
Numerical wave propagation and steady-state solutions: Soft wall and outer boundary conditions, AIAA J 35(6) 965-975 (Jun 1997), 12A59
Explicit Kutta condition for unsteady 2D high-order potential BEM, AIAA J 35(6) 1080-1081 (Jun 1997), 12T68
Aerodynamically accurate 3D Navier-Stokes method, AIAA J 35(6) 1089-1090 (Jun 1997), 12A1093
New conservative formulations of full-potential equation in streamline-aligned coordinates, AIAA J 35(7) 1226-1228 (Jul 1997), 12T1169
Improved Navier-Stokes procedure for analysis of 2D aerofoils in laminar and turbulent flows, Int J Numer Methods Fluids 25(2) 167-182 (Jul 1997), 12A1173
Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, J Turbomachinery 119(3) 426-444 (Jul 1997), 12A1178

378C. Lifting bodies

Three-dimensional interaction of a streamwise vortex with a large-chord lifting surface: Theory and experiment, J Fluid Mech 322 51-79 (Sep 1996), 3A1184
Study on unsteady aerodynamic characteristics of oscillating cascades with arbitrary blade profiles: 2D cascades oscillating with blade section deformation, JSME Int J Ser B 39(3) 499-507 (Aug 1996), 3A1187
What Makes Airplanes Fly? History, Science, and Applications of Aerodynamics, Second Edition (Springer-Verlag, New York, 1997) 6N23
Rotorcraft impulsive noise prediction using a rotating Kirchhoff formulation, J Aircraft 33(6) 1054-1061 (Nov-Dec 1996), 6A1185
Aerodynamics for a winged, circular-body, single-stage-to-orbit spacecraft configuration, J Spacecraft Rockets 34(1) 43-47 (Jan-Feb 1996), 8A1220
Forward-flight analysis of slatted rotors using Navier-Stokes methods, J Aircraft 34(1) 80-86 (Jan-Feb 1997), 8A1221
Mass-damped Riemann problem and the aerodynamic surface force calculation for an accelerating body, J Comput Phys 131(1) 48-53 (Feb 1997), 8A1222
Incremental potential flow based membrane wing element, AIAA J 35(5) 782-788 (May 1997), 10A67
Airfoil design for helicopter rotor blades: A 3D approach, J Aircraft 34(2) 197-205 (Mar-Apr 1997), 10A1223
Effects of unsteady aerodynamics on the flight dynamics of an articulated rotor helicopter, J Aircraft 34(2) 187-196 (Mar-Apr 1997), 10A1224
Prediction of the flow field of a rotor in ground effect, J Am Helicopter Soc 42(2) 195-198 (Apr 1997), 10A1225

378D. Wing body combinations

Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 1: Experimental technique, distributed aerodynamic characteristics, Thermophys and Aeromech 3(3) 213-223 (1996), 6T1191
14th AIAA Applied Aerodynamics Conference (AIAA, MD, 1996) 7N23
New semiempirical model for wing-tail interference, J Spacecraft Rockets 34(1) 48-53 (Jan-Feb 1996), 8A1223
Numerical analysis of unsteady flow in the Weis-Fogh mechanism by the 3D discrete vortex method with GRAPE3A, J Fluids Eng 119(1) 96-102 (Mar 1997), 9A1164
Numerical analysis of a swept-fin missile, J Spacecraft Rockets 34(2) 152-157 (Mar-Apr 1997), 10A1226

378G. Lift, drag, stall

Comments on the Onera stall aerodynamic model and its impact on aeroelastic stability, J Fluids Struct 10(4) 353-366 (May 1996), 1A292
Aerodynamic lift at Reynolds numbers below 7×10^4, AIAA J 34(9) 1941-1942 (Sep 1996), 2T1091
Delay of airfoil stall by periodic excitation, J Aircraft 33(4) 691-698 (Jul-Aug 1996), 2A1092
Drag measurements in a hypervelocity expansion tube, Shock Waves 6(3) 161-166 (Sep 1996), 3A1189
Study on surge and rotating stall in axial compressors: A numerical model and parametric study for multiblade-row compressors, JSME Int J Ser B 39(3) 621-631 (Aug 1996), 3T1191
Experimental measurements of dynamic control surface effectiveness, J Aircraft 33(5) 880-887 (Sep-Oct 1996), 4A1113
Disturbances, lift, and drag forces due to the translation of a horizontal circular cylinder in stratified water, Exp Fluids 21(5) 387-400 (Sep 1996), 4A1126
Minimum induced power requirements for flapping flight, J Fluid Mech 323 285-315 (Sep 1996), 4A1128
Aerodynamic drag on trains in tunnels - Part 1: Synthesis and definition, Proc Inst Mech Eng F 210(F1) 29-38 (1996), 5A1073
Aerodynamic drag on trains in tunnels - Part 2: Prediction and validation, Proc Inst Mech Eng F 210(F1) 39-40 (1996), 5A1074
Design of minimum drag bodies in incompressible laminar flow, Inverse Prob Eng 3(4) 233-260 (1996), 5A1075
Mass-damped Riemann problem and the aerodynamic surface force calculation for an accelerating body, J Comput Phys 131(1) 48-53 (Feb 1997), 8A1222
Numerical investigation of supersonic base flow with base bleed, J Spacecraft Rockets 34(1) 62-69 (Jan-Feb 1996), 8A1224
Numerical analysis of unsteady flow in the Weis-Fogh mechanism by the 3D discrete vortex method with GRAPE3A, J Fluids Eng 119(1) 96-102 (Mar 1997), 9A1164
Vortex lattice method for a straight hydrofoil near a free surface, Int Shipbuild Prog 44(437) 5-26 (Apr 1997), 10A1215
Lifting line equation for a curved wing in oscillatory motion, Z Angew Math Mech 77(4) 295-315 (1997), 10A1221

378I. Performance

Effects of leading-edge sweep angle on nonzero trimmed roll angles, J Aircraft 33(4) 825-828 (Jul-Aug 1996), 2T1093
Three-dimensional aerodynamic shape optimization using discrete sensitivity analysis, AIAA J 34(9) 1761-1770 (Sep 1996), 2A1094
Aerodynamic characteristics of aircraft under side gust, J Aircraft 33(5) 901-905 (Sep-Oct 1996), 4A1127
Minimum induced power requirements for flapping flight, J Fluid Mech 323 285-315 (Sep 1996), 4A1128
Why an engine slows down at onset of climb, J Aircraft 33(5) 1022-1023 (Sep-Oct 1996), 4T1129
Optimization procedure with analytical aerodynamic sensitivity for reduced sonic boom design, J Aircraft 33(6) 1123-1130 (Nov-Dec 1996), 6A1186
Pilot-induced oscillation analysis and prediction with actuator rate limiting, J Guidance Control Dyn 20(1) 81-89 (Jan-Feb 1997), 7A358
Airfoil section characteristics at a low Reynolds number, J Fluids Eng 119(1) 129-135 (Mar 1997), 9A1158
Cruise performance and range prediction reconsidered, Prog Aerospace Sci 33(5-6) 285-321 (May-Jun 1997), 11A1136

378J. Flight path and trajectories

Discrete-time, mixed-norm control synthesis applied to aircraft terrain following, J Guidance Control Dyn 19(5) 1088-1094 (Sep-Oct 1996), 3T367
Gain-scheduled bank-to-turn autopilot design using linear parameter varying transformations, J Guidance Control Dyn 19(5) 1056-1063 (Sep-Oct 1996), 3A1185
Reduction of coolant fuel losses in hypersonic flight by optimal trajectory control, J Guidance Control Dyn 19(6) 1278-1284 (Nov-Dec 1996), 5A311
Modified recursive maximum likelihood adaptive filter for nonlinear aircraft flight-path reconstruction, J Guidance Control Dyn 19(6) 1285-1295 (Nov-Dec 1996), 5A1076
Nonlinear flight control using neural networks, J Guidance Control Dyn 20(1) 26-33 (Jan-Feb 1997), 7A350
Flight control applications of l_1 optimization, J Guidance Control Dyn 20(1) 49-56 (Jan-Feb 1997), 7A1169
Time-domain FEM for inverse problem of aircraft maneuvers, J Guidance Control Dyn 20(1) 97-103 (Jan-Feb 1997), 7A1170
Gravity turn descent with quadratic air drag, J Guidance Control Dyn 20(2) 393-394 (Mar-Apr 1997), 9T348
Trajectory synthesis for air traffic automation, J Guidance Control Dyn 20(2) 232-238 (Mar-Apr 1997), 9T1165
Conflict probability estimation for free flight, J Guidance Control Dyn 20(3) 588-596 (May-Jun 1997), 10T460

Identification of the optimal switching structure for range-optimal atmospheric flight trajectories, Optimal Control Appl Methods **18**(3) 159-177 (May-Jun 1997), 12A1170

378K. Stability and control

Multiaxis fluidic thrust vector control of a supersonic jet using counterflow, AIAA J **34**(8) 1734-1736 (Aug 1996), 2T1095
Structure of coherent instabilities in a supersonic shear layer, AIAA J **34**(8) 1555-1561 (Aug 1996), 2A1096
Closed-form optimal guidance law for missiles of time-varying velocity, J Guidance Control Dyn **19**(5) 1017-1022 (Sep-Oct 1996), 3A365
Development and flight testing of quantitative feedback theory pitch rate stability augmentation system, J Guidance Control Dyn **19**(5) 1109-1115 (Sep-Oct 1996), 3T366
Discrete-time, mixed-norm control synthesis applied to aircraft terrain following, J Guidance Control Dyn **19**(5) 1088-1094 (Sep-Oct 1996), 3T367
Decoupling of the longitudinal modes of advanced aircraft, J Guidance Control Dyn **19**(5) 1184-1186 (Sep-Oct 1996), 3T374
Quantitative feedback theory with a scheduled gain for full envelope longitudinal control, J Guidance Control Dyn **19**(5) 1095-1101 (Sep-Oct 1996), 3A384
Gain-scheduled bank-to-turn autopilot design using linear parameter varying transformations, J Guidance Control Dyn **19**(5) 1056-1063 (Sep-Oct 1996), 3A1185
Lateral oscillations of an aircraft model at high angles of attack, J Fluids Struct **10**(6) 601-614 (Aug 1996), 3A1186
Aeroelastic stability of a beam traveling in a tunnel lined with resonators, AIAA J **34**(10) 2005-2013 (Oct 1996), 4A1130
Directional control of an advanced airship, J Aircraft **33**(5) 895-900 (Sep-Oct 1996), 4A1131
Mixed linear-quadratic-eigenstructure strategy for design of stability augmentation systems, J Guidance Control Dyn **19**(6) 1231-1238 (Nov-Dec 1996), 5A323
Stability and flying qualities robustness of a dynamic inversion aircraft control law, J Guidance Control Dyn **19**(6) 1270-1277 (Nov-Dec 1996), 5A326
Counterflow thrust vectoring of supersonic jets, AIAA J **34**(11) 2306-2314 (Nov 1996), 5A955
Application of real structured singular values to flight control law validation, J Guidance Control Dyn **19**(6) 1239-1245 (Nov-Dec 1996), 5T1077
Effects of blade bending on aerodynamic control of fluctuating loads on teetered HAWT rotors, J Solar Energy Eng **118**(4) 239-245 (Nov 1996), 5A1078
Neural networks: Applications and opportunities in aeronautics, Prog Aerospace Sci **32**(5) 433-456 (Oct 1996), 5A1079
Coning instability of spacecraft during periods of thrust, J Spacecraft Rockets **33**(6) 781-788 (Nov-Dec 1996), 6A320
Stability and control of a three-surface, forward-swept wing configuration, J Aircraft **33**(6) 1206-1208 (Nov-Dec 1996), 6T1187
Near-optimal low-thrust trajectories via micro-genetic algorithms, J Guidance Control Dyn **20**(1) 196-198 (Jan-Feb 1997), 7T348
Nonlinear flight control using neural networks, J Guidance Control Dyn **20**(1) 26-33 (Jan-Feb 1997), 7A350
Optimal guidance with reduced sensitivity to time-to-go estimation errors, J Guidance Control Dyn **20**(1) 158-163 (Jan-Feb 1997), 7T351
Pilot prefilter design via H_∞ model-matching approach, J Guidance Control Dyn **20**(1) 186-189 (Jan-Feb 1997), 7T353
Pilot-induced oscillation analysis and prediction with actuator rate limiting, J Guidance Control Dyn **20**(1) 81-89 (Jan-Feb 1997), 7A358
Flight control applications of l_1 optimization, J Guidance Control Dyn **20**(1) 49-56 (Jan-Feb 1997), 7A1169
Flight control system design by self-organizing fuzzy logic controller, J Guidance Control Dyn **20**(1) 189-190 (Jan-Feb 1997), 7T1171
Flight control system design with rate saturating actuators, J Guidance Control Dyn **20**(1) 90-96 (Jan-Feb 1997), 7A1172
Near-optimal guidance law of ballistic missile interception, J Guidance Control Dyn **20**(2) 355-361 (Mar-Apr 1997), 9T350
Parameter varying control of a high-performance aircraft, J Guidance Control Dyn **20**(2) 225-231 (Mar-Apr 1997), 9A366
Advances in rotorcraft system identification, Prog Aerospace Sci **33**(3-4) 259-284 (Mar-Apr 1997), 9A1168
Planar acrossisted attainability domain, J Guidance Control Dyn **20**(3) 422-427 (May-Jun 1997), 10T470
Prediction of pilot-in-the-loop oscillations due to rate saturation, J Guidance Control Dyn **20**(3) 581-587 (May-Jun 1997), 10T471
Robust flutter margins of an F-A-18 aircraft from aeroelastic flight data, J Guidance Control Dyn **20**(3) 597-604 (May-Jun 1997), 10T473
Octave Chanute and the Indiana glider trials of 1896, AIAA J **35**(5) 769-775 (May 1997), 10T961
Airplane Stability and Control: A History of the Technologies that Made Aviation Possible (Cambridge UP, UK, 1997) 11N31
Conceptual fluid-motion coupling in the Herbst supermaneuver, J Aircraft **34**(3) 271-277 (May-Jun 1997), 11A1137
Critical-state transients for a rolling 65° delta wing, J Aircraft **34**(3) 380-386 (May-Jun 1997), 11A1138
Nonlinear longitudinal stability of a symmetric aircraft, J Aircraft **34**(3) 360-369 (May-Jun 1997), 11A1139
Smart stiffness for improved roll control, J Aircraft **34**(3) 445-447 (May-Jun 1997), 11T1140
KEEP EAGLE F-15E high angle-of-attack flight test program, J Aircraft **34**(3) 265-270 (May-Jun 1997), 11T1146
Design and testing of a subsonic all-moving adaptive flight control surface, AIAA J **35**(7) 1217-1219 (Jul 1997), 12T1171

378L. Unsteady effects

Empirical model of transport and decay of wake vortices between parallel runways, J Aircraft **33**(4) 752-760 (Jul-Aug 1996), 2A1097
Study on unsteady aerodynamic characteristics of oscillating cascades with arbitrary blade profiles: 2D cascades oscillating with blade section deformation, JSME Int J Ser B **39**(3) 499-507 (Aug 1996), 3A1187
Comprehensive analysis of two downburst-related aircraft accidents, J Aircraft **33**(5) 924-930 (Sep-Oct 1996), 4A1132
Investigation of the unsteady pressure fluctuations on an F/A-18 wing at high incidence, J Aircraft **33**(5) 888-894 (Sep-Oct 1996), 4A1133
Controlled leading-edge suction for management of unsteady separation over pitching airfoils, AIAA J **34**(11) 2327-2336 (Nov 1996), 5A1065
Forced oscillations of airfoil flows, Exp Fluids **21**(6) 457-464 (Oct 1996), 5A1066
Large-eddy simulations of the vortex-pair breakup in aircraft wakes, AIAA J **34**(11) 2337-2345 (Nov 1996), 5A1080
Wing flutter computations using an aerodynamic model based on the Navier-Stokes equations, J Aircraft **33**(6) 1139-1147 (Nov-Dec 1996), 6A309
Rotorcraft impulsive noise prediction using a rotating Kirchhoff formulation, J Aircraft **33**(6) 1054-1061 (Nov-Dec 1996), 6A1185
Effect of leading-edge flaps on vortices and vortex breakdown, J Aircraft **33**(6) 1079-1086 (Nov-Dec 1996), 6A1188
Effect of shear-layer control on leading-edge vortices, J Aircraft **33**(6) 1087-1093 (Nov-Dec 1996), 6A1189
Minimum-state unsteady aerodynamic approximations with flexible constraints, J Aircraft **33**(6) 1190-1196 (Nov-Dec 1996), 6A1190
Reynolds stress transport equations in a momentumless wake: Experiments and models, AIAA J **35**(2) 281-287 (Feb 1997), 7A1153
Eigenmode analysis in unsteady aerodynamics: Reduced order models, Appl Mech Rev **50**(6) 371 (Jun 1997), 8A1225
Influence of neighboring blade rows on the unsteady aerodynamic response of cascades, J Turbomachinery **119**(1) 85-93 (Jan 1997), 8A1226
Nonlinear aeroprediction methodology for roll position of 45°, J Spacecraft Rockets **34**(1) 54-61 (Jan-Feb 1996), 8A1227
Discrete vortex method for simulating unsteady flow around pitching aerofoils, AIAA J **35**(3) 494-499 (Mar 1997), 9A1166
Practical approach for the indirect prediction of structural fatigue from measured flight parameters, Proc Inst Mech Eng J Aerospace Eng **211**(G1) 29-38 (1997), 9A1167
Lifting line equation for a curved wing in oscillatory motion, Z Angew Math Mech **77**(4) 295-315 (1997), 10A1221
Impact of initial conditions on vortex breakdown on pitching delta wings, J Aircraft **34**(3) 452-454 (May-Jun 1997), 11T1080
Analytic sensitivities and approximations in supersonic and subsonic wing-control surface unsteady aerodynamics, J Aircraft **34**(3) 370-379 (May-Jun 1997), 11A1141
Effect of deep-stall wing dynamics on forebody-induced wing rock, J Aircraft **34**(3) 448-450 (May-Jun 1997), 11T1142
Partial-span leading-edge vortex characteristics in high-rate oscillations in pitch, J Aircraft **34**(3) 443-445 (May-Jun 1997), 11T1143
Unsteady pressure measurements for parallel vortex-airfoil interaction at low speed, J Aircraft **34**(3) 330-336 (May-Jun 1997), 11A1144
Wake-induced unsteady flows: Their impact on rotor performance and wake rectification, J Turbomachinery **118**(1) 88-95 (Jan 1996), 11A1168
Experimental investigation of stator induced unsteadiness on centrifugal impeller outflow, J Turbomachinery **118**(1) 41-54 (Jan 1996), 11A1169
Vortical gust response of a low-solidity vane row including steady loading and dynamic stall effects, J Turbomachinery **119**(3) 482-490 (Jul 1997), 12A1190

378M. Aerodynamic loads

Unsteady aerodynamic analysis of supersonic through-flow fan with vibrating blades under non-zero mean loading, J Sound Vib **194**(5) 709-750 (Aug 1996), 2A179
Aeroelastic optimization of a helicopter rotor to reduce vibration and dynamic stresses, J Aircraft **33**(4) 808-815 (Jul-Aug 1996), 2A827
Eigenmode analysis in unsteady aerodynamics: Reduced-order models, AIAA J **34**(8) 1578-1583 (Aug 1996), 2A1098
State-space modeling for aeroelastic panels with linearized potential flow aerodynamic loading, J Aircraft **33**(4) 816-822 (Jul-Aug 1996), 2A1099
Aerodynamics of the cable of cable-stayed bridges (Japanese), Proc JSCE **543**(I-36) 153-162 (Jul 1996), 3A153
Experimental study on vortex-induced vibration of circular cylinder towers at high wind speed (Japanese), Proc JSCE **543**(I-36) 195-207 (Jul 1996), 3A180
Study on wind resistant design of long-span bridges based on field observation result (Japanese), Proc JSCE **543**(I-36) 163-173 (Jul 1996), 3A800
Wind-induced gust response analysis based on state space formulation (Japanese), Proc JSCE **543**(I-36) 175-186 (Jul 1996), 3A1188
Application of turbulence models for aerodynamic and propulsion flowfields, AIAA J **34**(11) 2291-2298 (Nov 1996), 5A1050
Experimental investigation of aerodynamic interference of TSTO winged systems during separation - I: Experimental technique, distributed aerodynamic characteristics, Thermophys and Aeromech **3**(3) 213-223 (1996), 6T1191
Multi-Mach rational approximation to generalized aerodynamic forces, J Aircraft **33**(6) 1199-1201 (Nov-Dec 1996), 6T1192
Prediction of aerodynamic flows with a new explicit algebraic stress model, AIAA J **34**(12) 2632-2635 (Dec 1996), 6T1193
State-space modeling of aerodynamic forces on plate using singular value decomposition, AIAA J **34**(12) 2627-2630 (Dec 1996), 6T1194
Accuracy of aerodynamic model parameters estimated from flight test data, J Guidance Control Dyn **20**(1) 74-80 (Jan-Feb 1997), 7A1173
Review: CFD applications in the automotive industry, J Fluids Eng **118**(4) 647-653 (Dec 1996), 7A1174
Unsteady blade loading and aeroacoustics of a pusher propeller, Int J Turbo Jet Engines **13**(2) 113-130 (1996), 8A1228
Aerodynamic design of the George Washington Univ solar car sunforce I, Int J Vehicle Des **18**(2) 213-232 (1997), 9A1169
Aerodynamic forces and moments for a re-entry module, J Spacecraft Rockets **34**(2) 182-185 (Mar-Apr 1997), 10A1227
Optimization of an advanced business jet, J Aircraft **34**(3) 288-295 (May-Jun 1997), 11T823
Dynamic characteristics of magnetically-levitated vehicle systems, Appl Mech Rev **50**(11-PT 1) 647-670 (Nov 1997), 12A93
Computation of aerodynamic load and coefficient for satellite launch vehicle, Indian J Eng Mat Sci **4**(2) 41-48 (Apr 1997), 12A1172

378N. Icing

Aircraft anti-icing and de-icing techniques and modeling, J Aircraft **33**(5) 841-854 (Sep-Oct 1996), 4A1134
Airfoil performance degradation by supercooled cloud, drizzle, and rain drop icing, J Aircraft **33**(6) 1040-1046 (Nov-Dec 1996), 6A1195
Experimental investigation of a new and energy-saving nacelle anti-ice system, J Aircraft **33**(6) 1033-1039 (Nov-Dec 1996), 6A1196
Numerical simulation of the flow about a swept wing with leading-edge ice accretions, Comput Fluids **26**(2) 183-192 (Feb 1997), 8A1217
Design of subscale airfoils with full-scale leading edges for ice accretion testing, J Aircraft **34**(1) 94-100 (Jan-Feb 1997), 8A1229
Icing calculations on a typical commercial jet engine inlet nacelle, J Aircraft **34**(1) 87-93 (Jan-Feb 1997), 8A1230
Turboprop aircraft performance response to various environmental conditions, J Aircraft **34**(3) 278-287 (May-Jun 1997), 11A1145

378O. Flight tests and instrumentation

Mass spectrometry and optical spectroscopy in N_2-CO_2 and N_2-CH_4 plasma jets, J Thermophys Heat Transfer **10**(3) 419-425 (Jul-Sep 1996), 1A1090
Aircraft wind measurement considering lift-induced upwash, Boundary-Layer Meteorol **80**(1-2) 79-94 (Jul 1996), 5T1435
Flight simulation of a waverider-based hypersonic vehicle, Comput Fluids **26**(1) 19-41 (Jan 1997), 7A1175
Effects of velocity fluctuations on a vane anemometer (French), European J Mech Eng **41**(4) 197-202 (1996), 7A1224
Advances in rotorcraft system identification, Prog Aerospace Sci **33**(3-4) 259-284 (Mar-Apr 1997), 9A1168
KEEP EAGLE F-15E high angle-of-attack flight test program, J Aircraft **34**(3) 265-270 (May-Jun 1997), 11T1146

378P. Hypervelocity launchers and instrumentation

Rotational and vibrational temperature measurements using CARS in a hypervelocity shock layer flow and comparisons with CFD calculations, Shock Waves **6**(1) 41-51 (Jun 1996), 1T1091
Drag measurements in a hypervelocity expansion tube, Shock Waves **6**(3) 161-166 (Sep 1996), 3A1189
Phase step holographic interferometry applied to hypervelocity, non-equilibrium cylinder flow, Exp Fluids **22**(1) 57-66 (Nov 1996), 6A1197
Uncertainty modeling and fixed-order controller design for a hypersonic vehicle model, J Guidance Control Dyn **20**(1) 42-48 (Jan-Feb 1997), 7T360
Transition on a slender cone in hypervelocity flow, Exp Fluids **22**(3) 183-190 (Jan 1997), 8A1231

378Y. Computational techniques

Aerothermodynamics for Space Vehicles and High-Velocity Flow Data Base (Wiley, New York, 1996) 1N41
Variable-complexity response surface approximations for wing structural weight in HSCT design, Comput Mech **18**(2) 112-126 (Jun 1996), 1A1092
Hybrid computational model for noise propagation through a fuselage boundary layer, AIAA J **34**(9) 1785-1792 (Sep 1996), 2A274
Method for prediction of air flows in multizone buildings, Arch Civil Eng **42**(2) 237-263 (1996), 2A812
Three-dimensional interaction of a streamwise vortex with a large-chord lifting surface: Theory and experiment, J Fluid Mech **322** 51-79 (Sep 1996), 3A1184
NPARC study of a 2D transonic wall interference, J Aircraft **33**(5) 906-912 (Sep-Oct 1996), 4A1118
Accurate development of leading-edge vortex using an embedded conical grid, AIAA J **34**(10) 2038-2046 (Oct 1996), 4A1135
Application of a factored Newton-relaxation scheme to calculation of discrete aerodynamic sensitivity derivatives, Inverse Prob Eng **3**(1-3) 115-130 (1996), 4A1136
Development of a FE aeroelastic analysis capability, J Aircraft **33**(5) 995-1002 (Sep-Oct 1996), 4A1137
Large-eddy simulations of the vortex-pair breakup in aircraft wakes, AIAA J **34**(11) 2337-2345 (Nov 1996), 5A1080
Adaptive unstructured grid generation for viscous flow applications, AIAA J **34**(11) 2440-2443 (Nov 1996), 5T1081
Determination of equilibrium points for an aircraft dynamic model, J Guidance Control Dyn **19**(6) 1392-1394 (Nov-Dec 1996), 5T1082
Novel approach to aerodynamic analysis using analytical-numerical matching, AIAA J **34**(11) 2225-2232 (Nov 1996), 5A1083
Validation of 3D Euler methods for vibrating cascade aerodynamics, J Turbomachinery **118**(4) 771-782 (Oct 1996), 5A1084
Computation of the roll characteristics of a finned projectile, J Spacecraft Rockets **33**(6) 769-775 (Nov-Dec 1996), 6A1198
Turboprop nacelle optimization using automated surface and grid generation and coarse-grain parallelization, J Aircraft **33**(6) 1166-1173 (Nov-Dec 1996), 6A1199
Aeroacoustic BEM using analytical-numerical matching, AIAA J **35**(2) 244-254 (Feb 1997), 7A276
Low-dispersion finite volume scheme for aeroacoustic applications, AIAA J **35**(2) 255-262 (Feb 1997), 7A282

Review: CFD applications in the automotive industry, J Fluids Eng 118(4) 647-653 (Dec 1996), 7A1174
Fast algorithm for Prandtl's integro-differential equation, J Comput Appl Math 77(1-2) 103-128 (Jan 1997), 7A1176
First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, J Comput Phys 129(2) 307-331 (Dec 1996), 7T1177
High-lift aerodynamic computations with one- and two-equation turbulence models, AIAA J 35(2) 237-243 (Feb 1997), 7A1178
Numerical uncertainties in transonic flow calculations for aerofoils with blunt trailing edges, Int J Numer Methods Fluids 24(4) 355-373 (Feb 1997), 8A1096
Computational fluid dynamics simulation of turbulent waverider flowfield with sideslip, J Spacecraft Rockets 34(1) 76-82 (Jan-Feb 1996), 8A1103
Nonlinear behavior of a typical airfoil section with control surface freeplay: A numerical and experimental study, J Fluids Struct 11(1) 89-109 (Jan 1997), 8T1215
Numerical simulation of the flow about a swept wing with leading-edge ice accretions, Comput Fluids 26(2) 183-192 (Feb 1997), 8A1217
Universal algorithm for solving the direct, inverse, and mixed problems of the airfoil theory, Z Angew Math Mech 77(1) 77-80 (1997), 8T1219
Mass-damped Riemann problem and the aerodynamic surface force calculation for an accelerating body, J Comput Phys 131(1) 48-53 (Feb 1997), 8A1222
Eigenmode analysis in unsteady aerodynamics: Reduced order models, Appl Mech Rev 50(6) 371 (Jun 1997), 8A1225
Euler analysis of oscillating cascade aerodynamics using embedded composite grids, Int J Turbo Jet Engines 13(3) 193-209 (1996), 8A1232
Forced response analysis using a 2D multistage Euler aeroelastic solver, J Aircraft 34(1) 114-119 (Jan-Feb 1997), 8A1233
Two-dimensional turbulent viscous flow simulation past airfoils at fixed incidence, Comput Fluids 26(2) 135-162 (Feb 1997), 8A1234
Aerodynamic design of the George Washington Univ solar car sunforce 1, Int J Vehicle Des 18(2) 213-232 (1997), 9A1169
Aeroelastic sensitivity analysis of wings using automatic differentiation, AIAA J 35(3) 519-525 (Mar 1997), 9A1170
Multigrid acceleration of a high-resolution computational aeroacoustics scheme, AIAA J 35(3) 428-433 (Mar 1997), 9A1171
Numerical simulation of the interaction between leading-edge vortex and vertical tail, AIAA J 35(4) 756-757 (Apr 1997), 9T1172
Singularities of aerodynamic transfer functions calculated on the basis of an unsteady lifting surface model in subsonic flow, Arch Mech 48(5) 843-868 (1996), 9A1173
Thin vs full Navier-Stokes computation for high-angle-of-attack aerodynamics, AIAA J 35(3) 565-567 (Mar 1997), 9T1174
Unified boundary integral methodology for aerodynamics and aeroacoustics of rotors, J Sound Vib 200(4) 467-489 (Mar 1997), 9A1185
Induced drag calculation by numerical lifting surface method, J Aircraft 34(2) 257-259 (Mar-Apr 1997), 10T1228
Parallel adaptive FE Euler flow solver for rotary wing aerodynamics, AIAA J 35(6) 937-944 (Jun 1997), 12A39
Numerical wave propagation and steady-state solutions: Soft wall and outer boundary conditions, AIAA J 35(6) 965-975 (Jun 1997), 12A59
Structural and aerodynamic calculation of sails as flexible membranes, Ship Tech Res 44(2) 88-97 (May 1997), 12A272
Improved Navier-Stokes procedure for analysis of 2D aerofoils in laminar and turbulent flows, Int J Numer Methods Fluids 25(2) 167-182 (Jul 1997), 12A1173

378Z. Experimental techniques

Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, Exp Fluids 21(3) 161-169 (Jul 1996), 2A1100
Three-dimensional interaction of a streamwise vortex with a large-chord lifting surface: Theory and experiment, J Fluid Mech 322 51-79 (Sep 1996), 3A1184
Lateral oscillations of an aircraft model at high angles of attack, J Fluids Struct 10(6) 601-614 (Aug 1996), 3A1186
Three dimensional unsteady aerodynamic force measurement by the modal decomposition and reassemblage method (Japanese), Proc JSCE 543(I-36) 209-216 (Jul 1996), 3A1190
In-flight demonstration of a real-time flush airdata sensing system, J Aircraft 33(5) 970-977 (Sep-Oct 1996), 4A1138
Wind tunnel test of the S814 thick root airfoil, J Solar Energy Eng 118(4) 217-221 (Nov 1996), 5A1085
Technique for the heat flux determination in an aerophysical experiment, Thermophys and Aeromech 3(2) 157-163 (1996), 5T1116
Velocity measurements over a pitching airfoil, AIAA J 35(1) 119-126 (Jan 1997), 6A1184
Development of semiapan model test techniques, J Aircraft 33(6) 1115-1122 (Nov-Dec 1996), 6A1200
Full-scale wind-tunnel pressure measurements of an F/A-18 tail during buffet, J Aircraft 33(6) 1148-1156 (Nov-Dec 1996), 6A1201
Measurements of velocity and vorticity fields around a pitching swept wing, AIAA J 35(1) 205-207 (Jan 1997), 6T1202
Temperature- and pressure-sensitive luminescent paints in aerodynamics, Appl Mech Rev 50(4) 227-246 (Apr 1997), 7A1179
Nonlinear behavior of a typical airfoil section with control surface freeplay: A numerical and experimental study, J Fluids Struct 11(1) 89-109 (Jan 1997), 8T1215
Generation of comprehensive longitudinal aerodynamic data using dynamic wind-tunnel simulation, J Aircraft 34(1) 29-33 (Jan-Feb 1997), 8A1235
Concentration measurements in experimental microbursts, AIAA J 35(3) 569-571 (Mar 1997), 9T1175
Langley's aeronautical research: A modern critique and reassessment, AIAA J 35(3) 409-419 (Mar 1997), 9A1176
Comparison of computation with experiment for a geometrically simplified powered-lift model, J Aircraft 34(2) 160-167 (Mar-Apr 1997), 10A1229
Effect of deep-stall wing dynamics on forebody-induced wing rock, J Aircraft 34(3) 448-450 (May-Jun 1997), 11T1142
Unsteady pressure measurements for parallel vortex-airfoil interaction at low speed, J Aircraft 34(3) 330-336 (May-Jun 1997), 11A1144
Rear fuselage transonic flow characteristics for a complete wing-body configuration, J Aircraft 34(3) 337-345 (May-Jun 1997), 11A1147
Single jet-induced effects on small-scale hover data in ground effect, J Aircraft 34(3) 400-407 (May-Jun 1997), 11A1148
Temperature Measurements (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N38

380. MACHINERY FLUID DYNAMICS

380B. Fundamentals

Applications of accurate isentropic exponent determination for fuel gas measurement, J Eng Gas Turbines Power 118(3) 541-546 (Jul 1996), 1A1093
Quantified study of rothalpy conservation in turbomachines, Int J Heat Fluid Flow 17(4) 410-417 (Aug 1996), 2A1101
Fluid Power Systems and Technology - 1996: Collected Papers (ASME, New York, 1996) 3N35
Turbulence modeling with application to turbomachinery, Prog Aerospace Sci 32(6) 575-624 (Dec 1996), 6A1157
Analytical study on the kinematics of an orbiting scroll in a scroll compressor: Analysis of self-rotational motion, JSME Int J Ser B 39(4) 747-753 (Nov 1996), 7A1183
Prediction of ingress rates to turbine and compressor wheelspaces, Int J Heat Fluid Flow 18(2) 218-228 (Apr 1997), 9A1020
Free vortex theory for efficiency calculations from annular cascade data, J Turbomachinery 119(2) 247-255 (Apr 1997), 10A1230
Throughflow method for turbomachines applicable for all flow regimes, J Turbomachinery 119(2) 256-262 (Apr 1997), 10A1231

380C. Unsteady flow and systems stability

Study on surge and rotating stall in axial compressors: A numerical model and parametric study for multiblade-row compressors, JSME Int J Ser B 39(3) 621-631 (Aug 1996), 3T1191
Application of the k-ω turbulence model to quasi-3D turbomachinery flows, J Propulsion Power 12(6) 1176-1179 (Nov-Dec 1996), 5A1086
Planar flows past thin multi-blade configurations, J Fluid Mech 324 355-377 (Oct 1996), 5A1095
Air influence on similarity of hydraulic transients and vibrations, J Fluids Eng 118(4) 706-709 (Dec 1996), 7A1180
Numerical simulation of the effects of rotor-stator spacing and wake-blade count ratio on turbomachinery unsteady flows, J Fluids Eng 117(4) 639-646 (Dec 1995), 11A1149

380D. Turbines (gas and vapors)

Guaranteed evaluation of GTE characteristics at automated tests, Russian Aeronaut 38(4) 53-60 (1995), 1A1094
Phase-averaged wall shear stress, wall pressure, and near-wall velocity field measurements in a whirling annular seal, J Eng Gas Turbines Power 118(3) 590-597 (Jul 1996), 1A1095
Study of gas flow characteristics in GTE interturbine diffuser, Russian Aeronaut 38(4) 78-81 (1995), 1A1096
Aerodynamic analysis of turbine cascade by using a second-order closure of turbulence, Int J Heat Fluid Flow 17(3) 276-282 (Jun 1996), 2A1102
Three dimensional computation of the "VEGA2" turbine stage (French), Rev Francaise Mec 0(2) 131-140 (1996), 2A1103
Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, Heat Transfer Japan Res 24(3) 209-226 (1995), 2A1180
Catalytic combustion for industrial gas turbines, Int J Energy Res 20(8) 693-711 (Aug 1996), 2A1314
Combustion technology for low-emissions gas-turbines: Selected phenomena beyond NO_x, J Energy Resources Tech 118(3) 193-200 (Sep 1996), 3A1308
Combustion technology for low-emissions gas-turbines: Some recent modeling results, J Energy Resources Tech 118(3) 201-208 (Sep 1996), 3A1309
Analysis of gas turbine engine arrangements, Arch Budowy Maszyn 41(3-4) 193-218 (1994), 4A1139
Flow disturbances in a single-stage cold-air turbine, Arch Budowy Maszyn 42(1-2) 63-79 (1995), 4A1140
Performance characteristics of impulse type turbine stage groups, Arch Budowy Maszyn 42(3-4) 211-231 (1995), 4A1141
Design and performance of a high work research turbine, J Turbomachinery 118(4) 792-799 (Oct 1996), 5A1087
Unsteady numerical simulations of radial temperature profile redistribution in a single-stage turbine, J Turbomachinery 118(4) 783-791 (Oct 1996), 5A1206
Model reference control of a gas turbine engine, Proc Inst Mech Eng J Aerospace Eng 210(G4) 291-296 (1996), 6A1203
Turbomachinery Performance Analysis (Wiley, New York, 1996) 7R22
Heat transfer from air-cooled contrarotating disks, J Turbomachinery 119(1) 61-67 (Jan 1997), 8A1298
Gas Turbine Handbook: Principles & Practices (AEE, Lilburn GA, 1997) 9N23
Jet Propulsion: Simple guide to the aerodynamic and thermodynamic design of jet engines. (Cambridge UP, New York, 1997) 9N29
Loads for wind turbines in complex terrain, Wind Eng 20(4) 233-240 (1996), 9A1543
Turbomachinery Fluid Dynamics and Heat Transfer (Marcel Dekker, New York, 1997) 10N28
Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, J Turbomachinery 119(2) 225-237 (Apr 1997), 10A1217
Heat recovery exchanger technology for very small gas turbines, Int J Turbo Jet Engines 13(4) 239-261 (1996), 10A1232
Improvement of tip leakage loss model for axial turbines, J Turbomachinery 119(2) 399-401 (Apr 1997), 10T1233
Influence of leading-edge geometry on profile losses in turbines at off-design incidence: Experimental results and an improved correlation, J Turbomachinery 119(2) 193-200 (Apr 1997), 10A1234
Measurement of gust response on a turbine cascade, J Turbomachinery 119(2) 238-246 (Apr 1997), 10A1235
Flow and heat transfer in a preswirl rotor-stator system, J Turbomachinery 119(2) 364-373 (Apr 1997), 10A1238
Experimental investigation of the rib surface-averaged heat transfer coefficient in a rib-roughened square passage, J Turbomachinery 119(2) 381-389 (Apr 1997), 10A1279
Total-coverage discrete hole wall cooling, J Turbomachinery 119(2) 320-329 (Apr 1997), 10A1296
Adiabatic effectiveness, thermal fields, and velocity fields for film cooling with large angle injection, J Turbomachinery 119(2) 352-358 (Apr 1997), 10A1298
Effect of periodic wake passing on film effectiveness of discrete cooling holes around the leading edge of a blunt body, J Turbomachinery 119(2) 292-301 (Apr 1997), 10A1299
Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, J Eng Gas Turbines Power 118(1) 214-224 (Jan 1996), 11A1150
Computed eccentricity effects on turbine rim seals at engine conditions with a mainstream, J Turbomachinery 118(1) 143-152 (Jan 1996), 11A1151
Generalizing circular brush seal leakage through a randomly distributed bristle bed, J Turbomachinery 118(1) 153-161 (Jan 1996), 11A1152
Three-dimensional vortex dipole model for wind turbines, Wind Eng 20(5) 287-306 (1996), 11T1153
Experimental and theoretical investigations of heat transfer in closed gas-filled rotating annuli II, J Turbomachinery 118(1) 11-19 (Jan 1996), 11A1249
Flow in Radial Turbomachines (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N36
Unsteady Flow in Turbomachines (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N39
Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 1: Structural aspects, Wind Eng 20(6) 405-421 (1996), 12T1174
Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 2: Aerodynamic aspects and application, Wind Eng 20(6) 423-440 (1996), 12T1175
High-temperature reactive flow of combustion gases in an expansion turbine, J Turbomachinery 119(3) 554-561 (Jul 1997), 12A1176
Study of the flow downstream of a wind turbine using measurements and simulations, Wind Eng 20(6) 389-403 (1996), 12T1177

380E. Turbines (hydraulic)

Performance of the biplane wells turbine, J Offshore Mech Arctic Eng 118(3) 210-215 (Aug 1996), 2A1104
Three-dimensional flowfield in a turbine nozzle passage, J Propulsion Power 12(5) 974-983 (Sep-Oct 1996), 3A1192
Performance of a high-solidity Wells turbine for an OWC wave power plant, J Energy Resources Tech 118(4) 263-268 (Dec 1996), 6A1364
Turbomachinery Performance Analysis (Wiley, New York, 1996) 7R22
Aerodynamic performance of contra-rotating Wells turbine for wave energy conversion, Proc Inst Mech Eng A 210(A6) 431-447 (1996), 8A1236
Oxygen transfer similitude for vented hydroturbine, J Hydraul Eng 123(6) 529-538 (Jun 1997), 11T1154

380F. Propellers in liquids

Present knowledge of the effects of the impeller geometry on the developed head, Proc Inst Mech Eng A 210(A3) 237-244 (1996), 1A1097

380G. Cavitation effects

Dynamic response of ducted bubbly flows to turbomachinery-induced perturbations, J Fluids Eng 118(3) 595-601 (Sep 1996), 4A1028
Nonlinear calculation of rotating cavitation in inducers, J Fluids Eng 118(3) 589-594 (Sep 1996), 4A1142
Hydraulic Machinery and Cavitation (Kluwer, Netherlands, 1996) 6N22
Spectrum normalization method in vibro-acoustical diagnostic measurements of hydroturbine cavitation, J Fluids Eng 118(4) 756-761 (Dec 1996), 7A1181
Viscous scale effects on propeller tip vortex cavitation, J Hydrodyn 8(3) 44-57 (1996), 7T1182
Research on design and application of supercavitating propellers, Papers Ship Res Inst 33(3) 1-30 (1996), 9A1177
Tip vortex formation and cavitation, J Fluids Eng 119(2) 413-419 (Jun 1997), 11A918
Ducted tip: A hydrofoil tip geometry with superior cavitation performance, J Fluids Eng 117(4) 665-672 (Dec 1995), 11A1129

380H. Centrifugal fans, pumps, compressors

Applications of accurate isentropic exponent determination for fuel gas measurement, J Eng Gas Turbines Power 118(3) 541-546 (Jul 1996), 1A1093
Combined characteristics of dissimilar centrifugal pumps, Proc Inst Mech Eng A 210(A3) 233-236 (1996), 1A1098
Compressor station recycle system dynamics during emergency shutdown, J Eng Gas Turbines Power 118(3) 641-653 (Jul 1996), 1A1099
Design of a low aspect ratio transonic compressor stage using CFD techniques, J Turbomachinery 118(3) 479-491 (Jul 1996), 1A1100
Evaluation and prediction of blade-passing frequency noise generated by a centrifugal blower, J Turbomachinery 118(3) 597-605 (Jul 1996), 1A1101
New approach to the design of fan volute profiles, Proc Inst Mech Eng C 210(C3) 287-294 (1996), 1A1102
Laser velocimeter measurements in the pump of an automotive torque converter - Part I: Average

measurements, J Turbomachinery 118(3) 562-569 (Jul 1996), 1A1116
Laser velocimeter measurements in the pump of an automotive torque converter - Part II: Unsteady measurements, J Turbomachinery 118(3) 570-577 (Jul 1996), 1A1117
Flow and Heat Transfer in Rotating-Disc Systems, Volume 2: Rotating Cavities (Wiley, New York, 1995) 2R30
Performance of a scroll compressor with R134a at medium temperature heat pump conditions, Int J Energy Res 20(8) 733-743 (Aug 1996), 2A1105
Three dimensional flows in transonic and supersonic compressors (French), Rev Francaise Mec 0(2) 117-129 (1996), 2T1106
Three-dimensional viscous flow simulation in a backswept centrifugal impeller at the design point, Comput Fluids 25(5) 497-507 (Jun 1996), 2A1107
Effect of flow throttling configurations of plug-type check valve on waterhammer in a pump delivery pipeline: Experimental investigation, Trans Inst Fluid-Flow Machinery 0(100) 55-80 (1996), 2A1114
Effects of approach flow conditions on pump sump design, J Hydraul Eng 122(9) 489-494 (Sep 1996), 3A1193
Rapid inverse approach for the design of centrifugal impellers, Inverse Prob Eng 3(1-3) 79-91 (1996), 4A1143
Computer simulation of a rotary compressor for household refrigerators, Appl Thermal Eng 17(1) 65-78 (Jan 1997), 5A1088
Simulating the multistage environment for single-stage compressor experiments, J Turbomachinery 118(4) 706-716 (Oct 1996), 5A1089
Stall inception measurements in a high-speed multi-stage compressor, J Turbomachinery 118(4) 690-696 (Oct 1996), 5A1090
Performance prediction of a backswept centrifugal impeller at off-design point conditions, Int J Numer Methods Fluids 23(9) 883-895 (Nov 1996), 5A1100
Finite element perturbation method for computing fluid-induced forces on a centrifugal impeller rotating and whirling in a volute casing, Int J Numer Methods Eng 40(2) 269-294 (Jan 1997), 6A1204
Mathematical modeling of rotating waves in axial and radial compressors, Arch Appl Mech 67(1-2) 2-14 (Dec 1996), 6A1205
Analytical study on the kinematics of an orbiting scroll in a scroll compressor: Analysis of self-rotational motion, JSME Int J Ser B 39(4) 747-753 (Nov 1996), 7A1183
Experimental measurements in a centrifugal pump impeller, J Fluids Eng 118(4) 692-697 (Dec 1996), 7A1184
First analysis of flow field hysteresis in a pump impeller, J Fluids Eng 118(4) 685-691 (Dec 1996), 7A1185
Perspective: The new face of R&D: A case study of the pump industry, J Fluids Eng 118(4) 654-664 (Dec 1996), 7T1186
Three-dimensional unsteady flow and forces in centrifugal impellers with circumferential distortion of the outlet static pressure, J Turbomachinery 119(1) 94-102 (Jan 1997), 8A1073
Criteria for the choice of fans for use in thermal power plant applications, Proc Inst Mech Eng A 210(A6) 413-421 (1996), 8A1237
Design and performance prediction of centrifugal impellers, Proc Inst Mech Eng A 210(A6) 463-476 (1996), 8A1238
Pump Application Desk Book, Third Edition (Fairmont Press, Lilburn GA, 1996) 9N24
Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, J Turbomachinery 119(2) 225-237 (Apr 1997), 10A1217
Study on flows through centrifugal pump impeller by turbulent simulation, J Hydrodyn 9(1) 11-23 (1997), 10T1236
Bowed stators: An example of CFD applied to improve multistage compressor efficiency, J Turbomachinery 119(2) 161-168 (Apr 1997), 10A1244
Experimental and computational results from the NASA Lewis low-speed centrifugal impeller at design and part-flow conditions, J Turbomachinery 118(1) 55-65 (Jan 1996), 11A1155
Pressure oscillations occurring in a centrifugal compressor system with and without passive and active surge control, J Turbomachinery 118(1) 29-40 (Jan 1996), 11A1156
Evaluation of flow field approximations for transonic compressor stages, J Turbomachinery 119(3) 445-451 (Jul 1997), 12A1085
Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, J Turbomachinery 119(3) 426-444 (Jul 1997), 12A1178
Development of a high-specific-speed centrifugal compressor, J Turbomachinery 119(3) 501-505 (Jul 1997), 12A1179
Effect of modification to tongue and impeller geometry on unsteady flow, pressure fluctuations, and noise in a centrifugal pump, J Turbomachinery 119(3) 506-515 (Jul 1997), 12A1180
Effects of Coriolis force on flow in rotating diffusers, AIAA J 35(7) 1164-1170 (Jul 1997), 12A1181
Stall precursor identification in high-speed compressor stages using chaotic time series analysis methods, J Turbomachinery 119(3) 491-500 (Jul 1997), 12A1182

380I. Axial fans, pumps, compressors

Three dimensional flows in transonic and supersonic compressors (French), Rev Francaise Mec 0(2) 117-129 (1996), 2T1106
Experimental study of unsteady phenomena in a multi stages axial compressor (French), Rev Francaise Mec 0(2) 105-110 (1996), 2A1108
Effects of approach flow conditions on pump sump design, J Hydraul Eng 122(9) 489-494 (Sep 1996), 3A1193
Case wall pressures in a multistage axial compressor with tip clearance variation, J Propulsion Power 12(5) 967-973 (Sep-Oct 1996), 3A1194
Simplified analysis and design of the hydraulic ram pump, Proc Inst Mech Eng A 210(A4) 295-303 (1996), 3A1195
Modeling tip clearance effects in multistage axial compressors, J Turbomachinery 118(4) 697-705 (Oct 1996), 5A1091
Perspective: The new face of R&D: A case study of the pump industry, J Fluids Eng 118(4) 654-664 (Dec 1996), 7T1186
Computational study of rotating-stall inception in axial compressors, J Propulsion Power 13(1) 31-38 (Jan-Feb 1997), 7A1187
Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, J Turbomachinery 119(1) 114-127 (Jan 1997), 8A1239
Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, J Turbomachinery 119(1) 128-139 (Jan 1997), 8A1240
Development of a new tandem cascade for axial flow fan-compressor applications, Int J Turbo Jet Engines 13(2) 91-101 (1996), 8A1241
Measurement and computation of heat transfer in high-pressure compressor drum geometries with axial throughflow, J Turbomachinery 119(1) 51-60 (Jan 1997), 8A1300
Pump Application Desk Book, Third Edition (Fairmont Press, Lilburn GA, 1996) 9N24
Exit flowfield of an embedded stator in a multistage axial flow compressor, J Propulsion Power 13(2) 169-177 (Mar-Apr 1997), 9A1178
Gust response decomposition in a stator-rotor axial compressor with varying axial gap, J Propulsion Power 13(2) 178-185 (Mar-Apr 1997), 9A1179
Computation of compression loads in twin screw compressors, J Mech Des 117(4) 512-519 (Dec 1995), 11A1157
Modeling for control of rotating stall in high-speed multistage axial compressors, J Turbomachinery 118(1) 1-10 (Jan 1996), 11A1158
Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part I: A model for subsonic flow, J Turbomachinery 118(1) 73-80 (Jan 1996), 11A1165
Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part II: A model for supersonic flow, J Turbomachinery 118(1) 81-87 (Jan 1996), 11A1166
Experimental study of tip clearance losses and noise in axial turbomachines and their reduction, J Turbomachinery 119(3) 460-471 (Jul 1997), 12A1183
Navier-Stokes and potential calculations of axial spacing effect on vortical and potential disturbances and gust response in an axial compressor, J Turbomachinery 119(3) 472-481 (Jul 1997), 12A1184

380J. Compressibility effects

Preliminary assessment of wake management strategies for reduction of turbomachinery fan noise, J Propulsion Power 12(5) 958-966 (Sep-Oct 1996), 3A1196

380K. Mixed flow fans, pumps, compressors

Experimental and numerical study of 3D flows in a mixed-flow pump stage, J Turbomachinery 118(3) 552-561 (Jul 1996), 1A1103
Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 1: Design and numerical validation, J Turbomachinery 118(3) 536-543 (Jul 1996), 1A1104
Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 2 : Experimental validation, J Turbomachinery 118(3) 544-551 (Jul 1996), 1A1105
Performance of a mixed flow pump with varying tip clearance - Part I, Proc Inst Mech Eng A 210(A4) 305-318 (1996), 3A1197
Performance of a mixed flow pump with varying tip clearance - Part 2, Proc Inst Mech Eng A 210(A4) 319-327 (1996), 3A1198
Mechanical separation process and flow patterns of cyclone dust collectors, Appl Mech Rev 50(3) 97-130 (Mar 1997), 5A1092
Mixing characteristics of forced mixers with scallped lobes, J Propulsion Power 13(2) 305-311 (Mar-Apr 1997), 9A1180
Lubrication characteristics of refrigerating-air conditioning rotary compressor: Mixed lubrication analysis on vane tip, Japan J Trib 41(3) 253-267 (1996), 11A1175
Wave energy-driven resonant sea-water pump, J Offshore Mech Arctic Eng 119(3) 191-195 (Aug 1997), 12A1523

380L. Rotor and inducer blading

Aerodynamic mixing effect of discrete cooling jets with mainstream flow on a highly loaded turbine blade, J Turbomachinery 118(3) 468-478 (Jul 1996), 1A1106
Analysis of peculiarities of blade layout of rolled-up main rotor, Russian Aeronaut 38(4) 5-9 (1995), 1A1107
Heat transfer enhancement within a turbine blade cooling passage using ribs and combinations of ribs with film cooling holes, J Turbomachinery 118(3) 428-434 (Jul 1996), 1A1108
Ice accretion on a radial inflow turbine blade, J Turbomachinery 118(3) 606-612 (Jul 1996), 1A1109
Numerical simulation of 3D viscous flow in a linear compressor cascade with tip clearance, J Turbomachinery 118(3) 492-505 (Jul 1996), 1A1110
Stall flutter prediction techniques for fan and compressor blades, J Propulsion Power 12(4) 800-806 (Jul-Aug 1996), 1A1111
Three-dimensional Navier-Stokes analysis and redesign of an imbedded bellmouth nozzle in a turbine cascade inlet section, J Turbomachinery 118(3) 529-535 (Jul 1996), 1A1112
Momentum and vortex theory of rotor blade wakes, AIAA J 34(8) 1741-1742 (Aug 1996), 2T1109
Leading edge film-cooling effects on turbine blade heat transfer, Numer Heat Transfer A 30(2) 165-187 (Aug 1996), 2A1183
Experiments on air-water two-phase flow pump impeller with rotating-stationary circular cascades and recirculating flow holes, JSME Int J Ser B 39(3) 575-582 (Aug 1996), 3T1199
Measurements of the velocity field downstream of an impeller, J Fluids Eng 118(3) 602-610 (Sep 1996), 4A1144
Nonlinear response of a non-rotating rotor blade to a periodic gust, J Fluids Struct 10(7) 721-742 (Oct 1996), 5A213
Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part 1: Mean quantities, J Turbomachinery 118(4) 717-727 (Oct 1996), 5A985
Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part 2: Fluctuation quantities, J Turbomachinery 118(4) 728-736 (Oct 1996), 5A986
Effects of streamwise pressure gradient on turbulent spot development, J Turbomachinery 118(4) 737-743 (Oct 1996), 5A987
Transition length prediction for flows with rapidly changing pressure gradients, J Turbomachinery 118(4) 744-751 (Oct 1996), 5A991
Turbine blade heat transfer prediction in flow transition using k-ω two-equation model, J Thermophys Heat Transfer 10(4) 613-620 (Oct-Dec 1996), 5A992
Methods of classical mechanics applied to turbulence stresses in a tip leakage vortex, J Turbomachinery 118(4) 622-629 (Oct 1996), 5A1045
Assessment of two- and three-scale k-ε models for rotating cavity flows, J Turbomachinery 118(4) 826-834 (Oct 1996), 5A1051
Investigation of the effect of cascade area ratios on transonic compressor performance, J Turbomachinery 118(4) 760-770 (Oct 1996), 5A1093
Multistage turbine simulations with vortex-blade interaction, J Turbomachinery 118(4) 643-653 (Oct 1996), 5A1094
Planar flows past thin multi-blade configurations, J Fluid Mech 324 355-377 (Oct 1996), 5A1095
Time-accurate Euler simulation of interaction of nozzle wake and secondary flow with rotor blade in an axial turbine stage using nonreflecting boundary conditions, J Turbomachinery 118(4) 663-678 (Oct 1996), 5A1096
Transport of vortices through a turbine cascade, J Turbomachinery 118(4) 654-662 (Oct 1996), 5A1097
Rotor-stator interaction analysis using the Navier-Stokes equations and a multigrid method, J Turbomachinery 118(4) 679-689 (Oct 1996), 5A1102
Film cooling with compound angle holes: Heat transfer, J Turbomachinery 118(4) 800-806 (Oct 1996), 5A1129
Film cooling with compound angle holes: Adiabatic effectiveness, J Turbomachinery 118(4) 807-813 (Oct 1996), 5A1130
Design of turbine blade rows using a time-marching method (Spanish), J Brazilian Soc Mech Sci 18(4) 395-402 (Dec 1996), 6A963
Experimental measurements in a centrifugal pump impeller, J Fluids Eng 118(4) 692-697 (Dec 1996), 7A1184
First analysis of flow field hysteresis in a pump impeller, J Fluids Eng 118(4) 685-691 (Dec 1996), 7A1185
Turbulent flow induced by an impeller in a closed toroidal loop, J Fluids Eng 118(4) 677-684 (Dec 1996), 7A1188
Influence of neighboring blade rows on the unsteady aerodynamic response of cascades, J Turbomachinery 119(1) 85-93 (Jan 1997), 8A1226
Design and development of a turbine research facility to study rotor-stator interaction effects, Int J Turbo Jet Engines 13(3) 155-172 (1996), 8A1242
Evaluation of the interaction losses in a transonic turbine HP rotor-LP vane configuration, J Turbomachinery 119(1) 68-76 (Jan 1997), 8A1243
Flow visualization in a linear turbine cascade of high performance turbine blades, J Turbomachinery 119(1) 1-8 (Jan 1997), 8A1257
Grid orthogonality effects on predicted turbine mid-span heat transfer and performance, J Turbomachinery 119(1) 31-38 (Jan 1997), 8A1309
Flow field unsteadiness in the tip region of a transonic compressor rotor, J Fluids Eng 119(1) 122-128 (Mar 1997), 9A1181
Computation of unsteady viscous marine-propulsor blade flows - Part 1: Validation and analysis, J Fluids Eng 119(1) 145-155 (Mar 1997), 9A1183
Experimental investigations on tandem compressor cascade performance at low speeds, Exp Thermal Fluid Sci 14(3) 263-276 (Apr 1997), 10T1237
Flow and heat transfer in a preswirl rotor-stator system, J Turbomachinery 119(2) 364-373 (Apr 1997), 10A1238
Measurement of the flow inside the tip clearance of a rotating gas turbine rotor, Int J Turbo Jet Engines 13(4) 227-237 (1996), 10A1239
Modular prediction scheme for blade row interaction noise, J Propulsion Power 13(3) 334-341 (May-Jun 1997), 10A1240
Rapid diagnosis of flow separation around an axial impeller in a mixing vessel, Exp Fluids 22(6) 519-522 (Apr 1997), 10A1241
Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part I: Rotor passage flow field, J Turbomachinery 119(2) 201-213 (Apr 1997), 10A1242
Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part II: Rotor exit flow field, J Turbomachinery 119(2) 214-224 (Apr 1997), 10A1243
Rotor blade-to-blade measurements using particle image velocimetry, J Turbomachinery 119(2) 176-181 (Apr 1997), 10A1256
Wall-bounded blade-tip vortex interaction noise, J Sound Vib 202(5) 605-618 (May 1997), 11A246
Numerical simulation of the effects of rotor-stator spacing and wake-blade count ratio on turbomachinery unsteady flows, J Fluids Eng 117(4) 639-646 (Dec 1995), 11A1149
Comparative study of Navier-Stokes calculations and experiments for the Savonius rotor, J Solar Energy Eng 117(4) 344-346 (Nov 1995), 11T1159
Compressor blade forced response due to downstream vane-strut potential interaction, J Turbomachinery 118(1) 134-142 (Jan 1996), 11A1160
Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part 1: Description of the approach and validation, J Turbomachinery 118(1) 96-108 (Jan 1996), 11A1161
Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part 2: Simulation of unsteady boundary layer flow physics, J Turbomachinery 118(1) 109-122 (Jan 1996), 11A1162
Effect of unsteady wake with trailing edge coolant ejection on detailed heat transfer coefficient distributions for a gas turbine blade, J Heat Transfer 119(2) 242-248 (May 1997), 11A1163
Experimental and numerical investigation of a shock wave within a swept shrouded propfan rotor, J Turbomachinery 118(1) 66-72 (Jan 1996), 11A1164
Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part I: A model for subsonic flow, J Turbomachinery 118(1) 73-80 (Jan 1996), 11A1165
Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part II: A model for supersonic flow, J Turbomachinery 118(1) 81-87 (Jan 1996), 11A1166
Phase-resolved surface pressure and heat-transfer measurements on the blade of a two-stage turbine, J Fluids Eng 117(4) 653-658 (Dec 1995), 11A1167

Wake-induced unsteady flows: Their impact on rotor performance and wake rectification, J Turbomachinery 118(1) 88-95 (Jan 1996), 11A1168
Multigrid computations of unsteady rotor-stator interaction using the Navier-Stokes equations, J Fluids Eng 117(4) 647-652 (Dec 1995), 11A1172
Impact of rotor-stator interaction on turbine blade film cooling, J Turbomachinery 118(1) 123-133 (Jan 1996), 11A1251
Combined effect of grid turbulence and unsteady wake on film effectiveness and heat transfer coefficient of a gas turbine blade with air and CO, film injection, J Turbomachinery 119(3) 594-600 (Jul 1997), 12A1145
Analysis of hot streak effects on turbine rotor heat load, J Turbomachinery 119(3) 544-553 (Jul 1997), 12A1185
Design method for turbomachine blades with finite thickness by the circulation method, J Turbomachinery 119(3) 539-543 (Jul 1997), 12A1186
Development of blade profiles for low-pressure turbine applications, J Turbomachinery 119(3) 531-538 (Jul 1997), 12A1187
Flow through a blade cascade with a local shape deformation, Z Angew Math Mech 77(5) 399-402 (1997), 12T1188
Three-dimensional shock loss model applied to an aft-swept, transonic compressor rotor, J Turbomachinery 119(3) 452-459 (Jul 1997), 12A1189
Vortical gust response of a low-solidity vane row including steady loading and dynamic stall effects, J Turbomachinery 119(3) 482-490 (Jul 1997), 12A1190
Effects of rib arrangements on pressure drop and heat transfer in a rib-roughened channel with a sharp 180° turn, J Turbomachinery 119(3) 610-616 (Jul 1997), 12A1256
Measurements of heat transfer coefficients and friction factors in rib-roughened channels simulating leading-edge cavities of a modern turbine blade, J Turbomachinery 119(3) 601-609 (Jul 1997), 12A1259

380M. Stator vanes, inlet guide vanes, diffuser vanes

Aerodynamic performance of a transonic turbine guide vane with trailing edge coolant ejection - Part I: Experimental approach, J Turbomachinery 118(3) 519-528 (Jul 1996), 1A1113
Prediction of small water drops separation in helicopter engine diffuser, Arch Budowy Maszyn 42(1-2) 19-27 (1995), 4A1145
Performance improvement through indexing of turbine airfoils - Part 1: Experimental investigation, J Turbomachinery 118(4) 630-635 (Oct 1996), 5A1098
Performance improvement through indexing of turbine airfoils - Part 2: Numerical simulation, J Turbomachinery 118(4) 636-642 (Oct 1996), 5A1099
Computation of 3D viscous flow in high Reynolds number pump guide vane, J Fluids Eng 118(4) 698-705 (Dec 1996), 7A1192
Design and flow field calculations for transonic and supersonic radial inflow turbine guide vanes, J Turbomachinery 119(1) 103-113 (Jan 1997), 8A1244
Influence of large-scale high-intensity turbulence on vane heat transfer, J Turbomachinery 119(1) 23-30 (Jan 1997), 8A1299
Transient liquid crystal technique for convective heat transfer on rough surfaces, J Turbomachinery 119(1) 14-22 (Jan 1997), 8A1312
Bowed stators: An example of CFD applied to improve multistage compressor efficiency, J Turbomachinery 119(2) 161-168 (Apr 1997), 10A1244
Heat transfer predictions for two turbine nozzle geometries at high Reynolds and Mach numbers, J Turbomachinery 119(2) 270-283 (Apr 1997), 10A1245
Influence of large-scale, high-intensity turbulence on vane aerodynamic losses, wake growth, and the exit turbulence parameters, J Turbomachinery 119(2) 182-192 (Apr 1997), 10A1246
Numerical and experimental investigation of secondary flow in a high-speed compressor stator, J Turbomachinery 119(2) 169-175 (Apr 1997), 10A1247
Prediction and measurement of the total pressure loss in an engine representative diffuser system, J Turbomachinery 119(2) 390-396 (Apr 1997), 10A1248
Simulation of heat transfer from flow with high free-stream turbulence to turbine blades, J Turbomachinery 119(2) 284-291 (Apr 1997), 10A1249
Experimental investigation of stator induced unsteadiness on centrifugal impeller outflow, J Turbomachinery 118(1) 41-54 (Jan 1996), 11A1169
Multigrid computations of unsteady rotor-stator interaction using the Navier-Stokes equations, J Fluids Eng 117(4) 647-652 (Dec 1995), 11A1172
Vane sweep effects on rotor-stator interaction noise, AIAA J 35(6) 945-951 (Jun 1997), 12A312
Flow through a blade cascade with a local shape deformation, Z Angew Math Mech 77(5) 399-402 (1997), 12T1188
Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part I: Flow at exit of turbine, J Turbomachinery 119(3) 624-633 (Jul 1997), 12A1191
Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part II: Unsteady pressure on the stator blade surface, J Turbomachinery 119(3) 634-645 (Jul 1997), 12A1192

380N. Jet pumps and compressors

Tribology of Hydraulic Pump Testing (ASTM, 1997) 8N22
Unsteady aerodynamic flow phenomena in a transonic compressor stage, J Propulsion Power 13(3) 329-333 (May-Jun 1997), 10A1250

380Q. Rotary compressors and pumps (roots, gears, screws, etc)

Tip clearance flow-shock interaction in a transonic compressor rotor, J Propulsion Power 13(1) 24-30 (Jan-Feb 1997), 7A1189
Unsteady flow and shock motion in a transonic compressor rotor, J Propulsion Power 13(1) 17-23 (Jan-Feb 1997), 7A1190
Analysis of shear-thinning fluid flow in intermeshing twin-screw extruders, Arch Appl Mech 67(3) 167-178 (Feb 1997), 9A1182
Preliminary estimation of antisurge valve carrying capacity, J Eng Gas Turbines Power 119(2) 395-396 (Apr 1997), 10T1251

380R. Propellers and helicopter rotors

Lifting rotor inflow mode shapes and blade flapping vibration system eigen-analysis, Comput Methods Appl Mech Eng 134(1-2) 91-105 (Jul 1996), 2A149
Free-wake analysis of tandem, tilt-rotor and coaxial rotor configurations, J Am Helicopter Soc 41(3) 196-207 (Jul 1996), 2A1110
Influence of unsteady aerodynamic effects on the coupled free vibrations of rotor flapping and body pitch and roll in hover, J Am Helicopter Soc 41(3) 208-218 (Jul 1996), 2A1111
Parallel methods for turbulence simulation and helicopter-response prediction, J Am Helicopter Soc 41(3) 219-231 (Jul 1996), 2A1112
Finite element solution of nonlinear intrinsic equations for curved composite beams, J Am Helicopter Soc 41(4) 313-321 (Oct 1996), 4A125
Parallel genetic algorithm implementation in multidisciplinary rotor blade design, J Aircraft 33(5) 962-969 (Sep-Oct 1996), 4A813
Performance of a propeller embedded in the flowfield of a wing, J Aircraft 33(5) 919-923 (Sep-Oct 1996), 4A1120
Coupled rotor-wing optimization procedure for high speed tilt-rotor aircraft, J Am Helicopter Soc 41(4) 360-369 (Oct 1996), 4A1146
Flight measurements of blade-vortex interaction noise including comparisons with full-scale wind tunnel data, J Am Helicopter Soc 41(4) 291-301 (Oct 1996), 4A1147
Formulation of a helicopter rotor system damage detection methodology, J Am Helicopter Soc 41(4) 302-312 (Oct 1996), 4A1148
Investigation of helicopter dynamic coupling using an analytical model, J Am Helicopter Soc 41(4) 322-330 (Oct 1996), 4A1149
Measurements of rotor tip vortices using three-component laser Doppler velocimetry, J Am Helicopter Soc 41(4) 342-353 (Oct 1996), 4A1150
Parallel computing concepts and methods for Floquet analysis of helicopter trim and stability, J Am Helicopter Soc 41(4) 370-382 (Oct 1996), 4A1151
Response, loads and stability of rotors with interconnected blades, J Am Helicopter Soc 41(4) 283-290 (Oct 1996), 4A1152
Parallelization of a 3D flow solver for Eu ·r rotorcraft aerodynamics predictions, AIAA J. ·(11) 2276-2283 (Nov 1996), 5A965
Hover testing of smart rotor with induced-strain actuation of blade twist, AIAA J 35(1) 6-16 (Jan 1997), 6A209
Turbulent flow induced by an impeller in a closed toroidal loop, J Fluids Eng 118(4) 677-684 (Dec 1996), 7A1188
Mathematical modeling of a helicopter rotor track and balance: Theory, J Sound Vib 200(5) 589-603 (Mar 1997), 9A169
Mathematical modeling of a helicopter rotor track and balance: Results, J Sound Vib 200(5) 605-620 (Mar 1997), 9A170
Integrated rotor-flight control system optimization with aeroelastic and handling qualities constraints, J Guidance Control Dyn 20(2) 217-224 (Mar-Apr 1997), 9T361
Computation of unsteady viscous marine-propulsor blade flows - Part 1: Validation and analysis, J Fluids Eng 119(1) 145-155 (Mar 1997), 9A1183
Structural design of a composite wind turbine blade using FE analysis, Comput Struct 63(3) 639-646 (May 1997), 9A1184
Unified boundary integral methodology for aerodynamics and aeroacoustics of rotors, J Sound Vib 200(4) 467-489 (Mar 1997), 9A1185
Novel method for calculating 2D blade vortex interaction, AIAA J 35(5) 909-912 (May 1997), 10A338
Airfoil design for helicopter rotor blades: A 3D approach, J Aircraft 34(2) 197-205 (Mar-Apr 1997), 10A1223
Effects of unsteady aerodynamics on the flight dynamics of an articulated rotor helicopter, J Aircraft 34(2) 187-196 (Mar-Apr 1997), 10A1224
New boundary integral formulation for the prediction of sound radiation, J Sound Vib 202(4) 491-509 (May 1997), 11A54
Fluid force moment on a centrifugal impeller shroud in precessing motion, J Fluids Eng 119(2) 366-371 (Jun 1997), 11A218
Refined aeroelastic analysis of hingless rotor blades in hover, J Aircraft 34(3) 408-415 (May-Jun 1997), 11A225
Response, loads, and stability of interconnected rotor-body systems, J Aircraft 34(3) 416-426 (May-Jun 1997), 11A824
Experimental and numerical investigation of rotor aerodynamics in forward flight, J Aircraft 34(3) 394-399 (May-Jun 1997), 11A1170
Efficient and robust method for predicting helicopter high-speed impulsive noise, J Sound Vib 203(1) 87-100 (May 1997), 12A299

380T. Other machinery

Dynamic model of a wind-driven lift pump, Proc Inst Mech Eng A 210(A4) 279-293 (1996), 3A1200
Numerical simulation of dynamic wave rotor performance, J Propulsion Power 12(5) 949-957 (Sep-Oct 1996), 3A1201
Experimental and numerical investigation of stator exit flow field of an automotive torque converter, J Turbomachinery 118(4) 835-843 (Oct 1996), 5A928
Flow area of multiple poppet valves, Proc Inst Mech Eng D 210(D4) 347-351 (1996), 5A1004
Development and tribology of compressors for alternative HFC refrigerants, Japan J Trib 40(9) 827-835 (1995), 5T1278
Volume flow-rate measurements and scaling laws for a transverse-inlet multiple-disk fan, J Fluids Eng 118(4) 857-860 (Dec 1996), 7A1191
Effects of compressibility on flow characteristics and dynamics of swing check valves: Part I, J Pressure Vessel Tech 119(2) 192-198 (May 1997), 11A978
Effects of compressibility on flow characteristics and dynamics of swing check valves: Part II, J Pressure Vessel Tech 119(2) 199-206 (May 1997), 11A979
Computed eccentricity effects on turbine rim seals at engine conditions with a mainstream, J Turbomachinery 118(1) 143-152 (Jan 1996), 11A1151
Generalizing circular brush seal leakage through a randomly distributed bristle bed, J Turbomachinery 118(1) 153-161 (Jan 1996), 11A1152
Design of homologous ram pumps, J Fluids Eng 119(2) 360-365 (Jun 1997), 11A1171
Navier-Stokes simulations of a novel viscous pump, J Fluids Eng 119(2) 372-382 (Jun 1997), 11A1173
Numerical investigation of premixed combustion in wave rotors, J Eng Gas Turbines Power 119(3) 668-675 (Jul 1997), 12A1398
Numerical investigation of the startup transient in a wave rotor, J Eng Gas Turbines Power 119(3) 676-682 (Jul 1997), 12A1399

380Y. Computational techniques

Design of a low aspect ratio transonic compressor stage using CFD techniques, J Turbomachinery 118(3) 479-491 (Jul 1996), 1A1100
Three-dimensional Navier-Stokes analysis and redesign of an imbedded bellmouth nozzle in a turbine cascade inlet section, J Turbomachinery 118(3) 529-535 (Jul 1996), 1A1112
Calculation of 3D viscous flow in hydrodynamic torque converters, J Turbomachinery 118(3) 578-589 (Jul 1996), 1A1114
Three-dimensional viscous flow simulation in a backswept centrifugal impeller at the design point, Comput Fluids 25(5) 497-507 (Jun 1996), 2A1107
Application of the BEM to modeling of crack propagation trajectories, Trans Inst Fluid-Flow Machinery 0(100) 155-173 (1996), 2A1113
Stochastic structure of downstream pressure from an axial compressor - I: Periodic time-frequency spectral description, Mech Syst Signal Processing 10(4) 413-422 (Jul 1996), 3A1202
Stochastic structure of downstream pressure from an axial compressor - II: Investigation of blade-to-blade variability, Mech Syst Signal Processing 10(4) 423-437 (Jul 1996), 3A1203
Measurements of the velocity field downstream of an impeller, J Fluids Eng 118(3) 602-610 (Sep 1996), 4A1144
DYNROT: FE code for rotordynamic analysis based on complex coordinates, Eng Comput 13(6) 86-109 (1996), 4A1153
Validation of 3D Euler methods for vibrating cascade aerodynamics, J Turbomachinery 118(4) 771-782 (Oct 1996), 5A1084
Time-accurate Euler simulation of interaction of nozzle wake and secondary flow with rotor blade in an axial turbine stage using nonreflecting boundary conditions, J Turbomachinery 118(4) 663-678 (Oct 1996), 5A1096
Performance prediction of a backswept centrifugal impeller at off-design point conditions, Int J Numer Methods Fluids 23(9) 883-895 (Nov 1996), 5A1100
Reduction method for FE dynamic analysis of submerged turbomachinery wheels, Comput Struct 61(6) 1025-1036 (Dec 1996), 5A1101
Rotor-stator interaction analysis using the Navier-Stokes equations and a multigrid method, J Turbomachinery 118(4) 679-689 (Oct 1996), 5A1102
Effective method for conformal mapping of multiply connected domains, Acta Mech 119(1-4) 35-52 (1996), 6A1014
Computation of 3D viscous flow in high Reynolds number pump guide vane, J Fluids Eng 118(4) 698-705 (Dec 1996), 7A1192
Navier-Stokes analysis of airfoils in oscillating transonic cascades for the prediction of aerodynamic damping, J Turbomachinery 119(1) 77-84 (Jan 1997), 8A1179
Assessment of Navier-Stokes and boundary layer procedures for the prediction of 2D viscous flow in a turbine nozzle, Int J Turbo Jet Engines 13(3) 217-226 (1996), 8A1245
Circumferentially smeared computed effects of rim seal clearance on wheelspace thermal distributions, J Turbomachinery 119(1) 157-159 (Jan 1997), 8A1246
Throughflow method for turbomachines applicable for all flow regimes, J Turbomachinery 119(2) 256-262 (Apr 1997), 10A1231
Study on flows through centrifugal pump impeller by turbulent simulation, J Hydrodyn 9(1) 11-23 (1997), 10T1236
Heat transfer predictions for two turbine nozzle geometries at high Reynolds and Mach numbers, J Turbomachinery 119(2) 270-283 (Apr 1997), 10A1245
Finite volume scheme with quadratic reconstruction on unstructured adaptive meshes applied to turbomachinery flows, J Turbomachinery 119(2) 263-269 (Apr 1997), 10A1252
New pseudo-potential model for rotational turbo-flow - I: Variational formulation and FE solution for transonic blade-to-blade flow, Int J Turbo Jet Engines 13(4) 263-275 (1996), 10A1253
Effect of velocity and temperature distribution at the hole exit on film cooling of turbine blades, J Turbomachinery 119(2) 343-351 (Apr 1997), 10A1311
Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, J Eng Gas Turbines Power 118(1) 214-224 (Jan 1996), 11A1150
Three-dimensional vortex dipole model for wind turbines, Wind Eng 20(5) 287-306 (1996), 11T1153
Multigrid computations of unsteady rotor-stator interaction using the Navier-Stokes equations, J Fluids Eng 117(4) 647-652 (Dec 1995), 11A1172
Navier-Stokes simulations of a novel viscous pump, J Fluids Eng 119(2) 372-382 (Jun 1997), 11A1173
Fast Euler solver for the solution of 3D rotational compressible flows, Eng Comput 14(2-3) 306-324 (1997), 12A1095
Study of the flow downstream of a wind turbine using measurements and simulations, Wind Eng 20(6) 389-403 (1996), 12T1177

380Z. Experimental techniques

Hydraulic dynamic efforts on pump-turbine (Spanish), Revista Eng Ciencias Aplicadas 2 41-54 (1994), 1A1115
Laser velocimeter measurements in the pump of an automotive torque converter - Part I: Average measurements, J Turbomachinery 118(3) 562-569 (Jul 1996), 1A1116
Laser velocimeter measurements in the pump of an automotive torque converter - Part II: Unsteady measurements, J Turbomachinery 118(3) 570-577 (Jul 1996), 1A1117

LDA investigation of the flow development through rotating U-ducts, J Turbomachinery 118(3) 590-596 (Jul 1996), 1A1118
Experimental study of unsteady phenomena in a multi stages axial compressor (French), Rev Francaise Mec 0(2) 105-110 (1996), 2A1108
Effect of flow throttling configurations of plug-type check valve on waterhammer in a pump delivery pipeline: Experimental investigation, Trans Inst Fluid-Flow Machinery 0(100) 55-80 (1996), 2A1114
Measurement of unsteady total pressure (French), Rev Francaise Mec 0(2) 111-115 (1996), 2T1115
Calibration of a four-hole pyramid probe and area traverse measurements in a short-duration transonic turbine cascade tunnel, Exp Fluids 21(4) 302-311 (Aug 1996), 3A1204
Simulating the multistage environment for single-stage compressor experiments, J Turbomachinery 118(4) 706-716 (Oct 1996), 5A1089
Stall inception measurements in a high-speed multi-stage compressor, J Turbomachinery 118(4) 690-696 (Oct 1996), 5A1090
Distribution of film-cooling effectiveness on a turbine endwall measured using the ammonia and diazo technique, J Turbomachinery 118(4) 613-621 (Oct 1996), 5A1103
Spectrum normalization method in vibro-acoustical diagnostic measurements of hydroturbine cavitation, J Fluids Eng 118(4) 756-761 (Dec 1996), 7A1181
Volume flow-rate measurements and scaling laws for a transverse-inlet multiple-disk fan, J Fluids Eng 118(4) 857-860 (Dec 1996), 7A1191
Assessment of the cold-wire resistance thermometer for high-speed turbomachinery applications, J Turbomachinery 119(1) 140-148 (Jan 1997), 8A1247
Transient heat transfer experiments in a linear cascade via an insertion mechanism using the liquid crystal technique, J Turbomachinery 119(1) 9-13 (Jan 1997), 8A1248
Measurement of gust response on a turbine cascade, J Turbomachinery 119(2) 238-246 (Apr 1997), 10A1235
Experimental investigations on tandem compressor cascade performance at low speeds, Exp Thermal Fluid Sci 14(3) 263-276 (Apr 1997), 10T1237
Measurement of the flow inside the tip clearance of a rotating gas turbine rotor, Int J Turbo Jet Engines 13(4) 227-237 (1996), 10A1239
Flow characteristics and aerodynamic losses of film-cooling jets with compound angle orientations, J Turbomachinery 119(2) 310-319 (Apr 1997), 10A1254
Remote surface pressure measurement technique for rotating elements, J Turbomachinery 119(2) 397-399 (Apr 1997), 10T1255
Rotor blade-to-blade measurements using particle image velocimetry, J Turbomachinery 119(2) 176-181 (Apr 1997), 10A1256
Heat transfer and film cooling effectiveness in a linear airfoil cascade, J Turbomachinery 119(2) 302-309 (Apr 1997), 10A1300
Multiple jets in a crossflow: Detailed measurements and numerical simulataions, J Turbomachinery 119(2) 330-342 (Apr 1997), 10A1318
Effect of unsteady wake with trailing edge coolant ejection on detailed heat transfer coefficient distributions for a gas turbine blade, J Heat Transfer 119(2) 242-248 (May 1997), 11A1163
Bulk flow pulsations and film cooling: Flow structure just downstream of the holes, J Turbomachinery 119(3) 568-573 (Jul 1997), 12A1118
Three-dimensional Navier-Stokes computation of turbine nozzle flow with advanced turbulence models, J Turbomachinery 119(3) 516-530 (Jul 1997), 12A1152
Study of the flow downstream of a wind turbine using measurements and simulations, Wind Eng 20(6) 389-403 (1996), 12T1177
Effects of Coriolis force on flow in rotating diffusers, AIAA J 35(7) 1164-1170 (Jul 1997), 12A1181
Laser velocimeter measurements in the turbine of an automotive torque converter - Part I: Average measurements, J Turbomachinery 119(3) 646-654 (Jul 1997), 12A1193
Laser velocimeter measurements in the turbine of an automotive torque converter - Part II: Unsteady measurements, J Turbomachinery 119(3) 655-662 (Jul 1997), 12A1194
Film cooling from spanwise-oriented holes in two staggered rows, J Turbomachinery 119(3) 562-567 (Jul 1997), 12A1250
Row-of-holes film cooling of curved walls at low injection angles, J Turbomachinery 119(3) 574-579 (Jul 1997), 12A1253
Film effectiveness over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, J Turbomachinery 119(3) 587-593 (Jul 1997), 12A1273
Heat transfer coefficients over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, J Turbomachinery 119(3) 580-586 (Jul 1997), 12A1274

382. LUBRICATION

382A. General theory

Solutions for the combined motion of finite length squeeze film dampers around the bearing center, J Trib 118(3) 617-622 (Jul 1996), 1A904
Evaluation of dynamic coefficients of a two-lobe journal bearing using an electrical analogy approach, J Trib 118(3) 657-662 (Jul 1996), 1A917
Prediction of equivalent radial loads for tapered roller bearings, J Trib 118(3) 651-656 (Jul 1996), 1A919
Steady state analysis of non-circular worn journal bearings in nonlaminar lubrication regimes, Trib Int 29(6) 493-498 (Sep 1996), 1A921
Effects of wall flexibility on the rotordynamic coefficients of turbulent cryogenic annular seals, J Trib 118(3) 509-519 (Jul 1996), 1A923
Head-disk interface performance with a starved liquid bearing - Analytical solution to Reynolds equation in the near-contact regime, J Trib 118(3) 492-497 (Jul 1996), 1A1119
Laminar flow in hydrostatic circular step bearings with variable gap, Trib Trans 39(3) 547-554 (Jul 1996), 1T1122
Squeeze film force modeling for large amplitude motion using an elliptical velocity profile, J Trib 118(3) 687-692 (Jul 1996), 1A1123
Shear stress of elastohydrodynamic lubrication in elliptical contacts, Trib Int 29(7) 597-602 (Nov 1996), 1T1130
Thermoelastodynamic analysis of fixed geometry thrust bearings including runner deformation, Trib Trans 39(3) 555-562 (Jul 1996), 1A1133
Generalized boundary interactions for powder lubricated Couette flows, J Trib 118(3) 580-588 (Jul 1996), 1A1138
Generalization of thermohydrodynamic analyses for journal bearings, J Trib 118(3) 571-579 (Jul 1996), 1A1142
Efficient numerical procedure for thermohydrodynamic analysis of cavitating bearings, J Trib 118(3) 555-563 (Jul 1996), 1A1144
Effects of 3D irregularities on the performance characteristics of turbulent journal bearing, Wear 196(1-2) 126-132 (Aug 1996), 2A1116
Oil as a structural member of machines and mechanisms, J Friction Wear 16(5) 76-80 (1995), 2A1117
Simulation of lubricant rheology in thin film lubrication - Part I: Simulation of Poiseuille flow, Wear 196(1-2) 243-248 (Aug 1996), 2A1118
Simulation of lubricant rheology in thin film lubrication - Part 2: Simulation of Couette flow, Wear 196(1-2) 249-253 (Aug 1996), 2A1119
Numerical solution for the gas lubrication problem, J Friction Wear 16(5) 28-32 (1995), 2A1134
Friction, Wear, Lubrication: A Textbook in Tribology (CRC Press, Boca Raton FL, 1996) 3R15
Analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, Wear 198(1-2) 115-121 (Oct 1996), 3A1205
Two-dimensional piston ring lubrication - Part I: Rigid ring and liner solution, Trib Trans 39(4) 757-768 (Oct 1996), 4T936
Aspects of thin-film polar fluid lubrication, Appl Math Comput 80(1) 33-41 (Nov 1996), 4A1154
Analytical, numerical, and experimental investigation of the flow structure in a flooded ball bearing, J Trib 118(4) 865-871 (Oct 1996), 4A1156
Effect of solid lamellar lubricants on tribological characteristics of composites based on aromatic polyamides, J Friction Wear 17(1) 99-106 (1996), 5T815
Analytical solution for tilted hydrostatic multi-pad thrust bearings of infinite length, Trib Int 30(1) 33-39 (Jan 1997), 5A1104
Micropolar fluids in the theory of lubrication: Rigorous derivation of an analogue of the Reynolds equation, Int J Eng Sci 34(13) 1477-1490 (Oct 1996), 5A1105
Solution of the non-Newtonian elastohydrodynamic problem for circular contacts based on a flow continuity method, Proc Inst Mech Eng J: Eng Trib 210(J4) 247-258 (1996), 5A1106
Experimental and theoretical rotordynamic characteristics of a hybrid journal bearing, J Trib 119(1) 132-142 (Jan 1997), 7A1193
Experimental-analytical study of high-speed, high-load rolling-sliding contacts with ultra-low viscosity fluids, Trib Trans 40(1) 41-48 (Jan 1997), 7A1194
Nonlinear model for structural vibrations in rolling element bearings - Part I: Derivation of governing equations, J Trib 119(1) 126-131 (Jan 1997), 7A1195
Transient response of externally pressurized fluid film bearings, Trib Trans 40(1) 147-155 (Jan 1997), 7T1196
Analysis of oil-film pressure distribution in porous journal bearings under hydrodynamic lubrication conditions using an improved boundary condition, J Trib 119(1) 171-178 (Jan 1997), 7A1200
Ultrathin liquid film lubrication theory: Calculation method of solvation pressure and its application to the EHL problem, J Trib 119(1) 217-226 (Jan 1997), 7A1209
Stability of gas lubricated triboelements using the step jump method, J Trib 119(1) 193-199 (Jan 1997), 7A1215
Transient analysis of gas-lubricated journal bearing systems by differential quadrature, J Trib 119(1) 91-99 (Jan 1997), 7A1216
FFT thermoelastic solutions for moving heat sources, J Trib 119(1) 156-162 (Jan 1997), 7A1219
Thermohydrodynamic analysis of submerged oil journal bearings considering surface roughness effects, J Trib 119(1) 100-106 (Jan 1997), 7A1220
Tribology Data Handbook (CRC Press, Boca Raton FL, 1997) 10N25
Numerical determination of flow factors, J Trib 119(2) 259-264 (Apr 1997), 10A1257
Elastohydrodynamic lubrication theory of line contacts: Couple stress fluid model, Trib Trans 40(2) 353-359 (Apr 1997), 10A1261
Generalized non-Newtonian fluid model incorporated into elastohydrodynamic lubrication, J Trib 118(1) 74-82 (Jan 1996), 11A1174
Lubrication characteristics of refrigerating-air conditioning rotary compressor: Mixed lubrication analysis on vane tip, Japan J Trib 41(3) 253-267 (1996), 11A1175
Oscillating fluid mechanics method for studying oil film oscillation and dynamic characteristics of journal bearings, J Trib 118(1) 239-245 (Jan 1996), 11A1176
Static and dynamical behaviors of pure squeeze films in couple stress fluid-lubricated short journal bearings, Proc Inst Mech Eng J: Eng Trib 211(J1) 29-36 (1997), 11A1177
Analysis of powder lubricated slider bearings, J Trib 118(1) 206-214 (Jan 1996), 11A1187
Heat transfer in a thin-film flow in the presence of squeeze and shear thinning: Application to piston rings, J Heat Transfer 119(2) 249-257 (May 1997), 11A1253
Lubrication theory for a fiber suspension - Part 1: Pressure-driven flow in a planar channel having slowly-varying cross-section, J Non-Newtonian Fluid Mech 71(1-2) 109-136 (Jul 1997), 12A1195
Lubrication theory for a fiber suspension - Part 2: Flow in a journal bearing, J Non-Newtonian Fluid Mech 71(1-2) 137-161 (Jul 1997), 12A1196
Lubrication with emulsion - First report: The extended Reynolds equation, Wear 206(1-2) 230-237 (May 1997), 12A1197
Lubrication with emulsion - II: The viscosity coefficients of emulsions, Wear 206(1-2) 238-243 (May 1997), 12A1198
Mixed-lubrication study of journal bearing conformal contacts, J Trib 119(3) 456-461 (Jul 1997), 12A1199
Particle behavior in two-phased lubrication, Wear 206(1-2) 130-135 (May 1997), 12A1200
Effects of foil bending rigidity on spacing height characteristics of hydrostatic porous foil bearings for web handling processes, J Trib 119(3) 422-427 (Jul 1997), 12A1207
Pressure and shear flow in a rough hydrodynamic bearing, flow factor calculation, J Trib 119(3) 549-555 (Jul 1997), 12A1210
Elastohydrodynamic lubrication model of connecting rod big-end bearings: Application to real engines, J Trib 119(3) 568-578 (Jul 1997), 12A1214
Surface roughness and structural inertia in a mode-based mass-conserving elastohydrodynamic lubrication model, J Trib 119(3) 449-455 (Jul 1997), 12A1219

382B. Boundary lubrication

Head-disk interface performance with a starved liquid bearing - Analytical solution to Reynolds equation in the near-contact regime, J Trib 118(3) 492-497 (Jul 1996), 1A1119
Boundary film formation by viscosity index improvers, Trib Trans 39(3) 726-734 (Jul 1996), 1A1120
Comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S-P and zinc dialkyl dithiophosphate additives, Wear 196(1-2) 100-109 (Aug 1996), 2A1120
Contact temperature of rough surfaces at mixed lubrication, J Friction Wear 16(5) 17-24 (1995), 2A1138
Lubricant effects in the transition from boundary to microelastohydrodynamic lubrication, Trib Trans 39(4) 974-978 (Oct 1996), 4A1164
Interlaminar friction and boundary lubrication in anisotropic liquids with rotational dof, J Friction Wear 17(1) 1-6 (1996), 5A1107
Boundary lubrication characteristics of silica-based electro-rheological fluids, J Intelligent Mat Syst Struct 7(5) 511-516 (Sep 1996), 6A1206
Effect of steel hardness on the performance of anti-wear additives, Wear 201(1-2) 209-216 (Dec 1996), 7A878
Average Reynolds equation for non-Newtonian fluid with application to the lubrication of the magnetic head-disk interface, Trib Trans 40(1) 111-119 (Jan 1997), 7A1197
Generalized effects in confined fluids: New friction map for boundary lubrication, Wear 200(1-2) 328-335 (Dec 1996), 7A1198
Study on the adhesion force of lubricants: Adhesion force characteristics under boundary lubrication, J Trib 119(1) 107-111 (Jan 1997), 7A1199
Effect of double bonds on friction in the boundary lubrication of magnetic thin film media, Wear 202(2) 149-153 (Jan 1997), 9A1186
Simulation of stick-slip friction in control systems, Trib Trans 40(2) 360-366 (Apr 1997), 10A971
Optimum design of high-speed, short journal bearings by mathematical programming, Trib Trans 40(2) 283-293 (Apr 1997), 10A998
Efficient computation model for calculating surface contact pressures using measured surface roughness, Trib Trans 40(2) 243-250 (Apr 1997), 10A1258
Steep wave fronts on extrudates of polymer melts and solutions: Lubrication layers and boundary lubrication, J Non-Newtonian Fluid Mech 70(3) 187-203 (Jun 1997), 11A1178
Roughness influence on turbulent flow through annular seals including inertia effects, J Trib 118(1) 175-182 (Jan 1996), 11A1184
Ultra-thin gas squeeze film characteristics for finite squeeze numbers, J Trib 118(1) 201-205 (Jan 1996), 11A1186
Characterization of wear in boundary lubricated spherical roller thrust bearings, Wear 208(1-2) 194-203 (Jul 1997), 12A937
Boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, Wear 208(1-2) 57-60 (Jul 1997), 12A1201
Effect of temperature, substrate type, additive and humidity on the boundary lubrication in a linear perfluoropolyalkylether fluid, Wear 206(1-2) 15-23 (May 1997), 12A1202
Experimental and theoretical analysis of magnetic head-disk interface equilibrium in the "rupture" regime of the starved-liquid bearing, J Trib 119(3) 515-519 (Jul 1997), 12A1203
Scheme for hybrid molecular dynamics-FE analysis of thin film lubrication, Wear 207(1-2) 100-106 (Jun 1997), 12A1204

382C. Hydrodynamic and hydrostatic lubrication

Hydrodynamic lubrication of face seal in a turbulent flow regime, J Trib 118(3) 589-600 (Jul 1996), 1T924
Effect of lubricant supply starvation on the thermohydrodynamic performance of a journal bearing, Trib Trans 39(3) 645-653 (Jul 1996), 1T1121
Laminar flow in hydrostatic circular step bearings with variable gap, Trib Trans 39(3) 547-554 (Jul 1996), 1T1122
Squeeze film force modeling for large amplitude motion using an elliptical velocity profile, J Trib 118(3) 687-692 (Jul 1996), 1A1123
Static and dynamic performance characteristics of an orifice compensated hydrostatic journal bearing with non-Newtonian lubricants, Trib Int 29(6) 515-526 (Sep 1996), 1A1124
Thermohydrodynamic analysis of high-speed journal bearings with surface roughness, J Trib 118(3) 698-701 (Jul 1996), 1A1125
Analysis of a gas lubricated hydrodynamic thrust bearing, J Trib 118(3) 449-456 (Jul 1996), 1A1134
Generalization of thermohydrodynamic analyses for journal bearings, J Trib 118(3) 571-579 (Jul 1996), 1A1142
Study of dynamically loaded engine bearings using a transient thermohydrodynamic analysis, Trib Trans 39(3) 636-644 (Jul 1996), 1A1143
Analysis of steady behavior for electrorheological (ER) "Smart" journal bearings (Chinese), J Dalian Univ Tech 36(4) 402-407 (Jul 1996), 2A1121
Fractal surfaces and hydrodynamic lubrication, Japan J Trib 40(7) 625-634 (1995), 3A1206
Hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, Wear 198(1-2) 156-164 (Oct 1996), 3A1207
Self-excited vibrations in active hydrodynamic bearings, J Brazilian Soc Mech Sci 18(3) 263-272 (Sep 1996), 3A1208
Thermohydrodynamic performance of high-speed journal bearings, Proc Inst Mech Eng J: Eng Trib 210(J3) 179-187 (1996), 3T1209
Dynamic behavior of an unbalanced rotor on lubricated bearings, Trib Trans 39(4) 859-869 (Oct 1996), 4A122
Specific features of the formation of a hydrodynamic-lubricant layer in bearings made of a metalfluoroplastic band, J Machinery Manuf Reliab 2 25-28 (1996), 4A929
Analysis of thermal effects in the yield phase of hydrodynamic lubricant film in plane strain forging, J Trib 118(4) 880-885 (Oct 1996), 4A1155
Analytical, numerical, and experimental investigation of the flow structure in a flooded ball bearing, J Trib 118(4) 865-871 (Oct 1996), 4A1156
Axial load capacity of water-lubricated hydrostatic conical bearings with spiral grooves: On the case

of rigid surface bearings, J Trib 118(4) 893-899 (Oct 1996), 4A1157
Influence of Reynolds number and heat transfer in fluid film lubrication, Mech Res Commun 23(5) 441-448 (Sep-Oct 1996), 4T1158
Lubrication and heat transfer in a crown-compensated press roll, Trib Trans 39(4) 745-756 (Oct 1996), 4A1159
Bulk-flow model for the transition to turbulence regime in annular pressure seals, Trib Trans 39(4) 835-842 (Oct 1996), 4A1168
Hydrodynamic lubrication of squeeze-film porous bearings, Acta Mech 118(1-4) 121-134 (1996), 5A1108
Rubber supported hydrostatic thrust bearings with rigid bearing surfaces, Trib Int 30(1) 47-52 (Jan 1997), 5A1109
Numerical and asymptotic solution of a sixth-order nonlinear diffusion equation and related coupled systems, IMA J Appl Math 57(1) 79-98 (Aug 1996), 6A62
Lubrication analysis of externally pressurized circular porous bearings, Appl Math Model 20(12) 870-876 (Dec 1996), 6A1207
Mechanism of multi-valued friction in unsteady sliding line contacts operating in the regime of mixed-film lubrication, J Trib 119(1) 149-155 (Jan 1997), 7A865
Rotary lip seal operation with an ingested meniscus, J Trib 119(1) 205-210 (Jan 1997), 7A949
Effect of disk warpage-skew on the deflection and vibration of a flexible disk spinning above a base-plate and in contact with a point-head, J Trib 119(1) 64-70 (Jan 1997), 7A1024
Experimental and theoretical rotordynamic characteristics of a hybrid journal bearing, J Trib 119(1) 132-142 (Jan 1997), 7A1193
Analysis of oil-film pressure distribution in porous journal bearings under hydrodynamic lubrication conditions using an improved boundary condition, J Trib 119(1) 171-178 (Jan 1997), 7A1200
Angled injection: Hydrostatic bearings analysis and comparison to test results, J Trib 119(1) 179-187 (Jan 1997), 7T1201
Calculation and measurement of the stiffness and damping coefficients for a low impedance hydrodynamic bearing, J Trib 119(1) 57-63 (Jan 1997), 7A1202
Dynamic characteristics of ER fluid squeeze film damper, JSME Int J Ser C 39(4) 702-707 (Dec 1996), 7A1203
Flow of emulsions in tribological contacts, Wear 200(1-2) 353-364 (Dec 1996), 7A1204
Micro-inertia effects in laminar thin-film flow past a sinusoidal boundary, J Trib 119(1) 211-216 (Jan 1997), 7A1205
Rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, Wear 201(1-2) 45-50 (Dec 1996), 7A1206
Thermohydrodynamic analysis of submerged oil journal bearings considering surface roughness effects, J Trib 119(1) 100-106 (Jan 1997), 7A1220
Influence of fluid film nonlinearity on the experimental determination of dynamic stiffness and damping coefficients for three-lobe journal bearings, Trib Trans 40(1) 49-56 (Jan 1997), 7T1222
Mathematical modeling of the motion of hard contact lenses, European J Appl Math 7(6) 575-594 (Dec 1996), 8A1249
Solution of a contact lens problem, European J Appl Math 7(6) 595-602 (Dec 1996), 8A1250
Numerical simulation of the effects of 3D roughness on hydrodynamic lubrication: Correlation coefficients, J Trib 119(2) 315-322 (Apr 1997), 10A1259
Mixed-lubrication study of journal bearing conformal contacts, J Trib 119(3) 456-461 (Jul 1997), 12A1199
CFD based design techniques for thermal prediction in a generic two-axial groove hydrodynamic journal bearing, J Trib 119(3) 428-436 (Jul 1997), 12A1205
Effects of couple stresses on the lubrication of finite journal bearings, Wear 206(1-2) 171-178 (May 1997), 12A1206
Effects of foil bending rigidity on spacing height characteristics of hydrostatic porous foil bearings for web handling processes, J Trib 119(3) 422-427 (Jul 1997), 12A1207
Modeling of multi-body interaction problems in tribology, Wear 207(1-2) 55-62 (Jun 1997), 12A1208
Oil film thickness measurement in the middle main bearing of a six-cylinder supercharged 9 liter diesel engine using capacitive transducers, Wear 207(1-2) 29-33 (Jun 1997), 12A1209
Pressure and shear flow in a rough hydrodynamic bearing, flow factor calculation, J Trib 119(3) 549-555 (Jul 1997), 12A1210
Transient thermoelastohydrodynamic study of tilting pad journal bearings: Comparison between experimental data and theoretical results, J Trib 119(3) 401-407 (Jul 1997), 12A1211

382D. Elastohydrodynamic lubrication

Elastohydrodynamic lubrication of air-lubricated rollers, J Trib 118(3) 623-628 (Jul 1996), 1A1126
Formation of viscous surface films by polymer solutions: Boundary or elastohydrodynamic lubrication?, Trib Trans 39(3) 720-725 (Jul 1996), 1A1127
High shear rate, high pressure microviscometer, Trib Int 29(7) 547-557 (Nov 1996), 1A1128
Numerical analysis of the nonsteady EHL process in high-speed rotating engine cam-tappet pairs, J Trib 118(3) 637-643 (Jul 1996), 1A1129
Shear stress of elastohydrodynamic lubrication in elliptical contacts, Trib Int 29(7) 597-602 (Nov 1996), 1T1130
Starvation and reflow in a grease-lubricated elastohydrodynamic contact, Trib Trans 39(3) 698-704 (Jul 1996), 1T1131
Thermal EHL analysis of circular contacts with measured surface roughness, J Trib 118(3) 473-483 (Jul 1996), 1A1132
Thermoelastodynamic analysis of fixed geometry thrust bearings including runner deformation, Trib Trans 39(3) 555-562 (Jul 1996), 1A1133
Asperity level conformity in partial EHL - Part I: Its characterization, Wear 197(1-2) 89-97 (Sep 1996), 2A1122
Asperity level conformity in partial EHL - Part II: Its influence in lubrication, Wear 197(1-2) 98-104 (Sep 1996), 2A1123
Elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate, Wear 197(1-2) 1-8 (Sep 1996), 2A1124
Estimation of lubrication conditions for predicting rolling bearing life, J Friction Wear 16(5) 25-27 (1995), 2A1125
Evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, Wear 196(1-2) 180-187 (Aug 1996), 2A1126
Numerical simulation of a point elastohydrodynamic contact in case of complicated geometry of the inlet boundary of a lubricant film, J Friction Wear 16(4) 1-8 (1995), 2A1127
Abnormal phenomena appearing in EHL contacts, J Trib 118(4) 886-892 (Oct 1996), 4A1160
Capillary and viscoelastic effects on elastohydrodynamic lubrication in roller nips, J Trib 118(4) 872-879 (Oct 1996), 4A1161
Development of a spacer layer imaging method for mapping elastohydrodynamic contacts, Trib Trans 39(4) 915-921 (Oct 1996), 4A1162
Effect of slide-to-roll ratio on interior stresses around a dent in EHL contacts, Trib Trans 39(4) 881-889 (Oct 1996), 4T1163
Lubricant effects in the transition from boundary to microelastohydrodynamic lubrication, Trib Trans 39(4) 974-978 (Oct 1996), 4A1164
Model for elastohydrodynamic film failure in contacts between rough surfaces having transverse finish, J Trib 118(4) 847-857 (Oct 1996), 4A1165
Two-dimensional piston ring lubrication - Part II: Elastic ring consideration, Trib Trans 39(4) 870-880 (Oct 1996), 4A1166
Visco-elastohydrodynamic lubrication of line contacts, Wear 199(1) 45-53 (Nov 1996), 4A1167
Thermal lubrication theory of tilting-pad bearings inclusive of pad bending, side leakage and inlet pressure build-up, J Theor Appl Mech 34(4) 781-801 (1996), 4A1172
Solution of the non-Newtonian elastohydrodynamic problem for circular contacts based on a flow continuity method, Proc Inst Mech Eng J: Eng Trib 210(J4) 247-258 (1996), 5A1106
Elastoplastohydrodynamic lubrication with dent effects, Proc Inst Mech Eng J: Eng Trib 210(J4) 233-245 (1996), 5T1110
Determination of viscosity and pressure in an elastohydrodynamic rolling contact by using optical interferometry: A theoretical study, Proc Inst Mech Eng J: Eng Trib 210(J4) 259-268 (1996), 5T1115
Elastohydrodynamic properties of lubricants in refrigerant environments, Trib Trans 40(1) 1-10 (Jan 1997), 7T1207
Influence of an inlet oil meniscus geometry on parameters of a point elastohydrodynamic contact, J Trib 119(1) 112-125 (Jan 1997), 7A1208
Ultrathin liquid film lubrication theory: Calculation method of solvation pressure and its application to the EHL problem, J Trib 119(1) 217-226 (Jan 1997), 7A1209
EHD lubrication characteristics of a new type of ground cylindrical worm gearing, J Mech Des 119(1) 101-107 (Mar 1997), 9A1187
Central and minimum elastohydrodynamic film thickness at high contact pressure, J Trib 119(2) 291-296 (Apr 1997), 10A1260
Elastohydrodynamic lubrication theory of line contacts: Couple stress fluid model, Trib Trans 40(2) 353-359 (Apr 1997), 10A1261
Numerical analysis to the thermoelastohydrodynamic lubrication of a tilting pad inclusive of side leakage, Trib Trans 40(2) 259-266 (Apr 1997), 10A1262
Generic properties of rheological flow curves, J Non-Newtonian Fluid Mech 69(1) 1-14 (Mar 1997), 10A1263
Generalized non-Newtonian fluid model incorporated into elastohydrodynamic lubrication, J Trib 118(1) 74-82 (Jan 1996), 11A1174
Behavior of an elastohydrodynamic lubricant at moderate pressures and high shear rates, J Trib 118(1) 163-168 (Jan 1996), 11A1179
Effects of surface texture on EHL point contacts, J Trib 118(1) 59-66 (Jan 1996), 11A1180
Elastohydrodynamic lubrication by powder slurries, J Trib 118(1) 67-73 (Jan 1996), 11A1181
Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, Proc Inst Mech Eng J: Eng Trib 211(J1) 37-49 (1997), 11T1182
Numerical analysis of the influence of waviness on the film thickness of a circular EHL contact, J Trib 118(1) 153-161 (Jan 1996), 11A1183
Debris denting effects on elastohydrodynamic lubricated contacts, J Trib 119(3) 579-587 (Jul 1997), 12A1212
Efficient and accurate calculation of traction in elastohydrodynamic contacts, Wear 206(1-2) 113-121 (May 1997), 12A1213
Elastohydrodynamic lubrication model of connecting rod big-end bearings: Application to real engines, J Trib 119(3) 568-578 (Jul 1997), 12A1214
Expedient approach to the non-Newtonian thermal EHL in heavily loaded point contacts, Wear 206(1-2) 100-112 (May 1997), 12A1215
Modeling rotary lip seals, Wear 207(1-2) 92-99 (Jun 1997), 12A1216
Numerical analysis of grease thermal elastohydrodynamic lubrication problems using the Herschel-Bulkley model, Trib Int 30(6) 401-408 (Jun 1997), 12T1217
Point contact EHL based on optically measured 3D rough surfaces, J Trib 119(3) 375-384 (Jul 1997), 12A1218
Surface roughness and structural inertia in a mode-based mass-conserving elastohydrodynamic lubrication model, J Trib 119(3) 449-455 (Jul 1997), 12A1219
Transient non-Newtonian elastohydrodynamic lubrication analysis of an involute spur gear, Wear 207(1-2) 67-73 (Jun 1997), 12A1220

382E. Liquid lubricants

Starvation and reflow in a grease-lubricated elastohydrodynamic contact, Trib Trans 39(3) 698-704 (Jul 1996), 1T1131
Antiwear and expressure properties of some oil-water double soluble rare earth complexes - Part 2: Their tribological behavior is liquid paraffin, Wear 196(1-2) 193-196 (Aug 1996), 2A1128
Antiwear and extreme pressure properties of some oil-water double soluble rare earth complexes - Part 1: Their tribological behavior in water, Wear 196(1-2) 188-192 (Aug 1996), 2A1129
Lubricity of fluorine-organic additives at mixed lubrication, J Friction Wear 16(4) 101-105 (1995), 2A1130
Nonlinear model of vibrations in rotor-bearings system - Part I: Calculation algorithm, Trans Inst Fluid-Flow Machinery 0(100) 91-107 (1996), 2A1131
Tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, Wear 196(1-2) 87-91 (Aug 1996), 2A1132
Tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum N-salicylidene derivative of malonic dihydrazide, Wear 196(1-2) 234-237 (Aug 1996), 2A1133
Active control of instabilities in laminar boundary layers: Overview and concept validation, J Fluids Eng 118(3) 494-497 (Sep 1996), 4A371
Axial load capacity of water-lubricated hydrostatic conical bearings with spiral grooves: On the case of rigid surface bearings, J Trib 118(4) 893-899 (Oct 1996), 4A1157
Capillary and viscoelastic effects on elastohydrodynamic lubrication in roller nips, J Trib 118(4) 872-879 (Oct 1996), 4A1161
Bulk-flow model for the transition to turbulence regime in annular pressure seals, Trib Trans 39(4) 835-842 (Oct 1996), 4A1168
Discrete nature of ultra-thin lubrication film between mica surfaces, J Trib 118(4) 832-838 (Oct 1996), 4A1169
Factored-implicit finite difference solution of a non-Newtonian fluid lubrication equation for 3D bearings, J Trib 118(4) 824-831 (Oct 1996), 4A1170
Surface roughness effects in journal bearings with non-Newtonian lubricants, Trib Trans 39(4) 819-826 (Oct 1996), 4A1171
Effects of a piezoviscous lubricant on the dynamics of a journal bearing, J Rheol 40(6) 1239-1266 (Nov-Dec 1996), 5A1111
Fluid film lubrication mechanism of emulsion, Japan J Trib 40(8) 743-752 (1995), 5T1112
Experimental and theoretical rotordynamic characteristics of a hybrid journal bearing, J Trib 119(1) 132-142 (Jan 1997), 7A1193
Fractionation of liquid lubricants at solid surfaces, Wear 200(1-2) 336-345 (Dec 1996), 7A1210
Pressure and temperature dependence of the density of liquid lubricants, Wear 201(1-2) 58-63 (Dec 1996), 7A1211
Shear of confined perfluorinated molecules: Effect of side branching, Wear 200(1-2) 346-352 (Dec 1996), 7A1212
Study of antiwear effect of phosphorus-containing additive in low-viscous oil, J Friction Wear 17(2) 51-55 (1996), 7A1213
Tribology of Hydraulic Pump Testing (ASTM, 1997) 8N22
Continuous flow stirred tank reactor model and used oil volume corrections in condition monitoring, Trib Int 30(4) 271-274 (Apr 1997), 9T1393
Generic properties of rheological flow curves, J Non-Newtonian Fluid Mech 69(1) 1-14 (Mar 1997), 10A1263
High resolution electron energy loss spectroscopy of low vapor pressure liquid lubricants: Fomblin Y and Z, Trib Letters 3(2) 205-208 (Apr 1997), 10A1264
Hydrodynamic segregation, entrainment and rejection of oil in emulsion lubrication problems, J Trib 119(2) 342-348 (Apr 1997), 10A1265
Steep wave fronts on extrudates of polymer melts and solutions: Lubrication layers and boundary lubrication, J Non-Newtonian Fluid Mech 70(3) 187-203 (Jun 1997), 11A1178
Behavior of an elastohydrodynamic lubricant at moderate pressures and high shear rates, J Trib 118(1) 163-168 (Jan 1996), 11A1179
Roughness influence on turbulent flow through annular seals including inertia effects, J Trib 118(1) 175-182 (Jan 1996), 11A1184
Turbulent flow, flexure-pivot hybrid bearings for cryogenic applications, J Trib 118(1) 190-200 (Jan 1996), 11A1185
Thermohydrodynamic analysis of tilting-pad journal bearings operating in turbulent flow regime, J Trib 118(1) 225-231 (Jan 1996), 11A1191
Effect of lubricant additives on the transition pressure from mild to severe wear for grey cast iron sliding pairs, Wear 208(1-2) 1-10 (Jul 1997), 12A943
Investigation of the anti-wear characteristics of palm oil methyl ester using a four-ball tribometer test, Wear 206(1-2) 179-186 (May 1997), 12A952
Effect of pressurized gases on the viscosity of polyalkylene glycols, Wear 207(1-2) 24-28 (Jun 1997), 12A1221
Environmentally adapted hydraulic oils, Wear 207(1-2) 41-45 (Jun 1997), 12A1222
Investigation into the molecular stability of zinc dialkyl-di-thiophosphates (ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, Wear 208(1-2) 138-146 (Jul 1997), 12A1223
Phospholipids as boundary lubricants in wear tests of prosthetic joint materials, Wear 207(1-2) 86-91 (Jun 1997), 12A1224

382F. Gas lubricants

Elastohydrodynamic lubrication of air-lubricated rollers, J Trib 118(3) 623-628 (Jul 1996), 1A1126
Analysis of a gas lubricated hydrodynamic thrust bearing, J Trib 118(3) 449-456 (Jul 1996), 1A1134
Characteristics of air bearing suction force in magnetic recording disks, J Trib 118(3) 549-554 (Jul 1996), 1A1135
Speed dependence, takeoff and stiction of a new class of gas bearing sliders, Trib Trans 39(3) 603-608 (Jul 1996), 1A1136
Numerical solution for the gas lubrication problem, J Friction Wear 16(5) 28-32 (1995), 2A1134
Computational results of a dynamic simulation of the conforming shell gas journal bearing, Trib Int 30(2) 151-162 (Feb 1997), 5T866
Modeling pressure distribution in a rectangular gas bearing using neural networks, Trib Int 30(2) 139-150 (Feb 1997), 5A867
Empirical correlations for the pressure depression in externally pressurized gas bearings, Trib Int 30(1) 59-67 (Jan 1997), 5T1113
Present state and future perspective of tribology: Special issue on Commemoration of the 40th Anniversary of the Foundation of JAST, Japan J Trib 41(1) 1-88 (1996), 7T867
Breakdown under contact conditions of Reynolds equation for gas lubricated bearings, J Trib 119(1) 71-75 (Jan 1997), 7A1214
Stability of gas lubricated triboelements using the step jump method, J Trib 119(1) 193-199 (Jan 1997), 7A1215
Transient analysis of gas-lubricated journal bearing systems by differential quadrature, J Trib 119(1) 91-99 (Jan 1997), 7A1216
Ultra-thin gas squeeze film characteristics for finite squeeze numbers, J Trib 118(1) 201-205 (Jan 1996), 11A1186
Determination of accommodation coefficients for N_2 at disk-drive air-bearing surfaces, J Trib 119(3) 588-589 (Jul 1997), 12A1225
Floating characteristics of squeeze-film gas bearings with vibration absorber for linear motion guide, J Trib 119(3) 531-536 (Jul 1997), 12A1226

Theoretical and experimental investigation of an externally pressurized porous annular thrust gas bearing and its optimal design, J Trib 119(3) 486-492 (Jul 1997), 12A1227

382H. Other lubricants

Starting and steady-state friction torque of grease-lubricated rolling element bearings at low temperatures - Part I: A parametric study, Trib Trans 39(3) 517-526 (Jul 1996), 1T920
Friction model of thin solid film lubrication, J Trib 118(3) 693-697 (Jul 1996), 1A1137
Generalized boundary interactions for powder lubricated Couette flows, J Trib 118(3) 580-588 (Jul 1996), 1A1138
Performance of a powder lubricated journal bearing with WS, powder: Experimental study, J Trib 118(3) 484-491 (Jul 1996), 1A1139
Rheological and physical studies of lubricating greases before and after use in bearings, J Trib 118(3) 681-686 (Jul 1996), 1T1140
Performance of gland packings from soft chemical fibers, J Friction Wear 16(4) 125-127 (1995), 2A1135
Tribological behavior and application of rare earth lubricants, Wear 197(1-2) 206-210 (Sep 1996), 2A1136
Tribological behavior of olefin additives, J Friction Wear 16(4) 110-114 (1995), 2A1137
Ferro-fluid lubricated bearings for a polygon mirror motor, Proc Inst Mech Eng J: Eng Trib 210(J3) 199-204 (1996), 3T1210
Present state and future perspective of tribology: Special issue on Commemoration of the 40th Anniversary of the Foundation of JAST, Japan J Trib 41(1) 1-88 (1996), 7T867
Average Reynolds equation for non-Newtonian fluid with application to the lubrication of the magnetic head-disk interface, Trib Trans 40(1) 111-119 (Jan 1997), 7A1197
Nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, Wear 201(1-2) 10-14 (Dec 1996), 7A1217
Hydrodynamic segregation, entrainment and rejection of oil in emulsion lubrication problems, J Trib 119(2) 342-348 (Apr 1997), 10A1265
Analysis of powder lubricated slider bearings, J Trib 118(1) 206-214 (Jan 1996), 11A1187
Low speed mixed lubrication of bulk metal forming processes, J Trib 118(1) 83-89 (Jan 1996), 11A1188
Effect of discontinuous hard under-coating on the life of solid film lubricant under extreme contact pressure, Trib Int 30(6) 429-434 (Jun 1997), 12A941
Modeling of multi-body interaction problems in tribology, Wear 207(1-2) 55-62 (Jun 1997), 12A1208
Formation and characterization of self-lubricating MoS_2 precursor films on anodized aluminium, Wear 206(1-2) 187-196 (May 1997), 12A1228
Sintered iron-based antifriction materials with added β-SiC, Wear 206(1-2) 1-7 (May 1997), 12A1229

382J. Thermal and thermoelastic effects

Effect of lubricant supply starvation on the thermohydrodynamic performance of a journal bearing, Trib Trans 39(3) 645-653 (Jul 1996), 1T1121
Thermohydrodynamic analysis of high-speed journal bearings with surface roughness, J Trib 118(3) 698-701 (Jul 1996), 1A1125
Experimental study of thermal effects in tilting-pad journal bearings at high operating speeds, J Trib 118(3) 532-538 (Jul 1996), 1T1141
Generalization of thermohydrodynamic analyses for journal bearings, J Trib 118(3) 571-579 (Jul 1996), 1A1142
Study of dynamically loaded engine bearings using a transient thermohydrodynamic analysis, Trib Trans 39(3) 636-644 (Jul 1996), 1A1143
Contact temperature of rough surfaces at mixed lubrication, J Friction Wear 16(5) 17-24 (1995), 2A1138
Thermohydrodynamic performance of high-speed journal bearings, Proc Inst Mech Eng J: Eng Trib 210(J3) 179-187 (1996), 3T1209
Rolling-element bearing internal temperatures, Trib Trans 39(4) 855-858 (Oct 1996), 4A928
Analysis of thermal effects in the yield phase of hydrodynamic lubricant film in plane strain forging, J Trib 118(4) 880-885 (Oct 1996), 4A1155
Influence of Reynolds number and heat transfer in fluid film lubrication, Mech Res Commun 23(5) 441-448 (Sep-Oct 1996), 4T1158
Lubrication and heat transfer in a crown-compensated press roll, Trib Trans 39(4) 745-756 (Oct 1996), 4A1159
Thermal lubrication theory of tilting-pad bearings inclusive of pad bending, side leakage and inlet pressure build-up, J Theor Appl Mech 34(4) 781-801 (1996), 4A1172
Application of the pseudospectral method to thermohydrodynamic lubrication, Int J Numer Methods Fluids 23(11) 1145-1161 (Dec 1996), 6A1208
Elastohydrodynamic properties of lubricants in refrigerant environments, Trib Trans 40(1) 1-10 (Jan 1997), 7T1207
Combined effects of lubricant inertia and viscous dissipation in long bearings, J Trib 119(1) 76-84 (Jan 1997), 7A1218
FFT thermoelastic solutions for moving heat sources, J Trib 119(1) 156-162 (Jan 1997), 7A1219
Thermohydrodynamic analysis of submerged oil journal bearings considering surface roughness effects, J Trib 119(1) 100-106 (Jan 1997), 7A1220
Boiling interface in a misaligned two-phase mechanical seal, J Trib 119(2) 265-272 (Apr 1997), 10A1266
Pseudospectral-finite difference analysis of an infinitely wide slider bearing with thermal and inertial effects, Trib Trans 40(2) 251-258 (Apr 1997), 10A1267
Additive Ep-condition and the critical scuffing limit for rolling-sliding, J Trib 118(1) 125-130 (Jan 1996), 11A838
Global approach of thermal effects including pad deformations in tilting-pad journal bearings submitted to unbalance load, J Trib 118(1) 169-174 (Jan 1996), 11A853
Elastohydrodynamic lubrication by powder slurries, J Trib 118(1) 67-73 (Jan 1996), 11A1181
Turbulent flow, flexure-pivot hybrid bearings for cryogenic applications, J Trib 118(1) 190-200 (Jan 1996), 11A1185
Effect of intermittent contact on the stability of thermoelastic sliding contact, J Trib 118(1) 102-108 (Jan 1996), 11A1189
Thermal analysis of noncircular bearings, J Trib 118(1) 246-254 (Jan 1996), 11A1190
Thermohydrodynamic analysis of tilting-pad journal bearings operating in turbulent flow regime, J Trib 118(1) 225-231 (Jan 1996), 11A1191
Thermohydrodynamic design charts for tilting-pad journal bearings, J Trib 118(1) 232-238 (Jan 1996), 11A1192
Transient thermoelastohydrodynamic study of tilting pad journal bearings: Comparison between experimental data and theoretical results, J Trib 119(3) 401-407 (Jul 1997), 12A1211

382K. Multiphase lubricant, cavitation, and surface tension

Efficient numerical procedure for thermohydrodynamic analysis of cavitating bearings, J Trib 118(3) 555-563 (Jul 1996), 1A1144
Two-dimensional piston ring lubrication - Part II: Elastic ring consideration, Trib Trans 39(4) 870-880 (Oct 1996), 4A1166
Hydrodynamic effects on the boiling interface in a misaligned, two-phase, mechanical seal: A qualitative study, Trib Trans 39(4) 922-928 (Oct 1996), 4A1173
Experimental and theoretical analysis of magnetic head-disk interface equilibrium in the "rupture" regime of the starved-liquid bearing, J Trib 119(3) 515-519 (Jul 1997), 12A1203
Debris denting effects on elastohydrodynamic lubricated contacts, J Trib 119(3) 579-587 (Jul 1997), 12A1212

382L. Lubrication systems

Estimation of lubricating conditions in standard rolling-contact bearings: Calculation of ball bearings, Russian Aeronaut 38(4) 30-33 (1995), 1A916
Inertia effect in multilobe conical bearing with an incompressible Newtonian lubricant, Appl Mech Eng 1(2) 153-171 (1996), 4A1174
Lubrication system of a jet engine, Japan J Trib 40(10) 1031-1039 (1995), 5T1114

382Y. Computational techniques

Elastohydrodynamic lubrication analysis of layered linc contact by the BEM, Int J Numer Methods Eng 39(15) 2531-2554 (Aug 1996), 1A1145
Numerical simulation of a point elastohydrodynamic contact in case of complicated geometry of the inlet boundary of a lubricant film, J Friction Wear 16(4) 1-8 (1995), 2A1127
Factored-implicit finite difference solution of a non-Newtonian fluid lubrication equation for 3D bearings, J Trib 118(4) 824-831 (Oct 1996), 4A1170
Computational results of a dynamic simulation of the conforming shell gas journal bearing, Trib Int 30(2) 151-162 (Feb 1997), 5T866
Application of the pseudospectral method to thermohydrodynamic lubrication, Int J Numer Methods Fluids 23(11) 1145-1161 (Dec 1996), 6A1208
Efficient computation model for calculating surface contact pressures using measured surface roughness, Trib Trans 40(2) 243-250 (Apr 1997), 10A1258
Numerical simulation of the effects of 3D roughness on hydrodynamic lubrication: Correlation coefficients, J Trib 119(2) 315-322 (Apr 1997), 10A1259
Numerical analysis to the thermoelastohydrodynamic lubrication of a tilting pad inclusive of side leakage, Trib Trans 40(2) 259-266 (Apr 1997), 10A1262
Numerical analysis of the influence of waviness on the film thickness of a circular EHL contact, J Trib 118(1) 153-161 (Jan 1996), 11A1183
CFD based design techniques for thermal prediction in a generic two-axial groove hydrodynamic journal bearing, J Trib 119(3) 428-436 (Jul 1997), 12A1205
Numerical analysis of grease thermal elastohydrodynamic lubrication problems using the Herschel-Bulkley model, Trib Int 30(6) 401-408 (Jun 1997), 12T1217
Floating characteristics of squeeze-film gas bearings with vibration absorber for linear motion guide, J Trib 119(3) 531-536 (Jul 1997), 12A1226

382Z. Experimental techniques

High shear rate, high pressure microviscometer, Trib Int 29(7) 547-557 (Nov 1996), 1A1128
Analytical and computational investigation of high-rate rheometry, J Trib 118(3) 601-607 (Jul 1996), 1A1146
Experimental study of freely alignable journal bearings - Part 2: Dynamic characteristics, J Trib 118(3) 503-508 (Jul 1996), 1A1147
Nonlinear model of vibrations in rotor-bearings system - Part I: Calculation algorithm, Trans Inst Fluid-Flow Machinery 0(100) 91-107 (1996), 2A1131
Thickness of lubricating films in tests of tooth gears, J Friction Wear 16(4) 128-130 (1995), 2A1139
Development of a spacer layer imaging method for mapping elastohydrodynamic contacts, Trib Trans 39(4) 915-921 (Oct 1996), 4A1162
Discrete nature of ultra-thin lubrication film between mica surfaces, J Trib 118(4) 832-838 (Oct 1996), 4A1169
Determination of viscosity and pressure in an elastohydrodynamic rolling contact by using optical interferometry: A theoretical study, Proc Inst Mech Eng J: Eng Trib 210(J4) 259-268 (1996), 5T1115
Experimental and computational contact stress evaluation - Part 1: Review, J Friction Wear 17(2) 100-109 (1996), 7A932
Experimental-analytical study of high-speed, high-load rolling-sliding contacts with ultra-low viscosity fluids, Trib Trans 40(1) 41-48 (Jan 1997), 7A1194
Development of scientific concepts and engineering methods of evaluation and provision of reliability of transport tribosystems, J Friction Wear 17(2) 97-99 (1996), 7A1221
Influence of fluid film nonlinearity on the experimental determination of dynamic stiffness and damping coefficients for three-lobe journal bearings, Trib Trans 40(1) 49-56 (Jan 1997), 7T1222
System analysis in tribological tests, J Friction Wear 17(2) 24-31 (1996), 7A1223
On-line condition monitoring system linked by fiber-optic digital network, Trib Int 30(4) 275-278 (Apr 1997), 9A946
Measurements of static loading versus eccentricity in a flexure-pivot tilting pad journal bearing, J Trib 119(2) 297-305 (Apr 1997), 10A996
Central and minimum elastohydrodynamic film thickness at high contact pressure, J Trib 119(2) 291-296 (Apr 1997), 10A1260
High resolution electron energy loss spectroscopy of low vapor pressure liquid lubricants: Fomblin Y and Z, Trib Letters 3(2) 205-208 (Apr 1997), 10A1264
Comparison of the low-speed frictional characteristics of silicon nitride and steel balls using conventional lubricants, J Trib 118(1) 43-51 (Jan 1996), 11T835
Loss of lubricant from oil-lubricated near-starved spherical roller bearings, Proc Inst Mech Eng J: Eng Trib 211(J1) 51-66 (1997), 11T854
Oil film thickness measurement in the middle main bearing of a six-cylinder supercharged 9 liter diesel engine using capacitive transducers, Wear 207(1-2) 29-33 (Jun 1997), 12A1209
Point contact EHL based on optically measured 3D rough surfaces, J Trib 119(3) 375-384 (Jul 1997), 12A1218
Lubrication of slow rolling contacts: The NASA ball on plate tribometer, J Trib 119(3) 525-530 (Jul 1997), 12A1230
Screening the performance of lubricants for the ironing of stainless steel with a strip reduction test, Wear 207(1-2) 1-5 (Jun 1997), 12A1231

384. FLOW MEASUREMENTS AND VISUALIZATION

384B. Velocity

Three-dimensional velocity measurements within Gortler vortices, AIAA J 34(8) 1736-1739 (Aug 1996), 2T1140
Calibration of a four-hole pyramid probe and area traverse measurements in a short-duration transonic turbine cascade tunnel, Exp Fluids 21(4) 302-311 (Aug 1996), 3A1204
Angular bias errors in three-component laser velocimeter measurements, J Fluids Eng 118(3) 555-561 (Sep 1996), 4A1175
Viscosity correction factor for rotameter, J Fluids Eng 118(3) 569-573 (Sep 1996), 4A1176
Flow visualization by velocity-pressure cross-correlation, J Fluids Eng 118(3) 486-493 (Sep 1996), 4A1177
Flow measurement in an impinging jet cell with three-segment microelectrodes, Exp Fluids 22(1) 87-93 (Nov 1996), 6A1209
New two-frame particle tracking algorithm using match probability, Exp Fluids 22(1) 23-32 (Nov 1996), 6A1210
Planar measurements of droplet velocities and sizes within a simplex atomizer, AIAA J 35(1) 127-132 (Jan 1997), 6A1211
Phase Doppler anemometer: Commissioning tests for measurement of water aerosol sizes and velocities in flashing jets, Nucl Eng Des 166(3) 443-452 (Nov 1996), 6A1501
Effects of velocity fluctuations on a vane anemometer (French), European J Mech Eng 41(4) 197-202 (1996), 7A1224
Improved method for measuring velocity and concentration by thermo-anemometry in turbulent helium-air mixtures, Exp Fluids 22(2) 174-182 (Dec 1996), 7A1225
New approach to enhance the sensitivity of a hot-wire anemometer and static response analysis of a variable-temperature anemometer, Exp Fluids 22(3) 212-219 (Jan 1997), 8A1251
Simultaneous wall shear rate measurements by a three segmented electrodiffusion probe and laser-Doppler-anemometry, Exp Fluids 22(4) 281-285 (Feb 1997), 8A1252
Three-dimensional measurements in a non-axisymmetric flow experiment using a one- or two-component laser-Doppler anemometer, Exp Fluids 22(4) 345-347 (Feb 1997), 8A1253
Directionally sensitive hot-wire anemometer, Exp Fluids 22(6) 458-462 (Apr 1997), 10A1268
Particle image velocimetry: A review, Proc Inst Mech Eng C 211(C1) 55-76 (1997), 10A1269
Measurement of air flowrate by using an integration type ultrasonic flow meter applicable for spark ignition engine control, Proc Inst Mech Eng D 211(D2) 129-135 (1997), 11A1193
Flow behavior with an oscillating motion of the impinging jet in a dump diffuser combustor, J Eng Gas Turbines Power 118(1) 65-71 (Jan 1996), 11A1403
Secondary flow in a vortex tube, Fluid Dyn Res 21(2) 73-86 (Aug 1997), 12A1067
Effects of Coriolis force on flow in rotating diffusers, AIAA J 35(7) 1164-1170 (Jul 1997), 12A1181
Freestream parameter estimation using heat flux measurements, AIAA J 35(7) 1238-1240 (Jul 1997), 12T1232
Freestream velocity corrections for 2D testing with splitter plates, AIAA J 35(7) 1195-1200 (Jul 1997), 12A1233
Holographic diffraction image velocimetry for measurement of 3D velocity fields, AIAA J 35(7) 1201-1203 (Jul 1997), 12A1234
Resolution effects in chaotic velocity field reconstruction from passive scalar data, AIAA J 35(7) 1241-1243 (Jul 1997), 12T1235

384D. Force and skin friction

Force identification by vorticity fields: Techniques based on flow imaging, J Fluids Struct 10(6) 663-668 (Aug 1996), 3A979
Holographic sensor for measurement of wall velocity gradients, Exp Fluids 21(6) 469-476 (Oct 1996), 5A1053
Combined PIV-LIF-system for the measurement of heterogeneous drag reduction effects in a pipe-flow, Exp Fluids 22(4) 292-299 (Feb 1997), 8A1140
Measuring instantaneous fluid dynamic forces on bodies, using only velocity fields and their derivatives, J Fluids Struct 11(3) 345-350 (Apr 1997), 11A227

Wind-tunnel test of flow through Mars pathfinder Lander, J Spacecraft Rockets 34(3) 265-271 (May-Jun 1997), 12T1236

384E. Pressure

Effects of intense sound on static pressure measurements in flow ducts, J Sound Vib 195(2) 285-299 (Aug 1996), 2A1141
Small silicon pressure transducers for space-time correlation measurements in a flat plate boundary layer, J Fluids Eng 118(3) 457-463 (Sep 1996), 4A1041
Flow visualization by velocity-pressure cross-correlation, J Fluids Eng 118(3) 486-493 (Sep 1996), 4A1177
Nd: YAG laser-based dual-line Rayleigh scattering system, AIAA J 35(5) 776-781 (May 1997), 10A1272
Effects of Coriolis force on flow in rotating diffusers, AIAA J 35(7) 1164-1170 (Jul 1997), 12A1181
Limiting Mach number for quantitative pressure-sensitive paint measurements, AIAA J 35(7) 1240-1241 (Jul 1997), 12T1237
Investigation of wedge probe wall proximity effects - Part 1: Experimental study, J Eng Gas Turbines Power 119(3) 598-604 (Jul 1997), 12A1241
Investigation of wedge probe wall proximity effects - Part 2: Numerical and analytical modeling, J Eng Gas Turbines Power 119(3) 605-611 (Jul 1997), 12A1242

384F. Density

Modeling the response of a vibrating-element density meter in a two-phase mixture, J Fluid Mech 340 343-360 (Jun 1997), 11A1016
Freestream parameter estimation using heat flux measurements, AIAA J 35(7) 1238-1240 (Jul 1997), 12T1232

384G. Concentration

Surface concentration measurement of a spreading monolayer film using a displacement current technique, Appl Sci Res 55(3) 261-282 (Oct 1995), 1A1148
New method for measuring time constants of a thermocouple wire in varying flow states, Exp Fluids 21(5) 380-386 (Sep 1996), 4A1178
Technique for the heat flux determination in an aerophysical experiment, Thermophys and Aeromech 3(2) 157-163 (1996), 5T1116
Improved method for measuring velocity and concentration by thermo-anemometry in turbulent helium-air mixtures, Exp Fluids 22(2) 174-182 (Dec 1996), 7A1225
Planar laser induced fluorescence technique for measurements of concentration fields in continuous stirred tank reactors, Exp Fluids 22(2) 95-102 (Dec 1996), 7A1226
Method of temperature fields registration using liquid-crystal coatings, Thermophys and Aeromech 3(4) 317-326 (1996), 8T1254
Sync laser measurement of two-phase of vapor and liquid and 3D concentration of fuel spray (Chinese), J Dalian Univ Tech 37(1) 78-82 (Jan 1997), 10A1270
High-frequency heat flux sensor calibration and modeling, J Fluids Eng 117(4) 659-664 (Dec 1995), 11A1269

384H. Mass flow

Fluidic flowmetering device for remote measurement, Proc Inst Mech Eng E 210(E2) 93-100 (1996), 1A1149
Identification of the flowrate based upon a solution of an inverse heat transfer problem, Acta Mech 119(1-4) 13-23 (1996), 6A1230
Double packer permeameter with long packers: An approximate analytical solution, Appl Sci Res 56(4) 281-297 (1996), 8A1255
Double packer permeameter with narrow packers: Analytical solution for non-steady flow, Appl Sci Res 56(4) 255-279 (1996), 8A1256
Estimating film flow rate in a venturi scrubber, Particulate Sci Tech 15(1) 65-76 (Jan-Mar 1997), 11A1194

384J. Flow direction, vorticity

Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, Exp Fluids 21(3) 161-169 (Jul 1996), 2A1100
Flow characteristics and shear-layer vortex shedding of double concentric jets, AIAA J 35(5) 887-892 (May 1997), 10A1188
Natural coherent structure dynamics in near field of fully turbulent axisymmetric jet, AIAA J 35(7) 1171-1178 (Jul 1997), 12A1238

384L. Flow visualization

Free convection heat transfer around a horizontal ice cylinder formed through melting within an immiscible liquid, Heat and Mass Transfer Warme 31(6) 419-426 (Aug 1996), 2A1162
Comparison of visualization of Stokes flow in a V-shaped and rectangular channel, Fluid Dyn Res 18(6) 307-312 (Nov 1996), 4A971
Changes of longitudinal vortex roll structure in a mixed convective air flow through a horizontal plane channel: An experimental study, Int J Heat Mass Transfer 40(2) 347-363 (Jan 1997), 4A1205
Combined forced and natural convection heat transfer in a deep lid-driven cavity flow, Int J Heat Fluid Flow 17(5) 460-467 (Oct 1996), 4A1206
Structures of moving transverse and mixed rolls in mixed convection of air in a horizontal plane channel, Int J Heat Mass Transfer 40(2) 333-346 (Jan 1997), 4A1209
Transport of vortices through a turbine cascade, J Turbomachinery 118(4) 654-662 (Oct 1996), 5A1097
Flow patterns of mixed convection in a horizontal square channel flow, Exp Heat Transfer 9(3) 257-265 (Jul-Sep 1996), 5A1167
Flow structure and temperature measurements in a 3D vertical free convective enclosure at high Rayleigh numbers, Int J Heat Mass Transfer 40(6) 1467-1480 (Apr 1997), 6A1238
Image techniques and analysis in fluid dynamics, Appl Sci Res 56(2-3) 79-242 (1996), 7A1227
Flow visualization and numerical simulation of transverse and mixed vortex roll formation in mixed convection of air in a horizontal flat duct, Int J Heat Mass Transfer 40(8) 1907-1922 (May 1997), 7A1258
Interstage disk-cavity brush seal numerical flow visualization study, Int J Turbo Jet Engines 13(2) 75-90 (1996), 8A1061
Visualization of flow structures in low Reynolds turbulent open-channel flows, Mech Res Commun 24(1) 33-40 (Jan-Feb 1997), 8T1204
Flow visualization in a linear turbine cascade of high performance turbine blades, J Turboenachinery 119(1) 1-8 (Jan 1997), 8A1257
New methodology for the measurement of surface shear stress vector distributions, AIAA J 35(4) 608-614 (Apr 1997), 9A1188
Simultaneous, full-surface visualizations of transition and separation using liquid crystal coatings, AIAA J 35(4) 615-616 (Apr 1997), 9T1189
Steady natural convection in a two-layer system of immiscible liquids, Int J Heat Mass Transfer 40(12) 2799-2812 (Aug 1997), 9A1220
Flow characteristics and aerodynamic losses of film-cooling jets with compound angle orientations, J Turbomachinery 119(2) 310-319 (Apr 1997), 10A1254
Photoelastic tomography for 3D flow birefringence studies, Inverse Prob 13(2) 215-221 (Apr 1997), 10A1271
Visualization of the flow of a thermotropic liquid crystalline polymer in a tube with a conical contraction, J Non-Newtonian Fluid Mech 69(2-3) 207-219 (Apr 1997), 11A898
Flow over tube banks: A visualization study, J Fluids Eng 119(2) 480-483 (Jun 1997), 11T955
Rear fuselage transonic flow characteristics for a complete wing-body configuration, J Aircraft 34(3) 337-345 (May-Jun 1997), 11A1147
Heat transfer gallery, J Heat Transfer 119(2) 201 (May 1997), 11T1195
Oscillatory natural convection of water near the density extremum at high Rayleigh numbers, Int J Heat Mass Transfer 40(14) 3449-3465 (Sep 1997), 11A1235
Effects of horizontal fins on natural-convective heat transfer in a square enclosure, Exp Heat Transfer 10(2) 119-131 (Apr-Jun 1997), 12A1262

384M. Laser and other optical techniques

Three-dimensional measurement of head flying height and attitude using image processing of fringe patterns formed by Michelson laser interferometry, J Trib 118(3) 564-570 (Jul 1996), 1T901
Computer-controlled multiparameter flowfield measurements using planar laser-induced iodine fluorescence, AIAA J 34(8) 1604-1611 (Aug 1996), 2A1142
Fundamental gain suppression mechanisms in a continuous wave hydrogen fluoride overtone laser, AIAA J 34(8) 1589-1594 (Aug 1996), 2A1143
Heuristic method for evaluating coil performance, AIAA J 34(8) 1595-1603 (Aug 1996), 2A1144
Seed particle dynamics in tip vortex flows, J Aircraft 33(4) 823-825 (Jul-Aug 1996), 2T1145
Suggestive correctional methods for PIV image biasing caused by a rotating mirror system, Exp Fluids 21(3) 201-208 (Jul 1996), 2A1146
Ground-based remote sensing of the atmospheric boundary layer: 25 years of progress, Boundary-Layer Meteorol 78(3-4) 321-349 (Mar 1996), 2T1417
Double-camera measurements of plumes, applied to wind field characterization and dispersion studies, Boundary-Layer Meteorol 79(1-2) 1-21 (Apr 1996), 2A1421
Automatic liquid crystal thermography for transient heat transfer measurements in hypersonic flow, Exp Fluids 21(4) 227-236 (Aug 1996), 3A1055
Use of caged fluorescent dyes for the study of turbulent passive scalar mixing, Exp Fluids 21(4) 237-242 (Aug 1996), 3A1154
Three-dimensional PIV spatial correlation in a color-coded light-sheet, Exp Fluids 21(4) 312-314 (Aug 1996), 3A1211
Development of a full-field planar Mie scattering technique for evaluating swirling mixers, Exp Fluids 21(5) 325-330 (Sep 1996), 4A1179
Image shifting for PIV using birefringent and ferroelectric liquid crystals, Exp Fluids 21(5) 341-346 (Sep 1996), 4A1180
Key technique of laser measurement of fuel spray field (Chinese), J Dalian Univ Tech 36(5) 538-542 (Sep 1996), 4A1181
Combined laser Doppler velocimetry and cross-wire anemometry analysis for supersonic turbulent flow, AIAA J 34(11) 2269-2275 (Nov 1996), 5A954
Holographic sensor for measurement of wall velocity gradients, Exp Fluids 21(6) 469-476 (Oct 1996), 5A1053
Cross correlation PIV technique using electro-optical image separation, Exp Fluids 21(6) 410-416 (Oct 1996), 5A1117
Method of tracking ensembles of particle images, Exp Fluids 21(6) 465-468 (Oct 1996), 5A1118
Phase step holographic interferometry applied to hypervelocity, non-equilibrium cylinder flow, Exp Fluids 22(1) 57-66 (Nov 1996), 6A1197
New two-frame particle tracking algorithm using match probability, Exp Fluids 22(1) 23-32 (Nov 1996), 6A1210
Power dependence of chemical oxygen-iodine lasers on iodine dissociation, AIAA J 34(12) 2569-2574 (Dec 1996), 6A1212
Spatial correlation technique for estimating velocity fields using molecular tagging velocimetry, Exp Fluids 22(1) 67-77 (Nov 1996), 6A1213
Image registration for pressure-sensitive paint applications, Exp Fluids 22(1) 78-86 (Nov 1996), 6A1217
Planar laser induced fluorescence technique for measurements of concentration fields in continuous stirred tank reactors, Exp Fluids 22(2) 95-102 (Dec 1996), 7A1226
Image techniques and analysis in fluid dynamics, Appl Sci Res 56(2-3) 79-242 (1996), 7A1227
Adoption of a genetic algorithm for tomographic reconstruction of line-of-sight optical images, Exp Fluids 22(2) 137-143 (Dec 1996), 7A1228
Simultaneous wall shear rate measurements by a three segmented electrodiffusion probe and laser-Doppler-anemometry, Exp Fluids 22(4) 281-285 (Feb 1997), 8A1252
Three-dimensional measurements in a non-axisymmetric flow experiment using a one- or two-component laser-Doppler anemometer, Exp Fluids 22(4) 345-347 (Feb 1997), 8A1253
Method of temperature fields registration using liquid-crystal coatings, Thermophys and Aeromech 3(4) 317-326 (1996), 8T1254
Dual hologram technique with enhanced sensitivity for measurements of weak phase objects, Exp Fluids 22(4) 354-357 (Feb 1997), 8A1258
Hybrid digital particle tracking velocimetry technique, Exp Fluids 22(3) 199-211 (Jan 1997), 8A1259
Unattenuated tracer particle extraction through time-averaged, background image subtraction with outlier rejection, Exp Fluids 22(3) 220-228 (Jan 1997), 8A1260
Nonaxisymmetric convection in stationary gas tungsten arc weld pools, J Heat Transfer 119(1) 164-172 (Feb 1997), 8A1311
Time-resolved wave front measurements through a compressible free shear layer, AIAA J 35(4) 671-677 (Apr 1997), 9A1190
OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, AIAA J 35(4) 678-686 (Apr 1997), 9A1388
Laser absorption density direct measurements with limitation of temperature variation field in shock-induced gaseous mixing, Shock Waves 7(1) 43-47 (Feb 1997), 10T309
Experimental and numerical study of the isothermal flowfield behind a bluff body flameholder, J Eng Gas Turbines Power 119(2) 328-339 (Apr 1997), 10A1089
Experimental and computational study of swirling hydrogen jet diffusion flames, J Eng Gas Turbines Power 119(2) 305-314 (Apr 1997), 10A1149
Crossflow vortices of a jet injected into a supersonic crossflow, AIAA J 35(5) 915-917 (May 1997), 10T1159
Mixing processes in a coaxial geometry with a central lobed mixer-nozzle, AIAA J 35(5) 838-841 (May 1997), 10A1164
Nd: YAG laser-based dual-line Rayleigh scattering system, AIAA J 35(5) 776-781 (May 1997), 10A1272
Study of the phenomena affecting the accuracy of a video-based particle tracking velocimetry technique, Exp Fluids 22(6) 482-488 (Apr 1997), 10A1273
Three-dimensional density field diagnostics by tomographic Moire technique, Exp Fluids 23(1) 76-85 (May 1997), 11A1120
Rear fuselage transonic flow characteristics for a complete wing-body configuration, J Aircraft 34(3) 337-345 (May-Jun 1997), 11A1147
Experimental and numerical investigation of rotor aerodynamics in forward flight, J Aircraft 34(3) 394-399 (May-Jun 1997), 11A1170
Heat transfer gallery, J Heat Transfer 119(2) 201 (May 1997), 11T1195
Effect of a discrete window offset on the accuracy of cross-correlation analysis of digital PIV recordings, Exp Fluids 23(1) 20-28 (May 1997), 11A1196
Flow behavior with an oscillating motion of the impinging jet in a dump diffuser combustor, J Eng Gas Turbines Power 118(1) 65-71 (Jan 1996), 11A1403
Dynamics of the vorticity distribution in endwall junctions, AIAA J 35(6) 1041-1047 (Jun 1997), 12A1123
Detailed investigation of the 3D separation about a 6:1 prolate spheroid, AIAA J 35(6) 990-999 (Jun 1997), 12A1239
Three component velocity measurements of an isothermal confined swirling flow, Proc Inst Mech Eng J Aerospace Eng 211(G2) 113-122 (1997), 12A1407

384Q. Wind and water tubes and tunnels

Onset of high-Reynolds-number grid-generated wind tunnel turbulence, J Fluid Mech 320 331-368 (Aug 1996), 3A1166
Transition detection with deposited hot films in cryogenic tunnels, AIAA J 34(11) 2434-2436 (Nov 1996), 5T1119
Wind tunnel study of turbulent flow around single and multiple windbreaks - Part I: Velocity fields, Boundary-Layer Meteorol 80(1-2) 127-165 (Jul 1996), 5T1432
Development of square nozzles for supersonic low-disturbance wind tunnels, J Aircraft 33(6) 1131-1138 (Nov-Dec 1996), 6A1116
Development of a Rayleigh scattering measurement system for hypersonic wind-tunnel applications, AIAA J 34(12) 2635-2637 (Dec 1996), 6T1214
NASA Langley Mach 6 quiet wind-tunnel performance, AIAA J 35(1) 23-28 (13n 1997), 6A1215
Tunnel-induced gradients and their effect on drag, AIAA J 34(12) 2575-2581 (Dec 1996), 6A1216
Reynolds number effects in tall building wind tunnel tests, J Hydrodyn 8(4) 56-62 (1996), 9T1191
Low-speed wall interference assessment-correction with vortex flow effect, J Aircraft 34(2) 220-227 (Mar-Apr 1997), 10A1274
Testing 3D bluff-body models in a low-speed 2D adaptive wall test section, J Fluids Eng 117(4) 546-551 (Dec 1995), 11A956
Design method for contractions with square end sections, J Fluids Eng 119(2) 454-458 (Jun 1997), 11T1040
Experimental demonstration of use of N_2O to increase shock tunnel test time, AIAA J 35(6) 1048-1056 (Jun 1997), 12A1240

384V. Other problems and techniques

Nonintrusive auto-transformer technique for the measurement of void fraction, Exp Thermal Fluid Sci 13(2) 92-97 (Aug 1996), 1A1026
Method for estimating boiling temperatures of crude oils, J Env Eng 122(8) 761-763 (Aug 1996), 3A1212
Verification of vertically rotating flume using non-Newtonian fluids, J Hydraul Eng 122(8) 456-459 (Aug 1996), 3A1213
Angular bias errors in three-component laser velocimeter measurements, J Fluids Eng 118(3) 555-561 (Sep 1996), 4A1175
Viscosity correction factor for rotameter, J Fluids Eng 118(3) 569-573 (Sep 1996), 4A1176
Image shifting for PIV using birefringent and ferroelectric liquid crystals, Exp Fluids 21(5) 341-346 (Sep 1996), 4A1180
Optical measurement of liquid film thickness and wave velocity in liquid film flows, Exp Fluids 21(5) 357-362 (Sep 1996), 4A1182
Method of tracking ensembles of particle images, Exp Fluids 21(6) 465-468 (Oct 1996), 5A1118
Rayleigh scattering technique for simultaneous measurements of velocity and thermodynamic

properties, AIAA J 34(11) 2346-2352 (Nov 1996), 5A1120
Simple shock tunnel driver gas detector, Shock Waves 6(5) 309-312 (Nov 1996), 6A1056
Flow measurement in an impinging jet cell with three-segment microelectrodes, Exp Fluids 22(1) 87-93 (Nov 1996), 6A1209
Image registration for pressure-sensitive paint applications, Exp Fluids 22(1) 78-86 (Nov 1996), 6A1217
Image techniques and analysis in fluid dynamics, Appl Sci Res 56(2-3) 79-242 (1996), 7A1227
Adoption of a genetic algorithm for tomographic reconstruction of line-of-sight optical images, Exp Fluids 22(2) 137-143 (Dec 1996), 7A1228
Hybrid digital particle tracking velocimetry technique, Exp Fluids 22(3) 199-211 (Jan 1997), 8A1259
Compressible flow hot-wire calibration, Exp Fluids 22(5) 444-446 (Mar 1997), 9A1049
Capacitance sensor for two-phase liquid film thickness measurements in a square duct, J Fluids Eng 119(1) 164-169 (Mar 1997), 9A1192
Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, J Fluids Eng 119(1) 103-109 (Mar 1997), 9A1193
Measurement of particle size in the dense suspension using the extinction method, Particulate Sci Tech 14(4) 327-335 (Oct-Dec 1996), 9A1194
Electrochemical probe for bubble size prediction in a bubble column, Exp Thermal Fluid Sci 14(3) 243-250 (Apr 1997), 10T1137
Shock waves in molecular solids: Ultrafast vibrational spectroscopy of the first nanosecond, Shock Waves 7(3) 135-145 (Jun 1997), 11A202
Radar imaging of water surface flow fields, Exp Fluids 23(1) 14-19 (May 1997), 11A950
Dynamic evaluation technique for liquid flow meters based on hydraulic line dynamics, J Dyn Syst Meas Control 119(2) 305-307 (Jun 1997), 12A415
Investigation of wedge probe wall proximity effects - Part 1: Experimental study, J Eng Gas Turbines Power 119(3) 598-604 (Jul 1997), 12A1241
Investigation of wedge probe wall proximity effects - Part 2: Numerical and analytical modeling, J Eng Gas Turbines Power 119(3) 605-611 (Jul 1997), 12A1242

VI. HEAT TRANSFER

400. THERMODYNAMICS

400B. Thermodynamics

Analogy between electrical machines and heat transfer-irreversible heat engines, Int J Heat Mass Transfer 39(17) 3659-3666 (Nov 1996), 1A1150
Perturbational thermodynamics of coupled electrochemical heat and mass transfer, Int J Heat Mass Transfer 39(15) 3293-3303 (Oct 1996), 1A1151
Thermodiffusion and thermo-electric phenomena in condensed systems, Int J Heat Mass Transfer 39(16) 3531-3542 (Nov 1996), 1A1152
Simplified analyses of some vapor power cycles, Proc Inst Mech Eng A 210(A3) 191-202 (1996), 1A1368
Absorption Chillers and Heat Pumps (CRC Press, Boca Raton FL, 1996) 2R34
Energetic analysis, application field and performance of a new thermochemical sorption cycle: The multisalt system, Appl Thermal Eng 16(11) 875-889 (34v 1996), 2A1147
Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Supercharged engine with intercooling, Appl Thermal Eng 16(11) 921-930 (Nov 1996), 2A1148
Thermodynamic analysis of combined diesel engine and absorption unit: Turbocharged engine, Appl Thermal Eng 16(10) 845-850 (Oct 1996), 2A1149
Thermodynamically consistent interpolation for equation of state tables, J Comput Phys 127(1) 118-127 (Aug 1996), 2A1150
Thermodynamic method for the comparison of plate-fin heat exchanger performance, J Heat Transfer 118(3) 805-809 (Aug 1996), 2T1259
Exergy analysis for the evaluation of a thermal storage system employing PCMs with different melting temperatures, Appl Thermal Eng 16(11) 907-919 (Nov 1996), 2A1278
Exergetic analysis of energy storage using multiple phase-change materials, J Energy Resources Tech 118(3) 242-248 (Sep 1996), 3A1214
Numerical simulation of rapid expansion of supercritical fluid, Eur J Mech B 15(4) 569-596 (1996), 3T1215
Second law analysis of adsorption cycles with thermal regeneration, J Energy Resources Tech 118(3) 229-236 (Sep 1996), 3A1216
Thermodynamic model of a solar assisted heat pump system with energy storage, Solar Energy 56(6) 485-492 (Jun 1996), 3A1462
Theoretical analysis and optimization of a double-effect series-flow-type absorption chiller, Appl Thermal Eng 16(12) 975-987 (Dec 1996), 4A1183
Thermodynamics of heat storage in a PCM shell-and-tube heat exchanger in parallel or in series with a heat engine, Solar Energy 57(1) 59-68 (Jul 1996), 4A1184
Critical COP for an economically feasible industrial heat-pump application, Appl Thermal Eng 17(1) 93-101 (Jan 1997), 5A1121
Optimization of a steady-flow Carnot cycle with external irreversibilities for maximum specific output, Appl Thermal Eng 17(1) 3-15 (Jan 1997), 5A1122
Second-law analysis of adsorptive refrigeration cycles: The role of thermal coupling entropy production, Appl Thermal Eng 17(1) 43-55 (Jan 1997), 5A1123
Thermodynamic optimization of tubular space radiators, J Thermophys Heat Transfer 10(4) 705-707 (Oct-Dec 1996), 5T1124
Irreversibility phenomena associated with heat transfer and fluid friction in laminar flows through singly connected ducts, Int J Heat Mass Transfer 40(4) 905-914 (Mar 1997), 5A1139
Thermodynamic analysis of convective heat transfer in a packed duct with asymmetrical wall temperatures, Int J Heat Mass Transfer 40(5) 1145-1153 (Mar 1997), 5A1194
Classification of phase transitions, Z Angew Math Phys 47(6) 837-857 (Nov 1996), 6A1218
Fundamental property of a perfect gas and the second law of thermodynamics, Arch Rational Mech Anal 136(4) 383-408 (1996), 6T1219
Dynamics of phase transitions, Z Angew Math Phys 47(6) 858-879 (Nov 1996), 6A1274
Thermodynamic analysis of a solar thermal water pump, Solar Energy 57(2) 155-161 (Aug 1996), 6A1509
Combining pinch and exergy analysis for process modifications, Appl Thermal Eng 17(3) 249-261 (Mar 1997), 7A1229
Diagnostics and optimization of reciprocating chillers: Theory and experiment, Appl Thermal Eng 17(3) 263-276 (Mar 1997), 7A1230
Thermodynamic design data and optimum design maps for absorption refrigeration systems, Appl Thermal Eng 17(3) 211-221 (Mar 1997), 7A1231
Thermodynamic and Transport Properties (Wiley, New York, 1997) 8N24
First-order correction for the hydrodynamic limit of asymmetric simple exclusion processes in dimension $d \geq 3$, Commun Pure Appl Math 50(2) 149-202 (Feb 1997), 8A1109
Theory of organization in Nature: Pulsating physiological processes, Int J Heat Mass Transfer 40(9) 2097-2104 (Jun 1997), 8A1261
Exergonomic organization of an air-conditioning system, J Energy Resources Tech 119(1) 62-69 (Mar 1997), 9A1195
Heat of vaporization of mixtures, Heat Transfer Japan Res 25(1) 12-24 (1996), 9A1196
Mathematical model and its analytical solution for slow depressurization of a gas-filled vessel, J Eng Math 31(1) 43-57 (Jan 1997), 9A1197
Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Naturally aspirated diesel engine, Appl Thermal Eng 17(5) 471-478 (May 1997), 9A1198
Statistical physics basis of the third law of thermodynamics (Chinese), J Dalian Univ Tech 37(1) 43-45 (Jan 1997), 10A1275
Thermodynamic modeling of heat conduction, Proc Estonian Acad Sci Eng 2(2) 196-208 (1996), 10A1326
Butanol, a single-cylinder engine study: Availability analysis, Appl Thermal Eng 17(6) 537-549 (Jun 1997), 11A1197
Maximum power of a combined-cycle isothermal chemical engine, Appl Thermal Eng 17(7) 629-637 (Jul 1997), 11A1198
Optimal second-law efficiency for a Brayton cycle with an internal heat source, J Energy Resources Tech 117(4) 343-348 (Dec 1995), 11A1199
Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Naturally aspirated engine with pre-cooling, Appl Thermal Eng 17(6) 593-599 (Jun 1997), 11A1200
Thermodynamic analysis of solar energy utilization combined with the exploitation of the LNG physical exergy, J Solar Energy Eng 117(4) 333-335 (Nov 1995), 11A1201
Thermodynamics of phase-change storage in series with a heat engine, J Solar Energy Eng 117(4) 336-341 (Nov 1995), 11T1202
Analysis of the adsorption cycles with thermal regeneration based on the entropic mean temperatures, Appl Thermal Eng 17(7) 615-627 (Jul 1997), 11A1357
Steady flow combined refrigeration cycle performance with heat leak, Appl Thermal Eng 17(7) 639-645 (Jul 1997), 11A1363
Alternative Mathematical Theory of Non-Equilibrium Phenomena (Academic, UK, 1997) 12R32
Equation of state for 1,1-Difluoroethane (R152a), Int J Energy Res 21(7) 575-589 (Jun 1997), 12A1243
Exergy and environmental impact, Int J Energy Res 21(7) 643-654 (Jun 1997), 12A1244

400E. Statistical mechanics

Method for analyzing stochastic heat transfer in a fluid flow, Appl Math Model 20(8) 588-592 (Aug 1996), 1A1192
Introductory Statistical Mechanics (Oxford UP, New York, 1996) 5R25
Statistical physics basis of the third law of thermodynamics (Chinese), J Dalian Univ Tech 37(1) 43-45 (Jan 1997), 10A1275
Diffusion approximation and hyperbolic automorphisms of the torus, Physica D 104(1) 32-60 (May 1997), 10A1276

400L. Thermodynamic properties of matter

Indirect measurement of the heat conductivity and specific heat coefficients of homogeneous fluid, Heat and Mass Transfer Warme 31(5) 323-328 (Jun 1996), 1A1153
Estimation of directional-dependent thermal properties in a carbon-carbon composite, Int J Heat Mass Transfer 39(15) 3157-3164 (Oct 1996), 1A1246
Thermodynamically consistent interpolation for equation of state tables, J Comput Phys 127(1) 118-127 (Aug 1996), 2A1150
Generalized volumetric behavior of refrigerants based on a new four-parameter corresponding states correlation, Int J Energy Res 20(9) 811-828 (Sep 1996), 3A1217
Measurement of thermophysical properties of ammonium salts in the solid and molten states, J Thermal Anal 46(6) 1697-1703 (Jun 1996), 3A1218
Thermodynamic characterization of carbon black-filled rubbers, J Thermal Anal 46(6) 1715-1727 (Jun 1996), 3A1219
Thermodynamic properties of ideal gas air, Int J Energy Res 20(9) 771-785 (Sep 1996), 3A1220
Isothermal and isobaric PVT-measurements of atactic polymers, J Thermal Anal 47(2) 453-461 (Aug 1996), 4A1185
Thermal conductivity of polyimide foams, Int J Heat Mass Transfer 40(2) 269-280 (Jan 1997), 4A1237
Thermal analysis of polymers at high pressures, J Thermal Anal 47(4) 993-1012 (Oct 1996), 5A1125
Internal variables and thermodynamic modeling of pseudoelasticity, Appl Math Mech 17(10) 969-978 (Oct 1996), 7A401
Constitutive and damage evolution equations of elastic-brittle materials based on irreversible thermodynamics, Int J Mech Sci 39(4) 473-486 (Apr 1997), 7A709
Extension of curve fits for enthalpy of equilibrium air to 1000 atmospheres, J Thermophys Heat Transfer 11(1) 126-128 (Jan-Mar 1997), 7T1232
Specific heat measurements under non-equilibrium conditions, J Thermal Anal 47(6) 1691-1700 (Dec 1996), 7A1233
Thermodynamic and Transport Properties (Wiley, New York, 1997) 8N24
Optimizing the estimation of thermophysical properties (Spanish), J Brazilian Soc Mech Sci 19(1) 15-29 (Mar 1997), 9A1199
Photothermal method with step heating for measuring the thermal diffusivity of anisotropic solids, Int J Heat Mass Transfer 40(13) 3049-3058 (Sep 1997), 10A1343
Containerless thermal diffusivity determination of high-temperature levitated spherical specimen by extended flash methods: Theory and experimental validation, J Heat Transfer 119(2) 210-219 (May 1997), 11A1203
Functional forms to describe thermodynamic properties of gases for fast calculations, J Eng Gas Turbines Power 118(1) 210-213 (Jan 1996), 11A1204
Size and interface effects on thermal conductivity of superlattices and periodic thin-film structures, J Heat Transfer 119(2) 220-229 (May 1997), 11A1307
Thermomechanical theory of solid-fluid mixtures, Math Mech Solids 2(2) 143-151 (Jun 1997), 11A1459
Compensation of self-heating in the measurement of the dynamic response of a thermoresistive sensor, J Solar Energy Eng 119(3) 225-228 (Aug 1997), 12A1245

400S. Temperature measurement and calorimetry

Scanning thermal microscopy at nanometer scales: A new frontier in experimental heat transfer, Exp Heat Transfer 9(2) 83-103 (Apr-Jun 1996), 2A1151
Application of modulated differential scanning calorimetry to the glass transition: Theoretical analysis using a single parameter model, J Thermal Anal 47(1) 103-116 (Jul 1996), 4A1186
Thermoplastic polymers quality control: DSC baseline optimization for heat of fusion measurements, J Thermal Anal 47(1) 117-121 (Jul 1996), 4A1187
Thermocouple lag in transient heat-shield measurements due to thermal mass difference, J Heat Transfer 118(4) 838-841 (Nov 1996), 5T1126
Modeling the heat flow and heat capacity of modulated differential scanning calorimetry, J Thermal Anal 48(2) 207-224 (Feb 1997), 8A1262
Second Symposium and Workshops on Pharmacy and Thermal Analysis PhandTA 2, held from September 17-19, 1995 at the Univ of Geneva, Geneva, Switzerland, J Thermal Anal 48(3) 437-708 (Mar 1997), 9T1200
Nd: YAG laser-based dual-line Rayleigh scattering system, AIAA J 35(5) 776-781 (May 1997), 10A1272
Freestream parameter estimation using heat flux measurements, AIAA J 35(7) 1238-1240 (Jul 1997), 12T1232
Wind-tunnel test of flow through Mars pathfinder Lander, J Spacecraft Rockets 34(3) 265-271 (May-Jun 1997), 12T1236
Proceedings of the 11th International Congress on Thermal Analysis and Calorimetry, Philadelphia PA, J Thermal Anal 49(1) 7-580 (1997), 12T1246

402. ONE PHASE CONVECTION

Hydrocarbon fuel cooling technologies for advanced propulsion, J Eng Gas Turbines Power 119(2) 344-351 (Apr 1997), 10A1277

402B. Forced convection (external)

Heat transfer in the flow of a cold, 2D vertical liquid jet against a hot, horizontal plate, Int J Heat Mass Transfer 39(16) 3367-3379 (Nov 1996), 1A1154
Numerical investigation of heat transfer by rows of rectangular impinging jets, Numer Heat Transfer A 30(1) 87-101 (Jul 1996), 1A1155
Steady-state analysis of the conjugate heat transfer between forced counterflowing streams, J Thermophys Heat Transfer 10(3) 476-483 (Jul-Sep 1996), 1A1156
New correlations for heat transfer coefficients during direct cooling of products, Int J Energy Res 20(7) 587-594 (Jul 1996), 1A1224
Heat transfer and flow structures in an excited circular impinging jet, Int J Heat Mass Transfer 39(17) 3695-3706 (Nov 1996), 1A1267
ASME Proceedings of 31st National Heat Transfer Conference, Volume 2 (ASME Press, New York, 1996) 2N37
Heat transfer and skin friction comparison of dimpled versus protrusion roughness, J Enhanced Heat Transfer 3(4) 273-280 (1996), 2A1152
Similarity solutions for steady laminar convection along heated plates with variable oblique suction: Newtonian and Darcian fluid flow, Quart J Mech Appl Math 49(3) 373-403 (Aug 1996), 2A1153
Prediction of jet impingement heat transfer using a hybrid wall treatment with different turbulent Prandtl number functions, J Heat Transfer 118(3) 562-569 (Aug 1996), 2A1198
Distribution of heat-transfer coefficients from small surfaces cooled with submerged jets of fluorocarbon liquid determined by an inverse heat-conduction analysis, Heat Transfer Japan Res 24(2) 133-146 (1995), 2A1234
Optimal spacing between pin fins with impinging flow, J Heat Transfer 118(3) 570-577 (Aug 1996), 2A1261
Study on heat-transfer enhancement by a square-rod array in an impinging jet system, Heat Transfer Japan Res 24(2) 193-207 (1995), 2A1263
Effect of coolant temperature and mass flow on film cooling of turbine blades, Int J Heat Mass Transfer 40(2) 435-445 (Jan 1997), 4A1188
Engineering Heat Transfer (PWS, Boston, MA, 1995) 5R24
Velocity and length scale approach to k-ε modeling, J Heat Transfer 118(4) 857-863 (Nov 1996), 5A1052
Determination of convective heat flux on steady-state heat transfer surfaces with arbitrarily specified boundaries, J Heat Transfer 118(4) 850-856 (Nov 1996), 5A1127
Effect of high free-stream turbulence on film cooling effectiveness, J Turbomachinery 118(4) 814-825 (Oct 1996), 5A1128
Film cooling with compound angle holes: Heat transfer, J Turbomachinery 118(4) 800-806 (Oct 1996), 5A1129
Film cooling with compound angle holes: Adiabatic effectiveness, J Turbomachinery 118(4) 807-813 (Oct 1996), 5A1130

Solution of heat transfer to micropolar fluid from a non-isothermal stretching sheet with injection, Int J Numer Methods Heat & Fluid Flow 6(6) 99-104 (Sep 1996), 5A1131

Temperature wall function formulation for variable-density turbulent flows with application to engine convective heat transfer modeling, Int J Heat Mass Transfer 40(3) 613-625 (Feb 1997), 5A1132

Effect of the thermal boundary condition on transient method heat transfer measurements on a flat plate with a laminar boundary layer, J Heat Transfer 118(4) 831-837 (Nov 1996), 5A1185

Experimental study of flow and heat transfer in parallel-plate arrays: Local, row-by-row, and surface average behavior, Int J Heat Mass Transfer 40(6) 1365-1378 (Apr 1997), 6A1220

Impingement cooling of a confined circular air jet, Int J Heat Mass Transfer 40(6) 1355-1364 (Apr 1997), 6A1221

Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part I: Unconfined circular jets, Int J Heat Mass Transfer 40(6) 1481-1490 (Apr 1997), 6A1222

Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part II: Initially laminar confined slot jets, Int J Heat Mass Transfer 40(6) 1491-1500 (Apr 1997), 6A1223

Numerical study of turbulent forced convection in a periodically ribbed channel with oscillatory throughflow, Int J Numer Methods Fluids 23(11) 1223-1233 (Dec 1996), 6A1224

Steady-state heat transfer in a rotating cylinder subject to convective surface cooling, Math Eng Industry 5(4) 305-336 (1996), 6A1225

Study of the jet-flow rate of cooling in machining - Part I: Theoretical analysis, J Mat Processing Tech 62(1-3) 149-156 (Nov 1996), 6A1226

Study of the jet-flow rate of cooling in machining - Part 2: Simulation study, J Mat Processing Tech 62(1-3) 157-165 (Nov 1996), 6A1227

Separate effects tests for GOTHIC condensation and evaporative heat transfer models, Nucl Eng Des 166(3) 403-411 (Nov 1996), 6A1502

Heat transfer from an expanding cylinder in cross-flow, Appl Thermal Eng 17(3) 235-248 (Mar 1997), 7A1234

Numerical prediction of lock-on effect on convective heat transfer from a transversely oscillating circular cylinder, Int J Heat Mass Transfer 40(8) 1825-1834 (May 1997), 7A1235

Optimal geometric arrangement of staggered plates in forced convection, Int J Heat Mass Transfer 40(8) 1795-1805 (May 1997), 7A1236

Heat-transfer correlations for high-finned tubes in staggered arrangements, Heat Transfer Japan Res 24(4) 369-377 (1995), 7A1332

Effect of coarse particles on the heat transfer in a turbulent boundary layer, Int J Heat Mass Transfer 40(9) 2201-2217 (Jun 1997), 8A1139

Stochastic Lagrangian model for near-wall turbulent heat transfer, J Heat Transfer 119(1) 46-52 (Feb 1997), 8A1199

Convection heat transfer from a laminar flow over a 2D backward facing step with asymmetric and orthotropic porous floor segments, Numer Heat Transfer A 31(3) 325-335 (Feb 1997), 8A1263

Effect of surface waves on heat transfer in natural and forced convection, Int J Heat Mass Transfer 40(9) 2219-2229 (Jun 1997), 8A1264

Experimental study of forced convection from isothermal circular and square cylinders and toroids, J Heat Transfer 119(1) 70-79 (Feb 1997), 8A1265

Heat convection equations with dissipation term in regions with moving boundaries, Math Methods Appl Sci 20(4) 347-368 (Mar 1997), 8A1266

Heat transfer in jet assimilation into a uniform stream, Numer Heat Transfer A 31(3) 273-288 (Feb 1997), 8A1267

Engineering Fluid Dynamics: An Interdisciplinary Systems Approach (Cambridge UP, UK, 1997) 9R21

Experimental study of heat transfer from the rear and front of blunt moving bodies, J Eng Appl Sci 43(5) 985-1003 (Oct 1996), 9A1014

Comparison of computational and experimental results for flow and heat transfer from an array of heated blocks, J Electron Packaging 119(1) 32-39 (Mar 1997), 9A1201

Conjugate heat transfer from a small heated strip, Int J Heat Mass Transfer 40(11) 2709-2719 (Jul 1997), 9A1202

Control of heat transfer on wall with wall jet, Heat Transfer Japan Res 25(1) 1-11 (1996), 9A1203

Effects of intrinsic three dimensionality on heat transfer and friction loss in a periodic array of parallel plates, Numer Heat Transfer A 31(4) 327-353 (Mar 1997), 9A1204

Effects of leading-edge roughness on fluid flow and heat transfer in the transitional boundary layer over a flat plate, Int J Heat Mass Transfer 40(12) 2813-2823 (Aug 1997), 9A1205

Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, Int J Heat Mass Transfer 40(10) 2249-2259 (Jul 1997), 9A1206

Numerical simulation of heat transfer and flow structure in 3D turbulent boundary layer with imbedded longitudinal vortex, Numer Heat Transfer A 31(4) 433-450 (Mar 1997), 9A1207

Numerical simulation of turbulent flow and heat transfer in the wedge-shaped liquid metal pool of a twin-roll caster, Numer Heat Transfer A 31(4) 393-410 (Mar 1997), 9A1208

Heat transfer enhancement mechanisms in inline and staggered parallel-plate fin heat exchangers, Int J Heat Mass Transfer 40(10) 2307-2325 (Jul 1997), 9A1286

Numerical prediction of flow and heat transfer in an impingement heat sink, J Electron Packaging 119(1) 58-63 (Mar 1997), 9A1292

Conjugate film flow down a heated vertical wall, Z Angew Math Mech 77(2) 151-154 (1997), 10T1145

Effects of free-stream turbulence on the instantaneous heat transfer in a wall jet flow, J Turbomachinery 119(2) 359-363 (Apr 1997), 10A1184

Vortex structure and heat transfer in the stagnation region of an impinging plane jet: Simultaneous measurements of velocity and temperature fields by digital particle image velocimetry and laser-induced fluorescence, Int J Heat Mass Transfer 40(13) 3163-3176 (Sep 1997), 10A1297

Multiple jets in a crossflow: Detailed measurements and numerical simulataions, J Turbomachinery 119(2) 330-342 (Apr 1997), 10A1318

Handbook of Heat Transfer, Third Edition (McGraw-Hill, New York, 1997) 11N36

Asymptotic analysis of the transient conjugate heat transfer process between two forced counterflowing streams, SIAM J Appl Math 57(3) 577-596 (Jun 1997), 11A1205

Confined and submerged liquid jet impingement heat transfer, J Heat Transfer 117(4) 871-877 (Nov 1995), 11A1206

Experimental investigation of film cooling heat transfer coefficients using the mass-heat analogy, J Heat Transfer 117(4) 851-858 (Nov 1995), 11A1207

Flow and heat transfer around a single row of circular cylinders, Heat Transfer Japan Res 25(3) 192-200 (1996), 11A1208

Heat transfer characteristics of arrays of free-surface liquid jets, J Heat Transfer 117(4) 878-883 (Nov 1995), 11A1209

Numerical study of convective heat transfer from an array of parallel blunt plates, Int J Heat Fluid Flow 18(4) 430-436 (Aug 1997), 11A1210

Turbulent flow and heat transfer in staggered tube banks with displaced tube rows, Numer Heat Transfer A 31(6) 611-627 (May 1997), 11A1211

Unsteady forced convection heat transfer from a translating and spinning body, J Energy Resources Tech 117(4) 318-323 (Dec 1995), 11A1212

Bulk flow pulsations and film cooling: Flow structure just downstream of the holes, J Turbomachinery 119(3) 568-573 (Jul 1997), 12A1118

Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 1: Mean flow results, J Heat Transfer 119(3) 420-426 (Aug 1997), 12A1247

Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 2: Turbulent transport results, J Heat Transfer 119(3) 427-432 (Aug 1997), 12A1248

Experimental study of the effect of transverse oscillation on convection heat transfer from a circular cylinder, J Heat Transfer 119(3) 474-482 (Aug 1997), 12A1249

Film cooling from spanwise-oriented holes in two staggered rows, J Turbomachinery 119(3) 562-567 (Jul 1997), 12A1250

Heat transfer from a pair of radial jet reattachment flames, J Heat Transfer 119(3) 633-635 (Aug 1997), 12T1251

Heat transfer in the forced laminar wall jet, J Heat Transfer 119(3) 451-459 (Aug 1997), 12A1252

Row-of-holes film cooling of curved walls at low injection angles, J Turbomachinery 119(3) 574-579 (Jul 1997), 12A1253

Velocity and temperature profiles in turbulent boundary layer flows experiencing streamwise pressure gradients, J Heat Transfer 119(3) 433-439 (Aug 1997), 12A1254

402C. Forced convection (internal)

Axial wall conduction preheating effects in high Peclet number laminar forced convection, Int J Heat Mass Transfer 39(16) 3511-3517 (Nov 1996), 1A1157

Effect of free-stream turbulence on flat-plate heat flux signals: Spectra and eddy transport velocities, J Turbomachinery 118(3) 461-467 (Jul 1996), 1A1158

Heat transfer and pressure drop characteristics of ten radiator tubes, Int J Heat Mass Transfer 39(15) 3211-3220 (Oct 1996), 1A1159

Heat transfer augmentation for the flow of a viscous liquid in circular tubes using twisted tape inserts, Int J Heat Mass Transfer 39(17) 3547-3557 (Nov 1996), 1A1160

Laminar forced convection at zero gravity to water near the critical region, J Thermophys Heat Transfer 10(3) 504-510 (Jul-Sep 1996), 1A1161

New procedure for the prediction of forced convection heat transfer at near- and supercritical pressure, Heat and Mass Transfer Warme 31(5) 301-305 (Jun 1996), 1A1162

Numerical and experimental determination of flow structure and heat transfer effects of longitudinal vortices in a channel flow, Int J Heat Mass Transfer 39(16) 3441-3451 (Nov 1996), 1A1163

Turbulent velocity field in isothermal and heated liquid flow through a vertical annular channel, Int J Heat Mass Transfer 39(16) 3333-3346 (Nov 1996), 1A1164

Numerical prediction of laminar flow and forced convective heat transfer in a helical square duct with a finite pitch, Int J Heat Mass Transfer 39(15) 3101-3115 (Oct 1996), 1A1189

Convective heat transfer and pressure drop characteristics of various array configurations to simulate the cooling of electronic modules, Int J Heat Mass Transfer 39(16) 3519-3529 (Nov 1996), 1A1276

Experimental study on the statistics of wall shear stress in turbulent channel flows, Int J Heat Fluid Flow 17(3) 187-192 (Jun 1996), 2A1154

Fluid flow and heat transfer in a 2D wavy channel, Heat and Mass Transfer Warme 31(6) 411-418 (Aug 1996), 2A1155

Forced-convection heat transfer from the bottom of trenches with rectangular or inclined walls, Exp Heat Transfer 9(2) 133-148 (Apr-Jun 1996), 2A1156

Heat transfer and pressure drop in tubes with short turbulators, Heat and Mass Transfer Warme 31(6) 399-401 (Aug 1996), 2A1157

Heat transfer in a 3D channel with baffles, Numer Heat Transfer A 30(2) 189-205 (Aug 1996), 2A1158

Model investigations of the heat transfer and flow resistance in diagonally finned surfaces (German), Heat and Mass Transfer Warme 31(6) 427-433 (Aug 1996), 2A1159

Oscillatory heat transfer in a pipe subjected to a laminar reciprocating flow, J Heat Transfer 118(3) 592-597 (Aug 1996), 2A1160

Simulation and measurement of turbulent heat transfer in a channel with a surface-mounted rectangular heated block, Heat and Mass Transfer Warme 31(6) 463-473 (Aug 1996), 2A1161

Experimental investigation of the laminar flow heat transfer enhancement in a small-scale square duct with aqueous Carbopol solutions, J Heat Transfer 118(3) 555-561 (Aug 1996), 2A1185

MHD flow between two parallel plates with heat transfer, Acta Mech 117(1-4) 215-220 (1996), 3A1170

Effect of viscous dissipation on the asymptotic behavior of laminar forced convection in circular tubes, Int J Heat Mass Transfer 40(1) 169-178 (Jan 1997), 3A1221

Forced convection in a fluid-saturated porous-medium channel with isothermal or isoflux boundaries, J Fluid Mech 322 201-214 (Sep 1996), 3A1222

Numerical investigation of turbulent forced convection in ducts with rectangular and trapezoidal cross-section area by using different turbulence models, Numer Heat Transfer A 30(4) 321-346 (Sep 1996), 3A1223

Fully developed laminar forced convection in circular ducts for power-law fluids with viscous dissipation, Int J Heat Mass Transfer 40(1) 15-26 (Jan 1997), 3A1238

Composite correlations for convective heat transfer from arrays of 3D obstacles, Int J Heat Mass Transfer 40(2) 493-498 (Jan 1997), 4T1189

Developing and periodically developed flow, temperature, and heat transfer in a ribbed duct, Int J Heat Mass Transfer 40(2) 461-479 (Jan 1997), 4A1190

Experimental study of laminar heat transfer in a one-porous-wall square duct with suction flow, Int J Heat Mass Transfer 40(2) 481-485 (Jan 1997), 4T1191

Boundary-fitted coordinates for the asymptotic friction factors and Nusselt numbers of laminar flows inside straight ducts with irregular, singly connected cross-sections, Int J Numer Methods Heat & Fluid Flow 6(6) 105-110 (Sep 1996), 5A1133

Buoyancy-induced flow through a narrow chamber containing an internal heat source: Comparison of experimental measurements and numerical simulations, Proc Inst Mech Eng C 210(C5) 489-498 (1996), 5A1134

Forced convection in the thermal entrance region of a circular duct with slug flow and viscous dissipation, Int J Heat Mass Transfer 40(5) 1181-1190 (Mar 1997), 5A1135

Friction factors for fully developed laminar flow in ducts confined by corrugated parallel walls, Int J Heat Mass Transfer 40(3) 635-639 (Feb 1997), 5A1136

Heat transfer and friction factor correlations for artificially roughened ducts with expanded metal mesh as roughness element, Int J Heat Mass Transfer 40(4) 973-986 (Mar 1997), 5A1137

Heat transfer behaviors of a confined slot jet impingement, Int J Heat Mass Transfer 40(5) 1095-1107 (Mar 1997), 5A1138

Irreversibility phenomena associated with heat transfer and fluid friction in laminar flows through singly connected ducts, Int J Heat Mass Transfer 40(4) 905-914 (Mar 1997), 5A1139

Peculiarities of turbulent heat transfer in electric-arc plasma devices, Int J Heat Mass Transfer 40(5) 1197-1203 (Mar 1997), 5A1140

Thermal entrance length problem for slug flow in rectangular ducts, J Heat Transfer 118(4) 979-982 (Nov 1996), 5T1141

Uneven wall heat flux effect on local heat transfer in rotating two-pass channels with two opposite ribbed walls, J Heat Transfer 118(4) 864-876 (Nov 1996), 5A1176

Heat transfer to non-Newtonian fluids in laminar flow through rectangular ducts, Int J Heat Fluid Flow 17(6) 613-620 (Dec 1996), 5A1181

Application of a finite volume based method of lines to turbulent forced convection in circular tubes, Numer Heat Transfer A 30(5) 503-517 (Oct 1996), 5A1196

Calculation of forced-air cooling of electronic modules with a two-fluid model of turbulence, J Electron Packaging 118(4) 250-257 (Dec 1996), 6A1228

Experimental investigation of laminar flow and heat transfer in internally finned tubes, J Enhanced Heat Transfer 4(1) 53-70 (1996), 6A1229

Identification of the flowrate based upon a solution of an inverse heat transfer problem, Acta Mech 119(1-4) 13-23 (1996), 6A1230

Numerical investigation of laminar flow and heat transfer in internally finned tubes, J Enhanced Heat Transfer 4(1) 35-51 (1996), 6A1231

Transport of a passive scalar in a turbulent channel flow, Int J Heat Mass Transfer 40(6) 1303-1311 (Apr 1997), 6A1232

Study on bifurcation control using pattern recognition of thermal convection, JSME Int J Ser B 39(4) 762-767 (Nov 1996), 7T109

Experimental analysis of the convection in conduits with wavy walls, Heat Tech 14(1) 45-57 (1996), 7A1237

Experimental studies on flow in convergent and divergent ducts of rectangular cross section, Int J Energy Res 21(1) 77-86 (Jan 1997), 7A1238

Forced convection in an air-filled bayonet tube during the laminar-turbulent transition, Int J Heat Mass Transfer 40(8) 1885-1894 (May 1997), 7A1239

Graetz problem extended to slip-flow, Int J Heat Mass Transfer 40(8) 1817-1823 (May 1997), 7A1240

Heat transfer in laminar flow between parallel plates with rib-type eddy promoters, Heat Transfer Japan Res 24(5) 425-438 (1995), 7A1241

Heat-transfer enhancement of twisted-tape inserts in turbulent pipe flows, Heat Transfer Japan Res 24(4) 378-396 (1995), 7A1242

Numerical analysis of turbulent pipe flow in a transverse magnetic field, Int J Heat Mass Transfer 40(8) 1839-1851 (May 1997), 7A1243

Three-dimensional heat transfer in a channel with a baffle in the entrance region, Numer Heat Transfer A 31(1) 21-35 (Jan 1997), 7A1244

Effects of a porous medium on local heat transfer and fluid flow in a forced convection field, Int J Heat Mass Transfer 40(7) 1567-1576 (May 1997), 7A1271

Numerical study of heat transfer enhancement of a horizontal tube with an eccentrically inserted plate, Int J Heat Mass Transfer 40(7) 1687-1692 (May 1997), 7A1339

Direct numerical simulation of unstably stratified turbulent channel flow, J Heat Transfer 119(1) 53-61 (Feb 1997), 8A1268

Experimental investigation of thermal and hydrodynamic development regions for drag-reducing surfactant solutions, J Heat Transfer 119(1) 80-88 (Feb 1997), 8A1269

Heat transfer analysis of turbulent parallel Couette flows using anisotropic k-ε model, Numer Heat Transfer A 31(3) 223-234 (Feb 1997), 8A1270

Heat transfer characteristics of radial liquid film flow: Local heat transfer characteristics near the turbulent transition point, Heat Transfer Japan Res 24(7) 619-636 (1995), 8A1271

Numerical prediction of transitional characteristics of flow and heat transfer in a corrugated duct, J Heat Transfer 119(1) 62-69 (Feb 1997), 8A1272

Numerical solutions of pulsating flow and heat transfer characteristics in a channel with a backward-facing step, Heat and Mass Transfer Warme 32(3) 143-148 (Feb 1997), 8A1273

Numerical study on heat transport in turbulent Couette flows in concentric annuli, Int J Numer Methods Heat & Fluid Flow 7(1) 81-94 (1997), 8T1274

Pressure drop and heat transfer associated with flows moving laminarly in straight ducts of irregular, singly connected cross-sections, Heat and Mass Transfer Warme 32(3) 193-197 (Feb 1997), 8A1275

Approximate analytical solution to the Graetz problem with periodic inlet temperature, Int J Heat Fluid Flow 18(2) 229-235 (Apr 1997), 9A1209

Heat transfer in a tube with pulsating flow and constant heat flux, Int J Heat Mass Transfer 40(10) 2461-2446 (Jul 1997), 9A1210
Numerical study of recovery effect and impingement heat transfer with submerged circular jets of large Prandtl number liquid, Int J Heat Mass Transfer 40(11) 2647-2653 (Jul 1997), 9A1211
Bayonet tube heat exchanger, Appl Mech Rev 50(8) 445-474 (Aug 1997), 9A1281
Experimental investigation on flooding in a fluted tube with and without a twisted insert, J Enhanced Heat Transfer 4(2) 111-129 (1997), 9A1294
Heat transfer enhancement in a convective field by applying ionic wind, J Enhanced Heat Transfer 4(2) 71-86 (1997), 9A1296
Heat transfer and thermal diffusion phenomena in a horizontal cold-wall CVD reactor, Heat Transfer Japan Res 24(8) 653-671 (1995), 9A1343
Compressibility effect on the gas flow and heat transfer in a microtube, Int J Heat Mass Transfer 40(13) 3251-3254 (Sep 1997), 10T1278
Experimental investigation of the rib surface-averaged heat transfer coefficient in a rib-roughened square passage, J Turbomachinery 119(2) 381-389 (Apr 1997), 10A1279
Heat transfer and fluid flow in microchannels, Int J Heat Mass Transfer 40(13) 3079-3088 (Sep 1997), 10A1280
Investigation of the effects of flue gas injection on natural draft cooling tower performance, J Eng Gas Turbines Power 119(2) 478-484 (Apr 1997), 10A1281
Laminar convection of horizontal and vertical simulated printed-circuit board assemblies, Exp Heat Transfer 10(1) 39-49 (Jan-Mar 1997), 10A1282
Laminarization of turbulent gas flow inside a strongly heated tube, Int J Heat Mass Transfer 40(13) 3105-3117 (Sep 1997), 10A1283
Semi-analytical calculation of turbulent, in-tube forced convection heat transmission of metallic liquids, J Mat Processing Manuf Sci 5(2) 149-159 (Oct 1996), 10A1284
Turbulent flow heat transfer and friction in a rectangular channel with varying numbers of ribbed walls, J Turbomachinery 119(2) 374-380 (Apr 1997), 10A1285
Vortical structures in channel flows with a backward-facing step, Int J Turbo Jet Engines 13(4) 277-293 (1996), 10A1286
Finite element solutions of laminar and turbulent flows with forces and mixed convection in an air-cooled room, Numer Heat Transfer A 31(5) 529-550 (Apr 1997), 10A1293
Turbulent heat and mass transfer in an asymmetrically heated, vertical parallel-plate channel, Int J Heat Fluid Flow 18(3) 307-315 (Jun 1997), 10A1386
Benard-Marangoni thermocapillary instability problem: On the role of the buoyancy, Int J Eng Sci 35(5) 455-466 (Apr 1997), 11A1213
Dynamic behavior of plate heat exchangers: Experiments and modeling, J Heat Transfer 117(4) 859-864 (Nov 1995), 11A1214
Experimental heat transfer and friction in channels roughened with angled, V-shaped, and discrete ribs on two opposite walls, J Turbomachinery 118(1) 20-28 (Jan 1996), 11A1215
Flow pattern in a liquid layer and the spectrum of the boundary-value problem when the surface tension depends nonlinearly on the temperature, J Appl Math Mech 60(6) 999-1005 (1996), 11A1216
Heat transfer and friction in a low-aspect-ratio rectangular channel with staggered perforated ribs on two opposite walls, J Heat Transfer 117(4) 843-850 (Nov 1995), 11A1217
Laminar forced convection in the entrance region of helical pipes, Int J Heat Mass Transfer 40(14) 3293-3304 (Sep 1997), 11A1218
Longitudinal heat transfer in oscillatory flows in pipes with thermally permeable wall, J Heat Transfer 117(4) 884-888 (Nov 1995), 11A1219
Numerical analysis of heat transfer and flow loss in a parallel plate heat exchanger element with longitudinal vortex generators as fins, J Heat Transfer 117(4) 1064-1067 (Nov 1995), 11T1220
Numerical study of convective heat transfer from periodic open cavities in a channel with oscillatory throughflow, Int J Heat Fluid Flow 18(4) 376-383 (Aug 1997), 11A1221
New analytical solution for heat transfer in the entrance region of ducts: Hydrodynamically developed flows of power-law fluids with constant wall temperature, Int J Heat Mass Transfer 40(14) 3443-3447 (Sep 1997), 11A1254
Non-Newtonian flow and heat transfer in an obstructed channel with radio-frequency heating, J Heat Transfer 117(4) 889-894 (Nov 1995), 11A1255
Effects of partial inlet blockages on high-velocity flow through a thin rectangular duct: Experimental and analytical results, J Heat Transfer 119(3) 440-450 (Aug 1997), 12A1255
Effects of rib arrangements on pressure drop and heat transfer in a rib-roughened channel with a sharp 180° turn, J Turbomachinery 119(3) 610-616 (Jul 1997), 12A1256
Flow field effects on heat transfer in confined jet impingement, J Heat Transfer 119(3) 630-632 (Aug 1997), 12T1257
Heat transfer augmentation in a rectangular channel with slit rib-tubulators on two opposite walls, J Turbomachinery 119(3) 617-623 (Jul 1997), 12A1258
Measurements of heat transfer coefficients and friction factors in rib-roughened channels simulating leading-edge cavities of a modern turbine blade, J Turbomachinery 119(3) 601-609 (Jul 1997), 12A1259
Numerical study of fluid flow and heat transfer in a channel with heated normal plates, Numer Heat Transfer A 31(8) 853-865 (Jun 1997), 12A1260

402D. Natural convection (external)

Conjugate natural convection heat transfer between two fluids separated by a horizontal wall: Steady-state analysis, Heat and Mass Transfer Warme 31(5) 353-358 (Jun 1996), 1A1165
Free convection from a heated vertical cylinder embedded in a fluid-saturated porous medium, Acta Mech 116(1-4) 139-151 (1996), 1A1166
Free convection stagnation point boundary layers driven by catalytic surface reactions - II: Times to ignition, J Eng Math 30(4) 403-415 (Jul 1996), 1A1167
Laminar natural convection flow over a vertical forward-facing step, J Thermophys Heat Transfer 10(3) 517-523 (Jul-Sep 1996), 1A1168
Unsteady free convection flow over a continuous moving vertical surface, Acta Mech 116(1-4) 75-82 (1996), 1A1169
ASME Proceedings of 31st National Heat Transfer Conference, Volume 2 (ASME Press, New York, 1996) 2N37
Free convection heat transfer around a horizontal ice cylinder formed through melting within an immiscible liquid, Heat and Mass Transfer Warme 31(6) 419-426 (Aug 1996), 2A1162
Heatline visualization in turbulent flow, Int J Numer Methods Heat & Fluid Flow 6(4) 37-46 (Jul 1996), 2A1163
MHD free convection from a vertical semi-infinite flat plate with a step change in the magnetic field, Z Angew Math Mech 76(8) 479-780 (1996), 2T1164
Penetrative flow due to an isothermal vertical wall in a stable two-layer environment generated by a room fire, Int J Heat Mass Transfer 39(18) 3977-3987 (Dec 1996), 2A1165
Hydrodynamics and heat transfer of wavy thin film flow, Int J Heat Mass Transfer 40(1) 179-190 (Jan 1997), 3A1224
Theoretical and experimental study of natural convection heat transfer from isothermal hemisphere, Int J Heat Mass Transfer 40(1) 101-109 (Jan 1997), 3A1225
Conjugate natural convection heat transfer between two porous media separated by a vertical wall, Int J Heat Mass Transfer 40(1) 123-129 (Jan 1997), 3A1240
Free convection of non-Newtonian power-law fluid from a vertical wavy surface with uniform surface heat flux, Z Angew Math Mech 76(9) 531-536 (1996), 4A1192
Boundary element method solution to transient free convective heat transfer in a viscous, electrically conducting, and heat generating fluid, Numer Heat Transfer A 30(6) 555-574 (Nov 1996), 5A1142
Boundary layer analysis of combined heat and mass transfer by natural convection from a concentrated source in a saturated porous medium, Appl Sci Res 56(1) 1-11 (1996), 5A1143
Transient free convection of non-Newtonian fluids along a wavy vertical plate including the magnetic field effect, Int J Heat Fluid Flow 17(6) 604-612 (Dec 1996), 5A1183
High Rayleigh number convection at finite Prandtl number with weakly temperature-dependent viscosity, Geophys Astrophys Fluid Dyn 83(1-2) 79-117 (Nov 1996), 6A1233
Natural convection heat transfer from a vertical flat plate with phase change material suspensions, J Enhanced Heat Transfer 4(1) 17-34 (1996), 6A1234
State space formulation to viscoelastic fluid flow of magnetohydrodynamic free convection through a porous medium, Acta Mech 119(1-4) 147-164 (1996), 6A1235
Transient free convection about a horizontal circular cylinder in a porous medium with constant surface flux heating, Acta Mech 119(1-4) 79-91 (1996), 6A1236
Natural convective heat transfer from a horizontal cylinder to fluid at near-critical condition, Int J Heat Mass Transfer 40(7) 1617-1620 (May 1997), 7A1245
Numerical simulation of natural convection-dominated melting and solidification from a finned vertical wall, Numer Heat Transfer A 31(1) 71-86 (Jan 1997), 7A1246
Time-dependent free convection motion and heat transfer in an infinite porous medium induced by a heated sphere, Int J Heat Mass Transfer 40(7) 1551-1557 (May 1997), 7A1274
Effects of mass transfer and free convection currents on the oscillatory flow past an infinite vertical porous plate with variable suction, Heat Tech 14(1) 121-134 (1996), 7A1376
Effect of surface waves on heat transfer in natural and forced convection, Int J Heat Mass Transfer 40(9) 2219-2229 (Jun 1997), 8A1264
Natural convection from a vertical rectangular fin, Exp Heat Transfer 9(4) 287-303 (Oct-Dec 1996), 8A1276
Numerical study of local and average natural convection Nusselt numbers for simultaneous convection above and below a uniformly heated horizontal thin plate, J Heat Transfer 119(1) 102-108 (Feb 1997), 8A1277
Transient conjugate heat transfer on a naturally cooled body of arbitrary shape, Int J Heat Mass Transfer 40(9) 2133-2145 (Jun 1997), 8A1278
Heat transfer in a turbulent falling film subject to intense volumetric heating, J Enhanced Heat Transfer 4(2) 87-98 (1997), 9A1117
Heat transfer by natural convection from a horizontal isothermal circular cylinder in air, Heat Transfer Eng 18(1) 25-33 (Jan-Mar 1997), 9A1212
Heat transfer enhancement of turbulent natural convection adjacent to a vertical heated plate, Heat Transfer Japan Res 25(1) 39-50 (1996), 9A1213
Combined heat and mass transfer by laminar natural convection from a vertical plate with uniform heat flux and concentration, Heat and Mass Transfer Warme 32(4) 293-299 (Apr 1997), 10A1287
Long-wave instability of natural-convection boundary layers, J Fluid Mech 335 57-73 (Mar 1997), 10A1288
Natural convection along a wavy vertical plate to non-Newtonian fluids, Int J Heat Mass Transfer 40(13) 3069-3078 (Sep 1997), 10A1304
Transient free convection flow of an incompressible viscous dissipative fluid, Heat and Mass Transfer Warme 32(4) 301-305 (Apr 1997), 10A1305
Free surface mixing with heat transfer, Numer Heat Transfer A 31(7) 685-702 (May 1997), 11A1222
Laminar natural convection flow over a vertical backward-facing step, J Heat Transfer 117(4) 895-901 (Nov 1995), 11A1223
Optimization principle for natural convection pulsating heating, J Heat Transfer 117(4) 942-947 (Nov 1995), 11A1224
Transient analysis of the natural laminar convection heat transfer process between two fluids separated by a thin horizontal wall, Eur J Mech B 16(3) 429-446 (1997), 11A1225
Transient free convection past a semi-infinite vertical plate with variable surface temperature, Int J Numer Methods Heat & Fluid Flow 7(4) 280-296 (1997), 11A1226
Free convection heat transfer from wire-and-tube heat exchangers, J Heat Transfer 119(2) 370-372 (May 1997), 11T1337
One-dimensional model for the parameterization of deep convection in the ocean, Dyn Atmos Oceans 26(2) 95-130 (Aug 1997), 12T1497

402E. Natural convection (enclosures)

Combined numerical and experimental study of air convection in a differentially heated rotating cubic cavity, Int J Heat Mass Transfer 39(15) 3193-3210 (Oct 1996), 1A1170
Effect of liquid encapsulation on the Marangoni convection in a liquid column under microgravity condition, Int J Heat Mass Transfer 39(17) 3725-3732 (Nov 1996), 1A1171
Investigation of natural convection in convergent vertical channels, Int J Energy Res 20(7) 559-567 (Jul 1996), 1A1172
Natural convection in a cubical cavity heated from below at low Rayleigh numbers, Int J Heat Mass Transfer 39(15) 3233-3247 (Oct 1996), 1A1173
Natural convection in a liquid metal enclosure with floor cooling, Int J Heat Mass Transfer 39(17) 3749-3759 (Nov 1996), 1A1174
Natural convection in the annulus between concentric horizontal circular and square cylinders, J Thermophys Heat Transfer 10(3) 524-531 (Jul-Sep 1996), 1A1175
New low-Reynolds-number k-ε model including damping effect due to buoyancy in a stratified flow field, Int J Heat Mass Transfer 39(16) 3483-3496 (Nov 1996), 1A1176
Numerical analysis of natural convection around a vertical channel in a rectangular enclosure, Heat and Mass Transfer Warme 31(5) 313-321 (Jun 1996), 1A1177
Transient free convection flow between two vertical parallel plates, Heat and Mass Transfer Warme 31(5) 329-331 (Jun 1996), 1A1178
Visualization of natural convection in a side-heated cavity: Transition to the final steady state, Int J Heat Mass Transfer 39(16) 3497-3509 (Nov 1996), 1A1179
Stability of the thermal convection in a tilted square cavity, J Phys Soc Japan 65(6) 1686-1698 (Jun 1996), 1A1181
Finite-volume multigrid calculation of natural-convection flows on unstructured grids, Numer Heat Transfer B 30(1) 1-22 (Jul-Aug 1996), 1A1199
Experimental study of natural convection in a volumetrically heated spherical pool bounded on top with a rigid wall, Nucl Eng Des 163(3) 333-348 (Jul 1996), 1A1432
Formulas for viscous fluid and heat flows around a hexagonal lattice of circular tubes, Fluid Dyn Res 18(4) 211-222 (Sep 1996), 2A957
Effect of Prandtl number and computational schemes on the oscillatory natural convection in an enclosure, Numer Heat Transfer A 30(3) 271-282 (Aug 1996), 2A1166
Experimental study of turbulent natural convection in a tall air cavity, Exp Heat Transfer 9(2) 165-194 (Apr-Jun 1996), 2A1167
Free convection in inclined air layers heated from above, Int J Heat Mass Transfer 39(18) 3925-3930 (Dec 1996), 2A1168
Natural convection heat transfer in horizontal rod-bundle enclosures, J Heat Transfer 118(3) 598-605 (Aug 1996), 2A1169
Numerical prediction of the buoyancy-driven flow in the annulus between horizontal eccentric elliptical cylinders, Numer Heat Transfer A 30(3) 283-303 (Aug 1996), 2A1170
Numerical simulation of natural convection in an enclosure with discrete protruding heaters, Numer Heat Transfer A 30(2) 207-218 (Aug 1996), 2A1171
Numerical study of natural convection in a cylindrical cavity bounded by a partially-heated vertical wall, Fluid Dyn Res 18(4) 223-235 (Sep 1996), 2A1172
Asymptotic solution of natural convection problem in a square cavity heated from below, Int J Numer Methods Heat & Fluid Flow 6(5) 29-36 (Aug 1996), 3A1226
Natural convective heat transfer in an enclosure partly filled with a non-porous insulation, Int J Numer Methods Heat & Fluid Flow 6(5) 37-48 (Aug 1996), 3A1227
Numerical study of the steady state freezing of water in an open rectangular cavity, Int J Numer Methods Heat & Fluid Flow 6(5) 3-16 (Aug 1996), 3A1228
Stability of natural convection in an inclined fluid layer in the presence of ac electric field, J Phys Soc Japan 65(8) 2479-2484 (Aug 1996), 3A1231
Effect of thermal stratification on natural convection in a vertical porous insulation layer, Int J Heat Mass Transfer 40(1) 111-121 (Jan 1997), 3A1241
Effects of temperature-dependent viscosity on thermal convection in a spherical shell, Physica D 97(1-3) 242-252 (Oct 1996), 4A1193
High Rayleigh number convection and passive scalar mixing, Physica D 97(1-3) 286-290 (Oct 1996), 4A1194
Natural convection to air from an array of vertical parallel plates with discrete and protruding heat sources, Int J Heat Fluid Flow 17(5) 483-490 (Oct 1996), 4A1195
Numerical investigation of natural convection in a vertical slot with two heat source elements, Int J Heat Fluid Flow 17(5) 474-482 (Oct 1996), 4A1196
Proceedings of the ASME Heat Transfer Division, Volume 4 (ASME, New York, 1996) 5N27
Dual steady solutions in natural convection between horizontal concentric cylinders, Int J Heat Fluid Flow 17(6) 587-593 (Dec 1996), 5A1144
Effects of wall conduction, internal heat sources and an internal baffle on natural convection heat transfer in a rectangular enclosure, Int J Heat Mass Transfer 40(4) 915-929 (Mar 1997), 5A1145
Experimental investigation on pulsating horizontal heating of a water-filled enclosure, J Heat Transfer 118(4) 889-896 (Nov 1996), 5A1146
Gravitational effects on laminar convection to near-critical water in a vertical tube, J Thermophys Heat Transfer 10(4) 627-632 (Oct-Dec 1996), 5A1147
Heat transfer by natural convection across a vertical air cavity of large aspect ratio, J Heat Transfer 118(4) 993-995 (Nov 1996), 5T1148
Heat transfer characteristics of horizontal steam generators under natural circulation conditions, Nucl Eng Des 166(2) 191-223 (Oct 1996), 5A1149
Natural convection heat transfer of cold water in an eccentric horizontal cylindrical annulus: A numerical study, Comput Mech 18(6) 464-470 (Oct 1996), 5A1150
Numerical investigation on a simulation model of floating zone convection, Int J Heat Mass Transfer 40(4) 757-763 (Mar 1997), 5A1151
Numerical simulation of flow pattern formation in a bottom heated cylindrical fluid layer, Numer Heat Transfer A 30(5) 459-476 (Oct 1996), 5A1152
Numerical simulation of natural convection of gallium in a narrow gap, Int J Heat Mass Transfer 40(5) 1169-1180 (Mar 1997), 5A1153
Optimum plate separation in vertical parallel-plate channels for natural convective flows: Incorporation of large spaces at the channel extremes, Int J

Heat Mass Transfer 40(5) 993-1000 (Mar 1997), 5A1154
Oscillatory phenomena of low-Prandtl-number fluids in a rectangular cavity, Numer Heat Transfer A 30(5) 427-437 (Oct 1996), 5A1155
Transient free convection in a vertical cylinder filled with granular product, open at the extremities and heated with uniform heat flux density: Validity of the local thermal equilibrium hypothesis (French), Int J Heat Mass Transfer 40(5) 1155-1168 (Mar 1997), 5A1156
Direct boundary-layer stability analysis of steady-state cavity convection flow, Int J Heat Fluid Flow 17(6) 539-546 (Dec 1996), 5A1158
Transient buoyancy-thermocapillary convection in two superposed immiscible liquid layers, Numer Heat Transfer A 30(5) 477-501 (Oct 1996), 5A1186
Effect of rotation on the structure of a convecting mushy layer, Acta Mech 118(1-4) 109-119 (1996), 5A1240
Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents, Nucl Eng Des 166(2) 179-190 (Oct 1996), 5A1445
Effect of gravity modulation on natural convection in a vertical slot, Int J Heat Mass Transfer 40(6) 1411-1426 (Apr 1997), 6A1237
Flow structure and temperature measurements in a 3D vertical free convective enclosure at high Rayleigh numbers, Int J Heat Mass Transfer 40(6) 1467-1480 (Apr 1997), 6A1238
Navier-Stokes study of natural convection and heat transfer in vertical symmetrically heated plate-fin heat sinks, Numer Heat Transfer A 30(7) 703-720 (Nov 1996), 6A1239
Prandtl number effect on the optimum heating frequency of an enclosure filled with fluid or with a saturated porous medium, Int J Heat Mass Transfer 40(6) 1313-1323 (Apr 1997), 6A1250
Generation of stable thermal stratification in a partially enclosed space due to a room fire, Int J Numer Methods Heat & Fluid Flow 6(8) 31-52 (Dec 1996), 7A1247
Heat transfer optimization within open-ended annular cavities, J Thermophys Heat Transfer 11(1) 121-124 (Jan-Mar 1997), 7T1248
Natural convection in an enclosure having a vertical sidewall with time-varying temperature, J Fluid Mech 329 65-88 (Dec 1996), 7A1249
Numerical study of natural convection in a vertical annulus with constant heat flux on the inner wall, Int J Numer Methods Heat & Fluid Flow 6(7) 31-46 (Nov 1996), 7A1250
Simulation of 2D, low-PR natural convection in harmonically oscillated, differentially heated enclosures, Numer Heat Transfer A 31(1) 1-19 (Jan 1997), 7A1251
Transient free convection in micropolar fluids from an isothermal horizontal circular cylinder, Heat Tech 12(1-2) 33-53 (1994), 7A1252
New bounded skew central difference scheme - Part II: Application to natural convection in an eccentric annulus, Numer Heat Transfer B 31(1) 111-133 (Jan-Feb 1997), 7A1277
Deformation and kinematic mixing of a collapsing interface, Appl Math Model 21(2) 108-112 (Feb 1997), 8A1279
Derivation of Rayleigh number for nonpenetrative thermal convection, J Heat Transfer 119(1) 180-183 (Feb 1997), 8T1280
Development of multicellular solutions in natural convection in an air-filled vertical cavity, J Heat Transfer 119(1) 97-101 (Feb 1997), 8A1281
Experimental study of flow rates through inclined open thermosyphons, Solar Energy 57(5) 401-408 (Nov 1996), 8A1282
Natural convection heat transfer in vertical channels with and without transverse square ribs, Int J Heat Mass Transfer 40(9) 2173-2185 (Jun 1997), 8A1283
Nonlinear behavior of the instability of steady natural convection in a vertical air layer, Mech Res Commun 24(2) 179-188 (Mar-Apr 1997), 8A1284
Nonlinear convection with inclined temperature gradient and horizontal mass flow, Int J Eng Sci 35(4) 299-309 (Mar 1997), 8A1285
Numerical investigation of transient flow-mode transition of laminar natural convection in an inclined enclosure, Numer Heat Transfer A 31(2) 193-206 (Feb 1997), 8A1286
Numerical study of heat transfer and flow of natural convection in an enclosure with a heat-generating conducting body, Numer Heat Transfer A 31(3) 289-303 (Feb 1997), 8A1287
Turbulent natural convection in an enclosure with localized heating from below, Exp Heat Transfer 9(4) 305-321 (Oct-Dec 1996), 8A1288
Coupled conduction-convection problem for an underground rectangular duct containing three insulated cables, Numer Heat Transfer A 31(4) 411-431 (Mar 1997), 9A1214
Effects of a geometric perturbation on buoyancy induced flow and heat transfer in a cylindrical annulus, Int J Heat Mass Transfer 40(12) 2901-2911 (Aug 1997), 9A1215
Experimental study of natural convection in a model alloy with a miscibility gap, Int J Heat Mass Transfer 40(11) 2595-2605 (Jul 1997), 9A1216
Experimental study of transient natural convection in an inclined rectangular enclosure, Int J Heat Mass Transfer 40(11) 2679-2690 (Jul 1997), 9A1217
Finite element analysis of conjugate natural convection in a square enclosure with a conducting vertical wall, Comput Methods Appl Mech Eng 141(3-4) 205-219 (Feb 1997), 9A1218
Investigation on a simulation model of floating half zone convection - II: Experiment, Int J Heat Mass Transfer 40(11) 2671-2677 (Jul 1997), 9A1219
Steady natural convection in a two-layer system of immiscible liquids, Int J Heat Mass Transfer 40(12) 2799-2812 (Aug 1997), 9A1220
Numerical simulation of impingement air cooling from LSI packages with large plate fins by the penalty FEM, J Electron Packaging 119(1) 73-77 (Mar 1997), 9A1297
Strongly turbulent Rayleigh-Benard convection in mercury: Comparison with results at moderate Prandtl number, J Fluid Mech 335 111-140 (Mar 1997), 10A1081
Laminar free convection in the square cavity, Facta Univ Mech Auto Control Robotic 2(6) 57-67 (1996), 10A1139
Direct (pseudo-spectral) solver of the 2D-3D Stokes problem: Transition to unsteadiness of natural-convection flow in a differentially heated cubical cavity, Numer Heat Transfer B 31(3) 261-276 (Apr-May 1997), 10A1289
Natural convection with unsaturated humid air in vertical cavities, Int J Heat Mass Transfer 40(13) 3005-3012 (Sep 1997), 10A1290
Transient confined natural convection with internal heat generation, Int J Heat Fluid Flow 18(3) 328-333 (Jun 1997), 10A1291
Conjugate natural convection of a power law fluid in a vertical finite thick channel with heat sources, Int J Numer Methods Heat & Fluid Flow 7(2-3) 200-214 (1997), 11T1227
Effect of dissimilar impingement velocities on local heat transfer for adjacent rows of circular free-surface jets, J Heat Transfer 117(4) 1061-1064 (Nov 1995), 11T1228
Effect of wall conduction on natural convection in an enclosure with a centered heat source, J Electron Packaging 117(4) 301-306 (Dec 1995), 11A1229
Enhancement of heat transfer rate by application of a static magnetic field during natural convection of liquid metal in a cube, J Heat Transfer 119(2) 265-271 (May 1997), 11A1230
Free convection in channel: An alternative numerical approach and illustrations, Commun Numer Methods Eng 13(5) 387-396 (May 1997), 11A1231
Laminar natural convection in a discretely heated cavity - I: Assessment of 3D effects, J Heat Transfer 117(4) 902-909 (Nov 1995), 11A1232
Laminar natural convection in a discretely heated cavity - II: Comparisons of experimental and theoretical results, J Heat Transfer 117(4) 910-917 (Nov 1995), 11A1233
Natural convection in shallow, horizontal air layers encountered in electronic cooling, J Electron Packaging 117(4) 307-316 (Dec 1995), 11A1234
Oscillatory natural convection of water near the density extremum at high Rayleigh numbers, Int J Heat Mass Transfer 40(14) 3449-3465 (Sep 1997), 11A1235
Shape of an enclosure with uniform-flux, isothermal, nonhorizontal walls, J Heat Transfer 117(4) 936-941 (Nov 1995), 11A1236
Temperature measurements of a transient thermal plume in a confined space, J Heat Transfer 119(2) 389-391 (May 1997), 11T1237
Three dimensional natural convective flow in a vertical annulus with longitudinal fins, Int J Heat Mass Transfer 40(14) 3323-3334 (Sep 1997), 11A1238
Turbulent penetrative and recirculating flow in a compartment fire, J Heat Transfer 117(4) 927-935 (Nov 1995), 11A1239
Velocity and temperature analysis of air free convection in a differentially heated square cavity at Ra = 1.69×10^5 (French), Int J Heat Mass Transfer 40(14) 3427-3441 (Sep 1997), 11A1240
Onset and development of natural convection above a suddenly heated horizontal surface, J Heat Transfer 117(4) 808-820 (Nov 1995), 11A1242
Time-averaged and reverse transition in oscillatory air convection in a differentially heated rotating cubic cavity, Int J Heat Mass Transfer 40(14) 3335-3349 (Sep 1997), 11A1252
Visualization of Rayleigh-Benard convection in liquid metals, Eur J Mech B 16(3) 447-454 (1997), 11A1257
Computations for a three-by-three array of protrusions cooled by liquid immersion: Effect of substrate thermal conductivity, J Electron Packaging 117(4) 294-300 (Dec 1995), 11A1369
Buoyancy induced convection in a narrow open-ended annulus, J Heat Transfer 119(3) 483-494 (Aug 1997), 12A1261
Effects of horizontal fins on natural-convective heat transfer in a square enclosure, Exp Heat Transfer 10(2) 119-131 (Apr-Jun 1997), 12A1262
Simulation of natural convection in a vertical enclosure by using a new incompressible flow formulation: Pseudovorticity-velocity formulation, Numer Heat Transfer A 31(8) 881-896 (Jun 1997), 12A1272

402F. Thermally unstable configurations

Wavelength of stationary instability in the convective flow between heated vertical planes, Eur J Mech B 15(3) 413-437 (1996), 1A1065
Theoretical modeling of buoyancy-driven turbulent flows, J Phys Soc Japan 65(7) 2044-2059 (Jul 1996), 1A1082
Mode interactions in Rayleigh-Benard convection, Physica D 95(1) 50-61 (Aug 1996), 1A1180
Stability of the thermal convection in a tilted square cavity, J Phys Soc Japan 65(6) 1686-1698 (Jun 1996), 1A1181
Numerical study of natural convection in a cylindrical cavity bounded by a partially-heated vertical wall, Fluid Dyn Res 18(4) 223-235 (Sep 1996), 2A1172
Onset of flow instability for downward flow in vertical channels, J Heat Transfer 118(3) 709-714 (Aug 1996), 2A1173
Penetrative convection induced by the freezing of seawater, Int J Heat Mass Transfer 39(18) 3823-3834 (Dec 1996), 2A1299
Effect of temperature-dependent viscosity on the onset of convection in a saturated porous medium, J Heat Transfer 118(3) 803-805 (Aug 1996), 2T1363
Wind tunnel study of turbulent flow structure in the convective boundary layer capped by a temperature inversion, J Atmos Sci 53(9) 1273-1289 (May 1996), 3A1151
Onset of thermal convection between poorly conducting horizontal boundaries in the presence of a shear flow, SIAM J Appl Math 56(5) 1317-1328 (Oct 1996), 3A1229
Pattern formation for oscillatory bulk-mode competition in a two-layer Benard problem, Z Angew Math Phys 47(4) 567-590 (Jul 1996), 3A1230
Stability of natural convection in an inclined fluid layer in the presence of ac electric field, J Phys Soc Japan 65(8) 2479-2484 (Aug 1996), 3A1231
Three-dimensional transition of natural-convection flows, J Fluid Mech 319 281-303 (Jul 1996), 3A1232
Traveling wave instability caused by moving planar heat sources: The rigid problem, J Eng Math 30(5) 501-513 (Sep 1996), 3A1233
Is temperature passive or active in hard turbulence?, Physica D 97(1-3) 155-157 (Oct 1996), 4A1087
Convection in cylindrical containers at supercritical Rayleigh numbers, Physica D 97(1-3) 180-184 (Oct 1996), 4A1197
Influencer of boundaries on pattern selection in through-flow, Physica D 97(1-3) 253-263 (Oct 1996), 4A1198
Localized rotating convection induced by topography, Physica D 97(1-3) 29-44 (Oct 1996), 4A1199
Spatio-temporal structure of spiral-defect chaos, Physica D 97(1-3) 164-179 (Oct 1996), 4A1200
Statistical stability of convection dynamos, Physica D 97(1-3) 158-163 (Oct 1996), 4A1201
Theoretical modeling of spiral chaos in Rayleigh-Benard convection, Physica D 97(1-3) 65-80 (Oct 1996), 4A1202
The √2:1 resonance in non-Boussinesq convection, Physica D 97(1-3) 229-241 (Oct 1996), 4A1203
Heat and momentum transport in sheared Rayleigh-Benard convection, Physica D 97(1-3) 126-132 (Oct 1996), 4A1207
Multiple states in doubly driven flow, Physica D 97(1-3) 311-321 (Oct 1996), 4A1208
Transient free convection from a vertical plate subjected to a change in surface heat flux in porous media, Fluid Dyn Res 18(6) 313-324 (Nov 1996), 4A1217
Non-isothermal spreading of a thin liquid film on an inclined plane, J Fluid Mech 324 261-286 (Oct 1996), 5A933
Three-dimensional instability of axisymmetric buoyant convection in cylinders heated from below, J Fluid Mech 326 399-415 (Nov 1996), 5A1028
Control of Rayleigh-Benard convection in a small aspect ratio container, Int J Heat Mass Transfer 40(4) 817-822 (Mar 1997), 5A1157
Direct boundary-layer stability analysis of steady-state cavity convection flow, Int J Heat Fluid Flow 17(6) 539-546 (Dec 1996), 5A1158
Hydrodynamic control of boundary layers around a body of revolution in mixed-convection (French), Int J Heat Mass Transfer 40(3) 657-663 (Feb 1997), 5A1159
Onset of Benard-Marangoni convection in a rotating liquid layer with nonuniform volumetric energy sources, Int J Heat Fluid Flow 17(6) 579-586 (Dec 1996), 5A1160
Oscillatory instability analysis of Benard-Marangoni convection in a rotating fluid with internal heat generation, Int J Heat Mass Transfer 40(4) 857-867 (Mar 1997), 5A1161
Rayleigh-Marangoni thermoconvective instability with non-Boussinesq corrections, Int J Heat Mass Transfer 40(4) 785-798 (Mar 1997), 5A1162
Role of thermocapillary instability in heat transfer in a liquid metal pool, Int J Heat Mass Transfer 40(4) 881-891 (Mar 1997), 5A1163
Soret effects in ternary systems heated from below, Int J Heat Mass Transfer 40(3) 545-555 (Feb 1997), 5A1164
Stability properties of the vertical boundary layers in differentially heated cavities, Int J Heat Fluid Flow 17(6) 547-556 (Dec 1996), 5A1165
Three-dimensional numerical simulation of thermocapillary instabilities in floating zones, Appl Sci Res 56(1) 19-41 (1996), 5A1166
Unsteady vortex roll structures in a mixed convective air flow through a horizontal plane channel: A numerical study, Int J Heat Mass Transfer 40(3) 505-518 (Feb 1997), 5A1170
Effects of Coriolis force and surface tension on Benard-Marangoni convective instability, Int J Heat Mass Transfer 40(6) 1447-1458 (Apr 1997), 6A1240
Experimental study of oscillatory convection in liquid gallium, J Fluid Mech 327 199-219 (Nov 1996), 6A1241
Stability of viscoelastic fluids in a modulated gravitational field, Int J Heat Mass Transfer 40(6) 1401-1410 (Apr 1997), 6A1242
Straightforward approximation to the equations governing convective flows in multi-component fluids, Int J Heat Mass Transfer 40(6) 1427-1436 (Apr 1997), 6A1243
Fluid motion and heat transmission in a horizontal liquid layer heated locally from free surface, JSME Int J Ser B 39(4) 780-788 (Nov 1996), 7T1031
Horizontal convective rolls in a tilted square duct of conductive and insulating walls, Comput Fluids 26(1) 1-17 (Jan 1997), 7A1253
Oscillatory thermocapillary flow in cylindrical columns of high Prandtl number fluids, J Thermophys Heat Transfer 11(1) 105-111 (Jan-Mar 1997), 7A1254
Potentiality of instability of a thermal system containing two temperatures of reference (French), Int J Heat Mass Transfer 40(8) 1863-1874 (May 1997), 7A1255
Resonant interactions in Benard-Marangoni convection in cylindrical containers, Physica D 99(4) 487-502 (Jan 1997), 7A1256
Thermal instability in a circular cylinder with internal heat generation (French), Int J Heat Mass Transfer 40(7) 1535-1543 (May 1997), 7A1257
Mixed convection in micropolar boundary-layer flow over a horizontal semi-infinite plate, J Fluids Eng 118(4) 833-838 (Dec 1996), 7A1260
Compressible gas in porous media: A finite amplitude analysis of natural convection, Int J Heat Mass Transfer 40(7) 1585-1589 (May 1997), 7A1448
Nonlinear stability of convection in a porous medium with inclined temperature gradient, Int J Heat Mass Transfer 40(7) 1611-1615 (May 1997), 7A1452
Critical properties of convective waves in a 1D system, Physica D 102(1-2) 93-100 (Mar 1997), 8A1289
New types of long-wave oscillatory Marangoni instabilities in multilayer systems, Quart J Mech Appl Math 50(1) 149-163 (Feb 1997), 8A1290
Onset of convection in a rotating conical container, Mech Res Commun 24(2) 189-195 (Mar-Apr 1997), 8T1291
Anticonvective, steady and oscillatory mechanisms of instability in multi-layer systems, Physica D 102(3-4) 313-327 (Apr 1997), 9A1221
Buoyant instabilities in downward flow in a symmetrically heated vertical channel, Int J Heat Mass Transfer 40(10) 2419-2430 (Jul 1997), 9A1222
Onset of thermally induced gas convection in mine wastes, Int J Heat Mass Transfer 40(11) 2621-2636 (Jul 1997), 9A1223
Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, Int J Heat Mass Transfer 40(11) 2517-2524 (Jul 1997), 9A1224
Pattern selection in mixed convection in rectangular ducts, Heat and Mass Transfer Warme 32(4) 213-222 (Apr 1997), 10A1292
Long-wavelength thermal convection in a weak shear flow, IMA J Appl Math 58(2) 159-184 (Apr 1997), 11A1241
Onset and development of natural convection above a suddenly heated horizontal surface, J Heat Transfer 117(4) 808-820 (Nov 1995), 11A1242

402G. Combined natural and forced convection

Experimental observation and conjugated heat transfer analysis of vortex flow development in mixed convection of air in a horizontal rectangular duct, Int J Heat Mass Transfer 39(17) 3667-3683 (Nov 1996), 1A1182
Numerical investigation of mixed convection heat transfer past an in-line bundle of cylinders, Heat and Mass Transfer Warme 31(5) 347-352 (Jun 1996), 1A1183
Flow transitions and combined free and forced convective heat transfer in a rotating curved circular tube, Int J Heat Mass Transfer 39(16) 3381-3400 (Nov 1996), 1A1186

Combined convection in an axisymmetric stagnation flow of micropolar fluid, Int J Numer Methods Heat & Fluid Flow 6(4) 47-55 (Jul 1996), 2A1174

Correlation for opposing flow, mixed convection heat transfer in a vertical tube with constant wall temperature, J Heat Transfer 118(3) 787-789 (Aug 1996), 2T1175

Flow and mixed convection heat transfer in a divergent heated vertical channel, J Heat Transfer 118(3) 606-615 (Aug 1996), 2A1176

Flow patterns and heat transfer of low-speed upward flow between uniformly heated vertical plates, Heat Transfer Japan Res 24(2) 166-178 (1995), 2A1177

MHD mixed convection from a horizontal circular cylinder, Numer Heat Transfer A 30(4) 379-396 (Sep 1996), 3A1234

Unsteady forced and natural convection around a sphere immersed in a porous medium, J Eng Math 30(5) 515-525 (Sep 1996), 3A1235

Aiding and opposing mixed-convection heat transfer in a vertical tube: Loss of boundary condition at different Grashof numbers, Int J Heat Fluid Flow 17(5) 468-473 (Oct 1996), 4A1204

Changes of longitudinal vortex roll structure in a mixed convective air flow through a horizontal plane channel: An experimental study, Int J Heat Mass Transfer 40(2) 347-363 (Jan 1997), 4A1205

Combined forced and natural convection heat transfer in a deep lid-driven cavity flow, Int J Heat Fluid Flow 17(5) 460-467 (Oct 1996), 4A1206

Heat and momentum transport in sheared Rayleigh-Benard convection, Physica D 97(1-3) 126-132 (Oct 1996), 4A1207

Multiple states in doubly driven flow, Physica D 97(1-3) 311-321 (Oct 1996), 4A1208

Structures of moving transverse and mixed rolls in mixed convection of air in a horizontal plane channel, Int J Heat Mass Transfer 40(2) 333-346 (Jan 1997), 4A1209

Three-dimensional mixed convection laminar boundary-layer over a horizontal surface in the neighborhood of a plane of symmetry, Int J Heat Mass Transfer 40(2) 421-433 (Jan 1997), 4A1210

Buoyancy-force-driven transitions in flow structures and their effects on heat transfer in a rotating curved channel, Int J Heat Mass Transfer 40(2) 223-235 (Jan 1997), 4A1211

Linear stability of mixed convection in a vertical channel flow, J Fluid Mech 325 29-51 (Oct 1996), 5A1026

Flow patterns of mixed convection in a horizontal square channel flow, Exp Heat Transfer 9(3) 257-265 (Jul-Sep 1996), 5A1167

Mixed convective heat transfer between a series of vertical parallel plates with planar heat sources, J Heat Transfer 118(4) 984-990 (Nov 1996), 5T1168

Observations of spanwise symmetry breaking for unsteady mixed convection in horizontal ducts, J Heat Transfer 118(4) 885-888 (Nov 1996), 5A1169

Unsteady vortex roll structures in a mixed convective air flow through a horizontal plane channel: A numerical study, Int J Heat Mass Transfer 40(3) 505-518 (Feb 1997), 5A1170

Mixed convection flow and heat transfer between two co-rotating porous disks with wall transpiration, Int J Heat Mass Transfer 40(4) 773-784 (Mar 1997), 5A1175

Effects of transverse magnetic field on mixed convection in a micropolar fluid on a horizontal plate with vectored mass transfer, Acta Mech 118(1-4) 1-12 (1996), 5A1179

Mixed convection in non-Newtonian fluids along a vertical plate in a porous medium, Acta Mech 118(1-4) 55-64 (1996), 5A1182

Semi-implicit second order finite volume jet stream computations, Int J Numer Methods Heat & Fluid Flow 6(6) 39-50 (Sep 1996), 5A1201

Steady-state solutions of buoyancy-assisted internal flows using a fast false implicit transient scheme, Int J Numer Methods Heat & Fluid Flow 6(6) 3-23 (Sep 1996), 5A1204

Numerical analysis of the transient turbulent flow field in a thermally stratified thermal storage water tank, Numer Heat Transfer A 30(7) 649-667 (Nov 1996), 6A1244

Flow visualization and numerical simulation of transverse and mixed vortex roll formation in mixed convection of air in a horizontal flat duct, Int J Heat Mass Transfer 40(8) 1907-1922 (May 1997), 7A1258

Mixed convection heat and mass transfer in vertical rectangular ducts, Int J Heat Mass Transfer 40(7) 1621-1631 (May 1997), 7A1259

Mixed convection in micropolar boundary-layer flow over a horizontal semi-infinite plate, J Fluids Eng 118(4) 833-838 (Dec 1996), 7A1260

Numerical study of a buoyancy-induced flow along a vertical plate with discretely heated integrated circuit packages, Int J Heat Mass Transfer 40(7) 1509-1520 (May 1997), 7A1261

Variable-property effects in laminar aiding and opposing mixed convection of air in vertical tubes, Numer Heat Transfer A 31(1) 53-69 (Jan 1997), 7A1262

Mixed convection in the laminar flow of viscoelastic liquids through rectangular ducts, J Thermophys Heat Transfer 11(1) 98-104 (Jan-Mar 1997), 7A1268

Dual influence of curvature and buoyancy in fully developed tube flows, Int J Heat Mass Transfer 40(9) 2187-2199 (Jun 1997), 8A1292

Numerical study of transient mixed convection in a cylindrical cavity, Numer Heat Transfer A 31(3) 305-324 (Feb 1997), 8A1293

Similarity solution of mixed convection over a horizontal moving plate, Heat and Mass Transfer Warme 32(3) 199-206 (Feb 1997), 8A1294

Theoretical and experimental studies of laminar mixed convection in water pipe flow with density inversion effect, Int J Heat Mass Transfer 40(9) 2019-2033 (Jun 1997), 8A1295

Transient mixed convection of a backward-facing step with a periodically heated wall, Acta Mech 120(1-4) 233-241 (1997), 8A1296

Buoyant instabilities in downward flow in a symmetrically heated vertical channel, Int J Heat Mass Transfer 40(10) 2419-2430 (Jul 1997), 9A1222

Mixed convection heat and moisture transfer from a horizontal furry cylinder in a transverse wind, Int J Heat Mass Transfer 40(10) 2273-2281 (Jul 1997), 9A1225

Unsteady conjugated mixed convection flow and heat transfer between two co-rotating discs, Int J Heat Mass Transfer 40(12) 2975-2988 (Aug 1997), 9A1227

Unsteady convection flow through a pipe of variable gap induced by a travelling thermal boundary wave, Int J Energy Res 21(4) 359-376 (Mar 1997), 9A1230

Pattern selection in mixed convection in rectangular ducts, Heat and Mass Transfer Warme 32(4) 213-222 (Apr 1997), 10A1292

Finite element solutions of laminar and turbulent flows with forces and mixed convection in an air-cooled room, Numer Heat Transfer A 31(5) 529-550 (Apr 1997), 10A1293

Mixed convection heat transfer past in-line cylinders in a vertical duct, Numer Heat Transfer A 31(5) 551-562 (Apr 1997), 10A1294

Convective heat transfer in a cylinder with a rotating lid under stable stratification, Int J Heat Fluid Flow 18(4) 384-388 (Aug 1997), 11T1243

Effects of aspect ratio on vortex flow patterns in mixed convection of air through a bottom-heated horizontal rectangular duct, Numer Heat Transfer A 31(7) 745-764 (May 1997), 11A1244

Estimation of the onset of longitudinal vortices in a laminar boundary layer heated from below, J Heat Transfer 117(4) 835-842 (Nov 1995), 11A1245

Mixed convection in a partially divided rectangular enclosure, Numer Heat Transfer A 31(6) 655-683 (May 1997), 11A1246

Developing combined convection of non-Newtonian fluids in an eccentric annulus, Acta Mech 121(1-4) 35-49 (1997), 12A1266

402H. Separated flows

Nonlinear low-Reynolds-number k-ε model for turbulent separated and reattaching flows - II: Thermal field computations, Int J Heat Mass Transfer 39(16) 3465-3474 (Nov 1996), 1A1184

Studies on wake-affected heat transfer around the circular leading edge of blunt body, J Turbomachinery 118(3) 452-460 (Jul 1996), 1A1185

Fluid flow and heat transfer in a 2D wavy channel, Heat and Mass Transfer Warme 31(6) 411-418 (Aug 1996), 2A1155

Calculation of wall heat transfer in pipe-expansion turbulent flows, Int J Heat Mass Transfer 39(18) 3813-3822 (Dec 1996), 2A1178

Simulation of laminar confined flow past a circular cylinder with integral wake splitter involving heat transfer, Int J Numer Methods Heat & Fluid Flow 6(4) 65-81 (Jul 1996), 2A1179

Proceedings of the ASME Heat Transfer Division, Volume 2 (ASME, New York, 1996) 3N42

Numerical investigation of heat transfer in impinging axial and radial jets with superimposed swirl, Int J Heat Mass Transfer 40(1) 141-147 (Jan 1997), 3A1236

Heat transfer and flow field in a pipe with sinusoidal wavy surface - I: Numerical investigation, Int J Heat Mass Transfer 40(5) 1061-1070 (Mar 1997), 5A1171

Heat transfer and flow field in a pipe with sinusoidal wavy surface - II: Experimental investigation, Int J Heat Mass Transfer 40(5) 1071-1081 (Mar 1997), 5A1172

Flow separation with adverse rotational buoyancy, J Heat Transfer 118(4) 977-979 (Nov 1996), 5T1173

Numerical study of a backward-facing step with uniform normal mass bleed, Int J Heat Mass Transfer 40(7) 1677-1686 (May 1997), 7A1263

Control of heat transfer on wall with wall jet, Heat Transfer Japan Res 25(1) 1-11 (1996), 9A1203

Vortical structures in channel flows with a backward-facing step, Int J Turbo Jet Engines 13(4) 277-293 (1996), 10A1286

Enhancement of flare method for predicting bouyancy-induced flow reversal in vertical ducts via parabolic model, Numer Heat Transfer B 31(3) 327-345 (Apr-May 1997), 10A1295

Total-coverage discrete hole wall cooling, J Turbomachinery 119(2) 320-329 (Apr 1997), 10A1296

Vortex structure and heat transfer in the stagnation region of an impinging plane jet: Simultaneous measurements of velocity and temperature fields by digital particle image velocimetry and laser-induced fluorescence, Int J Heat Mass Transfer 40(13) 3163-3176 (Sep 1997), 10A1297

Flow and heat transfer around a single row of circular cylinders, Heat Transfer Japan Res 25(3) 192-200 (1996), 11A1208

Heat transfer characteristics of a radial jet reattachment flame, J Heat Transfer 119(2) 258-264 (May 1997), 11A1247

Laminar flow over a backward-facing step with a stream of hot particles, Int J Heat Fluid Flow 18(4) 400-410 (Aug 1997), 11A1248

402I. Rotating fluids or surfaces

Aerodynamic mixing effect of discrete cooling jets with mainstream flow on a highly loaded turbine blade, J Turbomachinery 118(3) 468-478 (Jul 1996), 1A1106

Combined numerical and experimental study of air convection in a differentially heated rotating cubic cavity, Int J Heat Mass Transfer 39(15) 3193-3210 (Oct 1996), 1A1170

Flow transitions and combined free and forced convective heat transfer in a rotating curved circular tube, Int J Heat Mass Transfer 39(16) 3381-3400 (Nov 1996), 1A1186

Heat transfer in an air-cooled rotor-stator system, J Turbomachinery 118(3) 444-451 (Jul 1996), 1A1187

Local heat transfer in a rotating two-phase triangular duct with smooth walls, J Turbomachinery 118(3) 435-443 (Jul 1996), 1A1188

Numerical prediction of laminar flow and forced convective heat transfer in a helical square duct with a finite pitch, Int J Heat Mass Transfer 39(15) 3101-3115 (Oct 1996), 1A1189

Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, Heat Transfer Japan Res 24(3) 209-226 (1995), 2A1180

Approximate solution of the convective heat transfer from an isothermal rotating cylinder, Int J Heat Fluid Flow 17(4) 439-441 (Aug 1996), 2A1181

Characteristics of heat transfer and fluid flow in the rectangular duct with a rotating cylinder, Heat Transfer Japan Res 24(3) 303-314 (1995), 2A1182

Leading edge film-cooling effects on turbine blade heat transfer, Numer Heat Transfer A 30(2) 165-187 (Aug 1996), 2A1183

Local heat transfer in rotating smooth and ribbed two-pass square channels with three channel orientations, J Heat Transfer 118(3) 578-584 (Aug 1996), 2A1184

Triple hot-wire system for indoor air flow measurements, J Solar Energy Eng 118(3) 168-176 (Aug 1996), 2A1201

Localized rotating convection induced by topography, Physica D 97(1-3) 29-44 (Oct 1996), 4A1199

Buoyancy-force-driven transitions in flow structures and their effects on heat transfer in a rotating curved channel, Int J Heat Mass Transfer 40(2) 223-235 (Jan 1997), 4A1211

Turbulent characteristics of the flow in an axially rotating pipe, Int J Heat Fluid Flow 17(5) 444-451 (Oct 1996), 4A1212

Anomalous diffusion in asymmetric random walks with a quasi-geostrophic flow example, Physica D 97(1-3) 291-310 (Oct 1996), 4A1279

Rotation effects on the convection of binary alloys unidirectionally solidified from below, Int J Heat Mass Transfer 40(2) 237-246 (Jan 1997), 4A1280

Onset of Benard-Marangoni convection in a rotating liquid layer with nonuniform volumetric energy sources, Int J Heat Fluid Flow 17(6) 579-586 (Dec 1996), 5A1160

Oscillatory instability analysis of Benard-Marangoni convection in a rotating fluid with internal heat generation, Int J Heat Mass Transfer 40(4) 857-867 (Mar 1997), 5A1161

Flow separation with adverse rotational buoyancy, J Heat Transfer 118(4) 977-979 (Nov 1996), 5T1173

Mixed binary convection in a rotating disk chemical vapor deposition reactor, Int J Heat Mass Transfer 40(3) 737-744 (Feb 1997), 5T1174

Mixed convection flow and heat transfer between two co-rotating porous disks with wall transpiration, Int J Heat Mass Transfer 40(4) 773-784 (Mar 1997), 5A1175

Uneven wall heat flux effect on local heat transfer in rotating two-pass channels with two opposite ribbed walls, J Heat Transfer 118(4) 864-876 (Nov 1996), 5A1176

Unsteady flow and heat transfer between rotating coaxial disks, Numer Heat Transfer A 30(5) 519-532 (Oct 1996), 5A1177

Natural convection in a porous cavity saturated with a non-Newtonian fluid, J Thermophys Heat Transfer 10(4) 640-651 (Oct-Dec 1996), 5A1188

Numerical modeling of buoyancy-driven flows in a rotating cylindrical cavity: Comparison of a FE model with a spectral model, Numer Heat Transfer A 30(8) 779-798 (Dec 1996), 6A1245

Convective heat transfer in horizontal elliptic ducts in parallel mode rotation, Heat Tech 13(1) 105-122 (1995), 7A1264

Effects of inner rotating horizontal cylinder on heat transfer in a differentially heated enclosure, Heat Transfer Japan Res 24(6) 504-516 (1995), 7A1265

Numerical study of the effects of rotational buoyancy on fully developed flow in rotating rectangular ducts, Int J Numer Methods Heat & Fluid Flow 6(7) 47-62 (Nov 1996), 7A1266

Suppression of temperature oscillation in Czochralski convection by superimposing rotating flows, Int J Heat Mass Transfer 40(7) 1667-1675 (May 1997), 7A1267

Finite-amplitude convection in rotating spherical fluid shells, J Fluid Mech 332 359-376 (Feb 1997), 8A1062

Effects of buoyancy and periodic rotation on the melt flow in a vertical Bridgman configuration, Int J Heat Mass Transfer 40(9) 2105-2113 (Jun 1997), 8A1297

Heat transfer from air-cooled contrarotating disks, J Turbomachinery 119(1) 61-67 (Jan 1997), 8A1298

Influence of large-scale high-intensity turbulence on vane heat transfer, J Turbomachinery 119(1) 23-30 (Jan 1997), 8A1299

Measurement and computation of heat transfer in high-pressure compressor drum geometries with axial throughflow, J Turbomachinery 119(1) 51-60 (Jan 1997), 8A1300

Passage flow structure and its influence on endwall heat transfer in a 90° turning duct: Mean flow and high resolution endwall heat transfer experiments, J Turbomachinery 119(1) 39-50 (Jan 1997), 8A1301

Grid orthogonality effects on predicted turbine mid-span heat transfer and performance, J Turbomachinery 119(1) 31-38 (Jan 1997), 8A1309

Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, Heat Transfer Japan Res 25(2) 103-119 (1996), 9A1226

Unsteady conjugated mixed convection flow and heat transfer between two co-rotating discs, Int J Heat Mass Transfer 40(12) 2975-2988 (Aug 1997), 9A1227

Heat transfer coefficient and aerodynamic resistance on a surface with a single dimple, J Enhanced Heat Transfer 4(2) 131-145 (1997), 9A1295

Simulation of heat transfer from flow with high free-stream turbulence to turbine blades, J Turbomachinery 119(2) 284-291 (Apr 1997), 10A1249

Adiabatic effectivness, thermal fields, and velocity fields for film cooling with large angle injection, J Turbomachinery 119(2) 352-358 (Apr 1997), 10A1298

Effect of periodic wake passing on film effectiveness of discrete cooling holes around the leading edge of a blunt body, J Turbomachinery 119(2) 292-301 (Apr 1997), 10A1299

Heat transfer and film cooling effectiveness in a linear airfoil cascade, J Turbomachinery 119(2) 302-309 (Apr 1997), 10A1300

Phase-resolved surface pressure and heat-transfer measurements on the blade of a two-stage turbine, J Fluids Eng 117(4) 653-658 (Dec 1995), 11A1167

Unsteady forced convection heat transfer from a translating and spinning body, J Energy Resources Tech 117(4) 318-323 (Dec 1995), 11A1212

Experimental and theoretical investigations of heat transfer in closed gas-filled rotating annuli II, J Turbomachinery 118(1) 11-19 (Jan 1996), 11A1249

Experimental heat transfer in a rotating triangular duct: Effect of model orientation, J Heat Transfer 117(4) 1058-1061 (Nov 1995), 11T1250

Impact of rotor-stator interaction on turbine blade film cooling, J Turbomachinery 118(1) 123-133 (Jan 1996), 11A1251

Time-averaged and reverse transition in oscillatory air convection in a differentially heated rotating cubic cavity, Int J Heat Mass Transfer 40(14) 3335-3349 (Sep 1997), 11A1252

Double-diffusive convection in a rotating cylinder with heating from below, Int J Heat Mass Transfer 40(14) 3387-3394 (Sep 1997), 11A1390

Combined effect of grid turbulence and unsteady wake on film effectiveness and heat transfer coefficient of a gas turbine blade with air and CO_2 film injection, J Turbomachinery 119(3) 594-600 (Jul 1997), 12A1145

Effects of Prandtl numbers on local and average convective heat transfer characteristics in helical pipes, J Heat Transfer 119(3) 467-473 (Aug 1997), 12A1263

Experimental studies and correlations of convective heat transfer in a radially rotating serpentine passage, J Heat Transfer 119(3) 460-466 (Aug 1997), 12A1264

Heat transfer and flow stability in a rotating disk-stagnation flow chemical vapor deposition reactor,

Numer Heat Transfer A 31(8) 867-879 (Jun 1997), 12A1265

402K. High speed flows

Turbulent jet impingement flow computation, Int J Turbo Jet Engines 13(4) 295-306 (1996), 10A1301

402L. Non-Newtonian flows

Hydrodyaamic diffusion near solid boundaries with applications to heat and mass transport into sheared suspensions and fixed-fiber beds, J Fluid Mech 318 31-47 (Jul 1996), 2A971
Experimental investigation of the laminar flow heat transfer enhancement in a small-scale square duct with aqueous Carbopol solutions, J Heat Transfer 118(3) 555-561 (Aug 1996), 2A1185
Numerical approach to model heat transfer in polymer melts flowing in constricted channels, Numer Heat Transfer A 30(2) 103-123 (Aug 1996), 2A1186
Free convection from cylinders of elliptic cross-section in micropolar fluids, Int J Eng Sci 34(11) 1301-1310 (Sep 1996), 3A1237
Fully developed laminar forced convection in circular ducts for power-law fluids with viscous dissipation, Int J Heat Mass Transfer 40(1) 15-26 (Jan 1997), 3A1238
Free convection of non-Newtonian power-law fluid from a vertical wavy surface with uniform surface heat flux, Z Angew Math Mech 76(9) 531-536 (1996), 4A1192
Effects of temperature-dependent viscosity on thermal convection in a spherical shell, Physica D 97(1-3) 242-252 (Oct 1996), 4A1193
Dissipative cylindrical Couette flow of yield-pseudoplastic fluids, Int J Heat Mass Transfer 40(5) 1243-1247 (Mar 1997), 5T1178
Effects of transverse magnetic field on mixed convection in a micropolar fluid on a horizontal plate with vectored mass transfer, Acta Mech 118(1-4) 1-12 (1996), 5A1179
Heat transfer enhancement in laminar flow of viscoelastic fluids through rectangular ducts, Int J Heat Mass Transfer 40(3) 745-756 (Feb 1997), 5T1180
Heat transfer to non-Newtonian fluids in laminar flow through rectangular ducts, Int J Heat Fluid Flow 17(6) 613-620 (Dec 1996), 5A1181
Mixed convection in non-Newtonian fluids along a vertical plate in a porous medium, Acta Mech 118(1-4) 55-64 (1996), 5A1182
Transient free convection of non-Newtonian fluids along a wavy vertical plate including the magnetic field effect, Int J Heat Fluid Flow 17(6) 604-612 (Dec 1996), 5A1183
Viscous dissipation effect on pressure gradient for laminar flow of a non-Newtonian liquid through a duct of subfreezing wall temperature, J Heat Transfer 118(4) 973-977 (Nov 1996), 5T1184
State space formulation to viscoelastic fluid flow of magnetohydrodynamic free convection through a porous medium, Acta Mech 119(1-4) 147-164 (1996), 6A1235
Laminar flow heat transfer to viscous power-law fluids in double-sine ducts, Int J Heat Mass Transfer 40(6) 1379-1390 (Apr 1997), 6A1246
Mixed convection in the laminar flow of viscoelastic liquids through rectangular ducts, J Thermophys Heat Transfer 11(1) 98-104 (Jan-Mar 1997), 7A1268
Momentum and heat transfer on a continuous moving surface in a power law fluid, Int J Heat Mass Transfer 40(8) 1853-1861 (May 1997), 7A1269
Flow resistance and heat transfer characteristics of water solution with surfactant in circular tubes, Heat Transfer Japan Res 24(7) 603-618 (1995), 8A1302
Heat transfer to viscoplastic fluids in laminar flow through isothermal short tubes, J Brazilian Soc Mech Sci 19(1) 1-14 (Mar 1997), 9A1228
Mixed convection in non-Newtonian fluids along a horizontal plate in a porous medium, J Energy Resources Tech 119(1) 34-37 (Mar 1997), 9A1438
Heat transfer in the MHD flow of a viscoelastic fluid over a stretching sheet, Z Angew Math Mech 77(4) 317-319 (1997), 10T1302
Laminar convective heat transfer of a Bingham plastic in a circular pipe - I: Analytical approach - thermally fully developed flow and thermally developing flow (the Graetz problem extended), Int J Heat Mass Transfer 40(13) 3025-3037 (Sep 1997), 10A1303
Natural convection along a wavy vertical plate to non-Newtonian fluids, Int J Heat Mass Transfer 40(13) 3069-3078 (Sep 1997), 10A1304
Conjugate natural convection of a power law fluid in a vertical finite thick channel with heat sources, Int J Numer Methods Heat & Fluid Flow 7(2-3) 200-214 (1997), 11T1227
Heat transfer in a thin-film flow in the presence of squeeze and shear thinning: Application to piston rings, J Heat Transfer 119(2) 249-257 (May 1997), 11A1253
New analytical solution for heat transfer in the entrance region of ducts: Hydrodynamically developed flows of power-law fluids with constant wall temperature, Int J Heat Mass Transfer 40(14) 3443-3447 (Sep 1997), 11A1254
Non-Newtonian flow and heat transfer in an obstructed channel with radio-frequency heating, J Heat Transfer 117(4) 889-894 (Nov 1995), 11A1255
Developing combined convection of non-Newtonian fluids in an eccentric annulus, Acta Mech 121(1-4) 35-49 (1997), 12A1266

402M. Liquid metal flows

Thermal convection in a magnetic fluid, J Fluid Mech 321 121-136 (Aug 1996), 3A1015
Effect of magnetic fields on low frequency oscillating natural convection, Int J Eng Sci 34(12) 1369-1383 (Sep 1996), 3A1239
Solidifying liquid flow in a cooling plane channel forced by the changeable pressure, Appl Mech Eng 1(2) 307-316 (1996), 4T1213
Experimental study of oscillatory convection in liquid gallium, J Fluid Mech 327 199-219 (Nov 1996), 6A1241
Heat transfer in laminar and turbulent liquid-metal MHD flows in square ducts with thin conducting or insulating walls, Int J Eng Sci 35(5) 505-514 (Apr 1997), 11A1256
Visualization of Rayleigh-Benard convection in liquid metals, Eur J Mech B 16(3) 447-454 (1997), 11A1257

402N. Chemical reactions

Study of thermophoretic transport and flame hydrolysis deposition with application to the manufacture of optical waveguides, J Mat Processing Manuf Sci 4(4) 299-321 (Apr 1996), 6A1318
Thermomechanical modeling of molten metal droplet solidification applied to layered manufacturing, Mech Mat 24(4) 257-271 (Dec 1996), 8A1303
Variational thermomechanical processes and chemical reactions in distributed systems, Int J Heat Mass Transfer 40(14) 3467-3485 (Sep 1997), 11A1258

402O. Unsteady flows

Unsteady free convection flow over a continuous moving vertical surface, Acta Mech 116(1-4) 75-82 (1996), 1A1169
Interline heat transfer of evaporating thin films along a micro grooved surface, J Heat Transfer 118(3) 747-755 (Aug 1996), 2A1187
Unsteady heat transfer in baffled channels, J Heat Transfer 118(3) 585-591 (Aug 1996), 2A1188
Boundary element method solution to transient free convective heat transfer in a viscous, electrically conducting, and heat generating fluid, Numer Heat Transfer A 30(6) 555-574 (Nov 1996), 5A1142
Experimental investigation on pulsating horizontal heating of a water-filled enclosure, J Heat Transfer 118(4) 889-896 (Nov 1996), 5A1146
Observations of spanwise symmetry breaking for unsteady mixed convection in horizontal ducts, J Heat Transfer 118(4) 885-888 (Nov 1996), 5A1169
Unsteady vortex roll structures in a mixed convective air flow through a horizontal plane channel: A numerical study, Int J Heat Mass Transfer 40(3) 505-518 (Feb 1997), 5A1170
Unsteady flow and heat transfer between rotating coaxial disks, Numer Heat Transfer A 30(5) 519-532 (Oct 1996), 5A1177
Effect of the thermal boundary condition on transient method heat transfer measurements on a flat plate with a laminar boundary layer, J Heat Transfer 118(4) 831-837 (Nov 1996), 5A1185
Transient buoyancy-thermocapillary convection in two superposed immiscible liquid layers, Numer Heat Transfer A 30(5) 477-501 (Oct 1996), 5A1186
Numerical study of unsteady free convection from a sphere in a porous medium, Int J Heat Mass Transfer 40(4) 893-903 (Mar 1997), 5A1192
Transient free convection in micropolar fluids from an isothermal horizontal circular cylinder, Heat Tech 12(1-2) 33-53 (1994), 7A1252
Discontinuities in velocity gradients and temperature in the Stokes' first problem with nonclassical heat conduction, Quart Appl Math 55(1) 167-176 (Mar 1997), 8A1047
Experimental study of transient natural convection in an inclined rectangular enclosure, Int J Heat Mass Transfer 40(11) 2679-2690 (Jul 1997), 9A1217
Analysis of the Nusselt number in pulsating pipe flow, Int J Heat Mass Transfer 40(10) 2486-2489 (Jul 1997), 9T1229
Unsteady convection flow through a pipe of variable gap induced by a travelling thermal boundary wave, Int J Energy Res 21(4) 359-376 (Mar 1997), 9A1230
Open boundary conditions for the streamfunction-vorticity formulation of unsteady laminar convection, Numer Heat Transfer B 31(2) 217-234 (Mar 1997), 9A1236
Direct (pseudo-spectral) solver of the 2D-3D Stokes problem: Transition to unsteadiness of natural-convection flow in a differentially heated cubical cavity, Numer Heat Transfer B 31(3) 261-276 (Apr-May 1997), 10A1289
Transient free convection flow of an incompressible viscous dissipative fluid, Heat and Mass Transfer Warme 32(4) 301-305 (Apr 1997), 10A1305
Transient analysis of the natural laminar convection heat transfer process between two fluids separated by a thin horizontal wall, Eur J Mech B 16(3) 429-446 (1997), 11A1225
Transient free convection past a semi-infinite vertical plate with variable surface temperature, Int J Numer Methods Heat & Fluid Flow 7(4) 280-296 (1997), 11A1226

402P. Transport mechanisms

Axisymmetric laser welding of ceramic and metallic materials: FE modeling, Int J Numer Methods Heat & Fluid Flow 6(3) 35-46 (May 1996), 1A1190
Computer simulation of liquid encapsulated vertical Bridgman crystal growth: Pseudo steady-state calculations, Int J Numer Methods Heat & Fluid Flow 6(2) 3-24 (Mar 1996), 1A1191
Method for analyzing stochastic heat transfer in a fluid flow, Appl Math Model 20(8) 588-592 (Aug 1996), 1A1192
Multidirectional solidification model for the description of micropore formation in spray deposition processes, Numer Heat Transfer A 30(1) 1-18 (Jul 1996), 1A1193
Numerical computation of heat flow, fluid flow, and interface shapes in the float zone of lithium niobate during a melting process, Int J Heat Mass Transfer 39(17) 3707-3716 (Nov 1996), 1A1194
Scaling analysis of the unidirectional solidification of a binary alloy, Int J Heat Mass Transfer 39(17) 3567-3579 (Nov 1996), 1A1195
Viscous stagnation-flow solidification problem, Int J Heat Mass Transfer 39(17) 3581-3594 (Nov 1996), 1A1196
Application of phase change materials for passive thermal control of plastic quad flat packages: A computational study, Numer Heat Transfer A 30(1) 19-34 (Jul 1996), 1A1275
Low dimensional modeling of flow reactors, Int J Heat Mass Transfer 39(16) 3311-3323 (Nov 1996), 1A1304
ASME Proceedings of 31st National Heat Transfer Conference, Volume 1 (ASME Press, New York, 1996) 2N36
Influence of electromagnetic stirring on the solidification of a binary metal alloy, Exp Heat Transfer 9(2) 105-131 (Apr-Jun 1996), 2A1189
Transport phenomena during resistance spot welding, J Heat Transfer 118(3) 762-773 (Aug 1996), 2A1190
Cyclic phase change with fluid flow, Int J Numer Methods Heat & Fluid Flow 6(4) 57-64 (Jul 1996), 2A1240
Intertube falling film - Part 1: Flow characteristics, mode transitions, and hysteresis, J Heat Transfer 118(3) 616-625 (Aug 1996), 2A1255
Intertube falling film - Part 2: Mode effects on sensible heat transfer to a falling liquid film, J Heat Transfer 118(3) 626-633 (Aug 1996), 2A1256
Modeling of melting in heterogeneous snow cover on permeable frozen soil, Numer Heat Transfer A 30(2) 143-163 (Aug 1996), 2A1297
Heat transport along an oscillating flat plate in the presence of a transverse magnetic field, Int J Heat Mass Transfer 40(2) 498-501 (Jan 1997), 4T1214
Thermoacoustic waves in a confined medium, Int J Heat Mass Transfer 40(2) 407-419 (Jan 1997), 4A1215
Nonequilibrium Statistical Mechanics of Heterogeneous Fluid Systems (CRC Press, Boca Raton FL, 1995) 5R19
Simulation of the transport processes in the neck-down region of a furnace drawn optical fiber, Int J Heat Mass Transfer 40(4) 843-856 (Mar 1997), 5A1187
Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - I: Convection analysis, Int J Heat Mass Transfer 40(3) 557-572 (Feb 1997), 5A1265
Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - II: Conjugate analysis, Int J Heat Mass Transfer 40(3) 573-588 (Feb 1997), 5A1266
Numerical simulation of heat transport and fluid flow in directional crystal growth of GaAs, Numer Heat Transfer A 30(7) 685-701 (Nov 1996), 6A1247
Numerical analysis of solid-liquid phase change heat transfer around a single and two horizontal, vertically spaced cylinders in a rectangular cavity, Int J Heat Mass Transfer 40(6) 1343-1354 (Apr 1997), 6A1249
Bioconvection in a suspension of phototactic algae, J Fluid Mech 327 343-371 (Nov 1996), 6A1541
Numerical simulation of natural convection-dominated melting and solidification from a finned vertical wall, Numer Heat Transfer A 31(1) 71-86 (Jan 1997), 7A1246
Oscillatory thermocapillary flow in cylindrical columns of high Prandtl number fluids, J Thermophys Heat Transfer 11(1) 105-111 (Jan-Mar 1997), 7A1254
Acoustic power and heat fluxes in the thermoacoustic effect due to a traveling plane wave, Int J Heat Mass Transfer 40(8) 1835-1838 (May 1997), 7A1270
Heat transfer during solidification around a horizontal tube with internal convective cooling, J Solar Energy Eng 119(1) 44-47 (Feb 1997), 8A1304
Heat transfer and fluid flow in microchannels, Int J Heat Mass Transfer 40(13) 3079-3088 (Sep 1997), 10A1280
Convective heat transfer due to thermocapillary convection with a strong magnetic field parallel to the free surface, Int J Heat Mass Transfer 40(14) 3283-3291 (Sep 1997), 11A1259
Generalized thermal modeling for laser drilling process - I: Mathematical modeling and numerical methodology, Int J Heat Mass Transfer 40(14) 3351-3360 (Sep 1997), 11A1260
Generalized thermal modeling for laser drilling process - II: Numerical simulation and results, Int J Heat Mass Transfer 40(14) 3361-3373 (Sep 1997), 11A1261
Study of thermal behavior and fluid flow during laser surface heating of alloys, Numer Heat Transfer A 31(7) 703-723 (May 1997), 11A1262
Marangoni mechanism in pulsed laser texturing of magnetic disk substrates, J Heat Transfer 119(3) 589-596 (Aug 1997), 12A1267
Modeling of transient turbulent natural convection in a melt layer with solidification, J Heat Transfer 119(3) 544-552 (Aug 1997), 12A1268

402S. Porous media

Free convection from a heated vertical cylinder embedded in a fluid-saturated porous medium, Acta Mech 116(1-4) 139-151 (1996), 1A1166
Cross-flow heat transfer in the freeboard region of a fluidized bed, Proc Inst Mech Eng C 210(C3) 245-253 (1996), 1A1197
Effect of inertia on free convection from a horizontal surface embedded in a porous medium, Int J Heat Mass Transfer 39(16) 3425-3430 (Nov 1996), 1A1198
Combined convection in power-law fluids along a nonisothermal vertical plate in a pourous medium, Transport Porous Media 24(2) 157-166 (Aug 1996), 1A1396
Inertia effects on mixed convection for vertical plates with variable wall temperature in saturated porous media, Heat and Mass Transfer Warme 31(5) 333-338 (Jun 1996), 1A1397
Numerical study of a low permeability microporous heat sink for cooling phased-array radar systems, Int J Heat Mass Transfer 39(17) 3633-3647 (Nov 1996), 1A1402
ASME Proceedings of 31st National Heat Transfer Conference, Volume 9 (ASME Press, New York, 1996) 2N44
Similarity solutions for steady laminar convection along heated plates with variable oblique suction: Newtonian and Darcian fluid flow, Quart J Mech Appl Math 49(3) 373-403 (Aug 1996), 2A1153
Effect of weak rotation on natural convection in a horizontal porous cylinder, Heat and Mass Transfer Warme 31(6) 403-409 (Aug 1996), 2A1191
Enhancement of forced convection in an asymmetrically heated duct filled with high thermal conductivity porous media, J Enhanced Heat Transfer 3(4) 291-299 (1996), 2A1192
Fluid flow and convective heat transfer in a vertical porous annulus, Numer Heat Transfer A 30(3) 305-320 (Aug 1996), 2A1193
Modal package convection in a porous layer with boundary imperfections, J Fluid Mech 318 107-128 (Jul 1996), 2A1194
Analysis of heat transfer with liquid-vapor phase change in a forced-flow fluid moving through porous media, Int J Heat Mass Transfer 39(18) 3959-3975 (Dec 1996), 2A1361
Effect of temperature-dependent viscosity on the onset of convection in a saturated porous medium, J Heat Transfer 118(3) 803-805 (Aug 1996), 2T1363
Enhancement of heat transfer by inserting a metal matrix into a phase change material, Numer Heat Transfer A 30(2) 125-141 (Aug 1996), 2A1364
Heat transfer by forced convection in pipes packed with porous media whose matrices are composed of spheres, Int J Heat Mass Transfer 39(18) 3931-3947 (Dec 1996), 2A1365
Numerical study of thermal dispersion in porous media, J Heat Transfer 118(3) 756-761 (Aug 1996), 2A1366
Forced convection in a fluid-saturated porous-medium channel with isothermal or isoflux boundaries, J Fluid Mech 322 201-214 (Sep 1996), 3A1222

Unsteady forced and natural convection around a sphere immersed in a porous medium, J Eng Math **30**(5) 515-525 (Sep 1996), 3A1235

Conjugate natural convection heat transfer between two porous media separated by a vertical wall, Int J Heat Mass Transfer **40**(1) 123-129 (Jan 1997), 3A1240

Effect of thermal stratification on natural convection in a vertical porous insulation layer, Int J Heat Mass Transfer **40**(1) 111-121 (Jan 1997), 3A1241

Enhancement of heat transfer using porous convection-to-radiation converter for laminar flow in a circular duct, Int J Heat Mass Transfer **40**(1) 39-48 (Jan 1997), 3A1242

Natural convection in a vertical slot filled with an anisotropic porous medium with oblique principal axes, Numer Heat Transfer A **30**(4) 397-412 (Sep 1996), 3A1243

Natural convection in porous media near L-shaped corners, Int J Heat Mass Transfer **40**(2) 485-490 (Jan 1997), 4T1216

Transient free convection from a vertical plate subjected to a change in surface heat flux in porous media, Fluid Dyn Res **18**(6) 313-324 (Nov 1996), 4A1217

Transient thermal convection in a spherical enclosure containing a fluid core and a porous shell, Int J Heat Mass Transfer **40**(2) 379-392 (Jan 1997), 4A1218

Heat transfer between a filtrating fluid and channel walls in packed beds, Thermophys and Aeromech **3**(2) 165-171 (1996), 5T907

Boundary layer analysis of combined heat and mass transfer by natural convection from a concentrated source in a saturated porous medium, Appl Sci Res **56**(1) 1-11 (1996), 5A1143

Mixed convection in non-Newtonian fluids along a vertical plate in a porous medium, Acta Mech **118**(1-4) 55-64 (1996), 5A1182

Natural convection in a porous cavity saturated with a non-Newtonian fluid, J Thermophys Heat Transfer **10**(4) 640-651 (Oct-Dec 1996), 5A1188

Natural convective heat transfer from a cylinder in an enclosure partly filled with a porous medium, Int J Numer Methods Heat & Fluid Flow **6**(6) 51-63 (Sep 1996), 5A1189

Numerical characterization of micro heat exchangers using experimentally tested porous aluminum layers, Int J Heat Fluid Flow **17**(6) 594-603 (Dec 1996), 5A1190

Numerical studies on thermal convection in cold groundwater, Int J Heat Mass Transfer **40**(3) 605-612 (Feb 1997), 5A1191

Numerical study of unsteady free convection from a sphere in a porous medium, Int J Heat Mass Transfer **40**(4) 893-903 (Mar 1997), 5A1192

Re-examination of natural convection in a horizontal layered porous annulus, J Heat Transfer **118**(4) 990-992 (Nov 1996), 5T1193

Thermodynamic analysis of convective heat transfer in a packed duct with asymmetrical wall temperatures, Int J Heat Mass Transfer **40**(5) 1145-1153 (Mar 1997), 5A1194

Unsteady penetration of free convection flows caused by heating and cooling flat surfaces in a porous media, Int J Heat Mass Transfer **40**(3) 665-687 (Feb 1997), 5A1195

Perturbation solution for heating a rectangular sensible heat storage packed bed with a constant temperature at the walls, Int J Heat Mass Transfer **40**(5) 1001-1006 (Mar 1997), 5A1403

Properties of convective oscillations in porous medium, Numer Heat Transfer A **30**(6) 605-618 (Nov 1996), 5A1404

State space formulation to viscoelastic fluid flow of magnetohydrodynamic free convection through a porous medium, Acta Mech **119**(1-4) 147-164 (1996), 6A1235

Transient free convection about a horizontal circular cylinder in a porous medium with constant surface flux heating, Acta Mech **119**(1-4) 79-91 (1996), 6A1236

Effect of viscous dissipation on a non-Darcy natural convection regime, Int J Heat Mass Transfer **40**(6) 1251-1260 (Apr 1997), 6A1248

Numerical analysis of solid-liquid phase change heat transfer around a single and two horizontal, vertically spaced cylinders in a rectangular cavity, Int J Heat Mass Transfer **40**(6) 1343-1354 (Apr 1997), 6A1249

Prandtl number effect on the optimum heating frequency of an enclosure filled with fluid or with a saturated porous medium, Int J Heat Mass Transfer **40**(6) 1313-1323 (Apr 1997), 6A1250

Effects of thermal dispersion and stratification on combined convection on a vertical surface embedded in a porous medium, Transport Porous Media **25**(3) 275-282 (Dec 1996), 6A1387

Non-Darcy mixed convection from a horizontal surface with variable surface heat flux in a porous medium, Numer Heat Transfer A **30**(8) 859-869 (Dec 1996), 6A1388

Effects of a porous medium on local heat transfer and fluid flow in a forced convection field, Int J Heat Mass Transfer **40**(7) 1567-1576 (May 1997), 7A1271

Mixed convection plume along a vertical adiabatic surface embedded in a non-Darcian porous medium, Int J Heat Mass Transfer **40**(7) 1693-1699 (May 1997), 7A1272

Numerical simulation of 2D and 3D free convection flows in a horizontal porous annulus using a pressure and temperature formulation, Int J Heat Mass Transfer **40**(7) 1521-1533 (May 1997), 7A1273

Time-dependent free convection motion and heat transfer in an infinite porous medium induced by a heated sphere, Int J Heat Mass Transfer **40**(7) 1551-1557 (May 1997), 7A1274

Effects of transverse magnetic field, Prandtl number and Reynolds number on non-Darcy mixed convective flow of an incompressible viscous fluid convective flow of an incompressible viscous fluid past a porous vertical flat plate in saturated porous medium, Int J Energy Res **21**(1) 87-100 (Jan 1997), 7A1450

Convection heat transfer from a laminar flow over a 2D backward facing step with asymmetric and orthotropic porous floor segments, Numer Heat Transfer A **31**(3) 325-335 (Feb 1997), 8A1263

Determination of flow properties in non-Darcian flow, J Heat Transfer **119**(1) 190-192 (Feb 1997), 8T1305

Experimental investigation of resin temperature during filling and curing in epoxy and nickel shell RTM molds, J Mat Processing Manuf Sci **5**(1) 27-44 (Jul 1996), 8A1306

Natural convection heat transfer from a horizontal wavy surface in a porous enclosure, Numer Heat Transfer A **31**(2) 207-221 (Feb 1997), 8A1307

Solar radiation assisted natural convection in uniform porous medium supported by a vertical flat plate, J Heat Transfer **119**(1) 89-96 (Feb 1997), 8A1308

Integral solution for Forchheimer free convection over a horizontal flat surface, Heat and Mass Transfer Warme **32**(3) 207-211 (Feb 1997), 8A1457

Non-Darcian surface tension effects on free surface transport in porous media, Numer Heat Transfer A **31**(3) 235-254 (Feb 1997), 8A1458

Analysis of non-Darcian mixed convection from impermeable horizontal surfaces in porous media: The entire regime, Int J Heat Mass Transfer **40**(12) 2993-2997 (Aug 1997), 9T1231

Combined heat and mass transfer by natural convection with opposing buoyancy effects in a fluid saturated porous medium, Int J Heat Mass Transfer **40**(12) 2755-2773 (Aug 1997), 9A1232

Heat transfer at the boundary between a porous medium and a homogeneous fluid, Int J Heat Mass Transfer **40**(11) 2691-2707 (Jul 1997), 9A1233

Numerical simulation of conjugate heat transfer in an electronic package formed by embedded discrete heat sources in contact with a porous heat sink, J Electron Packaging **119**(1) 8-16 (Mar 1997), 9A1234

Thermal performances of different shape porous blocks under an impinging jet, Int J Heat Mass Transfer **40**(10) 2261-2272 (Jul 1997), 9A1235

Free convection from a vertical plate in a porous medium subjected to a sudden change in surface heat flux, Transport Porous Media **26**(2) 205-224 (Feb 1997), 9A1436

Mixed convection in non-Newtonian fluids along a horizontal plate in a porous medium, J Energy Resources Tech **119**(1) 34-37 (Mar 1997), 9A1438

Boundary-layer regime in a vertical porous layer with anistropic permeability and boundary effects, Int J Heat Fluid Flow **18**(3) 334-343 (Jun 1997), 10A1306

Conjugate natural convection heat transfer between two porous media separated by a horizontal wall, Int J Heat Mass Transfer **40**(13) 3157-3161 (Sep 1997), 10A1307

General two-equation macroscopic turbulence model for incompressible flow in porous media, Int J Heat Mass Transfer **40**(13) 3013-3024 (Sep 1997), 10A1308

Pulsating flow and heat transfer in an annulus partially filled with porous media, Numer Heat Transfer A **31**(5) 517-527 (Apr 1997), 10A1309

Radiation effect on Darcy free convection flow along an inclined surface placed in porous media, Heat and Mass Transfer Warme **32**(4) 223-227 (Apr 1997), 10A1310

Convection in a porous medium induced by an inclined temperature gradient with mass flow, J Heat Transfer **119**(2) 366-370 (May 1997), 11T1263

Finite element analysis of heat transfer by natural convection in porous media in vertical enclosures: Investigations in Darcy and non-Darcy regimes, Int J Numer Methods Heat & Fluid Flow **7**(4) 367-400 (1997), 11A1264

Reduction of natural convection heat transfer in horizontal eccentric annuli containing saturated porous media, Int J Numer Methods Heat & Fluid Flow **7**(4) 401-416 (1997), 11A1265

Note on unsteady hydromagnetic free convection from a vertical fluid saturated porous medium channel, J Heat Transfer **119**(3) 638-641 (Aug 1997), 12T1269

Thermal convection in an infinite porous medium induced by a heated sphere, J Heat Transfer **119**(3) 647-650 (Aug 1997), 12T1270

Determination of dispersion coefficients in a porous medium using the frequency response method, Exp Heat Transfer **10**(2) 109-118 (Apr-Jun 1997), 12A1429

402Y. Computational techniques

Computational Heat Transfer, Volume I: Mathematical Modeling (Wiley, UK, 1995) 1R47

Convective heat transfer from a circular cylinder under the effect of a solid plane wall, Int J Numer Methods Fluids **23**(2) 163-176 (Jul 1996), 1A44

Finite element solutions of laminar and turbulent mixed convection in a driven cavity, Int J Numer Methods Fluids **23**(1) 47-64 (Jul 1996), 1A48

Fourier analysis of the SIMPLE algorithm formulated on a collocated grid, Numer Heat Transfer B **30**(1) 45-66 (Jul-Aug 1996), 1A992

Numerical simulation of heat transfer in chemically reacting shock wave-turbulent boundary layer interactions, Numer Heat Transfer A **30**(1) 55-72 (Jul 1996), 1A1038

Finite-volume multigrid calculation of natural-convection flows on unstructured grids, Numer Heat Transfer B **30**(1) 1-22 (Jul-Aug 1996), 1A1199

Improved BEM and its application to time-dependent convection, Numer Heat Transfer B **30**(1) 93-109 (Jul-Aug 1996), 1A1200

Second order splitting algorithm for thermally-driven flow problems, Int J Numer Methods Heat & Fluid Flow **6**(2) 51-60 (Mar 1996), 1A1201

Three-dimensional simulation of thermals using a split-operator scheme, Int J Numer Methods Heat & Fluid Flow **6**(2) 25-35 (Mar 1996), 1A1202

Numerical study of natural convection in a cylindrical cavity bounded by a partially-heated vertical wall, Fluid Dyn Res **18**(4) 223-235 (Sep 1996), 2A1172

Application of the Krylov subspace method to numerical heat transfer, Numer Heat Transfer A **30**(3) 249-270 (Aug 1996), 2A1195

Direct numerical simulation of a cooling flow in a ribbed channel: Pegase code (French), Rev Francaise Mec **0**(2) 87-92 (1996), 2A1196

Finite volume method for the solution of convection-diffusion 2D problems by a quadratic profile with smoothing, Int J Numer Methods Heat & Fluid Flow **6**(4) 3-24 (Jul 1996), 2A1197

Prediction of jet impingement heat transfer using a hybrid wall treatment with different turbulent Prandtl number functions, J Heat Transfer **118**(3) 562-569 (Aug 1996), 2A1198

Multigrid algorithm for a multiblock pressure-based flow and heat transfer solver, Numer Heat Transfer B **30**(2) 239-254 (Sep 1996), 3A1043

Normalized weighting factor method: A novel technique for accelerating the convergence of high-resolution convective schemes, Numer Heat Transfer B **30**(2) 217-237 (Sep 1996), 3A1044

Complex spatiotemporal convection patterns, Chaos **6**(3) 348-356 (Sep 1996), 3A1244

Finite Element Method in Heat Transfer Analysis (Wiley, UK, 1996) 4R28

Advances in Numerical Heat Transfer, Volume 1 (Taylor & Francis, Bristol PA, 1997) 5N26

Turbulent flow calculation with orthodox QUICK scheme, Numer Heat Transfer A **30**(6) 589-604 (Nov 1996), 5A1055

Boundary-fitted coordinates for the asymptotic friction factors and Nusselt numbers of laminar flows inside straight ducts with irregular, singly connected cross-sections, Int J Numer Methods Heat & Fluid Flow **6**(6) 105-110 (Sep 1996), 5A1133

Application of a finite volume based method of lines to turbulent forced convection in circular tubes, Numer Heat Transfer A **30**(5) 503-517 (Oct 1996), 5A1196

Boundary effect on the Benard-Marangoni instability in a fluid-solid system, Comput Struct **61**(6) 1075-1084 (Dec 1996), 5A1197

Experimental study and a computer simulation of heat and mass transfer for 3D humidification processes, Commun Numer Methods Eng **12**(11) 719-729 (Nov 1996), 5A1198

Modified SIMPLE formulation on a collocated grid with an assessment of the simplified QUICK scheme, Numer Heat Transfer B **30**(3) 291-314 (Oct-Nov 1996), 5A1199

Real-time physiconeural solutions for MOCVD, J Heat Transfer **118**(4) 814-821 (Nov 1996), 5A1200

Semi-implicit second order finite volume jet stream computations, Int J Numer Methods Heat & Fluid Flow **6**(6) 39-50 (Sep 1996), 5A1201

Simulation of time-dependent flow in cavities with the additive-correction multigrid method - Part I: Mathematical formulation, Numer Heat Transfer B **30**(3) 341-350 (Oct-Nov 1996), 5A1202

Simulation of time-dependent flow in cavities with the additive-correction multigrid method - Part II: Applications, Numer Heat Transfer B **30**(3) 351-370 (Oct-Nov 1996), 5A1203

Steady-state solutions of buoyancy-assisted internal flows using a fast false implicit transient scheme, Int J Numer Methods Heat & Fluid Flow **6**(6) 3-23 (Sep 1996), 5A1204

True transient vorticity-velocity method using pre-conditioned Bi-CGSTAB, Numer Heat Transfer B **30**(3) 315-339 (Oct-Nov 1996), 5A1205

Unsteady numerical simulations of radial temperature profile redistribution in a single-stage turbine, J Turbomachinery **118**(4) 783-791 (Oct 1996), 5A1206

Numerical study of turbulent forced convection in a periodically ribbed channel with oscillatory throughflow, Int J Numer Methods Fluids **23**(11) 1223-1233 (Dec 1996), 6A1224

High Rayleigh number convection at finite Prandtl number with weakly temperature-dependent viscosity, Geophys Astrophys Fluid Dyn **83**(1-2) 79-117 (Nov 1996), 6A1233

Information highway and numerical heat transfer, Numer Heat Transfer A **30**(7) 635-648 (Nov 1996), 6A1251

Temporal, spatial, and thermal features of 3D Rayleigh-Benard convection by a least-squares FEM, Comput Methods Appl Mech Eng **140**(3-4) 201-219 (Jan 1997), 6A1252

Efficiency and accuracy aspects of a full-multigrid SIMPLE algorithm for 3D flows, Numer Heat Transfer B **31**(1) 23-42 (Jan-Feb 1997), 7A1037

New bounded skew central difference scheme - Part I: Formulation and testing, Numer Heat Transfer B **31**(1) 91-110 (Jan-Feb 1997), 7A1043

Numerical method for the computation of flow in irregular domains that exhibit geometric periodicity using nonstaggered grids, Numer Heat Transfer B **31**(1) 1-21 (Jan-Feb 1997), 7A1044

Natural convection in an enclosure having a vertical sidewall with time-varying temperature, J Fluid Mech **329** 65-88 (Dec 1996), 7A1249

Horizontal convective rolls in a tilted square duct of conductive and insulating walls, Comput Fluids **26**(1) 1-17 (Jan 1997), 7A1253

False transient model for the study of steady fluid motion and heat transfer in trapezoidal chambers with heated bases, Int J Comput Fluid Dyn **7**(4) 339-347 (1996), 7A1275

FAST: A generalized FV solution of convection-diffusion problems by means of monotonic v-splines profiles, Int J Numer Methods Heat & Fluid Flow **6**(7) 3-30 (Nov 1996), 7A1276

New bounded skew central difference scheme - Part II: Application to natural convection in an eccentric annulus, Numer Heat Transfer B **31**(1) 111-133 (Jan-Feb 1997), 7A1277

Numerical analysis of slot-film cooling: Effectiveness and flow-field, J Fluids Eng **118**(4) 864-867 (Dec 1996), 7A1278

Simultaneous optimization of shape and flow parameters for combined free and forced convection in vertical channels, Int J Numer Methods Eng **40**(3) 551-563 (Feb 1997), 7A1279

Wave equation model for numerical solutions of advection-dominant heat transfer, J Hydrodyn **8**(3) 81-87 (1996), 7T1280

Handling temperature dependent properties and boundary conditions in stochastic FE analysis, Numer Heat Transfer A **31**(1) 37-51 (Jan 1997), 7A1312

Comparison of the algorithms PISO and SIMPLER for solving pressure-velocity linked equations in simulating compartmental fire, Numer Heat Transfer A **31**(1) 87-112 (Jan 1997), 7A1423

Engineering Foundation Turbulent Heat Transfer Conference, San Diego CA, March 10-15, 1996, Int J Heat Fluid Flow **18**(1) 4-180 (Feb 1997), 8A1195

Numerical investigation of transient flow-mode transition of laminar natural convection in an inclined enclosure, Numer Heat Transfer A **31**(2) 193-206 (Feb 1997), 8A1286

Grid orthogonality effects on predicted turbine mid-span heat transfer and performance, J Turbomachinery **119**(1) 31-38 (Jan 1997), 8A1309

Nonlinear, subgrid embedded FE basis for accurate, monotone, steady CFD solutions, Numer Heat Transfer B **31**(2) 135-175 (Mar 1997), 9A1030

Pressure-based method for unstructured meshes, Numer Heat Transfer B **31**(2) 195-215 (Mar 1997), 9A1032

Coupled conduction-convection problem for an underground rectangular duct containing three insulated cables, Numer Heat Transfer A **31**(4) 411-431 (Mar 1997), 9A1214

Open boundary conditions for the streamfunction-vorticity formulation of unsteady laminar convection, Numer Heat Transfer B **31**(2) 217-234 (Mar 1997), 9A1236

Simple high-order bounded convection scheme to model discontinuities, AIAA J **35**(3) 563-565 (Mar 1997), 9T1237

Simulation of annular swirling turbulent flows with a new algebraic Reynolds stress model, Numer Heat Transfer B **31**(2) 235-249 (Mar 1997), 9A1238

Enhancement of flare method for predicting buoyancy-induced flow reversal in vertical ducts via parabolic model, Numer Heat Transfer B **31**(3) 327-345 (Apr-May 1997), 10A1295

Effect of velocity and temperature distribution at the hole exit on film cooling of turbine blades, J Turbomachinery **119**(2) 343-351 (Apr 1997), 10A1311

High-order scheme implementation using Newton-Krylov solution methods, Numer Heat Transfer B 31(3) 295-312 (Apr-May 1997), 10A1312

Improved dynamical approximation to Boussinesq equation using Karhunen-Loeve basis, Comput Methods Appl Mech Eng 144(1-2) 153-162 (May 1997), 10A1313

Performance evaluation of iterative tomographic algorithms applied to reconstruction of a 3D temperature field, Numer Heat Transfer B 31(3) 347-372 (Apr-May 1997), 10A1314

Solution of the conjugate heat exchange problem, Proc Inst Mech Eng C 211(C1) 17-24 (1997), 10A1315

Spatially fourth-order-accurate scheme for unsteady-convection problems, Numer Heat Transfer B 31(3) 373-385 (Apr-May 1997), 10A1316

Transient heat transfer modeling in automotive exhaust systems, Proc Inst Mech Eng C 211(C1) 1-15 (1997), 10A1317

Computational Fluid Mechanics and Heat Transfer, Second Edition (Taylor & Francis, Bristol PA, 1997) 11N4

Functional optimization formulation and implementation of an inverse natural convection problem, Comput Methods Appl Mech Eng 144(3-4) 245-274 (May 1997), 11T1266

Numerical study of 3D incompressible thermal flows in complex geometries - Part I: Theory and benchmark solutions, Int J Numer Methods Heat & Fluid Flow 7(4) 297-343 (1997), 11A1267

Space-time spectral element methods for unsteady convection-diffusion problems, Int J Numer Methods Heat & Fluid Flow 7(2-3) 215-235 (1997), 11T1268

Monotonic, multidimensional flux discretization scheme for all Peclet numbers, Numer Heat Transfer B 31(4) 441-457 (Jun 1997), 12A1271

Simulation of natural convection in a vertical enclosure by using a new incompressible flow formulation: Pseudovorticity-velocity formulation, Numer Heat Transfer A 31(8) 881-896 (Jun 1997), 12A1272

402Z. Experimental techniques

Color image processing system for transient liquid crystal heat transfer experiments, J Turbomachinery 118(3) 421-427 (Jul 1996), 1A1203

Heat transfer inside and downstream of cavities using transient liquid crystal method, J Thermophys Heat Transfer 10(3) 511-516 (Jul-Sep 1996), 1A1204

ASME Proceedings of 31st National Heat Transfer Conference, Volume 5 (ASME Press, New York, 1996) 2N40

Scanning thermal microscopy at nanometer scales: A new frontier in experimental heat transfer, Exp Heat Transfer 9(2) 83-103 (Apr-Jun 1996), 2A1151

Acoustic tomography for 3D temperature and CO_2-concentration measurements of an environmental field: CT algorithm for axisymmetric field and experimental verification, Heat Transfer Japan Res 24(2) 179-192 (1995), 2A1199

External heat flux measurements along a high pressure turbine nozzle guide vane (French), Rev Francaise Mec 0(2) 93-97 (1996), 2T1200

Triple hot-wire system for indoor air flow measurements, J Solar Energy Eng 118(3) 168-176 (Aug 1996), 2A1201

Design of experiments using uncertainty information, J Heat Transfer 118(3) 532-538 (Aug 1996), 2A1246

Evaluation of the shadowgraph method for the convective flow in a side-heated cavity, Exp Fluids 21(5) 331-340 (Sep 1996), 4A1067

Effect of rotation on temperature response of thermochromic liquid crystal, Int J Heat Fluid Flow 17(5) 491-499 (Oct 1996), 4A1219

Thermoanemometric sensor model, Appl Mech Eng 1(2) 193-209 (1996), 4A1220

Distribution of film-cooling effectiveness on a turbine endwall measured using the ammonia and diazo technique, J Turbomachinery 118(4) 613-621 (Oct 1996), 5A1103

Measurement of convective heat transfer using hot film sensors: Correction for sensor overheat, J Heat Transfer 118(4) 982-984 (Nov 1996), 5T1207

Thin-film thermocouples for localized heat transfer measurements, J Thermophys Heat Transfer 10(4) 607-612 (Oct-Dec 1996), 5A1208

Temperature- and pressure-sensitive luminescent paints in aerodynamics, Appl Mech Rev 50(4) 227-246 (Apr 1997), 7A1179

Heat flux measurement method based on isothermal registration, Int J Heat Mass Transfer 40(7) 1643-1646 (May 1997), 7A1315

Temperature fluctuation measurements for transitional flow in a square channel, Exp Heat Transfer 9(4) 357-370 (Oct-Dec 1996), 8A1153

Engineering Foundation Turbulent Heat Transfer Conference, San Diego CA, March 10-15, 1996, Int J Heat Fluid Flow 18(1) 4-180 (Feb 1997), 8A1195

Assessment of the cold-wire resistance thermometer for high-speed turbomachinery applications, J Turbomachinery 119(1) 140-148 (Jan 1997), 8A1247

Transient heat transfer experiments in a linear cascade via an insertion mechanism using the liquid crystal technique, J Turbomachinery 119(1) 9-13 (Jan 1997), 8A1248

Liquid crystal thermography on the fluid solid interface of rotating systems, J Heat Transfer 119(1) 20-29 (Feb 1997), 8A1310

Nonaxisymmetric convection in stationary gas tungsten arc weld pools, J Heat Transfer 119(1) 164-172 (Feb 1997), 8A1311

Transient liquid crystal technique for convective heat transfer on rough surfaces, J Turbomachinery 119(1) 14-22 (Jan 1997), 8A1312

Effects of forced convection on the power dissipation of constant-temperature thermal conductivity sensors, J Heat Transfer 119(1) 30-37 (Feb 1997), 8A1358

Experimental analysis of 2D unsteady temperature field by using Mach-Zehnder interferogram images, Heat Transfer Japan Res 25(2) 88-102 (1996), 9A1239

Experimental mass (heat) transfer in and near a circular hole in a flat plate, Int J Heat Mass Transfer 40(10) 2431-2443 (Jul 1997), 9A1240

Heat flux measurements in a turbulent boundary layer on a rough wall, Int J Heat Mass Transfer 40(12) 2989-2993 (Aug 1997), 9T1241

Heat transfer and film cooling effectiveness in a linear airfoil cascade, J Turbomachinery 119(2) 302-309 (Apr 1997), 10A1300

Multiple jets in a crossflow: Detailed measurements and numerical simulations, J Turbomachinery 119(2) 330-342 (Apr 1997), 10A1318

Numerical analysis of InP solution growth by traveling heater method: Transient response in the case of no heater movement, Int J Heat Mass Transfer 40(13) 3237-3245 (Sep 1997), 10A1396

Effect of unsteady wake with trailing edge coolant ejection on detailed heat transfer coefficient distributions for a gas turbine blade, J Heat Transfer 119(2) 242-248 (May 1997), 11A1163

Experimental investigation of film cooling heat transfer coefficients using the mass-heat analogy, J Heat Transfer 117(4) 851-858 (Nov 1995), 11A1207

High-frequency heat flux sensor calibration and modeling, J Fluids Eng 117(4) 659-664 (Dec 1995), 11A1269

Local convective heat transfer to submerged pulsating jets, Int J Heat Mass Transfer 40(14) 3305-3321 (Sep 1997), 11A1270

Turbulence measurements in a heated, concave boundary layer under high-free-stream turbulence conditions, J Turbomachinery 118(1) 172-180 (Jan 1996), 11A1271

Film effectiveness over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, J Turbomachinery 119(3) 587-593 (Jul 1997), 12A1273

Heat transfer coefficients over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, J Turbomachinery 119(3) 580-586 (Jul 1997), 12A1274

Turbulent transport measurements in a heated boundary layer: Combined effects of free-stream turbulence and removal of concave curvature, J Heat Transfer 119(3) 413-419 (Aug 1997), 12A1275

404. TWO PHASE CONVECTION

404B. Nucleate pool boiling

Pool boiling heat transfer on a thin plate: Features revealed by liquid crystal thermography, Int J Heat Mass Transfer 39(15) 3117-3137 (Oct 1996), 1A1205

ASME Proceedings of 31st National Heat Transfer Conference, Volume 4 (ASME Press, New York, 1996) 2N39

Nucleate pool boiling on micro graphite-copper composite surfaces, J Heat Transfer 118(3) 792-796 (Aug 1996), 2T1202

Prediction of homogeneous nucleation superheat limits of pure liquids using molecular interaction model (Chinese), J Dalian Univ Tech 36(4) 439-444 (Jul 1996), 2A1203

Transition boiling curves in saturated pool boiling from horizontal cylinders, J Heat Transfer 118(3) 654-661 (Aug 1996), 2A1217

Experimental simulation of corium dispersion phenomena in direct containment heating, Nucl Eng Des 164(1-3) 237-255 (Aug 1996), 3A1438

High pressure simulation experiment on corium dispersion in direct containment heating, Nucl Eng Des 164(1-3) 257-269 (Aug 1996), 3A1439

Freezing and boiling between parallel plates, Physica D 97(1-3) 223-228 (Oct 1996), 4A1221

Isolated bubble regime in pool nucleate boiling, Int J Heat Mass Transfer 40(2) 365-377 (Jan 1997), 4A1222

EHD effects of nucleate boiling at passively enhanced surfaces, Exp Heat Transfer 9(3) 195-211 (Jul-Sep 1996), 5A1209

Nucleate pool boiling from coated surfaces in saturated R-134a and R-407c, Int J Heat Mass Transfer 40(3) 519-532 (Feb 1997), 5A1210

Debris interactions in reactor vessel lower plena during a severe accident - I: Predictive model, Nucl Eng Des 166(2) 147-163 (Oct 1996), 5A1441

Debris interactions in reactor vessel lower plena during a severe accident - II: Integral analysis, Nucl Eng Des 166(2) 165-178 (Oct 1996), 5A1442

Effect of acoustic vibration on boiling incipience, Heat Tech 13(1) 41-50 (1995), 7A1281

Pool boiling of R-22, R-124 and R-134a on a plain tube, Int J Heat Mass Transfer 40(7) 1657-1666 (May 1997), 7A1282

Simple universal equation for bubble growth in pure liquids and binary solutions with a non-volatile solute, Int J Heat Mass Transfer 40(7) 1577-1584 (May 1997), 7A1283

Nucleate pool boiling heat transfer coefficients of distilled water and R-134a-oil mixtures from ribroughened surfaces, J Heat Transfer 119(1) 142-151 (Feb 1997), 8A1313

Remedy for hysteresis in nucleate boiling through application of micrographite-fiber nucleation activators, Exp Heat Transfer 9(4) 323-334 (Oct-Dec 1996), 8A1314

Handbook of Heat Transfer, Third Edition (McGraw-Hill, New York, 1997) 11N36

Boiling characteristics of cylindrical heaters in saturated, gas saturated, and pure-subcooled FC-72, J Heat Transfer 119(2) 313-318 (May 1997), 11A1272

EHD-enhanced boiling coefficients and visualization of R-134a over enhanced tubes, J Heat Transfer 119(2) 332-338 (May 1997), 11A1273

Impact of manifold design on heat exchanger efficiency, J Heat Transfer 119(2) 357-362 (May 1997), 11A1274

Qasi-homogeneous nucleation in microgravity at low heat flux: Experiments and theory, J Heat Transfer 119(2) 305-312 (May 1997), 11A1275

Relative stability between nucleate and film boiling on a nonuniformly heated plate surface, J Heat Transfer 119(2) 326-331 (May 1997), 11A1276

Simplified model for predicting vapor bubble growth rates in heterogeneous boiling, J Heat Transfer 117(4) 976-980 (Nov 1995), 11A1277

Site deactivation techniques for suppression of nucleation in superheated liquid, Exp Heat Transfer 10(2) 133-140 (Apr-Jun 1997), 12A1276

404C. Pool boiling (peak heat flux)

Process, Enhanced, and Multiphase Heat Transfer: A Festschrift for AE Bergles (Begell House, New York, 1996) 1N49

Survey of critical heat flux data for pool boiling of liquid metals and new correlations, Heat Transfer Eng 17(2) 54-66 (Apr-Jun 1996), 1A1206

Uncertainty and sensitivity analysis of a postexperiment simulation of nonexplosive melt-water interaction, Exp Thermal Fluid Sci 13(2) 98-116 (Aug 1996), 1T1207

Gas-saturated pool boiling heat transfer from smooth and microporous surfaces in FC-72, J Heat Transfer 118(3) 662-667 (Aug 1996), 2A1204

Heater orientation effects on pool boiling of microporous-enhanced surfaces in saturated FC-72, J Heat Transfer 118(4) 937-943 (Nov 1996), 5A1211

Hydrodynamic critical heat flux model for saturated pool boiling on a downward facing curved heating surface, Int J Heat Mass Transfer 40(6) 1291-1302 (Apr 1997), 6A1253

Boiling and nonboiling heat transfer to electrolyte solutions, Heat Transfer Eng 17(4) 46-63 (Oct-Dec 1996), 6A1254

Pool boiling on a single-crystal sapphire surface: A measuring method of quantities upon liquid-solid contacts, Heat Transfer Japan Res 24(4) 356-368 (1995), 7A1284

Analytical model for near-saturated pool boiling critical heat flux on vertical surfaces, Int J Heat Mass Transfer 40(10) 2327-2339 (Jul 1997), 9A1242

Pool boiling heat transfer with an array of flush-mounted, square heaters on a vertical surface, J Electron Packaging 119(1) 17-25 (Mar 1997), 9A1243

Effects of heater-side factors on the saturated pool boiling critical heat flux, Exp Thermal Fluid Sci 15(1) 43-51 (Jul 1997), 10T1319

Boiling Heat Transfer and Two-Phase Flow, Second Edition (Taylor & Francis, Bristol PA, 1997) 11R34

Enhanced boiling heat transfer from micro-porous cylindrical surfaces in saturated FC-87 and R-123, J Heat Transfer 119(2) 319-325 (May 1997), 11A1278

Nonlinear aspects of high heat flux nucleate boiling heat transfer, J Heat Transfer 117(4) 981-989 (Nov 1995), 11A1279

Optimization of pulsating heating in pool boiling, J Heat Transfer 119(2) 298-304 (May 1997), 11A1280

Simple model of boiling heat transfer on tubes in large pools, J Heat Transfer 119(2) 376-379 (May 1997), 11T1281

Combined pressure and subcooling effects on pool boiling from a PPGA chip package, J Electron Packaging 119(2) 95-105 (Jun 1997), 12A1277

404D. Pool boiling (minimum heat flux)

Existence of wave front solutions and estimates of wave speed for a competition-diffusion system, Nonlinear Anal 27(5) 579-587 (Sep 1996), 1T1208

404E. Nucleate flow boiling (external)

Nucleate boiling heat transfer in spray cooling, J Heat Transfer 118(3) 668-671 (Aug 1996), 2A1205

Nucleation of spherical shell-like interfaces by second gradient theory: Numerical simulations, Eur J Mech B 15(4) 545-568 (1996), 3T1078

Nucleation site density in pool boiling of saturated pure liquids: Effect of surface microroughness and surface and liquid physical properties, Exp Thermal Fluid Sci 15(1) 32-42 (Jul 1997), 10A1320

Pulse-expansion wave tube for nucleation studies at high pressures, Exp Fluids 23(1) 54-63 (May 1997), 11A1001

Suppression of flow boiling nucleation, J Heat Transfer 119(3) 517-524 (Aug 1997), 12A1278

404F. Flow boiling (internal)

ASME Proceedings of 31st National Heat Transfer Conference, Volume 4 (ASME Press, New York, 1996) 2N39

Boiling heat transfer enhancement of R-134a in a tube bundle utilizing the EHD technique, J Enhanced Heat Transfer 3(4) 301-309 (1996), 2A1206

Boiling onset oscillation: A new type of dynamic instability in a forced-convection upflow boiling system, Int J Heat Fluid Flow 17(4) 418-423 (Aug 1996), 2A1207

Effect of gas release and condensation on characteristics of two-phase gas- and vapor-liquid slug flow, Heat and Mass Transfer Warme 31(6) 387-391 (Aug 1996), 2A1208

Mechanism and effects of predominant parameters regarding limitations of falling water in vertical countercurrent two-phase flow, J Heat Transfer 118(3) 715-724 (Aug 1996), 2A1209

Review of flow boiling heat transfer with twisted tape inserts, J Enhanced Heat Transfer 3(4) 233-257 (1996), 2A1210

Numerical analysis of transient two-phase flow in heat pipe, Heat and Mass Transfer Warme 31(6) 383-386 (Aug 1996), 2A1265

Convective Flow Boiling (Taylor & Francis, PA, 1996) 4R27

One-dimensional analysis of maximum performance in a closed two-phase thermosyphon with a cross-over flow separator, Heat Transfer Eng 17(3) 19-28 (Jul-Sep 1996), 4A1223

Axial void fraction profile in low pressure subcooled flow boiling, Int J Heat Mass Transfer 40(4) 869-879 (Mar 1997), 5A1212

Heat transfer to annular gas-liquid mixtures at reduced gravity, J Thermophys Heat Transfer 10(4) 633-639 (Oct-Dec 1996), 5A1213

Boiling and nonboiling heat transfer to electrolyte solutions, Heat Transfer Eng 17(4) 46-63 (Oct-Dec 1996), 6A1254

Conjugate heat transfer analysis with subcooled boiling for an arc-heater wind tunnel nozzle, Heat Transfer Eng 17(4) 19-33 (Oct-Dec 1996), 6A1255

Strange attractors and chaotic dynamics in boiling flows, Heat Tech 14(1) 3-19 (1996), 7A1285

Thermoacoustic phenomena at boiling subcooled liquid in channels, Int J Heat Mass Transfer 40(8) 1977-1983 (May 1997), 7A1286

Direct-contact heat-transfer characteristics between a melted alloy and water, Heat Transfer Japan Res 24(4) 397-407 (1995), 7A1338

Boiling heat transfer of a ternary refrigerant mixture inside a horizontal smooth tube, Int J Heat Mass Transfer 40(9) 2009-2017 (Jun 1997), 8A1315

Study on thermohydraulic instability of a boiling natural circulation loop with a chimney - Part II: Experimental approach to clarify the flow instabil-

ity in detail, Heat Transfer Japan Res 24(7) 577-588 (1995), 8A1316
Thermohydraulic instability of boiling natural circulation loop with a chimney - Part I: Linear stability analysis using homogeneous two-phase flow model and experiment on thermohydraulic instability induced by flashing, Heat Transfer Japan Res 24(7) 563-576 (1995), 8A1317
Experimental evaluation of the onset of subcooled flow boiling at high liquid velocity and subcooling, Int J Heat Mass Transfer 40(12) 2879-2885 (Aug 1997), 9A1244
Boiling Heat Transfer and Two-Phase Flow, Second Edition (Taylor & Francis, Bristol PA, 1997) 11R34
Control volume approach for investigating forces on a departing bubble under subcooled flow boiling, J Heat Transfer 117(4) 990-997 (Nov 1995), 11A1282
Modeling of steady-state two-phase bubbly flow through a sudden enlargement, Int J Heat Mass Transfer 40(14) 3375-3385 (Sep 1997), 11A1283
Transient behavior of subcooled forced-convective boiling with twisted tape inserts, Heat Transfer Japan Res 25(3) 178-191 (1996), 11A1284

404G. Flow boiling, peak heat flux (internal)

Review of flow boiling heat transfer with twisted tape inserts, J Enhanced Heat Transfer 3(4) 233-257 (1996), 2A1210
Critical heat-flux characteristics of R-113 boiling two-phase flow in twisted-tape-inserted tubes, Heat Transfer Japan Res 24(3) 272-287 (1995), 2A1211
Dryout and wall-temperature fluctuations in helically coiled evaporating tubes, Heat Transfer Japan Res 24(3) 239-254 (1995), 2A1212
Experimental study of critical heat flux in open two-phase thermosyphon, Heat and Mass Transfer Warme 31(6) 393-398 (Aug 1996), 2A1213
Study on critical heat flux in rectangular channels heated from one or both sides at pressures ranging from 0.1 to 14 MPa, J Heat Transfer 118(3) 680-688 (Aug 1996), 2A1214
Convective Flow Boiling (Taylor & Francis, PA, 1996) 4R27
High thermal fluxes removal from finned surfaces under boiling conditions, Heat Tech 13(1) 29-40 (1995), 7A1333
Critical heat flux in uniformly heated vertical tubes, Int J Heat Mass Transfer 40(12) 2929-2939 (Aug 1997), 9A1245
Steady-state performance in a thermo-syphon with tube separator, Appl Thermal Eng 17(7) 667-679 (Jul 1997), 11A1347

404H. Flow boiling, peak heat flux (external)

Optimizing and predicting CHF in spray cooling of a square surface, J Heat Transfer 118(3) 672-679 (Aug 1996), 2A1215
Ultra-high power two-phase jet-impingement avionic clamshell module, J Electron Packaging 118(4) 264-270 (Dec 1996), 6A1256
Minimum heat-flux point and liquid-solid contact during rapid quenching of thin wires, Heat Transfer Japan Res 24(6) 517-537 (1995), 7A1287
Transient cooling of a hot metal plate with an impinging water jet, Heat Transfer Japan Res 24(6) 538-550 (1995), 7A1288
Critical heat flux and convection heat transfer with a planar liquid jet impinging on flat and concave surfaces, Heat Transfer Japan Res 24(7) 637-651 (1995), 8A1318
Critical heat flux correlation for droplet impact cooling, Int J Heat Mass Transfer 40(9) 2123-2131 (Jun 1997), 8A1319
Extended thermodynamic similarity as a concept to predict heat transfer in poorly known fluids considered for critical heat flux in boiling, Heat and Mass Transfer Warme 32(3) 157-161 (Feb 1997), 8A1320
Analytical study on characteristics of critical heat flux under high subcooling and high velocity conditions, Heat Transfer Japan Res 24(8) 701-716 (1995), 9A1246
Enhancement of boiling heat transfer using highly wetting liquids with pressed-on fins at low contact forces, Int J Heat Mass Transfer 40(10) 2379-2392 (Jul 1997), 9A1247
Effect of channel blockage on critical heat flux for a horizontal cylinder in crossflow, J Heat Transfer 117(4) 998-1002 (Nov 1995), 11A1285
EHD-enhanced boiling of R-123 over commercially available enhanced tubes, J Heat Transfer 117(4) 1070-1073 (Nov 1995), 11T1286

404I. Film boiling (pool)

Transition boiling curves in saturated pool boiling from horizontal cylinders, J Heat Transfer 118(3) 654-661 (Aug 1996), 2A1217
Improved heat transfer to water boiling on tubes covered with porous metallic coatings, Arch Thermodyn 16(1-2) 97-105 (1995), 4A1224
Mass diffusion effect on film boiling of saturated binary mixtures, Numer Heat Transfer A 30(8) 815-834 (Dec 1996), 6A1257
Generation, growth, and collapse of a bubble in conductive liquid heated directly by electric current, JSME Int J Ser B 39(4) 789-797 (Nov 1996), 7T1074
Premature transition to film boiling with stepwise heat generation - 2nd report: Effect of wall material and surface condition, Heat Transfer Japan Res 25(1) 51-63 (1996), 9A1248
Effects of heater-side factors on the saturated pool boiling critical heat flux, Exp Thermal Fluid Sci 15(1) 43-51 (Jul 1997), 10T1319
Nucleation site density in pool boiling of saturated pure liquids: Effect of surface microroughness and surface and liquid physical properties, Exp Thermal Fluid Sci 15(1) 32-42 (Jul 1997), 10A1320
Relative stability between nucleate and film boiling on a nonuniformly heated plate surface, J Heat Transfer 119(2) 326-331 (May 1997), 11A1276
Cubature solution of the Poisson equation, Commun Numer Methods Eng 13(6) 453-465 (Jun 1997), 12A1279
Numerical simulation of saturated film boiling on a horizontal surface, J Heat Transfer 119(3) 525-533 (Aug 1997), 12A1280
Simple analysis of free convection film boiling around a horizontal elliptical tube with surface tension, J Heat Transfer 119(3) 636-638 (Aug 1997), 12T1281

404J. Film boiling (flow)

Experimental study of subcooled film boiling of refrigerants in vertical up-flow, Int J Heat Mass Transfer 39(18) 3799-3812 (Dec 1996), 2A1216
Three-dimensional Eulerian-Lagrangian model of dispersed flow film boiling including a mechanistic description of the droplet spectrum evolution - I: The thermal-hydraulic model, Int J Heat Mass Transfer 40(8) 1753-1772 (May 1997), 7A1289
Three-dimensional Eulerian-Lagrangian model of dispersed flow film boiling - II: Assessment using quasi-steady-state data and comparison with the results of 1D analyses, Int J Heat Mass Transfer 40(8) 1773-1793 (May 1997), 7A1290
Film boiling heat transfer of droplet streams and sprays, Int J Heat Mass Transfer 40(11) 2579-2593 (Jul 1997), 9A1249
Two-fluid modeling of inverted annular film boiling, Int J Heat Mass Transfer 40(11) 2655-2670 (Jul 1997), 9A1250
Prediction of film boiling heat transfer coefficients for binary mixtures, Heat and Mass Transfer Warme 32(4) 261-269 (Apr 1997), 10A1321

404K. Mist flows

Numerical study of heterogeneous nucleation and mist formation in turbulent flows between parallel plates, Heat Transfer Japan Res 24(5) 439-456 (1995), 7A1291

404L. Transition boiling

Transition boiling curves in saturated pool boiling from horizontal cylinders, J Heat Transfer 118(3) 654-661 (Aug 1996), 2A1217

404M. Condensation (static vapor)

Effect of 2D conduction in the condensate film on laminar film condensation on a horizontal tube with variable wall temperature, Int J Heat Mass Transfer 39(15) 3187-3191 (Oct 1996), 1A1209
Condensation on a spray of water drops: A cell model study - I: Flow description, Int J Heat Mass Transfer 39(18) 3781-3790 (Dec 1996), 2A1218
Condensation on a spray of water drops - A cell model study - II: Transport quantities, Int J Heat Mass Transfer 39(18) 3791-3797 (Dec 1996), 2A1219
Laminar film condensation on a horizontal surface with surface tension effect, J Heat Transfer 118(3) 797-799 (Aug 1996), 2T1220
Numerical modeling of condensing two-phase flows, Numer Heat Transfer B 30(2) 137-159 (Sep 1996), 3A1249
Longitudinal heat conduction effects on a vertical thin plate in a steady laminar condensation process, Int J Heat Fluid Flow 17(5) 517-525 (Oct 1996), 4A1225
Special cloud chambers for investigations into the time-behavior of homogeneously nucleated spontaneous condensation, Exp Fluids 21(5) 363-373 (Sep 1996), 4A1226
Film condensation induced by a natural convective flow: Steady-state analysis, Int J Heat Mass Transfer 40(6) 1279-1289 (Apr 1997), 6A1258
Heat and mass transfer experimental study during condensation of vapor-gas flow: Review, Thermophys and Aeromech 3(3) 189-201 (1996), 6A1259
Laminar film condensation on a thin finite thickness plate, J Thermophys Heat Transfer 11(1) 119-121 (Jan-Mar 1997), 7T1292
Coupling between laminar film condensation and natural convection on opposite sides of a vertical plate, Int J Numer Methods Fluids 24(3) 319-336 (Feb 1997), 8A1321
Linear stability study of waviness effect on film condensation with nonuniform surface tension, Int J Heat Mass Transfer 40(10) 2477-2482 (Jul 1997), 9T1251
Post-nucleation growth of water microdroplets in supersaturated gas mixtures: A molecular simulation study, Int J Heat Mass Transfer 40(10) 2393-2406 (Jul 1997), 9A1252
Laminar film condensation on a finite-size horizontal wavy disk, Appl Math Model 21(3) 139-144 (Mar 1997), 10A1322
Boundary conditions in discrete kinetic theory and evaporation and condensation problems, Eur J Mech B 16(3) 401-428 (1997), 11A1287
Theory of film condensation on shock-tube endwall behind reflected shock wave - Part II: Theoretical basis for determination of condensation coefficient, Heat Transfer Japan Res 25(3) 166-177 (1996), 11A1288

404N. Condensation (flowing vapor)

Relationship between the Colburn and Silver methods of condenser design, Int J Heat Mass Transfer 39(15) 3147-3156 (Oct 1996), 1A1210
Turbulent vapor condensation with noncondensable gases in vertical tubes, Int J Heat Mass Transfer 39(15) 3249-3260 (Oct 1996), 1A1211
Effect of gas release and condensation on characteristics of two-phase gas- and vapor-liquid slug flow, Heat and Mass Transfer Warme 31(6) 387-391 (Aug 1996), 2A1208
Determination of the local heat flux in condensation experiments, Exp Heat Transfer 9(2) 149-163 (34r-Jun 1996), 2A1221
New model for forced-convection condensation on integral-fin tubes, J Heat Transfer 118(3) 689-693 (Aug 1996), 2A1222
Comparison of nucleation theories by the asymptotic solution of condensing nozzle flows, Acta Mech 117(1-4) 23-32 (1996), 3A1245
Multicomponent diffusion interactions during condensation in laminar and turbulent pipe flow, Int J Heat Mass Transfer 40(1) 131-139 (Jan 1997), 3A1289
Augmentation of steam condensation heat transfer by addition of ammonia, Int J Heat Mass Transfer 40(4) 765-772 (31r 1997), 5A1214
Extended study on steady-state laminar film condensation of a superheated vapor on an isothermal vertical plate, Int J Heat Mass Transfer 40(4) 931-941 (Mar 1997), 5A1215
Thermal interaction between laminar film condensation and forced convection along a conducting wall, Acta Mech 118(1-4) 13-26 (1996), 5A1216
Heat and mass transfer experimental study during condensation of vapor-gas flow: Review, Thermophys and Aeromech 3(3) 189-201 (1996), 6A1259
Film condensation inside horizontal integral-fin tubes of large diameter, Appl Thermal Eng 17(2) 179-192 (Feb 1997), 6A1260
Laminar forced convection condensation of saturated vapors in the near-critical region, Numer Heat Transfer A 30(8) 799-813 (Dec 1996), 6A1261
Study of cluster-size effects on film condensation, Heat Transfer Japan Res 24(6) 551-561 (1995), 7A1293
Void fraction profile in subcooled water-steam condensing flow, Heat Tech 13(1) 51-73 (1995), 7A1294
Condensation of steam on the surface of hard coated copper discs, Heat and Mass Transfer Warme 32(3) 149-156 (Feb 1997), 8A1322
Condensing and evaporating heat transfer and pressure drop characteristics of HFC-134a and HCFC-22, J Heat Transfer 119(1) 158-163 (Feb 1997), 8A1323
Point measurements of noncondensable gas concentration in condensing systems, J Heat Transfer 119(1) 152-157 (Feb 1997), 8A1324
Spectroscopic study of clustering processes near a condensate, Heat Transfer Japan Res 24(8) 717-728 (1995), 9A1253
Study of injected water subcooling effect on falling water limitation in countercurrent two-phase flow in vertical channels, Heat Transfer Japan Res 25(1) 25-38 (1996), 9A1254
Free and forced convection laminar film condensation on horizontal elliptical tubes, Int J Heat Mass Transfer 40(14) 3395-3406 (Sep 1997), 11A1289
Modeling of turbulent vapor condensation with noncondensable gases, J Heat Transfer 119(2) 373-376 (May 1997), 11T1290
Numerical method for thermally non-equilibrium condensing flow in a double-pipe condenser, Appl Thermal Eng 17(7) 647-660 (Jul 1997), 11A1291
Stability of condensation on horizontal surfaces with noncondensables present, J Heat Transfer 117(4) 1003-1010 (Nov 1995), 11A1292
Comparison of two-phase electronic cooling using free jets and sprays, J Electron Packaging 117(4) 323-332 (Dec 1995), 11A1368
Modeling the characteristics of thermally governed transient flow surges in multitube two-phase condensing flow systems with compressibility and thermal and flow distribution asymmetry, J Heat Transfer 119(3) 534-543 (Aug 1997), 12A1282

404O. Evaporation

High pressure vaporization of LOX droplet crossing the critical conditions, Int J Heat Mass Transfer 39(16) 3453-3464 (Nov 1996), 1A1212
Nonequilibrium evaporation from a heated liquid layer, J Thermophys Heat Transfer 10(3) 497-503 (Jul-Sep 1996), 1A1213
Analysis of evaporation of non-azeotropic refrigerants in a horizontal tube, Appl Thermal Eng 16(10) 817-827 (Oct 1996), 2A1223
Effect of lubricating oil contamination on evaporation in refrigerants R12 and R22, Int J Energy Res 20(8) 663-679 (Aug 1996), 2A1224
Fluid flow effects in evaporation from liquid-vapor meniscus, J Heat Transfer 118(3) 725-730 (Aug 1996), 2A1225
Numerical analysis of melting and evaporation behavior of a molybdenum layer irradiated with a laser beam, Heat Transfer Japan Res 24(3) 255-271 (1995), 2A1226
Study of the evaporation of a droplet in its stagnant vapor by asymptotic matching, Int J Heat Mass Transfer 39(18) 3887-3898 (Dec 1996), 2A1227
Transient temperature during the vaporization of liquid on a pulsed laser-heated solid surface, J Heat Transfer 118(3) 702-708 (Aug 1996), 2A1228
Linear separated flow model for two-phase flow instability in boiling channels, J Hydrodyn 8(2) 9-16 (1996), 3T1071
Breakdown of evaporating falling films as a function of surface tension gradient, Heat Transfer Eng 17(4) 72-81 (Oct-Dec 1996), 6A1262
Temperature variation and heat transfer in triangular grooves with an evaporating film, J Thermophys Heat Transfer 11(1) 90-97 (Jan-Mar 1997), 7A1295
Hypervapotron effect application for high power electronic devices cooling, Heat Tech 13(1) 75-84 (1995), 7A1334
Condensing and evaporating heat transfer and pressure drop characteristics of HFC-134a and HCFC-22, J Heat Transfer 119(1) 158-163 (Feb 1997), 8A1323
Critical transitions in pool flash evaporation, Int J Heat Mass Transfer 40(10) 2363-2372 (Jul 1997), 9A1255
Evaporation coefficient of water: A review, Int J Heat Mass Transfer 40(12) 2963-2973 (Aug 1997), 9A1256
Influence of flow turbulence on the evaporation rate of a suspended droplet in a hot air flow, Heat Transfer Japan Res 24(8) 689-700 (1995), 9A1257
Experimental determination of liquid evaporation rates in superheated fluidized beds, Exp Heat Transfer 10(1) 31-37 (Jan-Mar 1997), 10A1323
Simplified model for predicting vapor bubble growth rates in heterogeneous boiling, J Heat Transfer 117(4) 976-980 (Nov 1995), 11A1277
Electrohydrodynamic enhancement of falling film evaporation heat transfer and its long-term effect on heat exchangers, J Heat Transfer 119(2) 339-347 (May 1997), 11A1293
Evaporation and growth of multicomponent droplets in random dense clusters, J Heat Transfer 119(2) 288-297 (May 1997), 11A1294
Motion of interacting gas bubbles in a viscous liquid including wall effects and evaporation, Numer Heat Transfer A 31(6) 629-654 (May 1997), 11A1295
Study of droplet sprays prior to impact on a heated horizontal surface, J Heat Transfer 119(2) 279-287 (May 1997), 11A1296
Thick-film phenomenon in high-heat-flux evaporation from cylindrical pores, J Heat Transfer 119(2) 272-278 (May 1997), 11A1297
Cooling of high-temperature cylindrical surfaces using a water-air spray, J Heat Transfer 117(4) 1018-1027 (Nov 1995), 11A1345
Site deactivation techniques for suppression of nucleation in superheated liquid, Exp Heat Transfer 10(2) 133-140 (Apr-Jun 1997), 12A1276
Numerical study of droplet evaporation and combustion in the presence of an oscillating flow, J En-

ergy Resources Tech 119(2) 109-119 (Jun 1997), 12A1283

404P. Surface tension effects

Uncertainty and sensitivity analysis of a postexperiment simulation of noncxplosive melt-water interaction, Exp Thermal Fluid Sci 13(2) 98-116 (Aug 1996), 1T1207
Bubble detachment criteria, Int J Heat Mass Transfer 40(1) 209-211 (Jan 1997), 3T1246
Effects of surface roughness on water droplet impact history and heat transfer regimes, Int J Heat Mass Transfer 40(1) 73-88 (Jan 1997), 3A1247
Mapping of impact and heat transfer regimes of water drops impinging on a polished surface, Int J Heat Mass Transfer 40(2) 247-267 (Jan 1997), 4A1227
Contact angle temperature dependence for water droplets on practical aluminum surfaces, Int J Heat Mass Transfer 40(5) 1017-1033 (Mar 1997), 5A1217
Simple universal equation for bubble growth in pure liquids and binary solutions with a non-volatile solute, Int J Heat Mass Transfer 40(7) 1577-1584 (May 1997), 7A1283
Theoretical study of droplet impingement on a solid surface below the Leidenfrost temperature, Int J Heat Mass Transfer 40(10) 2490-2492 (Jul 1997), 9T1258

404Q. Transient effects

Droplet spindown in a high-temperature gas environment, Int J Heat Fluid Flow 17(6) 567-578 (Dec 1996), 5A1218
Transient gas-liquid flow in upward sloping pipes, approaching the wavy-to-slug flow transition, J Fluids Eng 118(4) 729-735 (Dec 1996), 7A1296
Transient behavior of subcooled forced-convective boiling with twisted tape inserts, Heat Transfer Japan Res 25(3) 178-191 (1996), 11A1284
Unsteady heat transfer from a rotating disk with solidification, Numer Heat Transfer A 31(7) 765-781 (May 1997), 11A1298
Transient heat transfer to a spheroidal liquid drop suspended in an electric field, Int J Heat Fluid Flow 18(4) 411-418 (Aug 1997), 11A1303

404R. Solid-fluid flows

ASME Proceedings of 31st National Heat Transfer Conference, Volume 4 (ASME Press, New York, 1996) 2N39
Solidification phenomena in picoliter size solder droplet deposition on a composite substrate, Int J Heat Mass Transfer 40(2) 295-309 (Jan 1997), 4A1228
Kelvin-Clapeyron adsorption model for spreading on a heated plate, J Heat Transfer 118(4) 822-830 (Nov 1996), 5A1219
Time-dependent interaction between water at supercritical pressures and a hot surface, Numer Heat Transfer A 30(6) 535-553 (Nov 1996), 5A1220
Effect of rotation on the structure of a convecting mushy layer, Acta Mech 118(1-4) 109-119 (1996), 5A1240
Performance of an entrained-particle heat exchanger, Heat Transfer Eng 17(4) 64-71 (Oct-Dec 1996), 6A1263
Momentum and Heat Transfer in Turbulent Gas-Solid Flows (Begell House, New York, 1995) 7R21
Pressurization and heat transfer during twin screw extrusion processing of concentrated suspensions, J Mat Processing Manuf Sci 5(1) 57-76 (Jul 1996), 8A695
Gas segregation during solidification processes, Int J Heat Mass Transfer 40(9) 2035-2043 (Jun 1997), 8A1325
Heat transfer and solidification in planar-flow melt-spinning: High wheelspeeds, Int J Heat Mass Transfer 40(9) 1993-2007 (Jun 1997), 8A1326
Melt productivity and rheology: Complementary influences on the progress of melting, Numer Heat Transfer A 31(4) 375-392 (Mar 1997), 9A1259
Metal-droplet deposition model including liquid deformation and substrate remelting, Int J Heat Mass Transfer 40(11) 2549-2564 (Jul 1997), 9A1260
Application of phase change materials to thermal control of electronic modules: A computational study, J Electron Packaging 119(1) 40-50 (Mar 1997), 9A1316
Similarity solution for the solidification of a multicomponent alloy, Int J Heat Mass Transfer 40(12) 2869-2877 (Aug 1997), 9A1345
Parameter ranges in binary solidification from vertical boundaries, Int J Heat Mass Transfer 40(11) 2565-2578 (Jul 1997), 9A1346
Natural convection of water-fine particle suspension in a rectangular cell, Int J Heat Mass Transfer 40(13) 3201-3208 (Sep 1997), 10A1324
Laminar flow over a backward-facing step with a stream of hot particles, Int J Heat Fluid Flow 18(4) 400-410 (Aug 1997), 11A1248
Computational issues in using a dual-scale model of the segregation process in a binary alloy, Int J Numer Methods Heat & Fluid Flow 7(2-3) 181-199 (1997), 11T1299
Experimental study of heat transfer and particle deposition for the modified chemical vapor deposition, J Heat Transfer 117(4) 1036-1041 (Nov 1995), 11A1300
Influence of direction of heat flow on Nusselt numbers for a gas-particle crossflow, J Heat Transfer 117(4) 1089-1090 (Nov 1995), 11T1301
Measurement of surface heat transfer duc to particle impact, J Heat Transfer 117(4) 1028-1035 (Nov 1995), 11A1302
Heat transfer augmentation using dilute gas-solid suspensions, J Heat Transfer 117(4) 1091-1094 (Nov 1995), 11T1346
Coupled solidification analysis of materials and cooling roller in direct rolling process, J Mat Processing Tech 66(1-3) 277-286 (Apr 1997), 12A718
Heat transfer in vertical granular flows, Exp Heat Transfer 10(2) 89-107 (Apr-Jun 1997), 12A1284

404S. Electric field effects

Transient heat transfer to a spheroidal liquid drop suspended in an electric field, Int J Heat Fluid Flow 18(4) 411-418 (Aug 1997), 11A1303
Calculation of the free surface shape in the electromagnetic processing of liquid metals, Appl Math Model 21(4) 207-214 (Apr 1997), 12A1285

404V. Porous media

ASME Proceedings of 31st National Heat Transfer Conference, Volume 9 (ASME Press, New York, 1996) 2N44
Mathematical Modeling and Numerical Techniques in Drying Technology (Marcel Dekker, New York, 1996) 3N40
Moisture evaporation and migration in thin porous packed bed influenced by ambient and operating conditions, Int J Energy Res 21(1) 41-53 (Jan 1997), 7A1451
Heat transfer analysis and evaluation for two-phase flow in porous-channel heat sinks, Numer Heat Transfer A 31(2) 113-130 (Feb 1997), 8A1327
Effects of anisotropy in permeability on the two-phase flow and heat transfer in a porous cavity, Heat and Mass Transfer Warme 32(3) 167-174 (Feb 1997), 8A1455
Numerical investigation of vapor-liquid flow and heat transfer in capillary porous media, Numer Heat Transfer A 31(2) 143-166 (Feb 1997), 8A1459
Boundary layer analysis of buoyancy-driven two-phase flow in capillary porous media, J Heat Transfer 117(4) 1082-1087 (Nov 1995), 11T1460
Melting in a two-component packed bed, J Heat Transfer 119(3) 553-559 (Aug 1997), 12A1286

404Y. Computational techniques

Computational Heat Transfer, Volume 1: Mathematical Modeling (Wiley, UK, 1995) 1R47
ASME Proceedings of 31st National Heat Transfer Conference, Volume 9 (ASME Press, New York, 1996) 2N44
Finite-volume-Newton method for a two-phase heat flow problem using primitive variables and collocated grids, J Comput Phys 127(2) 330-345 (Sep 1996), 3A1248
Numerical modeling of condensing two-phase flows, Numer Heat Transfer B 30(2) 137-159 (Sep 1996), 3A1249
Numerical modeling of void migration in solids due to temperature gradient using the BEM, Numer Heat Transfer A 30(4) 365-378 (Sep 1996), 3A1250
Div-curl-grad formulation for compressible buoyant flows solved by the least-squares FEM, Comput Methods Appl Mech Eng 137(1) 59-88 (Oct 1996), 5A1221
Information highway and numerical heat transfer, Numer Heat Transfer A 30(7) 635-648 (Nov 1996), 6A1251
Combined Eulerian-VOF-Lagrangian method for general gas-liquid flow applications, Numer Heat Transfer B 30(4) 409-422 (Dec 1996), 6A1264
Integral transform solution of heat transfer in two-phase gas-liquid annular flow, Heat Tech 14(1) 97-120 (1996), 7A1297
Coupling between laminar film condensation and natural convection on opposite sides of a vertical plate, Int J Numer Methods Fluids 24(3) 319-336 (Feb 1997), 8A1321
Hydrodynamics and heat transfer in wavy annular gas-liquid flow: A computational fluid dynamics study, Int J Heat Mass Transfer 40(10) 2445-2460 (Jul 1997), 9A1261
Towards a general numerical scheme for solidification systems, Int J Heat Mass Transfer 40(12) 2859-2868 (Aug 1997), 9A1350
Numerical study on the solidification of liquid metal droplets impacting onto a substrate, Numer Heat Transfer A 31(8) 797-817 (Jun 1997), 12A1287

404Z. Experimental techniques

Development of local two-phase flow parameters for vertical bubbly flow in a pipe with sudden expansion, Exp Thermal Fluid Sci 13(2) 152-166 (Aug 1996), 1A1020
Holographic study of suspended vaporizing volatile liquid droplets in still air, Int J Heat Mass Transfer 39(16) 3475-3482 (Nov 1996), 1A1214
Phase-resolved measurements in a gas-injected liquid bath, Int J Heat Mass Transfer 39(16) 3401-3415 (Nov 1996), 1A1215
Method for estimating boiling temperatures of crude oils, J Env Eng 122(8) 761-763 (Aug 1996), 3A1212
Thermoanemometric sensor model, Appl Mech Eng 1(2) 193-209 (1996), 4A1220
Improved heat transfer to water boiling on tubes covered with porous metallic coatings, Arch Thermodyn 16(1-2) 97-105 (1995), 4A1224
Special cloud chambers for investigations into the time-behavior of homogeneously nucleated spontaneous condensation, Exp Fluids 21(5) 363-373 (Sep 1996), 4A1226
Pool boiling on a single-crystal sapphire surface: A measuring method of quantities upon liquid-solid contacts, Heat Transfer Japan Res 24(4) 356-368 (1995), 7A1284
Pulse-expansion wave tube for nucleation studies at high pressures, Exp Fluids 23(1) 54-63 (May 1997), 11A1001
Measurement and interpretation of growth of binary droplets suspended in a water-n-propanol-nitrogen mixture by means of a piston expansion tube, Int J Heat Mass Transfer 40(14) 3407-3417 (Sep 1997), 11A1304
Convective heat transfer enhancement due to gas injection into an impinging liquid jet, J Heat Transfer 117(4) 1011-1017 (Nov 1995), 11A1344

406. CONDUCTION

406A. General theory

Comparison of some inverse heat conduction methods using experimental data, Int J Heat Mass Transfer 39(17) 3649-3657 (Nov 1996), 1A1216
Heat transfer note on temperature dependent thermal conductivity, J Thermal Insulation Build Envelopes 20 76-89 (Jul 1996), 1A1217
Hyperbolic propagation of an axisymmetric thermal signal in an infinite solid modium, Int J Heat Mass Transfer 39(15) 3261-3271 (Oct 1996), 1A1218
Method of concentrated sources in heat conduction, J Thermal Stresses 19(5) 481-493 (Jul-Aug 1996), 1A1219
Non-Fourier heat conduction in a finite medium under periodic surface thermal disturbance - II: Another form of solution, Int J Heat Mass Transfer 39(15) 3305-3308 (Oct 1996), 1T1220
Use of 2D Fast Fourier Transform in harmonic modulated thermal diffusion, Int J Heat Mass Transfer 39(17) 3761-3764 (Nov 1996), 1T1221
Anomalous diffusion in short-pulse laser interactions with random media, J Heat Transfer 118(3) 781-786 (Aug 1996), 2A1229
Evolutionary-genetic approach to heat transfer analysis, J Heat Transfer 118(3) 528-531 (Aug 1996), 2T1230
Green's function approach to optimal arrangement of heat sources in a heat conductor, Heat Transfer Japan Res 24(3) 227-238 (1995), 2A1231
Nonlocal and nonequilibrium heat conduction in the vicinity of nanoparticles, J Heat Transfer 118(3) 539-545 (Aug 1996), 2A1232
Transient model for CW and pulsed laser machining of ablating-decomposing materials: Approximate analysis, J Heat Transfer 118(3) 774-780 (Aug 1996), 2A1233
Engineering Heat Transfer (PWS, Boston, MA, 1995) 5R24
Closed-form solutions for transcendental equations of heat transfer, J Heat Transfer 118(4) 970-973 (Nov 1996), 5T1222
Global existence and singularity formation in solutions of a modified Fourier law, Quart Appl Math 54(4) 697-707 (Dec 1996), 5A1223
Hyperbolic heat conduction and local equilibrium: A second law analysis, Int J Heat Mass Transfer 40(5) 1007-1016 (Mar 1997), 5A1224
Solution of the inverse heat conduction problem from thermal strain measurements, J Heat Transfer 118(4) 842-849 (Nov 1996), 5A1225
Conduction shape factors of long polygonal fibers in a matrix, Numer Heat Transfer A 30(7) 721-738 (Nov 1996), 6A1265
Effect of a thin film on the heat distribution between a stationary pin and a rotating disk, Numer Heat Transfer A 30(8) 835-848 (Dec 1996), 6A1266
Thermal pulse propagation and dispersion in laminar flow within conduits of finite wall conductivity, Int J Heat Mass Transfer 40(6) 1391-1400 (Apr 1997), 6A1267
Analysis of non-Fourier conduction waves from a reciprocating heat source, J Thermophys Heat Transfer 11(1) 82-89 (Jan-Mar 1997), 7A1298
Approximate analytical solutions for diffusion problems in unbounded media and their application in infinite elements, Int J Numer Methods Heat & Fluid Flow 6(7) 63-80 (Nov 1996), 7A1299
Interface temperature of two suddenly contacting bodies, one of them undergoing phase change, Int J Heat Mass Transfer 40(7) 1713-1716 (May 1997), 7T1300
Rates of propagation of heat according to Fourier's theory, Quart Appl Math 55(1) 127-138 (Mar 1997), 8T1328
Recursive least-squares algorithm for on-line 1D inverse heat conduction estimation, Int J Heat Mass Transfer 40(9) 2081-2096 (Jun 1997), 8A1329
Numerical solution of the general 2D inverse heat conduction problem, J Heat Transfer 119(1) 38-45 (Feb 1997), 8A1355
Correction functions for a wide range of measured substrate temperature histories, Int J Heat Mass Transfer 40(10) 2482-2485 (Jul 1997), 9T1262
Perturbational dynamics of thermal processes and chemical reactions in distributed systems, Int J Heat Mass Transfer 40(11) 2739-2753 (Jul 1997), 9A1263
Shape factor of conduction in a multiple channel slab and the effect of non-uniform temperatures, Int J Heat Mass Transfer 40(10) 2493-2498 (Jul 1997), 9T1264
Identification of weakly singular memory kernels in heat conduction, Z Angew Math Mech 77(4) 243-257 (1997), 10A1325
Thermodynamic modeling of heat conduction, Proc Estonian Acad Sci Eng 2(2) 196-208 (1996), 10A1326
Handbook of Heat Transfer, Third Edition (McGraw-Hill, New York, 1997) 11N36
Heat flux estimation from isotherms, Int J Heat Fluid Flow 18(4) 437-439 (Aug 1997), 11A1305
Shape optimization of cooling channels using genetic algorithms, J Heat Transfer 119(2) 380-388 (May 1997), 11T1306
Size and interface effects on thermal conductivity of superlattices and periodic thin-film structures, J Heat Transfer 119(2) 220-229 (May 1997), 11A1307
Solving an inverse heat conduction problem by a "method of lines", J Heat Transfer 119(3) 406-412 (Aug 1997), 12A1288

406B. Steady problems

Distribution of heat-transfer coefficients from small surfaces cooled with submerged jets of fluorocarbon liquid determined by an inverse heat-conduction analysis, Heat Transfer Japan Res 24(2) 133-146 (1995), 2A1234
Inverse determination of boundary conditions and sources in steady heat conduction with heat generation, J Heat Transfer 118(3) 546-554 (Aug 1996), 2A1235
Constructal-theory network of conducting paths for cooling a heat generating volume, Int J Heat Mass Transfer 40(4) 799-816 (Mar 1997), 5A1226
Explicit, rigorous solutions to 2D heat transfer: Two-component media and optimization of cooling fins, Int J Heat Mass Transfer 40(5) 1191-1196 (Mar 1997), 5A1270
Angularly averaged heat transfer for a roller used in strip rolling, Math Eng Industry 5(4) 281-304 (1996), 6A1268
Efficient heat transfer approximation for the chip-on-substrate problem, J Electron Packaging 118(4) 271-279 (Dec 1996), 6A1269
Use of boundary conditions of the third kind to model heat conduction between two proximate rough surfaces separated by an insulator, Int J Heat Mass Transfer 40(6) 1459-1465 (Apr 1997), 6A1270
Finite element analysis of thermal behavior in metal machining - 1st report: Influence of thermophysical properties on cutting temperature, JSME Int J Ser C 39(4) 857-863 (Dec 1996), 7A17
Finite element analysis of thermal behavior in metal machining - 2nd report: Determination of energy balance and its application to 3D analysis, JSME Int J Ser C 39(4) 864-870 (Dec 1996), 7A18
Model for thermocouple sensitivity during microwave heating, Int J Heat Mass Transfer 40(7) 1559-1565 (May 1997), 7A1301
Couette flow heat loss model for the rotary combustion engine, Proc Inst Mech Eng C 210(C6) 587-596 (1996), 8A1330

Easy procedure for solving steady-state conduction heat transfer problems with nonlinear boundary conditions, Mech Res Commun **24**(2) 197-202 (Mar-Apr 1997), 8T1331

Genetic algorithm for fin profile optimization, Int J Heat Mass Transfer **40**(9) 2165-2172 (Jun 1997), 8A1332

Inverse geometry problem in identifying irregular boundary configurations, Int J Heat Mass Transfer **40**(9) 2045-2053 (Jun 1997), 8A1333

Thermal analysis and optimization of substrates with directionally enhanced conductivities, J Electron Packaging **119**(1) 64-72 (Mar 1997), 9A1265

Three-dimensional analytical temperature field and its application to solidification characteristics in high- or low-power-density-beam welding, Int J Heat Mass Transfer **40**(10) 2283-2292 (Jul 1997), 9A1266

Numerical analysis of two steady-state two-phase Stefan problems with internal energy (Spanish), Rev Int Metodos Numer Calc Diseno Ing **13**(1) 15-31 (1997), 10T1119

Analytical and numerical solution along with PC spreadsheets modeling for a composite fin, Heat and Mass Transfer Warme **32**(4) 229-238 (Apr 1997), 10A1327

Inverse method to predict temperature and heat flux distribution in a cutting tool, J Heat Transfer **119**(3) 655-659 (Aug 1997), 12T1289

406C. Transient problems

Thermodiffusion and thermo-electric phenomena in condensed systems, Int J Heat Mass Transfer **39**(16) 3531-3542 (Nov 1996), 1A1152

Analytical solution of non-Fourier temperature response in a finite medium under laser-pulse heating, Heat and Mass Transfer Warme **31**(5) 359-363 (Jun 1996), 1A1222

Heat conduction in solid bodies with coatings at four-period cyclic boundary conditions of third order, Russian Aeronaut **38**(4) 82-85 (1995), 1A1223

New correlations for heat transfer coefficients during direct cooling of products, Int J Energy Res **20**(7) 587-594 (Jul 1996), 1A1224

Regularization of the integral equations for unsteady heat conduction problems, JSME Int J Ser A **39**(3) 367-374 (Jul 1996), 1A1225

Similarity between unsteady-state conduction in a planar slab for short times and steady-state conduction in a uniform, straight fin, Heat and Mass Transfer Warme **31**(5) 365-370 (Jun 1996), 1A1226

Sputtering temperature of a cooling cylindrical rod without and with an insulated core in a two-fluid medium, J Austral Math Soc B **38**(1) 87-100 (Jul 1996), 1A1227

Theory of transient experimental techniques for surface heat transfer, Int J Heat Mass Transfer **39**(17) 3733-3748 (Nov 1996), 1A1228

Transient temperature distributions in canned products during heat sterilization and cooling, Int J Energy Res **20**(7) 643-649 (Jul 1996), 1A1229

Ultrashort-pulse laser heating of silicon to reduce microstructure adhesion, Int J Heat Mass Transfer **39**(15) 3181-3186 (Oct 1996), 1A1230

Friction heat distribution between a stationary pin and a rotating disc, Wear **196**(1-2) 219-225 (Aug 1996), 2A1236

Model for the analysis of concrete dams due to environmental thermal effects, Int J Numer Methods Heat & Fluid Flow **6**(4) 25-36 (Jul 1996), 2A1237

Non-Fourier heat conduction in a plane slab with prescribed boundary heat flux, Heat and Mass Transfer Warme **31**(6) 443-450 (Aug 1996), 2A1238

Analytical solution of the inverse unsteady wall heat conduction problem and experimental application, Int J Energy Res **20**(9) 745-762 (Sep 1996), 3A1251

Phragmen-Lindelof and continuous dependence type results in generalized heat conduction, Z Angew Math Phys **47**(4) 527-538 (Jul 1996), 3A1252

Continued enlargement of the initial failure site in the reactor pressure vessel, Nucl Eng Des **164**(1-3) 137-146 (Aug 1996), 3A1436

Hydrogen combustion during direct containment heating events, Nucl Eng Des **164**(1-3) 117-136 (Aug 1996), 3A1440

Modeling of corium dispersion in DCH accidents, Nucl Eng Des **164**(1-3) 211-235 (Aug 1996), 3A1441

Prediction of direct containment heating, Nucl Eng Des **164**(1-3) 95-116 (Aug 1996), 3A1442

Two-cell equilibrium model for predicting direct containment heating, Nucl Eng Des **164**(1-3) 61-94 (Aug 1996), 3A1443

Comparison of the periodic solution method with TRNSYS and SUNCODE for thermal building simulation, Solar Energy **57**(1) 9-18 (Jul 1996), 4A1229

Analytical solution of boundary value problems of heat conduction in composite regions with arbitrary convection boundary conditions, Acta Mech **118**(1-4) 65-78 (1996), 5A1227

Laser heating process and experimental validation, Int J Heat Mass Transfer **40**(5) 1131-1143 (Mar 1997), 5A1228

Matching solutions for unsteady conduction in simple bodies with surface heat fluxes, J Thermophys Heat Transfer **10**(4) 699-701 (Oct-Dec 1996), 5T1229

Numerical investigation of the transient conduction in a rotating cylindrical shell exposed to an incident time varying heat flux, Int J Numer Methods Heat & Fluid Flow **6**(6) 25-37 (Sep 1996), 5A1230

Recursive least squares algorithm for estimation of heat source, Numer Heat Transfer A **30**(6) 619-634 (Nov 1996), 5A1231

Investigation of strip cooling behavior in the run-out section of hot strip mills, J Mat Processing Manuf Sci **4**(4) 339-351 (Apr 1996), 6A1271

Using orthogonal expansion of functions over multilayer walls for calculating the layer thermal properties, Appl Thermal Eng **17**(2) 193-201 (Feb 1997), 6A1272

Effect of moisture on heat flow through homogeneous and composite building sections, Indian J Eng Mat Sci **3**(6) 239-242 (Dec 1996), 6A1273

Nonlinear geometrically adaptive FE model of the coilbox, Numer Heat Transfer A **30**(8) 849-858 (Dec 1996), 6A1278

Self-heating effects in thermoset composites, J Composite Mat **31**(1) 2-21 (1997), 7A1302

Unsteady solutions of a unified heat conduction equation, Int J Heat Mass Transfer **40**(7) 1716-1719 (May 1997), 7T1303

Wave heat conduction in technologies, Strojnicky Casopis **47**(6) 345-362 (1996), 7A1304

New explicit solutions of quasilinear heat equations with general first-order sign-invariants, Physica D **99**(2-3) 217-236 (Dec 1996), 7A1305

Two data reduction methods for evaluation of thermal diffusivity from step-heating measurements, Int J Heat Mass Transfer **40**(7) 1647-1655 (May 1997), 7A1317

Macro- to Microscale Heat Transfer: The Lagging Behavior (Taylor & Francis, PA, 1997) 8R23

Rates of propagation of heat according to Fourier's theory, Quart Appl Math **55**(1) 127-138 (Mar 1997), 8T1328

Analytical solution for time unsteady laser pulse heating of semi-infinite solid, Int J Mech Sci **39**(6) 671-682 (Jun 1997), 8A1334

Analytical solution of the diffusion equation for an extended source of infinite extent at constant temperature gradient, Int J Heat Mass Transfer **40**(9) 2231-2234 (Jun 1997), 8A1335

Application of domain decomposition in modeling flow and heat transfer problems, Proc Inst Mech Eng C **210**(C6) 519-528 (1996), 8A1336

Blow-up rate for a system of heat equations with non-trivial coupling at the boundary, Math Methods Appl Sci **20**(1) 1-11 (Jan 1997), 8T1337

Differential problem for heat equation with a boundary condition with memory, Appl Math Lett **10**(1) 95-101 (Jan 1997), 8A1338

Influence of periodically layered material structure on the frictional temperature during braking, Int J Heat Mass Transfer **40**(9) 2115-2122 (Jun 1997), 8A1339

Nonequilibrium laser heating of metal films, J Heat Transfer **119**(1) 188-190 (Feb 1997), 8T1340

Study into CO_2 laser cutting process, Heat and Mass Transfer Warme **32**(3) 175-180 (Feb 1997), 8A1341

Uniqueness of recovery of the discontinuous conductivity coefficient of a parabolic equation, SIAM J Math Anal **28**(1) 49-59 (Jan 1997), 8A1342

Solution behavior of the transient heat transfer problem in thermoelectric shape memory alloy actuators, SIAM J Appl Math **57**(1) 34-52 (Feb 1997), 8A1382

Use of modified Green's functions in unsteady heat transfer, Int J Heat Mass Transfer **40**(12) 2997-3002 (Aug 1997), 9T1267

Analysis of hyperbolic heat conduction in a semi-infinite slab with surface convection, Int J Heat Mass Transfer **40**(13) 3247-3250 (Sep 1997), 10T1328

Determination of the optimal rate of heat generation for conductive heating of a 1D slab, Z Angew Math Mech **77**(3) 237-240 (1997), 10T1329

Heat transfer analysis of a semi-infinite solid heated by a laser beam, Heat and Mass Transfer Warme **32**(4) 245-253 (Apr 1997), 10A1330

Numerical modeling of transdermal heat transfer due to air bag deployment, Numer Heat Transfer A **31**(5) 469-491 (Apr 1997), 10A1331

Thermal-wave heat conduction in a solid cylinder which undergoes a change of boundary temperature, Heat and Mass Transfer Warme **32**(4) 285-291 (Apr 1997), 10A1332

Two-dimensional stationary induction heating problem, Math Methods Appl Sci **20**(9) 759-766 (Jun 1997), 10A1333

Analysis of transient temperatures in grinding, J Eng Indust **117**(4) 571-577 (Nov 1995), 11A616

Asymptotic analysis of the transient conjugate heat transfer process between two forced counterflowing streams, SIAM J Appl Math **57**(3) 577-596 (Jun 1997), 11A1205

Analysis of 3D transient heat condition for predicting wire erosion in the wire electrical discharge machining process, J Mat Processing Tech **65**(1-3) 134-142 (Mar 1997), 11A1308

Multidimensional transient conduction analysis by generalized transfer functions tables, J Heat Transfer **119**(2) 238-241 (May 1997), 11A1309

Variational method for solving nonlinear problems of unsteady-state heat conduction, Int J Heat Mass Transfer **40**(14) 3487-3495 (Sep 1997), 11A1310

New Fourier-Reynolds correlations for refrigeration applications, Int J Energy Res **21**(7) 661-666 (Jun 1997), 12A1290

Determination of temperatures for sliding contact with applications for braking systems, Wear **206**(1-2) 53-59 (May 1997), 12A1332

406D. Nonlinear theory

Critical exponents for a system of heat equations coupled in a nonlinear boundary condition, Math Methods Appl Sci **19**(14) 1099-1120 (Sep 1996), 4A1230

Nonlinear Czochralski growing process of crystals with variable thermal properties, Int J Heat Mass Transfer **40**(2) 447-459 (Jan 1997), 4A1231

Efficient linear multistep method for nonlinear Volterra integral equations, J Thermophys Heat Transfer **10**(4) 689-696 (Oct-Dec 1996), 5A1232

New explicit solutions of quasilinear heat equations with general first-order sign-invariants, Physica D **99**(2-3) 217-236 (Dec 1996), 7A1305

Easy procedure for solving steady-state conduction heat transfer problems with nonlinear boundary conditions, Mech Res Commun **24**(2) 197-202 (Mar-Apr 1997), 8T1331

Blow-up rate for a system of heat equations with non-trivial coupling at the boundary, Math Methods Appl Sci **20**(1) 1-11 (Jan 1997), 8T1337

Integral equation method for solving nonlinear heat diffusion problem, J Eng Appl Sci **43**(6) 1107-1113 (Dec 1996), 9A1268

406E. Contact resistance

Thermal constriction phenomenon in sliding contacts, Int J Heat Mass Transfer **39**(17) 3717-3724 (Nov 1996), 1A1231

Contact resistance in a steel-framed wall, J Thermal Insulation Build Envelopes **20** 132-143 (Oct 1996), 5A1233

Internal radiation effects in zirconia thermal barrier coatings, J Thermophys Heat Transfer **10**(4) 707-709 (Oct-Dec 1996), 5T1234

Mechanical and geometrical approach to thermal contact resistance, Int J Heat Mass Transfer **40**(5) 1121-1129 (Mar 1997), 5A1235

Microscopic thermal model for dry sliding contact, Int J Heat Mass Transfer **40**(5) 1083-1094 (Mar 1997), 5A1236

Use of boundary conditions of the third kind to model heat conduction between two proximate rough surfaces separated by an insulator, Int J Heat Mass Transfer **40**(6) 1459-1465 (Apr 1997), 6A1270

Thermal contact conductance of composite cylinders, J Thermophys Heat Transfer **11**(1) 72-81 (Jan-Mar 1997), 7A1306

Note on the evaluation of thermal constriction resistance for finite thickness gaps, J Heat Transfer **119**(1) 177-180 (Feb 1997), 8T1343

Velocity and relative contact size effects on the thermal constriction resistance in sliding solids, J Heat Transfer **119**(1) 173-177 (Feb 1997), 8T1344

Thermal boundary resistance for thin-film high-T_c superconductors at varying interfacial temperature drops, Int J Heat Mass Transfer **40**(11) 2637-2645 (Jul 1997), 9A1269

Stability of thermoelastic contact of two layers of dissimilar materials, J Thermal Stresses **20**(2) 169-184 (Mar 1997), 9A1327

Spatial-multiblock procedure for radiation heat transfer, Numer Heat Transfer B **31**(3) 277-293 (Apr-May 1997), 10A1341

Effects of metallic vapor deposition process and the overall coating thickness on thermal contact conductance, J Heat Transfer **117**(4) 828-834 (Nov 1995), 11A1311

Thermal contact conductance of a paper-elastomer interface, J Heat Transfer **119**(2) 363-366 (May 1997), 11T1312

Thermoelectric voltage at metallic point contacts from nonequilibrium effects, J Heat Transfer **117**(4) 822-827 (Nov 1995), 11A1313

406F. Anisotropic media

Equivalent thermal conductivity of 2D and 3D orthogonally fiber-reinforced composites in 1D heat flow, J Composite Tech Res **18**(3) 221-227 (Jul 1996), 1A1232

Conduction of heat through one- and multilayer slabs: A differential-difference approach, Numer Heat Transfer B **30**(1) 67-91 (Jul-Aug 1996), 1A1242

Thermal conductivity of a thermosetting advanced composite during its cure, J Thermophys Heat Transfer **10**(3) 467-475 (Jul-Sep 1996), 1A1247

Effective thermal conductivity of nonlinear composite media with contact resistance, Int J Heat Mass Transfer **40**(4) 943-949 (Mar 1997), 5A1237

Thermal property of a 2D partially conducting thin screen, J Thermophys Heat Transfer **11**(1) 124-126 (Jan-Mar 1997), 7T1307

Heat conduction in composites: Homogenization and macroscopic behavior, Appl Mech Rev **50**(6) 327 (Jun 1997), 8A1345

Model of global thermal conductivity in laminated carbon-carbon composites, Composites Sci Tech **57**(3) 277-285 (Mar 1997), 9A1270

Investigation of the effective conductivities of carbon-carbon fiber composites with inhomogeneous interphase, Appl Math Mech **18**(3) 211-220 (Mar 1997), 11A1314

Enhancement of thermal conductivity by using polymer-zeolite in solid adsorption heat pumps, J Heat Transfer **119**(3) 627-629 (Aug 1997), 12T1291

Thermal conductivity measurements in printed wiring boards, J Heat Transfer **119**(3) 401-405 (Aug 1997), 12A1292

406G. Porous and granular material

Effective stagnant thermal conductivity of wire screens, J Thermophys Heat Transfer **10**(3) 542-545 (Jul-Sep 1996), 1T1233

Numerical study of grey-body surface radiation coupled with fluid flow for general geometries using a finite volume multigrid solver, Int J Numer Methods Heat & Fluid Flow **6**(3) 3-18 (May 1996), 1A1234

Effective thermal conductivity of a porous medium with interconnected particles, Int J Heat Mass Transfer **40**(2) 393-405 (Jan 1997), 4A1232

Internal radiation effects in zirconia thermal barrier coatings, J Thermophys Heat Transfer **10**(4) 707-709 (Oct-Dec 1996), 5T1234

Optimal control of the heat storage in a porous slab, Int J Heat Mass Transfer **40**(7) 1720-1723 (May 1997), 7T1453

Transport properties of double-periodic arrays of circular cylinders, Z Angew Math Mech **77**(2) 115-120 (1997), 10A1335

Geometric structure and thermal conductivity of porous medium silica aerogel, J Heat Transfer **117**(4) 1055-1058 (Nov 1995), 11T1315

406H. Multiphase media

Calculation of heat transfer in a pulsating bubble, Appl Math Model **20**(9) 638-645 (Sep 1996), 2A1239

Effect of moisture on heat flow through homogeneous and composite building sections, Indian J Eng Mat Sci **3**(6) 239-242 (Dec 1996), 6A1273

Melting of a sphere in hot fluid, J Fluid Mech **327** 393-409 (Nov 1996), 6A1275

Reciprocal relations, bounds, and size effects for composites with highly conducting interface, SIAM J Appl Math **57**(2) 347-363 (Apr 1997), 10A1334

Transport properties of double-periodic arrays of circular cylinders, Z Angew Math Mech **77**(2) 115-120 (1997), 10A1335

BEM formulation for evaluating conductive heat transfer rates in particulate systems, Numer Heat Transfer B **31**(4) 459-476 (Jun 1997), 12A1298

406I. Phase change (freezing, melting)

Solidification of aluminum spray-formed billets: An analysis of thin layering effects, J Eng Math **30**(4) 417-443 (Jul 1996), 1A672

Adaptive time stepping approaches for thermal solidification processes, Int J Numer Methods Heat & Fluid Flow **6**(2) 37-50 (Mar 1996), 1A1235

Experimental observation of interface shapes in the float zone of lithium niobate during a CO_2 laser melting, Int J Heat Mass Transfer **39**(16) 3347-3355 (Nov 1996), 1A1236

Modeling of heat and mass transfer processes during core melt discharge from a reactor pressure vessel, Nucl Eng Des **163**(1-2) 191-206 (Jun 1996), 1A1237

Numerical analysis for the heat flux in a mixed elliptic problem to obtain a discrete steady-state two-phase Stefan problem, SIAM J Numer Anal **33**(4) 1257-1265 (Aug 1996), 1T1238

Spherically symmetric Stefan problem with the Gibbs-Thomson law at the moving boundary, European J Appl Math **7**(3) 249-275 (Jun 1996), 1A1239

Cyclic phase change with fluid flow, Int J Numer Methods Heat & Fluid Flow **6**(4) 57-64 (Jul 1996), 2A1240

Stefan problem for multidimensional reaction-diffusion systems, SIAM J Math Anal 27(5) 1212-1234 (Sep 1996), 2A1241

Geometrical theory of capillarity with applications to the Stefan problem, Acta Mech 117(1-4) 145-158 (1996), 3A1035

Modified effective capacitance method for solidification modeling using linear tetrahedral FEs, Int J Numer Methods Eng 39(18) 3195-3215 (Sep 1996), 3A1253

New approach for solving inverse solidification design problems, Numer Heat Transfer B 30(2) 161-177 (Sep 1996), 3A1254

A ξ-vector formulation of anisotropic phase-field models: 3D asymptotics, European J Appl Math 7(4) 367-381 (Aug 1996), 3A1255

Further studies of the injection molding process, Appl Math Model 20(10) 719-730 (Oct 1996), 4A696

Freezing and boiling between parallel plates, Physica D 97(1-3) 223-228 (Oct 1996), 4A1221

Simulation of the continuous casting process by a mathematical model, Int J Mech Sci 39(2) 185-192 (Feb 1997), 4A1233

Solidification of pressure-driven flow in a finite rigid channel with application to volcanic eruptions, J Fluid Mech 323 267-283 (Sep 1996), 4A1368

Closure of a thickly formed frozen wall under the influence of ground water flow (Japanese), Proc JSCE 547(III-36) 75-86 (Sep 1996), 5A908

Analysis of phase transition models, European J Appl Math 7(5) 439-451 (Oct 1996), 5A1238

Application of Broyden's method to the enthalpy method for phase change problems, Numer Heat Transfer A 30(6) 575-587 (Nov 1996), 5A1239

Effect of rotation on the structure of a convecting mushy layer, Acta Mech 118(1-4) 109-119 (1996), 5A1240

Mathematical modeling of solidification and melting: A review, Model Simulation Mat Sci Eng 4(4) 371-396 (Jul 1996), 5A1241

Modeling of nonequilibrium surface melting and resolidification for pure metals and binary alloys, J Heat Transfer 118(4) 944-951 (Nov 1996), 5A1242

Transient state study of electric motor heating and phase change solid-liquid cooling, Appl Thermal Eng 17(1) 17-31 (Jan 1997), 5A1243

Classification of phase transitions, Z Angew Math Phys 47(6) 837-857 (Nov 1996), 6A1218

Dynamics of phase transitions, Z Angew Math Phys 47(6) 858-879 (Nov 1996), 6A1274

Melting of a sphere in hot fluid, J Fluid Mech 327 393-409 (Nov 1996), 6A1275

Front motion and convective heat flux determination in a phase change process, Inverse Prob Eng 4(1) 53-91 (1996), 7A1308

Injury of biological tissue by extracellular freezing, Heat Transfer Japan Res 24(5) 457-475 (1995), 7A1309

Phase-change temperature-based formulation including general latent heat effects, Int J Numer Methods Heat & Fluid Flow 6(8) 71-79 (Dec 1996), 7A1310

Convergence of the two-phase Stefan problem to the one-phase problem, Quart Appl Math 55(1) 113-126 (Mar 1997), 8A1346

Crystalline motion: Uniqueness and geometric properties, SIAM J Appl Math 57(1) 53-72 (Feb 1997), 8A1347

Cusp formation for the undercooled Stefan problem in 2D and 3D, European J Appl Math 8(1) 1-21 (Feb 1997), 8A1348

Direct contact melting of 2D arbitrarily shaped solids on an isothermally heated horizontal plate, Heat Transfer Japan Res 24(7) 589-602 (1995), 8A1349

Freezing inside an enclosure using n-paraffin materials: An experimental study, J Mat Processing Manuf Sci 5(1) 45-55 (Jul 1996), 8A1350

Inverse FEM for pure and binary solidification problems, J Comput Phys 130(2) 243-255 (Jan 1997), 8A1351

Melting of ice balls, SIAM J Math Anal 28(1) 1-32 (Jan 1997), 8A1352

One-phase supercooled Stefan problem with a convective boundary condition, Quart Appl Math 55(1) 41-50 (Mar 1997), 8A1353

Phase-field method in the sharp-interface limit: A comparison between model potentials, J Comput Phys 130(2) 256-265 (Jan 1997), 8T1354

Free boundary problem related to laser beam fusion cutting: ODE approximation, Int J Heat Mass Transfer 40(12) 2913-2928 (Aug 1997), 9A1271

Two dimensional stochastic micro-macro model of equiaxed eutectic solidification, Model Simulation Mat Sci Eng 5(1) 53-65 (Jan 1997), 9A1272

Evaluation of thermophysical characteristics on shape-stabilized paraffin as a solid-liquid phase change material, Heat and Mass Transfer Warme 32(4) 307-312 (Apr 1997), 10A1336

Microscale heat transfer in biological systems at low temperatures, Exp Heat Transfer 10(1) 1-29 (Jan-Mar 1997), 10A1337

Modeling of heat transfer and crystallization in thermoplastic composite tape placement process, J Thermoplastic Composite Mat 10(3) 198-240 (May 1997), 10A1338

Phase field models for hypercooled solidification, Physica D 104(1) 1-31 (May 1997), 10A1339

Introductory analysis of draining and freezing of deicing fluids, Cold Regions Sci Tech 25(3) 207-214 (Apr 1997), 10A1499

Dynamically induced phase transitions and the modeling of comminution in brittle solids, Math Mech Solids 2(2) 99-116 (Jun 1997), 11A571

Exact solution of Stefan problems related to a moving line heat source in a quasi-stationary state, J Heat Transfer 117(4) 1076-1079 (Nov 1995), 11T1316

Galerkin method for a Stefan-type problem in one space dimension, Numer Methods PDE 13(4) 393-416 (Jul 1997), 11A1317

Magnetic resonance imaging assisted temperature calculations in multiple domain freezing problems, J Heat Transfer 117(4) 1079-1082 (Nov 1995), 11T1318

Regularization of a 2D two-phase inverse Stefan problem, Inverse Prob 13(3) 607-619 (Jun 1997), 11A1319

Spreadsheet simulation of the moving boundary of the one-phase Stefan problem, Comput Methods Appl Mech Eng 145(3-4) 217-225 (Jun 1997), 11A1320

Adiabatic phase boundary propagation in a thermoelastic solid, Math Mech Solids 2(2) 117-142 (Jun 1997), 11A1374

Analysis of freezing in an eccentric annulus, J Solar Energy Eng 119(3) 237-241 (Aug 1997), 12A1293

Application of optimization methods for solving inverse phase-change problems, Numer Heat Transfer B 31(4) 477-497 (Jun 1997), 12A1294

Heat flux limiter finite difference scheme in solving a 1D inverse Stefan problem, Inverse Prob Eng 4(4) 255-270 (1997), 12A1295

Microstructural coarsening kinetics for a mushy zone of a pure material, Int J Non-Linear Mech 32(5) 1003-1013 (Sep 1997), 12A1296

Oscillatory instabilities of the liquid and mushy layers during solidification of alloys under rotational constraint, Acta Mech 121(1-4) 143-152 (1997), 12A1297

406Y. Computational techniques

Computational Heat Transfer, Volume 1: Mathematical Modeling (Wiley, UK, 1995) 1R47

Numerical study of grey-body surface radiation coupled with fluid flow for general geometries using a finite volume multigrid solver, Int J Numer Methods Heat & Fluid Flow 6(3) 3-18 (May 1996), 1A1234

Analytical solution of heat conduction on a locally non-uniformly heated surface of a plate with finite thickness, Appl Math Mech 17(5) 487-493 (May 1996), 1A1240

Comparison of numerical quadrature schemes applied in the method of discrete transfer, J Thermophys Heat Transfer 10(3) 549-551 (Jul-Sep 1996), 1T1241

Conduction of heat through one- and multilayer slabs: A differential-difference approach, Numer Heat Transfer B 30(1) 67-91 (Jul-Aug 1996), 1A1242

Consistent infinitesimal FE cell method for diffusion equation in unbounded medium, Comput Methods Appl Mech Eng 132(3-4) 319-334 (Jun 1996), 1A1243

Genetic algorithm behavior in the solution of an inverse thermal field problem, Eng Comput 13(5) 38-56 (1996), 1A1244

Second-order finite difference approximation for inverse determination of thermal conductivity, Int J Heat Mass Transfer 39(17) 3685-3693 (Nov 1996), 1A1245

Application of the Krylov subspace method to numerical heat transfer, Numer Heat Transfer A 30(3) 249-270 (Aug 1996), 2A1195

Green's function approach to optimal arrangement of heat sources in a heat conductor, Heat Transfer Japan Res 24(3) 227-238 (1995), 2A1231

Heat transfer from an extended surface at a stochastic heat-transfer coefficient and stochastic environmental temperature, Int J Eng Sci 34(9) 1093-1099 (Jul 1996), 2A1242

Redundant data and future times in the inverse heat conduction problem, Inverse Prob Eng 2(4) 319-333 (1996), 2A1243

Sensitivity analysis formulation for 3D conduction heat transfer with complex geometries using a BEM, Int J Numer Methods Eng 39(16) 2837-2862 (Aug 1996), 2A1244

Sequential conjugate gradient method for the stable numerical solution to inverse heat conduction problems, Inverse Prob Eng 2(4) 263-272 (1996), 2A1245

Analysis on transient heat transfer in annular fins of various shapes with their bases subjected to a heat flux varying as a sinusoidal time function, Comput Struct 61(4) 725-734 (Nov 1996), 3A1256

Flux-based finite-volume formulations and adaptive time-stepping strategies for modeling of reentry thermal protection systems, Numer Heat Transfer B 30(2) 117-136 (Sep 1996), 3A1257

Finite Element Method in Heat Transfer Analysis (Wiley, UK, 1996) 4R28

Application of Kalman filter and finite difference scheme to inverse heat conduction problems, Inverse Prob Eng 3(1-3) 163-175 (1996), 4A1234

Inverse thermal field problem based on noisy measurements: Comparison of a genetic algorithm and the sequential function specification method, Eng Comput 13(6) 43-59 (1996), 4A1235

Solution of periodic heat conduction by indirect BEM based on fictitious heat source, Commun Numer Methods Eng 12(10) 673-682 (Oct 1996), 4A1236

Numerical investigation of the transient conduction in a rotating cylindrical shell exposed to an incident time varying heat flux, Int J Numer Methods Heat & Fluid Flow 6(6) 25-37 (Sep 1996), 5A1230

Comparison of equation of transfer with simulations on large arrays of cylindrical reflector elements, Numer Heat Transfer B 30(3) 271-289 (Oct-Nov 1996), 5A1244

Difference schemes with nonuniform meshes for nonlinear parabolic system, J Comput Math 14(4) 319-335 (Oct 1996), 5A1245

Multigrid method for nonlinear parabolic problems, J Comput Math 14(4) 363-382 (Oct 1996), 5A1246

New boundary treatment for TLM diffusion models and its use with hexagonal meshes, Numer Heat Transfer B 30(3) 371-386 (Oct-Nov 1996), 5A1247

Well-conditioned matrix for $(ku_x)_x$ with discontinuous k, Int J Numer Methods Eng 39(21) 3663-3677 (Nov 1996), 5A1248

Information highway and numerical heat transfer, Numer Heat Transfer A 30(7) 635-648 (Nov 1996), 6A1251

Effect of a thin film on the heat distribution between a stationary pin and a rotating disk, Numer Heat Transfer A 30(8) 835-848 (Dec 1996), 6A1266

Application of the optimized modified strong implicit procedure to nonlinear problems, Numer Heat Transfer B 30(4) 423-435 (Dec 1996), 6A1276

Nonaxisymmetric radiative transfer in cylindrical enclosures, Numer Heat Transfer B 30(4) 437-452 (Dec 1996), 6A1277

Nonlinear geometrically adaptive FE model of the coilbox, Numer Heat Transfer A 30(8) 849-858 (Dec 1996), 6A1278

Usage of artificial intelligence methods in inverse problems for estimation of material parameters, Int J Numer Methods Heat & Fluid Flow 6(8) 19-29 (Dec 1996), 7A67

Efficient multilevel FE approach to 3D phase-change problems, Numer Heat Transfer B 31(1) 73-89 (Jan-Feb 1997), 7A1311

Handling temperature dependent properties and boundary conditions in stochastic FE analysis, Numer Heat Transfer A 31(1) 37-51 (Jan 1997), 7A1312

Steady heat conduction analysis by improved multiple-reciprocity BEM, Eng Anal Boundary Elements 18(2) 111-117 (Sep 1996), 7A1313

Time integration in the dual reciprocity BE analysis of transient diffusion, Eng Anal Boundary Elements 18(2) 73-102 (Sep 1996), 7A1314

Inverse FEM for pure and binary solidification problems, J Comput Phys 130(2) 243-255 (Jan 1997), 8A1351

Phase-field method in the sharp-interface limit: A comparison between model potentials, J Comput Phys 130(2) 256-265 (Jan 1997), 8T1354

Numerical solution of the general 2D inverse heat conduction problem, J Heat Transfer 119(1) 38-45 (Feb 1997), 8A1355

Real-time estimation of temperature distribution in a ball-screw system, Int J Machine Tools Manuf 37(4) 451-464 (Apr 1997), 8A1356

Stability of the discontinuous Galerkin method for the heat equation, SIAM J Numer Anal 34(1) 389-401 (Feb 1997), 8A1357

Comparison of sensitivity equation and adjoint equation methods for parameter identification problems, Int J Numer Methods Eng 40(6) 1015-1024 (Mar 1997), 9A1273

New time-stepping scheme for the network modeling of diffusion, Commun Numer Methods Eng 13(3) 153-161 (Mar 1997), 9A1274

Optimal dynamic filtration approach for inverse heat conduction problems with moving body, Inverse Prob Eng 4(3) 209-229 (1997), 9A1275

Two dimensional trapezoidal fins analysis, Comput Mech 19(3) 247-250 (Feb 1997), 9A1276

Analytic theory of the temperature fields of bituminous pavement over semi-rigid roadbase, Appl Math Mech 18(2) 181-190 (Feb 1997), 10A1340

Spatial-multiblock procedure for radiation heat transfer, Numer Heat Transfer B 31(3) 277-293 (Apr-May 1997), 10A1341

Stochastic FE modeling in linear transient heat transfer, Comput Methods Appl Mech Eng 144(1-2) 111-124 (May 1997), 10A1342

Model of stratum temperature field of sedimentary-rock system and its parameter identification (Chinese), J Dalian Univ Tech 37(1) 1-4 (Jan 1997), 10A1483

Homogenization of a thermal problem in the plate of a heat exchanger, Comput Methods Appl Mech Eng 145(3-4) 381-402 (Jun 1997), 11A1321

Matrix equation of heat flow in random conditions, Commun Numer Methods Eng 13(5) 337-342 (May 1997), 11A1322

Solving heat dissipation problems in unidirectional composite structure, J Reinforced Plastics Composites 16(8) 686-697 (1997), 11A1323

Finite-element analysis of temperature distributions in spade drilling, J Mat Processing Tech 66(1-3) 112-122 (Apr 1997), 12A45

BEM formulation for evaluating conductive heat transfer rates in particulate systems, Numer Heat Transfer B 31(4) 459-476 (Jun 1997), 12A1298

Direct methods for the discretization of a heat-conduction equation using spline functions, Appl Math Comput 85(1) 87-96 (Aug 1997), 12A1299

Generalized boundary integral equation for isotropic heat conduction with spatially varying thermal conductivity, Eng Anal Boundary Elements 18(4) 273-286 (Dec 1996), 12A1300

Non-iterative solution of inverse heat conduction problems in 1D, Commun Numer Methods Eng 13(6) 419-427 (Jun 1997), 12A1301

p-adaptivity in the domain using MV_m multivalue time-marching integrators, Int J Numer Methods Eng 40(13) 2343-2367 (Jul 1997), 12A1302

406Z. Experimental techniques

Indirect measurement of the heat conductivity and specific heat coefficients of homogeneous fluid, Heat and Mass Transfer Warme 31(5) 323-328 (Jun 1996), 1A1153

Estimation of directional-dependent thermal properties in a carbon-carbon composite, Int J Heat Mass Transfer 39(15) 3157-3164 (Oct 1996), 1A1246

Thermal conductivity of a thermosetting advanced composite during its cure, J Thermophys Heat Transfer 10(3) 467-475 (Jul-Sep 1996), 1A1247

Scanning thermal microscopy at nanometer scales: A new frontier in experimental heat transfer, Exp Heat Transfer 9(2) 83-103 (Apr-Jun 1996), 2A1151

Design of experiments using uncertainty information, J Heat Transfer 118(3) 532-538 (Aug 1996), 2A1246

Thermal conductivity of polyimide foams, Int J Heat Mass Transfer 40(2) 269-280 (Jan 1997), 4A1237

Thermocouple lag in transient heat-shield measurements due to thermal mass difference, J Heat Transfer 118(4) 838-841 (Nov 1996), 5T1126

Model for thermocouple sensitivity during microwave heating, Int J Heat Mass Transfer 40(7) 1559-1565 (May 1997), 7A1301

Heat flux measurement method based on isothermal registration, Int J Heat Mass Transfer 40(7) 1643-1646 (May 1997), 7A1315

Thermal-conductivity measurement of a 2D anisotropic heat conductor using steady-state point heat source and sink, Heat Transfer Japan Res 24(6) 491-503 (1995), 7A1316

Two data reduction methods for evaluation of thermal diffusivity from step-heating measurements, Int J Heat Mass Transfer 40(7) 1647-1655 (May 1997), 7A1317

Effects of forced convection on the power dissipation of constant-temperature thermal conductivity sensors, J Heat Transfer 119(1) 30-37 (Feb 1997), 8A1358

Insulation Materials: Testing and Applications, Third Volume (ASTM, 1997) 9N27

Photothermal method with step heating for measuring the thermal diffusivity of anisotropic solids, Int J Heat Mass Transfer 40(13) 3049-3058 (Sep 1997), 10A1343

Shear rate dependent thermal conductivity measurements of non-Newtonian fluids, Exp Thermal Fluid Sci 15(1) 16-24 (Jul 1997), 10T1344

Experimental methods for measuring X-ray ablation response of surfaces, Exp Heat Transfer 10(1) 51-65 (Jan-Mar 1997), 10A1384

Test fixture for mapping thermal conduction in composites under transient and steady-state conditions, Exp Tech 21(3) 12-14 (May-Jun 1997), 11A494

Compensation of self-heating in the measurement of the dynamic response of a thermoresistive sensor, J Solar Energy Eng 119(3) 225-228 (Aug 1997), 12A1245

Sample tip thermal coupling in modulated laser surface excitation, Int J Eng Sci 35(7) 699-709 (May 1997), 12A1303

408. RADIATION AND COMBINED MODES

408B. View factors

Analytical expression for a concentric-cylinder radiation view factor, J Thermophys Heat Transfer 10(3) 534-536 (Jul-Sep 1996), 1T1248
Ray effect in ray tracing method for radiative heat transfer, Int J Heat Mass Transfer 40(14) 3419-3426 (Sep 1997), 11A1324

408C. Theory of radiative properties

Computationally efficient procedure for calculating gas radiative properties using the exponential wide band model, Int J Heat Mass Transfer 39(15) 3273-3286 (Oct 1996), 1A1249
Radiative properties of fibrous insulations: Theory versus experiment, J Thermophys Heat Transfer 10(3) 460-466 (Jul-Sep 1996), 1A1250
Ray tracing method for evaluating the radiative heat transfer in porous media, Int J Heat Mass Transfer 39(15) 3175-3180 (Oct 1996), 1A1251
Theoretical study of the influence of slugs on the radiative behavior of fibrous media (French), Int J Heat Mass Transfer 39(15) 3221-3231 (Oct 1996), 1A1252
Radiation Heat Transfer in Disperse Systems (Begell House, New York, 1996) 3R38
Proceedings of the ASME Heat Transfer Division, Volume 1 (ASME, New York, 1996) 3N41
Regions of validity of the geometric optics approximation for angular scattering from very rough surfaces, Int J Heat Mass Transfer 40(1) 49-59 (Jan 1997), 3A1258
Angle of incidence and size effects on dependent scattering in fibrous media, J Heat Transfer 118(4) 931-936 (Nov 1996), 5A1249
Calculation of anisotropic extinction coefficients for radiation diffusion in rigid fibrous ceramic insulations, Int J Heat Mass Transfer 40(3) 627-634 (Feb 1997), 5A1250
High temperature gas radiative property parameters of statistical narrow-band model for H_2O, CO_2, and CO, and correlated-K model for H_2O and CO_2, Int J Heat Mass Transfer 40(4) 987-991 (Mar 1997), 5T1251
New radiative analysis approach for reticulated porous ceramics using discrete ordinates method, J Heat Transfer 118(4) 911-917 (Nov 1996), 5A1252
Implementation of the weighted sum of gray gases model to a narrow band: Application and validity, Numer Heat Transfer B 30(4) 453-468 (Dec 1996), 6A1279
Optical properties of energetic materials from infrared spectroscopy, J Thermophys Heat Transfer 11(1) 65-71 (Jan-Mar 1997), 7A1318
Spectral optical functions of silicon in the range of 1.13 - 4.96 eV at elevated temperatures, Int J Heat Mass Transfer 40(7) 1591-1600 (May 1997), 7A1319
Effective absorptivity of finned tube walls, Heat Tech 14(1) 135-155 (1996), 7A1325
Solution of the inverse radiative load problem using the singular value decomposition technique, JSME Int J Ser B 39(4) 808-814 (Nov 1996), 7A1327
Differential total absorptivity solution to the radiative transfer equation for mixtures of combustion gases and soot, Numer Heat Transfer B 31(1) 43-60 (Jan-Feb 1997), 7A1415
Fourier transform infrared system measurement of the bidirectional reflectivity of diffuse and grooved surfaces, J Heat Transfer 117(4) 955-962 (Nov 1995), 11A1325
Effects of surface properties on radiative transfer in a cylindrical tube with a nonparticipating medium, J Heat Transfer 119(3) 495-501 (Aug 1997), 12A1304
Reexamination of the transmittance formulae of a lamina, J Heat Transfer 119(3) 645-647 (Aug 1997), 12T1305
Radiative transfer in pulsed-laser-induced plasma, J Heat Transfer 119(3) 502-508 (Aug 1997), 12A1316

408D. Interchange among surfaces

Applicability of a flux method to radiative heat-transfer analysis in furnaces, Heat Transfer Japan Res 24(2) 99-114 (1995), 2A1247
Integrals involving Bickley and Bessel functions in radiative transfer, and generalized exponential integral functions, J Heat Transfer 118(3) 789-792 (Aug 1996), 2T1248
Multi-objective optimization of radiative fin array systems in a fuzzy environment, J Heat Transfer 118(3) 642-649 (Aug 1996), 2A1249
Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, Int J Heat Mass Transfer 40(1) 61-71 (Jan 1997), 3A1259
Evaluation of discrete ordinates method for radiative transfer in rectangular furnaces, Int J Heat Mass Transfer 40(2) 213-222 (Jan 1997), 4A1238
Radiative exchange between a cylindrical crystal and a monoellipsoidal mirror furnace, Int J Heat Mass Transfer 40(2) 323-332 (Jan 1997), 4A1239
Closed-form solutions for transcendental equations of heat transfer, J Heat Transfer 118(4) 970-973 (Nov 1996), 5T1222
Stefan-Boltzmann radiation on non-convex surfaces, Math Methods Appl Sci 20(1) 47-57 (Jan 1997), 8A1359
Ray effects in the discrete-ordinate solution for surface radiation exchange, Heat and Mass Transfer Warme 32(4) 271-275 (Apr 1997), 10A1345
Effects of surface properties on radiative transfer in a cylindrical tube with a nonparticipating medium, J Heat Transfer 119(3) 495-501 (Aug 1997), 12A1304
Zonal method to model radiative transport in an optical fiber drawing furnace, J Heat Transfer 119(3) 597-603 (Aug 1997), 12A1306

408E. Involvement of participating media

Approximate solution to radiative transfer in 2D cylindrical media, J Thermophys Heat Transfer 10(3) 452-459 (Jul-Sep 1996), 1A1253
Alternative formulation of the S-N discrete ordinates for predicting radiative transfer in nongray gases, J Heat Transfer 118(3) 650-653 (Aug 1996), 2T1250
Radiation Heat Transfer in Disperse Systems (Begell House, New York, 1996) 3R38
Absorptance of infrared radiation by methane at elevated temperatures, J Heat Transfer 118(4) 918-923 (Nov 1996), 5A1253
Efficient laser heating of transparent liquids using multiphoton absorption, Int J Heat Mass Transfer 40(4) 951-959 (Mar 1997), 5A1254
Radiation properties of a semitransparent composite matrix with the particles at a metal-dielectric phase transition, Thermophys and Aeromech 3(2) 179-184 (1996), 5T1255
Radiative transfer in cirrus clouds - Part IV: On cloud geometry, inhomogeneity, and absorption, J Atmos Sci 53(21) 3046-3065 (Nov 1996), 5T1256
Saturable absorption during high-intensity laser heating of liquids, J Heat Transfer 118(4) 924-930 (Nov 1996), 5A1257
Two-flux Green's function analysis for transient spectral radiation in a composite, J Thermophys Heat Transfer 10(4) 681-688 (Oct-Dec 1996), 5A1258
Transient coupled conductive-radiative heat transfer in absorbing, emitting, and scattering media: Application to laser-flash measurements on ceramic materials, Int J Heat Mass Transfer 40(3) 689-698 (Feb 1997), 5A1263
Composite discrete-ordinate solutions for radiative transfer in a two-layer medium with Fresnel interfaces, Numer Heat Transfer A 30(7) 739-751 (Nov 1996), 6A1280
Use of the 2D collapsed dimension method in gray enclosures with absorbing-emitting-isotropic scattering media in radiative equilibrium, Numer Heat Transfer B 30(4) 469-481 (Dec 1996), 6A1281
Energy absorption in a conical cavity truncated by spherical cap subject to a focused high-intensity beam, Int J Heat Mass Transfer 40(8) 1895-1905 (May 1997), 7A1320
Genetic algorithm for inverse radiation problems, Int J Heat Mass Transfer 40(7) 1545-1549 (May 1997), 7A1321
Radiative transfer modeling: A survey of current capabilities for non-grey participating media, Heat Tech 13(2) 5-25 (1995), 7A1322
Thermal radiation from solid-propellant rocket exhaust plumes, Heat Tech 14(1) 21-43 (1996), 7A1323
Benchmark solutions of radiative heat transfer within nonhomogeneous participating media using the Monte Carlo and YIX method, J Heat Transfer 119(1) 185-188 (Feb 1997), 8T1360
Conservative formulation of the discrete transfer method, J Heat Transfer 119(1) 118-128 (Feb 1997), 8A1361
Radiation heat transfer of arbitrary 3D absorbing, emitting, and scattering media and specular and diffuse surfaces, J Heat Transfer 119(1) 129-136 (Feb 1997), 8A1362
Discrete-ordinate solutions for radiative transfer in a cylindrical enclosure with Fresnel boundaries, Int J Heat Mass Transfer 40(10) 2467-2475 (Jul 1997), 9A1277
Inverse source problem in radiative transfer for spherical media, Numer Heat Transfer B 31(2) 251-260 (Mar 1997), 9A1278
Radiative heat transfer in a solar air heater covered with a plastic film, Solar Energy 60(1) 35-40 (Jan 1997), 9A1538
Comparison of theory and experiments for reflection from microcontoured surfaces, Int J Heat Mass Transfer 40(13) 3223-3235 (Sep 1997), 10A1346
Modification of the discrete-ordinates method in an axisymmetric cylindrical geometry, Numer Heat Transfer B 31(3) 313-326 (Apr-May 1997), 10A1347
Quantum molecular dynamics study on light-to-heat absorption mechanism: Two metallic atom system, Int J Heat Mass Transfer 40(13) 3209-3222 (Sep 1997), 10A1348
Thermal radiation absorption in doped semiconductors due to direct intersubband transitions, J Heat Transfer 117(4) 948-954 (Nov 1995), 11A1326
Radiative and combined-mode heat transfer within L-shaped nonhomogeneous and nongray participating media, Numer Heat Transfer A 31(8) 819-835 (Jun 1997), 12A1307
Spatial domain-based parellelism in large-scale, participating-media, radiative transport applications, Numer Heat Transfer B 31(4) 401-421 (Jun 1997), 12A1308
Prediction of radiative transfer in general body-fitted coordinates, Numer Heat Transfer B 31(4) 423-439 (Jun 1997), 12A1315

408F. Combined radiation and convection

Combined natural convection and radiation heat transfer in a vertical air cavity with hexagonal honeycomb core of negligible thickness, Numer Heat Transfer A 30(1) 73-85 (Jul 1996), 1A1254
Radiation affected compressible turbulent flow over a backward facing step, Int J Heat Mass Transfer 39(16) 3325-3332 (Nov 1996), 1A1255
Radiation effects on MHD free convection flow of a gas past a semi-infinite vertical plate, Int J Numer Methods Heat & Fluid Flow 6(2) 77-83 (Mar 1996), 1A1256
Radiative heat transfer effects in chemically reacting nozzle flows, J Thermophys Heat Transfer 10(3) 436-444 (Jul-Sep 1996), 1A1257
Combined natural convection and radiation in a vertical annulus, Heat and Mass Transfer Warme 31(6) 371-379 (Aug 1996), 2A1251
Heat transfer of a micropolar fluid by the presence of radiation, Heat and Mass Transfer Warme 31(6) 381-382 (Aug 1996), 2A1252
Enhancement of heat transfer using porous convection-to-radiation converter for laminar flow in a circular duct, Int J Heat Mass Transfer 40(1) 39-48 (Jan 1997), 3A1242
Engineering Heat Transfer (PWS, Boston, MA, 1995) 5R24
Numerical investigation on a simulation model of floating zone convection, Int J Heat Mass Transfer 40(4) 757-763 (Mar 1997), 5A1151
Physico-mathematical model of rocket exhaust plumes, Int J Heat Mass Transfer 40(5) 1227-1241 (Mar 1997), 5A1259
Radiative emission from the simulated shock layer of the Huygens probe, J Thermophys Heat Transfer 10(4) 563-569 (Oct-Dec 1996), 5A1260
Interferometric study of interaction of free convection with surface radiation in an L corner, Int J Heat Mass Transfer 40(12) 2941-2947 (Aug 1997), 9A1279
Radiation effect on Darcy free convection flow along an inclined surface placed in porous media, Heat and Mass Transfer Warme 32(4) 223-227 (Apr 1997), 10A1310
Numerical evaluation of heat clearance properties of a radiatively heated biological tissue by adaptive grid scheme, Numer Heat Transfer A 31(5) 451-467 (Apr 1997), 10A1349
Simulation of fluid flow and gaseous radiation heat transfer in a natural gas-fired furnace, Int J Numer Methods Heat & Fluid Flow 7(2-3) 169-180 (1997), 11T1327
Simulation of heat transfer in a reflow soldering oven with air and nitrogen injection, J Electron Packaging 117(4) 317-322 (Dec 1995), 11A1328
laws for fiber temperature prediction during drawing, J Heat Transfer 119(3) 652-655 (Aug 1997), 12T1309
General semicausal stochastic model for turbulence-radiation interactions in flames, J Heat Transfer 119(3) 509-516 (Aug 1997), 12A1310
Interaction of surface radiation and free covection in an enclosure with a vertical partition, J Heat Transfer 119(3) 641-645 (Aug 1997), 12T1311

408G. Combined radiation and conduction

Radiative exchange between a cylindrical crystal and a monoellipsoidal mirror furnace, Int J Heat Mass Transfer 40(2) 323-332 (Jan 1997), 4A1239
Two-flux Green's function analysis for transient spectral radiation in a composite, J Thermophys Heat Transfer 10(4) 681-688 (Oct-Dec 1996), 5A1258
Combined conduction and nongray radiation heat transfer in carbon dioxide, J Thermophys Heat Transfer 10(4) 701-704 (Oct-Dec 1996), 5T1261
Numerical study on the heating of a cast iron slab in a car-hearth furnace, J Manuf Sci Eng 118(4) 667-671 (Nov 1996), 5A1262
Transient coupled conductive-radiative heat transfer in absorbing, emitting, and scattering media: Application to laser-flash measurements on ceramic materials, Int J Heat Mass Transfer 40(3) 689-698 (Feb 1997), 5A1263
Effect of radiation losses on hotspot formation and propagation in microwave heating, IMA J Appl Math 57(2) 165-179 (Oct 1996), 6A1282
Measurement of heat flow through vacuum glazing at elevated temperature, Int J Heat Mass Transfer 40(6) 1437-1446 (Apr 1997), 6A1283
Modeling of pre-heating of flat panels prior to press forming, Composites Part A Appl Sci and Manuf 28A(1) 17-24 (1997), 7A634
Combined radiation and conduction heat transfer in high temperature fiber thermal insulation, Int J Heat Mass Transfer 40(9) 2241-2247 (Jun 1997), 8A1363
Cavity effects in microwave heating of ceramics, SIAM J Appl Math 57(2) 382-400 (Apr 1997), 10A1350
Temperature distribution and melt pool size in a semi-infinite body due to a moving laser heat source, Numer Heat Transfer A 31(7) 783-796 (May 1997), 11A1329
Thermal tomographic detection in inhomogeneities, J Heat Transfer 117(4) 969-975 (Nov 1995), 11A1330
Three-dimensional numerical model for thermal analysis in X-ray irradiated photoresists, Numer Heat Transfer A 31(6) 585-595 (May 1997), 11A1331
Radiative heat transfer in circulating fluidized beds, J Heat Transfer 117(4) 963-968 (Nov 1995), 11A1457
Radiative and combined-mode heat transfer within L-shaped nonhomogeneous and nongray participating media, Numer Heat Transfer A 31(8) 819-835 (Jun 1997), 12A1307
Mathematical modeling of the nonlinear heat transfer process in a gray shell surrounded by a non-participating medium, Int J Non-Linear Mech 32(5) 885-904 (Sep 1997), 12A1312
Thermal sensitivity analysis of spacecraft battery, J Spacecraft Rockets 34(3) 384-390 (May-Jun 1997), 12A1313

408H. Combined radiation, convection, and conduction

Temperature distribution in an optical fiber draw tower furnace, J Mat Processing Manuf Sci 4(3) 221-232 (Jan 1996), 2A1253
Numerical study of a ventilated facade panel, Solar Energy 57(1) 29-36 (Jul 1996), 4A1460
Surface temperature profiles due to radiant heating in a thermocapillary channel flow, J Heat Transfer 119(1) 137-141 (Feb 1997), 8A1364
Simulation and measurement of a vertical Bridgman growth system for β-NiAl crystal, Int J Heat Mass Transfer 40(10) 2293-2305 (Jul 1997), 9A1280
Heat transfer model for biological wastewater treatment system, Heat and Mass Transfer Warme 32(4) 313-316 (Apr 1997), 10A1351
Mathematical model of a radiating, viscous, heatconducting fluid: Remarks on a paper by J Forste, Z Angew Math Mech 77(5) 367-375 (1997), 12A1314
Modeling and optimum design of a wire mesh solar volumetric air receiver, J Solar Energy Eng 119(3) 208-213 (Aug 1997), 12A1514

408Y. Computational techniques

Acceleration schemes for the discrete ordinates method, J Thermophys Heat Transfer 10(3) 445-451 (Jul-Sep 1996), 1A1258
Spatial differencing schemes of the discrete-ordinates method, Numer Heat Transfer B 30(1) 23-43 (Jul-Aug 1996), 1A1259
ASME Proceedings of 31st National Heat Transfer Conference, Volume 3 (ASME Press, New York, 1996) 2N38
Absorption coefficient of calorimetric reciever of laser radiation, J Tech Phys 37(1) 3-6 (1996), 4T1240
Implementation of the weighted sum of gray gases model to a narrow band: Application and validity, Numer Heat Transfer B 30(4) 453-468 (Dec 1996), 6A1279
Handling temperature dependent properties and boundary conditions in stochastic FE analysis, Numer Heat Transfer A 31(1) 37-51 (Jan 1997), 7A1312

Analysis of radiative heating of a rocket plume base with the finite-volume method, Int J Heat Mass Transfer 40(7) 1501-1508 (May 1997), 7A1324
Effective absorptivity of finned tube walls, Heat Tech 14(1) 135-155 (1996), 7A1325
Fast, narrow-band computer model for radiation calculations, Numer Heat Transfer B 31(1) 61-71 (Jan-Feb 1997), 7A1326
Solution of the inverse radiative load problem using the singular value decomposition technique, JSME Int J Ser B 39(4) 808-814 (Nov 1996), 7A1327
Monte Carlo simulation of radiation heat transfer from an infinite plane to parallel rows of infinitely long tubes: Hottel extended, Numer Heat Transfer A 31(2) 131-142 (Feb 1997), 8A1365
Modification of the discrete-ordinates method in an axisymmetric cylindrical geometry, Numer Heat Transfer B 31(3) 313-326 (Apr-May 1997), 10A1347
Numerical evaluation of heat clearance properties of a radiatively heated biological tissue by adaptive grid scheme, Numer Heat Transfer A 31(5) 451-467 (Apr 1997), 10A1349
T_n quadrature set for the discrete ordinates method, J Heat Transfer 117(4) 1068-1070 (Nov 1995), 11T1332
Mathematical modeling of the nonlinear heat transfer process in a gray shell surrounded by a non-participating medium, Int J Non-Linear Mech 32(5) 885-904 (Sep 1997), 12A1312
Thermal sensitivity analysis of spacecraft battery, J Spacecraft Rockets 34(3) 384-390 (May-Jun 1997), 12A1313
Prediction of radiative transfer in general body-fitted coordinates, Numer Heat Transfer B 31(4) 423-439 (Jun 1997), 12A1315

408Z. Experimental techniques

Emittance measurements for a thin liquid sheet flow, J Thermophys Heat Transfer 10(3) 547-549 (Jul-Sep 1996), 1T1260
Novel stokesmeter, J Thermophys Heat Transfer 10(3) 536-539 (Jul-Sep 1996), 1T1261
New method for hemispherical radiation heat flux measurement, Heat Tech 13(2) 59-72 (1995), 7A1328
Interferometric study of interaction of free convection with surface radiation in an L corner, Int J Heat Mass Transfer 40(12) 2941-2947 (Aug 1997), 9A1279
Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, Planet Space Sci 45(4) 409-418 (Apr 1997), 10A329
Radiative transfer in pulsed-laser-induced plasma, J Heat Transfer 119(3) 502-508 (Aug 1997), 12A1316

410. DEVICES AND SYSTEMS

410B. Heat exchangers (recuperator)

Heat transfer and pressure drop characteristics of ten radiator tubes, Int J Heat Mass Transfer 39(15) 3211-3220 (Oct 1996), 1A1159
Numerical and experimental determination of flow structure and heat transfer effects of longitudinal vortices in a channel flow, Int J Heat Mass Transfer 39(16) 3441-3451 (Nov 1996), 1A1163
Heat and mass transfer characteristics of a new combined absorber-evaporator exchanger operating near the triple point of water, Heat and Mass Transfer Warme 31(5) 291-299 (Jun 1996), 1A1262
Performance of heat exchanger using heat pipes at low inclination, Revista Eng Ciencias Aplicadas 2 69-78 (1994), 1A1263
Road to understanding heat exchangers: A few stops along the way, Heat Transfer Eng 17(2) 41-53 (Apr-Jun 1996), 1T1264
Enhancement of heat exchanger performance using combined electrohydrodynamic and passive methods, Int J Heat Fluid Flow 17(4) 403-409 (Aug 1996), 2A1254
Intertube falling film - Part 1: Flow characteristics, mode transitions, and hysteresis, J Heat Transfer 118(3) 616-625 (Aug 1996), 2A1255
Intertube falling film - Part 2: Mode effects on sensible heat transfer to a falling liquid film, J Heat Transfer 118(3) 626-633 (Aug 1996), 2A1256
Study of a compact spiral-coil cooling and dehumidifying heat exchanger, Appl Thermal Eng 16(10) 777-790 (Oct 1996), 2A1257
Study of the deposition of fine particles in compact plate fin heat exchangers, J Enhanced Heat Transfer 3(4) 259-272 (1996), 2A1258
Thermodynamic method for the comparison of plate-fin heat exchanger performance, J Heat Transfer 118(3) 805-809 (Aug 1996), 2T1259
Study on sublimation phenomenon of horizontal frost layer exposed to forced convection air flow and radiant heat, J Heat Transfer 118(3) 694-701 (Aug 1996), 2A1294
Heuristic approach for heat exchanger networks, Int J Energy Res 20(9) 797-810 (Sep 1996), 3A1260
Thermal Science of Advanced Steam Generators and Heat Exchangers (ASME, New York, 1996) 4N29
Thermodynamics of heat storage in a PCM shell-and-tube heat exchanger in parallel or in series with a heat engine, Solar Energy 57(1) 59-68 (Jul 1996), 4A1184
Particle-surface interactions in heat exchanger fouling, J Fluids Eng 118(3) 574-581 (Sep 1996), 4A1241
Single-phase heat transfer and flow friction correlations for microfin tubes, Int J Heat Fluid Flow 17(5) 500-508 (Oct 1996), 4A1242
Sizing and passage arrangement of multistream plate-fin heat exchangers, Heat Transfer Eng 17(3) 35-43 (Jul-Sep 1996), 4A1243
Comparison of several heat transfer enhancement technologies for gas heat exchangers, J Heat Transfer 118(4) 897-902 (Nov 1996), 5A1264
Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - I: Convection analysis, Int J Heat Mass Transfer 40(3) 557-572 (Feb 1997), 5A1265
Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - II: Conjugate analysis, Int J Heat Mass Transfer 40(3) 573-588 (Feb 1997), 5A1266
Trajectories and deposition of silica particles on cylinders in crossflow with and without a magnetic field, J Heat Transfer 118(4) 903-910 (Nov 1996), 5A1267
Computations of flow and heat transfer in parallel-plate fin heat exchangers on the CM-5: Effects of flow unsteadiness and three-dimensionality, Int J Heat Mass Transfer 40(6) 1325-1341 (Apr 1997), 6A1284
Effects of longitudinal heat conduction in compact plate-fin and tube-fin heat exchangers using a FEM, Int J Heat Mass Transfer 40(6) 1261-1277 (Apr 1997), 6A1285
Reliability-based maintenance strategies for heat exchangers subject to fouling, J Energy Resources Tech 118(4) 306-312 (Dec 1996), 6A1286
Heat-transfer and flow characteristics of perforated-plate heat exchangers with crosscut fins, Heat Transfer Japan Res 24(4) 328-341 (1995), 7A1329
Heat transfer and friction characteristics of typical wavy fin-and-tube heat exchangers, Exp Thermal Fluid Sci 14(2) 174-186 (Feb 1997), 7T1331
Heat transfer and flow friction characteristics of perforated-plate heat exchangers, Exp Heat Transfer 9(4) 335-356 (Oct-Dec 1996), 8A1366
Time constant of double pipe and one pass shell-and-tube heat exchangers in the case of varying fluid flow rates, Int J Heat Mass Transfer 40(9) 2067-2079 (Jun 1997), 8A1367
Bayonet tube heat exchanger, Appl Mech Rev 50(8) 445-474 (Aug 1997), 9A1281
Comparative study of elliptical and circular sections in one- and two-row tubes and plate fin heat exchangers, Int J Heat Fluid Flow 18(2) 247-252 (Apr 1997), 9A1282
Detailed heat transfer distributions in two-pass square channels with rib turbulators, Int J Heat Mass Transfer 40(11) 2525-2537 (Jul 1997), 9A1283
Energy-recovery machine as a pressure reductor in industrial installations (Polish), Trans Inst Fluid-Flow Machinery 0(101) 141-154 (1996), 9A1284
Heat transfer augmentation of shell-and-tube heat exchangers for the chemical processing industry, J Enhanced Heat Transfer 4(2) 147-161 (1997), 9A1285
Heat transfer enhancement mechanisms in inline and staggered parallel-plate fin heat exchangers, Int J Heat Mass Transfer 40(10) 2307-2325 (Jul 1997), 9A1286
Influence of a finite number of baffles on shell-and-tube heat exchanger performance, Heat Transfer Eng 18(1) 82-94 (Jan-Mar 1997), 9A1287
Heat recovery exchanger technology for very small gas turbines, Int J Turbo Jet Engines 13(4) 239-261 (1996), 10A1232
Fouling of heat exchangers, Exp Thermal Fluid Sci 14(4) 315-463 (May 1997), 10A1352
Lightweight radiator optimization for heat rejection in space, Heat and Mass Transfer Warme 32(4) 239-244 (Apr 1997), 10A1353
Dynamic behavior of plate heat exchangers: Experiments and modeling, J Heat Transfer 117(4) 859-864 (Nov 1995), 11A1214
Numerical analysis of heat transfer and flow loss in a parallel plate heat exchanger element with longitudinal vortex generators as fins, J Heat Transfer 117(4) 1064-1067 (Nov 1995), 11T1220
Simple model of boiling heat transfer on tubes in large pools, J Heat Transfer 119(2) 376-379 (May 1997), 11T1281
Analysis of the noncondensable contaminant accumulation in single-pass air-cooled condensers, Heat Transfer Eng 18(2) 50-60 (Apr-Jun 1997), 11A1333
Double-pipe and multitube heat exchangers with plain and longitudinal finned tubes, Heat Transfer Eng 18(2) 34-45 (Apr-Jun 1997), 11A1334
Experimental determination of permeability and inertia coefficients of mechanically compressed aluminum porous matrices, J Fluids Eng 119(2) 404-412 (Jun 1997), 11T1335
Experimental investigation of convective heat transfer from wire-on-tube heat exchangers, J Heat Transfer 119(2) 348-356 (May 1997), 11A1336
Free convection heat transfer from wire-and-tube heat exchangers, J Heat Transfer 119(2) 370-372 (May 1997), 11T1337
Heat transfer and flow resistance of a shell and plate-type evaporator, J Solar Energy Eng 119(2) 160-164 (May 1997), 11A1338
Temperature dynamic models of heat exchanger for photosensitive material coating and drying processes, Heat Transfer Japan Res 25(3) 151-165 (1996), 11A1352
Finite element analysis of cyclic heat transfer in a shell-and-tube latent heat energy storage exchanger, Appl Thermal Eng 17(6) 583-591 (Jun 1997), 11A1366
Modeling of vapor compression cycles for multivariable feedback control of HVAC systems, J Dyn Syst Meas Control 119(2) 183-191 (Jun 1997), 12A409
Cross-stream thermal dispersion in a staggered tube bundle with crossflow, J Heat Transfer 119(3) 650-652 (Aug 1997), 12T1317
Effect of suspended particles on crystallization fouling in plate heat exchangers, J Heat Transfer 119(3) 568-574 (Aug 1997), 12A1318
Heat transfer and friction correlations for wavy plate fin-and-tube heat exchangers, J Heat Transfer 119(3) 560-567 (Aug 1997), 12A1319
Maintenance strategy for heat transfer equipment subject to fouling: A probabilistic approach, J Heat Transfer 119(3) 575-580 (Aug 1997), 12A1320
Performance and modeling of thermosyphon heat exchangers for solar water heaters, J Solar Energy Eng 119(3) 193-200 (Aug 1997), 12A1321
Statistical aspects of $CaCO_3$ fouling in AISI 316 stainless-steel tubes, J Heat Transfer 119(3) 581-588 (Aug 1997), 12A1322
Uniform channel micro heat exchangers, J Electron Packaging 119(2) 89-94 (Jun 1997), 12A1323

410C. Heat exchangers (regenerators)

Heat transfer characteristics in *tert*-butanol dehydration reaction used for heat transport, Heat Transfer Japan Res 24(3) 288-302 (1995), 2A1260
Correlations for film regeneration and air dehumidification for a falling desiccant film with air in crossflow, J Heat Transfer 118(3) 634-641 (Aug 1996), 2A1291
Effects of inlet fluid flow nonuniformity on thermal performance and pressure drops in crossflow plate-fin compact heat exchangers, Int J Heat Mass Transfer 40(1) 27-38 (Jan 1997), 3A1261
Measurements of thermal performance of the regenerator of a cryocooler with a high number of transfer units value, Proc Inst Mech Eng C 210(C4) 341-352 (1996), 3A1262
Particle-surface interactions in heat exchanger fouling, J Fluids Eng 118(3) 574-581 (Sep 1996), 4A1241
Numerical investigation of adsorptive heat pump systems with thermal wave heat regeneration under uniform-pressure conditions, Int J Heat Mass Transfer 40(2) 281-293 (Jan 1997), 4A1244
Simple harmonic analysis of regenerators, J Thermophys Heat Transfer 10(4) 652-662 (Oct-Dec 1996), 5A1268
Experimental study of flow and heat transfer in parallel-plate arrays: Local, row-by-row, and surface average behavior, Int J Heat Mass Transfer 40(6) 1365-1378 (Apr 1997), 6A1220
Local model for packed-bed heat exchangers, Heat Tech 13(1) 85-104 (1995), 7A1330
Numerical prediction of transitional characteristics of flow and heat transfer in a corrugated duct, J Heat Transfer 119(1) 62-69 (Feb 1997), 8A1272
Performance of plate finned tube heat exchangers under dehumidifying conditions, J Heat Transfer 119(1) 109-117 (Feb 1997), 8A1368
Indirect estimation of leakage distribution in steam boiler rotary regenerators, Heat Transfer Eng 18(1) 56-81 (Jan-Mar 1997), 9A1288
Measurements of thermal performance of cryocooler regenerators using an improved single-blow method, Int J Heat Mass Transfer 40(10) 2341-2349 (Jul 1997), 9A1289
Fouling of heat exchangers, Exp Thermal Fluid Sci 14(4) 315-463 (May 1997), 10A1352
Coal-fired heat exchanger for an externally fired gas turbine, J Eng Gas Turbines Power 118(1) 22-31 (Jan 1996), 11T1339
Effect of positioning the axis of a lamellar rotor model of a sucking and forcing regenerative exchanger on the intensity of convective mass-heat transfer, Int J Heat Mass Transfer 40(14) 3275-3282 (Sep 1997), 11A1340
Readsorption processes in a sorption bed heat exchanger during pressurization and depressurization, J Heat Transfer 117(4) 865-870 (Nov 1995), 11A1341

410D. Extended surfaces

Process, Enhanced, and Multiphase Heat Transfer: A Festschrift for AE Bergles (Begell House, New York, 1996) 1N49
Mathematical analysis of the length-of-arc assumption, Heat Transfer Eng 17(2) 67-71 (Apr-Jun 1996), 1A1265
Optimal dimensions of circular fins with variable profile and temperature-dependent thermal conductivity, Int J Heat Mass Transfer 39(16) 3431-3439 (Nov 1996), 1A1266
ASME Proceedings of 31st National Heat Transfer Conference, Volume 8 (ASME Press, New York, 1996) 2N43
Optimal spacing between pin fins with impinging flow, J Heat Transfer 118(3) 570-577 (Aug 1996), 2A1261
Turbulent flow in longitudinally finned tubes, J Fluids Eng 118(3) 506-513 (Sep 1996), 4A1044
Optimum design of radiating and convecting-radiating fins, Heat Transfer Eng 17(3) 44-78 (Jul-Sep 1996), 4T1245
Symbolic mathematics for the calculation of thermal efficiencies and tip temperatures in annular fins of uniform thickness, Int J Heat Mass Transfer 40(2) 490-492 (Jan 1997), 4T1246
Analysis of thermally optimized fin array in boiling liquids, Int J Heat Mass Transfer 40(5) 1035-1044 (Mar 1997), 5A1269
Explicit, rigorous solutions to 2D heat transfer: Two-component media and optimization of cooling fins, Int J Heat Mass Transfer 40(5) 1191-1196 (Mar 1997), 5A1270
Fin efficiency enhancement using a gravity-assisted planar heat pipe, Int J Heat Mass Transfer 40(5) 1045-1051 (Mar 1997), 5A1271
Generalized heat transfer correlation for louver fin geometry, Int J Heat Mass Transfer 40(3) 533-544 (Feb 1997), 5A1272
Experimental investigation of laminar flow and heat transfer in internally finned tubes, J Enhanced Heat Transfer 4(1) 53-70 (1996), 6A1229
Numerical investigation of laminar flow and heat transfer in internally finned tubes, J Enhanced Heat Transfer 4(1) 35-51 (1996), 6A1231
Error in lumped parameter analysis of heat flow rate through extended surfaces accounting for thermal contact resistance, J Enhanced Heat Transfer 4(1) 7-15 (1996), 6A1287
Literature on enhancement of convective heat and mass transfer, J Enhanced Heat Transfer 4(1) 1-6 (1996), 6A1288
Prediction algorithm of pressure drop for impingement cooling of heat sinks with longitudinal fins, Heat Transfer Japan Res 24(4) 315-327 (1995), 7A1015
Heat transfer and friction characteristics of typical wavy fin-and-tube heat exchangers, Exp Thermal Fluid Sci 14(2) 174-186 (Feb 1997), 7T1331
Heat-transfer correlations for high-finned tubes in staggered arrangements, Heat Transfer Japan Res 24(4) 369-377 (1995), 7A1332
High thermal fluxes removal from finned surfaces under boiling conditions, Heat Tech 13(1) 29-40 (1995), 7A1333
Hypervapotron effect application for high power electronic devices cooling, Heat Tech 13(1) 75-84 (1995), 7A1334
Optimization of cylindrical pin fin arrays with an accelerated flow subjected to convective heat transfer, Heat Tech 12(1-2) 55-72 (1994), 7A1335
Polynomial fin profile optimization, Heat Tech 12(1-2) 137-144 (1994), 7A1336
Second-law analysis on a pin-fin array under cross-flow, Int J Heat Mass Transfer 40(8) 1937-1945 (May 1997), 7A1337
Natural convection from a vertical rectangular fin, Exp Heat Transfer 9(4) 287-303 (Oct-Dec 1996), 8A1276
Genetic algorithm for fin profile optimization, Int J Heat Mass Transfer 40(9) 2165-2172 (Jun 1997), 8A1332
Heat transfer enhancement: The maturing of second-generation heat transfer technology, Heat Transfer Eng 18(1) 47-55 (Jan-Mar 1997), 9A1290
Micro heat exchangers consisting of pin arrays, J Electron Packaging 119(1) 51-57 (Mar 1997), 9A1291
Numerical prediction of flow and heat transfer in an impingement heat sink, J Electron Packaging 119(1) 58-63 (Mar 1997), 9A1292
Thermal performance of pin-fin fan-sink assemblies, J Electron Packaging 119(1) 26-31 (Mar 1997), 9A1293
Analytical and numerical solution along with PC spreadsheets modeling for a composite fin, Heat and Mass Transfer Warme 32(4) 229-238 (Apr 1997), 10A1327

Fin efficiency of extended surfaces in two-phase flow, Int J Heat Fluid Flow 18(4) 419-429 (Aug 1997), 11A1342
One-dimensional fin tip boundary condition corrections, Heat Transfer Eng 18(2) 46-49 (Apr-Jun 1997), 11A1343
Enhancement of heat transfer through fin- and- tube heat exchanger using corrugated fins, J Eng Appl Sci 44(2) 309-324 (Apr 1997), 12A1324

410E. Other augumentation techniques

Heat transfer enhancement within a turbine blade cooling passage using ribs and combinations of ribs with film cooling holes, J Turbomachinery 118(3) 428-434 (Jul 1996), 1A1108
Heat transfer in the flow of a cold, 2D vertical liquid jet against a hot, horizontal plate, Int J Heat Mass Transfer 39(16) 3367-3379 (Nov 1996), 1A1154
Numerical investigation of heat transfer by rows of rectangular impinging jets, Numer Heat Transfer A 30(1) 87-101 (Jul 1996), 1A1155
Heat transfer augmentation for the flow of a viscous liquid in circular tubes using twisted tape inserts, Int J Heat Mass Transfer 39(17) 3547-3557 (Nov 1996), 1A1160
Heat transfer inside and downstream of cavities using transient liquid crystal method, J Thermophys Heat Transfer 10(3) 511-516 (Jul-Sep 1996), 1A1204
Heat transfer and flow structures in an excited circular impinging jet, Int J Heat Mass Transfer 39(17) 3695-3706 (Nov 1996), 1A1267
Numerical study of a low permeability microporous heat sink for cooling phased-array radar systems, Int J Heat Mass Transfer 39(17) 3633-3647 (Nov 1996), 1A1402
ASME Proceedings of 31st National Heat Transfer Conference, Volume 2 (ASME Press, New York, 1996) 2N37
ASME Proceedings of 31st National Heat Transfer Conference, Volume 8 (ASME Press, New York, 1996) 2N43
Heat transfer in a 3D channel with baffles, Numer Heat Transfer A 30(2) 189-205 (Aug 1996), 2A1158
Experimental investigation of the laminar flow heat transfer enhancement in a small-scale square duct with aqueous Carbopol solutions, J Heat Transfer 118(3) 555-561 (Aug 1996), 2A1185
Unsteady heat transfer in baffled channels, J Heat Transfer 118(3) 585-591 (Aug 1996), 2A1188
Enhancement of forced convection in an asymmetrically heated duct filled with high thermal conductivity porous media, J Enhanced Heat Transfer 3(4) 291-299 (1996), 2A1192
Boiling heat transfer enhancement of R-134a in a tube bundle utilizing the EHD technique, J Enhanced Heat Transfer 3(4) 301-309 (1996), 2A1206
Genetic algorithm optimization technique for compact high intensity cooler design, J Enhanced Heat Transfer 3(4) 281-290 (1996), 2A1262
Study on heat-transfer enhancement by a square-rod array in an impinging jet system, Heat Transfer Japan Res 24(2) 193-207 (1995), 2A1263
Advances in Energy Efficiency, Heat and Mass Transfer Enhancement (ASME, New York, 1996) 3N39
Numerical investigation of heat transfer in impinging axial and radial jets with superimposed swirl, Int J Heat Mass Transfer 40(1) 141-147 (Jan 1997), 3A1236
Enhancement of heat transfer using porous convection-to-radiation converter for laminar flow in a circular duct, Int J Heat Mass Transfer 40(1) 39-48 (Jan 1997), 3A1242
Developing and periodically developed flow, temperature, and heat transfer in a ribbed duct, Int J Heat Mass Transfer 40(2) 461-479 (Jan 1997), 4A1190
One-dimensional analysis of maximum performance in a closed two-phase thermosyphon with a cross-over flow separator, Heat Transfer Eng 17(3) 19-28 (Jul-Sep 1996), 4A1223
Design of tungsten-copper graded composite for high heat flux components, Fusion Eng Des 31(4) 279-289 (Aug 1996), 4A1247
Heat transfer and friction factor correlations for artificially roughened ducts with expanded metal mesh as roughness element, Int J Heat Mass Transfer 40(4) 973-986 (Mar 1997), 5A1137
Heat transfer behaviors of a confined slot jet impingement, Int J Heat Mass Transfer 40(5) 1095-1107 (Mar 1997), 5A1138
Heat transfer and flow field in a pipe with sinusoidal wavy surface - I: Numerical investigation, Int J Heat Mass Transfer 40(5) 1061-1070 (Mar 1997), 5A1171
Heat transfer and flow field in a pipe with sinusoidal wavy surface - II: Experimental investigation, Int J Heat Mass Transfer 40(5) 1071-1081 (Mar 1997), 5A1172
Heat transfer enhancement in laminar flow of viscoelastic fluids through rectangular ducts, Int J Heat Mass Transfer 40(3) 745-756 (Feb 1997), 5T1180
Potential benefits of electrohydrodynamic enhancement of two-phase heat transfer in the design of refrigeration systems, Appl Thermal Eng 17(1) 79-92 (Jan 1997), 5A1273
Impingement cooling of a confined circular air jet, Int J Heat Mass Transfer 40(6) 1355-1364 (Apr 1997), 6A1221
Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part I: Unconfined circular jets, Int J Heat Mass Transfer 40(6) 1481-1490 (Apr 1997), 6A1222
Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part II: Initially laminar confined slot jets, Int J Heat Mass Transfer 40(6) 1491-1500 (Apr 1997), 6A1223
Performance of an entrained-particle heat exchanger, Heat Transfer Eng 17(4) 64-71 (Oct-Dec 1996), 6A1263
Literature on enhancement of convective heat and mass transfer, J Enhanced Heat Transfer 4(1) 1-6 (1996), 6A1288
Optimal geometric arrangement of staggered plates in forced convection, Int J Heat Mass Transfer 40(8) 1795-1805 (May 1997), 7A1236
Heat transfer in laminar flow between parallel plates with rib-type eddy promoters, Heat Transfer Japan Res 24(5) 425-438 (1995), 7A1241
Heat-transfer enhancement of twisted-tape inserts in turbulent pipe flows, Heat Transfer Japan Res 24(4) 378-396 (1995), 7A1242
Three-dimensional heat transfer in a channel with a baffle in the entrance region, Numer Heat Transfer A 31(1) 21-35 (Jan 1997), 7A1244
Direct-contact heat-transfer characteristics between a melted alloy and water, Heat Transfer Japan Res 24(4) 397-407 (1995), 7A1338
Numerical study of heat transfer enhancement of a horizontal tube with an eccentrically inserted plate, Int J Heat Mass Transfer 40(7) 1687-1692 (May 1997), 7A1339
Control of heat transfer on wall with wall jet, Heat Transfer Japan Res 25(1) 1-11 (1996), 9A1203
Effects of intrinsic three dimensionality on heat transfer and friction loss in a periodic array of parallel plates, Numer Heat Transfer A 31(4) 327-353 (Mar 1997), 9A1204
Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, Int J Heat Mass Transfer 40(10) 2249-2259 (Jul 1997), 9A1206
Numerical study of recovery effect and impingement heat transfer with submerged circular jets of large Prandtl number liquid, Int J Heat Mass Transfer 40(11) 2647-2653 (Jul 1997), 9A1211
Heat transfer enhancement of turbulent natural convection adjacent to a vertical heated plate, Heat Transfer Japan Res 25(1) 39-50 (1996), 9A1213
Thermal performances of different shape porous blocks under an impinging jet, Int J Heat Mass Transfer 40(10) 2261-2272 (Jul 1997), 9A1235
Heat transfer enhancement: The maturing of second-generation heat transfer technology, Heat Transfer Eng 18(1) 47-55 (Jan-Mar 1997), 9A1290
Experimental investigation on flooding in a fluted tube with and without a twisted insert, J Enhanced Heat Transfer 4(2) 111-129 (1997), 9A1294
Heat transfer coefficient and aerodynamic resistance on a surface with a single dimple, J Enhanced Heat Transfer 4(2) 131-145 (1997), 9A1295
Heat transfer enhancement in a convective field by applying ionic wind, J Enhanced Heat Transfer 4(2) 71-86 (1997), 9A1296
Numerical simulation of impingement air cooling from LSI packages with large plate fins by the penalty FEM, J Electron Packaging 119(1) 73-77 (Mar 1997), 9A1297
Performance evaluation of spirally fluted annuli: Geometry and flow regime effects, Heat Transfer Eng 18(1) 34-46 (Jan-Mar 1997), 9A1298
Mass transfer to local electrodes at wall and wall friction factor in decaying turbulent swirl flow, Int J Heat Mass Transfer 40(12) 2775-2783 (Aug 1997), 9A1337
Effects of chaotic advection on heat transfer, Int J Heat Mass Transfer 40(13) 3089-3104 (Sep 1997), 10A1354
Confined and submerged liquid jet impingement heat transfer, J Heat Transfer 117(4) 871-877 (Nov 1995), 11A1206
Experimental heat transfer and friction in channels roughened with angled, V-shaped, and discrete ribs on two opposite walls, J Turbomachinery 118(1) 20-28 (Jan 1996), 11A1215
Numerical study of convective heat transfer from periodic open cavities in a channel with oscillatory throughflow, Int J Heat Fluid Flow 18(4) 376-383 (Aug 1997), 11A1221
Experimental determination of permeability and inertia coefficients of mechanically compressed aluminum porous matrices, J Fluids Eng 119(2) 404-412 (Jun 1997), 11T1335
Convective heat transfer enhancement due to gas injection into an impinging liquid jet, J Heat Transfer 117(4) 1011-1017 (Nov 1995), 11A1344
Cooling of high-temperature cylindrical surfaces using a water-air spray, J Heat Transfer 117(4) 1018-1027 (Nov 1995), 11A1345
Heat transfer augmentation using dilute gas-solid suspensions, J Heat Transfer 117(4) 1091-1094 (Nov 1995), 11T1346
Steady-state performance in a thermo-syphon with tube separator, Appl Thermal Eng 17(7) 667-679 (Jul 1997), 11A1347
Theoretical and experimental study of electrohydrodynamic heat transfer enhancement through wire-plate corona discharge, J Heat Transfer 119(3) 604-610 (Aug 1997), 12A1161
Effects of rib arrangements on pressure drop and heat transfer in a rib-roughened channel with a sharp 180° turn, J Turbomachinery 119(3) 610-616 (Jul 1997), 12A1256
Flow field effects on heat transfer in confined jet impingement, J Heat Transfer 119(3) 630-632 (Aug 1997), 12T1257
Heat transfer augmentation in a rectangular channel with slit rib-tubulators on two opposite walls, J Turbomachinery 119(3) 617-623 (Jul 1997), 12A1258

410F. Heat pipes

Performance of heat exchanger using heat pipes at low inclination, Revista Eng Ciencias Aplicadas 2 69-78 (1994), 1A1263
Air-cooling system for metal oxide semiconductor controlled thyristors employing miniature heat pipes, J Thermophys Heat Transfer 10(3) 484-489 (Jul-Sep 1996), 1A1268
ASME Proceedings of 31st National Heat Transfer Conference, Volume 5 (ASME Press, New York, 1996) 2N40
ASME Proceedings of 31st National Heat Transfer Conference, Volume 7 (ASME Press, New York, 1996) 2N42
Experimental investigation of the maximum heat transport in triangular grooves, J Heat Transfer 118(3) 740-746 (Aug 1996), 2A1264
Numerical analysis of transient two-phase flow in heat pipe, Heat and Mass Transfer Warme 31(6) 383-386 (Aug 1996), 2A1265
Theoretical analysis of the maximum heat transport in triangular grooves: A study of idealized micro heat pipes, J Heat Transfer 118(3) 731-739 (Aug 1996), 2A1266
Vapor flow model for analysis of liquid-metal heat pipe startup from a frozen state, Int J Heat Mass Transfer 39(18) 3767-3780 (Dec 1996), 2A1267
Critical conditions for collapse of annular flow in a rotating heat pipe with a cylindrical wall, Heat Transfer Eng 17(3) 29-34 (Jul-Sep 1996), 4A1248
Steady-solution selection and existence in geothermal heat pipes - II: The conductive case, Int J Heat Mass Transfer 40(2) 311-321 (Jan 1997), 4A1249
Fin efficiency enhancement using a gravity-assisted planar heat pipe, Int J Heat Mass Transfer 40(5) 1045-1051 (Mar 1997), 5A1271
Experimental investigations and correlations for the performance of reciprocating heat pipes, Heat Transfer Eng 17(4) 34-45 (Oct-Dec 1996), 6A1289
Two-dimensional axisymmetrical model for a rotating porous wicked heat pipe, Appl Thermal Eng 17(2) 135-155 (Feb 1997), 6A1290
Weight optimization for honeycomb radiators with embedded heat pipes, J Spacecraft Rockets 33(6) 822-828 (Nov-Dec 1996), 6A1291
Capillary-pumped heat transport system: A thermal control concept designed for special cooling purposes, Heat Tech 12(1-2) 3-21 (1994), 7A1340
Flow pattern of working fluid and heat-transfer performance in annular type rotating heat pipes with horizontal axis - Part I: Flow pattern and the heat transport rate at the evaporation section, Heat Transfer Japan Res 24(5) 409-424 (1995), 7A1341
Performance of a waste heat recovery system using looped heat pipes, Heat Tech 12(1-2) 83-99 (1994), 7A1342
Flooding limit in closed, two-phase flow thermosyphons, Int J Heat Mass Transfer 40(9) 2147-2164 (Jun 1997), 8A1369
Flow loss caused by heat pipes in natural ventilation stacks, Appl Thermal Eng 17(4) 393-399 (Apr 1997), 8A1370
Liquid flow in the anisotropic wick structure of a flat plate heat pipe under block-heating condition, Appl Thermal Eng 17(4) 339-349 (Apr 1997), 8A1371
Performance of a heat pipe thermosyphon radiator, Int J Energy Res 21(2) 101-112 (Feb 1997), 8A1372
Solar radiation utilizability method in heat pipe panels, Solar Energy 57(5) 345-360 (Nov 1996), 8A1523
Advances in modeling of enhanced flat miniature heat pipes with capillary grooves, J Enhanced Heat Transfer 4(2) 99-109 (1997), 9A1299
Heat transfer rate of annular-type horizontal rotating heat pipes - Part II: Experiments and theoretical analysis for the heat transport rate, Heat Transfer Japan Res 24(8) 672-688 (1995), 9A1300
Numerical and analytical investigation of vapor flow in a disk-shaped heat pipe incorporating secondary flow, Int J Heat Mass Transfer 40(12) 2887-2900 (Aug 1997), 9A1301
Enhancing forced air convection heat transfer from an array of parallel plate fins using a heat pipe, Int J Heat Mass Transfer 40(13) 3135-3147 (Sep 1997), 10A1355
Application of heat pipe heat exchangers to humidity control in air-conditioning systems, Appl Thermal Eng 17(6) 561-568 (Jun 1997), 11A1348
Effects of gravity on rewetting of capillary groove surface at elevated temperatures: Experimental theoretical studies, J Heat Transfer 117(4) 1042-1047 (Nov 1995), 11A1349
Reciprocating heat pipes and their applications, J Heat Transfer 117(4) 1094-1096 (Nov 1995), 11A1350
Thermal characteristics of conventional and flat miniature axially grooved heat pipes, J Heat Transfer 117(4) 1048-1054 (Nov 1995), 11A1351

410G. Drying and freezing

Drying stress formation by inhomogeneous moisture and temperature distribution, Transport Porous Media 24(2) 139-156 (Aug 1996), 1A1269
Experimental study of simultaneous heat and moisture transfer around single short porous cylinders during convection drying by a psychrometry method, Int J Heat Mass Transfer 39(17) 3559-3565 (Nov 1996), 1A1306
Moisture transport in initially fully saturated concrete during drying, Transport Porous Media 24(1) 81-106 (Jul 1996), 1A1401
Application of simultaneous heat, mass, and pressure transfer equations to timber drying, Numer Heat Transfer A 30(3) 233-247 (Aug 1996), 2A1268
Flashing in capillary tubes (Polish), Trans Inst Fluid-Flow Machinery 0(100) 7-36 (1996), 2A1269
Mathematical Modeling and Numerical Techniques in Drying Technology (Marcel Dekker, New York, 1996) 3N40
Intermittent drying of corn kernels in a flotation fluidized bed: Experimental study and modeling (French), Int J Heat Mass Transfer 40(5) 1109-1119 (Mar 1997), 5A1274
Response of dried materials to drying conditions, Int J Heat Mass Transfer 40(5) 1217-1226 (Mar 1997), 5A1275
Heat pump dryer - Part 2: Results of the simulation, Int J Energy Res 21(1) 1-20 (Jan 1997), 7A1343
Aspects of the modeling of wood chips drying in superheated steam, Int J Heat Mass Transfer 40(12) 2825-2842 (Aug 1997), 9A1302
Experimental investigations of the drainage from the horizontal integral-fin tubes (Polish), Trans Inst Fluid-Flow Machinery 0(101) 105-129 (1996), 9A1303
High temperature convective drying of wood chips with air and superheated steam, Int J Heat Mass Transfer 40(12) 2843-2858 (Aug 1997), 9A1304
Methodology for tunnel dryer chamber design, Int J Energy Res 21(5) 395-410 (Apr 1997), 10A1356
Temperature dynamic models of heat exchanger for photosensitive material coating and drying processes, Heat Transfer Japan Res 25(3) 151-165 (1996), 11A1352
Application of heat pump systems for energy conservation in paper drying, Int J Energy Res 21(7) 631-642 (Jun 1997), 12A1325

410H. Insulation

Applying the DIPAC model to predict the long-term thermal performance of extruded polystyrene foam, J Thermal Insulation Build Envelopes 20 144-157 (Oct 1996), 5A1276
Substrate barrier effects on total heat transfer for a R-30 fibrous insulation batt, J Thermal Insulation Build Envelopes 20 158-180 (Oct 1996), 5A1277
Combined radiation and conduction heat transfer in high temperature fiber thermal insulation, Int J Heat Mass Transfer 40(9) 2241-2247 (Jun 1997), 8A1363
Equivalent wall as a dynamic model of a complex thermal structure, J Thermal Insulation Build Envelopes 20 249-268 (Jan 1997), 9A1305
Critical thickness of insulation, Heat Transfer Eng 18(2) 61-91 (Apr-Jun 1997), 11A1353
Measurements and 2D computer simulations of the hygrothermal performance of a wood frame wall, J Thermal Insulation Build Envelopes 20 301-319 (1997), 11A1354
Variations in airtightness of houses constructed with polyethylene and ADA air barrier systems over a three-year period, J Thermal Insulation Build Envelopes 20 278-296 (1997), 11A1355

410I. Environmental conditioning and control

Strategies to raise the off-design efficiency of chiller machines, Int J Energy Res 20(7) 625-636 (Jul 1996), 1A1270

Thermal control system for lunar base cooling, J Thermophys Heat Transfer **10**(3) 490-495 (Jul-Sep 1996), 1A1271

Absorption Chillers and Heat Pumps (CRC Press, Boca Raton FL, 1996) 2R34

Evaluation of alternative refrigerant-adsorbent pairs for refrigeration cycles, Appl Thermal Eng **16**(11) 891-900 (Nov 1996), 2A1270

Fundamental model of the human thermal system for prediction of thermal comfort, Heat Transfer Japan Res **24**(2) 147-165 (1995), 2A1271

Measured energy impact of infiltration in an outdoor test cell, J Solar Energy Eng **118**(3) 162-167 (Aug 1996), 2A1272

Proposed energy-efficient air-conditioning system using liquid desiccant, Appl Thermal Eng **16**(10) 791-806 (Oct 1996), 2A1273

R-ε characteristics of a three-heat-source refrigeration cycle, Appl Thermal Eng **16**(11) 901-905 (Nov 1996), 2A1274

Drop-in-replacement blend HFC-23-HCFC-22-HFC-152A for air-refrigerant equipment, Int J Energy Res **20**(9) 787-796 (Sep 1996), 3A1263

Efficiency of night ventilation techniques for thermostatically controlled buildings, Solar Energy **56**(6) 479-483 (Jun 1996), 3A1264

Latent heat effects in thermoelectric air conditioners and heat pumps equipped with a heat exchanger, J Energy Resources Tech **118**(3) 221-228 (Sep 1996), 3A1265

Theoretical analysis and optimization of a double-effect series-flow-type absorption chiller, Appl Thermal Eng **16**(12) 975-987 (Dec 1996), 4A1183

Empirical model for a heat pump dehumidifier drier, Int J Energy Res **20**(10) 853-869 (Oct 1996), 4A1250

Generalized methodology for determining the total heat gain through building envelopes, Int J Energy Res **20**(10) 887-901 (Oct 1996), 4A1251

Heat transfer effect on the specific cooling load of refrigerators, Appl Thermal Eng **16**(12) 989-997 (Dec 1996), 4A1252

Performance characteristics of HCFC-123 ejector refrigeration cycles, Int J Energy Res **20**(10) 871-885 (Oct 1996), 4A1253

Development and tribology of compressors for alternative HFC refrigerants, Japan J Trib **40**(9) 827-835 (1995), 5T1278

Entropy balance and performance characterization of the narrow basic pulse-tube refrigerator, J Thermophys Heat Transfer **10**(4) 663-671 (Oct-Dec 1996), 5A1279

Heat transfer effect on the specific heating load of heat pumps, Appl Thermal Eng **17**(1) 103-110 (Jan 1997), 5A1280

Natural refrigerants for refrigeration and air-conditioning systems, Appl Thermal Eng **17**(1) 33-42 (Jan 1997), 5A1281

Trends in ammonia for industrial refrigeration plants, Japan J Trib **40**(9) 889-897 (1995), 5T1282

Heat recovery in distillation by means of absorption heat pumps and heat transformers, Appl Thermal Eng **17**(2) 171-178 (Feb 1997), 6A1292

Optimization of solar absorption refrigerator, Appl Thermal Eng **17**(2) 203-208 (Feb 1997), 6A1293

Simulation of a hybrid liquid desiccant based air-conditioning system, Appl Thermal Eng **17**(2) 125-134 (Feb 1997), 6A1294

Theoretical analysis and optimization of a double-effect parallel-flow-type absorption chiller, Appl Thermal Eng **17**(2) 157-170 (Feb 1997), 6A1295

Diagnostics and optimization of reciprocating chillers: Theory and experiment, Appl Thermal Eng **17**(3) 263-276 (Mar 1997), 7A1230

Thermodynamic design data and optimum design maps for absorption refrigeration systems, Appl Thermal Eng **17**(3) 211-221 (Mar 1997), 7A1231

Ammonia-lithium nitrate absorption-compression refrigeration cycle - Part I: Simulation, Appl Thermal Eng **17**(3) 223-233 (Mar 1997), 7A1344

Characteristic parameters of adsorptive refrigeration cycles with thermal regeneration, Appl Thermal Eng **17**(3) 289-298 (Mar 1997), 7A1345

Design and performance analysis of a metal hydride air-conditioner, Int J Energy Res **21**(1) 55-67 (Jan 1997), 7A1346

Heat pump dryer - Part I: Simulation of the models, Int J Energy Res **20**(12) 1067-1079 (Dec 1996), 7A1347

Development of proportional-sum-derivative control methodology, Solar Energy **57**(4) 251-260 (Oct 1996), 8A1373

Experimental and theoretical studies of space cooling using ceiling-embedded piping, Appl Thermal Eng **17**(4) 351-367 (Apr 1997), 8A1374

Generalized model of a real refrigerator and its performance, Appl Thermal Eng **17**(4) 401-412 (Apr 1997), 8A1375

Large building cooling load and energy use estimation, Int J Energy Res **21**(2) 169-183 (Feb 1997), 8A1376

New ideas for energy utilization in combined heat and power with cooling - I: Principles, Appl Thermal Eng **17**(4) 369-384 (Apr 1997), 8A1377

Study of the fundamentals of adsorption systems, Appl Thermal Eng **17**(4) 327-338 (Apr 1997), 8A1378

Evaluation of five simple ventilation systems suitable for houses without forced-air heating, J Thermal Insulation Build Envelopes **20** 191-198 (Jan 1997), 9T1306

Exergetic evaluation of gas turbine cogeneration systems for district heating and cooling, Int J Energy Res **21**(3) 209-220 (Mar 1997), 9A1307

Heat transfer optimization of a direct heating system using search methods, Int J Energy Res **21**(3) 233-252 (Mar 1997), 9A1308

High-efficiency recovery for air-conditioning applications in a mild climate: A case study, Appl Thermal Eng **17**(5) 447-454 (May 1997), 9A1309

Modeling of absorption chillers with external and internal irreversibilities, Appl Thermal Eng **17**(5) 413-425 (May 1997), 9A1310

New ideas for energy utilization in combined heat and power with cooling - II: Applications, Appl Thermal Eng **17**(5) 479-500 (May 1997), 9A1311

Performance analysis of vapor compression refrigeration with R-22-R-124-R152a refrigerant, Int J Energy Res **21**(3) 221-232 (Mar 1997), 9A1312

Thermal comfort analysis inside a car, Int J Energy Res **21**(4) 327-340 (Mar 1997), 9A1313

Solar-assisted R22 and R134a heat pump systems for low-temperature applications, Appl Thermal Eng **17**(5) 455-469 (May 1997), 9A1541

Adsorption heat pump using HFC refrigerants, Int J Energy Res **21**(6) 481-494 (May 1997), 11A1356

Analysis of the adsorption cycles with thermal regeneration based on the entropic mean temperatures, Appl Thermal Eng **17**(7) 615-627 (Jul 1997), 11A1357

Compressor-driven metal-hydride heat pumps, Appl Thermal Eng **17**(6) 551-560 (Jun 1997), 11A1358

Coupling of thermostatically controlled buildings with ground and night ventilation passive dissipation techniques, Solar Energy **60**(3-4) 191-197 (Mar-Apr 1997), 11A1359

Effective diffusivity of cyclopentane and n-pentane in PU and PUIR foams by thin-slice gravimetric analysis, J Thermal Insulation Build Envelopes **20** 339-349 (1997), 11A1360

Effects of condenser air flow blockage on vapor-compression refrigerator performance, J Energy Resources Tech **117**(4) 349-353 (Dec 1995), 11A1361

Experimental investigation of the performance of two-stage evaporative coolers, Heat Transfer Eng **18**(2) 21-33 (Apr-Jun 1997), 11A1362

Steady flow combined refrigeration cycle performance with heat leak, Appl Thermal Eng **17**(7) 639-645 (Jul 1997), 11A1363

Performance evaluations of LiCl and LiBr for absorber design applications in the open-cycle absorption refrigeration system, J Solar Energy Eng **119**(2) 165-173 (May 1997), 11A1537

Modified analysis of counter flow wet cooling towers, J Heat Transfer **119**(3) 617-626 (Aug 1997), 12A1326

Propane-n-hexadecane resorption cycle for air-conditioning applications, Int J Energy Res **21**(7) 615-630 (Jun 1997), 12A1327

Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, J Solar Energy Eng **119**(3) 214-218 (Aug 1997), 12A1328

410J. Cooling towers

Investigation of the effects of flue gas injection on natural draft cooling tower performance, J Eng Gas Turbines Power **119**(2) 478-484 (Apr 1997), 10A1281

410K. Boilers

Optimization of waste heat recovery boiler of a combined cycle power plant, J Eng Gas Turbines Power **118**(3) 561-564 (Jul 1996), 1A1272

Suspension-to-wall heat transfer in a 12-MW$_e$ circulating fluidized-bed combustor, Int J Energy Res **20**(7) 569-579 (Jul 1996), 1A1330

Applied software of thermodynamic calculation and exergy analysis for steam power boilers (Chinese), J Dalian Univ Tech **36**(4) 451-455 (Jul 1996), 2A1275

Concept of expert system for boiler fouling assessment, Appl Thermal Eng **16**(10) 835-844 (Oct 1996), 2A1276

Evaluation of a 3D mathematical model of a power station boiler, J Eng Gas Turbines Power **118**(4) 887-895 (Oct 1996), 5A1283

Modeling of heat recovery steam generator performance, Appl Thermal Eng **17**(5) 427-446 (May 1997), 9A1314

Split stream boilers for high-temperature and high-pressure topping steam turbine combined cycles, J Eng Gas Turbines Power **119**(2) 385-394 (Apr 1997), 10A1357

Early detection of feedwater-heater leaks, J Eng Gas Turbines Power **118**(1) 198-203 (Jan 1996), 11T1364

Prediction of flow and erosion in power utility boilers and comparison with measurement, J Eng Gas Turbines Power **119**(3) 709-716 (Jul 1997), 12A1329

410L. Thermal energy storage systems

Conjugate heat transfer analysis of fluid flow in a phase-change energy storage unit, Int J Numer Methods Heat & Fluid Flow **6**(3) 77-90 (May 1996), 1A1273

Heat transfer enhancement in latent heat thermal energy storage system by using the internally finned tube, Int J Heat Mass Transfer **39**(15) 3165-3173 (Oct 1996), 1A1274

Cyclic heat transfer in a novel storage unit of multiple phase change materials, Appl Thermal Eng **16**(10) 807-815 (Oct 1996), 2A1277

Exergy analysis for the evaluation of a thermal storage system employing PCMs with different melting temperatures, Appl Thermal Eng **16**(11) 907-919 (Nov 1996), 2A1278

Fundamental study on latent cold heat storage by means of direct-contact-freezing between oil droplets and cold water solution, J Heat Transfer **118**(3) 799-802 (Aug 1996), 2T1279

Kinetic study of the hydration of magnesium oxide for a chemical heat pump, Appl Thermal Eng **16**(11) 853-862 (Nov 1996), 2A1280

Exergetic analysis of energy storage using multiple phase-change materials, J Energy Resources Tech **118**(3) 242-248 (Sep 1996), 3A1214

Incorporation of phase-change materials into a ground thermal energy storage system: Theoretical study, J Energy Resources Tech **118**(3) 237-241 (Sep 1996), 3A1266

Study of the crystallization of nodules containing a phase change material for cool thermal storage (French), Int J Heat Mass Transfer **40**(1) 149-157 (Jan 1997), 3A1267

Thermal energy storage in the ground: Comparative analysis of heat transfer modeling using U-tubes and boreholes, Solar Energy **56**(6) 493-503 (Jun 1996), 3A1268

Exergy analysis for the optimum performance of phase change thermal storage units, Arch Thermodyn **16**(1-2) 35-51 (1995), 4A1254

Perturbation solution for heating a rectangular sensible heat storage packed bed with a constant temperature at the walls, Int J Heat Mass Transfer **40**(5) 1001-1006 (Mar 1997), 5A1403

Finite element analysis of a multistage latent heat thermal storage system, Numer Heat Transfer A **30**(7) 669-684 (Nov 1996), 6A1296

Revised decomposition method for MILP problems and its application to operational planning of thermal storage systems, J Energy Resources Tech **118**(4) 277-284 (Dec 1996), 6A1297

Storing thermal energy using fluidized bed storage, Heat Tech **12**(1-2) 127-136 (1994), 7A1443

Evaluation of the dynamic performance of a hot water tank with built-in heating coil, Int J Energy Res **21**(3) 265-274 (Mar 1997), 9A1315

Evaluation of thermophysical characteristics on shape-stabilized paraffin as a solid-liquid phase change material, Heat and Mass Transfer Warme **32**(4) 307-312 (Apr 1997), 10A1336

Latent cold heat energy storage characteristics by means of direct-contact-freezing between oil droplets and cold water solution, Int J Heat Mass Transfer **40**(13) 3189-3200 (Sep 1997), 10A1358

Coadunation of technologies: Cogeneration and thermal energy storage, J Eng Gas Turbines Power **118**(1) 32-37 (Jan 1996), 11T1365

Finite element analysis of cyclic heat transfer in a shell-and-tube latent heat energy storage exchanger, Appl Thermal Eng **17**(6) 583-591 (Jun 1997), 11A1366

Optimal operational planning of cogeneration systems with thermal storage by the decomposition method, J Energy Resources Tech **117**(4) 337-342 (Dec 1995), 11A1367

What are the potential benefits of including latent storage in common wallboard?, J Solar Energy Eng **117**(4) 318-325 (Nov 1995), 11A1551

410N. Electronic equipment

Process, Enhanced, and Multiphase Heat Transfer: A Festschrift for AE Bergles (Begell House, New York, 1996) 1N49

Application of phase change materials for passive thermal control of plastic quad flat packages: A computational study, Numer Heat Transfer A **30**(1) 19-34 (Jul 1996), 1A1275

Convective heat transfer and pressure drop characteristics of various array configurations to simulate the cooling of electronic modules, Int J Heat Mass Transfer **39**(16) 3519-3529 (Nov 1996), 1A1276

Heat transfer regime map for electronic devices cooling, Int J Heat Mass Transfer **39**(15) 3139-3145 (Oct 1996), 1A1277

ASME Proceedings of 31st National Heat Transfer Conference, Volume 7 (ASME Press, New York, 1996) 2N42

Numerical simulation of natural convection in an enclosure with discrete protruding heaters, Numer Heat Transfer A **30**(2) 207-218 (Aug 1996), 2A1171

Natural convection to air from an array of vertical parallel plates with discrete and protruding heat sources, Int J Heat Fluid Flow **17**(5) 483-490 (Oct 1996), 4A1195

Numerical investigation of natural convection in a vertical slot with two heat source elements, Int J Heat Fluid Flow **17**(5) 474-482 (Oct 1996), 4A1196

Optimum plate separation in vertical parallel-plate channels for natural convective flows: Incorporation of large spaces at the channel extremes, Int J Heat Mass Transfer **40**(5) 993-1000 (Mar 1997), 5A1154

Numerical characterization of micro heat exchangers using experimentally tested porous aluminum layers, Int J Heat Fluid Flow **17**(6) 594-603 (Dec 1996), 5A1190

Calculation of forced-air cooling of electronic modules with a two-fluid model of turbulence, J Electron Packaging **118**(4) 250-257 (Dec 1996), 6A1228

Ultra-high power two-phase jet-impingement avionic clamshell module, J Electron Packaging **118**(4) 264-270 (Dec 1996), 6A1256

Efficient heat transfer approximation for the chip-on-substrate problem, J Electron Packaging **118**(4) 271-279 (Dec 1996), 6A1269

Transient modeling of the thermal behavior of outdoor electronic cabinets, J Electron Packaging **118**(4) 258-263 (Dec 1996), 6A1298

Numerical study of a buoyancy-induced flow along a vertical plate with discretely heated integrated circuit packages, Int J Heat Mass Transfer **40**(7) 1509-1520 (May 1997), 7A1261

Hypervapotron effect application for high power electronic devices cooling, Heat Tech **13**(1) 75-84 (1995), 7A1334

Comparison of computational and experimental results for flow and heat transfer from an array of heated blocks, J Electron Packaging **119**(1) 32-39 (Mar 1997), 9A1201

Conjugate heat transfer from a small heated strip, Int J Heat Mass Transfer **40**(11) 2709-2719 (Jul 1997), 9A1202

Numerical simulation of conjugate heat transfer in an electronic package formed by embedded discrete heat sources in contact with a porous heat sink, J Electron Packaging **119**(1) 8-16 (Mar 1997), 9A1234

Pool boiling heat transfer with an array of flush-mounted, square heaters on a vertical surface, J Electron Packaging **119**(1) 17-25 (Mar 1997), 9A1243

Thermal analysis and optimization of substrates with directionally enhanced conductivities, J Electron Packaging **119**(1) 64-72 (Mar 1997), 9A1265

Micro heat exchangers consisting of pin arrays, J Electron Packaging **119**(1) 51-57 (Mar 1997), 9A1291

Numerical prediction of flow and heat transfer in an impingement heat sink, J Electron Packaging **119**(1) 58-63 (Mar 1997), 9A1292

Thermal performance of pin-fin fan-sink assemblies, J Electron Packaging **119**(1) 26-31 (Mar 1997), 9A1293

Application of phase change materials to thermal control of electronic modules: A computational study, J Electron Packaging **119**(1) 40-50 (Mar 1997), 9A1316

System for real-time measurement of thermally induced PWB-PWA warpage, J Electron Packaging **119**(1) 1-7 (Mar 1997), 9A1317

Laminar convection of horizontal and vertical simulated printed-circuit board assemblies, Exp Heat Transfer **10**(1) 39-49 (Jan-Mar 1997), 10A1282

Effect of wall conduction on natural convection in an enclosure with a centered heat source, J Electron Packaging **117**(4) 301-306 (Dec 1995), 11A1229

Natural convection in shallow, horizontal air layers encountered in electronic cooling, J Electron Packaging **117**(4) 307-316 (Dec 1995), 11A1234

Simulation of heat transfer in a reflow soldering oven with air and nitrogen injection, J Electron Packaging **117**(4) 317-322 (Dec 1995), 11A1328

Comparison of two-phase electronic cooling using free jets and sprays, J Electron Packaging **117**(4) 323-332 (Dec 1995), 11A1368

Computations for a three-by-three array of protrusions cooled by liquid immersion: Effect of substrate thermal conductivity, J Electron Packaging **117**(4) 294-300 (Dec 1995), 11A1369

Heat transfer analysis of an inclined two-phase closed thermosyphon, J Heat Transfer **117**(4) 1073-1075 (Nov 1995), 11T1370

Integrated infrared failure analysis of printed circuit boards, J Electron Packaging **117**(4) 288-293 (Dec 1995), 11A1371

Optimal chip layout on a printed circuit board using design sensitivity analysis of subdomain configuration, J Electron Packaging **117**(4) 275-280 (Dec 1995), 11A1372

Review of heat transfer technologies in electronic equipment, J Electron Packaging **117**(4) 333-339 (Dec 1995), 11A1373

Analysis and optimization of the input-output fiber configuration in a laser package design, J Electron Packaging 117(4) 261-265 (Dec 1995), 11A1375
Combined pressure and subcooling effects on pool boiling from a PPGA chip package, J Electron Packaging 119(2) 95-105 (Jun 1997), 12A1277
Thermal conductivity measurements in printed wiring boards, J Heat Transfer 119(3) 401-405 (Aug 1997), 12A1292
Optimal 3D placement of heat generating electronic components, J Electron Packaging 119(2) 106-113 (Jun 1997), 12A1330
Solid model based preprocessor to CFD code for applications to electronic cooling systems, J Electron Packaging 119(2) 138-143 (Jun 1997), 12A1331
Thermal stresses in layered electronic assemblies, J Electron Packaging 119(2) 127-132 (Jun 1997), 12A1334

412. THERMOMECHANICS OF SOLIDS

412A. General theory

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 6 (ASME Press, New York, 1996) 1N5
Elastothermodynamic analysis of a Griffith crack, J Mech Phys Solids 44(8) 1305-1336 (Aug 1996), 1A731
Determination of parameters of the Bodner-Partom model of thermoviscoelastic deformation of materials (Russian), Prikl Mekh (Appl Mech) 32(2) 64-72 (1996), 1A1278
Results in micropolar thermoelasticity, Mech Res Commun 23(4) 349-357 (Jul-Aug 1996), 1T1279
Theory of thermohyperelasticity for near-incompressible elastomers, Acta Mech 116(1-4) 15-28 (1996), 1A1280
Thermal and stress analysis during diffusion bonding of metal drum rotor disks using electromagnetic heating, Numer Heat Transfer A 30(1) 35-54 (Jul 1996), 1A1281
Estimation of efficiency of some approaches to solution of the problem of thermoplasticity of thin layers (Russian), Prikl Mekh (Appl Mech) 32(3) 27-33 (1996), 2A414
Aspects of uniqueness in thermoelasticity of micropolar bodies with internal state variables, Int J Eng Sci 34(10) 1211-1220 (Aug 1996), 2A1281
Variational principles for linear coupled thermoelasticity, Int J Solids Struct 33(26) 3937-3948 (Nov 1996), 3A1269
Constitutive model in thermoviscoelasticity, Mech Res Commun 23(5) 543-548 (Sep-Oct 1996), 4T494
Constitutive equation of shape memory alloys, J Machinery Manuf Reliab 2 40-43 (1996), 4T1255
Symmetrization of a heat conduction model for a rigid medium, Arch Mech 48(3) 541-550 (1996), 4A1256
Influence of the hardening state on time-dependent damage and its consideration in a unified damage model, Fatigue Fracture Eng Mat Struct 19(9) 1143-1151 (1996), 5A641
Effect of finite deformations on internal heat-mass transfer in elastomer ablating materials, Int J Heat Mass Transfer 40(3) 699-709 (Feb 1997), 5A1284
Finite element analysis of poroelastic composites undergoing thermal and gas diffusion, J Thermophys Heat Transfer 10(4) 672-680 (Oct-Dec 1996), 5A1285
Note on the uniqueness of solution in the linear theory of thermoelasticity without energy dissipation, J Elast 43(3) 279-283 (Jun 1996), 5A1286
Surface ripple in electron-beam welding solidification, J Heat Transfer 118(4) 960-969 (Nov 1996), 5A1287
Theoretical analysis for mechanical erosion of carbon-base materials in ablation, J Thermophys Heat Transfer 10(4) 593-597 (Oct-Dec 1996), 5A1288
Connections between deformation-temperature and deformation-entropy constraints and near-constraints in thermoelasticity, Int J Eng Sci 34(15) 1689-1704 (Dec 1996), 7A1348
Internal heat-mass transfer and stresses in thin-walled structures of ablating materials, Int J Heat Mass Transfer 40(7) 1701-1711 (May 1997), 7A1349
No-tension solids in the presence of thermal expansion: An explicit solution, Meccanica 31(6) 687-703 (12 1996), 7A1350
Continuum theory for the thermomechanics of solidification, Int J Non-Linear Mech 32(1) 3-20 (Jan 1997), 8A719
Existence and uniqueness in linear thermoviscoelasticity, Z Angew Math Mech 77(1) 33-43 (1997), 8A1379
Model for predicting thermal stresses in thin polycrystalline films, J Mech Phys Solids 45(4) 511-534 (Apr 1997), 9A1318
Thermostressed state of transversally-isotropic body with rigid elliptical inclusion subject to the action of the uniform heat flow in the inclusion plane (Russian), Prikl Mekh (Appl Mech) 32(8) 31-40 (1996), 9A1319
Transient 3D Rayleigh and Stoneley signal effects in thermoelastic solids, Int J Solids Struct 34(12) 1463-1478 (Apr 1997), 9A1320
Adiabatic phase boundary propagation in a thermoelastic solid, Math Mech Solids 2(2) 117-142 (Jun 1997), 11A1374
Analysis and optimization of the input-output fiber configuration in a laser package design, J Electron Packaging 117(4) 261-265 (Dec 1995), 11A1375
Thermomechanical theory of solid-fluid mixtures, Math Mech Solids 2(2) 143-151 (Jun 1997), 11A1459
State equation under proportional nonisothermal loading (Russian), Prikl Mekh (Appl Mech) 33(2) 9-17 (1997), 12T11
Unified modeling of time dependent damage taking into account an explicit dependency on backstress, Int J Fatigue 19(3) 195-200 (Mar 1997), 12A782
Determination of temperatures for sliding contact with applications for braking systems, Wear 206(1-2) 53-59 (May 1997), 12A1332
Thermal expansion of isotropic multiphase composites and polycrystals, J Mech Phys Solids 45(7) 1223-1252 (Jul 1997), 12A1333
Thermal stresses in layered electronic assemblies, J Electron Packaging 119(2) 127-132 (Jun 1997), 12A1334
Thermodynamical analysis of thermoviscoplastic model deformation of materials (Russian), Prikl Mekh (Appl Mech) 33(2) 41-48 (1997), 12A1335
Thermoelastic properties of orthotropic porous materials (Russian), Prikl Mekh (Appl Mech) 33(2) 33-40 (1997), 12A1336

412B. Thermoelasticity (steady and quasi-steady)

Frictional behavior of thermally loaded beams resting on a plane, Int J Mech Sci 38(11) 1219-1229 (Nov 1996), 1A554
Calculation on nonaxisymmetrical thermal stressed state of discretely homogeneous bodies of revolution with orthotropic layers (Russian), Prikl Mekh (Appl Mech) 32(2) 53-58 (1996), 1A1282
Thermostressed state of transversally: Isotropic body with rigid elliptical inclusion (Russian), Prikl Mekh (Appl Mech) 32(1) 11-17 (1996), 1A1283
Effect of loading frequency on fatigue crack growth under high temperature, Int J Solids Struct 33(24) 3601-3610 (Oct 1996), 2A618
Analysis of thick-walled cylindrical pressure vessels under the effect of cyclic internal pressure and cyclic temperature, Int J Mech Sci 38(12) 1319-1332 (Dec 1996), 2A847
Thermal analysis of sliding rod with coating, J Friction Wear 16(4) 45-52 (1995), 2A905
Interaction between a crack and a circular elastic inclusion under remote uniform heat flow, Int J Solids Struct 33(26) 3865-3880 (Nov 1996), 3A441
Exact piezothermoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, Arch Appl Mech 66(8) 537-554 (Sep 1996), 3A526
Thermoelastic analysis of cross-ply laminated circular cylindrical shells, Int J Solids Struct 33(27) 4007-4017 (Nov 1996), 3A532
Optimum material design for functionally gradient material plate, Arch Appl Mech 66(8) 581-589 (Sep 1996), 3A910
Thermoelastic analysis of doubly curved laminated shells, J Thermal Stresses 19(6) 531-563 (Sep 1996), 3A1270
Effects of thermoelasticity and a von Mises condition in rapid steady-state quasi-brittle fracture, Int J Solids Struct 33(28) 4131-4142 (Nov 1996), 4A735
Frost-induced deformations and stresses in pipelines, Int J Pressure Vessels Piping 69(2) 105-118 (Dec 1996), 4A872
Two axi-symmetrical contact problems with the steady-state frictional heating, J Theor Appl Mech 34(4) 767-779 (1996), 4A1257
Distributed-parameter control of the heat source trajectory in thermal materials processing, J Manuf Sci Eng 118(4) 571-578 (Nov 1996), 5A368
Hygrothermal stress of clay in a high-speed drying furnace, J Thermal Stresses 19(7) 599-612 (Oct 1996), 5A515
Heating effects in the drawing of wire and strip under hydrodynamic lubrication conditions, J Manuf Sci Eng 118(4) 628-638 (Nov 1996), 5A553
Influence of the nonhomogeneous temperature field on the optimal winding prestress of the compound pressure vessel, J Pressure Vessel Tech 118(4) 472-479 (Nov 1996), 5A807
Simple formulae for the approximate computation of axial stresses in pipes due to thermal stratification, Int J Pressure Vessels Piping 69(3) 213-223 (Dec 1996), 5A813
Active thermal preload regulation for machine tool spindles with rolling element bearings, J Manuf Sci Eng 118(4) 499-505 (Nov 1996), 5A864
Axisymmetric quasi-static thermal stresses in an elastic semi-space subject to a rotating frictional heating on its boundary, J Thermal Stresses 19(7) 613-632 (Oct 1996), 5A1289
Fundamental solution of the oscillation equations of the thermoelasticity theory of mixture of two elastic solids, J Thermal Stresses 19(7) 633-648 (Oct 1996), 5A1290
Thermoelastic deformation of microstretch elastic beams, J Thermal Stresses 19(8) 763-777 (Nov 1996), 5A1291
Thermoelasticity of nonsimple materials with thermal relaxation, J Thermal Stresses 19(8) 731-748 (Nov 1996), 5A1292
Use of functionally graded materials to eliminate or control thermal deformation, Composites Sci Tech 56(9) 1099-1104 (Sep 1996), 5A1293
Solutions of 2D linear elastostatic and heat-transfer problems in the vicinity of singular points, Int J Solids Struct 34(2) 243-274 (Jan 1997), 6A471
Volume-relaxation effects on the thermal-residual stresses in an injection-molded strip, J Thermal Stresses 19(9) 795-808 (Dec 1996), 6A488
Bond shear modulus of reinforced concrete at high temperatures, Eng Fracture Mech 55(6) 991-999 (Dec 1996), 6A880
Axisymmetric problems of generalized anisotropic thermoelasticity, J Thermal Stresses 19(9) 781-794 (Dec 1996), 6A1299
Analytical solution for 3D anisotropic bi-material problem with line source of heat and their numerical examples (Japanese), J Soc Mat Sci Japan 45(11) 1217-1223 (Nov 1996), 7A1351
Quasistatic thermoelastic contact problem for infinite two-layer circular cylinder under friction heating, J Thermal Stresses 20(1) 47-65 (Jan-Feb 1997), 7A1352
Three-dimensional piezothermoelastic solution for shape control of cylindrical panel, J Thermal Stresses 20(1) 67-85 (Jan-Feb 1997), 7A1353
Unified, polynomial approach for the approximate solution of thermoelastic problems in rectangular plates, Ocean Eng 24(6) 543-549 (Jun 1997), 8A1380
Thermal softening of a particle-modified tungsten-based composite under adiabatic compression, Int J Solids Struct 34(13) 1563-1581 (May 1997), 9A479
Problems of the dynamical theory of linear non-magnetizable piezoelectric micropolar thermoelasticity, Int J Solids Struct 34(12) 1493-1503 (Apr 1997), 9A604
Alternate state space approach to generalized thermoelasticity, J Thermal Stresses 20(2) 115-127 (Mar 1997), 9A1321
Strain relaxation induced red shift of photoluminescence of CdZnSe/ZnSe quantum wires, Acta Phys Polonica A 90(5) 1085-1089 (Nov 1996), 9A1322
Thermal stress analysis of a subsurface inclined crack subjected to a point heat source, J Energy Resources Tech 119(1) 38-44 (Mar 1997), 9A1323
Multiple circular inclusions in plane thermoelasticity, Int J Solids Struct 34(15) 1873-1892 (May 1997), 10A565
Active cooling and thermal stress reduction in a poroelastic hollow sphere, J Thermal Stresses 20(3-4) 389-405 (Apr-Jun 1997), 10A1359
Elastothermodynamic damping in particulate composites: Hollow spherical inclusions, J Appl Mech 64(1) 111-115 (Mar 1997), 10A1360
Predicted thermal mismatch stresses in a cylindrical bi-material assembly adhesively bonded at its ends, J Appl Mech 64(1) 15-22 (Mar 1997), 10A1361
Driving force on phase transition fronts in thermoelectroelastic crystals, Math Mech Solids 2(2) 199-214 (Jun 1997), 11A439
Influence of the free surface on the thermal stresses in unidirectional composites, Composites Part A Appl Sci and Manuf 28A(6) 573-579 (1997), 11A1376
Viscosity and strain gradient effects on the kinetics of propagating phase boundaries in solids, J Elast 46(1) 53-90 (Jan 1997), 12A225
Axisymmetric thermoelastic interactions without energy dissipation in an unbounded body with cylindrical cavity, J Elast 46(1) 19-31 (Jan 1997), 12A1337
Mixed-state Hamilton semi-analytical method on thermal elastic problem of laminates (Chinese), J Dalian Univ Tech 37(3) 259-264 (May 1997), 12A1338
Qualitative methods in the problems of thermoelasticity for isotropic medium with plane cracks of normal separation (Russian), Prikl Mekh (Appl Mech) 33(1) 52-58 (1997), 12T1339
Study of the effect of a rigid inclusion on thermal stressed state of a transversally isotropic body (Russian), Prikl Mekh (Appl Mech) 33(3) 36-43 (1997), 12A1340
Temperature determination for a contacting body based on an inverse piezothermoelastic problem, Int J Solids Struct 34(20) 2549-2561 (Jul 1997), 12A1341

412C. Thermoelasticity (transient)

Simulation of quenching-tempering process based on metallo-thermo-mechanics (Japanese), J Soc Mat Sci Japan 45(6) 643-649 (Jun 1996), 1A1284
Thermal stresses for an infinite body with a spherical cavity with two relaxation times, J Thermal Stresses 19(5) 495-510 (Jul-Aug 1996), 1A1285
Stress-focusing effect in a transversely isotropic cylinder caused by instantaneous heating, JSME Int J Ser A 39(3) 362-366 (Jul 1996), 1A1290
Nonuniqueness and stability in Barber's model of thermoelastic contact, J Appl Mech 63(3) 582-586 (Sep 1996), 3A1271
Numerical investigation of transient thermal stresses of workpiece in surface grinding, J Thermal Stresses 19(6) 565-578 (Sep 1996), 3A1272
Numerical study of quenching of an aluminum solid cylinder, J Thermal Stresses 19(6) 513-529 (Sep 1996), 3A1273
Transient response in a 1D model of thermoelastic contact, J Appl Mech 63(3) 575-581 (Sep 1996), 3A1274
Existence of global weak solutions for coupled thermoelasticity under nonlinear boundary conditions, Math Methods Appl Sci 19(16) 1265-1277 (Nov 1996), 4A1258
Linear, first-order shell model for transverse isotropic material under a uniform change of temperature, Math Methods Appl Sci 19(15) 1177-1197 (Oct 1996), 4A1259
Thermally induced bending vibrations of internally heated beams in air, J Thermal Stresses 19(7) 649-670 (Oct 1996), 5A99
One-dimensional waves in a thermoelastic half-space without energy dissipation, Int J Eng Sci 34(13) 1447-1455 (Oct 1996), 5A1294
Recovery experimental techniques of tensile impact, Acta Mech Sinica 12(3) 243-250 (1996), 6A261
Mechanical properties of reinforcing and prestressing steels after heating, J Mat in Civil Eng 8(4) 189-194 (Nov 1996), 6A1300
Free vibrations of a non-uniformly heated viscoelastic cylindrical shell, Tech Mech 16(3) 251-256 (1996), 7A146
Coupled dynamic problem of thermoelasticity for a half-space, J Appl Math Mech 60(4) 683-686 (1996), 7A1354
Macro- to Microscale Heat Transfer: The Lagging Behavior (Taylor & Francis, PA, 1997) 8R23
Thermomechanical modeling of molten metal droplet solidification applied to layered manufacturing, Mech Mat 24(4) 257-271 (Dec 1996), 8A1303
Thermoelastic Rayleigh waves without energy dissipation, Mech Res Commun 24(1) 93-101 (Jan-Feb 1997), 8T1385
Transient 3D Rayleigh and Stoneley signal effects in thermoelastic solids, Int J Solids Struct 34(12) 1463-1478 (Apr 1997), 9A1320
Control of transient thermoelastic displacement of an isotropic plate associated with a piezoelectric ceramic plate, J Thermal Stresses 20(3-4) 407-427 (Apr-Jun 1997), 10A1362
Exponential stability for a contact problem in thermoelasticity, IMA J Appl Math 58(1) 71-82 (Feb 1997), 10A1363
Stress-focusing effect due to an instantaneous concentrated heat source in a sphere, J Thermal Stresses 20(3-4) 269-279 (Apr-Jun 1997), 10A1364
Heat transfer into elastic half-space through pressed in rigid punch (Russian), Prikl Mekh (Appl Mech) 33(3) 71-78 (1997), 12A1342

412D. Thermoelasticity (nonlinear)

Ray method for solving boundary-value problems connected with the propagation of thermoelastic shock waves of finite amplitude, J Thermal Stresses 19(5) 445-464 (Jul-Aug 1996), 1A1286
Inhomogeneous deformations in finite thermoelasticity, Int J Eng Sci 34(9) 1005-1017 (Jul 1996), 2A1282
Numerical prediction of augmented turbulent heat transfer in an annular fuel channel with repeated 2D square ribs, Nucl Eng Des 165(1-2) 225-237 (Aug 1996), 4A1457
Soliton-like waves in a low-temperature nonlinear thermoelastic solid, Int J Eng Sci 34(15) 1767-1787 (Dec 1996), 7A1355
Thermal stresses in elastodynamics of composite materials, Int J Eng Sci 35(2) 187-196 (Jan 1997), 7A1356
Note on inhomogeneous deformations of linear elastic layers, IMA J Appl Math 57(3) 311-324 (Dec 1996), 8A477
Thermoelastic materials with heat flux evolution equation, Arch Mech 48(6) 985-1010 (1996), 9A1324
Inverse problem for an expanding heated tube, Inverse Prob 13(3) 843-848 (Jun 1997), 11A1377

412E. Inelastic thermomechanics

Isoparametric FE thermoelasto-plastic creep analysis of shells of revolution, Int J Pressure Vessels Piping 68(3) 249-259 (Oct 1996), 1A40

Generalized thermo-viscoelastic problem of an infinitely extended thin plate containing a circular hole, J Thermal Stresses 19(5) 465-480 (Jul-Aug 1996), 1A1287

Kinetics on the micro- and macro-levels in polycrystalline alloy materials during martensitic transformation, Acta Mech 116(1-4) 171-186 (1996), 1A1288

Theory of thermoviscoelastic dielectrics, J Thermal Stresses 19(5) 419-430 (Jul-Aug 1996), 1A1289

Simple estimating method for reduction of welding residual stresses in thick welded joint from stress-relief annealing - Part I: Development of the analytical method for relaxation tests and its applicability, J Pressure Vessel Tech 118(3) 343-350 (Aug 1996), 2A1283

Quartic formulation for elastic beam-columns subject to thermal effects, J Eng Mech 122(9) 861-871 (Sep 1996), 3A814

Analytical solution of thermoplastic thick-walled tube subject to internal heating and variable pressure, taking into account corner flow and nonzero initial stress, Int J Eng Sci 34(11) 1259-1269 (Sep 1996), 3A1275

Thermoelastoplastic stress analysis of a thick-walled tube of nonlinear strain hardening, J Mech Des 118(3) 340-346 (Sep 1996), 3A1276

Modeling of the thermo-elastoplastic behavior of a coating on a substrate (French), European J Mech Eng 41(3) 131-136 (1996), 4A1260

Thermoviscoplastic theory for composite materials by using a matrix-partitioned unmixing-mixing scheme, J Composite Mat 30(15) 1647-1669 (1996), 4A1261

Estimation of metal temperature variations for scarred boiler tubes, Int J Pressure Vessels Piping 69(3) 239-246 (Dec 1996), 5A621

Thermo-viscoplastic modeling of machining process using a mixed FEM, J Manuf Sci Eng 118(4) 470-482 (Nov 1996), 5A1295

Mechanical Behavior of Materials at High Temperature (Kluwer, Netherlands, 1996) 6N27

Scaling law for the effect of inertia on the formation of adiabatic shear bands, Int J Plasticity 12(7) 927-934 (1996), 6A505

Numerical representation of Jiang's constitutive equations for a material with temperature-dependent properties, Eng Struct 19(2) 173-178 (Feb 1997), 6A1301

Thermoplasticity theory for bidirectionally functionally graded materials, J Thermal Stresses 19(9) 809-861 (Dec 1996), 6A1302

Fast calibration and modeling of thermally-induced machine tool errors in real machining, Int J Machine Tools Manuf 37(2) 159-169 (Feb 1997), 7A610

Analysis of thermal ratchetting of cylinders subjected to axial movement of temperature distribution, Eur J Mech A 16(1) 1-18 (1997), 7A1357

Effects of thermo-mechanical coupling in a plastic cylinder, Int J Non-Linear Mech 31(6) 959-964 (Nov 1996), 7A1358

Systems theory approach to modeling of cutting temperature with experimental identification, Int J Machine Tools Manuf 37(2) 149-158 (Feb 1997), 7A1359

Analysis of energy absorption of adiabatic shear plugging in thermoviscoplastic targets, Int J Eng Sci 35(4) 365-373 (Mar 1997), 8A1381

Thermal ratchetting analysis of cylinders subjected to axial traveling of temperature distribution: Effect of travel distance of temperature distribution (Japanese), J Soc Mat Sci Japan 46(1) 13-18 (Jan 1997), 8A1383

Theoretical analysis of thermoelastoplastic deformation of a circular plate due to a partially distributed heat supply, J Thermal Stresses 20(2) 203-225 (Mar 1997), 9A1325

Effects of thermomechanical treatments on superplasticity of Zn-22% Al alloy, Mat Manuf Processes 12(2) 199-214 (1997), 10T1365

Thermoelasto-plastic stresses and thermal distortions in a brake drum, J Thermal Stresses 20(3-4) 345-361 (Apr-Jun 1997), 10A1366

Effects of the state of stress on the tensile and creep properties of γ-TiAl, J Strain Anal Eng Des 32(2) 97-105 (Mar 1997), 12A527

412F. Thermomagnetic and thermoelectric effects

Control of temperature distribution at cylinder surface by magnetic fluid, J Intelligent Mat Syst Struct 7(3) 288-291 (May 1996), 2A1284

Thermal-shock problem in magneto-thermoelasticity with thermal relaxation, Int J Solids Struct 33(30) 4449-4459 (Dec 1996), 5A1296

3D solutions for free vibration of initially stressed thermoelectroelastic multilayered cylinders, J Eng Mech 123(1) 45-51 (Jan 1997), 6A1303

Piezothermoelasticity analysis for a circular cylindrical shell under the state of axisymmetric deformation, Int J Eng Sci 34(14) 1585-1600 (Nov 1996), 6A1304

Solution behavior of the transient heat transfer problem in thermoelectric shape memory alloy actuators, SIAM J Appl Math 57(1) 34-52 (Feb 1997), 8A1382

Variational principles for the linear theory of piezoelectric micropolar thermoelasticity in the case of a quasistatic electric field, Bull Polish Acad Sci Tech Sci 44(3) 243-254 (1996), 9A77

412G. Thermal shock

Thermal-shock problem in magneto-thermoelasticity with thermal relaxation, Int J Solids Struct 33(30) 4449-4459 (Dec 1996), 5A1296

Mechanical Behavior of Materials at High Temperature (Kluwer, Netherlands, 1996) 6N27

Long pulsed laser induced reverse bulging and plugging, Int J Eng Sci 35(6) 613-621 (May 1997), 11A1378

Thermal shock damage in a 2D SiC-SiC composite reinforced with woven SiC fibers, Composites Sci Tech 57(5) 607-611 (May 1997), 12A1343

412H. Thermal fatigue and stability

Thermomechanical Fatigue Behavior of Materials, Second Volume (STP 1263) (ASTM, 1996) 2N29

Thermomechanical fatigue crack growth, Int J Fatigue 18(6) 349-361 (Aug 1996), 3A669

Prediction of thermal fatigue life for diesel engine piston under states of multiaxial stresses, J Dalian Univ Tech 36(5) 595-599 (Sep 1996), 4A1262

Biaxial thermal fatigue testing with non-uniform strain distributions, Fatigue Fracture Eng Mat Struct 19(10) 1239-1253 (1996), 5A601

Experimental snap-through boundaries for acoustically excited, thermally buckled plates, Exp Mech 36(4) 312-317 (Dec 1996), 5A1297

Impulse response model for the prediction of thermal striping damage, Eng Fracture Mech 55(5) 795-812 (Nov 1996), 5A1298

Thermomechanical coupling effects on fractured solids, Int J Fracture 78(1) 67-87 (1996), 5A1299

Mechanical Behavior of Materials at High Temperature (Kluwer, Netherlands, 1996) 6N27

Combined steady-state nonlinear heat transfer-thermal postbuckling computations in unstiffened and stiffened laminated composite plates and shells, Comput Methods Appl Mech Eng 138(1-4) 131-185 (Dec 1996), 6A1305

Optimal design of symmetrically laminated plates for maximum buckling temperature, J Thermal Stresses 20(1) 21-33 (Jan-Feb 1997), 7A548

Thermal crack analysis based on practical 3D FEM analysis model (Japanese), Proc JSCE 550(V33) 95-104 (Nov 1996), 7T1360

Thermally induced instability of laminated beams and plates, J Appl Mech 63(4) 884-890 (Dec 1996), 7A1361

Thermo-mechanical analysis of stability in dicless wire drawing, Int J Mech Sci 39(5) 615-627 (May 1997), 7A1362

Thermal ratchetting analysis of cylinders subjected to axial traveling of temperature distribution: Effect of travel distance of temperature distribution (Japanese), J Soc Mat Sci Japan 46(1) 13-18 (Jan 1997), 8A1383

Finite element analysis of frictionally excited thermoelastic instability, J Thermal Stresses 20(2) 185-201 (Mar 1997), 9A1326

Stability of thermoelastic contact of two layers of dissimilar materials, J Thermal Stresses 20(2) 169-184 (Mar 1997), 9A1327

Exponential stability for a contact problem in thermoelasticity, IMA J Appl Math 58(1) 71-82 (Feb 1997), 10A1363

412I. Thermal wave propagation

Stress-focusing effect in a transversely isotropic cylinder caused by instantaneous heating, JSME Int J Ser A 39(3) 362-366 (Jul 1996), 1A1290

Traveling wave instability caused by moving planar heat sources: The rigid problem, J Eng Math 30(5) 501-513 (Sep 1996), 3A1233

Thermally excited stress waves in a rod resting on elastic foundation, J Thoor Appl Mech 34(3) 503-520 (1996), 4A198

Thermoelastic plane waves without energy dissipation, Mech Res Commun 23(5) 549-555 (Sep-Oct 1996), 4T1263

Time of developments of thermal waves in the flow (Polish), Arch Gornictwa 41(1) 71-84 (1996), 4A1264

One-dimensional wave propagation in the linear theory of thermoelasticity without energy dissipation, J Thermal Stresses 19(8) 695-710 (Nov 1996), 5A1300

Reflection of thermoelastic waves at a solid half-space with two relaxation times, J Thermal Stresses 19(8) 749-762 (Nov 1996), 5A1301

Effect of radiation losses on hotspot formation and propagation in microwave heating, IMA J Appl Math 57(2) 165-179 (Oct 1996), 6A1282

Shear band nucleation and the finite propagation speed of thermal disturbances, Int J Solids Struct 34(4) 435-450 (Feb 1997), 6A1306

Analysis of thermal ratchetting of cylinders subjected to axial movement of temperature distribution, Eur J Mech A 16(1) 1-18 (1997), 7A1357

Propagative front in unstable thermal sensitive materials, Eur J Mech A 16(2) 193-212 (1997), 8A1384

Thermoelastic Rayleigh waves without energy dissipation, Mech Res Commun 24(1) 93-101 (Jan-Feb 1997), 8T1385

Reflection and refraction of thermoelastic waves at an interface of two semi-infinite media with two relaxation times, J Thermal Stresses 20(2) 129-145 (Mar 1997), 9A1328

Thermally induced stress waves in functionally graded materials with temperature-dependent material properties, J Thermal Stresses 20(3-4) 281-294 (Apr-Jun 1997), 10A1367

412J. Thermofracture mechanics

Comparative study on characterization parameters for high temperature creep crack growth with special emphasis on dual value behavior of crack growth rate, Eng Fracture Mech 55(3) 493-503 (Oct 1996), 3A673

Generalized characteristic transition temperature of brittleness - II: Thermal activation analysis, Eng Fracture Mech 55(3) 439-442 (Oct 1996), 3A1277

Steady linear thermoelastic problem for a circular hole with two radial edge cracks of unequal length, Eng Fracture Mech 55(3) 425-438 (Oct 1996), 3A1278

Thermal stress intensity factor for functionally gradient half space with an edge crack under thermal load, Arch Appl Mech 66(8) 569-580 (Sep 1996), 3A1279

Use of the modified implant test as a manner of determining susceptibility to reheat cracking (Spanish), J Brazilian Soc Mech Sci 18(3) 273-281 (Sep 1996), 3A1280

Architecture of functionally graded ceramic coatings against surface thermal fracture, J Eng Mat Tech 118(4) 522-528 (Oct 1996), 4A764

Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, Int J Pressure Vessels Piping 69(2) 97-104 (Dec 1996), 4A769

Thermal stresses analysis of a 3D crack in a thermopiezoelectric solid, Eng Fracture Mech 55(5) 737-750 (Nov 1996), 5A642

Singular thermal stress fields in brazed three-layer joints, Eng Fracture Mech 55(4) 647-655 (Nov 1996), 5A685

Modeling fracture process in a ductile solid under intense impulsive loading using a model of the void growth with temperature-dependency, Eng Fracture Mech 55(4) 657-674 (Nov 1996), 5A698

Study of an edge crack problem in a semi-infinite functionally graded medium with two dimensionally nonhomogeneous coefficients of thermal expansion under thermal load, J Thermal Stresses 19(9) 863-888 (Dec 1996), 6A790

Rotation at the crack tip under uniform heat flow in an infinite medium, Int J Fracture 78(2) 131-138 (1996), 6A1307

Determination of thermal shock stress intensity factor for elliptical crack by modified Vainshtok's weight function method, Eng Fracture Mech 56(3) 423-435 (Feb 1997), 7A718

Thermoelastic determination of stress intensity factors in orthotropic composites using the J-integral, Eng Fracture Mech 56(4) 579-592 (Mar 1997), 7A724

Weight functions for cracks near the interface of a bimaterial joint, and application to thermal stresses, Eng Fracture Mech 56(1) 87-100 (Jan 1997), 7A774

Thermal stresses around the thin circular disc-like inclusion in an infinite medium under general temperature conditions, J Thermal Stresses 20(1) 1-19 (Jan-Feb 1997), 7A1363

Transient thermoelastic fracture of brittle substrates bonded to brittle films, J Thermal Stresses 20(1) 35-45 (Jan-Feb 1997), 7A1364

Thermodynamic analysis of a propagating crack in saturated porous media, Eur J Mech A 16(2) 235-253 (1997), 8A1460

Determining stress intensity factors for mixed mode cracks from thermoelastic data, Fatigue Fracture Eng Mat Struct 20(2) 217-226 (1997), 9A732

Stress intensity factors of multiple radial edge cracks at a circular hole in an infinite plate due to rotating heat source, J Thermal Stresses 20(3-4) 247-268 (Apr-Jun 1997), 10A805

Crack propagation during thermo mechanical loading of bimaterials: Analyze and experiment (German), Z Angew Math Mech 77(3) 163-188 (1997), 10A1368

Effect of temperature on the fracture modes of BHW-35 steel under mode-II loading, Acta Mech Solida Sinica 10(1) 76-85 (1997), 10A1369

Effect of thermal residual stress on the interlaminar crack extension behavior in cross-ply laminates due to transverse loading, J Thermal Stresses 20(3-4) 231-245 (Apr-Jun 1997), 10A1370

Thermal stresses intensity factor for functionally gradient plate with an edge crack, J Thermal Stresses 20(3-4) 373-387 (Apr-Jun 1997), 10A1371

Frequency response model of thermal striping for cylindrical geometries, Fatigue Fracture Eng Mat Struct 20(6) 871-882 (1997), 12A1344

412K. Thermal stresses of solids with phase change

Foundations of Thermomechanics of Shape Memory Alloys (Polish) (Polish Acad of Sci, Gdansk, 1996) 1N48

Recent developments in modeling of liquid phase electroepitaxy: A continuum approach, Appl Mech Rev 49(12 PART 1) 477-495 (Dec 1996), 1A17

Simulation of quenching-tempering process based on metallo-thermo-mechanics (Japanese), J Soc Mat Sci Japan 45(6) 643-649 (Jun 1996), 1A1284

Thermal phase transformation and residual stress estimation of multi-layer materials for cylindrical or flat shape, J Eng Mat Tech 118(3) 393-401 (Jul 1996), 1A1291

Mechanics of shaped crystal growth from the melt, J Mat Res 11(9) 2163-2176 (Sep 1996), 3A1281

Impact of tapering on interfacial stresses, J Electron Packaging 118(3) 184-187 (Sep 1996), 4T1265

Theory of Martensitic phase transformations in inelastic materials in local description, Mech Res Commun 23(5) 495-503 (Sep-Oct 1996), 4T1266

Ball grid array thermomechanical response during reflow assembly, J Electron Packaging 118(4) 214-222 (Dec 1996), 6A975

Model study of thermal stress-induced voiding in electronic packages, J Electron Packaging 118(4) 229-234 (Dec 1996), 6A1308

Thermal stresses in ablative composite thin-walled structures under intensive heat flows, Int J Eng Sci 35(1) 15-31 (Jan 1997), 7A1365

Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, Smart Mat Struct 5(6) 788-795 (Dec 1996), 7A1366

Irreversible phase transitions in steel, Math Methods Appl Sci 20(1) 59-77 (Jan 1997), 8A1386

Computerized model for thermal stresses in thin films, Comput Struct 63(6) 1095-1100 (Jun 1997), 10A1372

Temperature-induced phase transformation in a shape memory alloy: Phase diagram based kinetics approach, J Mech Phys Solids 45(6) 949-988 (Jun 1997), 11A8

412L. Composite materials

Assessment of the effect of inhibitor oxidation on the response of oxidation-resistant carbon-carbon composites, Composites Sci Tech 56(5) 569-579 (1996), 1A514

Behavior of a unidirectional metal-matrix composite under thermomechanical loading, J Eng Mat Tech 118(3) 310-316 (Jul 1996), 1A517

Response of metal matrix laminated cylindrical panels to combined uniform temperature change and edge displacements, Acta Mech 116(1-4) 187-201 (1996), 1A526

Kinetics on the micro- and macro-levels in polycrystalline alloy materials during martensitic transformation, Acta Mech 116(1-4) 171-186 (1996), 1A1288

Stress-free temperature of the macro-interface in selectively reinforced aluminum castings, J Composite Tech Res 18(3) 209-214 (Jul 1996), 1A1292

Thermoelastic field in a composite material with inhomogeneities, J Thermoplastic Composite Mat 9(3) 246-258 (Jul 1996), 1A1293

Computational aspects of homogenization of thermopiezoelectric composites, Comp Assisted Mech Eng Sci 3(2) 133-154 (1996), 2A1285

Influence of stamping temperature on the properties of a glass mat thermoplastic composite, J Composite Mat 30(11) 1266-1281 (1996), 2A1286

Measurements of thermal residual stresses in SiC-Ti-15-3 composites, J Thermal Stresses 19(6) 579-593 (Sep 1996), 3A1282

Analysis and testing of dynamic micromechanical behavior of composite materials at elevated temperatures, J Eng Mat Tech 118(4) 554-560 (Oct 1996), 4A1267

Effects of resin thermal degradation on thermostructural response of carbon-phenolic composites and the manufacturing process of carbon-carbon com-

posites, J Reinforced Plastics Composites 15(10) 1011-1026 (Oct 1996), 4A1268
Evaluation of thermal stresses at the interface of a stitch in a stitched laminate, J Reinforced Plastics Composites 15(10) 972-987 (Oct 1996), 4A1269
Improvements in the prediction and characterization of the thermoelastic response of glass-fiber reinforced composite products, Int J Mech Sci 39(2) 163-172 (Feb 1997), 4A1270
Quick cure of thermosetting composites, Composites Part A Appl Sci and Manuf 27A(10) 953-960 (1996), 4A1271
Thermomechanical properties of basalt fibers, Fibres Textiles in E Europe 4(1) 72-73 (Jan-Mar 1996), 4A1272
Prediction of stress-strain response of SCS-6 and Timetal-21S subjected to a hypersonic flight profile, Composites Part A Appl Sci and Manuf 27A(11) 1033-1040 (1996), 5A1302
Thermal stresses in metal matrix composites studied by internal friction, Acta Mat 44(12) 4881-4888 (Dec 1996), 5A1303
Thermomechanical behavior of interfacial region in carbon fiber-epoxy composites, Composites Part A Appl Sci and Manuf 27A(11) 1067-1074 (1996), 5A1304
High temperature hybrid titanium composite laminates: An early analytical assessment, Appl Composite Mat 3(6) 379-390 (1996), 6A549
Predictions for coefficients of thermal expansion of 3D braided composites, AIAA J 35(1) 141-144 (Jan 1997), 6A1309
Multicontinuum theory for thermal-elastic FE analysis of composite materials, J Composite Mat 31(1) 71-86 (1997), 7A19
Behavior of hybrid aluminium-CFRP box beams at low temperatures, Composites Part A Appl Sci and Manuf 28A(2) 121-129 (1997), 7A466
Modeling of pre-heating of flat panels prior to press forming, Composites Part A Appl Sci and Manuf 28A(1) 17-24 (1997), 7A634
Self-heating effects in thermoset composites, J Composite Mat 31(1) 2-21 (1997), 7A1302
Analytical solution for 3D anisotropic bi-material problem with line source of heat and their numerical examples (Japanese), J Soc Mat Sci Japan 45(11) 1217-1223 (Nov 1996), 7A1351
Coatings optimization of embedded fiber optical sensors under thermal and mechanical load, Acta Mech Solida Sinica 9(4) 320-329 (1996), 7A1367
Discrete layer analysis of orthotropic, stiffened composite cylinders, J Thermal Stresses 20(1) 87-111 (Jan-Feb 1997), 7A1368
Recent advances in computational thermostructural analysis of composite plates and shells with strong nonlinearities, Appl Mech Rev 50(5) 285-306 (May 1997), 7A1369
Temperature calculation in the thickness direction for composite of arbitrary layers, Comput Struct 62(4) 763-770 (Feb 1997), 7A1370
Thermally induced damage in composite laminates: Predictive methodology and experimental investigation, Composites Sci Tech 56(10) 1209-1219 (Oct 1996), 7A1371
Thermomechanical properties of smart composites, Acta Mech Solida Sinica 9(4) 357-363 (1996), 7A1372
Optimum design of erosion-stable heatshield composite materials, Appl Composite Mat 4(1) 35-52 (1997), 8A1387
Effect of an interlaminar adhesive on the yielding behavior of aluminum-fiber-reinforced thermoplastics composite laminates, J Thermoplastic Composite Mat 10(2) 124-135 (Mar 1997), 9A488
Effects of material and manufacturing variations on dimensionally stable composite structure, J Reinforced Plastics Composites 16(3) 270-287 (1997), 9A518
Thermal stresses and thermal expansion coefficients of n-layered fiber-reinforced composites, Composites Sci Tech 57(2) 249-260 (Feb 1997), 9A1329
Three-dimensional solutions for free vibrations of initially-stressed thermoelectroelastic multilayered plates, Comput Methods Appl Mech Eng 141(1-2) 125-139 (Feb 1997), 9A1330
Experimental evaluation of thermal effects on the tensile mechanical properties of pultruded GFRP rods, Appl Composite Mat 4(3) 133-143 (1997), 10A608
Elastothermodynamic damping in particulate composites: Hollow spherical inclusions, J Appl Mech 64(1) 111-115 (Mar 1997), 10A1360
Analytical treatment of axisymmetrical thermoelastic field with Kassir's nonhomogeneous material properties and its adaptation to boundary value problem of slab under steady temperature field, J Thermal Stresses 20(3-4) 325-343 (Apr-Jun 1997), 10A1373
Thermal response of antisymmetric angle-ply laminated plates, J Appl Mech 64(1) 229-233 (Mar 1997), 10T1374
Thermal stress at an off-angled interface, J Thermal Stresses 20(3-4) 295-324 (Apr-Jun 1997), 10A1375
Thermo-micromechanical theory for effective elastic constants of composite materials, J Reinforced Plastics Composites 16(5) 392-413 (1997), 10A1376
Thermomechanical behavior of composite materials and structures under high temperatures - 1: Materials, Composites Part A Appl Sci and Manuf 28A(5) 453-461 (1997), 10A1377
Thermomechanical behavior of composite materials and structures under high temperatures - 2: Structures, Composites Part A Appl Sci and Manuf 28A(5) 463-471 (1997), 10A1378
High-temperature mechanical behavior and microstructure of SiC-whisker-reinforced MoSi$_2$ composites, Composites Sci Tech 57(4) 463-469 (Apr 1997), 11A1379
Modeling of mechanical properties of composite materials at high temperatures - Part 2: Properties of unidirectional composites, Appl Composite Mat 4(4) 239-261 (1997), 11A1380
Modeling of the mechanical properties of composite materials at high temperatures - Part 1: Matrix and fibers, Appl Composite Mat 4(4) 219-237 (1997), 11A1381
Thermostructural FE analysis of laminated doubly curved composite shells, J Reinforced Plastics Composites 16(9) 848-868 (1997), 12A28
Bounds of the expansion coefficients of composites reinforced by spherically isotropic particles, Appl Math Mech 18(4) 341-348 (Apr 1997), 12A557
Mixed-state Hamilton semi-analytical method on thermal elastic problem of laminates (Chinese), J Dalian Univ Tech 37(3) 259-264 (May 1997), 12A1338
Influence of inclusion microgeometry on some thermomechanical properties of isotropic polymer-matrix composites, J Eng Mat Tech 119(3) 242-250 (Jul 1997), 12A1345
Thermal stress concentration due to imperfect adhesion in fiber-reinforced composites, Composites Sci Tech 57(6) 687-696 (Jun 1997), 12A1346
Thermoelastic stress analysis of a GRP tee joint, Appl Composite Mat 4(5) 283-303 (1997), 12A1347

412Y. Computational techniques

Boundary element analysis of linear thermoelastic consolidation, Int J Numer Anal Methods Geomech 20(7) 457-488 (Jul 1996), 1A1294
Thermally stressed state of an elastic half-plane heated by a uniformly moving heat source, J Appl Math Mech 60(1) 159-165 (1996), 1A1295
Uniform heating of a locally inhomogeneous elastic plate, J Appl Math Mech 60(1) 153-157 (1996), 1A1296
Numerical modeling of vibration heating and heating stresses in the Langevin type piezoelectric transducer (Russian), Prikl Mekh (Appl Mech) 32(3) 80-85 (1996), 2A532
Modeling of a thermo-viscoelastic coupling for large deformations through FE analysis, Int J Heat Mass Transfer 39(18) 3911-3924 (Dec 1996), 2A1287
Boundary value problems for Poisson's equation in a multi-wedge-multi-layered region - Part II: General type of interfacial conditions, Arch Mech 48(4) 711-745 (1996), 4A5
Thermomechanical deflection of microcantilever beams in scanning force microscopes, J Micromech Microeng 6(3) 330-336 (Sep 1996), 4A428
Advancements in the theory of heat transfer in rock masses destroyed by openings (Polish), Arch Gornictwa 41(2) 191-202 (1996), 4A1273
Assessment of computational models for thermo-electroelastic multilayered plates, Comput Struct 61(5) 915-933 (Dec 1996), 4A1274
Influence of the Schulgasser inequality on effective moduli of two-phase isotropic composites, Arch Mech 48(3) 475-492 (1996), 4A1275
Mathematical modeling and numerical simulation of induction heating processes, Appl Math Comp Sci 6(2) 207-221 (1996), 4A1276
New method of finding approximate solutions of the heat conduction equation, Eng Trans 44(2) 295-301 (1996), 4A1277
Regularization of a certain inverse heat conduction problem, J Tech Phys 37(2) 235-241 (1996), 4A1278
Function estimation approach for determining temperature-dependent thermophysical properties, Inverse Prob Eng 3(4) 261-279 (1996), 5A1305
BIE formulation for transient problems of thermoelastodynamics, Boundary Elements Comm 7(5) 206-211 (1996), 6A79
Finite volume multigrid solver for thermo-elastic stress analysis in anisotropic materials, Comput Methods Appl Mech Eng 137(2) 167-174 (Oct 1996), 6A1310
Recent advances in computational thermostructural analysis of composite plates and shells with strong nonlinearities, Appl Mech Rev 50(5) 285-306 (May 1997), 7A1369
Dynamics of overlapping vortices in complex scalar fields, Acta Phys Polonica B 27(9) 1943-1960 (Sep 1996), 9A10
Second sound speed in a crystal of NaF at low temperature, Arch Mech 49(1) 189-196 (1997), 9A14
Space-time generalization of R-function method, Comp Assisted Mech Eng Sci 3(4) 317-326 (1996), 9A63
Idea of thin-plate thermal mirror - I: Mirror created by a heat pulse, Arch Mech 49(1) 77-101 (1997), 9A1331
Measurement and prediction of apparent thermal conductivity of plastic foam with or without biomass materials, Appl Mech Eng 1(3) 465-480 (1996), 9A1332
Accurate thermal stress predictions using C^0-continuous higher-order shear deformable elements, Comput Methods Appl Mech Eng 144(1-2) 61-75 (May 1997), 10A1379
Weakly coupled thermomechanical problem: Solution by the FEM (Polish), Strojnicky Casopis 48(2) 86-96 (1997), 10A1380
Three-dimensional FE formulation for thermoviscoelastic orthotropic media, Int J Numer Methods Eng 40(12) 2267-2288 (Jun 1997), 11A1382
Consistent tangent operator algorithm for thermoplastic problems, Comput Methods Appl Mech Eng 146(3-4) 215-230 (Jul 1997), 12A1348

412Z. Experimental techniques

How workability studies of metallic materials using hot torsion test (Spanish), Revista Eng Ciencias Aplicadas 2 133-148 (1994), 1A1297
Use of the modified implant test as a manner of determining susceptibility to reheat cracking (Spanish), J Brazilian Soc Mech Sci 18(3) 273-281 (Sep 1996), 3A1280
Changes of temperature during the simple shear test of stainless steel, Arch Mech 48(4) 779-788 (1996), 4A789
Comparison testings between two high-temperature strain measurement systems, Exp Mech 36(4) 430-435 (Dec 1996), 5A1306
Full-field separation of principal stresses by combined thermo- and photoelasticity, Exp Mech 36(4) 318-324 (Dec 1996), 5A1307
Determination of thermal diffusivity distribution for three types of materials by transient thermography, NDT&E Int 29(4) 205-211 (Aug 1996), 6A1311
Thermal expansion measurement of composites with optical heterodyne interferometry, Exp Mech 37(1) 21-25 (Mar 1997), 8A566
Development of a PC-based remote measurement device for high temperature material testing, Rev Francaise Mec 0(4) 283-287 (1996), 8A1388
Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, Acta Phys Polonica A 90(4) 797-800 (Oct 1996), 9A1333
Investigations of phase transitions in $(NH_4)_3H(SO_4)_2$ crystal by means of Mn^{2+} EPR spectra, Acta Phys Polonica A 90(6) 1185-1192 (Dec 1996), 9A1334
Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), Acta Phys Polonica A 90(5) 935-938 (Nov 1996), 9A1335
Thermal expansion of GaN bulk crystals and homoepitaxial layers, Acta Phys Polonica A 90(5) 887-890 (Nov 1996), 9A1336
Trajectory-based validation of the shuttle heating environment, J Spacecraft Rockets 34(2) 172-181 (Mar-Apr 1997), 10A1381

414. MASS TRANSFER

Formation and evolution of a diffusive interface, J Fluid Mech 331 199-229 (Jan 1997), 8A1389

414B. Convection dominated transfer

Mass transfer enhancement in a furrowed channel with arc-shaped walls for pulsatile flow, Heat Transfer Japan Res 24(2) 115-132 (1995), 2A1288
Effect of turbulence on the collision rates of small cloud drops, J Atmos Sci 53(13) 1910-1920 (Jul 1996), 3A1283
Transport Phenomena in Materials Processing and Manufacturing - 1996 (ASME, New York, 1996) 4N30
Effect of coolant temperature and mass flow on film cooling of turbine blades, Int J Heat Mass Transfer 40(2) 435-445 (Jan 1997), 4A1188
Mass transfer in the gas phase of a centrifugal-barbotage layer, Thermophys and Aeromech 3(2) 129-135 (1996), 5A1308
Higher-order exponential difference schemes for the computations of the steady convection-diffusion equation, J Comput Phys 129(1) 134-159 (Nov 1996), 5A1320
Overlapping control volume approach for convection-diffusion problems, Int J Numer Methods Fluids 23(9) 865-882 (Nov 1996), 5A1323
Heat and mass transfer experimental study during condensation of vapor-gas flow: Review, Thermophys and Aeromech 3(3) 189-201 (1996), 6A1259
Particle diffusion from developing flows in rough-walled tubes, Aerosol Sci Tech 26(1) 1-11 (Jan 1997), 6A1312
Stable Petrov-Galerkin method for convection-dominated problems, Comput Methods Appl Mech Eng 140(3-4) 291-304 (Jan 1997), 6A1313
Analysis of mass transfer in arctic plumes: Implications for global climate, J Fluids Eng 118(4) 870-872 (Dec 1996), 7T1112
Multi-component diffusion and penetrative convection, Fluid Dyn Res 19(2) 77-89 (Feb 1997), 7A1379
Estimation of convective mass transfer in solar distillation systems, Solar Energy 57(6) 459-464 (Dec 1996), 8A1530
Mass transfer to local electrodes at wall and wall friction factor in decaying turbulent swirl flow, Int J Heat Mass Transfer 40(12) 2775-2783 (Aug 1997), 9A1337
Plume dynamics in quasi-2D turbulent convection, Chaos 7(1) 107-124 (Mar 1997), 9A1338
New method for obtaining velocity and diffusivity from time-dependent distributions of a tracer via the maximum likelihood estimator for the advection-diffusion equation, J Comput Phys 133(2) 340-360 (May 1997), 10T1382
Wavenumber-extended high-order upwind-biased finite-difference schemes for convective scalar transport, J Comput Phys 133(2) 235-255 (May 1997), 10A1383

414C. Sublimation or ablation

Heat and mass transfer experimental study during condensation of vapor-gas flow: Review, Thermophys and Aeromech 3(3) 189-201 (1996), 6A1259
Process modeling of laser ablating ferrous materials, Model Simulation Mat Sci Eng 5(1) 79-92 (Jan 1997), 9A719
Experimental methods for measuring X-ray ablation response of surfaces, Exp Heat Transfer 10(1) 51-65 (Jan-Mar 1997), 10A1384

414D. Diffusion

Class of diffusion equations with localized chemical reactions, Nonlinear Anal 27(6) 653-668 (Sep 1996), 1T1298
Nonlinear elliptic problem at resonance with a non-simple eigenvalue, Nonlinear Anal 27(6) 711-721 (Sep 1996), 1T1299
Large time asymptotics in contaminant transport in porous media, SIAM J Appl Math 56(4) 965-993 (Aug 1996), 1A1383
Transport Properties of Fluids: Their Correlation, Prediction, and Estimation (Cambridge UP, UK, 1996) 2R35
Spectral decompositions in nonlinear coupled diffusion, IMA J Appl Math 56(3) 277-287 (Jun 1996), 2A1289
Ultra-shallow p$^+$-junction formation in silicon by excimer laser doping: A heat and mass transfer perspective, Int J Heat Mass Transfer 39(18) 3835-3844 (Dec 1996), 2A1290
Remarks on a singular diffusion equation, Nonlinear Anal 27(10) 1109-1115 (Nov 1996), 3T1284
Boundary value problems for Poisson's equation in a multi-wedge-multi-layered region - Part II: General type of interfacial conditions, Arch Mech 48(4) 711-745 (1996), 4A5
Overlapping control volume approach for convection-diffusion problems, Int J Numer Methods Fluids 23(9) 865-882 (Nov 1996), 5A1323
Diffusion: Mass Transfer in Fluid Systems, Second Edition (Cambridge UP, New York, 1996) 6N26
Advective-diffusive contaminant migration in unsaturated sand and gravel, J Geotech Eng 122(12) 965-975 (Dec 1996), 6A654
Extension of Joseph's criterion to the nonlinear stability of mechanical equilibria in the presence of thermodiffusive conductivity, Theor Comput Fluid Dyn 8(6) 403-413 (Nov 1996), 6A1134
Inverse problem for a nonlinear diffusion equation, Nonlinear Anal 28(4) 589-593 (Feb 1997), 6T1314
Model for effective diffusivities in aerobic biofilms, J Env Eng 122(11) 1023-1030 (Nov 1996), 6T1538
Oscillatory and chaotic wakes behind moving boundaries in reaction-diffusion systems, Dyn Stability Syst 11(4) 303-324 (1996), 7A103
Approximate analytical solutions for diffusion problems in unbounded media and their application in infinite elements, Int J Numer Methods Heat & Fluid Flow 6(7) 63-80 (Nov 1996), 7A1299
Different levels of modeling for diffusion phenomena in neutral and ionized mixtures, J Thermophys Heat Transfer 11(1) 36-44 (Jan-Mar 1997), 7A1373
Numerical simulation of the freezing process of biological tissues, Heat Transfer Japan Res 24(4) 342-355 (1995), 7A1374
Solving diffusion equations with rough coefficients in rough grids, J Comput Phys 129(2) 383-405 (Dec 1996), 7T1388

Coupled solid-fluids mixture theory that suffices for diffusion problems, J Elast 45(2) 117-134 (Nov 1996), 8A10
Theory of organization in Nature: Pulsating physiological processes, Int J Heat Mass Transfer 40(9) 2097-2104 (Jun 1997), 8A1261
Boundary-driven instability, Appl Math Lett 10(1) 1-4 (Jan 1997), 8A1390
Estimation method for point sources of multidimensional diffusion equation, Appl Math Model 21(2) 77-84 (Feb 1997), 8A1391
Existence of a classical solution for a multidimensional filtration problem, Math Methods Appl Sci 20(2) 179-187 (Jan 1997), 8A1392
Influence of micro-scale solute diffusion and dendrite coarsening upon surface macrosegregation, Int J Heat Mass Transfer 40(9) 2055-2065 (Jun 1997), 8A1393
Degenerate diffusion equation with a nonlinear source term, Nonlinear Anal 28(12) 1977-1995 (Jun 1997), 9T1339
Exact results for the transmission probabilities in linear array of fluctuating barriers, Acta Phys Polonica B B27(9) 2017-2025 (Sep 1996), 9A1340
Fick and Lagrange equations as a basis for the Maxwell-Stefan diffusion equations, Int J Heat Mass Transfer 40(10) 2373-2377 (Jul 1997), 9A1341
Moving-boundary problems arising from a model for solid-state diffusion, J Eng Math 31(1) 1-27 (Jan 1997), 9A1342
New method for obtaining velocity and diffusivity from time-dependent distributions of a tracer via the maximum likelihood estimator for the advection-diffusion equation, J Comput Phys 133(2) 340-360 (May 1997), 10T1382
Mass transfer dominated by thermal diffusion in laminar boundary layers, J Fluid Mech 336 379-409 (Apr 1997), 10A1385
Turbulent heat and mass transfer in an asymmetrically heated, vertical parallel-plate channel, Int J Heat Fluid Flow 18(3) 307-315 (Jun 1997), 10A1386
Stability and Lyapunov functions for reaction-diffusion systems, SIAM J Math Anal 28(3) 595-610 (May 1997), 10A1391
Class of singularly perturbed reaction diffusion systems, Appl Math Mech 18(3) 273-277 (Mar 1997), 11A1383
Differential diffusion in binary scalar mixing and reaction, Combust Flame 109(4) 561-577 (Jun 1997), 11A1384
Attractors in a density-dependent diffusion-reaction model, Nonlinear Anal 29(5) 485-499 (Sep 1997), 12T1349

414E. Convection with diffusion

Parametric representation of diffusive enhancement in a confined oscillatory flow, Int J Heat Mass Transfer 39(16) 3543-3546 (Nov 1996), 1T1300
Thermal effects on the morphological stability in a directional solidification system with remote flow, Int J Heat Mass Transfer 39(16) 3417-3423 (Nov 1996), 1A1301
Transport phenomena during resistance spot welding, J Heat Transfer 118(3) 762-773 (Aug 1996), 2A1190
Correlations for film regeneration and air dehumidification for a falling desiccant film with air in crossflow, J Heat Transfer 118(3) 634-641 (Aug 1996), 2A1291
Finite time Lyapunov exponent and advection-diffusion equation, Physica D 95(3-4) 283-305 (Sep 1996), 2A1292
Mass transfer from a flat plate segment facing impinging jets: Influence of exhausts number and location and of nozzle geometry (French), Int J Heat Mass Transfer 39(18) 3855-3872 (Dec 1996), 2A1293
Study on sublimation phenomenon of horizontal frost layer exposed to forced convection air flow and radiant heat, J Heat Transfer 118(3) 694-701 (Aug 1996), 2A1294
Traveling-wave solutions of convection-diffusion systems in nonconservation form, SIAM J Math Anal 27(5) 1286-1310 (Sep 1996), 2A1295
Calculation of heat and moisture transfer in exposed building components, Int J Heat Mass Transfer 40(1) 159-167 (Jan 1997), 3A1285
G-jitter effects on mass transfer in annular liquid jets, Int J Numer Methods Heat & Fluid Flow 6(5) 17-28 (Aug 1996), 3A1286
Heat and mass flows coupled with stress in a continuous medium, Int J Heat Mass Transfer 40(1) 191-207 (Jan 1997), 3A1287
Anomalous diffusion in asymmetric random walks with a quasi-geostrophic flow example, Physica D 97(1-3) 291-310 (Oct 1996), 4A1279
Dimensional analysis of colloid-facilitated groundwater contaminant transport, J Hydrologic Eng 1(4) 139-143 (Oct 1996), 4A1337
Hydrologic theory of dispersion in heterogeneous aquifers, J Hydrologic Eng 1(4) 144-151 (Oct 1996), 4A1338
Plasmadynamics model for nonequilibrium processes in N_2-H_2 arcjets, J Thermophys Heat Transfer 10(4) 554-562 (Oct-Dec 1996), 5A935
Mixed binary convection in a rotating disk chemical vapor deposition reactor, Int J Heat Mass Transfer 40(3) 737-744 (Feb 1997), 5T1174
Coupled conduction-convection problem for a cylinder in an enclosure, Comput Mech 18(6) 429-443 (Oct 1996), 5A1309
Experimental study on the heat and mass transfer of a combined absorber-evaporator exchanger, Int J Heat Mass Transfer 40(4) 961-971 (Mar 1997), 5A1310
Liquid-side interphase mass transfer in concurrent vertical two-phase channel flows, Int J Heat Mass Transfer 40(3) 641-655 (Feb 1997), 5A1311
Theory of transient multicomponent transport coupling in 3D stagnation flows, Int J Heat Mass Transfer 40(5) 1205-1216 (Mar 1997), 5A1312
Variable density effects in axisymmetric isothermal turbulent jets: A comparison between a first- and a second-order turbulence model, Int J Heat Mass Transfer 40(4) 823-842 (Mar 1997), 5A1313
Mixed convection heat and mass transfer in vertical rectangular ducts, Int J Heat Mass Transfer 40(7) 1621-1631 (May 1997), 7A1259
Analytical solutions for advection and advection-diffusion equations with spatially variable coefficients, J Hydraul Eng 123(2) 144-148 (Feb 1997), 7A1375
Effects of mass transfer and free convection currents on the oscillatory flow past an infinite vertical porous plate with variable suction, Heat Tech 14(1) 121-134 (1996), 7A1376
Hygrostress-multicrack formation and propagation in cylindrical viscoelastic food undergoing heat and moisture transfer processes, Int J Heat Mass Transfer 40(7) 1601-1609 (May 1997), 7A1377
Mechanism of absorption enhancement by surfactant, Int J Heat Mass Transfer 40(8) 1743-1752 (May 1997), 7A1378
Coupled heat air and moisture transfer in building structures, Int J Heat Mass Transfer 40(7) 1633-1642 (May 1997), 7A1449
"No boundary condition" outflow boundary condition, Int J Numer Methods Fluids 24(4) 393-411 (Feb 1997), 8A25
Gas segregation during solidification processes, Int J Heat Mass Transfer 40(9) 2035-2043 (Jun 1997), 8A1325
Data assimilation in transport models, Appl Math Model 21(1) 2-14 (Jan 1997), 8A1394
Effect of an inert gas on heat and mass transfer in a vertical channel with falling films, J Solar Energy Eng 119(1) 24-30 (Feb 1997), 8A1395
Mass transfer enhancement by longitudinal vortices, Heat and Mass Transfer Warme 32(3) 163-166 (Feb 1997), 8A1396
Pattern selection in a general model of convection, diffusion, and catalytic reaction, Physica D 102(1-2) 125-146 (31r 1997), 8A1397
Wave equation model to solve the multidimensional transport equation, Int J Numer Methods Fluids 24(5) 423-439 (Mar 1997), 8A1398
Heat transfer and thermal diffusion phenomena in a horizontal cold-wall CVD reactor, Heat Transfer Japan Res 24(8) 653-671 (1995), 9A1343
Investigation of the coupled heat transfer, fluid flow, and the solute transport during the strip casting process, Int J Heat Mass Transfer 40(12) 2949-2961 (Aug 1997), 9A1344
Similarity solution for the solidification of a multicomponent alloy, Int J Heat Mass Transfer 40(12) 2869-2877 (Aug 1997), 9A1345
Combined heat and mass transfer by laminar natural convection from a vertical plate with uniform heat flux and concentration, Heat and Mass Transfer Warme 32(4) 293-299 (Apr 1997), 10A1287
Natural convection with unsaturated humid air in vertical cavities, Int J Heat Mass Transfer 40(13) 3005-3012 (Sep 1997), 10A1290
Holographic interferometry study of the double-diffusive layered system, Exp Heat Transfer 10(1) 67-86 (Jan-Mar 1997), 10A1387
Long-time behavior for a convection-diffusion equation in higher dimensions, SIAM J Math Anal 28(3) 570-594 (May 1997), 10T1388
Model for convective mass transport in liquid phase epitaxial growth of semiconductors, Int J Heat Mass Transfer 40(13) 3039-3047 (Sep 1997), 10A1389
Evaporation and growth of multicomponent droplets in random dense clusters, J Heat Transfer 119(2) 288-297 (May 1997), 11A1294
Study of droplet sprays prior to impact on a heated horizontal surface, J Heat Transfer 119(2) 279-287 (May 1997), 11A1296
Effect of positioning the axis of a lamellar rotor model of a sucking and forcing regenerative exchanger on the intensity of convective mass-heat transfer, Int J Heat Mass Transfer 40(14) 3275-3282 (Sep 1997), 11A1340
Energy saving in chaotic laminar mixing, Int J Heat Mass Transfer 40(14) 3267-3273 (Sep 1997), 11A1385
Enhanced mixing with streamwise vorticity, Prog Aerospace Sci 33(5-6) 323-351 (May-Jun 1997), 11A1386
Experimental and theoretical investigations for the design of scrubbers in heat recovery from paper machines, Appl Thermal Eng 17(6) 569-581 (Jun 1997), 11A1387
Experimental investigation of mass transfer in a grid-generated turbulent flow using combined optical methods, Int J Heat Mass Transfer 40(14) 3255-3266 (Sep 1997), 11A1388
Modeling the dynamics of double-diffusive scalar fields at various stability conditions, Int J Heat Fluid Flow 18(4) 360-367 (Aug 1997), 11A1389
Marangoni mechanism in pulsed laser texturing of magnetic disk substrates, J Heat Transfer 119(3) 589-596 (Aug 1997), 12A1267

414F. Double diffusion and other combined effects

Cell model of nonisothermal gas absorption in gas-liquid bubbly media, Heat and Mass Transfer Warme 31(5) 307-111 (Jun 1996), 1A1302
Spectral decompositions in nonlinear coupled diffusion, IMA J Appl Math 56(3) 277-287 (Jun 1996), 2A1289
Heat and mass transfer from a streaming hot saline water in an enclosure partitioned by an active baffle, J Solar Energy Eng 118(3) 177-182 (Aug 1996), 2A1296
Modeling of melting in heterogeneous snow cover on permeable frozen soil, Numer Heat Transfer A 30(2) 143-163 (Aug 1996), 2A1297
One-dimensional numerical model of heat and mass transfer in air-water droplet flow, Heat and Mass Transfer Warme 31(6) 435-441 (Aug 1996), 2A1298
Penetrative convection induced by the freezing of seawater, Int J Heat Mass Transfer 39(18) 3823-3834 (Dec 1996), 2A1299
Scaling of boundary-layer flows driven by double-diffusive convection, Int J Heat Mass Transfer 39(18) 3899-3910 (Dec 1996), 2A1300
Experiments on double-diffusive sugar-salt fingers at high stability ratio, J Fluid Mech 321 315-333 (Aug 1996), 3A1288
Multicomponent diffusion interactions during condensation in laminar and turbulent pipe flow, Int J Heat Mass Transfer 40(1) 131-139 (Jan 1997), 3A1289
Numerical solution of the thermally-assisted diffusion of hydrogen in zirconium alloys considering hysteresis and finite-rate kinetics, Int J Numer Methods Heat & Fluid Flow 6(5) 49-62 (Aug 1996), 3A1290
Rotation effects on the convection of binary alloys unidirectionally solidified from below, Int J Heat Mass Transfer 40(2) 237-246 (Jan 1997), 4A1280
Combined heat and mass transfer during bubble absorption in binary solutions, Int J Heat Mass Transfer 40(3) 589-603 (Feb 1997), 5A1314
Mass transfer by simultaneous dropwise condensation and particle deposition, Int J Heat Mass Transfer 40(3) 727-735 (Feb 1997), 5A1315
Time-dependent double-diffusive convective due to salt-stratified fluid layer with differential heating in an inclined cavity, Int J Heat Mass Transfer 40(3) 711-725 (Feb 1997), 5A1316
Numerical simulation of transport phenomena by using the double porosity-diffusivity continuum model, Mech Res Commun 23(6) 577-582 (Nov-Dec 1996), 6T1315
Multi-component diffusion and penetrative convection, Fluid Dyn Res 19(2) 77-89 (Feb 1997), 7A1379
Symmetry breaking and overturning oscillations in thermohaline-driven flows, J Fluid Mech 331 169-198 (Jan 1997), 8A107
Vibrational convective instability of a horizontal, binary-mixture layer with Soret effect, J Fluid Mech 330 251-269 (Jan 1997), 8A1173
Parameter ranges in binary solidification from vertical boundaries, Int J Heat Mass Transfer 40(11) 2565-2578 (Jul 1997), 9A1346
Microscale heat transfer in biological systems at low temperatures, Exp Heat Transfer 10(1) 1-29 (Jan-Mar 1997), 10A1337
Second order nonlinear periodic convection and its stability analysis of thermohaline double-diffusive system, J Hydrodyn 9(1) 24-33 (1997), 10T1390
Double-diffusive convection in a rotating cylinder with heating from below, Int J Heat Mass Transfer 40(14) 3387-3394 (Sep 1997), 11A1390

414G. Chemical reaction

Integral method solution of time-dependent strained diffusion-reaction layers with multistep kinetics, SIAM J Appl Math 56(4) 1039-1059 (Aug 1996), 1A1303
Low dimensional modeling of flow reactors, Int J Heat Mass Transfer 39(16) 3311-3323 (Nov 1996), 1A1304
Mass transfer between a 2D wall jet with a heterogeneous chemical reaction of the first order and a wall: Analytical solution, Int J Heat Mass Transfer 39(15) 3287-3291 (Oct 1996), 1A1305
Algebraic decay and variable speeds in wavefront solutions of a scalar reaction-diffusion equation, IMA J Appl Math 56(3) 289-302 (Jun 1996), 2A1301
Properties of positive solutions for non-local reaction-diffusion problems, Math Methods Appl Sci 19(14) 1141-1156 (Sep 1996), 4A1281
Spiral waves on circular and spherical domains of excitable medium, Physica D 97(1-3) 322-332 (Oct 1996), 4A1282
Eliminating indeterminacy for localized solutions to reaction-diffusion equations in multidimensional domains, Appl Math Lett 9(6) 47-51 (Nov 1996), 5A1317
From quasi-2D to 3D Turing patterns in ramped systems, Physica D 98(1) 53-66 (Nov 1996), 5A1318
Geometric approach to fingering instabilities for reaction fronts in fully coupled geochemical systems, IMA J Appl Math 57(1) 29-40 (Aug 1996), 6A1316
Green element description of mass transfer in reacting systems, Numer Heat Transfer B 30(4) 483-498 (Dec 1996), 6A1317
Study of thermophoretic transport and flame hydrolysis deposition with application to the manufacture of optical waveguides, J Mat Processing Manuf Sci 4(4) 299-321 (Apr 1996), 6A1318
Advection of passive and reactive tracers in multidimensional Burgers' velocity field, Physica D 100(1-2) 119-141 (Jan 1997), 7A1150
Asymptotic analysis of bipropellant droplet burning for the reaction A + B → 2C, Int J Heat Mass Transfer 40(8) 1947-1950 (May 1997), 7A1380
Boundary-driven instability, Appl Math Lett 10(1) 1-4 (Jan 1997), 8A1390
Pattern selection in a general model of convection, diffusion, and catalytic reaction, Physica D 102(1-2) 125-146 (31r 1997), 8A1397
Blowup in reaction-diffusion systems with dissipation of mass, SIAM J Math Anal 28(2) 259-269 (Mar 1997), 8A1399
Extension of the stability index for traveling-wave solutions and its application to bifurcations, SIAM J Math Anal 28(2) 402-433 (Mar 1997), 8A1400
Traveling wave behavior of crystal dissolution in porous media flow, European J Appl Math 8(1) 49-72 (Feb 1997), 8A1401
Comparison of two numerical methods for oscillatory reaction-diffusion systems, Appl Math Lett 10(2) 1-5 (Mar 1997), 9A1349
Stability and Lyapunov functions for reaction-diffusion systems, SIAM J Math Anal 28(3) 595-610 (May 1997), 10A1391
Variational thermomechanical processes and chemical reactions in distributed systems, Int J Heat Mass Transfer 40(14) 3467-3485 (Sep 1997), 11A1258
Solution algorithm for low-Peclet-number reacting flow, Int J Numer Methods Fluids 25(2) 225-243 (Jul 1997), 12A1353

414H. Injection or suction

Simulation of bioventing for soil and ground-water remediation, J Env Eng 122(11) 1003-1012 (Nov 1996), 6T1319

414I. Porous media

Experimental study of simultaneous heat and moisture transfer around single short porous cylinders during convection drying by a psychrometry method, Int J Heat Mass Transfer 39(17) 3559-3565 (Nov 1996), 1A1306
Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part I: Model development, Int J Heat Mass Transfer 39(17) 3607-3618 (Nov 1996), 1A1388
Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part II: Numerical simulation of the transport of organic compounds in the subsurface, Int J Heat Mass Transfer 39(17) 3619-3632 (Nov 1996), 1A1389
Moisture transport in initially fully saturated concrete during drying, Transport Porous Media 24(1) 81-106 (Jul 1996), 1A1401
Application of simultaneous heat, mass, and pressure transfer equations to timber drying, Numer Heat Transfer A 30(3) 233-247 (Aug 1996), 2A1268
Influences of initial concentration and super-cooling degree on the permeability of a porous medium saturated with partially solidified aqueous solution, Int J Heat Mass Transfer 39(18) 3845-3853 (Dec 1996), 2A1302
Double-diffusive natural convection in an enclosure filled with fluid-saturated porous medium: A generalized non-Darcy approach, Numer Heat Transfer A 30(4) 413-426 (Sep 1996), 3A1291
Permeability evolution induced by the precipitation of an advected solute: Effect of the microscopic and the macroscopic scales competition on the clogging mechanism, Transport Porous Media 24(3) 341-375 (Sep 1996), 3A1345

Mathematical modeling of moisture desorption in a porous medium, Int J Energy Res **20**(10) 923-931 (Oct 1996), 4A1348
Effect of finite deformations on internal heat-mass transfer in elastomer ablating materials, Int J Heat Mass Transfer **40**(3) 699-709 (Feb 1997), 5A1284
Kinetic model for crystallization in porous media, Int J Heat Mass Transfer **40**(5) 1053-1059 (Mar 1997), 5A1402
Model for efficiency of soil flushing using PVD-enhanced system, J Geotech Eng **122**(11) 914-919 (Nov 1996), 6A639
Traveling wave behavior of crystal dissolution in porous media flow, European J Appl Math **8**(1) 49-72 (Feb 1997), 8A1401
Combined heat and mass transfer by natural convection in a saturated thermally stratified porous medium, Numer Heat Transfer A **31**(3) 255-272 (Feb 1997), 8A1451
Experiments on double-diffusion in a composite system comprised of a packed layer of spheres and an underlying fluid layer, Heat and Mass Transfer Warme **32**(3) 181-191 (Feb 1997), 8A1456
Combined heat and mass transfer by natural convection with opposing buoyancy effects in a fluid saturated porous medium, Int J Heat Mass Transfer **40**(12) 2755-2773 (Aug 1997), 9A1232
Modeling heat and moisture transfer in deformable porous building materials, Arch Civil Eng **42**(3) 325-349 (1996), 9A1347
Three dimensional simulation of unstable immiscible displacement in the porous medium, Appl Math Mech **18**(1) 81-89 (Jan 1997), 10A1174
Modeling of frost growth and densification, Int J Heat Mass Transfer **40**(13) 3177-3187 (Sep 1997), 10A1392
Convection in a porous medium induced by an inclined temperature gradient with mass flow, J Heat Transfer **119**(2) 366-370 (May 1997), 11T1263
Large time profiles in reactive solute transport, Transport Porous Media **27**(1) 57-84 (Apr 1997), 11A1391
Non-Darcian effects on double-diffusive convection within a porous medium, Numer Heat Transfer A **31**(8) 837-852 (Jun 1997), 12A1350

414Y. Computational techniques

Comparison of second order convection discretization schemes for incompressible fluid flow, Commun Numer Methods Eng **12**(7) 395-411 (Jul 1996), 1A989
Application of the Krylov subspace method to numerical heat transfer, Numer Heat Transfer A **30**(3) 249-270 (Aug 1996), 2A1195
Quadratic, streamline upwinding for FEM solutions to 2D convective transport problems, Comput Methods Appl Mech Eng **134**(1-2) 107-115 (Jul 1996), 2A1303
Stochastic simulation of coupled reaction-diffusion processes, J Comput Phys **127**(1) 196-207 (Aug 1996), 2A1304
Petrov-Galerkin formulation for advection-reaction-diffusion problems, Comput Methods Appl Mech Eng **136**(1-2) 27-46 (Sep 1996), 3A1292
Transport phenomena in fractal and heterogeneous media-input-output renormalization and exact results, Chaos Solitons Fractals **7**(9) 1371-1396 (Sep 1996), 4A1283
New boundary treatment for TLM diffusion models and its use with hexagonal meshes, Numer Heat Transfer B **30**(3) 371-386 (Oct-Nov 1996), 5A1247
Finite point method in computational mechanics: Applications to convective transport and fluid flow, Int J Numer Methods Eng **39**(22) 3839-3866 (Nov 1996), 5A1319
Higher-order exponential difference schemes for the computations of the steady convection-diffusion equation, J Comput Phys **129**(1) 134-159 (Nov 1996), 5A1320
Multidimensional upwind residual distribution schemes for the convection-diffusion equation, Int J Numer Methods Fluids **23**(9) 923-936 (Nov 1996), 5A1321
Note on the conditioning of upwind schemes on Shishkin meshes, IMA J Numer Anal **16**(4) 529-538 (Oct 1996), 5A1322
Overlapping control volume approach for convection-diffusion problems, Int J Numer Methods Fluids **23**(9) 865-882 (Nov 1996), 5A1323
Uniform convergence of discretization error for a singular perturbation problem, Numer Methods PDE **12**(6) 657-671 (Nov 1996), 5A1324
von Neumann stability conditions for the convection-diffusion equation, IMA J Numer Anal **16**(4) 583-598 (Oct 1996), 5A1325
Simulation of bioventing for soil and ground-water remediation, J Env Eng **122**(11) 1003-1012 (Nov 1996), 6T1319
Accelerated multigrid high accuracy solution of the convection-diffusion equation with high Reynolds number, Numer Methods PDE **13**(1) 77-92 (Jan 1997), 6A1320
Accurate finite difference scheme for solving convection-dominated diffusion equations, Int J Numer Methods Fluids **24**(2) 169-183 (Jan 1997), 7A46
Wave equation model for numerical solutions of advection-dominant heat transfer, J Hydrodyn **8**(3) 81-87 (1996), 7T1280
Analysis of a cell-vertex finite volume method for a parabolic convection-diffusion problem, Math Comput **66**(217) 105-124 (Jan 1997), 7A1381
Efficient generation of oriented meshes for solving convection-diffusion problems, Int J Numer Methods Eng **40**(3) 565-576 (Feb 1997), 7A1382
Finite difference schemes for 3D time-dependent convection-diffusion equation using full global discretization, J Comput Phys **130**(1) 109-122 (Jan 1997), 7T1383
How accurate is the streamline diffusion FEM, Math Comput **66**(217) 31-44 (Jan 1997), 7A1384
Isogroup classification and group-invariant solutions of the nonlinear diffusion-convection equation $T_t = (D_1(T)T_x)_x - D_2'(T)T_x$, Int J Eng Sci **35**(1) 1-14 (Jan 1997), 7A1385
p-Version least-squares FE formulation of a system of convection-reaction nonlinear equations: Fixed bed o-xylene oxidation, Comput Struct **62**(3) 539-554 (1997), 7A1386
Pointwise error estimates for a streamline diffusion scheme on a Shishkin mesh for a convection-diffusion problem, IMA J Numer Anal **17**(1) 29-59 (Jan 1997), 7A1387
Solving diffusion equations with rough coefficients in rough grids, J Comput Phys **129**(2) 383-405 (Dec 1996), 7T1388
Stability of 2D model problems for multiblock structured fluid-dynamics calculations, Comput Fluids **26**(1) 43-58 (Jan 1997), 7A1389
"No boundary condition" outflow boundary condition, Int J Numer Methods Fluids **24**(4) 393-411 (Feb 1997), 8A25
Estimation method for point sources of multidimensional diffusion equation, Appl Math Model **21**(2) 77-84 (Feb 1997), 8A1391
Wave equation model to solve the multidimensional transport equation, Int J Numer Methods Fluids **24**(5) 423-439 (Mar 1997), 8A1398
Convergence of a combined finite volume-FEM for nonlinear convection-diffusion problems, Numer Methods PDE **13**(2) 163-190 (Mar 1997), 8A1402
Stability analysis of an odd-even-line hopscotch method for 3D advection-diffusion problems, SIAM J Numer Anal **34**(1) 376-388 (Feb 1997), 8A1403
Solution of the advection-diffusion equation using a combination of discontinuous and mixed FEs, Int J Numer Methods Fluids **24**(6) 595-613 (Mar 1997), 9A28
Compact multigrid solver for convection-diffusion equations, J Comput Phys **132**(1) 123-129 (Mar 1997), 9A1348
Comparison of two numerical methods for oscillatory reaction-diffusion systems, Appl Math Lett **10**(2) 1-5 (Mar 1997), 9A1349
Towards a general numerical scheme for solidification systems, Int J Heat Mass Transfer **40**(12) 2859-2868 (Aug 1997), 9A1350
New method for obtaining velocity and diffusivity from time-dependent distributions of a tracer via the maximum likelihood estimator for the advection-diffusion equation, J Comput Phys **133**(2) 340-360 (May 1997), 10T1382
Wavenumber-extended high-order upwind-biased finite-difference schemes for convective scalar transport, J Comput Phys **133**(2) 235-255 (May 1997), 10A1383
Analysis of a bubble absorbent working with R22 and five organic absorbents, Heat and Mass Transfer Warme **32**(4) 255-259 (Apr 1997), 10A1393
Second-order space and time nodal method for the 1D convection-diffusion equation, Comput Fluids **26**(3) 233-247 (Mar 1997), 10A1394
Third-order numerical scheme with upwind weighting for solving the solute transport equation, Int J Numer Methods Eng **40**(9) 1623-1637 (May 1997), 10A1395
Numerical investigation of free convective flow in divergent channels, Comput Methods Appl Mech Eng **146**(1-2) 31-41 (Jul 1997), 11A1045
Space-time spectral element methods for unsteady convection-diffusion problems, Int J Numer Methods Heat & Fluid Flow **7**(2-3) 215-235 (1997), 11T1268
Preconditioned Krylov subspace methods for discrete convection-diffusion problems, Numer Methods PDE **13**(4) 321-330 (Jul 1997), 11A1392
Novel exponentially fitted triangular FEM for an advection-diffusion problem with boundary layers, J Comput Phys **134**(2) 253-260 (Jul 1997), 12A38
High-order upwind method for the convection-diffusion problem, Comput Methods Appl Mech Eng **147**(1-2) 105-115 (Jul 1997), 12A1351
Open boundaries in the FE approximation of 2D advection-diffusion flows, Int J Numer Methods Eng **40**(13) 2493-2516 (Jul 1997), 12A1352
Solution algorithm for low-Peclet-number reacting flow, Int J Numer Methods Fluids **25**(2) 225-243 (Jul 1997), 12A1353

414Z. Experimental techniques

Comparison of mass sensitivities of 10- and 15-MHz quartz crystal microbalances, J Thermophys Heat Transfer **10**(3) 532-534 (Jul-Sep 1996), 1T1307
Acoustic tomography for 3D temperature and CO_2-concentration measurements of an environmental field: CT algorithm for axisymmetric field and experimental verification, Heat Transfer Japan Res **24**(2) 179-192 (1995), 2A1199
Electrochemical mass transfer measurements in rough surface pipe flow: Geometrically similar V-shaped grooves, Int J Heat Mass Transfer **40**(12) 2785-2797 (Aug 1997), 9A1351
Numerical analysis of InP solution growth by traveling heater method: Transient response in the case of no heater movement, Int J Heat Mass Transfer **40**(13) 3237-3245 (Sep 1997), 10A1396
Experimental investigation of mass transfer in a grid-generated turbulent flow using combined optical methods, Int J Heat Mass Transfer **40**(14) 3255-3266 (Sep 1997), 11A1388

416. COMBUSTION

416B. Fundamentals

ASME Proceedings of 31st National Heat Transfer Conference, Volume 6 (ASME Press, New York, 1996) 2N41
Coalescence problems in the theory of expanding wrinkled premixed flames, Combust Sci Tech **112** 271-299 (Jan-Feb 1996), 4A1284
Fifteenth International Colloquium on the dynamics of explosions and reactive systems held at the University of Colorado, Boulder, Colorado, July 30 - August 4, 1995, Combust Sci Tech **113-114** 3-652 (Mar-Apr 1996), 4A1285
Bifurcations of traveling waves in the thermo-diffusive model for flame propagation, Arch Rational Mech Anal **134**(4) 341-402 (1996), 5A1326
Mathematical analysis of a condensed phase combustion model without ignition temperature, Nonlinear Anal **28**(1) 1-38 (Jan 1997), 5T1327
Combustion, Third Edition (Academic, San Diego, CA, 1996) 6N25
Combustion wave microstructure in heterogeneous gasless systems, Combust Sci Tech **115**(4-6) 335-353 (Jul 1996), 6A1321
Gravity induced separation in "liquid flames", Combust Sci Tech **115**(4-6) 229-258 (Jul 1996), 6A1322
Third international conference on combustion technologies for a clean environment, Combust Sci Tech **121**(1-6) 3-349 (Dec 1996), 10A1397
Propagation of premixed flames in closed tubes, J Fluid Mech **336** 331-350 (Apr 1997), 10A1406
Control of a fluidized bed combustor using fuzzy logic, J Eng Gas Turbines Power **118**(1) 204-209 (Jan 1996), 11A1393
Flash temperatures for bodies moving at equal high speeds in opposite directions, J Trib **118**(1) 255-257 (Jan 1996), 11T1394

416C. Ignition (thermal and heterogeneous)

Air blast and heat radiation from fuel-rich mixture detonations, Shock Waves **6**(1) 21-28 (Jun 1996), 1T267
Autoignition of methane mixtures: The effect of hydrogen peroxide, J Propulsion Power **12**(4) 699-707 (Jul-Aug 1996), 1A1308
Direct initiation of detonations in unconfined gasoline sprays, Shock Waves **6**(2) 67-71 (Jul 1996), 1T1309
Hot-spot ignition of condensed phase energetic materials, J Propulsion Power **12**(4) 680-690 (Jul-Aug 1996), 1A1310
Ignition of a granular propellant bed, Combust Flame **106**(3) 219-230 (Aug 1996), 1A1311
Ignition of propane-air mixture by radiatively heated small particles, J Thermophys Heat Transfer **10**(3) 539-542 (Jul-Sep 1996), 1T1312
Generalized intermediate approach to combustion chemistry: Application to methane ignition and flame propagation, Combust Sci Tech **110-111** 169-183 (Dec 1995), 2A1305
Ignition of a binary-fuel (solvent-solute) cluster of drops, Combust Sci Tech **110-111** 531-548 (Dec 1995), 2A1306
Self-sustained flaming combustion and ignition of single wood pieces in quiescent air, Combust Sci Tech **110-111** 53-65 (Dec 1995), 2A1307
Theory of structures of hydrogen-air diffusion flames, Combust Sci Tech **110-111** 277-301 (Dec 1995), 2A1308
Two-dimensional model for spark discharge simulation in air, AIAA J **34**(9) 1835-1842 (Sep 1996), 2A1309
Ignition in the supersonic hydrogen-air mixing layer with reduced reaction mechanisms, J Fluid Mech **322** 275-296 (Sep 1996), 3A1293
Ignition phenomenon of solid fuel in a confined rectangular enclosure, Int J Heat Mass Transfer **40**(1) 89-99 (Jan 1997), 3A1294
Ignition and volatile combustion of cellulosic dust particles, Combust Sci Tech **112** 187-198 (Jan-Feb 1996), 4A1286
Variational principle for reaction-radiation-conduction equilibria, Combust Sci Tech **112** 375-385 (Jan-Feb 1996), 4A1287
Distributed activation energy model of heterogeneous coal ignition, Combust Flame **107**(3) 291-298 (Nov 1996), 5A1328
New principle of ignition and flame stability for low-volatile pulverized coal with slitted bluff-body burner, Int J Energy Res **20**(11) 933-941 (Nov 1996), 5A1329
Ignition and flame propagation in methane-air multi-stratified vortical flow field, Combust Sci Tech **115**(4-6) 391-418 (Jul 1996), 6A1323
Numerical study of ignition in the supersonic hydrogen-air laminar mixing layer, Combust Flame **108**(1-2) 199-219 (Jan 1997), 6A1324
Studies on the ignition and burning of levitated aluminum particles, Combust Sci Tech **115**(4-6) 369-390 (Jul 1996), 6A1325
Droplet autoignition in a reactive oxidant-fuel-vapor-inert environment, J Propulsion Power **13**(1) 89-96 (Jan-Feb 1997), 7A1390
Flow field of a diffusion flame attached to a thick-walled injector between two coflowing reactant streams, J Fluid Mech **329** 389-411 (Dec 1996), 7A1391
Multidimensional modeling of fuel effects and split injections on diesel engine cold-starting, J Propulsion Power **13**(1) 123-130 (Jan-Feb 1997), 7A1392
Effect of diffusion on the autoignition of combustible fluids in insulation materials, IMA J Appl Math **57**(3) 257-271 (Dec 1996), 8A1404
Ignition and combustion of aluminum in oxygen-nitrogen mixture streams, Combust Flame **108**(4) 387-396 (Mar 1997), 8A1405
Ignition of counterflowing methane versus heated air under reduced and elevated pressures, Combust Flame **108**(4) 442-470 (Mar 1997), 8A1406
Combustion initiated by a porous ceramic regenerator in a reciprocating engine environment, J Propulsion Power **13**(2) 213-217 (Mar-Apr 1997), 9A1352
Droplet ignition in a high-temperature convective environment, Combust Flame **109**(1-2) 145-162 (Apr 1997), 9A1353
Ignition characteristics of a new high-energy density fuel in high-speed flows, J Propulsion Power **13**(2) 246-249 (Mar-Apr 1997), 9A1354
Numerical simulations of autoignition in turbulent mixing flows, Combust Flame **109**(1-2) 198-223 (Apr 1997), 9A1355
Shock tube study of the effect of nitrogen or hydrogen on ignition delays in mixtures of monomethylhydrazine + oxygen + argon, Combust Flame **109**(1-2) 37-42 (Apr 1997), 9A1356
Modeling and experiments of laser-induced ignition of nitramine propellants, J Propulsion Power **13**(3) 367-374 (May-Jun 1997), 10A1398
Transient effects in droplet ignition phenomenon, Combust Flame **109**(3) 303-313 (May 1997), 10A1399
Flash temperatures for bodies moving at equal high speeds in opposite directions, J Trib **118**(1) 255-257 (Jan 1996), 11T1394
Ignition and combustion of boron particles, Prog Energy Combust Sci **22**(6) 511-541 (1996), 11A1395
Ignition transient of solid propellant rocket motors, J Eng Appl Sci **44**(1) 95-107 (Feb 1997), 11A1396
Self-ignition of SI engine model fuels: A shock tube investigation at high pressure, Combust Flame **109**(4) 599-619 (Jun 1997), 11A1397
Dual-fuel combustion model for premixed natural gas with distillate ignition in a quiescent bomb, Numer Heat Transfer A **31**(7) 725-743 (May 1997), 11A1422
Experimental study of the ignition of single droplets under forced convection, Combust Flame **110**(3) 366-376 (Aug 1997), 12A1354
Ignition of methane flames in oxygen near inert surfaces: Effects of composition, pressure, preheat, and residence time, Combust Flame **110**(3) 377-391 (Aug 1997), 12A1355
Simplified theory of the ignition of single droplets under forced convection, Combust Flame **110**(3) 319-334 (Aug 1997), 12A1356

416D. Laminar flame propagation

Effect of momentum nonequilibrium on flame propagation and extinction in the presence of inert particles, Combust Flame **106**(3) 333-344 (Aug 1996), 1A1313

Effect of swirl on combustion in a short cylindrical chamber, Combust Flame **106**(3) 318-332 (Aug 1996), 1A1314

Preferential diffusion effects on the temperature in usual and inverse diffusion flames, Combust Flame **106**(3) 252-260 (Aug 1996), 1A1315

Generalized intermediate approach to combustion chemistry: Application to methane ignition and flame propagation, Combust Sci Tech **110-111** 169-183 (Dec 1995), 2A1305

Theory of structures of hydrogen-air diffusion flames, Combust Sci Tech **110-111** 277-301 (Dec 1995), 2A1308

Propagation of a reaction front through a porous fuel in the presence of an opposed forced flow: Application to mixtures characteristic of municipal waste, Combust Sci Tech **110-111** 123-146 (Dec 1995), 2A1310

Traveling-wave solutions to combustion models for a reversible reaction, SIAM J Math Anal **27**(5) 1270-1285 (Sep 1996), 2A1338

Analytic description of the evolution of 2D flame surfaces, Combust Flame **107**(1-2) 114-124 (Oct 1996), 3A1295

Downward buoyant filtration combustion, Combust Flame **107**(1-2) 151-175 (Oct 1996), 3A1296

Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, Combust Flame **107**(1-2) 45-52 (Oct 1996), 3A1297

Influence of strain rate and fuel dilution on laminar nonpremixed hydrogen-air flame structure: An experimental investigation, Combust Flame **107**(1-2) 125-140 (Oct 1996), 3A1298

Local extinction Karlovitz number for premixed flames, Combust Flame **106**(4) 515-520 (Sep 1996), 3A1299

Magnetic support of combustion in diffusion flames under microgravity, Combust Flame **107**(1-2) 187-192 (Oct 1996), 3A1300

Co-flow laminar diffusion flames of monodisperse sprays: Structure, evaporation, and microgravity effects, Combust Sci Tech **115**(1-3) 177-201 (Jun 1996), 4A1288

Experimental and numerical study on the laminar premixed flame stabilized inside a honeycomb ceramic, Combust Sci Tech **112** 75-93 (Jan-Feb 1996), 4A1289

Influence of fuel jet precession on the global properties and emissions of unconfined turbulent flames, Combust Sci Tech **112** 211-230 (Jan-Feb 1996), 4A1290

Effects of flame stretch on premixed flame propagation in a closed tube, Combust Flame **107**(3) 303-306 (Nov 1996), 5A1330

Structure of nonsooting counterflow ethylene and acetylene diffusion flames, Combust Flame **107**(4) 321-335 (Dec 1996), 5A1331

Structure of turbulent hydrogen jet diffusion flames with or without swirl, J Heat Transfer **118**(4) 877-884 (Nov 1996), 5A1332

Flame and flow characteristics of double concentric jets, Combust Flame **108**(1-2) 9-23 (Jan 1997), 6A1326

Soot volume fraction maps for normal and reduced gravity laminar acetylene jet diffusion flames, Combust Flame **108**(1-2) 227-230 (Jan 1997), 6A1327

Diffusional-thermal instability of diffusion flames, J Fluid Mech **327** 273-301 (Nov 1996), 6A1332

Analysis of wall heat fluxes, reaction mechanisms, and unburnt hydrocarbons during the head-on quenching of a laminar methane flame, Combust Flame **108**(3) 327-348 (Feb 1997), 7A1393

Numerical and asymptotic studies of the structure of stoichiometric and lean premixed heptane flames, Combust Flame **108**(4) 518-536 (Mar 1997), 8A1407

Flame stretch interactions of laminar premixed hydrogen-air flames at normal temperature and pressure, Combust Flame **109**(1-2) 1-24 (Apr 1997), 9A1357

Partially premixed laminar gas flames from triangular burners, J Propulsion Power **13**(2) 226-232 (Mar-Apr 1997), 9A1358

Properties of laminar premixed CO/H/Air flames at various pressures, J Propulsion Power **13**(2) 239-245 (Mar-Apr 1997), 9A1359

Burning velocities of rich H_2-O_2 flames under cryogenic conditions, Combust Flame **109**(3) 427-435 (May 1997), 10A1400

Combustion waves, J Austral Math Soc B **38**(4) 464-476 (Apr 1997), 10A1401

Finding the Markstein number using the measurements of expanding spherical laminar flames, Combust Flame **109**(3) 436-448 (May 1997), 10A1402

Dynamics of gaseous combustion in closed systems with an inert porous medium, Combust Flame **109**(4) 507-520 (Jun 1997), 11A1398

Numerical modeling of self-propagating polymerization fronts: The role of kinetics on front stability, Chaos **7**(2) 331-340 (Jun 1997), 11A1399

Structure and propagation of premixed flame in nozzle-generated counterflow, Combust Flame **109**(4) 620-638 (Jun 1997), 11A1400

Burning velocities of CO flames, Combust Flame **110**(3) 285-297 (Aug 1997), 12A1357

Dilute laminar spray diffusion flames near the transition from group combustion to individual droplet burning, Combust Flame **110**(3) 392-404 (Aug 1997), 12A1358

Evaluation of different contributions to flame stretch for stationary premixed flames, Combust Flame **110**(1-2) 54-66 (Jul 1997), 12A1359

Interaction between two premixed laminar v-shaped flame fronts at low Lewis number, Combust Flame **110**(1-2) 14-24 (Jul 1997), 12A1360

Prediction of laminar flame speeds for weak mixtures, J Eng Gas Turbines Power **119**(3) 566-572 (Jul 1997), 12A1361

Premixed flame response to unsteady strain rate and curvature, Combust Flame **110**(1-2) 92-112 (Jul 1997), 12A1362

Quasi-1D premixed flame model with cross-stream diffusion, Combust Flame **110**(3) 335-350 (Aug 1997), 12A1363

Response of spherical premixed flames under rotation, Combust Flame **110**(1-2) 78-91 (Jul 1997), 12A1364

416E. Turbulent flame propagation, flammability

Numerical simulation of premixed flame propagation in a closed tube, Fluid Dyn Res **18**(3) 165-182 (Aug 1996), 1A1316

Turbulence modulation in jet diffusion flames: Modeling and experiments, Combust Flame **106**(3) 301-317 (Aug 1996), 1A1317

Simulation of an H_2-O_2 flame by the least-squares FEM, Int J Numer Methods Fluids **23**(1) 65-74 (Jul 1996), 1A1341

Conditional statistics in a turbulent premixed flame derived from direct numerical simulations, Combust Sci Tech **110-111** 393-417 (Dec 1995), 2A1311

Experimental investigation of sulphur-nitrogen interactions in turbulent spray flames, Combust Sci Tech **110-111** 487-504 (Dec 1995), 2A1318

Numerical simulation and scaling of NO_x emissions from turbulent hydrogen jet flames with various amounts of helium dilution, Combust Sci Tech **110-111** 505-529 (Dec 1995), 2A1321

Unsteady counterflowing strained diffusion flames: Diffusion-limited frequency response, J Fluid Mech **318** 1-29 (Jul 1996), 2A1333

Observations of a large, burning jet in crossflow, Exp Fluids **21**(4) 264-267 (Aug 1996), 3A1123

Extinction of premixed flames in turbulent counterflowing streams with unequal enthalpies, Combust Flame **107**(1-2) 53-64 (Oct 1996), 3A1301

Flame-wall interaction simulation in a turbulent channel flow, Combust Flame **107**(1-2) 27-44 (Oct 1996), 3A1302

Heuristic model of turbulent mixing applied to blow-out of turbulent jet diffusion flames, Combust Flame **106**(4) 442-466 (Sep 1996), 3A1303

Stochastic description of premixed turbulent combustion in terms of a coarse-grained flame surface density, Combust Flame **106**(4) 369-376 (Sep 1996), 3A1304

Analysis of laminar acetylene-air diffusion flames using reduced reaction mechanisms and state relationships, Combust Sci Tech **112** 231-255 (Jan-Feb 1996), 4A1291

Evolution of a fast flame behind an induction zone, Shock Waves **6**(4) 225-231 (Oct 1996), 4A1292

Flame propagation along a vortex: The baroclinic push, Combust Sci Tech **112** 175-185 (Jan-Feb 1996), 4A1293

Detailed flame structure of highly stretched turbulent premixed methane-air flames, Combust Flame **107**(3) 223-244 (Nov 1996), 5A1333

Thermodynamics, Combustion, and Engines (Chapman and Hall, UK, 1995) 6R24

Influence of turbulence modeling on predictions of turbulent combustion, AIAA J **35**(1) 106-110 (Jan 1997), 6A1152

Ignition and flame propagation in methane-air multistratified vortical flow field, Combust Sci Tech **115**(4-6) 391-418 (Jul 1996), 6A1323

Application of scalar Monte Carlo probability density function method for turbulent spray flames, Numer Heat Transfer A **30**(8) 753-777 (Dec 1996), 6A1328

Influence of gradient transports upon the burning velocities of dust flames, Combust Sci Tech **115**(4-6) 355-367 (Jul 1996), 6A1329

Modeling maximum flame speeds, Nucl Eng Des **166**(3) 463-469 (Nov 1996), 6A1330

Turbulence measurements and observations of turbulent premixed flames at elevated pressures up to 3.0 MPa, Combust Flame **108**(1-2) 104-117 (Jan 1997), 6A1331

Experimental study of space and time-resolved structures of turbulent diffusion flame, JSME Int J Ser B **39**(4) 815-821 (Nov 1996), 7A1394

Structure of turbulent nonpremixed flames revealed by Raman-Rayleigh-LIF measurements, Prog Energy Combust Sci **22**(4) 307-362 (1996), 7A1395

Diffusion flame extinction and viscous hydrodynamics around rotating porous spheres with surface blowing, Combust Flame **108**(4) 419-441 (Mar 1997), 8A1408

Gradient and counter-gradient scalar transport in turbulent premixed flames, J Fluid Mech **332** 263-293 (Feb 1997), 8A1409

Coherent flame model of premixed turbulent combustion in a counterflow geometry, Combust Flame **109**(1-2) 43-64 (Apr 1997), 9A1360

Direct numerical solution of turbulent nonpremixed combustion with multistep hydrogen-oxygen kinetics, Combust Flame **109**(1-2) 113-144 (Apr 1997), 9A1361

Importance of turbulence intensity, eddy size and flame size in spark ignited, premixed flame growth, Proc Inst Mech Eng D **211**(D1) 83-86 (1997), 9A1362

Statistical model of turbulent premixed combustion with interacting flamelets, Combust Flame **109**(1-2) 173-187 (Apr 1997), 9A1363

Conditions for a split diffusion flame, Combust Flame **109**(3) 314-322 (May 1997), 10A1403

Laminar flamelet approach to subgrid-scale chemistry in turbulent flows, Combust Flame **109**(3) 332-341 (May 1997), 10A1404

Linear-eddy modeling of nonequilibrium turbulent reacting flows with nonpremixed reactants, Combust Flame **109**(3) 471-487 (May 1997), 10A1405

Propagation of premixed flames in closed tubes, J Fluid Mech **336** 331-350 (Apr 1997), 10A1406

Direct Numerical Simulation for Turbulent Reacting Flows (Editions Technip, Paris, 1996) 11N35

Effects of variable partial premixing on turbulent jet flame structure, Combust Flame **109**(4) 536-548 (Jun 1997), 11A1401

Extinction of turbulent diffusion flames by Kolmogorov microscale turbulence, Combust Flame **109**(4) 669-681 (Jun 1997), 11A1402

Flow behavior with an oscillating motion of the impinging jet in a dump diffuser combustor, J Eng Gas Turbines Power **118**(1) 65-71 (Jan 1996), 11A1403

Refractive indices at visible wavelengths of soot emitted from buoyant turbulent diffusion flames, J Heat Transfer **119**(2) 230-237 (May 1997), 11A1404

Scalar gradient and related quantities in turbulent premixed flames, Combust Flame **109**(4) 682-700 (Jun 1997), 11A1405

Development of fuel burn-up and wall heat transfer correlations for flows in radiant tubes, Numer Heat Transfer A **31**(6) 563-584 (May 1997), 11A1421

Combustion and Turbulence in Two-Phase Flows (VKI Fluid Dyn, Rhode-St-Genese, Belgium, 1996) 12N35

Advances in Combustion Science (AIAA, MD, 1996) 12N40

Modeling finite-rate chemistry effects in nonpremixed turbulent combustion: Test on the bluff-body stabilized flame, Combust Flame **110**(3) 298-318 (Aug 1997), 12A1365

Structure of the flow field of a nonpremixed gas jet flame in cross-flow, J Energy Resources Tech **119**(2) 137-144 (Jun 1997), 12A1366

416F. Flame stability and stabilization

Stationary circular target patterns in a surface burning reaction, J Eng Math **30**(4) 471-486 (Jul 1996), 1A1322

Fast-time stability of a simple deflagration, Combust Sci Tech **110-111** 379-391 (Dec 1995), 2A1312

Radiation-affected hydrodynamic instability of particle-laden flames, Combust Sci Tech **110-111** 341-359 (Dec 1995), 2A1313

Characteristics of NO_x emission of turbulent nonpremixed hydrogen-air flames stabilized by swirl-generated flow recirculation, Combust Sci Tech **110-111** 443-460 (Dec 1995), 2A1315

Effects of buoyancy on premixed flame stabilization, Combust Flame **107**(1-2) 13-26 (Oct 1996), 3A1305

Stabilization of premixed flames on rotating Bunsen burners, Combust Flame **106**(4) 467-477 (Sep 1996), 3A1306

Classification of absolute and convective instabilities in premixed bluff body stabilized flames, Combust Sci Tech **112** 257-269 (Jan-Feb 1996), 4A1294

Edge-flames and their stability, Combust Sci Tech **115**(1-3) 41-68 (Jun 1996), 4A1295

Reacting flow over a non-traditional flame stabilizer, Combust Sci Tech **112** 95-116 (Jan-Feb 1996), 4A1296

New principle of ignition and flame stability for low-volatile pulverized coal with slitted bluff-body burner, Int J Energy Res **20**(11) 933-941 (Nov 1996), 5A1329

Lift-off characteristics and flame base structure of coal seeded gas jet flames, Proc Inst Mech Eng A **210**(A5) 373-382 (1996), 5A1334

Numerical study on the instability of premixed plane flames in the 3D field, Int J Heat Fluid Flow **17**(6) 557-566 (Dec 1996), 5A1335

Diffusional-thermal instability of diffusion flames, J Fluid Mech **327** 273-301 (Nov 1996), 6A1332

Self-fragmentation of nonadiabatic cellular flames, Combust Flame **108**(1-2) 220-226 (Jan 1997), 6A1333

Structure and dynamics of kink and cellular flames stabilized on a rotating burner, Physica D **99**(2-3) 276-302 (Dec 1996), 7A1396

Lift-off stability of n-heptane jet diffusion flames in homogeneous environments of fuel and air, J Energy Resources Tech **119**(1) 45-48 (Mar 1997), 9A1364

Limit of equivalence ratio on mixing enhancement near the tube exit in a tone excited rich flame, Int J Energy Res **21**(4) 377-383 (Mar 1997), 9A1365

Stabilization of lifted tribrachial flames in a laminar nonpremixed jet, Combust Flame **109**(1-2) 163-172 (Apr 1997), 9A1366

Combustion oscillation control by cyclic fuel injection, J Eng Gas Turbines Power **119**(2) 340-343 (Apr 1997), 10A1407

Effect of flow boundary conditions on the stability of quarl-stabilized flames, Combust Sci Tech **123**(1-6) 185-205 (Feb 1997), 12A1367

Peclet correlation for stability of inverse diffusion flames in methane-air cross flows, Combust Flame **110**(3) 405-408 (Aug 1997), 12A1368

416G. Combustion products, exhaust emissions

Effects of cofiring natural gas and coal on sulfur retention in ash, Combust Flame **106**(3) 231-240 (Aug 1996), 1A1318

Effects of hydrodynamics on soot formation in laminar opposed-jet diffusion flames, J Propulsion Power **12**(4) 691-698 (Jul-Aug 1996), 1A1319

Formation of liquid melts of CaS and $CaSO_4$ and their importance in the absorption of SO_2 by CaO, Combust Flame **106**(3) 359-362 (Aug 1996), 1T1320

Modeling NO_x release from a single coal particle - II: Formation of NO from char-nitrogen, Combust Flame **106**(3) 207-218 (Aug 1996), 1A1321

Catalytic combustion for industrial gas turbines, Int J Energy Res **20**(8) 693-711 (Aug 1996), 2A1314

Characteristics of NO_x emission of turbulent nonpremixed hydrogen-air flames stabilized by swirl-generated flow recirculation, Combust Sci Tech **110-111** 443-460 (Dec 1995), 2A1315

Comparison of physico-chemical parameters of carbon black formation during hydrocarbons pyrolysis and furnace process, Combust Sci Tech **110-111** 551-554 (Dec 1995), 2A1316

Exhaust and in-situ measurements of nitric oxide for laminar partially premixed C_2H_4-air flames: Effect of premixing level at constant fuel flowrate, Combust Sci Tech **110-111** 361-378 (Dec 1995), 2A1317

Experimental investigation of sulphur-nitrogen interactions in turbulent spray flames, Combust Sci Tech **110-111** 487-504 (Dec 1995), 2A1318

Field study of submicron particles from the combustion of straw, Aerosol Sci Tech **25**(2) 185-199 (Aug 1996), 2A1319

Laser-induced fluorescence measurements of nitric oxide formation in high-pressure premixed methane flames, Combust Sci Tech **110-111** 229-247 (Dec 1995), 2A1320

Numerical simulation and scaling of NO_x emissions from turbulent hydrogen jet flames with various amounts of helium dilution, Combust Sci Tech **110-111** 505-529 (Dec 1995), 2A1321

Two-color pyrometry measurements of soot loading in a diesel engine burning model fuels of varying quality, Combust Sci Tech **110-111** 321-339 (Dec 1995), 2A1322

Ash fouling in coal-fired utility boilers: Monitoring and optimization of on-load cleaning, Prog Energy Combust Sci **22**(2) 189-200 (1996), 3A1307

Combustion technology for low-emissions gas-turbines: Selected phenomena beyond NO_x, J Energy Resources Tech **118**(3) 193-200 (Sep 1996), 3A1308

Combustion technology for low-emissions gas-turbines: Some recent modeling results, J Energy Resources Tech **118**(3) 201-208 (Sep 1996), 3A1309

Computations of enhanced soot production in time-varying CH_4/air diffusion flames, Combust Flame **106**(4) 392-405 (Sep 1996), 3A1310

Formation of polycyclic aromatic hydrocarbons (PAH) in methane combustion: Comparative new results from premixed flames, Combust Flame **107**(1-2) 141-150 (Oct 1996), 3A1311

Fuel-gas injection to reduce N_2O emissions from the combustion of coal in a fluidized bed, Combust Flame **107**(1-2) 103-113 (Oct 1996), 3A1312

Morphology of Macroscopic soot, Aerosol Sci Tech **25**(3) 328-337 (Oct 1996), 3A1313

Semiempirical predictions and correlations of CO emissions from utility combustion turbines, J Propulsion Power **12**(5) 926-932 (Sep-Oct 1996), 3A1314

Synthesis and restructuring of inorganic nano-particles in counterflow diffusion flames, Combust Flame **107**(1-2) 85-102 (Oct 1996), 3A1315
Influence of fuel jet precession on the global properties and emissions of unconfined turbulent flames, Combust Sci Tech **112** 211-230 (Jan-Feb 1996), 4A1290
Investigation on simulation models and reduction methods of unburned hydrocarbon emissions in spark ignition engines, Combust Sci Tech **115**(1-3) 105-123 (Jun 1996), 4A1297
Mechanistic studies on the combustion of isotopically labelled cyclohexanes within a single cylinder internal combustion engine, Combust Sci Tech **115**(1-3) 83-103 (Jun 1996), 4A1298
Nitrogen oxide-chlorine interactions in a laboratory swirl flame combustor, Combust Sci Tech **115**(1-3) 69-82 (Jun 1996), 4A1299
NO production and destruction in a methane-air diffusion flame, Combust Sci Tech **115**(1-3) 151-176 (Jun 1996), 4A1300
Physico-mathematical model of rocket exhaust plumes, Int J Heat Mass Transfer **40**(5) 1227-1241 (Mar 1997), 5A1259
Infrared measurements of soot formation in diesel sprays, Combust Flame **107**(3) 271-290 (Nov 1996), 5A1336
Modeling and measurements of soot and species in a laminar diffusion flame, Combust Flame **107**(4) 368-382 (Dec 1996), 5A1337
Nitrogen chemistry during burnout in fuel-staged combustion, Combust Flame **107**(3) 211-222 (Nov 1996), 5A1338
Nitrogen oxides emission from a circulating fluidized bed combustor, Int J Energy Res **20**(11) 1015-1025 (Nov 1996), 5A1339
Nitrous oxide emissions control by reburning, Combust Flame **107**(4) 453-463 (Dec 1996), 5A1340
Release of NO from the combustion of coal chars, Combust Flame **107**(4) 336-350 (Dec 1996), 5A1341
Thermodynamics, Combustion, and Engines (Chapman and Hall, UK, 1995) 6R24
Soot formation modeling for turbulent flames, Combust Flame **108**(1-2) 71-86 (Jan 1997), 6A1334
Clean combustion in power generation systems, Heat Tech **13**(2) 43-58 (1995), 7A1397
Residual velocities in combustion experiments on board of sounding rockets, Exp Fluids **22**(2) 103-110 (Dec 1996), 7A1426
Release of inorganic material during coal devolatilization, Combust Flame **108**(4) 494-502 (Mar 1997), 8A1410
Soot formation in laminar premixed ethylene-air flames at atmospheric pressure, Combust Flame **108**(4) 471-493 (Mar 1997), 8A1411
UV-VIS absorption as a diagnostic for NO in rocket plumes, Int J Turbo Jet Engines **13**(3) 211-215 (1996), 8A1412
Low temperature interactions between hydrocarbons and nitric oxide: An experimental study, Combust Flame **109**(1-2) 25-36 (Apr 1997), 9A1367
Performance of the automotive three-way catalytic converter, Arab J Sci Eng **22**(1B) 43-52 (Apr 1997), 9T1368
Soot zone structure and sooting limit in diffusion flames: Comparison of counterflow and co-flow flames, Combust Flame **109**(1-2) 266-281 (Apr 1997), 9A1369
Third international conference on combustion technologies for a clean environment, Combust Sci Tech **121**(1-6) 3-349 (Dec 1996), 10A1397
Simultaneous laser-induced emission of soot and polycyclic aromatic hydrocarbons within a gas-jet diffusion flame, Combust Flame **109**(3) 399-414 (May 1997), 10A1408
Refractive indices at visible wavelengths of soot emitted from buoyant turbulent diffusion flames, J Heat Transfer **119**(2) 230-237 (May 1997), 11A1404
NO_x emissions from a diesel engine fueled with natural gas, J Energy Resources Tech **117**(4) 290-296 (Dec 1995), 11A1406
Reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion, J Eng Gas Turbines Power **118**(1) 78-85 (Jan 1996), 11T1407
Residual reactivity of burned gases in the early expansion process of future gas turbines, J Eng Gas Turbines Power **118**(1) 54-60 (Jan 1996), 11T1408
Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, J Eng Gas Turbines Power **118**(1) 38-45 (Jan 1996), 11T1415
Catalytically supported combustion on a surface burner: Modeling and NO_x formation analysis, Combust Flame **110**(1-2) 140-151 (Jul 1997), 12A1369
Effect of air distribution on solid fuel bed combustion, J Energy Resources Tech **119**(2) 120-128 (Jun 1997), 12A1370
Emissions characteristics of liquid-fueled pilot stabilized lean premixed flames in a tubular premixer-combustor, J Eng Gas Turbines Power **119**(3) 585-590 (Jul 1997), 12A1371
Extension of the lean operating limit for natural gas fueling of a spark ignited engine using hydrogen blending, Combust Sci Tech **123**(1-6) 23-48 (Feb 1997), 12A1372
Investigation of soot precursor carbonization using laser-induced fluorescence and laser-induced incandescence, Combust Flame **110**(1-2) 281-284 (Jul 1997), 12A1373
NO_x and hydrocarbon emissions from a diesel engine fueled on digester gas, Combust Sci Tech **123**(1-6) 63-82 (Feb 1997), 12A1374
Radical species profiles in low-pressure methane flames containing fuel nitrogen compounds, Combust Flame **110**(1-2) 1-13 (Jul 1997), 12A1375
Soot oxidation and agglomeration modeling in a microgravity diffusion flame, Combust Flame **110**(1-2) 127-139 (Jul 1997), 12A1376
Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, J Eng Gas Turbines Power **119**(3) 683-691 (Jul 1997), 12A1411
Relating burning rate and NO formation to pressure development in two-stroke diesel engines, J Energy Resources Tech **119**(2) 129-136 (Jun 1997), 12A1412

416H. Interaction of flames and surfaces

Stationary circular target patterns in a surface burning reaction, J Eng Math **30**(4) 471-486 (Jul 1996), 1A1322
Ratio CO/CO_2 of oxidation on a burning carbon surface, Combust Flame **107**(3) 197-210 (Nov 1996), 5A1342
Combustion of ethane with small concentrations of methyl chloride in a refractory tube burner, Combust Sci Tech **115**(4-6) 207-227 (Jul 1996), 6A1335
Wall effects on the propagation and extinction of steady, strained, laminar premixed flames, Combust Flame **109**(1-2) 237-252 (Apr 1997), 9A1370
Heat transfer characteristics of a radial jet reattachment flame, J Heat Transfer **119**(2) 258-264 (May 1997), 11A1247
Effect of microstructural transformation on the evolution of thermal conductivity of highly porous chars during oxidation, Combust Flame **109**(4) 521-535 (Jun 1997), 11A1409

416I. Kinetics and mechanisms

Measurement of $O(^1D)$ formation during thermal decomposition of CO_2 behind shock waves, Shock Waves **6**(2) 79-83 (Jul 1996), 1T271
Kinetics of adsorption of mercuric chloride vapors on sulfur impregnated activated carbon, Combust Sci Tech **112** 163-174 (Jan-Feb 1996), 4A1301
Chemical kinetic simulation of hydrocarbon oxidation through the exhaust port of a spark ignition engine, Combust Flame **107**(4) 383-400 (Dec 1996), 5A1343
Influence of CF_3I, CF_3Br, and CF_3H on the high-temperature combustion of methane, Combust Flame **107**(4) 351-367 (Dec 1996), 5A1344
Kinetic studies of fluorine atom abstraction by ground state atomic cesium, $Cs(6^2S_{1/2})$, using time-resolved laser-induced fluorescence [$Cs(7^2P_{3/2} - 6^2S_{1/2})$, λ = 455.5 nm] following pulsed irradiation, Combust Flame **107**(3) 299-302 (Nov 1996), 5A1345
Calculations of the effect of nitrogen vibrational kinetics on laminar flame temperature profiles, Combust Flame **108**(1-2) 127-138 (Jan 1997), 6A1336
Kinetic and thermodynamic sensitivity analysis of the NO-sensitized oxidation of methane, Combust Sci Tech **115**(4-6) 259-296 (Jul 1996), 6A1337
Flow field of a diffusion flame attached to a thick-walled injector between two coflowing reactant streams, J Fluid Mech **329** 389-411 (Dec 1996), 7A1391
Local reaction rate in round-jet diffusion flames, JSME Int J Ser B **39**(4) 830-835 (Nov 1996), 7T1398
Methylamine oxidation in a flow reactor: Mechanism and modeling, Combust Flame **108**(3) 235-265 (Feb 1997), 7A1399
Kinetics of thermal decomposition of styrene-butadiene rubber at low heating rates in nitrogen and oxygen, Combust Flame **108**(4) 408-418 (Mar 1997), 8A1413
Combustion System Design: A New Approach (PennWell, Tulsa OK, 1996) 9R26
High pressure studies of moist carbon monoxide-nitrous oxide kinetics, Combust Flame **109**(3) 449-470 (May 1997), 10A1409
Inhibiting effect of CF_3I on the reaction between CH_4 and O_2 in a jet-stirred reactor, Combust Flame **109**(3) 285-292 (May 1997), 10A1410
Kinetics and mechanisms of flash pyrolysis of poly(methyl methacrylate) (PMMA), Combust Flame **109**(3) 415-426 (May 1997), 10A1411
Kinetics and products from flash pyrolysis of cellulose acetate butyrate at 460°C - 600°C, Combust Flame **109**(3) 370-381 (May 1997), 10A1412
Nonlinear stability and detonability limit of a detonation wave for a model three-step chain-branching reaction, J Fluid Mech **339** 89-119 (May 1997), 11A1068
Development of a numerical sizing tool for a solid-gas thermochemical transformer - I: Impact of the microscopic process on the dynamic behavior of a solid-gas reactor, Appl Thermal Eng **17**(6) 501-518 (Jun 1997), 11A1410
Development of a numerical sizing tool applied to a solid-gas thermochemical transformer - II: Influence of external couplings on the dynamic behavior of a solid-gas thermochemical transformer, Appl Thermal Eng **17**(6) 519-536 (Jun 1997), 11A1411
Detailed kinetic modeling study of aromatics formation in laminar premixed acetylene and ethylene flames, Combust Flame **110**(1-2) 173-221 (Jul 1997), 12A1377
Modeling of the reburning process, Combust Sci Tech **123**(1-6) 83-105 (Feb 1997), 12A1378
Reduction of the nitrogen oxides NO and N_2O to molecular nitrogen in the presence of iron, its oxides, and carbon monoxide in a hot fluidized bed, Combust Flame **110**(3) 351-365 (Aug 1997), 12A1379

416J. Unsteady combustion and combustion acoustics

Response of a laminar premixed flame to flow oscillations: A kinematic model and thermoacoustic instability results, Combust Flame **106**(4) 487-510 (Sep 1996), 3A1316
Acoustic instability of a premixed flame propagating in a tube, Combust Flame **107**(3) 245-259 (Nov 1996), 5A1346
Excitability in high-Lewis number premixed gas combustion, Combust Flame **109**(3) 382-398 (May 1997), 10A1413
Effects of acoustics on an ethanol spray flame in a propane-fired pulse combustor, Combust Flame **110**(1-2) 25-38 (Jul 1997), 12A1380
Experimental investigation of the developing process of an unsteady diffusion flame, Combust Flame **110**(1-2) 67-77 (Jul 1997), 12A1381
NO_x measurements for combustor with acoustically controlled primary zone, J Eng Gas Turbines Power **119**(3) 559-565 (Jul 1997), 12A1382

416K. Supersonic combustion

Measured supersonic flame properties: Heat-release patterns, pressure losses, thermal choking limits, J Propulsion Power **12**(4) 718-723 (Jul-Aug 1996), 1A1323
Transverse and parallel injection of hydrogen with supersonic combustion in a shock tunnel, Shock Waves **6**(1) 53-59 (Jun 1996), 1A1324
Measured lengths of supersonic hydrogen-air jet flames - Compared to subsonic flame lengths - and analysis, Combust Flame **107**(1-2) 176-186 (Oct 1996), 3A1317
Evolution of a fast flame behind an induction zone, Shock Waves **6**(4) 225-231 (Oct 1996), 4A1292
Experimental investigation of thermal mixing and combustion in supersonic flows, Combust Flame **107**(4) 464-474 (Dec 1996), 5A1347
Experimental studies on piloted supersonic combustion using the petal nozzle, J Propulsion Power **13**(1) 142-149 (Jan-Feb 1997), 7A1400
IUTAM Symposium on Combustion in Supersonic Flows (Kluwer, Netherlands, 1996) 9N28
Counterflow diffusion flame of methane and methane-hydrogen mixed fuel in supersonic flow, J Propulsion Power **13**(2) 233-238 (Mar-Apr 1997), 9A1371
Fuel stagnation temperature effects on mixing with supersonic combustion flows, J Propulsion Power **13**(2) 274-280 (Mar-Apr 1997), 9A1372
Crossflow vortices of a jet injected into a supersonic crossflow, AIAA J **35**(5) 915-917 (May 1997), 10T1159
Analysis of intermittency and probe data in a supersonic flow with injection, Exp Fluids **23**(1) 38-47 (May 1997), 11A975

416L. Heterogeneous and multiphase combustion

Atmospheric bubble fluidized bed combustion: Application to high ash coals and approach to scientific research, J Brazilian Soc Mech Sci **18**(2) 127-142 (Jun 1996), 1A1325
Catalytic combustion of propane and natural gas over silica-fiber supported catalysts, Combust Sci Tech **110-111** 303-320 (Dec 1995), 2A1323
Combustion study of metal powders in contact with sodium nitrate, Combust Sci Tech **110-111** 185-195 (Dec 1995), 2A1324
Influence of reactive particles on the formation of a 1D detonation wave, Combust Sci Tech **110-111** 419-441 (Dec 1995), 2A1325
Analysis of a bilayered porous radiant burner, Numer Heat Transfer A **30**(3) 219-232 (Aug 1996), 2A1360
Diffusion controlled smoulder propagation in a thin slab, J Eng Math **30**(5) 527-545 (Sep 1996), 3A1356
Effects of injection timing on performance and droplet characteristics of a sixteen-valve four cylinder engine, Exp Fluids **22**(4) 336-344 (Feb 1997), 8A1429
Advances in Combustion Science (AIAA, MD, 1996) 12N40
Dusty detonation simulations with adaptive unstructured FEs, AIAA J **35**(6) 1018-1024 (Jun 1997), 12A1383

416M. Flame radiation

Simultaneous drying and pyrolysis of solid fuel particles, Combust Flame **106**(3) 288-300 (Aug 1996), 1A1326
Study of radiative effects on laminar counterflow H_2-O_2-N_2 diffusion flames, Combust Flame **106**(3) 271-287 (Aug 1996), 1A1327
Radiative efficiency of a quartz radiant heating tube, Combust Sci Tech **112** 369-373 (Jan-Feb 1996), 4A1302
Proceedings of the ASME Heat Transfer Division, Volume 4 (ASME, New York, 1996) 5N27
Radiative emission fraction of pool fires burning silicone fluids, Combust Flame **108**(1-2) 118-126 (Jan 1997), 6A1338
Incorporation of an efficient turbulent radiation algorithm into a discrete transfer program, Heat Tech **13**(2) 155-168 (1995), 7A1401
Light scattering from soot aggregates with radially inhomogeneous primary particles, Heat Tech **13**(2) 27-42 (1995), 7A1402
Oxygen-enhanced and natural gas flame radiation, Int J Heat Mass Transfer **40**(11) 2539-2547 (Jul 1997), 9A1373
Radiation extinction limit of counterflow premixed lean methane-air flames, Combust Flame **109**(4) 639-646 (Jun 1997), 11A1412
Effects of gas-band radiation on soot kinetics in laminar methane-air diffusion flames, Combust Flame **110**(1-2) 256-263 (Jul 1997), 12A1384

416N. Furnaces

Assessment of nitrocarburizing processing in fluidized bed furnace, Mat Manuf Processes **11**(5) 803-819 (1996), 4T1303
Superheater minimum stress unit start-up option of coal-fired power plants, Comput Struct **62**(5) 865-875 (Mar 1997), 7A1403
Analysis of influence of top-gas recirculation on the energy characteristics of the blast-furnace process, Bull Polish Acad Sci Tech Sci **44**(4) 367-379 (1996), 9T1374
Split stream boilers for high-temperature and high-pressure topping steam turbine combined cycles, J Eng Gas Turbines Power **119**(2) 385-394 (Apr 1997), 10A1357
Low NO_x premixed combustion of MBtu fuels in a research burner, J Eng Gas Turbines Power **119**(3) 553-558 (Jul 1997), 12A1385

416O. Combustors and afterburners

Comparative evaluation of municipal solid waste incinerator designs by flow simulation, Combust Flame **106**(3) 241-251 (Aug 1996), 1A1328
Modeling of chemical reactions in afterburning for the reduction of N_2O, Combust Flame **106**(3) 345-358 (Aug 1996), 1A1329
Suspension-to-wall heat transfer in a 12-MW_e circulating fluidized-bed combustor, Int J Energy Res **20**(7) 569-579 (Jul 1996), 1A1330
Computation of isothermal and reacting flows in turbojet afterburners, Int J Numer Methods Heat & Fluid Flow **6**(3) 19-34 (May 1996), 1A1337
Behavior of heavy particles in an acoustically forced confined shear flow, AIAA J **34**(11) 2429-2431 (Nov 1996), 5T1348
Effect of flame support layer geometry and materials on the radiant efficiency of gas radiant burners, Exp Heat Transfer **9**(3) 247-255 (Jul-Sep 1996), 5A1349
Lean blowout in a research combustor at simulated low pressures, J Eng Gas Turbines Power **118**(4) 773-781 (Oct 1996), 5A1350
Phase-averaged temperature characterization in swirl burners, Proc Inst Mech Eng A **210**(A5) 383-395 (1996), 5A1351
Radiant efficiencies and performance considerations of commercially manufactured gas radiant burners, Exp Heat Transfer **9**(3) 213-245 (Jul-Sep 1996), 5A1352

Inhibitor influence on the bistability of a CSTR, Combust Flame **108**(1-2) 61-70 (Jan 1997), 6A1339

Interaction of liquid reacting droplets with the pulsating flow in a Rijke-tube combustor, Combust Flame **108**(1-2) 87-103 (Jan 1997), 6A1340

Modeling influences of inlet swirl profiles on dump combustor flows, AIAA J **34**(12) 2630-2632 (Dec 1996), 6T1341

Evaluation of multi-dimensional flux models for radiative transfer in combustors, Heat Tech **13**(2) 73-89 (1995), 7A1404

Influence of scattering of thermal radiation by suspended particles on the rate of heat transfer in the freeboard of a 1 MW, fluidized bed combustor, Heat Tech **13**(2) 91-103 (1995), 7A1405

LDV measurements of the flow inside the combustion chamber of a 4-valve DI diesel engine with axisymmetric piston-bowls, Exp Fluids **22**(2) 118-128 (Dec 1996), 7A1406

Mean and turbulent flowfields in a model RQL gas-turbine combustor, Exp Fluids **22**(2) 153-164 (Dec 1996), 7A1407

Prediction of soot emissions in gas-turbine combustors, J Propulsion Power **13**(1) 117-122 (Jan-Feb 1997), 7A1408

Pulse combustion: A new technique for improving the efficiency of industrial thermal processes, Heat Tech **12**(1-2) 101-116 (1994), 7A1409

Radiative heating in scramjet combustors, J Thermophys Heat Transfer **11**(1) 59-64 (Jan-Mar 1997), 7A1410

Computation of turbulent reacting flow in a jet assisted ram combustor, Comput Fluids **26**(2) 117-133 (Feb 1997), 8A1200

Coal-fueled combustion turbine cogeneration system with topping combustion, J Eng Gas Turbines Power **119**(1) 84-92 (Jan 1997), 8A1414

Combustor stability and emissions research using a well-stirred reactor, J Eng Gas Turbines Power **119**(1) 70-75 (Jan 1997), 8A1415

Computational study of pressure effects on pollutant generation in gas turbine combustors, J Eng Gas Turbines Power **119**(1) 76-83 (Jan 1997), 8A1416

Dry ultralow NO_x "Green Thumb" combustor for Allison's 501-K series industrial engines, J Eng Gas Turbines Power **119**(1) 93-101 (Jan 1997), 8A1417

Dual-use conversion of a high-Mach-number jet engine test cell for industrial gas turbine low-emission combustor development, J Eng Gas Turbines Power **119**(1) 58-65 (Jan 1997), 8A1418

Effects of cycle operating condition on combustor performance, J Eng Gas Turbines Power **119**(1) 45-49 (Jan 1997), 8A1419

Lean blowout research in a generic gas turbine combustor with high optical access, J Eng Gas Turbines Power **119**(1) 108-118 (Jan 1997), 8A1420

On-engine evaluation of emissions characteristics of a variable geometry lean-premixed combustor, J Eng Gas Turbines Power **119**(1) 66-69 (Jan 1997), 8A1421

Variables affecting NO_x formation in lean-premixed combustion, J Eng Gas Turbines Power **119**(1) 102-107 (Jan 1997), 8A1422

Analysis of supersonic combustors with swept ramp injectors, J Propulsion Power **13**(2) 327-328 (Mar-Apr 1997), 9A1375

Analytical approach to understanding the "pressure gain" combustor, J Energy Resources Tech **119**(1) 49-54 (Mar 1997), 9A1376

Measurement and spectral analysis of pressure-time variation in a valveless pulsed combustor, Mech Syst Signal Processing **11**(2) 307-322 (Mar 1997), 9A1377

Normal, sonic helium injection through a wedge-shaped orifice into supersonic flow, J Propulsion Power **13**(2) 257-263 (Mar-Apr 1997), 9A1378

Split stream boilers for high-temperature and high-pressure topping steam turbine combined cycles, J Eng Gas Turbines Power **119**(2) 385-394 (Apr 1997), 10A1357

Fiber-optic probe for laser-induced fluorescence measurements of the fuel-air distribution in gas-turbine combustors, J Propulsion Power **13**(3) 384-387 (May-Jun 1997), 10A1414

Optical and pressure measurements in shock tunnel testing of a model scramjet combustor, J Propulsion Power **13**(3) 388-394 (May-Jun 1997), 10A1435

Catalytic combustor for high-temperature gas turbines, J Eng Gas Turbines Power **118**(1) 61-64 (Jan 1996), 11T1413

Development of a low-emission combustor for a 100-kW automotive ceramic gas turbine: II, J Eng Gas Turbines Power **118**(1) 167-172 (Jan 1996), 11T1414

Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, J Eng Gas Turbines Power **118**(1) 38-45 (Jan 1996), 11T1415

Studies of lean blowout in a step swirl combustor, J Eng Gas Turbines Power **118**(1) 72-77 (Jan 1996), 11A1416

Petroleum coke and coal start-up testing in bubbling fluidized bed combustors, J Energy Resources Tech **119**(2) 96-102 (Jun 1997), 12A1386

Structural design and high-pressure test of a ceramic combustor for 1500°C class industrial gas turbine, J Eng Gas Turbines Power **119**(3) 506-511 (Jul 1997), 12T1387

416P. Solid fuels

Burn time measurements of single aluminum particles in steam and CO_2 mixtures, J Propulsion Power **12**(4) 662-671 (Jul-Aug 1996), 1A1331

Combustion regimes and temperature of coal char particles in a fluidized bed, Thermophys and Aeromech **2**(4) 329-340 (1995), 1T1332

Rate of temperature rise of a subbituminous coal during spontaneous combustion in an adiabatic device: The effect of moisture content and drying methods, Combust Flame **106**(3) 261-270 (Aug 1996), 1A1333

Shock initiation of crystalline boron in oxygen and fluorine compounds, J Propulsion Power **12**(4) 672-679 (Jul-Aug 1996), 1A1334

Geometry independent technique for solid propellant grain design, Proc Inst Mech Eng J Aerospace Eng **210**(G3) 209-220 (1996), 2A1326

Combustion of liquid oxygen with hydrogen under high-pressure conditions, J Propulsion Power **12**(5) 1001-1004 (Sep-Oct 1996), 3A1318

Simulation and moderation of the thermal response of confined pressed explosive compositions, Combust Flame **106**(4) 428-441 (Sep 1996), 3A1319

Theoretical and experimental study of composite solid propellant combustion, Combust Sci Tech **115**(1-3) 1-39 (Jun 1996), 4A1312

Linear acoustic analysis of solid propellant pressure-coupled distributed combustion, J Propulsion Power **12**(6) 1179-1181 (Nov-Dec 1996), 5A1353

Effects of surface voids on burning rate measurements of pulverized coal at diffusion-limited conditions, Combust Flame **108**(1-2) 187-198 (Jan 1997), 6A1342

Kinetic study of pulverized coal combustion at high pressure using a shock tube, Combust Flame **108**(1-2) 1-8 (Jan 1997), 6A1343

Statistical pyrometric sizing of particles in fluidized bed combustion, Combust Flame **108**(3) 315-326 (Feb 1997), 7A1411

Temperatures in a fuel particle burning in a fluidized bed: The effect of drying, devolatilization, and char combustion, Combust Flame **108**(3) 302-314 (Feb 1997), 7A1412

Diffusion flame adjacent to a rotating solid fuel disk in zero gravity, AIAA J **35**(4) 742-744 (Apr 1997), 9T1379

Effect of catalyst mixing procedure on subatmospheric combustion characteristics of composite propellants, J Propulsion Power **13**(2) 207-212 (Mar-Apr 1997), 9A1380

Universal behavior in erosive burning of solid propellants, Combust Flame **109**(1-2) 224-236 (Apr 1997), 9A1381

Numerical study of a problem in the combustion of a porous medium, J Austral Math Soc B **38**(4) 506-517 (Apr 1997), 10A1415

UV-visible absorption spectroscopy of dark zones in solid-propellant flames, Combust Flame **109**(3) 342-352 (May 1997), 10A1416

Stability testing of full-scale tactical motors, J Propulsion Power **13**(3) 349-355 (May-Jun 1997), 10A1432

Relationship between the kinetic parameters of char combustion and the coal's properties, Combust Flame **109**(4) 587-598 (Jun 1997), 11A1417

Evaluation of the combustion efficiency and emission of pollutants by coal particles in a vortexing fluidized bed, Combust Flame **110**(1-2) 163-172 (Jul 1997), 12A1388

416Q. Liquid fuels

Injection of supercritical ethylene in nitrogen, J Propulsion Power **12**(4) 770-777 (Jul-Aug 1996), 1A1335

Viscosity of aircraft fuel components: Unsaturated hydrocarbon (1-Olefins), Russian Aeronaut **38**(4) 87-88 (1995), 1A1336

Analysis of agglomerate size from burning aluminized AP-RDX-HTPB propellants in quench bomb, J Propulsion Power **12**(5) 995-998 (Sep-Oct 1996), 3A1320

Combustion of hydrocarbon fuels within porous inert media, Prog Energy Combust Sci **22**(2) 121-145 (1996), 3A1321

Condensed-phase kinetics of cyclotrimethylenetrinitramine by modeling the T-jump-infrared spectroscopy experiments, J Propulsion Power **12**(5) 933-939 (Sep-Oct 1996), 3A1322

Energetic fuels for combustion applications, J Energy Resources Tech **118**(3) 180-186 (Sep 1996), 3A1323

Combustion of liquid fuels in a porous radiant burner, Combust Sci Tech **112** 141-161 (Jan-Feb 1996), 4A1304

Low pressure flat flame studies of C_2F_4-O_2, Combust Flame **107**(4) 475-478 (Dec 1996), 5A1354

Pyrolysis of para-toluene isocyanate, Combust Flame **107**(3) 260-270 (Nov 1996), 5A1355

Droplet breakup phenomena in flows with velocity lag, Prog Energy Combust Sci **22**(3) 201-265 (1996), 6A1344

Hydrocarbon fuel cooling technologies for advanced propulsion, J Eng Gas Turbines Power **119**(2) 344-351 (Apr 1997), 10A1277

Liquid flame combustion II: Some physical and chemical characteristics of the burning process, Combust Flame **110**(1-2) 113-126 (Jul 1997), 12A1389

416R. Oxidation and oxidizers

Interactions of CO, NO_x, and H_2O under post-flame conditions, Combust Sci Tech **110-111** 461-485 (Dec 1995), 2A1327

Oxidation of allene in a low-pressure H_2-O_2-Ar-C_3H_4 flame, Combust Sci Tech **110-111** 249-276 (Dec 1995), 2A1328

Shock-tube and modeling study of acetylene pyrolysis and oxidation, Combust Flame **107**(4) 401-417 (Dec 1996), 5A1356

Kinetic and thermodynamic sensitivity analysis of the NO-sensitized oxidation of methane, Combust Sci Tech **115**(4-6) 259-296 (Jul 1996), 6A1337

Analysis of fuel decay routes in the high-temperature oxidation of 1-methylnaphthalene, Combust Flame **108**(1-2) 139-157 (Jan 1997), 6A1345

Wide-ranging modeling study of iso-octane oxidation, Combust Flame **108**(1-2) 24-42 (Jan 1997), 6A1346

Pyrolysis studies of methylcyclohexane and oxidation studies of methylcyclohexane and methylcyclohexane-toluene blends, Combust Flame **108**(3) 266-286 (Feb 1997), 7A1413

Thermal oxidation of chloroform, Combust Flame **109**(1-2) 188-197 (Apr 1997), 9A1382

Oxidation rates of coals as measured from 1D spontaneous heating, Combust Flame **109**(4) 578-586 (Jun 1997), 11A1418

Low-temperature oxidation of MTBE in a high-pressure jet-stirred flow reactor, Combust Sci Tech **123**(1-6) 49-61 (Feb 1997), 12A1390

Mild and vigorous oxidation of mixtures of chlorinated hydrocarbons in droplet burning, Combust Flame **110**(1-2) 222-238 (Jul 1997), 12A1391

Semi-empirical reaction mechanism for n-heptane oxidation and pyrolysis, Combust Sci Tech **123**(1-6) 107-146 (Feb 1997), 12A1392

416S. Flame and fire (spread and extinction)

Numerical simulation of premixed flame propagation in a closed tube, Fluid Dyn Res **18**(3) 165-182 (Aug 1996), 1A1316

Concurrent horizontal flame spread: The combined effect of oxidizer flow velocity, turbulence, and oxygen concentration, Combust Sci Tech **110-111** 19-51 (Dec 1995), 2A1329

Flow of smoke and hot gases across horizontal vents in room fires, Combust Sci Tech **110-111** 197-208 (Dec 1995), 2A1330

Review of empirical flame impingement on heat transfer correlations, Int J Heat Fluid Flow **17**(4) 386-396 (Aug 1996), 2A1331

Role of the surface-tension-driven flows in the uniform, near-flash flame spread over liquids, Combust Sci Tech **110-111** 555-561 (Dec 1995), 2A1332

Unsteady counterflowing strained diffusion flames: Diffusion-limited frequency response, J Fluid Mech **318** 1-29 (Jul 1996), 2A1333

Effects of ignition and wind on the transition to flame spread in a microgravity environment, Combust Flame **106**(4) 377-391 (Sep 1996), 3A1324

Characteristic residence times of laminar nonpremixed flames at extinction, Combust Sci Tech **112** 199-210 (Jan-Feb 1996), 4A1305

Theoretical simulation of fire extinction by water spray in a computer cabinet, Appl Math Model **20**(11) 804-813 (Nov 1996), 6A1347

Local reaction rate in round-jet diffusion flames, JSME Int J Ser B **39**(4) 830-835 (Nov 1996), 7T1398

Effects of pressure, initial temperature, and propellant ingredients on flame-spreading into a hole, Combust Flame **108**(4) 397-407 (Mar 1997), 8A1423

Differential mass and energy balances in the flame zone from a practical fuel injector in a technology combustor, J Eng Gas Turbines Power **119**(2) 352-361 (Apr 1997), 10A1417

Heat transfer in hot-zone-forming pool fires, Combust Flame **109**(3) 353-369 (May 1997), 10A1418

Spreading of unsteady cylindrical diffusion flames, Combust Flame **110**(1-2) 152-162 (Jul 1997), 12A1393

416T. Combustion, flame, and fire modeling

Stationary circular target patterns in a surface burning reaction, J Eng Math **30**(4) 471-486 (Jul 1996), 1A1322

Computation of isothermal and reacting flows in turbojet afterburners, Int J Numer Methods Heat & Fluid Flow **6**(3) 19-34 (May 1996), 1A1337

Pressure-gain combustion - Part I: Model development, J Eng Gas Turbines Power **118**(3) 461-468 (Jul 1996), 1A1338

Pressure-gain combustion - Part II: Experimental and model results, J Eng Gas Turbines Power **118**(3) 469-473 (Jul 1996), 1A1339

Transient combustion of a heating droplet in a gravitational environment, Heat and Mass Transfer Warme **31**(5) 339-346 (Jun 1996), 1A1340

Self-sustained flaming combustion and ignition of single wood pieces in quiescent air, Combust Sci Tech **110-111** 53-65 (Dec 1995), 2A1307

Acoustic response of droplet flames to pressure oscillations, AIAA J **34**(9) 1847-1854 (Sep 1996), 2A1334

Mathematical modeling of a 2.25 MW, swirling natural gas flame - Part 2: Conserved scalar approach for turbulent combustion, Combust Sci Tech **110-111** 103-121 (Dec 1995), 2A1335

Mathematical modeling of a 2.25 MW, swirling natural gas flame - Part 1: Eddy break-up concept for turbulent combustion; probability density function approach for nitric oxide formation, Combust Sci Tech **110-111** 67-101 (Dec 1995), 2A1336

Numerical investigation of the interference effects between two burning fuel spheres, Int J Heat Mass Transfer **39**(18) 3949-3957 (Dec 1996), 2A1337

Traveling-wave solutions to combustion models for a reversible reaction, SIAM J Math Anal **27**(5) 1270-1285 (Sep 1996), 2A1338

Upstream interactions between premixed flames, Combust Sci Tech **110-111** 1-17 (Dec 1995), 2A1339

Proposal for a new turbulent premixed combustion model and its evaluation: Development of the model, JSME Int J Ser B **39**(3) 640-646 (Aug 1996), 3T1325

Assessment of conditional moment closure for single and multistep chemistry, Combust Sci Tech **112** 301-326 (Jan-Feb 1996), 4A1306

Characteristics method and cusped flame fronts, Combust Sci Tech **112** 327-350 (Jan-Feb 1996), 4A1307

Combustion inhibition by methyl chloride and the effects of steam injection in a two-stage turbulent flow reactor, Combust Sci Tech **112** 35-54 (Jan-Feb 1996), 4A1308

Modeling of spherically symmetric droplet flames including complex chemistry: Effect of water addition on n-heptane droplet combustion, Combust Sci Tech **115**(1-3) 125-149 (Jun 1996), 4A1309

Prediction of species and temperature profile in methanol, oxygen, and argon flame, Arab J Sci Eng **21**(4A) 499-510 (Oct 1996), 4A1310

Substitute mixtures for lox droplet vaporization study, Combust Sci Tech **112** 55-74 (Jan-Feb 1996), 4A1311

Theoretical and experimental study of composite solid propellant combustion, Combust Sci Tech **115**(1-3) 1-39 (Jun 1996), 4A1312

Combined-cycle power stations using "clean-coal technologies": Thermodynamic analysis of full gasification versus fluidized bed combustion with partial gasification, J Eng Gas Turbines Power **118**(4) 737-748 (Oct 1996), 5A1357

Generation of stable thermal stratification in a partially enclosed space due to a room fire, Int J Numer Methods Heat & Fluid Flow **6**(8) 31-52 (Dec 1996), 7A1247

Experimental study of space and time-resolved structures of turbulent diffusion flame, JSME Int J Ser B **39**(4) 815-821 (Nov 1996), 7A1394

Computation of heat transfer in engineering combustion equipment, Heat Tech **13**(2) 105-126 (1995), 7A1414

Differential total absorptivity solution to the radiative transfer equation for mixtures of combustion gases and soot, Numer Heat Transfer B **31**(1) 43-60 (Jan-Feb 1997), 7A1415

Flame and droplet interaction effects during droplet-stream combustion at zero Reynolds number, Combust Flame **108**(3) 287-301 (Feb 1997), 7A1416

Modeling of methane-air combustion on ceramic foam surface burners in the radiation mode, Heat Tech **13**(2) 127-140 (1995), 7A1417

Thermal convective and radiative effects in forest fires simulation, Heat Tech **13**(2) 141-154 (1995), 7A1418

Traveling combustion waves in porous media, Math Eng Industry **6**(1) 39-62 (- 1997), 7A1419

Mathematical modeling of stability of non-adiabatic laminar premixed flame, Int J Heat Mass Transfer **40**(9) 2235-2240 (Jun 1997), 8A1424

Application of a flame dictionary method in turbulent premixed flame modeling, Appl Math Lett **10**(2) 111-115 (Mar 1997), 9A1383

Role of gas-phase reaction and gas-solid thermal nonequilibrium in reverse combustion, Int J Heat Mass Transfer **40**(11) 2607-2620 (Jul 1997), 9A1384

Differential mass and energy balances in the flame zone from a practical fuel injector in a technology combustor, J Eng Gas Turbines Power **119**(2) 352-361 (Apr 1997), 10A1417

Flamelet-vortex interaction and the Gibson scale, Combust Flame **109**(3) 293-302 (May 1997), 10A1419

Improvements to steady-state combustion modeling of cyclotrimethylenetrinitraminic, J Propulsion Power **13**(3) 375-383 (May-Jun 1997), 10A1420

Application of the discrete ordinates method to compute radiant heat loss in a diesel engine, Numer Heat Transfer A **31**(6) 597-610 (May 1997), 11A1419

Biomass combustion - gasification model: Validation and sensitivity analysis, J Energy Resources Tech **117**(4) 329-336 (Dec 1995), 11A1420

Development of fuel burn-up and wall heat transfer correlations for flows in radiant tubes, Numer Heat Transfer A **31**(6) 563-584 (May 1997), 11A1421

Dual-fuel combustion model for premixed natural gas with distillate ignition in a quiescent bomb, Numer Heat Transfer A **31**(7) 725-743 (May 1997), 11A1422

Experimental and modeling studies of a rich $H_2/CO/N_2O/Ar$ flame, Combust Flame **109**(4) 647-668 (Jun 1997), 11T1423

Advances in Combustion Science (AIAA, MD, 1996) 12N40

Combustion wave microstructure in gas-solid reaction systems: Experiments and theory, Combust Sci Tech **123**(1-6) 165-184 (Feb 1997), 12A1394

Detailed modeling of a swirling coal flame, Combust Sci Tech **123**(1-6) 1-22 (Feb 1997), 12A1395

Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, J Eng Gas Turbines Power **119**(3) 683-691 (Jul 1997), 12A1411

416Y. Computational techniques

Numerical simulation of premixed flame propagation in a closed tube, Fluid Dyn Res **18**(3) 165-182 (Aug 1996), 1A1316

Simulation of an H_2-O_2 flame by the least-squares FEM, Int J Numer Methods Fluids **23**(1) 65-74 (Jul 1996), 1A1341

ASME Proceedings of 31st National Heat Transfer Conference, Volume 6 (ASME Press, New York, 1996) 2N41

Analogies between the transient momentum and energy equations of particles, Prog Energy Combust Sci **22**(2) 147-162 (1996), 3A1326

Artificial neural network implementation of chemistry with pdf simulation of H_2/CO flames, Combust Flame **106**(4) 406-427 (Sep 1996), 3A1327

Effect of spatial averaging on CARS-derived temperatures, Combust Flame **106**(4) 511-514 (Sep 1996), 3T1328

Numerically predicted structure and burning velocity of premixed CO-Ar-O_2-H_2 flames inhibited by CF_3H, Combust Flame **107**(1-2) 72-84 (Oct 1996), 3A1329

Post-processing method for predicting NO formation in 1D and 2D premixed methane-air flames, Combust Flame **107**(1-2) 65-71 (Oct 1996), 3A1330

Simulation of planar high speed combustion phenomena, Int J Numer Methods Heat & Fluid Flow **6**(5) 63-70 (Aug 1996), 3A1331

System simulation and control of batch-fed solid waste incinerators, J Dyn Syst Meas Control **118**(3) 620-625 (Sep 1996), 4A408

Analysis of the high-temperature part of the MHD-steam power plant, Arch Thermodyn **16**(1-2) 13-34 (1995), 4A1313

Modified objective function D_r for optimization of step transmission ratios in vehicles, Arch Budowy Maszyn **42**(1-2) 103-109 (1995), 4T1314

Two-sided shooting method in computation of traveling combustion waves of a solid material, J Austral Math Soc B **38**(2) 220-228 (Oct 1996), 5A1358

Development of a computational scheme for transient combustion inside a refractory tube, Combust Flame **108**(1-2) 158-172 (Jan 1997), 6A1348

Finite-difference methods for computing the turning point of ignition in a tubular reactor operated adiabatically, Comput Methods Appl Mech Eng **137**(2) 95-109 (Oct 1996), 6A1349

Numerical analysis of a spray combustion with nongray radiation using weighted sum of gray gases model, Combust Sci Tech **115**(4-6) 297-315 (Jul 1996), 6A1350

Numerical investigation of the combustion process in a direct-injection stratified charge engine, Combust Sci Tech **115**(4-6) 317-333 (Jul 1996), 6A1351

Preconditioned flux-differencing scheme for chemically reacting flows at all Mach numbers, Int J Comput Fluid Dyn **8**(1) 31-49 (1997), 7A1107

Algorithms for obtaining cumulative reaction probabilities for chemical reactions, J Comput Phys **130**(1) 136-147 (Jan 1997), 7T1420

Approximations for burning velocities and Markstein numbers for lean hydrocarbon and methanol flames, Combust Flame **108**(3) 349-356 (Feb 1997), 7A1421

Comparison between presumed and Monte Carlo probability density function combustion models, J Propulsion Power **13**(1) 109-116 (Jan-Feb 1997), 7A1422

Comparison of the algorithms PISO and SIMPLER for solving pressure-velocity linked equations in simulating compartmental fire, Numer Heat Transfer A **31**(1) 87-112 (Jan 1997), 7A1423

Mass-flux-based implicit multigrid method for modeling multidimensional combustion, J Propulsion Power **13**(1) 97-108 (Jan-Feb 1997), 7A1424

Pseudo-compressibility method for reactive flows at zero Mach number, Int J Comput Fluid Dyn **7**(4) 291-310 (1996), 7A1425

Residual velocities in combustion experiments on board of sounding rockets, Exp Fluids **22**(2) 103-110 (Dec 1996), 7A1426

Computation of turbulent reacting flow in a jet assisted ram combustor, Comput Fluids **26**(2) 117-133 (Feb 1997), 8A1200

Coherent structures in combustion, Prog Energy Combust Sci **22**(5) 427-509 (1996), 8A1425

Evaluation of emissivity correlations for H_2O-CO_2-N_2-air mixtures and coupling with solution methods of the radiative transfer equation, Prog Energy Combust Sci **22**(6) 543-574 (1996), 11A1424

Dusty detonation simulations with adaptive unstructured FEs, AIAA J **35**(6) 1018-1024 (Jun 1997), 12A1383

Anchored CCD for gas turbine combustor design and data correlation, J Eng Gas Turbines Power **119**(3) 535-545 (Jul 1997), 12A1396

Coupled Lagrangian Monte Carlo PDF-CFD computation of gas turbine combustor flowfields with finite-rate chemistry, J Eng Gas Turbines Power **119**(3) 519-526 (Jul 1997), 12A1397

Numerical investigation of premixed combustion in wave rotors, J Eng Gas Turbines Power **119**(3) 668-675 (Jul 1997), 12A1398

Numerical investigation of the startup transient in a wave rotor, J Eng Gas Turbines Power **119**(3) 676-682 (Jul 1997), 12A1399

Numerical simulations of a Boltzmann model for reacting gases, Appl Math Comput **85**(1) 61-85 (Aug 1997), 12A1400

Preliminary gas turbine combustor design using a network approach, J Eng Gas Turbines Power **119**(3) 546-552 (Jul 1997), 12A1401

Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, J Eng Gas Turbines Power **119**(3) 683-691 (Jul 1997), 12A1411

416Z. Experimental techniques

Direct measurements of burning velocity of propane-air using particle image velocimetry, Combust Flame **106**(3) 363-367 (Aug 1996), 1A1342

Flow, spray and combustion analysis by laser techniques in the combustion chamber of a direct-injection diesel engine, Opt Lasers Eng **25**(6) 401-413 (Dec 1996), 1A1343

Laser induced fluorescence and flame photography: Tools in gasoline engine combustion analysis, Opt Lasers Eng **25**(6) 379-400 (Dec 1996), 1T1344

Method for embedding fine-wire thermocouples for solid-fuel surface temperature measurements, Combust Sci Tech **110-111** 563-570 (Dec 1995), 2A1340

Evaluation of fractal dimension for mixing and combustion by the schlieren method, Exp Fluids **21**(4) 248-258 (Aug 1996), 3A1332

Laser diagnostics for droplet characterization: Application of morphology dependent resonances, Prog Energy Combust Sci **22**(2) 163-188 (1996), 3A1333

Simultaneous scaler-velocity field measurements in turbulent gas-phase flows, Combust Flame **107**(1-2) 1-12 (Oct 1996), 3A1334

Species measurements in a hypersonic, hydrogen-air, combustion wake, Combust Flame **106**(4) 478-486 (Sep 1996), 3A1335

Measuring the burning rate of premixed turbulent flames in stagnation flows, Combust Sci Tech **112** 359-368 (Jan-Feb 1996), 4A1315

Observations on the combustion of pulverized PVC and poly(ethylene), Combust Sci Tech **112** 117-140 (Jan-Feb 1996), 4A1316

Quenching effects on laser-fluorescence measurements of OH rotational temperature in $H_2/O_2/AR$ flames, Combust Sci Tech **112** 1-13 (Jan-Feb 1996), 4A1317

Elusive history of m = 1.57 - 0.56i for the refractive index of soot, Combust Flame **107**(3) 314-320 (Nov 1996), 5T1359

Laser-induced incandescence measurements of soot production in steady and flickering methane, propane, and ethylene diffusion flames, Combust Flame **107**(4) 418-452 (Dec 1996), 5A1360

Mixture fraction imaging in a lifted methane jet flame, Combust Flame **107**(3) 307-313 (Nov 1996), 5A1361

Infrared fiber-optic diagnostic observations of solid propellant combustion, Combust Flame **108**(1-2) 43-60 (Jan 1997), 6A1352

Laser-based techniques for particle-size measurement: A review of sizing methods and their industrial applications, Prog Energy Combust Sci **22**(3) 267-306 (1996), 6A1353

Microstructure of diesel soot particles probed by electron microscopy: First observation of inner core and outer shell, Combust Flame **108**(1-2) 231-234 (Jan 1997), 6A1354

Mean and turbulent flowfields in a model RQL gas-turbine combustor, Exp Fluids **22**(2) 153-164 (Dec 1996), 7A1407

Experimental investigation of gas combustion regimes in narrow tubes, Combust Flame **108**(3) 357-359 (Feb 1997), 7A1427

Flash pyrolysis of polyethyleneglycol - Part I: Chemometric resolution of FTIR spectra of the volatile products at 370 - 550°C, Combust Flame **109**(1-2) 87-104 (Apr 1997), 9A1385

Flash pyrolysis of polyethyleneglycol - II: Kinetics determined by T-jump-FTIR spectroscopy, Combust Flame **109**(1-2) 105-112 (Apr 1997), 9A1386

Laser-based multiparameter measurements in a jet engine burner, AIAA J **35**(3) 500-508 (Mar 1997), 9A1387

OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, AIAA J **35**(4) 678-686 (Apr 1997), 9A1388

Planar laser Rayleigh scattering for quantitative vapor-fuel imaging in a diesel jet, Combust Flame **109**(1-2) 65-86 (Apr 1997), 9A1389

Differential mass and energy balances in the flame zone from a practical fuel injector in a technology combustor, J Eng Gas Turbines Power **119**(2) 352-361 (Apr 1997), 10A1417

Nitrogen and hydrogen CARS temperature measurements in a hydrogen-air flame using a near-adiabatic flat-flame burner, Combust Flame **109**(3) 323-331 (May 1997), 10A1421

Quantitative analysis of in situ optical diagnostics for inferring particle-aggregate parameters in flames: Implications for soot surface growth and total emissivity, Combust Flame **109**(3) 488-500 (May 1997), 10A1422

Analysis of intermittency and probe data in a supersonic flow with injection, Exp Fluids **23**(1) 38-47 (May 1997), 11A975

Soot volume fraction and temperature measurements in laminar nonpremixed flames using thermocouples, Combust Flame **109**(4) 701-720 (Jun 1997), 11A1425

Two-thermocouple probe for fluctuating temperature measurement in combustion: Rational estimation of mean and fluctuating time constants, Combust Flame **109**(4) 549-560 (Jun 1997), 11A1426

Heat transfer from a pair of radial jet reattachment flames, J Heat Transfer **119**(3) 633-635 (Aug 1997), 12T1251

Emissions characteristics of liquid-fueled pilot stabilized lean premixed flames in a tubular premixer-combustor, J Eng Gas Turbines Power **119**(3) 585-590 (Jul 1997), 12A1371

NO_x measurements for combustor with acoustically controlled primary zone, J Eng Gas Turbines Power **119**(3) 559-565 (Jul 1997), 12A1382

Application of rainbow thermometry to the study of fuel droplet heat-up and evaporation characteristics, J Eng Gas Turbines Power **119**(3) 573-584 (Jul 1997), 12A1402

Coherent anti-Stokes Raman spectroscopy measurements of temperature fluctuations in turbulent natural gas-fueled piloted jet diffusion flames, Combust Flame **110**(1-2) 39-53 (Jul 1997), 12A1403

Determination of temperature profiles of self-deflagrating RDX by UV-Visible absorption spectroscopy and fine-wire thermocouples, Combust Sci Tech **123**(1-6) 147-163 (Feb 1997), 12A1404

Experiments on impulsively started jet diffusion flames, AIAA J **35**(6) 1012-1017 (Jun 1997), 12A1405

Thermal decomposition studies of energetic materials using confined rapid thermolysis-FTIR spectroscopy, Combust Flame **110**(1-2) 239-255 (Jul 1997), 12A1406

Three component velocity measurements of an isothermal confined swirling flow, Proc Inst Mech Eng J Aerospace Eng **211**(G2) 113-122 (1997), 12A1407

418. PRIME MOVERS AND PROPULSION

418B. Fundamentals

Diesel NO_x catalytic converter development: A review, J Eng Gas Turbines Power **118**(3) 668-672 (Jul 1996), 1A1345

Life cycle considerations in propulsion alternatives for fast vessels, J Eng Gas Turbines Power **118**(3) 636-640 (Jul 1996), 1A1346

Thermoeconomic operation optimization of the Hellenic Aspropyrgos Refinery combined-cycle cogeneration system, Appl Thermal Eng **16**(12) 949-958 (Dec 1996), 4A1318

Operational strategy of a cogeneration system under a complex utility rate structure, J Energy Resources Tech **118**(4) 256-262 (Dec 1996), 6A1355

Cascade optimization strategy for aircraft and air-breathing propulsion system concepts, J Aircraft **34**(1) 136-139 (Jan-Feb 1997), 8T1426

Thermal analysis of the heat exchangers and regenerator in Stirling cycle machines, J Propulsion Power **13**(3) 404-411 (May-Jun 1997), 10A1423

Tumbling flow in loop-scavenged two-stroke engines, J Fluids Eng **117**(4) 628-632 (Dec 1995), 11A1432

418C. Performance

Automated diagnostic expert system for diesel engines, J Eng Gas Turbines Power **118**(3) 673-679 (Jul 1996), 1A1347

Automotive diesel fuel emissions durability trends, J Eng Gas Turbines Power **118**(3) 680-687 (Jul 1996), 1A1348

Conceptual design methodology for predicting blood and horsepower requirements of military aircraft engines, J Eng Gas Turbines Power **118**(3) 481-485 (Jul 1996), 1A1349

Finite-time optimization of a solar-driven heat engine, Solar Energy **56**(6) 617-620 (Jun 1996), 3A1451

Efficiency of coal-fired combined-cycle powerplants, Appl Thermal Eng **16**(12) 959-974 (Dec 1996), 4A1319

On-line monitoring of power-plant performance, using exergetic cost techniques, Appl Thermal Eng **16**(12) 933-948 (Dec 1996), 4A1320

Analysis and design of an air-cycle microclimate cooling device, J Energy Resources Tech **118**(4) 293-299 (Dec 1996), 6A1356

Investigation on application of orthogonal network optimal method to performance optimization of diesel engines (Chinese), J Dalian Univ Tech **36**(6) 697-701 (Nov 1996), 6A1357

Combined cycle gas turbine power plant with coal gasification and solid oxide fuel cell, J Energy Resources Tech **118**(4) 285-292 (Dec 1996), 6A1360

Influence of heat transfer law on the performance of a Carnot engine, Appl Thermal Eng **17**(3) 277-282 (Mar 1997), 7A298

Butanol - A single cylinder engine study: Engine performance, Int J Energy Res **21**(1) 21-30 (Jan 1997), 7A1428

Experimental investigation on varying the compression ratio of SI engine working under different ethanol-gasoline fuel blends, Int J Energy Res **21**(1) 31-40 (Jan 1997), 7A1430

Analysis of a concept for increasing the efficiency of a Brayton cycle via isothermal heat addition, Int J Energy Res **21**(2) 113-127 (Feb 1997), 8A1435

Evaluation of performance loss methods for high-speed engines and engine components, J Propulsion Power **13**(2) 296-304 (Mar-Apr 1997), 9A1390

Divergence analysis of an emissions-based air-fuel ratio model and exhaust oxygen estimation, Proc Inst Mech Eng D **211**(D2) 137-144 (1997), 11A1427

Prediction of solid oxide fuel cell power system performance through multi-level modeling, J Energy Resources Tech **117**(4) 307-317 (Dec 1995), 11A1428

High-enthalpy extraction demonstration with closed-cycle disk MHD generators, J Eng Gas Turbines Power **118**(1) 15-21 (Jan 1996), 11T1436

Addition of highly efficient bottoming cycles for the Nth-generation molten carbonate fuel cell power plant, J Energy Resources Tech **119**(2) (Jun 1997), 12A1408

Improving the OTEC power plant performance by metal hydride energy systems, J Energy Resources Tech **119**(2) 145-151 (Jun 1997), 12A1409

418D. Steam engines and turbines

Study of the steam turbine trip in a 20 MW geothermal plant, Proc Inst Mech Eng A **210**(A3) 223-232 (1996), 1A1350

Visual simulation and animation of laminar candle flame, Machine Graphics & Vision 5(1-2) 327-334 (1996), 4T1321
Modeling of a turbocharger turbine under pulsating inlet conditions, Proc Inst Mech Eng A 210(A5) 397-408 (1996), 5A1362
Design and operation of a heat recovery steam generator with minimum irreversibility, Appl Thermal Eng 17(4) 385-391 (Apr 1997), 8A1427
Mobile pilot-plant for the production of environmentally clean steam, Appl Thermal Eng 17(4) 317-326 (Apr 1997), 8A1428
Split stream boilers for high-temperature and high-pressure topping steam turbine combined cycles, J Eng Gas Turbines Power 119(2) 385-394 (Apr 1997), 10A1357
Tabular Taylor series expansion method for fast calculation of steam properties, J Eng Gas Turbines Power 119(2) 485-491 (Apr 1997), 10A1424

418E. Internal combustion, positive displacement engines

Comparison of wall spray impaction models with experimental data on drop velocities and sizes, Int J Heat Fluid Flow 17(4) 424-438 (Aug 1996), 2A1341
Effect of engine head geometry on the in-cylinder flow structure (Polish), Archiwum Motoryzacji 1 45-74 (1996), 2A1342
Exhaust emissions based air-fuel ratio calculation for internal combustion engines, Proc Inst Mech Eng D 210(D3) 273-280 (1996), 2A1343
Fuel effects on knock, heat release, and "CARS" temperatures in a spark ignition engine, Combust Sci Tech 118-111 209-228 (Dec 1995), 2A1344
Investigation of combustion chamber shapes for small automotive direct injection diesel engines employing spray impaction, Proc Inst Mech Eng D 210(D3) 261-272 (1996), 2A1345
Application of MacCormack schemes to IC engine exhaust noise prediction, J Sound Vib 195(5) 757-773 (Sep 1996), 3A1336
Burn-rate and knock reduction in the spark ignition engine, Int J Energy Res 20(9) 829-838 (Sep 1996), 3A1337
Modeling study of the scavenging process in a turbocharged diesel engine with modified valve operation, Proc Inst Mech Eng C 210(C4) 383-393 (1996), 3A1338
Prediction of thermal fatigue life for diesel engine piston under states of multiaxial stresses, J Dalian Univ Tech 36(5) 595-599 (Sep 1996), 4A1262
Dual-fuelling of an industrial indirect injection diesel engine by diesel and liquid petroleum gas, Int J Energy Res 20(10) 903-912 (Oct 1996), 4A1322
Structure of steady flow through dual-intake engine ports, Int J Numer Methods Fluids 23(10) 1085-1109 (Nov 1996), 5A1363
Numerical investigation of the combustion process in a direct-injection stratified charge engine, Combust Sci Tech 115(4-6) 317-333 (Jul 1996), 6A1351
Investigation on application of orthogonal network optimal method to performance optimization of diesel engines (Chinese), J Dalian Univ Tech 36(6) 697-701 (Nov 1996), 6A1357
Parametric model of a 2-stroke engine for design and analysis, Comput Methods Appl Mech Eng 137(3-4) 411-425 (Nov 1996), 6A1358
Speed and load effects on the availability balances and irreversibilities production in a multi-cylinder turbocharged diesel engine, Appl Thermal Eng 17(3) 299-313 (Mar 1997), 7A299
LDV measurements of the flow inside the combustion chamber of a 4-valve DI diesel engine with axisymmetric piston-bowls, Exp Fluids 22(2) 118-128 (Dec 1996), 7A1406
Application of Reynolds stress modeling to engine flow calculations, J Fluids Eng 118(4) 710-721 (Dec 1996), 7A1429
Experimental investigation on varying the compression ratio of SI engine working under different ethanol-gasoline fuel blends, Int J Energy Res 21(1) 31-40 (Jan 1997), 7A1430
Effects of injection timing on performance and droplet characteristics of a sixteen-valve four cylinder engine, Exp Fluids 22(4) 336-344 (Feb 1997), 8A1429
Experimental study to determine fractal parameters for lean premixed flames, Exp Fluids 22(4) 312-320 (Feb 1997), 8A1430
Measure34ments and modeling of a lean burn gas engine, Proc Inst Mech Eng A 210(A6) 449-462 (1996), 8A1431
Peculiarities of the pulsed high-velocity air-fuel jet evolution in the diesel combustion chamber, Thermophys and Aeromech 3(4) 347-355 (1996), 8A1432
Analytical research of motion of dust particles into axial deduster with tangential inlet of air (Polish), Biuletyn Wojskowej Akademii Technicznej 45(2) 59-68 (Feb 1996), 9A1391
Comparative study of the performance and exhaust emissions of a spark ignition engine fuelled by natural gas and gasoline, Proc Inst Mech Eng D 211(D1) 39-47 (1997), 9A1392
Continuous flow stirred tank reactor model and used oil volume corrections in condition monitoring, Trib Int 30(4) 271-274 (Apr 1997), 9T1393
Determination of flow characteristics of injector nozzle of diesel engines (Polish), Biuletyn Wojskowej Akademii Technicznej 45(4) 141-152 (Apr 1996), 9T1394
Effect of compression-ignition engine's operating conditions on values of selected discriminants of the vibroacoustical signal recorded on its crankcase (Polish), Biuletyn Wojskowej Akademii Technicznej 45(5) 103-114 (May 1996), 9A1395
Experimental and theoretical study of particulate re-entrainment from the combustion chamber walls of a diesel engine, Proc Inst Mech Eng D 211(D1) 49-57 (1997), 9A1396
Inertial radial deduster for traction piston engine (Polish), Biuletyn Wojskowej Akademii Technicznej 45(5) 49-61 (May 1996), 9A1397
Low temperature of a combustion engine and its emissions (Polish), Strojnicky Casopis 48(1) 47-58 (1997), 9A1398
Monte Carlo probability density function method for gas turbine combustor flowfield predictions, J Propulsion Power 13(2) 218-225 (Mar-Apr 1997), 9A1399
Result of fuel-air mixture heating on starting properties of carburetor engine (Polish), Biuletyn Wojskowej Akademii Technicznej 45(5) 115-124 (May 1996), 9A1400
Experimental investigation on low-speed torque characteristics of vehicle turbocharged diesel engine (Chinese), J Dalian Univ Tech 37(1) 122-124 (Jan 1997), 10A1425
Partial differential equation surface generation and functional shape optimization of a swirl port, J Propulsion Power 13(3) 398-403 (May-Jun 1997), 10A1426
Butanol, a single-cylinder engine study: Availability analysis, Appl Thermal Eng 17(6) 537-549 (Jun 1997), 11A1197
Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Naturally aspirated engine with pre-cooling, Appl Thermal Eng 17(6) 593-599 (Jun 1997), 11A1200
Application of the discrete ordinates method to compute radiant heat loss in a diesel engine, Numer Heat Transfer A 31(6) 597-610 (May 1997), 11A1419
General simulation model for Stirling cycles, J Eng Gas Turbines Power 118(1) 1-7 (Jan 1996), 11A1429
Nondimensional Schmidt analysis for optimal design of Stirling engines, J Eng Gas Turbines Power 118(1) 8-14 (Jan 1996), 11A1430
Optimizing local charge stratification in a lean-burn spark ignition engine, Proc Inst Mech Eng D 211(D2) 145-154 (1997), 11A1431
Tumbling flow in loop-scavenged two-stroke engines, J Fluids Eng 117(4) 628-632 (Dec 1995), 11A1432
Nonlinear valve train dynamics simulation with a distributed parameter model of valve springs, J Eng Gas Turbines Power 119(3) 692-698 (Jul 1997), 12A124
Indicators of fuel maldistribution in spark-ignition engines, J Eng Gas Turbines Power 119(3) 699-708 (Jul 1997), 12T1410
Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, J Eng Gas Turbines Power 119(3) 683-691 (Jul 1997), 12A1411
Relating burning rate and NO formation to pressure development in two-stroke diesel engines, J Energy Resources Tech 119(2) 129-136 (Jun 1997), 12A1412

418F. Free piston and wave engines

Computer-aided simulation of piston and piston ring dynamics, J Eng Gas Turbines Power 118(4) 880-886 (Oct 1996), 5A1364
Wave-rotor-enhanced gas turbine engines, J Eng Gas Turbines Power 119(2) 469-477 (Apr 1997), 10A1427
Numerical investigation of premixed combustion in wave rotors, J Eng Gas Turbines Power 119(3) 668-675 (Jul 1997), 12A1398
Numerical investigation of the startup transient in a wave rotor, J Eng Gas Turbines Power 119(3) 676-682 (Jul 1997), 12A1399

418G. Gas turbines

Investigation on ceramic-metal joints for shaft-hub connections in gas turbines, J Eng Gas Turbines Power 118(3) 626-631 (Jul 1996), 1A905
Phase-averaged wall shear stress, wall pressure, and near-wall velocity field measurements in a whirling annular seal, J Eng Gas Turbines Power 118(3) 590-597 (Jul 1996), 1A1095
Benefits of compressor inlet air cooling for gas turbine cogeneration plants, J Eng Gas Turbines Power 118(3) 598-603 (Jul 1996), 1A1351
Biomass externally fired gas turbine cogeneration, J Eng Gas Turbines Power 118(3) 604-609 (Jul 1996), 1A1352
Biomass-gasifier-aeroderivative gas turbine combined cycles - Part A: Technologies and performance modeling, J Eng Gas Turbines Power 118(3) 507-515 (Jul 1996), 1A1353
Biomass-gasifier-aeroderivative gas turbine combined cycles - Part B: Performance calculations and economic assessment, J Eng Gas Turbines Power 118(3) 516-525 (Jul 1996), 1A1354
Cascaded humidified advanced turbine (CHAT), J Eng Gas Turbines Power 118(3) 565-571 (Jul 1996), 1A1355
Development of an interactive electronic technical manual, J Eng Gas Turbines Power 118(3) 632-635 (Jul 1996), 1A1356
Development of ceramic composite hot-gas filters, J Eng Gas Turbines Power 118(3) 495-499 (Jul 1996), 1A1357
Effect of twisted-tape width on heat transfer and pressure drop for fully developed laminar flow, J Eng Gas Turbines Power 118(3) 584-589 (Jul 1996), 1A1358
Energy recovery of blast-furnace gas coke: The importance of a correct regulation system, J Eng Gas Turbines Power 118(3) 610-619 (Jul 1996), 1A1359
Fluid mechanics of membrane-coated ceramic filters, J Eng Gas Turbines Power 118(3) 526-533 (Jul 1996), 1A1360
New 200 MW class 501G combustion turbine, J Eng Gas Turbines Power 118(3) 572-577 (Jul 1996), 1A1361
Nondestructive characterization of ceramic composites used as combustor liners in advanced gas turbines, J Eng Gas Turbines Power 118(3) 486-490 (Jul 1996), 1A1362
Nondestructive evaluation of thermally shocked silicon carbide by impact-acoustic resonance, J Eng Gas Turbines Power 118(3) 491-494 (Jul 1996), 1A1363
Optimization of regenerated gas turbines, J Eng Gas Turbines Power 118(3) 654-660 (Jul 1996), 1A1364
Parametric modeling of exhaust gas emission from natural gas fired gas turbines, J Eng Gas Turbines Power 118(3) 553-560 (Jul 1996), 1A1365
Regenerator effectiveness during transient operation, J Eng Gas Turbines Power 118(3) 661-667 (Jul 1996), 1A1366
Review of the efficacy of silicon carbide hot-gas filters in coal gasification and pressurized fluidized bed combustion environments, J Eng Gas Turbines Power 118(3) 500-506 (Jul 1996), 1A1367
Simplified analyses of some vapor power cycles, Proc Inst Mech Eng A 210(A3) 191-202 (1996), 1A1368
Specification, development, and testing of the FT8-2 dry low NO_x control system, J Eng Gas Turbines Power 118(3) 547-552 (Jul 1996), 1A1369
Study on low NO_x combustion in LBG-fueled 1500°C-class gas turbine, J Eng Gas Turbines Power 118(3) 534-540 (Jul 1996), 1A1370
Wave cycle design for wave rotor gas turbine engines with low NO_x emissions, J Eng Gas Turbines Power 118(3) 474-480 (Jul 1996), 1A1371
Wave rotor optimization for gas turbine engine topping cycles, J Propulsion Power 12(4) 778-785 (Jul-Aug 1996), 1A1372
ASME Proceedings of 31st National Heat Transfer Conference, Volume 5 (ASME Press, New York, 1996) 2N40
Lean blowout in a research combustor at simulated low pressures, J Eng Gas Turbines Power 118(4) 773-781 (Oct 1996), 5A1350
Development of air-cooled ceramic nozzles for a power-generating gas turbine, J Eng Gas Turbines Power 118(4) 717-723 (Oct 1996), 5A1365
Exergy analysis for a gas turbine cogeneration system, J Eng Gas Turbines Power 118(4) 782-791 (Oct 1996), 5A1366
New technology trends for improved IGCC system performance, J Eng Gas Turbines Power 118(4) 732-736 (Oct 1996), 5A1367
NO_x prediction scheme for lean-premixed gas turbine combustion based on detailed chemical kinetics, J Eng Gas Turbines Power 118(4) 765-772 (Oct 1996), 5A1368
Operation of gas turbine engines in volcanic ash clouds, J Eng Gas Turbines Power 118(4) 724-731 (Oct 1996), 5A1369
Thermal cycle analysis and component aerodesign for gas turbine concept in low-range cogenerating systems, J Eng Gas Turbines Power 118(4) 792-802 (Oct 1996), 5A1370
Actuator technologies for active noise control in gas turbines, J Aircraft 33(6) 1174-1180 (Nov-Dec 1996), 6A1359
Combined cycle gas turbine power plant with coal gasification and solid oxide fuel cell, J Energy Resources Tech 118(4) 285-292 (Dec 1996), 6A1360
Comparison of performance for cogeneration systems using single- or twin-shaft gas turbine engines, Appl Thermal Eng 17(2) 113-124 (Feb 1997), 6A1361
Effects of cycle operating condition on combustor performance, J Eng Gas Turbines Power 119(1) 45-49 (Jan 1997), 8A1419
Aero-engine derivative gas turbines for power generation: Thermodynamic and economic perspectives, J Eng Gas Turbines Power 119(1) 119-123 (Jan 1997), 8A1433
Air extraction in a gas turbine for integrated gasification combined cycle (IGCC): Experiments and analysis, J Eng Gas Turbines Power 119(1) 20-26 (Jan 1997), 8A1434
Analysis of a concept for increasing the efficiency of a Brayton cycle via isothermal heat addition, Int J Energy Res 21(2) 113-127 (Feb 1997), 8A1435
Field test results of a dry low NO_x combustion system for the MS3002J regenerative cycle gas turbine, J Eng Gas Turbines Power 119(1) 50-57 (Jan 1997), 8A1436
Optimum power boosting of gas turbine cycles with compressor inlet air refrigeration, J Eng Gas Turbines Power 119(1) 124-130 (Jan 1997), 8A1437
Combustion System Design: A New Approach (PennWell, Tulsa OK, 1996) 9R26
Jet Propulsion: Simple guide to the aerodynamic and thermodynamic design of jet engines. (Cambridge UP, New York, 1997) 9N29
Turbomachinery Fluid Dynamics and Heat Transfer (Marcel Dekker, New York, 1997) 10N28
Wave-rotor-enhanced gas turbine engines, J Eng Gas Turbines Power 119(2) 469-477 (Apr 1997), 10A1427
Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, J Eng Gas Turbines Power 118(1) 38-45 (Jan 1996), 11T1415
Analysis of the gas turbine rotary regenerator, Proc Inst Mech Eng D 211(D2) 97-111 (1997), 11A1433
Analytical efficiency comparison bewteen gas turbine and gas turbine hybrid engines for passenger cars, Proc Inst Mech Eng D 211(D2) 113-119 (1997), 11A1434
Low-NO_x premixed combustion of MBtu fuels using the ABB double cone burner: EV burner, J Eng Gas Turbines Power 118(1) 46-53 (Jan 1996), 11T1435
Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, J Eng Gas Turbines Power 119(3) 624-632 (Jul 1997), 12T1413
Aircraft gas turbine engine fuel pumping systems in the 21st century, J Eng Gas Turbines Power 119(3) 591-597 (Jul 1997), 12T1414
Design and test of a new axial compressor for the Nuovo Pignone heavy-duty gas turbines, J Eng Gas Turbines Power 119(3) 633-639 (Jul 1997), 12T1415
Final report of the key technology development program for a next-generation high-temperature gas turbine, J Eng Gas Turbines Power 119(3) 617-623 (Jul 1997), 12T1416
Semiclosed-cycle gas turbine with carbon dioxide-argon as working fluid, J Eng Gas Turbines Power 119(3) 612-616 (Jul 1997), 12A1417

418H. Rocket motors

Evolution of internal flow in a solid rocket motor with radial slots, J Propulsion Power 12(4) 632-637 (Jul-Aug 1996), 1A1373
Unsteady vorticity generation and evolution in a model of a solid rocket motor, J Propulsion Power 12(4) 646-654 (Jul-Aug 1996), 1A1374
Solid-rocket-motor contribution to large-particle orbital debris population, J Spacecraft Rockets 33(4) 513-518 (Jul-Aug 1996), 2A258
Heat transfer in two-phase solid-rocket plumes, J Spacecraft Rockets 33(4) 494-500 (Jul-Aug 1996), 2A1346
Ion-thruster plume modeling for backflow contamination, J Spacecraft Rockets 33(4) 525-534 (Jul-Aug 1996), 2A1347
Numerical study of spacecraft contamination and interactions by ion-thruster effluents, J Spacecraft Rockets 33(4) 535-542 (Jul-Aug 1996), 2A1348
Payload environment and gas release effects on sounding rocket neutral pressure measurements, J Spacecraft Rockets 33(4) 501-506 (Jul-Aug 1996), 2A1349
Performance aspects of plug cluster nozzles, J Spacecraft Rockets 33(4) 507-512 (Jul-Aug 1996), 2A1350
Three-dimensional modeling of dual ion-thruster plumes for spacecraft contamination, J Spacecraft Rockets 33(4) 519-524 (Jul-Aug 1996), 2A1351
Damage-mitigating control of a reusable rocket engine - Part I: Life prediction of the main thrust chamber wall, J Dyn Syst Meas Control 118(3) 401-408 (Sep 1996), 4A389
Damage-mitigating control of a reusable rocket engine - Part II: Formulation of an optimal policy, J Dyn Syst Meas Control 118(3) 409-415 (Sep 1996), 4A390

Propellant injection in a liquid oxygen-gaseous hydrogen rocket engine, J Propulsion Power 12(6) 1137-1147 (Nov-Dec 1996), 5A1371
Triggering of longitudinal combustion instabilities in rocket motors: Nonlinear combustion response, J Propulsion Power 12(6) 1148-1158 (Nov-Dec 1996), 5A1372
Roll torques produced by fixed-nozzle solid rocket motors, J Spacecraft Rockets 33(6) 789-793 (Nov-Dec 1996), 6A321
Cold gas simulation of a solid propellant rocket motor, AIAA J 34(12) 2514-2522 (Dec 1996), 6A1362
Thrust misalignment of fixed-nozzle solid rocket motors, J Spacecraft Rockets 33(6) 794-799 (Nov-Dec 1996), 6A1363
Effects of incorporating a cone swirler into a side-inlet ducted ramrocket, J Propulsion Power 13(1) 162-164 (Jan-Feb 1997), 7A1431
Flow analysis of a solid propellant rocket motor with aft fins, J Propulsion Power 13(2) 194-196 (Mar-Apr 1997), 9A1401
Multiple-scales solution to the acoustic boundary layer in solid rocket motors, J Propulsion Power 13(2) 186-193 (Mar-Apr 1997), 9A1402
Vortex shedding in a large solid rocket motor without inhibitors at the segment interfaces, J Propulsion Power 13(2) 197-206 (Mar-Apr 1997), 9A1403
Comparison of potential fuels for Martian rockets using CO_2, J Propulsion Power 13(3) 395-397 (May-Jun 1997), 10A1428
Mixture-ratio control to improve hydrogen-fuel rocket performance, J Spacecraft Rockets 34(2) 214-217 (Mar-Apr 1997), 10A1429
Nonlinear stability testing of full-scale tactical motors, J Propulsion Power 13(3) 356-366 (May-Jun 1997), 10A1430
Preliminary design of a hybrid propulsion multimission missile system, J Spacecraft Rockets 34(2) 186-191 (Mar-Apr 1997), 10A1431
Stability testing of full-scale tactical motors, J Propulsion Power 13(3) 349-355 (May-Jun 1997), 10A1432
Propulsion Techniques: Action and Reaction (AIAA, MD, 1997) 12N41
Spacecraft Propulsion (AIAA, MD, 1996) 12N42
Tactile Missile Propulsion (AIAA, MD, 1996) 12N43

418I. Jet and fanjet engines

Experimental investigation of a nonsteady flow thrust augmenter, J Propulsion Power 12(4) 724-729 (Jul-Aug 1996), 1A1375
Two-phase air-oil flow in aero engine bearing chambers: Characterization of oil film flows, J Eng Gas Turbines Power 118(3) 578-583 (Jul 1996), 1A1376
Lubrication system of a jet engine, Japan J Trib 40(10) 1031-1039 (1995), 5T1114
Feasibility study on oil droplet flow investigations inside aero engine bearing chambers: PDPA techniques in combination with numerical approaches, J Eng Gas Turbines Power 118(4) 749-755 (Oct 1996), 5A1373
Large thrust engines for civil aircraft, Japan J Trib 40(10) 969-977 (1995), 5A1374
Research and development of SST-HST engine, Japan J Trib 40(10) 997-1006 (1995), 5T1375
Control of the J-85 turbojet engine using the Edmunds' method and the extended Kalman filter technique, Int J Turbo Jet Engines 13(2) 103-111 (1996), 8A1438
Laser-based multiparameter measurements in a jet engine burner, AIAA J 35(3) 500-508 (Mar 1997), 9A1387
Counterflow thrust vector control of subsonic jets: Continuous and bistable regimes, J Propulsion Power 13(3) 412-420 (May-Jun 1997), 10A1433

418J. Ramjets

Numerical analysis of a ram accelerator employing two-phase combustion, J Propulsion Power 12(4) 708-717 (Jul-Aug 1996), 1A1377
Stability of projectiles in thermally choked ram accelerators, J Propulsion Power 12(4) 807-809 (Jul-Aug 1996), 1A1378
Impulse function and drag in scramjet inlet models, J Propulsion Power 12(6) 1181-1183 (Nov-Dec 1996), 5A1376
Numerical study of hypervelocity flows through a scramjet combustor, J Propulsion Power 13(1) 131-141 (Jan-Feb 1997), 7A1432
Thrust losses in hypersonic engines - Part 1: Methodology, J Propulsion Power 13(2) 281-287 (Mar-Apr 1997), 9A1404
Thrust losses in hypersonic engines - Part 2: Applications, J Propulsion Power 13(2) 288-295 (Mar-Apr 1997), 9A1405
Interpretation of FE analysis results of scramaccelerator thrust, J Propulsion Power 13(3) 451-453 (May-Jun 1997), 10T1434
Optical and pressure measurements in shock tunnel testing of a model scramjet combustor, J Propulsion Power 13(3) 388-394 (May-Jun 1997), 10A1435

418K. Nuclear power systems

Space nuclear power: An overview, J Propulsion Power 12(5) 901-910 (Sep-Oct 1996), 3A1339
Antiproton catalyzed fusion propulsion for interplanetary missions, J Propulsion Power 13(3) 428-434 (May-Jun 1997), 10A1436
High-thrust-high-specific impulse gasdynamic fusion propulsion system, J Propulsion Power 13(3) 421-427 (May-Jun 1997), 10A1437
Study on advanced man-machine interface system for autonomous nuclear power plants, Papers Ship Res Inst 33(5) 1-44 (1996), 12A1418

418L. Ionic, electric, and photonic propulsion

Whistler-driven, electron-cyclotron-resonance-heated thruster: Experimental status, J Propulsion Power 12(4) 814-816 (Jul-Aug 1996), 1A1379
Dual fuel solar thermal stage: Ideal analysis, J Spacecraft Rockets 33(5) 752-754 (Sep-Oct 1996), 4T1323
Arcjects and arc heaters: An overview of research status and needs, J Propulsion Power 12(6) 1011-1017 (Nov-Dec 1996), 5A1377
Arcjet modeling: Status and prospects, J Propulsion Power 12(6) 1035-1043 (Nov-Dec 1996), 5A1378
Arcjet thruster development, J Propulsion Power 12(6) 1077-1083 (Nov-Dec 1996), 5A1379
Development and demonstration of a 600-second mission-average I_{sp} arcjet, J Propulsion Power 12(6) 1018-1025 (Nov-Dec 1996), 5A1380
Directions for arcjet technology development, J Propulsion Power 12(6) 1026-1034 (Nov-Dec 1996), 5A1381
Exit-plane electrostatic probe measurements of a low-power arcjet, J Propulsion Power 12(6) 1099-1106 (Nov-Dec 1996), 5A1382
Fluctuation of arcjet plume properties, J Propulsion Power 12(6) 1107-1113 (Nov-Dec 1996), 5A1383
High-pressure arc heater development and modeling: Status and requirements, J Propulsion Power 12(6) 1044-1052 (Nov-Dec 1996), 5A1384
Impacts of external magnetic fields applied to high-pressure electric arc heaters, J Propulsion Power 12(6) 1093-1098 (Nov-Dec 1996), 5A1385
Interior plasma diagnostic of arcjet thrusters, J Propulsion Power 12(6) 1070-1076 (Nov-Dec 1996), 5A1386
Low-power ammonia arcjet: Numerical simulations and laser-induced fluorescence measurements, J Propulsion Power 12(6) 1123-1128 (Nov-Dec 1996), 5A1387
Near-electrode model for 100-standard atmosphere arc discharges, J Propulsion Power 12(6) 1084-1092 (Nov-Dec 1996), 5A1388
Numerical simulation of a hydrogen arcjet, J Propulsion Power 12(6) 1114-1122 (Nov-Dec 1996), 5A1389
Plasma generators for re-entry simulation, J Propulsion Power 12(6) 1053-1061 (Nov-Dec 1996), 5A1390
Two-temperature plasma modeling of nitrogen-hydrogen arcjets, J Propulsion Power 12(6) 1062-1069 (Nov-Dec 1996), 5A1391
Optimal control of quasi-1D self-field magnetoplasmadynamic arcjet flowfields, J Propulsion Power 13(1) 157-161 (Jan-Feb 1997), 7A1433
High-enthalpy extraction demonstration with closed-cycle disk MHD generators, J Eng Gas Turbines Power 118(1) 15-21 (Jan 1996), 11T1436
Future Aeronautical and Space Systems (AIAA, MD, 1996) 12N30
Spacecraft ion propulsion development in the UK, Proc Inst Mech Eng J Aerospace Eng 211(G2) 103-112 (1997), 12T1419

418M. Working fluids

JP-8 + 100: The development of high-thermal-stability jet fuel, J Energy Resources Tech 118(3) 170-179 (Sep 1996), 3A1340
Full-fuel-cycle modeling for alternative transportation fuels, J Energy Resources Tech 117(4) 297-306 (Dec 1995), 11A1437

418N. Other devices

Flow and Heat Transfer in Rotating-Disc Systems, Volume 2: Rotating Cavities (Wiley, New York, 1995) 2R30
New concept of externally heated engine: Comparisons with the Stirling engine, Proc Inst Mech Eng A 210(A5) 363-371 (1996), 5A1392
Performance of a high-solidity Wells turbine for an OWC wave power plant, J Energy Resources Tech 118(4) 263-268 (Dec 1996), 6A1364
Fundamental constraints on large-scale antimatter rocket propulsion, J Propulsion Power 13(3) 435-443 (May-Jun 1997), 10A1438
Velocity and turbulence characteristics of isothermal lobed mixer flows, J Fluids Eng 117(4) 633-638 (Dec 1995), 11A1438

VII. EARTH SCIENCES

450. MICROMERITICS

450B. Geometrical properties of solid particles

Roughness of aerosol particles: Surface fractal dimension measured using nitrogen adsorption, Aerosol Sci Tech 25(4) 392-398 (Nov 1996), 4A1324
Automated measurement of aggregate indices of shape, Particulate Sci Tech 15(1) 13-35 (Jan-Mar 1997), 11A1439

450C. Mechanical and physical properties of solid particles

Pressure sensitivity of cemented granular materials, Mech Mat 23(2) 147-154 (Jun 1996), 2A1352
Micromechanical definition of the strain tensor for granular materials, J Appl Mech 63(3) 706-711 (Sep 1996), 3A1341
Crack nucleation due to dislocation pile-ups at I-, U- and amorphized triple lines, Mech Mat 25(3) 215-234 (Apr 1997), 11A714
Elastic energy of disordered cubic networks of springs, Mech Mat 25(3) 173-182 (Apr 1997), 11A1440

450D. Comminution of solids

Granulometric characteristics of the product of crushing by compression of single particles (Poland), Arch Gornictwa 41(2) 245-258 (1996), 4A1325
Fractal crushing of granular materials, J Mech Phys Solids 44(12) 2079-2102 (Dec 1996), 6A1365
Stochastic models of separation of mineral raw materials, Arch Gornictwa 41(4) 515-530 (1996), 9T1406

450E. Statics of solid particles

Pressures in a square planform silo during discharge, Proc Inst Mech Eng E 210(E2) 101-108 (1996), 1A625
Vertical vibration of a deep bed of granular material in a container, J Appl Mech 63(3) 712-719 (Sep 1996), 3A1342
Landslides: Investigation and Mitigation (TRB, DC, 1996) 4N16

450F. Dynamics of solid particles

Extended continuum mechanics for the study of granular flows, Rendiconti Lincei Matematica e Appl Vi(4) 275-284 (1995), 1A1380
Variational model of sandpile growth, European J Appl Math 7(3) 225-235 (Jun 1996), 1A1381
Fuzzy recognition theory for liquefaction potential of light loam under action of earthquake (Chinese), J Dalian Univ Tech 36(4) 471-476 (Jul 1996), 2A552
Numerical analysis of particle deposition onto horizontal freestanding wafer surfaces heated or cooled, Aerosol Sci Tech 25(2) 141-156 (Aug 1996), 2A1353
Computer simulation of the flow field and particle deposition by diffusion in a 3D human airway bifurcation, Aerosol Sci Tech 25(3) 338-352 (Oct 1996), 3A1084
Numerical simulation and experiment on the transport of fine particles in a ventilated room, Aerosol Sci Tech 25(3) 242-255 (Oct 1996), 3A1343
Effect of periodic shear on avalanches in granular systems, Physica D 97(4) 577-587 (Oct 1996), 4A1326
Inertial separation of ultrafine particles using a condensational growth-virtual impaction system, Aerosol Sci Tech 25(4) 424-436 (Nov 1996), 4A1327
Numerical investigation of transient detonation in granulated material, Shock Waves 6(4) 183-195 (Oct 1996), 4T1328
Particle decomposition from natural convection enclosure flow onto smooth surfaces, Aerosol Sci Tech 25(4) 359-374 (Nov 1996), 4A1329
Surface-contact mechanics during oblique impact of microspheres with planar surfaces, Aerosol Sci Tech 25(4) 445-465 (Nov 1996), 4A1330
Examination of the possibility of a fluid-mechanics treatment of dense granular flows, Mech Cohesive-Frictional Mat 1(4) 385-403 (Oct 1996), 5A436
Dilatant double shearing theory applied to granular chute flow, Acta Mech 118(1-4) 97-108 (1996), 5A1393
Computer simulation of dilute pneumatic conveying of granular materials in pipe branches, Particulate Sci Tech 14(3) 213-219 (Jul-Sep 1996), 6A1366
Mechanics of collisional motion of granular materials - Part 4: Expansion wave, J Fluid Mech 327 117-138 (Nov 1996), 6A1367
Seismic strengthening of unreinforced masonry piers with steel elements, Earthquake Spectra 12(4) 845-862 (Nov 1996), 6A1368
Inertial deposition of particles in the human upper airway bifurcations, Aerosol Sci Tech 26(2) 97-110 (Feb 1997), 7A1434
Modeling small cluster deposition on the primary particles of aerosol agglomerates, Aerosol Sci Tech 26(2) 127-140 (Feb 1997), 7A1435
Theoretical model for deposition of aerosols in rising spherical bubbles due to diffusion, convection, and inertia, Aerosol Sci Tech 26(2) 141-153 (Feb 1997), 7A1436
Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, Aerosol Sci Tech 26(3) 193-211 (Mar 1997), 8A1439
Granular flow behavior in the transverse plane of a partially filled rotating cylinder, J Fluid Mech 330 233-249 (Jan 1997), 8A1440
History of single aerosol particle levitation, Aerosol Sci Tech 26(3) 212-254 (Mar 1997), 8T1441
Experimental investigation of the interaction between weak shock waves and granular layers, Exp Fluids 22(5) 432-443 (Mar 1997), 9A213
Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, Aerosol Sci Tech 26(4) 326-342 (Apr 1997), 9A1407
Morphological change of hardened oil particles induced by impaction against a solid surface, Aerosol Sci Tech 26(4) 343-355 (Apr 1997), 9A1408
Mechanism of compressive stress formation during weak shock waves impact with granular materials, Exp Fluids 22(6) 507-518 (Apr 1997), 10A1439
Scalar form of dynamic equations for a cluster of bodies, Struct Eng and Mech 5(2) 209-220 (Mar 1997), 10A1440
Velocity distribution function for a dilute granular material in shear flow, J Fluid Mech 340 319-341 (Jun 1997), 11A1441
Deposition of particles in a chamber as a function of ventilation rate, Aerosol Sci Tech 27(1) 62-72 (Jul 1997), 12A1420
Dry deposition of nonspherical particles on natural and surrogate surfaces, Aerosol Sci Tech 27(1) 22-38 (Jul 1997), 12A1421
Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, Aerosol Sci Tech 27(1) 1-21 (Jul 1997), 12A1422
Instability mechanism for the sliding motion of finite depth of bulk granular materials, Acta Mech 121(1-4) 1-19 (1997), 12A1423

450G. Snow motion

Effect of periodic shear on avalanches in granular systems, Physica D 97(4) 577-587 (Oct 1996), 4A1326
Retention of inertialess particles in the near wake region of a 2D flat plate placed normal to an aerosol-laden freestream, Aerosol Sci Tech 26(3) 269-284 (Mar 1997), 8A1442

450H. Characteristics of packings (pressured particles)

Global and local structural properties of packed beds of nonequilateral cylindrical particles, Particulate Sci Tech 14(3) 221-237 (Jul-Sep 1996), 6A1369
Effect of porosity on the strength coefficient and strain-hardening exponent of sintered ferrous materials, J Brazilian Soc Mech Sci 19(1) 72-79 (Mar 1997), 9A1409

Numerical simulation of density distribution during compaction of iron powders, Arch Appl Mech 67(3) 191-199 (Feb 1997), 9A1410
Nonlinear elasticity of granular media, J Appl Mech 64(1) 39-49 (Mar 1997), 10A1441
Packing generation scheme for the granular assemblies with planar elliptical particles, Int J Numer Anal Methods Geomech 21(5) 347-358 (May 1997), 10A1442

450J. Mechanical and physical properties of atomized liquids

Vaporization of a liquid drop suddenly exposed to a high-speed airstream, J Fluid Mech 318 223-236 (Jul 1996), 2A998
Ultrafine aerosol measurement using a condensation nucleus counter with pulse height analysis, Aerosol Sci Tech 25(2) 200-213 (Aug 1996), 2A1354
Numerical simulation of rapid expansion of supercritical fluid, Eur J Mech B 15(4) 569-596 (1996), 3T1215
Fast technique for measuring water activity of atmospheric aerosols, Aerosol Sci Tech 26(3) 255-268 (Mar 1997), 8A1443
Experimental measurement of competitive ion-induced and binary homogeneous nucleation in $SO_2/H_2O/N_2$ mixtures, Aerosol Sci Tech 26(6) 527-543 (Jun 1997), 11A1442
FTIR analysis of aerosol formed in the photooxidation of 1,3,5-trimethylbenzene, Aerosol Sci Tech 26(6) 516-526 (Jun 1997), 11A1443
Thresholds for laser-induced ion formation from aerosols in a vacuum using ultraviolet and vacuum-ultraviolet laser wavelengths, Aerosol Sci Tech 26(6) 544-559 (Jun 1997), 11A1444

450Z. Experimental techniques

New system for 3D kinematic trajectory acquisition and analysis - II: Digital orthogonal integration phase-detection technique, Mod Eng Phys 18(5) 427-432 (Jul 1996), 1A1455
Comparisons of calculated respiratory tract deposition of particles based on the proposed NCRP model and the new ICRP66 model, Aerosol Sci Tech 25(2) 134-140 (Aug 1996), 2A1355
Modification of the TSI 3025 condensation particle counter for pulse height analysis, Aerosol Sci Tech 25(2) 214-218 (Aug 1996), 2A1356
Digital signal processing for optical particle counters in order to improve the signal-to-noise ratio, Aerosol Sci Tech 25(4) 399-410 (Nov 1996), 4A1331
Inversion of particle size distribution from light scattering spectrum, Inverse Prob 12(5) 633-639 (Oct 1996), 4A1332
Formation and growth of silicon nitride particles in a laser-driven aerosol reactor investigated with photon correlation spectroscopy and electron microscopy, Aerosol Sci Tech 26(1) 55-73 (Jan 1997), 6A1370
Retrieval of aerosol size index from high-resolution spectroradiometer observations, Aerosol Sci Tech 26(2) 154-162 (Feb 1997), 7A1437
Shrouded probe performance: Variable flow operation and effect of free stream turbulence, Aerosol Sci Tech 26(2) 111-126 (Feb 1997), 7A1438
Grain motion in a 2D granular material under slow cyclic deformation, Physica D 102(1-2) 78-92 (Mar 1997), 8A1444
Reactive gas diluter for measuring nanometer-size particles, Aerosol Sci Tech 26(3) 285-288 (Mar 1997), 8T1445
Differential electrical mobility analysis: A theoretical study, Aerosol Sci Tech 26(4) 368-383 (Apr 1997), 9A1411
Fluctuations and noise of the optical output power of laser diodes and the effect on optical particle size determination, Aerosol Sci Tech 26(4) 356-367 (Apr 1997), 9A1412
Laser diffraction method measurements of particle-gas dispersion effects in a coaxial jet, Aerosol Sci Tech 26(5) 447-458 (May 1997), 10A1443
Automated measurement of aggregate indices of shape, Particulate Sci Tech 15(1) 13-35 (Jan-Mar 1997), 11A1439
Virtual cyclone: A device for nonimpact particle separation, Aerosol Sci Tech 26(6) 560-573 (Jun 1997), 11A1445
Simultaneous particle and molecule modeling: An approach for combining sectional aerosol equations and elementary gas-phase reactions, Aerosol Sci Tech 27(1) 73-94 (Jul 1997), 12A1113
Calibration at different flow rates of a multistage liquid impinger, Aerosol Sci Tech 27(1) 39-49 (Jul 1997), 12A1424

452. POROUS MEDIA

452B. Fundamentals of fluid flow

New lumped-parameter model for flow in unsaturated dual-porosity media, Adv Water Resources 19(5) 317-327 (Oct 1996), 1T1382
Darcy equation for random porous media, Commun Pure Appl Math 49(1) 1-34 (Jan 1996), 2A1357
Calculating parameters for infiltration equations from soil hydraulic functions, Transport Porous Media 24(3) 315-339 (Sep 1996), 3A1344
Permeability evolution induced by the precipitation of an advected solute: Effect of the microscopic and the macroscopic scales competition on the clogging mechanism, Transport Porous Media 24(3) 341-375 (Sep 1996), 3A1345
Stochastic analysis of multiphase flow in porous media - II: numerical simulations, Stochastic Hydrology Hydraul 10(3) 231-251 (Aug 1996), 3T1350
Behavior of acceleration waves in a viscoelastic porous medium with a structure - Part I: Propagation conditions and growth equations, J Theor Appl Mech 34(3) 521-531 (1996), 4A214
Behavior of acceleration waves in a viscoelastic porous medium with a structure - Part II: Linear viscoelastic fluid-saturated porous solid, J Theor Appl Mech 34(3) 533-546 (1996), 4A215
Convergence of the homogenization process for a double-porosity model of immiscible two-phase flow, SIAM J Math Anal 27(6) 1520-1543 (Nov 1996), 4A1333
Forchheimer equation: A theoretical development, Transport Porous Media 25(1) 27-61 (Oct 1996), 4A1334
Streamline computations for porous media flow including gravity, Transport Porous Media 25(1) 63-78 (Oct 1996), 4A1335
Surface deposition from fluid flow in a porous medium, Transport Porous Media 25(1) 79-96 (Oct 1996), 4A1336
Homogenization and Porous Media (Springer-Verlag, New York, 1997) 5R28
Numerical investigation of the propagation of shock waves in rigid porous materials: Development of the computer code and comparison with experimental results, J Fluid Mech 324 163-179 (Oct 1996), 5A193
Effects of serial and parallel pore nonuniformities: Results from two models of the porous structure, Transport Porous Media 25(3) 335-350 (Dec 1996), 6A1371
Experimental investigation of characteristic length scale in periodic heterogeneous porous media, Transport Porous Media 25(2) 235-246 (Nov 1996), 6A1372
Flow behavior in the presence of wettability heterogeneities, Transport Porous Media 25(2) 217-233 (Nov 1996), 6A1373
Flow of Maxwell fluids in porous media, Transport Porous Media 25(2) 167-192 (Nov 1996), 6A1374
Generalized approach to heterogeneous media, Transport Porous Media 25(3) 351-374 (Dec 1996), 6A1375
Non-Fickian transport in heterogeneous saturated porous media, J Eng Mech 123(1) 70-76 (Jan 1997), 6A1376
Wetting and nonwetting fluid displacements in porous media, Transport Porous Media 25(2) 205-215 (Nov 1996), 6A1377
New analytic solutions for the Broadwell equations on discrete kinetic theory, Eur J Mech B 16(1) 1-15 (1997), 7T1439
Groundwater flow with free boundaries using the hodograph method, Adv Water Resources 20(4) 207-216 (Aug 1997), 7T1440
Time and scale dependent effective retardation factors in heterogeneous aquifers, Adv Water Resources 20(4) 217-230 (Aug 1997), 7T1517
Petrophysics: Theory and Practice of Measuring Reservoir Rock and Fluid Transport Properties (Gulf Publ, Houston, 1996) 8R25
Plane shear waves in a fully saturated granular medium with velocity and stress controlled boundary conditions, Int J Non-Linear Mech 32(3) 489-503 (May 1997), 8A1446
Approximate solution for fluid infiltration near a circular opening in unsaturated media, Transport Porous Media 26(2) 121-132 (Feb 1997), 9A1413
Generation of granular media, Transport Porous Media 26(1) 99-107 (Jan 1996), 9A1414
Gravity affected lateral dispersion and diffusion in a stationary horizontal porous medium shear flow, Transport Porous Media 26(2) 183-204 (Feb 1997), 9A1415
Modeling and numerical simulations of contaminant transport in naturally fractured porous media, Transport Porous Media 26(1) 25-49 (Jan 1996), 9A1416
Multiscale structures to describe porous media - Part I: Theoretical background and invasion by fluids, Transport Porous Media 26(1) 51-73 (Jan 1996), 9A1417
Preferential flow-paths detection for heterogeneous reservoirs using a new renormalization technique, Transport Porous Media 26(1) 1-23 (Jan 1996), 9A1418
Role of biofilm growth in bacteria-facilitated contaminant transport in porous media, Transport Porous Media 26(2) 161-181 (Feb 1997), 9A1419
Stokes flow in a slowly varying 2D periodic pore, Transport Porous Media 26(1) 89-98 (Jan 1996), 9A1420
Upscaling in porous media: Theories and computations, Adv Water Resources 20(5-6) (Oct-Dec 1997), 9A1421
Vorticity in 3D random porous media, Transport Porous Media 26(1) 109-119 (Jan 1996), 9A1422
Modeling of Darcy-Forchheimer drag for fluid flow across a bank of circular cylinders, Int J Heat Mass Transfer 40(13) 3149-3155 (Sep 1997), 10A1444
Rayleigh approach to the rheology of compressible granular flow, J Rheol 41(3) 513-529 (May-Jun 1997), 10A1445
Role of moisture fluctuations in unsaturated transport, Stochastic Hydrology Hydraul 11(2) 129-143 (Apr 1997), 10T1446
Percolation Models for Transport in Porous Media with Applications to Reservoir Engineering (Kluwer, Netherlands, 1996) 11R37
Large time profiles in reactive solute transport, Transport Porous Media 27(1) 57-84 (Apr 1997), 11A1391
Analytical solution for contaminant transport in non-uniform flow, Transport Porous Media 27(1) 85-97 (Apr 1997), 11A1446
Differential system method for the identification of transmissivity and storativity, Transport Porous Media 26(3) 339-371 (Mar 1997), 11A1447
Effective relative permeabilities and capillary pressure for 1D heterogeneous media, Transport Porous Media 26(3) 229-260 (Mar 1997), 11A1448
Longitudinal flow through an array of rectangular cylinders, IMA J Appl Math 58(2) 111-120 (Apr 1997), 11A1449
Multiscale structures to describe porous media - Part II: Transport properties and application to test materials, Transport Porous Media 26(3) 319-338 (Mar 1997), 11A1450
Non-Rayleigh convection caused by ground surface topography, Transport Porous Media 26(3) 299-318 (Mar 1997), 11A1451
Wall region porosity distributions for packed beds of uniform spheres with modified and unmodified walls, Transport Porous Media 27(1) 99-118 (Apr 1997), 11A1452
Spatial decay estimates for flow in a porous medium, SIAM J Math Anal 28(4) 808-830 (Jul 1997), 12A1425
Two-fluid flow in sedimentary rock: Simulation, transport, and complexity, J Fluid Mech 341 343-370 (Jun 1997), 12A1427

452C. Seepage (incl pollutants)

Conformation of semi-rigid polymers during flow through a fixed fiber bed, J Non-Newtonian Fluid Mech 64(2-3) 95-140 (Jun 1996), 1A984
Large time asymptotics in contaminant transport in porous media, SIAM J Appl Math 56(4) 965-993 (Aug 1996), 1A1383
Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media, Transport Porous Media 24(2) 203-220 (Aug 1996), 1A1384
Modern Issues in Non-Saturated Soils (Springer-Verlag, New York, 1995) 3R16
Solid-Liquid Filtration and Separation Technology (VCH Publ, New York, 1996) 3R32
Asymptotic profiles of a decaying contaminant in transport through a porous medium, European J Appl Math 7(4) 395-416 (Aug 1996), 3A1346
Diffusion-adsorption-advection macrotransport in soils, Eur J Mech A 15(4) 681-704 (1996), 3A1347
Analytical model for heterogeneous reactions in mixed porous media, J Env Eng 122(8) 676-684 (Aug 1996), 3A1355
Laborstory experiments with heterogeneous reactions in mixed porous media, J Env Eng 122(8) 685-691 (Aug 1996), 3A1358
Transverse dispersion at high Peclet numbers in short porous media, Exp Fluids 21(4) 286-290 (Aug 1996), 3A1360
Desorption of soil contaminants due to rainwater infiltration, J Hydraul Eng 122(9) 523-525 (Sep 1996), 3A1465
Dimensional analysis of colloid-facilitated groundwater contaminant transport, J Hydrologic Eng 1(4) 139-143 (Oct 1996), 4A1337
Hydrologic theory of dispersion in heterogeneous aquifers, J Hydrologic Eng 1(4) 144-151 (Oct 1996), 4A1338
Prediction of filling times of porous cavities, Int J Numer Methods Fluids 23(7) 661-672 (Oct 1996), 4A1339
Stochastic analysis for movement of fine particles in porous media, J Hydrologic Eng 1(4) 161-168 (Oct 1996), 4A1340
Static and dynamic calculation of formation fluid displacement induced by hydraulic fracturing, Appl Math Model 20(10) 714-718 (Oct 1996), 4A1347
Subsurface Fluid Flow (Ground-Water and Vadose Zone) Modeling (ASTM, 1996) 5N29
Macroscopic representation of structural geometry for simulating water and solute movement in dual-porosity media, Adv Water Resources 19(6) 343-357 (Dec 1996), 5A1394
Moisture transport in porous building materials, Heron 41(2) 95-105 (1996), 5A1395
Band formation in deposition of fines in porous media, Transport Porous Media 25(3) 247-273 (Dec 1996), 6A1378
Concentration distribution along unsteady groundwater flow, Indian J Eng Mat Sci 3(6) 258-261 (Dec 1996), 6A1379
Groundwater waves in aquifers of intermediate depths, Adv Water Resources 20(1) 37-43 (Feb 1997), 6T1380
Simulation of unsaturated water flow around obstructions: 3D Rankine bodies, Adv Water Resources 20(1) 15-22 (Feb 1997), 6T1381
Petrophysics: Theory and Practice of Measuring Reservoir Rock and Fluid Transport Properties (Gulf Publ, Houston, 1996) 8R25
Three-dimensional seepage through spatially random soil, J Geotech Geoenv Eng 123(2) 153-160 (Feb 1997), 8A1447
Upscaling in porous media: Theories and computations, Adv Water Resources 20(5-6) (Oct-Dec 1997), 9A1421
Boussinesq equations for wave transformation on porous beds, Coastal Eng 30(1-2) 125-156 (Mar 1997), 9A1423
Directed percolation model for clogging in a porous medium with small inhomogeneities, Transport Porous Media 26(2) 133-146 (Feb 1997), 9A1424
Fluid flow through randomly packed monodisperse fibers: The Kozeny-Carman parameter analysis, J Fluids Eng 119(1) 188-192 (Mar 1997), 9A1425
Hydrology of the ground water (Polish), Inzynieria Budownictwo 53(1) 38-43 (1997), 9A1426
Contaminant transport through single fracture with porous obstructions, J Fluids Eng 119(1) 180-187 (Mar 1997), 9A1546
Inverse problem for the hydraulic properties of porous media, SIAM J Math Anal 28(3) 611-632 (May 1997), 10A1447
Liquid transport in porous media, discontinuous phenomena - Part II: Examples, J Hydrology and Hydromech 44(4) 235-251 (1996), 11A1453

452D. Multiphase flow in porous solids

Determination of permeability tensors for two-phase flow in homogeneous porous media: Theory, Transport Porous Media 24(2) 107-137 (Aug 1996), 1A1385
Fickian diffusion model for the spreading of liquid plumes infiltrating in heterogeneous media, Transport Porous Media 24(1) 1-33 (Jul 1996), 1A1386
Micellar-polymer physical-property models for contaminant cleanup problems and enhanced oil recovery, Transport Porous Media 24(1) 35-79 (Jul 1996), 1A1387
Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part I: Model development, Int J Heat Mass Transfer 39(17) 3607-3618 (Nov 1996), 1A1388
Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part II: Numerical simulation of the transport of organic compounds in the subsurface, Int J Heat Mass Transfer 39(17) 3619-3632 (Nov 1996), 1A1389
Numerical simulation of two-phase flow and solute transport with interphase exchange in porous media, Commun Numer Methods Eng 12(7) 433-444 (Jul 1996), 1A1390
Pore-scale network model for drainage-dominated three-phase flow in porous media, Transport Porous Media 24(2) 167-201 (Aug 1996), 1A1391
Simulation of three-phase displacement experiments, Transport Porous Media 24(2) 221-245 (Aug 1996), 1A1392
Theory and application of a fully coupled thermo-hydro-mechanical FE model, Comput Struct 61(1) 131-146 (Aug 1996), 1A1393
Investigations of the extra energy during heating of a porous packed bed, Thermophys and Aeromech 2(4) 321-327 (1995), 1T1399
Influence of capillary pressure, adsorption and dispersion on chemical flood transport phenomena, Transport Porous Media 24(3) 275-296 (Sep 1996), 3A1348
Influence of phase behavior on chemical flood transport phenomena, Transport Porous Media 24(3) 247-273 (Sep 1996), 3A1349
Stochastic analysis of multiphase flow in porous media - II: numerical simulations, Stochastic Hy-

drology Hydraul 10(3) 231-251 (Aug 1996), 3T1350
Experimental determination of the flow transport coefficients in the coupled equations of two-phase flow in porous media, Transport Porous Media 25(1) 97-120 (Oct 1996), 4A1341
Porosity variations in saline media caused by temperature gradients coupled to multiphase flow and dissolution-precipitation, Transport Porous Media 25(1) 1-25 (Oct 1996), 4A1342
Proceedings of the ASME Heat Transfer Division, Volume 3 (ASME, New York, 1996) 5N22
Comparison of numerical models for evaporative two-phase flow in a self-heated porous medium, Comput Fluids 25(8) 699-718 (Nov 1996), 6A1073
Free-surface shapes of a jet injecting through a porous wall, IMA J Appl Math 57(2) 193-210 (Oct 1996), 6A1125
Erosion and deposition of solid particles in porous media: Homogenization analysis of a formation damage, Transport Porous Media 25(2) 121-146 (Nov 1996), 6A1382
Movement of an LNAPL lens on the water table, Transport Porous Media 25(3) 283-311 (Dec 1996), 6A1383
Quantitative description of multi-component reactive transport in porous media: An empirical approach, Transport Porous Media 25(2) 193-204 (Nov 1996), 6A1384
Groundwater flow with free boundaries using the hodograph method, Adv Water Resources 20(4) 207-216 (Aug 1997), 7T1440
System of nonlinear elliptic and degenerate parabolic equations describing compositional water-oil flows in porous media, Nonlinear Anal 28(9) 1565-1600 (May 1997), 8T1448
Upscaling in porous media: Theories and computations, Adv Water Resources 20(5-6) (Oct-Dec 1997), 9A1421
Effect of hydrogen sulfide on condensation and flow of gas condensate fluids in porous media, Transport Porous Media 26(2) 147-160 (Feb 1997), 9A1427
Role of moisture fluctuations in unsaturated transport, Stochastic Hydrology Hydraul 11(2) 129-143 (Apr 1997), 10T1446
Capillary network model for gas migration in low-permeability media, SIAM J Appl Math 57(3) 597-608 (Jun 1997), 11A1454
Generalized Forchheimer equation for two-phase flow based on hybrid mixture theory, Transport Porous Media 26(3) 261-275 (Mar 1997), 11A1455
Micromodel observation of the role of oil layers in three-phase flow, Transport Porous Media 26(3) 277-297 (Mar 1997), 11A1456
Heat, water, and solute transfer in unsaturated porous media - II: Compacted soil beneath plastic cover, Transport Porous Media 27(1) 39-55 (Apr 1997), 11A1461
Heat, water, and solute transfer in unsaturated porous media - I: Theory development and transport coefficient evaluation, Transport Porous Media 27(1) 17-38 (Apr 1997), 11T1462
Description of air and water flow in soils on the basis of the theory of porous media (German), Bauingenieur 72(5) 215-220 (May 1997), 12A1426
Effects of a semipervious lens on soil vapor extraction, J Fluid Mech 341 385-413 (Jun 1997), 12A1526

452E. Unsteady flow

Investigation of a non-thermal equilibrium flow of an incompressible fluid in a cylindrical tube filled with porous media, Z Angew Math Mech 76(7) 411-418 (1996), 1A1398
Theory of single well tests in a leaky aquifer: Analytical solution of non steady flow, Appl Sci Res 55(3) 211-225 (Oct 1995), 1A1404
Withdrawal of layered fluid through a line sink in a porous medium, J Austral Math Soc B 38(2) 240-254 (Oct 1996), 5A1396
Concentration distribution along unsteady groundwater flow, Indian J Eng Mat Sci 3(6) 258-261 (Dec 1996), 6A1379
Theoretical study of interphase heat and mass transfer in saturated porous media, Int J Eng Sci 35(2) 171-185 (Jan 1997), 7A1441
Nonlinear effects on some unsteady non-Darcian flows through porous media, Int J Non-Linear Mech 32(2) 361-376 (Mar 1997), 8A1449
Liquid transport in porous media, discontinuous phenomena - Part II: Examples, J Hydrology and Hydromech 44(4) 235-251 (1996), 11A1453

452F. Fluidized beds

Cross-flow heat transfer in the freeboard region of a fluidized bed, Proc Inst Mech Eng C 210(C3) 245-253 (1996), 1A1197
Atmospheric bubble fluidized bed combustion: Application to high ash coals and approach to scientific research, J Brazilian Soc Mech Sci 18(2) 127-142 (Jun 1996), 1A1325
Suspension-to-wall heat transfer in a 12-MW$_e$ circulating fluidized-bed combustor, Int J Energy Res 20(7) 569-579 (Jul 1996), 1A1330
Heat transfer from vertical inserts in gas-fluidized beds, Int J Heat Mass Transfer 39(16) 3357-3365 (Nov 1996), 1A1394
Fluidized bed studies of carbon particle oxidation: Gas phase surface products and surface area evolution, Combust Sci Tech 110-111 147-167 (Dec 1995), 2A1358
Application of deterministic chaos theory to local instantaneous temperature, pressure, and heat transfer coefficients in a gas fluidized bed, J Energy Resources Tech 118(3) 214-220 (Sep 1996), 3A1351
Period-adding and chaos in fluidized bed catalytic reactors, Chaos Solitons Fractals 7(8) 1317-1331 (Aug 1996), 3A1352
Operation control of circulating fluidized bed boilers, Int J Energy Res 20(10) 839-851 (Oct 1996), 4A1343
Expansion of multi-jet bed with large particles, Int J Energy Res 20(11) 989-998 (Nov 1996), 5A1397
Growth of periodic waves in gas-fluidized beds, J Fluid Mech 325 261-282 (Oct 1996), 5A1398
Method of determining thermal parameters of granular coal particles during devolatilization, Int J Energy Res 20(11) 943-948 (Nov 1996), 5A1399
Unified correlation for the prediction of heat transfer coefficients in liquid-solid fluidized bed systems, J Heat Transfer 118(4) 952-959 (Nov 1996), 5A1400
Heat-transfer and defrosting characteristics of a horizontal array of cooled tubes immersed in a very shallow fluidized bed, Int J Heat Mass Transfer 40(8) 1807-1815 (May 1997), 7A1442
Storing thermal energy using fluidized bed storage, Heat Tech 12(1-2) 127-136 (1994), 7A1443
Fine-fracture moisture separation in flow-type cyclone separators, Thermophys and Aeromech 3(4) 357-364 (1996), 8T1450
Experimental study of the heat transfer between near-fluidized particles and an oscillating immersed surface, Int J Heat Mass Transfer 40(10) 2351-2361 (Jul 1997), 9A1428
Fully developed traveling wave solutions and bubble formation in fluidized beds, J Fluid Mech 334 157-188 (Mar 1997), 9A1429
New mechanism for FBC agglomeration and fouling in 100% firing of petroleum coke, J Energy Resources Tech 119(1) 55-61 (Mar 1997), 9A1430
Study of immersed heat exchange surface for high-efficiency heat recovery from wire-rim tires in a fluidized-bed boiler, Heat Transfer Japan Res 25(2) 120-134 (1996), 9A1431
Experimental determination of liquid evaporation rates in superheated fluidized beds, Exp Heat Transfer 10(1) 31-37 (Jan-Mar 1997), 10A1323
Radiative heat transfer in circulating fluidized beds, J Heat Transfer 117(4) 963-968 (Nov 1995), 11A1457
Heat transfer in vertical granular flows, Exp Heat Transfer 10(2) 89-107 (Apr-Jun 1997), 12A1284
Petroleum coke and coal start-up testing in bubbling fluidized bed combustors, J Energy Resources Tech 119(2) 96-102 (Jun 1997), 12A1386

452G. Elastic behavior of fluid-filled solids

Mechanics of Poroelastic Media (Kluwer, MA, 1996) 1N29
Internal stresses in material under drying, Mech Solids 31(1) 77-83 (1996), 1A1395
Poroelasticity of saturated solids with an application to blood perfusion, Int J Eng Sci 34(9) 1019-1031 (Jul 1996), 2A1359
Effective mechanical properties of random porous media, J Mech Phys Solids 44(10) 1587-1620 (Oct 1996), 4A6
Interacting indentors on a poroelastic half-space, Z Angew Math Phys 47(5) 695-716 (Sep 1996), 4A1344
Validity of the effective stress concept for assessing the strength of saturated porous materials: A homogenization approach, J Mech Phys Solids 44(10) 1649-1667 (Oct 1996), 4A1345
Drying processes involving permanent deformations of dried materials, Int J Eng Sci 34(13) 1491-1506 (Oct 1996), 5A1401
Consolidation of elastic porous media saturated by two immiscible fluids, J Eng Mech 122(11) 1077-1085 (Nov 1996), 6A1385
Nonlinear wave-induced response of porous seabed: A FE analysis, Int J Numer Anal Methods Geomech 21(1) 15-42 (Jan 1997), 7A1444
Seismic attenuation in finely layered porous rocks: Effects of fluid flow and scattering, Geophys 62(1) 319-324 (Jan-Feb 1997), 7A1445
Petrophysics: Theory and Practice of Measuring Reservoir Rock and Fluid Transport Properties (Gulf Publ, Houston, 1996) 8R25
Constitutive relations and internal equilibrium condition for fluid-saturated porous solids: Nonlinear theory, Arch Mech 48(5) 893-910 (1996), 9A1432
Constitutive relations and internal equilibrium condition for fluid-saturated porous solids: Linear description, Arch Mech 48(5) 911-923 (1996), 9A1433
Poroelastic solution for an inclined borehole, J Appl Mech 64(1) 32-38 (Mar 1997), 10A1448
Transmission loss in the far field over a one-layer seabed assuming the Biot sediment model, Z Angew Math Mech 77(2) 121-135 (1997), 10A1449
Realizability of negative pore compressibility in poroelastic composites, J Appl Mech 62(4) 1053-1062 (Dec 1995), 11A1458
Thermomechanical theory of solid-fluid mixtures, Math Mech Solids 2(2) 143-151 (Jun 1997), 11A1459

452H. Dynamics of fluid-filled solids

New lumped-parameter model for flow in unsaturated dual-porosity media, Adv Water Resources 19(5) 317-327 (Oct 1996), 1T1382
Absorption of strain waves in porous media at seismic frequencies, Pure Appl Geophys 147(1) 25-56 (Jun 1996), 1A1405
Acoustoelasticity theory and applications for fluid-saturated porous media, J Acoust Soc Am 100(3) 1368-1374 (Sep 1996), 3A1353
Electroseismic wave properties, J Acoust Soc Am 100(3) 1301-1315 (Sep 1996), 3A1354
Porous media at finite strains: The new model with the balance equation for porosity, Arch Mech 48(4) 591-628 (1996), 4A1346
Static and dynamic calculation of formation fluid displacement induced by hydraulic fracturing, Appl Math Model 20(10) 714-718 (Oct 1996), 4A1347
Vibration of poroelastic beams with axial diffusion, Eur J Mech A 15(6) 1077-1094 (1996), 6A1386
Hamiltonian and Onsageristic approaches in the nonlinear theory of fluid-permeable elastic continua, Int J Eng Sci 35(1) 75-87 (Jan 1997), 7A1446
Fluid flow through randomly packed monodisperse fibers: The Kozeny-Carman parameter analysis, J Fluids Eng 119(1) 188-192 (Mar 1997), 9A1425
Energy dissipation in a saturated porous half-space under a vibrating rigid block, Arch Hydro-Eng Env Mech 42(3-4) 71-92 (1995), 9A1434
Note on the orientation of the macrodispersion tensor in partially saturated heterogeneous porous formations, Adv Water Resources 21(1) 63-70 (Feb 1997), 9T1435
Two-fluid flow in sedimentary rock: Simulation, transport, and complexity, J Fluid Mech 341 343-370 (Jun 1997), 12A1427
Wave propagation in poroelastic media saturated by two fluids, J Appl Mech 64(2) 313-320 (Jun 1997), 12A1428

452I. Thermodynamics, heat transfer, and combustion

Effect of inertia on free convection from a horizontal surface embedded in a porous medium, Int J Heat Mass Transfer 39(16) 3425-3430 (Nov 1996), 1A1198
Ray tracing method for evaluating the radiative heat transfer in porous media, Int J Heat Mass Transfer 39(15) 3175-3180 (Oct 1996), 1A1251
Theoretical study of the influence of slugs on the radiative behavior of fibrous media (French), Int J Heat Mass Transfer 39(15) 3221-3231 (Oct 1996), 1A1252
Drying stress formation by inhomogeneous moisture and temperature distribution, Transport Porous Media 24(2) 139-156 (Aug 1996), 1A1269
Combustion regimes and temperature of coal char particles in a fluidized bed, Thermophys and Aeromech 2(4) 329-340 (1995), 1T1332
Internal stresses in material under drying, Mech Solids 31(1) 77-83 (1996), 1A1395
Combined convection in power-law fluids along a nonisothermal vertical plate in a pourous medium, Transport Porous Media 24(2) 157-166 (Aug 1996), 1A1396
Inertia effects on mixed convection for vertical plates with variable wall temperature in saturated porous media, Heat and Mass Transfer Warme 31(5) 333-338 (Jun 1996), 1A1397
Investigation of a non-thermal equilibrium flow of an incompressible fluid in a cylindrical tube filled with porous media, Z Angew Math Mech 76(7) 411-418 (1996), 1A1398
Investigations of the extra energy during heating of a porous packed bed, Thermophys and Aeromech 2(4) 321-327 (1995), 1T1399
Measurements of thermally-induced convection in a model porous medium, Appl Sci Res 55(3) 245-259 (Oct 1995), 1A1400
Moisture transport in initially fully saturated concrete during drying, Transport Porous Media 24(1) 81-106 (Jul 1996), 1A1401
Numerical study of a low permeability microporous heat sink for cooling phased-array radar systems, Int J Heat Mass Transfer 39(17) 3633-3647 (Nov 1996), 1A1402
Wave forces on vertical cylinders upon shoals, Coastal Eng 27(2-3) 263-286 (Jul 1996), 2A246
Effect of weak rotation on natural convection in a horizontal porous cylinder, Heat and Mass Transfer Warme 31(6) 403-409 (Aug 1996), 2A1191
Enhancement of forced convection in an asymmetrically heated duct filled with high thermal conductivity porous media, J Enhanced Heat Transfer 3(4) 291-299 (1996), 2A1192
Fluid flow and convective heat transfer in a vertical porous annulus, Numer Heat Transfer A 30(3) 305-320 (Aug 1996), 2A1193
Modal package convection in a porous layer with boundary imperfections, J Fluid Mech 318 107-128 (Jul 1996), 2A1194
Analysis of a bilayered porous radiant burner, Numer Heat Transfer A 30(3) 219-232 (Aug 1996), 2A1360
Analysis of heat transfer with liquid-vapor phase change in a forced-flow fluid moving through porous media, Int J Heat Mass Transfer 39(18) 3959-3975 (Dec 1996), 2A1361
Bifurcation of an equation arising in porous-medium combustion, IMA J Appl Math 56(3) 219-234 (Jun 1996), 2T1362
Effect of temperature-dependent viscosity on the onset of convection in a saturated porous medium, J Heat Transfer 118(3) 803-805 (Aug 1996), 2T1363
Enhancement of heat transfer by inserting a metal matrix into a phase change material, Numer Heat Transfer A 30(2) 125-141 (Aug 1996), 2A1364
Heat transfer by forced convection in pipes packed with porous media whose matrices are composed of spheres, Int J Heat Mass Transfer 39(18) 3931-3947 (Dec 1996), 2A1365
Numerical study of thermal dispersion in porous media, J Heat Transfer 118(3) 756-761 (Aug 1996), 2A1366
Two very accurate and efficient methods for computing eigenvalues and eigenfunctions in porous convection problems, J Comput Phys 127(1) 128-141 (Aug 1996), 2A1367
Creep and plasticity due to chemo-mechanical couplings, Arch Appl Mech 66(8) 523-535 (Sep 1996), 3A479
Forced convection in a fluid-saturated porous-medium channel with isothermal or isoflux boundaries, J Fluid Mech 322 201-214 (Sep 1996), 3A1222
Conjugate natural convection heat transfer between two porous media separated by a vertical wall, Int J Heat Mass Transfer 40(1) 123-129 (Jan 1997), 3A1240
Effect of thermal stratification on natural convection in a vertical porous insulation layer, Int J Heat Mass Transfer 40(1) 111-121 (Jan 1997), 3A1241
Natural convection in a vertical slot filled with an anisotropic porous medium with oblique principal axes, Numer Heat Transfer A 30(4) 397-412 (Sep 1996), 3A1243
Double-diffusive natural convection in an enclosure filled with fluid-saturated porous medium: A generalized non-Darcy approach, Numer Heat Transfer A 30(4) 413-426 (Sep 1996), 3A1291
Analytical model for heterogeneous reactions in mixed porous media, J Env Eng 122(8) 676-684 (Aug 1996), 3A1355
Diffusion controlled smoulder propagation in a thin slab, J Eng Math 30(5) 527-545 (Sep 1996), 3A1356
Enhanced conduction in steady, vertical flows of water, steam and carbon dioxide in a porous medium, Transport Porous Media 24(3) 297-313 (Sep 1996), 3A1357
Laboratory experiments with heterogeneous reactions in mixed porous media, J Env Eng 122(8) 685-691 (Aug 1996), 3A1358
Numerical heat transfer based upon mixture theory, J Brazilian Soc Mech Sci 18(3) 282-296 (Sep 1996), 3A1359
Transverse dispersion at high Peclet numbers in short porous media, Exp Fluids 21(4) 286-290 (Aug 1996), 3A1360
Natural convection in porous media near L-shaped corners, Int J Heat Mass Transfer 40(2) 485-490 (Jan 1997), 4T1216
Transient thermal convection in a spherical enclosure containing a fluid core and a porous shell, Int J Heat Mass Transfer 40(2) 379-392 (Jan 1997), 4A1218
Effective thermal conductivity of a porous medium with interconnected particles, Int J Heat Mass Transfer 40(2) 393-405 (Jan 1997), 4A1232
Experimental and numerical study on the laminar premixed flame stabilized inside a honeycomb ceramic, Combust Sci Tech 112 75-93 (Jan-Feb 1996), 4A1289
Combustion of liquid fuels in a porous radiant burner, Combust Sci Tech 112 141-161 (Jan-Feb 1996), 4A1304
Mathematical modeling of moisture desorption in a porous medium, Int J Energy Res 20(10) 923-931 (Oct 1996), 4A1348

Structural stability for the Brinkman equations of porous media, Math Methods Appl Sci 19(16) 1335-1347 (Nov 1996), 4A1349

Natural convection in a porous cavity saturated with a non-Newtonian fluid, J Thermophys Heat Transfer 10(4) 640-651 (Oct-Dec 1996), 5A1188

Natural convective heat transfer from a cylinder in an enclosure partly filled with a porous medium, Int J Numer Methods Heat & Fluid Flow 6(6) 51-63 (Sep 1996), 5A1189

Numerical characterization of micro heat exchangers using experimentally tested porous aluminum layers, Int J Heat Fluid Flow 17(6) 594-603 (Dec 1996), 5A1190

Numerical studies on thermal convection in cold groundwater, Int J Heat Mass Transfer 40(3) 605-612 (Feb 1997), 5A1191

Numerical study of unsteady free convection from a sphere in a porous medium, Int J Heat Mass Transfer 40(4) 893-903 (Mar 1997), 5A1192

Re-examination of natural convection in a horizontal layered porous annulus, J Heat Transfer 118(4) 990-992 (Nov 1996), 5T1193

Unsteady penetration of free convection flows caused by heating and cooling flat surfaces in a porous media, Int J Heat Mass Transfer 40(3) 665-687 (Feb 1997), 5A1195

Angle of incidence and size effects on dependent scattering in fibrous media, J Heat Transfer 118(4) 931-936 (Nov 1996), 5A1249

Calculation of anisotropic extinction coefficients for radiation diffusion in rigid fibrous ceramic insulations, Int J Heat Mass Transfer 40(3) 627-634 (Feb 1997), 5A1250

Kinetic model for crystallization in porous media, Int J Heat Mass Transfer 40(5) 1053-1059 (Mar 1997), 5A1402

Perturbation solution for heating a rectangular sensible heat storage packed bed with a constant temperature at the walls, Int J Heat Mass Transfer 40(5) 1001-1006 (Mar 1997), 5A1403

Properties of convective oscillations in porous medium, Numer Heat Transfer A 30(6) 605-618 (Nov 1996), 5A1404

Comparison of numerical models for evaporative two-phase flow in a self-heated porous medium, Comput Fluids 25(8) 699-718 (Nov 1996), 6A1073

Effect of viscous dissipation on a non-Darcy natural convection regime, Int J Heat Mass Transfer 40(6) 1251-1260 (Apr 1997), 6A1248

Numerical analysis of solid-liquid phase change heat transfer around a single and two horizontal, vertically spaced cylinders in a rectangular cavity, Int J Heat Mass Transfer 40(6) 1343-1354 (Apr 1997), 6A1249

Prandtl number effect on the optimum heating frequency of an enclosure filled with fluid or with a saturated porous medium, Int J Heat Mass Transfer 40(6) 1313-1323 (Apr 1997), 6A1250

Effects of thermal dispersion and stratification on combined convection on a vertical surface embedded in a porous medium, Transport Porous Media 25(3) 275-282 (Dec 1996), 6A1387

Non-Darcy mixed convection from a horizontal surface with variable surface heat flux in a porous medium, Numer Heat Transfer A 30(8) 859-869 (Dec 1996), 6A1388

Effects of a porous medium on local heat transfer and fluid flow in a forced convection field, Int J Heat Mass Transfer 40(7) 1567-1576 (May 1997), 7A1271

Mixed convection plume along a vertical adiabatic surface embedded in a non-Darcian porous medium, Int J Heat Mass Transfer 40(7) 1693-1699 (May 1997), 7A1272

Numerical simulation of 2D and 3D free convection flows in a horizontal porous annulus using a pressure and temperature formulation, Int J Heat Mass Transfer 40(7) 1521-1533 (May 1997), 7A1273

Time-dependent free convection motion and heat transfer in an infinite porous medium induced by a heated sphere, Int J Heat Mass Transfer 40(7) 1551-1557 (May 1997), 7A1274

Advances in heat transfer in porous media, Adv Water Resources 20(2-3) 63-187 (Apr-Jun 1997), 7A1447

Compressible gas in porous media: A finite amplitude analysis of natural convection, Int J Heat Mass Transfer 40(7) 1585-1589 (May 1997), 7A1448

Coupled heat air and moisture transfer in building structures, Int J Heat Mass Transfer 40(7) 1633-1642 (May 1997), 7A1449

Effects of transverse magnetic field, Prandtl number and Reynolds number on non-Darcy mixed convective flow of an incompressible viscous fluid convective flow of an incompressible viscous fluid past a porous vertical flat plate in saturated porous medium, Int J Energy Res 21(1) 87-100 (Jan 1997), 7A1450

Moisture evaporation and migration in thin porous packed bed influenced by ambient and operating conditions, Int J Energy Res 21(1) 41-53 (Jan 1997), 7A1451

Nonlinear stability of convection in a porous medium with inclined temperature gradient, Int J Heat Mass Transfer 40(7) 1611-1615 (May 1997), 7A1452

Optimal control of the heat storage in a porous slab, Int J Heat Mass Transfer 40(7) 1720-1723 (May 1997), 7T1453

Determination of flow properties in non-Darcian flow, J Heat Transfer 119(1) 190-192 (Feb 1997), 8T1305

Experimental investigation of resin temperature during filling and curing in epoxy and nickel shell RTM molds, J Mat Processing Manuf Sci 5(1) 27-44 (Jul 1996), 8A1306

Natural convection heat transfer from a horizontal wavy surface in a porous enclosure, Numer Heat Transfer A 31(2) 207-221 (Feb 1997), 8A1307

Solar radiation assisted natural convection in uniform porous medium supported by a vertical flat plate, J Heat Transfer 119(1) 89-96 (Feb 1997), 8A1308

Heat transfer analysis and evaluation for two-phase flow in porous-channel heat sinks, Numer Heat Transfer A 31(2) 113-130 (Feb 1997), 8A1327

Combined heat and mass transfer by natural convection in a saturated thermally stratified porous medium, Numer Heat Transfer A 31(3) 255-272 (Feb 1997), 8A1451

Convection and flow in porous media - Part 1: Visualization by magnetic resonance imaging, J Fluid Mech 332 215-245 (Feb 1997), 8A1452

Convection and flow in porous media - Part 2: Visualization by shadowgraph, J Fluid Mech 332 247-262 (Feb 1997), 8A1453

Determination of the optimal initial temperature distribution in a porous bed, Acta Mech 120(1-4) 61-69 (1997), 8A1454

Effects of anisotropy in permeability on the two-phase flow and heat transfer in a porous cavity, Heat and Mass Transfer Warme 32(3) 167-174 (Feb 1997), 8A1455

Experiments on double-diffusion in a composite system comprised of a packed layer of spheres and an underlying fluid layer, Heat and Mass Transfer Warme 32(3) 181-191 (Feb 1997), 8A1456

Integral solution for Forchheimer free convection over a horizontal flat surface, Heat and Mass Transfer Warme 32(3) 207-211 (Feb 1997), 8A1457

Non-Darcian surface tension effects on free surface transport in porous media, Numer Heat Transfer A 31(3) 235-254 (Feb 1997), 8A1458

Numerical investigation of vapor-liquid flow and heat transfer in capillary porous media, Numer Heat Transfer A 31(2) 143-166 (Feb 1997), 8A1459

Thermodynamic analysis of a propagating crack in saturated porous media, Eur J Mech A 16(2) 235-253 (1997), 8A1460

Analysis of non-Darcian mixed convection from impermeable horizontal surfaces in porous media: The entire regime, Int J Heat Mass Transfer 40(12) 2993-2997 (Aug 1997), 9T1231

Combined heat and mass transfer by natural convection with opposing buoyancy effects in a fluid saturated porous medium, Int J Heat Mass Transfer 40(12) 2755-2773 (Aug 1997), 9A1232

Heat transfer at the boundary between a porous medium and a homogeneous fluid, Int J Heat Mass Transfer 40(11) 2691-2707 (Jul 1997), 9A1233

Numerical simulation of conjugate heat transfer in an electronic package formed by embedded discrete heat sources in contact with a porous heat sink, J Electron Packaging 119(1) 8-16 (Mar 1997), 9A1234

Thermal performances of different shape porous blocks under an impinging jet, Int J Heat Mass Transfer 40(10) 2261-2272 (Jul 1997), 9A1235

Upscaling in porous media: Theories and computations, Adv Water Resources 20(5-6) (Oct-Dec 1997), 9A1421

Free convection from a vertical plate in a porous medium subjected to a sudden change in surface heat flux, Transport Porous Media 26(2) 205-224 (Feb 1997), 9A1436

Mathematical modeling of the performance of non-isothermal membrane reactors, Int J Heat Mass Transfer 40(10) 2407-2417 (Jul 1997), 9A1437

Mixed convection in non-Newtonian fluids along a horizontal plate in a porous medium, J Energy Resources Tech 119(1) 34-37 (Mar 1997), 9A1438

Boundary-layer regime in a vertical porous layer with anistropic permeability and boundary effects, Int J Heat Fluid Flow 18(3) 334-343 (Jun 1997), 10A1306

Conjugate natural convection heat transfer between two porous media separated by a horizontal wall, Int J Heat Mass Transfer 40(13) 3157-3161 (Sep 1997), 10A1307

General two-equation macroscopic turbulence model for incompressible flow in porous media, Int J Heat Mass Transfer 40(13) 3013-3024 (Sep 1997), 10A1308

Pulsating flow and heat transfer in an annulus partially filled with porous media, Numer Heat Transfer A 31(5) 517-527 (Apr 1997), 10A1309

Radiation effect on Darcy free convection flow along an inclined surface placed in porous media, Heat and Mass Transfer Warme 32(4) 223-227 (Apr 1997), 10A1310

Discrete element simulations for granular material flows: Effective thermal conductivity and self-diffusivity, Int J Heat Mass Transfer 40(13) 3059-3068 (Sep 1997), 10A1450

Convection in a porous medium induced by an inclined temperature gradient with mass flow, J Heat Transfer 119(2) 366-370 (May 1997), 11T1263

Finite element analysis of heat transfer by natural convection in porous media in vertical enclosures: Investigations in Darcy and non-Darcy regimes, Int J Numer Methods Heat & Fluid Flow 7(4) 367-400 (1997), 11A1264

Reduction of natural convection heat transfer in horizontal eccentric annuli containing saturated porous media, Int J Numer Methods Heat & Fluid Flow 7(4) 401-416 (1997), 11A1265

Geometric structure and thermal conductivity of porous medium silica aerogel, J Heat Transfer 117(4) 1055-1058 (Nov 1995), 11T1315

Boundary layer analysis of buoyancy-driven two-phase flow in capillary porous media, J Heat Transfer 117(4) 1082-1087 (Nov 1995), 11T1460

Heat, water, and solute transfer in unsaturated porous media - II: Compacted soil beneath plastic cover, Transport Porous Media 27(1) 39-55 (Apr 1997), 11A1461

Heat, water, and solute transfer in unsaturated porous media - I: Theory development and transport coefficient evaluation, Transport Porous Media 27(1) 17-38 (Apr 1997), 11T1462

Note on unsteady hydromagnetic free convection from a vertical fluid saturated porous medium channel, J Heat Transfer 119(3) 638-641 (Aug 1997), 12T1269

Thermal convection in an infinite porous medium induced by a heated sphere, J Heat Transfer 119(3) 647-650 (Aug 1997), 12T1270

Melting in a two-component packed bed, J Heat Transfer 119(3) 553-559 (Aug 1997), 12A1286

Cross-stream thermal dispersion in a staggered tube bundle with crossflow, J Heat Transfer 119(3) 650-652 (Aug 1997), 12T1317

Non-Darcian effects on double-diffusive convection within a porous medium, Numer Heat Transfer A 31(8) 837-852 (Jun 1997), 12A1350

Determination of dispersion coefficients in a porous medium using the frequency response method, Exp Heat Transfer 10(2) 109-118 (Apr-Jun 1997), 12A1429

452K. Reservoir engineering

Stability of pressure and velocity computations for heterogeneous reservoirs, SIAM J Appl Math 56(4) 994-1007 (Aug 1996), 1A1403

Theory of single well tests in a leaky aquifer: Analytical solution of non steady flow, Appl Sci Res 55(3) 211-225 (Oct 1995), 1A1404

Threshold precipitation events and potential groundwater recharge, J Hydraul Eng 122(10) 573-578 (Oct 1996), 3A1408

Geomechanics and Fluidodynamics: With Applications to Reservoir Engineering (Kluwer, Netherlands, 1996) 4R8

Theoretical analysis of an impervious, heated-cylinder "groundwater velocimeter", Int J Numer Anal Methods Geomech 20(11) 815-830 (Nov 1996), 5A1405

Numerical and analytical solution method for reservoir routing (Chinese), J Dalian Univ Tech 36(6) 721-724 (Nov 1996), 6A1389

Water reservoir loading of long anisotropic valleys with irregular topographies, Appl Math Model 20(12) 909-924 (Dec 1996), 6A1390

Approximation of the solution of the pressure equation by changing the domain, SIAM J Appl Math 57(1) 15-33 (Feb 1997), 8A1461

Mathematical model of optimum contact of discharge from reservoir (Polish), Hydro-Tech Transactions 59 79-94 (1995), 9T1439

Modeling of velocity enhancement in polymer flooding, Transport Porous Media 26(1) 75-88 (Jan 1996), 9A1440

Mutual effects of porosity-permeability and both irreducible water saturation and displacement pressure: The Tortel Formation, Hungary, Geophys Trans 41(1-2) 23-35 (Apr 1997), 12A1430

452L. Flow stability

Double-diffusive convection in compressible fluids with suspended particles in porous medium, Arch Mech 48(4) 629-639 (1996), 4A1350

Thermal instability of an Oldroydian viscoelastic fluid in porous medium, Eng Trans 44(1) 99-111 (1996), 4A1351

Growth of periodic waves in gas-fluidized beds, J Fluid Mech 325 261-282 (Oct 1996), 5A1398

Criterion for instability of steady-state unsaturated flows, Transport Porous Media 25(3) 313-334 (Dec 1996), 6A1391

Stability of two-phase flow over a swept wing, J Fluid Mech 329 247-273 (Dec 1996), 7A1121

Compressible gas in porous media: A finite amplitude analysis of natural convection, Int J Heat Mass Transfer 40(7) 1585-1589 (May 1997), 7A1448

Nonlinear stability of convection in a porous medium with inclined temperature gradient, Int J Heat Mass Transfer 40(7) 1611-1615 (May 1997), 7A1452

Fully developed traveling wave solutions and bubble formation in fluidized beds, J Fluid Mech 334 157-188 (Mar 1997), 9A1429

452M. Non-Newtonian fluids

Multiphase distribution of cohesive sediments and heavy metals in estuarine systems, J Env Eng 122(8) 730-740 (Aug 1996), 3A1361

Thermal instability of an Oldroydian viscoelastic fluid in porous medium, Eng Trans 44(1) 99-111 (1996), 4A1351

State space approach to viscoelastic fluid flow of hydromagnetic fluctuating boundary layer through a porous medium, Z Angew Math Mech 77(3) 197-207 (1997), 10A1451

452Y. Computational techniques

Two very accurate and efficient methods for computing eigenvalues and eigenfunctions in porous convection problems, J Comput Phys 127(1) 128-141 (Aug 1996), 2A1367

Inverse problem for the prelincar filtration of ground water, Comp Assisted Mech Eng Sci 3(2) 97-107 (1996), 2A1368

Numerical solution of transient, free surface problems in porous media, Int J Numer Methods Eng 39(17) 2889-2906 (Sep 1996), 2A1369

Semivariational numerical model of prelinear filtration with the special emphasis on nonlinear sources, Comp Assisted Mech Eng Sci 3(2) 83-96 (1996), 2A1370

One-dimensional FE model for high flow velocities in porous media, J Geotech Eng 122(10) 789-796 (Oct 1996), 3A16

Numerical heat transfer based upon mixture theory, J Brazilian Soc Mech Sci 18(3) 282-296 (Sep 1996), 3A1359

BEM solution for the problem of flux of a multicomponent mixture of gases out of a multilayered landfill, Int J Numer Methods Fluids 23(5) 503-524 (Sep 1996), 3A1362

Next Generation Environmental Models and Computational Methods (SIAM, Phila, PA, 1997) 4N32

Prediction of filling times of porous cavities, Int J Numer Methods Fluids 23(7) 661-672 (Oct 1996), 4A1339

Change of discharge of flow caused by colmatage because of gas bubbling in liquid flowing through porous medium (Polish), Arch Gornictwa 41(1) 85-92 (1996), 4A1352

Effect of colmatage by gas bubbles emited from liquid flowing through porous medium on distributions of porosity and pressure (Polish), Arch Gornictwa 41(2) 235-243 (1996), 4T1353

Fractal porous media: Relations between macroscopic properties, Chaos Solitons Fractals 7(9) 1365-1369 (Sep 1996), 4A1354

Gas filtration through porous coal medium: Effect of the gas constrained in micropores, Arch Mech 48(3) 447-473 (1996), 4A1355

Numerical investigation of the propagation of shock waves in rigid porous materials: Development of the computer code and comparison with experimental results, J Fluid Mech 324 163-179 (Oct 1996), 5A193

Displacement-based FEM for guided wave propagation problems: Application to poroelastic media, J Acoust Soc Am 100(5) 2989-3002 (Nov 1996), 5A1406

Effective stress principle: Incremental or finite form, Int J Numer Anal Methods Geomech 20(11) 785-814 (Nov 1996), 5A1407

Finite element double porosity model for heterogeneous deformable porous media, Int J Numer Anal Methods Geomech 20(11) 831-844 (Nov 1996), 5A1408

Simulation of unsaturated water flow around obstructions: 3D Rankine bodies, Adv Water Resources 20(1) 15-22 (Feb 1997), 6T1381

Clarifying mixture theory and the macroscale chemical potential for porous media, Int J Eng Sci 34(14) 1611-1621 (Nov 1996), 6A1392

Conformal mappings involving curvilinear quadrangles, IMA J Appl Math 57(2) 181-191 (Oct 1996), 6A1393

Finite element analysis of two-phase instability for saturated porous hypoelastic solids under plane strain loadings, Eng Comput 13(7) 29-48 (1996), 6A1394

Finite element mixture model for hierarchical porous media, Int J Numer Methods Eng 40(2) 193-210 (Jan 1997), 6A1395

Inverse problem in the theory of two-phase filtration, J Appl Math Mech 60(3) 487-491 (1996), 6A1396

Modeling full-tensor anisotropy in groundwater flow via an iterative scheme for mixed FEs, Transport Porous Media 25(2) 147-165 (Nov 1996), 6A1397

Parallel algorithm for thermo-hydro-mechanical analysis of deforming porous media, Comput Mech 19(2) 94-104 (Dec 1996), 6A1398
Parallel block iterative method for multiaquifer flow models, Numer Methods PDE 13(1) 39-50 (Jan 1997), 6A1399
Thermo-hydro-mechanical analysis of partially saturated porous materials, Eng Comput 13(7) 113-143 (1996), 6A1400
Time stepping FEM for analysis of contaminant transport in fractured porous media, Int J Numer Anal Methods Geomech 20(12) 847-864 (Dec 1996), 7A1454
Transversely isotropic poroelastic wave equation including the Biot and the squirt mechanisms: Theory and application, Geophys 62(1) 309-318 (Jan-Feb 1997), 7A1455
Mixed transform FEM for solving the nonlinear equation for flow in variably saturated porous media, Int J Numer Methods Fluids 24(5) 441-455 (Mar 1997), 8A31
Approximation of the solution of the pressure equation by changing the domain, SIAM J Appl Math 57(1) 15-33 (Feb 1997), 8A1461
Finite element approximation of the transport of reactive solutes in porous media - Part I: Error estimates for nonequilibrium adsorption processes, SIAM J Numer Anal 34(1) 201-227 (Feb 1997), 8T1462
Re-examination of the equations of poroelasticity, Int J Eng Sci 35(4) 329-352 (Mar 1997), 8A1463
Two-phase oil migration in compacting sedimentary basins modeled by the FEM, Int J Numer Anal Methods Geomech 21(2) 91-120 (Feb 1997), 8A1464
Modeling and numerical simulations of contaminant transport in naturally fractured porous media, Transport Porous Media 26(1) 25-49 (Jan 1996), 9A1416
Formulation of fully coupled thermal-hydraulic-mechanical behavior of saturated porous media: Numerical approach, Int J Numer Anal Methods Geomech 21(3) 199-225 (Mar 1997), 9A1441
Slow viscous flow about a permeable circular cylinder, Arch Mech 49(1) 177-187 (1997), 9A1442
Symmetric boundary integral approach to transient poroelastic analysis, Comput Mech 19(3) 169-178 (Feb 1997), 9A1443
Inverse problem for the hydraulic properties of porous media, SIAM J Math Anal 28(3) 611-632 (May 1997), 10A1447
Consequences of fluid lag in 3D hydraulic fractures, Int J Numer Anal Methods Geomech 21(4) 229-240 (Apr 1997), 10A1452
Finite element approixmation of the transport of reactive solutes in porous media - Part II: Error estimates for equilibrium adsorption processes, SIAM J Numer Anal 34(2) 455-479 (Apr 1997), 10T1453
Multiscale FEM for elliptic problems in composite materials and porous media, J Comput Phys 134(1) 169-189 (Jun 1997), 11A33
System dynamics modeling of porous media, J Dyn Syst Meas Control 119(2) 251-259 (Jun 1997), 12A416

452Z. Experimental techniques

Measurements of thermally-induced convection in a model porous medium, Appl Sci Res 55(3) 245-259 (Oct 1995), 1A1400
Carbon dioxide sorption on hard coals over wide range of pressure values (Polish), Arch Gornictwa 41(1) 93-103 (1996), 4A1356
Three-dimensional microscopic measurement and analysis of chemical flow and transport in porous media, J Fluids Eng 118(3) 470-480 (Sep 1996), 4A1357
Experimental investigation of characteristic length scale in periodic heterogeneous porous media, Transport Porous Media 25(2) 235-246 (Nov 1996), 6A1372
Performance of a scanning differential mobility analyzer, Aerosol Sci Tech 26(1) 43-50 (Jan 1997), 6A1401
Stability of flows in fluidized beds, Particulate Sci Tech 14(3) 185-211 (Jul-Sep 1996), 6A1402
Convection and flow in porous media - Part 1: Visualization by magnetic resonance imaging, J Fluid Mech 332 215-245 (Feb 1997), 8A1452
Convection and flow in porous media - Part 2: Visualization by shadowgraph, J Fluid Mech 332 247-262 (Feb 1997), 8A1453
Experimental study of the heat transfer between near-fluidized particles and an oscillating immersed surface, Int J Heat Mass Transfer 40(10) 2351-2361 (Jul 1997), 9A1428
Flow near the permeable boundary of a porous medium: An experimental investigation using LDA, Exp Fluids 22(5) 408-422 (Mar 1997), 9A1444
Permeability changes during the flow of carbon dioxide solution in rock pores, Arch Gornictwa 41(4) 483-498 (1996), 9A1445
Physical modeling of filtration in dike under intensive precipitation, Hydro-Tech Transactions 59 57-77 (1995), 9A1446
Scaling properties of tracer trajectories in a saturated porous medium, Transport Porous Media 27(1) 1-16 (Apr 1997), 11A1463

454. GEOMECHANICS

454B. Geomorphology

IAGA paleomagnetic databases with access, Surveys Geophys 17(5) 575-591 (Sep 1996), 5A1409
Ice hazes and clouds in the Martian atmosphere as derived from the Phobos-KRFM data, Planet Space Sci 44(10) 1163-1176 (Oct 1996), 6T1403
International Workshop on INTERMARSNET, Sept 28-30, 1995, held in Capri, Italy, Planet Space Sci 44(11) 1223-1470 (Nov 1996), 7A1456
Stress models for Tharsis formation: Mars, Planet Space Sci 44(12) 1471-1497 (12 1996), 7A1457
Geomorphic evidence for Holocene earthquakes in the Olinghouse fault zone, Western Nevada, Bull Seismol Soc Am 86(6) 1784-1792 (Dec 1996), 8T1465
Mercury: The planet and its magnetosphere, Planet Space Sci 45(1) 3-180 (Jan 1997), 9T1447
Paleomagnetic and rock magnetic study of ultramafic and gabbroic rocks from three boreholes in the Sudetes, Poland, Acta Geophys Polonica 44(4) 361-382 (1996), 9T1448
Geophysical evidence of past and present climate change, Surveys Geophys 18(2-3) 130-340 (May 1997), 12A1431

454C. Tectonics

Eulerian approach for vortex motion using a level set regularization procedure, J Comput Phys 127(1) 15-26 (Aug 1996), 2T1371
Slip distribution along the North Anatolian fault associated with the large earthquakes of the period 1939-1967, Bull Seismol Soc Am 86(5) 1238-1254 (Oct 1996), 4A1358
Velocity and attenuation structure of very shallow soils: Evidence for a frequency-dependent Q, Bull Seismol Soc Am 86(5) 1471-1486 (Oct 1996), 4A1359
Model of frictional sliding, Pure Appl Geophys 147(4) 745-762 (Oct 1996), 5A823
Plume tectonics model for the Tharsis province: Mars, Planet Space Sci 44(12) 1499-1546 (12 1996), 7A1458
Neotectonic study of the San Miguel-Vallecitos Fault, Baja California, Mexico, Bull Seismol Soc Am 86(6) 1770-1783 (Dec 1996), 8T1466

454D. Seismology

Absorption of strain waves in porous media at seismic frequencies, Pure Appl Geophys 147(1) 25-56 (Jun 1996), 1A1405
Forecasting b-values for seismic events, Int J Bifurcation Chaos 6(3) 545-555 (Mar 1996), 1A1406
Multicomponent V_p/V_s correlation analysis, Geophys 61(4) 1137-1149 (Jul-Aug 1996), 1A1407
Prestack plane-wave Kirchhoff migration in laterally varying media, Comput Struct 61(1) 1068-1079 (Aug 1996), 1A1408
Effects of irregular boundaries in a layered half-space on seismic waves, J Sound Vib 195(1) 1-16 (Aug 1996), 2A1372
Real-time seismology at UCB: The rapid earthquake data integration project, Bull Seismol Soc Am 86(4) 936-945 (Aug 1996), 2A1373
Stability of the P-to-S energy ratio in the diffusive regime, Bull Seismol Soc Am 86(4) 1107-1115 (Aug 1996), 2A1374
Rayleigh wave dispersion equation for a layered spherical earth with exponential function solutions in each shell, Pure Appl Geophys 147(3) 515-536 (Aug 1996), 3A203
Reflection and refraction of P waves at the interface of two monoclinic media, Int J Eng Sci 34(11) 1271-1284 (Sep 1996), 3A1363
Stability of Lamb modes, Acta Mech 117(1-4) 71-80 (1996), 3A1364
Inverse Problems in Geophysical Applications (SIAM, Phila, PA, 1997) 4N31
Anatomy of diving waves, Geophys 61(5) 1417-1424 (Sep-Oct 1996), 4A1360
Elastic waves in finely layered sediments: The equivalent medium and generalized O'Doherty-Anstey formulas, Geophys 61(5) 1282-1300 (Sep-Oct 1996), 4A1361
Fluid factor as an AVO indicator, Geophys 61(5) 1425-1428 (Sep-Oct 1996), 4A1362
Regional event discrimination without transporting thresholds, Bull Seismol Soc Am 86(5) 1545-1558 (Oct 1996), 4T1363
Seismic behavior of the southern San Andreas fault zone in the northern Coachella Valley, California: Comparison of the 1948 and 1986 earthquake sequences, Bull Seismol Soc Am 86(5) 1331-1349 (Oct 1996), 4T1364
Urban seismology: Northridge aftershocks recorded by multi-scale arrays of portable digital seismographs, Bull Seismol Soc Am 86(5) 1350-1363 (Oct 1996), 4A1365
Results on the scattering of guided elastic SH waves from material and geometric waveguide discontinuities, J Acoust Soc Am 100(5) 3078-3087 (Nov 1996), 5A162
Scattering of P and S waves by a spherically symmetric inclusion, Pure Appl Geophys 147(4) 675-718 (Oct 1996), 5A1410
Diffraction of seismic waves by cracks with application to hydraulic fracturing, Geophys 62(1) 253-265 (Jan-Feb 1997), 7A1459
Effects of vertically aligned subsurface fractures on seismic reflections: A physical model study, Geophys 62(1) 245-252 (Jan-Feb 1997), 7A1460
Fracture density estimates in glaciogenic deposits from P-wave velocity reductions, Geophys 62(1) 138-148 (Jan-Feb 1997), 7A1461
Instantaneous slowness versus depth functions, Geophys 62(1) 270-273 (Jan-Feb 1997), 7A1462
Turning waves and crustal reflection profiling, Geophys 62(1) 335-341 (Jan-Feb 1997), 7A1463
Where is the zero-velocity layer, Geophys 62(1) 266-269 (Jan-Feb 1997), 7A1464
What is a reference site?, Bull Seismol Soc Am 86(6) 1733-1748 (Dec 1996), 8A1467
Characterization of geothermal reservoir crack patterns using shear-wave splitting, Geophys 62(2) 487-494 (Mar-Apr 1997), 9A1449
Ground motion modeling for seismic hazard analysis in the near-source regime: An asperity model, Pure Appl Geophys 149(2) 265-297 (Feb 1997), 9A1450
Influence of nonlinear processes in seismic foci on released energy, Pure Appl Geophys 149(2) 337-355 (Feb 1997), 9A1451
Magnitude scales for near earthquakes in Vietnam, Acta Geophys Polonica 44(4) 349-359 (1996), 9A1452
Seismic waves in a laterally inhomogeneous layered medium - Part I: Theory, J Appl Mech 64(1) 50-58 (Mar 1997), 10A267
Seismic waves in a laterally inhomogeneous layered medium - Part II: Analysis, J Appl Mech 64(1) 59-65 (Mar 1997), 10A268
Interaction of an oblique incident elastic wave with a pair of surface-breaking cracks, J Vib and Control 3(2) 147-159 (May 1997), 10A274
Asymptotical inversion of the eigenfrequencies for a 3D problem with spherical symmetry, SIAM J Appl Math 57(2) 472-484 (Apr 1997), 10A1454
P-wave reflection coefficients for transversely isotropic models with vertical and horizontal axis of symmetry, Geophys 62(3) 713-722 (May-Jun 1997), 11A1464
Peak strong motion attenuation relations for horizontal and vertical ground displacements, J Earthquake Eng 1(2) 275-292 (Apr 1997), 11A1465
Surface-wave magnitude calibration for European region earthquakes, J Earthquake Eng 1(1) 1-22 (Jan 1997), 11A1466
Nonlinear response of soils to horizontal and vertical bedrock earthquake motion, J Earthquake Eng 1(1) 93-119 (Jan 1997), 11A1483
Group traveltime estimation by wavelet transform with linear chirp as the basic wavelet, Geophys Trans 40(3-4) 145-153 (Apr 1997), 12A1432
Static stress changes and earthquake triggering during the 1954 Fairview Peak and Dixie Valley earthquakes, Central Nevada, Bull Seismol Soc Am 87(3) 521-527 (Jun 1997), 12A1433

454E. Earthquake prediction

New regional hypocenter location method, Bull Seismol Soc Am 86(4) 946-958 (Aug 1996), 2A1375
Earthquake source spectra in eastern North America, Bull Seismol Soc Am 86(5) 1300-1313 (Oct 1996), 4T1366
Solidification of pressure-driven flow in a finite rigid channel with application to volcanic eruptions, J Fluid Mech 323 267-283 (Sep 1996), 4A1368
Recent earthquake prediction results in Greece based on the observation of seismic electric signals, Acta Geophys Polonica 44(4) 301-327 (1996), 9A1453
Statistical evaluation of earthquake prediction results: Comments on the success rate and alarm rate, Acta Geophys Polonica 44(4) 329-347 (1996), 9A1454
Non-parametric approach to attenuation relations, J Earthquake Eng 1(2) 319-340 (Apr 1997), 11A1467
Static stress changes and earthquake triggering during the 1954 Fairview Peak and Dixie Valley earthquakes, Central Nevada, Bull Seismol Soc Am 87(3) 521-527 (Jun 1997), 12A1433

454F. Heat transfer aspects

Attenuation structure of Coso geothermal area, California from wave pulse widths, Bull Seismol Soc Am 86(5) 1574-1590 (Oct 1996), 4A1367

454G. Vulcanology

Solidification of pressure-driven flow in a finite rigid channel with application to volcanic eruptions, J Fluid Mech 323 267-283 (Sep 1996), 4A1368

454H. Glaciology

Edge function analysis of glacier mechanics problems, Int J Solids Struct 34(8) 991-1005 (Mar 1997), 8A1468

454I. Gravity

Account of the earth gravitation field anomaly on gyrotheodolite indications (Russian), Prikl Mekh (Appl Mech) 32(4) 82-87 (1996), 2A1376
Asymmetric geopotential height fluctuations from symmetric winds, J Atmos Sci 53(10) 1361-1379 (May 1996), 3T1365
Global lunar gravity recovery from satellite-to-satellite tracking, Planet Space Sci 44(10) 1081-1097 (Oct 1996), 6A1404
Gravity inversion of basement relief constrained by the knowledge of depth at isolated points, Geophys 61(6) 1702-1714 (Nov-Dec 1996), 6A1405
Lunar moments, tides, orientation, and coordinate frames, Planet Space Sci 44(10) 1077-1080 (Oct 1996), 6T1406
Evaluation of flat-earth approximation results for geopotential missions, J Guidance Control Dyn 20(2) 246-252 (Mar-Apr 1997), 9T243

454Y. Computational techniques

Closed form solutions for the geometrical spreading in inhomogeneous media, Geophys 61(4) 1189-1197 (Jul-Aug 1996), 1A1409
Estimation of the discrete Fourier transform, a linear inversion approach, Geophys 61(4) 1128-1136 (Jul-Aug 1996), 1A1410
Fractal-based algorithm for detecting first arrivals on seismic traces, Geophys 61(4) 1095-1102 (Jul-Aug 1996), 1A1411
High-resolution velocity determination: Statistical phase correlation and image processing, Geophys 61(4) 1115-1127 (Jul-Aug 1996), 1A1412
Interpretation of first arrival travel times in seismic refraction work, Pure Appl Geophys 147(1) 181-202 (Jun 1996), 1A1413
Measurement of seismic attenuation from high-resolution crosshole data, Geophys 61(4) 1175-1188 (Jul-Aug 1996), 1A1414
Regularizing 3D data sets with DMO, Geophys 61(4) 1103-1114 (Jul-Aug 1996), 1A1415
Seismogram synthesis for radially layered media using the generalized reflection-transmission coefficient method: Theory and applications to acoustic logging, Geophys 61(4) 1150-1159 (Jul-Aug 1996), 1A1416
Spectral-domain decomposition methods for the solution of acoustic and elastic wave equations, Geophys 61(4) 1160-1174 (Jul-Aug 1996), 1A1417
Non-stationary stochastic vector processes: Seismic ground motion applications, Probab Eng Mech 11(3) 149-168 (Jul 1996), 1A1422
Rational approximations to $1/\sqrt{1-s^2}$, one-way wave equations and absorbing boundary conditions, J Comput Appl Math 72(2) 245-259 (Aug 1996), 2A297
Eulerian approach for vortex motion using a level set regularization procedure, J Comput Phys 127(1) 15-26 (Aug 1996), 2T1371
Limits of linear moment-tensor inversion of teleseismic body wave spectra, Pure Appl Geophys 147(3) 467-482 (Aug 1996), 3A1366
Nonlinear oscillating structures in the earthquake and seaquake dynamics, Chaos 6(3) 405-413 (Sep 1996), 3A1367
Elastic wave-propagation simulation in heterogeneous media by the spectral moments method, Geophys 61(5) 1269-1281 (Sep-Oct 1996), 4A1369
Explicit 3D migration using equiripple polynomial expansion and Laplacian synthesis, Geophys 61(5) 1386-1393 (Sep-Oct 1996), 4A1370
Finite-difference migration derived from the Kirchhoff-Helmholtz integral, Geophys 61(5) 1394-1399 (Sep-Oct 1996), 4A1371
Forward modeling in cross-hole seismic tomography using reciprocity, Comput Struct 61(5) 805-817 (Dec 1996), 4A1372
Fourier transform approximations for sweeps and phase-encoded sweeps, Geophys 61(5) 1440-1452 (Sep-Oct 1996), 4A1373
Implementation of 3D prestack Kirchhoff migration, with application to data from the Ouachita frontal

thrust zone, Geophys 61(5) 1400-1411 (Sep-Oct 1996), 4A1374
Investigation by the FEM of stress-strain state of the Transcarpathian crust, Acta Geophys Polonica 43(4) 303-312 (1995), 4A1375
Multifrequency viscoacoustic modeling and inversion, Geophys 61(5) 1371-1378 (Sep-Oct 1996), 4A1376
Pitfalls of using conventional and discrete Radon transforms on poorly sampled data, Geophys 61(5) 1467-1482 (Sep-Oct 1996), 4A1377
Precise detection of a P-wave in low S-N signal by using time-frequency representations of a triaxial hodogram, Geophys 61(5) 1453-1466 (Sep-Oct 1996), 4A1378
Prestack migration by split-step DSR, Geophys 61(5) 1412-1416 (Sep-Oct 1996), 4A1379
Removal of scattered surface waves using multicomponent seismic data, Geophys 61(5) 1483-1488 (Sep-Oct 1996), 4A1380
Three-dimensional, nonlinear, asymptotic seismic inversion, Inverse Prob 12(5) 757-777 (Oct 1996), 4A1381
Wavelet transform inversion with prior scale information, Geophys 61(5) 1379-1385 (Sep-Oct 1996), 4A1382
Optimum inverse filtering of seismic signatures, Acta Geophys Polonica 43(4) 325-335 (1995), 4T1425
Stress-induced azimuthal anisotropy in borehole flexural waves, Geophys 61(6) 1899-1907 (Nov-Dec 1996), 6A231
Three-dimensional two-point ray tracing for heterogeneous, weakly transversely isotropic media, Geophys 61(6) 1883-1894 (Nov-Dec 1996), 6A238
Compressional head waves in attenuative formations: Forward modeling and inversion, Geophys 61(6) 1908-1920 (Nov-Dec 1996), 6A1407
Efficient one-pass 3D time migration, Geophys 61(6) 1833-1845 (Nov-Dec 1996), 6A1408
Geophysical inversion using approximate equality constraints, Geophys 61(6) 1678-1688 (Nov-Dec 1996), 6A1409
Green's function implementation of common-offset wave-equation migration, Geophys 61(6) 1813-1821 (Nov-Dec 1996), 6A1410
Inversion of seismic refraction data using genetic algorithms, Geophys 61(6) 1715-1727 (Nov-Dec 1996), 6A1411
Minimum traveltime calculation in 3D graph theory, Geophys 61(6) 1895-1898 (Nov-Dec 1996), 6A1412
Nonlinear wave propagation in sandstone: A numerical study, Geophys 61(6) 1935-1938 (Nov-Dec 1996), 6A1413
Numerical free-surface condition for elastic-viscoelastic finite-difference modeling in the presence of topography, Geophys 61(6) 1921-1934 (Nov-Dec 1996), 6A1414
Seismic waves in laterally inhomogeneous media IV - Part II, Pure Appl Geophys 148(3-4) 345-714 (Dec 1996), 6A1415
Seismic waves in laterally inhomogeneous media - Part I, Pure Appl Geophys 148(1-2) 3-342 (Nov 1996), 6A1416
Solving 1D inverse problems in Chebyshev polynomial expansion, Geophys 61(6) 1758-1768 (Nov-Dec 1996), 6A1417
Three-dimensional prestack migration of common azimuth data, Geophys 61(6) 1822-1832 (Nov-Dec 1996), 6A1418
Two-dimensional continuation operators and their applications, Geophys 61(6) 1846-1858 (Nov-Dec 1996), 6A1419
Waveform-based AVO inversion and AVO prediction-error, Geophys 61(6) 1575-1588 (Nov-Dec 1996), 6A1420
Waves generated from fictitious focal points to match seismograms recorded, Comput Mech 19(1) 69-76 (Nov 1996), 6A1421
WIM method for refraction statics, Geophys 61(6) 1859-1870 (Nov-Dec 1996), 6A1422
Dynamic smoothing in crosswell traveltime tomography, Geophys 62(1) 168-176 (Jan-Feb 1997), 7A1465
Fast computation of the 3D Radon transform, Geophys 62(1) 362-364 (Jan-Feb 1997), 7A1466
Focusing analysis of seismic data with prg-leg multiples, Geophys 62(1) 177-182 (Jan-Feb 1997), 7A1467
High-resolution velocity notch filter without Gibbs effect, Geophys 62(1) 274-287 (Jan-Feb 1997), 7A1468
Imaging in 3D DMO - Part I: Geometrical optics models, Geophys 62(1) 211-224 (Jan-Feb 1997), 7A1469
Imaging in 3D DMO - Part II: Amplitude effects, Geophys 62(1) 225-244 (Jan-Feb 1997), 7A1470
Improving plane-wave decomposition and migration, Geophys 62(1) 195-205 (Jan-Feb 1997), 7A1471
Minimum apertures and Fresnel zones in migration and demigration, Geophys 62(1) 183-194 (Jan-Feb 1997), 7A1472
Point-source τ-p transform: A review and comparison of computational methods, Geophys 62(1) 325-334 (Jan-Feb 1997), 7A1473
Rapid multi-wave-type ray tracing in complex 2D and 3D isotropic media, Geophys 62(1) 298-308 (Jan-Feb 1997), 7A1474
Sensitivity of the dispersion correction to Q error, Geophys 62(1) 288-290 (Jan-Feb 1997), 7A1475
Turning wave migration by horizontal extrapolation, Geophys 62(1) 291-297 (Jan-Feb 1997), 7A1476
Use of 3D prestack depth imaging to estimate layer velocities and reflector positions, Geophys 62(1) 206-210 (Jan-Feb 1997), 7A1477
Forward modeling in cross-hole seismic tomography using reciprocity, Comput Struct 63(1) 1-15 (Apr 1997), 8A1469
Bandwidth reduction from location inaccuracies, Geophys 62(2) 644-649 (Mar-Apr 1997), 9A1455
Data-matrix asymmetry and polarization changes from multicomponent surface seismics, Geophys 62(2) 630-643 (Mar-Apr 1997), 9A1456
Enhancement of signal-to-noise ratio in natural-source transient magnetotelluric data with wavelet transform, Pure Appl Geophys 149(2) 405-419 (Feb 1997), 9A1457
Estimation of shear-wave splitting time using orthogonal transformation, Geophys 62(2) 657-661 (Mar-Apr 1997), 9A1458
Forward problem of nonlinear Fredholm integral equation in reference medium via velocity-weighted wavefield function, Geophys 62(2) 650-656 (Mar-Apr 1997), 9A1459
Full waveform inversion of marine reflection data in the plane-wave domain, Geophys 62(2) 540-553 (Mar-Apr 1997), 9A1460
Hybrid migration: A cost-effective 3D depth-imaging technique, Geophys 62(2) 568-576 (Mar-Apr 1997), 9A1461
Imaging complex structures with semirecursive Kirchhoff migration, Geophys 62(2) 577-588 (Mar-Apr 1997), 9A1462
Multifractal approach to time clustering of earthquakes: Application to Mt Vesuvio seismicity, Pure Appl Geophys 149(2) 375-390 (Feb 1997), 9A1463
Prestack multicomponent migration, Geophys 62(2) 598-613 (Mar-Apr 1997), 9A1464
Reflection moveout and parameter estimation for horizontal transverse isotropy, Geophys 62(2) 614-629 (Mar-Apr 1997), 9A1465
Seismic constant-velocity remigration, Geophys 62(2) 589-597 (Mar-Apr 1997), 9A1466
Three-dimensional implicit finite-difference migration by multiway splitting, Geophys 62(2) 554-567 (Mar-Apr 1997), 9A1467
Resolution of seismic waveform inversion: Bayes versus Occam, Inverse Prob 13(2) 323-349 (Apr 1997), 10A1455
Determination of anisotropic velocity models from walkaway VSP data acquired in the presence of dip, Geophys 62(3) 723-729 (May-Jun 1997), 11A1468
Elastic wave equation traveltime and waveform inversion of crosswell data, Geophys 62(3) 853-868 (May-Jun 1997), 11A1469
Generalized radon transform inversions for reflectivity in anisotropic elastic media, Inverse Prob 13(3) 669-690 (Jun 1997), 11A1470
Implicit interpolation in reverse-time migration, Geophys 62(3) 906-917 (May-Jun 1997), 11A1471
Improved inversion through use of the null space, Geophys 62(3) 869-883 (May-Jun 1997), 11A1472
Parameter nonuniqueness in velocity versus depth functions, Geophys 62(3) 970-979 (May-Jun 1997), 11A1473
Pushing the limits of seismic imaging - Part I: Prestack migration in terms of double dynamic focusing, Geophys 62(3) 937-953 (May-Jun 1997), 11A1474
Pushing the limits of seismic imaging - Part II: Integration of prestack migration, velocity estimation, and AVO analysis, Geophys 62(3) 954-969 (May-Jun 1997), 11A1475
Quasi-Monte Carlo approach to 3D migration: Theory, Geophys 62(3) 918-928 (May-Jun 1997), 11A1476
Seismic attenuation tomography using the frequency shift method, Geophys 62(3) 895-905 (May-Jun 1997), 11A1477
Transmission-reflection tomography: Application to reverse VSP data, Geophys 62(3) 884-894 (May-Jun 1997), 11A1478
True-amplitude seismic migration: A comparison of three approaches, Geophys 62(3) 929-936 (May-Jun 1997), 11A1479
MFV-corrected variances, Geophys Trans 40(3-4) 191-216 (Apr 1997), 12A1434
New results on the theory of the most frequent value procedures, Geophys Trans 41(1-2) 1-21 (Apr 1997), 12A1435
VSP inversion: A new method using edge detection, Geophys Trans 40(3-4) 155-174 (Apr 1997), 12A1436

454Z. Explorations and measurements

Inference of ground surface temperature history from subsurface temperature data: Interpreting ensembles of borehole logs, Pure Appl Geophys 147(3) 537-550 (Aug 1996), 3A1368
Application of fiber optic sensors in geophysics: A review, Acta Geophys Polonica 43(4) 343-370 (1995), 4T1383
Application of ground-penetrating radar to investigation of near-surface fault properties in the San Francisco bay region, Bull Seismol Soc Am 86(5) 1459-1470 (Oct 1996), 4A1384
High-frequency analysis of seismic background noise as a function of wind speed and shallow depth, Bull Seismol Soc Am 86(5) 1507-1515 (Oct 1996), 4T1385
Influence of near-source and near-receiver structure on the spectrum of P waves from nuclear explosions, Acta Geophys Polonica 44(1) 1-18 (1996), 4A1386
Reflected seismic waves and their effect on strong shaking during the 1989 Loma Prieta, California, Earthquake, Bull Seismol Soc Am 86(5) 1401-1416 (Oct 1996), 4A1387
Analytical expressions of conditional mean, covariance, and sample functions in geostatistics, Stochastic Hydrology Hydraul 10(4) 279-294 (Nov 1996), 5T1411
Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, Bull Seismol Soc Am 86(6) 1692-1703 (Dec 1996), 8A1502
Fracture detection using crosswell and single well surveys, Geophys 62(2) 495-504 (Mar-Apr 1997), 9A1468
Geophysical evidence of past and present climate change, Surveys Geophys 18(2-3) 130-340 (May 1997), 12A1431

456. EARTHQUAKE MECHANICS

456B. Seismicity (rates of occurrence)

Simple inversion procedure for shallow seismic refraction in continuously nonhomogeneous soils, Soil Dyn Earthquake Eng 15(6) 381-386 (Aug 1996), 3A214
Power-laws and applications to earthquake populations, Pure Appl Geophys 147(3) 455-466 (Aug 1996), 3A1369
Earthquake distribution characteristics and seismicity rate in the Hindu Kush and its vicinity, Acta Geophys Polonica 43(4) 337-342 (1995), 4A1388
Features of seismicity of Albania, Acta Geophys Polonica 43(4) 313-324 (1995), 4T1389
Seismic hazard estimate from background seismicity in southern California, Bull Seismol Soc Am 86(5) 1372-1381 (Oct 1996), 4A1390
Variation of seismic source parameters and earthquake entropy with depth, Acta Geophys Polonica 43(4) 285-302 (1995), 4A1391
Anomalous seismic response of the ground at the Tarzana hill site during the Northridge 1994 Southern California earthquake: A resonant, sliding block?, Bull Seismol Soc Am 86(6) 1714-1723 (Dec 1996), 8A1475
Seismic radiation from explosively loaded cavities in isotropic and transversely isotropic media, Bull Seismol Soc Am 86(6) 1910-1924 (Dec 1996), 8A1492
Static stress changes and earthquake triggering during the 1954 Fairview Peak and Dixie Valley earthquakes, Central Nevada, Bull Seismol Soc Am 87(3) 521-527 (Jun 1997), 12A1433
Empirical study of earthquake source spectra for California earthquakes, Bull Seismol Soc Am 87(1) 97-113 (Feb 1997), 12A1437
Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, Bull Seismol Soc Am 87(3) 637-651 (Jun 1997), 12A1438
Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, Bull Seismol Soc Am 87(2) 463-473 (Apr 1997), 12T1439
Microearthquakes at intermediate spreading-rate ridges: The Cleft segment megaplume site on the Juan de Fuca Ridge, Bull Seismol Soc Am 87(3) 684-691 (Jun 1997), 12T1440
Paleoseismicity of the North Branch of the Newport-Inglewood fault zone in Huntington Beach, California, from cone penetrometer test data, Bull Seismol Soc Am 87(2) 277-293 (Apr 1997), 12A1441
Patterns of seismic activity after three great earthquakes in the light of Reid's elastic rebound theory, Bull Seismol Soc Am 87(1) 50-60 (Feb 1997), 12A1442
S-wave site-response estimates using horizontal-to-vertical spectral ratios, Bull Seismol Soc Am 87(1) 256-260 (Feb 1997), 12A1443
Seismic energy and stress-drop parameters for a composite source model, Bull Seismol Soc Am 87(1) 85-96 (Feb 1997), 12A1444
Seismic ground-motion hazard mapping incorporating site effects for Los Angeles, Orange, and Ventura Counties, California: A geographical information system application, Bull Seismol Soc Am 87(1) 249-255 (Feb 1997), 12T1445
Seismicity rate change before the Irpinia (M = 6.9) 1980 earthquake, Bull Seismol Soc Am 87(2) 318-326 (Apr 1997), 12T1446
Seismological studies at Parkfield IV: Variations in controlled-source waveform parameters and their correlation with seismicity, 1987 to 1995, Bull Seismol Soc Am 87(1) 39-49 (Feb 1997), 12A1447
Statistical spectral model of earthquakes in the eastern Tohoku district, Japan, based on the surface and borehole records observed in Sendai, Bull Seismol Soc Am 87(2) 446-462 (Apr 1997), 12T1448
Topographic effects on the seismic response of steep slopes, Bull Seismol Soc Am 87(3) 701-709 (Jun 1997), 12A1449
Toward a homogeneous moment-magnitude determination for earthquakes in Greece and the surrounding area, Bull Seismol Soc Am 87(2) 474-483 (Apr 1997), 12A1450
Transient triggering of near and distant earthquakes, Bull Seismol Soc Am 87(2) 294-309 (Apr 1997), 12A1451

456C. Characteristics of strong ground motion

Hazard mapping of normalized peak strain in soils during earthquakes: Microzonation of a metropolitan area, Soil Dyn Earthquake Eng 15(5) 321-329 (Jul 1996), 1A617
Fuzzy probabilistic analysis of seismic stability of coastal embankment, China Ocean Eng 10(1) 99-105 (1996), 1A1418
Peak surface strains during strong earthquake motion, Soil Dyn Earthquake Eng 15(5) 311-319 (Jul 1996), 1A1419
Peak velocities and peak surface strains during Northridge, California, earthquake of January 17, 1994, Soil Dyn Earthquake Eng 15(5) 301-310 (Jul 1996), 1A1420
Analysis of high-frequency P_g/L_g ratios from NTS explosions and western US earthquakes, Bull Seismol Soc Am 86(4) 1042-1053 (Aug 1996), 2A1377
Discrimination between local microearthquakes and quarry blasts by multi-layer perceptrons and Kohonen maps, Bull Seismol Soc Am 86(4) 1077-1090 (Aug 1996), 2A1378
March 25, 1993 Scotts Mills, Oregon, earthquake and aftershock sequence: Spatial distribution, focal mechanisms and the Mount Angel Fault, Bull Seismol Soc Am 86(4) 925-935 (Aug 1996), 2A1379
Earthquake performance of gas transmission pipelines, Earthquake Spectra 12(3) 493-527 (Aug 1996), 3A1370
Seismic input modeling for zoning and microzoning, Earthquake Spectra 12(3) 529-566 (Aug 1996), 3A1371
Site response studies for purpose of revising NEHRP seismic provisions, Earthquake Spectra 12(3) 407-439 (Aug 1996), 3A1372
Reduced-order sand model for ground response analysis, J Eng Mech 122(9) 872-881 (Sep 1996), 3A1392
Analytical and field evidence of the damaging effect of vertical earthquake ground motion, Earthquake Eng Struct Dyn 25(10) 1109-1137 (Oct 1996), 4A1392
Earthquake hazard mapping in the Maghreb countries: Algeria, Morocco, Tunisia, Earthquake Eng Struct Dyn 25(10) 1151-1164 (Oct 1996), 4A1393
Estimation of signal characteristics in seismic ground motions, Probab Eng Mech 11(4) 229-242 (Oct 1996), 4A1394
Sliding system predicting large permanent co-seismic movements of slopes, Earthquake Eng Struct Dyn 25(10) 1075-1093 (Oct 1996), 4A1395
Identification and modeling of earthquake ground response - I: Site amplification, Soil Dyn Earthquake Eng 15(8) 499-522 (Dec 1996), 5A1412
Identification and modeling of earthquake ground response - II: Site liquefaction, Soil Dyn Earthquake Eng 15(8) 523-547 (Dec 1996), 5A1413
Reconnaissance report: 1995 Dinar, Turkey, earthquake, Eng Struct 18(12) 906-916 (Dec 1996), 5A1414
Correlation patterns in characteristics of spatially variable seismic ground motions, Earthquake Eng Struct Dyn 26(1) 19-39 (Jan 1997), 6A1423
Fully nonstationary analytical earthquake ground-motion model, J Eng Mech 123(1) 15-24 (Jan 1997), 6A1424
Markovian approach to ordered peak statistics, Earthquake Eng Struct Dyn 25(12) 1335-1351 (Dec 1996), 6A1425
Rotational shear effects on ground earthquake response, Soil Dyn Earthquake Eng 16(1) 9-19 (Jan 1997), 7A572

Analysis of amplification characteristics of ground motions in the heavily damaged belt zone during the 1995 Hyogo-ken Nanbu earthquake, Earthquake Eng Struct Dyn 26(3) 377-393 (Mar 1997), 8A1470
Characteristics of short-period wave propagation in regions of Fennoscandia, with emphasis on Lg, Bull Seismol Soc Am 86(6) 1873-1895 (Dec 1996), 8A1471
Coherence of ground motion in the San Fernando Valley, Bull Seismol Soc Am 86(6) 1724-1732 (Dec 1996), 8A1472
Large-amplitude Moho reflections (SmS) from Landers aftershocks, Southern California, Bull Seismol Soc Am 86(6) 1845-1852 (Dec 1996), 8A1473
Nonlinear soil response - A reality?, Bull Seismol Soc Am 86(6) 1964-1978 (Dec 1996), 8A1474
Shallow velocity structure and Poisson's ratio at the Tarzana, California, strong-motion accelerometer site, Bull Seismol Soc Am 86(6) 1704-1713 (Dec 1996), 8A1501
Distribution of Pseudo Spectral Velocity during the Northridge, California, earthquake of January 17 1994, Soil Dyn Earthquake Eng 16(3) 173-192 (Apr 1997), 9A1469
Drift spectrum: Measure of demand for earthquake ground motions, J Struct Eng 123(4) 397-404 (Apr 1997), 9A1470
Engineering perspective for the seismic site response of alluvial valleys, Earthquake Eng Struct Dyn 26(4) 477-493 (Apr 1997), 9A1471
Simulation procedure for near-field motion in irregular ground and its application to 2D in-plane wave field (Japanese), Proc JSCE 556(I-38) 131-138 (Jan 1997), 9A1472
Three dimension simulation of near-field motion in irregular ground (Japanese), Proc JSCE 556(I-38) 139-149 (Jan 1997), 9A1473
Peak strong motion attenuation relations for horizontal and vertical ground displacements, J Earthquake Eng 1(2) 275-292 (Apr 1997), 11A1465
Amplitudes, polarity and time of peaks of strong ground motion during the 1994 Northridge, California, earthquake, Soil Dyn Earthquake Eng 16(4) 235-258 (Jun 1997), 11A1480
Coupled seismic-geotechnical approach to site-specific strong motion, Soil Dyn Earthquake Eng 16(4) 259-272 (Jun 1997), 11A1481
Estimation of acceleration response spectra in the severely damaged area due to the 1995 Hyogoken-Nambu earthquake (Japanese), Proc JSCE 563(I39) 149-159 (Apr 1997), 11A1482
Nonlinear response of soils to horizontal and vertical bedrock earthquake motion, J Earthquake Eng 1(1) 93-119 (Jan 1997), 11A1483
Three-dimensional transient response characteristics of soil stratum due to moving loads (Japanese), Proc JSCE 563(I39) 137-148 (Apr 1997), 11A1484
Jumping of bell houses caused by near-field ground motion: Case histories and shaking table experiment, Earthquake Eng Struct Dyn 26(6) 657-665 (Jun 1997), 11T1495
Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, Bull Seismol Soc Am 87(2) 463-473 (Apr 1997), 12T1439
Characteristics of nonlinear response of deep saturated soil deposits, Bull Seismol Soc Am 87(2) 342-355 (Apr 1997), 12A1452
M_s = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - 1: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, Bull Seismol Soc Am 87(1) 11-22 (Feb 1997), 12T1453
M_s = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, Bull Seismol Soc Am 87(1) 23-38 (Feb 1997), 12T1454
Near-surface attentuation and site effects from comparison of surface and deep borehole recording, Bull Seismol Soc Am 87(3) 731-744 (Jun 1997), 12T1455
Regional seismic discriminants using wave-train energy ratios, Bull Seismol Soc Am 87(3) 589-605 (Jun 1997), 12A1456
Shear-wave velocity structure in the northern basin and range province from the combinod analysis of receiver functions and surface waves, Bull Seismol Soc Am 87(1) 183-199 (Feb 1997), 12A1457
Site amplification in the San Fernando Valley, California: Variability of site-effect estimation using the S-wave, Coda, and H-V methods, Bull Seismol Soc Am 87(3) 710-730 (Jun 1997), 12A1458
Upper-mantle shear velocities beneath southern California determined from long-period surface waves, Bull Seismol Soc Am 87(1) 200-209 (Feb 1997), 12A1459
Discrimination of earthquakes and explosions in southern Russia using regional high-frequency three-component data from the IRIS-JSP Caucasus Network, Bull Seismol Soc Am 87(3) 569-588 (Jun 1997), 12A1488

456D. Geological criteria

Earthquake Geotechnical Engineering (Balkema, Rotterdam, Netherlands, 1996) 1N50
Topographic site effects and HVSR: A comparison between observations and theory, Bull Seismol Soc Am 86(5) 1559-1573 (Oct 1996), 4A1396
Ground re-liquefaction in historical earthquakes in the Tokyo lowland (Japanese), Proc JSCE 554(III-37) 157-171 (Dec 1996), 8A651
Anomalous seismic response of the ground at the Tarzana hill site during the Northridge 1994 Southern California earthquake: A resonant, sliding block?, Bull Seismol Soc Am 86(6) 1714-1723 (Dec 1996), 8A1475
Variation of slip direction during earthquake rupture: Supporting and conflicting evidence from 1989 Loma Prieta earthquake, Bull Seismol Soc Am 86(6) 1935-1951 (Dec 1996), 8T1476
Crustal and uppermost mantle velocity structure of northern Eurasia along the profile Quartz, Bull Seismol Soc Am 87(2) 414-426 (Apr 1997), 12A1460
New map of the geographic extent of the Socorro mid-crustal magma body, Bull Seismol Soc Am 87(1) 174-182 (Feb 1997), 12T1461
Propagation characteristics of short-period Sn and Lg in the Middle East, Bull Seismol Soc Am 87(2) 396-413 (Apr 1997), 12T1462
Propagational corrections for basin structure: Landers earthquake, Bull Seismol Soc Am 87(3) 782-787 (Jun 1997), 12A1463
Shallow crustal structure from short-period Rayleigh-wave dispersion data in southwestern Taiwan, Bull Seismol Soc Am 87(2) 370-382 (Apr 1997), 12A1464
Site amplifications for generic rock sites, Bull Seismol Soc Am 87(2) 327-341 (Apr 1997), 12A1465
Water-level changes in response to the December 20, 1994 earthquake near Parkfield, California, Bull Seismol Soc Am 87(2) 310-317 (Apr 1997), 12A1466

456E. Soil-structure interaction

Large-scale seismic test program at Hualien Taiwan, Nucl Eng Des 163(3) 323-332 (Jul 1996), 1A1421
Seismic Engineering - 1996 (ASME Press, New York, 1996) 2N46
Generation and use of simplified uplift shape functions in unanchored cylindrical tanks, J Pressure Vessel Tech 118(3) 278-286 (Aug 1996), 2A493
Shape optimization of a dynamically loaded machine foundation coupled to a semi-infinite inelastic medium, Struct Optim 12(1) 29-34 (Aug 1996), 2A764
Characteristics of nonlinear soil response and dynamic soil properties using vertical array data in Japan, Earthquake Eng Struct Dyn 25(8) 857-870 (Aug 1996), 2A1380
Influence function method for random seismic response of soil-structure system (Chinese), J Vib Eng 9(2) 161-168 (Jun 1996), 2A1381
Simplified method for prediction of kinematic soil-foundation interaction effects on peak horizontal acceleration of a rigid foundation, Earthquake Eng Struct Dyn 25(8) 815-836 (Aug 1996), 2A1382
Evaluation of sheet pile-ring countermeasure against liquefaction for oil tank site, Soil Dyn Earthquake Eng 15(6) 369-379 (Aug 1996), 3A1373
Nonlinear soil response: 1994 Northridge, California, earthquake, J Geotech Eng 122(9) 725-735 (Sep 1996), 3A1374
Threshold accelerations for rotation or sliding of bridge abutments, J Geotech Eng 122(9) 752-759 (Sep 1996), 3A1375
Consistent infinitesimal FE cell method in frequency domain, Earthquake Eng Struct Dyn 25(11) 1307-1327 (Nov 1996), 4A1397
Gravilastic equation and the emergence of gravity waves in large earthquakes, Bull Seismol Soc Am 86(5) 1220-1228 (Oct 1996), 4A1398
Property matrices identification of unbounded medium from unit-impulse response functions using Legendre polynomials: Formulation, Earthquake Eng Struct Dyn 25(11) 1231-1245 (Nov 1996), 4A1399
Property matrices identification of unbounded medium from unit-impulse response functions using Legendre polynomials: Implementation and examples, Earthquake Eng Struct Dyn 25(11) 1247-1257 (Nov 1996), 4A1400
Calculating the dynamic stiffness matrix of 2D foundations by discrete wave number indirect BEMs, Earthquake Eng Struct Dyn 26(1) 115-133 (Jan 1997), 6A1426
Modal analysis of soft-soil sites including radiation damping, Earthquake Eng Struct Dyn 26(1) 93-113 (Jan 1997), 6A1427
Sequential stiffness design for seismic drift ranges of a shear building-pile-soil system, Earthquake Eng Struct Dyn 25(12) 1405-1420 (Dec 1996), 6A1428
To radiate or not to radiate, Earthquake Eng Struct Dyn 25(12) 1421-1432 (Dec 1996), 6A1429
Transfer functions for rigid rectangular foundations, Earthquake Eng Struct Dyn 26(1) 5-17 (Jan 1997), 6A1430
Seismic response of liquefaction sites, J Geotech Geoenv Eng 123(1) 37-45 (Jan 1997), 8A653
Dynamic response of laterally excited pile groups, J Geotech Geoenv Eng 123(1) 1-8 (Jan 1997), 8A664
Dynamic response of cantilever retaining walls, J Geotech Geoenv Eng 123(2) 161-172 (Feb 1997), 8A1477
Great Mexican earthquake of June 19, 1858: Expected ground motions and damage in Mexico City from a similar future event, Bull Seismol Soc Am 86(6) 1655-1666 (Dec 1996), 8T1478
Prediction of the measured response of a scaled soil-pile-superstructure system, Soil Dyn Earthquake Eng 16(2) 113-124 (Feb 1997), 8A1479
Soil-pile-bridge seismic interaction: Kinematic and inertial effects - Part I: Soft soil, Earthquake Eng Struct Dyn 26(3) 337-359 (Mar 1997), 8A1480
Soil-structure interaction and axial force effect in structural vibration, Struct Eng and Mech 5(1) 1-19 (Jan 1997), 8A1481
Soil-structure-water interaction of intake-outlet towers allowed to uplift, Soil Dyn Earthquake Eng 16(2) 151-159 (Feb 1997), 8A1482
Earthquake analysis of beams resting on elastic foundations by using a modified Vlasov model, J Sound Vib 200(3) 315-325 (Feb 1997), 9A153
Mechanism of pipeline failures caused by soil liquefaction during the 1983 Nihonkai-Chubu earthquake, Proc JSCE 556(I-38) 53-63 (Jan 1997), 9A612
Relative earthquake motion of building foundations, J Struct Eng 123(4) 414-422 (Apr 1997), 9A1474
Effective optimal structural control of soil-structure interaction systems, Earthquake Eng Struct Dyn 26(5) 549-570 (May 1997), 10A1456
Responses of pipeline structure subjected to ground motion excitation, Eng Struct 19(8) 679-684 (Aug 1997), 10A1457
Simulation and automation of calculations of buildings (structures) on seismic effects, Comput Struct 63(6) 1065-1083 (Jun 1997), 10A1458
Vertical vibration of pile in vibration-induced excess pore pressure field, J Geotech Geoenv Eng 123(5) 422-429 (May 1997), 11A563
Effects of frequency dependent foundation: Soil compliance on building vertical responses identified from earthquake records, Soil Dyn Earthquake Eng 16(4) 273-284 (Jun 1997), 11A1485
New techniques for modeling reservoir-dam and foundation-dam interaction, Soil Dyn Earthquake Eng 16(4) 285-293 (Jun 1997), 11A1486
Influence of building existence on seismic liquefaction of subsoils, Earthquake Eng Struct Dyn 26(7) 691-699 (Jul 1997), 12T681
Centrifuge-modeled rigid structure to investigate dynamic soil-structure interaction, Geotech Testing J 20(2) 139-148 (Jun 1997), 12A689

456F. Structural response

Seismic Engineering - 1996 (ASME Press, New York, 1996) 2N46
Seismic, Shock, and Vibration Isolation - 1996 (ASME Press, New York, 1996) 2N47
Use of viscoelastic model for the seismic response of base-isolated buildings, J Pressure Vessel Tech 118(3) 374-383 (Aug 1996), 2A411
Energy method for base uplifting analysis of liquid-storage tanks, J Pressure Vessel Tech 118(3) 332-335 (Aug 1996), 2A491
Dissipation of hysteretic energy in base isolated structure, Shock Vib 3(5) 353-359 (1996), 2A1383
Influence of seismic design parameters on ductility of RC flexural members, Asian J Struct Eng 1(4) 377-393 (1995), 2A1384
Influence of seismic waves spatial variability on bridges: A sensitivity analysis, Earthquake Eng Struct Dyn 25(8) 795-814 (Aug 1996), 2A1385
Seismic behavior of unanchored liquid containers, J Pressure Vessel Tech 118(3) 257-264 (Aug 1996), 2A1386
Uncoupled frequency ratio in asymmetric buildings, Earthquake Eng Struct Dyn 25(8) 871-881 (Aug 1996), 2A1387
Impacting effects on seismic loading in feeder pipes of PHWR power plants, J Pressure Vessel Tech 118(3) 351-356 (Aug 1996), 2A1424
Nonlinear response of bridges under multisupport excitation, J Struct Eng 122(10) 1147-1159 (Oct 1996), 3A182
Quantitative approach to rapid seismic evaluation of slab-on-girder steel highway bridges, J Struct Eng 122(10) 1160-1168 (Oct 1996), 3A183
Analysis and design of ER damper for seismic protection of structures, J Eng Mech 122(10) 1003-1011 (Oct 1996), 3A186
1996 ERI student paper award modeling of the nonlinear seismic behavior of gravity load designed frames, Earthquake Spectra 12(3) 479-492 (Aug 1996), 3A1376
Building ductility demand: Interplate versus intraplate earthquakes, Earthquake Eng Struct Dyn 25(9) 965-985 (Sep 1996), 3A1377
Damage scenarios simulation for seismic risk assessment in urban zones, Earthquake Spectra 12(3) 371-395 (Aug 1996), 3A1378
Design-oriented approximate bound of inelastic responses of a structure under seismic loading, Comput Struct 61(3) 431-440 (Nov 1996), 3A1379
Earthquake response of structures by structural mixture theory, J Struct Eng 122(10) 1198-1207 (Oct 1996), 3A1380
Effect of diameter-thickness ratio on the ratchetting behavior of pressurized plain pipework subjected to simulated seismic loading, Strain 32(3) 91-96 (Aug 1996), 3A1381
Evaluation of reinforced concrete members damaged by earthquakes, Earthquake Spectra 12(3) 457-478 (Aug 1996), 3A1382
faster simulation method for the stochastic response of hysteretic structures subject to earthquakes, Soil Dyn Earthquake Eng 15(6) 359-368 (Aug 1996), 3A1383
Friction-damped moment-resisting frames, Earthquake Spectra 12(3) 623-633 (Aug 1996), 3A1384
Identification of damage in reinforced concrete structures from earthquake records: Optimal location of sensors, Soil Dyn Earthquake Eng 15(6) 347-358 (Aug 1996), 3A1385
Inelastic vibration phase theory for seismic pounding mitigation, J Struct Eng 122(10) 1136-1146 (Oct 1996), 3A1386
Integral representations and regularizations for a divergent series solution of a beam subjected to support motions, Earthquake Eng Struct Dyn 25(9) 909-925 (Sep 1996), 3A1387
Issues on the seismic retrofit of a building near resonant response and structural pounding, Earthquake Spectra 12(3) 567-597 (Aug 1996), 3A1388
More rational approach to capacity design of seismic moment frame columns, Earthquake Spectra 12(3) 395-406 (Aug 1996), 3A1389
Optimal polynomial control of seismically excited linear structures, J Eng Mech 122(8) 753-761 (Aug 1996), 3A1390
Rate-dependent isotropic damage model for the seismic analysis of concrete dams, Earthquake Eng Struct Dyn 25(9) 987-1010 (Sep 1996), 3A1391
Reduced-order sand model for ground response analysis, J Eng Mech 122(9) 872-881 (Sep 1996), 3A1392
Seismic behavior of masonry walls: Experimental simulation, J Struct Eng 122(9) 1040-1047 (Sep 1996), 3A1393
Seismic behavior of masonry walls: Modeling of hysteretic rules, J Struct Eng 122(9) 1048-1054 (Sep 1996), 3A1394
Seismic response of flexibly supported coupled shear walls, J Struct Eng 122(10) 1187-1197 (Oct 1996), 3A1395
Seismic upgrading of old brick-masonry urban houses: Tying of walls with steel ties, Earthquake Spectra 12(3) 599-622 (Aug 1996), 3A1396
Simulating seismic response behavior of telecommunications equipment, J Struct Eng 122(10) 1247-1249 (Oct 1996), 3A1397
Spectral relative motion of two structures due to seismic travel waves, J Struct Eng 122(10) 1128-1135 (Oct 1996), 3A1398
Torsion in symmetric structures due to ground-motion spatial variation, J Eng Mech 122(9) 834-843 (Sep 1996), 3A1399
Vibration control of tall buildings under siesmic and wind loads, J Struct Eng 122(8) 948-957 (Aug 1996), 3A1400
Correlation coefficients for modal response combination of non-classically damped systems, Nucl Eng Des 165(1-2) 67-80 (Aug 1996), 4A190
Control of building vibrations with active-passive devices, Earthquake Eng Struct Dyn 25(10) 1019-1039 (Oct 1996), 4A1401
Earthquake analysis of gravity dams based on damage mechanics concept, Int J Numer Anal Methods Geomech 20(10) 725-751 (Oct 1996), 4A1402
Efficient seismic analysis of multi-story buildings, Struct Eng and Mech 4(5) 497-511 (Sep 1996), 4A1403
Model to estimate the virgin and ultimate effective stiffnesses from the response of a damaged structure to a single earthquake, Earthquake Eng Struct Dyn 25(10) 1095-1108 (Oct 1996), 4A1404
Nonlinear 3D dynamic time history analysis in the recracking modifications for a nuclear power plant, Nucl Eng Des 165(1-2) 199-211 (Aug 1996), 4A1405
Optimal polynomial control for seismically excited nonlinear and hysteretic structures, Earthquake Eng Struct Dyn 25(11) 1211-1230 (Nov 1996), 4A1406
Ordered peak statistics through digital simulation, Earthquake Eng Struct Dyn 25(10) 1061-1073 (Oct 1996), 4A1407
Response of earth dams to P and SV waves using coupled FE-BE formulation, Earthquake Eng Struct Dyn 25(11) 1177-1194 (Nov 1996), 4A1408
Response of reinforced-prestressed concrete box structures to dynamically applied torsion, Nucl Eng Des 165(1-2) 25-41 (Aug 1996), 4A1409
Seismic performance of an instrumented ten-story reinforced concrete building, Earthquake Eng Struct Dyn 25(10) 1041-1059 (Oct 1996), 4A1410

Seismic response of concentrically braced moment-resisting steel frames, Earthquake Eng Struct Dyn **25**(11) 1275-1299 (Nov 1996), 4A1411

Seismic response of reactor vessel internals for Korean standard nuclear power plant, Nucl Eng Des **165**(1-2) 57-66 (Aug 1996), 4A1412

Seismic response of sliding structures to bidirectional earthquake excitation, Earthquake Eng Struct Dyn **25**(11) 1301-1306 (Nov 1996), 4A1413

Slide rotation of rigid bodies subjected to a horizontal ground motion, Earthquake Eng Struct Dyn **25**(10) 1139-1149 (Oct 1996), 4A1414

Use of an unconventional technique for seismic qualification of equipments, Nucl Eng Des **165**(1-2) 15-23 (Aug 1996), 4A1415

Identification of Fei-Tsui arch dam from both ambient and seismic response data, Soil Dyn Earthquake Eng **15**(7) 465-483 (Oct 1996), 5A127

Development of a loading history for seismic testing of architectural glass in a shop-front wall system, Eng Struct **18**(12) 917-935 (Dec 1996), 5A1415

Influence of damping and parameter uncertainty on seismic secondary response spectra: A random vibration approach, Nucl Eng Des **166**(1) 1-7 (Oct 1996), 5A1416

Response of transmission lines to multiple support excitation, Eng Struct **18**(12) 936-946 (Dec 1996), 5A1417

Effects of ductility on seismic response of piping systems and their implication on design and qualification, Nucl Eng Des **166**(1) 69-83 (Oct 1996), 5A1436

Longitudinal elastic waves in columns due to earthquake motion, Int J Impact Eng **18**(7-8) 889-898 (Oct-Dec 1996), 6A223

Nonlinear hydrodynamic pressures generated by a moving high-rise offshore cylinder, Ocean Eng **24**(3) 201-216 (Mar 1997), 6A304

Retrofit of non-ductile moment-resisting frames using precast infill wall panels, Earthquake Spectra **12**(4) 741-760 (Nov 1996), 6A892

Study of earthquake resistant behavior of high strength concrete column reinforced with concrete filled steel tube (Chinese), J Dalian Univ Tech **36**(6) 759-766 (Nov 1996), 6A894

Repair and retrofit of unreinforced masonry structures, Earthquake Spectra **12**(4) 903-922 (Nov 1996), 6A917

Alternative method for transient and random responses of structures subject to support motions, Eng Struct **19**(2) 162-172 (Feb 1997), 6A1431

Analytical modeling of dual panel zone in haunch repaired steel MRFs, J Struct Eng **123**(1) 20-29 (Jan 1997), 6A1432

Approach to the measurement of the potential structural damage of earthquake ground motions, Earthquake Eng Struct Dyn **26**(1) 79-92 (Jan 1997), 6A1433

Elastic-plastic impact response analysis and impact resistant design of steel pipe check dam (Japanese), Proc JSCE **549**(I-37) 159-173 (Oct 1996), 6A1434

Exact solutions to a class of structure-equipment systems, J Eng Mech **122**(11) 1093-1100 (Nov 1996), 6A1435

Expected seismic behavior of older steel structures, Earthquake Spectra **12**(4) 805-821 (Nov 1996), 6A1436

Expected seismic damage during narrow-band structural responses, Proc JSCE **549**(I-37) 27-31 (Oct 1996), 6A1437

Hysteresis models for steel bridge piers and their application to elasto-plastic seismic response analysis (Japanese), Proc JSCE **549**(I-37) 191-204 (Oct 1996), 6A1438

Impact model test and impact response analysis of the precast concrete guardfense buried into the soil (Japanese), Proc JSCE **549**(I-37) 175-189 (Oct 1996), 6A1439

Lateral response of older flat slab frames and the economic effect on retrofit, Earthquake Spectra **12**(4) 667-691 (Nov 1996), 6A1440

Learning from recorded earthquake motion of buildings, J Struct Eng **123**(1) 62-69 (Jan 1997), 6A1441

Measured response of roof diaphragms and wall panels in tilt-up systems subjected to cyclic loading, Earthquake Spectra **12**(4) 783-802 (Nov 1996), 6A1442

Method for seismic base isolation of liquid-storage tanks, J Struct Eng **123**(1) 113-116 (Jan 1997), 6A1443

Nonstationary response analysis of offshore guyed tower subjected to earthquake loading, Eng Struct **19**(1) 63-70 (Jan 1997), 6A1444

Optimal placement of energy dissipation devices for 3D structures, Eng Struct **19**(2) 113-125 (Feb 1997), 6A1445

Random seismic responses of multi-support structures in evolutionary inhomogeneous random fields, Earthquake Eng Struct Dyn **26**(1) 135-145 (Jan 1997), 6A1446

Response of pure-friction sliding structures to bi-directional harmonic ground motion, Eng Struct **19**(2) 97-104 (Feb 1997), 6A1447

Response reduction effect by passive use of a wave impeding block (Japanese), Proc JSCE **549**(I-37) 221-230 (Oct 1996), 6A1448

Retrofit of concrete columns with inadequate lab splices by the use of rectangular steel jackets, Earthquake Spectra **12**(4) 693-714 (Nov 1996), 6A1449

Retrofit options for the seismic upgrading of old low-rise school buildings in Mexico, Earthquake Spectra **12**(4) 883-902 (Nov 1996), 6A1450

Role of building foundations in seismic retrofit, Earthquake Spectra **12**(4) 925-942 (Nov 1996), 6A1451

Seismic evaluation of existing reinforced concrete building columns, Earthquake Spectra **12**(4) 715-739 (Nov 1996), 6A1452

Seismic impact loading in inelastic tension-only concentrically braced steel frames: Myth or reality, Earthquake Eng Struct Dyn **25**(12) 1373-1389 (Dec 1996), 6A1453

Seismic performance of confined sill plate connections, J Struct Eng **122**(11) 1357-1363 (Nov 1996), 6A1454

Seismic rehabilitation of infilled non-ductile frame buildings using post-tensioned steel braces, Earthquake Spectra **12**(4) 863-882 (Nov 1996), 6A1455

Seismic rehabilitation on reinforced concrete beam-column connections, Earthquake Spectra **12**(4) 761-780 (Nov 1996), 6A1456

Seismic response of building frames with vertical structural irregularities, J Struct Eng **123**(1) 30-41 (Jan 1997), 6A1457

Softening-induced dynamic localization instability: Seismic damage in frames, J Eng Mech **122**(12) 1149-1158 (Dec 1996), 6A1458

Time and frequency domain analyses of single dof systems, Nucl Eng Des **167**(1) 1-5 (Nov 1996), 6A1459

Torsional response of building structures to spatial random ground excitations, Eng Struct **19**(2) 105-112 (Feb 1997), 6A1460

Reliability considerations on the confinement of RC columns for ductility, Soil Dyn Earthquake Eng **16**(1) 1-8 (Jan 1997), 7A816

Active and semi-active control of structures under seismic excitation, Earthquake Eng Struct Dyn **26**(2) 193-213 (Feb 1997), 7A1478

Analytical hysteresis model for elastomeric seismic isolation bearings, Earthquake Eng Struct Dyn **26**(2) 215-231 (Feb 1997), 7A1479

Building pounding damage during the 1989 Loma Prieta earthquake, Eng Struct **19**(3) 195-207 (Mar 1997), 7A1480

Response spectra for differential motion of columns, Earthquake Eng Struct Dyn **26**(2) 251-268 (Feb 1997), 7A1481

Review of the torsional coupling of asymmetrical wall-frame buildings, Eng Struct **19**(3) 233-246 (Mar 1997), 7A1482

Seismic monitoring of a bridge: Assessing dynamic characteristics from both weak and strong ground excitations, Earthquake Eng Struct Dyn **26**(2) 269-288 (Feb 1997), 7A1483

Simple push-over analysis of asymmetric buildings, Earthquake Eng Struct Dyn **26**(2) 233-249 (Feb 1997), 7A1484

Statistical analysis of seismic behavior of steel frame: Influence of overstrength, J Construct Steel Res **39**(2) 137-161 (Sep 1996), 7A1485

Earthquake response of submerged gravity foundation on soft rock, Soil Dyn Earthquake Eng **16**(2) 125-139 (Feb 1997), 8A662

Three dimensional effects on stability of slopes during earthquakes (Japanese), Proc JSCE **554**(III-37) 119-128 (Dec 1996), 8A669

Midbroken reinforced concrete shear frames due to earthquakes: A hysteretic model to quantify damage at the story level, Soil Dyn Earthquake Eng **16**(2) 95-112 (Feb 1997), 8A905

Adequacy of a shear building for modeling open-plane frames under seismic excitation, J Sound Vib **199**(5) 816-824 (Feb 1997), 8T1483

Description and analysis of building damage due to Pyrgos, Greece earthquake, Soil Dyn Earthquake Eng **16**(2) 141-150 (Feb 1997), 8A1484

Inelastic response of code-designed eccentric structures subject to bi-directional loading, Struct Eng and Mech **5**(1) 51-58 (Jan 1997), 8A1485

Performance evaluation of a three-story unreinforced masonry building during the 1992 Erzincan earthquake, Earthquake Eng Struct Dyn **26**(3) 319-336 (Mar 1997), 8A1486

Separation distance to avoid seismic pounding of adjacent buildings, Earthquake Eng Struct Dyn **26**(3) 395-403 (Mar 1997), 8A1487

Running safety of railway vehicle on oscillating track using a mechanical model with vertical wheel flanges (Japanese), Proc JSCE **556**(I-38) 169-178 (Jan 1997), 9A164

Dynamic characteristics of submerged floating tunnels due to wave force (Japanese), Proc JSCE **556**(I-38) 159-168 (Jan 1997), 9A896

Correlation of seismic responses of structures, J Struct Eng **123**(4) 405-413 (Apr 1997), 9A1475

Damage models for the seismic response of brick masonry shear walls - Part I: The mortar joint model and its applications, Earthquake Eng Struct Dyn **26**(4) 423-439 (Apr 1997), 9A1476

Damage models for the seismic response of brick masonry shear walls - Part II: The continuum model and its applications, Earthquake Eng Struct Dyn **26**(4) 441-462 (Apr 1997), 9A1477

Effect of gravity load on seismic response of steel-framed structures, Eng Struct **19**(6) 439-451 (Jun 1997), 9A1478

Effects of porous sediments on seismic response of concrete gravity dams, J Eng Mech **123**(4) 302-311 (Apr 1997), 9A1479

Lateral-load response of a reinforced concrete bridge, J Struct Eng **123**(4) 451-460 (Apr 1997), 9A1480

Lateral-load response of two reinforced concrete bents, J Struct Eng **123**(4) 461-468 (Apr 1997), 9A1481

Northridge, California, earthquake of 1994: Density of pipe breaks and surface strains, Soil Dyn Earthquake Eng **16**(3) 193-207 (Apr 1997), 9A1482

Northridge, California, earthquake of 1994: Density of red-tagged buildings versus peak horizontal velocity and intensity of shaking, Soil Dyn Earthquake Eng **16**(3) 209-222 (Apr 1997), 9A1483

Prediction of global and localized damage and future reliability for RC structures subject to earthquakes, Earthquake Eng Struct Dyn **26**(4) 463-475 (Apr 1997), 9A1484

Response of Olive View Hospital to Northridge and Whittier earthquakes, J Struct Eng **123**(4) 389-396 (Apr 1997), 9A1485

Seismic response of soil-supported unanchored liquid-storage tanks, J Struct Eng **123**(4) 440-450 (Apr 1997), 9A1486

Seismic response of submerged secondary systems in base-isolated structures, Eng Struct **19**(6) 452-464 (Jun 1997), 9A1487

Sliding mode control of buildings with ATMD, Earthquake Eng Struct Dyn **26**(4) 409-422 (Apr 1997), 9A1488

Vibrations of bridge structure under kinematic wave excitations, J Struct Eng **123**(4) 479-488 (Apr 1997), 9A1489

Rigidity-plasticity-viscosity: Can electorheological dampers protect base-isolated structures from near-source ground motions, Earthquake Eng Struct Dyn **26**(5) 571-591 (May 1997), 10A164

Multiple-support response spectrum method and application to bridge structures (German), Bauingenieur **72**(3) 113-121 (Mar 1997), 10A230

Behavior of gravity load designed reinforced concrete buildings subjected to earthquakes, ACI Struct J **94**(2) 133-145 (Mar-Apr 1997), 10A929

Ductility spectra of reinforced concrete structures subjected to far-field seismic excitations, Eng Struct **19**(7) 568-575 (Jul 1997), 10A933

Repair of earthquake-damaged RC columns with FRP wraps, ACI Struct J **94**(2) 206-215 (Mar-Apr 1997), 10A939

Seismic response of slab-column connections constructed with high-strength concrete, ACI Struct J **94**(2) 197-205 (Mar-Apr 1997), 10A940

Comparison of the present SEAOC-UBC torsional provisions with the old ones, Eng Struct **19**(8) 655-664 (Aug 1997), 10A949

Axial response of PWR fuel assemblies for earthquake and pipe break excitations, Struct Eng and Mech **5**(2) 149-165 (Mar 1997), 10A1459

Behavior of window glass panels during earthquakes, Eng Struct **19**(8) 685-694 (Aug 1997), 10A1460

Dynamic analysis of base-isolated shear beams bumping against stops, Earthquake Eng Struct Dyn **26**(5) 515-528 (May 1997), 10A1461

Inelastic seismic resistance of reinforced concrete stack-like structures, Earthquake Eng Struct Dyn **26**(5) 501-513 (May 1997), 10T1462

Seismic behavior of a new type of seismic energy dissipation shear wall system, Struct Eng and Mech **5**(2) 167-175 (Mar 1997), 10A1463

Seismic investigations of plane steel-concrete composite frames (German), Bauingenieur **72**(3) 123-130 (Mar 1997), 10A1464

Structural Dynamics for Engineers (Telford, UK, 1997) 11R9

Evolutionary model of viscoelastic dampers for structural applications, J Eng Mech **123**(6) 551-560 (Jun 1997), 11A109

Comparative study on the seismic retrofit of a mid-rise steel building: Steel bracing vs energy dissipation, Earthquake Eng Struct Dyn **26**(6) 637-655 (Jun 1997), 11T160

Method of estimating the parameters of tuned mass dampers for seismic applications, Earthquake Eng Struct Dyn **26**(6) 617-635 (Jun 1997), 11A161

Optimum parameters of multiple tuned mass dampers for base-excited damped systems, J Sound Vib **202**(5) 657-667 (May 1997), 11A315

Static output polynomial control for linear structures, J Eng Mech **123**(6) 639-643 (Jun 1997), 11A317

Seismic response of shallow foundation on liquefiable sand, J Geotech Geoenv Eng **123**(6) 557-567 (Jun 1997), 11A561

Fracture of steel moment connections in the Northridge earthquake, Proc Inst Civil Eng Struct Build **122**(2) 209-217 (May 1997), 11A720

Displacement-based seismic assessment of reinforced concrete buildings, J Earthquake Eng **1**(1) 157-192 (Jan 1997), 11A781

Procedure and spectra for analysis of RC structures subjected to strong vertical earthquake loads, J Earthquake Eng **1**(1) 121-155 (Jan 1997), 11A787

Asynchronous parallel computing of structural non-stationary random seismic responses, Int J Numer Methods Eng **40**(12) 2133-2149 (Jun 1997), 11A1487

Response of unreinforced masonry buildings, J Earthquake Eng **1**(1) 257-273 (Jan 1997), 11A1488

Seismic Design and Retrofit of Bridges (Wiley, New York, 1996) 12R44

Method for calculating reliability indices of cable roof structures under "small earthquakes" (Chinese), J Vib Eng **10**(2) 236-241 (Jun 1997), 12T1467

Optimized procedure for seismic design of torsionally unbalanced structures, Earthquake Eng Struct Dyn **26**(7) 737-757 (Jul 1997), 12T1468

Performance of asymmetric code-designed buildings for serviceability and ultimate limit states, Earthquake Eng Struct Dyn **26**(7) 717-735 (Jul 1997), 12A1469

Post-earthquake residual displacements of bilinear oscillators, Earthquake Eng Struct Dyn **26**(7) 701-716 (Jul 1997), 12A1470

Seismic response of steel frames coupled with R-C shear walls, J Eng Appl Sci **44**(2) 249-264 (Apr 1997), 12A1471

Boundary shape waveform inversion for 2D basin structure using three-component array data of plane incident wave with an arbitrary azimuth, Bull Seismol Soc Am **87**(1) 222-233 (Feb 1997), 12A1480

Seismic testing of a building structure with a semi-active fluid damper control system, Earthquake Eng Struct Dyn **26**(7) 759-777 (Jul 1997), 12A1492

456G. Design criteria

Structural Dynamics (Balkema, Rotterdam, Netherlands, 1996) 1N36

Dynamics of Civil Engineering Structures (Balkema, Rotterdam, Netherlands, 1996) 2R17

Effect of infills on the global behavior of R-C frames: Energy considerations from pseudodynamic tests, Earthquake Eng Struct Dyn **25**(8) 753-773 (Aug 1996), 2A1388

Number of modes for the seismic design of buildings, Earthquake Eng Struct Dyn **25**(8) 837-855 (Aug 1996), 2A1389

Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), Proc JSCE **540**(VI-31) 85-104 (Jun 1996), 2A1390

Parametric nonlinear FE analysis of strain ratcheting in pressurized elbows based on random vibration, Shock Vib **3**(5) 373-387 (1996), 2A1425

Aseismic construction and design method for multi-storey composite structures, Earthquake Eng Struct Dyn **25**(9) 887-907 (Sep 1996), 3A1401

Convex model for seismic design of structures - I: Analysis, Earthquake Eng Struct Dyn **25**(9) 927-944 (Sep 1996), 3A1402

Convex model for seismic design of structures - II: Design of conventional and active structures, Earthquake Eng Struct Dyn **25**(9) 945-963 (Sep 1996), 3A1403

Establishing R_w and C_d factors for confined masonry buildings, J Struct Eng **122**(10) 1208-1215 (Oct 1996), 3A1404

Stochastic seismic performance evaluation of tuned liquid column dampers, Earthquake Eng Struct Dyn **25**(11) 1259-1274 (Nov 1996), 4A245

Use of power spectral density in deriving response spectral shapes for aseismic design, Nucl Eng Des **165**(1-2) 151-160 (Aug 1996), 4A1416

Seismic strengthening of circular bridge pier models with fiber composites, ACI Struct J **93**(6) 639-647 (Nov-Dec 1996), 5A444

Drift control and damage in tall buildings, Eng Struct **18**(12) 957-966 (Dec 1996), 5A1418

Composite damping ratio of seismically isolated regular bridges, Eng Struct **19**(1) 55-62 (Jan 1997), 6A197

Aseismatic studies of concrete faced rockfill dams: State-of-the-art (Chinese), J Dalian Univ Tech **36**(6) 708-720 (Nov 1996), 6A1461

Combining snow and earthquake loads for limit states design, J Struct Eng **122**(11) 1364-1368 (Nov 1996), 6A1462

Dual-level seismic design: A reliability-based methodology, Earthquake Eng Struct Dyn **25**(12) 1433-1467 (Dec 1996), 6A1463

Ductile steel beam-to-column connections for seismic resistance, J Struct Eng **122**(11) 1292-1299 (Nov 1996), 6A1464

Economic evaluation of design codes: Case of seismic design, J Struct Eng **122**(12) 1400-1408 (Dec 1996), 6A1465

Finite element formulations for friction pendulum seismic isolation bearings, Int J Numer Methods Eng **40**(1) 29-49 (Jan 1997), 6A1466

Gravity-actuator system for control of civil structures, J Struct Eng **123**(1) 42-51 (Jan 1997), 6A1467

Method for probabilistic evaluation of seismic structural damage, J Struct Eng **122**(12) 1459-1467 (Dec 1996), 6A1468

Seismic design and testing of an RC slab-column frame strengthened by steel bracing, Earthquake Spectra 12(4) 645-666 (Nov 1996), 6A1469
Seismic performance and retrofit evaluation of reinforced concrete structures, J Struct Eng 123(1) 3-10 (Jan 1997), 6A1470
Seismic reliability of electric power networks: Methodology and application, Struct Safety 18(4) 311-327 (1996), 6A1471
Theory and Design of Seismic Resistant Steel Frames (E and FN Spon, NY, 1996) 7R9
Low cycle fatigue of RC beams in NSC and HSC, Eng Struct 19(3) 217-223 (Mar 1997), 7A1486
Parameter identification for degrading and pinched hysteretic structural concrete systems, Eng Struct 19(3) 224-232 (Mar 1997), 7A1487
Plastic design of seismic resistant steel frames, Earthquake Eng Struct Dyn 26(2) 167-191 (Feb 1997), 7A1488
Seismic assessment of concrete bridges using inelastic damage analysis, Eng Struct 19(3) 208-216 (Mar 1997), 7A1489
Site coefficients for design of buildings in eastern United States, Soil Dyn Earthquake Eng 16(1) 29-40 (Jan 1997), 7A1490
Seismic stability and permanent displacement of landfill cover systems, J Geotech Gooenv Eng 123(2) 113-122 (Feb 1997), 8A668
Pressurized piping elbows under simulated seismic bending: Design code implications, Proc Inst Mech Eng E 210(E3) 159-170 (1996), 8A940
Inelastic response of code-designed eccentric structures subject to bi-directional loading, Struct Eng and Mech 5(1) 51-58 (Jan 1997), 8A1485
Optimizing the design characteristics of seismic-isolation device (lead rubber bearing) for bridges (Japanese), Proc JSCE 553(VI-33) 117-128 (Dec 1996), 8A1488
Identification of nonlinear structures by Kalman filter (Japanese), Proc JSCE 556(I-38) 179-187 (Jan 1997), 9A824
Damage-controlled structures - I: Preliminary design methodology for seismically active regions, J Struct Eng 123(4) 423-431 (Apr 1997), 9A1490
Deployable display stand developed for protecting art objects from earthquake damage (Japanese), Proc JSCE 556(I-38) 151-158 (Jan 1997), 9A1491
Design of seismic restrainers for in-span hinges, J Struct Eng 123(4) 469-478 (Apr 1997), 9A1492
Impact of Hanshin-Awaji earthquake on seismic design and seismic strengthening of highway bridges, Proc JSCE 556(I-38) 1-30 (Jan 1997), 9A1493
Integrated passive-active vibration absorber for multistory buildings, J Struct Eng 123(4) 499-504 (Apr 1997), 9A1494
Method of reliability-based seismic design - I: Equivalent nonlinear systems, J Struct Eng 123(3) 256-263 (Mar 1997), 9A1495
Method of reliability-based seismic design - II: Calibration of code parameters, J Struct Eng 123(3) 264-270 (Mar 1997), 9A1496
Method to improve seismic provisions for nonstructural components in buildings, J Struct Eng 123(4) 432-439 (Apr 1997), 9A1497
Stability of actively controlled structures with actuator saturation, J Struct Eng 123(4) 505-512 (Apr 1997), 9A1498
Study of elastoplastic bridge seismic isolation system, J Struct Eng 123(4) 489-498 (Apr 1997), 9A1499
Comparison of the present SEAOC-UBC torsional provisions with the old ones, Eng Struct 19(8) 655-664 (Aug 1997), 10A949
Seismic investigations of plane steel-concrete composite frames (German), Bauingenieur 72(3) 123-130 (Mar 1997), 10A1464
Seismic damage analyses on box culvert with intermediate columns (Japanese), Proc JSCE 563(I39) 125-136 (Apr 1997), 11A641
Influence of capacity design method on the seismic response of R/C columns, J Earthquake Eng 1(2) 341-399 (Apr 1997), 11A782
Seismic design and response of bare and masonry-infilled reinforced concrete buildings - Part I: Bare structures, J Earthquake Eng 1(1) 219-256 (Jan 1997), 11A788
Modeling of steel bridge pier base to footing connections under cyclic loading (Japanese), Proc JSCE 563(I39) 105-123 (Apr 1997), 11A814
Effective distribution of seismic lateral force utilizing compressive deformation of rubber devices (Japanese), Proc JSCE 563(I39) 71-78 (Apr 1997), 11A1489
Optimal allocation of earthquake-induced damage for elevated highway bridges (Japanese), Proc JSCE 563(I39) 79-94 (Apr 1997), 11A1490
Study on earthquake resistance on design and damage of reinforced concrete viaduct (Japanese), Proc JSCE 563(I39) 95-103 (Apr 1997), 11T1491
Seismic Design and Retrofit of Bridges (Wiley, New York, 1996) 12R44

456H. Seismic hydrodynamics

Upper bounds on the energy dissipation in turbulent precession, J Fluid Mech 321 335-370 (Aug 1996), 3A1152
Seismic response of soil-supported unanchored liquid-storage tanks, J Struct Eng 123(4) 440-450 (Apr 1997), 9A1486
Mechanical analogies for liquid storage tanks and action of eccentric gravity loads, J Eng Mech 123(6) 561-567 (Jun 1997), 11A1492
Three-dimensional nonlinear hydrodynamic analysis of vertical cylinder during earthquakes - I: Rigid motion, J Eng Mech 123(5) 458-465 (May 1997), 11A1493

456I. Tsunamis

1965 Rat Island earthquake: A critical comparison of seismic and Tsunami wave inversions, Bull Seismol Soc Am 86(5) 1229-1237 (Oct 1996), 4A1417

456J. Simulation

Aftershocks of nuclear explosions compared to natural aftershocks, Bull Seismol Soc Am 86(4) 1054-1060 (Aug 1996), 2A1391
Elastic finite-difference modeling of strong motion in Ashigara Valley for the 1900 Odawara, Japan, earthquake, Bull Seismol Soc Am 86(4) 981-990 (Aug 1996), 2A1392
Modeling directivity of heterogeneous earthquake ruptures, Bull Seismol Soc Am 86(4) 1149-1160 (Aug 1996), 2A1393
Simulating seismic wave propagation in 3D elastic media using staggered-grid finite differences, Bull Seismol Soc Am 86(4) 1091-1106 (Aug 1996), 2A1394
Simple algorithm for tracing synthetic isoseismals, Bull Seismol Soc Am 86(4) 1019-1027 (Aug 1996), 2A1398
Method for the seismic damage evaluation (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(2) 215-238 (1996), 3A1405
Simulation of accelerograms compatible with induced seismic energy spectra (Spanish), Rev Int Metodos Numer Calc Diseno Ing 12(1) 73-91 (1996), 3A1406
Constraints for upper mantle shear-wave models of the basin and range from surface-wave inversion, Bull Seismol Soc Am 86(5) 1591-1607 (Oct 1996), 4A1418
Long-period ground motions and dynamic strain field of Los Angeles basin during large earthquakes, Bull Seismol Soc Am 86(5) 1417-1433 (Oct 1996), 4A1419
Rocking and overturning of precariously balanced rocks by earthquakes, Bull Seismol Soc Am 86(5) 1364-1371 (Oct 1996), 4A1420
Simulation of damage scenarios in urban seismic zones, Rev Int Metodos Numer Calc Diseno Ing 12(3) 331-358 (1996), 4A1421
Simulation of the response of the Marina District Basin, San Francisco, California, to the 1989 Loma Prieta earthquake, Bull Seismol Soc Am 86(5) 1382-1400 (Oct 1996), 4A1422
Stress strain relationship in the ground at the Kobe Port Island during 1995 Hyogo-Ken Nanbu earthquake inferred from strong motion array records (Japanese), Proc JSCE 547(III-36) 171-182 (Sep 1996), 5T1419
Method for seismic reliability analysis of secondary transmission system (Japanese), Proc JSCE 549(I-37) 249-260 (Oct 1996), 6A1472
Prediction of peak horizontal acceleration using an artificial neural network model, Proc JSCE 549(I-37) 19-26 (Oct 1996), 6A1473
Variation of slip direction during earthquake rupture: Supporting and conflicting evidence from 1989 Loma Prieta earthquake, Bull Seismol Soc Am 86(6) 1935-1951 (Dec 1996), 8T1476
Constraints on crustal structure and complex Moho topography beneath Pinon Flat, California, from teleseismic receiver functions, Bull Seismol Soc Am 86(6) 1830-1844 (Dec 1996), 8A1489
Earth-flattening transformation for P-SV waves, Bull Seismol Soc Am 86(6) 1979-1982 (Dec 1996), 8A1490
Numerical simulation of multi-parameter seismic scattering, Bull Seismol Soc Am 86(6) 1820-1829 (Dec 1996), 8A1491
Seismic radiation from explosively loaded cavities in isotropic and transversely isotropic media, Bull Seismol Soc Am 86(6) 1910-1924 (Dec 1996), 8A1492
Statistical technique for validating velocity models, Bull Seismol Soc Am 86(6) 1853-1862 (Dec 1996), 8A1493
Contribution of seismic tomography in moment-tensor inversions using teleseismic surface-wave spectra, Bull Seismol Soc Am 87(1) 114-122 (Feb 1997), 12A1472
Modeling finite-fault radiation from the ω² spectrum, Bull Seismol Soc Am 87(1) 67-84 (Feb 1997), 12A1473
Nonuniqueness of 2D anisotropic tomography, Bull Seismol Soc Am 87(1) 261-264 (Feb 1997), 12A1474
Propagation of a shear crack on a nonplanar fault: A method of calculation, Bull Seismol Soc Am 87(1) 61-66 (Feb 1997), 12A1475
Simulated hard-rock motions in Saint Louis, Missouri, from large New Madrid earthquakes ($M_w \geq 6.5$), Bull Seismol Soc Am 87(1) 123-139 (Feb 1997), 12A1476
Simulation of long-period ground motion near a large earthquake, Bull Seismol Soc Am 87(1) 140-156 (Feb 1997), 12A1477
Static stress changes in extensional regimes: An application to southern Apennines (Italy), Bull Seismol Soc Am 87(1) 234-248 (Feb 1997), 12A1478
Test of a simple empirical Green's function method on moderate-sized earthquakes, Bull Seismol Soc Am 87(3) 668-683 (Jun 1997), 12A1485

456Y. Computational techniques

Earthquake Geotechnical Engineering (Balkema, Rotterdam, Netherlands, 1996) 1N50
Non-stationary stochastic vector processes: Seismic ground motion applications, Probab Eng Mech 11(3) 149-168 (Jul 1996), 1A1422
Stability of the P-to-S energy ratio in the diffusive regime, Bull Seismol Soc Am 86(4) 1107-1115 (Aug 1996), 2A1374
Comparison of direct S-wave and coda-wave site amplification determined from aftershocks of the Little Skull Mountain earthquake, Bull Seismol Soc Am 86(4) 1006-1018 (Aug 1996), 2A1395
Earthquake mechanisms from linear-programming inversion of seismic-wave amplitude ratios, Bull Seismol Soc Am 86(4) 972-980 (Aug 1996), 2A1396
Possibility of observing nonlinear path effect in earthquake-induced seismic wave propagation, Bull Seismol Soc Am 86(4) 1028-1041 (Aug 1996), 2A1397
Simple algorithm for tracing synthetic isoseismals, Bull Seismol Soc Am 86(4) 1019-1027 (Aug 1996), 2A1398
Validation of a procedure for calculating broadband strong-motion time histories with empirical Green's functions, Bull Seismol Soc Am 86(4) 1116-1129 (Aug 1996), 2A1399
Amplification and differential motion due to an antiplane 2D resonance in the sediment valleys embedded in a layer over the half-space, Bull Seismol Soc Am 86(5) 1434-1446 (Oct 1996), 4A1423
Modeling the effect of San Andreas fault structure on receiver functions using elastic 3D finite differences, Bull Seismol Soc Am 86(5) 1608-1622 (Oct 1996), 4A1424
Optimum inverse filtering of seismic signatures, Acta Geophys Polonica 43(4) 325-335 (1995), 4T1425
FEM considering local bending effects for flat sliding isolators, Comput Struct 61(6) 1013-1024 (Dec 1996), 5A1420
Rocking response of flexible circular foundations on layered media, Soil Dyn Earthquake Eng 15(8) 485-497 (Dec 1996), 5A1421
Method for seismic reliability analysis of secondary transmission system (Japanese), Proc JSCE 549(I-37) 249-260 (Oct 1996), 6A1472
Three-dimensional scattering of seismic waves from topographical structures, Soil Dyn Earthquake Eng 16(1) 41-61 (Jan 1997), 7A194
What is a reference site?, Bull Seismol Soc Am 86(6) 1733-1748 (Dec 1996), 8A1467
Monte Carlo approach in estimating uncertainty for a seismic hazard assessment of Los Angeles, Ventura, and Orange Counties, California, Bull Seismol Soc Am 86(6) 1681-1691 (Dec 1996), 8A1494
Application of genetic algorithms to constrain shallow elastic parameters using *in situ* ground inclination measurements, Soil Dyn Earthquake Eng 16(3) 223-234 (Apr 1997), 9A622
Earthquake prediction: State of the art, Pure Appl Geophys 149(1) 3-264 (Jan 1997), 9A1500
Responses of pipeline structure subjected to ground motion excitation, Eng Struct 19(8) 679-684 (Aug 1997), 10A1457
Characteristics of lateral spreading in liquefied deposits during the 1995 Hanshin-Awaji earthquake, J Earthquake Eng 1(1) 23-55 (Jan 1997), 11A550
Seismic response of reinforced concrete buildings close to deep excavation, Comput Methods Appl Mech Eng 145(1-2) 117-134 (Jun 1997), 11A1494
Propagation of a shear crack on a nonplanar fault: A method of calculation, Bull Seismol Soc Am 87(1) 61-66 (Feb 1997), 12A1475
Automated Rayleigh-wave detection algorithm, Bull Seismol Soc Am 87(1) 157-163 (Feb 1997), 12A1479
Boundary shape waveform inversion for 2D basin structure using three-component array data of plane incident wave with an arbitrary azimuth, Bull Seismol Soc Am 87(1) 222-233 (Feb 1997), 12A1480
Effects of weighting functions on Maslov uniform seismograms: A robust weighting method, Bull Seismol Soc Am 87(1) 164-173 (Feb 1997), 12A1481
Estimation of slowness vectors and their uncertainties using multi-wavelet seismic array processing, Bull Seismol Soc Am 87(3) 755-769 (Jun 1997), 12A1482
Free-surface boundary condition for including 3D topography in the finite-difference method, Bull Seismol Soc Am 87(2) 494-515 (Apr 1997), 12A1483
Modified Newmark model for seismic displacements of compliant slopes, J Geotech Geoenv Eng 123(7) 635-644 (Jul 1997), 12A1484
Test of a simple empirical Green's function method on moderate-sized earthquakes, Bull Seismol Soc Am 87(3) 668-683 (Jun 1997), 12A1485

456Z. Experimental methods

Spectral amplification in a sediment-filled valley exhibiting clear basin-edge-induced waves, Bull Seismol Soc Am 86(4) 991-1005 (Aug 1996), 2A1400
Effect of diameter-thickness ratio on the ratchetting behavior of pressurized plain pipework subjected to simulated seismic loading, Strain 32(3) 91-96 (Aug 1996), 3A1381
Application of fiber optic sensors in geophysics: A review, Acta Geophys Polonica 43(4) 343-370 (1995), 4T1383
Determination of local magnitude using BDSN broadband records, Bull Seismol Soc Am 86(5) 1314-1330 (Oct 1996), 4A1426
Dynamic soil parameters determination by geophysical prospecting in Mexico City: Implication for site effect modeling, Soil Dyn Earthquake Eng 15(8) 549-559 (Dec 1996), 5A517
Large-scale seismic testing of knee-brace-frame, J Struct Eng 123(1) 11-19 (Jan 1997), 6A1474
Analysis of wave propagation in the Valley of Mexico from a dense array of seismometers, Bull Seismol Soc Am 86(6) 1667-1680 (Dec 1996), 8A1495
Automatic seismic event recognition and later phase identification for broadband seismograms, Bull Seismol Soc Am 86(6) 1896-1909 (Dec 1996), 8A1496
Control of strong motion by the upper 30 meters, Bull Seismol Soc Am 86(6) 1749-1759 (Dec 1996), 8A1497
Effects of the atmospheric pressure changes on seismic signals or how to improve the quality of a station, Bull Seismol Soc Am 86(6) 1760-1769 (Dec 1996), 8A1498
Influence of errors in source parameters on phase velocity measurements of surface waves, Bull Seismol Soc Am 86(6) 1863-1872 (Dec 1996), 8A1499
Probability of mistaking an earthquake for an explosion using the simplicity of P, Bull Seismol Soc Am 86(6) 1925-1934 (Dec 1996), 8A1500
Shallow velocity structure and Poisson's ratio at the Tarzana, California, strong-motion accelerometer site, Bull Seismol Soc Am 86(6) 1704-1713 (Dec 1996), 8A1501
Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, Bull Seismol Soc Am 86(6) 1692-1703 (Dec 1996), 8A1502
Hybrid testing of steel bridge pier models using the Hyogoken-nanbu earthquake accelerograms (Japanese), Proc JSCE 556(I-38) 119-129 (Jan 1997), 9A889
Pseudodynamic testing of scaled models, J Struct Eng 123(4) 524-526 (Apr 1997), 9A1501
Jumping of bell houses caused by near-field ground motion: Case histories and shaking table experiment, Earthquake Eng Struct Dyn 26(6) 657-665 (Jun 1997), 11T1495
Paleoseismicity of the North Branch of the Newport-Inglewood fault zone in Huntington Beach, California, from cone penetrometer test data, Bull Seismol Soc Am 87(2) 277-293 (Apr 1997), 12A1441
Regional seismic discriminants using wave-train energy ratios, Bull Seismol Soc Am 87(3) 589-605 (Jun 1997), 12A1456
Absolute method of vertical seismometer calibration by reference to a falling mass with application to the measurement of the gain, Bull Seismol Soc Am 87(2) 484-493 (Apr 1997), 12A1486
Bandpass filtering to reduce noise on seismograms: Is there a better way?, Bull Seismol Soc Am 87(3) 770-777 (Jun 1997), 12A1487
Discrimination of earthquakes and explosions in southern Russia using regional high-frequency three-component data from the IRIS-JSP Caucasus Network, Bull Seismol Soc Am 87(3) 569-588 (Jun 1997), 12A1488
Distribution of ground-motion intensity inferred from questionnaire survey, earthquake recordings, and

microtremor measurements: A case study in Christchurch, New Zealand, during the 1994 Arthurs Pass Earthquake, Bull Seismol Soc Am 87(2) 356-369 (Apr 1997), 12T1489
Fault-zone guided waves from explosions in the San Andreas Fault at Parkfield and Cienega Valley, California, Bull Seismol Soc Am 87(1) 210-221 (Feb 1997), 12A1490
Regional phase development of the non-proliferation experiment within the western United States, Bull Seismol Soc Am 87(2) 383-395 (Apr 1997), 12T1491
Seismic testing of a building structure with a semi-active fluid damper control system, Earthquake Eng Struct Dyn 26(7) 759-777 (Jul 1997), 12A1492

458. HYDROLOGY, OCEANOLOGY, METEOROLOGY

458B. Hydrology

Alternative split-operator approach for solving chemical reaction-groundwater transport models, Adv Water Resources 19(5) 261-275 (Oct 1996), 1T1423
Comparison of accuracy and performance for lattice Boltzmann and finite difference simulations of steady viscous flow, Int J Numer Methods Fluids 23(1) 1-18 (Jul 1996), 1A1424
Eulerian-Lagrangian localized adjoint methods for systems of nonlinear advective-diffusive-reactive transport equations, Adv Water Resources 19(5) 297-315 (Oct 1996), 1T1425
Kinematic Wave Modeling in Water Resources: Surface-Water Hydrology (Wiley, New York, 1996) 1R31
Hydraulic Engineering Software VI (Comput Mech, Billerica MA, 1996) 3N36
Neural network model of rainfall-runoff using radial basis functions, J Hydraul Res 34(4) 537-548 (1996), 3T1407
Threshold precipitation events and potential groundwater recharge, J Hydraul Eng 122(10) 573-578 (Oct 1996), 3A1408
Desorption of soil contaminants due to rainwater infiltration, J Hydraul Eng 122(9) 523-525 (Sep 1996), 3A1465
Investigations on the sedimentological structure of Vistula river islands using the VLF-R method, Acta Geophys Polonica 44(1) 79-101 (1996), 4A1427
Subsurface Fluid Flow (Ground-Water and Vadose Zone) Modeling (ASTM, 1996) 5N29
Steady two-layer vortices on the beta-plane, Dyn Atmos Oceans 25(2) 67-86 (Nov 1996), 5T916
Second look at the method of random walks, Stochastic Hydrology Hydraul 10(4) 319-329 (Nov 1996), 5A1422
Groundwater waves in aquifers of intermediate depths, Adv Water Resources 20(1) 37-43 (Feb 1997), 6T1380
Accurate and economical solution of the pressure-head form of Richard's equation by the method of lines, Adv Water Resources 20(1) 1-14 (Feb 1997), 6T1475
Hydrological aspects of toxic wastes management (Spanish), Ingenieria Hidraul Mex 12(1) 77-90 (Jan-Apr 1997), 6A1476
Water and salt movements in simultaneous flood-irrigation and well-drainage operations, Acta Mech Sinica 12(2) 135-143 (1996), 6A1477
Rainfall-runoff processes and modeling, J Hydraul Res 34(6) 733-751 (1996), 7T1491
Numerical simulation for contaminants and water transport in soils, J Hydrodyn B(3) 102-110 (1996), 7T1514
Stochastic analyses of adsorbing solute transport in heterogeneous unsaturated soils, J Hydrodyn B(3) 31-43 (1996), 7A1516
Hydrology: Water Quantity and Quality Control (Wiley, New York, 1997) 8N27
Reliability analysis of hydraulic structures considering unit hydrograph uncertainty, Stochastic Hydrology Hydraul 11(1) 33-50 (Feb 1997), 8T1026
Bivariate meta-Gaussian density for use in hydrology, Stochastic Hydrology Hydraul 11(1) 17-31 (Feb 1997), 8T1503
Numerical modeling of tide-induced beach water table fluctuations, Coastal Eng 30(1-2) 105-123 (Mar 1997), 9A1004
Upscaling in porous media: Theories and computations, Adv Water Resources 20(5-6) (Oct-Dec 1997), 9A1421
Hydrology of the ground water (Polish), Inzynieria Budownictwo 53(1) 38-43 (1997), 9A1426
Note on the orientation of the macrodispersion tensor in partially saturated heterogeneous porous formations, Adv Water Resources 21(1) 63-70 (Feb 1997), 9T1435
Coupled groundwater flow and transport - I: Verification of variable density flow and transport models, Adv Water Resources 21(1) 27-46 (Feb 1997), 9A1502
Rain-fall modeling: An application of Bayesian forecasting, Stochastic Hydrology Hydraul 11(2) 115-127 (Apr 1997), 10T1465
Studies on short-term rainfall prediction using animation of radar images and estimation of average-rainfall-depth over a watershed (Chinese), Proc JSCE 558(II-38) 13-30 (Feb 1997), 10A1466
Study on characteristics of radar parameters and real-time prediction of ground rainfall (Chinese), Proc JSCE 558(II-38) 31-43 (Feb 1997), 10T1467
Tin-based topographic modeling for a distributed rain-fall runoff model (Chinese), Proc JSCE 558(II-38) 45-60 (Feb 1997), 10T1468
Trends of global environmental research in fields of hydraulics and hydrology (Chinese), Proc JSCE 558(II-38) 1-12 (Feb 1997), 10T1469
Onset of river ice breakup, Cold Regions Sci Tech 25(3) 183-196 (Apr 1997), 10A1501
Subsurface Flow and Transport: A Stochastic Approach (Cambridge UP, New York, 1997) 11N38
Modeling physical characteristics of soils with horizon differentiation for crop irrigation scheduling, J Hydrology and Hydromech 44(5) 320-330 (1996), 11A1556

458C. Physical oceanography (currents, waves, etc)

Ocean waves: Simulation and spectral analysis, J Brazilian Soc Mech Sci 18(2) 143-162 (Jun 1996), 1A1426
Ocean Circulation Inverse Problem (Cambridge UP, New York, 1996) 2R45
Nonlinear shallow-water oscillations in a parabolic channel: Exact solutions and trajectory analyses, J Fluid Mech 318 49-76 (Jul 1996), 2A219
Correlation between individual waves in a real sea state, Coastal Eng 27(2-3) 223-242 (Jul 1996), 2T1401
Large-scale semigeostrophic equations for use in ocean circulation models, J Fluid Mech 318 85-105 (Jul 1996), 2A1402
Modeling of wave propagation in the nearshore region using the mild slope equation with GMRES-based iterative solvers, Int J Numer Methods Fluids 23(4) 397-411 (Aug 1996), 2A1403
Ocean Surface Waves: Their Physics and Prediction (World Sci Pub, River Edge, NJ, 1996) 3R43
Impact of waves on air-sea exchange of sensible heat and momentum, Boundary-Layer Meteorol 79(3) 279-300 (May 1996), 3T230
Low-frequency equatorial waves in vertically sheared zonal flow - Part I: Stable waves, J Atmos Sci 53(3) 449-467 (Feb 1996), 3A242
Baroclinic adjustment: A comparison between theory, observations, and models, J Atmos Sci 53(12) 1663-1674 (Jun 1996), 3T1137
Experiment of wind waves in decay area in reference to the role of nonlinear energy transfer, Rep Res Inst Appl Mech 41(113) 1-14 (Feb 1996), 3A1409
Two dimensional boundary-fitted circulation model in spherical coordinates, J Hydraul Eng 122(9) 512-521 (Sep 1996), 3A1410
Vertical structure and stability in a mathematical model of the ocean internal waves, Int J Eng Sci 34(11) 1311-1326 (Sep 1996), 3A1411
Baroclinic adjustment in a two-level model with barotropic shear, J Atmos Sci 53(18) 2749-2754 (Sep 1996), 4A1072
Depth-integrated 2D coastal and estuarine model with conformal boundary-fitted mesh generation, Int J Numer Methods Fluids 23(8) 819-846 (Oct 1996), 4A1428
Inverse problem for the Ekman equation, Z Angew Math Mech 76(9) 541-544 (1996), 4T1429
Theoretical and numerical estimates of instantaneous Lyapunov exponents of quasi-geostrophic ocean dynamics, Appl Math Comp Sci 6(2) 223-244 (1996), 4A1430
Use of the Boussinesq equations, the reduced system, and the primitive equations for the computation of geophysical flows, Dyn Atmos Oceans 25(1) 1-24 (Sep 1996), 4T1431
Rossby wave interaction in a shear flow with critical levels, J Fluid Mech 323 317-338 (Sep 1996), 4A1438
Dynamic excitation of internal gravity waves in the equatorial oceans, J Phys Oceanog 26(11) 2398-2419 (Nov 1996), 5A188
Transport in lungs and branched estuaries, J Fluid Mech 325 331-355 (Oct 1996), 5A909
Internal Lee waves and turbulence mixing over an isolated seamount: Results from turbulence energy models, Int J Numer Methods Fluids 23(10) 1043-1072 (Nov 1996), 5A932
15th Annual International Conference of the Center for Nonlinear Studies: Los Alamos, NM, USA, May 15-19 1995, Physica D 98(2-4) 229-664 (Nov 1996), 5A1423
Effect of a constant, zonal wind on wind-driven ocean circulation, J Phys Oceanog 26(11) 2525-2528 (Nov 1996), 5T1424
Nonlinear dynamics of vorticity waves in the coastal zone, J Fluid Mech 326 181-203 (Nov 1996), 5A1425
Numerical simulation of a Mesolow over a Gulf Stream filament, Pure Appl Geophys 147(4) 789-821 (Oct 1996), 5A1426
Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, J Phys Oceanog 26(11) 2316-2343 (Nov 1996), 5T1427
Relationships between surface albedo and spring heat accumulation, Tellus 48A(5) 727-732 (Oct 1996), 5T1429
Parameterization of lake thermodynamics in a high-resolution weather forecasting model, Tellus 48A(5) 608-621 (Oct 1996), 5T1433
Inadequacy of a conventional Keulegen-Carpenter number for wave and current combination, J Offshore Mech Arctic Eng 118(4) 309-311 (Nov 1996), 6A270
Statistical uncertainty in long-term distributions of significant wave height, J Offshore Mech Arctic Eng 118(4) 284-291 (Nov 1996), 6A273
Finite Amplitude stability of the wind-driven ocean circulation, Geophys Astrophys Fluid Dyn 83(1-2) 1-31 (Nov 1996), 6T1478
Topographic wave radiation and modon decay, Geophys Astrophys Fluid Dyn 83(1-2) 51-77 (Nov 1996), 6T1479
Low-frequency equatorial waves in vertically sheared zonal flow - Part II: Unstable waves, J Atmos Sci 53(23) 3589-3605 (Dec 1996), 6T1483
Growth of fetch limited waves in water of finite depth - Part I: Total energy and peak frequency, Coastal Eng 29(1-2) 47-78 (Dec 1996), 7T215
Onset of Langmuir circulation when shear flow and Stokes drift are not parallel, Fluid Dyn Res 19(3) 149-167 (Mar 1997), 7A217
Accurate interpolating scheme for semi-Lagrangian advection on an unstructured mesh for ocean modeling, Tellus 49A(1) 119-138 (Jan 1997), 7T1492
Axial angular momentum balance of a global ocean general circulation model, Dyn Atmos Oceans 25(3) 191-216 (Mar 1997), 7T1493
Long-period water surface fluctuations on a horizontal coastal shelf with a steep seaward face, Coastal Eng 29(1-2) 123-147 (Dec 1996), 7T1494
Multi-level numerical model of coastal upwelling: A diagnostic study, Int J Numer Methods Fluids 24(1) 17-59 (Jan 1997), 7A1495
Atlas of the Oceans: Wind and Wave Climate (Elsevier Sci, New York, 1996) 8N26
Capillary waves and air-sea gas transfer, J Fluid Mech 332 341-358 (Feb 1997), 8A260
Directional wave navigation radar measurements compared with pitch-roll buoy data, J Offshore Mech Arctic Eng 119(1) 25-29 (Feb 1997), 8A1504
Inertial nonlinear equilibration of equatorial flows, J Fluid Mech 331 345-371 (Jan 1997), 8A1505
Irregular, nonlinear waves in a spread sea, J Offshore Mech Arctic Eng 119(1) 37-41 (Feb 1997), 8A1506
Modeling the effect of shelter in the modification of waves from the open sea to near-shore, J Offshore Mech Arctic Eng 119(1) 70-72 (Feb 1997), 8A1507
Numerical studies of small island wakes in the ocean, Geophys Astrophys Fluid Dyn 83(3-4) 195-231 (Dec 1996), 8T1508
Two-way nesting procedure for the WAM model: Application to the Spanish coast, J Offshore Mech Arctic Eng 119(1) 20-24 (Feb 1997), 8A1509
Range of tidal flow modeling, J Hydraul Eng 123(4) 257-277 (Apr 1997), 9T13
Langmuir turbulence in the ocean, J Fluid Mech 334 1-30 (Mar 1997), 9A1503
Momentum imbalance paradox, Tellus 49A(2) 298-319 (Mar 1997), 9T1504
Residual baroclinic circulations in semienclosed coastal seas, J Hydraul Eng 123(4) 362-373 (Apr 1997), 9T1505
Review of recent developments in tidal hydrodynamic modeling - II: Turbulence energy models, J Hydraul Eng 123(4) 293-302 (Apr 1997), 9T1506
Progress and recent developments in storm surge modeling, J Hydraul Eng 123(4) 315-331 (Apr 1997), 9A1509
Review of recent developments in tidal hydrodynamic modeling - I: Spectral models, J Hydraul Eng 123(4) 278-292 (Apr 1997), 9A1520
Introduction to Physical Oceanography (AIP, Woodbury, NY, 1996) 10R29
Note on the application of linear wave theory at a critical level, Boundary-Layer Meteorol 82(3) 399-416 (Mar 1997), 10A300
Intense vortex motion in a stratified fluid on the beta-plane: An analytical theory and its validation, J Fluid Mech 336 203-220 (Apr 1997), 10A1068
Unstably stratified geophysical fluid dynamics, Dyn Atmos Oceans 25(4) 233-272 (May 1997), 10T1187
Cauchy problem and the continuous limit for the multilayer model in geophysical fluid dynamics, SIAM J Math Anal 28(3) 516-529 (May 1997), 10A1470
Cool and freshwater skin of the ocean during rainfall, Boundary-Layer Meteorol 82(3) 437-472 (Mar 1997), 10T1471
High resolution computations of ocean wave spectral modulations due to 2D wave-current interactions, J Comput Phys 132(2) 215-225 (Apr 1997), 10A1472
Pressure gradient force in sigma-coordinate ocean models, Int J Numer Methods Fluids 24(10) 987-1017 (May 1997), 10A1473
Use of eigenvalue technique in FE tidal computations, Int J Numer Methods Fluids 24(10) 953-963 (May 1997), 10A1474
Validation of numerical shallow water models for stratified seiches, Int J Numer Methods Fluids 24(8) 771-786 (Apr 1997), 10A1475
Laboratory studies of equatorially trapped waves using ferrofluid, J Fluid Mech 338 35-58 (May 1997), 11A1496
Uncertainty of ocean wave hindcasts due to wind modeling, J Offshore Mech Arctic Eng 117(4) 294-297 (Nov 1995), 11A1497
Role of the oceanic heat transport in climate dynamics: A sensitivity study with an atmospheric general circulation model, Tellus 49A(3) 371-387 (May 1997), 11T1507
Non-Gaussian extreme waves in the Central North Sea, J Offshore Mech Arctic Eng 119(3) 146-150 (Aug 1997), 12A248
Long-term distribution of seabed shear stresses beneath random waves, Coastal Eng 31(1-4) 327-337 (Jul 1997), 12A255
Wave height, setup and currents around a detached breakwater submitted to regular or random wave forcing, Coastal Eng 31(1-4) 77-96 (Jul 1997), 12A259
Wave kinematics for simulated shallow water storm waves: Analysis and experiments, Ocean Eng 24(9) 835-865 (Oct 1997), 12T260
Comparisons between sediment transport models and observations made in wave and current flows above plane beds, Coastal Eng 31(1-4) 163-198 (Jul 1997), 12T1059
Barotropic thin jets over arbitrary topography, Dyn Atmos Oceans 26(2) 73-93 (Aug 1997), 12T1493
Estimating return period wave heights and wind speeds using a seasonal point process, Coastal Eng 31(1-4) 305-326 (Jul 1997), 12T1494
Improvement of the full-range equation for bottom friction under 3D wave-current combined motion, Coastal Eng 31(1-4) 217-229 (Jul 1997), 12T1495
Intercomparison of wave-driven current models, Coastal Eng 31(1-4) 199-215 (Jul 1997), 12T1496
One-dimensional model for the parameterization of deep convection in the ocean, Dyn Atmos Oceans 26(2) 95-130 (Aug 1997), 12T1497
Topographic stress parameterization in a quasi-geostrophic barotropic model, J Fluid Mech 341 1-18 (Jun 1997), 12A1498
Use of numerical wind-wave models for assessment of the offshore wave energy resource, J Offshore Mech Arctic Eng 119(3) 184-190 (Aug 1997), 12A1499

458D. Heat transfer in H and O

Localized rotating convection induced by topography, Physica D 97(1-3) 29-44 (Oct 1996), 4A1199
Analysis of the influence of atmospheric stability on vertical wind profiles: Its influence on wind energy and wind turbines, Wind Eng 20(5) 319-332 (1996), 11T1502

458E. Computational techniques in H and O

New method for numerical representation of the land-water boundary in lake circulation models, Appl Math Model 20(8) 562-571 (Aug 1996), 1A1427
15th Annual International Conference of the Center for Nonlinear Studies: Los Alamos, NM, USA, May 15-19 1995, Physica D 98(2-4) 229-664 (Nov 1996), 5A1423

458F. Experimental techniques in H and O

Observations pertaining to the effect of chemical transformation in cloud on the anthropogenic aerosol size distribution, Aerosol Sci Tech 25(2) 157-173 (Aug 1996), 2A1404
Motion of particles near a bubble in a gas-fluidized bed, J Fluid Mech 323 377-385 (Sep 1996), 4A1432

458G. Physical meteorology

Nonlinear shallow-water oscillations in a parabolic channel: Exact solutions and trajectory analyses, J Fluid Mech 318 49-76 (Jul 1996), 2A219
Orogenic blocking and deflection of stratified air flow on an f-plane, Tellus 48A(4) 572-583 (Aug 1996), 2T964
Isogroup classification of equations of meteorology, Int J Eng Sci 34(10) 1157-1164 (Aug 1996), 2A1405
Transversal structure of finite amplitude Lamb waves in the atmosphere near the Earth's surface, J Acoust Soc Am 100(1) 734-740 (Aug 1996), 2A1406
Three-dimensionality of shelterbelt structure and its influences on shelter effects, Boundary-Layer Meteorol 79(1-2) 83-105 (Apr 1996), 2T1415
Lorenz-Krishnamurthy slow manifold, J Atmos Sci 53(10) 1433-1437 (May 1996), 3T103
Atmospheric solitary waves: Some applications to the morning glory of the Gulf of Carpentaria, J Fluid Mech 321 137-155 (Aug 1996), 3A223
Impact of waves on air-sea exchange of sensible heat and momentum, Boundary-Layer Meteorol 79(3) 279-300 (May 1996), 3T230
Low-frequency equatorial waves in vertically sheared zonal flow - Part I: Stable waves, J Atmos Sci 53(3) 449-467 (Feb 1996), 3A242
Flow regimes and transient dynamics of 2D stratified flow over an isolated mountain ridge, J Atmos Sci 53(1) 139-158 (Jan 1996), 3T1016
Baroclinic adjustment: A comparison between theory, observations, and models, J Atmos Sci 53(12) 1663-1674 (Jun 1996), 3T1137
Finite-time instabilities of lower-stratospheric flow, J Atmos Sci 53(15) 2129-2143 (Aug 1996), 3T1139
Effect of turbulence on the collision rates of small cloud drops, J Atmos Sci 53(13) 1910-1920 (Jul 1996), 3A1283
Asymmetric geopotential height fluctuations from symmetric winds, J Atmos Sci 53(10) 1361-1379 (May 1996), 3T1365
Effect of vertical shear on tropical cyclone intensity change, J Atmos Sci 53(14) 2076-2087 (Jul 1996), 3T1412
Geostrophic versus wave eddy viscosities in atmospheric models, J Atmos Sci 53(4) 564-571 (Feb 1996), 3T1413
Longitudinal variations in mesospheric winds: Evidence for gravity wave filtering by planetary waves, J Atmos Sci 53(8) 1156-1173 (Apr 1996), 3T1414
Model impacts of entrainment and detrainment rates in shallow cumulus convection, J Atmos Sci 53(16) 2354-2364 (Aug 1996), 3T1415
Phys model of diurnal heating in the vicinity of a 2D ridge, J Atmos Sci 53(1) 62-85 (Jan 1996), 3A1416
Self-organization of the large-scale planetary and plasma drift vortices, Chaos 6(3) 309-327 (Sep 1996), 3A1417
Spectrum of high-frequency internal waves in the atmospheric waveguide, J Atmos Sci 53(13) 1798-1814 (Jul 1996), 3T1418
Domain-independent attribution - Part II: Its value in the verification of dynamical theories of frontal waves and frontogenesis, J Atmos Sci 53(2) 253-262 (Jan 1996), 3T1419
Calculating the buoyancy of cores in a convective boundary layer, J Atmos Sci 53(4) 654-658 (Feb 1996), 3A1423
Thickness of the dry convection and large-scale subsidence above deserts, Boundary-Layer Meteorol 79(3) 265-278 (May 1996), 3A1429
Transport processes in the tropical warm pool boundary layer - Part I: Spectral composition of fluxes, J Atmos Sci 53(8) 1187-1202 (Apr 1996), 3T1430
Hierarchy of mesoscale flow assumptions and equations, J Atmos Sci 53(3) 380-397 (Feb 1996), 3T1431
New look at the melting layer, J Atmos Sci 53(5) 759-769 (Mar 1996), 3T1434
Chaotic oscillations of tropical climate: A dynamic system theory for ENSO, J Atmos Sci 53(19) 2786-2802 (Oct 1996), 4T80
Nonlinear flow past an elliptic mountain ridge, J Atmos Sci 53(17) 2465-2489 (Sep 1996), 4T979
Baroclinic adjustment in a two-level model with barotropic shear, J Atmos Sci 53(18) 2749-2754 (Sep 1996), 4A1072
Are climate evolution edges in the 20th century internally induced?, J Tech Phys 37(2) 137-144 (1996), 4A1433
Baroclinic instability of the type of self-organization in westerly zonal low, J Tech Phys 37(1) 51-65 (1996), 4A1434
Constructing fast-growing perturbations for the nonlinear regime, J Atmos Sci 53(19) 2838-2851 (Oct 1996), 4T1435
General framework for an "unmixed layer" PBL model, J Atmos Sci 53(18) 2652-2670 (Sep 1996), 4T1436
North-south component of "phase" motion of ionospheric current structures observed under cleft as magnetic pulsations, Acta Geophys Polonica 44(1) 31-41 (1996), 4A1437
Rossby wave interaction in a shear flow with critical levels, J Fluid Mech 323 317-338 (Sep 1996), 4A1438
Terrain-induced focusing of wind fields in the mesoscale, Chaos Solitons Fractals 7(9) 1479-1494 (Sep 1996), 4A1439
Piecewise tendency diagnosis of dynamical processes governing the development of an upper-tropospheric mobile trough, J Atmos Sci 53(21) 3120-3142 (Nov 1996), 5T1428
Relationships between surface albedo and spring heat accumulation, Tellus 48A(5) 727-732 (Oct 1996), 5T1429
Bulk theory of airflow over a mountain ridge allowing for a stable overlying atmosphere, Boundary-Layer Meteorol 80(4) 375-402 (Sep 1996), 6T1480
Empirical normal modes versus empirical orthogonal functions for statistical prediction, J Atmos Sci 53(23) 3468-3489 (Dec 1996), 6T1481
Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part II: Instability structure, evolution, and energetics, J Atmos Sci 53(22) 3192-3212 (Nov 1996), 6T1482
Low-frequency equatorial waves in vertically sheared zonal flow - Part II: Unstable waves, J Atmos Sci 53(23) 3589-3605 (Dec 1996), 6T1483
Nonlinear hydrostatic adjustment, J Atmos Sci 53(23) 3606-3617 (Dec 1996), 6T1484
Experimental evaluation of analytical and Lagrangian surface-layer flux footprint models, Boundary-Layer Meteorol 80(3) 283-308 (Aug 1996), 6T1485
Effect of rotation and surface friction on orographic drag, J Atmos Sci 54(1) 193-210 (Jan 1997), 7A1026
Tornadogenesis with and without a dynamic pipe effect, J Atmos Sci 54(1) 113-133 (Jan 1997), 7T1496
Forward-in-time advection scheme and adaptive multilevel flow solver for nearly incompressible atmospheric flow, J Comput Phys 129(2) 284-295 (Dec 1996), 7T1502
Sensitivity of hail accretion rates in numerical modeling, Tellus 49A(1) 100-107 (Jan 1997), 7T1503
Propagation of internal bores, J Fluid Mech 331 81-106 (Jan 1997), 8A1024
Asymptotic expansions and monopolar solitary Rossby vortices in barotropic and two-layer models, Geophys Astrophys Fluid Dyn 83(3-4) 159-194 (Dec 1996), 8T1044
Numerical simulations of maritime frontogenesis, J Atmos Sci 54(2) 314-331 (Jan 1997), 8T1510
Physical simulations in rotating tank of lee cyclogenesis, Exp Fluids 22(5) 387-396 (Mar 1997), 9A1016
New nonlinear barotropic stability criterion including Ekman friction, Nonlinear World 3(4) 787-801 (1996), 9A1103
Earth's lonosphere: A wall-less plasma laboratory, Surveys Geophys 18(1) 57-127 (Jan 1997), 9T1507
Feedback of midlatitude waves onto the Hadley cell in a simple general circulation model, Tellus 49A(2) 182-199 (Mar 1997), 9T1508
Progress and recent developments in storm surge modeling, J Hydraul Eng 123(4) 315-331 (Apr 1997), 9A1509
Note on the application of linear wave theory at a critical level, Boundary-Layer Meteorol 82(3) 399-416 (Mar 1997), 10A300
Intense vortex motion in a stratified fluid on the beta-plane: An analytical theory and its validation, J Fluid Mech 336 203-220 (Apr 1997), 10A1068
Unstably stratified geophysical fluid dynamics, Dyn Atmos Oceans 25(4) 233-272 (May 1997), 10T1187
Cauchy problem and the continuous limit for the multilayer model in geophysical fluid dynamics, SIAM J Math Anal 28(3) 516-529 (May 1997), 10A1470
Laboratory studies of equatorially trapped waves using ferrofluid, J Fluid Mech 338 35-58 (May 1997), 11A1496
Note on 1D calculations of baroclinic and barotropic instabilities, Tellus 49A(3) 337-346 (May 1997), 11T1498
Vortex dynamics in the studies of looping in tropical cyclone tracks, Fluid Dyn Res 21(1) 57-71 (Jul 1997), 11A1499
Role of the oceanic heat transport in climate dynamics: A sensitivity study with an atmospheric general circulation model, Tellus 49A(3) 371-387 (May 1997), 11T1507
Dynamical model for urban heat islands, Boundary-Layer Meteorol 83(3) 463-477 (Jun 1997), 12T1500
Surface-layer scaling for the convection-induced stress regime, Boundary-Layer Meteorol 83(3) 423-439 (Jun 1997), 12A1501

458K. Atmospheric turbulence, storms

Local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, Boundary-Layer Meteorol 79(1-2) 35-50 (Apr 1996), 2A1044
Catastrophic rainfalls in the West Mediterranean area, Meccanica 31(4) 397-406 (Aug 1996), 2A1407
Stability of forced dissipative nonlinear system, Appl Math Mech 17(6) 541-548 (Jun 1996), 3A1131
Domain-independent attribution - Part II: Its value in the verification of dynamical theories of frontal waves and frontogenesis, J Atmos Sci 53(2) 253-262 (Jan 1996), 3T1419
Multispectral, high-resolution satellite observations of plumes on top of convective storms, J Atmos Sci 53(3) 361-369 (Feb 1996), 3A1420
Nonlinear stability theorem for Eady's model of quasigeostrophic baroclinic flow, J Atmos Sci 53(10) 1459-1463 (May 1996), 3T1421
Turbulent flows over mountainous terrain modeled by the Reynolds equations, Boundary-Layer Meteorol 79(4) 393-416 (Jun 1996), 3T1422
Effects caused by varying the strength of the capping inversion based on a large eddy simulation model of the shear-free convective boundary layer, J Atmos Sci 53(14) 2015-2024 (Jul 1996), 3A1424
Empirical orthogonal function analysis of the weakly convective atmospheric boundary layer - Part I : Eddy structures, J Atmos Sci 53(6) 801-823 (Mar 1996), 3T1425
Mass and moment transports by organized convection: Effects of shear and buoyancy, J Atmos Sci 53(7) 964-979 (Apr 1996), 3A1426
Simple spectral model for the modification of turbulence in flow over gentle hills, Boundary-Layer Meteorol 79(4) 345-373 (Jun 1996), 3T1427
Organized turbulence structures in the near-neutral atmospheric surface layer, J Atmos Sci 53(17) 2452-2464 (Sep 1996), 4T1440
Three-dimensional numerical analysis of colliding microburst outflow dynamics, J Atmos Sci 53(17) 2490-2511 (Sep 1996), 4A1442
Solar origin of geomagnetic storms and prediction of storms with the use of neural networks, Surveys Geophys 17(5) 561-573 (Sep 1996), 5A1430
Similarity of scalars under stable conditions, Boundary-Layer Meteorol 80(4) 355-373 (Sep 1996), 6A1150
Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part II: Instability structure, evolution, and energetics, J Atmos Sci 53(22) 3192-3212 (Nov 1996), 6T1482
Experimental evaluation of analytical and Lagrangian surface-layer flux footprint models, Boundary-Layer Meteorol 80(3) 283-308 (Aug 1996), 6T1485
Moist convective velocity and buoyancy scales, J Atmos Sci 53(22) 3276-3285 (Nov 1996), 6T1486
Role of roughness lengths in flux parameterizations of boundary-layer models, Boundary-Layer Meteorol 80(4) 403-413 (Sep 1996), 6T1489
Two-point coherence in the atmospheric surface layer, Boundary-Layer Meteorol 81(2) 105-121 (Nov 1996), 7T1148
Wavelet analysis of nonstationary turbulence, Boundary-Layer Meteorol 81(3-4) 271-288 (Dec 1996), 7A1149
Taylor's hypothesis and two-point coherence measurements, Boundary-Layer Meteorol 81(3-4) 399-410 (Dec 1996), 7T1158
Evaluation of parametrization schemes for the convective boundary layer using large-eddy simulation results, Boundary-Layer Meteorol 81(2) 167-200 (Nov 1996), 7A1497
Observations and parametrization of momentum transfer in heterogeneous terrain consisting of regularly spaced obstacles, Boundary-Layer Meteorol 81(3-4) 217-243 (Dec 1996), 7T1500
Seventh International Symposium on Acoustic Remote Sensing and Associate Techniques of the Atmosphere and Oceans, Boundary-Layer Meteorol 81(1) 1-106 (Oct 1996), 7A1501
Atlas of the Oceans: Wind and Wave Climate (Elsevier Sci, New York, 1996) 8N26
Electric charge transport to the earth surface by precipitation accompanying downdrafts from nearby thunderstorms, Acta Geophys Polonica 44(4) 383-389 (1996), 9A1510
Energy-inertial scale interactions for velocity and temperature in the unstable atmospheric surface layer, Boundary-Layer Meteorol 82(1) 49-80 (Jan 1997), 9T1511
Global substorm cycle: What can the models tell us?, Surveys Geophys 18(1) 1-37 (Jan 1997), 9A1512
Bulk parameterization of surface fluxes for various conditions and parameter ranges, Boundary-Layer Meteorol 82(1) 119-134 (Jan 1997), 9T1514
Parameterizing sub-grid scale vertical transport in atmospheric models under statically stable conditions, Boundary-Layer Meteorol 82(1) 23-48 (Jan 1997), 9T1517
Planetary atmosphere simulator: Application to Titan, Planet Space Sci 45(2) 189-200 (Feb 1997), 9A1518
Sensitivity study of a coupled soil-vegetation boundary-layer scheme for use in atmospheric modeling, Boundary-Layer Meteorol 82(2) 283-315 (Feb 1997), 10T1478
Vortex dynamics in the studies of looping in tropical cyclone tracks, Fluid Dyn Res 21(1) 57-71 (Jul 1997), 11A1499
Limited-length-scale, k-ε model for the neutral and stably-stratified atmospheric boundary layer, Boundary-Layer Meteorol 83(1) 75-98 (Apr 1997), 11A1500
Dynamical aspects of the monsoon boundary layer, Boundary-Layer Meteorol 83(1) 163-171 (Apr 1997), 11T1503
Evaluation of several turbulence schemes for the prediction of mean and turbulent fields in complex terrain, Boundary-Layer Meteorol 83(1) 43-73 (Apr 1997), 11A1505
Universality of the Lagrangian velocity structure function constant (C_0) across different kinds of turbulence, Boundary-Layer Meteorol 83(2) 207-219 (May 1997), 12T1146
Coherent eddies and temperature structure functions for three contrasting surfaces - Part I: Ramp model with finite microfront time, Boundary-Layer Meteorol 84(1) 99-123 (Jul 1997), 12A1147
Optimization of upstream profiles in modeled flow over complex terrain, Boundary-Layer Meteorol 83(2) 285-309 (May 1997), 12A1502
Non-local mixing of momentum in the convective boundary layer, Boundary-Layer Meteorol 84(1) 1-22 (Jul 1997), 12A1503
Analytical 1D model of momentum transfer by vegetation of arbitrary structure, Boundary-Layer Meteorol 83(3) 407-421 (Jun 1997), 12T1504
Measurements of turbulence characteristics over complex terrain, Boundary-Layer Meteorol 83(2) 221-245 (May 1997), 12T1507
Roll vortices and boundary-layer development during a cold air outbreak, Boundary-Layer Meteorol 84(1) 45-65 (Jul 1997), 12T1508

458L. Heat transfer in the atmosphere

Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, Boundary-Layer Meteorol 79(1-2) 131-175 (Apr 1996), 2A1410
Model impacts of entrainment and detrainment rates in shallow cumulus convection, J Atmos Sci 53(16) 2354-2364 (Aug 1996), 3T1415
Phys model of diurnal heating in the vicinity of a 2D ridge, J Atmos Sci 53(1) 62-85 (Jan 1996), 3A1416
Mass and moment transports by organized convection: Effects of shear and buoyancy, J Atmos Sci 53(7) 964-979 (Apr 1996), 3A1426
Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, J Phys Oceanog 26(11) 2316-2343 (Nov 1996), 5T1427
Moist convective velocity and buoyancy scales, J Atmos Sci 53(22) 3276-3285 (Nov 1996), 6T1486
Moist convective scaling: Some inferences from 3D cloud ensemble simulations, J Atmos Sci 53(22) 3265-3275 (Nov 1996), 6T1487
Atmospheric energy fluxes over tropical Indian region during two contrasting monsoon years, Acta Geophys Polonica 44(4) 391-404 (1996), 9A1513
Bulk parameterization of surface fluxes for various conditions and parameter ranges, Boundary-Layer Meteorol 82(1) 119-134 (Jan 1997), 9T1514
Multiresolution flux decomposition, Boundary-Layer Meteorol 83(1) 117-137 (Apr 1997), 11A1501
Ejection-sweep character of scalar fluxes in the unstable surface layer, Boundary-Layer Meteorol 83(1) 1-26 (Apr 1997), 11T1504
Coherent eddies and temperature structure functions for three contrasting surfaces - Part II: Renewal model for sensible heat flux, Boundary-Layer Meteorol 84(1) 125-147 (Jul 1997), 12T1148
Dynamical model for urban heat islands, Boundary-Layer Meteorol 83(3) 463-477 (Jun 1997), 12T1500
Non-local mixing of momentum in the convective boundary layer, Boundary-Layer Meteorol 84(1) 1-22 (Jul 1997), 12A1503

458M. Atmospheric boundary layer, terrain effects

Instability mechanism in a stably stratified atmospheric layer over a moistened surface, Boundary-Layer Meteorol 78(3-4) 383-398 (Mar 1996), 2A1030
Analytical method for the determination of the roughness parameters over complex regions, Boundary-Layer Meteorol 79(1-2) 23-33 (Apr 1996), 2T1408

Coherent eddies and turbulence in vegetation canopies: The mixing-layer analogy, Boundary-Layer Meteorol **78**(3-4) 351-382 (Mar 1996), 2A1409

Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, Boundary-Layer Meteorol **79**(1-2) 131-175 (Apr 1996), 2A1410

Model for the height of the internal boundary layer over an area with an irregular coastline, Boundary-Layer Meteorol **78**(3-4) 405-413 (Mar 1996), 2T1411

Modeling the arctic convective boundary-layer with different turbulence parameterizations, Boundary-Layer Meteorol **79**(1-2) 107-130 (Apr 1996), 2T1412

Review of some basic characteristics of the atmospheric surface layer, Boundary-Layer Meteorol **78**(3-4) 215-246 (Mar 1996), 2A1413

Short term mean wind shear study in an area of complex terrain, Wind Eng **20**(1) 17-26 (1996), 2T1414

Three-dimensionality of shelterbelt structure and its influences on shelter effects, Boundary-Layer Meteorol **79**(1-2) 83-105 (Apr 1996), 2T1415

Viscoelastic eddy viscosity for flow over a wavy surface, Boundary-Layer Meteorol **79**(1-2) 177-179 (Apr 1996), 2T1416

Numerical simulations of density currents in sheared environments within a vertically confined channel, J Atmos Sci **53**(5) 770-786 (Mar 1996), 3A977

Closed mesoscale cellular convection driven by cloud-top radiative cooling, J Atmos Sci **53**(15) 2144-2165 (Aug 1996), 3A1012

Multispectral, high-resolution satellite observations of plumes on top of convective storms, J Atmos Sci **53**(3) 361-369 (Feb 1996), 3A1420

Turbulent flows over mountainous terrain modeled by the Reynolds equations, Boundary-Layer Meteorol **79**(4) 393-416 (Jun 1996), 3T1422

Calculating the buoyancy of cores in a convective boundary layer, J Atmos Sci **53**(4) 654-658 (Feb 1996), 3A1423

Effects caused by varying the strength of the capping inversion based on a large eddy simulation model of the shear-free convective boundary layer, J Atmos Sci **53**(14) 2015-2024 (Jul 1996), 3A1424

Empirical orthogonal function analysis of the weakly convective atmospheric boundary layer - Part I : Eddy structures, J Atmos Sci **53**(6) 801-823 (Mar 1996), 3T1425

Mass and momont transports by organized convection: Effects of shear and buoyancy, J Atmos Sci **53**(7) 964-979 (Apr 1996), 3A1426

Simple spectral model for the modification of turbulence in flow over gentle hills, Boundary-Layer Meteorol **79**(4) 345-373 (Jun 1996), 3T1427

Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, J Atmos Sci **53**(7) 1029-1044 (Apr 1996), 3T1428

Thickness of the dry convection and large-scale subsidence above deserts, Boundary-Layer Meteorol **79**(3) 265-278 (May 1996), 3A1429

Transport processes in the tropical warm pool boundary layer - Part I: Spectral composition of fluxes, J Atmos Sci **53**(8) 1187-1202 (Apr 1996), 3T1430

Organized turbulence structures in the near-neutral atmospheric surface layer, J Atmos Sci **53**(17) 2452-2464 (Sep 1996), 4T1440

Bifurcation of zonal flow in the atmosphere due to orographic factors dependence of the results of computation on the accuracy of modeling, J Tech Phys **37**(1) 101-126 (1996), 4A1444

Grid nesting method for large-eddy simulation of planetary boundary-layer flows, Boundary-Layer Meteorol **80**(1-2) 167-202 (Jul 1996), 5A1431

Two-dimensional checkerboards and blending heights, Boundary-Layer Meteorol **80**(1-2) 1-18 (Jul 1996), 5A1458

Analytical study of density currents in sheared, stratified fluids including the effects of latent heating, J Atmos Sci **53**(22) 3303-3312 (Nov 1996), 6A997

Bulk theory of airflow over a mountain ridge allowing for a stable overlying atmosphere, Boundary-Layer Meteorol **80**(4) 375-402 (Sep 1996), 6T1480

Moist convective scaling: Some inferences from 3D cloud ensemble simulations, J Atmos Sci **53**(22) 3265-3275 (Nov 1996), 6T1487

Parameterization of the surface-layer exchange coefficients for atmospheric models, Boundary-Layer Meteorol **80**(3) 223-248 (Aug 1996), 6T1488

Role of roughness lengths in flux parameterizations of boundary-layer models, Boundary-Layer Meteorol **80**(4) 403-413 (Sep 1996), 6T1489

Evaluation of parametrization schemes for the convective boundary layer using large-eddy simulation results, Boundary-Layer Meteorol **81**(2) 167-200 (Nov 1996), 7A1497

Application of miles-Howard theorem to study the instability of atmospheric gravity waves on a heterogeneous orthogonal shear flow, J Hydrodyn **8**(3) 17-24 (1996), 7T1498

Multi-limit formulation for the equilibrium depth of a stably stratified boundary layer, Boundary-Layer Meteorol **81**(3-4) 325-351 (Dec 1996), 7A1499

Observations and parametrization of momentum transfer in heterogeneous terrain consisting of regularly spaced obstacles, Boundary-Layer Meteorol **81**(3-4) 217-243 (Dec 1996), 7T1500

Seventh International Symposium on Acoustic Remote Sensing and Associate Techniques of the Atmosphere and Oceans, Boundary-Layer Meteorol **81**(1) 1-106 (Oct 1996), 7A1501

Structure and energetics of optimal Ekman layer perturbations, J Fluid Mech **333** 97-123 (Feb 1997), 8A1138

Numerical simulations of maritime frontogenesis, J Atmos Sci **54**(2) 314-331 (Jan 1997), 8T1510

Energy-inertial scale interactions for velocity and temperature in the unstable atmospheric surface layer, Boundary-Layer Meteorol **82**(1) 49-80 (Jan 1997), 9T1511

Dynamical analysis of time dependent katabatic flows, Nonlinear World **3**(4) 709-756 (1996), 9A1515

New method to determine the zero-plane displacement, Boundary-Layer Meteorol **82**(1) 159-164 (Jan 1997), 9T1516

Parameterizing sub-grid scale vertical transport in atmospheric models under statically stable conditions, Boundary-Layer Meteorol **82**(1) 23-48 (Jan 1997), 9T1517

Planetary atmosphere simulator: Application to Titan, Planet Space Sci **45**(2) 189-200 (Feb 1997), 9A1518

Properties of dust in the Mars atmosphere: A revised analysis of Phobos-KRFM data, Planet Space Sci **45**(3) 281-288 (Mar 1997), 9A1519

Behavior of wake vortices near ground, AIAA J **35**(5) 849-855 (May 1997), 10A1476

Comparison among empirical probability density functions of the vertical velocity in the surface layer based on higher order correlations, Boundary-Layer Meteorol **82**(2) 193-218 (Feb 1997), 10T1477

Sensitivity study of a coupled soil-vegetation boundary-layer scheme for use in atmospheric modeling, Boundary-Layer Meteorol **82**(2) 283-315 (Feb 1997), 10T1478

Limited-length-scale, k-ε model for the neutral and stably-stratified atmospheric boundary layer, Boundary-Layer Meteorol **83**(1) 75-98 (Apr 1997), 11A1500

Multiresolution flux decomposition, Boundary-Layer Meteorol **83**(1) 117-137 (Apr 1997), 11A1501

Analysis of the influence of atmospheric stability on vertical wind profiles: Its influence on wind energy and wind turbines, Wind Eng **20**(5) 319-332 (1996), 11T1502

Dynamical aspects of the monsoon boundary layer, Boundary-Layer Meteorol **83**(1) 163-171 (Apr 1997), 11T1503

Ejection-sweep character of scalar fluxes in the unstable surface layer, Boundary-Layer Meteorol **83**(1) 1-26 (Apr 1997), 11T1504

Evaluation of several turbulence schemes for the prediction of mean and turbulent fields in complex terrain, Boundary-Layer Meteorol **83**(1) 43-73 (Apr 1997), 11A1505

Turbulence structure in a stratified boundary layer under stable conditions, Boundary-Layer Meteorol **83**(1) 139-161 (Apr 1997), 11A1506

Coherent eddies and temperature structure functions for three contrasting surfaces - Part II: Renewal model for sensible heat flux, Boundary-Layer Meteorol **84**(1) 125-147 (Jul 1997), 12T1148

Topographic stress parameterization in a quasi-geostrophic barotropic model, J Fluid Mech **341** 1-18 (Jun 1997), 12A1498

Surface-layer scaling for the convection-induced stress regime, Boundary-Layer Meteorol **83**(3) 423-439 (Jun 1997), 12A1501

Optimization of upstream profiles in modeled flow over complex terrain, Boundary-Layer Meteorol **83**(2) 285-309 (May 1997), 12A1502

Analytical 1D model of momentum transfer by vegetation of arbitrary structure, Boundary-Layer Meteorol **83**(3) 407-421 (Jun 1997), 12T1504

Blending and internal boundary-layer heights, and shear stress, Boundary-Layer Meteorol **84**(1) 85-98 (Jul 1997), 12A1505

Isotropic and anisotropic correlations in turbulent wind speed data, Boundary-Layer Meteorol **84**(1) 149-167 (Jul 1997), 12T1506

Measurements of turbulence characteristics over complex terrain, Boundary-Layer Meteorol **83**(2) 221-245 (May 1997), 12T1507

Roll vortices and boundary-layer development during a cold air outbreak, Boundary-Layer Meteorol **84**(1) 45-65 (Jul 1997), 12T1508

458P. Applied meteorology (engineering applications, etc)

Ground-based remote sensing of the atmospheric boundary layer: 25 years of progress, Boundary-Layer Meteorol **78**(3-4) 321-349 (Mar 1996), 2T1417

Propagation of wind errors through ocean wave hindcasts, J Offshore Mech Aretic Eng **118**(3) 184-189 (Aug 1996), 2A1418

Statistical and dynamical long-range atmospheric forecasts: Experimental comparison and hybridization, Tellus **48A**(4) 518-537 (Aug 1996), 2T1419

Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, J Atmos Sci **53**(7) 1029-1044 (Apr 1996), 3T1428

Can series of maximal annual flow discharges be treated as realizations of stationary processes?, Acta Geophys Polonica **44**(1) 61-77 (1996), 4A1441

Three-dimensional numerical analysis of colliding microburst outflow dynamics, J Atmos Sci **53**(17) 2490-2511 (Sep 1996), 4A1442

Wind tunnel study of turbulent flow around single and multiple windbreaks - Part I: Velocity fields, Boundary-Layer Meteorol **80**(1-2) 127-165 (Jul 1996), 5T1432

Parameterization of the surface-layer exchange coefficients for atmospheric models, Boundary-Layer Meteorol **80**(3) 223-248 (Aug 1996), 6T1488

Low level jets: A decisive factor for off-shore wind energy siting in the Baltic Sea, Wind Eng **20**(3) 137-147 (1996), 7T1511

458Y. Computational techniques in meteorology

Comparison of accuracy and performance for lattice Boltzmann and finite difference simulations of steady viscous flow, Int J Numer Methods Fluids **23**(1) 1-18 (Jul 1996), 1A1424

Explicit generation of orthogonal grids for ocean models, J Comput Phys **126**(2) 251-273 (Jul 1996), 1A1428

Modeling of wave propagation in the nearshore region using the mild slope equation with GMRES-based iterative solvers, Int J Numer Methods Fluids **23**(4) 397-411 (Aug 1996), 2A1403

Solving the Laplace-Beltrami equation on S^2 using spherical triangles, Numer Methods PDE **12**(5) 627-641 (Sep 1996), 2A1420

Two dimensional boundary-fitted circulation model in spherical coordinates, J Hydraul Eng **122**(9) 512-521 (Sep 1996), 3A1410

Geostrophic versus wave eddy viscosities in atmospheric models, J Atmos Sci **53**(4) 564-571 (Feb 1996), 3T1413

Hierarchy of mesoscale flow assumptions and equations, J Atmos Sci **53**(3) 380-397 (Feb 1996), 3T1431

Quasi-biennial and quasi-triennial oscillations in some atmospheric parameters, Pure Appl Geophys **147**(3) 567-583 (Aug 1996), 3A1432

Vortex erosion and amalgamation in a new model of large scale flow on the sphere, J Comput Phys **128**(1) 58-81 (Oct 1996), 4T25

Depth-integrated 2D coastal and estuarine model with conformal boundary-fitted mesh generation, Int J Numer Methods Fluids **23**(8) 819-846 (Oct 1996), 4A1428

Theoretical and numerical estimates of instantaneous Lyapunov exponents of quasi-geostrophic ocean dynamics, Appl Math Comp Sci **6**(2) 223-244 (1996), 4A1430

General framework for an "unmixed layer" PBL model, J Atmos Sci **53**(18) 2652-2670 (Sep 1996), 4T1436

Analytical axisymmetric circulations for atmospheric transport studies, Planet Space Sci **44**(6) 569-577 (Jun 1996), 4A1443

Bifurcation of zonal flow in the atmosphere due to orographic factors dependence of the results of computation on the accuracy of modeling, J Tech Phys **37**(1) 101-126 (1996), 4A1444

Retrieval of atmospheric thermodynamical parameters using satellite measurements with a maximum entropy method, Inverse Prob **12**(5) 779-796 (Oct 1996), 4A1445

Second look at the method of random walks, Stochastic Hydrology Hydraul **10**(4) 319-329 (Nov 1996), 5A1422

Grid nesting method for large-eddy simulation of planetary boundary-layer flows, Boundary-Layer Meteorol **80**(1-2) 167-202 (Jul 1996), 5A1431

Parameterization of lake thermodynamics in a high-resolution weather forecasting model, Tellus **48A**(5) 608-621 (Oct 1996), 5T1433

Regularity results for the stationary primitive equations of the atmosphere and the ocean, Nonlinear Anal **28**(2) 289-313 (Jan 1997), 5T1434

Filtered solution of the primitive shallow-water equations, Adv Water Resources **20**(1) 23-35 (Feb 1997), 6A1011

Nested grip methods for an ocean model: A comparative study, Int J Numer Methods Fluids **23**(11) 1163-1195 (Dec 1996), 6A1490

Spectral analysis of climate data, Surveys Geophys **17**(6) 619-663 (Nov 1996), 6A1491

Boundary element method solution of the 3D internal Neumann problem and a regularized formulation for the potential velocity gradients, Int J Numer Methods Fluids **24**(1) 81-100 (Jan 1997), 7A59

Accurate interpolating scheme for semi-Lagrangian advection on an unstructured mesh for ocean modeling, Tellus **49A**(1) 119-138 (Jan 1997), 7T1492

Axial angular momentum balance of a global ocean general circulation model, Dyn Atmos Oceans **25**(3) 191-216 (Mar 1997), 7T1493

Multi-level numerical model of coastal upwelling: A diagnostic study, Int J Numer Methods Fluids **24**(1) 17-59 (Jan 1997), 7A1495

Evaluation of parametrization schemes for the convective boundary layer using large-eddy simulation results, Boundary-Layer Meteorol **81**(2) 167-200 (Nov 1996), 7A1497

Forward-in-time advection scheme and adaptive multilevel flow solver for nearly incompressible atmospheric flow, J Comput Phys **129**(2) 284-295 (Dec 1996), 7T1502

Sensitivity of hail accretion rates in numerical modeling, Tellus **49A**(1) 100-107 (Jan 1997), 7T1503

Spectral element method for the shallow water equations on the sphere, J Comput Phys **130**(1) 92-108 (Jan 1997), 7A1504

Fast and accurate method of calculation of gaseous transmission functions in planetary atmospheres, Planet Space Sci **45**(3) 369-377 (Mar 1997), 9T1054

Feedback of midlatitude waves onto the Hadley cell in a simple general circulation model, Tellus **49A**(2) 182-199 (Mar 1997), 9T1508

Review of recent developments in tidal hydrodynamic modeling - I: Spectral models, J Hydraul Eng **123**(4) 278-292 (Apr 1997), 9A1520

Numerical model for 3D run-up, Int J Numer Methods Fluids **24**(9) 913-931 (May 1997), 10A294

High resolution computations of ocean wave spectral modulations due to 2D wave-current interactions, J Comput Phys **132**(2) 215-225 (Apr 1997), 10A1472

Pressure gradient force in sigma-coordinate ocean models, Int J Numer Methods Fluids **24**(10) 987-1017 (May 1997), 10A1473

Use of eigenvalue technique in FE tidal computations, Int J Numer Methods Fluids **24**(10) 953-963 (May 1997), 10A1474

Validation of numerical shallow water models for stratified seiches, Int J Numer Methods Fluids **24**(8) 771-786 (Apr 1997), 10A1475

Role of the oceanic heat transport in climate dynamics: A sensitivity study with an atmospheric general circulation model, Tellus **49A**(3) 371-387 (May 1997), 11T1507

458Z. Experimental techniques in meteorology

Analytical method for the determination of the roughness parameters over complex regions, Boundary-Layer Meteorol **79**(1-2) 23-33 (Apr 1996), 2T1408

Double-camera measurements of plumes, applied to wind field characterization and dispersion studies, Boundary-Layer Meteorol **79**(1-2) 1-21 (Apr 1996), 2A1421

Analysis of periodic updating for systems with multiple timescales, J Atmos Sci **53**(2) 335-348 (Jan 1996), 3T1433

New look at the melting layer, J Atmos Sci **53**(5) 759-769 (Mar 1996), 3T1434

Wind tunnel study of turbulent flow around single and multiple windbreaks - Part I: Velocity fields, Boundary-Layer Meteorol **80**(1-2) 127-165 (Jul 1996), 5T1432

Aircraft wind measurement considering lift-induced upwash, Boundary-Layer Meteorol **80**(1-2) 79-94 (Jul 1996), 5T1435

Seventh International Symposium on Acoustic Remote Sensing and Associate Techniques of the Atmosphere and Oceans, Boundary-Layer Meteorol **81**(1) 1-106 (Oct 1996), 7A1501

Discretization error and signal-error correlation in atmospheric data assimilation - I: All scales resolved, Tellus **49A**(1) 32-53 (Jan 1997), 7T1505

Analysis of the Martian atmosphere for riometry, Planet Space Sci **45**(3) 289-294 (Mar 1997), 9A1521

Using an adjoint model to improve an optimum interpolation-based data-assimilation system, Tellus **49A**(2) 161-176 (Mar 1997), 9A1522

VIII. ENERGY & ENVIRONMENT

500. FOSSIL FUEL SYSTEMS

Modeling sulfur dioxide capture in a pulverized coal combustor, J Eng Gas Turbines Power **119**(2) 291-297 (Apr 1997), 10A1479

Next-generation integration concepts for air separation units and gas turbines, J Eng Gas Turbines Power 119(2) 298-304 (Apr 1997), 10A1480

500B. Geophysical aspects

Numerical modeling of methane gas migration in dry coal seams, Int J Numer Anal Methods Geomech 20(8) 571-593 (Aug 1996), 2A1422
Consistent approach to variable bubble-point systems, Numer Methods PDE 13(1) 1-18 (Jan 1997), 6A1492

500C. Mining mechanics

Mining Science and Technology 1996 (Balkema, Rotterdam, Netherlands, 1996) 3N44
Numerical modeling of consolidation and evaporation of slurried mine tailings, Int J Numer Anal Methods Geomech 20(9) 647-671 (Sep 1996), 3A586
Advancements in the theory of heat transfer in rock masses destroyed by openings (Polish), Arch Gornictwa 41(2) 191-202 (1996), 4A1273
Carbon dioxide sorption on hard coals over wide range of pressure values (Polish), Arch Gornictwa 41(1) 93-103 (1996), 4A1356
Calculation of the cooling power of air cooler installed along the airduct in connection with the ventilation of the development galleries (Polish), Arch Gornictwa 41(2) 203-213 (1996), 4A1446
Change of concentration of combustion gases in mining excavations (Polish), Arch Gornictwa 41(1) 43-55 (1996), 4T1447
Influence of working mode of machines powered with diesel engine on spreading of gases in mining excavations, Arch Gornictwa 41(2) 173-190 (1996), 4T1448
Investigation of mass and heat parameters functioning in domain of ventilation networks of underground mines (Polish), Arch Gornictwa 41(1) 19-41 (1996), 4T1449
Methane release through coal bed diffusion, Arch Gornictwa 41(1) 58-69 (1996), 4T1450
Specification of the parameters influencing the intensity of the methane flow in drainage holes (Poland), Arch Gornictwa 41(1) 3-18 (1996), 4A1451
New possibility of the gravimetric inversion of the state of the rockmass affected by expansion of the post-exploitation cavities, Arch Gornictwa 41(3) 325-339 (1996), 9A651
Climatic conditions in underground mining galleries ventilated by cooled air, Arch Gornictwa 41(4) 439-481 (1996), 9A1523
Description of the deformation of a briquette compressed inside the pipe giving consideration to friction, Arch Gornictwa 41(4) 499-514 (1996), 9A1524
Distribution of concentration of hazard gasses in galleries, Arch Gornictwa 41(4) 395-409 (1996), 9A1525
Laboratory hydraulic fracturing experiments on coal, Arch Gornictwa 41(3) 361-370 (1996), 9A1526
Optimal site for a stationary anemometer of the mine ventilation network monitoring system in the heading section, Arch Gornictwa 41(3) 305-323 (1996), 9A1527
Research an air flow in a mine, Arch Gornictwa 41(4) 411-438 (1996), 9A1528
Pillar strength and failure mechanisms, Proc Estonian Acad Sci Eng 3(1) 23-34 (1997), 11A1508
Sustainable phosphate rock mining, Proc Estonian Acad Sci Eng 3(1) 13-22 (1997), 11T1509

500D. Oil and gas drilling mechanics

Plane model for the stress field around an inclined, cased, and cemented wellbore, Int J Numer Anal Methods Geomech 20(8) 549-569 (Aug 1996), 2A1423
Method of determination of directional well trajectory (Polish), Arch Gornictwa 41(2) 215-234 (1996), 4A1452
New approach for determining in-situ rock strength while drilling, J Energy Resources Tech 118(4) 249-255 (Dec 1996), 6A1493
Theme issue on petroleum resid-heavy oil upgrading, Arab J Sci Eng 21(4B) 611-754 (Dec 1996), 8A1511
Effect of mud filter cake efficiency on Wellbore stability during drilling operations, J Eng Appl Sci 43(5) 1065-1076 (Oct 1996), 9A1529
Modified failure criteria for shales, Arab J Sci Eng 22(1B) 79-94 (Apr 1997), 9T1530
Statistical model for predicting in-situ formation fracture pressure during drilling oil wells, J Eng Appl Sci 43(6) 1267-1284 (Dec 1996), 9A1531
Use of explicit FE analysis to evaluate explosion effects reduces shutdown time on oil and gas production platform, Adv Eng Software 28(4) 273-276 (Jun 1997), 10A1481
Experimental study of the drilling of Aramid composites, J Energy Resources Tech 117(4) 271-278 (Dec 1995), 11A1510
San Andreas fault zone drilling project: Scientific objectives and technological challenges, J Energy Resources Tech 117(4) 263-270 (Dec 1995), 11A1511

500E. Oil and gas reservoir engineering

Displacement of formation fluids by hydraulic fracturing, Geotechnique 46(4) 671-681 (Dec 1996), 6A1494
Theme issue on petroleum resid-heavy oil upgrading, Arab J Sci Eng 21(4B) 611-754 (Dec 1996), 8A1511
Experimental and analytical study of single-phase liquid flow in a horizontal well, J Energy Resources Tech 119(1) 20-25 (Mar 1997), 9A1086
Near-boom oil-slick instability criterion in viscous flows and the influence of free-surface boundary conditions, J Energy Resources Tech 119(1) 26-33 (Mar 1997), 9A1102
Comparative study on estimation of skin effect and flow efficiency for pumping wells, J Eng Appl Sci 43(5) 1077-1092 (Oct 1996), 9A1532
Modeling of the composition changes in the gas-condensate system, Arch Gornictwa 41(3) 275-290 (1996), 9A1533
Percolation Models for Transport in Porous Media with Applications to Reservoir Engineering (Kluwer, Netherlands, 1996) 11R37
Field investigation of flowing well performance with special reference to vertical lift performance, J Eng Appl Sci 44(1) 199-214 (Feb 1997), 11A1512
Oil-field contour, J Appl Math Mech 60(6) 953-957 (1996), 11A1513
Operation support system of large city gas networks based on fluid transient model, J Energy Resources Tech 117(4) 324-328 (Dec 1995), 11A1514

500F. Solid fuel comminution

Storage of fuel in hydrates for natural gas vehicles, J Energy Resources Tech 118(3) 209-213 (Sep 1996), 3A1435

500H. Heat transfer and combustion problems

Integrated life synthesis for boiler sootblowers in fossil power plants, Comput Struct 63(6) 1043-1051 (Jun 1997), 10A1482
Model of stratum temperature field of sedimentary-rock system and its parameter identification (Chinese), J Dalian Univ Tech 37(1) 1-4 (Jan 1997), 10A1483

502. NUCLEAR SYSTEMS

502B. Dynamics and vibration aspects

Impacting effects on seismic loading in feeder pipes of PHWR power plants, J Pressure Vessel Tech 118(3) 351-356 (Aug 1996), 2A1424
Influence of damping and parameter uncertainty on seismic secondary response spectra: A random vibration approach, Nucl Eng Des 166(1) 1-7 (Oct 1996), 5A1416
Effects of ductility on seismic response of piping systems and their implication on design and qualification, Nucl Eng Des 166(1) 69-83 (Oct 1996), 5A1436
Seventh international symposium on heavy ion inertial fusion, Fusion Eng Des 32-33 1-614 (Nov 1996), 7A1506

502C. Structural mechanics aspects

Large-scale seismic test program at Hualien Taiwan, Nucl Eng Des 163(3) 323-332 (Jul 1996), 1A1421
Experiments to evaluate behavior of containment piping bellows under severe accident conditions, Nucl Eng Des 163(3) 287-299 (Jul 1996), 1A1429
Wear studies of materials for tubes and anitvibration bars in nuclear steam generators, J Pressure Vessel Tech 118(3) 287-300 (Aug 1996), 2A897
Parametric nonlinear FE analysis of strain ratcheting in pressurized elbows based on random vibration, Shock Vib 3(5) 373-387 (1996), 2A1425
Thermal stress analyses of a waste storage container, Comput Struct 61(2) 197-224 (Oct 1996), 2A1426
Nonlinear 3D dynamic time history analysis in the recracking modifications for a nuclear power plant, Nucl Eng Des 165(1-2) 199-211 (Aug 1996), 4A1405
Seismic response of reactor vessel internals for Korean standard nuclear power plant, Nucl Eng Des 165(1-2) 57-66 (Aug 1996), 4A1412
Use of an unconventional technique for seismic qualification of equipments, Nucl Eng Des 165(1-2) 15-23 (Aug 1996), 4A1415
European networks in structural integrity: Status in 1995, Nucl Eng Des 165(1-2) 181-197 (Aug 1996), 4A1453
Shell response of core barrel for tributary pipe break, Int J Pressure Vessels Piping 69(2) 175-183 (Dec 1996), 4A1454
Study on the buckling of rectangular bellows under pressure loads, J Pressure Vessel Tech 118(4) 491-495 (Nov 1996), 5A495
Technical basis for the extension of ASME Code Case N-494 for assesment of austenitic piping, J Pressure Vessel Tech 118(4) 513-516 (Nov 1996), 5A814
Structural integrity and its role in nuclear safety: Recent UK advances in the development of high temperature design procedures, Nucl Eng Des 165(3) 321-331 (Sep 1996), 5A1437
Aging management of containment structures in nuclear power plants, Nucl Eng Des 166(3) 367-379 (Nov 1996), 6A1495
Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration, Nucl Eng Des 166(3) 389-401 (Nov 1996), 6A1496
Statistical models for estimating fatigue strain-life behavior of pressure boundary materials in light water reactor environments, Nucl Eng Des 167(2) 129-154 (Nov 1996), 6A1497
Fatigue design curves for 6061-T6 aluminum, J Pressure Vessel Tech 119(2) 211-215 (May 1997), 11A646
Experimental investigation of the interaction of primary and secondary stresses in fuel plates, J Pressure Vessel Tech 119(2) 207-210 (May 1997), 11A1515

502D. Fracture mechanics aspects

Detection and sizing of defects in control rod drive mechanism penetrations using eddy current and ultrasonics, J Pressure Vessel Tech 118(3) 301-307 (Aug 1996), 2A739
Fracture mechanics analysis of warm pre-stressing for power-hardening materials, Eng Fracture Mech 55(3) 347-353 (Oct 1996), 3A698
Studies on fracture toughness of nuclear pressure vessel steels by using a small round compact tension specimen and a comparison with a Charpy-size specimen, Int J Pressure Vessels Piping 69(2) 169-174 (Dec 1996), 4A779
Review of work related to "leak-before-break" assessment, Int J Pressure Vessels Piping 69(2) 135-148 (Dec 1996), 4A1455
Steam generator tube integrity program, Nucl Eng Des 165(1-2) 143-149 (Aug 1996), 4A1456
Effects of crack depth, specimen size, and out-of-plane stress on the fracture toughness of reactor vessel steels, J Pressure Vessel Tech 118(4) 415-423 (Nov 1996), 5A1438
Instrumented drop-weight test results for normalized and tempered 9Cr-1Mo steel, Int J Pressure Vessels Piping 69(3) 253-261 (Dec 1996), 5A1439
Study on crack generation at root of socket welds, Nucl Eng Des 166(1) 85-98 (Oct 1996), 5A1440
Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes, Nucl Eng Des 167(1) 55-67 (Nov 1996), 6A1498
Pressure vessel steel fracture toughness in the regime from room temperature to 400°C, Nucl Eng Des 167(2) 215-222 (Nov 1996), 6A1499
Improved weight functions for infinitely long axial and circumferential cracks in a cylinder, Int J Pressure Vessels Piping 70(2) 103-109 (Feb 1997), 7A720
Computer model for probabilistic leak-rate analysis of nuclear piping and piping welds, Int J Pressure Vessels Piping 70(3) 209-221 (Mar 1997), 8A1512
Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, Int J Pressure Vessels Piping 70(3) 201-207 (Mar 1997), 8A1513
Fracture analysis of the NESC-1 spinning cylinder experiment, J Pressure Vessel Tech 119(1) 52-56 (Feb 1997), 8A1514
Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, High Temp Mat Proc 16(1) 65-76 (Jan-Mar 1997), 9A698
Changes in electromagnetic properties during thermal aging of duplex stainless steel, Int J Pressure Vessels Piping 71(1) 7-12 (Apr 1997), 9A713
Comparative studies of several methods to determine the dynamic fracture toughness of a nuclear pressure vessel steel A508 CL3 with Charpy-size specimen, Int J Fracture 81(3) 195-204 (1996), 10A848
Alternative method of RT_{ndt} determination for some reactor vessel weld metals validated by fracture toughness data, J Pressure Vessel Tech 117(4) 378-382 (Nov 1995), 11A1516
German leak-before-break concept: Description of German LBB procedures, practices and applications, Int J Pressure Vessels Piping 71(2) 139-146 (Apr 1997), 11A1517
Prevention of nonductile fracture in 6061-T6 aluminum nuclear pressure vessels, J Pressure Vessel Tech 119(2) 150-156 (May 1997), 11A1518
Experiences with austenitic steels in boiling water reactors, Nucl Eng Des 168(1-3) 35-52 (May 1997), 12A1509
Low-cycle fatigue crack growth considerations in pipe fracture analyses, Nucl Eng Des 168(1-3) 105-118 (May 1997), 12A1510
New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water, Nucl Eng Des 168(1-3) 53-75 (May 1997), 12A1511
Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks, Nucl Eng Des 168(1-3) 313-317 (May 1997), 12A1512

502E. Fluid mechanics aspects

Selective withdrawal from stratified streams, J Austral Math Soc B 38(1) 26-40 (Jul 1996), 1A265
Scaling of thermohydraulic systems, Nucl Eng Des 163(3) 359-395 (Jul 1996), 1A958
Geometrical automata for two phase flow simulation, Nucl Eng Des 163(1-2) 117-124 (Jun 1996), 1A1014
Post-CHF heat transfer with water and refrigerants, Nucl Eng Des 163(1-2) 163-175 (Jun 1996), 1A1015
Wall friction in annular-dispersed two-phase flow, Nucl Eng Des 163(1-2) 149-161 (Jun 1996), 1A1016
Structure of bubble non-equilibrium movement in free-rise and agitated-rise conditions, Nucl Eng Des 163(1-2) 99-115 (Jun 1996), 1A1021
Modeling of heat and mass transfer processes during core melt discharge from a reactor pressure vessel, Nucl Eng Des 163(1-2) 191-206 (Jun 1996), 1A1237
CFD application to prediction of void distribution in two-phase bubbly flows in rod bundles, Nucl Eng Des 163(1-2) 81-98 (Jun 1996), 1A1430
Investigation of mid-loop operation with loss of RHR at INER integral system test facility, Nucl Eng Des 163(3) 349-358 (Jul 1996), 1A1431
Continued enlargement of the initial failure site in the reactor pressure vessel, Nucl Eng Des 164(1-3) 137-146 (Aug 1996), 3A1436
Direct containment heating dispersal and entrainment experiment in a scaled annular cavity, Nucl Eng Des 164(1-3) 271-285 (Aug 1996), 3A1437
Experimental simulation of corium dispersion phenomena in direct containment heating, Nucl Eng Des 164(1-3) 237-255 (Aug 1996), 3A1438
High pressure simulation experiment on corium dispersion in direct containment heating, Nucl Eng Des 164(1-3) 257-269 (Aug 1996), 3A1439
Hydrogen combustion during direct containment heating events, Nucl Eng Des 164(1-3) 117-136 (Aug 1996), 3A1440
Modeling of corium dispersion in DCH accidents, Nucl Eng Des 164(1-3) 211-235 (Aug 1996), 3A1441
Prediction of direct containment heating, Nucl Eng Des 164(1-3) 95-116 (Aug 1996), 3A1442
Two-cell equilibrium model for predicting direct containment heating, Nucl Eng Des 164(1-3) 61-94 (Aug 1996), 3A1443
Numerical prediction of augmented turbulent heat transfer in an annular fuel channel with repeated 2D square ribs, Nucl Eng Des 165(1-2) 225-237 (Aug 1996), 4A1457
Numerical studies of multiphase mixing with application to some small-scale experiments, Nucl Eng Des 166(2) 135-145 (Oct 1996), 5A972
Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5-MOD3 computer code, Nucl Eng Des 166(2) 277-291 (Oct 1996), 5A973
Two-phase countercurrent flow in a model of a pressurized water reactor hot leg, Nucl Eng Des 166(2) 121-133 (Oct 1996), 5A974
Heat transfer characteristics of horizontal steam generators under natural circulation conditions, Nucl Eng Des 166(2) 191-223 (Oct 1996), 5A1149
Debris interactions in reactor vessel lower plena during a severe accident - I: Predictive model, Nucl Eng Des 166(2) 147-163 (Oct 1996), 5A1441
Debris interactions in reactor vessel lower plena during a severe accident - II: Integral analysis, Nucl Eng Des 166(2) 165-178 (Oct 1996), 5A1442
Dynamics of fission gas release from molten nuclear fuel, Nucl Eng Des 166(2) 269-276 (Oct 1996), 5A1443

Flooding correlation based on the concept of hyperbolicity breaking in a vertical annular flow, Nucl Eng Des 166(2) 249-258 (Oct 1996), 5A1444
Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents, Nucl Eng Des 166(2) 179-190 (Oct 1996), 5A1445
Modeling of void formation in the subcooled boiling regime in the ATHLET code to simulate flow instability for research reactors, Nucl Eng Des 167(2) 175-191 (Nov 1996), 6A1500
Phase Doppler anemometer: Commissioning tests for measurement of water aerosol sizes and velocities in flashing jets, Nucl Eng Des 166(3) 443-452 (Nov 1996), 6A1501
Separate effects tests for GOTHIC condensation and evaporative heat transfer models, Nucl Eng Des 166(3) 403-411 (Nov 1996), 6A1502
Analysis of chaotic instabilities in boiling systems, Nucl Eng Des 167(3) 307-334 (Apr 1996), 12A1135

502F. Fluid structure interactions

Hydrodynamic effects on dynamic response of reactor vessel internals, Int J Pressure Vessels Piping 69(1) 65-74 (Nov 1996), 3A268
Homogenization of a nonlinear array of confined beams, Nucl Eng Des 165(1-2) 213-223 (Aug 1996), 4A1458

502G. Transient behavior (loss of coolant accidents, etc)

Experimental study of natural convection in a volumetrically heated spherical pool bounded on top with a rigid wall, Nucl Eng Des 163(3) 333-348 (Jul 1996), 1A1432

502H. Radiation interaction on materials

Statistical model for the analysis and prediction of the effect of neutron irradiation on Charpy impact energy curves, Nucl Eng Des 165(1-2) 43-56 (Aug 1996), 4A1459
New method of nondestructive measurement for assessment of material degradation of aged reactor pressure vessels, J Pressure Vessel Tech 118(4) 447-453 (Nov 1996), 5A740
Measurement of the yield and tensile strengths of neutron-irradiated and post-irradiation recovered vessel steels with notched specimens, Nucl Eng Des 167(1) 11-22 (Nov 1996), 6A1503

506. SOLAR AND OTHER ENERGY SYSTEMS

506B. Solar collector mechanics

Inherent limitations of volumetric solar receivers, J Solar Energy Eng 118(3) 151-155 (Aug 1996), 2A1427
Photogrammetry: An available surface characterization tool for solar concentrators - Part I: Measurements of surfaces, J Solar Energy Eng 118(3) 146-150 (Aug 1996), 2A1428
Solar concentration of 50,000 achieved with output power approaching 1kW, J Solar Energy Eng 118(3) 141-145 (Aug 1996), 2A1429
Compact high-flux two-stage solar collectors based on tailored edge-ray concentrators, Solar Energy 56(6) 607-615 (Jun 1996), 3A1444
Energy efficiency of a solar drying system, Int J Energy Res 20(9) 767-770 (Sep 1996), 3A1445
Simple predictive controller for use on large scale arrays of parabolic trough collectors, Solar Energy 56(6) 583-595 (Jun 1996), 3A1446
Selected proceedings of ISES 1995, Solar World Congress - Part I: A new path for solar energy, Solar Energy 58(1-3) 3-146 (Jul-Sep 1996), 5A1446
Selected Proceedings of ISES 1995: Solar World Congress - Part II: Harare, Zimbabwe, Sept 1995, Solar Energy 58(4-6) 147-272 (Oct-Dec 1996), 6T1504
Construction and testing of a large-area CPC-collector and comparison with a flat plate collector, Solar Energy 57(3) 177-184 (Sep 1996), 7A1507
Finite element analysis of a flat plate solar collector, Finite Elements Anal Des 24(4) 283-290 (Feb 1997), 8A34
100-sun linear photovoltaic solar concentrator design from inexpensive commercial components, Solar Energy 57(4) 301-305 (Oct 1996), 8A1515
Design and construction of a one-axis sun-tracking system, Solar Energy 57(6) 465-469 (Dec 1996), 8A1516
DIAPR: A high-pressure, high-temperature solar receiver, J Solar Energy Eng 119(1) 74-78 (Feb 1997), 8A1517
Effect of irradiation directional distribution on absorption in volumetric solar receivers, J Solar Energy Eng 119(1) 68-73 (Feb 1997), 8A1518
Parabolic disk concentrators approximated by simple surfaces, Solar Energy 57(4) 317-321 (Oct 1996), 8A1519
Stress in shaped glass evacuated collectors, J Solar Energy Eng 119(1) 79-84 (Feb 1997), 8A1520
High-flux photovoltaic solar concentrators with kaleidoscope-based optical designs, Solar Energy 60(1) 11-16 (Jan 1997), 9A1534
Modeling, optimization, and performance evaluation of a parabolic trough solar collector steam generation system, Solar Energy 60(1) 49-59 (Jan 1997), 9A1535
Selected proceedings of ISES 1995: Solar World Congress - Part III, Harare, Zimbabwe, September 9-16 1995, Solar Energy 59(1-3) 1-119 (Jan-Mar 1997), 9T1536
Solar Engineering: 1997 (ASME, New York, 1997) 10N30
Comparison of optical performance between evacuated collector tubes with flat and semicylindric absorbers, Solar Energy 60(2) 109-117 (Feb 1997), 10A1484
Design optimization of the flat plate collector for a solid absorption solar refrigerator, Solar Energy 60(2) 77-87 (Feb 1997), 10A1485
Analysis of surface error distributions on concentrated solar collectors, J Solar Energy Eng 117(4) 294-296 (Nov 1995), 11A1519
Collector efficiency factor F' for absorbers with rectangular fluid ducts contacting the entire surface, Solar Energy 60(3-4) 199-207 (Mar-Apr 1997), 11A1520
Flux mapping the 400 m^2 "Big Dish" at the Australian National University, J Solar Energy Eng 117(4) 290-293 (Nov 1995), 11A1521

506D. Solar heat transfer

Analysis of gas heat conduction in evacuated tube solar collectors, J Solar Energy Eng 118(3) 156-161 (Aug 1996), 2A1430
Solar thermal analysis of transparent-honeycomb-insulated ground collector-storage system, Appl Thermal Eng 16(11) 863-874 (Nov 1996), 2A1431
Volumetric absorption in gas: Properties of particles and particle-gas suspensions, Solar Energy 56(6) 597-606 (Jun 1996), 3A1447
Numerical study of a ventilated facade panel, Solar Energy 57(1) 29-36 (Jul 1996), 4A1460
Selected proceedings of ISES 1995, Solar World Congress - Part I: A new path for solar energy, Solar Energy 58(1-3) 3-146 (Jul-Sep 1996), 5A1446
Selected Proceedings of ISES 1995: Solar World Congress - Part II: Harare, Zimbabwe, Sept 1995, Solar Energy 58(4-6) 147-272 (Oct-Dec 1996), 6T1504
Experimental investigation of heat losses from low-concentrating non-imaging concentrators, Solar Energy 57(2) 93-109 (Aug 1996), 6A1505
Proposal for "correction values" for winter outdoor design temperatures, Solar Energy 57(2) 111-116 (Aug 1996), 6A1506
Solar radiation transport through slat-type blinds: A new model and its application for thermal simulation of buildings, Solar Energy 57(2) 77-91 (Aug 1996), 6A1507
Finite element analysis of a flat plate solar collector, Finite Elements Anal Des 24(4) 283-290 (Feb 1997), 8A34
Application of U and g values for sizing passive heating concepts, Solar Energy 57(5) 361-373 (Nov 1996), 8A1521
Experimental study on air window collector having a vertical blind for active solar heating, Solar Energy 57(5) 375-380 (Nov 1996), 8A1522
Solar radiation utilizability method in heat pipe panels, Solar Energy 57(5) 345-360 (Nov 1996), 8A1523
Theoretical and experimental investigation of a novel built-in-storage solar water heater, Solar Energy 57(5) 393-400 (Nov 1996), 8A1524
Selected proceedings of ISES 1995: Solar World Congress - Part III, Harare, Zimbabwe, September 9-16 1995, Solar Energy 59(1-3) 1-119 (Jan-Mar 1997), 9T1536
Parametric study of a reverse flat plate absorber cabinet dryer: A new concept, Solar Energy 60(1) 41-48 (Jan 1997), 9A1537
Radiative heat transfer in a solar air heater covered with a plastic film, Solar Energy 60(1) 35-40 (Jan 1997), 9A1538
Solar Engineering: 1997 (ASME, New York, 1997) 10N30
Design optimization of the flat plate collector for a solid absorption solar refrigerator, Solar Energy 60(2) 77-87 (Feb 1997), 10A1485
High efficiency solar air heater, Solar Energy 60(2) 71-76 (Feb 1997), 10A1486
Application of the energy balance equation to predict ground temperature profiles, Solar Energy 60(3-4) 181-190 (Mar-Apr 1997), 11A1522
Optimal parallel flow in solar collectors for nonuniform irradiance, J Solar Energy Eng 119(2) 156-159 (May 1997), 11A1523
Performance of surface and volumetric solar thermal absorbers, J Solar Energy Eng 119(2) 152-155 (May 1997), 11A1524
Study of the heat transfer of rivulet flow on inclined plates, Solar Energy 60(3-4) 221-227 (Mar-Apr 1997), 11A1525
Experimental characterization of a high-temperature, high-flux, solar volumetric receiver, Exp Heat Transfer 10(2) 141-163 (Apr-Jun 1997), 12A1513
Modeling and optimum design of a wire mesh solar volumetric air receiver, J Solar Energy Eng 119(3) 208-213 (Aug 1997), 12A1514

506F. Other solar aspects

Experimental investigation of local clays and clay schemes as liners for solar ponds, Int J Energy Res 20(7) 637-642 (Jul 1996), 1A1433
Use of tergitol-7 in photogalvanic cell for solar energy conversion and storage: Toluidine blue-glucose system, Int J Energy Res 20(7) 581-585 (Jul 1996), 1A1434
Evaluation of different radiation and albedo models for the prediction of solar radiation incident on tilted surfaces, for four European locations, J Solar Energy Eng 118(3) 183-189 (Aug 1996), 2A1432
Influence of radiation absorption on solar pond stability, Int J Heat Mass Transfer 39(18) 3873-3885 (Dec 1996), 2A1433
Parametric study of solar thermal rocket nozzle performance, J Solar Energy Eng 118(3) 194-195 (Aug 1996), 2T1434
Solar detoxification, Solar Energy 56(5) 377-477 (May 1996), 2T1435
Transient performance of a 2D salt gradient solar pond: A numerical study, Int J Energy Res 20(8) 713-731 (Aug 1996), 2A1436
Available solar exergy in an absorption cooling process, Solar Energy 56(6) 505-511 (Jun 1996), 3A1448
Broad band transmittance of direct irradiance in a cloudless sky and its application to the parameterization of atmospheric turbidity, Solar Energy 56(6) 553-563 (Jun 1996), 3A1449
Data sampling speed versus energetic measurement errors of irradiation monitoring in photovoltaic systems, Solar Energy 56(6) 527-533 (Jun 1996), 3A1450
Finite-time optimization of a solar-driven heat engine, Solar Energy 56(6) 617-620 (Jun 1996), 3A1451
New parameterization of the integral ozone transmission, Solar Energy 56(6) 573-581 (Jun 1996), 3A1452
Numerical simulation of current-voltage characteristics of photovoltaic systems with shaded solar cells, Solar Energy 56(6) 513-520 (Jun 1996), 3A1453
Photovoltaic panel-generator based autonomous power source for small refrigeration units, Solar Energy 56(6) 543-552 (Jun 1996), 3A1454
Real-time simulation of photovoltaic modules, Solar Energy 56(6) 521-526 (Jun 1996), 3A1455
Recent advances in solar cell technology, J Propulsion Power 12(5) 835-841 (Sep-Oct 1996), 3A1456
Small solar (thermal) water-pumping system, Solar Energy 57(1) 69-76 (Jul 1996), 4A1461
Solar photoproduction of hydrogen: A review, Solar Energy 57(1) 37-50 (Jul 1996), 4A1462
Solar UT-3 thermochemical cycle for hydrogen production, Solar Energy 57(1) 51-58 (Jul 1996), 4A1463
Solar water-heating design: A new simplified dynamic approach, Solar Energy 57(1) 19-28 (Jul 1996), 4A1464
Use of expert systems for the selection and the design of solar domestic hot water systems, Solar Energy 57(1) 1-8 (Jul 1996), 4A1465
Selected proceedings of ISES 1995, Solar World Congress - Part I: A new path for solar energy, Solar Energy 58(1-3) 3-146 (Jul-Sep 1996), 5A1446
High pressure ammonia dissociation experiments for solar energy transport and storage, Int J Energy Res 20(11) 965-978 (Nov 1996), 5A1447
Optimization of solar absorption refrigerator, Appl Thermal Eng 17(2) 203-208 (Feb 1997), 6A1293
Selected Proceedings of ISES 1995: Solar World Congress - Part II: Harare, Zimbabwe, Sept 1995, Solar Energy 58(4-6) 147-272 (Oct-Dec 1996), 6T1504
Determination of energy output losses due to shading of building-integrated photovoltaic arrays using a raytracing technique, Solar Energy 57(2) 117-124 (Aug 1996), 6A1508
Thermodynamic analysis of a solar thermal water pump, Solar Energy 57(2) 155-161 (Aug 1996), 6A1509
Double diffusive zone-boundary migration in solar ponds, Int J Energy Res 20(12) 1027-1035 (Dec 1996), 7A1508
Effects of climatic conditions on the performance of Carnallite solar ponds, Int J Energy Res 20(12) 1037-1048 (Dec 1996), 7A1509
Experimental study of flow rates through inclined open thermosyphons, Solar Energy 57(5) 401-408 (Nov 1996), 8A1282
Development of proportional-sum-derivative control methodology, Solar Energy 57(4) 251-260 (Oct 1996), 8A1373
Chemically enhanced sunlight for killing bacteria, J Solar Energy Eng 119(1) 85-91 (Feb 1997), 8A1525
Developmental solar thermal receiver studies for the White Cliffs Solar Thermal Power Plant, J Solar Energy Eng 119(1) 61-67 (Feb 1997), 8A1526
Economic feasibility and performance study of a solar-powered absorption cycle using some aqueous salt solutions, J Solar Energy Eng 119(1) 31-34 (Feb 1997), 8A1527
Effect of solar collector design parameters on the operation of solar Stirling power system, Int J Energy Res 21(2) 195-200 (Feb 1997), 8A1528
Effect of using a heat recovery absorber on the performance and operating cost of the solar ammonia absorption cycles, J Solar Energy Eng 119(1) 19-23 (Feb 1997), 8A1529
Estimation of convective mass transfer in solar distillation systems, Solar Energy 57(6) 459-464 (Dec 1996), 8A1530
Experimental investigation of thick-sample effects in the measurement of directional-hemispherical transmittance of advanced glazing materials, Solar Energy 57(4) 261-275 (Oct 1996), 8A1531
Feedforward control of solar thermal power plants, J Solar Energy Eng 119(1) 52-60 (Feb 1997), 8A1532
Gradient maintenance technique for seawater solar ponds, J Solar Energy Eng 119(1) 8-12 (Feb 1997), 8A1533
Gradient-zone erosion in seawater solar ponds, J Solar Energy Eng 119(1) 2-7 (Feb 1997), 8A1534
Maximizing the output of a solar-driven tubular reactor, Solar Energy 57(4) 283-290 (Oct 1996), 8A1535
Minimum number of years required to stabilize the solar irradiation statistical estimates, Solar Energy 57(6) 445-447 (Dec 1996), 8A1536
Modeling of solar receiver for cracking of liquid petroleum gas, J Solar Energy Eng 119(1) 48-51 (Feb 1997), 8A1537
Photocatalytic disinfection of indoor air, J Solar Energy Eng 119(1) 92-96 (Feb 1997), 8A1538
Seasonal shading of vertical south-facades with prismatic panes, Solar Energy 57(5) 339-343 (Nov 1996), 8A1539
Simple model for PV module reflection losses under field conditions, Solar Energy 57(6) 421-432 (Dec 1996), 8A1540
Size optimization of a PV system installed close to sun obstacles, Solar Energy 57(4) 291-299 (Oct 1996), 8A1541
Synergies in solar energy, Solar Energy 57(6) 415-420 (Dec 1996), 8T1542
Selected proceedings of ISES 1995: Solar World Congress - Part III, Harare, Zimbabwe, September 9-16 1995, Solar Energy 59(1-3) 1-119 (Jan-Mar 1997), 9T1536
Comparison of gradient zone pumping and rising pond maintenance techniques for gradient zone stabilization, Solar Energy 60(1) 25-33 (Jan 1997), 9A1539
Optimization of a holographic system for solar power generation, Solar Energy 60(1) 1-9 (Jan 1997), 9A1540
Solar-assisted R22 and R134a heat pump systems for low-temperature applications, Appl Thermal Eng 17(5) 455-469 (May 1997), 9A1541
Spectral solar radiation measurements and turbidity: Comparative studies within a tropical and a sub-arctic environment, Solar Energy 60(1) 17-24 (Jan 1997), 9A1542
Comparing satellite remote sensing and ground network measurements for the production of site-time specific irradiance data, Solar Energy 60(2) 89-96 (Feb 1997), 10A1487
Effects of auxiliary heater on annual performance of thermosyphon solar water heater simulated under variable operating conditions, Solar Energy 60(2) 119-126 (Feb 1997), 10A1488
Optimal sizing of photovoltaic systems in varied climates, Solar Energy 60(2) 97-107 (Feb 1997), 10A1489
Outdoor measurement of multi-junction solar cells and modules based on the reference sunlight method, Solar Energy 60(2) 63-70 (Feb 1997), 10A1490
Thermodynamic analysis of solar energy utilization combined with the exploitation of the LNG physical exergy, J Solar Energy Eng 117(4) 333-335 (Nov 1995), 11A1201

Advanced solar dynamic space power systems - Part I: Efficiency and surface optimization, J Solar Energy Eng 117(4) 265-273 (Nov 1995), 11A1526
Advanced solar dynamic space power systems - Part II: Detailed design and specific parameters optimization, J Solar Energy Eng 117(4) 274-281 (Nov 1995), 11A1527
Calculating solar radiation received by tubular collectors, J Solar Energy Eng 117(4) 341-344 (Nov 1995), 11T1528
Design, development, and testing of an automated window shade controller, J Solar Energy Eng 117(4) 326-332 (Nov 1995), 11A1529
Experimental and numerical evaluation of the performance and flow stability of different types of open volumetric absorbers under non-homogeneous irradiation, Solar Energy 60(3-4) 135-150 (Mar-Apr 1997), 11A1530
Heat pump using a solar collector with photovoltaic modules on the surface, J Solar Energy Eng 119(2) 147-151 (May 1997), 11A1531
Investigation of cold filling receiver panels and piping in molten-nitrate-salt central-receiver solar power plants, J Solar Energy Eng 117(4) 282-289 (Nov 1995), 11A1532
Multiobjective optimal unit sizing of a grid-connected photovoltaic system in consideration of its probabilistic characteristics, J Solar Energy Eng 119(2) 134-140 (May 1997), 11A1533
Novel nonconcentrating reactor for solar water detoxification, J Solar Energy Eng 119(2) 114-119 (May 1997), 11A1534
Object-oriented modeling of solar heating systems, Solar Energy 60(3-4) 171-180 (Mar-Apr 1997), 11A1535
Opposite sunspaces passive solar air heating system, Solar Energy 60(3-4) 127-134 (Mar-Apr 1997), 11A1536
Performance evaluations of LiCl and LiBr for absorber design applications in the open-cycle absorption refrigeration system, J Solar Energy Eng 119(2) 165-173 (May 1997), 11A1537
Photovoltaic solar water heating system, J Solar Energy Eng 119(2) 126-133 (May 1997), 11A1538
Review of engineering developments of aqueous phase solar photocatalytic detoxification and disinfection processes, J Solar Energy Eng 119(2) 101-107 (May 1997), 11A1539
Simulation study of performance influencing parameters in solar electric water pumping system, J Eng Appl Sci 44(1) 141-155 (Feb 1997), 11A1540
Sizing and techno-economical optimization for hybrid solar photovoltaic-wind power systems with battery storage, Int J Energy Res 21(6) 465-479 (May 1997), 11A1541
Solar assisted open-cycle absorption cooling: Performance of collector-regenerators, Int J Energy Res 21(6) 549-574 (May 1997), 11A1542
Solar drying of foods: Modeling and numerical simulation, Solar Energy 60(3-4) 151-157 (Mar-Apr 1997), 11A1543
Solar power output correlation with utility demand in Southern Nevada, J Solar Energy Eng 119(2) 141-146 (May 1997), 11A1544
Solar radiation assessment using Meteosat 4-VIS imagery, Solar Energy 60(3-4) 209-219 (Mar-Apr 1997), 11A1545
Solar water detoxification: Novel TiO_2 powders as highly active photocatalysts, J Solar Energy Eng 119(2) 120-125 (May 1997), 11A1546
Techno-economic analysis of solar detoxification systems, J Solar Energy Eng 119(2) 108-113 (May 1997), 11A1547
Performance and modeling of thermosyphon heat exchangers for solar water heaters, J Solar Energy Eng 119(3) 193-200 (Aug 1997), 12A1321
In-situ FT-IR monitoring of a solar flux induced chemical process, J Solar Energy Eng 119(3) 219-224 (Aug 1997), 12A1515
Operating strategy and its impact on the performance of a 30 MWe SEGS plant, J Solar Energy Eng 119(3) 201-207 (Aug 1997), 12A1516
Solar conversion parameters of graded base silicon solar cells, Int J Energy Res 21(7) 591-596 (Jun 1997), 12A1517
Solar-powered photocatalytic fiber-optic cable reactor for waste stream remediation, J Solar Energy Eng 119(3) 229-236 (Aug 1997), 12A1518

506H. Geothermal energy

Thermohydraulic analysis of ground as a heat source for heat pumps using vertical pipes, J Energy Resources Tech 118(4) 300-305 (Dec 1996), 6A1510
Effect of cyclic operation of a horizontal ground loop on ground coupled heat pump performance, J Solar Energy Eng 119(1) 13-18 (Feb 1997), 8A1543

506J. Wind, ocean, and hydro energy

Optimum matching of non-electrical loads to wind turbines, Proc Inst Mech Eng A 210(A3) 213-221 (1996), 1A1435
Damping measurements using operational data, J Solar Energy Eng 118(3) 190-193 (Aug 1996), 2A1437
Predictions of the hydrodynamic performance of the wave rotor wave energy device, Appl Ocean Res 17(6) 343-347 (Dec 1995), 3A1457
Study of the near wake structure of a wind turbine comparing measurements from laboratory and full-scale experiments, Solar Energy 56(6) 621-633 (Jun 1996), 3A1458
Tadpole: A design problem in the mechanics of the use of sea wave energy, Proc Inst Mech Eng A 210(A4) 273-277 (1996), 3A1459
Aerodynamic optimization of stall regulated horizontal axis wind turbine rotors, Inverse Prob Eng 3(1-3) 177-196 (1996), 4A1466
Fatigue reliability of wind turbine fleets: The effect of uncertainty on projected costs, J Solar Energy Eng 118(4) 222-227 (Nov 1996), 5A878
Effects of controls on fatigue loads in two-bladed teetered rotor wind turbines, J Solar Energy Eng 118(4) 228-234 (Nov 1996), 5A1448
Electric design of wind-electric water pumping systems, J Solar Energy Eng 118(4) 246-252 (Nov 1996), 5A1449
Evaluation of several wind turbine trailing-edge aerodynamic brakes, J Solar Energy Eng 118(4) 198-203 (Nov 1996), 5A1450
Linear modeling of oscillating water columns including viscous loss, Appl Ocean Res 18(2-3) 65-75 (Apr-Jun 1996), 5A1451
Mathematical model of bird collisions with wind turbine rotors, J Solar Energy Eng 118(4) 253-262 (Nov 1996), 5A1452
Performance of wind-electric and solar-PV water pumping systems for watering livestock, J Solar Energy Eng 118(4) 212-216 (Nov 1996), 5A1453
Using a collision model to design safer wind turbine rotors for birds, J Solar Energy Eng 118(4) 263-269 (Nov 1996), 5A1454
Variable speed operation of generators with rotor-speed feedback in wind power applications, J Solar Energy Eng 118(4) 270-277 (Nov 1996), 5A1455
Variable speed operation of permanent magnet alternator wind turbines using a single switch power convertor, J Solar Energy Eng 118(4) 235-238 (Nov 1996), 5A1456
Estimating daily wind speed under climate change, Solar Energy 57(3) 239-248 (Sep 1996), 7A1510
Low level jets: A decisive factor for off-shore wind energy siting in the Baltic Sea, Wind Eng 20(3) 137-147 (1996), 7T1511
Implementation of wind turbine controllers, Int J Control 66(3) 349-380 (Feb 1997), 8A422
Aerodynamic performance of contra-rotating Wells turbine for wave energy conversion, Proc Inst Mech Eng A 210(A6) 431-447 (1996), 8A1236
Method for the identification of configurations of PV-wind hybrid systems for the reliable supply of small loads, Solar Energy 57(5) 381-391 (Nov 1996), 8A1544
Performance predictions of VAWTs with NLF airfoil blades, J Solar Energy Eng 119(1) 97-99 (Feb 1997), 8T1545
Sizing of hybrid photovoltaic-wind energy systems, Solar Energy 57(4) 277-281 (Oct 1996), 8A1546
Structural design of a composite wind turbine blade using FE analysis, Comput Struct 63(3) 639-646 (May 1997), 9A1184
Loads for wind turbines in complex terrain, Wind Eng 20(4) 233-240 (1996), 9A1543
Heat transfer and flow resistance of a shell and plate-type evaporator, J Solar Energy Eng 119(2) 160-164 (May 1997), 11A1338
Sizing and techno-economical optimization for hybrid solar photovoltaic-wind power systems with battery storage, Int J Energy Res 21(6) 465-479 (May 1997), 11A1541
Complex frequency domain model of wind turbine structures, J Solar Energy Eng 117(4) 311-317 (Nov 1995), 11A1548
Power augmentation of a horizontal axis wind turbine using a Mie type tip vane: Velocity distribution around the tip of a HAWT blade with and without a Mie type tip vane, J Solar Energy Eng 117(4) 297-303 (Nov 1995), 11A1549
Simple method of estimating wind turbine blade fatigue at potential wind turbine sites, J Solar Energy Eng 119(2) 174-186 (May 1997), 11A1550
Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 1: Structural aspects, Wind Eng 20(6) 405-421 (1996), 12T1174
Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 2: Aerodynamic aspects and application, Wind Eng 20(6) 423-440 (1996), 12T1175
Improving the OTEC power plant performance by metal hydride energy systems, J Energy Resources Tech 119(2) 145-151 (Jun 1997), 12A1409
Desirable airfoil characteristics for large variable-speed horizontal axis wind turbines, J Solar Energy Eng 119(3) 253-260 (Aug 1997), 12A1519
Effects of static and dynamic imbalance on a horizontal axis wind turbine, J Solar Energy Eng 119(3) 261-262 (Aug 1997), 12A1520
Influence of pitch, twist, and taper on a blade's performance loss due to roughness, J Solar Energy Eng 119(3) 248-252 (Aug 1997), 12A1521
Integrated approach to wind turbine fatigue analysis, J Solar Energy Eng 119(3) 242-247 (Aug 1997), 12A1522
Wave energy-driven resonant sea-water pump, J Offshore Mech Arctic Eng 119(3) 191-195 (Aug 1997), 12A1523

506L. Other enerrgy systems

Optimization and control of autonomous renewable energy systems, Int J Energy Res 20(7) 609-624 (Jul 1996), 1A1436
Experimental performance of the water-calcium chloride system in a heat transformer, Int J Energy Res 20(8) 651-661 (Aug 1996), 2A1438
Kinetic measurement on the isobutene-water-*tert*-butanol chemical heat pump: dehydration of *tert*-butanol, Int J Energy Res 20(8) 681-692 (Aug 1996), 2A1439
Activities and selectivities of copper-metal-oxide catalysts at temperatures relevant to chemical heat-pumps based on isopropanol-acetone interconversions, Int J Energy Res 20(9) 763-766 (Sep 1996), 3A1460
Numerical analysis of molten carbonate fuel cell systems, Int J Energy Res 21(1) 69-76 (Jan 1997), 7A1512
Analysis and performance of radial flow rotary desiccant dehumidifiers, J Solar Energy Eng 119(1) 35-43 (Feb 1997), 8A1547
Experimental performance of the system water-magnesium chloride in a heat transformer, Int J Energy Res 21(2) 139-151 (Feb 1997), 8A1548
Renewable energy capability to save carbon emissions, Solar Energy 57(6) 485-491 (Dec 1996), 8A1549
Renewable-energy integration assessment through a dedicated computer program, Solar Energy 57(6) 471-484 (Dec 1996), 8A1550
Energy balance of different internal reforming MCFC configurations, Int J Energy Res 21(3) 253-264 (Mar 1997), 9A1544
Economic scales for first-generation biomass-gasifier-gas turbine combined cycles fueled from energy plantations, J Eng Gas Turbines Power 119(2) 285-290 (Apr 1997), 10T1491
Implications of energy and other input use for conservation tillage, Int J Energy Res 21(5) 429-446 (Apr 1997), 10A1492

506N. Energy storage

Incorporation of phase-change materials into a ground thermal energy storage system: Theoretical study, J Energy Resources Tech 118(3) 237-241 (Sep 1996), 3A1266
Thermal energy storage in the ground: Comparative analysis of heat transfer modeling using U-tubes and boreholes, Solar Energy 56(6) 493-503 (Jun 1996), 3A1268
Optimization and management of a solar refrigeration plant using latent storage, Solar Energy 56(6) 535-541 (Jun 1996), 3A1461
Thermodynamic model of a solar assisted heat pump system with energy storage, Solar Energy 56(6) 485-492 (Jun 1996), 3A1462
Experimental performance of built-in storage solar water heating systems in laboratory and field conditions, Int J Energy Res 21(3) 275-287 (Mar 1997), 9A1545
Study of charging of stratified storage tanks with finite wall thickness, Int J Energy Res 21(5) 411-427 (Apr 1997), 10A1493
Thermodynamics of phase-change storage in series with a heat engine, J Solar Energy Eng 117(4) 336-341 (Nov 1995), 11T1202
What are the potential benefits of including latent storage in common wallboard?, J Solar Energy Eng 117(4) 318-325 (Nov 1995), 11A1551

506Q. Energy distribution (incl pipelines, transmission lines, etc)

Model test of sand restraining force on pipeline, China Ocean Eng 10(1) 107-120 (1996), 1A1437
Hierarchical approach to project planning: The case of a petroleum pipeline construction, Appl Math Model 20(9) 683-698 (Sep 1996), 2A1440
Analysis of single pipeline pull-in procedure using small scale models, Marine Struct 9(10) 991-1002 (1996), 3A1463
Modeling of a two-stage high-pressure gas reduction station, Appl Math Model 20(10) 741-749 (Oct 1996), 4A1467
Initiation of breakout of half-buried submarine pipe from sea bed due to wave action, Appl Ocean Res 18(2-3) 129-135 (Apr-Jun 1996), 5A211
Random-field approach to slope failure along a subsea pipeline route, Appl Ocean Res 18(2-3) 111-117 (Apr-Jun 1996), 5A529
Signal processing for in-line inspection of gas transmission pipelines, Res Nondestructive Eval 8(4) 233-247 (1996), 10A883
Numerical simulation of the "pull-in" operation in submarine pipelines, Eng Struct 19(10) 868-876 (Oct 1997), 12A24
Case study of safe lowering of an in service gas pipeline, Strain 33(2) 57-60 (May 1997), 12A1524

514. ENVIRONMENTAL MECHANICS

514B. Dispersion by air and water

Eulerian-Lagrangian localized adjoint methods for systems of nonlinear advective-diffusive-reactive transport equations, Adv Water Resources 19(5) 297-315 (Oct 1996), 1T1425
Construction of zonal models of dispersion in channels via matched center manifolds, J Austral Math Soc B 38(1) 101-125 (Jul 1996), 1A1438
Environmental Hydraulics (Kluwer, MA, 1996) 2N48
Footprint for flux measurements, from backward Lagrangian stochastic models, Boundary-Layer Meteorol 78(3-4) 399-404 (Mar 1996), 2T1441
Pseudo-non-time-splitting method in air quality modeling, J Comput Phys 127(1) 152-157 (Aug 1996), 2A1442
Diffusive transport of organic colloids from sediment beds, J Env Eng 122(8) 722-729 (Aug 1996), 3T948
Buoyant plumes from multiport diffuser discharge in deep coflowing water, J Hydraul Eng 122(8) 428-435 (Aug 1996), 3A1114
Multiphase distribution of cohesive sediments and heavy metals in estuarine systems, J Env Eng 122(8) 730-740 (Aug 1996), 3A1361
Concentration fluctuation measurements in tracer plumes using high and low frequency response detectors, Boundary-Layer Meteorol 79(3) 225-242 (May 1996), 3A1464
Desorption of soil contaminants due to rainwater infiltration, J Hydraul Eng 122(9) 523-525 (Sep 1996), 3A1465
Estimation of air quality by 3D air simulation model: Effect of low-emission vehicles on air quality improvement in the greater Los Angeles area, JSME Int J Ser B 39(3) 647-652 (Aug 1996), 3T1466
Fractal geometry of isoconcentration surfaces in a smoke plume, J Atmos Sci 53(1) 5-21 (Jan 1996), 3T1467
Method for modeling dispersion dynamics in coastal waters using fractional Brownian motion, J Hydraul Res 34(4) 549-561 (1996), 3T1468
Second-order moment structure of dispersing plumes and puffs, J Fluid Mech 320 305-329 (Aug 1996), 3A1469
Solution of the advection-dispersion equation: Continuous load of finite duration, J Env Eng 122(9) 830-832 (Sep 1996), 3A1470
Survey to estimate residential solid waste generation, J Env Eng 122(10) 897-901 (Oct 1996), 3T1471
Two-dimensional hydraulics of recirculating groundwater remediation wells in unconfined aquifers, J Env Eng 122(8) 692-699 (Aug 1996), 3A1472
Mixing in distribution system storage tanks: Its effect on water quality, J Env Eng 122(9) 814-821 (Sep 1996), 3T1475
Site and size optimization of contaminant sources in surface water systems, J Env Eng 122(10) 917-923 (Oct 1996), 3T1476
Next Generation Environmental Models and Computational Methods (SIAM, Phila, PA, 1997) 4N32
Molecular diffusion and viscous effects on concentration statistics in grid turbulence, J Fluid Mech 324 25-54 (Oct 1996), 5A1046
Macroscopic representation of structural geometry for simulating water and solute movement in dual-porosity media, Adv Water Resources 19(6) 343-357 (Dec 1996), 5A1394
Diffusion from an extended surface source in a region of backflow, Eur J Mech B 15(5) 713-733 (1996), 5A1457
Two-dimensional checkerboards and blending heights, Boundary-Layer Meteorol 80(1-2) 1-18 (Jul 1996), 5A1458
Closure to derive a 3D well-mixed trajectory-model for non-Gaussian, inhomogeneous turbulence, Boundary-Layer Meteorol 80(4) 311-331 (Sep 1996), 6T1154
Hydrological aspects of toxic wastes management (Spanish), Ingenieria Hidraul Mex 12(1) 77-90 (Jan-Apr 1997), 6A1476
Engineering models of combined chemical and biological processes, J Env Eng 122(12) 1110-1114 (Dec 1995), 6A1511

Unidimensional and bidimensional modeling of the pollutant transport in rivers (Spanish), Ingenieria Hidraul Mex 12(1) 5-14 (Jan-Apr 1997), 6T1512
One-dimensional clarifier model with sludge blanket heights, J Env Eng 122(12) 1094-1100 (Dec 1995), 6A1521
Watershed-specific model for streamflow, sediment, and metal transport, J Env Eng 123(1) 61-70 (Jan 1997), 7A1013
Bacterial impacts of ocean outfalls: Legal challenges, J Env Eng 123(2) 191-196 (Feb 1997), 7T1513
Numerical simulation for contaminants and water transport in soils, J Hydrodyn 8(3) 102-110 (1996), 7T1514
Overview of urban drainage: Environmental impacts and concerns, means of mitigation and implementation policies, J Hydraul Res 34(6) 723-731 (1996), 7A1515
Stochastic analyses of adsorbing solute transport in heterogeneous unsaturated soils, J Hydrodyn 8(3) 31-43 (1996), 7A1516
Time and scale dependent effective retardation factors in heterogeneous aquifers, Adv Water Resources 20(4) 217-230 (Aug 1997), 7T1517
Uniformly asymptotic approximation for the development of shear dispersion, J Fluid Mech 329 413-443 (Dec 1996), 7A1518
Urban drainage impacts on receiving waters, J Hydraul Res 34(6) 771-783 (1996), 7A1524
Experimental study of saltating particle trajectories, Exp Fluids 22(4) 321-326 (Feb 1997), 8A1034
Mixing mechanisms of vortex ring formed by gravity slumping motion, Exp Fluids 22(4) 271-280 (Feb 1997), 8A1551
Turbulent dispersion with broken reflectional symmetry, J Fluid Mech 332 141-156 (Feb 1997), 8A1552
Mixing in the tidal environment, J Hydraul Eng 123(4) 332-340 (Apr 1997), 9A1116
Coupled groundwater flow and transport - I: Verification of variable density flow and transport models, Adv Water Resources 21(1) 27-46 (Feb 1997), 9A1502
Contaminant transport through single fracture with porous obstructions, J Fluids Eng 119(1) 180-187 (Mar 1997), 9A1546
Returning impaired marine outfall diffusers to full service, J Env Eng 123(3) 297-303 (Mar 1997), 9T1547
Turbulent dispersion of heavy particles with nonlinear drag, J Fluids Eng 119(1) 170-179 (Mar 1997), 9A1548
Trends of global environmental research in fields of hydraulics and hydrology (Chinese), Proc JSCE 558(II-38) 1-12 (Feb 1997), 10T1469
Degradation characteristics of highly concentrated organic waste water by the sand layer method (Chinese), Proc JSCE 559(VII-2) 51-60 (Feb 1997), 10A1494
Effects of higher Eulerian velocity moments on the mean concentration distribution, Boundary-Layer Meteorol 82(2) 317-340 (Feb 1997), 10A1495
Mechanism of degradation of organic matter in seawater by effective microbes and its utilization (Chinese), Proc JSCE 559(VII-2) 39-49 (Feb 1997), 10A1496
Control of contaminant releases in rivers - II: Optimal design, J Hydraul Eng 123(6) 493-503 (Jun 1997), 11T930
Control of contaminant releases in rivers - I: Adjoint sensitivity analysis, J Hydraul Eng 123(6) 486-492 (Jun 1997), 11T1552
Semi-Lagrangian algorithm for 2D advection-diffusion equation on curvilinear coordinate meshes, J Hydraul Eng 123(5) 389-401 (May 1997), 11T1553
Effect of pollutant oscillations on oil spreading on the sea, Int J Energy Res 21(7) 655-660 (Jun 1997), 12A1525
Effects of a semipervious lens on soil vapor extraction, J Fluid Mech 341 385-413 (Jun 1997), 12A1526
Problem of model validation for predictive exposure assessments, Stochastic Hydrology Hydraul 11(3) 229-254 (Jun 1997), 12A1527

514F. Snow and ice mechanics

Arctic-Polar Technology, Volume IV (ASME Press, New York, 1996) 1N51
Acoustic emission during fatigue experiments on first year sea ice, Cold Regions Sci Tech 24(3) 237-250 (Jul 1996), 1A1439
Analysis of medium scale ice-indentation tests, Cold Regions Sci Tech 24(3) 279-287 (Jul 1996), 1A1440
Application of damage mechanics to ice failure in compression, Cold Regions Sci Tech 24(3) 305-322 (Jul 1996), 1A1441
Environmental factors in iceberg collision risks for floating systems, Cold Regions Sci Tech 24(3) 251-261 (Jul 1996), 1A1442
Long-term lake water temperature and ice cover simulations-measurements, Cold Regions Sci Tech 24(3) 289-304 (Jul 1996), 1A1443
Probabilistic distribution of ice forces on a solitary pile in the Liaodong Bay, China Ocean Eng 10(1) 65-70 (1996), 1A1444
Effect of turbulence on the collision rates of small cloud drops, J Atmos Sci 53(13) 1910-1920 (Jul 1996), 3A1283
Modeling ice-cover melting using a variable heat transfer coefficient, J Eng Mech 122(10) 930-938 (Oct 1996), 3A1473
Analysis of a rigid frame model of porous media for the acoustic properties of dense snow, J Sound Vib 196(4) 439-451 (Oct 1996), 4A1468
Hindsight on river ice jam stability, J Cold Regions Eng 10(3) 122-133 (Sep 1996), 4A1469
Solar system ices, Planet Space Sci 44(9) 901-1063 (Sep 1996), 5T1459
Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, Cold Regions Sci Tech 24(4) 355-373 (Dec 1996), 6A1513
Analysis of the shapes of sea ice ridges, Cold Regions Sci Tech 25(1) 65-77 (Jan 1997), 6A1514
Ice stress measurements from land-fast ice along Canada's Labrador coast, Cold Regions Sci Tech 25(1) 1-15 (Jan 1997), 6A1515
Moisture migration during freeze and thaw of unsaturated soils: Modeling and large scale experiments, Cold Regions Sci Tech 25(1) 33-45 (Jan 1997), 6A1516
Optical measurements of frazil concentration, Cold Regions Sci Tech 24(4) 341-353 (Dec 1996), 6A1517
Processing snow for high strength roads and runways, Cold Regions Sci Tech 25(1) 17-31 (Jan 1997), 6A1518
Nonlinear unsteady creep of an ice sheet on a hydraulic foundation, J Appl Math Mech 60(4) 677-681 (1996), 7A1519
Edge function analysis of glacier mechanics problems, Int J Solids Struct 34(8) 991-1005 (Mar 1997), 8A1468
Moving Loads on Ice Plates (Kluwer, Netherlands, 1996) 9R30
Nucleation of splitting cracks in columnar freshwater ice, Acta Mat 45(4) 1411-1423 (Apr 1997), 9A692
Core-based SCB fracture of aligned first-year sea ice: Phases III and IV, J Cold Regions Eng 11(1) 30-44 (Mar 1997), 9A1549
Core-based SCB fracture of aligned first-year sea ice: Phase VI, J Cold Regions Eng 11(1) 45-58 (Mar 1997), 9A1550
Creating initial cracks for interfacial fracture of ice, Cold Regions Sci Tech 25(2) 153-157 (Mar 1997), 9A1551
Mechanical properties of first-year sea ice at Tarsiut Island, J Cold Regions Eng 11(1) 59-83 (Mar 1997), 9A1552
Volume IV: Arctic/Polar Technology (ASME, New York, 1997) 10N31
Eccentric impact of an ice feature: Linearized model, Cold Regions Sci Tech 25(3) 159-171 (Apr 1997), 10A1497
Formation of periodic arrays of icicles, Cold Regions Sci Tech 25(3) 225-229 (Apr 1997), 10A1498
Introductory analysis of draining and freezing of de-icing fluids, Cold Regions Sci Tech 25(3) 207-214 (Apr 1997), 10A1499
Modified reversed direct-stress device, Cold Regions Sci Tech 25(3) 215-224 (Apr 1997), 10T1500
Onset of river ice breakup, Cold Regions Sci Tech 25(3) 183-196 (Apr 1997), 10A1501
Small-scale experiments on rime icing, Cold Regions Sci Tech 25(3) 173-182 (Apr 1997), 10A1502
Laboratory calibration of TDR-probes for snow wetness measurements, Cold Regions Sci Tech 25(3) 197-205 (Apr 1997), 10T1509
Uniaxial constant compressive stress creep tests on sea ice, J Offshore Mech Arctic Eng 117(4) 283-289 (Nov 1995), 11A395
Flow properties of crushed ice, J Offshore Mech Arctic Eng 117(4) 276-282 (Nov 1995), 11A1554

514H. Waste management, pollution control

Effects of vapor extraction on contaminant flux to atmosphere and ground water, J Env Eng 122(8) 700-706 (Aug 1996), 3T1474
Mixing in distribution system storage tanks: Its effect on water quality, J Env Eng 122(9) 814-821 (Sep 1996), 3T1475
Site and size optimization of contaminant sources in surface water systems, J Env Eng 122(10) 917-923 (Oct 1996), 3T1476
Thermal destruction of solid wastes, J Energy Resources Tech 118(3) 187-192 (Sep 1996), 3A1477
Optimal regional scheduling of solid waste systems - I: Model development, J Env Eng 122(9) 785-792 (Sep 1996), 3T1479
Next Generation Environmental Models and Computational Methods (SIAM, Phila, PA, 1997) 4N32
Copolyesters of ethylene terephthalate and lactic acid susceptible to hydrolytic degradation, Fibres Textiles in E Europe 4(1) 34-37 (Jan-Mar 1996), 4T1470
Influence of flooding up of coal mines upon water environment (Polish), Arch Gornictwa 41(1) 105-130 (31 1996), 4T1471
Air transport and environmental issues, Japan J Trib 40(10) 959-968 (1995), 5A802
Integrated model suite for sediment and pollutant transport in shallow lakes, Adv Eng Software 27(3) 201-212 (Dec 1996), 5A1460
Recent advances and application of turbulence depth-integrated two-equation closure for modeling contaminant discharges, J Brazilian Soc Mech Sci 18(4) 338-354 (Dec 1996), 6A1156
Engineering models of combined chemical and biological processes, J Env Eng 122(12) 1110-1114 (Dec 1995), 6A1511
Microbial decontamination of polluted soil in a slurry process, J Env Eng 122(11) 975-982 (Nov 1996), 6T1519
Multiobjective optimization model for the waste management of the petrochemical industry, Appl Math Model 20(12) 925-933 (Dec 1996), 6A1520
One-dimensional clarifier model with sludge blanket heights, J Env Eng 122(12) 1094-1100 (Dec 1995), 6A1521
Thermal destruction behavior of platic and nonplastic wastes in a laboratory-scale facility, J Energy Resources Tech 118(4) 269-276 (Dec 1996), 6A1522
Overview of urban drainage: Environmental impacts and concerns, means of mitigation and implementation policies, J Hydraul Res 34(6) 723-731 (1996), 7A1515
Integrated design and analysis of drainage systems including sewers, treatment plant and receiving waters, J Hydraul Res 34(6) 815-826 (1996), 7T1520
Modified clays for waste containment and pollutant attenuation, J Env Eng 123(1) 25-32 (Jan 1997), 7T1521
Multilevel soil-vapor extraction test for heterogeneous soil, J Env Eng 123(2) 160-168 (Feb 1997), 7T1522
Real time control of wastewater systems, J Hydraul Res 34(6) 785-797 (1996), 7T1523
Urban drainage impacts on receiving waters, J Hydraul Res 34(6) 771-783 (1996), 7A1524
Continuous flow residence time distribution function characterization, J Env Eng 123(2) 107-114 (Feb 1997), 7A1525
Development of waste water purification technique in closed water area (Japanese), Proc JSCE 553(VI-33) 33-40 (Dec 1996), 8A1553
Management and combustion of hazardous wastes, Prog Energy Combust Sci 22(5) 401-425 (1996), 8A1554
Modeling the volatilization of organic soil contaminants: Extension of the Jury, Spencer and Farmer Behavior Assessment Model and solution, Appl Math Lett 10(1) 31-34 (Jan 1997), 8A1555
Continuous classification of moisture content in waste activated sludges, J Env Eng 123(3) 253-258 (Mar 1997), 9T1059
Improved design of final settling tanks, J Env Eng 123(3) 259-268 (Mar 1997), 9T1061
Contaminant transport through single fracture with porous obstructions, J Fluids Eng 119(1) 180-187 (Mar 1997), 9A1546
Returning impaired marine outfall diffusers to full service, J Env Eng 123(3) 297-303 (Mar 1997), 9T1547
Anaerobic fluidized bed pretreatment of hog wastewater, J Env Eng 123(4) 389-394 (Apr 1997), 9A1553
Hydraulic consequences of landfill-liner damage, Arch Hydro-Eng Env Mech 42(3-4) 19-29 (1995), 9A1554
Incineration of solid waste and energy recovery: A state-of-the-art survey, Arab J Sci Eng 22(1B) 5-40 (Apr 1997), 9T1555
Induced desorption of DDT, DDD, and DDE from a contaminated sediment, J Env Eng 123(3) 225-233 (Mar 1997), 9T1556
Accumulation and runoff simulation model for non-point pollution control in urban area (Chinese), Proc JSCE 559(VII-2) 61-71 (Feb 1997), 10A1503
Evaluation of environmental impact reduction by the waste asphalt concrete recycling, Proc JSCE 559(VII-2) 81-89 (Feb 1997), 10T1504
Optimal feedback control strategy for waste disposal management in agroecosystems, Appl Math Model 21(3) 165-174 (Mar 1997), 10A1505
Refuse collection and transportation plan by genetic algorithm (Chinese), Proc JSCE 558(II-38) 139-146 (Feb 1997), 10T1506
Model to design QA-QC programs for geomembrane liner seams, J Eng Mech 123(6) 586-595 (Jun 1997), 11A503
Estimating film flow rate in a venturi scrubber, Particulate Sci Tech 15(1) 65-76 (Jan-Mar 1997), 11A1194
Vehicles and environment, Int J Vehicle Des 18(3-4) 233-410 (1997), 11T1555
Solar-powered photocatalytic fiber-optic cable reactor for waste stream remediation, J Solar Energy Eng 119(3) 229-236 (Aug 1997), 12A1518

514K. Other environmental problems

Similarity considerations for non-Boussinesq plumes in an unstratified environment, J Fluid Mech 318 237-250 (Jul 1996), 2A1026
Two-dimensional hydraulics of recirculating groundwater remediation wells in unconfined aquifers, J Env Eng 122(8) 692-699 (Aug 1996), 3A1472
Elemental carbon-based method for monitoring occupational exposures to particulate diesel exhaust, Aerosol Sci Tech 25(3) 221-241 (Oct 1996), 3A1478
Optimal regional scheduling of solid waste systems - I: Model development, J Env Eng 122(9) 785-792 (Sep 1996), 3T1479
Transport of aqueous organic compounds in thermoplastic geomembranes - II: Mass flux estimates and practical implications, J Env Eng 122(9) 807-813 (Sep 1996), 3T1480
Engineering models of combined chemical and biological processes, J Env Eng 122(12) 1110-1114 (Dec 1995), 6A1511
Microbial decontamination of polluted soil in a slurry process, J Env Eng 122(11) 975-982 (Nov 1996), 6T1519
Integrated design and analysis of drainage systems including sewers, treatment plant and receiving waters, J Hydraul Res 34(6) 815-826 (1996), 7T1520
Multilevel soil-vapor extraction test for heterogeneous soil, J Env Eng 123(2) 160-168 (Feb 1997), 7T1522
Real time control of wastewater systems, J Hydraul Res 34(6) 785-797 (1996), 7T1523
Continuous flow residence time distribution function characterization, J Env Eng 123(2) 107-114 (Feb 1997), 7A1525
Evaluation of the environmental quality of buildings towards a more environmentally conscious design, Solar Energy 57(3) 219-230 (Sep 1996), 7A1526
Anaerobic fluidized bed pretreatment of hog wastewater, J Env Eng 123(4) 389-394 (Apr 1997), 9A1553
Induced desorption of DDT, DDD, and DDE from a contaminated sediment, J Env Eng 123(3) 225-233 (Mar 1997), 9T1556
Nitrate removal from drinking water: Review, J Env Eng 123(4) 371-380 (Apr 1997), 9A1557
Problems of harbor bottom sediments contamination (Polish), Hydro-Tech Transactions 59 1-28 (1995), 9A1558
Modeling sulfur dioxide capture in a pulverized coal combustor, J Eng Gas Turbines Power 119(2) 291-297 (Apr 1997), 10A1479
Effects of higher Eulerian velocity moments on the mean concentration distribution, Boundary-Layer Meteorol 82(2) 317-340 (Feb 1997), 10A1495
Multiple objective decision making in environmental management, Appl Math Comput 83(2-3) 97-301 (May 1997), 10A1507
Probability distributions in periodic random environment and their applications, SIAM J Appl Math 57(2) 501-517 (Apr 1997), 10A1508
Vehicles and environment, Int J Vehicle Des 18(3-4) 233-410 (1997), 11T1555
Modeling physical characteristics of soils with horizon differentiation for crop irrigation scheduling, J Hydrology and Hydromech 44(5) 320-330 (1996), 11A1556
Geophysical evidence of past and present climate change, Surveys Geophys 18(2-3) 130-340 (May 1997), 12A1431
Problem of model validation for predictive exposure assessments, Stochastic Hydrology Hydraul 11(3) 229-254 (Jun 1997), 12A1527
Solid rocket motor exhaust model for alumina particles in the stratosphere, J Spacecraft Rockets 34(3) 303-310 (May-Jun 1997), 12T1528
Study of hydration during curing of residues from coal combustion with limestone addition, J Energy Resources Tech 119(2) 89-95 (Jun 1997), 12A1529

514Y. Computational techniques

Direct formulation FEM for 2D groundwater pollution modeling with a comparison with conventional FEM, Int J Numer Methods Eng 39(15) 2575-2591 (Aug 1996), 1A1445
Pseudo-non-time-splitting method in air quality modeling, J Comput Phys 127(1) 152-157 (Aug 1996), 2A1442
BEM solution for the problem of flux of a multicomponent mixture of gases out of a multilayered landfill, Int J Numer Methods Fluids 23(5) 503-524 (Sep 1996), 3A1362
Method for modeling dispersion dynamics in coastal waters using fractional Brownian motion, J Hydraul Res 34(4) 549-561 (1996), 3T1468
Parallel simulation of a cellular pollution model, Appl Math Comput 79(1) 27-41 (Sep 1996), 3A1481

Next Generation Environmental Models and Computational Methods (SIAM, Phila, PA, 1997) 4N32
Dust spreading in the turbulent atmosphere, Arch Thermodyn 16(1-2) 107-124 (1995), 4A1472
Handling the chemical part in large air pollution models, Appl Math Comp Sci 6(2) 331-351 (1996), 4A1473
Interpolation-corrected modified method of characteristics to solve advection-dispersion equations, Adv Water Resources 19(6) 359-368 (Dec 1996), 5A1461
Modeling biofilm processes using the immersed boundary method, J Comput Phys 129(1) 57-73 (Nov 1996), 5A1462
Multifractal analysis of airborne particle count data: The influence of data preprocessing, Aerosol Sci Tech 26(1) 12-20 (Jan 1997), 6A1523
Improved eddy interaction model for numerical simulation of turbulent particle dispersion, J Fluids Eng 118(4) 819-823 (Dec 1996), 7A1145
Time stepping FEM for analysis of contaminant transport in fractured porous media, Int J Numer Anal Methods Geomech 20(12) 847-864 (Dec 1996), 7A1454
Finite element model for the simulation of dense gas dispersion in the atmosphere, Int J Numer Methods Fluids 24(3) 291-317 (Feb 1997), 8A29
Hybrid inversion of shallow geophysical data for the location of subsurface targets, Inverse Prob Eng 4(2) 93-109 (1996), 8A1556
Regularizing Levenberg-Marquardt scheme, with applications to inverse groundwater filtration problems, Inverse Prob 13(1) 79-95 (Feb 1996), 8A1557
Bifurcation analysis of brown tide by reaction-diffusion equation using FEM, J Comput Phys 131(2) 253-266 (Mar 1997), 8A1568
Fixed point iterative algorithm for solving equations modeling the multi-stage flash desalination process, Comput Methods Appl Mech Eng 141(1-2) 95-115 (Feb 1997), 9A1559
Simulation and analysis of frost heaving in subsoils and granular fills of roads, Cold Regions Sci Tech 25(2) 89-99 (Mar 1997), 9A1560
Semi-Lagrangian algorithm for 2D advection-diffusion equation on curvilinear coordinate meshes, J Hydraul Eng 123(5) 389-401 (May 1997), 11T1553
Stability and convergence of a FEM for reactive transport in ground water, SIAM J Numer Anal 34(3) 881-904 (Jun 1997), 11A1557
Groundwater optimization and parameter estimation by genetic algorithm and dual reciprocity BEM, Eng Anal Boundary Elements 18(4) 287-296 (Dec 1996), 12A1530

514Z. Experimental techniques

Swirl Technology: Enhancement of design, evaluation, and application, J Env Eng 122(8) 741-748 (Aug 1996), 3T1087
Concentration fluctuation measurements in tracer plumes using high and low frequency response detectors, Boundary-Layer Meteorol 79(3) 225-242 (May 1996), 3A1464
Changes in the vertical distribution of fission products over Poland during the period 1973 - 1994, Acta Geophys Polonica 44(1) 43-59 (1996), 4T1474
Application of capacitance instrumentation to the measurement of density and velocity of flowing snow, Cold Regions Sci Tech 25(1) 47-63 (Jan 1997), 6A1524
Microwave responses to stress in sea ice: A report on initial field tests, Cold Regions Sci Tech 25(1) 79-83 (Jan 1997), 6A1525
Moment analysis of tracer experiments, J Env Eng 122(12) 1121-1123 (Dec 1995), 6T1526
Modified clays for waste containment and pollutant attenuation, J Env Eng 123(1) 25-32 (Jan 1997), 7T1521
Filling data algorithms in urban air pollution monitoring networks, J Env Eng 123(4) 395-404 (Apr 1997), 9T1561
Modified reversed direct-stress device, Cold Regions Sci Tech 25(3) 215-224 (Apr 1997), 10T1500
Small-scale experiments on rime icing, Cold Regions Sci Tech 25(3) 173-182 (Apr 1997), 10A1502
Laboratory calibration of TDR-probes for snow wetness measurements, Cold Regions Sci Tech 25(3) 197-205 (Apr 1997), 10T1509

IX. BIOENGINEERING

550. BIOMECHANICS

550B. Skeletal systems, bones, joints, ligaments, etc

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 5 (ASME Press, New York, 1996) 1N52
Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation, Med Eng Phys 18(5) 396-404 (Jul 1996), 1A1446
Friction materials with structure simulating human cartilage, J Friction Wear 16(3) 79-83 (1995), 1A1447
Mechanical remodeling of bone structure considering residual stress, JSME Int J Ser A 39(3) 297-305 (Jul 1996), 1A1448
Orthogonal relationships between ultrasonic velocity and material properties of bovine cancellous bone, Med Eng Phys 18(5) 373-381 (Jul 1996), 1T1449
Radiograph processing for quantitative assessment of bone remodeling, Med Eng Phys 18(5) 382-389 (Jul 1996), 1A1450
Stresses in a 3D two arch model of a normal human foot, Mech Res Commun 23(4) 387-393 (Jul-Aug 1996), 1T1451
Cost-effective, accurate machine for testing the torsional strength of sheep long bones, Med Eng Phys 18(5) 433-435 (Jul 1996), 1A1463
Automated FE analysis of excised human femora based on precision-QCT, J Biomech Eng 118(3) 387-390 (Aug 1996), 2A1443
Axisymmetric FE analysis of a debonded total hip stem with an unsupported distal tip, J Biomech Eng 118(3) 399-404 (Aug 1996), 2A1444
Minimal parametric model of the femur to describe axial elastic strain in response to loads, Med Eng Phys 18(6) 502-514 (Sep 1996), 2A1445
Model of load sharing between muscles and soft tissues at the human knee during static tasks, J Biomech Eng 118(3) 367-376 (Aug 1996), 2A1446
Neuro-muscular control of trochlean joints, J Biomech Eng 118(3) 349-356 (Aug 1996), 2A1447
Protection for thorax injury severity in 90° lateral collision, Shock Vib 3(5) 337-351 (1996), 2A1448
Quantitative assessment of cortical bone remodeling from routine radiographs of total hip arthroplasty, Med Eng Phys 18(6) 489-494 (Sep 1996), 2T1449
Model of fatigue and recovery in paraplegic's quadriceps muscle subjected to intermittent FES, J Biomech Eng 118(3) 357-366 (Aug 1996), 2A1479
1996 Advances in Bioengineering (ASME, New York, 1996) 3N45
Adjustments to Zatsiorsky-Seluyanov's segment inertia parameters, J Biomech 29(9) 1223-1230 (Sep 1996), 3A1482
Biomechanical model of the human knee evaluated by neuromuscular stimulation, J Biomech 29(9) 1157-1167 (Sep 1996), 3A1483
Comparative left-right mechanical testing of cancellous bone from normal femoral heads, J Biomech 29(10) 1247-1253 (Oct 1996), 3A1484
Converse piezoelectric effect detected in fresh cow femur bone, J Biomech 29(9) 1169-1174 (Sep 1996), 3A1485
Dependence of shear failure properties of trabecular bone on apparent density and trabecular orientation, J Biomech 29(10) 1309-1317 (Oct 1996), 3A1486
Dynamic characteristics of the human skull, Int J Eng Sci 34(12) 1339-1348 (Sep 1996), 3A1487
Elongation mechanism of collagen fibrils and force-strain relations of tendon at each level of structural hierarchy, J Biomech 29(9) 1131-1136 (Sep 1996), 3A1488
Experimental evaluation of theoretical contact forces in the cat patellofemoral joint, J Biomech 29(9) 1201-1205 (Sep 1996), 3A1489
Joint center longitudinal positions computed from a selected subset of Chandler's data, J Biomech 29(9) 1231-1233 (Sep 1996), 3A1490
Lumbar facet pain: Biomechanics, neuroanatomy, and neurophysiology, J Biomech 29(9) 1117-1129 (Sep 1996), 3A1491
Modeling axi-symmetrical joint contact with biphasic cartilage layers: An asymptotic solution, J Biomech 29(10) 1263-1281 (Oct 1996), 3A1492
Musculoskeletal model of the human lower extremity - Part 1: Modeling of the knee joint, Int J Japan Soc Precision Eng 30(2) 161-167 (Jun 1996), 3A1493
Poroelastic creep response analysis of a lumbar motion segment in compression, J Biomech 29(10) 1331-1339 (Oct 1996), 3A1494
Ultrasound velocity measurement in long bones: Measurement method and simulation of ultrasound wave propagation, J Biomech 29(10) 1255-1262 (Oct 1996), 3A1521
Finite element modeling of the C4-C6 cervical spine unit, Med Eng Phys 18(7) 569-574 (Oct 1996), 4A20
Age-related differences in post-yield damage in human cortical bone: Experiment and model, J Biomech 29(11) 1463-1471 (Nov 1996), 4A1475
Calcaneal fractures cause a lateral load shift in Chopart joint contact stress and plantar pressure pattern *in vitro*, J Biomech 29(11) 1435-1443 (Nov 1996), 4A1476
Couple-stress effects on the squeeze film characteristics of hemispherical bearings with reference to synovial joints, Appl Mech Eng 1(2) 317-332 (1996), 4A1477
Loss of stiffness as osteoporosis progresses, Med Eng Phys 18(7) 601-606 (Oct 1996), 4A1478
Tensile behavior of demineralized bovine cortical bone, J Biomech 29(11) 1497-1501 (Nov 1996), 4A1479
Three-dimensional embedded strain gauge analysis of the effect of collared versus collarless prostheses on cement mantle stresses in a femoral model of a total hip replacement, J Strain Anal Eng Des 31(5) 329-339 (Sep 1996), 4A1480
Vibrational mode of the tibia and assessment of bone union in experimental fracture healing using the impulse response method, Med Eng Phys 18(7) 575-583 (Oct 1996), 4A1481
Simulation Modelling in Bioengineering (Comput Mech, Billerica MA, 1996) 5N31
Collagen fiber organization is related to mechanical properties and remodeling in equine bone: A comparison of two methods, J Biomech 29(12) 1515-1521 (Dec 1996), 5A1463
Direct mechanics assessment of elastic symmetries and properties of trabecular bone architecture, J Biomech 29(12) 1653-1657 (Dec 1996), 5A1464
Dominant role of interface over knee angle for cushioning impact loading and regulating initial leg stiffness, J Biomech 29(12) 1523-1529 (Dec 1996), 5A1465
Effect of diabetes on the viscoelastic properties of rat knee ligaments, J Biomech Eng 118(4) 557-564 (Nov 1996), 5A1466
Effect of FE idealization, load conditions and interface assumptions on the stress distribution and fatigue notch factor in the human femur with an endoprosthesis, Bio-Med Mat Eng 6(3) 135-152 (1996), 5T1467
Forces and moments in 6 dof at the human knee joint: Mathematical description for control, J Biomech 29(12) 1577-1585 (Dec 1996), 5A1468
Formalin fixation strongly influences biomechanical properties of the spine, J Biomech 29(12) 1629-1631 (Dec 1996), 5A1469
Global verification study of a quasi-static knee model with multi-bundle ligaments, J Biomech 29(12) 1659-1664 (Dec 1996), 5A1470
Mechanical characterization of compact bone structure using the homogenization theory, J Biomech 29(12) 1539-1547 (Dec 1996), 5A1471
Mechanisms of thoracic injury in frontal impact, J Biomech Eng 118(4) 595-597 (Nov 1996), 5T1472
Relationship between loading conditions and fracture patterns of the proximal femur, J Biomech Eng 118(4) 575-578 (Nov 1996), 5A1473
Three dimensional damage model for trabecular bone based on fabric tensors, J Biomech 29(12) 1549-1558 (Dec 1996), 5A1474
Muscle and tendon force-length properties and their interactions *in vivo*, J Biomech 30(1) 63-70 (Jan 1997), 6A1527
Muscular stabilization of the lumbar spine (French), Rev Francaise Mec 0(3) 169-177 (1996), 6T1528
State of tissue hydration determines the strain-rate-sensitive stiffness of human patellar tendon, J Biomech 30(1) 79-81 (Jan 1997), 6A1529
Modeling muscle activity in standing with considerations for bone safety, J Biomech 30(1) 49-56 (Jan 1997), 6A1531
Introduction to Bioengineering (Oxford UP, New York, 1996) 7R29
Computer model with surface friction for the prediction of total knee kinematics, J Biomech 30(2) 177-184 (Feb 1997), 7A1527
Construction and use of a clear acrylic phantom to generate a 3D FE model of the human pelvis from CT data, Exp Tech 21(1) 30-32 (Jan-Feb 1997), 7T1528
Microdamage simulation in a bone tissue using FE analysis, Comput Struct 62(3) 463-466 (1997), 7A1529
Musculoskeletal model of the knee for evaluating ligament forces during isometric contractions, J Biomech 30(2) 163-176 (Feb 1997), 7A1530
Relations between compressive axial forces in an instrumented massive femoral implant, ground reaction forces, and integrated electromyographs from vastus lateralis during various "osteogenic" exercises, J Biomech 30(3) 213-223 (Mar 1997), 7A1531
Residual strength of equine bone is not reduced by intense fatigue loading: Implications for stress fracture, J Biomech 30(2) 109-114 (Feb 1997), 7A1532
Scanning electron microscopy of human cortical bone failure surfaces, J Biomech 30(2) 155-162 (Feb 1997), 7A1533
Statically equivalent load and support conditions produce different hip joint contact pressures and periacetabular strains, J Biomech 30(2) 193-196 (Feb 1997), 7A1534
Trabecular bone adaptation to variations in porous-coated implant topology, J Biomech 30(2) 147-153 (Feb 1997), 7A1535
Tractive forces during rolling motion of the knee: Implications for wear in total knee replacement, J Biomech 30(2) 131-137 (Feb 1997), 7A1536
Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, J Biomech 30(2) 185-188 (Feb 1997), 7A1549
Controled-release ergometer for the human ankle, J Biomech 30(2) 203-206 (Feb 1997), 7A1550
Proc of the 1997 Bioengineering Conference, BED-Vol 35 (ASME, New York, 1997) 8N28
Finite element methods in spine biomechanics research, Critical Rev Biomed Eng 23(5-6) 411-473 (1995), 8A1558
Intervertebral disc response to cyclic loading: An animal model, J Eng Med 210(H4) 249-258 (1996), 8A1559
Analysis of wear particle boundaries found in sheep knee joints during in vitro wear tests without muscle compensation, J Biomech 30(4) 415-419 (Apr 1997), 9A1562
Decrease in canine proximal femoral ultimate strength and stiffness due to fatigue damage, J Biomech 30(4) 323-329 (Apr 1997), 9A1563
Distribution of material properties in the equine third metacarpal bone serves to enhance sagittal bending, J Biomech 30(4) 355-361 (Apr 1997), 9A1564
Evaluating an integrated musculoskeletal model of the human arm, J Biomech Eng 119(1) 93-102 (Feb 1997), 9A1565
Finite element model of the human lower cervical spine: Parametric analysis of the C4-C6 unit, J Biomech Eng 119(1) 87-92 (Feb 1997), 9A1566
Identification of the mechanical impedance at the human finger tip, J Biomech Eng 119(1) 109-114 (Feb 1997), 9A1567
Improved solution for the contact of two biphasic cartilage layers, J Biomech 30(4) 371-375 (Apr 1997), 9A1568
In vivo observations of hydraulic stiffening in the canine femoral head, J Biomech Eng 119(1) 103-108 (Feb 1997), 9A1569
Orientation of the trabecular pattern of the distal radius around the menopause, J Biomech 30(4) 363-370 (Apr 1997), 9A1570
Temporal changes in dynamic inter fragmentary motion and callus formation in fractures, J Biomech 30(4) 315-321 (Apr 1997), 9A1571
Temporal stability of node-based internal bone adaptation simulations, J Biomech 30(4) 403-407 (Apr 1997), 9A1572
Theoretical formulation for boundary friction in articular cartilage, J Biomech Eng 119(1) 81-86 (Feb 1997), 9A1573
Articular cartilage deformation under physiological cyclic loading: Apparatus and measurement technique, J Biomech 30(4) 377-381 (Apr 1997), 9A1597
Fatigue properties and stem subsidence in wire coil reinforced PMMA bone cement: A preliminary *in vitro* study, Bio-Med Mat Eng 6(6) 453-462 (1996), 9A1602
Reinforcement of PMMA bone cement with a continuous wire coil: A 3D FE study, Bio-Med Mat Eng 6(6) 429-439 (1996), 9A1604
Modularity of Orthopedic Implants (ASTM, 1997) 10N32
Adaptation of bone to physiological stimuli, J Biomech 30(5) 421-429 (May 1997), 10A1510
Adaptive bone remodeling incorporating simultaneous density and anisotropy considerations, J Biomech 30(6) 603-613 (Jun 1997), 10A1511
Analytical study on the kinematic and dynamic behaviors of a knee joint, Med Eng Phys 19(1) 29-36 (Jan 1997), 10A1512
Biomechanics of knee ligament healing, repair, and reconstruction, J Biomech 30(5) 431-439 (May 1997), 10A1513
Comparison of different methods in predicting static pressure distribution in articulating joints, J Biomech 30(6) 635-638 (Jun 1997), 10A1514
Fabric and elastic principal directions of cancellous bone are closely related, J Biomech 30(5) 487-495 (May 1997), 10A1515
Finite element modeling and experimental verification of lower extremity shape change under load, J Biomech 30(5) 531-536 (May 1997), 10A1516
Forces and moments generated at the dental incisors during forceful biting in humans, J Biomech 30(6) 631-633 (Jun 1997), 10A1517
Numerical simulation of stress stimulated bone remodeling, Tech Mech 17(1) 31-40 (1997), 10A1518

Reproducibility of techniques using Archimedes' principle in measuring cancellous bone volume, Med Eng Phys **19**(1) 63-68 (Jan 1997), 10A1519

Uniform strain criterion for trabecular bone adaptation: Do continuum-level strain gradients drive adaptation, J Biomech **30**(6) 555-563 (Jun 1997), 10A1520

Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, J Eng Med **211**(H1) 89-99 (1997), 10T1527

Biophysical stimuli on cells during tissue differentiation at implant interfaces, J Biomech **30**(6) 539-548 (Jun 1997), 10A1540

Automatic location of vertebrae in digitized videofluoroscopic images of the lumbar spine, Med Eng Phys **19**(1) 77-89 (Jan 1997), 10A1552

Method to determine bone movement in the ankle joint complex *in vitro*, J Biomech **30**(5) 513-516 (May 1997), 10A1556

Biomechanics of low back injury: Implications on current practice in industry and the clinic, J Biomech **30**(5) 465-475 (May 1997), 10A1558

Modeling the tensile behavior of the cement-bone interface using nonlinear fracture mechanics, J Biomech Eng **119**(2) 175-178 (May 1997), 10A1568

Relationship between bone-prosthesis bonding and load transfer in total hip reconstruction, J Biomech **30**(6) 621-630 (Jun 1997), 10A1571

Role of backside polishing, cup angle, and polyethylene thickness on the contact stresses in metal-backed acetabular components, J Biomech **30**(6) 639-642 (Jun 1997), 10A1572

Simulations in Biomedicine IV (Comput Mech, UK, 1997) 11N40

Analytical model to study blunt impact response of the rabbit P-F joint, J Biomech Eng **117**(4) 485-491 (Nov 1995), 11A1558

Biomechanics of load-bearing of the intervertebral disc: An experimental and FE model, Med Eng Phys **19**(2) 145-156 (Mar 1997), 11A1559

Comparison of predicted and measured contact pressures in normal and dysplastic hips, Med Eng Phys **19**(2) 180-186 (Mar 1997), 11A1560

Confined compression of canine annulus fibrosus under chemical and mechanical loading, J Biomech Eng **117**(4) 390-396 (Nov 1995), 11A1561

Mechanical responses of the rabbit patello-femoral joint to blunt impact, J Biomech Eng **117**(4) 402-408 (Nov 1995), 11A1562

Variations in rupture site and surface strains at failure in the maturing rabbit medial collateral ligament, J Biomech Eng **117**(4) 455-461 (Nov 1995), 11A1563

Viable bone formation in porous hydroxyapatite: Marrow cell-derived *in vitro* bone on the surface of ceramics, Bio-Med Mat Eng **7**(1) 49-58 (1997), 11T1571

New load application system for in vitro study of ligamentous injuries to the human knee joint, J Biomech Eng **117**(4) 373-382 (Nov 1995), 11A1584

Six-dof test system for the study of joint mechanics and ligament forces, J Biomech Eng **117**(4) 383-389 (Nov 1995), 11A1585

Energy-shunting hip padding system attenuates femoral impact force in a simulated fall, J Biomech Eng **117**(4) 409-413 (Nov 1995), 11A1589

Experimental evaluation of ender nailing as a femoral intertrochanteric and subtrochanteric fracture fixation technique, Exp Tech **21**(3) 28-32 (May-Jun 1997), 11T1591

Crack growth resistance in cortical bone: Concept of microcrack toughening, J Biomech **30**(8) 763-769 (Aug 1997), 12A1531

Effect of nonuniformity of stressed state on the estimate of residual power of teeth periodont (Russian), Prikl Mekh (Appl Mech) **32**(10) 67-73 (1996), 12A1532

In vitro fatigue of human tendons, J Biomech **30**(8) 829-835 (Aug 1997), 12A1533

Investigation of the stress distribution generated in articular cartilage by crystal aggregates of varying material properties, Med Eng Phys **19**(3) 242-252 (Apr 1997), 12A1534

Normal stress effect and equilibrium friction coefficient of articular cartilage under steady frictional shear, J Biomech **30**(8) 771-776 (Aug 1997), 12A1535

Predicting the impact response of a nonlinear single-dof shock-absorbing system from the measured step response, J Biomech Eng **119**(3) 221-227 (Aug 1997), 12A1536

Thermal and diffusion processes in laser-induced stress relaxation and reshaping of cartilage, J Biomech **30**(8) 813-817 (Aug 1997), 12A1537

Thermographic strain analysis of the proxial canine femur, Med Eng Phys **19**(3) 262-266 (Apr 1997), 12A1538

Inertial loading of the human cervical spine, J Biomech Eng **119**(3) 237-240 (Aug 1997), 12A1568

Ultrasonic wave velocity measurement in small polymeric and cortical bone specimens, J Biomech Eng **119**(3) 232-236 (Aug 1997), 12A1573

Predictive value of stress shielding for Quantification of adaptive bone resorption around hip replacements, J Biomech Eng **119**(3) 228-231 (Aug 1997), 12A1581

550C. Muscle mechanics

Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 5 (ASME Press, New York, 1996) 1N52

Mechanical model of cardiac muscle taking account of excitation-contraction coupling, JSME Int J Ser A **39**(3) 330-336 (Jul 1996), 1A1452

Contractile behavior in skeletal muscle-tendon unit during small amplitude sine wave perturbations, J Biomech **29**(9) 1147-1155 (Sep 1996), 3A1495

Force-length properties in stable skeletal muscle fibers: Theoretical considerations, J Biomech **29**(9) 1235-1240 (Sep 1996), 3A1496

Maximal contraction lessens impact response in a muscle contusion model, J Biomech **29**(10) 1291-1296 (Oct 1996), 3A1497

Maximum isometric moments generated by the wrist muscles in flexion-extension and radial-ulnar deviation, J Biomech **29**(10) 1371-1375 (Oct 1996), 3A1498

Moments arms and lengths of human upper limb muscles as functions of joint angles, J Biomech **29**(10) 1365-1370 (Oct 1996), 3A1499

Muscle activity patterns altered during pedaling at different body orientations, J Biomech **29**(10) 1349-1356 (Oct 1996), 3A1500

Variability of femoral muscle attachments, J Biomech **29**(9) 1185-1190 (Sep 1996), 3A1501

Appropriately placed surface EMG electrodes reflect deep muscle activity (psoas, quadratus lumborum, abdominal wall) in the lumbar spine, J Biomech **29**(11) 1503-1507 (Nov 1996), 4A1482

Simulation of *in situ* soleus isometric force output as a function of neural excitation, J Biomech **29**(11) 1455-1462 (Nov 1996), 4A1483

Surface action potentials related to torque output in paraplegics' electrically simulated quadriceps muscle, Med Eng Phys **18**(7) 538-547 (Oct 1996), 4T1484

Simulation Modelling in Bioengineering (Comput Mech, Billerica MA, 1996) 5N31

Distributed Moment Histogram: A neurophysiology based method of agonist and antagonist trunk muscle activity prediction, J Biomech **29**(12) 1587-1596 (Dec 1996), 5A1475

Evaluation of optimization techniques for the prediction of muscle activation patterns during isometric tasks, J Biomech Eng **118**(4) 565-574 (Nov 1996), 5A1476

Support for a linear length-tension relation of the torso extensor muscles: An investigation of the length and velocity EMG-force relationships, J Biomech **29**(12) 1597-1604 (Dec 1996), 5A1477

Parametric model of muscle moment arm as a function of joint angle: Application to the dorsiflexor muscle group in mice, J Biomech **29**(12) 1621-1624 (Dec 1996), 5A1480

Muscular stabilization of the lumbar spine (French), Rev Francaise Mec **0**(3) 169-177 (1996), 6T1528

Dynamic force responses of muscle involving eccentric contraction, J Biomech **30**(1) 27-33 (Jan 1997), 6A1530

Modeling muscle activity in standing with considerations for bone safety, J Biomech **30**(1) 49-56 (Jan 1997), 6A1531

Neural network model for simulation of torso muscle coordination, J Biomech **30**(3) 251-258 (Mar 1997), 7A1537

Re-examination of calcium activation in the Huxley cross-bridge model, J Biomech Eng **119**(1) 20-29 (Feb 1997), 9A1574

Force, velocity, and energy dynamics of nine load-moving muscles, Med Eng Phys **19**(1) 37-49 (Jan 1997), 10A1521

Muscle architecture and function in humans, J Biomech **30**(5) 457-463 (May 1997), 10A1522

Noninvasive approach to motor unit characterization: Muscle structure, membrane dynamics, and neuronal control, J Biomech **30**(5) 441-446 (May 1997), 10A1523

Muscle coordination of maximum-speed pedaling, J Biomech **30**(6) 595-602 (Jun 1997), 10A1576

Humans in Spaceflight (AIAA, MD, 1996) 12N45

Producing physiologically realistic individual muscle force estimations by imposing constraints when using optimization techniques, Med Eng Phys **19**(3) 253-261 (Apr 1997), 12A1539

Relative activation of elbow-flexor muscles in isometric flexion and in flexion-extension movements, J Biomech **30**(8) 803-811 (Aug 1997), 12A1540

550D. Kinesiology

Mathematical model of the impact response of the seated subject, Med Eng Phys **18**(5) 410-419 (Jul 1996), 1A1453

New system for 3D kinematic trajectory acquisition and analysis - I: The application of an ultrasonic technique to human gait analysis, Med Eng Phys **18**(5) 420-426 (Jul 1996), 1A1454

New system for 3D kinematic trajectory acquisition and analysis - II: Digital orthogonal integration phase-detection technique, Med Eng Phys **18**(5) 427-432 (Jul 1996), 1A1455

Kinematics and dynamic stability of the locomotion of post-polio patients, J Biomech Eng **118**(3) 405-411 (Aug 1996), 2A1450

Classification of errors in locating a rigid body, J Biomech **29**(9) 1213-1217 (Sep 1996), 3A1502

Control of non-twisting somersaults using configuration changes, J Biomech **29**(10) 1341-1348 (Oct 1996), 3A1503

Determination of the step duration of gait initiation using a mechanical energy analysis, J Biomech **29**(9) 1195-1199 (Sep 1996), 3A1504

Dynamic model for simulating movements of the elbow, forearm, and wrist, J Biomech **29**(10) 1319-1330 (Oct 1996), 3A1505

Effects of walking velocity on relative phase dynamics in the trunk in human walking, J Biomech **29**(9) 1175-1184 (Sep 1996), 3A1506

Optimum phase ratio in the triple jump, J Biomech **29**(10) 1283-1289 (Oct 1996), 3A1507

Posture prediction for static sagittal-plane lifting, J Biomech **29**(10) 1393-1397 (Oct 1996), 3A1508

Simulation study of vertical jumping from different starting postures, J Biomech **29**(9) 1137-1146 (Sep 1996), 3A1509

Two-dimensional representation of 3D pelvic motion during human walking: An example of how projections can be misleading, J Biomech **29**(10) 1387-1391 (Oct 1996), 3A1510

Energy cost, mechanical work, and muscular efficiency in swing-through gait with elbow crutches, J Biomech **29**(11) 1473-1482 (Nov 1996), 4A1485

Knee movement strategies differentiate expert from novice workers in asymmetrical manual materials handling, J Biomech **29**(11) 1445-1453 (Nov 1996), 4A1486

Weight and frequency effect on spinal loading in a bricklaying task, J Biomech **29**(11) 1425-1433 (Nov 1996), 4A1487

Calibration of measured center of pressure of a new stairway design for kinetic analysis of stair climbing, J Biomech **29**(12) 1625-1628 (Dec 1996), 5A1478

Instrumented spacial linkage for monitoring relative 3D motion between fracture fragments, J Biomech Eng **118**(4) 586-594 (Nov 1996), 5A1479

Parametric model of muscle moment arm as a function of joint angle: Application to the dorsiflexor muscle group in mice, J Biomech **29**(12) 1621-1624 (Dec 1996), 5A1480

Quantifying the kinematics of natural and prosthetic knee flexion, Med Eng Phys **18**(8) 655-661 (Dec 1996), 5A1481

Realistic animation of human figures using artificial neural networks, Med Eng Phys **18**(8) 662-669 (Dec 1996), 5A1482

Crank inertial load has little effect on steady-state pedaling coordination, J Biomech **29**(12) 1559-1567 (Dec 1996), 5A1504

Endpoint error in smoothing and differentiating raw kinematic data: An evaluation of four popular methods, J Biomech **29**(12) 1637-1642 (Dec 1996), 5A1506

Role of strength in rising from a chair in the functionally impaired elderly, J Biomech **29**(12) 1509-1513 (Dec 1996), 5A1517

Locomotion et energetique homme et machine (French), Rev Francaise Mec **0**(3) 211-213 (1996), 6A1532

Dynamic foot investigations during gait (French), Rev Francaise Mec **0**(3) 215-220 (1996), 6A1542

Loads on an internal spinal fixation device during walking, J Biomech **30**(1) 41-47 (Jan 1997), 6A1543

Modern method of motion analysis: Application in normal and pathologic shoulder's abduction (French), Rev Francaise Mec **0**(3) 203-209 (1996), 6T1544

Computer model with surface friction for the prediction of total knee kinematics, J Biomech **30**(2) 177-184 (Feb 1997), 7A1527

Correcting for limb inertia and compliance in fast ergometers, J Biomech **30**(3) 295-297 (Mar 1997), 7A1538

Inverse dynamics modeling approach to determine the restraining function of human knee ligament bundles, J Biomech **30**(2) 139-146 (Feb 1997), 7A1539

Minimum energy trajectories of the swing ankle when stepping over obstacles of different heights, J Biomech **30**(2) 115-120 (Feb 1997), 7A1540

Relationship of static foot structure to dynamic foot function, J Biomech **30**(3) 243-250 (Mar 1997), 7A1541

Upper extremity attenuates intermediate frequency vibrations, J Biomech **30**(2) 103-108 (Feb 1997), 7A1542

Dynamics of the upper limb during performance of the tasks of everyday living: A review of the current knowledge base, J Eng Med **210**(H4) 241-247 (1996), 8A1560

Behavior synthesis of the erect stance for a biped control, J Intelligent & Robotic Syst **18**(2) 127-145 (Feb 1997), 9A390

Distribution of material properties in the equine third metacarpal bone serves to enhance sagittal bending, J Biomech **30**(4) 355-361 (Apr 1997), 9A1564

Center of mass velocity-position predictions for balance control, J Biomech **30**(4) 347-354 (Apr 1997), 9A1575

Identification and correlation of human footfall load parameters using multivariate analysis, J Biomech Eng **119**(1) 115-123 (Feb 1997), 9A1576

Stepping over an obstacle increases the motions and moments of the joints of the trailing limb in young adults, J Biomech **30**(4) 331-337 (Apr 1997), 9A1577

Cybermouse: A simple method of describing the trajectory of the human mandible in three dimensions, J Biomech **30**(6) 643-645 (Jun 1997), 10A1524

Influence of inertia on intersegment moments of the lower extremity joints, J Biomech **30**(5) 517-519 (May 1997), 10A1525

Intralimb dynamics simplify reactive control strategies during locomotion, J Biomech **30**(6) 581-588 (Jun 1997), 10A1526

Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, J Eng Med **211**(H1) 89-99 (1997), 10T1527

Parameters for modeling the upper extremity, J Biomech **30**(6) 647-652 (Jun 1997), 10A1528

Two artificial neural systems for generation of gait swing by means of neuromuscular electrical stimulation, Med Eng Phys **19**(1) 21-28 (Jan 1997), 10A1529

Inertial properties of Dutch Warmblood horses, J Biomech **30**(6) 653-658 (Jun 1997), 10A1534

Pedal and knee loads using a multi-dof pedal platform in cycling, J Biomech **30**(5) 505-511 (May 1997), 10A1577

Energy comparison between trot, bound, and gallop using a simple model, J Biomech Eng **117**(4) 466-473 (Nov 1995), 11A1564

Humans in Spaceflight (AIAA, MD, 1996) 12N45

Biomechanical model with joint resistance for impact simulation, Multibody Syst Dyn **1**(1) 65-84 (Mar 1997), 12A1541

Comparison of automatic filtering techniques applied to biomechanical walking data, J Biomech **30**(8) 847-850 (Aug 1997), 12A1542

Dynamic system model of an off-road cyclist, J Biomech Eng **119**(3) 248-253 (Aug 1997), 12A1543

Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, J Biomech **30**(8) 787-793 (Aug 1997), 12A1544

Parametric identification of multibody models for crash victim simulation, Multibody Syst Dyn **1**(1) 85-112 (Mar 1997), 12A1545

550E. Mechanical properties of tissues and blood

Indentor tests and FE modeling of bulk muscular tissue in vivo, J Rehab Res Dev **33**(3) 239-252 (Jul 1996), 1A1456

Mechanical anisotropy and inhomogeneity in the tissues comprising the hollow stem of the giant reed *Arundo donax*, Biomimetics **3**(3) 141-155 (Sep 1995), 1A1457

Stability of the eye shell under an encircling band, Tech Mech **15**(3) 183-190 (1995), 1A1458

Influence of shape on the stresses in model abdominal aortic aneurysms, J Biomech Eng **118**(3) 326-332 (Aug 1996), 2A1451

Modeling and optimal estimation of mixtures: A simulation study, Inverse Prob Eng **2**(4) 273-287 (1996), 2A1452

Three-dimensional-LDA study of the relation between wall shear stress and intimal thickness in a human aortic bifurcation, J Biomech Eng **118**(3) 273-279 (Aug 1996), 2A1463

Calcium buffering is required to maintain bone stiffness in saline solution, J Biomech **29**(9) 1191-1194 (Sep 1996), 3A1511

Mechanical properties of catgut in holding and bonding fractured bones, Med Eng Phys **18**(7) 584-590 (Oct 1996), 4A1488

Effects of friction and nonlinearities on the separation of arterial waves into their forward and backward components, J Biomech **29**(11) 1419-1423 (Nov 1996), 4A1492

Effect of diabetes on the viscoelastic properties of rat knee ligaments, J Biomech Eng **118**(4) 557-564 (Nov 1996), 5A1466

Dynamic unconfined compression of articular cartilage under a cyclic compressive load, Biorheol **33**(4-5) 289-304 (Jul-Oct 1996), 5A1483

Effect of age on residual strain in the rat aorta, J Biomech Eng **118**(4) 440-444 (Nov 1996), 5A1484

Fracture of articular cartilage, J Biomech Eng **118**(4) 545-556 (Nov 1996), 5A1485

Influence of elastic nonlinearity on arterial anastomotic compliance, J Biomech Eng 118(4) 445-451 (Nov 1996), 5A1486
Mechanics of the arterial wall: Review and directions, Critical Rev Biomed Eng 23(1-2) 1-162 (1995), 5A1487
Acoustic emission and nondestructive evaluation of biomaterials and tissues, Critical Rev Biomed Eng 23(3-4) 221-321 (1995), 5A1505
New approach to mechanical testing and modeling of biological tissues, with application to blood vessels, J Biomech Eng 118(4) 433-439 (Nov 1996), 5A1511
Muscle and tendon force-length properties and their interactions *in vivo*, J Biomech 30(1) 63-70 (Jan 1997), 6A1527
State of tissue hydration determines the strain-rate-sensitive stiffness of human patellar tendon, J Biomech 30(1) 79-81 (Jan 1997), 6A1529
Articular cartilage, morphology and mechanical properties (French), Rev Francaise Mec 0(3) 185-192 (1996), 6T1533
Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, J Biomech 30(1) 1-9 (Jan 1997), 6A1534
Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, J Biomech 30(1) 57-62 (Jan 1997), 6A1535
Ranking the fracture toughness of thin mammalian soft tissues using the scissors cutting test, J Biomech 30(1) 91-94 (Jan 1997), 6A1545
Introduction to Bioengineering (Oxford UP, New York, 1996) 7R29
Numerical conversion of transient to harmonic response functions for linear viscoelastic materials, J Biomech 30(2) 197-202 (Feb 1997), 7A1543
Time-dependent FEM analysis of photon migration in biological tissues, JSME Int J Ser B 39(4) 754-761 (Nov 1996), 7A1544
Optical and mechanical determination of Poisson's ratio of adult bovine humeral articular cartilage, J Biomech 30(3) 235-241 (Mar 1997), 7A1555
Proc of the 1997 Bioengineering Conference, BED-Vol 35 (ASME, New York, 1997) 8N28
Constitutive model of the artery with damage, Mech Res Commun 24(2) 151-159 (Mar-Apr 1997), 8T1561
Determination of red blood cell shape recovery time constant in a Couette system by the analysis of light reflectance and ektacytometry, Biorheol 33(6) 489-503 (Nov-Dec 1996), 8T1562
Decrease in canine proximal femoral ultimate strength and stiffness due to fatigue damage, J Biomech 30(4) 323-329 (Apr 1997), 9A1563
Collagen fiber architecture of a cultured dermal tissue, J Biomech Eng 119(1) 124-127 (Feb 1997), 9A1578
Effects of cryopreservation on the biaxial mechanical properties of canine saphenous veins, J Biomech Eng 119(1) 1-5 (Feb 1997), 9A1579
Strain softening in rat left ventricular myocardium, J Biomech Eng 119(1) 6-12 (Feb 1997), 9A1580
Effects of perfusion on the mechanical behavior of the brain exposed to hypergravity, J Biomech 30(4) 383-389 (Apr 1997), 9A1581
Sensitivity analysis of 1D heat transfer in tissue with temperature-dependent perfusion, J Biomech Eng 119(1) 77-80 (Feb 1997), 9A1595
Anisotropic biphasic theory of tissue-equivalent mechanics: The interplay among cell traction, fibrillar network deformation, fibril alignment, and cell contact guidance, J Biomech Eng 119(2) 137-145 (May 1997), 10A1530
Combined solution of the inverse Stefan problem for successive freezing-thawing in nonideal biological tissues, J Biomech Eng 119(2) 146-152 (May 1997), 10A1531
Compressive behavior of articular cartilage is not completely explained by proteoglycan osmotic pressure, J Biomech 30(6) 589-594 (Jun 1997), 10A1532
Distribution of strain in the human cornea, J Biomech 30(5) 497-503 (May 1997), 10A1533
Inertial properties of Dutch Warmblood horses, J Biomech 30(6) 653-658 (Jun 1997), 10A1534
Mechanical properties of simulated collagen fibrils, J Biomech 30(6) 549-554 (Jun 1997), 10A1535
Shear stress-induced binding of Von Willebrand factor to platelets, Biorheol 34(1) 57-71 (Jan-Feb 1997), 10T1536
Superposition of steady on oscillatory shear and its effect on the viscoelasticity of human blood and a blood-like model fluid, Biorheol 34(1) 19-36 (Jan-Feb 1997), 10T1537
Tensile property of atheromatous plaque and an analysis of stress in atherosclerotic wall, J Biomech 30(6) 573-579 (Jun 1997), 10A1538
Wall shear rate measurements in an elastic curved artery model, Biorheol 34(1) 1-17 (Jan-Feb 1997), 10A1557
Physical response of collagen gels to tensile strain, J Biomech Eng 117(4) 397-401 (Nov 1995), 11A1565
Humans in Spaceflight (AIAA, MD, 1996) 12N45
New fundamental biohest equation for muscle tissue - Part I: Blood perfusion term, J Biomech Eng 119(3) 278-288 (Aug 1997), 12A1546
Relationships between alveolar size and fiber distribution in a mammalian lung alveolar duct model, J Biomech Eng 119(3) 289-297 (Aug 1997), 12A1547
Residual strain effects on the stress field in a thick wall FE model of the human carotid bifurcation, J Biomech 30(8) 777-786 (Aug 1997), 12A1548
Theoretical study of the effect of stress-dependent remodeling on arterial geometry under hypertensive conditions, J Biomech 30(8) 819-827 (Aug 1997), 12A1549
Hemodynamic simulations and computer-aided designs of graft-artery junctions, J Biomech Eng 119(3) 343-348 (Aug 1997), 12A1550
Technique for measuring the compressive modulus of articular cartilage under physiological loading rates with preliminary results, J Eng Med 211(H2) 155-165 (1997), 12A1572

550F. Organs

Spiral waves and the heart, Int J Bifurcation Chaos 6(3) 415-435 (Mar 1996), 1A1459
Three-dimensional-LDA study of the relation between wall shear stress and intimal thickness in a human aortic bifurcation, J Biomech Eng 118(3) 273-279 (Aug 1996), 2A1463
Conformity of a soft contact lens on the eye, J Biomech Eng 118(3) 341-348 (Aug 1996), 2A1473
Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, J Biomech Eng 118(4) 452-463 (Nov 1996), 5A30
Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, J Biomech Eng 118(4) 464-472 (Nov 1996), 5A31
Differential shock transmission response of the human body to impact severity and lower limb posture, J Biomech 29(12) 1531-1537 (Dec 1996), 5A1488
Geometric design improvements for femoral graft-artery junctions mitigating restenosis, J Biomech 29(12) 1605-1614 (Dec 1996), 5A1489
Simulation of cardiac activity and the ECG using a heart model with a reaction-diffusion action potential, Med Eng Phys 18(8) 615-625 (Dec 1996), 5A1490
Stroke normalized pressure: A useful parameter for the analysis of left ventricular outflow obstruction, Med Eng Phys 18(8) 609-614 (Dec 1996), 5A1491
Two mathematical models explain the variation in cystometrograms of obstructed urinary bladders, J Biomech 29(12) 1615-1619 (Dec 1996), 5A1492
New approach to mechanical testing and modeling of biological tissues, with application to blood vessels, J Biomech Eng 118(4) 433-439 (Nov 1996), 5A1511
Laminated shell model for the infarcted left ventricle, Int J Solids Struct 34(2) 223-241 (Jan 1997), 6A76
Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, J Biomech 30(1) 57-62 (Jan 1997), 6A1535
Vesico-urethral pressuregram analysis of urethral function under stress, J Biomech 30(1) 19-25 (Jan 1997), 6A1536
Alternate method for the analysis of residual strain in the arterial wall, Biorheol 33(6) 439-449 (Nov-Dec 1996), 8A1563
Dynamic stresses and strains in the left ventricular wall based on large deformation theory, Int J Non-Linear Mech 32(3) 621-631 (May 1997), 8A1564
Finite element stress analysis of a new design of synthetic leaflet heart valve, J Eng Med 210(H4) 267-272 (1996), 8A1577
Influence of open leaflet geometry on the haemodynamic flow characteristics of polyurethane trileaflet artificial heart valves, J Eng Med 210(H4) 273-287 (1996), 8T1578
Strain softening in rat left ventricular myocardium, J Biomech Eng 119(1) 6-12 (Feb 1997), 9A1580
Effects of perfusion on the mechanical behavior of the brain exposed to hypergravity, J Biomech 30(4) 383-389 (Apr 1997), 9A1581
Structural model of the left ventricle including muscle fibers and coronary vessels: Mechanical behavior in normal conditions, Meccanica 32(1) 53-70 (Feb 1997), 9A1582
Active membrane model for peristaltic pumping - Part I: Periodic activation waves in an infinite tube, J Biomech Eng 119(1) 66-76 (Feb 1997), 9A1583
Effect of physiological factors on proximal flow convergence upstream of an incompetent valve: An in-vitro study, J Biomech Eng 119(1) 39-44 (Feb 1997), 9A1585
Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, J Biomech Eng 119(1) 13-19 (Feb 1997), 9A1586
Inspiratory and expiratory steady flow analysis in a model symmetrically bifurcating airway, J Biomech Eng 119(1) 52-58 (Feb 1997), 9A1588
Temperature distributions during thermorsdiotherapy: A sensitivity study with a transient numerical model of the rabbit eye, J Biomech Eng 119(2) 153-158 (May 1997), 10A1539
Simulations in Biomedicine IV (Comput Mech, UK, 1997) 11N40
Hemodynamics of the Fontan connection: An in-vitro study, J Biomech Eng 117(4) 423-428 (Nov 1995), 11A1566
Liquid ventilation: A mathematical model of gas diffusion in the premature lung, Med Eng Phys 19(2) 157-163 (Mar 1997), 11A1567
Multivariate time-variant AR method for the analysis of heart rate and arterial blood pressure, Med Eng Phys 19(2) 109-124 (Mar 1997), 11A1568
New method for assessment of changes in retinal blood flow, Med Eng Phys 19(2) 125-130 (Mar 1997), 11A1569
Time-dependent stress and displacement of the eye wall tissue of the human eye, Med Eng Phys 19(2) 131-139 (Mar 1997), 11A1570
Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, Bio-Med Mat Eng 7(1) 59-65 (1997), 11A1581
Hemodynamic simulations and computer-aided designs of graft-artery junctions, J Biomech Eng 119(3) 343-348 (Aug 1997), 12A1550

550G. Microbiomechanics

Effect of uniaxial cyclic stretch on the morphology of monocytes-macrophages in culture, J Biomech Eng 118(3) 420-422 (Aug 1996), 2T1453
Modeling nanoscale fluid dynamics and transport in physiological flows, Med Eng Phys 18(6) 437-451 (Sep 1996), 2A1454
Intracellular Ca^{2+} stores and extracellular Ca^{2+} are required in the real-time Ca^{2+} response of bone cells experiencing fluid flow, J Biomech 29(11) 1411-1417 (Nov 1996), 4A1489
What is the role of the convective current density in the real-time calcium response of cultured bone cells to fluid flow?, J Biomech 29(11) 1403 (Nov 1996), 4A1490
Aspects of the mechanics of lobed liposomes, J Biomech Eng 118(4) 482-488 (Nov 1996), 5A1493
Bioconvection in suspensions of oxytactic bacteria: Linear theory, J Fluid Mech 324 223-259 (Oct 1996), 5A1494
Possible mechanism determining the stability of spiculated red blood cells, J Biomech 30(1) 35-40 (Jan 1997), 6A1537
Introduction to Bioengineering (Oxford UP, New York, 1996) 7R29
Fundamental study on biomachining: Machining of metals by thiobacillus ferrooxidans, JSME Int J Ser C 39(4) 837-842 (Dec 1996), 7A637
Oscillatory behavior in a three-component plankton population model, Dyn Stability Syst 11(4) 347-370 (1996), 7A1545
Determination of red blood cell shape recovery time constant in a Couette system by the analysis of light reflectance and ektacytometry, Biorheol 33(6) 489-503 (Nov-Dec 1996), 8T1562
Biophysical stimuli on cells during tissue differentiation at implant interfaces, J Biomech 30(6) 539-548 (Jun 1997), 10A1540
Quantitative characterization of vascular endothelial cell morphology and orientation using Fourier transform analysis, J Biomech Eng 119(2) 159-165 (May 1997), 10A1541
Viable bone formation in porous hydroxyapatite: Marrow cell-derived *in vitro* bone on the surface of ceramics, Bio-Med Mat Eng 7(1) 49-58 (1997), 11T1571
Finite element solution for the anisotropic biphasic theory of tissue-equivalent mechanics: The effect of contact guidance on isometric cell traction measurement, J Biomech Eng 119(3) 261-268 (Aug 1997), 12A1551

550H. Transport phenomena (diffusion)

Intracellular Ca^{2+} stores and extracellular Ca^{2+} are required in the real-time Ca^{2+} response of bone cells experiencing fluid flow, J Biomech 29(11) 1411-1417 (Nov 1996), 4A1489
What is the role of the convective current density in the real-time calcium response of cultured bone cells to fluid flow?, J Biomech 29(11) 1403 (Nov 1996), 4A1490
Diffusion: Mass Transfer in Fluid Systems, Second Edition (Cambridge UP, New York, 1996) 6N26
Model for effective diffusivities in aerobic biofilms, J Env Eng 122(11) 1023-1030 (Nov 1996), 6T1538
Time-dependent FEM analysis of photon migration in biological tissues, JSME Int J Ser B 39(4) 754-761 (Nov 1996), 7A1544
Concepts, properties, and applications of linear systems to describe distribution, identify input, and control endogenous substances and drugs in biological systems, Critical Rev Biomed Eng 24(2-3) 73-139 (1996), 10T1542
Two-parameter model for three-types of nuclepore filtration of leukocytes, Appl Math Mech 18(3) 251-258 (Mar 1997), 11A901
Hindered transport of macromolecules through a single row of cylinders: Application to glomerular filtration, J Biomech Eng 117(4) 414-422 (Nov 1995), 11A1572
Model for water uptake in plants, Appl Math Comput 84(2-3) 163-191 (Jul 1997), 11A1573
Measurement and simulation of water transport during freezing in mammalian liver tissue, J Biomech Eng 119(3) 269-277 (Aug 1997), 12A1552

550I. Fluid mechanics of circulatory systems and other body fluids

Effect of blood viscoelasticity on pulsatile flow in stationary and axially moving tubes, Biorheol 33(3) 185-208 (May-Jun 1996), 1A1460
Effects of sedimentation of small red blood cell aggregates on blood flow in narrow horizontal tubes, Biorheol 33(3) 267-283 (May-Jun 1996), 1A1461
Epinephrine and shear stress synergistically induce platelet aggregation via a mechanism that partially bypasses VWF-GP IB interactions, Biorheol 33(3) 209-229 (May-Jun 1996), 1T1462
Modeling nanoscale fluid dynamics and transport in physiological flows, Med Eng Phys 18(6) 437-451 (Sep 1996), 2A1454
Bolus contaminant dispersion for oscillatory flow in a curved tube, J Biomech Eng 118(3) 333-340 (Aug 1996), 2A1455
Characterization of blood flow turbulence with pulsed-wave and power Doppler ultrasound imaging, J Biomech Eng 118(3) 318-325 (Aug 1996), 2A1456
Classification of pulsating flow patterns in curved pipes, J Biomech Eng 118(3) 311-317 (Aug 1996), 2A1457
Effects of particle concentration on the partitioning of suspensions at small divergent bifurcations, J Biomech Eng 118(3) 287-294 (Aug 1996), 2A1458
Lumped parameter model to evaluate the fluid dynamics of different coronary bypasses, Med Eng Phys 18(6) 477-484 (Sep 1996), 2A1459
Numerical investigation of steady flow in proximal and distal end-to-side anastomoses, J Biomech Eng 118(3) 302-310 (Aug 1996), 2A1460
Separation of arterial pressure waves into their forward and backward running components, J Biomech Eng 118(3) 295-301 (Aug 1996), 2A1461
Steady flow in an aneurysm model: Correlation between fluid dynamics and blood platelet deposition, J Biomech Eng 118(3) 280-286 (Aug 1996), 2A1462
Three-dimensional-LDA study of the relation between wall shear stress and intimal thickness in a human aortic bifurcation, J Biomech Eng 118(3) 273-279 (Aug 1996), 2A1463
Large post-buckling deformations of cylindrical shells conveying viscous flow, J Fluids Struct 10(6) 565-599 (Aug 1996), 3A278
Stability of an inviscid flow in a flexible tube, J Fluid Mech 320 1-17 (Aug 1996), 3A1126
Numerical study of wall mechanics and fluid dynamics in end-to-side anastomoses and correlation to intimal hyperplasia, J Biomech 29(10) 1297-1308 (Oct 1996), 3A1512
Pulsatile blood flows in stenotic artery, J Eng Mech 122(9) 890-896 (Sep 1996), 3A1513
Two-layered model of blood flow through stenosed arteries, Acta Mech 117(1-4) 221-228 (1996), 3A1514
Two-phase model of blood flow through stenosed tubes in the presence of a peripheral layer: Applications, J Biomech 29(10) 1377-1382 (Oct 1996), 3A1515
Effects of initial stresses and wall thickness on wave characteristics in elastic tubes, Z Angew Math Mech 76(9) 521-530 (1996), 4A254
Flow in a tube with non-uniform, time-dependent curvature: Governing equations and simple examples, J Fluid Mech 323 237-265 (Sep 1996), 4A1043
Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, J Biomech 29(11) 1483-1489 (Nov 1996), 4A1491
Effects of friction and nonlinearities on the separation of arterial waves into their forward and backward components, J Biomech 29(11) 1419-1423 (Nov 1996), 4A1492
Biomechanics: Circulations, Second Edition (Springer-Verlag, New York, 1997) 5N30
Simulation Modelling in Bioengineering (Comput Mech, Billerica MA, 1996) 5N31
Geometric design improvements for femoral graft-artery junctions mitigating restenosis, J Biomech 29(12) 1605-1614 (Dec 1996), 5A1489
Analysis of flow acceleration during erythrocyte filtration: Dependence of hematocrit and cell rigidity, Biorheol 33(4-5) 379-395 (Jul-Oct 1996), 5A1495

Computational evaluation of intraventricular pressure gradients based on a fluid-structure approach, J Biomech Eng 118(4) 529-537 (Nov 1996), 5A1496

Computational pulsatile model of the bidirectional cavopulmonary anastomosis: The influence of pulmonary forward flow, J Biomech Eng 118(4) 520-528 (Nov 1996), 5A1497

Flow input waveform effects on the temporal and spatial wall shear stress gradients in a femoral graft-artery connector, J Biomech Eng 118(4) 506-510 (Nov 1996), 5A1498

Fluid dynamics of a partially collapsible stenosis in a flow model of the coronary circulation, J Biomech Eng 118(4) 489-497 (Nov 1996), 5A1499

Motion of red blood cells in capillaries with variable cross-sections, J Biomech Eng 118(4) 538-544 (Nov 1996), 5A1500

Pulsatile albumin transport in large arteries: A numerical simulation study, J Biomech Eng 118(4) 511-519 (Nov 1996), 5A1501

Quasisteady behavior of pulsatile, confined, counter-flowing jets: Implications for the assessment of mitral and tricuspid regurgitation, J Biomech Eng 118(4) 498-505 (Nov 1996), 5A1502

Visualization of vortex shedding at the proximal side-to-end artery-graft anastomosis, Biorheol 33(4-5) 305-317 (Jul-Oct 1996), 5A1503

Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, J Biomech 30(1) 57-62 (Jan 1997), 6A1535

Deformation-induced hierarchical flows and drag forces in bone canaliculi and matrix microporosity, J Biomech 30(1) 11-18 (Jan 1997), 6A1539

Triphasic analysis of negative osmotic flows through charged hydrated soft tissues, J Biomech 30(1) 71-78 (Jan 1997), 6A1540

Introduction to Bioengineering (Oxford UP, New York, 1996) 7R29

Extended Willis circle model to explain clinical observations in periorbital arterial flow, J Biomech 30(3) 265-272 (Mar 1997), 7A1546

Waves in initially stressed fluid-filled thick tubes, J Biomech 30(3) 273-276 (Mar 1997), 7A1547

Proc of the 1997 Bioengineering Conference, BED-Vol 35 (ASME, New York, 1997) 8N28

Flutter and long-wave instabilities in compliant channels conveying developing flows, J Fluid Mech 331 37-58 (Jan 1997), 8A1166

Mathematical modeling of the motion of hard contact lenses, European J Appl Math 7(6) 575-594 (Dec 1996), 8A1249

Solution of a contact lens problem, European J Appl Math 7(6) 595-602 (Dec 1996), 8A1250

Analysis of pulsatile flow in a model aortic bifurcation, Int J Eng Sci 35(4) 409-422 (Mar 1997), 8A1565

Finite element analysis of blood flow through biological tissue, Int J Eng Sci 35(4) 375-385 (Mar 1997), 8A1566

Thin liquid lining of a weakly curved cylindrical tube, J Fluid Mech 331 373-403 (Jan 1997), 8A1567

Engineering Fluid Dynamics: An Interdisciplinary Systems Approach (Cambridge UP, UK, 1997) 9R21

Active membrane model for peristaltic pumping - Part I: Periodic activation waves in an infinite tube, J Biomech Eng 119(1) 66-76 (Feb 1997), 9A1583

Analysis of oscillatory flow in consideration of a plasma layer in arterial stenoses, Appl Math Mech 17(12) 1127-1135 (Dec 1996), 9A1584

Effect of physiological factors on proximal flow convergence upstream of an incompetent valve: An in-vitro study, J Biomech Eng 119(1) 39-44 (Feb 1997), 9A1585

Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, J Biomech Eng 119(1) 13-19 (Feb 1997), 9A1586

In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, J Biomech Eng 119(1) 30-38 (Feb 1997), 9A1587

Inspiratory and expiratory steady flow analysis in a model symmetrically bifurcating airway, J Biomech Eng 119(1) 52-58 (Feb 1997), 9A1588

Investigation of stability of blood motion in viscoelastic blood vessels, Nonlinear World 3(4) 673-693 (1996), 9A1589

Kinematic and dynamic characteristics of pulsatile flows in stenotic vessels, J Eng Mech 123(3) 247-259 (Mar 1997), 9A1590

Numerical analysis of 3D Bjork-Shiley valvular flow in an aorta, J Biomech Eng 119(1) 45-51 (Feb 1997), 9A1591

Numerical modeling of steady inspiratory airflow through a three-generation model of the human central airways, J Biomech Eng 119(1) 59-65 (Feb 1997), 9A1596

Convective mass transfer at the carotid bifurcation, J Biomech 30(6) 565-571 (Jun 1997), 10A1543

Dual-camera DPIV for flow studies past artificial heart valves, Exp Fluids 22(6) 496-506 (Apr 1997), 10A1544

Estimation of parameters in a two-pool urea kinetic model for hemodialysis, Med Eng Phys 19(1) 69-76 (Jan 1997), 10A1545

Experimental investigation of pulsatile flows in tubes, J Biomech Eng 119(2) 213-216 (May 1997), 10A1546

Influence of the blunting of the apex on the flow in a vertebro-basilar junction model, J Biomech Eng 119(2) 195-205 (May 1997), 10A1547

Modeling of flow in a straight stented and nonstented side wall aneurysm model, J Biomech Eng 119(2) 206-212 (May 1997), 10A1548

Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, J Biomech Eng 119(2) 187-194 (May 1997), 10A1554

Simulations in Biomedicine IV (Comput Mech, UK, 1997) 11N40

Liquid ventilation: A mathematical model of gas diffusion in the premature lung, Med Eng Phys 19(2) 157-163 (Mar 1997), 11A1567

Multivariate time-variant AR method for the analysis of heart rate and arterial blood pressure, Med Eng Phys 19(2) 109-124 (Mar 1997), 11A1568

New method for assessment of changes in retinal blood flow, Med Eng Phys 19(2) 125-130 (Mar 1997), 11A1569

Experimental study of pulsatile flow in canine larynges, J Fluids Eng 117(4) 577-581 (Dec 1995), 11A1574

In vitro study on the effect of branch points on the stability of coronary artery flow, Med Eng Phys 19(2) 101-108 (Mar 1997), 11A1575

Numerical simulation of airflow in the human nasal cavity, J Biomech Eng 117(4) 429-441 (Nov 1995), 11A1576

Peristaltic pumping in a circular tube in the presence of an eccentric catheter, J Biomech Eng 117(4) 448-454 (Nov 1995), 11A1577

Reexamination of steady solutions of a collapsible channel conveying fluid, J Biomech Eng 117(4) 492-494 (Nov 1995), 11A1578

Separation surfaces for laminar flow in branching tubes: Effect of Reynolds number and geometry, J Biomech Eng 117(4) 442-447 (Nov 1995), 11A1579

Comparison of different methods for the determination of the true wave propagation coefficient, in rubber tubes and the canine thoracic aorta, Med Eng Phys 19(3) 212-222 (Apr 1997), 12A1553

Effects of frictional losses and pulsatile flow on the collapse of stenotic arteries, J Biomech Eng 119(3) 317-324 (Aug 1997), 12A1554

Evaluation of the proximal flow field to circular and noncircular orifices of different aspect ratios, J Biomech Eng 119(3) 349-356 (Aug 1997), 12A1555

Experimental study of steady and pulsatile flows in cerebral aneurysm model of various sizes at branching site, J Biomech Eng 119(3) 325-332 (Aug 1997), 12A1556

Gas dispersion in a model pulmonary bifurcation during oscillatory flow, J Biomech Eng 119(3) 309-316 (Aug 1997), 12A1557

Identification and physiological relevance of an exponentially tapered tube model of canine descending aortic circulation, Med Eng Phys 19(3) 201-211 (Apr 1997), 12A1558

Mathematical model of circulation in the presence of the bidirectional cavopulmonary anastomosis in children with a univentricular heart, Med Eng Phys 19(3) 223-234 (Apr 1997), 12A1559

Pulmonary airway reopening: Effects of non-Newtonian fluid viscosity, J Biomech Eng 119(3) 298-308 (Aug 1997), 12A1560

Wall shear rate distribution an abdominal aortic bifurcation model: Effects of vessel compliance and phase angle between pressure and flow waveforms, J Biomech Eng 119(3) 333-342 (Aug 1997), 12A1561

550K. Shock and vibration effects

New method for the biomechanics model of vibrating human body (Chinese), J Vib Eng 9(2) 209-212 (Jun 1996), 2A1464

Crank inertial load has little effect on steady-state pedaling coordination, J Biomech 29(12) 1559-1567 (Dec 1996), 5A1504

Effects of shock waves on living tissues: Numerical analysis of a propagating pressure wave toward living tissue, JSME Int J Ser B 39(4) 714-720 (Nov 1996), 7A1548

Energy absorption of vibration in the hand for higher frequencies, J Low Frequency Noise and Vib 15(2) 71-79 (1996), 9A1592

Temporary threshold shift of a vibratory sensation induced by hand-arm vibration composed of four one-third octave band vibrations, J Sound Vib 200(5) 631-642 (Mar 1997), 9A1593

Ergonomic aspects of development of means of contact vibration protection, J Low Frequency Noise and Vib 15(3) 131-136 (1996), 10A1549

550L. Heat transfer aspects

Advances in Heat and Mass Transfer in Biotechnology - 1996 (ASME, New York, 1996) 3N46

Nusselt number in heat transfer between multiple parallel blood vessels, J Biomech Eng 119(1) 127-129 (Feb 1997), 9A1594

Sensitivity analysis of 1D heat transfer in tissue with temperature-dependent perfusion, J Biomech Eng 119(1) 77-80 (Feb 1997), 9A1595

Numerical analysis of an extremity in a cold environment including countercurrent arterio-venous heat exchange, J Biomech Eng 119(2) 179-186 (May 1997), 10A1550

Analysis of thermal injury process based on enzyme deactivation mechanisms, J Biomech Eng 117(4) 462-465 (Nov 1995), 11A1580

550M. Biopropulsion

Dynamics and control of a biped walking robot with seven dof, J Dyn Syst Meas Control 118(4) 683-690 (Dec 1996), 6A412

Bioconvection in a suspension of phototactic algae, J Fluid Mech 327 343-371 (Nov 1996), 6A1541

Numerical analysis of unsteady flow in the Weis-Fogh mechanism by the 3D discrete vortex method with GRAPE3A, J Fluids Eng 119(1) 96-102 (Mar 1997), 9A1164

Nonlinear dynamic stability of normal and arthritic greyhounds, Nonlinear Dyn 12(3) 237-250 (Mar 1997), 10A1551

550P. Biomaterials

Mechanics of Poroelastic Media (Kluwer, MA, 1996) 1N29

Handbook of Biomaterial Properties (Chapman and Hall, UK, 1997) 3N47

Human Biomaterial Applications (Chapman and Hall, UK, 1996) 4N34

Simulation Modelling in Bioengineering (Comput Mech, Billerica MA, 1996) 5N31

Acoustic emission and nondestructive evaluation of biomaterials and tissues, Critical Rev Biomed Eng 23(3-4) 221-321 (1995), 5A1505

Thin Films and Surfaces for Bioactivity and Biomedical Applications (Mat Res Soc, Pittsburgh PA, 1996) 6N29

Modularity of Orthopedic Implants (ASTM, 1997) 10N32

Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, Bio-Med Mat Eng 7(1) 59-65 (1997), 11A1581

550Y. Computational techniques

ALE FE analysis of the opening and closing process of the artificial mechanical valve, Appl Math Mech 17(5) 403-412 (May 1996), 1A34

New system for 3D kinematic trajectory acquisition and analysis - I: The application of an ultrasonic technique to human gait analysis, Med Eng Phys 18(5) 420-426 (Jul 1996), 1A1454

New system for 3D kinematic trajectory acquisition and analysis - II: Digital orthogonal integration phase-detection technique, Med Eng Phys 18(5) 427-432 (Jul 1996), 1A1455

New axisymmetrical membrane element for anisotropic, finite strain analysis of arteries, Commun Numer Methods Eng 12(8) 507-517 (Aug 1996), 3A543

Closed-loop, estimator-based model of human posture following reduced gravity exposure, J Guidance Control Dyn 19(5) 1102-1108 (Sep-Oct 1996), 3A1516

Modeling biofilm processes using the immersed boundary method, J Comput Phys 129(1) 57-73 (Nov 1996), 5A1462

Pulsatile albumin transport in large arteries: A numerical simulation study, J Biomech Eng 118(4) 511-519 (Nov 1996), 5A1501

Endpoint error in smoothing and differentiating raw kinematic data: An evaluation of four popular methods, J Biomech 29(12) 1637-1642 (Dec 1996), 5A1506

Trend-detection algorithm for intraoperative EEG monitoring, Med Eng Phys 18(8) 626-631 (Dec 1996), 5A1507

Bifurcation analysis of brown tide by reaction-diffusion equation using FEM, J Comput Phys 131(2) 253-266 (Mar 1997), 8A1568

Modal analysis of whole-body vertical vibration, using a FE model of the human body, J Sound Vib 200(1) 83-103 (Feb 1997), 8A1569

Numerical analysis of unsteady flow in the Weis-Fogh mechanism by the 3D discrete vortex method with GRAPE3A, J Fluids Eng 119(1) 96-102 (Mar 1997), 9A1164

Numerical analysis of 3D Bjork-Shiley valvular flow in an aorta, J Biomech Eng 119(1) 45-51 (Feb 1997), 9A1591

Numerical modeling of steady inspiratory airflow through a three-generation model of the human central airways, J Biomech Eng 119(1) 59-65 (Feb 1997), 9A1596

Finite element solution for the anisotropic biphasic theory of tissue-equivalent mechanics: The effect of contact guidance on isometric cell traction measurement, J Biomech Eng 119(3) 261-268 (Aug 1997), 12A1551

Modeling the systematic uncertainty of photogrammetric tracking of human motion, J Dyn Syst Meas Control 119(2) 358-361 (Jun 1997), 12A1562

Neural network approach to electromyographic signal processing for a motor control task, J Dyn Syst Meas Control 119(2) 335-337 (Jun 1997), 12A1563

Numerical differentiation of tracking data of human motion: The virtual accelerometer, J Dyn Syst Meas Control 119(2) 355-358 (Jun 1997), 12A1564

550Z. Experimental techniques

New system for 3D kinematic trajectory acquisition and analysis - I: The application of an ultrasonic technique to human gait analysis, Med Eng Phys 18(5) 420-426 (Jul 1996), 1A1454

Cost-effective, accurate machine for testing the torsional strength of sheep long bones, Med Eng Phys 18(5) 433-435 (Jul 1996), 1A1463

Mechanical testing of isolated senile human eye lens nuclei, Med Eng Phys 18(5) 345-349 (Jul 1996), 1A1464

Monitoring of heart and respiratory rates by photoplethysmography using a digital filtering technique, Med Eng Phys 18(5) 365-372 (Jul 1996), 1A1465

Automated measurement of urinary cholinesterase activity, Lab Robotics Autom 8(3) 161-163 (1996), 2T1465

Energy transfer, fluorescence and scintillation processes in cerium-doped RE^{3+} + AlO, fast scintillators, Acta Phys Polonica A 90(1) 45-54 (Jul 1996), 2A1466

In vitro load measurement using an instrumented spinal fixation device, Med Eng Phys 18(6) 485-488 (Sep 1996), 2A1467

New in vitro measurement technique for small 3D joint motion and its application to the sacroiliac joint, Med Eng Phys 18(6) 495-501 (Sep 1996), 2A1468

Use of microtiter plates in the assay of urinary enzymes NAG and AAP: A useful time-and reagent-sparing procedure, Lab Robotics Autom 8(3) 157-160 (1996), 2T1469

Combined robotic-universal force sensor approach to determine *in situ* forces of knee ligaments, J Biomech 29(10) 1357-1360 (Oct 1996), 3A412

Comparative left-right mechanical testing of cancellous bone from normal femoral heads, J Biomech 29(10) 1247-1253 (Oct 1996), 3A1484

Classification of errors in locating a rigid body, J Biomech 29(9) 1213-1217 (Sep 1996), 3A1502

Closed-loop, estimator-based model of human posture following reduced gravity exposure, J Guidance Control Dyn 19(5) 1102-1108 (Sep-Oct 1996), 3A1516

Cross-sectional area measurement of soft tissue: A new casting method, J Biomech 29(9) 1207-1212 (Sep 1996), 3A1517

Design and development of an electromechanical ultrasound probe holder for urodynamics testing, J Biomech 29(10) 1361-1364 (Oct 1996), 3A1518

Improving the accuracy of instrumented spatial linkage system, J Biomech 29(10) 1383-1385 (Oct 1996), 3A1519

Method for measuring external loads during dynamic lifting exertions, J Biomech 29(9) 1219-1222 (Sep 1996), 3A1520

Ultrasound velocity measurement in long bones: Measurement method and simulation of ultrasound wave propagation, J Biomech 29(10) 1255-1262 (Oct 1996), 3A1521

Optical Measurement Methods in Biomechanics (Chapman and Hall, UK, 1996) 4N35

Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, J Biomech 29(11) 1483-1489 (Nov 1996), 4A1491

Characterizing 3D topography of engineering and biomaterial surfaces by confocal laser scanning and stylus techniques, Med Eng Phys 18(7) 548-556 (Oct 1996), 4A1493

Development of a low-cost video vector for the display of ground reaction forces during gait, Med Eng Phys 18(7) 591-595 (Oct 1996), 4A1494

New transducer system for direct motor unit force measurement, J Biomech 29(11) 1491-1496 (Nov 1996), 4A1495

Quantitative CT in the measurement of bone quantity and bone quality for assessing osteoporosis, Med Eng Phys 18(7) 557-568 (Oct 1996), 4A1496

Formalin fixation strongly influences biomechanical properties of the spine, J Biomech 29(12) 1629-1631 (Dec 1996), 5A1469

Analysis of flow acceleration during erythrocyte filtration: Dependence of hematocrit and cell rigidity, Biorheol 33(4-5) 379-395 (Jul-Oct 1996), 5A1495

Accuracy of magnetic resonance phase velocity measurements in stenotic flow, J Biomech **29**(12) 1665-1672 (Dec 1996), 5A1508

In-situ calibration of the implantable force transducer, J Biomech **29**(12) 1649-1652 (Dec 1996), 5A1509

Instrumented artificial spinal cord for human cervical pressure measurement, Bio-Med Mat Eng **6**(3) 219-229 (1996), 5A1510

New approach to mechanical testing and modeling of biological tissues, with application to blood vessels, J Biomech Eng **118**(4) 433-439 (Nov 1996), 5A1511

Newly designed oscillating viscometer for blood viscosity measurements, Biorheol **33**(4-5) 397-404 (Jul-Oct 1996), 5A1512

Noninvasive method for measuring the electrical properties of deep tissues using an open-ended coaxial probe, Med Eng Phys **18**(8) 641-646 (Dec 1996), 5A1513

Short-term canine implantation of a glucose monitoring-telemetry device, Med Eng Phys **18**(8) 632-640 (Dec 1996), 5A1514

Technique for the measurement of cadence using walkway vibrations, J Biomech **29**(12) 1643-1647 (Dec 1996), 5A1515

Ultrasonic technique for the measurement of the elastic moduli of human cornea, J Biomech **29**(12) 1633-1636 (Dec 1996), 5A1516

Dynamic foot investigations during gait (French), Rev Francaise Mec **0**(3) 215-220 (1996), 6A1542

Loads on an internal spinal fixation device during walking, J Biomech **30**(1) 41-47 (Jan 1997), 6A1543

Modern method of motion analysis: Application in normal and pathologic shoulder's abduction (French), Rev Francaise Mec **0**(3) 203-209 (1996), 6T1544

Ranking the fracture toughness of thin mammalian soft tissues using the scissors cutting test, J Biomech **30**(1) 91-94 (Jan 1997), 6A1545

Tracking markers with missing data by lower rank approximation, J Biomech **30**(1) 95-98 (Jan 1997), 6A1546

Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, J Biomech **30**(2) 185-188 (Feb 1997), 7A1549

Controled-release ergometer for the human ankle, J Biomech **30**(2) 203-206 (Feb 1997), 7A1550

Direct measurement of strain in the posterolateral bundle of the anterior cruciate ligament, J Biomech **30**(3) 281-283 (Mar 1997), 7A1551

Kinematic-freedom analysis of a flexed-knee-stance testing rig, J Biomech **30**(3) 277-280 (Mar 1997), 7A1552

Measurements of active myocardial tension under a wide range of physiological loading conditions, J Biomech **30**(2) 189-192 (Feb 1997), 7T1553

Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, J Biomech **30**(3) 285-289 (Mar 1997), 7A1554

Optical and mechanical determination of Poisson's ratio of adult bovine humeral articular cartilage, J Biomech **30**(3) 235-241 (Mar 1997), 7A1555

Spinal ligament transducer based on a Hall effect sensor, J Biomech **30**(3) 291-293 (Mar 1997), 7A1556

Blood analog for laser-induced photochemical anemometry, Biorheol **33**(6) 471-476 (Nov-Dec 1996), 8T1570

Blood flow measurement using a highly filled carbon polymer sandwich sensor and an elasto-pseudo compressible vascular flow, J Eng Med **210**(H4) 289-296 (1996), 8A1571

Fiber-optic laser-doppler anemometer microscope applied to the cerebral microcirculation in rats, Biorheol **33**(6) 463-470 (Nov-Dec 1996), 8A1572

Generation of 3D medical thermograms, Bio-Med Mat Eng **6**(6) 415-428 (1996), 9A814

In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, J Biomech Eng **119**(1) 30-38 (Feb 1997), 9A1587

Articular cartilage deformation under physiological cyclic loading: Apparatus and measurement technique, J Biomech **30**(4) 377-381 (Apr 1997), 9A1597

Hydro-resistive measurement of dynamic lifting strength, J Biomech **30**(4) 399-402 (Apr 1997), 9A1598

Low profile human tendon force transducer: The influence of tendon thickness on calibration, J Biomech **30**(4) 395-397 (Apr 1997), 9A1599

Observation on subsurface defects ultra high molecular weight polyethylene due to rolling contact, Bio-Med Mat Eng **6**(6) 441-451 (1996), 9A1603

Cybermouse: A simple method of describing the trajectory of the human mandible in three dimensions, J Biomech **30**(6) 643-645 (Jun 1997), 10A1524

Dual-camera DPIV for flow studies past artificial heart values, Exp Fluids **22**(6) 496-506 (Apr 1997), 10A1544

Automatic location of vertebrae in digitized video-fluoroscopic images of the lumbar spine, Med Eng Phys **19**(1) 77-89 (Jan 1997), 10A1552

Development and evaluation of an inexpensive sensor system for use in measuring relative finger positions, Med Eng Phys **19**(1) 1-6 (Jan 1997), 10A1553

Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, J Biomech Eng **119**(2) 187-194 (May 1997), 10A1554

Method suitable for *in vivo* measurement of bone strain in humans, J Biomech **30**(5) 521-524 (May 1997), 10A1555

Method to determine bone movement in the ankle joint complex *in vitro*, J Biomech **30**(5) 513-516 (May 1997), 10A1556

Wall shear rate measurements in an elastic curved artery model, Biorheol **34**(1) 1-17 (Jan-Feb 1997), 10A1557

Experimental study of pulsatile flow in canine larynges, J Fluids Eng **117**(4) 577-581 (Dec 1995), 11A1574

Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, Bio-Med Mat Eng **7**(1) 59-65 (1997), 11A1581

Cervical vertebral strain measurements under axial and eccentric loading, J Biomech Eng **117**(4) 474-478 (Nov 1995), 11A1582

Design and evaluation of a device for measuring 3D micromotions of press-fit femoral stem prostheses, Med Eng Phys **19**(2) 187-199 (Mar 1997), 11A1583

New load application system for in vitro study of ligamentous injuries to the human knee joint, J Biomech Eng **117**(4) 373-382 (Nov 1995), 11A1584

Six-dof test system for the study of joint mechanics and ligament forces, J Biomech Eng **117**(4) 383-389 (Nov 1995), 11A1585

Spatial resolution in plantar pressure measurement, Med Eng Phys **19**(2) 140-144 (Mar 1997), 11A1586

Technique for calibrating measurements from photographs of sliced specimens, J Biomech Eng **117**(4) 495-497 (Nov 1995), 11A1587

Comparison of different methods for the determination of the true wave propagation coefficient, in rubber tubes and the canine thoracic aorta, Med Eng Phys **19**(3) 212-222 (Apr 1997), 12A1553

Experimental study of steady and pulsatile flows in cerebral aneurysm model of various sizes at branching site, J Biomech Eng **119**(3) 325-332 (Aug 1997), 12A1556

Computer-controlled mechanical culture system for biological testing of articular cartilage explants, J Biomech **30**(8) 841-845 (Aug 1997), 12A1565

Data-logging system to monitor bone fracture movement continuously, Med Eng Phys **19**(3) 286-290 (Apr 1997), 12T1566

Detection of cardiac late potentials in nonstationary noise, Med Eng Phys **19**(3) 291-298 (Apr 1997), 12A1567

Inertial loading of the human cervical spine, J Biomech Eng **119**(3) 237-240 (Aug 1997), 12A1568

LDA measurements of velocities in a simulated collapsed tube, J Biomech Eng **119**(3) 357-363 (Aug 1997), 12A1569

Leg cycling tracking by dynamic vision, J Biomech **30**(8) 837-840 (Aug 1997), 12A1570

Optimal digital filtering requires a different cut-off frequency strategy for the determination of the higher derivatives, J Biomech **30**(8) 851-855 (Aug 1997), 12A1571

Technique for measuring the compressive modulus of articular cartilage under physiological loading rates with preliminary results, J Eng Med **211**(H2) 155-165 (1997), 12A1572

Ultrasonic wave velocity measurement in small polymeric and cortical bone specimens, J Biomech Eng **119**(3) 232-236 (Aug 1997), 12A1573

552. HUMAN FACTORS, REHABILITATION, SPORTS

552B. Human factors, ergonomics, man-machine interface

Clinical analysis of a CAD-CAM system for custom seating: A comparison with hand-sculpting methods, J Rehab Res Dev **33**(3) 311-320 (Jul 1996), 1A1466

Comparison of three vibrators in static posturography: The effect of vibration amplitude on body sway, Med Eng Phys **18**(5) 405-409 (Jul 1996), 1T1467

Development of man-machine cooperative production system, Int J Japan Soc Precision Eng **30**(1) 12-15 (Mar 1996), 1A1468

Development of test methodologies for determining the safety of wheelchair headrest systems during vehicle transport, J Rehab Res Dev **33**(3) 290-304 (Jul 1996), 1A1469

Model prediction of vibration effects on human subject seated on various cushions, Med Eng Phys **18**(5) 350-358 (Jul 1996), 1A1470

Shoulder belt anchor location influences on wheelchair occupant crash protection, J Rehab Res Dev **33**(3) 279-289 (Jul 1996), 1A1471

Acrobatic works: Computation of shock forces on belaying ropes (French), Rev Francaise Mec **0**(2) 141-150 (1996), 2A1470

Parametric study of a side airbag system to meet defloction based criteria, J Biomech Eng **118**(3) 412-419 (Aug 1996), 2A1471

Skill learning in manual machine tool operation: Development of new virtual lathe and study on minute grooving by using it (Japanese), J Japan Soc Precision Eng **62**(7) 999-1003 (Jul 1996), 2A1472

Theoretical model to analyze the collision of an automobile vehicle, Int J Vehicle Des **17**(4) 415-429 (1996), 3A388

Optimum design of a steering column to minimize the injury of a passenger, Int J Vehicle Des **17**(4) 398-414 (1996), 3A909

Determination of the vibration comfort of vehicles by means of simulation and measurement, European J Mech Eng **41**(3) 137-143 (1996), 4A1497

Calibration of measured center of pressure of a new stairway design for kinetic analysis of stair climbing, J Biomech **29**(12) 1625-1628 (Dec 1996), 5A1478

Technique for the measurement of cadence using walkway vibrations, J Biomech **29**(12) 1643-1647 (Dec 1996), 5A1515

Role of strength in rising from a chair in the functionally impaired elderly, J Biomech **29**(12) 1509-1513 (Dec 1996), 5A1517

Sensory evaluation of past design cases and design candidates for conceptual structural design, JSME Int J Ser C **39**(3) 645-651 (Sep 1996), 5A1518

Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, JSME Int J Ser C **39**(4) 721-727 (Dec 1996), 7A1557

Improved design of vehicle seat, European J Mech Eng **41**(4) 227-230 (1996), 7A1558

Dynamics of the upper limb during performance of the tasks of everyday living: A review of the current knowledge base, J Eng Med **210**(H4) 241-247 (1996), 8A1560

Biomechanics of hip protectors, J Eng Med **210**(H4) 259-266 (1996), 8A1573

Safety control system for the erection of steel bridges (Japanese), Proc JSCE **553**(VI-33) 65-72 (Dec 1996), 8T1574

Study on evaluation unit of blasting vibration based on effects on people (Japanese), Proc JSCE **553**(VI-33) 171-185 (Dec 1996), 8A1575

Running safety of railway vehicle on oscillating track using a mechanical model with vertical wheel flanges (Japanese), Proc JSCE **556**(I-38) 169-178 (Jan 1997), 9A164

Energy absorption of vibration in the hand for higher frequencies, J Low Frequency Noise and Vib **15**(2) 71-79 (1996), 9A1592

Hydro-resistive measurement of dynamic lifting strength, J Biomech **30**(4) 399-402 (Apr 1997), 9A1598

Electromechanical ski release binding with mechanical backup, J Mech Des **119**(1) 145-148 (Mar 1997), 9A1600

Development and evaluation of an inexpensive sensor system for use in measuring relative finger positions, Med Eng Phys **19**(1) 1-6 (Jan 1997), 10A1553

Biomechanics of low back injury: Implications on current practice in industry and the clinic, J Biomech **30**(5) 465-475 (May 1997), 10A1558

Development of standards for orthopaedic implants, J Eng Med **211**(H1) 119-126 (1997), 10A1559

Effect of insoles in therapeutic footwear: A FE approach, J Biomech **30**(6) 615-620 (Jun 1997), 10A1560

Neural adaptations with chronic physical activity, J Biomech **30**(5) 447-455 (May 1997), 10A1561

Display of feel for the manipulation of dynamic virtual objects, J Dyn Syst Meas Control **117**(4) 554-558 (Dec 1995), 11A1588

Energy-shunting hip padding system attenuates femoral impact force in a simulated fall, J Biomech Eng **117**(4) 409-413 (Nov 1995), 11A1589

Tennis racket shock mitigation experiments, J Biomech Eng **117**(4) 479-484 (Nov 1995), 11A1590

Study on advanced man-machine interface system for autonomous nuclear power plants, Papers Ship Res Inst **33**(5) 1-44 (1996), 12A1418

Influence of tires on the dynamic behavior of a lawn mower, J Terramech **33**(4) 195-208 (Jul 1996), 12A1574

552F. Rehabilitation devices and controls

Friction materials with structure simulating human cartilage, J Friction Wear **16**(3) 79-83 (1995), 1A1447

Current topics on medical and rehabilitation engineering (Japanese), J Japan Soc Precision Eng **62**(6) 800-804 (Jun 1996), 1T1472

Design of a 3D surface scanner for lower limb prosthetics: A technical note, J Rehab Res Dev **33**(3) 267-278 (Jul 1996), 1A1473

Electronic device to measure drive and recovery phases during wheelchair propulsion: A technical note, J Rehab Res Dev **33**(3) 305-310 (Jul 1996), 1A1474

Parametric analysis using the FEM to investigate prosthetic interface stresses for persons with transtibial amputation, J Rehab Res Dev **33**(3) 227-238 (Jul 1996), 1A1475

Review of prosthetic interface stress investigations, J Rehab Res Dev **33**(3) 253-266 (Jul 1996), 1A1476

Conformity of a soft contact lens on the eye, J Biomech Eng **118**(3) 341-348 (Aug 1996), 2A1473

Contact analysis of ultrahigh molecular weight polyethylene articular plate in artificial knee joint during gait movement, J Biomech Eng **118**(3) 377-386 (Aug 1996), 2A1474

Device for the measurement of pedicle screw moments by means of internal strain gauges, J Biomech Eng **118**(3) 423-425 (Aug 1996), 2A1475

Dynamic analysis and geometry models for the design of bi-leaflet prosthetic mechanical heart valves, Med Eng Phys **18**(6) 463-476 (Sep 1996), 2A1476

Factors affecting the pullout strength of cancellous bone screws, J Biomech Eng **118**(3) 391-398 (Aug 1996), 2A1477

Integrated design of mechanical bi-leaflet prosthetic heart valves, Med Eng Phys **18**(6) 452-462 (Sep 1996), 2A1478

Model of fatigue and recovery in paraplegic's quadriceps muscle subjected to intermittent FES, J Biomech Eng **118**(3) 357-366 (Aug 1996), 2A1479

Hip replacement, J Eng Med **210**(H3) 141-232 (1996), 4A1498

Vibration analysis in the detection of total hip prosthetic loosening, Med Eng Phys **18**(7) 596-600 (Oct 1996), 4A1499

Quantifying the kinematics of natural and prosthetic knee flexion, Med Eng Phys **18**(8) 655-661 (Dec 1996), 5A1481

Analysis of crack propagation paths at implant and bone-cement interfaces, J Biomech Eng **118**(4) 579-585 (Nov 1996), 5A1519

Cellular basis for failure of joint prosthesis, Bio-Med Mat Eng **6**(3) 165-172 (1996), 5T1520

Design and assessment of an adaptive intermittent cervical traction modality with EMG biofeedback, J Biomech Eng **118**(4) 597-600 (Nov 1996), 5A1521

Method for shape optimization of a hip prosthesis to maximize the fatigue life of the cement, Med Eng Phys **18**(8) 647-654 (Dec 1996), 5A1522

Reinforcement of bone cement around the femoral prosthesis tip by pre-coated wire coil: A human cadaver bone study, Bio-Med Mat Eng **6**(3) 159-164 (1996), 5A1523

Shape optimization of a Charnley prosthesis based on the fatigue notch factor, Bio-Med Mat Eng **6**(3) 199-217 (1996), 5A1524

Subsidence of THA sterns due to acrylic cement creep is extremely sensitive to interface friction, J Biomech **29**(12) 1569-1575 (Dec 1996), 5A1525

Knee simulating machine for performance evaluation of total knee replacements, J Biomech **30**(1) 83-89 (Jan 1997), 6A1547

Medical applications of shape memory alloys, Bio-Med Mat Eng **6**(4) 233-312 (1996), 6A1548

Tractive forces during rolling motion of the knee: Implications for wear in total knee replacement, J Biomech **30**(2) 131-137 (Feb 1997), 7A1536

Analysis of cementless implants using interface nonlinear friction: Experimental and FE studies, J Biomech **30**(2) 121-129 (Feb 1997), 7A1559

Telemetry of forces from proximal femoral replacements and relevance to fixation, J Biomech **30**(3) 225-234 (Mar 1997), 7A1560

Analysis of a vertical compliance prosthetic foot, J Rehab Res Dev **34**(1) 52-57 (Jan 1997), 8A1576

Finite element stress analysis of a new design of synthetic leaflet heart valve, J Eng Med **210**(H4) 267-272 (1996), 8A1577

Influence of open leaflet geometry on the haemodynamic flow characteristics of polyurethane trileaflet artificial heart valves, J Eng Med **210**(H4) 273-287 (1996), 8T1578

Deformation of small diameter solid tibial nails with unreamed intramedullary insertion, J Biomech **30**(4) 391-394 (Apr 1997), 9A1601

Fatigue properties and stem subsidence in wire coil reinforced PMMA bone cement: A preliminary *in*

vitro study, Bio-Med Mat Eng **6**(6) 453-462 (1996), 9A1602
Observation on subsurface defects ultra high molecular weight polyethylene due to rolling contact, Bio-Med Mat Eng **6**(6) 441-451 (1996), 9A1603
Reinforcement of PMMA bone cement with a continuous wire coil: A 3D FE study, Bio-Med Mat Eng **6**(6) 429-439 (1996), 9A1604
Tensile strength of the cement-bone interface depends on the amount of bone interdigitated with PMMA cement, J Biomech **30**(4) 339-346 (Apr 1997), 9A1605
Application of numerical descriptors to the characterization of wear particles obtained from joint replacements, J Eng Med **211**(H1) 1-10 (1997), 10A973
Clinical wear behavior of ultra-high molecular weight polyethylene cups paired with metal and ceramic ball heads in comparison to metal-on-metal pairings of hip replacements, J Eng Med **211**(H1) 73-88 (1997), 10T974
Frictional heating of bearing materials tested in a hip joint wear simulator, J Eng Med **211**(H1) 101-108 (1997), 10T976
Role of polyethylene wear in joint replacement failure, J Eng Med **211**(H1) 65-72 (1997), 10A978
Size and shape of particulate polyethylene wear debris in total joint replacements, J Eng Med **211**(H1) 11-15 (1997), 10A979
Wear of ultra-high molecular weight polyethylene sliding on metallic and ceramic counterfaces representative of current femoral surfaces in joint replacement, J Eng Med **211**(H1) 17-24 (1997), 10A983
Development of a six station knee wear simulator and preliminary wear results, J Eng Med **211**(H1) 37-47 (1997), 10A991
Biomechanics of knee ligament healing, repair, and reconstruction, J Biomech **30**(5) 431-439 (May 1997), 10A1513
Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, J Eng Med **211**(H1) 89-99 (1997), 10T1527
Biophysical stimuli on cells during tissue differentiation at implant interfaces, J Biomech **30**(6) 539-548 (Jun 1997), 10A1540
Effect of insoles in therapeutic footwear: A FE approach, J Biomech **30**(6) 615-620 (Jun 1997), 10A1560
Charnley wear model for validation of hip simulators - ball diameter versus polytetrafluorocthylene and polyethylene wear, J Eng Med **211**(H1) 25-36 (1997), 10A1562
Comparison between two techniques for modeling interface conditions in a porous coated hip endoprosthesis, Med Eng Phys **19**(1) 50-62 (Jan 1997), 10A1563
Experimental device for investigating the force and power requirements of a powered gait orthosis, J Rehab Res Dev **34**(2) 203-213 (Apr 1997), 10A1564
Generic, geometric FE analysis of the transtibial residual limb and prosthetic socket, J Rehab Res Dev **34**(2) 171-186 (Apr 1997), 10A1565
Mathematical optimization of elastic properties: Application to cementless hip stem design, J Biomech Eng **119**(2) 166-174 (May 1997), 10A1566
Methods for determining 3D wheelchair pushrim forces and moments: A technical note, J Rehab Res Dev **34**(2) 162-170 (Apr 1997), 10A1567
Modeling the tensile behavior of the cement-bone interface using nonlinear fracture mechanics, J Biomech Eng **119**(2) 175-178 (May 1997), 10A1568
Modular six-directional force sensor for prosthetic assessment: A technical note, J Rehab Res Dev **34**(2) 195-202 (Apr 1997), 10A1569
Pathogenesis of osteolysis in two different cementless hip replacements, J Eng Med **211**(H1) 59-63 (1997), 10A1570
Relationship between bone-prosthesis bonding and load transfer in total hip reconstruction, J Biomech **30**(6) 621-630 (Jun 1997), 10A1571
Role of backside polishing, cup angle, and polyethylene thickness on the contact stresses in metal-backed acetabular components, J Biomech **30**(6) 639-642 (Jun 1997), 10A1572
Design and evaluation of a device for measuring 3D micromotions of press-fit femoral stem prostheses, Med Eng Phys **19**(2) 187-199 (Mar 1997), 11A1583
Experimental evaluation of ender nailing as a femoral intertrochanteric and subtrochanteric fracture fixation technique, Exp Tech **21**(3) 28-32 (May-Jun 1997), 11T1591
Scoliosis correction device based on memory metal, Med Eng Phys **19**(2) 171-179 (Mar 1997), 11T1592
Automated method for assessing routine radiographs of patients with total hip replacements, J Eng Med **211**(H2) 145-154 (1997), 12A1575
Biological reaction to debris in relation to joint prostheses, J Eng Med **211**(H2) 187-197 (1997), 12A1576
Dynamic contact stress and rolling resistance model for total knee arthroplasties, J Biomech Eng **119**(3) 254-260 (Aug 1997), 12A1577
Effects of cement-stem debonding in THA on the long-term failure probability of cement, J Biomech **30**(8) 795-802 (Aug 1997), 12A1578
Influence of the stem-cement interface in total hip replacement: A comparison of experimental and FE approaches, J Eng Med **211**(H2) 181-186 (1997), 12A1579
Numerical investigation of the mechanics of swelling-type intramedullary hip implants, J Biomech Eng **119**(3) 241-247 (Aug 1997), 12A1580
Predictive value of stress shielding for Quantification of adaptive bone resorption around hip replacements, J Biomech Eng **119**(3) 228-231 (Aug 1997), 12A1581
Protocol to evaluate semi-rigid podicle screw systems, J Biomech Eng **119**(3) 364-366 (Aug 1997), 12A1582
Stump-socket interface pressure as an aid to socket design in prostheses for trans-femoral amputees: A preliminary study, J Eng Med **211**(H2) 167-180 (1997), 12A1583
Technological aspects of minimal access surgery, J Eng Med **211**(H2) 129-144 (1997), 12T1584
Three-dimensional study of the effect of two leaflet opening angles on the time-dependent flow through a bileaflet mechanical heart valve, Med Eng Phys **19**(3) 235-241 (Apr 1997), 12A1585

552K. Sports mechanics

Skiing Trauma and Safety, Tenth Volume (ASTM, 1996) 1N53
Physics of Skiing: Skiing at the Triple Point (AIP, Woodbury, NY, 1996) 4R33
Determining the central principal inertial dyadic of a golf club head, Exp Tech **20**(5) 13-17 (Sep-Oct 1996), 4T93
Friction performance of sports luges and bobsleds sliding along ice track, J Friction Wear **17**(1) 29-36 (1996), 5T1526
Mechanics of Sport: A Practitioner's Guide (Human Kinetics, IL, 1997) 6R28
Biomechanics of fast bowling in men's cricket: A review, J Sports Sci **14**(5) 403-424 (Oct 1996), 6A1549
Search of invariant athletic behavior in sport: An example from championship squash match-play, J Sports Sci **14**(5) 445-456 (Oct 1996), 6T1550
Development of six axis force sensor for javelin throw, Int J Japan Soc Precision Eng **30**(3) 276-277 (Sep 1996), 7T1561
Influence of pole length and stiffness on the energy conversion in pole-vaulting, J Biomech **30**(3) 259-264 (Mar 1997), 7A1562
Skiing Trauma and Safety, 11th Volume (ASTM, 1997) 10N33
Movement analysis of the Alpineski and the skiing robot (Japanese), J Japan Soc Precision Eng **63**(4) 487-490 (Apr 1997), 10T532
Current issues in the mechanics of athletic activities: A position paper, J Biomech **30**(5) 477-486 (May 1997), 10A1573
Hitting device for sport and precision engineering (Japanese), J Japan Soc Precision Eng **63**(4) 471-474 (Apr 1997), 10T1574
Motion analysis of ski-jumping (Japanese), J Japan Soc Precision Eng **63**(4) 491-494 (Apr 1997), 10T1575
Muscle coordination of maximum-speed pedaling, J Biomech **30**(6) 595-602 (Jun 1997), 10A1576
Pedal and knee loads using a multi-dof pedal platform in cycling, J Biomech **30**(5) 505-511 (May 1997), 10A1577
Performance improvements of rowing shells (Japanese), J Japan Soc Precision Eng **63**(4) 466-470 (Apr 1997), 10T1578
Precise measurement concerning a sprint race (Japanese), J Japan Soc Precision Eng **63**(4) 479-482 (Apr 1997), 10T1579
Precision engineering for sports (Japanese), J Japan Soc Precision Eng **63**(4) 455-459 (Apr 1997), 10T1580
Quantitative analysis in a sense of catching water for competitive swimmer (Japanese), J Japan Soc Precision Eng **63**(4) 495-498 (Apr 1997), 10T1581
Spiked shoe for the fastest run (Japanese), J Japan Soc Precision Eng **63**(4) 460-465 (Apr 1997), 10T1582
Sports timing (Japanese), J Japan Soc Precision Eng **63**(4) 475-478 (Apr 1997), 10T1583
Velocity maximization in downhill skiing, J Biomech **30**(5) 525-529 (May 1997), 10A1584
Safety in Baseball/Softball (ASTM, 1997) 11N39

X. GENERAL & MISCELLANEOUS

AIAA-ASME-ASCE-AHS-ASC Structures, Structural Dynamics, and Materials Conference Proceedings (AIAA, MD, 1996) 1N54
Engineering Mechanics, Second Edition: 2 Volume Set (Wiley, New York, 1996) 1N55
Marks' Standard Handbook for Mechanical Engineers, Tenth Edition (McGraw-Hill, New York, 1996) 1N56
Encyclopedia of Mathematics (Kluwer, MA, 1995) 2R49
Atlas of Visualization, II (CRC Press, Boca Raton FL, 1996) 2N50
Engineering Mechanics: Statics, 4th Edition (Wiley, New York, 1996) 2N51
Physical Properties of Polymers Handbook (AIP, Woodbury, NY, 1996) 2N52
Handbook of Physical Quantities (CRC Press, Boca Raton FL, 1996) 3N48
Metals and Alloys in the Unified Numbering System, 7th Edition (ASTM, 1996) 3N49
Materials Properties Handbook: Stainless Steels (ASM Int, Materials Park OH, 1996) 5N32
ICIAM-GAMM 95: Applied Sciences, Especially Mechanics: Minisymposia Contributions, Hamburg, July 1995 (Akademie-Verlag, Berlin, Germany, 1996) 6N30
ICIAM-GAMM 95: Applied Sciences, Especially Mechanics: Contributed Lecture and Poster Presentations, Hamburg, July 1995 (Akademie-Verlag, Berlin, Germany, 1996) 6N31
ASM Specialty Handbook: Heat-Resistant Metals (ASM Int, Materials Park OH, 1997) 8N29
Directory of American Research and Technology™ 1998 (R R Bowker, New York, 1997) 8N30
Directory of European Research and Development 1997 (R R Bowker, New York, 1996) 8N31
This Gifted Age: Science and Technology at the Millennium (AIP, Woodbury, NY, 1997) 8N32
Linear Ordinary Differential Equations (SIAM, Phila, PA, 1997) 9N31
Partial Differential Equation Methods in Control and Shape Analysis (Marcel Dekker, New York, 1997) 9N32
Standard for Use of the International System of Units (SI): The Modern Metric System (ASTM, 1997) 10N34
Compendium of Nonlinear Ordinary Differential Equations (Wiley, New York, 1997) 11R41
Scientific Unit Conversion (Springer-Verlag, New York, 1997) 11N42

AMR AUTHOR INDEX FOR VOLUME 50 (1997)

References to AMR (at the end of each entry) are coded in the form nLm, where n is an integer which gives the AMR issue number (1 for Jan, 2 for Feb, etc), L is a letter (R, N, A, or T), and m is the sequence number of the item within the issue. If L = R or N, the item is in the BOOK REVIEWS section with R indicating a signed Review and N a staff-prepared Note. If L = A or T, the item is in the REVIEW OF THE JOURNAL LITERATURE section with A indicating that an abstract is given and T that only the title of the article is given. Under each author's name the entries are listed alphabetically by title.

A

A-MUNOYERRO, MA: Directional wave navigation radar measurements compared with pitch-roll buoy data, 8A1504

AARSETH, SJ: Slow-down treatment for close binaries, 7A239

ABAD, A: Normalization of perturbed nonlinear Hamiltonian oscillators, 8A101

ABADJIEV, V: Testing of the kinematic conjugation of the flanks active surfaces of gear-pairs of type spiroid, 8A956

ABALDE, JR: Hamiltonian chaos in two coupled three-wave parametric interactions with quadratic nonlinearity, 7A100

ABALTUSOV, VE: Experimental study of heat and mass transfer between high-temperature heterogeneous jets and surface, 1A1050

ABANTERIBA, S: Tribological behavior of yttria-stabilized zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 7A892

ABBAS, SH: Theoretical cost of sequential and parallel algorithms for solving linear systems of equations, 9A81

ABBES, B: Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, 3A643

- Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, 11A622

ABBEY, TM: Effect of pollutant oscillations on oil spreading on the sea, 12A1525

ABBITT, JD: Remote surface pressure measurement technique for rotating elements, 10T1255

ABBOTT, MB: Range of tidal flow modeling, 9T13

- Evolution of equations from hydraulic data - Part I: Theory, 11A935
- Evolution of equations from hydraulic data - Part II: Applications, 11A936

ABBOUD, S: Simulation of cardiac activity and the ECG using a heart model with a reaction-diffusion action potential, 5A1490

ABD ALLAH, MH: Effect of mean stress on fatigue behavior of GFRP pultruded rod composites, 7A655

ABD EL-AAL, RMS: Multi-objective mathematical model to optimize the configuration of a facility layout, 12A455

ABD EL-AZIM, ME: Effect of dynamic strain ageing on the deformation behavior of Incoloy alloy MA956, 12A850

ABD EL-HAMEED, HM: Solar-assisted R22 and R134a heat pump systems for low-temperature applications, 9A1541

ABD EL-RAZAK, MM: Behavior investigation of concrete slabs subjected to high temperatures, 2A787

ABD-ALLA, AN: Dispersion of radial vibrations of an orthotropic cylindrical tube placed in a magnetic field, 12A667

ABD-ALLAH, NM: Low-cycle fatigue in rotating cantilever under bending - I: Theoretical analysis, 3A668

- Low-cycle fatigue in rotating cantilever under bending II: Experimental investigations on smooth specimens, 7A678

ABD-ELAAL, MZ: State space approach to viscoelastic fluid flow of hydromagnetic fluctuating boundary layer through a porous medium, 10A1451

ABDA, AB: Identification of planar cracks by complete overdetermined data: Inversion formulae, 4A774

ABDALLAH, MG: Strain measurement in the wavy-ply region of an externally pressurized cross-ply composite ring, 1A548

ABDALLAH, S: Dilation-free solutions for the incompressible flow equations on nonstaggered grids, 9T1026

ABDEL WAHAB, MM: Fracture mechanics approach for designing an adhesive joint for glass fiber-reinforced pipes, 11A703

ABDEL-AZIZ, MR: Convergence of zero-finding eigensolution algorithms for solving nonlinear eigenvalue problems, 10A108

ABDEL-KHALIK, SI: Surface concentration measurement of a spreading monolayer film using a displacement current technique, 1A1148

- Critical heat flux correlation for droplet impact cooling, 8A1319

ABDEL-MALEK, K: Criterion for the locality of a manipulator arm with respect to an operating point, 2A356

- Analytical boundary of the workspace for general 3-dof mechanisms, 10A524

ABDEL-RAHMAN, AA: Experimental investigation on varying the compression ratio of SI engine working under different ethanol-gasoline fuel blends, 7A1430

ABDEL-SALAM, MS: Experimental study of heat transfer from the rear and front of blunt moving bodies, 9A1014

ABDELAZIZ, MN: Evaluation of the energy parameter J on rubber-like materials: Comparison between experimental and numerical results, 6A808

ABDELLA, K: Parameterization of the surface-layer exchange coefficients for atmospheric models, 6T1488

ABDELNOUR, R: Mechanical properties of first-year sea ice at Tarsiut Island, 9A1552

ABDELRAAOUF, AM: Suboptimal control design of active and passive suspensions based on a full car model, 3A386

ABDELRAHMAN, WG: Analysis of composite swept wing structures, 12A197

ABDESAKEN, F: Mixing in distribution system storage tanks: Its effect on water quality, 3T1475

ABDIN, EM: Effect of mean stress on fatigue behavior of GFRP pultruded rod composites, 7A655

ABDOU, A: Spatial information of sound fields for room-acoustics evaluation and diagnosis, 5A259

- Directional accuracy of transient sound employing an intensity probe, 10A404

ABDUL WALI, AA: Analytical model for the analysis of composite beams with partial interaction, 7A505

ABDUL-LATIF, A: Micromechanical modeling of low cycle fatigue under complex loadings - Part I: Theoretical formulation, 7A679

- Constitutive equations for cyclic plasticity of Waspaloy, 7A443
- Micromechanical modeling of low cycle fatigue under complex loadings - Part II: Applications, 7A680

ABDULAEV, FY: Oscillations in tubular systems with mobile masses (Russian), 12A154

ABDULLA, WA: Modeling of sinkholes in weakly cemented sand, 6A643

ABDULLAH, S: Finite element formulation for filling a thin section cavity, 11A963

ABDULWAHAB, F: Superconvergent patch recovery in problems of mixed form, 9A42

ABE, F: Fundamental study of laser rapid prototyping of metallic parts, 7T391

ABE, H: Crack growth of carburized materials due to thermal striping in sodium, 5A575

- Ground re-liquefaction in historical earthquakes in the Tokyo lowland (Japanese), 8A651
- Liquefaction shaking table tests for sandy ground with embankment, 8A640

ABE, K: R-adaptive BEM for unsteady free-surface flow analysis, 2A226

- Two-equation heat transfer model reflecting second-moment closures for wall and free turbulent flows, 2A1042
- Spring constants of distinct element in continuum analysis (Japanese), 3A5
- Reynolds-stress expressions and near-wall scaling parameters for predicting wall and homogeneous turbulent shear flows, 10A1193

ABE, M: Effects of multiple secondary paths on convergence properties in active noise control systems with LMS algorithm, 2A286

- Study for evaluation of compacted density of granular materials (Japanese), 2A550
- Rule-based control algorithm for active tuned mass dampers, 3A759
- Tuned mass dampers for structures with bilinear hysteresis, 3A189
- Semi-active dynamic vibration absorbers for controlling transient response, 6A873
- Study on the statical behavior and applicability of precast slab joints (Japanese), 8A915
- Ductile grinding of glass-ceramics with bronze-bonded diamond wheels (Japanese), 10T742
- Optimal allocation of earthquake-induced damage for elevated highway bridges (Japanese), 11A1490

ABE, N: Turbulent near-wakes of periodic array of square blocks on a plate, 2A1045

ABE, S: Elastic-plastic impact response analysis and impact resistant design of steel pipe check dam (Japanese), 6A1434

- Ultrasonic evaluation of the bonding strength of dissimilar metal bonds, 9A807

ABE, T: Tensile deformation behavior of rubber composite plate (Japanese), 1A540

- Control of liquid bridging induced stiction of micromechanical structures, 2A328
- Shock-tube and modeling study of acetylene pyrolysis and oxidation, 5A1356
- Elastic-plastic FE analysis technique coupled with equivalent inclusion method (Japanese), 9A16
- Mechanical properties of rock at high temperatures (Japanese), 10T720

ABE, Y: Time domain backcalculation of pavement structure by using matrix reduction (Chinese), 10A712

ABED, KA: Performance characteristics of impulse type turbine stage groups, 4A1141

ABEDIAN, A: Influence of the free surface on the thermal stresses in unidirectional composites, 11A1376

ABEL, A: Evaluation of low cycle fatigue under non-proportional loading, 5A604

- Two-surface model describing ratchetting behaviors and transient hardening under nonproportional loading, 8A518

ABEL, JF: Evaluation of automatic domain partitioning algorithms for parallel FE analysis, 9A33

ABELES COUILLARD, RA: Bending fatigue of carbon-fiber-reinforced epoxy composite strands, 9A697

ABELLAN, M-A: Generalized approach to heterogeneous media, 6A1375

ABEN, H: Photoelastic tomography for 3D flow birefringence studies, 10A1271

ABENAVOLI, RI: Nondimensional Schmidt analysis for optimal design of Stirling engines, 11A1430

ABENDROTH, RE: Epoxy-coated and uncoated strand transfer lengths for PC panels, 11A793

ABERCROMBIE, RE: Near-surface attentuation and site effects from comparison of surface and deep borehole recording, 12T1455

ABERGEL, F: Existence of smooth, stationary interfaces for Marangoni-type flow, 3T993

ABERNATHY, E: Effects of material and manufacturing variations on dimensionally stable composite structure, 9A518

ABERS, GA: M_w = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - I: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, 12T1453

ABHARI, RS: Navier-Stokes analysis of airfoils in oscillating transonic cascades for the prediction of aerodynamic damping, 8A1179

- Impact of rotor-stator interaction on turbine blade film cooling, 11A1251

ABIB, AH: Generation of stable thermal stratification in a partially enclosed space due to a room fire, 7A1247

- Turbulent penetrative and recirculating flow in a compartment fire, 11A1239

ABID, C: Potentiality of instability of a thermal system containing two temperatures of reference (French), 7A1255

ABID, R: Prediction of aerodynamic flows with a new explicit algebraic stress model, 6T1193

- Effect of localized cooling on laminar flow, 6A1098

ABIN, A: Stochastic analysis of multiphase flow in porous media - II: numerical simulations, 3T1350

ABLES, DC: Role of end-effects on measurements of extensional viscosity in filament stretching rheometers, 1A957

ABLETT, S: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193

ABLOWITZ, MJ: Numerical solution of the sine-Gordon equation - I: Integrable discretizations and homoclinic manifolds, 1A251

ABOLFADL, M: Experimental and numerical study of the flow field in a multi-turning variable area duct, 11A1046

ABOM, M: Characterization of fluid machines as acoustic multi-port sources, 4A278

- General formalism for analzying acoustic 2-port networks, 11A262

ABOU-ELLAIL, MMM: Experimental study of heat transfer from the rear and front of blunt moving bodies, 9A1014

ABOU-ELNASR, R: Synthesis of a multi-step cam mechanism to drive a shaking belt conveyor, 1A902

ABOU-ZIYAN, HZ: Solar-assisted R22 and R134a heat pump systems for low-temperature applications, 9A1541

ABOUDI, J: Probabilistic micromechanics model for damaged composites, 4A725

- Micro-macro model for the effects of thermo-mechanical fields on optical fibers embedded in a laminated composite plate with applications to sensing, 6A588
- Thermoplasticity theory for bidirectionally functionally graded materials, 6A1302
- Response of shape memory alloy composites, 8A532

ABOUELSOUD, AA: Output regulation for flexible-joint manipulators using partial state measurement, 5A342

- Robust PID regulator for robots yielding constant torque disturbance rejection, 11A336

ABOUL WAFA, MN: Combined bending and torsional fatigue of woven roving GRP, 10A764

ABOUSEEDA, H: Response of earth dams to P and SV waves using coupled FE-BE formulation, 4A1408

ABOUSLEIMAN, Y: Poroviscoelastic analysis of borehole and cylinder problems, 6A666

- Thermoporoelastic coupling with application to consolidation, 8A650
- Poroelastic solution for an inclined borehole, 10A1448

ABOUTAHA, RS: Retrofit of concrete columns with inadequate lab splices by the use of rectangular steel jackets, 6A1449

ABRAHA, PA: Manufacturing of 3D micro-parts by UV laser induced polymerization, 2T330

ABRAHAM, BM: Effects of convection and decay of turbulence on the wall pressure wavenumber-frequency spectrum, 9A1111

- Wavenumber spectra of high magnitude wall pressure events in a numerically simulated turbulent boundary layer, 11A1099

ABRAHAM, J: Entrainment characteristics of transient gas jets, 3A1117

- Application of the discrete ordinates method to compute radiant heat loss in a diesel engine, 11A1419

ABRAHAM, NB: Global stability properties of the complex Lorenz model, 6A108

ABRAHAMS, ID: Radiation and scattering of waves on an elastic half-space: A non-commutative matrix Wiener-Hopf problem, 6A244

ABRAHAMSSON, K: Application of heat pump systems for energy conservation in paper drying, 12A1325

ABRAHAMSSON, TJS: Spinning finite beam element of general orientation analyzed with Rayleigh-Timoshenko and Saint-Venant theory, 11A44

ABRAMOVICH, H: Adaptive fuzzy control algorithm for model-independent active vibration damping of flexible beam-like structures, 1A150

- Modal control of piezolaminated anisotropic rectangular plates - Part 1: Modal transducer theory, 2A770
- Modal control of piezolaminated anisotropic rectangular plates - Part 2: Control theory, 2A771

ABRAMOWICZ, A: Dielectric resonator figure of merit, 9T288

ABRAMOWICZ, W: Extremal paths in progressive plasticity, 6A506

ABRAMS, DP: Out-of-plane strength of unreinforced masonary infill panels, 6A915

- Response of unreinforced masonry buildings, 11A1488

ABRAO, AM: Surface integrity of turned and ground hardened bearing steel, 2A924

ABRARI, F: Closed form formulation of cutting forces for ball and flat end mills, 6A692

ABRAROVA, YV: Bifurcation and stability of the steady motions and relative equilibria of a rigid body in a central gravitational field, 6A318

ABRATE, S: Localized impact on sandwich structures with laminated facings, 5A169

ABREU, MP: Uncertainty of ocean wave hindcasts due to wind modeling, 11A1497

ABRIAK, N: Prediction of abrasive particle velocity in a high pressure water jet and effect of air on acceleration process, 3A1068

- Interaction of abrasive water jet with cut material at high velocity of impact: Development of an experimental correlation, 6A703

ABROSIMOV, DI: Influence of diffraction effects upon slightly-divergent acoustical beams forming in ocean waveguides, 6A337

ABSHER, RG: System identification and feedback control of an aerosol production process, 3A1081

ABU-ABED, A: Design of zero reaction manipulators, 3A400

ABU-HIJLEH, B: Convection heat transfer from a laminar flow over a 2D backward facing step with asymmetric and orthotropic porous floor segments, 8A1263

ABU-KHOUSA, E: Heuristic approach for heat exchanger networks, 3A1260

ABU-MULAWEH, HI: Laminar natural convection flow over a vertical forward-facing step, 1A1168
- Laminar natural convection flow over a vertical backward-facing step, 11A1223
ABU-QUDAIS, M: Experimental and theoretical study of particulate re-entrainment from the combustion chamber walls of a diesel engine, 9A1396
ABU-SAMAK, M: Comparison of various basic wavelets for the analysis of flow-induced vibration of a cylinder in cross flow, 3T264
ABUAF, N: Heat transfer and film cooling effectiveness in a linear airfoil cascade, 10A1300
ABUALHAMAYEL, HI: Prediction of species and temperature profile in methanol, oxygen, and argon flame, 4A1310
ABUELMA'ATTI, MT: Harmonic and intermodulation performance of some abrupt and weak nonlinearities, 9A73
ABUL-AZM, AG: Oblique wave diffraction by segmented offshore breakwaters, 6A1002
- Dual pontoon floating breakwater, 8A933
ABULWAFA, EM: Pomraning-Eddington approximation for radiative transfer in a spherical turbid medium, 2A200
ABURATANI, Y: Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, 2A1180
ABUZAHRA, IM: Storing thermal energy using fluidized bed storage, 7A1443
ABZUG, MJ: Airplane Stability and Control: A History of the Technologies that Made Aviation Possible, 11N31
- Fuel slosh in skewed tanks, 3A261
ACCORSI, ML: Wave mode conversion in stiffened cylindrical shells with periodic axial curvature, 10A260
ACHARYA, M: Controlled leading-edge suction for management of unsteady separation over pitching airfoils, 5A1065
ACHARYA, S: Natural convection in the annulus between concentric horizontal circular and square cylinders, 1A1175
- Developing and periodically developed flow, temperature, and heat transfer in a ribbed duct, 4A1190
ACHENBACH, J: Fiber optic ultrasonic system to monitor the cure of epoxy, 10A872
ACHENBACH, JD: Reduction to parts: A semianalytical approach to the structural acoustics of a cylindrical shell with hemispherical endcaps, 2A245
- Two-dimensional time domain BEM for scattering of elastic waves in solids of general anisotropy, 3A54
- V(z) measurement of multiple leaky wave velocities for elastic constant determination, 3A832
- Neural network for crack sizing trained by FE calculations, 4A797
- Acoustic radiation from a finite-length shell with non-axisymmetric substructures using a surface variational principle, 5A223
- Lamb's problem for solids of general anisotropy, 6A229
ACHENIE, LEK: Linear quadratic optimal output feedback control for systems with poles in a specified region, 3A343
ACHERMANN, E: Shape optimization of cooling channels using genetic algorithms, 11T1306
ACHKIRE, Y: Active damping of structures with guy cables, 9A354
ACHONG, A: Steelpan as a system of nonlinear mode-localized oscillators - I: Theory, simulations, experiments, and bifurcations, 5A109
- Steelpan as a system of nonlinear mode-localized oscillators - Part II: coupled sub-systems, simulations and experiments, 12A185
ACHTZIGER, W: Truss topology optimization including bar properties different for tension and compression, 2A768
ACKER, A: Trial-free-boundary method for computing Batchelor flows, 11A972
ACKER, D: Practical method based on stress evaluation (σ_y criterion) to predict initiation of crack under creep and creep-fatigue conditions, 11A663
ACKER, WP: Laser diagnostics for droplet characterization: Application of morphology dependent resonances, 3A1333
ACKERER, P: Solution of the advection-diffusion equation using a combination of discontinuous and mixed FEs, 9A28
ACKERMANN, F: Active force control of a flexible manipulator by distal feedback, 11A338
ACKERMANN, JA: End effects in laminated anisotropic beams - Part II, 11A471
- End effects in laminated anisotropic beams - Part I, 11A470
ACRIVOS, A: Transverse shear-induced liquid and particle tracer diffusivities of a dilute suspension of spheres undergoing a simple shear flow, 6A1062
ACTIS, RL: Finite element analysis in professional practice, 1A20
- Finite element modeling and experimental verification of lower extremity shape change under load, 10A1516
ADACHI, H: Multi-freedom tube type manipulator with Shape Memory Alloy plate, 2T772
ADACHI, M: Experimental studies on ultra-precision positioning - 2nd report: Newly developed inchworm dual movement method to reduce interference between fine and coarse positionings (Japanese), 1T400
- Precision table control system by friction drive for optical disk mastering machine (Japanese), 5A309
- Experimental measurement of competitive ion-induced and binary homogeneous nucleation in $SO_2/H_2O/N_2$ mixtures, 11A1442
- Dynamical characteristics of gyroscopic weight measuring device, 12A417
ADACHI, S: Application of a least squares lattice algorithm to active noise control for an automobile, 12A330
ADACHI, T: Mechanical remodeling of bone structure considering residual stress, 1A1448
- Stability of the thermal convection in a tilted square cavity, 1A1181
- Characterization of impact damage resistance of CF-PEEK and CF-toughened epoxy laminates under low and high velocity impact tests, 9A745
- Control of heat transfer on wall with wall jet, 9A1203
- Nonstationary shock reflection over nonstraight surfaces: An approach with a method of multiple steps, 10T307
- Computational simulation of 3D neck propagation in polymeric specimens under tension and hybrid identification of constitutive equation, 11A443
ADALI, S: Vibration damping using piezoelectric stiffener-actuators with application to orthotropic plates, 4A404
- Multiobjective design of laminated cylindrical shells for maximum torsional and axial buckling loads, 7A551
- Optimal design of symmetrically laminated plates for maximum buckling temperature, 7A548
- Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, 10A431
- Minimum weight design of symmetric angle-ply laminates with incomplete information on initial imperfections, 10A1004
ADALIER, K: Soil stabilization by ambient pore pressure and geomembrane containment, 5A538
ADAM, C: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
ADAM, T: Fatigue of carbon-fiber-reinforced plastics under block-loading conditions, 9A704
ADAMCZYK, JJ: Transport of vortices through a turbine cascade, 5A1097
- Evaluation of the interaction losses in a transonic turbine HP rotor-LP vane configuration, 8A1243
- Wake-induced unsteady flows: Their impact on rotor performance and wake rectification, 11A1168
ADAMKOWSKI, A: Effect of flow throttling configurations of plug-type check valve on water-hammer in a pump delivery pipeline: Experimental investigation, 2A1114
ADAMOV, EO: Problems of creating computer integrated manufacture for pilot mechanical engineering, 6T451
ADAMOV, NP: Experimental investigation of aerodynamic interference of TSTO winged systems during separation - I: Experimental technique, distributed aerodynamic characteristics, 6T1191
- Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, 8T1213
ADAMS, BL: Bounding elastic constants of an orthotropic polycrystal using measurements of the microstructure, 3A3
ADAMS, D: Investigation into the molecular stability of zinc di-alkyl-di-thiophosphates (ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 12A1223
ADAMS, DF: Nonlinear FE analysis for composite materials, 1A31
- Unidirectional composite compression strengths obtained by testing cross-ply laminates, 4A545
- Experimental study of thickness-tapered unidirectional composite compression specimens, 5A462
- Influence of unidirectional composite compression specimen thickness and loading method, 6A547
- Testing of angle-ply laminates to obtain unidirectional composite compression strengths, 9A508
- Experimental investigation of the mini-sandwich laminate as used to obtain unidirectional composite compression strengths, 9A521
ADAMS, GG: Self-excited oscillations in sliding with a constant friction coefficient: A simple model, 4A877
- Effect of disk warpage-skew on the deflection and vibration of a flexible disk spinning above a base-plate and in contact with a point-head, 7A1024
- Self-excited oscillations of two elastic half-spaces sliding with a constant coefficient of friction, 11A173
ADAMS, GP: Computation of compression loads in twin screw compressors, 11A1157
ADAMS, J: Failure characteristics in carbon-epoxy composite tows, 5A671
ADAMS, MB: Force dispersion and shock damping mediated by close-packed arrays of distally connected cells, 4A220
ADAMS, MD: Interpretation of phase and intensity data from AMCW light detection sensors for reliable ranging, 4A448
ADAMS, MJ: Theoretical and computational methods in friction, lubrication and wear, 3A845
- Finite element analysis of the squeeze flow of an elasto-viscoplastic paste material, 12A36
- Analysis of the plane-strain compression of viscoplastic materials, 12A535
ADAMS, ML: Experimental and theoretical rotordynamic characteristics of a hybrid journal bearing, 7A1193
- Mechanical and electrical run-out removal on a precision rotor-vibration research spindle, 10T215
ADAMS, MT: Large model spread footing load tests on geosynthetic reinforced soil foundations, 8A678
ADAMS, NA: High-resolution hybrid compact-ENO scheme for shock-turbulence interaction problems, 2A232
ADAMS, RD: Dynamic properties of fiber-reinforced polymers exposed to hot, wet conditions, 4A564
- Effect of temperature on the dynamic characteristics of heat-resistant thermoplastic composites, 8A561
- Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel, 10A168
ADAMS, VH: Free and forced convection laminar film condensation on horizontal elliptical tubes, 11A1289
ADAMSON, A: Sustainable phosphate rock mining, 11T1509
ADAMSON, RM: Fracture analysis of semi-circular and semi-circular-bend geometries, 3A691
- Core-based SCB fracture of aligned first-year sea ice: Phases III and IV, 9A1549
- Core-based SCB fracture of aligned first-year sea ice: Phase VI, 9A1550
ADAMU, A: Minimum cost design of multispan partially prestressed concrete T-beams using DCOC, 5A752
ADDESSIO, FL: General theory for laminated plates with delaminations, 10A791
ADDIS, P: Effect of in-plane tensile loads on the retention characteristics of geotextiles, 12A705
ADDISON, PS: Method for modeling dispersion dynamics in coastal waters using fractional Brownian motion, 3T1468
- Experimental investigation into the breakdown of low Reynolds number pulsed flows at a pipe orifice, 11A1033
ADEBAR, P: Design of deep pile caps by strut-and-tie models, 2A793
- Shear tests of fiber concrete beams without stirrups, 8A911
ADEDOKUN, JA: Spectral solar radiation measurements and turbidity: Comparative studies within a tropical and a sub-arctic environment, 9A1542
ADELI, H: Object-oriented blackboard models for integrated design of steel structures, 3A784
- Sparse matrix algorithm for minimum weight design of large structures, 5A762
- Optimal control of adaptive-smart bridge structures, 7A810
- Optimum load and resistance factor design of steel space-frame structures, 7A837
- Distributed neural dynamics algorithms for optimization of large steel structures, 12A883
ADEWALE, KP: Modeling spurt and stress oscillations in flows of molten polymers, 10A1040
ADEY, RA: Computational aspect of the dual reciprocity method for dynamics, 7A60
ADEYEFA, ZD: Spectral solar radiation measurements and turbidity: Comparative studies within a tropical and a sub-arctic environment, 9A1542
ADHIKARI, R: Sliding mode control of buildings with ATMD, 9A1488
ADHIKARY, DP: Cosserat continuum model for layered materials, 8A9
ADILETTA, G: Chaotic motions of a rigid rotor in short journal bearings, 1T116
- Non-periodic motions of a Jeffcott rotor with non-linear elastic restoring forces, 4A938
ADIMURTHY, V: Separation dynamics of heat shield fairings, 12A102
ADKINS, FA: Operational envelope of a spatial Stewart platform, 12A442
ADLER, D: Measurement of the flow inside the tip clearance of a rotating gas turbine rotor, 10A1239
ADLER, J: Diffusion controlled smoulder propagation in a thin slab, 3A1356
ADLER, PM: Measurements of thermally-induced convection in a model porous medium, 1A1400
- Effective mechanical properties of random porous media, 4A6
ADNENE, C: Optimization and management of a solar refrigeration plant using latent storage, 3A1461
ADOLFSSON, E: Modeling of translaminar cracks in cross-ply composite laminates, 4A760
- Thermoelastic properties in combined bending and extension of thin composite laminates with transverse matrix cracks, 10A605
ADOLFSSON, S: Automatic detection of burn-through in GMA welding using a parametric model, 4A950
ADOMEIT, G: Self-ignition of SI engine model fuels: A shock tube investigation at high pressure, 11A1397
ADONGO OCHIER, J: Control of multi-axis robots with elastic joints via cascade compensation using the method of exact linearization, 7A381
ADREZIN, R: Dynamic response of compliant offshore structures: Review, 4A852
ADRIAENS, JMTA: Crash worthiness design optimization using multipoint sequential linear programming, 6A845
ADRIAN, ML: Payload environment and gas release effects on sounding rocket neutral pressure measurements, 2A1349
ADRIAN, RJ: Refractive index matching and marking methods for highly concentrated solid-liquid flows, 8A1121
- Turbulent dispersion of heavy particles with nonlinear drag, 9A1548
ADUDA, BO: Spectral analysis of acousto-ultrasonic waves for defect sizing, 6A832
ADULENKO, LD: Forced nonlinear vibrations of a string, 1A184
ADULLA, C: Effect of defect shape and size on the initiation of adiabatic shear bands, 1A483
ADVANI, SG: Rheology and Fluid Mechanics of Nonlinear Materials - 1996, 5N23
- Transverse squeeze flow of concentrated aligned fibers in viscous fluids, 1A973
- Effective average permeability of multi-layer preforms in resin transfer molding, 1A666
- Experimental investigation of initial oscillations in a radial Hele-Shaw cell, 2A1031
- Nonlinear response of a long, discontinuous fiber-melt system in elongational flows, 3A941
- Flow near the permeable boundary of a porous medium: An experimental investigation using LDA, 9A1444
ADVANI, SH: Consequences of fluid lag in 3D hydraulic fractures, 10A1452
AELEN, FWL: Relation between torsion and cross-sectional area change in the human left ventricle, 7A977
AELION , CM: Multilevel soil-vapor extraction test for heterogeneous soil, 7T1522
AENIS, M: Modeling of flow in a straight stented and nonstented side wall aneurysm model, 10A1548
AERO, EL: Plane boundary-value problems for the sine-Helmholtz equation in the theory of elasticity of liquid crystals in non-uniform magnetic fields, 1A605
- Interlaminar friction and boundary lubrication in anisotropic liquids with rotational dof, 5A1107
- Dynamics of a liquid with momentum anisotropy, 8A993
AFAGH, FF: General exact transformation of body-force volume integral in BEM for 2D anisotropic elasticity, 6A490
- Treatment of body-force volume integrals in BEM by exact transformation for 2D anisotropic elasticity, 6A495
AFAGHANI, JED: Characterization and application of the sliding wear of hardened die steel against SiC whisker-plastic composite, 3A848
- Tear-off mechanism of sintered diamond tool in cutting SiC-particle-strengthened epoxy composites, 12A961
AFAGHI-KHATIBI, A: Evaluations of effective crack growth and residual strength of fiber-reinforced metal laminates with a sharp notch, 5A666
AFANAS'EVA, SA: Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, 1A687
AFANASYEV, SN: Wear strength of nitrogen-hardened high-speed steel tools, 2A896
- Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - II: Study of surface engineered high-speed steel cutting tools by AES, SIMS and EELFAS methods, 3A869
- Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - Part I: Wear characteristics of surface engineered high-speed steel cutting tools, 7A912
AFANEH, AA: Random excitation of coupled oscillators with single and simultaneous internal resonances, 7A104
- Planar and non-planar nonlinear dynamics of suspended cables under random in-plane loading - I: Single internal resonance, 7A136
AFFELDT, EE: High temperature fatigue in single crystal superalloys, 12A756
AFGAN, N: Concept of expert system for boiler fouling assessment, 2A1276
AFGAN, NH: New method for hemispherical radiation heat flux measurement, 7A1328
AFJEH, AA: Stability of thin liquid sheet flows, 7A1129
AFOLABI, D: Stability of a translating beam with fixed and moving viscous damping, 8A616
- Authors reply, 11T221
AFONSO, CF: Natural refrigerants for refrigeration and air-conditioning systems, 5A1281
AGAFONOV, SA: Parametric stabilization of a viscoelastic beam subjected to a follower force, 5A501
AGALOVYAN, LA: Mixed boundary-value problems for anisotropic plates of variable thickness, 3A528

AGANIN, AA: Development of longitudinal gas oscillations in a closed tube, 2A228
AGARWAL, G: Effect of flame support layer geometry and materials on the radiant efficiency of gas radiant burners, 5A1349
- Radiant efficiencies and performance considerations of commercially manufactured gas radiant burners, 5A1352
AGARWAL, J: Structural dynamic analysis using the Interacting Objects Process Model, 11A166
- Qualitative analysis of nonlinear dynamical systems, 11A105
AGARWAL, KN: Effect of moisture on heat flow through homogeneous and composite building sections, 6A1273
AGARWAL, RK: Proceedings of the ASME Fluids Engineering Division, 4N25
- Natural frequencies and buckling loads of beam-columns stiffened by rings, 2A123
AGARWAL, RP: Existence of solutions of singular boundary value problems for higher order difference equations, 5T49
AGARWAL, SK: Heat transfer augmentation for the flow of a viscous liquid in circular tubes using twisted tape inserts, 1A1160
AGARWALA, MK: Effect of phase transformation on densification during hot isostatic pressing, 3T621
AGASSANT, J-F: Rheology for Polymer Melt Processing, 11N33
AGAZZANI, A: Advanced solar dynamic space power systems - Part I: Efficiency and surface optimization, 11A1526
- Advanced solar dynamic space power systems - Part II: Detailed design and specific parameters optimization, 11A1527
AGBOSSOU, A: Thermal stresses and thermal expansion coefficients of n-layered fiber-reinforced composites, 9A1329
AGELET DE SARACIBAR, C: New frictional time integration algorithm for large slip multi-body frictional contact problems, 10A990
AGGARWAL, ML: Seismic Engineering - 1996, 2N46
AGGARWAL, SK: Effect of wall conduction on natural convection in an enclosure with a centered heat source, 11A1229
AGLAT, F: Mass transfer from a flat plate segment facing impinging jets: Influence of exhausts number and location and of nozzle geometry (French), 2A1293
AGLAVE, RH: Methylamine oxidation in a flow reactor: Mechanism and modeling, 7A1399
AGNEW, B: Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Supercharged engine with intercooling, 2A1148
- Thermodynamic analysis of combined diesel engine and absorption unit: Turbocharged engine, 2A1149
- Optimization of a steady-flow Carnot cycle with external irreversibilities for maximum specific output, 5A1122
- Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Naturally aspirated diesel engine, 9A1198
- Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Naturally aspirated engine with pre-cooling, 11A1200
AGNON, Y: Periodic solutions for a complex Hamiltonian system: New standing water-waves, 4A225
AGNONE, AM: New method to leak test piping joints, 5A810
AGONAFER, D: Solid model based preprocessor to CFD code for applications to electronic cooling systems, 12A1331
AGRAWAL, AK: Optimal polynomial control of seismically excited linear structures, 3A1390
- Optimal polynomial control for seismically excited nonlinear and hysteretic structures, 4A1406
- Stability of actively controlled structures with actuator saturation, 9A1498
- Static output polynomial control for linear structures, 11A317
AGRAWAL, SK: Trajectory of a multi-segment wheeled vechicle, 2A64
- Higher-order method for dynamic optimization of a class of linear systems, 6A371
- Air extraction in a gas turbine for integrated gasification combined cycle (IGCC): Experiments and analysis, 8A1434
- Path planning of free-floating prismatic-jointed manipulators, 12A443
AGRAWAL, VP: Mechanisms of a kinematic chain and the degree of structural similarity based on the concept of link-path code, 1A932
- Computer aided detection of isomorphism among binary chains using the link-link multiplicity distance concept, 1A929
- Freedom analysis of planar kinematic chains using the concept of distance, 3A913
- Failure cause analysis: A structural approach, 5A631
- Detection of isomorphism among kinematic chains using the distance concept, 11A863
AGREN, A: Source characterization of the lower front-end of a diesel engine, 8A311
- Noise reduction of diesel engines with internal stiffeners, 8A338
AGUADO, A: Model for the analysis of concrete dams due to environmental thermal effects, 2A1237
AGUI, JH: Shock tube research facility for high-resolution measurements of compressible turbulence, 6A1144
AGUIRRE PE, J: Velocity distribution in sediment-laden flow (Spanish), 11A928
AGUIRRE, LA: Recovering map static nonlinearities from chaotic data using dynamical models, 7A106
AGUIRRE, M: Earthquake-resistant structure - Structural frame damper system: An approach to design., 11A802
AGULLO, L: Model for the analysis of concrete dams due to environmental thermal effects, 2A1237
AHAMMED, M: Reliability estimation of pressurized pipelines subject to localized corrosion defects, 5A626
AHARONIAN, V: Discrimination of earthquakes and explosions in southern Russia using regional high-frequency three-component data from the IRIS-JSP Caucasus Network, 12A1488
AHLBORN, B: Secondary flow in a vortex tube, 12A1067
AHLBORN, TM: Full-scale testing of prestressed concrete bridge girders, 7T830
AHLERS, G: Spatio-temporal structure of spiral-defect chaos, 4A1200
AHLROOS, T: Phospholipids as boundary lubricants in wear tests of prosthetic joint materials, 12A1224
AHLUWALIA, RK: Fluid mechanics of membrane-coated ceramic filters, 1A1360
AHLUWALIA, RS: Digraphic approach for dimensional chain identification in design and manufacturing, 5A367
AHMAD, A: Handbook of Optomechanical Engineering, 10N22
AHMAD, P: Numerical investigation of the mechanics of swelling-type intramedullary hip implants, 12A1580
AHMAD, S: Treatment of hydrodynamic loading for random sea state, 4A252
- Adaptive control of redundant multiple robots in cooperative motion, 5A337
- Stochastic TLP response under long crested random sea, 5A798
AHMAD, SSE: Front development of a long fatigue crack during its growth, 12A746
AHMADI, G: Integrated passive-active vibration absorber for multistory buildings, 9A1494
AHMADIAN, H: Parameter selection strategies in FE model updating, 6A47
AHMED, B: Effect of high shear on the moment capacity of composite cruciform endplate connections, 10A950
- Design of composite finplate and angle cleated connections, 11A800
- Prediction of initial stiffness and available rotation capacity of major axis composite flush endplate connections, 11A817
AHMED, D: Optimization and management of a solar refrigeration plant using latent storage, 3A1461
AHMED, F: Three-dimensional turbulent boundary layers: A review, 8A1126
- Three-dimensional turbulent boundary layer flow around bridge piers, 10A1057
AHMED, I: Maximum connection rotations in non-sway semi-rigid frames, 9A904
AHMED, M: Prediction of concentration and size distribution of solids in a slurry pipeline, 10A1125
- Partial interaction in composite steel and concrete beams with full shear connection, 12A593
AHMED, MA: Probabilistic analysis of ultimate moment of reinforced concrete beams, 9A865
- Optimal circular reinforced concrete columns, 11A785
AHMED, MF: Solar-assisted R22 and R134a heat pump systems for low-temperature applications, 9A1541
AHMED, MS: Neural-net-based direct self-tuning control of nonlinear plants, 7A326
AHMED, NU: Powerful numerical technique solving Zakai equation for nonlinear filtering, 12T357
AHMED, S: Post-nucleation growth of water microdroplets in supersaturated gas mixtures: A molecular simulation study, 9A1252
AHMED, SA: Three component velocity measurements of an isothermal confined swirling flow, 12A1407
AHMED, SR: Numerical solution of both ends fixed deep beams, 1A556
AHN, BK: Strain and hysteresis by stochastic matrix cracking in ceramic matrix composites, 8A560
AHN, CH: Energy-based design criterion for magnetic microactuators, 4A424
AHN, HYO-SOK: Nondestructive detection of damage produced by a sharp indenter in ceramics, 1A822
AHN, JONG WOO: Application of a near-wall turbulence model to the flows over a step with inclined wall, 9A1076
AHN, T: Sensor fusion techniques used for learning-identifying features of robot's part assembly tasks, 4A457
AHN, Y: Determination of surface residual stresses in machined ceramics using indentation fracture, 5A422
AHN, YOOMIN: Polishing and lapping temperatures, 7A919
AHRENS, T: New method to determine crack shape and size in solder joints, 11A879
AHRENS, TJ: Dynamically induced phase transitions and the modeling of comminution in brittle solids, 11A571
AHZI, S: Rate dependent deformation of semi-crystalline polypropylene near room temperature, 12A534
AI , XING: Failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 12A945
AI, CHI-FONG: Correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, 12A977
AI, X: Study on electro-discharge diamond wheel grinding (EDGM) of ceramic materials, 4A682
- Elastoplastohydrodynamic lubrication with dent effects, 5T1110
AI, XIAOLAN: Effect of slide-to-roll ratio on interior stresses around a dent in EHL contacts, 4T1163
- Effects of surface texture on EHL point contacts, 11A1180
- Point contact EHL based on optically measured 3D rough surfaces, 12A1218
AI, XING: Study on a new kind of combined machining technology of ultrasonic machining and electrical discharge machining, 7A615
- Effect of whisker orientation on the friction and wear behavior of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, 7A860
AIBA, S: Flow characteristics of a bluff body cut from a circular cylinder, 11T954
AICARDI, M: Contact force canonical decomposition and the role of internal forces in robust grasp planning problems, 2A335
AICHOUH, P: Free vibration in a class of self-excited oscillators with 1:3 internal resonance, 10A134
AIDA, T: Loss factor of the partially covered sandwich beam (Japanese), 11A131
AIDUN, CK: Finite element computations for unsteady fluid and elastic membrane interaction problems, 11A31
AIELLO, MA: Maximum buckling loads for unsymmetric thin hybrid laminates under in-plane and shear forces, 11A538
AIFANTIS, E: Gradient elasticity with surface energy: Mode-III crack problem, 5A381
AIFANTIS, EC: Equilibrium solute distribution near an interface crack tip and environment-assisted cracking in bi-materials, 6T792
- Numerical simulation of transport phenomena by using the double porosity-diffusivity continuum model, 6T1315
- Nonlinearity, periodicity, and patterning in plasticity and fracture, 7A434
- Crack growth resistance curves and stick-slip fracture instabilities, 8T818
- Simple method for calculating shear band angles for pressure sensitive plastic materials, 8T529
- Anisotropic yield and plastic flow of polycrystalline solids, 8A523
- Loading rate dependence of stick-slip fracture in polymers, 8T737
- Gradient theory and its applications to stability analysis of materials and structures, 9A580
- Strain gradient approach for deformation localization and forming limit diagrams, 9A662
- Shear instability in chip formation in orthogonal machining, 9A670
- Strain gradients and continuum modeling of size effect in metal matrix composites, 12A556
AIGNER, H: Case studies of failed austenitic drill-collars, 7A671
AIHARA, A: Study on high pressure dewatering method of cement-stabilized soft clay (Japanese), 2A547
AIHARA, T: Heat-transfer and defrosting characteristics of a horizontal array of cooled tubes immersed in a very shallow fluidized bed, 7A1442
- Radiation heat transfer of arbitrary 3D absorbing, emitting, and scattering media and specular and diffuse surfaces, 8A1362
AIKEN, ID: Analytical hysteresis model for elastomeric seismic isolation bearings, 7A1479
AIMI, A: New numerical integration schemes for applications of Galerkin BEM to 2D problems, 10A92
AIMOTO, A: Noninvasive method for measuring the electrical properties of deep tissues using an open-ended coaxial probe, 5A1513
AINOLA, L: Isospectral vibration of quasi-uniform rods and strings, 10A181
AINSLIE, MA: Reflection with beam displacement from simple barriers, 5A243
AINSWORTH, M: Preconditioner based on domain decomposition for h-p FE approximation on quasi-uniform meshes, 1A71
- A posteriori error estimators for the Stokes and Oseen equations, 8A1056
- A posteriori error estimation in FE analysis, 10A59
AINSWORTH, RA: J-integral estimation method for cracks in welds with mismatched mechanical properties, 8A785
- Estimation of J in three-point-bend specimens with a crack in a mismatched weld, 8A783
AIRAPETOV , EL: Numerical simulation of a point elastohydrodynamic contact in case of complicated geometry of the inlet boundary of a lubricant film, 2A1127
AIT-ALI, A: Nonlinear rheology of a wormlike micellar system in the presence of sodium salicylate salt, 8A996
AIT-ALI, MA: Optimum power boosting of gas turbine cycles with compressor inlet air refrigeration, 8A1437
AIT-ALI-YAHIA, D: Directionally adaptive methodology using an edge-based error estimate on quadrilateral grids, 4A22
AIT-KADI, A: Entry flow calculations using multi-mode models, 6A987
- Prediction of mechanical behavior of particulate composites using an improved modulus degradation model, 8A533
AITCIN, P-C: First year monitoring of the first air-entrained high-performance bridge in North America, 2A745
AITHAL, SM: Numerical simulation of a hydrogen arcjet, 5A1389
AITKEN, F: Energy model for artificially generated bubbles in liquids, 6A1068
AIZAWA, N: Injury of biological tissue by extracellular freezing, 7A1309
AJBAR, A: Period-adding and chaos in fluidized bed catalytic reactors, 3A1352
AJERSCH, P: Multiple jets in a crossflow: Detailed measurements and numerical simulataions, 10A1318
AJIOKA, S: Design philosophy as a basis of manufacturing (Japanese), 9T405
AJIZ, MA: Manzur and Hamed algorithm for resequencing nodes in the undirected graphs to minimize the storage by reducing the bandwidth of sparse symmetric matrices, 2A61
AJJI, A: High performance materials obtained by solid state forming of polymers, 1A668
AJLOUNI, MA: Secondary compression of peat with or without surcharging, 11A559
AJURIA, MBG: Procedure based on FEs for the solution of nonlinear problems in the kinematic analysis of mechanisms, 1A54
AKAMATSU, T: Effects of shock waves on living tissues: Numerical analysis of a propagating pressure wave toward living tissue, 7A1548
AKAMATSU, Y: Effects of low speed on roller bearing fatigue life, 7A904
AKASAKA, R: Heat of vaporization of mixtures, 9A1196
AKAY, A: Relation of dry-friction to surface roughness, 7A920
AKAY, M: Influence of moisture on the thermal and mechanical properties of autoclaved and oven-cured Kevlar-49 and epoxy laminates, 12A585
AKBAR, FE: Prestack plane-wave Kirchhoff migration in laterally varying media, 1A1408
AKBARI, GH: Parameter identification for sediment routing in rivers, 3T991
AKBAROV, S: Effect of anisotropy of plates on the contact region resting on tensionless elastic foundation, 1A579
AKBAROV, SD: Stress distribution in the strip fabricated from the composite material with small-scale curved structure, 9A530
AKBARZADEH, A: Application of heat pipe heat exchangers to humidity control in air-conditioning systems, 11A1348
AKBAS, R: Drift control and damage in tall buildings, 5A1418
AKEI, M: Evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 2A1126
- Elastohydrodynamic properties of lubricants in refrigerant environments, 7T1207
AKESSON, B: Stabilization of cantilevered flexible structures by means of an internal flowing field, 3T279
AKESSON, BA: Routine FE determination of stress intensity factors at curved crack fronts using an influence function technique, 12A843
AKETAGAWA, M: Small length measurement using regular crystalline lattice for reference - 1st Report: Determining the geometrical distortion of raw STM image and correcting it by 2D FFT analysis (Japanese), 8T866
AKHMED'YANOV, IA: Use of quadrature method for determining flexural oscillations shapes and frequencies of the unswept wing of variable section, 1A204
AKI, K: Fault-zone guided waves from explosions in the San Andreas Fault at Parkfield and Cienega Valley, California, 12A1490
AKIBA, H: Recursive distribution method for probabilistic fracture mechanics, 2A715
AKIBA, S: Elastic analysis of pavement materials with the bending test by two points loading (Japanese), 7A829
AKID, R: Corrosion fatigue short crack growth behavior in a high strength steel, 7A672

- Effect of biaxial mean stress on cyclic stress-strain response and behavior of short fatigue cracks in a high strength spring steel, 9A702
- Mechanisms and fatigue performance of two steels in cyclic torsion with axial static tension-compression, 10A772

AKIHAMA, K: Microstructure of diesel soot particles probed by electron microscopy: First observation of inner core and outer shell, 6A1354

AKINIWA, Y: Propagation and closure of small cracks in SiC particulate reinforced aluminum alloy in high cycle and low cycle fatigue, 5A585

AKINS, RE: Effect of incident turbulence on the surface pressures of surface-mounted prisms, 1A291

AKISANYA, AR: Interfacial cracking from the free-edge of a long bimaterial strip, 9A691

AKITA, E: Final report of the key technology development program for a next-generation high-temperature gas turbine, 12T1416

AKITOMO, N: Study on crack generation at root of socket welds, 5A1440

AKIVA, U: Elastic constants of 3D orthotropic composites with platelet-ribbon reinforcement, 9A520

AKIYAMA, H: Effect of vertical seismic load on shear-bending buckling strength of thin cylindrical shells, 7A549

AKIYAMA, J: Fully conservative Beam and Warming scheme for transient open channel flows, 6T992
- Characteristics of open-channel flows with adverse pressure gradients (Chinese), 10A1046

AKIYAMA, M: Experimental analysis of 2D unsteady temperature field by using Mach-Zehnder interferogram images, 9A1239

AKIYAMA, T: Hygrostress-multicrack formation and propagation in cylindrical viscoelastic food undergoing heat and moisture transfer processes, 7A1377
- Method for measuring effective crack tip fracture toughness in bridging materials (Japanese), 9A725

AKJOUJ, A: Brillouin zone mapping of the existence conditions for interface bilayer spin-waves: Effects of the configuration of the film magnetization, 2T534

AKKAS, N: Transient response of an infinite elastic medium containing a spherical cavity with and without a shell embedment, 7A421

AKL, FA: Numerical model of impact-damped continuous systems, 9A118
- Experimental analysis of impact-damped flexible beams, 9A116

AKOZ, AY: Free vibration analysis of Kirchhoff plates resting on elastic foundation by mixed FE formulation based on Gateaux differential, 6A186

AKPAN, UO: Dynamic response of the manipulator tip to a random excitation, 4A437
- Nonstationary random dynamics of a mobile robotic manipulator, 9A393

AKPOLAT, A: Deformations and pressure distribution on machine tool sideways, 8A702

AKPONASA, GA: Reservoir flow prediction by contravariant shallow water equations, 11T932

AKRAM, M: Two-dimensional model for spark discharge simulation in air, 2A1309

AKSELVOLL, K: Flame-wall interaction simulation in a turbulent channel flow, 3A1302

AKSENOV, V: Influence of nonlinear processes in seismic foci on released energy, 9A1451

AKSENOVA, OG: Acoustic analyzer study of SAW propagation in homogeneous and composite models, 12A600

AKTAA, J: Influence of the hardening state on time-dependent damage and its consideration in a unified damage model, 5A641
- Unified modeling of time dependent damage taking into account an explicit dependency on backstress, 12A782

AKTAN, AE: Different levels of modeling for the purpose of bridge evaluation, 11A35

AKULENKO, LD: Analysis of the spatial nonlinear vibrations of a string, 1A171
- Evolution of rotation of a nearly dynamically spherical triaxial satellite under the action of light pressure torques, 4A68
- Control synthesis in the problem of the time-optimal intersection of a sphere, 8A380

AKUTAGAWA, S: Measurement and identification of deformational behavior of a tunnel reservoir (Japanese), 10A959

AKYLAS, TR: Stability of stratified flow of large depth over finite-amplitude topography, 3A1020
- Asymmetric gravity-capillary solitary waves, 8A259
- Formation of bound states by interacting nonlocal solitary waves, 8A252

AKYURT, M: Influence of projectile nose shape on the morphology of interface in impact spot welds, 1A938
- Performance of a waste heat recovery system using looped heat pipes, 7A1342

AL HASSANI, STS: Derived dynamic ply properties from test data on angle ply laminates, 10A611

AL MIKDAD, M: Role of geometrically exact and second-order theories in buckling and post-buckling analysis of 3D beam structures, 5A489

AL NAIB, S: Oblique and vertical jet dispersion in channels, 11A1063

AL TAWEEL, AM: Modeling of heat recovery steam generator performance, 9A1314

AL-ALAWI, SM: Prediction of fracture toughness using artificial neural networks, 7A771
- Tuning power system stabilizers over a wide range of load models using an artificial neural network, 12A414

AL-ALI, AA: Wavelength of stationary instability in the convective flow between heated vertical planes, 1A1065

AL-ALI, HH: Thermodynamic analysis of convective heat transfer in a packed duct with asymmetrical wall temperatures, 5A1194

AL-ANSARI, MS: Earthquake response of structures by structural mixture theory, 3A1380

AL-ANSARY, MD: Kinematic characteristics and improvements for the modified intermittent gear mechanism, 3A916

AL-ASSADI, SAK: New approach for designing robust controllers for the servomechanism problem, 12A380

AL-AWAD, MN: Effect of mud filter cake efficiency on Wellbore stability during drilling operations, 9A1529

AL-AWAD, MNJ: Modified failure criteria for shales, 9T1530

AL-BERMAN, FGA: Natural frequencies of thick arbitrary quadrilateral plates using the pb-2 Ritz method, 4A148

AL-BERMANI, FGA: Modeling of cold-formed purlin-sheeting systems - Part 2: Simplified model, 8A572
- Modeling of cold-formed purlin-sheeting systems - Part 1: Full model, 8A928

AL-BSHARAT, AS: Influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 4A904

AL-CHALABI, M: Instantaneous slowness versus depth functions, 7A1462
- Parameter nonuniqueness in velocity versus depth functions, 11A1473

AL-FAHEAD, AM: Characteristics and variables of spot welding and weldbonding bimaterials, 10A1007

AL-FAHED, S: Thermal comfort analysis inside a car, 9A1313

AL-FAHED, SF: Effect of twisted-tape width on heat transfer and pressure drop for fully developed laminar flow, 1A1358

AL-FARAYEDHI, A: Boundary layer flow about and inside a liquid sphere, 9A1066

AL-FARAYEDHI, AA: Simulation of a hybrid liquid desiccant based air-conditioning system, 6A1294

AL-GAHTANI, AS: Evaluation of repair materials for functional improvement of slabs and beams with corroded reinforcement, 8A903

AL-GAHTANI, HJ: Application of the BEM to rubber-like elasticity, 2A459
- Exact stiffnesses for tapered members, 3A507

AL-GARNI, AZ: Optimal dimensions of circular fins with variable profile and temperature-dependent thermal conductivity, 1A1266
- Aerospace plane ascending trajectories with heat consideration, 2A834

AL-GRAFI, MW: Stability of a slider with hemispherical legs in plane contacting a flat surface, 5A76

AL-HABDAN, S: Knowledge base for metal welding process selection, 12A1038

AL-HADDAD, A: Modified analysis of counter flow wet cooling towers, 12A1326

AL-HADDAD, AA: Experimental investigation of the performance of two-stage evaporative coolers, 11A1362

AL-HASSANI, STS: Influence of projectile nose shape on the morphology of interface in impact spot welds, 1A938
- Burst behavior of ± 75° filament-wound Kevlar-epoxy and carbon-epoxy tubes at high loading rates, 7A850
- Crack straining-based spall model, 7A203

AL-HOMOUD, A: Experimental investigation of vertical vibration of model footings on sand, 5A518

AL-HUNAIDI, MO: Nondestructive evaluation of pavements using spectral analysis of surface waves in the frequency wave-number domain, 5A742

AL-JUWAYHEL, F: Transient performance of a 2D salt gradient solar pond: A numerical study, 2A1436
- Modified analysis of counter flow wet cooling towers, 12A1326

AL-JUWAYHEL, FI: Experimental investigation of the performance of two-stage evaporative coolers, 11A1362

AL-KAHALIL, KM: Icing calculations on a typical commercial jet engine inlet nacelle, 8A1230

AL-KHAFAJI, AW: Dynamics for Engineers, 9R5

AL-KHALIDY, N: Extended Kalman filter: Control volume method for solving inverse heat-conduction problems in a moving body, 4A50
- Application of optimization methods for solving inverse phase-change problems, 12A1294

AL-KORYSHY, ASF: Performance of the automotive three-way catalytic converter, 9T1368

AL-MAAITAH, ON: Experimental investigation of vertical vibration of model footings on sand, 5A518

AL-MAARAFIE, AM: Study of charging of stratified storage tanks with finite wall thickness, 10A1493

AL-MAZEDI, H: Optical corrosion meter, 8T870

AL-MUTAIRI, N: Structural strength of bridge decks reinforced with welded wire fabric, 3A799

AL-MUTAZ, IS: Performance of the automotive three-way catalytic converter, 9T1368

AL-NAJEM, NM: Steady-state solutions of buoyancy-assisted internal flows using a fast false implicit transient scheme, 5A1204

AL-NASRA, M: Finite element analysis of floor slabs under warping effect, 10A18

AL-NIMR, MA: MHD mixed convection from a horizontal circular cylinder, 3A1234
- Nonequilibrium laser heating of metal films, 8T1340

AL-OHALY, AA: Fast eigenvalue sensitivity calculations for special structures of system matrix derivatives, 8A369

AL-QURESHI, HA: Plastic instability of anisotropic thin plates in the biaxial stress state (Spanish), 1A601
- Mechanics of static and dynamic inversion processes, 4A515

AL-RABGHI, OM: Proposed energy-efficient air-conditioning system using liquid desiccant, 2A1273
- Performance of a waste heat recovery system using looped heat pipes, 7A1342

AL-SABEEH, AK: Kinematic characteristics and improvements for the modified intermittent gear mechanism, 3A916

AL-SABTI, F: Optical corrosion meter, 8T870

AL-SAFFAR, N: Biological reaction to debris in relation to joint prostheses, 12A1576

AL-SALEHI, FAR: Burst behavior of ± 75° filament-wound Kevlar-epoxy and carbon-epoxy tubes at high loading rates, 7A850
- Derived dynamic ply properties from test data on angle ply laminates, 10A611

AL-SANAD, HA: Aging effects on oil-contaminated Kuwaiti sand, 9A646

AL-SARKHI, AM: Interaction of two opposite conical curved wall jets, 2A1023

AL-SEGHAYER, YS: Performance of the automotive three-way catalytic converter, 9T1368

AL-SHIHRI, M: Optimum topology of structural supports, 1A836

AL-SULTAN, KS: New potential field-based algorithm for path planning, 6A439

AL-ZUBAIDY, SN: Rapid inverse approach for the design of centrifugal impellers, 4A1143

ALAHELISTEN, A: Effects of compressive stresses on the abrasion of diamond coatings, 2A910
- Direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 7A914

ALAHYARI, AA: Concentration measurements in experimental microbursts, 9T1175

ALAM, MK: Simulation of SiC deposition in a fiber coating CVD reactor, 4T694

ALAM, S: Metallurgical and tribological investigations of aluminum bronze bushes made by a novel centrifugal casting technique, 1T663

ALAMPALLI, S: Forced vibration of full-scale wall-backfill system, 3A179
- Signal versus noise in damage detection by experimental modal analysis, 7A176

ALANI, M: Effect of mean axial load on axial fatigue life of spiral strands, 8A747

ALAOUI ISMAILI, M: Asymptotic analysis and linearization of the randomly perturbed two-wells Duffing oscillator, 12T143

ALASFOUR, FN: Butanol - A single cylinder engine study: Engine performance, 7A1428
- Butanol, a single-cylinder engine study: Availability analysis, 11A1197

ALASSAR, RS: Analytical solution of oscillating inviscid flow over oblate spheroids with spheres and flat disks as special cases, 6A291

ALAVIAN, V: Spreading of 3D inclined gravity plumes, 6A1124

ALAVIE, T: Fiber-optic Bragg grating sensors for bridge monitoring, 10A867

ALAYLIOGLU, A: Practicable and highly accurate flat shell hybrid element for engineering applications on a PC, 9A579
- Dynamic structural assessment of a highway bridge via hybrid FE model and in situ testing, 9A887

ALAYLIOGLU, H: Practicable and highly accurate flat shell hybrid element for engineering applications on a PC, 9A579
- Dynamic structural assessment of a highway bridge via hybrid FE model and in situ testing, 9A887

ALBA, JA: General method for the synthesis of mechanisms with lower and higher joints - I: Planer mechanisms (Spanish), 7A953
- General method for the synthesis of mechanisms with lower and higher joints - II: Position synthesis with kinematic constraints (Spanish), 10A1003

ALBALDEJO, J: Kinetic studies of fluorine atom abstraction by ground state atomic cesium, $Cs(6^2S_{1/2})$, using time-resolved laser-induced fluorescence [$Cs(7^2P_{3/2} - 6^2S_{1/2})$, λ = 455.5 nm] following pulsed irradiation, 5A1345

ALBERTINI, F: Asymptotic stability of continuous-time systems with saturation nonlinearities, 6T356

ALBERTS, J: Numerical modeling of buckling of ring-stiffened cylinders, 6A625

ALBERTSON, JD: Local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, 2A1044
- "Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, 4T1088

ALBIZURI, A: Double-camera measurements of plumes, applied to wind field characterization and dispersion studies, 2A1421

ALBRECHT, M: Fracture resistance of a ferritic-austenitic duplex steel, 1A748
- Mechanical properties and microstructural analysis of a diamond-like carbon coating on an alumina-glass composite, 2A451

ALBRECHT, P: Runge-Kutta theory in a nutshell, 3A40

ALBRIGHT, LD: Short comparison of damping functions of standard low-Reynolds-number k-ε models, 11T1114

ALCA, N: Effect of size on flexural behavior of high-strength concrete beams, 8A901

ALCALA, J: Spherical indentation of compositionally graded materials: Theory and experiments, 9A442

ALCARAZ, JL: Fracture condition based on the upper bound method for the extrusion of bimetallic tubes, 4A656

ALCENIUS, TJ: Development of square nozzles for supersonic low-disturbance wind tunnels, 6A1116

ALCIATORE, DG: Multipulley belt drive mechanics: Creep theory vs shear theory, 11A841

ALDEMIR, T: Continuous cell-to-cell mapping, 12A89

ALDER, BJ: Exhaust and in-situ measurements of nitric oxide for laminar partially premixed C_2H_2-air flames: Effect of premixing level at constant fuel flowrate, 2A1317

ALDERSON, KL: Experimental study of ultrasonic attenuation in microporous polyethylene, 10A364

ALDOSS, TK: Interaction of two opposite conical curved wall jets, 2A1023
- MHD mixed convection from a horizontal circular cylinder, 3A1234

ALDRAIHEM, OJ: Mechanics and control of coupled bending and twisting vibration of laminated beams, 10A159

ALDUSHIN, AP: Downward buoyant filtration combustion, 3A1296

ALEKSANDROV, AY: Stability of equilibrium of non-stationary systems, 3A95

ALEKSANDROV, SY: Rigid-plastic analysis of the limiting equilibrium of an edge cleavage crack in a rectangular plate, 7A728

ALEKSANDROV, VM: Interaction between a plane inclined ring-shaped punch and an elastic half-space, 1A442
- Nonlinear unsteady creep of an ice sheet on a hydraulic foundation, 7A1519

ALEKSEENKO, OP: Asymmetric growth of hydraulic fracture cracks, 1A735

ALEKSEENKO, SV: Swirl flow in technical applications: Review, 5A1005

ALEKSEEV, AK: Heat flux measurement method based on isothermal registration, 7A1315
- Heat flux estimation from isotherms, 11A1305
- Freestream parameter estimation using heat flux measurements, 12T1232

ALEKSEEV, VA: Asperity contact under elastoplastic deformation, 3A867

ALEKSEEV, VI: Air blast and heat radiation from fuel-rich mixture detonations, 1T267
- Direct initiation of detonations in unconfined gasoline sprays, 1T1309
- Improvement of load-carrying capacity and longevity of high-speed gearings, 5A860

ALEKSEEVA, AV: Asperity contact under elastoplastic deformation, 3A867

ALEKSEYEVA, LA: Boundary integral equation method in 2D and 3D problems of elastodynamics, 1A242
- BIE formulation for transient problems of thermoelastodynamics, 6A79

ALENIUS, S: Air flows and particle distribution around a rotating grinding wheel, 2A965

ALERS, GA: Workshop on nondestructive and non-disruptive property measurements: Identification of technology gaps, 10A887

ALESSANDRI, A: Neural approximators for nonlinear finite-memory state estimation, 11T278

ALESSANDRI, E: Revisiting the Carrier-phase source-term formulation in mixed Lagrangian-Eulerian particle models, 1A1024

ALEX, R: Anti-plane crack in a nonhomogeneous viscoelastic body, 5A653

ALEXANDER, A: Three dimensional effective properties of composite materials for FE applications, 10A621

ALEXANDER, JID: Inverse FEM for pure and binary solidification problems, 8A1351

ALEXANDER, KB: Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, 4A765

ALEXANDER, RM: Detecting parameter changes using experimental nonlinear dynamics and chaos, 1A120
ALEXANDER, SDB: Effect of size on flexural behavior of high-strength concrete beams, 8A901
ALEXANDRIDIS, AT: Upper bound explicit solutions of the Lyapunov equation, 1T350
ALEXANDROU, AN: Steady-state advancement of fingers and bubbles in a Hele-Shaw cell filled by a non-Newtonian fluid, 8A1058
ALEXANDROU, D: Active, wideband detection and localization in an uncertain multipath environment, 9A285
ALEXANDROV, VM: Dynamics of an infinite Timoshenko beam lying on a base with two elastic characteristics under motion of a deformable carriage, 1A160
ALEXOPOULOS, GA: Analysis of supersonic combustors with swept ramp injectors, 9A1375
- k-ζ (Enstrophy) compressible turbulence model for mixing layers and wall bounded flows, 12A1151
ALEYNIKOV, SM: Boundary-integral equation approach for foundations resting on a deformable half-space with limit contact pressure, 3A599
- Control of foundation shape and loading parameters to preserve uniform settlement, 5A527
ALFAIATE, J: Finite element analysis of non-prescribed crack propagation in concrete, 8A823
ALFANO, G: Mixed FE formulations and related limitation principles: A general treatment, 6A18
ALFREDSSON, KS: Active and reactive structural energy flow, 6A130
ALFREDSSON, PH: Turbulence and Transition Modeling, 2N33
ALGRAIN, M: Phase-lock-loop-based control system for suppressing periodic vibration in smart structural systems, 8A893
ALHAMID, AA: Depth ratio of hydraulic jump in rectangular stilling basins, 6T989
ALI CHERIF, A: Hydrodynamic control of boundary layers around a body of revolution in mixed-convection (French), 5A1159
ALI, A: FEM analysis of concrete structures subjected to mode-I and mixed-mode loading conditions, 5A702
ALI, MA: Stability of Couette flow in the wide gap of two circular concentric cylinders with rotating inner cylinder and finite growth rate, 9A1104
ALI, MAT: Mean velocity and static pressure distributions of a circular jet, 6T1117
ALI, MF: Theme issue on petroleum resid-heavy oil upgrading, 8A1511
ALI, YD: MHD mixed convection from a horizontal circular cylinder, 3A1234
ALI-ELDIN, SS: Incremental convex programming model for solving frictional contact problems, 11A829
ALIABADI, MAH: Boundary Element Technology XII, 11N3
ALIABADI, MH: Boundary Elements XVIII, 3N2
- Computational Methods on Contact Mechanics III, 12N28
- Application of the weight function method to 2D elastodynamic fracture mechanics, 1A787
- Influence of elastic waves on dynamic stress intensity factors: 3D problems, 1A742
- Boundary element analysis of the pullout behavior of an anchor bolt embedded in concrete, 2A47
- Application of a C^{∞} continuous element to the evaluation of hypersingular integrals, 3T50
- Thermomechanical fatigue crack growth, 3A669
- Boundary element formulations in fracture mechanics, 5A700
- Weight function technique in 3D fracture mechanics: Static and dynamic, 6A812
- Three-dimensional BEM analysis for fatigue crack growth in welded components, 7A708
- Time-domain DBEM for rapidly growing cracks, 10A847
- Analysis of mechanically fastened repairs and lap joints, 10A1006
- Evaluation of the stresses in the BEM for Reissner plate-bending problems, 10A637
- Dual reciprocity method for the analysis of adhesively patched sheets, 11A884
- Stress intensity factors for cracks at attachment lugs, 12A801
ALIABADI, S: Flow simulation and high performance computing, 5A947
ALICI, G: Force-control-based robotic drilling in hazardous environments, 1A406
ALIDI, AS: Multiobjective optimization model for the waste management of the petrochemical industry, 6A1520
ALIFANOV, AL: Processing of data on abrasion tests, 7A935
ALIGHANBARI, H: Post-Hopf-bifurcation response of an airfoil in incompressible 2D flow, 2A80
ALIPOUR, F: Experimental study of pulsatile flow in canine larynges, 11A1574
ALIYU, MDS: New potential field-based algorithm for path planning, 6A439
ALKEMA, VG: Wear resistance of diffusion boron-silicide coatings, 7A929
ALKHOZAM, AM: Experimental study of vortex flow control on double-delta wings using fillets, 2A1078
ALKIDAS, AC: Indicators of fuel maldistribution in spark-ignition engines, 12T1410
ALKU, S: Analysis of laterally loaded pile group with varying foundation modulus, 2A559
ALLAHDADI, FA: Quadratic yield function for fiber-reinforced composites, 11A435
ALLAIN, C: Scaling of boundary-layer flows driven by double-diffusive convection, 2A1300
ALLAIRE, G: Bloch-wave homogenization for a spectral problem in fluid-solid structures, 5A197
ALLAIRE, PE: Thermoelastodynamic analysis of fixed geometry thrust bearings including runner deformation, 1A1133
- Magnetic bearing design for reduced power consumption, 4A926
- Measured force-current relations in solid magnetic thrust bearings, 8A959
- Magnetic thrust bearing operation and industrial pump application, 8A958
- Comparison of predicted and measured rotor losses in planar radial magnetic bearings, 10T993
ALLAL, A: Relationship between viscoelastic and peeling properties of model adhesives - Part 1: Cohesive fracture, 10A809
ALLAM, MM: Adequacy of a shear building for modeling open-plane frames under seismic excitation, 8T1483
ALLAN, FM: Similarity solutions of a boundary layer problem over moving surfaces, 9A1075
ALLANSON, DR: Analysis and simulation of the grinding process - Part III: Comparison with experiment, 1T657
ALLARD, J-F: Experimental localization of a pole of the reflection coefficient of a porous layer, 11A180
ALLARD, L: Characterization of blood flow turbulence with pulsed-wave and power Doppler ultrasound imaging, 2A1456
ALLEBORN, N: Further contributions on the 2D flow in a sudden expansion, 8A1149
ALLEGRE, J: Aerodynamic forces and moments for a re-entry module, 10A1227
ALLEMANG, RJ: Surveillance methods, 8T114
ALLEN, C: Apparatus for repetitive impact wear testing, 5A852
ALLEN, CS: Flight effects on the far-field noise of a heated supersonic jet, 12A305
ALLEN, D: Occurrence of lock-in under highly sheared conditions, 3A1032
- Notch fatigue behavior in cast irons explained using a fracture mechanics approach, 5A611
ALLEN, DH: Damage and Interfacial Debonding in Composites, 7N11
- Progressive damage model and analysis methodology for predicting the residual strength of composite laminates, 7A748
- Three-dimensional FE formulation for thermoviscoelastic orthotropic media, 11A1382
ALLEN, DT: FTIR analysis of aerosol formed in the photooxidation of 1,3,5-trimethylbenzene, 11A1443
ALLEN, FD: Intracellular Ca^{2+} stores and extracellular Ca^{2+} are required in the real-time Ca^{2+} response of bone cells experiencing fluid flow, 4A1489
- What is the role of the convective current density in the real-time calcium response of cultured bone cells to fluid flow?, 4A1490
ALLEN, HG: Cyclic creep and creep-fatigue interaction in sandwich beams, 10A789
ALLEN, JK: Concept exploration method for determining robust top-level specifications, 1A407
- Procedure for robust design: Minimizing variations caused by noise factors and control factors, 6A452
- Statistical experimentation methods for achieving affordable concurrent systems design, 10T962
ALLEN, JS: Use of the Boussinesq equations, the reduced system, and the primitive equations for the computation of geophysical flows, 4T1431
ALLEN, MB: Modeling full-tensor anisotropy in groundwater flow via an iterative scheme for mixed FEs, 6A1397
ALLEN, MG: Energy-based design criterion for magnetic microactuators, 4A424
ALLEN, MT: High pressure studies of moist carbon monoxide-nitrous oxide kinetics, 10A1409
ALLEN, PHG: EHD effects of nucleate boiling at passively enhanced surfaces, 5A1209
ALLEN, R: Concrete in Coastal Structures, 10N17
- Automatic location of vertebrae in digitized videofluoroscopic images of the lumbar spine, 10A1552
ALLEN, T: Vortex-wave interactions - Part 2: Originating from axisymmetric flow with swirl, 5A993
ALLEN, TM: Combined allowable strength reduction factor for geosynthetic creep and installation damage, 3A610
ALLERSMA, HGB: Using digital image processing in field measurement, 4T649
ALLEYNE, A: Improved vehicle performance using combined suspension and braking forces, 10A483
- Comparison of alternative intervention strategies for unintended roadway departure (URD) control, 10A478
ALLEYNE, DN: Effect of discontinuities on the long-range propagation of Lamb waves in pipes, 8A210
ALLGEIER, T: Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel, 10A168
ALLINGER, TL: Force-length properties in stable skeletal muscle fibers: Theoretical considerations, 3A1496
ALLISON, RW: Experimental and numerical evaluation of beam-to-column connections for pultruded structures, 4A573
ALLIX, O: Modeling and simulation of crack propagation in mixed-modes interlaminar fracture specimens, 2A684
ALLOR, RL: Influence of grinding direction on fracture strength of silicon nitride, 1A716
- Dynamic mechanical properties of ceramics and ceramic composites at elevated temperatures, 8A792
- Thermal cycling effects on dynamic mechanical properties and crystallographic structures of silicon nitride-based structural ceramics, 10A777
ALLOUM, A: Vehicle modeling aspects for an embedded real-time application, 10A500
ALLPORT, JM: Statistical mechanics material model for the constitutive modeling of elastomeric compounds, 8A562
ALLWOOD, JM: Efficient treatment of binary nonlinearities applied to elastic contact problems without friction, 9A441
ALLWOOD, RJ: Modeling nonlinear bond-slip behavior for FE analyses of reinforced concrete structures, 3A6
ALMAEV, RK: Joint moments of the wave beam amplitude and inverse power in an absorbing random medium with lens properties, 2A198
- Joint moments of the wave beam amplitude and inverse power in an absorbing random medium with lens properties, 2A199
ALMAN, AI: Methods of electrochemical shaping of GTE blade, 1A675
ALMEIDA PEREIRA, OJB: Set of hybrid equilibrium FE models for the analysis of 3D solids, 2A35
ALMEIDA, RC: Stable Petrov-Galerkin method for convection-dominated problems, 6A1313
ALMGREN, AS: High-order projection method for tracking fluid interfaces in variable density incompressible flows, 8A1066
ALMOND, DP: Fiber composite fatigue-life determination, 7A662
ALMUGHRABI, A: Reinforced model to estimate torsional strength of reinforced concrete beams, 3A775
ALMUSALLAM, AA: Evaluation of repair materials for functional improvement of slabs and beams with corroded reinforcement, 8A903
ALMUSALLAM, TH: Analytical prediction of flexural behavior of concrete beams reinforced by FRP bars, 10A927
ALOISIO JR, CJ: Thermomechanical mechanism for delamination of polymer coatings from optical fibers, 12A784
ALOISIO, C: Predictive model for impact response of viscoelastic polymers in drop tests, 1A956
ALOKE, R: Model for prediction of dimensional tolerances of laser cut holes in mild steel thin plates, 12A464
ALONSO, C: New method for *in-situ* measurement of electrical resistivity of reinforced concrete, 1A847
ALONSO, CV: Modeling sediment in gravel-bedded streams using HEC-6, 3T984
ALONSO, EE: Porosity variations in saline media caused by temperature gradients coupled to multiphase flow and dissolution-precipitation, 4A1342
ALONZO, ML: Multifractal approach to time clustering of earthquakes: Application to Mt Vesuvio seismicity, 9A1463
ALOSTAZ, YM: Analytical behavior of connections to concrete-filled steel tubes, 10A14
ALPAS, AT: Effect of temperature on the sliding wear performance of Al alloys and Al matrix composites, 2A881
- Transition between mild and severe wear in aluminium alloys, 8A943
ALPIZAR, J: Simultaneous determination of chloride and pH in wastewaters by sequential injection analysis, 2A1020
ALREFAI, M: Controlled leading-edge suction for management of unsteady separation over pitching airfoils, 5A1065
ALSEMA, EA: Simple model for PV module reflection losses under field conditions, 8A1540
ALSHITS, VI: Concavities on the zonal slowness section of a transversely isotropic elastic material, 12A234
ALSTON, TM: Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, 11A1150
ALTAC, Z: Integrals involving Bickley and Bessel functions in radiative transfer, and generalized exponential integral functions, 2T1248
ALTAMUSH SIDDIQUI, M: Effect of using a heat recovery absorber on the performance and operating cost of the solar ammonia absorption cycles, 8A1529
- Economic feasibility and performance study of a solar-powered absorption cycle using some aqueous salt solutions, 8A1527
ALTAN, T: Analysis of axisymmetric cup drawing in relation to friction, 1A644
- Metal forming and machining, 1A634
ALTENBACH, H: Generalized fatigue limit criterion and a unified theory of low-cycle fatigue damage, 5A606
- Creep bending of thin-walled shells and plates by consideration of finite deflections, 12A635
ALTER , DM: Control of linear motors for machine tool feed drives: Design and implementation of H_{∞} optimal feedback control, 6A402
ALTER, SJ: Hypersonic aerodynamic characteristics of a proposed single-stage-to-orbit vehicle, 2A839
ALTIERO, NJ: Application of the BEM to rubber-like elasticity, 2A459
- Analytical model to study blunt impact response of the rabbit P-F joint, 11A1558
ALTINAKAR, MS: Flow structure in turbidity currents, 6A1003
ALTINEL, T: Stress intensity factors for an infinitely long transversely isotropic, thick-walled cylinder which contains a ring-shaped crack, 6A764
ALTINTAS, Y: Prediction of ball-end milling forces from orthogonal cutting data, 3A634
- Modular CNC design for intelligent machining-Part 1: Design of a hierarchical motion control module for CNC machine tools, 5A372
- Modular CNC design for intelligent machining - Part 2: Modular integration of sensor based milling process monitoring and control tasks, 5A373
- Design of an electro-hydraulic CNC press brake, 6A944
ALTOBELLI, DE: Human Biomaterial Applications, 4N34
ALTOBELLI, M: Comparative overview of strain actuated surfaces' design, 10A676
ALTOBELLI, SA: Migration of particles undergoing pressure-driven flow in a circular conduit, 10A1031
ALTPETER, I: Nondestructive evaluation of cementite content in steel and white cast iron using inductive Barkhausen noise, 5A732
ALTSCHAEFFL, AG: Resilient modulus of cohesive soils, 8A642
ALTUKHOV, EV: Stressed state of the isotropic layer with a crack (Russian), 12A819
ALTUS, E: Stresses and failure patterns in the bending of sandwich beams with transversely flexible cores and laminated composite skins, 3A514
- Stress calculation error analysis for incremental hole-drilling residual stress measurements, 11A383
ALTUS, SS: Genetic algorithm for scheduling and decomposition of multidisciplinary design problems, 6A448
ALVAREZ, A-M: Influence of hydrogen on the fatigue behavior of the beta-titanium alloy Ti-3Al-8V-6Cr-4Mo-4Zr, 6A727
ALVAREZ, G: Simple and general method for kinematic synthesis of spatial mechanisms, 8A968
ALVAREZ, GA: Radial lip seal analysis: FE solution for a body of revolution, 4T23
- Finite Element Fourier series for asymmetric loads on radial lip seals, 7A946
ALVAREZ, JA: Influence of loading rate on hydrogen induced cracking of microalloyed steels, 12A773
ALVAREZ-ARENAS, TEG: New constitutive relations for piezoelectric composites and porous piezoelectric ceramics, 5A508
ALVES, BK: No-tension elastic materials, 7A408
ALVES, MK: No-tension elastic materials, 7A408
ALVI, FS: Aeroacoustic properties of a supersonic diamond-shaped jet, 2A981
- Multiaxis fluidic thrust vector control of a supersonic jet using counterflow, 2T1095
ALVIN, KF: Estimation of reciprocal residual flexibility from experimental modal data, 2A89
- Time and frequency domain procedure for identification of structural dynamic models, 10T420
- Finite element model update via Bayesian estimation of minimization of dynamic residuals, 10A248
- Extraction of normal modes and full modal damping from complex modal parameters, 12A354
ALVING, AE: Turbulence measurements around a mild separation bubble and downstream of reattachment, 3A1098
- Tenth Symposium on Turbulent Shear Flows, 7A1136
ALWI, HAB: Factors which determine the tunable frequency range of tunable transducers, 2A301
ALY, A: Design of horizontally curved waffle slab structures, 6A897
ALY, G: Application of heat pump systems for energy conservation in paper drying, 12A1325
ALY, S: Heuristic approach for heat exchanger networks, 3A1260
- Stochastic approach to optimal aerodynamic shape design, 4A820
ALZEBDEH, K: Brittle intergranular failure in 2D microstructures: Experiments and computer simulations, 4A771
- Micromechanically based stochastic FEs: Length scales and anisotropy, 4A30
ALZIARY DE ROQUEFORT, T: Influence of roughness on attachment line boundary layer transition in hypersonic flow, 8A1129

ALZUETA, MU: Low temperature interactions between hydrocarbons and nitric oxide: An experimental study, 9A1367
AMABILI, M: Free vibrations of circular plates coupled with liquids: Revising the Lamb problem, 5T117
- Bulging modes of circular bottom plates in rigid cylindrical containers filled with a liquid, 6A297
- Shell-plate interaction in the free vibrations of circular cylindrical tanks partially filled with a liquid: The artificial spring method, 8A272
- Free vibrations of cylindrical shells with non-axisymmetric mass distribution on elastic bed, 9A140
- Dynamic analysis of spur gear pairs: Steady-state response and stability of the sdof model with time-varying meshing damping, 11A848
AMADA, S: Tribology of thermal sprayed coatings, 5T849
AMADEI, B: Fracture mechanics analysis of cracked 2D anisotropic media with a new formulation of the BEM, 2A691
- Water reservoir loading of long anisotropic valleys with irregular topographies, 6A1390
- Repair and retrofit of unreinforced masonry structures, 6A917
- Edge function analysis of glacier mechanics problems, 8A1468
- Three-dimensional BE formulation of viscoelastic media with gravity, 10A582
AMAKIRI, JO: Effect of pollutant oscillations on oil spreading on the sea, 12A1525
AMANAT, KM: Investigation of mode-I fracture of early age concrete by a non-local plasticity approach, 10A826
AMANN, N: Iterative learning control using optimal feedback and feedforward actions, 4A335
AMANO, RS: Aerodynamic analysis of turbine cascade by using a second-order closure of turbulence, 2A1102
- Prediction of jet impingement heat transfer using a hybrid wall treatment with different turbulent Prandtl number functions, 2A1198
AMARA, D: Study of single-lap compression-shear test for brittle substrates bonded with a structural adhesive, 6A982
AMARA, T: Transient free convection in a vertical cylinder filled with granular product, open at the extremities and heated with uniform heat flux density: Validity of the local thermal equilibrium hypothesis (French), 5A1156
AMARANATH, T: Stokes flow past a porous sphere with an impermeable core, 4A975
AMATEAU, MF: Tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 7A893
AMATI, G: Turbulent channel flow simulations using a coarse-grained extension of the lattice Boltzmann method, 9T1125
AMATO, F: Quadratic stabilization with an H^∞ performance bound of uncertain linear-time-varying systems, 3T349
AMAYA, K: Boundary element inverse analysis for improving accuracy of measuring polarization characteristics (Japanese), 9A56
- Boundary element analysis of galvanic corrosion of long structure buried in soil with gradient electrical conductivity (Japanese), 9A712
- Identification of Gurson's material constants by using Kalman filter, 12A852
AMAZOUZ, M: Solving heat dissipation problems in unidirectional composite structure, 11A1323
AMBERG, G: Parameter ranges in binary solidification from vertical boundaries, 9A1346
AMBERG, MF: Similarity solutions for steady laminar convection along heated plates with variable oblique suction: Newtonian and Darcian fluid flow, 2A1153
AMBRASEYS, NN: Surface-wave magnitude calibration for European region earthquakes, 11A1466
AMBROSIO, JAC: Crashworthiness of Transportation Systems: Structural Impact and Occupant Protection, 9N9
- Distributed and discrete nonlinear deformations on multibody dynamics, 2A65
- Crashworthiness analysis and design using rigid-flexible multibody dynamics with application to train vehicles, 7A197
- Biomechanical model with joint resistance for impact simulation, 12A1541
AMDJADI, F: Symmetry breaking Hopf bifurcations in equations with O(2) symmetry with application to the Kuramoto-Sivashinsky equation, 8T108
AMECKE, J: Aerodynamic performance of a transonic turbine guide vane with trailing edge coolant ejection - Part I: Experimental approach, 1A1113
AMEEL, TA: Graetz problem extended to slip-flow, 7A1240
- Performance evaluations of LiCl and LiBr for absorber design applications in the open-cycle absorption refrigeration system, 11A1537
AMEIN, NK: Modeling an undular bore with B-splines, 12A265
AMEMIYA, K: Miro drilling of printed circuit boards - 2nd Report: FEM analysis of torsional strength for twist drill (Japanese), 10A737
AMEMIYA, T: Stabilizing control for a class of uncertain delay systems with limited measurable state variables, 12A385
AMENT, JM: Comparative statistical study for the ultimate stress in unbonded post-tensioning, 10A946
AMER, MS: Experimental measurement of fiber-fiber interaction using Micro Raman Spectroscopy, 2A463
AMERI, AA: Grid orthogonality effects on predicted turbine midspan heat transfer and performance, 8A1309
AMES, FE: Velocity and length scale approach to k-ε modeling, 5A1052
- Influence of large-scale high-intensity turbulence on vane heat transfer, 8A1299
- Influence of large-scale, high-intensity turbulence on vane aerodynamic losses, wake growth, and the exit turbulence parameters, 10A1246
AMIN, AH: Optimal circular reinforced concrete columns, 11A785
AMIN, EM: Computational study of pressure effects on pollutant generation in gas turbine combustors, 8A1416
AMIN, MR: Enhancement of heat transfer by inserting a metal matrix into a phase change material, 2A1364
AMIN, SM: Experimental investigation of a non-steady flow thrust augmenter, 1A1375
AMINI, S: Regularization of strongly singular integrals in boundary integral equations, 5A58
AMIR, N: Study of wave propagation in varying cross-section waveguides by modal decomposition - Part I: Theory and validation, 4A275
- Finding the eigenmodes of 2D cavities with two axes of symmetry, 7A281
- Study of wave propagation in varying cross-section waveguides by modal decomposition - Part II: Results, 10A401
AMIRA, M: Effect of pile compressibility on shaft friction capacity, 5A525
AMIRO, IY: Determination of critical external pressure under dynamic loading of the shells of revolution (Russian), 2A500
- Experimental study of stability of ribbed shells: Survey (Russian), 9T563
AMIS, AA: Cross-sectional area measurement of soft tissue: A new casting method, 3A1517
AMITAY, M: Heat transfer in the forced laminar wall jet, 12A1252
AMMERMAN, CN: Boiling characteristics of cylindrical heaters in saturated, gas saturated, and pure-subcooled FC-72, 11A1272
AMMERMAN, DJ: Development, Validation, and Application of Inelastic Methods for Structural Analysis and Design, 3N28
AMMONS, BA: Continuity and collocation effects in the BEM, 10A82
AMOAKO-GYAMPAH, K: Simulation study of FMS tool allocation procedures, 5A377
AMON, CH: Dynamical flow characterization of transitional and chaotic regimes in converging-diverging channels, 3A99
- Thermomechanical modeling of molten metal droplet solidification applied to layered manufacturing, 8A1303
- Oscillatory momentum transport mechanisms in transitional complex geometry flows, 9A1079
- Optimal 3D placement of heat generating electronic components, 12A1330
AMON, T: Nonstochastic analysis of manufacturing systems using timed-event graphs, 1T425
AMROUCHE, C: Class of fluids of grade 3, 8A992
AMSALU, A: Design rule checker for sheet metal components using medial axis transformation and geometric reasoning, 1A409
AN , Q: General theory of finite deformation of viscoplastic thin shells, 3A476
AN, C-F: Turbulent jet impingement flow computation, 10A1301
AN, HIROSHI: Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
AN, KAI-NAN: Calibration of measured center of pressure of a new stairway design for kinetic analysis of stair climbing, 5A1478
- Parameters for modeling the upper extremity, 10A1528
- Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, 12A1544
AN, YOUNG KONG: Dynamic characteristics of ER fluid squeeze film damper, 7A1203
ANABTAWI, JA: Theme issue on petroleum residheavy oil upgrading, 8A1511
ANACLETO, P: Mean and turbulent flowfields in a model RQL gas-turbine combustor, 7A1407
ANAGNOSTOPOULOS , P: Computer-aided flow visualization and vorticity balance in the laminar wake of a circular cylinder, 8A1154
ANAGNOSTOPOULOS, J: Numerical investigation of the grinding process in a beater wheel mill with classifier, 12A777
ANAGNOSTOPOULOS, P: Computational Methods and Experimental Measurements VIII, 11N5
ANAMI, G: Study on the drag force of steels used for the superconducting magnetic levitation vehicle system (Maglev) guideway (Japanese), 3A829
ANAND, AK: New technology trends for improved IGCC system performance, 5A1367
ANAND, L: Constitutive model for compressible elastomeric solids, 5A379
ANAND, MS: Experimental and computational study of swirling hydrogen jet diffusion flames, 10A1149
- Calculations of swirl combustors using joint velocity-scalar probability density function method, 12A1131
ANAND, NK: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
- Heat transfer in a 3D channel with baffles, 2A1158
- Mixed convective heat transfer between a series of vertical parallel plates with planar heat sources, 5T1168
- Three-dimensional heat transfer in a channel with a baffle in the entrance region, 7A1244
ANAND, S: Robot cleaning of underground liquid storage tanks: Feasibility and design considerations, 12T451
ANAND, SC: Three-dimensional failure analysis of composite masonry walls, 3A565
ANANDARAJAH, A: Variation of fabric anisotropy of kaolinite in triaxial loading, 3A579
ANANTHASURESH, GK: Topological synthesis of compliant mechanisms using multi-criteria optimization, 12A1025
ANAPOL'SKII, LY: Pulse-width stabilization of a rigid body with fixed axis, 4A78
ANASTASELOS, G: Effect of stringers and patches on the stress intensities around cracks in plates, 6A763
ANASTASIADIS, SH: Rheology and phase separation in a model upper critical solution temperature polymer blend, 10A1023
ANASTASIOU, K: Modeling of wave propagation in the nearshore region using the mild slope equation with GMRES-based iterative solvers, 2A1403
- Automatic tetrahedral mesh generation scheme by the advancing front method, 8A55
- Solution of the 2D shallow water equations using the finite volume method on unstructured triangular meshes, 11A951
ANASTASSOOPOULOS, A: Selection of papers presented at the First Joint Belgian-Hellenic Conference on NDT May 22-23, 1995, Patras Greece, 10A873
ANAYA-DUFRESNE, M: Breakdown under contact conditions of Reynolds equation for gas lubricated bearings, 7A1214
ANAYIOTOS, AS: Evaluation of the proximal flow field to circular and noncircular orifices of different aspect ratios, 12A1555
ANBAR, ES: Objective method for the evaluation of off-road wheeled vehicle mobility, 8T404
ANCEY, C: Rheological interpretation of deposits of yield stress fluids, 3A945
- Examination of the possibility of a fluid-mechanics treatment of dense granular flows, 5A436
ANDERECK, CD: Pulsed flow between concentric rotating cylinders, 8A1072
ANDEREGG, J: Investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 2A865
ANDERSEN, BS: Parallel FEM for the analysis of crystalline solids, 1A542
ANDERSEN, FMB: Comparison of numerical quadrature schemes applied in the method of discrete transfer, 1T1241
- Effective absorptivity of finned tube walls, 7A1325
ANDERSEN, GR: Centrifuge-modeled rigid structure to investigate dynamic soil-structure interaction, 12A689
ANDERSEN, M: Screening the performance of lubricants for the ironing of stainless steel with a strip reduction test, 12A1231
ANDERSEN, R: Numerical implementation of constitutive integration for rate-independent elasto-plasticity, 5A430
ANDERSLAND, OB: Movement of liquid contaminants in partially saturated frozen granular soils, 9A625
ANDERSON JR, CE: Penetration of steel targets finite in radial extent, 7A200
ANDERSON JR, JD: Langley's aeronautical research: A modern critique and reassessment, 9A1176
- Load balancing and performance issues for data parallel simulation of stiff chemical nonequilibrium flows, 9A1041
ANDERSON, A: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
- Optimization of a steady-flow Carnot cycle with external irreversibilities for maximum specific output, 5A1122
- Determination of grain-size distribution from ultrasonic attenuation: Transformation and inversion, 8A332
ANDERSON, AM: Comparison of computational and experimental results for flow and heat transfer from an array of heated blocks, 9A1201
ANDERSON, AT: Experimental methods for measuring X-ray ablation response of surfaces, 10A1384
ANDERSON, BJ: Solid-rocket-motor contribution to large-particle orbital debris population, 2A258
ANDERSON, CG: Study of the near wake structure of a wind turbine comparing measurements from laboratory and full-scale experiments, 3A1458
ANDERSON, D: Cyclic behavior of concrete bridge bents, 10A931
ANDERSON, DA: Computational Fluid Mechanics and Heat Transfer, Second Edition, 11N4
- Adaptive grid scheme using the BEM, 3A45
ANDERSON, EA: Look at a universal parameter for 2D and 3D bluff body flows, 3T1029
ANDERSON, J: Calculating solar radiation received by tubular collectors, 11T1528
ANDERSON, JG: Comparison of direct S-wave and coda-wave site amplification determined from aftershocks of the Little Skull Mountain earthquake, 2A1395
- Control of strong motion by the upper 30 meters, 8A1497
- Seismic energy and stress-drop parameters for a composite source model, 12A1444
- Characteristics of nonlinear response of deep saturated soil deposits, 12A1452
ANDERSON, JR: Three-dimensional numerical analysis of colliding microburst outflow dynamics, 4A1442
ANDERSON, JT: Experimental investigation and FE modeling in gravity die casting, 12A741
ANDERSON, K: Petroleum coke and coal start-up testing in bubbling fluidized bed combustors, 12A1386
ANDERSON, KR: Classification of absolute and convective instabilities in premixed bluff body stabilized flames, 4A1294
ANDERSON, OB: Volume III: Materials Engineering, 10N27
ANDERSON, PA: Factors affecting the pullout strength of cancellous bone screws, 2A1477
ANDERSON, PC: Spacecraft charging anomaly on a low-altitude satellite in an aurora, 4A870
ANDERSON, RM: Model for water uptake in plants, 11A1573
ANDERSON, TJ: Natural frequencies and mode shapes of laminated composite plates: Experiments and FEA, 4A165
- Coupling between high-frequency modes and a low-frequency mode: Theory and experiment, 4A82
- Experimental verification of the importance of the nonlinear curvature in the response of a cantilever beam, 11A115
ANDERSON, WF: Equipment for 1D compression and triaxial testing of unsaturated granular soils at low stress levels, 12A691
ANDERSON, WJ: Exploiting design length scales in structural optimization, 10A898
ANDERSON, WK: Implicit-multigrid algorithms for incompressible turbulent flows on unstructured grids, 4A1093
ANDERSSEN, RS: Modeling the volatilization of organic soil contaminants: Extension of the Jury, Spencer and Farmer Behavior Assessment Model and solution, 8A1555
ANDERSSON, B: Characterizing 3D topography of engineering and biomaterial surfaces by confocal laser scanning and stylus techniques, 4A1493
- Real time control of wastewater systems, 7T1523
ANDERSSON, GI: Surface micromachining by sacrificial aluminium etching, 8T420
ANDERSSON, HI: Structure of Reynolds shear stress in the central region of plane Couette flow, 1A1073
- Flows dominated by centrifugal and Coriolis forces: A survey of EUROMECH 336, 1A979
- Two-layered model of blood flow through stenosed arteries, 3A1514
- Near-wall Reynolds-stress modeling in noninertial frames of reference, 9A1124
ANDERSSON, HO: Routine FE determination of stress intensity factors at curved crack fronts using an influence function technique, 12A843
ANDERSSON, L-E: Dissipation of wave energy in a viscoelastic junction between elastic bars: Dependence on transmission direction, 8A209
- Class of limit states of frictional joints: Formulation and existence theorem, 8A480
ANDERSSON, M: Stress distribution and crack initiation for an elastic contact including friction, 2A397
ANDERSSON, P: Influence of topography on the running-in of water-lubricated silicon carbide journal bearings, 7A918
ANDERSSON, S: Simulation of the mild wear in a cam-follower contact with follower rotation, 5A829
- Simulation of mild wear in spur gears, 12A958
- Wear simulation with the Winkler surface model, 12A989
ANDO, K: Determination of the higher-order elastic compliance constants of metals from measurements of the dependence of ultrasound velocity on stress, 9A805
- Morphological studies relating to the fracture stress and fracture toughness of silicon nitride, 12A830
ANDO, Y: Study on development of soil improvement method using construction waste soil (Japanese), 5T511

ANDOH, E: New complex-valued formulation and eigenvalue analysis of the Helmholtz equation by BEM, 3A324
- Effects of pressure, initial temperature, and propellant ingredients on flame-spreading into a hole, 8A1423
ANDOH, H: Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), 2A1390
ANDOH, Y: Recent progress in microtribology, 7A884
ANDONOWATI: Two-sided shooting method in computation of traveling combustion waves of a solid material, 5A1358
- Numerical study of a problem in the combustion of a porous medium, 10A1415
ANDRA, H: Integration of singular Galerkin-type BE integrals for 3D elasticity problems, 10A84
ANDRADE, C: New method for *in-situ* measurement of electrical resistivity of reinforced concrete, 1A847
ANDRADE, MG: Numerical scheme based on mean value solutions for the Helmholtz equation on triangular grids, 10A394
ANDRE, JC: Nonlinear vibrations in beams and frames: The effects of the deformed equilibrium state, 6A121
ANDREADIS, I: New hardware module for automated visual inspection based on a cellular automation architecture, 1A423
ANDREANI, M: Three-dimensional Eulerian-Lagrangian model of dispersed flow film boiling - II: Assessment using quasi-steady-state data and comparison with the results of 1D analyses, 7A1290
- Three-dimensional Eulerian-Lagrangian model of dispersed flow film boiling including a mechanistic description of the droplet spectrum evolution - I: The thermal-hydraulic model, 7A1289
ANDREAS, EL: Wavelet analysis of nonstationary turbulence, 7A1149
ANDREASEN, JH: Accurate method for solving crack problems with discontinuous crack-line tractions, 12A834
ANDREASEN, JL: Screening the performance of lubricants for the ironing of stainless steel with a strip reduction test, 12A1231
ANDREASEN, KK: Non-Gaussian extreme waves in the Central North Sea, 12A248
ANDREASSEN, O: Wave breaking and transition to turbulence in stratified shear flows, 3A249
- Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part I: Comparison of 2D and 3D flows, 6A1135
- Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part II: Instability structure, evolution, and energetics, 6T1482
ANDREAUS, U: Thermokinematic analysis of pipe shaping in cast ingots: A numerical simulation via FDM, 3A646
ANDREEV, GE: Brittle Failure of Rock Materials: Test Results and Constitutive Models, 2R15
ANDREICHENKO, DK: Dynamic simulation of manipulator with a flexible arm, 8A431
ANDREICHENKO, KP: Dynamic simulation of manipulator with a flexible arm, 8A431
ANDRÉN, A: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
ANDREOPOULOS, J: Shock tube research facility for high-resolution measurements of compressible turbulence, 6A1144
ANDREOU, E: Dissipation of energy for magnetoelastic waves in a conductive medium, 8A620
ANDRESEN, P: Laser-based multiparameter measurements in a jet engine burner, 9A1387
ANDRESS, LD: Automated determination of a novel anti-inflammatory drug in plasma using batch robotic sample preparation and HPLC, 5A360
ANDREW, AL: Computation of derivatives of repeated eigenvalues and corresponding eigenvectors by simultaneous iteration, 4T111
ANDREW, C: Shot peen forming sheet metal: FE prediction of deformed shape, 2A587
ANDREWS, GE: Computational study of pressure effects on pollutant generation in gas turbine combustors, 8A1416
ANDREWS, J: Heat transfer to viscoelastic polymer solutions flowing over a smooth cylinder, 9A991
ANDREWS, JD: Reliability assessment of mechanical systems, 8A972
ANDREWS, LC: Propagation of a Gaussian-beam wave through a random phase screen, 10A352
ANDREWS, M: Effect of Atwood number on the kinematic mixing of two fluids, 6A1012
- Deformation and kinematic mixing of a collapsing interface, 8A1279
ANDREWS, MJ: Interface wavelength between supersonic jets and subsonic flowfields, 2T982
- Comparison of several heat transfer enhancement technologies for gas heat exchangers, 5A1264
- Flow separation with adverse rotational buoyancy, 5T1173
- Performance of a heat pipe thermosyphon radiator, 8A1372
- Interface wavelength between confined supersonic 2D jets and subsonic streams, 12T1133
ANDREYEV, AS: Stability of the equilibrium position of a non-autonomous mechanical system, 6A100
ANDRIACCHI, TP: Tractive forces during rolling motion of the knee: Implications for wear in total knee replacement, 7A1536
ANDRIANIS, E: Finite element stress analysis of unilaterally supported submarine pipelines, 5A799
- Nonlinear static stress analysis of submarine high pressure pipelines, 9A922
ANDRIANOPOULOS, NP: Forming-limit diagrams for Al 2124 and Al-Li 8090 through fracture mechanics and perturbation analysis, 6A755
ANDRIANOV, IV: Approximate nonlinear boundary value problems of reinforced shell dynamics, 1A188
- Account of torsional rigidity of ribs for reinforced structures (Russian), 2T747
- Homogenization and perturbation procedures in the theory of ring-stiffened shells, 10A641
ANDRIEUX, S: Identification of planar cracks by complete overdetermined data: Inversion formulae, 4A774
ANDROJNA, D: Comparison testings between two high-temperature strain measurement systems, 5A1306
ANDRONOV, I: Acoustic scattering by a narrow crack in an elastic plate, 3A304
ANDRONOV, IV: Connection between the scattering diagram and the amplitudes of the surface waves for acoustic scattering by a baffled flexible plate, 3A306
ANDROULAKIS, GS: OPTAC: A portable software package for analyzing and comparing optimization methods by visualization, 1A852
ANDRUS, JF: Exterior-point method for linear programming problems, 6T370
ANDRZEJEWSKI, R: Lateral kinematic of multibody vehicle (Polish), 2A166
- Multicomponent model of a vehicle drive with traction control (Polish), 9A363
ANFEROV, MA: Method for structural optimization of technological processes, 1A831
ANFOSSI, D: Comparison among empirical probability density functions of the vertical velocity in the surface layer based on higher order correlations, 10T1477
ANG , KK: Eigen-force method for FE analysis and reanalysis, 8A43
ANG, AH-S: Adaptive kernel method for evaluating structural system reliability, 10A923
ANG, DD: Regularization of a 2D two-phase inverse Stefan problem, 11A1319
ANG, KK: Effects of repeated loading on creep deflection of reinforced concrete beams, 6A884
ANG, THIEN-CHEONG: Ductility spectra of reinforced concrete structures subjected to far-field seismic excitations, 10A933
ANG, WT: Stresses around a periodic array of planar cracks in an anisotropic bimaterial, 5A686
- Note on antiplane deformations of inhomogeneous elastic materials, 11A358
- Multiple interacting planar cracks in an anisotropic multilayered medium under an antiplane shear stress: A hypersingular integral approach, 12A840
- Boundary element method for a second order elliptic partial differential equation with variable coefficients, 12A65
ANGEL MEJIA, M: Numerical generation of grids with curvilinear coordinates for free surface flow calculations (Spanish), 3T1019
ANGEL, R: Out-of-plane strength of unreinforced masonary infill panels, 6A915
ANGELES, J: Fundamentals of Robotic Mechanical Systems: Theory, Methods, and Algorithms, 7R8
- Synthesis of a multi-step cam mechanism to drive a shaking belt conveyor, 1A902
- Kinematic isotropy and the optimum design of parallel manipulators, 10A530
- Instantaneous kinematics of general hybrid parallel manipulators, 11A331
ANGELI, CA: Rotational properties of asteroids: CCD observations of nine small asteroids, 4T263
ANGELL, TS: Shape retrieval of an obstacle immersed in shallow water from single-frequency farfields using a complete family method, 10A399
- Distributed source method for inverse acoustic scattering, 10A386
ANGENENT, S: General contact-angle conditions with and without kinetics, 2A966
ANGHEL, CI: Study concerning elastic analysis of disk centrifugal separators, 11A517
ANGIRASA, D: Natural convection in porous media near L-shaped corners, 4T1216
- Combined heat and mass transfer by natural convection in a saturated thermally stratified porous medium, 8A1451
- Combined heat and mass transfer by natural convection with opposing buoyancy effects in a fluid saturated porous medium, 9A1232
ANGLADA, M: Influence of aging at intermediate temperatures on the mechanical behavior of a duplex stainless steel - Part II: Fatigue life and fatigue crack growth, 12A757
- Influence of aging at intermediate temperatures on the monotonic stress-strain behavior and fracture toughness of a duplex stainless steel, 12A528
ANGLART, H: CFD application to prediction of void distribution in two-phase bubbly flows in rod bundles, 1A1430
ANGOT, P: Nested grip methods for an ocean model: A comparative study, 6A1490
ANGRILLI, F: Control and flight performance of tethered satellite small expendable deployment system-II, 3T373
- Effects of severed tethers in space, 10A233
ANGSTROM, H-E: Oil film thickness measurement in the middle main bearing of a six-cylinder supercharged 9 liter diesel engine using capacitive transducers, 12A1209
ANIFANTIS, NK: Performance of quarter-point BEs in analyzing thermally stressed kinked and curved cracks, 6A809
- Thermal stress concentration due to imperfect adhesion in fiber-reinforced composites, 12A1346
ANIGSTEIN, PA: Extension of the small gain theorem in L_{pe}, 6T375
ANISSIAN, L: Charnley wear model for validation of hip simulators - ball diameter versus polytetrafluoroethylene and polyethylene wear, 10A1562
ANITESCU, M: Formulating 3D contact dynamics problems, 6A105
ANJALI DEVI, SP: Heat transport along an oscillating flat plate in the presence of a transverse magnetic field, 4T1214
ANJILVEL, S: Inertial deposition of particles in the human upper airway bifurcations, 7A1434
ANJU, A: Two-dimensional fluid-structure interaction problems by an arbitrary Lagrangian-Eulerian FEM, 7T234
- Comparison of sensitivity equation and adjoint equation methods for parameter identification problems, 9A1273
ANJUM, F: Neural-net-based direct self-tuning control of nonlinear plants, 7A326
ANKIREDDI, S: Vibration control of tall buildings under siesmic and wind loads, 3A1400
- Multiple objective LQG control of wind-excited buildings, 12A395
ANMALA, J: Prediction of buckling load of columns using artificial neural networks, 6A610
ANNAMALAI, K: ASME Proceedings of 31st National Heat Transfer Conference, Volume 6, 2N41
ANNASWAMY, AM: Response of a laminar premixed flame to flow oscillations: A kinematic model and thermoacoustic instability results, 3A1316
ANNE, L: Dispersion and cost analysis of some finite difference schemes on one-parameter acoustic wave modeling, 12A61
ANNE, V: Uniform strain criterion for trabecular bone adaptation: Do continuum-level strain gradients drive adaptation, 10A1520
ANNIGERI, R: Investigation of cyclic plastic strain response and fracture behavior of steel-based metal-matrix composites, 7A742
- Tensile deformation and fracture behavior of a tool-steel-based metal-matrix composite, 9A763
ANNIGERI, S: Uncoupled frequency ratio in asymmetric buildings, 2A1387
ANNO, Y: Axial load capacity of water-lubricated hydrostatic conical bearings with spiral grooves: On the case of rigid surface bearings, 4A1157
ANOOSHEHPOOR, A: Rocking and overturning of precariously balanced rocks by earthquakes, 4A1420
ANOSHCHENKO, O: Existence of the global generalized solution of the system of equations describing suspension motion, 10A1122
ANSARI, AI: Effect of abrasive waterjet parameters on volume removal trends in turning, 11A599
ANSARI, F: Composite beam analogy fracture model for concrete, 3A708
- Method and theory for nondestructive determination of fracture energy in concrete structures, 3A706
- State-of-the-art in the applications of fiber-optic sensors to cementitious composites, 10A870
- Fiber-optic crack-tip opening displacement sensor for concrete, 10A868
ANSARY, O: Efficient approach to analysis of generalized systems, 1A345
ANSELMET, F: Analogy between predictions of Kolmogorov and Yaglom, 8A1181
ANSON, D: Catalytic combustion for industrial gas turbines, 2A1314
ANTAKI, PJ: Analysis of hyperbolic heat conduction in a semi-infinite slab with surface convection, 10T1328
ANTANOVSKII, LK: Formation of a pointed drop in Taylor's four-roller mill, 6A1365
- Long-wave peristaltic transport of a compressible viscous fluid in a finite pipe subject to a time-dependent pressure drop, 7A1093
ANTAR, MA: Boundary layer flow about and inside a liquid sphere, 9A1066
- Analytical and numerical solution along with PC spreadsheets modeling for a composite fin, 10A1327
ANTAR, N: Effects of initial stresses and wall thickness on wave characteristics in elastic tubes, 4A254
ANTES, H: Effective 3D BEM with mixed boundary conditions for surface crack problems, 6A80
- Application of viscoelastic BEM to creep problems in chemical engineering structures, 7A57
ANTHOINE, A: Homogenized of periodic masonry: Plane stress, generalized plane strain or 3D modeling, 11A476
ANTHONY , DG: Radar imaging of water surface flow fields, 11A950
ANTHONY , EJ: Petroleum coke and coal start-up testing in bubbling fluidized bed combustors, 12A1386
ANTHONY, EJ: New mechanism for FBC agglomeration and fouling in 100% firing of petroleum coke, 9A1430
- Study of hydration during curing of residues from coal combustion with limestone addition, 12A1529
ANTIC, D: Design of tactical and executive level of redundant robot control via distributed positioning, 6A430
- Decomposition principle based on sliding mode in variable structure system with proportional-plus-integral action, 10A436
ANTINYAN, MA: Influence of acoustic waves on plasma parameters in a molecular gas discharge, 5A231
ANTIPIN, VA: Natural convective heat transfer from a horizontal cylinder to fluid at near-critical condition, 7A1245
ANTIPOV, YA: Delaminated inclusion in the case of adhesion and slippage, 7A414
ANTMAN, SS: Peculiar instabilities due to the clamping of shearable rods, 8A569
ANTOHE, BV: Numerical characterization of micro heat exchangers using experimentally tested porous aluminum layers, 5A1190
- Experimental investigation on pulsating horizontal heating of a water-filled enclosure, 5A1146
- Prandtl number effect on the optimum heating frequency of an enclosure filled with fluid or with a saturated porous medium, 6A1250
- General two-equation macroscopic turbulence model for incompressible flow in porous media, 10A1308
- Experimental determination of permeability and inertia coefficients of mechanically compressed aluminum porous matrices, 11T1335
ANTOINE, R: Perforation strength of geosynthetics and sphericity of coarse grains: A new approach, 9T645
ANTONIA, RA: Turbulent boundary layer over a smooth wall with widely separated transverse square cavities, 1A1030
- Lateral vorticity measurements in a turbulent wake, 4A1055
- Statistics of $\partial u/\partial y$ in a turbulent wake, 7A1135
- Analogy between predictions of Kolmogorov and Yaglom, 8A1181
- Advantages of using a power law in a low R_θ turbulent boundary layer, 8A1186
- Measurement of $\partial u/\partial y$ in a turbulent boundary layer over a riblet surface, 9A1077
- Heat flux measurements in a turbulent boundary layer on a rough wall, 9T1241
- Modeling of the Reynolds stress transport equation, 9A1123
- Response of a turbulent boundary layer to a square groove, 11T1096
ANTONIAK, D: Large displacements of the cylindrical shell evoked by external load and temperature changes, 4A611
ANTONIAK, ZI: Coadunation of technologies: Cogeneration and thermal energy storage, 11T1365
ANTONIO, CAC: Reliability based design with a degradation model of laminated composite structures, 2A763
ANTONOPOULOS, G: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453
ANTONOPOULOS, KA: Analytical solution of the inverse unsteady wall heat conduction problem and experimental application, 3A1251
- Analytical solution of boundary value problems of heat conduction in composite regions with arbitrary convection boundary conditions, 5A1227
- Using orthogonal expansion of functions over multilayer walls for calculating the layer thermal properties, 6A1272
- Experimental and theoretical studies of space cooling using ceiling-embedded piping, 8A1374
- Propane-n-hexadecane resorption cycle for air-conditioning applications, 12A1327
ANTONTSEV, SN: Energy Methods in Continuum Mechanics, 6N3
ANTONY, SJ: Experimental investigation into pile group-layered soil interaction, 4A650
- Elastic analysis of an annular slab-soil interaction problem using a hybrid method, 10A646
- Bending analysis of a finite beam on a reinforced halfplane, 12A848
ANTONYUK, EY: Problems of dynamics of rolling mills (Russian), 12A720
ANTSAKLIS, PJ: Modeling the response of ER damper: Phenomenology and emulation, 3A750
- Optimal design of robust controllers for uncertain discrete-time systems, 3A347
ANTSUPOV , VP: Investigation of surface layer after deformation cladding with flexible tools, 2A916

ANTSUPOV, VP: Improvement of wear resistance by deformation cladding with flexible tool, 7A854
ANTUF'EV, BA: Dynamics of a discretely-stiffened shell under the action of moving load, 1A576
ANTUNES, J: Dynamics of rotors immersed in eccentric annular flow - Part 1: Theory, 6A293
- Dynamics of rotors immersed in eccentric annular flow - Part 2: Experiments, 6A174
ANTUNEZ, HJ: Sensitivity of forming processes to shape parameters, 6A686
- Parameter sensitivity of metal forming processes, 9A660
ANUTA JR, AE: Mode shape reversal with viscous damping, 7A184
- Correlation between the modal and force equations, 9A104
- Transformation of the modal equations into the force equations, 10A229
ANZ-MEADOR, PD: Solid-rocket-motor contribution to large-particle orbital debris population, 2A258
ANZAI, M: Ultra high speed milling and cutting tools, 10A755
AOI, S: Boundary shape waveform inversion for 2D basin structure using three-component array data of plane incident wave with an arbitrary azimuth, 12A1480
AOKI, C: Hydrogen damage analysis in catalytical cracking units steels of petroleum refineries by scanning electron microscopy, 9A714
AOKI, I: Study of cluster-size effects on film condensation, 7A1293
AOKI, J: Aerodynamics of the cable of cable-stayed bridges (Japanese), 3A153
AOKI, M: Elastoplastic FE analysis and strength evaluation of adhesive butt joints of similar and dissimilar hollow shafts subjected to external bending moments, 10A28
AOKI, S: Finite element fracture analysis of WC-Co alloys, 2A667
- Boundary element inverse analysis for improving accuracy of measuring polarization characteristics (Japanese), 9A56
- Boundary element analysis of galvanic corrosion of long structure buried in soil with gradient electrical conductivity (Japanese), 9A712
- Identification of Gurson's material constants by using Kalman filter, 12A852
- Final report of the key technology development program for a next-generation high-temperature gas turbine, 12T1416
AOKI, T: Study on controlling algorithm to realize high-speed and high-accuracy control systems - 2nd Report: Proposal of modified delta operation with variable modulation method (Japanese), 9T326
- Study on controlling algorithm to realize high-speed and high-accuracy control systems - 3rd Report: An application of modified delta operation with VMM to optimal control systems (Japanese), 12T372
AONO, H: Large thrust engines for civil aircraft, 5A1374
AOUBIZA, B: Mechanical characterization of compact bone structure using the homogenization theory, 5A1471
AOUIDEF, A: Pulsed flow between concentric rotating cylinders, 8A1072
AOUSTIN, Y: Synthesis of a nominal trajectory for control law of a one-link flexible arm, 8A434
AOYAMA, H: Optical sensor for detecting a position and an inclination, 2A373
AOYAMA, J: Effect of lamination constitution on buckling of angle-ply laminated cylindrical shells under bending (Japanese), 4A625
AOYAMA, K: Local reaction rate in round-jet diffusion flames, 7T1398
AOYAMA, T: Deformation and interface pressure distribution of 1/10 tapered joints at high rotation speed, 1A935
AOYAMA, Y: Parallel triangular decomposition algorithm on a workstation network with application to structural vibration analysis, 11A165
APALAK, MK: Analysis and design of tee joints with double support, 1A942
- Analysis and design of adhesively bonded tee joints with a single support plus angled reinforcement, 1A941
- Analysis and design of adhesively bonded modified double containment corner joints - II, 4A954
APALAK, ZG: Analysis and design of tee joints with double support, 1A942
- Analysis and design of adhesively bonded tee joints with a single support plus angled reinforcement, 1A941
- Analysis and design of adhesively bonded modified double containment corner joints - II, 4A954
APANASEWICZ, S: Certain integral approach to the solution of Maxwell equations, 4T633
- Properties of electromagnetic field in the neighborhood of a metallic body of large curvature, 4T635
APARICIO, AC: Flexural strength of externally prestressed concrete bridges, 3A778
APARICIO, F: Theoretical model to analyze the collision of an automobile vehicle, 3A388
APARICIO, N: Explicit integration of the stiffness matrix of a four-noded-plane-elasticity FE, 5A46
APEL , T: Anisotropic mesh refinement in stabilized Galerkin methods, 4A46
APEL, T: Comparison of several mesh refinement strategies near edges, 1A58
APELT, CJ: Fluctuating lift and drag forces on finite lengths of a circular cylinder in the subcritical Reynolds number range, 9A218
APFEL, RE: Radiation force on a spherical object in the field of a focused cylindrical transducer, 10A361
APICELLA, A: Application of durability analysis to glare aeronautical components, 1A717
- Unified approach for multi-site damage tolerance and fatigue analysis, 6A748
APKARIAN, P: Parameter varying control of a high-performance aircraft, 9A366
APPEL, JR: Difficulties in sensitivity calculations for flows with discontinuities, 10A1115
APPLEGARTH, I: Adaptive mesh refinement for shells with modified Ahmad elements, 5A484
- Auto-adaptive FE analysis software for stiffened plate and shell structures, 11A518
APPLETON, J: Flexural behavior of strengthened reinforced concrete beams, 10A856
- Nonlinear cyclic stress-strain relationship of reinforcing bars including buckling, 12A650
APRILE, A: Evolutionary model of viscoelastic dampers for structural applications, 11A109
APSLEY, D: Wall-distance-free low Re k-ε turbulence model, 11A1119
APSLEY, DD: Limited-length-scale, k-ε model for the neutral and stably-stratified atmospheric boundary layer, 11A1500
APSTEIN, E: Area rule and volume rule for integral quantities, 1A997
APTERMAN, IZ: Bulk theory of airflow over a mountain ridge allowing for a stable overlying atmosphere, 6T1480
AR'KOV, VY: Checking information-measuring channels in digital two-channeled automatic control systems of aircraft engines, 1A378
ARA, K: New method of nondestructive measurement for assessment of material degradation of aged reactor pressure vessels, 5A740
ARAAR, M: Buckling of cylindrical shells under external pressure proposition of a new shape of self-stiffened shell, 2A521
ARAD, M: High-order-accurate discretization stencil for an elliptic equation, 2A1015
- Highly accurate numerical solution of a biharmonic equation, 11A384
ARAFAT, ES: Effects of pull speed on die wall temperatures for flat composites of various sizes, 1A667
ARAI, C: Powder-metallurgical giant magnetostrictive material and its application to actuators: Development of magnetostrictive pump (Japanese), 1A384
ARAI, E: Machined feature recognition based on feature loop and convex polyhedron, 5A284
ARAI, F: Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, 7A1557
ARAI, K: Back-analysis of dynamic soil parameters based on dropping weight vibration test, 2A545
- Multi-freedom tube type manipulator with Shape Memory Alloy plate, 2T772
ARAI, M: Volume II: Safety and Reliability, 10N8
- Continuous observation of cavity growth and coalescence by creep-fatigue tests in SEM, 1A723
- Drilling of high hardness steels with the high pressure supply of coolant (Japanese), 4T671
ARAI, T: Adaptive control of a hybrid servo system for magnetic disk drives, 7A310
ARAKAWA, K: Analysis of mode I interlaminar deformation ahead of crack front in composite DCB specimens, 2A670
ARAKERI, VH: Towards the concept of hydrodynamic cavitation control, 8A1033
ARAKI, M: Two dof design method of linear-quadratic servo systems with an integral compensator: Analysis of the performance deterioration by the introduction of an observer, 2A311
ARAKI, N: Non-Fourier heat conduction in a finite medium under periodic surface thermal disturbance - II: Another form of solution, 1T1220
- Analytical solution of non-Fourier temperature response in a finite medium under laser-pulse heating, 1A1222
- Optical scanning system for recording large image, 7A386
ARAKI, T: Optimal distance meter using a pulsed laser diode and fast avalanche photo diodes for measurements of molten steel levels, 6A403
ARAL, BK: Viscoelastic material functions of noncolloidal suspensions with spherical particles, 10A1033
ARAMAKI, N: Cyclic strength and deformation of crushable carbonate sand, 1A615
- Steady state and liquefaction strengths of crushable soils (Japanese), 8A643
ARAMAKI, S: Multi-freedom tube type manipulator with Shape Memory Alloy plate, 2T772
ARANDA-BRICAIRE, E: Linearization of discrete-time systems, 4A367
ARANGO, I: Magnitude scaling factors for soil liquefaction evaluations, 6A649
ARATHOON, P: Nonunique dynamic equilibrium constitutive relation of metal powder depending on its microstructure, 11A634
ARAUJO, R: Three-dimensional surface-tracking with a robot manipulator, 1A404
ARAUZ, GL: Experimental study on the effect of a circumferential feeding groove on the dynamic force response of a sealed squeeze film damper, 4A191
ARAYA, RA: Boundary-field equation method for a nonlinear exterior elasticity problem in the plane, 2A382
ARBOLEDA, G: Effects of approach flow conditions on pump sump design, 3A1193
ARCHER, RD: Conical Mach reflection of moving shock waves - Part 1: Analytical considerations, 1A273
ARCHIE JR, JP: Flow input waveform effects on the temporal and spatial wall shear stress gradients in a femoral graft-artery connector, 5A1498
- Geometric design improvements for femoral graft-artery junctions mitigating restenosis, 5A1489
ARCHIE, JP: Hemodynamic simulations and computer-aided designs of graft-artery junctions, 12A1550
ARCHULETA, RJ: What is a reference site?, 8A1467
- Site amplification in the San Fernando Valley, California: Variability of site-effect estimation using the S-wave, Coda, and H-V methods, 12A1458
ARCISZEWSKA, M: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
ARCOUMANIS, C: Optimizing local charge stratification in a lean-burn spark ignition engine, 11A1431
ARCURI, N: Solar radiation utilizability method in heat pipe panels, 8A1523
ARDA, TS: Tests on beam-column strong and weak axis connections, 3A516
ARDEHALI, MM: Development of proportional-sum-derivative control methodology, 8A1373
ARDEKANI, R: Control of multiple constraints within an open architecture machine tool controller, 2A372
ARDEMA, MD: Near-optimal operation of dual-fuel launch vehicles, 3T382
ARDEN, WJB: Modeling of a two-stage high-pressure gas reduction station, 4A1467
ARDUINI, C: Analysis and control of microvibrations on ARTEMIS satellite, 1A205
- Active magnetic damping attitude control for gravity gradient stabilized spacecraft, 7T242
ARDUINI-SCHUSTER, MC: Transient coupled conductive-radiative heat transfer in absorbing, emitting, and scattering media: Application to laser-flash measurements on ceramic materials, 5A1263
ARDUINO, P: Implicit integration of elastoplastic constitutive models for frictional materials with highly nonlinear hardening functions, 8A4
ARELLANO, VM: Experimental performance of the water-calcium chloride system in a heat transformer, 2A1438
- Experimental performance of the system water-magnesium chloride in a heat transformer, 8A1548
ARENAS, BDV: Variational approach to the vibration of tapered beams with elastically restrained ends, 2T127
ARENDS, G: Catalytically supported combustion on a surface burner: Modeling and NO_x formation analysis, 12A1369
ARGATOV, II: Pressure of a narrow ring-shaped punch on an elastic half-space, 8A485
ARGE, E: Modern Software Tools for Scientific Computing, 11N7
ARGENTO, A: Free and forced vibrations of a spinning viscoelastic beam, 1A163
ARGENTO, C: Ray tracing method for evaluating the radiative heat transfer in porous media, 1A1251
- Surface formulation for molecular interactions of macroscopic bodies, 12A12
ARGHIR, M: Inclusion of roughness effects in perturbed Navier-Stokes rotordynamic methods, 10A985
- Forces and moments due to misalignment vibrations in annular liquid seals using the averaged Navier-Stokes equations, 10A999
- Rotordynamic coefficients of circumferentially-grooved liquid seals using the averaged Navier-Stokes equations, 12A1021
- Analysis of a test case for annular seal flows, 12A1017
ARGIRIOU, A: Triple hot-wire system for indoor air flow measurements, 2A1201
- Efficiency of night ventilation techniques for thermostatically controlled buildings, 3A1264
ARGOUBI, M: Poroelastic creep response analysis of a lumbar motion segment in compression, 3A1494
ARGROW, BM: Computational analysis of dense gas shock tube flow, 4T239
ARGUELLO, JG: Three-dimensional FE simulation of creep deformation in rock salt, 6A651
ARGYRIS, J: Combined steady-state nonlinear heat transfer-thermal postbuckling computations in unstiffened and stiffened laminated composite plates and shells, 6A1305
- Semi-analytical FEs in the higher-order theory of beams, 6A575
- Recent advances in computational thermostructural analysis of composite plates and shells with strong nonlinearities, 7A1369
- Prerequisites for quadrature elimination in structural FE analysis, 10A60
- TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells, 11A47
ARGYROPOULOS, SA: Mathematical modeling of solidification and melting: A review, 5A1241
ARI-GUR, J: Dynamic instability of a transversely isotropic column subjected to a compression pulse, 7A553
ARIARATNAM, ST: Buckling mode localization in randomly disordered continuous beams using a simplified model, 3A566
ARICI, O: Navier-Stokes computations of the NREL airfoil using a κ-ω turbulent model at high angles of attack, 11A1133
ARIEL, PD: Generalized Gear's method for computing the flow of a viscoelastic fluid, 10A581
ARIETA, F: Blood analog for laser-induced photochemical anemometry, 8T1570
ARIGO, MT: Sedimentation of a sphere through an elastic fluid - Part 2: Transient motion, 1A986
- Effects of viscoelasticity on the transient motion of a sphere in a shear-thinning fluid, 7A1034
ARIGU, MA: Sequential and parallel methods for solving first-order hyperbolic equations, 4A219
ARII, S: Binocular machine vision system using an active view point (Japanese), 5A346
ARIKAWA, K: Study on tunnel face stabilization by X-ray radiography method: Approach by 3D strain analysis (Japanese), 5T792
ARIKOL, M: Comparative evaluation of some existing rate-type constitutive equations for a viscoelastic fluid undergoing wiggle flow, 8A1010
ARIMA, T: Sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 7A888
ARISAWA, H: Flash pyrolysis of polycthyleneglycol - Part I: Chemometric resolution of FTIR spectra of the volatile products at 370 - 550°C, 9A1385
- Flash pyrolysis of polyethyleneglycol - II: Kinetics determined by T-jump-FTIR spectroscopy, 9A1386
- Kinetics and mechanisms of flash pyrolysis of poly(methyl methacrylate) (PMMA), 10A1411
- Kinetics and products from flash pyrolysis of cellulose acetate butyrate at 460°C - 600°C, 10A1412
ARISTEGUI, C: Optimal recovery of the elasticity tensor of general anisotropic materials from ultrasound velocity data, 8A854
ARISTIZABAL-OCHOA, JD: Braced, partially braced and unbraced columns: Complete set of classical stability equations, 2A513
- Story stability of braced partially braced, and unbraced frames: Classical approach, 11A532
- First- and second-order stiffness matrices and load vector of beam-columns with semirigid connections, 11A10
ARITA, Y: Hybrid inverse mode problem for fixed-fixed mass-spring models, 4A329
ARITOMI, M: Energy release rates for an interface crack embedded in a laminated beam subjected to three-point bending, 12A829
ARKHIPOV, V: Class of invariants for the Boltzmann equation and the Broadwell model, 11T985
ARMALY, BF: Laminar natural convection flow over a vertical forward-facing step, 1A1168
- Laminar natural convection flow over a vertical backward-facing step, 11A1223
ARMANIOS, EA: Composite Materials: Fatigue and Fracture, Sixth Volume, 10N15
ARMBRUSTER, D: Symmetries and dynamics for 2D Navier-Stokes flow, 1A1061
ARMENIO, V: Improved MAC method (SIMAC) for unsteady high-Reynolds free surface flows, 7A1023
ARMENISE, I: Nonequilibrium vibrational kinetics in the boundary layer of re-entering bodies, 1A1005
- Vibrationally relaxing flow of N_2 past an infinite cylinder, 7A1056
ARMERO, F: Analysis of strong discontinuities in multiplicative finite strain plasticity and their relation with the numerical simulation of strain localization in solids, 1A470
ARMFIELD, S: Stability properties of the vertical boundary layers in differentially heated cavities, 5A1165
- Direct boundary-layer stability analysis of steady-state cavity convection flow, 5A1158
ARMFIELD, SW: Finite difference solutions of vortex generation and shedding from a circular cylinder in oscillatory plus mean flow, 8A1074
ARMINJON, M: Extension of Newton's second law to theories of gravitation in curved space-time, 4T8
ARMSTRONG, CG: Hexahedral mesh generation of medial surface subdivision - Part II: Solids with flat and concave edges, 6A66
ARMSTRONG, DR: Investigation into the molecular stability of zinc di-alkyl-di-thiophosphates

(ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 12A1223
ARMSTRONG, KB: Long-term durability in water of aluminium alloy adhesive joints bonded with epoxy adhesives, 11A888
ARMSTRONG, WD: One-dimensional model of a shape memory alloy fiber reinforced aluminum metal matrix composite, 3A753
ARNAUTOV, A: Failure and relaxations of carbon fiber-reinforced plastic tested by exoemission and luminescence methods, 8A798
ARNDT, REA: Fluid mechanical considerations in the design of an improved aerator, 7A1073
- Application of piezoelectric film in cavitation research, 11T915
- Tip vortex formation and cavitation, 11A918
- Proper orthogonal decomposition of pressure fluctuations surrounding a turbulent jet, 11A1057
- Case of the singing Vortex, 11A916
ARNOLD, DN: Locking-free FEMs for shells, 7A535
ARNOLD, M: Evaluation of light scattering in attenuated total reflection configuration, 2A202
ARNOLD, SM: Influence of fiber architecture on the inelastic response of metal matrix composites, 1A520
- Thermoplasticity theory for bidirectionally functionally graded materials, 6A1302
ARNONE, A: Rotor-stator interaction analysis using the Navier-Stokes equations and a multigrid method, 5A1102
- Multigrid computations of unsteady rotor-stator interaction using the Navier-Stokes equations, 11A1172
ARNTSEN, OA: Disturbances, lift, and drag forces due to the translation of a horizontal circular cylinder in stratified water, 4A1126
AROLA, D: Orthogonal cutting of fiber-reinforced composites: A FE analysis, 7A20
ARON, M: Reformulation of the strong ellipticity conditions for unconstrained hyperelastic media, 5A382
- Global volume changes accompanying certain plane-strain nonlinear elastic deformations, 12A469
ARONSON, D: Shear-free turbulence near a wall, 11A1098
ARONSSON, G: p-harmonic functions, convex duality and an asymptotic formula for injection mold filling, 5A567
ARORA, JS: Global optimization of structural systems using two new methods, 2A755
- Two algorithms for global optimization of general NLP problems, 3A742
- Optimal design with discrete variables: Some numerical experiments, 6A853
- Discrete structural optimization with commercially available sections, 6A846
- Optimal design of steel transmission poles, 6A919
- Standardization of steel pole design using discrete optimization, 9A913
- Efficient implementation of adjoint sensitivity analysis for optimal control problems, 12A885
ARORA, M: Postshock oscillations due to shock capturing schemes in unsteady flows, 7A224
ARORA, S: Rayleigh wave dispersion equation for a layered spherical earth with exponential function solutions in each shell, 3A203
ARREGUI, I: Eulerian approach for large displacements of thin shells including geometrical nonlinearities, 6A596
ARRELLAGA, JA: Field measurements of prestress losses in external tendons, 3A777
ARRIBART, H: Adhesion failure in the stick-slip regime: Optical and AFM characterizations and mechanical analysis, 4A953
ARRIEUX, R: Determination of the forming limiting curves using 3G plasticity rules (French), 7A429
ARRIGO, DJ: Small deformations superimposed upon the symmetrical expansion of a spherical shell, 2A523
ARROWSMITH, DK: Control of the Arnold Circle Map, 1A118
ARRUDA, EM: Nonisothermal model of glass fiber drawing stability, 7A969
- Rate dependent deformation of semi-crystalline polypropylene near room temperature, 12A534
ARRUDA, JRF: Experimental determination of flexural power flow in beams using a modified Prony method, 5A150
ARSECULARATNE, JA: Prediction of tool life in oblique machining with nose radius tools, 3A635
- Prediction of cutting forces and built-up edge formation conditions in machining with oblique nose radius tools, 4A675
- Tool-chip interface stress distributions, ploughing force and size effect in machining, 12A736
ARTAN, R: Rectangular rigid stamp on a nonlocal elastic half-plane, 2A395
- Analytical calculation of circular rods of variable cross-section by the initial values method, 7A510
- Unsymmetrical elastic stamp on a nonlocal elastic half-plane, 8A487
ARTEMENKO , OL: Parametric phonon-helicon interaction in centrosymmetric crystals with strain-dependent dielectric constant, 4A630
ARTEMOV, MA: Limit form of the ideal plasticity condition, 4T504
- Failures in the plasticity theory (Russian), 6A504
ARTES, M: Approximate equation for the addendum modification factors for tooth gears with balanced specific sliding, 1A907
- Determination of the addendum modification factors for gears with pre-established contact ratio, 1A909
ARTS, T: Tracking markers with missing data by lower rank approximation, 6A1546
- Relation between torsion and cross-sectional area change in the human left ventricle, 7A977
ARTYUKH, LY: Mathematical modeling of stability of non-adiabatic laminar premixed flame, 8A1424
ARTYUKHIN, E: Identification and control of heat sources in materials during thermal processing, 8A726
ARULANANTHAM, M: Solar thermal analysis of transparent-honeycomb-insulated ground collector-storage system, 2A1431
- Double diffusive zone-boundary migration in solar ponds, 7A1508
ARUMUGAM, P: Experimental investigation on the static and dynamic characteristics of journal bearings under the influence of twisting misalignment, 7A160
- Effects of journal misalignment on the performance characteristics of three-lobe bearings, 12A1011
ARUNSAWATWONG, S: Stability of retarded delay differential systems, 4T327
ARVANITIS, KG: Design of adaptive LQ regulators for MIMO systems based on multirate sampling of the plant output, 4T368
ARVIDSSON, J: Soil stress and compaction effects for four tractor tires, 12A680
ARYA, V: Implementation of EFPI-based optical-fiber sensor instrumentation for the NDE of concrete structures, 10A869
ARZELIER, D: Stabilization of an uncertain linear dynamic system by state and output feedback: A quadratic stabilizability approach, 2A321
ASADA, H: Development of an active mass damper for a suspended load on a floating crane (Japanese), 6A161
- Integrated structure-control design of high speed flexible robots based on time optimal control, 11A313
- Rapid recursive structure redesign for improved dynamics of a single link robot, 11A862
- Design of ball wheel mechanisms for omnidirectional vehicles with full mobility and invariant kinematics, 12A1033
ASADA, HH: Modeling of vapor compression cycles for multivariable feedback control of HVAC systems, 12A409
ASAI, K: Boundary-layer transition detection in a cryogenic wind tunnel using luminescent paint, 8A1127
ASAI, M: Development of turbulent patch in a subcritical boundary-layer transition, 1A1077
ASAI, S: Structural component development of three-layer cylinders for superconducting generators - Part 2: Development of three-layer welding techniques to extend axial length and evaluation of the welds, 8A980
ASAI, T: Numerical simulation and experiment on the transport of fine particles in a ventilated room, 3A1343
ASAITHAMBI, NS: Variable time step Galerkin method for a 1D Stefan problem, 6A88
ASAKO, Y: Combined natural convection and radiation heat transfer in a vertical air cavity with hexagonal honeycomb core of negligible thickness, 1A1254
- Numerical prediction of transitional characteristics of flow and heat transfer in a corrugated duct, 8A1272
ASANO, H: Measurement of 3D objects using gray code projection - 2nd Report: Improvement of reliability of space encoding method (Japanese), 1T382
- Flow resistance and heat transfer characteristics of water solution with surfactant in circular tubes, 8A1302
ASANO, T: Systematic data analysis on oscillatory sheet flow in light of sediment particle properties (Japanese), 7A1012
ASANUMA, H: Health monitoring of a continuous fiber reinforced aluminum composite with embedded optical fiber, 2A464
ASAOKA, Y: Sequential stiffness design for seismic drift ranges of a shear building-pile-soil system, 6A1428
ASARO, RJ: Localized deformation modes and non-Schmid effects in crystalline solids - Part II: Deformation patterns, 2A5
- Localized deformation modes and non-Schmid effects in crystalline solids - Part I: Critical conditions of localization, 2A4
- Cracks in functionally graded materials, 5A639
- Failure of a thin film due to inclusions on the interface, 8A484
ASAVANANT, J: Nonlinear free-surface flows emerging from vessels and flows under a sluice gate, 1A961
ASAYAMA, T: Microstructure change due to thermal and mechanical histories in stainless steel weld metals (Japanese), 8A745
- Evaluation of long-term creep-fatigue life of stainless steel weldment based on a microstructure degradation model (Japanese), 8A748
ASCH, M: Statistical inversion from reflections of spherical waves by a randomly layered medium, 5A161
ASCHERO, G: Converse piezoelectric effect detected in fresh cow femur bone, 3A1485
ASCOLI, S: Exact dynamic analysis of beam-mass systems, 4T124
ASCOUGH, J: Stress analysis of hemispherical shells with single nonradially penetrated nozzles, 5A475
ASEERVATHAM, R: Groundwater waves in aquifers of intermediate depths, 6T1380
ASFAR, OR: Mechanical-wave filtering in a periodically corrugated elastic plate, 11A129
ASFIA, FJ: Experimental study of natural convection in a volumetrically heated spherical pool bounded on top with a rigid wall, 1A1432
ASGHAR, S: Acoustic field of a pulse in a stratified medium with fluid flow, 10A339
ASGHARIAN, B: Inertial deposition of particles in the human upper airway bifurcations, 7A1434
ASHBAUGH, NE: Thermal and Mechanical Test Methods and Behavior of Continuous-Fiber Ceramic Composites, 9N20
ASHCHEPKOV, LT: Maximum principle for positional controls and the problem of optimal system synthesis, 3A344
ASHCROFT, JM: Cross-stream thermal dispersion in a staggered tube bundle with crossflow, 12T1317
ASHELY, RM: Mechanics of sewer sediment erosion and transport, 7A1008
ASHENBERG, J: Virtual aerodynamical coefficients of a rotating satellite, 2T844
ASHENDEN, R: Airfoil performance degradation by supercooled cloud, drizzle, and rain drop icing, 6A1195
- Turboprop aircraft performance response to various environmental conditions, 11A1145
ASHFORD, SA: Analysis of topographic amplification of inclined shear waves in a steep coastal bluff, 12T683
- Topographic effects on the seismic response of steep slopes, 12A1449
ASHGRIZ, N: Geometry independent technique for solid propellant grain design, 2A1326
- Instability of a liquid jet subject to disturbances composed of two wavenumbers, 3A1135
- Segregation of drop size and velocity in jet impinging splash-plate atomizers, 4A1064
ASHIDA, F: Control of transient thermoelastic displacement of an isotropic plate associated with a piezoelectric ceramic plate, 10A1362
- Temperature determination for a contacting body based on an inverse piezothermoelastic problem, 12A1341
ASHIDA, M: Influence of desalination on bond behavior between concrete and reinforcing steel (Japanese), 7T967
ASHIMORI, M: Study on regenerative chatter vibration in end mill operation - 1st report: Theoretical analysis of chatter stability limit in side cutting-(Japanese), 3A185
- Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), 10A238
ASHIRU, OA: Statistical aspects of $CaCO_3$ fouling in AISI 316 stainless-steel tubes, 12A1322
ASHIZAWA, T: Boundary layer analysis of combined heat and mass transfer by natural convection from a concentrated source in a saturated porous medium, 5A1143
ASHKENAZI, D: Determination of the effect of residual curing stresses on an interface crack by means of the weight function method, 12A803
ASHLEY, H: Effects of blade bending on aerodynamic control of fluctuating loads on teetered HAWT rotors, 5A1078
ASHMAWY, A: Interpretation of large-strain seismic cross-hole tests, 9A649
ASHMAWY, AK: Response of a woven and a non-woven geotextile to monotonic and cyclic simple tension, 5A719
ASHOUR, AF: Tests of reinforced concrete continuous deep beams, 8A913
ASHOUR, O: Magnetorheological fluids: Materials, characterization, and devices, 1A954
ASHRAFIUON, H: Asymptotic analysis of the torsional vibrations in reciprocating machinery, 1A211
ASHTON, JN: Tolerance of composite pipes to local impact damage, 8A559
ASHTON-MILLER, JA: Vesico-urethral pressure-gram analysis of urethral function under stress, 6A1536
ASHURST, WT: Flame propagation along a vortex: The baroclinic push, 4A1293
ASHWIN, P: Detection of symmetry of attractors from observations - II: An experiment with S_3 symmetry, 7A95
- Detection of symmetry of attractors from observations - I: Theory, 7A94
- Study of particle paths in non-axisymmetric Taylor-Couette flows, 11A952
ASILI, M: Stress analysis of a fracture test specimen for cementitious materials, 1A792
ASIMAKOPOULOS, D: Efficiency of night ventilation techniques for thermostatically controlled buildings, 3A1264
ASIMAKOPOULOS, DN: Evaluation of different radiation and albedo models for the prediction of solar radiation incident on tilted surfaces, for four European locations, 2A1432
- Triple hot-wire system for indoor air flow measurements, 2A1201
- New parameterization of the integral ozone transmission, 3A1452
- Application of the energy balance equation to predict ground temperature profiles, 11A1522
- Coupling of thermostatically controlled buildings with ground and night ventilation passive dissipation techniques, 11A1359
- Measurements of turbulence characteristics over complex terrain, 12T1507
ASKAR ALTAY, G: Variational principles for linear coupled thermoelasticity, 3A1269
- Numerical algorithms for dynamics of thermopiezoceramic bars, 12A674
ASKAR, GA: Steel and aluminum structures, 5A490
ASKING, L: Calibration at different flow rates of a multistage liquid impinger, 12A1424
ASLAM, TD: Level set methods applied to modeling detonation shock dynamics, 1A270
ASLAN, AR: Three-dimensional flow calculations with an A-L-E description using space-time FEs, 10A37
ASLAN, N: Two-dimensional solutions of MHD equations with an adapted Roe method, 6A1167
ASO, T: Loss factor of the partially covered sandwich beam (Japanese), 11A131
ASOKAN, T: Control of interaction impedance using an electrohydraulic servosystem: An application to robotic deburring, 11A339
ASOKANTHAN, SF: Torsional instabilities in a system incorporating a Hooke's joint, 1A217
- Characterization of torsional instabilities in a Hooke's joint driven system via maximal Lyapunov exponents, 1A598
- Chaotic motion in a spinning spacecraft with circumferential nutational damper, 9A97
- Control-structure integrated design for flexible spacecraft undergoing on-orbit maneuvers, 9A357
ASP, LE: Effects of fiber and interphase on matrix-initiated transverse failure in polymer composites, 2A434
- Prediction of matrix-initiated transverse failure in polymer composites, 5A678
- Criterion for crack initiation in glassy polymers subjected to a composite-like stress state, 7A641
- Biaxial thermomechanical disk test for glassy polymers, 8A834
ASPEGREN, H: Real time control of wastewater systems, 7T1523
ASPINWALL, DK: Surface integrity of turned and ground hardened bearing steel, 2A924
ASSAAD, J: Application of the FEM for modeling backed transducers, 5A261
- Radiation from finite phased and focused linear array including interaction, 9A252
ASSANELLI, AP: Numerical-experimental analysis of an API 8-round connection, 12A489
ASSINCK, FH: Experimental verification of the steady-state behavior of a beam system with discontinuous support, 1A162
ASTAF'EV, VI: Estimation of the effect of the form of a loading cycle on cyclic longevity, 4T942
ASTAKHOV, VP: Analytical evaluation of the cutting forces in self-piloting drilling using the model of shear zone with parallel boundaries - Part 1: Theory, 5A556
- Analytical evaluation of the cutting forces in self-piloting drilling using the model of shear zone with parallel boundaries - Part 2: Application, 6A689
- Novel approach to the design of self-piloting drills with external chip removal - Part 1: Geometry of the cutting tip and grinding process, 11A611
- Novel approach to the design of self-piloting drills with external chip removal - Part 2: Bottom clearance topology and experimental results, 11A612
ASTARITA, G: Rayleigh approach to the rheology of compressible granular flow, 10A1445
- Analysis of entry flow to determine elongation flow properties revisited, 11A893
ASTARITA, T: Rayleigh approach to the rheology of compressible granular flow, 10A1445
ASTASHEV, VK: Experimental study of synchronization of impacts in a distributed system with a variable number of impact pairs, 4T788
ASTASHINSKY, VM: Liquid flame combustion II: Some physical and chemical characteristics of the burning process, 12A1389
ASTER, RC: High-frequency analysis of seismic background noise as a function of wind speed and shallow depth, 4T1385
ASTIN, P: Jet profile solutions of the Falkner-Skan equation, 4A1031
- Heat transfer in jet assimilation into a uniform stream, 8A1267

ASTLEY, RJ: Finite element computation of attenuation in bar-silencers and comparison with measured data, 4A311
ASTOLFI, A: Enhancing hydrostatic gear efficiency through nonlinear optimal control strategies, 6A950
- Robust end-point optimizing feedback for nonlinear dynamic processes, 7A342
ASTON, PJ: Numerical methods for steady-state mode interactions, 1A604
- Symmetry breaking Hopf bifurcations in equations with O(2) symmetry with application to the Kuramoto-Sivashinsky equation, 8T108
ASTRIDGE, DG: Rotorcraft transmission system HUM requirements derived from design safety analysis, 2A832
- Design safety analysis of helicopter rotor and transmission systems, 6A927
ASTROM, BT: Manufacturing and applications of structural sandwich components, 7A491
ASTROZA, M: Establishing R_w and C_w factors for confined masonry buildings, 3A1404
ASWATHA NARAYANA, PA: Numerical investigation of mixed convection heat transfer past an in-line bundle of cylinders, 1A1183
- Simulation of laminar confined flow past a circular cylinder with integral wake splitter involving heat transfer, 2A1179
- Mixed convection heat transfer past in-line cylinders in a vertical duct, 10A1294
ASWATHANARAYANA, PA: Finite element analysis of heat transfer by natural convection in porous media in vertical enclosures: Investigations in Darcy and non-Darcy regimes, 11A1264
ATA, AA: Inverse dynamics of a flexible hub-arm system through Liapunov second method, 2A347
ATADAN, AS: Analytical and numerical analysis of the dynamics of a marine riser connected to a floating platform, 6A200
ATALLA, N: Numerical prediction of sound transmission through finite multilayer systems with poroelastic materials, 1A311
- Boundary integral approach for acoustic radiation of axisymmetric bodies with arbitrary boundary conditions valid for all wave numbers, 8A346
- Mean flow effects on a plate-backed cavity - Part 2: Results, 11A243
- Mean flow effects on a plate-backed cavity - Part 1: Theory, 11A242
- Efficient FE scheme for solving the 3D poroelasticity problem in acoustics, 12A339
ATAMANIUK, B: Plasma double layer system leading to chaos, intermittency and flicker noise, 9T1141
ATAN, KABM: Partitioning ordinary differential equations using Runge-Kutta methods, 3A74
ATANACKOVIC, T: Vibrations of a finite length beam with an axially movable load, 3A152
ATANACKOVIC, TM: Twisted axially loaded rod with shear and compressibility, 6A611
ATANASOV, P: Short-term canine implantation of a glucose monitoring-telemetry device, 5A1514
ATAR, R: Lyapunov exponents for finite state nonlinear filtering, 7T308
ATARASHI, T: Numerical simulation of impingement air cooling from LSI packages with large plate fins by the penalty FEM, 9A1297
ATARIUS, R: Detection of cardiac late potentials in nonstationary noise, 12A1567
ATASSI, HM: Inverse aeroacoustic problem for a streamlined body - Part 2: Accuracy of solutions, 5A1070
- Inverse aeroacoustic problem for a streamlined body - Part 1: Basic formulation, 5A1069
- Sound propagation in an annular duct with mean potential swirling flow, 6A333
ATASSI, N: Phase averaged velocity field in an axisymmetric jet subject to a sudden velocity decrease, 5A1016
ATESHIAN, GA: Theoretical formulation for boundary friction in articular cartilage, 9A1573
- Normal stress effect and equilibrium friction coefficient of articular cartilage under steady frictional shear, 12A1535
ATHAN, TW: Quasi-Monte Carlo method for multicriteria design optimization, 8A882
- Multicriteria optimization of anti-lock braking system control algorithms, 8A403
ATHANASSOULIS, GA: Three-dimensional acoustic scattering of a source-generated field from a cylindrical island, 1A320
- Ocean acoustic tomography based on peak arrivals, 2A263
- Eigenvalue asymptotics of layered media and their applications to the inverse problem, 10A265
- All-frequency normal-mode solution of the 3D acoustic scattering from a vertical cylinder in a plane-horizontal waveguide, 12A336
ATHERTON, DL: Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, 4A629
- Finite-element calculations of remote field eddy current interactions with slit defects, 10A34
ATHRE, K: Thermal analysis of noncircular bearings, 11A1190
ATKINS, AG: Plastic bending of clamped polygonal plates with an application to radial buckling in milk bottle tops, 1A563
- Theoretical analysis of large deformation simultaneous tearing and peeling of elastoplastic materials, 5A412
- Review of the J and I integrals and their implications for crack growth resistance and toughness in ductile fracture, 10A813
ATKINSON, C: Plane model for the stress field around an inclined, cased, and cemented wellbore, 2A1423
- Axisymmetric problem of a disc in a bimaterial sandwich: The (history dependent) scalar potential case, 7A413
ATKINSON, GM: Empirical study of earthquake source spectra for California earthquakes, 12A1437
- Modeling finite-fault radiation from the ω^n spectrum, 12A1473
ATKINSON, JD: Role of dynamic strain-ageing in the environment assisted cracking observed in pressure vessel steels, 8A761
- Rheological properties of thin liquid films by molecular dynamics simulations, 11A891
ATKINSON, JF: Direct measurement of turbulence structures in mixing jar using PIV, 7T1143
ATKINSON, JT: Absolute Moire contouring, 8A842
ATKINSON, M: Accurate determination of biaxial stress-strain relationships from hydraulic bulging tests of sheet metals, 8A516
ATKOCIUNAS, J: Distortion in mechanics of elastic and elastic-plastic frames, 7A834
- Compatibility equations of strains for degenerate shakedown problems, 8A520
ATLURI, SN: FEAM-based methodology for analyzing composite patch repairs of metallic structures, 1A760
- Multidomain modeling and analysis of delaminated stiffened composite shells, 2A650
- Finite element analysis of rotor fragment impact on containment structures, 2A174
- Prediction of post-buckling strength of stiffened laminated composite panels based on the criterion of mixed-mode stress intensity factors, 2A511
- Primal and mixed variational principles for dynamics of spatial beams, 5A97
- Recent advances in the alternating method for elastic and inelastic fracture analyses, 5A706
- Elastic-plastic FE alternating method and the prediction of fracture under WFD conditions in aircraft structures - Part II: Fracture and the T*-integral parameter, 11T727
- Elastic-plastic FE alternating method (EPFEAM) and the prediction of fracture under WFD conditions in aircraft structures - Part 1: EPFEAM theory, 11A726
ATTANE, P: Modified fractional model to describe the entire viscoelastic behavior of polybutadienes from flow to glassy regime, 1A955
- Modelization of extensional experiments under constant force using memory-integral constitutive equations and stream-tube analysis, 3A933
ATTAR, A: Modeling of steel fiber reinforced concrete response in tension (French), 12A904
ATTARD, MM: Finite element analysis of out-of-plane buckling of reinforced concrete walls, 5A777
ATTAWAY, SW: Transient, high-speed, liquid impact into soft soil, 1A246
ATTEN, P: Role of conductivities and frequency in the electro-rheological effect, 6T1162
- Variation with distance of the attraction force between spheres and estimation of static yield stress of ER fluids, 6A1163
- Correlation between electrical and rheological properties of electro-rheological fluids, 6A4
ATTENBOROUGH, K: Porous materials for scale model experiments in outdoor sound propagation, 2A303
- Measurements of the narrow-band decay rates of a gas-particle suspension confined in a cylindrical tube: Relationship to particle concentration, 4A1024
- Sound propagation from a dipole source near an impedance plane, 12A343
ATTIA, HA: MHD flow between two parallel plates with heat transfer, 3A1170
- Dynamic analysis of the multi-link five-point suspension system using point and joint coordinates, 6A187
- Hall current effects on the velocity and temperature fields of an unsteady Hartmann flow, 9A1134
ATTIA, MT: Pomraning-Eddington approximation for radiative transfer in a spherical turbid medium, 2A200
ATTIACH, JC: Vortex stretching in a laminar boundary layer flow, 8A1124
ATTOU, A: A general solution of the two-phase compressible flow through a sudden enlargement (French), 10A1109
- Modeling of steady-state two-phase bubbly flow through a sudden enlargement, 11A1283
AU, MC: Matrix-fiber crack in an elastic solid, 3A679
AU-YANG, MK: Flow-Induced Vibration - 1996, 2N10
AUBERT, P: Thickness optimization of a geometrically nonlinear arch at a limit point, 4A821
- Diffuse element-FE technique for transient coupled analysis, 5A26
AUBERTIN, M: Tools and Techniques in Rock Mechanics, 1N37
AUBRECHT, J: Experimental study of nonlinear transient motion confinement in a system of coupled beams, 3A148
- Localized and non-localized nonlinear normal modes in a multi-span beam with geometric nonlinearities, 4A127
AUCIELLO, NM: Transverse vibrations of a linearly tapered cantilever beam with tip mass of rotatory inertia and eccentricity, 1A169
- Natural vibrations of tapered beams with attached inertia elements, 8T134
- Study of the numerical convergence of Rayleigh-Ritz method for the free vibrations of cantilever beam of variable cross-section with tip mass, 9A134
- Exact solution for the transverse vibration of a beam a part of which is a taper beam and other part is a uniform beam, 10A179
AUDENINO, AL: Radiograph processing for quantitative assessment of bone remodeling, 1A1450
- Measurement of nonlinear internal damping in metals: Processing of decay signals in a uniaxial stress field, 6A211
AUDINO, MJ: Fatigue life measurements and analysis for overstrained tubes with evacuator holes, 5A581
AUER, LH: Compressible gas in porous media: A finite amplitude analysis of natural convection, 7A1448
AUER, M: Instabilities of flows between differentially rotating coaxial vertical cylinders in the presence of a radial temperature gradient, 5A1029
AUGAT, P: Calcaneal fractures cause a lateral load shift in Chopart joint contact stress and plantar pressure pattern *in vitro*, 4A1476
AUGER, JM: Mixed experimental and theoretical method for noise propagation and radiation prediction of a cowled axial fan, 1A325
AUGUST, H: Ring wing for an underwater missile, 2T1087
- Ring wing for a compressed missile, 2T1086
AUGUST, JA: Deflection of rectangular orthotropic plates under uniform load, 4T598
AUGUST, R: Effect of hoop stress on ball bearing life prediction, 7A943
AUGUSTI, G: Structural Dynamics, 1N36
AUGUSTO, OB: Shear stress in ship structures, 1A866
AUGUSZTINOVICZ, F: Vibro-acoustical modal analysis: Reciprocity, model symmetry, and model validity, 5A142
AUKRUST, T: Coupled FEM and texture modeling of plane strain extrusion of an aluminium alloy, 11A574
AULD, BA: Trapped torsional modes in solid cylinders, 1A229
AULEYTNER, J: Influence of dislocation interactions with impurities on their topographical images in silicon crystals, 4T803
AULT, DA: Expansion corner effects on hypersonic shock wave-turbulent boundary-layer interactions, 5A995
AUNG, KT: Properties of laminar premixed $CO/H_2/Air$ flames at various pressures, 9A1359
- Flame stretch interactions of laminar premixed hydrogen-air flames at normal temperature and pressure, 9A1357
AUNG, W: Flow and mixed convection heat transfer in a divergent heated vertical channel, 2A1176
- Experimental study of the effect of transverse oscillation on convection heat transfer from a circular cylinder, 12A1249
AUNG, WIN: Numerical prediction of lock-on effect on convective heat transfer from a transversely oscillating circular cylinder, 7A1235
- Enhancement of flare method for predicting bouyancy-induced flow reversal in vertical ducts via parabolic model, 10A1295
AURIAULT, J-L: Diffusion-adsorption-advection macrotransport in soils, 3A1347
- Erosion and deposition of solid particles in porous media: Homogenization analysis of a formation damage, 6A1382
AURIAULT, JL: Gas filtration through porous coal medium: Effect of the gas constrained in micropores, 4A1355
AURICCHIO, F: Augmented Lagrangian FEs for plate contact problems, 6A595
- Shape-memory alloys: Modeling and numerical simulations of the finite-strain superelastic behavior, 10A596
- Shape-memory alloys: Macromodeling and numerical simulations of the superelastic behavior, 12A589
- One-dimensional model for superelastic shape-memory alloys with different elastic properties between austenite and martensite, 12A896
AUSTIN, EM: Some design considerations for active and passive constrained layer damping treatments, 1A152
AUSTIN, PJ: Ignition and volatile combustion of cellulosic dust particles, 4A1286
AUTAR, RK: Automated diagnostic expert system for diesel engines, 1A1347
AUTHESSERRE, J: Determination of the elastic constants of materials, in the form of plates, by a free vibration method, 2A132
AUTRIC, JM: Boundary-layer characterization on moving walls by an embedded laser velocimetry technique, 6T1100
AUTRIQUE, L: Stochastic modification for global optimization problems: An efficient implementation for the control of the vulcanization process, 11T297
AUWETER-KURTZ, M: Plasma generators for reentry simulation, 5A1390
- Arcjet thruster development, 5A1379
AVALLE, M: Experimental evaluation of the strain field history during plastic progressive folding of aluminium circular tubes, 7A438
AVALLONE, EG: Marks' Standard Handbook for Mechanical Engineers, Tenth Edition, 1N56
AVALOS, DR: General approximate solution of the problem of free vibrations of annular plates of stepped thickness, 4A139
- Dynamics of a kicked oscillator with a delay in its parametric feedback loop: An analytical study, 7A98
- Free vibrations of circular plates of varying thickness partially embedded in an elastic foundation, 10T225
- Transverse vibrations of simply supported rectangular plates with rectangular cutouts carrying an elastically mounted concentrated mass, 11T136
- Fiber-optic technology and structural condition monitoring of mechanical cables, 12T862
AVALOS, G: Differential Riccati equation for the active control of a problem in structural acoustics, 6A346
AVALOSSE, T: Development of secondary motions in straight channels induced by the second normal stress difference: Experiments and simulations, 11A1036
AVANTI, P: Solar thermal analysis of transparent-honeycomb-insulated ground collector-storage system, 2A1431
- Double diffusive zone-boundary migration in solar ponds, 7A1508
AVANZINI, G: Determination of equilibrium points for an aircraft dynamic model, 5T1082
AVASTHI, JM: Consequences of fluid lag in 3D hydraulic fractures, 10A1452
AVEDESIAN, CT: ASME Proceedings of 31st National Heat Transfer Conference, Volume 2, 2N37
AVEDISIAN, CT: Modeling of spherically symmetric droplet flames including complex chemistry: Effect of water addition on n-heptane droplet combustion, 4A1309
- Enhancing forced air convection heat transfer from an array of parallel plate fins using a heat pipe, 10A1355
- Heat transfer gallery, 11T1195
AVELLO, A: Optimization of multibody dynamics using object oriented programming and a mixed numerical-symbolic penalty formulation, 7A88
AVERILL, RC: Thick beam theory and FE model with zig-zag sublaminate approximations, 2A472
AVILA, AF: Flux-based finite-volume formulations and adaptive time-stepping strategies for modeling of reentry thermal protection systems, 3A1257
AVILES, J: Simplified procedure for torsional impedance functions of embedded foundations in a soil layer, 1A616
- Contours of critical frequencies and sensitivity for design of fan-foundation systems (Spanish), 4A185
AVILES, R: Procedure based on FEs for the solution of nonlinear problems in the kinematic analysis of mechanisms, 1A54
- Integrated method for the updating of FE models based on experimental modal data (Spanish), 3A39
- Procedure for the optimal synthesis of planar mechanisms based on nonlinear position problems, 10A143
AVITAL, EJ: Box-length requirements for simulation of sound from large structures in jets, 10T340
AVITZUR, B: Elementary Mechanics of Plastic Flow in Metal Forming, 2R18
AVRASHI, J: New boundary spectral strip method for non-periodical geometrical entities based on analytical integrations, 3A48
- Adaptive successive over relaxation domain decomposition by the boundary spectral strip method, 10A81
AW, PK: Failure mechanisms of plasma nitrided Inconel 718 film, 12A946
AWANO, H: Resonant frequency of a reciprocating load on an elastic beam, 9A133
AWRUCH, AM: Vibration and dynamic instability analysis of turbomachinery blades and airfoils, 9A145
AWWAD, A: Flow patterns and pressure drop in air-water two-phase flow in horizontal helicoidal pipes, 11A999
AXELRAD, P: Spacecraft attitude estimation using the global positioning system: Methodology and results for RADCAL, 5A312
- Attitude estimation algorithms for spinning satellites using global positioning system phase data, 7T345

AXELSSON, K: Localization properties of a frictional material model based on regularized strong discontinuity, 5A428
- Method to correct yield surface drift in soil plasticity under mixed control and explicit integration, 9A621
AXELSSON, O: Multilevel preconditioning for perturbed FE matrices, 7A35
- Ionvergence of inexact Newton-like iterations in incremental FE analysis of elastoplastic problems, 9A458
AXEN, N: Model for the friction of multiphase materials in abrasion, 1T877
AXISA, F: Dynamics of rotors immersed in eccentric annular flow - Part 1: Theory, 6A293
- Dynamics of rotors immersed in eccentric annular flow - Part 2: Experiments, 6A174
AYAD, MM: Deformation of a superconducting cylindrical tube in a perpendicular magnetic field, 12A666
AYALA, R: Ammonia-lithium nitrate absorption-compression refrigeration cycle - Part I: Simulation, 7A1344
AYDIN, A: Influence of intersection angle at single-well flow tests in fracture-wellbore systems, 12A682
AYDIN, I: Finite element analysis of the squeeze flow of an elasto-viscoplastic paste material, 12A36
AYDORE, S: Natural coherent structure dynamics in near field of fully turbulent axisymmetric jet, 12A1238
AYER, F: Model order reduction by selective sensitivity, 9A310
AYERS, DC: Tensile strength of the cement-bone interface depends on the amount of bone interdigitated with PMMA cement, 9A1605
- Modeling the tensile behavior of the cement-bone interface using nonlinear fracture mechanics, 10A1568
AYERS, GH: Thermal contact conductance of composite cylinders, 7A1306
AYMARD, E: Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, 2A1100
AYOTTE, KW: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
- Optimization of upstream profiles in modeled flow over complex terrain, 12A1502
AYOUB, FA: Modeling an undular bore with B-splines, 12A265
AYOUB, NS: Multidimensional modeling of fuel effects and split injections on diesel engine cold-starting, 7A1392
AYVAZ, Y: Earthquake analysis of flexible rectangular tanks by using the Lagrangian fluid FE, 7A227
- Earthquake analysis of beams resting on elastic foundations by using a modified Vlasov model, 9A153
AYYASWAMY, PS: Condensation on a spray of water drops - A cell model study - II: Transport quantities, 2A1219
- Condensation on a spray of water drops: A cell model study - I: Flow description, 2A1218
- Numerical evaluation of heat clearance properties of a radiatively heated biological tissue by adaptive grid scheme, 10A1349
- Oscillatory enchancement of the squeezing flow of yield stress fluids: A novel experimental result, 11A584
AYYUB, B: Code development for ship structures: A demonstration, 11A773
AYYUB, BM: Uncertainty Modeling in Vibration, Control, and Fuzzy Analysis of Structural Systems, 12N15
- Uncertainty Modeling in Finite Element, Fatigue and Stability of Systems, 12N7
- Structural strength of bridge decks reinforced with welded wire fabric, 3A799
AZAD, AKM: Active vibration suppression of flexible manipulator systems: Closed-loop control methods, 3A743
- Digital signal processing and parallel processing in the real-time simulation of a flexible manipulator system, 6A419
AZAD, RS: Turbulent flow in a conical diffuser: A review, 6A1112
AZAIEZ, J: Constitutive equations for fiber suspensions in viscoelastic media, 3A947
- Entry flow calculations using multi-mode models, 6A987
AZAR, K: Thermal conductivity measurements in printed wiring boards, 12A1292
AZARENKOV, VP: Thermodynamic characterization of carbon black-filled rubbers, 3A1219
AZARI, Z: Notch effect in brittle-ductile transition: General concept (French), 8A775
AZARIAN, MH: Investigation of nano-wear during contact recording, 2A884
AZARKHIN, A: Enhanced model of a plowing asperity, 12A930
AZARM, S: Multiobjective optimal design of a simplified P4R mechanism, 6A965
AZARY, H: Inverse problem for a nonlinear diffusion equation, 6T1314
AZEEZ, MAF: Primary pulse transmission in a strongly nonlinear periodic system, 4A90
- Study of a class of subharmonic motions using a non-smooth temporal transformation (NSTT), 7A108
AZEGAMI, H: Multiobjective shape optimization of linear elastic structures considering multiple loading conditions: Dealing with mean compliance minimization problems, 1A928
AZHARI, M: Use of bubble functions for the stability of plates with different end conditions, 6A617
AZIMOV, DM: Analytic solutions for intermediate-thrust arcs of rocket trajectories in a Newtonian field, 6A326
AZIZ, A: Optimum design of radiating and convecting-radiating fins, 4T1245
- Critical thickness of insulation, 11A1353
AZIZ, AR: Evaluation of repair materials for functional improvement of slabs and beams with corroded reinforcement, 8A903
AZIZ, TS: Response of transmission lines to multiple support excitation, 5A1417
- Seismic rehabilitation on reinforced concrete beam-column connections, 6A1456
AZUMA, T: Heat transfer characteristics of radial liquid film flow: Local heat transfer characteristics near the turbulent transition point, 8A1271
AZZAM, H: Practical approach for the indirect prediction of structural fatigue from measured flight parameters, 9A1167
AZZARA, R: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439

B

BAASER, H: Analysis of ductile crack growth by means of a cohesive damage model, 9A739
BABAEV, AE: Emission of nonstationary acoustic waves by a system of two unidirectional cylindrical piezotransformers, 4T273
BABENKO, VA: Homogeneous turbulence evolution in stably stratified flow - II: Asymptotic regimes of large evolution time at low inverse Froude numbers, 7A1141
- Homogeneous turbulence evolution in stably stratified flow - I: Internal gravity waves at low inverse Froude numbers, 7A1140
BABESHKO, ME: Numerical study of elastoplastic state of laminated shells in the process of axisymmetric deformation by trajectories of small curvatures with regard for geometric linearity (Russian), 9A566
BABIC, M: Average balance equations for granular materials, 11A546
BABICH, DV: Natural vibrations and stability loss of the compressed shells (Russian), 2T145
- Stability and oscillations of heated spherical shells (Russian), 2A524
BABICH, IY: Resistance on conical shells from reinforced materials under the external pressure outside the elasticity limit (Russian), 12A631
BABICH, SY: Effect of initial stresses on the intensity coefficient and preliminarily stressed elastic layer weakened by circular crack (Russian), 1A740
BABICH, VM: Diffraction of a high-frequency acoustic wave by a narrow-angle absolutely rigid cone of arbitrary shape, 1A314
BABILIS, G: Efficiency of refinement procedures for the p-version of the adaptive FEM, 9A31
BABIN, A: Global splitting, integrability, and regularity of 3D Euler and Navier-Stokes equations for uniformly rotating fluids, 1T980
BABINSKY, H: Automatic liquid crystal thermography for transient heat transfer measurements in hypersonic flow, 3A1055
- Large-scale roughness influence on turbulent hypersonic boundary layers approaching compression corners, 8A1125
- Transient shock wave flows in tubes with a sudden change in cross section, 11T201
BABKIN, VS: Dynamics of gaseous combustion in closed systems with an inert porous medium, 11A1398
BABOUX, J-C: Pulsed eddy current signal analysis: Application to the experimental detection and characterization of deep flaws in highly conductive materials, 12A871
BABOVIC, V: Evolution of equations from hydraulic data - Part I: Theory, 11A935
- Evolution of equations from hydraulic data - Part II: Applications, 11A936
BABOVSKY, H: Diffusion limits for flows in thin layers, 3A1064
BABU, V: Numerical simulation of a hydrogen arcjet, 5A1389
BABURAJ, V: Accurate prediction of specific damping capacity of TiNi SMA composite through a 3D constitutive model, 1A10
- Material damping analysis of smart hybrid composite laminated plate structures, 3A749
BABUSHOK, V: Influence of CF_3I, CF_3Br, and CF_3H on the high-temperature combustion of methane, 5A1344
- Inhibitor influence on the bistability of a CSTR, 6A1339
BABUSKA, I: Approximation properties of the h-p version of the FEM, 1A56
- Adaptive procedure for approximating functions by continuous piecewise polynomials, 3A55
- Optimal symmetrical points for polynomial interpolation of real functions in the tetrahedron, 5A73
- Pollution error in the h-version of the FEM and the local quality of the recovered derivatives, 6A22
- Partition of unity FEM: Basic theory and applications, 6A21
- Babuska-Brezzi condition and the patch test: An example, 6A13
- Partition of unity method, 7A37
- Finite element solution in the Helmholtz equation with high wave number - Part II: The h-p version of the FEM, 8A347
- Stability of the discontinuous Galerkin method for the heat equation, 8A1357
- Analysis and computation of a cyclic plasticity model by aid of Ddassl, 11A442
- Convergence analysis of an h-version FEM with high-order elements for 2D elasto-plasticity problems, 11A444
BABUSKA, IM: Note on conjugate gradient convergence, 10T98
BACA, RG: Mixed transform FEM for solving the nonlinear equation for flow in variably saturated porous media, 8A31
BACCHESCHI, S: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
BACCI, A: Competition between brittle fracture and plastic collapse in the failure of thin rectangular panels, 3A695
BACCI, T: Dry sliding wear mechanisms of the Ti6Al4V alloy, 12A940
BACH, JM: Direct measurement of strain in the posterolateral bundle of the anterior cruciate ligament, 7A1551
- New load application system for in vitro study of ligamentous injuries to the human knee joint, 11A1584
BACH, RE: Comprehensive analysis of two downburst-related aircraft accidents, 4A1132
BACHALO, WD: Application of rainbow thermometry to the study of fuel droplet heat-up and evaporation characteristics, 12A1402
BACHER, W: Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, 9A382
BACHMACZ, W: Influence of steel structure and strength on corrosive-fatigue crack growth in the threshold-close area, 4A707
BACHRACH, BI: Annotated bond graphs: A communication tool, 6T365
BACHUS, KN: Reproducibility of techniques using Archimedes' principle in measuring cancellous bone volume, 10A1519
BACK, P: Convergence of methods for nonlinear eigenvalue problems, 12A284
BACKUS, MM: Waveform-based AVO inversion and AVO prediction-error, 6A1420
BACON, C: Determination of the elastic constants of materials, in the form of plates, by a free vibration method, 2A132
BACON, DJ: Elastic force on a point defect in or near a surface layer, 7A412
BACROIX, B: Shear banding in strain hardening polycrystals during rolling, 8A517
BADAR, MA: Maintenance strategy for heat transfer equipment subject to fouling: A probabilistic approach, 12A1320
BADARI NARAYANA, K: Certain aspects related to computation by modified crack closure integral, 2A708
BADCOCK, KJ: Unfactored implicit moving mesh method for the 2D unsteady N-S equations, 3A78
BADEA, L: Dynamic cavitation problem in visco-plastic solids, 4T516
- New theory of the stored energy in elasto-plasticity and the torsion test, 11A430
BADER, DL: In vitro fatigue of human tendons, 12A1533
BADER, MG: Transverse ply cracking in cross-ply CFRP laminates: Initiation or propagation controlled?, 11A712
BADERKO, EA: Parabolic problems and boundary integral equations, 9A54
BADIEY, M: Analysis and model-data comparison of broadband acoustic propagation at the Atlantic Generating Station site, 9A263
- Frequency dependence of broadband propagation in coastal regions, 12A315
BADR, HM: Analytical solution of oscillating inviscid flow over oblate spheroids with spheres and flat disks as special cases, 6A291
BADRAN, AA: Experimental investigation of local clays and clay schemes as liners for solar ponds, 1A1433
- Effects of climatic conditions on the performance of Carnallite solar ponds, 7A1509
BADRAN, F: Application of multilayered neural networks to ocean acoustic tomography inversions, 5A235
BADRECK-AMOUDI, A: Effect of age on residual strain in the rat aorta, 5A1484
BADULIN, SI: Model of water wave "horse-shoe" patterns, 2A221
BADUR, J: Approximated shell model based on additive decomposition of deformation gradient, 1A557
- Laislavus Natanson, The Pioneer of extended thermodynamics (Polish), 2A1
- Modeling of the flashing flow: On the closure equations in flashing flow (Polish), 9A1065
BADV, K: Use of a geotextile separator to minimize intrusion of clay into a coarse stone layer, 1A628
- Advective-diffusive contaminant migration in unsaturated sand and gravel, 6A654
BADYSHTOVA, KM: Study of antiwear effect of phosphorus-containing additive in low-viscous oil, 7A1213
BADYSHTPVA, KM: Oil as a structural member of machines and mechanisms, 2A1117
BAE, WB: Upper-bound analysis of square-die forward extrusion, 6A676
BAE, WON-BYONG: Analysis of tube-spinning processes by the upper-bound stream-function method, 12A710
BAEDER, JD: Computational study of the aeroacoustics of rotors in hover, 7A253
- Indicial aerodynamics in compressible flow: Direct computational fluid dynamic calculations, 8T1106
BAEK, JE-HYUN: Computations of nonlinear wave interaction in shock-wave focusing process using finite volume TVD schemes, 2A227
BAEK, SEUNG WOOK: Ignition of propane-air mixture by radiatively heated small particles, 1T1312
- Ignition phenomenon of solid fuel in a confined rectangular enclosure, 3A1294
- Numerical analysis of a spray combustion with nongray radiation using weighted sum of gray gases model, 6A1350
- Analysis of radiative heating of a rocket plume base with the finite-volume method, 7A1324
- Modification of the discrete-ordinates method in an axisymmetric cylindrical geometry, 10A1347
BAEK, SEUNG-WOOK: Experimental and numerical study on the laminar premixed flame stabilized inside a honeycomb ceramic, 4A1289
BAEK, SJ: New two-frame particle tracking algorithm using match probability, 6A1210
BAEK, SW: Radiation affected compressible turbulent flow over a backward facing step, 1A1255
BAEK, YOON SU: Dynamic path planning for robot navigation using sonor mapping and neural networks, 9A391
BAER, E: Single fiber microbuckling in a model composite, 5A496
BAERT, E: Spectral analysis of climate data, 6A1491
BAGAI, A: Free-wake analysis of tandem, tilt-rotor and coaxial rotor configurations, 2A1110
BAGAINI, C: Two-dimensional continuation operators and their applications, 6A1419
BAGANOFF, D: Kinetic flux-vector splitting for the Navier-Stokes equations, 8T1110
BAGCHI, A: Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part I: Model development, 2A501
- Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part II: Numerical solution, 2A502
BAGCHI, B: Exploring solutions of nonlinear Rossby waves in shallow water equations, 3A225
BAGDOEV, AG: Wave beams in viscoelastic dispersive nonlinear initially deformed medium with free surface, 8A226
BAGGERLY, RG: Hydrogen-assisted stress cracking of high-strength wheel bolts, 7A687
BAGGIO, P: Modeling heat and moisture transfer in deformable porous building materials, 9A1347
BAGHDADI, S: Modeling tip clearance effects in multistage axial compressors, 5A1091
BAGRATASHVILI, VN: Thermal and diffusion processes in laser-induced stress relaxation and reshaping of cartilage, 12A1537
BAGRYANOV, NS: Viscosity of aircraft fuel components: Unsaturated hydrocarbon (1-Olefins), 1A1336
BAGSHAW, JA: Continuous flow stirred tank reactor model and used oil volume corrections in condition monitoring, 9T1393
BAHAARI, MR: Structural behavior of end-plate bolted connections to stiffened columns, 3A531
- Finite element prediction of end plate bolted connection behavior - I: Parametric study, 7A959
- Finite element prediction of end plate bolted connection behavior - II: Analytic formulation, 7A960
- Three-dimensional simulation of bolted connections to unstiffened columns - I: T-stub connections, 10A25
- 3D simulation of bolted connections to unstiffened columns - II: Extended endplate connections, 10A13
BAHADIR, A: Significance of the electromagnetic forces on the mechanical resonances of stator laminations, 4A178
BAHADUR, S: Friction and wear behavior of tungsten and titanium carbide coatings, 2A913
- Investigation of the influence of CaS, CaO and CaF, fillers on the transfer and wear of nylon by microscopy and XPS analysis, 2A865

- Tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, 7A871
BAHAI, H: Numerical and experimental evaluation of SIF for threaded connectors, 1A743
BAHAR, LY: Inverse problem in nonholonomic dynamics, 5A90
BAHNEMANN, DW: Solar water detoxification: Novel TiO_2 powders as highly active photocatalysts, 11A1546
- Novel nonconcentrating reactor for solar water detoxification, 11A1534
BAI , XIANGZHONG: Nonlinear problems of current-carrying round plates with varying thickness in the electromagnetic field, 12A668
BAI, ER-WEI: Minimal k-step delay controller for robust tracking of non-minimum phase systems, 4T381
BAI, EW: Probabilistic robustness analysis: Explicit bounds for the minimum number of samples, 12T351
BAI, GR: Mathematical model study on the die-less drawing of variable-section tubular parts, 4A666
BAI, JB: Three-dimensional FE analyses for a new fracture toughness testing method for tubular structures, 11A22
BAI, JINBO: Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - I: Microstructural analyses, mechanical behavior and damage mechanisms of composite tubes under pure tensile loading, pure internal pressure, and combined loading, 9A494
- Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - II: Micromechanical model of damage initiation and the competition between different mechanisms, 9A495
BAI, M: Modified H_2 feedforward active control system for suppressing broadband random and transient noises, 5A257
- Thermoporoelastic coupling with application to consolidation, 8A650
BAI, MINGWU: Wear mechanisms of $K_2Ti_6O_{13}$ whiskers reinforced Al-20Si aluminum matrix composites with lubrication of water and tetradecane, 5A833
BAI, MR: Development of a DSP-based active small amplitude vibration control system for flexible beams by using the LQG algorithms and intelligent materials, 6A854
- Development of a feedforward active noise control system by using the H_2 and H_∞ model matching principle, 10A375
BAI, QS: Lamination theory incorporating the effect of interlayer deformation (Japanese), 7A478
BAI, RUNYUAN: Direct simulation of interfacial waves in a high-viscosity-ratio and axisymmetric core-annular flow, 6A279
BAI, SHERMAN X: Optimal control of a production system with periodic maintenance, 6A455
BAI, SHIXIAN: Flexible rotor beam element for the manipulators with joint and link flexibility, 7A383
BAI, SL: Simple transverse damage model for unidirectional composites, 7A751
BAI, WEN: Quadrilateral "mini" FE for the Stokes problem, 10A1102
BAI, XIAOJUN: Study of air filter systems of heavy-duty diesel engines (Chinese), 4A1030
BAI, XJ: Sliding wear behavior of planar random zinc-alloy matrix composites, 4A889
BAI, Y: Machining accuracy analysis for computer-aided fixture design verification, 2A593
BAI, YILONG: Statistical formulation and experimental determination of growth rate of micrometer cracks under impact loading, 12A831
BAI, YONG: Tube collapse under combined external pressure, tension and bending, 11A24
- Automated generation of fixture configuration design, 11A349
BAI, ZHAOJUN: Inverse free parallel spectral divide and conquer algorithm for nonsymmetric eigenproblems, 11A74
BAIBAK, AV: Thermodynamic characterization of carbon black-filled rubbers, 3A1219
BAICU, CF: Active boundary control of elastic cables: Theory and experiment, 5A100
BAIDYK, TN: Micromechanical engineering: A basis for the low-cost manufacturing of mechanical microdevices using microequipment, 8T416
BAIG, S: Low strain shear moduli of cemented sands, 11A548
BAIK, JONG-JIN: Dynamical model for urban heat islands, 12T1500
BAIK, SC: Analysis of the deformation of a perforated sheet under uniaxial tension, 1A473
- Plastic behavior of perforated sheets under biaxial stress state, 8A528
BAILEY, AC: Soil stresses under a tractor tire at various loads and inflation pressures, 2A819
- Soil stress state orientation beneath a tire at various loads and inflation pressures, 12A493
BAILEY, DW: Performance assessment of an annular s-shaped duct, 8A1071
BAILEY, JC: Finite element analysis of arches undergoing large rotations - II: Classification, 8A17
BAILEY, S: Adaptive fuzzy force control of manipulators with unknown environment parameters, 10A537
BAILEY, SG: Recent advances in solar cell technology, 3A1456
BAILEY, TE: Prediction of equivalent radial loads for tapered roller bearings, 1A919
BAILLEUL, JL: Identification and control of heat sources in materials during thermal processing, 8A726
BAILLIEUL, J: Global dynamics of a rapidly forced cart and pendulum, 12A119
BAILLOT, F: Characteristics method and cusped flame fronts, 4A1307
BAILLY, C: Prediction of supersonic jet noise from a statistical acoustic model and a compressible turbulence closure, 1A305
BAILLY, F: Parabolic and Gaussian white noise approximation for wave propagation in random media, 3A208
BAINBRIDGE, H: Measurement of fluid flow rates through cracks, 9A1091
BAINES, MJ: Analysis of an algorithm for generating locally optimal meshes for L_2 approximation by discontinuous piecewise polynomials, 10A94
BAINES, RW: Composite behavioral modeling approach for manufacturing enterprises, 4T478
- Fuzzy set theory in the control of coordinate measuring machines (CMMSs), 6A391
BAIOCCO, P: Active magnetic damping attitude control for gravity gradient stabilized spacecraft, 7T242
BAIRD, DG: Confined flow of polyethylene melts past a cylinder in a planar channel, 3A1028
BAIRD, JK: Velocity dependence of impact fluorescence, 8A241
BAIRD, JP: Local buckling of cracked and pin-loaded plates, 4A622
BAJAJ, A: Dynamics of Gyroscopic Systems: Flow Induced Vibration of Structures, Gyroelasticity, Oscillation of Rotors, and Mechanics of High Speed Moving Continua, 12N12
BAJAJ, AK: Nonlinear Dynamics and Controls, 3N8
BAJAJ, R: Pattern selection in magnetic fluids with surface adsorption, 2A1062
BAJARWAN, AA: Modeling nonlinear bond-slip behavior for FE analyses of reinforced concrete structures, 3A6
BAJER, K: Effect of a central vortex on a stretched magnetic flux tube, 11A1121
BAJIC, B: Spectrum normalization method in vibro-acoustical diagnostic measurements of hydroturbine cavitation, 7A1181
BAJONS, P: Longitudinal standing waves in compound bars and rods, 10A41
BAJRACHARYA, K: Alternative split-operator approach for solving chemical reaction-groundwater transport models, 1T1423
BAJSIC, I: One-dimensional numerical model of heat and mass transfer in air-water droplet flow, 2A1298
BAKANOV, SP: Effect of a phase transition on the boundary conditions for rarefied gases, 8A1111
BAKEER, RM: Buckling behavior of polyethylene liner system, 6A620
BAKER, A: Measurements of rotor tip vortices using three-component laser Doppler velocimetry, 4A1150
BAKER, AC: Effect of receiver size on nonlinear pressure field measurements, 4A319
- Nonlinear propagation applied to the improvement of resolution in diagnostic medical ultrasound, 7A251
BAKER, AJ: Nonlinear, subgrid embedded FE basis for accurate, monotone, steady CFD solutions, 9A1030
- Numerical simulations of laminar flow over a 3D backward-facing step, 11A967
BAKER, DJ: Results of an aeroelastic tailoring study for a composite tiltrotor wing, 10A321
BAKER, DK: Heat transfer optimization of a direct heating system using search methods, 9A1308
BAKER, DN: Global substorm cycle: What can the models tell us?, 9A1512
BAKER, G: Effect of exposure to elevated temperatures on the fracture energy of plain concrete, 1A736
- Exact deflections in nonprismatic members, 3A505
BAKER, GE: Constraints on crustal structure and complex Moho topography beneath Pinon Flat, California, from teleseismic receiver functions, 8A1489
BAKER, GS: Strip welding of aluminum bronze, 2A611
BAKER, JE: Five-revolute kinematic loops with intersecting adjacent joint axes, 3A912
BAKER, JN: Mobile pilot-plant for the production of environmentally clean steam, 8A1428
BAKER, ML: Removing bias from discrete time models based on finite interval response data, 5A279
BAKER, SP: Thin Films: Stresses and Mechanical Properties VI, 10N24
- Thin Films: Stresses and Mechanical Properties VI, 11N29
BAKER, TJ: Mesh adaptation strategies for problems in fluid dynamics, 10A35
BAKER, WE: Diverging elastic waves in thin tapered plates, 6A225
BAKHOUM, MM: Cable inclination effect on the equivalent load of prestressing cables in plane structures, 12A607
BAKHSHI-JOOYBARI, M: Finite element simulation and experimental study of hot closed-die upsetting, 3A622
- Development of product and process comparison criteria for an intelligent knowledge-based system for forging die design, 6A678
BAKHTIARY, AY: Systematic data analysis on oscillatory sheet flow in light of sediment particle properties (Japanese), 7A1012
BAKHTIYAROV, S: Fluid displacement in a horizontal tube, 1A985
BAKIER, AY: Effects of thermal dispersion and stratification on combined convection on a vertical surface embedded in a porous medium, 6A1387
- Natural convection boundary layer flow of a micropolar fluid along a vertical plate in a thermally stratified medium, 9A1084
BAKIS, CE: Design and manufacturing of filament wound elastomeric matrix composite flywheels, 10A751
BAKKALOGLU, A: Symmetry groups for arbitrary motions of hyperelastic solids, 12A92
BAKKE, JR: Modeling of release of gas from high-pressure pipelines, 5A1054
BAKKEN, LE: Parametric modeling of exhaust gas emission from natural gas fired gas turbines, 1A1365
BAKKER, A: Three-dimensional schapery representation for nonlinear viscoelasticity and FE implementation, 2A410
- Fracture toughness evaluation using circumferentially-cracked cylindrical bar specimens, 11A732
BAKKER, M: Groundwater flow with free boundaries using the hodograph method, 7T1440
BAKR, EM: Dynamic analysis of geometrically nonlinear robot manipulators, 7A96
BALABAN, S: Measurement of the flow inside the tip clearance of a rotating gas turbine rotor, 10A1239
BALABANI, S: Experimental study of the mean flow and turbulence structure of cross-flow over tube bundles, 3A1165
BALABANIC, G: Mathematical modeling of electrochemical steel corrosion in concrete, 6A738
BALABANOV, V: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
BALACHANDAR, R: Phase Doppler anemometer: Commissioning tests for measurement of water aerosol sizes and velocities in flashing jets, 6A1501
- Experimental study of turbulent concentration flow field in the wake of a bluff body, 11A1018
BALACHANDAR, S: Computations of flow and heat transfer in parallel-plate fin heat exchangers on the CM-5: Effects of flow unsteadiness and three-dimensionality, 6A1284
- High Rayleigh number convection at finite Prandtl number with weakly temperature-dependent viscosity, 6A1233
- Effects of intrinsic three dimensionality on heat transfer and friction loss in a periodic array of parallel plates, 9A1204
- Heat transfer enhancement mechanisms in inline and staggered parallel-plate fin heat exchangers, 9A1286
BALACHANDRAN, B: Coupling between high-frequency modes and a low-frequency mode: Theory and experiment, 4A82
- Spectral analyses of nonlinear interactions, 6A125
- Computational methods for differential eigensystems, 8A178
- Experimental verification of the importance of the nonlinear curvature in the response of a cantilever beam, 11A115
BALACHANDRAN, W: Non-wetting electrostatic assisted nozzle for spraying a catalytic melt, 11A1011
BALACO DE MORAIS, A: Modeling lamina longitudinal compression strength of carbon fiber composite laminates, 2A429
BALAJI, C: Thermodynamic optimization of tubular space radiators, 5T1124
- Interferometric study of interaction of free convection with surface radiation in an L corner, 9A1279
- Interaction of surface radiation and free covection in an enclosure with a vertical partition, 12T1311
BALAJI, GN: Resonant response of a tapered beam and its implications to blade vibration, 8A160
BALAKIN, VA: Hydrodynamic effects at melting of rubbing surfaces, 1A872
- Friction performance of sports luges and bobsleds sliding along ice track, 5T1526
- Frictional heat resistance tests of materials, 7A905
BALAKRISHNA, A: Ignition of methane flames in oxygen near inert surfaces: Effects of composition, pressure, preheat, and residence time, 12A1355
BALAKRISHNA, C: Comparison of shape design sensitivity analysis formulations via material derivative-adjoint variable and implicit differentiation techniques for 3D and 2D curved BE, 10A894
BALAKRISHNAN, AR: Nucleation site density in pool boiling of saturated pure liquids: Effect of surface microroughness and surface and liquid physical properties, 10A1320
BALAKRISHNAN, G: Theory of structures of hydrogen-air diffusion flames, 2A1308
BALAKRISHNAN, MV: Biaxial testing of unidirectional carbon-epoxy composite using biaxial Iosipescu test fixture, 10A623
BALAKRISHNAN, SR: Fuzzy logic approach in the control of a twin-spool aircraft gas turbine engine under development, 7A362
BALALOV, VV: Strain and Stress Analysis by Holographic and Speckle Interferometry, 3R18
BALAN, TA: Constitutive model for 3D cyclic analysis of concrete structures, 7A821
BALANCIN, O: How workability studies of metallic materials using hot torsion test (Spanish), 1A1297
BALARAS, CA: Evaluation of different radiation and albedo models for the prediction of solar radiation incident on tilted surfaces, for four European locations, 2A1432
BALASHAZY, I: Significance of particle deposition patterns in bronchial airway bifurcations for extrapolation modeling, 3A1086
BALASHEVICH, NV: Stabilization of dynamical systems under persistent perturbations, 3A350
BALASHOV, DB: Flow of a rigid-plastic medium around a cone, 5A413
BALASUBRAMANIAM, AS: Proposed criteria for discharge capacity of prefabricated vertical drains, 7A1003
- Stability analysis of reinforced and unreinforced embankments on soft ground, 7A584
BALASUBRAMANIAM, K: Ultrasonic through-transmission characterization of thick fiber-reinforced composites, 6A833
- r-Adaptation in FE modeling of elastic solids, 8A24
BALASUBRAMANIAN, K: Effect of alloying content on high cycle fatigue behavior of Cu-Ti alloys, 8A740
BALASUBRAMANIAN, M: Convective heat transfer enhancement due to gas injection into an impinging liquid jet, 11A1344
BALASUBRAMANIAN, R: LP-neuro method: A new approach for solving neural network problems, 6A405
BALASUNDARAM, S: Mixed-hybrid FEM for anisotropic plate bending problems, 6A597
BALAYSSAC, JP: Effect of wet curing duration upon mechanical properties of commonly-used concretes (French), 12A558
BALAZ, I: Tolerances of initial deflections of steel plates and strength of I cross-section in compression and bending, 2A799
BALAZINSKI, M: Touch probe radius compensation for coordinate measurement using kriging interpolation, 9A426
BALCH, RS: New map of the geographic extent of the Socorro mid-crustal magma body, 12T1461
BALCHEN, JG: Applied modeling and simulation, 11T286
BALDONI, F: Geometrical theory of capillarity with applications to the Stefan problem, 3A1035
- Slippage induced by surface diffusion, 5A912
- Buoyancy-induced deformations in a compressible elastic solid, 7A397
- Continuum theory for the thermomechanics of solidification, 8A719
BALDOUKAS, AK: Finite-element modeling of the deep-drawing of square sections of coated steels, 1A645
BALENDRA, R: Evaluation of FE models for the calculation of die-cavity compensation, 1A37
- Effect of secondary yielding on nett-shape forming, 1A631
- Finite element simulation of the influence of die-elasticity on component dimensions in forward extrusion, 7A602
BALENDRA, T: Large-scale seismic testing of knee-brace-frame, 6A1474
BALENDRAN, V: Tool interference detection and avoidance based on offset nets, 9A425
BALERAS, F: Flow measurement in an impinging jet cell with three-segment microelectrodes, 6A1209
BALESTIERI, JAP: Cogeneration system design optimization, 6A453
BALIGH, F: New evaluation of loading cycles in an oedometer, 4T640
BALINO, JL: Laminar flow in hydrostatic circular step bearings with variable gap, 1T1122
BALKAN, T: Load control system for mobile cranes, 1T926
BALKOWSKI, I: Interferometry and reconstruction of strongly refracting fields in 2D boundary layer flow, 9A1085
BALKRISHNA, R: Study of electrochemical jet machining process, 5A562
BALL, JE: Analysis of the characteristics of rough bed turbulent shear stresses in an open channel, 12T1143
BALL, KA: Classification of errors in locating a rigid body, 3A1502
BALL, KS: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
BALL, RC: Shear banding flow in the Johnson-Segalman fluid, 1T1040
- Shear-band formation in a non-Newtonian fluid model with a constitutive instability, 11A393
BALLAGH, KO: Acoustic properties of wool, 1A321

BALLAL, DR: JP-8 + 100: The development of high-thermal-stability jet fuel, 3A1340
- Lean blowout in a research combustor at simulated low pressures, 5A1350
- Combustor stability and emissions research using a well-stirred reactor, 8A1415
- Studies of lean blowout in a step swirl combustor, 11A1416
BALLARINI, R: Cohesive zone model for cracks terminating at a bimaterial interface, 9A746
- Effect of rim thickness on gear crack propagation path, 9A711
- Near-tip Mode-I elastic fields in bimaterial layered systems, 10A604
BALLIGAND, H: Numerical and experimental investigations of the flow over a disk undergoing unsteady motion, 5A937
BALLING, RJ: Execution of multidisciplinary design optimization approaches on common test problems, 6A369
- Optimization of reinforced concrete frames, 7A824
BALLIVY, G: Pressuremeter and Its New Avenues (Le Pressiometre et Ses Nouvelles Orientations), 1N31
BALLMANN, J: Explicit finite difference procedure for contact-impact analysis of crack edges, 2A700
- Two techniques for the absorption of elastic waves using an artificial transition layer, 8A219
BALLO, I: Influence of transverse crack on flexural vibrations of slender continuous shaft (Polish), 9A146
BALLOUT, Y: Solid particle erosion mechanism in glass, 2A647
BALLOUT, YA: Erosion ripple formation mechanism in aluminum and aluminum alloys, 2A644
BALMER, G: Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, 10A1199
BALMES, E: Parametric families of reduced FE models: Theory and applications, 3A8
- New results on the identification of normal modes from experimental complex modes, 9A109
BALMFORTH, NJ: Dynamics of vorticity defects in shear, 8A1048
- Pulse dynamics in an unstable medium, 8A255
BALOCH, A: Vortex development in viscoelastic expansion and contraction flows, 3A974
BALOGH, A: Mercury: The planet and its magnetosphere, 9T1447
BALOOCH, M: Nanomechanical properties of SiC films grown from C_{60} precursors using atomic force microscopy, 7T934
BALTES, H: Surface micromachining by sacrificial aluminium etching, 8T420
- Silicon dioxide sacrificial layer etching in surface micromachining, 10T509
BALTHAZAR, M: Neuro-muscular control of trochlean joints, 2A1447
BALTUSSEN, JJM: Elastic extension of polymer fibers in the glassy state: Experimental results, 10A602
- Continuous chain model for the elastic extension of polymer fibers in the glassy state, 10A599
BALTZOPOULOS, V: Comparison of automatic filtering techniques applied to biomechanical walking data, 12A1542
- Optimal digital filtering requires a different cut-off frequency strategy for the determination of the higher derivatives, 12A1571
BALUCH, MH: CDM-based computational model for the Timoshenko beam, 9A543
- Theory of dichotomy for concrete modeling under cyclic biaxial loading, 11A410
BALZANO, M: Fatigue life prediction of interference fit fastener and cold worked holes, 7A670
BALZER, M: New apparatus for studying mechanical behavior under pressure, 8A836
BAMBERGER, A: Domain decomposition method for the acoustic wave equation with discontinuous coefficients and grid change, 10A387
BAMBILL, DV: Vibrations of a rectangular plate with a free edge in the case of discontinuously varying thickness, 6A168
- Rayleigh's optimization concept and the use of sinusoidal co-ordinated functions, 9T111
- Effect of different coordinate functions when employing the Rayleigh-Ritz method in the case of a vibrating rectangular plate with a free edge, 10T227
- Vibrations of composite, doubly connected square membranes, 12T172
- Transverse vibrations of polygonal plates of discontinuously varying thickness with a free, concentric circular edge, 12T181
BANACH, Z: Thermodynamic potentials and extremum principles for a Boltzmann gas, 9A8
BANASZKIEWICZ, M: Modeling of the flashing flow: On the closure equations in flashing flow (Polish), 9A1065
BANAVAR, JR: Reentrant corner flows of Newtonian and non-Newtonian fluids, 10A1021
BANCROFT, GM: Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part I: The effects of physical parameters, 9A930
- Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part II: The effect of detergents and dispersants, 9A931
BANDARU, RV: Influence of fuel jet precession on the global properties and emissions of unconfined turbulent flames, 4A1290
BANDI, SR: Field evaluation of protective covers for landfill geomembrane liners under construction loading, 8A677
BANDYOPADHYAY, B: Position control of single link flexible manipulator by variable structure model following control, 12A397
BANDYOPADHYAY, BP: Highly efficient grinding of ceramic parts by electrolytic in-process dressing (ELID) grinding, 3T639
- Ductile regime mirror finish grinding of ceramics with electrolytic in-process dressing (ELID) grinding, 4T680
BANDYOPADHYAY, P: Process-independent force characterization for metal-cutting simulation, 7A599
BANDYOPADHYAY, PR: Microelectromechanical Systems, 3N10
- Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, 9A1155
BANEK, T: Time estimation of disturbance occurrences in monitoring systems, 10A243
BANERJEA, S: Waves due to rolling of a ship in water of finite depth, 6A305
- Scattering of oblique waves by a thin vertical wall with a submerged gap, 9A208
- Oblique wave scattering by submerged thin wall with gap in finite-depth water, 12A262
BANERJEE (MUKHOPADHYAY), S: Generalized thermo-viscoelastic problem of an infinitely extended thin plate containing a circular hole, 1A1287
- Magneto-thermo-elastic interactions in an infinite isotropic elastic cylinder subjected to a periodic loading, 8A622
BANERJEE, AK: Slewing flexible spacecraft with deflection-limiting input shaping, 9A369
- Efficient simulation of large overall motion of beams undergoing large deflection, 12A100
BANERJEE, J: Tribological aspects of an Al-SiC composite under axisymmetric compression, 12A988
BANERJEE, JR: Response of a bending-torsion coupled beam to deterministic and random loads, 2A125
- Exact dynamic stiffness matrix for composite Timoshenko beams with applications, 2A155
- Flutter characteristics of laminated composite wings, 6T308
- Dynamic stiffness formulation for structural elements: A general approach, 8A205
- Flutter prediction for composite wings using parametric studies, 9T226
BANERJEE, S: Role of building foundations in seismic retrofit, 6A1451
- Analysis of 3D transient heat condition for predicting wire erosion in the wire electrical discharge machining process, 11A1308
BANEY, JM: Cohesive zone model for the adhesion of cylinders, 8A983
BANFORD, MP: Full-scale wind-tunnel pressure measurements of an F/A-18 tail during buffet, 6A1201
BANG, H: Feedback control law design for the dual-spin turn of spacecraft, 10A482
BANG, HYOCHOONG: Finite Element Method Using MATLAB, 3R1
BANGALORE, A: Numerical simulation of viscous flow over rotors using a distributed computing strategy, 4T1016
- Forward-flight analysis of slatted rotors using Navier-Stokes methods, 8A1221
- Parallel 3D computational acroacoustics method using nonlinear disturbance equations, 10A366
BANIEGHBAL, MR: Development of blade profiles for low-pressure turbine applications, 12A1187
BANIN, VE: Kinetic study of pulverized coal combustion at high pressure using a shock tube, 6A1343
BANK, LC: Experimental and numerical evaluation of beam-to-column connections for pultruded structures, 4A573
BANK, RE: Hierarchical bases and the FEM, 2T16
- Mesh smoothing using a posteriori error estimates, 11A42
BANKOFF, SG: Mechanism for rivulet formation in heated falling films, 3A1141
- Non-isothermal spreading of a thin liquid film on an inclined plane, 5A933
BANKS, DL: Multivariate statistical approach to metrology, 5A374
BANKS, HT: Estimation of material and patch parameters in a PDE-based circular plate model, 8A366
BANKS, WHH: Swirling flow in a porous pipe with an accelerating wall, 6A1107
- Flow along a diverging channel, 10A1069
BANKS, WM: Environmental ageing of adhesively-bonded joints - II: Mechanical studies, 12A1041
BANKS-SILLS, L: Numerical mode I weight function for calculating stress intensity factors of 3D cracked bodies, 1A744
- Note on the effect of plastic strain on fracture toughness, 11A733
- Determination of the effect of residual curing stresses on an interface crack by means of the weight function method, 12A803
BANNEROT, RB: Gradient-zone erosion in seawater solar ponds, 8A1534
BANNING, R: Advanced control design for marine diesel engine propulsion systems, 12A410
BANNISTER, P: Performance of a scroll compressor with R134a at medium temperature heat pump conditions, 2A1105
- Empirical model for a heat pump dehumidifier drier, 4A1250
- Developmental solar thermal receiver studies for the White Cliffs Solar Thermal Power Plant, 8A1526
BANNON, PR: Nonlinear hydrostatic adjustment, 6T1484
BANSAL, AS: Receptances and natural frequencies of finite beams on non-uniformly spaced supports, 10A184
BANSAL, B: Biaxial testing of unidirectional carbon-epoxy composite using biaxial losipescu test fixture, 10A623
- Effect of suspended particles on crystallization fouling in plate heat exchangers, 12A1318
BANSAL, NK: Comparison of the periodic solution method with TRNSYS and SUNCODE for thermal building simulation, 4A1229
- Application of U and g values for sizing passive heating concepts, 8A1521
BANSE, X: Comparative left-right mechanical testing of cancellous bone from normal femoral heads, 3A1484
BAO, CHAOYING: Actively created quiet zones by multiple control sources in free space, 8A335
BAO, G: Stochastic comparison algorithm for continuous optimization with estimation, 6T374
- Delamination cracking in functionally graded coating-metal substrate systems, 8A791
- Finite element modeling of stiffened and unstiffened orthotropic plates, 8A589
- Thermal softening of a particle-modified tungsten-based composite under adiabatic compression, 9A479
- Analytic and FE solutions for bending and buckling of orthotropic rectangular plates, 10A634
BAO, RONGHAO: Optimal allocation of the control matrix of flexible structures (Chinese), 2A324
- Optimal vibration control of structures with great disparity in rigidity (Chinese), 10T491
BAO, SHANHUI: Study on beam optimizing of wideband stagger-tuned array, 8A356
BAO, Y: Parametric study of segmented transducers laminated on cylindrical shells - Part 1: Sensor patches, 5A352
- Parametric study of segmented transducers laminated on cylindrical shells - Part 2: Actuator patches, 5A353
BAPNA, D: Perturbation stability of frictional sliding with varying normal force, 1A219
BAQUEDANO, D: Modeling the dynamic behavior of a rotating shaft with a transverse crack (Spanish), 3A515
BAR, G: Curvatures of the enveloped helicoid, 5A859
BAR-AVI, P: Response of a two-dof articulated tower to different environmental conditions, 3A820
- Dynamic response of compliant offshore structures: Review, 4A852
- Planar motion of an articulated tower with an elastic appendage, 5A129
BAR-COHEN, A: Navier-Stokes study of natural convection and heat transfer in vertical symmetrically heated plate-fin heat sinks, 6A1239
- Pool boiling heat transfer with an array of flush-mounted, square heaters on a vertical surface, 9A1243
- Combined pressure and subcooling effects on pool boiling from a PPGA chip package, 12A1277
BAR-MEIR, G: Air venting in pressure die casting, 11T1103
BAR-ON, JR: Global optimization of a quadratic functional with quadratic equality constraints - Part 2, 11A291
BAR-YOSEPH, PZ: Spectral element methods for nonlinear temporal dynamical systems, 3A143
- Space-time spectral element method for optimal slewing of a flexible beam, 3A354
- Spectral element methods for nonlinear spatio-temporal dynamics of an Euler-Bernoulli beam, 6A156
- Axisymmetric vortex breakdown for generalized Newtonian fluid contained between rotating spheres, 6A1033
- Spectral strip analysis for composite cylinders subjected to lateral impact, 6A593
- Space-time spectral element methods for unsteady convection-diffusion problems, 11T1268
BAR-ZIV, E: Effect of microstructural transformation on the evolution of thermal conductivity of highly porous chars during oxidation, 11A1409
BARABANENKOV, YN: Diffuse reflection of light from a dense random medium using fibers dipped into the medium, 2A196
BARABANOV, AE: H^{∞} optimization problem with sign-indefinite quadratic form, 6T372
BARAI, SV: Time-delay neural networks in damage detection of railway bridges, 8A921
- Structural sensitivity as a measure of redundancy, 9A838
BARAKAT, F: State space formulation to viscoelastic fluid flow of magnetohydrodynamic free convection through a porous medium, 6A1235
BARAN, AJ: Operation of gas turbine engines in volcanic ash clouds, 5A1369
BARAN, G: Finite element analysis of horizontal and branched subsurface cracks in brittle materials, 12A826
BARANCHIKOVA, NI: Maximum principle for positional controls and the problem of optimal system synthesis, 3A344
BARANOV, VM: Application of the theory of random processes to estimate probability density of pressure distribution on surface microcontact spots, 2A853
- Modeling of the parameters of acoustic emission under sliding friction of solids, 9A927
BARANOWSKI, JM: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
BARANSKI, P: Electric charge transport to the earth surface by precipitation accompanying downdrafts from nearby thunderstorms, 9A1510
BARAT, RB: Combustion inhibition by methyl chloride and the effects of steam injection in a two-stage turbulent flow reactor, 4A1308
BARATA, JMM: Fountain flows produced by multiple impinging jets in a crossflow, 6A1128
BARATELLA, P: Asymptotic error bounds of product formulas for functions with interior singularity, 3T68
BARATTA, A: Structural Control, 12N31
BARATTA, RV: Force, velocity, and energy dynamics of nine load-moving muscles, 10A1521
BARAZANGI, M: Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, 12A1438
BARBAGALLO, D: Experimental analysis of transverse intermittency in a turbulent jet flow, 8A1184
BARBAGALLO, M: Shell restraint to ring buckling at cone-cylinder intersections, 9A587
BARBAT, AH: Method for the seismic damage evaluation (Spanish), 3A1405
- Damage scenarios simulation for seismic risk assessment in urban zones, 3A1378
- Simulation of accelerograms compatible with induced seismic energy spectra (Spanish), 3A1406
- Simulation of damage scenarios in urban seismic zones, 4A1421
BARBAT, T: Segregation of drop size and velocity in jet impinging splash-plate atomizers, 4A1064
BARBATO, W: Comparison of catalytic wall conditions for hypersonic flow, 4A1006
BARBER, GC: Effect of operating conditions on heavy duty engine valve seat wear, 7A877
- Wear mechanism analysis of engine exhaust valve seats with a laboratory simulator, 10A981
BARBER, JR: Stability of thermoelastic contact of two layers of dissimilar materials, 9A1327
- Finite element analysis of frictionally excited thermoelastic instability, 9A1326
- Effect of intermittent contact on the stability of thermoelastic sliding contact, 11A1189
BARBER, ME: Buckling behavior of polyethylene liner system, 6A620
BARBER, MJ: Normal, sonic helium injection through a wedge-shaped orifice into supersonic flow, 9A1378
BARBERO, EJ: Material characterization of pultruded laminates and shapes, 1A534
- Damage mechanics model for compression strength of composites, 4A752
- Multiobjective material architecture optimization of pultruded FRP I-beams, 4A811
- Imperfection sensitivity of fiber micro-buckling in elastic-nonlinear polymer-matrix composites, 9A471
BARBEZAT, G: Impact wear performances of Cr_3C_2-NiCr coatings by plasma and HVOF spraying, 9A941
BARBIERI, R: Multivariate time-variant AR method for the analysis of heart rate and arterial blood pressure, 11A1568
BARBONI, R: Influence of interlaminar stresses on fatigue behavior of notched composite laminates, 2A629
- Impact testing on composites laminates and sandwich panels, 5A174
BARBOSA MOTA, JP: Reduction of natural convection heat transfer in horizontal eccentric annuli containing saturated porous media, 11A1265
BARBOSA, RS: Longitudinal train dynamics (Spanish), 1A106
- Railway wheelset dynamics (Spanish), 6A201
BARBOZA, SA: Melt productivity and rheology: Complementary influences on the progress of melting, 9A1259
BARBRY, JL: Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measurements - Part 1: Evaluation of inaccuracies attached to the simplifications of the model in the case of a single vibrating side, 9A295
- Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measure-

ments - Part 2: Determination of the acoustic radiation contribution of each vibrating side, 9T296
BARCLAY, I: Concurrent engineering assessment: A proposed framework, 2A360
BARD, P-Y: Influence of seismic waves spatial variability on bridges: A sensitivity analysis, 2A1385
- Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, 8A1502
BARDELL, NS: Effect of period asymmetry on wave propagation in periodic beams, 5A149
BARDENHAGEN, S: Influence of scale size on the stability of periodic solids and the role of associated higher order gradient continuum models, 5A8
BARDENHAGEN, SG: Three-dimensional, finite deformation, viscoplastic constitutive models for polymeric materials, 12A8
BARDET, JP: Viscoelastic approximation of poroelastic media for wave scattering problems, 1A236
- Scaled memory description of hysteretic material behavior, 3A467
- Finite element analysis of two-phase instability for saturated porous hypoelastic solids under plane strain loadings, 6A1394
BARDOS, C: Diffusion approximation and hyperbolic automorphisms of the torus, 10A1276
BARDZOKAS, D: Rayleigh waves in a half-space with a finite system of surface electrodes, 1A233
- Pulse excitation of a piezoceramic half-space with tunnel cavities, 5A503
- Effect of stringers and patches on the stress intensities around cracks in plates, 6A763
BARENBLATT, GI: Scaling, Self-Similarity, and Intermediate Asymptotics, 9R1
- Scaling laws for fully developed turbulent flow in pipes, 9A1088
BARFOOT, T: Turboprop nacelle optimization using automated surface and grid generation and coarse-grain parallelization, 6A1199
BARHORST, A: Discrete wavelet decomposition of acoustic emission signals from carbon-fiber-reinforced composites, 11A750
BARHORST, AA: Contact-impact in hybrid parameter multiple body mechanical systems, 11A185
BARIGOZZI, G: Experimental investigation of stator induced unsteadiness on centrifugal impeller outflow, 11A1169
BARILE, R: Structural wave reflection coefficients of cylindrical shell terminations: Numerical extraction and reciprocity constraints, 8A280
BARILO, VG: Biaxial thermal fatigue testing with non-uniform strain distributions, 5A601
BARITAUD, T: Direct Numerical Simulation for Turbulent Reacting Flows, 11N35
BARITAUD, TA: Cross correlation PIV technique using electro-optical image separation, 5A1117
- Numerical simulations of autoignition in turbulent mixing flows, 9A1355
BARKA, A: Slip distribution along the North Anatolian fault associated with the large earthquakes of the period 1939-1967, 4A1358
BARKER, DB: Vibration induced fatigue life estimation of corner leads of peripheral leaded components, 6A722
BARKER, DE: Automating node and element assignments on conforming four-sided sections defining a domain for mapping quadrilateral elements, 7A32
BARKER, JS: Analysis of wave propagation in the Valley of Mexico from a dense array of seismometers, 8A1495
BARKER, MK: Articular cartilage deformation under physiological cyclic loading: Apparatus and measurement technique, 9A1597
BARKI, FA: Free vibration analysis of penta, heptagonal shaped plates, 7A141
BARKLEY, D: Three-dimensional Floquet stability analysis of the wake of a circular cylinder, 3A1129
BARKMEIJER, J: Constructing fast-growing perturbations for the nonlinear regime, 4T1435
BARKOVA, MA: Method of detection low frequency fluctuations of liquid flow, 10A333
BARKOVA, NA: Method of detection low frequency fluctuations of liquid flow, 10A333
BARLA, G: Prediction and Performance in Rock Mechanics and Rock Engineering, 6N17
BARLAT, F: Blank shape design for a planar anisotropic sheet based on ideal forming design theory and FEM analysis, 3A618
- Modeling of deformation texture development based on rate independent crystal plasticity, 11A420
BARLEON, L: Magnetohydrodynamic flow in a right-angle bend in a strong magnetic field, 5A1059
BARLETTA, A: Hyperbolic propagation of an axisymmetric thermal signal in an infinite solid medium, 1A1218
- Non-Fourier heat conduction in a plane slab with prescribed boundary heat flux, 2A1238
- Fully developed laminar forced convection in circular ducts for power-law fluids with viscous dissipation, 3A1238
- Hyperbolic heat conduction and local equilibrium: A second law analysis, 5A1224
- Forced convection in the thermal entrance region of a circular duct with slug flow and viscous dissipation, 5A1135
- Thermal-wave heat conduction in a solid cylinder which undergoes a change of boundary temperature, 10A1332
BARLOW, DN: Transient liquid crystal technique for convective heat transfer on rough surfaces, 8A1312
BARLOW, JB: Aerospace plane ascending trajectories with heat consideration, 2A834
BARLOW, RS: Structure of turbulent nonpremixed flames revealed by Raman-Rayleigh-LIF measurements, 7A1395
BARMASHENKO, BD: Power dependence of chemical oxygen-iodine lasers on iodine dissociation, 6A1212
BARNARD, JC: Simple method of estimating wind turbine blade fatigue at potential wind turbine sites, 11A1550
BARNARD, JJ: Seventh international symposium on heavy ion inertial fusion, 7A1506
BARNES, FJ: Kinetic and thermodynamic sensitivity analysis of the NO-sensitized oxidation of methane, 6A1337
BARNES, HA: Thixotropy: A review, 11A396
BARNES, HM: Instrument for measuring the liquid water content for aerosols, 12A1114
BARNES, JC: Semiempirical predictions and correlations of CO emissions from utility combustion turbines, 3A1314
BARNES, JR: Directionally sensitive hot-wire anemometer, 10A1268
BARNES, R: Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, 4A629
BARNES, S: Effect of workpiece temperature on the machinability of an aluminum-SiC MMC, 2A592
BARNEVELD, A: Inertial properties of Dutch Warmblood horses, 10A1534
BARNWELL, TO: Problem of model validation for predictive exposure assessments, 12A1527
BARNYAK, MY: Approximate method of determination of solutions of the problem on normal oscillations of viscous liquid in the horizontal channel (Russian), 6A1104
BARNYAK, OM: Approximate method of determination of solutions of the problem on normal oscillations of viscous liquid in the horizontal channel (Russian), 6A1104
- Determination of frequencies and decrements of oscillations of viscous liquid which partially fills a circular horizontal canal (Russian), 12T263
BARO, AM: Energy dissipation in scanning force microscopy: Friction on an atomic scale, 7A931
BAROCAS, VH: Anisotropic biphasic theory of tissue-equivalent mechanics: The interplay among cell traction, fibrillar network deformation, fibril alignment, and cell contact guidance, 10A1530
- Finite element solution for the anisotropic biphasic theory of tissue-equivalent mechanics: The effect of contact guidance on isometric cell traction measurement, 12A1551
BARON, A: Turbulent boundary layer over riblets: Conditional analysis of ejection-like events, 9A1078
BARON, F: Fine-fracture moisture separation in flow-type cyclone separators, 8T1450
BARONCINI PROENCA, M: Hydrogen damage analysis in catalytical cracking units steels of petroleum refineries by scanning electron microscopy, 9A714
BARONE, MR: Thermal expansion of the workpiece in turning, 11A615
BARONE, S: Full-field separation of principal stresses by combined thermo- and photoelasticity, 5A1307
- Technique for smoothing interior thermoelastic data and enhancing boundary information, 9A794
BARONNET, F: Inhibiting effect of CF_3I on the reaction between CH_4 and O_2 in a jet-stirred reactor, 10A1410
BARQUINS, M: Influence of surface properties on the rebound of a rigid ball on a rubber surface, 1A441
- Adhesive contact and rolling of a rigid cylinder under the pull of gravity on the underside of a smooth-surfaced sheet of rubber, 6A477
- Influence of rubber thickness on the existence of Schallamach waves, 11A174
BARR, BIG: Toughness of FRC composites, 2A439
BARR, PV: Granular flow behavior in the transverse plane of a partially filled rotating cylinder, 8A1440
BARR, RE: Neural network approach to electromyographic signal processing for a motor control task, 12A1563
BARRA, F: Detailed balance in non-equilibrium systems, 10A106
BARRA, L: Renewable energy capability to save carbon emissions, 8A1549
BARRAGAN, RM: Experimental performance of the water-calcium chloride system in a heat transformer, 2A1438
- Experimental performance of the system water-magnesium chloride in a heat transformer, 8A1548
BARRAGY, EJ: Comparison of H and P FE approximations of the shallow water equations, 7A24
BARRANCO, F: Torsion in symmetric structures due to ground-motion spatial variation, 3A1399
BARRANTES, J: Catastrophic rainfalls in the West Mediterranean area, 2A1407
BARRE, S: Comparative study of strain rate effects on mechanical properties of glass fiber-reinforced thermoset matrix composite, 5A440
BARRESI, F: Experimental study of thermal effects in tilting-pad journal bearings at high operating speeds, 1T1141
BARRETO, GF: BEM formulation for evaluating conductive heat transfer rates in particulate systems, 12A1298
BARRETO, R: Decay rates for viscoelastic plates with memory, 5A470
BARRETT, DJ: Mechanics of z-fiber reinforcement, 11A462
BARRETT, JW: Finite element approximation of the transport of reactive solutes in porous media - Part I: Error estimates for nonequilibrium adsorption processes, 8T1462
- Finite element approixmation of the transport of reactive solutes in porous media - Part II: Error estimates for equilibrium adsorption processes, 10T1453
BARRETT, KE: Jacobians for isoparametric FEs, 5A47
BARRETT, LE: Thermoelastodynamic analysis of fixed geometry thrust bearings including runner deformation, 1A1133
- Influence of fluid film nonlinearity on the experimental determination of dynamic stiffness and damping coefficients for three-lobe journal bearings, 7T1222
- Optimization of bearing locations for rotor systems with magnetic bearings, 10A217
BARRETT, R: Super-active shape-memory alloy composites, 1A843
- Active aeroelastic tailoring of an adaptive flexspar stabilator, 7A809
BARRETT, RM: Design and testing of a subsonic all-moving adaptive flight control surface, 12T1171
BARRON, EN: Relaxation of constrained control problems, 4T356
BARRON, R: Friction model of non-homogeneous surfaces for wheeled vehicle motion simulation, 2A165
BARRON, RF: Graetz problem extended to slip-flow, 7A1240
BARRON, RM: Turbulent jet impingement flow computation, 10A1301
BARROW, G: Experimental study of burr formation in square shoulder face milling, 3A630
BARROW-GREEN, J: Poincare and the Three Body Problem, 9R7
BARROWS, SP: Review of debris-cloud modeling techniques, 2A257
BARRY, AM: Optimum influence of initial observations in regression models with AR (2) errors, 7T65
BARRY, DA: Alternative split-operator approach for solving chemical reaction-groundwater transport models, 1T1423
- Numerical modeling of tide-induced beach water table fluctuations, 9A1004
BARSKI, A: Thermal expansion of GaN bulk crystals and hornoepitaxial layers, 9A1336
BARSOUM, M: Capillary instability of jets of magneto-rheological fluids, 3A1132
BARSOUM, NN: Observation and simulation of a large signal mechanical vibrating system, 3A178
BARSOUM, RGS: Active materials and adaptive structures, 8A888
BARSTOW, S: Use of numerical wind-wave models for assessment of the offshore wave energy resource, 12A1499
BARSUKOV, VG: Study of friction force influence on the rheology of composites in ring extruder channel, 2A948
BARTA, S: Thermodiffusion and thermo-electric phenomena in condensed systems, 1A1152
BARTEL, DL: Role of backside polishing, cup angle, and polyethylene thickness on the contact stresses in metal-backed acetabular components, 10A1572
BARTELDS, GA: Modeling of velocity enhancement in polymer flooding, 9A1440
BARTELHEIMER, W: Inverse method for the design of transonic airfoils and wings, 7A1166
BARTELLO, P: Geostrophic versus wave eddy viscosities in atmospheric models, 3T1413
- Self-similarity of decaying 2D turbulence, 5A1047
BARTER, JW: Prediction of fluctuating pressure loads produced by shock-induced turbulent separation, 6A1096
BARTER, SA: Growth model for catastrophic cracking in an RAAF aircraft, 4A701
BARTHELEMY, E: Ultrasonic probes and data processing to study interfacial solitary waves, 9A204
BARTHELEMY, J-FM: Sensitivity analysis of aeroelastic response of a wing using piecewise pressure representation, 2A1088
BARTHOLOME, G: Determination of critical circumferential through-wall crack sizes regarding load reduction by increased flexibility in piping systems, 11A688
- German leak-before-break concept: Description of German LBB procedures, practices and applications, 11A1517
BARTKOWICZ, TJ: Experimental study of structural health monitoring using incomplete measurements, 4A800
- Two-step structural damage detection approach with limited instrumentation, 10A236
BARTLETT, RF: Enhancement of forced convection in an asymmetrically heated duct filled with high thermal conductivity porous media, 2A1192
BARTLETT, RM: Biomechanics of fast bowling in men's cricket: A review, 6A1549
- Current issues in the mechanics of athletic activities: A position paper, 10A1573
BARTOLINI, G: Discontinuous feedback in nonlinear tracking problems, 4A378
BARTOLOME, JF: Cyclic fatigue of Al_2O_3 and Al_2O_3-Al_2TiO_5 composites in direct push-pull, 12A754
BARTOLOME, JL: On-line monitoring of power-plant performance, using exergetic cost techniques, 4A1320
BARTON, DC: Method for shape optimization of a hip prosthesis to maximize the fatigue life of the cement, 5A1522
- Shape optimization of a Charnley prosthesis based on the fatigue notch factor, 5A1524
- Effect of FE idealization, load conditions and interface assumptions on the stress distribution and fatigue notch factor in the human femur with an endoprosthesis, 5T1467
- High strain-rate fracture characteristics of ductile metals at elevated and sub-ambient temperatures, 10A829
BARTON, IE: Laminar flow over a backward-facing step with a stream of hot particles, 11A1248
BARTON, JS: Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, 2A732
BARTOSZEWICZ, A: Fast and robust robot control including motor dynamics, 4A439
BARTRAND, TA: Couette flow heat loss model for the rotary combustion engine, 8A1330
BARUCCI, MA: Rotational properties of asteroids: CCD observations of nine small asteroids, 4T263
BARUCH, M: Localized load effects in high-order bending of sandwich panels with flexible core, 6A591
- Orthogonalization of measured modes: Revisited, 9T110
BARUH, H: On-line identification and location of rotor cracks, 1A216
BARUT, A: Dynamic response of thin composite shells experiencing nonlinear elastic deformations coupled with large and rapid overall motions, 2A143
- Nonlinear analysis of laminates through a Mindlin-type shear deformable shallow shell element, 10A654
BARZEGAR, F: Influence of local inertia on seismic response of offshore jackets, 6A921
BASAK, A: Erosive and erosive-corrosive wear behavior of cast nitrogenated stainless steels, 4A886
BASAK, I: Mechanism of spark generation during electrochemical discharge machining: A theoretical model and experimental verification, 6A696
BASAR, Y: Finite-element analysis of hyperelastic thin shells with large strains, 2A506
- Shear deformation models for large-strain shell analysis, 10A633
BASARAN, OA: Dynamics of drop formation from a capillary in the presence of an electric field, 5A976
- Nonlinear deformation and breakup of stretching liquid bridges, 7A1032
BASDOGAN, C: Kinematics and dynamic stability of the locomotion of post-polio patients, 2A1450
BASHA, HA: Perturbation solution to the transient pipe flow problem, 6A996
BASHFORD, AG: Field characterization of an air-coupled micromachined ultrasonic capacitance transducer, 7A292
BASHIROV, AE: Controllability conception for stochastic systems, 8T362
BASHKIROV, AG: Nonequilibrium Statistical Mechanics of Heterogeneous Fluid Systems, 5R19
BASISTOV, YA: Linear inverse problems in viscoelastic continua and a minimax method for Fredholm equations of the first kind, 3A456
BASKAKOV, VA: Ray method for solving boundary-value problems connected with the propagation of thermoelastic shock waves of finite amplitude, 1A1286
BASKARAN, A: Investigation of air flow around buildings using computational fluid dynamics techniques, 4A850
BASKARAN, BA: Computer simulation of wind environmental conditions around buildings, 4A848
BASKAYA, S: Buoyancy-induced flow through a narrow chamber containing an internal heat source: Comparison of experimental measurements and numerical simulations, 5A1134
BASKURT, OK: Determination of red blood cell shape recovery time constant in a Couette system by the analysis of light reflectance and ektacytometry, 8T1562

BASOD, GB: Tribological behavior of olefin additives, 2A1137
BASS, BR: Fracture analysis of the NESC-1 spinning cylinder experiment, 8A1514
- Fracture analysis of multiple cracks in a spinning cylinder experiment, 11A689
BASS, CR: Sensitivity of occupant response subject to prescribed corridors for impact testing, 5A170
BASS, HE: Comparison of computer codes for the propagation of sonic boom waveforms through isothermal atmospheres, 5A196
BASSANI, D: DYNROT: FE code for rotordynamic analysis based on complex coordinates, 4A1153
BASSANINI, P: Boundary integrodifferential equation arising from the linearized theory of water waves, 2A216
- Trailing edge singularity and Kutta condition for 3D airfoils, 6A1183
- Vorticity generation on a flat surface in 3D flows, 7A1089
BASSEY, EJ: Relations between compressive axial forces in an instrumented massive femoral implant, ground reaction forces, and integrated electromyographs from vastus lateralis during various "osteogenic" exercises, 7A1531
BASSI, F: High-order accurate discontinuous FEM for the numerical solution of the compressible Navier-Stokes equations, 8A1105
BASSIN, X: Shock tube study of the effect of nitrogen or hydrogen on ignition delays in mixtures of monomethylhydrazine + oxygen + argon, 9A1356
BASSIOUNY, HS: Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, 10A1554
BASSOM, AP: Free convection from a heated vertical cylinder embedded in a fluid-saturated porous medium, 1A1166
- Localized rotating convection induced by topography, 4A1199
BASTAKI, NM: Derived dynamic ply properties from test data on angle ply laminates, 10A611
BASTE, S: Under load strain partition of a ceramic matrix composite using an ultrasonic method, 1A550
- Optimal recovery of the elasticity tensor of general anisotropic materials from ultrasound velocity data, 8A854
BASTEIN, E: High-frequency surface acoustic wave devices at very low temperature: Application to loss mechanisms evaluation, 1A232
BASTIAN, A: Selection of input variables for model identification of static nonlinear systems, 2A313
BASTIAS, P: Modeling of surface modified layers in the presence of surface irregularities, 4A905
BASTIN, F: Computation of jet mixing noise due to coherent structures: The plane jet case, 10A342
BASTIN, G: Theory of Robot Control, 6R12
BASTIN, ME: Laboratory study of baroclinic waves and turbulence in an internally heated rotating fluid annulus with sloping endwalls, 11A1106
BASU, B: Ordered peak statistics through digital simulation, 4A1407
- Markovian approach to ordered peak statistics, 6A1425
- Expected seismic damage during narrow-band structural responses, 6A1437
BASU, C: Crystal field theory of magnetic behavior of $Er_2(SO_4)_3 \times 8H_2O$, 2T535
BASU, D: Singularity analysis of platform-type multi-loop spatial mechanisms, 8A969
BASZTURA, C: Computer Systems for Acoustic Diagnostics (Polish), 6R6
BATAN, H: Effect of an attached spring-mass system on the frequency spectrum of a cantilevered beam, 2T112
- Effect of an arbitrarily located mass on the longitudinal vibrations of a bar, 2T111
BATCH, GL: Capillary impregnation of aligned fibrous beds: Experiments and model, 4A1048
BATCHELOR, AW: Lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, 3A857
- Failure mechanisms of plasma nitrided Inconel 718 film, 12A946
BATCHELOR, GK: Life and Legacy of GI Taylor, 1R39
- Break-up of a falling drop containing dispersed particles, 11A1002
BATCHVAROVA, E: Model for the height of the internal boundary layer over an area with an irregular coastline, 2T1411
BATE, PS: Plastic anisotropy in a superplastic duplex stainless steel, 12A546
BATES, L: Examples of gauge conservation laws in nonholonomic systems, 2A82
BATES, PW: Phase field models for hypercooled solidification, 10A1339
BATES, S: Modeling the behavior of stratified liquid natural gas in storage tanks: A study of the rollover phenomenon, 7A1066
BATES, SIR DAVID: Special issue: Comet nucleus modeling, 4T261
BATHE, KJ: Finite element analysis of shell structures, 9A21
- Displacement-pressure based mixed FE formulations for acoustic fluid-structure interaction problems, 10A323
- Proceedings of the 11th ADINA Conference: MIT June 18-20, 1997, 12A50
BATHGATE, RG: Creep response of woven-fiber composites and the effect of stitching, 8A504
BATHIAS, C: Accelerated vibratory fatigue test by ultrasonic frequency at cryogenic temperature, 1A722
- Retrospective view on the role of the plastic zone at a fatigue crack tip, 5A661
- Influence of mean stress on Ti6Al4V fatigue crack growth at very high frequency, 7A663
BATHURST, JC: Debris flow run-out and landslide sediment delivery model tests, 11T921
BATHURST, RJ: Combined allowable strength reduction factor for geosynthetic creep and installation damage, 3A610
BATILL, SM: Total least-squares criteria in parameter identification for flight flutter testing, 2A252
BATINA, JT: Wing flutter computations using an aerodynamic model based on the Navier-Stokes equations, 6A309
BATISSE, R: Biaxial high cycle fatigue tests on a gas transmission pipeline steel, 5A600
BATISTA, RC: Analysis of single pipeline pull-in procedure using small scale models, 3A1463
- Dynamic behavior analysis of a lifeboat system under simulated accidents, 6A202
BATKO, W: Time estimation of disturbance occurrences in monitoring systems, 10A243
BATLLE, JA: Sliding velocity flow of rough collisions in multibody systems, 3A87
BATOZ, J-L: Role of geometrically exact and second-order theories in buckling and post-buckling analysis of 3D beam structures, 5A489
BATRA, RC: Energy-momentum tensors in nonsimple elastic dielectrics, 1A433
- Basic fracture mechanics concepts in functionally graded materials, 1A726
- Theory of thermoviscoelastic dielectrics, 1A1289
- Effect of defect shape and size on the initiation of adiabatic shear bands, 1A483
- Saint-Venant's principle for a helical piezoelectric body, 2A385
- Modeling of macroscopic response of phase transforming materials under quasi-static loading, 6A7
- Interface cracking between functionally graded coatings and a substrate under antiplane shear, 7A741
- Vibration of a rectangular laminated elastic plate with embedded piezoelectric sensors and actuators, 8A172
- Analysis of stress distribution in a thin rectangular plate by the method of caustics, 9A796
- Thermomechanical theory of solid-fluid mixtures, 11A1459
- Rolling-sliding of a vibrating elastic body on an elastic substrate, 11A369
BATROUNI, GG: Band formation in deposition of fines in porous media, 6A1378
BATSON, G: Model for predicting the fracture process zone and R-curve for high strength FRC, 1A749
BATT, TJ: Stress relaxation in the interface between creep particle and elastic matrix-strengthening mechanism, 7T454
BATTAGLIA, F: Bifurcation of low Reynolds number flows in symmetric channels, 6A1101
BATTAINI, M: Secondary system analysis for space pay-load, 9T165
BATTELLI, F: Chaos in singular impulsive ODE, 6T115
BATTIN-LECLERC, F: Inhibiting effect of CF_3I on the reaction between CH_4 and O_2 in a jet-stirred reactor, 10A1410
BATTISTE, RL: Experimental investigation of the interaction of primary and secondary stresses in fuel plates, 11A1515
BATTJES, JA: Laboratory study of longshore currents over barred and non-barred beaches, 9A1003
BATUR, C: Optimization of crystallinity distribution in sheet extrusion, 8A694
BATY, RS: Least-squares solutions of a general numerical method for arbitrary irregular grids, 10A78
- Nonstandard analysis of a simple discontinuous force equation modeling continuous motion, 12T156
BATZAR, K: Abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 7A911
BAU, HH: Thermoacoustic waves in a confined medium, 4A1215
- Effects of forced convection on the power dissipation of constant-temperature thermal conductivity sensors, 8A1358
- Micro heat exchangers consisting of pin arrays, 9A1291
- Uniform channel micro heat exchangers, 12A1323
BAUCHAU, OA: Energy decaying scheme for nonlinear beam models, 2A114
BAUDET, C: Scaling laws and dissipation scale of a passive scalar in fully developed turbulence, 7A1132
BAUER, E: Numerical simulation of shear band formation with a polar hypoplastic constitutive model, 3A614
BAUER, G: Calcaneal fractures cause a lateral load shift in Chopart joint contact stress and plantar pressure pattern *in vitro*, 4A1476
- Strain relaxation induced red shift of photoluminescence of CdZnSe/ZnSe quantum wires, 9A1322
- Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
BAUER, H: Flexibility factors for nozzles in the knuckle region of dished pressure vessel heads, 8A939
BAUER, HF: Viscous response of an anchored spinning liquid column to various axial excitations, 1A263
- Natural damped frequencies of a rotating viscoelastic infinitely long column, 3A457
BAUER, SM: Stability of the eye shell under an encircling band, 1A1458
BAUGHN, JW: Effect of the thermal boundary condition on transient method heat transfer measurements on a flat plate with a laminar boundary layer, 5A1185
BAUKAL JR, CE: Review of empirical flame impingement on heat transfer correlations, 2A1331
BAUKAL, CE: Oxygen-enhanced and natural gas flame radiation, 9A1373
BAUM, HR: Effects of ignition and wind on the transition to flame spread in a microgravity environment, 3A1324
BAUM, J: Dusty detonation simulations with adaptive unstructured FEs, 12A1383
BAUM, M: Direct Numerical Simulation for Turbulent Reacting Flows, 11N35
- Analysis of wall heat fluxes, reaction mechanisms, and unburnt hydrocarbons during the head-on quenching of a laminar methane flame, 7A1393
BAUMANN, M: Combination of adaptivity and mesh smoothing for the FE analysis of shells with intersections, 12A634
BAUMANN, W: Influence of inertia on intersegment moments of the lower extremity joints, 10A1525
BAUMEISTER III, T: Marks' Standard Handbook for Mechanical Engineers, Tenth Edition, 1N56
BAUMEISTER, J: On-line parameter estimation for infinite-dimensional dynamical systems, 8T368
BAUMEISTER, KJ: Finite difference time marching in the frequency domain: A parabolic formulation for the convective wave equation, 4A310
BAUMERT, BM: Digital particle velocimetry in flows with nearly closed pathlines: The viscoelastic Taylor-Couette instability, 11A1070
BAUMGART, P: Marangoni mechanism in pulsed laser texturing of magnetic disk substrates, 12A1267
BAUMGARTEL, K: "Phobos events": Signatures of solar wind dust interaction, 4A267
- Plasma structures at weakly outgrassing comets: Results from bi-ion fluid analysis, 4A1102
BAUMGARTEN, R: Bifurcation analysis of the dynamics of a simplified shell model, 10A128
BAURLE, RA: Effects of incorporating a cone swirler into a side-inlet ducted ramrocket, 7A1431
- Analysis of supersonic combustors with swept ramp injectors, 9A1375
BAUTIN, SP: Gas flows with shock waves which diverge from an axis or center of symmetry with finite velocity, 6A1052
BAUTISTA, PJ: Field test results of a dry low NO_x combustion system for the MS3002J regenerative cycle gas turbine, 8A1436
BAUWENS, L: Entropy balance and performance characterization of the narrow basic pulse-tube refrigerator, 5A1279
- Oscillating flow of a heat-conducting fluid in a narrow tube, 5A1006
BAVASTRI, CA: Optimized pseudo-inverse algorithm (OPIA) for multi-input multi-output modal parameter identification, 3A335
BAWAB, S: Rectified synthesis of six-bar mechanisms with well-defined transmission angles for four-position motion generation, 3A898
- Hybrid approach to solving the position equations for planar mechanisms, 11A865
- Automatic synthesis of crank driven four-bar mechanisms for two, three, or four-position motion generation, 12A1032
BAWDEN, WF: Load distribution along fully grouted bolts, with emphasis on cable bolt reinforcement, 1A936
BAWEJA, G: Open control-interface for multi-axis manufacturing entities, 4A475
BAXTER, LL: Release of inorganic material during coal devolatilization, 8A1410
BAXTER, SC: Anti-plane shear deformations of anisotropic sandwich structures: End effects, 5A786
- Degradation of elastic response of MMC laminated tubes due to internal fiber cracks, 6A777
BAXTER-DRAYTON, Y: Brownian electrorheological fluids as a model for flocculated dispersions, 5A892
BAY, BK: Statically equivalent load and support conditions produce different hip joint contact pressures and periacetabular strains, 7A1534
BAY, N: Limits of lubrication in backward can extrusion: Analysis by the FEM and physical modeling experiments, 4A663
- Screening the performance of lubricants for the ironing of stainless steel with a strip reduction test, 12A1231
- FEM simulation of friction testing method based on combined forward rod-backward can extrusion, 12A715
- Friction in bulk metal forming: A general friction model vs the law of constant friction, 12A725
BAYADA, G: Micropolar fluids in the theory of lubrication: Rigorous derivation of an analogue of the Reynolds equation, 5A1105
BAYAZITOGLU, Y: ASME Proceedings of 31st National Heat Transfer Conference, Volume 2, 2N37
- Metal vapor condensation in a converging nozzle, 3A1082
- Longitudinal electromagnetic levitator, 8A621
BAYBA, AJ: Boundary layer fracture in composite solder joints, 11A876
BAYER, R: Elastic wave-propagation simulation in heterogeneous media by the spectral moments method, 4A1369
BAYLESS, DJ: Effects of cofiring natural gas and coal on sulfur retention in ash, 1A1318
- Effects of surface voids on burning rate measurements of pulverized coal at diffusion-limited conditions, 6A1342
BAYLEY, FJ: Prediction of ingress rates to turbine and compressor wheelspaces, 9A1020
BAYLISS, A: Structure and dynamics of kink and cellular flames stabilized on a rotating burner, 7A1396
- Panel-structure response to acoustic forcing by a nearly sonic jet, 7A1106
BAYLY, PV: Spectral signature of weakly bilinear oscillators, 1A133
BAYO, E: Inverse dynamics of non-minimum phase systems with non-zero initial conditions, 8A367
BAYON, A: Elastic characterization of isotropic materials by a single test based on the experimental determination of natural frequencies using laser interferometry, 9A799
BAYOUMI, AE: Stability of biaxial stretching with application to the optimization of superplastic blow-forming, 7A601
- Constitutive modeling of superplastic deformation - Part I: Theory and experiments, 11A412
BAYOUMI, LS: Edge stresses in wide strip hot rolling, 7A594
BAYOUMI, MR: Mechanics and mechanisms of fracture in stress corrosion cracking of aluminum alloys, 1A709
BAYRAMOGLU, M: Thermodynamic model of a solar assisted heat pump system with energy storage, 3A1462
BAYSAL, O: Three-dimensional aerodynamic shape optimization using discrete sensitivity analysis, 2A1094
- Investigation of dispersion-relation-preserving scheme and spectral analysis methods for acoustic waves, 10A345
- Gradient-based aerodynamic shape optimization using alternating direction implicit method, 11A987
BAZ, A: Vibration control of plates with active constrained layer damping, 1A154
- Modal and physical deflections of beams using distributed wire sensors, 1A203
- Demonstration of adaptive least-mean-square control of small amplitude vortex-induced vibrations, 3A266
- Boundary control of beams using active constrained layer damping, 10A154
BAZAN, FSV: Optimized pseudo-inverse algorithm (OPIA) for multi-input multi-output modal parameter identification, 3A335
BAZANT, ZP: Concrete at High Temperatures: Material Properties and Mathematical Models, 8R1
- Size effect and fracture characteristics of composite laminates, 1A766
- Finite strain generalization of small-strain constitutive relations for any finite strain tensor and additive volumetric-deviatoric split, 1A7
- Variable-notch one-size test method for fracture energy and process zone length, 3A701
- Softening-induced dynamic localization instability: Seismic damage in frames, 6A1458
- Size effect in compression fracture: Splitting crack band propagation, 7A689
- Postcritical imperfection-sensitive buckling and optimal bracing of large regular frames, 9A588
- Tangential stiffness of elastic materials with systems of growing or closing cracks, 9A728
- Crack growth and lifetime of concrete under long time loading, 9A747
- Theory of crack spacing in concrete pavements, 9A914
- Inelastic buckling of concrete column in braced frame, 11A531
- Stability of cohesive crack model - Part II: Eigenvalue analysis of size effect on strength and ductility of structures, 11A719
- Scaling of structural failure, 11A672
- Stability of cohesive crack model - Part I: Energy principles, 11A718
BAZEOS, N: Torsional moments on buildings subjected to wind loads, 12A922

BAZHLEKOV, IB: Numerical investigation of the dynamic influence of the contact line region on the macroscopic meniscus shape, 7A1033
BAZIARD, Y: Study of single-lap compression-shear test for brittle substrates bonded with a structural adhesive, 6A982
- Study of the crack deviation angle in adhesive ruptures of ceramic adhesively-bonded assemblies, 10A823
BDZIL, JB: Level set methods applied to modeling detonation shock dynamics, 1A270
BEA, R: Load shedding of fatigue fracture in ship structures, 6A925
BEA, RG: ULSLEA: A limit equilibrium procedure to determine the ultimate limit state loading capacities of template-type platforms, 6A1001
- Capacities of template-type platforms in the Gulf of Mexico during hurricane Andrew, 8A934
- Human and organization errors in reliability of offshore structures, 8A899
- Fatigue of ship critical structural details, 11A651
BEACH, JE: Full-scale experiments and analyses of cellular hull sections in compression, 2A821
- Fatigue of welded steel joints under wideband loadings, 4A706
BEALE, D: Electronic device to measure drive and recovery phases during wheelchair propulsion: A technical note, 1A1474
BEALE, JT: Convergence of a boundary integral method for water waves, 3A250
- Onset of instability in exact vortex rings with swirl, 5A1033
BEALE, MR: Aeroelastic response and stability of helicopters with elastomeric lag dampers, 2A828
- Formulation, validation, and application of a FE model for elastomeric lag dampers, 2A830
BEALE, S: Adaptive forced balancing for multivariable systems, 11A142
BEALL, FC: Acoustic monitoring of cold-setting adhesive curing in wood laminates, 1A812
BEALL, MW: General topology-based mesh data structure, 10A77
BEAM, JE: Air-cooling system for metal oxide semiconductor controlled thyristors employing miniature heat pipes, 1A1268
BEAN, DE: Experimental investigation of twin-fin buffeting and suppression, 2A253
BEANLANDS, B: Ice stress measurements from land-fast ice along Canada's Labrador coast, 6A1515
BEAR, J: Movement of an LNAPL lens on the water table, 6A1383
BEAR, LK: Estimation of slowness vectors and their uncertainties using multi-wavelet seismic array processing, 12A1482
BEARD, JE: Force analysis of the apex seals in the Wankel rotary compressor including the influence of fluctuations in the crankshaft speed, 8A960
- Experimental device for investigating the force and power requirements of a powered gait orthosis, 10A1564
BEARDS, CF: Structural Vibration Analysis and Damping, 2R8
BEARDSLEY, HE: Monitoring of thermal energy distribution in abrasive waterjet cutting using infrared thermography, 5A560
BEARMAN, PW: Numerical study of oscillatory flow about a circular cylinder for low values of beta parameter, 3A1031
- Study of 3D aspects of vortex shedding from a bluff body with a mild geometric disturbance, 8A1079
- Problems encountered in measuring forces on immersed bodies, 9T820
BEATRICE, C: Two-color pyrometry measurements of soot loading in a diesel engine burning model fuels of varying quality, 2A1322
BEATSON, RK: Fast evaluation of radial basis functions: Methods for 2D polyharmonic splines, 12A340
BEATTIE, DRH: Flow characteristics of horizontal bubbly pipe flow, 1A1017
BEATTIE, WC: Aerodynamic performance of contra-rotating Wells turbine for wave energy conversion, 8A1236
BEATTY, MF: Motion of lineal bodies subject to linear damping, 10A161
- Compressible materials capable of sustaining axisymmetric shear deformations - Part 2: Rotational shear of isotropic hyperelastic materials, 11A357
BEAUDUIN, R: Effects of the atmospheric pressure changes on seismic signals or how to improve the quality of a station, 8A1498
BEAUGE, C: Global expansion of the disturbing function in the planar elliptic restricted three-body problem, 8A298
BEAUMARIAGE, TG: Open control-interface for multi-axis manufacturing entities, 4A475
BEAUMONT, M: Scratch testing of advanced composite surfaces, 12A603
BEAUPRE, GS: Adaptive bone remodeling incorporating simultaneous density and anisotropy considerations, 10A1511
BEAUVAIS, R: Modeling maximum flame speeds, 6A1330
BECERRA, G: Laminar film condensation on a thin finite thickness plate, 7T1292
BECH, KH: Structure of Reynolds shear stress in the central region of plane Couette flow, 1A1073
BECHER, PF: Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, 4A765
- Stress transfer in a model composite containing a single embedded fiber, 9A499
BECHERT, DW: Experiments on drag-reducing surfaces and their optimization with an adjustable geometry, 11A1031
BECHET, J: Accelerated vibratory fatigue test by ultrasonic frequency at cryogenic temperature, 1A722
BECHLY, ME: Structural design of a composite wind turbine blade using FE analysis, 9A1184
BECHTEL, SE: One-dimensional models for thin filaments of liquid-crystalline polymers: Coupling of orientation and flow in the stability of simple solutions, 7A982
- Thermomechanical equations governing a material with prescribed temperature-dependent density with application to nonisothermal plane Poiseuille flow, 7A1022
- Exploiting accurate spinline measurements for elongational material characterization, 8A1013
- One dimensional isothermal spinning models for liquid crystalline polymer fibers, 12A1051
BECHTOLD, JK: Response of spherical premixed flames under rotation, 12A1364
BECK, DS: Regenerator effectiveness during transient operation, 1A1366
- Optimization of regenerated gas turbines, 1A1364
BECK, JL: Approximate solutions for nonlinear random vibration problems, 1A147
- Transformation method for implementing classical multi-yield-surface theory using the hardening rule of Mroz, 4A512
BECK, JS: Microporous and Macroporous Materials, 7N18
BECK, JV: Proceedings of the ASME Heat Transfer Division, Volume 1, 3N41
- Comparison of some inverse heat conduction methods using experimental data, 1A1216
- Estimation of directional-dependent thermal properties in a carbon-carbon composite, 1A1246
- Numerical solution of the general 2D inverse heat conduction problem, 8A1355
BECK, KH: Simple measurement of ultrasonic refraction angle, velocity ratio, and focused transducer beam included angle in cylindrical material, 6A831
BECK, MB: Problem of model validation for predictive exposure assessments, 12A1527
BECK, RA: Annihilation of transverse velocity bias during spinning-up maneuvers, 10T455
BECK, SBM: Fluidic flowmetering device for remote measurement, 1A1149
- Measurement of fluid flow rates through cracks, 9A1091
BECKER JR, TL: Limitations on the use of the mixed-mode delaminating beam test specimen: Effects of the size of the region of K-dominance, 12A46
BECKER, A: Direct containment heating dispersal and entrainment experiment in a scaled annular cavity, 3A1437
BECKER, AA: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 6, 1N5
- Assessment of the crack tip opening displacement criterion for predicting creep crack growth, 2A664
BECKER, BR: Case study of a proposed monitor for industrial process fouling, 2A1012
BECKER, C: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
BECKER, E: Feedback of midlatitude waves onto the Hadley cell in a simple general circulation model, 9T1508
BECKER, EB: Constitutive equations for solid propellants, 10A578
BECKER, HA: Spatial differencing schemes of the discrete-ordinates method, 1A1259
- T_n quadrature set for the discrete ordinates method, 11T1332
BECKER, K-D: Extraction of model parameters of piezoelectric ultrasound transducers based on the measurement of electrical data (German), 2A531
BECKER, KJ: Double-sum technique for performing a Fourier transformation, 10A388
- Computation of the modal response of regularly ribbed cylinders, 10A384
BECKER, LE: Buckling of helical springs under combined compression and torsion, 8A601
BECKER, M: Experimental and numerical evaluation of the performance and flow stability of different types of open volumetric absorbers under non-homogeneous irradiation, 11A1530
BECKER, R: Distortion and residual stress in quenched aluminum bars, 3A647
BECKER, W: Clamping effect in $[\pm\ \alpha]_s$-angle-ply laminates, 1A515
BECKERMANN, C: Boundary layer analysis of buoyancy-driven two-phase flow in capillary porous media, 11T1460
BECKERS, P: A posteriori error estimators related to equilibrium defaults of FE solutions for elastostatic problems, 12A18
BECKETT, C: Schlieren image of 2D ultrasonic fields and cavity resonances, 7A267
BECKMANN, PE: Topology of basin boundaries in a class of 3D dynamical systems, 1A138
BECKSTEAD, MW: Burn time measurements of single aluminum particles in steam and CO_2 mixtures, 1A1331
- Improvements to steady-state combustion modeling of cyclotrimethylenetrinitraminic, 10A1420
- Stability testing of full-scale tactical motors, 10A1432
- Nonlinear stability testing of full-scale tactical motors, 10A1430
BECKWITH, IE: Development of square nozzles for supersonic low-disturbance wind tunnels, 6A1116
BEDA, G: Theory of constitutive equations based on wavedynamics, 10T3
BEDA, PB: Localization and the flutter and divergence instabilities of dynamical systems, 10A121
- Material instability in dynamical systems, 11A539
BEDAIR, OK: Post-buckling behavior of plates under stress gradient, 2A510
- Buckling behavior of plates partially restrained against rotation under stress gradient, 2A518
- Influence of stiffener location on the stability of stiffened plates under compression and in-plane bending, 3A563
- Fundamental frequency determination of stiffened plates using sequential quadratic programing, 6A164
- Analysis of stiffened plates under lateral loading using sequential quadratic programming, 7A523
- Effect of lateral restraint on the buckling behavior of plates under non-uniform edge compression, 8A603
- Elastic behavior of multi-stiffened plates under uniform compression, 8A605
- Stability, free vibration, and bending behavior of multistiffened plates, 9A138
BEDAT, B: Effects of buoyancy on premixed flame stabilization, 3A1305
BEDDHU, M: Strong conservative form of the incompressible Navier-Stokes equations in a rotating frame with a solution procedure, 4T982
BEDEAUX, D: Microscopic perspective on the physical foundations of continuum mechanics - Part I: Macroscopic states, reproducibility, and macroscopic statistics, at prescribed scales of length and time, 2A3
BEDECARRATS, JP: Study of the crystallization of nodules containing a phase change material for cool thermal storage (French), 3A1267
BEDFORD, FC: Limit of wave propagation on the free surface of a viscous fluid, 11T190
BEDI, S: Tool path planning for five-axis machining using the principal axis method, 12A459
BEDJAOUI, N: Analysis of a non-hyperbolic system modeling two-phase flows - Part I: The effects of diffusion and relaxation, 10A1126
BEDNARCYK, BA: Inelastic thermal response of Gr-Cu with nonuniform fiber distribution, 4A554
BEDNARCZYK, J: Distribution of forces in inductors for electrodynamic working of metals, 4A670
BEDNAREK, S: Flow disturbances in a single-stage cold-air turbine, 4A1140
BEDNAREK, Z: Loss of prestressing force in strands exposed to fire (Polish), 2A804
- State of emergency in rooms threatened by blasts and methods of limiting their effects (Polish), 2A790
BEDNARSKI, W: Investigations of phase transitions in $(NH_4)_3H(SO_4)_2$ crystal by means of Mn^{2+} EPR spectra, 9A1334
BEEKMANS, F: Transient and steady-state rheological behavior of the thermotropic liquid crystalline polymer Vectra B950, 3A957
- Influence of the flow history on stress growth and structure changes in the thermotropic liquid crystalline polymer Vectra B950, 9A984
BEELER, NM: Transient triggering of near and distant earthquakes, 12A1451
BEER, H: Heat transfer and flow field in a pipe with sinusoidal wavy surface - II: Experimental investigation, 5A1172
- Heat transfer and flow field in a pipe with sinusoidal wavy surface - I: Numerical investigation, 5A1171
BEER, JM: Coal-fueled combustion turbine cogeneration system with topping combustion, 8A1414
BEER, O: Numerical simulation of density distribution during compaction of iron powders, 9A1410
BEETSTRA, F: Building related environmental diagnoses, 9T910
BEFFA, C: Backwater computation for transcritical river flows, 6T1007
BEG, D: Slenderness limit of class 3 I cross-sections made of high strength steel, 2A798
BEG, OA: Effects of transverse magnetic field, Prandtl number and Reynolds number on non-Darcy mixed convective flow of an incompressible viscous fluid convective flow of an incompressible viscous fluid past a porous vertical flat plate in saturated porous medium, 7A1450
BEG, SA: Theme issue on petroleum resid-heavy oil upgrading, 8A1511
BEGG, DW: High precision integration for dynamic structural systems with holonomic constraints, 12A217
BEGHINI, M: Explicit weight function for semi-elliptical surface cracks, 11A678
BEGLEY, CJ: Seismic behavior of unanchored liquid containers, 2A1386
BEGLEY, MR: Time dependent cracks in ceramic matrix composites: Crack growth initiation, 8A809
- Creep crack growth with small scale bridging in ceramic matrix composites, 12A779
BEHBAHANI-NEJAD, M: Freely propagating waves in elastic cables, 4A197
BEHERA, AK: Dynamic deflection of a cracked beam with moving mass, 10A177
BEHIRI, JC: Crack growth resistance in cortical bone: Concept of microcrack toughening, 12A1531
BEHIRY, SH: Integral equation method for solving nonlinear heat diffusion problem, 9A1268
BEHLKE, RF: Bowed stators: An example of CFD applied to improve multistage compressor efficiency, 10A1244
BEHNIA, M: Numerical investigation of natural convection in a vertical slot with two heat source elements, 4A1196
- Experimental study of flow rates through inclined open thermosyphons, 8A1282
- Numerical modeling of 3D fly-ash flow in power utility boilers, 10A1136
- Prediction of flow and erosion in power utility boilers and comparison with measurement, 12A1329
BEHR, M: Flow simulation and high performance computing, 5A947
BEHR, RA: Development of a loading history for seismic testing of architectural glass in a shop-front wall system, 5A1415
BEHRE, CP: Attitude estimation algorithms for spinning satellites using global positioning system phase data, 7T345
BEHREND, D: Loss of stiffness as osteoporosis progresses, 4A1478
BEHRENDT, F: Development of a parallel direct simulation code to investigate reactive flows, 2A59
BEHRINGER, RP: Convection and flow in porous media - Part 1: Visualization by magnetic resonance imaging, 8A1452
- Convection and flow in porous media - Part 2: Visualization by shadowgraph, 8A1453
BEIJNON, GV: Chebyshev collocation method for solving two-phase flow stability problems, 10T1135
BEIKIRCHER, T: Analysis of gas heat conduction in evacuated tube solar collectors, 2A1430
BEIKMANN, RS: Free vibration of serpentine belt drive systems, 1A173
- Nonlinear coupled vibration response of serpentine belt drive systems, 4A130
- Design and analysis of automotive serpentine belt drive systems for steady state performance, 12A996
BEIMFOHR, S: Shear-induced radial segregation in bidisperse suspensions, 3A1070
BEINER, L: Singularity avoidance for articulated robots, 12A452
BEINER, M: Stability of the $T_{ryt} < T_{rw}$ relation between Vogel temperatures of flow and glass transition against determination variants, 10A1025
BEIRAO DA VEIGA, H: Long time behavior of the solutions to the Navier-Stokes equations with diffusion, 3T994
BEISMANN, H: Mechanical anisotropy and inhomogeneity in the tissues comprising the hollow stem of the giant reed *Arundo donax*, 1A1457
BEISSEL, S: Nodal integration of the element-free Galerkin method, 6A20
BEISSEL, SR: Normalized smoothing functions for SPH impact computations, 2A214
- SPH for high velocity impact computations, 6A260
BEISSNER, K: European intercomparison of ultrasonic power measurements, 2A300
BEITER, CA: Nonlinear stability testing of full-scale tactical motors, 10A1430
BEITING, EJ: Computational and experimental investigations of rarefied flows in small nozzles, 5A1013
- Solid rocket motor exhaust model for alumina particles in the stratosphere, 12T1528
BEJAN, A: Analogy between electrical machines and heat transfer-irreversible heat engines, 1A1150
- Optimal spacing between pin fins with impinging flow, 2A1261
- Time-dependent interaction between water at supercritical pressures and a hot surface, 5A1220
- Constructal-theory network of conducting paths for cooling a heat generating volume, 5A1226
- Optimal geometric arrangement of staggered plates in forced convection, 7A1236
- Theory of organization in Nature: Pulsating physiological processes, 8A1261
- Optimization of pulsating heating in pool boiling, 11A1280
- Optimization principle for natural convection pulsating heating, 11A1224
BEKEY, GA: Underwater Robots, 5N7
BEKKER, A: Detection of internal defects using phase shifting holographic interferometry, 4A792
- Temperature-induced phase transformation in a shape memory alloy: Phase diagram based kinetics approach, 11A8

BEL, G: Artificial intelligence for the design and management of manufacturing systems (French), 8A468
BELARBI, A: Development of a loading history for seismic testing of architectural glass in a shop-front wall system, 5A1415
BELARDINELLI, ME: Static stress changes in extensional regimes: An application to southern Apennines (Italy), 12A1478
BELCHER, SE: Displacement of inviscid fluid by a sphere moving away from a wall, 5A967
BELDICA, C: Experimental and numerical studies in model composites - Part II: Numerical results, 10A818
BELEGUNDU, AD: Introduction to Finite Elements in Engineering, Second Edition, 5N1
- Simple p-adaptive refinement procedure for structural shape optimization, 8A48
BELEN'KII, AD: Control system of flywheel electric motors with minimal redundancy, 4T374
BELENKY, V: Analysis of probabilistic balance of IMO stability regulation by piecewise linear method, 3T1057
BELENKYKH, EV: Lubricant solidification at heavy-loaded contact of a disk friction machine, 5A787
BELETSKY, VV: Pendulum as a dynamical billiard, 3A81
BELFORTE, G: Friction analysis of pneumatic semi-rotary actuators, 7T862
BELGRADER, P: Automated sample processing using robotics for genetic typing of short tandem repeat polymorphisms by capillary electrophoresis, 9A403
BELHAQ, M: Homoclinic bifurcations in self-excited oscillators, 1T124
BELHE, U: Modeling relationships among design activities, 6A449
BELIAEV, AY: Darcy equation for random porous media, 2A1357
BELIBASSAKIS, KA: All-frequency normal-mode solution of the 3D acoustic scattering from a vertical cylinder in a plane-horizontal waveguide, 12A336
BELINGARDI, G: Experimental evaluation of the strain field history during plastic progressive folding of aluminium circular tubes, 7A438
BELINSKIY, BP: Connection between the scattering diagram and the amplitudes of the surface waves for acoustic scattering by a baffled flexible plate, 3A306
- Acoustic scattering by a narrow crack in an elastic plate, 3A304
BELISHEV, M: Two-velocity dynamical system: Boundary control of waves and inverse problems, 8A208
BELL, AJ: Experimental study of circular flange joints in tubular structures, 2A811
BELL, BC: Space-time coupled p-version least squares FE formulation for unsteady 2D Navier-Stokes equations, 1A996
BELL, JB: High-order projection method for tracking fluid interfaces in variable density incompressible flows, 8A1066
BELL, JH: Image registration for pressure-sensitive paint applications, 6A1217
BELL, KD: Development and verification of a cryogenic Brilliant Eyes thermal storage unit, 2A837
BELL, R: Tool management and job allocation in flexible machining cells - Part 1: Work-oriented strategies, 4A468
- Tool management and job allocation in flexible machining cells - Part 2: Tool-oriented strategies, 4A469
BELL, RC: Specification, development, and testing of the FT8-2 dry low NO_x control system, 1A1369
BELL, SR: Full-fuel-cycle modeling for alternative transportation fuels, 11A1437
- Extension of the lean operating limit for natural gas fueling of a spark ignited engine using hydrogen blending, 12A1372
BELL, T: Influence of surface melting on dry rolling-sliding wear of aluminum bronze against steel, 3A875
- Effect of sliding friction on contact stresses for multi-layered elastic bodies with rough surfaces, 12A929
BELL, TE: Porous silicon as a sacrificial material, 8T417
BELLAMY-KNIGHTS, PG: Perturbation method for surface singularity solutions for potential flow, 3A997
BELLAN, J: Ignition of a binary-fuel (solvent-solute) cluster of drops, 2A1306
BELLANGER, M: Ultrasonic wave attenuation as a tool for estimating frost action on limestone rocks, 5A736
BELLECCI, C: Thermodynamics of phase-change storage in series with a heat engine, 11T1202
BELLEMORE, DG: Distributed fiber Bragg grating strain sensing in reinforced concrete structural components, 10A865
BELLENI-MORANTE, A: Three-dimensional Boltzmann-like model of outgassing and contamination, 12A1107
BELLET, M: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3, 1N32
- Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: Titanium alloy matrix composites, 6A680
BELLETTRE, J: Transient state study of electric motor heating and phase change solid-liquid cooling, 5A1243
BELLINGER, NC: Corrosion pillowing stresses in fuselage lap joints, 7A684
BELLO, M: Development and verification of a cryogenic Brilliant Eyes thermal storage unit, 2A837
BELLO-OCHENDE, FL: Convective heat transfer in horizontal elliptic ducts in parallel mode rotation, 7A1264
BELLUCCI, V: Vibrationally relaxing flow of N_2 past an infinite cylinder, 7A1056
BELMONT, MR: Generalized cross-correlation - Part II: Discretization of generalized cross-correlation and progress to date in its implementation, 12A78
- Generalized cross-correlation functions for engineering applications - Part I: Basic theory, 12A79
BELMONTE, M: Role of triboelectrification mechanism in the wear behavior of Al_2O_3-SiC platelet composites, 4A888
BELOBORODKO, AN: Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, 1A687
BELOIU, AS: Unified approach for the investigation of branch and circuit defects, 11A869
BELOKON', AV: Properties of the natural frequencies of electroelastic bodies of bounded dimensions, 1A612
BELOUSOVA, YR: Synthesis of optimal control in a fourth-order linear speed of response problem, 3A351
BELOV, SA: Necessary conditions for a domain optimization problem with various constraints, 2T315
BELOV, VK: Investigation of surface layer after deformation cladding with flexible tools, 2A916
BELOV, VM: Investigation of temperature fields developed at friction of material having regular surface topography, 2A863
BELOVICH, VM: Mixing processes in a coaxial geometry with a central lobed mixer-nozzle, 10A1164
BELOY, J: Experimental investigation of *in situ* consolidation of thermoplastic matrix composites, 6A560
BELSKAYA, IN: Physical properties of M class asteroids, 5A220
BELSKY, V: Efficient solutions schemes for interface problems, 1A60
- Composite grid method for hybrid systems, 3A43
- Hierarchical composite grid method for global-local analysis of laminated composite shells, 9A576
BELTAOS, S: Hindsight on river ice jam stability, 4A1469
- Onset of river ice breakup, 10A1501
BELTRAO, JF: Gravity inversion of basement relief constrained by the knowledge of depth at isolated points, 6A1405
BELTZ, GE: Self-consistent model for cleavage in the presence of plastic flow, 4A745
- Strain-gradient model of cleavage fracture in plastically deforming materials, 4A746
BELTZER, AI: Entropy characterization of FEs, 2A14
BELWARD, SR: Atmospheric solitary waves: Some applications to the morning glory of the Gulf of Carpentaria, 3A223
BELYAEV, AK: Nonlinear waves in complex structures modeled by elastic-viscoplastic stochastic media, 3A207
- Dynamic instability of components in complex structures, 10A667
BELYAEVA, IY: Nonlinear scattering of acoustic waves by discontinuity-like defects in application to crack detection, 4A297
BELYANIN, PN: Applications of powdered materials: State-of-the-art and prospects, 4T686
BELYI, MV: Multilevel aggregation method for solving large-scale generalized eigenvalue problems in structural dynamics, 7A170
BELYTSCHKO, T: Advances in multiple scale kernel particle methods, 1A92
- Analysis of thin shells by the element-free Galerkin method, 1A568
- Continuous meshless approximations for nonconvex bodies by diffraction and transparency, 2A29
- Stability of an explicit multi-time step integration algorithm for linear structural dynamics equations, 2A162
- Self-similar crack expansion method for 3D cracks in an infinite or semi-infinite medium, 4A740
- Meshless methods: An overview and recent developments, 6A16
- Nodal integration of the element-free Galerkin method, 6A20
- Petrov-Galerkin diffuse element method and its comparison to EFG, 10A11
- Moving least-square reproducing kernel methods - I: Methodology and convergence, 10A97
- Enriched element-free Galerkin methods for crack tip fields, 10A842
- Consistent pseudo-derivatives in meshless methods, 12A88
BELZ, G: Experimental investigation on the use of fly ash for lightweight precast structural elements, 6A538
BELZUNCE, FJ: Analysis and modelization of short crack growth by ductile fracture micromechanisms, 12A827
BEMIS, RA: Nondestructive evaluation of thermally shocked silicon carbide by impact-acoustic resonance, 1A1363
BEN HADID, H: Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 2: 3D flow, 8A1208
- Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 1: 2D flow, 8A1207
BEN TAHAR, M: Mixed experimental and theoretical method for noise propagation and radiation prediction of a cowled axial fan, 1A325
BEN WANG, HP: Form-accuracy analysis and prediction in computer integrated manufacturing, 8A465
BEN-AOUN, ZEA: Influences of non-singular stresses on plane-stress near-tip fields for pressure-sensitive materials and applications to transformation-toughened ceramics, 3A699
BEN-ARI, R: Mathematical modeling of a helicopter rotor track and balance: Theory, 9A169
- Mathematical modeling of a helicopter rotor track and balance: Results, 9A170
BEN-ASHER, JZ: Optimal guidance with reduced sensitivity to time-to-go estimation errors, 7T351
BEN-DAVID, D: Spectral strip analysis for composite cylinders subjected to lateral impact, 6A593
BEN-DOR, G: Stress-strain relations for elastomeric foams in uni-, bi-, and tri-axial compression modes, 1A849
- High-order-accurate discretization stencil for an elliptic equation, 2A1015
- Stability of regular and Mach reflection wave configurations in steady flows, 4T1009
- Thermodynamic law of corresponding shock states in flexible polymeric foams, 4A4
- Numerical investigation of the propagation of shock waves in rigid porous materials: Development of the computer code and comparison with experimental results, 5A193
- Uni-axial strain loading of a rubber rod by planar shock waves, 8A213
- Experimental investigation of the interaction between weak shock waves and granular layers, 9A213
- Mechanism of compressive stress formation during weak shock waves impact with granular materials, 10A1439
- Analytical investigation of 2D unsteady shock-on-shock interactions, 11A197
- Highly accurate numerical solution of a biharmonic equation, 11A384
- Parametric study of Mach reflection in steady flows, 12A269
BEN-HAIM, Y: Model order reduction by selective sensitivity, 9A310
BEN-TAL, A: Space-time spectral element method for optimal slewing of a flexible beam, 3A354
BEN-YU, GUO: Chebyshev spectral-FEM for 3D unsteady Navier-Stokes equation, 8A26
BENA, MA: Stability theorem in terms of two measures, 12T352
BENABDI, M: Mechanical properties of thin and thick coatings applied to various substrates - Part II: Young's modulus determination of coating materials, 8A552
- Mechanical properties of thin and thick coatings applied to various substrates - Part I: An elastic analysis of residual stresses with coating materials, 8A573
BENAJES, J: Modeling study of the scavenging process in a turbocharged diesel engine with modified valve operation, 3A1338
BENAMOU, J-D: Domain decomposition method with coupled transmission conditions for the optimal control of systems governed by elliptic partial differential equations, 6A386
BENARD, E: Influence of roughness on attachment line boundary layer transition in hypersonic flow, 8A1129
BENAROYA, H: Response of a two-dof articulated tower to different environmental conditions, 3A820
- Dynamic response of compliant offshore structures: Review, 4A852
- Planar motion of an articulated tower with an elastic appendage, 5A129
- Computational modeling of aircraft structures, 5A18
- Wave propagation and localization in disordered periodic laminated materials, 11A178
BENCARDINO, F: Behavior of fiber-reinforced concrete beams under cyclic loading, 11A777
BENCHEKCHOU, B: Structural damping of composite beams with tapered boundaries, 3A493
BENDA, CC: Triaxial determination of shear strength of tire chips, 11A560
BENDER, DA: Beam profiles in wood from critically refracted longitudinal wave probes, 11A747
BENDER, J: Reversible shear thickening in monodisperse and bidisperse colloidal dispersions, 3A953
BENDSOE, MP: Parametrization in laminate design for optimal compliance, 6A551
BENDZSAK, GJ: Numerical model for steady-state flow in friction welding, 9A1024
BENEDETTI, D: Model to estimate the virgin and ultimate effective stiffnesses from the response of a damaged structure to a single earthquake, 4A1404
BENEDETTO, F: Numerical-experimental analysis of an API 8-round connection, 12A489
BENEDICT, LH: Towards better uncertainty estimates for turbulence statistics, 7A1159
BENES, V: Stereological unfolding of the trivariate size-shape-orientation distribution of spheroidal particles with application, 8A554
BENGISU, MT: Relation of dry-friction to surface roughness, 7A920
BENHABIB, B: Implementation methodology for the supervisory control of flexible manufacturing workcells, 10A546
- Unifying framework for classification and interpretation of mechanism singularities, 11A870
BENHARBIT, A: Hodograph transformation methods in incompressible second grade fluid, 12A1079
BENITEZ, FG: Numerical analysis of composite laminated plates using the BEM, 1A530
- Elastic stress and displacement distribution in an orthotropic layer due to a concentrated load, 5A387
BENITO, B: Approach to the measurement of the potential structural damage of earthquake ground motions, 6A1433
BENJAMIN, RJ: Nucleation site density in pool boiling of saturated pure liquids: Effect of surface microroughness and surface and liquid physical properties, 10A1320
BENJAMIN, TB: Reappraisal of the Kelvin-Helmholtz problem - Part 2: Interaction of the Kelvin-Helmholtz, superharmonic, and Benjamin-Feir instabilities, 8A1177
- Reappraisal of the Kelvin-Helmholtz problem - Part 1: Hamiltonian structure, 8A1176
BENJELLOUN, K: Robust stabilizability of uncertain linear time-delay systems with Markovian jumping parameters, 6T357
BENKHELIFA, A: Numerical study of transient mixed convection in a cylindrical cavity, 8A1293
BENMADDA, M: Numerical simulation of natural convection-dominated melting and solidification from a finned vertical wall, 7A1246
BENMANSOUR, I: Analytical, numerical, and experimental investigation of the flow structure in a flooded ball bearing, 4A1156
BENMANSOUR, N: Numerical simulation of shallow water wave propagation using a BE wave equation model, 7A61
BENNANI, B: Limits of lubrication in backward can extrusion: Analysis by the FEM and physical modeling experiments, 4A663
- Damage occurrence under dynamic loading for strain rate sensitive materials, 8A822
BENNANI, M: Dynamic modeling of a four-legged robot, 7A377
BENNER, MW: Influence of leading-edge geometry on profile losses in turbines at off-design incidence: Experimental results and an improved correlation, 10A1234
BENNET, PJ: Mechanistic studies on the combustion of isotopically labelled cyclohexanes within a single cylinder internal combustion engine, 4A1298
BENNETHUM, LS: Clarifying mixture theory and the macroscale chemical potential for porous media, 6A1392
- Generalized Forchheimer equation for two-phase flow based on hybrid mixture theory, 11A1455
BENNETT, A: High temperature fatigue in single crystal superalloys, 12A756
BENNETT, AF: Local existence results for the generalized inverse of the vorticity equation in the plane, 2A975
BENNETT, G: Dynamics of rotors immersed in eccentric annular flow - Part 2: Experiments, 6A174
BENNETT, GL: Space nuclear power: An overview, 3A1339
BENNETT, JG: Alternate unified approach to the micromechanical analysis of composite materials, 5A447
BENNETT, MS: Wave mode conversion in stiffened cylindrical shells with periodic axial curvature, 10A260
BENNETT, PN: Curves for natural frequencies of axially compressed prismatic plate assemblies, 1A593
BENNETT, RM: Compressive properties of structural clay tile prisms, 12A849
BENNETT, TD: Marangoni mechanism in pulsed laser texturing of magnetic disk substrates, 12A1267
BENNETT, VP: Microcrack growth law for multiaxial fatigue, 2A703
BENNEY, RJ: Computational fluid-structure interaction model for parachute inflation, 2A845

BENNIGHOF, JK: Minimum time maneuver of flexible systems using pulse response based control, 7A355
BENNIS, S: Pulsatile laminar flow in a viscoelastic system, 7A996
BENOIT, C: Elastic wave-propagation simulation in heterogeneous media by the spectral moments method, 4A1369
BENOUAR, D: Earthquake hazard mapping in the Maghreb countries: Algeria, Morocco, Tunisia, 4A1393
BENSALEM, A: Non-destructive evaluation of the dynamic response of a brickwork arch, 8A171
BENSANA, E: Artificial intelligence for the design and management of manufacturing systems (French), 8A468
BENSEDDIQ, N: Optimization of design of railway disc brake pads, 5A858
BENSON, CH: Sand reinforced with shredded waste tires, 3A580
- Freeze-thaw cycling and hydraulic conductivity of bentonitic barriers, 9A648
- Ultrasonic method for evaluation of annular seals for wells and instrument holes, 12A869
BENSON, DJ: Mixture theory for contact in multi-material Eulerian formulations, 6A221
BENSON, RC: Conformity of a soft contact lens on the eye, 2A1473
- Video tape behavior on rotary heads: Modeling and results, 7A928
- Nonlinear wound roll model allowing for large deformation, 11A628
BENTLY, DE: "Snapping" torsional response of an anisotropic radially loaded rotor, 10A239
BENTON, DJ: Investigation of the effects of flue gas injection on natural draft cooling tower performance, 10A1281
BENTON, RE: Automated emergency four-wheel-steered vehicle using continuous gain equations, 1A368
BENTSMAN, J: Experimental study of nonlinear transient motion confinement in a system of coupled beams, 3A148
BENTUR, A: Reactions and early-age properties in *in-situ* polymerized gypsum-acryl amide composites, 1A547
BENVENISTE, Y: Thermal expansion of polycrystals with grain boundary sliding, 7A8
- Piezoelectric inhomogeneity problems in anti-plane shear and in-plane electric fields: How to obtain the coupled fields from the uncoupled dielectric solution, 9A514
BENVENUTI, E: Design and test of a new axial compressor for the Nuovo Pignone heavy-duty gas turbines, 12T1415
BENYAHIA, F: Global and local structural properties of packed beds of nonequilateral cylindrical particles, 6A1369
BENYAHIA, L: Mechanisms of peeling of uncrossed-linked pressure sensitive adhesives, 12A1043
BENZ, VW: Novel nonconcentrating reactor for solar water detoxification, 11A1534
BENZEGGAGH, ML: Effect of interfacial decohesion on stiffness reduction in a random discontinuous-fiber composite containing matrix microcracks, 1A757
- Comparative study of strain rate effects on mechanical properties of glass fiber-reinforced thermoset matrix composite, 5A440
- Mixed-mode delamination fracture toughness of unidirectional glass-epoxy composites under fatigue loading, 12A810
- Effect of interphase on the elastic behavior of a glass-epoxy bundle, 12A577
BENZI, R: Turbulent channel flow simulations using a coarse-grained extension of the lattice Boltzmann method, 9T1125
BENZONI, G: Seismic performance of circular columns with low longitudinal reinforcement ratios, 2A782
BEOHAR, SBL: Synthesis of low-pressure air servomechanism using reliability concept, 5A767
BEOM, HG: New conservation integral for an arbitrarily kinked interfacial crack, 7A757
BEQUIN, P: Model of acoustic sources related to negative point-to-plane discharges in ambiant air, 11A248
BERA, RK: Sputtering temperature of a cooling cylindrical rod without and with an insulated core in a two-fluid medium, 1A1227
- Study of Green's tensor in magneto-viscoelastic media, 3A201
BERAN , MJ: Transverse spectra of waves in random media, 10A270
BERAN, MJ: Bounding elastic constants of an orthotropic polycrystal using measurements of the microstructure, 3A3
- Combined volume and surface scattering in a channel using a modal formulation, 3A320
BERAN, PS: Numerical analysis of a swept-fin missile, 10A1226
BERARDI, G: Modeling of a thermo-viscoelastic coupling for large deformations through FE analysis, 2A1287
BERCHTHALER, M: Fracture resistance of a ferritic-austenitic dupiex steel, 1A748
- Determination of the fracture toughness by automatic image processing, 5A712
BERCIN, AN: Free vibration solution for clamped orthotropic plates using the Kantorovich method, 4T137
- Analysis of energy flow in thick plate structures, 7A138
BEREAUX, Y: Experimental and numerical study of entry flow of low-density polyethylene melts, 5A941
BERENFELD, O: Simulation of cardiac activity and the ECG using a heart model with a reaction-diffusion action potential, 5A1490
BERENGER, T: Experimental and numerical investigation of rotor aerodynamics in forward flight, 11A1170
BERENGIER, MC: Porous road pavements: Acoustical characterization and propagation effects, 7A262
BERESNEV, IA: Possibility of observing nonlinear path effect in earthquake-induced seismic wave propagation, 2A1397
- Nonlinear soil response - A reality?, 8A1474
- Modeling finite-fault radiation from the ω^n spectrum, 12A1473
BERESNEVICH, VI: Control of the operating condition of a subharmonic vibromachine, 12A113
BERETTA, S: Short crack propagation in cutectoid steel wires, 5A587
- Microcrack propagation and microstructural parameters of fatigue damage, 5A583
BEREUX, F: Zero-relaxation limit versus operator splitting for two-phase fluid flow computations, 1A1025
- Gas dynamics system: Two special cases, 10A1106
BEREZIN, AV: Nonlinear behavior of composite materials, 12A587
BEREZNYAKOV, AI: Relationship of wear rate and tribosystem characteristics, 2A855
- Equation for wear rate of friction unit with contamination particles in a lubricant, 5A818
BEREZOVSKI, A: Thermodynamic modeling of heat conduction, 10A1326
BEREZOWSKY, M: Numerical generation of grids with curvilinear coordinates for free surface flow calculations (Spanish), 3T1019
BERG , GA: Payload environment and gas release effects on sounding rocket neutral pressure measurements, 2A1349
BERG, CD: Composite structure analysis of a hollow cantilever beam filled with electro-rheological fluid, 6A3
BERG, JC: Role of adhesion in the mechanical properties of filled polymer composites, 10A1013
BERGADO, DT: Proposed criteria for discharge capacity of prefabricated vertical drains, 7A1003
- Stability analysis of reinforced and unreinforced embankments on soft ground, 7A584
BERGANTZ, GW: Melt productivity and rheology: Complementary influences on the progress of melting, 9A1259
BERGDAHL, L: Frequency-domain dynamic analysis of cables, 9A135
BERGE, C: Modeling directivity of heterogeneous earthquake ruptures, 2A1393
- Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
BERGE, P: Phase-locking modes in a bidimensional network of coupled water jets, 7A1128
BERGE, PA: Realizability of negative pore compressibility in poroelastic composites, 11A1458
BERGELES, G: Particle-surface interactions in heat exchanger fouling, 4A1241
- Evaluation of the effect of droplet collisions on spray mixing, 5A979
- Numerical investigation of the grinding process in a beater wheel mill with classifier, 12A777
BERGELT, H: Influence of buoyancy on the surface tension driven flow around a bubble on a heated wall, 2A995
BERGER, BS: Cutting state identification, 8A701
BERGER, EJ: Analytical and numerical modeling of engagement of rough, permeable, grooved wet clutches, 7A938
- Finite element modeling of engagement of rough and grooved wet clutches, 11A849
BERGER, FG: Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, 2T332
BERGER, JR: Elastic Green's function for a bimaterial composite solid containing a crack inclined to the interface, 6A807
- Boundary element analysis of moire fields in anisotropic materials, 12A859
BERGER, RA: Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, 12A1544
BERGER, SA: Introduction to Bioengineering, 7R29
BERGERET, A: Four-layered self-consistent scheme applied to two-phase composites, 1T532
BERGERMAN, M: Robust joint and Cartesian control of underactuated manipulators, 4A400
BERGEY, M: Electric design of wind-electric water pumping systems, 5A1449
BERGGREN, M: Computational approach to controllability issues for flow-related models - I: Pointwise control of the viscous Burgers equation, 6A355
BERGHAUSEN, AK: Direct simulation of shock front radiation in air, 1A1003
BERGLES, AE: Literature on enhancement of convective heat and mass transfer, 6A1288
- Heat transfer enhancement: The maturing of second-generation heat transfer technology, 9A1290
- Effects of heater-side factors on the saturated pool boiling critical heat flux, 10T1319
BERGLUND, DN: Modular six-directional force sensor for prosthetic assessment: A technical note, 10A1569
BERGLUND, LA: Effects of fiber and interphase on matrix-initiated transverse failure in polymer composites, 2A434
- Prediction of matrix-initiated transverse failure in polymer composites, 5A678
- Interfacial toughness evaluation from the single-fiber fragmentation test, 5A674
- Criterion for crack initiation in glassy polymers subjected to a composite-like stress state, 7A641
- Biaxial thermomechanical disk test for glassy polymers, 8A834
- Transverse single-fiber test for interfacial debonding in composites - 1: Experimental observations, 9A536
- Transverse single-fiber test for interfacial debonding in composites - 2: Modeling, 9A537
- Manufacturing and performance of RTM U-beams, 11A627
BERGMAN, LA: Vibrations of a system with an eigenfrequency identical to that of one of its subsystems - Part 2, 1A146
- Green's functions for uniform Timoshenko beams, 1A164
- Cumulant-neglect closure method in stochastic dynamics, 3A119
- Probabilistic stability robustness of structural systems, 3A329
- Methods to compute probabilistic measures of robustness for structural systems, 4A832
- Design of extended bandwidth shape memory alloy actuators, 9A842
BERGMAN, TL: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Ball grid array thermomechanical response during reflow assembly, 6A975
- Simulation of 2D, low-PR natural convection in harmonically oscillated, differentially heated enclosures, 7A1251
- Simulation of heat transfer in a reflow soldering oven with air and nitrogen injection, 11A1328
- Non-Newtonian flow and heat transfer in an obstructed channel with radio-frequency heating, 11A1255
BERGMANN, G: In vitro load measurement using an instrumented spinal fixation device, 2A1467
- Loads on an internal spinal fixation device during walking, 6A1543
BERGMANS, JL: Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, 10T457
BERGMEIER, GG: Active sonic boom control, 5A254
BERGNER, F: High-frequency acoustic emission induced by indentation fracture in brittle materials, 2A735
BERGSTROM, H: Organized turbulence structures in the near-neutral atmospheric surface layer, 4T1440
- Low level jets: A decisive factor for off-shore wind energy siting in the Baltic Sea, 7T1511
BERGSTROM, JS: Nucleation of splitting cracks in columnar freshwater ice, 9A692
BERIS, AN: Model with two coupled Maxwell modes, 3A940
- Intelligent curing of thick composites using a knowledge-based system, 7A632
BERKE, L: Weight minimization of flight components, 3A830
- Analysis of uncertain structural systems using interval analysis, 9A64
BERKER, A: More on the prediction of molecular weight distributions of linear polymers from their rheology, 12A1045
BERKHOUT, AJ: Pushing the limits of seismic imaging - Part II: Integration of prestack migration, velocity estimation, and AVO analysis, 11A1475
- Pushing the limits of seismic imaging - Part I: Prestack migration in terms of double dynamic focusing, 11A1474
BERKOFF, TA: Extended range pseudo-heterodyne demodulation for fiber optic sensors, 1A801
BERKOOZ, G: Turbulence, Coherent Structures, Dynamical Systems and Symmetry, 5R21
BERKOVICH, II: Friction of powder materials on a hard surface - I: Contact characteristics calculation and friction testing, 3A841
- Friction of powder materials on a hard surface - Part II: Experimental study of friction contact characteristics and applications, 3A842
BERKOVITS, J: Nonresonance for systems of semilinear wave equations, 12T221
BERMAN, DH: Computing effective reflection coefficients in layered media, 8A321
- Approximating moments of acoustic fields in random media, 10A382
BERMAN, J: Passive and active tagging of glass-fiber polymeric composites for in-process and in-field non-destructive evaluation, 9A497
BERMAN, JB: Theoretical modeling of residual and transformational stresses in SMA composites, 7A459
- Theoretical modeling of residual and transformational stresses in SMA composites, 7A460
BERMAN, NS: Phys model of diurnal heating in the vicinity of a 2D ridge, 3A1416
- Tensile stress measurements of dilute polymer solutions containing traces of salts and dyes, 5A898
BERMUDEZ, A: Finite element solution of incompressible fluid-structure vibration problems, 10A325
BERNADOU, M: Finite Element Methods for Thin Shell Problems, 1R21
BERNARD, A: Flow field near a plane surface impinged by multiple jets: Application to wall cooling (French), 2T1032
BERNARD, P: Modeling directivity of heterogeneous earthquake ruptures, 2A1393
- Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
- Asymptotic analysis and linearization of the randomly perturbed two-wells Duffing oscillator, 12T143
BERNARDIN, D: Lattice gas method and interaction with an elastic solid, 6A289
BERNARDIN, JD: Effects of surface roughness on water droplet impact history and heat transfer regimes, 3A1247
- Mapping of impact and heat transfer regimes of water drops impinging on a polished surface, 4A1227
- Contact angle temperature dependence for water droplets on practical aluminum surfaces, 5A1217
- Film boiling heat transfer of droplet streams and sprays, 9A1249
BERNASCONI, A: Comparative study of multiaxial high-cycle fatigue criteria for metals, 12A767
BERNAUD, D: "New Implicit Method" for tunnel analysis, 3A605
BERNDT, CC: Tensile toughness test and high temperature fracture analysis of thermal barrier coatings, 9A786
BERNHARD, RJ: Adaptive-passive noise control with self-tuning Helmholtz resonators, 10A373
BERNIER, C: Theoretical and numerical estimates of instantaneous Lyapunov exponents of quasi-geostrophic ocean dynamics, 4A1430
BERNITSAS , MM: Mooring system design vased on analytical expressions of catastrophes of slow-motion dynamics, 11A1127
BERNITSAS, MM: Analytical expressions of the bifurcation boundaries for symmetric spread mooring systems, 3A1175
BERNSTEIN, B: First-order exactly incompressible FE for axisymmetric fluid flow, 3A14
BERNSTEIN, DS: Probability-one homotopy algorithms for full-and reduced-order H^2/H^∞ controller synthesis, 3T360
- Implicit small gain condition and an upper bound for the real structured singular value, 7T300
- Optimal rejection of stochastic and deterministic disturbances, 9A337
- Dynamic output feedback compensation for linear systems with independent amplitude and rate saturations, 11T301
- Global asymptotic stabilization of a spinning top with torque actuators using stereographic projection, 12A109
BERNSTEN, J: Numerical solution of parabolic equations for strongly curved focusing sources, 5A263
BERNTSSON, T: Critical COP for an economically feasible industrial heat-pump application, 5A1121
BERNUSSOU, J: Stabilization of an uncertain linear dynamic system by state and output feedback: A quadratic stabilizability approach, 2A321
BERNUZZI, AC: Ductility and load carrying capacity prediction of steel beam-to-column connections under cyclic reversal loading, 11A734
BERNUZZI, C: Experimental analysis and modeling of semi-rigid steel joints under cyclic reversal loading, 1A851
BERRAJAA, M: Wall effects for dilute polymer solutions in Poiseuille flow, 2A1010
BERRILL, JB: Distribution of ground-motion intensity inferred from questionnaire survey, earthquake recordings, and microtremor measurements: A case study in Christchurch, New Zealand, during the 1994 Arthurs Pass Earthquake, 12T1489
BERRUT, J-P: Matrices for the direct determination of the barycentric weights of rational interpolation, 8T66
BERRY, A: Vibration and sound radiation of fluid-loaded stiffened plates with consideration of in-plane deformation, 1A280
- Active control of finite beam volume velocity using shaped PVDF sensor, 5A253
BERRY, B: Environmental factors in iceberg collision risks for floating systems, 1A1442
BERRY, GC: Crossover behavior in the viscosity of semiflexible polymers: Solutions of sodium hyaluronate as a function of concentration, molecular weight, and temperature, 5A891

- Crossover behavior in the viscosity of semiflexible polymers: Intermolecular interactions as a function of concentration and molecular weight, 5A890
BERRY, V: Results of an aeroelastic tailoring study for a composite tiltrotor wing, 10A321
BERRY, W: Aerothermodynamics for Space Vehicles and High-Velocity Flow Data Base, 1N41
BERRYMAN, JG: Contact force-displacement laws and the mechanical behavior of random packs of identical spheres, 6A537
- Realizability of negative pore compressibility in poroelastic composites, 11A1458
BERSHADER, D: Radiative emission from the simulated shock layer of the Huygens probe, 5A1260
BERT, CW: Stress analysis of closely-coiled helical springs using differential quadrature, 6T469
- Flexural-torsional buckling analysis of arches with warping using DQM, 7A544
- Transient analysis of gas-lubricated journal bearing systems by differential quadrature, 7A1216
- New approach to the differential quadrature method for fourth-order equations, 10A111
- Free vibration of plates by the high accuracy quadrature element method, 11A125
- Evolution of porosity distribution for 1D problem of viscous sintering, 11A632
BERTACHINI DE ALMEIDA PRADO, AF: Optimal rendezvous maneuvers for space vehicles, 3A286
BERTAGNOLLI, KE: Nitrogen and hydrogen CARS temperature measurements in a hydrogen-air flame using a near-adiabatic flat-flame burner, 10A1421
BERTERO, VV: Seismic performance of an instrumented ten-story reinforced concrete building, 4A1410
- Seismic rehabilitation of infilled non-ductile frame buildings using post-tensioned steel braces, 6A1455
BERTHELOT, J-M: Transverse cracking of cross-ply laminates - Part 2: Progressive widthwise cracking, 4A762
- Transverse cracking of cross-ply laminates - Part 1: Analysis, 4A761
BERTHIAU, G: Fitting of tabu search to optimize functions of continuous variables, 12A887
BERTHILLIER, M: Numerical method for the prediction of bladed disk forced response, 10A314
BERTIN, JJ: Recent aerothermodynamic flight measurements during shuttle orbiter re-entry, 2A843
BERTINI, L: Explicit weight function for semi-elliptical surface cracks, 11A678
BERTOCCI, G: Shoulder belt anchor location influences on wheelchair occupant crash protection, 1A1471
BERTOLI, C: Two-color pyrometry measurements of soot loading in a diesel engine burning model fuels of varying quality, 2A1322
BERTON, E: Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, 2A1100
- Experimental and numerical investigation of rotor aerodynamics in forward flight, 11A1170
BERTON, MN: Complete analytic elastic study of a 90° branch connection of a cylinder on a sphere subjected to a bending load, 9A557
BERTONI, C: Use of microtiter plates in the assay of urinary enzymes NAG and AAP: A useful time- and reagent-sparing procedure, 2T1469
BERTOTI, E: Stress- and rotation-based hierarchic models for laminated composites, 1A544
- Mixed variational formulations of linear elasticity using nonsymmetric stresses and displacements, 8A471
BERTOTTI, L: Propagation of wind errors through ocean wave hindcasts, 2A1418
- Use of numerical wind-wave models for assessment of the offshore wave energy resource, 12A1499
BERTOZZI, AL: Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, 2T968
- Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, 2A967
BERTRAM, A: Simulation of polycrystals using an FEM-based representative volume element, 1A506
BERTRAM, CD: Effects of friction and nonlinearities on the separation of arterial waves into their forward and backward components, 4A1492
- Comparison of different methods for the determination of the true wave propagation coefficient, in rubber tubes and the canine thoracic aorta, 12A1553
- LDA measurements of velocities in a simulated collapsed tube, 12A1569
BERTRAM, JL: Mode II fracture of composites interlayered with nylon particles, 7A744
BERTUCCIOLI, L: Image shifting for PIV using birefringent and ferroelectric liquid crystals, 4A1180
BERVEILLER, M: Micromechanical modeling of the elastoplastic behavior of polycrystals containing precipitates: Application to hypo- and hypereutectoid shells, 12A543
BERZ, M: Computational Differentiation: Techniques, Applications, and Tools, 4N3
BESANCON, G: Uniform observation of nonuniformly observable systems, 5T270
BESHARA, M: Statistical energy analysis of multiple, non-conservatively coupled systems, 5A265
- Vibrational energy flows in beam networks with compliant and dissipative joints, 12A165
BESKOK, A: Rarefaction and compressibility effects in gas microflows, 4A1018
BESKOS, DE: Boundary element methods in dynamic analysis - Part II (1986-1996), 5A3
- Torsional moments on buildings subjected to wind loads, 12A922
BESLIN, O: Modal radiation from an unbaffled rotating disk, 5A228
- Fluid-structure coupling for an unbaffled elastic panel immersed in a diffuse field, 6A331
- Use of "ectoplasm" to predict radiation and transmission loss of a holed plate in a cavity, 9A253
- Hierarchical functions set for predicting very high order plate bending modes with any boundary conditions, 11A43
BESONG, AA: Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, 11A1581
BESPALOV, PA: Self-consistent model of clock event in outer Jovian electron radiation belts, 4A264
BESPALOVA, EI: Effect of constructive anisotropy on the vibration frequencies of cylindrical shells (Russian), 6A169
BESSETTE, NF: Prediction of solid oxide fuel cell power system performance through multi-level modeling, 11A1428
BESSON, J: Polymorphic constitutive equations in FE codes, 9A40
- Large scale object-oriented FE code design, 10A52
BESSONOV, AP: Tool paths pattern in planetary gear mechanisms of the trajectory type, 8T970
BESSONOV, NM: Interlaminar friction and boundary lubrication in anisotropic liquids with rotational dof, 5A1107
- Dynamics of a liquid with momentum anisotropy, 8A993
BEST, JL: Turbulent flow structure at concordant and discordant open-channel confluences, 5A1010
- Effects of bed discordance on flow dynamics at open channel confluences, 6T990
BEST, R: Experimental performance of the water-calcium chloride system in a heat transformer, 2A1438
- Experimental performance of the system water-magnesium chloride in a heat transformer, 8A1548
- Mobile pilot-plant for the production of environmentally clean steam, 8A1428
- Force, velocity, and energy dynamics of nine load-moving muscles, 10A1521
BESTERFIELD, GH: Effect of extrinsic and intrinsic factors on an indentation test, 2A727
BESTMAN, AR: Effect of pollutant oscillations on oil spreading on the sea, 12A1525
BETEGON, C: Analysis and modelization of short crack growth by ductile fracture micromechanisms, 12A827
BETHEA, MD: Unattenuated tracer particle extraction through time-averaged, background image subtraction with outlier rejection, 8A1260
BETROUNI, M: Direct (pseudo-spectral) solver of the 2D-3D Stokes problem: Transition to unsteadiness of natural-convection flow in a differentially heated cubical cavity, 10A1289
BETSCH, P: Finite element plane stress analysis incorporating arbitrary 3D large strain constitutive models, 12A33
BETSILL, JD: Hybrid inversion of shallow geophysical data for the location of subsurface targets, 8A1556
BETTAGLI, N: Biomass combustion - gasification model: Validation and sensitivity analysis, 11A1420
BETTEN, J: Damage effective stress and equivalence hypothesis, 1A729
BETTESS, P: Mesh refinement formulations in adaptive FEMs, 3A22
- Adaptive mesh refinement for shells with modified Ahmad elements, 5A484
- Error estimates and adaptive remeshing techniques in elastoplasticity, 10A590
- Auto-adaptive FE analysis software for stiffened plate and shell structures, 11A518
- Adaptive FEMs: A review, 11A9
BETTI, A: Interaction of supersonic wing-tip vortices with a normal shock, 2A1082
BETTIG, BP: Object-oriented framework for interactive numerical analysis in a graphical user interface environment, 2A62
BETTIGNIE, M: Measurements of thermally-induced convection in a model porous medium, 1A1400
BETTS, PL: Experimental study of turbulent natural convection in a tall air cavity, 2A1167
- Finite element model for the simulation of dense gas dispersion in the atmosphere, 8A29
BETZNER, TM: Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, 2T332
BEUS, S: Thermal Science of Advanced Steam Generators and Heat Exchangers, 4N29
BEUSHAUSEN, V: Laser-based multiparameter measurements in a jet engine burner, 9A1387
BEUTH, JL: Cracking of thin films bonded to elastic-plastic substrates, 3A474
- Separation of crack extension modes in orthotropic delamination models, 3A712
- Interfacial fracture testing of deposited metal layers under four-point bending, 7A778
- Thermomechanical modeling of molten metal droplet solidification applied to layered manufacturing, 8A1303
BEVC, D: Imaging complex structures with semirecursive Kirchhoff migration, 9A1462
BEVIS, MJ: Control of fiber orientation in ceramic and metal composites by open-ended injection molding, 4A685
- Control of fiber orientation in injection molded ceramic composites, 9A680
BEWERSDORFF, H-W: Simultaneous wall shear rate measurements by a three segmented electrodiffusion probe and laser-Doppler-anemometry, 8A1252
BEY, KS: hp-version discontinuous Galerkin methods for hyperbolic conservation laws, 1A63
BEY, M: Muscle and tendon force-length properties and their interactions *in vivo*, 6A1527
BEYENE, A: Strategies to raise the off-design efficiency of chiller machines, 1A1270
- Analysis of gas turbine engine arrangements, 4A1139
BEYENE, S: New hybrid passive-active noise absorption system, 8A337
BEYER, HG: Method for the identification of configurations of PV-wind hybrid systems for the reliable supply of small loads, 8A1544
BEYERER, J: Detection of defects in groove textures of honed surfaces, 8A859
BEYERLEIN, IJ: Stress concentrations around multiple fiber breaks in an elastic matrix with local yielding or debonding using quadratic influence superposition, 6A783
BEYERS, ME: Flat spin of a circular cylinder, 2A234
- Conceptual fluid-motion coupling in the Herbst supermaneuver, 11A1137
BEYNON, JH: Deterioration of rolling contact fatigue life of pearlitic rail steel due dry-wet rolling-sliding line contact, 2A898
BEZAS, A: Behavior and ductility of reinforced concrete coupling beams of shear walls, 5A768
BEZIAN, J-J: Numerical study of a ventilated facade panel, 4A1460
BHAGAT, RB: Tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 7A893
BHANDARI, MS: Comparison of the periodic solution method with TRNSYS and SUNCODE for thermal building simulation, 4A1229
BHANDARI, S: Fatigue and Fracture - 1996, Volume 2, 4N14
- Fatigue and Fracture - 1996, Volume 1, 4N13
BHARDWAJ, VK: Double-diffusive convection in compressible fluids with suspended particles in porous medium, 4A1350
BHARTIA, BK: Linear-saturation control of buildings, 6A865
BHARUTHRAM, R: Kinetic theory of nonlinear dust-acoustic waves in a dusty plasma, 9A1129
- Low frequency electrostatic instabilities in a dusty plasma driven by crossfield beams, 9A1130
BHASHYAM, S: Evaluation of data reduction methods for the mixed mode bending test, 9A717
BHASKAR, A: Criticality of damping in multi-dof systems, 12A150
BHASKARA RAO, R: Combustion study of metal powders in contact with sodium nitrate, 2A1324
BHASKARWAR, AN: Heat transfer augmentation using dilute gas-solid suspensions, 11T1346
BHAT, GK: Electro-optic holographic technique for the measurement of the components of the strain tensor on 3D object surfaces, 3A730
BHAT, GS: Volumetrically heated jet: Large-eddy structure and entrainment characteristics, 5A1022
BHAT, MM: Studies on the determination of natural frequencies of industrial turbine blades, 4A152
BHAT, RB: Closed form approximation of vibration modes of rectangular cantilever plates by the variational reduction method, 5A104
- Experimental verification of simultaneous forward and backward whirling at different points of a Jeffcott rotor supported on identical journal bearings, 6T175
- Nature of stationarity of the natural frequencies at the natural modes in the Rayleigh-Ritz method, 12A84
- Vibration of rectangular plates by reduction of the plate partial differential equation into simultaneous ordinary differential equations, 12A188
- Simultaneous forward and backward whirling in a Jeffcott rotor supported on dissimilar hydrodynamic bearings, 12A192
BHATIA, CS: Tribochemical study of hydrogenated carbon coatings with different hydrogen content levels in ultra high vacuum, 12A987
BHATNAGAR, RK: Flow of a non-Newtonian fluid between intersecting planes, one of which is moving, 5T942
- Flow of a viscoelastic fluid between two rotating circular cylinders subject to suction or injection, 8A500
BHATT, BL: Modeling the characteristics of thermally governed transient flow surges in multitube two-phase condensing flow systems with compressibility and thermal and flow distribution asymmetry, 12A1282
BHATT, BS: Magnetohydrodynamic effects on a fluid film squeezed between two rotating naturally permeable discs: Similarity solutions, 4A981
BHATT, V: Three-dimensional frictional rigid-body impact, 11A186
BHATT, VK: Analysis of thermal effects in the yield phase of hydrodynamic lubricant film in plane strain forging, 4A1155
BHATTACHARJEE, D: Effective diffusivity of cyclopentane and n-pentane in PU and PUIR foams by thin-slice gravimetric analysis, 11A1360
BHATTACHARYA, A: Rotation at the crack tip under uniform heat flow in an infinite medium, 6A1307
BHATTACHARYA, DK: Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813
BHATTACHARYA, S: On-line parameter estimation scheme for generalized Stewart platform type parallel manipulators, 5A341
BHATTACHARYA, SC: Self-sustained flaming combustion and ignition of single wood pieces in quiescent air, 2A1307
BHATTACHARYA, SN: Rayleigh wave dispersion equation for a layered spherical earth with exponential function solutions in each shell, 3A203
- Earth-flattening transformation for P-SV waves, 8A1490
BHATTACHARYYA, D: Production and evaluation of secondary composite aircraft components : A comprehensive case study, 10A616
- Out-of-plane buckling of fiber-reinforced thermoplastic sheets under homogeneous biaxial conditions, 11A464
BHATTACHARYYA, PK: Mixed-hybrid FEM for anisotropic plate bending problems, 6A597
BHATTACHARYYA, R: Finite element model for active control of intelligent structures, 2A769
BHATTACHARYYA, S: Free convection from cylinders of elliptic cross-section in micropolar fluids, 3A1237
- Unsteady flow and heat transfer between rotating coaxial disks, 5A1177
- Combined effects of rotation and translation on a MHD flow due to compressible viscous fluid, 6A1164
- MHD squeezing flow between two parallel discs, 7A1162
BHATTACHARYYA, T: Free convection in channel: An alternative numerical approach and illustrations, 11A1231
BHATTI, MA: Reinforced model to estimate torsional strength of reinforced concrete beams, 3A775
BHATTI, MI: Optimum influence of initial observations in regression models with AR (2) errors, 7T65
BHATTI, SS: Ultrasonic velocity and attenuation measurements in sodium lead borate glasses, 5A252
BHIDAYASIRI, R: Effect of flow boundary conditions on the stability of quarl-stabilized flames, 12A1367
BHUMBLA, R: Behavior of spinning pretwisted composite plates using a nonlinear FE approach, 2A131
BHUSHAN, B: Tribology and Mechanics of Magnetic Storage Devices, Second Edition, 5N18
- Contact analysis of non-Gaussian surfaces for minimum static and kinetic friction and wear, 4A873
- Contact analysis of 3D rough surfaces under frictionless and friction contact, 7A913
- Effects of particle size, polishing pad and contact pressure in free abrasive polishing, 7A879
- Macro- and Micro-tribology and mechanics of magnetic storage systems, 8A941
- Optimization of asperities for laser-textured magnetic disk surfaces, 10A986
- Friction and wear of metal particle, barium ferrite and metal evaporated tapes in rotary head recorders, 11T837
- Experimental study of long-term static friction and magnetic slider-disk interplanar separation, 11A836
- Numerical 3D model for the contact of rough surfaces by variational principle, 11A834
BI , QINGSHENG: Period-doubling bifurcation of a strongly nonlinear vibration system (Chinese), 12T125
BI, QINSHENG: Local bifurcation analysis of strongly nonlinear Duffing system, 6A119
- Periodic resonant solutions and the transition boundaries of strongly nonlinear Duffing's Equation (Chinese), 10T137
BIAGIOLI, F: Comparison between presumed and Monte Carlo probability density function combustion models, 7A1422

BIAIS, F: Transient state study of electric motor heating and phase change solid-liquid cooling, 5A1243

BIALECKI, RA: In- and out-of-core BEM equation solver with parallel and nonlinear options, 6T74

- Weakly singular 2D quadratures for some fundamental solutions, 12A73

BIAN, CM: Analysis of load and non-load-carrying fillet welds using HBIEs, 7A962

BIAN, JJ: Vibration suppression experiments on composite laminated plates using an embedded piezoelectric sensor and actuator, 3A142

BIAN, X: Viscous stagnation-flow solidification problem, 1A1196

- Metal-droplet deposition model including liquid deformation and substrate remelting, 9A1260

BIANCHI, G: RoManSy 11: Theory and Practice of Robots and Manipulators, 11N18

BIANCHI, MVA: Gas segregation during solidification processes, 8A1325

BIANNIC, JM: Parameter varying control of a high-performance aircraft, 9A366

BICANIC, N: Mathematical modeling of electro-chemical steel corrosion in concrete, 6A738

- Detection of multiple active yield conditions for Mohr-Coulomb elasto-plasticity, 7A447
- Simulation of progressive fracturing under dynamic loading conditions, 8A830
- Adaptive mesh refinement for localized phenomena, 9A47

BICCHI, A: Planning shortest bounded-curvature paths for a class of nonholonomic vehicles among obstacles, 4A455

BICEN, AF: Flow properties and passive scalar transport in a model room with relevance to ventilation efficiency, 3A1111

BICHIR, S: Analytical solution of cracked shell resting on elastic foundation, 7A768

BIDANDA, B: Performance standards and testing of 2D bar code systems for overhead scanning, 4A466

BIDARE, S: Systematic synthesis and applications of novel multi-dof differential systems, 12A1007

BIDDAH, A: Seismic rehabilitation on reinforced concrete beam-column connections, 6A1456

BIDEZ, MW: Construction and use of a clear acrylic phantom to generate a 3D FE model of the human pelvis from CT data, 7T1528

BIDHENDI, IM: Optimization of machining parameters for milling operations, 6A697

BIDINI, G: Study of the steam turbine trip in a 20 MW geothermal plant, 1A1350

BIDNER, MS: Influence of capillary pressure, adsorption and dispersion on chemical flood transport phenomena, 3A1348

- Influence of phase behavior on chemical flood transport phenomena, 3A1349

BIDOT, T: Analytical, numerical, and experimental investigation of the flow structure in a flooded ball bearing, 4A1156

BIELER, TR: Mechanism of high strain rate superplasticity in aluminium alloy composites, 8A717

BIELSKI, WR: Nonlinear elastic plate model of moderate thickness: Existence, uniqueness, and duality, 1A560

BIEN, M: Existence of global weak solutions for coupled thermoelasticity under nonlinear boundary conditions, 4A1258

BIENIASZ, B: Effect of positioning the axis of a lamellar rotor model of a sucking and forcing regenerative exchanger on the intensity of convective mass-heat transfer, 11A1340

BIENK, EJ: Application of advanced surface treatment technologies in the modern plastics molding industry, 12A972

BIERDEN, PA: Fixed-abrasive grinding of brittle hard-disk substrates, 12A737

BIERNACKI, JM: Acoustic monitoring of cold-setting adhesive curing in wood laminates, 1A812

BIESHEUVEL, A: Concentration waves and the instability of bubbly flows, 6A1066

- Motion of gas bubbles in homogeneous isotropic turbulence, 10A1133

BIESZK, H: Theoretical and experimental study of natural convection heat transfer from isothermal hemisphere, 3A1225

BIFANO, TG: Fixed-abrasive grinding of brittle hard-disk substrates, 12A737

BIGAJ, AJ: Bond model for ribbed bars based on concrete confinement, 9A861

BIGELOW, CA: Three-dimensional FE analyses of corner cracks at stress concentrations, 3A13

BIGGAR, KW: Long-term pile load testing system performance in saline and ice-rich permafrost, 4A648

BIGGERS JR, SB: Standardized complex and logarithmic eigensolutions for n-material wedges and junctions, 2A694

- Enriched FEs for regions with multiple, interacting singular fields, 2A32
- Analysis of composite structures using the 3D global and 3D local method, 10A619

BIGL, SR: Moisture migration during freeze and thaw of unsaturated soils: Modeling and large scale experiments, 6A1516

BIGLER, E: High-frequency surface acoustic wave devices at very low temperature: Application to loss mechanisms evaluation, 1A232

BIGNOLI, AJ: "Naive" fuzzy logic, applications to structural problems (Spanish), 10A889

BIGONI, D: Smooth bifurcations in non-associative elastoplasticity, 1A491

- Asymptotic solution for mode III crack growth in J_2-elastoplasticity with mixed isotropic-kinematic strain hardening, 2A665
- Effects of anisotropic hardening on crack propagation in porous-ductile materials, 3A711

BIGZADEH, E: ASME Proceedings of 31st National Heat Transfer Conference, Volume 6, 2N41

BIHHADI, A: Analysis of the distribution and attenuation of acoustic energy flux in lined duct containing inhomogeneous medium by the finite difference method, 10A74

BIJAK-ZOCHOWSKI, M: Residual stress in some elastoplastic problems of rolling contact with friction, 3A480

BIKE, SG: Linear viscoelastic behavior of copper phthalocyanine dispersions used in printing inks, 3A951

BILBAO, P: Acoustic emission applied to pipes of GFRP that have been exposed to corrosive mediums, 11A746

BILGEN, E: Solar UT-3 thermochemical cycle for hydrogen production, 4A1463

BILGEN, M: Acoustic backscatter from materials with rough surfaces and finite size microstructure: Theory, 7A263

- Acoustic signal-to-noise ratio for an inclusion beneath a randomly rough surface and in the presence of microstructure, 7A264

BILGER, RW: Conditional statistics in a turbulent premixed flame derived from direct numerical simulations, 2A1311

- Diffusion of conserved and reactive scalars behind line sources in homogeneous turbulence, 2A1041
- Theoretical and experimental study of composite solid propellant combustion, 4A1312
- Mixture fraction imaging in a lifted methane jet flame, 5A1361
- Scalar gradient and related quantities in turbulent premixed flames, 11A1405

BILGIN KOC, M: Design of an automatic tool changer with disc magazine for a CNC horizontal machining center, 8A704

BILICKI, Z: Aspects of choking in two-phase flow, 4A1022

BILIR, OG: Strain gage methods for measurement of opening mode stress intensity factor, 3A725

- New grid-making technique for Moire fringe method, 4T804

BILLAH, KYR: Analytical study of the Duffing oscillator excited by colored noise using a systematic adiabatic expansion, 7A68

BILLETT, SJ: Unified Riemann-problem-based extension of the Warming-Beam and Lax-Wendroff schemes, 7A45

BILLINGHAM, J: Modeling the response of a vibrating-element density meter in a two-phase mixture, 11A1016

BILLINGS, SA: Gain bounds of higher-order nonlinear transfer functions, 1T353

- Fast orthogonal identification of nonlinear stochastic models and radial basis function neural networks, 2A308
- Output frequency characteristics of nonlinear systems, 3T339
- Stable sequential identification of continuous nonlinear dynamical systems by growing radial basis function networks, 3T336
- Bound for the magnitude characteristics of nonlinear output frequency response functions - Part 1: Analysis and computation, 4T341
- Decomposition of generalized frequency response functions for nonlinear systems using symbolic computation, 5A285

BILLIOTTE, M: Shock induced Richtmyer-Meshkov instability in the presence of a wall boundary layer, 1T272

- Laser absorption density direct measurements with limitation of temperature variation field in shock-induced gaseous mixing, 10T309

BILLO, RE: Performance standards and testing of 2D bar code systems for overhead scanning, 4A466

BILLONNET, G: Three dimensional computation of the "VEGA2" turbine stage (French), 2A1103

BILLS, P: New method for numerical representation of the land-water boundary in lake circulation models, 1A1427

BILOTTI, G: Nonlinear elastic stress analysis in curved composite beams, 7A509

BIN, WANG: New preshaped input function with high robustness for minimizing residual vibration of manipulators, 8A197

BINDER, A: Optimal cooling strategies in continuous casting of steel with variable casting speed, 2A603

BINDER, G: Reaction of bursting to an oscillating homogeneous pressure gradient, 7A1137

BINDER, K: Melting of 2D monolayer films, 2A918

BINDING, DM: Modeling polymer melt flows in wirecoating processes, 1A635

BINDRA, GS: Optimization of waste heat recovery boiler of a combined cycle power plant, 1A1272

BINER, SB: Numerical analysis of time dependent stress fields ahead of stationary interface cracks at creep regime - Part I: Interface cracks in bimaterials, 7A758

- Numerical analysis of time dependent stress fields ahead of stationary interface cracks at creep regime - Part II: Interface cracks in layered materials, 8A762
- Nondestructive evaluation of creep damage in power-plant steam generators and piping by magnetic measurements, 9A819

BINETRUY, C: Interactions between flows occurring inside and outside fabric tows during RTM, 12A1125

BINGHAM, C: Solar concentration of 50,000 achieved with output power approaching 1kW, 2A1429

BINGHAM, CE: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515

BINGHAM, N: Experimental assessment of the influence of heat pipes on a nutating satellite, 4A861

BINGULAC, S: Fixed point iterative algorithm for solving equations modeling the multi-stage flash desalination process, 9A1559

BINIENDA, WK: Analysis of multiple cracks close to bimaterial interface, 6A753

BINKEVICH, EV: Effect of different factors on contact interaction of a shell with frame and support (Russian), 1A571

BIONDI, B: Three-dimensional prestack migration of common azimuth data, 6A1418

BIRBIR, F: Plane wave diffraction by a reactive step, 8A325

BIRCH, ME: Elemental carbon-based method for monitoring occupational exposures to particulate diesel exhaust, 3A1478

BIRCH, RS: Influence of internal pressure on the impact behavior of steel pipelines, 5A809

BIRD, PAD: New non-dimensional number for the analysis of wave reflection from rubble mount breakwaters, 4A231

BIRINGEN, S: Simulation of turbulent square-duct flow: Dissipation and small-scale motion, 6A1114

- Numerical solution of 2D buoyancy-driven turbulence in a tall rectangular cavity, 7A1116

BIRKAN, MA: Arcjects and arc heaters: An overview of research status and needs, 5A1377

BIRLAN, M: Rotational properties of asteroids: CCD observations of nine small asteroids, 4T263

BIRMAN, V: Micromechanics of composites with shape memory alloy fibers in uniform thermal fields, 2A705

- Thermal effects on measurements of dynamic processes in composite structures using piezoelectric sensors, 3A503
- Vibration damping using piezoelectric stiffener-actuators with application to orthotropic plates, 4A404
- Approach to analysis of composite structures subjected to action of high-energy laser beam, 6A531
- Global strength of hybrid shape memory composite plates subjected to low-velocity impact, 12A591
- Review of mechanics of shape memory alloy structures, 12A554

BIRNBAUM, HK: Influence of hydrogen on the fatigue behavior of the beta-titanium alloy Ti-3Al-8V-6Cr-4Mo-4Zr, 6A727

BIRO, Z: Attractors in a density-dependent diffusion-reaction model, 12T1349

BIRON, P: Turbulent flow structure at concordant and discordant open-channel confluences, 5A1010

- Effects of bed discordance on flow dynamics at open channel confluences, 6T990

BIRUK, S: Design of thrustless bar-string structures (Polish), 2A815

BISCARI, P: Local stability of biaxial nematic phases between two cylinders, 8A1008

BISCHOF, C: Computational Differentiation: Techniques, Applications, and Tools, 4N3

BISCHOFF, JE: Identification and correlation of human footfall load parameters using multivariate analysis, 9A1576

BISCHOFF, L: Cobalt disilicide interconnects for micromechanical devices, 2T327

BISEGNA, P: Consistent theory of thin piezoelectric plates, 3A570

- Exact 3D solution for simply supported rectangular piezoelectric plates, 3A573
- Rational deduction of plate theories from the 3D linear elasticity, 12A621

BISH, RL: Three-dimensional slip-line field theory with rotational continuity, 4A531

- Work-hardening in 3D slip-line fields, 9A454

BISHOF, JC: Measurement and simulation of water transport during freezing in mammalian liver tissue, 12A1552

BISHOP, A: Visualization and analysis of bow shocks in a superorbital expansion tube, 4T1042

BISHOP, CH: Domain-independent attribution - Part II: Its value in the verification of dynamical theories of frontal waves and frontogenesis, 3T1419

BISHOP, GC: Scattering from an elastic shell and a rough fluid-elastic interface: Theory, 8A328

BISHOP, JE: Elastothermodynamic analysis of a Griffith crack, 1A731

- Elastothermodynamic damping in laminated composites, 8A549
- Elastothermodynamic damping in particulate composites: Hollow spherical inclusions, 10A1360

BISHOP, NWM: Spectral fatigue analysis of shallow water jacket platforms, 2A638

BISHOP, RH: Navigation filter estimate fusion for enhanced spacecraft rendezvous, 9T349

BISHOP, SR: Boundaries of safe operation of mechanical oscillators, 8A90

BISIO, G: Thermodynamic analysis of solar energy utilization combined with the exploitation of the LNG physical exergy, 11A1201

BISTER, M: Moist convective velocity and buoyancy scales, 6T1486

BISWAS, AR: Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, 9A698

BISWAS, G: Numerical investigation of heat transfer by rows of rectangular impinging jets, 1A1155

- Numerical and experimental determination of flow structure and heat transfer effects of longitudinal vortices in a channel flow, 1A1163
- Numerical investigation of heat transfer in impinging axial and radial jets with superimposed swirl, 3A1236

BISWAS, S: Thermal analysis of noncircular bearings, 11A1190

BISWAS, SK: Elastic contact between a cylindrical surface and a flat surface: A non-Hertzian model of multi-asperity contact, 1T439

- Sliding wear of titanium, 7A887
- Hardness estimated from the indentation of a spherical body: Some implications for nanoindentation test results, 7A933
- Wear of Metals, 9A935

BITENCOURT TEODORO, E: Optimizing the estimation of thermophysical properties (Spanish), 9A1199

BITTANTI, S: LQ approach to active control of vibrations in helicopters, 4A395

BITTENCOURT, TN: Quasi-automatic simulation of crack propagation for 2D LEFM problems, 2A620

BITTNAR, Z: Numerical Methods in Structural Mechanics, 8R3

BIVIN, YK: Direct penetration of a group of bodies into an elastoplastic medium, 1A471

BIWA, S: Analysis of cold and hot isostatic compaction of spherical particles, 2A609

BIZIOS, R: Quantitative characterization of vascular endothelial cell morphology and orientation using Fourier transform analysis, 10A1541

BIZON, C: Plume dynamics in quasi-2D turbulent convection, 9A1338

BJARNEHED, HL: Routine FE determination of stress intensity factors at curved crack fronts using an influence function technique, 12A843

BJERKE, B: Study of the heat transfer of rivulet flow on inclined plates, 11A1525

BJERRUM, N: Screening the performance of lubricants for the ironing of stainless steel with a strip reduction test, 12A1231

BJORCK, A: Numerical Methods for Least Squares Problems, 2R2

BJORGE, T: Simulation of fluid flow and gaseous radiation heat transfer in a natural gas-fired furnace, 11T1327

BJORHOVDE, R: Restraint demand factors and effective lengths of braced columns, 3A553

- Improved frame stability analysis with effective lengths, 6A606

BJORKLUND, S: Simulation of the mild wear in a cam-follower contact with follower rotation, 5A829

BJORNSEN, T: Reliability-based calibration study for upheaval buckling of pipelines, 12A902

BLACHUT, J: Effects of chord length and boundary conditions on the static strength of a tubular T-joint under brace compression loading, 3A818

- Plastic buckling paradox for cylindrical shells, 5A502
- Minimum weight of internally pressurized domes subject to plastic load failure, 8A917

BLACK, AJ: Sliding metallic wear test with in-process wear measurement: A new approach to collecting and applying wear data, 7A886

- Analysis and experimental investigation of a simplified burnishing process, 8A689

BLACK, DL: Laser-based techniques for particle-size measurement: A review of sizing methods and their industrial applications, 6A1353

- Effects of acoustics on an ethanol spray flame in a propane-fired pulse combustor, 12A1380

BLACK, J: Handbook of Biomaterial Properties, 3N47

BLACK, JT: Evaluation of chip separation criteria for the FEM simulation of machining, 5A28

- Fuzzy-nets in-process system for tool-breakage monitoring in end-milling operations, 11A603

BLACK, RA: Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, 9A1586

BLACK, SC: Analysis of grinding temperatures by energy partitioning, 6A702

BLACK, TA: Coherent eddies and temperature structure functions for three contrasting surfaces - Part I: Ramp model with finite microfront time, 12A1147

- Coherent eddies and temperature structure functions for three contrasting surfaces - Part II: Renewal model for sensible heat flux, 12T1148

BLACK, TD: Characterization of ultrasonic transducers by means of double-exposure holographic interferometry, 7A291
BLACK, WZ: Study of droplet sprays prior to impact on a heated horizontal surface, 11A1296
BLACKER, T: Whisker weaving algorithm: A connectivity-based method for constructing all-hexahedral FE meshes, 3A33
BLACKERY, J: Creeping motion of a sphere in tubes filled with a Bingham plastic material, 11A957
BLACKKETTER, DM: Stress analysis of an orthotropic material under diametral compression, 2A465
- Influence of shape on the stresses in model abdominal aortic aneurysms, 2A1451
BLACKMORE, D: General fractal distribution function for rough surface profiles, 5A843
BLACKSTOCK, DT: Comparison of computer codes for the propagation of sonic boom waveforms through isothermal atmospheres, 5A196
- Noise reduction by a barrier having a random edge profile, 10A379
BLACKWELL, B: Comparison of some inverse heat conduction methods using experimental data, 1A1216
BLACKWELL, BF: Estimation of directional-dependent thermal properties in a carbon-carbon composite, 1A1246
BLACKWELL, RL: Hydraulic conveying in small diameter horizontal pipes, 11T902
BLAGODARNY, VM: Ultimate wear of gear teeth in precision mechanisms, 1A882
BLAGOJEVIC, B: One-dimensional numerical model of heat and mass transfer in air-water droplet flow, 2A1298
BLAGOVESTCHENSKII, A: Two-velocity dynamical system: Boundary control of waves and inverse problems, 8A208
BLAHA, JD: Axisymmetric FE analysis of a debonded total hip stem with an unsupported distal tip, 2A1444
BLAHETA, R: Convergence of inexact Newton-like iterations in incremental FE analysis of elastoplastic problems, 9A458
- Convergence of Newton-type methods in incremental return mapping analysis of elastoplastic problems, 12A548
BLAHOVEC, J: Stress relaxation in cherry fruit, 8A997
BLAIN, WR: Hydraulic Engineering Software VI, 3N36
BLAIR, AJ: Numerical modeling of transdermal heat transfer due to air bag deployment, 10A1331
BLAIR, KB: Nonlinear dynamic response of shallow arches to harmonic forcing, 1A189
- Harmonic balance and continuation techniques in the dynamic analysis of Duffing's equation, 11A96
BLAISDELL, GA: Effect of the formulation of nonlinear terms on aliasing errors in spectral methods, 3A60
BLAISDELL, GL: Processing snow for high strength roads and runways, 6A1518
BLAJER, W: Geometric unification of constrained system dynamics, 12A96
BLAKE, A: Image divergence and deformation from closed curves, 8A444
BLAKE, GI: Flow and field induced instabilities in a smectic C liquid crystal, 7A981
BLAKE, JD: Effects of gravity on rewetting of capillary groove surface at elevated temperatures: Experimental theoretical studies, 11A1349
BLAKE, WK: Inverse aeroacoustic problem for a streamlined body - Part 2: Accuracy of solutions, 5A1070
- Inverse aeroacoustic problem for a streamlined body - Part I: Basic formulation, 5A1069
BLAKEMAN, CJ: Effect of interfacial decohesion on stiffness reduction in a random discontinuous-fiber composite containing matrix microcracks, 1A757
BLANC, G: Solution of the inverse heat conduction problem from thermal strain measurements, 5A1225
BLANCHARD, AE: NASA Langley Mach 6 quiet wind-tunnel performance, 6A1215
BLANCHARD, C: New testing methodology for the assessment of fatigue properties of structural adhesives, 6A750
BLANCHARD, JP: Elastic-plastic indentation model and its solutions, 3A466
BLANCHARD, RC: Rarefied-flow transition regime orbiter aerodynamic acceleration flight measurements, 8A295
BLANCHET, D: Mechanical properties of first-year sea ice at Tarsiut Island, 9A1552
BLANCHET, TA: Interaction of wear and dynamics of a simple mechanism, 12T951
BLANCHINI, F: Constrained stabilization of continuous-time linear systems, 3T357
BLAND, JD: Detail fatigue analysis exceedance spectra determined from random multidirectional force components, 8A753
BLAND, JH: Squeeze flow testing of glass mat thermoplastic material, 5A569
BLANDFORD, GE: Review of progressive failure analyses for truss structures, 7A839
BLANK, DA: Use of the 2D collapsed dimension method in gray enclosures with absorbing-emitting-isotropic scattering media in radiative equilibrium, 6A1281
BLANK, L: Stability results for collocation methods for Volterra integral equations, 3A59
BLANKENSHIP, GW: Interactions between commensurate parametric and forcing excitations in a system with clearance, 1A125
- Experiments on nonlinear dynamic behavior of an oscillator with clearance and periodically time-varying parameters, 10A133
BLANKEVOORT, L: Global verification study of a quasi-static knee model with multi-bundle ligaments, 5A1470
- Inverse dynamics modeling approach to determine the restraining function of human knee ligament bundles, 7A1539
BLANPIED, ML: Transient triggering of near and distant earthquakes, 12A1451
BLASCO, J: Finite element formulation for the Stokes problem allowing equal velocity-pressure interpolation, 10A1073
BLASZCZYK, J: Comparative study of the performance and exhaust emissions of a spark ignition engine fuelled by natural gas and gasoline, 9A1392
BLATT, D: Methodology for thermomechanical fatigue crack growth testing in MMCs, 5A636
BLAU, PJ: Tribological characteristics of graded pencil cores on paper, 2A871
- Scanning micro-sclerometer: A new method for scratch hardness mapping, 12A857
BLAY, D: New low-Reynolds-number k-ε model including damping effect due to buoyancy in a stratified flow field, 1A1176
BLAZEJCZYK-OKOLEWSKA, B: Dynamics of impact oscillator with dry friction, 4A911
BLAZQUEZ, A: Removal of rigid body motions in the solution of elastostatic problems by direct BEM, 6A493
BLECH, JJ: Rotation of clamped parts due to reciprocating motion, 3A173
- Rotation of a clamped spherical ball due to linear reciprocating motion, 3A108
BLECHMAN, I: Brittle solid under compression - Part II: The problem of macro to micro linkage, 12A791
- Brittle solid under compression - Part I: Gradient mechanisms of microcracking, 12A790
BLEISTEIN, N: Generalized radon transform inversions for reflectivity in anisotropic elastic media, 11A1470
BLESS, S: Calculation of penetration resistance of brittle materials using spherical cavity expansion analysis, 3A2
BLESS, SJ: Penetration of steel targets finite in radial extent, 7A200
BLEVINS, LG: Radiative efficiency of a quartz radiant heating tube, 4A1302
BLIGHT, GE: Tests to determine the suitability of a geotextile for use in the containment of hydraulically placed backfill, 7A587
BLIMAN, P-A: Nonlinear resonance in systems with hysteresis, 1T141
BLIND, D: New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water, 12A1511
BLISS, DB: Novel approach to aerodynamic analysis using analytical-numerical matching, 5A1083
- Acoustic BEM using analytical-numerical matching, 7A275
- Aeroacoustic BEM using analytical-numerical matching, 7A276
- Application of analytical-numerical matching to structural discontinuities in structural-acoustic problems, 8A344
- Novel method for calculating 2D blade vortex interaction, 10A338
BLISS, J: Solar concentration of 50,000 achieved with output power approaching 1kW, 2A1429
BLITZ, J: Ultrasonic Methods of Non-Destructive Testing, 3R20
BLIX, T: Meter-scale variations of the charge carried by mesospheric dust, 6A323
BLUGER, F: Reliability assessment of damaged RC framed structures, 12A901
- Reliability evaluation in nonlinear analysis of reinforced concrete structures, 12A906
BLOCH, AM: Nonholonomic mechanical systems with symmetry, 6T98
BLOCK, A: Stabilization and tracking in the nonholonomic integrator via sliding modes, 6T376
BLOCK, SS: Chemically enhanced sunlight for killing bacteria, 8A1525
- Photocatalytic disinfection of indoor air, 8A1538
BLOCKLEY, DI: Structural dynamic analysis using the Interacting Objects Process Model, 11A166
- Qualitative analysis of nonlinear dynamical systems, 11A105
BLOEBAUM, CL: Genetic tool for optimal design sequencing in complex engineering systems, 5A748
- Mixed variable optimization using Taguchi's orthogonal arrays, 5A753
BLOEBAUM, RD: Reproducibility of techniques using Archimedes' principle in measuring cancellous bone volume, 10A1519
BLOMEYER, M: Optimization of multiple jets mixing with a confined crossflow, 10A1162
BLOMSHIELD, FS: Stability testing of full-scale tactical motors, 10A1432
- Nonlinear stability testing of full-scale tactical motors, 10A1430
BLONCE, L: Linear stability of Giesekus fluid in Poiseuille flow, 8T1171
BLONK, B: Removal of scattered surface waves using multicomponent seismic data, 4A1380
BLOOM, F: Linearized stability of the viscous incompressible bipolar equations, 3T1006
- Lubrication and heat transfer in a crown-compensated press roll, 4A1159
BLOOM, JM: Fatigue and Fracture - 1996, Volume 2, 4N14
- Technical basis for the extension of ASME Code Case N-494 for assessment of austenitic piping, 5A814
- Assessment of geometry effects on plane stress fatigue crack closure using a modified strip-yield model, 5A655
- Deformation plasticity failure assessment diagram for materials with non-Ramberg-Osgood stress-strain curves, 11A445
BLOOR, MIG: Parametric model of a 2-stroke engine for design and analysis, 6A1358
- Partial differential equation surface generation and functional shape optimization of a swirl port, 10A1426
BLOTTER, JD: Experimental and analytical power flow in beams using a scanning laser Doppler vibrometer, 2A115
BLOUET, J: Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 2A646
- Mechanical and geometrical approach to thermal contact resistance, 5A1235
BLOUQUIN, R: Radiation-affected hydrodynamic instability of particle-laden flames, 2A1313
- Variational principle for reaction-radiation-conduction equilibria, 4A1287
- Influence of gradient transports upon the burning velocities of dust flames, 6A1329
BLOYCE, A: Influence of surface melting on dry rolling-sliding wear of aluminum bronze against steel, 3A875
BLUE, C: Comparison testings between two high-temperature strain measurement systems, 5A1306
BLUE, R: Comparison testings between two high-temperature strain measurement systems, 5A1306
BLUESTEIN, D: Steady flow in an aneurysm model: Correlation between fluid dynamics and blood platelet deposition, 2A1462
BLUHM, J: Effective stresses: A clarification, 2A539
BLUM, PA: Use of in situ measurements of ground inclination for determining shallow elastic parameters, 9A634
BLUMENTHAL, R: Self-ignition of SI engine model fuels: A shock tube investigation at high pressure, 11A1397
BLUNN, GW: Knee simulating machine for performance evaluation of total knee replacements, 6A1547
BLUNT, L: Application of 3D surface measurement techniques to characterizing grinding wheel topography, 5A564
BLUNT, MJ: Micromodel observation of the role of oil layers in three-phase flow, 11A1456
BLUNT, TJ: Determination of interfacial temperatures under extreme pressure conditions, 5T853
BLYTHE, AR: Modeling polymer melt flows in wirecoating processes, 1A635
BLYTHE, PA: Laws for fiber temperature prediction during drawing, 12T1309
BO, LIANG: Simulation of wind-induced lateral-torsional motion of tall buildings, 9A157
BO, T: Numerical study of the effects of rotational buoyancy on fully developed flow in rotating rectangular ducts, 7A1266
BOADEN, RJ: Effectiveness of quality management tools and techniques: An examination of the key influences in five plants, 2T377
BOARDMAN, BT: Geosynthetic clay liners subjected to differential settlement, 11A568
BOATENG, AA: Granular flow behavior in the transverse plane of a partially filled rotating cylinder, 8A1440
BOAY CHAI, GIN: Stability and failure of symmetrically laminated plates, 4A623
BOAY, CHAI GIN: Free vibration of laminated composite plates with a central circular hole, 8A153
BOBET, J-L: Measurements of thermal residual stresses in SiC-Ti-15-3 composites, 3A1282
BOBJI, MS: Hardness estimated from the indentation of a spherical body: Some implications for nanoindentation test results, 7A933
BOBKOV, NN: Flow pattern in a liquid layer and the spectrum of the boundary-value problem when the surface tension depends nonlinearly on the temperature, 11A1216
BOBROW, JE: Adaptive, high bandwidth control of hydraulic actuator, 6A398
BOBUKH, IA: Problems of dynamics of rolling mills (Russian), 12A720
BOBYLEV, A: Difference scheme for the Boltzmann equation based on the Fast Fourier Transform, 8T1108
BOBYLEV, AV: Exact solutions of discrete kinetic models and stationary problems for the plane Broadwell model, 1A1011
BOBYLOV, YA: Green's function method solution of the Reissner's plate problem, 5A474
BOBYN, JD: Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, 10T1527
BOCCOTTI, P: General theory of 3D wave groups - Part II: Interaction with a breakwater, 6A268
- General theory on 3D wave groups - Part I: The formal derivation, 6A269
BOCHER, L: Experimental study of pseudoelastic behavior of a CuZnAl polycrystalline shape memory alloy under tension-torsion proportional and non-proportional loading tests, 9A787
BOCK, I: Nonstationary von Karman equations, 4A140
BOCKOWSKI, M: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
BOCQUET, G: Quantitative assessment of cortical bone remodeling from routine radiographs of total hip arthroplasty, 2T1449
BODE, L: Progress and recent developments in storm surge modeling, 9A1509
BODENSCHATZ, E: Spatio-temporal structure of spiral-defect chaos, 4A1200
BODIN, P: Dynamic deformations of shallow sediments in the Valley of Mexico - Part II: Single-station estimates, 12A685
- Dynamic deformations of shallow sediments in the Valley of Mexico - Part I: 3D strains and rotations recorded on a seismic array, 12A684
BODNAR, JL: Wear crack characterization by photothermal radiometry, 2A894
BODNER, SR: Inelastic flow behavior of argillaceous salt, 1A462
- Cleavage and creep fracture of rock salt, 2A689
- Damage mechanics treatment of creep failure in rock salt, 11A661
- Treatment of anisotropic damage development within a scalar damage formulation, 12A823
BODSON, M: Experimental results of adaptive periodic disturbance cancellation in a high performance magnetic disk drive, 4A418
BODSTEIN, GCR: Three-dimensional interaction of a streamwise vortex with a large-chord lifting surface: Theory and experiment, 3A1184
BODVARSSON, GS: New lumped-parameter model for flow in unsaturated dual-porosity media, 1T1382
BOECK, T: Bifurcation to vortex solutions in superconducting films, 12A675
BOEDO, S: Surface roughness and structural inertia in a mode-based mass-conserving elastohydrodynamic lubrication model, 12A1219
BOEHLER, J-P: General characteristics of the stress-strain relation of polycrystalline metals, 6A6
BOEHM, RF: Solar power output correlation with utility demand in Southern Nevada, 11A1544
BOERMAN, DJ: Effect of laser surface treatment on high cycle fatigue of AISI 316L stainless steel, 5A590
BOERSMA, A: Algebraic multigrid solver for FE computations in solid mechanics, 12A29
BOERSMA, BJ: Chebyshev collocation method for solving two-phase flow stability problems, 10T1135
BOERSMA, S: Analytical study on the kinematic and dynamic behaviors of a knee joint, 10A1512
BOESE, D: Relaxation and viscoelastic properties of complex polymer systems, 7A972
BOETSCH, R: Fatigue damage calculation in stress concentration fields under variable uniaxial stress, 1A700
BOETTINGER, WJ: Dynamic aspects of wetting balance tests, 4A691
BOEY, FYC: Fiber reinforced metal matrix composite by a high deformation consolidation process, 10T750
BOFFI, D: Analysis of new augmented Lagrangian formulations for mixed FE schemes, 8A13
- Three-dimensional FEMs for the Stokes problem, 10A1077
BOGARD, DG: Film cooling with compound angle holes: Adiabatic effectiveness, 5A1130
- Film cooling with compound angle holes: Heat transfer, 5A1129
- Adiabatic effectiveness, thermal fields, and velocity fields for film cooling with large angle injection, 10A1298
BOGARDI, I: Estimating daily wind speed under climate change, 7A1510
BOGART, J: ASME Proceedings of 31st National Heat Transfer Conference, Volume 8, 2N43
BOGDANIUK, M: Added mass matrix in the vibration of thin-walled multi-cell structures, 3T276
BOGDANOFF, DW: Experimental demonstration of use of N_2O to increase shock tunnel test time, 12A1240
BOGDANOV, A: "Phobos events": Signatures of solar wind dust interaction, 4A267
- Plasma structures at weakly outgrassing comets: Results from bi-ion fluid analysis, 4A1102

BOGDANOV, SY: Numerical solution of dynamic problems of nonlinear theory of stiffened shells (Russian), 6A578
BOGDANOV, VM: Study of wheel-rail friction, wear and cumulative damage, 5A830
BOGDANOVA, OS: Simulation of the process of destruction of orthotropic materials under biaxial loading, 12A822
BOGDANOVICH, PN: Heat generation at friction of polymers, 1A887
- Investigation of temperature fields developed at friction of material having regular surface topography, 2A863
BOGDANOWICZ, U: Geosynthetics in civil engineering, 9A643
BOGER, DV: Extensional viscosity measurements of dilute solutions of various polymers, 3A944
- Fifty cent rheometer for yield stress measurement, 5A901
BOGETTI, TA: Design and analysis of composite wraps for concrete columns, 10A615
BOGGASCH, F: Protection for thorax injury severity in 90° lateral collision, 2A1448
BOGGIO, V: Benefits of compressor inlet air cooling for gas turbine cogeneration plants, 1A1351
BOGOBOWICZ, A: Non-Newtonian creep into a 2D cavity of near-rectangular shape, 7A700
BOGOMOLOV, EN: Study of gas flow characteristics in GTE interturbine diffuser, 1A1096
BOGOMOLOV, VG: Wear strength of nitrogen-hardened high-speed steel tools, 2A896
BOGRIS, N: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453
- Statistical evaluation of earthquake prediction results: Comments on the success rate and alarm rate, 9A1454
BOGUSLAVSKII, Y: Theory and practice of projectile's penetration in soils, 3A588
BOGY, DB: Rayleigh wave scattering by a wedge II, 6A245
- Nanomechanical properties of SiC films grown from C_{60} precursors using atomic force microscopy, 7T934
- Hardness of thin-film media: Scratch experiments and FE simulations, 11A744
- Experimental modal analysis technique for miniature structures, 11A156
- Tribochemical study of hydrogenated carbon coatings with different hydrogen content levels in ultra high vacuum, 12A987
- Slider designs for controlling contamination, 12A959
BOHAN, MFJ: Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, 11T1182
BOHATIER, C: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 9, 1N13
BOHER, C: Degradations in a high-speed sliding contact in transient regime, 7A859
BOHM, B: Evaluation of the dynamic performance of a hot water tank with built-in heating coil, 9A1315
BOHM, F: Proceedings of the 2nd International Colloquium on Tyre Models for Vehicle Dynamic Analysis, held at the Technical University of Berlin, Germany, February 20-21, 1997, 8A936
BOHME, G: Analysis of shear-thinning fluid flow in intermeshing twin-screw extruders, 9A1182
BOHMER, M: Experimental and numerical evaluation of the performance and flow stability of different types of open volumetric absorbers under non-homogeneous irradiation, 11A1530
BOHN, D: Numerical simulation of supersonic, chemically reacting flow using an implicit finite volume method, 7A1050
- Experimental and theoretical investigations of heat transfer in closed gas-filled rotating annuli II, 11A1249
BOHNSACK, E: Continuous field approximation of experimentally given data by FEs, 10A45
BOHR, T: Chaotic particle motion under linear surface waves, 6A262
BOHRA, NC: Resilient modulus of cohesive soils, 8A642
BOIS , G: Three dimensional flows in transonic and supersonic compressors (French), 2T1106
BOIS, A-P: First year monitoring of the first air-entrained high-performance bridge in North America, 2A745
BOIS, PA: Mathematical modeling of rotating waves in axial and radial compressors, 6A1205
BOISAUBERT, N: Comparative early developments of wake vortices behind a short semicircular-section cylinder in two opposite arrangements, 6A1118
BOISSE, P: Numerical implementation of orthotropic plasticity for sheet-metal forming analysis, 11A578
BOISSON, N: Numerical prediction of two-phase flow in bubble columns, 7A1076
BOISSONNAT, J-D: Computing four-finger equilibrium and force-closure grasps of polyhedral objects, 8A424
BOISSY, C: Role of conductivities and frequency in the electro-rheological effect, 6T1162
- Variation with distance of the attraction force between spheres and estimation of static yield stress of ER fluids, 6A1163
- Correlation between electrical and rheological properties of electro-rheological fluids, 6A4
BOIVIN, S: Anisotropic artificial viscosity method: Application to the simulation of compressible viscous flows, 7A1058
BOJCZUK, D: Nonlinear incremental analysis of loading and design sensitivity problems, 2A757
BOKA, J: Kalman filtering error due to inaccuracy in filter's initial condition, 9A312
BOKHOVE, O: Hamiltonian balanced dynamics and the slowest invariant manifold, 3A101
BOKIY, YF: Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, 12A936
BOLCS, A: Transient heat transfer experiments in a linear cascade via an insertion mechanism using the liquid crystal technique, 8A1248
BOLDRINI, JL: Global strong solutions of equations of magnetohydrodynamic type, 9A1139
BOLES, WW: Excavation forces in reduced gravity environment, 9A919
BOLGRABSKAYA, IA: Justification for investigating the dynamic properties of an elastic bar using a model of a system of coupled rigid bodies, 3A149
BOLINDER, CJ: Numerical prediction of laminar flow and forced convective heat transfer in a helical square duct with a finite pitch, 1A1189
- Curvilinear coordinates and physical components: An application to the problem of viscous flow and heat transfer in smoothly curved ducts, 7A4
BOLLER, C: Analysis of controled beam deflections using SMA wires, 9A841
BOLLIG, M: Approximations for burning velocities and Markstein numbers for lean hydrocarbon and methanol flames, 7A1421
- Numerical and asymptotic studies of the structure of stoichiometric and lean premixed heptane flames, 8A1407
BOLOTIN, VV: Model of growth of a penny-shaped low-cycle fatigue crack, 5A609
- Growth of thin delaminations in laminate composite beams under cyclic bending, 6A624
- Brush-like modes of fatigue fracture in unidirectional fiber composites, 7A730
- Effect of microdamage on fatigue-crack growth, 11A643
BOLOTNIK, NN: Modeling and optimization of motion of a tube-crawling robot, 5T362
BOLOTOV, AN: Tribology of bearings and sliding guides with magnetic off-loading, 3A896
BOLT, BA: Peak strong motion attenuation relations for horizontal and vertical ground displacements, 11A1465
BOLTON, JR: Solar detoxification, 2T1435
- Solar photoproduction of hydrogen: A review, 4A1462
BOLTON, JS: Optimal design of acoustical foam treatments, 1A327
BOLTON, MD: Fractal crushing of granular materials, 6A1365
BOLZON, G: Approximate method for fatigue-life prediction of framed structures, 6A711
- Discrete formulation for elastic solids with damaging interfaces, 6A806
- Multiplicity of solutions in quasi-brittle fracture computations, 12A841
BOMPARD, P: Crack closure effect on crack growth rate at 650°C in double notched specimens of a nickel base superalloy, 5A620
- Influence of a negative R ratio on the creep-fatigue behavior of the N18 nickel base superalloy, 8A743
- Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - I: Microstructural analyses, mechanical behavior and damage mechanisms of composite tubes under pure tensile loading, pure internal pressure, and combined loading, 9A494
- Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - II: Micromechanical model of damage initiation and the competition between different mechanisms, 9A495
BONANNO, AS: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515
BONAVENTURA, L: Semi-implicit scheme for the barotropic primitive equations of atmospheric dynamics, 8T1089
BOND, T: Mesh refinement formulations in adaptive FEMs, 3A22
BOND, TJ: Adaptive mesh refinement for shells with modified Ahmad elements, 5A484
- Auto-adaptive FE analysis software for stiffened plate and shell structures, 11A518
BONDAR, PA: Stochastic flutter of elastic and viscoelastic in a supersonic flow, 4A257
BONDARENKO, MM: Strain and Stress Analysis by Holographic and Speckle Interferometry, 3R18
BONDAREV, VA: Variational method for solving nonlinear problems of unsteady-state heat conduction, 11A1310
BONDY, KD: More rational approach to capacity design of seismic moment frame columns, 3A1389
BONE, GM: Dual-sensor based robotic deburring, 2A362
BONENBERGER, PR: Enumerating possible design options for integral attachment using a hierarchical classification scheme, 12A462
BONFIELD, W: Size and shape of particulate polyethylene wear debris in total joint replacements, 10A979
- Crack growth resistance in cortical bone: Concept of microcrack toughening, 12A1531
BONGIOVANNI, KP: Convergence zone feature dependence on ocean temperature structure, 5A236
- Analysis and model-data comparison of broadband acoustic propagation at the Atlantic Generating Station site, 9A263
BONHAUS, DL: Implicit-multigrid algorithms for incompressible turbulent flows on unstructured grids, 4A1093
BONIFACE, L: Transverse ply cracking in cross-ply CFRP laminates: Initiation or propagation controlled?, 11A712
BONILHA, M: Active cancellation of pressure at a point in a pure tone diffracted diffuse sound field, 10A369
BONILLA, LF: Site amplification in the San Fernando Valley, California: Variability of site-effect estimation using the S-wave, Coda, and H-V methods, 12A1458
BONIN, MP: Laser-based techniques for particle-size measurement: A review of sizing methods and their industrial applications, 6A1353
BONINGER, ML: Methods for determining 3D wheelchair pushrim forces and moments: A technical note, 10A1567
BONINI, F: Modeling of the reburning process, 12A1378
BONIS, M: Prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, 3A93
BONNEAU, O: Roughness influence on turbulent flow through annular seals including inertia effects, 11A1184
- Nonlinear behavior of a flexible shaft partly supported by a squeeze film damper, 12A123
BONNEFOND, T: Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, 8T1213
BONNEFOND, TR: Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 1: Experimental technique, distributed aerodynamic characteristics, 6T1191
BONNET, A: Traveling-wave solutions to combustion models for a reversible reaction, 2A1338
BONNET, M: Implicit BEM formulations for usual and sensitivity problems in elasto-plasticity using the consistent tangent operator concept, 5A60
- Differentiability of strongly singular and hypersingular boundary integral formulations with respect to boundary perturbations, 9A52
BONNETIER, E: Gas dynamics system: Two special cases, 10A1106
BONNETT, DL: Hot-spot ignition of condensed phase energetic materials, 1A1310
BONORA, N: Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes, 6A1498
BONS, JP: Effect of high free-stream turbulence on film cooling effectiveness, 5A1128
BONSIGNORI, R: LUVIMS lunar UV and IR mapping spectrometer, 6A328
BONTCHEVA, N: Influence of the different behavior at tension and compression on density distribution of porous metals, 4T517
- Numerical simulation of density distribution during compaction of iron powders, 9A1410
- Influence of friction and geometry on plastic spread, 12T719
BONTOUX, P: Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, 5A1030
- Spatio-temporal behavior in a rotating annulus with a source-sink flow, 6A1137
BONVOULOIR, J: Experimental study of high speed sealing capability of single stage ferrofluidic seals, 12A1019
BOOIJ, J: Refined consistent formulation of a curved triangular finite rotation shell element, 2A34
BOOIJ, N: Propagation of wind errors through ocean wave hindcasts, 2A1418
BOOK, PJ: Narrow-band source localization in the presence of internal waves for 1000-km range and 25-Hz acoustic frequency, 8A317
BOOK, WJ: Modeling mechanisms with nonholonomic joints using the Boltzmann-Hamel equations, 8A966
BOOKER, JF: Surface roughness and structural inertia in a mode-based mass-conserving elastohydrodynamic lubrication model, 12A1219
BOOKER, JR: Boundary element analysis of linear thermoelastic consolidation, 1A1294
- Surface settlements due to deformation of a tunnel in an elastic half plane, 6A646
- Time stepping FEM for analysis of contaminant transport in fractured porous media, 7A1454
- Surface displacements of a nonhomogeneous elastic half-space subjected to uniform surface tractions - Part II: Loading on rectangular shaped areas, 12A501
- Surface displacements of a nonhomogeneous elastic half-space subjected to uniform surface tractions - Part I: Loading on arbitrarily shaped areas, 12A500
BOOMKAMP, PAM: Chebyshev collocation method for solving two-phase flow stability problems, 10T1135
BOONE, SJ: Ground-movement-related building damage, 6A914
BOORE, DM: Site amplifications for generic rock sites, 12A1465
BOORLA, R: Load variability of a two-bladed helicopter, 7A847
BOOSER, ER: Tribology Data Handbook, 10N25
BOOTE, D: Elastic instability of thin cylindrical shells: Numerical and experimental investigation, 6A621
BOOTH, JR: Effective diffusivity of cyclopentane and n-pentane in PU and PUIR foams by thin-slice gravimetric analysis, 11A1360
BOOTHMAN, DP: Sensitivity of J-integrals of material law variations for semi-elliptical surface cracks, 8A787
BOOZER, AH: Finite time Lyapunov exponent and advection-diffusion equation, 2A1292
BOPP, PA: Effects of initial density on soil instability at high pressures, 12A701
BOPP, U: Effects of ultrasonic vibration on machining accuracy in microdrilling, 7A607
BORDELON JR, WJ: Effect of correlated precision errors on uncertainty of a subsonic venturi calibration, 2A991
BORDEN, RH: Deformation characteristics of Piedmont residual soils, 3A581
- Dynamic properties of Piedmont residual soils, 3A582
BORDERE, S: Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: Titanium alloy matrix composites, 6A680
BOREE, J: Phase averaged velocity field in an axisymmetric jet subject to a sudden velocity decrease, 5A1016
BOREJKO, P: Reflection and transmission coefficients for 3D plane waves in elastic media, 6A230
BORG, JP: Effects of static and dynamic imbalance on a horizontal axis wind turbine, 12A1520
BORGAS, MS: Molecular diffusion and viscous effects on concentration statistics in grid turbulence, 5A1046
- Turbulent dispersion with broken reflectional symmetry, 8A1552
BORGES DE MIRANDA, A: Radiative transfer modeling: A survey of current capabilities for non-grey participating media, 7A1322
BORGES, LA: Nonlinear optimization procedure for limit analysis, 1A504
BORGES, MD: Application of perturbation theory to the stability analysis of realistic atmospheric flows, 11T1073
BORGHI, R: Soot formation modeling for turbulent flames, 6A1334
- Statistical model of turbulent premixed combustion with interacting flamelets, 9A1363
BORGMEIER, O: Synthesis, structure, and magnetism of heterobinuclear complex GdCu(OTf)$_3$(bdmap)$_2$(H$_2$O) × THF, 2T537
BORGNAKKE, C: Thermodynamic and Transport Properties, 8N24
- Generalized volumetric behavior of refrigerants based on a new four-parameter corresponding states correlation, 3A1217
- Equation of state for 1,1-Difluoroethane (R152a), 12A1243
BORGSTEDT, HU: Influence of sodium environment and load ratio (R) on fatigue crack growth behavior of a Type 316 LN stainless steel at 813K, 7A651
BORINO, G: Shakedown and steady-state responses of elastic-plastic solids in large displacements, 1A490
- Extended shakedown theory for elastic-plastic-damage material models, 4A806
BORISEIKO, AV: Resistance on conical shells from reinforced materials under the external pressure outside the elasticity limit (Russian), 12A631
BORISSOW, AP: System analysis of metal forming technique in welding processes, 12A729
BORJA, RI: Micromechanics of granular media - Part II: Overall tangential moduli and localization model for periodic assemblies of circular disks, 9A613
BORKAR, AV: Spin coating of viscoplastic fluids, 7A971
BORKAR, VS: Stochastic approximation with two time scales, 8T376
BORKOVEC, M: Quantitative description of multicomponent reactive transport in porous media: An empirical approach, 6A1384
BORKOVSKAYA, IM: Approach to the problem of stabilizing systems with delay, 7A330
BORKOWSKI, JL: Changes in the vertical distribution of fission products over Poland during the period 1973 - 1994, 4T1474
BORLAND, L: Simultaneous modeling of nonlinear deterministic and stochastic dynamics, 7A107

BORNE, P: Implementation of adaptive hyperplanes for the determination of robust control, 10A406
BORNEMANN, FA: Cascadic multigrid method for elliptic problems, 6T64
BORNEMISZA, T: SPSLIFE: A user-friendly approach to the structural design and life assessment of ceramic components, 11A486
BORNSTEIN, R: Hierarchy of mesoscale flow assumptions and equations, 3T1431
BORODICH, FM: Fractal models of fracture, 8A768
BORODII, MV: Development of a constitutive model for biaxial low-cycle fatigue, 5A602
BORODINA, EL: Restoration of the bottom characteristics by the interference structure of the wide-band sound, 9A270
BOROJEVIC, D: Nonlinear control of a proof-mass actuator, 10A488
BORONSKI, D: Comparative analysis of experimental and calculated fatigue life of the 45 steel notched structural member, 4A702
BOROOMAND, B: Recovery by equilibrium in patches (REP), 6A51
BOROUCHAKI, H: Optimal Delaunay point insertion, 4A41
BOROUCHAKI, HW: Aspects of 2D Delaunay mesh generation, 10A75
BOROVAC, B: Mechanics of Turin parallel robot, 5A340
BOROVIKOV, VA: Modelling the Effects of Blasting on Rock Breakage, 4R9
- Asymptotic form of the far field of an internal wave source moving in an exponentially stratified medium, 6A278
BORRELLI, A: Energy bounds in dynamical problems for a semi-infinite magnetoelastic beam, 6A633
- Decay and other estimates for a semi-infinite magnetoelastic cylinder: Saint-Venant's principle, 12A665
BORRELLI, S: Hypersonic nonequilibrium parallel multiblock Navier-Stokes solver, 4T1008
- Numerical correlations between flight and plasma wind-tunnel tests, 12A1092
BORRI, C: Structural Dynamics, 1N36
BORRI, M: Energy preserving-decaying schemes for nonlinear beam dynamics using the helicoidal approximation, 10A257
BORTHWICK, AGL: Quadtree grid generation: Information handling, boundary fitting, and CFD applications, 6A68
- Reservoir flow prediction by contravariant shallow water equations, 11T932
BORTOLAMI, SB: Control and flight performance of tethered satellite small expendable deployment system-II, 3T373
- Modeling the systematic uncertainty of photogrammetric tracking of human motion, 12A1562
- Numerical differentiation of tracking data of human motion: The virtual accelerometer, 12A1564
BORTONE, V: Effects of condenser air flow blockage on vapor-compression refrigerator performance, 11A1361
BORUTA, G: Effect of compression-ignition engine's operating conditions on values of selected discriminants of the vibroacoustical signal recorded on its crankcase (Polish), 9A1395
BORWEIN, JM: Variational analysis in nonreflexive spaces and applications to control problems with L^1 perturbations, 6T91
BORZA, I: Optimal design of water distribution networks, 8T1022
BORZENKOV, SM: Optimization of elastic bodies near singular points, 4A21
BORZSONYI, T: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983
BOSC, F: Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, 6A541
BOSC, JL: Concrete behavior under freezing when subjected to mechanical stresses (French), 4A539
BOSCH, DD: Methods for calculating flow from observed or simulated hydraulic head, 10A1065
BOSCH, G: Simulation of vortex shedding past a square cylinder near a wall, 2A1051
- Experiments on the flow past a square cylinder placed near a wall, 4T1054
BOSCH, HR: Numerical simulation of wind-induced forces on bridge deck sections of long-span bridges, 7A175
BOSCHETTI, F: Fractal-based algorithm for detecting first arrivals on seismic traces, 1A1411
- Inversion of seismic refraction data using genetic algorithms, 6A1411
BOSE, N: Uncertainty analysis in propeller open water tests, 5A1063
BOSE, SK: Nonlinear FE analysis of stresses and deformations beneath rigid footings, 7A588
BOSE, TK: Numerical analysis of slot-film cooling: Effectiveness and flow-field, 7A1278
BOSECK, S: Theory of 3D imaging of strong scatterers in scanning acoustic microscopy, 11A753
BOSELLO, CA: Quasi-static problems with elastic and viscous boundary conditions in linear viscoelasticity, 5A402
BOSHKOVA, IL: Thermoacoustic phenomena at boiling subcooled liquid in channels, 7A1286
BOSKEY, AL: Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, 6A1534
BOSLEY, DL: Asymptotic analysis of the 1:3:4 Hamiltonian normal form, 6A113
BOSMAN, C: Quantified study of rotha'py conservation in turbomachines, 2A1101
BOSMANS, I: Diffuse transmission of structure-borne sound at periodic junctions of semi-infinite plates, 12A317
BOSNYAK, CP: New experimental technique for modeling of a micro-heterogeneous media, 6A814
BOSSCHER, PJ: Sand reinforced with shredded waste tires, 3A580
BOSSE, A: Structural damage detection using real-time modal parameter identification algorithm, 5A708
- Adaptive filters for real-time system identification and control, 7A306
BOSSIS, G: Yield stress in magnetorheological and electrorheological fluids: A comparison between microscopic and macroscopic structural models, 10A1035
BOSTROM, A: Acoustic Interactions with Submerged Elastic Structures, Part 4, 12N11
BOSWELL, LF: Special issue on jack-up platforms, 11A820
BOTELLA, O: Solution of the Navier-Stokes equations using Chebyshev projection schemes with third-order accuracy in time, 8A1090
BOTH, KEES: Fire-exposed continuous span composite steel-concrete slabs, 9A863
BOTHE, K: Development of a PC-based remote measurement device for high temperature material testing, 8A1388
BOTHELL, DH: Machining with super-pressure (690 MPa) waterjets, 8A708
BOTOGOVA, MG: Free vibrations of a non-uniformly heated viscoelastic cylindrical shell, 7A146
BOTROS, KK: Compressor station recycle system dynamics during emergency shutdown, 1A1099
- Effects of compressibility on flow characteristics and dynamics of swing check valves: Part I, 11A978
- Effects of compressibility on flow characteristics and dynamics of swing check valves: Part II, 11A979
BOTSIS, J: Experimental and numerical studies in model composites - Part I: Experimental results, 10A817
- Experimental and numerical studies in model composites - Part II: Numerical results, 10A818
- Constitutive response of 63-37 Sn-Pb eutectic solder, 11A418
- Fatigue fracture process in a model composite, 12A807
BOTT, TR: Fouling of heat exchangers, 10A1352
BOTTARO, A: Linear breakdown of Gortler vortices, 1A1057
- Gortler vortices with system rotation, 4A1049
- Effect of spanwise system rotation on spatially developing Dean vortices, 7A1094
- Gortler vortices promoted by wall roughness, 11A1066
BOTTASSO, CL: Computation of the boundary integral of space-time deforming FEs, 8A41
- Energy preserving-decaying schemes for nonlinear beam dynamics using the helicoidal approximation, 10A257
- Parallel adaptive FE Euler flow solver for rotary wing aerodynamics, 12A39
BOTTEGA, WJ: Edge debonding in patched cylindrical panels, 2A654
- Axisymmetric edge debonding in patched plates, 11A665
BOTTELDOOREN, D: Numerical model for moderately nonlinear sound propagation in 3D structures, 3A325
- Time-domain simulation of the influence of close barriers on sound propagation to the environment, 8A331
BOTTING, AD: Effect of ply-drop configuration on delamination strength of tapered composite structures, 2A649
BOTZ, MM: Experimental investigation of characteristic length scale in periodic heterogeneous porous media, 6A1372
BOUARD, L: Thermohydrodynamic analysis of tilting-pad journal bearings operating in turbulent flow regime, 11A1191
BOUAZZOUNI, A: Selecting a Ritz basis for the reanalysis of the frequency response functions of modified structures, 8A180
BOUBAKAR, ML: Numerical implementation of orthotropic plasticity for sheet-metal forming analysis, 11A578
BOUC, R: Multimodal nonlinear spectral response of a beam with impact under random input, 12A147
BOUCHAIR, A: Effet des conditions aux limites sur le comportement des assemblages bois boulonnes (French), 1A501
BOUCHARD, F: Stochastic Hydraulics '96, 4N26
BOUCHARD, M: Transform domain optimization to increase the convergence speed of the multichannel filtered-X least-mean-square algorithm, 5A260
BOUCHER, CC: Generation of zones of quiet using a virtual microphone arrangement, 12A334
BOUCHER, J: Clinical analysis of a CAD-CAM system for custom seating: A comparison with hand-sculpting methods, 1A1466
BOUCHER, RF: Fluidic flowmetering device for remote measurement, 1A1149
- Junction characteristics of energy wave methods, 10A301
BOUCHITTE, G: Homogenization of a set of parallel fibers, 10A1203
BOUCHON, M: Propagation of a shear crack on a nonplanar fault: A method of calculation, 12A1475
BOUCHOULE, C: Experimental study of thermal effects in tilting-pad journal bearings at high operating speeds, 1T1141
BOUCHUT, F: MUSCL method satisfying all the numerical entropy inequalities, 5A38
BOUCKOVALAS, G: Description and analysis of building damage due to Pyrgos, Greece earthquake, 8A1484
BOUDDOUR, A: Erosion and deposition of solid particles in porous media: Homogenization analysis of a formation damage, 6A1382
BOUDET, R: Fatigue damage calculation in stress concentration fields under variable uniaxial stress, 1A700
- Fatigue life prediction of interference fit fastener and cold worked holes, 7A670
BOUDLAL, A: Weakly nonlinear interfacial waves in a duct of arbitrary cross section, 1A266
BOUET, V: Flow measurement in an impinging jet cell with three-segment microelectrodes, 6A1209
BOUGEAULT, P: Nonlinear flow past an elliptic mountain ridge, 4T979
- Effect of rotation and surface friction on orographic drag, 7A1026
BOUHADDI, N: Transverse vibrations of short beams: FE models obtained by a condensation method, 10A187
BOUHDJAR, A: Numerical study of transient mixed convection in a cylindrical cavity, 8A1293
BOUILLARD, P: Superconvergent patch recovery technique for the FEM in acoustics, 4A314
BOUKAS, EK: Periodic maintenance and repair rate control in stochastic manufacturing systems, 4T476
- Robust stabilizability of uncertain linear time-delay systems with Markovian jumping parameters, 6T357
- Robust stabilization by dynamic combined state and output feedback compensator for nonlinear systems with jumps, 7A327
BOULANGER, RW: Liquefaction at Moss Landing during Loma Prieta earthquake, 11A551
BOULAY, C: Strain localization in confined high-strength concrete columns, 3A488
- Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, 6A541
BOULET, P: Theoretical study of the influence of slugs on the radiative behavior of fibrous media (French), 1A1252
BOULLOSA, RR: Acoustic power and heat fluxes in the thermoacoustic effect due to a traveling plane wave, 7A1270
BOULOS, PF: Mixing in distribution system storage tanks: Its effect on water quality, 3T1475
BOULTON, AJM: Relationship of static foot structure to dynamic foot function, 7A1541
BOUMA , PH: Modeling of methane-air combustion on ceramic foam surface burners in the radiation mode, 7A1417
BOUNDS, S: Modified effective capacitance method for solidification modeling using linear tetrahedral FEs, 3A1253
BOUR, M: Test of a simple empirical Green's function method on moderate-sized earthquakes, 12A1485
BOURBON, G: Thermodynamical model of cyclic behavior of Ti-Ni and Cu-Zn-Al shape memory alloys under isothermal undulated tensile tests, 4A510
BOURDARIAS, C: MUSCL method satisfying all the numerical entropy inequalities, 5A38
BOURDEAU, PL: Response of a woven and a non-woven geotextile to monotonic and cyclic simple tension, 5A719
BOUREHLA, A: Characteristics method and cusped flame fronts, 4A1307
BOURELL, DL: Effect of phase transformation on densification during hot isostatic pressing, 3T621
BOURGEAT, A: Convergence of the homogenization process for a double-porosity model of immiscible two-phase flow, 4A1333
BOURGEOIS, AJ: Validation of numerical shallow water models for stratified seiches, 10A1475
BOURGEOIS, E: Consolidation of a nonlinear poroelastic layer in finite deformations, 3A434
BOURGES, M: Articular cartilage, morphology and mechanical properties (French), 6T1533
BOURGOIS, R: Comparative left-right mechanical testing of cancellous bone from normal femoral heads, 3A1484
- Pyro shock qualification tests on pneumatic and hydraulic components of the vulcain main engine, 7T782
BOURIS, D: Particle-surface interactions in heat exchanger fouling, 4A1241
BOUROUINA, T: Modeling micropumps with electrical equivalent networks, 8A373
BOURQUE, SM: Impulsively started turbulent jets, 9A1094
BOUSGARBIES, JL: Flow field near a plane surface impinged by multiple jets: Application to wall cooling (French), 2T1032
BOUSLOG, SA: Recent aerothermodynamic flight measurements during shuttle orbiter re-entry, 2A843
BOUSMINA, M: Rheology-morphology-flow conditions relationships for polymethylmethacrylate-rubber blend, 3A942
BOUSQUET, PW: Evaluation of active damping performances in orbit, 1A206
BOUSSAA, D: Axisymmetric elastic-plastic FE analysis of pressurized elbows, 11A11
BOUTECA, MJ: Effective mechanical properties of random porous media, 4A6
BOUTET DE MONVEL-BERTHIER, A: Existence of the global generalized solution of the system of equations describing suspension motion, 10A1122
BOUTHEMY, P: Exploiting image motion for active vision in a visual servoing framework, 6A433
BOUTIN, C: Thermal conductivity of autoclaved aerated concrete: Modeling by the self-consistent method (French), 6A540
BOUVARD, D: Ray tracing method for evaluating the radiative heat transfer in porous media, 1A1251
BOUYSSY, V: Polynomial approximation of Morison wave loading, 8A1029
BOUZAKIS, K-D: Prediction of the fatigue behavior of physically vapor deposited coatings in the ball-on-rod rolling contact fatigue test, using an elastic-plastic FEM simulation, 12A969
BOUZAKIS, KD: Free vibration in a class of self-excited oscillators with 1:3 internal resonance, 10A134
- Computer-aided optimum design and NC milling of planar cam mechanisms, 12A1027
BOUZID, A: Accurate method of evaluating relaxation in bolted flanged connections, 8A975
BOVA, SW: Entropy variable formulation and applications for the 2D shallow water equations, 1A254
BOVSUNOVSKY, AP: Application of the strain-phase-shift method for the determination of damping in metals, 2A96
BOWDEN, JW: Residual stresses in steel and zirconium weldments, 11A438
BOWDERS, JJ: Model for efficiency of soil flushing using PVD-enhanced system, 6A639
BOWEN, JH: Reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion, 11T1407
BOWEN, P: Tensile properties of particulate-reinforced metal matrix composites, 1A513
BOWEN, RC: Time-dependent adhesion-induced phenomena: Viscoelastic creep of a substrate polymer over rigid particles, 12A514
BOWEN, RJ: Prediction of stresses in pipes caused by ice plug formation, 8A583
BOWER, AF: Analysis of fracture and delamination in thin coatings subjected to contact loading, 3A866
BOWER, MV: Tensor polynomial failure criterion: Coefficient limits based on convexity requirements, 10A824
BOWERS, D: Probability of mistaking an earthquake for an explosion using the simplicity of P, 8A1500
BOWERS, J: Estimating return period wave heights and wind speeds using a seasonal point process, 12T1494
BOWERS, JR: Ultrasonic wave velocity measurement in small polymeric and cortical bone specimens, 12A1573
BOWERSOX, RDW: Combined laser Doppler velocimetry and cross-wire anemometry analysis for supersonic turbulent flow, 5A954
- Turbulence measurements in a Mach 2.9 boundary layer including mild pressure gradients, 6A1082
- Turbulent flow structure characterization of angled injection into a supersonic crossflow, 10A1111
BOWKER, JT: Heat-affected zone toughness of a TMCP steel designed for low-temperature applications, 11A878
BOWLES, FA: Observations on attenuation and shear-wave velocity in fine-grained marine sediments, 12A316
BOWLES, JA: Principles of Space Instrument Design, 10N23
BOWLES, JV: Bent-biconic single-stage-to-orbit vehicle conceptual study, 2A836
- Near-optimal operation of dual-fuel launch vehicles, 3T382
BOWLEY, R: Introductory Statistical Mechanics, 5R25
BOWMAN, KJ: Brittle intergranular failure in 2D microstructures: Experiments and computer simulations, 4A771
BOWMAN, MD: Fatigue crack repair of steel beams with tapered cover plate details, 6A566
BOWMAN, MJ: Numerical studies of small island wakes in the ocean, 8T1508
BOWMAN, SM: Tensile behavior of demineralized bovine cortical bone, 4A1479
BOWMAN, WF: Review of scuffing models, 1A880
BOXHO, J: Multidimensional upwind residual distribution schemes for the convection-diffusion equation, 5A1321

BOYACI, H: Direct-perturbation method versus the discretization-perturbation method: Linear systems, 8T72
- Vibrations of continuous systems having arbitrary quadratic and cubic nonlinearities, 9A75
BOYCE, MC: Accommodation of springback error in channel forming using active binder force control: Numerical simulations and experiments, 1A646
- Wrinkling behavior of rectangular plates under lateral constraint, 6A582
BOYCE, RR: Rotational and vibrational temperature measurements using CARS in a hypervelocity shock layer flow and comparisons with CFD calculations, 1T1091
BOYD, ID: Statistical error analysis for the direct simulation Monte Carlo technique, 1T1001
- Computational and experimental investigations of rarefied flows in small nozzles, 5A1013
- Conservative species weighting scheme for the direct simulation Monte Carlo method, 5A960
BOYD, JG: Thermodynamical constitutive model for shape memory materials - Part I: The monolithic shape memory alloy, 5A5
- Thermodynamical constitutive model for shape memory materials - Part II: The SMA composite material, 6A534
BOYD, KA: Compressive properties of structural clay tile prisms, 12A849
BOYD, RD: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
BOYD, SP: Obstacle collision detection using best ellipsoid fit, 9A402
BOYD, TF: Pedal and knee loads using a multi-def pedal platform in cycling, 10A1577
BOYER, DL: Phys model of diurnal heating in the vicinity of a 2D ridge, 3A1416
- Motion fields generated by the oscillatory motion of a circular cylinder in a linearly stratified fluid, 10A1090
BOYER, E: Determination of temperature profiles of self-deflagrating RDX by UV-Visible absorption spectroscopy and fine-wire thermocouples, 12A1404
BOYER, JC: Modeling of the thermo-elastoplastic behavior of a coating on a substrate (French), 4A1260
BOYLE, JT: Limit and shakedown analysis of nozzle-cylinder intersections under internal pressure and in-plane moment loading, 1A871
- Approximate limit design of frames using elastic analysis, 3A804
- Simple method of calculating lower-bound limit loads for axisymmetric thin shells, 11A522
BOYLE, RJ: Transport of vortices through a turbine cascade, 5A1097
- Grid orthogonality effects on predicted turbine midspan heat transfer and performance, 8A1309
- Heat transfer predictions for two turbine nozzle geometries at high Reynolds and Mach numbers, 10A1245
BOYUM, EA: Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature, 11A644
BOZER, YA: Intelligent dispatching rules for trip-based material handling systems, 2T346
BOZIS, G: Compatible potentials and orbits in synodic systems, 8A296
BOZKURT, B: Simulation of erosions in a single discharge EDM process, 3A653
BOZZA, F: Thermal cycle analysis and component aerodesign for gas turbine concept in low-range cogenerating systems, 5A1370
BOZZI, LA: Steady axisymmetric motion of deformable drops falling or rising through a homoviscous fluid in a tube at intermediate Reynolds number, 10A1130
BRAAK, LH: Stresses in a 3D two arch model of a normal human foot, 1T1451
BRAASCH, H: Dislocation density based constitutive model for cyclic deformation, 4A513
BRAASCH, P: Stationary solutions of the relativistic Vlasov-Maxwell system, 10A1200
BRACCI, JM: Seismic performance of confined sill plate connections, 6A1454
- Seismic performance and retrofit evaluation of reinforced concrete structures, 6A1470
BRACH, RM: Surface-contact mechanics during oblique impact of microspheres with planar surfaces, 4A1330
BRADBURY, SR: Effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, 2A907
- Analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, 2A877
BRADEAN, R: Unsteady penetration of free convection flows caused by heating and cooling flat surfaces in a porous media, 5A1195
- Transient free convection about a horizontal circular cylinder in a porous medium with constant surface flux heating, 6A1236
BRADFORD, MA: Composite Steel and Concrete Structural Members: Fundamental Behaviour, 9R12
- Use of bubble functions for the stability of plates with different end conditions, 6A617
- Elastic distortional buckling of tapered composite beams, 12A647
- Elastic distortional buckling of continuous I-beams, 12A646
- Partial interaction in composite steel and concrete beams with full shear connection, 12A593
BRADFORD, SF: Characteristic analysis of turbid underflows, 11A919
BRADLEY, C: Machine vision system for tool wear assessment, 9T945
BRADLEY, CE: Acoustic streaming field structure: The influence of the radiator, 3A298
BRADLEY, CR: Modeling of seafloor wave propagation and acoustic scattering in 3D heterogeneous media, 1A316
BRADLEY, JS: Effects of orchestra shells, 2A287
BRADLEY, WL: Direct measurement of microscopic strain distribution near a crack tip, 2A718
BRADNA, P: Anomalous electrorheological behavior of magnesium hydroxide suspensions in silicone oil, 3A946
BRADSHAW, A: Control law design for a thrust vectoring fighter aircraft using robust inverse dynamics estimation (RIDE), 6A389
BRADSHAW, P: Turbulence modeling with application to turbomachinery, 6A1157
BRADSHAW, RD: Recovering nonisothermal physical aging shift factors via continuous test data: Theory and experimental results, 12A511
BRADY, JF: Brownian electrorheological fluids as a model for flocculated dispersions, 5A892
BRADY, RP: Determination of thermal diffusivity distribution for three types of materials by transient thermography, 6A1311
- Model of global thermal conductivity in laminated carbon-carbon composites, 9A1270
BRAESS, D: A posteriori error estimators for the Raviart-Thomas element, 6A49
BRAESTER, C: Movement of an LNAPL lens on the water table, 6A1383
BRAGA, AMB: Approximate theories for vibration of laminated plates, 1A179
BRAGA, SL: Obstruction of pipelines during the flow of waxy crude oils, 7A1097
BRAGG, MB: Boundary-layer transition due to isolated 3D roughness on airfoil leading edge, 2T1073
- Airfoil boundary-layer development and transition with large leading-edge roughness, 6A1083
- Design of subscale airfoils with full-scale leading edges for ice accretion testing, 8A1229
BRAGOV, AM: Use of the Kolsky method for confined tests of soft soils, 2A557
BRAHAM JR, RR: Calculating the buoyancy of cores in a convective boundary layer, 3A1423
BRAID, JEM: Heat-affected zone toughness of a TMCP steel designed for low-temperature applications, 11A878
BRAIDOTTI, P: Scanning electron microscopy of human cortical bone failure surfaces, 7A1533
BRAIKOVSKAYA, NS: Determinative equations of elastoplastic repeated deformation of a solid body taking into account the deformation anisotropy of material (Russian), 9A455
BRAILOVSKI, V: Thermomechanical analysis of shape memory devices, 9T850
BRAKKE, KA: Computer simulation of solder bridging phenomena, 4A943
BRANCA, FP: Scanning electron microscopy of human cortical bone failure surfaces, 7A1533
BRANCATI, R: Nonlinear stability analysis of a rigid rotor on tilting pad journal bearings, 1A918
BRANCHER, JP: Fluid-solid interaction in a rectangular container, 6A298
- Thermal instability in a circular cylinder with internal heat generation (French), 7A1257
BRANCO, CM: Short fatigue crack growth behavior in Al 5083 alloy, 10A776
BRAND, D: Variability of femoral muscle attachments, 3A1501
BRAND, W: Analysis of controled beam deflections using SMA wires, 9A841
BRANDAO, JGT: Hydraulic dynamic efforts on pump-turbine (Spanish), 1A1115
BRANDES, HG: Finite element modeling of a deep sea clay in long-term laboratory creep tests, 7A570
BRANDON, J: Critique of location criteria in modal methods for structural damage identification, 12T134
BRANDT, AM: Application of FRC in construction of the underground railway track, 4A568
BRANDT, J: Recycling carbon-fiber-reinforced thermoplastic composites, 1A516
- Handling the chemical part in large air pollution models, 4A1473
BRANDT, KD: In vivo observations of hydraulic stiffening in the canine femoral head, 9A1569
BRANK, B: Large deformations of thin elasto-plastic shells: Implementation of a finite rotation model for quadrilateral shell element, 7A533
BRANKOVIC, A: Turbulent two-phase flow through a sudden pipe expansion: LDA experiments and CFD predictions, 1T1018
BRANSBY, MF: Difference between load-transfer relationships for laterally loaded pile groups: Active p-y or passive p-δ, 6A658
- Three dimensional FE modeling of pile groups adjacent to surcharge loads, 7A580
BRANSIER, J: Mechanical and geometrical approach to thermal contact resistance, 5A1235
BRANSTAD, EA: Parametric contract modeler for DFM analysis, 2T374
BRAOUZI, P: Efficiency of refinement procedures for the p-version of the adaptive FEM, 9A31
BRAR, NS: Hypervelocity model for the forces produced in a thick target by the penetration of projectile, 2A213
BRAR, PS: Numerical calculation of flutter derivatives via indicial functions, 1T290
BRASLAVSKY, J: Key sampling formula relating the Laplace and F transforms, 7A311
BRASS, A: Mechanical properties of simulated collagen fibrils, 10A1535
BRASSARD, M: Experimental study of underexpanded square jet noise, 5T1023
BRASSEUR, JG: Spectra in the unstable surface layer, 3A1150
BRATCHER, GJ: New approach for determining in-situ rock strength while drilling, 6A1493
BRATVEDT, F: Streamline computations for porous media flow including gravity, 4A1335
BRAUN, A: Investigations on the sedimentological structure of Vistula river islands using the VLF-R method, 4A1427
BRAUN, M: Multicomponent diffusion interactions during condensation in laminar and turbulent pipe flow, 3A1289
BRAUN, MJ: Transient pressure analysis in piping networks due to valve closing and outlet pressure pulsation, 2A1008
- Interstage disk-cavity brush seal numerical flow visualization study, 8A1061
BRAUN, RD: Mars Pathfinder atmospheric entry: Trajectory design and dispersion analysis, 4A863
BRAUN, SG: Surcvillance methods, 8T114
- Left eigenvectors: Extraction from measurements and physical interpretation, 10A249
BRAUNS, FJ: Novel approach for calculating equilibrium radiating flows, 7A1054
BRAUNSFURTH, MG: Experimental study of oscillatory convection in liquid gallium, 6A1241
BRAVO, HR: Turbulence model for depth-averaged flows in navigation installations, 6T1008
BRAY, DE: Residual stress mapping in a steam turbine disk using the L_{cr} ultrasonic technique, 1A823
- Beam profiles in wood from critically refracted longitudinal wave probes, 11A747
BRAY, JD: Geomembrane response in the wide strip tension test, 5A718
- Time-dependent mechanical response of HDPE geomembranes, 8A584
BRAY, KNC: Extinction of premixed flames in turbulent counterflowing streams with unequal enthalpies, 3A1301
- Gradient and counter-gradient scalar transport in turbulent premixed flames, 8A1409
- Coherent flame model of premixed turbulent combustion in a counterflow geometry, 9A1360
BRAY, RC: Adaptation of bone to physiological stimuli, 10A1510
BRAZIER, J-P: Asymptotic defect boundary layer theory applied to thermochemical non-equilibrium hypersonic flows, 11A976
BREBBIA, CA: Simulations in Biomedicine IV, 11N40
- Mobile and Rapidly Assembled Structures II, 4N17
- Simulation Modelling in Bioengineering, 5N31
- Boundary Elements XVIII, 3N2
- Computational Methods and Experimental Measurements VIII, 11N5
- Boundary Element Technology XII, 11N3
- Evaluation of the stresses in the BEM for Reissner plate-bending problems, 10A637
BRECHET, Y: Dislocation density based constitutive model for cyclic deformation, 4A513
- Model of frictional sliding, 5A823
- Mechanical properties of simulated collagen fibrils, 10A1535
- Two-step Monte Carlo method for wetting on heterogeneous surfaces, 11A1072
BREEN, JE: Field measurements of prestress losses in external tendons, 3A777
- Post-tensioned anchorage zones with single straight concentric anchorages, 10A938
BREGEON, B: Propagation of a reaction front through a porous fuel in the presence of an opposed forced flow: Application to mixtures characteristic of municipal waste, 2A1310
BREGER, DS: Thermal energy storage in the ground: Comparative analysis of heat transfer modeling using U-tubes and boreholes, 3A1268
BREHM, PJ: Strength prediction of ceramic components under complex stress states, 5A461
BREI, D: Proceedings of the ASME Aerospace Division, 4N19
BREIKIN, TV: Checking information-measuring channels in digital two-channeled automatic control systems of aircraft engines, 1A378
BREITER, S: Numerical transformation of variables in perturbation theory, 11A239
BREITFELD, T: Method for identification of a set of optimal measurement points for experimental modal analysis, 2A105
BREKELMANS, WAM: Gradient enhanced damage for quasi-brittle materials, 3A722
- Computing strain fields from discrete displacement fields in 2D-solids, 4A481
- Observations on localization in non-local and gradient damage models, 6A757
- Experimental monitoring of strain localization and failure behavior of composite materials, 7A736
BREM, JC: Blank shape design for a planar anisotropic sheet based on ideal forming design theory and FEM analysis, 3A618
BREMNER , TW: Moisture transport in initially fully saturated concrete during drying, 1A1401
BREMNER, TW: Drying of saturated lightweight concrete: An experimental investigation, 4A540
BRENCICH, A: Interaction of a main crack with ordered distributions of microcracks: A numerical technique by displacement discontinuity BEs, 1A785
BRENDEL, M: Tip clearance flow-shock interaction in a transonic compressor rotor, 7A1189
BRENDMO, A: Linear modeling of oscillating water columns including viscous loss, 5A1451
BRENN, G: Evaluation of the effect of droplet collisions on spray mixing, 5A979
BRENNAN, MJ: Non-intrusive fluid-wave actuator and sensor pair for the active control of fluid-borne vibrations in a pipe, 1A286
BRENNEN, CE: Vertical vibration of a deep bed of granular material in a container, 3A1342
- Dynamic response of ducted bubbly flows to turbomachinery-induced perturbations, 4A1028
- Inviscid stability of parallel bubbly flows, 11A1086
BRENNER, H: Effect of laminar chaos on reaction and dispersion in eccentric annular flow, 5A82
- Use of boundary conditions of the third kind to model heat conduction between two proximate rough surfaces separated by an insulator, 6A1270
BRENNER, KP: Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407
BRENNER, M: Robust flutter margins of an F-A-18 aircraft from aeroelastic flight data, 10T473
BRENNER, MP: Note on the capillary thread instability for fluids of equal viscosities, 2A1033
BRENTNER, KS: Numerical algorithms for acoustic integrals with examples for rotor noise prediction, 9A291
- Efficient and robust method for computing quadrupole noise, 10A390
- Efficient and robust method for predicting helicopter high-speed impulsive noise, 12A299
BRESINSKI, R: Dust spreading in the turbulent atmosphere, 4A1472
BRESLAUER, E: Plastic work in the peeling of work hardening foils, 8A985
BRESSA, SP: BEM formulation for evaluating conductive heat transfer rates in particulate systems, 12A1298
BRESSLOFF, NW: Differential total absorptivity solution to the radiative transfer equation for mixtures of combustion gases and soot, 7A1415
BRESSOLETTE, P: Spectral response of a stochastic oscillator under impacts, 9A114
BRETAGNON, P: Astronomical units and constants in the general relativity framework, 7A235
BRETHERTON, S: Forward-in-time advection scheme and adaptive multilevel flow solver for nearly incompressible atmospheric flow, 7T1502
BRETON, FA: Error limitations in the determination of mechanical properties of thin films, 7A457
BRETOS, J: Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars, 12A162
BREUER, KS: Microelectromechanical Systems, 3N10
- Numerical modeling of micromechanical devices using the direct simulation Monte Carlo method, 4A427
- Coupled fluid-structural characteristics of actuators for flow control, 10A502
- Late stages of transition induced by a low-amplitude wavepacket in a laminar boundary layer, 11A1023
BREUER, M: Status of large eddy simulation: Results of a workshop, 11A1115
BREUGELMANS, FAE: Rotor blade-to-blade measurements using particle image velocimetry, 10A1256
BREVART, BJ: High frequency response of a fluid-filled cylindrical shell with an internal column of gas bubbles: Application to active acoustic gas leak detection, 1A277
BREVDO, L: Stability of Lamb modes, 3A1364
BREVIK, I: Fluxes of mass, momentum, and energy in currents of uniform vorticity, 8A258
BREWE, DE: Effect of lubricant supply starvation on the thermohydrodynamic performance of a journal bearing, 1T1121
- Performance of a powder lubricated journal bearing with WS$_2$ powder: Experimental study, 1A1139
BREWIS , DM: Further studies into the effectiveness of CO_2-laser treatment of metals for adhesive bonding, 11A887
BREWIS, DM: Review of surface pretreatments for aluminium alloys, 6A981
- Locus of failure of T-peel joints formed between aluminium and various adhesives, 8A565
BREWSTER, MQ: Optical properties of energetic materials from infrared spectroscopy, 7A1318

BREYSSE, D: Heterogeneous solids - Part I: Analytical and numerical 1D results on boundary effects, 11A376
- Heterogeneous solids - Part II: Numerical 2D results on boundary and other relevant phenomena, 11A377
- Modeling of steel fiber reinforced concrete response in tension (French), 12A904
BREZINA, M: Balancing domain decomposition for problems with large jumps in coefficients, 5A35
BREZINSKY, K: Analysis of fuel decay routes in the high-temperature oxidation of 1-methylnaphthalene, 6A1345
- Pyrolysis studies of methylcyclohexane and oxidation studies of methylcyclohexane and methylcyclohexane-toluene blends, 7A1413
BREZLER III, RA: Tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 7A893
BREZZI, F: Locking-free FEMs for shells, 7A535
BRIASSOULIS, D: Four-node C^0 shell element reformulated, 1A585
BRIASSULIS, G: Shock tube research facility for high-resolution measurements of compressible turbulence, 6A1144
BRIATORE, L: Physical simulations in rotating tank of lee cyclogenesis, 9A1016
BRIAUD, J-L: Field investigation of potential contamination by bitumen-coated piles, 3A596
BRICENO, DG: Stress corrosion cracking susceptibility of steam generator tube materials in AVT (all volatile treatment) chemistry contaminated with lead, 4A716
BRICOUT, JP: Friction, temperature, and wear analysis for ceramic coated brake disks, 1T876
BRIDGE, B: Design of multi-task, compact, climbing Robotic NDT systems for remote operation on large surfaces and in hazardous environments, 8A440
BRIDGE, RQ: Local buckling of thin-walled circular steel sections with or without internal restraint, 12A649
BRIDGES, TJ: Reappraisal of the Kelvin-Helmholtz problem - Part 2: Interaction of the Kelvin-Helmholtz, superharmonic, and Benjamin-Feir instabilities, 8A1177
- Reappraisal of the Kelvin-Helmholtz problem - Part 1: Hamiltonian structure, 8A1176
BRIDLE, RJ: Polymer geogrids for bridging mining voids, 10A716
BRIERS, R: Conversion of a Stoneley wave at the extremity of a fluid loaded plate, 8A273
- Generation of a Stoneley wave at the end of a fluid loaded plate by an incident bounded beam, 8A275
- Influence of an inclusion on the phase of a Stoneley wave, 8A276
BRIGGS, N: Stress relaxation properties of alloy HP50Nb and their application to life assessment of reformer furnace tubing, 7A428
BRIGGS, WL: Table of analytical discrete Fourier transforms, 6A89
BRIGHENTI, R: Fatigue propagation of surface flaws in round bars: A three parameter theoretical model, 6A715
BRIGHT , TA: Solutions to Euler equations using Lie group analysis, 8A1094
BRIGHT, MM: Stall precursor identification in high-speed compressor stages using chaotic time series analysis methods, 12A1182
BRIGHTON, CT: Intracellular Ca^{2+} stores and extracellular Ca^{2+} are required in the real-time Ca^{2+} response of bone cells experiencing fluid flow, 4A1489
- What is the role of the convective current density in the real-time calcium response of cultured bone cells to fluid flow?, 4A1490
BRILL, JP: Experimental and analytical study of single-phase liquid flow in a horizontal well, 9A1086
BRILL, TB: Condensed-phase kinetics of cyclotrimethylenetrinitramine by modeling the T-jump-infrared spectroscopy experiments, 3A1322
- Flash pyrolysis of polyethyleneglycol - Part I: Chemometric resolution of FTIR spectra of the volatile products at 370 - 550°C, 9A1385
- Flash pyrolysis of polyethyleneglycol - II: Kinetics determined by T-jump-FTIR spectroscopy, 9A1386
- Kinetics and mechanisms of flash pyrolysis of poly(methyl methacrylate) (PMMA), 10A1411
- Kinetics and products from flash pyrolysis of cellulose acetate butyrate at 460°C - 600°C, 10A1412
BRILLA, I: Numerical solution of circular elastic plates using the method of local variations, 12T620
BRILLARD, A: Model of damaged adhesives, 7A701
- Modeling of the mechanical behavior of joints bonded by a nonlinear incompressible elastic adhesive, 8A984
BRINDLEY, J: Evolution of a fast flame behind an induction zone, 4A1292
- Oscillatory behavior in a three-component plankton population model, 7A1545
- Approximation of attractors using Chebyshev polynomials, 7A91
- Effect of diffusion on the autoignition of combustible fluids in insulation materials, 8A1404
BRINK, DD: Role of scarf angle in the performance of aluminum matrix composite joints, 12A570
BRINK, U: Symmetric coupling of BEs and Raviart-Thomas-type mixed FEs in elastostatics, 6A81
- Mixed FEMs for incompressible and nearly incompressible finite elasticity, 6A492
BRINKER, JS: Stability and flying qualities robustness of a dynamic inversion aircraft control law, 5A326
BRINKHUIS, J: Introduction to duality in optimization theory, 6A373
BRINKMAN, CR: Technique to achieve uniform stress distribution in compressive creep testing of advanced ceramics at high temperatures, 12A597
BRINKWORTH, BJ: Sizing and techno-economical optimization for hybrid solar photovoltaic-wind power systems with battery storage, 11A1541
BRINSON, LC: Analysis of controled beam deflections using SMA wires, 9A841
- Temperature-induced phase transformation in a shape memory alloy: Phase diagram based kinetics approach, 11A8
- Recovering nonisothermal physical aging shift factors via continuous test data: Theory and experimental results, 12A511
BRIOTTET, L: Damage in a viscoplastic material - Part I: Cavity growth, 1A747
BRIOTTI, G: Impact testing on composites laminates and sandwich panels, 5A174
- Ultrasonic detection of delaminations on composite materials, 12A868
BRISCOE, BJ: Scratching maps for polymers, 7A923
- Finite element analysis of the squeeze flow of an elasto-viscoplastic paste material, 12A36
- Analysis of the plane-strain compression of viscoplastic materials, 12A535
BRISCOLINI, M: Three-dimensionally perturbed vortex tubes in a rotating flow, 12A1068
BRISSAUD, D: Assisting designers in the forecasting of surfaces used for easier fixturing in a machining process, 11A592
BRITAN, A: Experimental investigation of the interaction between weak shock waves and granular layers, 9A213
- Mechanism of compressive stress formation during weak shock waves impact with granular materials, 10A1439
BRITCHFORD , KM: Performance assessment of an annular s-shaped duct, 8A1071
BRITUN, VF: Structure of surface layers produced in TiC and TiN at friction in vacuum, 2T923
BRIZZI, L-E: Flow field near a plane surface impinged by multiple jets: Application to wall cooling (French), 2T1032
BROBERG, KB: Cell model of materials, 12A837
BROCHARD, D: Fluid-Structure Interaction - 1996, 2N11
- Homogenization of a nonlinear array of confined beams, 4A1458
BROCHARD-WYART, F: Adhesion between rubbers and grafted solids, 1A940
BROCK, LM: Effects of thermoelasticity and a von Mises condition in rapid steady-state quasi-brittle fracture, 4A735
- Transient 3D Rayleigh and Stoneley signal effects in thermoelastic solids, 9A1320
BROCKEN, H: Moisture transport in porous building materials, 5A1395
BROCKETT, R: Dynamics of kinematic chains, 2A345
BROCKETT, TS: Thermoelastodynamic analysis of fixed geometry thrust bearings including runner deformation, 1A1133
BROCKHINKE, A: Laser-based multiparameter measurements in a jet engine burner, 9A1387
BRODETSKY, MD: Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 1: Experimental technique, distributed aerodynamic characteristics, 6T1191
- Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, 8T1213
BRODSKY, M: Asymptotical inversion of the eigenfrequencies for a 3D problem with spherical symmetry, 10A1454
BRODWIN, ME: Model for thermocouple sensitivity during microwave heating, 7A1301
BROGAN, DC: Group behaviors for systems with significant dynamics, 10A529
BROGAN, FA: Solution of mode jumping phenomena in thin-walled shell structures, 3A561
BROGAN, MT: Modeling of pre-heating of flat panels prior to press forming, 7A634
BROGLIA, R: Multigrid acceleration of second-order ENO schemes from low subsonic to high supersonic flows, 3A1060
BROJEWSKI, R: Bifurcation of zonal flow in the atmosphere due to orographic factors dependence of the results of computation on the accuracy of modeling, 4A1444
BROKATE, M: Rainflow counting and energy dissipation for hysteresis models in elastoplasticity, 3A664
- The Mroz model, 5A408
BROKER, I: Intercomparison of coastal area morphodynamic models, 12T1060
- Phase-resolving cross shore sediment transport model for beach profile evolution, 12T1061
BROMAN, A: Parabolic disk concentrators approximated by simple surfaces, 8A1519
BROMAN, H: Mathematical model of the impact response of the seated subject, 1A1453
BROMAN, L: Parabolic disk concentrators approximated by simple surfaces, 8A1519
BROMLY, JH: Kinetic and thermodynamic sensitivity analysis of the NO-sensitized oxidation of methane, 6A1337
BROMMUNDT, E: Simple mechanism for the polygonalization of railway wheels by wear, 12A957
BRONDUM-NIELSEN, T: Serviceability analysis of concrete sections under biaxial bending, 6A893
BRONFENBRENER, L: Kinetic model for crystallization in porous media, 5A1402
BRONIEWICZ, M: Application of the new method of stiffness distribution to computation of effective length of columns in multistory frames (Polish), 2A516
BRONS, M: Coriolis effects in the dynamics of a rotating elastic structure, 1A158
BRONSON, A: Effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, 3A851
BROOK, JR: Dry deposition of nonspherical particles on natural and surrogate surfaces, 12A1421
BROOK, R: Effect of cathodic protection potential on corrosion fatigue crack growth rate of an offshore structural steel, 5A616
BROOKE, GH: Rational square-root approximations for parabolic equation algorithms, 8T351
BROOKER, AMH: Evaluation of the shadowgraph method for the convective flow in a side-heated cavity, 4A1067
BROOKER, PI: Inaccuracies associated with estimating random measurement errors, 11A570
BROOKFIELD, DJ: Identification of Coulomb and viscous friction in robot drives: An experimental comparison of methods, 8A443
BROOKFIELD, JM: Preliminary assessment of wake management strategies for reduction of turbomachinery fan noise, 3A1196
BROOKS, S: Exact solutions for laminated piezoelectric plates in cylindrical bending, 7A524
BROOKS, SB: Flow past an array of cells that are adherent to the bottom plate of a flow channel, 6A1110
BROOM, ND: Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation, 1A1446
- Biomechanics of load-bearing of the intervertebral disc: An experimental and FE model, 11A1559
BROOME, DR: Knee simulating machine for performance evaluation of total knee replacements, 6A1547
BROSCHAT, SL: Application of the perfectly matched layer (PML) absorbing boundary condition to elastic wave propagation, 5A163
- Investigation of the small slope approximation for scattering from rough surfaces - Part II: Numerical studies, 10A358
BROSSOLLET, LJ: New approach to mechanical testing and modeling of biological tissues, with application to blood vessels, 5A1511
- Effects of cryopreservation on the biaxial mechanical properties of canine saphenous veins, 9A1579
BROSTER, G: Influence of water immersion on skin-core debonding in GFRP-balsa sandwich structures, 5A464
BROSTREM, VA: Wear strength of nitrogen-hardened high-speed steel tools, 2A896
BROSZEIT, J: Finite-element simulation of circulating steady flow for fluids of the memory-integral type: Flow in a single-crew extruder, 11A32
BROTZEN, FR: Metal vapor condensation in a converging nozzle, 3A1082
BROWN, A: Linear growth of Gortler vortices, 11A1081
- Streamwise development of Gortler vortices in a favorable pressure gradient, 11A1029
BROWN, AR: Evaluation of parametrization schemes for the convective boundary layer using large-eddy simulation results, 7A1497
- Non-local mixing of momentum in the convective boundary layer, 12A1503
BROWN, CD: Spacecraft Propulsion, 12N42
BROWN, CJ: Pressures in a square planform silo during discharge, 1A625
BROWN, DA: Muscle activity patterns altered during pedaling at different body orientations, 3A1500
BROWN, DE: Estimation of material and patch parameters in a PDE-based circular plate model, 8A366
BROWN, DL: Full-scale wind-tunnel pressure measurements of an F/A-18 tail during buffet, 6A1201
BROWN, DR: Coadunation of technologies: Cogeneration and thermal energy storage, 11T1365
BROWN, DT: Development of an ultrasonic system for submarine hull acoustic cladding inspection, 12A867
BROWN, J: Near field transient axisymmetric waves in layered structures: Effects of weak coupling, 10A266
BROWN, KM: Fabric and hydraulic conductivity of sheared clays, 6T641
BROWN, L: Turning waves and crustal reflection profiling, 7A1463
BROWN, LC: Structural model updating using experimental static measurements, 11A21
BROWN, MA: Combustion of ethane with small concentrations of methyl chloride in a refractory tube burner, 6A1335
BROWN, MG: Measurement of modal group time delays in the deep ocean, 4A286
BROWN, MW: Life prediction techniques for variable amplitude multiaxial fatigue - Part 2: Comparison with experimental results, 1A708
- Life prediction techniques for variable amplitude multiaxial fatigue - Part 1: Theories, 1A707
- Aspects of fatigue thresholds under mode III and mixed mode III and I loadings, 2A625
- Formation and propagation of mode I branch cracks in mixed mode fatigue failure, 7A649
- Constitutive model for elastic-plastic deformation under cyclic multiaxial straining, 12A530
BROWN, PG: Flow area of multiple poppet valves, 5A1004
BROWN, PR: Prediction of plane-strain creep-crack growth using continuum damage mechanics, 5A622
BROWN, R: Clarifying chaos: Examples and counterexamples, 1A117
- Realistic animation of human figures using artificial neural networks, 5A1482
- Simulation of structural response to sonic booms using structural acoustic techniques, 8A330
- Parameter uncertainties in models of equivariant dynamical systems, 9A101
- Instrument for measuring the liquid water content for aerosols, 12A1114
BROWN, RC: Control of a fluidized bed combustor using fuzzy logic, 11A1393
BROWN, RL: Velocity dispersion: A tool for characterizing reservoir rocks, 9A650
BROWN, SA: Approximation of system reliabilities using a shooting Monte Carlo approach, 12A897
BROWN, SC: Intelligent control for an acrobot, 10A464
BROWN, SD: Release of NO from the combustion of coal chars, 5A1341
BROWN, SF: Soil mechanics in pavement engineering, 4A652
BROWN, SN: Vortex-wave interactions - Part 2: Originating from axisymmetric flow with swirl, 5A993
- Boundary layer similarity flow driven by power-law shear, 8A1122
BROWN, T: Response of SiC/Si_3N_4 composites under static and cyclic loading: An experimental and statistical analysis, 10A775
BROWNING, GL: Analysis of periodic updating for systems with multiple timescales, 3T1433
BROWNJOHN, JMW: Vibration characteristics of a suspension footbridge, 10A231
BROZEK, M: Granulometric characteristics of the product of crushing by compression of single particles (Poland), 4A1325
- Immediate tensile strength of irregular mineral particles, 9A653
BROZOSKI, FT: Design and testing of a subsonic all-moving adaptive flight control surface, 12T1171
BRUASET, AM: Modern Software Tools for Scientific Computing, 11N7
- Stability of pressure and velocity computations for heterogeneous reservoirs, 1A1403
BRUCE III, WE: High-pressure arc heater development and modeling: Status and requirements, 5A1384
BRUCE, NC: Diffuse reflection of light from a dense random medium using fibers dipped into the medium, 2A196
BRUCH JR, JC: Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, 10A431
- Control parameter optimization of a pre-stressed shallow cylindrical panel, 12A366
BRUCK, HA: Effects of motion on dynamic Moire interferometry, 9A798
BRUCKER, C: Three-dimensional PIV spatial correlation in a color-coded light-sheet, 3A1211
- Dual-camera DPIV for flow studies past artificial heart values, 10A1544
BRUCKNER, AP: Hollow projectile operation in the ram accelerator, 5A221
BRUCKNER, R: Effect of preparation parameters on the properties of unidirectional SiC-fiber-reinforced MAS and BMAS glass-ceramics, 12A805
BRUCKNER, RJ: Thin-film thermocouples for localized heat transfer measurements, 5A1208
BRUECKNER-FOIT, A: Stress singularities at a joint formed by dissimilar elastic-plastic materials under mechanical loading, 3A713
BRUEL, P: Pseudo-compressibility method for reactive flows at zero Mach number, 7A1425
BRUGGEMANN, D: Multigrid convergence acceleration for turbulent supersonic flows, 10A1110

BRUHNS, OT: Continuum model of elastic-plastic materials with anisotropic damage by oriented microvoids, 1A6
BRUINING, J: Modeling of velocity enhancement in polymer flooding, 9A1440
BRUJAN, EA: Dynamics of laser-induced cavitation bubbles in polymer solutions, 2A945
BRUM, NCL: Integral transform solution of heat transfer in two-phase gas-liquid annular flow, 7A1297
BRUMBERG, VA: Astronomical units and constants in the general relativity framework, 7A235
BRUMMER, G: Experiences with austenitic steels in boiling water reactors, 12A1509
BRUN, K: Laser velocimeter measurements in the pump of an automotive torque converter - Part II: Unsteady measurements, 1A1117
- Laser velocimeter measurements in the pump of an automotive torque converter - Part I: Average measurements, 1A1116
- Laser velocimeter measurements in the turbine of an automotive torque converter - Part I: Average measurements, 12A1193
- Laser velocimeter measurements in the turbine of an automotive torque converter - Part II: Unsteady measurements, 12A1194
BRUNDRETT, E: Permissible 3D testing in a 2D adaptive wall wind tunnel, 9T1053
- Testing 3D bluff-body models in a low-speed 2D adaptive wall test section, 11A956
BRUNE, JN: Comparison of direct S-wave and coda-wave site amplification determined from aftershocks of the Little Skull Mountain earthquake, 2A1395
- Rocking and overturning of precariously balanced rocks by earthquakes, 4A1420
- Shear-wave velocity structure in the northern basin and range province from the combined analysis of receiver functions and surface waves, 12A1457
BRUNEAU, CH: Accurate finite difference scheme for solving convection-dominated diffusion equations, 7A46
BRUNEAU, M: Quantitative approach to rapid seismic evaluation of slab-on-girder steel highway bridges, 3A183
- Acoustic fields in trapezoidal cavities, 10A332
BRUNEAUX, G: Flame-wall interaction simulation in a turbulent channel flow, 3A1302
BRUNEEL, C: Application of the FEM for modeling backed transducers, 5A261
- Radiation from finite phased and focused linear array including interaction, 9A252
BRUNET, G: Low-latitude reflection of Rossby wave trains, 3T239
- Empirical normal modes versus empirical orthogonal functions for statistical prediction, 6T1481
BRUNET, M: Determination of the forming limiting curves using 3G plasticity rules (French), 7A429
BRUNET, Y: Coherent eddies and turbulence in vegetation canopies: The mixing-layer analogy, 2A1499
BRUNIG, M: Macroscopic theory and nonlinear FE analysis of micromechanics of single crystals at finite strains, 5A429
BRUNINI, A: Constraints to Uranus' Great Collision - II, 9A238
BRUNN, P: Slip of complex fluids in viscometry, 1A947
BRUNO, C: Autoignition of methane mixtures: The effect of hydrogen peroxide, 1A1308
- Comparison of catalytic wall conditions for hypersonic flow, 4A1006
- Vibrationally relaxing flow of N, past an infinite cylinder, 7A1056
BRUNO, MC: New interpolation functions in eigenfrequency analysis of Timoshenko beams on two-parameter elastic soil, 4T166
BRUNON, E: Ideal free streamline flow over a curved obstacle, 1A982
BRUNOTTE, M: Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, 3A1259
BRUNSKILL, CT: Inspiratory and expiratory steady flow analysis in a model symmetrically bifurcating airway, 9A1588
BRUNTHALER, G: Strain relaxation induced red shift of photoluminescence of CdZnSe/ZnSe quantum wires, 9A1322
BRUNTON, IL: Semi-analytic BEM for parabolic problems, 12A70
BRUSCHI, R: Volume V: Pipeline Technology, 11N30
BRUSE, M: Experiments on drag-reducing surfaces and their optimization with an adjustable geometry, 11A1031
BRUSHER, GA: Coupling between the modeling and controller-design problems - Part II: Design, 12A374
BRUSNIAK, L: Engineering estimation of fluctuating loads in shock wave-turbulent boundary-layer interactions, 6A1078
BRUST, FW: Elastic-plastic FE alternating method and the prediction of fracture under WFD conditions in aircraft structures - Part II: Fracture and the T*-integral parameter, 11T727
- Elastic-plastic FE alternating method (EPFEAM) and the prediction of fracture under WFD conditions in aircraft structures - Part I: EPFEAM theory, 11A726
BRUTSAERT, W: Similarity of scalars under stable conditions, 6A1150
BRUTTOMESSO, DA: Experimental and numerical investigation of the interaction of Rayleigh surface waves with corners, 11A751
BRUTYAN, MA: Unidirectional flows of a nonlinearly viscous fluid in tubes, 1A1039
BRUYNINCKX, H: Invariant hybrid force-position control of a velocity controlled robot with compliant end effector using modal decoupling, 12A440
BRYAN, FO: Axial angular momentum balance of a global ocean general circulation model, 7T1493
BRYAN, JS: Development of an interactive electronic technical manual, 1A1356
BRYANSTON-CROSS, PJ: Accurate dimensional measurements within small internal structures, 8A844
BRYANT, GF: Efficient treatment of binary nonlinearities applied to elastic contact problems without friction, 9A441
BRYANT, JT: New in vitro measurement technique for small 3D joint motion and its application to the sacroiliac joint, 2A1468
- Dynamic contact stress and rolling resistance model for total knee arthroplasties, 12A1577
BRYANT, MD: Reductions in wear rate of carbon samples sliding against wavy copper surfaces, 11T833
BRYANT, MR: Constitutive laws for biomechanical modeling of refractive surgery, 5A7
BRYANT, WA: Seismic ground-motion hazard mapping incorporating site effects for Los Angeles, Orange, and Ventura Counties, California: A geographical information system application, 12T1445
BRYCH, T: Investigation by the FEM of stress-strain state of the Transcarpathian crust, 4A1375
BRYDEN, MD: Effect of laminar chaos on reaction and dispersion in eccentric annular flow, 5A82
BRZESKI, L: New concept of externally heated engine: Comparisons with the Stirling engine, 5A1392
BRZHOVSKII, BM: Investigating the influence of wear of shaping contour of skinned punch on part springing, 1T648
BRZHOZOVKII, BM: Monitoring of the forming of configuration parts on bending robots using a technical-vision device, 4T459
BRZOSTOWSKI, MA: Efficient one-pass 3D time migration, 6A1408
BRZOZKA, K: Surface effects in Fe-based nanocrystalline alloys, 9A385
BRZOZOWSKI, M: Influence of friction and geometry on plastic spread, 12T719
BSCHORER, S: Slip of complex fluids in viscometry, 1A947
BU, S: Infinite BEs for the analysis of half-space problems, 1A83
BU, SUHOL: Fundamental solutions for dynamic BE analyses of incompressible problems, 5A165
BUCALEM, ML: Finite element analysis of shell structures, 9A21
BUCARO, JA: Effect of internal oscillators on the acoustic response of a submerged shell, 8A274
BUCCHIGNANI, E: True transient vorticity-velocity method using preconditioned Bi-CGSTAB, 5A1205
BUCH, A: Prediction of the comparative fatigue performance for realistic loading distributions, 11A649
BUCH, R: Radiative emission fraction of pool fires burning silicone fluids, 6A1338
BUCHANAN, JL: Transmission loss in the far field over a one-layer seabed assuming the Biot sediment model, 10A1449
BUCHANAN, TS: Model of load sharing between muscles and soft tissues at the human knee during static tasks, 2A1446
- Maximum isometric moments generated by the wrist muscles in flexion-extension and radial-ulnar deviation, 3A1498
- Evaluation of optimization techniques for the prediction of muscle activation patterns during isometric tasks, 5A1476
BUCHEL, P: Influencer of boundaries on pattern selection in through-flow, 4A1198
BUCHER, I: Left eigenvectors: Extraction from measurements and physical interpretation, 10A249
BUCHHOLDT, HA: Structural Dynamics for Engineers, 11R9
BUCHIN, VA: Mathematical modeling of the development of mechanical instability in fracturing systems, 11A889
BUCHLIN, J-M: Numerical investigation of vapor-liquid flow and heat transfer in capillary porous media, 8A1459
BUCHNER, HHF: Inertial properties of Dutch Warmblood horses, 10A1534
BUCHSBAUM, SB: Interaction of capillary waves with longer waves - Part I: General theory and specific applications to waves in one dimension, 3A231
BUCK, O: Workshop on nondestructive and nondisruptive property measurements: Identification of technology gaps, 10A887
BUCKBERRY, CH: Whole-field optical diagnostics for structural analysis in the automotive industry, 1A810
BUCKINGHAM, FP: Cooling of high-temperature cylindrical surfaces using a water-air spray, 11A1345
BUCKIUS, RO: Effects of cofiring natural gas and coal on sulfur retention in ash, 1A1318
- Comparison of accuracy and performance for lattice Boltzmann and finite difference simulations of steady viscous flow, 1A1424
- Regions of validity of the geometric optics approximation for angular scattering from very rough surfaces, 3A1258
- Effects of surface voids on burning rate measurements of pulverized coal at diffusion-limited conditions, 6A1342
- Comparison of theory and experiments for reflection from microcontoured surfaces, 10A1346
- Fourier transform infrared system measurement of the bidirectional reflectivity of diffuse and grooved surfaces, 11A1325
BUCKLEY, J: Apparatus and method for measuring angular positions of parachute canopies, 6T934
BUCKLEY, MA: Dynamics of the upper limb during performance of the tasks of everyday living: A review of the current knowledge base, 8A1560
BUCKLEY, TR: Slip-line field model of abrasive wear, 2A889
BUCKMASTER, J: Fast-time stability of a simple deflagration, 2A1312
- Edge-flames and their stability, 4A1295
- Self-heating effects in thermoset composites, 7A1302
BUCZKOWSKI, R: Elasto-plastic interface model for 3D-frictional orthotropic contact problems, 7A853
BUDAEV, BV: Rayleigh wave scattering by a wedge II, 6A245
BUDAIR, MO: Reliability-based maintenance strategies for heat exchangers subject to fouling, 6A1286
- Statistical aspects of CaCO, fouling in AISI 316 stainless-steel tubes, 12A1322
- Maintenance strategy for heat transfer equipment subject to fouling: A probabilistic approach, 12A1320
BUDARAJU, S: Mixed convection heat and moisture transfer from a horizontal furry cylinder in a transverse wind, 9A1225
BUDHIRAJA, A: Exponential stability of discrete-time filters for bounded observation noise, 11T281
BUDHU, M: Surface thermodynamics and some engineering properties of an organo-clay, 11A549
BUDIMAN, AG: Breakdown of evaporating falling films as a function of surface tension gradient, 6A1262
BUDIMAN, HT: Effect of longitudinal and hoop stiffeners on damage propagation in pressurized composite cylinders, 6A779
- Nondimensional parameters for geometric nonlinear effects in pressurized cylinders with axial cracks, 12A923
BUDKOWSKA, BB: Partially embedded piles subjected to critical buckling load: Sensitivity analysis, 1A591
- Initial post-buckling behavior of piles partially embedded in soil, 7A578
BUDWIG, R: Laminar pulsatile flow through an axisymmetric sudden expansion, 9T1009
BUDWIG, RS: Influence of shape on the stresses in model abdominal aortic aneurysms, 2A1451
BUEHLER, M: LADD transmissions: Design, manufacture, and new compliance models, 12A1005
BUERMANN, DH: Application of rainbow thermometry to the study of fuel droplet heat-up and evaporation characteristics, 12A1402
BUFEEV, VA: Influence of the spatial system of active forces on friction: Super Coulomb external friction, 5T822
BUFFARD, T: Conservative fractional step method to solve non-isentropic Euler equations, 11A961
BUFFAT, M: Application of Reynolds stress modeling to engine flow calculations, 7A1429
BUFFINGTON, JM: Lyapunov stability analysis of daisy chain control allocation, 5A271
BUFLER, H: Self-consistent method to the analyses of elastic and elasto-plastic materials with inclusions, 2A453
- Integral approach to the local measure of the mean rotation in continuum mechanics, 6A1
BUFTON, SA: Exit-plane electrostatic probe measurements of a low-power arcjet, 5A1382
BUGALSKI, T: New method for calculation of hydrodynamic parameters of waterjet propulsors, 3A1180
BUGGELN, RC: Coal-fired heat exchanger for an externally fired gas turbine, 11T1339
BUGNO, W: Arctic-Polar Technology, Volume IV, 1N51
BUGROV, DI: Construction of an aircraft stabilizing control using the Lyapunov function, 8A393
BUHLER, DW: Design and evaluation of a device for measuring 3D micromotions of press-fit femoral stem prostheses, 11A1583
BUHLER, J: Silicon dioxide sacrificial layer etching in surface micromachining, 10T509
BUHLER, L: Magnetohydrodynamic flow in a right-angle bend in a strong magnetic field, 5A1059
- Instabilities in quasi 2D magnetohydrodynamic flows, 5A1058
BUI, VA: Modeling of heat and mass transfer processes during core melt discharge from a reactor pressure vessel, 1A1237
BUIZ, F: Combustion initiated by a porous ceramic regenerator in a reciprocating engine environment, 9A1352
BUIZZA, R: Finite-time instabilities of lower-stratospheric flow, 3T1139
BUJOLD, MP: Effects of multiple cracking on crack growth and coalescence in contact fatigue, 12A967
BUKA, A: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983
BUKIET, B: Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, 6A1535
- Dynamic stresses and strains in the left ventricular wall based on large deformation theory, 8A1564
BULATOV, VP: Basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 12A973
BULGAKOV, SA: Frequency properties of random photonic lattices, 10A1207
BULGAKOV, VE: Multilevel aggregation method for solving large-scale generalized eigenvalue problems in structural dynamics, 7A170
- Use of the multi-level iterative aggregation method in 3D FE analysis of solid, truss, frame, and shell structures, 9A43
BULL, JW: Mesh refinement formulations in adaptive FEMs, 3A22
- Adaptive mesh refinement for shells with modified Ahmad elements, 5A484
- Auto-adaptive FE analysis software for stiffened plate and shell structures, 11A518
BULL, SJ: Failure mode maps in the thin film scratch adhesion test, 12T752
BULLEN, PR: Study of turbulent flow in pipe contractions, 8A1143
BULLIONS, TA: Magnetoviscoelastic response of elastomer composites consisting of ferrous particles embedded in a polymer matrix, 9A524
BULLOCH, JH: Electrochemical potential variations in a small 40 MW feedwater storage vessel: The influence of weldment surface condition, 9A978
BULLOCK, GN: New non-dimensional number for the analysis of wave reflection from rubble mount breakwaters, 4A231
BULLOCK, SJ: Statistical sensitivity of experimental modal frequencies and damping ratios to measurement noise, 2A106
BULSARA, VH: Polishing and lapping temperatures, 7A919
BULTER, R: State space modeling and control method for multivariable smart structural systems, 3A761
BULTMAN, DH: Effects of condenser air flow blockage on vapor-compression refrigerator performance, 11A1361
BULYCHEV, YG: Synthesis of suboptimal control of stochastic systems using a prognosing model, 7A333
BULYGIN, AN: Interlaminar friction and boundary lubrication in anisotropic liquids with rotational dof, 5A1107
- Dynamics of a liquid with momentum anisotropy, 8A993
BUNEV, VA: Dynamics of gaseous combustion in closed systems with an inert porous medium, 11A1398
BUNKER, R: Heat transfer and film cooling effectiveness in a linear airfoil cascade, 10A1300
BUNYAKIN, AV: Inviscid Batchelor-model flow past an airfoil with a vortex trapped in a cavity, 4A1114
BUONANNO, G: Effective thermal conductivity of a porous medium with interconnected particles, 4A1232
BURATTINI, R: Identification and physiological relevance of an exponentially tapered tube model of canine descending aortic circulation, 12A1558
BURATYNSKI, EK: Analysis and modeling of lead coplanarity distributions, 6A974
BURCHULADZE, T: Nonstationary 3D contact problems of the generalized theory of elastothermodiffusion, 10A566
BURCZYNSKI, T: Comparison of shape design sensitivity analysis formulations via material derivative-adjoint variable and implicit differentiation techniques for 3D and 2D curved BE, 10A894
BURD, HJ: Numerical studies of bearing-capacity factor N_γ, 8A36
BURD, VS: Almost-periodic resonance oscillations in nonlinear 2D systems with slowly varying parameters, 6A127
- Resonant almost periodic oscillations in systems with slow varying parameters, 12A129
BURDE, GI: Bulk theory of airflow over a mountain ridge allowing for a stable overlying atmosphere, 6T1480
BURDEKIN, FM: Detecting faults in posttensioning ducts by electrical time-domain reflectometry, 11A755
BURDEN, RP: Analysis of the shapes of sea ice ridges, 6A1514

BURDISSO, RA: New hybrid passive-active noise absorption system, 8A337
- Design of active structural acoustic control systems using a nonvolumetric eigenproperty assignment approach, 9A278
BURDUKOV, AP: Mass transfer in the gas phase of a centrifugal-barbotage layer, 5A1308
BURELBACH, JP: Surface temperature profiles due to radiant heating in a thermocapillary channel flow, 8A1364
BURG, T: Position-force control of robot manipulators without velocity-force measurements, 11A335
BURGAUD, F: Numerical method for the prediction of bladed disk forced response, 10A314
BURGEE, SL: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
BURGELMAN, M: Estimation of parameters in a two-pool urea kinetic model for hemodialysis, 10A1545
BURGEMEISTER, KA: Calculating resonance frequencies of perforated panels, 4A168
BURGER, EH: Orientation of the trabecular pattern of the distal radius around the menopause, 9A1570
BURGESS, DA: Renumbering unstructured grids to improve the performance of codes on hierarchical memory machines, 9A48
BURGESS, DRF: Influence of CF_3I, CF_3Br, and CF_3H on the high-temperature combustion of methane, 5A1344
- Inhibitor influence on the bistability of a CSTR, 6A1339
BURGESS, IC: Development of a six station knee wear simulator and preliminary wear results, 10A991
BURGESS, IW: Analytical model for the analysis of composite beams with partial interaction, 7A505
BURGISSER, CA: Quantitative description of multicomponent reactive transport in porous media: An empirical approach, 6A1384
BURGMEIER, L: Ceramic hybrid bearings in air-cycle machines, 11A482
BURGREEN, GW: Three-dimensional aerodynamic shape optimization using discrete sensitivity analysis, 2A1094
BURGUETE, RL: Photomechanical properties of some birefringent polymers around their glass transition temperatures, 5A728
BURKA, ES: Computational and experimental flow visualization, 4A994
BURKE, AM: Contact modeling of the tire-road interface, 9A916
- New techniques in tire modal analysis using MSC-NASTRAN, 9A917
BURKE, SE: Practical limitations in achieving shaped modal sensors with induced strain materials, 4A417
- Distributed sensor-actuator design for plates: Spatial shape and shading as design parameters, 12A894
BURKHARDT, J: Spectral statistics in damped systems - Part I: Modal decay rate statistics, 1A338
- Spectral statistics in damped systems - Part II: Spectral density fluctuations, 1A339
- Effect of decay rate variability on statistical response predictions in acoustic systems, 4A289
BURLAND, JB: Laboratory study of the strength of four stiff clays, 4A642
BURLET, H: Powder injection molding: An original simulation of paste flow, 1A670
- Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, 10A1039
BURLUKA, AA: Statistical model of turbulent premixed combustion with interacting flamelets, 9A1363
BURMEISTER , LC: Viscous dissipation effect on pressure gradient for laminar flow of a non-Newtonian liquid through a duct of subfreezing wall temperature, 5T1184
BURMEISTER, H-J: Effects of grain boundary properties on intergranular cracking in fatigued fcc metals, 8A755
- Investigations on the origin of grain boundary cracks in fatigued fcc metals, 8A757
BURMEISTER, LC: Effects of condenser air flow blockage on vapor-compression refrigerator performance, 11A1361
BURNAGE, H: Numerical simulation of particle dispersion in a grid turbulent flow: Influence of the lift forces, 4T1025
BURNETT, AF: Biomechanics of fast bowling in men's cricket: A review, 6A1549
BURNEY, SMA: Optimum influence of initial observations in regression models with AR (2) errors, 7T65
BURNS, DJ: Weight functions for an external longitudinal semi-elliptical surface crack in a thick-walled cylinder, 8A778
BURNS, NH: Measurement of transfer lengths of pretensioned concrete elements, 11A794
BURNS, SBK: Experimental investigation of initial oscillations in a radial Hele-Shaw cell, 2A1031
BURNS, SP: Temperature- and pressure-sensitive luminescent paints in aerodynamics, 7A1179
- Spatial domain-based parellelism in large-scale, participating-media, radiative transport applications, 12A1308
BURNS, TJ: Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, 8A1439
- Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, 12A1422
BURNSIDE, G: Powder coating process parameters for a transfer efficiency model, 6A1060
BUROV, AA: Motion of cross-shaped bodies around a fixed point in a central Newtonian force field, 1A105
BUROV, MN: Study of gas flow characteristics in GTE interturbine diffuser, 1A1096
BURR, A: Continuum description of damage in ceramic-matrix composites, 7A731
BURR, DB: Method suitable for *in vivo* measurement of bone strain in humans, 10A1555
BURR, JP: Dynamic response of laterally excited pile groups, 8A664
BURRIDGE, R: Complex-transducer-point model for finite emitting and receiving ultrasonic transducers, 3A296
BURRIS, DR: Analytical model for heterogeneous reactions in mixed porous media, 3A1355
- Laboratory experiments with heterogeneous reactions in mixed porous media, 3A1358
BURROWS, CR: Dynamic analysis of flexible multibody mechanical systems, 3A88
- Partitioned simulation of fluid power systems: An approach for reduced communication between processors, 7A363
BURRUS, DL: Monte Carlo probability density function method for gas turbine combustor flowfield predictions, 9A1399
- Anchored CCD for gas turbine combustor design and data correlation, 12A1396
- Coupled Lagrangian Monte Carlo PDF-CFD computation of gas turbine combustor flowfields with finite-rate chemistry, 12A1397
BURSIK, MI: Direct measurement of turbulence structures in mixing jar using PIV, 7T1143
BURSTEIN, L: Model for mechanical seals with regular microsurface structure, 1A925
- Boiling interface in a misaligned two-phase mechanical seal, 10A1266
BURSTROM, L: Energy absorption of vibration in the hand for higher frequencies, 9A1592
BURT, EC: Soil stresses under a tractor tire at various loads and inflation pressures, 2A819
- Soil stress state orientation beneath a tire at various loads and inflation pressures, 12A493
BURTNER, D: Low-power ammonia arcjet: Numerical simulations and laser-induced fluorescence measurements, 5A1387
BURTON, A: Debris flow run-out and landslide sediment delivery model tests, 11T921
BURTON, JD: Dynamic model of a wind-driven lift pump, 3A1200
BURTON, RL: Shock initiation of crystalline boron in oxygen and fluorine compounds, 1A1334
- Plasmadynamics model for nonequilibrium processes in N_2-H_2 arcjets, 5A935
- Two-temperature plasma modeling of nitrogen-hydrogen arcjets, 5A1391
- Exit-plane electrostatic probe measurements of a low-power arcjet, 5A1382
BURTON, S: Zeolite-based electrorheological fluids: Testing, modeling and instrumental artifacts, 7A980
BURTON, SA: Analysis and design of ER damper for seismic protection of structures, 3A186
- Modeling the response of ER damper: Phenomenology and emulation, 3A750
BURTON, T: Finite-volume multigrid calculation of natural-convection flows on unstructured grids, 1A1199
BURTON, WS: 3D solutions for free vibration of initially stressed thermoelectroelastic multilayered cylinders, 6A1303
- Assessment of continuum models for sandwich panel honeycomb cores, 11A153
- Structural analysis of the adhesive bond in a honeycomb core sandwich panel, 12A27
BURY, N: Brittle fracture of 475°C embrittled cast duplex stainless steel, 10A787
BURYA, AA: Effect of solid lamellar lubricants on tribological characteristics of composites based on aromatic polyamides, 5T815
BURYA, AI: Effect of structure upon triboengineering properties of phenylon, 1A13
- Performance of gland packings from soft chemical fibers, 2A1135
- Effect of solid lamellar lubricants on tribological characteristics of composites based on aromatic polyamides, 5T815
BURYACHENKO, VA: Thinly coated inclusion with stress free strains in an elastic medium, 4T490
- Overall elastoplastic behavior of multiphase materials with isotropic components, 6A515
- Elastic stress fluctuations in random structure particulate composites, 7A481
BURZO, E: Magnetic behavior of $U_{1-x}Dy_xNi_2$ systems, 4T636
BUSBY, HR: Acoustoelasticity: Ultrasonic stress field reconstruction, 5A731
- Optimal regularization of an inverse dynamics problem, 8A109
BUSCAGLIA, G: Petrov-Galerkin formulation for advection-reaction-diffusion problems, 3A1292
BUSCAGLIA, GC: Numerical solution of the thermally-assisted diffusion of hydrogen in zirconium alloys considering hysteresis and finite-rate kinetics, 3A1290
BUSCH, S: Shock wave emission and cavitation bubble generation by picosecond and nanosecond optical breakdown in water, 1A268
BUSCH-VISHNIAC, IJ: Modeling of piezoelectric ceramic vibrators including thermal effects - Part IV: Development and experimental evaluation of a bond graph model of the thickness vibrator, 8A633
- Modeling of piezoelectric ceramic vibrators including thermal effects - Part III: Bond graph model for 1D heat conduction, 8A632
- Noise reduction by a barrier having a random edge profile, 10A379
BUSCHEK, H: Homotopy algorithm for fixed order mixed H_2-H_∞ design, 5T291
- Uncertainty modeling and fixed-order controller design for a hypersonic vehicle model, 7T360
- μ controllers: Mixed and fixed, 7A344
BUSCHMANN, MD: Numerical conversion of transient to harmonic response functions for linear viscoelastic materials, 7A1543
- Optical and mechanical determination of Poisson's ratio of adult bovine humeral articular cartilage, 7A1555
BUSER, O: Analysis of a rigid frame model of porous media for the acoustic properties of dense snow, 4A1468
BUSH, JWM: Time-dependent drop deformation in a rotating high viscosity fluid, 2A970
BUSHBY, RS: Deformation and damage mechanisms in fiber-reinforced aluminium alloy composites under tension, 8A790
BUSHUYEV, I: Stability of recovering the near-field wave from the scattering amplitude, 6A340
BUSINGER, JA: Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, 3T1428
BUSKIES, U: Efficiency of coal-fired combined-cycle powerplants, 4A1319
BUSONI, G: Three-dimensional Boltzmann-like model of outgassing and contamination, 12A1107
BUSSE, FH: Instabilities of flows between differentially rotating coaxial vertical cylinders in the presence of a radial temperature gradient, 5A1029
- Finite-amplitude convection in rotating spherical fluid shells, 8A1062
BUTALIA, TS: Forced vibration analysis of composite laminates using a discrete layer stress based model, 2A156
BUTCHER, EA: Hybrid formulation for the analysis of time-periodic linear systems via Chebyshev polynomials, 2T49
BUTCHER, JC: Centenary of Runge-Kutta methods, 6A59
BUTER, TA: Turbulence measurements in a Mach 2.9 boundary layer including mild pressure gradients, 6A1082
BUTKO, VA: Study of hydrostatic supports in high-speed hydraulic actuators, 1A385
- Investigation of load-carrying capacity of hydrostatic supports in high-speed hydraulic actuators, 7A374
BUTLER, AL: Analysis of harmonic distortion in electroacoustic transducers under indirect drive conditions, 7A290
BUTLER, GW: Directions for arcjet technology development, 5A1381
BUTLER, JH: Determining the central principal inertial dyadic of a golf club head, 4T93
BUTLER, JL: Analysis of harmonic distortion in electroacoustic transducers under indirect drive conditions, 7A290
BUTLER, PB: Hot-spot ignition of condensed phase energetic materials, 1A1310
BUTLER, R: Robust multiobjective controllers for smart structures, 6A872
- Optimum design and validation of flat composite beams subject to frequency constraints, 9A836
BUTLER, RJ: Effect of the thermal boundary condition on transient method heat transfer measurements on a flat plate with a laminar boundary layer, 5A1185
BUTRYMOWICZ, D: Experimental investigations of the drainage from the horizontal integral-fin tubes (Polish), 9A1303
BUTT, AS: Numerical model of impact-damped continuous systems, 9A118
- Experimental analysis of impact-damped flexible beams, 9A116
BUTT, G: Solid-liquid separation by sedimentation, 11A995
BUTT, MA: Axisymmetric tube extrusion through a flat-faced circular die: Numerical construction of slip-line fields and associated velocity fields, 6A671
- Combined rod and tube extrusion: Numerical solution of axi-symmetric slip-line fields and associated velocity fields, 7A593
BUTTERFIELD, AJ: Measured spacecraft instrument and structural interactions, 2A841
BUTTERFIELD, CP: Variable speed operation of generators with rotor-speed feedback in wind power applications, 5A1455
BUTTERFIELD, R: New evaluation of loading cycles in an oedometer, 4T640
BUTTOLO, P: Scaling of direct drive robot arms, 4A443
BUTTSWORTH, DR: Shock-tunnel investigation of hypervelocity free shear layers in a planar duct, 3A1118
BUTUN, MD: Behavior of model footings on sand reinforced with discrete inclusions, 9A635
BUYEVICH, YA: Isolated bubble regime in pool nucleate boiling, 4A1222
BUYUKAKSOY, A: Plane wave diffraction by a reactive step, 8A325
BUYUKDURA, OM: Two alternative expressions for the spherical wave expansion of the time domain scalar free-space Green's function and an application: Scattering by a soft sphere, 7A288
BUZUKOV, AA: Peculiarities of the pulsed high-velocity air-fuel jet evolution in the diesel combustion chamber, 8A1432
BUZZI, A: Environmental and mechanical fatigue of wind turbine blades made of composites materials, 1A693
BWALYA, AC: Experimental measurements in a centrifugal pump impeller, 7A1184
BYCZKOWSKA-LIPIŃSKA, L: Modeling of free vibrations of cylindrical coil, 4A170
BYELI, AV: Ion beam assisted deposition: A molecular dynamics simulation, 11T637
BYERLEY, AR: Heat transfer enhancement within a turbine blade cooling passage using ribs and combinations of ribs with film cooling holes, 1A1108
BYERS, WG: Fatigue reliability reassessment applications: State-of-the-art paper, 9A858
- Fatigue reliability reassessment procedures: State-of-the-art paper, 9A859
BYKOVTSEV, GI: General properties of the equations of the nonlinear theory of elasticity for piecewise-linear potentials, 6A465
BYON, SM: Die shape optimal design in bimetal extrusion by the FEM, 11A575
BYRD, L: Effects of thermal dispersion and stratification on combined convection on a vertical surface embedded in a porous medium, 6A1387
- Mixed convection in non-Newtonian fluids along a horizontal plate in a porous medium, 9A1438
BYREDDY, V: Solving plate bending problems using finite strips on networked workstations, 7A537
BYRNE, H: Traveling combustion waves in porous media, 7A1419
BYRNE, KP: Effects of a porous jacket on sound radiated from a pipe, 2A285
- Model for calculating the insertion losses of pipe lagging, 9A142
BYSH, IN: Determining the effective material properties of damaged particle-filled adhesives, 4A955
BYSKOV, E: Kink band initiation and band broadening in clear wood under compressive loading, 9A492
BYSTRON, H: Investigation of mass and heat parameters functioning in domain of ventilation networks of underground mines (Polish), 4T1449
BYZOV, VN: Computational and experimental investigations of ionization near hypersonic vehicles, 6A254

C

CABANAS, L: Approach to the measurement of the potential structural damage of earthquake ground motions, 6A1433
CABANE, B: Shear indued gelation of colloidal dispersions, 10A1032
CABANNES, H: New analytic solutions for the Broadwell equations on discrete kinetic theory, 7T1439
CABEL, D: Subband coding for thermal image compression, 9T317
CABELL, RH: On-line identification of modal parameters using artificial neural networks, 4A332
CABELLO, J: Parallel explicit unstructured grid solvers on distributed memory computers, 3A73
CABOT, WH: Lagrangian dynamic subgrid-scale model of turbulence, 3A1159
CABRERA, E: Hydraulic Machinery and Cavitation, 6N22
CACHO, S: Effects of the atmospheric pressure changes on seismic signals or how to improve the quality of a station, 8A1498
CACUCI, DG: Time-dependent interaction between water at supercritical pressures and a hot surface, 5A1220
CADDEMI, S: Ideal and physical white noise in stochastic analysis, 3A61
CADEK, J: Analysis of a set of creep-strain-rate and time-to-creep fracture data for a 9CR-1Mo-0.2V steel, 11A658
CADET, S: Propagative front in unstable thermal sensitive materials, 8A1384

CAFARO, N: Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, 10A329
CAFLISCH, RE: Uniformly accurate schemes for hyperbolic systems with relaxation, 8A266
CAFOLLA, J: Local flange buckling in plate girders with corrugated webs, 11A535
- Corrugated webs in plate girders for bridges, 11A533
CAGAN, J: Activity analysis: Simplifying optimal design problems through qualitative partitioning, 6A843
- Constrained 3D component layout using simulated annealing, 9A413
- Optimal 3D placement of heat generating electronic components, 12A1330
CAHILL, AT: Local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, 2A1044
CAI, GQ: Exact and approximate solutions for randomly excited MDOF nonlinear systems, 3A123
- Markov process modeling of groundwater contamination problems, 4A53
- Response spectral densities of strongly nonlinear systems under random excitation, 6A135
- Comparing quasi-conservative averaging and dissipation energy balancing methods in nonlinear random vibration, 8A116
CAI, H: Delamination cracking in functionally graded coating-metal substrate systems, 8A791
CAI, JUN: Application of ground-penetrating radar to investigation of near-surface fault properties in the San Francisco bay region, 4A1384
CAI, W: Deformable sheet metal fixturing: Principles, algorithms, and simulations, 2A344
CAI, X: Variance minimization-relationship between completion-time variance and waiting-time variance, 1A377
- Determination of elastic constants by inverse analysis, 4A783
- Elastic moduli of brittle matrix composites with interfacial debonding, 6A533
CAI, XIAO-SHU: Measurement of particle size in the dense suspension using the extinction method, 9A1194
CAI, Y: Control of maglev suspension systems, 1A862
- Dynamic response of a stack-cable system subjected to vortex induced vibration, 4A243
- Vehicle-guideway dynamic interaction in maglev systems, 4A403
- Flow-induced vibration of tubes in cross-flow, 6A294
- Vibration and stability of two tubes in cross-flow, 11A212
- Dynamic characteristics of magnetically-levitated vehicle systems, 12A93
CAI, YUANLI: Bifurcation and chaos in the Duffing oscillator with a PID controller, 10A129
CAI, YUANQIANG: Characteristics of propagation of elastic waves in saturated soils (Chinese), 2A195
- Dispersion characteristics of Rayleigh wave in anisotropic layered soils (Chinese), 2A189
CAI, Z: Dynamic interaction between a lumped mass vehicle and a discretely supported continuous rail track, 9A160
CAI, ZHIQIANG: Multigrid methods for nearly singular linear equations and eigenvalue problems, 8A58
CAIAZZO, F: No contact capacitive sensor to mechanical working control, 1A424
CAILLETAUD, G: Integration methods for complex plastic constitutive equations, 1A503
- Polymorphic constitutive equations in FE codes, 9A40
CAINE, P: Adaptive grid procedure for high intensity pulses propagating in air, 3A319
CAITI, A: Acoustic estimation of seafloor parameters: A radial basis functions approach, 3A318
CAKMAK, AS: faster simulation method for the stochastic response of hysteretic structures subject to earthquakes, 3A1383
- Identification of damage in reinforced concrete structures from earthquake records: Optimal location of sensors, 3A1385
- Midbroken reinforced concrete shear frames due to earthquakes: A hysteretic model to quantify damage at the story level, 8A905
- Prediction of global and localized damage and future reliability for RC structures subject to earthquakes, 9A1484
CAL, LI-XUN: Lensky's hypothesis of local determinability under nonproportional cyclic loading, 9A450
CALABRESI, G: Laboratory study of the strength of four stiff clays, 4A642
CALADO, L: Comparison of two cumulative damage approaches for the assessment of behavior factors for low-rise steel buildings, 9A873
- Ductility and load carrying capacity prediction of steel beam-to-column connections under cyclic reversal loading, 11A734
CALADO, VMA: Effective average permeability of multi-layer preforms in resin transfer molding, 1A666
CALDAS, IL: Magnetic field line mappings for a tokamak with ergodic limiters, 2A1063
CALDER, CA: Investigation of loading rate and plate thickness effects on dynamic fracture toughness of PMMA, 1A780
CALDERALE, PM: Measurement of nonlinear internal damping in metals: Processing of decay signals in a uniaxial stress field, 6A211
CALDERDALE, PM: Radiograph processing for quantitative assessment of bone remodeling, 1A1450
CALDERER, MC: Chevron patterns in liquid crystal flows, 5A899
CALDERON, L: Nonlinear Performance Index: A tool for manipulator dynamics improvement, 10A533
CALDERONI, B: Statistical analysis of seismic behavior of steel frame: Influence of overstrength, 7A1485
CALDWELL, GE: Simulation study of vertical jumping from different starting postures, 3A1509
CALDWELL, J: Free vibration of a string with moving boundary conditions by the method of distorted images, 1A172
- Application of Broyden's method to the enthalpy method for phase change problems, 5A1239
- Calculation of electrohydrodynamic flow in a circular cylindrical conduit, 12A1156
CALDWELL, NJ: Trabecular bone adaptation to variations in porous-coated implant topology, 7A1535
CALETKA, D: Verification of numerical models used in microelectronics packaging design by interferometric displacement measurement methods, 4A940
CALISAL, SM: Analytical and numerical analysis of the dynamics of a marine riser connected to a floating platform, 6A200
CALISE, AJ: Homotopy algorithm for fixed order mixed H_2-H_∞ design, 5T291
- Uncertainty modeling and fixed-order controller design for a hypersonic vehicle model, 7T360
- Nonlinear flight control using neural networks, 7A350
- μ controllers: Mixed and fixed, 7A344
CALISKAN, M: Integrated FEM-BEM approach to the dynamic and acoustic analysis of plate structures, 5A227
CALL, C: Combustion and microexplosion of hydroxylammonium nitrate-based liquid gun propellants at elevated pressures, 10A330
CALLADINE, CR: Buckling experiments on damaged cylindrical shells, 2A520
- Aspects of the mechanics of lobed liposomes, 5A1493
CALLAGHAN, PT: Nuclear magnetic resonance imaging of apparent slip effects in xanthan solutions, 5A904
- Shear flow of wormlike micelles in pipe and cylindrical Couette geometries as studied by nuclear magnetic resonance microscopy, 12A1128
CALLEBAUT, DK: Backlund transformations and Painleve analysis: Exact solutions for a Grad-Shafranov-type magnetohydrodynamic equilibrium, 10A1198
CALVERT, A: Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, 12A1438
CALVETTI, F: Experimental micromechanical analysis of a 2D granular material: Relation between structure evolution and loading path, 10A606
CALVI, GM: Seismic Design and Retrofit of Bridges, 12R44
- Conceptual design of isolation systems for bridge structures, 11A162
CALVO, DC: Formation of bound states by interacting nonlocal solitary waves, 8A252
CALZADA, ME: Application of a flame dictionary method in turbulent premixed flame modeling, 9A1383
CAMACHO, GT: Computational modeling of impact damage in brittle materials, 1A721
- Adaptive Lagrangian modeling of ballistic penetration of metallic targets, 10A288
CAMACHO, J: Triaxial dynamics tests on undisturbed samples of a collapsible soil (Spanish), 1A627
CAMACHO, RG: Consistent approach to variable bubble-point systems, 6A1492
CAMANHO, PP: Stress analysis and strength prediction of mechanically fastened joints in FRP: A review, 11A875
CAMANO, B: Improved method for measuring velocity and concentration by thermo-anemometry in turbulent helium-air mixtures, 7A1225
CAMBIER, F: Equivalence criteria between mechanical environments, 7T186
CAMBON, C: Effect of compressibility on turbulent shear flow: A rapid-distortion-theory and direct-numerical-simulation study, 8A1183
- Energy transfer in rotating turbulence, 10A1181
CAMBRAY, P: Coalescence problems in the theory of expanding wrinkled premixed flames, 4A1284
CAMCI, C: Determination of convective heat flux on steady-state heat transfer surfaces with arbitrarily specified boundaries, 5A1127
- Design and development of a turbine research facility to study rotor-stator interaction effects, 8A1242
- Liquid crystal thermography on the fluid solid interface of rotating systems, 8A1310
- Passage flow structure and its influence on endwall heat transfer in a 90° turning duct: Mean flow and high resolution endwall heat transfer experiments, 8A1301
CAMERON, F: Automatic generation of efficient routines for evaluating multivariate polynomials arising in FE computations, 10A44
CAMERON, JM: Modeling mechanisms with nonholonomic joints using the Boltzmann-Hamel equations, 8A966
CAMERON, S: Virtual springs method: Path planning and collision redundant manipulators, 2A350
CAMERON, TM: Sensitivity of structural joint stiffnesses with respect to beam properties: A hybrid approach, 10A907
CAMMAERT, G: Environmental factors in iceberg collision risks for floating systems, 1A1442
CAMMARATA, G: Exergonomic organization of an air-conditioning system, 9A1195
CAMPASSENS, D: Fatigue life prediction of interference fit fastener and cold worked holes, 7A670
CAMPBELL, BT: Temperature- and pressure-sensitive luminescent paints in aerodynamics, 7A1179
CAMPBELL, CH: Recent aerothermodynamic flight measurements during shuttle orbiter re-entry, 2A843
CAMPBELL, CS: Unsteady counterflowing strained diffusion flames: Diffusion-limited frequency response, 2A1333
- Fluid dynamics of a partially collapsible stenosis in a flow model of the coronary circulation, 5A1499
CAMPBELL, D: Development of simplified analytical methods for predicting the response of offshore structures to blast and fire loading, 3A817
CAMPBELL, J: Calculation of the free surface shape in the electromagnetic processing of liquid metals, 12A1285
CAMPBELL, JS: p-adaptivity in the domain using MV_∞ multivalue time-marching integrators, 12A1302
CAMPBELL, KB: Identification and physiological relevance of an exponentially tapered tube model of canine descending aortic circulation, 12A1558
CAMPBELL, MI: Optimal 3D placement of heat generating electronic components, 12A1330
CAMPBELL, P: Application of numerical descriptors to the characterization of wear particles obtained from joint replacements, 10A973
CAMPBELL, TI: Evaluation of moment redistribution in a two-span continuous prestressed beam, 5A785
CAMPILLO, M: Dynamic soil parameters determination by geophysical prospecting in Mexico City: Implication for site effect modeling, 5A517
- Analysis of wave propagation in the Valley of Mexico from a dense array of seismometers, 8A1495
CAMPION, I: Powder injection molding: An original simulation of paste flow, 1A670
CAMPION, SD: Investigation of the implementation of the p-version FEM, 1A23
CAMPO, A: Similarity between unsteady-state conduction in a planar slab for short times and steady-state conduction in a uniform, straight fin, 1A1226
- Symbolic mathematics for the calculation of thermal efficiencies and tip temperatures in annular fins of uniform thickness, 4T1246
- Boundary-fitted coordinates for the asymptotic friction factors and Nusselt numbers of laminar flows inside straight ducts with irregular, singly connected cross-sections, 5A1133
- Irreversibility phenomena associated with heat transfer and fluid friction in laminar flows through singly connected ducts, 5A1139
- Optimum plate separation in vertical parallel-plate channels for natural convective flows: Incorporation of large spaces at the channel extremes, 5A1154
- Matching solutions for unsteady conduction in simple bodies with surface heat fluxes, 5T1229
- Application of a finite volume based method of lines to turbulent forced convection in circular tubes, 5A1196
- Pressure drop and heat transfer associated with flows moving laminarly in straight ducts of irregular, singly connected cross-sections, 8A1275
- Semi-analytical calculation of turbulent, in-tube forced convection heat transmission of metallic liquids, 10A1284
CAMPOS, JP: Experimental determination of flexural power flow in beams using a modified Prony method, 5A150
CAMPOS, LMBC: Sound in an inverse sinusoidal nozzle with low Mach number mean flow, 1A306
- Acoustics of low Mach number bulged, throated and baffled nozzles, 4A280
- Spectra of aerodynamic noise and acroacoustic fatigue, 11A245
- Nonlinear longitudinal stability of a symmetric aircraft, 11A1139
CAMPOS-POZUELO, C: Limiting strain of metals subjected to high-intensity ultrasound, 7A293
CAMUSSI, R: Experimental analysis of transverse intermittency in a turbulent jet flow, 8A1184
CANART, R: Implementation of adaptive hyperplanes for the determination of robust control, 10A406
CANAS, J: Removal of rigid body motions in the solution of elastostatic problems by direct BEM, 6A493
- Photoelastic determination of K_I and K_{II}: A numerical study on experimental data, 8A833
CANAS, JA: Damage scenarios simulation for seismic risk assessment in urban zones, 3A1378
- Simulation of accelerograms compatible with induced seismic energy spectra (Spanish), 3A1406
- Simulation of damage scenarios in urban seismic zones, 4A1421
CANDEL, S: Prediction of supersonic jet noise from a statistical acoustic model and a compressible turbulence closure, 1A305
- Computation of jet mixing noise due to coherent structures: The plane jet case, 10A342
CANDLER, GV: Vaporization of a liquid drop suddenly exposed to a high-speed airstream, 2A998
- Overlay method for calculating excited state species properties in hypersonic flows, 7A1055
CANDY, JV: Laser ultrasonic signal processing: A model-reference approach, 1A821
CANFIELD, RA: Discrete-time, mixed-norm control synthesis applied to aircraft terrain following, 3T367
CANN, PM: Starvation and reflow in a grease-lubricated elastohydrodynamic contact, 1T1131
- Development of a spacer layer imaging method for mapping elastohydrodynamic contacts, 4A1162
CANNATA, G: Contact force canonical decomposition and the role of internal forces in robust grasp planning problems, 2A335
CANNELL, DS: Spatio-temporal structure of spiral-defect chaos, 4A1200
CANNING, A: Regularizing 3D data sets with DMO, 1A1415
CANNON, JR: Nonlinear viscoelastic elliptical bar under combined torsion with tension, 4T591
CANNON, ME: Developments of a ground displacement monitoring system by using the global positioning system (Japanese), 5A539
CANNON, RM: Fracture and fatigue-crack growth along aluminum-alumina interfaces, 5A595
- Limitations on the use of the mixed-mode delaminating beam test specimen: Effects of the size of the region of K-dominance, 12A46
CANNON, SR: Telemetry of forces from proximal femoral replacements and relevance to fixation, 7A1560
CANO, JC: Fiber-matrix interface crack: A numerical analysis using BEs, 10A825
CANOT, E: High-order schemes in BEMs for transient nonlinear free surface problems, 10A91
CANOVA, G: Mechanical properties of simulated collagen fibrils, 10A1535
CANOVA, GR: Implementing image stresses in a 3D dislocation simulation, 9A457
CANTE, JC: Plasticity model for simulation of industrial powder compaction processes, 1A16
CANTWELL, BJ: Study of turbulent boundary layer structure using the invariants of the velocity gradient tensor, 6A1147
CANTWELL, WJ: Influence of stamping temperature on the properties of a glass mat thermoplastic composite, 2A1286
- Influence of water immersion on skin-core debonding in GFRP-balsa sandwich structures, 5A464
- Study of skin-core adhesion in glass fiber reinforced sandwich materials, 6A983
CANUDAS DE WIT, C: Theory of Robot Control, 6R12
CANUMALLA, S: In situ measurement of the Young's modulus of an embedded inclusion by acoustic microscopy, 10A859
CANUTESON, E: Absolute method of vertical seismometer calibration by reference to a falling mass with application to the measurement of the gain, 12A1486
CANUTO, C: Bubble-stabilized spectral methods for the incompressible Navier-Stokes equations, 3A1040
CAO, D: Thermomechanical equations governing a material with prescribed temperature-dependent density with application to nonisothermal plane Poiseuille flow, 7A1022
CAO, J: Accommodation of springback error in channel forming using active binder force control: Numerical simulations and experiments, 1A646
- Wrinkling behavior of rectangular plates under lateral constraint, 6A582
CAO, JJ: Experimental study of circular flange joints in tubular structures, 2A811
CAO, LIANGYUE: Forecasting b-values for seismic events, 1A1406
CAO, LILI: Boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, 12A1201
CAO, LU: Operational form Hilbert Nullstellentz and symbolic algorithm for construction of general solution to systems in elasticity (Chinese), 2A379
CAO, QIXIANG: Numerical simulation and experimental verification of microstructure evolution in a 3D hot-upsetting process, 1A636

CAO, S: Study of the dynamic response of submerged rectangular flat plates, 3A271
CAO, SG: Stability analysis and design for a class of continuous-time fuzzy control systems, 3T330
CAO, SHU-LIANG: Study on flows through centrifugal pump impeller by turbulent simulation, 10T1236
CAO, TIANQING: Seismic hazard estimate from background seismicity in southern California, 4A1390
CAO, WEIMING: Preconditioner for the h-p version of the FEM in 2D, 6A50
CAO, Y: Air-cooling system for metal oxide semiconductor controlled thyristors employing miniature heat pipes, 1A1268
- Oscillatory impingement of liquid inside reciprocating pipes, 5A210
- Improving traditional balancing methods for high-speed rotors, 11A146
- Frequency spectrum analysis and applications to steam turbine vibrations, 12T208
CAO, YIDING: Experimental investigations and correlations for the performance of reciprocating heat pipes, 6A1289
- Reciprocating heat pipes and their applications, 11A1350
CAO, YJ: Improved Lyapunov function for power system stability analysis, 6A942
CAO, YU: Cooperative mobile robotics: Antecedents and directions, 10A520
CAO, ZHENGWANG: Electrochemical and histomorphometric evaluation of the TiNiCu shape memory alloy, 11T768
CAO, ZHIQIANG: New electromagnetic forming technology of composite materials (Chincse), 6A707
CAO, ZHIXIAN: Turbulent bursting-based diffusion model for suspended sediment in open channel flows, 3T988
CAO, ZHONGQING: Design of the classes of object-oriented FE program (Chinese), 2A31
CAO, ZN: Role of welding parameters in determining the geometrical appearance of weld pool, 4A952
CAO, ZY: Wear resistance of laser processed Al-Si-graphite composites, 12A964
CAPALDI, RJ: Experimental and theoretical rotordynamic characteristics of a hybrid journal bearing, 7A1193
CAPATINA, A: Numerical analysis of a control problem in heat conducting Navier-Stokes fluid, 5A301
CAPE, EG: New method for assessment of changes in retinal blood flow, 11A1569
CAPECE, VR: Stall flutter prediction techniques for fan and compressor blades, 1A1111
CAPITAINE, N: Precession constant: Values and constraints on the dynamical ellipticity; link with Oppolzer terms and tilt-over-mode, 11A232
CAPITELLI, M: Noncquilibrium vibrational kinetics in the boundary layer of re-entering bodies, 1A1005
- Electron and vibrational kinetics in the boundary layer of hypersonic flow, 1A1000
- Vibrationally relaxing flow of N, past an infinite cylinder, 7A1056
CAPLLONCH, RW: Analysis of single pipeline pull-in procedure using small scale models, 3A1463
CAPOBIANCO, MR: Fast algorithm for Prandtl's integro-differential equation, 7A1176
CAPODANNO, P: Etude mathematique des petites oscillations planes d'un liquide hetcrogene dans un container ferme par un couvercle elastique - I: Existence et unicite de la solution du probleme dans le cas general (French), 9A1006
- Etude mathematique es petites oscillations planes d'un liquide heterogene dans un container ferme par un couvercle elastique - II: Etude du probleme spectral dans le cas d'un container rectangulaire (French), 9T1007
CAPPA, P: Base strain effects on force measurements, 2A724
CAPPELLI, MA: Interior plasma diagnostic of arcjet thrusters, 5A1386
CAPPELLO, A: Minimal parametric model of the femur to describe axial elastic strain in response to loads, 2A1445
CAPRILE, C: Environmental and mechanical fatigue of wind turbine blades made of composites materials, 1A693
CAPRINO, G: Cutting forces in orthogonal cutting of unidirectional GFRP composites, 1A652
CAPRIZ, G: Extended continuum mechanics for the study of granular flows, 1A1380
CAPS, R: Thermal conductivity of polyimide foams, 4A1237
CAPSONI, A: Variational formulations for the plane strain elastic-plastic problem for materials governed by the von Mises criterion, 1A469
- Mixed FE model for plane strain elastic-plastic analysis - Part I: Formulation and assessment of the overall behavior, 9A463
- Mixed FE model for plane strain elastic-plastic analysis - Part II: Application to the 4-node bilinear element, 9A464
- Finite element formulation of the rigid-plastic limit analysis problem, 10A592
CAPUANI, D: Wave propagation in elastic media with cracks - Part I: Transient nonlinear response of a single crack, 11A182
CAPUTO, MR: Qualitative structure of a class of infinite horizon optimal control problems, 12T370
CARA, M: Test of a simple empirical Green's function method on moderate-sized earthquakes, 12A1485
CARACCIOLO, R: Frequency dependence of Poisson's ratio using the method of reduced variables, 4A785
CARAPEZZA, E: Ring wing for an underwater missile, 2T1087
CARBALLADA, BL: Dividing rectangular closed conduit flows, 6T994
CARBO, R: Wave reflection from a transitional layer between the seawater and the bottom, 7A269
CARBONARO, P: Group analysis for the equations describing the 1D motion of an ideal gas in the hodograph plane, 8A1093
CARBONARO, R: Influence of interlaminar stresses on fatigue behavior of notched composite laminates, 2A629
CARCATERRA, A: Complex envelope displacement analysis: A quasistatic approach to vibrations, 10A337
CARDARELLI, F: Scientific Unit Conversion, 11N42
CARDENAL, J: Flexible mechanisms through natural coordinates and component synthesis: An approach fully compatible with the rigid case, 4A92
- Simple and general method for kinematic synthesis of spatial mechanisms, 8A968
CARDONA, A: Three-dimensional gears modeling in multibody systems analysis, 6A957
CARDOSO, JB: Optimal cross-section and configuration design of elastic-plastic structures subject to dynamic cyclic loading, 10A902
CARDOU, A: Mechanical models of helical strands, 2A469
CARELLI, R: Class of nonlinear PD-type controllers for robot manipulators, 6A428
CAREW, EO: Active membrane model for peristaltic pumping - Part I: Periodic activation waves in an infinite tube, 9A1583
CAREY, GF: Entropy variable formulation and applications for the 2D shallow water equations, 1A254
- TICAM S34posium held at the University of Texas in April 1995, 5A43
- Adaptive FE scheme for hydraulic fracturing with proppant transport, 10A32
CAREY, JR: Factors which determine the tunable frequency range of tunable transducers, 2A301
CAREY, VP: Post-nucleation growth of water microdroplets in supersaturated gas mixtures: A molecular simulation study, 9A1252
CAREY, WM: Effects of a sediment scattering layer in underwater-acoustic studies of intensity sensitivity and data matching, 4A284
CARINI, A: Regular and chaotic responses of a Hamiltonian beam model, 8A139
- Comprehensive energy formulation for general nonlinear material continua, 12A2
CARKHUFF, BG: Test fixture for mapping thermal conduction in composites under transient and steady-state conditions, 11A494
CARL, M: Phase step holographic interferometry applied to hypervelocity, non-equilibrium cylinder flow, 6A1197
CARL, W: Finitely extensible bead spring chains in time-dependent shear flows, 10A1038
CARLEY, JF: Flow of RX-08-FK high-energy paste in a capillary rheometer, 10A1030
CARLING, P: Advances in Fluvial Dynamics and Stratigraphy, 1N40
CARLINI, M: Nondimensional Schmidt analysis for optimal design of Stirling engines, 11A1430
CARLOMAGNO, GM: Computational Methods and Experimental Measurements VIII, 11N5
CARLONE, M: Precision strain rate sensitivity measurement using the step-ramp method, 5A432
CARLSON, HA: Active control in the turbulent wall layer of a minimal flow unit, 7A1085
CARLSON, JD: Phenomenological model for magnetorheological dampers, 9A119
- Magnetoviscoelastic response of elastomer composites consisting of ferrous particles embedded in a polymer matrix, 9A524
CARLSON, R: Linear Ordinary Differential Equations, 9N31
CARLSSON, L: Experimental Characterization of Advanced Composite Materials, Second Edition, 12R23
CARLSSON, LA: Influence of water and accelerated aging on the shear fracture properties of glass-epoxy composite, 3A705
CARMAN, G: Electrothermoelastic behavior of piezoelectric coupled cylinders, 2A530
CARMAN, GP: Evaluating the influence of fiber coatings on the compression strength of a unidirectional polymer composite, 6A545
CARNE, TG: Damping measurements using operational data, 2A1437
CARNEIRO DE ARAUJO, JH: Stable FE approximations of thermal viscoelastic flows, 8T1147
CARNEVALE, GF: Three-dimensionally perturbed vortex tubes in a rotating flow, 12A1068
CAROL, I: Spurious energy dissipation-generation in stiffness recovery models for elastic degradation and damage, 1A734
CAROLAN, TA: Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, 2A732
CAROTENUTO, A: Effective thermal conductivity of a porous medium with interconnected particles, 4A1232
CAROTENUTO, G: Fractal analysis and simulation of surface roughness of ceramic particles for composite materials, 9A510
CAROTTI, A: New servoassisted hyper-stiffened damper for structural control: The "IRIS" project, 6T139
CARPENTER, JK: Heat transfer and solidification in planar-flow melt-spinning: High wheelspeeds, 8A1326
CARPENTER, JR: Navigation filter estimate fusion for enhanced spacecraft rendezvous, 9T349
CARPENTER, MH: Spectral methods on arbitrary grids, 5T69
CARPENTER, MJ: Using energy methods to derive beam FEs incorporating piezoelectric materials, 9A19
CARPENTER, MR: KEEP EAGLE F-15E high angle-of-attack flight test program, 11T1146
CARPENTER, PJ: Fracture density estimates in glaciogenic deposits from P-wave velocity reductions, 7A1461
CARPENTER, PW: Numerical simulation of the evolution of Tollmien-Schlichting waves over finite compliant panels, 10A1146
CARPENTER, S: Analysis of acoustic emission signals generated during the fatigue testing of GFRP, 6A827
CARPENTIER, C: Modeling of a thermo-viscoelastic coupling for large deformations through FE analysis, 2A1287
CARPENTIER, L: Interfacial behavior of a glass-epoxy composite during a micro-indentation test: Assessment of interfacial shear strength using reduced indentation curves, 7A496
CARPINO, M: Finite element approach to the prediction of foil bearing rotor dynamic coefficients, 7A25
- Pseudospectral-finite difference analysis of an infinitely wide slider bearing with thermal and inertial effects, 10A1267
CARPINTERI, A: Structural Mechanics: A Unified Approach, 8R9
- Crack-resistance behavior as a consequence of self-similar fracture topologies, 1A728
- Interaction of a main crack with ordered distributions of microcracks: A numerical technique by displacement discontinuity BEs, 1A785
- Power scaling laws and dimensional transitions in solid mechanics, 4A2
- Fatigue propagation of surface flaws in round bars: A three parameter theoretical model, 6A715
- Reversal in failure scaling transition of fibrous composites, 7A750
- Size effects in brittle specimen with microcrack interaction, 9A772
- Bridged versus cohesive crack in the flexural behavior of brittle-matrix composites, 9A744
- Continuous vs discontinuous bridged-crack model for fiber-reinforced materials in flexure, 11A457
- Tensile and flexural creep rupture tests on partially-damaged concrete specimens, 12A908
CARPIO, J: Renewable-energy integration assessment through a dedicated computer program, 8A1550
CARR, AJ: Calculating the dynamic stiffness matrix of 2D foundations by discrete wave number indirect BEMs, 6A1426
CARR, G: Mechanics of Sport: A Practitioner's Guide, 6R28
CARR, LW: Compressibility effects on dynamic stall, 6A1174
CARR, RT: Separation surfaces for laminar flow in branching tubes: Effect of Reynolds number and geometry, 11A1579
CARRA, S: Modeling of the reburning process, 12A1378
CARRANZA, FL: Moving cohesive interface model for fracture in creeping materials, 12A802
CARRE, G: Implicit multigrid method by agglomeration applied to turbulent flows, 10A1190
CARRERA, J: Porosity variations in saline media caused by temperature gradients coupled to multiphase flow and dissolution-precipitation, 4A1342
CARRETERO ALBIACH, JC: Two-way nesting procedure for the WAM model: Application to the Spanish coast, 8A1509
CARRIER, A: Performance of a smart vibration isolator for precision spacecraft instruments, 1A221
CARRILERO, MS: Feed, cutting speed and cutting forces as machinability parameters of Al-Cu alloys, 9A669
CARRILLO, JA: Functional solutions for the Vlasov-Poisson system, 8A1205
CARRINGTON, CG: Performance of a scroll compressor with R134a at medium temperature heat pump conditions, 2A1105
- Empirical model for a heat pump dehumidifier drier, 4A1250
CARRINO, L: Modeling of superplastic blow forming, 4A667
CARRIVEAU, GW: Microwave detection and depth determination of disbonds in low-permittivity and low-loss thick sandwich composites, 1A826
CARROLL, BF: Remote surface pressure measurement technique for rotating elements, 10T1255
CARROLL, DR: Experimental investigation of the failure modes in hybrid ceramic matrix composites, 1A759
- Elastic properties of imperfectly bonded short fiber composites, 3A495
CARROT, C: Extrudate swell and isothermal melt spinning analysis of linear low density polyethylene using the Wagner constitutive equation, 11A392
CARROTTE, JF: Performance assessment of an annular s-shaped duct, 8A1071
CARRUTHERS, JJ: Stress intensity factors of embedded elliptical cracks and an assessment of the ASME XI defect recharacterization criteria, 7A723
CARSON, PG: Real-time monitoring of the surface and total composition of aerosol particles, 9A1074
CARSON, R: Petroleum coke and coal start-up testing in bubbling fluidized bed combustors, 12A1386
CARSTENS, B: Hydrodynamic interactions between two vertical circular cylinders in linear oscillatory flow, 7A231
CARSTENSEN, C: Symmetric coupling of BEs and Raviart-Thomas-type mixed FEs in elastostatics, 6A81
- h-adaptive coupling of FE and BE for viscoplastic and elastoplastic interface problems, 6A525
- Adaptive BEMs for some first kind integral equations, 6A71
- A posteriori error estimate for a first-kind integral equation, 7A285
- Symmetric BEM and the symmetric coupling of BEs and FEs, 10A86
- A posteriori error estimate for the mixed FEM, 10A12
CARTE, G: Numerical simulation of the mechanisms governing the onset of the Benard-von Karman instability, 4A1080
CARTER , TE: Optimal power-limited rendezvous with upper and lower bounds on thrust, 3T371
CARTER, CD: Injection of supercritical ethylene in nitrogen, 1A1335
CARTER, DA: New look at the melting layer, 3T1434
CARTER, DR: Adaptive bone remodeling incorporating simultaneous density and anisotropy considerations, 10A1511
CARTER, JG: Calculation of flow in transition duct using second-order closure and wall functions, 5T1012
CARTER, KF: Limit state solutions, based upon linear elastic solutions with a spatially varying elastic modulus, 6A527
- Shakedown state simulation techniques based on linear elastic solutions, 6A512
CARTER, LH: Gain-scheduled bank-to-turn autopilot design using linear parameter varying transformations, 3A1185
CARTER, TE: Closed-form solution of an idealized, optimal, highly eccentric hyperbolic rendezvous problem, 1A362
CARTER, WC: Dynamic aspects of wetting balance tests, 4A691
- Surface formulation for molecular interactions of macroscopic bodies, 12A12
CARTON, M: Optimization of the recognition of defects in flat steel products with the cost matrices theory, 9A420
CARTY, WM: Science of Whitewares, 4N22
CARUANA, A: Flow behavior in the presence of wettability heterogeneities, 6A1373
CARUS, DA: Dynamics of the upper limb during performance of the tasks of everyday living: A review of the current knowledge base, 8A1560
CARUTHERS, JW: Modeling low-frequency reverberation near the Mid-Atlantic Ridge and comparison with ARSRP data, 10A349
CARVALHO JR, JA: Interaction of liquid reacting droplets with the pulsating flow in a Rijke-tube combustor, 6A1340
- Effects of acoustics on an ethanol spray flame in a propane-fired pulse combustor, 12A1380
CARVALHO, F: Modeling the effect of shelter in the modification of waves from the open sea to nearshore, 8A1507
CARVALHO, FCS: Experiments on effective elastic modulus of 2D solids with cracks and holes, 4A784
CARVALHO, MG: Concept of expert system for boiler fouling assessment, 2A1276
- Evaluation of a 3D mathematical model of a power station boiler, 5A1283
- New method for hemispherical radiation heat flux measurement, 7A1328
- Light scattering from soot aggregates with radially inhomogeneous primary particles, 7A1402
- Conservative formulation of the discrete transfer method, 8A1361
- LIMPO: An improved version of the PISO algorithm for turbulent swirling flows, 12A1144

CARVALHO, MS: Capillary and viscoelastic effects on elastohydrodynamic lubrication in roller nips, 4A1161
- Multiple states of a viscous free surface flow: Transition from pre-metered to a metering inflow, 10A1071
- Deformable roll coating flows: Steady state and linear perturbation analysis, 11A391
CARVER, D: Urban seismology: Northridge aftershocks recorded by multi-scale arrays of portable digital seismographs, 4A1365
CARVER, DL: March 25, 1993 Scotts Mills, Oregon, earthquake and aftershock sequence: Spatial distribution, focal mechanisms and the Mount Angel Fault, 2A1379
CARY, RA: Elemental carbon-based method for monitoring occupational exposures to particulate diesel exhaust, 3A1478
CASADEMUNT, J: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983
CASADO, S: New implementation of the BEM using a B-rep geometric modeler, 3A49
CASALINI, F: Secondary flow computation using an inviscid multigrid finite volume lambda formulation, 7A1098
CASALINO, G: Contact force canonical decomposition and the role of internal forces in robust grasp planning problems, 2A335
- Planning shortest bounded-curvature paths for a class of nonholonomic vehicles among obstacles, 4A455
CASALINO, L: Mixture-ratio control to improve hydrogen-fuel rocket performance, 10A1429
CASANOVA, P: Analysis of metallic fiber-reinforced concrete beams submitted to bending, 1A844
CASARELLA, MJ: Influences of near-wall and induced irrotational motion in a turbulent boundary layer on wall pressure fluctuations, 11A1094
CASARES, J: Terrain-induced focusing of wind fields in the mesoscale, 4A1439
CASAS, JR: Recent Advances in Bridge Engineering: Evaluation, Management, and Repair, 8N14
- Development of an efficient program for the nonlinear analysis of bridges, 3A793
- Horizontal bridge-soil interaction assessment by dynamic testing, 8A684
- Reliability-based partial safety factors in cantilever construction of concrete bridges, 9A893
CASCANTE, G: Interparticle contact behavior and wave propagation, 3A206
- Low strain measurements using random noise excitation, 12A692
CASCIARO, R: Mode jumping and attractive paths in multimode elastic buckling, 8A618
- Algorithmic aspects of adaptive multigrid FE analysis, 8A39
CASCIATI, F: Control of nonlinear structures using the fuzzy control approach, 4A386
- Secondary system analysis for space pay-load, 9T165
CASCIOLA, CM: Nonlinear long waves generated by a moving pressure disturbance, 5A177
- Trailing edge singularity and Kutta condition for 3D airfoils, 6A1183
- Verticity generation on a flat surface in 3D flows, 7A1089
CASE, ED: Correction for system compliance during point-loading of thin brittle films, 9T535
CASE, M: Initiation of surface and interface edge cracks in functionally graded ceramic thermal barrier coatings, 10A758
CASE, S: Evaluating the influence of fiber coatings on the compression strength of a unidirectional polymer composite, 6A545
CASE, SW: Micromechanical analysis of fiber fracture in unidirectional composite materials, 3A707
CASEY, D: Leakage through flaws in geomembrane liners, 11A569
CASHMAN, GT: Design curve to characterize fatigue strength, 4A783
CASKEY, SF: Static stress changes and earthquake triggering during the 1954 Fairview Peak and Dixie Valley earthquakes, Central Nevada, 12A1433
CASSADY, RJ: Directions for arcjet technology development, 5A1381
CASSANDRAS, CG: Stochastic comparison algorithm for continuous optimization with estimation, 6T374
CASSEL, KW: Influence of wall cooling on hypersonic boundary-layer separation and stability, 3A1097
CASSENTI, BN: Antiproton catalyzed fusion propulsion for interplanetary missions, 10A1436
CASSIDY, SF: Modeling of pre-heating of flat panels prior to press forming, 7A634
CASSONI, RP: Aircraft anti-icing and de-icing techniques and modeling, 4A1134
CASTAGNEDE, B: Acoustic waves generated by a transient line source in an anisotropic half-space, 7A260
CASTAING-LASVIGNOTTES, J: Energetic analysis, application field and performance of a new thermochemical sorption cycle: The multisalt system, 2A1147
- Development of a numerical sizing tool for a solid-gas thermochemical transformer - I: Impact of the microscopic process on the dynamic behavior of a solid-gas reactor, 11A1410
- Development of a numerical sizing tool applied to a solid-gas thermochemical transformer - II: Influence of external couplings on the dynamic behavior of a solid-gas thermochemical transformer, 11A1411
CASTAINGS, M: Generation, propagation, and detection of Lamb waves in plates using air-coupled ultrasonic transducers, 5A157
CASTALDI, M: Formation of polycyclic aromatic hydrocarbons (PAH) in methane combustion: Comparative new results from premixed flames, 3A1311
CASTANIER, MP: Predicting localization via Lyapunov exponent statistics, 12T140
CASTANO, JM: Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, 9A1155
CASTANO, ML: Stress corrosion cracking susceptibility of steam generator tube materials in AVT (all volatile treatment) chemistry contaminated with lead, 4A716
CASTANO, VM: Response time and viscosity of electrorheological fluids, 8A1206
CASTELAIN, C: Residence time distribution in twisted pipe flows: Helically coiled system and chaotic system, 9A1090
- Effects of chaotic advection on heat transfer, 10A1354
CASTELLANO, TP: Wind-tunnel test of flow through Mars pathfinder Lander, 12T1236
CASTELLI, A: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329
CASTELLI, MG: Thermomechanical Fatigue Behavior of Materials, Second Volume (STP 1263), 2N29
- Comparison testings between two high-temperature strain measurement systems, 5A1306
CASTELLI, R: Thermoplastic polymers quality control: DSC baseline optimization for heat of fusion measurements, 4A1187
CASTELLI, ST: Comparison among empirical probability density functions of the vertical velocity in the surface layer based on higher order correlations, 10T1477
CASTI, J: Multiple objective decision making in environmental management, 10A1507
CASTIGLIONI, CA: Comparison of two cumulative damage approaches for the assessment of behavior factors for low-rise steel buildings, 9A873
- Ductility and load carrying capacity prediction of steel beam-to-column connections under cyclic reversal loading, 11A734
CASTIGLIONI, L: Regular and chaotic responses of a Hamiltonian beam model, 8A139
CASTILLERO, JB: Homogenization of heterogeneous piezoelectric medium, 8T630
CASTILLO, JL: Mass transfer dominated by thermal diffusion in laminar boundary layers, 10A1385
CASTRO , MA: Renewable-energy integration assessment through a dedicated computer program, 8A1550
CASTRO, IP: Boundary-layer relaxation after a separated region, 6A1095
- Limited-length-scale, k-ε model for the neutral and stably-stratified atmospheric boundary layer, 11A1500
CASTRO, PF: Influence of coatings on bar-concrete bond, 6A887
CASTRO, RR: S-wave site-response estimates using horizontal-to-vertical spectral ratios, 12A1443
CASULLI, V: Semi-implicit scheme for the barotropic primitive equations of atmospheric dynamics, 8T1089
CATAL, HH: Analysis of laterally loaded pile group with varying foundation modulus, 2A559
CATCHINGS, RD: Reflected seismic waves and their effect on strong shaking during the 1989 Loma Prieta, California, Earthquake, 4A1387
- Shallow velocity structure and Poisson's ratio at the Tarzana, California, strong-motion accelerometer site, 8A1501
CATHIGNOL, D: Lamb waves in piezoelectric focused radiator as a reason for discrepancy between O'Neil's formula and experiment, 8A350
CATIPOVIC, JA: Performance of high-rate adaptive equalization on a shallow water acoustic channel, 4A287
CATOIRE, L: Shock tube study of the effect of nitrogen or hydrogen on ignition delays in mixtures of monomethylhydrazine + oxygen + argon, 9A1356
CATON, JA: Interface wavelength between confined supersonic 2D jets and subsonic streams, 12T1133
CATTAFESTA III, LN: Experimental study of compressible turbulent mixing enhancement in swirling jets, 8A1158
CATTANEI, A: Experimental investigation of stator induced unsteadiness on centrifugal impeller outflow, 11A1169
CATTANEO, G: Cellular automata in fuzzy backgrounds, 12A360
CATTARIUS, J: Time domain analysis for damage detection in smart structures, 11A325
CATTOLICA, RJ: Quenching effects on laser-fluorescence measurements of OH rotational temperature in $H_2/O_2/AR$ flames, 4A1317
CATTON, I: Low pressure differential discharge characteristics of saturated liquids passing through orifices, 4A1052
CAUCHICK-MIGUEL, PA: Cost per piece determination in machining process: An alternative approach, 1A430
CAUGHLIN, TA: Comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S-P and zinc dialkyl dithiophosphate additives, 2A1120
- Effect of steel hardness on the performance of antiwear additives, 7A878
CAULEY, RF: Triaxial determination of shear strength of tire chips, 11A560
CAUSON, DM: Spectral method with subcell resolution for shock wave calculations, 1A274
CAVALERI, L: Use of numerical wind-wave models for assessment of the offshore wave energy resource, 12A1499
CAVALLINI, A: New model for forced-convection condensation on integral-fin tubes, 2A1222
CAVANAGH, F: Transmission line matrix acoustic modeling on a PC, 11A266
CAVANAGH, PR: Relationship of static foot structure to dynamic foot function, 7A1541
- Effect of insoles in therapeutic footwear: A FE approach, 10A1560
CAVANAUGH, JM: Lumbar facet pain: Biomechanics, neuroanatomy, and neurophysiology, 3A1491
CAVDAR, B: Effect of temperature, substrate type, additive and humidity on the boundary lubrication in a linear perfluoropolyalkylether fluid, 12A1202
CAVELIUS, R: New method to determine triaxial non-uniform residual stresses from measurements using the hole drilling method, 12A48
CAVIGLIA, G: Inhomogeneous waves in transversely isotropic solids, 2A194
- Non-uniqueness of reflected and transmitted waves, 6T243
CAWLEY, P: Generation, propagation, and detection of Lamb waves in plates using air-coupled ultrasonic transducers, 5A157
- Practical application of solid coupled ultrasonic transducers, 8A855
- Effect of discontinuities on the long-range propagation of Lamb waves in pipes, 8A210
- Study of the transmission of ultrasound across solid-rubber interfaces, 8A333
- Use of large ultrasonic transducers to improve transmission coefficient measurements on viscoelastic anisotropic plates, 8A361
CAWTE , H: Effect of lubricating oil contamination on evaporation in refrigerants R12 and R22, 2A1224
CAYSSIALS, F: Effect of the secondary transition on the behavior of epoxy adhesive joints at high rates of loading, 4A956
CAZIER JR, FW: NASA noise reduction program for advanced subsonic transports, 2A289
CEBALLOS, JC: Solar radiation assessment using Meteosat 4-VIS imagery, 11A1545
CEBON, D: Spatial repeatability of measured dynamic tire forces, 2A498
- Road-damaging potential of measured dynamic tire forces in mixed traffic, 2A497
- Dynamic interaction between heavy vehicles and highway bridges, 7A174
- Experimental study of pure bitumens in tension, compression, and shear, 7A987
CEBRAL, JR: Conservative load projection and tracking for fluid-structure problems, 9A231
CECCIO, S: Effects of salt water on bubble cavitation, 9A996
CECCIO, SL: Interaction of single traveling bubbles with the boundary layer and attached cavitation, 3A981
CEDERBAUM, G: Stress-strain relations for elastomeric foams in uni-, bi-, and tri-axial compression modes, 1A849
- Parametric instability of viscoelastic nonlinear (elastica) columns, 4T614
- Dynamic instability of plates made of nonlinear viscoelastic materials, 4A597
- Vibration of poroelastic beams with axial diffusion, 6A1386
- Buckling of poroelastic columns with axial diffusion, 7A541
- Post buckling analysis of imperfect nonlinear viscoelastic columns, 10A659
- Prediction of stress relaxation from known creep of nonlinear materials, 10A577
CEDERBERG, RJ: Comparison of algorithms for solving parabolic wave equations, 1A329
- Rational operators for filtering, 10A398
CELATA, GP: Problems about the sizing of two-phase flow safety valves, 7T1002
- Experimental evaluation of the onset of subcooled flow boiling at high liquid velocity and subcooling, 9A1244
CELEBI, M: Response of Olive View Hospital to Northridge and Whittier earthquakes, 9A1485
CELENTANO, D: Phase-change temperature-based formulation including general latent heat effects, 7A1310
CELESTINA, ML: Wake-induced unsteady flows: Their impact on rotor performance and wake rectification, 11A1168
CELI, R: Integrated rotor-flight control system optimization with aeroelastic and handling qualities constraints, 9T361
- Effects of unsteady aerodynamics on the flight dynamics of an articulated rotor helicopter, 10A1224
CELIGUETA, JT: Numerical simulation of axisymmetric forging processes through FE analysis: A simple method for the modeling of friction (Spanish), 10A731
CELIK, A: Transverse vibrations of a variable composite flywheel with optimum design, 4T153
CELIK, M: New grid-making technique for Moire fringe method, 4T804
CELIK, ZZ: Effects of leading-edge lateral blowing on delta wing aerodynamics, 6A1178
CELIS, J-P: Fretting behavior of PVD TiN coatings in aqueous solutions, 7A693
CELIS, JP: Sliding wear behavior of thermally sprayed 75-25 Cr,C,-NiCr wear resistant coatings, 3A876
CELKA, P: Delay-differential equation versus 1D-map: Application to chaos control, 11A94
CELLETTI, A: Application of the Nekhoroshev theorem to the restricted three-body problem, 7A237
CEN, KEFA: Laser diffraction method measurements of particle-gas dispersion effects in a coaxial jet, 10A1443
CEN, ZHANGZHI: Determination of an equivalent elastic modulus for bodies with cracks by BEM, 4A773
CEN, ZZ: Numerical method for reference stress in the evaluation of structure integrity, 9A465
CENDES, ZJ: Tree-cotree decompositions for first-order complete tangential vector FEs, 10A63
CENEDESE, A: Image techniques and analysis in fluid dynamics, 7A1227
CENGIZ DOKMECI, M: Variational principles for linear coupled thermoelasticity, 3A1269
CENNA, AA: Evaluation of cut quality of fiber-reinforced plastics: A review, 11A600
CERAVOLO, R: Techniques for the mechanical characterization of civil structures, 5A278
CERCIGNANI, C: New scattering kernel for gas-surface interaction, 12A1105
CERDA, V: Simultaneous determination of chloride and pH in wastewaters by sequential injection analysis, 2A1020
- Preconcentration and colorimetric determination of Fe(III) by sequential injection analysis, 2A1018
CERES, R: Nonlinear Performance Index: A tool for manipulator dynamics improvement, 10A533
CERIMELE, MM: Simulation of planar high speed combustion phenomena, 3A1331
- High resolution scheme for the numerical simulation of second sound in crystals, 9A290
CERIONI, R: Nonlinear analysis of reinforced concrete foundation plates, 1A562
CERMELLI, P: Note on the model of crystalline defects in Ericksen-Pitteri neighborhoods, 7A453
CERNIK, M: Quantitative description of multi-component reactive transport in porous media: An empirical approach, 6A1384
CERRI, E: Creep behavior of an aluminum 2024 alloy produced by powder metallurgy, 8A503
CERROLAZA, M: Simulation Modelling in Bioengineering, 5N31
- Explicit integration of the stiffness matrix of a four-noded-plane-elasticity FE, 5A46
CERTON, D: Lateral resonances in 1-3 piezoelectric periodic composite: Modeling and experimental results, 9A602
CERUTTI, S: Multivariate time-variant AR method for the analysis of heart rate and arterial blood pressure, 11A1568
CERVENY, S: Nonlinear method for the calculation of the loss tangent distribution function, 3A935
CERVENY, V: Seismic waves in laterally inhomogeneous media - Part I, 6A1416
- Seismic waves in laterally inhomogeneous media IV - Part II, 6A1415
CERVERA, E: Perception-based learning for motion in contact in task planning, 6A393
CERVERA, M: Rate-dependent isotropic damage model for the seismic analysis of concrete dams, 3A1391
- Computational efficiency and implementation of block-iterative algorithms for nonlinear coupled problems, 4A62
CESCOTTO, S: Modeling of strain localization in a large strain context, 6A29
- Application of fully automatic remeshing to complex metal-forming analyses, 7A605
- Finite element modeling of single lap screw connections in steel sheeting under static shear, 8A35
- 8-node brick element with mixed formulation for large deformation analyses, 9A44
- Mixed element method in gradient plasticity for pressure dependent materials and modeling of strain localization, 11A447

CESNIK, CES: Cross-sectional analysis of composite beams including large initial twist and curvature effects, 2A471
- Finite element solution of nonlinear intrinsic equations for curved composite beams, 4A125
- VABS: A new concept for composite rotor blade cross-sectional modeling, 7A157
CETINKAYA, C: Transient axisymmetric stress wave propagation in weakly coupled layered structures, 1A238
- Dispersion of stress waves in 1D semi-infinite, weakly coupled layered systems, 4A557
CETINKAYA, CR: Near field transient axisymmetric waves in layered structures: Effects of weak coupling, 10A266
CETINKUNT, S: Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 2: Experimental verification, 11A348
- Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 1: Theory derivation, 11A347
CHA, BW: Edge delamination in a laminated composite strip under generalized plane deformations, 2A674
CHA, DH: Design of a force reflection controller for telerobot systems using neural network and fuzzy logic, 1A394
CHA, JM: Stabilization of premixed flames on rotating Bunsen burners, 3A1306
CHA, PD: Statistical investigation of the forced response of finite, nearly periodic assemblies, 12T141
- Identifying nodes and anti-nodes of an axially vibrating bar with lumped mass, 12T163
CHA, SS: Holographic diffraction image velocimetry for measurement of 3D velocity fields, 12A1234
CHAABAN, A: Fatigue-Fracture, NDE, Materials, and Manufacturing, 5N12
- Design and Analysis, 3N27
- Accurate method of evaluating relaxation in bolted flanged connections, 8A975
CHAALLAL, O: Seismic response of flexibly supported coupled shear walls, 3A1395
- Classification methodology for coupled shear walls, 6A881
CHABANNET, M: Concrete behavior under freezing when subjected to mechanical stresses (French), 4A539
CHABERT D'HIERES, G: Physical simulations in rotating tank of lee cyclogenesis, 9A1016
CHABOCHE, JL: Integration methods for complex plastic constitutive equations, 1A503
- Thermodynamic formulation of constitutive equations and application to the viscoplasticity and viscoelasticity of metals and polymers, 11A4
CHABROWSKI, I: Experimental analysis of changes in quality needles during the technological process, 9T406
CHACHAD, YR: Effects of pull speed on die wall temperatures for flat composites of various sizes, 1A667
CHACIN, JM: Study of turbulent boundary layer structure using the invariants of the velocity gradient tensor, 6A1147
CHACON, J: Landslides, 5N14
CHADAM, J: Spatial decay estimates for flow in a porous medium, 12A1425
CHADWICK, GA: Squeeze casting of light alloys and their composites, 1A664
CHADWICK, JL: Laboratory robotics: An automated tool for preparing ion chromatography calibration standards, 9A404
CHADWICK, P: Concavities on the zonal slowness section of a transversely isotropic elastic matcrial, 12A234
CHAEL, EP: High-frequency analysis of seismic background noise as a function of wind speed and shallow depth, 4T1385
- Automated Rayleigh-wave detection algorithm, 12A1479
CHAFFIN, DB: Support for a linear length-tension relation of the torso extensor muscles: An investigation of the length and velocity EMG-force relationships, 5A1477
- Distributed Moment Histogram: A neurophysiology based method of agonist and antagonist trunk muscle activity prediction, 5A1475
- Neural network model for simulation of torso muscle coordination, 7A1537
CHAI, GB: Comparative study of vibrating loaded plates between the Rayleigh-Ritz and experimental methods, 8A143
- Improved model for predicting fundamental frequencies of plates carrying multiple masses, 8T147
CHAI, GIN BOAY: Buckling response of symmetric laminated plates, 6A615
CHAI, HERZL: Crack propagation criterion based on local shear strain in adhesive bonds subjected to shear, 4A728
CHAI, HUAYOU: Application of stress wave theory to quantitative analysis of pile integrity, 4A794
CHAI, J-F: Propagation of surface waves in a prestressed piezoelectric material, 4A204
CHAI, JC: Numerical study on the heating of a cast iron slab in a car-hearth furnace, 5A1262
- Spatial-multiblock procedure for radiation heat transfer, 10A1341
CHAI, JOHN C: Nonaxisymmetric radiative transfer in cylindrical enclosures, 6A1277
CHAI, S: Relative difference quotient algorithm for discrete optimization, 2A762
- Two-level delimitative and combinatorial algorithm for discrete optimization of structures, 12A892
CHAI, W: Design of a mega-sub-controlled building system under stochastic wind loads, 12A200
CHAI, XJ: Fluid-solid interaction in a rectangular container, 6A298
CHAIDILOKPATTANAKUL, C: Fast electro-optical sensing system for measuring thermal response of a rotating roll without generating contact noise, 11A586
CHAIKA, V: Dynamic behavior of a harmonically excited electromechanical drive with elastic couplings, 6A634
CHAIT, A: Numerical simulation of heat transport and fluid flow in directional crystal growth of GaAs, 6A1247
CHAITIN-CHATELIN, F: Lectures on Finite Precision Computations, 2R1
CHAJES, MJ: Dynamic analysis of tall building using reduced-order continuum model, 6A195
CHAKRABARTI, A: Sputtering temperature of a cooling cylindrical rod without and with an insulated core in a two-fluid medium, 1A1227
- Moving punch on a two-layered viscoelastic medium, 2A409
CHAKRABARTI, AK: Erosive and erosive-corrosive wear behavior of cast nitrogenated stainless steels, 4A886
CHAKRABARTI, PR: Comparative statistical study for the ultimate stress in unbonded post-tensioning, 10A946
CHAKRABARTI, S: Offshore Technology, Volume I, 1N30
- Volume I: Offshore Technology, 10N26
CHAKRABARTI, SK: Shear and attachment effects on the behavior of rectangular plates resting on tensionless elastic foundation, 10A647
- Wave kinematics for simulated shallow water storm waves: Analysis and experiments, 12T260
CHAKRABARTTY, SK: Navier-Stokes analysis of Korn aerofoil, 5A1071
- Computation of 3D transonic viscous flow using the JUMBO3D code, 6A1050
CHAKRABORTY, S: Stochastic FE simulation of random structure on uncertain foundation under random loading, 1A43
CHAKRAVARTTY, JK: Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, 9A698
CHAKRAVARTY, S: Analysis of pulsatile flow in a model aortic bifurcation, 8A1565
CHAKROUN, W: Thermal comfort analysis inside a car, 9A1313
CHAKROUN, WM: Effect of twisted-tape width on heat transfer and pressure drop for fully developed laminar flow, 1A1358
CHALI, GB: Experimental investigations and shape functions for lateral vibration of axially constrained beams with a concentrated mass at the center, 12T159
CHALLIS, JH: Producing physiologically realistic individual muscle force estimations by imposing constraints when using optimization techniques, 12A1539
CHALOULOU, G: Mathematical modeling of the performance of non-isothermal membrane reactors, 9A1437
CHAMARAJANAGAR, R: Finite element studies for correlation with block shear tests, 4A26
CHAMARTHI, S: Multi-level numerical model of coastal upwelling: A diagnostic study, 7A1495
CHAMBERLAIN, EJ: Freeze-thaw cycling and hydraulic conductivity of bentonitic barriers, 9A648
CHAMBERLAIN, JD: Resolution effects in chaotic velocity field reconstruction from passive scalar data, 12T1235
CHAMBERLAIN, PG: Approximations to wave trapping by topography, 5A184
CHAMBERS, B: Numerical study of local and average natural convection Nusselt numbers for simultaneous convection above and below a uniformly heated horizontal thin plate, 8A1277
CHAMBERS, FW: Elastohydrodynamic lubrication of air-lubricated rollers, 1A1126
- Filter inlet velocity redistribution with filter loading, 6A1072
CHAMBERS, JP: Comparison of computer codes for the propagation of sonic boom waveforms through isothermal atmospheres, 5A196
CHAMBON, R: Void ratio evolution inside shear bands in triaxial sand specimens studied by computed tomography, 4A641
CHAMEAU, JL: Void fabric tensor and ultimate state surface of soils, 8A637
- Design method for stabilization of slopes with piles, 9A636
CHAMIS, CC: Progressive fracture of fiber composite build-up structures, 9A759
- Structural durability of damaged metallic panel repaired with composite patches, 9A761
- Progressive fracture of composite cylindrical shells subjected to external pressure, 11A710
CHAMKHA, AJ: Compressible two-phase boundary-layer flow with finite particulate volume fraction, 3A1083
- Solutions for fluid-particle flow and heat transfer in a porous channel, 3A1106
- Analysis and performance of radial flow rotary desiccant dehumidifiers, 8A1547
- Transient non-Newtonian flow of a suspension with a compressible particle phase, 8T1116
- Solar radiation assisted natural convection in uniform porous medium supported by a vertical flat plate, 8A1308
- Note on unsteady hydromagnetic free convection from a vertical fluid saturated porous medium channel, 12T1269
CHAMPIGNY, F: European networks in structural integrity: Status in 1995, 4A1453
CHAMPION, M: IUTAM Symposium on Combustion in Supersonic Flows, 9N28
- Extinction of premixed flames in turbulent counter-flowing streams with unequal enthalpies, 3A1301
- Pseudo-compressibility method for reactive flows at zero Mach number, 7A1425
CHAMPNEYS, AR: Computation of homoclinic solutions to periodic orbits in a reduced water-wave problem, 8A250
CHAN, AG: Velocity problems of two 3-R robots manipulating a planar open-chain payload, 8A437
CHAN, AHC: Exact stress integration for von Mises elasto-plastic model with constant hardening modulus, 2A420
- Experimental investigation into the breakdown of low Reynolds number pulsed flows at a pipe orifice, 11A1033
CHAN, C: Combustion of ethane with small concentrations of methyl chloride in a refractory tube burner, 6A1335
CHAN, C-L: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
CHAN, CHAK K: Fast technique for measuring water activity of atmospheric aerosols, 8A1443
CHAN, CHI-MING: Mechanisms for viscosity reduction of polymer blends: Blends of fluoroelastomer and high-density polyethylene, 8A1001
CHAN, CHING-YUEN: Cell control architecture for manufacturing applications, 12A461
CHAN, CK: Modeling maximum flame speeds, 6A1330
CHAN, CT: Automatic tetrahedral mesh generation scheme by the advancing front method, 8A55
- Solution of the 2D shallow water equations using the finite volume method on unstructured triangular meshes, 11A951
CHAN, CY: Channel flow of a viscous fluid in the boundary layer, 8T1123
CHAN, DSH: Nonlinear analysis of rotordynamic instabilities in high-speed turbomachinery, 11A149
CHAN, DYC: Pore-scale network model for drainage-dominated three-phase flow in porous media, 1A1391
CHAN, ES: Stress waves in composite laminates excited by transverse plane shock waves, 5A160
CHAN, FHY: Generation of 3D medical thermograms, 9A814
CHAN, FW: Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, 10T1527
CHAN, GW: Boltzmann-Matano analysis of chloride diffusion into blended cement concrete, 6A535
CHAN, HSY: Separatrices and limit cycles of strongly nonlinear oscillators by the perturbation-incremental method, 6A123
CHAN, J: Behavior of reinforced-concrete-framed shear walls, 5A769
- Bond and slip of plain rebars in concrete, 6A879
CHAN, JENQ-TZONG H: Control system synthesis based on plant test data, 11A299
- LQ controller with a prescribed pole region: A data-based design approach, 12A378
CHAN, JKW: Comparison between high strength concrete and normal strength concrete subjected to high temperature, 6A882
CHAN, JWC: Characteristics of noise in air-conditioned landscaped offices, 3A314
CHAN, K: Generative inspection process and probe path planning for coordinate measuring machines, 2T364
CHAN, KC: Susceptibility to localized necking of defect-free metal sheets under biaxial stretching, 1A649
- Ultrasonic evaluation of cement adhesion in wall tiles, 1A824
- High-strain-rate superplasticity of SiC_p/8090 aluminum composite, 6A555
- Numerical analysis of an inside-out tube inversion process, 12A544
CHAN, KS: Inelastic flow behavior of argillaceous salt, 1A462
- Probabilistic treatment of microstructural effects on fatigue crack growth of large cracks, 1A718
- Cleavage and creep fracture of rock salt, 2A689
- Damage mechanics treatment of creep failure in rock salt, 11A661
- Treatment of anisotropic damage development within a scalar damage formulation, 12A823
CHAN, LK: Automatic supervision of blanking tool wear using pattern recognition analysis, 12A909
CHAN, SH: Exhaust emissions based air-fuel ratio calculation for internal combustion engines, 2A1343
- Trajectories and deposition of silica particles on cylinders in crossflow with and without a magnetic field, 5A1267
- Divergence analysis of an emissions-based air-fuel ratio model and exhaust oxygen estimation, 11A1427
- Effects of gravity on rewetting of capillary groove surface at elevated temperatures: Experimental theoretical studies, 11A1349
- General semicausal stochastic model for turbulence-radiation interactions in flames, 12A1310
CHAN, SIU LAI: Stability and strength analysis of glass wall systems stiffened by glass fins, 1A595
CHAN, SIU-LAI: Generalized design-based elasto-plastic analysis of steel frames by section assemblage concept, 10A951
CHAN, SL: Modeling for moment-rotation characteristics for end-plate connections, 6A909
- Transient response of moment-resistant steel frames with flexible and hysteretic joints, 8A931
- Analytical approach for nonlinear response of elastic cable under complex loads, 12A604
CHAN, SP: Real-time planning algorithm for obstacle avoidance of redundant robots, 3A406
- Robust motion control for robotic assembly tasks using variable structure control scheme, 8A452
CHAN, SS: Biomechanics of knee ligament healing, repair, and reconstruction, 10A1513
CHAN, SYN: Comparison between high strength concrete and normal strength concrete subjected to high temperature, 6A882
CHAN, THT: Moving force identification: A time domain method, 10A415
CHAN, WK: Vibration analysis of orthotropic thin cylindrical shells with free ends by the Rayleigh-Ritz method, 2A147
- Flow visualization study on feedback control of vortex shedding from a circular cylinder, 6A1029
CHAN, WS: Effect of loading frequency and interleaf on the delamination characteristics of laminated composites, 1A690
- Efficient method to simulate 1D and 2D delamination growth in composite laminates, 2A676
CHAN, YIU WING: Non-contact study of mechanical contact problem using TV-holographic interferometry, 6A481
CHANCELLOR, RS: Detecting parameter changes using experimental nonlinear dynamics and chaos, 1A120
CHAND, T: Double-diffusive convection in compressible fluids with suspended particles in porous medium, 4A1350
CHANDLER, AM: Inelastic response of code-designed eccentric structures subject to bi-directional loading, 8A1485
- Optimized procedure for seismic design of torsionally unbalanced structures, 12T1468
- Performance of asymmetric code-designed buildings for serviceability and ultimate limit states, 12A1469
CHANDLER, GV: Linear stability of hypersonic flow in thermomechanical nonequilibrium, 12A1138
CHANDLER, HD: Residual stresses associated with post-cure shrinkage in GRP tubes, 8A538
CHANDLER, HW: Analysis of nanoindentation load-displacement loading curves, 2A419
- Squeeze flow testing of glass mat thermoplastic material, 5A569
CHANDLER-WILDE, SN: Depth-integrated 2D coastal and estuarine model with conformal boundary-fitted mesh generation, 4A1428
CHANDRA, A: Boundary Element Methods in Manufacturing, 12R1
- Study of powder sintering-compaction by a micro-mechanics model, 9A685
- Thermal stresses in layered electronic assemblies, 12A1334
CHANDRA, D: Application of fiber optic sensors in geophysics: A review, 4T1383
CHANDRA, K: Chaotic motion in an oscillatory boundary layer, 6A1093
CHANDRA, PR: Turbulent flow heat transfer and friction in a rectangular channel with varying numbers of ribbed walls, 10A1285
CHANDRA, S: Study on a new mechanical model for foundations and its elastic settlement response, 2A558
- Shrouded probe performance: Variable flow operation and effect of free stream turbulence, 7A1438
- Compressibility effects in modeling turbulent high speed mixing layers, 9A1108
CHANDRA, U: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
- Computer simulation of manufacturing processes: Casting and welding, 1A417
- Shrinkage, residual stresses, and distortions in castings, 2A604
CHANDRAMOHAN, R: Dynamic fracture toughness properties of a 9Cr-1Mo weld from instrumented impact and drop-weight tests, 4A778

CHANDRAN, KB: Proc of the 1997 Bioengineering Conference, BED-Vol 35, 8N28
CHANDRAN, RS: Fluid Power Systems and Technology - 1996: Collected Papers, 3N35
CHANDRASEKAR, S: Determination of surface residual stresses in machined ceramics using indentation fracture, 5A422
- Polishing and lapping temperatures, 7A919
CHANDRASEKARAN, M: Lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, 3A857
- Effect of temperature on the fracture modes of BHW-35 steel under mode-II loading, 10A1369
- Sintered iron-based antifriction materials with added β-SiC, 12A1229
CHANDRASEKHARA, MS: Compressibility effects on dynamic stall, 6A1174
CHANDRASEKHARAIAH, DS: Thermoelastic plane waves without energy dissipation, 4T1263
- One-dimensional wave propagation in the linear theory of thermoelasticity without energy dissipation, 5A1300
- Note on the uniqueness of solution in the linear theory of thermoelasticity without energy dissipation, 5A1286
- One-dimensional waves in a thermoelastic half-space without energy dissipation, 5A1294
- Axisymmetric thermoelastic interactions without energy dissipation in an unbounded body with cylindrical cavity, 12A1337
CHANDRASEKHARAIAH, S: Thermoelastic Rayleigh waves without energy dissipation, 8T1385
CHANDRASEKHARAN, RM: Optimization of an advanced business jet, 11T823
CHANDRASEKHARAN, V: Mechanistic approach to predicting the cutting forces in drilling: With application to fiber-reinforced composite materials, 11A609
CHANDRASHAKER, R: Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, 10T457
CHANDRASHEKHARA, K: Delamination prediction in composite beams with built-in piezoelectric devices using modal analysis and neural network, 1A714
- Modeling and shape control of composite beams with embedded piezoelectric actuators, 3A513
- Experimental investigation into pile group-layered soil interaction, 4A650
- Nonlinear static and dynamic analysis of stiffened laminated plates, 8A575
- Finite element analysis of stiffened laminated plates under transverse loading, 8A22
- Approximate elasticity solution for a long and thick laminated circular cylindrical shell of revolution, 9A568
- Robust vibration control of composite beams using piezoelectric devices and neural networks, 10A165
- Elastic analysis of an annular slab-soil interaction problem using a hybrid method, 10A646
- Global strength of hybrid shape memory composite plates subjected to low-velocity impact, 12A591
- Bending analysis of a finite beam on a reinforced halfplane, 12A848
- Free vibration of eccentrically stiffened laminated plates, 12A177
CHANDRUPATLA, TR: Introduction to Finite Elements in Engineering, Second Edition, 5N1
- New hybrid quadratic-bisection algorithm for finding the zero of a nonlinear function without using derivatives, 9A80
CHANDWALKER, K: Small solar (thermal) water-pumping system, 4A1461
CHANEY, K: Effects of blade bending on aerodynamic control of fluctuating loads on teetered HAWT rotors, 5A1078
CHANG , FUQING: Nonlinear problems of current-carrying round plates with varying thickness in the electromagnetic field, 12A668
CHANG , HSIEN-KUO: Longshore current on an equilibrium beach, 1A965
CHANG , S-M: Thermal interaction between laminar film condensation and forced convection along a conducting wall, 5A1216
CHANG , YB: Elastohydrodynamic lubrication of air-lubricated rollers, 1A1126
CHANG, BIING-RONG: Design optimization of a split-point drill by force analysis, 1A653
CHANG, C-C: Multiplexed optical fiber sensors for air frame repair patch monitoring, 5A726
- Absolute phase measurement in extrinsic Fabry-Perot optical fiber sensors using multiple path-match conditions, 8A843
CHANG, C-H: Determination of flow properties in non-Darcian flow, 8T1305
CHANG, C-J: Forced vibration analysis of composite laminates using a discrete layer stress based model, 2A156
CHANG, C-M: Stochastic analysis of multiphase flow in porous media - II: numerical simulations, 3T1350
CHANG, C-Y: Inference of dynamic shear modulus from Lotung downhole data, 3A587
CHANG, CC: Mechanism of fluid transport across the grinding zone, 2A1011
- Ultrasonic sensor data integration and its application to environment perception, 3A416
- Impulsive stretching of a surface in a viscous fluid, 8A1049
CHANG, CF: Cyclic strain resistance, fatigue life, and final fracture behavior of magnesium alloys, 10A766
CHANG, CHEN-WEN: Experimental investigation on blade-stiffened panel with stiffener-to-skin fiber stitching, 2T489
CHANG, CHENG-HUNG: Boundary element method for the frictionless arc-shaped crack closure problem, 5A701
CHANG, CHIH-HSIUNG: Effects of vertically aligned subsurface fractures on seismic reflections: A physical model study, 7A1460
CHANG, CHIH-YUAN: Numerical study on the capillary effect of resin transfer molding, 10A754
CHANG, CHIN-JANG: Analysis of chaotic instabilities in boiling systems, 12A1135
CHANG, CHING S: Normal and tangential compliance for conforming binder contact - II: Visco-elastic binder, 4A508
- Normal and tangential compliance for conforming binder contact - I: Elastic binder, 4A489
- Wave propagation in granular rod using high-gradient theory, 6A239
CHANG, CHING TANG: Generalized multiple scale reproducing kernel particle methods, 6A15
CHANG, CHING-MIN: Role of moisture fluctuations in unsaturated transport, 10T1446
CHANG, CHING-SEN: Transient scattering of Rayleigh waves by surface-breaking and subsurface cracks, 2A205
CHANG, CHINGYI: Flow-induced structure in a system of nuclear waste simulant slurries, 3A939
CHANG, CHUNG: Compressional head waves in attenuative formations: Forward modeling and inversion, 6A1407
CHANG, CHUNG-SHIN: Force model of a single-point tool with a chamfered main cutting edge when wearing has occurred, 12A733
CHANG, CL: Least-squares FEM for the Stokes problem with zero rosidual of mass conservation, 10A1075
CHANG, CS: Heat transfer analysis and evaluation for two-phase flow in porous-channel heat sinks, 8A1327
CHANG, CT: Advances in multiple scale kernel particle methods, 1A92
- Heat transfer and friction characteristics of typical wavy fin-and-tube heat exchangers, 7T1331
CHANG, CY: Surface ripple in electron-beam welding solidification, 5A1287
CHANG, D: Free vibrations of a stepped, spinning Timoshenko beam, 12T161
CHANG, DA-WEI: Convergence analysis of the parallel multisplitting TOR method, 1A94
CHANG, DAQING: Non-uniform, axially loaded Euler-Bernoulli beam having complex ends, 2A124
CHANG, DAR-MING: Unsteady pressure measurements for parallel vortex-airfoil interaction at low speed, 11A1144
CHANG, DER-FORM: Low speed mixed lubrication of bulk metal forming processes, 11A1188
CHANG, DPY: NO_x and hydrocarbon emissions from a diesel engine fueled on digester gas, 12A1374
CHANG, E: Stress concentration factor parametric equations for tubular X and DT joints, 3A437
CHANG, EDWARD: Fabrication process for aluminum alloys reinforced with Al-Fe-V-Si particles, 3T649
CHANG, EJ: Behavior of heavy particles in an acoustically forced confined shear flow, 5T1348
CHANG, EP: Viscoelastic properties of pressure-sensitive adhesives, 10A1016
CHANG, FC: Fluid-Structure Interaction - 1996, 2N11
CHANG, FU-KUO: Strength envelope of bolted composite joints under bypass loads, 2A457
- Bearing failure of bolted composite joints - Part I: Experimental characterization, 2A671
- Bearing failure of bolted composite joints - Part II: Model and verification, 2A672
CHANG, HC: Vibration and buckling analysis of rectangular plates with nonlinear elastic end restraints against rotation, 11A130
CHANG, HO: Application of fuzzy set theory and back-propagation neural networks in progressive die design, 2A359
CHANG, HSUEH-CHIA: Drop fall-off from pendent rivulets, 11A1004
CHANG, HUNGYU: Numerical simulation of multi-parameter seismic scattering, 8A1491
CHANG, HW: Void formation and growth in a class of compressible solids, 5A10
CHANG, I-YIIN: Comparisons of calculated respiratory tract deposition of particles based on the proposed NCRP model and the new ICRP66 model, 2A1355
CHANG, IL: Continuous classification of moisture content in waste activated sludges, 9T1059
CHANG, J-D: Elastic deformation of thick, laminated composite shells, 3A536
CHANG, JCI: Proceedings of the ASME Aerospace Division, 4N19
CHANG, JG: Numerical modeling of twin-roll casting by the coupled fluid flow and heat transfer model, 7A627
CHANG, JH: Finite element calculation of energy release rate prior to crack kinking in 2D solids, 2A711
- Finite element approach for J_2 calculation in anisotropic materials, 7A424
CHANG, JY: Gas-saturated pool boiling heat transfer from smooth and microporous surfaces in FC-72, 2A1204
- Heater orientation effects on pool boiling of microporous-enhanced surfaces in saturated FC-72, 5A1211
- Enhanced boiling heat transfer from micro-porous cylindrical surfaces in saturated FC-87 and R-123, 11A1278
CHANG, K-K: Stability analysis of a rotating beam under a moving motion-dependent force, 12A193
CHANG, K-S: Numerical analysis of 3D Bjork-Shiley valvular flow in an aorta, 9A1591
CHANG, KC: Calculation of wall heat transfer in pipe-expansion turbulent flows, 2A1178
- Inelastic behavior of steel frames with added viscoelastic dampers, 3A810
- Turbulent flow calculation with orthodox QUICK scheme, 5A1055
- Composite damping ratio of seismically isolated regular bridges, 6A197
CHANG, KEUN-SHIK: Study on the Hartmann-Sprenger tube flow driven by a sonic jet, 8A1099
CHANG, KUANG-HUA: Shape design sensitivity analysis and optimization for structural durability, 10A908
CHANG, KUO-NENG G: Micromechanical simulation of hot mix asphalt, 11A399
CHANG, L: Mechanism of multi-valued friction in unsteady sliding line contacts operating in the regime of mixed-film lubrication, 7A865
- Experimental-analytical study of high-speed, high-load rolling-sliding contacts with ultra-low viscosity fluids, 7A1194
- Modeling and analysis of a high-speed transmission with multi-path, elastomeric load-share gears, 8A954
- Efficient and accurate calculation of traction in elastohydrodynamic contacts, 12A1213
CHANG, MIN-YUNG: Active robust vibration control of flexible composite beams with parameter perturbations, 8A128
CHANG, MING: Noncontact sphericity measurement by means of phase shift interferometry, 2A366
CHANG, MING-SHENG: Form creation for automobile design, 3A421
- Semantic recognition-based approach for car's concept design, 8T462
CHANG, MJ: Investigation of the skin melt formation during gas-assisted injection molding, 8T716
CHANG, MY: Structures of moving transverse and mixed rolls in mixed convection of air in a horizontal plane channel, 4A1209
- Changes of longitudinal vortex roll structure in a mixed convective air flow through a horizontal plane channel: An experimental study, 4A1205
- Unsteady vortex roll structures in a mixed convective air flow through a horizontal plane channel: A numerical study, 5A1170
- Flow visualization and numerical simulation of transverse and mixed vortex roll formation in mixed convection of air in a horizontal flat duct, 7A1258
CHANG, PETER: Structural strength of bridge decks reinforced with welded wire fabric, 3A799
CHANG, PING-KUN: Effects of member buckling and yielding on ultimate strengths of space trusses, 6A613
CHANG, REN-ROE: Determination of fiber-bridging tractions in fiber-reinforced composites, 9A750
CHANG, RK: Laser diagnostics for droplet characterization: Application of morphology dependent resonances, 3A1333
CHANG, RONG-SENG: Digital image processing of crack growth using a modified caustic set-up, 5A713
CHANG, RONG-YEU: Variable-order spectral element method for incompressible viscous flow simulation, 2A978
CHANG, S: Adaptive grid refinement using cell-level and global imbalances, 8A54
CHANG, S-H: Bubble growth and ink ejection process of a thermal ink jet printhead, 8A1118
CHANG, SHINN-LIANG: Mathematical model and undercutting analysis of elliptical gears generated by rack cutters, 1A913
- General mathematical model for gears cut by CNC hobbing machines, 9A955
- Kinematic optimization of a modified helical gear train, 12A1029
CHANG, SHIUH-MING: Coupling between laminar film condensation and natural convection on opposite sides of a vertical plate, 8A1321
CHANG, SONG: Trajectory of a multi-segment wheeled vechicle, 2A64
CHANG, SS: Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, 3T1428
CHANG, SUNG-PIL: Stability of shear deformable thin-walled space frames and circular arches, 3A555
CHANG, T-P: Use of characteristic orthogonal polynomials in the free vibration analysis of rectangular anisotropic plates with mixed boundaries and concentrated masses, 7A143
CHANG, T-S: Empirical method to estimate shear wave velocity of soils in the New Madrid seismic zone, 3A205
CHANG, TA-PENG: Effects of member buckling and yielding on ultimate strengths of space trusses, 6A613
CHANG, TB: Laminar film condensation on a horizontal surface with surface tension effect, 2T1220
CHANG, TP: Vibration and buckling analysis of rectangular plates with nonlinear elastic end restraints against rotation, 11A130
- Analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 12A965
CHANG, TSUNOU: Test method for accelerated humidity conditioning and estimation of adhesive bond durability, 10T1015
CHANG, W-C: Numerical simulation and scaling of NO_x emissions from turbulent hydrogen jet flames with various amounts of helium dilution, 2A1321
CHANG, WC: Experimental study of steady and pulsatile flows in cerebral aneurysm model of various sizes at branching site, 12A1556
CHANG, WEI-DER: Adaptive robust bank-to-turn missile autopilot design using neural networks, 9T346
CHANG, WENJI V: Ultrasonic technique for the measurement of the elastic moduli of human cornea, 5A1516
- Compressible approach in FE analysis of rubber-elastic materials, 7A13
CHANG, WH: Design and assessment of an adaptive intermittent cervical traction modality with EMG biofeedback, 5A1521
CHANG, WK: Planar and non-planar nonlinear dynamics of suspended cables under random in-plane loading - I: Single internal resonance, 7A136
- Multiple internal resonance in suspended cables under random in-plane loading, 10A189
CHANG, WL: Generalized methodology for determining the total heat gain through building envelopes, 4A1251
- Large building cooling load and energy use estimation, 8A1376
CHANG, XIAO-WEN: New perturbation analyses for the Cholesky factorization, 5A72
CHANG, XW: Approximate Newton methods for nonsmooth equations, 11T288
CHANG, YEON-PUN: Unsteady solutions of a unified heat conduction equation, 7T1303
CHANG, YEONG-CHAN: Tracking control of flexible joint manipulators using only position measurements, 1A399
CHANG, YI-LIN: Experimental investigation of a small-aspect-ratio elliptic jet under pseudolocal excitation, 8A85
CHANG, YL: Navier-Stokes computations of the NREL airfoil using a κ-ω turbulent model at high angles of attack, 11A1133
CHANG, YR: Kinetics of thermal decomposition of styrene-butadiene rubber at low heating rates in nitrogen and oxygen, 8A1413
CHANG, YS: Thermal oxidation of chloroform, 9A1382
CHANG, YU-JUEI: Generalized heat transfer correlation for louver fin geometry, 5A1272
CHANG, Z-C: Measurements of thermal performance of the regenerator of a cryocooler with a high number of transfer units value, 3A1262
CHANG, ZEI-CHI: Measurements of thermal performance of cryocooler regenerators using an improved single-blow method, 9A1289
CHANSON, H: Prediction of the transition nappe/skimming flow on a stepped channel, 2A952
- Plunging jet characteristics of plunging breakers, 12A249
CHANTRENNE, P: Microscopic thermal model for dry sliding contact, 5A1236
CHAO, BH: Structure and propagation of premixed flame in nozzle-generated counterflow, 11A1400
CHAO, BOR-HERNG: Inverse geometry problem in identifying irregular boundary configurations, 8A1333
CHAO, CHANG-PO: Stability of the unison response for a rotating system with multiple tautochronic pendulum vibration absorbers, 10A124
CHAO, CHEN-PING: Thermo-micromechanical theory for effective elastic constants of composite materials, 10A1376
CHAO, CHIH-CHUNG: Numerical prediction of the buoyancy-driven flow in the annulus between horizontal eccentric elliptical cylinders, 2A1170
CHAO, CK: Interaction between a crack and a circular elastic inclusion under remote uniform heat flow, 3A441
- Thermal stress analysis of a subsurface inclined crack subjected to a point heat source, 9A1323
- Multiple circular inclusions in plane thermoelasticity, 10A565

CHAO, EYS: Comparison of different methods in predicting static pressure distribution in articulating joints, 10A1514
CHAO, J: Characteristics of abrasive waterjet generated surfaces and effects of cutting parameters and structure vibration, 11A594
CHAO, KAINIAN: Measurements of path and other parameters in motor vehicle dynamics tests and their errors, 5A322
CHAO, LP: Stress analysis of laminated E-glass epoxy composite plates subject to impact dynamic loading, 1A577
CHAO, LU: Symmetry of PDEs and their applications to elasticity equations (Chinese), 12A504
CHAO, RM: Interfacial toughness for the shipboard aluminum-steel structural transition joint, 11A472
CHAO, RU-MIN: Boundary element method for the frictionless arc-shaped crack closure problem, 5A701
CHAO, XIAOBO: Vertical distribution of oil concentration in sediment-laden open channel flow (Chinese), 12A1055
CHAO, Y-J: Effects of crack depth, specimen size, and out-of-plane stress on the fracture toughness of reactor vessel steels, 5A1438
CHAO, YHC: Concurrent horizontal flame spread: The combined effect of oxidizer flow velocity, turbulence, and oxygen concentration, 2A1329
CHAO, YJ: Higher order crack tip fields and its implication for fracture of solids under mode II conditions, 5A703
CHAOUAT, B: Flow analysis of a solid propellant rocket motor with aft fins, 9A1401
CHAPDELAINE, J: Dynamics of an unbalanced shaft interacting with a limited power supply, 12A190
CHAPETTI, MD: Technique to produce automatic welds with enhanced fatigue crack propagation lives under transverse loading, 8A736
CHAPLIN, JR: Predictions of the hydrodynamic performance of the wave rotor wave energy device, 3A1457
CHAPMAN, CH: Transmission and reflection of transient elastodynamic waves at a linear slip interface, 10A269
CHAPMAN, D: Software to predict the behavior of tension piles, 7A579
CHAPMAN, JR: Factors affecting the pullout strength of cancellous bone screws, 2A1477
CHAPMAN, R: High-pressure arc heater development and modeling: Status and requirements, 5A1384
CHAPMAN, SJ: Extrusion of power-law shear-thinning fluids with small exponent, 8A693
- Nucleation of vortices in type-II superconductors in increasing magnetic fields, 9A605
- Bifurcation to vortex solutions in superconducting films, 12A675
CHAPOVSKA, R: Friction heat distribution between a stationary pin and a rotating disc, 2A1236
- Effect of a thin film on the heat distribution between a stationary pin and a rotating disk, 6A1266
CHAPPLE, PJ: Thermal-hydraulic performance prediction in fluid power systems, 7A365
CHAPPUIS, S: Effects of injection timing on performance and droplet characteristics of a sixteen-valve four cylinder engine, 8A1429
CHAPRONT, J: Planetary theories with the aid of the expansions of elliptic functions, 1A298
CHAR, MING-I: Oscillatory instability analysis of Benard-Marangoni convection in a rotating fluid with internal heat generation, 5A1161
CHARACH, C: Thermodynamics of heat storage in a PCM shell-and-tube heat exchanger in parallel or in series with a heat engine, 4A1184
- Thermodynamics of phase-change storage in series with a heat engine, 11T1202
CHARAFI, A: New h-adaptive refinement scheme for the BEM using local reanalysis, 8A62
CHARALAMBAKIS, N: "Inertial" time in stability of materials with non-monotone yield stress, 12A520
CHARALAMBIDES, PG: Energy method for calculating the stress intensities in orthotropic bimaterial fracture, 1A741
- Near-tip Mode-I elastic fields in bimaterial layered systems, 10A604
CHARALAMBOPOULOS, A: Dynamic characteristics of the human skull, 3A1487
CHARBON, C: Two dimensional stochastic micro-macro model of equiaxed eutectic solidification, 9A1272
CHARETTE, F: Active control of finite beam volume velocity using shaped PVDF sensor, 5A253
CHARKOV, VD: Service-life design of torsional shafts by the fatigue criterion, 8A973
CHARLES , JA: Effect of reservoir drawdown and long-term consolidation on the deformation of old embankment dams, 9A895
CHARLES, BD: Effects of surface blowing-suction on the aerodynamics of helicopter rotor blade-vortex interactions - A numerical simulation, 10A1219
- Airfoil design for helicopter rotor blades: A 3D approach, 10A1223
CHARLES, PR: Effect of Mode II fatigue loading on Mode I fatigue growth, 7A646
CHARLES, R: Simple shear flow of suspensions of liquid drops, 3A1074
CHARMCHI, M: ASME Proceedings of 31st National Heat Transfer Conference, Volume 9, 2N44
CHARMET , JC: Adhesive contact and rolling of a rigid cylinder under the pull of gravity on the underside of a smooth-surfaced sheet of rubber, 6A477
CHARMET, J-C: Influence of surface properties on the rebound of a rigid ball on a rubber surface, 1A441
CHARNAY, G: Phase averaged velocity field in an axisymmetric jet subject to a sudden velocity decrease, 5A1016
CHARNG, J-J: Estimation of plasticity-induced crack closure in a pre-existing plastic zone, 5A658
CHARPENTIER, I: Domain decomposition methods for the study of the particular behavior of a very thin long structure, 5A790
CHARRIER-MOJTABI, MC: Numerical simulation of 2D and 3D free convection flows in a horizontal porous annulus using a pressure and temperature formulation, 7A1273
- Non-Darcian effects on double-diffusive convection within a porous medium, 12A1350
CHARRON, G: Three-dimensional mesh generator for arbitrary multiple material domains, 10A62
CHARTERS, AC: Penetration of confined boron carbide targets by tungsten long rods at impact velocities from 1.5 to 5.0 km/s, 7A201
CHARUKHCHEV, AD: Shape optimization for a rectangular plate at elastoplastic bending, 4A819
CHASE, JG: Robust H_∞ control considering actuator saturation - I: Theory, 3A757
- Robust H_∞ control considering actuator saturation - II: Applications, 3A758
CHASE, TR: Circuit rectification for four precision position synthesis of four-bar and watt six-bar linkages, 11A858
CHASSAPIS, C: Three-dimensional transient mold cooling analysis based on Galerkin FE formulation with a matrix-free conjugate gradient technique, 3A620
- Classical versus improved thin shell theories: A theoretical argument or a design concern?, 8A574
- Optimal cooling system design for multi-cavity injection molding, 12A49
CHASSIE, GG: Buckling of helical springs under combined compression and torsion, 8A601
CHASSIGNET, EP: Wall jet in a rotating fluid, 10A1156
CHATEAUMINOIS, A: New testing methodology for the assessment of fatigue properties of structural adhesives, 6A750
- Interfacial behavior of a glass-epoxy composite during a micro-indentation test: Assessment of interfacial shear strength using reduced indentation curves, 7A496
CHATOORGOON, V: Void fraction profile in subcooled water-steam condensing flow, 7A1294
CHATTERJEE, A: Application of domain decomposition in modeling flow and heat transfer problems, 8A1336
CHATTERJEE, D: Towards the concept of hydrodynamic cavitation control, 8A1033
CHATTERJEE, G: Computer-aided sketching of epicyclic-type automatic transmission gear trains, 3A905
CHATTERJEE, PC: Hydro-structural analysis program for TLPs, 7A229
CHATTERJEE, S: Assessment of quasi-static and operational errors in NC machine tools, 8A455
CHATTERJEE, TK: Extension of the Kepler Problem towards minimization of energy and gravity softening, 11A230
CHATTOPADHYAY, A: Reflection and refraction of P waves at the interface of two monoclinic media, 3A1363
- Coupled rotor-wing optimization procedure for high speed tilt-rotor aircraft, 4A1146
- Optimization procedure with analytical aerodynamic sensitivity for reduced sonic boom design, 6A1186
- Design of a smart flap using polymeric C-block actuators and a hybrid optimization technique, 10A519
CHATTOPADHYAY, AB: Simple approach for on-line tool wear monitoring using the analytic hierarchy process, 9A422
CHATTOPADHYAY, L: Size effect on creep energy dissipation during stable crack growth, 1A711
CHATUFALE, VR: Block-recursive identification of parameters and delay in the presence of noise, 11A273
CHATURVEDI, P: Error bounds on ultrasonic scatterer size estimates, 1A331
CHATURVEDI, SK: Thermo-micromechanical theory for effective elastic constants of composite materials, 10A1376
CHATWIN, CH: Frequency multiplexed DOG filter, 8A869
CHAU, KT: Bifurcation of crack pattern in arrays of 2D cracks, 2A696
- Fluid point source and point forces in linear elastic diffusive half-spaces, 2A401
- Young's modulus interpreted from compression tests with end friction, 6A818
- Infinite plane loaded by a rivet of a different material, 11A367
CHAUBAL, CV: Smoothed particle hydrodynamics techniques for solution of kinetic theory problems - Part I: Method, 11A892
CHAUDHARY, MA: Free convection stagnation point boundary layers driven by catalytic surface reactions - II: Times to ignition, 1A1167
CHAUDHRY, HR: Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, 6A1535
- Dynamic stresses and strains in the left ventricular wall based on large deformation theory, 8A1564
CHAUDHRY, MH: Computation of energy dissipation in transient flow, 7A1004
- Simulation of dam-break flow with grid adaptation, 9T994
CHAUDHRY, Z: Debond detection using broadband high-frequency excitation and non-contacting laser vibrometer system, 1A157
- Impedance-based modeling of induced strain actuators bonded on ring structures, 10A918
CHAUDHURI, PK: Note on the crack problem for a nonhomogeneous plane, 9A731
CHAUDHURI, RS: Geometrically nonlinear analysis of cylindrical shells using surface-parallel quadratic elements, 5A477
CHAUHAN, A: Temporal and spatial instability of an inviscid compound jet, 7A1131
CHAUMETTE, F: Exploiting image motion for active vision in a visual servoing framework, 6A433
CHAUVEAU, C: Studies on the ignition and burning of levitated aluminum particles, 6A1325
CHAVALLI, A: Cutting state identification, 8A701
CHAVEPEYER, G: Soret effects in ternary systems heated from below, 5A1164
CHAVEZ, F: From piston theory to a unified hypersonic-supersonic lifting surface method, 11A977
CHAVEZ, JM: Investigation of cold filling receiver panels and piping in molten-nitrate-salt central-receiver solar power plants, 11A1532
CHAVEZ-GARCIA, FJ: Topographic site effects and HVSR: A comparison between observations and theory, 4A1396
CHAVIAROPOULOS, P: Vorticity-streamfunction formulation for steady incompressible 2D flows, 3A1051
- Aerodynamic optimization of stall regulated horizontal axis wind turbine rotors, 4A1466
CHAVIAROPOULOS, PK: Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 1: Structural aspects, 12T1174
- Development of a state-of-the-art aeroelastic simulator for horizontal axis wind turbines - Part 2: Aerodynamic aspects and application, 12T1175
CHAWLA, KK: Effect of BN coating on the strength of a mullite type fiber, 12A564
CHAWLA, V: Design of energy conserving algorithms for frictionless dynamic contact problems, 8A482
CHE, CHENGGANG: Modeling and calibration of a structured-light optical CMM via skewed frame representation, 5A370
CHE, M: Application of a normalization method for determining J-R curves in glassy polymer PVC at different crosshead speeds, 9A784
CHEAH, CHIEN CHERN: Model reference learning control scheme for a class of nonlinear systems, 7A325
CHEAH, SC: LDA investigation of the flow development through rotating U-ducts, 1A1118
CHEANG, P: Effects of feedstock and laser post-spray treatment on plasma sprayed bioceramic coatings, 4T654
CHECHKIN, G: Asymptotics of solutions and eigenvalues of the boundary value problem with rapidly alternating boundary conditions for the system of elasticity, 8A473
CHECKEL, MD: Importance of turbulence intensity, eddy size and flame size in spark ignited, premixed flame growth, 9A1362
CHECKINA, OG: Model for tool wear in rock cutting, 3A858
CHEDID, R: Optimization and control of autonomous renewable energy systems, 1A1436
CHEESEMAN, DJ: Study of turbulent flow in pipe contractions, 8A1143
CHEESEWRIGHT, R: Influence of forces due to electromagnetic pick-ups on the performance of small turbine flowmeters, 7A371
CHEKHOV, VN: Stability of laminated coating of tribotechnical purpose (Russian), 9T506
- Effect of anisotropic physico-mechanical properties of material on the surface instability of layered half-bounded media (Russian), 12A638
- Stability of multilayer coatings of tribotechnical purpose under low precritical strains (Russian), 12A927
CHEKINA, OG: Study of wheel-rail friction, wear and cumulative damage, 5A830
CHELIDZE, TL: Absorption of strain waves in porous media at seismic frequencies, 1A1405
CHELLABOINA, V-S: Implicit small gain condition and an upper bound for the real structured singular value, 7T300
- Frequency-domain performance bounds for uncertain structures with sensor and actuator dynamics, 8T365
- Robust nonlinear-nonquadratic feedback control via parameter-dependent Lyapunov functions, 10A453
CHELMINSKI, K: Large solutions for the quasistatic problem in nonlinear viscoelasticity with the constitutive equations of Bodner-Partom, 2A406
CHELNOKOV, YN: Quaternions and dynamics of controled motion of a rigid body, 4A73
CHELPANOV, IB: Investigating the influence of wear of shaping contour of skinned punch on part springing, 1T648
- Monitoring of the forming of configuration parts on bending robots using a technical-vision device, 4T459
CHEN , CHAO-YI: Angular bias errors in three-component laser velocimeter measurements, 4A1175
CHEN , CK: Laminar film condensation on a horizontal surface with surface tension effect, 2T1220
CHEN , DAPENG: Non-incremental time-space algorithm for numerical simulation of forming process, 7A597
CHEN , FANGPING: Comprehensive model to predict the stress fields in a single fiber composite, 4A550
CHEN , GANG: Laser diagnostics for droplet characterization: Application of morphology dependent resonances, 3A1333
CHEN , GUOPING: Simulation on the strength of model armor block on rubble-mound breakwaters, 1A967
CHEN , KEAN: Arrangement of error sensors for adaptive active noise control in free sound field (Chinese), 7T271
CHEN , LIANGSHAN: Influence of warm over-loading on stress-corrosion cracking of welded structures, 3A670
CHEN , LONGXUAN: Jordan canonical forms of matrices over quaternion field, 3A84
CHEN , MENGCHENG: Explicit tensor expression for the fundamental solutions of a bimaterial space problem, 12A468
CHEN , PING-HEI: Measurements of thermal performance of cryocooler regenerators using an improved single-blow method, 9A1289
CHEN , QIZHI: Vibration detection of liquid rocket engine based on fuzzy neural networks, 12T170
CHEN , S: Alternative view of building structures, 7A841
CHEN , XF: Potentials and limitations of acoustic metrology for dimensional conformance: A comparative study, 5A733
CHEN , XU: Two-surface model describing ratchetting behaviors and transient hardening under non-proportional loading, 8A518
CHEN , Y: Assessment on pile effective lengths and their effects on design - I: Assessment, 7A575
CHEN , YINGJUN: Influence function method for random seismic response of soil-structure system (Chinese), 2A1381
CHEN , YUSHU: Period-doubling bifurcation of a strongly nonlinear vibration system (Chinese), 12T125
CHEN , ZHENFAN: Study on influence of boundary, junction and discontinuities on disturbance propagation in 1D waveguide (Chinese), 10T258
CHEN, A: Structure of steady flow through dual-intake engine ports, 5A1363
CHEN, AS: Deformation and damage mechanisms in fiber-reinforced aluminium alloy composites under tension, 8A790
CHEN, B: Prediction of incompressible turbulent separated flows using a viscous layer model, 8A1197
- Axisymmetric dynamic response of a penny-shaped crack to a pair of transient concentrated forces, 9A767
CHEN, BAIPIN: Nonlinear 3D analysis of composite laminated plates, 5A472
CHEN, BAIXIN: Breakup and atomization of a viscous liquid jet, 6A1139
- Investigation on application of orthogonal network optimal method to performance optimization of diesel engines (Chinese), 6A1357
CHEN, BANG-FUH: Nonlinear hydrodynamic pressures generated by a moving high-rise offshore cylinder, 6A304
- Three-dimensional nonlinear hydrodynamic analysis of vertical cylinder during earthquakes - I: Rigid motion, 11A1493
CHEN, BOR-SEN: Tracking control of flexible joint manipulators using only position measurements, 1A399
CHEN, BOZHEN: Parametric analysis and experimental study on local flexibility of TY-type tubular joints, 1A857
- Finite element model for static and dynamic analysis of thin-walled beams with asymmetric cross-sections, 4A595
CHEN, C: Fatigue crack propagation of D6AC laser welds, 8A742
CHEN, C-C: Free and forced vibration of a cantilever beam contacting with a rigid cylindrical foundation, 12A160
CHEN, C-K: Nonlinear hydromagnetic stability analysis of condensation film flow down a vertical plate, 5A1036
CHEN, C-L: Sliding mode control for nonlinear systems with global invariance, 9A329

CHEN, C-S: Methodology for fatigue crack growth and residual strength prediction with applications to aircraft fuselages, 12A759
CHEN, CC: Vibration analysis of arbitrary quadrilateral unsymmetrically laminated thick plates, 12T187
CHEN, CF: Effect of gravity modulation on natural convection in a vertical slot, 6A1237
CHEN, CH: Transient combustion of a heating droplet in a gravitational environment, 1A1340
CHEN, CHA'O KUANG: Transient free convection of non-Newtonian fluids along a wavy vertical plate including the magnetic field effect, 5A1183
CHEN, CHA'O-KUANG: Finite element solutions of laminar and turbulent mixed convection in a driven cavity, 1A48
- Convective heat transfer from a circular cylinder under the effect of a solid plane wall, 1A44
- Application of Taylor transformation to nonlinear predictive control problem, 2A318
- Nonlinear stability of the thin micropolar liquid film flowing down on a vertical plate, 4A1070
- Improved procedure for the inverse design of 2D airfoils in ground effect, 6A1179
- Error bounds estimate of weighted residuals method using genetic algorithms, 6A82
- Laminar film condensation on a finite-size horizontal wavy disk, 10A1322
- Finite element solutions of laminar and turbulent flows with forces and mixed convection in an air-cooled room, 10A1293
CHEN, CHANG-NEW: Two-dimensional frame model of the differential quadrature element method, 7A39
- Structural analysis by an inverse procedure using Bernoulli and Euler functions, 11A502
CHEN, CHANG-QING: Exact solution of orthotropic cylindrical shell with piezoelectric layers under cylindrical bending, 5A349
- Piezothermoelasticity analysis for a circular cylindrical shell under the state of axisymmetric deformation, 6A1304
CHEN, CHAO-HSUN: Effective thermal conductivity of misoriented short-fiber reinforced thermoplastics, 2A432
- Micromechanics of nonlinear behavior in solid-filled Mooney-Rivlin rubber specimen, 3A435
- Stress intensity factors of regularly and singularly perturbed-interface cracks, 6A784
- Stress intensity factors of slightly undulating interface cracks of bimaterials, 8A814
- Stress intensity factors of regularly perturbed-interface cracks of anisotropic bimaterials, 8A777
- Determination of fiber-bridging tractions in fiber-reinforced composites, 9A750
CHEN, CHENG-YU: Earth pressures with sloping backfill, 9A641
CHEN, CHIEH-LI: Application of Taylor transformation to nonlinear predictive control problem, 2A318
- Error bounds estimate of weighted residuals method using genetic algorithms, 6A82
CHEN, CHIEN-HSIN: Non-Darcy mixed convection from a horizontal surface with variable surface heat flux in a porous medium, 6A1388
- Analysis of non-Darcian mixed convection from impermeable horizontal surfaces in porous media: The entire regime, 9T1231
CHEN, CHIEN-MING: Linear representation of the screw triangle: A unification of finite and infinitesimal kinematics, 11A84
CHEN, CHIEN-PIN: Combined Eulerian-VOF-Lagrangian method for general gas-liquid flow applications, 6A1264
CHEN, CHIH-HSIN: Geometro-kinematical analysis of multi-point-conjugation joint, 11A864
CHEN, CHII-SHENG: Temperature and flow fields for the flow of a second grade fluid past a wedge, 12A1046
CHEN, CHIN-SHONG: Stability analysis and complex dynamics of a gear-pair system supported by a squeeze film damper, 6A626
CHEN, CHING-JEN: Flow Modeling and Turbulence Measurements VI, 3N33
CHEN, CHING-YAO: Miscible displacements in capillary tubes - Part 2: Numerical simulations, 5A939
CHEN, CHIUN-HSUN: Droplet ignition in a high-temperature convective environment, 9A1353
CHEN, CHUN-CHIEH: Application of heuristic asymmetric mapping for mobile robot navigation using ultrasonic sensors, 6A411
CHEN, CHUNG-JEI: Improvements of simple genetic algorithm in structural design, 9A881
CHEN, CHUNG-YU: Anaerobic fluidized bed pretreatment of hog wastewater, 9A1553
CHEN, CJ: Stress-based topology optimization, 5A763
- Bead pattern optimization, 6A844
CHEN, CP: Micromechanical analysis of dynamic behavior of conventional and negative Poisson's ratio foams, 1A176
- Nonequilibrium algebraic model for turbulent density fluctuations, 2T1048
CHEN, CS: Discrete Projection Methods for Integral Equations, 8R2
- Bibliography on radial basis function approximation, 3T64
- Improved multiquadric approximation for partial differential equations, 7A54
- Secondary compression of peat with or without surcharging, 11A559
CHEN, CT: Surface ripple in electron-beam welding solidification, 5A1287
CHEN, CY: Axisymmetric problem of a disc in a bimaterial sandwich: The (history dependent) scalar potential case, 7A413
CHEN, D-H: Stress analysis on rectangular cross-sectional ring headers, 11A509
CHEN, DA-PENG: Quadratic triangular C^0 plate bending element, 8A592
CHEN, DA-RONG: Measurement of topography of finished surface by frustrated total reflection, 2A917
CHEN, DADUAN: Stability of forced dissipative nonlinear system, 3A1131
CHEN, DAI-HENG: Point force and edge dislocation in a two-phase anisotropic medium, 3A436
- Green's functions for a point force and dislocation outside an elliptic inclusion in plane elasticity, 6A473
- Stress singularities for crack normal to and terminating at bimaterial interface on orthotropic half-plates, 9A766
- Stress intensity factors for an interface crack along an elliptical inclusion, 10A803
CHEN, DANIAN: Crack straining-based spall model, 7A203
CHEN, DAOYI: Absolute and convective instabilities of plane turbulent wakes in a shallow water layer, 11A1083
CHEN, DAPENG: ALE FE analysis of the opening and closing process of the artificial mechanical valve, 1A34
- Design of the classes of object-oriented FE program (Chinese), 2A31
- Incompatible plane finite dynamic element (Chinese), 2A33
CHEN, DARONG: Monitoring of the wear condition and research on the wear process for running equipment, 7A883
CHEN, DH: Body force method and its applications to numerical and theoretical problems in fracture and damage, 12A835
CHEN, DJ: Efficient method to simulate 1D and 2D delamination growth in composite laminates, 2A676
CHEN, DU: Ponding problem of plates in nonlinear nature, 1T275
CHEN, ER-PING: Scaling of structural failure, 11A672
CHEN, F: Determination of the interfacial shear strength of glass-fiber-reinforced phenolic composites by a bimatrix fragmentation technique, 2A431
CHEN, FALIN: Rotation effects on the convection of binary alloys unidirectionally solidified from below, 4A1280
CHEN, FAN-SHIONG: Assessment of nitrocarburizing processing in fluidized bed furnace, 4T1303
CHEN, FEI-YONG: Stability of organized horizontal vortices and momentum transport in open channel flows with bank vegetation (Japanese), 7A997
CHEN, FHK: Global-local integrated study of roller chain meshing dynamics, 12A1003
CHEN, FUH-KUO: Analysis of an equivalent draw-bead model for the FE simulation of a stamping process, 8A697
CHEN, G: Effects of multiple secondary paths on convergence properties in active noise control systems with LMS algorithm, 2A286
- Nonlocal and nonequilibrium heat conduction in the vicinity of nanoparticles, 2A1232
- Co-flow laminar diffusion flames of monodisperse sprays: Structure, evaporation, and microgravity effects, 4A1288
- Size and interface effects on thermal conductivity of superlattices and periodic thin-film structures, 11A1307
- Galerkin method for initial value problems based on the principle of total virtual action, 12A83
CHEN, GANG: ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40
- Statistical error analysis for the direct simulation Monte Carlo technique, 1T1001
CHEN, GENDA: Exact solutions to a class of structure-equipment systems, 6A1435
CHEN, GOONG: Linear Stochastic Control Systems, 2R13
CHEN, GQ: Constitutive theory for the Reynolds-stress closures in turbulence modeling, 1A1078
- Notes on FEM and its generalization, 7A28
CHEN, GUANRONG: Linear Stochastic Control Systems, 2R13
CHEN, GUNG: Dilute laminar spray diffusion flames near the transition from group combustion to individual droplet burning, 12A1358
CHEN, GUOHUA: Study on the reliability assessment methodology for pressure vessels containing defects, 5A630
CHEN, GUOJIN: Fuzzy diagnosis for fault of valves of internal combustion engines (Chinese), 2A334
CHEN, GUOPING: Variational principles of linear vibration system and its discretization solution in time domain (Chinese), 10T107
CHEN, GW: Continuous classification of moisture content in waste activated sludges, 9T1059
CHEN, H: Modeling of a turbocharger turbine under pulsating inlet conditions, 5A1362
- Modified H_2 feedforward active control system for suppressing broadband random and transient noises, 5A257
- Study on the stress concentration at the round corners of flat heads in pressure vessels subjected to internal pressure, 5A392
- Powder coating process parameters for a transfer efficiency model, 6A1060
- Stability of a counter-rotating vortex pair immersed in cross-stream shear flow, 7A1057
CHEN, H-H: Bifurcations and chaos in a rate gyro with harmonic excitation, 1T112
- Regular and chaotic motions of a symmetric heavy gyroscope with harmonic excitation, 6A111
- Bifurcations and chaotic motions in a rate gyro with a sinusoidal velocity about the spin axis, 8A86
- Steady-state response of the flexible connecting rod of a slider-crank mechanism with time-dependent boundary condition, 8A166
CHEN, H-K: Regular and chaotic motions of a symmetric heavy gyroscope with harmonic excitation, 6A111
CHEN, H-N: Experimental study of the effect of transverse oscillation on convection heat transfer from a circular cylinder, 12A1249
CHEN, H-P: Development of a feedforward active noise control system by using the H_2 and H_∞ model matching principle, 10A375
CHEN, H-T: Thermal interaction between laminar film condensation and forced convection along a conducting wall, 5A1216
CHEN, HAMN-CHING: Assessment of a Reynolds stress closure model for appendage-hull junction flows, 11A1110
CHEN, HAN-TAW: Coupling between laminar film condensation and natural convection on opposite sides of a vertical plate, 8A1321
CHEN, HAORAN: Analysis of steady behavior for electrorheological (ER) "Smart" journal bearings (Chinese), 2A1121
- Fractural analysis for composites with interfacial crack (Chinese), 2A679
- Study of the elasto-plastic axially tensile properties of metal matrix composites with fiber-end debonding, 5A445
- Fatigue behavior of sharp-notch specimens under cyclic compressive load (Chinese), 6A725
- Mixed-state Hamilton semi-analytical method on thermal elastic problem of laminates (Chinese), 12A1338
CHEN, HB: Three-dimensional viscous flow through a rotating channel: A pseudospectral matrix method approach, 2A1006
CHEN, HF: Numerical method for reference stress in the evaluation of structure integrity, 9A465
CHEN, HM: Design and analysis of a sensorless magnetic damper, 8A202
CHEN, HONG: Interaction between edge dislocations around the tip of a crack, 6A769
CHEN, HORNG-GIOU: Robust controller design with damping and stability specifications, 9T339
CHEN, HOW-WEI: Staggered-grid pseudospectral viscoacoustic wave field simulation in 2D media, 1A235
CHEN, HSIEN H: Control of suspensions for vehicles with flexible bodies - Part II: Semi-active suspensions, 4A388
- Control of suspensions for vehicles with flexible bodies - Part I: Active suspensions, 4A387
CHEN, HSIN-CHU: Solving plate bending problems using finite strips on networked workstations, 7A537
CHEN, HUNG-CHUNG: Fiber consolidation in the filament winding process: Modeling with undulating channels, 7A631
CHEN, J: Linear transient analysis of rectangular laminated plates by a finite strip-mode superposition method, 3A527
- Unit-cell geometry in plain-weave fabrics during shear deformations, 9A500
- Relationship between shear angle and wrinkling of textile composite preforms, 10A598
- Time-dependent adhesion-induced phenomena: Viscoelastic creep of a substrate polymer over rigid particles, 12A514
CHEN, J-S: Application of FE analysis for determination of load share, real contact ratio, precision of motion, and stress analysis, 6A946
- Large deformation analysis of rubber based on a reproducing kernel particle method, 9A434
CHEN, J-X: Heat transfer in an air-cooled rotor-stator system, 1A1187
- Heat transfer from air-cooled contrarotating disks, 8A1298
CHEN, J-Y: Asymmetric effects on mode localization of symmetric structures, 2T88
- Numerical simulation and scaling of NO_x emissions from turbulent hydrogen jet flames with various amounts of helium dilution, 2A1321
CHEN, JC: Convective Flow Boiling, 4R27
- Distributed activation energy model of heterogeneous coal ignition, 5A1328
- Modeling influences of inlet swirl profiles on dump combustor flows, 6T1341
- Performance of an entrained-particle heat exchanger, 6A1263
- Experimental determination of liquid evaporation rates in superheated fluidized beds, 10A1323
- Fuzzy-nets in-process system for tool-breakage monitoring in end-milling operations, 11A603
CHEN, JD: Numerical study of heat transfer enhancement of a horizontal tube with an eccentrically inserted plate, 7A1339
CHEN, JEN PING: Wake-induced unsteady flows: Their impact on rotor performance and wake rectification, 11A1168
CHEN, JEN-SAN: In-plane response of a rotating annular disk under fixed concentrated edge loads, 2A148
- In-plane vibration and stability of a spinning annular disk, 3A175
- Natural frequencies and stability of an axially-traveling string in contact with a stationary load system, 10A190
- Parametric resonance of a spinning disk under space-fixed pulsating edge loads, 10A211
CHEN, JEN-WHA: Vertical vibration of pile in vibration-induced excess pore pressure field, 11A563
CHEN, JENQ-SHYONG: Study of thermally induced machine tool errors in real cutting conditions, 6A698
CHEN, JH: Statistical model for cleavage fracture of low alloy steel, 4A727
CHEN, JIABIN: Prediction of homogeneous nucleation superheat limits of pure liquids using molecular interaction model (Chinese), 2A1203
CHEN, JIAHUA: Intelligential fuzzy control theory with predictive and decoupling functions (Chinese), 4A344
- Study of fuzzy control theory application to engine transient testbed (Chinese), 4A345
- Sync laser measurement of two-phase of vapor and liquid and 3D concentration of fuel spray (Chinese), 10A1270
CHEN, JIAN-JUN: Study on dynamic reliability analysis of the structures with multi dof, 7A818
CHEN, JIANMIN: Pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 2A867
CHEN, JIANQIAO: Propagation of small surface cracks in stainless steel at high temperature, 1A686
- Application of fracture mechanics to the surface crack propagation in stainless steel at elevated temperatures, 11A674
CHEN, JINBIAO: Forecasting b-values for seismic events, 1A1406
CHEN, JINCAN: R-ε characteristics of a three-heat-source refrigeration cycle, 2A1274
CHEN, JING-WEN: Representing grain size of bed material, 6A1006
CHEN, JINGYU: Analysis of mode localization of a structure due to symmetry breaking (Chinese), 2A107
CHEN, JINNAN: Surfactant-induced retardation of the thermocapillary migration of a droplet, 11A1007
CHEN, JIUN-SHYAN: Reproducing Kernel Particle Methods for large deformation analysis of nonlinear structures, 6A30
- Pressure projection method for nearly incompressible rubber hyperelasticity - Part I: Theory, 7A492
- Pressure projection method for nearly incompressible rubber hyperelasticity - Part II: Applications, 7A493
CHEN, JIUNG-MING: Earth pressures with sloping backfill, 9A641
CHEN, JIYANG: Water-surface slope at critical controls in open channel flow, 3A975
CHEN, JK: Quadratic yield function for fiber-reinforced composites, 11A435
CHEN, JLS: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
CHEN, JM: Lateral oscillations of an aircraft model at high angles of attack, 3A1186
- Unsteady pressure measurements for parallel vortex-airfoil interaction at low speed, 11A1144
CHEN, JN: Absolute and convective instability of a viscous liquid curtain in a viscous gas, 8A1165
CHEN, JS: Fast calibration and modeling of thermally-induced machine tool errors in real machining, 7A610
- Perturbed Lagrangian formulation for nearly incompressible and incompressible hyperelasticity, 10A571
- Fast electro-optical sensing system for measuring thermal response of a rotating roll without generating contact noise, 11A586
- Robust composite control for singularly perturbed systems with time-varying uncertainties, 11T306
CHEN, JT: Integral representations and regularizations for a divergent series solution of a beam subjected to support motions, 3A1387
- Dual series representation and its applications to a string subjected to support motions, 5A101
- Alternative method for transient and random responses of structures subject to support motions, 6A1431
- Hysteretic damping revisited, 9A117
- Normalized quasi-static mass: A new definition for multi-support motion problems, 12A16

CHEN, JUHN-HORNG: Identification of linearized dynamic characteristics of rolling element bearings, 6A206
CHEN, JUN-LIANG: Nonlinear rupture theory of a thin free liquid film with insoluble surfactant, 3A236
CHEN, JUNKAI: Three dimensional simulation of unstable immiscible displacement in the porous medium, 10A1174
CHEN, JYH-CHEN: Experimental observation of interface shapes in the float zone of lithium niobate during a CO_2 laser melting, 1A1236
- Numerical computation of heat flow, fluid flow, and interface shapes in the float zone of lithium niobate during a melting process, 1A1194
- Linear stability study of waviness effect on film condensation with nonuniform surface tension, 9T1251
CHEN, K: Latent heat effects in thermoelectric air conditioners and heat pumps equipped with a heat exchanger, 3A1265
- Moisture migration and cracking in plastic quad flat packages, 12A821
CHEN, KAI: Dry sliding friction and wear behavior of short fiber reinforced zinc-based alloy composites, 3A850
CHEN, KC: Numerical study of low-thrust nozzles for satellites, 4A1053
- Wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, 12A995
CHEN, KE-FU: Fluidization properties of high-consistency fiber suspensions, 7T979
CHEN, KM: Effective thermal conductivity of nonlinear composite media with contact resistance, 5A1237
CHEN, KS: Kinetics of thermal decomposition of styrene-butadiene rubber at low heating rates in nitrogen and oxygen, 8A1413
CHEN, L: Generalized hybrid method for fuzzy multi-objective optimization of engineering systems, 2A754
- Kerf characteristics in abrasive waterjet cutting of ceramic materials, 5A574
- Crack closure effects on fatigue crack growth thresholds and remaining life in an HSLA steel, 8A731
CHEN, L-W: Stability behavior of a non-conservative spinning Timoshenko shaft with an overhung disk, 8A165
CHEN, LEA-DER: Application of the Krylov subspace method to numerical heat transfer, 2A1195
- Higher-order numerical model for simulation of time-dependent variable-density flows, 4A996
CHEN, LI: Analysis of energy absorption of adiabatic shear plugging in thermoviscoplastic targets, 8A1381
- Manipulation of uncertainties in the determination of optimal machining conditions under multiple criteria, 11A607
- Motion of interacting gas bubbles in a viscous liquid including wall effects and evaporation, 11A1295
CHEN, LIANG: Determination of optimum tilting angle of ball-end mill in 5-axis control machining: Determination based on finished surface roughness and application of neural network (Japanese), 2A590
- Measurement and compensation of corner-tracking errors of CNC machine tools, 10A554
CHEN, LIANXIANG: Hybrid wave model for unidirectional irregular waves - Part I: Theory and numerical scheme, 5A180
CHEN, LIH-JIN: Residual stress measurement in 304 stainless steel weld overlay pipes, 11A437
CHEN, LIN-LIN: Parallel disassembly by onion peeling, 12A456
CHEN, LINGEN: Heat transfer effect on the specific cooling load of refrigerators, 4A1252
- Heat transfer effect on the specific heating load of heat pumps, 5A1280
- Optimization of solar absorption refrigerator, 6A1293
- Influence of heat transfer law on the performance of a Carnot engine, 7A298
- Generalized model of a real refrigerator and its performance, 8A1375
- Steady flow combined refrigeration cycle performance with heat leak, 11A1363
- Maximum power of a combined-cycle isothermal chemical engine, 11A1198
CHEN, LIQUAN: High friction coefficient of fullerene C_{60} film, 3A843
CHEN, LISHUN: Combined natural convection and radiation heat transfer in a vertical air cavity with hexagonal honeycomb core of negligible thickness, 1A1254
CHEN, LONGZHU: Analysis for nonlinear vibration of foundations, 4A172
CHEN, LT: Pile response due to excavation-induced lateral soil movement, 8A665
CHEN, MENG F: Spin coating of viscoplastic fluids, 7A971
CHEN, MENGCHENG: Approximate method of response analysis of vibrations for cracked beams, 11A113
CHEN, MIN-SHIN: Observer-based state feedback control of parametrically excited systems, 11T304
CHEN, MING: Learning algorithm of large BP neural networks (Chinese), 2A312
CHEN, MING-HSIUNG: Effects of incorporating a cone swirler into a side-inlet ducted ramrocket, 7A1431
CHEN, MING-QUAYER: Computation of wavelet-Galerkin approximation on a bounded interval, 2A58
CHEN, MM: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
- Measurement of surface heat transfer due to particle impact, 11A1302
CHEN, MS: Calculation of electrohydrodynamic flow in a circular cylindrical conduit, 12A1156
CHEN, P-H: Measurements of thermal performance of the regenerator of a cryocooler with a high number of transfer units value, 3A1262
CHEN, PC: Hover testing of smart rotor with induced-strain actuation of blade twist, 6A209
CHEN, PEI-TAI: Variational formulation of interior cavity frequencies for spheroidal bodies, 5A266
CHEN, PING-HEI: Bubble growth and ink ejection process of a thermal ink jet printhead, 8A1118
CHEN, PJ: Application of a coupled solid-fluids mixture theory: Process of squeezing a sponge, 8A7
- Clarifications and further implications of the concept of motion in mixture theories, 8T8
- Coupled solid-fluids mixture theory that suffices for diffusion problems, 8A10
CHEN, PS: Retrofit based methodology for the fast generation and optimization of large-scale mesh partitions: Beyond the minimum interface size criterion, 1A80
CHEN, Q: Active vibration control of elastic beam by means of shape memory alloys layers, 3A132
- Finite element analysis of longitudinally stiffened cylinders in bending, 6A153
- Velocity field near moving contact lines, 10A1084
CHEN, QI: Adaptive procedure for approximating functions by continuous piecewise polynomials, 3A55
- Optimal symmetrical points for polynomial interpolation of real functions in the tetrahedron, 5A73
CHEN, QIMIN: Study on beam optimizing of wide-band stagger-tuned array, 8A356
CHEN, QINGHUA: Vibration characteristics of partially covered double-sandwich cantilever beam, 6A181
CHEN, QS: Numerical investigation on a simulation model of floating zone convection, 5A1151
CHEN, QU: Effect of injected water on hydraulic fracturing deduced from acoustic emission monitoring (Japanese), 2A955
- Effects of fluid viscosity in hydraulic fracturing deduced from acoustic emission monitoring (Japanese), 5A917
CHEN, R: Generalizing interval matrix operations for design, 9T973
CHEN, R-H: Experimental study of underexpanded square jet noise, 5T1023
CHEN, REN-CHUEN: Object-oriented programming of adaptive FE and finite volume methods, 6A46
CHEN, RR: Comparison of FE nonlinear beam random response with experimental results, 3A147
CHEN, RS: Solution of edge crack problem by using a novel weight function formulation, 3A723
- Evaluation of natural vibration frequency of a compression bar with varying cross-section by using the shooting method, 10T178
CHEN, RUEY-HUNG: Characteristics of NO_x emission of turbulent nonpremixed hydrogen-air flames stabilized by swirl-generated flow recirculation, 2A1315
CHEN, RUI-RONG: Phys model of diurnal heating in the vicinity of a 2D ridge, 3A1416
CHEN, RUIFENG: Fatigue behavior of sharp-notch specimens under cyclic compressive load (Chinese), 6A725
- Effect of compressive load on overload retardation (Chinese), 10A834
CHEN, S: Tuned vibration absorbers for floating bodies, 4A195
- Optimal polynomial control for seismically excited nonlinear and hysteretic structures, 4A1406
- Global coordinative optimum design of structural systems and the performance synthesis technique, 5A749
- Design of multi-task, compact, climbing Robotic NDT systems for remote operation on large surfaces and in hazardous environments, 8A440
- Three-dimensional shape optimization with variational geometry, 10A911
CHEN, S-H: Active vibration control and suppression for intelligent structures, 8A889
CHEN, SC: Instability analysis of unsymmetrical rotor-bearing systems using the transfer matrix method, 8A164
- Investigation of the skin melt formation during gas-assisted injection molding, 8T716
- Non-Darcian surface tension effects on free surface transport in porous media, 8A1458
CHEN, SG: Piezoelectric modal sensor-actuator design for monitoring-generating flexural and torsional vibrations of cylindrical shells, 11A769
CHEN, SH: Bearing capacity of geosynthetic clay liners for cover soils of varying particle size, 5A537
- Motion of a slip spherical particle in an arbitrary Stokes flow, 6A1059
- Elliptic Lindstedt-Poincare method for certain strongly nonlinear oscillators, 10T131
CHEN, SHANLIN: Snap-buckling of dished shallow shells under uniform loads, 10A664
CHEN, SHAOCHUN: Triangular elements for Reissner-Mindlin plate, 11A45
CHEN, SHEA: Introduction of micro cells to treat pressure in free surface fluid flow problems, 11A949
CHEN, SHEN: Robust power system stabilizer design, 12A413
CHEN, SHENG-JIN: Ductile steel beam-to-column connections for seismic resistance, 6A1464
- Dynamic behavior of steel frames with beam flanges shaved around connection, 12A855
CHEN, SHENGLI: Analysis for nonlinear vibration of foundations, 4A172
CHEN, SHI: Comparisons between turbulence algebraic stress models for numerical simulation of fluid flows (Chinese), 4A1090
CHEN, SHIANG-FONG: Parallel disassembly by onion peeling, 12A456
CHEN, SHING BOR: Rheology of highly aligned nematic liquid crystals, 11A897
CHEN, SHINN-HORNG: Robust stability bound on linear time-varying uncertainties for linear digital control systems under finite wordlength effects, 7A302
- Active robust vibration control of flexible composite beams with parameter perturbations, 8A128
CHEN, SHIYU: Method to determine the boundary conditions of the FE model of a slender beam using measured modal parameters, 1A165
- Iterated dynamic condensation technique and its applications in modal testing, 10A22
CHEN, SHOUYU: Fuzzy recognition theory for liquefaction potential of light loam under action of earthquake (Chinese), 2A552
- Numerical and analytical solution method for reservoir routing (Chinese), 6A1389
CHEN, SHU-MEI: Fluidization properties of high-consistency fiber suspensions, 7T979
CHEN, SHUAN-YU: Stability and wave profile of a ship in oblique waves, 6A1171
CHEN, SJ: Inelastic behavior of steel frames with added viscoelastic dampers, 3A810
- Galerkin vector and the Eshelby solution in linear elasticity, 5A380
CHEN, SL: Exact model reduction procedure for mechanical systems, 10A142
CHEN, SS: Control of maglev suspension systems, 1A862
- Dynamic response of a stack-cable system subjected to vortex induced vibration, 4A243
- Vehicle-guideway dynamic interaction in maglev systems, 4A403
- Flow-induced vibration of tubes in cross-flow, 6A294
- Vibration and stability of two tubes in cross-flow, 11A212
- Dynamic characteristics of magnetically-levitated vehicle systems, 12A93
CHEN, SU HUAN: Moore-Penrose inverse method of topological variation of FE systems, 7A34
CHEN, SU-HUAN: Mixed-basis superposition method for the perturbation analysis of eigensolutions, 7A169
- Accurate modal method for computing response to periodic excitation, 9A123
CHEN, SU-HUANG: Improved method for determining free-free modes using constrained test data, 7T114
CHEN, SUHUAN: PFEM formalism in Kronecker notation, 6A32
- Selection of structural parameters for correcting frequency random errors, 7A172
- Eigenvalue problem of constrained flexible multibody systems, 8T82
CHEN, SY: Extraction of normal modes from contaminated measurement with noise for highly coupled structures, 1A155
- Estimation of mass, stiffness and damping matrices from frequency response functions, 11A274
CHEN, T: Junction characteristics of energy wave methods, 10A301
- Electroelastic fields and effective moduli of a medium containing cavities or rigid inclusions of arbitrary shape under anti-plane mechanical and in-plane electric fields, 12A669
CHEN, TF: Piezoelectric modal sensor-actuator design for monitoring-generating flexural and torsional vibrations of cylindrical shells, 11A769
CHEN, TH: Bow shock-jet interaction in compressible transverse injection flowfields, 4T1062
- Large structure convection velocity measurements in compressible transverse injection flowfields, 9A1050
CHEN, TIEYUN: Impact buckling and post-buckling of elasto-viscoplastic cylindrical shell under torsion, 12T521
CHEN, TING-KUAN: Linear separated flow model for two-phase flow instability in boiling channels, 3T1071
CHEN, TING-YU: Improvements of simple genetic algorithm in structural design, 9A881
CHEN, TONGWEN: Robust power system stabilizer design, 12A413
CHEN, TR: Analysis of superplastic sheet-metal forming in a circular closed-die considering non-uniform thinning, 11A623
CHEN, TS: Laminar natural convection flow over a vertical forward-facing step, 1A1168
- Laminar natural convection flow over a vertical backward-facing step, 11A1223
CHEN, TSUNG-RIAN (MARK): Scheduling for IC sort and test facilities with precedence constraints via Lagrangian relaxation, 10T547
CHEN, TUNGYANG: Exact moduli of layered piezoelectric media, 7A564
- Further results on invariant properties of the stress in plane elasticity and its extension to piezoelectricity, 8T629
- Exact moduli and bounds of two-phase composites with coupled multifield linear responses, 9A470
CHEN, TY: Computer aided photoelastic stress analysis of a variable-pitch lead screw, 12A860
CHEN, TZE-JANG: Heat flux limiter finite difference scheme in solving a 1D inverse Stefan problem, 12A1295
CHEN, TZONG H: Injection of supercritical ethylene in nitrogen, 1A1335
- Effects of nozzle geometry on parallel injection into a supersonic flow, 5A1011
- Effects of incorporating a cone swirler into a side-inlet ducted ramrocket, 7A1431
CHEN, TZU-FANG: Application of Kalman filter and finite difference scheme to inverse heat conduction problems, 4A1234
- Heat flux limiter finite difference scheme in solving a 1D inverse Stefan problem, 12A1295
CHEN, VL: Experimental study and simple failure analysis of stitched J-stiffened composite shear panels, 5A667
CHEN, W: Experimental technique for imposing dynamic multiaxial-compression with mechanical confinement, 1A795
- Reinforcement design method based on analysis of large openings in cylindrical pressure vessels, 5A804
CHEN, W-H: Dynamic stability of a viscoelastic beam subjected to harmonic and parametric excitations simultaneously, 5A491
CHEN, W-P: Nonlinear dynamic modeling of the flexible connecting rod of a slider-crank mechanism with input torque, 12T101
CHEN, WAI-FAH: LRFD Steel Design Using Advanced Analysis, 11R22
- Practical advanced analysis for braced steel frame design, 6A910
- Practical advanced analysis for unbraced steel frame design, 6A911
- Further studies of practical advanced analysis for weak-axis bending, 9A902
CHEN, WANJI: Nonconforming element method and refined hybrid element method for axisymmetric solid, 1A65
- Geometric nonlinear analysis by using refined triangular thin plate element and free form membrane locking, 9A575
CHEN, WC: Simplified model for predicting vapor bubble growth rates in heterogeneous boiling, 11A1277
CHEN, WEI: Concept exploration method for determining robust top-level specifications, 1A407
- Stress analysis of approximately ellipsoidal cold-spun tri-arc tank head and parameter optimization, 1A587
- Procedure for robust design: Minimizing variations caused by noise factors and control factors, 6A452
- Effect of an inert gas on heat and mass transfer in a vertical channel with falling films, 8A1395
- Statistical experimentation methods for achieving affordable concurrent systems design, 10T962
CHEN, WEI-LIANG: Determination of tip parameters for the protuberance preshaving cutters, 1A910
CHEN, WEI-QUI: Free vibrations of piezoelectric cylindrical shells filled with compressible fluid, 10A204
CHEN, WEIGANG: Static analysis of collision strength of offshore platform, 1A860
CHEN, WEIJIANG: BIEM optimization method for fracture dynamics inverse problem, 6A802
- Mixed-type integral equations for transient elastodynamic plane crack problems, 9A769
CHEN, WEILONG: New approach to the differential quadrature method for fourth-order equations, 10A111
CHEN, WEIQIU: Free vibrations of anisotropic spherical shell embedded in an elastic medium (Chinese), 7A147
- Free vibration of piezoelectric cylindrical shells, 10A203
CHEN, WEN: Reducing the computational requirements of the differential quadrature method, 2A42
- Structure of weighting coefficient matrices of harmonic differential quadrature and its applications, 3A76
- Study on the nonlinear computations of the DQ and DC methods, 6A23
- Skill training of manual machine operation by simulator: In the case of small-diameter deep-hole

machining with drilling machine (Japanese), 10A739
CHEN, WEN-CHENG: Bubble growth and ink ejection process of a thermal ink jet printhead, 8A1118
CHEN, WEN-CHOU: Design optimization of a split-point drill by force analysis, 1A653
- Experimental investigations in the drilling of carbon fiber-reinforced plastic composite laminates, 12A601
- Applying the FEM to drill design based on drill deformations, 12A43
CHEN, WEN-HWA: Adaptable spline element for membrane vibration analysis, 1A177
CHEN, WENG-PIN: Inverse dynamics of a toggle mechanism, 8A962
CHEN, WENJUN: Coherent eddies and temperature structure functions for three contrasting surfaces - Part I: Ramp model with finite microfront time, 12A1147
- Coherent eddies and temperature structure functions for three contrasting surfaces - Part II: Renewal model for sensible heat flux, 12T1148
CHEN, WENZONG: Application of a precision-enhancing measure in 3D rigid-body positioning using camera-space manipulation, 10A538
CHEN, WF: Stability Design of Semi-Rigid Frames, 4R12
- Handbook of Structural Engineering, 11N28
- Behavior of tall buildings with mixed use of rigid and semi-rigid connections, 5A795
- Effective length factor of columns in semirigid and unbraced frames, 9A900
- Study of Eurocode 3 steel connection classification, 11A808
CHEN, WJ: Model for simulating flexible surfaces of cloth objects, 8A581
- Energy analysis to the design of rotor-bearing systems, 10A214
- Instability threshold and stability boundaries of rotor-bearing systems, 11A147
CHEN, WL: Multiblock implementation of a non-orthogonal, collocated finite volume algorithm for complex turbulent flows, 3A58
- Local mesh refinement within a multi-block structured-grid scheme for general flows, 11A965
- Free vibration of plates by the high accuracy quadrature element method, 11A125
CHEN, X: Low-cycle fatigue under non-proportional loading, 2A633
- Grinding vibration detection using a neural network, 2A602
- Evaluation of low cycle fatigue under non-proportional loading, 5A604
CHEN, X-N: Asymptotic approximation of the Wiener-Hopf technique as applied to jet atomization, 4A1079
CHEN, X-Q: Experimental and numerical study of a water spray in the wake of an axisymmetric bluff body, 1T1053
- Efficient computation of particle dispersion in turbulent flows with a stochastic-probabilistic model, 7A1065
CHEN, XD: Rate of temperature rise of a subbituminous coal during spontaneous combustion in an adiabatic device: The effect of moisture content and drying methods, 1A1333
- Oxidation rates of coals as measured from 1D spontaneous heating, 11A1418
- Effect of suspended particles on crystallization fouling in plate heat exchangers, 12A1318
CHEN, XF: Damage development in a sidegrooved CT specimen based on a 3D endochronic damage model, 6A805
CHEN, XI: Mesoscopic model of the constitutive behavior of monocrystalline ferroelectrics, 10A2
CHEN, XI-QING: Stochastic-probabilistic efficiency enhanced dispersion modeling of turbulent polydispersed sprays, 1A1022
CHEN, XIAN: Sensitivity analysis for frictionless contact problems, 9A452
CHEN, XIAO-BO: Far-field and near-field dispersive waves, 9A1153
CHEN, XIAOFEI: Seismogram synthesis for radially layered media using the generalized reflection-transmission coefficient method: Theory and applications to acoustic logging, 1A1416
CHEN, XIAOQIN: Explicit unconditionally stable approaches for built-up shell structural configurations, 2A103
CHEN, XINZHAO: All particular solution BEM analyzing sound radiation by structure (Chinese), 7A252
CHEN, XJ: Boiling onset oscillation: A new type of dynamic instability in a forced-convection upflow boiling system, 2A1207
CHEN, XM: Structural FE analysis with new interface model, 9A722
CHEN, XUCAI: Radiation force on a spherical object in the field of a focused cylindrical transducer, 10A361
CHEN, XUE-JUN: Linear separted flow model for two-phase flow instability in boiling channels, 3T1071
CHEN, XUE-NONG: Elimination of wave resistance by a cambered twin-hull at supercritical speed, 9A1147
- Zero wave resistance for ships moving in shallow channels at supercritical speeds, 10A1212
CHEN, XUEMIN: Robust controller design for uncertain linear systems with circular pole constraints, 7T341
CHEN, XUN: Analysis and simulation of the grinding process - Part II: Mechanics of grinding, 1T656
- Analysis and simulation of the grinding process - Part III: Comparison with experiment, 1T657
- Analysis and simulation of the grinding process - Part I: Generation of the grinding wheel surface, 1A655
- Active noise control based on intelligent fuzzy control tactics (Chinese), 10A372
CHEN, Y: Advances in multiple scale kernel particle methods, 1A92
- Structure and interaction force in a model magnetorheological system, 6A11
- Assessment on pile effective lengths and their effects on design - II: Practical applications, 7A576
- Riccati equations for the scattering matrices in 2D, 8A352
- Existence theorems of periodic traveling wave solution to the generalized forced Kadomtsev-Petviashvili equation, 9A205
CHEN, Y-C: Transient amplitude of the viscoelastic traveling string: An integral constitutive law, 10A191
CHEN, Y-H: Interaction between an interface crack and a parallel subinterface crack, 1A774
- Further investigation for the macro-microcrack interaction - I: In the infinite isotropic body, 3A684
CHEN, Y-M: Heat and mass transfer characteristics of a new combined absorber-evaporator exchanger operating near the triple point of water, 1A1262
- Simulation and measurement of turbulent heat transfer in a channel with a surface-mounted rectangular heated block, 2A1161
CHEN, Y-T: Solar power output correlation with utility demand in Southern Nevada, 11A1544
CHEN, YAO: Research on characteristics of density current under the action of waves, 12A257
CHEN, YAOBIN: Improved computation of time-optimal control trajectory for robotic point-to-point motion, 3A420
CHEN, YAU-MING: Time-dependent double-diffusive convective due to salt-stratified fluid layer with differential heating in an inclined cavity, 5A1316
- Experimental study on the heat and mass transfer of a combined absorber-evapcrator exchanger, 5A1310
- Holographic interferometry study of the double-diffusive layered system, 10A1387
CHEN, YC: Values of J-integral within the plastic zone, 6A774
- Existence and the manipulability recovery rate of self-motion at manipulator singularities, 10A527
CHEN, YEN-CHO: Linear stability of mixed convection in a vertical channel flow, 5A1026
CHEN, YEN-SEN: Combined Eulerian-VOF-Lagrangian method for general gas-liquid flow applications, 6A1264
CHEN, YF: Numerical solution of transient, free surface problems in porous media, 2A1369
- Prediction of filling times of porous cavities, 4A1339
- Prediction of filling time and vent locations for resin transfer molds, 11A1039
CHEN, YH: Robust control design for a class of mismatched uncertain nonlinear systems, 3A362
- Decentralized robust control design with insufficient number of controllers, 7A335
- New matching condition for nonlinear robust control design, 11A303
- Robust composite control for singularly perturbed systems with time-varying uncertainties, 11T306
- Robust control design for a class of mismatched coupled uncertain systems, 12A381
CHEN, YI-CHAO: Stability and bifurcation of finite deformations of elastic cylindrical membranes - Part I: Stability analysis, 10A656
CHEN, YI-HENG: Contribution of subinterface microcracks near the tip of an interface macrocrack to the J-integral in bimaterial solids, 8A819
CHEN, YIH WEI: Tribological performance of 6061 aluminum alloy-graphite composite materials in oil lubrications with EP additives, 3A877
CHEN, YIJUNG: Generalized multiple scale reproducing kernel particle methods, 6A15
CHEN, YINGJIE: Further study on large amplitude vibration of circular sandwich plates, 7A161
CHEN, YIZHOU: Fundamental solutions for half plane with an oblique edge crack, 5A646
CHEN, YJ: Dynamics of inviscid capillary breakup: Collapse and pinchoff of a film bridge, 12A1076
CHEN, YK: Wear and friction of nylon-glass fiber composites in non-conformal contact under combined rolling and sliding, 2A874
- Friction and wear of polymers in non-conformal contacts, 7A863
CHEN, YONGZE: Interfacial waves over random topography, 4A223
- Numerical study of surface solitary wave and Kelvin solitary wave propagation in a wide channel, 5A178
CHEN, YS: Prediction of radiative transfer in general body-fitted coordinates, 12A1315
CHEN, YUBAO: Four dimensional holospectrum: A new method for analyzing force distributions, 8A421
CHEN, YUE-DONG: Four dimensional holospectrum: A new method for analyzing force distributions, 8A421
CHEN, YUEDONG: Artificial neural network architecture design using similarity measure with applications in engineering monitoring and diagnosis, 4A419
CHEN, YUNG-CHENG: Detailed flame structure of highly stretched turbulent premixed methane-air flames, 5A1333
CHEN, YUNG-TIN: Capillary impregnation of aligned fibrous beds: Experiments and model, 4A1048
CHEN, YUSHU: Bifurcations of a nonlinear rotor-bearing system, 4A79
- Local bifurcation analysis of strongly nonlinear Duffing system, 6A119
- Periodic resonant solutions and the transition boundaries of strongly nonlinear Duffing's Equation (Chinese), 10T137
CHEN, YUSHU S: Local bifurcation theory of nonlinear systems with parametric excitation, 1A127
CHEN, YZ: Stress intensity solutions for the interaction between a hole edge crack and a line crack, 3A694
- Dependence of stress intensity factor on loading condition, 3A687
- Solution of edge crack problem by using a novel weight function formulation, 3A723
- Hypersingular integral equation for a curved crack problem of circular region in antiplane elasticity, 3T681
- Image method for Green's function of anisotropic half-plane with inclined boundary, 6A491
- Novel weight function approach for plane elasticity crack problem, 8A827
CHEN, Z: Tribological behavior of Cu-20% Nb and Cu-15% Cr in situ composites under dry sliding conditions, 4A881
- Study of tertiary creep of rock salt, 6A740
CHEN, ZAO: Passive and active tagging of glass-fiber polymeric composites for in-process and in-field non-destructive evaluation, 9A497
CHEN, ZHANGXIN: Stability and convergence of a FEM for reactive transport in ground water, 11A1557
CHEN, ZHEN: Simple procedure to simulate the failure evolution, 6A810
CHEN, ZHENG: Damage processes in Si_3N_4 bearing material under contact loading, 3A849
- Hertzian fatigue cone crack propagation in ceramics, 6A716
CHEN, ZHIMING: Mixed FEM for a dynamical Ginzburg-Landau model in superconductivity, 11A37
CHEN, ZHIPING: Friction against superplastic aluminium alloys, 7A861
CHEN, ZHONG-PING: Elastoplastic constitutive equation of soils based on the concepts of subloading surface and rotational hardening (Japanese), 5A510
CHEN, ZHONGQI: Numerical simulation of natural convection in an enclosure with discrete protruding heaters, 2A1171
- Heat transfer during solidification around a horizontal tube with internal convective cooling, 8A1304
CHEN, ZHUAN-KE: Characteristics of Ag contact morphology in breaking arcs, 5A836
CHEN, ZUOYI: Oscillating fluid mechanics method for studying oil film oscillation and dynamic characteristics of journal bearings, 11A1176
CHENAIS, D: Shape optimal design for a fluid-heat coupled system, 4A24
CHENBUO: United point force solution for both isotropic and transversely isotropic media, 8A489
CHENG , CHANGJUN: Boundary element method for solving dynamical response of viscoelastic thin plate - I, 11A57
CHENG , WEILI: Computation of stress intensity factors for a 2D body from displacements at an arbitrary location, 10A801
CHENG, AH-D: Poroviscoelastic analysis of borehole and cylinder problems, 6A666
- Poroelastic solution for an inclined borehole, 10A1448
- Groundwater optimization and parameter estimation by genetic algorithm and dual reciprocity BEM, 12A1530
CHENG, B: Analytical method for 3D analysis of circular laminated composite plates, 3A492
CHENG, BINGCONG: Reducing sliding resistance of soil against bulldozing plates by unsmoothed bionics surfaces, 1A863
CHENG, C: Visual utility for the localization of corona-accelerated nuclei, 4A269
CHENG, C-H: Experimental study of the effect of transverse oscillation on convection heat transfer from a circular cylinder, 12A1249
CHENG, CHANG-JUN: Mode jumping of simply supported rectangular plates on nonlinear elastic foundation, 8A175
CHENG, CHEN-YU: Direct measurement of turbulence structures in mixing jar using PIV, 7T1143
CHENG, CHENG-FA: Disturbances attenuation for interconnected systems by decentralized control, 7T315
CHENG, CHIANG-HO: Micromechanics of nonlinear behavior in solid-filled Mooney-Rivlin rubber specimen, 3A435
CHENG, CHIN-HSIANG: Numerical prediction of the buoyancy-driven flow in the annulus between horizontal eccentric elliptical cylinders, 2A1170
- Numerical prediction of lock-on effect on convective heat transfer from a transversely oscillating circular cylinder, 7A1235
- Enhancement of flare method for predicting bouyancy-induced flow reversal in vertical ducts via parabolic model, 10A1295
CHENG, CHING-CHENG: Quantitative feedback design of uncertain multivariable control systems, 4A383
CHENG, CHING-YANG: Finite element solutions of laminar and turbulent flows with forces and mixed convection in an air-cooled room, 10A1293
CHENG, DELIN: Solving vibration problem of thin plates using integral equation method, 5A126
CHENG, FUHUA: Mesh generation based on a new label-driven subdivision (Japanese), 4A34
- Mesh generation based on a new label-driven subdivision, 10A68
CHENG, G: Dynamic optimization of a turbine foundation, 12A884
CHENG, GD: The ε-relaxed approach in structural topology optimization, 12A893
CHENG, GENGDONG: Sufficiency conditions for optimal design based on extremum principles of mechanics, 7A7
- Coupling dynamic analysis of composite rotor blade (Chinese), 12A189
CHENG, GUANG-XU: Continuum damage model of low-cycle fatigue and fatigue damage analysis of welded joint, 2A635
CHENG, H: Design of forging process parameters with deformation and temperature constraints, 2A581
CHENG, HERBERT S: Effects of surface texture on EHL point contacts, 11A1180
CHENG, HH: Dual iterative displacement analysis of spatial mechanisms using the C^{∞} programming language, 7A956
CHENG, HONG-PING: Tumbling flow in loop-scavenged two-stroke engines, 11A1432
CHENG, HONGWEI: Flow past periodic arrays of spheres at low Reynolds number, 10A1070
CHENG, HS: Lubricant effects in the transition from boundary to microelastohydrodynamic lubrication, 4A1164
- Semi-analytical modeling of crack initiation dominant contact fatigue life for roller bearings, 10A759
CHENG, HSIEN K: Second-order small-disturbance solution for wing at supersonic speeds, 6A1182
CHENG, J: Multipayload modeling for the upper atmosphere research satellite, 2A842
- Optimal driving strategies for a train on a track with continuously varying gradient, 9A330
- Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, 12A1328
CHENG, JIAN-CHUN: Inversion of particle size distribution from light scattering spectrum, 4A1332
CHENG, JIANGANG: Multiple eigenvalues arising from a class of repetitive substructures, 7A127
CHENG, JUN: Ear muff performance in impulsive noise as a function of angle of incidence, 5A255
CHENG, JUNG-HO: Determination of material parameters from superplastic inflation tests, 1A647
CHENG, KB: Analytical procedure for the prediction of elastic properties of plain knitted fabric-reinforced composites, 7A484
CHENG, KC: Flow transitions and combined free and forced convective heat transfer in a rotating curved circular tube, 1A1186
- Relaminarization of developing turbulent flow in a 180° curved square channel: A study based on temperature fluctuation measurements, 5A1003
CHENG, L: Extension of the tip excitation technique to the rotational compliance measurement of curved structures, 8A182
- Quasi-statically steady crack growth in rate dependent solids: One-paramcter field encompassing different constraints, 10A808
- Combined integro-modal approach for predicting acoustic properties of irregular-shaped cavities, 12A338
CHENG, LIANG-JUN: Boundary layer effects on solid particle motion and erosive wear, 9T1058
CHENG, LIANGJUN: K-ε two-equation turbulence model for the solid-liquid two-phase flows, 3A1158
- Lagrangian model on the turbulent motion of small solid particle in turbulent boundary layer flows, 11A1095
CHENG, M: Hybrid vortex method for flows over a bluff body, 8A1077
CHENG, M-Y: Genetic algorithm for control design of biped locomotion, 10A521
CHENG, NIAN-SHENG: Simplified settling velocity formula for sediment particle, 7A1069
CHENG, NINGYA: Minimum traveltime calculation in 3D graph theory, 6A1412

- Nonlinear wave propagation in sandstone: A numerical study, 6A1413
CHENG, NT: Investigation of the skin melt formation during gas-assisted injection molding, 8T716
CHENG, P: Effective stagnant thermal conductivity of wire screens, 1T1233
- Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part II: Numerical simulation of the transport of organic compounds in the subsurface, 1A1389
- Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part I: Model development, 1A1388
- Experimental studies on the onset of turbulence and frictional losses in an oscillatory turbulent pipe flow, 2A1007
- Oscillatory heat transfer in a pipe subjected to a laminar reciprocating flow, 2A1160
- Study of three elastic-plastic constitutive models by non-proportional finite deformations of OFHC copper, 5A411
CHENG, R: Design Tables for Reinforced Laterally Loaded Masonry Panels: To BS 5628 Parts 1 and 2, 10N18
CHENG, RMH: Predictor-corrector guidance control scheme for AGV navigation, 6A415
CHENG, ROBERT K: Effects of buoyancy on premixed flame stabilization, 3A1305
CHENG, SC: Experimental study of subcooled film boiling of refrigerants in vertical up-flow, 2A1216
- Two-fluid modeling of inverted annular film boiling, 9A1250
CHENG, SHIYUAN: Shrinkage, residual stresses, and distortions in castings, 2A604
CHENG, SHOU-HSIUNG: Local buckling of delaminated composite sandwich plates, 4A724
- Local buckling of delaminated sandwich beams using continuous analysis, 6A607
CHENG, SHYH-FENG: Dynamics of two spring-connected masses in orbit, 3A89
CHENG, SJ: Improved Lyapunov function for power system stability analysis, 6A942
CHENG, VSY: Numerical study of vortex interactions behind two circular cylinders in bistable flow regime, 11A1055
CHENG, W: Analytical efficiency comparison between gas turbine and gas turbine hybrid engines for passenger cars, 11A1434
CHENG, WANGQUAN: Semi-analytical modeling of crack initiation dominant contact fatigue life for roller bearings, 10A759
CHENG, WEILI: Stress analysis and fatigue life prediction for a U-bend steam generator tube, 4A713
CHENG, X: Critical heat flux in uniformly heated vertical tubes, 9A1245
CHENG, XIAO-LIANG: Finite element methods for Timoshenko beam, circular arch, and Reissner-Mindlin plate problems, 10A20
CHENG, YC: Experimental study of laminar heat transfer in a one-porous-wall square duct with suction flow, 4T1191
CHENG, YM: Synthesis and analysis of ZrB_2-based composites, 3T654
- Electrical discharge machining of ZrB_2-based ceramics, 3A662
CHENG, YS: Gas collection efficiency and entrance flow effect of an annular diffusion denuder, 2A1017
CHENG, YUSHU: Primary resonances of elastic linkages (Chinese), 2A67
CHENG, Z-Q: Steady-state response of a Cosserat medium with a spherical inclusion, 1A5
CHENG, ZHAO: Reynolds number effects in tall building wind tunnel tests, 9T1191
CHENG, ZHEN-QIANG: Ponding problem of plates in nonlinear nature, 1T275
- Effect of interfacial imperfection on buckling and bending behavior of composite laminates, 6A623
- Theory for multilayered anisotropic plates with weakened interfaces, 7A521
CHENG, ZHEN-QIANG: Micropolar elastic fields due to a circular cylindrical inclusion, 12A581
CHENG, ZHENQIANG: Investigation of the effective conductivities of carbon-carbon fiber composites with inhomogeneous interphase, 11A1314
CHENG, ZIWEI: Fuzzy diagnosis for fault of valves of internal combustion engines (Chinese), 2A334
CHENN, DIWEN: New dynamic model for study of dislocation pattern formation, 6A523
CHENOT, JL: Velocity based approach including acceleration to the FE computation of viscoplastic problems, 4A533
- Finite element modeling of hot metal forming, 6A681
CHEONG, CC: Boundary lubrication characteristics of silica-based electro-rheological fluids, 6A1206
CHEONG, CHAE-CHEON: Active vibration control of intelligent composite laminate structures incorporating an electro-rheological fluid, 3A133
- Vibration control of a flexible beam using shape memory alloy actuators, 3T389
- Position tracking control of a smart flexible structure featuring a piezofilm actuator, 5A325
CHEONG, HIN FATT: Turbulence model for water flow over 2D bed forms, 11A927
CHEONG, KW: Tracer gas technology for airflow measurements in HVAC systems, 7A1063
CHEONG-SIAT-MOY, F: Multiple K-factors of a leaning column, 6A608
- K-Factors for braced frames, 11A804
CHEREMISINOFF, NP: Noise Control in Industry: A Practical Guide, 6N8
- Multiphase Reactor and Polymerization System Hydrodynamics, 1N42
- Electrotechnology: Industrial and Environmental Applications, 7N12
CHEREPANOV, GP: Methods of Fracture Mechanics: Solid Matter Physics, 10R13
- Fracture: A Topical Encyclopedia of Current Knowledge, 5N13
- Computerized model for thermal stresses in thin films, 10A1372
CHERIF, K: Wear behavior of alumina toughened zirconia materials, 4A892
- Al_2O_3-ZrO, debris life cycle during wear: Effects of the third body on wear and friction, 12A934
CHERKAEV, A: Optimal design of 3D axisymmetric elastic structures, 2A758
- NIST-CTCMS international workshop on optimal design for materials and structures, 8A878
CHERMENSKII, ON: Estimation of contact durability basing on metal strength and concentration of non-metallic inclusions, 2A900
CHERN, CH: Endochronic description for viscoplastic behavior of materials under multiaxial loading, 10A587
CHERN, TZUEN-LIH: Design of optimal MIMO DIVSC systems and its application to idle speed control of spark ignition engine, 12A412
CHERNESKY, MP: Preconditioned Krylov subspace methods for discrete convection-diffusion problems, 11A1392
CHERNG, JG: Potentials and limitations of acoustic metrology for dimensional conformance: A comparative study, 5A733
- Effects of area change and friction on acoustic propagation in compressible flow through long ducts, 12A314
CHERNIKOV, GP: Self-organization of the large-scale planetary and plasma drift vortices, 3A1417
CHERNOPISKY, DI: One approach to solution of spatial boundary value problems of the elasticity theory doubly-connected problems (Russian), 9A429
CHERNOUS'KO, FL: Modeling and optimization of motion of a tube-crawling robot, 5T362
CHERNY, SG: Variational method of accelerating linear iterations and its applications, 2A56
CHERNYAK, VP: Advancements in the theory of heat transfer in rock masses destroyed by openings (Polish), 4A1273
CHERNYAVSKY, SA: Optimum design of erosion-stable heatshield composite materials, 8A1387
CHERNYKH, KF: Nonlinear theory of isotropically elastic thin shells with allowance for transverse shear, 1A561
CHERNYSHENKO, IS: Inverse problems of deformation of flexible cylindrical shells from nonlinearly-elastic composite materials (Russian), 1T572
CHERNYSHENKO, SI: Inviscid Batchelor-model flow past an airfoil with a vortex trapped in a cavity, 4A1114
CHERNYSHEV, SA: Vortex ring eigen-oscillations as a source of sound, 12A304
CHERTOK, DL: Variational data assimilation for a nonlinear hydraulic model, 2A953
CHERUKURI, HP: Finite-difference scheme for elastic wave propagation in a circular disk, 4A135
- Shear band nucleation and the finite propagation speed of thermal disturbances, 6A1306
- Rate-dependent model for hot-rolling, 8A691
CHERVINKO, OP: Effect of prestrain on the resonants vibrations and dissipative heating of viscoelastic cylinder of finite length (Russian), 12A136
- Simulation of viscoelastic behavior of layered members of constructions of anisotropic elastomeric materials (Russian), 12A574
CHESHER, T: Intercomparison of wave-driven current models, 12T1496
CHESNAKAS, CJ: Detailed investigation of the 3D separation about a 6:1 prolate spheroid, 12A1239
CHESNEAU, TR: Fin buffeting characteristics of a generic single fin aircraft, 2A254
CHESTERS, AK: Numerical investigation of the dynamic influence of the contact line region on the macroscopic meniscus shape, 7A1033
CHETWYND, DG: Local slope analysis in the stylus-based assessment of surface integrity, 12T983
CHEUNG, CF: Automatic supervision of blanking tool wear using pattern recognition analysis, 12A909
CHEUNG, CY: Experimental study of pure bitumens in tension, compression, and shear, 7A987
CHEUNG, FB: Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22
- ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
- Hydrodynamic critical heat flux model for saturated pool boiling on a downward facing curved heating surface, 6A1253
- Modeling of transient turbulent natural convection in a melt layer with solidification, 12A1268
CHEUNG, K: Boiling heat transfer enhancement of R-134a in a tube bundle utilizing the EHD technique, 2A1206
- EHD-enhanced boiling coefficients and visualization of R-134a over enhanced tubes, 11A1273
CHEUNG, KF: Wave diffraction around 3D bodies in a current, 6A277
CHEUNG, KP: Possibility of using laser-fiber optics as a fire detection system, 8A848
CHEUNG, YK: Nonconforming element method and refined hybrid element method for axisymmetric solid, 1A65
- Penalty-equilibrating approach and an innovative formulation of a 4-noded hybrid stress elements, 5A48
- Optimization of buoyancy of an articulated stinger on submerged pipelines laid with a barge, 7A844
- Elliptic Lindstedt-Poincare method for certain strongly nonlinear oscillators, 10T131
CHEUNG, YL: Comparison of the algorithms PISO and SIMPLER for solving pressure-velocity linked equations in simulating compartmental fire, 7A1423
CHEVALLIER, DP: Manipulation of objects in three-fingered grasp, 11A328
CHEVRET, P: Time frequency analysis of energy distribution for circumferential waves on cylindrical elastic shells, 5A205
CHEVRIER, V: Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, 5A1030
CHEW, CH: Feasibility of conditioning monitoring of bearings used in a viaduct, 3A895
- Bifurcation and chaos in the Duffing oscillator with a PID controller, 10A129
CHEW, L: Experimental study of underexpanded square jet noise, 5T1023
CHEW, YT: Solutions of 3D boundary layer equations by global methods of generalized differential-integral quadrature, 1A1028
- Numerical studies of unsteady boundary layer flows past an impulsively started circular cylinder by GDQ and GIQ approaches, 3A1101
- Effects of imperfect spatial resolution on turbulence measurements in the very near-wall viscous sublayer region, 8A1190
- Hybrid vortex method for flows over a bluff body, 8A1077
- Pulmonary airway reopening: Effects of non-Newtonian fluid viscosity, 12A1560
CHHABRA, RK: Second harmonic resonance on the marginally neutral curve in electrohydrodynamics, 11A1124
CHI, H-W: Mixed variable optimization using Taguchi's orthogonal arrays, 5A753
CHI, LIHUA: Dynamic response behaviors of upright breakwaters under breaking wave impact, 4A962
CHI, SHU-MAN: Asymptotic theory for dynamic response of doubly curved laminated shells, 3A524
CHI, YM: Slosh dynamics coupled with spacecraft attitude dynamics - Part 1: Formulation and theory, 2A248
- Slosh dynamics coupled with spacecraft attitude dynamics - Part 2: Orbital environment application, 2A243
CHI, YUAN: Resonant excitation of density waves in Saturn's rings: The effect of interparticle collisions, 6A324
CHI, YUNPENG: Investigation of resistance performance test for channel planning craft with hydrofoils (Chinese), 2A1070
CHIACCHIO, P: Direct and inverse kinematics for coordinated motion tasks of a two-manipulator system, 6A420
CHIAIA, B: Crack-resistance behavior as a consequence of self-similar fracture topologies, 1A728
- Power scaling laws and dimensional transitions in solid mechanics, 4A2
CHIAIA, BM: Numerical simulation of chaotic and self-organizing damage in brittle disordered materials, 10A845
CHIAN, AC-L: Hamiltonian chaos in two coupled three-wave parametric interactions with quadratic nonlinearity, 7A100
CHIAN, CHUNG-CHI: Parametric identification of truss structures using static strains, 12A25
CHIANG, DAR-YUN: Transformation method for implementing classical multi-yield-surface theory using the hardening rule of Mroz, 4A512
- Phenomenological model for cyclic plasticity, 7A441
- Modal parameter identification using simulated evolution, 12A355
CHIANG, DC: Three-dimensional hyperbolic grid generation with inherent dissipation and Laplacian smoothing, 2A989
- Explicit time marching methods for the time-dependent Euler computations, 8T1084
CHIANG, FP: Vibration mode shape identification by digital speckle correlation (Disc), 6A147
- Method for measuring transient out-of-plane deformation during impact, 7A208
CHIANG, FU-PEN: Deformation fields of interfacial cracks in adhesively bonded DCBs, 2A690
CHIANG, H-WD: Compressor blade forced response due to downstream vane-strut potential interaction, 11A1160
CHIANG, KO-TA: Oscillatory instability analysis of Benard-Marangoni convection in a rotating fluid with internal heat generation, 5A1161
CHIANG, MS: Effects of microstructures, specimen, and loading geometries on K_{Ic} of brittle honeycombs, 1A772
CHIANG, MYM: Crack propagation criterion based on local shear strain in adhesive bonds subjected to shear, 4A728
- Analytical forms of higher-order asymptotic elastic-plastic crack-tip fields in a linear hardening material under antiplane shear, 7A725
CHIANG, SC: Electroelastic fields and effective moduli of a medium containing cavities or rigid inclusions of arbitrary shape under anti-plane mechanical and in-plane electric fields, 12A669
CHIANG, TP: Finite volume analysis of spiral motion in a rectangular lid-driven cavity, 2A1028
- Vortical flow over a 3D backward-facing step, 8A1151
- End-wall corner vortices in a lid-driven cavity, 9T1096
- Vortical structures in channel flows with a backward-facing step, 10A1286
- Topological flow structures in backward-facing step channels, 11A971
- Numerical simulation of vertical forced plume in a crossflow of stably stratified fluid, 11A1062
CHIANG, YOUNG J: Characterizing simple-stranded wire cables under axial loading, 6A25
CHIANG, YW: Experimental study of laminar heat transfer in a one-porous-wall square duct with suction flow, 4T1191
CHIAO, SHU-MIN: Fiber consolidation in the filament winding process: Modeling with undulating channels, 7A631
CHIARELLI, M: Computation of crack extension energy rate for elastic-plastic hardening materials under variable loading, 5A656
- Compression behavior of flat stiffened panels made of composite material, 11A512
CHIAVERINI, MJ: Method for embedding fine-wire thermocouples for solid-fuel surface temperature measurements, 2A1340
CHIAVERINI, S: Direct and inverse kinematics for coordinated motion tasks of a two-manipulator system, 6A420
CHIBA, E: Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), 2A574
CHIBA, M: Free vibration of a rectangular plate-beam coupled system, 1A202
- Measuring method for impact tensile strength of brittle materials, 2A726
- Free vibration of a partially liquid-filled and partially submerged, clamped-free circular cylindrical shell, 4A248
- Unstable sloshing vibration in a thin cylindrical weir, 8A282
- Influence of elastic bottom plate motion on the resonant response of a liquid free surface in a cylindrical container: A linear analysis, 12A279
CHIBA, T: Optimum support arrangement of piping systems using genetic algorithm, 5A811
CHIBOWSKI, E: Study on the adhesion of calcium carbonate to glass: Energy balance in the deposition process, 2A944
CHICARRO, A: LUVIMS lunar UV and IR mapping spectrometer, 6A328
CHIDA, T: Imperfection sensitive strength variation of soil specimens, 8A636
CHIDESTER, SK: Violence of thermal explosion in solid explosives, 12A296
CHIEN, CF: Singular points of intensity streamlines in 2D sound fields, 8A353
CHIEN, N: Dissipative systems, conservation laws, and symmetries, 1A3
CHIEN, SYP: Planning of collision-free paths for a reconfigurable dual manipulator equipped mobile robot, 6A414
CHIEN, WEIZANG: First-order approximation of non-Kirchhoff-Love theory for elastic circular plate with fixed boundary under uniform surface loading - II, 10A639
- First order approximation of non-Kirchhoff-Love theory for elastic circular plate with fixed boundary under uniform surface loading, 10A631
CHIENG, CC: Eulerian-Lagrangian computations on phase distribution of two-phase bubbly flows, 9A1072
CHIENG, W-H: Modeling and analysis of nonlinear guideway for double-ball bar measurement and diagnosis, 9A419
CHIENG, WEI-HUA: Modeling and diagnosis of motion error of multi-axis machines using a ball bar test, 4A182
- Optimum magnetic bearing design considering performance limitations, 5A869
- Elastic suspension design framework for tuned gyroscopes, 9A971
- Modeling and analysis of the intermediate shaft between two universal joints, 11A148
CHIESA, P: Combined-cycle power stations using "clean-coal technologies": Thermodynamic analysis of full gasification versus fluidized bed combustion with partial gasification, 5A1357
CHIEW, YEE-MENG: Local scour by a deeply submerged horizontal circular jet, 3A1120
CHIGVINTSEVA, SP: Performance of gland packings from soft chemical fibers, 2A1135

CHUJIWA, H: Optimal location design method of steel pipe pile foundation using genetic algorithm (Japanese), 6A660
CHIKAMI, R: Development of air-cooled ceramic nozzles for a power-generating gas turbine, 5A1365
CHIKAMOTO, T: New low-Reynolds-number k-ε model including damping effect due to buoyancy in a stratified flow field, 1A1176
CHIKANAWA, K: Generation, growth, and collapse of a bubble in conductive liquid heated directly by electric current, 7T1074
CHILAMAKURI, SK: Optimization of asperities for laser-textured magnetic disk surfaces, 10A986
CHILDRESS, DS: Indentor tests and FE modeling of bulk muscular tissue in vivo, 1A1456
- Review of prosthetic interface stress investigations, 1A1476
- Parametric analysis using the FEM to investigate prosthetic interface stresses for persons with transtibial amputation, 1A1475
- Two-dimensional representation of 3D pelvic motion during human walking: An example of how projections can be misleading, 3A1510
- Analysis of a vertical compliance prosthetic foot, 8A1576
- Generic, geometric FE analysis of the transtibial residual limb and prosthetic socket, 10A1565
CHILDS, D: Angled injection: Hydrostatic bearings analysis and comparison to test results, 7T1201
CHILDS, DW: Eccentricity effects on the rotordynamic coefficients of plain annular seals: Theory versus experiment, 12A1018
CHILDS, PRN: Prediction of ingress rates to turbine and compressor wheelspaces, 9A1020
CHILLA, E: Microprobe techniques in saw measurements, 4A320
CHILTON, L: Selection of a locking-free *hp* element for elasticity problems, 10A71
CHIMA, RV: Application of the k-ω turbulence model to quasi-3D turbomachinery flows, 5A1086
CHIMENTI, DE: Guided waves in plates and their use in materials characterization, 7A193
CHIMISSO, FEG: Necking of elasto-plastic rods under tension, 12A523
CHIN, C: Nonlinear normal modes of systems with internal resonance, 1A130
CHIN, CHAR-MING: Bifurcation and chaos in externally excited circular cylindrical shells, 3A163
- Three-to-one internal resonances in hinged-clamped beams, 10A141
CHIN, JIH-HUA: Cross-coupled precompensation method for the contouring accuracy of computer numerically controlled machine tools, 12A730
CHIN, RK: Thermomechanical modeling of molten metal droplet solidification applied to layered manufacturing, 8A1303
CHIN, SIN SHENG: Buckling response of symmetric laminated plates, 6A615
CHIN-BING, SA: Comparison of algorithms for solving parabolic wave equations, 1A329
CHIN-PURCELL, MV: Fracture of articular cartilage, 5A1485
CHING, CY: Turbulent boundary layer over a smooth wall with widely separated transverse square cavities, 1A1030
CHINH, PD: Dynamic shakedown and a reduced kinematic theorem, 7A430
CHINH, PHAM DUC: Shakedown analysis for trusses and frames, 12A880
CHINH, TRAN DUC: Calculation of shallow shell subject to influence of load local effect by the difference technique on irregular networks, 10A649
CHINN, D: Thermal and mechanical characterization of high performance epoxy systems with extended cure times, 3A962
CHINN, DJ: Laser ultrasonic signal processing: A model-reference approach, 1A821
CHINNERY, PA: Schlieren image of 2D ultrasonic fields and cavity resonances, 7A267
- Low-frequency acoustic scattering by a cube: Experimental measurements and theoretical predictions, 10A359
CHINOSI, C: New FE with "drilling" dof, 10A69
CHINZEI, N: Impulse function and drag in scramjet inlet models, 5A1376
CHIOCCHIA, G: Lifting line equation for a curved wing in oscillatory motion, 10A1221
CHIOU, CB: Single-phase heat transfer and flow friction correlations for microfin tubes, 4A1242
CHIOU, CHUNG-BIAU: Analysis of evaporation of non-azeotropic refrigerants in a horizontal tube, 2A1223
CHIOU, CHUNG-BIAU: Pool boiling of R-22, R-124 and R-134a on a plain tube, 7A1282
CHIOU, JS: Laminar film condensation on a horizontal surface with surface tension effect, 2T1220
- Application of the Taylor transform to nonlinear vibration problems, 11A62
CHIOU, S-T: Balancers of any frequency term of the shaking moment of spatial mechanisms, 10A226
- Two-rotating-mass balancers for partial balancing of spatial mechanisms, 11A151
- Explicit formulae for designing the two-contra-rotating-mass balancers of spatial mechanisms, 11A145
CHIOU, WJ: Modeling and vibration analysis of spinning-disk and moving-head assembly in computer storage systems, 10A209
CHIOU, WK: Design and assessment of an adaptive intermittent cervical traction modality with EMG biofeedback, 5A1521
CHIOU, WU-YAO: Efficient multilevel FE approach to 3D phase-change problems, 7A1311
CHIOU, YAW-JENG: Multi-region BE analysis of unconfined seepage problems in excavations, 1A626
CHIOU, YUANG-CHERNG: Study on lubrication mechanism and wear scar in sliding circular contacts, 7A890
- Fundamental characteristics of wear particle deposition measurement by an improved on-line ferrographic analyzer, 12A948
CHIPPADA, S: Full-scale numerical study of interfacial instabilities in thin-film flows, 5A1034
CHIREHDAST, M: Systems approach to structural topology optimization: Designing optimal connections, 9A839
CHIRIKJIAN, GS: Fredholm integral equations on the Euclidean motion group, 4A460
- Kinematic synthesis of mechanisms and robotic manipulators with binary actuators, 11A867
CHIRITA, S: Saint-Venant's principle in linear elastodynamics, 1A434
- Saint-Venant's principle in dynamic linear viscoelasticity, 8T496
CHIRKOV, VP: Asymptotic analysis of stability and postcritical behavior of elastic panels in a supersonic flow, 5A214
CHIRONIS, NP: Mechanisms and Mechanical Devices Sourcebook, Second Edition, 5N5
CHISCI, L: State-space approach to stabilizing predictive control, 5A304
CHISUM, JE: Modeling and simulation of underwater shock problems using a coupled Lagrangian-Eulerian analysis approach, 6A315
- Explosion gas bubbles near simple boundaries, 6A313
CHITKARA, NR: Axisymmetric tube extrusion through a flat-faced circular die: Numerical construction of slip-line fields and associated velocity fields, 6A671
- Combined rod and tube extrusion: Numerical solution of axi-symmetric slip-line fields and associated velocity fields, 7A593
CHIU, AS: Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes, 1A691
CHIU, BORNAIN: Engineering the development of optical fiber sensors for adverse environments, 12A861
CHIU, CHI-FANG: Convective heat transfer from a circular cylinder under the effect of a solid plane wall, 1A44
CHIU, CHI-KEUNG: Application of Broyden's method to the enthalpy method for phase change problems, 5A1239
CHIU, CHING SANG: Theoretical and simulation study of acoustic normal mode coupling effects due to the Barents Sea Polar Front, with applications to acoustic tomography and matched-field processing, 1A310
CHIU, LH: Effects of thermomechanical treatments on superplasticity of Zn-22% Al alloy, 10T1365
CHIU, WK: Determination of the stress components of an array of piezoelectric sensors: A numerical study, 10A673
- Structural integrity monitoring, 12A769
CHIU, WKS: Flow of smoke and hot gases across horizontal vents in room fires, 2A1330
CHIU, WM: Automatic supervision of blanking tool wear using pattern recognition analysis, 12A909
CHIU, Y-T: Antiplane shear analysis of a semi-infinite multi-layered monoclinic strip, 3A446
CHIVERS, RA: Strength of adhesive-bonded tissue joints, 11A890
CHIZHIK, SA: Effect of liquid crystalline additive on microrelief of steel surface at friction, 5A840
CHMIELEWSKI, D: Constrained infinite-time linear quadratic optimal control, 6T368
CHMIELNIAK, T: Stand for investigations of 3D, turbulent flow in axial compressing stage, 4A1095
CHO, DH: Low dimensional modeling of flow reactors, 1A1304
CHO, DONG WOO: Dynamic path planning for robot navigation using sonar mapping and neural networks, 9A391
CHO, DW: Real-time estimation of temperature distribution in a ball-screw system, 8A1356
CHO, HANGJU: Closed-form optimal guidance law for missiles of time-varying velocity, 3A365
CHO, HH: Experimental mass (heat) transfer in and near a circular hole in a flat plate, 9A1240
- Total-coverage discrete hole wall cooling, 10A1296
CHO, HS: Design of a force reflection controller for telerobot systems using neural network and fuzzy logic, 1A394
- New optical measuring system for solder joint inspection, 6A821
- Task oriented positioning of a mobile manipulator base in a cluttered environment, 9A395
- Mobile manipulator motion planning for multiple tasks using global optimization approach, 9A392
- Analytical solution for transient temperature distribution in fillet arc welding including the effect of molten metal, 9A977
CHO, HW: Distortional and orientational hardening at large viscoplastic deformations, 6A514
CHO, J: Experimental study of heat transfer and particle deposition for the modified chemical vapor deposition, 11A1300
CHO, JIN YEON: Penalized weighted residual method for the initial value problems, 6A85
CHO, JR: Adaptive hpq-FEMs of hierarchical models for plate- and shell-like structures, 4A606
- Upper-bound analysis of square-die forward extrusion, 6A676
CHO, JUNG-HOON: Incorporation of tool deflection in tool path computation: Simulation and analysis, 1A411
CHO, MAENG HYO: Refined aeroelastic analysis of hingless rotor blades in hover, 11A225
CHO, MAENGHYO: Four-noded FE post-process method using a displacement field of higher-order laminated composite plate theory, 2A507
- Improved Mindlin plate stress analysis for laminated composites in FEM, 9T534
CHO, P: Local extinction Karlovitz number for premixed flames, 3A1299
CHO, S-S: Wear mechanisms of multi-layer coated cemented carbide cutting tools, 7A896
- Thermoelastic FE analysis of subsurface cracking due to sliding surface traction, 7A652
- Correlation between acoustic emission and wear of multi-layer ceramic coated carbide tools, 11A748
CHO, W-M: Measurement of modulus in filament wound ring specimen using split disk test, 7A497
CHO, WON-MAN: Measurement of tensile properties using filament wound ring specimens, 12A602
CHO, WONJOON: Computation of self-intersections of offsets of Bezier surface patches, 12A1026
CHO, YOON-KYOUNG: Shear of confined perfluorinated molecules: Effect of side branching, 7A1212
CHO, YOUNG I: Handbook of Heat Transfer, Third Edition, 11N36
CHO, YOUNHO: Guided waves in a water loaded hollow cylinder, 1A228
CHOCAT, B: Rainfall-runoff processes and modeling, 7T1491
CHOCRON BENLOULO, IS: Dynamic tensile testing of aramid and polyethylene fiber composites, 7A495
CHOHAN, RK: Predicting the rheology of linear with branched polyethylene blends, 5A887
CHOI , JE: Stokes layers in horizontal-wave outer flows, 4A978
CHOI, B: Improved analysis of microbeams under mechanical and electrostatic loads, 10A508
CHOI, BK: Event graph modeling of automated sorting and buffering system, 3A424
CHOI, BYOUNG LYONG: Theoretical investigations on sprayed particle-plasma interactions to optimize processing parameters in DC thermal plasma spraying, 10T728
CHOI, CHANG EUN: Numerical analysis of a spray combustion with nongray radiation using weighted sum of gray gases model, 6A1350
CHOI, CHANG SUN: Elastic constants of textured short-fiber composites, 3A496
CHOI, CHANG-KOON: Three-dimensional nonconforming 8-node solid elements with rotational dof, 4A36
- Gap element for 3D elastoplastic contact problems, 5A414
- Stochastic FE analysis of plate structures by weighted integral method, 6A87
- Refined 3D FE model for end-plate connection, 6A900
CHOI, DH: Improved Navier-Stokes procedure for analysis of 2D aerofoils in laminar and turbulent flows, 12A1173
CHOI, DONG H: Constitutive creep model for single crystal ice, 9A5
CHOI, DONG-HOON: Optimum design of the transverse pressure contour slider for enhanced flying characteristics, 12A984
- Multibody dynamic response optimization with ALM and approximate line search, 12A97
CHOI, GH: Application of minimum cross entropy to model-based monitoring in diamond turning, 4A405
CHOI, GS: Application of minimum cross entropy to model-based monitoring in diamond turning, 4A405
CHOI, H: Fractional four-step FE formulation of the unsteady incompressible Navier-Stokes equations using SUPG and linear equal-order element methods, 10A1096
- Unsteady simulation of jets in a cross flow, 12A1134
CHOI, HAECHEON: Laminar convective heat transfer of a Bingham plastic in a circular pipe - I: Analytical approach - thermally fully developed flow and thermally developing flow (the Graetz problem extended), 10A1303
CHOI, HG: Fractional four-step FE formulation of the unsteady incompressible Navier-Stokes equations using SUPG and linear equal-order element methods, 10A1096
CHOI, HWAN-SEOK: Computations of nonlinear wave interaction in shock-wave focusing process using finite volume TVD schemes, 2A227
CHOI, HYUNG JIP: Bonded dissimilar strips with a crack perpendicular to the functionally graded interface, 4A748
CHOI, IK CHANG: Study of shear resisting behavior on concrete beams reinforced with steel and/or FRP rods (Chinese), 10A943
CHOI, IN-HYU: Development of a tool failure detection system using multi-sensors, 1A420
CHOI, IS: Dual-fuel combustion model for premixed natural gas with distillate ignition in a quiescent bomb, 11A1422
CHOI, JAE-CHAN: Prediction of surface-fracture initiation in the axisymmetric extrusion and simple upsetting of an aluminum alloy, 6A710
CHOI, JB: Fracture toughness of re-entrant foam materials with a negative Poisson's ratio: Experiment and analysis, 7A756
CHOI, JC: Study on the forging of spur gears, 2A583
- Computer-aided forging-die design for 2D cross-sectional components, 6A677
- Prediction of die wear in the wire-drawing process, 11A589
CHOI, JK: Characteristics of a spindle bearing system with a gear located on the bearing span, 7A942
CHOI, JUNG-IL: Suppression of temperature oscillation in Czochralski convection by superimposing rotating flows, 7A1267
CHOI, KK: Design sensitivity analysis of structure-induced noise and vibration, 10A422
CHOI, KYUNG K: Shape design sensitivity analysis and optimization for structural durability, 10A908
CHOI, M: Experimental study of heat transfer and particle deposition for the modified chemical vapor deposition, 11A1300
CHOI, MIN-SENG: Development of the magneto-electrolytic-abrasive polishing system and finishing characteristics of a Cr-coated roller, 12A743
CHOI, MIN-SEOG: Study on the effect of a magnetic field on an electrolytic finishing process, 8A723
- Study on magnetic polishing of free-form surfaces, 12A744
CHOI, MUN Y: Simultaneous laser-induced emission of soot and polycyclic aromatic hydrocarbons within a gas-jet diffusion flame, 10A1408
CHOI, MYOUNG-SEON: Theory of the background amplitudes in acoustic resonance scattering, 9A272
- New formulation of the resonance scattering theory, 10A360
CHOI, S-H: Acoustic radiation from a finite-length shell with non-axisymmetric substructures using a surface variational principle, 5A223
CHOI, SANGMIN: Comparative evaluation of municipal solid waste incinerator designs by flow simulation, 1A1328
CHOI, SB: Boundary lubrication characteristics of silica-based electro-rheological fluids, 6A1206
- Numerical analysis of channel flows of ER fluid, 6A1166
CHOI, SEOGOU: Study on center thinning in the rotary forging of a circular plate, 12A713
CHOI, SEUNG-BOK: Active vibration control of intelligent composite laminate structures incorporating an electro-rheological fluid, 3A133
- Vibration control of a flexible beam using shape memory alloy actuators, 3T389
- Position tracking control of a smart flexible structure featuring a piezofilm actuator, 5A325
CHOI, SR: Reliability analysis of uniaxially ground brittle materials, 5A457
- Fatigue strength as a function of preloading in dynamic fatigue testing of glass and ceramics, 12A595
CHOI, SY: New conservation integral for an arbitrarily kinked interfacial crack, 7A757
CHOI, TP: Finite element modeling of 3D solder joint geometry in SMT, 12A1037
CHOI, UJ: Approximate weight function methods using a new condition, 1A739
CHOI, WOO CHUN: Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, 7A118
CHOI, WOOYOUNG: Vortex solitons in a rotating fluid within a non-uniform tube, 6A266
CHOI, Y: Study on the forging of spur gears, 2A583
CHOKANI, N: Development of semispan model test techniques, 6A1200
- Boundary-layer stability measurements in a hypersonic quiet tunnel, 6A1084
- Effect of angle of attack on hypersonic boundary-layer stability, 9A1080
- Linear stability of hypersonic flow in thermochemical nonequilibrium, 12A1138
CHOKSI, R: Conservation law $\partial_t u + \partial_x \sqrt{1-u^2} = 0$ and deformations of fiber-reinforced materials, 5A441
CHOLEWICKI, J: Spinal ligament transducer based on a Hall effect sensor, 7A1556
CHONAN, S: Nonlinear hysteresis compensation of piezoelectric ceramic actuators, 1A373
- Force control of a flexible finger with distributed sensors and piezoelectric actuators, 2A336
- Soft-handling gripper driven by piezoceramic bimorph strips, 3A397

CHONDROS, TG: Consistent cracked bar vibration theory, 9A131
CHONG, MS: Volume integrals of the Q_s - R_s invariants of the velocity gradient tensor in incompressible flows, 7A1133
CHOO, BS: Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - II: Prediction of moment capacity, 1A850
- Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - I: Experimental behavior, 1A793
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Overall considerations, 8A926
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Detailed appraisal, 8A927
CHOPIN, TR: Proceedings of the ASME Fluids Engineering Division, 4N25
CHOPRA, I: Analysis of bearingless main rotor aeroelasticity using an improved time domain nonlinear elastomeric damper model, 2A829
- Aeroelastic optimization of a helicopter rotor to reduce vibration and dynamic stresses, 2A827
- Formulation of a helicopter rotor system damage detection methodology, 4A1148
- Hover testing of smart rotor with induced-strain actuation of blade twist, 6A209
- Modeling piezoceramic actuation of beams in torsion, 6A867
- Detection of helicopter rotor system simulated faults using neural networks, 10A510
CHOPRA, OK: Statistical models for estimating fatigue strain-life behavior of pressure boundary materials in light water reactor environments, 6A1497
CHOQUET, R: Newton-GMRES algorithm applied to compressible flows, 1A1009
CHORASHI, M: Analysis of preloaded bolted joints under exponentially decaying pressure, 5A879
CHORIN, AJ: Scaling laws for fully developed turbulent flow in pipes, 9A1088
CHOSA, A: Energy release rates for an interface crack embedded in a laminated beam subjected to three-point bending, 12A829
CHOSSAT, P: Symmetries and dynamics for 2D Navier-Stokes flow, 1A1061
- Transverse bifurcations of homoclinic cycles, 7A110
CHOTARD, T: Comparative study of strain rate effects on mechanical properties of glass fiber-reinforced thermoset matrix composite, 5A440
CHOU , SI: Stress field around holes in antiplane shear using complex variable BEM, 12T77
CHOU, CHAU CHANG: Thermal analysis of a medium-carbon steel tribo-system and its application to oxidational wear, 4T890
CHOU, CHI-CHIN: Multiplication-free evaluation of polynomials via a Stochatic Bernstein Representation, 3A62
CHOU, GUNG-HUEI: Linear stability study of waviness effect on film condensation with nonuniform surface tension, 9T1251
CHOU, H-C: Near-optimal operation of dual-fuel launch vehicles, 3T382
CHOU, JYH-HORNG: Robust stability bound on linear time-varying uncertainties for linear digital control systems under finite wordlength effects, 7A302
- Active robust vibration control of flexible composite beams with parameter perturbations, 8A128
CHOU, LI-SHAN: Minimum energy trajectories of the swing ankle when stepping over obstacles of different heights, 7A1540
- Stepping over an obstacle increases the motions and moments of the joints of the trailing limb in young adults, 9A1577
CHOU, MO-HONG: Numerical study of high-Reynolds-number flow past a bluff object, 4A1057
CHOU, SC: Method for measuring transient out-of-plane deformation during impact, 7A208
CHOU, SH: Analysis and convergence of a covolume method for the generalized Stokes problem, 7A1021
- Analysis and convergence of a MAC-like scheme for the generalized Stokes problem, 8A1052
CHOU, SHUO-YAN: Parallel disassembly by onion peeling, 12A456
CHOU, SI: Complex variable BEM for torsion of composite shafts, 9A544
CHOU, SK: Generalized methodology for determining the total heat gain through building envelopes, 4A1251
- Large building cooling load and energy use estimation, 8A1376
- Methodology for tunnel dryer chamber design, 10A1356
CHOU, SY: Kinetic flux-vector splitting for the Navier-Stokes equations, 8T1110
CHOU, TSU-WEI: Incremental theory of particulate-reinforced composites including debonding damage, 1A511
- Experimental and theoretical studies of the elastic behavior of knitted-fabric composites, 8A543
CHOU, TZU-YAO: Unsteady flow of a second-grade fluid past a backward-facing step, 12A1048
CHOU, WEN-CHING: Effects of size and stacking sequence of composite laminated patch on bonded repair for cracked hole, 6A544
CHOU, YJ: Heat transfer behaviors of a confined slot jet impingement, 5A1138
CHOU, YT: Permanent mold of Y-PSZ-Zircon composite for brass casting, 10A749
CHOU, ZL: Dynamic behavior of steel frames with beam flanges shaved around connection, 12A855
CHOUCHAOUI, CS: Effect of interphase on the elastic behavior of a glass-epoxy bundle, 12A577
CHOUDHURY, D: ASME Proceedings of 31st National Heat Transfer Conference, Volume 6, 2N41
- Numerical method for the computation of flow in irregular domains that exhibit geometric periodicity using nonstaggered grids, 7A1044
CHOUDHURY, SK: On-line control of machine tool vibration in turning, 11A158
CHOUDHURY, SR: Initial-value problem for the Kelvin-Helmholtz instabilities of high-velocity and magnetized shear layers, 5A1035
CHOUET, BA: Free-surface boundary condition for including 3D topography in the finite-difference method, 12A1483
CHOULES, BD: Architecture of functionally graded ceramic coatings against surface thermal fracture, 4A764
CHOULIER, D: Influence of viscoplasticity in the interpretation of the ring test, 1A632
CHOUN, YOUNG-SUN: Sloshing characteristics in rectangular tanks with a submerged block, 3A263
CHOURA, S: Reduction of residualvibrations in a rotating flexible beam with a moving payload mass, 9T400
CHOUYCHAI, T: New approach to impact testing instrumentation using an electronic slave hammer, 9A128
CHOW, AB: Experimental fretting-wear studies of steam generator materials, 11A657
CHOW, CC: Generalized stability criterion for resonant triad interactions, 3A226
CHOW, CL: Damage development in a sidegrooved CT specimen based on a 3D endochronic damage model, 6A805
CHOW, KW: Solitons in (2 + 0) dimensions and their applications in vortex dynamics, 12A1066
CHOW, LC: Nucleate boiling heat transfer in spray cooling, 2A1205
- Numerical modeling of void migration in solids due to temperature gradient using the BEM, 3A1250
CHOW, P-L: Active control of nonlinear panel vibration and sound radiation, 10A476
CHOW, PAO-LIU: Infinite-dimensional Hamilton-Jacobi-Bellman equations in Gauss-Sobolev spaces, 11T80
CHOW, TW: Epinephrine and shear stress synergistically induce platelet aggregation via a mechanism that partially bypasses VWF-GP IB interactions, 1T1462
- Shear stress-induced binding of Von Willebrand factor to platelets, 10T1536
CHOW, WK: Comparison of the algorithms PISO and SIMPLER for solving pressure-velocity linked equations in simulating compartmental fire, 7A1423
- Possibility of using laser-fiber optics as a fire detection system, 8A848
CHOW, WL: Interaction between a jet and a flat plate: An inviscid analysis, 11A1060
CHOW, WT: Prediction of post-buckling strength of stiffened laminated composite panels based on the criterion of mixed-mode stress intensity factors, 2A511
CHOW, YK: Analysis of piles used for slope stabilization, 3A594
CHOWDARY, TVR: Environmental effects on flutter characteristics of laminated composite rectangular and skew panels, 2A251
CHOWDHURI, SKR: Effect of surface roughness on the temperature at the contact between sliding bodies, 2A908
CHOWDHURY, MR: System reliability evaluation considering strength and serviceability requirements, 7A819
CHOWDHURY, SKR: Fractal analysis of adhesion at the contact between rough solids, 5A84
CHOY, CL: Fracture toughness and damage propagation of ultrahigh-modulus polyethylene fiber-reinforced composites, 9A755
- Elastic moduli of injection-molded short-glass-fiber-reinforced poly(ethylene terephthalate), 10A607
CHOY, FK: Transient pressure analysis in piping networks due to valve closing and outlet pressure pulsation, 2A1008
CHPOUN, A: Stability of regular and Mach reflection wave configurations in steady flows, 4T1009
- Aerodynamic forces and moments for a re-entry module, 10A1227
CHRISS, RM: Experimental and computational results from the NASA Lewis low-speed centrifugal impeller at design and part-flow conditions, 11A1155
CHRIST, H-J: Influence of hydrogen on the fatigue behavior of the beta-titanium alloy Ti-3Al-8V-6Cr-4Mo-4Zr, 6A727
CHRISTEN, U: Inverting and noninverting H_∞ controllers, 9T324
CHRISTENSEN, CJ: Complex frequency domain model of wind turbine structures, 11A1548
CHRISTENSEN, E: Screening the performance of lubricants for the ironing of stainless steel with a strip reduction test, 12A1231
CHRISTENSEN, KA: Field study of submicron particles from the combustion of straw, 2A1319
CHRISTENSEN, RM: Relationship of minimal conditions to low density material microstructures, 6A10
- Kink band mechanism for the compressive failure of fiber composite materials, 10A820
CHRISTENSEN, RN: Performance evaluation of spirally fluted annuli: Geometry and flow regime effects, 9A1298
- Experimental investigation on flooding in a fluted tube with and without a twisted insert, 9A1294
CHRISTIANSEN, N: Horseshoe vortex and vortex shedding around a vertical wall-mounted cylinder exposed to waves, 8A1076
CHRISTIANSEN, S: Mechanical properties and microstructural analysis of a diamond-like carbon coating on an alumina-glass composite, 2A451
- Topographic characterization of progressive wear on deep drawing dies, 10A980
CHRISTIE, GR: Out-of-plane buckling of fiber-reinforced thermoplastic sheets under homogeneous biaxial conditions, 11A464
CHRISTIE, JR: Subharmonic orbits in an anharmonic oscillator, 9A107
CHRISTO, FC: Artificial neural network implementation of chemistry with pdf simulation of H_2/CO_2 flames, 3A1327
CHRISTODOULOU, L: Fuzzy control of burnout of multilayer ceramic actuators, 3T398
CHRISTOFFERS, D: Seasonal shading of vertical south-facades with prismatic panes, 8A1539
CHRISTOFFERSEN, J: Kink band analysis accounting for the microstructure of fiber reinforced materials, 8A545
- Kink band formation in fiber reinforced materials, 12A568
CHRISTOFIDES, PD: Robust semi-global output tracking for nonlinear singularly perturbed systems, 5T303
CHRISTOFOROU, AP: Impact of composite structures: The momentum balance method, 2A212
- Coupled axial and transverse vibrations of oilwell drillstrings, 3A816
CHRISTON, MA: Spatial domain-based parellelism in large-scale, participating-media, radiative transport applications, 12A1308
CHRISTOV, ID: Modeling physical characteristics of soils with horizon differentiation for crop irrigation scheduling, 11A1556
CHROSCIELEWSKI, J: Finite element analysis of smooth, folded, and multi-shell structures, 9A573
CHRSTOS, JP: Land vehicle roll-yaw product of inertia measurement, 12A203
CHRYSOCHOOS, A: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 6, 1N5
CHRYSSANTHOPOULOS, MK: Influence of radial edge constraint on the stability of stiffened conical shells in compression, 8A19
CHU, C-L: Active flutter control of a cantilever tube conveying fluid using piezoelectric actuators, 4A256
CHU, CK: Analysis of the transient response of vertically loaded single piles by time-domain BEM, 1A621
CHU, CR: Numerical simulation of wind-induced entrainment in a stably stratified water basin, 8T1194
CHU, DN: Various aspects of evolutionary structural optimization for problems with stiffness constraints, 8A887
CHU, EK: Numerically robust pole assignment for second-order systems, 3T337
CHU, FH: Finite element model optimization using diagonal mass matrix, 10A21
CHU, H: C^1-Continuous stress recovery in FE analysis, 10A46
CHU, HS: Combined natural convection and radiation in a vertical annulus, 2A1251
CHU, JAN-CHUNG: Kinematic design optimization of the variable lead screw mechanism with cone meshing element, 3A908
CHU, JM: Ductile steel beam-to-column connections for seismic resistance, 6A1464
- Dynamic behavior of steel frames with beam flanges shaved around connection, 12A855
CHU, JUNE-LIANG: Diffusive crack growth at a bimaterial interface, 3A677
CHU, KH: Fatigue reliability analysis of composite laminates under spectrum stress, 9A705
CHU, MC: Morphological studies relating to the fracture stress and fracture toughness of silicon nitride, 12A830
CHU, QP: Modified recursive maximum likelihood adaptive filter for nonlinear aircraft flight-path reconstruction, 5A1076
CHU, S: Effect of modification to tongue and impeller geometry on unsteady flow, pressure fluctuations, and noise in a centrifugal pump, 12A1180
CHU, SHI-SHENG: Strategy for the passive maneuvering of tether-connected systems, 9T237
CHU, TC: Numerical simulation of flow pattern formation in a bottom heated cylindrical fluid layer, 5A1152
CHU, TY: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
CHU, VH: Experimental study of turbulent concentration flow field in the wake of a bluff body, 11A1018
CHU, W KWANG-HUA: Stokes slip flow between corrugated walls, 3A1065
CHU, WF: Control of vortex pairing sound, 10A374
CHU, YA: Enriched element-free Galerkin methods for crack tip fields, 10A842
CHU, YY: Study of wire breaking process and monitoring of WEDM, 8A711
CHUA, HT: Diagnostics and optimization of reciprocating chillers: Theory and experiment, 7A1230
- Modeling of absorption chillers with external and internal irreversibilities, 9A1310
CHUA, KJ: Methodology for tunnel dryer chamber design, 10A1356
CHUA, LO: Adaptive synchronization and control of nonlinear dynamical systems, 1A352
- Exact synchronization of mismatched chaotic systems, 1A123
- Clarifying chaos: Examples and counterexamples, 1A117
CHUAN, CHIN-CHAN: Thermal effects on the morphological stability in a directional solidification system with remote flow, 1A1301
CHUANG, C-H: Optimal bounded-state control with application to building structure, 3A346
- Periodic optimal cruise for a hypersonic vehicle with constraints, 10A493
- Robust control design for a class of mismatched coupled uncertain systems, 12A381
- Robust controller for second-order systems using acceleration measurements, 12A382
CHUANG, CH: Optimality and guidance for planar multiple-burn orbit transfers, 5A308
CHUANG, CHIN-WEN: Design of optimal MIMO DIVSC systems and its application to idle speed control of spark ignition engine, 12A412
CHUANG, TZE-JER: Diffusive crack growth at a bimaterial interface, 3A677
CHUBB, DL: Emittance measurements for a thin liquid sheet flow, 1T1260
- Stability of thin liquid sheet flows, 7A1129
CHUBB, SR: High resolution computations of ocean wave spectral modulations due to 2D wave-current interactions, 10A1472
CHUCHEEPSAKUL, S: Large deflections of an end supported beam subjected to a point load, 8A567
- Finite-element solution of variable-arc-length beams under a point load, 12A37
CHUDNOVSKY, A: New experimental technique for modeling of a micro-heterogeneous media, 6A814
- Examination of the fatigue crack growth equations, 10A760
CHUDY, V: Flexible joints made of polymer composites for load transfer in measuring systems (Polish), 10A1000
CHUE, CHING-HWEI: Effects of size and stacking sequence of composite laminated patch on bonded repair for cracked hole, 6A544
CHUENCHOM, T: Synthesis of programmable mechanisms using adjustable dyads, 12A1022
CHUI, P PUI-TAK: Generalized design-based elastoplastic analysis of steel frames by section assemblage concept, 10A951
CHUI, PPT: Transient response of moment-resistant steel frames with flexible and hysteretic joints, 8A931
CHUKOVA, S: Probability distributions in periodic random environment and their applications, 10A1508
CHUMAN, Y: Development of dynamic loading device with stress sensing block and its experimental examination (Japanese), 4A787
- Sensing block method for measuring impact force generated at a contact part, 7A209
CHUN CHOI, WOO: Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, 7A119
CHUN, HEOUNG-JAE: Behavior of a unidirectional metal-matrix composite under thermomechanical loading, 1A517
CHUN, HJ: Transverse creep behavior of a unidirectional metal matrix composite, 9A446
CHUN, HYE-YEONG: Dynamical model for urban heat islands, 12T1500
CHUN, KB: Control of turbulent separated flow over a backward-facing step by local forcing, 5A997
CHUN, LU: Behavior of uniform anisotropic beams of rectangular section under transverse impact of a mass, 8A238
CHUNCHUZOV, IP: Spectrum of high-frequency internal waves in the atmospheric waveguide, 3T1418
CHUNDURU, S: Buckling behavior of polyethylene liner system, 6A620
CHUNG, BTF: Multi-objective optimization of radiative fin array systems in a fuzzy environment, 2A1249
CHUNG, CHUNG CHOO: Nonlinear H_∞ control around periodic orbits, 11T294

CHUNG, CS: Fatigue crack propagation of D6AC laser welds, 8A742
CHUNG, DANG HUU: Conjugate natural convection of a power law fluid in a vertical finite thick channel with heat sources, 11T1227
CHUNG, DDL: Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, 7A468
- Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, 7A467
- New electromechanical effect in discontinuous-filament elastomer-matrix composites, 8A624
- Self-monitoring of strain in silicon carbide whisker reinforced silicon nitride, 10A919
CHUNG, DH: Local extinction Karlovitz number for premixed flames, 3A1299
CHUNG, GI TAEK: Gap element for 3D elastoplastic contact problems, 5A414
CHUNG, GI-TAEK: Refined 3D FE model for end-plate connection, 6A900
CHUNG, HH: Seismic, Shock, and Vibration Isolation - 1996, 2N47
- Recent Advances in Solids and Structures and Application of Metallic Materials, 6N18
CHUNG, J-S: Stability-based design of two-point mooring systems with hydrodynamic memory, 8A1211
CHUNG, JAE DONG: Analysis of striation formation in laser material cutting process, 8A698
CHUNG, JEN-KUANG: Shallow crustal structure from short-period Rayleigh-wave dispersion data in southwestern Taiwan, 12A1464
CHUNG, JH: Free vibration analysis of symmetrically laminated composite rectangular plates, 6A183
CHUNG, JINTAI: Explicit time integration algorithms for structural dynamics with optimal numerical dissipation, 6A190
CHUNG, JN: Linear stability of mixed convection in a vortical channel flow, 5A1026
- Mixed transform FEM for solving the nonlinear equation for flow in variably saturated porous media, 8A31
CHUNG, K: Blank shape design for a planar anisotropic sheet based on ideal forming design theory and FEM analysis, 3A618
CHUNG, KEUN-YOUNG: Three-dimensional nonconforming 8-node solid elements with rotational dof, 4A36
CHUNG, KF: Structural performance of modern roofs with thick over-purlin insulation: Experimental investigation, 9A909
CHUNG, KW: Separatrices and limit cycles of strongly nonlinear oscillators by the perturbation-incremental method, 6A123
CHUNG, KYUN KIM: Analysis of contact force and thermal behavior of lip seals, 5A865
CHUNG, LK: Fuzzy pulse discriminating system for electrical discharge machining, 8A721
CHUNG, LL: Instantaneous control of structures with time-delay consideration, 9A846
CHUNG, M-H: Navier-Stokes and potential calculations of axial spacing effect on vortical and potential disturbances and gust response in an axial compressor, 12A1184
CHUNG, MENG-HSUAN: Gust response decomposition in a stator-rotor axial compressor with varying axial gap, 9A1179
CHUNG, MY: Piezoelectric solid with an elliptic inclusion or hole, 1A443
CHUNG, MYUNG KYOON: Improvement of tip leakage loss model for axial turbines, 10T1233
CHUNG, RM: Method of estimating the parameters of tuned mass dampers for seismic applications, 11A161
CHUNG, SH: Suggestive correctional methods for PIV image biasing caused by a rotating mirror system, 2A1146
- Acoustic response of droplet flames to pressure oscillations, 2A1334
- Local extinction Karlovitz number for premixed flames, 3A1299
- Stabilization of lifted tribrachial flames in a laminar nonpremixed jet, 9A1366
- Soot zone structure and sooting limit in diffusion flames: Comparison of counterflow and co-flow flames, 9A1369
CHUNG, TJ: Numerical simulation of heat transfer in chemically reacting shock wave-turbulent boundary layer interactions, 1A1038
- Three-dimensional mixed explicit-implicit generalized Galerkin spectral element methods for high-speed turbulent compressible flows, 3A1164
CHUNG, TY: Free vibration analysis of symmetrically laminated composite rectangular plates, 6A183
CHUNG, YIP-WAH: Lubricant effects in the transition from boundary to microelastohydrodynamic lubrication, 4A1164
CHUNG, YONG MANN: Vortex simulation of leading-edge separation bubble with local forcing, 1A1036
- Comparative study of inflow conditions for spatially evolving simulation, 7A1101
- Large-scale structure of a leading-edge separation bubble with local forcing, 11A1027
CHUONG, CJ: Collagen fiber architecture of a cultured dermal tissue, 9A1578
CHUPAKHIN, AP: Regular partially invariant submodels of the equations of gas dynamics, 11A982
CHUPP, RE: Generalizing circular brush seal leakage through a randomly distributed bristle bed, 11A1152
CHURCH, JR: Characterization of bearing strength factors in pegged timber connections, 9A974
CHURCH, P: High strain-rate fracture characteristics of ductile metals at elevated and sub-ambient temperatures, 10A829
CHURCHILL, SW: Combustion of ethane with small concentrations of methyl chloride in a refractory tube burner, 6A1335
- Development of a computational scheme for transient combustion inside a refractory tube, 6A1348
CHURILOV, SM: Nonlinear critical layer resulting from the spatial or temporal evolution of weakly unstable disturbances in shear flows, 2A1029
CHUST, MD: Application of MacCormack schemes to IC engine exhaust noise prediction, 3A1336
CHWANG, AT: General BEM for nonlinear problems, 3A47
CHYANG, CS: Evaluation of the combustion efficiency and emission of pollutants by coal particles in a vortexing fluidized bed, 12A1388
CHYNOWETH, S: Generic properties of rheological flow curves, 10A1263
CHYU, C: Evolution of patterns of streamwise vorticity in the turbulent near wake of a circular cylinder, 3A1091
CHYU, C-K: Karman vortex development: Relation to symmetry and circulation of transition vortices, 2T235
CHYU, CK: Near-wake structure of an oscillating cylinder: Effect of controled shear-layer vortices, 3A1030
CHYUAN, SW: Integral representations and regularizations for a divergent series solution of a beam subjected to support motions, 3A1387
- Normalized quasi-static mass: A new definition for multi-support motion problems, 12A16
CHYZY, T: Three-dimensional model of shield buildings (Polish), 2A813
CIAJOLO, A: Wide-ranging modeling study of isooctane oxidation, 6A1346
- Low-temperature oxidation of MTBE in a high-pressure jet-stirred flow reactor, 12A1390
CIALKOWSKI, M: Regularization of a certain inverse heat conduction problem, 4A1278
CIAMPI, V: Equilibrium based iterative solutions for the nonlinear beam problem, 7A511
CIANCHI, A: Optimal spherical masonry domes of uniform strength, 7A843
CIANFRINI, C: Theoretical analysis of the acoustical behavior of roadside barriers with diffusive internal surfaces, 3A316
CIARLET, PG: Handbook of Numerical Analysis, Volume IV: Finite Element Methods (Part 2), Numerical Methods for Solids (Part 2), 6N4
- Asymptotic analysis of linearly elastic shells: Generalized membrane shells, 3T522
- Asymptotic analysis of linearly elastic shells - Part I: Justification of membrane shell equations, 6A583
- Asymptotic analysis of linearly elastic shells - Part I: Justification of flexural shell equations, 6T584
- Asymptotic analysis of linearly elastic shells - Part III: Justification of Koiter's shell equations, 6T585
CIARLETTA, M: Scattering of a horizontally polarized oblique wave by a pair of surface-breaking cracks, 5A244
- Thermoelasticity of nonsimple materials with thermal relaxation, 5A1292
- Existence and continuous dependence results in the dynamical theory of piezoelectricity, 8A627
- Differential problem for heat equation with a boundary condition with memory, 8A1338
- Interaction of an oblique incident elastic wave with a pair of surface-breaking cracks, 10A274
CICCI, DA: Spaceflight Mechanics 1997, Volume 95 Parts I and II: Advances in the Astronautical Sciences, 11N13
- Filter sensitivity in exoatmospheric target vehicle tracking, 3A394
CIEPALOWICZ, AJ: Prediction of fatigue failure in a crankshaft using the technique of crack modeling, 8A828
CIESLICKI, K: Relation between the characteristic permeability of porous bearings sleeves evaluated from an air or oil flow characteristics, 2A933
CIESLINSKI, JT: Improved heat transfer to water boiling on tubes covered with porous metallic coatings, 4A1224
CIESZKO, M: Constitutive relations and internal equilibrium condition for fluid-saturated porous solids: Linear description, 9A1433
- Constitutive relations and internal equilibrium condition for fluid-saturated porous solids: Nonlinear theory, 9A1432
CILIBERTO, S: Scaling laws and dissipation scale of a passive scalar in fully developed turbulence, 7A1132
- Strongly turbulent Rayleigh-Benard convection in mercury: Comparison with results at moderate Prandtl number, 10A1081
CILIZ, MK: Adaptive control of robotic manipulators using multiple models and switching, 6A426
CIMATTI, G: Example of bifurcation and non-uniqueness in electrohydrodynamics, 12A1157
CIMBALA, JM: Drag of freely rotatable cylinder-splitter-plate body at subcritical Reynolds number, 5T200
CIMPOIASU, A: Stress control of piezoelectric ZnO films on silicon substrates, 7T566
CIOBANU, GG: Thermoelastic materials with heat flux evolution equation, 9A1324
CIOFALO, M: Modeling nanoscale fluid dynamics and transport in physiological flows, 2A1454
CIONI, S: Strongly turbulent Rayleigh-Benard convection in mercury: Comparison with results at moderate Prandtl number, 10A1081
CIORANESCU, D: Homogenization of the Stokes problem with non-homogeneous slip boundary conditions, 1A975
- Class of fluids of grade 3, 8A992
- Weak and classical solutions of a family of second grade fluids, 8A1042
CIPOLLA, R: Image divergence and deformation from closed curves, 8A444
CIPRA, RJ: Radius of curvature and entraining velocity of cam follower mechanisms, 4A918
CIRILLO, NC: Two-color pyrometry measurements of soot loading in a diesel engine burning model fuels of varying quality, 2A1322
CISILINO, AP: Three-dimensional BEM analysis for fatigue crack growth in welded components, 7A708
CITHERLET, S: ACOUSALLE: A computer program with expertise for the planning and analysis of the acoustics of indoor spaces, 10A381
CIUPERCA, IS: Navier-Stokes problem with free boundary, 3A1018
CIUTI, P: Cavitation erosion and sonoluminescence at high hydrostatic pressures, 10A871
CIVAN, F: Cubature solution of the Poisson equation, 12A1279
CIVIDINI, A: Nonlinear stress analysis problems by spectral collocation methods, 11A386
CIZELJ, L: Reliability of steam generator tubes with axial cracks, 5A627
CIZMAS, PGA: Flow about a slotted cylinder-airfoil combination in a wind tunnel, 2A1079
CLADERA, A: Simultaneous determination of chloride and pH in wastewaters by sequential injection analysis, 2A1020
CLAES, L: Calcaneal fractures cause a lateral load shift in Chopart joint contact stress and plantar pressure pattern *in vitro*, 4A1476
CLAES, LE: Formalin fixation strongly influences biomechanical properties of the spine, 5A1469
CLAESSON, I: Identification of statistical properties of cutting tool vibrations in a continuous turning operation: Correlation to structural properties, 11A157
CLAIN, S: Two-dimensional stationary induction heating problem, 10A1333
CLAPHAM, L: Finite-element calculations of remote field eddy current interactions with slit defects, 10A34
CLARIDGE, D: Solar Engineering: 1997, 10N30
CLARIDGE, DE: Measured energy impact of infiltration in an outdoor test cell, 2A1272
CLARK, C: Influence of forces due to electromagnetic pick-ups on the performance of small turbine flowmeters, 7A371
CLARK, G: Growth model for catastrophic cracking in an RAAF aircraft, 4A701
- Retardation and repair of fatigue cracks by adhesive infiltration, 10A763
CLARK, JP: Turbulent-spot propagation in a decelerating, compressible flow, 4T1086
CLARK, NN: Application of deterministic chaos theory to local instantaneous temperature, pressure, and heat transfer coefficients in a gas fluidized bed, 3A1351
CLARK, RL: Active control of panel flutter with piezoelectric transducers, 2A249
- State-space modeling for aeroelastic panels with linearized potential flow aerodynamic loading, 2A1099
- Phase compensation for feedback control of enclosed sound fields, 3A315
- Practical limitations in achieving shaped modal sensors with induced strain materials, 4A417
- Implementation of an adaptive piezoelectric sensoriactuator, 4A827
- State-space modeling of aerodynamic forces on plate using singular value decomposition, 6T1194
- Hybrid model-insensitive control using a piezoelectric sensoriactuator, 9A845
- Sound transmission through an aeroelastic plate into a cavity, 12A310
CLARK, RM: Mixing in distribution system storage tanks: Its effect on water quality, 3T1475
CLARK, RN: Performance of wind-electric and solar-PV water pumping systems for watering livestock, 5A1453
CLARK, SD: Cyclic creep and creep-fatigue interaction in sandwich beams, 10A789
CLARK, TR: Influence of mean stress on fatigue in several aluminum alloys utilizing K_{op} threshold procedures, 2A630
- Influence of the K gradient and K_{op} level on fatigue response during the K_{op} threshold testing of Van 80 steel and Astroloy, 10A770
CLARK, WW: Eigenvector scaling for mode localization in vibrating systems, 5A317
CLARKE, A: Numerical model of slug flow in vertical tubes, 11A1000
CLARKE, DR: Strain-gradient model of cleavage fracture in plastically deforming materials, 4A746
CLARKE, FH: Regularity properties of solutions to linear quadratic optimal control problems with state constraints, 12T371
CLARKE, IC: Charnley wear model for validation of hip simulators - ball diameter versus polytetrafluoroethylene and polyethylene wear, 10A1562
CLARKE, LV: Measurement of fluid flow rates through cracks, 9A1091
CLARKE, MJ: New definition of conservative internal moments in space frames, 7A836
CLARKE, MP: Finite element prediction of the post-impact compressive strength of fiber composites, 11A19
CLARKE, T: Robust eigenstructure assignment using the genetic algorithm and constrained state feedback, 9A340
CLARKSEAN, C: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
CLAUDY, P: Structure-related model to describe asphalt linear viscoelasticity, 3A955
CLAUS, RO: Single-fiber pull-out test - 1: Review and interpretation, 1A527
- Single-fiber pull-out test - 2: Quantitative evaluation of an uncatalyzed TGDDM-DDS epoxy cure study, 1A765
- Implementation of EFPI-based optical-fiber sensor instrumentation for the NDE of concrete structures, 10A869
CLAUSEN, JD: Finite element methods in spine biomechanics research, 8A1558
- Protocol to evaluate semi-rigid pedicle screw systems, 12A1582
CLAUSEN, PD: Structural design of a composite wind turbine blade using FE analysis, 9A1184
CLAUSING, AM: Experimental investigation of convective heat transfer from wire-on-tube heat exchangers, 11A1336
CLAUSING, EM: Peclet correlation for stability of inverse diffusion flames in methane-air cross flows, 12A1368
CLAUSSE, A: Geometrical automata for two phase flow simulation, 1A1014
CLAVAUD, B: Optimal design in abrasive resistance of refractory concretes, 9A933
CLAVEL, M: Cyclic deformation behavior of an α-β titanium alloy - II: Internal stresses and micromechanic modeling, 12A532
- Cyclic deformation behavior of an α-β titanium alloy - I: Micromechanisms of plasticity under various loading paths, 12A531
CLAYPOLE, TC: Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, 11T1182
CLAYTON, JQ: Retardation and repair of fatigue cracks by adhesive infiltration, 10A763
CLAYTON, P: Surface-initiated rolling contact fatigue of pearlitic and low carbon bainitic steels, 2A904
- Unlubricated sliding and rolling-sliding wear behavior of continuously cooled, low-medium carbon bainitic steels, 7A895
- Surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling-sliding contact, 7A926
- Effect of microstructure on rolling-sliding wear of low carbide bainitic steels, 9A932
CLEARY, DB: Performance of concrete bridge decks and slabs reinforced with epoxy-coated steel under repeated loading, 2A781
- Performance of epoxy-coated shear reinforcement, 3A773
CLEGG, S: Advances in Heat and Mass Transfer in Biotechnology - 1996, 3N46
CLEGG, WJ: Growth of interface defects and its effect on crack deflection and toughening criteria, 4A766
CLEGHORN, WL: Buckling of helical springs under combinod compression and torsion, 8A601
CLEJA-TIGOIU, S: Bifurcations of homogeneous deformation of the bar in finite elasto-plasticity, 4A506
CLEMENA, G: Acoustic emission: A tool for the bridge engineer, 2T731
CLEMENS, NT: Large-scale structure evolution in supersonic interacting shear layers, 4A1002
CLEMENTS, DL: Note on antiplane deformations of inhomogeneous elastic materials, 11A358
- Boundary element method for a second order elliptic partial differential equation with variable coefficients, 12A65
CLEMONS, JS: Aircraft gas turbine engine fuel pumping systems in the 21st century, 12T1414
CLENNELL, MB: Fabric and hydraulic conductivity of sheared clays, 6T641
CLER, D: Application of pressure-sensitive paint in supersonic nozzle research, 6A1115
CLERC, M: Detailed balance in non-equilibrium systems, 10A106
CLERCX, H: Yield stress in magnetorheological and electrorheological fluids: A comparison between

microscopic and macroscopic structural models, 10A1035
CLERICI, P: Microcrack propagation and microstructural parameters of fatigue damage, 5A583
CLERMONT, J-R: Modelization of extensional experiments under constant force using memory-integral constitutive equations and stream-tube analysis, 3A933
- Three-dimensional extrudate swell: Formulation with the stream tube method and numerical results for a Newtonian fluid, 5A552
- Experimental and numerical study of entry flow of low-density polyethylene melts, 5A941
CLEVELAND, RO: Comparison of computer codes for the propagation of sonic boom waveforms through isothermal atmospheres, 5A196
CLEVELAND, TG: Hydrodynamic flow modeling at confluence of two streams, 3A990
CLIFFE, KR: Study of the deposition of fine particles in compact plate fin heat exchangers, 2A1258
CLIFT, SE: Finite element stress analysis of a new design of synthetic leaflet heart valve, 8A1577
- Influence of the stem-cement interface in total hip replacement: A comparison of experimental and FE approaches, 12A1579
- Investigation of the stress distribution generated in articular cartilage by crystal aggregates of varying material properties, 12A1534
CLIFTON, RJ: Advances in Failure Mechanisms in Brittle Materials, 3N23
- Longitudinal elastic waves in columns due to earthquake motion, 6A223
- Dynamic ductile rupture under conditions of plane strain, 8A242
- Plate-impact technique for measuring dynamic friction at high temperatures, 12A993
CLIJMANS, L: Influence of tires on the dynamic behavior of a lawn mower, 12A1574
CLIQUET JR, A: Two artificial neural systems for generation of gait swing by means of neuromuscular electrical stimulation, 10A1529
CLODE, MP: Constitutive model and its identification for the deformation characterized by dynamic recovery, 10A586
CLOITRE, M: Scaling of boundary-layer flows driven by double-diffusive convection, 2A1300
CLOUET, JF: Parabolic and Gaussian white noise approximation for wave propagation in random media, 3A208
- Time-reversal method for an acoustical pulse propagating in randomly layered media, 12A320
CLOUGH, RB: Measurement of fiber strength parameters in fragmentation tests by using acoustic emission, 7A789
- Boundary layer fracture in composite solder joints, 11A876
CLOUTIER, G: Characterization of blood flow turbulence with pulsed-wave and power Doppler ultrasound imaging, 2A1456
CLOUTIER, L: Finite strip element for the analysis of variable thickness rectangular thick plates, 8A590
CLUETT, WR: Identification of Wiener-type nonlinear systems in a noisy environment, 10T414
CLUTTER, JK: Computation of high-speed reacting flow for gun propulsion applications, 9A1043
CLYMER, R: Seismological studies at Parkfield IV: Variations in controlled-source waveform parameters and their correlation with seismicity, 1987 to 1995, 12A1447
CLYNE, TW: Introduction to Composite Materials, Second Edition, 7N14
CO, A: Multilayer film casting of modified Gieseckus fluids - Part 1: Steady-state analysis, 3A644
- Multilayer film casting of modified Gieseckus fluids - Part 2: Linear stability analysis, 3A1134
COATES, MJ: Convective turbulence and the influence of rotation, 10A1183
COATES, PD: Predicting the rheology of linear with branched polyethylene blends, 5A887
- Approximation to the KBKZ constitutive equation, 11A388
- Large deformations of semicrystalline polymer modeled using the necking network concept, 12A478
COATS, CM: Coherent structures in combustion, 8A1425
COATS, TW: Progressive damage model and analysis methodology for predicting the residual strength of composite laminates, 7A748
COBB, RG: Structural damage identification using assigned partial eigenstructure, 6A362
- Sensor placement and structural damage identification from minimal sensor information, 7A796
COCCHI, GM: Finite strip method in the analysis of thin plate structures with various edge restraints, 2A505
- Inclastic analysis of reinforced concrete beams subjected to combined torsion, flexural, and axial loads, 3A768
COCCIOLI, R: Finite element approach for scattering from inhomogeneous media with a rough interface, 8A237
COCCO, M: Variation of slip direction during earthquake rupture: Supporting and conflicting evidence from 1989 Loma Prieta earthquake, 8T1476
- Static stress changes in extensional regimes: An application to southern Apennines (Italy), 12A1478
COCHELIN, B: Delamination and fiber bridging modeling in composite samples, 11A697
COCHRAN JR, JE: Spaceflight Mechanics 1997, Volume 95 Parts I and II: Advances in the Astronautical Sciences, 11N13
- Orbital maneuvers via feedback linearization and bang-bang control, 7A245
COCHRAN, R: ASME Proceedings of 31st National Heat Transfer Conference, Volume 9, 2N44
- Evaluation of materials for composite repair applications, 8A557
COCHRAN, RC: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
COCKS, ACF: Variational principles, numerical schemes, and bounding theorems for deformation by Nabarro-Herring creep, 3A454
- Variational approach to 2D grain growth - II: Numerical results, 5A395
- Variational approach to 2D grain growth - I: Theory, 5A394
- Power-law matrix creep in fiber composites due to transverse stress gradients, 11A465
- Role of scarf angle in the performance of aluminum matrix composite joints, 12A570
CODA, HB: Further improvements on 3D transient BEM elastodynamic analysis, 5A166
CODDINGTON, EA: Linear Ordinary Differential Equations, 9N31
CODINA, R: Split, characteristic based semi-implicit algorithm for laminar-turbulent incompressible flows, 4A999
- Computational efficiency and implementation of block-iterative algorithms for nonlinear coupled problems, 4A62
- Finite element formulation for the Stokes problem allowing equal velocity-pressure interpolation, 10A1073
- Finite element solution of the Stokes problem with dominating Coriolis force, 10A1074
CODY, DD: Decrease in canine proximal femoral ultimate strength and stiffness due to fatigue damage, 9A1563
CODY, GD: Attenuation of waves in plates and bars using a graded impedance interface at edges, 4A200
COE, HH: Effect of hoop stress on ball bearing life prediction, 7A943
COELHO, AA: Lattice dynamics of noble metals on effective three-body interaction, 2T11
COELHO, P: Concept of expert system for boiler fouling assessment, 2A1276
COELHO, PJ: Evaluation of a 3D mathematical model of a power station boiler, 5A1283
- Conservative formulation of the discrete transfer method, 8A1361
COFER, CG: Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, 4A548
COFFEY, HT: Vehicle-guideway dynamic interaction in maglev systems, 4A403
COGAN, S: Selecting a Ritz basis for the reanalysis of the frequency response functions of modified structures, 8A180
- Model order reduction by selective sensitivity, 9A310
COGDELL, JD: Debris denting effects on elastohydrodynamic lubricated contacts, 12A1212
COGHE, A: Impact of a single drop on a wetted solid surface, 10A1160
COGNARD, J: Cleavage and static toughness, 1A769
COHEN, A: Imbedded disk retraction method for measurement of interfacial tension between polymer melts, 5A902
- Robust discrete-time H_2 control, 11T296
COHEN, C: Characterization of the rheological properties of a fast-curing epoxy-molding compound, 8A999
COHEN, G: Construction and analysis of fourth-order finite difference schemes for the acoustic wave equation in nonhomogeneous media, 1A330
COHEN, H: One-, two-, and three-dof systems with linear damping, 8T83
- Principal waves in monotropic laminated bodies, 10A254
COHEN, IM: Oscillatory enchancement of the squeezing flow of yield stress fluids: A novel experimental result, 11A584
COHEN, J: Late stages of transition induced by a low-amplitude wavepacket in a laminar boundary layer, 11A1023
COHEN, K: Adaptive fuzzy control algorithm for model-independent active vibration damping of flexible beam-like structures, 1A150
COHEN, N: H^∞ controller design for pure delay and other distributed systems, 12A368
COHEN, WW: Adaptive mapping and navigation by teams of simple robots, 4T458
COHEN, Y: Performance standards and testing of 2D bar code systems for overhead scanning, 4A466
COHEN-SOLAL, E: Role of the oceanic heat transport in climate dynamics: A sensitivity study with an atmospheric general circulation model, 11T1507
COHN, DW: Comparison of theory and experiments for reflection from microcontoured surfaces, 10A1346
COHN, MZ: Structural optimization, 8A883
COHN, SA: New look at the melting layer, 3T1434
COIANTE, D: Renewable energy capability to save carbon emissions, 8A1549
COIMBRA, CFM: Fundamental aspects of modeling turbulent particle dispersion in dilute flows, 7A1144
COKLJAT, D: Calculation of flow in transition duct using second-order closure and wall functions, 5T1012
- Choice of turbulence model for prediction of flows over river bed forms, 11A920
COLAIANNI, ML: Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part II: The effect of detergents and dispersants, 9A931
COLANGELI, L: Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, 10A329
COLAS, R: Model for the hot deformation of low-carbon steel, 6A674
COLASURDO, G: Mixture-ratio control to improve hydrogen-fuel rocket performance, 10A1429
COLBAUGH, R: Adaptive explicit force control of position-controled manipulators, 2A341
- Adaptive tracking control of rigid manipulators using only position measurements, 6A427
- Force tracking in impedance control, 8A442
COLBECK, SC: Capillary bonding of wet surfaces: The effects of contact angle and surface roughness, 8A982
COLCHERO, J: Energy dissipation in scanning force microscopy: Friction on an atomic scale, 7A931
COLE, DG: Similitude analyses for piezostructures, 1A608
- Phase compensation for feedback control of enclosed sound fields, 3A315
COLE, DJ: Spatial repeatability of measured dynamic tire forces, 2A498
- Road-damaging potential of measured dynamic tire forces in mixed traffic, 2A497
- Analysis of the dynamic forces in the steering linkage of an off-road vehicle, 8A191
COLE, I: Effect of cathodic protection potential on corrosion fatigue crack growth rate of an offshore structural steel, 5A616
COLE, JD: Unsteady transonic flow: Flow about a suddenly deflected wedge, 12A1090
COLE, KD: Conjugate heat transfer from a small heated strip, 9A1202
COLE, TR: Dynamic model for global positioning system block IIR space vehicle, 12A206
COLEMAN, CE: Residual stresses in steel and zirconium weldments, 11A438
COLEMAN, GN: Numerical study of 3D wall-bounded flows, 2A1036
- Direct numerical simulation of strained 3D wall-bounded flows, 4A1084
- Numerical study of a separation bubble with heat transfer, 8A1136
- Effect of compressibility on turbulent shear flow: A rapid-distortion-theory and direct-numerical-simulation study, 8A1183
COLEMAN, H: Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 1: FED-Volume 236, 1N43
- Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 4: FED-Volume 239, 1N46
- Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 3: FED-Volume 238, 1N45
- Proc of 1996 ASME Fluids Eng Div Summer Meeting, San Diego CA, July 1996, Volume 2: FED-Volume 237, 1N44
COLEMAN, HW: Proceedings of the ASME Fluids Engineering Division, 4N25
- Effect of correlated precision errors on uncertainty of a subsonic venturi calibration, 2A991
- Implications of correlated bias uncertainties in single and comparative tests, 11A7
COLEMAN, MP: Analysis of vibration by the wave propagation method and Bolotin's method for a rectangular thin plate with at least one side roller-supported, 10A193
COLEMAN, P: Tool management and job allocation in flexible machining cells - Part 1: Work-oriented strategies, 4A468
- Tool management and job allocation in flexible machining cells - Part 2: Tool-oriented strategies, 4A469
COLEMAN, WF: Solitons, pulse splitting, and AM-FM conversion in cylindrical ducts, 1A300
COLGAN, D: Three-dimensional embedded strain gauge analysis of the effect of collared versus collarless prostheses on cement mantle stresses in a femoral model of a total hip replacement, 4A1480
COLGATE, JE: Passivity of a class of sampled-data systems: Application to Haptic interfaces, 6A435
COLIN, T: Cauchy problem and the continuous limit for the multilayer model in geophysical fluid dynamics, 10A1470
COLLAZO, W: Tribological aspects of an Al-SiC composite under axisymmetric compression, 12A988
COLLICOTT, SH: Multiple-source Schlieren noise reduction measurements, 5T958
COLLIN, I: Planning robust displacement missions by means of robot-tasks and local maps, 12T450
COLLIN, JG: Full scale highway load test of flexible pavement systems with geogrid reinforced base courses, 5A405
- Large model spread footing load tests on geosynthetic reinforced soil foundations, 8A678
COLLINS JR, EG: Probability-one homotopy algorithms for full-and reduced-order H^2/H^∞ controller synthesis, 3T360
- Frequency-domain performance bounds for uncertain structures with sensor and actuator dynamics, 8T365
COLLINS, HJ: Acoustic modeling of multiple path silencers with experimental validations, 8A334
COLLINS, IF: Undrained cavity expansions in critical state soils, 1A619
- Analysis of cone pressuremeter tests in sands, 3A591
- Out-of-plane buckling of fiber-reinforced thermoplastic sheets under homogeneous biaxial conditions, 11A464
COLLINS, JP: High-resolution solutions of stiff chemically reacting flows, 5A961
COLLINS, KR: Dual-level seismic design: A reliability-based methodology, 6A1463
COLLINS, LR: Collision statistics in an isotropic particle-laden turbulent suspension - Part 1: Direct numerical simulations, 10A1176
COLLINS, MD: Comparison of algorithms for solving parabolic wave equations, 1A329
- Rational operators for filtering, 10A398
- Wave propagation in poro-acoustic media, 11A179
COLLINS, MP: Simple model for predicting torsional strength of reinforced and prestressed concrete sections, 5A781
COLLINS, MW: Numerical investigation of steady flow in proximal and distal end-to-side anastomoses, 2A1460
- Modeling nanoscale fluid dynamics and transport in physiological flows, 2A1454
- EHD effects of nucleate boiling at passively enhanced surfaces, 5A1209
- Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, 9A1586
COLLINS, P: Design and construction of zero-gravity gymnasium, 9A918
COLLINS, RE: Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, 3A1259
- Measurement of heat flow through vacuum glazing at elevated temperature, 6A1283
COLLINS, RJ: Overlay method for calculating excited state species properties in hypersonic flows, 7A1055
COLLINS, TLD: Large deformations of semicrystalline polymer modeled using the necking network concept, 12A478
COLLINS, WD: Regularization method for calculating engineering loads from strain data, 12A491
COLLINS, CL: Imaging in 3D DMO - Part II: Amplitude effects, 7A1470
- Imaging in 3D DMO - Part I: Geometrical optics models, 7A1469
COLLOMBET, F: Effects of the intralaminar shear loading rate on the damage of multi-ply composites, 1A758
COLLOP, AC: Spatial repeatability of measured dynamic tire forces, 2A498
- Road-damaging potential of measured dynamic tire forces in mixed traffic, 2A497
COLOM, P: First evidence of planetary water maser emission induced by the comet-Jupiter catastrophic impact, 5T172
COLOMBO, A: Irregularities induced by nonstructural masonry panels in framed buildings, 10A948
COLOMBO, C: Intelligent robotic systems SIRS'95, 12A446
COLOMER, J: Resuspension of particle bed by round vertical jet, 3A1069
COLONIUS, T: Sound generation in a mixing layer, 8A315
- Numerically nonreflecting boundary and interface conditions for compressible flow and aeroacoustic computations, 12A1099
COLONNA, G: Nonequilibrium vibrational kinetics in the boundary layer of re-entering bodies, 1A1005
- Electron and vibrational kinetics in the boundary layer of hypersonic flow, 1A1000
- Vibrationally relaxing flow of N_2 past an infinite cylinder, 7A1056
COLONNA, J-F: Diffusion approximation and hyperbolic automorphisms of the torus, 10A1276
COLQUHOUN, GJ: Composite behavioral modeling approach for manufacturing enterprises, 4T478
COLTON, D: Simple method for solving inverse scattering problems in the resonance region, 2A299
COLWELL, GT: Transient modeling of the thermal behavior of outdoor electronic cabinets, 6A1298
COMAKLI, O: Thermodynamic model of a solar assisted heat pump system with energy storage, 3A1462

- Mass transfer to local electrodes at wall and wall friction factor in decaying turbulent swirl flow, 9A1337

COMBE, G: Experimental micromechanical analysis of a 2D granular material: Relation between structure evolution and loading path, 10A606

COMBEAU, H: Thermal instability in a circular cylinder with internal heat generation (French), 7A1257

COMBEL, O: Elastoplastic analysis of the crack tip field in a compact tension specimen, 2A666

COME, GM: Inhibiting effect of CF_3I on the reaction between CH_4 and O_2 in a jet-stirred reactor, 10A1410

COMFORT, G: Mechanical properties of first-year sea ice at Tarsiut Island, 9A1552

COMI, C: Uniqueness of the dynamic finite-step problem in gradient-dependent softening plasticity, 3A462

- Generalized variable formulation for gradient dependent softening plasticity, 5A427

COMINI, G: Open boundary conditions for the streamfunction-vorticity formulation of unsteady laminar convection, 9A1236

COMMEAN, PK: Design of a 3D surface scanner for lower limb prosthetics: A technical note, 1A1473

- Finite element modeling and experimental verification of lower extremity shape change under load, 10A1516

COMMISSARIS, FACM: Kinetic study of pulverized coal combustion at high pressure using a shock tube, 6A1343

COMODI, MI: New FE with "drilling" dof, 10A69

COMPTON, DA: High-resolution laser Doppler anemometer for 3D turbulent boundary layers, 7A1092

COMTE, P: Large-eddy simulation of transition to turbulence in a boundary layer developing spatially over a flat plate, 5A988

CONCA, C: Bloch-wave homogenization for a spectral problem in fluid-solid structures, 5A197

- Added mass and damping in fluid-structure interaction, 12A274

CONCEICAO ANTONIO, CA: Approach to probabilistic optimal design of composite materials under service conditions (Spanish), 4A535

CONCESSIO, NM: Aerosol delivery from an active emission multi-single dose dry powder inhaler, 11A989

CONDIT, W: Wetting and nonwetting fluid displacements in porous media, 6A1377

CONI, M: Structural damping of composite beams with tapered boundaries, 3A493

CONKLIN, PS: "Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, 4T1088

CONLEY, AJ: Centrifugal destabilization and restabilization of plane shear flows, 1A970

CONNER, MD: Accurate numerical integration of state-space models for aeroelastic systems with free play, 4T258

- Nonlinear behavior of a typical airfoil section with control surface freeplay: A numerical and experimental study, 8T1215

CONNOLLY, JF: Excavation forces in reduced gravity environment, 9A919

CONNOLLY, PJ: Simulation of void growth in WC-Co hardmetals using crystal plasticity theory, 4A528

CONNOR, JJ: Constitutive creep model for single crystal ice, 9A5

- Damage-controlled structures - I: Preliminary design methodology for seismically active regions, 9A1490

CONNORS, CS: Semiempirical predictions and correlations of CO emissions from utility combustion turbines, 3A1314

CONOIR, JM: Interference aspect of the interaction between two elastic tubes: Impulsive and quasi-harmonic studies (French), 10A348

CONRAD, H: Quasistatic measurements on a magnetorheological fluid, 5A895

- Structure and interaction force in a model magnetorheological system, 6A11

- Negative electrorheological effect and electrical properties of a Teflon-silicone oil suspension, 8A1005

CONRAD, R: Continuous optical discharge stabilized by gas flow in weakly focused laser beam, 2A984

CONRADS, W: Thermodynamic approach to rheological modeling and simulations at the configuration space level of description, 8A1017

CONRY, TF: Squeezing flow of an Eyring fluid, 12A1070

CONSIGLIERI, L: Stationary weak solutions for a class of non-Newtonian fluids with energy transfer, 12T1080

CONSOLE, R: Seismicity rate change before the Irpinia (M = 6.9) 1980 earthquake, 12T1446

CONSONNI, S: Biomass-gasifier-aeroderivative gas turbine combined cycles - Part B: Performance calculations and economic assessment, 1A1354

- Biomass-gasifier-aeroderivative gas turbine combined cycles - Part A: Technologies and performance modeling, 1A1353

CONSTANDA, C: Fredholm equations of the first kind in the theory of bending of elastic plates, 8A578

- Elastic boundary conditions in the theory of plates, 11A507

CONSTANTINOU, MC: Study of elastoplastic bridge seismic isolation system, 9A1499

- Seismic testing of a building structure with a semi-active fluid damper control system, 12A1492

CONTE, JP: Fully nonstationary analytical earthquake ground-motion model, 6A1424

- Field verification of linear and nonlinear hybrid wave models for offshore tower response prediction, 12A202

CONTI, C: Analysis of the performance of operational data analysis methods, 4A855

- Computer-aided simulation approach for mechanisms with time-varying topology, 4A917

- Equivalence criteria between mechanical environments, 7T186

CONTI, M: Thermodynamics of heat storage in a PCM shell-and-tube heat exchanger in parallel or in series with a heat engine, 4A1184

- Thermodynamics of phase-change storage in series with a heat engine, 11T1202

CONTOPOULOS, G: Recurrence time in the homoclinic tangle, 1A295

- Distribution of periodic orbits and the homoclinic tangle, 8A297

CONWAY JR, JC: Tribological performance evaluation of tungsten carbide-based cermets and development of a fracture mechanics wear model, 7A893

CONWAY, HD: Microindentation method for estimating interfacial shear strength and its use in studying the influence of titanium transition layers on the interface strength of epitaxial copper films on sapphire, 8A841

CONWAY, PP: Simulation and interpretation of wetting balance tests using the surface evolver, 4A949

- Experimental investigation of the formation of surface mount solder joints, 6A977

COOK, AW: Direct numerical simulation of a turbulent reactive plume on a parallel computer, 7T1147

- Laminar flamelet approach to subgrid-scale chemistry in turbulent flows, 10A1404

COOK, CS: New technology trends for improved IGCC system performance, 5A1367

COOK, J: Blood analog for laser-induced photochemical anemometry, 8T1570

COOK, JA: Spark-generated bubble model with semi-empirical mass transport, 9A264

COOK, LP: Unsteady transonic flow: Flow about a suddenly deflected wedge, 12A1090

COOK, RA: Pullout simulation of postinstalled chemically bonded anchors, 3A601

COOK, SR: Nocilla model parameters obtained from forces exerted on surfaces by molecular beams, 12A1104

COOK, WD: Minimum shear reinforcement in normal, medium, and high-strength concrete beams, 3A771

COOKE, DH: Reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion, 11T1407

COOKER, MJ: Sudden changes in a potential flow with a free surface due to impact, 5A914

COOL, JC: Scoliosis correction device based on memory metal, 11T1592

COOLEY, BH: Geosynthetic clay liners subjected to differential settlement, 11A568

COOLS, OF: Fast computation of the 3D Radon transform, 7A1466

COON, MD: Microwave responses to stress in sea ice: A report on initial field tests, 6A1525

COOP, MR: Measurement of local axial strains in triaxial tests using linear variable differential transformers, 9T817

COOPER, AL: High resolution computations of ocean wave spectral modulations due to 2D wave-current interactions, 10A1472

COOPER, GA: San Andreas fault zone drilling project: Scientific objectives and technological challenges, 11A1511

COOPER, JE: Extending the logarithmic decrement method to analyze two dof transient responses, 3A138

COOPER, P: Perspective: The new face of R&D: A case study of the pump industry, 7T1186

COOPER, RA: Methods for determining 3D wheelchair pushrim forces and moments: A technical note, 10A1567

COPENHAVER, WW: Investigation of the effect of cascade area ratios on transonic compressor performance, 5A1093

- Unsteady flow and shock motion in a transonic compressor rotor, 7A1190

- Flow field unsteadiness in the tip region of a transonic compressor rotor, 9A1181

- Unsteady aerodynamic flow phenomena in a transonic compressor stage, 10A1250

- Three-dimensional shock loss model applied to an aft-swept, transonic compressor rotor, 12A1189

COPLEY, SM: Development of a prototype laser processing system for shaping advanced ceramic materials, 8A706

COPPA, P: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329

COPPINI, NL: Cost per piece determination in machining process: An alternative approach, 1A430

COPPOLA, VT: Global asymptotic stabilization of a spinning top with torque actuators using stereographic projection, 12A109

COPPONNEX, TJ: Analysis and evaluation of the single-fiber fragmentation test, 4A546

COPS, A: Sound intensity: State-of-the art in noise control of buildings, 9T284

CORADINI, A: LUVIMS lunar UV and IR mapping spectrometer, 6A328

CORAPCIOGLU, MY: Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media, 1A1384

- Two-dimensional hydraulics of recirculating ground-water remediation wells in unconfined aquifers, 3A1472

- Dimensional analysis of colloid-facilitated groundwater contaminant transport, 4A1337

- Consolidation of elastic porous media saturated by two immiscible fluids, 6A1385

- Role of biofilm growth in bacteria-facilitated contaminant transport in porous media, 9A1419

- Wave propagation in poroelastic media saturated by two fluids, 12A1428

CORBETT , GG: Dynamic elastic-plastic behavior of whipping pipes: Experiments and theoretical model, 6A107

CORBIN, DR: Microporous and Macroporous Materials, 7N18

CORCIONE, M: Theoretical analysis of the acoustical behavior of roadside barriers with diffusive internal surfaces, 3A316

CORDEIRO, RR: Mapping for nonconservative systems, 11A237

CORDEN, J: Influence of open leaflet geometry on the haemodynamic flow characteristics of polyurethane trileaflet artificial heart valves, 8T1578

CORDERO, M: Gaussian quadrature for products of exponential functions, 3A71

CORDES, LW: Treatment of material discontinuity in the Element-Free Galerkin method, 6A34

CORDES, TS: Automated fatigue data fitting using structural shift detection, 7A654

CORFDIR, A: Limit design of axisymmetric shells with application to cellular cofferdams, 3A802

CORFIELD, GM: Analysis of the plane-strain compression of viscoplastic materials, 12A535

CORIGLIANO, A: Modeling and simulation of crack propagation in mixed-modes interlaminar fracture specimens, 2A684

- Uniqueness of the dynamic finite-step problem in gradient-dependent softening plasticity, 3A462

- Discrete formulation for elastic solids with damaging interfaces, 6A806

CORJON, A: Behavior of wake vortices near ground, 10A1476

- Direct numerical simulations of wake vortices in intense homogeneous turbulence, 12A1139

CORKE, TC: Resonant growth of 3D modes in Falkner-Skan boundary layers with adverse pressure gradients, 3A1089

CORLESS, M: Componentwise bounded controllers for robust exponential convergence, 9A327

- Destabilization via active stiffness, 12T391

CORLETTO, C: Direct measurement of microscopic strain distribution near a crack tip, 2A718

CORLEY, JE: Pump instability theory using an acoustic feedback mechanism, 12A210

CORLISS, G: Computational Differentiation: Techniques, Applications, and Tools, 4N3

CORMACK, DE: Gauge conditions and the analysis of singular fields with boundary integral equations, 7A53

CORMAN, JC: New technology trends for improved IGCC system performance, 5A1367

CORN, S: Transverse vibrations of short beams: FE models obtained by a condensation method, 10A187

CORNARO, C: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329

CORNEC, A: Fully plastic crack-tip fields for plane strain shallow-cracked specimens under pure bending, 5A659

- Plastic stress-strain fields and limit loads of a plane strain cracked tensile panel with a mismatched welded joint, 6A771

CORNET, J-M: Nonlinear behavior of the instability of steady natural convection in a vertical air layer, 8A1284

CORNETTI, GM: Single-layer FE approximation of 3D Navier-Stokes equations with free boundaries for shallow water flows, 1A49

CORNIERO LERA, MA: Application of Fourier methods to water waves in small depths, 11T189

CORNILLE, H: Mathematical modeling of rotating waves in axial and radial compressors, 6A1205

CORNU, O: Comparative left-right mechanical testing of cancellous bone from normal femoral heads, 3A1484

CORNUELLE, BD: Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, 5T1427

CORONA, E: Plastic buckling of T-beams under pure bending, 11A541

CORONADO, JJ: Deformation behavior of an X2080 AL-20 Vol% SiC_p metal matrix composite under plane-stress and plane strain, 12A582

CORONEOS, RM: Cascade optimization strategy for aircraft and air-breathing propulsion system concepts, 8T1426

- Cascade optimization strategy for solution of difficult design problems, 11A764

- Dynamic animation of stress modes via the integrated force method of structural analysis, 11A809

CORR, S: Adsorption heat pump using HFC refrigerants, 11A1356

CORRADI, L: Variational formulations for the plane strain elastic-plastic problem for materials governed by the von Mises criterion, 1A469

- Mixed FE model for plane strain elastic-plastic analysis - Part I: Formulation and assessment of the overall behavior, 9A463

- Mixed FE model for plane strain elastic-plastic analysis - Part II: Application to the 4-node bilinear element, 9A464

- Finite element formulation of the rigid-plastic limit analysis problem, 10A592

CORRADI, M: Modern formulation for preelastic theories on masonry arches, 9A905

CORREA, GO: Approximate solutions to $H_2/H\infty$ problems via sequences of H_2-cost/H_2-constraint optimization problems, 12T365

CORREA, SM: Combustion technology for low-emissions gas-turbines: Some recent modeling results, 3A1309

- Combustion technology for low-emissions gas-turbines: Selected phenomena beyond NO_x, 3A1308

- Monte Carlo probability density function method for gas turbine combustor flowfield predictions, 9A1399

- Coupled Lagrangian Monte Carlo PDF-CFD computation of gas turbine combustor flowfields with finite-rate chemistry, 12A1397

CORRENZA, JC: Inelastic response of code-designed eccentric structures subject to bi-directional loading, 8A1485

CORRIGA, G: H, formulation for the design of passive vibration-isolation system for cars, 5A320

CORRIGAN, DJ: Fatigue life measurements and analysis for overstrained tubes with evacuator holes, 5A581

CORRIOU, J-P: Design and analysis of simple robust controllers, 10A448

CORTAZAR, D: Fiber-optic technology and structural condition monitoring of mechanical cables, 12T862

CORTELEZZI, L: Nonlinear feedback control of the wake past a plate with a suction point on the downstream wall, 6A399

CORTELL, R: Numerical analysis of dynamic problems with negative stiffness, 5A125

CORTELLA, G: Open boundary conditions for the streamfunction-vorticity formulation of unsteady laminar convection, 9A1236

CORTES, C: Ash fouling in coal-fired utility boilers: Monitoring and optimization of on-load cleaning, 3A1307

CORTEZ, R: Numerical models for flow and sediment transport in Estuaries during flooding, 3T986

CORTINEZ, VH: Approximate determination of vibration frequencies of doubly connected membranes of complicated boundary shape, 3A156

COSGROVE, FA: Safety in Baseball/Softball, 11N39

COSGROVE, JE: Coal-fired heat exchanger for an externally fired gas turbine, 11T1339

- In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515

COSKUNER, G: Effect of hydrogen sulfide on condensation and flow of gas condensate fluids in porous media, 9A1427

COSMOVICI, CB: First evidence of planetary water maser emission induced by the comet-Jupiter catastrophic impact, 5T172

COSSALI, GE: Impact of a single drop on a wetted solid surface, 10A1160

COSSON, P: Identification by a non-integer order model of the mechanical behavior of an elastomer, 6A503

COSTA MATTOS, HS: Numerical modeling of the extension-torsion coupling in cables, 4T588

- Necking of elasto-plastic rods under tension, 12A523

COSTA, G: Seismic input modeling for zoning and microzoning, 3A1371

COSTA, J: Geometric and material nonlinearities in steel plates, 6A580

COSTA, JD: Short fatigue crack growth behavior in Al 5083 alloy, 10A776

COSTA, JDM: Fatigue and creep in titanium grade 2, 1A694

COSTA, KD: Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, 5A30

- Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, 5A31

COSTA, M: Stationary waves on plane liquid sheets falling vertically, 7A1130

- Instability of a spatially developing liquid sheet, 8A1175

COSTA, PPE: Finite element modeling of spatially chaotic structures, 11A119

COSTANTINO, ML: Liquid ventilation: A mathematical model of gas diffusion in the premature lung, 11A1567

COSTER, JE: Structural optimization using augmented Lagrangian methods with secant Hessian updating, 5A764

COSTES, NC: Measurement of volume changes in triaxial tests using digital imaging techniques, 12A693

COTELL, CM: Thin Films and Surfaces for Bioactivity and Biomedical Applications, 6N29

COTTA, RM: Benchmark integral transform results for flow over a backward-facing step, 2A48

- Integral transform solution of heat transfer in two-phase gas-liquid annular flow, 7A1297
- Thermal radiation from solid-propellant rocket exhaust plumes, 7A1323
- Hybrid solution of the averaged Navier-Stokes equations for turbulent flow, 10A1196

COTTAM, CA: Further studies into the effectiveness of CO_2-laser treatment of metals for adhesive bonding, 11A887

COTTERELL, B: Review of the J and I integrals and their implications for crack growth resistance and toughness in ductile fracture, 10A813

COTTET, G-H: Artificial viscosity models for vortex and particle methods, 3T1161

COTTIN, N: Applications of system identification and the role of regularization, 9A302

COUCH, AT: Field verification of linear and nonlinear hybrid wave models for offshore tower response prediction, 12A202

COUCHMAN, L: Scattering and inverse scattering of sound-hard obstacles via shape deformation, 11A265

COUCHMAN, LS: Solving ray acoustic problems with a DNA computer, 10A400

COUFAL, H: Green's function for surface acoustic waves: Comparison between theory and experiment, 3A216

COULIBALY, Y: Radiative heat transfer in a solar air heater covered with a plastic film, 9A1538

COULTER, J: Proceedings of the ASME Aerospace Division, 4N19

COULTER, JP: Real-time embedded electronic sensing during resin transfer molding, 2A949

- Comparative study of AC and DC electrorheological material based adaptive structures in small amplitude vibration, 3A569
- Numerical and experimental investigation of neural network-based intelligent control of molding processes, 8A466

COURARD, L: Perforation strength of geosynthetics and sphericity of coarse grains: A new approach, 9T645

COUROUGE , O: Robust controller for second-order systems using acceleration measurements, 12A382

COURTNEY, AC: Age-related differences in post-yield damage in human cortical bone: Experiment and model, 4A1475

COUSENS, TW: Geotextile reinforced brick faced retaining walls, 7A586

COUSINS, AK: Nusselt number in heat transfer between multiple parallel blood vessels, 9A1594

COUSSOT, P: Rheological interpretation of deposits of yield stress fluids, 3A945

- Examination of the possibility of a fluid-mechanics treatment of dense granular flows, 5A436

COUSSY, O: Creep and plasticity due to chemo-mechanical couplings, 3A479

- Strength growth as chemo-plastic hardening in early age concrete, 6A539

COUSTOLS, E: Rear fuselage transonic flow characteristics for a complete wing-body configuration, 11A1147

COUSYN, B: Effects of injection timing on performance and droplet characteristics of a sixteen-valve four cylinder engine, 8A1429

COUTANCEAU, M: Comparative early developments of wake vortices behind a short semicircular-section cylinder in two opposite arrangements, 6A1118

COUTON, D: Cold gas simulation of a solid propellant rocket motor, 6A1362

- Numerical simulation of vortex-shedding phenomenon in a channel with flow induced through porous wall, 10A1166

COUVIGNOU, PA: Use of active deformable models in model-based robotic visual servoing, 5A356

COVERSTONE-CARROLL, V: Near-optimal low-thrust trajectories via micro-genetic algorithms, 7T348

COVERSTONE-CARROLL, VL: Near-optimal low-thrust orbit transfers generated by a genetic algorithm, 6A319

COVERT, EE: Thermal conductivity of a thermoset-ting advanced composite during its cure, 1A1247

COWARD, AV: Stability of two-phase flow over a swept wing, 7A1121

- Small-amplitude oscillatory forcing on two-layer plane channel flow, 9A1101
- Temporal evolution of periodic disturbances in two-layer Couette flow, 10A1072
- Thin film core-annular flow of upper-convected maxwell liquids, 11A958

COWELL, L: Combustion oscillation control by cyclic fuel injection, 10A1407

COWEN, EA: Hybrid digital particle tracking velocimetry technique, 8A1259

COWIN, SC: Averaging anisotropic elastic constant data, 12A497

COX, B: Life Predictions Methodology for Titanium Matrix Composites, 2N25

COX, BN: Suppression of delaminations in curved structures by stitching, 5A680

- Creep crack growth with small scale bridging in ceramic matrix composites, 12A779

COX, CS: Modeling of a two-stage high-pressure gas reduction station, 4A1467

COX, EA: Resonant gas oscillations exhibiting mixed nonlinearity, 2A230

COX, RG: Electroviscous forces on a charged particle suspended in a flowing liquid, 11A895

COX, SM: Mode interactions in Rayleigh-Benard convection, 1A1180

- Onset of thermal convection between poorly conducting horizontal boundaries in the presence of a shear flow, 3A1229
- Onset of Langmuir circulation when shear flow and Stokes drift are not parallel, 7A217
- Long-wavelength thermal convection in a weak shear flow, 11A1241
- Pseudospectral code for convection with an analytical-numerical implementation of horizontal boundary conditions, 12A1071

COX, TJ: Subjective perception of seat dip attenuation, 5A233

COX-SMITH, I: Contact resistance in a steel-framed wall, 5A1233

COYETTE, JP: Displacement-based FEM for guided wave propagation problems: Application to poroelastic media, 5A1406

COYNE, A: Measurements of rotor tip vortices using three-component laser Doppler velocimetry, 4A1150

COYNE, AJ: Measurements of the velocity and turbulence structure of a rotor tip vortex, 9A1051

CRABTREE, JA: Effects of partial inlet blockages on high-velocity flow through a thin rectangular duct: Experimental and analytical results, 12A1255

CRACIUN, IA: Variational principles for the linear theory of piezoelectric micropolar thermoelasticity in the case of a quasistatic electric field, 9A77

- Problems of the dynamical theory of linear non-magnetizable piezoelectric micropolar thermoelasticity, 9A604

CRACIUNESCU, O: Time-dependent interaction between water at supercritical pressures and a hot surface, 5A1220

CRAFT, TJ: Reynolds stress closure designed for complex geometries, 2A1050

CRAFTS, DC: Cleaning and reflow of Pb-Sn C4 solder bumps, 11A877

CRAGO, PE: Dynamic model for simulating movements of the elbow, forearm, and wrist, 3A1505

CRAIK, ADD: Stability of 3D time-periodic flows with ellipsoidal stream surfaces, 5A1025

- Limit cycles arising from the parametric excitation of standing waves, 11A176

CRAIK, RJM: Sound transmission through parallel plates coupled along a line, 8A320

- Sound transmission through a double leaf partition with odge flanking, 8A340

CRAINE, RE: Modeling the creep in a welded plate using a three-director Cosserat model, 3A929

CRAMER, CH: Monte Carlo approach in estimating uncertainty for a seismic hazard assessment of Los Angeles, Ventura, and Orange Counties, California, 8A1494

- Seismic ground-motion hazard mapping incorporating site effects for Los Angeles, Orange, and Ventura Counties, California: A geographical information system application, 12T1445

CRAMER, M: NO_x and hydrocarbon emissions from a diesel engine fueled on digester gas, 12A1374

CRAMER, MF: Supersonic flows of dense gases in cascade configurations, 8A1097

CRAMER, MS: Transonic and boundary layer similarity laws in dense gases, 4A1000

- Numerical verification of scaling laws for shock-boundary layer interactions in arbitrary gases, 9A1082

CRAMPIN, S: Diffraction of seismic waves by cracks with application to hydraulic fracturing, 7A1459

CRANDALL, JR: Measurement of dynamic joint motion using magnetohydrodynamic angular rate sensors, 4A196

- Sensitivity of occupant response subject to prescribed corridors for impact testing, 5A170

CRANE, JW: Application of a panel method to hydrodynamics of underwater vehicles, 8A284

CRANE, LJ: Analysis of Rayleigh-Lamb wave scattering by a crack in an elastic plate, 12A237

CRANE, SP: Comparison of design optimization formulations for minimization of noise transmission in a cylinder, 10A356

CRANSTON, WB: Aggregate interlock in cracked concrete with excessive crack width, 2A800

CRANSWICK, E: Urban seismology: Northridge aftershocks recorded by multi-scale arrays of portable digital seismographs, 4A1365

CRASSIDIS, JL: Sliding mode control using modified Rodrigues parameters, 5T299

- Integrated estimation-identification using second-order dynamic models, 6A359
- Predictive filtering for attitude estimation without rate sensors, 10A472
- Predictive filtering for nonlinear systems, 10A424

CRASTER, RV: Yield surfaces for Herschel-Bulkley flows in complex geometries, 2A947

- Wavefront expansions for pulse scattering by a surface inhomogeneity, 5A248
- Conformal mappings involving curvilinear quadrangles, 6A1393

CRAVALHO, EG: Thermal radiation absorption in doped semiconductors due to direct intersubband transitions, 11A1326

CRAWFORD, CH: Parallel benchmarks of turbulence in complex geometries, 3A1163

CRAWFORD, DH: Adaptive IIR filtered-v algorithms for active noise control, 9A277

CRAWFORD, ME: Wall region porosity distributions for packed beds of uniform spheres with modified and unmodified walls, 11A1452

CRAWFORD, RJ: Design and manufacture of a transverse floor beam from thermoplastic composite material: A case study, 4A569

- Removal of pinholes and bubbles from rotationally molded products, 6A704

CRAWFORD, TL: Aircraft wind measurement considering lift-induced upwash, 5T1435

CRAWLEY, EF: Open- and closed-loop results of a strain-actuated active aeroelastic wing, 4A1119

- Multivariable high-authority control of plate-like active structures, 5A324
- Multivariable active lifting surface control using strain actuation: Analytical and experimental results, 11A224

CREA, F: Experimental evaluation of thermal effects on the tensile mechanical properties of pultruded GFRP rods, 10A608

CREASY, TS: Nonlinear response of a long, discontinuous fiber-melt system in elongational flows, 3A941

CREAZZA, G: New proposal for defining the ductility of concrete reinforcement steels by means of a single parameter, 4A837

CRELLIN, EB: Balance and variational formulations of the equation of motion of a body deploying along a cable, 12A98

CREMER, JF: Formulating 3D contact dynamics problems, 6A105

CREMONA, C: Reliability updating of welded joints damaged by fatigue, 7A706

- Optimization of reliability and maintenance of steel engineering works, 9A834
- Possibilistic reliability theory: Theoretical aspects and applications, 12A899

CRESPI, A: Simultaneous determination of chloride and pH in wastewaters by sequential injection analysis, 2A1020

CRESPO DEL ARCO, E: Spatio-temporal behavior in a rotating annulus with a source-sink flow, 6A1137

CRESPO, P: Harmonic analysis of the vibrations of a cantilevered beam with a closing crack, 5A95

CRIMI, P: Finite element analysis of a samara-wing decelerator, 2A233

CRIMINALE, WO: Perturbation dynamics in viscous channel flows, 11A1065

CRISCO, JJ: Maximal contraction lessens impact response in a muscle contusion model, 3A1497

CRISCUOLO, G: Fast algorithm for Prandtl's integro-differential equation, 7A1176

- New algorithm for Cauchy principal value and Hadamard finite-part integrals, 8A826

CRISFIELD, MA: Co-rotational formulation for 2D continua including incompatible modes, 1A57

- Unified co-rotational framework for solids, shells, and beams, 1A27
- Nonlinear "master-slave"relationships for joints in 3D beams with large rotations, 3A923
- Instabilities induced by coarse meshes for a nonlinear shell problem, 4A608
- Finite element formulation for 3D continua using the co-rotational technique, 5A12

CRISTEA, G: Fuzzy dynamic analysis of single dof nonlinear systems, 10A146

CRISTOFOLINI, L: Minimal parametric model of the femur to describe axial elastic strain in response to loads, 2A1445

- Relationship between bone-prosthesis bonding and load transfer in total hip reconstruction, 10A1571

CRITCHLOW, GW: Review of surface pretreatments for aluminium alloys, 6A981

- Locus of failure of T-peel joints formed between aluminium and various adhesives, 8A565
- Further studies into the effectiveness of CO_2-laser treatment of metals for adhesive bonding, 11A887

CRITOPH, RE: Evaluation of alternative refrigerant-adsorbent pairs for refrigeration cycles, 2A1270

CROBA, D: Thermal convective and radiative effects in forest fires simulation, 7A1418

CROC, E: Spectral analysis of a multistratified acoustic strip - Part II: Asymptotic behavior of solutions for a simple stratification, 4A290

CROCHET, MJ: Flows of polymer solutions through contractions - Part 1: Flows of polyacrylamide solutions through planar contractions, 3A1109

CROCKER, DS: Fuel nozzle aerodynamic design using CFD analysis, 12A1132

CROCKER, G: Environmental factors in iceberg collision risks for floating systems, 1A1442

CROCKETT, SR: Semi-Lagrangian algorithm for 2D advection-diffusion equation on curvilinear coordinate meshes, 11T1553

CROCOMBE, AD: Simplified FE modeling of structural adhesive joints, 2A943

- Fatigue crack growth rates in adhesive joints tested at different frequencies, 4A700
- Determining the effective material properties of damaged particle-filled adhesives, 4A955

CROFTON, MW: Evaluation of the UK ion thruster, 4A860

CROLET, JM: Mechanical characterization of compact bone structure using the homogenization theory, 5A1471

CROLLA, DA: Preview control for a semi-active suspension system, 3A383

CROMPTON, S: Geometric approach to fingering instabilities for reaction fronts in fully coupled geochemical systems, 6A1316

CROONENBROEK, T: Study of radiative effects on laminar counterflow H_2-O_2-N_2 diffusion flames, 1A1327

CROSBIE, GM: Dynamic mechanical properties of ceramics and ceramic composites at elevated temperatures, 8A792

- Thermal cycling effects on dynamic mechanical properties and crystallographic structures of silicon nitride-based structural ceramics, 10A777

CROSBY, AJ: Axisymmetric adhesion tests of pressure sensitive adhesives, 12A846

CROSS, JT: Automatic timestep selection for the super-time-stepping acceleration on unstructured grids using object-oriented programming, 10A76

- Experimental investigation and FE modeling in gravity die casting, 12A741

CROSS, M: Theoretical modeling of spiral chaos in Rayleigh-Benard convection, 4A1202

CROSSLAND, JA: Free vibration of thin rectangular planform shallow shells with slits, 8T154

CROSSLEY, PS: Spectral method with subcell resolution for shock wave calculations, 1A274

CROSSLEY, R: Composite behavioral modeling approach for manufacturing enterprises, 4T478

CROSSLEY, WA: Conceptual design of helicopters via genetic algorithm, 6A926

CROSSON, RS: March 25, 1993 Scotts Mills, Oregon, earthquake and aftershock sequence: Spatial distribution, focal mechanisms and the Mount Angel Fault, 2A1379

- Effects of transverse isotropy on modes and mode coupling in shallow water, 4A285

CROTHERS, PJ: Tailored fiber placement to minimize stress concentrations, 12A571

CROUCH, JD: Excitation of secondary instabilities in boundary layers, 10A1138

CROUCH, TD: Octave Chanute and the Indiana glider trials of 1896, 10T961

CROUSE, CB: Site response studies for purpose of revising NEHRP seismic provisions, 3A1372

CROUSER, PD: Unattenuated tracer particle extraction through time-averaged, background image subtraction with outlier rejection, 8A1260

CROW, SC: Active sonic boom control, 5A254

CROWDER, JP: Simultaneous, full-surface visualizations of transition and separation using liquid crystal coatings, 9T1189

CROWDER, M: Statistical model for the analysis and prediction of the effect of neutron irradiation on Charpy impact energy curves, 4A1459

CROWE, CT: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30

CROWELL, PG: Heuristic method for evaluating coil performance, 2A1144

CROWLEY, JL: Intelligent robotic systems SIRS'95, 12A446

CROWTHER, R: Review of debris-cloud modeling techniques, 2A257

CRUCHAGA, MA: Finite element formulation for incompressible flow problems using a generalized streamline operator, 10A1095

CRUISE, AM: Principles of Space Instrument Design, 10N23

CRUMP, JE: Stability testing of full-scale tactical motors, 10A1432

- Nonlinear stability testing of full-scale tactical motors, 10A1430

CRUSE, TA: Non-singular Somigliana stress identities in elasticity, 3A450

- Probabilistic mesomechanical fatigue crack nucleation model, 7A668

CRUTCHFIELD, WY: Effects of thermal conductivity and viscosity of argon on shock waves diffracting over rigid ramps, 8A265

CRUTZEN, S: European networks in structural integrity: Status in 1995, 4A1453

CRUZ, EC: Boussinesq equations for wave transformation on porous beds, 9A1423

CRUZ, M: Number of modes for the seismic design of buildings, 2A1389
CRUZ, S: Quadtree grid generation: Information handling, boundary fitting, and CFD applications, 6A68
CUADRADO, J: Flexible mechanisms through natural coordinates and component synthesis: An approach fully compatible with the rigid case, 4A92
- Simple and general method for kinematic synthesis of spatial mechanisms, 8A968
CUBAYNES, JF: Modelisation des deformations differees des betons a hautes performances: Relation entre le retrait et le fluage (French), 1A512
CUCCIO, JC: Strength prediction of ceramic components under complex stress states, 5A461
CUCCOVILLO, T: Measurement of local axial strains in triaxial tests using linear variable differential transformers, 9T817
CUDDIHY, RG: Comparisons of calculated respiratory tract deposition of particles based on the proposed NCRP model and the new ICRP66 model, 2A1355
CUDMANI, RO: Time-dependent analysis of reinforced and prestressed concrete members, 2A784
CUDMORE, DP: Characterization of ultrasonic transducers by means of double-exposure holographic interferometry, 7A291
CUDNEY, HH: Structural control using analog phase-locked loops, 6A874
- Analytical-experimental comparison of probabilistic methods and fuzzy set based methods for designing under uncertainty, 10A921
CUENOT, B: Effects of slighly soluble surfactants on the flow around a spherical bubble, 11A1008
CUER, M: Elastic wave-propagation simulation in heterogeneous media by the spectral moments method, 4A1369
CUERVO, DG: Rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 2A903
CUESTA, I: Natural convection in a cubical cavity heated from below at low Rayleigh numbers, 1A1173
CUEVAS, S: Liquid-metal MHD flow in rectangular ducts with thin conducting or insulating walls: Laminar and turbulent solutions, 11A1123
- Heat transfer in laminar and turbulent liquid-metal MHD flows in square ducts with thin conducting or insulating walls, 11A1256
CUI, CHANGZHI: Theoretical and experimental investigation of an externally pressurized porous annular thrust gas bearing and its optimal design, 12A1227
CUI, E: Applied software of thermodynamic calculation and exergy analysis for steam power boilers (Chinese), 2A1275
CUI, FANGSEN: Bifurcation and chaos in the Duffing oscillator with a PID controller, 10A129
CUI, JIE: Influence of building existence on seismic liquefaction of subsoils, 12T681
CUI, L: Poroelastic solution for an inclined borehole, 10A1448
CUI, LI: Random analysis of apron slab missing stability under water jet lashing, 3A1121
CUI, MM: Refractive index matching and marking methods for highly concentrated solid-liquid flows, 8A1121
CUI, WEICHENG: Interlaminar tensile strength (ILTS) measurement of woven glass-polyester laminates using a four-point curved beam specimen, 5A465
CULSHAW, B: Distributed water ingress and water potential measurements using fiber optics, 10A866
CUMBER, PS: Predictions of impacting sonic and supersonic jets, 9A1038
- Predictions of the structure of turbulent, highly underexpanded jets, 11A1056
CUMINATO, JA: Calculation of electrohydrodynamic flow in a circular cylindrical conduit, 12A1156
CUMMINGS, A: Effects of intense sound on static pressure measurements in flow ducts, 2A1141
- Finite element computation of attenuation in barsilencers and comparison with measured data, 4A311
CUMMINGS, MJ: Boundary-layer transition due to isolated 3D roughness on airfoil leading edge, 2T1073
CUMO, M: Experimental evaluation of the onset of subcooled flow boiling at high liquid velocity and subcooling, 9A1244
CUMPSTY, N: Jet Propulsion: Simple guide to the aerodynamic and thermodynamic design of jet engines., 9N29
CUMPSTY, NA: Simulating the multistage environment for single-stage compressor experiments, 5A1089
CUNEFARE, KA: Comparison of design optimization formulations for minimization of noise transmission in a cylinder, 10A356
CUNEO, JC: Damage processes in Si_3N_4 bearing material under contact loading, 3A849
CUNEYT OZAKTAY, A: Lumbar facet pain: Biomechanics, neuroanatomy, and neurophysiology, 3A1491
CUNNIFF, PF: Dynamic design analysis method, 5A788
CUNNINGHAM, J: Activities and selectivities of copper-metal-oxide catalysts at temperatures relevant to chemical heat-pumps based on isopropanol-acetone interconversions, 3A1460
CUNNINGHAM, JE: Modeling of pre-heating of flat panels prior to press forming, 7A634
CUNNINGHAM, JL: Development of a six station knee wear simulator and preliminary wear results, 10A991
- Factors contributing to the wear of polyethylene in clinical practice, 10A975
- Pathogenesis of osteolysis in two different cementless hip replacements, 10A1570
CUNNINGHAM, SE: Damage tolerance based life prediction in gas turbine engine blades under vibratory high cycle fatigue, 8A200
CUNNINGTON, GR: Radiative properties of fibrous insulations: Theory versus experiment, 1A1250
CUONG, NK: Tensile properties of plain weft knitted glass fiber fabric reinforced epoxy composites, 12A572
CUPIAL, P: Calculation of the natural frequencies of composite plates by the Rayleigh-Ritz method with orthogonal polynomials, 10A194
CURIC, M: Sensitivity of hail accretion rates in numerical modeling, 7T1503
CURIE, F: Biaxial high cycle fatigue tests on a gas transmission pipeline steel, 5A600
CURNIER, A: Implicit projection algorithm for simultaneous flow of plasticity and damage in standard generalized materials, 3A485
- Three dimensional damage model for trabecular bone based on fabric tensors, 5A1474
CURRAN, DGT: Weight optimization for honeycomb radiators with embedded heat pipes, 6A1291
CURRAN, R: Performance of the biplane wells turbine, 2A1104
CURREY, JD: Orthogonal relationships between ultrasonic velocity and material properties of bovine cancellous bone, 1T1449
CURRIE, IG: Turbulent two-phase flow through a sudden pipe expansion: LDA experiments and CFD predictions, 1T1018
- Random excitation forces in tube bundles subjected to two-phase cross-flow, 2A236
- Vibration of a tube bundle in two-phase Freon cross-flow, 11A206
CURRIE, K: 12th International Conference on computer aided production engineering, Cookeville, TN, August 5-7, 1996, 2T358
CURRLE, J: Ventilation of passenger car cabins: Comparison of experimental data and numerical calculations, 2A960
CURTIN, WA: Damage-enhanced creep and rupture in fiber-reinforced composites, 2A648
- Strain and hysteresis by stochastic matrix cracking in ceramic matrix composites, 8A560
- Time-dependent failure in fiber-reinforced composites by fiber degradation, 9A764
- Strength and reliability of fiber-reinforced composites: Localized load-sharing and associated size effects, 12A561
CURTIS , PT: Garteur "damage tolerance", 12A551
CURTIS, EM: Development of blade profiles for low-pressure turbine applications, 12A1187
CURTIS, PT: Prediction of the post-impact compressive strength of CFRP laminated composites, 2A430
CUSACK, MJ: Aerodynamic design of the George Washington Univ solar car sunforce 1, 9A1169
CUSANO, DM: Development of a full-field planar Mie scattering technique for evaluating swirling mixers, 4A1179
CUSCHIERI, A: Technological aspects of minimal access surgery, 12T1584
CUSCHIERI, JM: In-plane and out-of-plane waves' power transmission through an L-plate junction using the mobility power flow approach, 2A186
CUSHMAN, JH: Clarifying mixture theory and the macroscale chemical potential for porous media, 6A1392
CUSHMAN-ROISIN, B: Barotropic thin jets over arbitrary topography, 12T1493
CUSICK, JF: Cervical vertebral strain measurements under axial and eccentric loading, 11A1582
CUSSLER, EL: Diffusion: Mass Transfer in Fluid Systems, Second Edition, 6N26
CUSSON, D: Strain localization in confined high-strength concrete columns, 3A488
CUSSON, E: Adaptive forced balancing for multivariable systems, 11A142
CUSUMANO, JP: Theoretical and numerical validation of the stochastic interrogation experimental method, 1A137
CUTHRELL, JM: Effects of bulk flow pulsations on film-cooled boundary layer structure, 9T1083
- Bulk flow pulsations and film cooling: Flow structure just downstream of the holes, 12A1118
CUTKOSKY, M: Incremental kinematic analysis of mechanisms, 11A866
CUTKOSKY, MR: Practical force-motion models for sliding manipulation, 6A423
- Die-less forming of thermoplastic-matrix continuous fiber composite materials: Process and demonstration, 11A625
CUTLER, AD: Analysis of intermittency and probe data in a supersonic flow with injection, 11A975
CUTOLO, D: Pultrusion of powder-impregnated thermoplastic composites, 12A742
CUTTINO, JF: Analytical and experimental identification of nonlinearities in a single-nut, preloaded ball screw, 9A952
- Contact between elastic bodies with an elliptic contact interface in torsion, 10A562
CUVALCI, O: Pendulum as vibration absorber for flexible structures: Experiments and theory, 4A194
CVETICANIN, L: Adiabatic invariants for strongly nonlinear dynamical systems described with complex functions, 2A71
- Vibrations of a finite length beam with an axially movable load, 3A152
- Necessary condition for chaos in rotor systems, 8A99
CVETICANIN, LJ: Stability of rheo-linear rotor systems based on some new first integrals, 4T186
CWIEK, J: Preventing cold cracking in welds of high-strength low-alloy steels, 3T930
CYRUS, JD: Conceptual design methodology for predicting bleed and horsepower requirements of military aircraft engines, 1A1349
CZAPLICKA, K: Application of the model of nonlinear creep to determine the long-term creep strength of conveyor belts, 9A948
CZENSZAK, SP: Robust wideband matched-field processing with a short vertical array, 8A360
CZEPELAK, J: Model investigations of the heat transfer and flow resistance in diagonally finned surfaces (German), 2A1159
CZERNICHOWSKI, A: Spectral and electrical diagnostics of gliding arc, 2A993
CZIESLA, T: Numerical investigation of heat transfer by rows of rectangular impinging jets, 1A1155
- Numerical investigation of heat transfer in impinging axial and radial jets with superimposed swirl, 3A1236
CZIGANY, T: Stiffness and strength anisotropy in the tensile response of weft knitted fabric-reinforced peek-and pet-composites, 1A535
- Interfacial effects on the dynamic mechanical behavior of weft-knitted glass fiber fabric-reinforced polypropylene composites produced of commingled yarns tensile and flexural response, 11A477
CZITROM, SPR: Wave energy-driven resonant seawater pump, 12A1523
CZOLCZYNSKI, K: Stability of rotors supported in gas bearings with bushes mounted in air rings, 4A931
- How to obtain stiffness and damping coefficients of gas bearings, 7A944
CZURA, W: Finite-element calculations of remote field eddy current interactions with slit defects, 10A34
CZYEWSKI, A: Synthesis of organ pipe sound based on simplified physical models, 4A315
CZYGAN, G: Mechanical testing of isolated senile human eye lens nuclei, 1A1464

D

D'AGOSTINO, L: Dynamic response of ducted bubbly flows to turbomachinery-induced perturbations, 4A1028
- Inviscid stability of parallel bubbly flows, 11A1086
D'ALESSANDRO, D: Asymptotic stability of continuous-time systems with saturation nonlinearities, 6T356
D'ALESSIO, SJD: Steady flow of a power-law fluid past a cylinder, 3A1038
D'ALMEIDA, A: Boundary conditions in discrete kinetic theory and evaporation and condensation problems, 11A1287
D'AMBROSIA, R: Force, velocity, and energy dynamics of nine load-moving muscles, 10A1521
D'ANGELO, N: Current-driven dust-acoustic instability in a collisional plasma, 7A1163
D'ANNA, A: Wide-ranging modeling study of isooctane oxidation, 6A1346
- Low-temperature oxidation of MTBE in a high-pressure jet-stirred flow reactor, 12A1390
D'ANTONIO, L: Application of durability analysis to glare aeronautical components, 1A717
D'ARGENIO, DZ: Fluid dynamics of a partially collapsible stenosis in a flow model of the coronary circulation, 5A1499
D'ATTELLIS, CE: Exact linearization of nonlinear systems: Trajectory tracking with bounded controls and state constraints, 4T365
D'AURIA, F: Dynamic response of ducted bubbly flows to turbomachinery-induced perturbations, 4A1028
- Inviscid stability of parallel bubbly flows, 11A1086
D'AZZO, JJ: Proportional and integral control of nonlinear systems, 1A356
D'CRUZ, J: Global attenuation of random vibrations in a tapered and swept panel, 8A146
D'ELEUTERIO, G: Dynamics of Gyroscopic Systems: Flow Induced Vibration of Structures, Gyroelasticity, Oscillation of Rotors, and Mechanics of High Speed Moving Continua, 12N12
D'ERICCO, M: Space station based tethered interferometer for natural disaster monitoring, 4A868
D'ERRICO, GE: Systems theory approach to modeling of cutting temperature with experimental identification, 7A1359
D'MELLO, C: Special issue on jack-up platforms, 11A820
D'ONFRO, P: Fracture detection using crosswell and single well surveys, 9A1468
D'URSO, C: Processing snow for high strength roads and runways, 6A1518
DA CM KNUDSEN, JC: Analysis of approximations to the delay dynamics in the optimization of control systems (Spanish), 1A358
DA CRUZ, JJ: Position control of mechanical manipulators using the optimal root locus, 6A436
DA EXALTACAO TREVISAN, R: Use of the modified implant test as a manner of determining susceptibility to reheat cracking (Spanish), 3A1280
DA FORNO, R: Effects of severed tethers in space, 10A233
DA GRACA CARVALHO, M: Third international conference on combustion technologies for a clean environment, 10A1397
DA PRATO, G: Partial Differential Equation Methods in Control and Shape Analysis, 9N32
DA SILVA FERNANDES , S: Expansions of (r/a)" cos jv and (r/a)" sin jv to high eccentricities, 3A292
DA SILVA SMITH, O: Topology optimization of trusses with local stability constraints and multiple loading conditions: A heuristic approach, 10A913
DABBENE, F: Probabilistic robustness analysis: Explicit bounds for the minimum number of samples, 12T351
DABBERDT, WF: Fractal geometry of isoconcentration surfaces in a smoke plume, 3T1467
DABBS, T: Time-dependent stress and displacement of the eye wall tissue of the human eye, 11A1570
DABIRI, AE: Heat transfer in a turbulent falling film subject to intense volumetric heating, 9A1117
DABIRI, D: Experimental investigation of the vorticity generation within a spilling water wave, 8A257
- Effect of a discrete window offset on the accuracy of cross-correlation analysis of digital PIV recordings, 11A1196
DABROWSKI, K: Remarks to the method of shear reinforcement estimation suggested in the proposed standard PrPN-B-03264 (Polish), 9A876
DABROWSKI, L: Topography generation by non-traditional surface grinding, 4A683
DACOL, DK: Coupled-amplitude approach to solving the Helmholtz equation, 10A385
- Approximating moments of acoustic fields in random media, 10A382
DADAEVA, AN: BIE formulation for transient problems of thermoelastodynamics, 6A79
DADE, WB: Erosion by planar turbulent wall jets, 11A1061
DADONE, A: Secondary flow computation using an inviscid multigrid finite volume lambda formulation, 7A1098
DAEHLEN, M: Numerical Methods and Software Tools in Industrial Mathematics, 10N1
DAFA'ALLA, AA: Experimental study of turbulent natural convection in a tall air cavity, 2A1167
DAFALIAS, YF: Distortional and orientational hardening at large viscoplastic deformations, 6A514
DAGAN, G: Subsurface Flow and Transport: A Stochastic Approach, 11N38
DAGLEY, IJ: Simulation and moderation of the thermal response of confined pressed explosive compositions, 3A1319
DAGUENET, M: Hydrodynamic control of boundary layers around a body of revolution in mixed-convection (French), 5A1159
DAGUSE, T: Study of radiative effects on laminar counterflow H_2-O_2-N_2 diffusion flames, 1A1327
DAHAN, N: Algorithm for integrating the spin on convected bases, 2A424
DAHL, J: Study of the phenomena affecting the accuracy of a video-based particle tracking velocimetry technique, 10A1273
DAHL, JF: Duality of leakage and aliasing and improved digital spectral analysis techniques, 6A401
DAHL, MD: Noise from supersonic coaxial jets - Part 3: Inverted velocity profile, 9A258
- Noise from supersonic coaxial jets - Part 1: Mean flow predictions, 9A256
- Noise from supersonic coaxial jets - Part 2: Normal velocity profile, 9A257
DAHL, PH: Spatial coherence and angular spreading of sound forward scattered from the sea surface: Measurements and interpretive model, 2A280
- Variability of high-frequency acoustic backscatter from the region near the sea surface, 10A363
- Simultaneous acoustic and microwave backscattering from the sea surface, 10A362
DAHL, SD: Performance and modeling of thermosyphon heat exchangers for solar water heaters, 12A1321
DAHLE, HK: Eulerian-Lagrangian localized adjoint methods for systems of nonlinear advective-diffusive-reactive transport equations, 1T1425
DAHLEH, M: Robust stability of multivariable interval control systems, 2T320
- Controller design to optimize a composite performance measure, 4A350

DAHLEH, MA: l_1 minimization with magnitude constraints in the frequency domain, 10T441
DAHLEH, MD: Computational study of the error in the vortex method associated with discontinuous vorticity, 2A972
DAHLGREN, M: Evolution of the obliquities for ten asteroids, 6A322
DAHLKILD, AA: Motion of Brownian particles and sediment on an inclined plate, 10A1124
DAHM, WJA: Integral method solution of time-dependent strained diffusion-reaction layers with multistep kinetics, 1A1303
- Experimental assessment of fractal scale-similarity in turbulent flows - Part 1: 1D intersections, 6A117
- Experimental assessment of fractal scale similarity in turbulent flows - Part 2: Higher-dimensional intersections and non-fractal inclusions, 11A1107
- Experimental assessment of fractal scale similarity in turbulent flows - Part 3: Multifractal scaling, 11A1108
DAHMEN, W: Wavelet and multiscale methods for operator equations, 11T65
DAHONG, QIU: Action of cnoidal waves on vertical walls, 1A281
DAI, CHANGHUI: Numerical simulations of flow induced oscillation in cavity and its suppression by sound excitation (Chinese), 10T320
DAI, CHUNPING: Horizontal density variation in randomly-formed short-fiber wood composite boards, 7A486
DAI, DN: Solution of Crack Problems: The Distributed Dislocation Technique, 4R11
- Fundamental dislocation solution for an infinite plate with application to related crack problems, 12A482
- Modeling of growth of 3D cracks by a continuous distribution of dislocation loops, 12A839
DAI, FULONG: Study on the production of 950°C moire gratings in metal materials, 12A865
DAI, H: Asciomic construction and design method for multi-storey composite structures, 3A1401
DAI, HUA: Numerical methods for finding multiple eigenvalues of matrices depending on parameters, 10T112
DAI, JIANG: Study on flows through centrifugal pump impeller by turbulent simulation, 10T1236
DAI, L: Convergence properties of ordinal comparison in the simulation of discrete event dynamic systems, 4T351
- Analytical and numerical method for solving linear and nonlinear vibration problems, 12A133
DAI, SHI-QIANG: Limit cycle analysis of a class of strongly nonlinear oscillation equations, 1T126
DAI, SHU-HO: Symmetric branching of Mode II and mixed-mode fatigue crack growth in a stainless steel, 1A698
- Mixed-mode fatigue crack growth in stainless steels under biaxial loading, 1A696
- Study on the prediction of remaining life and ageing of material for pressurized tubes of industrial furnace operated at elevated temperature, 5A629
- Failure analysis and life prediction of a set of extra high pressure heat exchangers containing defects, 8A756
- Application of 2D elastic stochastic FEM in the field of fracture mechanics, 11A25
- New concept: Probabilistic failure assessment diagram, 11A668
DAI, SHUHO: Study on the reliability assessment methodology for pressure vessels containing defects, 5A630
DAI, SX: Principle and application of the constant strain rate tensile test with *in situ* scanning electron microscopy for evaluation of the adhesion of films, 7A968
DAI, W: Three-dimensional numerical model for thermal analysis in X-ray irradiated photoresists, 11A1331
DAI, WEI-SHEN: Singular effects of surface tension in evolving Hele-Shaw flows, 4A988
DAI, WENLONG: Second-order unsplit Godunov scheme for 2D and 3D Euler equations, 12T1084
DAI, WW: Wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 2A926
DAI, XIAOWEN: Damage-mitigating control of a reusable rocket engine - Part I: Life prediction of the main thrust chamber wall, 4A389
- Damage-mitigating control of a reusable rocket engine - Part II: Formulation of an optimal policy, 4A390
DAI, Y: Examination of wire electrical discharge machining (WEDM) of Al_2O_3 particulate reinforced aluminum based composites, 3T629
DAI, YANG: Dynamic vibration absorbers used for increasing the noise transmission loss of aircraft panels, 3A187
DAI, YQ: Theoretical analysis and optimization of a double-effect series-flow-type absorption chiller, 4A1183
- Theoretical analysis and optimization of a double-effect parallel-flow-type absorption chiller, 6A1295
DAI, Z: Velocity-mixture fraction statistics of round, self-preserving, buoyant turbulent plumes, 11A1093
DAI, ZHENYU: Simulation of the stochastic damage evolution process under low cycle fatigue by the FEM, 4A726
DAIAN, J-F: Multiscale structures to describe porous media - Part I: Theoretical background and invasion by fluids, 9A1417
- Multiscale structures to describe porous media - Part II: Transport properties and application to test materials, 11A1450
DAIDO, A: Effect of particles accumulation on drag force in solid-liquid two-phase flows (Chinese), 10A1121
DAIF , A: Hydrodynamic control of boundary layers around a body of revolution in mixed-convection (French), 5A1159
DAIGLE, GA: Porous road pavements: Acoustical characterization and propagation effects, 7A262
DAIGUJI, H: Mechanism of absorption enhancement by surfactant, 7A1378
- International Symposium on Mathematical Modeling of Turbulent Flows, December 18-20, 1995, Tokyo Japan, 8A1196
- Stabilization of higher-order high resolution schemes for the compressible Navier-Stokes equations, 11T970
DAIKOH, Y: Miro drilling of printed circuit boards - 2nd Report: FEM analysis of torsional strength for twist drill (Japanese), 10A737
DAILEY, LD: Evaluation of multigrid acceleration for preconditioned time-accurate Navier-Stokes algorithms, 6A1026
DAIMARUYA, M: Measuring method for impact tensile strength of brittle materials, 2A726
- Thermoelasto-plastic stresses and thermal distortions in a brake drum, 10A1366
DAINTY, JC: Diffuse reflection of light from a dense random medium using fibers dipped into the medium, 2A196
DAIRAGHI, CA: Muscle activity patterns altered during pedaling at different body orientations, 3A1500
- Crank inertial load has little effect on steady-state pedaling coordination, 5A1504
DAITO, Y: Aerodynamics of the cable of cable-stayed bridges (Japanese), 3A153
DAJIU, J: Finite element evaluation of shear enhancement of high-strength concrete plates, 5A20
DAKOULAS, P: Response of earth dams to P and SV waves using coupled FE-BE formulation, 4A1408
DAKROURY, AZ: Measurement of thermophysical properties of ammonium salts in the solid and molten states, 3A1218
DAL-FERRO, C: Reduction method for FE dynamic analysis of submerged turbomachinery wheels, 5A1101
DALAY, BS: Robotic assembly operation strategy investigation without force sensors through the research on contact point location and range of peg movement, 4A456
DALE, AC: Extension of baroclinic coastal-trapped wave theory to superinertial frequencies, 5T187
DALE, BG: Effectiveness of quality management tools and techniques: An examination of the key influences in five plants, 2T377
DALE, JD: Heat transfer and fluid flow in microchannels, 10A1280
DALE, M: Effective relative permeabilities and capillary pressure for 1D heterogeneous media, 11A1448
DALENBACK, B-IL: Room acoustic prediction based on a unified treatment of diffuse and specular reflection, 2A291
DALENBRING, M: Damping function estimation based on modal receptance models and neural nets, 10A156
DALEY, R: Discretization error and signal-error correlation in atmospheric data assimilation - I: All scales resolved, 7T1505
DALEY, S: Bilinear fault detection observer and its application to a hydraulic drive system, 3A392
DALEY, T: Fracture detection using crosswell and single well surveys, 9A1468
DALL'ASTA, A: Coupling between 3D bodies and slipping cables, 2A466
DALL'ASTA, A: Nonlinear behavior of composite columns under varying load histories, 3A772
- Stability of viscoelastic solid systems with monotone relaxation, 4A626
DALLNER, R: Evaluation of the stress tensor in 3D elastoplasticity by direct solving of hypersingular integrals, 1A502
DALOGLU, A: Earthquake analysis of beams resting on elastic foundations by using a modified Vlasov model, 9A153
DALPIAZ, G: Free vibrations of cylindrical shells with non-axisymmetric mass distribution on elastic bed, 9A140
DALRYMPLE, RA: Water waves incident on an infinitely long rectangular inlet, 4A234
DALSTRA, M: Fabric and elastic principal directions of cancellous bone are closely related, 10A1515
DALTON, C: Calculation of the timing of vortex formation from an oscillating cylinder, 3A255
- Application of the LES method to the oscillating flow past a circular cylinder, 6T1025
DALTON, KE: Hybrid inversion of shallow geophysical data for the location of subsurface targets, 8A1556
DALTON, T: Natural convection heat transfer in horizontal rod-bundle enclosures, 2A1169
DAM-JOHANSEN, K: Interactions of CO, NO_x, and H_2O under post-flame conditions, 2A1327
- Nitrogen chemistry during burnout in fuel-staged combustion, 5A1338
- Low temperature interactions between hydrocarbons and nitric oxide: An experimental study, 9A1367
DAMA, R: Modeling and analysis of a high-speed transmission with multi-path, elastomeric load-share gears, 8A954
- Efficient and accurate calculation of traction in elastohydrodynamic contacts, 12A1213
DAMAREN, CJ: Gain scheduled SPR controllers for nonlinear flexible systems, 6A392
DAMASER, MS: Two mathematical models explain the variation in cystometrograms of obstructed urinary bladders, 5A1492
DAMBACH, M: Dynamics of thick viscoelastic beams, 12A505
DAMEAN, N: New computer method for temperature measurement based on an optimal control problem, 3A359
DAMJANIC, FB: Large deformations of thin elastoplastic shells: Implementation of a finite rotation model for quadrilateral shell element, 7A533
DAMKILDE, L: Flat triangular shell element with Loof nodes, 5A486
DAMLE, SV: Throughflow method for turbomachines applicable for all flow regimes, 10A1231
DAMMAK, M: Analysis of cementless implants using interface nonlinear friction: Experimental and FE studies, 7A1559
DAMODARAN, KA: Experimental studies on piloted supersonic combustion using the petal nozzle, 7A1400
DAMODARAN, M: High-resolution finite volume computation of turbulent transonic flow past airfoils, 12A1097
DAMODARAN, R: Laser deposition of hydroxyapatite coatings, 3T661
DAMODARAN, V: Numerical study of steady laminar flow through tubes with multiple constrictions using curvilinear co-ordinates, 5A949
DAN, N: Analogy between electrical machines and heat transfer-irreversible heat engines, 1A1150
DANAI, K: Proceedings of the ASME Dynamic Systems and Control Division, 3N11
- Cycle-time reduction in machining by recursive constraint bounding, 11A595
DANCE, SM: Complete image-source method for the prediction of sound distribution in non-diffuse enclosed spaces, 10A383
DANCILA, DS: Buckling of moderately thick orthotropic columns: Comparison of an elasticity solution with the Euler and Engesser-Haringx-Timoshenko formula, 6A603
DANCKERT, A: Experimental and computational wake structure study for a wide-angle cone, 2A838
DANCYGIER, AN: High strength concrete response to hard projectile impact, 1A247
DANDAPAT, BS: Solitary waves on the surface of a viscoelastic fluid running down an inclined plane, 10A1165
DANE, JH: Interpolation-corrected modified method of characteristics to solve advection-dispersion equations, 5A1461
DANESCU, A: Electro-elastic interactions and second order anisotropic constitutive equations, 7A2
DANESI, RF: Time-dependent analysis of reinforced and prestressed concrete members, 2A784
DANG , HONGXIN: Pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 2A867
DANG VAN, K: Elastoplastic analysis of repeated moving contact: Application to railways damage phenomena, 2A899
- Axisymmetric elastic-plastic FE analysis of pressurized elbows, 11A11
DANG, T: Design method for turbomachine blades with finite thickness by the circulation method, 12A1186
DANG, TQ: Throughflow method for turbomachines applicable for all flow regimes, 10A1231
DANG, YING Y: Parallel methods for turbulence simulation and helicopter-response prediction, 2A1112
DANG-TRAN, K: Pegase: A Navier-Stokes solver for direct numerical simulation of incompressible flows, 10A1101
DANI, A: Electrical percolation behavior of short-fiber composites: Experimental characterization and modeling, 4A552
DANIAL, AN: Dynamic analysis of folded plate structures, 4A133
DANICKI, E: Interfacial waves in an elastic body fractured by periodic cracks, 5A159
DANIEL, AM: Localized stress redistribution after fiber fracture in brittle matrix composites, 9A757
- Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, 12A812
DANIEL, DE: Geosynthetic clay liners subjected to differential settlement, 11A568
DANIEL, IM: Effect of fiber waviness on stiffness and strength reduction of unidirectional composites under compressive loading, 1A518
- Behavior of a unidirectional metal-matrix composite under thermomechanical loading, 1A517
- Size effect and fracture characteristics of composite laminates, 1A766
- Nonlinear elastic behavior of unidirectional composites with fiber waviness under compressive loading, 4A555
- Elastic properties of composites with fiber waviness, 4A551
- Transverse creep behavior of a unidirectional metal matrix composite, 9A446
DANIEL, RW: Force-control-based robotic drilling in hazardous environments, 1A406
DANIELAK, R: Exact results for the transmission probabilities in linear array of fluctuating barriers, 9A1340
DANIELS, C: Influence of temperature on cyclic stress response and fracture behavior of aluminum alloy 6061, 7A664
DANIELS, PG: Wavelength of stationary instability in the convective flow between heated vertical planes, 1A1065
- Long-wave instability of natural-convection boundary layers, 10A1288
DANIELSON, KT: Computational strategies for tire modeling and analysis, 3A824
DANIEWICZ, SR: Assessment of geometry effects on plane stress fatigue crack closure using a modified strip-yield model, 5A655
DANILOV, SD: Advanced investigation of interaction of allocated quasi-2D vortices, 3A999
DANIS, AM: Anchored CCD for gas turbine combustor design and data correlation, 12A1396
DANKOV, ET: Dynamic buckling of long thin elastic plate under rapidly applied shear loading, 2T519
DANKOWICZ , H: Looking for chaos: An extension and alternative to Melnikov's method, 1A128
DANTAS, LB: Function estimation approach for determining temperature-dependent thermophysical properties, 5A1305
DANTZIG, JA: Sensitivity analysis and optimization of coupled thermal and flow problems with applications to contraction design, 5A34
- Implementation of design sensitivity analysis and numerical optimization in engineering analysis, 6A363
DANYEEV, AV: Geometrical approach to a problem of forming a flight path for a surface effect vechile, 1A364
DANYLUK, S: Dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, 7A915
DAO, MING: Localized deformation modes and non-Schmid effects in crystalline solids - Part II: Deformation patterns, 2A5
- Localized deformation modes and non-Schmid effects in crystalline solids - Part I: Critical conditions of localization, 2A4
DAOU, J: High pressure vaporization of LOX droplet crossing the critical conditions, 1A1212
- Substitute mixtures for lox droplet vaporization study, 4A1311
- Lifetime and dynamics of a pocket of dense gas in a hot gas flow, 7A1079
DAOUTIDIS, P: Robust semi-global output tracking for nonlinear singularly perturbed systems, 5T303
- Stabilization of systems with input constraints, 10A411
DARABI, A: Delay of airfoil stall by periodic excitation, 2A1092
DARABIHA, N: Study of radiative effects on laminar counterflow H_2-O_2-N_2 diffusion flames, 1A1327
DARAGHEH, M: Measure34ments and modeling of a lean burn gas engine, 8A1431
DARBY, SE: Development and testing of riverbank-stability analysis, 3A983
DAREING, DW: Effect of torsion on stability, dynamic forces, and vibration characteristics in drill-strings, 9A154
DARENDELILER, H: Analysis of axisymmetric cup drawing in relation to friction, 1A644
DARGUSH, GF: Thermal expansion of the workpiece in turning, 11A615
DARIDON, L: Delamination and fiber bridging modeling in composite samples, 11A697
DARINSKII, AN: Theory of leaky waves in crystals, 8A223
DARLING, J: Simulation of coupled car and caravan handling behavior, 6A394
- Development and simulation of a novel roll control system for the Interconnected Hydragas Suspension, 8A396
- Theoretical investigation of a prototype active roll control system, 9A370
DARNAULT, C: Wetting and nonwetting fluid displacements in porous media, 6A1377
DARRIEULAT, M: Extension of the Hill (1948) yield criterion to the case of prismatic monoclinic symmetry, 2A415
- Method of generating analytical yield surfaces of crystalline materials, 3A458
DARVE, F: Liquefaction phenomena of granular materials and constitutive stability, 6A648

DARVIZEH, A: Dynamic radial loading of thin GRP tubes, 4A565
DARVIZEH, M: Dynamic radial loading of thin GRP tubes, 4A565
DARWIN, D: Bond strength of grouted reinforcing bars, 2A776
DARWISH, DM: Nonlinear viscoelastic elliptical bar under combined torsion with tension, 4T591
DARWISH, M: New bounded skew central difference scheme - Part I: Formulation and testing, 7A1043
- New bounded skew central difference scheme - Part II: Application to natural convection in an eccentric annulus, 7A1277
DARWISH, MS: Normalized weighting factor method: A novel technique for accelerating the convergence of high-resolution convective schemes, 3A1044
DARWISH, SM: Characteristics and variables of spot welding and weldbonding bimaterials, 10A1007
- Static and dynamic behavior of a notch filled by either welding or adhesive bonding, 10A1009
- Formulation of surface roughness models for machining nickel super alloy with different tools, 11T602
- Knowledge base for metal welding process selection, 12A1038
DARY, F-C: Method for measuring residual strains in fiber-reinforced titanium matrix composites, 1A524
DAS, A: Electro-mechanical response in a piezo sensor that can be used in monitoring shear deformations, 5T504
- Stress distribution in a piezoceramic disc applied in vibration control of high-rise building, 9A849
DAS, AK: Note on the evaluation of thermal constriction resistance for finite thickness gaps, 8T1343
- Experimental study to determine fractal parameters for lean premixed flames, 8A1430
DAS, AN: Tearing of an elastic wedge - I, 3A717
- Elastic wedge with an extending crack - II, 3A715
DAS, HK: Attenuation of shock waves in gas-particle mixtures, 9T1056
DAS, K: Finite element analysis of plane strain dynamic crack growth at a ductile-brittle interface, 10A833
DAS, NC: Elastohydrodynamic lubrication theory of line contacts: Couple stress fluid model, 10A1261
DAS, NS: Class of upper-bound solutions for the extrusion of square shapes from square billets through curved dies, 6A672
- Upper bound analysis of extrusion of I-section bars from square-rectangular billets through square dies, 11A579
DAS, P: Oblique diffraction of surface waves by a submerged vertical plate, 1A257
- Scattering of oblique waves by a thin vertical wall with a submerged gap, 9A208
DAS, PK: Structural system reliability analysis of SWATH ships, 5A800
- Hydro-structural analysis program for TLPs, 7A229
- Strategy for reliability-based optimization, 7A805
DAS, S: Simple approach for on-line tool wear monitoring using the analytic hierarchy process, 9A422
DAS, SC: Nonlinear FE analysis of stresses and deformations beneath rigid footings, 7A588
DAS, SK: Computational modeling of thermal transport phenomena in continuous casting process based on non-orthogonal control volume approach, 4A684
- Dynamic behavior of plate heat exchangers: Experiments and modeling, 11A1214
DASCALAKI, E: Triple hot-wire system for indoor air flow measurements, 2A1201
DASGUPTA, A: Layer-wise analysis for free vibrations of thick composite spherical panels, 10A205
DASGUPTA, K: Modeling and dynamics of epitrochoid generated orbital rotary piston LSHT hydraulic motor: A bondgraph approach, 2A938
DASGUPTA, S: Minimal k-step delay controller for robust tracking of non-minimum phase systems, 4T381
- Static and dynamic applications of a five noded horizontally curved beam element with shear deformation, 10A630
DASGUPTA, SP: Collapse load computation for high-friction soil, 7A583
DASH, RK: Casson fluid flow in a pipe filled with a homogeneous porous medium, 2A1009
DASH, SK: Headline visualization in turbulent flow, 2A1163
DASHEN, R: Application of the Foldy-Wouthuysen transformation to the reduced wave equation in range-dependent environments, 8A345
DASKALOPOULOS, E: Use of expert systems for the selection and the design of solar domestic hot water systems, 4A1465
DASSIE, G: Dynamics of an oscillating spherical gas-vapor bubble, 5A977
DASSIOS, G: Dynamic characteristics of the human skull, 3A1487
- Dissipation of energy for magnetoelastic waves in a conductive medium, 8A620
- Impedance scattering problem for a point source field: The small resistive sphere, 11A252
DATCHEVA, M: Influence of the different behavior at tension and compression on density distribution of porous metals, 4T517
DATOUSSAID, S: Analysis of the performance of operational data analysis methods, 4A855
DATSENKO , LI: Influence of dislocation interactions with impurities on their topographical images in silicon crystals, 4T803
DATSENKO, NM: Are climate evolution edges in the 20th century internally induced?, 4A1433
DATSERIS, P: Flexible automated foam cutting system, 8A725
DATTA, A: Propagation of gravity-inertia waves and lee waves under a critical level, 3T243
DATTA, BN: Numerically robust pole assignment for second-order systems, 3T337
DATTA, D: Automated ultrasonic NDE of composite specimens by cluster and fractal analysis, 6A828
- Features of ultrasonic wave propagation to identify defects in composites materials modeled by FEM, 6A830
DATTA, J: Nonlinear model for structural vibrations in rolling element bearings - Part I: Derivation of governing equations, 7A1195
- Nonlinear model for structural vibrations in rolling element bearing - Part II: Simulation and results, 10A997
DATTA, PK: Dynamic instability characteristics of plates subjected to partially distributed follower edge loading with damping, 5A498
- Experiments on the parametric vibration response of plates under tensile loading, 8A614
- Vibration, buckling, and parametric instability behavior of plates with centrally located cutouts subjected to in-plane edge loading (tension or compression), 8A608
- Dynamic stability of a rectangular plate on non-homogeneous Winkler foundation, 10A668
DATTA, TK: Dissipation of hysteretic energy in base isolated structure, 2A1383
- Treatment of hydrodynamic loading for random sea state, 4A252
- Performance of multiple tuned mass dampers for torsionally coupled system, 8A204
DATTAGURU, B: Finite element analysis of an interface crack with large crack-tip contact zones, 1A38
- Certain aspects related to computation by modified crack closure integral, 2A708
DATUM, MS: Artificial neural network for sound localization using binaural cues, 1A342
DAUBE, F: Three-dimensional finite difference simulation of sonic logging, 1A340
DAUBY, PC: Benard-Marangoni instability in rigid rectangular containers, 7A1125
DAUCHEZ, PG: Second World Automation Congress, May 1996, Montpellier, France: Mobile manipulators, 4A434
DAUCHY, C: Primary and secondary instabilities in the wake of a cylinder with free ends, 8A1156
DAUDEVILLE, L: Failure analysis of timber bolted joints by fracture mechanics, 4A737
DAUER, JP: Connection between the scattering diagram and the amplitudes of the surface waves for acoustic scattering by a baffled flexible plate, 3A306
- Acoustic scattering by a narrow crack in an elastic plate, 3A304
DAUGELA, A: Force dispersion and shock damping mediated by close-packed arrays of distally connected cells, 4A220
DAUKSHER, W: Accuracy in modeling the acoustic wave equation with Chebyshev spectral FEs, 12A41
DAUSKARDT, RH: Subcritical crack growth in glasses under cyclic loads: Effect of hydrodynamic pressure in aqueous environments, 12A750
DAVALOS, JF: Multiobjective material architecture optimization of pultruded FRP I-beams, 4A811
- Application of an orthotropic macro-strip plate element with stiffness discontinuities, 12A19
DAVALOS, RV: Evolutionary-genetic aproach to heat transfer analysis, 2T1230
DAVE, G: Environmentally adapted hydraulic oils, 12A1222
DAVENPORT, R: Color image processing system for transient liquid crystal heat transfer experiments, 1A1203
DAVEY , C: Modified reversed direct-stress device, 10T1500
DAVEY, K: Modified effective capacitance method for solidification modeling using linear tetrahedral FEs, 3A1253
- Iterative solution scheme for systems of weakly connected BE equations, 6A75
DAVI, F: Saint-Venant's problem for linear piezoelectric bodies, 5A509
DAVI, G: Stress fields in general composite laminates, 6A553
- Explicit Kutta condition for unsteady 2D high-order potential BEM, 12T68
DAVIAUD, F: Phase-locking modes in a bidimensional network of coupled water jets, 7A1128
DAVID, R: Parametric contract modeler for DFM analysis, 2T374
- Planar laser induced fluorescence technique for measurements of concentration fields in continuous stirred tank reactors, 7A1226
DAVID, T: Integrated design of mechanical bi-leaflet prosthetic heart valves, 2A1478
- Dynamic analysis and geometry models for the design of bi-leaflet prosthetic mechanical heart valves, 2A1476
- Influence of open leaflet geometry on the haemodynamic flow characteristics of polyurethane trileaflet artificial heart valves, 8T1578
- Time-dependent stress and displacement of the eye wall tissue of the human eye, 11A1570
- Three-dimensional study of the effect of two leaflet opening angles on the time-dependent flow through a bileaflet mechanical heart valve, 12A1585
DAVIDS, J: Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, 11A1150
DAVIDSON, BD: Effect of stacking sequence on energy release rate distributions in multidirectional DCB and ENF specimens, 5A665
- Single leg bending test for interfacial fracture toughness determination, 6A816
- Unsymmetric double cantilever beam test for interfacial fracture toughness determination, 7A779
- Life prediction methodology for composite structures - Part II: Spectrum fatigue, 8A750
- Life prediction methodology for composite structures - Part I: Constant amplitude and two-stress level fatigue, 8A749
- Evaluation of data reduction methods for the mixed mode bending test, 9A717
DAVIDSON, JE: Improvements to steady-state combustion modeling of cyclotrimethylenetrinitramine, 10A1420
DAVIDSON, JH: Performance and modeling of thermosyphon heat exchangers for solar water heaters, 12A1321
DAVIDSON, JS: Local buckling of curved I-girder flanges, 3A564
- Cross-frame spacing and parametric effects in horizontally curved I-girder bridges, 3A792
- Buckling analysis of curved beams by FE discretization, 3A548
DAVIDSON, L: Local mesh refinement algorithm applied to turbulent flow, 8A1203
DAVIDSON, MA: New non-dimensional number for the analysis of wave reflection from rubble mount breakwaters, 4A231
DAVIDSON, MJ: Concentration fluctuation measurements in tracer plumes using high and low frequency response detectors, 3A1464
DAVIDSON, PA: Role of angular momentum in the magnetic damping of turbulence, 10A1205
DAVIDSON, S: Steady linear thermoelastic problem for a circular hole with two radial edge cracks of unequal length, 3A1278
DAVIES, AG: Comparisons between sediment transport models and observations made in wave and current flows above plane beds, 12T1059
DAVIES, AM: Internal Lee waves and turbulence mixing over an isolated seamount: Results from turbulence energy models, 5A932
- Review of recent developments in tidal hydrodynamic modeling - I: Spectral models, 9A1520
- Review of recent developments in tidal hydrodynamic modeling - II: Turbulence energy models, 9T1506
DAVIES, AR: Effects of a piezoviscous lubricant on the dynamics of a journal bearing, 5A1111
DAVIES, C: Numerical simulation of the evolution of Tollmien-Schlichting waves over finite compliant panels, 10A1146
DAVIES, CB: Bent-biconic single-stage-to-orbit vehicle conceptual study, 2A836
DAVIES, CR: Sensitivity analysis of 1D heat transfer in tissue with temperature-dependent perfusion, 9A1595
DAVIES, DG: Dynamic model of a wind-driven lift pump, 3A1200
DAVIES, GAO: Impact damage and residual strengths of woven fabric glass-polyester laminates, 5A173
DAVIES, HG: Nonstationary response near generic bifurcations, 1A131
DAVIES, JE: Viable bone formation in porous hydroxyapatite: Marrow cell-derived *in vitro* bone on the surface of ceramics, 11T1571
DAVIES, LM: European networks in structural integrity: Status in 1995, 4A1453
DAVIES, MCR: Analysis of energy absorption of adiabatic shear plugging in thermoviscoplastic targets, 8A1381
DAVIES, ME: Reconstructing attractors from filtered time series, 8A104
DAVIES, NH: Formation of liquid melts of CaS and $CaSO_4$ and their importance in the absorption of SO_2 by CaO, 1T1320
DAVIES, P: Influence of water and accelerated aging on the shear fracture properties of glass-epoxy composite, 3A705
- From quasi-2D to 3D Turing patterns in ramped systems, 5A1318
- Influence of water immersion on skin-core debonding in GFRP-balsa sandwich structures, 5A464
- Study of skin-core adhesion in glass fiber reinforced sandwich materials, 6A983
- Damage mechanisms in composite-composite bonded joints under static tensile loading, 9A748
DAVIES, PA: Measurements in a turbulent patch in a rotating, linearly-stratified fluid, 11A1102
DAVIES, POAL: Acoustic modeling of multiple path silencers with experimental validations, 8A334
- Predictive acoustic modeling applied to the control of intake-exhaust noise of internal combustion engines, 12A308
DAVIES, R: Analysis and design of tee joints with double support, 1A942
- Analysis and design of adhesively bonded tee joints with a single support plus angled reinforcement, 1A941
- Analysis and design of adhesively bonded modified double containment corner joints - II, 4A954
- Advanced connection techniques for cold-formed steel structures, 7A957
- Moment-rotation behavior of groups of press-joins in cold-formed steel structures, 8A835
- Robust eigenstructure assignment using the genetic algorithm and constrained state feedback, 9A340
DAVIES, SH: Movement of liquid contaminants in partially saturated frozen granular soils, 9A625
DAVIES, TG: Infinite BEs for the analysis of half-space problems, 1A83
DAVIES, TW: Vibration technique for space shuttle tiles bond assessment - Part II: Experimental results, 2A169
DAVIES, WJ: Subjective perception of seat dip attenuation, 5A233
DAVIES-JONES, R: Tornadogenesis with and without a dynamic pipe effect, 7T1496
DAVIS, A: Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, 6A1535
DAVIS, AMJ: Two-dimensional acoustical diffraction by a penetrable wedge, 3A310
- Use of boundary conditions of the third kind to model heat conduction between two proximate rough surfaces separated by an insulator, 6A1270
- Complete extension of the Biot-Tolstoy solution to the density contrast wedge with sample calculations, 9A287
DAVIS, AP: Influence of elastic nonlinearity on arterial anastomotic compliance, 5A1486
DAVIS, DAR: Subsonic, supersonic, and hypersonic inflectional-wave-vortex interaction, 5A994
DAVIS, DC: Recent Advances in Solids and Structures and Application of Metallic Materials, 6N18
DAVIS, DO: Flowfield measurements inside a boundary-layer bleed slot, 4A1036
DAVIS, EJ: History of single aerosol particle levitation, 8T1441
DAVIS, FM: Methods for calculating flow from observed or simulated hydraulic head, 10A1065
- Computed eccentricity effects on turbine rim seals at engine conditions with a mainstream, 11A1151
DAVIS, JR: Cast Irons, 3N24
DAVIS, JS: Tennis racket shock mitigation experiments, 11A1590
DAVIS, K: Threaded components under axial harmonic vibration - Part I: Experiments, 1A208
DAVIS, LD: High-performance active control of dynamically complex space structures, 3A380
DAVIS, MA: Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A128
- Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A129
- Distributed fiber Bragg grating strain sensing in reinforced concrete structural components, 10A865
DAVIS, ME: Microporous and Macroporous Materials, 7N18
DAVIS, MH: Wave-induced boundary layer flows above and in a permeable bed, 5A183
DAVIS, MHA: Target recognition problem: Sequential analysis and optimal control, 4A363
DAVIS, MR: Evaluation of fractal dimension for mixing and combustion by the schlieren method, 3A1332
DAVIS, NT: Effects of cycle operating condition on combustor performance, 8A1419
DAVIS, RJ: In-flight demonstration of a real-time flush airdata sensing system, 4A1138
DAVIS, RO: Dilation-induced pore fluid cavitation in sands, 9T616
DAVIS, RW: Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, 8A1439
- Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, 12A1422
DAVIS, S: Implicit high-order compact algorithm for computational acoustics, 4A312
DAVIS, SH: Mechanism for rivulet formation in heated falling films, 3A1141
DAVIS, T: Representations of Coulomb friction for dynamic analysis, 10A163
DAVISON, JB: Appraisal of partially restrained steel columns in nonsway frames, 12A919
DAVISON, P: Dynamic analysis of flexible multibody mechanical systems, 3A88
DAVOLI, P: Comparative study of multiaxial high-cycle fatigue criteria for metals, 12A767

DAVOUDZADEH, F: Numerical uncertainties in transonic flow calculations for aerofoils with blunt trailing edges, 8A1096
DAVY, A: Fatigue damage calculation in stress concentration fields under variable uniaxial stress, 1A700
DAVYDOV, MG: Mathematical simulation and optimization of technological processes described by relations of geometrically nonlinear theory of plasticity (Russian), 1A472
DAWBER, KR: Short term mean wind shear study in an area of complex terrain, 2T1414
DAWE, DJ: Finite strip large deflection and post-overall-buckling analysis of diaphragm-supported plate structures, 1A589
- Linear transient analysis of rectangular laminated plates by a finite strip-mode superposition method, 3A527
DAWE, RA: Flow behavior in the presence of wettability heterogeneities, 6A1373
DAWES, AS: Natural formulation of the random choice method for 2D inert high-speed flow fields, 4A997
DAWES, MG: Fracture toughness testing a weld metal: Results of a European round robin, 5A715
DAWES, WN: Distribution of film-cooling effectiveness on a turbine endwall measured using the ammonia and diazo technique, 5A1103
DAWSON, CN: Large time asymptotics in contaminant transport in porous media, 1A1383
- Large time profiles in reactive solute transport, 11A1391
DAWSON, D: Securing of rigid semi-trailers on roll-on and roll-off ships, 3A90
- Position-force control of robot manipulators without velocity-force measurements, 11A335
DAWSON, DM: Adaptive tracking controller for multiple-phase permanent-magnet machines, 3A352
- Output feedback controller for trajectory tracking of RLED robots using an observed backstepping approach, 8A448
DAWSON, M: Advances in Fluvial Dynamics and Stratigraphy, 1N40
DAWSON, PR: Texture predictions using a polycrystal plasticity model incorporating neighbor interactions, 7A451
DAY, AJ: Statistical mechanics material model for the constitutive modeling of elastomeric compounds, 8A562
DAY, CRB: Calibration of a four-hole pyramid probe and area traverse measurements in a short-duration transonic turbine cascade tunnel, 3A1204
DAY, MJ: Phase controller for laboratory testing of active sound and vibration control strategies, 6A348
DAY, RA: Preliminary observations of turbulent flow at culvert inlets, 7T1000
DAY, RW: Effect of gravel on pumping behavior of compacted soil, 3A585
DAY, S: Control of strong motion by the upper 30 meters, 8A1497
DAY, WA: Rates of propagation of heat according to Fourier's theory, 8T1328
DE A MOURA, GB: Solar radiation assessment using Meteosat 4-VIS imagery, 11A1545
DE AGUIAR ARAUJO, F: Analysis of the mechanical behavior of bimetallic strips under the plain strain compression test (Spanish), 9A443
DE ALMEIDA, AT: Three-dimensional surface-tracking with a robot manipulator, 1A404
DE ALMEIDA, SFM: Modeling of actively damped beams with piezoelectric actuators with finite stiffness bond, 9A132
DE ALVARENGA FREIRE, CM: Hydrogen damage analysis in catalytical cracking units steels of petroleum refineries by scanning electron microscopy, 9A714
DE ANGELIS, M: Oscillating turbulent flow with or without a current about a circular cylinder, 11A205
DE BAERDEMAEKER, J: Influence of tires on the dynamic behavior of a lawn mower, 12A1574
DE BAETS, P: Quantification of microscopic wear amounts of steel surfaces with thin layer activation, 1A898
- Mathematical approach of the influencing factors on stick-slip induced by decelerative motion, 7A857
- Characterization of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, 12A775
- Mathematical, geometrical wear model for continuous wear measurements based on the normal approach between a spherical and a flat specimen subject to fretting, 12A926
DE BARROS CORREIA, P: Cogeneration system design optimization, 6A453
DE BARROS TEIXEIRA BORGES, JE: Design of turbine blade rows using a time-marching method (Spanish), 6A963
DE BATTISTA, DJ: Bearing capacity of geosynthetic clay liners for cover soils of varying particle size, 5A537
DE BEDOUT, JM: Adaptive-passive noise control with self-tuning Helmholtz resonators, 10A373
DE BELLEVAL, JF: Behavior of lamb waves and multilayered Rayleigh waves in an anisotropic periodically multilayered medium: Application to the long-wave length domain, 5A155
DE BERGH, C: Solar system ices, 5T1459
DE BIASE, L: Finite volume method for the solution of convection-diffusion 2D problems by a quadratic profile with smoothing, 2A1197
DE BIASE, LM: FAST: A generalized FV solution of convection-diffusion problems by means of monotonic v-splines profiles, 7A1276
DE BILLY, M: End resonance in infinite immersed rods of different cross sections, 1A227
- Finite element analysis of the propagation of acoustic waves along waveguides immersed in water, 9A289
- Scattering of antisymmetric edge modes, 12A325
DE BOER, H: Pade approximants applied to a nonlinear FE solution strategy, 10A57
DE BOER, R: Effective stresses: A clarification, 2A539
DE BOER, R: Concept of effective stress for soil, concrete and rock, 9A611
DE BONA, F: Thermal expansion measurement of composites with optical heterodyne interferometry, 8A566
DE BONDT, AH: Finite elements simulation of reflective cracking in asphaltic overlays, 5A534
DE BONTE, M: Sliding wear behavior of thermally sprayed 75-25 Cr_3C_2-NiCr wear resistant coatings, 3A876
DE BORST, R: Novel developments in FE procedures for gradient-dependent plasticity, 1A505
- Failure in plain and reinforced concrete: An analysis of crack width and crack spacing, 1A684
DE BORST, R: Interaction between material length scale and imperfection size for localization phenomena in viscoplastic media, 1A487
DE BORST, R: Gradient enhanced damage for quasi-brittle materials, 3A722
- Computing strain fields from discrete displacement fields in 2D-solids, 4A481
- Observations on localization in non-local and gradient damage models, 6A757
- Eulerean FE model for penetration in layered soil, 7A573
- Experimental monitoring of strain localization and failure behavior of composite materials, 7A736
DE BRUIN, HAR: New method to determine the zero-plane displacement, 9T1516
DE BRUYN, JR: Formation of periodic arrays of icicles, 10A1498
DE BUHAN, P: Limit design of axisymmetric shells with application to cellular cofferdams, 3A802
DE BUHAN, P: Validity of the effective stress concept for assessing the strength of saturated porous materials: A homogenization approach, 4A1345
- Homogenization approach to the ultimate strength of brick masonry, 12A9
DE CAMP, CE: Mechanical responses of the rabbit patello-femoral joint to blunt impact, 11A1562
DE CARVALHO GATO, LM: Design of turbine blade rows using a time-marching method (Spanish), 6A963
DE CASTRO, JTP: Low-cost automatic system for machining photoclastic specimens, 1T806
DE CASTRO, PMST: Linear elastic stress analysis of curved pipes under generalized loads using a reduced integration finite ring element, 10A629
DE CHAMPLAIN, A: Prediction of soot emissions in gas-turbine combustors, 7A1408
DE CHANT, LJ: Interface wavelength between supersonic jets and subsonic flowfields, 2T982
- Interface wavelength between confined supersonic 2D jets and subsonic streams, 12T1133
DE CICCO, S: Torsion and flexure of microstretch elastic circular cylinders, 11A511
DE DIANOUS, P: Theoretical study of the influence of slugs on the radiative behavior of fibrous media (French), 1A1252
DE DONATO, O: Comprehensive energy formulation for general nonlinear material continua, 12A2
DE FARIA, AR: Modeling of actively damped beams with piezoelectric actuators with finite stiffness bond, 9A132
DE FELICE, G: Homogenization approach to the ultimate strength of brick masonry, 12A9
DE FILIPPIS, F: Comparison between numerical and experimental results on different Hermes elevon shapes, 12T1088
DE GENNES, PG: Adhesion between rubbers and grafted solids, 1A940
DE GOEY, LPH: Post-processing method for predicting NO formation in 1D and 2D premixed methane-air flames, 3A1330
DE GOEY, LPH: Modeling of methane-air combustion on ceramic foam surface burners in the radiation mode, 7A1417
DE GOEY, LPH: Evaluation of different contributions to flame stretch for stationary premixed flames, 12A1359
DE GROOT, MB: Geosynthetics: Applications, Design, and Construction, 7N13
DE HAAS, PCA: Application of domain decomposition to time-domain computations of nonlinear water waves with a panel method, 7A210
DE HARO, ML: Flow of Maxwell fluids in porous media, 6A1374
DE HOOG, F: Asymptotic analysis of the free in-plane vibrations of beams with arbitrarily varying curvature and cross-section, 4A119
DE HOOG, FR: Angularly averaged heat transfer for a roller used in strip rolling, 6A1268
- Modeling the volatilization of organic soil contaminants: Extension of the Jury, Spencer and Farmer Behavior Assessment Model and solution, 8A1555
DE HOOP, A: Acoustic Interactions with Submerged Elastic Structures, Part 3, 12N10
DE HOOP, MV: Generalized radon transform inversions for reflectivity in anisotropic elastic media, 11A1470
DE JESUS PEREIRA, RMR: Design of turbine blade rows using a time-marching method (Spanish), 6A963
DE JONGH, FM: Synchronous instability of a compressor rotor due to bearing journal differential heating, 5A135
DE KEE, D: Experimental study of the effect of surfactants on the free rise velocity of gas bubbles, 6A1069
DE KEPPER, P: From quasi-2D to 3D Turing patterns in ramped systems, 5A1318
DE KEYSER, TH: Stress control of piezoelectric ZnO films on silicon substrates, 7T566
DE KLERK, JH: Mathematical modeling of the interaction between a tracked vehicle and the terrain, 6A923
DE KRAKER, A: Experimental verification of the steady-state behavior of a beam system with discontinuous support, 1A162
- Steady-state behavior of flexible rotordynamic systems with oil journal bearings, 6A112
DE LA COLINA, C: Rating index for estimating insertion loss of noise barriers under traffic noise conditions, 2A290
DE LA GUARDIA, R: Effects of controls on fatigue loads in two-bladed teetered rotor wind turbines, 5A1448
DE LA SEN, M: Adaptive controller for continuous systems with single internal and external delays, 4A372
- Robust control of discrete critical systems with specifications in the frequency domain, 11A307
DE LA TORRE JUAREZ, M: Instability and breakdown of tall columnar vortices in a quasi-geostrophic fluid, 6A1138
DE LACERDA OLIVEIRA, M: Exponential stability for a contact problem in thermoelasticity, 10A1363
DE LACERDA, LA: Boundary integral formulation for 2D acoustic radiation in a subsonic uniform flow, 1A304
- Dual BE formulation for sound propagation around barriers over an impedance plane, 12A67
DE LANGHE, K: Statistical analysis of the power injection method, 1A224
DE LARRARD, F: Strain localization in confined high-strength concrete columns, 3A488
- Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, 6A541
DE LEON, M: Homogeneity conditions for generalized Cosserat media, 5A2
DE LEVA, P: Joint center longitudinal positions computed from a selected subset of Chandler's data, 3A1490
- Adjustments to Zatsiorsky-Seluyanov's segment inertia parameters, 3A1482
DE LEVAL, MR: Computational pulsatile model of the bidirectional cavopulmonary anastomosis: The influence of pulmonary forward flow, 5A1497
- Mathematical model of circulation in the presence of the bidirectional cavopulmonary anastomosis in children with a univentricular heart, 12A1559
DE LIMA, WJN: Approximate theories for vibration of laminated plates, 1A179
DE LOOZE, MP: Weight and frequency effect on spinal loading in a bricklaying task, 4A1487
DE LOS RIOS, ER: Modeling the conditions for fatigue failure in metal matrix composites, 5A597
- Micro-mechanics model of corrosion-fatigue crack growth in steels, 5A608
DE LUCA, L: Advances in Combustion Science, 12N40
DE LUCA, L: Stationary waves on plane liquid sheets falling vertically, 7A1130
- Instability of a spatially developing liquid sheet, 8A1175
DE LUCIA, M: Benefits of compressor inlet air cooling for gas turbine cogeneration plants, 1A1351
DE MANRIQUE, KS: Methylamine oxidation in a flow reactor: Mechanism and modeling, 7A1399
DE MARE, J: Belt number factor in multiple V-belt drives, 3A886
DE MATTEIS, G: Determination of equilibrium points for an aircraft dynamic model, 5T1082
DE METER, EC: Application of meta functions to the quasi-static analysis of workpiece displacement within a machining fixture, 2A370
DE MICHELE, G: Clean combustion in power generation systems, 7A1397
DE MIRANDA, AB: Alternative formulation of the S-N discrete ordinates for predicting radiative transfer in nongray gases, 2T1250
DE MONTE, F: Thermal analysis of the heat exchangers and regenerator in Stirling cycle machines, 10A1423
DE NICOLA, C: Stability of 2D model problems for multiblock structured fluid-dynamics calculations, 7A1389
DE NICOLA, S: Analysis of rigid rotations in holographic interferometry for simple flexural loadings tests, 9A795
DE OLIVEIRA, GI: Nonintegrable three mode interaction in the Zakharov equations, 11A99
DE OLIVEIRA, LPL: Nonintegrable three mode interaction in the Zakharov equations, 11A99
DE PADUA LOUREIRO, A: Mechanical properties of reinforcing and prestressing steels after heating, 6A1300
DE PAUW, D: Sonoluminescence: An alternative "electrohydrodynamic" hypothesis, 9A1069
DE PIETRO, SM: Field test results of a dry low NO_x combustion system for the MS3002J regenerative cycle gas turbine, 8A1436
DE QUEIROZ, MS: Position-force control of robot manipulators without velocity-force measurements, 11A335
DE ROECK, G: Fracture mechanics approach for designing an adhesive joint for glass fiber-reinforced pipes, 11A703
DE ROSA, E: Dynamic behavior of an unbalanced rotor on lubricated bearings, 4A122
DE ROSA, MA: Free vibrations of stepped beams with flexible ends, in the presence of follower forces at the step, 2T116
- Higher order Timoshenko quotient in the stability and dynamic analysis of smoothly tapered beams, 4A126
- Exact dynamic analysis of beam-mass systems, 4T124
DE ROSSI, D: Characterization and modeling of a conducting polymer muscle-like linear actuator, 8A425
DE RUIJTER, WPM: Finite Amplitude stability of the wind-driven ocean circulation, 6T1478
DE SAJA, JA: Fracture behavior of untreated and silane-treated talc-filled polypropylene composites, 12A808
DE SANCTIS, MC: Rotational properties of asteroids: CCD observations of nine small asteroids, 4T263
- LUVIMS lunar UV and IR mapping spectrometer, 6A328
DE SANTIAGO, E: Distributed FEM for solving the incompressible Navier-Stokes equations, 6A1035
DE SCHEPPER, H: Finite element approximation for 2nd order elliptic eigenvalue problems with nonlocal boundary or transition conditions, 7T31
DE SCHUTTER, G: Degree of hydration-based description of mechanical properties of early age concrete, 1A845
DE SCHUTTER, J: Optimal feedforward prefilter with frequency domain specification for nonminimum phase systems, 6T381
- Invariant hybrid force-position control of a velocity controlled robot with compliant end effector using modal decoupling, 12A440
DE SCIARRA, EM: New variational theory and a computational algorithm for coupled elastoplastic damage models, 10A844
DE SOUZA LIMA, S: Method for graphic stress representation, 10A53
DE SOUZA NETO, EA: Design of simple low order FEs for large strain analysis of nearly incompressible solids, 1A2
DE SOUZA SANCHEZ FILHO, E: Plastic analysis of bending-torsion of thin-walled beams (Spanish), 9A546
DE SOUZA, JR: Boundaries of safe operation of mechanical oscillators, 8A90
DE SOUZA, R: Multi-processor distributed simulation for job-shop scheduling: boob or bane?, 4A474
DE STEFANO, A: Techniques for the mechanical characterization of civil structures, 5A278
DE STEFANO, M: Comparison of the present SEAOC-UBC torsional provisions with the old ones, 10A949
DE TARSO T ESPERANCA, P: Added mass and damping on bottom-mounted rectangular cylinders, 6A302
DE TOMBE, PP: Measurements of active myocardial tension under a wide range of physiological loading conditions, 7T1553
DE TOMMASI, D: Elastic bodies reinforced with inextensible surfaces, 9A469
DE VARGAS, L: Nuclear magnetic resonance imaging of apparent slip effects in xanthan solutions, 5A904
DE VIN, LJ: Influence of material behavior in air bending of steel sheet, 10A733
DE VISSCHER, J: Identification of the damping properties of orthotropic composite materials using a mixed numerical experimental method, 8A203
DE VREE, JHP: Gradient enhanced damage for quasi-brittle materials, 3A722
- Observations on localization in non-local and gradient damage models, 6A757
DE VRIES, M: Implementation of EFPI-based optical-fiber sensor instrumentation for the NDE of concrete structures, 10A869
DE WAAL, JK: Experimental study of Cardan-joint dynamics, 11A844

DE WILDE, WP: Identification of the damping properties of orthotropic composite materials using a mixed numerical experimental method, 8A203
DE WIT, CC: Nonlinear control for a train-like vehicle, 12A396
DE WITH, G: Angularity determination of abrasive powders, 4A882
DE WITT, KJ: Momentum and heat transfer on a continuous moving surface in a power law fluid, 7A1269
- Icing calculations on a typical commercial jet engine inlet nacelle, 8A1230
DE, A: Experimental study of resistance spot welding in 1mm thick sheet of low carbon steel, 2A939
DE, S: Design and operation of a heat recovery steam generator with minimum irreversibility, 8A1427
- Integral formulation for mass transfer of a reactive species in a channel from a moving surface with blowing, 12A1122
DEAKIN, MAB: Hermite equation and the generalized Laplace transform, 10T101
DEALY, JM: Use of rheological measurements to estimate the molecular weight distribution of linear polyethylene, 3A966
DEAN, AJ: Combustion technology for low-emissions gas-turbines: Selected phenomena beyond NO_x, 3A1308
DEAN, DM: Influence of molecular weight on the morphology and crystallization kinetics of poly(phenylene sulfide) composites, 2A436
DEAN, RG: Numerical models and intercomparisons of beach profile evolution, 10A1061
DEAN, RH: Consequences of fluid lag in 3D hydraulic fractures, 10A1452
DEAN, TA: Finite element simulation and experimental study of hot closed-die upsetting, 3A622
- Image detection approach to NC rough-cut milling from solid models, 6A693
- Development of product and process comparison criteria for an intelligent knowledge-based system for forging die design, 6A678
DEANE, GB: Internal friction and boundary conditions in lossy fluid seabeds, 7A257
DEANS, J: Augmentation of steam condensation heat transfer by addition of ammonia, 5A1214
DEB, A: Adaptive meshing for dynamic strain localization, 6A630
- Automated band identification procedure for dynamic strain localization, 6A631
DEBBAUT, B: Development of secondary motions in straight channels induced by the second normal stress difference: Experiments and simulations, 11A1036
DEBIANE, M: New way for the calculation of steady periodic capillary-gravity waves on deep water, 8A261
DEBIEVE, J-F: Supersonic turbulent boundary layer subjected to step changes in wall temperature, 6A1081
DEBIEZ, S: Definition of a materials data base for heavy structures created by experimental characterization of toughness impact strength, 9A690
DEBLER, W: Flushing criteria in estuarine and laboratory experiments, 6A1009
- Purging of saline water from rectangular and trapezoidal cavities by an overflow of turbulent sweet water, 8A1025
DEBLOIS, BM: Quadratic, streamline upwinding for FEM solutions to 2D convective transport problems, 2A1303
- Linearizing convection terms in the Navier-Stokes equations, 10A1098
DEBNATH, L: Nonlinear Partial Differential Equations for Scientists and Engineers, 10R4
- Exact solutions of nonlinear shallow water equations, 8A251
DEBOTTON, G: Modeling the impact of waterdrops on targets with a thin protective layer, 10A281
DEBSKI, A: Fabrication and assessment of properties of Cu-Ni highly plastic sinters (Polish), 9A682
DEC, JE: Planar laser Rayleigh scattering for quantitative vapor-fuel imaging in a diesel jet, 9A1389
DECASTRO, PMST: Isoparametric interface FE for 3D - Problems (Spanish), 7A41
DECENT, SP: Nonlinear damping of parametrically excited 2D gravity waves, 7A211
- Limit cycles arising from the parametric excitation of standing waves, 11A176
- Solitary waves and chaotic twisting in a PDE model of Faraday resonance, 12A258
DECHER, R: Mass flow and thrust performance of nozzles with mixed and unmixed nonuniform flow, 11A1050
DECHIFFRE, L: Topographic characterization of progressive wear on deep drawing dies, 10A980
DECKER, R: Application of capacitance instrumentation to the measurement of density and velocity of flowing snow, 6A1524
DECONINCK, H: Euler and Navier-Stokes Solvers Using Multi-Dimensional Upwind Schemes and Multigrid Acceleration, 11N6
- Implicit upwind residual-distribution Euler and Navier-Stokes solver on unstructured meshes, 4A1014
- Multidimensional upwind residual distribution schemes for the convection-diffusion equation, 5A1321
DECORSO, M: Catalytic combustion for industrial gas turbines, 2A1314
DECULTOT, D: Identification of the resonances of a cylindrical shell stiffened by an internal longthwise rib, 5A112
DEDONA, JA: Optimal parallel model solutions using the polynomial approach, 5T295
DEDOUSSIS, V: Numerical simulation of blade fault signatures from unsteady wall pressure signals, 10A516
DEEB, NAA: Transverse steel content in spiral concrete columns subject to eccentric loading, 2A785
DEEN, WM: Hindered transport of macromolecules through a single row of cylinders: Application to glomerular filtration, 11A1572
DEEP, GS: Compensation of self-heating in the measurement of the dynamic response of a thermoresistive sensor, 12A1245
DEEVI, SC: Combustion and microexplosion of hydroxylammonium nitrate-based liquid gun propellants at elevated pressures, 10A330
DEFFNER, KT: Relationship of static foot structure to dynamic foot function, 7A1541
DEFILIPPI, M: Multimodal nonlinear spectral response of a beam with impact under random input, 12A147
DEFLORENNE, F: Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, 6A541
DEGAN, G: Natural convection in a vertical slot filled with an anisotropic porous medium with oblique principal axes, 3A1243
- Boundary-layer regime in a vertical porous layer with anistropic permeability and boundary effects, 10A1306
DEGANI, AT: Parallel multigrid computation of the unsteady incompressible Navier-Stokes equations, 4A977
DEGANI, D: Thin vs full Navier-Stokes computation for high-angle-of-attack aerodynamics, 9T1174
DEGERTEKIN, FL: Lamb wave tomography and its application in pipe erosion-corrosion monitoring, 10A797
DEGOEDE, J: Spatio-temporal chaos: A solvable model, 12A130
DEGRAAFF, DB: Turbulence characteristics of a boundary layer over a 2D bump, 3A1146
- Turbulence characteristics of a boundary layer over a swept bump, 4A1033
DEGRAEF, M: Simple method for measuring surface strains around cracks, 1A791
DEGREZ, G: Implicit upwind residual-distribution Euler and Navier-Stokes solver on unstructured meshes, 4A1014
- Multidimensional upwind residual distribution schemes for the convection-diffusion equation, 5A1321
- Numerical modeling of steady inspiratory airflow through a three-generation model of the human central airways, 9A1596
DEGUCHI, T: Reasoning of the machinability and cutting condition based on the chemical compositions of material - 1st report: Influence of the chemical composition on machinability (Japanese), 2A598
DEHANT, V: Precession constant: Values and constraints on the dynamical ellipticity; link with Oppolzer terms and tilt-over-mode, 11A232
DEHDASHTI, G: Dome-shaped space trusses formed by means of posttensioning, 3A806
DEHGHAN, AA: Numerical investigation of natural convection in a vertical slot with two heat source elements, 4A1196
DEHM, G: Microindentation method for estimating interfacial shear strength and its use in studying the influence of titanium transition layers on the interface strength of epitaxial copper films on sapphire, 8A841
DEHMANI, L: Influence of a strong density stratification on the entrainment of a turbulent axisymmetric plume, 2A1025
- Turbulent structure of an axisymmetric plume penetrating a strong density stratification, 4A1060
DEHOMBREUX, P: Analysis of the performance of operational data analysis methods, 4A855
- Computer-aided simulation approach for mechanisms with time-varying topology, 4A917
- Equivalence criteria between mechanical environments, 7T186
DEIGAARD, R: Velocity and concentration profiles in sheet-flow layer of movable bed, 3A989
- Phase-resolving cross shore sediment transport model for beach profile evolution, 12T1061
DEJONG, NC: Experimental study of flow and heat transfer in parallel-plate arrays: Local, row-by-row, and surface average behavior, 6A1220
DEKA, M: Subband coding for thermal image compression, 9T317
DEKANSKI, CW: Parametric model of a 2-stroke engine for design and analysis, 6A1358
- Partial differential equation surface generation and functional shape optimization of a swirl port, 10A1426
DEKEL, E: Computational study of the influence of projectile strength on the performance of long-rod penetrators, 1A248
- Note on the geometric scaling of long-rod penetration, 8A246
DEKHTYAR', RA: Heat transfer between a filtrating fluid and channel walls in packed beds, 5T907
DEKHTYAR, AS: Optimal point support of the shells and plates, 12T616
DEKHTYAR, Y: Failure and relaxations of carbon fiber-reinforced plastic tested by exoemission and luminescence methods, 8A798
DEKKING, FM: Simulation of rough, elastic contacts, 12A492
DEL CANO, JC: Stress singularities induced by the discretization in curved receding contact surfaces: A BEM analysis, 11A371
DEL CANO, JC: Effect of crack-face contact on fiber-matrix debonding in transverse tensile loading, 12A804
DEL CERRO, J: Specific heat measurements under non-equilibrium conditions, 7A1233
DEL GIACOMO, N: Two-color pyrometry measurements of soot loading in a diesel engine burning model fuels of varying quality, 2A1322
DEL PIERO, G: Analytic expression of the free energy in linear viscoelasticity, 5A401
DEL POBIL, AP: Perception-based learning for motion in contact in task planning, 6A393
DEL RE, L: Enhancing hydrostatic gear efficiency through nonlinear optimal control strategies, 6A950
DEL RIO P, JA: Flow of Maxwell fluids in porous media, 6A1374
DEL V ARENAS, B: Free vibration of rectangular plates with circular openings, 6A163
DEL VALLE, E: Issues on the seismic retrofit of a building near resonant response and structural pounding, 3A1388
DEL-CASTILLO-NEGRETE, D: Dynamics of vorticity defects in shear, 8A1048
- Renormalization and transition to chaos in area preserving nontwist maps, 8A105
DELAET, M: Effects of the intralaminar shear loading rate on the damage of multi-ply composites, 1A758
DELAFONTAINE, P: Effect of uniaxial cyclic stretch on the morphology of monocytes-macrophages in culture, 2T1453
DELAGE, P: Formulation of fully coupled thermal-hydraulic-mechanical behavior of saturated porous media: Numerical approach, 9A1441
DELAGE, Y: Parameterizing sub-grid scale vertical transport in atmospheric models under statically stable conditions, 9T1517
DELALE, CF: Comparison of nucleation theories by the asymptotic solution of condensing nozzle flows, 3A1245
DELALE, F: Interface and matrix fracture in brittle fiber-reinforced composites, 2A680
- Characterization of failure behavior of brittle matrix composites at room and elevated temperatures, 3T703
DELANAYE, M: Quadratic-reconstruction finite volume scheme for compressible flows on unstructured adaptive grids, 9A1045
- Finite volume scheme with quadratic reconstruction on unstructured adaptive meshes applied to turbomachinery flows, 10A1252
DELANCEY, JOL: Vesico-urethral pressuregram analysis of urethral function under stress, 6A1536
DELANDE, D: Acoustic radiation from membranes at high frequencies: The quantum chaos regime, 9A251
DELANEUVILLE, RE: Damage tolerance based life prediction in gas turbine engine blades under vibratory high cycle fatigue, 8A200
DELANNAY, F: Critical assessment of the application of the J integral and CTOD concepts to circumferentially cracked copper bars, 6A767
- Influence of test parameters on the measurement of the essential work of fracture of zinc sheets, 8A832
- Experimental and numerical investigation of fracture in double-edge notched steel plates, 10A811
DELAUNAY, D: Interface temperature of two suddenly contacting bodies, one of them undergoing phase change, 7T1300
- Identification and control of heat sources in materials during thermal processing, 8A726
DELDOSSI, MA: Experimental study on anchored bars in RC elements with transverse reinforcement, 5A775
DELETIC, A: Modeling of storm wash-off of suspended solids from impervious surfaces, 8A1035
DELFINO, A: Residual strain effects on the stress field in a thick wall FE model of the human carotid bifurcation, 12A1548
DELFOSSE, D: Energy-based approach to impact damage in CFRP laminates, 12A244
DELFS, J: Cavity pressure oscillations: The generating mechanism visualized, 4T242
DELGADO, A: Flow field of two stratified liquids in the presence of interfacial waves, 3A245
DELGADO, AV: Study on the adhesion of calcium carbonate to glass: Energy balance in the deposition process, 2A944
DELGADO, RM: Modeling of railway bridge-vehicle interaction on high speed tracks, 9A891
DELIC, G: Next Generation Environmental Models and Computational Methods, 4N32
DELL'ISOLA, F: Numerical methods versus asymptotic expansion for torsion of hollow elastic beams, 1A453
DELL'ISOLA, F: Nucleation of spherical shell-like interfaces by second gradient theory: Numerical simulations, 3T1078
DELL'ISOLA, F: Thermokinematic analysis of pipe shaping in cast ingots: A numerical simulation via FDM, 3A646
- Outlooks in Saint Venant theory - Part II: Torsional rigidity, shear-stress "and all that" in the torsion of cylinders with section of variable thickness, 4A57
DELL'ISOLA, F: Perturbation series for shear stress in flexure of Saint-Venant cylinders with Bredt-like sections, 4T484
- Edge contact forces and quasi-balanced power, 9A440
DELLA SANTA, A: Characterization and modeling of a conducting polymer muscle-like linear actuator, 8A425
DELLA VOLPE, C: Thermomechanical behavior of interfacial region in carbon fiber-epoxy composites, 5A1304
DELLAR, PJ: Solidification of pressure-driven flow in a finite rigid channel with application to volcanic eruptions, 4A1368
DELLOYE, C: Comparative left-right mechanical testing of cancellous bone from normal femoral heads, 3A1484
DELMAS, H: Electrochemical probe for bubble size prediction in a bubble column, 10T1137
DELP, SL: Maximum isometric moments generated by the wrist muscles in flexion-extension and radial-ulnar deviation, 3A1498
DELPH, TJ: Three-dimensional model for the probabilistic intergranular failure of polycrystalline arrays, 4A529
- Probabilistic model for creep-fatigue failure, 8A896
- Probabilistic model for the growth of creep cracks, 11A669
DELPLANQUE, J-P: Multidirectional solidification model for the description of micropore formation in spray deposition processes, 1A1193
DELPRETE, D: DYNROT: FE code for rotordynamic analysis based on complex coordinates, 4A1153
DELSANTO, PP: Ultrasonic tomography using curved ray paths obtained by wave propagation simulations on a massively parallel computer, 4A316
DELSOLE, T: Can quasigeostrophic turbuelnce be modeled stochastically?, 3T1155
DEMAID, A: Composing and combining complex designs from different project perspectives, 4T477
DEMAKOS, CB: Effective anisotropy of short-fiber composites due to fiber ellipticity, 12A565
DEMANET, D: Dynamic soil parameters determination by geophysical prospecting in Mexico City: Implication for site effect modeling, 5A517
DEMARE, S: Effect of roughness aspect ratio on the "Bursting" period in a fully turbulent channel flow, 11T1100
DEMARIA, M: Effect of vertical shear on tropical cyclone intensity change, 3T1412
DEMAY, Y: Linear stability of multilayer plane Poiseuille flows of Oldroyd B fluids, 12A1137
DEMEJO, LP: Time-dependent adhesion-induced phenomena: Viscoelastic creep of a substrate polymer over rigid particles, 12A514
DEMETRIADES, A: Space-time correlation measurements in a hypersonic transitional boundary layer, 6A1085
- Stabilization of a nozzle boundary layer by local surface heating, 6A1099
DEMETRIOU, MA: On-line parameter estimation for infinite-dimensional dynamical systems, 8T368
DEMETROPOULOS, CK: Relationship between loading conditions and fracture patterns of the proximal femur, 5A1473
DEMIANIUK, M: Magnetic anisotropy of V'' in CdS, 9A608
DEMIC, M: Analysis of influence of design parameters on steered wheels shimmy of heavy vehicles, 5A315
- Identification of vibration parameters for motor vehicles, 9A161
DEMIDOVICH, AA: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
DEMIR, H: Analysis of orthotropic plate-foundation interaction by mixed FE formulation using Gateaux differential, 7A528
DEMIRALP, M: New approach to the classical Stokes flow problem - Part I: Methodology and first-order analytical results, 8A1054
DEMIRAY, H: Effects of initial stresses and wall thickness on wave characteristics in elastic tubes, 4A254
- Nonlinear waves in a prestressed thick elastic tube filled with an inviscid fluid, 5A206
- Waves in initially stressed fluid-filled thick tubes, 7A1547
- Small but finite amplitude waves in a prestressed viscoelastic thin tube filled with an inviscid fluid, 8A283
- Effect of initial twist on wave characteristics in a prestressed fluid-filled elastic thin tube, 12A280

- Solitary waves in initially stressed thin elastic tubes, 12A273
DEMIRCI, HH: Numerical and experimental investigation of neural network-based intelligent control of molding processes, 8A466
DEMIRDZIC, I: Benchmark solutions of some structural analysis problems using finite-volume method and multigrid acceleration, 10A15
DEMIREL, Y: Thermodynamic analysis of convective heat transfer in a packed duct with asymmetrical wall temperatures, 5A1194
DEMKIN, NB: Friction contact properties and metal machining, 2A861
- Contact mechanics of rough surfaces and tribology, 3A871
DEMKOWICZ, L: Application of hp-adaptive BEMs and FEMs to elastic scattering, 1A241
- Numerical solution and *a posteriori* error estimation of exterior acoustics problems by a BEM at high wave numbers, 1A335
- Solution of 3D-Laplace and Helmholtz equations in exterior domains using hp-infinite elements, 6A57
DEMMEL, J: Inverse free parallel spectral divide and conquer algorithm for nonsymmetric eigenproblems, 11A74
DEMNATI, A: Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, 12A1438
DEMOFONTI, G: Effect of cathodic protection potential on corrosion fatigue crack growth rate of an offshore structural steel, 5A616
- Development and validation of a dynamic fracture propagation model for gas transmission pipelines, 7A761
DEMONICAULT, JM: Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 2A646
DEMOURA, MFSF: Isoparametric interface FE for 3D - Problems (Spanish), 7A41
DEMPSEY, JP: Fracture analysis of semi-circular and semi-circular-bend geometries, 3A691
- Core-based SCB fracture of aligned first-year sea ice: Phases III and IV, 9A1549
- Core-based SCB fracture of aligned first-year sea ice: Phase VI, 9A1550
- Modified reversed direct-stress device, 10T1500
DEMUNTER, D: Porous silicon as a sacrificial material, 8T417
DEMUREN, A: Modeling near-wall effects in second-moment closures by elliptic relaxation, 2A1047
DEMUTS, E: Stability of composite structures, 2A443
DEN BRAVEN, K: Effect of cyclic operation of a horizontal ground loop on ground coupled heat pump performance, 8A1543
DEN HOEDT, G: Geosynthetics: Applications, Design, and Construction, 7N13
DEN TOONDER, JMJ: Criterion for identifying strong flow regions in turbulence, 5A1048
- Drag reduction by polymer additives in a turbulent pipe flow: Numerical and laborstory experiments, 10A1179
DEN UIJL, JA: Bond model for ribbed bars based on concrete confinement, 9A861
DENARO, FM: Towards a new model-free simulation of high-Reynolds-flows: Local average direct numerical simulation, 1A1085
DENAT, A: Energy model for artificially generated bubbles in liquids, 6A1068
DENDA, M: Complex variable approach to the BEM for multiple crack problems, 9A774
DENEUVILLE, P: Measurements of friction in cold metal rolling, 1A643
DENG , JIANXIN: Failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 12A945
DENG, BO: Spiral-plus-saddle attractors and elementary mechanisms for chaos generation, 1A134
DENG, H: Dynamics of geometrically-exact sandwich beams-1D plates: Computational aspects, 11A154
- Dynamic formulation for geometrically-exact sandwich shells, 12A628
DENG, HONGZHOU: Reliability analysis for offshore platform structural systems, 12T270
DENG, J: Error in lumped parameter analysis of heat flow rate through extended surfaces accounting for thermal contact resistance, 6A1287
DENG, JIANXIN: Effect of whisker orientation on the friction and wear behavior of $Al_2O_3/TiB_2/SiC_w$ composites in sliding wear tests and in machining processes, 7A860
DENG, K: Cutting state identification, 8A701
DENG, N: Topographic effects on the seismic response of steep slopes, 12A1449
DENG, Q: Effect of leading-edge flaps on vortices and vortex breakdown, 6A1188
DENG, X: Determination of elastic-plastic stresses and strains from measured surface strain data, 1A507
DENG, XIAOMIN: Finite element analysis of creep fracture initiation in a model superalloy material, 10A790
DENG, Y: Dynamic characteristics of a beam specimen featuring electrorheological fluids, 8A131
DENGEL, D: Arc sine √P transformation: An effective tool for graphical and numerical evaluation of planned Wohler experiments, 8A752
DENIER, JP: Effect of buoyancy on upper-branch Tollmein-Schlichting waves, 10A1167
DENISIK, SA: Virial oscillations of celestial bodies - V: The structure of the potential and kinetic energies of a celestial body as a record of its creation history, 7A236
DENISYUK, IT: Peculiarities of stresses of anisotropic plate with angular cut (Russian), 1A574
DENIZ, S: Oscillating rectangular and octagonal profiles: Interaction of leading- and trailing-edge vortex formation, 8A278
DENKOWSKI, Z: Inverse problem for the prelincar filtration of ground water, 2A1368
DENMAN, PA: Prediction and measurement of the total pressure loss in an engine representative diffuser system, 10A1248
DENN, MM: Effect of die materials and pressure-dependent slip on the extrusion of linear low-density polyethylene, 8A1082
- Visualization of the flow of a thermotropic liquid crystalline polymer in a tube with a conical contraction, 11A898
DENNEMAN, AIM: Thermodynamic approach to rheological modeling and simulations at the configuration space level of description, 8A1017
DENNERLEIN, JT: Low profile human tendon force transducer: The influence of tendon thickness on calibration, 9A1599
DENNIS, RG: Parametric model of muscle moment arm as a function of joint angle: Application to the dorsiflexor muscle group in mice, 5A1480
DENNIS, SCR: Flow along a diverging channel, 10A1069
DENNIS, ST: Galerkin solution to geometrically nonlinear laminated shallow shell equations, 9A574
DENNY, E: Relationships between alveolar size and fiber distribution in a mammalian lung alveolar duct model, 12A1547
DENOS, R: Assessment of the cold-wire resistance thermometer for high-speed turbomachinery applications, 8A1247
DENOYER, KK: Method for structural model update using dynamically measured static flexibility matrices, 7A126
DENT, J: Application of capacitance instrumentation to the measurement of density and velocity of flowing snow, 6A1524
DENT, JC: Particle image velocimetry analysis of IC engine in-cylinder flows, 1A809
DENTITH, MC: Inversion of seismic refraction data using genetic algorithms, 6A1411
DENTITH, MD: Fractal-based algorithm for detecting first arrivals on seismic traces, 1A1411
DENTON, JD: Development of blade profiles for low-pressure turbine applications, 12A1187
DENTSORAS, A: Use of expert systems for the selection and the design of solar domestic hot water systems, 4A1465
DENZLER, J: New energy term combining Kalman-filter and active contour models for object tracking, 4T339
DEO, AS: Dynamics and control of multiple cooperating manipulators with rolling contacts, 3A401
DEO, R: Composite Materials: Testing and Design, Twelfth Volume, 2N22
DEODATIS, G: Non-stationary stochastic vector processes: Seismic ground motion applications, 1A1422
- Simulation of ergodic multivariate stochastic processes, 3A63
DEOLASI, PJ: Dynamic instability characteristics of plates subjected to partially distributed follower edge loading with damping, 5A498
- Experiments on the parametric vibration response of plates under tensile loading, 8A614
DEORDIEV, GI: Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813
DEPASSE, F: Use of 2D Fast Fourier Transform in harmonic modulated thermal diffusion, 1T1221
DEPASSE, F: Sample tip thermal coupling in modulated laser surface excitation, 12A1303
DEPLANO , M: Thermoplastic polymers quality control: DSC baseline optimization for heat of fusion measurements, 4A1187
DERAIL, C: Relationship between viscoelastic and peeling properties of model adhesives - Part 1: Cohesive fracture, 10A809
DERBY, B: Creep behavior of a SiC particulate reinforced Al-2618 metal matrix composite, 7A463
DERBYSHIRE, JA: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193
DEREBAIL, R: Numerical simulation of natural convection of gallium in a narrow gap, 5A1153
DEREN, P: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
DERGACHEV, AA: Exposure of structural elements made from composite materials to high-intensity energy fluxes, 12T584
DERKS, G: Dissipation in Hamiltonian systems: Decaying cnoidal waves, 2A218
DERMENJIAN, A: Residual Stresses in Design, Fabrication, Assessment, and Repair, 2N28
DERMENJIAN, Y: Spectral analysis of a multistratified acoustic strip - Part II: Asymptotic behavior of solutions for a simple stratification, 4A290
DERODE, A: Partial coherence of transient ultrasonic fields in anisotropic random media: Application to coherent echo detection, 8A322
DERUNOV, EK: Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 1: Experimental technique, distributed aerodynamic characteristics, 6T1191
- Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, 8T1213
DERVIEUX, A: Multimesh and multiresolution analysis for mesh adaptive interpolation, 6A84
DERZAKOWSKI, K: Dielectric resonator figure of merit, 9T288
DESABRAIS, KJ: Experiments on impulsively started jet diffusion flames, 12A1405
DESAI, CP: Heat transfer optimization within open-ended annular cavities, 7T1248
- Buoyancy induced convection in a narrow open-ended annulus, 12A1261
DESAI, CS: Cyclic interface and joint shear device including pore pressure effects, 11A556
DESAI, NN: Inverse-based reconstruction of internal solid-liquid phase boundaries and associated solid phase temperature fields, 4A692
DESANTES, JM: LDV measurements of the flow inside the combustion chamber of a 4-valve DI diesel engine with axisymmetric piston-bowls, 7A1406
DESANTIS, RM: Modeling and path-tracking for a load-haul-dump mining vehicle, 9A362
DESANTO, JA: Angular-spectrum representations for scattering by infinite rough surfaces, 6A241
DESAYI, P: Punching shear strength of flat slab corner column connections - Part 2: Fiber-reinforced concrete connections, 8A908
- Punching shear strength of flat slab corner column connections - Part 1: Reinforced concrete connections, 8A907
DESBIENS, A: Adaptive control: Practical aspects and application to a grinding circuit, 10A426
DESBORDES, H: Global approach of thermal effects including pad deformations in tilting-pad journal bearings submitted to unbalance load, 11A853
DESCHAMPS, M: Acoustic waves generated by a transient line source in an anisotropic half-space, 7A260
- Energy velocity of complex harmonic plane waves in viscous fluids, 8A262
DESCHUTTER, J: Experimental robot identification using optimized periodic trajectories, 4A438
DESERI, L: Analytic expression of the free energy in linear viscoelasticity, 5A401
DESFORGES, JR: Equivalent constant amplitude concepts examined under fatigue crack propagation by block loading, 5A578
DESHAIES, B: IUTAM Symposium on Combustion in Supersonic Flows, 9N28
- Burning velocities of rich H_2-O_2 flames under cryogenic conditions, 10A1400
DESHAYES, J: Joint PDF parametric models for the rate of upcrossings of the acceleration for a nonlinear stochastic oscillator, 3A125
DESHMUKH, SS: Three fringe photoelasticity: Use of color image processing hardware to automate ordering of isochromatics, 3A732
- Automation of white light photoelasticity by phase-shifting technique using color image processing hardware, 12A858
DESHPANDE, JM: Prediction of buckling load of columns using artificial neural networks, 6A610
DESHPANDE, M: Cavitation modeling with a CFD approach, 1T963
- Numerical modeling of the thermodynamic effects of cavitation, 11A917
DESIDERI, U: Study of the steam turbine trip in a 20 MW geothermal plant, 1A1350
- Biomass combustion - gasification model: Validation and sensitivity analysis, 11A1420
DESILVA, SJ: Irregular points in 2D free surface flows with surface tension for the wavemaker boundary value problem, 12A254
DESJARDIN, PE: Linear-eddy modeling of non-equilibrium turbulent reacting flows with nonpremixed reactants, 10A1405
DESLOUIS, C: Flow measurement in an impinging jet cell with three-segment microelectrodes, 6A1209
DESMAZES, P: Soil characterization using electrical measurements, 9T631
DESMET , C: Theory of Scholte, leaky Rayleigh, and lateral wave excitation via the laser-induced thermoelastic effect, 3A204
DESMET, C: Green's function for surface acoustic waves: Comparison between theory and experiment, 3A216
- Behavior of Lamb waves in stressed polymer foils, 3A195
DESMEUZES, C: Different levels of modeling for diffusion phenomena in neutral and ionized mixtures, 7A1373
DESMORAT, R: Reinitiation of a crack roaching an interface, 8A813
DESPOTIS, GK: Finite volume method for the solution of the extrudate swell problem on unstructured triangular meshes, 5A946
- Fractional step method for unsteady incompressible flows on unstructured meshes, 7T1040
DESQUINES, J: In-plane limit moment for an elbow: Lower-bound analytical solution and FE processing by elastic compensation method, 9A559
DESRUES, J: Void ratio evolution inside shear bands in triaxial sand specimens studied by computed tomography, 4A641
DESSIATOUN, S: EHD-enhanced boiling coefficients and visualization of R-134a over enhanced tubes, 11A1273
- EHD-enhanced boiling of R-123 over commercially available enhanced tubes, 11T1286
DESSIATOUN, SV: Advances in Energy Efficiency, Heat and Mass Transfer Enhancement, 3N39
- Boiling heat transfer enhancement of R-134a in a tube bundle utilizing the EHD technique, 2A1206
DESSOUKY, MT: Measurement of thermophysical properties of ammonium salts in the solid and molten states, 3A1218
DESTUYNDER, P: Mixed FE for shell model with free edge boundary conditions - Part 3: Numerical aspects, 4A609
- Eulerian approach for large displacements of thin shells including geometrical nonlinearities, 6A596
DETASSIS, M: Thermomechanical behavior of interfacial region in carbon fiber-epoxy composites, 5A1304
DETERESA, SJ: Kink band mechanism for the compressive failure of fiber composite materials, 10A820
DETO, H: Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, 8A50
DETRICK, DL: Analysis of the Martian atmosphere for riometry, 9A1521
DEUFLHARD, P: Cascadic multigrid method for elliptic problems, 6T64
DEUIS, RL: Abrasive wear of aluminium composites: A review, 7A874
- Dry sliding wear of aluminium composites: A review, 11A831
DEURING, P: Finite element methods for the Stokes system in 3D exterior domains, 8A28
DEVAN, JH: Review of the efficacy of silicon carbide hot-gas filters in coal gasification and pressurized fluidized bed combustion environments, 1A1367
DEVANE, MA: High precision integration for dynamic structural systems with holonomic constraints, 12A217
DEVARA, PCS: Retrieval of aerosol size index from high-resolution spectroradiometer observations, 7A1437
DEVARAKONDA, R: Experimental study of turbulent flow in the near wakes of single and tandem prisms, 2A1043
DEVASIA, S: Output tracking with nonhyperbolic and near nonhyperbolic internal dynamics: Helicopter hover control, 10T492
- Exact-output tracking theory for systems with parameter jumps, 11T302
DEVE, HE: Strength-limited design of composite-monolith transitions in metallic structures, 10A618
DEVENPECK, ML: Enhanced model of a plowing asperity, 12A930
DEVENPORT, WJ: Structure and development of a counter-rotating wing-tip vortex pair, 8A1218
DEVILLERS, R: Roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 7A921
DEVINE, MK: Nondestructive evalution of creep damage in power-plant steam generators and piping by magnetic measurements, 9A819
DEVITA, L: Combined-cycle power stations using "clean-coal technologies": Thermodynamic analysis of full gasification versus fluidized bed combustion with partial gasification, 5A1357
DEVLUKIA, J: Prediction of fatigue failure in a crankshaft using the technique of crack modeling, 8A828
DEVOR, RE: Dual-mechanism approach to the prediction of machining forces - Part 1: Model development, 11A597
- Mechanistic approach to predicting the cutting forces in drilling: With application to fiber-reinforced composite materials, 11A609
- Dual-Mechanism Approach to the prediction of machining forces - Part 2: Calibration and validation, 11A598
DEWANJEE, MK: Steady flow in an aneurysm model: Correlation between fluid dynamics and blood platelet deposition, 2A1462
DEWAR, ME: Knee simulating machine for performance evaluation of total knee replacements, 6A1547
DEWEY, JM: Study of blast wave loading on cantilevers, 11A195
DEWHURST, DN: Fabric and hydraulic conductivity of sheared clays, 6T641
DEWHURST, RJ: Optical inspection, 1A807

DEWOLF, JT: Vibrational behavior of continuous span highway bridge: Influencing variables, 9A158
DEWULF, JM: Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 2A646
DEXTER, RJ: Full-scale experiments and analyses of cellular hull sections in compression, 2A821
DEY, A: Adaptive Monte Carlo simulation for time-variant reliability analysis of brittle structures, 7A815
DEY, CJ: Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, 3A1259
DEY, J: Transitional intermittency distribution in a 3D constant pressure diverging flow, 3A1108
DEY, PK: Hierarchical approach to project planning: The case of a petroleum pipeline construction, 2A1440
DEY, R: Temperature and pressure dependence of thermoacoustical parameters of liquid argon and xenon, 10A367
DEZHKUNOV, N: Cavitation erosion and sonoluminescence at high hydrostatic pressures, 10A871
DHAINAUT, M: Numerical method for the prediction of bladed disk forced response, 10A314
- Comparison between serendipity and Lagrange plate elements in the FEM, 11A519
DHANALAKSHMI, K: Navier-Stokes analysis of Korn aerofoil, 5A1071
- Computation of 3D transonic viscous flow using the JUMBO3D code, 6A1050
DHAR, D: Free-vibration analysis of turbine blades using nonlinear FEM, 9T168
DHAR, J: Integral formulation for mass transfer of a reactive species in a channel from a moving surface with blowing, 12A1122
DHAR, PL: Optimization of waste heat recovery boiler of a combined cycle power plant, 1A1272
DHAR, S: Hypervelocity model for the forces produced in a thick target by the penetration of projectile, 2A213
DHARANI, LR: Experimental investigation of the failure modes in hybrid ceramic matrix composites, 1A759
- Elastic properties of imperfectly bonded short fiber composites, 3A495
- Stresses in laminated glass subject to low velocity impact, 12A856
DHATT, G: Dynamic behavior of multi-span beams under moving loads, 6A150
- A posteriori error estimator based on the second derivative of the displacement field for 2D elastic problems, 7A21
DHAUBHADEL, MN: Review: CFD applications in the automotive industry, 7A1174
DHIA, AB: Three-dimensional FE analyses for a new fracture toughness testing method for tubular structures, 11A22
DHINGRA, AK: Genetic algorithm optimization technique for compact high intensity cooler design, 2A1262
DHIR, A: Analytical wheel models for ride dynamic simulation of off-road tracked vehicles, 8A935
DHIR, VK: Experimental study of natural convection in a volumetrically heated spherical pool bounded on top with a rigid wall, 1A1432
- Mechanism of fluidelastic instability of a tube placed in an array subjected to two-phase cross-flow, 11A1071
- Numerical simulation of saturated film boiling on a horizontal surface, 12A1280
DHOME, M: Leg cycling tracking by dynamic vision, 12A1570
DHONDT, G: Applications of the Green function for a half circular crack, 5A638
- Green functions for a quarter circular crack in quarter infinite space under normal loading, 8A774
- Axisymmetric substitute structure for scalloped disks with noncentral holes, 12A611
DHURJATI, P: Intelligent curing of thick composites using a knowledge-based system, 7A632
DI BERNARDO, M: Adaptive approach to the control and synchronization of continuous-time chaotic systems, 1A351
- Application of the minimal control synthesis algorithm to the control and synchronization of chaotic systems, 7T334
DI BLASI , C: Role of the surface-tension-driven flows in the uniform, near-flash flame spread over liquids, 2A1332
DI BONA, M: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
DI CAPUA, V: New interpolation functions in eigenfrequency analysis of Timoshenko beams on two-parameter elastic soil, 4T166
DI FANT-JAECKELS, H: Biaxial high cycle fatigue tests on a gas transmission pipeline steel, 5A600
DI FEDERICO, V: Analytical solution for contaminant transport in nonuniform flow, 11A1446
DI FRANCESCANTONIO, P: New boundary integral formulation for the prediction of sound radiation, 11A54
DI GREGORIO, R: Closed-form solution of the direct kinematics of the 6-3 type Stewart Platform using one extra sensor, 7A380
DI ILIO, A: Holographic tests on ceramic coatings on metal surfaces, 9A800
DI IORIO, D: Two-dimensional angle of arrival fluctuations, 2A264
DI LLIO, A: Experimental study of the drilling of Aramid composites, 11A1510
DI MAIO, C: Exposure of bentonite to salt solution: Osmotic and mechanical effects, 6A640
DI MARZO, M: Effect of acoustic vibration on boiling incipience, 7A1281
DI MASCIO, A: Multigrid acceleration of second-order ENO schemes from low subsonic to high supersonic flows, 3A1060
DI PAOLA, M: Non-stationary response of linear systems under stochastic Gaussian and non-Gaussian excitation: A brief overview of recent results, 2A161
- Ideal and physical white noise in stochastic analysis, 3A61
- Higher order statistics of the response of MDOF linear systems excited by linearly parametric white noises and external excitations, 12A144
- Stochastic integro-differential and differential equations of nonlinear systems excited by parametric Poisson pulses, 12A149
- Higher order statistics of the response of MDOF linear systems under polynomials of filtered normal white noises, 12A145
DI PASQUALE, F: ACOUSALLE: A computer program with expertise for the planning and analysis of the acoustics of indoor spaces, 10A381
DI PRISCO, C: Experimental analysis and theoretical interpretation of triaxial load controlled loose sand specimen collapses, 10A692
DI PRISCO, M: Crush-crack: A non-local damage model for concrete, 5A640
DI SABATINO, S: Method of analysis for turbulent flows using the streamline coordinate system, 10T1191
DI STASIO, S: Two-color pyrometry measurements of soot loading in a diesel engine burning model fuels of varying quality, 2A1322
DI VIRGILIO, V: Multivariate time-variant AR method for the analysis of heart rate and arterial blood pressure, 11A1568
DIAFAT, C-H DETRICHE: Effect of wet curing duration upon mechanical properties of commonly-used concretes (French), 12A558
DIAFAT, N: Effect of wet curing duration upon mechanical properties of commonly-used concretes (French), 12A558
DIAGOURTAS, D: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
DIANAT, M: Predictions of axisymmetric and 2D impinging turbulent jets, 5A1017
- Reynolds stress closure applied to axisymmetric impinging turbulent jets, 6A1126
DIAO, S: Nonlinear analysis of thick plates on an elastic foundation by HT FE with p-extension capabilities, 5A483
DIAO, SHUN: Branched interface cracks between two piezoelectric materials, 6T766
DIAO, XIAOXUE: Simulation of fatigue performance of cross-ply composite laminates, 6A745
- Nonequilibrium statistical theory of damage fracture for quasi-brittle materials, 7A705
DIAS, F: Mathematical Problems in the Theory of Water Waves, 4N6
- Capillary-gravity interfacial waves in infinite depth, 1A260
- Free-surface flows with two stagnation points, 5A931
DIAS, GP: Full-stress technique for structural shape optimization, 4A808
DIAS, JP: Distributed and discrete nonlinear deformations on multibody dynamics, 2A65
- Crashworthiness analysis and design using rigid-flexible multibody dynamics with application to train vehicles, 7A197
DIAS, NL: Similarity of scalars under stable conditions, 6A1150
DIAZ, JI: Energy Methods in Continuum Mechanics, 6N3
DIAZ, P: Raylcigh's optimization concept and the use of sinusoidal co-ordinated functions, 9T111
DIAZ, V: Theoretical model to analyze the collision of an automobile vehicle, 3A388
DIAZ-CONTRERAS, RE: Numerical Green's function approach to finite-sized plate analysis, 4A610
DIBBLE, RW: Structure of turbulent nonpremixed flames revealed by Raman-Rayleigh-LIF measurements, 7A1395
DIBENEDETTO, AT: Statistical simulation of fiber fragmentation in a single-fiber composite, 12A787
DICHMANN, DJ: Hamiltonian dynamics of an elastica and the stability of solitary waves, 6A565
DICK, E: Modeling of bypass transition with conditioned Navier-Stokes equations coupled to an intermittency transport equation, 1A1033
DICK, JN: Pressure distribution on sabots in hypervelocity flight, 12A1087
DICKENS, JM: Critique of mode acceleration and modal truncation augmentation methods for modal response analysis, 7A165
DICKENS, JR: Beam profiles in wood from critically refracted longitudinal wave probes, 11A747
DICKENS, TA: Spatial resolution of diffraction tomography, 7A287
DICKEY , NS: Circular concentric Helmholtz resonators, 7A265
DICKEY, J: Design criteria for the damping effectiveness of structural fuzzies, 4A106
DICKEY, JO: Lunar moments, tides, orientation, and coordinate frames, 6T1406
DICKEY, NS: Helmholtz resonators: 1D limit for small cavity length-to-diameter ratios, 2T288
DICKEY, RW: Symmetric and unsymmetric buckling of circular arches, 5A467
DICKIN, FJ: Analytical stiffness matrix for first- and second-order upright triangular prismatic FEs, 12A55
DICKINSON, JT: Dynamic measurements of humidity attack on polymer-glass interfaces under stress, 11A885
DICKINSON, SM: Natural frequencies of vibration of layered hollow spheres using exact 3D elasticity equations, 2T144
- Natural frequencies of vibration of a class of solids composed of layers of isotropic materials, 3A177
- Free vibration of thin rectangular planform shallow shells with slits, 8T154
DICKSON, AC: Performance of a smart vibration isolator for precision spacecraft instruments, 1A221
DICLELI, M: Quantitative approach to rapid seismic evaluation of slab-on-girder steel highway bridges, 3A183
- Computer-aided optimum design of steel tubular telescopic pole structures, 7A800
DIDELLE, H: Physical simulations in rotating tank of lee cyclogenesis, 9A1016
DIDIER, F: Simple views on metal-oxide interfaces: Contributions of the long-range interactions to the adhesion energy, 4A958
DIEBELS, S: Fundamental concepts of multiphase micropolar materials, 1A614
- Viscous effects in internal waves of two-layered fluids with variable depth, 3A248
DIECI, L: Preserving monotonicity in the numerical solution of Riccati differential equations, 1T99
DIEGELE, E: Weight functions for edge cracks in thin surface layers, 10A806
DIERCKS, DR: Steam generator tube integrity program, 4A1456
DIERSCH, H-JG: Coupled groundwater flow and transport - 1: Verification of variable density flow and transport models, 9A1502
DIETERMAN, HA: Wave radiation in a 1D system due to a non-uniformly moving constant load, 4A199
- Steady-state displacements of a beam on an elastic half-space due to a uniformly moving constant load, 8A212
- Eigenfrequencies and simplified models of semi-infinite cascades with variable boundary mass, 10T147
- Instability of vibrations of a mass moving uniformly along an axially compressed beam on a viscoelastic foundation, 10A120
- Equivalent vertical stiffness of an elastic half-space interacting with a beam, including the shear stresses at the beam - half-space interface, 11A498
- Passing through the "elastic wave barrier" by a load moving along a waveguide, 12A222
DIETL, T: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
DIETRICH, DE: Numerical studies of small island wakes in the ocean, 8T1508
DIETRICH, L: Experimental investigation of an anisotropy in copper subjected to predeformation due to constant and monotonic loadings, 11A433
DIETSCHE, A: Boundary effects in elasto-plastic Cosserat continua, 7A1
DIETTRICH, JC: Short term mean wind shear study in an area of complex terrain, 2T1414
DIETZ, G: Interferometry and reconstruction of strongly refracting fields in 2D boundary layer flow, 9A1085
DIETZ, P: Study on the production of 950°C moire gratings in metal materials, 12A865
DIFRANCIA, C: Single-fiber pull-out test - 1: Review and interpretation, 1A527
- Single-fiber pull-out test - 2: Quantitative evaluation of an uncatalyzed TGDDM-DDS epoxy cure study, 1A765
DIGGES, K: Shoulder belt anchor location influences on wheelchair occupant crash protection, 1A1471
DIGUMARTHI, R: Effects of blade bending on aerodynamic control of fluctuating loads on teetered HAWT rotors, 5A1078
DIJKSMAN, EA: Fourfold generalization of Peaucellier's inversion cell, 2A934
DIJKSMAN, EV: The λ-formed 4-bar linkages set in a translation-position to design mechanisms approximating a straight line, 3T919
DIJKSTRA, HA: Finite Amplitude stability of the wind-driven ocean circulation, 6T1478
- Symmetry breaking and overturning oscillations in thermohaline-driven flows, 8A107
- Formation and evolution of a diffusive interface, 8A1389
DIKAREV, VV: Dynamics of Mars-orbiting dust: Effects of light pressure and planetary oblateness, 3A282
DIKEN, H: Trajectory control of mass balanced manipulators, 8A451
DIKS, C: Spatio-temporal chaos: A solvable model, 12A130
DILDABAYEV, SA: Boundary integral equation method in 2D and 3D problems of elastodynamics, 1A242
DILELLIO, JA: Temporal evolution of shear band thickness, 9A430
DILIGENTI, M: New numerical integration schemes for applications of Galerkin BEM to 2D problems, 10A92
DILL, JF: Evaluation of indentation and finishing properties of bearing grade silicon nitrides, 8A957
DILL, JR: Hybrid bearing technology for advanced turbomachinery: Rolling contact fatigue testing, 11A653
DILL, SJ: Subcritical crack growth in glasses under cyclic loads: Effect of hydrodynamic pressure in aqueous environments, 12A750
DILLARD, DA: Using the fracture efficiency to compare adhesion tests, 6A752
- Problem of shear-locking in FEs based on shear deformable plate theory, 7A10
- Impact damage resistance and tolerance of high-performance polymeric composites subjected to environmental aging, 7A739
- Test method for accelerated humidity conditioning and estimation of adhesive bond durability, 10T1015
DILLER, TE: High-frequency heat flux sensor calibration and modeling, 11A1269
DILLERT, RHG: Novel nonconcentrating reactor for solar water detoxification, 11A1534
DILLIES, B: Application of Reynolds stress modeling to engine flow calculations, 7A1429
DILLMAN, R: Robotics and Autonomous Systems, 2A339
DILLON JR, OW: Thermo-viscoplastic modeling of machining process using a mixed FEM, 5A1295
DILLON, EW: Signal versus noise in damage detection by experimental modal analysis, 7A176
DILLON, R: Modeling biofilm processes using the immersed boundary method, 5A1462
DIMAGGIO, SJ: Effect of separation on dwell time of an electromechanical crash sensor, 1A395
DIMANLIG, ACB: Anomalies of the numerical solutions of the Euler equations, 6A61
DIMAROGONAS, AD: Vibration of cracked structures: A state of the art review, 5A644
- Consistent cracked bar vibration theory, 9A131
- Thermodynamic damping in porous materials with elipsoidal cavities, 10A166
DIMAS, AA: Surface ripples due to steady breaking waves, 7A212
DIMENNA, RA: Regions of validity of the geometric optics approximation for angular scattering from very rough surfaces, 3A1258
DIMENTBERG, M: Tuned vibration absorbers for floating bodies, 4A195
- Random vibrations of an isochronous SDOF bilinear system, 7A105
DIMENTBERG, MF: Stationary model for periodic excitation with uncorrelated random disturbances, 4A105
- Random response to periodic excitation with correlated disturbances, 6A134
- Dynamics of an unbalanced shaft interacting with a limited power supply, 12A190
- Model for general periodic excitation with random disturbance and its application, 12A146
DIMITRAKOPOULOS, P: Displacement of fluid droplets from solid surfaces in low-Reynolds-number shear flows, 10A1129
DIMITRIENKO, Y: Modeling of mechanical properties of composite materials at high temperatures - Part 2: Properties of unidirectional composites, 11A1380
- Modeling of the mechanical properties of composite materials at high temperatures - Part 1: Matrix and fibers, 11A1381
DIMITRIENKO, YI: Effect of finite deformations on internal heat-mass transfer in elastomer ablating materials, 5A1284
- Thermal stresses in ablative composite thin-walled structures under intensive heat flows, 7A1365
- Internal heat-mass transfer and stresses in thin-walled structures of ablating materials, 7A1349
- Optimum design of erosion-stable heatshield composite materials, 8A1387
- Thermomechanical behavior of composite materials and structures under high temperatures - 1: Materials, 10A1377
- Thermomechanical behavior of composite materials and structures under high temperatures - 2: Structures, 10A1378
DIMITRIEVA, NA: Application of analytic functions to axisymmetric flow problems, 8A1043
DIMITROV, B: Probability distributions in periodic random environment and their applications, 10A1508
DIMOFTE, F: Mechanical and electrical run-out removal on a precision rotor-vibration research spindle, 10T215
DIMOTAKIS, PE: Unsplit schemes for hyperbolic conservation laws with source terms in one space dimension, 11T973

DINARIYEV, OY: Stability of steady filtration flows of a gas-condensate mixture, 8A1119
DINCER, I: Transient temperature distributions in canned products during heat sterilization and cooling, 1A1229
- New correlations for heat transfer coefficients during direct cooling of products, 1A1224
- Energy efficiency of a solar drying system, 3A1445
- Method of determining thermal parameters of granular coal particles during devolatilization, 5A1399
- Exergy and environmental impact, 12A1244
- New Fourier-Reynolds correlations for refrigeration applications, 12A1290
DINDINGER, PM: Automated fatigue data fitting using structural shift detection, 7A654
DINDORF, R: Modeling of the dynamics of a hydraulic positional cylinder, 4A454
DINELLI, G: Experimental investigation on the use of fly ash for lightweight precast structural elements, 6A538
DING , DAJUN: Spline FEM on mapping, 2A18
DING , HANSHAN: Spline FEM on mapping, 2A18
DING, CHUANYI: Efficient uncertainty analyses using fast probability integration, 5A765
DING, CX: Wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 2A926
DING, DESHENG: Simple calculation approach for the second harmonic sound field generated by an arbitrary axial-symmetric source, 2A298
DING, DJ: Aseismic construction and design method for multi-storey composite structures, 3A1401
DING, GANG: Scattering of SH waves in multilayered media with irregular interfaces, 6A246
DING, GUANG-HONG: Displacement oscillation of viscoelastical collapsible tube, 3T1107
DING, H: Real-time planning algorithm for obstacle avoidance of redundant robots, 3A406
DING, HAO-JIANG: Necessary and sufficient boundary integral formulation for plane elasticity problems, 1A452
- Free vibrations of piezoelectric cylindrical shells filled with compressible fluid, 10A204·
DING, HAOJIANG: h-type adaptive FE, 3A37
- Curved bar subjected to an arbitrarily distributed loading: Another paradox in the 2D theory of elasticity, 4A594
- Free vibrations of anisotropic spherical shell embedded in an elastic medium (Chinese), 7A147
- United point force solution for both isotropic and transversely isotropic media, 8A489
- Free vibration of piezoelectric cylindrical shells, 10A203
DING, HONG: Fiber-optic crack-tip opening displacement sensor for concrete, 10A868
DING, J: Laminar flow heat transfer to viscous power-law fluids in double-sine ducts, 6A1246
DING, JL: Modified form of Hill's orientation-dependent yield criterion for orthotropic sheet metals, 5A9
DING, KANG: Investigation on limitations for demodulation analysis application in failure diagnosis (Chinese), 10T513
DING, RUI: Boundary element method for solving dynamical response of viscoelastic thin plate - I, 11A57
DING, W: Superposition-Galerkin method for free vibration analysis of rectangular plates, 1A186
DING, XD: Stability of biaxial stretching with application to the optimization of superplastic blow-forming, 7A601
DING, Y: Finite-element analysis of hyperelastic thin shells with large strains, 2A506
- Boiling onset oscillation: A new type of dynamic instability in a forced-convection upflow boiling system, 2A1207
- Shear deformation models for large-strain shell analysis, 10A633
DING, YAN: Elastic-plastic FE analysis of spall formation in gears, 2A404
- Bifurcation analysis of brown tide by reaction-diffusion equation using FEM, 8A1568
DING, YANHENG: Periodic solutions of a superlinear wave equation, 11T167
DING, YUNLIANG: Improved strategy for GAs in structural optimization, 5A750
DING, ZHONGHAI: Solution behavior of the transient heat transfer problem in thermoelectric shape memory alloy actuators, 8A1382
DINH, TN: Modeling of heat and mass transfer processes during core melt discharge from a reactor pressure vessel, 1A1237
DINI, JW: Properties of coatings: Comparisons of electroplated, physical vapor deposited, chemical vapor deposited, and plasma sprayed coatings, 11T839
DINIZ, AE: Monitoring the tool wear in the turning process using acoustic emission (Spanish), 3A880
DINKELMANN, M: Reduction of coolant fuel losses in hypersonic flight by optimal trajectory control, 5A311
DIPASQUALE, J: Investigation of the cyclic fatigue and fracture behavior of a niobium aluminide intermetallic, 7A666
DIRAND, X: Interfacial shear strength in glass-fiber-vinylester-resin composites, 1A523
DISIMILE, PJ: Algebraic turbulence model simulations of supersonic open-cavity flow physics (Disimile), 5A953
- Natural coherent structure dynamics in near field of fully turbulent axisymmetric jet, 12A1238
- Effect of Yaw on pressure oscillation frequency within rectangular cavity at Mach 2, 12T1086
DISKOVSKY, AA: Homogenization and perturbation procedures in the theory of ring-stiffened shells, 10A641
DISSELHORST-KLUG, C: Noninvasive approach to motor unit characterization: Muscle structure, membrane dynamics, and neuronal control, 10A1523
DITCHFIELD, R: Effects of particle concentration on the partitioning of suspensions at small divergent bifurcations, 2A1458
DITLEVSEN, O: One-floor building as elasto-plastic oscillator subject to and interacting with Gaussian base motion, 6A898
DITLEVSEN, PD: Note on 1D calculations of baroclinic and barotropic instabilities, 11T1498
DITMAN, JB: Design of extended bandwidth shape memory alloy actuators, 9A842
DITRI, JJ: Results on the scattering of guided elastic SH waves from material and geometric waveguide discontinuities, 5A162
- Determination of nonuniform stresses in an isotropic elastic half space from measurements of the dispersion of surface waves, 7A399
- Bounds on phase velocity changes of plane waves in elastic media due to changes in elastic moduli, 10A253
DITTRICHOVA, L: Spectral and electrical diagnostics of gliding arc, 2A993
DIVITO, RC: Threshold accelerations for rotation or sliding of bridge abutments, 3A1375
DIVO, E: Generalized boundary integral equation for isotropic heat conduction with spatially varying thermal conductivity, 12A1300
DIVSHIKAR, DG: Soil Testing in Civil Engineering, 4R10
DIWEKAR, AM: Smart structure control in matrix second-order form, 3A760
DIXIT, PM: Analysis of cold strip rolling under hydrodynamic lubrication, 1A641
- Finite element analysis of flat rolling and application of fuzzy set theory, 1A642
- Central bursting and optimal die profile for axisymmetric extrusion, 5A550
- Analysis of axisymmetric tube extrusion, 5A549
- Numerical evaluation of SIF for radial cracks in thick annular ring using cyclic symmetry, 7A721
- Study on residual stresses in rolling, 11A588
DIXIT, US: Finite element analysis of flat rolling and application of fuzzy set theory, 1A642
- Study on residual stresses in rolling, 11A588
DIXON, ME: Control of building vibrations with active-passive devices, 4A1401
DIXON, MW: New criterion for positive mean stress fatigue design, 9A708
DIXON, R: Delamination in asymmetrically trapped composites loaded in tension, 4A722
DIXON, TL: Wavelet-based denoising of underwater acoustic signals, 7A289
DIYESPEROV, VN: Problem in the theory of mixing layers, 11A1075
DJAFARI-ROUHANI, B: Brillouin zone mapping of the existence conditions for interface bilayer spin-waves: Effects of the configuration of the film magnetization, 2T534
DJENIDI, L: Advantages of using a power law in a low R_θ turbulent boundary layer, 8A1186
- Measurement of $\partial u/\partial y$ in a turbulent boundary layer over a riblet surface, 9A1077
- Modeling of the Reynolds stress transport equation, 9A1123
DJERASSI, S: Aircraft with synchronically deployed wings, 2T1072
DJIDJELI, K: Explicit finite-difference methods for nonlinear dynamic systems: Froude's pendulum, 3A110
DJORDJEVIC, G: Design of tactical and executive level of redundant robot control via distributed positioning, 6A430
DJORDJEVIC, GS: Solution of constrained motion robot tasks via kinematic redundancy, 10A536
DLOTT, DD: Shock waves in molecular solids: Ultrafast vibrational spectroscopy of the first nanosecond, 11A202
DMITRIEV, AY: Account of the earth gravitation field anomaly on gyrotheodolite indications (Russian), 2A1376
DMITRIJEVA, YM: Hybrid WKB-Galerkin method and its application, 1A89
DMOWSKA, R: Earthquake prediction: State of the art, 9A1500
DO VAL, JBR: Numerical scheme based on mean value solutions for the Helmholtz equation on triangular grids, 10A394
DOAN-KIM, S: Cold gas simulation of a solid propellant rocket motor, 6A1362
- Numerical simulation of vortex-shedding phenomenon in a channel with flow induced through porous wall, 10A1166
DOANH, T: Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 1: Experimental observations, 8A655
- Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 2: Theoretical analysis using an elastoplasticity model, 8A656
DOBBELING, K: NO_x prediction scheme for lean-premixed gas turbine combustion based on detailed chemical kinetics, 5A1368
- Low-NO_x premixed combustion of MBtu fuels using the ABB double cone burner: EV burner, 11T1435
- Low NO_x premixed combustion of MBtu fuels in a research burner, 12A1385
DOBLARE, M: Formulation of the BEM in 3D elasticity with macroelements on non-nodal collocation (Spanish), 3A46
- General method for the synthesis of mechanisms with lower and higher joints - I: Planner mechanisms (Spanish), 7A953
- General method for the synthesis of mechanisms with lower and higher joints - II: Position synthesis with kinematic constraints (Spanish), 10A1003
DOBOSY, RJ: Aircraft wind measurement considering lift-induced upwash, 5T1435
DOBRIVECHER, VV: Study of the effect of a rigid inclusion on thermal stressed state of a transversally isotropic body (Russian), 12A1340
DOBRIVECHIR, VV: Thermostressed state of transversally: Isotropic body with rigid elliptical inclusion (Russian), 1A1283
DOBROWOLSKI, W: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
DÖBRY, R: Seismic response of shallow foundation on liquefiable sand, 11A561
DOBRYVECHER, VV: Thermostressed state of transversally-isotropic body with rigid elliptical inclusion subject to the action of the uniform heat flow in the inclusion plane (Russian), 9A1319
DOBRZANSKI, LA: 4th International Scientific Conference Achievements in Mechanical and Materials Engineering: Selected papers Gliwice-Wisla Poland, November 30-December 1st, 1995, 10A541
DOBRZYNSKI, L: Brillouin zone mapping of the existence conditions for interface bilayer spin-waves: Effects of the configuration of the film magnetization, 2T534
DOBSON, GT: Nesting of complex 2D parts within irregular boundaries, 5A375
DOBYCHIN, MN: Study of wheel-rail friction, wear and cumulative damage, 5A830
DOCTOR, SR: Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part I: Wrought-to-wrought capability study, 3A733
- Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part II: Wrought-to-cast capability study, 3A734
- Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part III: Cast-to-cast capability study, 3A735
DOCTORS, LJ: Optimal pressure distributions for river-based air-cushion vehicles, 9A1149
DODD, B: Forming-limit diagrams for Al 2124 and Al-Li 8090 through fracture mechanics and perturbation analysis, 6A755
DODD, N: Efficient higher-order finite-difference schemes for parabolic models, 4A38
DODDS JR, RH: Transferability model for brittle fracture including constraint and ductile tearing effects: A probabilistic approach, 6A773
- Numerical modeling of ductile crack growth in 3D using computational cell elements, 10A795
DODSON, CTJ: Modeling a class of stochastic porous media, 9A867
DOEBLING, SW: Statistical sensitivity of experimental modal frequencies and damping ratios to measurement noise, 2A106
- Estimation of reciprocal residual flexibility from experimental modal data, 2A89
- Minimum-rank optimal update of elemental stiffness parameters for structural damage identification, 6A747
- Analysis of nonlinear mechanisms in a precision deployable structure using measured flexibility, 6A933
- Improved damage location accuracy using strain energy-based mode selection criteria, 9A126
DOEL, TJA: Tensile properties of particulate-reinforced metal matrix composites, 1A513
DOERFLER, MT: Analysis of cracks at deep notches, 5A649
DOERING, JC: One-, two-, and three-dof systems with linear damping, 8T83
DOERR, T: Optimization of multiple jets mixing with a confined crossflow, 10A1162
DOGAN, A: Least-squares FE scheme for the RLW equation, 5A190
DOGAN, B: Fracture toughness testing of TiAl base intermetallic alloys, 7A777
DOGANGUN, A: Earthquake analysis of flexible rectangular tanks by using the Lagrangian fluid FE, 7A227
DOGGART, T: Nitriding induced embrittlement, 6A739
DOGGETT, GP: Effect of angle of attack on hypersonic boundary-layer stability, 9A1080
DOGHRI, I: Experimental and numerical investigation of fracture in double-edge notched steel plates, 10A811
DOHI, T: Study on positioning sensor for human navigation: Measurement method of linear acceleration and rotation angular acceleration (Japanese), 5T313
DOHI, Y: Viable bone formation in porous hydroxyapatite: Marrow cell-derived *in vitro* bone on the surface of ceramics, 11T1571
DOHRMANN, CR: Method for calculating the dynamics of rotating flexible structures - Part 1: Derivation, 1A213
- Method for calculating the dynamics of rotating flexible structures - Part 2: Example calculations, 1A214
DOI, M: Cross-flow filtration of machining fluids by microfiltration membranes: Influence of chip size on permeation flux, 5A982
- Electrorheological effect in immiscible polymer blends, 8A1012
- Viscosity equation for concentrated suspensions of charged colloidal particles, 10A1034
DOIKAS, S: Finite element stress analysis of unilaterally supported submarine pipelines, 5A799
- Nonlinear static stress analysis of submarine high pressure pipelines, 9A922
DOINIKOV, A: Acoustic radiation force on a spherical particle in a viscous heat-conducting fluid - II: Force on a rigid sphere, 8A304
DOINIKOV, AA: Acoustic radiation pressure exerted by a spherical wave on a bubble in a viscous liquid, 6A335
- Acoustic radiation force on a spherical particle in a viscous heat-conducting fluid - I: General formula, 8A303
- Acoustic radiation force on a spherical particle in a viscous heat-conducting fluid - III: Force on a liquid drop, 8A305
DOKAINISH, MA: Method for contact problems using virtual elements, 10A564
DOKMECI, MC: Numerical algorithms for dynamics of thermopiezoceramic bars, 12A674
DOKUMACI, E: Transmission of sound in uniform pipes carrying hot gas flows, 2A266
DOLAI, DP: Waves due to rolling of a ship in water of finite depth, 6A305
- Oblique wave scattering by submerged thin wall with gap in finite-depth water, 12A262
DOLBEY, MP: Ultrasonic characterization of the radius of curvature at the root of a surface breaking AFS mark, 10A874
DOLBOW, J: Effect of out-of-plane properties of a polyimide film on the stress fields in microelectronic structures, 3A18
DOLD, JW: Unsteady gasdynamic evolution of an induction domain between a contact surface and a shock wave - I: Thermal runaway, 3A1058
DOLGIN, B: Design and process considerations for a tunneling tip accelerometer, 4A422
DOLLING, DS: Large-scale structure evolution in supersonic interacting shear layers, 4A1002
- Engineering estimation of fluctuating loads in shock wave-turbulent boundary-layer interactions, 6A1078
- Prediction of fluctuating pressure loads produced by shock-induced turbulent separation, 6A1096
DOLOTOV, MV: Coupled dynamic problem of thermoelasticity for a half-space, 7A1354
DOLZHANSKII, FV: Advanced investigation of interaction of allocated quasi-2D vortices, 3A999
DOMACHOWSKI, Z: Influence of ship propulsion control system structure on torque transients, 3A1179
DOMANSKI, R: Exergy analysis for the evaluation of a thermal storage system employing PCMs with different melting temperatures, 2A1278
- Modeling of two-phase flow in dividing T-junctions with various branch orientations, 4A1026
- Exergy analysis for the optimum performance of phase change thermal storage units, 4A1254
DOMANSKI, W: Symmetrization of a heat conduction model for a rigid medium, 4A1256
DOMAZET, Z: Comparison of fatigue crack retardation methods, 1A682
DOMBLESKY, JP: Grain size modeling and optimization of rotary forged Alloy 718, 10A730
DOMBROVSKY, LA: Radiation Heat Transfer in Disperse Systems, 3R38
DOMBROWSKI, N: Note on the application of the average correction technique, 4A66
DOMELEVO, K: Numerical method for the computation of the dispersion of a cloud of particles by a turbulent gas flow field, 10T1185
DOMINGO, J: Measurement and storage of a network of Jacobians as a method for the visual positioning of a robot arm, 4A453
DOMINGUEZ, B: Numerical models for flow and sediment transport in Estuaries during flooding, 3T986
DOMINGUEZ, J: Effect of load histories on scatter of fatigue crack growth in aluminum alloy 2024-T351, 7A703
- Effects of porous sediments on seismic response of concrete gravity dams, 9A1479
- Use of the strip-yield model to predict fatigue crack growth under irregular loading, 12A751

- Solving transient dynamic crack problems by the hypersingular BEM, 12A845
- Calculation of the stress intensity factor and estimation of its error by a shape sensitivity analysis, 12A798

DOMINGUEZ-HERNANDEZ, J: Formulation of the BEM in 3D elasticity with macroelements on non-nodal collocation (Spanish), 3A46

DOMMERMUTH, DG: Crest instabilities of gravity waves - Part 3: Nonlinear development and breaking, 10A291

DOMNANOVICH, A: Determination of interface parameters for carbon-carbon composites by the fiber-bundle pull-out test, 5A439

DOMOKOS, G: Variational method in the statistical theory of turbulence, 12A1142

DOMOTO, Y: Surface modification of electric shaver foil using ion beam (Japanese), 5T573

DONALDSON, EC: Petrophysics: Theory and Practice of Measuring Reservoir Rock and Fluid Transport Properties, 8R25

DONALDSON, JC: Space-time correlation measurements in a hypersonic transitional boundary layer, 6A1085

DONALDSON, N: Telemetry of forces from proximal femoral replacements and relevance to fixation, 7A1560

DONALDSON, RM: Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, 4A629

DONATH, M: Interaction dynamics between an electric vehicle's "pantograph" and the road, 1A371

- Dynamic feedback linearization for electrohydraulically actuated control systems, 11A311

DONATO, P: Homogenization of the Stokes problem with non-homogeneous slip boundary conditions, 1A975

DONBAR, J: Measured lengths of supersonic hydrogen-air jet flames - Compared to subsonic flame lengths - and analysis, 3A1317

DONBAR, JM: Measured supersonic flame properties: Heat-release patterns, pressure losses, thermal choking limits, 1A1323

DONE, GTS: Application of a learning control algorithm to a rotor blade tab, 5T283

DONEY, SC: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410

DONG , XIUZHONG: Influence of warm overloading on stress-corrosion cracking of welded structures, 3A670

DONG, FEI: Three-fluid model of the sand-driven flow, 5A981

DONG, G: Role of grit blasting in the production of high-adhesion plasma sprayed alumina coatings, 9A408

DONG, JIAN: Reconstruction of service load histories with time series models for random vibration simulation tests, 9A870

DONG, JIAN (JOHN): Computer and information technologies in today's vehicle design, 11A861

DONG, JIANLING: Branched interface cracks between two piezoelectric materials, 6T766

DONG, L: Effect of strain rate on the fracture process in interlaminar shear specimens of carbon fiber-reinforced laminates, 7A735

- End reinforcement of composite cylinders for biaxial testing, 12A851

DONG, M: Experimental determination of the flow transport coefficients in the coupled equations of two-phase flow in porous media, 4A1341

DONG, P: Residual Stresses in Design, Fabrication, Assessment, and Repair, 2N28

DONG, Q: Inverse method to predict temperature and heat flux distribution in a cutting tool, 12T1289

DONG, QIU: Experimental investigation on low-speed torque characteristics of vehicle turbocharged diesel engine (Chinese), 10A1425

DONG, R: Effect of modification to tongue and impeller geometry on unsteady flow, pressure fluctuations, and noise in a centrifugal pump, 12A1180

DONG, SB: Propagating waves and end modes in pretwisted beams, 2A185

DONG, W: Seismic radiation from explosively loaded cavities in isotropic and transversely isotropic media, 8A1492

DONG, Y: Numerical modeling of void migration in solids due to temperature gradient using the BEM, 3A1250

- Experimental and numerical investigation of stator exit flow field of an automotive torque converter, 5A928

DONG, YF: Complex variable approach to the BEM for multiple crack problems, 9A774

DONG, YUJUN: Periodic solutions for second order impulsive differential systems, 2T85

DONG, ZENG-NAN: Open-channel turbulent flow over non-uniform gravel beds, 8A1020

DONG, ZF: Flow patterns and pressure drop in air-water two-phase flow in horizontal helicoidal pipes, 11A999

DONGARRA, JJ: LAPACK for Fortran 90, 4T64

- Chebyshev tau-QZ algorithm methods for calculating spectra of hydrodynamic stability problems, 6A1142

DONMEZ, MA: Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 2: Experimental verification, 11A348

- Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part I: Theory derivation, 11A347

DONNELLY, J: Aerosolization of particles from a bubbling liquid: Characteristics and generator development, 7A1077

- Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407

DONNELLY, K: Evaluation of rib-skin fracture in composite isogrid, 6A908

DONNELLY, MJ: Interaction of rolling vortices with a turbulent boundary layer, 11A1020

DONOHUE, JM: Computer-controlled multiparameter flowfield measurements using planar laser-induced iodine fluorescence, 2A1142

DONOVAN, B: Air-cooling system for metal oxide semiconductor controlled thyristors employing miniature heat pipes, 1A1268

DONTH, B: Low-temperature autofrettage: Improved technique to enhance the fatigue resistance of thick-walled tubes against pulsating internal pressure, 10A785

DONTH, E-J: Stability of the $T_{ogy} < T_{rog}$ relation between Vogel temperatures of flow and glass transition against determination variants, 10A1025

DONTHIREDDY, P: Modeling and shape control of composite beams with embedded piezoelectric actuators, 3A513

DOOLE, SH: Bifurcation of long waves in the parameter space of pressure head and flowforce, 8A249

DOOLEN, G: Lattice Boltzmann method on curvilinear coordinates system: Flow around a circular cylinder, 12A1074

DOOLEY, BS: Vortex ring generation due to the coalescence of a water drop at a free surface, 9A1067

DOOLEY, GJ: Perceptibility of the frequency drop caused by the Doppler effect for simulated sound source motion in the median plane, 4A274

DOOLEY, J: Development of secondary motions in straight channels induced by the second normal stress difference: Experiments and simulations, 11A1036

DOONAN, A: Modeling of a two-stage high-pressure gas reduction station, 4A1467

DOONER, DB: Use of noncircular gears to reduce torque and speed fluctuations in rotating shafts, 12A1008

DOONG, JI-LIANG: Impact fatigue of short glass fiber reinforced polycarbonate, 12A567

DOQUET, V: Crack initiation mechanisms in torsional fatigue, 9A689

DORAISWAMI, R: Frequency domain identification scheme for control and fault diagnosis, 9A304

DORESSOUNDIRAM, A: Rotational properties of asteroids: CCD observations of nine small asteroids, 4T263

DORETTI, L: New model for forced-convection condensation on integral-fin tubes, 2A1222

DORFI, HR: Acoustoelasticity: Ultrasonic stress field reconstruction, 5A731

DORFMANN, A: Diffraction of water waves by a sphere, 2A225

DORI, D: Object-process analysis of computer integrated manufacturing documentation and inspection functions, 3A619

DORIGHI, J: Fiber optic ultrasonic system to monitor the cure of epoxy, 10A872

DORIGNAC, E: Flow field near a plane surface impinged by multiple jets: Application to wall cooling (French), 2T1032

DORMIEUX, L: Consolidation of a nonlinear poroelastic layer in finite deformations, 3A434

- Validity of the effective stress concept for assessing the strength of saturated porous materials: A homogenization approach, 4A1345

DORN, L: Experimental study of resistance spot welding in 1mm thick sheet of low carbon steel, 2A939

DORNBRACK, A: Note on the application of linear wave theory at a critical level, 10A300

DORNEY, DJ: Unsteady numerical simulations of radial temperature profile redistribution in a single-stage turbine, 5A1206

- Study of hot streak phenomena in subsonic and transonic flows, 8A1095

- Evaluation of flow field approximations for transonic compressor stages, 12A1085

DORNFELD, D: Burr minimization in face milling: A geometric approach, 11A593

DORNFELD, DA: Analysis of fracture in burr formation at the exit stage of metal cutting, 1A651

- Design and implementation of sensor-based tool-wear monitoring systems, 3A624

- Burr formation and fracture in oblique cutting, 6A590

DORNOWSKI, W: Large deformations of dynamically loaded elasto-sticky-plastic circular membrane (Polish), 9A58

DOROFEEV, SB: Air blast and heat radiation from fuel-rich mixture detonations, 1T267

- Direct initiation of detonations in unconfined gasoline sprays, 1T1309

DOROKHOV, AR: Mass transfer in the gas phase of a centrifugal-barbotage layer, 5A1308

DORON, P: DIAPR: A high-pressure, high-temperature solar receiver, 8A1517

- Effect of irradiation directional distribution on absorption in volumetric solar receivers, 8A1518

DOS REIS, JG: Stability theorem in terms of two measures, 12T352

DOS SANTOS MARQUES, F: Effect of laser surface treatment on high cycle fatigue of AISI 316L stainless steel, 5A590

DOS SANTOS RC, SM: Modeling of railway bridge-vehicle interaction on high speed tracks, 9A891

DOS SANTOS, JF: Volume III: Materials Engineering, 10N27

DOSBAYEVA, GK: Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, 12A936

DOSS, LJT: Galerkin method for a Stefan-type problem in one space dimension, 11A1317

DOSSO, SE: Matched-field inversion for source location and optimal equivalent bathymetry, 3A323

DOST, S: New correlations for heat transfer coefficients during direct cooling of products, 1A1224

- Recent developments in modeling of liquid phase electroepitaxy: A continuum approach, 1A17

- Method of determining thermal parameters of granular coal particles during devolatilization, 5A1399

- Model for convective mass transport in liquid phase epitaxial growth of semiconductors, 10A1389

DOSTOVALOVA, AS: Formation of singularities in a stratified fluid in the presence of a critical level, 9A210

DOTSON, KW: Formulation and analysis of launch vehicle maneuvering loads, 6A205

- Vortex shedding in a large solid rocket motor without inhibitors at the segment interfaces, 9A1403

DOTY, DR: Review of multiphase flow through chokes, 9A1057

DOTY, JR: Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, 2T332

DOTY, SB: Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, 6A1534

DOU , GUOREN: Basic laws in mechanics of turbulent flows, 1A1069

DOU, XIANHONG: Branch identification of geared five-bar chains, 3A897

DOUDOUMIS, I: "Inertial" time in stability of materials with non-monotone yield stress, 12A520

DOUGHERTY, BP: Photovoltaic solar water heating system, 11A1538

DOUGHERTY, G: Quantitative CT in the measurement of bone quantity and bone quality for assessing osteoporosis, 4A1496

DOUGHERTY, JD: Fatigue crack propagation and closure behavior of modified 1070 steel: Experimental results, 7A658

- Fatigue crack propagation and closure behavior of modified 1070 steel: FE study, 7A659

DOUGHERTY, JJ: Near-optimal guidance law of ballistic missile interception, 9T350

DOUGHERTY, M: "Phobos events": Signatures of solar wind dust interaction, 4A267

DOUGHERTY, T: Onset of flow instability for downward flow in vertical channels, 2A1173

DOUGLAS, A: Bandpass filtering to reduce noise on seismograms: Is there a better way?, 12A1487

DOUGLAS, AS: Analytical and computational investigation of high-rate rheometry, 1A1146

DOUGLAS, BL: Single-reference calibration technique for multiple-element array sonar imaging systems, 1A337

DOUGLASS, CH: Low pressure flat flame studies of C_2F_2-O_2, 5A1354

DOUGLASS, RW: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27

DOUKHOVNI, I: Finite element-quadratic programming approach for contact problems with geometrical nonlinearity, 1A440

DOULLIARD, G: Velocity measurements in a turbulent non-Newtonian jet, 7A1117

DOUMANIDIS, C: Distributed-parameter control of the heat source trajectory in thermal materials processing, 5A368

DOUMANIDIS, CC: Thermal manufacturing process control by lumped mimo and distributed-parameter methods, 11A319

DOUNIAS, GT: Analysis of progressive failure and cracking in old British dams, 6A906

DOUTRELLOT, PL: Dynamic foot investigations during gait (French), 6A1542

DOUVILLE, B: Relating burning rate and NO formation to pressure development in two-stroke diesel engines, 12A1412

DOVA, SA: Improved design of vehicle seat, 7A1558

DOVE, R: In-situ strain analysis with high spatial resolution: A new failure inspection tool for integrated circuit applications, 1A724

DOVER, WD: Stress concentration factor parametric equations for tubular X and DT joints, 3A437

DOVGAL, AV: Disturbances excited by a point source in an axisymmetric laminar separation bubble, 5A983

DOVGYALO, VA: Control over tribological behavior of laminated polymer composites in design and processing, 1A408

DOVICH, L: Lateral response of older flat slab frames and the economic effect on retrofit, 6A1440

DOVSTAM, K: Damping function estimation based on modal receptance models and neural nets, 10A156

- Receptance model based on isotropic damping functions and elastic displacement modes, 12A10

DOVZHENKO, VA: Advanced investigation of interaction of allocated quasi-2D vortices, 3A999

DOW, TA: Analytical and experimental identification of nonlinearities in a single-nut, preloaded ball screw, 9A952

- Contact between elastic bodies with an elliptic contact interface in torsion, 10A562

DOWDING, KJ: Estimation of directional-dependent thermal properties in a carbon-carbon composite, 1A1246

- Numerical solution of the general 2D inverse heat conduction problem, 8A1355

DOWDING, RJ: Special issue on consolidation, 6T709

DOWELL, EH: Comments on the Onera stall aerodynamic model and its impact on aeroelastic stability, 1A292

- Active control of panel flutter with piezoelectric transducers, 2A249

- Flow about a slotted cylinder-airfoil combination in a wind tunnel, 2A1079

- Eigenmode analysis in unsteady aerodynamics: Reduced-order models, 2A1098

- State-space modeling for aeroelastic panels with linearized potential flow aerodynamic loading, 2A1099

- Accurate numerical integration of state-space models for aeroelastic systems with free play, 4T258

- Nonlinear response of a non-rotating rotor blade to a periodic gust, 5A213

- Damping prediction for hingeless rotor aeroelastic stability with experimental correlation, 6A312

- Role of higher modes in the chaotic motion of the buckled beam - I, 7A556

- Role of higher modes in the chaotic motion of the buckled beam - II, 7A557

- Eigenmode analysis in unsteady aerodynamics: Reduced order models, 8A1225

- Nonlinear behavior of a typical airfoil section with control surface freeplay: A numerical and experimental study, 8T1215

DOWLATI, R: Effect of channel blockage on critical heat flux for a horizontal cylinder in crossflow, 11A1285

DOWLING, DR: Experimental assessment of fractal scale-similarity in turbulent flows - Part 1: 1D intersections, 6A117

- Volume flow-rate measurements and scaling laws for a transverse-inlet multiple-disk fan, 7A1191

- Experimental assessment of fractal scale similarity in turbulent flows - Part 2: Higher-dimensional intersections and non-fractal inclusions, 11A1107

- Experimental assessment of fractal scale similarity in turbulent flows - Part 3: Multifractal scaling, 11A1108

DOWLING, NE: Fatigue and Fracture Mechanics: 27th Volume, 10N21

DOWNING, JM: Effects of frictional losses and pulsatile flow on the collapse of stenotic arteries, 12A1554

DOWNING, M: Simulation of structural response to sonic booms using structural acoustic techniques, 8A330

DOWNING, S: Wave-induced boundary layer flows above and in a permeable bed, 5A183

DOWSON, D: Hip replacement, 4A1498

- 11th International Conference on Wear of Materials: San Diego, CA, April 20-23, 1997, 9A924

- Wear of ultra-high molecular weight polyethylene sliding on metallic and ceramic counterfaces representative of current femoral surfaces in joint replacement, 10A983

DOYEN, L: Multi-target control problems, 10T437

DOYLE, JF: Structural mechanics modeling of the impact of a double cantilever beam, 1A778

- Dynamic analysis of folded plate structures, 4A133

DOYLE, MM: Moment Lyapunov exponent for two coupled oscillators driven by real noise, 3A92

DOYLE, MW: Effect of physiological factors on proximal flow convergence upstream of an incompetent valve: An in-vitro study, 9A1585

DOYLE, PS: Dynamic simulation of freely draining flexible polymers in steady linear flows, 9A982

DOZIO, MBL: Investigation of stability of blood motion in viscoelastic blood vessels, 9A1589

DOZONO, A: Study on the ability to pass between steel reinforcing bars of highly flowable concrete (Japanese), 7A1067

DRABKIN, S: Theory and practice of projectile's penetration in soils, 3A588
- Estimating settlement of sand caused by construction vibration, 6A642
DRACOS, T: Three-Dimensional Velocity and Vorticity Measuring and Image Analysis Techniques, 8N21
- Water-surface slope at critical controls in open channel flow, 3A975
DRAGAN, V: Small gain theorem for linear stochastic systems, 12T362
DRAGANICH, LF: Minimum energy trajectories of the swing ankle when stepping over obstacles of different heights, 7A1540
- Stepping over an obstacle increases the motions and moments of the joints of the trailing limb in young adults, 9A1577
DRAGON, A: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3, 1N32
- Model of anisotropic damage by Mesocrack growth; Unilateral effect, 5A683
- Influence of correlations between stresses on calculated fatigue life of machine elements, 7A704
DRAKE, JB: Boundary elements on distributed memory architectures, 1A82
DRAKE, JM: Dynamics in Small Confining Systems III, 11N27
DRAKUNOV, S: Stabilization and tracking in the nonholonomic integrator via sliding modes, 6T376
DRAPER, S: Novel processing technique for tow fiber reinforced metal matrix composites with tailored interfaces, 3T651
DRAR, H: Fracture mechanisms near threshold conditions of nickel alloyed PM steel, 6A726
DRASKOVIC, ZV: Contribution to the invariant derivation of FE equations of motion in curvilinear coordinates, 10A6
DRATLER, DI: Spatial evolution of a monochromatically forced flat-plate wake, 5A202
- Dynamic simulation of suspensions of non-Brownian hard spheres, 5A968
DRAVINSKI, M: Scattering of SH waves in multilayered media with irregular interfaces, 6A246
DRAZETIC, P: Damage occurrence under dynamic loading for strain rate sensitive materials, 8A822
DRAZIN, PG: Flow along a diverging channel, 10A1069
DRCHAL, V: Interlayer exchange coupling: Effect of alloying, 9A607
DRDA, PA: Exploring molecular origins of shark-skin, partial slip, and slope change in flow curves of linear low density polyethylene, 3A937
- Stick-slip transition in capillary flow of linear polyethylene - 3: Surface conditions, 10A1169
DRECHSLER, K: Tailored fiber placement to minimize stress concentrations, 12A571
DREGER, DS: Real-time seismology at UCB: The rapid earthquake data integration project, 2A1373
DRESCHER, A: Viscoelastic analysis of diametral compression of asphalt concrete, 11A400
DRESDEN, M: Integral formulation of hydrodynamics, 8A5
DRESSLER, K: Rainflow counting and energy dissipation for hysteresis models in elastoplasticity, 3A664
- The Mroz model, 5A408
- Stochastic reconstruction of loading histories from a rainflow matrix, 10A780
DREW, SJ: Torsional (rotational) vibration: Excitation of small rotating machines, 10A171
DREYER, M: Damped oscillations of a liquid-gas surface upon step reduction in gravity, 8A271
DREßLER, K: Fatigue lifetime estimation based on rainflow counted data using the local strain approach, 6A731
DRINKWATER, B: Practical application of solid coupled ultrasonic transducers, 8A855
- Study of the transmission of ultrasound across solid-rubber interfaces, 8A333
DRISCOLL, JF: Measured supersonic flame properties: Heat-release patterns, pressure losses, thermal choking limits, 1A1323
- Measured lengths of supersonic hydrogen-air jet flames - Compared to subsonic flame lengths - and analysis, 3A1317
- Images of dissipation layers to quantify mixing within a turbulent jet, 6A1122
DRITSCHEL, DG: Instability and breakdown of tall columnar vortices in a quasi-geostrophic fluid, 6A1138
DRIVER, DM: Combined experimental and computational study of pressure-driven 3D separation in a turbulent boundary layer, 4A1039
DRNEVICH, VP: Interpretation of large-strain seismic cross-hole tests, 9A649
DROBNIAK, S: Flow disturbances in a single-stage cold-air turbine, 4A1140
DROBYSHEVSKII, NI: Modified quadrangle FE for solving 2D problems of nonlinear structure deformation, 4T35
DROBYSHEVSKIY, VN: Run-in coatings for diesel engine cylinder liners, 7A922
DROEGEMEIER, KK: Numerical simulations of density currents in sheared environments within a vertically confined channel, 3A977
DROST, MK: Comparison of equation of transfer with simulations on large arrays of cylindrical reflector elements, 5A1244
- Monte Carlo simulation of radiation heat transfer from an infinite plane to parallel rows of infinitely long tubes: Hottel extended, 8A1365
- Coadunation of technologies: Cogeneration and thermal energy storage, 11T1365
DROST, MR: Finite element mixture model for hierarchical porous media, 6A1395
- Confined compression of canine annulus fibrosus under chemical and mechanical loading, 11A1561
DROUOT, R: Wall effects for dilute polymer solutions in Poiseuille flow, 2A1010
DROZD, SG: Contact of spheres with account for cumulative damage and change in mechanical characteristics of surface layer, 7A902
DROZDOV, AD: Finite Elasticity and Viscoelasticity, 1R20
- Model of adaptive links for aging viscoelastic media, 3A960
- Intelligent composite structures: General theory and applications, 4A537
- Constitutive model in thermoviscoelasticity, 4T494
- Almost sure stability of viscoelastic structural members driven by random loads, 5A497
- Model of adaptive links in finite viscoelasticity, 8T501
- Explicit stability conditions for viscoelastic structural members, 10A579
- Optimal design problems in mechanics of growing composite solids - Part II: Shape optimization, 11A631
- Optimal design problems in mechanics of growing composite solids - Part I: Preload optimization, 11A630
- Constitutive model for nonlinear viscoelastic media, 12A507
DRUBAY, B: Practical method based on stress evaluation (σ_z criterion) to predict initiation of crack under creep and creep-fatigue conditions, 11A663
DRUMM, EC: Infiltration tests on fractured compacted clay, 11A558
- Subgrade resilient modulus correction for saturation effects, 12A678
DRUMMOND, FJ: New look at the melting layer, 3T1434
DRUMOND, MC: Hindered transport of macromolecules through a single row of cylinders: Application to glomerular filtration, 11A1572
DRUYANOV, B: Concept of the limit yield condition in shakedown theory, 9A3
DRUZ', AN: Green's tensor for an elastic cylinder and its applications in the development of the Saint-Venant theory, 1A449
- Homogeneous solutions and Saint-Venant problems for a naturally twisted rod, 7A500
DRY, C: Novel method to detect crack location and volume in opaque and semi-opaque brittle materials, 8A766
DRYDEN, JR: Three-dimensional analysis of the creep due to a viscous grain boundary phase, 8A506
DRYER, FL: Fluidized bed studies of carbon particle oxidation: Gas phase surface products and surface area evolution, 2A1358
- High pressure studies of moist carbon monoxide-nitrous oxide kinetics, 10A1409
- Semi-empirical reaction mechanism for n-heptane oxidation and pyrolysis, 12A1392
DRZAL, LT: Fiber, Matrix, and Interface Properties, 2N24
- Evaluation of interfacial mechanical properties of fiber reinforced composites using the microindentation method, 4A581
DU , QINGHUA: h-type adaptive FE, 3A37
DU CROZ, J: LAPACK for Fortran 90, 4T64
DU PEUTY, MA: Transient free convection in a vertical cylinder filled with granular product, open at the extremities and heated with uniform heat flux density: Validity of the local thermal equilibrium hypothesis (French), 5A1156
DU, C: Experimental study of the heat transfer between near-fluidized particles and an oscillating immersed surface, 9A1428
DU, GONGHUAN: Streaming generated by a bubble in an ultrasound field, 9A271
DU, GUOJUN: Further study on large amplitude vibration of circular sandwich plates, 7A161
DU, H: Nonlinear dynamics of multibodies with composite laminates - I: Theoretical formulation, 1A553
- Nonlinear FE model for dynamics of flexible manipulators, 3A7
- Generalized approach for implementing general boundary conditions in the GDQ free vibration analysis of plates, 7A132
- Implementation of clamped and simply supported boundary conditions in the GDQ free vibration analysis of beams and plates, 7A133
- Effect of unsteady wake with trailing edge coolant ejection on detailed heat transfer coefficient distributions for a gas turbine blade, 11A1163
- Galerkin method for initial value problems based on the principle of total virtual action, 12A83
DU, J: Application of self-tuning fuzzy controller to dynamic positioning system of floating production system, 6A1170
DU, JISHENG: Torsional vibration monitor consisting of five intel-8098 units (Chinese), 10A279
DU, Q: Impulsive stretching of a surface in a viscous fluid, 8A1049
DU, QIANG: High-kappa limits for the time-dependent Ginzburg-Landau model, 1A611
DU, QINGHUA: Determination of an equivalent elastic modulus for bodies with cracks by BEM, 4A773
- Flexible strategy for numerical path integration, 9A777
DU, R: Artificial neural network architecture design using similarity measure with applications in engineering monitoring and diagnosis, 4A419
- Monitoring rotating tools using laser diffraction, 5A561
- Four dimensional holospectrum: A new method for analyzing force distributions, 8A421
DU, SHANYI: Line force, charge and dislocation in anisotropic piezoelectric materials with an elliptic hole or a crack, 12T673
DU, SHUMING: Effects of higher Eulerian velocity moments on the mean concentration distribution, 10A1495
- Universality of the Lagrangian velocity structure function constant (C_0) across different kinds of turbulence, 12T1146
DU, SHUQIN: Finite element analysis of frictionally excited thermoelastic instability, 9A1326
DU, SY: Elastic field in a half-space with a circular cylindrical inclusion, 7A416
- Dynamic characteristics of a beam specimen featuring electrorheological fluids, 8A131
DU, Z-Z: Power-law matrix creep in fiber composites due to transverse stress gradients, 11A465
DUAL, J: Newly designed oscillating viscometer for blood viscosity measurements, 5A1512
DUAN, BAO-YAN: Study on dynamic reliability analysis of the structures with multi dof, 7A818
DUAN, MENGLAN: Dynamic ice-induced responses of offshore fixed platforms, 1A855
DUAN, SJ: Proposal for optimum structural design with the largest buckling load, 9A837
DUAN, SZ: Ducted tip: A hydrofoil tip geometry with superior cavitation performance, 11A1129
DUAN, W: Perturbed Lagrangian formulation for nearly incompressible and incompressible hyperelasticity, 10A571
DUAN, WEN-YANG: Fully nonlinear calculation of 2D water wave generated by rocker flap wavemaker, 1T250
DUAN, XN: Optimized procedure for seismic design of torsionally unbalanced structures, 12T1468
- Performance of asymmetric code-designed buildings for serviceability and ultimate limit states, 12A1469
DUAN, ZHUPING: Analytical study on the laser induced reverse-plugging effect by using the classical elastic plate theory - II: Reverse-bulge motion, 5A473
- New dynamic model for study of dislocation pattern formation, 6A523
DUAN, ZP: Long pulsed laser induced reverse bulging and plugging, 11A1378
DUARTE, CA: H-p clouds: An h-p meshless method, 5A37
- h-p adaptive method using clouds, 6A44
DUARTE, CAM: hp-meshless cloud method, 6A45
DUARTE, MA: Error models with parameter constraints, 3T332
DUBE, GP: Exact piezothermoelastic solution of simply-supported orthotropic flat panel cylindrical bending, 1A606
- Natural frequencies and buckling loads of beam-columns stiffened by rings, 2A123
- Exact piezothermoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, 3A526
- Tapered thin open section beams on elastic foundation - I: Buckling analysis, 4A617
- Tapered thin open section beams on elastic foundation - II: Vibration analysis, 4A167
- Exact piezoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, 7A519
- Exact piezothermoelastic solution for simply supported laminated flat panel in cylindrical bending, 10A638
DUBE, J-F: Rate dependent damage model for concrete in dynamics, 3A774
DUBEY, GP: Temperature and pressure dependence of thermoacoustical parameters of liquid argon and xenon, 10A367
DUBEY, JS: Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, 9A698
DUBEY, RK: Effects of acoustics on an ethanol spray flame in a propane-fired pulse combustor, 12A1380
DUBEY, RN: Application of objective rates in mechanical modeling of solids, 3A427
- Note on the fundamental shape function and frequency for beams under off-center load, 10T183
- Experimental investigations and shape functions for lateral vibration of axially constrained beams with a concentrated mass at the center, 12T159
DUBEY, S: Investigation of the effects of stress ratio and crack closure on the micromechanisms of fatigue crack growth in Ti-6Al-4V, 12A758
DUBEY, SN: Temperature and pressure dependence of thermoacoustical parameters of liquid argon and xenon, 10A367
DUBIEF, Y: Advantages of using a power law in a low R_θ turbulent boundary layer, 8A1186
- Measurement of $\partial u/\partial y$ in a turbulent boundary layer over a riblet surface, 9A1077
DUBINI, G: Computational pulsatile model of the bidirectional cavopulmonary anastomosis: The influence of pulmonary forward flow, 5A1497
- Mathematical model of circulation in the presence of the bidirectional cavopulmonary anastomosis in children with a univentricular heart, 12A1559
DUBININ, E: "Phobos events": Signatures of solar wind dust interaction, 4A267
DUBINSKY, A: Method for calculating force coefficients of bodies of revolution, 4A1019
- Optimal properties of bodies of revolution in continuum and free molecular regimes, 12T1089
DUBOIS, A: Elastoplastic FE analyses of an upsetting-sliding test for the determination of friction at medium and high contact pressure, 1T45
- Determination of the compression-translation for test parameters for the identification of the coefficients of friction in realistic contact conditions (French), 1A874
- Optimization of the upsetting-sliding test parameters for the determination of friction laws at medium and high contact pressures, 6A937
DUBOIS, F: DCB testing of thermoplastic composites: A nonlinear micro-macro numerical analysis, 11A489
DUBOIS, M: Critical properties of convective waves in a 1D system, 8A1289
DUBOIS-PELERIN, Y: Improving modularity in object-oriented FE programming, 9A37
DUBOURG, M-C: Realistic braking operation simulation of ventilated disk brakes, 1T906
DUBOURG, MC: Crack path prediction under fretting fatigue: A theoretical and experimental approach, 4A717
- Theoretical model for the prediction of initial growth angles and sites of fretting fatigue cracks, 12T778
DUBOVSKIKH, YA: Asymptotic analysis of stability and postcritical behavior of elastic panels in a supersonic flow, 5A214
DUBOWSKY, S: Radiation efficiency for unbaffled plates with experimental validation, 8A308
- Force workspace: A tool for the design and motion planning of multi-limb robotic systems, 12A431
DUBROCA, B: Different levels of modeling for diffusion phenomena in neutral and ionized mixtures, 7A1373
DUBUJET, P: Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 2: Theoretical analysis using an elastoplasticity model, 8A656
DUCHATEAU, P: Inverse problem for the hydraulic properties of porous media, 10A1447
DUCHENE, B: Modified gradient approach to inverse scattering for binary objects in stratified media, 2A295
DUCK, PW: IUTAM Symposium on Nonlinear Instability and Transition in Three-Dimensional Boundary Layers, 7N28
- Boundary layer arising in the spin-up of a stratified fluid in a container with sloping walls, 10A1086
DUCKETT, RA: Interlaminar and intralaminar fracture toughness of uniaxial continuous and discontinuous carbon fiber-epoxy composites, 12A809
DUCLOUX, R: Application of anisotropic viscoplastic behavior in 3D FE simulations of hot rolling, 1A630
DUCROS, F: Large-eddy simulation of transition to turbulence in a boundary layer developing spatially over a flat plate, 5A988
DUDA, GN: Variability of femoral muscle attachments, 3A1501
DUDA, GW: Optimization of shallow Schwedler domes, 9A835
DUDA, H: Prediction of pilot-in-the-loop oscillations due to rate saturation, 10T471
DUDA, JL: Wear characteristic of aluminum-silicon alloy under lubricated sliding conditions, 4A893
- Wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, 5A834
DUDA, SJ: Influence of near-source and near-receiver structure on the spectrum of P waves from nuclear explosions, 4A1386
DUDAR, OJ: Mathematical simulation and optimization of technological processes described by relations of geometrically nonlinear theory of plasticity (Russian), 1A472
DUDECK, M: Mass spectrometry and optical spectroscopy in N_2-CO_2 and N_2-CH_4 plasma jets, 1A1090
DUDEK, G: Mapping in unknown graph-like worlds, 1A402
DUDGEON, DJ: Laser Doppler measurements of flow in a cone-and-plate rheometer and the effect of cone misalignment, 9A992

DUDLEY, R: Stochastic structure of downstream pressure from an axial compressor - II: Investigation of blade-to-blade variability, 3A1203
DUDZINSKI, D: Modeling of cutting for viscoplastic materials, 7A596
DUFFA, G: Different levels of modeling for diffusion phenomena in neutral and ionized mixtures, 7A1373
DUFFRENE, L: Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, 10A1039
DUFFY, BR: Asymptotic analysis of small holes in thin fluid layers, 1A983
- Similarity solution for viscous source flow on a vertical plane, 8A1068
DUFFY, J: Inverse analysis of a planar two-spring system, 3A402
- Inverse force analysis of a planar two-spring system, 11A842
DUFOUR , R: Transient response of structures on viscoelastic or elastoplastic mounts: Prediction and experiment, 6A212
DUFOUR, J: High performance materials obtained by solid state forming of polymers, 1A668
DUFUMIER, H: Limits of linear moment-tensor inversion of teleseismic body wave spectra, 3A1366
- Contribution of seismic tomography in moment-tensor inversions using teleseismic surface-wave spectra, 12A1472
DUHAMEL, D: Efficient calculation of the 3D sound pressure field around a noise barrier, 5A256
- Comparison of a ray model with a Fourier-BEM for traffic noise situations with multiple diffractions and reflections, 10A355
- Effects of sampling rate and length of an adaptive filter on the active control of a plane sound wave in a lossy semi-infinite waveguide, 12A332
DUITS , MHG: Shear history dependence of the viscosity of aggregated colloidal dispersions, 3A954
DUJARDIN, FH: Quantitative assessment of cortical bone remodeling from routine radiographs of total hip arthroplasty, 2T1449
DUKARSKII, SM: Problems of creating computer integrated manufacture for pilot mechanical engineering, 6T451
DUKE JR, JC: Acoustic emission: A tool for the bridge engineer, 2T731
DUKHIN, SS: Dynamics of Adsorption at Liquid Interfaces: Theory, Experiment, Application, 7N25
DUKKIPATI, RV: Discrete adaptive active suspension for hardware implementation, 3A375
DULIEU-SMITH, JM: Thermoelastic stress analysis of a GRP tee joint, 12A1347
DULIKRAVICH, GS: Inverse determination of boundary conditions and sources in steady heat conduction with heat generation, 2A1235
- Three-dimensional aerodynamic shape optimization using genetic and gradient search algorithms, 8A884
- Unified electro-magneto-fluid dynamics: Introductory concepts, 12A1154
- Unified electro-magneto-fluid dynamics: A survey of mathematical models, 12A1155
DULLIEN, FAL: Experimental determination of the flow transport coefficients in the coupled equations of two-phase flow in porous media, 4A1341
DULOS, E: From quasi-2D to 3D Turing patterns in ramped systems, 5A1318
DUMAS, EJ: Aircraft wind measurement considering lift-induced upwash, 5T1435
DUMAS, GA: New in vitro measurement technique for small 3D joint motion and its application to the sacroiliac joint, 2A1468
DUMAS, JP: Study of the crystallization of nodules containing a phase change material for cool thermal storage (French), 3A1267
DUMIR, PC: Exact piezothermoelastic solution of simply-supported orthotropic flat panel cylindrical bending, 1A606
- Natural frequencies and buckling loads of beam-columns stiffened by rings, 2A123
- Exact piezothermoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, 3A526
- Tapered thin open section beams on elastic foundation - I: Buckling analysis, 4A617
- Tapered thin open section beams on elastic foundation - II: Vibration analysis, 4A167
- Exact piezothermoelastic axisymmetric solution of a finite transversely isotropic cylindrical shell, 5A505
- Three-dimensional solution for simply-supported piezoelectric cylindrical shell for axisymmetric load, 6A636
- Three-dimensional piezothermoelastic solution for shape control of cylindrical panel, 7A1353
- Exact piezoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, 7A519
- Exact piezothermoelastic solution for simply supported laminated flat panel in cylindrical bending, 10A638
DUMONT, S: Wavelet-Galerkin method for periodic heterogeneous media, 1A545
DUMOULIN, MM: High performance materials obtained by solid state forming of polymers, 1A668
DUNCAN, JH: Interaction between a bubble and a submerged compliant structure, 4A241
- Surface ripples due to steady breaking waves, 7A212
DUNDURS, J: Further analysis of end effects for plane deformations of sandwich strips, 4A585
DUNKERS, JP: Mid-infrared attenuated total internal reflection cure sensor for control of resin transfer molding of a pre-ceramic polymer, 7A633
DUNLOP, I: Geometrical analysis of segmented ultrasonic flaw regions, 1A819
DUNN, MG: Operation of gas turbine engines in volcanic ash clouds, 5A1369
- Phase-resolved surface pressure and heat-transfer measurements on the blade of a two-stage turbine, 11A1167
DUNN, ML: Elastic constants of textured short-fiber composites, 3A496
- Green's functions for transversely isotropic piezoelectric solids, 5A506
- Elastic moduli of composites reinforced by multiphase particles, 11A475
DUNN, PF: Surface-contact mechanics during oblique impact of microspheres with planar surfaces, 4A1330
DUNNE, FPE: Modeling central bursting in the extrusion of particulate reinforced metal matrix composite materials, 12T716
DUNNE, RC: Wall-boundod blade-tip vortex interaction noise, 11A246
DUNSDON, JM: Effect of period asymmetry on wave propagation in periodic beams, 5A149
DUNSTAN, T: Drained granular material under cyclic loading with temperature-induced soil and structure interaction, 11A554
DUNWOODY, J: Effects of inertia and finite amplitude on oscillatory plane shear flow of K-BKZ fluids such as LDPE melts, 3A1037
DUNYE, I: Note on the effect of plastic strain on fracture toughness, 11A733
DUONG, CN: Evaluation of the J-integral by a plastic crack tip element, 9A741
DUPAIX, C: Existence of smooth, stationary interfaces for Marangoni-type flow, 3T993
DUPIRE, P: Acoustic fields in trapezoidal cavities, 10A332
DUPLYAKIN, IA: Dynamics of an infinite Timoshenko beam lying on a base with two elastic characteristics under motion of a deformable carriage, 1A160
DUPONT, F: Optimization of the recognition of defects in flat steel products with the cost matrices theory, 9A420
DUPONT, P: Supersonic turbulent boundary layer subjected to step changes in wall temperature, 6A1081
- Semi-active control of friction dampers, 12A999
DUPONT, PE: Perturbation stability of frictional sliding with varying normal force, 1A219
DUPONT, TF: Layer formation in monodispersive suspensions and colloids, 6A986
DUPRAT, D: Fatigue damage calculation in stress concentration fields under variable uniaxial stress, 1A700
- Fatigue life prediction of interference fit fastener and cold worked holes, 7A670
DUPRAT, F: Structural reliability analysis of reinforced concrete columns: A comparison of methods to assess the probability of buckling failure (French), 4A834
DUPRE, G: Shock tube study of the effect of nitrogen or hydrogen on ignition delays in mixtures of monomethylhydrazine + oxygen + argon, 9A1356
DUQUESNE, F: Determination of the vibration comfort of vehicles by means of simulation and measurement, 4A1497
DUQUETTE, JJ: Effect of diabetes on the viscoelastic properties of rat knee ligaments, 5A1466
DURAN, JDG: Study on the adhesion of calcium carbonate to glass: Energy balance in the deposition process, 2A944
DURAN, R: Filter inlet velocity redistribution with filter loading, 6A1072
- Finite element solution of incompressible fluid-structure vibration problems, 10A325
DURAND, D: Nuclear temperature measurements with isotropic thermometer, 9A1144
DURAND, E: Evaluation of the environmental quality of buildings towards a more environmentally conscious design, 7A1526
DURAND, L-G: Characterization of blood flow turbulence with pulsed-wave and power Doppler ultrasound imaging, 2A1456
DURBAN, D: Elastoplastic analysis of cylindrical cavity problems in geomaterials, 8A671
DURBIN, MD: Structure of turbulent hydrogen jet diffusion flames with or without swirl, 5A1332
- Experimental and computational study of swirling hydrogen jet diffusion flames, 10A1149
- Studies of lean blowout in a step swirl combustor, 11A1416
DURBIN, P: Modeling near-wall effects in second-moment closures by elliptic relaxation, 2A1047
DURBIN, PA: Explicit algebraic scalar flux approximation, 12A1150
DUREKOVIC, A: Mathematical modeling of electrochemical steel corrosion in concrete, 6A738
DUREN, RE: Sensitivity of the dispersion correction to Q error, 7A1475
DURGUT, I: Kalman-filter-based observer design around optimal control policy for gas pipelines, 7A26
DURISEK, NJ: Land vehicle roll-yaw product of inertia measurement, 12A203
DURMUS, A: Earthquake analysis of flexible rectangular tanks by using the Lagrangian fluid FE, 7A227
DURODOLA, JF: Overhauser triangular elements for 3D potential problems using BEMs, 6A56
DUROX, D: Characteristics method and cusped flame fronts, 4A1307
DURRANT-WHYTE, HF: Autonomous guided vehicle for cargo handling applications, 4A433
DURST, F: Experiments on the rise of air bubbles in clean viscous liquids, 3A1076
- Further contributions on the 2D flow in a sudden expansion, 8A1149
DUSEK, J: Numerical simulation of the mechanisms governing the onset of the Benard-von Karman instability, 4A1080
- Spatial structure of the Benard von Karman instability, 5A1037
- Primary and secondary instabilities in the wake of a cylinder with free ends, 8A1156
DUSSAUGE, J-P: Turbulent Shear Layers in Supersonic Flow, 6R20
DUSZEK-PERZYNA, MK: Adiabatic shear band localization of inelastic single crystals in symmetric double-slip process, 1A499
DUTKO, M: Design of simple low order FEs for large strain analysis of nearly incompressible solids, 1A2
- Transfer operators for evolving meshes in small strain elasto-plasticity, 6A529
DUTRE, S: Invariant hybrid force-position control of a velocity controlled robot with compliant end effector using modal decoupling, 12A440
DUTT, A: Fast algorithms for polynomial interpolation, integration, and differentiation, 3A70
DUTTA, A: Accurate computation of design sensitivities for dynamically loaded structures with displacement constraints, 2A751
- Error estimation in FE transient dynamic analysis using modal superposition, 9A32
- Automated solution procedures for negotiating abrupt nonlinearities and branch points, 9A598
DUTTA, BK: Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, 4A769
DUTTA, D: PMPS: A prototype CAPP system for parallel machining, 2A596
- Coestruction of a surface model and layered manufacturing data from 3D homogenization output, 3A423
- Assessment of data formats for layered manufacturing, 9A679
- Investigation of techniques for asymmetry rectification, 11A353
- Geometry and generation of NC tool paths, 12A463
DUTTA, P: Discrete probability function method for the calculation of turbulent particle dispersion, 6T1158
- Nonaxisymmetric convection in stationary gas tungsten arc weld pools, 8A1311
- Emissions characteristics of liquid-fueled pilot stabilized lean premixed flames in a tubular premixer-combustor, 12A1371
DUTTA, S: Local heat transfer in a rotating two-phase triangular duct with smooth walls, 1A1188
- Local heat transfer in rotating smooth and ribbed two-pass square channels with three channel orientations, 2A1184
- Flow separation with adverse rotational buoyancy, 5T1173
- Experimental heat transfer in a rotating triangular duct: Effect of model orientation, 11T1250
DUTTON , K: Self-tuning control of a cold mill automatic gauge control system, 5A329
DUTTON, AG: Flaw detection in composite materials using infra-red thermography by the method of external heating, 5A724
DUTTON, J: Extravehicular activity hardware for international space station, 9A920
DUTTON, JC: Characteristic features of large structures in compressible mixing layers, 2A990
- Mie scattering measurements of probability density functions in compressible mixing layers, 3A1053
- Bow shock-jet interaction in compressible transverse injection flowfields, 4T1062
- Velocity measurements of a jet injected into a supersonic crossflow, 9A1100
- Large structure convection velocity measurements in compressible transverse injection flowfields, 9A1050
- Crossflow vortices of a jet injected into a supersonic crossflow, 10T1159
DUTTON, RE: Failure modes in unidirectional composites under transverse loading, 7A737
DUTTON, RW: Delaunay triangulation and 3D adaptive mesh generation, 10A47
DUVA, JM: Probabilistic micromechanics model for damaged composites, 4A725
- Pore shape effects during consolidation processing, 5A545
DUVAL, P: Creep flow and pressure relaxation in bubbly medium, 5A922
DUWAIRI, HM: Inertia effects on mixed convection for vertical plates with variable wall temperature in saturated porous media, 1A1397
DUXBURY, P: Development of elastoplastic material models in a natural coordinate system, 3A475
DUYM, S: Evaluation of shock absorber models, 9A374
DUYM, SWR: Selection of an optimal force-state map, 6A122
DUYSINX, P: Generalized method of moving asymptotes (GMMA) including equality constraints, 5A747
DVINSKY, A: Navier-Stokes study of natural convection and heat transfer in vertical symmetrically heated plate-fin heat sinks, 6A1239
DVOINISHNIKOV, AE: Air blast and heat radiation from fuel-rich mixture detonations, 1T267
DVORAK, GJ: Initial failure maps for ceramic and metal matrix composite laminates, 9A718
DVORAK, R: Fourth Alexander von Humboldt Colloquium on Celestial Mechanics: The dynamical behavior of our planetary system, 11A236
DVORKIN, EN: Finite strain elasto-plastic formulations using the method of mixed interpolation of tensorial components, 3A484
- Numerical-experimental analysis of an API 8-round connection, 12A489
DVORKIN, J: Pressure sensitivity of cemented granular materials, 2A1352
DWORZYNSKI, P: Analysis of the shape of the water droplet on an inclined glass plate and visualization with the revolved surface with B-spline cross-section, 4A992
DWYER, JF: Modeling of 3D mixed-mode fractures near planar bimaterial interfaces using surface integrals, 5A704
- Edge function analysis of crack interaction in anisotropic materials, 7A754
- Edge function analysis of glacier mechanics problems, 8A1468
DWYER-JOYCE, R: Study of the transmission of ultrasound across solid-rubber interfaces, 8A333
DYACHENKO, SM: Numerical modeling of vibration heating and heating stresses in the Langevin type piezoelectric transducer (Russian), 2A532
DYBIEC, H: Plasticity in the compression stress state, 1A475
DYKA, CT: New approach to dynamic condensation for FEM, 3A23
- Stress points for tension instability in SPH, 12A246
DYKAAR, BB: Stokes flow in a slowly varying 2D periodic pore, 9A1420
DYKE, SJ: Acceleration feedback control of MDOF structures, 3A737
- Series solution of a class of nonlinear optimal regulators, 4A360
- Phenomenological model for magnetorheological dampers, 9A119
DYKO, MP: Heat transfer optimization within open-ended annular cavities, 7T1248
- Buoyancy induced convection in a narrow open-ended annulus, 12A1261
DYM, CL: Identifying nodes and anti-nodes of an axially vibrating bar with lumped mass, 12T163
DYMENT, A: Weakly nonlinear interfacial waves in a duct of arbitrary cross section, 1A266
DYMOND, JH: Transport Properties of Fluids: Their Correlation, Prediction, and Estimation, 2R35
DYNOWSKA, E: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
DYSART, MJ: Posture prediction for static sagittal-plane lifting, 3A1508
DYSHEL, MS: Destruction of expanded plates with a marginal crack with account of preliminary local loss of stability (Russian), 1T594
DYSHKO, AL: Approximate determination of inherent characteristics of a cylindrical shell with a hole (Russian), 1A569
DYSKIN, AV: Cosserat continuum model for layered materials, 8A9
DYSTHE, KB: Modified nonlinear Schrodinger equation for broader bandwidth gravity waves on deep water, 6A272
DZENIS, YA: Effect of loading parameters on damage-induced shear-extension coupling in laminate, 9T751
- Long-term strength and damage analysis of laminated composites, 12A786
DZIARMAGA, J: Dynamics of overlapping vortices in complex scalar fields, 9A10
DZIECIELAK, R: Behavior of acceleration waves in a viscoelastic porous medium with a structure - Part I: Propagation conditions and growth equations, 4A214
- Behavior of acceleration waves in a viscoelastic porous medium with a structure - Part II: Linear viscoelastic fluid-saturated porous solid, 4A215
DZIEDZIC, M: Experimental study of viscous vortex rings, 4A972
DZIERZANOWSKI, P: Inertial radial deduster for traction piston engine (Polish), 9A1397
DZIERZEK, S: Displacement and force analysis of five-rod suspension with flexible joints, 11A843

DZIK, EJ: Primary fracture propagation from circular cavities loaded in compression, 6A718
DZIUBAK, T: Inertial radial deduster for traction piston engine (Polish), 9A1397
DZIUBDZIELA, W: Matrix equation of heat flow in random conditions, 11A1322
DZIURZYNSKI, W: Optimal site for a stationary anemometer of the mine ventilation network monitoring system in the heading section, 9A1527

E

EAGAR, MA: Evolution of internal flow in a solid rocket motor with radial slots, 1A1373
EAGAR, TW: Cleaning and reflow of Pb-Sn C4 solder bumps, 11A877
EAGLES, PM: Small-gap Taylor problem: An approximation and some exact results for non-axisymmetric modes, 7A1025
EAGLIN, R: Hydrology: Water Quantity and Quality Control, 8N27
EAKINS, WE: Effects of incorporating a cone swirler into a side-inlet ducted ramrocket, 7A1431
EALY, CD: Design method for drilled shafts in soft argillaceous rock, 9A642
EAMES, I: Displacement of inviscid fluid by a sphere moving away from a wall, 5A967
EAMES, IW: Performance characteristics of HCFC-123 ejector refrigeration cycles, 4A1253
- Potential benefits of electrohydrodynamic enhancement of two-phase heat transfer in the design of refrigeration systems, 5A1273
- Evaporation coefficient of water: A review, 9A1256
EARLES, SWE: Analysis of a four-bar mechanism with a radially compliant clearance joint, 1A915
- Three-dimensional shortest path planning in the presence of polyhedral obstacles, 3A417
- Motion planning with reversal maneuvers for a nonholonomic constrained robot, 4A441
EARMME, Y-Y: Determination on the most appropriate mesh size for a 2D FE analysis of fatigue crack closure behavior, 10A781
EARMME, YOUN-YOUNG: Automated real-time measurements of fatigue crack length and crack opening load using unloading elastic compliance method, 10A796
EARMME, YY: New conservation integral for an arbitrarily kinked interfacial crack, 7A757
EAST, RA: Liquid crystal thermography for heat transfer measurement in hypersonic flows: A review, 6T1055
EASWARAN, V: Wave propagation and attenuation in Herschel-Venturi tubes, 8A357
EASWARAN, Y: Displacement-based FEM for guided wave propagation problems: Application to poroelastic media, 5A1406
EATOCK TAYLOR, R: Semi-analytical solution for second-order wave diffraction by a truncated circular cylinder in monochromatic waves, 3A241
EATON, AR: Development of a full-field planar Mie scattering technique for evaluating swirling mixers, 4A1179
EATON, JA: Predictions and observations of the flow field induced by laminar flow control microperforations, 6T1097
EATON, JH: Development of ceramic composite hot-gas filters, 1A1357
EATON, JK: Turbulence characteristics of a boundary layer over a 2D bump, 3A1146
- Turbulence characteristics of a boundary layer over a swept bump, 4A1033
- High-resolution laser Doppler anemometer for 3D turbulent boundary layers, 7A1092
EBADIAN, MA: ASME Proceedings of 31st National Heat Transfer Conference, Volume 2, 2N37
- Flow patterns and pressure drop in air-water two-phase flow in horizontal helicoidal pipes, 11A999
- Laminar forced convection in the entrance region of helical pipes, 11A1218
- Effects of Prandtl numbers on local and average convective heat transfer characteristics in helical pipes, 12A1263
EBCIOGLU, IK: General multilayer geometrically-exact beams and 1D plates with piecewise linear section deformation, 1A529
- Dynamic formulation for geometrically-exact sandwich shells, 12A628
EBDON, S: Application of 3D surface measurement techniques to characterizing grinding wheel topography, 5A564
EBECKEN, NFF: In-time fatigue monitoring using neural networks, 11A819
- Numerical simulation of the "pull-in" operation in submarine pipelines, 12A24
EBERHARD, GA: Automotive diesel fuel emissions durability trends, 1A1348
EBERHARD, MO: Design of seismic restrainers for in-span hinges, 9A1492
- Lateral-load response of a reinforced concrete bridge, 9A1480
- Lateral-load response of two reinforced concrete bents, 9A1481
EBERHARD, WL: Ground-based remote sensing of the atmospheric boundary layer: 25 years of progress, 2T1417
EBERHARDT, DS: Implicit scheme for nonideal magnetohydrodynamics, 8A1210
EBERLEIN, R: Comparison of 3D continuum and shell elements for finite plasticity, 1A18
- New axisymmetrical membrane element for anisotropic, finite strain analysis of arteries, 3A543
EBIHARA, B: Lubrication of slow rolling contacts: The NASA ball on plate tribometer, 12A1230
EBINE, N: New method of nondestructive measurement for assessment of material degradation of aged reactor pressure vessels, 5A740
EBRAHIMPOUR, A: Measuring and modeling dynamic loads imposed by moving crowds, 6A196
EBROM, DA: Comparison of experimental velocity measurements with theoretical results in a solid-solid composite material, 4A210
ECE, MC: Unsteady forced convection heat transfer from a translating and spinning body, 11A1212
ECHAABI , J: Methodology to derive the implicit equation of failure criteria for fibrous composite laminates, 2A681
ECHAABI, J: Theoretical and experimental investigation of failure and damage progression of graphite-epoxy composites in flexural bending test, 1A767
- Failure mode dependent strength criteria for composite laminates, 12A806
ECHAVEZ, G: Increase in losses coefficient with age for small diameter pipes, 7T998
ECHEBARRIA, B: Resonant interactions in Benard-Marangoni convection in cylindrical containers, 7A1256
ECHEKKI, T: Quasi-1D premixed flame model with cross-stream diffusion, 12A1363
ECHERT, DC: Microwave responses to stress in sea ice: A report on initial field tests, 6A1525
ECKERT, ERG: Flow visualization in a linear turbine cascade of high performance turbine blades, 8A1257
- Air venting in pressure die casting, 11T1103
ECKETT, C: Chemical nonequilibrium inviscid flow over a blunt cone at incidence, 4A1011
ECKLUND, WL: New look at the melting layer, 3T1434
ECKSTEIN, F: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
ECONOMY, J: Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, 4A548
EDA, H: Powder-metallurgical giant magnetostrictive material and its application to actuators: Development of magnetostrictive pump (Japanese), 1A384
- Estimation of intensity distribution of heat source in surface grinding based on surface generation theory and its application to grinding simulation (Japanese), 9A674
EDAMITSU, T: Study on B-spline surface fitting onto dense measured point data: Method of setting knot location and parameter with considering curvature (Japanese), 5A66
EDELMAN, IY: Asymptotic research of nonlinear wave processes in saturated porous media, 11T175
EDELMANN, K: Experimental and theoretical investigations for the design of scrubbers in heat recovery from paper machines, 11A1387
EDELSTEIN, E: Investigation of a new formulation of the Lagrange method for constrained dynamic systems, 10A114
EDELSTEIN, ES: Rotation of clamped parts due to reciprocating motion, 3A173
- Rotation of a clamped spherical ball due to linear reciprocating motion, 3A108
EDELSTEIN, F: Development and verification of a cryogenic Brilliant Eyes thermal storage unit, 2A837
EDGE, KA: Structure-borne noise prediction in liquid-conveying pipe systems, 4A255
- Partitioned simulation of fluid power systems: An approach for reduced communication between processors, 7A363
EDIDIN, AA: Role of backside polishing, cup angle, and polyethylene thickness on the contact stresses in metal-backed acetabular components, 10A1572
EDIL, TB: Ultrasonic method for evaluation of annular seals for wells and instrument holes, 12A869
EDLING, T: Relaxation and viscoelastic properties of complex polymer systems, 7A972
EDWARDS , C: Robust output tracking using a sliding-mode controller-observer scheme, 2A319
EDWARDS, AM: Oscillatory behavior in a three-component plankton population model, 7A1545
EDWARDS, BJ: Model with two coupled Maxwell modes, 3A940
EDWARDS, DN: Testing and analysis of steel-concrete-steel sandwich beams, 2A476
EDWARDS, DP: Turbulent flow in longitudinally finned tubes, 4A1044
EDWARDS, JA: Automatic liquid crystal thermography for transient heat transfer measurements in hypersonic flow, 3A1055
- Large-scale roughness influence on turbulent hypersonic boundary layers approaching compression corners, 8A1125
EDWARDS, JR: Structure of a supersonic 3D cylinder-offset-flare turbulent interaction, 12A1117
EDWARDS, L: Measurement of the 3D residual stress distribution around split-sleeve cold-expanded holes, 6A520
EDWARDS, MR: Ballistic properties of tool steel as a potential improvised armour plate, 9A194
EDWARDS, NJ: Approximate output feedback optimal control of higher-order dynamical systems, 12A364
EDWARDS, TJ: Applications of accurate isentropic exponent determination for fuel gas measurement, 1A1093
EEBRAHEEM, A: Integral equation method for solving nonlinear heat diffusion problem, 9A1268
EFIMCHIK, AA: Ion beam assisted deposition: A molecular dynamics simulation, 11T637
EFIMENKO, AA: Air blast and heat radiation from fuel-rich mixture detonations, 1T267
EFIMOV, AB: Asymptotic solution of the plane contact problem for a thin multilayer coating, 4A54
EFIMOVA, TL: Propagation of elastic waves in anisotropic hollow cylinders (Russian), 2A188
EFREMOV, GA: Optimum design of erosion-stable heatshield composite materials, 8A1387
EFTAXIAS, K: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453
EFTAXIOPOULOS, DA: Iterative integral equation formulation for the macrocrack: Array of microcracks interaction problem, 2A713
- Plane model for the stress field around an inclined, cased, and cemented wellbore, 2A1423
- T, path independent integral in anisotropic media, 8T488
EFTHIVOULIDIS, G: Experiment for truly parallel logic programming, 2A60
EFTHYMIOU, M: Reliability-based criteria for fixed steel offshore platforms, 11A775
EFTIS, J: Propagation of elastic-viscoplastic waves in damage-softened polycrystalline materials, 7A190
EGASHIRA, M: Powder particle manipulation and assemblage using microprobe, 2A428
EGAWA, F: Cracking process and delamination strength of WC film coated by high-speed flame spraying (Japanese), 1A713
EGAWA, S: Large earth retaining wall using precast SRC struts (Japanese), 2A567
EGECIOGLU, O: Smoothed particle hydrodynamics techniques for solution of kinetic theory problems - Part I: Method, 11A892
EGEE, M: Wear crack characterization by photothermal radiometry, 2A894
EGELHOFF, CJ: Laminar pulsatile flow through an axisymmetric sudden expansion, 9T1009
EGELJA, A: Kinematic and geometric models of gear drives, 6A953
EGGELS, JGM: Direct and large-eddy simulation of turbulent fluid flow using the lattice-Boltzmann scheme, 2A1057
EGGELS, RLGM: Post-processing method for predicting NO formation in 1D and 2D premixed methane-air flames, 3A1330
EGGERS JR, AJ: Effects of blade bending on aerodynamic control of fluctuating loads on teetered HAWT rotors, 5A1078
EGGERS, F: Ultrasonic study on the complexation kinetics of N,N-diethylformamide and zinc acetate in aqueous solutions, 10A335
EGGLETON, CD: Numerical simulation of viscoelastic flow using flux difference splitting at moderate Reynolds numbers, 1A466
EGHBALI, DA: Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5-MOD3 computer code, 5A973
- Modeling of turbulent vapor condensation with noncondensable gases, 11T1290
EGNER, W: Polynomial boundary perturbation for optimal plastic design of heads of plane tension members, 4A815
EGOLFOPOULOS, FN: Unsteady counterflowing strained diffusion flames: Diffusion-limited frequency response, 2A1333
- Wall effects on the propagation and extinction of steady, strained, laminar premixed flames, 9A1370
- Structure and propagation of premixed flame in nozzle-generated counterflow, 11A1400
EGURNOV, NV: Bulging of flexible plates under effect of lateral and longitudinal loads (Russian), 9T591
EGUSA, S: Application of piezoelectric paints to damage detection in structural materials, 2A741
EHINGER, A: Green's function implementation of common-offset wave-equation migration, 6A1410
EHLERS, C: Electro-mechanical dynamic analysis of the piezoelectric stack, 3A572
- Analytical investigation of static models of piezoelectric patches attached to beams and plates, 10A675
EHLERS, D: Phase-lock-loop-based control system for suppressing periodic vibration in smart structural systems, 8A893
EHLERS, GW: Motion of a disc rolling on a horizontal plane: Path controllability and feedback control, 6A103
- Closed-loop control of the motion of a sphere rolling on a moving horizontal plane, 8A392
EHLERS, W: Fundamental concepts of multiphase micropolar materials, 1A614
EHMANN, KF: Sensing of motion related errors in multiaxis machines, 4A183
- CAD approach to helical groove machining - Part 2: Numerical evaluation and sensitivity analysis, 6A691
EHRENMARK, UT: Eulerian mean current and Stokes drift under non-breaking waves on a perfect fluid over a plane beach, 1A255
EHRLACHER, A: Size and density influence on overall moduli of finite media with cracks, 3A726
- Thermodynamic analysis of a propagating crack in saturated porous media, 8A1460
EHRLER, F: Special cloud chambers for investigations into the time-behavior of homogeneously nucleated spontaneous condensation, 4A1226
EHRLICH, DA: Chordwise bending cascade unsteady aerodynamics by an experimental influence coefficient technique, 7A228
EHRMANN, P: Comparative early developments of wake vortices behind a short semicircular-section cylinder in two opposite arrangements, 6A1118
EHSANI, MR: Seismic strengthening of circular bridge pier models with fiber composites, 5A444
- Repair of earthquake-damaged RC columns with FRP wraps, 10A939
- Shear and flexural strengthening of R-C beams with carbon fiber sheets, 12A907
EICHELBERGER, EC: Torsional vibration measurements on a diesel engine and dynamometer, 2A178
EICHHORN, R: Transition boiling curves in saturated pool boiling from horizontal cylinders, 2A1217
EICK, CD: Free vibration of flexible rotating disks, 4A149
EID, A: Solution of the inverse radiative load problem using the singular value decomposition technique, 7A1327
EID, HT: Shear behavior of reinforced geosynthetic clay liners, 8A682
- Slope stability analyses in stiff fissured clays, 9A638
EID, R: New approach to the classical Stokes flow pattern - Part II: Series solutions and higher-order applications, 8A1055
EIDEL, W: Viscous response of an anchored spinning liquid column to various axial excitations, 1A263
- Natural damped frequencies of a rotating viscoelastic infinitely long column, 3A457
EIDENSTEN, L: Biomass externally fired gas turbine cogeneration, 1A1352
EIDSVIK, KJ: Turbulent flows over mountainous terrain modeled by the Reynolds equations, 3T1422
EIERLE, B: Design for the control of cracking in tunnel shells made of water-tight concrete (German), 11A780
EIFERT, C: Nonlinear second moment closure consistent with shear and strain flows, 10A1192
EIFF, OS: Structures in the near-wake region of an elevated turbulent jet in a crossflow, 8A1160
EIGI MIYAGI, P: Application of PFS model (Production Flow Schema) based analysis of manufacturing systems for performance assessment, 9A411
EINAV, S: Effect of constriction size on the pulsatile flow in a channel, 11A1034
EIROLA, T: Preserving monotonicity in the numerical solution of Riccati differential equations, 1T99
EISENBERG, SR: Compressive behavior of articular cartilage is not completely explained by proteoglycan osmotic pressure, 10A1532
EISLER, TJ: Classical electrodynamics and acoustics: Sound radiation by moving multipoles, 10A336
EISS JR, NS: Tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, 7A870
EISSA, A-B: Model for predicting the fracture process zone and R-curve for high strength FRC, 1A749
EITELBERG, G: Phase step holographic interferometry applied to hypervelocity, non-equilibrium cylinder flow, 6A1197
EKALO, Y: Impedance control as a particular case of the unified approach to the control of robots interacting with a dynamic known environment, 9A399
EKAMBAVANAN, K: Transient free convection past a semi-infinite vertical plate with variable surface temperature, 11A1226
EKE, FO: Rotational dynamics of axisymmetric variable mass systems, 11A87
- Attitude behavior of a variable mass cylinder, 11A85
EKELAND, A: Skiing Trauma and Safety, 11th Volume, 10N33
EKEVAD, M: Influence of pole length and stiffness on the energy conversion in pole-vaulting, 7A1562
EKKAD, S: Effect of unsteady wake with trailing edge coolant ejection on detailed heat transfer coefficient distributions for a gas turbine blade, 11A1163

EKKAD, SV: Heat transfer inside and downstream of cavities using transient liquid crystal method, 1A1204
- Detailed heat transfer distributions in two-pass square channels with rib turbulators, 9A1283
- Combined effect of grid turbulence and unsteady wake on film effectiveness and heat transfer coefficient of a gas turbine blade with air and CO_2 film injection, 12A1145
- Film effectiveness over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, 12A1273
- Heat transfer coefficients over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, 12A1274
EKPENE, A: New fundamental bioheat equation for muscle tissue - Part I: Blood perfusion term, 12A1546
EKRANN, S: Effective relative permeabilities and capillary pressure for 1D heterogeneous media, 11A1448
EKSTROM, L: Intervertebral disc response to cyclic loading: An animal model, 8A1559
EL ABDI, R: Study of the crack deviation angle in adhesive ruptures of ceramic adhesively-bonded assemblies, 10A823
EL ADAWI, MAK: Stability of natural convection in an inclined fluid layer in the presence of ac electric field, 3A1231
EL ALAMI, K: Influence of mean stress on Ti6Al4V fatigue crack growth at very high frequency, 7A663
EL DAMATTY, AA: Large displacement extension of consistent shell element for static and dynamic analysis, 7A534
- Stability of imperfect steel conical tanks under hydrostatic loading, 11A536
EL HABTI, A: High-frequency surface acoustic wave devices at very low temperature: Application to loss mechanisms evaluation, 1A232
EL HARROUNI, K: Groundwater optimization and parameter estimation by genetic algorithm and dual reciprocity BEM, 12A1530
EL HASNAOUI, H: Thermal energy storage in the ground: Comparative analysis of heat transfer modeling using U-tubes and boreholes, 3A1268
EL MAHI, A: Transverse cracking of cross-ply laminates - Part 2: Progressive widthwise cracking, 4A762
- Transverse cracking of cross-ply laminates - Part 1: Analysis, 4A761
EL MOUDEN, M: Problem of elastic inclusions at finite concentration, 1A444
EL NAGGAR, MH: Influence of foundation nonlinearity on offshore towers response, 3A597
EL NASCHIE, MS: Nonlinearities in mechanical engineering, 10A136
EL SAYED, AMA: Mutual effects of porosity-permeability and both irreducible water saturation and displacement pressure: The Tortel Formation, Hungary, 12A1430
EL SHEHAWEY, ESF: Stability of natural convection in an inclined fluid layer in the presence of ac electric field, 3A1231
EL WAKIL, N: Time constant of double pipe and one pass shell-and-tube heat exchangers in the case of varying fluid flow rates, 8A1367
EL YACOUBI, S: Domain optimization problems for parabolic control systems, 4A370
EL ZAHABY, KM: Probabilistic liquefaction risk analysis including fuzzy variables, 7A571
EL-ABSY, H: Coupling between rigid body and deformation modes, 6A101
EL-AINI, YM: Stall flutter prediction techniques for fan and compressor blades, 1A1111
EL-ARINI, MM: Efficient methods for the optimal power flow problem of large-scale power systems, 11A320
EL-ASFOURI, AS: Experimental study of heat transfer from the rear and front of blunt moving bodies, 9A1014
- Enhancement of heat transfer through fin- and- tube heat exchanger using corrugated fins, 12A1324
EL-ATTAR, AG: Behavior of gravity load designed reinforced concrete buildings subjected to earthquakes, 10A929
EL-ATTAR, M: Response of transmission lines to multiple support excitation, 5A1417
EL-BAKRY, H: Experimental study of behavior of new space truss system, 3A807
EL-BAYYA, MM: Unsteady flow in hydraulic capsule pipeline, 6A301
EL-BAZ, AR: Experimental investigation of local clays and clay schemes as liners for solar ponds, 1A1433
- Effects of climatic conditions on the performance of Carnallite solar ponds, 7A1509
EL-BKAILY, M: Mechanical analogies for liquid storage tanks and action of eccentric gravity loads, 11A1492
EL-BOGHDADI, MH: CDM-based computational model for the Timoshenko beam, 9A543
EL-DAMCESE, MA: Reliability of systems subject to common-cause hazards assumed to obey an exponential power model, 6A743
EL-DESOKY, SA: Probabilistic analysis of ultimate moment of reinforced concrete beams, 9A865
EL-DESSOUKY, H: Fixed point iterative algorithm for solving equations modeling the multi-stage flash desalination process, 9A1559
EL-DESSOUKY, HTA: Experimental investigation of the performance of two-stage evaporative coolers, 11A1362
- Modified analysis of counter flow wet cooling towers, 12A1326
EL-DIB, AF: Experimental study of heat transfer from the rear and front of blunt moving bodies, 9A1014
EL-DIB, YO: Electroviscoelastic stability of a Kelvin fluid layer, 7A1164
- Electroviscoelastic Rayleigh-Taylor instability of Kelvin fluids: Effect of a constant tangential electric field, 9A1138
EL-FADEL, M: Effects of approach flow conditions on pump sump design, 3A1193
EL-FAYES, F: Analytical solution for shock waves in dusty gases, 6A283
EL-GENK, MS: Vapor flow model for analysis of liquid-metal heat pipe startup from a frozen state, 2A1267
- Flooding limit in closed, two-phase flow thermosyphons, 8A1369
EL-GINDY, M: Examination of different control strategies of heavy-vehicle performance, 4A392
- Neural network and fuzzy logic applications to vehicle systems: Literature survey, 9A378
EL-GOHARY, AI: Stability of an equilibrium position and rotational motion of a gyrostat, 12A111
EL-HAWARY, MM: Behavior investigation of concrete slabs subjected to high temperatures, 2A787
- Bond shear modulus of reinforced concrete at high temperatures, 6A880
EL-KADY, MA: Fast eigenvalue sensitivity calculations for special structures of system matrix derivatives, 8A369
EL-MIDANY, AA: Combined bending and torsional fatigue of woven roving GRP, 10A764
EL-NAGGAR, ME: New design method for reinforced sloped embankments, 6A661
EL-RAHEB, M: Transient waves in a periodic stack: Experiments and comparison with analysis, 8A234
- Frequency response of a 2D trusslike periodic panel, 12A195
EL-REFAEE, MM: Transient performance of a 2D salt gradient solar pond: A numerical study, 2A1436
- General solution for plastic circular plates resting on a fluid, 2A492
- Steady-state solutions of buoyancy-assisted internal flows using a fast false implicit transient scheme, 5A1204
EL-SAWAH, MS: Break-in behavior of ceramic coating, 9A940
EL-SAWY, K: Two-level iterative FEM technique for rigorous solution of nonlinear interaction problems under large deformations, 1A447
EL-SAYED, MEM: Fatigue analysis of spot-welded joints under variable amplitude load history, 3A666
- Sensitivity of structural joint stiffnesses with respect to beam properties: A hybrid approach, 10A907
EL-SAYED, SA: Accounting for reactant consumption in the thermal explosion problem - Part II: A direct solution with application to the Frank-Kamenetskii problem, 8A300
EL-SAYED, YM: Second-law-based optimization - Part 1: Methodology, 5A760
- Second-law-based optimization - Part 2: Application, 5A761
EL-SEOUD, MS ABOU: Asymptotic convergence of a collocation method for some boundary integral equations of the first kind, 8A60
EL-SHAARAWI, MAI: Boundary layer flow about and inside a liquid sphere, 9A1066
EL-SHAFEI, A: Active control of multi-mode rotor-bearing systems using HSFDs, 7A354
- PI control of HFSDs for active control of rotor-bearing systems, 12A209
EL-SHAKERY, S: Synthesis of a multi-step cam mechanism to drive a shaking belt conveyor, 1A902
EL-SHALL, H: Rheological behavior of highly concentrated aqueous silica suspensions in the presence of sodium nitrate and polyethylene oxide, 5A896
EL-SHARKAWY, AA: Measurement of thermophysical properties of ammonium salts in the solid and molten states, 3A1218
EL-SHAZLY, KM: Enhancement of heat transfer through fin- and- tube heat exchanger using corrugated fins, 12A1324
EL-SHEIKH, A: Effect of member length imperfections on triple-layer space trusses, 10A17
EL-SHEIKH, AI: Experimental study of behavior of new space truss system, 3A807
EL-SHERIF, MA: Advanced composites with embedded fiber optic sensors for smart applications, 9A487
EL-SHIRBEENY, EHT: Simulation study of performance influencing parameters in solar electric water pumping system, 11A1540
EL-SOBKY, H: Behavior of axially crushed corrugated tubes, 6A576
EL-TAMIMI, AM: Formulation of surface roughness models for machining nickel super alloy with different tools, 11T602
EL-WAHED, AK: Applications of electro-rheological fluids in vibration control: A survey, 3A135
EL-ZEIN, Y: Expansion of a dusty plasma into a vacuum: Effects of charge nonneutrality, 9A1133
ELAMRAOUI, R: Modeling finite-rate chemistry effects in nonpremixed turbulent combustion: Test on the bluff-body stabilized flame, 12A1365
ELANAYAR, S: Modeling of tool forces for worn tools: Flank wear effects, 2A594
- Robust tool wear estimation with radial basis function neural networks, 11A840
ELANGOVAN, S: Studies on twin non-parallel unventilated axisymmetric jets, 6A1131
ELARABY, ME: Suboptimal control design of active and passive suspensions based on a full car model, 3A386
ELATA, D: Pressure sensitivity of cemented granular materials, 2A1352
- Contact force-displacement laws and the mechanical behavior of random packs of identical spheres, 6A537
- Oblique compression of two elastic spheres, 7A420
ELAVARASAN, R: Turbulent boundary layer over a smooth wall with widely separated transverse square cavities, 1A1030
- Response of a turbulent boundary layer to a square groove, 11T1096
ELAYOUTY, ED: Comparative study on estimation of skin effect and flow efficiency for pumping wells, 9A1532
- Field investigation of flowing well performance with special reference to vertical lift performance, 11A1512
ELAYYAN, A: Uniqueness of recovery of the discontinuous conductivity coefficient of a parabolic equation, 8A1342
ELBASHBESHY, EMA: Heat and mass transfer along a vertical plate with variable surface tension and concentration in the presence of the magnetic field, 11A1122
ELBEHEIRY, EM: Suboptimal control design of active and passive suspensions based on a full car model, 3A386
ELBESTAWI, MA: Dual-sensor based robotic deburring, 2A362
- Fuzzy clustering for automated tool condition monitoring in machining, 4A908
- Closed form formulation of cutting forces for ball and flat end mills, 6A692
- Tool condition monitoring in machining by fuzzy neural networks, 6A406
- Enhanced dynamic model in turning including the effect of ploughing forces, 8A707
ELBIALY, MS: Flow of the N-body problem near a simultaneous-binary-collision singularity and integrals of motion on the collision manifold, 5A217
ELCRAT, AR: Determination of surface and interior cracks from electrostatic measurements using Schwarz-Christoffel transformations, 2A710
- Equilibrium configurations of point vortices for channel flows past interior obstacles, 8A1046
ELDEN, L: Stability analysis and fast algorithms for triangularization of Toeplitz matrices, 11T77
- Solving an inverse heat conduction problem by a "method of lines", 12A1288
ELDER, R: High-resolution pressure-based method for compressible flows, 10A1116
ELDERS, PJM: Orientation of the trabecular pattern of the distal radius around the menopause, 9A1570
ELDRED, LB: Sensitivity analysis of aeroelastic response of a wing using piecewise pressure representation, 2A1088
ELDREDGE, TV: Investigation of the effects of flue gas injection on natural draft cooling tower performance, 10A1281
ELEFTHERIADIS, IE: Numerical simulation of transport phenomena by using the double porosity-diffusivity continuum model, 6T1315
ELEICHE, AM: Low-cycle fatigue in rotating cantilever under bending - I: Theoretical analysis, 3A668
- Low-cycle fatigue in rotating cantilever under bending II: Experimental investigations on smooth specimens, 7A678
ELELA, MA: Physical modeling of filtration in dike under intensive precipitation, 9A1446
ELENA, L: Turbulence modeling of rotating confined flows, 2A1054
ELGAALY, M: Bending strength of steel beams with corrugated webs, 11A500
- Girders with corrugated webs under partial compressive edge loading, 11A527
ELGAMAL, A-W: Forced vibration of full-scale wall-backfill system, 3A179
- Identification and modeling of earthquake ground response - II: Site liquefaction, 5A1413
- Identification and modeling of earthquake ground response - I: Site amplification, 5A1412
ELGAMAL, AW: Soil stabilization by ambient pore pressure and geomembrane containment, 5A538
ELGER, DF: Influence of shape on the stresses in model abdominal aortic aneurysms, 2A1451
ELHADY, MKA: Fluid film squeezed between two rotating disks in the presence of a magnetic field, 2A1061
ELHAMI, MR: Identification of Coulomb and viscous friction in robot drives: An experimental comparison of methods, 8A443
ELHAY, S: Theory of a multi-dof dynamic absorber, 3A188
ELHEFNAWY, ARF: Interfacial stability and nonlinear properties of electrohydrodynamics, 3A1172
- Nonlinear stability of mass and heat transfer in magnetic fluids, 8A1169
ELHELBAWEY, M: Lateral distribution factor from bridge field testing, 3A796
ELIA, N: l, minimization with magnitude constraints in the frequency domain, 10T441
ELIAS, SR: Adaptive agglomeration method for additive correction multigrid, 8A53
ELIASI, R: Determination of the effect of residual curing stresses on an interface crack by means of the weight function method, 12A803
ELIASON, DE: Validation of numerical shallow water models for stratified seiches, 10A1475
ELICES, M: Stress intensity factors for wedge-splitting geometry, 9A737
- Crack trajectories under mixed mode and non-proportional loading, 9A785
- Generalized size effect equation for quasibrittle materials, 12A792
- Reinforcement fracture and tensile ductility in sphere-reinforced metal-matrix composites, 12A816
ELIPE, A: Normalization of perturbed nonlinear Hamiltonian oscillators, 8A101
ELISHAKOFF, I: Non-stationary response of linear systems under stochastic Gaussian and non-Gaussian excitation: A brief overview of recent results, 2A161
- Imperfection sensitivity due to the elastic moduli in the Roorda-Koiter frame, 3A547
- Simulation of multivariate Gaussian fields conditioned by realizations of the fields and their derivatives, 3A64
- Bound set of possible eigenvalues of structures with uncertain but non-random parameters, 6A189
- Passive control of buckling deformation via Anderson localization phenomenon, 7A560
- Dynamic instability of a transversely isotropic column subjected to a compression pulse, 7A553
- Finite element method for stochastic structures with random material properties, 10A64
- New formulation of FEM for deterministic and stochastic beams through generalization of Fuchs' approach, 11A501
ELISSEEFF, P: Acoustic propagation through a low Mach number, stratified flow, 9A262
ELIZALDE, MR: Localized stress redistribution after fiber fracture in brittle matrix composites, 9A757
ELIZALDE, R: Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, 12A812
ELKAMEL, A: Modeling pressure distribution in a rectangular gas bearing using neural networks, 5A867
ELKHOGA, SM: Inverse dynamics of a flexible hub-arm system through Liapunov second method, 2A347
ELKHOLY, AH: Sinusoidal excitation of viscous fluids in pipes, 8A1145
- Experimental evaluation of ender nailing as a femoral intertrochanteric and subtrochanteric fracture fixation technique, 11T1591
ELKOBROSY, GA: Observation and simulation of a large signal mechanical vibrating system, 3A178
ELKOUH, AF: Parametric FEM for predicting shapes of 3D solder joints, 4A945
ELLER, M: Identification of cracks in 3D bodies by many boundary measurements, 2A712
ELLERMEIER, W: Nonlinear elastic shear waves, 2A192
- Acoustic resonance of radially symmetric waves in a thermoviscous gas, 12A313
ELLINGSON, WA: Nondestructive evaluation of thermally shocked silicon carbide by impact-acoustic resonance, 1A1363
- Nondestructive characterization of ceramic composites used as combustor liners in advanced gas turbines, 1A1362
- CT multiscan: Using small area detectors to image large components, 5A723
ELLINGWOOD, B: Combining snow and earthquake loads for limit states design, 6A1462
ELLINGWOOD, BR: Aging management of containment structures in nuclear power plants, 6A1495
- Reliability-based optimization of plant precast concrete structures, 9A860
- Probability-based seismic safety evaluation of existing buildings, 11A772
ELLIOT, JK: Enhanced mixing with streamwise vorticity, 11A1386
ELLIOTT JR, FW: Monte Carlo methods for turbulent tracers with long range and fractal random velocity fields, 9A1128
ELLIOTT, BC: Biomechanics of fast bowling in men's cricket: A review, 6A1549

ELLIOTT, D: Cruciform crack problem and sigmoidal transformations, 8A821
ELLIOTT, GS: Investigation of the effect of tabs on supersonic jets using advanced diagnostics, 1A1048
- Rayleigh scattering technique for simultaneous measurements of velocity and thermodynamic properties, 5A1120
ELLIOTT, JAW: Bubble shapes in rotating two-phase fluid systems: A thermodynamic approach, 3A1075
ELLIOTT, L: Identification of the thermal conductivity and heat capacity in unsteady nonlinear heat conduction problems using the BEM, 1T87
ELLIOTT, SJ: Non-intrusive fluid-wave actuator and sensor pair for the active control of fluid-borne vibrations in a pipe, 1A286
- Active cancellation of pressure at a point in a pure tone diffracted diffuse sound field, 10A369
- Generation of zones of quiet using a virtual microphone arrangement, 12A334
ELLIS, BR: Human-structure interaction in vertical vibrations, 8A185
ELLIS, CR: Application of piezoelectric film in cavitation research, 11T915
ELLIS, JB: Urban drainage impacts on receiving waters, 7A1524
- Overview of urban drainage: Environmental impacts and concerns, means of mitigation and implementation policies, 7A1515
ELLIS, MBD: Joining of Al-based metal matrix composites: A review, 3A486
ELLIS, RE: Backlash detection in geared mechanisms: Modeling, simulation, and experimentation, 11A846
ELLISON, MS: Plastic buckling of T-beams under pure bending, 11A541
ELLITHY, KA: Tuning power system stabilizers over a wide range of load models using an artificial neural network, 12A414
ELLSWORTH, WL: Fault-zone guided waves from explosions in the San Andreas Fault at Parkfield and Cienega Valley, California, 12A1490
ELLYIN, F: Fatigue Damage, Crack Growth and Life Prediction, 12R25
- Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes, 1A691
- Effect of mean stress and ratcheting strain on fatigue life of steel, 2A627
- Mechanical behavior of Al_2O_3-particle-reinforced 6061 aluminum alloy under uniaxial and multiaxial cyclic loading, 9A707
- Study of fatigue crack closure by elastic-plastic FE analysis for constant-amplitude loading, 10A786
- Constitutive model with capability to simulate complex multiaxial ratcheting behavior of materials, 11A424
ELLZEY, JL: Combustion of hydrocarbon fuels within porous inert media, 3A1321
- Transverse dispersion at high Peclet numbers in short porous media, 3A1360
ELMAHDI, AM: Evaluation of the proximal flow field to circular and noncircular orifices of different aspect ratios, 12A1555
ELMAKIS, D: Life assessment evaluation of piping branch connection under creep and fatigue, 11A662
ELMAN, HC: Note on conjugate gradient convergence, 10T98
ELMARAGHY, HA: GAPP: A generative assembly process planner, 2T363
ELMARAGHY, HA: Task space decomposition for invariant control of constrained robots, 3A409
ELMIDANY, TT: Method for shape optimization of a hip prosthesis to maximize the fatigue life of the cement, 5A1522
- Effect of FE idealization, load conditions and interface assumptions on the stress distribution and fatigue notch factor in the human femur with an endoprosthesis, 5T1467
ELNAGAR, GN: State-control spectral Chebyshev parameterization for linearly constrained quadratic optimal control problems, 9A345
ELNASHAI, AS: Analytical and field evidence of the damaging effect of vertical earthquake ground motion, 4A1392
- Confined concrete model under cyclic load, 10A853
- Procedure and spectra for analysis of RC structures subjected to strong vertical earthquake loads, 11A787
ELNASHAIE, SSEH: Period-adding and chaos in fluidized bed catalytic reactors, 3A1352
ELOY-GIORNI, C: Water diffusion through geomembranes under hydraulic pressure, 8A683
ELPERIN, T: Cell model of nonisothermal gas absorption in gas-liquid bubbly media, 1A1302
- Mass transfer between a 2D wall jet with a heterogeneous chemical reaction of the first order and a wall: Analytical solution, 1A1305
- Effect of gas release and condensation on characteristics of two-phase gas- and vapor-liquid slug flow, 2A1208
- Method for calculating force coefficients of bodies of revolution, 4A1019
- Experimental investigation of the interaction between weak shock waves and granular layers, 9A213
- Map of regimes of pressure oscillations induced by absorption during gas jet injection through a submerged nozzle, 10A1127
- Mechanism of compressive stress formation during weak shock waves impact with granular materials, 10A1439
- Evaporation and growth of multicomponent droplets in random dense clusters, 11A1294
- Optimal properties of bodies of revolution in continuum and free molecular regimes, 12T1089
ELSAYED, MA: Effect of torsion on stability, dynamic forces, and vibration characteristics in drillstrings, 9A154
ELSAYED, MM: Proposed energy-efficient air-conditioning system using liquid desiccant, 2A1273
- Steady-state solutions of buoyancy-assisted internal flows using a fast false implicit transient scheme, 5A1204
- Analysis and performance of radial flow rotary desiccant dehumidifiers, 8A1547
ELSCHNER, J: Collocation method for mixed boundary value problems on domains with curved polygonal boundaries, 11A60
ELSER, M: Fracture behavior of polypropylene-fiber-reinforced concrete: Modeling and computer simulation, 4A755
- Fracture behavior of polypropylene-fiber-reinforced concrete under biaxial loading: An experimental investigation, 4A754
ELSHABINI-RIAD, A: Combined octant-Delaunay method for fully automatic 3D mesh generation with multiple level octant differences, 1A77
ELSHARKAWY, AA: Numerical solution for dry contact between two viscoelastic rollers, 1A464
- Visco-elastohydrodynamic lubrication of line contacts, 4A1167
- Hydrodynamic lubrication of squeeze-film porous bearings, 5A1108
- Lubrication analysis of externally pressurized circular porous bearings, 6A1207
ELSHAZLY, HA: Engineering identification method for curvilinear hysteretic systems excited by varying amplitude dynamic loading, 9A106
ELSHEHAWEY, EFA: Electroviscoelastic stability of a Kelvin fluid layer, 7A1164
- Electroviscoelastic Rayleigh-Taylor instability of Kelvin fluids: Effect of a constant tangential electric field, 9A1138
ELSHEKH, SS: Fluid film squeezed between two rotating disks in the presence of a magnetic field, 2A1061
ELSHERBINY, SM: Free convection in inclined air layers heated from above, 2A1168
ELSIBAI, KA: Thermal stresses for an infinite body with a spherical cavity with two relaxation times, 1A1285
- Reflection of thermoelastic waves at a solid half-space with two relaxation times, 5A1301
- Reflection and refraction of thermoelastic waves at an interface of two semi-infinite media with two relaxation times, 9A1328
ELSKENS, Y: Invariance of stretching and expansion spectra, and Oseledec' multiplicative ergodic theorem, 7A101
ELSNER, JW: Flow disturbances in a singlo-stage cold-air turbine, 4A1140
ELSOBKY, H: Further experimental investigation on the eccentricity factor in the progressive crushing of tubes, 2A522
ELSPASS, WJ: Shape control of an adaptive mirror at different angles of inclination, 1A376
ELSWORTH, D: Displacement of formation fluids by hydraulic fracturing, 6A1494
- Failure of volcano slopes, 9T637
ELTOUKHY, A: Evaluation of head-disk pseudo-impact contact by acoustic emission technique, 10A984
ELWAKEIL, OA: Global optimization of structural systems using two new methods, 2A755
- Two algorithms for global optimization of general NLP problems, 3A742
ELWARD, KM: Field test results of a dry low NO_x combustion system for the MS3002J regenerative cycle gas turbine, 8A1436
ELWENSPOEK, M: Materials for Mechanical and Optical Microsystems, 9N17
- Comb-drive actuators for large displacements, 4A421
- Stiction in surface micromachining, 8T419
ELWI, AE: Numerical investigation of eccentrically loaded high-strength concrete tied columns, 2A780
- Finite element analysis of longitudinally stiffened cylinders in bending, 6A153
- Performance of high-strength concrete tied columns: A parametric study, 10A952
- Tests of tall cavity walls subjected to eccentric loading, 12A918
ELZEY, DM: Fiber damage model for early stage consolidation of metal-coated fibers, 8A799
EMACI, E: Impurity modes in disordered nonlinear lattices, 8A112
EMAM, M: Effect of high-strength concrete columns on the behavior of slab-column connections, 3A782
- Seismic response of slab-column connections constructed with high-strength concrete, 10A940
EMAM, SA: Incremental convex programming model for solving frictional contact problems, 11A829
EMAMI, MD: Computation of heat transfer in engineering combustion equipment, 7A1414
EMAMI, SMR: Prediction of peak horizontal acceleration using an artificial neural network model, 6A1473
EMAN-BELLAH SAYED, M: Free convection heat transfer around a horizontal ice cylinder formed through melting within an immiscible liquid, 2A1162
EMANNS, A: Mechanical anisotropy and inhomogeneity in the tissues comprising the hollow stem of the giant reed *Arundo donax*, 1A1457
EMANUEL, KA: Moist convective scaling: Some inferences from 3D cloud ensemble simulations, 6T1487
- Moist convective velocity and buoyancy scales, 6T1486
EMBLETON, TFW: Tutorial on sound propagation outdoors, 1A328
EMEHEL, TC: Tow collapse model for compression strength of textile composites, 7A489
EMEL'YANOV, AA: Radiation properties of a semitransparent composite matrix with the particles at a metal-dielectric phase transition, 5T1255
EMELYANOV, SV: Variable-Structure Control Systems: Discrete and Digital, 6R13
EMERSON, DR: Calculation of flow in transition duct using second-order closure and wall functions, 5T1012
EMERY, AF: Proceedings of the ASME Heat Transfer Division, Volume 1, 3N41
- Design of experiments using uncertainty information, 2A1246
- Effects of wall conduction, internal heat sources and an internal baffle on natural convection heat transfer in a rectangular enclosure, 5A1145
- Handling temperature dependent properties and boundary conditions in stochastic FE analysis, 7A1312
- Transient thermoelastic fracture of brittle substrates bonded to brittle films, 7A1364
- Accuracy in modeling the acoustic wave equation with Chebyshev spectral FEs, 12A41
EMERY, JL: Strain softening in rat left ventricular myocardium, 9A1580
EMERY, WJ: Cool and freshwater skin of the ocean during rainfall, 10T1471
EMIKH, VN: Boundary-value problem on drainage at the edge of fresh ground water and its applications, 6A1010
EMIRSAJLOW, Z: Structured perturbations for two classes of linear infinite-dimensional systems, 1T359
EMMERHOFF, OJ: Simulation of slow-drift motions of offshore structures, 5A212
EMMONY, DC: Further studies into the effectiveness of CO_2-laser treatment of metals for adhesive bonding, 11A887
EMPTOZ, H: Analysis and modeling of shrinkage in composite material curing, using fractal geometry, 4A578
EMUNDS, R: Experimental and theoretical investigations of heat transfer in closed gas-filled rotating annuli II, 11A1249
EMURA, T: Gear grinding by threaded vitrified-bonded CBN wheel, 7T618
EMVIN, P: Local mesh refinement algorithm applied to turbulent flow, 8A1203
ENAMI, T: Three dimensional generation by dot-matrix EDM - 1st Report: Proposal of dot-matrix EDM, 9A672
ENARI, K: Degradation characteristics of highly concentrated organic waste water by the sand layer method (Chinese), 10A1494
ENCINAS-SANZ, F: Different and coexisting routes to chaos along a common bifurcation path in the Maxwell-Bloch equations, 1A121
ENDO, A: Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226
ENDO, H: Volume III: Materials Engineering, 10N27
- Fundamental study of rolling friction in the region of micro-displacement - 1st Report: Development of forced type testing apparatus for rolling friction (Japanese), 4A878
- Fundamental study on rolling friction in the region of micro-displacement - 2nd report: Measurement of rolling characteristics in the transient region (Japanese), 10A967
ENDO, K: Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
ENDO, Y: Performance of a scanning differential mobility analyzer, 6A1401
ENDRES, AL: Incorporating pore geometry and fluid pressure communication into modeling the elastic behavior of porous rocks, 7A590
ENDRES, WJ: Dual-mechanism approach to the prediction of machining forces - Part 1: Model development, 11A597
- Dual-Mechanism Approach to the prediction of machining forces - Part 2: Calibration and validation, 11A598
ENE, HI: Homogenization of the Stokes problem with non-homogeneous slip boundary conditions, 1A975
ENG, JJ: Intralimb dynamics simplify reactive control strategies during locomotion, 10A1526
ENG, P: Variations in airtightness of houses constructed with polyethylene and ADA air barrier systems over a three-year period, 11A1355
ENGBLOM, WA: Nose-tip surface heat reduction mechanism, 5A963
ENGEL, PA: General microhardness indentation theory for multilayer contacts, 7A783
ENGEL, RS: Point-matching method for examining time-dependent Stokesian flow around a stationary axisymmetric body, 7A1029
ENGELBERG, S: Formation of singularities in the Euler and Euler-Poisson equations, 5A915
ENGELBRECHT, J: Acoustic Interactions with Submerged Elastic Structures, Part 2, 12N9
ENGELHARDT, MD: Retrofit of concrete columns with inadequate lab splices by the use of rectangular steel jackets, 6A1449
ENGELHAUPT , D: Residual-stress analysis by local laser heating and speckle-correlation interferometry, 6T839
ENGELMANN, A: Adaptive explicit force control of position-controled manipulators, 2A341
ENGELSTAD, SP: Comparison of design optimization formulations for minimization of noise transmission in a cylinder, 10A356
ENGELUND, WC: Aerodynamics for a winged, circular-body, single-stage-to-orbit spacecraft configuration, 8A1220
ENGIN, AE: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 5, 1N52
ENGINEER, M: Effect of environmental exposure on the external strengthening of concrete with composites: Short term bond durability, 6A559
ENGL, HW: Inverse Problems in Geophysical Applications, 4N31
- Optimal cooling strategies in continuous casting of steel with variable casting speed, 2A603
ENGLAND, GL: Drained granular material under cyclic loading with temperature-induced soil and structure interaction, 11A554
ENGLEHART, AN: Emittance measurements for a thin liquid sheet flow, 1T1260
ENGLEZOS, P: Rheology and phase separation in a model upper critical solution temperature polymer blend, 10A1023
ENGLISH, D: Cyclic behavior of concrete bridge bents, 10A931
ENGLISH, RJ: Solution rheology of a hydrophobically modified alkali-soluble associative polymer, 8A1016
ENGLMAN, R: Transport treatment of crack population in finite medium - Part II: Damage behavior in different zones, 8A243
ENGQVIST, A: Self-similar multi-layer exchange flow through a contraction, 6A999
ENGSTROM, KG: Analysis of flow acceleration during erythrocyte filtration: Dependence of hematocrit and cell rigidity, 5A1495
ENIBE, SO: Design optimization of the flat plate collector for a solid absorption solar refrigerator, 10A1485
ENNS, DF: Lyapunov stability analysis of daisy chain control allocation, 5A271
ENOKA, RM: Neural adaptations with chronic physical activity, 10A1561
ENOKI, M: Influence of shear test method and restraint condition on residual strength of soil (Japanese), 8A659
ENOMOTO, S: Selected papers from 2nd International Conference on Production Engineering, Singapore, November 22-24,1996, 7T612
ENOMOTO, Y: Tribology research in Japan: A state-of-the-art report, 3A861
ENRIQUE, RA: Numerical solution of the thermally-assisted diffusion of hydrogen in zirconium alloys considering hysteresis and finite-rate kinetics, 3A1290
ENSLEY, AE: Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
ENTCHEV, PB: Numerical simulation of a 2D oxide layer growth in an anisotropic medium, 1A15
ENTOV, V: Movement of an LNAPL lens on the water table, 6A1383
- Steady-state advancement of fingers and bubbles in a Hele-Shaw cell filled by a non-Newtonian fluid, 8A1058
ENTOV, VM: Capillary instability of jets of magneto-rheological fluids, 3A1132
- Viscous flows with time-dependent free boundaries in a non-planar Hele-Shaw cell, 8A1059
ENYA, T: Time domain backcalculation of pavement structure by using matrix reduction (Chinese), 10A712
EPIK, E: Boundary-layer relaxation after a separated region, 6A1095
EPILI, D: Implementation of 3D prestack Kirchhoff migration, with application to data from the Ouachita frontal thrust zone, 4A1374

EPPINGER, RH: Mechanisms of thoracic injury in frontal impact, 5T1472
EPPINGER, SD: Active control of a high-speed pantograph, 9A353
- Accelerating product development by the exchange of preliminary product design information, 11A342
EPSTEIN, AH: Analysis of hot streak effects on turbine rotor heat load, 12A1185
EPSTEIN, B: Aerodynamically accurate 3D Navier-Stokes method, 12A1093
EPSTEIN, HI: Finite element studies for correlation with block shear tests, 4A26
EPSTEIN, JS: Displacement and strain fields for a bimetallic strip under remote tension, 11A431
EPSTEIN, M: Force-length properties in stable skeletal muscle fibers: Theoretical considerations, 3A1496
- Homogeneity conditions for generalized Cosserat media, 5A2
- Modeling of solar receiver for cracking of liquid petroleum gas, 8A1537
- Surface temperature profiles due to radiant heating in a thermocapillary channel flow, 8A1364
- Maximizing the output of a solar-driven tubular reactor, 8A1535
- Improved solution for the contact of two biphasic cartilage layers, 9A1568
EPSTEIN, RJ: Novel approach to aerodynamic analysis using analytical-numerical matching, 5A1083
- Acoustic BEM using analytical-numerical matching, 7A275
- Aeroacoustic BEM using analytical-numerical matching, 7A276
- Novel method for calculating 2D blade vortex interaction, 10A338
EPUREANU, BI: Study of warping torsion of thin-walled beams with closed cross-section using macro-elements, 7A504
ERBACHER, FJ: Critical heat flux in uniformly heated vertical tubes, 9A1245
ERBATUR, F: Optimization and sensitivity of retaining structures, 3A739
ERBAY, HA: Asymptotic membrane theory of thin hyperelastic plates, 7A513
ERBERIK, A: Performance evaluation of a three-story unreinforced masonry building during the 1992 Erzincan earthquake, 8A1486
ERCOLANO, A: Exact solution for the transverse vibration of a beam a part of which is a taper beam and other part is a uniform beam, 10A179
ERDEMIR, A: Tribological performance of diamond and diamondlike carbon films at elevated temperatures, 4T894
ERDMANN, M: Geometric sensing of known planar shapes, 2A351
ERDOGAN, E: Diffraction of a whispering-gallery mode by a spherical soft-hard cap, 3A307
- High-frequency surface currents induced on a spherical reflector by the edge-diffraction of obliquely incident waves, 6A242
ERDOGAN, ME: Unsteady flow of a viscous fluid due to non-coaxial rotations of a disk and a fluid at infinity, 8A1100
ERDOS, G: Stability of a parametrically excited damped inverted pendulum, 6A629
EREMIN, AV: Measurement of $O(^1D)$ formation during thermal decomposition of CO_2 behind shock waves, 1T271
ERENO, FJ: Acoustic emission applied to pipes of GFRP that have been exposed to corrosive mediums, 11A746
ERGIN, A: Response behavior of a submerged cylindrical shell using the doubly asymptotic approximation method, 7A233
ERGUVEN, ME: Modeling of 3D mixed-mode fractures near planar bimaterial interfaces using surface integrals, 5A704
ERHEL, J: Newton-GMRES algorithm applied to compressible flows, 1A1009
ERICCSON, LE: Effect of deep-stall wing dynamics on forebody-induced wing rock, 11T1142
- Impact of initial conditions on vortex breakdown on pitching delta wings, 11T1080
ERICKSON, AE: Freeze-thaw cycling and hydraulic conductivity of bentonitic barriers, 9A648
ERICSON, F: High-sensitivity surface micromachined structures for internal stress and stress gradient evaluation, 10T507
ERICSON, K: Automatic detection of burn-through in GMA welding using a parametric model, 4A950
ERICSON, ML: Transverse single-fiber test for interfacial debonding in composites - 1: Experimental observations, 9A536
- Transverse single-fiber test for interfacial debonding in composites - 2: Modeling, 9A537
ERICSSON, KA: Two-way interaction between anisotropic flow and fiber orientation in squeeze flow, 10A1018
ERICSSON, LE: Flat spin of a circular cylinder, 2A234
- Moving wall effects causing fluidelastic instability, 8A269
- Hammerhead wake effects on elastic vehicle dynamics, 10A235
- Conceptual fluid-motion coupling in the Herbst supermaneuver, 11A1137
- Partial-span leading-edge vortex characteristics in high-rate oscillations in pitch, 11T1143
ERIKSEN, M: Influence of die geometry on tool wear in deep drawing, 12A949
ERIKSSON, A: Equilibrium subsets for multi-parametric structural analysis, 6A899
- Beam elements in instability problems, 10A672
ERIKSSON, D: Numerical investigation of the transient conduction in a rotating cylindrical shell exposed to an incident time varying heat flux, 5A1230
ERIKSSON, I: Effects of hole machining defects on strength and fatigue life of composite laminates, 7A674
- Propagation of hole machining defects in pin-loaded composite laminates, 9A760
- Strength of composite laminates containing holes and subjected to complex loading conditions, 12A575
ERIM, MZ: Basic equations for incompressible, non-Newtonian fluids in curvilinear, non-orthogonal, and accelerated coordinate systems, 5A940
ERKENS, SMJG: Cracking in asphalt concrete, 5A770
ERKKILA, J: Heuristic method for evaluating coil performance, 2A1144
ERLANDSON, RE: Transition regime aerodynamic heating of missiles, 4A1013
ERLEBACHER, G: Active control of instabilities in laminar boundary layers: Overview and concept validation, 4A371
- Self-contained automated methodology for optimal flow control, 10A1144
- Interaction of a shock with a longitudinal vortex, 10A305
ERLIKH, AI: System analysis of metal forming technique in welding processes, 12A729
ERMAKOV, SF: Effect of liquid crystalline additive on microrelief of steel surface at friction, 5A840
ERMAN, Z: Three-dimensional design optimization using the boundary integral equation method, 2A767
- Three-dimensional design sensitivity analysis using a boundary integral approach, 7A808
ERMOPOULOS, JC: Analytical modeling of column-base plates under cyclic loading, 10A635
ERN, P: Pressure fluctuations in an unstable confined jet, 2T1034
ERNST, OG: Finite element capacitance matrix method for exterior Helmholtz problems, 6A14
ERNST, P: CTOD measured by means of a modified Charpy-V-specimen, 8A831
EROGLU, A: Low NO_x premixed combustion of MBtu fuels in a research burner, 12A1385
ERSAHAN, H: Mass transfer to local electrodes at wall and wall friction factor in decaying turbulent swirl flow, 9A1337
ERTAS, A: Pendulum as vibration absorber for flexible structures: Experiments and theory, 4A194
ERTAUD, JY: Quantitative assessment of cortical bone remodeling from routine radiographs of total hip arthroplasty, 2T1449
ERTEKIN, C: Volume I: Offshore Technology, 10N26
ERTEKIN, RC: Computationally efficient techniques in the hydroelasticity analysis of very large floating structures, 7A177
- Near-boom oil-slick instability criterion in viscous flows and the influence of free-surface boundary conditions, 9A1102
ERTESVAG, IS: Influence of turbulence modeling on predictions of turbulent combustion, 6A1152
ERVIN, EA: Rise of bubbles in a vertical shear flow, 11A1009
ERVINE, DA: Pressure fluctuations on plunge pool floors, 10T1157
- Experimental investigation into the breakdown of low Reynolds number pulsed flows at a pipe orifice, 11A1033
ERWIN, DA: Fluctuation of arcjet plume properties, 5A1383
ERYILMAZ, B: Improving control design for nonlinear parametric uncertainty, 10A450
ERZBERGER, H: Conflict probability estimation for free flight, 10T460
ESAKI, J: Nonlinear analysis of dynamic characteristics of cylindrical bearing oil film, 5A868
ESAKI, T: Mechanical effect of grouted rock bolts on tunnel stability (Japanese), 10A724
ESASHI, M: Integrated communication and control system for a multi-link active catheter, 4A426
- Three-axis capacitive accelerometer with uniform axial sensitivities, 8A415
ESAT, II: Numerical and experimental evaluation of SIF for threaded connectors, 1A743
ESCHENAUER, H: Applied Structural Mechanics: Fundamentals of Elasticity, Load-Bearing Structures, Structural Optimization, 10R9
ESCOBAR, FH: Cubature solution of the Poisson equation, 12A1279
ESCOBAR-JARAMILLO, EF: Additive Epcondition and the critical scuffing limit for rolling-sliding, 11A838
ESCOBEDO, M: Asymptotic profiles of a decaying contaminant in transport through a porous medium, 3A1346
- Long-time behavior for a convection-diffution equation in higher dimensions, 10T1388
ESCOUBES, M: Interactions of Kevlar fibers with selected model compounds: Water sorption and dynamic mechanical properties of fiber-matrix samples, 1A522
ESCRIG, F: Mobile and Rapidly Assembled Structures II, 4N17
ESCUDIE, D: Interaction between two premixed laminar v-shaped flame fronts at low Lewis number, 12A1360
ESCURET, JF: Stall inception measurements in a high-speed multistage compressor, 5A1090
ESEBECK, GV: Investigation on ceramic-metal joints for shaft-hub connections in gas turbines, 1A905
ESENOVSKY-LASHKOV, Y: Concept of automatic control for a passenger car clutch, 2A935
ESFANDIARI, RS: Dynamic Systems: Modeling and Analysis, 6R10
- Control parameter optimization of a pre-stressed shallow cylindrical panel, 12A366
ESKANDARI, S: Evaluating the influence of fiber coatings on the compression strength of a unidirectional polymer composite, 6A545
ESLAMI, MR: Isoparametric FE thermoelastoplastic creep analysis of shells of revolution, 1A40
- Elastic, plastic, and creep buckling of imperfect cylinders under mechanical and thermal loading, 8A611
ESLAMI, RM: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 6, 1N5
ESLIMY-ISFAHANY, SHR: Response of a bending-torsion coupled beam to deterministic and random loads, 2A125
ESMAILI, M: Soft fruit grading using a robotics gripper, 6A410
ESMAILZADEH, E: Periodic solution of a second order, autonomous, nonlinear system, 2T78
- Analysis of preloaded bolted joints under exponentially decaying pressure, 5A879
- Vibration analysis of a Timoshenko beam subjected to a traveling mass, 8A141
- Optimal adaptive active suspensions for a full car model, 9A365
- Periodic solution of a Mathieu-Duffing type equation, 12A126
ESPANOL, P: Shear banding flow in the Johnson-Segalman fluid, 1T1040
ESPERT, V: Hydraulic Machinery and Cavitation, 6N22
ESPEY, C: Planar laser Rayleigh scattering for quantitative vapor-fuel imaging in a diesel jet, 9A1389
ESPINOSA, D: Nonaxisymmetric convection in stationary gas tungsten arc weld pools, 8A1311
ESPINOSA, G: Mechanically short crack growth from notches in a mild steel, 9A694
ESPINOSA, HD: Advances in Failure Mechanisms in Brittle Materials, 3N23
- Variable sensitivity displacement interferometer with application to wave propagation experiments, 10A886
ESPINOZA, A: Steady-state analysis of the conjugate heat transfer between forced counterflowing streams, 1A1156
- Asymptotic analysis of the transient conjugate heat transfer process between two forced counterflowing streams, 11A1205
ESPOSITO, L: Sliding wear behavior of nitrided and nitrocarburized cast irons, 2A887
ESPOSITO, R: Unified approach for multi-site damage tolerance and fatigue analysis, 6A748
ESSA, HS: Stability of columns in unbraced frames, 12A652
ESSADKI, H: Electrochemical probe for bubble size prediction in a bubble column, 10T1137
ESSERS, JA: Quadratic-reconstruction finite volume scheme for compressible flows on unstructured adaptive grids, 9A1045
- Finite volume scheme with quadratic reconstruction on unstructured adaptive meshes applied to turbomachinery flows, 10A1252
ESTEKANCHI, HE: Experimental study of prefabricated funicular shell units, 11A523
ESTELLE, L: Numerical models for flow and sediment transport in Estuaries during flooding, 3T986
ESTES, AC: Reliability of reinforced concrete girders under corrosion attack, 9A866
ESTES, KA: Optimizing and predicting CHF in spray cooling of a square surface, 2A1215
- Comparison of two-phase electronic cooling using free jets and sprays, 11A1368
ESTIVALEZES, JL: High-order positivity-preserving kinetic schemes for the compressible Euler equations, 3A1059
ESTRIN, Y: Dislocation density based constitutive model for cyclic deformation, 4A513
- Model of frictional sliding, 5A823
ESWARAN, V: Overlapping control volume approach for convection-diffusion problems, 5A1323
ETEMAD, SG: Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, 6A1108
ETEMADI-ZANGANEH, K: Instantaneous kinematics of general hybrid parallel manipulators, 11A331
ETINGOF, PI: Viscous flows with time-dependent free boundaries in a non-planar Hele-Shaw cell, 8A1059
ETMAN, LFP: Crash worthiness design optimization using multipoint sequential linear programming, 6A845
ETOCOV, VI: Stability of orthotropic spherical shell of imperfect shape (Russian), 2T525
ETOCOVA, VI: Stability of orthotropic spherical shell of imperfect shape (Russian), 2T525
ETORI, Y: Structural design and high-pressure test of a ceramic combustor for 1500°C class industrial gas turbine, 12T1387
ETSE, G: Integration algorithms for concrete plasticity, 6A895
ETSION, I: Model for mechanical seals with regular microsurface structure, 1A925
- Hydrodynamic effects on the boiling interface in a misaligned, two-phase, mechanical seal: A qualitative study, 4A1173
- Boiling interface in a misaligned two-phase mechanical seal, 10A1266
- Phase change in a misaligned mechanical face seal, 11A857
ETTE, AM: Dynamic buckling of an imperfect spherical shell under an axial impulse, 8A613
ETTEMA, GJC: Contractile behavior in skeletal muscle-tendon unit during small amplitude sine wave perturbations, 3A1495
ETTEMA, R: Issues and Directions in Hydraulics, 3N37
ETTER, DM: Engineering Problem Solving with MATLAB, Second Edition, 2N4
EUBANK, PT: Simulation of erosions in a single discharge EDM process, 3A653
- Electrical discharge machining of ZrB_2-based ceramics, 3A662
EUSEBI, A: FTIR analysis of aerosol formed in the photooxidation of 1,3,5-trimethylbenzene, 11A1443
EVAN-IWANOWSKI, RM: Stabilization of nonstationary parametric main resonance of a laminated angle-ply column, 3A151
EVANGELINOS, C: Parallel benchmarks of turbulence in complex geometries, 3A1163
EVANGELISTA, E: Creep behavior of an aluminum 2024 alloy produced by powder metallurgy, 8A503
EVANS, AG: Simple method for measuring surface strains around cracks, 1A791
- Mechanical performance of ceramic matrix composite I-beams, 5A456
- Design and life prediction issues for high-temperature engineering ceramics and their composites, 7A464
- Strength-limited design of composite-monolith transitions in metallic structures, 10A618
- Toughening and strengthening by inclined ligament bridging, 12A820
EVANS, AR: Conformation of semi-rigid polymers during flow through a fixed fiber bed, 1A984
EVANS, DJ: Experimental and numerical evaluation of beam-to-column connections for pultruded structures, 4A573
EVANS, DV: Comparison of a step approximation to an exact solution of acoustic scattering in a uniform-width pipe with non-uniform wall impedance, 2A272
- Trapped modes about multiple cylinders in a channel, 11A191
EVANS, G: Buoyant instabilities in downward flow in a symmetrically heated vertical channel, 9A1222
EVANS, GH: Mixed binary convection in a rotating disk chemical vapor deposition reactor, 5T1174
- Heat transfer and flow stability in a rotating disk-stagnation flow chemical vapor deposition reactor, 12A1265
EVANS, HP: Model for elastohydrodynamic film failure in contacts between rough surfaces having transverse finish, 4A1165
- Solution of the non-Newtonian elastohydrodynamic problem for circular contacts based on a flow continuity method, 5A1106
EVANS, J: Effect of particle inertia on the instability of a particle-laden flow, 3A1066
EVANS, JRG: Control of fiber orientation in ceramic and metal composites by open-ended injection molding, 4A685
- Control of fiber orientation in injection molded ceramic composites, 9A680
EVANS, KE: Models for the elastic deformation of honeycombs, 8A916
- Experimental study of ultrasonic attenuation in microporous polyethylene, 10A364
EVANS, LF: Composite structure analysis of a hollow cantilever beam filled with electro-rheological fluid, 6A3
EVANS, M: Instrumented spacial linkage for monitoring relative 3D motion between fracture fragments, 5A1479
- Temporal changes in dynamic inter fragmentary motion and callus formation in fractures, 9A1571
EVANS, MS: Hydrostatic force sensor for robotic applications, 9A377
EVANS, PD: Scratching maps for polymers, 7A923
EVANS, PR: Dynamic characteristics of a rolling mill, 7A361

EVANS, RL: Experimental study to determine fractal parameters for lean premixed flames, 8A1430
- Comparative study of the performance and exhaust emissions of a spark ignition engine fuelled by natural gas and gasoline, 9A1392
EVANS, WJ: Crack growth response of IMI 834 under variable amplitude loading, 8A739
EVANS, WT: Vibrational measurement of the specific damping capacity of 15-5 ph stainless steel, 10A168
EVBUOMWAN, NFO: Survey of design philosophies, models, methods and systems, 2T369
EVEREST, D: Images of dissipation layers to quantify mixing within a turbulent jet, 6A1122
EVERETT, JW: Optimal regional scheduling of solid waste systems - I: Model development, 3T1479
EVERETT, LJ: Contact-impact in hybrid parameter multiple body mechanical systems, 11A185
EVERSMAN, W: Adaptive flutter suppression of an unswept wing, 2A250
- Active flutter suppression using multi-input and multi-output adaptive least mean square control, 10A317
EVERY, AG: Time-domain dynamic surface response of an anisotropic elastic solid to an impulsive line force, 8A217
EVESQUE, P: Examination of the possibility of a fluid-mechanics treatment of dense granular flows, 5A436
- Grain motion in a 2D granular material under slow cyclic deformation, 8A1444
EVGIN, E: Uniaxial constant compressive stress creep tests on sea ice, 11A395
EVLAMPIEVA, SE: Influence of structural features of the effective mechanical properties of granular composites - I: Plane deformation, 12A559
EVRENSEL, CA: Response of a two-layer compliant slab to inviscid incompressible fluid flow, 9A220
EVTUSHENKO, AA: Contact temperature of rough surfaces at mixed lubrication, 2A1138
- Effect of wear on rubbing surface temperature of disk brake lining, 2A930
- Transient temperature of contact spots at sliding friction, 5A824
EWART, TE: Probability distribution for the complex field of waves propagating in random media, 1A312
EWING, RE: Stability and convergence of a FEM for reactive transport in ground water, 11A1557
EWINS, DJ: Harmonic balance vibration analysis of turbine blades with friction dampers, 6A208
EXADAKTYLOS, G: Gradient elasticity with surface energy: Mode-III crack problem, 5A381
EXADAKTYLOS, GE: Effect of stringers and patches on the stress intensities around cracks in plates, 6A763
EXNER, HE: Prediction of the strength distribution for unidirectional fiber reinforced composites, 4A556
EXTREMET, GP: Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, 5A1030
EYHERAMENDY, D: Object-oriented FEs - II: A symbolic environment for automatic programming, 1A67
- Object-oriented FEs - I: Principles of symbolic derivations and automatic programming, 1A66
EYRE, T: Effect of lubricant additives on the transition pressure from mild to severe wear for grey cast iron sliding pairs, 12A943
EZATO, K: Numerical analysis of melting and evaporation behavior of a molybdenum layer irradiated with a laser beam, 2A1226
EZCURRA, A: Influence of the material constants on the low frequency modes of a free guitar plate, 2T135
EZEKOYE, OA: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
- Transverse dispersion at high Peclet numbers in short porous media, 3A1360
- Analysis of laminar acetylene-air diffusion flames using reduced reaction mechanisms and state relationships, 4A1291
- Absorptance of infrared radiation by methane at elevated temperatures, 5A1253
- Soot oxidation and agglomeration modeling in a microgravity diffusion flame, 12A1376
EZHIKOVA-BABAKHANOVA, TG: Tribological behavior of olefin additives, 2A1137
EZZAT, M: State space formulation to viscoelastic fluid flow of magnetohydrodynamic free convection through a porous medium, 6A1235
EZZAT, MA: Thermal-shock problem in magneto-thermoelasticity with thermal relaxation, 5A1296
- State space approach to viscoelastic fluid flow of hydromagnetic fluctuating boundary layer through a porous medium, 10A1451
EZZINE, J: Asymptotically exact stopping rule for the numerical computation of the Lyapunov spectrum, 3A97

F

FAANES, S: Distribution of contact stresses along a worn fretting surface, 1A437
FABBRI , G: Hypervapotron effect application for high power electronic devices cooling, 7A1334
FABBRI, G: High thermal fluxes removal from finned surfaces under boiling conditions, 7A1333
- Experimental analysis of the convection in conduits with wavy walls, 7A1237
- Polynomial fin profile optimization, 7A1336
- Genetic algorithm for fin profile optimization, 8A1332
- Analysis of the noncondensable contaminant accumulation in single-pass air-cooled condensers, 11A1333
FABBRI, M: Phase-field method in the sharp-interface limit: A comparison between model potentials, 8T1354
FABENY, B: Damage-enhanced creep and rupture in fiber-reinforced composites, 2A648
FABIEN, BC: Numerical solution of constrained optimal control problems with parameters, 4A346
- Observer-based feedback linearizing control of an electromagnetic suspension, 4A397
FABRE, J: Diffusive turbulence in a confined jet experiment, 10A1154
FABREGA, JR: Induced desorption of DDT, DDD, and DDE from a contaminated sediment, 9T1556
FABRETTO-ANRES, N: Excitation of the Stoneley-Scholte wave at the boundary between an ideal fluid and a viscoelastic solid, 12A232
FABRIE, P: Accurate finite difference scheme for solving convection-dominated diffusion equations, 7A46
- System of nonlinear elliptic and degenerate parabolic equations describing compositional water-oil flows in porous media, 8T1448
FABRIKANT, VI: External circular crack under arbitrary shear loading, 4A483
- Interaction of an arbitrary force with a flexible punch or with an external circular crack, 7A419
- Exact solution of tangential contact problem for a circular domain, 7A417
- Interaction of an arbitrary force with a flexible punch or with a penny-shaped crack, 11A374
- Computation of the resultant forces and moments in elastic contact problems, 12A484
FACCIOLI, E: Spectral-domain decomposition methods for the solution of acoustic and elastic wave equations, 1A1417
FACHINI, FF: Transient effects in droplet ignition phenomenon, 10A1399
FACIU, C: Initiation and growth of strain bands in rate-type viscoelastic materials - Part II: The energetics of the banding mechanism, 6A498
- Initiation and growth of strain bands in rate-type viscoelastic materials - Part I: Discontinuous strain solutions, 6A497
FADAEE, MJ: Design optimization of 3D reinforced concrete structures, 5A745
FADALE, TD: Design of experiments using uncertainty information, 2A1246
- Handling temperature dependent properties and boundary conditions in stochastic FE analysis, 7A1312
FADDA, D: Free surface mixing with heat transfer, 11A1222
FAEL, P: Comparative study of the fatigue behavior of GRP hand lay-up and pultruded phenolic composites, 1A689
FAELLA, C: New method to design extended end plate connections and semirigid braced frames, 11A806
FAETH, GM: Effects of hydrodynamics on soot formation in laminar opposed-jet diffusion flames, 1A1319
- Light scattering from soot aggregates with radially inhomogeneous primary particles, 7A1402
- Soot formation in laminar premixed ethylene-air flames at atmospheric pressure, 8A1411
- Properties of laminar premixed CO/H_2/Air flames at various pressures, 9A1359
- Flame stretch interactions of laminar premixed hydrogen-air flames at normal temperature and pressure, 9A1357
- Velocity-mixture fraction statistics of round, self-preserving, buoyant turbulent plumes, 11A1093
- Refractive indices at visible wavelengths of soot emitted from buoyant turbulent diffusion flames, 11A1404
FAFARD, M: Dynamic behavior of multi-span beams under moving loads, 6A150
FAGAN, ME: Rheology of charge stabilized silica suspensions, 8A1007
FAGHRI, A: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 6, 1N5
- Heat transfer enhancement in latent heat thermal energy storage system by using the internally finned tube, 1A1274
- Fluid flow effects in evaporation from liquid-vapor meniscus, 2A1225
- Heat transfer during solidification around a horizontal tube with internal convective cooling, 8A1304
- Advances in modeling of enhanced flat miniature heat pipes with capillary grooves, 9A1299
- Steady-state performance in a thermo-syphon with tube separator, 11A1347
- Thick-film phenomenon in high-heat-flux evaporation from cylindrical pores, 11A1297
- Thermal characteristics of conventional and flat miniature axially grooved heat pipes, 11A1351
- Generalized thermal modeling for laser drilling process - II: Numerical simulation and results, 11A1261
- Generalized thermal modeling for laser drilling process - I: Mathematical modeling and numerical methodology, 11A1260
- Analysis of freezing in an eccentric annulus, 12A1293
FAGHRI, M: Combined natural convection and radiation heat transfer in a vertical air cavity with hexagonal honeycomb core of negligible thickness, 1A1254
- Numerical prediction of transitional characteristics of flow and heat transfer in a corrugated duct, 8A1272
FAH, D: Seismic input modeling for zoning and microzoning, 3A1371
FAHEY, M: Numerical modeling of consolidation and evaporation of slurried mine tailings, 3A586
FAHIM, A: Computed torque-time delay approach to the end-point control of a one-link flexible manipulator, 8A439
- Neural network and fuzzy logic applications to vehicle systems: Literature survey, 9A378
FAHIM, M: Hardness estimated from the indentation of a spherical body: Some implications for nanoindentation test results, 7A933
FAHIMI, F: Optimal adaptive active suspensions for a full car model, 9A365
FAHLQUIST, DA: New regional hypocenter location method, 2A1375
FAHMY TAHER, SE-DF: Theory of dichotomy for concrete modeling under cyclic biaxial loading, 11A410
FAHRENTHOLD, EP: Hamiltonian particle hydrodynamics, 11A988
- System dynamics modeling of porous media, 12A416
FAHRNER, M: Relationship between the Colburn and Silver methods of condenser design, 1A1210
FAHSI, A: Homoclinic bifurcations in self-excited oscillators, 1T124
FAHY, FJ: Technique for the assessment of strength of coupling between sea subsystems: Experiments with two coupled plates and two coupled rooms, 12A298
FAINBERG, J: Finite volume multigrid solver for thermo-elastic stress analysis in anisotropic materials, 6A1310
FAIRALL, CW: Surface-layer scaling for the convection-induced stress regime, 12A1501
FAIRCHILD, WA: Particle decomposition from natural convection enclosure flow onto smooth surfaces, 4A1329
FAIRFIELD, CA: Non-destructive evaluation of the dynamic response of a brickwork arch, 8A171
- Fill stresses in a new brick arch bridge subject to heavy axle-load tests, 11A813
FAIRWEATHER, M: Predictions of axisymmetric and 2D impinging turbulent jets, 5A1017
- Reynolds stress closure applied to axisymmetric impinging turbulent jets, 6A1126
- Predictions of impacting sonic and supersonic jets, 9A1038
- Predictions of the structure of turbulent, highly underexpanded jets, 11A1056
FAIST, A: ACOUSALLE: A computer program with expertise for the planning and analysis of the acoustics of indoor spaces, 10A381
FAITELSON, LA: Shear flow stability and shear induced texture hierarchy of the liquid crystalline polymers, 12T1136
FAIVRE, A: Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, 10A1039
FAJFAR, P: Simple push-over analysis of asymmetric buildings, 7A1484
- Non-parametric approach to attenuation relations, 11A1467
FAJKLEWICZ, Z: New possibility of the gravimetric inversion of the state of the rockmass affected by expansion of the post-exploitation cavities, 9A651
FAKHER, A: New unit-cell to study the deformation mechanism of super soft clay overlaid by geogrid and sand, 3A613
FAKTOROVICH, G: FE shooting method for solving infinite domain problems, 9A34
FALALEEV, SV: Influence of clogging of filters and throttles on face seal performance, 7A948
FALCO, RE: Spanwise vorticity structure in turbulent boundary layers, 2A1003
FALCONER, RA: Numerical modeling of 3D suspended sediment for estuarine and coastal waters, 3A985
FALESKOG, J: Micromechanics of coalescence - Part I: Synergistic effects of elasticity, plastic yielding and multi-size-scale voids, 7A6
FALLAHI, B: Enhanced computational scheme for the analysis of elastic mechanisms, 7A14
FALLE, SAEG: Predictions of impacting sonic and supersonic jets, 9A1038
- Predictions of the structure of turbulent, highly underexpanded jets, 11A1056
FALLER, WE: Neural networks: Applications and opportunities in aeronautics, 5A1079
FALLOT, L: Modeling finite-rate chemistry effects in nonpremixed turbulent combustion: Test on the bluff-body stabilized flame, 12A1365
FALLSTROM, K-E: Laser generated and recorded transient bending waves in composite tubes, 2A187
FALNES, J: Non-causal impulse response functions related to propagating water waves, 3A232
- Linear modeling of oscillating water columns including viscous loss, 5A1451
FALSONE, G: Complete set of corollaries of the reciprocal theorems in elasticity, 3A428
- Higher order statistics of the response of MDOF linear systems excited by linearly parametric white noises and external excitations, 12A144
- Higher order statistics of the response of MDOF linear systems under polynomials of filtered normal white noises, 12A145
FALTSI-SARAVELOU, O: Mathematical modeling of a 2.25 MW, swirling natural gas flame - Part 2: Conserved scalar approach for turbulent combustion, 2A1335
- Detailed modeling of a swirling coal flame, 12A1395
FALVEY , HT: Pressure fluctuations on plunge pool floors, 10T1157
FALZARANO, J: Offshore Technology, Volume I, 1N30
FALZARANO, JM: Prediction of viscous ship roll damping by unsteady Navier-Stokes techniques, 11A1128
FALZON, PJ: Effects of compaction on the stiffness and strength of plain weave fabric RTM composites, 2A433
- Energy absorption characteristics of hybrid braided composite tubes, 12A583
FAN , XUQI: Higher order sensitivities in structural static design, 12A878
FAN, BJ: Gas collection efficiency and entrance flow effect of an annular diffusion denuder, 2A1017
FAN, CHUNG-CHUE: Optimum magnetic bearing design considering performance limitations, 5A869
FAN, D: Fluid-structure interaction and cavitation in a single-elbow pipe system, 1A276
- Fluid-structure interaction in a T-piece pipe, 5A208
FAN, DAH-NINE: Viscous flow behavior in a curved annular duct, 3T1102
FAN, H: Microcrack initiation at tip of a rigid line inhomogeneity, 10A835
- Zener-Stroh crack near an interface, 12A833
FAN, HAITAO: Self-similar solutions for a modified Broadwell model and its fluid-dynamic limits, 12A1106
FAN, J: Analysis for plastic buckling of thin-walled cylinders via non-classical constitutive theory of plasticity, 5A493
FAN, JIANQIANG: Dynamic compressive failure of fiber composites, 5A664
- High strain rate compression of fiber composites, 11A460
FAN, JIANREN: Laser diffraction method measurements of particle-gas dispersion effects in a coaxial jet, 10A1443
FAN, JIASHEN: Chaotic oscillation of saddle form cable-suspended roofs under vertical excitation action, 9A98
FAN, JISHAN: Long-time behavior of the transient Ginzburg-Landau model for superconductivity II, 3A576
FAN, JR: Similarity solution of mixed convection over a horizontal moving plate, 8A1294
FAN, KUANG-CHAU: Servo design for a 3D laser-tracking measurement system, 4A401
FAN, L: Finite element modeling of single lap screw connections in steel sheeting under static shear, 8A35
FAN, S: Time-accurate Euler simulation of interaction of nozzle wake and secondary flow with rotor blade in an axial turbine stage using nonreflecting boundary conditions, 5A1096
- Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part 2: Simulation of unsteady boundary layer flow physics, 11A1162
- Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part 1: Description of the approach and validation, 11A1161
FAN, SC: Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part I: Formulation, 11A103
- Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part II: Algorithms and analysis, 11A104
FAN, TH: Modeling of transient turbulent natural convection in a melt layer with solidification, 12A1268
FAN, TIAN-YOU: Composite materials dynamic fracture studies by generalized Shmuely difference algorithm, 1A753
FAN, WEIXUN: New points of view on the nonlocal field theory and their applications to the fracture mechanics - I: Fundamental theory, 10A798
FAN, X: Viscoelastic plastic rheological model for particle filled polymer melts, 9A990

FAN, X-J: Boundary integral formulation for elastically deformable particles in a viscous fluid, 4A974
FAN, XIUCHANG: Group of isoparametric elements suitable for St Venant's torsion of a bar with cracks, 5A29
FAN, Y: Monitoring rotating tools using laser diffraction, 5A561
- Ultrasonic determination of stiffness properties of an orthotropic viscoelastic material, 10A875
FAN, YURUN: Comparative study of the discontinuous Galerkin and continuous SUPG FEMs for computations of viscoelastic flows, 9A449
FAND, RM: Heat transfer by forced convection in pipes packed with porous media whose matrices are composed of spheres, 2A1365
FANG, B: Moving cohesive interface model for fracture in creeping materials, 12A802
FANG, DAI-NING: Mesoscopic model of the constitutive behavior of monocrystalline ferroelectrics, 10A2
FANG, FUH-MIN: Unsteady turbulent flow past solid fence, 11A911
- Design method for contractions with square end sections, 11T1040
FANG, HAIPING: Forecasting b-values for seismic events, 1A1406
FANG, HONG-SHENG: Effects of the hob cutter regrinding and setting on ZE-type worm gear manufacture, 4A471
FANG, HUIYU: Anisotropic effects of quasi-isotropic composites - I: Modeling, 7A470
- Anisotropic effects of quasi-isotropic composites - II: Applications and micromechanical analysis, 7A471
FANG, J-S: New method for measuring *in situ* concrete elastic constants using horizontally polarized conical transducers, 7A780
FANG, JIANCHENG: Finite difference solution for equations of heat conduction caused by pulse laser processing silicon steel sheets (Chinese), 10A757
FANG, L: Thermomechanically consistent continuum damage model for concrete materials, 6A759
- Parameter identification for degrading and pinched hysteretic structural concrete systems, 7A1487
FANG, LIANG: Investigation on the components and the formation of a tribochemical film in the Si_3N_4-gray iron sliding pair lubricated with distilled water, 12A953
FANG, MING-CHUNG: Stability and wave profile of a ship in oblique waves, 6A1171
FANG, N: Development of the new-type indexable inserts with helical rake faces, 12A732
FANG, Q: Rate-sensitive analysis of framed structures - Part I: Model formulation and verification, 12A537
- Rate-sensitive analysis of framed structures - Part II: Implementation and application to steel and R-C frames, 12A538
FANG, RU-HUA: Study on principal strain direction measurement in the uniaxial tensile test of composites, 4A584
FANG, TN: Flow of non-Newtonian fluids through tubes with abrupt expansions and contractions: Square wave tubes, 12A1124
FANG, TONG: Road induced evolutionary random response of vehicle (Chinese), 10T232
- Lyapunov exponents and stochastic stability of 2D random system (Chinese), 12T105
FANG, W: Determining mean and gradient residual stresses in thin films using micromachined cantilevers, 4A423
FANG, XD: Investigation of adhering layer formation during tool wear progression in turning of free-cutting stainless steel, 2A883
- Hybrid algorithm for predicting chip form-chip breakability in machining, 4A672
FANG, XING: Long-term lake water temperature and ice cover simulations-measurements, 1A1443
FANG, Y: Calculation and measurement of the stiffness and damping coefficients for a low impedance hydrodynamic bearing, 7A1202
FANG, YF: Kinematic characteristics analysis of 3 dof in-parallel actuated pyramid mechanisms, 3A404
- Study on the kinematic characteristics of 3 dof in-parallel actuated platform mechanisms, 3A408
FANG, YING: Second order wave diffraction in two layer fluids, 9A209
FANG, YUNG-SHOW: Earth pressures with sloping backfill, 9A641
FANG, Z: Analysis of transmission errors under load of helical gears with modified tooth surfaces, 9A951
FANG, ZH: Radiative heat transfer in circulating fluidized beds, 11A1457
FANG, ZHENG: Chaotic oscillations of tropical climate: A dynamic system theory for ENSO, 4T80
FANN, SY: Nearly isotropic turbulence generated by a pair of vibrating grids, 10A1177
FANN, WEI-RU: Fuzzy adaptive control of machining processes with a self-learning algorithm, 5A369
FANNELOP, TK: Implicit solution method for incompressible Navier-Stokes equations including two-layer k-τ turbulence model, 6A1159
FANNEY, AH: Photovoltaic solar water heating system, 11A1538
FANNIN, CA: Similitude analyses for piezostructures, 1A608
FANNING, JE: Model comparison for optimal Mars ascent trajectories, 4A265
FANTI, G: Effects of severed tethers in space, 10A233
FANTI, MP: Performance of deadlock avoidance algorithms in flexible manufacturing systems, 1T426
FARABEE, TM: Proceedings of the ASME Noise Control and Acoustics Division, Volume 1, 3N9
FARAG, HM: Elasto-plastic design of reinforced concrete beams and slabs subject to dynamic loading, 8A902
FARAHAT, MS: Statistical model for predicting in-situ formation fracture pressure during drilling oil wells, 9A1531
FARAHMAND, B: Fatigue and Fracture Mechanics of High Risk Parts: Application of LEFM and FMDM Theory, 12R24
FARASSAT, F: Simple application of nonstandard analysis to forced vibration of a spring-mass system, 2T90
- Graphical approach to wave propagation in a rigid duct, 9T268
- Nonstandard analysis of a simple discontinuous force equation modeling continuous motion, 12T156
FARAVELLI, L: Control of nonlinear structures using the fuzzy control approach, 4A386
- Secondary system analysis for space pay-load, 9T165
FARAVELLI, T: Wide-ranging modeling study of iso-octane oxidation, 6A1346
FARDIS, MN: Seismic design and response of bare and masonry-infilled reinforced concrete buildings - Part I: Bare structures, 11A788
FARES, N: Probabilistic framework for detecting and identifying anomalies, 9A855
FARHANG, F: Nonlinear model for structural vibrations in rolling element bearings - Part I: Derivation of governing equations, 7A1195
FARHANG, K: Efficient computation of the steady-state response of linear systems with periodic coefficients, 1A144
- Nonlinear model for structural vibrations in rolling element bearing - Part II: Simulation and results, 10A997
- Steady-state response of periodically time-varying linear systems, with application to an elastic mechanism, 11A872
FARHANGNIA, M: Numerical solution of 2D buoyancy-driven turbulence in a tall rectangular cavity, 7A1116
FARHAT, C: Retrofit based methodology for the fast generation and optimization of large-scale mesh partitions: Beyond the minimum interface size criterion, 1A80
- Geometric conservation laws for flow problems with moving boundaries and deformable meshes, and their impact on aeroelastic computations, 2A255
- High performance solution of 3D nonlinear aeroelastic problems via parallel partitioned algorithms: methodology and preliminary results, 8A288
- Improved damage location accuracy using strain energy-based mode selection criteria, 9A126
FARIA, L: Material model of metallic cellular solids, 7A488
FARIAS, TL: Light scattering from soot aggregates with radially inhomogeneous primary particles, 7A1402
FARIBORZ, SJ: Analysis of an isotropic finite wedge under antiplane deformation, 5A386
FARID, M: Target recognition problem: Sequential analysis and optimal control, 4A363
FARINA, DJ: New methodology for the measurement of surface shear stress vector distributions, 9A1188
FARINA, L: Radiation of water waves by a heaving submerged horizontal disc, 10A296
FARINAZZO, E: Experimental investigation of a new and energy-saving nacelle anti-ice system, 6A1196
FARINELLA, P: Thermal force effects on slowly rotating, spherical artificial satellites - Part I: Solar heating, 7A248
- Thermal force effects on slowly rotating, spherical artificial satellites - II: Earth infrared heating, 10A327
FARKAS, J: Tubular Structures VII, 7N20
FARKAS, R: Influence of inertia on intersegment moments of the lower extremity joints, 10A1525
FARMER, D: Shallow-water receptions from the transarctic acoustic propagation experiment, 3A303
FARMER, DM: Two-dimensional angle of arrival fluctuations, 2A264
FARMER, JD: Thermal conductivity of a thermoseting advanced composite during its cure, 1A1247
FARMER, JT: Benchmark solutions of radiative heat transfer within nonhomogeneous participating media using the Monte Carlo and YIX method, 8T1360
FAROKHI, S: Application of pressure-sensitive paint in supersonic nozzle research, 6A1115
- Unsteady blade loading and aeroacoustics of a pusher propeller, 8A1228
FAROOQI, J: Analytical and numerical solution along with PC spreadsheets modeling for a composite fin, 10A1327
FAROUK, B: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
- Phase-resolved measurements in a gas-injected liquid bath, 1A1215
FARQUHARSON, G: Effects of partial inlet blockages on high-velocity flow through a thin rectangular duct: Experimental and analytical results, 12A1255
FARRANT, T: Effect of trailing edge flaps on the performance of a yacht with a winged keel, 2A1067
FARRELL, BF: Generalized stability theory - Part II: Nonautonomous operators, 3A1125
FARRELL, BF: Generalized stability theory - Part I: Autonomous operators, 3A1124
FARRELLY, FA: Planetary atmosphere simulator: Application to Titan, 9A1518
FARRIS, TN: Nonlinear dynamic response of shallow arches to harmonic forcing, 1A189
- Structural mechanics modeling of the impact of a double cantilever beam, 1A778
- Mechanics of fretting fatigue crack formation, 3A671
- Determination of surface residual stresses in machined ceramics using indentation fracture, 5A422
- Polishing and lapping temperatures, 7A919
- FFT thermoelastic solutions for moving heat sources, 7A1219
- Harmonic balance and continuation techniques in the dynamic analysis of Duffing's equation, 11A96
- Scratch testing of advanced composite surfaces, 12A603
FARSTAD, JE: Effects of modal truncation errors on transmitted dynamic power estimates in discretely joined component assemblies, 5A139
FARUQUE, MO: Creep constitutive modeling of an aluminum alloy under multiaxial and cyclic loading, 5A404
FARZAD, H: Geometry independent technique for solid propellant grain design, 2A1326
FASANA, A: Natural frequencies and dampings identification using wavelet transform: Application to real data, 9A308
- Identification of linear mechanical systems by deconvolution techniques, 11A275
FASANO, A: Analysis of phase transition models, 5A1238
FASCHINGER, W: Strain relaxation induced red shift of photoluminescence of CdZnSe/ZnSe quantum wires, 9A1322
FASEL, HF: Spatial evolution of a monochromatically forced flat-plate wake, 5A202
FASSARI, S: Note on the eigenvalues of the Hamiltonian of the harmonic oscillator perturbed by the potential $\lambda x^2/(1 + gx^2)$, 2T84
FASSO, F: Euler-Poinsot top: A non-commutatively integrable system without global action-angle coordinates, 6A110
FASSOIS, SD: Geometric approach to nondestructive identification of faults in stochastic structural systems, 9A815
- Direct spectral method for continuous-time stochastic system estimation based on measured data and a priori information, 9A112
FATEHI, M: Role of gas-phase reaction and gas-solid thermal nonequilibrium in reverse combustion, 9A1384
FATEMI, A: Fatigue crack growth under mixed-mode I and II loading, 5A580
- Mixed mode fatigue crack growth: A literature survey, 6A717
- Impact resistance and fracture toughness of vanadium-based microalloyed forging steel in the as-forged and Q&T conditions, 11A724
FATEMI, J: Damping of beams: Optimal distribution of cuts in the viscoelastic constrained layer, 10A175
FATHALLAH, FA: Method for measuring external loads during dynamic lifting exertions, 3A1520
FATICA, M: Analysis of the sound generated by the pairing of two axisymmetric co-rotating vortex rings, 9A254
FATSIS, A: Three-dimensional unsteady flow and forces in centrifugal impellers with circumferential distortion of the outlet static pressure, 8A1073
FAUCI, L: Modeling biofilm processes using the immersed boundary method, 5A1462
FAULKNER, D: Structural system reliability analysis of SWATH ships, 5A800
- Hydro-structural analysis program for TLPs, 7A229
- Strategy for reliability-based optimization, 7A805
FAULKNER, MG: Stroke normalized pressure: A useful parameter for the analysis of left ventricular outflow obstruction, 5A1491
- Microphone positioning system for acoustical reverberation chamber, 7T294
FAURE, T: Turbulent kinetic energy balance in the wake of a self-propelled body, 3A1115
- Spectral analysis of the turbulent structure in the momentumless wake of a propeller-driven body, 8A1185
FAURE, TM: Reynolds stress transport equations in a momentumless wake: Experiments and models, 7A1153
FAUSTOVA, EE: Acoustic analyzer study of SAW propagation in homogeneous and composite models, 12A600
FAVIER, D: Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, 2A1100
- Useful scalar parameters for multiaxial fatigue deformation studies, 5A614
- Boundary-layer characterization on moving walls by an embedded laser velocimetry technique, 6T1100
- Experimental and numerical investigation of rotor aerodynamics in forward flight, 11A1170
- Viscoplastic behavior of porous metallic materials saturated with liquid - Part II: Experimental identification on a Sn-Pb model alloy, 12A541
- Viscoplastic behavior of porous metallic materials saturated with liquid - Part I: Constitutive equations, 12A540
FAVINI, B: Multigrid acceleration of second-order ENO schemes from low subsonic to high supersonic flows, 3A1060
FAVRE-MARINET, M: Improved method for measuring velocity and concentration by thermo-anemometry in turbulent helium-air mixtures, 7A1225
FAVRETTO-ANRES, N: Theoretical study of the Stoneley-Scholte wave at the interface between an ideal fluid and a viscoelastic solid, 7A191
FAWCETT, D: Applications of accurate isentropic exponent determination for fuel gas measurement, 1A1093
FAWCETT, JA: Plane-wave decomposition method for modeling scattering from objects and bathymetry in a waveguide, 1A336
- Matched-field inversion for source location and optimal equivalent bathymetry, 3A323
- Acoustic scattering from cylindrical objects embedded between two half-spaces, 5A241
FAYBUSOVICH, L: Separation theorem for linearly constrained LQG optimal control, 4T359
FEARN, DG: Spacecraft ion propulsion development in the UK, 12T1419
FEARN, DR: Classification of magnetic instabilities, 4T1100
FEATHERSTONE, R: Load independence of the dynamically consistent inverse of the Jacobian matrix, 10A531
FEAUGAS, X: Cyclic deformation behavior of an α-β titanium alloy - II: Internal stresses and micromechanic modeling, 12A532
- Cyclic deformation behavior of an α-β titanium alloy - I: Micromechanisms of plasticity under various loading paths, 12A531
FEBIN, MF: Artificial fuzzy neural networks in civil engineering, 2A573
FECHNER, H: Coupled heat air and moisture transfer in building structures, 7A1449
FECKAN, M: Chaos in singular impulsive ODE, 6T115
FEDDERLY, JJ: Sound absorption height and width limits for polymer relaxations, 9A275
FEDDERSEN, RL: Stochastic structure of downstream pressure from an axial compressor - I: Periodic time-frequency spectral description, 3A1202
FEDECHEV, AF: Numerical solution for the gas lubrication problem, 2A1134
FEDELINSKI, P: Time-domain DBEM for rapidly growing cracks, 10A847
FEDEROV, AG: Turbulent heat and mass transfer in an asymmetrically heated, vertical parallel-plate channel, 10A1386
FEDIGAN, SJ: Synthesis of robust gain matrices for adaptive rotor vibration control, 12A403
- Robustness of adaptive rotor vibration control to structured uncertainty, 12A399
FEDORCHENKO, AT: Model of unsteady subsonic flow with acoustics excluded, 9A1035
FEDORCHENKO, DG: Estimation of the effect of the form of a loading cycle on cyclic longevity, 4T942
FEDOROV, AG: Numerical simulation of conjugate heat transfer in an electronic package formed by embedded discrete heat sources in contact with a porous heat sink, 9A1234
FEDOROV, AV: Hydraulic jumps at boundaries in rotating fluids, 5A906
FEDOROV, LV: Elasticity problem posed in stresses, 4A482
FEDOROVA, LS: Structure and friction of modified cross-linked polyimides, 7A869
FEDOROVA, VN: Acoustic analyzer study of SAW propagation in homogeneous and composite models, 12A600
FEDOROVICH, E: Wind tunnel study of turbulent flow structure in the convective boundary layer capped by a temperature inversion, 3A1151
FEDOSEYEV, AI: Inverse FEM for pure and binary solidification problems, 8A1351
FEDOTOV, SA: Ion beam assisted deposition: A molecular dynamics simulation, 11T637
FEDOTOV, SP: Stochastic description of premixed turbulent combustion in terms of a coarse-grained flame surface density, 3A1304

FEELY, O: Results on dynamics of special double-loop ΣΔ-modulators, 11T101
FEENY, BF: Decrement method for the simultaneous estimation of Coulomb and viscous friction, 2T98
- Phase-space reconstructions and stick-slip, 11T100
FEI, CHEN-YU: Performance standards and testing of 2D bar code systems for overhead scanning, 4A466
FEI, GUIHUA: Minimal period solutions of nonlinear Hamiltonian systems, 2T83
FEI, J: Hybrid algorithm for predicting chip form-chip breakability in machining, 4A672
FEI, RAN TIAN: Cauchy integral approach to Hele-Shaw problems with a free boundary: The case of zero surface tension, 5A929
FEIGIN, V: Longevity of constructional materials in 3D stress state, 9A790
FEIGL, KA: First-order exactly incompressible FE for axisymmetric fluid flow, 3A14
FEIJO NACCACHE, M: Heat transfer to viscoplastic fluids in laminar flow through isothermal short tubes, 9A1228
FEIKEMA, DA: Images of dissipation layers to quantify mixing within a turbulent jet, 6A1122
FEIREISL, E: Stabilizing effect of vanishing diffusion in electrohydrodynamics, 12A1158
FEISTAUER, M: Convergence of a combined finite volume-FEM for nonlinear convection-diffusion problems, 8A1402
FEISTNER, H: Trend-detection algorithm for intraoperative EEG monitoring, 5A1507
FEIT, K: Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, 9A382
FEJTEK, I: Turboprop nacelle optimization using automated surface and grid generation and coarse-grain parallelization, 6A1199
FEKE, GD: Morphology of Macroscopic soot, 3A1313
FEKLIN, VI: Reinforcement and Reconstruction of Foundations, 1N34
- Reinforcement and Reconstruction of Foundations, 7N19
FEL'DMAN, DS: Vibration in a parametrically excited electromechanical system, 8T409
FELBACQ, D: Homogenization of a set of parallel fibers, 10A1203
FELCMAN, J: Convergence of a combined finite volume-FEM for nonlinear convection-diffusion problems, 8A1402
FELD, G: Bias in the estimation of wave-induced fatigue damage of offshore structures, 3A815
FELDE, DK: Effects of partial inlet blockages on high-velocity flow through a thin rectangular duct: Experimental and analytical results, 12A1255
FELDERMAN, EJ: Near-electrode model for 100-standard atmosphere arc discharges, 5A1388
- Impacts of external magnetic fields applied to high-pressure electric arc heaters, 5A1385
- High-pressure arc heater development and modeling: Status and requirements, 5A1384
FELDKAMP, JR: Theoretical analysis of an impervious, heated-cylinder "groundwater velocimeter", 5A1405
FELDMAN JR, KT: Compressor-driven metal-hydride heat pumps, 11A1358
FELDMAN, AG: Moments arms and lengths of human upper limb muscles as functions of joint angles, 3A1499
FELDMAN, E: Response of metal matrix laminated cylindrical panels to combined uniform temperature change and edge displacements, 1A526
FELDSTEIN, A: Overflow and underflow in multiplication and division, 3A72
FELICETTI, R: Local phenomena around a steel dowel embedded in a stone masonry wall, 11A735
FELIKS, Y: Mixed barotropic-baroclinic eddies growing on an eastward mid-latitude jet, 4T1075
- Stability of a front separating water masses with different stratifications, 11T1077
FELIPPA, CA: Recent developments in parametrized variational principles for mechanics, 2A55
- Parametric unification of structural analysis: Classical formulation and mixed FEs (Spanish), 7A797
FELIU, S: New method for *in-situ* measurement of electrical resistivity of reinforced concrete, 1A847
FELIX, P: Cyclic phase change with fluid flow, 2A1240
FELIX, T: UV-VIS absorption as a diagnostic for NO in rocket plumes, 8A1412
FELLAH, G: Exergy analysis for the evaluation of a thermal storage system employing PCMs with different melting temperatures, 2A1278
- Exergy analysis for the optimum performance of phase change thermal storage units, 4A1254
FELLOWS, LJ: Analysis of crack initiation and propagation in fretting fatigue: The effective initial flaw size methodology, 8A727
FELSZEGHY, SF: Timoshenko beam on an elastic foundation and subject to a moving step load - Part 1: Steady-state response, 1A167
- Timoshenko beam on an elastic foundation and subject to a moving step load - Part 2: Transient response, 1A168
FELT, DW: Rheology of a magnetorheological fluid, 6A984
FELTIN, D: Tailored fiber placement to minimize stress concentrations, 12A571
FELTON, LP: Matrix Structural Analysis, 8R8
FENG , TAIHUA: Higher order sensitivities in structural static design, 12A878
FENG, BO: Nitrogen oxides emission from a circulating fluidized bed combustor, 5A1339
FENG, C: Residual-stress analysis by local laser heating and speckle-correlation interferometry, 6T839
FENG, ENMIN: Model of stratum temperature field of sedimentary-rock system and its parameter identification (Chinese), 10A1483
FENG, G: Improving tracking control for robots using neural networks, 1A398
- Stability analysis and design for a class of continuous-time fuzzy control systems, 3T330
FENG, GANG: Adaptive control algorithm for robot manipulators in task space, 1A391
FENG, HSI-YUNG: Flexible ball-end milling system model for cutting force and machining error prediction, 5A558
FENG, J: Note on the forces that move particles in a second-order fluid, 1A1012
- Motion of solid particles suspended in viscoelastic liquids under torsional shear, 5A970
FENG, JILI: Nonlocal analysis of stable states and stable paths of propagation of damage shear bands based on large deformation theory (Chinese), 2A417
FENG, JINHAI: Effects of ultrasonic vibration on machining accuracy in microdrilling, 7A607
FENG, JINZHANG: Cavitation modeling with a CFD approach, 1T963
- Numerical modeling of the thermodynamic effects of cavitation, 11A917
FENG, JIYUN: Mechanisms for viscosity reduction of polymer blends: Blends of fluoroelastomer and high-density polyethylene, 8A1001
FENG, JQ: Steady axisymmetric motion of deformable drops falling or rising through a homoviscous fluid in a tube at intermediate Reynolds number, 10A1130
FENG, KONG: Mathematical Theory of Elastic Structures, 8R7
FENG, MQ: Experimental study of an electro-optical displacement sensor, 6A835
- Design of a mega-sub-controlled building system under stochastic wind loads, 12A200
FENG, PIN-HAO: Computerized design and generation of cycloidal gearings, 1A908
- Computerized design, generation, and simulation of meshing of rotors of screw compressor, 7A954
FENG, Q: Spectral fatigue analysis of shallow water jacket platforms, 2A638
FENG, QING-ZENG: Onset of convection in a rotating conical container, 8T1291
FENG, R: Analytical and computational investigation of high-rate rheometry, 1A1146
FENG, W: Partial hybrid degenerated plate-shell element for the analysis of laminated composites, 5A487
FENG, X: Combining pinch and exergy analysis for process modifications, 7A1229
FENG, XI-QIAO: Shakedown of 3D elastoplastic strain-hardening structures, 8A876
FENG, XIAO: Critical COP for an economically feasible industrial heat-pump application, 5A1121
FENG, XIN'AN: Research on feature-based product model for cartridge valve blocks (Chinese), 12A1028
FENG, Y: Numerical investigation of adsorptive heat pump systems with thermal wave heat regeneration under uniform-pressure conditions, 4A1244
- Characteristic parameters of adsorptive refrigeration cycles with thermal regeneration, 7A1345
FENG, YT: Sign of the determinant of the structural stiffness matrix for determination of loading increment in arc-length algorithms, 8A619
- Non-nested Galerkin multi-grid method for solving linear and nonlinear solid mechanics problems, 11A385
FENG, YX: Stability of geosynthetic-reinforced soil above a cavity, 1A622
FENG, Z: Thermoelastic determination of stress intensity factors in orthotropic composites using the J-integral, 7A724
FENG, ZC: Dynamics of a mechanical system with a shape memory alloy bar, 3A746
- Instability caused by the coupling between non-resonant shape oscillation modes of a charged conducting drop, 8A1209
FENG, ZHI-GANG: Analogies between the transient momentum and energy equations of particles, 3A1326
- Use of modified Green's functions in unsteady heat transfer, 9T1267
FENG, ZHI-LI: Fatigue growth behavior for a corner crack at a vessel-nozzle junction, 1A685
FENNEMORE, GG: Simulation of unsaturated water flow around obstructions: 3D Rankine bodies, 6T1381
FENNER, DN: Analysis of a four-bar mechanism with a radially compliant clearance joint, 1A915
FENNER, RT: Three-dimensional design optimization using the boundary integral equation method, 2A767
- Numerical study of some approaches to shape design sensitivity analysis using BEs, 4A812
- Overhauser triangular elements for 3D potential problems using BEMs, 6A56
- Three-dimensional design sensitivity analysis using a boundary integral approach, 7A808
FENNO JR, CC: Panel-structure response to acoustic forcing by a nearly sonic jet, 7A1106
FENSKE, GR: Tribological performance of diamond and diamondlike carbon films at elevated temperatures, 4T894
FENTON, DL: Frangible roof joint behavior of cylindrical oil storage tanks designed to API 650 rules, 2A851
FENTON, GA: Finite element modeling of settlements on spatially random soil, 3A590
FENTON, JD: Groundwater waves in aquifers of intermediate depths, 6T1380
FENTON, M: Effects of variable partial premixing on turbulent jet flame structure, 11A1401
FENTON, RG: Unifying framework for classification and interpretation of mechanism singularities, 11A870
- Inverse kinematics of space manipulators for avoiding dynamic singularities, 12A441
FERAUDI, F: Finite volume method for the solution of convection-diffusion 2D problems by a quadratic profile with smoothing, 2A1197
FERBER, MK: Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, 4A548
- Dynamic fatigue testing of candidate ceramic materials for turbine engines to determine slow-crack-growth parameters, 10A767
FERNANDES, MH: Integrated method for the updating of FE models based on experimental modal data (Spanish), 3A39
FERNANDES, PJL: Tooth bending fatigue failures in gears, 4A715
- Effect of crack blunting in liquid metal environments on K_{ISC} determined by the rising load test, 4T743
- Specificity in liquid metal induced embrittlement, 7T690
- Contact fatigue in rolling-element bearings, 12T966
- Surface contact fatigue failures in gears, 12A970
FERNANDEZ, B: Neural network approach to electromyographic signal processing for a motor control task, 12A1563
FERNANDEZ, JE: Rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 2A903
FERNANDEZ, M: Volume V: Pipeline Technology, 11N30
FERNANDEZ, T: Landslides, 5N14
FERNANDEZ-FERIA, R: Viscous and inviscid instabilities of non-parallel self-similar axisymmetric vortex cores, 4A1078
FERNANDEZ-PELLO, AC: Concurrent horizontal flame spread: The combined effect of oxidizer flow velocity, turbulence, and oxygen concentration, 2A1329
FERNANDO, HJS: Phys model of diurnal heating in the vicinity of a 2D ridge, 3A1416
- Resuspension of particle bed by round vertical jet, 3A1069
- Frequency spectra of scalar fluctuations at entraining stratified interfaces, 7A1139
- Measurement of turbulence near shear-free density interfaces, 9A1115
- Motion fields generated by the oscillatory motion of a circular cylinder in a linearly stratified fluid, 10A1090
- Measurements in a turbulent patch in a rotating, linearly-stratified fluid, 11A1102
FERNANDO, US: Effect of non-proportional overloading on fatigue life, 5A603
FERNEY, BD: Force-state characterization of struts using pinned joints, 8A977
FERNHOLZ, HH: Turbulence measurements around a mild separation bubble and downstream of reattachment, 3A1098
FERNYHOUGH, M: Comparison of a step approximation to an exact solution of acoustic scattering in a uniform-width pipe with non-uniform wall impedance, 2A272
FERON, E: Analysis of robust H_2 performance using multiplier theory, 7T313
FERRANDIZ, JM: Multistep numerical methods based on the Scheifele G-functions with application to satellite dynamics, 8A299
FERRARA, A: Self-similarity and nonlinear dynamics of thermally unstable media, 11T1069
FERRARA, G: Tensile and flexural creep rupture tests on partially-damaged concrete specimens, 12A908
FERRARA, L: Application of the Nekhoroshev theorem to the restricted three-body problem, 7A237
FERRARESI, C: Mechanics of Turin parallel robot, 5A340
FERRARI, C: Unsteady perturbed flow at low Mach number of a viscous compressible fluid, 8A1102
FERRARI, ES: Investigation into the molecular stability of zinc di-alkyl-di-thiophosphates (ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 12A1223
FERRARI, M: Advances in Doublet Mechanics, 8N4
FERRARIS, G: Prediction of the dynamic behavior of non-symmetric coaxial co- or counter-rotating rotors, 3A171
- Transient response of structures on viscoelastic or elastoplastic mounts: Prediction and experiment, 6A212
FERRARO, P: Analysis of rigid rotations in holographic interferometry for simple flexural loadings tests, 9A795
FERRAZ-MELLO, S: Symplectic mapping approach to the study of the stochasticity in asteroidal resonances, 11A240
FERRE, GA: Use of pattern recognition and proper orthogonal decomposition in identifying the structure of fully-developed free turbulence, 11A1118
FERRE, JA: Simultaneous velocity and temperature patterns in the far region of a turbulent cylinder wake, 11T1058
FERREIRA EHLERS, C: Vibration and dynamic instability analysis of turbomachinery blades and airfoils, 9A145
FERREIRA, AM: Representation of non-stationary time series of significant wave height with autoregressive models, 1A258
FERREIRA, JAM: Fatigue and creep in titanium grade 2, 1A694
FERREIRA, JM: Comparative study of the fatigue behavior of GRP hand lay-up and pultruded phenolic composites, 1A689
FERRERO, E: Physical simulations in rotating tank of lee cyclogenesis, 9A1016
- Comparison among empirical probability density functions of the vertical velocity in the surface layer based on higher order correlations, 10T1477
FERRETTI, G: Stability of integral force control in case of contact with stiff surfaces, 11A308
FERRI, AA: Elasto-Impact and Friction in Dynamic Systems, 3N7
- Displacement-dependent dry friction damping of a beam-like structure, 6A138
- Sensitivity analysis of coupled structural-acoustic problems using perturbation techniques, 8A290
FERRI, F: Planetary atmosphere simulator: Application to Titan, 9A1518
FERRONSKY, SV: Virial oscillations of celestial bodies - V: The structure of the potential and kinetic energies of a celestial body as a record of its creation history, 7A236
FERRONSKY, VI: Virial oscillations of celestial bodies - V: The structure of the potential and kinetic energies of a celestial body as a record of its creation history, 7A236
FERRY, M POTIER: Delamination and fiber bridging modeling in composite samples, 11A697
FERZIGER, JH: Numerical simulation of viscoelastic flow using flux difference splitting at moderate Reynolds numbers, 1A466
- Flame-wall interaction simulation in a turbulent channel flow, 3A1302
- Further discussion of numerical errors in CFD, 7A73
- Status of large eddy simulation: Results of a workshop, 11A1115
- Hybrid spectral finite difference simulations of stratified turbulent flows on distributed memory architectures, 11A1101
FESSENDEN, TJ: Seventh international symposium on heavy ion inertial fusion, 7A1506
FESTOU, M: Solar system ices, 5T1459
FETT, T: Residual stresses in PVC-cylinders determined with the weight function method, 5A423
- Determination of residual stresses in components using the fracture mechanics weight function, 5A421
- Cyclic fatigue of zirconia, 6A724
- Weight functions for sub-interface cracks, 6A760
- Residual crack profiles under weak phase-transformation conditions, 7A772
- Creep crack growth measured in tension with a four-point bending device, 7A698
- Semi-analytical study of the edge-cracked circular disc by use of the boundary collocation method, 7A773
- Computation of residual stress intensity factors for non-propagated cracks with phase-transformation zones in finite bodies, 7A769
- Weight functions for cracks near the interface of a bimaterial joint, and application to thermal stresses, 7A774
- Weight functions for edge cracks in thin surface layers, 10A806
FETZ, T: Analysis of tunnels: Fuzzy (German), 10A39
FEUER, A: Vibrational control of a flexible beam, 6A396
FEUILLARD, G: Lateral resonances in 1-3 piezoelectric periodic composite: Modeling and experimental results, 9A602
FEULNER, MR: Modeling for control of rotating stall in high-speed multistage axial compressors, 11A1158
FEY, RHB: Experimental verification of the steady-state behavior of a beam system with discontinuous support, 1A162
- Steady-state behavior of flexible rotordynamic systems with oil journal bearings, 6A112
FIALKO, SY: Supporting power of flexible thin walled reinforced prismatic folded systems (Russian), 1T566

FIASCHI, D: Biomass combustion - gasification model: Validation and sensitivity analysis, 11A1420
FICHANT, S: Continuum damage modeling: Approximation of crack induced anisotropy, 8T2
FICHERA, A: Exergonomic organization of an air-conditioning system, 9A1195
FICHMAN, M: Resonance gas oscillations in closed tubes, 3A1056
FICK, M: Performance aspects of plug cluster nozzles, 2A1350
FICK, W: Phase-averaged temperature characterization in swirl burners, 5A1351
FIEBIG, M: Impinging radial and inline jets: A comparison with regard to heat transfer, wall pressure distribution, and pressure loss, 7A1105
- Vortices and heat transfer, 8A1150
- Numerical analysis of heat transfer and flow loss in a parallel plate heat exchanger element with longitudinal vortex generators as fins, 11T1220
FIEDLER, C: Analytical approximate 3D solution for the longitudinally vibrating cylinder, 2A182
- Experimental and numerical investigation of the interaction of Rayleigh surface waves with corners, 11A751
FIEDLER, HE: Round jet in a uniform counterflow: Flow visualization and mean concentration measurements, 5A1021
FIELD , JS: Micro-Fourier rheometer: Inertial effects, 5A903
FIELD JR, RV: Probabilistic stability robustness of structural systems, 3A329
FIELD, EH: Spectral amplification in a sediment-filled valley exhibiting clear basin-edge-induced waves, 2A1400
- Coherence of ground motion in the San Fernando Valley, 8A1472
FIELD, JR, RV: Methods to compute probabilistic measures of robustness for structural systems, 4A832
FIELD, JS: Experimental investigation of the use of random squeezing to determine the complex modulus of viscoelastic fluids, 3A959
FIELD, R: Swirl Technology: Enhancement of design, evaluation, and application, 3T1087
FIELDHOUSE, JD: Double pulsed holography used to investigate noisy brakes, 1A800
FIELDS, JC: Heat transfer in two-phase solid-rocket plumes, 2A1346
FIERRO, R: Control of a nonholonomic mobile robot: Backstepping kinematics into dynamics, 8A430
FIEWEGER, K: Self-ignition of SI engine model fuels: A shock tube investigation at high pressure, 11A1397
FIFE, JM: In-flight demonstration of a real-time flush airdata sensing system, 4A1138
FIFE, PC: Phase field models for hypercooled solidification, 10A1339
FIGLIOLA, RS: ASME Proceedings of 31st National Heat Transfer Conference, Volume 9, 2N44
FIGOVSKY, O: Longevity of constructional materials in 3D stress state, 9A790
FIGUEIRAS-VIDAL, AR: New POCS algorithms for regularization of inverse problems, 1A98
FIL'SHTINSKII, ML: Pulse excitation of a piezoceramic half-space with tunnel cavities, 5A503
FILDIS, H: Axisymmetric crack problem in a non-homogeneous interfacial region between homogeneous half-spaces, 6A786
- Stress intensity factors for an infinitely long transversely isotropic, thick-walled cylinder which contains a ring-shaped crack, 6A764
FILEK, K: Climatic conditions in underground mining galleries ventilated by cooled air, 9A1523
FILGUEIRAS DE AZEVEDO, JL: Wake behind a backward-facing step: A numerical study, 3A1116
FILIATRAULT, A: Seismic impact loading in inelastic tension-only concentrically braced steel frames: Myth or reality, 6A1453
FILINA, NN: Cryogenic Two-Phase Flow: Applications to Large Scale Systems, 1R38
FILIOU, C: Approximate biaxial stress solution for orthotropic open-hole composite laminates, 3A499
FILIPICH, CP: Brief discussion on some dynamic energy principles, 1A91
- Comments on "dynamic stability of spinning beams of unsymmetrical cross-section with distinct end conditions", 10T119
FILIPOVIC, VZ: Robustified adaptive minimum-variance controller, 3T363
FILIPPINI, M: Comparative study of multiaxial high-cycle fatigue criteria for metals, 12A767
FILIPPOU, FC: Constitutive model for 3D cyclic analysis of concrete structures, 7A821
- Finite element for anchored bars under cyclic load reversals, 11A17
- Evaluation of nonlinear frame FE models, 12A22
FILISKO, FE: Electrorheological dampers - Part I: Analysis and design, 3A949
- Electrorheological dampers - Part II: Testing and modeling, 3A950
FILL, AC: Prediction of the measured response of a scaled soil-pile-superstructure system, 8A1479
FILLA, M: Influence of scattering of thermal radiation by suspended particles on the rate of heat transfer in the freeboard of a 1 MW, fluidized bed combustor, 7A1405
FILLON, M: Experimental study of thermal effects in tilting-pad journal bearings at high operating speeds, 1T1141
- Generalization of thermohydrodynamic analyses for journal bearings, 1A1142
- Thermohydrodynamic design charts for tilting-pad journal bearings, 11A1192
- Global approach of thermal effects including pad deformations in tilting-pad journal bearings submitted to unbalance load, 11A853
- Thermohydrodynamic analysis of tilting-pad journal bearings operating in turbulent flow regime, 11A1191
- Transient thermoelastohydrodynamic study of tilting pad journal bearings: Comparison between experimental data and theoretical results, 12A1211
FILONOV, IP: Simulation of blank-tool wear in finishing precision surfaces, 1A881
FINDLEY, T: Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, 6A1535
FINEGOLD, DN: New method for assessment of changes in retinal blood flow, 11A1569
FINETTE, S: Acoustic propagation through an internal wave field in a shallow water waveguide, 8A316
FINGER, N: Fracture behavior of polypropylene-fiber-reinforced concrete: Modeling and computer simulation, 4A755
FINIZIO, A: Analysis of rigid rotations in holographic interferometry for simple flexural loadings tests, 9A795
FINK, M: Partial coherence of transient ultrasonic fields in anisotropic random media: Application to coherent echo detection, 8A322
FINLAY, JB: Image-averaging in the analysis of data from pressure-sensitive film, 11A61
FINLAY, WH: Three-dimensional viscous flow through a rotating channel: A pseudospectral matrix method approach, 2A1006
FINLEY, GA: Experimental study of thickness-tapered unidirectional composite compression specimens, 5A462
FINN, D: Experimental evaluation of analytical and Lagrangian surface-layer flux footprint models, 6T1485
FINNIE, I: Surface strains due to face loading of a slot in a layered half-space, 1A448
- Stress analysis and fatigue life prediction for a U-bend steam generator tube, 4A713
- Computation of stress intensity factors for a 2D body from displacements at an arbitrary location, 10A801
FINNIGAN, JJ: Coherent eddies and turbulence in vegetation canopies: The mixing-layer analogy, 2A1409
- Wind tunnel study of turbulent flow around single and multiple windbreaks - Part I: Velocity fields, 5T1432
FINNIS, MV: Linear growth of Gortler vortices, 11A1081
- Streamwise development of Gortler vortices in a favorable pressure gradient, 11A1029
FINNO, RJ: Shear bands in plane strain compression of loose sand, 9A614
- Undrained shear band deformation in granular media, 11A553
FINNVEDEN, S: Spectral FE analysis of stationary vibrations in a beam-plate structure, 2A26
- Spectral FE analysis of the vibration of straight fluid-filled pipes with flanges, 6A316
- Calculation of wave propagation in rib-stiffened plate structures, 6A232
FINY, M: Field evaluation of protective covers for landfill geomembrane liners under construction loading, 8A677
FIORE, GB: Liquid ventilation: A mathematical model of gas diffusion in the premature lung, 11A1567
FIORE, L: Flexural fatigue behavior of UDGFRP experimental approach, 12A755
FIORENTIN, P: Analogue feedback control system of RFX, 3A391
FIRMIN, C: Feature extraction and selection for fault detection in production of glass bottles, 4A472
FIROOZIAN, R: Nonlinear model for dynamic response of electro-rheological fluid in flow mode, 6A8
- Mathematical modeling of the dynamic response of electro-rheological fluid, 9A1131
FISCHER, EM: Development of ceramic composite hot-gas filters, 1A1357
FISCHER, FD: Frictional behavior of thermally loaded beams resting on a plane, 1A554
- Kinetics on the micro- and macro-levels in polycrystalline alloy materials during martensitic transformation, 1A1288
- Investigation of the damping behavior of a vibrating shape memory alloy rod using a micromechanical model, 3A140
- Mechanics of multiphase materials, 12A579
FISCHER, IS: Experimental study of Cardan-joint dynamics, 11A844
FISCHER, L: Friction factors for fully developed laminar flow in ducts confined by corrugated parallel walls, 5A1136
FISCHER, P: Nonlinear flow properties of viscoelastic surfactant solutions, 9A988
FISCHER, PF: Overlapping Schwarz method for spectral element solution of the incompressible Navier-Stokes equations, 10A1100
FISCHER, TE: Abrasion resistance of nanostructured and conventional cemented carbides, 7A873
- In situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 7A864
FISCHER-CRIPPS, A: Stress in shaped glass evacuated collectors, 8A1520
FISETTE, P: Numerical integration of multibody system dynamic equations using the coordinate partitioning method in an implicit Newmark scheme, 3A111
- Symbolic generation of a multibody formalism of order N: Extension to closed-loop systems using the coordinate partitioning method, 6A106
- Fully symbolic generation of the equations of motion of multibody systems containing flexible beams, 10A117
- Comparison of various techniques for modeling flexible beams in multibody dynamics, 10A174
FISH, J: Efficient solutions schemes for interface problems, 1A60
- Composite grid method for hybrid systems, 3A43
- s-version of FEM for laminated composites, 5A488
- Assumed strain formulation with selective polynomial order enrichment for p-version shells, 9A569
- Hierarchical composite grid method for global-local analysis of laminated composite shells, 9A576
- Adaptive solver for the p-version of FEM, 10A43
FISHBEJN, EI: Effect of contact deformation upon surface electron work function, 1A885
FISHER, CJ: Near-electrode model for 100-standard atmosphere arc discharges, 5A1388
FISHER, D: Spectral element methods for nonlinear temporal dynamical systems, 3A143
- Spectral element methods for nonlinear spatio-temporal dynamics of an Euler-Bernoulli beam, 6A156
FISHER, EM: Calculations of the effect of nitrogen vibrational kinetics on laminar flame temperature profiles, 6A1336
FISHER, J: Method for shape optimization of a hip prosthesis to maximize the fatigue life of the cement, 5A1522
- Shape optimization of a Charnley prosthesis based on the fatigue notch factor, 5A1524
- Effect of FE idealization, load conditions and interface assumptions on the stress distribution and fatigue notch factor in the human femur with an endoprosthesis, 5T1467
- Finite element stress analysis of a new design of synthetic leaflet heart valve, 8A1577
- Influence of open leaflet geometry on the haemodynamic flow characteristics of polyurethane trileaflet artificial heart valves, 8T1578
- Wear of ultra-high molecular weight polyethylene sliding on metallic and ceramic counterfaces representative of current femoral surfaces in joint replacement, 10A983
- Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, 11A1581
- Three-dimensional study of the effect of two leaflet opening angles on the time-dependent flow through a bileaflet mechanical heart valve, 12A1585
FISHER, JL: Detection and sizing of defects in control rod drive mechanism penetrations using eddy current and ultrasonics, 2A739
FISHER, MA: Application of ground-penetrating radar to investigation of near-surface fault properties in the San Francisco bay region, 4A1384
FISHER, MJ: Measuring the relative strengths of a set of partially coherent acoustic sources, 10A405
FISHER, NJ: Experimental fretting-wear studies of steam generator materials, 11A657
FISHER, S: Structural damage detection using real-time modal parameter identification algorithm, 5A708
- Adaptive filters for real-time system identification and control, 7A306
FISHER, TS: Efficient heat transfer approximation for the chip-on-substrate problem, 6A1269
- Thermal analysis and optimization of substrates with directionally enhanced conductivities, 9A1265
FISHER, WG: Laser induced fluorescence imaging of thermal damage in polymer matrix composites, 11A757
FISHKIS, M: Formation and evolution of a subsurface layer in a metalworking process, 12A980
FISHMAN, KL: Threshold accelerations for rotation or sliding of bridge abutments, 3A1375
FISK, MD: Regional event discrimination without transporting thresholds, 4T1363
FISSAN, H: Digital signal processing for optical particle counters in order to improve the signal-to-noise ratio, 4A1331
- Fluctuations and noise of the optical output power of laser diodes and the effect on optical particle size determination, 9A1412
- Differential electrical mobility analysis: A theoretical study, 9A1411
FITERMAN, A: DIAPR: A high-pressure, high-temperature solar receiver, 8A1517
FITT, AD: High-Reynolds-number cross-flow with injection and suction, 8A1137
- Extrusion of power-law shear-thinning fluids with small exponent, 8A693
FITTRO, RL: Measured force-current relations in solid magnetic thrust bearings, 8A959
FITZGERALD JR, RH: Relationship between loading conditions and fracture patterns of the proximal femur, 5A1473
FITZGERALD, B: Deposition of particles in a chamber as a function of ventilation rate, 12A1420
FITZGERALD, JA: Flow field effects on heat transfer in confined jet impingement, 12T1257
FITZGERALD, S: Hydrodynamic flow modeling at confluence of two streams, 3A990
FITZGIBBON, WB: Stability and Lyapunov functions for reaction-diffusion systems, 10A1391
FITZSIMONS, PM: Modeling of a one-dof active hydraulic mount - Part I, 4A413
- Control of a one-dof active hydraulic mount - Part II, 4A411
FIVEL, MC: Implementing image stresses in a 3D dislocation simulation, 9A457
FIVELAND, WA: Acceleration schemes for the discrete ordinates method, 1A1258
- Third international conference on combustion technologies for a clean environment, 10A1397
FJELD, S: Floating concrete platform hull made of lightweight aggregate concrete, 4A854
FJELDLY, A: Observations and calculations on mechanical anisotropy and plastic flow of an A1ZnMg extrusion, 2A422
FLACHSMANN, R: Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation, 1A1446
FLACK, KA: Combined experimental and computational study of pressure-driven 3D separation in a turbulent boundary layer, 4A1039
FLACK, RD: Laser velocimeter measurements in the pump of an automotive torque converter - Part II: Unsteady measurements, 1A1117
- Laser velocimeter measurements in the pump of an automotive torque converter - Part I: Average measurements, 1A1116
- Influence of fluid film nonlinearity on the experimental determination of dynamic stiffness and damping coefficients for three-lobe journal bearings, 7T1222
- Magnetic thrust bearing operation and industrial pump application, 8A958
- Laser velocimeter measurements in the turbine of an automotive torque converter - Part I: Average measurements, 12A1193
- Laser velocimeter measurements in the turbine of an automotive torque converter - Part II: Unsteady measurements, 12A1194
FLAGA, A: Aerodynamic problems of cable stayed and suspension bridges (Polish), 2A806
- Design of thrustless bar-string structures (Polish), 2A815
- Passive systems of the damping of vibrations evolved by vortices detachments (Polish), 9A869
FLAGA, K: Aerodynamic problems of cable stayed and suspension bridges (Polish), 2A806
FLANAGAN, RD: Compressive properties of structural clay tile prisms, 12A849
FLANDERS, M: Evaluating an integrated musculoskeletal model of the human arm, 9A1565
FLANERY, RE: Boundary elements on distributed memory architectures, 1A82
FLASHNER, H: Robust digital autopilot design for spacecraft equipped with pulse-operated thrusters, 3A372
- Space-time spectral element method for optimal slewing of a flexible beam, 3A354
- New pulse-modulation technique for guidance and control of automated spacecraft, 3A370
FLASINSKI, M: Quasi context sensitive graph grammars as a formal model of FE mesh generation, 9A17
FLASKER, J: New model for the numerical determination of pitting resistance of gear teeth flanks, 8A729
FLECK, NA: Dynamic compressive failure of fiber composites, 5A664
- Microbuckle propagation in fiber composites, 8A547
- Interfacial cracking from the free-edge of a long bimaterial strip, 9A691
FLEETER, S: Chordwise bending cascade unsteady aerodynamics by an experimental influence coefficient technique, 7A228
- Euler analysis of oscillating cascade aerodynamics using embedded composite grids, 8A1232
- Compressible flow hot-wire calibration, 9A1049
- Vortical gust response of a low-solidity vane row including steady loading and dynamic stall effects, 12A1190
- Active control of turbomachine discrete frequency noise utilizing oscillating flaps and pistons, 12A329
FLEIFIL, M: Response of a laminar premixed flame to flow oscillations: A kinematic model and thermoacoustic instability results, 3A1316
FLEMING, CA: Three dimensional multigrid model for fully nonlinear water waves, 10A290
- Statistical-dynamical method for predicting long term coastal evolution, 10T1062

FLEMING, DC: Off-axis energy absorption characterization of composites for crashworthy rotorcraft design, 2A831
- Energy absorption of composite plates under off-axis loads, 6A564
FLEMING, JW: Radical species profiles in low-pressure methane flames containing fuel nitrogen compounds, 12A1375
FLEMING, M: Continuous meshless approximations for nonconvex bodies by diffraction and transparency, 2A29
- Meshless methods: An overview and recent developments, 6A16
- Enriched element-free Galerkin methods for crack tip fields, 10A842
FLESCH, TK: Footprint for flux measurements, from backward Lagrangian stochastic models, 2T1441
- Turbulent dispersion with broken reflectional symmetry, 8A1552
FLETCHER, CAJ: Numerical modeling of 3D fly-ash flow in power utility boilers, 10A1136
- Prediction of flow and erosion in power utility boilers and comparison with measurement, 12A1329
FLETCHER, DF: Numerical studies of multiphase mixing with application to some small-scale experiments, 5A972
FLETCHER, I: Modeling of a two-stage high-pressure gas reduction station, 4A1467
FLETCHER, L: ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40
FLETCHER, LR: Pole assignment and controllability subspaces in descriptor systems, 10T410
FLETCHER, LS: Heat transfer in a 3D channel with baffles, 2A1158
- Mixed convective heat transfer between a series of vertical parallel plates with planar heat sources, 5T1168
- Comparison of several heat transfer enhancement technologies for gas heat exchangers, 5A1264
- Thermal contact conductance of composite cylinders, 7A1306
FLETCHER, NH: Asymptotic analysis of the free in-plane vibrations of beams with arbitrarily varying curvature and cross-section, 4A119
FLETCHER, SG: New formulation for the stochastic control of systems with bounded state variables: An application to a single reservoir system, 3T980
FLETCHER, TH: Release of inorganic material during coal devolatilization, 8A1410
FLETCHER, WH: Mobile pilot-plant for the production of environmentally clean steam, 8A1428
FLEURY, C: Generalized method of moving asymptotes (GMMA) including equality constraints, 5A747
FLIK, MI: Thermal radiation absorption in doped semiconductors due to direct intersubband transitions, 11A1326
FLIPPEN, LD: New approach to dynamic condensation for FEM, 3A23
FLOBERGHAGEN, R: Global lunar gravity recovery from satellite-to-satellite tracking, 6A1404
FLOCCHINI, P: Cellular automata in fuzzy backgrounds, 12A360
FLOCKER, FW: Stresses in laminated glass subject to low velocity impact, 12A856
FLODIN, A: Simulation of mild wear in spur gears, 12A958
FLOQUET, A: Realistic braking operation simulation of ventilated disk brakes, 1T906
FLORIJANTO, C: Breakdown of evaporating falling films as a function of surface tension gradient, 6A1262
FLORIS, C: Equivalent Gaussian process in stochastic dynamics with application to along-wind response of structures, 3A122
FLORSCHUETZ, LW: Transient liquid crystal technique for convective heat transfer on rough surfaces, 8A1312
FLORYAN, JM: Stability of wall-bounded shear layers in the presence of simulated distributed surface roughness, 10A1168
FLOWERS, GL: Flow of RX-08-FK high-energy paste in a capillary rheometer, 10A1030
FLOWERS, GT: Elasto-Impact and Friction in Dynamic Systems, 3N7
- Synchronous dynamics of a coupled shaft-bearing-housing system with auxiliary support from a clearance bearing: Analysis and experiment, 10A219
- Modeling of an elastic disk with finite hub motions and small elastic vibrations with application to rotordynamics, 11A141
FLOWERS, L: Electric design of wind-electric water pumping systems, 5A1449
FLYNN, KM: Mid-infrared attenuated total internal reflection cure sensor for control of resin transfer molding of a pre-ceramic polymer, 7A633
FOCE, F: Modern formulation for preelastic theories on masonry arches, 9A905
FODA, MA: Distortion and dispersion of nonlinear waves in a rectangular duct due to a bifrequency excitation, 2A259
- Subharmonic resonance of short internal standing waves by progressive surface waves, 3A247
- Initiation of breakout of half-buried submarine pipe from sea bed due to wave action, 5A211
- Instability mechanism for the sliding motion of finite depth of bulk granular materials, 12A1423
FODOR, M: Experimental verification of resistance control semi-active damping, 1A369
FOERCH, R: Polymorphic constitutive equations in FE codes, 9A40
- Large scale object-oriented FE code design, 10A52
FOGEL, AL: Reconstruction of a bilinear sound speed profile in a ground-based refraction waveguide, 2A304
FOGELSON, A: Modeling biofilm processes using the immersed boundary method, 5A1462
FOGLI, M: Spectral response of a stochastic oscillator under impacts, 9A114
FOGLIARDI, R: Identification and physiological relevance of an exponentially tapered tube model of canine descending aortic circulation, 12A1558
FOGLIETTA, S: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329
FOKIN, DA: Universal algorithm for solving the direct, inverse, and mixed problems of the airfoil theory, 8T1219
FOLACCI, A: GTD analysis of scattering by two elastic spheres, 10A357
FOLKARD, AM: Measurements in a turbulent patch in a rotating, linearly-stratified fluid, 11A1102
FOLKMAN, CC: Solar assisted open-cycle absorption cooling: Performance of collector-regenerators, 11A1542
FOLKMAN, SL: Force-state characterization of struts using pinned joints, 8A977
FOMIN, VM: Steady antiplane dynamic contact problem of a periodic structure for an elastic half-space, 1A445
FOMINYKH, A: Cell model of nonisothermal gas absorption in gas-liquid bubbly media, 1A1302
- Mass transfer between a 2D wall jet with a heterogeneous chemical reaction of the first order and a wall: Analytical solution, 1A1305
- Effect of gas release and condensation on characteristics of two-phase gas- and vapor-liquid slug flow, 2A1208
- Map of regimes of pressure oscillations induced by absorption during gas jet injection through a submerged nozzle, 10A1127
FOND, C: Polymers toughened with rubber microspheres: An analytical solution for stresses and strains in the rubber particles at equilibrium and rupture, 2A693
FONG, CF CHAN MAN: Experimental study of the effect of surfactants on the free rise velocity of gas bubbles, 6A1069
FONG, I-KONG: Stable on-line parameter identification algorithms for systems with non-parametric uncertainties and disturbances, 4T333
- Stable on-line parameter identification with general knowledge on level of information noise: Discrete-time case, 11T279
FONG, ZH: Efficient optimum design procedure for bicycle rear derailers, 3A907
- Method for improving bicycle shifting performance, 8A953
FONG, ZHANG-HUA: Mathematical model of spiral bevel and hypoid gears manufactured by the modified roll method, 7A940
FONSECA, FS: Measured response of roof diaphragms and wall panels in tilt-up systems subjected to cyclic loading, 6A1442
FONTAINE, AA: Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
FONTAINE, J-P: Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, 5A1030
FONTANA, DM: Theoretical analysis of the acoustical behavior of roadside barriers with diffusive internal surfaces, 3A316
FONTANA, M: Application of extended kinetic theory to particle transport with inelastic scattering, 3A1063
FONTE, MA: Semi-elliptical fatigue crack growth under rotation or reversed bending combined with steady torsion, 12A749
FONTENROSE, PL: Development and flight testing of quantitative feedback theory pitch rate stability augmentation system, 3T366
FOOSE, CJ: Sand reinforced with shredded waste tires, 3A580
FORBES, LK: Stationary circular target patterns in a surface burning reaction, 1A1322
- Atmospheric solitary waves: Some applications to the morning glory of the Gulf of Carpentaria, 3A223
- Exothermic chemical reaction with linear feedback control, 6A366
FORD, CM: Dependence of shear failure properties of trabecular bone on apparent density and trabecular orientation, 3A1486
FORD, JN: Fourier transform infrared system measurement of the bidirectional reflectivity of diffuse and grooved surfaces, 11A1325
FORE, LB: Heat transfer to annular gas-liquid mixtures at reduced gravity, 5A1213
FOREST, MG: One-dimensional models for thin filaments of liquid-crystalline polymers: Coupling of orientation and flow in the stability of simple solutions, 7A982
- Thermomechanical equations governing a material with prescribed temperature-dependent density with application to nonisothermal plane Poiseuille flow, 7A1022
- Exploiting accurate spinline measurements for elongational material characterization, 8A1013
- One dimensional isothermal spinning models for liquid crystalline polymer fibers, 12A1051
FORGERON, T: Creep buckling of ovalized tubes under external pressure, 5A500
FORKEL, H: Difference methods for quasilinear 2D-diffusion problems in toroidal configurations, 10A1210
FORLITI, DJ: Counterflow thrust vectoring of supersonic jets, 5A955
FORMAL'SKII, AM: Time-optimal control of the bending of a plane two-link mechanism, 3A91
FORMAL'SKY, A: Synthesis of a nominal trajectory for control law of a one-link flexible arm, 8A434
FORMAL'SKY, AM: Stabilization of flexible one-link arm position: Stability domains in the space of feedback gains, 4A444
- Modification of the PID controller, 12T379
FORMISANO, V: Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, 10A329
FORNBERG, B: Practical Guide to Pseudospectral Methods, 1R1
FORRESTAL, MJ: Perforation of aluminum plates with ogive-nose steel rods at normal and oblique impacts, 6A255
- Diverging elastic waves in thin tapered plates, 6A225
FORSTER, GK: Stability of 3D time-periodic flows with ellipsoidal stream surfaces, 5A1025
FORSYTH, PA: Robust numerical methods for transonic flows, 8A1107
- Nonlinear iteration methods for high speed laminar compressible Navier-Stokes equations, 10A1117
FORSYTHE, S: Frequency dependence of broadband propagation in coastal regions, 12A315
FORTE, S: Symmetry classes for elasticity tensors, 3A430
FORTES, J: Laser absorption density direct measurements with limitation of temperature variation field in shock-induced gaseous mixing, 10T309
FORTEZA, R: Simultaneous determination of chloride and pH in wastewaters by sequential injection analysis, 2A1020
- Preconcentration and colorimetric determination of Fe(III) by sequential injection analysis, 2A1018
FORTH, SC: Three-dimensional nonplanar fracture model using the surface integral method, 3A724
FORTIN, A: Localization of Hopf bifurcations in fluid flow problems, 11A98
FORTIN, M: Directionally adaptive methodology using an edge-based error estimate on quadrilateral grids, 4A22
- Anisotropic artificial viscosity method: Application to the simulation of compressible viscous flows, 7A1058
- Numerical analysis of the modified EVSS method, 10A56
FORTINO, MD: Tensile strength of the cement-bone interface depends on the amount of bone interdigitated with PMMA cement, 9A1605
FORTUIN, JMH: Transient gas-liquid flow in upward sloping pipes, approaching the wavy-to-slug flow transition, 7A1296
FORTUNATO, B: Fast Euler solver for the solution of 3D rotational compressible flows, 12A1095
FORTUNIER, R: Thermo-mechanical analysis of stability in dieless wire drawing, 7A1362
FORTUNKO, CM: Lattice correction to mechanical admittance of solids, 1A244
- Surfaces waves in 3D half-space tetragonal solids, 1A234
- Theory of elastic waves in 3D anisotropic plates, 5A152
- Green's function for aniaotropic half-space solids in frequency space and calculation of mechanical admittance, 5A153
FORYS, AS: Two-parameter optimization of an axially loaded beam on a foundation, 8A885
FOSNESS, E: Evaluation of rib-skin fracture in composite isogrid, 6A908
FOSSA, M: Lightweight radiator optimization for heat rejection in space, 10A1353
FOSSUM, AF: Inelastic flow behavior of argillaceous salt, 1A462
- Cleavage and creep fracture of rock salt, 2A689
- Damage mechanics treatment of creep failure in rock salt, 11A661
FOSTER JR, JC: Engineering analysis of plastic wave propagation in the Taylor test, 7A189
- Continuum mechanics code analysis of steady plastic wave propagation in the Taylor test, 8A227
FOSTER JR, WA: Numerical analysis of unsteady multiple jet plume interactions, 3A1122
FOSTER, GW: Computational study of supersonic lateral jet flow interactions, 4A1063
FOSTER, J: Flow through a rectangular-to-semiannular diffusing transition duct, 9A1089
FOSTER, MR: Boundary layer arising in the spin-up of a stratified fluid in a container with sloping walls, 10A1086
FOSTER, NF: Three-dimensional aerodynamic shape optimization using genetic and gradient search algorithms, 8A884
FOSTER, RC: Structure and energetics of optimal Ekman layer perturbations, 8A1138
FOSTER, S: Effects of starter film thickness, residual stresses and layup on G_{Ic} of a 0°-0° interface, 8A794
FOSTER, SJ: Performance of high-strength concrete corbels, 3A785
- Finite element analysis of out-of-plane buckling of reinforced concrete walls, 5A777
FOSTIER, H: Estimation of parameters in a two-pool urea kinetic model for hemodialysis, 10A1545
FOTACHE, CG: Ignition of counterflowing methane versus heated air under reduced and elevated pressures, 8A1406
FOTIADIS, DI: Dynamic characteristics of the human skull, 3A1487
FOTTNER, L: Aerodynamic mixing effect of discrete cooling jets with mainstream flow on a highly loaded turbine blade, 1A1106
- Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part I: A model for subsonic flow, 11A1165
- Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part II: A model for supersonic flow, 11A1166
FOUAD AHMAD, M: Dynamic responses of plates with viscoelastic free layer damping treatment, 1A198
- Finite element algorithms for dynamic simulations of viscoelastic composite shell structures using conjugated gradient method on coarse grained and massively parallel machines, 10A651
FOUCAUT, J-M: Experimental study of saltating particle trajectories, 8A1034
FOUCAUT, JM: Modeling of saltation and turbulence effects in a horizontal gas-solid boundary layer, 9A1062
FOUGHT, RM: Extension of curve fits for enthalpy of equilibrium air to 1000 atmospheres, 7T1232
FOULC, J-N: Role of conductivities and frequency in the electro-rheological effect, 6T1162
- Variation with distance of the attraction force between spheres and estimation of static yield stress of ER fluids, 6A1163
FOULC, JN: Correlation between electrical and rheological properties of electro-rheological fluids, 6A4
FOULGER, GR: Earthquake mechanisms from linear-programming inversion of seismic-wave amplitude ratios, 2A1396
FOUMENY, EA: Note on the application of the average correction technique, 4A66
FOUNDA, D: Measurements of turbulence characteristics over complex terrain, 12T1507
FOUQUE, JP: Parabolic and Gaussian white noise approximation for wave propagation in random media, 3A208
- Time-reversal method for an acoustical pulse propagating in randomly layered media, 12A320
FOURCHER, B: Approximate analytical solution to the Graetz problem with periodic inlet temperature, 9A1209
FOURIE, AB: Tests to determine the suitability of a geotextile for use in the containment of hydraulically placed backfill, 7A587
- Effect of in-plane tensile loads on the retention characteristics of geotextiles, 12A705
FOURKA, M: Prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, 3A93
FOURLIGKAS, N: Distributed-parameter control of the heat source trajectory in thermal materials processing, 5A368
FOURMAUX, A: Three dimensional computation of the "VEGA2" turbine stage (French), 2A1103
FOURMENT, L: Velocity based approach including acceleration to the FE computation of viscoplastic problems, 4A533
- Finite element modeling of hot metal forming, 6A681
FOURNELLE, RA: Parametric FEM for predicting shapes of 3D solder joints, 4A945
FOURNIER, C: Probabilistic design of structures (Used of the rule R6): Design of pressure vessels, 9A854
FOURNIER, P: Flexural fatigue behavior of UDGFRP experimental approach, 12A755
FOURNIER, PR: Learning with a friendly interactive robot for service tasks in hospital environments, 6T445
FOUTCH, DA: Dual-level seismic design: A reliability-based methodology, 6A1463
FOUTSITZI, G: Existence and uniqueness in linear thermoviscoelasticity, 8A1379
FOUTTER, RR: Infrared measurements of soot formation in diesel sprays, 5A1336
FOUVRY, S: Quantification of fretting damage, 7A696
FOWLE, RF: Prediction of tool life in oblique machining with nose radius tools, 3A635
- Prediction of cutting forces and built-up edge formation conditions in machining with oblique nose radius tools, 4A675

FOWLER, AC: Lorenz-Krishnamurthy slow manifold, 3T103
FOWLER, AJ: Optimal geometric arrangement of staggered plates in forced convection, 7A1236
FOWLER, DW: Flexural strength of reinforced polymer concrete made with recycled plastic waste, 3A767
FOWLER, GA: Ice stress measurements from landfast ice along Canada's Labrador coast, 6A1515
FOX II, JF: Evaluation of the proximal flow field to circular and noncircular orifices of different aspect ratios, 12A1555
FOX, CHJ: Dynamics of a vibrating cylinder gyro with imperfection, 5A79
FOX, DD: Using assumed enhanced strain elements for large compressive deformation, 1A28
FOX, GC: Parallel multigrid computation of the unsteady incompressible Navier-Stokes equations, 4A977
FOX, JS: Optical and pressure measurements in shock tunnel testing of a model scramjet combustor, 10A1435
FOX, MF: Continuous flow stirred tank reactor model and used oil volume corrections in condition monitoring, 9T1393
FOX, PJ: Bearing capacity of geosynthetic clay liners for cover soils of varying particle size, 5A537
FOX, TR: Effects of environment and heat treatment on the tensile and fatigue properties of Ti - 24 at%Al - 11 at%Nb, 5A592
FOX-RABINOVICH, GS: Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - II: Study of surface engineered high-speed steel cutting tools by AES, SIMS and EELFAS methods, 3A869
- Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - Part I: Wear characteristics of surface engineered high-speed steel cutting tools, 7A912
- Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, 12A936
FRACZAK, JW: Computational and experimental flow visualization, 4A994
FRACZEK, J: Dynamic analysis of mechanisms and robots with redundant constraints - Part II: Direct problem, 4A436
- Dynamic analysis of mechanisms and robots with redundant constraints - Part I: Inverse problem, 4A435
FRADEN, J: Handbook of Modern Sensors: Physics, Designs, and Applications, Second Edition, 11N16
FRADIN , C: Measurement of unsteady total pressure (French), 2T1115
FRADKIN, LJ: Two-component representation of time-harmonic elastic body waves in the high- and intermediate-frequency regimes, 7A196
FRADKOV, AL: Swinging control of nonlinear oscillations, 3A387
- Passification approach to adaptive nonlinear stabilization, 3T340
FRAGOMENI, S: Instability analysis of normal- and high-strength reinforced-concrete walls, 11A803
FRAMPTON, KD: Active control of panel flutter with piezoelectric transducers, 2A249
- State-space modeling for aeroelastic panels with linearized potential flow aerodynamic loading, 2A1099
- Phase compensation for feedback control of enclosed sound fields, 3A315
- State-space modeling of aerodynamic forces on plate using singular value decomposition, 6T1194
- Sound transmission through an aeroelastic plate into a cavity, 12A310
FRANASZEK, M: Noise-induced snap-through of a buckled column with continuously distributed mass: A chaotic dynamics approach, 7A538
FRANCA, LP: Mass lumping emanating from residual-free bubbles, 10A96
- Unlocking with residual-free bubbles, 10A99
FRANCE, DM: Post-CHF heat transfer with water and refrigerants, 1A1015
FRANCE, PW: Finite element solution for mass oscillations in a surge tank on sudden valve opening, 3A260
FRANCESCATO, P: Lower and upper numerical bounds to the off-axis strength of unidirectional fiber-reinforced composites by limit analysis methods, 8A546
FRANCESCUTTO, A: Cavitation erosion and sonoluminescence at high hydrostatic pressures, 10A871
FRANCHEK, MA: Nonlinear Dynamics and Controls, 3N8
- Robust nondiagonal controller design for uncertain multivariable regulating systems, 9A341
- Adaptive-passive noise control with self-tuning Helmholtz resonators, 10A373
FRANCHI, F: Structural stability for the Brinkman equations of porous media, 4A1349
FRANCIOSI, C: Higher order Timoshenko quotient in the stability and dynamic analysis of smoothly tapered beams, 4A126
- New interpolation functions in eigen-frequency analysis of Timoshenko beams on two-parameter elastic soil, 4T166
FRANCO, E: Numerical evaluation of isostrain and weighted-average models for elastic moduli of 3D composites, 9A525
FRANCO, H: Analysis of nonlinear oscillations by Gabor spectrograms, 10A127
FRANCOIS, D: Dynamic fracture toughness measurements and local approach modeling of titanium alloys, 5A688
- ESIS TC7D-1-96: Guidelines for terminology and nomenclature in the field of structural integrity, 6A841
- Three-dimensional FE analyses for a new fracture toughness testing method for tubular structures, 11A22
FRANCOIS, I: Interaction between two premixed laminar v-shaped flame fronts at low Lewis number, 12A1360
FRANEK, F: Relation between the characteristic permeability of porous bearings sleeves evaluated from an air or oil flow characteristics, 2A933
FRANGI, A: New regularized BE formulation for Kirchhoff plates, 4A45
- Symmetric BEM in 2D elasticity: Evaluation of double integrals for curved elements, 6A494
FRANGOPOL, DM: Reliability-based evaluation and design of masonry, steel and reinforced concrete structures, 4A833
- Control of building vibrations with active-passive devices, 4A1401
- Nonlinear FE reliability analysis of concrete, 6A877
- Reliability of reinforced concrete girders under corrosion attack, 9A866
FRANGOPOULOS, CA: Thermoeconomic operation optimization of the Hellenic Aspropyrgos Refinery combined-cycle cogeneration system, 4A1318
FRANGOS, C: Feasible command strategies for the control of motion of a simple mobile robot, 3A377
- Motion of a disc rolling on a horizontal plane: Path controllability and feedback control, 6A103
- Closed-loop control of the motion of a sphere rolling on a moving horizontal plane, 8A392
- Closed loop control of the motion of a cart, 9A356
- Horizontal version of the inverse pendulum problem, 9A328
- Feasible controller design for stochastic systems, 10A445
- Collision avoidance by a ship with a moving obstacle: Computation of feasible command strategies, 10A456
- Feasible output feedback controller design for linear systems, 12A376
FRANK , TG: Technological aspects of minimal access surgery, 12T1584
FRANK CHEN, F: Analytical modeling and analysis of flexible manufacturing systems considering system component failure-repair rates, 1A415
- Quick Hough Transform Parameter Search algorithm for flexible part inspection, 5A366
FRANK, CB: Variations in rupture site and surface strains at failure in the maturing rabbit medial collateral ligament, 11A1563
FRANK, HP: Simple spectral model for the modification of turbulence in flow over gentle hills, 3T1427
FRANK, JH: Simultaneous scalar-velocity field measurements in turbulent gas-phase flows, 3A1334
- Mixture fraction imaging in a lifted methane jet flame, 5A1361
FRANK, LE: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
FRANK, N: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
FRANK, PM: Strong tracking filtering of nonlinear time-varying stochastic systems with colored noise: Application to parameter estimation and empirical robustness analysis, 4T334
FRANKE, R: Object-oriented modeling of solar heating systems, 11A1535
FRANKEL, A: Urban seismology: Northridge aftershocks recorded by multi-scale arrays of portable digital seismographs, 4A1365
FRANKEL, JI: Boundary Element Technology XII, 11N3
- New approach for solving inverse solidification design problems, 3A1254
FRANKEL, SH: Linear-eddy modeling of non-equilibrium turbulent reacting flows with nonpremixed reactants, 10A1405
FRANKEN, J: Shock waves in molecular solids: Ultrafast vibrational spectroscopy of the first nanosecond, 11A202
FRANKENTHAL, S: Combined volume and surface scattering in a channel using a modal formulation, 3A320
- Transverse spectra of waves in random media, 10A270
FRANKOWICZ, M: Exact results for the transmission probabilities in linear array of fluctuating barriers, 9A1340
FRANKS, IM: Search of invariant athletic behavior in sport: An example from championship squash match-play, 6T1550
FRANKS, J: Mechanical properties and microstructural analysis of a diamond-like carbon coating on an alumina-glass composite, 2A451
FRANOVSKY, AT: Development of the theory of constitutive equations of physically nonlinear viscoelastic bodies under cyclic deformations (Russian), 12A7
FRANSAER, D: Sediment transport registration in nearshore regions, 11T926
FRANSES, EI: Contact angle temperature dependence for water droplets on practical aluminum surfaces, 5A1217
FRANSSEN, JM: Stability of steel columns in case of fire: Numerical modeling, 11A530
FRANTZISKONIS, G: Heterogeneous solids - Part I: Analytical and numerical 1D results on boundary effects, 11A376
- Heterogeneous solids - Part II: Numerical 2D results on boundary and other relevant phenomena, 11A377
FRANZEN, RR: Penetration of confined boron carbide targets by tungsten long rods at impact velocities from 1.5 to 5.0 km/s, 7A201
- Penetration of confined silicon carbide targets by tungsten long rods at impact velocities from 1.5 to 4.6 km/s, 7A202
FRASER, SM: Buoyancy-induced flow through a narrow chamber containing an internal heat source: Comparison of experimental measurements and numerical simulations, 5A1134
FRASSINE, R: Viscoelastic effects on the interlaminar fracture behavior of thermoplastic matrix composites - II: Rate and temperature dependence in unidirectional PEEK-carbon-fiber laminates, 7A752
- Experimental analysis of viscoelastic criteria for crack initiation and growth in polymers, 9A738
FRATERNALI, F: Nonlinear elastic stress analysis in curved composite beams, 7A509
FRATILA, D: Simulation of coupled car and caravan handling behavior, 6A394
FRAUNIÉ, P: Numerical simulation of the mechanisms governing the onset of the Benard-von Karman instability, 4A1080
- Primary and secondary instabilities in the wake of a cylinder with free ends, 8A1156
FRAYER JR, RW: Prediction of equivalent radial loads for tapered roller bearings, 1A919
FRAYSSE, V: Lectures on Finite Precision Computations, 2R1
FREAD, DL: Channel routing with flow losses, 3T968
FRECKER, MI: Topological synthesis of compliant mechanisms using multi-criteria optimization, 12A1025
FREDERICK JR, RA: Preliminary design of a hybrid propulsion multimission missile system, 10A1431
FREDERIKSEN, PS: Calibration of adjustable strain transducers, 2A738
- Numerical studies for the identification of orthotropic elastic constants of thick plates, 7A531
- Experimental procedure and results for the identification of elastic constants of thick orthotropic plates, 9A789
FREDERIKSEN, RD: Experimental assessment of fractal scale-similarity in turbulent flows - Part 1: 1D intersections, 6A117
- Experimental assessment of fractal scale similarity in turbulent flows - Part 2: Higher-dimensional intersections and non-fractal inclusions, 11A1107
- Experimental assessment of fractal scale similarity in turbulent flows - Part 3: Multifractal scaling, 11A1108
FREDERIKSEN, S: Evaluation of the dynamic performance of a hot water tank with built-in heating coil, 9A1315
FREDIANI, A: Computation of crack extension energy rate for elastic-plastic hardening materials under variable loading, 5A656
- Influence of the constitutive characteristics of resins on the composite materials delamination, 6A781
FREDO, CR: SEA-like approach for the derivation of energy flow coefficients with a FE model, 8A310
FREDSOE, J: Velocity and concentration profiles in sheet-flow layer of movable bed, 3A989
- Horseshoe vortex and vortex shedding around a vertical wall-mounted cylinder exposed to waves, 8A1076
- Scour at the head of a vertical-wall breakwater, 8A1036
- Scour at the round head of a rubble-mound breakwater, 8T1037
FREE, MW: Surface-wave magnitude calibration for European region earthquakes, 11A1466
FREEDMAN, P: Mapping in unknown graph-like worlds, 1A402
FREEK, C: Experimental and numerical study of a water spray in the wake of an axisymmetric bluff body, 1T1053
FREEMAN, MAR: Size and shape of particulate polyethylene wear debris in total joint replacements, 10A979
FREGLY, BJ: Crank inertial load has little effect on steady-state pedaling coordination, 5A1504
FREGOLENT, A: Identification of rigid body inertia properties from experimental data, 6A102
FREI, JA: Solar power output correlation with utility demand in Southern Nevada, 11A1544
FREIRE, RCS: Compensation of self-heating in the measurement of the dynamic response of a thermoresistive sensor, 12A1245
FREISCHLAGER, C: Systematic development of trilinear 3D solid elements based on Simo's enhanced strain formulation, 1A25
FREITAG, S: Variability of femoral muscle attachments, 3A1501
FREITAS, JAT: Hybrid-mixed FE model based on Legendre polynomials for Reissner-Mindlin plates, 3A542
FREITAS, MM: Semi-elliptical fatigue crack growth under rotation or reversed bending combined with steady torsion, 12A749
FRENCH, CW: Full-scale testing of prestressed concrete bridge girders, 7T830
FRENCH, MJ: Tadpole: A design problem in the mechanics of the use of sea wave energy, 3A1459
- Novel worm gear of high efficiency, 8A955
FRENCH, P: Thermal analysis of polymers at high pressures, 5A1125
FRENCH, PJ: Development of surface micromachining techniques compatible with on-chip electronics, 2A329
FRENCH, RH: Threshold precipitation events and potential ground-water recharge, 3A1408
FRENDI, A: Coupling between a supersonic turbulent boundary layer and a flexible structure, 6A1077
FRENE, J: Inclusion of roughness effects in perturbed Navier-Stokes rotordynamic methods, 10A985
- Forces and moments due to misalignment vibrations in annular liquid seals using the averaged Navier-Stokes equations, 10A999
- Roughness influence on turbulent flow through annular seals including inertia effects, 11A1184
- Global approach of thermal effects including pad deformations in tilting-pad journal bearings submitted to unbalance load, 11A853
- Thermohydrodynamic analysis of tilting-pad journal bearings operating in turbulent flow regime, 11A1191
- Rotordynamic coefficients of circumferentially-grooved liquid seals using the averaged Navier-Stokes equations, 12A1021
- Analysis of a test case for annular seal flows, 12A1017
- Transient thermoelastohydrodynamic study of tilting pad journal bearings: Comparison between experimental data and theoretical results, 12A1211
- Cavitation in noncircular journal bearings, 12A1010
- Nonlinear behavior of a flexible shaft partly supported by a squeeze film damper, 12A123
- Numerical study of the stable dynamic behavior of radial face seals with grooved faces, 12A1020
FRENI, S: Energy balance of different internal reforming MCFC configurations, 9A1544
FRENKLACH, M: Detailed kinetic modeling study of aromatics formation in laminar premixed acetylene and ethylene flames, 12A1377
FRESKOS, G: Numerical prediction of viscous transonic 3D flow in a channel, 7A1062
FREUDENBERG, J: Key sampling formula relating the Laplace and F transforms, 7A311
FREUND, JB: Proposed inflow-outflow boundary condition for direct computation of aerodynamic sound, 9T259
FREUND, RW: Iterative solution of multiple radiation and scattering problems in structural acoustics using a block quasi-minimal residual algorithm, 11A264
FREY, F: Introduction a l'Analyse des Structures (French), 10R11
FREY, S: Numerical heat transfer based upon mixture theory, 3A1359
- Stable FE approximations of thermal viscoelastic flows, 8T1147
FREY, SF: Development of a full-field planar Mie scattering technique for evaluating swirling mixers, 4A1179
FREYMAN, TM: UV-visible absorption spectroscopy of dark zones in solid-propellant flames, 10A1416
FRIAA, A: Funicular shapes in structural analysis and applications, 4A600
FRIBERG, T: New method for assessment of changes in retinal blood flow, 11A1569
FRICK, WE: Bacterial impacts of ocean outfalls: Legal challenges, 7T1513
FRICKE, AL: Rheological behavior of highly concentrated aqueous silica suspensions in the presence of sodium nitrate and polyethylene oxide, 5A896
FRICKE, BA: Case study of a proposed monitor for industrial process fouling, 2A1012
FRICKE, J: Thermal conductivity of polyimide foams, 4A1237
- Transient coupled conductive-radiative heat transfer in absorbing, emitting, and scattering media: Application to laser-flash measurements on ceramic materials, 5A1263
FRICKE, RW: Apparatus for repetitive impact wear testing, 5A852
FRIDLEY, KJ: Time-dependent service-load behavior of wood floors: Experimental results, 11A664

- Effect of discrete member size on reliability of wood beams, 11A774
FRIDMAN, AA: Spectral and electrical diagnostics of gliding arc, 2A993
FRIDMAN, E: Simulation of heat transfer from flow with high free-stream turbulence to turbine blades, 10A1249
FRIDMAN, MM: Optimization of cylindrical shells subjected to pitting corrosion, 9A833
FRIDRICH, J: Discrete-time dynamical systems under observational uncertainty, 8A291
FRIDRICH, RJ: Influence of thermal aging on the damping properties of an acrylic-cored laminated steel, 4A109
FRIEBELE, EJ: Extended range pseudo-heterodyne demodulation for fiber optic sensors, 1A801
- Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A128
- Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A129
- Detection of impact location and magnitude for isotropic plates using neural networks, 9A200
FRIEDAUER, MJ: Ignition characteristics of a new high-energy density fuel in high-speed flows, 9A1354
FRIEDEL, H: Adaptive mesh refinement for singular current sheets in incompressible magnetohydrodynamic flows, 11T1125
FRIEDLAND, B: Advanced Control System Design, 1R14
FRIEDMAN, A: Stefan problem for multidimensional reaction-diffusion systems, 2A1241
- Propagation of cracks in elastic media, 6T795
FRIEDMAN, RP: Compact high-flux two-stage solar collectors based on tailored edge-ray concentrators, 3A1444
FRIEDMAN, SM: Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, 6A1534
FRIEDMANN, PP: Proceedings of the ASME Aerospace Division, 4N19
FRIEDRICH, K: Abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 7A911
- Evaluation of the real contact areas, pressure distributions and contact temperatures during sliding contact between real metal surfaces, 7A916
- Production and evaluation of secondary composite aircraft components : A comprehensive case study, 10A616
- Modeling of the mechanical properties of discontinuous-aligned-fiber composites after thermoforming, 11A463
- Mechanical properties and failure behavior of carbon fiber-reinforced polymer composites under the influence of moisture, 11A706
FRIEDRICH, R: Statistical properties of a turbulent cascade, 8A1182
- Investigation of transport equations for turbulent heat fluxes in compressible flows, 9A1118
FRIEDRICHS, B: Simulation and analysis of birefringence in Magneto-Optical Discs - Part A: Formulation, 10A1028
- Simulation and analysis of birefringence in Magneto-Optical Discs - Part B: Numerical and experimental results, 10A1029
FRIEDRICHS, S: Distribution of film-cooling effectiveness on a turbine endwall measured using the ammonia and diazo technique, 5A1103
FRIEHE, CA: Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, 3T1428
FRIEND, RD: Measurement of nonlinear damping in a Gr-Al metal-matrix composite, 8A123
FRIGAARD, IA: Solidification of aluminum spray-formed billets: An analysis of thin layering effects, 1A672
FRIGSTAD, JR: Reinforcement of PMMA bone cement with a continuous wire coil: A 3D FE study, 9A1604
FRIPP, MLR: Distributed structural actuation with electrostrictors, 12A895
FRISCH, U: Transverse velocity increments in turbulent flow using the RELIEF technique, 11A1059
FRISCHMUTH, K: Numerical methods versus asymptotic expansion for torsion of hollow elastic beams, 1A453
- Inverse problem for the Ekman equation, 4T1429
FRISWELL, MI: Derivatives of repeated eigenvalues and their associated eigenvectors, 1A143
- Application of the IRS and balanced realization methods to obtain reduced models of structures with local nonlinearities, 4A94
FRITH, RH: Comparison of an external gear pump wear model with test data, 2A879
FRITH, WJ: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193
FRITSCH, W: Longitudinal standing waves in compound bars and rods, 10A41
FRITSCHING, U: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
FRITTS, DC: Wave breaking and transition to turbulence in stratified shear flows, 3A249
- Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part I: Comparison of 2D and 3D flows, 6A1135
- Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part II: Instability structure, evolution, and energetics, 6T1482
FROESCHLE, C: Relationship between Lyapunov times and macroscopic instability times, 1A299
FROHLICH, H-J: Microprobe techniques in saw measurements, 4A320
FRONCIONI, AM: Chaotic motion of fluid and solid particles in plane wakes, 7A1113
FROSCH , RJ: Retrofit of non-ductile moment-resisting frames using precast infill wall panels, 6A892
FROST, GP: Moderated reinforcement learning of active and semi-active vehicle suspension control laws, 7A357
FROST, TH: Optimization of a steady-flow Carnot cycle with external irreversibilities for maximum specific output, 5A1122
FROSTIG, Y: Stresses and failure patterns in the bending of sandwich beams with transversely flexible cores and laminated composite skins, 3A514
- Localized load effects in high-order bending of sandwich panels with flexible core, 6A591
FRUCHTEL, G: Turbulence modulation in jet diffusion flames: Modeling and experiments, 1A1317
FRULLA, G: Post-buckling behavior of graphite-epoxy stiffened panels with initial imperfections subjected to eccentric biaxial compression loading, 12A659
FRUMAN, DH: Analytical, numerical, and experimental investigation of the flow structure in a flooded ball bearing, 4A1156
- Locomotion et energetique homme et machine (French), 6A1532
FRUSESCU, D: Thin film thermocouple arrays for sliding surface temperature measurement, 12A994
FRUTIGER, R: Fatigue analysis of spot-welded joints under variable amplitude load history, 3A666
FRUTSCHY, KJ: Plate-impact technique for measuring dynamic friction at high temperatures, 12A993
FRY, CD: Analysis of the Martian atmosphere for riometry, 9A1521
FRYDMAN, S: Effect of degradation on seismic response of Israeli continental slope, 8A638
- Numerical studies of bearing-capacity factor N_γ, 8A36
FU , WEI BIAO: Ratio CO/CO_2 of oxidation on a burning carbon surface, 5A1342
FU, BIN: DDGS high speed camera with some applications, 6A820
FU, C: Local extinction Karlovitz number for premixed flames, 3A1299
FU, CHUNG C: Lateral distribution factor from bridge field testing, 3A796
- Designs of concrete bridges with multiple box cells due to torsion using softened truss model, 5A771
- Torsional analysis for multiple box cells using softened truss model, 8A918
FU, DEXUN: High order accurate difference scheme for complex flow fields, 11A1091
FU, FH: Combined robotic-universal force sensor approach to determine *in situ* forces of knee ligaments, 3A412
FU, GONGKANG: Signal versus noise in damage detection by experimental modal analysis, 7A176
FU, KE: Prediction of fatigue damage and life for composite laminates under service loading spectra, 2A634
FU, LI-CHEN: Stable on-line parameter identification algorithms for systems with non-parametric uncertainties and disturbances, 4T333
- Adaptive robust bank-to-turn missile autopilot design using neural networks, 9T346
- Stable on-line parameter identification with general knowledge on level of information noise: Discrete-time case, 11T279
FU, LI-YUN: Forward problem of nonlinear Fredholm integral equation in reference medium via velocity-weighted wavefield function, 9A1459
FU, M: Integral approach to the local measure of the mean rotation in continuum mechanics, 6A1
FU, REN JAY: Observer-based state feedback control of parametrically excited systems, 11T304
FU, SHAO-YUN: Effects of fiber length and fiber orientation distributions on the tensile strength of short-fiber-reinforced polymers, 7A472
FU, WB: Relationship between the kinetic parameters of char combustion and the coal's properties, 11A1417
FU, WL: Heat transfer and friction characteristics of typical wavy fin-and-tube heat exchangers, 7T1331
FU, WU-SHUNG: Thermal performances of different shape porous blocks under an impinging jet, 9A1235
FU, X: Full scale highway load test of flexible pavement systems with geogrid reinforced base courses, 5A405
FU, XIANGJIONG: Fatigue behavior of sharp-notch specimens under cyclic compressive load (Chinese), 6A725
- Effect of compressive load on overload retardation (Chinese), 10A834
FU, YIBIN: Nonlinear traveling waves in a neo-Hookean plate subjected to a simple shear, 8A225
FU, YONGQING: Effect of temperature on the fracture modes of BHW-35 steel under mode-II loading, 10A1369
FUAD, K: Thermoelasto-plastic stresses and thermal distortions in a brake drum, 10A1366
FUCHS, EA: Determination of biaxial residual stresses by a holographic-hole drilling technique, 4A523
FUCHS, H: Laser induced fluorescence and flame photography: Tools in gasoline engine combustion analysis, 1T1344
FUCHS, L: Anisotropic local grid refinement method for fluid flow simulation, 3A1039
FUCHS, M: Variational models for quasi-static Bingham fluids, 2T946
- Quasi-static non-Newtonian fluids with power-law, 4T959
FUCHS, MB: Shape estimation of distorted flexible structures, 6A856
- Topological structural analysis, 10A912
FUENMAYOR, FJ: Criteria to achieve nearly optimal meshes in the h-adaptive FEM, 6A41
- Extension of the Zienkiewicz-Zhu error estimator to shape sensitivity analysis, 10A899
FUENMAYOR, J: Calculation of the stress intensity factor and estimation of its error by a shape sensitivity analysis, 12A798
FUENTES, M: Localized stress redistribution after fiber fracture in brittle matrix composites, 9A757
- High temperature fatigue in single crystal superalloys, 12A756
- Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, 12A812
FUENTES, R: Velocity distribution in sediment-laden flow (Spanish), 11A928
FUGISHIMA, A: Handling and stability performance of four-track steering vehicles, 1A370
FUGLEM, M: Environmental factors in iceberg collision risks for floating systems, 1A1442
FUH, JYH: Digraphic approach for dimensional chain identification in design and manufacturing, 5A367
FUH, KUANG-HUA: Design optimization of a split-point drill by force analysis, 1A653
- Force modeling and forecasting in creep feed grinding using improved BP neural network, 12A738
- Predicted milling force model for high-speed end milling operation, 12A726
- Force model of a single-point tool with a chamfered main cutting edge when wearing has occurred, 12A733
FUJIE, H: Forces and moments in 6 dof at the human knee joint: Mathematical description for control, 5A1468
FUJIGAKI, M: Strain analysis of moving objects using a Fourier transform grid method, 6A825
FUJII, D: Numerical and experimental determination of flow structure and heat transfer effects of longitudinal vortices in a channel flow, 1A1163
- Aerodynamics of the cable of cable-stayed bridges (Japanese), 3A153
FUJII, E: Multipayload modeling for the upper atmosphere research satellite, 2A842
FUJII, F: Computational bifurcation analysis of geometrically nonlinear structures (Japanese), 9A877
- Pinpointing bifurcation points and brand-switching, 9A599
FUJII, H: Force dispersion and shock damping mediated by close-packed arrays of distally connected cells, 4A220
- Application of optical cutting method to measurements of tooth-profile error of minute module gears - 1st report: Examination of the method by means of bright field observation (Japanese), 10T863
FUJII, HA: Ground-based simulation of space manipulators using test bed with suspension system, 3A379
- Nonlinear dynamics of the tethered subsatellite system in the station keeping phase, 9T100
FUJII, I: Optimum support arrangement of piping systems using genetic algorithm, 5A811
FUJII, K: Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995, 3N34
- Enhancement of the leading-edge separation vortices by trailing-edge lateral blowing, 2T1077
- Detailed mechanism of the unsteady combustion around hypersonic projectiles, 4A1007
FUJII, M: Natural convection to air from an array of vertical parallel plates with discrete and protruding heat sources, 4A1195
FUJII, N: Design and performance of compact load cell for measuring earth pressure in a centrifuge (Japanese), 2A553
FUJII, S: Tracking controller for manipulators with flexible joints using sliding observer, 5A355
- Simulation for manufacturing systems, 7A394
FUJII, T: Failure mechanism of a dry sandy ground around a deep circular shaft at active state (Japanese), 2A560
- Effect of loading path on the stress-strain relation and progressive damage of a polymer-matrix composite under tension-torsion biaxial loading, 4A561
- Laminar forced convection condensation of saturated vapors in the near-critical region, 6A1261
- Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563
FUJII, Y: Numerical study of heterogeneous nucleation and mist formation in turbulent flows between parallel plates, 7A1291
- Local stress and deformation at field joints of orthotropic steel deck (Japanese), 9A890
FUJIKAWA, S: Theory of film condensation on shock-tube endwall behind reflected shock wave - Part II: Theoretical basis for determination of condensation coefficient, 11A1288
FUJIKI, H: Contact analysis of ultrahigh molecular weight polyethylene articular plate in artificial knee joint during gait movement, 2A1474
FUJIMATSU, H: Adhesion between high strength and high modulus polyethylene fibers by use of polyethylene gel as an adhesive, 2A941
FUJIMOTO, H: Modeling of diesel spray impinging on flat wall, 7A1080
- Measures to reduce the lateral vibration of the tail car in a high speed train, 8A194
- Fracture prediction in stretch forming using FE simulation combined with ductile fracture criterion, 9A658
FUJIMURA, K: Degenerate bifurcation in stably stratified plane Poiseuille flow, 8A1172
- Time-dependent vortex breakdown in a cylinder with a rotating lid, 11A941
- Reexamination of steady solutions of a collapsible channel conveying fluid, 11A1578
FUJINO , Y: Experimental study on vortex-induced vibration of circular cylinder towers at high wind speed (Japanese), 3A180
FUJINO, K: Refuse collection and transportation plan by genetic algorithm (Chinese), 10T1506
FUJINO, Y: Wind-induced gust response analysis based on state space formulation (Japanese), 3A1188
- Time domain modeling of bridge deck flutter (Japanese), 3A184
- Nonlinear sloshing analysis of circular tuned liquid damper by using boussinesq equation (Japanese), 6A299
- Linear-saturation control of buildings, 6A865
- Optimal allocation of earthquake-induced damage for elevated highway bridges (Japanese), 11A1490
FUJISAWA, K: Development of an on-line evaluation system of formability in cold-rolled steel sheets using electromagnetic acoustic transducers (EMATs), 4A795
FUJISAWA, M: Fringe-pattern analysis by phase-shifting method using extraction of characteristic, 1T802
- Studies on short-term rainfall prediction using animation of radar images and estimation of average-rainfall-depth over a watershed (Chinese), 10A1466
FUJISAWA, N: Suppression of one-dof flutter by gyroscopic damper (Japanese), 3A141
- Comparative study of Navier-Stokes calculations and experiments for the Suvonius rotor, 11T1159
FUJITA, H: Materials for Mechanical and Optical Microsystems, 9N17
- Complicated behavior of micromachines (Japanese), 3T900
FUJITA, J: Study on the generation mechanism and the compensation for the exponential-type lost motion for feed drive system of NC machine tools, 1T427
FUJITA, K: Experimental study on the effective transformation of wave energy into potential energy (Japanese), 7A214
FUJITA, M: Forces and moments in 6 dof at the human knee joint: Mathematical description for control, 5A1468
- H_∞ control attenuating initial-state uncertainties, 7T318
FUJITA, O: Magnetic support of combustion in diffusion flames under microgravity, 3A1300
FUJITA, T: Structure control for improvement of machinability of ADI in drilling (Japanese), 4T676
FUJITA, Y: Convective Flow Boiling, 4R27
- Heat-transfer enhancement of twisted-tape inserts in turbulent pipe flows, 7A1242
FUJIWARA, A: Grouting test using a suspension of ultrafine clay on artificially cracked rock samples (Japanese), 5A544
FUJIWARA, H: Study on the ability to pass between steel reinforcing bars of highly flowable concrete (Japanese), 7A1067
- Consolidation behavior of clay subjected to temperature effects at secondary compression term (Japanese), 8A645
- Modeling of steel bridge pier base to footing connections under cyclic loading (Japanese), 11A814
- Boundary shape waveform inversion for 2D basin structure using three-component array data of plane incident wave with an arbitrary azimuth, 12A1480
FUJIWARA, S-I: Zero phase error tracking system with arbitrarily specified gain characteristics, 12A387

FUJIWARA, T: Ignition and flame propagation in methane-air multi-stratified vortical flow field, 6A1323
- Influence of water distribution on the compression behavior of unsaturated soil (Japanese), 8A639
- Residual baroclinic circulations in semienclosed coastal seas, 9T1505
FUJIYAMA, K: Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, 2A1180
FUJIYAMA, T: Aspects of the vibrating behavior of a vibratory roller in soil compaction (Japanese), 8A192
FUJIYASU, Y: Numerical modeling of consolidation and evaporation of slurried mine tailings, 3A586
FUJIYOSHI, J: Spherical Couette flow of a viscoelastic fluid - Part I: Experimental study of the inner sphere rotation, 10A1088
FUKAGAWA, R: Estimation of ground properties based on a fuzzy reasoning method during vertical hole excavation, 3A616
FUKAI, J: Theoretical study of droplet impingement on a solid surface below the Leidenfrost temperature, 9T1258
FUKAMI, H: Neural network approach to evaluate drawdown curves from pumping test (Japanese), 2A542
FUKASHIRO, S: Muscle architecture and function in humans, 10A1522
FUKAURA, K: Mechanical properties and localized corrosion behavior of powder metallurgical whisker reinforced aluminium metal matrix composites (Japanese), 7A473
FUKAWA, Y: Nonstationary vibrations of a string with time-varying length and a mass-spring attached at the lower end, 9A136
FUKAYA, K: Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, 8A1513
FUKS-RABINOVICH, GS: Wear strength of nitrogen-hardened high-speed steel tools, 2A896
- Blanking die wear effected by variations in composition, structure and properties of contact surfaces, 5T826
FUKUCHI, T: Applicability of a flux method to radiative heat-transfer analysis in furnaces, 2A1247
FUKUDA, M: Roles of mean pore size index and grain size distribution on permeability phenomenon (Japanese), 10A678
FUKUDA, N: Influencing factors on fatigue crack propagation of high strength steels in air (Japanese), 4A708
- Design and practice of ground improvement in airport construction project on super soft ground (Japanese), 5A533
FUKUDA, T: Surface modification of electric shaver foil using ion beam (Japanese), 5T573
- Evolutional robots, 6T431
- Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, 7A1557
FUKUI, K: Development of man-machine cooperative production system, 1A1468
- Morphological change of hardened oil particles induced by impaction against a solid surface, 9A1408
FUKUI, S: Recent progress in microtribology, 7A884
- Ultra-thin gas squeeze film characteristics for finite squeeze numbers, 11A1186
FUKUMOTO, H: Ram penetration behavior and ensuing earth pressure during ram blow on sandy soil (Japanese), 10A698
FUKUMOTO, I: Study on fusing- and evaporating-process of fcc metal due to laser irradiation using molecular dynamics, 1T939
- Effect of factors on quality of alumina injection molding product (Japanese), 7T626
FUKUMOTO, Y: Theoretical study of ultimate load of locally buckled stub columns loaded eccentricity, 2A512
- Local buckling behavior of polygonal sections, 12A648
FUKUNAGA, AS: Cooperative mobile robotics: Antecedents and directions, 10A520
FUKUNAGA, M: Effects of rib arrangements on pressure drop and heat transfer in a rib-roughened channel with a sharp 180° turn, 12A1256
FUKUNAGA, T: Muscle architecture and function in humans, 10A1522
FUKUOKA, H: Development of an on-line evaluation system of formability in cold-rolled steel sheets using electromagnetic acoustic transducers (EMATs), 4A795
FUKUOKA, N: Micro drilling of printed circuit boards - 2nd Report: FEM analysis of torsional strength for twist drill (Japanese), 10A737
FUKUOKA, T: Evaluation of the method for lowering stress concentration at the thread root of bolted joints with modifications of nut shape, 8A976
- Design and construction of zero-gravity gymnasium, 9A918
FUKUSAKO, S: Free convection heat transfer around a horizontal ice cylinder formed through melting within an immiscible liquid, 2A1162
FUKUSHIMA, EF: Efficient steering control formulation for the articulated body mobile robot "KR-II", 2T338
FUKUSHIMA, K: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825
FUKUSHIMA, M: Upstream-advancing waves generated by a current over a sinusoidal bed, 11A193
FUKUSHIMA, N: Performance of a scanning differential mobility analyzer, 6A1401
FUKUTA, H: Effect of lateral boundaries on large-scale mode: Linear stability of square cell flows in rectangular regions, 1A1055
FUKUTO, J: Study on advanced man-machine interface system for autonomous nuclear power plants, 12A1418
FUKUYAMA, A: Subcritical excitation of plasma turbulence, 4A1106
- Chaotic nature of turbulence observed in benchmark analysis of nonlinear plasma simulation, 9A1121
FUKUYAMA, M: Effect of vertical seismic load on shear-bending buckling strength of thin cylindrical shells, 7A549
FUKUYAMA, T: Device to measure the size of volatile droplets utilizing a hot-film sensor, 11A1015
FUKUYAMA, Y: Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
FUKUZAKI, M: Influences of initial concentration and super-cooling degree on the permeability of a porous medium saturated with partially solidified aqueous solution, 2A1302
FULCHIGNONI, M: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329
- Planetary atmosphere simulator: Application to Titan, 9A1518
FULCHIRON, R: Extrudate swell and isothermal melt spinning analysis of linear low density polyethylene using the Wagner constitutive equation, 11A392
FULLANA, JM: Identification of parameters in amplitude equations describing coupled wakes, 8A1168
FULLER, AT: Maxwell's treatment of governors fitted with differential gears, 4A76
FULLER, CR: High frequency response of a fluid-filled cylindrical shell with an internal column of gas bubbles: Application to active acoustic gas leak detection, 1A277
- Relationship between volume velocity and far-field radiated pressure of a planar structure, 5T258
- Design of active structural acoustic control systems using a nonvolumetric eigenproperty assignment approach, 9A278
- Effects of dynamic absorbers on the forced vibration of a cylindrical shell and its coupled interior sound field, 9A176
FULLER, EJ: Fuel nozzle aerodynamic design using CFD analysis, 12A1132
FULLER, G: Stress tensor measurement using birefringence in oblique transmission, 3A965
FULLER, M: Application of soft X-ray absorption spectroscopy in chemical characterization of anti-wear films generated by ZDDP - Part I: The effects of physical parameters, 9A930
FULLER, RP: Breakup processes of liquid jets in subsonic crossflows, 7A1109
FULLMER, RR: Control of a fluidized bed combustor using fuzzy logic, 11A1393
FUNABASHI, H: Development of a spherical in-parallel actuated mechanism with three dof with large working space and high motion transmissibility: Evaluation of motion transmissibility and analysis of working space, 5A335
FUNAHASHI, Y: Stability robustness for linear state space models: A Lyapunov mapping approach, 7T303
- Zero phase error tracking system with arbitrarily specified gain characteristics, 12A387
FUNAMOTO, K: Impact resistance ability in bended point of reinforcing bars at very low temperature (Chinese), 10T935
FUNATO, K: Muscle architecture and function in humans, 10A1522
FUNAWATASHI, Y: Heat transfer in laminar flow between parallel plates with rib-type eddy promoters, 7A1241
FUNAZAKI, K: Studies on wake-affected heat transfer around the circular leading edge of blunt body, 1A1185
- Effect of periodic wake passing on film effectiveness of discrete cooling holes around the leading edge of a blunt body, 10A1299
FUNG, AKS: Enhanced mixing with streamwise vorticity, 11A1386
FUNG, C-P: Riveted single lap joints - Part I: A numerical parametric study, 9A976
- Riveted single lap joints - Part 2: Fatigue life prediction, 12A766
FUNG, CK: Multiple circular inclusions in plane thermoelasticity, 10A565
FUNG, HING CHOI: Finite element analysis of laminar flow in a vertical channel with fin array, 6A36
FUNG, JCH: Vortex dynamics in the studies of looping in tropical cyclone tracks, 11A1499
FUNG, K-Y: Implicit high-order compact algorithm for computational acoustics, 4A312
FUNG, R-F: Dynamic stability of a viscoelastic beam subjected to harmonic and parametric excitations simultaneously, 5A491
- Vibration analysis of a nonlinear coupled textile-rotor system with synchronous whirling, 8A168
- Vibration and variable structure control with integral compensation in a non-constant rotating disk system, 8A169
- Steady-state response of the flexible connecting rod of a slider-crank mechanism with time-dependent boundary condition, 8A166
- Transient amplitude of the viscoelastic traveling string: An integral constitutive law, 10A191
- Dynamic analysis of the flexible rod of a quick-return mechanism with time-dependent coefficients by the FEM, 12A56
- Nonlinear dynamic modeling of the flexible connecting rod of a slider-crank mechanism with input torque, 12T101
- Free and forced vibration of a cantilever beam contacting with a rigid cylindrical foundation, 12A160
- Strong nonlinear dynamics of cutting processes, 12A207
- Effect of nonlinear inertia on the steady state response of a beam system subjected to combined excitations, 12A158
FUNG, RONG-FONG: Dynamic analysis of the flexible connecting rod of a slider-crank mechanism, 4T121
- Dynamic responses of the flexible connecting rod of a slider-crank mechanism with time-dependent boundary effect, 8A949
- Inverse dynamics of a toggle mechanism, 8A962
FUNG, TC: Shear stiffness D_{55} for C-core sandwich panels, 3A530
- Unconditionally stable higher-order accurate Hermitian time FEs, 4A37
- Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part I: Formulation, 11A103
- Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part II: Algorithms and analysis, 11A104
- Unconditionally stable higher-order Newmark methods by sub-stepping procedure, 12A64
FUNG, YC: Biomechanics: Circulations, Second Edition, 5N30
FUNKENBUSCH, GMT: Conformity of a soft contact lens on the eye, 2A1473
FUR, LIH-SHING: Vibration control of tall buildings under siesmic and wind loads, 3A1400
FURGIUELE, FM: Unified approach to physically based weakest-link theories for multiaxial fracture of ceramics, 4A731
FURMANCZYK, M: Application of sparse matrix techniques and self-adopting mesh generation to 3D transient thermal simulation, 9A379
FURMANSKI, P: Heat conduction in composites: Homogenization and macroscopic behavior, 8A1345
FURMONAVICIUS, L: Baltic Geotechnics 1995, 1N23
FURNESS, RJ: Statistical analysis of the effects of feed, speed, and wear on hole quality in drilling, 2A599
FURSTOSS, M: Surface impedance control for sound absorption: Direct and Hybrid passive-active strategies, 12A335
FURTA, SD: Buckling of an elastic rotating beam, 8A599
FURUICHI, H: Structure and state of repeatedly rubbed metals, 9T937
FURUKAWA, A: Experiments on air-water two-phase flow pump impeller with rotating-stationary circular cascades and recirculating flow holes, 3T1199
FURUKAWA, K: Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), 2A574
- Fundamental study on local dissipated energy and rheology model at impact point of concrete specimen by the pendulum impact test (Japanese), 3A883
- Study on the evaluation of rock condition for construction and adoption of assisting methods based on the past records of twin tunnel construction (Japanese), 8T688
- Study on evaluation unit of blasting vibration based on effects on people (Japanese), 8A1575
- Development of surface measurement method of impact force using the sheet piezoelectricity (Japanese), 8A244
- Study on box shield tunneling method in trial field operation (Japanese), 10A709
FURUKAWA, S: Comparative analysis of clothoid and cubic spline curves as applied to continuous path control, 1A363
- Laser lithography for making jewels - 2nd Report: An algorithm of diagonal irradiation method (Japanese), 12A454
FURUKAWA, T: Experimental study on the statistics of wall shear stress in turbulent channel flows, 2A1154
- Nonlinear analysis of dynamic characteristics of cylindrical bearing oil film, 5A868
- Inelastic constitutive parameter identification using an evolutionary algorithm with continuous individuals, 9A462
- Study on characteristics of radar parameters and real-time prediction of ground rainfall (Chinese), 10T1467
FURUKAWA, Y: Fabrication of a linear motion microsystem on a Si wafer, 3T395
- Study on the simulation of grinding process - 3rd Report: Influence of cutting edge distribution on finished surface roughness and grinding force (Japanese), 7A624
- Structural component development of three-layer cylinders for superconducting generators - Part 2: Development of three-layer welding techniques to extend axial length and evaluation of the welds, 8A980
- Study on controlling algorithm to realize high-speed and high-accuracy control systems - 2nd Report: Proposal of modified delta operation with variable modulation method (Japanese), 9T326
- Study on controlling algorithm to realize high-speed and high-accuracy control systems - 3rd Report: An application of modified delta operation with VMM to optimal control systems (Japanese), 12T372
FURUSAWA, S: Study on bifurcation control using pattern recognition of thermal convection, 7T109
FURUSE, Y: Development of air-cooled ceramic nozzles for a power-generating gas turbine, 5A1365
FURUSHIMA, K: Local reaction rate in round-jet diffusion flames, 7T1398
FURUTA, H: Determination method of optimum pre-stress in cables of cable-stayed bridges by using fuzzy sets theory (Japanese), 2A129
FURUTANI, E: Two dof design method of linear-quadratic servo systems with an integral compensator: Analysis of the performance deterioration by the introduction of an observer, 2A311
FURUTANI, K: Three dimensional generation by dot-matrix EDM - 1st Report: Proposal of dot-matrix EDM, 9A672
- Development of end effector utilizing parallel mechanism for EDM with a scanning motion (Japanese), 12T425
FURUTANI, R: Measurement of 3D objects using gray code projection - 2nd Report: Improvement of reliability of space encoding method (Japanese), 1T382
FURUYA, A: Fabrication of fluorinated polyimide microgrids using magnetically controlled reactive ion etching and their applications to an ion drag integrated micropump, 4T425
FURUYA, H: Shape and stress control analysis of prestressed truss structures, 6A912
FURUYA, M: Direct-contact heat-transfer characteristics between a melted alloy and water, 7A1338
- Critical heat flux and convection heat transfer with a planar liquid jet impinging on flat and concave surfaces, 8A1318
- Study on thermohydraulic instability of a boiling natural circulation loop with a chimney - Part II: Experimental approach to clarify the flow instability in detail, 8A1316
- Thermohydraulic instability of boiling natural circulation loop with a chimney - Part I: Linear stability analysis using homogeneous two-phase flow model and experiment on thermohydraulic instability induced by flashing, 8A1317
FURUYA, N: Study on the inverse kinematics problem of robot - 2nd Report: Analysis of plurality of inverse kinematics solutions of 3R type robot (Japanese), 12A444
FURUYA, Y: Design and material evaluation of shape memory composites, 2T450
FUSARO, RL: Preliminary investigation of neural network technique to predict tribological properties, 10A504
FUSCHI, P: Extended shakedown theory for elastic-plastic-damage material models, 4A806
FUSEGI, T: Numerical study of turbulent forced convection in a periodically ribbed channel with oscillatory throughflow, 6A1224
- Numerical study of convective heat transfer from periodic open cavities in a channel with oscillatory throughflow, 11A1221
FUSHCHYCH, WI: Symmetry reduction and some exact solutions of nonlinear biwave equations, 2T193
FUSHINOBU, K: Heat transfer regime map for electronic devices cooling, 1A1277
- Ultrashort-pulse laser heating of silicon to reduce microstructure adhesion, 1A1230
FUSINA, RA: High resolution computations of ocean wave spectral modulations due to 2D wave-current interactions, 10A1472
FUSS, SP: Absorptance of infrared radiation by methane at elevated temperatures, 5A1253
FYFE, K: Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part I: The effects of physical parameters, 9A930
- Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films gen-

erated by ZDDP - Part II: The effect of detergents and dispersants, 9A931
FYFE, KR: Analysis of computed order tracking, 9A166
FYHR, C: Aspects of the modeling of wood chips drying in superheated steam, 9A1302
- High temperature convective drying of wood chips with air and superheated steam, 9A1304
FYHRIE, DP: Decrease in canine proximal femoral ultimate strength and stiffness due to fatigue damage, 9A1563
- Method suitable for *in vivo* measurement of bone strain in humans, 10A1555

G

G'SELL, C: Influence of crosslinking on the plastic behavior of amorphous polymers at large strains, 12A522
GAA, FO: Experimental study of flow rates through inclined open thermosyphons, 8A1282
GAAL, J: Stiffness and strength anisotropy in the tensile response of weft knitted fabric-reinforced peek-and pet-composites, 1A535
GABASOV, R: Stabilization of dynamical systems under persistent perturbations, 3A350
- Stabilization of dynamic systems using positional solutions of special optimal control problems, 7A322
GABBITAS, B: Failure characteristics in carbon-epoxy composite tows, 5A671
GABR, MA: Model for efficiency of soil flushing using PVD-enhanced system, 6A639
- Buckling of piles with general power distribution of lateral subgrade reaction, 8A660
GABRIELE, GA: Enumerating possible design options for integral attachment using a hierarchical classification scheme, 12A462
GABRYS, CW: Design and manufacturing of filament wound elastomeric matrix composite flywheels, 10A751
GACEK, J: Experimental determination of aerodynamic characteristics of ballistic objects of complex construction system (Polish), 9A248
- Theoretic analysis of dynamic properties of ballistic objects of complex aerodynamic system (Polish), 9A249
GACOUGNOLLE, JL: Damage mechanisms in composite-composite bonded joints under static tensile loading, 9A748
GAD-EL-HAK, M: Microelectromechanical Systems, 3N10
- Novel pump for MEMS applications, 4A935
- Navier-Stokes simulations of a novel viscous pump, 11A1173
GADAJ, SP: Changes of temperature during the simple shear test of stainless steel, 4A789
GADALA, MS: Formulation and survey of ALE method in nonlinear solid mechanics, 8A14
- Recent advances in the numerical modeling of constitutive relations, 8A37
GADALLA, AM: Simulation of erosions in a single discharge EDM process, 3A653
- Synthesis and analysis of ZrB_2-based composites, 3T654
- Electrical discharge machining of ZrB_2-based ceramics, 3A662
GADDIS, SW: Performance improvement through indexing of turbine airfoils - Part 1: Experimental investigation, 5A1098
GADELRAB, RM: Effect of delamination on the natural frequencies of a laminated composite beam, 5A624
GADI, KS: Standardized complex and logarithmic eigensolutions for n-material wedges and junctions, 2A694
GADOLINA, IV: Analysis of the effect of the parameters used for processing a realization of a random loading process on the accuracy of service life estimation, 8T971
GADOMSKA, B: Variation of seismic source parameters and earthquake entropy with depth, 4A1391
GAETE-GARRETON, L: Onset of transient cavitation in gassy liquids, 10A346
GAFFET, B: Expanding gas clouds of ellipsoidal shape: New exact solutions, 5A913
GAFFIE, D: Effects of perfusion on the mechanical behavior of the brain exposed to hypergravity, 9A1581
GAFFURI, P: Wide-ranging modeling study of isooctane oxidation, 6A1346
GAGE, PJ: Genetic algorithm for scheduling and decomposition of multidisciplinary design problems, 6A448
GAGNON, M: Knee movement strategies differentiate expert from novice workers in asymmetrical manual materials handling, 4A1486
GAGNON, P: Finite strip element for the analysis of variable thickness rectangular thick plates, 8A590
GAHLEITNER, M: Low frequency-shear rate measurements on polymer melts with a novel rheometer, 3A963
GAHLIN, R: Effects of compressive stresses on the abrasion of diamond coatings, 2A910
GAHR, K-HZ: Modeling and microstructural modification of alumina ceramic for improved tribological properties, 7A858
GAI, BING-ZHENG: Slip with friction between a layer and a substrate caused by an SH pulse, 8T233
GAI, SL: Upstream influence and peak heating in hypervelocity shock wave-boundary-layer interaction, 3A1096
- Leading-edge bluntness effects in high enthalpy, hypersonic compression corner flow, 5A957
GAIDAICHUK, VV: Oscillations in tubular systems with mobile masses (Russian), 12A154
GAILLARD, L: Influence of roughness on attachment line boundary layer transition in hypersonic flow, 8A1129
GAINSKI, J: Model investigations of the heat transfer and flow resistance in diagonally finned surfaces (German), 2A1159
GAIO, E: Analogue feedback control system of RFX, 3A391
GAISER, JE: Multicomponent V_p/V_s correlation analysis, 1A1407
GAITONDE, AL: Unfactored implicit moving mesh method for the 2D unsteady N-S equations, 3A78
GAITONDE, D: Skin-friction predictions in a crossing-shock turbulent interaction, 10A1141
- Structure of a supersonic 3D cylinder-offset-flare turbulent interaction, 12A1117
GAITONDE, JM: Effect of temperature on the dynamic characteristics of heat-resistant thermoplastic composites, 8A561
GAJEWSKI, T: Numerical analysis of a spectral photoelastic effect, 9A803
GAJIC, Z: Kalman filtering error due to inaccuracy in filter's initial condition, 9A312
GAKWAYA, A: A posteriori error estimator based on the second derivative of the displacement field for 2D elastic problems, 7A21
GALAKTIONOV, VA: New explicit solutions of quasilinear heat equations with general first-order sign-invariants, 7A1305
GALAMBOS, TV: Structural Stability Research Council: Link between research and practice, 3A554
GALANIS, N: Variable-property effects in laminar aiding and opposing mixed convection of air in vertical tubes, 7A1262
GALATOLO, R: Fatigue crack propagation in residual stress fields of welded plates, 8A733
GALBRAITH, DL: Antiproton catalyzed fusion propulsion for interplanetary missions, 10A1436
GALBRAITH, RAMD: Discrete vortex method for simulating unsteady flow around pitching aerofoils, 9A1166
GALDI, GP: Stability and Wave Propagation in Fluids and Solids, 7R2
- Slow motion of a body in a fluid of second grade, 7A1030
GALDOS, R: Finite element technique to simulate the stable shape evolution of planar cracks with an application to a semi-elliptical surface crack in a bimaterial finite solid, 8A824
GALEA, E: Revisiting the Carrier-phase source-term formulation in mixed Lagrangian-Eulerian particle models, 1A1024
GALEA, SC: Structural integrity monitoring, 12A769
GALEAZZI, C: Analysis and control of microvibrations on ARTEMIS satellite, 1A205
GALECHYAN, GA: Influence of acoustic waves on plasma parameters in a molecular gas discharge, 5A231
GALEMBECK, F: Complex dynamic behavior in adhesive tape peeling, 7A965
GALIEV, SU: Experimental observations and discussion of counterintuitive behavior of plates and shallow shells subjected to blast loading, 6A252
- Distinctive features of counter-intuitive behavior of plates and shells after removal of impulse load, 7A140
- Influence of cavitation upon anomalous behavior of a plate-liquid-underwater explosion system, 9A192
GALINDO, M: Computational efficiency and implementation of block-iterative algorithms for nonlinear coupled problems, 4A62
GALIOTIS, C: Failure characteristics in carbon-epoxy composite tows, 5A671
GALIP ULSOY, A: Stability and limit cycles of parametrically excited, axially moving strings, 1A174
- Optimization strategy for maximizing coordinate measuring machine productivity - Part 2: Problem formulation, solution, and experimental results, 11A355
- Optimization strategy for maximizing coordinate measuring machine productivity - Part 1: Quantifying the effects of operating speed on measurement quality, 11A354
GALITSKY, VV: Novel approach to the design of self-piloting drills with external chip removal - Part 1: Geometry of the cutting tip and grinding process, 11A611
- Novel approach to the design of self-piloting drills with external chip removal - Part 2: Bottom clearance topology and experimental results, 11A612
GALIZZI, GE: Evaluation of a method to determine interferometric phase derivatives, 11A745
GALKA, A: Computational aspects of homogenization of thermopiezoelectric composites, 2A1285
GALL, K: FEM study of fatigue crack closure under double slip, 4A744
- Methodology for predicting variability in microstructurally short fatigue crack growth rates, 10A762
GALLAGHER, J: Flexural strength and interlaminar shear strength of stitched GRP laminates following repeated impacts, 12A590
GALLAGHER, RH: Nonuniqueness of solutions obtained with simplified variational principles, 3A67
GALLAND, MA: Surface impedance control for sound absorption: Direct and Hybrid passive-active strategies, 12A335
GALLEGO, R: Effects of porous sediments on seismic response of concrete gravity dams, 9A1479
- Solving transient dynamic crack problems by the hypersingular BEM, 12A845
GALLEGO-JUAREZ, JA: Limiting strain of metals subjected to high-intensity ultrasound, 7A293
- Onset of transient cavitation in gassy liquids, 10A346
GALLETLY, DA: Buckling of complex toroidal shell structures, 3A559
GALLETLY, GD: Buckling of complex toroidal shell structures, 3A559
- Plastic buckling paradox for cylindrical shells, 5A502
GALLIMORE, AD: Approximating collisional freestream attenuation at transitional Knudsen numbers, 9T1143
GALLMAN, JM: Computational study of the aeroacoustics of rotors in hover, 7A253
GALLMAN, JW: Optimization of an advanced business jet, 11T823
GALLOIS, B: In situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 7A864
GALLOVOTTI, G: Dynamical ensembles equivalence in fluid mechanics, 12A1065
GALLS, SF: Reynolds number effects on vortex breakdown of a blunt-edged delta, 2T1085
GALPER , AR: Hydrodynamic loads on a slender cylinder moving unsteadily in a 3D non-uniform flow field, 4A249
GALPER, AR: Hydrodynamic loads on a conical slender cylinder, 8A1027
GALTIER, A: Possible mechanical quantification of fatigue damage, 5A612
GALVANETTO, U: Event maps in a stick-slip system, 12A115
GALVEZ, J: Crack trajectories under mixed mode and non-proportional loading, 9A785
GALYUKOV, A: Numerical study of wave processes in a pressure-wave refrigerator, 6A287
GAMBA, IM: Viscous approximation for a 2D steady semiconductor or transonic gas dynamic flow: Existence theorem for potential flow, 4A1001
GAMBAROTTA, L: Damage models for the seismic response of brick masonry shear walls - Part II: The continuum model and its applications, 9A1477
- Damage models for the seismic response of brick masonry shear walls - Part I: The mortar joint model and its applications, 9A1476
GAMBIN, W: Yield stress distribution in the natural surface layer of polycrystals, 4A534
- Finite element analysis of textured materials, 4A19
- Plastic analysis of metal surface layers undergoing the roller burnishing process, 9A655
- Modeling of deformation texture development based on rate independent crystal plasticity, 11A420
GAMBINI, M: Improving the OTEC power plant performance by metal hydride energy systems, 12A1409
GAMBLE, AE: Study of moment redistribution in prestressed concrete beams, 11A796
GAMBLE, JB: Comparison of sliding mode control with state feedback and PID control applied to a proportional solenoid valve, 4A410
GAMBONE, ML: Effect of surface flaws on SiC fiber strength in an SiC/Ti-alloy composite, 11A701
GAMBY, D: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3, 1N32
- Doubly periodic matrix cracking in composite laminates - Part 1: General in-plane loading, 11A699
- Doubly periodic matrix cracking in composite laminates - Part 2: Thermal biaxial loading, 11A700
GAMER, U: Rotating elastic-plastic solid shaft with fixed ends, 7A450
GAMEZO, VN: Reaction-zone structure of a steady-state detonation wave in a cylindrical charge, 9A247
GAMMELL, PM: Response of transiently excited thick transducers at low frequencies, 5A268
GAMO, M: Thickness of the dry convection and large-scale subsidence above deserts, 3A1429
GAMULIN, A: Displacement series of ships, 2A1066
GAN, G: Computational and experimental study of pressure losses in duct transitions, 5A1000
- k-Factor data of interacting duct fittings based on measurement and CFD modeling, 7A993
- CFD prediction of k-factors of duct elbows, 12A1056
GAN, X: Heat transfer in an air-cooled rotor-stator system, 1A1187
- Heat transfer from air-cooled contrarotating disks, 8A1298
GANAN-CALVO, AM: Theory of electrohydrodynamically driven capillary jets, 10A1209
GANAPATHI, M: C^0 eight-node membrane-shear-bending element for geometrically nonlinear (static and dynamic) analysis of laminates, 4A607
GANAPATHY, C: ART-based multiple neural networks for monitoring offshore platforms, 5A797
- Dynamics of a moored barge under regular and random waves, 8A188
- Analytical investigations on loop-maneuver of underwater towed cable-array system, 12A281
GANAPATHY, R: Time-dependent free convection motion and heat transfer in an infinite porous medium induced by a heated sphere, 7A1274
- Thermal convection in an infinite porous medium induced by a heated sphere, 12T1270
GANAPATHY, V: Phase-shifting methodologies in photoelastic analysis: The application of Jones calculus, 6A823
GANCHEV, S: Microwave diagnosis of low-density fiberglass composites with resin binder, 6T837
GANDELSMAN, M: Effect of near-surface impact-induced damage on the residual strength of woven glass-epoxy composite beams, 9A752
GANDHI, F: Analysis of bearingless main rotor aeroelasticity using an improved time domain nonlinear elastomeric damper model, 2A829
GANDHI, KS: Breakage of a drop of inviscid fluid due to a pressure fluctuation at its surface, 6A1064
GANDHI, OP: Failure cause analysis: A structural approach, 5A631
GANDHIDASAN, P: Simulation of a hybrid liquid desiccant based air-conditioning system, 6A1294
GANDUR, MC: Complex dynamic behavior in adhesive tape peeling, 7A965
GANDUSCIO, S: Finite element method and analytical solutions for buckling of nonlinear masonry members, 6A605
GANESAN, A: Rate dependent deformation of semi-crystalline polypropylene near room temperature, 12A534
GANESAN, N: Modified semi-analytical approach towards the modeling of a shaft-disc system, 1A194
- Dynamic studies on beams with unconstrained layer damping treatment, 2A110
- Interlaminar stresses in shells of revolution, 6A587
- Disc flexibility effects in rotor bearing systems, 7A155
- Dynamic response of non-uniform composite beams, 9A149
GANESAN, P: Transient free convection past a semi-infinite vertical plate with variable surface temperature, 11A1226
GANESAN, R: Self-organizing neural networks for automated machinery monitoring systems, 4A910
- Nonlinear vibrations and stability of a rotor-bearing system with nonsymmetric clearances, 10A216
- Multivariable trend analysis using neural networks for intelligent diagnostics of rotating machinery, 10A514
- Effects of bearing and shaft asymmetries on the resonant oscillations of a rotor-dynamic system, 11A144
- Multivariable trend analysis for system monitoring through self-organizing neural networks, 12A422
GANESAN, V: Computation of isothermal and reacting flows in turbojet afterburners, 1A1337
GANESH, C: Fiber optic sensor development for real-time in-situ epoxy cure monitoring, 7A367
GANESH, RK: Generalized thermal modeling for laser drilling process - II: Numerical simulation and results, 11A1261
- Generalized thermal modeling for laser drilling process - I: Mathematical modeling and numerical methodology, 11A1260
GANESH, VK: Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - I: Laminate geometry, 5A668
- Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - II: Analytical predictions, 5A669
- Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - III: Effect of fabric geometry, 5A670
- (± 45)° Off-axis tension test for shear characterization of plain weave fabric composites, 11A456
GANGADHAR, RB: Solar conversion parameters of graded base silicon solar cells, 12A1517
GANGARAJ, SK: Pollution error in the h-version of the FEM and the local quality of the recovered derivatives, 6A22
GANGHOFFER, JF: Relevance of perturbation methods in the mechanics of adhesion, 2A54
- Model of damaged adhesives, 7A701
- Interactions between adhesion and friction - Part I: Theoretical aspects, 7A856
- Modeling of the mechanical behavior of joints bonded by a nonlinear incompressible elastic adhesive, 8A984

GANGLER, E: Instabilities of flows between differentially rotating coaxial vertical cylinders in the presence of a radial temperature gradient, 5A1029
GANGLOFF, RP: Elevated Temperature Effects on Fatigue and Fracture, 12N29
GANGOITI, G: Double-camera measurements of plumes, applied to wind field characterization and dispersion studies, 2A1421
GANGOTRI, KM: Use of tergitol-7 in photogalvanic cell for solar energy conversion and storage: Toluidine blue-glucose system, 1A1434
GANGULI, R: Aeroelastic optimization of a helicopter rotor to reduce vibration and dynamic stresses, 2A827
- Formulation of a helicopter rotor system damage detection methodology, 4A1148
- Detection of helicopter rotor system simulated faults using neural networks, 10A510
GANGULY, S: Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, 9A698
GANJALI, MH: Lateral earth pressure problem of cohesive backfill with inclined surface, 8A670
GANJI, V: Detection of underground obstacles by SASW method: Numerical aspects, 9A29
GANSEMAN, C: Experimental robot identification using optimized periodic trajectories, 4A438
GANTES, C: Nonlinear dynamic buckling of multi-dof structural dissipative systems under impact loading, 7A554
GANTI, G: Structure of steady flow through dual-intake engine ports, 5A1363
GANZEVLES, FLA: Shape factor of conduction in a multiple channel slab and the effect of non-uniform temperatures, 9T1264
GANZHA, VG: Numerical Solutions for Partial Differential Equations: Problem Solving Using Mathematica, 6R2
GAO, BAOCHENG: Identification of simple-supported beam cracks by means of the wavelet analysis (Chinese), 10T512
GAO, CANZHU: Tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum N-salicylidene derivative of malonic dihydrazide, 2A1133
GAO, DAVID YANG: Contact problems and dual variational inequality of 2D elastoplastic beam theory, 7A440
GAO, DY: Post-yield analysis for rigid-plastic plates with large deflections, 3A464
GAO, FENGGE: Towards the optimization of the densification of pan-based carbon-fiber-reinforced carbon laminates, 11A455
GAO, GUANGTENG: Fractionation of liquid lubricants at solid surfaces, 7A1210
GAO, H: Soil-structure interaction and axial force effect in structural vibration, 8A1481
- Optimization of tuned liquid column dampers, 9A174
GAO, H-Z: Prediction of incompressible turbulent separated flows using a viscous layer model, 8A1197
GAO, HUAJIAN: Thin Films: Stresses and Mechanical Properties VI, 10N24
- Thin Films: Stresses and Mechanical Properties VI, 11N29
- Theory of local limiting speed in dynamic fracture, 3A686
- Local and global energy release rates for an electrically yielded crack in a piezoelectric ceramic, 9A603
GAO, JIAN: Wave propagation in granular rod using high-gradient theory, 6A239
GAO, L: Susceptibility to localized necking of defect-free metal sheets under biaxial stretching, 1A649
- Cyclic behavior and room temperature micromechanisms of 3Y-TZP ceramics at submicron and nanocrystalline levels, 5A615
GAO, MING: Dynamic analysis for structures isolated with dampers, 4A193
GAO, Q: Low-cycle fatigue under non-proportional loading, 2A633
- Evaluation of low cycle fatigue under non-proportional loading, 5A604
- Statistical theory of fatigue crack growth at damage cumulation, 9A695
GAO, QIAN: Effect of chromium on the microstructure and micromechanical properties of TiAl-base alloys, 3A494
GAO, QIN: Investigation of properties and microstructures of ceramic lined of pipe produced by SHS (Chinese), 12A596
GAO, QING: Simulation of the stochastic damage evolution process under low cycle fatigue by the FEM, 4A726
GAO, S: Further investigation for the macro-microcrack interaction - I: In the infinite isotropic body, 3A684
GAO, SONG: Synthesis, structure, and magnetism of heterobinuclear complex GdCu(OTf)$_2$(bdmap)$_2$(H$_2$O) × THF, 2T537
GAO, TAO: Intelligential fuzzy control theory with predictive and decoupling functions (Chinese), 4A344
- Study of fuzzy control theory application to engine transient testbed (Chinese), 4A345
GAO, WEI: Self-calibration method for 2D displacement sensor (Japanese), 1A381
GAO, X: Constraint effects on the ductile-brittle transition in small scale yielding, 1A727
GAO, XIU-FENG: Relationships of exponents with coefficients of equations on axial and radial dispersions in flow-injection analysis, 2A1019
- Two new parameters: Axial dispersion degree and radial dispersion intensity of sample zone injected in flow-injection analysis systems, 7A396
GAO, XIYAN: Intelligential fuzzy control theory with predictive and decoupling functions (Chinese), 4A344
- Study of fuzzy control theory application to engine transient testbed (Chinese), 4A345
- Key technique of laser measurement of fuel spray field (Chinese), 4A1181
- Sync laser measurement of two-phase of vapor and liquid and 3D concentration of fuel spray (Chinese), 10A1270
GAO, Y: Possibilistic reliability theory: Theoretical aspects and applications, 12A899
GAO, YI-MIN: Investigation on the components and the formation of a tribochemical film in the Si$_3$N$_4$-gray iron sliding pair lubricated with distilled water, 12A953
GAO, YI-TIAN: Soliton-like solutions for a (2 + 1)-dimensional generalization of the shallow water wave equations, 4A236
GAO, ZHANJUN: Circular inclusion with imperfect interface: Eshelby's tensor and related problems, 11A365
GAONKAR, GH: Parallel methods for turbulence simulation and helicopter-response prediction, 2A1112
- Parallel computing concepts and methods for Floquet analysis of helicopter trim and stability, 4A1151
GAPONENKO, VR: Experimental study of a sweptwing boundary-layer stability with respect to unsteady disturbances, 1A1032
GARAGASH, IA: Mathematical modeling of the distributed state of a fragmented rock media, 12A707
GARAIZAR, FX: Riemann problems for an elastoplastic model for antiplane shearing with a nonassociative flow rule, 6A516
GARAJEU, M: Effective properties of porous ideally plastic or viscoplastic materials containing rigid particles, 11A390
GARAT , MH: Experimental evidence of the rapid distortion of turbulence in the air flow over water waves, 2A239
GARAY, PN: Pump Application Desk Book, Third Edition, 9N24
GARBAIL-PICON, B: Numerical simulation method to study sea surface acoustical effects (French), 11A250
GARBAR, II: Formation and separation of the fragmented surface structure of low-carbon steel and copper under friction, 3A873
GARBOCZI, EJ: New method for simulating fracture using an elastically uniform random geometry lattice, 2A714
GARCEA, G: Koiter's analysis of thin-walled structures by a FE approach, 2A529
GARCIA , MH: Experiments on particle-turbulence interactions in the near-wall region of an open-channel flow: Implications for sediment transport, 5A969
GARCIA ARAGON, JA: Hydraulic shear stress model for rapid highly concentrated flow, 6T1004
GARCIA DE JALON, J: Flexible mechanisms through natural coordinates and component synthesis: An approach fully compatible with the rigid case, 4A92
GARCIA GARINO, C: Constitutive model for the analysis of elastoplastic solids undergoing large strains (Spanish), 3A473
GARCIA REIMBERT, C: Effect of radiation losses on hotspot formation and propagation in microwave heating, 6A1282
GARCIA, E: Improvement in model reduction schemes using the system equivalent reduction expansion process, 4T29
- Global-local observer Markov parameter identification for system realization, 5T274
- Efficient power amplifiers for piezoelectric applications, 7A563
- Close-loop pole design for vibration suppression, 9A332
- Analysis and comparison of the density functions in a chaotic, slewing link, 9T94
- Design impact of piezoelectric actuator nonlinearities, 9A375
- Piezoelectric stack actuators and control system design: Strategies and pitfalls, 10A494
GARCIA, G: Stabilization of an uncertain linear dynamic system by state and output feedback: A quadratic stabilizability approach, 2A321
GARCIA, MS: Stress corrosion cracking susceptibility of steam generator tube materials in AVT (all volatile treatment) chemistry contaminated with lead, 4A716
GARCIA, RA: Exact linearization of nonlinear systems: Trajectory tracking with bounded controls and state constraints, 4T365
GARCIA, RR: Propagation and breaking at high altitudes of gravity waves excited by tropospheric forcing, 3T246
GARCIA-BONITO, J: Active cancellation of pressure at a point in a pure tone diffracted diffuse sound field, 10A369
- Generation of zones of quiet using a virtual microphone arrangement, 12A334
GARCIA-DIAZ, A: Network-based relaxation approach for selecting optimal bridge replacement or rehabilitation strategies, 1A833
GARCIA-ESTEBAN, M: Dynamical adaptive pulse-width-modulation control of DC-to-DC power converters: A backstepping approach, 4T379
GARCIA-MIGUEL, JA: Filling data algorithms in urban air pollution monitoring networks, 9T1561
GARCIA-PRADA, JC: Determination of the addendum modification factors for gears with pre-established contact ratio, 1A909
GARCIA-VALENZUELA, A: Heuristic model approximation for scattering from perfectly conducting 1D random rough surfaces, 2A197
GARCIA-YBARRA, PL: Mass transfer dominated by thermal diffusion in laminar boundary layers, 10A1385
GARCIER, JM: Articular cartilage, morphology and mechanical properties (French), 6T1533
- Leg cycling tracking by dynamic vision, 12A1570
GARD, SA: Two-dimensional representation of 3D pelvic motion during human walking: An example of how projections can be misleading, 3A1510
GARDEN, HN: Preliminary evaluation of carbon fiber reinforced polymer plates for strengthening reinforced concrete members, 11A786
GARDIN, P: Mass transfer from a flat plate segment facing impinging jets: Influence of exhausts number and location and of nozzle geometry (French), 2A1293
GARDINER JR, WC: Generalized intermediate approach to combustion chemistry: Application to methane ignition and flame propagation, 2A1305
GARDINER, PT: Smart materials and structures: What are they?, 1A842
GARDNER JR, JK: Tribological characteristics of graded pencil cores on paper, 2A871
GARDNER, GA: Least-squares FE scheme for the RLW equation, 5A190
- Modeling an undular bore with B-splines, 12A265
GARDNER, GHF: Regularizing 3D data sets with DMO, 1A1415
- Effects of vertically aligned subsurface fractures on seismic reflections: A physical model study, 7A1460
GARDNER, LRT: Least-squares FE scheme for the RLW equation, 5A190
- Modeling an undular bore with B-splines, 12A265
GARDNER, NJ: Behavior of liquid films and drops in relation to liquid-gas separators, 11A990
GARDNER, RA: Numerical analysis of turbulent pipe flow in a transverse magnetic field, 7A1243
- Phase field models for hypercooled solidification, 10A1339
GARDNER, SJ: Design of a small satellite for earth observation, 6A929
GARDNER, TN: Instrumented spacial linkage for monitoring relative 3D motion between fracture fragments, 5A1479
- Temporal changes in dynamic inter fragmentary motion and callus formation in fractures, 9A1571
GARDOS, MN: Surface chemistry-controlled tribological behavior of silicon and diamond, 1T895
- Tribological behavior of polycrystalline and single-crystal silicon, 7T851
- Evaluation of indentation and finishing properties of bearing grade silicon nitrides, 8A957
GARG, DP: Artificial neural network based robot control: An overview, 1A392
GARG, RP: Hybrid spectral finite difference simulations of stratified turbulent flows on distributed memory architectures, 11A1101
GARG, VK: Leading edge film-cooling effects on turbine blade heat transfer, 2A1183
- Effect of coolant temperature and mass flow on film cooling of turbine blades, 4A1188
- Effect of velocity and temperature distribution at the hole exit on film cooling of turbine blades, 10A1311
GARIBALDI, L: Natural frequencies and dampings identification using wavelet transform: Application to real data, 9A308
GARIC, G: Cumulative detection probability as a basis for pressure vessel inspection intervals, 11A667
GARIKIPATI, K: Analysis of strong discontinuities in multiplicative finite strain plasticity and their relation with the numerical simulation of strain localization in solids, 1A470
GARIMELLA, S: Performance evaluation of spirally fluted annuli: Geometry and flow regime effects, 9A1298
GARIMELLA, SS: Transient response of repetitive control systems, 6A385
- Application of repetitive control to eccentricity compensation in rolling, 6A397
GARIMELLA, SV: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
- Prediction of jet impingement heat transfer using a hybrid wall treatment with different turbulent Prandtl number functions, 2A1198
- Composite correlations for convective heat transfer from arrays of 3D obstacles, 4T1189
- Confined and submerged liquid jet impingement heat transfer, 11A1206
- Motion of interacting gas bubbles in a viscous liquid including wall effects and evaporation, 11A1295
- Flow field effects on heat transfer in confined jet impingement, 12T1257
GARLAND, RV: Coal-fueled combustion turbine cogeneration system with topping combustion, 8A1414
GARMENDIA, I: Numerical simulation of axisymmetric forging processes through FE analysis: A simple method for the modeling of friction (Spanish), 10A731
GARNER, CP: Particle image velocimetry analysis of IC engine in-cylinder flows, 1A809
- Direct measurements of burning velocity of propane-air using particle image velocimetry, 1A1342
GARNICH, MR: Multicontinuum theory for thermal-elastic FE analysis of composite materials, 7A19
GARNIER, V: Stall inception measurements in a high-speed multistage compressor, 5A1090
- Numerical method for the prediction of bladed disk forced response, 10A314
GARO, A: Soot formation modeling for turbulent flames, 6A1334
GAROFF, S: Velocity field near moving contact lines, 10A1084
GARON, A: Adaptive FEM for a two-equation turbulence model in wall-bounded flows, 7A23
GARRABOS, Y: Numerical simulation of rapid expansion of supercritical fluid, 3T1215
GARRARD, WL: Parameter varying control of a high-performance aircraft, 9A366
GARRELICK, J: Simulation of structural response to sonic booms using structural acoustic techniques, 8A330
GARRETT, PD: Analysis of adhesion and interface debonding in laminated safety glass, 7A964
GARRIDO GARCIA, JA: Study of the elastic-plastic problem undergoing finite plastic strain using the BE technique (Spanish), 4A519
GARRIOCH, SH: Finite-element study of Newtonian and power-law fluids in conical channel flow, 11A1037
GARRIS JR, CA: Experimental investigation of a nonsteady flow thrust augmenter, 1A1375
GARRISON, CJ: Water impact loads on circular structural members, 4A253
GARRISON, JD: Stress in shaped glass evacuated collectors, 8A1520
GARROCH, C: Improvements in the prediction and characterization of the thermoelastic response of glass-fiber reinforced composite products, 4A1270
GARSTECKI, A: Sensitivity analysis of buckling loads of physically nonlinear frames using dynamic and static criteria, 4A619
- Optimal design of reinforced concrete beams and frames, 9A832
GARTEN, JF: Wave breaking and transition to turbulence in stratified shear flows, 3A249
GARTENBERG, E: Transition detection with deposited hot films in cryogenic tunnels, 5T1119
- Effects of internal nozzle geometry on compression-ramp mixing in supersonic flow, 9A1037
GARTNER, JR: Lobing behavior in centerless grinding - Part I: Stability estimation, 12A740
GARTSHORE, IS: Multiple jets in a crossflow: Detailed measurements and numerical simulataions, 10A1318
- Experimental investigation of film cooling heat transfer coefficients using the mass-heat analogy, 11A1207
GARVEY, SD: Application of the IRS and balanced realization methods to obtain reduced models of structures with local nonlinearities, 4A94
GARWOOD, SJ: Investigation of the MV Kurdistan casualty, 9A724
GARY, G: Use of SHPB techniques to determine the dynamic behavior of materials in the range of small strains, 1A796
- Experimental investigation of compressive failure strength of fiber-reinforced polymer-matrix composite plates under impact loading, 9A754
- Use of viscoelastic Split Hopkinson Pressure Bar, 9A184
- New method for the separation of waves: Application to the SHPB technique for an unlimited duration of measurement, 12A239
GARZA-RIOS, LO: Analytical expressions of the bifurcation boundaries for symmetric spread mooring systems, 3A1175
- Shear-free turbulence near a flat free surface, 3A1143
- Mooring system design vased on analytical expressions of catastrophes of slow-motion dynamics, 11A1127
GASBARRI, P: Comparative overview of strain actuated surfaces' design, 10A676

GASCOIGNE, HE: Strain measurement in the wavy-ply region of an externally pressurized cross-ply composite ring, 1A548

GASCON, F: Elastic characterization of isotropic materials by a single test based on the experimental determination of natural frequencies using laser interferometry, 9A799

GASKELL, DR: Influence of electromagnetic stirring on the solidification of a binary metal alloy, 2A1189

GASKELL, PH: Creeping flow analyses of free surface cavity flows, 6A1119

- Stokes flow in a half-filled annulus between rotating coaxial cylinders, 10A1076

GASKILL, B: Ricochet of deforming projectiles from deforming plates, 1A245

GASLJEVIC, K: Experimental investigation of thermal and hydrodynamic development regions for drag-reducing surfactant solutions, 8A1269

GASOS, J: Selection of input variables for model identification of static nonlinear systems, 2A313

GASPARELLA, A: New ideas for energy utilization in combined heat and power with cooling - I: Principles, 8A1377

- New ideas for energy utilization in combined heat and power with cooling - II: Applications, 9A1311

GASPARINI, AM: Finite element solution of the stability problem for nonlinear undamped and damped systems under nonconservative loading, 11A534

GASPERSIC, P: Response modification factors for seismic design of circular reinforced concrete bridge columns, 8A909

GASPO, J: Controlled wear processes: A risk-sensitive formulation, 1A900

GAST, AP: Dynamic simulation of freely draining flexible polymers in steady linear flows, 9A982

GASTALDI, L: Mixed FEMs in fluid structure systems, 3A15

GASTER, M: Directionally sensitive hot-wire anemometer, 10A1268

GASTMEYER, R: Calculation of the facing layer of a three layered reinforced concrete external wall panel (German), 12A625

GATES, TS: Compressive creep of IM7-K3B composite and the effects of physical aging on viscoelastic behavior, 8A502

GATHERCOLE, N: Fatigue of carbon-fiber-reinforced plastics under block-loading conditions, 9A704

GATI, A: Compressive fiber fragmentation in carbon-polypropylene composites: Effects of residual thermal stresses and transcrystallinity, 4A751

GATICA, GN: Boundary-field equation method for a nonlinear exterior elasticity problem in the plane, 2A382

GATIGNOL, P: Behavior of lamb waves and multilayered Rayleigh waves in an anisotropic periodically multilayered medium: Application to the long-wave length domain, 5A155

GATIGNOL, R: Boundary conditions in discrete kinetic theory and evaporation and condensation problems, 11A1287

GATLIN, B: Powder coating process parameters for a transfer efficiency model, 6A1060

GATMIRI, B: Formulation of fully coupled thermal-hydraulic-mechanical behavior of saturated porous media: Numerical approach, 9A1441

GATO, LMC: Performance of the biplane wells turbine, 2A1104

- Performance of a high-solidity Wells turbine for an OWC wave power plant, 6A1364

GATSKI, TB: Simulation and Modeling of Turbulent Flow, 5R20

- Prediction of aerodynamic flows with a new explicit algebraic stress model, 6T1193

- Assessment of the SSG pressure-strain model in free turbulent jets with and without swirl, 7A1114

GATSONIS, NA: Ion-thruster plume modeling for backflow contamination, 2A1347

- Numerical study of spacecraft contamination and interactions by ion-thruster effluents, 2A1348

GATTESCO, N: Low-cycle fatigue test on stud shear connectors, 7A961

- Local phenomena around a steel dowel embedded in a stone masonry wall, 11A735

GATTO, A: Advanced coated ceramic tools for machining superalloys, 9A663

GAU, C: Flow and mixed convection heat transfer in a divergent heated vertical channel, 2A1176

GAU, KAI-YIN: Facility layout problem: Recent and emerging trends and perspectives, 4T479

GAUBA, G: OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, 9A1388

GAUDENZI, P: Analysis and control of microvibrations on ARTEMIS satellite, 1A205

GAUDIG, W: Development of a PC-based remote measurement device for high temperature material testing, 8A1388

GAUGLER, RE: Leading edge film-cooling effects on turbine blade heat transfer, 2A1183

- Effect of coolant temperature and mass flow on film cooling of turbine blades, 4A1188

- Effect of velocity and temperature distribution at the hole exit on film cooling of turbine blades, 10A1311

GAUL, G: Cascaded humidified advanced turbine (CHAT), 1A1355

GAUL, L: Beam response derived from a 3D hybrid boundary integral method in elastodynamics, 9A129

GAULON, R: Use of in situ measurements of ground inclination for determining shallow elastic parameters, 9A634

GAULONG, R: Application of genetic algorithms to constrain shallow elastic parameters using *in situ* ground inclination measurements, 9A622

GAUNAURD, GC: Remote target identification of a pair of submerged elastic shells by active sonar, 4A298

- Transient resonance scattering and target identification, 5A247

- Acoustic scattering of a plane wave by two spherical elastic shells above the coincidence frequency, 10A354

- Classical electrodynamics and acoustics: Sound radiation by moving multipoles, 10A336

GAUR, RC: Application of U and g values for sizing passive heating concepts, 8A1521

GAUR, RR: Optimization of waste heat recovery boiler of a combined cycle power plant, 1A1272

GAURI, V: Exploiting accurate spinline measurements for elongational material characterization, 8A1013

GAUTAM, P: Computer-aided design of a two-stage gearbox, 8A951

GAUTHIER, D: Classification methodology for coupled shear walls, 6A881

GAUTHIER, R: Interactions of Kevlar fibers with selected model compounds: Water sorption and dynamic mechanical properties of fiber-matrix samples, 1A522

GAUTHIER, S: Dynamical pseudo-spectral domain decomposition technique: Application to viscous compressible flows, 8A1101

GAUTIER, Y: Preferential flow-paths detection for heterogeneous reservoirs using a new renormalization technique, 9A1418

GAUVIN, R: Experimental investigation of resin temperature during filling and curing in epoxy and nickel shell RTM molds, 8A1306

- Solving heat dissipation problems in unidirectional composite structure, 11A1323

GAVAISES, M: Evaluation of the effect of droplet collisions on spray mixing, 5A979

GAVEAU, B: Exact results for the transmission probabilities in linear array of fluctuating barriers, 9A1340

GAVELYA, GM: Stability of the shells in a rigid casing, 12T656

GAVER III, D: Modeling biofilm processes using the immersed boundary method, 5A1462

GAVER III, DP: Steady motion of a semi-infinite bubble through a flexible-walled channel, 3A1079

GAVER, K: Measuring absorbed cyclic energy in reinforced concrete beams, 3A770

GAVIN, HP: Electrorheological dampers - Part I: Analysis and design, 3A949

- Electrorheological dampers - Part II: Testing and modeling, 3A950

- Bicycle-wheel spoke patterns and spoke fatigue, 3A823

GAVIN, L: Mechanics of integral armor: Discontinuous ceramic-cored sandwich structure under tension and shear, 11A485

GAVRILAKIS, S: Advances in Turbulence VI, 7N24

- Turbulent-field modes in the vicinity of the walls of a square duct, 7A1138

GAVRILENKO, GD: Stability of spherical belts under the effect of external pressure (Russian), 2A526

- Analytical solutions of stability problem for shells close to cylindrical in their shape (Russian), 12A655

GAWECKI, A: Elastic response of inelastic structures, 1A485

- Limit torque for a frictional joint, 6A973

GAWIN, D: Effective stress principle: Incremental or finite form, 5A1407

- Thermo-hydro-mechanical analysis of partially saturated porous materials, 6A1400

- Parallel algorithm for thermo-hydro-mechanical analysis of deforming porous media, 6A1398

- Modeling heat and moisture transfer in deformable porous building materials, 9A1347

GAWNE, DT: Role of grit blasting in the production of high-adhesion plasma sprayed alumina coatings, 9A408

GAWRONSKI, W: Balanced actuator and sensor placement for flexible structures, 3T355

- Hankel singular values of flexible structures in discrete time, 5T319

- Response errors of non-proportionally lightly damped structures, 9T121

- Almost-balanced structural dynamics, 11A110

GAWRONSKI, WK: Balanced dissipative controllers for flexible structures, 9A355

- Balanced model reduction and control of rotor-bearing systems, 10A477

GAYDECKI, PA: Detecting faults in posttensioning ducts by electrical time-domain reflectometry, 11A755

GAZANHES, C: Dispersive acoustical propagation in stratified structures (French), 2A268

- Experimental study of ultrasonic waves attentuation in porous rocks (French), 5A158

- Two Scholte-Stoneley waves on doubly fluid-loaded plates and shells, 7A268

GAZETAS, G: Soil-pile-bridge seismic interaction: Kinematic and inertial effects - Part I: Soft soil, 8A1480

GBAHOUE, L: Influence of a strong density stratification on the entrainment of a turbulent axisymmetric plume, 2A1025

- Turbulent structure of an axisymmetric plume penetrating a strong density stratification, 4A1060

GDOUTOS, EE: Fourth Greek Congress on mechanics, 6A561

- Fourth Greek National Congress on Mechanics, 6A756

GE, DONGFANG: Determination of optimum tilting angle of ball-end mill in 5-axis control machining: Determination based on finished surface roughness and application of neural network (Japanese), 2A590

GE, HANBIN: Cyclic tests of concrete-filled steel box columns, 3A764

GE, HB: Behavior of partially concrete-filled steel bridge piers under cyclic and dynamic loading, 12A854

GE, HONGCHUAN: Comparison of optical performance between evacuated collector tubes with flat and semicylindric absorbers, 10A1484

GE, QJ: Parametric continuous and smooth motion interpolation, 6A969

- Motion interpolation with G^2 composite Bezier motions, 11A333

GE, QU: Bernstein-Bezier harmonics and their application to robot trajectory synthesis with minimal vibrational excitation, 6A417

GE, SS: Nonlinear feedback controller for a single-link flexible manipulator based on a FE model, 8A447

GE, T: Normal multi-modes of nonlinear Euler beams, 12A164

GE, XP: Elastic distortional buckling of continuous I-beams, 12A646

GE, YUZHEN: Probability-one homotopy algorithms for full-and reduced-order H^2/H^∞ controller synthesis, 3T360

GE, Z-M: Bifurcations and chaos in a rate gyro with harmonic excitation, 1T112

- Analysis of random dynamical systems by interpolated cell mapping, 2A94

- Regular and chaotic motions of a symmetric heavy gyroscope with harmonic excitation, 6A111

- Modified interpolated cell mapping method, 8A98

- Bifurcations and chaotic motions in a rate gyro with a sinusoidal velocity about the spin axis, 8A86

GE, ZONGTAO: New method for phase readout in phase modulated interferometer, 5A727

GEA , HAE CHANG: Topology optimization: A new microstructure-based design domain method, 4A823

GEBHART, B: Review of empirical flame impingement on heat transfer correlations, 2A1331

- Oxygen-enhanced and natural gas flame radiation, 9A1373

GEE, K: Computation of F/A-18 tail buffet, 6A310

GEE, KR: Use of caged fluorescent dyes for the study of turbulent passive scalar mixing, 3A1154

GEE, L: Method for measuring transient out-of-plane deformation during impact, 7A208

GEE, LS: Real-time seismology at UCB: The rapid earthquake data integration project, 2A1373

GEE-CLOUGH, D: Effect of tine rake angle and aspect ratio on soil failure patterns in dry loam soil, 12A700

GEERDINK, MJ: Microbial decontamination of polluted soil in a slurry process, 6T1519

GEERING, HP: Inverting and noninverting H_∞ controllers, 9T324

GEERITS, TW: Acoustic wave propagation through porous media revisited, 5A240

GEERLINGS, AC: Comparison of a ray model with a Fourier-BEM for traffic noise situations with multiple diffractions and reflections, 10A355

GEERS, MGD: Computing strain fields from discrete displacement fields in 2D-solids, 4A481

- Experimental monitoring of strain localization and failure behavior of composite materials, 7A736

GEERS, N: Solution of large linear systems on pipeline SIMD machines, 12A90

GEERS, TL: Doubly asymptotic approximations for transient elastodynamics, 9A105

GEIGER, CD: Tabu search approach to scheduling an automated wet etch station, 10T550

GELB, A: Resolution of the Gibbs phenomenon for spherical harmonics, 10A328

GELEZKO, IP: Stability of the shells in a rigid casing, 12T656

GELFAND, BE: Droplet breakup phenomena in flows with velocity lag, 6A1344

GELFREICH, VG: Melnikov method and exponentially small splitting of separatrices, 8A97

GELIN, JC: Numerical implementation of orthotropic plasticity for sheet-metal forming analysis, 11A578

GELL, DA: Experimental investigation of spacecraft in-flight disturbances and dynamic response, 10A234

GELMAN, ME: Tearing of blast loaded plates with clamped boundary conditions, 6A257

GELSEY, A: Automated design optimization for the P2 and P8 hypersonic inlets, 10A1150

GELTMACHER, AB: Experimental study evaluating macroscopic cavity interactions as a model of microvoid ductility, 4A526

GEMMEN, RS: Pressure-gain combustion - Part II: Experimental and model results, 1A1339

- Analytical approach to understanding the "pressure gain" combustor, 9A1376

GENATIOS, C: Evaluation of dynamic properties of structures subjected to irregular base movements (French), 6A145

GENAY, E: Behavior of lamb waves and multilayered Rayleigh waves in an anisotropic periodically multilayered medium: Application to the long-wave length domain, 5A155

GENC, S: Enumerating possible design options for integral attachment using a hierarchical classification scheme, 12A462

GENCE, J-N: Energy saving in chaotic laminar mixing, 11A1385

GENDRICH, CP: Spatial correlation technique for estimating velocity fields using molecular tagging velocimetry, 6A1213

GENDY, AS: Weight minimization of flight components, 3A830

- Simplified design method for stress and displacement constraints, 9A882

- Free vibrations and stability analysis of laminated composite plates and shells with hybrid-mixed formulation, 10A223

GENETTE, P: Complete analytic elastic study of a 90° branch connection of a cylinder on a sphere subjected to a bending load, 9A557

GENEVAUX, JM: Lattice gas method and interaction with an elastic solid, 6A289

- Fluid-solid interaction in a rectangular container, 6A298

GENEVEY , K: Remarks on nonlinear membrane shell problems, 11A510

GENG, P: Numerical solution and *a posteriori* error estimation of exterior acoustics problems by a BEM at high wave numbers, 1A335

GENG, YP: Damage-based modeling of fiber pullout under variable compressive stress, 9A749

GENG, ZJ: Missile Control using fuzzy cerebellar model arithmetic computer neural networks, 10A465

GENIN, J: Inverse method to predict temperature and heat flux distribution in a cutting tool, 12T1289

GENNARETTI, M: Unified boundary integral methodology for aerodynamics and aeroacoustics of rotors, 9A1185

GENNISSEN, PTJ: Porous silicon as a sacrificial material, 8T417

GENS, A: Modern Issues in Non-Saturated Soils, 3R16

- Porosity variations in saline media caused by temperature gradients coupled to multiphase flow and dissolution-precipitation, 4A1342

GENTA, A: Harmonic FE for the analysis of flexural, torsional, and axial rotordynamic behavior of discs, 4A150

GENTA, G: DYNROT: FE code for rotordynamic analysis based on complex coordinates, 4A1153

GENTILE, C: Dynamic investigation of a repaired cable-stayed bridge, 6A198

GENTILI, A: Explicit weight function for semi-elliptical surface cracks, 11A678

GENTILI, G: Quasi-static problems with elastic and viscous boundary conditions in linear viscoelasticity, 5A402

GENTLEMAN, WC: Numerical solutions of second-order implicit nonlinear ordinary differential equations, 3A107

GENTON, GA: Three-dimensional seepage through spatially random soil, 8A1447

GENWA, KR: Use of tergitol-7 in photogalvanic cell for solar energy conversion and storage: Toluidine blue-glucose system, 1A1434

GEORGE, AR: Three-dimensional interaction of a streamwise vortex with a large-chord lifting surface: Theory and experiment, 3A1184

GEORGE, EP: Materials for Smart Systems II, 10N7

GEORGE, K: Use of high order difference methods for the system of one space second order nonlinear hyperbolic equations with variable coefficients, 2A44

GEORGE, PD: Construction and use of a clear acrylic phantom to generate a 3D FE model of the human pelvis from CT data, 7T1528

GEORGE, PL: Optimal Delaunay point insertion, 4A41

- Improvements on Delaunay-based 3D automatic mesh generator, 10A50

- Aspects of 2D Delaunay mesh generation, 10A75

GEORGE, TL: Separate effects tests for GOTHIC condensation and evaporative heat transfer models, 6A1502

GEORGESCU, A: Extension of Joseph's criterion to the nonlinear stability of mechanical equilibria in the presence of thermodiffusive conductivity, 6A1134

GEORGESCU, C: Ultrasonic determination of stiffness properties of an orthotropic viscoelastic material, 10A875

GEORGHIADES, GA: Flutter characteristics of laminated composite wings, 6T308
- Flutter prediction for composite wings using parametric studies, 9T226
GEORGI, GF: Cable inclination effect on the equivalent load of prestressing cables in plane structures, 12A607
GEORGIADIS, HG: Transient SIF results for a cracked viscoelastic strip under concentrated impact loading: An integral-transform and function-theoretic approach, 3A215
GEORGIADIS, JG: Comparison of accuracy and performance for lattice Boltzmann and finite difference simulations of steady viscous flow, 1A1424
- Convection and flow in porous media - Part 1: Visualization by magnetic resonance imaging, 8A1452
- Convection and flow in porous media - Part 2: Visualization by shadowgraph, 8A1453
GEORGIANNOU, VN: Laboratory study of the strength of four stiff clays, 4A642
GEORGIOU, GC: Extrusion of a compressible Newtonian fluid with periodic inflow and slip at the wall, 7A1122
GEORGIOU, IT: Invariant manifold approach for studying waves in a 1D array of nonlinear oscillators, 7A187
- Slaving the in-plane motions of a nonlinear plate to its flexural motions: An invariant manifold approach, 10A196
GEPRAGS, R: Feedback of midlatitude waves onto the Hadley cell in a simple general circulation model, 9T1508
GER, M: Unstructured grid generation and a simple triangulation algorithm for arbitrary 2D geometries using object oriented programing, 6A70
GERADIN, M: Exact model reduction procedure for mechanical systems, 10A142
GERAETS, WGM: Orientation of the trabecular pattern of the distal radius around the menopause, 9A1570
GERARD, J-F: Structure-related model to describe asphalt linear viscoelasticity, 3A955
GERARDI, DT: Evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants - Part II, 2A901
GERBER, CT: Experimental study of long-term static friction and magnetic slider-disk interplanar separation, 11A836
GERBERICH, WW: Thin Films: Stresses and Mechanical Properties VI, 10N24
- Thin Films: Saresses and Mechanical Properties VI, 11N29
GERBERT, G: Belt number factor in multiple V-belt drives, 3A886
- Belt slip: A unified approach, 3A887
GERDES, K: Solution of 3D-Laplace and Helmholtz equations in exterior domains using hp-infinite elements, 6A57
GERDES, R: Consideration of processes on the microscale of metallic materials for the development of constitutive models, 8A1
GEREZ, V: Variable speed operation of permanent magnet alternator wind turbines using a single switch power convertor, 5A1456
GERGELY, P: Behavior of gravity load designed reinforced concrete buildings subjected to earthquakes, 10A929
GERGES, H: Modeling of flow in rectangular sedimentation tanks by an explicit third-order upwinding technique, 9A1073
GERGO, L: Mathematical model of a radiating, viscous, heatconducting fluid: Remarks on a paper by J Forste, 12A1314
GERHOLD, CH: Active control of fan-generated tone noise, 6A344
GERKE, HH: Macroscopic representation of structural geometry for simulating water and solute movement in dual-porosity media, 5A1394
GERLACH, T: Uniqueness in inverse obstacle scattering with conductive boundary condition, 4A318
GERLINGER, P: Multigrid convergence acceleration for turbulent supersonic flows, 10A1110
GERM, H: Fracture resistance of a ferritic-austenitic duplex steel, 1A748
GERMAIN, PD: Transition on a slender cone in hypervelocity flow, 8A1231
GERMAIN, Y: Self heating and thermal failure of polymers sustaining a compressive cyclic loading, 1A688
GERMAINE, JT: Design and performance of a portable piezocone driver for high resolution profiling of wetland sediments, 12A706
GERODIMOS, G: Near-wall modeling of plane turbulent wall jets, 11A1113
GEROLYMOS, GA: Validation of 3D Euler methods for vibrating cascade aerodynamics, 5A1084
- Near-wall Reynolds-stress 3D transonic flow computation, 7A1049
GERRARD, JH: Calculation of steady and oscillating flows in tubes using a vorticity transport algorithm, 7A1099
- Numerical study of the instabilities in the near wake of a circular cylinder at low Reynolds number, 11T1052
GERRITSEN, M: Designing an efficient solution strategy for fluid flows - 1: A stable high order finite difference scheme and sharp shock resolution for the Euler equations, 7A223
GERSEY, CO: Analytical model for near-saturated pool boiling critical heat flux on vertical surfaces, 9A1242
GERSHUNI, GZ: Properties of convective oscillations in porous medium, 5A1404
- Vibrational convective instability of a horizontal, binary-mixture layer with Soret effect, 8A1173
GERSTEN, K: IUTAM Symposium on Asymptotic Methods for Turbulent Shear Flows at High Reynolds Numbers, 7N27
GERVAIS, JJ: Experiments with stability analysis of discrete incompressible flows in the lid-driven cavity, 8A1162
- Localization of Hopf bifurcations in fluid flow problems, 11A98
GERVAIS, Y: Analysis of the distribution and attenuation of acoustic energy flux in lined duct containing inhomogeneous medium by the finite difference method, 10A74
GESKIN, E: Characteristics of abrasive waterjet generated surfaces and effects of cutting parameters and structure vibration, 11A594
GESSING, R: Causal and non-causal discrete-time transfer functions and their applications, 3T338
GESSMAN, RJ: Ionizational nonequilibrium induced by neutral chemistry in air plasmas, 2T1060
GESSNER, T: Cobalt disilicide interconnects for micromechanical devices, 2T327
GETACHEW, D: Natural convection in a porous cavity saturated with a non-Newtonian fluid, 5A1188
GETHIN, DT: Elastohydrodynamic lubrication analysis of layered line contact by the BEM, 1A1145
- Three-dimensional unstructured mesh generation - Part I: Fundamental aspects of triangulation and point creation, 3A27
- Three-dimensional unstructured mesh generation - Part 3: Volume meshes, 3A29
- Three-dimensional unstructured mesh generation - Part 2: Surface meshes, 3A28
- Finite element formulation for filling a thin section cavity, 11A963
- Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, 11T1182
- Experimental investigation and FE modeling in gravity die casting, 12A741
GEUBELLE, PH: Numerical scheme for mode III dynamic fracture problems, 9A779
GEURTS, B: Large-eddy simulation of the temporal mixing layer using the clark model, 1A1081
- Large-eddy simulation of the turbulent mixing layer, 11A1092
GEVING, S: Measurements and 2D computer simulations of the hygrothermal performance of a wood frame wall, 11A1354
GEVORKYAN, RS: Mixed boundary-value problems for anisotropic plates of variable thickness, 3A528
GEYER, HK: Fluid mechanics of membrane-coated ceramic filters, 1A1360
GEYLER, S: Relaxation and viscoelastic properties of complex polymer systems, 7A972
GHABOUSSI, J: Actuator dynamics and delay compensation using neurocontrollers, 3A744
- Gravity-actuator system for control of civil structures, 6A1467
GHADDAR, NK: Study of charging of stratified storage tanks with finite wall thickness, 10A1493
GHADIALI, N: Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes, 6A1498
- Computer model for probabilistic leak-rate analysis of nuclear piping and piping welds, 8A1512
GHAFOURI, HR: Finite element double porosity model for heterogeneous deformable porous media, 5A1408
GHALEB, AF: Deformation of a superconducting cylindrical tube in a perpendicular magnetic field, 12A666
GHALI, A: Bridge progressive collapse vulnerability, 7A831
GHALY, AM: Load-displacement prediction for horizontally loaded vertical plates, 8A586
GHANEM, AG: Enhancement of heat transfer through fin- and- tube heat exchanger using corrugated fins, 12A1324
GHANEM, RG: Spectral techniques for stochastic FEs, 9A18
GHANMI, A: Three-dimensional FE model to simulate secondary flows: Development and validation (French), 11T34
GHANNAM, M: Model for automotive windshield washer spray delivered by a fluidic nozzle, 5A980
GHARAKHANI, A: Boundary element method solution of the 3D internal Neumann problem and a regularized formulation for the potential velocity gradients, 7A59
- Three-dimensional vortex simulation of time dependent incompressible internal viscous flows, 11A946
GHARBI, T: Roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 7A921
GHARIB, M: Experimental studies of vortex disconnection and connection at a free surface, 3A1003
- Experimental investigation of the vorticity generation within a spilling water wave, 8A257
- Vortex ring generation due to the coalescence of a water drop at a free surface, 9A1067
- Evolution of laminar vortex rings, 10A1067
- Effect of a discrete window offset on the accuracy of cross-correlation analysis of digital PIV recordings, 11A1196
GHASEMPOOR, A: Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, 4A402
GHASRIPOOR, F: Friction controlled materials wear testing and selection under starved lubrication, 2A929
- Effect of lubricant additives on the transition pressure from mild to severe wear for grey cast iron sliding pairs, 12A943
GHAYAMGHAMIAN, MR: Characteristics of nonlinear soil response and dynamic soil properties using vertical array data in Japan, 2A1380
GHAZANFARI, A: Application of simultaneous heat, mass, and pressure transfer equations to timber drying, 2A1268
GHAZI ZADEH, A: Neural network and fuzzy logic applications to vehicle systems: Literature survey, 9A378
GHAZI, SSA: Free vibration analysis of penta, heptagonal shaped plates, 7A141
GHERSI, A: Statistical analysis of seismic behavior of steel frame: Influence of overstrength, 7A1485
GHFIRI, H: Evaluation of the energy parameter J on rubber-like materials: Comparison between experimental and numerical results, 6A808
GHIAASIAAN, SM: Wall friction in annular-dispersed two-phase flow, 1A1016
- Numerical modeling of condensing two-phase flows, 3A1249
- Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5-MOD3 computer code, 5A973
- Liquid-side interphase mass transfer in cocurrent vertical two-phase channel flows, 5A1311
- Theoretical model for deposition of aerosols in rising spherical bubbles due to diffusion, convection, and inertia, 7A1436
- Heat transfer in a turbulent falling film subject to intense volumetric heating, 9A1117
- Modeling of turbulent vapor condensation with noncondensable gases, 11T1290
GHIDAGLIA, J-M: Mathematical Problems in the Theory of Water Waves, 4N6
GHIL, M: Extension of Arnol'd's second stability theorem for the Euler equations, 1A1060
- Mixed barotropic-baroclinic eddies growing on an eastward mid-latitude jet, 4T1075
- Stability of a front separating water masses with different stratifications, 11T1077
GHINDILIS, AL: Short-term canine implantation of a glucose monitoring-telemetry device, 5A1514
GHLAMALLAH, N: Seismic response of flexibly supported coupled shear walls, 3A1395
GHOBARAH, A: Response of transmission lines to multiple support excitation, 5A1417
- Seismic rehabilitation on reinforced concrete beam-column connections, 6A1456
- Engineering perspective for the seismic site response of alluvial valleys, 9A1471
- Moment-rotation relationship of blind bolted connections for HSS columns, 9A906
GHOFRANIAN, S: Multipayload modeling for the upper atmosphere research satellite, 2A842
GHOLAMI, HR: Transient free convection flow between two vertical parallel plates, 1A1178
GHONEIM, H: Application of the electromechanical surface damping to the vibration control of a cantilever plate, 4A824
- Volume-relaxation effects on the thermal-residual stresses in an injection-molded strip, 6A488
- Fluid surface damping versus constrained layer damping for vibration suppression of simply supported beams, 8A122
GHONEIM, M: Cyclic behavior of reinforced concrete low-rise shear walls - Part I: Experimental results, 9A862
- Cyclic behavior of reinforced concrete low-rise shear walls - Part 2: Discussions and design considerations, 11A779
- Flexural behavior of high-strength fiber reinforced concrete beams, 12A608
GHONEIM, ZA: Response of a laminar premixed flame to flow oscillations: A kinematic model and thermoacoustic instability results, 3A1316
GHONIEM, AF: Response of a laminar premixed flame to flow oscillations: A kinematic model and thermoacoustic instability results, 3A1316
- Boundary element method solution of the 3D internal Neumann problem and a regularized formulation for the potential velocity gradients, 7A59
- Three-dimensional vortex simulation of time dependent incompressible internal viscous flows, 11A946
GHORASHI, M: Vibration analysis of a Timoshenko beam subjected to a traveling mass, 8A141
GHORBANPOOR, A: Nonlinear FE solution for thin-walled open-section composite beams, 6A574
- Simplified analysis of thin-walled composite members, 6A571
GHORBEL, F: Uniform bound for the Jacobian of the gravitational force vector for a class of robot manipulators, 9T371
GHORBEL, I: Durability of closed-end pressurized GRP pipes under hygrothermal conditions - Part I: Monotonic tests, 4A570
- Durability of closed-end pressurized GRP filament wound pipes under hygrothermal aging conditions - Part II: Creep tests, 4A571
GHOSAL , AK: Numerical simulations of hole growth and ductile fracture initiation under mixed-mode loading, 3A700
GHOSAL, A: Singularity analysis of platform-type multi-loop spatial mechanisms, 8A969
GHOSAL, AK: Finite element study of the effect of void initiation and growth on mixed-mode ductile fracture, 9A26
GHOSE, S: M_w = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - 1: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, 12T1453
- M_w = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454
GHOSH MOULIC, S: Taylor-Couette instability of traveling waves with a continuous spectrum, 5A1032
- Taylor-Couette instability with a continuous spectrum, 11A1079
GHOSH, A: Linear fracture envelopes for fatigue assessment of welds in bridges, 2A656
- On-line parameter estimation scheme for generalized Stewart platform type parallel manipulators, 5A341
- Mechanism of spark generation during electrochemical discharge machining: A theoretical model and experimental verification, 6A696
GHOSH, J: Significance of J_1 to the prediction of shear bands, 7A435
GHOSH, KK: Exact solutions of nonlinear shallow water equations, 8A251
GHOSH, ML: Forced vertical vibration of four rigid strips on a semi-infinite elastic solid, 8A174
GHOSH, RN: Finite element solutions for stress intensity factors in longitudinally cracked cylindrical components, 7A719
GHOSH, S: Model for analysis of arbitrary composite and porous microstructures with Voronoi Cell FEs, 1A541
- R-S adapted arbitrary Lagrangian-Eulerian FEM for metal-forming problems with strain localization, 3A625
- New approach to optimal design of multi-stage metal forming processes with micro genetic algorithms, 6A679
GHOSH, US: Crystal field theory of magnetic behavior of $Er_2(SO_4)_3 \times 8H_2O$, 2T535
GHOSN, AA: Load Capacity of nested, laterally braced, cold-formed steel Z-section beams, 3A508
GHOSN, M: Development of an efficient program for the nonlinear analysis of bridges, 3A793
GHULCHAK, AM: H^∞ optimization problem with sign-indefinite quadratic form, 6T372
GHUMMAN, AR: Parameter identification for sediment routing in rivers, 3T991
GIACOMIN, AJ: Can nonlinear deformation amplify subtle differences in linear viscoelasticity?, 6A496
- Kinetic network model for nonlinear flow behavior of molten plastics in both shear and extension, 11A900
GIAKAS, G: Comparison of automatic filtering techniques applied to biomechanical walking data, 12A1542
- Optimal digital filtering requires a different cut-off frequency strategy for the determination of the higher derivatives, 12A1571
GIAKOUMIS, EG: Speed and load effects on the availability balances and irreversibilities production in a multi-cylinder turbocharged diesel engine, 7A299
GIAM, CL: Holographic evaluation of edge delamination in bars bonded to a rigid support with foam-adhesive, 1A803
GIAMBANCO, F: Computation of bounds on chosen measures of real plastic deformation for beams, 1A551
GIAMPAOLO, T: Gas Turbine Handbook: Principles & Practices, 9N23
GIAMPIETRO, O: Use of microtiter plates in the assay of urinary enzymes NAG and AAP: A useful time-and reagent-sparing procedure, 2T1469
- Automated measurement of urinary cholinesterase activity, 2T1465
GIANETTO, JA: Heat-affected zone toughness of a TMCP steel designed for low-temperature applications, 11A878
GIANNAKOGLOU, K: Vorticity-streamfunction formulation for steady incompressible 2D flows, 3A1051
GIANNAKOPOULOS, AE: Spherical indentation of compositionally graded materials: Theory and experiments, 9A442
- Analysis of pyramid indentation of pressure-sensitive hard metals and ceramics, 9A24
- Contact problem at delamination, 11A666
- Indentation of solids with gradients in elastic properties - Part II: Axisymmetric indentors, 11A379

- Indentation of solids with gradients in elastic properties - Part I: Point force, 11A378
GIANNAKOUDARIS, H: Tribological behavior of yttria-stabilized zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 7A892
GIANNATTASIO, P: Optimal vorticity conditions for the node-centered finite-difference discretization of the second-order vorticity-velocity equations, 2A38
GIANNI, R: Existence of a classical solution for a multidimensional filtration problem, 8A1392
GIANOULAKIS, SE: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
GIAT, Y: Model of fatigue and recovery in paraplegic's quadriceps muscle subjected to intermittent FES, 2A1479
GIBBONS, JH: This Gifted Age: Science and Technology at the Millennium, 8N32
GIBBS, BM: Investigation of an open screen acoustic performance, 6A342
- Effect of solar collector design parameters on the operation of solar Stirling power system, 8A1528
GIBBS, SJ: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193
GIBELING, J: Calcium buffering is required to maintain bone stiffness in saline solution, 3A1511
GIBELING, JC: Residual strength of equine bone is not reduced by intense fatigue loading: Implications for stress fracture, 7A1532
- Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, 7A1549
GIBERT, R-J: Influence of seismic waves spatial variability on bridges: A sensitivity analysis, 2A1385
GIBIANSKY, LV: Bounds on the complex bulk and shear moduli of a 2D two-phase viscoelastic composite, 9A448
- Use of homogenization theory to design optimal piezocomposites for hydrophone applications, 11A450
- Thermal expansion of isotropic multiphase composites and polycrystals, 12A1333
GIBSON JR, RL: Seismic radiation from explosively loaded cavities in isotropic and transversely isotropic media, 8A1492
GIBSON, AG: Squeeze flow testing of glass mat thermoplastic material, 5A569
GIBSON, ED: Tribological behavior of Cu-20% Nb and Cu-15% Cr in situ composites under dry sliding conditions, 4A881
GIBSON, LJ: Age-related differences in post-yield damage in human cortical bone: Experiment and model, 4A1475
- Tensile behavior of demineralized bovine cortical bone, 4A1479
- Effects of non-periodic microstructure and defects on the compressive strength of 2D cellular solids, 7A480
GIBSON, RF: Proceedings of the ASME Noise Control and Acoustics Division, Volume 2, 5N6
- Analysis and testing of dynamic micromechanical behavior of composite materials at elevated temperatures, 4A1267
- Integration of vibration testing and FE analysis for estimating dynamic mechanical properties of cantilever-beam samples, 6A146
- Dynamic mechanical properties of ceramics and ceramic composites at elevated temperatures, 8A792
- Thermal cycling effects on dynamic mechanical properties and crystallographic structures of silicon nitride-based structural ceramics, 10A777
GIBSON, V: Calcium buffering is required to maintain bone stiffness in saline solution, 3A1511
GIBSON, VA: Collagen fiber organization is related to mechanical properties and remodeling in equine bone: A comparison of two methods, 5A1463
- Residual strength of equine bone is not reduced by intense fatigue loading: Implications for stress fracture, 7A1532
- Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, 7A1549
GIDDENS, DP: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587
- Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, 10A1554
GIDDINGS, JR: Predictions of impacting sonic and supersonic jets, 9A1038
- Predictions of the structure of turbulent, highly underexpanded jets, 11A1056
GIEL, PW: Three-dimensional Navier-Stokes analysis and redesign of an imbedded bellmouth nozzle in a turbine cascade inlet section, 1A1112
GIELEN, CCAM: Relative activation of elbow-flexor muscles in isometric flexion and in flexion-extension movements, 12A1540
GIERENS, KM: Numerical simulations of persistent contrails, 6A1123
GIERSE, M: Operation control of circulating fluidized bed boilers, 4A1343
GIERULSKI, W: Optimization of energy reception in systems powered by periodical moment, 4T71
GIESE, RF: Surface thermodynamics and some engineering properties of an organo-clay, 11A549
GIESTAS, M: Influence of radiation absorption on solar pond stability, 2A1433
GIFFORD, WA: Use of 3D computational fluid dynamics in the design of extrusion dies, 10A1104
GIGUERE, P: Freestream velocity corrections for 2D testing with splitter plates, 12A1233
- Desirable airfoil characteristics for large variable-speed horizontal axis wind turbines, 12A1519
GIJSEN, FJH: Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, 4A1491
GIL-HUTTON, R: Number of objects in the original asteroid belt, 9A245
GIL-SEVILLANO, J: Fracture condition based on the upper bound method for the extrusion of bimetallic tubes, 4A656
GILAT, A: Effects of strain rate and thickness on the response of thin layers of solder loaded in pure shear, 12A1036
GILAT, T: Parameter-dependent model order reduction, 8T374
GILBERT, JA: Characterization of the panoramic annular lens, 5A722
GILBERT, KE: Direct optimization methods, ray propagation, and chaos - I: Continuous media, 7A279
- Direct optimization methods, ray propagation, and chaos - II: Propagation with discrete transitions, 7A280
GILBERT, PA: Geosynthetic tubes for confining pressurized slurry: Some design aspects, 3A538
GILBERT, RB: Model to design QA-QC programs for geomembrane liner seams, 11A503
GILBERT, RP: Acoustic waves in a shallow inhomogeneous ocean with a layer of sediment, 5A234
- Transmission loss in the far field over a one-layer seabed assuming the Biot sediment model, 10A1449
GILBERTSON, LG: Finite element methods in spine biomechanics research, 8A1558
GILBERTSON, MA: Motion of particles near a bubble in a gas-fluidized bed, 4A1432
GILCHRIST, A: Application of split-coefficient matrix method to transient two phase flows, 1A1023
- Buoyancy-induced flow through a narrow chamber containing an internal heat source: Comparison of experimental measurements and numerical simulations, 5A1134
GILCHRIST, MD: Mechanical performance of carbon-fiber and glass-fiber-reinforced epoxy I-beams - II: Fractographic failure observations, 5A677
- Stress intensity factors of embedded elliptical cracks and an assessment of the ASME XI defect recharacterization criteria, 7A723
- Analysis of Rayleigh-Lamb wave scattering by a crack in an elastic plate, 12A237
GILES, M: Navier-Stokes analysis of airfoils in oscillating transonic cascades for the prediction of aerodynamic damping, 8A1179
GILES, MB: Renumbering unstructured grids to improve the performance of codes on hierarchical memory machines, 9A48
- Stability and accuracy of numerical boundary conditions in aeroelastic analysis, 10A322
GILINSKY, MM: Nozzle thrust optimization while reducing jet noise, 9A1092
GILL, A: Numerical investigation of the combustion process in a direct-injection stratified charge engine, 6A1351
GILL, AW: Efficient analytic series solutions for 2D potential flow problems, 3A995
GILL, SPA: Variational approach to 2D grain growth - II: Numerical results, 5A395
- Variational approach to 2D grain growth - I: Theory, 5A394
GILLESPIE JR, JW: Design and optimization of a thermoplastic tow-placement process with *in situ* consolidation, 9A531
- Design and analysis of composite wraps for concrete columns, 10A615
- Mechanics of integral armor: Discontinuous ceramic-cored sandwich structure under tension and shear, 11A485
GILLETTE, G: Earthquake response of structures by structural mixture theory, 3A1380
GILLIES, RG: Flow of sand-water mixtures at velocities below the deposition condition, 9A1060
GILLUM, MJ: Experimental results on a Mach 14 waverider with blunt leading edges, 11A984
GILMORE, BJ: Efficient computation of the sensitivities of reciprocating engine dynamics to dimensional tolerances, 7A181
GILMORE, R: High frequency electrical measurements of adhesive bonded structures: An investigation of model parallel plate waveguide structures, 12A870
- Environmental ageing of adhesively-bonded joints - I: Dielectric studies, 12A1040
- Environmental ageing of adhesively-bonded joints - II: Mechanical studies, 12A1041
GILORMINI, P: Predicting the mechanical behavior of two-phase materials with cellular automata, 1A495
GILROY, P: Cross-flow heat transfer in the free-board region of a fluidized bed, 1A1197
GIMA, S: Natural convection to air from an array of vertical parallel plates with discrete and protruding heat sources, 4A1195
GIMENEZ-CURTO, LA: Application of Fourier methods to water waves in small depths, 11T189
GIMSE, T: Streamline computations for porous media flow including gravity, 4A1335
GINER, E: Calculation of the stress intensity factor and estimation of its error by a shape sensitivity analysis, 12A798
GINZBURG, LK: Reinforcement and Reconstruction of Foundations, 1N34
- Reinforcement and Reconstruction of Foundations, 7N19
GIONA, M: Identification of two phase flow regimes via diffusional analysis of experimental time series, 2A999
- Transport phenomena in fractal and heterogeneous media-input-output renormalization and exact results, 4A1283
GIORDANO, D: Comparison of catalytic wall conditions for hypersonic flow, 4A1006
- Vibrationally relaxing flow of N_2 past an infinite cylinder, 7A1056
GIORGI, T: Generalized Forchheimer equation for two-phase flow based on hybrid mixture theory, 11A1455
GIOT, M: Modeling of steady-state two-phase bubbly flow through a sudden enlargement, 11A1283
GIOVAGNONI, M: Frequency dependence of Poisson's ratio using the method of reduced variables, 4A785
GIOVANANGELI, JP: Experimental evidence of the rapid distortion of turbulence in the air flow over water waves, 2A239
GIPPERICH, C: Development of a removable grouting anchor (German), 12A699
GIRALT, F: Natural convection in a cubical cavity heated from below at low Rayleigh numbers, 1A1173
- Use of pattern recognition and proper orthogonal decomposition in identifying the structure of fully-developed free turbulence, 11A1118
- Simultaneous velocity and temperature patterns in the far region of a turbulent cylinder wake, 11T1058
GIRAUD, C: Physical simulations in rotating tank of lee cyclogenesis, 9A1016
GIRAULT, V: Finite-element error estimates for the MAC scheme, 1A61
- Weak and classical solutions of a family of second grade fluids, 8A1042
GIRGIS, S: Design and performance of a high work research turbine, 5A1087
GIRI, F: Dynamic modeling of a four-legged robot, 7A377
GIRIMAJI, SS: Fully explicit and self-consistent algebraic Reynolds stress model, 6A1155
GIRISH, V: Model for prediction of dimensional tolerances of laser cut holes in mild steel thin plates, 12A464
GITIS, NV: Experimental study of long-term static friction and magnetic slider-disk interplanar separation, 11A836
GIUA, A: H$_\infty$ formulation for the design of passive vibration-isolation system for cars, 5A320
GIUDICI, M: Differential system method for the identification of transmissivity and storativity, 11A1447
GIULIANO, G: Modeling of superplastic blow forming, 4A667
GIUNTA, AA: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
GIURGIUTIU, V: Solid-state actuation of rotor blade servo-flap for active vibration control, 1A151
- Passive and active tagging of glass-fiber polymeric composites for in-process and in-field non-destructive evaluation, 9A497
- Dynamic power and energy capabilities of commercially-available electro-active induced-strain actuators, 9A844
- Large-amplitude rotary induced-strain actuator, 9A389
GIURIANI, E: Low-cycle fatigue test on stud shear connectors, 7A961
- Local phenomena around a steel dowel embedded in a stone masonry wall, 11A735
GIVI, P: Differential diffusion in binary scalar mixing and reaction, 11A1384
GIVOLI, D: Finite element-quadratic programming approach for contact problems with geometrical nonlinearity, 1A440
- Nonlocal and local artificial boundary conditions for 2D flow in an infinite channel, 1A1043
- General nonlinear structural model of a multirod (multibeam) system - I: Theoretical derivations, 3A808
- High-order boundary conditions and FEs for infinite domains, 10A49
GIZDULICH, P: Converse piezoelectric effect detected in fresh cow femur bone, 3A1485
GJIKA, K: Transient response of structures on viscoelastic or elastoplastic mounts: Prediction and experiment, 6A212
GLADWELL, GML: Parameter selection strategies in FE model updating, 6A47
- Inverse vibration problems for FE models, 10A51
GLADYSHEV, MK: Computational and experimental investigations of ionization near hypersonic vehicles, 6A254
GLAESSGEN, EH: Finite element analysis of ply-by-ply and equivalent stress concentrations in composite plates with multiple holes under tensile and shear loading, 11A16
GLAGOV, S: Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, 10A1554
GLAHN, A: Two-phase air-oil flow in aero engine bearing chambers: Characterization of oil film flows, 1A1376
- Feasibility study on oil droplet flow investigations inside aero engine bearing chambers: PDPA techniques in combination with numerical approaches, 5A1373
GLAISTER, DS: Development and verification of a cryogenic Brilliant Eyes thermal storage unit, 2A837
GLANDIER, C: Sound propagation and radiation in a curved duct, 2A279
GLANDUS, JC: Muscular stabilization of the lumbar spine (French), 6T1528
GLANGETAS, L: Bifurcations of traveling waves in the thermo-diffusive model for flame propagation, 5A1326
GLANVILLE, MJ: Wind-induced deflections of free-standing lattice towers, 6A913
GLARBORG, P: Modeling of chemical reactions in afterburning for the reduction of N_2O, 1A1329
- Interactions of CO, NO_x, and H_2O under post-flame conditions, 2A1327
- Nitrogen chemistry during burnout in fuel-staged combustion, 5A1338
- Nitrous oxide emissions control by reburning, 5A1340
- Low temperature interactions between hydrocarbons and nitric oxide: An experimental study, 9A1367
GLASER, S: Insight into liquefaction by system identification, 6A647
GLASS, K: Adaptive tracking control of rigid manipulators using only position measurements, 6A427
GLASSER, BJ: Fully developed traveling wave solutions and bubble formation in fluidized beds, 9A1429
GLASSFORD, APM: Comparison of mass sensitivities of 10- and 15-MHz quartz crystal microbalances, 1T1307
GLASSMAN, I: Combustion, Third Edition, 6N25
- Analysis of fuel decay routes in the high-temperature oxidation of 1-methylnaphthalene, 6A1345
- Pyrolysis studies of methylcyclohexane and oxidation studies of methylcyclohexane and methylcyclohexane-toluene blends, 7A1413
GLATTLI, U: Quantitative description of multi-component reactive transport in porous media: An empirical approach, 6A1384
GLATZMAIER, GA: Anelastic evolutionary geodynamo simulation driven by compositional and thermal convection, 4A1099
GLATZMAIER, GC: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515
GLAUDE, PA: Inhibiting effect of CF_3I on the reaction between CH_4 and O_2 in a jet-stirred reactor, 10A1410
GLAUSER, MN: Proper orthogonal decomposition of pressure fluctuations surrounding a turbulent jet, 11A1057
GLAV, R: General formalism for analzying acoustic 2-port networks, 11A262
GLAVARDANOV, VB: Twisted axially loaded rod with shear and compressibility, 6A611
GLAWE, DD: Effects of nozzle geometry on parallel injection into a supersonic flow, 5A1011
GLAZ, HM: High-resolution solutions of stiff chemically reacting flows, 5A961
GLAZUNOV, VA: Analysis of the dynamics of parallel-structure mechanism with elastic links, 4T941
GLEASON, JM: Isotropic viscoplasticity theory based on overstress (VBO): The influence of the direction of the dynamic recovery term in the growth law of the equilibrium stress, 5A418
GLEDZER, E: Taylor hypothesis corrections for measured energy spectra of turbulence, 11A1088
GLEESON, AM: Spark-generated bubble model with semi-empirical mass transport, 9A264
GLEMA, A: Sensitivity analysis of buckling loads of physically nonlinear frames using dynamic and static criteria, 4A619
- Optimal design of reinforced concrete beams and frames, 9A832
GLENDENING, JW: Lineal eddy features under strong shear conditions, 6A1153
GLENDINNING, P: Bifocal homoclinic bifurcations, 8A89
GLENISTER, DJ: Fifty cent rheometer for yield stress measurement, 5A901
GLEZER, B: Liquid crystal thermography on the fluid solid interface of rotating systems, 8A1310

GLIMM, J: Numerical study for the 3D Rayleigh-Taylor instability through the TVD-AC scheme and parallel computation, 1A1064
- Mixed FEM for Hele-Shaw cell equations, 12A47
GLIMM, JG: Tracking of shear bands - I: The 1D case, 4A505
GLINIAK, JT: Probabilistic model for the growth of creep cracks, 11A669
GLINICKI, MA: Application of FRC in construction of the underground railway track, 4A568
GLINKA, G: Numerical and experimental evaluation of SIF for threaded connectors, 1A743
- Weight functions for an external longitudinal semi-elliptical surface crack in a thick-walled cylinder, 8A778
- Weight functions and stress intensity factors for longitudinal semi-elliptical cracks in thick-wall cylinders, 11A684
GLIZER, VY: Optimal planar interception with fixed end conditions: Approximate solutions, 10T467
GLOCKER, B: Arcjet thruster development, 5A1379
GLOCKER, C: Multibody Dynamics with Unilateral Contacts, 10R3
GLOCKNER, PG: Thermo-mechanical coupling applied to plastics, 4A11
- Effects of thermo-mechanical coupling in a plastic cylinder, 7A1358
GLODEZ, S: New model for the numerical determination of pitting resistance of gear teeth flanks, 8A729
- Fracture mechanics model for the wear of gear flanks by pitting, 12A947
GLORIEUX, C: Theory of Scholte, leaky Rayleigh, and lateral wave excitation via the laser-induced thermoelastic effect, 3A204
GLOVER, BM: New version of the Newton method for nonsmooth equations, 11T289
GLOWACKI, M: Simulation of rail rolling using the generalized plane-strain FE approach, 6A683
GLOWINSKI, R: Modeling and numerical simulation of low-Mach-number compressible flows, 1A1008
- Computational approach to controllability issues for flow-related models - I: Pointwise control of the viscous Burgers equation, 6A355
- Domain decomposition method for the acoustic wave equation with discontinuous coefficients and grid change, 10A387
GLOWNIA, M: Plasticity in the compression stress state, 1A475
GLOZMAN, M: Periodic solutions for a complex Hamiltonian system: New standing water-waves, 4A225
GLUCK, J: Design of supplemental dampers for control of structures, 6A863
- Economic evaluation of design codes: Case of seismic design, 6A1465
GLUCK, N: Design of supplemental dampers for control of structures, 6A863
GLUCK-HIRSCH, JB: Determination of the molecular weight between crosslinks of waxy maize starches using the theory of rubber elasticity, 7A985
GLUSHKOV, YV: Diffraction of elastic waves by 3D cracks of arbitrary shape in a plane, 3A209
GLUSHKOVA, NV: Diffraction of elastic waves by 3D cracks of arbitrary shape in a plane, 3A209
GNANADESIKAN, A: Mixing driven by vertically variable forcing: An application to the case of Langmuir circulation, 3A228
GNANN, C: Experiments on the rise of air bubbles in clean viscous liquids, 3A1076
GNEDENKO, VG: Problems of creating computer integrated manufacture for pilot mechanical engineering, 6T451
GNIOTEK, K: Dynamic permeability of textiles, 9A526
GNOFFO, PA: Hypersonic aerodynamic characteristics of a proposed single-stage-to-orbit vehicle, 2A839
- Aerodynamic analysis of commercial experiment transporter re-entry capsule, 4A859
GNYP, AW: Estimating film flow rate in a venturi scrubber, 11A1194
GOBIN, C: Evaluation of the environmental quality of buildings towards a more environmentally conscious design, 7A1526
GOBIN, P-F: Smart materials: A future for composites, 2T774
GODA, K: Response reduction effect by passive use of a wave impeding block (Japanese), 6A1448
- Three-dimensional transient response characteristics of soil stratum due to moving loads (Japanese), 11A1484
GODANO, C: Multifractal approach to time clustering of earthquakes: Application to Mt Vesuvio seismicity, 9A1463
GODBOLE, SA: LDA measurements of velocities in a simulated collapsed tube, 12A1569
GODEFERD, FS: Energy transfer in rotating turbulence, 10A1181
GODICHON, A: Criteria for the choice of fans for use in thermal power plant applications, 8A1237
GODIN, OA: Reciprocity and energy theorems for waves in a compressible inhomogeneous moving fluid, 10A303
GODIN, P: High-lift aerodynamic computations with one- and two-equation turbulence models, 7A1178
GODIN, T: High-temperature reactive flow of combustion gases in an expansion turbine, 12A1176
GODLEVSKII, VA: Penetrability of lubricants as the characteristic of metal cutting efficiency, 2A595
GODOY, LA: Postbuckling of 1D elements with thin-walled angle section using simplified models, 6A609
- Imperfection sensitivity of fiber micro-buckling in elastic-nonlinear polymer-matrix composites, 9A471
GODWIN, R: Early detection of feedwater-heater leaks, 11T1364
GODYAK, VA: Approximation of the bounded plasma problem by the plasma and the sheath models, 4A1097
GODZIMIRSKI, J: Investigation of higher temperature influence on Epidian 57 strength (Polish), 9A981
- Method and testing results of regenerating gluing cements (Polish), 9A928
GOEHNER, K: Maximal contraction lessens impact response in a muscle contusion model, 3A1497
GOEL, SC: Seismic design and testing of an RC slab-column frame strengthened by steel bracing, 6A1469
- Seismic strengthening of unreinforced masonry piers with steel elements, 6A1368
GOEL, VK: Finite element methods in spine biomechanics research, 8A155B
- Protocol to evaluate semi-rigid pedicle screw systems, 12A1582
GOELEVEN, D: New models for a class of adhesive grippers: The hemivariational inequality approach, 6A409
- Bifurcation theory for a nonconvex unilateral laminated plate problem formulated as a hemivariational inequality involving a potential operator, 8A73
GOERING, DJ: Dual influence of curvature and buoyancy in fully developed tube flows, 8A1292
GOETHE, JE: Experimental investigation of the failure modes in hybrid ceramic matrix composites, 1A759
GOETTING, HC: Adaptive lightweight CFRP strut for active vibration damping in truss structures, 3T134
GOETTLER, R: Damage in a $[0/90]_s$ nicalon-reinforced CAS glass ceramic composite, 1A755
GOETZBERGER, A: Synergies in solar energy, 8T1542
GOGGIN, PJ: Automated matched flutter optimization of the HSCT aircraft, 1A288
GOGLIA, P: Evaluations of diamond-like-carbon film optical constants and their effects on flying height determination, 4A901
- Statistical model for interpreting hard disk drive stiction measurements, 7A868
GOGNA, ML: Rayleigh wave dispersion equation for a layered spherical earth with exponential function solutions in each shell, 3A203
GOGONIN, II: Heat and mass transfer experimental study during condensation of vapor-gas flow: Review, 6A1259
GOH, BS: Algorithms for unconstrained optimization problems via control theory, 8A390
GOH, CJ: Approximate output feedback optimal control of higher-order dynamical systems, 12A364
GOH, GKL: Transitions in wear mechanisms of alumina cutting tools, 7A891
- Effect of grain size on wear behavior of alumina cutting tools, 12A942
GOH, JOO THIAM: Hybrid coupled wave-number integration approach to range-dependent seismoacoustic modeling, 3A321
GOIZALDE AJURIA, MB: Method for the optimization of the kinematical behavior of linkages (Spanish), 3A917
- Procedure for the optimal synthesis of planar mechanisms based on nonlinear position problems, 10A143
GOKALP, I: Variable density effects in axisymmetric isothermal turbulent jets: A comparison between a first- and a second-order turbulence model, 5A1313
- Studies on the ignition and burning of levitated aluminum particles, 6A1325
GOKHALE, AM: Modeling of non-uniform spatial arrangement of fibers in a ceramic matrix composite, 12A569
GOKTAN, AG: Vehicles and environment, 11T1555
GOKTUN, S: Finite-time optimization of a solar-driven heat engine, 3A1451
GOL'DFARB, VI: Meshing characteristics of the spiroid gearings (Polish), 9A957
GOL'DSHTEIN, RV: Rigid-plastic analysis of the limiting equilibrium of an edge cleavage crack in a rectangular plate, 7A728
GOLACKI, Z: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
GOLANSKI, D: Macro and micro scale modeling of thermal residual stresses in metal matrix composite surface layers by the homogenization method, 9A678
GOLASZEWSKI, J: Compressive strength development of condensed silica fume modified mortars, 2A801
GOLBERG, MA: Discrete Projection Methods for Integral Equations, 8R2
- Bibliography on radial basis function approximation, 5T64
- Improved multiquadric approximation for partial differential equations, 7A54
GOLDBERG, K: Existence of solutions in modular fixturing, 6A444
GOLDBERG, U: Wall-distance-free low Re k-ϵ turbulence model, 11A1119
GOLDBERG, UC: Exploring a three-equation R-k-ϵ turbulence model, 7A1152
GOLDEN, HJ: Predictions of nonlinear viscoelastic behavior using a hybrid approach, 5A403
GOLDENBERG, AA: Soft robotic fingertips - Part I: A comparison of construction materials, 2A337
- Comparitive study of robust saturation-based control of robot manipulators: Analysis and experiments, 4A446
- Experimental study of nonlinear stiffness, hysteresis, and friction effects in robot joints with harmonic drives and torque sensors, 10A528
GOLDENBERG, M: Dry deposition of nonspherical particles on natural and surrogate surfaces, 12A1421
GOLDFARB, I: Sound and weak shock wave propagation in gas-liquid foams, 10T306
GOLDMAN, A: Sonoluminescence: An alternative "electrohydrodynamic" hypothesis, 9A1069
GOLDMAN, M: Sonoluminescence: An alternative "electrohydrodynamic" hypothesis, 9A1069
GOLDMAN, P: "Snapping" torsional response of an anisotropic radially loaded rotor, 10A239
GOLDSCHMIDT, VW: Impact of manifold design on heat exchanger efficiency, 11A1274
GOLDSHLEGER, UI: Comparison of potential fuels for Martian rockets using CO_2, 10A1428
GOLDSHTEIN, A: Resonance gas oscillations in closed tubes, 3A1056
- Mechanics of collisional motion of granular materials - Part 4: Expansion wave, 6A1367
GOLDSHTEIN, RV: Asymptotic analysis of the 3D problem on a crack-delamination in a two-layer plate, 5A623
GOLDSMITH, NT: Growth model for catastrophic cracking in an RAAF aircraft, 4A701
GOLDSMITH, W: Introduction to Bioengineering, 7R29
- Phenomenological model for perforation of moderately thick plates by tumbling projectiles, 2A208
- Projectile perforation of moving plates: Experimental investigation, 6A256
GOLDSTEIN, DB: Nose-tip surface heat reduction mechanism, 5A963
GOLDSTEIN, ME: Nonlinear evolution of a pair of oblique Tollmien-Schlichting waves in boundary layers, 11A1067
GOLDSTEIN, RJ: Flow visualization in a linear turbine cascade of high performance turbine blades, 8A1257
- Energy separation in a jet flow, 9A1093
- Experimental mass (heat) transfer in and near a circular hole in a flat plate, 9A1240
- Total-coverage discrete hole wall cooling, 10A1296
- Air venting in pressure die casting, 11T1103
- Onset and development of natural convection above a suddenly heated horizontal surface, 11A1242
- Row-of-holes film cooling of curved walls at low injection angles, 12A1253
GOLDSTEIN, SA: Trabecular bone adaptation to variations in porous-coated implant topology, 7A1535
GOLEBIOWSKA-ROZANOW, M: Vibration and stability of an elastic column subject to a generalized load, 6A157
GOLIAS, NA: Delaunay triangulation and 3D adaptive mesh generation, 10A47
GOLLAHALLI, SR: Lift-off characteristics and flame base structure of coal seeded gas jet flames, 5A1334
- Partially premixed laminar gas flames from triangular burners, 9A1358
- Structure of the flow field of a nonpremixed gas jet flame in cross-flow, 12A1366
GOLLEY, BW: Natural frequencies of rectangular plates, 6T165
- Time-stepping procedure for structural dynamics using Gauss point collocation, 6A193
- Solution of open and closed elastica using intrinsic coordinate FEs, 11A497
GOLLHARDT, N: Study of fatigue and creep behavior of four high temperature solders, 5A598
GOLLUB, JP: Patterns and spatiotemporal chaos in parametrically forced surface waves: A systematic survey at large aspect ratio, 4A229
GOLNARAGHI, MF: Application of center manifold theory to regulation of a flexible beam, 10A151
- Theoretical and experimental implementation of a control method based on saturation, 12A214
GOLO, G: Decomposition principle based on sliding mode in variable structure system with proportional-plus-integral action, 10A436
GOLOBIC, I: Effects of heater-side factors on the saturated pool boiling critical heat flux, 10T1319
GOLOMBOK, M: Fuel effects on knock, heat release, and "CARS" temperatures in a spark ignition engine, 2A1344
GOLOS, KM: Multiaxial fatigue criterion with mean stress effect, 5A610
GOLOSINSKI, TS: Mining Science and Technology 1996, 3N44
GOLOUBEVA, E: Electroelastic properties of cracked piezoelectric materials under longitudinal shear, 8A623
GOLOVAN, OA: Asymptotic solution for the nonlinear dynamic problem of mechanical systems with time dependent parameters, 1A113
GOLOVCHAN, VT: Analysis of dependence of macroscopic shift modules of porous fibrous composite on the parameters of its structure (Russian), 12T563
GOLOVIN, AA: Nonlinear evolution and secondary instabilities of Marangoni convection in a liquid-gas system with deformable interface, 12A1140
GOLOVITCHEV, VI: Autoignition of methane mixtures: The effect of hydrogen peroxide, 1A1308
GOLOZUBOV, AL: Investigation of physical, mechanical and tribological behavior of hard coatings, 2A915
GOLRIZ, MR: Suspension-to-wall heat transfer in a 12-MW_{th} circulating fluidized-bed combustor, 1A1330
GOLSE, F: Diffusion approximation and hyperbolic automorphisms of the torus, 10A1276
GOLTSEV, AS: Stressed state of the isotropic layer with a crack (Russian), 12A819
GOLUBEV, NF: Approaches and criteria used in estimating the longevity and wear-resistance of materials, 8T947
GOLUBEV, VV: Sound propagation in an annular duct with mean potential swirling flow, 6A333
GOLUCKE, K: Description of air and water flow in soils on the basis of the theory of porous media (German), 12A1426
GOLZ, T: Arcjet thruster development, 5A1379
GOMBERG, J: Dynamic deformations of shallow sediments in the Valley of Mexico - Part II: Single-station estimates, 12A685
- Transient triggering of near and distant earthquakes, 12A1451
- Dynamic deformations of shallow sediments in the Valley of Mexico - Part I: 3D strains and rotations recorded on a seismic array, 12A684
GOMBERT, A: Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, 3A1259
GOMES CORREIA, A: Euroflex 93, 1N25
GOMES, A: Nonlinear cyclic stress-strain relationship of reinforcing bars including buckling, 12A650
GOMES, MGFM: Numerical simulation of the "pull-in" operation in submarine pipelines, 12A24
GOMES, MSP: Retention of inertialess particles in the near wake region of a 2D flat plate placed normal to an aerosol-laden freestream, 8A1442
GOMES, RC: Comparisons of predicted and observed failure mechanisms in model reinforced soil walls, 3A611
GOMES, RS: Mapping for nonconservative systems, 11A237
GOMEZ LAHOZ, M: Two-way nesting procedure for the WAM model: Application to the Spanish coast, 8A1509
GOMEZ, A: Co-flow laminar diffusion flames of monodisperse sprays: Structure, evaporation, and microgravity effects, 4A1288
- Dilute laminar spray diffusion flames near the transition from group combustion to individual droplet burning, 12A1358
GOMEZ, F: Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, 12A1438
GOMEZ, J: Establishing R_w and C_p factors for confined masonry buildings, 3A1404
GOMI, H: Study on bond mechanism of steel fiber reinforced ultra rapid hardening concrete applied to concrete overlay (Japancse), 2T783
GOMI, T: Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part I: Unconfined circular jets, 6A1222
- Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part II: Initially laminar confined slot jets, 6A1223
- Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, 9A1206
GOMICIAGA, R: CFD based design techniques for thermal prediction in a generic two-axial groove hydrodynamic journal bearing, 12A1205
GOMMERS, B: Modeling the elastic properties of knitted-fabric-reinforced composites, 2A452
GONCALVES , JPM: Isoparametric interface FE for 3D - Problems (Spanish), 7A41
GONCALVES, JF: Reliability based design with a degradation model of laminated composite structures, 2A763
- Approach to probabilistic optimal design of composite materials under service conditions (Spanish), 4A535
GONCALVES, PB: Numerical method for vibration analysis of cylindrical shells, 11A132
GONCCALVES , PB: Free vibration analysis of cylindrical tanks partially filled with liquid, 2A240

GONCHARENKO, VI: Shimmy analysis of asymmetric landing gear (Russian), 12A205
GONCZY, ST: Thermal and Mechanical Test Methods and Behavior of Continuous-Fiber Ceramic Composites, 9N20
GONG , L: Analysis and computation of nonlinear dynamic response of a 2-dof system and its application in aeroelasticity, 11A226
GONG, DELI: Investigation of the influence of CaS, CaO and CaF_2 fillers on the transfer and wear of nylon by microscopy and XPS analysis, 2A865
GONG, H: Quantitative data for precision, closed-die, forging: Internal deformations and computer simulations, 8A692
GONG, HANSHENG: Investigation on the revision of the formula for calculating stability threshold speed of turbine-generator bearings (Chinese), 2A70
GONG, JIANZHENG: Maximum power of a combined-cycle isothermal chemical engine, 11A1198
GONG, QUANMEI: Dispersion characteristics of Rayleigh wave in anisotropic layered soils (Chinese), 2A189
GONG, R: Effects of bulk flow pulsations on film-cooled boundary layer structure, 9T1083
- Bulk flow pulsations and film cooling: Flow structure just downstream of the holes, 12A1118
GONG, SW: Elastic impact response of glass-epoxy laminated ogival shells, 1A537
- Central and noncentral normal impact on orthotropic composite cylindrical shells, 2A210
GONG, WEIGUO: In-process monitoring of tool damage by active method: Behavior of damping ratio with cutting conditions (Japanese), 3A879
GONG, Z-X: Exergetic analysis of energy storage using multiple phase-change materials, 3A1214
GONG, ZHEN-XIANG: Cyclic heat transfer in a novel storage unit of multiple phase change materials, 2A1277
- Finite element analysis of a multistage latent heat thermal storage system, 6A1296
- Finite element analysis of cyclic heat transfer in a shell-and-tube latent heat energy storage exchanger, 11A1366
GONG, ZHIMING: Robust input to state stabilization for minimum-phase nonlinear systems, 10T429
GONGWER, PE: Condensed-phase kinetics of cyclotrimethylenetrinitramine by modeling the T-jump-infrared spectroscopy experiments, 3A1322
- Kinetics and products from flash pyrolysis of cellulose acetate butyrate at 460°C - 600°C, 10A1412
GONTARZ, A: Analysis of the drop forging of a piston using slip-line fields and FEM, 4A661
GONTHIER, KA: Numerical investigation of transient detonation in granulated material, 4T1328
GONTIER, C: Approach to the periodic and chaotic behavior of the impact oscillator by a continuum method, 7A90
- Dynamic modeling of railway track: A periodic model based on a generalized beam formulation, 8A932
GONZALEZ , JE: Study of droplet sprays prior to impact on a heated horizontal surface, 11A1296
GONZALEZ DE SANTOS, P: Terrain-adaptive gait for walking machines, 12A434
GONZALEZ, JA: New method for *in-situ* measurement of electrical resistivity of reinforced concrete, 1A847
GONZALEZ, JJ: Influence of loading rate on hydrogen induced cracking of microalloyed steels, 12A773
GONZALEZ, M: Acoustic instability of a premixed flame propagating in a tube, 5A1346
- Modeling finite-rate chemistry effects in nonpremixed turbulent combustion: Test on the bluff-body stabilized flame, 12A1365
GONZALEZ, O: Stability of symplectic and energy-momentum algorithms for nonlinear Hamiltonian systems with symmetry, 3A112
GONZALEZ, RR: Numerical analysis of an extremity in a cold environment including countercurrent arterio-venous heat exchange, 10A1550
GONZALEZ, RV: Differential system method for the identification of transmissivity and storativity, 11A1447
- Neural network approach to electromyographic signal processing for a motor control task, 12A1563
GONZALEZ-CABALLERO, F: Study on the adhesion of calcium carbonate to glass: Energy balance in the deposition process, 2A944
GONZALEZ-CINCA, R: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983
GONZALEZ-GALVAN, EJ: Application of a precision-enhancing measure in 3D rigid-body positioning using camera-space manipulation, 10A538
GOOD, JK: Orthotropic viscoelastic winding model including a nonlinear radial stiffness, 10A575
GOOD, V: Charnley wear model for validation of hip simulators - ball diameter versus polytetrafluoroethylene and polyethylene wear, 10A1562
GOODALL, CV: Principles of Space Instrument Design, 10N23
- Mechanical design for JET-X aperture door, 9T961
GOODBREAD, J: Newly designed oscillating viscometer for blood viscosity measurements, 5A1512
GOODINGS, DJ: Centrifuge modeling of geotextile-reinforced cohesive soil retaining walls, 3A602
- Modeling of sinkholes in weakly cemented sand, 6A643
GOODMAN, L: Acoustic scattering from a thermally driven buoyant plume, 3A305
GOODMAN, RE: Vector analysis of keyblock rotations, 6A668
GOODSON, KE: Microelectromechanical Systems, 3N10
GOODSON, TD: Optimality and guidance for planar multiple-burn orbit transfers, 5A308
GOODWILL, IM: Finite volume method for steady state 2D shallow water flows, 8T1085
GOODWIN, AA: Flexural strength and interlaminar shear strength of stitched GRP laminates following repeated impacts, 12A590
GOODWIN, AK: Equipment for 1D compression and triaxial testing of unsaturated granular soils at low stress levels, 12A691
GOODWIN, MJ: Calculation and measurement of the stiffness and damping coefficients for a low impedance hydrodynamic bearing, 7A1202
GOPALAKRISHAN, S: Fractal geometry applied to on-line monitoring of surface finish, 4A801
GOPALAKRISHNA, S: Natural convection in shallow, horizontal air layers encountered in electronic cooling, 11A1234
GOPALAN, A: Ultrasonic studies on poly(methylmethacrylate) in Dioxane, 10A334
GOPALAN, S: Image shifting for PIV using birefringent and ferroelectric liquid crystals, 4A1180
GOPALSAMY, K: Subharmonic orbits in an anharmonic oscillator, 9A107
GOPALSAMY, S: Mixed-hybrid FEM for anisotropic plate bending problems, 6A597
GOPINATH, A: Proceedings of the ASME Heat Transfer Division, Volume 1, 3N41
GORANSSON, A: Enhancing hydrostatic gear efficiency through nonlinear optimal control strategies, 6A950
GORBAL', SI: Integrodifferential equations of the problem of the scattering of elastic waves by a plane thin-walled inclusion of large stiffness, 3A211
GORBALEV, NN: Wear of the main elements in a ball mechanism of free-travel, 1A884
GORBATKIN, SM: Thin Films and Surfaces for Bioactivity and Biomedical Applications, 6N29
GORBIS, ZR: Momentum and Heat Transfer in Turbulent Gas-Solid Flows, 7R21
GORCE, P: Behavior synthesis of the erect stance for a biped control, 9A390
GORCHAKOVA, NG: Processes of molecular energy exchange at the interaction of low-density supersonic flows, 1T999
GORDANINEJAD, F: Modeling and analysis of a shape memory alloy-elastomer composite actuator, 3A399
GORDEICHIK, BN: Uniform approximations of the fundamental solution of the equation of internal waves, 6A281
GORDEYEV, SV: Wavelet transform analysis applied to unsteady aspects of supersonic jet screech resonance, 8A1098
GORDIS, JH: Analytic disassembly of structural matrices, 2A102
- Omitted coordinate systems and artificial constraints in spatially incomplete identification, 2A309
GORDON, GA: In situ measurement of the Young's modulus of an embedded inclusion by acoustic microscopy, 10A859
GORDON, JM: Compact high-flux two-stage solar collectors based on tailored edge-ray concentrators, 3A1444
- Diagnostics and optimization of reciprocating chillers: Theory and experiment, 7A1230
- 100-sun linear photovoltaic solar concentrator design from inexpensive commercial components, 8A1515
- High-flux photovoltaic solar concentrators with kaleidoscope-based optical designs, 9A1534
GORDON, M: Riemann problems for an elastoplastic model for antiplane shearing with a nonassociative flow rule, 6A516
GORDON, MH: Numerical investigation of an improved gas and steam turbine seal, 8A961
GORDON, MS: Plane shear waves in a fully saturated granular medium with velocity and stress controlled boundary conditions, 8A1446
GORDON, SD: Probability distribution for the complex field of waves propagating in random media, 1A312
GORDON, TJ: Modcrated reinforcement learning of active and semi-active vehicle suspension control laws, 7A357
- Parametric identification of multibody models for crash victim simulation, 12A1545
GORE, JP: Exhaust and in-situ measurements of nitric oxide for laminar partially premixed C_2H_4-air flames: Effect of premixing level at constant fuel flowrate, 2A1317
- Radiative efficiency of a quartz radiant heating tube, 4A1302
- Discrete probability function method for the calculation of turbulent particle dispersion, 6T1158
- Emissions characteristics of liquid-fueled pilot stabilized lean premixed flames in a tubular premixer-combustor, 12A1371
- Effects of gas-band radiation on soot kinetics in laminar methane-air diffusion flames, 12A1384
- Effects of surface properties on radiative transfer in a cylindrical tube with a nonparticipating medium, 12A1304
GORELENKO, AY: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
GORELOV, VA: Computational and experimental investigations of ionization near hypersonic vehicles, 6A254
GOREN, O: Bow form optimization of displacement ships by mathematical programming, 12A1162
GORI, F: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329
GORIELY, A: Nonlinear dynamics of filaments - II: Nonlinear analysis, 12A643
- Nonlinear dynamics of filaments - I: Dynamical instabilities, 12A642
GORIN, AV: Heat transfer between a filtrating fluid and channel walls in packed beds, 5T907
GORINEVSKY, D: Sampled-data indirect adaptive control of bioreactor using affine radial basis function network architecture, 9T373
GORIUS, A: Single fiber microbuckling in a model composite, 5A496
GORKUSHA, AE: Specific features of the formation of a hydrodynamic-lubricant layer in bearings made of a metalfluoroplastic band, 4A929
GORLA, C: Comparative study of multiaxial high-cycle fatigue criteria for metals, 12A767
GORLA, RSR: Combined convection in an axisymmetric stagnation flow of micropolar fluid, 2A1174
- Effects of transverse magnetic field on mixed convection in a micropolar fluid on a horizontal plate with vectored mass transfer, 5A1179
- Mixed convection in non-Newtonian fluids along a vertical plate in a porous medium, 5A1182
- Transient free convection in micropolar fluids from an isothermal horizontal circular cylinder, 7A1252
- Coucttc flow heat loss model for the rotary combustion engine, 8A1330
- Finite element analysis of a flat plate solar collector, 8A34
- Effect of a transverse magnetic field on natural convection in micropolar fluids, 9A1132
- Mixed convection in non-Newtonian fluids along a horizontal plate in a porous medium, 9A1438
- Natural convection boundary layer flow of a micropolar fluid along a vertical plate in a thermally stratified medium, 9A1084
GORLENKO, OA: Simulation of rough surface contact, 5A846
GORMAN, DJ: Superposition-Galerkin method for free vibration analysis of rectangular plates, 1A186
- Vibration of rectangular membranes with linearly varying tension and low flexural rigidity, 2A130
- Accurate free vibration analysis of shear-deformable plates with torsional elastic edge support, 12A186
- Free vibration of partially clamped rectangular plates with and without rigid point supports, 12A178
GORODKIN, SR: Magnetorheological fluid-based seal, 6A958
GOROKHOVSKI, MA: Statistical model of turbulent premixed combustion with interacting flamelets, 9A1363
GOROVAYA, TA: Quick cure of thermosetting composites, 4A1271
GORREPATI, KM: Analysis of modal parameters of adhesively bonded double-strap joints by the modal strain energy method, 11A112
GORSE, C: Nonequilibrium vibrational kinetics in the boundary layer of re-entering bodies, 1A1005
GORSHKOV, AG: Cylindrical shell in a nonstationary flow of viscous fluid, 5A199
- Resultant reactions in the transient contact problem for an anisotropic elastic half-space, 8A486
- Exposure of structural elements made from composite materials to high-intensity energy fluxes, 12T584
GORSKA, M: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \leq x \leq 0.09$), 9A1335
GORYACHEV, AP: Study of wheel-rail friction, wear and cumulative damage, 5A830
GORYACHEV, SA: Substantiation of the loading scheme for a single-axle trailer subjected to dynamic tests, 8A406
GORYACHEVA, I: Viscoelastic effects in lubricated contacts, 3A878
- Internal stresses in contact of a rough body and a viscoelastic layered semi-infinite plane, 11A417
GORYACHEVA, IG: Contact problem for regular array of punches on an elastic layer bonded to an elastic substrate, 2A392
- Model for tool wear in rock cutting, 3A858
- Study of wheel-rail friction, wear and cumulative damage, 5A830
GORZELITZ, V: Experimental and theoretical investigations of heat transfer in closed gas-filled rotating annuli II, 11A1249
GOSE, S: Study on lateral resistance properties of pile groups (Japanese), 2A562
GOSHIMA, T: Stress intensity factors of multiple radial edge cracks at a circular hole in an infinite plate due to rotating heat source, 10A805
GOSLING, PD: Optimal structural membranes - I: Formulation of a curved quadrilateral element for surface definition, 4A602
- Optimal structural membranes - II: Form-finding of prestressed membranes using a curved quadrilateral FE for surface definition, 4A603
- Geometrically constrained thickness optimization of flexible beams, 4A810
GOSLING, TJ: Implementing image stresses in a 3D dislocation simulation, 9A457
GOSSARD, EE: Ground-based remote sensing of the atmospheric boundary layer: 25 years of progress, 2T1417
GOSSELIN, C: Finite strip element for the analysis of variable thickness rectangular thick plates, 8A590
GOSTELOW, JP: Effects of streamwise pressure gradient on turbulent spot development, 5A987
- Transition length prediction for flows with rapidly changing pressure gradients, 5A991
GOSWAMI, DW: Chemically enhanced sunlight for killing bacteria, 8A1525
GOSWAMI, DY: Conjugate heat transfer analysis of fluid flow in a phase-change energy storage unit, 1A1273
- Photocatalytic disinfection of indoor air, 8A1538
- Techno-economic analysis of solar detoxification systems, 11A1547
- Review of engineering developments of aqueous phase solar photocatalytic detoxification and disinfection processes, 11A1539
GOSWAMI, T: Low cycle fatigue life prediction: A new model, 10A779
- Dwell sensitivity fatigue behavior of high temperature materials, 11A642
GOSZ, J: Admissible approximations for essential boundary conditions in the reproducing kernel particle method, 6A12
GOSZ, M: Effect of out-of-plane properties of a polyimide film on the stress fields in microelectronic structures, 3A18
GOSZCZYNSKI, S: Local load-carrying capacity of slabs in the light of tests and four effort hypotheses, 2A779
GOTAC, PR: Interaction of liquid reacting droplets with the pulsating flow in a Rijke-tube combustor, 6A1340
GOTO, A: Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 1: Design and numerical validation, 1A1104
- Experimental and numerical study of 3D flows in a mixed-flow pump stage, 1A1103
GOTO, E: Experimental study on applicability of high sensitivity radar to diagnosis of impermeable asphalt layer (Japanese), 2A576
- Formulas for viscous fluid and heat flows around a hexagonal lattice of circular tubes, 2A957
GOTO, F: MHD stability of boundary layer flow over a moving flat plate, 1A1087
GOTO, H: Development of scanning type minature 2D image sensor (Japanese), 9A376
GOTO, K: Lapping system for improving the waviness of ultra-precision steel balls (Japanese), 8A722
GOTO, T: Development of dual servo STM (Japanese), 1A799
- Changes in electromagnetic properties during thermal aging of duplex stainless steel, 9A713
GOTO, Y: Stability Design of Semi-Rigid Frames, 4R12
- Rigorous method for the analysis of localization behavior of compression plate (Japanese), 3A518
- Localization of axisymmetric buckling patterns of cylindrical shells under cyclic loading (Japanese), 3A560
- Buckling analysis of elastic space rods under torsional moment, 3A549
- Behavior of tall buildings with mixed use of rigid and semi-rigid connections, 5A795
- Effective length factor of columns in semirigid and unbraced frames, 9A900
- Modeling of steel bridge pier base to footing connections under cyclic loading (Japanese), 11A814
- Study of Eurocode 3 steel connection classification, 11A808
GOTOH, T: Effects of anisotropic pressure Hessian on the interaction between vorticity and strain fields, 4A970
- Study on B-spline surface fitting onto dense measured point data: Method of setting knot location and parameter with considering curvature (Japanese), 5A66
GOTOU, E: In-process measurement of wear of abrasive grain - 3rd Report: Evaluation of image acquired under wet condition (Japanese), 4A909
GOTSIS, AD: Transient and steady-state rheological behavior of the thermotropic liquid crystalline polymer Vectra B950, 3A957

- Influence of the flow history on stress growth and structure changes in the thermotropic liquid crystalline polymer Vectra B950, 9A984
GOTSIS, PK: Progressive fracture of fiber composite build-up structures, 9A759
GOTTFREDSEN, FR: Determination of length changes due to moisture variations in autoclaved aerated concrete, 10A854
GOTTHARDT, R: Materials for Smart Systems II, 10N7
GOTTLIEB, D: Superconvergence of Galerkin methods for hyperbolic IBVP, 3A26
- Spectral methods on arbitrary grids, 5T69
GOTTLIEB, HPW: Isodynamical tracks and potentials, 8A96
- Fundamental frequency of tensioned free-free beams, 10T180
GOTTLIEB, O: Spectral element methods for nonlinear temporal dynamical systems, 3A143
- Numerical solutions of forced vibration and whirling of a nonlinear string using the theory of a Cosserat point, 4A131
- Spectral element methods for nonlinear spatio-temporal dynamics of an Euler-Bernoulli beam, 6A156
- Nonlinear dynamics of a coupled surge-heave small-body ocean mooring system, 8A189
- Chaotic rotation of triaxial ellipsoids in simple shear flow, 11A92
GOTTMANN, M: Thermal control system for lunar base cooling, 1A1271
GOTTO, A: Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 2 : Experimental validation, 1A1105
GOTZ, IG: Spherically symmetric Stefan problem with the Gibbs-Thomson law at the moving boundary, 1A1239
GOU, XINGYU: Nonlinear dynamical characteristics analysis of tethered subsatellite in the presence of offset, 6A931
GOUAIR, H: Notch effect in brittle-ductile transition: General concept (French), 8A775
GOUDEAU, JC: Propagation of a reaction front through a porous fuel in the presence of an opposed forced flow: Application to mixtures characteristic of municipal waste, 2A1310
GOUDIMENKO, NN: On-line control of machine tool vibration in turning, 11A158
GOUIN, H: Nucleation of spherical shell-like interfaces by second gradient theory: Numerical simulations, 3T1078
GOULD, RD: Towards better uncertainty estimates for turbulence statistics, 7A1159
- Experimental and numerical study of the isothermal flowfield behind a bluff body flameholder, 10A1089
GOULDIN, FC: Turbulent flow normal to a triangular cylinder, 8A1192
GOULTER, IC: Stochastic Hydraulics '96, 4N26
GOUMILEVSKI, AG: Acoustic characterization of an adult bubble injected into a fully developed turbulent flow field, 7A255
GOURGEON, L: Assessment of Navier-Stokes and boundary layer procedures for the prediction of 2D viscous flow in a turbine nozzle, 8A1245
GOURLAY, MR: Wave set-up coral reefs - 1: Set-up and wave-generated flow on an idealized 2D horizontal reef, 2A223
- Wave set-up on coral reefs - 2: Set-up on reefs with various profiles, 4T227
GOURLEY, BC: Representation of concrete-filled steel tube cross-section strength, 6A918
- Cyclic nonlinear model for concrete-filled tubes - I: Formulation, 11A13
- Cyclic nonlinear model for concrete-filled tubes - II: verification, 11A14
GOUVEIA, WP: Resolution of seismic waveform inversion: Bayes versus Occam, 10A1455
GOVAERT, LE: Multi-mode approach to finite, 3D, nonlinear viscoelastic behavior of polymer glasses, 3A961
GOVARDHAN, R: Dynamics and forcing of a tethered sphere in a fluid flow, 11A209
GOVEKAR, E: Chaotic cutting process and determining optimal cutting parameter values using neural networks, 4A669
GOVINDA RAO, HS: Symbolic integration of polynomial functions over a linear polyhedron in euclidean 3D space, 3A77
GOVINDARAJU, MR: Nondestructive evaluation of creep damage in power-plant steam generators and piping by magnetic measurements, 9A819
GOVINDARAJU, RS: Stochastic analysis for movement of fine particles in porous media, 4A1340
GOVINDJEE, S: Computational methods for inverse finite elastostatics, 3A448
- Finite element implementation of incompressible, transversely isotropic hyperelasticity, 3A449
- Accuracy and stability for integration of Jaumann stress rate equations in spinning bodies, 9A1
- Presentation and comparison of two large deformation viscoelasticity models, 12A509
GOVINDSWAMY, K: Aeroelastic response and stability of helicopters with elastomeric lag dampers, 2A828
- Formulation, validation, and application of a FE model for elastomeric lag dampers, 2A830
GOW, BS: Comparison of different methods for the determination of the true wave propagation coefficient, in rubber tubes and the canine thoracic aorta, 12A1553
GOWDA, BHL: Device to suppress vortexing during draining from cylindrical tanks, 2T237
GOWING, S: Effects of salt water on bubble cavitation, 9A996
GOWRI SHANKAR, N: Fracture mechanics approaches to coating strength evaluation, 2A692
GOYAL, A: Inelastic seismic resistance of reinforced concrete stack-like structures, 10T1462
GOYAL, RK: Parametric study of a reverse flat plate absorber cabinet dryer: A new concept, 9A1537
GOYAL, S: Predictive model for impact response of viscoelastic polymers in drop tests, 1A956
- Shock protection of portable electronic products: Shock response spectrum, damage boundary approach, and beyond, 10A285
GOYNE, CP: Turbulent spots in boundary layers in a free-piston shock-tunnel flow, 7A225
GRABEC, I: Chaotic cutting process and determining optimal cutting parameter values using neural networks, 4A669
GRABECKI, G: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
GRABIEC, AM: Analysis of superplasticizer influence on cement paste with multicriteria statistical optimization, 2A427
GRABOWSKI, L: Short fatigue crack growth behavior in Waspaloy at room and elevated temperatures, 6A728
GRABYSZ, W: Derivation of equations of dynamics for a certain class of models of mechanical systems, 9A78
GRACE, JR: Radiative heat transfer in circulating fluidized beds, 11A1457
GRACE, RA: Returning impaired marine outfall diffusers to full service, 9T1547
GRACE, SP: Inverse acroacoustic problem for a streamlined body - Part 2: Accuracy of solutions, 5A1070
- Inverse acroacoustic problem for a streamlined body - Part 1: Basic formulation, 5A1069
GRACHEV, AA: Surface-layer scaling for the convection-induced stress regime, 12A1501
GRACHEV, VA: Analysis of 3D frames of rectilinear anisotropic bars, 5A45
GRACIA, L: Formulation of the BEM in 3D elasticity with macroelements on non-nodal collocation (Spanish), 3A46
- General method for the synthesis of mechanisms with lower and higher joints - I: Planner mechanisms (Spanish), 7A953
GRACIA, YL: General method for the synthesis of mechanisms with lower and higher joints - II: Position synthesis with kinematic constraints (Spanish), 10A1003
GRACIO, JJ: Injection forging of tubular materials: A workability analysis, 11A581
GRAD, M: Influence of near-source and near-receiver structure on the spectrum of P waves from nuclear explosions, 4A1386
GRADER, AS: Simulation of three-phase displacement experiments, 1A1392
GRADISEK, J: Chaotic cutting process and determining optimal cutting parameter values using neural networks, 4A669
GRAEBNER, JE: Thermal conductivity measurements in printed wiring boards, 12A1292
GRAF FINCK V FINCKENSTEIN, K: Difference methods for quasilinear 2D-diffusion problems in toroidal configurations, 10A1210
GRAF, KU: Inviscid and viscous fluid calculations around yachting sails, 2A1071
GRAF, WH: Flow structure in turbidity currents, 6A1003
GRAFF, S: Mathematical analysis of the length-of-arc assumption, 1A1265
GRAH, M: Brittle intergranular failure in 2D microstructures: Experiments and computer simulations, 4A771
GRAHAM, AL: Rayleigh similarity solutions and boundary layer flow for concentrated suspensions, 1A1035
- Migration of particles undergoing pressure-driven flow in a circular conduit, 10A1031
GRAHAM, DI: Improved eddy interaction model for numerical simulation of turbulent particle dispersion, 7A1145
- Turbulence modification in the limiting cases of heavy- and tracer-particles, 11A996
GRAHAM, G: Simulation of SiC deposition in a fiber coating CVD reactor, 4T694
GRAHAM, J: Elastic visco-plastic modeling of 1D consolidation, 4A637
GRAHAM, JMR: Numerical study of oscillatory flow about a circular cylinder for low values of beta parameter, 3A1031
- Problems encountered in measuring forces on immersed bodies, 9T820
GRAHAM, SM: Displacement and strain fields for a bimetallic strip under remote tension, 11A431
GRAICHEN, F: In vitro load measurement using an instrumented spinal fixation device, 2A1467
- Loads on an internal spinal fixation device during walking, 6A1543
GRAICHEN, K: Features of subsonic turbulent cavity flow, 8A1157
GRAMESPACHER, H: Melt elongation and recovery of polymer blends, morphology, and influence of interfacial tension, 7A988
GRAMMEL, G: Averaging of singularly perturbed systems, 8T71
GRAMOLL, KC: Conjugate heat transfer analysis with subcooled boiling for an arc-heater wind tunnel nozzle, 6A1255
GRAN, IR: Influence of turbulence modeling on predictions of turbulent combustion, 6A1152
GRAN, JK: Analysis of piezoresistance gauges for stress in divergent flow fields, 6A840
GRANAT, KJ: Use of interpolated eigenvectors to position coupling elements between substructures - Part II: Applications, 2A92
- Use of interpolated eigenvectors to position coupling elements between substructures - Part I: Theory, 2A91
GRANAT, MH: Two artificial neural systems for generation of gait swing by means of neuromuscular electrical stimulation, 10A1529
GRANATA, KP: Method for measuring external loads during dynamic lifting exertions, 3A1520
GRANATH, P: Behavior of slender plate girders subjected to patch loading, 12A20
GRANDCHAMP, J-P: Modeling micropumps with electrical equivalent networks, 8A373
GRANDE, R: Nonlinear analysis of ductile metal coated optical fiber sensors embedded in a unidirectional laminate, 11T413
GRANDHI, RV: Design of forging process parameters with deformation and temperature constraints, 2A581
- Multipoint approximations: Comparisons using structural size, configuration and shape design, 5A756
- ASTROS for reliability-based multidisciplinary structural analysis and optimization, 7A832
- Preform die shape design in metal forming using an optimization method, 9A661
GRANDT JR, AF: Fatigue life of panels with multiple site damage, 4A705
- Residual strength of panels with multiple site damage, 4A710
- Analysis of cracks at deep notches, 5A649
- Fracture mechanics analysis of fatigue crack growth in a complex cross section, 7A650
GRANGER, S: Improvement to the quasi-steady model with application to cross-flow-induced vibration of tube arrays, 3A269
- Linearized unsteady model for computing dynamics of cylindrical structures subjected to nonuniform annular flows at high Reynolds numbers, 9A219
GRANICK, S: Generalized effects in confined fluids: New friction map for boundary lubrication, 7A1198
- Shear of confined perfluorinated molecules: Effect of side branching, 7A1212
GRANIER, B: Implicit centered scheme for steady and unsteady incompressible one and two-phase flows, 11A1013
GRANIK, VT: Advances in Doublet Mechanics, 8N4
GRANT, ALM: Non-local mixing of momentum in the convective boundary layer, 12A1503
GRANT, I: Particle image velocimetry: A review, 10A1269
GRANT, JR: Method for determining the velocity induced by highly anisotropic vorticity blobs, 1T993
- Computation of unsteady separated flow fields using anisotropic vorticity elements, 7A1091
GRANT, LB: Paleoseismicity of the North Branch of the Newport-Inglewood fault zone in Huntington Beach, California, from cone penetrometer test data, 12A1441
GRANT, WP: Interpretation of large-strain seismic cross-hole tests, 9A649
GRANTHAM, WJ: Nonlinear and Optimal Control Systems, 12R18
GRAS, R: Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 2A646
GRASHCHENKOV, SI: Effect of slip on the motion of two droplets and of a droplet close to a plane surface of a liquid, 2A961
GRASSE, KA: Global optimization of a quadratic functional with quadratic equality constraints - Part 2, 11A291
GRASSO, F: Analysis of hypersonic shock-wave laminar boundary-layer interaction phenomena, 3A1093
- Nonequilibrium effects in near-wake ionizing flows, 12A1091
GRASTY, LV: Shot peen forming sheet metal: FE prediction of deformed shape, 2A587
GRATACOS, P: Application of anisotropic visco-plastic behavior in 3D FE simulations of hot rolling, 1A630
GRAU, FX: Natural convection in a cubical cavity heated from below at low Rayleigh numbers, 1A1173
GRAUER, R: Adaptive mesh refinement for singular current sheets in incompressible magnetohydrodynamic flows, 11T1125
GRAUMANN, H: Examples of gauge conservation laws in nonholonomic systems, 2A82
GRAVANTE, SP: Extraction of turbulent wall-pressure time-series using an optimal filtering scheme, 6A1146
GRAVEL, D: Knee movement strategies differentiate expert from novice workers in asymmetrical manual materials handling, 4A1486
GRAVES , TL: Asymptotically efficient adaptive choice of control laws in controlled Markov chains, 10T428
GRAVES III, HL: Aging management of containment structures in nuclear power plants, 6A1495
GRAVES, GA: Dynamic fatigue testing of candidate ceramic materials for turbine engines to determine slow-crack-growth parameters, 10A767
GRAVES, HL: Large-scale seismic test program at Hualien Taiwan, 1A1421
GRAVES, RS: Insulation Materials: Testing and Applications, Third Volume, 9N27
GRAVES, RW: Simulating seismic wave propagation in 3D elastic media using staggered-grid finite differences, 2A1394
GRAVILLE, BA: Crack arrest toughness of a heat-affected zone containing local brittle zones, 6A797
GRAY, GT: Three-dimensional, finite deformation, viscoplastic constitutive models for polymeric materials, 12A8
GRAY, HL: Regional event discrimination without transporting thresholds, 4T1363
GRAY, JMNT: Sea ice ridging schemes, 5T910
- Interaction models for mixtures with application to phase transitions, 7A5
GRAY, L: Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, 11A1150
GRAY, LJ: Boundary elements on distributed memory architectures, 1A82
GRAY, P: High-kappa limits for the time-dependent Ginzburg-Landau model, 1A611
GRAY, RA: Spiral waves and the heart, 1A1459
GRAY, SH: Where is the zero-velocity layer, 7A1464
- True-amplitude seismic migration: A comparison of three approaches, 11A1479
GRAY, TF: Environmental ageing of adhesively-bonded joints - II: Mechanical studies, 12A1041
GRAY, TGF: Fatigue crack closure study based on whole-field displacements, 7A675
GREATED, CA: Measurement of acoustic particle velocity using particle image velocimetry techniques, 11A267
GREAVES, DM: Quadtree grid generation: Information handling, boundary fitting, and CFD applications, 6A68
GREAVES, I: Growth of freely initiating fatigue cracks in an unnotched SiC-titanium composite, 10A761
GREAVES, RJ: Seafloor acoustic backscattering from different geological provinces in the Atlantic Natural Laboratory, 7A259
GREBOGI, C: Indecomposable continua in dynamical systems with noise: Fluid flow past an array of cylinders, 9A1029
GRECENKO, A: Tire footprint area on hard ground computed from catalog values, 1A864
GRECHKA, VY: Solving 1D inverse problems in Chebyshev polynomial expansion, 6A1417
GRECHKA, YY: Three-dimensional two-point ray tracing for heterogeneous, weakly transversely isotropic media, 6A238
GRECO, F: Shear-band formation in a non-Newtonian fluid model with a constitutive instability, 11A393
GRECO, V: Using a programmable interferometer for digital phase-shifting speckle interferometry, 8A872
GREDIAC, M: Direct identification of elastic constants of anisotropic plates by modal analysis: Theoretical and numerical aspects, 2A133
- Direct determination of invariant parameters governing anisotropic plate bending problems, 3A520
GREED, GT: Two- and three-dimensional linear convection in a rotating annulus, 1A977
GREEK, S: High-sensitivity surface micromachined structures for internal stress and stress gradient evaluation, 10T507
GREEN JR, D: Probability distributions in periodic random environment and their applications, 10A1508
GREEN, AE: Extended theory for incompressible viscous fluid flow, 6A1020
GREEN, DJ: Sub-critical indentation fracture process in soda-lime-silica glass, 2A695
- Residual stresses in composites with coated particles, 11A382
GREEN, G: Development of an ultrasonic system for submarine hull acoustic cladding inspection, 12A867
GREEN, I: Stability of gas lubricated triboelements using the step jump method, 7A1215
- Steady-state analysis of mechanical seals with two flexibly mounted rotors, 7A950
- Rotor dynamic coefficients of eccentric mechanical face seals, 11A150
GREEN, J: Electric design of wind-electric water pumping systems, 5A1449

GREEN, JS: Computational strategies for tire modeling and analysis, 3A824
GREEN, LG: Violence of thermal explosion in solid explosives, 12A296
GREEN, LL: First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, 7T1177
GREEN, M: Linear Robust Control, 1R15
GREEN, MF: Dynamic interaction between heavy vehicles and highway bridges, 7A174
GREEN, SI: Influence of elastic nonlinearity on arterial anastomotic compliance, 5A1486
- Ducted tip: A hydrofoil tip geometry with superior cavitation performance, 11A1129
GREENBERG, PS: Soot volume fraction maps for normal and reduced gravity laminar acetylene jet diffusion flames, 6A1327
GREENE, FA: Hypersonic acrodynamic characteristics of a proposed single-stage-to-orbit vehicle, 2A839
GREENE, JM: Renormalization and transition to chaos in area preserving nontwist maps, 8A105
GREENE, WD: Triggering of longitudinal combustion instabilities in rocket motors: Nonlinear combustion response, 5A1372
GREENGARD, L: New version of the fast multipole method for the Laplace equation in 3D, 11A66
GREENHALGH, SA: Prestack multicomponent migration, 9A1464
GREENING, LA: Full-fuel-cycle modeling for alternative transportation fuels, 11A1437
GREENKORN, RA: Experimental investigation of characteristic length scale in periodic heterogeneous porous media, 6A1372
GREENLEAF, JF: Acoustic radiation pressure in a 3D lossy medium, 2A267
- Analytic investigation of chaos in a class of parabolic ray systems, 9A286
GREENLY, BT: One-dimensional FE model for high flow velocities in porous media, 3A16
GREENSHIELDS, CJ: Rapid crack propagation in plastic water pipes: Measurement of dynamic fracture resistance, 6A796
GREENWALD, SE: Effect of age on residual strain in the rat aorta, 5A1484
- Comparison of different methods for the determination of the true wave propagation coefficient, in rubber tubes and the canine thoracic aorta, 12A1553
GREENWOOD, DT: Classical Dynamics, 11N10
GREENWOOD, JA: Contact pressure fluctuations, 5T838
- Analysis of elliptical Hertzian contacts, 6A935
- Flash temperatures for bodies moving at equal high speeds in opposite directions, 11T1394
- Contact pressures as an elastic roller crosses a scratch, 12A486
GREENWOOD, JH: Designing to residual strength of geosynthetics instead of stress-rupture, 10A714
GREER JR, JM: Nonlinear FE analysis of isotropic and composite shells by a total Lagrangian decomposition scheme, 2A21
- Singularities in polynomial representations of transverse shear in FEs, 12T26
GREGG, PJ: Vibration analysis in the detection of total hip prosthetic loosening, 4A1499
GREGOR, NJ: Peak strong motion attenuation relations for horizontal and vertical ground displacements, 11A1465
GREGORY, D: Mechanistic studies on the combustion of isotopically labelled cyclohexanes within a single cylinder internal combustion engine, 4A1298
GREGORY, RD: Cantilever strip plate under torsion, bending, or flexure at infinity, 3A504
GREGORY, S: Generalized approximation for a Cramer-Rao lower bound on direction-of-arrival estimates for a pair of closely spaced sources, 2A294
GREIF, R: Mixed binary convection in a rotating disk chemical vapor deposition reactor, 5T1174
- Study of thermophoretic transport and flame hydrolysis deposition with application to the manufacture of optical waveguides, 6A1318
- Dual influence of curvature and buoyancy in fully developed tube flows, 8A1292
- Buoyant instabilities in downward flow in a symmetrically heated vertical channel, 9A1222
- Geometric structure and thermal conductivity of porous medium silica aerogel, 11T1315
GREIM, R: Calculation of 3D viscous flow in hydrodynamic torque converters, 1A1114
GREINER, M: ASME Proceedings of 31st National Heat Transfer Conference, Volume 8, 2N43
GREITZER, EM: Enhanced mixing with streamwise vorticity, 11A1386
GREK, GR: Investigation of riblet effect on a spanwise modulated boundary layer, 1T1037
GRELLMANN, W: Application of a normalization method for determining J-R curves in glassy polymer PVC at different crosshead speeds, 9A784
GRENBERG, A: Automatic detection of burn-through in GMA welding using a parametric model, 4A950
GRENECHE, JM: Surface effects in Fe-based nanocrystalline alloys, 9A385
GRESCHIK, G: Deployment of dishes with surface discontinuities, 2A846
- Deployment of curved closed tubes, 3A537
GRESSER, JD: Human Biomaterial Applications, 4N34
GREVER, W: Optimal cooling strategies in continuous casting of steel with variable casting speed, 2A603
GREWAL, AS: Load distribution between threads in threaded connections, 8A978
GREWOLLS, G: Distortional hardening within a cubic yield theory, 1A476
GRIEBLER, W-D: Solar water detoxification: Novel TiO_2 powders as highly active photocatalysts, 11A1546
GRIEM, H: New procedure for the prediction of forced convection heat transfer at near- and supercritical pressure, 1A1162
GRIERSON, AE: Maximum isometric moments generated by the wrist muscles in flexion-extension and radial-ulnar deviation, 3A1498
GRIERSON, DE: Design optimization of 3D reinforced concrete structures, 5A745
GRIESINGER, A: Photothermal method with step heating for measuring the thermal diffusivity of anisotropic solids, 10A1343
GRIEVE, DW: Hydro-resistive measurement of dynamic lifting strength, 9A1598
GRIEWANK, A: Computational Differentiation: Techniques, Applications, and Tools, 4N3
GRIFFIN JR, OH: Algorithmic tangent matrix approach for mixed hardening model of endochronic plasticity, 1A500
GRIFFIN, JH: Reduced order approach for the vibration of mistuned bladed disk assemblies, 8A159
- Resonant response of a tapered beam and its implications to blade vibration, 8A160
- Forced harmonic response of grouped blade systems - Part I: Discrete theory, 11A139
- Forced harmonic responses of grouped blade systems - Part II: Application, 11A140
- Normalized modal eigenvalue approach for resolving modal interaction, 12A139
GRIFFIN, KE: Smart stiffness for improved roll control, 11T1140
GRIFFIN, L: Calcium buffering is required to maintain bone stiffness in saline solution, 3A1511
GRIFFIN, LV: Residual strength of equine bone is not reduced by intense fatigue loading: Implications for stress fracture, 7A1532
- Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, 7A1549
GRIFFIN, LW: Performance improvement through indexing of turbine airfoils - Part 2: Numerical simulation, 5A1099
GRIFFIN, MJ: Transmission of vibration to the occupants of a car seat with a suspended back-rest, 2A167
- Modal analysis of whole-body vertical vibration, using a FE model of the human body, 8A1569
GRIFFIN, RM: Type III creep cracking at main steam line welds, 12A781
GRIFFITHS, AJ: Phase-averaged temperature characterization in swirl burners, 5A1351
- Use of center bodies and de-swirl vanes in the exhaust of cyclone dust separators, 8A1146
GRIFFITHS, BJ: Condition monitoring of the grinding process using light scattering, 3A870
- Role of grit blasting in the production of high-adhesion plasma sprayed alumina coatings, 9A408
GRIFFITHS, DF: "No boundary condition" outflow boundary condition, 8A25
GRIFFITHS, DV: Finite element modeling of settlements on spatially random soil, 3A590
- Influence of viscous damping in the dynamic analysis of an earth dam using simple constitutive models, 3A603
- Three-dimensional seepage through spatially random soil, 8A1447
GRIFFITHS, J: Effect of diffusion on the autoignition of combustible fluids in insulation materials, 8A1404
GRIGG, P: Effect of diabetes on the viscoelastic properties of rat knee ligaments, 5A1466
GRIGIENE, R: Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, 6A1534
GRIGOLYUK, EI: Finite deflection and snapping of thin elastic flat panels, 8A606
GRIGORENKO, AY: Propagation of elastic waves in anisotropic hollow cylinders (Russian), 2A188
- Effect of nonuniformity of stressed state on the estimate of residual power of teeth periodont (Russian), 12A1532
GRIGORENKO, PP: Contact interaction of prestressed layer and elastic cylindrical dies, 12A485
GRIGORENKO, YM: Approaches to numerical solution of linear and nonlinear problems of the theory of shells in classical and refined statements: Survey (Russian), 6A594
- Deformation of flexible anisotropic elastic systems of the shells of revolution on elastic foundation (Russian), 9A561
- Effect of nonuniformity of stressed state on the estimate of residual power of teeth periodont (Russian), 12A1532
GRIGORIADIS, GK: Implementation of the velocities of the end-effector with the distributed arithmetic architecture, 7A373
GRIGORIADIS, KM: Optimal redesign of linear systems, 4A342
GRIGORIAN, EK: Limit equilibrium of a stamp with a rounded base on the boundary of an elastic semiplane, 12A488
GRIGORIEV, IS: Handbook of Physical Quantities, 3N48
GRIGORIU, M: Response of dynamic systems to Poisson white noise, 2A52
- Partial differential equation for the characteristic function of the response of nonlinear systems to additive Poisson white noise, 6A90
- Control of time delay linear systems with Gaussian white noise, 9A331
- Mean and covariance equations for boundary-value problems, 11A67
GRIGOROPOULOS, CP: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
- Transient temperature during the vaporization of liquid on a pulsed laser-heated solid surface, 2A1228
- Ultra-shallow p^+-junction formation in silicon by excimer laser doping: A heat and mass transfer perspective, 2A1290
- Spectral optical functions of silicon in the range of 1.13 - 4.96 eV at elevated temperatures, 7A1319
- Marangoni mechanism in pulsed laser texturing of magnetic disk substrates, 12A1267
GRIGORYAN, SS: Mathematical modeling of the development of mechanical instability in fracturing systems, 11A889
GRIGORYAN, VA: Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, 1A687
GRILLET, AM: Observations of viscoelastic instabilities in recirculation flows of Boger fluids, 1A458
GRILLOT, JM: Modeling of frost growth and densification, 10A1392
GRIMBLE, MJ: Polynomial Methods for Control Systems Design: Theory and Applications, 11N17
- Advanced control design for marine diesel engine propulsion systems, 12A410
GRIMES, RY: Quasisteady behavior of pulsatile, confined, counterflowing jets: Implications for the assessment of mitral and tricuspid regurgitation, 5A1502
GRIMSHAW, RHJ: Asymptotic approach to solitary wave instability and critical collapse in long-wave KdV-type evolution equations, 5A176
GRINDROD, P: Geometric approach to fingering instabilities for reaction fronts in fully coupled geochemical systems, 6A1316
- Capillary network model for gas migration in low-permeability media, 11A1454
GRINFELD, MA: Acoustoelasticity theory and applications for fluid-saturated porous media, 3A1353
- Hamiltonian and Onsageristic approaches in the nonlinear theory of fluid-permeable elastic continua, 7A1446
GRINNELL, BG: Improving the tracking of generalized predictive control controllers, 4A380
GRINSHPUN, SA: Aerosolization of particles from a bubbling liquid: Characteristics and generator development, 7A1077
- Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407
GRISMER, DS: Critical-state transients for a rolling 65° delta wing, 11A1138
GRISMER, MJ: Numerical predictions of oblique detonation stability boundaries, 3A253
GRISON, J: Fatigue failure probability in a powder metallurgy Ni-base superalloy, 11A647
GRISTCHAK, VZ: Hybrid WKB-Galerkin method and its application, 1A89
- Asymptotic solution for the nonlinear dynamic problem of mechanical systems with time dependent parameters, 1A113
- Double asymptotic method for nonlinear forced oscillations problem of mechanical systems with time dependent parameters, 7A125
GRIV, E: Resonant excitation of density waves in Saturn's rings, 4A262
- Resonant excitation of density waves in Saturn's rings: The effect of interparticle collisions, 6A324
GROBBELAAR-VAN DALSEN, M: Initial-boundary-value problem for the extensible beam with attached load, 2A118
GROBE III, GL: Thin Films and Surfaces for Bioactivity and Biomedical Applications, 6N29
GROCOTT, SCO: Experimental comparison of robust H_∞ control techniques for uncertain structural systems, 10T481
GRODZICKA, E: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
GROENEVELD, AW: Comb-drive actuators for large displacements, 4A421
GROENEVELD, DC: Experimental study of subcooled film boiling of refrigerants in vertical upflow, 2A1216
- Two-fluid modeling of inverted annular film boiling, 9A1250
GROENWOLD, AA: Modified trajectory method for practical global optimization problems, 4A354
GROLEAU, MR: Mode II fracture of composites interlayered with nylon particles, 7A744
GROLL, M: Critical conditions for collapse of annular flow in a rotating heat pipe with a cylindrical wall, 4A1248
- One-dimensional analysis of maximum performance in a closed two-phase thermosyphon with a crossover flow separator, 4A1223
GROLMAN, E: Transient gas-liquid flow in upward sloping pipes, approaching the wavy-to-slug flow transition, 7A1296
GROMAKOVSKII, DG: Investigation of wear debris formed at friction, 5A827
GROMYKO, PN: Minimization of mechanical losses in design of gear transmissions, 1A914
GRONIG, H: Shock waves from an open-ended shock tube with different shapes, 6T285
GRONOSTAJSKI, ZJ: Constitutive equations of silicon bronzes, 6A510
GROS, XE: Detection of delamination in tires using eddy currents, 9A809
GROSCHL, M: Fatigue properties of Al_2O_3-particle-reinforced 6061 aluminium alloy in the high-cycle regime, 5A594
GROSELJ, J: Structure of bubble non-equilibrium movement in free-rise and agitated-rise conditions, 1A1021
GROSH, K: Recent developments in FEM for structural acoustics, 1A76
GROSJEAN, D: FTIR analysis of aerosol formed in the photooxidation of 1,3,5-trimethylbenzene, 11A1443
GROSS, BD: Effect of compressibility on barotropic and baroclinic instability, 7A1123
GROSS, D: Axisymmetric dynamic response of a penny-shaped crack to a pair of transient concentrated forces, 9A767
- Analysis of ductile crack growth by means of a cohesive damage model, 9A739
- Analysis of dynamic crack propagation using a time-domain boundary integral equation method, 10A830
GROSS, M: Nucleation theory of structure evolution in magnetorheological fluid, 6T9
GROSS, RS: Super-active shape-memory alloy composites, 1A843
- Design and testing of a subsonic all-moving adaptive flight control surface, 12T1171
GROSS, S: Aftershocks of nuclear explosions compared to natural aftershocks, 2A1391
GROSS, TS: Adaptation of bone to physiological stimuli, 10A1510
GROSSE, I: Surface characterization of textile and technical fibers, 4A907
GROSSE, IR: Shape design sensitivity approach for 2D mixed-mode fracture analysis under general loading, 11A730
GROSSEL, P: Use of 2D Fast Fourier Transform in harmonic modulated thermal diffusion, 1T1221
- Sample tip thermal coupling in modulated laser surface excitation, 12A1303
GROSSI, RO: Variational approach to the vibration of tapered beams with elastically restrained ends, 2T127
- Free vibration of rectangular plates with circular openings, 6A163
GROSSMAN, B: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
GROSSMANN, S: Improved variational principle for bounds on energy dissipation in turbulent shear flow, 8A1202
GROTBERG, JB: Bolus contaminant dispersion for oscillatory flow in a curved tube, 2A1455
- Steady motion of a semi-infinite bubble through a flexible-walled channel, 3A1079
- Flutter and long-wave instabilities in compliant channels conveying developing flows, 8A1166
GROTOWSKI, JF: Variational models for quasi-static Bingham fluids, 2T946
GROTTA RAGAZZO, C: Steady states in a collisionless plasma, 5A1056
- Irregular dynamics and homoclinic orbits to Hamiltonian saddle centers, 8A95
GROUSOUZAKOU, E: Distribution of periodic orbits and the homoclinic tangle, 8A297
GROVE, DJ: Modeling the shock response of silicon carbide, boron carbide, and titanium diboride, 1A777
- Hypervelocity model for the forces produced in a thick target by the penetration of projectile, 2A213
GROVER, GS: Linear viscoelastic behavior of copper phthalocyanine dispersions used in printing inks, 3A951
GROVES, CN: Self-tuning control of a cold mill automatic gauge control system, 5A329
GROVES, DJ: Predicting the rheology of linear with branched polyethylene blends, 5A887
GROVES, MD: Existence of trapped modes in channels of arbitrary cross-section, 10A293
GROVES, S: Secondary flow in a vortex tube, 12A1067
GROVES, SE: Three-dimensional FE formulation for thermoviscoelastic orthotropic media, 11A1382
GROWNEY, ES: Calibration of measured center of pressure of a new stairway design for kinetic analysis of stair climbing, 5A1478
GROß-WEEGE, J: Numerical assessment of the safety factor of elastic-plastic structures under variable loading, 7A445

GRUBER, M: Determination of the fracture toughness by automatic image processing, 5A712
GRUBER, MR: Bow shock-jet interaction in compressible transverse injection flowfields, 4T1062
- Large structure convection velocity measurements in compressible transverse injection flowfields, 9A1050
GRUBER, S: Resonant growth of 3D modes in Falkner-Skan boundary layers with adverse pressure gradients, 3A1089
GRUBOR, BD: Combustion regimes and temperature of coal char particles in a fluidized bed, 1T1332
GRUDNO, A: Characteristic residence times of laminar nonpremixed flames at extinction, 4A1305
GRUE, J: Wave drift damping of floating bodies in slow yaw motion, 3A275
GRUEN, TA: Axisymmetric FE analysis of a debonded total hip stem with an unsupported distal tip, 2A1444
GRUNBERG, P: Experiments on interlayer exchange coupling, 9A381
GRUNDMANN, H: Nonlinear stochastic dynamics of systems with random properties: A spectral approach combined with statistical linearization, 3A126
GRUNDMANN, M: Asymptotic solution of natural convection problem in a square cavity heated from below, 3A1226
GRUNDY, RE: Large time asymptotics in contaminant transport in porous media, 1A1383
- Asymptotic profiles of a decaying contaminant in transport through a porous medium, 3A1346
- Large time profiles in reactive solute transport, 11A1391
GRUNE, L: Numerical stabilization of bilinear control systems, 4T326
- Adaptive grid scheme for the discrete Hamilton-Jacobi-Bellman equation, 7A49
GRUNEFELD, G: Laser-based multiparameter measurements in a jet engine burner, 9A1387
GRUNENWALD, T: Dynamics of rotors immersed in eccentric annular flow - Part 1: Theory, 6A293
- Dynamics of rotors immersed in eccentric annular flow - Part 2: Experiments, 6A174
GRUNEWALD, J: Coupled heat air and moisture transfer in building structures, 7A1449
GRUSHEVSKY, GM: Use of the Kolsky method for confined tests of soft soils, 2A557
GRUVER, JK: Laser velocimeter measurements in the pump of an automotive torque converter - Part II: Unsteady measurements, 1A1117
- Laser velocimeter measurements in the pump of an automotive torque converter - Part I: Average measurements, 1A1116
GRY, L: Dynamic modeling of railway track based on wave propagation, 2A183
- Dynamic modeling of railway track: A periodic model based on a generalized beam formulation, 8A932
GRYGLEWICZ-KACERKA, W: Modeling of free vibrations of cylindrical coil, 4A170
GRYLITSKIY, DV: Quasistatic thermoelastic contact problem for infinite two-layer circular cylinder under friction heating, 7A1352
GRYLITSKY, DV: Steady radial thermoelastic oscillations of the system of two hollow round cylinders with frictional heating (Russian), 2A146
GRYNING, S-E: Model for the height of the internal boundary layer over an area with an irregular coastline, 2T1411
GRZEBIENIAK, K: Copolyesters of ethylene terephthalate and lactic acid susceptible to hydrolytic degradation, 4T1470
GRZEDZINSKI, J: Subsonic flutter calculation of an aircraft with nonlinear control system based on center-manifold reduction, 9A229
GRZEGORY, I: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
GRZESIK, W: Energy approach to chip-breaking when machining with grooved tool inserts, 9A666
GRZYBOWSKI, M: Doubly periodic arrays of bridged cracks and short fiber-reinforced cementitious composites, 4A558
GSTREIN, R: ESIS TC6 round robin on fracture toughness, 10A849
GU , WY: Triphasic analysis of negative osmotic flows through charged hydrated soft tissues, 6A1540
GU , YUANXIAN: Extension of convex models and its improvement on the approximate solution, 8A895
GU , ZHONGQUAN: Parameters selection and stability analysis of adaptive feedforward vibration control (Chinese), 12T359
GU, BEI: Thermal boundary resistance for thin-film high-T, superconductors at varying interfacial temperature drops, 9A1269
GU, CHONGHUA: Cantilever strip plate under torsion, bending, or flexure at infinity, 3A504
GU, GQ: Effective thermal conductivity of nonlinear composite media with contact resistance, 5A1237
GU, HAICHENG: Fatigue crack initiation in high-purity titanium crystals, 2A615
GU, HUIZHI: Static analysis of frame structures by the differential quadrature element method, 7A840
GU, HZ: Free vibration analysis of circular plates with stepped thickness over a concentric region by the differential quadrature element method, 12T176
GU, JIE: Numerical model for mixing areas of pollutant discharging into tidal flows, 4A963
GU, M: Fast algorithms for polynomial interpolation, integration, and differentiation, 3A70
GU, MING: Analysis of galloping oscillations of highrise structures, 4T173
- Inverse free parallel spectral divide and conquer algorithm for nonsymmetric eigenproblems, 11A74
GU, P: Generative inspection process and probe path planning for coordinate measuring machines, 2T364
- Objective-based clustering approach to design of manufacturing cells, 8A457
GU, PEI: Cracks in functionally graded materials, 5A639
- Failure of a thin film due to inclusions on the interface, 8A484
GU, PEIYING: Dynamic analysis for structures isolated with dampers, 4A193
GU, QIANG: Experimental research on machine position fuzzy controller (Chinese), 6A367
- Method of 3D cutter compensation based on digitizing copying system, 10A518
GU, RJ: New method for estimating nonproportional notch-root stresses and strains, 7A699
GU, RONGRONG: Development of antiresonance enforced active vibration absorber system, 5A92
GU, WENWEI: Fundamental study on applications of damage mechanics to evaluation of material degradation, 6A788
GU, WK: Experimental determination of liquid evaporation rates in superheated fluidized beds, 10A1323
GU, YANWEI: Effect of temperature on the fracture modes of BHW-35 steel under mode-II loading, 10A1369
GU, YONGNING: Static analysis of collision strength of offshore platform, 1A860
GU, YUANXIAN: Coupling dynamic analysis of composite rotor blade (Chinese), 12A189
GU, YUNGUAN: Numerical simulation of dynamic response of towed systems, 12A282
GU, YUQIN: Decreasing the core loss of grain-oriented silicon steel by laser processing, 8A720
GU, ZHONGQUAN: Active control for tall-slender structure vibration induced by wind (Chinese), 2A163
GUAGLIANO, M: Effect of nitriding on low-cycle fatigue properties, 8A754
GUAN , LW: Ultrasonic evaluation of cement adhesion in wall tiles, 1A824
GUAN, DEQING: Method of predicting the fatigue life curve for misaligned welded joints, 1A701
GUAN, F: New techniques for modeling reservoir-dam and foundation-dam interaction, 11A1486
GUAN, X: Viscoelastic effects in modeling web handling systems: Steady-state analysis, 11A397
GUAN, XIAOFENG: Simulations of flow in curved tubes, 11A1042
GUAN, Z: Explicit finite-difference methods for nonlinear dynamic systems: Froude's pendulum, 3A110
GUARISO, G: Parallel simulation of a cellular pollution model, 3A1481
GUARRACINO, F: Complete set of corollaries of the reciprocal theorems in elasticity, 3A428
GUATTERI, M: Variation of slip direction during earthquake rupture: Supporting and conflicting evidence from 1989 Loma Prieta earthquake, 8T1476
GUAY, P: Evaluation of active damping performances in orbit, 1A206
GUBANA, A: Low-cycle fatigue test on stud shear connectors, 7A961
GUCCIONE, JM: Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, 5A30
- Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, 5A31
- Measurements of active myocardial tension under a wide range of physiological loading conditions, 7T1553
GUCERI, SI: Numerical and experimental investigation of neural network-based intelligent control of molding processes, 8A466
GUCKENHEIMER, J: Computing Hopf bifurcations - I, 8A617
GUCUNSKI, N: Rocking response of flexible circular foundations on layered media, 5A1421
- Detection of underground obstacles by SASW method: Numerical aspects, 9A29
GUDMUNDSON, P: Thermoelastic properties in combined bending and extension of thin composite laminates with transverse matrix cracks, 10A605
GUEDES SOARES, C: Representation of non-stationary time series of significant wave height with autoregressive models, 1A258
- Statistical uncertainty in long-term distributions of significant wave height, 6A273
- Uncertainty of ocean wave hindcasts due to wind modeling, 11A1497
GUEDES-SOARES, C: Volume II: Safety and Reliability, 10N8
GUEGUEN, Y: High- and low-frequency elastic moduli for a saturated porous-cracked rock-differential self-consistent and poroelastic theories, 1A629
GUELIN, P: Useful scalar parameters for multiaxial fatigue deformation studies, 5A614
GUELMAN, M: Planar aeroassisted attainability domain, 10T470
GUEMEZ, J: Chaos suppression through changes in the system variables and numerical rounding errors, 3A98
GUENET, FSA: Effect of physiological factors on proximal flow convergence upstream of an incompetent valve: An in-vitro study, 9A1585
GUENETTE, R: Entry flow calculations using multimode models, 6A987
- Numerical analysis of the modified EVSS method, 10A56
GUENIN, G: Smart materials: A future for composites, 2T774
GUENTHER, DA: Land vehicle roll-yaw product of inertia measurement, 12A203
GUENTHER, RB: Irregular points in 2D free surface flows with surface tension for the wavemaker boundary value problem, 12A254
GUERAOUI, K: Theoretical model of flow of an inelastic fluid through isotropic elastic porous pipes (French), 11T904
GUERLEMENT, G: Limit load analysis of perforated disks with square penetration pattern, 8A527
GUERMOND, J-L: Calculation of incompressible viscous flows by an unconditionally stable projection FEM, 9T1025
GUEROULT, B: Wear behavior of alumina toughened zirconia materials, 4A892
- Al_2O_3-ZrO_2 debris life cycle during wear: Effects of the third body on wear and friction, 12A934
GUERRA, JM: Different and coexisting routes to chaos along a common bifurcation path in the Maxwell-Bloch equations, 1A121
GUESS, TR: Interface corner stress states: Plasticity effects, 10A812
- Modeling the initiation and growth of delaminations in composite structures, 11A707
GUEVARA-JORDAN, JM: Mixed FEM for Hele-Shaw cell equations, 12A47
GUGEL, YV: Hydrotron: Creep and slip, 2A958
GUGLIELMINO, E: Bending of pretwisted bars by a terminal transverse load, 3A506
GUGLIELMO, JJ: Spanwise variations in profile drag for airfoils at low Reynolds numbers, 2A1089
- High-lift Reynolds number airfoil design, 8A1214
GUHA, D: Effect of surface roughness on the temperature at the contact between sliding bodies, 2A908
GUHA, S: Novel processing technique for tow fiber reinforced metal matrix composites with tailored interfaces, 3T651
GUHA-THAKURTA, A: Fiber-optic Bragg grating sensors for bridge monitoring, 10A867
GUI, J: Glide avalanche prediction from surface topography, 1A891
GUI, LC: Method of tracking ensembles of particle images, 5A1118
GUI, MANHAI: Groupiness of sea waves and their characteristic parameters, 1A256
- Numerical simulation and physical simulation of sea wave groups, 4A235
GUICHARD, D: Accelerated vibratory fatigue test by ultrasonic frequency at cryogenic temperature, 1A722
GUICKING, D: Acoustic Interactions with Submerged Elastic Structures, Part 3, 12N10
GUIDARELLI, G: Real time ultrasonic spectroscopy for acoustic characterization of materials, 9A274
GUIDI, G: Problems about the sizing of two-phase flow safety valves, 7T1002
GUIDO, AR: Chaotic motions of a rigid rotor in short journal bearings, 1T116
- Non-periodic motions of a Jeffcott rotor with nonlinear elastic restoring forces, 4A938
GUIDO-LAVALLE, G: Geometrical automata for two phase flow simulation, 1A1014
GUIGGIANI, M: Sensitivity analysis for BE error estimation and mesh refinement, 2A45
GUIGOU, C: Relationship between volume velocity and far-field radiated pressure of a planar structure, 5T258
- Active control of finite beam volume velocity using shaped PVDF sensor, 5A253
- Design of active structural acoustic control systems using a nonvolumetric eigenproperty assignment approach, 9A278
GUIGUET, R: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
GUILEMANY, JM: Formation of powder particles during thermal interaction of liquid and solidified drops in the process of metal atomization, 6A708
GUILKEY, JE: Use of caged fluorescent dyes for the study of turbulent passive scalar mixing, 3A1154
GUILLAUME, A: Effects of perfusion on the mechanical behavior of the brain exposed to hypergravity, 9A1581
GUILLAUME, DW: Effect of induced swirl on mixing, 11T1054
GUILLET, J: Experimental and numerical study of entry flow of low-density polyethylene melts, 5A941
- Extrudate swell and isothermal melt spinning analysis of linear low density polyethylene using the Wagner constitutive equation, 11A392
GUILLOT, M: Articular cartilage, morphology and mechanical properties (French), 6T1533
GUILLOT, MJ: Pressure distribution on sabots in hypervelocity flight, 12A1087
GUILLOU, M-O: Assessment of surface fatigue effects in toughened Zirconia using a new point contact method, 2A626
GUILMINEAU, E: Two-dimensional turbulent viscous flow simulation past airfoils at fixed incidence, 8A1234
GUIMARAES, G: Optimizing the estimation of thermophysical properties (Spanish), 9A1199
GUINEA, GV: Stress intensity factors for wedge-splitting geometry, 9A737
- Crack trajectories under mixed mode and non-proportional loading, 9A785
- Generalized size effect equation for quasibrittle materials, 12A792
GUINOT, B: Astronomical units and constants in the general relativity framework, 7A235
GUIRAUD, D: Modern method of motion analysis: Application in normal and pathologic shoulder's abduction (French), 6T1544
GUIU, F: Cyclic fatigue of Al_2O_3 and Al_2O_3-Al_2TiO_5 composites in direct push-pull, 12A754
GUJ, G: Experimental analysis of transverse intermittency in a turbulent jet flow, 8A1184
- Numerical study of the effect of free surface deformation on buoyancy and thermocapillary convection, 9A1023
GULATI, HS: Solution rheology of a hydrophobically modified alkali-soluble associative polymer, 8A1016
GULCAT, G: Three-dimensional flow calculations with an A-L-E description using space-time FEs, 10A37
GULDBERG, RE: Trabecular bone adaptation to variations in porous-coated implant topology, 7A1535
GULDNER, J: Robot obstacle avoidance in n-dimensional space using planar harmonic artificial potential fields, 12A398
GULICH, H-A: Impact tests for road restraint systems (German), 10A283
GULIKERS, JJW: Experimental investigations on macrocell corrosion in chloride-contaminated concrete, 5A774
GULLIVER, JS: Measurement of effective saturation concentration for gas transfer, 7A1070
- Oxygen transfer similitude for vented hydroturbine, 11T1154
GULMINELLI, F: Nuclear temperature measurements with isotropic thermometer, 9A1144
GULYAEV, VI: Scale properties of periodical movements of nonlinear conservative oscillators when passing to chaos (Russian), 1A132
- Oscillations in tubular systems with mobile masses (Russian), 12A154
GUMEL, AB: Sequential and parallel methods for solving first-order hyperbolic equations, 4A219
- Multiple interacting planar cracks in an anisotropic multilayered medium under an antiplane shear stress: A hypersingular integral approach, 12A840
GUMMADI, LNB: Finite element analysis of arches undergoing large rotations - II: Classification, 8A17
- Finite element analysis of arches undergoing large rotations - I: Theoretical comparison, 8A27
- Nonlinear FE analysis of beams and arches using parallel processors, 9A550
- Nonlinear analysis of beams and arches undergoing large rotations, 9A538
GUNAL, M: Hydraulic jump in sloping channels, 3A971
GUNARATNE, M: Investigation of impact stresses induced in laboratory dynamic compaction of soft soils, 4A643
- Design method for stabilization of slopes with piles, 9A636
GUNASEKARAN, A: Design and implementation of computer integrated manufacturing systems, 7A390
GUNAWARDANA, R: Uniform bound for the Jacobian of the gravitational force vector for a class of robot manipulators, 9T371
GUNDAVELLI, S: Lift-off characteristics and flame base structure of coal seeded gas jet flames, 5A1334
GUNDEL, DB: Experimental and theoretical assessment of the longitudinal tensile strength of unidirectional SiC-fiber and titanium-matrix composites, 11A452
GUNDES, AN: Stabilizing controllers for interconnected systems, 11T309
GUNERI, A: Shape optimization with the biological growth method: A parameter study, 6A857
GUNGOR, S: Photoelastic study of an angle crack specimen subject to mixed mode I-III displacements, 10A852
GUNN, DJ: Heat transfer from vertical inserts in gas-fluidized beds, 1A1394

GUNNARS, J: Crack path stability in a layered material, 12A824
GUNNARSSON, L: Comparative study of shot-blasted and electrical-discharge-textured rolls with regard to frictional behavior of the rolled steel sheet surfaces, 12A976
GUNNERSON, FS: Heat transfer analysis of an inclined two-phase closed thermosyphon, 11T1370
GUNSEL, S: Boundary film formation by viscosity index improvers, 1A1120
- Formation of viscous surface films by polymer solutions: Boundary or elastohydrodynamic lubrication?, 1A1127
GUNTER, S: Modeling polymer melt flows in wire-coating processes, 1A635
- Simulation of some model viscoelastic extensional flows, 4A495
GUNTERMANN, T: Numerical analysis of heat transfer and flow loss in a parallel plate heat exchanger element with longitudinal vortex generators as fins, 11T1220
GUNTHER, H: Three-dimensional measurement of macro- and microdomains using optical methods, 12A866
GUNTURI, R: Identification and modeling of earthquake ground response - I: Site amplification, 5A1412
GUNZBURGER, MD: Feedback control of Karman vortex shedding, 3A281
- Difficulties in sensitivity calculations for flows with discontinuities, 10A1115
- Self-contained automated methodology for optimal flow control, 10A1144
GUO , JIANLIN: General solution of second order effects in elastic half-space acted upon by a non-uniform shear load, 12A477
GUO, BENQI: Preconditioner for the h-p version of the FEM in 2D, 6A50
GUO, BQ: Approximation properties of the h-p version of the FEM, 1A56
GUO, BZ: Energy decay of two coupled strings through a joint damper, 12A168
GUO, C: Analysis of transient temperatures in grinding, 11A616
GUO, CHENGBI: Prediction of thermal fatigue life for diesel engine piston under states of multiaxial stresses, 4A1262
GUO, DX: Numerical solution of the generalized Stokes problem for the flow in a channel, 10A1148
GUO, HONGSHENG: Radiation extinction limit of counterflow premixed lean methane-air flames, 11A1412
GUO, HU-QING: Analytical study on the kinematic and dynamic behaviors of a knee joint, 10A1512
GUO, JIANZHONG: Study on beam optimizing of wideband stagger-tuned array, 8A356
GUO, JINGNAN: Actively created quiet zones by multiple control sources in free space, 8A335
GUO, JONG-SHENQ: Remarks on a singular diffusion equation, 3T1284
GUO, N: Mechanical impedance inspection of aluminum honeycomb structures, 6A836
GUO, REMN-MIN: Investigation of strip cooling behavior in the run-out section of hot strip mills, 6A1271
- Prediction of strip profile in rolling process using influence coefficients and Boussinesq's equations, 11A587
GUO, RIXIU: Vibration of elastic spherical shell in bubbly layer, 4A146
GUO, SJ: Flutter characteristics of laminated composite wings, 6T308
GUO, SQ: Characterization of interface sliding damage in SiC fiber-reinforced Ti-15-3 matrix composite by cyclic fatigue, 11A695
GUO, TF: Mixed mode near-tip fields for cracks in materials with strain-gradient effects, 9A742
GUO, TIANFU: Transformation toughening of a ceramic in stable crack growth under plane stress conditions, 7A653
GUO, WANLIN: Effects of 3D constraint on cracks on bimaterial interfaces, 3A710
GUO, WEI: Quasi-flow corner theory on large plastic deformation of ductile metals and its applications, 7A439
GUO, WEI DONG: Torsional piles in non-homogeneous media, 7A581
GUO, WEN: Pointwise error estimates for a streamline diffusion scheme on a Shishkin mesh for a convection-diffusion problem, 7A1387
- Analysis of a cell-vertex finite volume method for a parabolic convection-diffusion problem, 7A1381
GUO, WEN-KUEN: Effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, 4A898
GUO, X: The ε-relaxed approach in structural topology optimization, 12A893
GUO, XIAN Z: Parallel solver for the hp-version of FEMs, 1A69
GUO, XIAN-ZHONG: Singular integration in the P-version of the FEM and in BEM, 8T15
GUO, XIAOMING: Free boundary problem for the 2D seepage flow, 3A992
GUO, XINGMING: Existence of solutions in nonlinear elastodynamics, 11A88
GUO, Y: Verification of numerical models used in microelectronics packaging design by interferometric displacement measurement methods, 4A940
- Analytical and numerical analysis of the dynamics of a marine riser connected to a floating platform, 6A200
GUO, YAN: Simulation of lubricant rheology in thin film lubrication - Part I: Simulation of Poiseuille flow, 2A1118
- Simulation of lubricant rheology in thin film lubrication - Part 2: Simulation of Couette flow, 2A1119
- Instability of symmetric vortices with large charge and coupling constant, 4A632
- Steady states in a collisionless plasma, 5A1056
GUO, YI-MU: Free vibrations of piezoelectric cylindrical shells filled with compressible fluid, 10A204
GUO, YIMU: Free vibrations of anisotropic spherical shell embedded in an elastic medium (Chinese), 7A147
- Free vibration of piezoelectric cylindrical shells, 10A203
GUO, YINCHAO: Influences of fluid inertia force on double stable response of SFD-supported flexible rotors (Chinese), 10T242
GUO, YING-QIAO: Role of geometrically exact and second-order theories in buckling and post-buckling analysis of 3D beam structures, 5A489
GUO, YING-ZHENG: Analysis of the characteristics of pseudo-resonance and anti-resonance, 4A118
GUO, YL: Theoretical study of ultimate load of locally buckled stub columns loaded eccentricity, 2A512
GUO, YONG-MING: Error-correcting merit of the volumetrically elastic and deviatorically rigid-plastic FEM, 12A30
GUO, YU-GUANG: Improved method for determining free-free modes using constrained test data, 7T114
GUO, YUGUANG: Mining Science and Technology 1996, 3N44
GUO, Z: Assessment of two- and three-scale k-ε models for rotating cavity flows, 5A1051
- Circumferentially smeared computed effects of rim seal clearance on wheelspace thermal distributions, 8A1246
- Computed eccentricity effects on turbine rim seals at engine conditions with a mainstream, 11A1151
GUO, ZENGYUAN: Decreasing the core loss of grain-oriented silicon steel by laser processing, 8A720
GUO, ZHEN-REN: Characteristics of radial jets and mixing under buoyant conditions, 3A1119
GUO, ZHIXIONG: Analysis of the Nusselt number in pulsating pipe flow, 9T1229
- Pulsating flow and heat transfer in an annulus partially filled with porous media, 10A1309
GUO, ZHONGYU: Three-dimensional heat transfer in a channel with a baffle in the entrance region, 7A1244
GUO, ZR: Selective withdrawal through an intake fitted with a collar, 6A998
GUO, ZY: Compressibility effect on the gas flow and heat transfer in a microtube, 10T1278
GUPALO, YP: Flow pattern in a liquid layer and the spectrum of the boundary-value problem when the surface tension depends nonlinearly on the temperature, 11A1216
GUPTA, A: Dynamic properties of Piedmont residual soils, 3A582
- Correlation coefficients for modal response combination of non-classically damped systems, 4A190
- Time and frequency domain analyses of single dof systems, 6A1459
GUPTA, AK: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
- Thermal destruction of solid wastes, 3A1477
- Correlation coefficients for modal response combination of non-classically damped systems, 4A190
- Time and frequency domain analyses of single dof systems, 6A1459
- Thermal destruction behavior of platic and non-plastic wastes in a laboratory-scale facility, 6A1522
GUPTA, AP: Acoustic emission in fiber reinforced concrete, 2A462
- Forced motion of a stepped semi-infinite plate, 12A174
GUPTA, AS: Solitary waves on the surface of a viscoelastic fluid running down an inclined plane, 10A1165
GUPTA, C: Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, 9A698
GUPTA, DC: Effect of moisture on heat flow through homogeneous and composite building sections, 6A1273
GUPTA, GK: Stability of flows in fluidized beds, 6A1402
- Nonisothermal model of glass fiber drawing stability, 7A969
GUPTA, H: Identification of vortex-induced-response parameters in time domain, 6A295
- Search for an economic domain of operation when grinding below the film boiling limit, 8A713
- High speed grinding: Evaluation of wheel performance and surface integrity, 10A744
GUPTA, HK: Nitriding induced embrittlement, 6A739
GUPTA, K: Rotordynamic experiments on composite shafts, 4A158
GUPTA, KC: Direct rotatability criterion for spherical four-bar linkages, 11A859
- Unified approach for the investigation of branch and circuit defects, 11A869
GUPTA, KK: Development of a FE aeroelastic analysis capability, 4A1137
- Brief history of the beginning of the FEM, 5A11
- Development and application of an integrated multidisciplinary analysis capability, 7A30
GUPTA, KM: Orthotropic shallow spherical shell on a Kerr foundation, 8A587
GUPTA, M: Viscoelastic modeling of entrance flow using multimode Leonov model, 8A510
- Full-fuel-cycle modeling for alternative transportation fuels, 11A1437
- Extension of the lean operating limit for natural gas fueling of a spark ignited engine using hydrogen blending, 12A1372
GUPTA, MK: Erosive and erosive-corrosive wear behavior of cast nitrogenated stainless steels, 4A886
GUPTA, MM: Compact multigrid solver for convection-diffusion equations, 9A1348
GUPTA, NK: Consideration of internal folding and nonsymmetric fold formation in axisymmetric axial collapse of round tubes, 12A670
GUPTA, OP: Experimental study of resistance spot welding in 1mm thick sheet of low carbon steel, 2A939
GUPTA, R: Crystal field theory of magnetic behavior of $Er_2(SO_4)_3 \times 8H_2O$, 2T535
- Migration of solid particles in the heterogeneous slurry flow through a 90°C bend, 10A1123
- CAP-GO computer-aided planning of grinding operations for ferrous components, 11A617
GUPTA, RN: Extension of curve fits for enthalpy of equilibrium air to 1000 atmospheres, 7T1232
GUPTA, S: Use of power spectral density in deriving response spectral shapes for aseismic design, 4A1416
- Evaluation of stress field parameters in fracture mechanics by photoelasticity: Revisited, 7A775
- Application of the multiquadratic method for numerical solution of elliptic partial differential equations, 11A71
GUPTA, SC: Thermal sensitivity analysis of spacecraft battery, 12A1313
GUPTA, SK: Using manufacturing planning to generate manufacturability feedback, 9A410
GUPTA, V: Modeling of surface modified layers in the presence of surface irregularities, 4A905
- Nucleation of splitting cracks in columnar freshwater ice, 9A692
GUPTA, VK: Ordered peak statistics through digital simulation, 4A1407
- Markovian approach to ordered peak statistics, 6A1425
- Expected seismic damage during narrow-band structural responses, 6A1437
GUPTE, SK: Flow near the permeable boundary of a porous medium: An experimental investigation using LDA, 9A1444
GUR, Y: Modeling foam damping materials in automotive structures, 12A212
GURAN, A: Dynamics of Gyroscopic Systems: Flow Induced Vibration of Structures, Gyroelasticity, Oscillation of Rotors, and Mechanics of High Speed Moving Continua, 12N12
- Dynamics With Friction: Modeling, Analysis and Experiment, Parts I and II, 12N13
- Acoustic Interactions with Submerged Elastic Structures, Part 3, 12N10
- Structronic Systems: Smart Structures, Devices, and Systems, Parts 1 and 2, 12N22
- Acoustic Interactions with Submerged Elastic Structures, Part 2, 12N9
- Acoustic Interactions with Submerged Elastic Structures, Part 4, 12N11
- Acoustic Interactions with Submerged Elastic Structures, Part 1, 12N8
- Uncertainty Modeling in Vibration, Control, and Fuzzy Analysis of Structural Systems, 12N15
- Uncertainty Modeling in Finite Element, Fatigue and Stability of Systems, 12N7
GURDAL, Z: Nonlinear response of long orthotropic tubes under bending including the Brazier effect, 2A479
- Effect of stacking sequence on failure of [± 45/90/0], quasi-isotropic coupons with hole under compression, 9A503
- Brazier effect for finite length composite cylinders under bending, 9A529
GUREVICH, B: Seismic attenuation in finely layered porous rocks: Effects of fluid flow and scattering, 7A1445
GUREVICH, G: Complete vibration-diagnostic condition monitoring for a powerful turbogenerator, 4A184
GUREVICH, IL: Calculating separated flows near sinks, 1A1006
GURFINKEL CASTILLO, ME: Three-dimensional ribbing instability in symmetric forward-roll film-coating processes, 10A1170
GURGOZE, M: Effect of an attached spring-mass system on the frequency spectrum of a cantilevered beam, 2T112
- Eigenfrequencies of cantilevered beams carrying a tip mass and spring-mass in-span, 2A113
- Effect of an arbitrarily located mass on the longitudinal vibrations of a bar, 2T111
- Frequency equations of combined systems, 4T99
- Flexural vibrations of elastic manipulators with prismatic joints, 7A179
- Sensitivity of the eigenvalues of a damped Euler-Bernoulli beam (German), 10T186
- Longitudinal vibrations of rods coupled by a double spring-mass system, 11A116
GURLEY, KR: Simulation of a class of non-normal random processes, 3A128
- Analysis and simulation tools for wind engineering, 6A290
GURRAM, SK: Subcritical junction flow, 11T908
GURROLA, H: Constraints on crustal structure and complex Moho topography beneath Pinon Flat, California, from telescismic receiver functions, 8A1489
GURSUL, I: Effect of shear-layer control on leading-edge vortices, 6A1189
- Effect of leading-edge flaps on vortices and vortex breakdown, 6A1188
- Vortex breakdown over unsteady delta wings and its control, 9T1163
GURTIN, ME: General contact-angle conditions with and without kinetics, 2A966
GURUJEE, CS: Optimal design of trusses using available sections, 11A765
GURUMOORTHY, R: Neural network approximator with novel learning scheme for design optimization with variable complexity data, 9A831
GURUPRASAD, A: Performance of zinc alloy based metal matrix composites produced through squeeze casting, 3T645
GURVICH, MR: Probabilistic strength analysis of four-directional laminated composites, 2A652
- Statistical simulation of fiber fragmentation in a single-fiber composite, 12A787
GUSELLA, V: Fluid viscous device modeling by fractional derivatives, 10A158
GUSEV, AF: Microtribometer for testing of thin surface layers and coatings, 3A884
GUSEV, V: Theory of Scholte, leaky Rayleigh, and lateral wave excitation via the laser-induced thermoelastic effect, 3A204
GUSTAFSON, A: Charnley wear model for validation of hip simulators - ball diameter versus polytetrafluoroethylene and polyethylene wear, 10A1562
GUSTAFSON, MB: Calcium buffering is required to maintain bone stiffness in saline solution, 3A1511
GUSTAFSON, TW: Influence of microstructural scale on plastic flow behavior of metal matrix composites, 9A511
GUSTAFSSON, B: Superconvergence of Galerkin methods for hyperbolic IBVP, 3A26
GUSTAFSSON, N: Parameterization of lake thermodynamics in a high-resolution weather forecasting model, 5T1433
- Using an adjoint model to improve an optimum interpolation-based data-assimilation system, 9A1522
GUSTAVSSON, A: FEM study of driving forces of short cracks at inclusions in hard steels, 3A11
GUSTAVSSON, L: Modeling of chemical reactions in afterburning for the reduction of N_2O, 1A1329
GUTFINGER, C: Resonance gas oscillations in closed tubes, 3A1056
- Mechanics of collisional motion of granular materials - Part 4: Expansion wave, 6A1367
GUTFRAIND, R: Study of the origin of shear zones in quasi-static vertical chute flows by using discrete particle simulations, 8A1164
GUTHEIL, E: Numerical investigation of the combustion process in a direct-injection stratified charge engine, 6A1351
GUTIERREZ, JM: Chaos suppression through changes in the system variables and numerical rounding errors, 3A98
GUTIERREZ, RH: Vibrations and elastic stability of thin circular plates with variable profile, 2A141
- Transverse vibrations of beams traversed by point masses: A general, approximate solution, 2T126
- Buckling of circular, annular plates of non-uniform thickness, 6A614
- Transverse vibrations of rectangular plates of non-uniform thickness with a free, concentric circular hole, 8T148
- Vibrations of rectangular membranes and plates with rectangular holes with fixed boundaries, 10T201
- Transverse vibrations of a square membrane with an eccentric circular or quasi-square hole, 10T192
- Vibrations of composite, doubly connected square membranes, 12T172
GUTIERREZ, SE: Time-dependent analysis of reinforced and prestressed concrete members, 2A784
GUTIERREZ-CANAS, C: Double-camera measurements of plumes, applied to wind field characterization and dispersion studies, 2A1421
GUTIERREZ-SOLANA, F: Influence of loading rate on hydrogen induced cracking of microalloyed steels, 12A773

GUTKNECHT, MH: Lanczos-type solvers for nonsymmetric linear systems of equations, 11A52
GUTKOWSKI, W: Discrete Structural Optimization, 10N19
GUTMAN, LN: Bulk theory of airflow over a mountain ridge allowing for a stable overlying atmosphere, 6T1480
GUTMAN, P-O: Nonlinear optimal greenhouse control problem with heating and ventilation, 3A345
GUTOWSKI, TG: Advanced Composites Manufacturing, 12N27
GUTTAL, R: s-version of FEM for laminated composites, 5A488
- Assumed strain formulation with selective polynomial order enrichment for p-version shells, 9A569
- Adaptive solver for the p-version of FEM, 10A43
GUTTENDORF, RJ: Automated determination of a novel anti-inflammatory drug in plasma using batch robotic sample preparation and HPLC, 5A360
GUU, YEONG YAN: Correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, 12A977
GUVEN, U: Transverse vibrations of a variable composite flywheel with optimum design, 4T153
GUVENC, L: Stability and performance robustness analysis of repetitive control systems using structured singular values, 4A336
- Overview of robot-assisted die and mold polishing with emphasis on process modeling, 8A460
GUY, RW: Spatial information of sound fields for room-acoustics evaluation and diagnosis, 5A259
- Directional accuracy of transient sound employing an intensity probe, 10A404
GUYADER, JL: Use of "ectoplasm" to predict radiation and transmission loss of a holed plate in a cavity, 9A253
GUYER, RA: Quasi-analytic treatment of hysteretic nonlinear response in elastic wave propagation, 9A191
GUZ, AN: Effect of initial stresses on the intensity coefficient and preliminarily stressed elastic layer weakened by circular crack (Russian), 1A740
- Inverse problems of deformation of flexible cylindrical shells from nonlinearly-elastic composite materials (Russian), 1T572
- Creation of mechanics: Brittle failure of materials with initial stresses (Russian), 2T653
- Failure of infinitely noncompressible hyperelastic material under compression along the cylindrical crack (Russian), 2A655
- Stability of unidirectional fibrous composites (Russian), 9A507
- Stability of laminated coating of tribotechnical purpose (Russian), 9T506
- Stability of interface of two bodies under compression along the cracks located in the interface: Exact solutions (Russian), 12T640
- Effect of anisotropic physico-mechanical properties of material on the surface instability of layered half-bounded media (Russian), 12A638
- Stability of multilayer coatings of tribotechnical purpose under low precritical strains (Russian), 12A927
- Stability of two bodies interface under compression along cracks distributed in the interface - Exact solutions I: A case of unequal roots (Russian), 12A641
GUZ, IA: Stability of interface of two bodies under compression along the cracks located in the interface: Exact solutions (Russian), 12T640
- Stability of two bodies interface under compression along cracks distributed in the interface - Exact solutions I: A case of unequal roots (Russian), 12A641
GUZELBEY, IH: Deformations and pressure distribution on machine tool sideways, 8A702
GUZENKO, YM: Thickness of lubricating films in tests of tooth gears, 2A1139
GUZIK, YA: Self-organization in a brass-glycerin-steel tribosystem, 5A845
GUZMAN, AM: Dynamical flow characterization of transitional and chaotic regimes in converging-diverging channels, 3A99
GUZMAN, R: Establishing R_w and C_f factors for confined masonry buildings, 3A1404
GWEE, SH: Plant layout improvements to a medium volume manufacturing system using systematic techniques to form just-in-time manufacturing cells, 12T457
GWINN, AW: Mass transport in viscous flow under a progressive water wave, 11A943
- Two dimensional long waves in turbulent flow over a sloping bottom, 12A250
GWO, TSUNG-JU: Creep crack growth in fiber reinforced composites with rate-dependent bridging: Role of a viscous fiber matrix interface, 3A704
GWYNLLYW, DR: Effects of a piezoviscous lubricant on the dynamics of a journal bearing, 5A1111
GY, R: Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, 10A1039
GYEKENYESI, JP: Durability evaluation of ceramic components using CARES-LIFE, 11A483
- Fatigue strength as a function of preloading in dynamic fatigue testing of glass and ceramics, 12A595
GYORGYI, J: Application of direct integration in the case of external and internal damping, 10A152
GYR, A: Turbulent velocity field in heterogeneously drag reduced pipe flow, 3A1100
- Effects of polymer additives on the large scale structure of a 2D submerged jet, 5A1014
- Simultaneous wall shear rate measurements by a three segmented electrodiffusion probe and laser-Doppler-anemometry, 8A1252

H

HA, B: Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
HA, J-S: Effect of BN coating on the strength of a mullite type fiber, 12A564
HA, JM: Interline heat transfer of evaporating thin films along a micro grooved surface, 2A1187
HA, MAN YEONG: Numerical study of heat transfer and flow of natural convection in an enclosure with a heat-generating conducting body, 8A1287
HA, MY: Numerical study of droplet evaporation and combustion in the presence of an oscillating flow, 12A1283
HA, STT: Fourier transform approximations for sweeps and phase-encoded sweeps, 4A1373
HA, YOUNG-HO: In-situ identification of active magnetic bearing system using directional frequency response functions, 4A330
HA-DUONG, T: Invariance theorem in acoustic scattering theory, 4A294
HAAKE, SJ: Two- and three-dimensional separation of stresses using automated photoelasticity, 2A730
HAAKER, TI: One-dof rotational galloping under strong wind conditions, 12A271
HAAPALA, J: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513
HAARTSEN, MW: Electroseismic wave properties, 3A1354
HAAS, CN: Moment analysis of tracer experiments, 6T1526
- Continuous flow residence time distribution function characterization, 7A1525
HAAS, DJ: Formulation of a helicopter rotor system damage detection methodology, 4A1148
- Detection of helicopter rotor system simulated faults using neural networks, 10A510
HABASHI, WG: Directionally adaptive methodology using an edge-based error estimate on quadrilateral grids, 4A22
HABEL, WR: Deformation measurements of mortars at early ages and of large concrete components on site by means of embedded fiber-optic microstrain sensors, 10A864
HABER, RB: Moving cohesive interface model for fracture in creeping materials, 12A802
HABERMAN, KS: Alternate unified approach to the micromechanical analysis of composite materials, 5A447
HABERMAN, R: Boundary of the basin of attraction for weakly damped primary resonance, 11A89
HABIB, K: Optical corrosion meter, 8T870
HABIB, SS: Failure of composite stiffened plates loaded in compression, 10A665
HABIBI, D: Robust adaptive sliding-mode control for rigid robotic manipulators with arbitrary bounded input disturbances, 7A384
HABLANI, HB: Pole-placement technique for magnetic momentum removal of earth-pointing spacecraft, 9T235
HAC, A: Control of suspensions for vehicles with flexible bodies - Part II: Semi-active suspensions, 4A388
- Control of suspensions for vehicles with flexible bodies - Part I: Active suspensions, 4A387
- Decentralized control of active vehicle suspensions with preview, 11A310
HACHI, F: Compressive behavior of concrete: Physical mechanisms and modeling, 6A536
HACHIGA, S: Deformation and interface pressure distribution of 1/10 tapered joints at high rotation speed, 1A935
HACHINO, T: On-line identification of continuous time-delay systems combining least-squares techniques with a genetic algorithm, 7A304
HACHISUKA, T: Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A1366
- Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A9
HACK, M: Fatigue lifetime estimation based on rainflow counted data using the local strain approach, 6A731
- Stochastic reconstruction of loading histories from a rainflow matrix, 10A780
HACKBUSCH, W: Composite FEs for the approximation of PDEs on domains with complicated micro-structures, 8A33
HACKER, JM: Transport processes in the tropical warm pool boundary layer - Part I: Spectral composition of fluxes, 3T1430
HACKERT, CL: Transverse dispersion at high Peclet numbers in short porous media, 3A1360
HACKETT, JE: Tunnel-induced gradients and their effect on drag, 6A1216
HACKING, WJG: Finite element analysis of blood flow through biological tissue, 8A1566
HACKL, K: Framework for nonlinear shells based on generalized stress and strain measures, 9A551
- Generalized standard media and variational principles in classical and finite strain elastoplasticity, 11A1
HADAD, A: Note on the orientation of the macrodispersion tensor in partially saturated heterogeneous porous formations, 9T1435
HADANO, K: Effect of particles accumulation on drag force in solid-liquid two-phase flows (Chinese), 10A1121
HADDAD, A: Determination of the forming limiting curves using 3G plasticity rules (French), 7A429
HADDAD, KH: Hydrodynamic critical heat flux model for saturated pool boiling on a downward facing curved heating surface, 6A1253
HADDAD, WM: Antiwindup controllers for systems with input nonlinearities, 5T296
- Implicit small gain condition and an upper bound for the real structured singular value, 7T300
- Frequency-domain performance bounds for uncertain structures with sensor and actuator dynamics, 8T365
- Robust nonlinear-nonquadratic feedback control via parameter-dependent Lyapunov functions, 10A453
HADDAD, YM: Characterization of the stress-relaxation response of a class of linear viscoelastic material using acousto-ultrasonics: A pattern recognition approach, 6A829
HADDARA, MR: Study of the dynamic response of submerged rectangular flat plates, 3A271
HADDON, RAW: Earthquake source spectra in eastern North America, 4T1366
HADDOW, JB: Study of finite amplitude plane wave propagation in a rubber-like solid, 4A207
- Coupled radially symmetric linear thermoelasticity, 12A297
HADER, MA: Transient heat transfer to a spheroidal liquid drop suspended in an electric field, 11A1303
HADERLE, M-U: Flexibility factors for nozzles in the knuckle region of dished pressure vessel heads, 8A939
HADGU, T: New lumped-parameter model for flow in unsaturated dual-porosity media, 1T1382
HADIM, HA: ASME Proceedings of 31st National Heat Transfer Conference, Volume 9, 2N44
HADJI, L: Penetrative convection induced by the freezing of seawater, 2A1299
HADJIDIMOS, A: Convergence domains of the p-cyclic SOR, 1A95
- Generalized Schwarz splitting method based on Hermite collocation for elliptic boundary value problems, 3A57
HADJILOUCAS, S: Distributed water ingress and water potential measurements using fiber optics, 10A866
HADJINICOLAOU, A: Boundary element method solution to transient free convective heat transfer in a viscous, electrically conducting, and heat generating fluid, 5A1142
HADJISTAMOV, D: Oscillatory measurements of silicone oils: Loss and storage modulus master curves, 3A964
HADJRES, S: Mapping in unknown graph-like worlds, 1A402
HADLEY, I: Fracture toughness testing a weld metal: Results of a European round robin, 5A715
HADY, FM: Solution of heat transfer to micropolar fluid from a non-isothermal stretching sheet with injection, 5A1131
HAFEZ, M: Anomalies of the numerical solutions of the Euler equations, 6A61
HAFTKA, RT: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
- Limits of stress reduction in a plate with a hole using piezoelectric actuators, 3A748
- Analytical-experimental comparison of probabilistic methods and fuzzy set based methods for designing under uncertainty, 10A921
- Global-local analysis of composite plates with cutouts, 11A514
HAGA, O: V-shape forming of super hybrid material plate (Japanese), 4A668
HAGAMAIER, DJ: Evaluation of shims, gaussmeter, penetrameter, and equations for magnetic particle inspection, 10A880
HAGE, W: Experiments on drag-reducing surfaces and their optimization with an adjustable geometry, 11A1031
HAGE-CHEHADE, F: Effective mechanical properties of random porous media, 4A6
HAGEDORN, P: Note on the contact problem in an ultrasonic traveling wave motor, 7A182
HAGEL, J: Analytical investigation of nonlinear stability of the Lagrangian point L_4 around the commensurability 1:2, 1A296
HAGELBERG, CR: Local existence results for the generalized inverse of the vorticity equation in the plane, 2A975
HAGEMANN, G: Numerical flowfield analysis of the next generation vulcan nozzle, 1A1045
HAGENBUCHLE, M: Rheology of a magnetorheological fluid, 6A984
HAGER, GD: Heuristic method for evaluating coil performance, 2A1144
HAGER, JW: Performance limits for stiffness-critical graphitic foam structures - Part I: Comparisons with high-modulus foams, refractory alloys, and graphite-epoxy composites, 5A450
HAGER, WH: Environmental Hydraulics, 2N48
- Shockwave reduction by chute diffractor, 2A231
- Improved design of final settling tanks, 9T1061
- Unconfined expansion of supercritical water flow, 11A912
- Subcritical junction flow, 11T908
HAGERMAN, B: Ear muff performance in impulsive noise as a function of angle of incidence, 5A255
HAGFORS, T: Earth's Ionosphere: A wall-less plasma laboratory, 9T1507
HAGGBLAD, A-A: Simulation of hot isostatic pressing of metal powder components to near net shape, 1A671
HAGIHARA, S: Laser lithography for making jewels - 2nd Report: An algorithm of diagonal irradiation method (Japanese), 12A454
HAGIWARA, A: Proposal of out-of-plane analysis using plane model for suspension brige (Japanese), 2A809
HAGIWARA, I: Development of sound pressure level integral sensitivity and its application to vehicle interior noise reduction, 1A323
- Frequency response analysis of large-scale damped structures using component mode synthesis, 5A146
HAGIWARA, S: Development and tribology of compressors for alternative HFC refrigerants, 5T1278
HAGIWARA, T: Two dof design method of linear-quadratic servo systems with an integral compensator: Analysis of the performance deterioration by the introduction of an observer, 2A311
- Failure mechanism of a dry sandy ground around a deep circular shaft at active state (Japanese), 2A560
- Particle crushing and formation of adhesion bonds in naturally deposited sands under high pressure (Japanese), 2A549
HAGIWARA, Y: Effect of vertical seismic load on shear-bending buckling strength of thin cylindrical shells, 7A549
HAGOOD, NW: Distributed structural actuation with electrostrictors, 12A895
HAGSTRUM, DW: Studies of sound transmission in various types of stored grain for acoustic detection of insects, 12A319
HAGUE, A: Response of resin transfer molded (RTM) composites under reversed cyclic loading, 11A453
HAH, C: Turbomachinery Fluid Dynamics and Heat Transfer, 10N28
- Unsteady flow and shock motion in a transonic compressor rotor, 7A1190
- Three-dimensional shock loss model applied to an aft-swept, transonic compressor rotor, 12A1189
HAH, CHUNNIL: Unsteady aerodynamic flow phenomena in a transonic compressor stage, 10A1250
HAHM, SEUNG-YEUN: Mechanical property changes in drawing-extrusion of hardening viscoplastic materials with damage, 7A595
HAHN, EJ: Dynamic response of a cracked rotor with some comments on crack detection, 10A511
HAHN, GD: Correlation of seismic responses of structures, 9A1475
HAHN, GT: Modeling of surface modified layers in the presence of surface irregularities, 4A905
HAHN, HT: Designing with 4-step braided fabric components, 2A446
- Modeling of heat transfer and crystallization in thermoplastic composite tape placement process, 10A1338
HAHN, O: Transient coupled conductive-radiative heat transfer in absorbing, emitting, and scattering media: Application to laser-flash measurements on ceramic materials, 5A1263
HAHN, S: Unsteady simulation of jets in a cross flow, 12A1134
HAHN, SR: Sensitivity analysis of coupled structural-acoustic problems using perturbation techniques, 8A290
HAHN, Y: Generalized thermal modeling for laser drilling process - II: Numerical simulation and results, 11A1261
- Generalized thermal modeling for laser drilling process - I: Mathematical modeling and numerical methodology, 11A1260
HAHNE, E: Small solar (thermal) water-pumping system, 4A1461
HAHNE, HW: Mass transfer enhancement by longitudinal vortices, 8A1396
HAHNER, P: From mesoscopic heterogeneity of slip to macroscopic fluctuations of stress and strain, 8A524
HAI, ZHOU: Experimental investigation on low-speed torque characteristics of vehicle turbocharged diesel engine (Chinese), 10A1425

HAIDAR, N: Prediction of compressible flow pressure losses in 30° - 150° sharp-cornered bends, 11A980
HAIDAR, NHS: Recursive pseudo-inversion of the Laplace transform on the real line, 11A64
HAIE, N: Boundary Elements XVIII, 3N2
HAILEY, JL: Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, 11A1581
HAIMOVITCH, Y: Effects of internal nozzle geometry on compression-ramp mixing in supersonic flow, 9A1037
HAINOUN, A: Modeling of void formation in the subcooled boiling regime in the ATHLET code to simulate flow instability for research reactors, 6A1500
HAINSWORTH, SV: Analysis of nanoindentation load-displacement loading curves, 2A419
HAJAGOS, B: MFV-corrected variances, 12A1434
HAJDUK, EL: Calibration and use of grid-based tactile pressure sensors in granular material, 12A688
HAJELA, P: Constrained genetic search via schema adaptation: An immune network solution, 2A753
- Parallel genetic algorithm implementation in multidisciplinary rotor blade design, 4A813
- Constraint handling in genetic search using expression strategies, 5A743
- Integrated design of an adaptive neurocontroller for a 2D aeroelastic system, 10A485
HAJI-SHEIKH, A: Comparison of some inverse heat conduction methods using experimental data, 1A1216
- Cooling of high-temperature cylindrical surfaces using a water-air spray, 11A1345
HAJIAN, AZ: Identification of the mechanical impedance at the human finger tip, 9A1567
HAJJ, MR: Application of wavelet analysis to incident wind in relevance to wind loads on low-rise structures, 7T232
- Perspective: Measurements and analyses of nonlinear wave interactions with higher-order spectral moments, 9A1106
HAJJAR, JF: Representation of concrete-filled steel tube cross-section strength, 6A918
- Cyclic nonlinear model for concrete-filled tubes - I: Formulation, 11A13
- Cyclic nonlinear model for concrete-filled tubes - II: verification, 11A14
- Design of steel frames without consideration of effective length, 12A913
HAK CHO, BYUNG: Design of stability-guaranteed neurofuzzy logic controller for nuclear steam generators, 5A363
HAKANSSON, L: Identification of statistical properties of cutting tool vibrations in a continuous turning operation: Correlation to structural properties, 11A157
HAKEEM, I: Modeling of a turbocharger turbine under pulsating inlet conditions, 5A1362
HAKIEM, MEI: Effect of a transverse magnetic field on natural convection in micropolar fluids, 9A1132
HAKIM, S: Shape estimation of distorted flexible structures, 6A856
HAKOPIAN, YR: Multilevel preconditioning for perturbed FE matrices, 7A35
HAKULA, H: Scale resolution, locking, and high-order FE modeling of shells, 1A586
HALABE, UB: Lateral free vibration of a single pile with or without an axial load, 2T121
HALANAY, A: Small gain theorem for linear stochastic systems, 12T362
HALAND, Y: Parametric study of a side airbag system to meet deflection based criteria, 2A1471
HALBERSTADT, C: Collagen fiber architecture of a cultured dermal tissue, 9A1578
HALDAR, A: Uncertainty Modeling in Finite Element, Fatigue and Stability of Systems, 12N7
- System reliability evaluation considering strength and serviceability requirements, 7A819
- System identification with limited observations and without input, 11A282
HALDAR, K: Two-layered model of blood flow through stenosed arteries, 3A1514
HALDEMAN JR, CW: Phase-resolved surface pressure and heat-transfer measurements on the blade of a two-stage turbine, 11A1167
HALDENWANG, P: High pressure vaporization of LOX droplet crossing the critical conditions, 1A1212
- Substitute mixtures for lox droplet vaporization study, 4A1311
- Lifetime and dynamics of a pocket of dense gas in a hot gas flow, 7A1079
HALDER, A: Uncertainty Modeling in Vibration, Control, and Fuzzy Analysis of Structural Systems, 12N15
HALEVI, Y: Reduced-order models with delay, 1A347
- Parameter-dependent model order reduction, 8T374
HALFORD, GR: Dwell sensitivity fatigue behavior of high temperature materials, 11A642
HALIDING, H: Dynamic stress intensity factors around two parallel cracks in an infinite-orthotropic plane subjected to incident harmonic stress waves, 8A773
HALKYARD, CR: Fourier series approach to the measurement of flexural wave intensity in plates, 12A229
HALL JR, CE: Instrumentation analysis using parameter estimation of simulated data, 3T333
- Development and flight testing of quantitative feedback theory pitch rate stability augmentation system, 3T366
HALL, CD: Momentum transfer in two-rotor gyrostats, 3T368
HALL, DL: Negative information problem in mechanical diagnostics, 10A515
HALL, FR: Prediction of plane-strain creep-crack growth using continuum damage mechanics, 5A622
HALL, GW: Measurement of dynamic joint motion using magnetohydrodynamic angular rate sensors, 4A196
HALL, IW: High strain rate properties of Cycom 5920-1583 cloth glass-epoxy composites, 9A523
HALL, KC: Sensitivity analysis of the aeroacoust response of turbomachinery blade rows, 2A176
- Minimum induced power requirements for flapping flight, 4A1128
- Eigenmode analysis in unsteady aerodynamics: Reduced order models, 8A1225
- Influence of neighboring blade rows on the unsteady aerodynamic response of cascades, 8A1226
HALL, KH: Empirical method to estimate shear wave velocity of soils in the New Madrid seismic zone, 3A205
HALL, LD: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193
HALL, MJ: Combustion of hydrocarbon fuels within porous inert media, 3A1321
- Transverse dispersion at high Peclet numbers in short porous media, 3A1360
- Absorptance of infrared radiation by methane at elevated temperatures, 5A1253
HALL, P: IUTAM Symposium on Nonlinear Instability and Transition in Three-Dimensional Boundary Layers, 7N28
- Stability of two-phase flow over a swept wing, 7A1121
HALL, PB: Experimental-analytical study of high-speed, high-load rolling-sliding contacts with ultra-low viscosity fluids, 7A1194
HALL, RB: Performance limits for stiffness-critical graphitic foam structures - Part I: Comparisons with high-modulus foams, refractory alloys, and graphite-epoxy composites, 5A450
- Performance limits for stiffness-critical graphitic foam structures - Part II: Comparisons of foams, foam-core, and honeycomb-core sandwiches in bending-shear, 5A451
HALL, RJ: Incorporation of an efficient turbulent radiation algorithm into a discrete transfer program, 7A1401
HALL, SR: Minimum induced power requirements for flapping flight, 4A1128
HALLBACK, M: Turbulence and Transition Modeling, 2N33
HALLBACK, N: T-stress evaluations of mixed mode I and II fracture specimens and T-effects on mixed mode failure of aluminum, 1A751
HALLER, KAI-UWE: Numerical analysis of plasma-sprayed ceramic coatings for high-temperature applications, 6A38
HALLIWELL, I: Design and development of a turbine research facility to study rotor-stator interaction effects, 8A1242
HALLIWELL, NA: Particle image velocimetry analysis of IC engine in-cylinder flows, 1A809
HALM, D: Model of anisotropic damage by Mesocrack growth; Unilateral effect, 5A683
HALPERN, D: Steady motion of a semi-infinite bubble through a flexible-walled channel, 3A1079
HALSMER, DM: Stability of a spinning axisymmetric rocket with dissipative internal mass motion, 9A236
HALSTEAD, DE: Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, 8A1240
- Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, 8A1239
- Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, 10A1217
- Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, 12A1178
HAM, S-J: Experimental study for reliability of electronic packaging under vibration, 5A634
HAMAD, AMA: Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, 2T332
HAMAD, D: Feature extraction and selection for fault detection in production of glass bottles, 4A472
HAMAD, H: Analytical solution for shock waves in dusty gases, 6A283
HAMADA, H: Fabrication and mechanical properties of multi-reciprocal braided composite tube, 1A519
- Effect of fiber material on the energy absorption behavior of thermoplastic composite tubes, 1A536
- Local sound field reproduction using digital signal processing, 3A322
- Strength prediction of mechanically fastened quasi-isotropic carbon-epoxy joints, 4A574
- Strength prediction of adhesively bonded carbon-epoxy joints, 4A544
- Analytical procedure for the prediction of elastic properties of plain knitted fabric-reinforced composites, 7A484
- Effect of interfacial properties and weave structure on mode I interlaminar fracture behavior of glass satin woven fabric composites, 8A793
- Finite element method for prediction of energy absorption capability of crashworthy polymer composite materials, 9A527
- Design and evaluation frontiers of composite materials - II: Evaluation methods of reinforcing fibers and interface (Japanese), 9T480
- Tensile strength and its scatter of unidirectional carbon fiber reinforced composites, 9A485
- Effect of surface oxidation and sizing treatment of carbon fiber on interfacial adhesion (Japanese), 9A481
- Examination of void formation mechanism by numerical analysis, 11A1038
- Tensile properties of plain weft knitted glass fiber fabric reinforced epoxy composites, 12A572
HAMADA, M: Design formulas of U-shaped bellows, 8A582
- Time frequency analysis of dispersive waves by means of wavelet transform, 11A184
HAMADA, S: Study on the bending fatigue properties of roller compacted concrete mixed with recycled aggregates, 5T783
- Study on the statical behavior and applicability of precast slab joints (Japanese), 8A915
- New method for the measurement of mode II fatigue threshold stress intensity factor range ΔK_{IIth}, 12A847
HAMADA, Y: Effective distribution of seismic lateral force utilizing compressive deformation of rubber devices (Japanese), 11A1489
HAMAGUCHI, Y: Measurements of velocity profile development in the spinning flows of liquid crystalline polymer solutions, 8A995
HAMAJIMA, R: Analysis of stress transfer, deformation and fracture strength by FESM: An analysis method for discontinuous medium (Japanese), 5A540
HAMALA, P: Streamline based grid adaption for Euler and Navier-Stokes: Direct and inverse design applications, 11A945
HAMAM, A: Measuring and modeling dynamic loads imposed by moving crowds, 6A196
HAMAMOTO, Y: Ambient gas entrainment into a transient gas jet: Visualization of surrounding air motion and estimation of entrainment amount by path line method, 3T1113
HAMANAKA, K-I: Open, partial reflection and incident-absorbing boundary conditions in wave analysis with a boundary integral method, 10A302
HAMANO, H: Thermal deformation rate control grinding for improving surface finish (Japanese), 3A641
HAMAZAKI, Y: Basic study on simultaneous identification of cable tension and flexual rigidity by extended Kalman filter (Japanese), 9A540
HAMBIR, SA: Shock waves in molecular solids: Ultrafast vibrational spectroscopy of the first nanosecond, 11A202
HAMBLIN, MG: Description of abrasive particle shape and its relation to two-body abrasive wear, 4A883
- Characterization of surface abrasivity and its relation to two-body abrasive wear, 12A974
HAMBLY, ET: Buckling experiments on damaged cylindrical shells, 2A520
HAMBRIC, SA: Sensitivity calculations for broadband acoustic radiated noise design optimization problems, 1T318
HAMBURGER, MW: M_s = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - I: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, 12T1453
- M_s = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454
HAMDAN, MA: Convective heat transfer and pressure drop characteristics of various array configurations to simulate the cooling of electronic modules, 1A1276
- Experimental investigation of local clays and clay schemes as liners for solar ponds, 1A1433
- Storing thermal energy using fluidized bed storage, 7A1443
- Effects of climatic conditions on the performance of Carnallite solar ponds, 7A1509
- Optimization of cylindrical pin fin arrays with an accelerated flow subjected to convective heat transfer, 7A1335
HAMDAN, MH: Aspects of thin-film polar fluid lubrication, 4A1154
HAMDAN, MN: Comparison of various basic wavelets for the analysis of flow-induced vibration of a cylinder in cross flow, 3T264
- Large amplitude free vibrations of a restrained uniform beam carrying an intermediate lumped mass, 8A133
- Period of large amplitude free vibration of conservative autonomous oscillators with static and inertia type cubic nonlinearities, 8A102
HAMDY, AH: Combined bending and torsional fatigue of woven roving GRP, 10A764
HAMED, A: Overexpanded 2D-convergent-divergent nozzle flow simulations: Assessment of turbulence models, 10A1152
HAMED, GR: Adhesion and failure mechanisms of a model hot melt adhesive bonded to polypropylene, 10A1011
HAMED, MM: Manzur and Hamed algorithm for resequencing nodes in the undirected graphs to minimize the storage by reducing the bandwidth of sparse symmetric matrices, 2A61
HAMED, OA: Heuristic approach for heat exchanger networks, 3A1260
HAMEED, YA: Ignition transient of solid propellant rocket motors, 11A1396
HAMEL, AJ: Statically equivalent load and support conditions produce different hip joint contact pressures and periacetabular strains, 7A1534
HAMEL, PG: Advances in rotorcraft system identification, 9A1168
HAMELIN, P: Strengthening of concrete beams using fiber-reinforced plastics, 10A603
HAMERY, P: Acoustic fields in trapezoidal cavities, 10A332
HAMET, JF: Porous road pavements: Acoustical characterization and propagation effects, 7A262
HAMILTON II, HH: Hypersonic aerodynamic characteristics of a proposed single-stage-to-orbit vehicle, 2A839
HAMILTON, CH: Stability of biaxial stretching with application to the optimization of superplastic blow-forming, 7A601
- Constitutive modeling of superplastic deformation - Part I: Theory and experiments, 11A412
HAMILTON, JA: Shell-function solutions for 3D nonlinear body-motion problems, 9A1157
HAMILTON, MF: Comparison of computer codes for the propagation of sonic boom waveforms through isothermal atmospheres, 5A196
- Analytical method for describing the paraxial region of finite amplitude sound beams, 8A343
HAMILTON, R: Approximate limit design of frames using elastic analysis, 3A804
- Simple method of calculating lower-bound limit loads for axisymmetric thin shells, 11A522
HAMILTON, RW: Bending strength of steel beams with corrugated webs, 11A500
HAMILTON, S: Automation in drug discovery, 6T447
HAMINS, A: Influence of CF_3I, CF_3Br, and CF_3H on the high-temperature combustion of methane, 5A1344
- Radiative emission fraction of pool fires burning silicone fluids, 6A1338
- Inhibitor influence on the bistability of a CSTR, 6A1339
HAMM, L: Wave height, setup and currents around a detached breakwater submitted to regular or random wave forcing, 12A259
- Intercomparison of wave-driven current models, 12T1496
HAMM, P: Generalized form of the Saint-Venant equation with velocity and shear stress profiles (French), 3A970
HAMMAD, A: Flexible automated foam cutting system, 8A725
HAMMAD, KJ: Dissipative cylindrical Couette flow of yield-pseudoplastic fluids, 5T1178
HAMMARLING, S: LAPACK for Fortran 90, 4T64
HAMMER, J: Corrective control of sequential machines, 4A376
- Control of sequential machines with disturbances, 12T373
HAMMER, JK: Modeling the effect of San Andreas fault structure on receiver functions using elastic 3D finite differences, 4A1424
HAMMER, VB: Parametrization in laminate design for optimal compliance, 6A551
HAMMERSBERG, P: Propagation of hole machining defects in pin-loaded composite laminates, 9A760
HAMMETT, F: Fiber composite fatigue-life determination, 7A662
HAMMOND, DA: Global dynamics of symmetric and asymmetric wakes, 8A1155
- Global dynamics and aerodynamic flow vectoring of wakes, 11A1051
HAMMOND, VH: Effects of fluid type and viscosity on the steady-state and advancing front permeability behavior of textile preforms, 7A1096
HAMMOUDA, MMI: Front development of a long fatigue crack during its growth, 12A746
HAMMOUDA, N: Experimental study of subcooled film boiling of refrigerants in vertical up-flow, 2A1216
- Two-fluid modeling of inverted annular film boiling, 9A1250
HAMMOUMI, A: Theoretical model of flow of an inelastic fluid through isotropic elastic porous pipes (French), 11T904
HAMMOURI, H: Uniform observation of nonuniformly observable systems, 5T270
HAMOUCHE, NC: Spectral solution for the bending of arbitrarily shaped plates, 8A580

HAMOUSH, SA: Bond shear modulus of reinforced concrete at high temperatures, 6A880
HAMPARTSOUMIAN, E: Experimental investigation of sulphur-nitrogen interactions in turbulent spray flames, 2A1318
HAMPE, A: Energy release rate of the fiber-polymer matrix interface: Measurement and theoretical analysis, 10A816
HAMPTON, RE: Migration of particles undergoing pressure-driven flow in a circular conduit, 10A1031
HAMZA, AV: Nanomechanical properties of SiC films grown from C_{60} precursors using atomic force microscopy, 7T934
HAMZA, EA: Magnetohydrodynamic effects on a fluid film squeezed between two rotating naturally permeable discs: Similarity solutions, 4A981
HAN, B: Micromechanical deformation analysis of beta alloy titanium in elastic and elastic-plastic tension, 1A488
- Verification of numerical models used in microelectronics packaging design by interferometric displacement measurement methods, 4A940
- Isochromatic fringe sharpening and interpolation along an isoclinic contour, with application to fracture mechanics, 5A725
HAN, BQ: High-strain-rate superplasticity of SiC_p/8090 aluminum composite, 6A555
HAN, FENG: Interaction of plane SH-waves and non-circular cavity surfaced with lining in anisotropic media, 6A235
HAN, GC: Two-stage approach for nesting in 2D cutting problems using neural network and simulated annealing, 6A700
HAN, GUI-YOUNG: Performance of an entrained-particle heat exchanger, 6A1263
HAN, GUOCHENG: Nonlocal analysis of stable states and stable paths of propagation of damage shear bands based on large deformation theory (Chinese), 2A417
- Aseismatic studies of concrete faced rockfill dams: State-of-the-art (Chinese), 6A1461
HAN, HN: Plastic behavior of perforated sheets under biaxial stress state, 8A528
HAN, HOUDE: Finite-element method for Laplace- and Helmholtz-type boundary value problems with singularities, 11A261
HAN, J-B: Bending analysis of simply supported shear deformable skew plates, 9A552
- Eight-node curvilinear differential quadrature formulation for Reissner-Mindlin plates, 9A572
HAN, J-C: Local heat transfer in a rotating two-phase triangular duct with smooth walls, 1A1188
- Local heat transfer in rotating smooth and ribbed two-pass square channels with three channel orientations, 2A1184
- Flow separation with adverse rotational buoyancy, 5T1173
- Experimental heat transfer in a rotating triangular duct: Effect of model orientation, 11T1250
- Effect of unsteady wake with trailing edge coolant ejection on detailed heat transfer coefficient distributions for a gas turbine blade, 11A1163
HAN, JB: Four-node differential quadrature method for straight-sided quadrilateral Reissner-Mindlin plates, 8A591
HAN, JC: Turbulent flow heat transfer and friction in a rectangular channel with varying numbers of ribbed walls, 10A1285
- Combined effect of grid turbulence and unsteady wake on film effectiveness and heat transfer coefficient of a gas turbine blade with air and CO_2 film injection, 12A1145
- Film effectiveness over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, 12A1273
- Heat transfer coefficients over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, 12A1274
HAN, JE-CHIN: Heat transfer inside and downstream of cavities using transient liquid crystal method, 1A1204
- Detailed heat transfer distributions in two-pass square channels with rib turbulators, 9A1283
HAN, JH: Investigation on a simulation model of floating half zone convection - II: Experiment, 9A1219
HAN, JIE: Study on fault properties of the rotor connected by the gear coupling, 4T187
HAN, JUNGSOO: Technique for calibrating measurements from photographs of sliced specimens, 11A1587
HAN, JY: Complete balancing of the shaking moment in spatial linkages by adding planar noncircular gears, 6A959
HAN, K: Dry spot formation and changes in liquid composite molding - II: Modeling and simulation, 2A606
- Dry spot formation and changes in liquid composite molding - I: Experimental, 2A605
HAN, KS: Mechanical properties and solid lubricant wear behavior of Al-Al_2O_3-C hybrid metal matrix composites fabricated by squeeze casting method, 9A483
HAN, KUANG-WEI: Robust controller design with damping and stability specifications, 9T339
HAN, KYUNG SEOP: Optimum placement of piezoelectric sensor-actuator for vibration control of laminated beams, 2A773
HAN, Q: Modeling of absorption chillers with external and internal irreversibilities, 9A1310
HAN, RAY PS: Damage evolution in ductile materials, 1A730
HAN, RPS: Object-oriented framework for interactive numerical analysis in a graphical user interface environment, 2A62
- Analytical vibration and resonant motion of a stretched spinning nonlinear tether, 3A154
- Influence of damage in the vicinity of a macrocrack tip, 5A697
- Exact dynamic stiffness matrix for beams of arbitrarily varying cross sections, 6A152
HAN, SEJIN: Characterization of the rheological properties of a fast-curing epoxy-molding compound, 8A999
HAN, SH: Minimum cost design of multispan partially prestressed concrete T-beams using DCOC, 5A752
HAN, SHULIN: Study of air filter systems of heavy-duty diesel engines (Chinese), 4A1030
HAN, SW: Method of reliability-based seismic design - I: Equivalent nonlinear systems, 9A1495
- Method of reliability-based seismic design - II: Calibration of code parameters, 9A1496
HAN, W: Geometrically nonlinear vibration analysis of thin, rectangular plates using the hierarchical FEM - II: 1st mode of laminated plates and higher modes of isotropic and laminated plates, 8A156
- Geometrically nonlinear vibration analysis of thin, rectangular plates using the hierarchical FEM - I: The fundamental mode of isotropic plates, 8A145
- Perturbed Lagrangian formulation for nearly incompressible and incompressible hyperelasticity, 10A571
HAN, WAN-ZHI: Mixed-basis superposition method for the perturbation analysis of eigensolutions, 7A169
- Improved method for determining free-free modes using constrained test data, 7T114
HAN, WANMIN: Linear vibration analysis of laminated rectangular plates using the hierarchical FEM - II: Forced vibration analysis, 3A150
- Linear vibration analysis of laminated rectangular plates using the hierarchical FEM - I: Free vibration analysis, 3A161
HAN, WEIMIN: Qualitative and numerical analysis of quasi-static problems in elastoplasticity, 8A522
- Finite element methods for Timoshenko beam, circular arch, and Reissner-Mindlin plate problems, 10A20
HAN, WENSHENG: Statistical formulation and experimental determination of growth rate of micrometer cracks under impact loading, 12A831
HAN, XIAO-LING: Analysis of the characteristics of pseudo-resonance and anti-resonance, 4A118
HAN, XUE-LI: Crack problem of a fiber-matrix composite with a nonhomogeneous interfacial zone under torsional loading - II: A ring-shaped crack in the matrix, 2A673
HAN, YINGKE: Squeeze film force modeling for large amplitude motion using an elliptical velocity profile, 1A1123
HAN, YONG OUN: Measurements of the velocity and turbulence structure of a rotor tip vortex, 9A1051
HAN, Z: Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, 12A1411
HAN, ZHIYU: Temperature wall function formulation for variable-density turbulent flows with application to engine convective heat transfer modeling, 5A1132
HANADA, H: Nonlinear vibration of a small-sag cable subjected to an axial time-varying load and transverse time-varying load (Japanese), 6A159
HANADA, R: Simulation of transient flow through Monsanto Processability Tester, by marker FEM, 7T29
HANADA, T: Unsteady aerodynamic analysis of supersonic through-flow fan with vibrating blades under non-zero mean loading, 2A179
HANAGUD, S: Delamination modes in composite plates, 4A723
HANAI, M: Development of man-machine cooperative production system, 1A1468
HANAKI, Y: Planning of simultaneous machining sequence for turning by considering division of machining areas: Generation of effective combinations for simultaneous machining (Japanese), 1A654
HANAMITSU, H: Point-in-polygon test dealing with the polygons including curve edges based on the 4 × 4 determinant method (Japanese), 7A79
- Adaptive sign detection method using a floating point processing unit: Sign detection for 3 × 3 determinants (Japanese), 12T86
HANAZAKI, H: Wave excitation and the formation of recirculation eddies in an axisymmetric flow of uniformly rotating fluids, 3A1027
HANCHI, J: Tribological behavior of polyetheretherketone, a thermotropic liquid crystalline polymer and in situ composites based on their blends under dry sliding conditions at elevated temperatures, 7A870
HANCOCK, GJ: Comparison of tests of bridged and unbridged purlins with a nonlinear analysis model, 12A605
HANCOCK, RD: Nitrogen and hydrogen CARS temperature measurements in a hydrogen-air flame using a near-adiabatic flat-flame burner, 10A1421
HAND, DP: Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, 2A732
HAND, NP: Prediction in stratified gas-liquid co-current flow in horizontal pipelines, 7A1071
HANDA, M: Study on bond mechanism of steel fiber reinforced ultra rapid hardening concrete applied to concrete overlay (Japanese), 2T783
HANDEL, R: Numerical analysis of plasma-sprayed ceramic coatings for high-temperature applications, 6A38
HANDSCHUH, R: Application of FE analysis for determination of load share, real contact ratio, precision of motion, and stress analysis, 6A946
HANDSCHUH, RF: Kinematic and geometric models of gear drives, 6A953
- Computerized design and analysis of face-milled, uniform tooth height spiral bevel gear drives, 6A961
- Method for thermal analysis of spiral bevel gears, 6A955
HANDWERKER, CA: Dynamic aspects of wetting balance tests, 4A691
HANDZEL-POWIERZA, Z: Theoretical and experimental studies on elasto-plastic deformation of an element with surface layer, 4A522
HANE, K: Shape detection by scanning object with coaxial laser beam (Japanese), 12A864
HANEL, D: Influence of reactive particles on the formation of a 1D detonation wave, 2A1325
HANEY, OR: Multilevel soil-vapor extraction test for heterogeneous soil, 7T1522
HANEY, RL: Shear and curvature vorticity equations, 6A1018
HANGAI, Y: Shape and stress control analysis of prestressed truss structures, 6A912
HANGGI, P: Effect of periodic shear on avalanches in granular systems, 4A1326
HANITSCH, R: Numerical simulation of current-voltage characteristics of photovoltaic systems with shaded solar cells, 3A1453
HANJALIC, K: Modeling the dynamics of double-diffusive scalar fields at various stability conditions, 11A1389
HANKE, M: Regularizing Levenberg-Marquardt scheme, with applications to inverse groundwater filtration problems, 8A1557
HANKUS, J: New version of the criterion of winding rope contraction, 9T542
HANLER, M: Numerical methods versus asymptotic expansion for torsion of hollow elastic beams, 1A453
- Inverse problem for the Ekman equation, 4T1429
HANN, DB: Measurement of acoustic particle velocity using particle image velocimetry techniques, 11A267
HANNA, GB: Technological aspects of minimal access surgery, 12T1584
HANNAFORD, B: Scaling of direct drive robot arms, 4A443
HANNEMANN, K: Numerical flowfield analysis of the next generation vulcan nozzle, 1A1045
HANNIBAL, L: Global stability properties of the complex Lorenz model, 6A108
HANNINEN, H: Effect of non-metallic inclusions on corrosion fatigue resistance of P-M duplex stainless steel, 5A617
HANNSEN SU, J: Mechanisms of localized vibration control in complex structures, 11A314
HANRATTY, TJ: Transport of a passive scalar in a turbulent channel flow, 6A1232
- Turbulent dispersion of heavy particles with nonlinear drag, 9A1548
- Added stresses because of the presence of FENE-P bead-spring chains in a random velocity field, 10A1182
HANSEL, M: Structural and aerodynamic calculation of sails as flexible membranes, 12A272
HANSEN, A: Band formation in deposition of fines in porous media, 6A1378
HANSEN, AC: Multicontinuum theory for thermal-elastic FE analysis of composite materials, 7A19
- Integrated approach to wind turbine fatigue analysis, 12A1522
HANSEN, CF: Equilibrium vibrational properties of ground state nitrogen up to 35,000 K, 2A992
HANSEN, CH: Use of genetic algorithms to optimize vibration actuator placement for active control of harmonic interior noise in a cylinder with floor structure, 3A317
- Control of flexural vibration in a stiffened cylinder using piezoceramic actuators and an angle stiffener, 3A745
- Power transmission characteristics in an actively controlled semi-infinite plate, 3A755
- Distributed parameter modal filtering using smart sensors, 4A416
- Calculating resonance frequencies of perforated panels, 4A168
- Control of flexural vibration in stiffened structures using multiple piezoceramic actuators, 4A825
- Control of flexural vibration in a stiffened plate using piezoceramic actuators and an angle stiffener, 6A862
- Investigation of the coupling loss factor for a cylinder-plate structure, 8A307
- Power transmission from a vibrating body to a circular cylindrical shell through passive and active isolators, 8A319
- Active control of vibration transmission in a cylindrical shell, 12A388
HANSEN, E: Early detection of feedwater-heater leaks, 11T1364
HANSEN, EH: Long-term distribution of seabed shear stresses beneath random waves, 12A255
HANSEN, H-J: Seawaves: Basis for dimensioning of ship structures, 2A822
HANSEN, J: Interactions of CO, NO_x, and H_2O under post-flame conditions, 2A1327
HANSEN, JL: Chaotic particle motion under linear surface waves, 6A262
HANSEN, LD: Aircraft gas turbine engine fuel pumping systems in the 21st century, 12T1414
HANSEN, M: Real-time vergence control using local phase differences, 4A340
HANSEN, MR: General method for analysis of planar mechanisms using a modular approach, 3A914
HANSEN, NEO: Non-Gaussian extreme waves in the Central North Sea, 12A248
HANSEN, RJ: Negative information problem in mechanical diagnostics, 10A515
HANSEN, TB: Exact complex source representations of time-harmonic radiation, 10A275
HANSEN, W: Prediction of stresses in concrete pavements subjected to nonlinear gradients, 10A588
HANSON, C: Oscillating turbulent flow with or without a current about a circular cylinder, 11A205
HANSON, J: Optimality and guidance for planar multiple-burn orbit transfers, 5A308
- Absolute method of vertical seismometer calibration by reference to a falling mass with application to the measurement of the gain, 12A1486
HANSON, MT: Concentrated ring loadings in a full space or half space: Solutions for transverse isotropy and isotropy, 9A437
HANSON, RD: Electrorheological dampers - Part I: Analysis and design, 3A949
- Electrorheological dampers - Part II: Testing and modeling, 3A950
- Evaluation of reinforced concrete members damaged by earthquakes, 3A1382
HANSSON, T: Mathematical model of the impact response of the seated subject, 1A1453
- Upper extremity attenuates intermediate frequency vibrations, 7A1542
- Intervertebral disc response to cyclic loading: An animal model, 8A1559
HANSVOLD, C: Long-span bridges in Norway constructed in high-strength LWA concrete, 4A843
HANUS, E: Pressure rolling contact: Steady state flow analysis and comparison with experimental data, 2A394
HAO, CS: Formation of an adherent layer on a cutting tool studied by micro-machining and FE analysis, 12A734
HAO, DINH NHO: Sequential conjugate gradient method for the stable numerical solution to inverse heat conduction problems, 2A1245
HAO, HONG: Torsional response of building structures to spatial random ground excitations, 6A1460
- Ductility spectra of reinforced concrete structures subjected to far-field seismic excitations, 10A933
HAO, JIANKANG: Human-imitating intelligent control and triple inverted-pendulum, 5A288
HAO, S: Plastic stress-strain fields and limit loads of a plane strain cracked tensile panel with a mismatched welded joint, 6A771
HAQ, MU: Reliability-based maintenance strategies for heat exchangers subject to fouling, 6A1286
- Statistical aspects of $CaCO_3$ fouling in AISI 316 stainless-steel tubes, 12A1322
HAQUE, I: Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part I: Model development, 2A501
- Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part II: Numerical solution, 2A502
HAQUE, ME: Composite beam analogy fracture model for concrete, 3A708
HARA, F: Optimum support arrangement of piping systems using genetic algorithm, 5A811
HARA, H: Thermomechanical properties in a thin film of shape memory polymer of polyurethane series, 3A468
- Characteristics of deformation on remolded shimajiri clay (Japanese), 10A682
HARA, N: Cracking process and delamination strength of WC film coated by high-speed flame spraying (Japanese), 1A713
HARA, S: Conditions to apply the phase corrected filter to traced profiles for roughness profiles - 2nd report: Application of the Gaussian low-pass digital filter to derivation of Δ_q (Japanese), 2A733
HARA, T: Rock resistivity and its correlation to mechanical properties (Japanese), 2T577

HARABETIAN, E: Eulerian approach for vortex motion using a level set regularization procedure, 2T1371
HARADA, H: Method for ball screw generation without form-dressing, 7A621
HARADA, K: Stress singularities for crack normal to and terminating at bimaterial interface on orthotropic half-plates, 9A766
HARADA, N: High-enthalpy extraction demonstration with closed-cycle disk MHD generators, 11T1436
HARADA, T: Turbulent characteristics of the flow in an axially rotating pipe, 4A1212
- Prediction of peak horizontal acceleration using an artificial neural network model, 6A1473
HARAGUS, M: Model equations for water waves in the presence of surface tension, 3A235
HARARI, I: Recent developments in FEM for structural acoustics, 1A76
- Reducing spurious dispersion, anisotropy, and reflection in FE analysis of time-harmonic acoustics, 6A352
HARASAKI, H: Sensitivity analysis of 1D heat transfer in tissue with temperature-dependent perfusion, 9A1595
HARASGAMA, SP: Transient heat transfer experiments in a linear cascade via an insertion mechanism using the liquid crystal technique, 8A1248
HARDALUPAS, Y: Interaction between sprays from multiple coaxial airblast atomizers, 7A1078
HARDER, L: Force control of turning based on robust PI controller design, 12A408
HARDER, NA: Size effect caused by brittleness in fracture mechanics, 7A712
HARDIE, CE: Characteristics of air bearing suction force in magnetic recording disks, 1A1135
HARDIN, JC: Flap side-edge noise: Acoustic analysis of Sen's model, 10A343
HARDING, AW: Release of NO from the combustion of coal chars, 5A1341
HARDING, J: Effect of strain rate on the fracture process in interlaminar shear specimens of carbon fiber-reinforced laminates, 7A735
HARDING, JE: Nonlinear analysis of imperfect plates under transient lateral pressure loading, 8A579
HARDING, PH: Role of adhesion in the mechanical properties of filled polymer composites, 10A1013
HARDING, RA: Calculation of the free surface shape in the electromagnetic processing of liquid metals, 12A1285
HARDISTY, RG: Evaluation of indentation and finishing properties of bearing grade silicon nitrides, 8A957
HARDOUIN, L: Active anechoic termination for low frequencies with mean flow, 10A368
HARDT, S: Phase-lock-loop-based control system for suppressing periodic vibration in smart structural systems, 8A893
HARDY, FW: Ring wing for a compressed missile, 2T1086
HARDY, J: Temporal changes in dynamic inter fragmentary motion and callus formation in fractures, 9A1571
HARDY, SJ: Elastic-plastic FE analysis of short flat bars with projections - Part 3: Combined axial and shear loading, 2A24
HARDY, TA: Progress and recent developments in storm surge modeling, 9A1509
HARE, DE: Shock waves in molecular solids: Ultrafast vibrational spectroscopy of the first nanosecond, 11A202
HARGRAVE, M: Impact behavior of pultruded composite box-beams, 11A742
HARHAD, A: Numerical study of transient mixed convection in a cylindrical cavity, 8A1293
HARHIRA, M: Natural convection heat transfer from a vertical flat plate with phase change material suspensions, 6A1234
HARIHARAN, N: Unsteady aerodynamics of a flapped airfoil in subsonic flow by indicial concepts, 4A1123
HARIK, IE: FE-FD model for magnetoelastic buckling of ferromagnetic plates, 5A492
HARINARAYAN, KR: Decentralized motion planning for multiple mobile robots: The cocktail party model, 10A526
HARION, J-L: Improved method for measuring velocity and concentration by thermo-anemometry in turbulent helium-air mixtures, 7A1225
HARISH, MV: Free vibration of flexible rotating disks, 4A149
HARITONIDIS, JH: Late stages of transition induced by a low-amplitude wavepacket in a laminar boundary layer, 11A1023
HARITOS, N: Peak response statistics of vertical cylinders in 2D irregular waves, 6A155
HARLEY, TR: Acoustical properties of fluid in a wall-driven elastic tube, 1A283
HARLOW, DG: Three-dimensional model for the probabilistic intergranular failure of polycrystalline arrays, 4A529
- Probabilistic model for creep-fatigue failure, 8A896
- Probabilistic model for the growth of creep cracks, 11A669
HARMAIN, GA: Coupled radially symmetric linear thermoelasticity, 12A297
HARMS, TM: Simplified control-volume FEM, 3A1046
HARNOY, A: Simulation of stick-slip friction in control systems, 10A971
HAROUN, MA: Stochastic seismic performance evaluation of tuned liquid column dampers, 4A245
HARREMOES, P: Real time control of wastewater systems, 7T1523
- Integrated design and analysis of drainage systems including sewers, treatment plant and receiving waters, 7T1520
HARREN, SV: Yield surface and flow rule for orientationally hardening polymers subjected to arbitrary deformations, 7A990
- Theory of evolution of crystal lattice orientation density and state variables in Euler space, 11A411
- Constitutive response of 63-37 Sn-Pb eutectic solder, 11A418
HARRINGTON, RM: Factors affecting the pullout strength of cancellous bone screws, 2A1477
HARRIS, B: Fiber composite fatigue-life determination, 7A662
- Fatigue of carbon-fiber-reinforced plastics under block-loading conditions, 9A704
HARRIS, C: Fracture mechanism of 475°C embrittlement in a duplex stainless steel, 2A641
HARRIS, CE: Progressive damage model and analysis methodology for predicting the residual strength of composite laminates, 7A748
HARRIS, D: Head-disk interface contact detection using a refined acoustic emission technique, 1A893
HARRIS, DK: Impact of manifold design on heat exchanger efficiency, 11A1274
HARRIS, GR: Response of transiently excited thick transducers at low frequencies, 5A268
HARRIS, JM: Seismogram synthesis for radially layered media using the generalized reflection-transmission coefficient method: Theory and applications to acoustic logging, 1A1416
- Seismic attenuation tomography using the frequency shift method, 11A1477
- Elastic wave equation traveltime and waveform inversion of crosswell data, 11A1469
HARRIS, KT: Substrate barrier effects on total heat transfer for a R-30 fibrous insulation batt, 5A1277
HARRIS, SD: Transient free convection from a vertical plate subjected to a change in surface heat flux in porous media, 4A1217
- Free convection from a vertical plate in a porous medium subjected to a sudden change in surface heat flux, 9A1436
HARRIS, SE: Growth of periodic waves in gas-fluidized beds, 5A1398
HARRIS, SJ: Fretting wear of a fine particulate reinforced aluminum alloy matrix composite against a medium carbon steel, 2A645
HARRIS, TA: Prediction of ball fatigue life in a ball and v-ring test rig, 12A1015
HARRIS, WW: Shear bands in plane strain compression of loose sand, 9A614
HARRISON III, WE: JP-8 + 100: The development of high-thermal-stability jet fuel, 3A1340
HARRISON, BF: Robust source localization in an acoustic waveguide, 1A344
HARRISON, MF: Acoustic modeling of multiple path silencers with experimental validations, 8A334
- Predictive acoustic modeling applied to the control of intake-exhaust noise of internal combustion engines, 12A308
HARRISON, R: Dynamics of an unbalanced shaft interacting with a limited power supply, 12A190
HARROP, J: Study of moment redistribution in prestressed concrete beams, 11A796
HARSTAD, K: Ignition of a binary-fuel (solvent-solute) cluster of drops, 2A1306
HART, JE: Local instability in a periodically forced sliced cylinder, 5A1018
HART, RA: Gradient-zone erosion in seawater solar ponds, 8A1534
HART, VG: Incremental elastic moduli in prestressed membranes, 4T601
- Elastic tensile stresses beneath perfectly plastic indentation fields, 12T525
HARTIKAINEN, J: Infrared line scanning technique for detecting delaminations in carbon fiber tubes, 9A816
HARTING, GC: Method for embedding fine-wire thermocouples for solid-fuel surface temperature measurements, 2A1340
HARTLEY, F: Design and process considerations for a tunneling tip accelerometer, 4A422
HARTLEY, P: Finite element simulation and experimental study of hot closed-die upsetting, 3A622
- Development of product and process comparison criteria for an intelligent knowledge-based system for forging die design, 6A678
- Roll pass evaluation for 3D section rolling using a simplified FEM, 12A721
HARTMAN, AB: Effect of cure state on stress relaxation in 3501-6 epoxy resin, 12A515
HARTMAN, BI: Smooth local-path planning for autonomous vehicles, 12A433
HARTMAN, GA: Methodology for thermomechanical fatigue crack growth testing in MMCs, 5A636
HARTMAN, I: Two-stage algorithm for determination of the bending sequence in sheet metal products, 12A460
HARTMANN, B: Sound absorption height and width limits for polymer relaxations, 9A275
HARTMANN, DL: Finite-time instabilities of lower-stratospheric flow, 3T1139
HARTMANN, J: Roll vortices and boundary-layer development during a cold air outbreak, 12T1508
HARTMANN, S: Efficient stress algorithm with applications in viscoplasticity and plasticity, 9A460
- Numerical treatment of finite deformations in elastoviscoplasticity, 10A593
HARTNETT, H: Modal analysis of an existing offshore platform, 9A159
HARTNETT, JP: Handbook of Heat Transfer, Third Edition, 11N36
HARTONO, W: Elastic nonlinear behavior of truss system under follower and non-follower forces, 9A901
HARTQUIST, TW: Meter-scale variations of the charge carried by mesospheric dust, 6A323
HARTSE, HE: New map of the geographic extent of the Socorro mid-crustal magma body, 12T1461
HARTT, WH: Confined flow of polyethylene melts past a cylinder in a planar channel, 3A1028
HARTUNG, C: Mechanical testing of isolated senile human eye lens nuclei, 1A1464
HARUKI, N: Flow resistance and heat transfer characteristics of water solution with surfactant in circular tubes, 8A1302
HARUNA, K: Strength prediction of mechanically fastened quasi-isotropic carbon-epoxy joints, 4A574
- Strength prediction of adhesively bonded carbon-epoxy joints, 4A544
HARVEY II, DP: Experimental study evaluating macroscopic cavity interactions as a model of microvoid ductility, 4A526
HARVEY, NW: Development of blade profiles for low-pressure turbine applications, 12A1187
HARVEY, S: High-temperature reactive flow of combustion gases in an expansion turbine, 12A1176
HARYADI, SG: Global-local analysis of composite plates with cutouts, 11A514
HASAN, HO: Performance of concrete bridge decks and slabs reinforced with epoxy-coated steel under repeated loading, 2A781
HASAN, M: Numerical simulation of turbulent flow and heat transfer in the wedge-shaped liquid metal pool of a twin-roll caster, 9A1208
- Numerical study of the complex dynamic behavior of a reactive gas bubble in water, 10A1134
HASAN, R: Behavior of tall buildings with mixed use of rigid and semi-rigid connections, 5A795
- Study of Eurocode 3 steel connection classification, 11A808
HASAN, W: Effect of orthotropy on the intersonic shear crack propagation, 7A764
HASAN, WM: Use of the singular value decomposition method to detect ill-conditioning of structural identification problems, 8A77
HASCOET, J-Y: Incorporation of tool deflection in tool path computation: Simulation and analysis, 1A411
HASEBE, N: Stress intensity solutions for the interaction between a hole edge crack and a line crack, 3A694
- Dependence of stress intensity factor on loading condition, 3A687
- Hypersingular integral equation for a curved crack problem of circular region in antiplane elasticity, 3T681
- Fundamental solutions for half plane with an oblique edge crack, 5A646
- Oblique edge crack and an internal crack in a semi-infinite plane acted on by concentrated force at arbitrary position, 7A713
- Thermal stresses around the thin circular disc-like inclusion in an infinite medium under general temperature conditions, 7A1363
- Problem of an elastic-plastic beam dynamics and an incomplete co-dimension two bifurcation, 8A138
- Novel weight function approach for plane elasticity crack problem, 8A827
- Interacting stress field around a composite crack with a misfitting inclusion, 9A734
- Circular rigid punch with one smooth and another sharp ends on a half-plane with edge crack, 10A561
- Property of eigenvalues and eigenfunctions for an interface V-notch in antiplane elasticity, 10A846
- Deformation characteristics and wave velocities of hard rock block with cracks at low strain levels (Japanese), 10A721
HASEBE, S: Microstructure change due to thermal and mechanical histories in stainless steel weld metals (Japanese), 8A745
- Evaluation of long-term creep-fatigue life of stainless steel weldment based on a microstructure degradation model (Japanese), 8A748
HASEBE, T: Fundamental experiments on wire explosion spraying: Effect of discharging characteristics on sprayed coating (Japanese), 2A997
- High temperature multiaxial low cycle fatigue of CMSX-2 Ni-base single crystal superalloy, 10A768
HASEGAWA, K: Lubrication system of a jet engine, 5T1114
- Movement analysis of the Alpineski and the skiing robot (Japanese), 10T532
HASEGAWA, N: Fundamental study of rolling friction in the region of micro-displacement - 1st Report: Development of forced type testing apparatus for rolling friction (Japanese), 4A878
- Fundamental study on rolling friction in the region of micro-displacement - 2nd report: Measurement of rolling characteristics in the transient region (Japanese), 10A967
HASEGAWA, T: Study on low NO_x combustion in LBG-fueled 1500°C-class gas turbine, 1A1370
- Numerical study of a turbulent flow compressed by a weak shock wave, 7T1134
- Engineering identification method for curvilinear hysteretic systems excited by varying amplitude dynamic loading, 9A106
- Analytical presumption of cutting tool wear in machining with chatter vibration (Japanese), 10A972
HASEGAWA, Y: Experimental re-examination of coupled buckling strength formula expressed as function of initial imperfections (Japanese), 3A545
- Time-dependent FEM analysis of photon migration in biological tissues, 7A1544
HASHEM, AA: Ignition transient of solid propellant rocket motors, 11A1396
HASHEMI, J: Discrete wavelet decomposition of acoustic emission signals from carbon-fiber-reinforced composites, 11A750
HASHIBA, H: Incipient jump conditions for flows over a vertical sill, 3T978
HASHIDA, M: Experimental study on the effective transformation of wave energy into potential energy (Japanese), 7A214
HASHIGUCHI, K: Elastoplastic constitutive equation of soils based on the concepts of subloading surface and rotational hardening (Japanese), 5A510
- Extended flow rule in plasticity, 11A406
HASHIMOTO, C: Study on settlement crack for reinforced concrete structures (Chinese), 10A944
HASHIMOTO, H: Thermohydrodynamic analysis of high-speed journal bearings with surface roughness, 1A1125
- Effects of solid particle properties on cavitation erosion in solid-water mixtures, 7A1005
- Spectroscopic study of clustering processes near a condensate, 9A1253
- Optimum design of high-speed, short journal bearings by mathematical programming, 10A998
- Numerical study on motion of sphere coated with a thin liquid film at intermediate Reynolds numbers, 11A944
- Effects of foil bending rigidity on spacing height characteristics of hydrostatic porous foil bearings for web handling processes, 12A1207
- Robot obstacle avoidance in n-dimensional space using planar harmonic artificial potential fields, 12A398
HASHIMOTO, K-I: Morphological change of hardened oil particles induced by impaction against a solid surface, 9A1408
HASHIMOTO, M: Experimental research on cutting force variation during regenerative chatter vibration in a plain milling operation, 4A181
- Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, 9A423
- Surface improvement and durability of case-carburized gear: Results of basic rollers running test, 11A346
- Regenerative chatter vibration occurring in turning with different side cutting edge angles, 11A159
HASHIMOTO, R: Flow pattern of working fluid and heat-transfer performance in annular type rotating heat pipes with horizontal axis - Part 1: Flow pattern and the heat transport rate at the evaporation section, 7A1341
- Direct contact melting of 2D arbitrarily shaped solids on an isothermally heated horizontal plate, 8A1349
- Heat transfer rate of annular-type horizontal rotating heat pipes - Part II: Experiments and theoretical analysis for the heat transport rate, 9A1300
HASHIMOTO, T: Finite element analyses and model tests for excavation problems (Japanese), 2A569
- Control of heat transfer on wall with wall jet, 9A1203
- Estimation of lateral pressure and coefficient of subgrade reaction during excavation work in Osaka (Japanese), 10A707
HASHIMOTO, TM: Fatigue life studies in carbon dual-phase steels, 7A661
HASHIMOTO, Y: Near-field acoustic levitation of planar specimens using flexural vibration, 4A296
- Analysis of oil-film pressure distribution in porous journal bearings under hydrodynamic lubrication conditions using an improved boundary condition, 7A1200
HASHIMURA, M: Effects of microcracks in CVD coating layers on cemented carbide and cermet substrates on residual stress and transverse rupture strength, 8A811

HASHISH, M: Machining with super-pressure (690 MPa) waterjets, 8A708
- Effect of abrasive waterjet parameters on volume removal trends in turning, 11A599
- Material properties in abrasive-waterjet machining, 11A608
HASHIZUME, K: Heat-transfer correlations for high-finned tubes in staggered arrangements, 7A1332
HASHIZUME, M: Tensile deformation behavior of rubber composite plate (Japanese), 1A540
- Study on evaluation unit of blasting vibration based on effects on people (Japanese), 8A1575
HASHMI, A: Effect of insoles in therapeutic footwear: A FE approach, 10A1560
HASHMI, FH: Air crash case study, 4A714
HASHMI, HN: Parameter identification for sediment routing in rivers, 3T991
HASKELL, TG: Acoustic emission during fatigue experiments on first year sea ice, 1A1439
HASKEW, JT: Performance evaluation of vaned pipe bends in turbulent flow of liquid propellants, 8A1142
HASKIN, FE: Efficient uncertainty analyses using fast probability integration, 5A765
HASLER, EM: Experimental evaluation of theoretical contact forces in the cat patellofemoral joint, 3A1489
- In-situ calibration of the implantable force transducer, 5A1509
HASLINGER, J: Genetic algorithms and fictitious domain based approaches in shape optimization, 6A849
HASMAN, A: Tracking markers with missing data by lower rank approximation, 6A1546
HASSAN, A: KBM derivative expansion method is equivalent to the multiple-time-scales method, 9A99
HASSAN, AA: Effects of surface blowing-suction on the aerodynamics of helicopter rotor blade-vortex interactions - A numerical simulation, 10A1219
- Airfoil design for helicopter rotor blades: A 3D approach, 10A1223
HASSAN, AF: Fatigue crack repair of steel beams with tapered cover plate details, 6A566
- Seismic vulnerability assessment of low-rise buildings in regions with infrequent earthquakes, 8A910
HASSAN, AM: Influence of burnishing process on surface roughness, hardness, and microstructure of some non-ferrous metals, 4A904
HASSAN, ASO: Geometric technique for design centering and a polytope approximation of the feasible region, 9A416
HASSAN, HA: Direct simulation of shock front radiation in air, 1A1003
- Novel approach for calculating equilibrium radiating flows, 7A1054
- Analysis of supersonic combustors with swept ramp injectors, 9A1375
- k-ζ (Enstrophy) compressible turbulence model for mixing layers and wall bounded flows, 12A1151
HASSAN, HAZ: Torsion of an elastic non-homogeneous layer by two circular disks, 3A433
- Torsion of a non-homogeneous infinite elastic cylinder slackened by a circular cut, 3A432
HASSAN, KM: Side load-transfer mechanisms in drilled shafts in soft argillaceous rock, 8A38
- Design method for drilled shafts in soft argillaceous rock, 9A642
HASSAN, MA: Computation of 3D systems with various turbulence model variations, 2A1046
- Theoretical simulation of fire extinction by water spray in a computer cabinet, 6A1347
HASSAN, MF: Output regulation for flexible-joint manipulators using partial state measurement, 5A342
- Robust PID regulator for robots yielding constant torque disturbance rejection, 11A336
HASSAN, MI: Properties of laminar premixed CO/H/Air flames at various pressures, 9A1359
- Flame stretch interactions of laminar premixed hydrogen-air flames at normal temperature and pressure, 9A1357
HASSAN, MM: Incremental convex programming model for solving frictional contact problems, 11A829
HASSAN, O: Adaptation of unstructured grids for transonic viscous flow simulation, 10A31
HASSAN, SM: Some numerical experiments on high accuracy fast direct finite difference method for elliptic problems, 4A42
HASSAN, T: Correlation coefficients for modal response combination of non-classically damped systems, 4A190
- Time and frequency domain analyses of single dof systems, 6A1459
HASSAN, W: Circumferential creeping waves around a fluid-filled cylindrical cavity in an elastic medium, 10A261
HASSAN, YA: Thermal Science of Advanced Steam Generators and Heat Exchangers, 4N29
- Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22
- ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
- Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
HASSANI, F: Tools and Techniques in Rock Mechanics, 1N37
HASSANIEN, IA: Flow and heat transfer on a continuous flat surface moving in a parallel free stream of power-law fluid, 4A1038
- Transient free convection in micropolar fluids from an isothermal horizontal circular cylinder, 7A1252
- Mixed convection in micropolar boundary-layer flow over a horizontal semi-infinite plate, 7A1260
- Natural convection boundary layer flow of a micropolar fluid along a vertical plate in a thermally stratified medium, 9A1084
HASSANZADEH, S: Elastic wave equation travel-time and waveform inversion of crosswell data, 11A1469
HASSEL, EP: Turbulence modulation in jet diffusion flames: Modeling and experiments, 1A1317
HASSENPFLUG, WC: Momentum and vortex theory of rotor blade wakes, 2T1109
HASSIOTIS, S: Measuring absorbed cyclic energy in reinforced concrete beams, 3A770
- Design method for stabilization of slopes with piles, 9A636
HASTINGS, DE: Ion-thruster plume modeling for backflow contamination, 2A1347
- Three-dimensional modeling of dual ion-thruster plumes for spacecraft contamination, 2A1351
- Numerical study of spacecraft contamination and interactions by ion-thruster effluents, 2A1348
HASTINGS, FD: Application of the perfectly matched layer (PML) absorbing boundary condition to elastic wave propagation, 5A163
HASTINGS, G: Handbook of Biomaterial Properties, 3N47
HASTINGS, MC: Proceedings of the ASME Noise Control and Acoustics Division, Volume 1, 3N9
- Engineering the development of optical fiber sensors for adverse environments, 12A861
HASTINGS, SP: Existence of multiple solutions for a Ginzburg-Landau type model of superconductivity, 8A635
HASUDA, Y: Influences of the bond for grinding wheel on the generation of ground groove of ferrite in slot grinding (Japanese), 5A565
- Edge-chipping generation of ferrite in slot grinding, 7A617
HATA, M: Statical and fatigue strength tests of insulated friction-type connections (Japanese), 6A734
HATA, S: Ultrafine motion table using piezoelectric actuator for ultraprecision grinding, 10T748
HATA, T: Stress-focusing effect in a transversely isotropic cylinder caused by instantaneous heating, 1A1290
- Stress-focusing effect due to an instantaneous concentrated heat source in a sphere, 10A1364
HATAMI, A: Decoupling the normal modes of continuous symmetric structures using group representation theory, 12A135
HATANO, H: Reciprocity calibration of acoustic emission transducers in Rayleigh-wave and longitudinal-wave sound fields, 8A359
HATFIELD, GA: Conservation laws and canonical forms in the Stroh formalism of anisotropic elasticity, 5A398
HATFIELD, K: Analytical model for heterogeneous reactions in mixed porous media, 3A1355
- Laboratory experiments with heterogeneous reactions in mixed porous media, 3A1358
HATHAWAY, MD: Experimental and computational results from the NASA Lewis low-speed centrifugal impeller at design and part-flow conditions, 11A1155
HATHHORN, WE: Second look at the method of random walks, 5A1422
HATHOUT, JP: Active control of multi-mode rotor-bearing systems using HSFDs, 7A354
- PI control of HFSDs for active control of rotor-bearing systems, 12A209
HATMAN, VG: Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part I: Model development, 2A501
- Dynamics of a flexible rotating beam interacting with a flat rigid surface - Part II: Numerical solution, 2A502
HATTA, N: Fracture prediction in stretch forming using FE simulation combined with ductile fracture criterion, 9A658
HATTORI, A: Influence of desalination on bond behavior between concrete and reinforcing steel (Japanese), 7T967
HATTORI, K: Shock-tube and modeling study of acetylene pyrolysis and oxidation, 5A1356
HATTORI, N: Flow and heat transfer around a single row of circular cylinders, 11A1208
HATTORI, Y: Theory of frictional vibration in wet clutches considering poroelastic properties of paper-based facing, 1A193
HATWAL, H: On-line parameter estimation scheme for generalized Stewart platform type parallel manipulators, 5A341
HATZFELD, D: Topographic site effects and HVSR: A comparison between observations and theory, 4A1396
- Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
HATZFIELD, D: Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, 8A1502
HATZIKIRIAKOS, SG: Brownian dynamics simulations of shear-thickening in dilute polymer solutions, 1A953
- Excess pressure losses in the capillary flow of molten polymers, 7A986
- Rheology and phase separation in a model upper critical solution temperature polymer blend, 10A1023
HATZINIKOLAS, MA: Tests of tall cavity walls subjected to eccentric loading, 12A918
HATZITRIFON, NK: Equilibrium solute distribution near an interface crack tip and environment-assisted cracking in bi-materials, 6T792
HAUG, AK: Floating concrete platform hull made of lightweight aggregate concrete, 4A854
HAUG, EJ: Automotive research center, 11T860
- Operational envelope of a spatial Stewart platform, 12A442
HAUGE, M: Two-parameter characterization of the near-tip stress fields for a bi-material elastic-plastic interface crack, 6A791
HAUGER, W: Dynamic model for elastic-plastic plates, 7A154
HAUGHTON, DM: Axisymmetric elastic membranes subjected to fluid loading, 2A496
- Wrinkling of inflated elastic cylindrical membranes under flexure, 5A476
- Further results for the eversion of highly compressible elastic cylinders, 6A464
- Inflation of joined dissimilar elastic tubes, 8A588
- Eversion of compressible elastic cylinders, 10A559
HAUPL, P: Coupled heat air and moisture transfer in building structures, 7A1449
HAUPT, A: Experiments on the ratchetting behavior of AISI 316L (N) austenitic steel at room temperature, 1A477
HAUPT, GT: Second-order correction and numerical considerations for the two-step optimal estimator, 9T313
HAUPT, P: Efficient stress algorithm with applications in viscoplasticity and plasticity, 9A460
- Numerical treatment of finite deformations in elastoviscoplasticity, 10A593
HAUS, R: Fast and accurate method of calculation of gaseous transmission functions in planetary atmospheres, 9T1054
HAUSER, BA: Practical Hydraulics Handbook, Second Edition, 4N24
HAUSER, J: Nonlinear H_∞ control around periodic orbits, 11T294
HAUSER, W: Skiing Trauma and Safety, Tenth Volume, 1N53
HAUSLER, K: Newly designed oscillating viscometer for blood viscosity measurements, 5A1512
HAUSMAN, S: Subband coding for thermal image compression, 9T317
HAUT , RC: State of tissue hydration determines the strain-rate-sensitive stiffness of human patellar tendon, 6A1529
HAUT , TL: State of tissue hydration determines the strain-rate-sensitive stiffness of human patellar tendon, 6A1529
HAUT, RC: Analytical model to study blunt impact response of the rabbit P-F joint, 11A1558
- Mechanical responses of the rabbit patello-femoral joint to blunt impact, 11A1562
HAUTANIEMI, H: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513
HAUßLER-COMBE, U: Coupling BEs and FEs: A structured approach, 2A30
HAVEN, BA: Improved jet coverage through vortex cancellation, 5T1020
HAVENER, G: Time-resolved wave front measurements through a compressible free shear layer, 9A1190
HAVERKAMP, R: Calculating parameters for infiltration equations from soil hydraulic functions, 3A1344
HAVIS, RN: Modeling sediment in gravel-bedded streams using HEC-6, 3T984
HAVNER, KS: Comparative study of hardening theories in torsion using the Taylor polycrystal model, 3A469
HAVNES, O: Meter-scale variations of the charge carried by mesospheric dust, 6A323
HAWK, CW: Parametric study of solar thermal rocket nozzle performance, 2T1434
HAWKINS, D: Muscle and tendon force-length properties and their interactions *in vivo*, 6A1527
HAWKINS, NM: Measured response of roof diaphragms and wall panels in tilt-up systems subjected to cyclic loading, 6A1442
- Comparisons of concrete fracture models, 9A699
HAWLADER, MNA: Methodology for tunnel dryer chamber design, 10A1356
- Solar assisted open-cycle absorption cooling: Performance of collector-regenerators, 11A1542
HAWLEY, MC: Integrating material-part-process design for polymer composites: A knowledge-based problem-solving approach, 1A412
HAWORTH, DC: Adaptive grid refinement using cell-level and global imbalances, 8A54
HAWWA, MA: Acoustic radiation from multi-span baffled panels, 6A336
- Reflection of flexural waves in geometrically periodic beams, 8A211
- Mechanical-wave filtering in a periodically corrugated elastic plate, 11A129
HAY, AS: Stroke normalized pressure: A useful parameter for the analysis of left ventricular outflow obstruction, 5A1491
HAY, JG: Optimum phase ratio in the triple jump, 3A1507
HAYA, R: Radiative exchange between a cylindrical crystal and a monoellipsoidal mirror furnace, 4A1239
HAYAKAWA, K-I: Hygrostress-multicrack formation and propagation in cylindrical viscoelastic food undergoing heat and moisture transfer processes, 7A1377
HAYAKAWA, Y: Tracking controller for manipulators with flexible joints using sliding observer, 5A355
HAYAMA, S: Study on the generation mechanism and the compensation for the exponential-type lost motion for feed drive system of NC machine tools, 1T427
HAYANO, K: Deformation characteristics of sedimentary soft rocks (Japanese), 10T719
HAYASHI, A: Robot modeling and determination of robot configuration by applying self-organization of cell group (Japanese), 5A343
- Generation of continuous robot configurations for articulated robot arm using self-organization of cell group (Japanese), 5A339
- Optimizing the design characteristics of seismic-isolation device (lead rubber bearing) for bridges (Japanese), 8A1488
HAYASHI, H: One proposal on the design of non-woven geotextile filter layer considering permeability due to clogging (Japanese), 8T680
HAYASHI, K: Three-dimensional-LDA study of the relation between wall shear stress and intimal thickness in a human aortic bifurcation, 2A1463
- Estimation of ductility in interior beam-column subassemblages of reinforced concrete frames (Japanese), 5A773
- Alternate method for the analysis of residual strain in the arterial wall, 8A1563
- Tensile property of atheromatous plaque and an analysis of stress in atherosclerotic wall, 10A1538
HAYASHI, M: Residual stress distribution in carbon steel pipe welded joints measured by neutron diffraction (Japanese), 2A743
- Free vibration analysis of thin walled structures by finite node-strip method (Japanese), 6A220
- Residual stresses in steel and zirconium weldments, 11A438
HAYASHI, S: Thermomechanical properties in a thin film of shape memory polymer of polyurethane series, 3A468
- On-engine evaluation of emissions characteristics of a variable geometry lean-premixed combustor, 8A1421
- Slope stability analysis using the springs attached to the interslice plains (Japanese), 10A704
- Morpohological aspects of fatigue crack propagation - Part I: Computational procedure, 12A747
HAYASHI, T: Bearing characteristics of hydrostatic gas bearings with hybrid restrictor: Experimental study (Japanese), 12T1009
HAYASHI, Y: Heat transfer enhancement in a convective field by applying ionic wind, 9A1296
HAYASHIBARA, S: Diamond, cropped, delta, double-delta wing vortex breakdown during dynamic pitching, 9T1159
- Effect of canards on delta wing vortex breakdown during dynamic pitching, 10A1218
HAYASHIDA, Y: Oscillatory natural convection of water near the density extremum at high Rayleigh numbers, 11A1235
HAYAT, T: Acoustic field of a pulse in a stratified medium with fluid flow, 10A339
HAYCOCK, DE: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193
HAYDEN, BJ: Preliminary assessment of wake management strategies for reduction of turbomachinery fan noise, 3A1196
HAYEK, SI: Global-local integrated study of roller chain meshing dynamics, 12A1003
HAYES, A: Investigation of the stress distribution generated in articular cartilage by crystal aggregates of varying material properties, 12A1534
HAYES, B: Classic brittle failures in large welded structures, 1A680
- Six case histories of pressure vessel failures, 4A871
HAYES, EF: Algorithms for obtaining cumulative reaction probabilities for chemical reactions, 7T1420
HAYES, JA: Flight effects on the far-field noise of a heated supersonic jet, 12A305
HAYES, LJ: Advances in Heat and Mass Transfer in Biotechnology - 1996, 3N46
HAYES, WC: Age-related differences in post-yield damage in human cortical bone: Experiment and model, 4A1475
- Tensile behavior of demineralized bovine cortical bone, 4A1479
- Energy-shunting hip padding system attenuates femoral impact force in a simulated fall, 11A1589

- Predicting the impact response of a nonlinear single-dof shock-absorbing system from the measured step response, 12A1536
HAYHURST, AN: Formation of liquid melts of CaS and $CaSO_4$ and their importance in the absorption of SO_2 by CaO, 1T1320
- Reduction of the nitrogen oxides NO and N_2O to molecular nitrogen in the presence of iron, its oxides, and carbon monoxide in a hot fluidized bed, 12A1379
HAYHURST, DR: Method for the transformation of creep constitutive equations, 1A463
- Creep constitutive equations for a 0.5Cr-0.5Mo-0.25V ferritic steel in the temperature range 600 - 675°C, 2A407
- Prediction of plane-strain creep-crack growth using continuum damage mechanics, 5A622
HAYNES, BS: Kinetic and thermodynamic sensitivity analysis of the NO-sensitized oxidation of methane, 6A1337
HAYNES, DR: Role of polyethylene wear in joint replacement failure, 10A978
HAYNES, PH: Low-latitude reflection of Rossby wave trains, 3T239
HAYWARD, D: High frequency electrical measurements of adhesive bonded structures: An investigation of model parallel plate waveguide structures, 12A870
- Environmental ageing of adhesively-bonded joints - I: Diclectric studies, 12A1040
- Environmental ageing of adhesively-bonded joints - II: Mechanical studies, 12A1041
HAZANOV, S: Shock waves in materials with memory, 8A229
- Separation of energies in viscoelasticity, 8A497
HAZARIKA, BK: Transition over C4 leading edge and measurement of intermittency factor using PDF of hot-wire signal, 12A1116
HAZARIKA, H: Wall displacement modes dependent active earth pressure analyses using smeared shear band method with two bands, 3A604
HAZAWA, T: Application of fracture mechanics to the surface crack propagation in stainless steel at elevated temperatures, 11A674
HAZELRIGG, GA: Irrationality in engineering design, 12A453
HAZEWINKEL, M: Encyclopedia of Mathematics, 2R49
HAZLEWOOD, R: Application of pressure-sensitive paint in supersonic nozzle research, 6A1115
HAZRA, L: Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), 10A551
HE , LINGHUI: Bounds of the expansion coefficients of composites reinforced by spherically isotropic particles, 12A557
HE , YONGYONG: Multiple fault simultaneous diagnosis for rotating machine based on ellipsoidal unit neural networks (Chinese), 12T421
HE , ZINIAN: Comparison of optical performance between evacuated collector tubes with flat and semicylindric absorbers, 10A1484
HE, CHUNYANG: Algorithm for computing the numerical radius, 12A87
HE, DW: Negotiation in constraint-based design, 6A450
HE, FUSHENG: Chaotic oscillation of saddle form cable-suspended roofs under vertical excitation action, 9A98
HE, GUANGNE: Fuzzy probabilistic analysis of seismic stability of coastal embankment, 1A1418
HE, GUOJING: Incompatible plane finite dynamic element (Chinese), 2A33
HE, J: Model for adiabatic supersonic turbulent boundary layers, 4A1003
HE, JI-FAN: Vibration analysis of viscoelastically damped sandwich shells, 5A120
HE, JING: Inversion of particle size distribution from light scattering spectrum, 4A1332
HE, JL: Wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, 12A995
HE, L: Computational study of rotating-stall inception in axial compressors, 7A1187
- Fractal character of processed metal surfaces, 12A981
HE, L-H: Steady-state response of a Cosserat medium with a spherical inclusion, 1A5
HE, LING-HUI: Micropolar elastic fields due to a circular cylindrical inclusion, 12A581
HE, LINGHUI: Investigation of the effective conductivities of carbon-carbon fiber composites with inhomogeneous interphase, 11A1314
HE, MY: Influence of thermal expansion mismatch on residual stresses and flow response of microballoon composites, 2A447
- Mechanical performance of ceramic matrix composite I-beams, 5A456
- Strength-limited design of composite-monolith transitions in metallic structures, 10A618
- Toughening and strengthening by inclined ligament bridging, 12A820
HE, Q-C: Symmetries of 2D elastic and hyperelastic tensors, 5A383
HE, QINGZHI: Property degradation of anisotropic composite laminates with matrix cracking - Part I: Development of constitutive relations for $(\theta_n/90_n)_s$ cracked laminates by stiffness partition, 5A679
- Property degradation of anisotropic composite laminates with matrix cracking - Part 2: Determination of resolved stiffness and numerical study of stiffness degradation, 10A822
HE, S: Hybrid moire-numerical stress analysis around cutouts in loaded composites, 5A463
HE, TIANBAI: Residual properties of an injection-molded poly(phenylene ether ketone)-carbon composite during flexural fatigue, 12A764
HE, WEI: Numerical analysis of molten carbonate fuel cell systems, 7A1512
HE, WEIDONG: Human-imitating intelligent control and triple inverted-pendulum, 5A288
HE, WEN-JUN: Necessary and sufficient boundary integral formulation for plane elasticity problems, 1A452
HE, WU-ZHOU: Fully nonlinear calculation of 2D water wave generated by rocker flap wavemaker, 1T250
HE, X: Vortex breakdown in an unconfined vortical flow, 7T1124
HE, XIANG-DONG: Modeling of vapor compression cycles for multivariable feedback control of HVAC systems, 12A409
HE, XIAOYI: Lattice Boltzmann method on curvilinear coordinates system: Flow around a circular cylinder, 12A1074
HE, XINYU: Dispersion of a vortex trajectory in 2D turbulence, 2A1038
HE, XQ: Large deflections of an end supported beam subjected to a point load, 8A567
HE, YUTING: Fatigue behavior of sharp-notch specimens under cyclic compressive load (Chinese), 6A725
- Effect of compressive load on overload retardation (Chinese), 10A834
HE, ZHENMING: Dry sliding friction and wear behavior of short fiber reinforced zinc-based alloy composites, 3A850
HEADY, RB: Forming minimum-cost machine cells with exceptional parts using zero-one integer programming, 10A545
HEALEY, TJ: Stability of axial motions of nonlinearly elastic loops, 4A586
- Free vibration analysis of rotating nonlinearly elastic structures with symmetry: An efficient group-equivariance approach, 11A95
- Free nonlinear vibrations for a class of 2D plate equations: Standing and discrete-rotating waves, 12T175
HEALY, JC: Assessment of notched tubular ferritic oxide-dispersion-strengthened components subjected to multiaxial creep loading at 1100°C, 10A788
HEARD, CL: Experimental performance of the water-calcium chloride system in a heat transformer, 2A1438
- Ammonia-lithium nitrate absorption-compression refrigeration cycle - Part I: Simulation, 7A1344
- Experimental performance of the system water-magnesium chloride in a heat transformer, 8A1548
- Mobile pilot-plant for the production of environmentally clean steam, 8A1428
HEARD, GJ: Bottom reflection coefficient measurement and geoacoustic inversion at the continental margin near Vancouver Island with the aid of spiking filters, 9A267
HEARN , TM: Propagation characteristics of short-period Sn and Lg in the Middle East, 12T1462
HEATH, GR: Fabrication of graded, sprayed, and fused coatings and their high temperature erosion performance, 4T902
- Formation and characterization of corrosion-resistant amorphous coatings by thermal spraying, 4T693
HEATH, MS: Continuous flow residence time distribution function characterization, 7A1525
HEATHCOTE, J: Micromechanics of low temperature strength and toughness of intermetallic-metallic microlaminate composites, 4A559
HEATHERSHAW, AD: Effect of suspended particulate matter on sound attenuation in seawater, 3A301
HEAVEY, KR: Numerical investigation of supersonic base flow with base bleed, 8A1224
HEBB, JP: Thermal radiation absorption in doped semiconductors due to direct intersubband transitions, 11A1326
HEBBAR, SK: Experimental study of vortex flow control on double-delta wings using fillets, 2A1078
HECHMER, J: ASME Task Group report on primary stress, 8A938
HECK, DA: In vivo observations of hydraulic stiffening in the canine femoral head, 9A1569
HECKER, FW: Strain-gradient stress analysis in Saint-Venant bending, 6A826
HECKL, M: Concentrated excitation of structures, 4A147
HECTOR JR, LG: Freezing range effect on shell growth instability during alloy solidification, 3A655
HEDENQVIST, P: Direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 7A914
- Experiences from scratch testing of tribological PVD coatings, 12T991
HEDIA, HS: Method for shape optimization of a hip prosthesis to maximize the fatigue life of the cement, 5A1522
- Shape optimization of a Charnley prosthesis based on the fatigue notch factor, 5A1524
- Effect of FE idealization, load conditions and interface assumptions on the stress distribution and fatigue notch factor in the human femur with an endoprosthesis, 5T1467
HEDIGER, F: Numerical optimization of process control variables for the Bridgman casting process, 9A677
HEDMAN, PO: Differential mass and energy balances in the flame zone from a practical fuel injector in a technology combustor, 10A1417
HEDRICK, JK: Multiple-surface sliding control of a class of uncertain nonlinear systems, 1A355
- Intelligent vehicle highway systems, 5T321
HEEG, J: Open- and closed-loop results of a strain-actuated active aeroelastic wing, 4A1119
HEEG, RS: Simulations of the formation of an axisymmetric vortex ring, 11A940
HEEMINK, AW: Data assimilation in transport models, 8A1394
HEFAZI, H: Ice accretion on a radial inflow turbine blade, 1A1109
HEFZY, MS: Proc of the 1997 Bioengineering Conference, BED-Vol 35, 8N28
- Comparison between two techniques for modeling interface conditions in a porous coated hip endoprosthesis, 10A1563
HEGEDUS, I: Drapability of aligned discontinuous fiber composites, 10A600
HEGEN, D: Element-free Galerkin methods in combination with FE approaches, 3A56
HEGGER, J: High-strength concrete for a 186 m high office building in Frankfurt, Germany, 4A849
HEGGS, PJ: Unsteady penetration of free convection flows caused by heating and cooling flat surfaces in a porous media, 5A1195
HEHL, K: Evaluation of light scattering in attenuated total reflection configuration, 2A202
HEIDEBRECHT, AC: Engineering perspective for the seismic site response of alluvial valleys, 9A1471
HEIDUSCHKE, K: Elastic isotropic, plastic orthotropic constitutive model based on deviator transformations, 11A3
HEIKKALA, J: Positioning accuracy improvement in five-axis milling by post processing, 7T611
HEIKKILA, P: Experimental and theoretical investigations for the design of scrubbers in heat recovery from paper machines, 11A1387
HEIL, M: Large post-buckling deformations of cylindrical shells conveying viscous flow, 3A278
HEILER, M: Determination of the stress components of an array of piezoelectric sensors: A numerical study, 10A673
HEILIG, W: Uni-axial strain loading of a rubber rod by planar shock waves, 8A213
HEIMRICH, MJ: Diesel NO_x catalytic converter development: A review, 1A1345
HEIN, H: Optimization of rigid-plastic shallow curved beams, 2A759
HEINDEL, TJ: Laminar natural convection in a discretely heated cavity - I: Assessment of 3D effects, 11A1232
- Laminar natural convection in a discretely heated cavity - II: Comparisons of experimental and theoretical results, 11A1233
HEINEMANN, U: Thermal conductivity of polyimide foams, 4A1237
HEINIMANN, MB: Residual strength of panels with multiple site damage, 4A710
- Analysis of cracks at deep notches, 5A649
HEINLOO, M: Minimum material volume based shell-plate-frame-pipe system, 11A547
HEINO, P: Statistical pyrometric sizing of particles in fluidized bed combustion, 7A1411
HEINRICH , JC: Mesh generation and flow calculations in highly contorted geometries, 1A662
HEINRICH, B: Fourier-FE approximation of elliptic interface problems in axisymmetric domains, 1A21
- Fourier-FEM for Poisson's equation in axisymmetric domains with edges, 3A21
HEINRICH, JC: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
HEINRICH, SM: Parametric FEM for predicting shapes of 3D solder joints, 4A945
- Prediction of solder joint geometries in array-type interconnects, 4A946
- Membrane analogy for Saint-Venant torsion: New results, 6A462
HEINZ, S: Influence of non-Gaussianity on turbulent transport, 7T146
HEINZE, HJ: Trend-detection algorithm for intraoperative EEG monitoring, 5A1507
HEINZELMANN, M: Singular thermal stress fields in brazed three-layer joints, 5A685
HEIST, DK: Turbulent flow normal to a triangular cylinder, 8A1192
HEISTER, SD: Effect of acoustic perturbations on liquid jet atomization, 7A1110
HEISTRACHER, T: Significance of particle deposition patterns in bronchial airway bifurcations for extrapolation modeling, 3A1086
HEITOR, MV: Mean and turbulent flowfields in a model RQL gas-turbine combustor, 7A1407
HEKKENBERG, RT: European intercomparison of ultrasonic power measurements, 2A300
HELD, IM: Scaling theory for horizontally homogeneous, baroclinically unstable flow on a beta plane, 3T1138
HELD, TJ: Semi-empirical reaction mechanism for n-heptane oxidation and pyrolysis, 12A1392
HELENBROOK, BT: Ignition in the supersonic hydrogen-air mixing layer with reduced reaction mechanisms, 3A1293
HELIOT, J: Probabilistic methods for failure risk assessment, 9A67
HELLER, H: Cavity pressure oscillations: The generating mechanism visualized, 4T242
HELLESLAND, J: Restraint demand factors and effective lengths of braced columns, 3A553
- Improved frame stability analysis with effective lengths, 6A606
HELLMANN, JR: Residual stresses in composites with coated particles, 11A382
HELLMUTH, T: Experimental characterization of a high-temperature, high-flux, solar volumetric receiver, 12A1513
HELLMUTH, TE: Modeling and optimum design of a wire mesh solar volumetric air receiver, 12A1514
HELLUMS, JD: Epinephrine and shear stress synergistically induce platelet aggregation via a mechanism that partially bypasses VWF-GP IB interactions, 1T1462
- Shear stress-induced binding of Von Willebrand factor to platelets, 10T1536
HELMAN, H: Analysis of the mechanical behavior of bimetallic strips under the plain strain compression test (Spanish), 9A443
HELMBERGER, D: Large-amplitude Moho reflections (SmS) from Landers aftershocks, Southern California, 8A1473
HELMBERGER, DV: Propagational corrections for basin structure: Landers earthquake, 12A1463
- Regional seismic discriminants using wave-train energy ratios, 12A1456
HELMING, K: Experimental and numerical investigation of a shock wave within a swept shrouded propfan rotor, 11A1164
HELMIS, CG: Triple hot-wire system for indoor air flow measurements, 2A1201
- Study of the near wake structure of a wind turbine comparing measurements from laboratory and full-scale experiments, 3A1458
HELMS, C: Heuristic method for evaluating coil performance, 2A1144
HELMS, JE: Strain distribution in a taper-taper adhesive-bonded joint in a composite flat plate, 1A543
HELNWEIN, P: Nonuniqueness of solutions obtained with simplified variational principles, 3A67
HELSING, J: Duality relations, correspondences, and numerical results for planar elastic composites, 9A468
HELTON, JW: Analytical functions optimizing competing constraints, 10A438
HELVACIOGLU, S: Bow form optimization of displacement ships by mathematical programming, 12A1162
HEMATI, M: Intermittent drying of corn kernels in a flotation fluidized bed: Experimental study and modeling (French), 5A1274
HEMENWAY, DR: System identification and feedback control of an aerosol production process, 3A1081
HEMEZ, FM: Improved damage location accuracy using strain energy-based mode selection criteria, 9A126
HEMKER, PW: Multilevel methods, 8A76
HEMLER, RJ: Space nuclear power: An overview, 3A1339
HEMMI, Y: Sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 7A888
HEMMINGSSON, L: Domain decomposition method for almost incompressible flow, 6A1036
HEMOND, HF: Design and performance of a portable piezocone driver for high resolution profiling of wetland sediments, 12A706
HEMSWORTH, B: European networks in structural integrity: Status in 1995, 4A1453
HENAFF-GARDIN, C: Doubly periodic matrix cracking in composite laminates - Part 1: General in-plane loading, 11A699
- Doubly periodic matrix cracking in composite laminates - Part 2: Thermal biaxial loading, 11A700
HENAULT, KF: Effect of longitudinal and hoop stiffeners on damage propagation in pressurized composite cylinders, 6A779
HENCHI, K: Dynamic behavior of multi-span beams under moving loads, 6A150
HENDERSON, D: Generalized stability criterion for resonant triad interactions, 3A226
HENDERSON, DM: Vortex evolution in non-axisymmetric impulsive spin-up from rest, 5A927
HENDERSON, GH: Vortical gust response of a low-solidity vane row including steady loading and dynamic stall effects, 12A1190

HENDERSON, HT: Structural design and characteristics of a thermally isolated sensitivity-enhanced, bulk-micromachined, silicon flow sensor, 2T332
HENDERSON, LF: Effects of thermal conductivity and viscosity of argon on shock waves diffracting over rigid ramps, 8A265
HENDERSON, RD: Three-dimensional Floquet stability analysis of the wake of a circular cylinder, 3A1129
HENDRICKS, EW: Active Control of Vibration and Noise, 3N6
HENDRICKS, GJ: Modeling for control of rotating stall in high-speed multistage axial compressors, 11A1158
HENDRICKS, TJ: New radiative analysis approach for reticulated porous ceramics using discrete ordinates method, 5A1252
HENDRIKS, F: Speed dependence, takeoff and stiction of a new class of gas bearing sliders, 1A1136
HENDRIKX , JPM: Application of optimal control theory to inverse simulations of car handling, 6A388
HENDRIX, GJ: Detection and sizing of defects in control rod drive mechanism penetrations using eddy current and ultrasonics, 2A739
HENEGHAN, SP: JP-8 + 100: The development of high-thermal-stability jet fuel, 3A1340
- Lean blowout in a research combustor at simulated low pressures, 5A1350
HENG, CHEW CHYE: Sound propagation in housing estates from a passing vehicle, 1A319
- Propagation of train noise in housing estates, 12A303
HENJES, K: Isotropic and anisotropic correlations in turbulent wind speed data, 12T1506
HENKES, RAWM: Three-dimensional transition of natural-convection flows, 3A1232
HENKES, VE: Science of Whitewares, 4N22
HENLINE, WD: Navier-Stokes heating calculations for benchmark thermal protection system sizing, 6A930
HENMI, S: Study on the drag force of steels used for the superconducting magnetic levitation vehicle system (Maglev) guideway (Japanese), 3A829
HENNECKE, DK: Optimization of multiple jets mixing with a confined crossflow, 10A1162
- Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part I: A model for subsonic flow, 11A1165
- Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part II: A model for supersonic flow, 11A1166
HENNESSEY, MP: Interaction dynamics between an electric vehicle's "pantograph" and the road, 1A371
HENNESSY, TR: Modeling nanoscale fluid dynamics and transport in physiological flows, 2A1454
HENNIG, EM: Differential shock transmission response of the human body to impact severity and lower limb posture, 5A1488
- Dominant role of interface over knee angle for cushioning impact loading and regulating initial leg stiffness, 5A1465
HENNINGSON, DS: Turbulence and Transition Modeling, 2N33
HENRARD, J: Chaos in gravitational N-body systems, 6A327
- Fourth Alexander von Humboldt Colloquium on Celestial Mechanics: The dynamical behavior of our planetary system, 11A236
HENRIQUES, AC: Statistical uncertainty in long-term distributions of significant wave height, 6A273
HENROT, A: Domain optimization problem for stationary heat equation, 4A348
HENRY, BS: Elastic-plastic fracture mechanics assessment of low constraint aluminium test specimens, 10A810
HENRY, D: Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part 2: 3D flow, 8A1208
- Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part I: 2D flow, 8A1207
HENRY, FS: Numerical investigation of steady flow in proximal and distal end-to-side anastomoses, 2A1460
- Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, 9A1586
HENRY, RE: Debris interactions in reactor vessel lower plena during a severe accident - II: Integral analysis, 5A1442
- Debris interactions in reactor vessel lower plena during a severe accident - I: Predictive model, 5A1441
HENSEL, E: Hybrid inversion of shallow geophysical data for the location of subsurface targets, 8A1556
HENSHALL, GA: Continuum predictions of deformation in composites with two creeping phases - I: Model systems, 1A460
HENSHALL, JL: Assessment of surface fatigue effects in toughened Zirconia using a new point contact method, 2A626
HENSHAW, JM: Finite element analysis of ply-by-ply and equivalent stress concentrations in composite plates with multiple holes under tensile and shear loading, 11A16
HENSHAW, WD: Automatic grid generation, 2A39
HENSON, VE: Table of analytical discrete Fourier transforms, 6A89
HENTEL, KD: Maximal contraction lossens impact response in a muscle contusion model, 3A1497
HENTSCHEL, W: Flow, spray and combustion analysis by laser techniques in the combustion chamber of a direct-injection diesel engine, 1A1343
HEPPLER, GR: Vibration of a rotating Timoshenko beam, 4A128
HERAKOVICH, CT: Probabilistic micromechanics model for damaged composites, 4A725
- Discrete layer analysis of orthotropic, stiffened composite cylinders, 7A1368
HERARD, JM: Conservative fractional step method to solve non-isentropic Euler equations, 11A961
HERAULT, JP: Experimental study of ultrasonic waves attentuation in porous rocks (French), 5A158
HERBACH, R: Influence of viscoplasticity in the interpretation of the ring test, 1A632
HERBICH, M: Magnetic anisotropy of V^{cc} in CdS, 9A608
HERBIN, R: Finite volume schemes for elliptic and elliptic-hyperbolic problems on triangular meshes, 12A63
HERBST, BM: Numerical solution of the sine-Gordon equation - I: Integrable discretizations and homoclinic manifolds, 1A251
HERDING, U: Field BE formulation for damage mechanics, 7A456
- Weakly singular 2D quadratures for some fundamental solutions, 12A73
HEREDIA, FE: Mechanical performance of ceramic matrix composite I-beams, 5A456
HEREDIA-ZAVONI, E: Torsion in symmetric structures due to ground-motion spatial variation, 3A1399
HERGES, US: Finite-difference methods for computing the turning point of ignition in a tubular reactor operated adiabatically, 6A1349
HERLEVI, A: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513
HERMAN, GC: Removal of scattered surface waves using multicomponent seismic data, 4A1380
- Three-dimensional, nonlinear, asymptotic seismic inversion, 4A1381
- Fast computation of the 3D Radon transform, 7A1466
HERMAN, P: Robust nondiagonal controller design for uncertain multivariable regulating systems, 9A341
HERMAN, WA: Influence of mean stress on fatigue in several aluminum alloys utilizing $K_{_}$' threshold procedures, 2A630
- Influence of the K gradient and $K_{_}$' level on fatigue response during the $K_{_}$' threshold testing of Van 80 steel and Astroloy, 10A770
HERMANS, AJ: Absorbing boundary condition for floating 2D objects in current and waves, 3A237
- Discussion on the second-order wave forces and wave drift damping, 11A914
HERMANSON, JC: Experiments on impulsively started jet diffusion flames, 12A1405
HERMANSSON, R: Study of the phenomena affecting the accuracy of a video-based particle tracking velocimetry technique, 10A1273
HERNADEZ, JM: Integrated method for the updating of FE models based on experimental modal data (Spanish), 3A39
HERNANDEZ GOMEZ, LH: Evaluation of crack propagation stability with the Williams stress function - Part II: Numerical analysis, 9A776
HERNANDEZ, A: Procedure based on FEs for the solution of nonlinear problems in the kinematic analysis of mechanisms, 1A54
- Method for the optimization of the kinematical behavior of linkages (Spanish), 3A917
- Procedure for the optimal synthesis of planar mechanisms based on nonlinear position problems, 10A143
HERNANDEZ, F: Available solar exergy in an absorption cooling process, 3A1448
HERNANDEZ, FJ: Flight measurements of blade-vortex interaction noise including comparisons with full-scale wind tunnel data, 4A1147
HERNANDEZ-GOMEZ, LH: Evaluation of crack propagation stability with the Williams stress function - I: Stress field analysis, 3A716
HERNANDEZ-HERNANDEZ, D: Risk sensitive control of Markov processes in countable state space, 6T382
HERNANDEZ-MACHADO, A: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983
HERNBERG, R: Statistical pyrometric sizing of particles in fluidized bed combustion, 7A1411
HEROLD, KE: Absorption Chillers and Heat Pumps, 2R34
HERPFER, DC: Planar measurements of droplet velocities and sizes within a simplex atomizer, 6A1211
HERRAIZ, M: Approach to the measurement of the potential structural damage of earthquake ground motions, 6A1433
HERRANZ, L: Turbulent vapor condensation with noncondensable gases in vertical tubes, 1A1211
HERRCHEN, M: Detailed comparison of various FENE dumbbell models, 8A494
HERRERA, I: Consistent approach to variable bubble-point systems, 6A1492
- Non-overlapping TH-domain decomposition, 10A72
HERRERO, A: Modeling directivity of heterogeneous earthquake ruptures, 2A1393
HERRERO, MA: Melting of ice balls, 8A1352
HERRERO, V: Geometrical automata for two phase flow simulation, 1A1014
HERRING, JR: Diffusion in stably stratified turbulence, 6A1149
HERRMANN, DJ: New approach to the analysis of unidirectional titanium matrix composites with bridge and unbridged cracks, 8A803
HERRMANN, G: Dissipative systems, conservation laws, and symmetries, 1A3
- Conservation laws in nonhomogeneous plane elastostatics, 11A375
HERRMANN, HJ: Study of fragmentation processes using a discrete element method, 6A33
HERRMANN, KP: Crack propagation during thermo mechanical loading of bimaterials: Analyze and experiment (German), 10A1368
HERRON, IH: Simple criterion for exchange of stabilities in a model of Langmuir circulations, 6A1141
HERSKOVITS, J: Full-stress technique for structural shape optimization, 4A808
HERSZBERG, I: Effects of compaction on the stiffness and strength of plain weave fabric RTM composites, 2A433
- Flutter sensitivity analysis using residualization for actively controlled flight vehicles, 6A848
- Tailored fiber placement to minimize stress concentrations, 12A571
HERTWIG, M: Shape control of an adaptive mirror at different angles of inclination, 1A376
- Three-dimensional measurement of macro- and microdomains using optical methods, 12A866
HERTZBERG, J: Classification of absolute and convective instabilities in premixed bluff body stabilized flames, 4A1294
HERTZBERG, JR: Conditions for a split diffusion flame, 10A1403
HERTZBERG, RW: Influence of mean stress on fatigue in several aluminum alloys utilizing $K_{_}$' threshold procedures, 2A630
- Influence of the K gradient and $K_{_}$' level on fatigue response during the $K_{_}$' threshold testing of Van 80 steel and Astroloy, 10A770
HERUP, EJ: Elasticity solutions for Hertzian loaded composite sandwich plates, 6A479
HERVIAS, F: Visual utility for the localization of corona-accelerated nuclei, 4A269
HERWIG, H: Ventilation of passenger car cabins: Comparison of experimental data and numerical calculations, 2A960
- Simultaneous acoustic and microwave backscattering from the sea surface, 10A362
HERZBERG, I: Energy absorption characteristics of hybrid braided composite tubes, 12A583
HERZOG, P: Model of acoustic sources related to negative point-to-plane discharges in ambiant air, 11A248
HERZOG, W: Experimental evaluation of theoretical contact forces in the cat patellofemoral joint, 3A1489
- Force-length properties in stable skeletal muscle fibers: Theoretical considerations, 3A1496
- Modeling axi-symmetrical joint contact with biphasic cartilage layers: An asymptotic solution, 3A1492
- In-situ calibration of the implantable force transducer, 5A1509
- Improved solution for the contact of two biphasic cartilage layers, 9A1568
HESAKI, M: Fundamental experiments on wire explosion spraying: Effect of discharging characteristics on sprayed coating (Japanese), 2A997
HESEKAMP, D: Curing effects on viscosity of reactive epoxy resin adhesives, 3A943
HESHMAT, H: Performance of a powder lubricated journal bearing with WS_2 powder: Experimental study, 1A1139
HESJEDAL, T: Microprobe techniques in saw measurements, 4A320
HESKETH, RP: Methylamine oxidation in a flow reactor: Mechanism and modeling, 7A1399
HESLER, S: Aerodynamic analysis of turbine cascade by using a second-order closure of turbulence, 2A1102
HESLER, SH: Machine health monitoring and life management using FE-based neural networks, 5A739
HESS, DP: Threaded components under axial harmonic vibration - Part 1: Experiments, 1A208
- Threaded components under axial harmonic vibration - Part 2: Kinematic analysis, 1A209
- Stability of a slider with hemispherical legs in plane contacting a flat surface, 5A76
HESS, RA: Flight control system design with rate saturating actuators, 7A1172
HESSAMODDINI, A: Finite difference solutions of vortex generation and shedding from a circular cylinder in oscillatory plus mean flow, 8A1074
HESSE, E: Cobalt disilicide interconnects for micromechanical devices, 2T327
HETNARSKI, RB: Thermally induced instability of laminated beams and plates, 7A1361
- Soliton-like waves in a low-temperature nonlinear thermoelastic solid, 7A1355
- Special issue on thermal stresses, 11A797
HETSRONI, G: Effect of coarse particles on the heat transfer in a turbulent boundary layer, 8A1139
- Effect of surface waves on heat transfer in natural and forced convection, 8A1264
HEUNG CHOI, GI: Process analysis and monitoring in abrasive water jet machining of alumina ceramics, 8A710
HEUTSCHI, K: Outdoor sound propagation measurements using an MLS technique, 12A347
HEUZE, FE: Coupled seismic-geotechnical approach to site-specific strong motion, 11A1481
HEWIT, JR: Active force control of a flexible manipulator by distal feedback, 11A338
HEWITT, GF: Hydrodynamics and heat transfer of wavy thin film flow, 3A1224
- Hydrodynamics and heat transfer in wavy annular gas-liquid flow: A computational fluid dynamics study, 9A1261
HEWITT, RE: Boundary layer arising in the spin-up of a stratified fluid in a container with sloping walls, 10A1086
HEYDINGER, GJ: Land vehicle roll-yaw product of inertia measurement, 12A203
HEYES, DM: Mean-field hydrodynamics Brownian dynamics simulations of stabilized colloidal liquids under shear, 8A1004
HEYLIGER, P: Layerwise mechanics and FE model for laminated piezoelectric shells, 5A481
- Exact solutions for laminated piezoelectric plates in cylindrical bending, 7A524
- Planar free vibrations of off-axis piezoelectric laminates, 11A770
- Exact solutions for simply supported laminated piezoelectric plates, 12A671
HEYLIGER, PR: Elastic constants of textured short-fiber composites, 3A496
- Layerwise mechanics and FE for the dynamic analysis of piezoelectric composite plates, 6A550
HEYMAN, J: Elements of the Theory of Structures, 1R18
HEYMANS, N: Hierarchical models for viscoelasticity: Dynamic behavior in the linear range, 5A885
HEYMSFIELD, E: Infinite domain correction for anti-plane shear waves in a 2D BE analysis, 8A216
- Infinite domain correction for in-plane body waves in a 2D BE analysis, 10A277
HIANG HOON, KAY: Stability and failure of symmetrically laminated plates, 4A623
HIBBELER, RC: Mechanics of Materials, Third Edition, 7N17
HIBBS, DE: Measurement of effective saturation concentration for gas transfer, 7A1070
HIBINO, T: Studies on short-term rainfall prediction using animation of radar images and estimation of average-rainfall-depth over a watershed (Chinese), 10A1466
HICHER, P-Y: Elastic properties of soils, 3A583
HICHER, PY: Identifying soil parameters by means of laboratory and *in situ* testing, 1A620
HICKEN, E: Modeling of void formation in the subcooled boiling regime in the ATHLET code to simulate flow instability for research reactors, 6A1500
HICKEY, AJ: Aerosol delivery from an active emission multi-single dose dry powder inhaler, 11A989
HICKEY, JN: Activities and selectivities of copper-metal-oxide catalysts at temperatures relevant to chemical heat-pumps based on isopropanol-acetone interconversions, 3A1460
HICKEY, KA: Multiaxial stress concentration in an externally pressurized cylinder with an external circumferential groove, 11A416
HICKLING, R: Locating sound sources with vector sound-intensity probes, using polynomial continuation, 1A334
- Studies of sound transmission in various types of stored grain for acoustic detection of insects, 12A319
HICKMAN, SH: San Andreas fault zone drilling project: Scientific objectives and technological challenges, 11A1511
HICKS JR, PJ: Simulation of three-phase displacement experiments, 1A1392
HICKS, FE: One-dimensional dam-break solutions for variable width channels, 11T907
HICKS, MA: Benchmark computational study of FE error estimation, 6A39
HICKS, PG: Simulation of paint transfer in an air spray process, 11A1006
HIDAKA, K: Elastic stress in single crystal Ni-base superalloys and the driving force for their microstructural evolution under high temperature creep conditions, 10A576

HIDAKA, S: Influence of initial stresses on the size effect of concrete flexural strength (Japanese), 7A826
HIDAKA, T: Crack arrest test using a toughness gradient steel plate, 11A723
HIDAKA, Y: Shock-tube and modeling study of acetylene pyrolysis and oxidation, 5A1356
HIDAY-JOHNSTON, LA: Impulsive time-free transfers between halo orbits, 8A292
HIDE, R: Laboratory and numerical studies of baroclinic waves in an internally heated rotating fluid annulus: A case of wave-vortex duality?, 10A1087
HIEBER, CA: Volume-relaxation effects on the thermal-residual stresses in an injection-molded strip, 6A488
- Viscoelastic modeling of entrance flow using multimode Leonov model, 8A510
- Characterization of the rheological properties of a fast-curing epoxy-molding compound, 8A999
HIEN, TD: Parameter sensitivity of inelastic buckling and post-buckling response, 11A524
HIEN, TRAN DUONG: Stochastic FE modeling in linear transient heat transfer, 10A1342
HIETALA, HJ: Statistical approach to the analysis of ultimate strengths of bolted joints in laminated composites, 1A719
HIETAMAKI, A: Innovation in Mathematics, 12N3
HIGASHI, A: Effects of dissipation energy on vibrational and sound energy flow, 1A301
HIGASHI, M: Interpolating clothoidal spline curve by computer algebra system (Japanese), 7A74
HIGASHIHARA, H: Landslide process simulations of the clayey slope with sand lens, 2A563
HIGDON, JJL: Displacement of fluid droplets from solid surfaces in low-Reynolds-number shear flows, 10A1129
HIGGINS, AJ: Hollow projectile operation in the ram accelerator, 5A221
HIGH, MS: Viscoelastic effects in modeling web handling systems: Steady-state analysis, 11A397
HIGHFILL, JH: Distributed piezoelectric actuators for shell interior noise control, 4A302
HIGHSMITH, AL: Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography, 7A749
HIGO, Y: New method of dynamic measurements of the plastic deformation occurring at a fatigue crack tip, 12A788
HIGUCHI, H: Numerical and experimental investigations of the flow over a disk undergoing unsteady motion, 5A937
HIGUCHI, K: Initial imperfection data and evaluation of compression strength of orthotropic steel deck for long-span cable-stayed bridges (Japanese), 6A901
HIGUCHI, M: Fractal characteristics of grinding wheel surface (Japanese), 2A601
HIGUCHI, T: Effect of principal stress direction on undrained cyclic shear behavior of dense sand (Japanese), 2A538
HIGUCHI, Y: Stability of slurry trenches constructed in cohesive soil ground (Japanese), 2A565
HIGUERA, FJ: Conjugate natural convection heat transfer between two fluids separated by a horizontal wall: Steady-state analysis, 1A1165
- Conjugate natural convection heat transfer between two porous media separated by a vertical wall, 3A1240
- Flow field of a diffusion flame attached to a thick-walled injector between two coflowing reactant streams, 7A1391
- Conjugate natural convection heat transfer between two porous media separated by a horizontal wall, 10A1307
HIGUEREY, EE: Real-time embedded electronic sensing during resin transfer molding, 2A949
HIHARA, E: Mechanism of absorption enhancement by surfactant, 7A1378
- Boiling heat transfer of a ternary refrigerant mixture inside a horizontal smooth tube, 8A1315
HIJAWI, M: Nonlinear random response of ocean structures using first-and-second-order stochastic averaging, 10A316
- Unified second-order stochastic averaging approach, 12A107
HIJIKATA, K: Heat transfer regime map for electronic devices cooling, 1A1277
- Flow visualization by velocity-pressure cross-correlation, 4A1177
- Fin efficiency enhancement using a gravity-assisted planar heat pipe, 5A1271
- Numerical study of heterogeneous nucleation and mist formation in turbulent flows between parallel plates, 7A1291
- Thermoelectric voltage at metallic point contacts from nonequilibrium effects, 11A1313
HIKAWA, T: Bifurcations of higher subharmonics and chaos in a forced vibratory system with an asymmetrical restoring force, 7A93
HIKICHI, Y: Influence of thermo-currents on BUE forms and cutting mechanism, 3T632
HIKOSAKA, H: Elastic-plastic impact response analysis and impact resistant design of steel pipe check dam (Japanese), 6A1434
HILAIRE, B: Interfacial shear strength in glass-fiber-vinylester-resin composites, 1A523
- Interactions between flows occurring inside and outside fabric tows during RTM, 12A1125
HILAL, MS: Effect of high-strength concrete columns on the behavior of slab-column connections, 3A782
- Seismic response of slab-column connections constructed with high-strength concrete, 10A940
HILAL, N: Heat transfer from vertical inserts in gas-fluidized beds, 1A1394
HILBING, JH: Effect of acoustic perturbations on liquid jet atomization, 7A1110
HILD, F: Analysis of the failure of ceramics due to subcritical crack growth, 1A679
- Continuum description of damage in ceramic-matrix composites, 7A731
HILDEBRAND, JA: Microearthquakes at intermediate spreading-rate ridges: The Cleft segment megaplume site on the Juan de Fuca Ridge, 12T1440
HILDEBRAND, M: Thermal phenomena in concrete bridges (Polish), 9A894
HILE, CV: Comparisons between Maxwell's equations and an extended nonlinear Schrodinger equation, 3A198
HILEY, MJ: Effect of strain rate on the fracture process in interlaminar shear specimens of carbon fiber-reinforced laminates, 7A735
HILGERS, MG: Plane infinitesimal waves in elastic sheets with bending stiffness, 8A215
HILL, D: Analysis and design of ER damper for seismic protection of structures, 3A186
- Further studies of the injection molding process, 4A696
HILL, DA: Zeolite-based electrorheological fluids: Testing, modeling and instrumental artifacts, 7A980
HILL, DE: Dynamic characteristics of a rolling mill, 7A361
HILL, DF: Subharmonic resonance of short internal standing waves by progressive surface waves, 3A247
HILL, DJ: Passification approach to adaptive nonlinear stabilization, 3T340
HILL, DJT: Laboratory wear testing of polyurethane elastomers, 12A990
HILL, EK: Backpropagation neural networks for predicting ultimate strengths of unidirectional graphite-epoxy tensile specimens, 2A460
HILL, G: Delamination in asymmetrically trapped composites loaded in tension, 4A722
HILL, JM: Small deformations superimposed upon the symmetrical expansion of a spherical shell, 2A523
- Dilatant double shearing theory applied to granular chute flow, 5A1393
HILL, M: Rule-based technique for two-state switchable suspension dampers, 9A368
HILL, NA: Bioconvection in a suspension of phototactic algae, 6A1541
HILL, PG: Effect of swirl on combustion in a short cylindrical chamber, 1A1314
- Tabular Taylor series expansion method for fast calculation of steam properties, 10A1424
- NO_x emissions from a diesel engine fueled with natural gas, 11A1406
- Relating burning rate and NO formation to pressure development in two-stroke diesel engines, 12A1412
HILL, R: Adhesion in fiber reinforced plastics investigated by means of acoustic emission, 1A814
- General theory of plastic deformation and instability in thin-walled tubes under combined loading, 6A600
HILL, RW: Non-Newtonian flow and heat transfer in an obstructed channel with radio-frequency heating, 11A1255
HILLBERRY, BM: New approach to the analysis of unidirectional titanium matrix composites with bridge and unbridged cracks, 8A803
- In vivo observations of hydraulic stiffening in the canine femoral head, 9A1569
HILLEMEIER, B: Deformation measurements of mortars at early ages and of large concrete components on site by means of embedded fiber-optic microstrain sensors, 10A864
HILLEN, B: Influence of the blunting of the apex on the flow in a vertebro-basilar junction model, 10A1547
HILLER, M: Symbolic processing of multiloop mechanism dynamics using closed-form kinematics solutions, 12A1035
HILLERSTROM, G: Adaptive rejection of periodic disturbances with unknown period, 4A373
- Robustness properties of repetitive controllers, 7A343
HILLESDON, AJ: Bioconvection in suspensions of oxytactic bacteria: Linear theory, 5A1494
HILLION , P: Diffraction of plane waves on a parabolic cylinder, 2A53
HILLS, DA: Solution of Crack Problems: The Distributed Dislocation Technique, 4R11
- Solution of cracks developing from stress raisers, in finite bodies, by a hybrid dislocation density-BEM approach, 2A662
- State of stress induced by a conical indenter, 2A396
- Stress intensity factors for cracks emanating from a semicircular notch in a half-plate, 6A765
- Analysis of crack initiation and propagation in fretting fatigue: The effective initial flaw size methodology, 8A727
- Fundamental dislocation solution for an infinite plate with application to related crack problems, 12A482
- Modeling of growth of 3D cracks by a continuous distribution of dislocation loops, 12A839
- Stresses in a flat plate due to a loose pin pressing against a cracked hole, 12A496
HILLS, DP: Rapid design space approximation for 2D transonic acrofoil design, 6A1181
HILLS, RN: Microstructural coarsening kinetics for a mushy zone of a pure material, 12A1296
HILTNER, A: Single fiber microbuckling in a model composite, 5A496
HILTON, HH: Dynamic responses of plates with viscoelastic free layer damping treatment, 1A198
- Finite element algorithms for dynamic simulations of viscoelastic composite shell structures using conjugated gradient method on coarse grained and massively parallel machines, 10A651
- Free edge stresses in elastic and viscoelastic composites under uniaxial extension, bending, and twisting loadings, 12A573
HIMENO, K: Application of genetic algorithms to the back-calculation of pavement layer moduli (Japanese), 7T476
HINCH, EJ: Numerical simulation of a concentrated emulsion in shear flow, 3A952
- Shear-induced lateral migration of Brownian rigid rods in parabolic channel flow, 8A1015
- Collision of two deformable drops in shear flow, 11A1003
HINDMARSH, RCA: Normal modes of an ice sheet, 10A1063
HINDUJA, S: Modified effective capacitance method for solidification modeling using linear tetrahedral FEs, 3A1253
HINE, PJ: Interlaminar and intralaminar fracture toughness of uniaxial continuous and discontinuous carbon fiber-epoxy composites, 12A809
HINES, IM: Reliability-based criteria for fixed steel offshore platforms, 11A775
HINES, R: Inverse analysis of a planar two-spring system, 3A402
HINGST, WR: Flowfield measurements inside a boundary-layer bleed slot, 4A1036
HINKLE, JD: Analysis of nonlinear mechanisms in a precision deployable structure using measured flexibility, 6A933
HINNERICHS, TD: Vibration control for precision manufacturing using piezoelectric actuators, 1A429
HINO, J: Semi-active suspension with dynamic absorbers of ground vehicles using fuzzy reasoning, 8A405
HINO, T: Analysis for loss of coolant accident in a fusion reactor, 3T831
HINOJOSA, L: Numerical solutions of pulsating flow and heat transfer characteristics in a channel with a backward-facing step, 8A1273
HINRICHS, H: Trend-detection algorithm for intraoperative EEG monitoring, 5A1507
HINRICHS, RN: Endpoint error in smoothing and differentiating raw kinematic data: An evaluation of four popular methods, 5A1506
HINRICHSEN, D: Stability radii of systems with stochastic uncertainty and their optimization by output feedback, 4T328
HINSON, ML: Optimization of an advanced business jet, 11T823
HINSON, RK: Model for effective diffusivities in aerobic biofilms, 6T1538
HINTON, E: Advanced solution methods in topology optimization and shape sensitivity analysis, 1A828
- Adaptive mesh refinement for localized phenomena, 9A47
HINTON, MJ: Burst behavior of ± 75° filament-wound Kevlar-epoxy and carbon-epoxy tubes at high loading rates, 7A850
- Derived dynamic ply properties from test data on angle ply laminates, 10A611
HIPP, JA: Comparison of predicted and measured contact pressures in normal and dysplastic hips, 11A1560
HIPWELL, MC: Anomalous diffusion in short-pulse laser interactions with random media, 2A1229
HIRA, A: Various aspects of evolutionary structural optimization for problems with stiffness constraints, 8A887
HIRA, T: Sensory evaluation of past design cases and design candidates for conceptual structural design, 5A1518
HIRABAYASHI, CK: Neotectonic study of the San Miguel-Vallecitos Fault, Baja California, Mexico, 8T1466
HIRABAYASHI, K: Dryout and wall-temperature fluctuations in helically coiled evaporating tubes, 2A1212
HIRAI, H: Adaptive control of a hybrid servo system for magnetic disk drives, 7A310
HIRAKAWA, Y: Rock behavior measured by means of borehole strain gauges during a large underground cavern excavation (Japanese), 8A672
HIRAMA, K: Parallel triangular decomposition algorithm on a workstation network with application to structural vibration analysis, 11A165
HIRAMATSU, O: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587
HIRAMI, N: Active maximum power absorber for the reduction of noise and vibration, 9A175
- Optimal energy absorption as an active noise and vibration control strategy, 9A179
HIRANI, RS: Delay time multi-level on-condition preventive maintenance inspection model based on constant base interval risk - when inspection detects pending failure, 11A351
HIRANO, H: Surface modification of electric shaver foil using ion beam (Japanese), 5T573
HIRANO, M: Recent progress in microtribology, 7A884
- Effect of particles accumulation on drag force in solid-liquid two-phase flows (Chinese), 10A1121
- Three-dimensional measurement of red-hot ingot using slit-ray projection method, 11A758
HIRAO, M: Development of an on-line evaluation system of formability in cold-rolled steel sheets using electromagnetic acoustic transducers (EMATs), 4A795
- Creep damage modeling based on ultrasonic velocities in copper, 8A780
- Instantaneous force with static deflection feedback model for irregular tooth pitch end mill (Japanese), 9A788
HIRAOKA, N: Effect of discontinuous hard undercoating on the life of solid film lubricant under extreme contact pressure, 12A941
HIRASAWA, I: Experimental study on damage and vibrating properties of reinforced concrete column members under external dynamic forces (Japanese), 5A776
HIRASHIMA, K: Elliptic cavity in a 3D anisotropic body with inclined strata deformed by line loads and dislocations, 3A445
HIRASHIMA, K-I: Displacement analysis and back-analysis of viscoelastic medium with arbitrary shaped tunnel under quasi 3D rock stresses (Japanese), 4A653
- Inverse analysis for elastic medium with various lozenge cavities under in-plane and out-of-plane loadings (Japanese), 4A488
- Analytical solution for 3D anisotropic bi-material problem with line source of heat and their numerical examples (Japanese), 7A1351
HIRASHIMA, M: Transient waves in an infinite thick plate on elastic foundation subjected to concentrated moving loads (Japanese), 3A535
- Extended trigonometric series analysis of box girders with diaphragms, 9A564
HIRATA, A: High-precision numerical method for the incompressible Navier-Stokes equations tested by Stuart solution, 7T1041
- Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224
- Development of monitoring technics of rocks in situ using precise measurement system of elastic waves (Japanese), 10A726
HIRATA, K: Vibration measurement of rotating elements by using an optical non-contacting slip-ring (Japanese), 1A226
- Approximate method for the drags of 2D obstacles at low Reynolds numbers, 7A1059
HIRATA, S: Development of dynamic loading device with stress sensing block and its experimental examination (Japanese), 4A787
HIRATA, T: Direct contact melting of 2D arbitrarily shaped solids on an isothermally heated horizontal plate, 8A1349
HIRATSUKA, K: Fractal characteristics of wear particles, 3T855
HIRAYAMA, J: Perpendicular construction of bridge girder for long span suspension bridge under a rapid stream (Japanese), 2T808
HIRD, LD: Small Reynolds number flow between eccentric rotating cylinders with a permeable sleeve, 5A925
HIREMATH, SV: Symbolic integration of polynomial functions over a linear polyhedron in euclidean 3D space, 3A77
HIROGAKI, T: Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), 9A676
HIROHATA, Y: Analysis for loss of coolant accident in a fusion reactor, 3T831
HIROKAWA, T: Control method for helium gas pressure and concentration in X-ray steppers (Japanese), 1T379
HIROMITSU, N: Influence of flow turbulence on the evaporation rate of a suspended droplet in a hot air flow, 9A1257
HIRONAKA, Y: Fragmentation and dispersion of aluminum nitride ceramic plates by hypervelocity impact, 9A193
HIROSAKI, K: Grinding-like polishing using magnetic fluid: Surface polishing characteristics of silicon wafer, 3T660
HIROSE, S: Efficient steering control formulation for the articulated body mobile robot "KR-II", 2T338
- Two-dimensional time domain BEM for scattering of elastic waves in solids of general anisotropy, 3A54
HIROSE, Y: Intergranular crack nucleation in bicrystalline materials under fatigue, 3A678

- Inverse analysis for elastic medium with various lozenge cavities under in-plane and out-of-plane loadings (Japanese), 4A488
- Micromechanical analysis of surface defects, 6A522
HIROTA, T: Microstructural effect on low cycle fatigue behavior in Ti-alloys under biaxial loading, 12A760
HIRSA, A: Turbulent flow in longitudinally finned tubes, 4A1044
- Velocity field and surfactant concentration measurement techniques for free-surface flows, 8A1070
HIRSCH, C: Numerical simulation of 3D viscous flow in a linear compressor cascade with tip clearance, 1A1110
- Transition over C4 leading edge and measurement of intermittency factor using PDF of hot-wire signal, 12A1116
HIRSCH, JW: Axisymmetric laser welding of ceramic and metallic materials: FE modeling, 1A1190
HIRSCHBERG, A: Mechanics of Musical Instruments, 1R8
HIRSCHEL, EH: Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995, 3N34
HIRSCHORN, RM: Discontinuous feedback stabilization of nonholonomic wheeled mobile robots, 8A426
HIRTH, JP: Effects of a single mode III loading cycle on mode I crack initiation and growth toughnesses in a cross-ply [90°/0°]$_s$ Ti-6Al-4V/SiC$_f$ composite, 5A591
HIRTHE, B: Solar water detoxification: Novel TiO_2 powders as highly active photocatalysts, 11A1546
HISADA, T: Sensitivity analysis for frictionless contact problems, 9A452
HISAKADO, T: Effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 2A858
HISAKI, T: Characteristics of molybdenum thin-film plate oscillators fabricated by minimum deformation micromachining, 11T635
HISAMATSU, T: Structural design and high-pressure test of a ceramic combustor for 1500°C class industrial gas turbine, 12T1387
HISANO, K: Study on positioning sensor for human navigation: Measurement method of linear acceleration and rotation angular acceleration (Japanese), 5T313
HISHIDA, K: Transport process of turbulence energy in particle-laden turbulent flow, 2A1053
- Vortex structure and heat transfer in the stagnation region of an impinging plane jet: Simultaneous measurements of velocity and temperature fields by digital particle image velocimetry and laser-induced fluorescence, 10A1297
HITCHCOCK, PA: Characteristics of liquid column vibration absorbers (LCVA) - I, 6A216
- Characteristics of liquid column vibration absorbers (LCVA) - II, 6A217
HITCHEN, SA: Development of novel cost effective hybrid ply carbon-fiber composites, 5A442
HITCHINGS, A: Submicrometer particle separation via high-speed gas centrifuges, 11A1012
HITCHINGS, D: Impact damage and residual strengths of woven fabric glass-polyester laminates, 5A173
- Finite element simulation of gust loading, 6A311
HITTINGER, JA: Three-dimensional model for the probabilistic intergranular failure of polycrystalline arrays, 4A529
HIVROZ, J: Creep buckling of ovalized tubes under external pressure, 5A500
HIWATASHI, T: System for inferring axial force of high-strength bolts on steel bridges (Japanese), 6A905
HIYOSHI, H: Influence of thermo-currents on BUE forms and cutting mechanism, 3T632
HJELMSTAD, KD: Crack identification in a cantilever beam from modal response, 6A149
- Damage detection and assessment of structures from static response, 11A761
- Bounds and approximations for elastic wave speeds in cubic crystals, 12A233
HJORT, K: Sacrificial etching of III-V compounds for micromechanical devices, 8T418
HJORTH, PG: Elements of Newtonian Mechanics Including Nonlinear Dynamics, Second Edition, 9R6
- Coriolis effects in the dynamics of a rotating elastic structure, 1A158
HLADIK, I: Robust preconditioners for linear elasticity FEM analyses, 10A572
HLADKY-HENNION, A-C: Finite element analysis of the propagation of acoustic waves in waveguides, 1A333
- Finite element analysis of the propagation of acoustic waves along waveguides immersed in water, 9A289
HLADNIK, L: Slenderness limit of class 3 I cross-sections made of high strength steel, 2A798
HLAVACEK, I: Optimal interior and local error estimates of a recovered gradient of linear elements on nonuniform triangulations, 5A40
- Optimal design of an elastic plate with unilateral elastic foundation and rigid supports, using the Reissner-Mindlin plate model - I: Continuous problems, 12A632
HLAVACEK, M: Elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate, 2A1124
HLAVNA, V: Low temperature of a combustion engine and its emissions (Polish), 9A1398
HO , CHIH-MING: Review: MEMS and its applications for flow control, 4A384
HO SUH, CHANG: Theory of transversely isotropic plastic viscoelastic fluids to represent the flow of talc and similar disc-like particle suspensions in thermoplastics, 10A584
HO, CHIA-DOU: Endochronic theory accounting for deformation induced anisotropy of metals under biaxial load, 7A431
HO, CHIH-MING: Dissipation scale and control of fine-scale turbulence in a plane mixing layer, 3A1156
HO, CJ: Numerical simulation of 3D incompressible flow by a new formulation, 5A948
- Simulation of natural convection in a vertical enclosure by using a new incompressible flow formulation: Pseudovorticity-velocity formulation, 12A1272
HO, CY: Energy absorption in a conical cavity truncated by spherical cap subject to a focused high-intensity beam, 7A1320
- Three-dimensional analytical temperature field and its application to solidification characteristics in high- or low-power-density-beam welding, 9A1266
HO, EK: Boundary of the basin of attraction for weakly damped primary resonance, 11A89
HO, H: Evaluation of interfacial mechanical properties of fiber reinforced composites using the microindentation method, 4A581
HO, JC: Study of a compact spiral-coil cooling and dehumidifying heat exchanger, 2A1257
HO, JING YUAN: General equations of a helical spring with a cup damper and static verification, 12A998
HO, JINN-TSAIR: Experimental study of the ignition of single droplets under forced convection, 12A1354
HO, JR: Ultra-shallow p$^+$-junction formation in silicon by excimer laser doping: A heat and mass transfer perspective, 2A1290
HO, KB: Coupled shaft-torsion and blade-bending vibrations of a rotating shaft-disk-blade unit, 11A143
HO, KC: Infinite plane loaded by a rivet of a different material, 11A367
HO, KYE-CHYN: Impact fatigue of short glass fiber reinforced polycarbonate, 12A567
- Tribological characteristics of short glass fiber reinforced polycarbonate composites, 12A562
HO, MIN-HEA: Influence of geometry and end conditions on optimal fundamental natural frequencies of symmetrically laminated plates, 2A134
HO, NAI-CHOON: Multi-processor distributed simulation for job-shop scheduling: boob or bane?, 4A474
HO, SK: Effect of wall geometry on the behavior of reinforced soil walls, 9A639
HO, SST: Noise reduction by a barrier having a random edge profile, 10A379
HO, Y-H: Computation of unsteady flowfield over a hydrofoil, including boundary layer and wake, 6A292
HO, YC: Universal alignment probabilities and subset selection for ordinal optimization, 11T298
HOA, SV: Partial hybrid degenerated plate-shell element for the analysis of laminated composites, 5A487
HOA, TO NHU: Propeller-induced and kinematically excited transversal vibrations of the B 354 ship's shafting, 3A172
HOBACK, AS: Optimization of singular problems, 5A758
HOBEROCK, LL: New approach for determining in-situ rock strength while drilling, 6A1493
HOBSON, D: Shoulder belt anchor location influences on wheelchair occupant crash protection, 1A1471
HOBSON, DD: Thermocouple lag in transient heat-shield measurements due to thermal mass difference, 5T1126
HOCHARD, C: Transfer operators for evolving meshes in small strain elasto-plasticity, 6A529
HOCHENG, H: Numerical investigation of transient thermal stresses of workpiece in surface grinding, 3A1272
- Anisotropic heat-affected zone in the laser grooving of fiber-reinforced composite material, 6A543
- Feasibility study of abrasive-waterjet milling of fiber-reinforced plastics, 11A601
HOCHGREB, S: Chemical kinetic simulation of hydrocarbon oxidation through the exhaust port of a spark ignition engine, 5A1343
HOCHT , G: Seismic constant-velocity remigration, 9A1466
HOCINE, NA: Evaluation of the energy parameter J on rubber-like materials: Comparison between experimental and numerical results, 6A808
HOCKENBERGER, MJ: Application of meta functions to the quasi-static analysis of workpiece displacement within a machining fixture, 2A370
HOCKING, GC: Withdrawal of layered fluid through a line sink in a porous medium, 5A1396
HODGES, DH: Cross-sectional analysis of composite beams including large initial twist and curvature effects, 2A471
- Asymptotically correct linear laminated plate theory, 2A480
- Finite element solution of nonlinear intrinsic equations for curved composite beams, 4A125
- Improved approximations via Rayleigh's quotient, 6A131
- VABS: A new concept for composite rotor blade cross-sectional modeling, 7A157
HODGES, J: Fabrication of woven carbon fiber-polycarbonate repair patches, 5A455
HODGINS, JK: Group behaviors for systems with significant dynamics, 10A529
HODGINS, KB: NO_x emissions from a diesel engine fueled with natural gas, 11A1406
HODGKINSON, JM: Effects of starter film thickness, residual stresses and layup on G_{Ic} of a 0°-0° interface, 8A794
HODGSKINSON, R: Orthogonal relationships between ultrasonic velocity and material properties of bovine cancellous bone, 1T1449
HODGSON, JW: Investigation of the effects of flue gas injection on natural draft cooling tower performance, 10A1281
HODOUIN, D: Adaptive control: Practical aspects and application to a grinding circuit, 10A426
HODSON, HP: Distribution of film-cooling effectiveness on a turbine endwall measured using the ammonia and diazo technique, 5A1103
- Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, 8A1240
- Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, 8A1239
- Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, 10A1217
- Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, 12A1178
- Development of blade profiles for low-pressure turbine applications, 12A1187
HODULAK, L: Improved weight functions for infinitely long axial and circumferential cracks in a cylinder, 7A720
HOECKLEY, SA: Application of multivariable linear control design to marine towed systems, 5A316
HOEGH KROHN, LJ: Alternative stochastic representation of drag forces on offshore structures for dynamic analyses, 12A1058
HOEPPNER, DW: Dwell sensitivity fatigue behavior of high temperature materials, 11A642
HOEPRICH, MR: Rolling-element bearing internal temperatures, 4A928
HOERNER, EF: Safety in Baseball/Softball, 11N39
HOEY, TB: Sediment dispersion and duration of storage in a model braided river, 10T1060
HOF, AL: Controled-release ergometer for the human ankle, 7A1550
- Correcting for limb inertia and compliance in fast ergometers, 7A1538
HOFBAUER, H: Temperatures in a fuel particle burning in a fluidized bed: The effect of drying, devolatilization, and char combustion, 7A1412
HOFER, E: Uncertainty and sensitivity analysis of a postexperiment simulation of nonexplosive melt-water interaction, 1T1207
- 7th workshop on dynamics and control, July 2994, Ulm, Germany, 2T306
HOFER, M: Numerical study of wall mechanics and fluid dynamics in end-to-side anastomoses and correlation to intimal hyperplasia, 3A1512
HOFF, D: Continuous dependence on initial data for discontinuous solutions of the Navier-Stokes equations for 1D, compressible flow, 2A979
HOFFBAUER, MA: Nocilla model parameters obtained from forces exerted on surfaces by molecular beams, 12A1104
HOFFER, L: Using a programmable interferometer for digital phase-shifting speckle interferometry, 8A872
HOFFMAN, AH: Effect of diabetes on the viscoelastic properties of rat knee ligaments, 5A1466
HOFFMAN, K: Real-time simulation of photovoltaic modules, 3A1455
HOFFMAN, KL: Automated determination of a novel anti-inflammatory drug in plasma using batch robotic sample preparation and HPLC, 5A360
HOFFMANN, MR: Solar-powered photocatalytic fiber-optic cable reactor for waste stream remediation, 12A1518
HOFFMANN, TL: Visualization of acoustic particle interaction and agglomeration: Theory evaluation, 12A350
HOFFS, A: Transient heat transfer experiments in a linear cascade via an insertion mechanism using the liquid crystal technique, 8A1248
HOFFSCHMIDT, B: Experimental and numerical evaluation of the performance and flow stability of different types of open volumetric absorbers under non-homogeneous irradiation, 11A1530
HOFMANN, D: Deformation measurements of mortars at early ages and of large concrete components on site by means of embedded fiber-optic microstrain sensors, 10A864
HOFMANN, N: Numerical optimization of process control variables for the Bridgman casting process, 9A677
HOFMANN, W: Significance of particle deposition patterns in bronchial airway bifurcations for extrapolation modeling, 3A1086
HOFMEISTER, M: Analysis of tunnels: Fuzzy (German), 10A39
HOFSTETTER, G: Computational Mechanics of Reinforced Concrete Structures, 9R13
HOFTON, MR: Applying the DIPAC model to predict the long-term thermal performance of extruded polystyrene foam, 5A1276
HOGEWEG, B: Experimental and numerical investigation into the single-fiber fragmentation test: Stress transfer by a locally yielding matrix, 8A796
HOGG, AJ: Erosion by planar turbulent wall jets, 11A1061
HOGG, SI: Analysis of a gas lubricated hydrodynamic thrust bearing, 1A1134
HOGLUND, E: Starting and steady-state friction torque of grease-lubricated rolling element bearings at low temperatures - Part I: A parametric study, 1T920
- Effect of pressurized gases on the viscosity of polyalkylene glycols, 12A1221
HOGMARK, S: Direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 7A914
- Experiences from scratch testing of tribological PVD coatings, 12T991
HOGSTROM , U: Review of some basic characteristics of the atmospheric surface layer, 2A1413
HOGSTROM, U: Organized turbulence structures in the near-neutral atmospheric surface layer, 4T1440
- Low level jets: A decisive factor for off-shore wind energy siting in the Baltic Sea, 7T1511
HOHE, J: Analysis of ductile crack growth by means of a cohesive damage model, 9A739
HOHLRIEDER, M: Comparison of the rotor dynamic and structure dynamic calculation of compressors, 10A240
HOHMANN, M: Soil freezing - The concept of soil water potential: State of the art, 9A626
HOINESS, B: Optimized design of pultruded composite beams, 2A437
HOJAN, E: Application of two experimental modal analysis methods for the determination of operational deflection shapes, 4A276
HOJJATIE, B: Lubrication and heat transfer in a crown-compensated press roll, 4A1159
HOJO, A: Design method of rock bolts in jointed rock masses (Japanese), 8A687
HOJO, M: Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), 2A698
- Effect of surface oxidation and sizing treatment of carbon fiber on interfacial adhesion (Japanese), 9A481
HOKANSON, J: Constitutive model of the artery with damage, 8T1561
HOKE, JL: Experimental investigation of convective heat transfer from wire-on-tube heat exchangers, 11A1336
HOLA, J: Effect of oiling up on the failure of concrete determined by acoustic emission, 4A841
- Role of thermal treatment in stress failure of concrete differing in its aggregate grain composition, 4A842
HOLBEIN, P: First analysis of flow field hysteresis in a pump impeller, 7A1185
HOLCOMB, JM: Diffusion flame adjacent to a rotating solid fuel disk in zero gravity, 9T1379
HOLDA, S: Carbon dioxide sorption on hard coals over wide range of pressure values (Polish), 4A1356
HOLDICH, RG: Solid-Liquid Filtration and Separation Technology, 3R32
- Solid-liquid separation by sedimentation, 11A995
HOLEN, J: Simulation of fluid flow and gaseous radiation heat transfer in a natural gas-fired furnace, 11T1327
HOLES, A: FTIR analysis of aerosol formed in the photooxidation of 1,3,5-trimethylbenzene, 11A1443
HOLGER, DK: Iterative design method to reduce the exhaust and venting noise of a vacuum cleaner motor with minimum use of absorptive foam, 11A256
HOLL, MW: Effects of moisture and thermal cycling on in-plane shear properties of graphite fiber-reinforced cyanate ester resin composites, 5A449
HOLLAND, FA: Experimental performance of the water-calcium chloride system in a heat transformer, 2A1438
- Ammonia-lithium nitrate absorption-compression refrigeration cycle - Part I: Simulation, 7A1344
- Experimental performance of the system water-magnesium chloride in a heat transformer, 8A1548
- Mobile pilot-plant for the production of environmentally clean steam, 8A1428
HOLLAND, G: Atlas of the Oceans: Wind and Wave Climate, 8N26
HOLLAND, GJ: Beta drift of baroclinic vortices - Part I: Adiabatic vortices, 3A1000
- Beta drift of baroclinic vortices - Part II: Diabatic vortices, 7T1017

HOLLAND, J: Analysis of stress-change disturbance caused by ideal drilling in clay, 12A42
HOLLAND, KR: Measuring the relative strengths of a set of partially coherent acoustic sources, 10A405
HOLLAND, MR: Effective ultrasonic transmission coefficient for randomly rough surfaces, 2A273
HOLLAND, PC: Efficient and robust method for computing quadrupole noise, 10A390
HOLLANDS, KGT: Selected proceedings of ISES 1995, Solar World Congress - Part I: A new path for solar energy, 5A1446
- Heat transfer by natural convection across a vertical air cavity of large aspect ratio, 5T1148
- Experimental investigation of thick-sample effects in the measurement of directional-hemispherical transmittance of advanced glazing materials, 8A1531
- Selected proceedings of ISES 1995: Solar World Congress - Part III, Harare, Zimbabwe, September 9-16 1995, 9T1536
HOLLAWAY, LC: Preliminary evaluation of carbon fiber reinforced polymer plates for strengthening reinforced concrete members, 11A786
HOLLE, GF: Generalizing circular brush seal leakage through a randomly distributed bristle bed, 11A1152
HOLLERBACH, JM: Calibration index and taxonomy for robot kinematic calibration methods, 6A418
HOLLIS, BR: High-enthalpy and perfect-gas heating measurements on a blunt cone, 4A1012
HOLLIS, JM: Six-dof test system for the study of joint mechanics and ligament forces, 11A1585
HOLLIS, SL: Stability and Lyapunov functions for reaction-diffusion systems, 10A1391
HOLLISTER, SJ: Finite strain elastostatics with stiffening materials: A constrained minimization model, 12A476
HOLLMAN, KW: Effective ultrasonic transmission coefficient for randomly rough surfaces, 2A273
HOLLMAN, P: Direct current bias applied to hot flame diamond deposition produces smooth low friction coatings, 7A914
HOLLOWAY, DA: CT multiscan: Using small area detectors to image large components, 5A723
HOLLOWAY, G: Topographic stress parameterization in a quasi-geostrophic barotropic model, 12A1498
HOLLY JR, FM: Turbulence model for depth-averaged flows in navigation installations, 6T1008
HOLM, D: 15th Annual International Conference of the Center for Nonlinear Studies: Los Alamos, NM, USA, May 15-19 1995, 5A1423
HOLM, H: Cybernetic modeling of material handling and equipment set-up in one-of-a-kind production, 11A343
HOLM, S: Intervertebral disc response to cyclic loading: An animal model, 8A1559
HOLM-HANSEN, B: Tunable active vibration absorber: The delayed resonator, 11A164
HOLMBERG, DG: High-frequency heat flux sensor calibration and modeling, 11A1269
HOLMBERG, JA: Manufacturing and performance of RTM U-beams, 11A627
HOLMES, M: Life-extending control of reusable rocket engines, 10T486
HOLMES, P: Turbulence, Coherent Structures, Dynamical Systems and Symmetry, 5R21
- Limited effectiveness of normal forms: A critical review and extension of local bifurcation studies of the Brusselator PDE, 7A102
HOLMES, WT: Controlling chaos in a two-well oscillator, 1A119
- Seismic evaluation of existing reinforced concrete building columns, 6A1452
HOLMGREN, B: Spectral solar radiation measurements and turbidity: Comparative studies within a tropical and a sub-arctic environment, 9A1542
HOLMLUND, U: Velocity maximization in downhill skiing, 10A1584
HOLMSTEDT, G: Fast, narrow-band computer model for radiation calculations, 7A1326
HOLSHAUSER, NE: Technique to achieve uniform stress distribution in compressive creep testing of advanced ceramics at high temperatures, 12A597
HOLSTE, F: Equivalent source method for calculation of the sound radiated from aircraft engines, 12A300
- Noise source identification in a propfan model by means of acoustical near field measurements, 12A302
HOLT, BR: Numerical study on the solidification of liquid metal droplets impacting onto a substrate, 12A1287
HOLT, CA: Solution of the non-Newtonian elasto-hydrodynamic problem for circular contacts based on a flow continuity method, 5A1106
HOLTHAUS, M: Improved variational principle for bounds on energy dissipation in turbulent shear flow, 8A1202
HOLTHUIJSEN, LH: Propagation of wind errors through ocean wave hindcasts, 2A1418
HOLTON, IR: Effect of reservoir drawdown and long-term consolidation on the deformation of old embankment dams, 9A895
HOLTSLAG, AAM: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
- Model impacts of entrainment and detrainment rates in shallow cumulus convection, 3T1415
- Bulk parameterization of surface fluxes for various conditions and parameter ranges, 9T1514
HOLTZ, D: Efficient implementation of adjoint sensitivity analysis for optimal control problems, 12A885
HOLTZMULLER, M: Combustion of ethane with small concentrations of methyl chloride in a refractory tube burner, 6A1335
HOLZAPFEL, GA: New viscoelastic constitutive model for continuous media at finite thermomechanical changes, 1A9
- New axisymmetrical membrane element for anisotropic, finite strain analysis of arteries, 3A543
- Large strain viscoclasticity: Continuum formulation and FE applications to elastomeric structures, 5A406
HOLZBECHER, E: Numerical studies on thermal convection in cold groundwater, 5A1191
HOLZER, M: Asymmetric geopotential height fluctuations from symmetric winds, 3T1365
HOLZER, SM: Designing structural analysis software to match the needs of engineers (German), 10A16
HOLZWARTH, U: Effect of laser surface treatment on high cycle fatigue of AISI 316L stainless steel, 5A590
HOMAND, F: Ultrasonic wave attenuation as a tool for estimating frost action on limestone rocks, 5A736
HOMBERG, D: Irreversible phase transitions in steel, 8A1386
HOMISIN, J: Contribution to a static optimization of torsionally oscillating mechanical systems (Czech), 3A904
- Application of differential pneumatic clutches with and without autoregulation in torsionally oscillating mechanical systems (Polish), 10A1001
HOMMA, M: Development of an automatic molding system using cassette mold for injection molding of plastic materials, 1A421
HON, J: Heuristic method for evaluating coil performance, 2A1144
HON, KKB: Automated design of progressive dies, 2A580
HONAMI, S: Flow behavior with an oscillating motion of the impinging jet in a dump diffuser combustor, 11A1403
HONARVAR, F: Acoustic wave scattering from transversely isotropic cylinders, 1A313
HONDA, H: Back-analysis of dynamic soil parameters based on dropping weight vibration test, 2A545
- Minimum heat-flux point and liquid-solid contact during rapid quenching of thin wires, 7A1287
HONDA, K: Debonding criterion in the pushout process of fiber-reinforced ceramics, 1A756
- Stains on shell of non-coating rolling stock (Japanese), 7A691
HONDA, M: Influence of water distribution on the compression behavior of unsaturated soil (Japanese), 8A639
- Stochastic modeling and estimating of pipe tip level using cokriging (Japenese), 10A680
- Jumping of bell houses caused by near-field ground motion: Case histories and shaking table experiment, 11T1495
HONDA, S: Development of an intelligent gripper with a dynamic vibration absorber, 11A327
HONDA, T: Kinetic measurement on the isobutene-water-*tert*-butanol chemical heat pump; dehydration of *tert*-butanol, 2A1439
- Wear behavior of high tensile strength aluminum alloys under dry and lubricated conditions, 2A892
- Influence of ultrasonic amplitude on friction and wear properties in ultrasonic drive, 9A943
- Influence of ultrasonic shape on friction and wear properties in ultrasonic drives, 9T944
HONEIN, BV: Lamb wave tomography and its application in pipe erosion-corrosion monitoring, 10A797
HONEIN, T: Dissipative systems, conservation laws, and symmetries, 1A3
- Conservation laws in nonhomogeneous plane elastostatics, 11A375
HONG YANG, IN: Strain analysis of moving objects using a Fourier transform grid method, 6A825
HONG, ANN PING: Theory of crack spacing in concrete pavements, 9A914
HONG, C: Machine health monitoring and life management using FE-based neural networks, 5A739
HONG, CHANG-SUN: Buckling and postbuckling behavior of composite laminates with a delamination, 12A658
HONG, CHANG-YI: Measurement of particle size in the dense suspension using the extinction method, 9A1194
HONG, CHE-WEN: Tuning the fuzzy control autopilot strategy for driving pattern simulation of road vehicles, 8A407
HONG, CS: Buckling and postbuckling behavior of stiffened composite panels loaded in compression, 6T1094
HONG, GUODONG: Stiffness of screw presses, 6A687
HONG, H-K: Integral representations and regularizations for a divergent series solution of a beam subjected to support motions, 3A1387
- Alternative method for transient and random responses of structures subject to support motions, 6A1431
HONG, HAIPING: Generation, growth, and collapse of a bubble in conductive liquid heated directly by electric current, 7T1074
HONG, HAN PING: Approximate reliability analysis using normal polynomial and simulation results, 6A876
HONG, HP: Environmental load uncertainties for offshore structures, 11A818
HONG, J-S: Magnetic resonance imaging assisted temperature calculations in multiple domain freezing problems, 11T1318
HONG, JING-LIA: Numerical prediction of lock-on effect on convective heat transfer from a transversely oscillating circular cylinder, 7A1235
HONG, JS: Effects of leading-edge lateral blowing on delta wing aerodynamics, 6A1178
HONG, PE: Six-dof trajectory targeting and optimization for Titan launch vehicles, 12A290
HONG, PYOYOON: Time-dependent service-load behavior of wood floors: Experimental results, 11A664
HONG, S-W: Efficient method for the unbalance response analysis of rotor-bearing systems, 9A167
HONG, SANG HEE: Theoretical investigations on sprayed particle-plasma interactions to optimize processing parameters in DC thermal plasma spraying, 10T728
HONG, SEONG-WOOK: Efficient method for identification of motion error sources from circular test results in NC machines, 8A860
HONG, SS: Analysis of superplastic forming processes using a FEM, 6A706
HONG, SUNG-GUL: Truss model and failure mechanism for bar development in C-C-T nodes, 3A786
- Truss model for tension bars in reinforced concrete beams: Tension-tension-compression regions, 5A784
HONG, SY: Analysis of drill failure modes by multisensors on a robotic end effector, 5A555
HONG, YS: Boiling characteristics of cylindrical heaters in saturated, gas saturated, and pure-subcooled FC-72, 11A1272
HONGISTO, V: Test procedure and automatic system for sound insulation measurement using the sound intensity method, 11A269
HONJO, Y: New infrastructure design method considering restriction of energy consumption (Japanese), 8T875
- Inverse analysis of a regional groundwater flow model by extended Bayesian method: In case of unsteady flow data (Japanese), 10T1064
HONMA, A: Construction robot for 3D shapes based on the nesting behavior of paper wasps (Japanese), 1A405
HONMA, H: Investigation on the behavior of laser induced bubble in cryogenic liquid nitrogen, 7A1075
- Study on the evaluation of rock condition for construction and adoption of assisting methods based on the past records of twin tunnel construction (Japanese), 8T688
HONMA, T: Regularization of nearly singular boundary integrals in 3D potential problems, 5A57
- Boundary element method for potential fields with corner singularities, 6A72
HONMA, Y: End-point detector for planarization of semiconductor devices by chemical mechanical polishing, 1A674
- Operational rates of automatic production lines with a loading buffer: Loading frequencies to the buffer and the buffer capacity (Japanese), 10A556
HONMURA, S: Development on thrust ram system for tunnel boring machine (TBM) by using parallel link (Japanese), 2A568
HONNER, M: Wave heat conduction in technologies, 7A1304
HOOGENDOORN, CJ: Shape of an enclosure with uniform-flux, isothermal, nonhorizontal walls, 11A1236
HOOGSTRATEN, HW: Influence of the blunting of the apex on the flow in a vertebro-basilar junction model, 10A1547
HOOKE, CJ: Wear and friction of nylon-glass fiber composites in non-conformal contact under combined rolling and sliding, 2A874
- Friction and wear of polymers in non-conformal contacts, 7A863
HOON, KAY HIANG: Buckling response of symmetric laminated plates, 6A615
HOON, KAY-HIANG: Development of a simplified plate element for large deflection elasto-plastic FE analysis, 1A584
HOON, KH: Bending stresses at longitudinal weld joints of pressurized cylindrical shells due to angular distortion, 2A483
- Behavior of pipes with a circular hole subjected to compressive loading, 9A20
HOOPER, EB: Whistler-driven, electron-cyclotron-resonance-heated thruster: Experimental status, 1A1379
HOOPER, RM: Assessment of surface fatigue effects in toughened Zirconia using a new point contact method, 2A626
HOOPES, JA: Prediction of cavitation damage for spillways, 3A982
- Transport of aqueous organic compounds in thermoplastic geomembranes - II: Mass flux estimates and practical implications, 3T1480
HOPFINGER, EJ: Flow structure in turbidity currents, 6A1003
HOPKE, PK: Deposition of particles in a chamber as a function of ventilation rate, 12A1420
HOPKINS, DA: Micromechanics of composites with shape memory alloy fibers in uniform thermal fields, 2A705
- Weight minimization of flight components, 3A830
- Dynamic response of composite cylinders subjected to a moving internal pressure, 5A452
- Treatment of initial deformations in the Integrated Force Method, 6A31
- Layerwise mechanics and FE for the dynamic analysis of piezoelectric composite plates, 6A550
- Cascade optimization strategy for aircraft and air-breathing propulsion system concepts, 8T1426
- Cascade optimization strategy for solution of difficult design problems, 11A764
- Dynamic animation of stress modes via the integrated force method of structural analysis, 11A809
HOPKINS, MA: Smart stiffness for improved roll control, 11T1140
HOPKINS, R: Parametric identification of multibody models for crash victim simulation, 12A1545
HOPMAN, PC: Viscoelastic multilayer program: VEROAD, 5A407
HOPPE, G: Experiments on drag-reducing surfaces and their optimization with an adjustable geometry, 11A1031
HOPPE, U: Application of tensor algebra on manifolds to nonlinear continuum mechanics: Invited survey article, 12A1
HOPPEL, CPR: Design and analysis of composite wraps for concrete columns, 10A615
HOPPERSTAD, OS: Static and dynamic axial crushing of square thin-walled aluminium extrusions, 6A508
HOPWOOD, WP: Observations and parametrization of momentum transfer in heterogeneous terrain consisting of regularly spaced obstacles, 7T1500
HOQUE, E: Performance evaluation of LDTs for use in triaxial tests, 12A696
HOR, MAW-KAE: Coordinating multiple groups of robots for gaiting process, 1A388
HORACEK, J: Finite element modeling of the damping of cylindrical shells vibrating in contact with an annular fluid region, 12T278
HORAGUCHI, I: Characterization and application of the sliding wear of hardened die steel against SiC whisker-plastic composite, 3A848
- Grinding using directionally aligned SiC whisker wheel: Anti-loading by addition of abrasive grains to grinding fluid (Japanese), 9A675
HORATTAS, GA: Mechanical and electrical run-out removal on a precision rotor-vibration research spindle, 10T215
HORGAN, CO: Further analysis of end effects for plane deformations of sandwich strips, 4A585
- Anti-plane shear deformations of anisotropic sandwich structures: End effects, 5A786
- Spatial decay estimates for a class of second-order quasilinear elliptic partial differential equations arising in anisotropic nonlinear elasticity, 6A467
- Semi-inverse shape optimization problem in linear anti-plane shear, 7A406
- Saint-Venant's principle in linear isotropic elasticity for incompressible or nearly incompressible materials, 12A474
HORI, K: Development of ultra-small sized servo actuator with brushless DC Motor, planetary gear drive and optical rotary encoder, 11A847
HORI, M: Effects of free stream turbulence on a turbulent boundary layer on a flat plate with zero pressure gradient - Part IV: Calculation of the flow field, 9A1112
- Elastic-plastic FE analysis technique coupled with equivalent inclusion method (Japanese), 9A16
HORIBE, S: Anelastic behavior of zirconia ceramics under monotonic and cyclic loadings, 8A519
HORIBUCHI, K: Effect of grain size characteristics on the effectiveness of cement fixing agent method for preventing liquefaction of sand to silt deposits (Japanese), 2A551
HORIE, M: Measurement and evaluation of microforce and microtorque (Japanese), 10T857
- Simulation and analysis of birefringence in Magneto-Optical Discs - Part A: Formulation, 10A1028
- Simulation and analysis of birefringence in Magneto-Optical Discs - Part B: Numerical and experimental results, 10A1029
HORIKOSHI, K: Centrifuge modeling of piled raft foundations on clay, 6A657
HORIO, H: Generation, growth, and collapse of a bubble in conductive liquid heated directly by electric current, 7T1074

HORIUCHI, K: Performance improvements of rowing shells (Japanese), 10T1578
HORLOCK, JH: Simplified analyses of some vapor power cycles, 1A1368
- Aero-engine derivative gas turbines for power generation: Thermodynamic and economic perspectives, 8A1433
HORMAZA, MV: Procedure based on FEs for the solution of nonlinear problems in the kinematic analysis of mechanisms, 1A54
HORN, DD: Impacts of external magnetic fields applied to high-pressure electric arc heaters, 5A1385
- High-pressure arc heater development and modeling: Status and requirements, 5A1384
HORN, W: Domain optimization problem for stationary heat equation, 4A348
HORNBERGER, H: Mechanical properties and microstructural analysis of a diamond-like carbon coating on an alumina-glass composite, 2A451
HORNG, CHUEN-CHYI: Effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, 4A898
- Process planning strategy for removing an arbitrary profile by hydrodynamic polishing process, 5A572
HORNG, ING-RONG: Robust stability bound on linear time-varying uncertainties for linear digital control systems under finite wordlength effects, 7A302
HORNG, JENG HAUR: Scuffing as evaluated from the viewpoint of surface roughness and friction energy, 1A894
HORNOWSKI, T: Investigation of the ultrasonic propagation velocity anisotropy in magnetic liquids in a constant magnetic field, 4A1101
HORNTROP, DJ: Monte Carlo methods for turbulent tracers with long range and fractal random velocity fields, 9A1128
HORNUNG, HG: Transition on a slender cone in hypervelocity flow, 8A1231
HORNUNG, U: Homogenization and Porous Media, 5R28
HOROSHENKOV, KV: Porous materials for scale model experiments in outdoor sound propagation, 2A303
- Numerical modeling of the sound field near a tall building with balconies near a road, 6A338
HORR, AM: Fractional-spectral method for vibration of damped space structures, 5A145
HORRENT, C: Dynamic soil parameters determination by geophysical prospecting in Mexico City: Implication for site effect modeling, 5A517
HORRIGMOE, G: Numerical implementation of constitutive integration for rate-independent elastoplasticity, 5A430
HORSKY, J: Usage of artificial intelligence methods in inverse problems for estimation of material parameters, 7A67
HORSRUD, P: Band formation in deposition of fines in porous media, 6A1378
HORST, TW: Experimental evaluation of analytical and Lagrangian surface-layer flux footprint models, 6T1485
HORTA, LG: Integrated passive-active vibration absorber for multistory buildings, 9A1494
HORTACSU, A: Comparative evaluation of some existing rate-type constitutive equations for a viscoelastic fluid undergoing wiggle flow, 8A1010
HORTON, R: Heat, water, and solute transfer in unsaturated porous media - II: Compacted soil beneath plastic cover, 11A1461
- Heat, water, and solute transfer in unsaturated porous media - I: Theory development and transport coefficient evaluation, 11T1462
HORVATHOVA, S: Numerical solution of circular elastic plates using the method of local variations, 12T620
HOSAIN, MU: Numerical analysis of push-out specimens with perfobond rib connectors, 7A508
HOSAKA, H: Neural-network-based controler used for directional control of tunneling machine, 7A349
HOSAMEL-DEEN, YH: Objective method for the evaluation of off-road wheeled vehicle mobility, 8T404
HOSEK, M: Active vibration absorption using delayed resonator with relative position measurement, 6A215
HOSHAW, SJ: Decrease in canine proximal femoral ultimate strength and stiffness due to fatigue damage, 9A1563
- Method suitable for *in vivo* measurement of bone strain in humans, 10A1555
HOSHIDE, T: Microstructural effect on low cycle fatigue behavior in Ti-alloys under biaxial loading, 12A760
HOSHIKAWA, T: Elastic-plastic impact response analysis and impact resistant design of steel pipe check dam (Japanese), 6A1434
HOSHIKUMA, J: Stress-strain model for confined reinforced concrete in bridge piers, 11A791
HOSHINA, H: Optical telemetering of temperature information in rotating spindle - 1st report: Development of high-speed multichannel optical telemetering system (Japanese), 2A746
HOSHINO, A: New dressing method for gear honing wheel and its effectiveness - 2nd Report: Improvement of dressing ability with slant feeding (Japanese), 7A638
- Development of gear finishing by a compound lapping machine (Japanese), 10A552
- New tooth finishing method with CBN abrasive wheel for involute internal spline: Improvement of tooth accuracy with slant traverse feeding (Japanese), 10A969
HOSHINO, M: Creep analysis and torsional vibration analysis of cable-stayed bridges with two edge composite girders (Japanese), 3A791
HOSHINO, T: Development of a bilateral manipulator for surgical operation: Characteristics of developed manipulator (Japanese), 5T358
- Prediction of steel corrosion portion and area by natural potential measurement (Japanese), 7A688
- Effect of debris on the life of tapered roller bearing in contaminated lubricant, 11T832
HOSHINO, Y: Measurement of van der Waals force of toner adhesion employing a linearly increasing electric field and determining the toner jumping voltage, 6A980
HOSHIYA, M: Identification of nonlinear structures by Kalman filter (Japanese), 9A824
HOSKING, RJ: Moving Loads on Ice Plates, 9R30
HOSODA, S: Study of immersed heat exchange surface for high-efficiency heat recovery from wire-rim tires in a fluidized-bed boiler, 9A1431
HOSODA, T: Fundamental properties of flows in open channels with dead zone, 7A994
- Bottom shear stresses of flows over a wavy bed by using depth averaged flow equations (Chinese), 10A1058
HOSOE, S: State-space approach in robust control for singularly perturbed systems, 8T388
HOSOI, AE: Layer formation in monodispersive suspensions and colloids, 6A986
HOSOKAWA, A: Characterization of the grinding wheel surface by means of image processing - 1st Report: Post-process measurement of abrasive grain and cutting-edge distribution on the wheel surface (Japanese), 4A679
HOSOKAWA, M: Sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 7A888
HOSOKAWA, S: Sectional area for calculation of deformation in screw thread, 3A926
HOSOYA, T: Safety control system for the erection of steel bridges (Japanese), 8T1574
HOSSAIN, A: Modeling primary substrate controlled biotransformation and transport of halogenated aliphatics in porous media, 1A1384
HOSSAIN, MA: Unified adaptive active control mechanism for noise cancellation and vibration suppression, 6A350
- Digital signal processing and parallel processing in the real-time simulation of a flexible manipulator system, 6A419
- Real-time simulation and active vibration control of flexible structures, 6A871
- Magnetohydrodynamic boundary layer flow and heat transfer on a continuous moving wavy surface, 9A1135
- Radiation effect on Darcy free convection flow along an inclined surface placed in porous media, 10A1310
HOSSAIN, MI: Creep constitutive modeling of an aluminum alloy under multiaxial and cyclic loading, 5A404
HOSSEIN BEHFOROOZ, G: Use of spline-on-spline for the approximation of Cauchy principal value integrals, 4A67
HOSTEN, B: Use of large ultrasonic transducers to improve transmission coefficient measurements on viscoelastic anisotropic plates, 8A361
HOTANI, Y: Surface modification of electric shaver foil using ion beam (Japanese), 5T573
HOTCHKISS, AJ: Generalized cross-correlation - Part II: Discretization of generalized cross-correlation and progress to date in its implementation, 12A78
- Generalized cross-correlation functions for engineering applications - Part I: Basic theory, 12A79
HOTHERSALL, DC: Porous materials for scale model experiments in outdoor sound propagation, 2A303
- Numerical modeling of the sound field near a tall building with balconies near a road, 6A338
HOTTON, SG: Comparison of Inverse modification techniques for some gyroscopic systems, 9T92
HOU, C-Y: Estimation of plasticity-induced crack closure in a pre-existing plastic zone, 5A658
HOU, GW: First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, 7T1177
HOU, J: UBET-simulation meant for basic understanding of the extrusion of aluminum profiles, 11A585
HOU, JIN: Three-dimensional UBET model applied to the forging of square blocks between flat dies and grooved dies of simple geometry, 6A675
HOU, KH: Flow patterns of mixed convection in a horizontal square channel flow, 5A1167
HOU, LS: Computations of boundary optimal control problems for an electrically conducting fluid, 4T1104
HOU, MENG: Effect of molding temperature on flexure, impact strength, and interlaminar fracture toughness of CF-PEI composite, 5A568
- Manufacturing of an aileron rib with advance thermoplastic composites, 9A681
HOU, PY: Effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, 2A639
HOU, RENMIN: Jordan canonical forms of matrices over quaternion field, 3A84
HOU, TY: Convergence of a boundary integral method for water waves, 3A250
- Multiscale FEM for elliptic problems in composite materials and porous media, 11A33
HOU, W: Wear behavior of high tensile strength aluminum alloys under dry and lubricated conditions, 2A892
HOU, XIOFAN: Projectile perforation of moving plates: Experimental investigation, 6A256
HOU, YANREN: Fourier nonlinear Galerkin approximation for the 2D Navier-Stokes equations, 6A1038
HOU, YC: Efficient optimum design procedure for bicycle rear derailers, 3A907
HOU, Z: Tuned vibration absorbers for floating bodies, 4A195
- Stationary model for periodic excitation with uncorrelated random disturbances, 4A105
HOU, ZHIKUN: Random response to periodic excitation with correlated disturbances, 6A134
- Iterated dynamic condensation technique and its applications in modal testing, 10A22
HOU, ZK: Model for general periodic excitation with random disturbance and its application, 12A146
HOUARD, S: Phase-locking modes in a bidimensional network of coupled water jets, 7A1128
HOUAS, L: Shock induced Richtmyer-Meshkov instability in the presence of a wall boundary layer, 1T272
- Laser absorption density direct measurements with limitation of temperature variation field in shock-induced gaseous mixing, 10T309
HOUCINE, I: Planar laser induced fluorescence technique for measurements of concentration fields in continuous stirred tank reactors, 7A1226
HOUGH, GR: Velocity dependence of impact fluorescence, 8A241
HOUGH, SE: Coherence of ground motion in the San Fernando Valley, 8A1472
HOUJOH, H: Vibration measurement of rotating elements by using an optical non-contacting slip-ring (Japanese), 1A226
- Rotational vibration of a helical gear pair having tooth surface deviation during transmission of light load, 5A862
HOUKES, Z: New computer method for temperature measurement based on an optimal control problem, 3A359
HOULSBY, GT: Work input to an unsaturated granular material, 9T615
HOUMAT, A: Hierarchial FE analysis of the vibration of membranes, 10A65
HOURNG, LIH-WU: Numerical study on the capillary effect of resin transfer molding, 10A754
HOUSE, L: Minimum traveltime calculation in 3D graph theory, 6A1412
HOUSEMAN, GA: Point-source τ-p transform: A review and comparison of computational methods, 7A1473
HOUSTIS, EN: Generalized Schwarz splitting method based on Hermite collocation for elliptic boundary value problems, 3A57
HOUSTON, BH: Wave-number space response of a near periodically ribbed shell, 8A157
- Effect of internal oscillators on the acoustic response of a submerged shell, 8A274
HOUTING, I: Weight and frequency effect on spinal loading in a bricklaying task, 4A1487
HOUWING, AFP: Rotational and vibrational temperature measurements using CARS in a hypervelocity shock layer flow and comparisons with CFD calculations, 1T1091
- Optical and pressure measurements in shock tunnel testing of a model scramjet combustor, 10A1435
HOUZOURIS, GE: Analytical and empirical solutions of the oblique and normal shock waves with application to real ammonia, 8A263
HOVDE, GO: Fatigue reliability of TLP tether systems, 8A898
HOVER , FS: Vortex-induced vibration of marine cables: Experiments using force feedback, 11A220
HOVER, FS: Simulation of stiff massless tethers, 11A219
HOW, JP: Experimental comparison of robust H_2 control techniques for uncertain structural systems, 10T481
HOW, SEY-PING: Mixed convection in a partially divided rectangular enclosure, 11A1246
HOW, TV: Numerical investigation of steady flow in proximal and distal end-to-side anastomoses, 2A1460
- Visualization of vortex shedding at the proximal side-to-end artery-graft anastomosis, 5A1503
HOWARD, AH: Analytical model for near-saturated pool boiling critical heat flux on vertical surfaces, 9A1242
- Effects of metallic vapor deposition process and the overall coating thickness on thermal contact conductance, 11A1311
HOWARD, CQ: Power transmission from a vibrating body to a circular cylindrical shell through passive and active isolators, 8A319
HOWARD, JB: Simultaneous particle and molecule modeling: An approach for combining sectional aerosol equations and elementary gas-phase reactions, 12A1113
HOWARD, MA: Simulating the multistage environment for single-stage compressor experiments, 5A1089
HOWARD, SJ: Growth of interface defects and its effect on crack deflection and toughening criteria, 4A766
HOWDLE, SM: Thermal and diffusion processes in laser-induced stress relaxation and reshaping of cartilage, 12A1537
HOWE, MA: Simulation of void growth in WC-Co hardmetals using crystal plasticity theory, 4A528
HOWE, MS: Sound generated by a vortex interacting with a rib-stiffened elastic plate, 4A279
- Emendation of the Brown and Michael equation, with application to sound generation by vortex motion near a half-plane, 7A254
- Edge, cavity, and aperture tones at very low Mach numbers, 8A312
- Sound generated by turbulence and discrete vortices interacting with a perforated elastic plate in low-Mach-number flow, 11A215
- Wall-bounded blade-tip vortex interaction noise, 11A246
HOWE, RD: Practical force-motion models for sliding manipulation, 6A423
- Identification of the mechanical impedance at the human finger tip, 9A1567
HOWELL JR, BF: Patterns of seismic activity after three great earthquakes in the light of Reid's elastic rebound theory, 12A1442
HOWELL, JF: Multiresolution flux decomposition, 11A1501
HOWELL, JR: Laminar forced convection at zero gravity to water near the critical region, 1A1161
- Correlations for film regeneration and air dehumidification for a falling desiccant film with air in crossflow, 2A1291
- Combustion of hydrocarbon fuels within porous inert media, 3A1321
- Combustion of liquid fuels in a porous radiant burner, 4A1304
- Gravitational effects on laminar convection to near-critical water in a vertical tube, 5A1147
- New radiative analysis approach for reticulated porous ceramics using discrete ordinates method, 5A1252
HOWELL, KC: Spaceflight Mechanics 1997, Volume 95 Parts I and II: Advances in the Astronautical Sciences, 11N13
- Impulsive time-free transfers between halo orbits, 8A292
HOWELL, KJ: Effects of a sediment scattering layer in underwater-acoustic studies of intensity sensitivity and data matching, 4A284
HOWELL, LL: Optimal loading conditions for nonlinear deflections, 8A568
HOWELL, MN: Moderated reinforcement learning of active and semi-active vehicle suspension control laws, 7A357
HOWELL, PD: Models for thin viscous sheets, 3A1088
HOWELL, RJ: Development of blade profiles for low-pressure turbine applications, 12A1187
HOWELL, TG: Momentum and heat transfer on a continuous moving surface in a power law fluid, 7A1269
HOWES, TD: Slot and vertical face grinding of aerospace components, 1A661
- Search for an economic domain of operation when grinding below the film boiling limit, 8A713
- Lobing behavior in centerless grinding - Part I: Stability estimation, 12A740
HOWIE, DW: Role of polycthylene wear in joint replacement failure, 10A978
HOWISON, SD: Numerical and asymptotic solution of a sixth-order nonlinear diffusion equation and related coupled systems, 6A62
HOWITT, DG: Galerkin vector and the Eshelby solution in linear elasticity, 5A380
HOWLE, LE: Control of Rayleigh-Benard convection in a small aspect ratio container, 5A1157
- Convection and flow in porous media - Part 2: Visualization by shadowgraph, 8A1453
HOWLETT, PG: Optimal driving strategies for a train on a track with continuously varying gradient, 9A330
HOWS, M: Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation, 1A1446
HOXIE, B: Airfoil performance degradation by supercooled cloud, drizzle, and rain drop icing, 6A1195
HOYASHITA, S: Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, 9A423
- Surface improvement and durability of case-carburized gear: Results of basic rollers running test, 11A346

HOYER, K: Turbulent velocity field in heterogeneously drag reduced pipe flow, 3A1100
- Simultaneous wall shear rate measurements by a three segmented electrodiffusion probe and laser-Doppler-anemometry, 8A1252
HOYOS JR, L: Effect of degree of weathering on dynamic properties of residual soils, 6A652
HOYT, JW: Flow over tube banks: A visualization study, 11T955
HOZUMI, K: Estimation of ground properties based on a fuzzy reasoning method during vertical hole excavation, 3A616
HRINCA, I: Optimal control problem for the Lotka-Volterra system with delay, 5T294
HROMADKA II, TV: Existence of approximate solutions for 2D potential flow problems, 5A944
- New formulation for developing CVBEM approximation functions, 7A55
HRON, F: Amplification and differential motion due to an antiplane 2D resonance in the sediment valleys embedded in a layer over the half-space, 4A1423
HRYCAK, P: Axisymmetric quasi-static thermal stresses in an elastic semi-space subject to a rotating frictional heating on its boundary, 5A1289
HSIA, DY: Investigation of mid-loop operation with loss of RHR at INER integral system test facility, 1A1431
HSIA, RL: Geometrically nonlinear analysis of cylindrical shells using surface-parallel quadratic elements, 5A477
HSIA, TC: Scheduling for IC sort and test facilities with precedence constraints via Lagrangian relaxation, 10T547
HSIANG, YN-H: Influence of elastic nonlinearity on arterial anastomotic compliance, 5A1486
HSIAO, F-B: Effect of acoustics on flow passing a high-AOA airfoil, 8A1212
HSIAO, FENG-HSIAG: Robust Kalman filter synthesis for uncertain multiple time-delay stochastic systems, 6A364
- Robust controller design for discrete uncertain multiple time-delay systems, 9A338
HSIAO, FOAM-ZONE: Optimum design of a magnetic bearing-controlled rotor system, 4A927
- Optimum magnetic bearing design considering performance limitations, 5A869
HSIAO, HM: Effect of fiber waviness on stiffness and strength reduction of unidirectional composites under compressive loading, 1A518
- Nonlinear elastic behavior of unidirectional composites with fiber waviness under compressive loading, 4A555
- Elastic properties of composites with fiber waviness, 4A551
HSIAO, MIN-HUNG: State-space system identification from closed-loop frequency response data, 5T277
HSIAO, S-W: Form creation for automobile design, 3A421
HSIAO, SHIH-WEI: Numerical analysis of deep drawing process for thermoplastic composite laminates, 12A723
HSIAO, SHIH-WEN: Semantic recognition-based approach for car's concept design, 8T462
HSIEH , CK: Conjugate heat transfer analysis of fluid flow in a phase-change energy storage unit, 1A1273
HSIEH, C-F: Temperature measurements of a transient thermal plume in a confined space, 11T1237
HSIEH, CHENG-I: "Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, 4T1088
- Energy-inertial scale interactions for velocity and temperature in the unstable atmospheric surface layer, 9T1511
- Ejection-sweep character of scalar fluxes in the unstable surface layer, 11T1504
HSIEH, CHI-FA: Analysis of agglomerate size from burning aluminized AP-RDX-HTPB propellants in quench bomb, 3A1320
HSIEH, CK: Exact solution of Stefan problems related to a moving line heat source in a quasi-stationary state, 11T1316
HSIEH, FU-HUNG: Measurement and prediction of apparent thermal conductivity of plastic foam with or without biomass materials, 9A1332
HSIEH, HSII-SHENG: Analysis of deep excavation with column type of ground improvement in soft clay, 3A606
HSIEH, JIN-YUAN: Thermal effects on the morphological stability in a directional solidification system with remote flow, 1A1301
HSIEH, LONG-CHANG: Conceptual design of hybrid transmissions for motorcycle applications, 3A903
HSIEH, MAO-CHUNG: Object-oriented programming of adaptive FE and finite volume methods, 6A46
HSIEH, SHANG-HSIEN: Evaluation of automatic domain partitioning algorithms for parallel FE analysis, 9A33
HSIEH, SHIAN-JIANN: Theoretical and experimental analysis of failure for the hemisphere punch hydroforming processes, 2A578
HSIEH, SHIH-YANG: Preconditioned flux-differencing scheme for chemically reacting flows at all Mach numbers, 7A1107
HSIEH, SHOU-SHING: Uneven wall heat flux effect on local heat transfer in rotating two-pass channels with two opposite ribbed walls, 5A1176
- Nucleate pool boiling from coated surfaces in saturated R-134a and R-407c, 5A1210
- Flow structure and temperature measurements in a 3D vertical free convective enclosure at high Rayleigh numbers, 6A1238
- Nucleate pool boiling heat transfer coefficients of distilled water and R-134a-oil mixtures from ribroughened surfaces, 8A1313
HSIEH, T: Three-dimensional separated flow structure over a cylinder with a hemispherical cap, 5A999
HSIEH, WD: Calculation of wall heat transfer in pipe-expansion turbulent flows, 2A1178
- Turbulent flow calculation with orthodox QUICK scheme, 5A1055
- Unsteady turbulent flow past solid fence, 11A911
HSIEH, WH: Combustion of liquid oxygen with hydrogen under high-pressure conditions, 3A1318
- Theoretical study of supersonic flow separation over a rearward-facing step, 9T1039
HSIEH, YI-CHUNG: Performance of plate finned tube heat exchangers under dehumidifying conditions, 8A1368
HSING, CHING-CHYUAN A: Low-speed wall interference assessment-correction with vortex flow effect, 10A1274
HSING, PC: Measurement of droplet size, velocity, and temperature distributions in Rayle`gh flow, 7A1083
HSIUN, CHIH-MIN: Improved procedure for the inverse design of 2D airfoils in ground effect, 6A1179
HSIUNG, CC: Computation of added wave resistance of a restrained floating body in the time-domain, 10A1214
HSU , TAI-WEN: Longshore current on an equilibrium beach, 1A965
HSU, AT: Calculations of swirl combustors using joint velocity-scalar probability density function method, 12A1131
HSU, C-H: Temperature measurements of a transient thermal plume in a confined space, 11T1237
- Simple analysis of free convection film boiling around a horizontal elliptical tube with surface tension, 12T1281
HSU, CF: Flow patterns of mixed convection in a horizontal square channel flow, 5A1167
HSU, CH: Integrated design of mechanical bi-leaflet prosthetic heart valves, 2A1478
- Dynamic analysis and geometry models for the design of bi-leaflet prosthetic mechanical heart valves, 2A1476
HSU, CHENG HSING: Effects of Coriolis force and surface tension on Benard-Marangoni convective instability, 6A1240
HSU, CHENG-HO: Automatic detection of embedded structure in planetary gear trains, 12A1001
HSU, CHENG-HSING: Boundary effect on the Benard-Marangoni instability in a fluid-solid system, 5A1197
- Temperature and flow fields for the flow of a second grade fluid past a wedge, 12A1046
- Unsteady flow of a second-grade fluid past a backward-facing step, 12A1048
HSU, CHENG-TZU THOMAS: Load-carrying capacity for concrete slabs on grade, 6A896
- Limit analysis of reinforced concrete beams subjected to pure torsion, 6A888
HSU, CHIA-HSIANG: Variable-order spectral element method for incompressible viscous flow simulation, 2A978
HSU, CHIH-SHAN: Dynamic behavior of tubes subjected to internal and external cross flows, 8A267
HSU, CHIH-YU: Finite element analysis of deflection control of plates with piezoelectric actuators, 8A891
HSU, CHING-YU: Minimum weight design of submersible pressure hull under hydrostatic pressure, 8A937
HSU, CT: Effective stagnant thermal conductivity of wire screens, 1T1233
HSU, FU-SENG: Numerical grid generation of an irregular region, 6A67
HSU, HU-HSIAO: Hydrodynamic coefficients for an oscillating rectangular structure on a free surface with sidewall, 6A314
HSU, IN-SONG: Particle spinning motion during saltating process, 3A1067
HSU, JANE YUNG-JEN: Cooperation protocols in multi-agent robotic systems, 12A437
HSU, JINHON: Stress intensity factors of regularly and singularly perturbed-interface cracks, 6A784
- Stress intensity factors of slightly undulating interface cracks of bimaterials, 8A814
- Stress intensity factors of regularly perturbed-interface cracks of anisotropic bimaterials, 8A777
HSU, JRC: Nonlinear wave effect on the slow drift motion of a floating body, 3A822
- Wave-induced soil response in a nearly saturated sea-bed of finite thickness, 4A646
HSU, KH: Computer Technology - 1996: Applications and Methodology, 2N23
HSU, PAO-TUNG: Laminar film condensation on a finite-size horizontal wavy disk, 10A1322
- Mixed convection in a partially divided rectangular enclosure, 11A1246
HSU, PAU-LO: Fuzzy adaptive control of machining processes with a self-learning algorithm, 5A369
HSU, PEI-FENG: Benchmark solutions of radiative heat transfer within nonhomogeneous participating media using the Monte Carlo and YIX method, 8T1360
- Radiative and combined-mode heat transfer within L-shaped nonhomogeneous and nongray participating media, 12A1307
HSU, R: Motion of red blood cells in capillaries with variable cross-sections, 5A1500
HSU, SHIH-HSUN: Linear Stochastic Control Systems, 2R13
HSU, SM: Ceramic wear maps, 7A875
HSU, SU-YUEN: Algorithmic tangent matrix approach for mixed hardening model of endochronic plasticity, 1A500
HSU, TAI-WEN: Simple eddy viscosity model of rough turbulent wave boundary layer, 4A1032
- Wave boundary layers in rough turbulent flow, 6A1148
HSU, TR: Thermomechanical coupling effects on fractured solids, 5A1299
HSU, TSAN-HUI: Mixed convection in a partially divided rectangular enclosure, 11A1246
HSU, TZE-CHI: Theoretical and experimental analysis of failure for the hemisphere punch hydroforming processes, 2A578
- Realistic friction modeling for simple upsetting, 10T970
HSU, W-S: Effect of air distribution on solid fuel bed combustion, 12A1370
HSU, WENSYANG: Electro-thermally and laterally driven polysilicon microactuator, 10A506
- General equations of a helical spring with a cup damper and static verification, 12A998
HSU, YEH-LIANG: Explicit approximation method for design optimization problems with implicit constraints, 5A872
- Optimal shape design of engine connecting rod with special lumping-mass constraint, 5A873
- Notes on monotonicity principles, 12T1030
HSUEH, CH: Stress transfer in a model composite containing a single embedded fiber, 9A499
HSUEH, CHUN-HWAY: Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, 4A765
HU , HAICHANG: Influence of small change of support location on vibration frequencies (Chinese), 2A117
HU , HAIYAN: Semi-active vibration control strategy based on piecewise-linear vibration absorbers (Chinese), 12T400
HU , XIAXIA: Newmark recursive algorithm for nonstationary response moment of nonlinear systems (Chinese), 12T218
HU , ZHANGWEI: Numerical simulations of flow induced oscillation in cavity and its suppression by sound excitation (Chinese), 10T320
HU , ZHINONG: Simulation on the strength of model armor block on rubble-mound breakwaters, 1A967
HU, AS: Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, 11T1415
HU, B: Boundedness evaluation of structural systems with randomly distributed initial conditions, 3A117
- Eigenvalue, frequency response, and variance bounds of linear damped systems, 3A137
- Simulation of stochastic processes by spectral representation, 9A70
HU, BEI: Stefan problem for multidimensional reaction-diffusion systems, 2A1241
- Critical exponents for a system of heat equations coupled in a nonlinear boundary condition, 4A1230
HU, BEILEI: Effective mixed-mode fracture criterion for concrete, 6A787
HU, C: Equilibrium configurations of point vortices for channel flows past interior obstacles, 8A1046
HU, CHAO: Scattering of flexural waves and dynamic stress concentrations in Mindlin's thick plates with a cutout, 6A172
HU, CHENGLIE: Determination of surface and interior cracks from electrostatic measurements using Schwarz-Christoffel transformations, 2A710
HU, CHIEH: Experimental observation of interface shapes in the float zone of lithium niobate during a CO_2 laser melting, 1A1236
HU, CHING-PIAO: Papers presented at the 8th Asia-Pacific Conference on NDT, December 11-14, 1995, Taipei, Taiwan, 7A790
HU, CHONG: Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, 6A541
HU, CL: Three-dimensional analytical temperature field and its application to solidification characteristics in high- or low-power-density-beam welding, 9A1266
HU, D: Non-wetting electrostatic assisted nozzle for spraying a catalytic melt, 11A1011
HU, EJ: Enhancement of thermal conductivity by using polymer-zeolite in solid adsorption heat pumps, 12T1291
HU, FZ: Evaluation of the Ko-Lin model for interlaminar stresses in composite laminates with an open hole, 8A550
HU, GENGKAI: Method of plasticity for general aligned spheroidal void or fiber-reinforced composites, 1A494
- Micromechanical analysis of fatigue properties of metal-matrix composites, 8T553
- Composite plasticity based on matrix average second order stress moment, 8A511
- Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - II: Micromechanical model of damage initiation and the competition between different mechanisms, 9A495
HU, GK: Simple transverse damage model for unidirectional composites, 7A751
HU, GUANG-DA: Simple criteria for stability of neutral delay-differential systems, 5A272
- Stability of discrete-delay systems: Boundary criteria, 5A273
HU, GUANG-DI: Simple criteria for stability of neutral delay-differential systems, 5A272
- Stability of discrete-delay systems: Boundary criteria, 5A273
HU, GUO-HUA: Development of helical coordinate system and its application to analysis of polymer flow in screw extruders - Part I: The balance equations in a helical coordinate system, 11A582
HU, H: Non-solenoidal velocity effects and Korteweg stresses in simple mixtures of incompressible liquids, 4A1023
- Mathematical modeling of solidification and melting: A review, 5A1241
HU, HAI-CHANG: Necessary and sufficient boundary integral formulation for plane elasticity problems, 1A452
- Eigenpair derivative with respect to boundary shape, 6A847
HU, HSUAN-TEH: Influence of geometry and end conditions on optimal fundamental natural frequencies of symmetrically laminated plates, 2A134
HU, HURANG: New approach to predicting interfacial crack growth, 10A828
HU, HY: Adaptive control scheme for recovering periodic motion of chaotic systems, 8A395
HU, IZ: Combustion technology for low-emissions gas-turbines: Some recent modeling results, 3A1309
- Combustion technology for low-emissions gas-turbines: Selected phenomena beyond NO_x, 3A1308
- Coupled Lagrangian Monte Carlo PDF-CFD computation of gas turbine combustor flowfields with finite-rate chemistry, 12A1397
HU, J: Adaptive tracking controller for multiple-phase permanent-magnet machines, 3A352
HU, JD: Wear resistance of laser processed Al-Si-graphite composites, 12A964
HU, JIN: Micro-inertia effects in laminar thin-film flow past a sinusoidal boundary, 7A1205
HU, JINFU: Defect structures at thin film-substrate interfaces, 11A449
HU, JUN: Output feedback controller for trajectory tracking of RLED robots using an observed backstepping approach, 8A448
HU, KX: Model study of thermal stress-induced voiding in electronic packages, 6A1308
- Interfacial delamination analysis for multichip module thin film interconnects, 6A742
HU, LIYUN: Method of 3D cutter compensation based on digitizing copying system, 10A518
HU, MICHAEL: Multivariate economic analysis of robot performance repeatability and accuracy, 2A378
HU, NING: Solution method for dynamic contact problems, 10A286
HU, NINGSHUANG: Studies on fracture toughness of nuclear pressure vessel steels by using a small round compact tension specimen and a comparison with a Charpy-size specimen, 4A779
HU, P: Rigid viscoplastic FE analysis of the gas-pressure constrained bulging of superplastic circular sheets into cone disk shape dies, 7A22
HU, PING: Quasi-flow corner theory on large plastic deformation of ductile metals and its applications, 7A439
HU, S JACK: Parametric study of joint performance in sheet metal assembly, 11A880
HU, SAU-LON JAMES: Response cumulant equations for dynamic systems under delta-correlated processes, 7A117
HU, SHOUFENG: Transverse failure of a single-fiber metal-matrix composite: Experiment and modeling, 2A688
- Damage processes in Si_3N_4 bearing material under contact loading, 3A849
- Hertzian fatigue cone crack propagation in ceramics, 6A716
- Recent development of an ultrasonic NDE technique for metal matrix composites, 7A791
- Use of a plane-strain model to solve generalized plain-strain problems, 10A558
HU, SJ: Deformable sheet metal fixturing: Principles, algorithms, and simulations, 2A344
HU, W-B: Semiactive flutter control of wing-store system with electro-magnetic friction damper, 9T228

HU, WEIBING: Investigation of wing-store flutter semi-active suppression with Coulomb damper (Chinese), 10T318
HU, WR: Numerical investigation on a simulation model of floating zone convection, 5A1151
- Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224
- Investigation on a simulation model of floating half zone convection - II: Experiment, 9A1219
HU, X: Intertube falling film - Part 2: Mode effects on sensible heat transfer to a falling liquid film, 2A1256
- Intertube falling film - Part 1: Flow characteristics, mode transitions, and hysteresis, 2A1255
HU, XIN-NING: Electrodeposited Cr - Al_2O_3 composite coating for wear resistance, 2A911
HU, XX: Recursive response analysis of structures subjected to nonwhite random excitation, 3A127
HU, YIAN-TAI: Periodic inclusions in anisotropic elasticity, 6A483
HU, YIANTAI: Collinear periodic cracks in an anisotropic medium, 1A770
HU, YM: Low cycle fatigue of a copper bicrystal under constant plastic strain control, 8A744
- Cyclic stress-strain response and dislocation structure of a [345]/[117] copper bicrystal, 12A533
HU, YUAN-ZHONG: Simulation of lubricant rheology in thin film lubrication - Part I: Simulation of Poiseuille flow, 2A1118
HU, YUAN-ZHONG: Simulation of lubricant rheology in thin film lubrication - Part 2: Simulation of Couette flow, 2A1119
HU, YUANTAI: Green's functions of 2D anisotropic body with a parabolic boundary, 1A789
HU, YUNTAO: Effects of salts on the rheological characteristics of a drag-reducing cationic surfactant solution with shear-induced micellar structures, 5A978
- Rheological and rheo-optical characterization of shear-induced structure formation in a nonionic drag-reducing surfactant solution, 7A974
HU, YUREN: Parametric analysis and experimental study on local flexibility of TY-type tubular joints, 1A857
- Finite element model for static and dynamic analysis of thin-walled beams with asymmetric cross-sections, 4A595
HU, ZENG-JIA: Use of swept volumes in the design of interference free spatial mechanisms, 9A970
HU, ZHUANGQI: Numerical simulation of fluid flow in electromagnetic centrifugal casting, 5A566
HUA, BL: Inertial nonlinear equilibration of equatorial flows, 8A1505
HUA, C: Dynamic response of railway ballast to the action of trains moving at different speeds, 8A193
HUA, CC: Linear viscoelastic behavior of the Hookean dumbbell with internal viscosity, 1A950
HUA, DY: Elastohydrodynamic lubrication by powder slurries, 11A1181
HUA, G: Effect of non-proportional overloading on fatigue life, 5A603
HUA, JIANBO: Theoretical study of the capsize of the ferry "Herald of Free Enterprise", 5A1062
HUA, LI: Vibration analysis of a rotating truncated circular conical shell, 10A207
HUA, TQ: Heat transfer in laminar and turbulent liquid-metal MHD flows in square ducts with thin conducting or insulating walls, 11A1256
HUA, YL: Incipient deformation mechanisms of a semicircular cantilever beam subjected to an out-of-plane step-loading, 6A253
HUA, YU: Property degradation of anisotropic composite laminates with matrix cracking - Part I: Development of constitutive relations for $(\theta_2/90_2)_s$ cracked laminates by stiffness partition, 5A679
- Property degradation of anisotropic composite laminates with matrix cracking - Part 2: Determination of resolved stiffness and numerical study of stiffness degradation, 10A822
HUAN, JIANCHUN: Design of minimum drag bodies in incompressible laminar flow, 5A1075
HUANG , MINCHAO: Vibration detection of liquid rocket engine based on fuzzy neural networks, 12T170
HUANG , RONG FUNG: Flame and flow characteristics of double concentric jets, 6A1326
HUANG , YANLING: Interfacial micromechanics in thermoplastic and thermosetting matrix carbon fiber composites, 4A543
HUANG, A: Vaporization of a liquid drop suddenly exposed to a high-speed airstream, 2A998
- Non-solenoidal velocity effects and Korteweg stresses in simple mixtures of incompressible liquids, 4A1023
HUANG, BZ: Multidomain modeling and analysis of delaminated stiffened composite shells, 2A650
HUANG, C: Exact structural static reanalysis method, 8A919
HUANG, CC: Unsteady vortex roll structures in a mixed convective air flow through a horizontal plane channel: A numerical study, 5A1170
- Deep-footing and wide-slab effects in reinforced sandy ground, 8A663
HUANG, CHARLES: Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, 6A1534
HUANG, CHEN-FENG: Nonlinear hydrodynamic pressures generated by a moving high-rise offshore cylinder, 6A304
HUANG, CHENDONG: Three-dimensional analysis of partially open butterfly valve flows, 4A961
HUANG, CHENG: Moore-Penrose inverse method of topological variation of FE systems, 7A34
- Accurate modal method for computing response to periodic excitation, 9A123
HUANG, CHENG-HUNG: Statistical analysis for an inverse acoustic problem in estimating spatially varying sound velocity, 8A354
- Statistical consideration for the estimation of spatially varying sound velocity and water density in acoustic inversion, 8A355
- Inverse geometry problem in identifying irregular boundary configurations, 8A1333
- Boundary element based solution of an inverse elasticity problem by conjugate gradient and regularization method, 12A502
HUANG, CHENGKUI: Study of earthquake resistant behavior of high strength concrete column reinforced with concrete filled steel tube (Chinese), 6A894
- Experimental study of stress-strain curve of SIFCON in tension (Chinese), 6A546
HUANG, CHENGYI: Elastic pulse buckling of cylindrical shells under radial impulsive loading, 5A499
HUANG, CHENKUI: Fracture energy of concrete for large size specimens (Chinese), 6A749
HUANG, CHIEN-SEN: Inverse dynamics of a toggle mechanism, 8A962
HUANG, CHIH-HAO: Impingement cooling of a confined circular air jet, 6A1221
HUANG, CHIH-HSIUNG: Simplified STR applied to level control of electrohydraulic bending machine, 7A376
- Simplest identification model of an asymmetric hydraulic system, 7A375
HUANG, CHING-HUO: Back-propagation neural networks for identification and control of a direct drive robot, 1A393
HUANG, CHING-TUNG: Dynamic response of nonlinear systems with parameter uncertainties, 3A121
HUANG, CHINTIEN: Linear representation of the screw triangle: A unification of finite and infinitesimal kinematics, 11A84
HUANG, CHUANQI: Exact method for structural static reanalysis (Chinese), 2A19
HUANG, CHUN-YUH: Collision-free path planning and modification based on task requirements, 5A357
HUANG, CK: Study on accuracy of angled advanced composite tools, 11A345
HUANG, CS: Accurate solution for the in-plane transient response of a circular arch, 4A160
HUANG, DEWU: Natural frequencies and mode shapes of curved pipes, 9A143
HUANG, DIANGUI: Measurement test of torsional characteristics of a rotor with unbalance (Chinese), 2A153
HUANG, DT: Deformation-induced hierarchical flows and drag forces in bone canaliculi and matrix microporosity, 6A1539
HUANG, FENG-LEI: Modeling fracture process in a ductile solid under intense impulsive loading using a model of the void growth with temperature-dependency, 5A698
HUANG, FUANG-YUAN: Boundary element analysis of stress concentration in micropolar elastic plate, 10A648
HUANG, FY: Mathematical analysis of stability of a spinning disk under rotating, arbitrarily large damping forces, 4A151
HUANG, GUOJUN: New dynamic model for study of dislocation pattern formation, 6A523
HUANG, H: Remote target identification of a pair of submerged elastic shells by active sonar, 4A298
- Prediction of impact forces in a vibratory ball mill using an inverse technique, 7A180
- Acoustic scattering of a plane wave by two spherical elastic shells above the coincidence frequency, 10A354
HUANG, HAI: Second order nonlinear periodic convection and its stability analysis of thermohaline double-diffusive system, 10T1390
HUANG, HONG-CI: Finite element methods for Timoshenko beam, circular arch, and Reissner-Mindlin plate problems, 10A20
HUANG, HSIN-CHIEN: Thermal performances of different shape porous blocks under an impinging jet, 9A1235
HUANG, HUAL-TE T: Contact stress analysis in ball screw mechanism using the tubular medial axis representation of contacting surfaces, 9A954
HUANG, HUANG-NAN: Finite element analysis of deflection control of plates with piezoelectric actuators, 8A891
HUANG, HUAXIONG: Discrete compatibility in finite difference methods for viscous incompressible fluid flow, 1A990
- Finite-difference approximation for the velocity-vorticity formulation on staggered and non-staggered grids, 7A47
HUANG, J: Shear instability in chip formation in orthogonal machining, 9A670
HUANG, J-M: Lateral oscillations of an aircraft model at high angles of attack, 3A1186
HUANG, J-S: Dynamic stability of a viscoelastic beam subjected to harmonic and parametric excitations simultaneously, 5A491
- Transient amplitude of the viscoelastic traveling string: An integral constitutive law, 10A191
HUANG, JB: Semi-analytical solution for second-order wave diffraction by a truncated circular cylinder in monochromatic waves, 3A241
HUANG, JC: Nonoscillatory schemes for kinetic model equations for gases with internal energy states, 4A1020
- Analysis of superplastic sheet-metal forming in a circular closed-die considering non-uniform thinning, 11A623
HUANG, JEN-KUANG: State-space system identification from closed-loop frequency response data, 5T277
HUANG, JH: Stability and vibration of initially stressed plates composed of spatially distributed fiber composites, 6A627
- Stress relaxation by plastic flow, interfacial sliding and diffusion in an inclusion bearing material, 8A508
HUANG, JIAN: Improved computation of time-optimal control trajectory for robotic point-to-point motion, 3A420
HUANG, JIAYIN: Problem of the nonlinear unsymmetrical bending for cylindrically orthotropic circular thin plate with variable thickness, 11A506
HUANG, JIN H: Thermoelastic field in a composite material with inhomogeneities, 1A1293
- Micromechanics determination of the effective properties of piezoelectric composites containing spatially oriented short fibers, 5A448
- Effective electroelastic properties of piezoelectric composites containing spatially oriented inclusions, 11A544
- Fracture criterion of a penny-shaped crack in transversely isotropic piezoelectric media, 12A672
HUANG, JM: Evaluation of chip separation criteria for the FEM simulation of machining, 5A28
HUANG, JS: Effects of microstructures, specimen, and loading geometries on K_c of brittle honeycombs, 1A772
HUANG, K: Automated design of progressive dies, 2A580
HUANG, KANGLE: Third-order numerical scheme with upwind weighting for solving the solute transport equation, 10A1395
HUANG, KE-FU: Complete solution of the linear magnetoelasticity and the magnetic fields in a magnetized elastic half-space, 11A542
HUANG, KELEI: Controlling erosion of safe basin in nonlinear parametrically excited systems, 6A116
HUANG, KH: Layer-wise analysis for free vibrations of thick composite spherical panels, 10A205
HUANG, KL: Numerical study of low-thrust nozzles for satellites, 4A1053
- Supercritical and subcritical Hopf bifurcations in a stochastically excited system, 10T126
HUANG, KUO-CHENG: Analytical transient analysis of layered composite medium subjected to dynamic inplane impact loadings, 4A563
- Exact transient solutions of buried dynamic point forces for elastic bimaterials, 5A453
HUANG, LIYING: Gauss-Galerkin finite-difference method for singular partial differential equations in two space variables, 11A49
HUANG, LJ: Condensation on a spray of water drops - A cell model study - II: Transport quantities, 2A1219
- Condensation on a spray of water drops: A cell model study - I: Flow description, 2A1218
HUANG, LUNG-WEEI: Droplet ignition in a high-temperature convective environment, 9A1353
HUANG, LW: Transient combustion of a heating droplet in a gravitational environment, 1A1340
HUANG, M: Numerical analysis of concrete structures subjected to alkali-aggregate reaction, 5A438
- Integral approach to the local measure of the mean rotation in continuum mechanics, 6A1
HUANG, MH: Profile determination of plate cams with oscillating convex arbitrary-shaped followers, 3A888
HUANG, MIN-WEI: Optimal design with discrete variables: Some numerical experiments, 6A853
- Discrete structural optimization with commercially available sections, 6A846
HUANG, MINFENG: Coordinates of principal stresses for elastic plane problem, 10A557
HUANG, MING Z: Kinestatic analysis of general parallel manipulators, 11A332
HUANG, MOJIA: Self-consistent method to the analyses of elastic and elasto-plastic materials with inclusions, 2A453
HUANG, MS: Analysis of controled beam deflections using SMA wires, 9A841
HUANG, NAN-NONG: Viscoelastic analysis of von Karman laminated plates under in-plane compression with initial deflection, 12A517
HUANG, PING: Abrasive wear model for lubricated sliding contacts, 2A875
HUANG, QIBAI: Theoretical investigation of rotating frequency noise with axial fan of skewed blade, 4T188
HUANG, REN: Research on techniques of knowledge processing for fault diagnostic expert system of turbogenerator, 4A429
- Multiple fault simultaneous diagnosis for rotating machine based on ellipsoidal unit neural networks (Chinese), 12T421
HUANG, RF: Flow characteristics and shear-layer vortex shedding of double concentric jets, 10A1185
- Structure of the flow field of a nonpremixed gas jet flame in cross-flow, 12A1366
HUANG, RUEY-SHING: Modified MOS IC process suitable for bulk micromachining, 2T331
HUANG, S-J: Combination of fuzzy logic and neural network algorithms for active vibration control, 4A385
- Adaptive control for a mechanical system with oscillation disturbance, 6A861
HUANG, SC: Some design considerations for active and passive constrained layer damping treatments, 1A152
- Modeling and vibration analysis of spinning-disk and moving-head assembly in computer storage systems, 10A209
- Coupled shaft-tension and blade-bending vibrations of a rotating shaft-disk-blade unit, 11A143
HUANG, SH: Tolerance analysis in setup planning for rotational parts, 4A467
HUANG, SHANGLIAN: Modified Fourier transform profilometry for the measurement of 3D steep shapes, 11A63
HUANG, SHAOPENG: Inference of ground surface temperature history from subsurface temperature data: Interpreting ensembles of borehole logs, 3A1368
HUANG, SHENGYANG: Object-oriented architecture for a FEM knowledge-based system, 4A31
HUANG, SHIUH-JER: Pole assignment self-tuning control for a multivariable vibrating system, 6A870
HUANG, SHUEN-YI: Enhancement of flare method for predicting bouyancy-induced flow reversal in vertical ducts via parabolic model, 10A1295
HUANG, SHYH-CHIN: Receptance method for the sensitivity analysis of critical speeds to rotor support stiffness, 12A211
HUANG, SI: Effects of solid particle properties on cavitation erosion in solid-water mixtures, 7A1005
HUANG, SI-TSONG: Modal parameter identification using simulated evolution, 12A355
HUANG, T: Numerical analyses for the material bifurcation in plane sheet under tension, 2A423
HUANG, T-G: Lateral oscillations of an aircraft model at high angles of attack, 3A1186
HUANG, TM: Flow and mixed convection heat transfer in a divergent heated vertical channel, 2A1176
HUANG, TSENG: Finite-element solution of variable-arc-length beams under a point load, 12A37
HUANG, TT: Recent progress in incompressible Reynolds-averaged Navier-Stokes solvers, 1T995
HUANG, W: Analysis of different boundary condition models for study of wave scattering from fiber-matrix interphases, 9A188
HUANG, WEI: Modeling of single crystal plasticity with backstress evolution, 3A481
HUANG, WEICHENG: Numerical study of high-Reynolds-number flow past a bluff object, 4A1057
HUANG, WEIYANG: New points of view on the nonlocal field theory and their applications to the fracture mechanics - I: Fundamental theory, 10A798
HUANG, WEN-LONG: Effect of lateral load on fatigue growth rate of surface cracks in welded joints, 3A663
- Application of 2D elastic stochastic FEM in the field of fracture mechanics, 11A25
- New concept: Probabilistic failure assessment diagram, 11A668
HUANG, WENG-LONG: Failure assessment diagram for I-II mixed-mode crack structures under biaxial loading, 3A697
HUANG, WENHU: Intelligent diagnostic model of multiple level abstraction and hybrid reasoning and its application (Chinese), 7T370
HUANG, WENLONG: Study on fatigue life in butt-welded joints containing surface crack under non-constant spectrum loading, 7A681
HUANG, X: Effects of weighting functions on Maslov uniform seismograms: A robust weighting method, 12A1481
HUANG, XG: Mechanics of integral armor: Discontinuous ceramic-cored sandwich structure under tension and shear, 11A485
HUANG, XIANG-YU: Using an adjoint model to improve an optimum interpolation-based data-assimilation system, 9A1522
HUANG, XIN: Is there chaotic synchronization in space extend systems?, 10T135
HUANG, XY: Flow visualization study on feedback control of vortex shedding from a circular cylinder, 6A1029
HUANG, Y: Interactive growth of multiple fiber-bridged matrix cracks in unidirectional composites, 1A763
- Optimum beam design using FEs, 5A25
- Model study of thermal stress-induced voiding in electronic packages, 6A1308

- Effects of forced convection on the power dissipation of constant-temperature thermal conductivity sensors, 8A1358
- Mixed mode near-tip fields for cracks in materials with strain-gradient effects, 9A742
- Asymmetric yield surface of plastically orthotropic materials: A phenomenological study, 11A404
- Thermal stresses in layered electronic assemblies, 12A1334

HUANG, Y-M: Stability analysis of a rotating beam under a moving motion-dependent force, 12A193

HUANG, YAN: Characteristics of elastically contacting ideal rough surfaces, 11A361

HUANG, YC: Statistical theory of fatigue crack growth at damage cumulation, 9A695

HUANG, YH: Damage-controlled structures - I: Preliminary design methodology for seismically active regions, 9A1490

HUANG, YI-HSIANG: Effect of wall conduction on natural convection in an enclosure with a centered heat source, 11A1229

HUANG, YII-MEI: Dynamic behavior of tubes subjected to internal and external cross flows, 8A267

HUANG, YM: Effects of dynamic absorbers on the forced vibration of a cylindrical shell and its coupled interior sound field, 9A176

HUANG, YN: Generalized nonlinear K-ε model for turbulence that models relaxation effects, 1A1080

HUANG, YS: Image detection approach to NC rough-cut milling from solid models, 6A693

HUANG, YU-NING: Energy-momentum tensors in nonsimple elastic dielectrics, 1A433
- Theory of thermoviscoelastic dielectrics, 1A1289

HUANG, YU-YING: Periodic inclusions in anisotropic elasticity, 6A483

HUANG, YUFENG: Thermoacoustic waves in a confined medium, 4A1215

HUANG, YUYING: Dynamic analysis of arrest of buckle propagation on a beam on a nonlinear elastic foundation by FEM, 10A658

HUANG, Z: Kinematic characteristics analysis of 3 dof in-parallel actuated pyramid mechanisms, 3A404
- Study on the kinematic characteristics of 3 dof in-parallel actuated platform mechanisms, 3A408
- Development of structure within the turbulent wake of a porous body - Part 2: Evolution of the 3D features, 7A1104
- Development of structure within the turbulent wake of a porous body - Part 1: The initial formation region, 7A1103

HUANG, ZAIXIN: New points of view on the nonlocal field theory and their applications to the fracture mechanics - I: Fundamental theory, 10A798

HUANG, ZAIXING: Two notes on nonlocal field theory, 7A404

HUANG, ZHENGZHONG: Simulation of the stochastic damage evolution process under low cycle fatigue by the FEM, 4A726

HUANG, ZHONGYUE: Study of air filter systems of heavy-duty diesel engines (Chinese), 4A1030

HUANG, ZONGNAN: Implicit-type elastic-plastic FEM analysis of cutting mechanism: Radial return formulation and chip curling simulation (Japanese), 3A12
- Implicit-type elastic-plastic FEM analysis of cutting mechanism - 2nd report: Simulation of chip formation process using chip breaker (Japanese), 10A735

HUANG, ZR: Analytical and experimental fracture assessment of carbon steel piping with circumferential through-wall cracks under bending, 5A654

HUANG, ZUOHUA: Investigation on simulation models and reduction methods of unburned hydrocarbon emissions in spark ignition engines, 4A1297

HUBBARD JR, JE: Distributed sensor-actuator design for plates: Spatial shape and shading as design parameters, 12A894

HUBBARD, RF: High strain rate properties of Cycom 5920-1583 cloth glass-epoxy composites, 9A523

HUBBELL, JE: Thermal energy storage in the ground: Comparative analysis of heat transfer modeling using U-tubes and boreholes, 3A1268

HUBER, FW: Performance improvement through indexing of turbine airfoils - Part 2: Numerical simulation, 5A1099
- Performance improvement through indexing of turbine airfoils - Part 1: Experimental investigation, 5A1098

HUBER, O: Evaluation of the stress tensor in 3D elastoplasticity by direct solving of hypersingular integrals, 1A502

HUBER, W: Rainfall-runoff processes and modeling, 7T1491

HUBNER, JP: Counter-rotating structures over a Delta wing, 2T1076
- Remote surface pressure measurement technique for rotating elements, 10T1255

HUBRAL, P: Elastic waves in finely layered sediments: The equivalent modium and generalized O'Doherty-Anstey formulas, 4A1361
- Minimum apertures and Fresnel zones in migration and demigration, 7A1472
- Seismic constant-velocity remigration, 9A1466

HUCKO, B: Material model of metallic cellular solids, 7A488
- Weakly coupled thermomechanical problem: Solution by the FEM (Polish), 10A1380

HUDDLESTON, DH: Application of a factored Newton-relaxation scheme to calculation of discrete aerodynamic sensitivity derivatives, 4A1136

HUDLI, AV: Analysis of truss structures using distributed object-oriented methods, 3A803

HUDMAN, M: Nonequilibrium evaporation from a heated liquid layer, 1A1213

HUDSON, JA: Diffraction of seismic waves by cracks with application to hydraulic fracturing, 7A1459

HUDSON, MK: UV-VIS absorption as a diagnostic for NO in rocket plumes, 8A1412

HUDSON, ML: Linear stability of hypersonic flow in thermomechanical nonequilibrium, 12A1138

HUDSON, ST: Effect of correlated precision errors on uncertainty of a subsonic venturi calibration, 2A991

HUDSPETH, RT: Irregular points in 2D free surface flows with surface tension for the wavemaker boundary value problem, 12A254

HUEBENER, RP: Chaotic billiards seen as mirror cabinets, 9A95

HUECKEL, T: Chemo-plasticity of clays subjected to stress and flow of a single contaminant, 7A569

HUERTA, A: Note on a numerical benchmark test: An axisymmetric shell under ring loads, 9A578

HUESPE, AE: Nonlinear optimization procedure for limit analysis, 1A504

HUETINK, H: Eulerean FE model for penetration in layered soil, 7A573

HUFENBACH, W: Physically based failure criterion for dimensioning of thick-walled laminates, 12A814

HUGGER, J: Equilibrium method for local, a posteriori, pointwise estimation of the FE error, 11A40

HUGHES , TJR: h-A34ptive FE computation of time-harmonic exterior acoustics problems in 2D, 11A263

HUGHES, FM: Simple predictive controller for use on large scale arrays of parabolic trough collectors, 3A1446
- Feedforward control of solar thermal power plants, 8A1532

HUGHES, K: Development of secondary motions in straight channels induced by the second normal stress difference: Experiments and simulations, 11A1036

HUGHES, M: Notch fatigue behavior in cast irons explained using a fracture mechanics approach, 5A611

HUGHES, MA: Role of strength in rising from a chair in the functionally impaired elderly, 5A1517

HUGHES, O: Lateral distortional buckling of monosymmetric beams under point load, 3A551

HUGHES, OF: Inelastic analysis of panel collapse by stiffener buckling, 1A597

HUGHES, PE: Numerical investigation of steady flow in proximal and distal end-to-side anastomoses, 2A1460
- Visualization of vortex shedding at the proximal side-to-end artery-graft anastomosis, 5A1503

HUGHES, SJ: Analysis of a gas lubricated hydrodynamic thrust bearing, 1A1134

HUGHES, TJR: Recent developments in FEM for structural acoustics, 1A76
- Space-time Galerkin-least-squares FE formulation of the Navier-Stokes equations for moving domain problems, 11A969
- Third US-Japan Symposium on FEM in large-scale computational fluid dynamics, held on April 1-3, 1996 at the Army High Performance Computing Research Center, University of Minnesota, 12A40

HUGHETT, P: Semi-automatic analysis of rock fracture orientations from borehole wall images, 7A592

HUGIN, CT: Physical description of the response of coupled beams, 12A226

HUGNELL, AB-J: Simulation of the mild wear in a cam-follower contact with follower rotation, 5A829

HUGO, RJ: Time-resolved wave front measurements through a compressible free shear layer, 9A1190

HUGOT, F: Modeling of the thermo-elastoplastic behavior of a coating on a substrate (French), 4A1260

HUH, HWANIL: Measured supersonic flame properties: Heat-release patterns, pressure losses, thermal choking limits, 1A1323
- Measured lengths of supersonic hydrogen-air jet flames - Compared to subsonic flame lengths - and analysis, 3A1317

HUH, K: Well-conditioned observer design for observer-based monitoring systems, 11A326

HUH, KUNSOO: Non-normality measure of the condition number for monitoring and control, 12T363

HUHTALA, K: Modeling of Hydrostatic transmission: Steady state, linear, and nonlinear models, 6A960

HUI, C-Y: Three-dimensional interaction of a streamwise vortex with a large-chord lifting surface: Theory and experiment, 3A1184
- Analysis of fragmentation in the single filament composite: Roles of fiber strength distributions and exclusion zone models, 4A547
- Cohesive zone model for the adhesion of cylinders, 8A983

HUI, CHUNG-YUEN: Evaluation of hypersingular integrals in the BEM by complex variable techniques, 6A73

HUI, CY: Analysis of adhesion and interface debonding in laminated safety glass, 7A964

HUI, IK: Study of the strength and shape of surface mount technology leadless chip solder joints, 9A980

HUILGOL, RR: Motions with zero acceleration and their relevance in viscoelasticity, 3A453

HUILIER, D: Numerical simulation of particle dispersion in a grid turbulent flow: Influence of the lift forces, 4T1025

HUILLE, A: Buckling analysis of thick-walled composite pipe under torsion, 8A609

HUISKES, R: Computational strategies for iterative solutions of large FEM applications employing voxel data, 2A28
- Global verification study of a quasi-static knee model with multi-bundle ligaments, 5A1470
- Subsidence of THA stems due to acrylic cement creep is extremely sensitive to interface friction, 5A1525
- Direct mechanics assessment of elastic symmetries and properties of trabecular bone architecture, 5A1464
- Inverse dynamics modeling approach to determine the restraining function of human knee ligament bundles, 7A1539
- Fabric and elastic principal directions of cancellous bone are closely related, 10A1515
- Biophysical stimuli on cells during tissue differentiation at implant interfaces, 10A1540
- Mathematical optimization of elastic properties: Application to cementless hip stem design, 10A1566
- Effects of cement-stem debonding in THA on the long-term failure probability of cement, 12A1578
- Predictive value of stress shielding for Quantification of adaptive bone resorption around hip replacements, 12A1581

HUIZINGA, RJ: Verification of vertically rotating flume using non-Newtonian fluids, 3A1213

HUKE, T: Operation support system of large city gas networks based on fluid transient model, 11A1514

HUKINS, DWL: Quantifying the kinematics of natural and prosthetic knee flexion, 5A1481
- Automated method for assessing routine radiographs of patients with total hip replacements, 12A1575

HULBERT, GM: Computer Technology - 1996: Applications and Methodology, 2N23
- Dynamic response of spindle forces produced by a tire impacting large obstacles in a plane, 3A826
- Efficient tire model for the analysis of spindle forces produced by a tire impacting large obstacles, 3A827
- Explicit time integration algorithms for structural dynamics with optimal numerical dissipation, 6A190
- Forced response of coupled substructures using experimentally based component mode synthesis, 7A168
- New component mode synthesis method: Quasi-static mode compensation, 8A207
- Finite element analysis of frictionally excited thermoelastic instability, 9A1326

HULGAARD, H: Nonstochastic analysis of manufacturing systems using timed-event graphs, 1T425

HULL, AJ: Inverse method to measure the axial modulus of composite materials under tension, 3A502

HULL, D: Introduction to Composite Materials, Second Edition, 7N14

HULL, DG: Conversion of optimal control problems into parameter optimization problems, 7A314
- Neighboring extremal control design using error compensation, 10A451

HULL, DR: Optimizing local charge stratification in a lean-burn spark ignition engine, 11A1431

HULL, ML: Empirical model for determining the radial force-deflection characteristics of off-road bicycle tires, 3A828
- Direct measurement of strain in the posterolateral bundle of the anterior cruciate ligament, 7A1551
- Electromechanical ski release binding with mechanical backup, 9A1600
- Pedal and knee loads using a multi-dof pedal platform in cycling, 10A1577
- New load application system for in vitro study of ligamentous injuries to the human knee joint, 11A1584
- Dynamic system model of an off-road cyclist, 12A1543

HULSEN, MA: Drag reduction by polymer additives in a turbulent pipe flow: Numerical and laboratory experiments, 10A1179
- Brownian configuration fields and variance reduced CONNFFESSIT, 11T401
- Simulation of viscoelastic flows using Brownian configuration fields, 11A402

HULSHOF, J: Self-similar solutions of Barenblatt's model for turbulence, 8A1198

HULT, A: Adhesive strength of deformed epoxy and polyester coatings, 10A1012

HULT, E: Intervertebral disc response to cyclic loading: An animal model, 8A1559

HUMEAU, JP: Front motion and convective heat flux determination in a phase change process, 7A1308

HUMMES, D: Differential electrical mobility analysis: A theoretical study, 9A1411

HUMPHREY, JAC: Experimental study of turbulent flow in the near wakes of single and tandem prisms, 2A1043
- Extension of the wall-driven enclosure flow problem to toroidally shaped geometries of square cross-section, 7A1115
- Engineering Foundation Turbulent Heat Transfer Conference, San Diego CA, March 10-15, 1996, 8A1195
- Dual influence of curvature and buoyancy in fully developed tube flows, 8A1292

HUMPHREY, JD: Finite element analysis of nonlinear orthotropic hyperelastic membranes, 3A540
- Mechanics of the arterial wall: Review and directions, 5A1487
- Inverse FE characterization of nonlinear hyperelastic membranes, 12A35

HUMPHREY, VF: Effect of receiver size on nonlinear pressure field measurements, 4A319
- Nonlinear propagation applied to the improvement of resolution in diagnostic medical ultrasound, 7A251
- Schlieren image of 2D ultrasonic fields and cavity resonances, 7A267
- Low-frequency acoustic scattering by a cube: Experimental measurements and theoretical predictions, 10A359

HUMPHREYS, LD: Numerical mountain pass solutions of a suspension bridge equation, 8T920

HUNG , MING-JUI: Linearity of waves in some systems of nonlinear elastodynamics, 8A224

HUNG, C-I: Nonlinear hydromagnetic stability analysis of condensation film flow down a vertical plate, 5A1036

HUNG, CHANG-LI: Strength envelope of bolted composite joints under bypass loads, 2A457
- Bearing failure of bolted composite joints - Part I: Experimental characterization, 2A671
- Bearing failure of bolted composite joints - Part II: Model and verification, 2A672

HUNG, CHEN-I: Nonlinear stability of the thin micropolar liquid film flowing down on a vertical plate, 4A1070

HUNG, CI: Numerical study of heat transfer enhancement of a horizontal tube with an eccentrically inserted plate, 7A1339
- Transient mixed convection of a backward-facing step with a periodically heated wall, 8A1296

HUNG, CT: Intracellular Ca^{2+} stores and extracellular Ca^{2+} are required in the real-time Ca^{2+} response of bone cells experiencing fluid flow, 4A1489
- What is the role of the convective current density in the real-time calcium response of cultured bone cells to fluid flow?, 4A1490

HUNG, HSIAO-HUI: Frequency-independent infinite elements for analyzing semi-infinite problems, 4A33

HUNG, KC: Three-dimensional vibration analysis of solid cylinders of polygonal cross-section using the p-Ritz method, 9A155
- Vibration characteristics of simply supported thick skew plates in 3D setting, 11A137

HUNG, MICHAEL YY: Optical methods for residual strain measurement, 7T785

HUNG, RJ: Slosh dynamics coupled with spacecraft attitude dynamics - Part 1: Formulation and theory, 2A248
- Dynamical behavior of cryogenic helium in a partially filled dewar in microgravity, 2A238
- Slosh dynamics coupled with spacecraft attitude dynamics - Part 2: Orbital environment application, 2A243
- Effect of baffles on orbital accelerations: Induced bubble oscillations in microgravity, 6A1067

HUNG, T-P: Influence of microstructure on the fatigue properties of austempered ductile irons - II: Low-cycle fatigue, 2A632

HUNG, TIN-KAN: Pulsatile blood flows in stenotic artery, 3A1513
- Kinematic and dynamic characteristics of pulsatile flows in stenotic vessels, 9A1590

HUNG, WT: Continuous classification of moisture content in waste activated sludges, 9T1059

HUNG, YH: Heat transfer behaviors of a confined slot jet impingement, 5A1138

HUNGER, G: Analysis of tunnels: Fuzzy (German), 10A39

HUNT JR, WH: Layered Materials for Structural Applications, 7N15

HUNT, A: Geometric structure and thermal conductivity of porous medium silica aerogel, 11T1315

HUNT, GW: Finite element modeling of spatially chaotic structures, 11A119

HUNT, JCR: Displacement of inviscid fluid by a sphere moving away from a wall, 5A967
- Nonlinear interactions in turbulence with strong irrotational straining, 10A1175

HUNT, KJ: Design and analysis of gain-scheduled control using local controller networks, 10A447

HUNT, ML: Vertical vibration of a deep bed of granular material in a container, 3A1342
- Discrete element simulations for granular material flows: Effective thermal conductivity and self-diffusivity, 10A1450
- Heat transfer in vertical granular flows, 12A1284
HUNT, WA: Filling of pipelines with undulating elevation profiles, 3T976
HUNTER, PJ: Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, 5A30
- Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, 5A31
HUNTER, WC: Measurements of active myocardial tension under a wide range of physiological loading conditions, 7T1553
HUNTINGTON, DE: Forced random parametric vibration in single-dof systems, 4A104
HUNTLEY, DA: New non-dimensional number for the analysis of wave reflection from rubble mount breakwaters, 4A231
HUNTLEY, HE: Chemorheological relaxation, residual stress, and permanent set arising in radial deformation of elastomeric hollow spheres, 2A383
HUNTOON, CL: Humans in Spaceflight, 12N45
HUNZIKER, EB: Optical and mechanical determination of Poisson's ratio of adult bovine humeral articular cartilage, 7A1555
HUO, JUN-RONG: Site coefficients for design of buildings in eastern United States, 7A1490
HUO, YONGZHONG: Internal variables and thermodynamic modeling of pseudoelasticity, 7A401
HUO, YUXIANG: Monitoring of the wear condition and research on the wear process for running equipment, 7A883
HUPPERT, HE: Erosion by planar turbulent wall jets, 11A1061
HUR, KD: Study on the forging of spur gears, 2A583
HUREAU, J: Ideal free streamline flow over a curved obstacle, 1A982
HURLBURT, ET: Optical measurement of liquid film thickness and wave velocity in liquid film flows, 4A1182
HURLBUT, BJ: Evaluation of a constitutive model for shape memory alloys embedded in shell structures, 6A511
HURLER, W: Photothermal method with step heating for measuring the thermal diffusivity of anisotropic solids, 10A1343
HURLEY, PJ: Evaluation of several turbulence schemes for the prediction of mean and turbulent fields in complex terrain, 11A1505
HURMUZLU, Y: Kinematics and dynamic stability of the locomotion of post-polio patients, 2A1450
HURSAN, G: MFV-corrected variances, 12A1434
HURST, RC: European networks in structural integrity: Status in 1995, 4A1453
- Assessment of notched tubular ferritic oxide-dispersion-strengthened components subjected to multiaxial creep loading at 1100°C, 10A788
HURT JR, WB: Hybrid migration: A cost-effective 3D depth-imaging technique, 9A1461
HURTADO GOMEZ, JE: Simulation of accelerograms compatible with induced seismic energy spectra (Spanish), 3A1406
HUS, SHU-TZUNG: Gust response decomposition in a stator-rotor axial compressor with varying axial gap, 9A1179
HUS, SM: Limits of lubrication conference, Williamsburg VA, April 14-18, 1996, 10A968
HUSAIN, D: Kinetic studies of fluorine atom abstraction by ground state atomic cesium, $Cs(6^2S_{1/2})$, using time-resolved laser-induced fluorescence $[Cs(7^2P_{3/2} - 6^2S_{1/2}), \lambda = 455.5$ nm] following pulsed irradiation, 5A1345
HUSER, A: Simulation of turbulent square-duct flow: Dissipation and small-scale motion, 6A1114
HUSERT, T: Damage evolution ahead of sharp notches under cyclic loading, 4A697
HUSEYIN FILIZ, I: Deformations and pressure distribution on machine tool sideways, 8A702
HUSON, A: Stresses in a 3D two arch model of a normal human foot, 1T1451
- Poroelasticity of saturated solids with an application to blood perfusion, 2A1359
- Finite element mixture model for hierarchical porous media, 6A1395
- Finite element analysis of blood flow through biological tissue, 8A1566
- Confined compression of canine annulus fibrosus under chemical and mechanical loading, 11A1561
HUSSAIN, A: Thermal analysis of noncircular bearings, 11A1190
HUSSAIN, F: Measurements of spatiotemporal dynamics in a forced plane mixing layer, 3A1145
- Coherent structures near the wall in a turbulent channel flow, 8A1187
HUSSAIN, LA: Study of turbulent flow in pipe contractions, 8A1143
HUSSAINI, MY: Simulation and Modeling of Turbulent Flow, 5R20
- Collected Papers of Sir James Lighthill, 8R16
- Active control of instabilities in laminar boundary layers: Overview and concept validation, 4A371
- Self-contained automated methodology for optimal flow control, 10A1144
- Interaction of a shock with a longitudinal vortex, 10A305
HUSSEAN, AE: Integral equation method for solving nonlinear heat diffusion problem, 9A1268
HUSSEN AL-KHALIDY, NA: Optimal dynamic filtration approach for inverse heat conduction problems with moving body, 9A1275
HUSTON, R: Robot cleaning of underground liquid storage tanks: Feasibility and design considerations, 12T451
HUSTON, RL: Dynamic stiffening of flexible bodies having high angular velocity, 2A66
HUSTOSKY, KT: Axisymmetric FE analysis of a debonded total hip stem with an unsupported distal tip, 2A1444
HUTCHINGS, IM: Model for the friction of multiphase materials in abrasion, 1T877
HUTCHINGS, LJ: Coupled seismic-geotechnical approach to site-specific strong motion, 11A1481
HUTCHINS, DA: Field characterization of an air-coupled micromachined ultrasonic capacitance transducer, 7A292
HUTCHINSON, G: Building ductility demand: Interplate versus intraplate earthquakes, 3A1377
HUTCHINSON, GL: Review of the torsional coupling of asymmetrical wall-frame buildings, 7A1482
- Inelastic response of code-designed eccentric structures subject to bi-directional loading, 8A1485
HUTCHINSON, J: Development of a spacer layer imaging method for mapping elastohydrodynamic contacts, 4A1162
HUTCHINSON, JM: Application of modulated differential scanning calorimetry to the glass transition: Theoretical analysis using a single parameter model, 4A1186
HUTCHINSON, JW: Effect of strain-dependent cohesive zone model on predictions of crack growth resistance, 1A782
- Crack tip fields in strain gradient plasticity, 4A742
- Nonlinear delamination mechanics for thin films, 12A783
HUTTER, K: Viscous effects in internal waves of two-layered fluids with variable depth, 3A248
HUTTON, SG: Component mode synthesis for non-classically damped systems, 2A97
HUTZELL, WT: Analytical axisymmetric circulations for atmospheric transport studies, 4A1443
HUURMAN, M: Development of traffic induced permanent strain in concrete block pavements, 5A772
HUYAN, XIAOZHI: Nonlinear analysis of imperfect metallic and laminated cylinders under bending loads, 5A479
HUYBRECHTS, S: Analysis and behavior of grid structures, 5A789
HUYER, SA: Computation of unsteady separated flow fields using anisotropic vorticity elements, 7A1091
HUYGENS, M: Sediment transport registration in nearshore regions, 11T926
HUYGHE, JM: Poroelasticity of saturated solids with an application to blood perfusion, 2A1359
- Finite element mixture model for hierarchical porous media, 6A1395
- Finite element analysis of blood flow through biological tissue, 8A1566
- Confined compression of canine annulus fibrosus under chemical and mechanical loading, 11A1561
HUYNH, H: Instability of a liquid jet subject to disturbances composed of two wavenumbers, 3A1135
HUYSE, L: Static drilling riser model using free boundary conditions, 8A190
HUYSENTRUYT, H: Settling and consolidation of mud-sand mixtures, 7T1011
HUZYAK, PC: Penetration of a long bubble through a viscoelastic fluid in a tube, 12A1054
HVITVED-JACOBSEN, T: Urban drainage impacts on receiving waters, 7A1524
HWAN, CHUNG-LI: Plane strain extrusion by sequential limit analysis, 8A690
- Upper bound FE procedure for solving large plane strain deformation, 10A574
HWANG, B: Bearing condition monitoring by pattern recognition based on bicoherence analysis of vibrations, 1A225
- Bearing localized defect detection by bicoherence analysis of vibrations, 11A852
HWANG, C-C: Nonlinear dynamic modeling of the flexible connecting rod of a slider-crank mechanism with input torque, 12T101
- Strong nonlinear dynamics of cutting processes, 12A207
HWANG, CHI-CHUAN: Thermal effects on the morphological stability in a directional solidification system with remote flow, 1A1301
- Hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 3A1207
- Nonlinear rupture theory of a thin free liquid film with insoluble surfactant, 3A236
- Roughness effects on the dynamic coefficients of ultra-thin gas film in magnetic recording, 4A879
- Nonlinear Czochralski growing process of crystals with variable thermal properties, 4A1231
- Average Reynolds equation for non-Newtonian fluid with application to the lubrication of the magnetic head-disk interface, 7A1197
- Unsteady solutions of a unified heat conduction equation, 7T1303
- Inverse dynamics of a toggle mechanism, 8A962
HWANG, CHYI: Computation of wavelet-Galerkin approximation on a bounded interval, 2A58
HWANG, GJ: Experimental study of laminar heat transfer in a one-porous-wall square duct with suction flow, 4T1191
- Theoretical and experimental studies of laminar mixed convection in water pipe flow with density inversion effect, 8A1295
- Estimation of the onset of longitudinal vortices in a laminar boundary layer heated from below, 11A1245
- Experimental studies and correlations of convective heat transfer in a radially rotating serpentine passage, 12A1264
HWANG, GS: Profile determination of plate cams with oscillating convex arbitrary-shaped followers, 3A888
HWANG, HHM: Site coefficients for design of buildings in eastern United States, 7A1490
HWANG, HONG-YEON: Design of two-dof robust controllers for a seeker scan loop system, 9T333
HWANG, HY: Robust H_∞ stabilizing controllers for a seeker scan loop system, 3T385
HWANG, JAI HYUK: Robustness of natural controls of distributed-parameter systems, 11A329
HWANG, JENN-JIANG: Heat transfer and friction in a low-aspect-ratio rectangular channel with staggered perforated ribs on two opposite walls, 11A1217
- Heat transfer augmentation in a rectangular channel with slit rib-tubulators on two opposite walls, 12A1258
HWANG, JIUN-REN: Impact fatigue of short glass fiber reinforced polycarbonate, 12A567
HWANG, JIUNN RONG: Multi-objective optimization of a flexible rotor in magnetic bearings with critical speeds and control current constraints, 8A402
HWANG, JM: Seismic response of reinforced concrete buildings close to deep excavation, 11A1494
HWANG, JS: Evaluation of equivalent linear analysis methods of bridge isolation, 3A181
- Composite damping ratio of seismically isolated regular bridges, 6A197
HWANG, JY: Soot zone structure and sooting limit in diffusion flames: Comparison of counterflow and co-flow flames, 9A1369
HWANG, K-C: Interactive growth of multiple fiber-bridged matrix cracks in unidirectional composites, 1A763
- Mixed mode near-tip fields for cracks in materials with strain-gradient effects, 9A742
HWANG, KC: Reinforcement design method based on analysis of large openings in cylindrical pressure vessels, 5A804
- Model study of thermal stress-induced voiding in electronic packages, 6A1308
- Dynamic asymptotic fields near a crack tip growing in a power-law hardening compressible material, 6A793
- Near-tip field for steady dynamic crack growth in a compressible elastic-plastic material, 11A721
HWANG, KEH-CHIH: Transformation toughening of a ceramic in stable crack growth under plane stress conditions, 7A653
HWANG, KEH-CHIH: Mesoscopic model of the constitutive behavior of monocrystalline ferroelectrics, 10A2
- Continuum analysis of transformation plastic localization in ceramics, 12A518
HWANG, LYANG-RUNG: Dynamic fracture analysis of an inclined subsurface crack subjected to dynamic moving loadings, 7A759
HWANG, MING-CHANG: Torsional instabilities in a system incorporating a Hooke's joint, 1A217
HWANG, MINGFONG: Advanced seals for engine secondary flowpath, 1A922
HWANG, REN-MING: Predicted milling force model for high-speed end milling operation, 12A726
HWANG, ROBERT R: Finite volume analysis of spiral motion in a rectangular lid-driven cavity, 2A1028
HWANG, RR: End-wall corner vortices in a lid-driven cavity, 9T1096
- Numerical simulation of vertical forced plume in a crossflow of stably stratified fluid, 11A1062
HWANG, S: Combustion wave microstructure in heterogeneous gasless systems, 6A1321
- Combustion wave microstructure in gas-solid reaction systems: Experiments and theory, 12A1394
HWANG, SAN-TAI: Investigation of strip cooling behavior in the run-out section of hot strip mills, 6A1271
HWANG, SC: Stress relaxation in the interface between creep particle and elastic matrix-strengthening mechanism, 7T454
HWANG, SHYH-LUNG: Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, 4A765
HWANG, SM: Die shape optimal design in bimetal extrusion by the FEM, 11A575
HWANG, SOO JUNG: Lower-upper symmetric Gauss-Seidel scheme exhibiting asymmetric vortices over slender bodies, 4T259
HWANG, SW: Boundary integral method for acoustic radiation and scattering, 12A337
HWANG, WATER-WOOD: Influence of bearing damping on instability of asymmetric shafts - Part I: Stabilizing and destabilizing effects, 2A151
HWANG, WON G: Seismic response of reactor vessel internals for Korean standard nuclear power plant, 4A1412
HWANG, WOONBONG: Optimum placement of piezoelectric sensor-actuator for vibration control of laminated beams, 2A773
HWANG, WS: Hypersingular boundary integral equations for exterior acoustic problems, 12A342
HWANG, YAO-HSIN: Higher-order exponential difference schemes for the computations of the steady convection-diffusion equation, 5A1320
HWANG, YEONG-DONG: Effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, 4A898
HWANG, YEONG-MAW: Analytical and experimental study on asymmetrical sheet rolling, 6A669
- Analytical approach to asymmetrical cold- and hot-rolling of clad sheet using the slab method, 6A670
HWANG, YF: Analysis of wave dispersion in coarsely laminated symmetric composite plates, 4A212
HWANG, YL: Dynamic analysis for the design of CALM system in shallow and deep waters, 12A99
HWANG, YM: Analysis of superplastic sheet-metal forming in a circular closed-die considering non-uniform thinning, 11A623
HWANGBO, H: Feedback control law design for the dual-spin turn of spacecraft, 10A482
HWU, CHYANBIN: Optimization for buckling of composite sandwich plates, 10A904
HWU, YHU-JEN: Prediction of the flow stress of an extra-low carbon steel in the two-phase region using continuous cooling curves, 4A509
HYAN, JAE MIN: Pulsating flow and heat transfer in an annulus partially filled with porous media, 10A1309
HYATT, R: Method for defect segmentation in digital radiographs of pipeline girth welds, 2A729
HYDE, AFL: Cyclic strength and deformation of crushable carbonate sand, 1A615
HYDE, FL: Method for estimating postcyclic undrained secant modulus of clays, 9A617
HYDE, TH: Assessment of the crack tip opening displacement criterion for predicting creep crack growth, 2A664
- Observations on the creep of two-material structures, 6A501
- Method for estimating the stress distributions on the center line of an axisymmetric, two-material, cross-weld, creep test specimen, 11A394
- Stress singularities at the free surface of an axisymmetric two-material creep test specimen, 12A513
HYER, MW: Evaluation of thermal stresses at the interface of a stitch in a stitched laminate, 4A1269
- Analysis of layer waviness in flat compression-loaded thermoplastic composite laminates, 11A469
HYETT, AJ: Load distribution along fully grouted bolts, with emphasis on cable bolt reinforcement, 1A936
HYLAND, DC: High-performance active control of dynamically complex space structures, 3A380
- Frequency-domain performance bounds for uncertain structures with sensor and actuator dynamics, 8T365
HYODO, M: Cyclic strength and deformation of crushable carbonate sand, 1A615
- Effects of grain surface roughness on phase transformation and failure lines under undrained torsional simple shear (Japanese), 2A540
- Stability of slurry trenches constructed in cohesive soil ground (Japanese), 2A565
- Steady state and liquefaction strengths of crushable soils (Japanese), 8A643
- Effective stress model of sand and clay based on cyclic shear strength and its application to liquefaction analysis (Japanese), 10T691
HYTTINEN, E: Physical tests and analyses of composite steel-concrete beam-columns, 6A916
HYTTINEN, V: Physical tests and analyses of composite steel-concrete beam-columns, 6A916
HYUN, JAE MIN: Flow driven by a torsionally-oscillating shrouded endwall disk, 9A1008
- Transient Stewartson layers of a rotating compressible fluid, 9A1042
- Transient confined natural convection with internal heat generation, 10A1291
- Convective heat transfer in a cylinder with a rotating lid under stable stratification, 11T1243
- Time-dependent vortex breakdown in a cylinder with a rotating lid, 11A941
- Axisymmetric inertial oscillations in transient rotating flows in a cylinder, 11A947
HYUN, JM: Natural convection in an enclosure having a vertical sidewall with time-varying temperature, 7A1249
HYUN, MT: Simulation of heat transfer in a reflow soldering oven with air and nitrogen injection, 11A1328

HYUN, MYUNG TAEK: Double-diffusive convection in a rotating cylinder with heating from below, 11A1390
HYVARINEN, J: Heat transfer characteristics of horizontal steam generators under natural circulation conditions, 5A1149

I

I, HIROKI: Analysis of oil-film pressure distribution in porous journal bearings under hydrodynamic lubrication conditions using an improved boundary condition, 7A1200
IACOVIDES, H: Numerical study of the effects of rotational buoyancy on fully developed flow in rotating rectangular ducts, 7A1266
IAFRATI, A: Numerical evaluation of viscous effects on vortex induced noise, 4A281
- Analysis of the sound generated by the pairing of two axisymmetric co-rotating vortex rings, 9A254
IAKOVOU, E: Adaptive tool replacement policies in machining economics, 5A378
IANKOV, R: Influence of the different behavior at tension and compression on density distribution of porous metals, 4T517
- Mathematical modeling of sintering during powder forming processes, 7A635
- Numerical simulation of density distribution during compaction of iron powders, 9A1410
IANNIRUBERTO, G: Compatibility of the Cox-Merz rule with the model of Doi and Edwards, 3A958
IANNONE, M: Impact testing on composites laminates and sandwich panels, 5A174
IBENBRAHIM, A: Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, 12A1438
IBERALL, T: Human prehension and dexterous robot hands, 12A426
IBNABDELJALIL, M: Strength and reliability of fiber-reinforced composites: Localized load-sharing and associated size effects, 12A561
IBRAHIM, A: Shape optimization of a Charnley prosthesis based on the fatigue notch factor, 5A1524
IBRAHIM, EA: Satellite drop formation in a swirling liquid jet, 1T1019
IBRAHIM, FN: Fluid film squeezed between two rotating disks in the presence of a magnetic field, 2A1061
IBRAHIM, HHH: Tests of eccentrically loaded high-strength concrete columns, 3A776
- Flexural behavior of laterally reinforced high-strength concrete sections, 5A778
- Modification of the ACI rectangular stress block for high-strength concrete, 8A906
IBRAHIM, RA: Nonlinear vibration analysis of a clamped-clamped beam by a reduced multibody method, 4A87
- Random excitation of coupled oscillators with single and simultaneous internal resonances, 7A104
- Planar and non-planar nonlinear dynamics of suspended cables under random in-plane loading - I: Single internal resonance, 7A136
- Multiple internal resonance in suspended cables under random in-plane loading, 10A189
- Nonlinear random response of ocean structures using first-and-second-order stochastic averaging, 10A316
- Experimental investigation of friction-base isolation, 12A151
- Unified second-order stochastic averaging approach, 12A107
IBRAHIM, RS: Backlund transformations and Painleve analysis: Exact solutions for a Grad-Shafranov-type magnetohydrodynamic equilibrium, 10A1198
IBRAHIMBEGOVIC, A: Role of geometrically exact and second-order theories in buckling and post-buckling analysis of 3D beam structures, 5A489
- Stress resultant geometrically exact shell theory for finite rotations and its FE implementation, 7A12
IBRAIM, E: Undrained instability of very loose Hostun sand in triaxial compression and extension - Part 1: Experimental observations, 8A655
ICHCHOU, MN: Energy models of 1D, multi-propagative systems, 10A256
ICHIDA, Y: Grinding mode identification and surface quality prediction using neural network in grinding of silicon nitride, 1A659
- Development of nanocrystalline CBN for enhanced superalloy grinding performance, 8A712
ICHIHASHI, H: Fuzzy ID3 and its application to rules generation for process distribution in grinding (Japanese), 12A739
ICHIKAWA, A: Study on the drag force of steels used for the superconducting magnetic levitation vehicle system (Maglev) guideway (Japanese), 3A829
- Statical and fatigue strength tests of insulated friction-type connections (Japanese), 6A734
ICHIKAWA, H: Development of a low-emission combustor for a 100-kW automotive ceramic gas turbine: II, 11T1414
ICHIKAWA, K: Health monitoring of a continuous fiber reinforced aluminum composite with embedded optical fiber, 2A464
ICHIKAWA, M: Induced drag calculation by numerical lifting surface method, 10T1228
ICHIKAWA, T: Frequency response analysis of large-scale damped structures using component mode synthesis, 5A146
ICHIKAWA, Y: Micro-macro properties of geomaterials: A homogenization method for viscoelastic problem, 6A638
ICHIKI, W: Nonlinear dynamics of the tethered subsatellite system in the station keeping phase, 9T100
ICHIMIYA, K: Effects of a porous medium on local heat transfer and fluid flow in a forced convection field, 7A1271
ICHINI, K: Back-analysis of dynamic soil parameters based on dropping weight vibration test, 2A545
IDA, H: Three dimensional effects on stability of slopes during earthquakes (Japanese), 8A669
IDA, T: Experimental study of space and time-resolved structures of turbulent diffusion flame, 7A1394
- Secondary current control in river bend by the action of obliquely arranged square bar elements (Chinese), 10A1059
IDE, D: Method for measuring effective crack tip fracture toughness in bridging materials (Japanese), 9A725
IDE, N: Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), 2T613
IDE, TM: Mechanical responses of the rabbit patello-femoral joint to blunt impact, 11A1562
IDELSOHN, S: Petrov-Galerkin formulation for advection-reaction-diffusion problems, 3A1292
- Finite point method in computational mechanics: Applications to convective transport and fluid flow, 5A1319
- Buckling of circular, annular plates of non-uniform thickness, 6A614
- Stabilized finite point method for analysis of fluid mechanics problems, 6A1042
- Transverse vibrations of rectangular plates of non-uniform thickness with a free, concentric circular hole, 8T148
- Equal-order interpolations: A unified approach to stabilize the incompressible and advective effects, 10A1094
- General algorithm for compressible and incompressible flow: Stability analysis and explicit time integration, 11T964
IDEMEN, M: High-frequency surface currents induced on a spherical reflector by the edge-diffraction of obliquely incident waves, 6A242
IDER, SK: Coupled rigid-elastic motion of filament-wound composite robotic arms, 12A438
IDICHANDY, VG: ART-based multiple neural networks for monitoring offshore platforms, 5A797
IDRIS, ABM: Numerical solution of both ends fixed deep beams, 1A556
IDRIS, K: Coupled dynamics of tethered buoy systems, 8A187
IDRISS, IM: Liquefaction at Moss Landing during Loma Prieta earthquake, 11A551
IEMMA, U: Steady 2D transonic analysis using a boundary integral equation method, 11A974
IERLEY, GR: Pulse dynamics in an unstable medium, 8A255
IERNETTI, G: Cavitation erosion and sonoluminescence at high hydrostatic pressures, 10A871
IESAN, D: Theory of mixtures with different constituent temperatures, 9A729
- Uniqueness theorems in the theory of nonsimple fluids, 10T4
- Uniqueness results in the theory of microstretch fluids, 12A1047
IEZAWA, M: High-precision control of AC servo motor positioning systems by friction compensation, 5A350
IGARASHI, E: Coarse interval linearity-calibration method involving self-inspection technique for displacement sensors (Japanese), 12T424
IGARASHI, H: Regularization of nearly singular boundary integrals in 3D potential problems, 5A57
- Boundary element method for potential fields with corner singularities, 6A72
IGARASHI, M: Outdoor measurement of multi-junction solar cells and modules based on the reference sunlight method, 10A1490
IGARASHI, T: Extinction of turbulent diffusion flames by Kolmogorov microscale turbulence, 11A1402
IGELAND, A: Railhead corrugation growth explained by dynamic interaction between track and bogie wheelsets, 5A130
IGLAND, RT: Tube collapse under combined external pressure, tension and bending, 11A24
IGLESIAS, A: Chaos suppression through changes in the system variables and numerical rounding errors, 3A98
IGLIC, A: Possible mechanism determining the stability of spiculated red blood cells, 6A1537
IGLIN, SP: Reliability prediction of structures with random parameters subjected to stationary stochastic input, 10A924
IGNACZAK, J: Soliton-like waves in a low-temperature nonlinear thermoelastic solid, 7A1355
IGNATYEV, AO: Stability of equilibrium for almost periodic systems, 12T106
IGOSHI, M: Hierarchical processing for presenting reaction forces in virtual assembly environments (Japanese), 3A418
- Machined feature recognition based on feature loop and convex polyhedron, 5A284
IGRA, O: Stress-strain relations for elastomeric foams in uni-, bi-, and tri-axial compression modes, 1A849
- Uni-axial strain loading of a rubber rod by planar shock waves, 8A213
- Experimental investigation of the interaction between weak shock waves and granular layers, 9A213
- Deformation modes in fiberglass under weak impact, 10A610
- Mechanism of compressive stress formation during weak shock waves impact with granular materials, 10A1439
IGUCHI, N: Intelligent visual evaluation system for mirror finished surfaces (Japanese), 9A801
IGUSA, T: Reduction to parts: A semianalytical approach to the structural acoustics of a cylindrical shell with hemispherical endcaps, 2A245
- Acoustic radiation from a finite-length shell with non-axisymmetric substructures using a surface variational principle, 5A223
- Semi-active dynamic vibration absorbers for controlling transient response, 6A873
IH, J-G: Numerical study on the propagation of sound through capillary tubes with mean flow, 5A251
- Random errors for an improved frequency response function estimator, 9A69
IH, JEONG-GUON: Reconstruction of the vibro-acoustic field over the surface enclosing an interior space using the BEM, 5A264
IH, K-D: Development of the direct BEM for thin bodies with general boundary conditions, 12A66
IHARA, A: Effects of solid particle properties on cavitation erosion in solid-water mixtures, 7A1005
IHARA, T: Fundamental study on fiber-reinforced epoxy composites using glass fabric treated by low-temperature ammonia plasma, 2A435
IHLENBURG, F: Finite element solution in the Helmholtz equation with high wave number - Part II: The h-p version of the FEM, 8A347
- Error estimation for FEM in acoustic scattering, 9A30
IHNATOWICZ, E: Turbulence modeling using various turbulent Prandtl number models, 2A1055
- Experimental investigations of the drainage from the horizontal integral-fin tubes (Polish), 9A1303
IIDA, K: Study on crack generation at root of socket welds, 5A1440
IIDA, O: Direct numerical simulation of unstably stratified turbulent channel flow, 8A1268
IIDA, S-I: Study on bifurcation control using pattern recognition of thermal convection, 7T109
IIDA, Y: Premature transition to film boiling with stepwise heat generation - 2nd report: Effect of wall material and surface condition, 9A1248
- Study on the propagation process of spontaneous vapor explosions and the behavior of induced pressure waves, 9A1064
IIJIMA, Y: Vibration control of Kurushima Bridge Tower 5P under construction (Japanese), 11T815
IINO, Y: Machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, 5A844
IIZUKA, E: Stability of embankment on liquefiable sand layers in centrifuge shaking table tests (Japanese), 5A530
IKADA, Y: Friction control with a graft layer of a thermo-sensing polymer, 5A820
- Observation on subsurface defects ultra high molecular weight polyethylene due to rolling contact, 9A1603
IKAI, A: Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A1366
- Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A9
- TIG welding and shape memory effect of TiNi shape memory alloy, 9A852
IKEDA, H: Triboemission characteristics of electrons during wear of amorphous carbon and hydrogenated amorphous carbon films in a dry air atmosphere, 3A860
IKEDA, K: Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), 2T613
- Imperfection sensitive strength variation of soil specimens, 8A636
IKEDA, M: Atomistic analysis of diamond-turning processes in single-crystal copper (Japanese), 7T636
- Effect of ram mass and area on ram impact acceleration and penetration of sandy ground (Japanese), 10T696
- Study on high power CO_2 laser welding - 1st report: Observation and measurement of welding phenomena (Japanese), 10T1010
- Study on high power CO_2 laser welding - 2nd Report: A modeling of laser welding process (Japanese), 12T1039
IKEDA, S: Stability of organized horizontal vortices and momentum transport in open channel flows with bank vegetation (Japanese), 7A997
- Laboratory study on large horizontal vortices in compound open channel flow (Chinese), 10T1047
IKEDA, T: Constraint effects of clad on underclad crack, 5A657
- Dynamic stress intensity factors analysis of interface crack using line-spring model, 6A762
- Nonlinear vibrations of a structure caused by water sloshing in a rectangular tank, 10A310
IKEDA, Y: Application of the Trefftz method to sensitivity analysis of a 3D potential problem, 2A310
- Estimation of inertia forces on a horizontal circular cylinder in regular and irregular waves at low Keulegan-Carpenter numbers, 5A204
- Study on earthquake resistance on design and damage of reinforced concrete viaduct (Japanese), 11T1491
IKEGAMI, K: Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563
IKEGAWA, M: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
IKEGAWA, N: Examination of void formation mechanism by numerical analysis, 11A1038
IKEHATA, M: Linearization of the Dirichlet-to-Neumann map in the anisotropic Kirchhoff-Love plate theory, 3A429
IKEUCHI, K: Friction control with a graft layer of a thermo-sensing polymer, 5A820
- Observation on subsurface defects ultra high molecular weight polyethylene due to rolling contact, 9A1603
IKKI, N: Experimental study on the effects of numerous factors on bond-slip relationship (Japanese), 7A966
IKOHAGI, T: Study on flows through centrifugal pump impeller by turbulent simulation, 10T1236
IKONIN, SV: Control of foundation shape and loading parameters to preserve uniform settlement, 5A527
IKUTA, K: Effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 2A858
IL'INSKIY, NB: Universal algorithm for solving the direct, inverse, and mixed problems of the airfoil theory, 8T1219
ILANCHEZHIAN, E: Thermal destruction behavior of platic and nonplastic wastes in a laboratory-scale facility, 6A1522
ILEGBUSI, OJ: Calculation of forced-air cooling of electronic modules with a two-fluid model of turbulence, 6A1228
- Effect of Atwood number on the kinematic mixing of two fluids, 6A1012
- Deformation and kinematic mixing of a collapsing interface, 8A1279
ILGAMOV, MA: Development of longitudinal gas oscillations in a closed tube, 2A228
ILHAN GOLKER, M: Design of an automatic tool changer with disc magazine for a CNC horizontal machining center, 8A704
ILIASOV, B: M_w = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - I: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, 12T1453
ILIC, MS: Combustion regimes and temperature of coal char particles in a fluidized bed, 1T1332
ILIEV, OP: Numerical simulation of a 2D oxide layer growth in an anisotropic medium, 1A15
ILIN, KI: General transformations and variational principles for the magnetohydrodynamics of ideal fluids - Part 2: Stability criteria for 2D flows, 7A1160
ILINCA, F: Adaptive FEM for a two-equation turbulence model in wall-bounded flows, 7A23
- Adaptive remeshing for the k-ε model of turbulence, 9A1126
ILKIU, AM: Plastic instability of anisotropic thin plates in the biaxial stress state (Spanish), 1A601
ILLNER, R: Time decay of the solutions of the Vlasov-Poisson system in the plasma physical case, 5A1057
ILOEJE, OC: Design optimization of the flat plate collector for a solid absorption solar refrigerator, 10A1485
ILYASHENKO, VM: Numerical modeling of self-propagating polymerization fronts: The role of kinetics on front stability, 11A1399
ILYIN, AA: Attractors for Navier-Stokes equations in domains with finite measure, 1T969
IM, HG: Ignition in the supersonic hydrogen-air mixing layer with reduced reaction mechanisms, 3A1293
IM, K-H: Impulsive stress analysis of plates at the concentrated impact loading point by the 3D dynamic theory of elasticity, 5A175
IM, S: Edge delamination in a laminated composite strip under generalized plane deformations, 2A674
IM, SEYOUNG: Finite element analysis of wrinkling membranes, 12A31

IM, YONG-TAEK: Experimental study on physical properties of compression molded SMC parts under plane strain condition, 3A500
- Fuzzy-control simulation of cross-sectional shape in six-high cold-rolling mills, 6A454
IMAGI, A: High-precision control of AC servo motor positioning systems by friction compensation, 5A350
IMAI, H: Robust output regulation for linear systems with structured uncertainty, 9T342
IMAI, R: Method for measuring effective crack tip fracture toughness in bridging materials (Japanese), 9A725
IMAI, S: Study on sublimation phenomenon of horizontal frost layer exposed to forced convection air flow and radiant heat, 2A1294
IMAI, Y: Tensile property of atheromatous plaque and an analysis of stress in atherosclerotic wall, 10A1538
IMAIDA, Y: Fundamental experiments on wire explosion spraying: Effect of discharging characteristics on sprayed coating (Japanese), 2A997
IMAISHI, N: Heat transfer and thermal diffusion phenomena in a horizontal cold-wall CVD reactor, 9A1343
IMAIZUMI, H: Velocity statistics along the stagnation line of an axi-symmetric stagnating turbulent flow, 10A1158
- Three-dimensional measurement of red-hot ingot using slit-ray projection method, 11A758
IMAIZUMI, S: Experimental study on lateral resistance behavior of pile with enlarged base in sand (Japanese), 2A541
- Effect of pile compressibility on shaft friction capacity, 5A525
- Experimental study on load transfer within multi-layered geosynthetics liner (Japanese), 8A676
IMAM, A: Advances in Doublet Mechanics, 8N4
IMAM, M: Shear domain of fiber-reinforced high-strength concrete beams, 11A789
IMAM, MH: Optimum topology of structural supports, 1A836
IMAMURA, H: Power augmentation of a horizontal axis wind turbine using a Mie type tip vane: Velocity distribution around the tip of a HAWT blade with and without a Mie type tip vane, 11A1549
IMAMURA, S: Design and performance of compact load cell for measuring earth pressure in a centrifuge (Japanese), 2A553
- Surface settlement and lining stress of shield tunnel in sand observed in a centrifuge (Japanese), 10A690
IMANAKA, K: Development of scanning type minature 2D image sensor (Japanese), 9A376
IMANO, S: Elastic stress in single crystal Ni-base superalloys and the driving force for their microstructural evolution under high temperature creep conditions, 10A576
IMAO, S: Turbulent characteristics of the flow in an axially rotating pipe, 4A1212
IMBARO, GR: Structural model updating using experimental static measurements, 11A21
IMBERGER, J: Flushing criteria in estuarine and laboratory experiments, 6A1009
- Finite difference solutions of vortex generation and shedding from a circular cylinder in oscillatory plus mean flow, 8A1074
- Laboratory study of the interaction between two internal wave rays, 10A299
IMEDASHVILI, GK: Tool paths pattern in planetary gear mechanisms of the trajectory type, 8T970
IMHOF, AG: Acousto-elastic multiple scattering: A comparison of ultrasonic experiments with multiple multipole expansions, 9A266
IMHOF, MG: Scattering of acoustic and elastic waves using hybrid multiple multipole expansions: FE technique, 3A309
- Multiple multipole expansions for elastic scattering, 5A167
IMOTO, K: Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration, 6A1496
IMPEY, MD: Capillary network model for gas migration in low-permeability media, 11A1454
IMPOSIMATO, S: Experimental analysis and theoretical interpretation of triaxial load controlled loose sand specimen collapses, 10A692
IMREGUN, M: Accuracy required of experimental data for FE model updating, 4A27
- Harmonic balance vibration analysis of turbine blades with friction dampers, 6A208
- Nonlinear aeroelasticity analysis of a fan blade using unstructured dynamic meshes, 8A289
- Application ICED-ALE methodology to integrated nonlinear aeroelasticity analyses, 12A288
IMURA, J-I: Characterization of some gain conditions via the Hamilton-Jacobi inequality, 4T347
- Parametrization of all stabilizing controllers of nonlinear systems, 7T339
IMURA, Y: Outdoor measurement of multi-junction solar cells and modules based on the reference sunlight method, 10A1490
IN, VISARATH: Parameter uncertainties in models of equivariant dynamical systems, 9A101
INABA, H: Study on sublimation phenomenon of horizontal frost layer exposed to forced convection air flow and radiant heat, 2A1294
- Fundamental study on latent cold heat storage by means of direct-contact-freezing between oil droplets and cold water solution, 2T1279
- Flow resistance and heat transfer characteristics of water solution with surfactant in circular tubes, 8A1302
- Evaluation of thermophysical characteristics on shape-stabilized paraffin as a solid-liquid phase change material, 10A1336
- Latent cold heat energy storage characteristics by means of direct-contact-freezing between oil droplets and cold water solution, 10A1358
INABA, T: Development of monitoring technics of rocks in situ using precise measurement system of elastic waves (Japanese), 10A726
- Longitudinal heat transfer in oscillatory flows in pipes with thermally permeable wall, 11A1219
INABA, Y: Gas dispersion in a model pulmonary bifurcation during oscillatory flow, 12A1557
INADA, F: Study on thermohydraulic instability of a boiling natural circulation loop with a chimney - Part II: Experimental approach to clarify the flow instability in detail, 8A1316
- Thermohydraulic instability of boiling natural circulation loop with a chimney - Part I: Linear stability analysis using homogeneous two-phase flow model and experiment on thermohydraulic instability induced by flashing, 8A1317
INADA, M: Design and practice of ground improvement in airport construction project on super soft ground (Japanese), 5A533
INADA, S: Effects of horizontal fins on natural-convective heat transfer in a square enclosure, 12A1262
INADA, Y: Remarks on thermal behavior of rock mass around openings affected by low temperature (Japanese), 5T542
- Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), 10A741
INAGAKI, H: Stress strain relationship in the ground at the Kobe Port Island during 1995 Hyogo-Ken Nanbu earthquake inferred from strong motion array records (Japanese), 5T1419
INAGAKI, K: Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
INAGAKI, T: Characteristics of heat transfer and fluid flow in the rectangular duct with a rotating cylinder, 2A1182
- Surface temperature measurement near ambient conditions using infrared radiometers with different detection wavelength bands by applying a grey-body approximation: Estimation of radiative properties for non-metal surfaces, 9A822
- Diagnosis of the leakage point on a structure surface using infrared thermography in near ambient conditions, 12A872
INAGE, S-I: Proposal for a new turbulent premixed combustion model and its evaluation: Development of the model, 3T1325
INAKAZU, N: Texture and shape memory strain in TiNi alloy sheets, 5A546
INAMI, K: Shock-tube and modeling study of acetylene pyrolysis and oxidation, 5A1356
INAMURA, T: Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), 8A730
- Spray characteristics of liquid jet traversing subsonic airstreams, 9A1098
INASAKI, I: Theory of form-shaping systems and its application to grinding machines, 7A625
INATOMI, T: Stability of embankment on liquefiable sand layers in centrifuge shaking table tests (Japanese), 5A530
- Stress strain relationship in the ground at the Kobe Port Island during 1995 Hyogo-Ken Nanbu earthquake inferred from strong motion array records (Japanese), 5T1419
INAUDI, JA: Modulated homogeneous friction: A semi-active damping strategy, 8A401
- Evolutionary model of viscoelastic dampers for structural applications, 11A109
INCECIK, A: Identification of nonlinear effects in predicting the motion response of an offshore platform, 11T214
INCROPERA, FP: Scaling analysis of the unidirectional solidification of a binary alloy, 1A1195
- Influence of electromagnetic stirring on the solidification of a binary metal alloy, 2A1189
- Assessment of plasma enhanced machining for improved machinability of Inconel 718, 8A699
- Laminar natural convection in a discretely heated cavity - I: Assessment of 3D effects, 11A1232
- Effect of dissimilar impingement velocities on local heat transfer for adjacent rows of circular free-surface jets, 11T1228
- Laminar natural convection in a discretely heated cavity - II: Comparisons of experimental and theoretical results, 11A1233
INDEIKINA, A: Drop fall-off from pendent rivulets, 11A1004
INDELICATO, F: Estimate of concrete cube strength by means of different diameter cores: A statistical approach, 10A855
INDIAMINOV, RS: Nonlinear deformation of a conical shell being in the magnetic field (Russian), 12A617
INDRARATNA, B: Analytical model for particle migration within base soil-filter system, 8A657
- Laboratory evaluation of the load-deflection behavior of clay beams reinforced with galvanized wire netting, 9A885
- Plane-strain modeling of smear effects associated with vertical drains, 11A555
INEICHEN, P: Broad band transmittance of direct irradiance in a cloudless sky and its application to the parameterization of atmospheric turbidity, 3A1449
INFELD, E: Continuum dynamics of a peptide chain, 12T91
ING, JERRY G-L: Dynamic modeling and control of a multi-robot system for assembly of flexible payloads with applications to automotive body assembly, 6A442
ING, YI-SHYONG: Transient wave analysis of an antiplane crack interaction with half-plane boundary, 5A695
- Dynamic fracture analysis of a finite crack subjected to an incident horizontally polarized shear wave, 8A817
- Transient analysis of crack in composite layered medium subjected to dynamic loadings, 9A696
- Dynamic crack propagation in a layered medium under antiplane shear, 10A832
- Transient analysis of dynamic crack propagation with boundary effect, 11A722
INGBER, MS: Effective elastic constants of solids containing spherical exclusions, 11A366
INGEL, LK: Instability mechanism in a stably stratified atmospheric layer over a moistened surface, 2A1030
INGEL, RP: New approach to dynamic condensation for FEM, 3A23
- Stress points for tension instability in SPH, 12A246
INGHAM, DB: Identification of the thermal conductivity and heat capacity in unsteady nonlinear heat conduction problems using the BEM, 1T87
- Transient free convection from a vertical plate subjected to a change in surface heat flux in porous media, 4A1217
- Note on the application of the average correction technique, 4A66
- Unsteady penetration of free convection flows caused by heating and cooling flat surfaces in a porous media, 5A1195
- Numerical study of unsteady free convection from a sphere in a porous medium, 5A1192
- Transient free convection about a horizontal circular cylinder in a porous medium with constant surface flux heating, 6A1236
- Free convection from a vertical plate in a porous medium subjected to a sudden change in surface heat flux, 9A1436
- Conjugate film flow down a heated vertical wall, 10T1145
- Developing combined convection of non-Newtonian fluids in an eccentric annulus, 12A1266
INGHAM, E: Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, 11A1581
INGIGNOLI, W: Shock tube study of the effect of nitrogen or hydrogen on ignition delays in mixtures of monomethylhydrazine + oxygen + argon, 9A1356
INGRAFFEA, AR: Quasi-automatic simulation of crack propagation for 2D LEFM problems, 2A620
- Methodology for fatigue crack growth and residual strength prediction with applications to aircraft fuselages, 12A759
INMAN, DJ: Dynamics and Control of Structures in Space III, 1N12
- Some design considerations for active and passive constrained layer damping treatments, 1A152
- Decentralized sliding mode control for flexible link robots, 5A338
- Effect of weak nonlinearities on linear controllability and observability norms, an invariant manifold approach, 8A363
- Time domain analysis for damage detection in smart structures, 11A325
INN, YONG-WOO: Exploring molecular origins of sharkskin, partial slip, and slope change in flow curves of linear low density polyethylene, 3A937
INNES, H: Hydrodynamic modeling of sedimentation tanks, 1A964
INNES, RC: Elastic moduli for FEA-FEM from ultrasonic velocity, 1T818
INNOCENTI, C: Framework for efficiency evaluation of multi-dof gear trains, 6A952
- Analysis of meshing of beveloid gears, 8A950
- Position analysis in analytical form of the 7-link Assur kinematic chain featuring one ternary link connected to ternary links only, 9A969
INNOCENTI, M: Robustness of a variable structure control system for maneuverable flight vehicles, 9T367
INOKI, H: Gas chromatography micro-column method for measuring retardation of volatile organic chemical gas transport in soils (Chinese), 10A700
INOSTROZA, P: Using longest-side bisection techniques for the automatic refinement of Delaunay triangulations, 7A52
INOUE, A: Critical heat-flux characteristics of R-113 boiling two-phase flow in twisted-tape-inserted tubes, 2A1211
- Electrorheological effect in immiscible polymer blends, 8A1012
- Critical heat flux and convection heat transfer with a planar liquid jet impinging on flat and concave surfaces, 8A1318
INOUE, H: Experimental wavelet analysis of flexural waves in beams, 2A184
- Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
- Texture and shape memory strain in TiNi alloy sheets, 5A546
- Time frequency analysis of dispersive waves by means of wavelet transform, 11A184
INOUE, K: Experimental study on the statistics of wall shear stress in turbulent channel flows, 2A1154
- Method of X-ray stress measurement for cubic polycrystals with fiber texture (Japanese), 4A793
INOUE, S: Measurement of workpiece size errors with AE sensor in grinding, 10T747
INOUE, T: Analysis of newly-defined stress intensity factors for angular corners using singular integral equations of the body force method, 1A738
- Simulation of quenching-tempering process based on metallo-thermo-mechanics (Japanese), 1A1284
- Analysis of plastic buckling of steel plates in shear based on the Tresca yield criterion, 3A556
- Forced oscillations of a vertical continuous rotor with geometric nonlinearity, 4A85
- Fin efficiency enhancement using a gravity-assisted planar heat pipe, 5A1271
INOUE, Y: Application of self-tuning fuzzy controller to dynamic positioning system of floating production system, 6A1170
- Propagation of strongly nonlinear plane N-waves, 12A267
INSANA, MF: Error bounds on ultrasonic scatterer size estimates, 1A331
INSEL, M: Bow form optimization of displacement ships by mathematical programming, 12A1162
INTEMANN, PA: Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - I: Convection analysis, 5A1265
- Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - II: Conjugate analysis, 5A1266
IOAKIMIDIS, NI: Inequality constraints in 1D FEs for an elastic beam on a tensionless Winkler foundation, 6A570
- Conditions for contact-lack of contact along a loaded simple straight crack in plane isotropic elasticity, 8A481
IOANNIDIS, GI: Primary bending effect and the buckling boundary-value problem in elastic framed structures, 9A589
IOANNOU, PA: New class of nonlinear robust adaptive controllers, 6A379
IOANNOU, PJ: Generalized stability theory - Part I: Autonomous operators, 3A1124
- Generalized stability theory - Part II: Nonautonomous operators, 3A1125
IOI, T: Study on positioning sensor for human navigation: Measurement method of linear acceleration and rotation angular acceleration (Japanese), 5T313
- Intelligent visual evaluation system for mirror finished surfaces (Japanese), 9A801
IOKIMIDIS, NI: Lack-of-contact conditions for a penny-shaped crack under a polynomial normal loading, 3A442
IOLLO, A: Pseudotime method for shape design of Euler flows, 2A988
- Entropy jump across an inviscid shock wave, 4A237
IONAITIS, RR: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297
IOOSS, G: Capillary-gravity interfacial waves in infinite depth, 1A260
- Capillary gravity waves on the free surface of an inviscid fluid of infinity depth: Existence of solitary waves, 6A267
IOSILEVSKII, G: Lifting-line theory of an arched wing in asymmetric flight, 4T1115
IOSLOVICH, I: Nonlinear optimal greenhouse control problem with heating and ventilation, 3A345
IOUALALEN, M: Observability of finite-depth short-crested water waves, 3A233
IP, CM: Adaptive tool replacement policies in machining economics, 5A378
IP, KH: Vibration analysis of orthotropic thin cylindrical shells with free ends by the Rayleigh-Ritz method, 2A147
IP, SHEK-SE P: Space-station breadboard beta gimbal assembly: Thermal-vacuum testing and analyses, 4A869
IP, WH: Rule-based ARIMA models for FMS, 12A466

IPEK, M: Reconnaissance report: 1995 Dinar, Turkey, earthquake, 5A1414
IPINA, JEP: Pressure vessel steel fracture toughness in the regime from room temperature to 400°C, 6A1499
IRANI, K: Oil film thickness measurement in the middle main bearing of a six-cylinder supercharged 9 liter diesel engine using capacitive transducers, 12A1209
IRAWAN, P: Path-dependent nonlinear analysis of reinforced concrete shells, 10A937
IRELAND, PT: Heat transfer enhancement within a turbine blade cooling passage using ribs and combinations of ribs with film cooling holes, 1A1108
- Color image processing system for transient liquid crystal heat transfer experiments, 1A1203
IREMAN, T: Strength of composite laminates containing holes and subjected to complex loading conditions, 12A575
IRIBARNE, AP: New mechanism for FBC agglomeration and fouling in 100% firing of petroleum coke, 9A1430
- Study of hydration during curing of residues from coal combustion with limestone addition, 12A1529
IRIBARNE, JV: New mechanism for FBC agglomeration and fouling in 100% firing of petroleum coke, 9A1430
- Study of hydration during curing of residues from coal combustion with limestone addition, 12A1529
IRIGARAY, C: Landslides, 5N14
IRIKURA, K: Boundary shape waveform inversion for 2D basin structure using three-component array data of plane incident wave with an arbitrary azimuth, 12A1480
IRIYAMA, Y: Fundamental study on fiber-reinforced epoxy composites using glass fabric treated by low-temperature ammonia plasma, 2A435
IRIZARRY-LAGO, F: SEM study of the fracture mechanism in a X8019 AL-20 Vol% SiC_p metal matrix composite, 12A817
IRRETIER, H: Comparison of the rotor dynamic and structure dynamic calculation of compressors, 10A240
IRSCHIK, H: Nonlinear waves in complex structures modeled by elastic-viscoplastic stochastic media, 3A207
- Maysel's formula generalized for piezoelectric vibrations: Application to thin shells of revolution, 5A113
- Dynamic instability of components in complex structures, 10A667
IRUDAYARAJ, J: Application of simultaneous heat, mass, and pressure transfer equations to timber drying, 2A1268
IRVINE JR, TF: Anomalous viscosity-temperature behavior of aqueous Carbopol solutions, 7A976
- Shear rate dependent thermal conductivity measurements of non-Newtonian fluids, 10T1344
IRVINE, LK: Acoustics and Noise Control Handbook for Architects and Builders, 9N8
IRWIN, NC: Experimental investigation of characteristic length scale in periodic heterogeneous porous media, 6A1372
ISAAC, GH: Wear of ultra-high molecular weight polyethylene sliding on metallic and ceramic counterfaces representative of current femoral surfaces in joint replacement, 10A983
ISAAC, K: Computational fluid dynamics simulation of turbulent waverider flowfield with sideslip, 8A1103
ISAACS, JB: Direct measurement of isothermal flow stress of metals at elevated temperatures and high strain rates with application to Ta and Ta-W alloys, 8A530
ISAACSON, M: Wave diffraction around 3D bodies in a current, 6A277
ISAKOV, DI: Internal friction in the parts of tribosystem and its significance for selection of compatible materials, 2A862
ISAKOV, V: Uniqueness of recovery of the discontinuous conductivity coefficient of a parabolic equation, 8A1342
ISAKSSON, AJ: Force control of turning based on robust PI controller design, 12A408
ISAYEV, AI: Ultrasonic devulcanization of waste rubbers: Experimentation and modeling, 7A989
- Viscoelastic plastic rheological model for particle filled polymer melts, 9A990
ISBELL, RA: Optical properties of energetic materials from infrared spectroscopy, 7A1318
ISHCHENKO, II: Strength, longevity and fracture of construction materials under multicycle loading: Survey (Russian), 12A765
ISHIBASHI, A: Development of gear finishing by a compound lapping machine (Japanese), 10A552
ISHIBASHI, T: Study on earthquake resistance on design and damage of reinforced concrete viaduct (Japanese), 11T1491
ISHIBASHI, Y: Electrorheological effect in immiscible polymer blends, 8A1012
ISHIDA, K: Method for seismic reliability analysis of secondary transmission system (Japanese), 6A1472
- Development of monitoring technics of rocks in situ using precise measurement system of elastic waves (Japanese), 10A726
ISHIDA, R: Optimum member location design of truss by genetic immune recruitment mechanism (Japanese), 6A855
ISHIDA, T: Influence of rain infiltration on slope failure of embankment (Japanese), 2A566
- Effect of injected water on hydraulic fracturing deduced from acoustic emission monitoring (Japanese), 2A955
- Effects of fluid viscosity in hydraulic fracturing deduced from acoustic emission monitoring (Japanese), 5A917
- Rock behavior measured by means of borehole strain gauges during a large underground cavern excavation (Japanese), 8A672
- Mechanical properties of rock at high temperatures (Japanese), 10T720
ISHIDA, Y: Dynamics of Gyroscopic Systems: Flow Induced Vibration of Structures, Gyroelasticity, Oscillation of Rotors, and Mechanics of High Speed Moving Continua, 12N12
- Analysis of axial loads due to the screw fastenings in the tie rods of built-up columns (Japanese), 3A921
- Forced oscillations of a vertical continuous rotor with geometric nonlinearity, 4A85
- Nonstationary oscillation of a rotating shaft with nonlinear spring characteristics during acceleration through a major critical speed: A discussion by the asymptotic method and the complex-FFT method, 6A177
ISHIGAKI, H: Laminar flow in rotating curved pipes, 7A1095
- Application of simple adaptive control to a 2-mass spring system, 10T427
ISHIGAKI, K: Rock resistivity and its correlation to mechanical properties (Japanese), 2T577
ISHIGAMI, Y: Large earth retaining wall using precast SRC struts (Japanese), 2A567
ISHIGURE, T: Impact perforation fracture in polymeric materials (Japanese), 9A792
ISHIGURO, M: Squared corner shaping by 6-axis control (Japanese), 7A613
ISHIGURO, T: Microstructure of diesel soot particles probed by electron microscopy: First observation of inner core and outer shell, 6A1354
ISHIHAMA, K: Effect of vertical seismic load on shear-bending buckling strength of thin cylindrical shells, 7A549
ISHIHARA, K: Earthquake Geotechnical Engineering, 1N50
- Method of X-ray stress measurement for cubic polycrystals with fiber texture (Japanese), 4A793
- Characteristics of lateral spreading in liquefied deposits during the 1995 Hanshin-Awaji earthquake, 11A550
ISHIHARA, M: High speed 3D shape measuring apparatus using shape from focus method (Japanese), 8T862
- Theoretical analysis of thermoelastoplastic deformation of a circular plate due to a partially distributed heat supply, 9A1325
ISHIHARA, T: Temperature-dependent tribological regimes and oxidation of carbon-carbon composites up to 1800°C, 2A870
- Effect of humidity on friction and wear of Al-Si cutectic alloy and Al-Si alloy-graphite composites, 3A838
ISHII, A: Suppression of low frequency structural vibrations using intelligent control methods, 2A99
ISHII, H: Study on surge and rotating stall in axial compressors: A numerical model and parametric study for multiblade-row compressors, 3T1191
ISHII, K: Numerical simulation of premixed flame propagation in a closed tube, 1A1316
ISHII, M: High pressure simulation experiment on corium dispersion in direct containment heating, 3A1439
- Experimental simulation of corium dispersion phenomena in direct containment heating, 3A1438
- Modeling of corium dispersion in DCH accidents, 3A1441
- Strange attractors and chaotic dynamics in boiling flows, 7A1285
ISHII, R: Oscillation modes of supersonic multijets, 12A307
ISHIKAWA, H: Contact analysis of ultrahigh molecular weight polyethylene articular plate in artificial knee joint during gait movement, 2A1474
- Prediction of fatigue failure of 60Sn-40Pb solder using constitutive model for cyclic viscoplasticity, 4A709
ISHIKAWA, K: Transient waves in an infinite thick plate on elastic foundation subjected to concentrated moving loads (Japanese), 3A535
ISHIKAWA, M: Evaluation of collision analysis of ship to pile type fender (Japanese), 2A211
- Direct contact melting of 2D arbitrarily shaped solids on an isothermally heated horizontal plate, 8A1349
ISHIKAWA, N: Fundamental study on local dissipated energy and rheology model at impact point of concrete specimen by the pendulum impact test (Japanese), 3A883
- Impact model test and impact response analysis of the precast concrete guardfense buried into the soil (Japanese), 6A1439
- Elastic-plastic impact response analysis and impact resistant design of steel pipe check dam (Japanese), 6A1434
- Development of surface measurement method of impact force using the sheet piezoelectricity (Japanese), 8A244
ISHIKAWA, T: Study on the statical behavior and applicability of precast slab joints (Japanese), 8A915
- Experimental consideration on the impact cutting productivity of mortar by a point attack bit (Japanese), 10A725
ISHIKAWA, Y: Fundamental study on local dissipated energy and rheology model at impact point of concrete specimen by the pendulum impact test (Japanese), 3A883
- Measurement and evaluation of mechanical properties of micro materials (Japanese), 10T881
ISHIMARU, N: Experimental studies of a head-disk interface subjected to impulsive excitation during nonoperation, 4A915
ISHIMATSU, K: Comparative study of Navier-Stokes calculations and experiments for the Savonius rotor, 11T1159
ISHIMATSU, T: Three-dimensional measurement of red-hot ingot using slit-ray projection method, 11A758
ISHIMITSU, S: Interference-term elimination for Wigner distribution using a frequency domain adaptive filter, 7A307
ISHIMURA, N: Uniqueness for unbounded classical solutions of the MHD equations, 10A1201
ISHISE, F: Development on thrust ram system for tunnel boring machine (TBM) by using parallel link (Japanese), 2A568
ISHIWAKA, H: Analysis of an internal central crack with bridging fibers in a finite orthotropic plate, 11A713
ISHIWATA, M: Residual stress distribution in carbon steel pipe welded joints measured by neutron diffraction (Japanese), 2A743
ISHIZAKI, S: Fluid force moment on a centrifugal impeller shroud in precessing motion, 11A218
ISHIZAWA, A: Flow around a source doublet in shear flow, 1A972
- Vorticity distribution caused by 3D disturbance in 2D shear flow, 11A942
ISHIZAWA, S: Estimation of air quality by 3D air simulation model: Effect of low-emission vehicles on air quality improvement in the greater Los Angeles area, 3T1466
ISHIZU, Y: Numerical simulation and experiment on the transport of fine particles in a ventilated room, 3A1343
ISHWAR, B: Nonlinear stability in the generalized restricted three-body problem, 11A235
ISKANDARANI, B: Experimental measurement of fiber-fiber interaction using Micro Raman Spectroscopy, 2A463
ISKANDARANI, M: Spectral element method for the shallow water equations on the sphere, 7A1504
ISKOLDSKY, AM: Large-scale vortex structures in plasma-like media and the electric explosion of conductors, 6A1161
ISLAM, MT: Mean velocity and static pressure distributions of a circular jet, 6T1117
ISLAM, R: Simple approach for on-line tool wear monitoring using the analytic hierarchy process, 9A422
ISMAEL, NF: Aging effects on oil-contaminated Kuwaiti sand, 9A646
ISMAIL, F: Parameter selection strategies in FE model updating, 6A47
- Chatter suppression by adaptive speed modulation, 8A121
- New method for the identification of stability lobes in machining, 11A610
- Tool path planning for five-axis machining using the principal axis method, 12A459
ISMAIL, FB: Partitioning ordinary differential equations using Runge-Kutta methods, 3A74
ISMAIL, HS: Automated design of progressive dies, 2A580
ISMAIL, KAR: Two-dimensional axisymmetrical model for a rotating porous wicked heat pipe, 6A1290
ISMAIL, YM: Interactive simulation of resin transfer molding, 11A626
ISMAILI, MA: Design of a system of linear oscillators spectrally equivalent to a nonlinear one, 3A120
ISMAR, H: Modeling and simulation of the macromechanical nonlinear behavior of fiber-reinforced ceramics on the basis of a micromechanical-statistical material description, 8A548
ISOBE, H: High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 3rd Report: Development of five dof simple mechanism (Japanese), 9A388
ISOBE, M: Combined molecular dynamics and rigid-plastic FEM simulation of atomic level cutting (Japanese), 2A612
- Boussinesq equations for wave transformation on porous beds, 9A1423
ISOGAMI, H: Heat-transfer and flow characteristics of perforated-plate heat exchangers with crosscut fins, 7A1329
ISOGIMI, K: Analysis of stress distribution in a thin rectangular plate by the method of caustics, 9A796
ISOMURA, K: Force sensorless control in a flexible link arm based on estimated reaction torque, 9A398
ISONO, H: Fracture behavior and strength of stepped-lap bonded joint with adhesive resin under tensile loading, 1A944
ISRAELACHVILI, J: Generalized effects in confined fluids: New friction map for boundary lubrication, 7A1198
ISREB, M: Superheater minimum stress unit start-up option of coal-fired power plants, 7A1403
- Integrated life synthesis for boiler sootblowers in fossil power plants, 10A1482
ISSA, J: Temperature distribution in an optical fiber draw tower furnace, 2A1253
ISSA, RI: Numerical model of slug flow in vertical tubes, 11A1000
ISSAC, JC: Aeroelastic sensitivity analysis of wings using automatic differentiation, 9A1170
ISSAUTIER, D: Convergence of a weighted particle method for solving the Boltzmann (BGK) equation, 6A1057
ISSER, A: Influence of unsteady aerodynamic effects on the coupled free vibrations of rotor flapping and body pitch and roll in hover, 2A1111
ISSMAN, E: Implicit upwind residual-distribution Euler and Navier-Stokes solver on unstructured meshes, 4A1014
ISTED, RD: Internal variable formulations of elastic-plastic dynamic problems, 6A526
ISTRIA, S: Energetic analysis, application field and performance of a new thermochemical sorption cycle: The multisalt system, 2A1147
ISUPOV, LP: Variant of the theory of plasticity of two-phase composite media, 6A518
ITABASHI, K: Settlement and disintegration behavior of soft rock by in-situ exposure and laboratory slaking tests (Japanese), 10A689
ITABASHI, N: Field observation of movement of sand body due to waves and verification of its mechanism by numerical model (Chinese), 10A1054
ITAMI, K: Optimum support arrangement of piping systems using genetic algorithm, 5A811
ITAMOTO, T: Disturbance rejection using internal model control with limiting properties of the optimal control (Japanese), 4A352
ITANI, A: Response modification factors for seismic design of circular reinforced concrete bridge columns, 8A909
ITANI, RY: Static and dynamic modeling of light-frame wood buildings, 8A930
ITAO, K: Dynamics evaluation of micro-motion systems (Japanese), 10T878
- Characteristics of molybdenum thin-film plate oscillators fabricated by minimum deformation micromachining, 11T635
ITBAEV, VK: Calculation of forced vibration in flexible metallic pipelines, 8A413
ITO, H: Energy losses due to combination of flow at tees, 3T1090
- Magnetic support of combustion in diffusion flames under microgravity, 3A1300
- Robust control for nonlinear systems with structured L_2-gain bounded uncertainty, 4T358
ITO, K: Magnetic support of combustion in diffusion flames under microgravity, 3A1300
- Science of complexity-chaos, complex adaptive systems and self-organized criticality (Japanese), 3T109
- Revised decomposition method for MILP problems and its application to operational planning of thermal storage systems, 6A1297
- Operational strategy of a cogeneration system under a complex utility rate structure, 6A1355
- Development of ultra-small sized servo actuator with brushless DC Motor, planetary gear drive and optical rotary encoder, 11A847
- Thermoelectric voltage at metallic point contacts from nonequilibrium effects, 11A1313
- Optimal operational planning of cogeneration systems with thermal storage by the decomposition method, 11A1367
- Multiobjective optimal unit sizing of a grid-connected photovoltaic system in consideration of its probabilistic characteristics, 11A1533
ITO, M: Study on the generation mechanism and the compensation for the exponential-type lost motion for feed drive system of NC machine tools, 1T427
- Conditions to apply the phase corrected filter to traced profiles for roughness profiles - 2nd report: Application of the Gaussian low-pass digital filter to derivation of Δ_q (Japanese), 2A733
- Modular CNC design for intelligent machining-Part 1: Design of a hierarchical motion control module for CNC machine tools, 5A372
- In-situ loading tests of diaphragm wall foundation and property of its bearing capacity (Japanese), 5A526
ITO, N: Acoustic tomography for 3D temperature and CO_2-concentration measurements of an environmental field: CT algorithm for axisymmetric field and experimental verification, 2A1199
ITO, S: Heat pump using a solar collector with photovoltaic modules on the surface, 11A1531

- Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413

ITO, T: Experimental study on applicability of high sensitivity radar to diagnosis of impermeable asphalt layer (Japanese), 2A576
- Method for measuring tractions in disk-to-plate contact using caustic images, 5A855
- Heat of vaporization of mixtures, 9A1196

ITO, Y: Grouting test using a suspension of ultrafine clay on artificially cracked rock samples (Japanese), 5A544

ITOH, H: Introducing virtual axis to path control system using superficial evaluation term, 7A387

ITOH, K: Subcritical excitation of plasma turbulence, 4A1106
- Chaotic nature of turbulence observed in benchmark analysis of nonlinear plasma simulation, 9A1121

ITOH, M: Cyclic strength and deformation of crushable carbonate sand, 1A615
- Application of damage mechanics to the analysis of spall damage, 1A712
- Turbulent characteristics of the flow in an axially rotating pipe, 4A1212

ITOH, N: Streamline-curvature instability of the flow on a rotating disk with uniform suction, 3A1140
- Development of wedge-shaped disturbances originating from a point source in a 3D boundary layer, 4A1034
- Mirror surface grinding of Zr0, by metal resin bonded wheel with ELID, 11T619
- Development of end effector utilizing parallel mechanism for EDM with a scanning motion (Japanese), 12T425
- Development of an axisymmetric wave packet in rotating-disk flow, 12A1073

ITOH, S: Evaluation of sectional curve on progressive lens (Japanese), 8A861
- Mechanism of degradation of organic matter in seawater by effective microbes and its utilization (Chinese), 10A1496

ITOH, S-I: Anomalous plasma transport in the stochastic magnetic field, 3A1167
- Transport coefficient and heat pulse propagation in tokamak plasma, 3A1174
- Characteristics of L-H transition of the edge plasma in tokamaks, 3A1173
- Subcritical excitation of plasma turbulence, 4A1106

ITOH, SI: Chaotic nature of turbulence observed in benchmark analysis of nonlinear plasma simulation, 9A1121

ITOH, T: Hysteresis models for steel bridge piers and their application to elasto-plastic seismic response analysis (Japanese), 6A1438
- Application of optical cutting method to measurements of tooth-profile error of minute module gears - 1st report: Examination of the method by means of bright field observation (Japanese), 10T863

ITOH, W: Finishing characteristics of ELID-lap grinding using ultra fine grain lapping wheel, 10A743

ITOH, Y: Design of tungsten-copper graded composite for high heat flux components, 4A1247
- Pseudodynamic testing of scaled models, 9A1501

ITON, LE: Microporous and Macroporous Materials, 7N18

ITOU, S: Dynamic stress intensity factors around two parallel cracks in an infinite-orthotropic plane subjected to incident harmonic stress waves, 8A773
- Dynamic stress intensity factors around two rectangular cracks in a half space under impact load, 12A799

ITSKOVA, PG: Mathematical modeling of stability of non-adiabatic laminar premixed flame, 8A1424

ITSWEIRE, EC: Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, 3T1428

ITURGOYEN, L: Influence of aging at intermediate temperatures on the mechanical behavior of a duplex stainless steel - Part II: Fatigue life and fatigue crack growth, 12A757
- Influence of aging at intermediate temperatures on the monotonic stress-strain behavior and fracture toughness of a duplex stainless steel, 12A528

ITZHAK, E: Elastic constants of 3D orthotropic composites with platelet-ribbon reinforcement, 9A520

IUDICELLO, F: Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, 9A1586

IULIANO, L: Advanced coated ceramic tools for machining superalloys, 9A663

IUNG, T: Dynamic crack propagation and crack arrest investigated with a new specimen geometry - Part I: Experimental and numerical calculations, 5A691
- Dynamic crack propagation and crack arrest investigated with a new specimen geometry - Part II: Experimental study on a low-alloy ferritic steel, 5A692

IURA, M: Ultimate strength of stiffened cylindrical shells subjected to axial and lateral forces (Japanese), 9A556

IVAKHNENKO, VI: Analysis of convergence properties of projection methods for solving CEM applications, 5T54

IVANIC, EG: Effect of wear on rubbing surface temperature of disk brake lining, 2A930

IVANIK, EG: Contact temperature of rough surfaces at mixed lubrication, 2A1138
- Transient temperature of contact spots at sliding friction, 5A824

IVANO, O: Fatigue crack growth properties of a cryogenic structural steel at liquid helium temperature, 11A640

IVANOV, AP: Kelvin theorem and partial work of impulsive forces, 12A94

IVANOV, AV: Experimental study of a swept-wing boundary-layer stability with respect to unsteady disturbances, 1A1032

IVANOV, B: Displacement formulation of the friction conditions on the contact surface, 7A930

IVANOV, S: Two-velocity dynamical system: Boundary control of waves and inverse problems, 8A208

IVANOV, V: Profiling of rollers for thread rolling, 4A664

IVANOV, YA: Nonstationary dynamic processes in the system "Cylindrical reservoir fluid" (Russian), 9A224

IVANOV, YL: Study of the interaction of titanium and its alloys with the environment in manufacturing sophisticated structures, 8T463

IVANOVA, E: New experimental technique for modeling of a micro-heterogeneous media, 6A814

IVANOVIC, SS: Peak velocities and peak surface strains during Northridge, California, earthquake of January 17, 1994, 1A1420

IVANYK, E: Effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 2A909
- Axisymmetric quasi-static thermal stresses in an elastic semi-space subject to a rotating frictional heating on its boundary, 5A1289
- Determination of temperatures for sliding contact with applications for braking systems, 12A1332

IVANYK, EG: Transient temperature of local moving areas of sliding contact, 6A939
- Influence of periodically layered material structure on the frictional temperature during braking, 8A1339

IVASHKEVICH, OA: Liquid flame combustion II: Some physical and chemical characteristics of the burning process, 12A1389

IVENS, J: Three-dimensional micromechanical analysis of woven-fabric composites - I: Geometric analysis, 7A482
- Three-dimensional micromechanical analysis of woven-fabric composites - II: Elastic analysis, 7A483

IVERSEN JR, ES: Statistical technique for validating velocity models, 8A1493

IVERSEN, T: Applied modeling and simulation, 9A372

IVESTER, R: Cycle-time reduction in machining by recursive constraint bounding, 11A595

IVETIC, M: Modeling of storm wash-off of suspended solids from impervious surfaces, 8A1035

IVEY, GN: Laboratory study of the interaction between two internal wave rays, 10A299
- Convective turbulence and the influence of rotation, 10A1183

IVEY, PC: Investigation of wedge probe wall proximity effects - Part I: Experimental study, 12A1241
- Investigation of wedge probe wall proximity effects - Part 2: Numerical and analytical modeling, 12A1242

IVLEV, DD: Model of the limit state of bodies, 1A827
- Statical determination of the limiting state of a solid under separation (Russian), 6T758
- Failures in the plasticity theory (Russian), 6A504

IVLEV, R: Sensor-based collision avoidance: Theory and experiments, 2A355

IWADATE, T: Simplified method for determination of fracture toughness in transition temperature region (Japanese), 8A767

IWAHASHI, Y: Profile measurement with no standard: Measurement of profile along a circle with Fourier expansion (Japanese), 8A865

IWAI, M: Injection molded plastic gears now (Japanese), 1T912

IWAI, Y: Wear behavior of high tensile strength aluminum alloys under dry and lubricated conditions, 2A892

IWAKI, T: Molecular dynamics study on stress-strain in very thin film: Size and location of region for defining stress and strain, 1A786

IWAMIYA, T: Inverse design method for transonic multiple wing systems using integral equations, 11A1132

IWAMOTO, J: Study on the Hartmann-Sprenger tube flow driven by a sonic jet, 8A1099

IWAN, WD: Dynamic response of nonlinear systems with parameter uncertainties, 3A121
- Drift spectrum: Measure of demand for earthquake ground motions, 9A1470

IWANA, K: Flow visualization by velocity-pressure cross-correlation, 4A1177

IWANAMI, K: Vibration control method for parallel structures connected by damper and spring, 7A123

IWANKIEWICZ, R: Dynamic response of nonlinear systems to renewal impulses by path integration, 2A95
- Identification technique for nonlinear dynamical systems under stochastic excitations, 8A117

IWAO, Y: Prediction of peak horizontal acceleration using an artificial neural network model, 6A1473

IWASA, K: Characteristic displacement in rate and state-dependent friction from a micromechanical point of view, 3A833

IWASAKI, K: Optimizing the design characteristics of seismic-isolation device (lead rubber bearing) for bridges (Japanese), 8A1488

IWASAKI, M: Field measurement and fatigue assessment of orthotropic steel deck with asphalt pavement (Japanese), 11A648

IWASAKI, N: Proposal of new method for determination of radius distribution of the air voids and air content in hardened concrete on the basis of probability theory (Chinese), 10A103

IWASAKI, R: Probability-based seismic safety evaluation of existing buildings, 11A772

IWASAKI, S: Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, 8A50

IWASAWA, N: Application of piezoelectric paints to damage detection in structural materials, 2A741

IWASE, H: Parallel adaptive BE analysis, 3A53

IWASE, Y: V-shape forming of super hybrid material plate (Japanese), 4A668

IWASHITA, S: Modeling of diesel spray impinging on flat wall, 7A1080

IWATA, J: Flow visualization of an oscillating airfoil with sawtooth trailing edge, 2T1080

IWATA, K: Second order exact theory of nonlinear wave diffraction due to a cylindrical structure (Japanese), 7A220
- Profile measurement with no standard: Measurement of profile along a circle with Fourier expansion (Japanese), 8A865

IWATA, M: Damage-controlled structures - I: Preliminary design methodology for seismically active regions, 9A1490
- Settlement and disintegration behavior of soft rock by in-situ exposure and laboratory slaking tests (Japanese), 10A689

IWATA, S: Mechanical properties and localized corrosion behavior of powder metallurgical whisker reinforced aluminium metal matrix composites (Japanese), 7A473

IWATA, T: Boundary shape waveform inversion for 2D basin structure using three-component array data of plane incident wave with an arbitrary azimuth, 12A1480

IWAYA, T: Thermal deformation of CNC surface grinding machine under the warming-up operation (Japanese), 8T715

IWICKI, P: Sensitivity analysis of bearing capacity of axially compressed bars according to the polish code PN-90/B-03200 (Polish), 2A797

IYENGAR, KTSR: Parametric sensitivity of fracture behavior of concrete, 1A776

IYENGAR, N: Time-dependent failure in fiber-reinforced composites by fiber degradation, 9A764
- Effect of stacking sequence on failure of [± 45/90/0], quasi-isotropic coupons with hole under compression, 9A503

IYER, NR: Detection of roller bearing defects using expert system and fuzzy logic, 4A924

IYER, SS: Characterization of the stress-relaxation response of a class of linear viscoelastic material using acousto-ultrasonics: A pattern recognition approach, 6A829

IYER, SV: Effects of a geometric perturbation on buoyancy induced flow and heat transfer in a cylindrical annulus, 9A1215
- Buoyancy induced convection in a narrow open-ended annulus, 12A1261

IYER, VA: RECDWELL: CAD of six-link planar dwell mechanisms, 3A906

IZAWA, A: Turbulent drag reduction in a d-type rough wall boundary layer with longitudinal thin ribs placed within traverse grooves: Higher-order moments and conditional sampling analysis, 3A1099

IZAWA, H: Measurement of van der Waals force of toner adhesion employing a linearly increasing electric field and determining the toner jumping voltage, 6A980

IZBICKI, JL: Modal resonances of peripheral waves, 2A275
- Interference aspect of the interaction between two elastic tubes: Impulsive and quasi-harmonic studies (French), 10A348

IZEWSKA, A: Influence of the external wall on the airborne sound insulation in buildings, 9A282

IZMAILOV, VV: Influence of coatings on mechanical and electrical contact of rough surfaces, 3A874

IZQUIERDO MILLAN, M: Available solar exergy in an absorption cooling process, 3A1448

IZUCHUKWU, JI: Process and technology perspectives on integrated product development, 2A368

IZUMI, H: Operation support system of large city gas networks based on fluid transient model, 11A1514

IZUMI, M: Mechanics and dynamics of intelligent passive vibration control system, 9A847
- Measurement of workpiece size errors with AE sensor in grinding, 10T747

IZUMIYAMA, K: Volume IV: Arctic/Polar Technology, 10N31

IZUNO, K: Effective distribution of seismic lateral force utilizing compressive deformation of rubber devices (Japanese), 11A1489

IZZUDDIN, BA: Quartic formulation for elastic beam-columns subject to thermal effects, 3A814
- Large-displacement analysis of elastoplastic thin-walled frames - I: Formulation and implementation, 3A811
- Large-displacement analysis of elastoplastic thin-walled frames - II: Verification and application, 3A812
- Rate-sensitive analysis of framed structures - Part I: Model formulation and verification, 12A537
- Rate-sensitive analysis of framed structures - Part II: Implementation and application to steel and R-C frames, 12A538

J

J-F, ALLARD: Superconvergent patch recovery technique for the FEM in acoustics, 4A314

JABBARI, F: Stability of actively controlled structures with actuator saturation, 9A1498

JABBARI, MY: Experimental mass (heat) transfer in and near a circular hole in a flat plate, 9A1240

JABBARZADEH, A: Rheological properties of thin liquid films by molecular dynamics simulations, 11A891

JABERI, FA: Differential diffusion in binary scalar mixing and reaction, 11A1384

JABLONSKI, AM: Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, 10T457

JABLONSKI, G: Computer-aided analysis of integrated electrostatic micromotors, 9A380

JABLONSKI, TF: Symmetrization of a heat conduction model for a rigid medium, 4A1256

JABOUR, N: Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, 12A1438

JACANGELO, J: Continuous flow residence time distribution function characterization, 7A1525

JACCARD, R: Influence of mean stress on fatigue in several aluminum alloys utilizing K_{-1} threshold procedures, 2A630
- Influence of the K gradient and K_{-1} level on fatigue response during the K_{-1} threshold testing of Van 80 steel and Astroloy, 10A770

JACKIEWICZ, J: Application of the BEM to modeling of crack propagation trajectories, 2A46

JACKOWSKI, A: Investigation of explosively thickened sinters with addition of B_4C and SiC carbons (Polish), 9A683

JACKOWSKI, J: Modeling of tire and road interaction (Polish), 9A162

JACKSON , R: Heat transfer predictions for two turbine nozzle geometries at high Reynolds and Mach numbers, 10A1245

JACKSON, DC: LDA investigation of the flow development through rotating U-ducts, 1A1118

JACKSON, GS: Modeling of spherically symmetric droplet flames including complex chemistry: Effect of water addition on n-heptane droplet combustion, 4A1309

JACKSON, JK: Relaxation of linear flexible polymers which are slightly poly-disperse, 7A973

JACKSON, KE: Analytical crash simulation of three composite fuselage concepts and experimental correlation, 10T960

JACKSON, MR: Layered Materials for Structural Applications, 7N15

JACKSON, RA: Mechanistic studies on the combustion of isotopically labelled cyclohexanes within a single cylinder internal combustion engine, 4A1298

JACKSON, TL: Perturbation dynamics in viscous channel flows, 11A1065

JACKSON, WO: Maximal contraction lessens impact response in a muscle contusion model, 3A1497

JACOB, BP: Numerical simulation of the "pull-in" operation in submarine pipelines, 12A24

JACOB, J: Trailing vortex wake growth characteristics of a high aspect ratio rectangular airfoil, 7A1168

JACOB, M: Fundamental physics from space and in space, 2T256

JACOB, S: Stresses in a 3D two arch model of a normal human foot, 1T1451

JACOBASH, H-J: Surface characterization of textile and technical fibers, 4A907

JACOBI, AM: Intertube falling film - Part 2: Mode effects on sensible heat transfer to a falling liquid film, 2A1256
- Intertube falling film - Part 1: Flow characteristics, mode transitions, and hysteresis, 2A1255
- Experimental study of flow and heat transfer in parallel-plate arrays: Local, row-by-row, and surface average behavior, 6A1220

JACOBS, A: Aerodynamically accurate 3D Navier-Stokes method, 12A1093
JACOBS, CR: Adaptive bone remodeling incorporating simultaneous density and anisotropy considerations, 10A1511
JACOBS, LJ: Experimental and numerical investigation of the interaction of Rayleigh surface waves with corners, 11A751
JACOBS, PA: Fuel stagnation temperature effects on mixing with supersonic combustion flows, 9A1372
JACOBS, S: Model of magnetorheological finishing, 1A676
JACOBS, SJ: Mass transport in viscous flow under a progressive water wave, 11A943
JACOBSEN, F: Sound intensity measurement, 11A258
JACOBSON, B: Loss of lubricant from oil-lubricated near-starved spherical roller bearings, 11T854
JACOBSON, MJ: Effects of a sediment scattering layer in underwater-acoustic studies of intensity sensitivity and data matching, 4A284
JACOBSON, RL: Threshold precipitation events and potential ground-water recharge, 3A1408
JACOBSON, S: Model for the friction of multiphase materials in abrasion, 1T877
- Effects of compressive stresses on the abrasion of diamond coatings, 2A910
- Gross plastic fretting mechanical deterioration of silver coated electrical contacts, 7A694
- Gross plastic fretting: Examination of the gross weld regime, 7A695
JACOCKS, JL: High-pressure arc heater development and modeling: Status and requirements, 5A1384
JACQUELIN, E: Homogenization of a nonlinear array of confined beams, 4A1458
JACQUES, DR: Discrete-time, mixed-norm control synthesis applied to aircraft terrain following, 3T367
JACQUET-RICHARDET, G: Reduction method for FE dynamic analysis of submerged turbomachinery wheels, 5A1101
JACQUIN, CJ: Effective mechanical properties of random porous media, 4A6
JADAYEL, OC: Quantified study of rothalpy conservation in turbomachines, 2A1101
JAE, JIO: Finite element modeling of expansive oxide induced fracture of rebar reinforced concrete, 10A30
JAEGER, BJ: Detecting voids in grouted tendon ducts of post-tensioned concrete structures using the impact-echo method, 2A734
JAEGER, G: Damage evolution ahead of sharp notches under cyclic loading, 4A697
JAEGER, L: Homoclinic tangencies and non-normal Jacobians: Effects of noise in nonhyperbolic chaotic systems, 12A120
JAEGER, M: Modeling of a thermo-viscoelastic coupling for large deformations through FE analysis, 2A1287
- Numerical modeling of buoyancy-driven flows in a rotating cylindrical cavity: Comparison of a FE model with a spectral model, 6A1245
- Numerical simulation of incompressible flows with moving interfaces, 9A1031
JAEGER, MJ: Thermal pulse propagation and dispersion in laminar flow within conduits of finite wall conductivity, 6A1267
JAEGER, SM: Flight effects on the far-field noise of a heated supersonic jet, 12A305
JAEGER, Z: Transport treatment of crack population in finite medium - Part II: Damage behavior in different zones, 8A243
JAFFRE, J: Solution of the advection-diffusion equation using a combination of discontinuous and mixed FEs, 9A28
JAFVERT, CT: Induced desorption of DDT, DDD, and DDE from a contaminated sediment, 9T1556
JAGADISH, KS: Strength characteristics of stone masonry, 11A738
JAGER, J: Stepwise loading of half-spaces in elliptical contact, 3A444
- Analysis of tunnels: Fuzzy (German), 10A39
JAGER-WALDAU, R: Aerosol delivery from an active emission multi-single dose dry powder inhaler, 11A989
JAGIASI, AR: Inelastic vibration phase theory for seismic pounding mitigation, 3A1386
JAGO, G: Accelerated vibratory fatigue test by ultrasonic frequency at cryogenic temperature, 1A722
JAGODA, JI: Effect of evaporation on droplet drag, 7A1072
JAGOTA, A: Surface formulation for molecular interactions of macroscopic bodies, 12A12
JAHANIAN, S: Reliability, Stress Analysis, and Failure Prevention Issues in Fastening and Joining, Composite and Smart Structures, Numerical and FEA Methods, Risk Minimization, 5N16
- Numerical study of quenching of an aluminum solid cylinder, 3A1273
- Thermoelastoplastic stress analysis of a thick-walled tube of nonlinear strain hardening, 3A1276
- Numerical representation of Jiang's constitutive equations for a material with temperature-dependent properties, 6A1301
- Incremental growth of mechanical structures subjected to cyclic thermal and mechanical loading, 11A425
JAHANMIR, S: Nondestructive detection of damage produced by a sharp indenter in ceramics, 1A822
- Influence of grinding direction on fracture strength of silicon nitride, 1A716
- Relationship between microstructure and wear of mica-containing glass-ceramics, 7A885
JAHANMIRI, M: Experimental studies of a distorted turbulent spot in a 3D flow, 7A1087
JAHRING, A: Comparative investigations for the analysis of reinforced and prestressed concrete beams with lateral buckling according to the second order theory (German), 11A778
JAIN, AK: Uncoupled frequency ratio in asymmetric buildings, 2A1387
- Nonlinear coupled response of offshore tension leg platforms to regular wave forces, 9T223
JAIN, LK: Residual stress induced distortions during fabrication of composite shells, 2A485
- Stresses and deformations induced during manufacturing - Part II: A Study of the spring-in phenomenon, 10A645
- Stresses and deformations induced during manufacturing - Part I: Theoretical analysis of composite cylinders and shells, 10A644
JAIN, M: Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, 11A434
JAIN, MK: Use of high order difference methods for the system of one space second order nonlinear hyperbolic equations with variable coefficients, 2A44
JAIN, S: Robust decentralized control of power systems utilizing only swing angle measurements, 9T320
JAIN, SK: Lateral free vibration of a single pile with or without an axial load, 2T121
JAIN, VK: Mechanism of material removal in electrical discharge diamond grinding, 4A681
- Stochastic simulation approach to modeling diamond wheel topography, 11A621
- Role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 12A956
JAISWAL, BS: Effects of mass transfer and free convection currents on the oscillatory flow past an infinite vertical porous plate with variable suction, 7A1376
JAKAB, PL: Otto Lilienthal: "The greatest of the precursors", 9A1161
JAKEMAN, E: Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, 10A1199
JAKOBSONS, E: Shear flow stability and shear induced texture hierarchy of the liquid crystalline polymers, 12T1136
JAKSA, MB: Inaccuracies associated with estimating random measurement errors, 11A570
JAKUBAUSKAS, VF: Axial vibrations of fluid-filled bellows expansion joints, 5A207
JALALI, MA: Investigation of periodic orbits in elliptical galaxies using the method of implicit functions, 3A294
JALIFE, J: Spiral waves and the heart, 1A1459
JALIHAL, P: Optimal location of redundants for prestressing adaptive trusses, 3A738
JALLUT, C: Modeling of frost growth and densification, 10A1392
JALOVAARA, P: Cost-effective, accurate machine for testing the torsional strength of sheep long bones, 1A1463
JALURIA, Y: Temperature distribution in an optical fiber draw tower furnace, 2A1253
- Numerical approach to model heat transfer in polymer melts flowing in constricted channels, 2A1186
- Penetrative flow due to an isothermal vertical wall in a stable two-layer environment generated by a room fire, 2A1165
- Flow of smoke and hot gases across horizontal vents in room fires, 2A1330
- Simulation of the transport processes in the neck-down region of a furnace drawn optical fiber, 5A1187
- Generation of stable thermal stratification in a partially enclosed space due to a room fire, 7A1247
- Turbulent penetrative and recirculating flow in a compartment fire, 11A1239
- Zonal method to model radiative transport in an optical fiber drawing furnace, 12A1306
JAM, M: Hybrid experimental-computational approach to the assessment of crack growth criteria in composite laminates, 6A775
JAMES LI, C: Robot learning control based on recurrent neural network inverse model, 8A450
JAMES, A: Failures of chain systems, 9A539
JAMES, AE: Yield surface of viscoelastic and plastic fluids in a vane viscometer, 11A403
- Analytical stiffness matrix for first- and second-order upright triangular prismatic FEs, 12A55
JAMES, DA: Acoustic scattering from a semi-infinite, elastic, cylindrical shell, 4A291
JAMES, DF: Extensional viscosity measurements of dilute solutions of various polymers, 3A944
- Finite-element study of Newtonian and power-law fluids in conical channel flow, 11A1037
JAMES, GH: Damping measurements using operational data, 2A1437
JAMES, LA: Effect of water flow rate upon the environmentally assisted cracking response of a low-alloy steel: Experimental results plus modeling, 8A760
- Integrable K-solutions for common fatigue crack growth specimens, 9A733
- Ramberg-Osgood strain-hardening characterization of an ASTM A302-B steel, 11A423
JAMES, MN: Constant and variable amplitude loading of 6261 aluminium alloy I-beams with welded cover plates: Influence of weld quality and stress relief, 10A765
JAMES, PP: Technique for the assessment of strength of coupling between sea subsystems: Experiments with two coupled plates and two coupled rooms, 12A298
JAMES, S: Plastic buckling paradox for cylindrical shells, 5A502
JAMES, T: Time-dependent stress and displacement of the eye wall tissue of the human eye, 11A1570
JAMESON, A: BGK-based schemes for the simulation of compressible flow, 6T1048
JAMIALAHMADI, M: Unified correlation for the prediction of heat transfer coefficients in liquid-solid fluidized bed systems, 5A1400
- Boiling and nonboiling heat transfer to electrolyte solutions, 6A1254
JAMIOLKOWSKI, M: Cavity expansion and penetration resistance in sand, 9A647
JAMISON, D: Application of a general purpose FEM to elastic pipes conveying fluid, 9T225
JAMSA, T: Cost-effective, accurate machine for testing the torsional strength of sheep long bones, 1A1463
- Comparison of three vibrators in static posturography: The effect of vibration amplitude on body sway, 1T1467
JANC, D: Sensitivity of hail accretion rates in numerical modeling, 7T1503
JANG, CHANG DOO: Development of a rigid-ended beam element for analysis of bracketed frame structures, 3A805
JANG, DONG-SEOB: Tribological behavior of ultra-thin soft metallic deposits on hard substrates, 2A925
JANG, DY: Forging parameter optimization considering stress distributions in products through FEM analysis and robust design methodology, 11A580
JANG, HORNG-YUNG: Recursive least squares algorithm for estimation of heat source, 5A1231
- Recursive least-squares algorithm for on-line 1D inverse heat conduction estimation, 8A1329
JANG, JASON SC: Fabrication process for aluminum alloys reinforced with Al-Fe-V-Si particles, 3T649
JANG, JIIN-YUH: Mixed convection plume along a vertical adiabatic surface embedded in a non-Darcian porous medium, 7A1272
JANG, JUNEHO: Aerodynamic efficiency of wings in rain, 6A1175
JANG, JY: Generalization of thermohydrodynamic analyses for journal bearings, 1A1142
JANG, S-H: Random errors for an improved frequency response function estimator, 9A69
JANG, YJ: Numerical analysis of channel flows of ER fluid, 6A1166
JANGID, RS: Dissipation of hysteretic energy in base isolated structure, 2A1383
- Seismic response of sliding structures to bidirectional earthquake excitation, 4A1413
- Response of pure-friction sliding structures to bi-directional harmonic ground motion, 6A1447
- Performance of multiple tuned mass dampers for torsionally coupled system, 8A204
- Optimum parameters of multiple tuned mass dampers for base-excited damped systems, 11A315
JANICKA, J: Turbulence modulation in jet diffusion flames: Modeling and experiments, 1A1317
- Nonlinear second moment closure consistent with shear and strain flows, 10A1192
JANIK, JA: Studies of fractal aspects of cement, 9T821
JANINSKA, B: Dew point as the criterion of thermal insulation quality, 9A875
JANISZEWSKA, J: Design of the fully rotary valve for calibration purposes in flow analysis, 10A1105
JANKOWSKI, J: Regularization of a certain inverse heat conduction problem, 4A1278
JANKOWSKI, KP: Task space decomposition for invariant control of constrained robots, 3A409
JANKOWSKI, R: Modeling of 2D random fields, 9A66
JANNO , J: Identification of weakly singular memory kernels in heat conduction, 10A1325
JANNO, J: Inverse problems for identification of memory kernels in viscoelasticity, 8A495
JANNOT, Y: Radiative heat transfer in a solar air heater covered with a plastic film, 9A1538
JANOSCH, JJ: Definition of a materials data base for heavy structures created by experimental characterization of toughness impact strength, 9A690
JANOSIK, LA: Durability evaluation of ceramic components using CARES-LIFE, 11A483
JANSEN, DC: Effect of length on compressive strain softening of concrete, 6A883
JANSEN, H: Stiction in surface micromachining, 8T419
JANSEN, R: Preliminary investigation of neural network technique to predict tribological properties, 10A504
JANSON, GC: Surface-contact mechanics during oblique impact of microspheres with planar surfaces, 4A1330
JANSSEN, JD: Poroelasticity of saturated solids with an application to blood perfusion, 2A1359
- Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, 4A1491
- Finite element mixture model for hierarchical porous media, 6A1395
- Finite element analysis of blood flow through biological tissue, 8A1566
- Confined compression of canine annulus fibrosus under chemical and mechanical loading, 11A1561
JANSSEN, M: Acoustoelasticity: Ultrasonic stress field reconstruction, 5A731
JANSSEN, R: Stability properties of the vertical boundary layers in differentially heated cavities, 5A1165
- Direct boundary-layer stability analysis of steady-state cavity convection flow, 5A1158
JANSSENS, F: Balance and variational formulations of the equation of motion of a body deploying along a cable, 12A98
JANSSENS, FL: Small displacements about equilibrium of a beam subjected to large static loads, 5A98
JANSSON, P-A: Anti-plane elastic wave scattering from a rough volumetric crack, 1A240
JANUS, MC: Analytical approach to understanding the "pressure gain" combustor, 9A1376
JANUSHEVSKIS, A: Automation of M-D-o-F mechanical system dynamics calculations, 4A61
JANUSZ, J: Automated method of geodetic measurements of tensioning force and elongation of strings (Polish), 2A470
JAO, M: Stability of geosynthetic-reinforced soil above a cavity, 1A622
JAPON, BR: Effects of porous sediments on seismic response of concrete gravity dams, 9A1479
JAR-SIAN, HSIAU: Process planning strategy for removing an arbitrary profile by hydrodynamic polishing process, 5A572
JARA-ALMONTE, J: Microelectromechanical Systems, 3N10
JARDAK, M: Localization of Hopf bifurcations in fluid flow problems, 11A98
JARECKI, L: Rheological behavior of Brownian interacting particles in uniaxial flow combined with electric (magnetic) field, 8A991
JARMAI, K: Tubular Structures VII, 7N20
JARNOT, RF: Experimental investigation of spacecraft in-flight disturbances and dynamic response, 10A234
JARNY, Y: Front motion and convective heat flux determination in a phase change process, 7A1308
- Identification and control of heat sources in materials during thermal processing, 8A726
JAROSZEWICZ, J: Critical Euler load for a cantilever tapered beam, 4T613
JARPE, SP: Validation of a procedure for calculating broadband strong-motion time histories with empirical Green's functions, 2A1399
- Coupled seismic-geotechnical approach to site-specific strong motion, 11A1481
JARRAH, MA: Interaction of two opposite conical curved wall jets, 2A1023
JARRETT, AC: Variables affecting NO_x formation in lean-premixed combustion, 8A1422
JARRETT, ND: Pressures in a square planform silo during discharge, 1A625
JARVIS, JC: Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, 9A1586
JARVIS, JL: Investigation of the implementation of the p-version FEM, 1A23
JARVSTRAT, N: Mechanical material model for aluminium extrusions during on-line quenching, 11A583
JARZYNA, H: Effective mean velocity in model propulsion tests - The essence of the idea: The possible definitions, 3A1178
- Relation between the mean effective velocities from selected model propulsion tests and from numerical simulation procedures, 3A1181
JARZYNSKI, J: Laser phased array generated ultrasound for NDE of ceramic materials, 11A752
JASUJA, AK: Structure of airblast sprays under high ambient pressure conditions, 12A1111
JAVIER RUIZ, G: Theoretically accurate equations of a straight bevel gear tooth flank, 4A922
JAVIER VENERE, M: Procedures for 3D FE mesh generation (Spanish), 3A4
JAWAHIR, IS: Hybrid algorithm for predicting chip form-chip breakability in machining, 4A672
JAWOREK, A: Spherical probe for measuring charge on a single airborn particle, 2A1065
JAYA, MS: Minimum apertures and Fresnel zones in migration and demigration, 7A1472
JAYACHANDRAN, T: Numerical analysis of transient two-phase flow in heat pipe, 2A1265
JAYAKUMAR, T: Ultrasonic response of various types of code recommended reference defects: A comparative study, 7T792
- Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813

JAYANTI, S: Hydrodynamics and heat transfer of wavy thin film flow, 3A1224
- Hydrodynamics and heat transfer in wavy annular gas-liquid flow: A computational fluid dynamics study, 9A1261
JAYARAMAN, G: Casson fluid flow in a pipe filled with a homogeneous porous medium, 2A1009
JAYARAMAN, K: Chaotic oscillations in pipes conveying pulsating fluid, 2A74
JAYARAMAN, S: Analytical model of unsteady shock motion on hypersonic forebodies, 7A1052
- Finite element analysis of horizontal and branched subsurface cracks in brittle materials, 12A826
JAYASURIYA, S: New algorithm for testing the stability of a polytope: A geometric approach for simplification, 4T325
- Robust stability of closed-loop systems resulting from nonsequential MIMO-QFT design, 6A383
- Synthesis of compensators for nonovershooting step response, 6A384
- New formulation of multiple-input multiple-output quantitative feedback theory, 6A380
- Feedforward controllers and tracking accuracy in the presence of plant uncertainties, 11A283
JAYET, Y: Pulsed eddy current signal analysis: Application to the experimental detection and characterization of deep flaws in highly conductive materials, 12A871
JEAN, JAU-HO: High-temperature creep of low-dielectric-constant glass composites, 2A408
JEAN, P: Active anechoic termination for low frequencies with mean flow, 10A368
JEANDEL, G: Theoretical study of the influence of slugs on the radiative behavior of fibrous media (French), 1A1252
JEANDIN, M: Effects of CO_2 laser surface hardening in the unlubricated wear of ductile cast iron against alumina, 4T897
JEBB, A: Survey of design philosophies, models, methods and systems, 2T369
JEBRAIL, FF: Performance of a heat pipe thermosyphon radiator, 8A1372
JEDELSKY, D: Genetic algorithms and fictitious domain based approaches in shape optimization, 6A849
JEDERLINIC, V: Vibrations of a rectangular plate with a free edge in the case of discontinuously varying thickness, 6A168
- Vibrations of composite, doubly connected square membranes, 12T172
JEDERLINIC, VA: Rayleigh's optimization concept and the use of sinusoidal co-ordinated functions, 9T111
JEDIDI, A: Elliptic cavity in a 3D anisotropic body with inclined strata deformed by line loads and dislocations, 3A445
JEE, WON-HO: H_∞ robust control of flexible beam vibration by using a hybrid damper, 4A394
JEELANI, S: Nondestructive characterization-evaluation of functional sandwich and hybrid carbon-carbon composites, 4A798
- Response of SiC/Si_3N_4 composites under static and cyclic loading: An experimental and statistical analysis, 10A775
- Response of resin transfer molded (RTM) composites under reversed cyclic loading, 11A453
JEFFERIES, RW: Interactions of a vortex with an oscillating leading edge, 5T1068
JELEMENSKY, K: Hydrodynamics and heat transfer in helical ducts with rectangular cross-section (Polish), 10A1147
JELENIC, G: Nonlinear "master-slave"relationships for joints in 3D beams with large rotations, 3A923
JELENSKA, M: Paleomagnetic and rock magnetic study of ultramafic and gabbroic rocks from three boreholes in the Sudetes, Poland, 9T1448
JELTSCH-FRICKER, R: Failure criteria of Mohr for transversely isotropic material such as fiber composites (German), 4A753
JEMAH, AK: Theory for multilayered anisotropic plates with weakened interfaces, 7A521
JEMIOLO, S: Non-polynomial representations of orthotropic tensor functions in the 3D case: An alternative approach, 9A6
JEN, KP: Quantitative data for precision, closed-die, forging: Internal deformations and computer simulations, 8A692
JEN, MING UNE: Dynamic interaction of the cutting process, workpiece, and Lathe's structure in facing, 2A591
JEN, YI-MING: Mean strain effect on crack initiation lives for notched specimens under biaxial nonproportional loading paths, 7A643
JENG, CA: Structural vibration suppression by concurrent piezoelectric sensor and actuator, 7A122
- Structural vibration suppression by concurrent piezoelectric sensor and actuator, 7A121
JENG, CHAO-SI: Servo design for a 3D laser-tracking measurement system, 4A401
JENG, DONG-SHENG: Finite element modeling for water waves-soil interaction, 1A47
- Soil response in cross-anisotropic seabed due to standing waves, 8A654
JENG, DR: Momentum and heat transfer on a continuous moving surface in a power law fluid, 7A1269
JENG, DS: Wave-induced soil response in a nearly saturated sea-bed of finite thickness, 4A646
- Nonlinear wave-induced response of porous seabed: A FE analysis, 7A1444
- Effects of variable permeability on the wave-induced seabed response, 9T997
- Wave-induced liquefaction potential at the tip of breakwater: An analytical solution, 11T934
JENG, MING-CHANG: Tribological characteristics of short glass fiber reinforced polycarbonate composites, 12A562
JENG, SAN-MOU: Planar measurements of droplet velocities and sizes within a simplex atomizer, 6A1211
JENG, SHYR-LONG: Modeling and diagnosis of motion error of multi-axis machines using a ball bar test, 4A182
JENG, TH: Stress analysis of the rotational object under the conditions of transient state (Russian), 2A791
JENG, VAN: Spectral relative motion of two structures due to seismic travel waves, 3A1398
- Inelastic vibration phase theory for seismic pounding mitigation, 3A1386
JENG, YS: Dual series representation and its applications to a string subjected to support motions, 5A101
JENKINS, CH: Sensitivity of parameter changes in structural damage detection, 6A721
JENKINS, D: Solar concentration of 50,000 achieved with output power approaching 1kW, 2A1429
JENKINS, HE: Determination of a dynamic grinding model, 12A406
JENKINS, JE: Critical-state transients for a rolling 65° delta wing, 11A1138
JENKINS, MG: Thermal and Mechanical Test Methods and Behavior of Continuous-Fiber Ceramic Composites, 9N20
- Fabrication, processing, and characterization of braided, continuous SiC fiber-reinforced-CVI SiC matrix ceramic composites, 3T659
- Long-term testing of advanced ceramics: Concerns, insights, and recommendations, 5A460
JENKINS, RD: Solution rheology of a hydrophobically modified alkali-soluble associative polymer, 8A1016
JENKINS, RM: Numerical analysis of unsteady multiple jet plume interactions, 3A1122
JENNER, CG: Polymer geogrids for bridging mining voids, 10A716
JENNEY, D: 1996 Alexander A Nikolsky lecture: A look back and forward, 7A846
JENNINGS, LS: Optimal control computation to account for eccentric movement, 5A290
JENNIONS, IK: Evaluation of the interaction losses in a transonic turbine HP rotor-LP vane configuration, 8A1243
JENNY, P: Correction of conservative Euler solvers for gas mixtures, 9T217
JENSEN, CN: New route to chaos in railway dynamics, 12T121
JENSEN, DW: Flexure of concrete beams reinforced with advanced composite orthogrids, 6A886
JENSEN, GE: Tactile Missile Propulsion, 12N43
JENSEN, H: Comparison of local and global approximations for reliability estimation, 4A831
JENSEN, HM: Kink band analysis accounting for the microstructure of fiber reinforced materials, 8A545
- Kink band formation in fiber reinforced materials, 12A568
JENSEN, JA: Ultrasound fields from triangular apertures, 4A317
JENSEN, JJ: Second-order wave kinematics conditional on a given wave crest, 5A182
JENSEN, JS: Fluid transport due to nonlinear fluid-structure interaction, 11T203
JENSEN, KA: Simultaneous laser-induced emission of soot and polycyclic aromatic hydrocarbons within a gas-jet diffusion flame, 10A1408
JENSEN, M: ASME Proceedings of 31st National Heat Transfer Conference, Volume 8, 2N43
JENSEN, MK: Turbulent flow in longitudinally finned tubes, 4A1044
- Numerical investigation of laminar flow and heat transfer in internally finned tubes, 6A1231
- Experimental investigation of laminar flow and heat transfer in internally finned tubes, 6A1229
- Literature on enhancement of convective heat and mass transfer, 6A1288
JENSEN, OE: Steady motion of a semi-infinite bubble through a flexible-walled channel, 3A1079
- Thin liquid lining of a weakly curved cylindrical tube, 8A1567
JENSEN, R: Relaxation of constrained control problems, 4T356
JENSEN, RA: New method to leak test piping joints, 5A810
JEON, D: Measuring instantaneous fluid dynamic forces on bodies, using only velocity fields and their derivatives, 11A227
JEON, I: Edge delamination in a laminated composite strip under generalized plane deformations, 2A674
JEON, SANG-PYO: Analytical treatment of axisymmetrical thermoelastic field with Kassir's nonhomogeneous material properties and its adaptation to boundary value problem of slab under steady temperature field, 10A1373
JEON, SEONG MIN: Refined aeroelastic analysis of hingless rotor blades in hover, 11A225
JEON, Y: Collocation method for mixed boundary value problems on domains with curved polygonal boundaries, 11A60
JEONG, GYO-CHEOL: Micro-macro properties of geomaterials: A homogenization method for viscoelastic problem, 6A638
JEONG, H: Effects of voids on the mechanical strength and ultrasonic attenuation of laminated composites, 9A519
- Multiple NDE techniques for the measurement of constituent volume fractions in metal matrix composites, 10A625
JEONG, HK: Solution-adaptive grid generation for compressible flow, 3A1061
JEONG, J: Coherent structures near the wall in a turbulent channel flow, 8A1187
JEONG, JI HWAN: Flooding correlation based on the concept of hyperbolicity breaking in a vertical annular flow, 5A1444
JEONG, JY: Numerical simulation of heat transfer and flow structure in 3D turbulent boundary layer with imbedded longitudinal vortex, 9A1207
JEONG, K-W: Numerical study on the propagation of sound through capillary tubes with mean flow, 5A251
JEONG, KWANG SEOP: Development of the composite third robot arm of the six-axis articulated robot manipulator, 8A453
- Strength analysis of adhesively-bonded tubular single lap steel-steel joints under axial loads considering residual thermal stresses, 10A1014
JEONG, P: Performance evaluation of the Golay code pulse compression technique, 6T838
JEONG, S: New blunt trailing-edge airfoil design by inverse optimization method, 10T1222
JEONG, SK: Analytical solution for transient temperature distribution in fillet arc welding including the effect of molten metal, 9A977
JEREMIC, B: Implicit integrations in elastoplastic geotechnics, 10A718
JERNQVIST, A: Application of heat pump systems for energy conservation in paper drying, 12A1325
JERONIMIDIS, G: Theoretical analysis of large deformation simultaneous tearing and peeling of elastoplastic materials, 5A412
JERONYMO, CE: Adaptive predictive controller for hydraulic systems driven by fast switching on-off solenoid valves, 5A282
- Application of unified predictive control to on-off control of hydraulic system driven by fast-switching solenoid valves, 5A871
JESSEE, JP: Acceleration schemes for the discrete ordinates method, 1A1258
JESUS, SM: Acoustic estimation of seafloor parameters: A radial basis functions approach, 3A318
JETER, SM: Surface concentration measurement of a spreading monolayer film using a displacement current technique, 1A1148
- Critical heat flux correlation for droplet impact cooling, 8A1319
JETHWA, JK: Fatigue and durability behavior of automotive adhesives - Part I: Fracture mechanics tests, 10A783
JEZEQUEL, L: New Advances in Modal Synthesis of Large Structures: Nonlinear Damped and Non-deterministic Cases, 11N11
- Homogenization of a nonlinear array of confined beams, 4A1458
- Energy models of 1D, multi-propagative systems, 10A256
JHA, AK: Dynamic effects during a high-speed sinter-forging process, 4A662
JHA, AK: Fully conservative Beam and Warming scheme for transient open channel flows, 6T992
JHA, M: Near-tip Mode-I elastic fields in bimaterial layered systems, 10A604
JHA, NK: Mathematical programming formulation and optimum design of robot control system, 6A964
- Set-theoretic automatic selection of cutting tools in manufacturing system, 11A356
JHU, JHI-LU: In-plane response of a rotating annular disk under fixed concentrated edge loads, 2A148
- In-plane vibration and stability of a spinning annular disk, 3A175
JHUNG, MJ: Shell response of core barrel for tributary pipe break, 4A1454
- Axial response of PWR fuel assemblies for earthquake and pipe break excitations, 10A1459
JHUNG, MYUNG J: Hydrodynamic effects on dynamic response of reactor vessel internals, 3A268
- Seismic response of reactor vessel internals for Korean standard nuclear power plant, 4A1412
JI, CHING-CHINA: Recursive least squares algorithm for estimation of heat source, 5A1231
- Recursive least-squares algorithm for on-line 1D inverse heat conduction estimation, 8A1329
JI, H: LDA investigation of the flow development through rotating U-ducts, 1A1118
JI, H-C: Numerical analysis of turbulent pipe flow in a transverse magnetic field, 7A1243
JI, MING: Analysis of an internal central crack with bridging fibers in a finite orthotropic plate, 11A713
JI, P: Digraphic approach for dimensional chain identification in design and manufacturing, 5A367
JI, SHANHONG: Unsteady flow calculations with a multigrid Navier-Stokes method, 4A1094
JI, SHAOCHENG: Mixed boundary problems for a mixed mode crack in a finite plate, 8A825
JI, T: Human-structure interaction in vertical vibrations, 8A185
JI, TONGGENG: Bending solution of a rectangular plate with one edge built-in and one corner point supported subjected to uniform load, 9A553
JI, W: Image analysis for birefringence measurements in photoelasticity, 12A863
JI, XING: Boundary element method for steady ship wave-making potential problems, 10A88
JI, XUEWU: Effects of loading patterns on the pressure-sinkage relation of dry loose sand, 2A818
JI, ZHIMING: Analysis of design parameters in platform manipulators, 6A967
JI, ZHOU: Design of cam, steel-strip function mechanism, 6A941
JIA, H-Y: Stabilization of nonstationary parametric main resonance of a laminated angle-ply column, 3A151
JIA, JP: Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, 12A1328
JIA, K: Abrasion resistance of nanostructured and conventional cemented carbides, 7A873
JIA, X: Theoretical and experimental study of composite solid propellant combustion, 4A1312
- Modal analysis of Lamb wave generation in elastic plates by liquid wedge transducers, 8A184
JIA, YAN-BIN: Geometric sensing of known planar shapes, 2A351
JIA, ZHIXIN: Study on a new kind of combined machining technology of ultrasonic machining and electrical discharge machining, 7A615
JIAA, CHI L: Evaluation of head-disk pseudo-impact contact by acoustic emission technique, 10A984
JIAN, KAILIN: Nonlinear vibration analysis of mechanism with elastic connecting rod (Chinese), 2A77
JIAN, XH: Damage detection by piezoelectric patches in a free vibration method, 9A808
JIAN, YUAN SHI: Research into the dieless hydroforming of non-uniform thickness spherical vessels, 12A727
JIANG , JIANDONG: Rotor balancing technique based on load identification (Chinese), 12T191
JIANG , ZQ: Thermal stresses in layered electronic assemblies, 12A1334
JIANG, BO-NAN: Simulation of an H_2-O_2 flame by the least-squares FEM, 1A1341
- Div-curl-grad formulation for compressible buoyant flows solved by the least-squares FEM, 5A1221
JIANG, C: Poroviscoelastic analysis of borehole and cylinder problems, 6A666
JIANG, DAHUA: Load-carrying capacity for concrete slabs on grade, 6A896
JIANG, DAJIU: Experimental investigation on shear enhancement types for high-strength concrete plates, 8A904
JIANG, DAN-CHI: Least squares pole assignment by memoryless output feedback, 5T302
- Sensitivity reduction of constraint forces and position control for mechanical descriptor systems, 12A356
JIANG, DEMING: Investigation on simulation models and reduction methods of unburned hydrocarbon emissions in spark ignition engines, 4A1297
JIANG, DONGXIANG: Intelligent diagnostic model of multiple level abstraction and hybrid reasoning and its application (Chinese), 7T370
JIANG, FULIN: Comparison of optical performance between evacuated collector tubes with flat and semicylindric absorbers, 10A1484
JIANG, GUI-QING: Non-oscillatory no-free-parameter FE algorithm and its applications in CFD, 7A27
JIANG, H: Natural frequencies of vibration of layered hollow spheres using exact 3D elasticity equations, 2T144
- Nonlinear iteration methods for high speed laminar compressible Navier-Stokes equations, 10A1117
JIANG, HONG: Robust numerical methods for transonic flows, 8A1107
- Exploration on failure diagnosis of electrostatic suspended gyro (Chinese), 12T108
JIANG, J: Nonlinear transient analysis of submerged circular plates subjected to underwater explosions, 2A244
- Iterative method of point mapping under cell reference for the global analysis of nonlinear dynamical systems, 2A76
- Design method for turbomachine blades with finite thickness by the circulation method, 12A1186
JIANG, JIAREN: Characterization of wear scar surfaces using combined 3D topographic analysis and contact resistance measurements, 12A938
JIANG, JP: Experimental investigation of the interaction between weak shock waves and granular layers, 9A213
- Mechanism of compressive stress formation during weak shock waves impact with granular materials, 10A1439
JIANG, K: Three-dimensional shortest path planning in the presence of polyhedral obstacles, 3A417

- Motion planning with reversal maneuvers for a nonholonomic constrained robot, 4A441
JIANG, L: Study of finite amplitude plane wave propagation in a rubber-like solid, 4A207
- Moderate and steep Faraday waves: Instabilities, modulation, and temporal asymmetries, 7A216
JIANG, PEI-XUE: Fluid flow and convective heat transfer in a vertical porous annulus, 2A1193
JIANG, QING: Microcracking and electric fatigue of polycrystalline ferroelectric ceramics, 1A695
- Compressible materials capable of sustaining axisymmetric shear deformations - Part 2: Rotational shear of isotropic hyperelastic materials, 11A357
JIANG, SHIYAN: Dimensional analysis of colloid-facilitated ground-water contaminant transport, 4A1337
JIANG, T: Systems approach to structural topology optimization: Designing optimal connections, 9A839
- Horizontal motions of an SPM tanker under alternative mooring configurations, 11A1126
JIANG, TAO: Optimal structural topology design using the homogenization method with multiple constraints, 6A854
- Autonomous oscillations and bifurcations of a tug-tanker tow, 9A1146
JIANG, W: Finite element modeling of stiffened and unstiffened orthotropic plates, 8A589
- Analytic and FE solutions for bending and buckling of orthotropic rectangular plates, 10A634
- New constitutive model in the theory of plasticity - Part I: Theory, 11A408
- New constitutive model in the theory of plasticity - Part II: Examples, 11A409
JIANG, X: Analytical method for 3D analysis of circular laminated composite plates, 3A492
JIANG, XIAOYU: Nonlinear 3D analysis of composite laminated plates, 5A472
- Three-dimensional vibration analysis of fiber reinforced composite laminated cylindrical shells, 6A184
JIANG, XINMING: Distributed source method for inverse acoustic scattering, 10A386
JIANG, XX: Acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, 5A825
JIANG, Y: Modeling of cyclic ratchetting plasticity - Part I: Development of constitutive relations, 3A459
- Modeling of cyclic ratchetting plasticity - Part II: Comparison of model simulations with experiments, 3A460
- Theoretical evaluation of plasticity hardening algorithms for nonproportional loadings, 5A431
JIANG, YAHONG: Bolus contaminant dispersion for oscillatory flow in a curved tube, 2A1455
JIANG, YAN YAO: Fatigue of a particulate reinforced aluminium metal matrix composite subjected to axial, torsional, and combined axial-torsional loading conditions, 5A593
JIANG, YANYAO: Investigation of cyclic transient behavior and implications on fatigue life estimates, 10A784
JIANG, YP: Delamination prediction in composite beams with built-in piezoelectric devices using modal analysis and neural network, 1A714
JIANG, YT: High-resolution finite volume computation of turbulent transonic flow past airfoils, 12A1097
JIANG, YUJING: Mechanical effect of grouted rock bolts on tunnel stability (Japanese), 10A724
JIANG, Z: Nanomechanical properties of SiC films grown from C_{60} precursors using atomic force microscopy, 7T934
- Transient shock wave flows in tubes with a sudden change in cross section, 11T201
JIANG, ZHONG-PING: Passification approach to adaptive nonlinear stabilization, 3T340
- Iterative design of time-varying stabilizers for multi-input systems in chained form, 4T75
JIANG, ZHONG-YUE: Acoustic radiation pressure in a 3D lossy medium, 2A267
- Analytic investigation of chaos in a class of parabolic ray systems, 9A286
JIANG, ZHONGWEI: Nonlinear hysteresis compensation of piezoelectric ceramic actuators, 1A373
- Vibration analysis of rotating disk-head system (Japanese), 4T154
JIANG, ZIKANG: Measurement test of torsional characteristics of a rotor with unbalance (Chinese), 2A153
JIANG, ZW: Force control of a flexible finger with distributed sensors and piezoelectric actuators, 2A336
- Soft-handling gripper driven by piezoceramic bimorph strips, 3A397
JIANGS, WEISUN: Linear quadratic optimal output feedback control for systems with poles in a specified region, 3A343
JIAO, D: Ultrasonic guided wave NDE for piping, 5A735
JIAO, ZHAO-PING: New formulation of isoparametric FEs and the relationship between hybrid stress element and incompatible element, 6A54
JICHA, M: Numerical study on the heating of a cast iron slab in a car-hearth furnace, 5A1262
JIE, MIN: Plastic dynamic stability of a column under nonconservative forces, 12A663
JIH, E: Development of an integrated design system for thermal reliability prediction of SMT solder interconnects, 6T972
JIH, J-J: Effect of acoustics on flow passing a high-AOA airfoil, 8A1212
JILES, DC: Nondestructive evaluation of creep damage in power-plant steam generators and piping by magnetic measurements, 9A819
JIM, JUN O: Dynamic analysis of 2D frictional contact by linear complementarity problem formulation, 5A396
JIMACK, PK: Optimal eigenvalue and asymptotic large-time approximations using the moving FEM, 1A68
JIMACKGTON, PK: Best approximation property of the moving FEM, 6A40
JIMBO, S: Ginzburg-Landau equations and stable solutions in a rotational domain, 2A533
JIMENEZ, AR: Nonlinear Performance Index: A tool for manipulator dynamics improvement, 10A533
JIMENEZ, JM: Simple and general method for kinematic synthesis of spatial mechanisms, 8A968
JIMENEZ, MA: Terrain-adaptive gait for walking machines, 12A434
JIMENEZ-ORTIZ, C: Extended Willis circle model to explain clinical observations in periorbital arterial flow, 7A1546
JIMINEZ, E: Kinetic studies of fluorine atom abstraction by ground state atomic cesium, $Cs(6^2S_{1/2})$, using time-resolved laser-induced fluorescence $[Cs(7^2P_{3/2} - 6^2S_{1/2}), \lambda = 455.5$ nm] following pulsed irradiation, 5A1345
JIN , DONGPING: Semi-active vibration control strategy based on piecewise-linear vibration absorbers (Chinese), 12T400
JIN , HENGYUN: Influence of warm overloading on stress-corrosion cracking of welded structures, 3A670
JIN , WEILLANG: Reliability-based design for jacket platform under extreme loads, 1A858
JIN, BX: Numerical study for the 3D Rayleigh-Taylor instability through the TVD-AC scheme and parallel computation, 1A1064
JIN, CHEN: Dynamic response with respect to base movement of spring frame supported cantilever simple beam with concentrated mass, 9A152
JIN, DONG-XIE: Study on the effect of a magnetic field on an electrolytic finishing process, 8A723
JIN, GUOLIANG: Theoretical and simulation study of acoustic normal mode coupling effects due to the Barents Sea Polar Front, with applications to acoustic tomography and matched-field processing, 1A310
JIN, HUI: Analytical solution of heat conduction on a locally non-uniformly heated surface of a plate with finite thickness, 1A1240
JIN, J: Study on the stress concentration at the round corners of flat heads in pressure vessels subjected to internal pressure, 5A392
JIN, JAEHYUN: Time-delayed state and unknown input observation, 10A425
JIN, JIANMING: Computation of Special Functions: With Computer Programs in FORTRAN, 1N3
JIN, JUNZE: New electromagnetic forming technology of composite materials (Chinese), 6A707
- Study of calculation model of mold resisting stress (Chinese), 6A705
JIN, KANG-REN: Boussinesq model for simulating wave and current interaction, 7A213
- Open boundary conditions for obliquely propagating nonlinear shallow-water waves in a wave channel, 10A289
JIN, LIMIN: Seismic strengthening of circular bridge pier models with fiber composites, 5A444
- Repair of earthquake-damaged RC columns with FRP wraps, 10A939
JIN, MING: Channel routing with flow losses, 3T968
JIN, N: Unlubricated sliding and rolling-sliding wear behavior of continuously cooled, low-medium carbon bainitic steels, 7A895
- Effect of microstructure on rolling-sliding wear of low carbide bainitic steels, 9A932
JIN, SHENG: Finite element analysis of complex incompressible flows, 1A46
JIN, SHI: Effects of numerical viscosities - I: Slowly moving shocks, 1A269
- Uniformly accurate schemes for hyperbolic systems with relaxation, 8A266
JIN, W: Wear behavior of a TiNi alloy, 3A862
JIN, XIAN-XI: Penetrative convection induced by the freezing of seawater, 2A1299
JIN, XIANDING: Finite element model for static and dynamic analysis of thin-walled beams with asymmetric cross-sections, 4A595
JIN, XIAOGANG: Crack straining-based spall model, 7A203
JIN, XIAOHAI: Study on the inverse kinematics problem of robot - 2nd Report: Analysis of plurality of inverse kinematics solutions of 3R type robot (Japanese), 12A444
JIN, XM: Spectral analysis for ultrasonic NDE applications using autoregressive, Prony, and multiple signal classification methods, 5A734
JIN, YAN-PING: High-temperature mechanical behavior and microstructure of SiC-whisker-reinforced MoSi$_2$ composites, 11A1379
JIN, YB: Wear behavior of a TiNi alloy, 3A862
JIN, YP: Permanent mold of Y-PSZ-Zircon composite for brass casting, 10A749
JIN, YS: Impact wear performances of Cr_3C_2-NiCr coatings by plasma and HVOF spraying, 9A941
JIN, YY: Effect of gravity modulation on natural convection in a vertical slot, 6A1237
JIN, Z-H: Basic fracture mechanics concepts in functionally graded materials, 1A726
- Interface cracking between functionally graded coatings and a substrate under antiplane shear, 7A741
JIN, ZAINAN: Experimental research on steel fiber reinforced concrete poles (Chinese), 10A934
JIN, ZHI-HE: Residual strength of an ARALL laminate containing a crack, 11A711
JIN, ZHIHAO: Mechanical and environmental factors in the cyclic and static fatigue of a machinable glass-ceramic, 7A667
JIN, ZJ: Principle and application of the constant strain rate tensile test with *in situ* scanning electron microscopy for evaluation of the adhesion of films, 7A968
JINCHO, M: Modeling of irradiation embrittlement of reactor pressure vessel steels (Japanese), 9A715
JINEN, E: Fracture behavior and acoustic emission in bending tests on single-fiber composites, 10A819
JING, LOU: Wave-current bottom shear stresses and sediment resuspension in Cleveland Bay, Australia, 7A219
JING, XIAOTIAN: Effect of temperature on the fracture modes of BHW-35 steel under mode-II loading, 10A1369
JINNO, K: Study on characteristics of radar parameters and real-time prediction of ground rainfall (Chinese), 10T1467
JIRASEK, M: Softening-induced dynamic localization instability: Seismic damage in frames, 6A1458
- Analytical and numerical solutions for frames with softening hinges, 6A907
JIRKA, GH: Buoyant plumes from multiport diffuser discharge in deep coflowing water, 3A1114
- Absolute and convective instabilities of plane turbulent wakes in a shallow water layer, 11A1083
JIROUSEK, J: Mesh design and reliability assurance in hybrid-Trefftz p-element approach, 1A24
- T-elements: State of the art and future trends, 6A24
- Survey of Trefftz-type element formulations, 8A51
JIRSA, JO: Retrofit of concrete columns with inadequate lab splices by the use of rectangular steel jackets, 6A1449
JIRSA, O: Retrofit of non-ductile moment-resisting frames using precast infill wall panels, 6A892
JIRUSE, M: Stereological unfolding of the trivariate size-shape-orientation distribution of spheroidal particles with application, 8A554
JNIFENE, A: Computed torque-time delay approach to the end-point control of a one-link flexible manipulator, 8A439
JO, M: Representation and analysis of mechanism by means of motor algebra and graph theory - 5 th Report: Error reduction by Gap-Pair method (Japanese), 8A967
JOFFE, J: Continuous flow residence time distribution function characterization, 7A1525
JOFFE, R: Interfacial toughness evaluation from the single-fiber fragmentation test, 5A674
JOG, MA: Numerical evaluation of heat clearance properties of a radiatively heated biological tissue by adaptive grid scheme, 10A1349
- Transient heat transfer to a spheroidal liquid drop suspended in an electric field, 11A1303
JOGUN, S: Rheology of dense suspensions of plate-like particles, 5A897
JOH, CHEE-YOUNG: In-situ identification of active magnetic bearing system using directional frequency response functions, 4A330
- Use of dFRFs for diagnosis of asymmetric-anisotropic properties in rotor-bearing system, 11A152
JOH, S: Heat transfer and flow stability in a rotating disk-stagnation flow chemical vapor deposition reactor, 12A1265
JOHANNESSON, P: Modeling and statistical analysis of ocean-wave data using transformed Gaussian processes, 6A271
JOHANSEN, KH: Influence of shape on the stresses in model abdominal aortic aneurysms, 2A1451
JOHANSEN, TA: Design and analysis of gain-scheduled control using local controller networks, 10A447
JOHANSSON, A: High temperature convective drying of wood chips with air and superheated steam, 9A1304
JOHANSSON, AV: Turbulence and Transition Modeling, 2N33
- Very large structures in plane turbulent Couette flow, 3A1148
- Shear-free turbulence near a wall, 11A1098
JOHANSSON, B: Resistance of I-girders to concentrated loads, 7A828
- Adhesive strength of deformed epoxy and polyester coatings, 10A1012
JOHANSSON, C: Assessment of the sound insulation of a wood joist construction due to different types of impact sources, 3A313
JOHANSSON, J: Air flows and particle distribution around a rotating grinding wheel, 2A965
JOHANSSON, L: Beam motion with unilateral contact constraints and wear of contact sites, 8A571
JOHANSSON, O: Source characterization of the lower front-end of a diesel engine, 8A311
- Noise reduction of diesel engines with internal stiffeners, 8A338
JOHANSSON, S: Materials for Mechanical and Optical Microsystems, 9N17
JOHARI, H: Impulsively started turbulent jets, 9A1094
- Experiments on impulsively started jet diffusion flames, 12A1405
JOHN, J: Development of 2D wakes within curved channels: Theoretical framework and Experimental investigation, 1A1071
- Theoretical and experimental study of development of 2D steady and unsteady wakes within curved channels, 11A1043
JOHN, N: Studies on wood-to-wood bonding adhesives based on natural rubber latex, 8A987
JOHN, VT: Analysis of mass transfer in arctic plumes: Implications for global climate, 7T1112
JOHNS, ME: Ultra-high power two-phase jet-impingement avionic clamshell module, 6A1256
JOHNSGARD, H: Numerical model for 3D run-up, 10A294
JOHNSON, A: Flow simulation and high performance computing, 5A947
JOHNSON, AA: Simulation of multiple spheres falling in a liquid-filled tube, 3A1047
- Three dimensional simulation of fluid-particle interactions with the number of particles reaching 100, 11A1014
JOHNSON, AR: Dynamics of thick viscoelastic beams, 12A505
JOHNSON, AW: Calculation of steady and oscillating flows in tubes using a vorticity transport algorithm, 7A1099
JOHNSON, CE: Soil stresses under a tractor tire at various loads and inflation pressures, 2A819
- Soil stress state orientation beneath a tire at various loads and inflation pressures, 12A493
JOHNSON, CH: Analysis of intermittency and probe data in a supersonic flow with injection, 11A975
JOHNSON, D: Improved design of vehicle seat, 7A1558
- Direct treatment of distributed loads in the collapse analysis and design of rigid frames, 12A920
JOHNSON, DA: Fully symbolic generation of the equations of motion of multibody systems containing flexible beams, 10A117
JOHNSON, DB: Introduction of micro cells to treat pressure in free surface fluid flow problems, 11A949
JOHNSON, DC: Effects of cofiring natural gas and coal on sulfur retention in ash, 1A1318
JOHNSON, DH: Numerical-experimental analysis of an API 8-round connection, 12A489
JOHNSON, DL: Nonlinear elasticity of granular media, 10A1441
- Rough elastic spheres in contact: Memory effects and the transverse force, 11A370
- Effects of an elastic membrane on tube waves in permeable formations, 12A230
JOHNSON, EK: Analytical approach to understanding the "pressure gain" combustor, 9A1376
JOHNSON, F: Leakage through flaws in geomembrane liners, 11A569
JOHNSON, GA: Convection and flow in porous media - Part 1: Visualization by magnetic resonance imaging, 8A1452
JOHNSON, GC: Microelectromechanical Systems, 3N10
JOHNSON, GR: Normalized smoothing functions for SPH impact computations, 2A214
- SPH for high velocity impact computations, 6A260
- Automatic sliding interface algorithm for intense impulsive loading computations, 7A206
- Dynamics of the upper limb during performance of the tasks of everyday living: A review of the current knowledge base, 8A1560
JOHNSON, H: Intercomparison of wave-driven current models, 12T1496
JOHNSON, JM: 1965 Rat Island earthquake: A critical comparison of seismic and Tsunami wave inversions, 4A1417
JOHNSON, KL: Model for the mild ratchetting wear of metals, 7A882
JOHNSON, LR: Scattering of P and S waves by a spherically symmetric inclusion, 5A1410
JOHNSON, LW: Distribution of strain in the human cornea, 10A1533
JOHNSON, MA: Controlling chaos in a two-well oscillator, 1A119
- Advanced control design for marine diesel engine propulsion systems, 12A410
JOHNSON, MC: Numerical investigation of an improved gas and steam turbine seal, 8A961
JOHNSON, MW: Experimental measurements in a centrifugal pump impeller, 7A1184
JOHNSON, P: Application of heat pipe heat exchangers to humidity control in air-conditioning systems, 11A1348

JOHNSON, PA: Laboratory study of linear and nonlinear elastic pulse propagation in sandstone, 3A200
- Frequency spectra of nonlinear elastic pulse-mode waves, 3A199
- Quasi-analytic treatment of hysteretic nonlinear response in elastic wave propagation, 9A191
- Characterization of stream meanders for stream restoration, 11T929
JOHNSON, PD: Performance improvement through indexing of turbine airfoils - Part I: Experimental investigation, 5A1098
JOHNSON, RE: Rate-dependent model for hot-rolling, 8A691
JOHNSON, RG: Evolution of a fast flame behind an induction zone, 4A1292
JOHNSON, RJ: Skiing Trauma and Safety, Tenth Volume, 1N53
- Skiing Trauma and Safety, 11th Volume, 10N33
JOHNSON, RP: Local flange buckling in plate girders with corrugated webs, 11A535
- Corrugated webs in plate girders for bridges, 11A533
JOHNSON, RS: Two-dimensional Boussinesq equation for water waves and some of its solutions, 4A226
JOHNSON, RW: High-order scheme implementation using Newton-Krylov solution methods, 10A1312
JOHNSON, S: Life Predictions Methodology for Titanium Matrix Composites, 2N25
JOHNSON, W: Plastic bending of clamped polygonal plates with an application to radial buckling in milk bottle tops, 1A563
- Trapped torsional modes in solid cylinders, 1A229
- Application of the FEM to determine the response of a pretorsioned pipe cluster to static or dynamic axial impact loading, 7A205
JOHNSON, WS: Proceeding of the American Society for Composites: Eleventh Technical Conference, Oct 1996, Atlanta GA, 8N13
- Prediction of stress-strain response of SCS-6 and Timetal-21S subjected to a hypersonic flight profile, 5A1302
- High temperature hybrid titanium composite laminates: An early analytical assessment, 6A549
JOHNSSON, M: Determining the manual setting order of components on PC boards, 1T410
JOHNSTON, G: Analysis of surface error distributions on concentrated solar collectors, 11A1519
- Flux mapping the 400 m^2 "Big Dish" at the Australian National University, 11A1521
JOHNSTON, GHG: Photogrammetry: An available surface characterization tool for solar concentrators - Part 1: Measurements of surfaces, 2A1428
JOHNSTON, IR: Ignition of a granular propellant bed, 1A1311
JOHNSTON, JP: Curved two-stream turbulent mixing layers revisited, 4T1082
JOHNSTON, MV: Real-time monitoring of the surface and total composition of aerosol particles, 9A1074
JOHNSTON, PR: Boundary element formulation of the forward problem of electrocardiology utilizing discontinuous elements, 1A85
- C^1-continuous elements for BE analysis, 10A83
JOHNSTON, R: Compressible flow hot-wire calibration, 9A1049
JOIA, IA: Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, 10A1199
JOKINEN, O: Nonmonotone solutions of an integrodifferential equation in linear viscoelasticity, 1A465
JOKIOINEN, I: Experimental and theoretical investigations for the design of scrubbers in heat recovery from paper machines, 11A1387
JOKL, P: Maximal contraction lessens impact response in a muscle contusion model, 3A1497
JOLICOEUR, C: Mechanical models of helical strands, 2A469
JOLLY, MR: Magnetoviscoelastic response of elastomer composites consisting of ferrous particles embedded in a polymer matrix, 9A524
- Regenerative systems for vibration control, 10A496
- Assessing the potential for energy regeneration in dynamic subsystems, 12A411
JOLY, P: Construction and analysis of fourth-order finite difference schemes for the acoustic wave equation in nonhomogeneous media, 1A330
- New theoretical approach to absorbing layers, 10A393
JONAS, JJ: Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, 11A434
JONASSON, M: Comparative study of shotblasted and electrical-discharge-textured rolls with regard to frictional behavior of the rolled steel sheet surfaces, 12A976
JONATHAN, P: Irregular, nonlinear waves in a spread sea, 8A1506
JONES , N: Shear and bending response of a rigid plastic circular plate struck transversely by a mass, 2A138
JONES , SE: Using internal fiber geometry to improve the performance of pin-loaded holes in composite materials, 3A491
JONES, BJ: Effects of compressibility on flow characteristics and dynamics of swing check valves: Part I, 11A978
JONES, CC: Stress-free temperature of the macro-interface in selectively reinforced aluminum castings, 1A1292
JONES, CJ: Continuous flow stirred tank reactor model and used oil volume corrections in condition monitoring, 9T1393
JONES, CJFP: New unit-cell to study the deformation mechanism of super soft clay overlaid by geogrid and sand, 3A613
JONES, CKRT: Phase field models for hypercooled solidification, 10A1339
JONES, D: Fatigue and Fracture - 1996, Volume 1, 4N13
JONES, DA: Local existence results for the generalized inverse of the vorticity equation in the plane, 2A975
- Influence of cellular structure on detonation transmission, 3T252
- Simulation and moderation of the thermal response of confined pressed explosive compositions, 3A1319
JONES, DP: Integrable K-solutions for common fatigue crack growth specimens, 9A733
JONES, DRH: Fatigue failure of a rotating chemical vessel, 1A704
- Effect of crack blunting in liquid metal environments on K_{isc} determined by the rising load test, 4T743
- Specificity in liquid metal induced embrittlement, 7T690
JONES, DV: Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, 12A138
JONES, F: Selected papers presented at the 4th International Conference on Interfacial Phenomena in Composite Materials, Eindhoven, Netherlands on September 11-13, 1995, 2A942
JONES, FR: Determination of the interfacial shear strength of glass-fiber-reinforced phenolic composites by a bimatrix fragmentation technique, 2A431
- Comprehensive model to predict the stress fields in a single fiber composite, 4A550
- Thermal-spike-enhanced moisture absorption by polymer-matrix carbon-free composites, 11A454
JONES, GF: Heat transfer in an electromagnetic bearing, 12A1160
JONES, IS: Impulse response model for the prediction of thermal striping damage, 5A1298
- Frequency response model of thermal striping for cylindrical geometries, 12A1344
JONES, J: Hydrostatic force sensor for robotic applications, 9A377
JONES, JD: Modeling of SMA tendons for active control of structures, 9A848
- Effects of piezo-actuator delamination on the performance of active noise and vibration control systems, 9A279
JONES, JDC: Whole-field optical diagnostics for structural analysis in the automotive industry, 1A810
- Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, 2A732
JONES, JE: Fiber optic sensor development for real-time in-situ epoxy cure monitoring, 7A367
- Review of recent developments in tidal hydrodynamic modeling - I: Spectral models, 9A1520
- Review of recent developments in tidal hydrodynamic modeling - II: Turbulence energy models, 9T1506
JONES, MA: Computational methods for the acoustic modal analysis of an enclosed fluid with application to a loudspeaker cabinet, 3A300
JONES, MCW: Nonlinear ripples of Kelvin-Helmholtz type which arise from an interfacial mode interaction, 12A261
JONES, MG: Comparison of methods for determining specific acoustic impedance, 10A402
JONES, MI: Interlaminar failure of unidirectional glass-epoxy due to combined through thickness shear and tension, 4A757
JONES, MP: Whole-field optical diagnostics for structural analysis in the automotive industry, 1A810
JONES, MR: Thermal tomographic detection in inhomogeneities, 11A1330
JONES, N: Structural Impact, 9N10
- Multi-dof model for dynamic buckling of an elastic-plastic structure, 1A600
- Influence of internal pressure on the impact behavior of steel pipelines, 5A809
- Dynamic elastic-plastic buckling phenomena in a rod due to axial impact, 6A632
- Analysis of the shear failure of rigid-linear hardening beams under impulsive loading, 8A570
- Strain-rate effects in the dynamic buckling of a simple elastic-plastic model, 10A671
- Study on the large ductile deformations and perforation of mild steel plates struck by a mass - Part II: Discussion, 11A415
- Study on the large ductile deformations and perforation of mild steel plates struck by a mass - Part I: Experimental results, 11A414
JONES, NB: Vibration analysis in the detection of total hip prosthetic loosening, 4A1499
JONES, OS: Implicit scheme for nonideal magnetohydrodynamics, 8A1210
JONES, P: ASME Proceedings of 31st National Heat Transfer Conference, Volume 2, 2N37
- Prediction of flow and erosion in power utility boilers and comparison with measurement, 12A1329
JONES, PD: Proceedings of the ASME Heat Transfer Division, Volume 1, 3N41
JONES, PJ: Modeling, actuation, and control of an active fluid vibration isolator, 6A868
JONES, R: Elastic-plastic FE analysis of spall formation in gears, 2A404
- Determination of the stress components of an array of piezoelectric sensors: A numerical study, 10A673
- Experimental description of the response of paper, 11A491
- Structural integrity monitoring, 12A769
JONES, RA: Numerical investigation of vibrational nonequilibrium effects in hydrogen-oxygen rocket engines, 7A1061
JONES, RK: Method for estimating boiling temperatures of crude oils, 3A1212
JONES, RT: Detection of impact location and magnitude for isotropic plates using neural networks, 9A200
JONES, SA: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587
- Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, 10A1554
JONES, SD: Optimization strategy for maximizing coordinate measuring machine productivity - Part 2: Problem formulation, solution, and experimental results, 11A355
- Optimization strategy for maximizing coordinate measuring machine productivity - Part 1: Quantifying the effects of operating speed on measurement quality, 11A354
JONES, SE: Engineering analysis of plastic wave propagation in the Taylor test, 7A189
- Continuum mechanics code analysis of steady plastic wave propagation in the Taylor test, 8A227
JONES, SM: Wave-rotor-enhanced gas turbine engines, 10A1427
JONES, SP: Preliminary investigation of neural network technique to predict tribological properties, 10A504
JONES, T: In vitro study on the effect of branch points on the stability of coronary artery flow, 11A1575
JONES, TV: Analysis of a gas lubricated hydrodynamic thrust bearing, 1A1134
- Heat transfer enhancement within a turbine blade cooling passage using ribs and combinations of ribs with film cooling holes, 1A1108
- Color image processing system for transient liquid crystal heat transfer experiments, 1A1203
- Turbulent-spot propagation in a decelerating, compressible flow, 4T1086
- Free vortex theory for efficiency calculations from annular cascade data, 10A1230
JONES, WP: Large-eddy simulation of a plane jet in a cross-flow, 2A963
- Predictions of axisymmetric and 2D impinging turbulent jets, 5A1017
- Reynolds stress closure applied to axisymmetric impinging turbulent jets, 6A1126
JONG, JH: Vibration of a tube bundle in two-phase Freon cross-flow, 11A206
JONG, SW: Unsteady turbulent flow past solid fence, 11A911
JONGKITTINARUKORN, K: Cubature solution of the Poisson equation, 12A1279
JONGMANS, D: Dynamic soil parameters determination by geophysical prospecting in Mexico City: Implication for site effect modeling, 5A517
- Analysis of wave propagation in the Valley of Mexico from a dense array of seismometers, 8A1495
JONGSCHAAP, RJJ: Thermodynamic approach to rheological modeling and simulations at the configuration space level of description, 8A1017
JONKER, JB: Finite element perturbation method for computing fluid-induced forces on a centrifugal impeller rotating and whirling in a volute casing, 6A1204
JONNALAGADDA, K: Local displacements and load transfer in shape memory alloy composites, 8A555
JONSATER, T: Influence of rolling speed upon friction in cold rolling of foils, 10A1178
JONSSON, L: Measurements of the velocity field downstream of an impeller, 4A1144
JONSSON, N: T-stress evaluations of mixed mode I and II fracture specimens and T-effects on mixed mode failure of aluminum, 1A751
JONSSON, T: Waves and Distributions, 1R10
JONSSON, U: Effect of pressurized gases on the viscosity of polyalkylene glycols, 12A1221
JOO , SW: Mechanism for rivulet formation in heated falling films, 3A1141
JOO, SEO JIN: Optimal chip layout on a printed circuit board using design sensitivity analysis of subdomain configuration, 11A1372
JOO, SW: Full-scale numerical study of interfacial instabilities in thin-film flows, 5A1034
- Three-dimensional simulation of instabilities and rivulet formation in heated falling films, 8T1069
JOO, TONG M: Effects of welding conditions on molten drop geometry in arc welding, 5A880
JOO, Y: Mechanism of fluidelastic instability of a tube placed in an array subjected to two-phase crossflow, 11A1071
JOO, YOUNG-SANG: Theory of the background amplitudes in acoustic resonance scattering, 9A272
JORASZ, U: Perceptibility of the frequency drop caused by the Doppler effect for simulated sound source motion in the median plane, 4A274
JORDAAN, I: Environmental factors in iceberg collision risks for floating systems, 1A1442
JORDAAN, IJ: Application of damage mechanics to ice failure in compression, 1A1441
- Analysis of medium scale ice-indentation tests, 1A1440
- Flow properties of crushed ice, 11A1554
- Environmental load uncertainties for offshore structures, 11A818
JORDACHE, N: Computer rigid disk surface assessment with laser interferometry using DDS, 2A371
JORDAN, D: Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, 10A1199
JORDAN, L: Sensitivity of structural joint stiffnesses with respect to beam properties: A hybrid approach, 10A907
JORDAN, M: Analysis and design of ER damper for seismic protection of structures, 3A186
- Zeolite-based electrorheological fluids: Testing, modeling and instrumental artifacts, 7A980
JORDAN, SA: Efficient fractional-step technique for unsteady incompressible flows using a semi-staggered grid strategy, 2T40
JORDAN, T: Effects of an electrically conducting first wall on the blanket loading during a Tokamak plasma disruption, 4A1105
JORDET, EA: Long-span bridges in Norway constructed in high-strength LWA concrete, 4A843
JORGE JR, AM: How workability studies of metallic materials using hot torsion test (Spanish), 1A1297
JORGENSON, PCE: Implicit numerical scheme for the simulation of internal viscous flow on unstructured grids, 2A959
JORY, B: Investigation of impact stresses induced in laboratory dynamic compaction of soft soils, 4A643
JOSEFSON, BL: Routine FE determination of stress intensity factors at curved crack fronts using an influence function technique, 12A843
JOSELL, D: Dynamic aspects of wetting balance tests, 4A691
JOSEPH, DD: Note on the forces that move particles in a second-order fluid, 1A1012
- Vaporization of a liquid drop suddenly exposed to a high-speed airstream, 2A998
- Non-solenoidal velocity effects and Korteweg stresses in simple mixtures of incompressible liquids, 4A1023
- Motion of solid particles suspended in viscoelastic liquids under torsional shear, 5A970
- Direct simulation of interfacial waves in a high-viscosity-ratio and axisymmetric core-annular flow, 6A279
- Steep wave fronts on extrudates of polymer melts and solutions: Lubrication layers and boundary lubrication, 11A1178
JOSEPH, E: Effect of frequency on the fatigue performance of filament-wound pipes under biaxial loading: Experimental results and damage model, 9A703
JOSEPH, F: Member stiffness with offset hinges, 9A826
JOSEPH, PF: Standardized complex and logarithmic eigensolutions for n-material wedges and junctions, 2A694
JOSEPH, R: Studies on wood-to-wood bonding adhesives based on natural rubber latex, 8A987
JOSEPSON, J: Electronic techniques in isodyne stress analysis - Part I: Basic relations, 8A846
JOSHI, A: Elastic response of accelerating launch vehicles subjected to varying control pulses, 6T204
JOSHI, AA: Design of geosynthetic reinforced embankments on soft soil, 1A624
- Centrifuge modeling of geosynthetic reinforced embankments on soft ground, 1A623
JOSHI, AS: Optimum parameters of multiple tuned mass dampers for base-excited damped systems, 11A315
JOSHI, GA: Computer rigid disk surface assessment with laser interferometry using DDS, 2A371
JOSHI, S: High frequency electrical measurements of adhesive bonded structures: An investigation of model parallel plate waveguide structures, 12A870
JOSHI, SB: Environmental ageing of adhesively-bonded joints - I: Dielectric studies, 12A1040
- Environmental ageing of adhesively-bonded joints - II: Mechanical studies, 12A1041
JOSHI, SM: Global stabilization of flexible multibody spacecraft using quaternion-based nonlinear control law, 3T378

JOSHI, SP: Deflection of rectangular orthotropic plates under uniform load, 4T598
- Elastic wave generation by piezoceramic patches, 4A799
- Effect of loading parameters on damage-induced shear-extension coupling in laminate, 9T751
- Long-term strength and damage analysis of laminated composites, 12A786
JOSHI, SS: Systems theory approach to the feedback stabilization of infinitesimal and finite-amplitude disturbances in plane Poiseuille flow, 8A389
JOSHI, Y: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Application of phase change materials for passive thermal control of plastic quad flat packages: A computational study, 1A1275
- Nonaxisymmetric convection in stationary gas tungsten arc weld pools, 8A1311
JOSHI, YK: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
- Application of phase change materials to thermal control of electronic modules: A computational study, 9A1316
- Computations for a three-by-three array of protrusions cooled by liquid immersion: Effect of substrate thermal conductivity, 11A1369
JOSHY, PJ: Device to suppress vortexing during draining from cylindrical tanks, 2T237
- Influence of rotation and vibration on discharge of liquid from a cylindrical tank, 2T241
JOSLIN, RD: Simulation of nonlinear instabilities in an attachment-line boundary layer, 1A1058
- Active control of instabilities in laminar boundary layers: Overview and concept validation, 4A371
- Simulation of 3D symmetric and asymmetric instabilities in attachment-line boundary layers, 5T998
- Self-contained automated methodology for optimal flow control, 10A1144
- Perturbation dynamics in viscous channel flows, 11A1065
JOTSHI, CK: Management and combustion of hazardous wastes, 8A1554
- Incineration of solid waste and energy recovery: A state-of-the-art survey, 9T1555
- Techno-economic analysis of solar detoxification systems, 11A1547
JOU, HORNG-SHIAN: Stress intensity factor of a patched crack, 9A736
JOU, JONG JHY: Effects of Coriolis force and surface tension on Benard-Marangoni convective instability, 6A1240
JOU, JONG-JHY: Oscillatory instability analysis of Benard-Marangoni convection in a rotating fluid with internal heat generation, 5A1161
- Boundary effect on the Benard-Marangoni instability in a fluid-solid system, 5A1197
JOUANEH, M: Real time control of thermal distortion during pulsed laser welding of optical packages, 2A375
- Flexible automated foam cutting system, 8A725
JOUANNA, P: Modern Issues in Non-Saturated Soils, 3R16
- Generalized approach to heterogeneous media, 6A1375
JOUHARI, M: Thermodynamic analysis of a propagating crack in saturated porous media, 8A1460
JOULAIN, K: Coalescence problems in the theory of expanding wrinkled premixed flames, 4A1284
JOULIN, G: Radiation-affected hydrodynamic instability of particle-laden flames, 2A1313
- Variational principle for reaction-radiation-conduction equilibria, 4A1287
- Coalescence problems in the theory of expanding wrinkled premixed flames, 4A1284
- Influence of gradient transports upon the burning velocities of dust flames, 6A1329
JOURDAN, G: Shock induced Richtmyer-Meshkov instability in the presence of a wall boundary layer, 1T272
- Laser absorption density direct measurements with limitation of temperature variation field in shock-induced gaseous mixing, 10T309
JOURNEAU, C: High frequency response of a fluid-filled cylindrical shell with an internal column of gas bubbles: Application to active acoustic gas leak detection, 1A277
JOVANOVIC, DB: Electronic techniques in isodync stress analysis - Part I: Basic relations, 8A846
JOVIC, S: Combined experimental and computational study of pressure-driven 3D separation in a turbulent boundary layer, 4A1039
- Wind-tunnel test of flow through Mars pathfinder Lander, 12T1236
JOY, DM: One-dimensional FE model for high flow velocities in porous media, 3A16
JOYCE, A: Influence of radiation absorption on solar pond stability, 2A1433
JOYE, DD: Correlation for opposing flow, mixed convection heat transfer in a vertical tube with constant wall temperature, 2T1175
- Aiding and opposing mixed-convection heat transfer in a vertical tube: Loss of boundary condition at different Grashof numbers, 4A1204
JOYNER, WB: Site amplifications for generic rock sites, 12A1465
JOYNT, DL: Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, 4A406
- Control of the fabrication of long slender workpieces of arbitrary shape - Part II: Closed-loop control of the multi-axis bending process, 4A407
JOZAWA, T: Measurements of distributions of contact pressures between ground surfaces using PET films, 5A854
JOZEFOWICZ, R: Brillouin zone mapping of the existence conditions for interface bilayer spin-waves: Effects of the configuration of the film magnetization, 2T534
JU, CP: Surface effect on braking behavior of PAN-pitch carbon-carbon composite, 5A848
JU, DONG-YING: Simulation of quenching-tempering process based on metallo-thermo-mechanics (Japanese), 1A1284
JU, GJ: Robust stable generalized predictive control, 12A384
JU, HANN-SHING: Pilot prefilter design via H_∞ model-matching approach, 7T353
JU, JW: Effective elastoplastic behavior of two-phase ductile matrix composites: A micromechanical framework, 4A536
- Effective elastoplastic algorithms for ductile matrix composites, 9A456
JU, MS: Extraction of normal modes from contaminated measurement with noise for highly coupled structures, 1A155
- Estimation of mass, stiffness and damping matrices from frequency response functions, 11A274
JU, SH: Life prediction of solder joints by damage and fracture mechanics, 6A733
- Simulating stress intensity factors for anisotropic materials by the least-squares method, 10A802
JU, Y: FFT thermoelastic solutions for moving heat sources, 7A1219
JU, YIGUANG: Radiation extinction limit of counterflow premixed lean methane-air flames, 11A1412
JU, YONGLIN: Numerical simulation of natural convection in an enclosure with discrete protruding heaters, 2A1171
JUANG, JER-NAN: Applied System Identification, 7R6
- Comparison and combination of learning controllers: Computational enhancement and experiments, 3A356
- System realization using information matrix, 10T419
- Robust controller for second-order systems using acceleration measurements, 12A382
JUBRAN, BA: Convective heat transfer and pressure drop characteristics of various array configurations to simulate the cooling of electronic modules, 1A1276
- Experimental investigation of local clays and clay schemes as liners for solar ponds, 1A1433
- Comparison of various basic wavelets for the analysis of flow-induced vibration of a cylinder in cross flow, 3T264
- Effects of climatic conditions on the performance of Carnallite solar ponds, 7A1509
- Optimization of cylindrical pin fin arrays with an accelerated flow subjected to convective heat transfer, 7A1335
JUDD, CD: Velocity field and surfactant concentration measurement techniques for free-surface flows, 8A1070
JUDD, MJ: Wind tunnel study of turbulent flow around single and multiple windbreaks - Part I: Velocity fields, 5T1432
JUDD, RP: Manufacturing systems engineering and design: An intelligent, multi-model, integration architecture, 4A473
JUDEX, S: Adaptation of bone to physiological stimuli, 10A1510
JUDKINS, RR: Review of the efficacy of silicon carbide hot-gas filters in coal gasification and pressurized fluidized bed combustion environments, 1A1367
- Development of ceramic composite hot-gas filters, 1A1357
JUDY, JH: Friction and wear studies of carbon over-coated thin films magnetic sliders: Application of Raman microspectroscopy, 12A992
JUGO, D: Simulation Modelling in Bioengineering, 5N31
JUHANKO, J: Influence of topography on the running-in of water-lubricated silicon carbide journal bearings, 7A918
JUKER, D: Appropriately placed surface EMG electrodes reflect deep muscle activity (psoas, quadratus lumborum, abdominal wall) in the lumbar spine, 4A1482
JUKIC, D: Existence of optimal solution for exponential model by least squares, 8A75
JULIAN, BR: Earthquake mechanisms from linear-programming inversion of seismic-wave amplitude ratios, 2A1396
JULIEN, K: Rapidly rotating turbulent Rayleigh-Benard convection, 3A1025
- Plume dynamics in quasi-2D turbulent convection, 9A1338
JULLIEN, JF: Buckling of cylindrical shells under external pressure proposition of a new shape of self-stiffened shell, 2A521
JUMARIE, G: Tracking control of manipulators with active inertias by using sliding Lagrangian, 3A410
JUMPER, EJ: Experimental measurements of dynamic control surface effectiveness, 4A1113
- Time-resolved wave front measurements through a compressible free shear layer, 9A1190
JUN , QIAN: Fundamental solutions for half plane with an oblique edge crack, 5A646
JUN, CHEN YUE: Correction of plasticity effect at the hole edge when using the center hole method for measuring high welding residual stress, 6A509
JUN, J: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
JUN, ZANG: Action of cnoidal waves on vertical walls, 1A281
JUNG, DR: Role of building foundations in seismic retrofit, 6A1451
JUNG, G-H: Numerical method for sensitivity analysis of eigensystems with non-repeated and repeated eigenvalues, 2A104
JUNG, GIL-HO: Efficient algebraic method for the computation of natural frequency and mode shape sensitivities - Part I: Distinct natural frequencies, 7A166
- Efficient algebraic method for the computation of natural frequency and mode shape sensitivities - Part II: Multiple natural frequencies, 7A167
JUNG, JONG-YEOB: Fuzzy-control simulation of cross-sectional shape in six-high cold-rolling mills, 6A454
JUNG, SUNG NAM: Shear correction factors for thin-walled composite boxbeam considering non-classical behaviors, 2A475
JUNGHANNS, P: Fast algorithm for Prandtl's integro-differential equation, 7A1176
JUNGOWSKI, WM: Compressor station recycle system dynamics during emergency shutdown, 1A1099
- Pressure oscillations occurring in a centrifugal compressor system with and without passive and active surge control, 11A1156
JUNKINS, JL: Higher-order Cayley transforms with applications to attitude representations, 10T463
- New penalty functions and optimal control formulation for spacecraft attitude control problems, 10A466
JUNQUEIRA, SLM: Forced convection in a fluid-saturated porous-medium channel with isothermal or isoflux boundaries, 3A1222
JUNXUAN, LIN: Goupillaud inverse problem with arbitrary input, 12A323
JUOZAITIS, A: Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407
JUPILLE, J: Simple views on metal-oxide interfaces: Contributions of the long-range interactions to the adhesion energy, 4A958
JURADO, JR: Role of triboelectrification mechanism in the wear behavior of Al_2O_3-SiC platelet composites, 4A888
JURAN, I: Theory and practice of projectile's penetration in soils, 3A588
JURCO, M: Application of differential pneumatic clutches with and without autoregulation in torsionally oscillating mechanical systems (Polish), 10A1001
JURGENS, J: Development and evaluation of an inexpensive sensor system for use in measuring relative finger positions, 10A1553
JURSA, P: Low temperature of a combustion engine and its emissions (Polish), 9A1398
JURVELIN, JS: Optical and mechanical determination of Poisson's ratio of adult bovine humeral articular cartilage, 7A1555
JUSTE, GL: Residual velocities in combustion experiments on board of sounding rockets, 7A1426
JUSTESEN, P: Sediment in oscillatory flows over a plane bed, 10A1056
JUTILA, A: Nonlinear damping of slender wood bridges, 3A797
JUTTNER, B: Two-dimensional model for slow convection at infinite Marangoni number, 8A1080
JUUSE, L: Sustainable phosphate rock mining, 11T1509

K

KABAK, VN: Double asymptotic method for nonlinear forced oscillations problem of mechanical systems with time dependent parameters, 7A125
KABAMBA, PT: Coupling between the modeling and controller-design problems - Part II: Design, 12A374
KABEL, J: Direct mechanics assessment of elastic symmetries and properties of trabecular bone architecture, 5A1464
- Fabric and elastic principal directions of cancellous bone are closely related, 10A1515
KABEYA, S: Displacement analysis and back-analysis of viscoelastic medium with arbitrary shaped tunnel under quasi 3D rock stresses (Japanese), 4A653
KABIR, HRH: Bending of a simply supported rectangular plate with arbitrary lamination, 6A586
KABOUDAN, MA: Diagnosing time series dynamical structures, 2A51
KABRITS, SA: Nonlinear theory of isotropically elastic thin shells with allowance for transverse shear, 1A561
KACHANOV, M: Three-dimensional interactions of a circular crack with dipoles, centers of dilatation, and moments, 3A689
- Stress concentrations and microfracturing patterns in a brittle elastic solid with interacting pores of diverse shapes, 12A832
KACHANOV, YS: Experimental study of a swept-wing boundary-layer stability with respect to unsteady disturbances, 1A1032
KACIANAUSKAS, R: Semi-analytical FEs in the higher-order theory of beams, 6A575
KACIMOV, AR: Explicit solutions for seepage infiltrating into a porous earth dam due to precipitation, 4A651
- Explicit, rigorous solutions to 2D heat transfer: Two-component media and optimization of cooling fins, 5A1270
KACK, B: Effect of load-distributing devices on the stability of heavy vehicles, 8A398
KACZMARCZYK, ST: Effect of the form parameters of a tracked APC on its swimming resistance, 12A1163
KACZMAREK, J: Formulation of continuum mechanics as a dimensional reduction of a finite-dimensional dynamical system, 9A2
KACZOREK, T: Local controllability and minimum energy control of continuous 2D linear time-invariant system, 4T322
- Application of LMI to the 2D Roesser model, 9A321
- Extension of the pole assignment for descriptor linear systems with nonsquare matrix pencils, 9T299
- Reachability and controllability of non-negative 2D Roesser type models, 9A300
KADAKAL, E: Trial-free-boundary method for computing Batchelor flows, 11A972
KADAMBI, JR: Transport of vortices through a turbine cascade, 5A1097
KADANOFF, L: Scaling and linear response in the GOY turbulence model, 7A1154
KADDECHE, S: Numerical study of convection in the horizontal Bridgman configuration under the action of a constant magnetic field - Part I: 2D flow, 8A1207
KADDOUR, AS: Burst behavior of ± 75° filament-wound Kevlar-epoxy and carbon-epoxy tubes at high loading rates, 7A850
KADET, VV: Percolation Models for Transport in Porous Media with Applications to Reservoir Engineering, 11R37
KADINSKI, L: Numerical study of grey-body surface radiation coupled with fluid flow for general geometries using a finite volume multigrid solver, 1A1234
KADIOGLU, Y: FEM study of fatigue crack closure under double slip, 4A744
- Methodology for predicting variability in microstructurally short fatigue crack growth rates, 10A762
- Thermomechanical and isothermal fatigue behavior of bare and coated superalloys, 11A650
KADIRKAMANATHAN, V: Stable sequential identification of continuous nonlinear dynamical systems by growing radial basis function networks, 3T336
KADISH, A: Frequency spectra of nonlinear elastic pulse-mode waves, 3A199
KADLCAK, J: Statics of Suspension Cable Roofs, 6R15
KADO, K: Development of user-friendly structural design system for pressure vessels, 1A869
KADOKURA, H: Evaluation of collision analysis of ship to pile type fender (Japanese), 2A211
KADOMA, IA: Structural transitions in wormlike micelles, 9A985
KADONO, M: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825
KADOUCH, O: Analysis of the failure of ceramics due to subcritical crack growth, 1A679
KADOWAKI, S: Numerical study on the instability of premixed plane flames in the 3D field, 5A1335
KADOYA, Y: Size and shape of particulate polyethylene wear debris in total joint replacements, 10A979
KADUCHAK, G: Elastic wave contributions in high-resolution acoustic images of fluid-filled, finite cylindrical shells in water, 1A278
KAELIN, B: Fracture detection using crosswell and single well surveys, 9A1468
KAGAN, L: Self-fragmentation of nonadiabatic cellular flames, 6A1333
KAGAWA, Y: Debonding criterion in the pushout process of fiber-reinforced ceramics, 1A756
- Characterization of interface sliding damage in SiC fiber-reinforced Ti-15-3 matrix composite by cyclic fatigue, 11A695
- Thermal shock damage in a 2D SiC-SiC composite reinforced with woven SiC fibers, 12A1343
- Vocal tract shape identification from formant frequency spectra: A simulation using 3D BE models, 12A345

KAGE, K: Comparative study of Navier-Stokes calculations and experiments for the Savonius rotor, 11T1159
KAGGWA, WS: Inaccuracies associated with estimating random measurement errors, 11A570
KAGIWADA, T: Robot design for stair navigation, 5A336
- Method for ball screw generation without form-dressing, 7A621
KAH SOH, A: Stability and failure of symmetrically laminated plates, 4A623
KAHAN, M: Influence of seismic waves spatial variability on bridges: A sensitivity analysis, 2A1385
KAHAWITA, R: Transient buoyancy-thermocapillary convection in two superposed immiscible liquid layers, 5A1186
- Effects of anisotropy in permeability on the two-phase flow and heat transfer in a porous cavity, 8A1455
KAHL, K: Damage detection in beam structures using subspace rotation algorithm with strain data, 6A746
KAHNG, AB: Cooperative mobile robotics: Antecedents and directions, 10A520
KAHNKE, JL: Development of ceramic composite hot-gas filters, 1A1357
KAHRAMAN, A: Interactions between commensurate parametric and forcing excitations in a system with clearance, 1A125
- Experiments on nonlinear dynamic behavior of an oscillator with clearance and periodically time-varying parameters, 10A133
KAIGLE, A: Intervertebral disc response to cyclic loading: An animal model, 8A1559
KAIHARA, S: Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, 8A1513
KAIKTSIS, L: Unsteadiness and convective instabilities in 2D flow over a backward-facing step, 3A1130
KAILA, KL: Interpretation of first arrival travel times in seismic refraction work, 1A1413
KAILAS, SV: Sliding wear of titanium, 7A887
KAILASANATH, K: Stability of projectiles in thermally choked ram accelerators, 1A1378
- Behavior of heavy particles in an acoustically forced confined shear flow, 5T1348
- Detonation structures generated by multiple shocks on ram-accelerator projectiles, 6A330
KAILATH, T: H$_\infty$ filtering via convex optimization, 7T319
KAINZ, W: Application of Hilbert space techniques and Green's function methods to a realistic condenser microphone model, 4A307
- Analytical solution of a condenser microphone model as an example of the mathematical treatment of coupled acoustic systems, 4A306
KAISER, C: Directed percolation model for clogging in a porous medium with small inhomogeneities, 9A1424
KAISER, R: Wind tunnel study of turbulent flow structure in the convective boundary layer capped by a temperature inversion, 3A1151
KAIZU, K: Sensing block method for measuring impact force generated at a contact part, 7A209
KAJI, M: Dryout and wall-temperature fluctuations in helically coiled evaporating tubes, 2A1212
- Fracture toughness of structural ceramics under biaxial stress state by anticlastic bending test, 8A800
KAJI, S: Study of design method of pile anchored to bedrock (Japanese), 2A561
- Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), 2A574
- Pressure field around a rectangular supersonic jet in screech, 4A1004
- Development of an active mass damper for a suspended load on a floating crane (Japanese), 6A161
KAJI, Y: Study on the buckling of rectangular bellows under pressure loads, 5A495
KAJISHIMA, T: Numerical simulation of unsteady flow in air-lift pump, 3T1085
KAJITANI, M: Coordinate measuring method using laser plane scanners - 2nd Report: 2D measurement (Japanese), 8A845
KAJIWARA, K: Simplified analysis of circular cellular plates, 4A599
KAJIWARA, S: Recognizing chaotic time-waveforms in terms of a parametrized family of nonlinear predictors, 2A81
KAJIWARA, Y: Design for tunnel linings which involve property of steel fiber reinforced concrete (Japanese), 8A923
KAJIYA, F: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587
KAJON, G: Strain gage behavior on sandwich glasses, 11A760
KAKAC, S: Boiling onset oscillation: A new type of dynamic instability in a forced-convection upflow boiling system, 2A1207
- Integral transform solution of heat transfer in two-phase gas-liquid annular flow, 7A1297
KAKATSIOS, XK: Analytical and empirical solutions of the oblique and normal shock waves with application to real ammonia, 8A263
KAKAVAS, PA: Thermal stress concentration due to imperfect adhesion in fiber-reinforced composites, 12A1346
KAKAZU, Y: Review of complex systems engineering (Japanese), 3T328
KAKIHARA, H: Back analysis method using measured displacements for predicting deformational behavior of discontinuous rock mass (Japanese), 5A543
KAKINO, Y: Study on the generation mechanism and the compensation for the exponential-type lost motion for feed drive system of NC machine tools, 1T427
- Development of straight cup wheel to prevent grinding seizure for grinding center, 3T637
- Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), 9A676
- High speed and high acceleration feed drive system for NC machine tools, 10A752
- Fuzzy ID3 and its application to rules generation for process distribution in grinding (Japanese), 12A739
KAKIUCHI, E: Microstructural effect on low cycle fatigue behavior in Ti-alloys under biaxial loading, 12A760
KAKIUCHI, Y: Axial load capacity of water-lubricated hydrostatic conical bearings with spiral grooves: On the case of rigid surface bearings, 4A1157
KAKLIS, PD: Shape-preserving interpolation in R^3, 12A458
KAKODKAR, A: Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, 4A769
- Use of an unconventional technique for seismic qualification of equipments, 4A1415
- Significance of higher modes for evolution of chaos in structural mechanics systems, 6A124
- Boundary element method based computation of stress intensity factor by modified crack closure integral, 9A773
KAKOL, W: Limit load analysis of perforated disks with square penetration pattern, 8A527
KAKUTA, H: Spin angle control lapping of balls - 1st Report: Theoretical analysis of lapping mechanism (Japanese), 7A639
KAKUTA, Y: Application of Monte Carlo simulation for fractographic analysis of fatigue crack propagation, 2A651
- Dynamic characteristics of submerged floating tunnels due to wave force (Japanese), 9A896
KALAFATIS, AD: Identification of Wiener-type nonlinear systems in a noisy environment, 10T414
KALAITZAKIS, K: Size optimization of a PV system installed close to sun obstacles, 8A1541
KALAMKAROV, AL: Intelligent composite structures: General theory and applications, 4A537
- Analysis and design of fiber-reinforced composite shells, 7A522
- Stress analysis in elastic joint structures, 8A490
- Explicit stability conditions for viscoelastic structural members, 10A579
- Optimal design problems in mechanics of growing composite solids - Part II: Shape optimization, 11A631
- Optimal design problems in mechanics of growing composite solids - Part I: Preload optimization, 11A630
- Analytical, numerical, and experimental studies of effective elastic properties of periodically perforated materials, 11A362
KALANTAROV, VK: Long-time behavior of solutions of a nonlinear fourth order wave equation, describing the dynamics of marine risers, 10A182
KALANTARY, MR: Experimental investigation of the formation of surface mount solder joints, 6A977
KALDELLIS, JK: Aero-thermodynamic loss analysis in cases of normal shock wave-turbulent shear layer interaction, 11A1025
KALDOR, S: Macro-level optimization of cutting tool geometry, 8A709
KALELI, H: Effect of lubricant additives on the transition pressure from mild to severe wear for grey cast iron sliding pairs, 12A943
KALETA, J: Application of the Villari effect in a fatigue examination of nickel, 6A735
KALETKA, J: Advances in rotorcraft system identification, 9A1168
KALGHATGI, GT: Fuel effects on knock, heat release, and "CARS" temperatures in a spark ignition engine, 2A1344
KALIAKATSOS, CH: Application of an artificial compressibility methodology for the incompressible flow through a wavy channel, 1A968
KALIDINDI, SR: Numerical evaluation of isostrain and weighted-average models for elastic moduli of 3D composites, 9A525
- Numerical investigation of the mechanics of swelling-type intramedullary hip implants, 12A1580
KALININA, SV: Heat transfer coefficient and aerodynamic resistance on a surface with a single dimple, 9A1295
KALINSKI, K: Finite element method application to linear closed loop steady system vibration analysis, 6A219
KALISKE, M: Formulation and implementation of 3D viscoelasticity at small and finite strains, 9A445
- Finite element implementation of rubber-like materials at finite strains, 12A32
KALISZ, H: Design and construction of covered triple septic chamber (Polish), 2A848
KALISZKY, S: Optimal plastic limit and shakedown design of bar structures with constraints on plastic deformation, 6A842
KALITZOVA-KURTEVA, P: Unsteady film flow of power-law liquids on a rotating disk, 6A1028
KALJEVIC, I: Treatment of initial deformations in the Integrated Force Method, 6A31
KALKER, JJ: Simulation of rough, elastic contacts, 12A492
KALKHORAN, IM: Interaction of supersonic wing-tip vortices with a normal shock, 2A1082
KALLA, P: Use of tergitol-7 in photogalvanic cell for solar energy conversion and storage: Toluidine blue-glucose system, 1A1434
KALLAS, P: Indentation energy and abrasive wear of metals, 3A856
KALLASSY, A: Optimization of stiffened plates by genetic search, 10A905
KALLEN, ER: Using an adjoint model to improve an optimum interpolation-based data-assimilation system, 9A1522
KALLIERIS, D: Protection for thorax injury severity in 90° lateral collision, 2A1448
KALLINDERIS, Y: Octree-advancing front method for generation of unstructured surface and volume meshes, 12A60
KALLIONTZIS, C: Finite element stress analysis of unilaterally supported submarine pipelines, 5A799
- Nonlinear static stress analysis of submarine high pressure pipelines, 9A922
KALLOS, G: Sensitivity study of a coupled soil-vegetation boundary-layer scheme for use in atmospheric modeling, 10T1478
KALOGIROU, S: Modeling, optimization, and performance evaluation of a parabolic trough solar collector steam generation system, 9A1535
KALOGIROU, SA: Design and construction of a one-axis sun-tracking system, 8A1516
KALOGRIANITIS, SG: Full tensor optical rheometry of polymer fluids, 8A1003
KALONI, PN: Nonlinear stability of convection in a porous medium with inclined temperature gradient, 7A1452
- Nonlinear convection with inclined temperature gradient and horizontal mass flow, 8A1285
- Convection in a porous medium induced by an inclined temperature gradient with mass flow, 11T1263
KALORITIS, P: Thermoeconomic operation optimization of the Hellenic Aspropyrgos Refinery combined-cycle cogeneration system, 4A1318
KALPAKIDIS, VK: Existence and uniqueness in linear thermoviscoelasticity, 8A1379
KALRA, MS: Three and four step least squares FE schemes in the time domain, 1A72
KALRO, V: Flow simulation and high performance computing, 5A947
KALS, HJJ: Influence of material behavior in air bending of steel sheet, 10A733
KALTAKCI, MY: Stress concentrations and failure criteria in anisotropic plates with circular holes subjected to tension or compression, 1A565
KALURACHCHI, JJ: Stochastic analysis of multiphase flow in porous media - II: numerical simulations, 3T1350
KALVESTEN, E: Small silicon pressure transducers for space-time correlation measurements in a flat plate boundary layer, 4A1041
KALYANASUNDARAM, P: Improving the evaluation sensitivity of an ultrasonic pulse echo technique using a neural classifier, 4A796
- Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813
KALYANASUNDARAM, S: Ultrasonic studies on poly(methylmethacrylate) in Dioxane, 10A334
KALYON, DM: Pressurization and heat transfer during twin screw extrusion processing of concentrated suspensions, 8A695
- Viscoelastic material functions of noncolloidal suspensions with spherical particles, 10A1033
KAM, TY: Minimum weight design of laminated composite plates subject to strength constraint, 2A136
- Fatigue reliability analysis of composite laminates under spectrum stress, 9A705
KAMADA, M: Effect of loading path on the stress-strain relation and progressive damage of a polymer-matrix composite under tension-torsion biaxial loading, 4A561
KAMADA, T: Progress of erosive wear in spheroidal graphite cast iron, 3A672
- Application of infrared thermography technique for evaluation of cracks in concrete structures (Japanese), 9A810
KAMAKURA, K: Oscillatory phenomena of low-Prandtl-number fluids in a rectangular cavity, 5A1155
KAMAKURA, T: Time evolution of acoustic streaming from a planar ultrasound source, 1A307
KAMAL, F: Robust stability of multivariable interval control systems, 2T320
KAMALA, G: Discrete wavelet decomposition of acoustic emission signals from carbon-fiber-reinforced composites, 11A750
KAMAT, SV: Effects of a single mode III loading cycle on mode I crack initiation and growth toughnesses in a cross-ply [90°/0°]$_s$ Ti-6Al-4V/SiC, composite, 5A591
KAMAT, YV: Characterization of fatigue and fracture behavior and improvement of toughness of end fitting material of pressurized heavy water reactors, 9A698
KAMATA, M: Cracking process and delamination strength of WC film coated by high-speed flame spraying (Japanese), 1A713
KAMATA, T: Nonlinear vibration of a small-sag cable subjected to an axial time-varying load and transverse time-varying load (Japanese), 6A159
KAMBA, GM: Effects of velocity fluctuations on a vane anemometer (French), 7A1224
KAMEI, M: Determination method of optimum prestress in cables of cable-stayed bridges by using fuzzy sets theory (Japanese), 2A129
KAMEIER, F: Experimental study of tip clearance losses and noise in axial turbomachines and their reduction, 12A1183
KAMEL , I: Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma, 4A553
KAMEL, AM: Integrating material-part-process design for polymer composites: A knowledge-based problem-solving approach, 1A412
KAMEL, M: Behavior of cold-rolling oil-in-water emulsions: A rheological approach, 10A732
KAMEL, MT: Aspects of thin-film polar fluid lubrication, 4A1154
KAMENETSKY, VF: Self-consistent determination of dayside magnetopause shape and position, 6A325
KAMENJARZH, JA: Limit Analysis of Solids and Structures, 6R14
KAMENSKII, GA: Smoothing dynamic systems, 3T79
KAMEYAMA, S: Application of genetic algorithms to the back-calculation of pavement layer moduli (Japanese), 7T476
KAMIJIMA, A: Musculoskeletal model of the human lower extremity - Part 1: Modeling of the knee joint, 3A1493
KAMIJO, K: Nonlinear calculation of rotating cavitation in inducers, 4A1142
KAMIJO, N: Fabrication of SiC aspherical mirror by elastic emission machining, 7T609
KAMIJO, T: Modeling of steel bridge pier base to footing connections under cyclic loading (Japanese), 11A814
KAMIMURA, K: Dynamical characteristics of gyroscopic weight measuring device, 12A417
KAMIMURA, T: Changes in electromagnetic properties during thermal aging of duplex stainless steel, 9A713
KAMINA, EV: Principles of surface effect vehicle control in extended range of altitudes, 1A374
KAMINAGA, F: Theoretical analysis of interfacial instability in countercurrent annular two-phase flow, 7A1119
KAMINSKA, E: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
KAMINSKI, DA: ASME Proceedings of 31st National Heat Transfer Conference, Volume 3, 2N38
- Thermal evaluation of a dry nonrotating thin section contact bearing, 5A870
- Nondestructive evaluation of creep damage in power-plant steam generators and piping by magnetic measurements, 9A819
- Cross-stream thermal dispersion in a staggered tube bundle with crossflow, 12T1317
KAMINSKI, M: Stochastic structural interface defects in fiber composites, 1A510
- Aggregate interlock in cracked concrete with excessive crack width, 2A800
KAMINSKY, AA: Simulation of quasi-statical failure process near the crack edge in polymers and composites under dynamic loading (Russian), 6A782
- Simulation of the process of destruction of orthotropic materials under biaxial loading, 12A822
KAMINSKY, R: Mathematical modeling of binary image and object and nose interaction by scanning method, 4T338
KAMIURA, T: High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 2nd Report: Extension to six-dof (Japanese), 4A431
KAMIUTO, K: Combined conduction and nongray radiation heat transfer in carbon dioxide, 5T1261
KAMIYA, K: Experimental investigation for modeling of elastic-plastic-damage materials: Investigation of damage surface under multiaxial loading (Japanese), 1A486
- Measurement of the distribution of sandy soil void diameter by air intrusion method (Japanese), 2A555
- Formulation of damage evolution equation for elastic-plastic-damage materials in stress space (Japanese), 4A729

- Constitutive and damage evolution equations of elastic-brittle materials based on irreversible thermodynamics, 7A709
- Experimental identification technique of vibrating structures with geometrical nonlinearity, 12A220

KAMIYA, N: Application of the Trefftz method to sensitivity analysis of a 3D potential problem, 2A310
- Parallel adaptive BE analysis, 3A53
- New complex-valued formulation and eigenvalue analysis of the Helmholtz equation by BEM, 3A324
- H-adaptive Element-Free Trefftz method, 9A62
- Parallel BEM and related methods and algorithms, 10A93

KAMIYA, S: Effect of thermal residual stress on the interlaminar crack extension behavior in cross-ply laminates due to transverse loading, 10A1370
- Discussion on the damage mechanism and the apparent fracture strength of notched fiber-reinforced composite laminates, 10A815

KAMIYAMA, S: Control of temperature distribution at cylinder surface by magnetic fluid, 2A1284

KAMLAH, M: Uniaxial ratchetting in rate-independent plasticity laws, 8A521

KAMMAN, JW: Application of multivariable linear control design to marine towed systems, 5A316

KAMMASH, T: Antiproton catalyzed fusion propulsion for interplanetary missions, 10A1436
- High-thrust-high-specific impulse gasdynamic fusion propulsion system, 10A1437

KAMMER, DC: Estimation of structural response using remote sensor locations, 10A412

KAMMER, PA: Fabrication of graded, sprayed, and fused coatings and their high temperature erosion performance, 4T902
- Formation and characterization of corrosion-resistant amorphous coatings by thermal spraying, 4T693

KAMOTANI, Y: Oscillatory thermocapillary flow in cylindrical columns of high Prandtl number fluids, 7A1254

KAMPHUIS, JW: Morphology model for an eroding beach backed by a seawall, 9T999
- Wave-induced currents in the vicinity of a seawall, 9A1002

KAMPMAN-REINHARTZ, BE: Influence of drill pipe rotation and eccentricity on pressure drop over borehole during drilling, 5A559

KAMPS, M: Influencer of boundaries on pattern selection in through-flow, 4A1198

KAMRAN, M: Design rule checker for sheet metal components using medial axis transformation and geometric reasoning, 1A409

KAMVYSSAS, G: Impedance scattering problem for a point source field: The small resistive sphere, 11A252

KANADA, T: Abnormal phenomena appearing in EHL contacts, 4A1160
- Computation of sphericity from minimum circumscribing and maximum inscribing centers by means of simulation data and downhill simplex method, 7A389

KANAGASABAPATHY, H: Orthotropic shallow spherical shell on a Kerr foundation, 8A587

KANAGAWA, Y: Lamination theory incorporating the effect of interlayer deformation (Japanese), 7A478

KANAI, M: Study on lining design of earth tunnels with large diameter under high water pressure (Japanese), 2T810

KANAK, KM: Linear stability and structure of convection in a circular mean shear, 4A1074

KANAMORI, C: Coordinate measuring method using laser plane scanners - 2nd Report: 2D measurement (Japanese), 8A845

KANAMORI, H: Upper-mantle shear velocities beneath southern California determined from long-period surface waves, 12A1459
- Simulation of long-period ground motion near a large earthquake, 12A1477

KANAMORI, Y: Study of auto steering control method in the small-diameter pipe excavation-thrust method (Japanese), 10A708

KANAO, Y: Characterization of the grinding wheel surface by means of image processing - 1st Report: Post-process measurement of abrasive grain and cutting-edge distribution on the wheel surface (Japanese), 4A679

KANAPATHIPILLAI, S: Effects of a porous jacket on sound radiated from a pipe, 2A285
- Model for calculating the insertion losses of pipe lagging, 9A142

KANATANI, M: Earthquake response of submerged gravity foundation on soft rock, 8A662

KANAUCHI, S: Three-axis capacitive accelerometer with uniform axial sensitivities, 8A415

KANAUN, SK: Propagation of elastic waves through polycrystalline materials, 4A213

KANAYAMA, YJ: Smooth local-path planning for autonomous vehicles, 12A433

KANAZAWA, H: Design and practice of ground improvement in airport construction project on super soft ground (Japanese), 5A533

KANAZAWA, K: Study of cutting by a knife-edged cutter - 1st Report: Test apparatus for cutting and a few results (Japanese), 4A677

KANDA, H: Boundary-layer transition detection in a cryogenic wind tunnel using luminescent paint, 8A1127

KANDA, J: Asian-Pacific symposium on structural reliability and its aplications, 9A857
- Probability-based seismic safety evaluation of existing buildings, 11A772

KANDA, M: High temperature multiaxial low cycle fatigue of CMSX-2 Ni-base single crystal superalloy, 10A768

KANDA, T: Impulse function and drag in scramjet inlet models, 5A1376
- Effects of ultrasonic vibration on machining accuracy in microdrilling, 7A607

KANDARPA, S: Stochastic damage model for brittle materials subjected to monotonic loading, 3A680

KANDIL, A: Analysis of thick-walled cylindrical pressure vessels under the effect of cyclic internal pressure and cyclic temperature, 2A847

KANDLIKAR, SG: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
- Control volume approach for investigating forces on a departing bubble under subcooled flow boiling, 11A1282

KANDO, H: State estimation of stochastic singularly perturbed discrete-time systems, 10A418

KANE, JH: Comparison of shape design sensitivity analysis formulations via material derivative-adjoint variable and implicit differentiation techniques for 3D and 2D curved BE, 10A894

KANE, RP: Quasi-biennial and quasi-triennial oscillations in some atmospheric parameters, 3A1432

KANE, TPC: Effect of age on residual strain in the rat aorta, 5A1484

KANE, TR: Motion variables leading to efficient equations of motion, 4A442

KANEEDA, T: Biochemical machining of biodegradable plastics: Development of microremoval process by enzyme (Japanese), 2A588
- Fundamental study on biomachining: Machining of metals by thiobacillus ferrooxidans, 7A637

KANEKO, K: Study of a negative impulsive wave generator, 5A151

KANEKO, R: Recent progress in microtribology, 7A884

KANEKO, S: Fluid-Structure Interaction - 1996, 2N11
- Multi-freedom tube type manipulator with Shape Memory Alloy plate, 2T772
- Analysis of oil-film pressure distribution in porous journal bearings under hydrodynamic lubrication conditions using an improved boundary condition, 7A1200
- Collision avoidance control of a quadruple arm SCARA robot (Japanese), 12A435

KANEKO, T: Development of a new internal finishing process applying magnetic abrasive finishing by use of pole rotation system, 10A543

KANEKO, Y: Spiked shoe for the fastest run (Japanese), 10T1582

KANEL, JI: Existence of wave front solutions and estimates of wave speed for a competition-diffusion system, 1T1208

KANELLOPOULOS, NK: Numerical investigation of vapor-liquid flow and heat transfer in capillary porous media, 8A1459

KANETA, M: Abnormal phenomena appearing in EHL contacts, 4A1160

KANEV, K: Coupled Batchelor flows in a confined cavity, 3A1002

KANEYOSHI, M: Determination method of optimum pre-stress in cables of cable-stayed bridges by using fuzzy sets theory (Japanese), 2A129

KANG, BEOM-SOO: Process design in multi-stage cold forging by the FEM, 1A638
- Development of a methodology to form net-shape nosing shells by the backwards tracing scheme of the rigid-plastic FEM, 11A26

KANG, BS-J: Effect of coating and interfacial reaction zone on the residual stresses in fiber-reinforced metal-matrix composite, 9A489

KANG, CG: Coupled solidification analysis of materials and cooling roller in direct rolling process, 12A718
- Finite-element analysis on the upsetting process of semi-solid aluminum material, 12A34

KANG, DONGLAI: Motion interpolation with G^2 composite Bezier motions, 11A333

KANG, HJ: Laminar convection of horizontal and vertical simulated printed-circuit board assemblies, 10A1282

KANG, HS: Two dimensional trapezoidal fins analysis, 9A1276

KANG, J: Modeling of train noise in underground stations, 2A265
- Reverberation in rectangular long enclosures with geometrically reflecting boundaries, 2A276
- Scale modeling of train noise propagation in an underground station, 12A349

KANG, K: Study of the oil-lubricated herringbone-grooved journal bearing - Part 1: Numerical analysis, 4T932

KANG, KIJUN: Stress analysis of closely-coiled helical springs using differential quadrature, 6T469
- Flexural-torsional buckling analysis of arches with warping using DQM, 7A544

KANG, KOO TAE: Optimization of FE grids using shape sensitivity analysis in terms of nodal positions, 12A17

KANG, KT: Soot zone structure and sooting limit in diffusion flames: Comparison of counterflow and co-flow flames, 9A1369

KANG, NING: Prediction of the flow field of a rotor in ground effect, 10A1225

KANG, S: Numerical simulation of 3D viscous flow in a linear compressor cascade with tip clearance, 1A1110

KANG, S-W: Active intensity control for the reduction of radiated duct noise, 10A371

KANG, SEOKWOO: Finite element analysis of wrinkling membranes, 12A31

KANG, SHIN HYUNG: Double-diffusive convection in a rotating cylinder with heating from below, 11A1390

KANG, SK: CAD approach to helical groove machining - Part 2: Numerical evaluation and sensitivity analysis, 6A691

KANG, W: Sensitivity of occupant response subject to prescribed corridors for impact testing, 5A170

KANG, Y: Modified influence coefficient method for balancing unsymmetrical rotor-bearing systems, 1A215
- Instability analysis of unsymmetrical rotor-bearing systems using the transfer matrix method, 8A164
- Development and modification of a unified balancing method for unsymmetrical rotor-bearing systems, 8A161

KANG, Y-S: Friction identification in a sight stabilization system at low velocities, 11T828

KANG, YEOUN JUNE: Optimal design of acoustical foam treatments, 1A327

KANG, YONG TAE: Experimental investigation on flooding in a fluted tube with and without a twisted insert, 9A1294

KANG, YOUN-HEE: High-speed machining of aluminium using diamond endmills, 12A735

KANG, YOUNG J: Buckling analysis of curved beams by FE discretization, 3A548

KANG, YOUNG KYU: Optimum placement of piezoelectric sensor-actuator for vibration control of laminated beams, 2A773

KANG, YS: Investigation into the thermo-viscoplastic FE analysis of square die extrusion of square section with Lagrangian description, 1A640

KANG, YUAN: Influence of bearing damping on instability of asymmetric shafts - Part II: Mode veering, 2A152
- Influence of bearing damping on instability of asymmetric shafts - Part I: Stabilizing and destabilizing effects, 2A151

KANG, Z: Dynamic optimization of a turbine foundation, 12A884

KANGAS, MT: Thermohydraulic analysis of ground as a heat source for heat pumps using vertical pipes, 6A1510

KANIE, S: Dynamic characteristics of submerged floating tunnels due to wave force (Japanese), 9A896

KANIEWSKI, M: Mass transfer enhancement by longitudinal vortices, 8A1396

KANIRAJ, SR: Directional dependency of reinforcement force in reinforced embankments on soft soil, 7A585

KANKAM, CK: Relationship of bond stress, steel stress, and slip in reinforced concrete, 6A891
- Raffia palm-reinforced concrete beams, 12A905

KANKI, E: Stabilization of cantilevered flexible structures by means of an internal flowing field, 3T279

KANNICHE, M: Modeling near-wall effects in second-moment closures by elliptic relaxation, 2A1047

KANNINEN, MF: Development and validation of a dynamic fracture propagation model for gas transmission pipelines, 7A761

KANNO, T: Study on earthquake resistance on design and damage of reinforced concrete viaduct (Japanese), 11T1491

KANO, S: Heat transfer characteristics of radial liquid film flow: Local heat transfer characteristics near the turbulent transition point, 8A1271

KANOH, M: Experimental study on damage and vibrating properties of reinforced concrete column members under external dynamic forces (Japanese), 5A776

KANOH, Y: Estimation of ductility in interior beam-column subassemblages of reinforced concrete frames (Japanese), 5A773

KANORIA, M: Oblique wave diffraction by two parallel vertical barriers with submerged gaps in water of uniform finite depth, 4A250
- Oblique wave scattering by submerged thin wall with gap in finite-depth water, 12A262

KANSA, EJ: Application of the multiquadratic method for numerical solution of elliptic partial differential equations, 11A71

KANSUNTISUKMONGKOL, R: Development of a computational scheme for transient combustion inside a refractory tube, 6A1348

KANT, T: Free vibration analysis of fiber reinforced composite beams using higher order theories and FE modeling, 1A201

KANTAK, MV: Methylamine oxidation in a flow reactor: Mechanism and modeling, 7A1399

KANTARTZI, C: Ground response during diaphragm wall installation in clay: Centrifuge model tests, 6A664

KANTHA, LH: Empirical model of transport and decay of wake vortices between parallel runways, 2A1097

KANTOROVICH, II: Effect of microstructural transformation on the evolution of thermal conductivity of highly porous chars during oxidation, 11A1409

KANTZ, H: Homoclinic tangencies and non-normal Jacobians: Effects of noise in nonhyperbolic chaotic systems, 12A120

KANVAL, J: Regularization method for calculating engineering loads from strain data, 12A491

KANZAKI, K: Disturbance rejection using internal model control with limiting properties of the optimal control (Japanese), 4A352

KANZAWA, A: Heat transfer characteristics in *tert*-butanol dehydration reaction used for heat transport, 2A1260
- Kinetic measurement on the isobutene-water-*tert*-butanol chemical heat pump; dehydration of *tert*-butanol, 2A1439

KAO, JY: Automatic synthesis of membership functions for the force control of turning operations, 11A350

KAO, M: Inelastic microstructural failure mechanisms in crystalline materials with high angle grain boundaries, 5A625

KAO, WEI-MING: Object-oriented blackboard models for integrated design of steel structures, 3A784

KAPANIA, RK: Sensitivity analysis of aeroelastic response of a wing using piecewise pressure representation, 2A1088
- Aeroelastic sensitivity analysis of wings using automatic differentiation, 9A1170
- Parametric identification of nonlinear structural dynamic systems using time FEM, 9A23
- Global-local analysis of composite plates with cut-outs, 11A514

KAPAT, JS: Air extraction in a gas turbine for integrated gasification combined cycle (IGCC): Experiments and analysis, 8A1434

KAPER, TJ: Global dynamics of a rapidly forced cart and pendulum, 12A119

KAPILA, V: Antiwindup controllers for systems with input nonlinearities, 5T296

KAPITANIAK, T: Controlling Chaos: Theoretical and Practical Methods in Nonlinear Dynamics, 2R6
- Dynamics of impact oscillator with dry friction, 4A911
- Stability of rotors supported in gas bearings with bushes mounted in air rings, 4A931

KAPLAN, CR: Computations of enhanced soot production in time-varying CH_4/air diffusion flames, 3A1310
- Ignition phenomenon of solid fuel in a confined rectangular enclosure, 3A1294

KAPLAN, MF: Concrete at High Temperatures: Material Properties and Mathematical Models, 8R1

KAPLUNOV, JD: Role of thickness compression in shell dynamics, 7A151

KAPOOR, A: Deterioration of rolling contact fatigue life of pearlitic rail steel due dry-wet rolling-sliding line contact, 2A898
- Model for the mild ratchetting wear of metals, 7A882
- Nitrate removal from drinking water: Review, 9A1557
- Effect of interfacial shear strength on the performance of coated surfaces in repeated sliding, 12A979

KAPOOR, K: Penetrative flow due to an isothermal vertical wall in a stable two-layer environment generated by a room fire, 2A1165

KAPOOR, N: Stabilization of systems with input constraints, 10A411

KAPOOR, SG: Dual-mechanism approach to the prediction of machining forces - Part 1: Model development, 11A597
- Mechanistic approach to predicting the cutting forces in drilling: With application to fiber-reinforced composite materials, 11A609
- Dual-Mechanism Approach to the prediction of machining forces - Part 2: Calibration and validation, 11A598

KAPOOR, V: Criterion for instability of steady-state unsaturated flows, 6A1391
- Vorticity in 3D random porous media, 9A1422

KAPOULITSAS, GM: Theory of long water-waves on a rotating earth, 1A259

KAPPLER, G: Catalytic combustor for high-temperature gas turbines, 11T1413

KAPPLER, M: Experiments on the flow past a square cylinder placed near a wall, 4T1054

KAPPOS, AJ: Influence of capacity design method on the seismic response of R/C columns, 11A782

KAPSA, P: Interfacial behavior of a glass-epoxy composite during a micro-indentation test: Assessment of interfacial shear strength using reduced indentation curves, 7A496
- Quantification of fretting damage, 7A696
- Degradations in a high-speed sliding contact in transient regime, 7A859

KAPTAN, IN: Theoretical and experimental investigation of a novel built-in-storage solar water heater, 8A1524

KAPTEIJN, C: Aerodynamic performance of a transonic turbine guide vane with trailing edge coolant ejection - Part I: Experimental approach, 1A1113
KAPTEIJN, F: Fuel-gas injection to reduce N,O emissions from the combustion of coal in a fluidized bed, 3A1312
KAPTOUOM, E: Heat and mass transfer from a streaming hot saline water in an enclosure partitioned by an active baffle, 2A1296
KAPURIA , S: Exact piezothermoelastic axisymmetric solution of a finite transversely isotropic cylindrical shell, 5A505
KAPURIA, S: Exact piezothermoelastic solution of simply-supported orthotropic flat panel cylindrical bending, 1A606
- Exact piezothermoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, 3A526
- Three-dimensional solution for simply-supported piezoelectric cylindrical shell for axisymmetric load, 6A636
- Three-dimensional piezothermoelastic solution for shape control of cylindrical panel, 7A1353
- Exact piezoelastic solution of simply-supported orthotropic circular cylindrical panel in cylindrical bending, 7A519
- Exact piezothermoelastic solution for simply supported laminated flat panel in cylindrical bending, 10A638
KAR, A: Sonar-based mobile robot navigation through supervised learning on a neural net, 6A416
KAR, PK: Class of upper-bound solutions for the extrusion of square shapes from square billets through curved dies, 6A672
- Upper bound analysis of extrusion of I-section bars from square-rectangular billets through square dies, 11A579
KAR, RC: Parametric instability of a dual-cored sandwich beam, 3A552
- Parametric instability of partially covered sandwich beams, 5A96
- Dynamic stability of a rectangular plate on non-homogeneous Winkler foundation, 10A668
KARABIN, ME: Distortion and residual stress in quenched aluminum bars, 3A647
KARABUT, EA: Asymptotic expansions in the problem of a solitary wave, 3A221
KARACHURIN, NT: Inverse problem in the theory of two-phase filtration, 6A1396
KARACOSTAS, BG: Toward a homogeneous moment-magnitude determination for earthquakes in Greece and the surrounding area, 12A1450
KARADAG, V: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 9, 1N13
KARAFILLIS, AP: Accommodation of springback error in channel forming using active binder force control: Numerical simulations and experiments, 1A646
KARAFYLLIDIS, I: New hardware module for automated visual inspection based on a cellular automation architecture, 1A423
KARAGEORGHIS, A: Spectral domain decomposition approach for steady Navier-Stokes problems in circular geometries, 3A1048
KARAGEORGI, E: Seismological studies at Parkfield IV: Variations in controlled-source waveform parameters and their correlation with seismicity, 1987 to 1995, 12A1447
KARAGIOZIS, A: Measurements and 2D computer simulations of the hygrothermal performance of a wood frame wall, 11A1354
KARAGIOZOVA, D: Multi-dof model for dynamic buckling of an elastic-plastic structure, 1A600
- Dynamic elastic-plastic buckling phenomena in a rod due to axial impact, 6A632
- Strain-rate effects in the dynamic buckling of a simple elastic-plastic model, 10A671
KARAGOZIAN, AR: Transverse gas jet injection behind a rearward-facing step, 5A1019
KARAHALIOS, GT: Exponentially decaying flow in a gently curved annular pipe, 12A1126
KARAKI-DOY, T: Mirror surface grinding of Zr0, by metal resin bonded wheel with ELID, 11T619
KARAKOSTAS, V: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
KARAKUZU, R: Exact solution of elastoplastic stresses in a metal-matrix composite beam of arbitrary orientation subjected to transverse loads, 8A542
- Elastic-plastic FE analysis of metal matrix plates with edge notches, 9A562
KARAMAN, A: Fracture density estimates in glaciogenic deposits from P-wave velocity reductions, 7A1461
KARAMANOS, SA: Stability of pressurized long inelastic cylinders under radial transverse loads, 5A808
KARAMAVRUC, AI: Application of deterministic chaos theory to local instantaneous temperature, pressure, and heat transfer coefficients in a gas fluidized bed, 3A1351
KARAMBAS, T: Intercomparison of wave-driven current models, 12T1496
KARAMETE, BK: Unstructured grid generation and a simple triangulation algorithm for arbitrary 2D geometries using object oriented programing, 6A70
KARAMYSHEV, VB: Variational method of accelerating linear iterations and its applications, 2A56
KARAN, B: Experiments with fuzzy logic robot control with model-based dynamic compensation in nonadaptive decentralized control scheme, 6A432
KARANTONI, FV: Description and analysis of building damage due to Pyrgos, Greece earthquake, 8A1484
KARAOGLAN, L: Space-time FEMs for the sensitivity analysis of contact-impact response of axi-symmetric composite structures, 11A188
KARAPETIAN, E: Three-dimensional interactions of a circular crack with dipoles, centers of dilatation, and moments, 3A689
KARAPETYAN, AV: Bifurcation and stability of the steady motions and relative equilibria of a rigid body in a central gravitational field, 6A318
- Steady motions and relative equilibria of mechanical systems with symmetry, 8A79
KARASAKI, K: Semi-automatic analysis of rock fracture orientations from borehole wall images, 7A592
KARASHIMA, K: Enhancement of the leading-edge separation vortices by trailing-edge lateral blowing, 2T1077
KARASSO, PS: Scalar mixing and reaction in plane liquid shear layers, 4A1083
- Mixing and reaction in curved liquid shear layers, 9A1110
KARASUDHI, P: Waves generated from fictitious focal points to match seismograms recorded, 6A1421
KARATZA, D: Kinetics of adsorption of mercuric chloride vapors on sulfur impregnated activated carbon, 4A1301
KARAVELAS, MI: Shape-preserving interpolation in R^1, 12A458
KARAYAKA, M: Failure behavior of unidirectional AS4/3501-6 carbon-epoxy laminates, 2A678
KARAYIANNIS, TG: EHD effects of nucleate boiling at passively enhanced surfaces, 5A1209
KARBHARI, VM: Effects of compaction on the stiffness and strength of plain weave fabric RTM composites, 2A433
- Notes on the modeling of preform compaction - II: Effect of sizing on bundle level micromechanics, 2A449
- Effect of environmental exposure on the external strengthening of concrete with composites: Short term bond durability, 6A559
- Glass fabric vinyl-ester composites: Tailoring the fiber bundle-matrix interphase with nylon coatings to modify energy absorption behavior, 8A556
- Progressive crush response of hybrid felt-fabric composite structures, 9A528
- Energy absorption characteristics of hybrid braided composite tubes, 12A583
KARBHARI, YM: Progressive crush of resin transfer molded square tube stiffened beam elements, 11A479
KARCZEWSKI, G: Strain relaxation of ZnTe-CdTe and CdTe-ZnTe heterostructures: *In situ* study, 9A383
KARCZEWSKI, JF: Effects of the atmospheric pressure changes on seismic signals or how to improve the quality of a station, 8A1498
KARCZMARZYK, S: Exact elastodynamic solution to vibration problems of a composite structure in the plane stress state, 4A163
KARDOMATEAS, GA: Buckling of moderately thick orthotropic columns: Comparison of an elasticity solution with the Euler and Engesser-Haringx-Timoshenko formula, 6A603
- Energy release rate and stress intensity factors for delaminated composite laminates, 6A741
KAREEM, A: Simulation of a class of non-normal random processes, 3A128
- Analysis and simulation tools for wind engineering, 6A290
- Equivalent statistical quadratization and cubicization for nonlinear systems, 11A106
KARELIN, VG: Physico-mathematical model of rocket exhaust plumes, 5A1259
KARG, P: Development of test methodologies for determining the safety of wheelchair headrest systems during vehicle transport, 1A1469
KARGARNOVIN, MH: Analysis of an isotropic finite wedge under antiplane deformation, 5A386
KARGER, A: Singularity analysis of serial robot-manipulators, 6A446
KARGER-KOCSIS, J: Stiffness and strength anisotropy in the tensile response of weft knitted fabric-reinforced peek-and pet-composites, 1A535
- Transverse impact behavior of knitted carbon-fiber fabric-reinforced thermoplastic composite sheets, 9A486
- Interfacial effects on the dynamic mechanical behavior of weft-knitted glass fiber fcbric-reinforced polypropylene composites produced of commingled yarns tensile and flexural response, 11A477
KARIHALOO , BL: Doubly periodic arrays of bridged cracks and short fiber-reinforced cementitious composites, 4A558
KARIHALOO, BL: Optimum *in situ* strength design of composite laminates - Part I: *In situ* strength parameters, 2A685
- Time-dependent tension softening, 2A6
- Optimum *in situ* strength design of composite laminates - Part II: Optimum design, 2A760
- Enhanced wear performance of transformation toughened ceramics by microstructural optimization, 4A885
- Minimum cost design of multispan partially prestressed concrete T-beams using DCOC, 5A752
- Micromechanical modeling of strain hardening and tension softening in cementitious composites, 12A529
- Accurate method for solving crack problems with discontinuous crack-line tractions, 12A834
KARIM KHANI, M: Arc sine √P transformation: An effective tool for graphical and numerical evaluation of planned Wohler experiments, 8A752
KARIM, GA: Lift-off stability of n-heptane jet diffusion flames in homogeneous environments of fuel and air, 9A1364
KARIMI, AA: Calculation of heat transfer in a pulsating bubble, 2A1239
KARIMI-FARD, M: Non-Darcian effects on double-diffusive convection within a porous medium, 12A1350
KARIMOV, AK: Methods of electrochemical shaping of GTE blade, 1A675
KARIS, TE: Surface potential and magnetic recording media tribology, 7A927
KARJALAINEN, JA: Positioning accuracy improvement in five-axis milling by post processing, 7T611
KARKEHABADI, R: Wing in heaving oscillatory motion, 4A1125
KARKI, KC: Numerical prediction of flow and heat transfer in an impingement heat sink, 9A1292
KARKI, KS: Subcritical junction flow, 11T908
KARKOUB, M: Modeling pressure distribution in a rectangular gas bearing using neural networks, 5A867
KARLA, MS: Time integration in the dual reciprocity BE analysis of transient diffusion, 7A1314
KARLIN, V: Numerical algorithms for flows in the nodes of 2D models of pipe networks, 9T995
KARLSSON, A: Wave propagators for transient waves in 1D media, 3A191
KARLSSON, B: Experimental investigation of heat losses from low-concentrating non-imaging concentrators, 6A1505
- Construction and testing of a large-area CPC-collector and comparison with a flat plate collector, 7A1507
- Lateral resonances in 1-3 piezoelectric periodic composite: Modeling and experimental results, 9A602
KARLSSON, KF: Manufacturing and applications of structural sandwich components, 7A491
KARLSSON, SES: Identification of external structural loads from measured harmonic responses, 4A95
KARMAKAR, S: Approach towards fatigue wear modeling, 3A865
KARMED , D: Pseudo-compressibility method for reactive flows at zero Mach number, 7A1425
KARNAUKHOV , VG: Effect of prestrain on the resonants vibrations and dissipative heating of viscoelastic cylinder of finite length (Russian), 12A136
KARNAUKHOV, VG: Numerical modeling of vibration heating and heating stresses in the Langevin type piezoelectric transducer (Russian), 2A532
- Development of the theory of constitutive equations of physically nonlinear viscoelastic bodies under cyclic deformations (Russian), 12A7
KARNAWAT, S: Mode I damage modeling in brittle preloading, 11A716
KARNI, J: DIAPR: A high-pressure, high-temperature solar receiver, 8A1517
KARNI, S: Dynamics of a shock-bubble interaction, 2A229
KARNIADAKIS, GE: Unsteadiness and convective instabilities in 2D flow over a backward-facing step, 3A1130
- Simulations of flow over a flexible cable: A comparison of forced and flow-induced vibration, 3A277
- Rarefaction and compressibility effects in gas microflows, 4A1018
KARNIADAKIS, GEM: Parallel benchmarks of turbulence in complex geometries, 3A1163
KARNOPP, D: Active dual mode tilt control for narrow ground vehicles, 8A394
KARNOPP, DC: Suboptimal control design of active and passive suspensions based on a full car model, 3A386
KAROLYI, G: Exact analytical solutions for non-selfadjoint variable-topology shape optimization problems: Perforated cantilever plates in plane stress subject to displacement constraints - Part I, 10A897
KARPEL, M: Flutter sensitivity analysis using residualization for actively controlled flight vehicles, 6A848
- Minimum-state unsteady aerodynamic approximations with flexible constraints, 6A1190
- Experimental model analysis of large structures by substructuring, 9A127
- Modal-based structural optimization with static aeroelastic and stress constraints, 11A822
KARPIK, SR: Semi-Lagrangian algorithm for 2D advection-diffusion equation on curvilinear coordinate meshes, 11T1553
KARPINOS, BS: Biaxial thermal fatigue testing with non-uniform strain distributions, 5A601
KARPINSKI, T: Inertia effect in multilobe conical bearing with an incompressible Newtonian lubricant, 4A1174
KARPOV, VP: Finding the Markstein number using the measurements of expanding spherical laminar flames, 10A1402
KARR, DG: Shear band initiation of brittle damage materials, 5A426
KARRAKCHOU, J: Exact controllability and complete stabilizability for linear systems in Hilbert spaces, 8A364
KARRI, V: Machining of filled polymers using single-edge tools, 11A606
KARTALEV, MD: Self-consistent determination of dayside magnetopause shape and position, 6A325
KARTHIKEYAN, R: Stress analysis of taper locks, 7A937
KARUBE, D: Influence of water distribution on the compression behavior of unsaturated soil (Japanese), 8A639
KARUNARATHNA, H: Long-period water surface fluctuations on a horizontal coastal shelf with a steep seaward face, 7T1494
KARUNASENA, W: Natural frequencies of thick arbitrary quadrilateral plates using the pb-2 Ritz method, 4A148
- Free vibration of shear-deformable general triangular plates, 8A144
- Exact solutions for axisymmetric bending of continuous annular plates, 9A555
- Vibration analysis of arbitrary quadrilateral unsymmetrically laminated thick plates, 12T187
KARUPPAIAH, N: Numerical evaluation of SIF for radial cracks in thick annular ring using cyclic symmetry, 7A721
KARUR, SR: Improved multiquadric approximation for partial differential equations, 7A54
KARWOWSKI, A: Shallow arch models: An asymptotic approach, 2A477
- Elastic arches with large elevation: Singularly perturbed problem of nonlinear elasticity, 9A432
KASAGI, N: Turbulence control with wall-adjacent thin layer damping spanwise velocity fluctuations, 2A1037
- Direct numerical simulation of unstably stratified turbulent channel flow, 8A1268
- Engineering Foundation Turbulent Heat Transfer Conference, San Diego CA, March 10-15, 1996, 8A1195
- International Symposium on Mathematical Modeling of Turbulent Flows, December 18-20, 1995, Tokyo Japan, 8A1196
KASAHARA, A: Application of genetic algorithms to the back-calculation of pavement layer moduli (Japanese), 7T476
KASAHARA, E: Cross-flow filtration of machining fluids by microfiltration membranes: Influence of chip size on permeation flux, 5A982
KASAI, K: Spectral relative motion of two structures due to seismic travel waves, 3A1398
- Inelastic vibration phase theory for seismic pounding mitigation, 3A1386
- Building pounding damage during the 1989 Loma Prieta earthquake, 7A1480
KASAI, S-I: Three dimensional contact-separation behavior on high strength bolted flange joints (Japanese), 3A927
KASAI, T: Monitoring of lapping process with piezoelectric ceramic sensor - 1st report: Relation between lapping conditions and detected acoustic signals (Japanese), 1T422
- Modal Parameter identification of controlled structures, 7T356
- Mirror surface grinding of Zr0, by metal resin bonded wheel with ELID, 11T619
KASAMEYER, PW: Validation of a procedure for calculating broadband strong-motion time histories with empirical Green's functions, 2A1399
- Coupled seismic-geotechnical approach to site-specific strong motion, 11A1481
KASARDA, MEF: Comparison of predicted and measured rotor losses in planar radial magnetic bearings, 10T993
KASATKIN, GV: Pendulum as a dynamical billiard, 3A81
KASCAK, A: Modeling and simulation methods for MDOF structures and rotating machinery with impact dampers, 10T160
KASCAK, AF: Electromechanical modeling of hybrid piezohydraulic actuator system for active control, 9A358
KASCHTA, J: Rheological behavior of a filled wax system, 5A888
KASDIN, NJ: Second-order correction and numerical considerations for the two-step optimal estimator, 9T313
KASE, K: Tool path generation using C-space for 5-axis control machining (Japanese), 7T395

KASEB, S: Experimental study of heat transfer from the rear and front of blunt moving bodies, 9A1014
KASEI, S: Application of optical cutting method to measurements of tooth-profile error of minute module gears - 1st report: Examination of the method by means of bright field observation (Japanese), 10T863
- Coarse interval linearity-calibration method involving self-inspection technique for displacement sensors (Japanese), 12T424
KASENALLY, EM: Analysis of a minimum perturbation algorithm for nonsymmetric linear systems, 8A74
KASHEF, A: Investigation of air flow around buildings using computational fluid dynamics techniques, 4A850
KASHIWABARA, Y: Study on surge and rotating stall in axial compressors: A numerical model and parametric study for multiblade-row compressors, 3T1191
KASHIWAGI, T: Effects of ignition and wind on the transition to flame spread in a microgravity environment, 3A1324
- Radiative emission fraction of pool fires burning silicone fluids, 6A1338
KASHIWAYA, S: High resolution transmission electron microscopy observation of the MoS_2-Au interface formed due to stick-slip of MoS_2 sliding on Au in relation to the friction trace, 12A982
KASPARI JR, DC: Acceleration feedback control of MDOF structures, 3A737
KASPERCZUK, A: Investigation of the expansion of laser-produced plasma in a strong axial magnetic field, 4A1109
KASPERCZUK, S: Normal form, Lie-Poisson structure and reduction for the Henon-Heiles system, 3A295
KASPRZYK, S: Analysis of torsional vibrations of discrete-continuous systems in class of generalized functions, 4A176
KASRAI, M: Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part I: The effects of physical parameters, 9A930
- Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part II: The effect of detergents and dispersants, 9A931
KASSAB, A: Boundary element method solution to transient free convective heat transfer in a viscous, electrically conducting, and heat generating fluid, 5A1142
KASSAB, AJ: Boundary element solution of an inverse elasticity problem and applications to determining residual stress and contact stress, 10A89
- Pressure correction Dual Reciprocity BEM solution for heat transfer and fluid flow in incompressible viscous fluids, 12A1083
KASSAB, AL: Generalized boundary integral equation for isotropic heat conduction with spatially varying thermal conductivity, 12A1300
KASSAB, BG: Perturbation solution to the transient pipe flow problem, 6A996
KASSAB, SZ: Empirical correlations for the pressure depression in externally pressurized gas bearings, 5T1113
- Lubrication analysis of externally pressurized circular porous bearings, 6A1207
KASSAPOGLOU, C: Compression strength of composite sandwich structures after barely visible impact damage, 4A750
- Simultaneous cost and weight minimization of composite-stiffened panels under compression and shear, 10A909
KASSARAS, I: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
KASSFELDT, E: Environmentally adapted hydraulic oils, 12A1222
KASSIMALI, A: Structural Analysis, 9R15
KASSOY, DR: Unsteady vorticity generation and evolution in a model of a solid rocket motor, 1A1374
KASTELL, D: Phase step holographic interferometry applied to hypervelocity, non-equilibrium cylinder flow, 6A1197
KASTURI, P: Semi-active control of friction dampers, 12A999
KASUGA, Y: Deep drawing of ultra thin aluminium sheet with use of piezoelectric actuator (Japanese), 7T603
KASUGAI, T: Buckling analysis of elastic space rods under torsional moment, 3A549
KASUYA, H: Effect of lamination constitution on buckling of angle-ply laminated cylindrical shells under bending (Japanese), 4A625
- Application of a least squares lattice algorithm to active noise control for an automobile, 12A330
KASUYA, K: Turbulence statistics in the stagnation region of an axisymmetric impinging jet flow, 2A1056
KATADA, T: Mechanism of a lateral spreading of the saturated sandy ground (Japanese), 10A694
KATAFYGIOTIS, LS: Dynamic response variability of structures with uncertain properties, 2A789
- Mean-square stability of linear stochastic dynamical systems under parametric wide-band excitations, 12T80
KATAOKA, S: Three dimension simulation of near-field motion in irregular ground (Japanese), 9A1473
- Simulation procedure for near-field motion in irregular ground and its application to 2D in-plane wave field (Japanese), 9A1472
KATAOKA, T: Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
KATAYAMA, S: Effects of microcracks in CVD coating layers on cemented carbide and cermet substrates on residual stress and transverse rupture strength, 8A811
KATAYAMA, T: Stabilization of cantilevered flexible structures by means of an internal flowing field, 3T279
- Discrete-time H_∞ algebraic Riccati equation and parametrization of all H_∞ filters, 3T342
KATCHANOV, AB: Stability of the eye shell under an encircling band, 1A1458
KATHNELSON, AN: Coupled Timoshenko beam vibration equations for free symmetric bodies, 2T109
KATO, A: Non-contact strain measurement using metal foil gauges with the application of the laser speckle method, 9A802
KATO, B: Column curves of steel-concrete composite members, 7A820
KATO, F: Field observation of infragravity motion and suspended sand transport under a swell (Japanese), 7A1007
KATO, H: Considerations on the erection of bridge girders by use of floating crane barge and its dynamic behavior in long-period waves (Japanese), 2A807
- Skill learning in manual machine tool operation: Development of new virtual lathe and study on minute grooving by using it (Japanese), 2A1472
- Energy-based damping evaluation of cable-stayed bridges and its application to Tsurumi Tsubasa bridge (Japanese), 3A794
- Possibility of quantitative prediction of cavitation erosion without model test, 4A964
- Acoustic SH phonons in a superlattice with (111) interfaces, 8A342
- Ultrasonic evaluation of the bonding strength of dissimilar metal bonds, 9A807
- Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226
- Machining of nickel-based superalloy using PcBN endmill tool: Effect of high-pressure coolant supply on tool wear, 10T977
- Skill training of manual machine operation by simulator: In the case of small-diameter deep-hole machining with drilling machine (Japanese), 10A739
- Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), 10A551
- Effect of auditory feedback on operating efficiency and fatigue: In the case of manual cut-off turning with virtual lathe, 10A782
KATO, J: Effect of water vapor on the agglomeration of wear particles of ceramics, 9A925
KATO, K: Friction model of thin solid film lubrication, 1A1137
- Study of design method of pile anchored to bedrock (Japanese), 2A561
- Magnetic fluid grinding of advanced ceramic balls, 7A620
- Influence of ultrasonic amplitude on friction and wear properties in ultrasonic drive, 9A943
- Influence of ultrasonic shape on friction and wear properties in ultrasonic drives, 9T944
- Intelligent visual evaluation system for mirror finished surfaces (Japanese), 9A801
KATO, M: Cracking process and delamination strength of WC film coated by high-speed flame spraying (Japanese), 1A713
- Identification of dynamic characteristics by field vibration test in Tsurumi Tsubasa bridge (Japanese), 3A795
- Energy-based damping evaluation of cable-stayed bridges and its application to Tsurumi Tsubasa bridge (Japanese), 3A794
- Determination of the higher-order elastic compliance constants of metals from measurements of the dependence of ultrasound velocity on stress, 9A805
- Characteristics of lateral spreading in liquefied deposits during the 1995 Hanshin-Awaji earthquake, 11A550
KATO, S: New low-Reynolds-number k-ε model including damping effect due to buoyancy in a stratified flow field, 1A1176
- Theoretical analysis of damping characteristics of air-lubricated slideways, 1A153
- Acoustic tomography for 3D temperature and CO_2-concentration measurements of an environmental field: CT algorithm for axisymmetric field and experimental verification, 2A1199
- Experimental research on cutting force variation during regenerative chatter vibration in a plain milling operation, 4A181
- Influence of water distribution on the compression behavior of unsaturated soil (Japanese), 8A639
- Regenerative chatter vibration occurring in turning with different side cutting edge angles, 11A159
KATO, T: Theory of frictional vibration in wet clutches considering poroelastic properties of paper-based facing, 1A193
- Discrete nature of ultra-thin lubrication film between mica surfaces, 4A1169
- Ultrathin liquid film lubrication theory: Calculation method of solvation pressure and its application to the EHL problem, 7A1209
- Premature transition to film boiling with stepwise heat generation - 2nd report: Effect of wall material and surface condition, 9A1248
- Influence of a hard surface layer on the limit of elastic contact - Part I: Analysis using a real surface model, 12A925
- FFT-based method for rough surface contact, 12A924
- Comparison of viscous fingering patterns in polymer and Newtonian solutions, 12T1069
KATO, Y: Direct simulation of unsteady capillary gravity waves on deep water, 1A261
- Kinetic study of the hydration of magnesium oxide for a chemical heat pump, 2A1280
- Kinetic measurement on the isobutene-water-*tert*-butanol chemical heat pump; dehydration of *tert*-butanol, 2A1439
KATOH, K: Heat transfer characteristics of radial liquid film flow: Local heat transfer characteristics near the turbulent transition point, 8A1271
KATOH, T: Closure of a thickly formed frozen wall under the influence of ground water flow (Japanese), 5A908
KATONA, TT: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983
KATOPODES, ND: Site and size optimization of contaminant sources in surface water systems, 3T1476
- Control of contaminant releases in rivers - I: Adjoint sensitivity analysis, 11T1552
- Control of contaminant releases in rivers - II: Optimal design, 11T930
- Characteristic analysis of turbid underflows, 11A919
KATS-DEMYANETS, V: Marangoni instability in tri-layer liquid systems, 7A1127
KATSAREAS, DE: Performance of quarter-point BEs in analyzing thermally stressed kinked and curved cracks, 6A809
KATSIKADELIS, JT: Special Issue: Plate bending, 1A564
- Buckling of plates with variable thickness: An analog equation solution, 7A559
KATSUBE, N: Thermomechanical model for chemically decomposing composites - I: Theory, 7A461
- Thermomechanical model for chemically decomposing composites - II: Application, 7A462
KATSUCHI, H: Study on wind resistant design of long-span bridges based on field observation result (Japanese), 3A800
KATSUKI, A: Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), 2T613
KATSUKI, S: Fundamental study on local dissipated energy and rheology model at impact point of concrete specimen by the pendulum impact test (Japanese), 3A883
KATSUMATA, M: Practical application of an apparatus to improve slurry discharged as construction resources (Japanese), 2T994
- Development of a system to dehydrate construction slurry (Japanese), 10A1120
KATSUMATA, T: Turbulent near-wakes of periodic array of square blocks on a plate, 2A1045
KATSUMURA, M: Consolidation behavior of clay subjected to temperature effects at secondary compression term (Japanese), 8A645
KATSURA, H: Dynamic stress intensity factor of a cracked dielectric medium in a uniform electric field, 3A210
KATTAKAYAM, TA: Photovoltaic panel-generator based autonomous power source for small refrigeration units, 3A1454
KATTI, RA: Thermal sensitivity analysis of spacecraft battery, 12A1313
KATUKURA, H: Object-oriented architecture for a FEM knowledge-based system, 4A31
KATUL, G: Energy-inertial scale interactions for velocity and temperature in the unstable atmospheric surface layer, 9T1511
- Ejection-sweep character of scalar fluxes in the unstable surface layer, 11T1504
KATUL, GG: Local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, 2A1044
- "Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, 4T1088
KATZ, A: Effect of fiber modulus of elasticity on the long term properties of micro-fiber reinforced cementitious composites, 10A601
KATZ, J: Image shifting for PIV using birefringent and ferroelectric liquid crystals, 4A1180
- Effect of modification to tongue and impeller geometry on unsteady flow, pressure fluctuations, and noise in a centrifugal pump, 12A1180
KAUER, JMG: Global verification study of a quasi-static knee model with multi-bundle ligaments, 5A1470
- Inverse dynamics modeling approach to determine the restraining function of human knee ligament bundles, 7A1539
KAUF, M: Process modeling of laser ablating ferrous materials, 9A719
KAUFFELDT, T: Differential electrical mobility analysis: A theoretical study, 9A1411
KAUFFMAN, CW: Ignition and volatile combustion of cellulosic dust particles, 4A1286
KAUFFMAN, RE: Effects of different sulfur compounds on jet fuel oxidation and deposition, 10A1037
KAUFMAN, M: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
KAUFMAN, MJ: Simulation and measurement of a vertical Bridgman growth system for β-NiAl crystal, 9A1280
KAUFMANN, GH: Evaluation of a method to determine interferometric phase derivatives, 11A745
KAUH, SK: Measurement of air flowrate by using an integration type ultrasonic flow meter applicable for spark ignition engine control, 11A1193
KAUL, K: Minimum material volume based shell-plate-frame-pipe system, 11A547
KAUL, RW: Optimization of an advanced business jet, 11T823
KAUL, UK: Full viscous modeling in generalized coordinates of heat conducting flows in rotating systems, 5A918
KAUNDA, MAE: Internal variable formulations of elastic-plastic dynamic problems, 6A526
KAUPERT, KA: First analysis of flow field hysteresis in a pump impeller, 7A1185
KAUPS, K: Ice accretion on a radial inflow turbine blade, 1A1109
KAUSEL, E: Scattering of waves by subterranean structures via the BEM, 3A213
KAUSHIK, SC: Effect of solar collector design parameters on the operation of solar Stirling power system, 8A1528
KAUSHIKA, ND: Solar thermal analysis of transparent-honeycomb-insulated ground collector-storage system, 2A1431
- Double diffusive zone-boundary migration in solar ponds, 7A1508
- Solar conversion parameters of graded base silicon solar cells, 12A1517
KAUTZ, HE: Acousto-ultrasonic decay in metal matrix composite panels, 1A813
KAUTZ, SA: Muscle activity patterns altered during pedaling at different body orientations, 3A1500
KAVADIAS, C: Viscoplastic behavior of PMMA blends: The effect of moisture absorption, 10A609
KAVEH, A: Suboptimal-minimal and suboptimal cycle bases for the force method, 2A766
- Automated mesh decomposition for FE analysis, 2A27
- Domain decomposition for FE analysis, 8A42
KAVIANY, M: Advances in heat transfer in porous media, 7A1447
- Role of gas-phase reaction and gas-solid thermal noncquilibrium in reverse combustion, 9A1384
KAW, AK: Effect of extrinsic and intrinsic factors on an indentation test, 2A727
KAWABE, Y: Three-dimensional measurement of head flying height and attitude using image processing of fringe patterns formed by Michelson laser interferometry, 1T901
KAWACHI, K: Airfoil section characteristics at a low Reynolds number, 9A1158
KAWADA, K: V-shape forming of super hybrid material plate (Japanese), 4A668
KAWAGOE, H: Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563
KAWAGUCHI, K-I: Shape and stress control analysis of prestressed truss structures, 6A912
KAWAGUCHI, M: Comparison of viscous fingering patterns in polymer and Newtonian solutions, 12T1069
KAWAGUCHI, MN: Visualization of the flow of a thermotropic liquid crystalline polymer in a tube with a conical contraction, 11A898
KAWAGUCHI, O: Influence of flow turbulence on the evaporation rate of a suspended droplet in a hot air flow, 9A1257
KAWAGUCHI, Y: Study on heat-transfer enhancement by a square-rod array in an impinging jet system, 2A1263
- Failure and relaxations of carbon fiber-reinforced plastic tested by exoemission and luminescence methods, 8A798
KAWAHARA, K: Development and tribology of compressors for alternative HFC refrigerants, 5T1278
KAWAHARA, M: Second Japan-US Symposium on FEMs in large-scale computational fluid dynamics, 3A17
- Adaptive and optimal control of the water gate of a dam using a FEM, 6A35
- Two-dimensional fluid-structure interaction problems by an arbitrary Lagrangian-Eulerian FEM, 7T234

- Bifurcation analysis of brown tide by reaction-diffusion equation using FEM, 8A1568
- Comparison of sensitivity equation and adjoint equation methods for parameter identification problems, 9A1273

KAWAHARA, S: Study of special spacer with damping device for suppressing wake galloping in tandem cables of cable-stayed bridges and its application to full scale bridge (Japanese), 8A186

KAWAHIRA, K: Robust stability of nonlinear feedback systems with parameter deviations and perturbed nonlinearities, 9T301

KAWAI, H: Mesh-invisible FE analysis system in a virtual reality environment, 1A30

KAWAI, M: Accurate prediction of specific damping capacity of TiNi SMA composite through a 3D constitutive model, 1A10

- Effects of end-tab shape on strain field of unidirectional carbon-epoxy composite specimens subjected to off-axis tension, 8A537
- Precision engineering for sports (Japanese), 10T1580

KAWAI, Y: Effects of a porous medium on local heat transfer and fluid flow in a forced convection field, 7A1271

KAWAIKE, K: Ferro-fluid lubricated bearings for a polygon mirror motor, 3T1210

KAWAJI, M: Effect of channel blockage on critical heat flux for a horizontal cylinder in crossflow, 11A1285

KAWAKAMI, H: Characteristics of nonlinear soil response and dynamic soil properties using vertical array data in Japan, 2A1380

KAWAKAMI, Y: Muscle architecture and function in humans, 10A1522

KAWALD, U: Behavior of Lamb waves in stressed polymer foils, 3A195

KAWALEC, AM: Synthesis and experimental results of saw dispersive filters for spectrum analyzers, 4A208

KAWALL, JG: Development of structure within the turbulent wake of a porous body - Part 2: Evolution of the 3D features, 7A1104

- Analysis of a concept for increasing the efficiency of a Brayton cycle via isothermal heat addition, 8A1435

KAWAMURA, A: Study on characteristics of radar parameters and real-time prediction of ground rainfall (Chinese), 10T1467

KAWAMURA, K: Trends in ammonia for industrial refrigeration plants, 5T1282

KAWAMURA, R: Theoretical analysis of thermoelastoplastic deformation of a circular plate due to a partially distributed heat supply, 9A1325

KAWAMURA, S: Effect of stress history on cyclic undrained deformation: Strength characteristics of volcanic coarse-grained soils (Japanese), 5A513

- Static and cyclic shear behavior and particle crushing of volcanic coarse grained soils in Hokkaido (Japanese), 5A514
- Thermal deformation of CNC surface grinding machine under the warming-up operation (Japanese), 8T715

KAWANO, K: Parametric uncertainties for dynamic response evaluation of offshore structures, 5A128

KAWANO, S: Numerical study on motion of sphere coated with a thin liquid film at intermediate Reynolds numbers, 11A944

KAWANO, Y: Local reaction rate in round-jet diffusion flames, 7T1398

KAWASAKI, K: Factors controlling the fatigue strength of nitrided titanium, 8A741

KAWASAKI, Y: Development of a new production system for high-precision, low-cost gears of automobile manual transaxles under high-volume production, 1T419

KAWASE, H: Statistical spectral model of earthquakes in the eastern Tohoku district, Japan, based on the surface and borehole records observed in Sendai, 12T1448

KAWASHIMA, H: Timoshenko's shear coefficient for transverse vibrations of trigonal crystals of rectangular cross section, 7A135

KAWASHIMA, I: Development of a multi-surveying system using GPS for the measurement of ground displacements (Japanese), 2A575

KAWASHIMA, K: Impact of Hanshin-Awaji earthquake on seismic design and seismic strengthening of highway bridges, 9A1493

- Stress-strain model for confined reinforced concrete in bridge piers, 11A791
- Post-earthquake residual displacements of bilinear oscillators, 12A1470

KAWASHIMA, Y: Interaction of newly defined stress intensity factors for angular corners in a row of diamond-shaped inclusions, 12A800

KAWASHIMO, K: Thermal-conductivity measurement of a 2D anisotropic heat conductor using steady-state point heat source and sink, 7A1316

KAWATA, K: Optical scanning system for recording large image, 7A386

- Role of sensitivity in ultraprecision manufacturing (Japanese), 9T421

KAWAZOE, M: Transient cooling of a hot metal plate with an impinging water jet, 7A1288

KAWAZU, M: Real-time optical measuring system for dye color and concentration - II: Dispersive dye, 8A850

- Laser system for counting cloth filaments, 12A873

KAWECKI, J: Mechanical vibration damper for the reduction of floor vibrations possibility study (Polish), 9A868

KAWULOK, M: New approach to the limit states of building objects on mining exploitation areas (Polish), 9A912

KAY, KQ: Error in bending wave power measurements resulting from longitudinal waves, 3A327

KAYA, CY: Computations and time-optimal controls, 3T341

KAYAKOL, N: Evaluation of discrete ordinates method for radiative transfer in rectangular furnaces, 4A1238

KAYE, SR: Uniformly asymptotic approximation for the development of shear dispersion, 7A1518

KAYGUSUZ, K: Thermodynamic model of a solar assisted heat pump system with energy storage, 3A1462

KAYNAK, O: ICRAM'95 conference papers, 7A368

KAYUK, YF: Nonstationary dynamic processes in the system "Cylindrical reservoir fluid" (Russian), 9A224

KAYVANI, K: Influence of local inertia on seismic response of offshore jackets, 6A921

KAYYAL, MK: Determination of ionic strength and equilibrium concentrations of heavy metals by the electrical conductivity method, 12A676

KAZACHENKO, VP: Tribological properties of PTFE coatings deposited from active gas phase, 1A896

KAZAKIA, JY: Model for adiabatic supersonic turbulent boundary layers, 4A1003

KAZAKOV, AL: Gas flows with shock waves which diverge from an axis or center of symmetry with finite velocity, 6A1052

KAZAKOV, ME: Performance of gland packings from soft chemical fibers, 2A1135

KAZAKOV, VI: Mass transfer in the gas phase of a centrifugal-barbotage layer, 5A1308

KAZAMA, H: Fundamental study on the effect of fines on liquefaction strength of reclaimed ground (Japanese), 10A693

KAZAMA, M: Stability of embankment on liquefiable sand layers in centrifuge shaking table tests (Japanese), 5A530

- Stress strain relationship in the ground at the Kobe Port Island during 1995 Hyogo-Ken Nanbu earthquake inferred from strong motion array records (Japanese), 5T1419

KAZANTSEV, E: Theoretical and numerical estimates of instantaneous Lyapunov exponents of quasi-geostrophic ocean dynamics, 4A1430

KAZARINA, SA: Method based on microcarrier nucleation and growth for describing the mechanical beahvior of heterogeneous continua, 12A3

KAZEMINEJAD, H: Numerical study of convective heat transfer from an array of parallel blunt plates, 11A1210

KAZEROONI, H: Hydrostatic force sensor for robotic applications, 9A377

KAZHDAN, YM: Unsteady escape of a gas through a plane slit into a vacuum, 6A1054

KAZIMIEROWICZ-FRANKOWSKA, K: Geosynthetics in civil engineering, 9A643

KAZIMIERSKI, Z: New concept of externally heated engine: Comparisons with the Stirling engine, 5A1392

KAZMERCHUK, IM: Quasistationary motions of a fluid-filled top, 4T72

KAZMIERCZAK, B: Stationary Stokes flow through a spherical region with large variations of density and viscosity coefficient, 4A973

- Stationary transverse Euler and Stokes gas flows through a cylindrical region with large variations of density and viscosity coefficient, 9A1047
- Traveling waves in laser sustained plasma: Constant coefficient case, 9A1142

KAZMIERCZAK, M: Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - I: Convection analysis, 5A1265

- Heat transfer and ice formations deposited upon cold tube bundles immersed in flowing water - II: Conjugate analysis, 5A1266

KAZMIR, T: Free vibrations frequencies and forms of the sandwich plate for various support conditions, 4A138

KAZYS, R: Optimal selection of parameters for the angular spectrum approach to numerically evaluate acoustic fields, 7A284

KE, CHAOXI: Finite difference solution for equations of heat conduction caused by pulse laser processing silicon steel sheets (Chinese), 10A757

KE, ZP: Interaction between a jet and a flat plate: An inviscid analysis, 11A1060

KEANE, AJ: Statistical Energy Analysis: An Overview, with Applications in Structural Dynamics, 6N9

- Statistical energy analysis of multiple, non-conservatively coupled systems, 5A265
- Vibrational energy flow analysis using a substructure approach: The application of receptance theory to FEA and SEA, 10A26
- Vibrational energy flows in beam networks with compliant and dissipative joints, 12A165
- Vibration isolation in a thin rectangular plate using a large number of optimally positioned point masses, 12A183

KEANE, DT: Microtomographic measurements of internal damage in Portland-cement-based composites, 6A813

KEANE, G: Modal analysis of an existing offshore platform, 9A159

KEANE, MK: Investigations of the nonlocal exchange energy model on a single body of ferromagnetic material, 9A600

KEANINI, RG: Inverse-based reconstruction of internal solid-liquid phase boundaries and associated solid phase temperature fields, 4A692

KEARY, A: Prediction of stresses in pipes caused by ice plug formation, 8A583

KEAST, SC: Application of capacitance instrumentation to the measurement of density and velocity of flowing snow, 6A1524

KEAT, WD: Three-dimensional nonplanar fracture model using the surface integral method, 3A724

- Modeling of 3D mixed-mode fractures near planar bimaterial interfaces using surface integrals, 5A704

KEATING, EL: Thermal destruction behavior of platic and nonplastic wastes in a laboratory-scale facility, 6A1522

KEATING, MY: Proceedings of the 11th International Congress on Thermal Analysis and Calorimetry, Philadelphia PA, 12T1246

KEAVENY, TM: Dependence of shear failure properties of trabecular bone on apparent density and trabecular orientation, 3A1486

KEBABIAN, PL: Infrared fiber-optic diagnostic observations of solid propellant combustion, 6A1352

KEBALI, A: Ultrasonic anisotropic phase velocity determination with the Radon transformation, 12A344

KECHICHIAN, JA: Optimal steering for north-south stationkeeping of geostationary spacecraft, 10T468

KECHTER, GE: Method for defect segmentation in digital radiographs of pipeline girth welds, 2A729

KECMAN, V: Control oriented modeling of distributed systems: The question of control system stability, 4A369

KECSKEMETHY, A: Symbolic processing of multiloop mechanism dynamics using closed-form kinematics solutions, 12A1035

KEDIKIAN, R: Vibration isolation, suppression, and steering, 1A223

KEDRINSKII, VK: Role of cavitation effects in the mechanisms of destruction and explosive processes, 10T304

KEDWARD, KT: Suppression of delaminations in curved structures by stitching, 5A680

- Notched strength of ceramic-matrix composites, 12A813

KEEFER, D: Low-power ammonia arcjet: Numerical simulations and laser-induced fluorescence measurements, 5A1387

KEENAN, RE: Gaussian ray bundles for modeling high-frequency propagation loss under shallow-water conditions, 3A302

KEENEY, JA: Fracture analysis of the NESC-1 spinning cylinder experiment, 8A1514

- Fracture analysis of multiple cracks in a spinning cylinder experiment, 11A689

KEER, LM: Edge effect on elastic-plastic rolling-sliding contacts, 3A465

- Stress properties at the tip of a conical notch, 9A438
- Elastic-cracked model for penetration into unreinforced concrete targets with ogival nose projectiles, 9A196
- Analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 12A965
- Effects of multiple cracking on crack growth and coalescence in contact fatigue, 12A967

KEEVALLIK, S: Relationships between surface albedo and spring heat accumulation, 5T1429

KEFFER, JF: Development of structure within the turbulent wake of a porous body - Part 2: Evolution of the 3D features, 7A1104

- Development of structure within the turbulent wake of a porous body - Part 1: The initial formation region, 7A1103
- Structures in the near-wake region of an elevated turbulent jet in a crossflow, 8A1160

KEGL, B: Successive optimal design procedure applied on conventional fuel injection equipment, 6A966

KEGL, M: Optimization of mechanical systems: On nonlinear first-order approximation with an additive convex term, 8A879

KEGLEVIC, I: Unsteady potential plane flow past a porous circle, 10A1066

KEH, HJ: Motion of a slip spherical particle in an arbitrary Stokes flow, 6A1059

KEHOE, MW: Total least-squares criteria in parameter identification for flight flutter testing, 2A252

KEHR, JA: Factors affecting cathodic disbondment of epoxy coatings for steel reinforcing bars, 1A846

KEIFE, H: Influence of rolling speed upon friction in cold rolling of foils, 10A1178

KEIM, E: Determination of critical circumferential through-wall crack sizes regarding load reduction by increased flexibility in piping systems, 11A688

KEISLER, JM: Statistical models for estimating fatigue strain-life behavior of pressure boundary materials in light water reactor environments, 6A1497

KEITH JR, TG: Effect of lubricant supply starvation on the thermohydrodynamic performance of a journal bearing, 1T1121

- Two-dimensional piston ring lubrication - Part I: Rigid ring and liner solution, 4T936
- Two-dimensional piston ring lubrication - Part II: Elastic ring consideration, 4A1166
- Icing calculations on a typical commercial jet engine inlet nacelle, 8A1230

KEITH, WL: Effects of convection and decay of turbulence on the wall pressure wavenumber-frequency spectrum, 9A1111

- Wavenumber spectra of high magnitude wall pressure events in a numerically simulated turbulent boundary layer, 11A1099

KEITH, WP: Notched strength of ceramic-matrix composites, 12A813

KELBERT, M: Pulses and Other Wave Processes in Fluids: An Asymptotical Approach to Initial Problems, 2R7

KELDERS, L: Experimental localization of a pole of the reflection coefficient of a porous layer, 11A180

KELERIS, JP: Nonlinear dynamics of an airfoil forced to oscillate in dynamic stall, 1A1089

KELKAR, AA: Evaluation of stress field parameters in fracture mechanics by photoelasticity: Revisited, 7A775

KELKAR, AG: Global stabilization of flexible multibody spacecraft using quaternion-based nonlinear control law, 3T378

KELKAR, AS: Real-time physiconeural solutions for MOCVD, 5A1200

KELKAR, K: Direct simulation of interfacial waves in a high-viscosity-ratio and axisymmetric core-annular flow, 6A279

KELKAR, KM: Numerical method for the computation of flow in irregular domains that exhibit geometric periodicity using nonstaggered grids, 7A1044

- Numerical prediction of flow and heat transfer in an impingement heat sink, 9A1292
- Numerical method for the prediction of free surface flows in domains with moving boundaries, 12A1082

KELKAR, M: Thermal boundary resistance for thin-film high-T$_c$ superconductors at varying interfacial temperature drops, 9A1269

KELKAR, UM: Numerical investigation of an improved gas and steam turbine seal, 8A961

KELLEHER, MD: Computations for a three-by-three array of protrusions cooled by liquid immersion: Effect of substrate thermal conductivity, 11A1369

KELLER, A: Spectrum normalization method in vibro-acoustical diagnostic measurements of hydroturbine cavitation, 7A1181

- Singularity in the melt flow of polyethylene with wider implications for polymer melt flow rheology, 10A1043

KELLER, AA: Micromodel observation of the role of oil layers in three-phase flow, 11A1456

KELLER, HU: Ice hazes and clouds in the Martian atmosphere as derived from the Phobos-KRFM data, 6T1403

- Properties of dust in the Mars atmosphere: A revised analysis of Phobos-KRFM data, 9A1519

KELLER, JB: Stability of the P-to-S energy ratio in the diffusive regime, 2A1374

- Transport equations for elastic and other waves in random media, 6A240
- High-order boundary conditions and FEs for infinite domains, 10A49

KELLER, JD: Investigation of helicopter dynamic coupling using an analytical model, 4A1149

KELLER, JJ: Pair of stream functions for 3D vortex flows, 6A1017

KELLER, K: Thermal conductivity of polyimide foams, 4A1237

KELLER, MA: Cross-frame spacing and parametric effects in horizontally curved I-girder bridges, 3A792

KELLEY, CT: Accurate and economical solution of the pressure-head form of Richard's equation by the method of lines, 6T1475

KELLOGG, RB: Compressible Navier-Stokes equations in a bounded domain with inflow boundary condition, 8A1092

- Penalized FEM for a compressible Stokes system, 11A981

KELLY, D: Effect of adherend alignment on the behavior of adhesively bonded double lap joints, 6A548

- Analysis of adhesively bonded composite double lap joints, 8A563

KELLY, DW: Benchmarking of a destructive technique to determine residual stresses in thick-walled axisymmetric components, 12A547

KELLY, JM: Evolutionary model of viscoelastic dampers for structural applications, 11A109

- Visco-hyperelastic model for filled rubbers used in vibration isolation, 12A213

KELLY, KS: Bivariate meta-Gaussian density for use in hydrology, 8T1503

KELLY, PA: Solution of Crack Problems: The Distributed Dislocation Technique, 4R11
KELLY, R: Class of nonlinear PD-type controllers for robot manipulators, 6A428
KELLY, RE: Degenerate bifurcation in stably stratified plane Poiseuille flow, 8A1172
KELMANSON, MA: Eddy genesis in the double-lid-driven cavity, 5A923
KELSALL, GH: Triboelectrochemistry on a nanometer scale, 5A835
KELSO, TS: Spaceflight Mechanics 1997, Volume 95 Parts I and II: Advances in the Astronautical Sciences, 11N13
KEMBER, G: Lorenz-Krishnamurthy slow manifold, 3T103
KEMBLOWSKI, MW: Stochastic analysis of multiphase flow in porous media - II: numerical simulations, 3T1350
- Role of moisture fluctuations in unsaturated transport, 10T1446
KEMISTER, G: Influence of cellular structure on detonation transmission, 3T252
KEMMOCHI, K: Effects of end-tab shape on strain field of unidirectional carbon-epoxy composite specimens subjected to off-axis tension, 8A537
KEMP , RMJ: Development of novel cost effective hybrid ply carbon-fiber composites, 5A442
KEMP, AR: Compatibility relationships in a mixed flexibility-based method of frame analysis, 7A833
KEMP, R: Coupled conduction-convection problem for a cylinder in an enclosure, 5A1309
- Coupled conduction-convection problem for an underground rectangular duct containing three insulated cables, 9A1214
KEMPF, KG: Tabu search approach to scheduling an automated wet etch station, 10T550
KEMPFERT, HG: Calculation of excavations in normally consolidated soft ground (German), 12A703
KEMPNY, S: Unilateral contact forces of strip footing and bend ground due to mining (Polish), 2A474
KEN KAUH, S: New approach to enhance the sensitivity of a hot-wire anemometer and static response analysis of a variable-temperature anemometer, 8A1251
KENANE, M: Mixed-mode delamination fracture toughness of unidirectional glass-epoxy composites under fatigue loading, 12A810
KENAWY, MA: Measurement of thermophysical properties of ammonium salts in the solid and molten states, 3A1218
KENDALL, KN: Experimental investigation of resin temperature during filling and curing in epoxy and nickel shell RTM molds, 8A1306
KENDALL, M: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
KENDOUSH, AA: Nonintrusive auto-transformer technique for the measurement of void fraction, 1A1026
- Approximate solution of the convective heat transfer from an isothermal rotating cylinder, 2A1181
KENKO, VM: Evaluation of contact pressure in gears with electrical simulation, 1A879
KENNEDY, D: Curves for natural frequencies of axially compressed prismatic plate assemblies, 1A593
- Parallel structural optimization method and its implementation on a Transtech Paramid, 3A740
- Exact calculation of natural frequencies of repetitive structures, 4A16
- Inclusion of transverse shear deformation in optimum design of aircraft wing panels, 5T1067
- Effect of interfacial imperfection on buckling and bending behavior of composite laminates, 6A623
- Two-level decomposition method for shape optimization of structures, 6A860
- Efficient parallel Gauss-Doolittle matrix triangulation, 7A72
- Efficient multi-level substructuring with constraints for buckling and vibration analysis of prismatic plate assemblies, 8A604
KENNEDY, FE: Thin film thermocouple arrays for sliding surface temperature measurement, 12A994
KENNEDY, IM: Modeling and measurements of soot and species in a laminar diffusion flame, 5A1337
- NO_x and hydrocarbon emissions from a diesel engine fueled on digester gas, 12A1374
KENNEDY, J: Indecomposable continua in dynamical systems with noise: Fluid flow past an array of cylinders, 9A1029
KENNEDY, JB: New design method for reinforced sloped embankments, 6A661
- Design of horizontally curved waffle slab structures, 6A897
KENNEDY, KP: Arctic-Polar Technology, Volume IV, 1N51
KENNEDY, TC: Investigation of loading rate and plate thickness effects on dynamic fracture toughness of PMMA, 1A780
- Simple nonlocal damage model for predicting failure of notched laminates, 3A685
KENNETT, BLN: Automatic seismic event recognition and later phase identification for broadband seismograms, 8A1496
KENNING, DBR: Pool boiling heat transfer on a thin plate: Features revealed by liquid crystal thermography, 1A1205
KENNY, J: Simulations in Biomedicine IV, 11N40
KENT, EF: Comparison of visualization of Stokes flow in a V-shaped and rectangular channel, 4A971
KENWRIGHT, J: Temporal changes in dynamic inter fragmentary motion and callus formation in fractures, 9A1571
KEOGH, PS: CFD based design techniques for thermal prediction in a generic two-axial groove hydrodynamic journal bearing, 12A1205
KEPPEL, W: Low NO_x premixed combustion of MBtu fuels in a research burner, 12A1385
KER, JUN-ING: Quick Hough Transform Parameter Search algorithm for flexible part inspection, 5A366
KER, YT: Experimental observation and conjugated heat transfer analysis of vortex flow development in mixed convection of air in a horizontal rectangular duct, 1A1182
- Combined numerical and experimental study of air convection in a differentially heated rotating cubic cavity, 1A1170
- Time-averaged and reverse transition in oscillatory air convection in a differentially heated rotating cubic cavity, 11A1252
KERANEN, V: Innovation in Mathematics, 12N3
KERCHER, DM: Experimental heat transfer and friction in channels roughened with angled, V-shaped, and discrete ribs on two opposite walls, 11A1215
KERGOMARD, J: Mechanics of Musical Instruments, 1R8
- Study of wave propagation in varying cross-section waveguides by modal decomposition - Part I: Theory and validation, 4A275
- Study of wave propagation in varying cross-section waveguides by modal decomposition - Part II: Results, 10A401
KERH, T: Transient fluid-structure interaction in a control valve, 11A910
KERHO, MF: Airfoil boundary-layer development and transition with large leading-edge roughness, 6A1083
KERIMOV, KR: Controllability conception for stochastic systems, 8T362
KERKHOVEN, T: Piecewise linear Petrov-Galerkin error estimates for the box method, 3A75
KERMICHE, N: Control of building vibrations with active-passive devices, 4A1401
KERMIS, L: Determination of the vibration comfort of vehicles by means of simulation and measurement, 4A1497
KERMODE, PR: Composite structure analysis of a hollow cantilever beam filled with electro-rheological fluid, 6A3
KERR, AD: Moving Loads on Ice Plates, 9R30
KERR, DC: Effects of the state of stress on the tensile and creep properties of γ-TiAl, 12A527
KERR, SA: Moving mass trim control for aerospace vehicles, 3A287
KERROUM, M: Theoretical model of flow of an inclastic fluid through isotropic elastic porous pipes (French), 11T904
KERRY, G: New package for blast noise prediction at UK artillery and testing ranges, 1A326
KERSEY, AD: Extended range pseudo-heterodyne demodulation for fiber optic sensors, 1A801
- Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A128
- Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A129
- Distributed fiber Bragg grating strain sensing in reinforced concrete structural components, 10A865
KERSNER, Z: Sensitivity study of BP-KX and B3 creep and shrinkage models, 4A721
KERSTEN, R: Hydrology: Water Quantity and Quality Control, 8N27
KERSWELL, RR: Upper bounds on the energy dissipation in turbulent precession, 3A1152
- Upper bounds for turbulent Couette flow incorporating the poloidal power constraint, 6A1151
- Variational bounds on shear-driven turbulence and turbulent Boussinesq convection, 8A1193
KERWIN, JM: Enhanced mixing with streamwise vorticity, 11A1386
KESHAV, S: Quantitative assessment of fiber fracture in damaged laminates using X-ray radiography, 7A749
KESHAVARZY, A: Analysis of the characteristics of rough bed turbulent shear stresses in an open channel, 12T1143
KESTIN, J: Aspects of choking in two-phase flow, 4A1022
KESTORAS, MD: Turbulence measurements in a heated, concave boundary layer under high-free-stream turbulence conditions, 11A1271
- Turbulent transport measurements in a heated boundary layer: Combined effects of free-stream turbulence and removal of concave curvature, 12A1275
KETKO, GA: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
KETLER, S: Multiple jets in a crossflow: Detailed measurements and numerical simulataions, 10A1318
KETS, FB: Fast computation of the 3D Radon transform, 7A1466
KEUNINGS, R: Retrofit based methodology for the fast generation and optimization of large-scale mesh partitions: Beyond the minimum interface size criterion, 1A80
- Peterlin approximation for finitely extensible dumbbells, 8A990
- DCB testing of thermoplastic composites: A nonlinear micro-macro numerical analysis, 11A489
KEVLAHAN, NK-R: Propagation of weak shocks in non-uniform flows, 6A284
- Nonlinear interactions in turbulence with strong irrotational straining, 10A1175
KEVLAHAN, NKR: Vorticity jump across a shock in a non-uniform flow, 12A268
KEVORKIAN, J: Asymptotic analysis of the 1:3:4 Hamiltonian normal form, 6A113
KEVREKIDIS, IG: Fully developed traveling wave solutions and bubble formation in fluidized beds, 9A1429
KEY, D: Influence of damping and parameter uncertainty on seismic secondary response spectra: A random vibration approach, 5A1416
KEYAK, JH: Distribution of material properties in the equine third metacarpal bone serves to enhance sagittal bending, 9A1564
KEYHANI, K: Numerical simulation of airflow in the human nasal cavity, 11A1576
KEYHANI, M: Natural convection heat transfer in horizontal rod-bundle enclosures, 2A1169
- New approach for solving inverse solidification design problems, 3A1254
KHABIROV, SV: Submodel of helical motions in gas dynamics, 1A1010
KHACHATRYAN, GG: Mixed boundary-value problems for anisotropic plates of variable thickness, 3A528
KHADAKKAR, AG: Case study of safe lowering of an in service gas pipeline, 12A1524
KHADER, K: Synthesis of a multi-step cam mechanism to drive a shaking belt conveyor, 1A902
KHADYKA, JV: Physico-mathematical model of rocket exhaust plumes, 5A1259
KHAJ, MV: Analysis of dynamic stress concentration in an infinite body with parallel penny-shaped cracks by BIEM, 2A697
KHAJEPOUR, A: Application of center manifold theory to regulation of a flexible beam, 10A151
KHALAF, FM: Blockwork masonry compressed in two orthogonal directions, 11A810
KHALAK, A: Dynamics of a hydroelastic cylinder with very low mass and damping, 3T267
KHALID AHMED, CS: Simulation of a hybrid liquid desiccant based air-conditioning system, 6A1294
KHALID, A: Turbulent flow induced by an impeller in a closed toroidal loop, 7A1188
- Design of multi-task, compact, climbing Robotic NDT systems for remote operation on large surfaces and in hazardous environments, 8A440
KHALID, M: NPARC study of a 2D transonic wall interference, 4A1118
KHALIFA, M: Experimental and numerical study of the flow field in a multi-turning variable area duct, 11A1046
KHALIL, ABI: Optimal circular reinforced concrete columns, 11A785
KHALIL, GM: Analytical investigation of wave-induced oscillations of water in a rectangular harbor, 12A251
KHALIL, HK: Robust control for a nonlinear servo-mechanism problem, 10A444
KHALIL, YF: Erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 7A692
KHALILI, N: Earthquake analysis of gravity dams based on damage mechanics concept, 4A1402
KHALLOUF, H: Properties of convective oscillations in porous medium, 5A1404
- Direct (pseudo-spectral) solver of the 2D-3D Stokes problem: Transition to unsteadiness of natural-convection flow in a differentially heated cubical cavity, 10A1289
KHALOO, AR: Influence of seismic design parameters on ductility of RC flexural members, 2A1384
KHALSA, PS: Compressive behavior of articular cartilage is not completely explained by proteoglycan osmotic pressure, 10A1532
KHAMAYSEH, A: Anisotropic smoothing and solution adaption for unstructured grids, 3A42
KHAMSEH, AR: Failure mechanisms of composite plates with a circular hole under remote biaxial planar compressive loads, 7A547
KHAN, AA: Physically based hydraulic jump model for depth-averaged computations, 3A972
KHAN, AI: Computing in civil and structural engineering special issue, 1T853
- Computing in civil and structural engineering, 9A911
KHAN, AQ: Air crash case study, 4A714
- Causes of fatigue failure in an aero-engine component, 9A709
KHAN, AR: Hydraulic conveying in small diameter horizontal pipes, 11T902
KHAN, AS: Study of three elastic-plastic constitutive models by non-proportional finite deformations of OFHC copper, 5A411
KHAN, JA: Enhancement of heat transfer by inserting a metal matrix into a phase change material, 2A1364
KHAN, KA: Spectral analyses of nonlinear interactions, 6A125
KHAN, LM: Modeling reentrant manufacturing systems with inspection stations, 5A371
KHAN, MK: Plant layout improvements to a medium volume manufacturing system using systematic techniques to form just-in-time manufacturing cells, 12T457
KHAN, MM: Evaluation of repair materials for functional improvement of slabs and beams with corroded reinforcement, 8A903
KHAN, MRU: Response of a two-layer compliant slab to inviscid incompressible fluid flow, 9A220
KHAN, MZS: Fatigue behavior of stitched GRP laminates, 2A628
KHAN, SA: Micellar-polymer physical-property models for contaminant cleanup problems and enhanced oil recovery, 1A1387
- Solution rheology of a hydrophobically modified alkali-soluble associative polymer, 8A1016
KHAN, SK: Slow viscous flow about a permeable circular cylinder, 9A1442
KHAN, Z: Corrosion-fatigue life prediction for notched components based on the local strain and linear elastic fracture mechanics concepts, 5A599
KHANDELWAL, PK: Development of life prediction techniques for structural ceramics, 5A459
KHANNA, A: Ultrasonic velocity and attenuation measurements in sodium lead borate glasses, 5A252
- Dynamic response of cable-stayed bridges to moving vehicles using the structural impedance method, 6A199
KHANNA, S: Spectra in the unstable surface layer, 3A1150
KHARAB, A: Spreadsheet simulation of the moving boundary of the one-phase Stefan problem, 11A1320
KHARAB, R: Linear theory for Ekman's boundary layer according to a triple deck, 11A1028
KHARIF, C: Model of water wave "horse-shoe" patterns, 2A221
- Observability of finite-depth short-crested water waves, 3A233
- New way for the calculation of steady periodic capillary-gravity waves on deep water, 8A261
KHARIK, VM: Response of composites under compression loads: FE modeling of interphase effects, 12A553
KHARIN, V: K-Dominance condition in hydrogen assisted cracking: The role of the far field, 12A774
KHARITONOV, AM: Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 1: Experimental technique, distributed aerodynamic characteristics, 6T1191
- Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, 8T1213
KHARLAMOV, VV: Friction and wear model of a heavy-loaded sliding pair - Part II: Application to an unlubricated journal bearing, 2A859
KHARRAT, M: Interfacial behavior of a glass-epoxy composite during a micro-indentation test: Assessment of interfacial shear strength using reduced indentation curves, 7A496
KHASANOV, MM: Inverse problem in the theory of two-phase filtration, 6A1396
KHASHABA, UA: Notched and pin bearing strengths of GFRP composite laminates, 6A530
- Effect of mean stress on fatigue behavior of GFRP pultruded rod composites, 7A655
KHATER, AH: Backlund transformations and Painleve analysis: Exact solutions for a Grad-Shafranov-type magnetohydrodynamic equilibrium, 10A1198
KHATIB, O: Load independence of the dynamically consistent inverse of the Jacobian matrix, 10A531
KHATIBZADEH, M: Effect of fiber alignment on composite strength - I: Single-fiber studies, 8A540
- Effect of fiber alignment on composite strength - II: The strength of angle-ply laminates, 8A541
KHAVKIN, YI: Combustion System Design: A New Approach, 9R26
KHAZAN, YS: Three-dimensional long-wave instability of unidirectional spatially periodic viscous flows, 5A1024
KHDEIR, AA: Thermoelastic analysis of cross-ply laminated circular cylindrical shells, 3A532
- Free and forced vibration of cross-ply laminated composite shallow arches, 8A170
- Thermal response of antisymmetric angle-ply laminated plates, 10T1374
KHEDDIOUI, E: Interference aspect of the interaction between two elastic tubes: Impulsive and quasi-harmonic studies (French), 10A348
KHEDER, GF: Mathematical model for the prediction of volume change cracking in end-restrained concrete members, 10A827

KHEJFETS, ML: Design of optimal cutting conditions based on self-organization of a tribosystem, 1A418

KHELIFI, M: Three-dimensional FE model to simulate secondary flows: Development and validation (French), 11T34

KHELLAF, K: New analytical solution for heat transfer in the entrance region of ducts: Hydrodynamically developed flows of power-law fluids with constant wall temperature, 11A1254

KHEN, GB: Radiation properties of a semitransparent composite matrix with the particles at a metal-dielectric phase transition, 5T1255

KHEYRODDIN, A: Element size effects in nonlinear analysis of reinforced concrete members, 7A822

KHIZHNYAK, VK: Stressed state of the isotropic layer with a crack (Russian), 12A819

KHLEBNIKOV, AA: Analysis of peculiarities of blade layout of rolled-up main rotor, 1A1107

KHLUDNEV, AM: Signorini problem for inclusions in shells, 5A482

KHMELEVSKAJA-PLOTNIKOVA, G: Transversal structure of finite amplitude Lamb waves in the atmosphere near the Earth's surface, 2A1406

KHODADADI, JM: Containerless thermal diffusivity determination of high-temperature levitated spherical specimen by extended flash methods: Theory and experimental validation, 11A1203

KHODKE, PM: Analytical model for material removal in abrasive jet machining for brittle materials, 3A626

KHODZHAEV, KS: Systems with magnetoelectric vibration dampers, 4A110

KHOKHLOV, AM: Theory of deflagration-to-detonation transition in unconfined flames, 8A301

KHOKHLOVA, VA: Analytical method for describing the paraxial region of finite amplitude sound beams, 8A343

KHOLOD, EG: Approximate nonlinear boundary value problems of reinforced shell dynamics, 1A188

- Account of torsional rigidity of ribs for reinforced structures (Russian), 2T747

KHOLODILOV , OV: Performance of gland packings from soft chemical fibers, 2A1135

KHOLODILOV, OV: Effect of structure upon triboengineering properties of phenylon, 1A13

- Effect of solid lamellar lubricants on tribological characteristics of composites based on aromatic polyamides, 5T815

KHOLODOV, BP: Development of oils for cold rolling of deformation-resistant metals, 2T585

KHOLOPOVA, VV: Nonlinear surface waves in fluid in cylindrical vessel making nonperiodical movements in space (Russian), 2A242

- Study of nonlinear dynamics of underwater self-propelled cable-controlled apparatus (Russian), 12T402

- Study of nonlinear dynamics of automotive under water vehicles with regard for the cable effect (Russian), 12A401

KHOLOSTOVA, OV: Resonant forced vibrations of a Hamiltonian system with one dof, 5A87

- Motion of a system close to Hamiltonian with one dof when there is resonance in forced vibrations, 6A128

KHOMA, IY: One equivalent system of equations of generalized theory of shallow shells, 12T472

KHOMA, YI: Failure of infinitely noncompressible hyperelastic material under compression along the cylindrical crack (Russian), 2A655

KHOMAMI, B: Note on start-up and large amplitude oscillatory shear flow of multimode viscoelastic fluids, 1A949

KHONSARI, M: Thermohydrodynamic design charts for tilting-pad journal bearings, 11A1192

KHONSARI, MM: Generalization of thermohydrodynamic analyses for journal bearings, 1A1142

- Generalized boundary interactions for powder lubricated Couette flows, 1A1138

- Dynamic friction measurements of MoS, coated ball bearing surfaces, 4T914

- Elastohydrodynamic lubrication by powder slurries, 11A1181

- Comparison of the low-speed frictional characteristics of silicon nitride and steel balls using conventional lubricants, 11T835

- Analysis of powder lubricated slider bearings, 11A1187

- Heat transfer in a thin-film flow in the presence of squeeze and shear thinning: Application to piston rings, 11A1253

- Parameter identification of hysteresis friction of coated ball bearings based on 3D FEM analysis, 12A1013

- Modeling of multi-body interaction problems in tribology, 12A1208

- CFD based design techniques for thermal prediction in a generic two-axial groove hydrodynamic journal bearing, 12A1205

KHOO, BC: Absolute instability of boundary-layer flow over viscoelastic walls, 1A1056

- Solutions of 3D boundary layer equations by global methods of generalized differential-integral quadrature, 1A1028

- Numerical studies of unsteady boundary layer flows past an impulsively started circular cylinder by GDQ and GIQ approaches, 3A1101

- Nonlinear interaction between gas bubble and free surface, 3A1077

- Vortex breakdown in an unconfined vortical flow, 7T1124

- Effects of imperfect spatial resolution on turbulence measurements in the very near-wall viscous sublayer region, 8A1190

- Axisymmetric boundary layer beneath a Rankine-like vortex, 8A1141

- Numerical prediction of separation and reattachment of turbulent flow in axisymmetric diffuser, 11A1049

- Numerical study of the effect of free surface and water depth on the stability of wakes: Use of GDQ formulation, 11A1087

KHOO, E: Behavior of gravity caisson on sand, 9A629

KHOPIN, PN: Evaluation of lubricating coatings durability based on analysis of friction surface topography, 2T912

KHOR, KA: Effects of feedstock and laser post-spray treatment on plasma sprayed biocceramic coatings, 4T654

- Hot isostatic pressing modifications of pore size distribution in plasma sprayed coatings, 10T727

- Fiber reinforced metal matrix composite by a high deformation consolidation process, 10T750

KHOROSHUN, LP: Mathematical model of inhomogeneous deformation of composites (Russian), 2A426

- Deformation of composite materials under microdischarge (Russian), 6A532

- Nonlinear deformation of laminated composite materials under macrodestructions, 9A505

- Nonlinear deformation of fibrous composites under microfailures of the binder (Russian), 9A513

KHORRAMI, F: Robust decentralized control of power systems utilizing only swing angle measurements, 9T320

KHORUZHII, OV: Dynamics of fission gas release from molten nuclear fuel, 5A1443

KHOSLA, P: Experimental results of adaptive periodic disturbance cancellation in a high performance magnetic disk drive, 4A418

- Streamline based grid adaption for Euler and Navier-Stokes: Direct and inverse design applications, 11A945

KHOSLA, PK: Use of active deformable models in model-based robotic visual servoing, 5A356

- Designing fault-tolerant manipulators: How many dof?, 6A438

- Shape from motion approach to rapid and precise force-torque sensor calibration, 12A419

KHOUZAM, K: Real-time simulation of photovoltaic modules, 3A1455

KHRAISHEH, MK: Constitutive modeling of superplastic deformation - Part I: Theory and experiments, 11A412

KHRENOV, VL: Tribology of bearings and sliding guides with magnetic off-loading, 3A896

KHROMATOV, VE: Asymptotic analysis of stability and postcritical behavior of elastic panels in a supersonic flow, 5A214

KHRUPA , VI: Influence of dislocation interactions with impurities on their topographical images in silicon crystals, 4T803

KHRUSTALEV , D: Thick-film phenomenon in high-heat-flux evaporation from cylindrical pores, 11A1297

KHRUSTALEV, D: Fluid flow effects in evaporation from liquid-vapor meniscus, 2A1225

- Advances in modeling of enhanced flat miniature heat pipes with capillary grooves, 9A1299

- Thermal characteristics of conventional and flat miniature axially grooved heat pipes, 11A1351

KHRUSTALEV, MM: Investigation of stability of blood motion in viscoelastic blood vessels, 9A1589

KHUBEIZ, JM: Theoretical and experimental study of natural convection heat transfer from isothermal hemisphere, 3A1225

KHULIEF, YA: Dynamic analysis of rotors using modal reduction, 12A44

KHURI-YAKUB, BT: Lamb wave tomography and its application in pipe erosion-corrosion monitoring, 10A797

KHUSANOV, BE: Nonstationary diffraction of plane elastic waves by a cone, 1A317

KHUSID, BM: Liquid flame combustion II: Some physical and chemical characteristics of the burning process, 12A1389

KHUTORYANSKY, N: New developments concerning piezoelectric materials with defects, 1A607

- New regularization formulas in the BEM for anisotropic elasticity, 12T76

KHVOSTUNKOV, KA: Stability of a self-gravitating rod, 4A615

KIANG, RL: Generalized model of a real refrigerator and its performance, 8A1375

KIATSIRIROAT, T: Performance analysis of vapor compression refrigeration with R-22-R-124-R152a refrigerant, 9A1312

KICHER, TP: Method for thermal analysis of spiral bevel gears, 6A955

KICIAK, A: Weight functions for an external longitudinal semi-elliptical surface crack in a thick-walled cylinder, 8A778

KICINSKI, J: Nonlinear model of vibrations in rotor-bearings system - Part I: Calculation algorithm, 2A1131

- Nonlinear model of vibration in rotor-bearings system - Part II: Calculation results, 9A171

KIDA, T: Elastic analysis of pavement materials with the bending test by two points loading (Japanese), 7A829

- Convergence of panel methods using discrete vortices around 2D bodies, 7A1018

- Asymptotic solutions for 2D low Reynolds number flow around an impulsively started circular cylinder, 9A1021

KIDO, K: Active control or passive control: Outline of active noise control and its application to practical problems, 9A276

- Temperature dynamic models of heat exchanger for photosensitive material coating and drying processes, 11A1352

KIEDRZYNSKI, K: Effect of positioning the axis of a lamellar rotor model of a sucking and forcing regenerative exchanger on the intensity of convective mass-heat transfer, 11A1340

KIEFER, U: Extraction of model parameters of piezoelectric ultrasound transducers based on the measurement of electrical data (German), 2A531

KIELBASA, J: Time of developments of thermal waves in the flow (Polish), 4A1264

KIELHOFER, H: Free nonlinear vibrations for a class of 2D plate equations: Standing and discrete-rotating waves, 12T175

KIESELBACH, R: Bursting of a silo, 9A923

KIESLER, TW: In vivo observations of hydraulic stiffening in the canine femoral head, 9A1569

KIESSL, K: Calculation of heat and moisture transfer in exposed building components, 3A1285

KIFANI, A: Notch effect in brittle-ductile transition: General concept (French), 8A775

KIGAWA, T: Present state and future perspective of tribology: Special issue on Commemoration of the 40th Anniversary of the Foundation of JAST, 7T867

KIGUCHI, Y: Heat transfer characteristics in *tert*-butanol dehydration reaction used for heat transport, 2A1260

KIHARA, T: Measurement method of scattered light photoelasticity using unpolarized light, 8A847

KIHL, DP: Fatigue of welded steel joints under wideband loadings, 4A706

KIHM, KD: Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22

- Suggestive correctional methods for PIV image biasing caused by a rotating mirror system, 2A1146

- Adoption of a genetic algorithm for tomographic reconstruction of line-of-sight optical images, 7A1228

KIIKO, IA: Flutter of a viscoelastic plate, 1A289

- Shape optimization for a rectangular plate at elasto-plastic bending, 4A819

KIJIMA, K: Prediction method for ship maneuvring motion in the proximity of a pier, 9A1151

KIJIMA, M: Turbulent near-wakes of periodic array of square blocks on a plate, 2A1045

KIKKAWA, H: Secondary current control in river bend by the action of obliquely arranged square bar elements (Chinese), 10A1059

KIKUCHI, K: Numerical simulation of the phenomena due to the passing-by of two bodies using the unsteady BEM, 3A52

- Numerical and experimental investigation of secondary flow in a high-speed compressor stator, 10A1247

KIKUCHI, M: Analytical hysteresis model for elastomeric seismic isolation bearings, 7A1479

KIKUCHI, N: Integrated optimal structural and vibration control design, 6A851

- Macro and micro scale modeling of thermal residual stresses in metal matrix composite surface layers by the homogenization method, 9A678

- Optimal design of piezoelectric microstructures, 11A545

- Numerical analysis of deep drawing process for thermoplastic composite laminates, 12A723

- Constitutive modeling and material characterization of polymeric foams, 12A526

- Topological synthesis of compliant mechanisms using multi-criteria optimization, 12A1025

KIKUIRI, N: Control method for helium gas pressure and concentration in X-ray steppers (Japanese), 1T379

KIKUSHIMA, Y: Use of optimally shaped piezoelectric film sensors in the active control of free field structural radiation - Part 2: Feedback control, 11A260

KIKUTA, Y: Time domain backcalculation of pavement structure by using matrix reduction (Chinese), 10A712

KIKVIDZE, OG: Constitutive equation of shape memory alloys, 4T1255

KILAR, V: Simple push-over analysis of asymmetric buildings, 7A1484

KILIC, A: Theoretical and experimental investigation of a novel built-in-storage solar water heater, 8A1524

KILL', ID: Coupled dynamic problem of thermoelasticity for a half-space, 7A1354

KILLEEN, MI: Laboratory wear testing of polyurethane elastomers, 12A990

KILLWORTH, PD: Sea ice ridging schemes, 5T910

KILMAN, JM: Integrated infrared failure analysis of printed circuit boards, 11A1371

KILPATRICK, D: Boundary element formulation of the forward problem of electrocardiology utilizing discontinuous elements, 1A85

KIM , RHYN H: Three-dimensional analysis of partially open butterfly valve flows, 4A961

KIM , TJ: Neighboring extremal control design using error compensation, 10A451

KIM, BH: Automatic runner balancing of injection molds using flow simulation, 11A1044

KIM, BM: Computer-aided forging-die design for 2D cross-sectional components, 6A677

- Prediction of die wear in the wire-drawing process, 11A589

KIM, BONG-KI: Reconstruction of the vibro-acoustic field over the surface enclosing an interior space using the BEM, 5A264

KIM, BS: Nonlinear flight control using neural networks, 7A350

- Extrudate swell and isothermal melt spinning analysis of linear low density polychthylene using the Wagner constitutive equation, 11A392

KIM, BYUNG NAM: Improvement of tip leakage loss model for axial turbines, 10T1233

KIM, BYUNG-MIN: Prediction of surface-fracture initiation in the axisymmetric extrusion and simple upsetting of an aluminum alloy, 6A710

KIM, C: BGK-based schemes for the simulation of compressible flow, 6T1048

KIM, C-G: Measurement of modulus in filament wound ring specimen using split disk test, 7A497

KIM, C-J: Microelectromechanical Systems, 3N10

KIM, CG: Buckling and postbuckling behavior of stiffened composite panels loaded in compression, 6T1094

KIM, CH: Study on the forging of spur gears, 2A583

- Computer-aided forging-die design for 2D cross-sectional components, 6A677

KIM, CHARN-JUNG: Effects of buoyancy and periodic rotation on the melt flow in a vertical Bridgman configuration, 8A1297

KIM, CHEOL: Constrained warping of thin-walled hollow composite beams, 12T610

KIM, CHEOL HONG: Combination resonances of a circular plate with three-mode interaction, 11A122

KIM, CHEOL-SOON: In-situ identification of active magnetic bearing system using directional frequency response functions, 4A330

- Isotropic optimal control of active magnetic bearing system, 6A407

KIM, CHUN-GON: Measurement of tensile properties using filament wound ring specimens, 12A602

KIM, D: Kinematic and geometric models of gear drives, 6A953

- Impurity modes in disordered nonlinear lattices, 8A112

KIM, DAI EUN: Tribological behavior of ultra-thin soft metallic deposits on hard substrates, 2A925

KIM, DH: Computerized design, generation and simulation of meshing of modified involute spur gears with localized bearing contact and reduced level of transmission errors, 9A953

KIM, DK: Upper-bound analysis of square-die forward extrusion, 6A676

KIM, DOO MAN: Robustness of natural controls of distributed-parameter systems, 11A329

KIM, DS: Estimating settlement of sand caused by construction vibration, 6A642

- Crack interaction criteria in pressure vessels and pipe, 11A687

KIM, E: Influence of Reynolds number and heat transfer in fluid film lubrication, 4T1158

- Combined effects of lubricant inertia and viscous dissipation in long bearings, 7A1218

- Natural convection along a wavy vertical plate to non-Newtonian fluids, 10A1304

KIM, ES: Thermal decomposition studies of energetic materials using confined rapid thermolysis-FTIR spectroscopy, 12A1406

KIM, H: Unique determination of a collection of a finite number of cracks from two boundary measurements, 2A740

- Four wheel steering system for vehicle handling improvement: A robust model reference control using the sliding mode, 5A318

KIM, H-D: Investigation on onset of shock-induced separation, 6A1091

KIM, HEE CHEUL: Efficient seismic analysis of multi-story buildings, 4A1403

KIM, HG: Creep densification of copper powder compact, 1A461

KIM, HK: Normal and tangential force calibration in fretting fatigue test, 9T726

KIM, HM: Experimental study of structural health monitoring using incomplete measurements, 4A800

KIM, HYO-JIN: Effect of delamination on buckling behavior of quasi-isotropic laminates, 6A622

- Postbuckling analysis of composite laminates with a delamination, 7A539

- Buckling and postbuckling behavior of composite laminates with a delamination, 12A658

KIM, HYOUNG M: Two-step structural damage detection approach with limited instrumentation, 10A236
KIM, IS: Simulation of the continuous casting process by a mathematical model, 4A1233
KIM, J: Numerical study of 3D wall-bounded flows, 2A1036
- Direct numerical simulation of strained 3D wall-bounded flows, 4A1084
- Coherent structures near the wall in a turbulent channel flow, 8A1187
- Systems theory approach to the feedback stabilization of infinitesimal and finite-amplitude disturbances in plane Poiscuille flow, 8A389
- Direct numerical simulation of turbulent flow over a backward-facing step, 8A1188
- Nd: YAG laser-based dual-line Rayleigh scattering system, 10A1272
- Measurement of air flowrate by using an integration type ultrasonic flow meter applicable for spark ignition engine control, 11A1193
- Dynamic analysis of a thin beam impacting against a stop of general 3D geometry, 12A241
KIM, J-D: Chip-breaking system for mild steel in turning, 9A664
KIM, JAE KWAN: Dynamic response of rectangular flexible fluid containers, 3A259
KIM, JAE WON: Axisymmetric inertial oscillations in transient rotating flows in a cylinder, 11A947
KIM, JAEHWAN: Finite element modeling of scattering problems involving infinite domains using drilling dofs, 2A293
- Finite element modeling of structures including piezoelectric active devices, 8A628
- Optimal placement of piezoelectric actuators for active noise control, 9A283
KIM, JEONG K: Reinforcement of bone cement around the femoral prosthesis tip by pre-coated wire coil: A human cadaver bone study, 5A1523
KIM, JEONG-DU: Development of a tool failure detection system using multi-sensors, 1A420
- Stability of a friction driver using a describing function, 4A414
- Study on microcutting for the configuration of tools using molecular dynamics, 4A678
- Study on the effect of a magnetic field on an electrolytic finishing process, 8A723
- Development of a micro-depth control system for an ultra-precision lathe using a piezo-electric actuator, 8A705
- Development of the magneto-electrolytic-abrasive polishing system and finishing characteristics of a Cr-coated roller, 12A743
- High-speed machining of aluminium using diamond endmills, 12A735
- Study on magnetic polishing of free-form surfaces, 12A744
KIM, JEONG-HOON: Stochastic turning point problem in a 1D refractive random multilayer, 1A239
KIM, JEONG-OUN: Modification of Gauss sampling points of 6-node and 16-node isoparametric FEs, 9A38
KIM, JEONG-TAE: Damage localization in structures without baseline modal parameters, 2A709
KIM, JH: Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22
KIM, JIN KOOK: Limit of equivalence ratio on mixing enhancement near the tube exit in a tone excited rich flame, 9A1365
KIM, JIN SOO: Measurement of the degree of cure of carbon fiber epoxy composite materials, 2A608
KIM, JIN-KEUN: Effect of gravity load on seismic response of steel-framed structures, 9A1478
KIM, JIN-KI: Mechanistic model for fatigue life prediction of solder joints for electronic packages, 8A765
KIM, JIN-YEON: Dynamic self-consistent analysis for elastic wave propagation in fiber reinforced composites, 4A211
KIM, JK: Fatigue properties and stem subsidence in wire coil reinforced PMMA bone cement: A preliminary *in vitro* study, 9A1602
KIM, JONG SUNG: Determination of stress intensity factor for embedded elliptical crack in turbine rotor, 6A761
- Determination of thermal shock stress intensity factor for elliptical crack by modified Vainshtok's weight function method, 7A718
KIM, JONG-IL: Critical transitions in pool flash evaporation, 9A1255
KIM, JONG-TAE: Unstructured grid finite volume analysis for acoustic and pulsed wave propagation characteristics in exhaust silencer systems, 5A951
KIM, JONGWON: Adaptive cutting force control for a machining center by using indirect cutting force measurements, 1A414
KIM, JOO-HYUN: Influence of cutting edge radius on the machined surface of brittle materials in simulated orthogonal machining, 3A631
KIM, JS: Acoustic response of droplet flames to pressure oscillations, 2A1334
- Diffusional-thermal instability of diffusion flames, 6A1332
- Analysis of soil nailed earth slope by discrete element method, 8A658
KIM, JUN-SIK: Four-noded FE post-process method using a displacement field of higher-order laminated composite plate theory, 2A507
- Improved Mindlin plate stress analysis for laminated composites in FEM, 9T534
KIM, JW: Search for an economic domain of operation when grinding below the film boiling limit, 8A713
- High speed grinding: Evaluation of wheel performance and surface integrity, 10A744
KIM, JY: Analysis of soil nailed earth slope by discrete element method, 8A658
- Asymptotic analysis to a tensile crack in creeping solids coupled with damage - Part II: Large damage region very near the crack tip, 8A779
KIM, K: New measuring strategy for sculptured surfaces using offset surfaces, 5A376
KIM, K-J: Friction identification in a sight stabilization system at low velocities, 11T828
KIM, KD: Buckling behavior of composite panels using the FEM, 11A12
KIM, KH: Evolution of anisotropy under plane stress, 11A372
KIM, KI: New measuring strategy for sculptured surfaces using offset surfaces, 5A376
KIM, KI-TAEK: Experimental study on physical properties of compression molded SMC parts under plane strain condition, 3A500
KIM, KJ: Particle orientation in talc-filled thermoplastics extruded through cylindrical, rectangular, and annular dies, 6A682
- Performance evaluations of LiCl and LiBr for absorber design applications in the open-cycle absorption refrigeration system, 11A1537
- Compressor-driven metal-hydride heat pumps, 11A1358
KIM, KS: Plasticity considerations in probabilistic ceramic-to-metal joint design, 11A421
KIM, KT: Creep densification of copper powder compact, 1A461
- High temperature densification forming of alumina powder: Constitutive model and experiments, 4A689
- Densification forming of alumina powder: Effects of power law creep and friction, 4A687
KIM, KWANG-JOON: Seismic response of submerged secondary systems in base-isolated structures, 9A1487
KIM, KYOUNG-HO: Study on the Hartmann-Sprenger tube flow driven by a sonic jet, 8A1099
KIM, KYU-JUNG: Vesico-urethral pressuregram analysis of urethral function under stress, 6A1536
KIM, KYUNG CHUN: Numerical study of heat transfer and flow of natural convection in an enclosure with a heat-generating conducting body, 8A1287
KIM, KYUNG-MO: Plastic zone size in fatigue cracking, 1A750
KIM, KYUNG-WOONG: Numerical analysis of grease thermal elastohydrodynamic lubrication problems using the Herschel-Bulkley model, 12T1217
KIM, M: Analysis of wave dispersion in coarsely laminated symmetric composite plates, 4A212
KIM, MAN YOUNG: Analysis of radiative heating of a rocket plume base with the finite-volume method, 7A1324
- Modification of the discrete-ordinates method in an axisymmetric cylindrical geometry, 10A1347
KIM, MAN-CHEOL: Determination of the natural frequencies and mode shapes for large structures by accelerated Newton-Raphson method, 8A179
KIM, MH: Second-order vertical diffraction forces on truncated cylinders, 6A1000
KIM, MIN-SOO: Multibody dynamic response optimization with ALM and approximate line search, 12A97
KIM, MOON-YOUNG: Stability of shear deformable thin-walled space frames and circular arches, 3A555
KIM, MYUNG BAE: Parametric representation of diffusive enhancement in a confined oscillatory flow, 1T1300
KIM, N-H: Heat transfer and friction correlations for wavy plate fin-and-tube heat exchangers, 12A1319
KIM, NAM WOONG: Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, 7A118
KIM, OOK JOONG: Implementation of the weighted sum of gray gases model to a narrow band: Application and validity, 6A1279
KIM, PJ: Angular bias errors in three-component laser velocimeter measurements, 4A1175
KIM, RY: Failure modes in unidirectional composites under transverse loading, 7A737
KIM, S: Design of a force reflection controller for telerobot systems using neural network and fuzzy logic, 1A394
- High pressure simulation experiment on corium dispersion in direct containment heating, 3A1439
- Feedback control law design for the dual-spin turn of spacecraft, 10A482
KIM, S-B: Study on the large ductile deformations and perforation of mild steel plates struck by a mass - Part II: Discussion, 11A415
- Study on the large ductile deformations and perforation of mild steel plates struck by a mass - Part I: Experimental results, 11A414
KIM, S-J: Method to determine bone movement in the ankle joint complex *in vitro*, 10A1556
KIM, S-W: Reverse engineering: Autonomous digitization of free-formed surfaces on a CNC coordinate measuring machine, 12A874
KIM, SANG-HYUN: Development of a methodology to form net-shape nosing shells by the backwards tracing scheme of the rigid-plastic FEM, 11A26
KIM, SANG-JOO: Microcracking and electric fatigue of polycrystalline ferroelectric ceramics, 1A695
KIM, SANG-SUP: Criterion on inclusion of stress stiffening effects in flexible multibody dynamic system simulation, 7A87
KIM, SEOGGWAN: Milling cutter wear monitoring using spindle shaft vibration, 8A199
KIM, SEOK-HO: Ultrasonic devulcanization of waste rubbers: Experimentation and modeling, 7A989
KIM, SEONG H: Comparison of numerical models for evaporative two-phase flow in a self-heated porous medium, 6A1073
KIM, SEUNG JO: Shear correction factors for thin-walled composite boxbeam considering nonclassical behaviors, 2A475
- Penalized weighted residual method for the initial value problems, 6A85
KIM, SEUNG-ECOK: Practical advanced analysis for braced steel frame design, 6A910
KIM, SEUNG-EOCK: LRFD Steel Design Using Advanced Analysis, 11R22
- Practical advanced analysis for unbraced steel frame design, 6A911
- Further studies of practical advanced analysis for weak-axis bending, 9A902
KIM, SEUNG-ILL: Triggering of longitudinal combustion instabilities in rocket motors: Nonlinear combustion response, 5A1372
KIM, SEUNG-JO: Thermoviscoplastic theory for composite materials by using a matrix-partitioned unmixing-mixing scheme, 4A1261
KIM, SEUNGHYUN: Role of biofilm growth in bacteria-facilitated contaminant transport in porous media, 9A1419
KIM, SI-MOON: Exergy analysis for a gas turbine cogeneration system, 5A1366
KIM, SJ: Active control of sound fields from a composite plate using the anisotropy and shape of distributed PVDF actuators, 11A254
KIM, SK: Real-time estimation of temperature distribution in a ball-screw system, 8A1356
KIM, SOONGKEE: Comparative evaluation of municipal solid waste incinerator designs by flow simulation, 1A1328
KIM, SS: Radiation affected compressible turbulent flow over a backward facing step, 1A1255
KIM, ST: Stress relaxation in the interface between creep particle and elastic matrix-strengthening mechanism, 7T454
KIM, SUNG: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
KIM, SUNG HO: Mode II stress intensity factor for layered material under arbitrary shear crack surface loading, 2A661
KIM, SUNG J: Effects of piezo-actuator delamination on the performance of active noise and vibration control systems, 9A279
KIM, SUNG-BO: Stability of shear deformable thin-walled space frames and circular arches, 3A555
KIM, SUNG-SOO: Criterion on inclusion of stress stiffening effects in flexible multibody dynamic system simulation, 7A87
KIM, SW: Computer-aided forging-die design for 2D cross-sectional components, 6A677
KIM, T: Effects of magnetic reconnection in the Kelvin-Helmholtz instability at the magnetospheric boundary, 10A1206
KIM, TAE HYUNG: Singular cladding stresses at interface of elastic cylinders, 5A805
KIM, TAE KWON: Exhaust and in-situ measurements of nitric oxide for laminar partially premixed C_xH_y-air flames: Effect of premixing level at constant fuel flowrate, 2A1317
KIM, TAE-YONG: Adaptive cutting force control for a machining center by using indirect cutting force measurements, 1A414
KIM, TAEHYOUN: Reduced-order aeroservoelastic model with an unsteady aerodynamic eigen formulation, 12A285
KIM, TAIK YOUNG: Ignition phenomenon of solid fuel in a confined rectangular enclosure, 3A1294
KIM, TH: Prediction of die wear in the wire-drawing process, 11A589
KIM, TJ: Erosion model for abrasive waterjet milling of polycrystalline ceramics, 5A618
KIM, TO: Experimental measurement of competitive ion-induced and binary homogeneous nucleation in $SO_2/H_2O/N_2$ mixtures, 11A1442
KIM, TO HOON: Analysis of striation formation in laser material cutting process, 8A698
KIM, TY: Machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, 5A844
KIM, WON NYUN: Convective heat transfer in a cylinder with a rotating lid under stable stratification, 11T1243
KIM, WOO-SEUNG: Freezing range effect on shell growth instability during alloy solidification, 3A655
- Study of thermal behavior and fluid flow during laser surface heating of alloys, 11A1262
KIM, WY: Discrimination of earthquakes and explosions in southern Russia using regional high-frequency three-component data from the IRIS-JSP Caucasus Network, 12A1488
KIM, Y-H: Active intensity control for the reduction of radiated duct noise, 10A371
KIM, YANG-HANN: Three accelerometer method for the measurement of flow rate in pipe, 2A1016
KIM, YD: Coupled solidification analysis of materials and cooling roller in direct rolling process, 12A718
KIM, YEONG K: Process-induced stress relaxation analysis of AS4-3501-6 laminate, 7A427
KIM, YH: Performance evaluation of the Golay code pulse compression technique, 6T838
- Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
KIM, YONG BEOM: Flow characteristics and aerodynamic losses of film-cooling jets with compound angle orientations, 10A1254
KIM, YONG H: Analysis of superplastic forming processes using a FEM, 6A706
KIM, YONG-MO: Unstructured grid finite volume analysis for acoustic and pulsed wave propagation characteristics in exhaust silencer systems, 5A951
KIM, YONG-WAN: Stress intensity factor solution for radial and circumferential cracks in hollow cylinders using indirect boundary integral, 3A693
KIM, YOUDAN: Time-domain FEM for inverse problem of aircraft maneuvers, 7A1170
- Reduced-order aeroservoelastic model with an unsteady aerodynamic eigen formulation, 12A285
KIM, YOUNG C: Hybrid migration: A cost-effective 3D depth-imaging technique, 9A1461
KIM, YOUNG GOO: Development of the composite third robot arm of the six-axis articulated robot manipulator, 8A453
- Strength analysis of adhesively-bonded tubular single lap steel-steel joints under axial loads considering residual thermal stresses, 10A1014
KIM, YOUNG JONG: Stress intensity factors for the annular crack surrounding an elastic fiber under torsion, 11A683
KIM, YOUNG-HO: Analysis of tube-spinning processes by the upper-bound stream-function method, 12A710
KIM, YOUNG-KEY: Three accelerometer method for the measurement of flow rate in pipe, 2A1016
KIM, YOUNG-KYU: Theoretical estimation for removal ability of organic pollutants through crushed stone layer around leachate collection pipe and design of the pipe in semiaerobic sanitary landfills (Japanese), 7T1082
KIM, YOUNG-SURCK: Spurious free four-node displacement-based fluid element for fluid-structure interaction analysis, 10A23
KIM, YOUNG-WANN: Analysis of nonlinear vibration of hybrid composite plates, 3A160
KIM, YOUNGIL: Equation of state for 1,1-Difluoroethane (R152a), 12A1243
KIM, YOUNGMIN: Analysis of strain localization on the basis of a strain gradient dependent constitutive model, 2A543
KIM, YR: Viscoelastic continuum damage model and its application to uniaxial behavior of asphalt concrete, 8A770
- Effect of coating and interfacial reaction zone on the residual stresses in fiber-reinforced metal-matrix composite, 9A489
KIM, YT: Equivalent model and back-analysis technique for modeling in situ consolidation behavior of drainage-installed soft deposits, 10A687
KIM, YU-IK: Large-scale structure of a leading-edge separation bubble with local forcing, 11A1027
KIM, YUN-JAE: Fully plastic crack-tip fields for plane strain shallow-cracked specimens under pure bending, 5A659
- Yield locus in deep, single-face-cracked specimens under combined bending and tension, 7T715
KIM, YW: Transient liquid crystal technique for convective heat transfer on rough surfaces, 8A1312
KIM-SON, D: Turbulent structure of an axisymmetric plume penetrating a strong density stratification, 4A1060
KIMBLE, BW: Theoretical and numerical validation of the stochastic interrogation experimental method, 1A137
KIMMEL, RL: Space-time correlation measurements in a hypersonic transitional boundary layer, 6A1085
- Effect of pressure gradients on transition zone length in hypersonic boundary layers, 9A1040
KIMOTO, H: Green's function approach to optimal arrangement of heat sources in a heat conductor, 2A1231
KIMURA, F: Design theory and CAD (Japanese), 1T927
- Decomposition of a welded part by iterative loop generation based on multiple feature recognition (Japanese), 7A793
- Generation of welded-part geometry with manufacturing process rules (Japanese), 10A1008

KIMURA, H: Dynamics and control of intelligent jig with function of manipulation, 5A348
- Planning for manipulating a multiple contacted object by single-prismatic-jointed fingers, 11A334
KIMURA, I: Fundamental properties of flows in open channels with dead zone, 7A994
KIMURA, K: Wind-induced gust response analysis based on state space formulation (Japanese), 3A1188
- Experimental study on vortex-induced vibration of circular cylinder towers at high wind speed (Japanese), 3A180
- Axial load capacity of water-lubricated hydrostatic conical bearings with spiral grooves: On the case of rigid surface bearings, 4A1157
- TIG welding and shape memory effect of TiNi shape memory alloy, 9A852
KIMURA, M: Study on development of soil improvement method using construction waste soil (Japanese), 5T511
- Model for convective mass transport in liquid phase epitaxial growth of semiconductors, 10A1389
KIMURA, S: Fluidized-bed nitridation of stainless steel powder, 10T756
- Study on high power CO_2 laser welding - 1st report: Observation and measurement of welding phenomena (Japanese), 10T1010
- Study on high power CO_2 laser welding - 2nd Report: A modeling of laser welding process (Japanese), 12T1039
KIMURA, T: Effects of inner rotating horizontal cylinder on heat transfer in a differentially heated enclosure, 7A1265
KIMURA, Y: Tribology research in Japan: A state-of-the-art report, 3A861
- Diffusion in stably stratified turbulence, 6A1149
KING, AI: Lumbar facet pain: Biomechanics, neuroanatomy, and neurophysiology, 3A1491
- Relationship between loading conditions and fracture patterns of the proximal femur, 5A1473
KING, AR: Physics with Answers: 500 Problems and Solutions, 12N14
KING, BF: Survey to estimate residential solid waste generation, 3T1471
KING, CJ: Aeroacoustic properties of a supersonic diamond-shaped jet, 2A981
KING, DB: Comparison of algorithms for solving parabolic wave equations, 1A329
KING, GP: Study of particle paths in non-axisymmetric Taylor-Couette flows, 11A952
KING, JA: High-performance active control of dynamically complex space structures, 3A380
KING, JG: Modeling sediment in gravel-bedded streams using HEC-6, 3T984
KING, JR: Asymptotic analysis of the growth of cake layers in filters, 6A1071
- Moving-boundary problems arising from a model for solid-state diffusion, 9A1342
KING, LB: Approximating collisional freestream attenuation at transitional Knudsen numbers, 9T1143
KING, ME: Energy-based approach to computing resonant nonlinear normal modes, 3A114
KING, MJ: Three-dimensional study of the effect of two leaflet opening angles on the time-dependent flow through a bileaflet mechanical heart valve, 12A1585
KING, PE: Control of noisy chaotic motion in a system with nonlinear excitation and restoring forces, 11A93
KING, PI: Three-dimensional velocity measurements within Gortler vortices, 2T1140
- Time-dependent supersonic separation of tangent bodies, 4A1122
KING, TR: Velocity dependence of impact fluorescence, 8A241
KING, WW: Thermomechanical mechanism for delamination of polymer coatings from optical fibers, 12A784
KINGSBURY, E: Lubrication of slow rolling contacts: The NASA ball on plate tribometer, 12A1230
KINKEL, JF: Estimation of vehicle dynamic and static parameters from magnetometer data, 7A244
KINLOCH, AJ: Mechanical performance of carbon-fiber and glass-fiber-reinforced epoxy I-beams - II: Fractographic failure observations, 5A677
- Fatigue and durability behavior of automotive adhesives - Part I: Fracture mechanics tests, 10A783
KINNEY, TC: Full scale highway load test of flexible pavement systems with geogrid reinforced base courses, 5A405
KINOSHITA, CM: Capillary instability of a liquid film on a wire, 11A1084
KINOSHITA, I: Direct-contact heat-transfer characteristics between a melted alloy and water, 7A1338
KINOSHITA, K: Accurate prediction of specific damping capacity of TiNi SMA composite through a 3D constitutive model, 1A10
- Study on micro-machined profile measurement by means of optical inverse scattering reconstruction phase method: Phase retrieval of periodic fine profile (Japanese), 2A736
KINOSHITA, N: Remarks on thermal behavior of rock mass around openings affected by low temperature (Japanese), 5T542
- Mechanical properties of rock at high temperatures (Japanese), 10T720
KINOSHITE, T: Volume I: Offshore Technology, 10N26
KINRA, VK: Elastothermodynamic analysis of a Griffith crack, 1A731
- Elastothermodynamic damping in laminated composites, 8A549
- Measurement of nonlinear damping in a Gr-Al metal-matrix composite, 8A123
- Elastothermodynamic damping in particulate composites: Hollow spherical inclusions, 10A1360
KINSARA, AA: Proposed energy-efficient air-conditioning system using liquid desiccant, 2A1273
KINZEL, GL: Rectified synthesis of six-bar mechanisms with well-defined transmission angles for four-position motion generation, 3A898
- Hybrid approach to solving the position equations for planar mechanisms, 11A865
- Automatic synthesis of crank driven four-bar mechanisms for two, three, or four-position motion generation, 12A1032
KINZELBACH, W: Schur-complement multigrid: A robust method for groundwater flow and transport problems, 8A1039
KINZIE, KW: Structure of coherent instabilities in a supersonic shear layer, 2A1096
KIRATZI, AA: Toward a homogeneous moment-magnitude determination for earthquakes in Greece and the surrounding area, 12A1450
KIRBY, JM: Approximate theory for radial filtration-consolidation, 3A584
KIRBY, JT: Dynamics of surf-zone turbulence in a spilling breaker, 2A220
- Dynamic analysis of tall building using reduced-order continuum model, 6A195
KIRBY, PA: Maximum connection rotations in non-sway semi-rigid frames, 9A904
- Appraisal of partially restrained steel columns in nonsway frames, 12A919
KIRCANSKI, M: Experimental study of resolved acceleration control of robots at singularities: Damped least-squares approach, 9T397
KIRCANSKI, N: Experimental study of resolved acceleration control of robots at singularities: Damped least-squares approach, 9T397
KIRCANSKI, NM: Experimental study of nonlinear stiffness, hysteresis, and friction effects in robot joints with harmonic drives and torque sensors, 10A528
KIRCHGASSNER, K: Asymptotic approximation of the Wiener-Hopf technique as applied to jet atomization, 4A1079
KIRCHHOFF, RH: Effects of static and dynamic imbalance on a horizontal axis wind turbine, 12A1520
KIRCHNER, HOK: Weight functions for notches: Constructive and variational definition, 12A481
KIREENKOV, AA: Electric model of the hemispherical resonator gyro, 5A80
KIREEV, AY: Computational and experimental investigations of ionization near hypersonic vehicles, 6A254
KIREMIDJIAN, AS: Method for probabilistic evaluation of seismic structural damage, 6A1468
KIRILLOV, AA: Physico-mathematical model of rocket exhaust plumes, 5A1259
KIRILLOVA, FM: Stabilization of dynamical systems under persistent perturbations, 3A350
- Stabilization of dynamic systems using positional solutions of special optimal control problems, 7A322
KIRILLOWA, J: Non-uniqueness of the motions of a friction oscillator with self-excitation, 12A122
KIRILYUK, VS: Qualitative methods in the problems of thermoelasticity for isotropic medium with plane cracks of normal separation (Russian), 12T1339
KIRIYAMA, T: Response of thin seal coated road pavement to the swelling and shrinkage of reactive clay subgrades, 10A710
KIRJNER NETO, C: Use of consistent approximations for the optimal design of beams, 4T939
KIRK, CL: Dynamics and Control of Structures in Space III, 1N12
KIRK, V: Branches of stable three-tori using Hamiltonian methods in Hopf bifurcation on a rhombic lattice, 7A89
KIRKE, BK: Optimum matching of non-electrical loads to wind turbines, 1A1435
KIRKEBY, O: Local sound field reproduction using digital signal processing, 3A322
KIRKEGAARD, PH: Prediction of global and localized damage and future reliability for RC structures subject to earthquakes, 9A1484
KIRKELY, OM: Earthquake response of structures by structural mixture theory, 3A1380
KIRKENDALL, KA: Breakup processes of liquid jets in subsonic crossflows, 7A1109
KIRKKOPRU, K: Unsteady vorticity generation and evolution in a model of a solid rocket motor, 1A1374
KIRKNER, DJ: Stochastic damage model for brittle materials subjected to monotonic loading, 3A680
KIRKUP, SM: Computational methods for the acoustic modal analysis of an enclosed fluid with application to a loudspeaker cabinet, 3A300
- Solution of discontinuous interior Helmholtz problems by the boundary and shell element method, 6A353
KIRKWOOD, MG: Spectral fatigue analysis of shallow water jacket platforms, 2A638
KIRPICHNIKOV, SN: Planar heliocentric roto-translatory motion of a spacecraft with a solar sail of complex shape, 3A289
KIRPICHNIKOVA, ES: Planar heliocentric roto-translatory motion of a spacecraft with a solar sail of complex shape, 3A289
KIRRMANN, P: Capillary gravity waves on the free surface of an inviscid fluid of infinity depth: Existence of solitary waves, 6A267
KIRSANOV, MN: Singular points of the creep deformation and buckling of a column, 7A543
KIRSANOV, YA: Heat conduction in solid bodies with coatings at four-period cyclic boundary conditions of third order, 1A1223
KIRSCH, A: Introduction to the Mathematical Theory of Inverse Problems, 6R1
- Simple method for solving inverse scattering problems in the resonance region, 2A299
KIRSCH, U: Effective scaling procedures for approximate structural optimization, 5A746
- Structural reanalysis for general layout modifications, 7A806
- Effective move limits for approximate structural optimization, 7A802
KISCHINHEVSKY, M: Modeling and numerical simulations of contaminant transport in naturally fractured porous media, 9A1416
KISELEV, AP: Two-component representation of time-harmonic elastic body waves in the high- and intermediate-frequency regimes, 7A196
KISER, M: Influence of thermal expansion mismatch on residual stresses and flow response of microballoon composites, 2A447
KISER, MT: Plastic flow and fracture of a particulate metal matrix composite, 2A686
KISHI, K: Influences of the bond for grinding wheel on the generation of ground groove of ferrite in slot grinding (Japanese), 5A565
- Edge-chipping generation of ferrite in slot grinding, 7A617
- Development of nanocrystalline CBN for enhanced superalloy grinding performance, 8A712
KISHI, N: Behavior of tall buildings with mixed use of rigid and semi-rigid connections, 5A795
- Effective length factor of columns in semirigid and unbraced frames, 9A900
- Study of Eurocode 3 steel connection classification, 11A808
KISHI, T: Health monitoring of a continuous fiber reinforced aluminum composite with embedded optical fiber, 2A464
- Analysis of acoustic emission signals generated during the fatigue testing of GFRP, 6A827
KISHI, Y: Static and cyclic fretting fatigue behavior of silicon nitride, 6A729
KISHIDA, K: Survey and the analysis of rock joint and the determination of jointed rock mass model (Japanese), 5T541
KISHIDAIRA, K: Hygrothermal stress of clay in a high-speed drying furnace, 5A515
KISHIMOTO, K: Experimental wavelet analysis of flexural waves in beams, 2A184
- Finite element fracture analysis of WC-Co alloys, 2A667
- Time frequency analysis of dispersive waves by means of wavelet transform, 11A184
KISHINAMI, T: Estimation method for perpendicularity of motion of vertical milling machine by model of machine tools (Japanese), 7A608
KISHINO, Y: Stability evaluation of rock masses with tunnel supports by taking into account dissipation energy (Japanese), 8A674
KISHIO, T: Estimation of lateral pressure and coefficient of subgrade reaction during excavation work in Osaka (Japanese), 10A707
KISHIRO, T: Fatigue crack growth properties of a cryogenic structural steel at liquid helium temperature, 11A640
KISHORE: Impact studies in glass epoxy laminates containing foam, 10A613
KISHORE, NN: Automated ultrasonic NDE of composite specimens by cluster and fractal analysis, 6A828
- Features of ultrasonic wave propagation to identify defects in composites materials modeled by FEM, 6A830
KISHORE, SS: Analytical investigations on loop-maneuver of underwater towed cable-array system, 12A281
KISIL, RI: Absolutely stable numerical procedures for solution of nonlinear deformation problems of solids (Russian), 6A489
KISING, M: Investigation on ceramic-metal joints for shaft-hub connections in gas turbines, 1A905
KISS, G: Microphone positioning system for acoustical reverberation chamber, 7T294
KISSLING, WM: Enhanced conduction in steady, vertical flows of water, steam and carbon dioxide in a porous medium, 3A1357
KISU, H: Regularization of the integral equations for unsteady heat conduction problems, 1A1225
KIT, E: Numerical study of axisymmetric vortex breakdown in an annulus, 5A934
- Frequency spectra of scalar fluctuations at entraining stratified interfaces, 7A1139
KIT, ELG: Measurement of turbulence near shear-free density interfaces, 9A1115
KIT, HS: Analysis of dynamic stress concentration in an infinite body with parallel penny-shaped cracks by BIEM, 2A697
KITA, E: Application of the Trefftz method to sensitivity analysis of a 3D potential problem, 2A310
- Parallel adaptive BE analysis, 3A53
- H-adaptive Element-Free Trefftz method, 9A62
KITA, J-C: Expansion of multi-jet bed with large particles, 5A1397
KITA, K: Estimation of acceleration response spectra in the severely damaged area due to the 1995 Hyogoken-Nambu earthquake (Japanese), 11A1482
KITA, Y: Development of straight cup wheel to prevent grinding seizure for grinding center, 3T637
- Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), 9A676
KITADA, T: Estimation of geotechnical properties of alluvial secondary shirasu ground (Japanese), 10A681
KITAGAWA, H: Volume IV: Arctic/Polar Technology, 10N31
- Interference-term elimination for Wigner distribution using a frequency domain adaptive filter, 7A307
KITAGAWA, M: Study on wind resistant design of long-span bridges based on field observation result (Japanese), 3A800
KITAGAWA, R: Structure control for improvement of machinability of ADI in drilling (Japanese), 4T676
KITAGAWA, T: Experimental study on vortex-induced vibration of circular cylinder towers at high wind speed (Japanese), 3A180
- Finite element analysis of thermal behavior in metal machining - 1st report: Influence of thermophysical properties on cutting temperature, 7A17
- Finite element analysis of thermal behavior in metal machining - 2nd report: Determination of energy balance and its application to 3D analysis, 7A18
- Temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti-6Al-6V-2Sn, 9A934
- Simulation analysis of 3D continuous chip formation processes - Part I: FE formulation and experimental verification, 11A614
- Design of a 3D cut-away tool for the turning of high manganese steels, 11A596
KITAHORI, H: Lateral-torsional buckling of monosymmetric I-beams with compact section (Japancse), 11A529
KITAIGORODSKY, AB: Effect of constructive anisotropy on the vibration frequencies of cylindrical shells (Russian), 6A169
KITAMURA, K: Heat transfer enhancement of turbulent natural convection adjacent to a vertical heated plate, 9A1213
KITAMURA, R: Estimation of geotechnical properties of alluvial secondary shirasu ground (Japanese), 10A681
KITAMURA, T: Atomic mechanics simulation on nucleation process of grain boundary groove in aluminum conductor of microelectronic packages, 1A783
KITANIDIS, PK: Analytical expressions of conditional mean, covariance, and sample functions in geostatistics, 5T1411
- Stokes flow in a slowly varying 2D periodic pore, 9A1420
KITANO, H: Heat-transfer and defrosting characteristics of a horizontal array of cooled tubes immersed in a very shallow fluidized bed, 7A1442
KITANO, M: Handling and stability performance of four-track steering vehicles, 1A370
KITAYAMA, N: Aerodynamics of the cable of cable-stayed bridges (Japanese), 3A153
KITAZAKI, S: Modal analysis of whole-body vertical vibration, using a FE model of the human body, 8A1569
KITAZAWA, K: Particle crushing and formation of adhesion bonds in naturally deposited sands under high pressure (Japanese), 2A549
KITAZAWA, M: Corrosion resistance of muffler materials in automotive exhaust gas condensates (Japanese), 7A685
KITCHING, R: Pressurized eggshell analysis, 7A514
KITHCART, ME: Heat transfer and skin friction comparison of dimpled versus protrusion roughness, 2A1152
KITIPORNCHAI, S: Exact buckling solutions for composite laminates: Proper free edge conditions under in-plane loadings, 3A562
- Vibration characteristics of cantilevered thick cylindrical shallow shells, 5T116
- Free vibration of pretwisted, cantilevered composite shallow conical shells, 7A162
- Modeling of cold-formed purlin-sheeting systems - Part 2: Simplified model, 8A572
- Modeling of cold-formed purlin-sheeting systems - Part 1: Full model, 8A928
- Free vibration of shear-deformable general triangular plates, 8A144

- Exact solutions for axisymmetric bending of continuous annular plates, 9A555
- Vibration of shallow shells: A review with bibliography, 9A144
- Timoshenko curved beam bending solutions in terms of Euler-Bernoulli solutions, 9A549
- Vibration analysis of arbitrary quadrilateral unsymmetrically laminated thick plates, 12T187

KITO, M: Study on durability of chemically stabilized roadbed under repeated train load (Japanese), 5A535
- Design for tunnel linings which involve property of steel fiber reinforced concrete (Japanese), 8A923

KITSUTAKA, Y: Fracture parameters by polylinear tension-softening analysis, 11A715

KITTEL, A: Chaotic billiards seen as mirror cabinets, 9A95

KITTELSON, DB: Experimental and theoretical study of particulate re-entrainment from the combustion chamber walls of a diesel engine, 9A1396

KITUKAWA, M: Inverse analysis of a regional groundwater flow model by extended Bayesian method: In case of unsteady flow data (Japanese), 10T1064

KIUCHI, H: Unstable sloshing vibration in a thin cylindrical weir, 8A282

KIUCHI, T: Operation support system of large city gas networks based on fluid transient model, 11A1514

KIYA, M: Vortex simulation of leading-edge separation bubble with local forcing, 1A1036

KIYAMA, M: Sound absorption of a cavity-backed membrane: A step towards design method for membrane-type absorbers, 6A349

KIYAMA, N: Preparation of fine grain diamond coated WC-Co tools and their cutting performance (Japanese), 10T738

KIYAMA, S: Surface modification of electric shaver foil using ion beam (Japanese), 5T573

KIYOHARA, S: Oxygen ion beam etching of single crystal diamond chips using an ECR-type ion source (Japanese), 5T571

KIYOHIRO, N: Laser lithography for making jewels - 2nd Report: An algorithm of diagonal irradiation method (Japanese), 12A454

KIYOMIYA, O: Evaluation of collision analysis of ship to pile type fender (Japanese), 2A211
- Experimental study on the effects of numerous factors on bond-slip relationship (Japanese), 7A966

KIYONO, S: Self-calibration method for 2D displacement sensor (Japanese), 1A381
- New method for phase readout in phase modulated interferometer, 5A727
- Development of measurement system of angular profile of the polygonal mirror surface, 10A888

KIYONO, Y: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825

KIYOSU, K: Case of digitization of technical documents and workflow (Japanese), 7T388

KJERENGTROEN, L: Sensitivity of parameter changes in structural damage detection, 6A721

KLAAS, O: Physically nonlinear dual mixed FE formulation, 10A58

KLAASSEN, GP: Higher-order resonant instabilities of internal gravity waves, 5A189

KLACZAK, A: Heat transfer and pressure drop in tubes with short turbulators, 2A1157

KLADYNOGA, VS: Mixed geometrical nonlinear problem of statics for plane membranes (Russian), 12A624

KLAFTER, J: Dynamics in Small Confining Systems III, 11N27

KLAIBER, FW: Recent Advances in Bridge Engineering: Evaluation, Management, and Repair, 8N14

KLAMECKI, BE: Milling cutter wear monitoring using spindle shaft vibration, 8A199

KLAR, A: Class of invariants for the Boltzmann equation and the Broadwell model, 11T985

KLARBRING, A: Class of limit states of frictional joints: Formulation and existence theorem, 8A480

KLASON, C: Imbedded disk retraction method for measurement of interfacial tension between polymer melts, 5A902

KLASSEN, MS: Laser-induced fluorescence measurements of nitric oxide formation in high-pressure premixed methane flames, 2A1320

KLAUS, EE: Wear characteristic of aluminum-silicon alloy under lubricated sliding conditions, 4A893
- Wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, 5A834

KLAUSNER, JF: Capacitance sensor for two-phase liquid film thickness measurements in a square duct, 9A1192
- Simplified model for predicting vapor bubble growth rates in heterogeneous boiling, 11A1277
- Suppression of flow boiling nucleation, 12A1278

KLAUSON, A: Influence of the curvature on the dispersion curves of a submerged cylindrical shell, 3A270
- Identification of the resonances of a cylindrical shell stiffened by an internal lengthwise rib, 5A112

KLAVUHN, KG: OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, 9A1388

KLECHA, T: Surface stress waves in a nonhomogeneous elastic half-space - Part II: Existence of surface waves for an arbitrary variation of Poisson's ratio, approximate solution based on perturbation methods, 4A206
- Surface stress waves in a nonhomogeneous elastic half-space - Part I: General results based on spectral analysis, existence and analyticity theorems, 4A205

KLEES, R: Solution of large linear systems on pipeline SIMD machines, 12A90

KLEIBER, M: Stochastic structural interface defects in fiber composites, 1A510
- Sensitivity analysis in plane stress elasto-plasticity and elasto-viscoplasticity, 6A517
- Sensitivity of forming processes to shape parameters, 6A686
- Elasto-plastic interface model for 3D-frictional orthotropic contact problems, 7A853
- Parameter sensitivity of metal forming processes, 9A660
- Stochastic FE modeling in linear transient heat transfer, 10A1342
- Parameter sensitivity of inelastic buckling and post-buckling response, 11A524

KLEIJNTJENS, RH: Microbial decontamination of polluted soil in a slurry process, 6T1519

KLEIN, DE: Wall region porosity distributions for packed beds of uniform spheres with modified and unmodified walls, 11A1452

KLEIN, K: Methods for broad-band dielectric permittivity measurements: Soil-water mixtures, 5 Hz to 1.3 GHz, 12A694

KLEIN, M: Energy-recovery machine as a pressure reductor in industrial installations (Polish), 9A1284

KLEIN, SA: Absorption Chillers and Heat Pumps, 2R34
- Temperature distributions during thermoradiotherapy: A sensitivity study with a transient numerical model of the rabbit eye, 10A1539

KLEIN, T: Effect of period asymmetry on wave propagation in periodic beams, 5A149

KLEIN, V: Accuracy of aerodynamic model parameters estimated from flight test data, 7A1173

KLEINER, M: Measurement of the flow inside the tip clearance of a rotating gas turbine rotor, 10A1239

KLEINKE, MU: Complex dynamic behavior in adhesive tape peeling, 7A965

KLEINMAN, RE: Modified gradient approach to inverse scattering for binary objects in stratified media, 2A295
- Shape retrieval of an obstacle immersed in shallow water from single-frequency farfields using a complete family method, 10A399
- Distributed source method for inverse acoustic scattering, 10A386

KLEINSTREUER, C: Engineering Fluid Dynamics: An Interdisciplinary Systems Approach, 9R21
- Flow input waveform effects on the temporal and spatial wall shear stress gradients in a femoral graft-artery connector, 5A1498
- Geometric design improvements for femoral graft-artery junctions mitigating restenosis, 5A1489
- Hemodynamic simulations and computer-aided designs of graft-artery junctions, 12A1550

KLEIS, SJ: Initial streamwise vorticity formation in a two-stream mixing layer, 3A1144
- Gradient maintenance technique for seawater solar ponds, 8A1533
- Gradient-zone erosion in seawater solar ponds, 8A1534

KLEMENT, S: Multifractal analysis of airborne particle count data: The influence of data preprocessing, 6A1523

KLEMICK, SG: Numerical evaluation of heat clearance properties of a radiatively heated biological tissue by adaptive grid scheme, 10A1349

KLEMM, M: Topology of basin boundaries in a class of 3D dynamical systems, 1A138

KLEMP, JB: Diffraction of Kelvin waves and bores at coastal bends, 3A238
- Propagation of internal bores, 8A1024

KLEMP, K: Ventilation of passenger car cabins: Comparison of experimental data and numerical calculations, 2A960

KLEPACZKO, JR: Numerical study of adiabatic shear banding in mild steel by dislocation mechanics based constitutive relations, 5A425
- Use of viscoelastic Split Hopkinson Pressure Bar, 9A184

KLEPP, GH: Extended thermodynamic similarity as a concept to predict heat transfer in poorly known fluids considered for critical heat flux in boiling, 8A1320

KLEPP, HJ: Trial-and-error based method for the investigation of multi-body systems with friction, 5T78
- Determination of the solutions for the kinetic state of single-freedom multi-body systems with friction, 8A80

KLETT, DE: Heat transfer and skin friction comparison of dimpled versus protrusion roughness, 2A1152

KLEWICKI, JC: Spanwise vorticity structure in turbulent boundary layers, 2A1003
- Use of caged fluorescent dyes for the study of turbulent passive scalar mixing, 3A1154

KLIEM, W: Coriolis effects in the dynamics of a rotating elastic structure, 1A158
- Buckling of an elastic rotating beam, 8A599

KLIEWER, JE: Aging and low-temperature cracking of asphalt concrete mixture, 4A763

KLIGER, IR: Stressed-skin panels of mixed construction: Creep behavior, 12A917

KLIMEK, G: Discovering Curves and Surfaces with Maple, 12N2

KLIMEK, M: Discovering Curves and Surfaces with Maple, 12N2

KLIMES, L: Seismic waves in laterally inhomogeneous media - Part I, 6A1416
- Seismic waves in laterally inhomogeneous media IV - Part II, 6A1415

KLIMOVITCH, FF: Simulation of blank-tool wear in finishing precision surfaces, 1A881

KLIMUSHKIN, DY: Spatial structure of transversally small-scale hydromagnetic waves in a plane finite-β model magnetosphere, 9A1136

KLINE, GE: Local displacements and load transfer in shape memory alloy composites, 8A555

KLINE, SJ: Study of turbulent boundary layer structure using the invariants of the velocity gradient tensor, 6A1147

KLING, GH: Tribology of Hydraulic Pump Testing, 8N22

KLINGBEIL, NW: Cracking of thin films bonded to elastic-plastic substrates, 3A474
- Interfacial fracture testing of deposited metal layers under four-point bending, 7A778

KLINGMANN, BGB: Linear breakdown of Gortler vortices, 1A1057
- Gortler vortices with system rotation, 4A1049

KLINGNER, RE: Nonlinear analysis of RC members using plasticity with multiple failure criteria, 11A784

KLISCH, SM: Measurement of dynamic joint motion using magnetohydrodynamic angular rate sensors, 4A196

KLISINSKI, M: Method to correct yield surface drift in soil plasticity under mixed control and explicit integration, 9A621

KLOC, L: Creep behavior of an aluminum 2024 alloy produced by powder metallurgy, 8A503

KLOCKER, H: Velocity, strain rate, and stress fields around a spheroidal cavity in a linearly viscous material, 1A474
- Damage in a viscoplastic material - Part I: Cavity growth, 1A747
- Generalized inverse of the compliance tensor, and behavior of incompressible anisotropic materials: Application to damage, 12T498

KLOMFASS, A: Calculation of stagnation streamline quantities in hypersonic blunt body flows, 10A1112

KLOMPEN, ETJ: Multi-mode approach to finite, 3D, nonlinear viscoelastic behavior of polymer glasses, 3A961

KLONOWSKA, M: Modification of the Theodorsen's method, 4A985

KLONOWSKA, ME: Concept for conformal mapping of multiply connected quasicircular domains, 4T995
- Effective method for conformal mapping of multiply connected domains, 6A1014

KLOOSTERZIEL, RC: Three-dimensionally perturbed vortex tubes in a rotating flow, 12A1068

KLOPOTEK, M: Source characterization of the lower front-end of a diesel engine, 8A311
- Noise reduction of diesel engines with internal stiffeners, 8A338

KLOPP, GS: Measurement of dynamic joint motion using magnetohydrodynamic angular rate sensors, 4A196

KLOSEK, J: Next-generation integration concepts for air separation units and gas turbines, 10A1480

KLOSKO, S: Geophysical evidence of past and present climate change, 12A1431

KLOTZ, LD: Automated measurement of aggregate indices of shape, 11A1439

KLUEVER, CA: Optimal earth-moon trajectories using combined chemical-electric propulsion, 9T352
- Optimal earth-moon trajectories using nuclear electric propulsion, 9T351
- Maximum-payload transfers to geosynchronous orbit using arcjet thrusters, 12T294
- Heliospheric boundary exploration using ion propulsion spacecraft, 12T289

KLUWICK, A: Resonant gas oscillations exhibiting mixed nonlinearity, 2A230

KLYACHKO, B: Symmetry in the problem of vibration of a polar-orthotropic non-homogeneous plate on an elastic foundation, 10A198

KLYACHKO, S: Symmetry in the problem of vibration of a polar-orthotropic non-homogeneous plate on an elastic foundation, 10A198

KLYDE, DH: Pilot-induced oscillation analysis and prediction with actuator rate limiting, 7A358

KLYUSHNIKOV, VD: Results on nonisothermal plasticity, 1A468
- Stability of a self-gravitating rod, 4A615
- Thermodynamic closure of the plasticity theory on the basis of the hardening function, 5A409

KNABNER, P: Traveling wave behavior of crystal dissolution in porous media flow, 8A1401
- Finite element approximation of the transport of reactive solutes in porous media - Part I: Error estimates for nonequilibrium adsorption processes, 8T1462
- Finite element approixmation of the transport of reactive solutes in porous media - Part II: Error estimates for equilibrium adsorption processes, 10T1453

KNAPCZYK, J: Displacement and force analysis of five-rod suspension with flexible joints, 11A843

KNAPCZYK, JW: Analysis of adhesion and interface debonding in laminated safety glass, 7A964

KNAPP, JK: Fine-particle slurry wear resistance of selected tungsten carbide thermal spray coatings, 6T940

KNAUBER, RN: Roll torques produced by fixed-nozzle solid rocket motors, 6A321
- Thrust misalignment of fixed-nozzle solid rocket motors, 6A1363

KNAUSS, WG: Error limitations in the determination of mechanical properties of thin films, 7A457
- Analysis of interfacial failure in particle-filled elastomers, 12A785

KNECHT, DJ: Interaction of solid-rocket exhaust with the atmosphere, 4A1066

KNIGHT JR, NF: Restatement of first-order shear-deformation theory for laminated plates, 6A440
- Raasch challenge for shell elements, 7A43

KNIGHT, A: Flow noise calculations for extended hydrophones in fluid- and solid-filled towed arrays, 1A324

KNIGHT, BF: Analytical and experimental identification of nonlinearities in a single-nut, preloaded ball screw, 9A952

KNIGHT, DD: Automated design optimization for the P2 and P8 hypersonic inlets, 10A1150

KNIGHT, DJ: Sizewell B foundation dewatering: System design, construction and performance monitoring, 4T645

KNIGHT, JAG: Robotic assembly operation strategy investigation without force sensors through the research on contact point location and range of peg movement, 4A456

KNIGHT, JH: Analytical solutions for advection and advection-diffusion equations with spatially variable coefficients, 7A1375

KNIGHT, RJ: Incorporating pore geometry and fluid pressure communication into modeling the elastic behavior of porous rocks, 7A590

KNOCKAERT, R: Experimental and numerical investigation of fracture in double-edge notched steel plates, 10A811

KNOERR, KR: "Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, 4T1088

KNOLL, DA: High-order scheme implementation using Newton-Krylov solution methods, 10A1312

KNOLL, G: Computer-aided simulation of piston and piston ring dynamics, 5A1364
- Numerical determination of flow factors, 10A1257

KNOPF-LENOIR, C: Multi-mesh and adaptivity in 3D shape optimization, 5A754

KNOPFEL, HP: Low-NO_x premixed combustion of MBtu fuels using the ABB double cone burner: EV burner, 11T1435

KNOPS, RJ: Effect of a variation in the elastic moduli on Saint-Venant's principle for a half-cylinder, 6A457

KNORR, DB: Effects of environment and heat treatment on the tensile and fatigue properties of Ti - 24 at%Al - 11 at%Nb, 5A592
- Model for predicting thermal stresses in thin polycrystalline films, 9A1318

KNOSPE, CR: Side-pull and stiffness of magnetic bearing radial flux return paths, 11A856
- Synthesis of robust gain matrices for adaptive rotor vibration control, 12A403
- Robustness of adaptive rotor vibration control to structured uncertainty, 12A399

KNOTT, JF: Analysis of the elastic properties of open-cell foams with tetrakaidecahedral cells, 9A427

KNOWLEN, C: Hollow projectile operation in the ram accelerator, 5A221

KNOWLES, JK: Dynamically induced phase transitions and the modeling of commination in brittle solids, 11A571

KNOX, EH: Two-dimensional representation of 3D pelvic motion during human walking: An example of how projections can be misleading, 3A1510

KNUDSEN, C: Event maps in a stick-slip system, 12A115

KNUDSEN, JM: Elements of Newtonian Mechanics Including Nonlinear Dynamics, Second Edition, 9R6

KNUTSSON, HH: Determination of length changes due to moisture variations in autoclaved aerated concrete, 10A854

KO , HS: Adoption of a genetic algorithm for tomographic reconstruction of line-of-sight optical images, 7A1228

KO, CL: Vibration analysis of helicoidal plates, 8A149

KO, DAE-CHEOL: Prediction of surface-fracture initiation in the axisymmetric extrusion and simple upsetting of an aluminum alloy, 6A710
KO, DS: Convergence zone feature dependence on ocean temperature structure, 5A236
KO, F: Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma, 4A553
KO, JEONGHWAN: Triangular wavelet based FEs via multivalued scaling equations, 11A46
KO, JM: Modal analysis of tower-cable system of Tsing Ma long suspension bridge, 12A201
KO, NWM: Turbulent near wake behind a partially grooved circular cylinder, 9A1095
- Control of vortex pairing sound, 10A374
- Interaction of perturbed vortex rings and its sound generation, 10A344
- Numerical study of vortex interactions behind two circular cylinders in bistable flow regime, 11A1055
- Solitons in (2 + 0) dimensions and their applications in vortex dynamics, 12A1066
KO, PL: Wear studies of materials for tubes and anitvibration bars in nuclear steam generators, 2A897
- Wear of power plant components due to impact and sliding, 9A936
KO, SH: Circumferentially smeared computed effects of rim seal clearance on wheelspace thermal distributions, 8A1246
KO, SHAO-YEN: Experimental investigation of the laminar flow heat transfer enhancement in a small-scale square duct with aqueous Carbopol solutions, 2A1185
KO, SUNG H: Reduction of structure-borne noise using an air-voided elastomer, 12A318
KO, SUNG-LIM: Burr formation and fracture in oblique cutting, 6A690
KO, SUNGHO: Computations of unsteady separating flows over an oscillating airfoil, 12A1149
KOBATAKE, K: Mathematical model study on the die-less drawing of variable-section tubular parts, 4A666
KOBATAKE, Y: Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), 2A1390
KOBAYASHI, A: New concept, "Principle of Manufacture" based on consciousness revolution (Japanese), 1T413
- Study on the adhesion force of lubricants: Adhesion force characteristics under boundary lubrication, 7A1199
- Manufacturing philosophy: Concept of principle of manufacturing (Japanese), 9T407
- Experimental characterization of microscopic failure process under quasi-static tension in interleaved and toughness-improved CFRP cross-ply laminates, 9A753
- Impact perforation fracture in polymeric materials (Japanese), 9A792
- Size and shape of particulate polyethylene wear debris in total joint replacements, 10A979
- Biological reaction to debris in relation to joint prostheses, 12A1576
KOBAYASHI, AS: Biaxial test specimen for crack arrest studies, 2A717
- Comparisons of concrete fracture models, 9A699
KOBAYASHI, H: Measuring method for impact tensile strength of brittle materials, 2A726
- Binocular machine vision system using an active view point (Japanese), 5A346
- Experimental parameter J_{mm} in elastic-plastic fatigue crack growth, 5A579
- Turbulence measurements and observations of turbulent premixed flames at elevated pressures up to 3.0 MPa, 6A1331
- Estimation of the clay ground improved by sand compaction piles at Kawasaki man-made island (Japanese), 8T646
- Load maximum condition and Hart's instability criterion in uniaxial impact tensile testing (Japanese), 9A793
- Thermoelasto-plastic stresses and thermal distortions in a brake drum, 10A1366
- Probability-based seismic safety evaluation of existing buildings, 11A772
KOBAYASHI, K: Kinetic study of the hydration of magnesium oxide for a chemical heat pump, 2A1280
- Skill learning in manual machine tool operation: Development of new virtual lathe and study on minute grooving by using it (Japanese), 2A1472
- Impact model test and impact response analysis of the precast concrete guardfense buried into the soil (Japanese), 6A1439
- Recent trends in prestressed concrete structures with external cables (Japanese), 7T827
KOBAYASHI, M: Analysis of thermal ratchetting of cylinders subjected to axial movement of temperature distribution, 7A1357
- Adaptive control of a hybrid servo system for magnetic disk drives, 7A310
- Modeling of diesel spray impinging on flat wall, 7A1080
- Thermal ratchetting analysis of cylinders subjected to axial traveling of temperature distribution: Effect of travel distance of temperature distribution (Japanese), 8A1383
- Flat inclusion problem in bonded dissimilar anisotropic elastic media under longitudinal shear loading, 12A487
- Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, 12A1544
KOBAYASHI, MH: Comparison of second order convection discretization schemes for incompressible fluid flow, 1A989
KOBAYASHI, N: Disturbance rejection using internal model control with limiting properties of the optimal control (Japanese), 4A352
- Estimation of lateral pressure and coefficient of subgrade reaction during excavation work in Osaka (Japanese), 10A707
- Back analysis by EK-filter for coefficient of subgrade reaction and earth pressure in excavation work (Japenese), 10A706
KOBAYASHI, R: Study on the bending fatigue properties of roller compacted concrete mixed with recycled aggregates, 5T783
KOBAYASHI, S: Three-axis capacitive accelerometer with uniform axial sensitivities, 8A415
- Nonstationary shock reflection over nonstraight surfaces: An approach with a method of multiple steps, 10T307
KOBAYASHI, T: Comparison of turbulence models applied to backward-facing step flow, 3T1157
- Effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron-iron frictional system under perfluoropolyether fluid lubrication, 3A836
- Study on unsteady aerodynamic characteristics of oscillating cascades with arbitrary blade profiles: 2D cascades oscillating with blade section deformation, 3A1187
- Studies on roll-off-less polishing of magnetic disk substrate - 1st Report: Change of substrate edge shape in polishing process (Japanese), 10A885
- Analyses of interaction between two pairs of shield tunnels and soil, and their application to design and construction of parallel shield tunnels (Japanese), 10A957
- Feasibility of the LES for engineering problems, 11T1111
KOBAYASHI, Y: Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
- Morphological studies relating to the fracture stress and fracture toughness of silicon nitride, 12A830
- Final report of the key technology development program for a next-generation high-temperature gas turbine, 12T1416
KOBINE, JJ: Azimuthal flow associated with inertial wave resonance in a precessing cylinder, 3A1022
KOBLE, TD: Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part I: Wrought-to-wrought capability study, 3A733
- Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part II: Wrought-to-cast capability study, 3A734
- Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part III: Cast-to-cast capability study, 3A735
KOBLINGER, L: Significance of particle deposition patterns in bronchial airway bifurcations for extrapolation modeling, 3A1086
KOBUS, CJ: Modeling the characteristics of thermally governed transient flow surges in multitube two-phase condensing flow systems with compressibility and thermal and flow distribution asymmetry, 12A1282
KOC, A: Theoretically accurate equations of a straight bevel gear tooth flank, 4A922
KOC, SS: Two alternative expressions for the spherical wave expansion of the time domain scalar free-space Green's function and an application: Scattering by a soft sphere, 7A288
KOCABIYIK, S: Translating and transversely oscillating cylinder - Part I: The effect of the Strouhal number on the hydrodynamic forces and the near-wake structure, 11A211
KOCANDA, S: Influence of shot-peening on short crack behavior in a medium carbon steel, 2A637
KOCANDRLE, P: Three-dimensional shape optimization approach based on natural design variables and the BEM, 4A822
KOCATURK, T: Effect of anisotropy of plates on the contact region resting on tensionless elastic foundation, 1A579
- Elastoplastic analysis of circular plates on elasto-plastic foundation, 11A516
KÖCER, FY: Optimal design of steel transmission poles, 6A919
- Standardization of steel pole design using discrete optimization, 9A913
KOCH, B: Effect of parallel combined steady and oscillatory shear flows on blood and polymer solutions, 10A1019
- Superposition of steady on oscillatory shear and its effect on the viscoelasticity of human blood and a blood-like model fluid, 10T1537
KOCH, DL: Hydrodynamic diffusion near solid boundaries with applications to heat and mass transport into sheared suspensions and fixed-fiber beds, 2A971
KOCH, G: Condensation of steam on the surface of hard coated copper discs, 8A1322
KOCH, K: Constraints for upper mantle shear-wave models of the basin and range from surface-wave inversion, 4A1418
KOCHER, WM: Model for effective diffusivities in aerobic biofilms, 6T1538
KOCHETKOV, AV: Investigating the influence of wear of shaping contour of skinned punch on part springing, 1T648
- Monitoring of the forming of configuration parts on bending robots using a technical-vision device, 4T459
KOCHINA, NN: Oil-field contour, 11A1513
KOCHINA, PY: Oil-field contour, 11A1513
KOCHMANSKI, MS: Self-avoiding walk problem and generalized Jordan-Wigner transformations, 4T1021
KOCK, DL: Rheology of highly aligned nematic liquid crystals, 11A897
KOCKS, UF: Application of multisurface plasticity theory: Yield surfaces of textured materials, 4A503
KODAH, ZH: Inertia effects on mixed convection for vertical plates with variable wall temperature in saturated porous media, 1A1397
KODAKA, T: Deformation characteristics of sedimentary soft rocks (Japanese), 10T719
KODAMA, H: Numerical and experimental investigation of secondary flow in a high-speed compressor stator, 10A1247
KODASHIMA, T: Active cooling and thermal stress reduction in a poroelastic hollow sphere, 10A1359
KODIYALAM, S: Neural network approximator with novel learning scheme for design optimization with variable complexity data, 9A831
KODUR, VKR: Evaluation of moment redistribution in a two-span continuous prestressed beam, 5A785
KOECHLING, J: Three-dimensional frictional rigid-body impact, 11A186
KOEDAM, DH: Tensor polynomial failure criterion: Coefficient limits based on convexity requirements, 10A824
KOELLE, M: Measurement of dynamic gas disengagement profile by using an analog output level gauge, 8A1120
KOELLING, KW: Exploiting accurate spinline measurements for elongational material characterization, 8A1013
- Penetration of a long bubble through a viscoelastic fluid in a tube, 12A1054
KOENEN, A: Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 2A646
KOEPPEL, BJ: Experimental technique to investigate the dynamic indentation hardness of materials, 11A743
KOERNER, GR: 9th GRI Conference on geosynthetics in infrastructure enhancement and remediation, Drexel Univ, PA, December 12-13, 1995, 2A570
- 9th GRI conference on geosynthetics in infrastructure enhancement and remediation, 3A608
- 9th GRI conference on geosynthetics in infrastructure enhancement and remediation, Drexel Univ, PA, December 12-13,1995, 3T609
KOERNER, RM: 9th GRI Conference on geosynthetics in infrastructure enhancement and remediation, Drexel Univ, PA, December 12-13, 1995, 2A570
- 9th GRI conference on geosynthetics in infrastructure enhancement and remediation, 3A608
- 9th GRI conference on geosynthetics in infrastructure enhancement and remediation, Drexel Univ, PA, December 12-13,1995, 3T609
- Puncture protection of geomembranes - Part I: Theory, 7A515
- Puncture protection of geomembranes - Part II: Experimental, 7A516
- Puncture protection of geomembranes - Part III: Examples, 7A517
KOFFMAN, SJ: Control of a fluidized bed combustor using fuzzy logic, 11A1393
KOGA, A: Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
KOGA, N: Perpendicular construction of bridge girder for long span suspension bridge under a rapid stream (Japanese), 2T808
KOGA, T: Accurate prediction of specific damping capacity of TiNi SMA composite through a 3D constitutive model, 1A10
KOGAN, L: Analysis of fragmentation in the single filament composite: Roles of fiber strength distributions and exclusion zone models, 4A547
KOGO, A: Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, 2A1180
KOGO, M: Estimation of the clay ground improved by sand compaction piles at Kawasaki man-made island (Japanese), 8T646
KOGUCHI, H: Stress analysis for nano-scaled elastic materials: Elastic contact problems considering surface stresses, 1A446
- Stress singularity analysis in 3D bonded structure, 6A487
KOH, CG: Effects of repeated loading on creep deflection of reinforced concrete beams, 6A884
- Eigen-force method for FE analysis and reanalysis, 8A43
KOH, EUNYOUNG: Flexible multibody dynamics and adaptive FE techniques for model synthesis and estimation, 3A83
KOH, HYUN MOO: Dynamic response of rectangular flexible fluid containers, 3A259
KOH, KWANG-HANG: Multi-processor distributed simulation for job-shop scheduling: boob or bane?, 4A474
KOH, YK: Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part III: Vibrational power cancellation and control experiments, 4A117
- Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part I: Driving point mobility matrix of beams and rectangular plates, 4A115
- Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part II: Vibrational power analysis and control schemes, 4A116
KOHLER, O: Weakly singular 2D quadratures for some fundamental solutions, 12A73
KOHLER, W: Statistical inversion from reflections of spherical waves by a randomly layered medium, 5A161
KOHLER, WM: Reflected seismic waves and their effect on strong shaking during the 1989 Loma Prieta, California, Earthquake, 4A1387
KOHLES, SS: Ultrasonic wave velocity measurement in small polymeric and cortical bone specimens, 12A1573
- Thermographic strain analysis of the proxial canine femur, 12A1538
KOHLI, A: Adiabatic effectivness, thermal fields, and velocity fields for film cooling with large angle injection, 10A1298
KOHLI, V: Efficient computation of the sensitivities of reciprocating engine dynamics to dimensional tolerances, 7A181
KOHN, DH: Acoustic emission and nondestructive evaluation of biomaterials and tissues, 5A1505
KOHNO, I: Finite element analyses and model tests for excavation problems (Japanese), 2A569
KOHNO, T: Combination of machining and measurement makes high accuracy and rationalization of production (Japanese), 1T416
KOHNO, Y: Machining of nickel-based superalloy using PcBN endmill tool: Effect of high-pressure coolant supply on tool wear, 10T977
KOHR, M: Boundary element method to the study of a Stokes flow past an obstacle in a channel, 9A57
- Some existence results for a Stokes flow between two arbitrarily closed curves, 9A1011
KOHYA, M: Development of CAM system based on simulation of the copy operation, 7A606
KOIDE, S: Correlation of shock angles caused by flat Delta wings, 2T1075
- Correlation of separation angles induced by glancing interactions, 4T1035
KOIKE, T: Shock-tube and modeling study of acetylene pyrolysis and oxidation, 5A1356
KOIKE, Y: Near-field acoustic levitation of planar specimens using flexural vibration, 4A296
KOIRALA, P: Stability of elastic and viscoelastic systems under action of random stationary narrow-band loads, 11A540
KOIZUMA, K: Displacement magnification micro-mechanism with saddle-shaped click buckling spring strip actuated by SMA wire, 10A877
KOIZUMI, C: Study of cutting by a knife-edged cutter - 1st Report: Test apparatus for cutting and a few results (Japanese), 4A677
KOIZUMI, K: Study on the buckling of rectangular bellows under pressure loads, 5A495
KOIZUMI, T: Temperature changes and thermal stresses obtained during construction of immersed-type tunnel (Japanese), 5A793
- Stress intensity factors of multiple radial edge cracks at a circular hole in an infinite plate due to rotating heat source, 10A805
KOJASOY, G: Genetic algorithm optimization technique for compact high intensity cooler design, 2A1262
- Strange attractors and chaotic dynamics in boiling flows, 7A1285
KOJIC, M: Governing parameter method for implicit integration of viscoplastic constitutive relations for isotropic and orthotropic metals, 6A524
KOJIMA, A: H_∞ control attenuating initial-state uncertainties, 7T318
KOJIMA, K: Back-analysis of dynamic soil parameters based on dropping weight vibration test, 2A545
KOJIMA, T: Effective distribution of seismic lateral force utilizing compressive deformation of rubber devices (Japanese), 11A1489
KOKHANENKO, YV: Numerical study of the boundary effects in the composites reinforced with rectangular fibers (Russian), 6A562
KOKIDKO, D: Method for measuring transient out-of-plane deformation during impact, 7A208
KOKINI, JL: Determination of the molecular weight between crosslinks of waxy maize starches using the theory of rubber elasticity, 7A985

KOKINI, K: Architecture of functionally graded ceramic coatings against surface thermal fracture, 4A764
- Initiation of surface and interface edge cracks in functionally graded ceramic thermal barrier coatings, 10A758
KOKKAVESSIS, N: Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part II: Longitudinal coplanar crack arrays, 2A658
KOKOSHIN, SS: Free oscillations of a ring plate contacting with liquid (Russian), 1A279
KOKOWSKI, P: Ground attenuation of railroad noise, 5A226
- Interrupted traffic noise, 7A273
- Simplified model of the ground effect, 7A274
KOLAINI, AR: Acoustic characterization of an adult bubble injected into a fully developed turbulent flow field, 7A255
KOLAKOWSKI, Z: Semi-analytical method for the analysis of the interactive buckling of thin-walled elastic structures in the second order approximation, 2A517
KOLAR, M: Development of a six station knee wear simulator and preliminary wear results, 10A991
KOLAR, V: Diagnostic equations for 2D vortical flows, 8A1045
KOLARSKI, M: Mechanics of Turin parallel robot, 5A340
KOLASINSKI, Z: Influence of steel structure and strength on corrosive-fatigue crack growth in the threshold-close area, 4A707
KOLB, CE: Infrared fiber-optic diagnostic observations of solid propellant combustion, 6A1352
KOLBE, W: New method to determine crack shape and size in solder joints, 11A879
KOLBERG, R: Response of beams of nonlinear viscoelastic materials exhibiting strain-dependent stress relaxation, 12A506
KOLDITZ, O: Coupled groundwater flow and transport - 1: Verification of variable density flow and transport models, 9A1502
KOLEDNIK, O: Fracture resistance of a ferritic-austenitic duplex steel, 1A748
- Determination of the fracture toughness by automatic image processing, 5A712
KOLENDA, J: Fatigue strength assessment in uniaxial state of stress, 3A667
- Simplified description of propeller-induced and kinematically excited shafting transversal vibrations, 3A174
- Approach to ship hull-shafting coupled vibrations, 3A170
KOLESNIKOV, AK: Vibrational convective instability of a horizontal, binary-mixture layer with Soret effect, 8A1173
KOLESNIKOV, SV: Refined theory of the vibrations of a cylindrical shell based on an expansion in series of the normal displacement, 1A573
KOLEV, NI: Uncertainty and sensitivity analysis of a postexperiment simulation of nonexplosive melt-water interaction, 1T1207
KOLIAS, S: Mechanical properties of cement-treated mixtures of milled bituminous concrete and crushed aggregates, 4A542
- Influence of the type of loading and temperature on the modulus of elasticity of cement-bound mixes of milled bituminous concrete and crushed aggregates, 5A437
KOLINSKI, K: Result of fuel-air mixture heating on starting properties of carburetor engine (Polish), 9A1400
KOLK, R: Mechatronics System Design, 12R16
KOLKMAN, HJ: Aircraft crash caused by stress corrosion cracking, 11A655
KOLLA, SR: Improved stability robustness bounds for digital control systems in state-space models, 2A307
KOLLAR, LP: Buckling of isotropic and orthotropic cylinders under induced moments, 10A661
KOLLI, M: Nonlinear static and dynamic analysis of stiffened laminated plates, 8A575
- Finite element analysis of stiffened laminated plates under transverse loading, 8A22
- Free vibration of eccentrically stiffened laminated plates, 12A177
KOLLMANN, FG: Mathematical aspects of dual variables in continuum mechanics - Part 1: Mathematical principles, 2A2
- General theory of finite deformation of viscoplastic thin shells, 3A476
- Mathematical aspects of dual variables in continuum mechanics - Part 2: Applications in nonlinear solid mechanics, 4A1
- Theory and numerics of large viscoplastic deformation, 12A539
KOLMANOVSKII, VB: Control of Systems with Aftereffect, 7R7
KOLMOGOROV, VL: Friction and wear model of a heavy-loaded sliding pair - Part II: Application to an unlubricated journal bearing, 2A859
KOLNAAR, JWH: Singularity in the melt flow of polyethylene with wider implications for polymer melt flow rheology, 10A1043
KOLODZIEJ, P: Relationship between loading conditions and fracture patterns of the proximal femur, 5A1473
KOLODZIEJCZAK, B: Brillouin zone mapping of the existence conditions for interface bilayer spin-waves: Effects of the configuration of the film magnetization, 2T534
KOLOKOLTSEV, VM: Investigation of wear of binary iron alloys, 2A885
KOLPAKOV, AG: Analysis and design of fiber-reinforced composite shells, 7A522
KOLTSAKIS, GC: Transient heat transfer modeling in automotive exhaust systems, 10A1317
KOMAKI, K: Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), 2A698
KOMAKI, O: Ultimate strength of stiffened cylindrical shells subjected to axial and lateral forces (Japanese), 9A556
KOMAKINE, M: Experimental identification technique of vibrating structures with geometrical nonlinearity, 12A220
KOMANDURI, R: Possibility of chemo-mechanical action in magnetic float polishing of silicon nitride, 4T906
KOMAROV, AA: Effect of different factors on contact interaction of a shell with frame and support (Russian), 1A571
KOMAROV, SA: Bulging of flexible plates under effect of lateral and longitudinal loads (Russian), 9T591
KOMATSU, K: Experiment of wind waves in decay area in reference to the role of nonlinear energy transfer, 3A1409
- Modal Parameter identification of controlled structures, 7T356
KOMATSU, N: Tendon control system for active shape control of flexible space structures, 3A762
- Path planning for space manipulators to reduce attitude disturbances, 10T469
KOMATSU, T: Experimental study on the effective transformation of wave energy into potential energy (Japanese), 7A214
KOMERATH, NM: Counter-rotating structures over a Delta wing, 2T1076
KOMIYAMA, M: Preferential diffusion effects on the temperature in usual and inverse diffusion flames, 1A1315
KOMMINAHO, J: Very large structures in plane turbulent Couette flow, 3A1148
KOMORI, K: Characteristics of heat transfer and fluid flow in the rectangular duct with a rotating cylinder, 2A1182
KOMORI, M: Approximate method for the drags of 2D obstacles at low Reynolds numbers, 7A1059
KOMORI, S: Effects of molecular diffusivities on counter-gradient scalar and momentum transfer in strongly stable stratification, 5A1044
- Design and performance prediction of centrifugal impellers, 8A1238
KOMORIYA , H: Reasoning of the machinability and cutting condition based on the chemical compositions of material - 1st report: Influence of the chemical composition on machinability (Japanese), 2A598
KOMOROWSKI, JP: Corrosion pillowing stresses in fuselage lap joints, 7A684
KOMURO, T: Impulse function and drag in scramjet inlet models, 5A1376
KOMVOPOULOS, K: Subsurface crack mechanisms under indentation loading, 4A739
- Wear mechanisms of multi-layer coated cemented carbide cutting tools, 7A896
- Thermoelastic FE analysis of subsurface cracking due to sliding surface traction, 7A652
- Surface engineering and microtribology for microelectromechanical systems, 7A925
- Three-dimensional FE analysis of subsurface stresses and shakedown due to repeated sliding on a layered medium, 7A452
- Three-dimensional FE analysis of subsurface stress and strain fields due to sliding contact on an elastic-plastic layered medium, 10A24
- Correlation between acoustic emission and wear of multi-layer ceramic coated carbide tools, 11A748
- Hardness of thin-film media: Scratch experiments and FE simulations, 11A744
- Fractal analysis of stiction in microelectromechanical systems, 12A117
KOMZSIK, L: Preconditioning technique for indefinite linear systems, 12A54
KONAMI, T: Elastohydrodynamic lubrication model of connecting rod big-end bearings: Application to real engines, 12A1214
KONDA, T: Study on application of high-strength shotcrete for a high overburden tunnel (Japanese), 5T791
- Estimation of lateral pressure and coefficient of subgrade reaction during excavation work in Osaka (Japanese), 10A707
KONDARATSEV, SA: Inverse problem in the theory of two-phase filtration, 6A1396
KONDO, A: Fatigue strength of tensile plate with side gussets subjected to static transverse load (Japanese), 6A732
KONDO, H: Developments of a ground displacement monitoring system by using the global positioning system (Japanese), 5A539
- Effect of double bonds on friction in the boundary lubrication of magnetic thin film media, 9A1186
- Deformation characteristics and wave velocities of hard rock block with cracks at low strain levels (Japanese), 10A721
KONDO, K: Three-dimensional FE meshing by incremental node insertion, 4A32
- Slope stability analysis using the springs attached to the interslice plains (Japanese), 10A704
KONDO, M: Development of antiresonance enforced active vibration absorber system, 5A92
- Generation of a model for die-sinking from digitized data (Japanese), 9A659
KONDO, T: How to manufacture circular arc hinges (Japanese), 2T365
- Study on a 5-axis machine tool for sculptured surface having a fixed point in the tip of the tool, 7A614
- Flat inclusion problem in bonded dissimilar anisotropic elastic media under longitudinal shear loading, 12A487
KONDO, Y: Prediction algorithm of pressure drop for impingement cooling of heat sinks with longitudinal fins, 7A1015
KONDOH, H: Stochastic modeling and estimating of pipe tip level using cokriging (Japenese), 10A680
KONDOH, M: Multiple time-scale turbulence model for wall and homogeneous shear flows based on direct numerical simulations, 11A1030
KONDOH, T: Two-equation heat transfer model reflecting second-moment closures for wall and free turbulent flows, 2A1042
- Reynolds-stress expressions and near-wall scaling parameters for predicting wall and homogeneous turbulent shear flows, 10A1193
KONECZNY, H: Definition of a materials data base for heavy structures created by experimental characterization of toughness impact strength, 9A690
KONEMANN, B: Deformation of small diameter solid tibial nails with unreamed intramedullary insertion, 9A1601
KONG AH MUN, S: Influence of moisture on the thermal and mechanical properties of autoclaved and oven-cured Kevlar-49 and epoxy laminates, 12A585
KONG, LIEXIAO: Design of an engagement guiding mechanism for roller chain drives, 6A949
KONG, PC: Channel flow of a viscous fluid in the boundary layer, 8T1123
KONG, WZ: Finite element methods in spine biomechanics research, 8A1558
KONG, X-A: Data design approach for object-oriented FEM programs, 3A20
KONG, XIAN-MEI: Measurement of topography of finished surface by frustrated total reflection, 2A917
KONG, XIANJING: Aseismatic studies of concrete faced rockfill dams: State-of-the-art (Chinese), 6A1461
KONIG, G: Load-deformation behavior of high-strength concrete columns (B65-B115) under compression: Theoretical models and design rules (German), 11A783
KONIG, M: Effect of stacking sequence on energy release rate distributions in multidirectional DCB and ENF specimens, 5A665
KONIG, WM: Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part I: A model for subsonic flow, 11A1165
- Improved blade profile loss and deviation angle models for advanced transonic compressor bladings - Part II: A model for supersonic flow, 11A1166
KONINGS, CA: Numerical uncertainties in transonic flow calculations for aerofoils with blunt trailing edges, 8A1096
KONISHI, K: Radiative emission fraction of pool fires burning silicone fluids, 6A1338
KONISHI, T: Wear characteristic of aluminum-silicon alloy under lubricated sliding conditions, 4A893
KONISHI, Y: Application of simple adaptive control to a 2-mass spring system, 10T427
KONITZER, DG: Investigation of the cyclic fatigue and fracture behavior of a niobium aluminide intermetallic, 7A666
KONKAR, R: Incremental kinematic analysis of mechanisms, 11A866
KONNO: Optimization on Low Rank Nonconvex Structures, 12N5
KONNO, A: Possibility of quantitative prediction of cavitation erosion without model test, 4A964
- Vibration controllability of 3D flexible manipulators, 12A447
KONNO, T: Powder particle manipulation and assemblage using microprobe, 2A428
KONO, I: Neural network approach to evaluate drawdown curves from pumping test (Japanese), 2A542
KONO, W: Study on high power CO_2 laser welding - 2nd Report: A modeling of laser welding process (Japanese), 12T1039
KONONOV, AV: Diffractional radiation in 2D elastic systems, 1A315
- Analysis of the characteristic equation of D'yakov through the stability theory of shock corrugation (French), 3A251
- Case of reflection of simple wave from a contact discontinuity, 9A215
KONOPKA, P: Reexamination of the derivation of the equilibrium supersaturation curve for soluble particles, 5T971
KONOSU, S: Fatigue crack growth properties of a cryogenic structural steel at liquid helium temperature, 11A640
- Influence of prolonged aging on creep embrittlement susceptibility, 12A780
KONOVALOV, MB: Asymptotic analysis of the 3D problem on a crack-delamination in a two-layer plate, 5A623
KONRAD, J-M: Two-dimensional frost action modeling using the segregation potential of soils, 1A618
KONSTA-GDOUTOS, M: Limitations in mixed-mode stress intensity factor evaluation by the method of caustics, 3A692
- Effect of the 3-dimensionality of the stress field around a crack tip on the evaluation of SIFs by caustics, 9A740
KONSTANTAKI, M: Distributed water ingress and water potential measurements using fiber optics, 10A866
KONSTANTINIDIS, PA: Transient heat transfer modeling in automotive exhaust systems, 10A1317
KONSTANTINOV, M: Numerical investigation of the interaction of coaxial vortex rings, 11T1082
KONSTANTINOV, VM: Wear-resistant boron-containing coatings applied by electrocontact welding, 1A897
KONSTANTOPOULOS, I: Modeling the response of ER damper: Phenomenology and emulation, 3A750
KONSTANTOPOULOS, IK: Optimal design of robust controllers for uncertain discrete-time systems, 3A347
KONSTANTOPOULOS, K: Shear stress-induced binding of Von Willebrand factor to platelets, 10T1536
KONTOU, E: Viscoplastic behavior of PMMA blends: The effect of moisture absorption, 10A609
KONWERSKA-HRABOWSKA, J: Numerical analysis of a spectral photoelastic effect, 9A803
KONYUKHOV, SN: Study of the effect of low perturbing actions on the shell stability (Russian), 9T593
KOO, JC: Hamiltonian particle hydrodynamics, 11A988
KOOCHESFAHANI, MM: Spatial correlation technique for estimating velocity fields using molecular tagging velocimetry, 6A1213
KOOI, TC: Natural convection from a vertical rectangular fin, 8A1276
KOOL, GA: Aircraft crash caused by stress corrosion cracking, 11A655
KOOL, P: Design of sequential pneumatic controls as a finite state machine, 7A309
KOOLOOS, JGM: Global verification study of a quasi-static knee model with multi-bundle ligaments, 5A1470
- Inverse dynamics modeling approach to determine the restraining function of human knee ligament bundles, 7A1539
KOON, WANG-SANG: Optimal control for holonomic and nonholonomic mechanical systems with symmetry and Lagrangian reduction, 10T442
KOONCE, DA: Manufacturing systems engineering and design: An intelligent, multi-model, integration architecture, 4A473
KOONS, HC: Spacecraft charging anomaly on a low-altitude satellite in an aurora, 4A870
KOOPMAN, B: One-dimensional clarifier model with sludge blanket heights, 6A1521
KOOPMANN, GH: Visualization of acoustic particle interaction and agglomeration: Theory evaluation, 12A350
KOPAC, J: Theory and practice of achieving quality surface in turn milling, 9A671
KOPAC, M: Comparative evaluation of some existing rate-type constitutive equations for a viscoelastic fluid undergoing wiggle flow, 8A1010
KOPALINSKY, EM: Sliding metallic wear test with in-process wear measurement: A new approach to collecting and applying wear data, 7A886
- Analysis and experimental investigation of a simplified burnishing process, 8A689
KOPANAS, J: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453
KOPELMAN , R: Dynamics in Small Confining Systems III, 11N27
KOPER, W: Twisting test applied in estimation of the tensile concrete strength (Polish), 9A886
KOPIEV, VF: Vortex ring eigen-oscillations as a source of sound, 12A304
KOPILENKO, VA: Development of oils for cold rolling of deformation-resistant metals, 2T585
KOPINGA, K: Moisture transport in porous building materials, 5A1395
KOPLIK, J: Reentrant corner flows of Newtonian and non-Newtonian fluids, 10A1021
KOPP, GA: Use of pattern recognition and proper orthogonal decomposition in identifying the structure of fully-developed free turbulence, 11A1118
- Simultaneous velocity and temperature patterns in the far region of a turbulent cylinder wake, 11T1058

KOPROWSKI, G: Durability of loaded concrete in conditions of chemical aggressiveness (Polish), 2A802
KOPUZ, S: Integrated FEM-BEM approach to the dynamic and acoustic analysis of plate structures, 5A227
KORBEL, K: Analysis of the influence of the substructure of a crystal on shear band localization phenomena of plastic deformation, 5A424
KORDESCH, ME: High resolution electron energy loss spectroscopy of low vapor pressure liquid lubricants: Fomblin Y and Z, 10A1264
KORDONSKI, W: Model of magnetorheological finishing, 1A676
KORDONSKI, WI: Magnetorheological fluid-based seal, 6A958
KORDONSKY, W: Magnetorheological fluids: Materials, characterization, and devices, 1A954
KORED, UA: Application of a precision-enhancing measure in 3D rigid-body positioning using camera-space manipulation, 10A538
KORELC, J: Enhanced strain methods for small and finite deformations of solids, 5A27
- Efficient 3D enhanced strain element with Taylor expansion of the shape functions, 6A52
- Improved enhanced strain four-node element with Taylor expansion of the shape functions, 7A40
KOREN, B: Euler and Navier-Stokes Solvers Using Multi-Dimensional Upwind Schemes and Multigrid Acceleration, 11N6
KORENKOV, A: Forced vibrations and sound emission of an elastic hemisphere fixed in an endless plane screen, 1A302
KORENOWSKI, GM: Velocity field and surfactant concentration measurement techniques for free-surface flows, 8A1070
KORESAWA, H: Development of a high efficiency rough cutting for metal molds and dies machining (Japanese), 12T731
KORETA, N: Determination of optimum tilting angle of ball-end mill in 5-axis control machining: Determination based on finished surface roughness and application of neural network (Japanese), 2A590
KORIN, E: Incorporation of phase-change materials into a ground thermal energy storage system: Theoretical study, 3A1266
- Kinetic model for crystallization in porous media, 5A1402
KORIOTH, TWP: Forces and moments generated at the dental incisors during forceful biting in humans, 10A1517
KORIVI, VM: First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, 7T1177
KORJENKOV, AM: M_w = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: After-shock focal mechanisms and surface deformation, 12T1454
KORLINSKI, W: Experimental analysis of changes in quality needles during the technological process, 9T406
KORMANN, C: Rheometry on magnetorheological (MR) fluids - I: Steady shear flow in stationary magnetic fields, 5A905
KORMANSKI, H: Nondimensional Schmidt analysis for optimal design of Stirling engines, 11A1430
KORMI, K: Application of the FEM to determine the response of a pretensioned pipe cluster to static or dynamic axial impact loading, 7A205
KORNECKI, I: Flow of gravity-driven rivulets in the entrance region, 2A1000
KORNEEV, VA: Scattering of P and S waves by a spherically symmetric inclusion, 5A1410
KORNILOV, VI: Flow structure peculiarities in a streamwise corner under the conditions of shock wave-boundary layer interaction, 6A1089
- Interaction between an externally generated oblique shock wave and a boundary layer in a rectangular half channel, 6A1090
- Method of temperature fields registration using liquid-crystal coatings, 8T1254
- Features of subsonic turbulent cavity flow, 8A1157
KOROBKIN, A: Acoustic approximation in the slamming problem, 2A985
KOROBKO, EV: Ultimate strength of electrorheological suspension as a function of electrical field intensity, 12A1159
KOROCHKINA, TV: Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, 11T1182
KOROL, RM: Large displacement extension of consistent shell element for static and dynamic analysis, 7A534
- Moment-rotation relationship of blind bolted connections for HSS columns, 9A906
- Stability of imperfect steel conical tanks under hydrostatic loading, 11A536
KOROLCHENKO, AY: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297
KOROLEV, AS: Computational and experimental investigations of ionization near hypersonic vehicles, 6A254
KOROTAEVA, TA: Computational mesh construction for numerical analysis of 3D supersonic flow over two bodies, 6T1043
KOROTKIN, VI: Indentation of a punch into an elastic 3D wedge as a model of contact interaction between the surfaces of gearing teeth, 8T952
KOROTKOV, VN: Quick cure of thermosetting composites, 4A1271
KOROVIN, SK: Variable-Structure Control Systems: Discrete and Digital, 6R13
KORPUS, RA: Prediction of viscous ship roll damping by unsteady Navier-Stokes techniques, 11A1128
KORSUNSKY, AM: Solution of Crack Problems: The Distributed Dislocation Technique, 4R11
- Somigliana ring dislocation revisited - Part I: Papkovich potential solutions for dislocations in an infinite space, 6A475
- Somigliana ring dislocation revisited -Part II: Solutions for dislocations in a half space and in one of two perfectly bonded dissimilar half spaces, 6A476
- Plastic bending of a residually stressed beam, 10A628
KORT, PM: Pollution control and the dynamics of the firm: the Effects of market-based instruments on optimal firm investments, 6T456
KORTE, JJ: Development of square nozzles for supersonic low-disturbance wind tunnels, 6A1116
KORZEN, M: Uniaxial ratchetting in rate-independent plasticity laws, 8A521
- Uniaxial ratchetting in linear viscoelasticity, 8A507
KORZHAVIN, AA: Dynamics of gaseous combustion in closed systems with an inert porous medium, 11A1398
KOSAI, M: Biaxial test specimen for crack arrest studies, 2A717
KOSALY, G: Direct numerical solution of turbulent nonpremixed combustion with multistep hydrogen-oxygen kinetics, 9A1361
- Laminar flamelet approach to subgrid-scale chemistry in turbulent flows, 10A1404
KOSCHEL, W: Numerical prediction of viscous transonic 3D flow in a channel, 7A1062
KOSCIELNIAK, P: Design of the fully rotary valve for calibration purposes in flow analysis, 10A1105
KOSEFF, JR: Combined forced and natural convection heat transfer in a deep lid-driven cavity flow, 4A1206
KOSEKI, J: Deformation characteristics of sedimentary soft rocks (Japanese), 10T719
KOSEKI, M: Soft-handling gripper driven by piezoceramic bimorph strips, 3A397
KOSEL, F: Dynamic response with respect to base movement of spring frame supported cantilever simple beam with concentrated mass, 9A152
KOSER, K: Torsional vibrations of the drive shafts of mechanisms, 8A167
KOSHIGOE, S: Vortex shedding in a large solid rocket motor without inhibitors at the segment interfaces, 9A1403
KOSHIMIZU, S: Study on an ultraprecision grinding wheel spindle, both-end supported, 7T623
- Ultrafine motion table using piezoelectric actuator for ultraprocision grinding, 10T748
KOSHY, P: Mechanism of material removal in electrical discharge diamond grinding, 4A681
- Stochastic simulation approach to modeling diamond wheel topography, 11A621
KOSINSKI, C: Adaptive system for smart fringe image processing, 4A790
KOSINSKI, W: Symmetrization of a heat conduction model for a rigid medium, 4A1256
- Second sound speed in a crystal of NaF at low temperature, 9A14
- Impact of a cylinder against a rigid target - Part II: Initial condition, 9A198
KOSKA, P: Three-dimensional shape optimization approach based on natural design variables and the BEM, 4A822
KOSKELA, H: Test procedure and automatic system for sound insulation measurement using the sound intensity method, 11A269
KOSKISTO, O: Reliability-based optimization of plant precast concrete building systems, 10T925
KOSKISTO, OJ: Reliability-based optimization of plant precast concrete structures, 9A860
KOSMATKA, JB: Behavior of spinning pretwisted composite plates using a nonlinear FE approach, 2A131
KOSNY, J: Equivalent wall as a dynamic model of a complex thermal structure, 9A1305
KOSOVIC, B: Subgrid-scale modeling for the large-eddy simulation of high-Reynolds-number boundary layers, 10A1194
KOSS, LL: Characterization of mechanical vibration damping by piezoelectric materials, 5A138
KOSSE, V: Analytical investigation of the change in phase angle between the wave generator and the teeth meshing zone in high-torque mechanical harmonic drives, 11A845
KOSSECKA, E: Equivalent wall as a dynamic model of a complex thermal structure, 9A1305
- Effect of structure on dynamic thermal characteristics of multilayer walls, 9A878
KOSSUT, J: Strain relaxation of ZnTe-CdTe and CdTe-ZnTe heterostructures: *In situ* study, 9A383
KOST, A: Regularization of nearly singular boundary integrals in 3D potential problems, 5A57
KOSTEK, B: Synthesis of organ pipe sound based on simplified physical models, 4A315
KOSTEK, K: Stress-induced azimuthal anisotropy in borehole flexural waves, 6A231
KOSTER, JN: Numerical simulation of natural convection of gallium in a narrow gap, 5A1153
- Steady natural convection in a two-layer system of immiscible liquids, 9A1220
- Experimental study of natural convection in a model alloy with a miscibility gap, 9A1216
- Visualization of Rayleigh-Benard convection in liquid metals, 11A1257
KOSTERIN, AV: Internal stresses in material under drying, 1A1395
KOSTIN, GV: Modeling and optimization of motion of a tube-crawling robot, 5T362
KOSTINA, YA: Stabilization of dynamic systems using positional solutions of special optimal control problems, 7A322
KOSTIUK, LW: Measuring the burning rate of premixed turbulent flames in stagnation flows, 4A1315
KOSTKA, J: NO_x and hydrocarbon emissions from a diesel engine fueled on digester gas, 12A1374
KOSTOPOULOS, V: Dynamic characteristics of the human skull, 3A1487
KOSTRJITSKIY, AV: Simulation and automation of calculations of buildings (structures) on seismic effects, 10A1458
KOSTRYKIN, V: Free boundary problem related to laser beam fusion cutting: ODE approximation, 9A1271
KOSTYUKEVICH, EA: Liquid flame combustion II: Some physical and chemical characteristics of the burning process, 12A1389
KOSTYUKOVA, OI: Stabilization of dynamic systems using positional solutions of special optimal control problems, 7A322
KOSUGE, T: Control of heat transfer on wall with wall jet, 9A1203
KOSUGO, K: Vibration suppression effect of liquid crystal under electromagnetic field, 2A100
KOSZYKOWSKI, M: Numerical simulation and scaling of NO_x emissions from turbulent hydrogen jet flames with various amounts of helium dilution, 2A1321
KOTA, S: Synthesis of programmable mechanisms using adjustable dyads, 12A1022
- Systematic synthesis and applications of novel multi-dof differential systems, 12A1007
- Topological synthesis of compliant mechanisms using multi-criteria optimization, 12A1025
KOTAKE, S: Study of cluster-size effects on film condensation, 7A1293
- Spectroscopic study of clustering processes near a condensate, 9A1253
- Quantum molecular dynamics study on light-to-heat absorption mechanism: Two metallic atom system, 10A1348
KOTAKI, M: Effect of interfacial properties and weave structure on mode I interlaminar fracture behavior of glass satin woven fabric composites, 8A793
KOTAMAKI, MJ: In-situ measurement and compensation control in external grinding of large cylinders, 1A660
KOTANI, M: Theory of film condensation on shock-tube endwall behind reflected shock wave - Part II: Theoretical basis for determination of condensation coefficient, 11A1288
KOTANI, Y: Extinction of turbulent diffusion flames by Kolmogorov microscale turbulence, 11A1402
KOTB, NA: MHD flow between two parallel plates with heat transfer, 3A1170
KOTCHEFF, ACW: Automated method for assessing routine radiographs of patients with total hip replacements, 12A1575
KOTELKO, M: Ultimate load and postfailure behavior of box-section beams under pure bending, 4A807
KOTELNIKOV, AD: Kinetic method for computing inhornogeneous fluid behavior, 12T1103
KOTHA, SL: Separation surfaces for laminar flow in branching tubes: Effect of Reynolds number and geometry, 11A1579
KOTHARI, A: Computer-aided design of a two-stage gearbox, 8A951
KOTHYARI, UC: Temporal variation of sediment yield, 4A965
KOTLARZ, W: Investigation of higher temperature influence on Epidian 57 strength (Polish), 9A981
KOTOUSOV, AG: Integral estimates in nonlinear oscillatory systems, 3A115
- Integral estimates to the fast brittle fracture mechanics, 12A793
KOTSIKOS, G: Squeeze flow testing of glass mat thermoplastic material, 5A569
KOTSIOS, S: Results on dynamics of special double-loop ΣΔ-modulators, 11T101
KOTSOVOS, MD: Behavior of structural concrete elements designed to the concept of the compressive force path, 2A792
KOTTA, U: Linearization of discrete-time systems, 4A367
KOTTMEIER, C: Roll vortices and boundary-layer development during a cold air outbreak, 12T1508
KOTVIS, PV: Determination of interfacial temperatures under extreme pressure conditions, 5T853
- Nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 7A1217
KOTWAL, CA: Contact analysis of non-Gaussian surfaces for minimum static and kinetic friction and wear, 4A873
KOTYUSOV, AN: Induced coagulation of small particles under the action of sound, 2A269
KOU, JINE-WEN: Vibrational behavior of continuous span highway bridge: Influencing variables, 9A158
KOU, SQ: Application of a splitting fracture model to the simulation of rock indentation subsurface fractures, 7A591
KOUAKOU, A: Measurement of apparent activation energy of cements in mortars by means of Langavant's semi-adiabatic calorimeter (French), 4A541
KOUATCHOU, J: Compact multigrid solver for convection-diffusion equations, 9A1348
KOUCHIYAMA, M: Friction control with a graft layer of a thermo-sensing polymer, 5A820
KOUDINE, AA: Influence of rubber thickness on the existence of Schallamach waves, 11A174
KOUKOU, MK: Mathematical modeling of the performance of non-isothermal membrane reactors, 9A1437
KOULAMAS, C: Adaptive tool replacement policies in machining economics, 5A378
KOUMBOULIS, FN: Decoupling of the longitudinal modes of advanced aircraft, 3T374
KOUMOUTSAKOS, A: Rheology and phase separation in a model upper critical solution temperature polymer blend, 10A1023
KOUMOUTSAKOS, P: Simulations of the viscous flow normal to an impulsively started and uniformly accelerated flat plate, 6A1076
KOUNADIS, AN: Nonlinear Stability of Structures: Theory and Computational Techniques, 9R14
- Steel Structures: EUROSTEEL 95, 1N35
- Nonlinear dynamic buckling mechanism of autonomous dissipative and nondissipative discrete structural systems, 1A588
- Nonlinear dynamic buckling of a cylindrical shell panel model, 5A494
- Nonlinear dynamic buckling of multi-dof structural dissipative systems under impact loading, 7A554
- Qualitative criteria in nonlinear dynamic buckling and stability of autonomous dissipative systems, 7A555
- Non-conservative systems with symmetrizable stiffness matrices exhibiting limit cycles, 8A100
- Criteria for occurrence of flutter instability before buckling in nonconservative dissipative systems, 9A597
- Primary bending effect and the buckling boundary-value problem in elastic framed structures, 9A589
KOUNDY, V: Creep buckling of ovalized tubes under external pressure, 5A500
KOUPESSOVA, BN: BIE formulation for transient problems of thermoelastodynamics, 6A79
KOURIS, D: Micromechanical analysis of surface defects, 6A522
KOURIS, DA: Stress fields due to dislocation arrays at interfaces, 2A389
- Stress fields due to dislocation walls in infinite and semi-infinite bodies, 2A390
KOURKOULIS, SK: Forming-limit diagrams for Al 2124 and Al-Li 8090 through fracture mechanics and perturbation analysis, 6A755
KOUROUKAFOPOULOS, A: Equilibrium solute distribution near an interface crack tip and environment-assisted cracking in bi-materials, 6T792
KOURTCHATOV, SY: Dynamics of fission gas release from molten nuclear fuel, 5A1443
KOUSAKA, Y: Performance of a scanning differential mobility analyzer, 6A1401
KOUTMOS, P: Study of unsteady wake flows past a 2D square cylinder with and without planar jet injection into the vortex formation region, 1A1049
- Computational investigation of unsteady separated flows, 10A1078
- Velocity and turbulence characteristics of isothermal lobed mixer flows, 11A1438
KOUTRAKIS, P: Inertial separation of ultrafine particles using a condensational growth-virtual impaction system, 4A1327
KOUTSAVDIS, EK: Potential model for space conservation law calculations of moving curvilinear meshes, 1T79
- Rotorcraft impulsive noise prediction using a rotating Kirchhoff formulation, 6A1185
KOUTSIKOS, I: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
KOUTSOURIS, D: Application of an artificial compressibility methodology for the incompressible flow through a wavy channel, 1A968
KOUVARITAKIS, B: Robust stable generalized predictive control, 12A384
KOVACEVIC, BD: Robustified adaptive minimum-variance controller, 3T363
KOVACEVIC, R: Role of welding parameters in determining the geometrical appearance of weld pool, 4A952
- Investigations in abrasive water jet erosion based on wear particle analysis, 4A887

- Accelerated high speed water erosion test for concrete wear debris analysis, 4T913
- Monitoring of thermal energy distribution in abrasive waterjet cutting using infrared thermography, 5A560
- Sensing free surface of arc weld pool using specular reflection: principle and analysis, 6A824
- Effects of water-mixture film on impact contact in abrasive waterjet machining, 8A1112
- Feedback control of chaotic circular point sets with arbitrary velocity profile, 9A334
- Functional observer and state feedback for input time-delay systems, 9A318
- Real-time sensing of sag geometry during GTA welding, 11A882
- Real-time image processing for monitoring of free weld pool surface, 11A881
- Alternative method for the evaluation of the abrasive water-jet cutting of grey cast iron, 11A591
- Simulation of chaotic particle motion in particle-laden jetflow and application to abrasive waterjet machining, 11A994

KOVACH, A: Determination of energy output losses due to shading of building-integrated photovoltaic arrays using a raytracing technique, 6A1508

KOVACIC, V: Thermomechanical properties of basalt fibers, 4A1272

KOVACS, AP: Nonlinear vibration analysis of a clamped-clamped beam by a reduced multibody method, 4A87

KOVALCHIK, YI: Thermal analysis of sliding rod with coating, 2A905

KOVALCHUK, PS: Nonstationary wave movements of liquid in an oscillating cylindrical vessel when it passes through the resonance zone (Russian), 1A285

- Analysis of power exchange between proper forms of liquid in cylindric vessel fasted on elastic supports, 12A277

KOVALENKO, AP: Self-excitation of transverse waves in hypereiastic materials: The third approximation (Russian), 2A180

KOVALENKO, EV: Contact problem for conforming cylindrical bodies, 2A391

KOVALEV, AI: Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - II: Study of surface engineered high-speed steel cutting tools by AES, SIMS and EELFAS methods, 3A869

- Blanking die wear effected by variations in composition, structure and properties of contact surfaces, 5T826
- Characteristic features of wear in tools made of high-speed steels with surface engineered coatings - Part I: Wear characteristics of surface engineered high-speed steel cutting tools, 7A912
- Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, 12A936

KOVALYOV, M: Nonlinear interference and the Korteweg-de Vries equation, 3A229

KOVARIK, V: Distributional concept of the elastic viscoelastic correspondence principle, 11A389

KOVATCHEVA, S: Long-term durability of wood-flour-polypropylene-elastomer composites, 9A532

KOVEKH, VM: Effect of microdamage on fatigue-crack growth, 11A643

KOVENYA, VM: Variational method of accelerating linear iterations and its applications, 2A56

KOVES, WJ: Finite element for the analysis of shell intersections, 5A21

KOVESI-DOMOKOS, G: Variational method in the statistical theory of turbulence, 12A1142

KOVITSKII, VI: Substantiation of the loading scheme for a single-axle trailer subjected to dynamic tests, 8A406

KOVRIGUINE, DA: Nonlinear waves in elastic bar, 6A233

KOVRIZHINA, VN: Method of temperature fields registration using liquid-crystal coatings, 8T1254

KOWAL, Z: Limit bearing capacity of compressed bars under interactive transversal loading (Polish), 2A750

KOWALCZYK, M: Nonlinear incremental analysis of loading and design sensitivity problems, 2A757

KOWALCZYK, P: Sensitivity analysis in plane stress elasto-plasticity and elasto-viscoplasticity, 6A517

KOWALCZYK, S: Method and testing results of regenerating gluing cements (Polish), 9A928

KOWALEWSKI, ZL: Effect of cyclic loading on the yield surface evolution of 18G2A low-allow steel, 3A470

- Influence of constant and monotonic loadings on subsequent biaxial behavior of 15HM boiler steel, 4A461
- Assessment of cyclic properties of 18G2A low-alloy steel at biaxial stress state, 8A738
- Experimental investigation of an anisotropy in copper subjected to predeformation due to constant and monotonic loadings, 11A433

KOWALSKI, D: Factors affecting the pullout strength of cancellous bone screws, 2A1477

KOWALSKI, K: Groups and nonlinear dynamical systems: Dynamics on the SU(2) group, 7A99

KOWALSKI, SJ: Drying stress formation by inhomogeneous moisture and temperature distribution, 1A1269

- Response of dried materials to drying conditions, 5A1275
- Drying processes involving permanent deformations of dried materials, 5A1401

KOWNACKA, L: Changes in the vertical distribution of fission products over Poland during the period 1973 - 1994, 4T1474

KOYAMA, H: Numerical study of thermal dispersion in porous media, 2A1366

- V-shape forming of super hybrid material plate (Japanese), 4A668
- Development of a piston-type closed conduit to generate oscillatory flow with arbitrary profile (Chinese), 10A1045

KOYAMA, HS: Time-dependent vortex breakdown in a cylinder with a rotating lid, 11A941

- Effects of Coriolis force on flow in rotating diffusers, 12A1181

KOYAMA, R: Prediction of steel corrosion portion and area by natural potential measurement (Japanese), 7A688

KOYAMA, T: Analysis of accumulating mechanism of distributed and unbonded prestress (Japanese), 5A717

KOYANAGI, W: Thermal crack analysis based on practical 3D FEM analysis model (Japanese), 7T1360

KOYLU, UO: Synthesis and restructuring of inorganic nano-particles in counterflow diffusion flames, 3A1315

- Light scattering from soot aggregates with radially inhomogeneous primary particles, 7A1402
- Quantitative analysis of in situ optical diagnostics for inferring particle-aggregate parameters in flames: Implications for soot surface growth and total emissivity, 10A1422
- Soot volume fraction and temperature measurements in laminar nonpremixed flames using thermocouples, 11A1425

KOYLUOGLU, HU: faster simulation method for the stochastic response of hysteretic structures subject to earthquakes, 3A1383

- Midbroken reinforced concrete shear frames due to earthquakes: A hysteretic model to quantify damage at the story level, 8A905
- Prediction of global and localized damage and future reliability for RC structures subject to earthquakes, 9A1484

KOZAK, I: Complete solution for stresses in terms of stress functions - Part I: Derivation from the principle of virtual work, 1A432

- Complete solution for stresses in terms of stress functions - Part II: Modification of variational principles, 7A398

KOZAK, J: Study of electrochemical jet machining process, 5A562

KOZAKIEWICZ, A: Velocity and concentration profiles in sheet-flow layer of movable bed, 3A989

KOZAKURA, Y: Safety control system for the erection of steel bridges (Japanese), 8T1574

KOZERUK, AS: Simulation of blank-tool wear in finishing precision surfaces, 1A881

KOZHEVNIKOV, YV: Guaranteed evaluation of GTE characteristics at automated tests, 1A1094

KOZIK, TJ: End effects in laminated anisotropic beams - Part II, 11A471

- End effects in laminated anisotropic beams - Part I, 11A470

KOZIOL, AS: Effect of turbulence on the collision rates of small cloud drops, 3A1283

KOZLOV, AK: Exact synchronization of mismatched chaotic systems, 1A123

KOZLOV, SM: Darcy equation for random porous media, 2A1357

KOZLOV, VA: "Power-logarithmic" solutions to the Dirichlet problem for the Stokes system in a dihedral angle, 8T1051

KOZLOV, VI: Oscillations and dissipative heating of a multilayer shell of revolution made of viscoelastic material (Russian), 6T170

- Simulation of viscoelastic behavior of layered members of constructions of anisotropic elastomeric materials (Russian), 12A574

KOZLOV, VN: Thickness measurements and flaw detection in concrete using ultrasonic echo method, 8A856

KOZLOV, VV: Symmetries, Topology, and Resonances in Hamiltonian Mechanics, 3R5

- Investigation of riblet effect on a spanwise modulated boundary layer, 1T1037
- Disturbances excited by a point source in an axisymmetric laminar separation bubble, 5A983

KOZLOVTSEV, AP: Development of oils for cold rolling of deformation-resistant metals, 2T585

KOZLOWSKI, T: Influence of temperature and total water content on the unfrozen water content below 0° in three model soils, 9A624

KOZLOWSKI, W: Method of discrete displacements for modeling contribution of finite-size organized fluid structures to transport processes in turbulent pipe flow, 1A1084

KOZUKI, Y: Mechanism of degradation of organic matter in seawater by effective microbes and its utilization (Chinese), 10A1496

KOZUKUE, W: Development of sound pressure level integral sensitivity and its application to vehicle interior noise reduction, 1A323

KRAABEL, DL: Tension-compression fatigue behavior of a unidirectional titanium-matrix composite at elevated temperature, 8A746

KRABBE, B: Influence of inertia on intersegment moments of the lower extremity joints, 10A1525

KRAFFT, R: Probabilistic method for the fatigue design of powder metallurgy parts of aircraft engines, 9A856

KRAIGE, LG: Engineering Mechanics: Statics, 4th Edition, 2N51

KRAIKO, AN: Unlimited cumulation under 1D unsteady compression of an ideal gas, 11A983

KRAINCANIC, I: Prediction of axial hysteresis in locked coil ropes, 4A589

KRAINEV, AF: Analysis of the dynamics of parallel-structure mechanism with elastic links, 4T941

KRAINSKI, W: North-south component of "phase" motion of ionospheric current structures observed under cleft as magnetic pulsations, 4A1437

KRAJCINOVIC, D: Damage Mechanics, 11R20

- Random Cantor set models for the elastic-perfectly plastic contact of rough surfaces, 2A920
- Creep rupture of polymers: A statistical model, 8A505

KRAJNOVICH, DJ: Marangoni mechanism in pulsed laser texturing of magnetic disk substrates, 12A1267

KRAKOV, MS: Control of temperature distribution at cylinder surface by magnetic fluid, 2A1284

KRAKOVSKI, MB: Optimization of RC structures using design of experiments, 8A880

KRAL, ER: Three-dimensional FE analysis of subsurface stresses and shakedown due to repeated sliding on a layered medium, 7A452

- Three-dimensional FE analysis of subsurface stress and strain fields due to sliding contact on an elastic-plastic layered medium, 10A24
- Hardness of thin-film media: Scratch experiments and FE simulations, 11A744

KRAL, LD: Application of turbulence models for aerodynamic and propulsion flowfields, 5A1050

KRAL, S: Meshing characteristics of the spiroid gearings (Polish), 9A957

KRALJ, A: Modeling muscle activity in standing with considerations for bone safety, 6A1531

KRALJ, B: Numerical modeling of brick masonry panels subject to lateral loadings, 3A521

KRALJ, C: Choice of turbulence model for prediction of flows over river bed forms, 11A920

KRAMER, EJ: Analysis of adhesion and interface debonding in laminated safety glass, 7A964

KRAMER, F-J: Optimal control of a production system with periodic maintenance, 6A455

KRAMER, L: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983

KRAMER, SL: Modified Newmark model for seismic displacements of compliant slopes, 12A1484

KRAMLICH, JC: Nitrous oxide emissions control by reburning, 5A1340

KRANE, MJM: Scaling analysis of the unidirectional solidification of a binary alloy, 1A1195

KRANENBURG, C: Gravity current of fluid mud sloping bed, 6A1058

- Erosion of fluid mud layers - II: Experiments and model validation, 11T924
- Erosion of fluid mud layers - I: Entrainment model, 11A923

KRAPP, A: Effect of numerical integration in the Galerkin BEM, 4A43

KRASITSKY, VA: Liquid flame combustion II: Some physical and chemical characteristics of the burning process, 12A1389

KRASKA, M: Simulation of polycrystals using an FEM-based representative volume element, 1A506

KRASNIK, VG: Model for tool wear in rock cutting, 3A858

KRASNODEBSKI, JK: Enhanced mixing with streamwise vorticity, 11A1386

KRASNOPOLSKAYA, TS: Steady Stokes flow in an annular cavity, 5A926

- Wave pattern formation in a fluid annulus with a radially vibrating inner cylinder, 6A276

KRASNOSEL'SKII, AM: Nonlinear resonance in systems with hysteresis, 1T141

KRASNOV, AP: Structure and friction of modified cross-linked polyimides, 7A869

KRASNY, VA: Basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 12A973

KRASNYUK, PP: Steady radial thermoelastic oscillations of the system of two hollow round cylinders with frictional heating (Russian), 2A146

KRASON, W: Numerical analysis of ribbon-type bridges with considering the boundary segment (Polish), 9A892

KRASOVITOV, B: Evaporation and growth of multicomponent droplets in random dense clusters, 11A1294

KRATKY, KW: Multifractal analysis of airborne particle count data: The influence of data preprocessing, 6A1523

KRATOCHVIL, T: Acoustic emission source location using Lamb wave modes, 7A788

KRATZIG, WB: Nonlinear Stability of Structures: Theory and Computational Techniques, 9R14

- Dynamics of Civil Engineering Structures, 2R17
- Increase of computational algorithm efficiency for elastoplastic shell analysis, 9A577

KRAUS, AD: Process, Enhanced, and Multiphase Heat Transfer: A Festschrift for AE Bergles, 1N49

- Optimum design of radiating and convecting-radiating fins, 4T1245

KRAUS, H: Transport processes in the tropical warm pool boundary layer - Part I: Spectral composition of fluxes, 3T1430

KRAUS, JF: Freeze-thaw cycling and hydraulic conductivity of bentonitic barriers, 9A648

KRAUSE, TW: Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, 4A629

KRAUSS, RH: OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, 9A1388

KRAUTHAMMER, T: Hybrid computational approach for the analysis of blast resistant connections, 4A272

- Assessment of numerical simulation capabilities for medium-structure interaction systems under explosive loads, 9A250
- Assessment of reinforcement details for blast containment structures, 10A928
- Mesh, gravity, and load effects on FE simulations of blast loaded reinforced concrete structures, 10A287

KRAVCHENKO, AG: Zonal embedded grids for numerical simulations of wall-bounded turbulent flows, 3A1147

- Effect of numerical errors in large eddy simulations of turbulent flows, 8A1201

KRAVCHIK, K: Self-organization in a brass-glycerin-steel tribosystem, 5A845

KRAVTSOV, AV: Parametric excitation of the oscillations of a viscous continuously stratified fluid in a closed vessel, 6A300

KRAWCZUK, M: Natural vibration frequencies of delaminated composite beams, 9A151

- Natural vibrations of a clamped-clamped arch with an open transverse crack, 10A222

KREBS, DE: Modeling the systematic uncertainty of photogrammetric tracking of human motion, 12A1562

- Numerical differentiation of tracking data of human motion: The virtual accelerometer, 12A1564

KREBS, J: Production and evaluation of secondary composite aircraft components : A comprehensive case study, 10A616

KREDER, KJ: Design and development of an electromechanical ultrasound probe holder for urodynamics testing, 3A1518

KREGER, M: Retrofit of concrete columns with inadequate lab splices by the use of rectangular steel jackets, 6A1449

KREGER, ME: Field measurements of prestress losses in external tendons, 3A777

- Retrofit of non-ductile moment-resisting frames using precast infill wall panels, 6A892

KREIDER, KL: Finite difference time marching in the frequency domain: A parabolic formulation for the convective wave equation, 4A310

KREIF, R: Note on the geometric scaling of long-rod penetration, 8A246

KREINDLER, E: Robot robust path tracking, 4A450

KREISS, H-O: Analysis of periodic updating for systems with multiple timescales, 3T1433

KREISSELMEIER, G: Stabilization of linear systems in the presence of output measurement saturation, 5A286

KREIßIG, R: Distortional hardening within a cubic yield theory, 1A476

KREJA, I: Finite elements based on a first-order shear deformation moderate rotation shell theory with applications to the analysis of composite structures, 12A57

KREJCI, L: Wave heat conduction in technologies, 7A1304

KREJCI, P: Rainflow counting and energy dissipation for hysteresis models in elastoplasticity, 3A664

- The Mroz model, 5A408

KREJSA, J: Usage of artificial intelligence methods in inverse problems for estimation of material parameters, 7A67

KREMER, GM: Linear Couette flow between two rotating cylinders, 3A1024

KREMPL, E: Isotropic viscoplasticity theory based on overstress (VBO): The influence of the direction of the dynamic recovery term in the growth law of the equilibrium stress, 5A418

- Modeling of high homologous temperature deformation behavior using the viscoplasticity theory based on overstress (VBO) - Part II: Characteristics of the VBO model, 7A449

KRENSKI, M: Numerical analysis of an impact of different degrees of bearing nodes simplification on operation of large rotormachine (Turbogenerator 200MW) (Polish), 9A172

KRESS, R: Uniqueness in inverse obstacle scattering with conductive boundary condition, 4A318

- Inverse elastic scattering from a crack, 4A775

KRET, S: Strain relaxation of ZnTe-CdTe and CdTe-ZnTe heterostructures: *In situ* study, 9A383

KRETSCHMER, D: Prediction of soot emissions in gas-turbine combustors, 7A1408

- Prediction of laminar flame speeds for weak mixtures, 12A1361
KRETTEK, C: Deformation of small diameter solid tibial nails with unreamed intramedullary insertion, 9A1601
KRETZSCHMAR, G: Dynamics of Adsorption at Liquid Interfaces: Theory, Experiment, Application, 7N25
KREUTZ, TG: Ignition of counterflowing methane versus heated air under reduced and elevated pressures, 8A1406
KREUTZ-DELGADO, K: Evaluation of star identification techniques, 9T244
KREUZER , E: Analysis of a self-excited vibrations of a torsion string, 4A129
KREUZER, E: ICIAM-GAMM 95: Applied Sciences, Especially Mechanics: Contributed Lecture and Poster Presentations, Hamburg, July 1995, 6N31
- ICIAM-GAMM 95: Applied Sciences, Especially Mechanics: Minisymposia Contributions, Hamburg, July 1995, 6N30
- Analysis of long torsional strings by proper orthogonal decomposition, 6A158
- Bifurcation analysis of the dynamics of a simplified shell model, 10A128
KRIBUS, A: Inherent limitations of volumetric solar receivers, 2A1427
- DIAPR: A high-pressure, high-temperature solar receiver, 8A1517
- Effect of irradiation directional distribution on absorption in volumetric solar receivers, 8A1518
- Optimal parallel flow in solar collectors for nonuniform irradiance, 11A1523
- Performance of surface and volumetric solar thermal absorbers, 11A1524
KRIEBEL, D: Wave kinematics for simulated shallow water storm waves: Analysis and experiments, 12T260
KRIEGSMANN, GA: Cavity effects in microwave heating of ceramics, 10A1350
KRIENS, RFC: Application of optimal control theory to inverse simulations of car handling, 6A388
- Numerical simulation of vehicle behavior during straight line keeping on undulating road surfaces, 10A489
KRIER, H: Effects of cofiring natural gas and coal on sulfur retention in ash, 1A1318
- Shock initiation of crystalline boron in oxygen and fluorine compounds, 1A1334
- Plasmadynamics model for nonequilibrium processes in N_2-H_2 arcjets, 5A935
- Two-temperature plasma modeling of nitrogen-hydrogen arcjets, 5A1391
KRIJGER, JKB: Influence of the blunting of the apex on the flow in a vertebro-basilar junction model, 10A1547
KRIKOR, HGLT: Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - Part 3: Strength and strain at failure, 5A443
KRISCHAK, S: Formalin fixation strongly influences biomechanical properties of the spine, 5A1460
KRISHMAN, V: Accelerating product development by the exchange of preliminary product design information, 11A342
KRISHNA KUMAR, R: Fracture mechanics approaches to coating strength evaluation, 2A692
KRISHNA RAO, JVS: Thermal stresses around the thin circular disc-like inclusion in an infinite medium under general temperature conditions, 7A1363
KRISHNA, DV: Unsteady convection flow through a pipe of variable gap induced by a travelling thermal boundary wave, 9A1230
KRISHNA, K: Effects of strain rate and thickness on the response of thin layers of solder loaded in pure shear, 12A1036
KRISHNA, LG: Boundary control of a nonlinear string, 2T128
KRISHNA, P: Tension structures, 3A155
KRISHNA, R: Nonstationary response near generic bifurcations, 1A131
KRISHNAKUMAR, R: New one-pass approach for large deformation multibody frictional contact analysis, 4A912
- Yield function parameters for metal powder compaction based on unit cell studies, 9A453
KRISHNAMOORTHY, CS: Adaptive FE analysis of plates by shear-flexible quadrilateral Reissner-Mindlin elements, 1A73
- Genetic algorithms-based methodologies for design optimization of trusses, 9A903
KRISHNAMOORTHY, S: Three-dimensional simulation of instabilities and rivulet formation in heated falling films, 8T1069
KRISHNAMURTHY, BS: Effect of an oblique magnetic field on the surface instability of a finite conducting fluid layer, 6A1140
KRISHNAMURTHY, K: Pullout simulation of postinstalled chemically bonded anchors, 3A601
- Neural network thrust force controller to minimize delamination during drilling of graphite-epoxy laminates, 3A676
KRISHNAMURTHY, R: Numerical study of hypervelocity flows through a scramjet combustor, 7A1432
KRISHNAMURTI, R: Heat and momentum transport in sheared Rayleigh-Benard convection, 4A1207
KRISHNAN, A: Free vibration of curved panels with cutouts, 8T152
KRISHNAN, GP: Shear-induced radial segregation in bidisperse suspensions, 3A1070
KRISHNAN, M: Symmetric linear elastic model for helical wire strands under axisymmetric loads, 4A587
KRISHNAN, S: Effect of catalyst mixing procedure on subatmospheric combustion characteristics of composite propellants, 9A1380
KRISHNAN, SS: Refractive indices at visible wavelengths of soot emitted from buoyant turbulent diffusion flames, 11A1404
KRISHNAPRASAD, PS: Nonholonomic mechanical systems with symmetry, 6T98
KRISHNASWAMY, S: Compact polariscope-shearing interferometer for mapping stress fields in bimaterial systems, 5A709
- Fiber optic ultrasonic system to monitor the cure of epoxy, 10A872
- Thermomechanical theory of solid-fluid mixtures, 11A1459
KRISHNE GOWDA, YT: Numerical investigation of mixed convection heat transfer past an in-line bundle of cylinders, 1A1183
- Mixed convection heat transfer past in-line cylinders in a vertical duct, 10A1294
KRISHTALEV, VV: Analysis of power exchange between proper forms of liquid in cylindric vessel fasted on elastic supports, 12A277
KRISPIN, J: High-resolution solutions of stiff chemically reacting flows, 5A961
KRISTEK, A: Assessments of methods for locating the point of initial yield, 9A459
KRISTEK, J: Amplification and differential motion due to an antiplane 2D resonance in the sediment valleys embedded in a layer over the half-space, 4A1423
KRISTENSEN, PG: Interactions of CO, NO_x, and H_2O under post-flame conditions, 2A1327
- Nitrogen chemistry during burnout in fuel-staged combustion, 5A1338
KRISTOVICH, DAR: Calculating the buoyancy of cores in a convective boundary layer, 3A1423
KRITSKY, AB: Construction of branching solutions under study of stability of curvilinear rods (Russian), 2A514
KRITZ, RD: Stress-wave displacement polarizations and attenuation in unidirectional composites: Theory and experiment, 4A567
KRIVENKO, II: Specific force of friction as a parameter of structural adaptability, 2A869
KRIVONOGOV, VG: Study of wheel-rail friction, wear and cumulative damage, 5A830
KRIVOV, AV: Dynamics of Mars-orbiting dust: Effects of light pressure and planetary oblateness, 3A282
KRIZEK, M: Optimal interior and local error estimates of a recovered gradient of linear elements on nonuniform triangulations, 5A40
- How to generate local refinements of unstructured tetrahedral meshes satisfying a regularity ball condition, 8A45
KRIZHANOVSKAYA, TV: Deformation of flexible anisotropic elastic systems of the shells of revolution on elastic foundation (Russian), 9A561
KRIZMA, M: Probability-based design standards of structures, 12T900
KRMPOTIC, D: Resonant interactions in Benard-Marangoni convection in cylindrical containers, 7A1256
KROGSTAD, P-A: Heat flux measurements in a turbulent boundary layer on a rough wall, 9T1241
KROK, J: Basic concepts of an open distributed system for cooperative design and structure analysis, 2A57
KROL, E: Paleomagnetic and rock magnetic study of ultramafic and gabbroic rocks from three boreholes in the Sudetes, Poland, 9T1448
KROLAK, M: Experimental analysis of post-buckling and collapse behavior of thin-walled box-section beam, 4A612
KROLIK, JL: Robust maximum-likelihood source localization in an uncertain shallow-water waveguide, 7A258
- Robust wideband matched-field processing with a short vertical array, 8A360
KROLL, L: Physically based failure criterion for dimensioning of thick-walled laminates, 12A814
KROLL, MH: Epinephrine and shear stress synergistically induce platelet aggregation via a mechanism that partially bypasses VWF-GP IB interactions, 1T1462
KROME, JW: Finite element models for the piezoelectric actuation in ultrasonic traveling wave motors, 1A52
KROMP, K: Determination of interface parameters for carbon-carbon composites by the fiber-bundle pull-out test, 5A439
KROMULSKI, J: Application of two experimental modal analysis methods for the determination of operational deflection shapes, 4A276
KRONGAUZ, Y: Meshless methods: An overview and recent developments, 6A16
- Petrov-Galerkin diffuse element method and its comparison to EFG, 10A11
- Consistent pseudo-derivatives in meshless methods, 12A88
KROO, IM: Genetic algorithm for scheduling and decomposition of multidisciplinary design problems, 6A448
- Induced drag computations on wings with accurately modeled wakes, 10T1220
KROPF, P: Appropriately placed surface EMG electrodes reflect deep muscle activity (psoas, quadratus lumborum, abdominal wall) in the lumbar spine, 4A1482
KROPIK, C: Numerical analyses of tunnel linings by means of a viscoplastic material model for shotcrete, 3A478
- Computational mechanics of the excavation of tunnels, 6A663
KROTHAPALLI, A: Aeroacoustic properties of a supersonic diamond-shaped jet, 2A981
- Multiaxis fluidic thrust vector control of a supersonic jet using counterflow, 2T1095
- Counterflow thrust vectoring of supersonic jets, 5A955
- Flight effects on the far-field noise of a heated supersonic jet, 12A305
KROUSGRILL, CM: Nonlinear dynamic response of shallow arches to harmonic forcing, 1A189
- Analytical and numerical modeling of engagement of rough, permeable, grooved wet clutches, 7A938
- Harmonic balance and continuation techniques in the dynamic analysis of Duffing's equation, 11A96
- Finite element modeling of engagement of rough and grooved wet clutches, 11A849
KRUCKENBERG, T: Tailored fiber placement to minimize stress concentrations, 12A571
KRUELLE, CA: Chaotic billiards seen as mirror cabinets, 9A95
KRUGER, CH: Ionizational nonequilibrium induced by neutral chemistry in air plasmas, 2T1060
KRUGER, DH: Placing constrained layer damping patches using reactive shearing structural intensity measurements, 9A120
KRUGER, J: Determination of acoustic absorber parameters in impedance tubes, 10A100
KRUGER, R: Effect of stacking sequence on energy release rate distributions in multidirectional DCB and ENF specimens, 5A665
KRUGER, U: Experimental and theoretical investigations of heat transfer in closed gas-filled rotating annuli II, 11A1249
KRUGER, W: Stochastic reconstruction of loading histories from a rainflow matrix, 10A780
KRULEVITCH, PA: Microelectromechanical Systems, 3N10
KRULLE, G: Numerical flowfield analysis of the next generation vulcan nozzle, 1A1045
KRUNTCHEVA, M: Finite element modeling of the damping of cylindrical shells vibrating in contact with an annular fluid region, 12T278
KRUPA, M: Transverse bifurcations of homoclinic cycles, 7A110
KRUPENIN, VL: Experimental study of synchronization of impacts in a distributed system with a variable number of impact pairs, 4T788
- Method for computing vibration fields in systems of a complicated structure with mutiple discontinuities, 8A206
KRUPP, T: Symbolic processing of multiloop mechanism dynamics using closed-form kinematics solutions, 12A1035
KRUPPA, J: Stability of steel columns in case of fire: Numerical modeling, 11A530
KRUT'KO, PD: Parametrically adaptive drives of mechanical systems control over the angular position, 4T399
KRUTITSKII, P: Efficient linear multistep method for nonlinear Volterra integral equations, 5A1232
KRUTITSKII, PA: Fast nonlinear stratified flow over an obstacle, 5A930
- Fast nonlinear stratified flow over several obstacles, 8A268
- Fast stratified flow over several obstacles, including wings, 8A1065
- Pseudohyperbolic problem arising in the dynamics of stratified rotating fluids, 9A1017
KRUYT, NP: Micromechanical definition of the strain tensor for granular materials, 3A1341
KRUZELECKI, I: Parametrical optimization of compression helical springs against instability, 5A856
KRUZELECKI, J: Effects of chord length and boundary conditions on the static strength of a tubular T-joint under brace compression loading, 3A818
KRYGIER, JJ: Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, 10T1527
KRYLOV, VV: Computation of ground vibrations generated by accelerating and braking road vehicles, 1A861
- Generation of low-frequency Rayleigh waves by heavy lorries, 4A857
- Vibrational impact of high-speed trains - I: Effect of track dynamics, 5A123
- Generation of ground vibrations by accelerating and braking road vehicles, 5A225
- Investigation of environmental low-frequency noise, 12A306
KRYLOW, AM: Dynamic force responses of muscle involving eccentric contraction, 6A1530
KRYMOV, VA: Advanced investigation of interaction of allocated quasi-2D vortices, 3A999
KRY'KO, VA: Bulging of flexible plates under effect of lateral and longitudinal loads (Russian), 9T591
KRYSL, P: Analysis of thin shells by the element-free Galerkin method, 1A568
- Meshless methods: An overview and recent developments, 6A16
KRYUKOV, NN: Deformation of flexible anisotropic elastic systems of the shells of revolution on elastic foundation (Russian), 9A561
- Deformation of flexible anisotropic shells on elastic foundation in the post-critical area (Russian), 12A626
KRYZHANOVSKI, Y: Axisymmetric vortex breakdown for generalized Newtonian fluid contained between rotating spheres, 6A1033
KRZYSZTOFOWICZ, R: Bivariate meta-Gaussian density for use in hydrology, 8T1503
KRZYZANOWSKI, A: Experimental determination of aerodynamic characteristics of ballistic objects of complex construction system (Polish), 9A248
KRZYZANOWSKI, J: Application of the BEM to modeling of crack propagation trajectories, 2A1113
KRZYZANOWSKI, P: Heat convection equations with dissipation term in regions with moving boundaries, 8A1266
KSIBI, H: Numerical simulation of rapid expansion of supercritical fluid, 3T1215
KU,: Convective mass transfer at the carotid bifurcation, 10A1543
KU, C-PR: Effect of disk flexibility on rocking mode frequencies of a disk drive spindle motor system, 1T192
- Nonclassical vibration analysis of a multiple rotating disk and spindle assembly, 10A210
KU, C-S: Integrated design of an adaptive neurocontroller for a 2D aeroelastic system, 10A485
KU, CK: Hybrid computational approach for the analysis of blast resistant connections, 4A272
KU, DAVID N: Accuracy of magnetic resonance phase velocity measurements in stenotic flow, 5A1508
KU, DN: Effects of frictional losses and pulsatile flow on the collapse of stenotic arteries, 12A1554
KU, HC: Three-dimensional viscous flow through a rotating channel: A pseudospectral matrix method approach, 2A1006
KU, JC: Soot volume fraction maps for normal and reduced gravity laminar acetylene jet diffusion flames, 6A1327
KU, YOUNG-GON: Unstructured grid finite volume analysis for acoustic and pulsed wave propagation characteristics in exhaust silencer systems, 5A951
KUANG, CUI-PING: Numerical model for flow-salt-sediment movement in tidal estuaries, 7T1009
KUANG, CUIPING: Numerical model for mixing areas of pollutant discharging into tidal flows, 4A963
KUANG, JAO-HWA: Determination of tip parameters for the protuberance preshaving cutters, 1A910
KUANG, JH: Values of J-integral within the plastic zone, 6A774
KUANG, X: Fractal analysis and simulation of surface roughness of ceramic particles for composite materials, 9A510
KUANG, Z-B: New post-yield fracture toughness parameters for engineering materials, 11A725
KUANG, ZHEN-BANG: Continuum damage model of low-cycle fatigue and fatigue damage analysis of welded joint, 2A635
- Study on the distribution of residual stress due to surface induction hardening, 4A525
- Removal of the influence of stress triaxiality on crack tip opening displacement fracture toughness by continuum damage mechanics approach, 5A660
- Stress, deformation, and damage fields near the tip of a crack in a damaged nonlinear material, 6A772
KUBE, CR: Task modeling in collective robotics, 10A540
KUBEL, D: Interactions of CO, NO_x, and H_2O under post-flame conditions, 2A1327
KUBENKO, VD: Dynamic behavior of gas-liquid media in ellipsoidal shells subjected to the effect of vibration (Russian), 1T1013
KUBICKI, J: Revision of the standard PN-84/B-03264: Concrete reinforced concrete and prestressed concrete structures - Statical analysis and design (Polish), 2A796
KUBIK, F: Liquid transport in porous media, discontinuous phenomena - Part II: Examples, 11A1453
KUBIK, J: Constitutive relations and internal equilibrium condition for fluid-saturated porous solids: Linear description, 9A1433
- Constitutive relations and internal equilibrium condition for fluid-saturated porous solids: Nonlinear theory, 9A1432
KUBISSA, J: Poisson's ratio of steel at large plastic deformations, 9A791
- Twisting test applied in estimation of the tensile concrete strength (Polish), 9A886

KUBITSCHEK, DG: Boundary layer similarity flow driven by power-law shear, 8A1122
KUBO, A: Development of a new production system for high-precision, low-cost gears of automobile manual transaxles under high-volume production, 1T419
- Temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti-6Al-6V-2Sn, 9A934
- Generalized non-Newtonian fluid model incorporated into elastohydrodynamic lubrication, 11A1174
- Design of a 3D cut-away tool for the turning of high manganese steels, 11A596
KUBO, H: Slowly decaying solutions for semilinear wave equations in odd space dimensions, 5T148
KUBO, M: Lateral-torsional buckling of monosymmetric I-beams with compact section (Japanese), 11A529
KUBO, R: Transient cooling of a hot metal plate with an impinging water jet, 7A1288
KUBO, Y: Elastic-plastic FE analysis technique coupled with equivalent inclusion method (Japanese), 9A16
KUBOTA, N: Large earth retaining wall using precast SRC struts (Japanese), 2A567
KUBOTA, T: Anomalous plasma transport in the stochastic magnetic field, 3A1167
KUBRAK, J: Investigation into the hydraulic characteristics of channels with flood plains, 9A993
KUBSKI, P: Theoretical and experimental study of natural convection heat transfer from isothermal hemisphere, 3A1225
KUC, TAE-YONG: Adaptive learning control of uncertain robotic systems, 6A387
KUCERA, GD: Aircraft gas turbine engine fuel pumping systems in the 21st century, 12T1414
KUCERA, J: Influence of local-spin configuration on elastic moduli, melting temperature T_m, T_g - related quantities, and activation enthalpy of diffusion, 1A794
KUCERA, V: Polynomial Methods for Control Systems Design: Theory and Applications, 11N17
KUCHARCZUK, W: Laboratory investigation of composite steel-concrete beams (Polish), 2A803
KUCHARSKA, M: Vector and scalar models of a quasi-stationary electromagnetic field in boundary-integral approach, 9T60
KUCHARSKI, S: Theoretical and experimental studies on elasto-plastic deformation of an element with surface layer, 4A522
KUCHER, NK: Development of a constitutive model for biaxial low-cycle fatigue, 5A602
KUCHERYAVYI, VI: Service-life design of torsional shafts by the fatigue criterion, 8A973
KUDINOV, VA: On-line control of machine tool vibration in turning, 11A158
KUDISH , II: Numerical simulation of a point elastohydrodynamic contact in case of complicated geometry of the inlet boundary of a lubricant film, 2A1127
KUDISH, II: Influence of an inlet oil meniscus geometry on parameters of a point elastohydrodynamic contact, 7A1208
KUDO, K: Impulse function and drag in scramjet inlet models, 5A1376
- Solution of the inverse radiative load problem using the singular value decomposition technique, 7A1327
KUDOH, Y: Method for predicting in-situ undrained strength of clays based on the suction value and unconfined compressive strength (Japanese), 2A556
KUDOU, K: Influence of thermo-currents on BUE forms and cutting mechanism, 3T632
KUDRIAVTSEV, VV: Interstage disk-cavity brush seal numerical flow visualization study, 8A1061
KUDRNOVSKY, J: Interlayer exchange coupling: Effect of alloying, 9A607
KUDROLLI, A: Patterns and spatiotemporal chaos in parametrically forced surface waves: A systematic survey at large aspect ratio, 4A229
KUDRYAVTSEV, EM: Application of the theory of random processes to estimate probability density of pressure distribution on surface microcontact spots, 2A853
- Modeling of the parameters of acoustic emission under sliding friction of solids, 9A927
KUDRYAVTSEV, VA: Rayleigh waves in a half-space with a finite system of surface electrodes, 1A233
KUE, JIEN-HUO: Nonaxisymmetric loading of non-homogeneous annular plates of variable thickness, 12A619
KUEHNER, G: Comparison of physico-chemical parameters of carbon black formation during hydrocarbons pyrolysis and furnace process, 2A1316
KUEI, K-H: Transient mixed convection of a backward-facing step with a periodically heated wall, 8A1296
KUELSKE, CL: Trabecular bone adaptation to variations in porous-coated implant topology, 7A1535
KUERTEN, H: Large-eddy simulation of the temporal mixing layer using the clark model, 1A1081
- Large-eddy simulation of the turbulent mixing layer, 11A1092
KUFFER, J: Implicit solution method for incompressible Navier-Stokes equations including two-layer k-τ turbulence model, 6A1159
KUGA, T: Stability of organized horizontal vortices and momentum transport in open channel flows with bank vegetation (Japanese), 7A997
- Laboratory study on large horizontal vortices in compound open channel flow (Chinese), 10T1047
KUGANENTHIRA, N: Variation of fabric anisotropy of kaolinite in triaxial loading, 3A579
KUGIUMTZIS, D: State space reconstruction parameters in the analysis of chaotic time series - The role of the time window length, 1A135
KUHL, D: Constraint energy momentum algorithm and its application to nonlinear dynamics of shells, 4A144
KUHL, M: Porous silicon as a sacrificial material, 8T417
KUHLMANN, HC: Three-dimensional instability of axisymmetric buoyant convection in cylinders heated from below, 5A1028
- Flow in two-sided lid-driven cavities: Non-uniqueness, instabilities, and cellular structures, 10A1153
KUHLMANN-WILSDORF, D: What role for contact spots and dislocations in friction and wear?, 7A872
KUHN, G: Evaluation of the stress tensor in 3D elastoplasticity by direct solving of hypersingular integrals, 1A502
- Field BE formulation for damage mechanics, 7A456
- Ejection-sweep character of scalar fluxes in the unstable surface layer, 11T1504
- Weakly singular 2D quadratures for some fundamental solutions, 12A73
KUHN, SZ: Determination of the local heat flux in condensation experiments, 2A1221
KUHNELL, BT: Elastic-plastic FE analysis of spall formation in gears, 2A404
KUHNEN, K: Extraction of model parameters of piezoelectric ultrasound transducers based on the measurement of electrical data (German), 2A531
KUHNICKE, E: Three-dimensional waves in layered media with nonparallel and curved interfaces: A theoretical approach, 2A270
KUHTZ, S: Problems encountered in measuring forces on immersed bodies, 9T820
KUIBIN, PA: One-dimensional solutions for a flow with a helical symmetry, 8T1133
KUIJPER, M: Application of vibroscanning method to on-the-machine measurement of micro electro discharge machining, 1T673
KUIKEN, GDC: Criterion for identifying strong flow regions in turbulence, 5A1048
- Drag reduction by polymer additives in a turbulent pipe flow: Numerical and laboratory experiments, 10A1179
KUIKEN, HK: Centenary of a Paper on Slow Viscous Flow by the Physicist HA Lorentz, 6N21
KUIPER, JH: Mathematical optimization of elastic properties: Application to cementless hip stem design, 10A1566
- Predictive value of stress shielding for Quantification of adaptive bone resorption around hip replacements, 12A1581
KUJATH, MR: Trajectory optimization for a two-link flexible manipulator, 1A390
- Dynamic response of the manipulator tip to a random excitation, 4A437
- Nonstationary random dynamics of a mobile robotic manipulator, 9A393
KUJAWINSKA, M: Adaptive system for smart fringe image processing, 4A790
KUJAWSKI, D: Effective stress parameter for long-term fatigue strength of fiber-reinforced plastic pipes, 1A691
- Effect of mean stress and ratcheting strain on fatigue life of steel, 2A627
- Elastic longitudinal stress estimation in the neighborhood of notches, 7A411
KUKK, AV: Analysis of convergence properties of projection methods for solving CEM applications, 5T54
KUKRETI, AR: Analysis of fluid storage tanks including foundation-superstructure interaction using differential quadrature method, 12A276
KUKUREKA, SN: Wear and friction of nylon-glass fiber composites in non-conformal contact under combined rolling and sliding, 2A874
- Friction and wear of polymers in non-conformal contacts, 7A863
KULA, P: "Self-lubrication" by hydrogen during dry friction of hardened surface layers, 7A910
KULAK, GL: Finite element analysis of longitudinally stiffened cylinders in bending, 6A153
KULAK, RF: Fluid-Structure Interaction - 1996, 2N11
KULAKOV, VL: Applied problems of mechanics of composite structures, 12A549
KULAKOWSKI, BT: Vehicle-road and vehicle-bridge interaction: Third Engineering Foundation Conference, Noordwijkerhout, he Netherlands, June 5-10, 1994, 12T204
KULCHYTSKY-ZHYHAILO, RD: Thermoelastic contact problems with frictional heating and convective cooling, 7A907
KULCZYK, J: Effect of the form parameters of a tracked APC on its swimming resistance, 12A1163
KULCZYKOWSKI, M: Reinforced soil in motorway construction (Polish), 2A572
- Geosynthetics in civil engineering, 9A643
KULIKOV, GG: Checking information-measuring channels in digital two-channeled automatic control systems of aircraft engines, 1A378
KULIKOVSKII, AG: Existence and uniqueness of self-similar solutions involving Jouguet points on the shock adiabatic curve, 1A1007
- Transition to instability in weakly non-uniform flows without dissipation, 6A1143
KULISA, P: Assessment of Navier-Stokes and boundary layer procedures for the prediction of 2D viscous flow in a turbine nozzle, 8A1245
KULISIEWICZ, M: Identification technique for nonlinear dynamical systems under stochastic excitations, 8A117
KULKARNI, AK: Bifurcation of low Reynolds number flows in symmetric channels, 6A1101
KULKARNI, AM: Free vibration of curved panels with cutouts, 8T152
KULKARNI, M: Robot cleaning of underground liquid storage tanks: Feasibility and design considerations, 12T451
KULKARNI, MR: Analysis of a bilayered porous radiant burner, 2A1360
- Determination of thermal diffusivity distribution for three types of materials by transient thermography, 6A1311
KULKARNI, MRC: Model of global thermal conductivity in laminated carbon-carbon composites, 9A1270
KULKARNI, P: Investigation of techniques for asymmetry rectification, 11A353
KULKARNI, SM: Response of reinforced concrete panels under uniaxial tension, 5A780
- Prediction of cracking response of reinforced concrete tensile members, 6A889
KULLA, PH: High precision FE, 12A15
KULLAR, SS: Ultrasonic velocity and attenuation measurements in sodium load borate glasses, 5A252
KULOWITCH, PJ: Laser induced fluorescence imaging of thermal damage in polymer matrix composites, 11A757
KULP, T: Three-dimensional microscopic measurement and analysis of chemical flow and transport in porous media, 4A1357
KULTCHYTSKY-ZHYHAILO, R: Two axi-symmetrical contact problems with the steady-state frictional heating, 4A1257
KUM, HYUNG-KYU: Crack initiation and growth behavior of Al2024-T4 under fretting fatigue, 12A753
KUM, SING-MIN: Study on heat-transfer enhancement by a square-rod array in an impinging jet system, 2A1263
KUMAAT, E: Cracking of plain or reinforced high performance concrete slabs, 10A930
KUMAGAI, S: Transient cooling of a hot metal plate with an impinging water jet, 7A1288
- Control of heat transfer on wall with wall jet, 9A1203
- Transient behavior of subcooled forced-convective boiling with twisted tape inserts, 11A1284
KUMAGAI, Y: Ultimate strength of stiffened cylindrical shells subjected to axial and lateral forces (Japanese), 9A556
KUMAKURA, H: Development of a low-emission combustor for a 100-kW automotive ceramic gas turbine: II, 11T1414
KUMAKURA, S: Sectional area for calculation of deformation in screw thread, 3A926
KUMAMOTO, Y: Time evolution of acoustic streaming from a planar ultrasound source, 1A307
KUMANO, S: Changes in electromagnetic properties during thermal aging of duplex stainless steel, 9A713
KUMAR GHOSH, A: Dynamic analysis of supporting structure of mobile antenna, 9A899
KUMAR PANDEY, R: Free vibrations of circular cylindrical shell on Winkler and Pasternak foundations, 3A165
KUMAR, A: Steady state analysis of non-circular worn journal bearings in nonlaminar lubrication regimes, 1A921
- Acoustic emission in fiber reinforced concrete, 2A462
- Accurate development of leading-edge vortex using an embedded conical grid, 4A1135
- Measurement of longitudinal and shear ultrasonic velocities, 8A853
- Experimental performance of built-in storage solar water heating systems in laboratory and field conditions, 9A1545
- Effect on ultrasound propagation in metal rod due to contact with liquid, 10A255
- Particle behavior in two-phased lubrication, 12A1200
KUMAR, B: Measurement of longitudinal and shear ultrasonic velocities, 8A853
- Effect on ultrasound propagation in metal rod due to contact with liquid, 10A255
KUMAR, D: Hypersonic jet control effectiveness, 10T1113
KUMAR, DS: Modified semi-analytical approach towards the modeling of a shaft-disc system, 1A194
KUMAR, J: Passive pressure coefficients, critical failure surface and its kinematic admissibility, 9T640
- Passive pressure determination by method of slices, 10A705
KUMAR, K: Separation dynamics of heat shield fairings, 12A102
KUMAR, KV: Influence of grinding direction on fracture strength of silicon nitride, 1A716
KUMAR, M: Concentration distribution along unsteady groundwater flow, 6A1379
KUMAR, N: Concentration distribution along unsteady groundwater flow, 6A1379
KUMAR, P: Thermal instability of an Oldroydian viscoelastic fluid in porous medium, 4A1351
- Deployment and retraction of a cable-driven rigid panel solar array, 6A928
KUMAR, R: Impacting effects on seismic loading in feeder pipes of PHWR power plants, 2A1424
- Breakage of a drop of inviscid fluid due to a pressure fluctuation at its surface, 6A1064
- Three dimensional natural convective flow in a vertical annulus with longitudinal fins, 11A1238
KUMAR, RR: Method for automatic costate calculation, 5A305
- Concatenated approach to trajectory optimization, 10T459
KUMAR, S: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Dynamic effects during a high-speed sinter-forging process, 4A662
- Use of power spectral density in deriving response spectral shapes for aseismic design, 4A1416
- Effects of coating properties on crack propagation in Nicalon-fiber/SiC-matrix composites, 7A647
- Energy release rate and crack propagation in piezoelectric materials - Part II: Combined mechanical and electrical loads, 8A626
- Estimation of convective mass transfer in solar distillation systems, 8A1530
- Energy release rate and crack propagation in piezoelectric materials - Part I: Mechanical-electrical load, 8A625
- Computation of turbulent reacting flow in a jet assisted ram combustor, 8A1200
- Fire loads in office buildings, 9A872
- Pseudodynamic testing of scaled models, 9A1501
KUMAR, SS: Design of forging process parameters with deformation and temperature constraints, 2A581
KUMAR, V: Application of fiber optic sensors in geophysics: A review, 4T1383
- Vibrations of fiber-reinforced laminated deep shells, 5A115
- Axisymmetric problems of generalized anisotropic thermoelasticity, 6A1299
- Velocity and acceleration analysis of contact between 3D rigid bodies, 7A85
- Geometrically nonlinear dynamic analysis of laminated shells using Bezier functions, 8A155
- Assessment of data formats for layered manufacturing, 9A679
- Mechanics of integral armor: Discontinuous ceramic-cored sandwich structure under tension and shear, 11A485
- Control of contact interactions with acatastatic nonholonomic constraints, 12A436
KUMAR, Y: Measurement of longitudinal and shear ultrasonic velocities, 8A853
- Effect on ultrasound propagation in metal rod due to contact with liquid, 10A255
KUMARAN, V: Note on the flow over a stretching sheet, 1A1027
- Stability of an inviscid flow in a flexible tube, 3A1126
- Velocity distribution function for a dilute granular material in shear flow, 11A1441
KUMARESAN, S: Finite element model of the human lower cervical spine: Parametric analysis of the C4-C6 unit, 9A1566
KUMARESAN, SC: Finite element modeling of the C4-C6 cervical spine unit, 4A20
KUMARI, M: Unsteady free convection flow over a continuous moving vertical surface, 1A1169
- Combined convection in power-law fluids along a nonisothermal vertical plate in a porous medium, 1A1396
- Free convection of non-Newtonian power-law fluid from a vertical wavy surface with uniform surface heat flux, 4A1192
- Mixed convection in non-Newtonian fluids along a vertical plate in a porous medium, 5A1182
- Mixed convection in non-Newtonian fluids along a horizontal plate in a porous medium, 9A1438
- Effect of large blowing rates on the compressible boundary layer flow at the stagnation point of a rotating sphere, 12A1119
KUMENKO, AY: Geometrical approach to a problem of forming a flight path for a surface effect vechile, 1A364
KUMOSA, M: Biaxial testing of unidirectional carbon-epoxy composite using biaxial Iosipescu test fixture, 10A623
- Corrosion of E-glass fibers in acidic environments, 12A771

KUN, F: Study of fragmentation processes using a discrete element method, 6A33
KUNA, M: Three-dimensional cell model analyses of void growth in ductile materials, 10A837
KUNDRAT, MM: Local destruction of orthotropic matrix with linear inclusion (Russian), 9A756
KUNDU, D: Ordered peak statistics through digital simulation, 4A1407
- Markovian approach to ordered peak statistics, 6A1425
KUNDU, S: Calibration of a constitutive model using genetic algorithms, 7A567
KUNDU, T: Acoustic microscopy for spherical inclusion characterization, 1A811
KUNES, J: Wave heat conduction in technologies, 7A1304
KUNG, FAN-CHU: Decentralized robust control design for large-scale time-delay systems with time-varying uncertainties, 5A287
- Robust decentralized stabilization of large-scale delay systems via sliding mode control, 12A383
KUNG, KUANG YUAN: Effects of Coriolis force and surface tension on Benard-Marangoni convective instability, 6A1240
KUNG, KUANG-YUAN: Boundary effect on the Benard-Marangoni instability in a fluid-solid system, 5A1197
KUNG, RJ: Flow Modeling and Turbulence Measurements VI, 3N33
KUNII, K: Survey and the analysis of rock joint and the determination of jointed rock mass model (Japanese), 5T541
KUNIKATA, T: Sports timing (Japanese), 10T1583
KUNIMASU, T: Boundary-layer transition detection in a cryogenic wind tunnel using luminescent paint, 8A1127
KUNIMI, H: Estimation of air quality by 3D air simulation model: Effect of low-emission vehicles on air quality improvement in the greater Los Angeles area, 3T1466
KUNISCH, K: Sequential and parallel splitting methods for bilinear control problems in Hilbert spaces, 8A391
KUNITOMI, K: Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents, 5A1445
KUNKEL, P: Tree-based analysis of a family of augmented systems for the computation of singular points, 5A74
KUNNATH, SK: Seismic performance and retrofit evaluation of reinforced concrete structures, 6A1470
- Parameter identification for degrading and pinched hysteretic structural concrete systems, 7A1487
KUNO, S: Muscle architecture and function in humans, 10A1522
KUNUGI, T: Numerical analysis of melting and evaporation behavior of a molybdenum layer irradiated with a laser beam, 2A1226
KUNUGI, Y: Heat-transfer and flow characteristics of perforated-plate heat exchangers with crosscut fins, 7A1329
KUNZ, DL: Influence of elastomeric damper modeling on the dynamic response of helicopter rotors, 7A183
KUNZEL, HM: Calculation of heat and moisture transfer in exposed building components, 3A1285
KUO, C-H: Non-uniform recovery of vortex breakdown over delta wing in response to blowing along vortex core, 6A1180
KUO, C-P: Vibration isolation, suppression, and steering, 1A223
KUO, CH: Effects of multiple cracking on crack growth and coalescence in contact fatigue, 12A967
KUO, CHENG-HSIUNG: Evolution of vortical structure over delta-wing with transient along-core blowing, 9A1160
KUO, CHIN-CHUNG: Passive and active design of hard disk suspension assemblies using multiobjective optimization techniques, 11A766
KUO, CHUN PAO: Multi-objective optimization of a flexible rotor in magnetic bearings with critical speeds and control current constraints, 8A402
KUO, CHUNG-LUN: Numerical study of a backward-facing step with uniform normal mass bleed, 7A1263
KUO, CR: Experimental studies and correlations of convective heat transfer in a radially rotating serpentine passage, 12A1264
KUO, D: Glide avalanche prediction from surface topography, 1A891
KUO, DC: Simulation of 2D, low-PR natural convection in harmonically oscillated, differentially heated enclosures, 7A1251
KUO, HC: Dynamic behavior of a U-type tuned liquid damper, 6A1105
KUO, JING T: System simulation and control of batch-fed solid waste incinerators, 4A408
KUO, JT: Effect of air distribution on solid fuel bed combustion, 12A1370
KUO, KK: Method for embedding fine-wire thermocouples for solid-fuel surface temperature measurements, 2A1340
- Combustion of liquid oxygen with hydrogen under high-pressure conditions, 3A1318
- Theoretical study of supersonic flow separation over a rearward-facing step, 9T1039
- Modeling and experiments of laser-induced ignition of nitramine propellants, 10A1398
- UV-visible absorption spectroscopy of dark zones in solid-propellant flames, 10A1416
- Ignition and combustion of boron particles, 11A1395
- Determination of temperature profiles of self-deflagrating RDX by UV-Visible absorption spectroscopy and fine-wire thermocouples, 12A1404
KUO, SHYH-RONG: Frequency-independent infinite elements for analyzing semi-infinite problems, 4A33
- Instability of lightly damped linear nonconservative systems, 10A670
KUO, TC: Eulerian-Lagrangian computations on phase distribution of two-phase bubbly flows, 9A1072
KUO, TE-SON: Adaptive robust bank-to-turn missile autopilot design using neural networks, 9T346
KUO, W-S: Stability and vibration of initially stressed plates composed of spatially distributed fiber composites, 6A627
KUO, WEN-FENG: Study on lubrication mechanism and wear scar in sliding circular contacts, 7A890
- Fundamental characteristics of wear particle deposition measurement by an improved on-line ferrographic analyzer, 12A948
KUO, WEN-SHYONG: Micromechanics determination of the effective properties of piezoelectric composites containing spatially oriented short fibers, 5A448
- Effective electroelastic properties of piezoelectric composites containing spatially oriented inclusions, 11A544
KUPCHINOV, BI: Tribological behavior of liquid crystals - Part 1: Tribology of pure liquid crystals and their mixtures, 1A873
- Effect of liquid crystalline additive on microrelief of steel surface at friction, 5A840
KUPERMAN, WA: Applications of matched-field processing to structural vibration problems, 8A177
KUPKE, C: Solar radiation transport through slat-type blinds: A new model and its application for thermal simulation of buildings, 6A1507
KUPRAT, A: Anisotropic smoothing and solution adaption for unstructured grids, 3A42
KURADA, S: Machine vision system for tool wear assessment, 9T945
KURAMOTO, K: Surface modification of electric shaver foil using ion beam (Japanese), 5T573
KURAPOV, PA: Lubricity of fluorine-organic additives at mixed lubrication, 2A1130
KURAS, B: Theoretical fundamentals of calculation of the car bumpers sandwich beams (Polish), 9A548
KURASHIGE, M: Active cooling and thermal stress reduction in a poroelastic hollow sphere, 10A1359
KURATH, P: Fatigue of a particulate reinforced aluminium metal matrix composite subjected to axial, torsional, and combined axial-torsional loading conditions, 5A593
- Theoretical evaluation of plasticity hardening algorithms for nonproportional loadings, 5A431
- Investigation of cyclic transient behavior and implications on fatigue life estimates, 10A784
KURBATSKII, AF: Numerical investigation of a turbulent flow around a 2D obstacle in the boundary layer, 5T1015
KURBATSKII, KA: Cartesian boundary treatment of curved walls for high-order computational aeroacoustics schemes, 6A1049
KURDILA, AJ: Triangular wavelet based FEs via multivalued scaling equations, 11A46
KURDOWSKI, W: Studies of fractal aspects of cement, 9T821
KURDZIEL, J: Automation of M-D-o-F mechanical system dynamics calculations, 4A61
KUREK, JE: Robust stability region for linear discrete-time systems, 9A322
KURFESS, TR: Multivariate statistical approach to metrology, 5A374
- Determination of a dynamic grinding model, 12A406
KURIA, IM: Implicit multidomain spectral collocation method for the simulation of gas bearings between textured surfaces, 4A830
KURIAN, J: Enhancement of thermal mixing in coaxial supersonic jets, 1A1047
- Coaxial jets from lobed-mixer nozzles, 2A1021
- Experimental investigation of thermal mixing and combustion in supersonic flows, 5A1347
- Attenuation of shock waves in gas-particle mixtures, 9T1056
KURIBAYASHI, K: Fabrication and transformation characteristics of reversible shape memory alloy thin film actuators (Japanese), 10A544
KURIHARA, K: Atomistic analysis of diamond-turning processes in single-crystal copper (Japanese), 7T636
- Study on suitable slurry properties with slurry-type shield driving in sandy soils (Japanese), 8A1115
KURIHARA, S: Prediction of crack initiation life of converter shell based on stress analysis (Japanese), 8A751
KURILOV, AM: Friction and wear model of a heavy-loaded sliding pair - Part II: Application to an unlubricated journal bearing, 2A859
KURIN, VV: Fresnel zones for modes, 7A256
KURITA, S: Mechanics and dynamics of intelligent passive vibration control system, 9A847
KURITA, T: Confidence region of identified parameters due to effects of measurement noise (Japanese), 11A111
KURIYAGAWA, T: Wear characteristics of vitrified bonded CBN wheels in grinding mild steel (Japanese), 3T642
- Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), 10A741
KURIYAGAWA, Y: Elastic analysis of pavement materials with the bending test by two points loading (Japanese), 7A829
KURKDJI, J: Dispersive acoustical propagation in stratified structures (French), 2A268
KURKOV, AP: Measurement of gust response on a turbine cascade, 10A1235
KURMAJI, DA: Vibration suppression of a nonlinear axially moving string by boundary control, 10T920
KUROBANE, Y: AWS vs international design rules for circular tubular K-connections, 7A958
KUROBE, T: Grinding-like polishing using magnetic fluid: Surface polishing characteristics of silicon wafer, 3T660
- Spin angle control lapping of balls - 1st Report: Theoretical analysis of lapping mechanism (Japanese), 7A639
KURODA, A: Solution of the inverse radiative load problem using the singular value decomposition technique, 7A1327
KURODA, M: Roles of plastic spin in shear banding, 3A461
- Interpolating clothoidal spline curve by computer algebra system (Japanese), 7A74
- Bifurcations of higher subharmonics and chaos in a forced vibratory system with an asymmetrical restoring force, 7A93
KURODA, S: Lubrication with emulsion - II: The viscosity coefficients of emulsions, 12A1198
- Lubrication with emulsion - First report: The extended Reynolds equation, 12A1197
KURODA, T: Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), 10A551
KURODA, Y: Magnetic support of combustion in diffusion flames under microgravity, 3A1300
- Generation of a model for die-sinking from digitized data (Japanese), 9A659
KUROE, I: In-situ loading tests of diaphragm wall foundation and property of its bearing capacity (Japanese), 5A526
KUROIWA, T: Study on settlement crack for reinforced concrete structures (Chinese), 10A944
KUROKAWA, H: Constrained steering law of pyramid-type control moment gyros and ground tests, 10A479
KUROKAWA, K: Data sampling speed versus energetic measurement errors of irradiation monitoring in photovoltaic systems, 3A1450
KUROKAWA, T: Study on the generation mechanism and the compensation for the exponential-type lost motion for feed drive system of NC machine tools, 1T427
KUROSAKA, M: Improved jet coverage through vortex cancellation, 5T1020
KUROSAKI, Y: Heat transfer regime map for electronic devices cooling, 1A1277
KUROSHIMA, I: Study on utilization of fly ash and flue gas desulfurization wastes for road base under light traffic (Japanese), 5T536
- Effective stress model of sand and clay based on cyclic shear strength and its application to liquefaction analysis (Japanese), 10T691
KUROSU, S: Dynamical characteristics of gyroscopic weight measuring device, 12A417
KUROZAWA, T: Evaluation of friction welded joint performance by discriminant analysis method, 11A886
KURPISZ, K: Analysis of the high-temperature part of the MHD-steam power plant, 4A1313
KURRECK, M: Feasibility study on oil droplet flow investigations inside aero engine bearing chambers: PDPA techniques in combination with numerical approaches, 5A1373
- Comparative study of pressure correction and block-implicit finite volume algorithms on parallel computers, 11A72
KURT, A: Long-time behavior of solutions of a nonlinear fourth order wave equation, describing the dynamics of marine risers, 10A182
KURTEN, M: Experiments on the rise of air bubbles in clean viscous liquids, 3A1076
KURTHS, J: Phase synchronization of chaotic oscillators by external driving, 12A128
KURTZ, HL: Plasma generators for re-entry simulation, 5A1390
- Arcjet thruster development, 5A1379
KURTZ, SM: Role of backside polishing, cup angle, and polyethylene thickness on the contact stresses in metal-backed acetabular components, 10A1572
KURUPPU, M: Analysis of adhesively bonded composite double lap joints, 8A563
KURUTZ, M: Modification of the structural tangent stiffness due to nonlinear configuration-dependent conservative loading, 9A76
KURUVILA, G: Pseudotime method for shape design of Euler flows, 2A988
KURZ, M: Low-temperature oxidation of MTBE in a high-pressure jet-stirred flow reactor, 12A1390
KURZBECK, S: Rheological behavior of a filled wax system, 5A888
KURZWEG, UH: Thermal pulse propagation and dispersion in laminar flow within conduits of finite wall conductivity, 6A1267
KURZYDLOWSKI, KJ: Morphology of austenite grains in ferritic-austenitic steel 00H20N5M1 (Polish), 9A657
KUSABA, T: Experiment of wind waves in decay area in reference to the role of nonlinear energy transfer, 3A1409
KUSABUKA, M: Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration, 6A1496
KUSAKABE, O: Compression and Consolidation of Clayey Soils, 1N24
- Failure mechanism of a dry sandy ground around a deep circular shaft at active state (Japanese), 2A560
- Particle crushing and formation of adhesion bonds in naturally deposited sands under high pressure (Japanese), 2A549
KUSAKABE, S: Effects of grain surface roughness on phase transformation and failure lines under undrained torsional simple shear (Japanese), 2A540
KUSANO, K: Numerical analysis of solid-liquid phase change heat transfer around a single and two horizontal, vertically spaced cylinders in a rectangular cavity, 6A1249
- Ground re-liquefaction in historical earthquakes in the Tokyo lowland (Japanese), 8A651
KUSHCH, VI: Microstresses and effective elastic moduli of a solid reinforced by periodically distributed spheroidal particles, 9A512
KUSHWAHA, HS: Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, 4A769
KUSIAK, A: Modeling relationships among design activities, 6A449
- Negotiation in constraint-based design, 6A450
KUSSMAUL, K: New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water, 12A1511
KUSSUL, EM: Micromechanical engineering: A basis for the low-cost manufacturing of mechanical microdevices using microequipment, 8T416
KUST, O: Analysis of a self-excited vibrations of a torsion string, 4A129
- Analysis of long torsional strings by proper orthogonal decomposition, 6A158
KUSUMA, J: Note on antiplane deformations of inhomogeneous elastic materials, 11A358
- Boundary element method for a second order elliptic partial differential equation with variable coefficients, 12A65
KUSUMOTO, S: New equivalent nonlinearization technique, 1A148
KUTSUWADA, N: Measurement of van der Waals force of toner adhesion employing a linearly increasing electric field and determining the toner jumping voltage, 6A980
KUTTLER, KL: Dynamic friction contact problems for general normal and friction laws, 6T936
KUWAHARA, F: Numerical study of thermal dispersion in porous media, 2A1366
KUWAHARA, K: Numerical simulation of premixed flame propagation in a closed tube, 1A1316
KUWAHARA, S: Design and construction of zero-gravity gymnasium, 9A918
KUWAMURA, H: Ductile crack as trigger of brittle fracture in steel, 11A15
- Transition between fatigue and ductile fracture in steel, 12A853
KUYPER, RA: Shape of an enclosure with uniform-flux, isothermal, nonhorizontal walls, 11A1236
KUZHAROV, AS: Self-organization in a brass-glycerin-steel tribosystem, 5A845
KUZMIN, AN: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
KUZNETSOV, AV: Investigations of the extra energy during heating of a porous packed bed, 1T1399
- Investigation of a non-thermal equilibrium flow of an incompressible fluid in a cylindrical tube filled with porous media, 1A1398
- Perturbation solution for heating a rectangular sensible heat storage packed bed with a constant temperature at the walls, 5A1403
- Analytical investigation of the fluid flow in the interface region between a porous medium and a clear fluid in channels partially filled with a porous medium, 5A1007
- Optimal control of the heat storage in a porous slab, 7T1453
- Determination of the optimal initial temperature distribution in a porous bed, 8A1454
- Investigation of the coupled heat transfer, fluid flow, and the solute transport during the strip casting process, 9A1344
- Determination of the optimal rate of heat generation for conductive heating of a 1D slab, 10T1329

KUZNETSOV, EB: Criterion approach in the investigation of dynamic snap-through buckling of a panel, 1A599
KUZNETSOV, MS: Air blast and heat radiation from fuel-rich mixture detonations, 1T267
KUZNETSOV, SP: Period-doubling for 2D non-invertible maps: Renormalization group analysis and quantitative universality, 8A103
KUZNETSOV, SV: Singular solutions of the theory of elasticity, 8A493
KUZNETSOV, VN: Cylindrical shell in a nonstationary flow of viscous fluid, 5A199
KUZNETSOV, YA: Multilevel preconditioning for perturbed FE matrices, 7A35
KUZNETSOVA, TV: Spectral method of global minimum and its application to problems of heliospheric and planetary physics, 9A246
KUZUU, K: Numerical simulation of premixed flame propagation in a closed tube, 1A1316
KVEDER, SM: Properties of laboratory manufactured polypropylene fibers, 4A583
KWAHK, IM JONG: Dynamic response of rectangular flexible fluid containers, 3A259
KWAK, BYUNG MAN: Dynamic analysis of 2D frictional contact by linear complementarity problem formulation, 5A396
- Optimal chip layout on a printed circuit board using design sensitivity analysis of subdomain configuration, 11A1372
- Optimization of FE grids using shape sensitivity analysis in terms of nodal positions, 12A17
KWAK, DY: Analysis and convergence of a MAC-like scheme for the generalized Stokes problem, 8A1052
KWAK, H: Investigations in abrasive water jet erosion based on wear particle analysis, 4A887
- Alternative method for the evaluation of the abrasive water-jet cutting of grey cast iron, 11A591
KWAK, HO-YOUNG: Exergy analysis for a gas turbine cogeneration system, 5A1366
KWAK, HS: Natural convection in an enclosure having a vertical sidewall with time-varying temperature, 7A1249
KWAK, MK: Free vibrations of circular plates coupled with liquids: Revising the Lamb problem, 5T117
- Hydroelastic vibration of circular plates, 10A312
KWAN, AKH: Shear lag in shear-core walls, 3A509
KWAN, AYP: Air entrainment at drops, 6A988
KWAN, CHIN TARN: Upper-bound elemental technique with convex parallelepiped and convex spherical elements for 3D forging analysis, 12A714
KWAN, CHIN-TARN: Modified analysis of the backward extrusion of internally circular-shaped tubes from arbitrarily shaped billets by the upper-bound elemental technique, 4A658
KWAN, CT: Three-dimensional upper bound elemental technique for forging analysis, 2A584
KWAN, M: Collagen fiber architecture of a cultured dermal tissue, 9A1578
KWEON, JAE RYONG: Compressible Navier-Stokes equations in a bounded domain with inflow boundary condition, 8A1092
KWEUN, O-B: Chip-breaking system for mild steel in turning, 9A664
KWIATKOWSKA, E: Energy approach to chip-breaking when machining with grooved tool inserts, 9A666
KWIATKOWSKI, R: X-ray diffraction investigations of the crystallinity of a semicrystalline polymer blended with an amorphous copolymer, 4T502
KWOK, CHEE-YEE: Modified MOS IC process suitable for bulk micromachining, 2T331
KWOK, KCS: Wind-induced deflections of free-standing lattice towers, 6A913
- Characteristics of liquid column vibration absorbers (LCVA) - I, 6A216
- Characteristics of liquid column vibration absorbers (LCVA) - II, 6A217
- Soil-structure interaction and axial force effect in structural vibration, 8A1481
- Optimization of tuned liquid column dampers, 9A174
- Critical mode control of a wind-loaded tall building using an active tuned mass damper, 12A390
KWOK, KW: Elastic moduli of injection-molded short-glass-fiber-reinforced poly(ethylene terephthalate), 10A607
KWOK, YUE-KUEN: Vortex dynamics in the studies of looping in tropical cyclone tracks, 11A1499
KWON, JH: Improved multistage time stepping for second-order upwind TVD schemes, 3A1005
- Solution-adaptive grid generation for compressible flow, 3A1061
KWON, O: Velocity and length scale approach to k-ε modeling, 5A1052
KWON, OH JOON: Numerical simulation of the flow about a swept wing with leading-edge ice accretions, 8A1217
KWON, OK: Spherical particles formation in lubricated sliding contact, 5A816
KWON, TAI HUN: Sensitivity analysis formulation for 3D conduction heat transfer with complex geometries using a BEM, 2A1244
KWON, YOUNG W: Finite Element Method Using MATLAB, 3R1
KWON, YOUNG-DOO: Modification of Gauss sampling points of 6-node and 16-node isoparametric FEs, 9A38
KWON, YOUNG-PIL: Phase-locking condition in the feedback loop of low-speed edgetones, 5A230
KWON, YOUNGDON: Hadamard stability for compressible viscoelastic constitutive equations, 3A1133
KWON, YS: High temperature densification forming of alumina powder: Constitutive model and experiments, 4A689
- Densification forming of alumina powder: Effects of power law creep and friction, 4A687
KWON, YW: Recent Advances in Solids and Structures and Application of Metallic Materials, 6N18
KWONG, AHM: Structure-borne noise prediction in liquid-conveying pipe systems, 4A255
KWONG, MK: Existence of multiple solutions for a Ginzburg-Landau type model of superconductivity, 8A635
KYBERD, PJ: Instrumented spacial linkage for monitoring relative 3D motion between fracture fragments, 5A1479
KYO HAN, EUNG: Strain analysis of moving objects using a Fourier transform grid method, 6A825
KYODO, Y: Development of reduction gears for robot-arms, 1T911
KYOGOKU, H: Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563
KYOGOKU, K: Lubrication characteristics of refrigerating-air conditioning rotary compressor: Mixed lubrication analysis on vane tip, 11A1175
KYOTOH, H: Upstream-advancing waves generated by a current over a sinusoidal bed, 11A193
KYRIACOU, SK: Finite element analysis of nonlinear orthotropic hyperelastic membranes, 3A540
- Inverse FE characterization of nonlinear hyperelastic membranes, 12A35
KYRIAKIDES , S: Initiation and axial propagation of kink bands in fiber composites, 11A705
KYRIAKIDES, S: Performance of integral buckle arrestors for offshore pipelines, 8A612
KYSAR, JW: Continuum aspects of directionally dependent cracking of an interface between copper and alumina crystals, 3A709
KYTE, A: Wave forces on vertical cylinders upon shoals, 2A246
KYTHE, PK: Partial Differential Equations and Mathematica, 6N5
- Discontinuities in velocity gradients and temperature in the Stokes' first problem with nonclassical heat conduction, 8A1047
KYUNG, K-S: Influence of welding materials on fatigue strength of fillet welded joints made from high strength steel (Japanese), 3A928
KYUSOJIN, A: High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 2nd Report: Extension to six-dof (Japanese), 4A431
- High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 3rd Report: Development of five dof simple mechanism (Japanese), 9A388

L

LA BORDERIE, C: Rate dependent damage model for concrete in dynamics, 3A774
- Continuum damage modeling: Approximation of crack induced anisotropy, 8T2
LA MANTIA, FP: Isothermal elongational behavior of liquid-crystalline polymers and LCPs based blends, 10A1036
LA SPINA, A: Catastrophic fragmentation as a stochastic process: Sizes and shapes of fragments, 7A69
LAALAI, I: Stochastic nonlocal damage model, 1A720
LAANANEN, DH: Conceptual design of helicopters via genetic algorithm, 6A926
LABAD, N: Investigation of RC beams submitted to impetuous temperature changes (Polish), 2A778
LABAK, P: Amplification and differential motion due to an antiplane 2D resonance in the sediment valleys embedded in a layer over the half-space, 4A1423
LABANOWSKI, J: Preventing cold cracking in welds of high-strength low-alloy steels, 3T930
LABBE, O: Direct numerical simulation of a cooling flow in a ribbed channel: Pegase code (French), 2A1196
LABBE, P: Axisymmetric elastic-plastic FE analysis of pressurized elbows, 11A11
LABERGERIE, O: Finite volume schemes for elliptic and elliptic-hyperbolic problems on triangular meshes, 12A63
LABONIA, G: Numerical study of the effect of free surface deformation on buoyancy and thermocapillary convection, 9A1023
LABORDE, P: Consistent tangent operator algorithm for thermoplastic problems, 12A1348
LABOUBE, RA: Bending and shear behavior of web elements with openings, 3A510
LABOWSKI, M: Investigation of the ultrasonic propagation velocity anisotropy in magnetic liquids in a constant magnetic field, 4A1101
LABRAGA, L: Effect of roughness aspect ratio on the "Bursting" period in a fully turbulent channel flow, 11T1100
LABROSSE, G: Direct (pseudo-spectral) solver of the 2D-3D Stokes problem: Transition to unsteadiness of natural-convection flow in a differentially heated cubical cavity, 10A1289
LABUZ, JF: Experiments on effective elastic modulus of 2D solids with cracks and holes, 4A784
LACERDA, HB: Balancing of flexible rotors, 2A172
LACHEMI, M: First year monitoring of the first air-entrained high-performance bridge in North America, 2A745
LACHET, C: Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, 8A1502
LACHI, M: Time constant of double pipe and one pass shell-and-tube heat exchangers in the case of varying fluid flow rates, 8A1367
LACHOWICZ, JT: NASA Langley Mach 6 quiet wind-tunnel performance, 6A1215
- Boundary-layer stability measurements in a hypersonic quiet tunnel, 6A1084
LACOA, U: Application of a finite volume based method of lines to turbulent forced convection in circular tubes, 5A1196
- Semi-analytical calculation of turbulent, in-tube forced convection heat transmission of metallic liquids, 10A1284
LACOVIDES, I: LDA investigation of the flow development through rotating U-ducts, 1A1118
LACROIX, J: Parametric optimization of composite structures: Application to alpine skis, 8A881
LACROIX, M: Numerical simulation of natural convection-dominated melting and solidification from a finned vertical wall, 7A1246
LACY, H: Estimating settlement of sand caused by construction vibration, 6A642
LADD, JA: Application of turbulence models for aerodynamic and propulsion flowfields, 5A1050
LADE, PV: Concept of effective stress for soil, concrete and rock, 9A611
- Effects of initial density on soil instability at high pressures, 12A701
LADECKI, B: Semi-empirical model for predicting overload-affected fatigue crack growth in steels, 4A711
LADEIRA, M: Role of specimen geometry, soil height and sleeve length on the pull-out behavior of geogrids, 8A681
- Influence of the confinement, soil density and displacement rate on soil: Geogrid interaction, 9A644
LADEVEZE, P: General method for recovering equilibrating element tractions, 6A43
- Exact time-dependent plane stress solutions for elastic beams: A novel approach, 7A400
LADOPOULOS, EG: Nonlinear singular integral representation analysis for inviscid flowfields of unsteady airfoils, 8A1216
LAFARIE-FRENOT, MC: Damage and inelastic deformation mechanics in notched thermoset and thermoplastic laminates, 1A754
- Doubly periodic matrix cracking in composite laminates - Part 1: General in-plane loading, 11A699
- Doubly periodic matrix cracking in composite laminates - Part 2: Thermal biaxial loading, 11A700
LAFON, P: Prediction of supersonic jet noise from a statistical acoustic model and a compressible turbulence closure, 1A305
- Computation of jet mixing noise due to coherent structures: The plane jet case, 10A342
LAFORGIA, D: Energy recovery of blast-furnace gas coke: The importance of a correct regulation system, 1A1359
LAFORTUNE, MA: Differential shock transmission response of the human body to impact severity and lower limb posture, 5A1488
- Dominant role of interface over knee angle for cushioning impact loading and regulating initial leg stiffness, 5A1465
LAFUENTE, M: Evaluation of dynamic properties of structures subjected to irregular base movements (French), 6A145
LAFUMA, F: Shear induced gelation of colloidal dispersions, 10A1032
LAGACE, PA: Effect of longitudinal and hoop stiffeners on damage propagation in pressurized composite cylinders, 6A779
- Importance of instability in impact response and damage resistance of composite shells, 7A199
- Nondimensional parameters for geometric nonlinear effects in pressurized cylinders with axial cracks, 12A923
LAGARDE, A: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 4, 1N33
LAGAROS, ND: Structural reliability analysis of elastic-plastic structures using neural networks and Monte Carlo simulation, 3A788
LAGATTA, MD: Geosynthetic clay liners subjected to differential settlement, 11A568
LAGE, JL: Numerical study of a low permeability microporous heat sink for cooling phased-array radar systems, 1A1402
- Effect of thermal stratification on natural convection in a vertical porous insulation layer, 3A1241
- Forced convection in a fluid-saturated porous-medium channel with isothermal or isoflux boundaries, 3A1222
- Numerical characterization of micro heat exchangers using experimentally tested porous aluminum layers, 5A1190
- Experimental investigation on pulsating horizontal heating of a water-filled enclosure, 5A1146
- Prandtl number effect on the optimum heating frequency of an enclosure filled with fluid or with a saturated porous medium, 6A1250
- Contaminant transport through single fracture with porous obstructions, 9A1546
- General two-equation macroscopic turbulence model for incompressible flow in porous media, 10A1308
- Experimental determination of permeability and inertia coefficients of mechanically compressed aluminum porous matrices, 11T1335
LAGE, PLC: Modified strong implicit procedure with adaptive optimization of its iteration parameter, 5A53
- Application of the optimized modified strong implicit procedure to nonlinear problems, 6A1276
LAGERKVIST, C-I: Physical properties of M class asteroids, 5A220
LAGERQVIST, O: Resistance of I-girders to concentrated loads, 7A828
LAGHROUCHE, O: Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, 12A138
LAGIOIA, R: New versatile expression for yield and plastic potential surfaces, 3A578
LAGO, V: Mass spectrometry and optical spectroscopy in N_2-CO_2 and N_2-CH_4 plasma jets, 1A1090
LAGODA , T: Influence of correlations between stresses on calculated fatigue life of machine elements, 7A704
LAGOMARSINO, S: Damage models for the seismic response of brick masonry shear walls - Part II: The continuum model and its applications, 9A1477
- Damage models for the seismic response of brick masonry shear walls - Part I: The mortar joint model and its applications, 9A1476
LAGOUDAS, DC: Numerical simulation of a 2D oxide layer growth in an anisotropic medium, 1A15
- Thermodynamical constitutive model for shape memory materials - Part I: The monolithic shape memory alloy, 5A5
- Thermodynamical constitutive model for shape memory materials - Part II: The SMA composite material, 6A534
- Solution behavior of the transient heat transfer problem in thermoelectric shape memory alloy actuators, 8A1382
LAGRAFF, JE: Turbulent-spot propagation in a decelerating, compressible flow, 4T1086
LAGUERIE, C: Intermittent drying of corn kernels in a flotation fluidized bed: Experimental study and modeling (French), 5A1274
LAHE, A: Transfer matrix and the BEM, 11A55
LAHEY JR, RT: Analysis of chaotic instabilities in boiling systems, 12A1135
LAHURIKAR, RM: Transient free convection flow of an incompressible viscous dissipative fluid, 10A1305
LAI , ML: Inelastic behavior of steel frames with added viscoelastic dampers, 3A810
LAI , WM: Triphasic analysis of negative osmotic flows through charged hydrated soft tissues, 6A1540
LAI , XINMIN: Determination of optimal transition profile of a stepped bar in tension or in torsion by BEM, 5A469
LAI, FC: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
- Enhancement of heat transfer using porous convection-to-radiation converter for laminar flow in a circular duct, 3A1242
- Re-examination of natural convection in a horizontal layered porous annulus, 5T1193
LAI, FM: Minimum weight design of laminated composite plates subject to strength constraint, 2A136
LAI, GWOLONG: Generalized method of rotational superposition for problems with elliptical distribution of boundary values, 7A410
- Exact solutions of some shear dislocation problems involving a stopping effect, 10A589
LAI, J: Three-dimensional schapery representation for nonlinear viscoelasticity and FE implementation, 2A410
- Numerical study of crack-tip plasticity in glassy polymers, 11A30

LAI, J-M: Modeling and analysis of nonlinear guideway for double-ball bar measurement and diagnosis, 9A419
LAI, JCS: Effect of wall inclination on the mean flow and turbulence characteristics in a 2D wall jet, 2A1001
- Two parallel plane jets: Mean flow and effects of acoustic excitation, 8A1161
LAI, JS: Energy-based parametric control approach for structural vibration suppression via semi-active piezoelectric networks, 1A839
- Parametric control of structural vibrations via adaptable stiffness dynamic absorbers, 11A316
LAI, MT: Composite beams subjected to static and fatigue loads, 11A499
LAI, P-K: Influence of microstructure on the fatigue properties of austempered ductile irons - I: High-cycle fatigue, 2A631
LAI, PC-C: Two dimensional analysis of thin, shell, or plate like muffler elements, 1A187
- Gas pulsations in thin, curved, or flat cavities due to multiple mass flow sources with special attention to multi-cylinder compressors, 4A283
- Free gas pulsations in acoustic systems composed of two thin, curved, or flat, 2D gas cavities which share a common open boundary, 6A334
LAI, PCC: Two-dimensional analysis of thin shell- or plate-like muffler elements of non-uniform thickness, 2A158
LAI, SC: Structural analysis model for mat foundations, 3A593
LAI, T: Waves generated from fictitious focal points to match seismograms recorded, 6A1421
LAI, TC: Vibration analysis of orthotropic thin cylindrical shells with free ends by the Rayleigh-Ritz method, 2A147
LAI, TZE LEUNG: Asymptotically efficient adaptive choice of control laws in controlled Markov chains, 10T428
LAI, WUN-LING: Residual stresses with different tool flank wear lengths in the ultra-precision machining of Ni-P alloys, 11A613
LAI, YEH-HUNG: Using the fracture efficiency to compare adhesion tests, 6A752
- Test method for accelerated humidity conditioning and estimation of adhesive bond durability, 10T1015
LAI, YONG G: Predictive capabilities of turbulence models for a confined swirling flow, 2T1049
- Multigrid algorithm for a multiblock pressure-based flow and heat transfer solver, 3A1043
LAI, YU-LING: Generalized Schwarz splitting method based on Hermite collocation for elliptic boundary value problems, 3A57
LAIB, L: Mobility of cross-country vehicles, with emphasis on modeling their dynamic motion, 8T400
LAIBLE, JP: Filtered solution of the primitive shallow-water equations, 6A1011
LAILLY, P: Green's function implementation of common-offset wave-equation migration, 6A1410
LAING, C: Bifocal homoclinic bifurcations, 8A89
LAINO, DJ: Integrated approach to wind turbine fatigue analysis, 12A1522
LAITAKARI, K: Comparison of three vibrators in static posturography: The effect of vibration amplitude on body sway, 1T1467
LAITINEN, A: Effect of non-metallic inclusions on corrosion fatigue resistance of P-M duplex stainless steel, 5A617
LAITONE, EV: Aerodynamic lift at Reynolds numbers below 7×10^5, 2T1091
LAJTAI, EZ: Primary fracture propagation from circular cavities loaded in compression, 6A718
LAKE, MJ: Differential shock transmission response of the human body to impact severity and lower limb posture, 5A1488
- Dominant role of interface over knee angle for cushioning impact loading and regulating initial leg stiffness, 5A1465
LAKES, R: Bounds on the complex bulk and shear moduli of a 2D two-phase viscoelastic composite, 9A448
LAKES, RS: Micromechanical analysis of dynamic behavior of conventional and negative Poisson's ratio foams, 1A176
- Properties of a chiral honeycomb with a Poisson's ratio of -1, 6A556
- Fracture toughness of re-entrant foam materials with a negative Poisson's ratio: Experiment and analysis, 7A756
LAKHINA, GS: Influence of dust mass distributions on generalized Jeans-Buneman instabilities in dusty plasmas, 10A1208
LAKHTAKIA, A: Point-matching method for examining time-dependent Stokesian flow around a stationary axisymmetric body, 7A1029
- Bruggeman formalism for two models of uniaxial composite media: Dielectric properties, 9A601
LAKIS, AA: Dynamic analysis of anisotropic open cylindrical shells, 7A144
- Vibration analysis of anisotropic open cylindrical shells subjected to a flowing fluid, 8A270
- Classical solution shape functions in the FE analysis of circular and annular plates, 9A571
- Influence of geometric nonlinearities on the free vibrations of orthotropic open cylindrical shells, 9A141
- Nonlinear dynamic analysis of orthotropic open cylindrical shells subjected to a flowing fluid, 10A313
LAKIZA, VD: Dynamic behavior of gas-liquid media in ellipsoidal shells subjected to the effect of vibration (Russian), 1T1013
LAKOTA, NA: Parametrically adaptive drives of mechanical systems control over the angular position, 4T399
LAKSHMANA GOWDA, BH: Influence of rotation and vibration on discharge of liquid from a cylindrical tank, 2T241
LAKSHMANAN, S: r-Adaptation in FE modeling of elastic solids, 8A24
LAKSHMIKUMARAN, AV: Vibration of coupled traveling string and air bearing systems, 1A175
LAKSHMINARAYANA, B: Three-dimensional flowfield in a turbine nozzle passage, 3A1192
- Time-accurate Euler simulation of interaction of nozzle wake and secondary flow with rotor blade in an axial turbine stage using nonreflecting boundary conditions, 5A1096
- Experimental and numerical investigation of stator exit flow field of an automotive torque converter, 5A928
- Computation of unsteady flowfield over a hydrofoil, including boundary layer and wake, 6A292
- Prediction of strongly curved turbulent duct flows with Reynolds stress model, 6A1103
- Perspective: Fluid dynamics and performance of automotive torque converters: An assessment, 7A364
- Computation of 3D viscous flow in high Reynolds number pump guide vane, 7A1192
- Design and development of a turbine research facility to study rotor-stator interaction effects, 8A1242
- Assessment of Navier-Stokes and boundary layer procedures for the prediction of 2D viscous flow in a turbine nozzle, 8A1245
- Exit flowfield of an embedded stator in a multistage axial flow compressor, 9A1178
- Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part I: Rotor passage flow field, 10A1242
- Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part II: Rotor exit flow field, 10A1243
- Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part 2: Simulation of unsteady boundary layer flow physics, 11A1162
- Numerical simulation of the effects of rotor-stator spacing and wake-blade count ratio on turbomachinery unsteady flows, 11A1149
- Computation and simulation of wake-generated unsteady pressure and boundary layers in cascades - Part I: Description of the approach and validation, 11A1161
- Three-dimensional Navier-Stokes computation of turbine nozzle flow with advanced turbulence models, 12A1152
- Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part I: Flow at exit of turbine, 12A1191
- Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part II: Unsteady pressure on the stator blade surface, 12A1192
LAL, C: Use of tergitol-7 in photogalvanic cell for solar energy conversion and storage: Toluidine blue-glucose system, 1A1434
LAL, DN: Combined influences of Young's modulus and stress ratio on the LEFM fatigue crack growth process: A new mechanistic approach, 1A681
- Detailed physical analysis of the R-effect on LEFM fatigue crack growth - II: On the combined roles of growth mechanisms and stress ratio, 2A616
- Detailed physical analysis of the R-effect on LEFM fatigue crack growth - I: On the combined roles of critical zones, LEFM parameters and stress ratio, 2A617
LAL, GK: Analysis of cold strip rolling under hydrodynamic lubrication, 1A641
- Mechanism of material removal in electrical discharge diamond grinding, 4A681
- Central bursting and optimal die profile for axisymmetric extrusion, 5A550
- Theoretical study of erosion phenomenon in abrasive jet machining, 5A563
- Analysis of axisymmetric tube extrusion, 5A549
- Stochastic simulation approach to modeling diamond wheel topography, 11A621
LAL, JIA: Some numerical experimen... high accuracy fast direct finite difference me... for elliptic problems, 4A42
LALANDE, F: Debond detection using broad-band high-frequency excitation and non-contacting laser vibrometer system, 1A157
- Passive and active tagging of glass-fiber polymeric composites for in-process and in-field non-destructive evaluation, 9A497
- Impedance-based modeling of induced strain actuators bonded on ring structures, 10A918
LALANNE, M: Prediction of the dynamic behavior of non-symmetric coaxial co- or counter-rotating rotors, 3A171
LALAS, D: Thermal convective and radiative effects in forest fires simulation, 7A1418
LALAS, DP: Measurements of turbulence characteristics over complex terrain, 12T1507
LALLEMAND, A: Transient state study of electric motor heating and phase change solid-liquid cooling, 5A1243
LALLEMAND, M: Film condensation inside horizontal integral-fin tubes of large diameter, 6A1260
LALLEMANT, N: Computationally efficient procedure for calculating gas radiative properties using the exponential wide band model, 1A1249
- Evaluation of emissivity correlations for H_2O-CO_2-N_2-air mixtures and coupling with solution methods of the radiative transfer equation, 11A1424
LALLEMENT, G: Vibration analysis of structures subjected to boundary condition modifications using experimental data, 6A143
- Selecting a Ritz basis for the reanalysis of the frequency response functions of modified structures, 8A180
- Model order reduction by selective sensitivity, 9A310
LALOUI, L: Thermo-viscoplastic constitutive model for clays, 10A686
LALVANI, H: Morphology and architecture, 9A907
LAM, FAT-WING: Cell control architecture for manufacturing applications, 12A461
LAM, FK: Generation of 3D medical thermograms, 9A814
LAM, J: Pole assignment with optimal spectral conditioning, 8T372
- Pole assignment with minimum eigenvalue differential sensitivity, 9T315
LAM, K: New approach to the design of fan volute profiles, 1A1102
LAM, KHIN YONG: New technique for analyzing the 3D wave fields in anisotropic laminates excited by point harmonic loads, 7A192
LAM, KY: Two-dimensional time-harmonic elastodynamic Green's functions for anisotropic media, 3A217
- Nonlinear interaction between gas bubble and free surface, 3A1077
- Stress waves in composite laminates excited by transverse plane shock waves, 5A160
- Vibration of cylindrical shells with ring support, 7A153
- Behavior of uniform anisotropic beams of rectangular section under transverse impact of a mass, 8A238
- Low-velocity impact response for laminated stepped beam, 8A558
- Large deflections of an end supported beam subjected to a point load, 8A567
- Vibration analysis of a rotating truncated circular conical shell, 10A207
- Analysis of cylindrical shells using generalized differential quadrature, 10A202
- Unified FE based on the classical and shear deformation theories of beams and axisymmetric circular plates, 12A613
LAM, L: Improved missile control effectiveness payoffs, 4A862
LAM, LOH NEE: Lubrication of stellite at ambient and elevated temperatures by transfer films from a graphite slider, 3A857
LAM, N: Building ductility demand: Interplate versus intraplate earthquakes, 3A1377
LAM, NTK: Review of the torsional coupling of asymmetrical wall-frame buildings, 7A1482
LAM, P-S: Effects of crack depth, specimen size, and out-of-plane stress on the fracture toughness of reactor vessel steels, 5A1438
LAM, TC: Variations in rupture site and surface strains at failure in the maturing rabbit medial collateral ligament, 11A1563
LAM, TT: Second-order finite difference approximation for inverse determination of thermal conductivity, 1A1245
LAM, TUNG T: Weight optimization for honeycomb radiators with embedded heat pipes, 6A1291
LAM, YC: Plastic zone size determination by temperature measurement, 7A598
LAM, YW: Comparison of three diffuse reflection modeling methods used in room acoustics computer models, 4A308
- Dependence of diffusion parameters in a room acoustics prediction model on auditorium sizes and shapes, 4A301
- Subjective perception of seat dip attenuation, 5A233
LAMACQ, V: Crack path prediction under fretting fatigue: A theoretical and experimental approach, 4A717
- Theoretical model for the prediction of initial growth angles and sites of fretting fatigue cracks, 12T778
LAMARQUE, C-H: Nonlinear behavior of the instability of steady natural convection in a vertical air layer, 8A1284
LAMB, B: Experimental evaluation of analytical and Lagrangian surface-layer flux footprint models, 6T1485
LAMB, C: Numerical prediction of flow and heat transfer in an impingement heat sink, 9A1292
LAMB, M: Application of pressure-sensitive paint in supersonic nozzle research, 6A1115
LAMBALLAIS, E: Effects of spanwise rotation on the vorticity stretching in transitional and turbulent channel flow, 2A1039
LAMBELIN, J-P: Analysis of the failure of ceramics due to subcritical crack growth, 1A679
LAMBERT, LD: Experiments to evaluate behavior of containment piping bellows under severe accident conditions, 1A1429
LAMBERT, MF: Discharge prediction in straight compound channels using the mixing length concept, 2T950
LAMBERT, RK: Nuclear magnetic resonance imaging of apparent slip effects in xanthan solutions, 5A904
LAMBERT, SB: Stress intensity factors and weight functions for high aspect ratio semi-elliptical surface cracks in finite-thickness plates, 11T682
LAMBERTI, A: Stone mobility and longshore transport at reshaping breakwaters, 8T1038
LAMBLIN, D: Limit load analysis of perforated disks with square penetration pattern, 8A527
LAMBRIGGER, M: Master curve for brittle cleavage fracture toughness testing, 5A716
LAMBRIGHT, JP: Flat composite panel design advisory system using knowledge based and case based reasoning, 6A404
LAMBROPOULOS, JC: Mechanics of shaped crystal growth from the melt, 3A1281
LAMBROS, J: Dynamic crack initiation and growth in thick unidirectional graphite-epoxy plates, 8A816
LAMFON, NJ: Performance of a waste heat recovery system using looped heat pipes, 7A1342
LAMMERANT, L: Modeling of the interaction between matrix cracks and delaminations during impact of composite plates, 7A747
LAMMERS, JH: Concentration waves and the instability of bubbly flows, 6A1066
LAMON, J: Damage and failure in ceramic matrix minicomposites: Experimental study and model, 8A789
LAMONTIA, MA: Design and optimization of a thermoplastic tow-placement process with *in situ* consolidation, 9A531
LAMOUSIN, HJ: Nesting of complex 2D parts within irregular boundaries, 5A375
LAMPIS, M: New scattering kernel for gas-surface interaction, 12A1105
LAN, CE: Low-speed wall interference assessment-correction with vortex flow effect, 10A1274
- Estimation of aeroelastic models in structural limit-cycle oscillations from test data, 12A286
LAN, CW: Computer simulation of liquid encapsulated vertical Bridgman crystal growth: Pseudo steady-state calculations, 1A1191
- Finite-volume-Newton method for a two-phase heat flow problem using primitive variables and collocated grids, 3A1248
- Three-dimensional finite-volume and Newton method for thermal-capillary problems, 7A628
LAN, Q: Interacting indentors on a poroelastic half-space, 4A1344
LAN, S: Analysis of load and non-load-carrying fillet welds using HBIEs, 7A962
LANCASTER, JG: Wear of ultra-high molecular weight polyethylene sliding on metallic and ceramic counterfaces representative of current femoral surfaces in joint replacement, 10A983
LANCASTER, P: Numerical methods for finding multiple eigenvalues of matrices depending on parameters, 10T112
LANCHON-DUCAUQUIS, H: Homogenization of a thermal problem in the plate of a heat exchanger, 11A1321
LANCIA, A: Kinetics of adsorption of mercuric chloride vapors on sulfur impregnated activated carbon, 4A1301
LANCIA, MR: Gleanings of radial cavitation, 6A458
- Trailing edge singularity and Kutta condition for 3D airfoils, 6A1183
LANCIOTTI, A: Fatigue crack propagation in residual stress fields of welded plates, 8A733
- Compression behavior of flat stiffened panels made of composite material, 11A512
LANDES, JD: J-Q model for predicting fracture in the ductile-brittle transition, 2A668
- Application of a normalization method for determining J-R curves in glassy polymer PVC at different crosshead speeds, 9A784
LANDGRAF, RW: Advances in Fatigue Lifetime Predictive Techniques, Third Volume, 2N19
LANDIM, C: First-order correction for the hydrodynamic limit of asymmetric simple exclusion processes in dimension $d \geq 3$, 8A1109
LANDIS MARKLEY, F: Sliding mode control using modified Rodrigues parameters, 5T299
LANDIS, EN: Microtomographic measurements of internal damage in Portland-cement-based composites, 6A813

LANDIS, F: Genetic algorithm optimization technique for compact high intensity cooler design, 2A1262
LANDIS, GA: Recent advances in solar cell technology, 3A1456
LANDRINI, M: Nonlinear long waves generated by a moving pressure disturbance, 5A177
LANDRUM, DB: Parametric study of solar thermal rocket nozzle performance, 2T1434
LANE, AJ: Design of an electro-hydraulic CNC press brake, 6A944
LANEVILLE, A: Wind-induced ovalling oscillations of cylindrical shells: Critical onset velocity and mode prediction, 5A203
LANFRANCHI, C: Benefits of compressor inlet air cooling for gas turbine cogeneration plants, 1A1351
LANG, DC: Negative information problem in mechanical diagnostics, 10A515
LANG, J: Computer-aided simulation of piston and piston ring dynamics, 5A1364
- Numerical determination of flow factors, 10A1257
LANG, O: Adaptive vibration control of a rigid rotor supported by active magnetic bearings, 5A132
LANG, RM: Processing snow for high strength roads and runways, 6A1518
LANG, ZI-QIANG: Output frequency characteristics of nonlinear systems, 3T339
- Bound for the magnitude characteristics of nonlinear output frequency response functions - Part I: Analysis and computation, 4T341
LANGDON, TG: Investigation of the role of processing in the high temperature creep of whisker-reinforced alumina composites, 3T650
- Creep behavior of an aluminum 2024 alloy produced by powder metallurgy, 8A503
LANGE, J: Adhesive strength of deformed epoxy and polyester coatings, 10A1012
LANGELAAN, JW: Analytic sensitivities and design oriented structural analysis for airplane fuselage shape synthesis, 7A845
LANGENAKENS, J: Influence of tires on the dynamic behavior of a lawn mower, 12A1574
LANGER, C: Method for the identification of configurations of PV-wind hybrid systems for the reliable supply of small loads, 8A1544
LANGFORD, SC: Dynamic measurements of humidity attack on polymer-glass interfaces under stress, 11A885
LANGHORNE, PJ: Moving Loads on Ice Plates, 9R30
- Acoustic emission during fatigue experiments on first year sea ice, 1A1439
LANGLAIS, TE: Overcoming limitations of the conventional strain-life fatigue damage model, 11A652
LANGLET, P: Finite element analysis of the propagation of acoustic waves along waveguides immersed in water, 9A289
LANGLEY, RS: Frequency band-averaged wave transmission coefficient of a periodic structure, 1A243
- Effect of period asymmetry on wave propagation in periodic beams, 5A149
- Response of 2D periodic structures to point harmonic forcing, 5A154
- Response of 2D periodic structures to impulsive point loading, 10A149
LANGOWSKY, C: Influence of film cooling on the secondary flow in a turbine nozzle, 6A1113
LANGSETH, M: Static and dynamic axial crushing of square thin-walled aluminium extrusions, 6A508
LANGSTON, CA: Modeling the effect of San Andreas fault structure on receiver functions using elastic 3D finite differences, 4A1424
- Characteristics of short-period wave propagation in regions of Fennoscandia, with emphasis on Lg, 8A1471
LANGTANGEN, HP: Modern Software Tools for Scientific Computing, 11N7
LANGTON, CM: Orthogonal relationships between ultrasonic velocity and material properties of bovine cancellous bone, 1T1449
LANIER, J: Experimental micromechanical analysis of a 2D granular material: Relation between structure evolution and loading path, 10A606
LANKFORD, J: Shear *versus* dilatational damage mechanisms in the compressive failure of fiber-reinforced composites, 8A805
- Compressive failure of polymeric composites under hydrostatic confinement, 10A814
LANKOV, AA: Contact of rough spheres, 2A857
- Theory of four-ball test machine, 3A885
LANNING, D: Reliability of welded structures containing fatigue cracks, 6A744
LANSBURY, AN: Control of the Arnold Circle Map, 1A118
LANTERI, B: Powder injection molding: An original simulation of paste flow, 1A670
LANTERI, P: Optimal design in abrasive resistance of refractory concretes, 9A933
LANTERI, S: High performance solution of 3D nonlinear aeroelastic problems via parallel partitioned algorithms: methodology and preliminary results, 8A288
LANTZ, SA: Automating node and element assignments on conforming four-sided sections defining a domain for mapping quadrilateral elements, 7A32
LANZA DE CRISTOFORIS, M: Peculiar instabilities due to the clamping of shearable rods, 8A569
LANZA, J: Apparatus and method for measuring angular positions of parachute canopies, 6T934
LANZBERG, VP: Strength of conical structure elements (Russian), 2A748
LANZO, AD: Koiter's analysis of thin-walled structures by a FE approach, 2A529
- Nonlinear beam FE for the post-buckling analysis of plane frames by Koiter's perturbation approach, 12A664
LAOAROMAMDRASAMA, L: Practical method based on stress evaluation (σ_z criterion) to predict initiation of crack under creep and creep-fatigue conditions, 11A663
LAOUCET AYARI, M: Finite element planar stress analysis, 4A13
LAPA, EC: Decay rates for viscoelastic plates with memory, 5A470
LAPENA, J: Measurement of the yield and tensile strengths of neutron-irradiated and post-irradiation recovered vessel steels with notched specimens, 6A1503
LAPERRIERE, L: GAPP: A generative assembly process planner, 2T363
LAPEYRE, JA: In-isolation strain measurement of geosynthetics in wide-width strip tension test, 10A715
LAPKO, A: Investigation of RC beams submitted to impetuous temperature changes (Polish), 2A778
LAPOVOK, R: Approach to the optimal design of rolling passes, 12A717
LAPPALAINEN, K: Positioning accuracy improvement in five-axis milling by post processing, 7T611
LAPPAS, P: Burn-rate and knock reduction in the spark ignition engine, 3A1337
LAPPLE, V: New observations on the crack growth rate of low alloy nuclear grade ferritic steels under constant active load in oxygenated high-temperature water, 12A1511
LARA, J: Nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 7A1217
LARA-CURZIO, E: Thermal and Mechanical Test Methods and Behavior of Continuous-Fiber Ceramic Composites, 9N20
- Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, 4A548
LARAQI, N: Thermal constriction phenomenon in sliding contacts, 1A1231
- Velocity and relative contact size effects on the thermal constriction resistance in sliding solids, 8T1344
LARDIES, J: Analysis of a multivariate autoregressive process, 6A358
- Frequency response functions of vibrating systems from output-only measurements using the minimum variance spectral estimation, 12T155
LARDIGUE, A: Pulsatile laminar flow in a viscoelastic system, 7A996
LARDNER, RW: Variational data assimilation for a nonlinear hydraulic model, 2A953
LARGE, WG: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
LARICHEV, VD: Scaling theory for horizontally homogeneous, baroclinically unstable flow on a beta plane, 3T1138
LARIN, VB: Compensation of nonlinear friction in robotics systems (Russian), 2A343
- Problems of dynamics of rolling mills (Russian), 12A720
LARKIN, TJ: Dynamic response of laterally excited pile groups, 8A664
LAROCCA, P: Adaptive forced balancing for multivariable systems, 11A142
LAROCK, BE: Algebraic stress FE model of turbulent flow, 10A1189
LAROSE, PG: Flutter and long-wave instabilities in compliant channels conveying developing flows, 8A1166
LARRABEE, EE: Airplane Stability and Control: A History of the Technologies that Made Aviation Possible, 11N31
LARRAURI, D: Interaction between two premixed laminar v-shaped flame fronts at low Lewis number, 12A1360
LARRAZA, A: Solitons, pulse splitting, and AM-FM conversion in cylindrical ducts, 1A300
LARRE, JP: Soret effects in ternary systems heated from below, 5A1164
LARRETEGUY, AE: Pressure drop and heat transfer associated with flows moving laminarly in straight ducts of irregular, singly connected cross-sections, 8A1275
LARRONDO, HA: General approximate solution of the problem of free vibrations of annular plates of stepped thickness, 4A139
- Dynamics of a kicked oscillator with a delay in its parametric feedback loop: An analytical study, 7A98
- Free vibrations of circular plates of varying thickness partially embedded in an elastic foundation, 10T225
- Transverse vibrations of simply supported rectangular plates with rectangular cutouts carrying an elastically mounted concentrated mass, 11T136
- Fiber-optic technology and structural condition monitoring of mechanical cables, 12T862
LARSEN, GC: Complex frequency domain model of wind turbine structures, 11A1548
LARSEN, J: Life Predictions Methodology for Titanium Matrix Composites, 2N25
LARSON, CR: Multipayload modeling for the upper atmosphere research satellite, 2A842
LARSON, ED: Biomass-gasifier-aeroderivative gas turbine combined cycles - Part B: Performance calculations and economic assessment, 1A1354
- Biomass-gasifier-aeroderivative gas turbine combined cycles - Part A: Technologies and performance modeling, 1A1353
- Economic scales for first-generation biomass-gasifier-gas turbine combined cycles fueled from energy plantations, 10T1491
LARSON, JE: Effect of operating conditions on heavy duty engine valve seat wear, 7A877
- Wear mechanism analysis of engine exhaust valve seats with a laboratory simulator, 10A981
LARSON, JM: Effect of operating conditions on heavy duty engine valve seat wear, 7A877
LARSON, M: Measurements of the velocity field downstream of an impeller, 4A1144
LARSON, RG: Predictive model for impact response of viscoelastic polymers in drop tests, 1A956
- Elastic stress in "film fluids", 8A1011
LARSON, SJ: Finite element modeling of the C4-C6 cervical spine unit, 4A20
LARSSON, C: Atmospheric absorption conditions for horizontal sound propagation, 11A247
LARSSON, D: Using modal analysis for estimation of anisotropic material constants, 9A139
LARSSON, P-L: Analysis of pyramid indentation of pressure-sensitive hard metals and ceramics, 9A24
LARSSON, PL: Analysis of cold and hot isostatic compaction of spherical particles, 2A609
LARSSON, R: Embedded localization band in undrained soil based on regularized strong discontinuity: Theory and FE-analysis, 1A613
- Determination of viscosity and pressure in an elastohydrodynamic rolling contact by using optical interferometry: A theoretical study, 5T1115
- Implicit integration and consistent linearization for yield criteria of the Mohr-Coulomb type, 5A23
- Localization properties of a frictional material model based on regularized strong discontinuity, 5A428
- Localization properties of multiplicative hyper-elasto-plastic continua with strong discontinuities, 8A11
- Transient non-Newtonian elastohydrodynamic lubrication analysis of an involute spur gear, 12A1220
LARUE, JC: Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, 3T1428
LARUE, JC: Holographic sensor for measurement of wall velocity gradients, 5A1053
- Effect of induced swirl on mixing, 11T1054
LARVE, E: Three-dimensional stress analysis in laminated composites with fasteners based on the B-spline approximation, 11A487
LASCHEFSKI, H: Numerical investigation of heat transfer by rows of rectangular impinging jets, 1A1155
LASCHET, G: Numerical optimization of process control variables for the Bridgman casting process, 9A677
LASCHET, I: Generalized method of moving asymptotes (GMMA) including equality constraints, 5A747
LASEK, G: Laboratory evaluation of the load-deflection behavior of clay beams reinforced with galvanized wire netting, 9A885
LASH, AA: Deformation modes in fiberglass under weak impact, 10A610
LASIECKA, I: Differential Riccati equation for the active control of a problem in structural acoustics, 6A346
LASKEN, M: High-flux photovoltaic solar concentrators with kaleidoscope-based optical designs, 9A1534
LASODE, OA: Convective heat transfer in horizontal elliptic ducts in parallel mode rotation, 7A1264
LASSEIGNE, DG: Perturbation dynamics in viscous channel flows, 11A1065
LASSEUX, D: Determination of permeability tensors for two-phase flow in homogeneous porous media: Theory, 1A1385
LASSILA, DH: Hybrid technique for compression testing at intermediate strain rates, 4T802
LATAILLADE, JL: Effects of the intralaminar shear loading rate on the damage of multi-ply composites, 1A758
- Effect of the secondary transition on the behavior of epoxy adhesive joints at high rates of loading, 4A956
LATHAM, RL: Numerical simulation of viscous flow over rotors using a distributed computing strategy, 4T1016
LATOMBE, J-C: On-line manipulation planning for two robot arms in a dynamic environment, 10A534
LATORRE, R: Developments in surface fairing procedures, 6A1173
LATOUR JR, RA: Three-dimensional micromechanical model of the compressive behavior of unidirectional FRP composites, 9A516
- Influence of interfacial debonding and free edges upon compressive strength of unidirectional FRP composites, 9A491
- Analysis of composite structures using the 3D global and 3D local method, 10A619
LATTIMER, TRB: High-Reynolds-number cross-flow with injection and suction, 8A1137
LATTORE, R: Ship hull drag reduction using bottom air injection, 6A307
LATYPOV, AM: New conservative formulations of full-potential equation in streamline-aligned coordinates, 12T1169
LATYSHEV, VN: Penetrability of lubricants as the characteristic of metal cutting efficiency, 2A595
LAU, FJP: Sound in an inverse sinusoidal nozzle with low Mach number mean flow, 1A306
- Acoustics of low Mach number bulged, throated and baffled nozzles, 4A280
LAU, FP: Elastic moduli of injection-molded short-glass-fiber-reinforced poly(ethylene terephthalate), 10A607
LAU, IT: Petroleum coke and coal start-up testing in bubbling fluidized bed combustors, 12A1386
LAU, KJ: Semi-infinite-crack model for determining mode I stress intensity factors using crack surface displacements, 1A745
LAU, SL: In-line response of a horizontal cylinder in regular and random waves, 8A281
LAU, SM: Appraisal of partially restrained steel columns in nonsway frames, 12A919
LAU, ST: Collagen fiber organization is related to mechanical properties and remodeling in equine bone: A comparison of two methods, 5A1463
LAU, TW EDWARD: Universal alignment probabilities and subset selection for ordinal optimization, 11T298
LAU, WC: Alternative view of building structures, 7A841
LAU, WS: Examination of wire electrical discharge machining (WEDM) of Al_2O_3 particulate reinforced aluminum based composites, 3T629
- High-strain-rate superplasticity of SiC_p/8090 aluminum composite, 6A555
- Finite-element analysis of temperature distributions in spade drilling, 12A45
- Wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, 12A962
LAUB, AJ: Analysis of rigid body motion from measured data, 11A83
LAUCHLE, GC: Low flow-noise microphone for active noise control applications, 6A347
- Active control of axial-flow fan noise, 7A270
LAUDANSKI, LM: Designing random vibration tests, 3A144
LAUDE, M: Dynamic foot investigations during gait (French), 6A1542
LAUER, JL: Friction and wear studies of carbon overcoated thin films magnetic sliders: Application of Raman microspectroscopy, 12A992
LAUFER, A: Note on the orientation of the macrodispersion tensor in partially saturated heterogeneous porous formations, 9T1435
LAUGESEN, S: Active control of multi-modal propagation of tonal noise in ducts, 2A283
LAUGIER, M: Nested grip methods for an ocean model: A comparative study, 6A1490
LAUKE, B: Ultrasonic testing technique for small-caliber piping containing defects, 1A825
- Effects of fiber length and fiber orientation distributions on the tensile strength of short-fiber-reinforced polymers, 7A472
LAUMONIER, J: Active anechoic termination for low frequencies with mean flow, 10A368
LAUN, HM: Rheometry on magnetorheological (MR) fluids - I: Steady shear flow in stationary magnetic fields, 5A905
- Recursive model for Rheotens tests, 10A1042
LAUNAY, JC: Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, 5A1030
LAUNDER, BE: LDA investigation of the flow development through rotating U-ducts, 1A1118
- Reynolds stress closure designed for complex geometries, 2A1050
- Engineering Foundation Turbulent Heat Transfer Conference, San Diego CA, March 10-15, 1996, 8A1195
LAURA, PAA: Truncated pyramidal cantilever beam: A convenient dynamically stiffened structural element, 1T170
- Effect of Poisson ratio and certain approximation schemes on transverse vibrations of thin, rectangular plates with a free edge, 1T182
- Symmetric and antisymmetric normal modes of a cantilever rectangular plate: Effect of Poisson's ratio and a concentrated mass, 2T139
- Vibrations and elastic stability of thin circular plates with variable profile, 2A141
- Transverse vibrations of beams traversed by point masses: A general, approximate solution, 2T126

- Approximate determination of vibration frequencies of doubly connected membranes of complicated boundary shape, 3A156
- General approximate solution of the problem of free vibrations of annular plates of stepped thickness, 4A139
- Buckling of circular, annular plates of non-uniform thickness, 6A614
- Free vibration of rectangular plates with circular openings, 6A163
- Approximate method for analyzing transverse vibrations of circular, annular plates of non-uniform thickness and a free inner boundary, 7A139
- Dynamics of a kicked oscillator with a delay in its parametric feedback loop: An analytical study, 7A98
- Unified, polynomial approach for the approximate solution of thermoelastic problems in rectangular plates, 8A1380
- Transverse vibrations of rectangular plates of non-uniform thickness with a free, concentric circular hole, 8T148
- Rayleigh's optimization concept and the use of sinusoidal co-ordinated functions, 9T111
- Vibrations of rectangular membranes and plates with rectangular holes with fixed boundaries, 10T201
- Free vibrations of circular plates of varying thickness partially embedded in an elastic foundation, 10T225
- Effect of different coordinate functions when employing the Rayleigh-Ritz method in the case of a vibrating rectangular plate with a free edge, 10T227
- Transverse vibrations of a square membrane with an eccentric circular or quasi-square hole, 10T192
- Transverse vibrations of simply supported rectangular plates with rectangular cutouts carrying an elastically mounted concentrated mass, 11T136
- Comments on "Vibration frequencies of simply supported polygonal sandwich plates via Kirchhoff solutions", 11T123
- Attempt to model the effect of a stress concentration field on the lower natural frequencies of structural elements, 12T173
- Fiber-optic technology and structural condition monitoring of mechanical cables, 12T862
- Vibrations of composite, doubly connected square membranes, 12T172
- Transverse vibrations of simply supported rectangular plates with rectangular cutouts, 12T182
- Transverse vibrations of polygonal plates of discontinuously varying thickness with a free, concentric circular edge, 12T181

LAURE, P: Linear stability of multilayer plane Poiseuille flows of Oldroyd B fluids, 12A1137

LAURE, S: Plasma generators for re-entry simulation, 5A1390

LAURENCE, D: New low-Reynolds-number k-ε model including damping effect due to buoyancy in a stratified flow field, 1A1176
- Modeling near-wall effects in second-moment closures by elliptic relaxation, 2A1047

LAURENDEAU, NM: Exhaust and in-situ measurements of nitric oxide for laminar partially premixed C_2H_4-air flames: Effect of premixing level at constant fuel flowrate, 2A1317
- Laser-induced fluorescence measurements of nitric oxide formation in high-pressure premixed methane flames, 2A1320
- Pocket correlation for stability of inverse diffusion flames in methane-air cross flows, 12A1368

LAURENTI, L: Multidimensional transient conduction analysis by generalized transfer functions tables, 11A1309

LAURIAT, G: New analytical solution for heat transfer in the entrance region of ducts: Hydrodynamically developed flows of power-law fluids with constant wall temperature, 11A1254

LAURIKS, W: Green's function for surface acoustic waves: Comparison between theory and experiment, 3A216
- Behavior of Lamb waves in stressed polymer foils, 3A195
- Theory of Scholte, leaky Rayleigh, and lateral wave excitation via the laser-induced thermoelastic effect, 3A204
- Displacement-based FEM for guided wave propagation problems: Application to poroelastic media, 5A1406
- Experimental localization of a pole of the reflection coefficient of a porous layer, 11A180

LAURO, F: Damage occurrence under dynamic loading for strain rate sensitive materials, 8A822

LAURSEN, TA: Design of energy conserving algorithms for frictionless dynamic contact problems, 8A482
- Constitutive modeling and FE computation of rate-dependent frictional sliding in large deformations, 10A989
- Stability analysis of state dependent dynamic frictional sliding, 12A932

LAURSEN, TS: Formation of a 2D vortex pair and its 3D breakup: An experimental study, 11A938

LAUTERBORN , W: Damage of solid surfaces by single laser-produced cavitation bubbles, 11A670

LAUTERBORN, W: Dynamics of laser-induced cavitation bubbles in polymer solutions, 2A945
- Bowed string as a nonlinear dynamic system, 5A224

LAUTRIDOU, JC: Crack closure effect on crack growth rate at 650°C in double notched specimens of a nickel base superalloy, 5A620

LAUX, CO: Ionizational nonequilibrium induced by neutral chemistry in air plasmas, 2T1060

LAUZON, SC: Implementation methodology for the supervisory control of flexible manufacturing workcells, 10A546

LAVALLEE, C: More on the prediction of molecular weight distributions of linear polymers from their rheology, 12A1045

LAVELLE, TM: Cascade optimization strategy for aircraft and air-breathing propulsion system concepts, 8T1426

LAVERNIA, EJ: Multidirectional solidification model for the description of micropore formation in spray deposition processes, 1A1193

LAVILLE, F: Dynamic response obtained by direct numerical integration for pre-deformed rectangular plates subjected to in-plane loading, 4A134

LAVINE, AS: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30

LAVIS, DA: Derivation of the free energy of the Ising model from that of the eight-vertex model, 2T9

LAVRENTJEV, J: Characterization of fluid machines as acoustic multi-port sources, 4A278

LAVRENTYEV, AI: Anomalous attenuation effect of reflectivity of an ultrasonic wave from a thin layer between dissimilar materials, 12A322

LAVROVSKY, EK: Stabilization of flexible one-link arm position: Stability domains in the space of feedback gains, 4A444

LAW, AWK: Initiation of breakout of half-buried submarine pipe from sea bed due to wave action, 5A211

LAW, CK: Ignition in the supersonic hydrogen-air mixing layer with reduced reaction mechanisms, 3A1293
- Analytic description of the evolution of 2D flame surfaces, 3A1295
- Structure of nonsooting counterflow ethylene and acetylene diffusion flames, 5A1331
- Numerical study of ignition in the supersonic hydrogen-air laminar mixing layer, 6A1324
- Regimes of coalescence and separation in droplet collision, 8A1117
- Ignition of counterflowing methane versus heated air under reduced and elevated pressures, 8A1406
- Combustion and microexplosion of hydroxylammonium nitrate-based liquid gun propellants at elevated pressures, 10A330
- Structure and propagation of premixed flame in nozzle-generated counterflow, 11A1400
- Mild and vigorous oxidation of mixtures of chlorinated hydrocarbons in droplet burning, 12A1391
- Response of spherical premixed flames under rotation, 12A1364
- Spreading of unsteady cylindrical diffusion flames, 12A1393

LAW, HH: Characterization of mechanical vibration damping by piezoelectric materials, 5A138

LAW, KH: Distributed FEM for solving the incompressible Navier-Stokes equations, 6A1035

LAW, SS: Moving force identification: A time domain method, 10A415

LAWAL, A: Pressurization and heat transfer during twin screw extrusion processing of concentrated suspensions, 8A695

LAWCOCK, G: Effect of adhesive bonding between aluminum and composite prepreg on the mechanical properties of carbon-fiber-reinforced metal laminates, 8A536
- Progressive damage and residual strength of a carbon fiber reinforced metal laminate, 11A709

LAWEN JR, JL: Synchronous dynamics of a coupled shaft-bearing-housing system with auxiliary support from a clearance bearing: Analysis and experiment, 10A219

LAWRENCE, AD: Reduction of the nitrogen oxides NO and N_2O to molecular nitrogen in the presence of iron, its oxides, and carbon monoxide in a hot fluidized bed, 12A1379

LAWRENCE, CJ: Flow field due to a body in impulsive motion, 5A936
- Analysis of the plane-strain compression of viscoplastic materials, 12A535

LAWRENCE, FV: Fatigue of welds, 1A706

LAWRENCE, GA: Effect of sub-aqueous disposal of mine tailings in standing waters, 10A1050

LAWRENCE, KL: Elastic wave generation by piezoceramic patches, 4A799

LAWRENCE, PD: Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, 4A402

LAWRENCE, PS: Heat transfer in the MHD flow of a viscoelastic fluid over a stretching sheet, 10T1302

LAWRENCE, SL: Bent-biconic single-stage-to-orbit vehicle conceptual study, 2A836

LAWRYSHYN, YA: Robot link and contract surface dynamic interaction: An experimental study of contact task instability, 8A454

LAWSON, RJ: Fluidized bed studies of carbon particle oxidation: Gas phase surface products and surface area evolution, 2A1358

LAWTHER, R: Finite element modeling of spatially chaotic structures, 11A119

LAY, HONG-YU: Nonlinear Czochralski growing process of crystals with variable thermal properties, 4A1231

LAY, RR: Experimental investigation of spacecraft in-flight disturbances and dynamic response, 10A234

LAY, SR: Interfacial toughness for the shipboard aluminum-steel structural transition joint, 11A472

LAYDI, MR: Small oscillations of two immiscible liquids in an arbitrary basin (French), 6A280

LAZARIDIS, A: Finite element analysis of laminar flow in a vertical channel with fin array, 6A36

LAZARIDOU, M: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453
- Statistical evaluation of earthquake prediction results: Comments on the success rate and alarm rate, 9A1454

LAZARUS, KB: Multivariable high-authority control of plate-like active structures, 5A324
- Multivariable active lifting surface control using strain actuation: Analytical and experimental results, 11A224

LAZOPOULOS, G: Computation of heat transfer in engineering combustion equipment, 7A1414

LAZOPOULOS, KA: Compound branching in elastic systems, 3A567

LAZREQ, A: Acoustic calibration of a pressure-velocity probe, 1A341

LAZREQ, Z: Mixed experimental and theoretical method for noise propagation and radiation prediction of a cowled axial fan, 1A325

LAZZARIN, P: Unified approach to the evaluation of linear elastic stress fields in the neighborhood of cracks and notches, 5A393

LAZZARIN, RM: New ideas for energy utilization in combined heat and power with cooling - I: Principles, 8A1377
- New ideas for energy utilization in combined heat and power with cooling - II: Applications, 9A1311

LAZZAROTTO, L: Sensitivity of material parameters in the FE computation of microvoid nucleation and growth, 1A790

LAZZERI, A: Influence of the constitutive characteristics of resins on the composite materials delamination, 6A781

LAZZERI, L: Compression behavior of flat stiffened panels made of composite material, 11A512

LE , TH: Direct numerical simulation of a cooling flow in a ribbed channel: Pegase code (French), 2A1196

LE CORRE, J-F: Transverse cracking of cross-ply laminates - Part 1: Analysis, 4A761

LE FORT-PIAT, N: Planning robust displacement missions by means of robot-tasks and local maps, 12T450

LE GAL, P: Identification of parameters in amplitude equations describing coupled wakes, 8A1168

LE GALL, R: Modeling of frost growth and densification, 10A1392

LE GENTIL, S: Inertial nonlinear equilibration of equatorial flows, 8A1505

LE HOUEDEC, D: Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, 12A138

LE MEHAUTE, B: Water Waves Generated by Underwater Explosion, 2R9

LE MEUR, H: Linear stability of multilayer plane Poiseuille flows of Oldroyd B fluids, 12A1137

LE PENVEN, L: Application of Reynolds stress modeling to engine flow calculations, 7A1429

LE PRELL, GS: Measurements of active myocardial tension under a wide range of physiological loading conditions, 7T1553

LE QUERE, P: Three-dimensional transition of natural-convection flows, 3A1232

LE RAVALEC, M: High- and low-frequency elastic moduli for a saturated porous-cracked rock-differential self-consistent and poroelastic theories, 1A629

LE RIBAULT, C: Investigation of transport equations for turbulent heat fluxes in compressible flows, 9A1118

LE TALLEC, P: Non-overlapping domain decomposition method for adaptive hp approximations of the Stokes problem with discontinuous pressure fields, 11A966

LE THIEZ, P: System of nonlinear elliptic and degenerate parabolic equations describing compositional water-oil flows in porous media, 8T1448

LE TREUT, H: Role of the oceanic heat transport in climate dynamics: A sensitivity study with an atmospheric general circulation model, 11T1507

LE VAN, A: Boundary formulation for 3D anisotropic crack problems, 2A398
- Boundary integro-differential equation for anisotropic bodies with initial strains or stresses, 10A568

LE, A-T: Transverse gas jet injection behind a rearward-facing step, 5A1019

LE, ANH-TUAN: Numerical study of 3D wall-bounded flows, 2A1036

LE, HUNG: Direct numerical simulation of turbulent flow over a backward-facing step, 8A1188

LE, JIA-CHUN: Displacement oscillation of viscoelastical collapsible tube, 3T1107

LE, KC: Model of elastoplastic bodies with continuously distributed dislocations, 3A463

LE, THIEN HIEP: Pegase: A Navier-Stokes solver for direct numerical simulation of incompressible flows, 10A1101

LEA, CJ: Differential stress modeling of turbulent flows in model reciprocating engines, 9A1087

LEACH, P: Elasto-plastic design of reinforced concrete beams and slabs subject to dynamic loading, 8A902

LEADBETTER, MR: Modeling and statistical analysis of ocean-wave data using transformed Gaussian processes, 6A271

LEAITCH, WR: Observations pertaining to the effect of chemical transformation in cloud on the anthropogenic aerosol size distribution, 2A1404

LEAL, LG: Smoothed particle hydrodynamics techniques for solution of kinetic theory problems - Part 1: Method, 11A892

LEAO, JWD: Gravity inversion of basement relief constrained by the knowledge of depth at isolated points, 6A1405

LEARMONTH, ID: Factors contributing to the wear of polyethylene in clinical practice, 10A975
- Pathogenesis of osteolysis in two different cementless hip replacements, 10A1570

LEASE, KB: Fatigue of a particulate reinforced aluminium metal matrix composite subjected to axial, torsional, and combined axial-torsional loading conditions, 5A593

LEATHERS, RA: Closed-form solutions for transcendental equations of heat transfer, 5T1222

LEBCEUFET, F: Three dimensional flows in transonic and supersonic compressors (French), 2T1106

LEBEAU, GJ: Rarefied-flow transition regime orbiter aerodynamic acceleration flight measurements, 8A295

LEBEDEV, AV: Planar flow model for the vortex chamber flow - I: Turbulent viscosity in the near-axis region, 6T1106

LEBEDEV, VL: Model of growth of a penny-shaped low-cycle fatigue crack, 5A609

LEBEDKOV, YA: Methods of electrochemical shaping of GTE blade, 1A675

LEBEN, R: Local instability in a periodically forced sliced cylinder, 5A1018

LEBLANC, MM: Hybrid technique for compression testing at intermediate strain rates, 4T802

LEBLEBICIOGLU, K: Kalman-filter-based observer design around optimal control policy for gas pipelines, 7A26

LEBLOND, P: Transverse cracking of cross-ply laminates - Part 2: Progressive widthwise cracking, 4A762
- Transverse cracking of cross-ply laminates - Part 1: Analysis, 4A761

LEBOEUF, F: Assessment of Navier-Stokes and boundary layer procedures for the prediction of 2D viscous flow in a turbine nozzle, 8A1245

LEBOEUF, RL: Topology of the near-field vortical structures in a 3D wake, 4T1059

LEBON, F: Wavelet-Galerkin method for periodic heterogeneous media, 1A545

LEBON, G: Rayleigh-Marangoni thermoconvective instability with non-Boussinesq corrections, 5A1162
- Benard-Marangoni instability in rigid rectangular containers, 7A1125

LEBORGNE, S: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439

LEBOT, A: Energy models of 1D, multi-propagative systems, 10A256

LEBOUCHE, M: Experimental investigation of mass transfer in a grid-generated turbulent flow using combined optical methods, 11A1388

LEBRERE, L: Application of Reynolds stress modeling to engine flow calculations, 7A1429

LEBRUN, B: Pulsed eddy current signal analysis: Application to the experimental detection and characterization of deep flaws in highly conductive materials, 12A871

LEBRUN, G: Experimental investigation of resin temperature during filling and curing in epoxy and nickel shell RTM molds, 8A1306

LEC, RM: Acoustic wave sensors, 4A445

LECHTAPE-GRUTER, R: Computer-aided simulation of piston and piston ring dynamics, 5A1364

LECKIE, FA: Damage and deformation growth in brittle-ductile laminates, 6A776
- Continuum description of damage in ceramic-matrix composites, 7A731
- Strength-limited design of composite-monolith transitions in metallic structures, 10A618
- Role of scarf angle in the performance of aluminum matrix composite joints, 12A570

LECKNER, B: Modeling of chemical reactions in afterburning for the reduction of N_2O, 1A1329

- Operation control of circulating fluidized bed boilers, 4A1343
- Nitrogen oxides emission from a circulating fluidized bed combustor, 5A1339
LECLAIR, ES: Core-based SCB fracture of aligned first-year sea ice: Phase VI, 9A1550
- Modified reversed direct-stress device, 10T1500
LECLERC, C: Performance predictions of VAWTs with NLF airfoil blades, 8T1545
LECLERC, M: Open boundaries in the FE approximation of 2D advection-diffusion flows, 12A1352
LECLERC, MY: Experimental evaluation of analytical and Lagrangian surface-layer flux footprint models, 6T1485
LEDBETTER, H: Elastic constants of textured short-fiber composites, 3A496
- Elastic moduli of composites reinforced by multiphase particles, 11A475
LEDERICH, RJ: Tensile deformation and fracture behavior of a titanium-alloy metal-matrix composite, 9A762
LEDEZMA, G: Optimal spacing between pin fins with impinging flow, 2A1261
LEDEZMA, GA: Optimal geometric arrangement of staggered plates in forced convection, 7A1236
LEDSINGER, LA: Optimality and guidance for planar multiple-burn orbit transfers, 5A308
LEDUC, PR: Thermal softening of a particle-modified tungsten-based composite under adiabatic compression, 9A479
LEDYAEV, Y: Regularity properties of solutions to linear quadratic optimal control problems with state constraints, 12T371
LEDZEWICZ, U: Extendod maximum principle, 11T271
LEE , HS: Qasi-homogeneous nucleation in microgravity at low heat flux: Experiments and theory, 11A1275
LEE , JAW-FANG: Plunging jet characteristics of plunging breakers, 12A249
LEE , SANG SOON: Boundary element evaluation of stress intensity factors for interface edge cracks in a unidirectional composite, 2A660
LEE , TS: Finite element modeling of 3D solder joint geometry in SMT, 12A1037
LEE, A-C: Identification of the unbalance distribution and dynamic characteristics of bearings in flexible rotors, 5A134
LEE, AN-CHEN: Optimum design of a magnetic bearing-controlled rotor system, 4A927
- Modeling and diagnosis of motion error of multi-axis machines using a ball bar test, 4A182
- Optimum magnetic bearing design considering performance limitations, 5A869
- Identification of linearized dynamic characteristics of rolling element bearings, 6A206
- Identification of the unbalance distribution in flexible rotors, 8A163
- Modeling and analysis of the intermediate shaft between two universal joints, 11A148
LEE, BH: Termination criteria in iterative solution of large scattering problems using integral equation methods, 9A294
- Normal and tangential force calibration in fretting fatigue test, 9T726
LEE, BHK: Investigation of the unsteady pressure fluctuations on an F/A-18 wing at high incidence, 4A1133
- Analysis and computation of nonlinear dynamic response of a 2-dof system and its application in aeroelasticity, 11A226
LEE, BJ: Stabilization of lifted tribrachial flames in a laminar nonpremixed jet, 9A1366
LEE, BL: Effects of moisture and thermal cycling on in-plane shear properties of graphite fiber-reinforced cyanate ester resin composites, 5A449
LEE, BOO YOUN: Consideration of body forces in axisymmetric design sensitivity analysis using the BEM, 3A787
- Direct differentiation formulation for BE shape sensitivity analysis of axisymmetric elastic solids, 5A56
LEE, BOON-KIAT: Diamond, cropped, delta, double-delta wing vortex breakdown during dynamic pitching, 9T1159
LEE, BS: Finite element analysis of load-deflection and creep characteristics of compressed rubber components for vibration control devices, 3A139
LEE, BYONG-WHI: Plastic zone size in fatigue cracking, 1A750
LEE, BYUNG CHAI: Equivalence between enhanced assumed strain method and assumed stress hybrid method based on the Hellinger-Reissner principle, 3A34
LEE, BYUNG WOO: Application of the first-order perturbation method to optimal structural design, 2A752
- Design sensitivity analysis extended to perturbation treatment in problems of uncertain structural system, 7A813
LEE, C-H: Extended boundary integral equation method for the removal of irregular frequency effects, 4A247
LEE, C-T: Higher order method of multiple scales, 12A81
LEE, CC: Experimental approach to selecting H_∞ weighting functions for DC servos, 9A323
LEE, CH: Investigation of mid-loop operation with loss of RHR at INER integral system test facility, 1A1431
- Bead pattern optimization, 6A844
LEE, CHANG-GUN: Sequential prediction-error method for structural identification, 7A305
LEE, CHENG-TANG: Stability of the unison response for a rotating system with multiple tautochronic pendulum vibration absorbers, 10A124
LEE, CHEO K: Re-examination of the equations of poroelasticity, 8A1463
LEE, CHEOL-HO: Analytical modeling of dual panel zone in haunch repaired steel MRFs, 6A1432
LEE, CHIEN-HUA: Decentralized robust control design for large-scale time-delay systems with time-varying uncertainties, 5A287
- Upper and lower bounds of the solution for the continuous Riccati matrix equation, 7T324
LEE, CHIN-YUH: Representing grain size of bed material, 6A1006
LEE, CHONG-WON: In-situ identification of active magnetic bearing system using directional frequency response functions, 4A330
- H_∞ robust control of flexible beam vibration by using a hybrid damper, 4A394
- Isotropic optimal control of active magnetic bearing system, 6A407
- Use of dFRFs for diagnosis of asymmetric-anisotropic properties in rotor-bearing system, 11A152
LEE, CHUL-HEE: Position tracking control of a smart flexible structure featuring a piezofilm actuator, 5A325
LEE, CHUN-MO: Control of the J-85 turbojet engine using the Edmunds' method and the extended Kalman filter technique, 8A1438
LEE, CHUNG-CHING: Kinematic analysis and dimensional synthesis of general-type Sarrus mechanism, 7A951
LEE, CHUNG-HUNG: Realistic friction modeling for simple upsetting, 10T970
LEE, CK: Apparatus and method for measuring angular positions of parachute canopies, 6T934
- Automatic adaptive 3D FE refinement using different-order tetrahedral elements, 11A38
LEE, CL: Higher order method of multiple scales, 12A81
LEE, CP: Local heat transfer in a rotating two-phase triangular duct with smooth walls, 1A1188
- Heat transfer and film cooling effectiveness in a linear airfoil cascade, 10A1300
- Experimental heat transfer in a rotating triangular duct: Effect of model orientation, 11T1250
- Combined effect of grid turbulence and unsteady wake on film effectiveness and heat transfer coefficient of a gas turbine blade with air and CO_2 film injection, 12A1145
LEE, CS: Blood analog for laser-induced photochemical anemometry, 8T1570
- Cleaning and reflow of Pb-Sn C4 solder bumps, 11A877
- Wall shear rate distribution an abdominal aortic bifurcation model: Effects of vessel compliance and phase angle between pressure and flow waveforms, 12A1561
LEE, D-J: Sound radiation from elliptic vortex rings: Evolution and interaction, 9A260
- Development of the direct BEM for thin bodies with general boundary conditions, 12A66
LEE, DA! GIL: Measurement of the degree of cure of carbon fiber epoxy composite materials, 2A608
- Strength analysis of adhesively-bonded tubular single lap steel-steel joints under axial loads considering residual thermal stresses, 10A1014
LEE, DAI-GIL: Development of the composite third robot arm of the six-axis articulated robot manipulator, 8A453
LEE, DG: Characteristics of a spindle bearing system with a gear located on the bearing span, 7A942
LEE, DJ: Second-law analysis on a pin-fin array under crossflow, 7A1337
- Continuous classification of moisture content in waste activated sludges, 9T1059
- Relative stability between nucleate and film boiling on a nonuniformly heated plate surface, 11A1276
LEE, DN: Analysis of the deformation of a perforated sheet under uniaxial tension, 1A473
- Plastic behavior of perforated sheets under biaxial stress state, 8A528
LEE, DONG GUEN: Efficient seismic analysis of multi-story buildings, 4A1403
LEE, DONG-GUEN: Effect of gravity load on seismic response of steel-framed structures, 9A1478
LEE, DONG-LYEOL: Shear rate dependent thermal conductivity measurements of non-Newtonian fluids, 10T1344
LEE, DONG-MIN: Vibration behaviors of thermally postbuckled anisotropic plates using first-order shear deformable plate theory, 9A582
LEE, DS: Stress intensity factors for an embedded elliptical crack in a plate of finite thickness, 8A776
LEE, DW: Efficiency analysis and improved design of a rubber V-belt CVT, 9A949
LEE, EP: Seventh international symposium on heavy ion inertial fusion, 7A1506
LEE, ET: Multi-objective optimization of radiative fin array systems in a fuzzy environment, 2A1249
- New method for assessment of changes in retinal blood flow, 11A1569
LEE, EUNG SUK: "Z" approaching minimum zone method for flatness and straightness error calculation, 5A737
LEE, F-Y: Dynamic analysis of the flexible rod of a quick-return mechanism with time-dependent coefficients by the FEM, 12A56
LEE, FH: Behavior of gravity caisson on sand, 9A629
LEE, FU-MING: Stable on-line parameter identification algorithms for systems with non-parametric uncertainties and disturbances, 4T333
- Stable on-line parameter identification with general knowledge on level of information noise: Discrete-time case, 11T279
LEE, G: Analytical assessment of measurement uncertainty in precision inspection and machine calibration, 8A857
- Sampling strategy design for dimensional measurement of geometric features using coordinate measuring machine, 12A875
LEE, G-M: Estimation of nonlinear system parameters using higher-order frequency response functions, 9A303
LEE, GF: Sound absorption height and width limits for polymer relaxations, 9A275
LEE, GS: Vibration control of smart structures by using neural networks, 9A853
LEE, H: Compact polariscope-shearing interferometer for mapping stress fields in bimaterial systems, 5A709
- Effects of magnetic reconnection in the Kelvin-Helmholtz instability at the magnetospheric boundary, 10A1206
LEE, H-K: Near-field approach to active control of sound radiation from a fluid-loaded rectangular plate, 4A305
LEE, H-S: Measurement of workpiece size errors with AE sensor in grinding, 10T747
LEE, HAEOK S: Nonaxisymmetric radiative transfer in cylindrical enclosures, 6A1277
LEE, HB: Effect of water flow rate upon the environmentally assisted cracking response of a low-alloy steel: Experimental results plus modeling, 8A760
LEE, HC: Feedback control of Karman vortex shedding, 3A281
LEE, HJ: Development of an artificial skin ridge for pattern recognition, 9A396
LEE, HO HYUNG: Evaluation of thermal stresses at the interface of a stitch in a stitched laminate, 4A1269
LEE, HO-PYEONG: Design of two-dof robust controllers for a seeker scan loop system, 9T333
LEE, HONG-YOU: Inverse kinematics of serial-chain manipulators, 3A403
LEE, HONG-YUAN: Particle spinning motion during saltating process, 3A1067
- Experimental study of reservoir turbidity current, 11T909
LEE, HP: Thermal stress analyses of a waste storage container, 2A1426
- Curvature optimization of a cam mechanism with a translating flat-faced follower, 3A911
- Motions with minimal base reactions for redundant manipulators, 3A396
- Dynamic response of a Timoshenko beam subjected to a moving mass, 6A151
- Dynamic stability of spinning Timoshenko shafts with a time-dependent spin rate, 8A162
- Flutter of a cantilever rod with a relocatable lumped mass, 10A669
- Dynamic stability of a radially rotating beam subjected to base excitation, 12A661
LEE, HS: Hopf bifurcations of viscoelastic fluids heated from below, 3A102
- Thermal decomposition studies of energetic materials using confined rapid thermolysis-FTIR spectroscopy, 12A1406
LEE, HSIEN HUA: Stochastic analysis for offshore structures with added mechanical dampers, 12A283
LEE, HSIN-LI: LDV measurements of spatially periodic flows over a detached solid-rib array, 11A1041
LEE, HSING-JUIN: Optimal shape design of engine connecting rod with special lumping-mass constraint, 5A873
LEE, HU-SANG: Efficient method for identification of motion error sources from circular test results in NC machines, 8A860
LEE, HUA: Single-reference calibration technique for multiple-element array sonar imaging systems, 1A337
LEE, HYEONG-JIN: Sequential prediction-error method for structural identification, 7A305
LEE, HYEONG-YEON: Stress intensity factor solution for radial and circumferential cracks in hollow cylinders using indirect boundary integral, 3A693
LEE, HYUN CHANG: State-space system identification from closed-loop frequency response data, 5T277
LEE, I: Aeroelastic analysis for flap of airfoil in transonic flow, 3A1183
LEE, I-W: Numerical method for sensitivity analysis of eigensystems with non-repeated and repeated eigenvalues, 2A104
LEE, IC: Buckling and postbuckling behavior of stiffened composite panels loaded in compression, 6T1094
LEE, IN: Vibration behaviors of thermally postbuckled anisotropic plates using first-order shear deformable plate theory, 9A582
- Refined aeroelastic analysis of hingless rotor blades in hover, 11A225
LEE, IN-WON: Efficient algebraic method for the computation of natural frequency and mode shape sensitivities - Part I: Distinct natural frequencies, 7A166
- Efficient algebraic method for the computation of natural frequency and mode shape sensitivities - Part II: Multiple natural frequencies, 7A167
- Determination of the natural frequencies and mode shapes for large structures by accelerated Newton-Raphson method, 8A179
LEE, INSANG: Fiber-optic crack-tip opening displacement sensor for concrete, 10A868
LEE, J: Constrained genetic search via schema adaptation: An immune network solution, 2A753
- Radiation impedance computations of a square piston in a rigid infinite baffle, 6A332
- Fiber composite fatigue-life determination, 7A662
- Measurement of air flowrate by using an integration type ultrasonic flow meter applicable for spark ignition engine control, 11A1193
- Aircraft gas turbine engine fuel pumping systems in the 21st century, 12T1414
- Nonlinear valve train dynamics simulation with a distributed parameter model of valve springs, 12A124
LEE, J-C: Adaptive kernel method for evaluating structural system reliability, 10A923
LEE, J-S: Automated system for analyzing stress intensity factors of 3D cracks: Its application to analyses of two dissimilar semi-elliptical surface cracks in plate, 8A772
LEE, J-W: Numerical method for sensitivity analysis of eigensystems with non-repeated and repeated eigenvalues, 2A104
LEE, JAE K: Tensile stress measurements of dilute polymer solutions containing traces of salts and dyes, 5A898
LEE, JAE WON: Development of the composite third robot arm of the six-axis articulated robot manipulator, 8A453
LEE, JAESOO: Modified Spalart-Allmaras one-equation turbulence model for rough wall boundary layers, 1A1029
LEE, JD: Quest of a universal fracture law governing the process of slow crack growth, 2A669
- Finite element analysis of the slow crack growth process in mixed mode fracture, 7A16
- Sound absorption height and width limits for polymer relaxations, 9A275
LEE, JH: Investigation of necking instability in fiber reinforced polypropylene, 11A461
LEE, JIEN-SHUIN: Impedance control with on-line neural-network compensator for robot contact tasks, 1A397
LEE, JIN S: Adaptive learning control of uncertain robotic systems, 6A387
LEE, JIN-HEE: Process design in multi-stage cold forging by the FEM, 1A638
- Development of a methodology to form net-shape nosing shells by the backwards tracing scheme of the rigid-plastic FEM, 11A26
LEE, JINHO: Double-diffusive convection in a rotating cylinder with heating from below, 11A1390
LEE, JJ: Transient fluid-structure interaction in a control valve, 11A910
LEE, JK: Mobile manipulator motion planning for multiple tasks using global optimization approach, 9A392
- Implementation of vortex filament methods on parallel machines with distributed adaptive data structure, 10A1173
LEE, JM: Free vibration analysis of symmetrically laminated composite rectangular plates, 6A183
LEE, JONG BOONG: Laminar forced convection condensation of saturated vapors in the near-critical region, 6A1261
LEE, JONG GUEN: Fiber-optic probe for laser-induced fluorescence measurements of the fuel-air distribution in gas-turbine combustors, 10A1414
LEE, JONGKIL: Analytical and experimental analysis of a self-compensating dynamic balancer in a rotating mechanism, 4A937
LEE, JONGSOO: Parallel genetic algorithm implementation in multidisciplinary rotor blade design, 4A813
LEE, JOON SIK: Analysis of striation formation in laser material cutting process, 8A698
- Flow characteristics and aerodynamic losses of film-cooling jets with compound angle orientations, 10A1254
LEE, JS: Numerical modeling of brick masonry panels subject to lateral loadings, 3A521
- Analysis of superplastic forming processes using a FEM, 6A706
- Effects of bulk flow pulsations on film-cooled boundary layer structure, 9T1083

LEE, JU-YOUNG: Optimum design of a steering column to minimize the injury of a passenger, 3A909
LEE, JUNG-HWAN: Process design in multi-stage cold forging by the FEM, 1A638
LEE, JUNGKI: Volume integral equation technique for multiple inclusion and crack interaction problems, 10A567
LEE, JW: Wave diffraction around 3D bodies in a current, 6A277
LEE, JY: Interaction between a crack and a circular elastic inclusion under remote uniform heat flow, 3A441
LEE, KANG YONG: Mode II stress intensity factor for layered material under arbitrary shear crack surface loading, 2A661
- Determination of thermal shock stress intensity factor for elliptical crack by modified Vainshtok's weight function method, 7A718
LEE, KANG-YONG: Determination of stress intensity factor for embedded elliptical crack in turbine rotor, 6A761
LEE, KH: Deflection and stress-resultants of axisymmetric Mindlin plates in terms of corresponding Kirchhoff solutions, 1A581
- Effect of welding parameters on the residual stress by the parallel heat welding, 11A436
- High-resolution finite volume computation of turbulent transonic flow past airfoils, 12A1097
LEE, KI-DU: Dynamic response of laminated circular cylindrical shells under impulse loads, 8A151
LEE, KISU: Numerical method for dynamic analysis of vehicles moving on flexible structures having gaps, 7A178
LEE, KJ: Surface effect on braking behavior of PAN-pitch carbon-carbon composite, 5A848
LEE, KM: Factors affecting the pullout strength of cancellous bone screws, 2A1477
LEE, KN: Suppression of chatter vibration of a CNC machine center: An example, 4A179
LEE, KUAN-TZONG: Mixed convection heat and mass transfer in vertical rectangular ducts, 7A1259
- Unsteady conjugated mixed convection flow and heat transfer between two co-rotating discs, 9A1227
LEE, KUNG-YAN: Quest of a universal fracture law governing the process of slow crack growth, 2A669
- Finite element analysis of the slow crack growth process in mixed mode fracture, 7A16
LEE, KW: Study on electro-discharge diamond wheel grinding (EDGM) of ceramic materials, 4A682
LEE, KWANG-WON: Accuracy test of sensitivity analysis in the semi-analytic method with respect to configuration variables, 10A893
LEE, KWANGJIN: Effect of intermittent contact on the stability of thermoelastic sliding contact, 11A1189
LEE, KYU-YEUL: Knowledge-based optimum conceptual ship design, 2A756
LEE, KYUNG-HO: Knowledge-based optimum conceptual ship design, 2A756
LEE, LC: Selected papers from 2nd International Conference on Production Engineering, Singapore, November 22-24,1996, 7T612
LEE, LJ: Dry spot formation and changes in liquid composite molding - II: Modeling and simulation, 2A606
- Prediction of fatigue damage and life for composite laminates under service loading spectra, 2A634
- Dry spot formation and changes in liquid composite molding - I: Experimental, 2A605
- Moldability of tackified fiber preforms in liquid composite molding, 10A753
LEE, MIYOUNG: Mixed FEMs for nonlinear elliptic problems: The p-version, 5A14
LEE, MMK: Parametric study of strength of tubular multiplanar KK-joints, 3A925
- Sensitivity of J-integrals of material law variations for semi-elliptical surface cracks, 8A787
- Strength of multiplanar tubular KK-joints under antisymmetrical axial loading, 11A821
LEE, MY: Design and assessment of an adaptive intermittent cervical traction modality with EMG biofeedback, 5A1521
LEE, MYOUNG-JAE: High-thrust-high-specific impulse gasdynamic fusion propulsion system, 10A1437
LEE, NAM-HO: Three-dimensional non-conforming 8-node solid elements with rotational dof, 4A36
LEE, P: Prediction of ball-end milling forces from orthogonal cutting data, 3A634
LEE, PING: Three-dimensional finite difference simulation of sonic logging, 1A340
LEE, PO-CHAO: Flame and flow characteristics of double concentric jets, 6A1326
LEE, PS: Parametric FEM for predicting shapes of 3D solder joints, 4A945
- Prediction of solder joint geometries in array-type interconnects, 4A946
- Study of fatigue and creep behavior of four high temperature solders, 5A598
LEE, R: Modeling of corium dispersion in DCH accidents, 3A1441
LEE, RONG SHEAN: Upper-bound elemental technique with convex parallelopiped and convex spherical elements for 3D forging analysis, 12A714
LEE, RONG-SHEAN: Effects of die chilling and flow stress characteristics on the deformation of non-isothermal forging of Ti-6Al-4V alloy, 2A582
- Modified analysis of the backward extrusion of internally circular-shaped tubes from arbitrarily shaped billets by the upper-bound elemental technique, 4A658
LEE, RONG-TSONG: Efficient multilevel FE approach to 3D phase-change problems, 7A1311
- Study on lubrication mechanism and wear scar in sliding circular contacts, 7A890
- Fundamental characteristics of wear particle deposition measurement by an improved on-line ferrographic analyzer, 12A948
LEE, RS: Three-dimensional upper bound elemental technique for forging analysis, 2A584
LEE, RY: High pressure simulation experiment on corium dispersion in direct containment heating, 3A1439
- Experimental simulation of corium dispersion phenomena in direct containment heating, 3A1438
LEE, RYY: Finite element method for nonlinear free vibrations of composite plates, 6A182
LEE, S: Glide avalanche prediction from surface topography, 1A891
LEE, S-B: Experimental study for reliability of electronic packaging under vibration, 5A634
LEE, S-C: Analysis of random dynamical systems by interpolated cell mapping, 2A94
- Angle of incidence and size effects on dependent scattering in fibrous media, 5A1249
- Modified interpolated cell mapping method, 8A98
LEE, SANBOH: Diffusive crack growth at a bimaterial interface, 3A677
LEE, SANG SOON: Singular cladding stresses at interface of elastic cylinders, 5A805
- Free-edge stress singularity in a 2D unidirectional viscoelastic laminate model, 12A480
LEE, SANG WOO: Flow characteristics and aerodynamic losses of film-cooling jets with compound angle orientations, 10A1254
LEE, SANGRYOUL: Critical heat-flux characteristics of R-113 boiling two-phase flow in twisted-tape-inserted tubes, 2A1211
LEE, SANGSAN: Interaction of isotropic turbulence with shock waves: Effect of shock strength, 11A1089
LEE, SANGUK: Orbital maneuvers via feedback linearization and bang-bang control, 7A245
LEE, SAY-CHONG: Problems in characterizing dynamics of mud shore profiles, 9T1005
LEE, SB: Asymptotic analysis to a tensile crack in creeping solids coupled with damage - Part II: Large damage region very near the crack tip, 8A779
- Normal and tangential force calibration in fretting fatigue test, 9T726
LEE, SC: Radiative properties of fibrous insulations: Theory versus experiment, 1A1250
- Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part I: Unconfined circular jets, 6A1222
- Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part II: Initially laminar confined slot jets, 6A1223
LEE, SCH: Modified clays for waste containment and pollutant attenuation, 7T1521
LEE, SD: Suggestive correctional methods for PIV image biasing caused by a rotating mirror system, 2A1146
LEE, SEOK SOON: Analysis of crack closure problem using the dual BEM, 3A719
LEE, SEONGWOO: Forced oscillations of a vertical continuous rotor with geometric nonlinearity, 4A85
LEE, SERI: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
LEE, SF: Continuous classification of moisture content in waste activated sludges, 9T1059
LEE, SH: Laminar forced convection at zero gravity to water near the critical region, 1A1161
- Gravitational effects on laminar convection to near-critical water in a vertical tube, 5A1147
- Plastic behavior of perforated sheets under biaxial stress state, 8A528
LEE, SH-K: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Flow of smoke and hot gases across horizontal vents in room fires, 2A1330
- Simulation of the transport processes in the neck-down region of a furnace drawn optical fiber, 5A1187
LEE, SHK: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
LEE, SHUN-CHING: Finite element solutions of laminar and turbulent mixed convection in a driven cavity, 1A48
- Finite element solutions of laminar and turbulent flows with forces and mixed convection in an air-cooled room, 10A1293
LEE, SHYONG: Thickness distribution in a superplastically formed rectangular pan under plane-strain conditions, 11A624
LEE, SI C: Effect of slide-to-roll ratio on interior stresses around a dent in EHL contacts, 4T1163
- Mixed-lubrication study of journal bearing conformal contacts, 12A1199
LEE, SJ: New two-frame particle tracking algorithm using match probability, 6A1210
LEE, SL: Transient conjugate heat transfer on a naturally cooled body of arbitrary shape, 8A1278
- Modeling of Darcy-Forchheimer drag for fluid flow across a bank of circular cylinders, 10A1444
LEE, SOON-BOK: Critical review on multiaxial fatigue assessments of metals, 1A702
- Fatigue failure of welded vertical members of a steel truss bridge, 1A705
- Mechanistic model for fatigue life prediction of solder joints for electronic packages, 8A765
- Crack initiation and growth behavior of Al2024-T4 under fretting fatigue, 12A753
LEE, SP: New approach to enhance the sensitivity of a hot-wire anemometer and static response analysis of a variable-temperature anemometer, 8A1251
LEE, SR: Ignition in the supersonic hydrogen-air mixing layer with reduced reaction mechanisms, 3A1293
- Analysis of soil nailed earth slope by discrete element method, 8A658
- Equivalent model and back-analysis technique for modeling in situ consolidation behavior of drainage-installed soft deposits, 10A687
LEE, SS: Time-dependent BE analysis for an interface crack in a 2D unidirectional viscoelastic model composite, 2A716
- Diagnostics and optimization of reciprocating chillers: Theory and experiment, 7A1230
LEE, SU JEONG: Strength analysis of adhesively-bonded tubular single lap steel-steel joints under axial loads considering residual thermal stresses, 10A1014
LEE, SUCHANG: Time-domain FEM for inverse problem of aircraft maneuvers, 7A1170
LEE, SUNPYO: Finite element analysis of poroelastic composites undergoing thermal and gas diffusion, 5A1285
LEE, SW: Effect of ply-drop configuration on delamination strength of tapered composite structures, 2A649
- Superconvergent stress recovery technique with equilibrium constraint, 9A444
- Coupled solidification analysis of materials and cooling roller in direct rolling process, 12A718
LEE, T: Superconvergent stress recovery technique with equilibrium constraint, 9A444
LEE, T-E: Event graph modeling of automated sorting and buffering system, 3A424
LEE, T-W: Effects of variable partial premixing on turbulent jet flame structure, 11A1401
LEE, TAE S: Effects of welding conditions on molten drop geometry in arc welding, 5A880
LEE, TAE WON: Shape design sensitivity approach for 2D mixed-mode fracture analysis under general loading, 11A730
LEE, TC: Finite-element analysis of temperature distributions in spade drilling, 12A45
- Wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, 12A962
LEE, TH: Extended adaptive control of nonlinear multivariable servomechanisms not requiring acceleration sensing, 6A390
- Nonlinear feedback controller for a single-link flexible manipulator based on a FE model, 8A447
LEE, TI-CHUNG: Tracking control of flexible joint manipulators using only position measurements, 1A399
LEE, TIEN-YU T: Numerical study of local and average natural convection Nusselt numbers for simultaneous convection above and below a uniformly heated horizontal thin plate, 8A1277
LEE, TONG H: Endochronic analysis for finite elastoplastic deformation and application to metal tube under torsion and metal rectangular block under biaxial compression, 8A513
LEE, TONG HENG: Design of variable structure controllers with continuous switching control, 4T377
LEE, TS: Flow in a pipe with a ring-type obstacle, 1A1042
- Air influence on similarity of hydraulic transients and vibrations, 7A1180
- Numerical study of the early stages of impulsively started unsteady laminar flow past a square cylinder, 7A1045
- False transient model for the study of steady fluid motion and heat transfer in trapezoidal chambers with heated bases, 7A1275
- Numerical study of effects of pulsatile amplitude on unsteady laminar flows in rigid pipe with ring-type constrictions, 8A1144
- Consequences of fluid lag in 3D hydraulic fractures, 10A1452
- Experimental investigation of pulsatile flows in tubes, 10A1546
LEE, TW: Computer Technology - 1996: Applications and Methodology, 2N23
LEE, TZONG-EN: Integrated PID-type learning and fuzzy control for flexible-joint manipulators, 8A446
LEE, U: Revisiting the moving mass problem: Onset of separation between the mass and beam, 1A166
LEE, VSP: Stump-socket interface pressure as an aid to socket design in prostheses for trans-femoral amputees: A preliminary study, 12A1583
LEE, VW: Peak surface strains during strong earthquake motion, 1A1419
LEE, W: Growth of interface defects and its effect on crack deflection and toughening criteria, 4A766
- Soot zone structure and sooting limit in diffusion flames: Comparison of counterflow and co-flow flames, 9A1369
LEE, WB: Modeling of damage behaviors of high impact polystyrene, 5A690
- Special volume containing the proceedings of the Third Asia Pacific Conference on Materials Processing, Hong Kong, November 12-14, 1996, 7A600
- Damage analysis of crack tip zone in high impact polystyrene, 8A781
- Automatic supervision of blanking tool wear using pattern recognition analysis, 12A909
LEE, WC: Equations of nonlinear vibrations, 7A111
- Simultaneous triangularization of the coefficients of linear systems, 12T142
LEE, WENPING: Prediction of cavitation damage for spillways, 3A982
LEE, WHK: Shallow velocity structure and Poisson's ratio at the Tarzana, California, strong-motion accelerometer site, 8A1501
LEE, WON KYOUNG: Combination resonances of a circular plate with three-mode interaction, 11A122
LEE, WOOJIN: Resilient modulus of cohesive soils, 8A642
LEE, XC: Numerical study of recovery effect and impingement heat transfer with submerged circular jets of large Prandtl number liquid, 9A1211
LEE, XINGDE: Temperature calculation in the thickness direction for composite of arbitrary layers, 7A1370
LEE, XUHUI: Coherent eddies and temperature structure functions for three contrasting surfaces - Part I: Ramp model with finite microfront time, 12A1147
- Coherent eddies and temperature structure functions for three contrasting surfaces - Part II: Renewal model for sensible heat flux, 12T1148
LEE, Y-G: Instability analysis of unsymmetrical rotor-bearing systems using the transfer matrix method, 8A164
LEE, YAJIE: Control of strong motion by the upper 30 meters, 8A1497
LEE, YING-TE: Stress intensity factor of a patched crack, 9A736
LEE, YK: Significance of J, to the prediction of shear bands, 7A435
LEE, YONG IL: Experimental and numerical study on the laminar premixed flame stabilized inside a honeycomb ceramic, 4A1289
LEE, YONG-HAK: Nonlinear FE reliability analysis of concrete, 6A877
LEE, YONG-SHIN: Mechanical property changes in drawing-extrusion of hardening viscoplastic materials with damage, 7A595
LEE, YOUNG-SHIN: Behavior of antisymmetric angle-ply laminated plates using the affine transformation, 2A488
- Analysis of nonlinear vibration of hybrid composite plates, 3A160
- Dynamic response of laminated circular cylindrical shells under impulse loads, 8A151
LEE, YS: Stress relaxation in the interface between creep particle and elastic matrix-strengthening mechanism, 7T454
LEE, YUAN-GANG: Influence of bearing damping on instability of asymmetric shafts - Part II: Mode veering, 2A152
LEE, YUNG-LI: New method for estimating nonproportional notch-root stresses and strains, 7A699
LEE, ZHENG-KUAN: Seismic monitoring of a bridge: Assessing dynamic characteristics from both weak and strong ground excitations, 7A1483
LEE-GLAUSER, GJ: Comparison and combination of learning controllers: Computational enhancement and experiments, 3A356
- Integrated passive-active vibration absorber for multistory buildings, 9A1494
LEE-KWANG, HYUNG: Fuzzy-control simulation of cross-sectional shape in six-high cold-rolling mills, 6A454
LEE-RAUSCH, EM: Wing flutter computations using an aerodynamic model based on the Navier-Stokes equations, 6A309
LEE-SULLIVAN, P: Influence of thermoplastic film interleaving on the interlaminar shear strength and Mode I fracture of laminated composites, 1A762
LEECE, GD: Experimental investigation of the effects of cycling frequency and temperature on the fatigue life of 60 Tin-40 lead solder, 6T976
LEECH, CM: Given force cannot be a function of acceleration, 7A82
LEEM, CS: Design and implementation of sensor-based tool-wear monitoring systems, 3A624
LEEMING, A: Theory of particle deposition in turbulent pipe flow, 11A1104
LEEPHAKPREEDA, T: Optimization of crystallinity distribution in sheet extrusion, 8A694
LEES, JM: Attenuation structure of Coso geothermal area, California from wave pulse widths, 4A1367

- Statistical technique for validating velocity models, 8A1493
LEEVERS, PS: Rapid crack propagation in plastic water pipes: Measurement of dynamic fracture resistance, 6A796
LEFEBVRE, AH: Structure of airblast sprays under high ambient pressure conditions, 12A1111
LEFEBVRE, M: Controlled wear processes: A risk-sensitive formulation, 1A900
LEFEVRE, RJ: Piecewise tendency diagnosis of dynamical processes governing the development of an upper-tropospheric mobile trough, 5T1428
LEFIK, M: FE modeling of a boundary layer corrector for composites using the homogenization theory, 4A580
- Use of homogenization theory to build a beam element with thermomechanical microscale properties, 6A58
LEFLOCH, PG: Gas dynamics system: Two special cases, 10A1106
LEFTHERIS, B: Modeling prestress restoration of buildings by general purpose structural analysis and optimization software, the optimization module of MSC-NASTRAN, 7A842
LEFTHERIS, BP: Optimal prestress in modal analysis via induced temperature modeling, 10A903
LEGALLAIS, P: Ideal free streamline flow over a curved obstacle, 1A982
LEGAT , V: Adaptive hp-FE viscoelastic flow calculations, 3A455
LEGAT, V: Finite element simulation of a filament stretching extensional rheometer, 12A1052
LEGE, DJ: Blank shape design for a planar anisotropic sheet based on ideal forming design theory and FEM analysis, 3A618
LEGENTILHOMME, P: Residence time distribution in twisted pipe flows: Helically coiled system and chaotic system, 9A1090
LEGG, S: Rapidly rotating turbulent Rayleigh-Benard convection, 3A1025
LEGGE, H: Experimental and computational wake structure study for a wide-angle cone, 2A838
LEGGE, KA: Benchmarks for frames subject to follower loads, 9A898
LEGGIO, A: Experimental analysis of viscoelastic criteria for crack initiation and growth in polymers, 9A738
LEGRAND, C: Measurement of apparent activation energy of cements in mortars by means of Langavant's semi-adiabatic calorimeter (French), 4A541
LEGRAND, J: Turbulent flow induced by an impeller in a closed toroidal loop, 7A1188
LEGRENEUR, P: Simulation of *in situ* soleus isometric force output as a function of neural excitation, 4A1483
LEGROS, J-C: Vibrational convective instability of a horizontal, binary-mixture layer with Soret effect, 8A1173
LEGROS, N: High performance materials obtained by solid state forming of polymers, 1A668
LEGTENBERG, R: Comb-drive actuators for large displacements, 4A421
- Stiction in surface micromachining, 8T419
LEHETA, HW: Reliability-based method for optimal structural design of stiffened panels, 11A767
LEHMAN, SL: Two mathematical models explain the variation in cystometrograms of obstructed urinary bladders, 5A1492
LEHNER, DL: Characterization of the panoramic annular lens, 5A722
LEI, HC: Void formation and growth in a class of compressible solids, 5A10
LEI, HIN-CHI: Linearity of waves in some systems of nonlinear elastodynamics, 8A224
LEI, J-F: Comparison testings between two high-temperature strain measurement systems, 5A1306
LEI, M: Flow input waveform effects on the temporal and spatial wall shear stress gradients in a femoral graft-artery connector, 5A1498
- Geometric design improvements for femoral graft-artery junctions mitigating restenosis, 5A1489
- Hemodynamic simulations and computer-aided designs of graft-artery junctions, 12A1550
LEI, WEISHENG: Simplified determination of drop-weight-test NDT, 2A723
- Generalized characteristic transition temperature of brittleness - II: Thermal activation analysis, 3A1277
LEI, Y: J-integral estimation method for cracks in welds with mismatched mechanical properties, 8A785
- Estimation of J in three-point-bend specimens with a crack in a mismatched weld, 8A783
- Fracture behavior of a center cracked tensile specimen, 9A778
- Equivalent nonlinear system method for stochastically excited and dissipated integrable Hamiltonian systems, 10A132
- J-integral function for a center-cracked tensile specimen, 11A690
LEI, ZX: Analysis of the transient response of vertically loaded single piles by time-domain BEM, 1A621
LEIB, SJ: Nonlinear evolution of a pair of oblique Tollmien-Schlichting waves in boundary layers, 11A1067
LEIDE, B: Residual reactivity of burned gases in the early expansion process of future gas turbines, 11T1408
LEIGH, SH: Tensile toughness test and high temperature fracture analysis of thermal barrier coatings, 9A786
LEIGHTON, DG: Detection of tethered and rising bubbles using multiple acoustic techniques, 10A403
LEIGHTON, DT: Shear-induced radial segregation in bidisperse suspensions, 3A1070
- Influence of surface roughness on the particle-pair distribution function of dilute suspensions of non-colloidal spheres in simple shear flow, 11A896
LEIGHTON, HG: Effect of turbulence on the collision rates of small cloud drops, 3A1283
LEIGHTON, R: Limit of wave propagation on the free surface of a viscous fluid, 11T190
LEIGHTON, RI: Shear-free turbulence near a flat free surface, 3A1143
LEIGHTON, TG: Use of a combination frequency technique to measure the surf zone bubble population, 9A298
- Subharmonic oscillations and combination-frequency subharmonic emissions from a resonant bubble: Their properties and generation mechanisms, 10A351
LEIKO, AA: Emission of nonstationary acoustic waves by a system of two unidirectional cylindrical piezotransformers, 4T273
LEINER, W: Impinging radial and inline jets: A comparison with regard to heat transfer, wall pressure distribution, and pressure loss, 7A1105
- Extended thermodynamic similarity as a concept to predict heat transfer in poorly known fluids considered for critical heat flux in boiling, 8A1320
LEINO, Y: Scale resolution, locking, and high-order FE modeling of shells, 1A586
LEIPALA, T: Determining the manual setting order of components on PC boards, 1T410
LEIPERTZ, A: Condensation of steam on the surface of hard coated copper discs, 8A1322
LEIROZ, AJK: Flame and droplet interaction effects during droplet-stream combustion at zero Reynolds number, 7A1416
LEISHMAN, JG: Free-wake analysis of tandem, tilt-rotor and coaxial rotor configurations, 2A1110
- Seed particle dynamics in tip vortex flows, 2T1145
- Unsteady aerodynamics of a flapped airfoil in subsonic flow by indicial concepts, 4A1123
- Measurements of rotor tip vortices using three-component laser Doppler velocimetry, 4A1150
- Subsonic unsteady aerodynamics caused by gusts using the indicial method, 4A1121
- Measurements of the velocity and turbulence structure of a rotor tip vortex, 9A1051
LEISIEUTRE, GA: Aeroelastic response and stability of helicopters with elastomeric lag dampers, 2A828
LEISK, GG: Digital computer algorithms to calculate ultrasonic wave speed, 1A817
- Using LabVIEW under windows in advanced ultrasonic testing, 6A834
LEISSA, AW: Free vibrations of laminated composite non-circular thick cylindrical shells, 3A166
- Elastic deformation of thick, laminated composite shells, 3A536
- Accurate solution for the in-plane transient response of a circular arch, 4A160
- Free vibrations of thick hollow circular cylinders from 3D analysis, 6A171
LEISTER, H-J: Finite volume multigrid solver for thermo-elastic stress analysis in anisotropic materials, 6A1310
LEITH, DJ: Appropriate realization of gain-scheduled controllers with application to wind turbine regulation, 4A409
- Performance enhancement of wind turbine power regulation by switched linear control, 5A330
- Implementation of wind turbine controllers, 8A422
LEITHEAD, WE: Appropriate realization of gain-scheduled controllers with application to wind turbine regulation, 4A409
- Performance enhancement of wind turbine power regulation by switched linear control, 5A330
- Implementation of wind turbine controllers, 8A422
LEITMANN, G: 7th workshop on dynamics and control, July 2994, Ulm, Germany, 2T306
- Componentwise bounded controllers for robust exponential convergence, 9A327
- Multi-target control problems, 10T437
- Destabilization via active stiffness, 12T391
LEKOVIC, D: Experimental study of resolved acceleration control of robots at singularities: Damped least-squares approach, 9T397
LELE, SK: Sound radiation during local laminar breakdown in a low-Mach-number boundary layer, 3A299
- Computation of quadrupole noise using acoustic analogy, 5A229
- Sound generation in a mixing layer, 8A315
- Influence of entropy fluctuations on the interaction of turbulence with a shock wave, 9A1109
- Interaction of isotropic turbulence with shock waves: Effect of shock strength, 11A1089
LELLEP, J: Optimization of rigid-plastic shallow curved beams, 2A759
LEMAIRE, E: Yield stress in magnetorheological and electrorheological fluids: A comparison between microscopic and macroscopic structural models, 10A1035
LEMAIRE, ED: Clinical analysis of a CAD-CAM system for custom seating: A comparison with hand-sculpting methods, 1A1466
LEMAITRE, J: A Course on Damage Mechanics, Second Edition, 3N25
- Damage and deformation growth in brittle-ductile laminates, 6A776
- Reinitiation of a crack reaching an interface, 8A813
LEMAITRE, P: Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part I: Wrought-to-wrought capability study, 3A733
- Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part II: Wrought-to-cast capability study, 3A734
- Summary of the PISC round robin results on wrought and cast austenitic steel weldments - Part III: Cast-to-cast capability study, 3A735
- European networks in structural integrity: Status in 1995, 4A1453
LEMANSKA, M: Transport treatment of crack population in finite medium - Part II: Damage behavior in different zones, 8A243
LEMASURIER, P: Flight measurements of blade-vortex interaction noise including comparisons with full-scale wind tunnel data, 4A1147
LEMAY, MA: Dynamic model for simulating movements of the elbow, forearm, and wrist, 3A1505
LEMBO, M: Dynamics of shells in the theory of Kirchhoff and Love, 3A525
LEMELIN, D: Experiments with stability analysis of discrete incompressible flows in the lid-driven cavity, 8A1162
LEMMON, D: Effect of insoles in therapeutic footwear: A FE approach, 10A1560
LEMMON, RK: Stress analysis of an orthotropic material under diametral compression, 2A465
LEMOINE, F: Experimental investigation of mass transfer in a grid-generated turbulent flow using combined optical methods, 11A1388
LEMOS, CM: Higher-order schemes for free surface flows with arbitrary configurations, 3A1017
LEMPERT, W: Transverse velocity increments in turbulent flow using the RELIEF technique, 11A1059
LEN, JIANXIN: Interlaminar tensile strength (ILTS) measurement of woven glass-polyester laminates using a four-point curved beam specimen, 5A465
LENARCIC, J: Recent Advances in Robot Kinematics, 3N12
LENARD, JG: Prediction of the flow stress of an extra-low carbon steel in the two-phase region using continuous cooling curves, 4A509
LENAU, CW: Unsteady flow in hydraulic capsule pipeline, 6A301
LENCI, S: Dynamics of shallow elastic arches - Part I: Chaotic response of harmonically shaped arches, 1A195
- Dynamics of shallow elastic arches - Part II: Optimal forms, 1A196
LENETS, YN: Compression fatigue crack growth behavior of an aluminium alloy: Effect of overloading, 9A700
LENG, GSB: Dynamic stability of spinning Timoshenko shafts with a time-dependent spin rate, 8A162
- Dynamic stability of a radially rotating beam subjected to base excitation, 12A661
LENG, JS: Dynamic characteristics of a beam specimen featuring electrorheological fluids, 8A131
LENG, YOUNGSHENG: Characteristics of elastically contacting ideal rough surfaces, 11A361
LENGNICK, M: Regularization of plastic flow localization in a soil material, 9A628
LENGRAND, JC: Aerodynamic forces and moments for a re-entry module, 10A1227
LENKEY, GB: Applicability of the magnetic emission technique for determining ductile crack initiation in impact tests, 9A783
LENORT, F: How to speed up fast Fourier transform computation: A recurrence method, 4T49
LENSHEK, DX: Reinforcement redistribution in Al-SiC composites under cyclic deformations, 9A478
LENSU, M: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513
LENZEN, A: Damage detection by system identification: An application of the generalized singular value decomposition, 3A190
- Identification using the algorithm of singular value decomposition: An application to the realization of dynamic systems and to fault detection and localization, 11A323
LEO, CJ: Time stepping FEM for analysis of contaminant transport in fractured porous media, 7A1454
LEO, PH: Defect structures at thin film-substrate interfaces, 11A449
LEON, J: Drag of freely rotatable cylinder-splitter-plate body at subcritical Reynolds number, 5T200
LEON, J-C: Generic data structures dedicated to integrated structural design, 1A346
LEON, LM: Acoustic emission applied to pipes of GFRP that have been exposed to corrosive mediums, 11A746
LEON, M: Thermal and stress analysis during diffusion bonding of metal drum rotor disks using electromagnetic heating, 1A1281
LEON, R: Expected seismic behavior of older steel structures, 6A1436
LEONARD, A: Unsplit schemes for hyperbolic conservation laws with source terms in one space dimension, 11T973
LEONARD, JN: Optimal loading conditions for nonlinear deflections, 8A568
LEONARD, JW: Coupled dynamics of tethered buoy systems, 8A187
LEONARD, NE: Stability and drift of underwater vehicle dynamics: Mechanical systems with rigid motion symmetry, 12A1167
LEONARD, S: Finite-element calculations of remote field eddy current interactions with slit defects, 10A34
LEONARD, TR: In-situ calibration of the implantable force transducer, 5A1509
LEONARDI, E: Numerical study of the effect of free surface deformation on buoyancy and thermocapillary convection, 9A1023
- Motion of interacting gas bubbles in a viscous liquid including wall effects and evaporation, 11A1295
LEONENKO, YG: Natural convective heat transfer from a horizontal cylinder to fluid at near-critical condition, 7A1245
LEONG, KC: Natural convection from a vertical rectangular fin, 8A1276
- Freezing inside an enclosure using n-paraffin materials: An experimental study, 8A1350
LEONOV, AI: Kinetic formulation of elasto-viscoplasticity, 2A421
- Modeling spurt and stress oscillations in flows of molten polymers, 10A1040
LEONOVICH, GI: Oil as a structural member of machines and mechanisms, 2A1117
LEONT'YEV, IO: Short-term shoreline changes due to cross-shore structures: A one-line numerical model, 12A1062
LEONTIEV, AI: New method for hemispherical radiation heat flux measurement, 7A1328
LEOPOLD, J: Three-dimensional measurement of macro- and microdomains using optical methods, 12A866
LEPAGE, KD: Structural wave reflection coefficients of cylindrical shell terminations: Numerical extraction and reciprocity constraints, 8A280
LEPIC, L: Rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, 7A1206
LEPICOVSKY, J: Thin-film thermocouples for localized heat transfer measurements, 5A1208
LEPOINT, T: Sonoluminescence: An alternative "electrohydrodynamic" hypothesis, 9A1069
LEPOINT-MULLIE, F: Sonoluminescence: An alternative "electrohydrodynamic" hypothesis, 9A1069
LEPPARANTA, M: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513
LEPPIN, C: Numerical simulation of rapid crack propagation in viscoplastic materials, 5A705
LERASLE, F: Leg cycling tracking by dynamic vision, 12A1570
LERAT, A: Implicit centered scheme for steady and unsteady incompressible one and two-phase flows, 11A1013
LERAY, O: Acoustic Interactions with Submerged Elastic Structures, Part 4, 12N11
LERCH, TP: Characterization of spherically focused transducers using an ultrasonic measurement model approach, 1A815
- Boundary diffraction wave model for a spherically focused ultrasonic transducer, 8A324
LERCHE, D: Effect of parallel combined steady and oscillatory shear flows on blood and polymer solutions, 10A1019
- Superposition of steady on oscillatory shear and its effect on the viscoelasticity of human blood and a blood-like model fluid, 10T1537
LERMAN, LB: Supporting power of laminar plates with fillers (Russian), 2T444
- Approximate determination of dynamical and statistical contact stresses on rigid inner support (Russian), 9A439
LERNER-LAM, AL: Discrimination of earthquakes and explosions in southern Russia using regional high-frequency three-component data from the IRIS-JSP Caucasus Network, 12A1488
LEROUX, DY: Accurate interpolating scheme for semi-Lagrangian advection on an unstructured mesh for ocean modeling, 7T1492
LEROUX, JL: Modern method of motion analysis: Application in normal and pathologic shoulder's abduction (French), 6T1544
LEROY, O: Conversion of a Stoneley wave at the extremity of a fluid loaded plate, 8A273
- Generation of a Stoneley wave at the end of a fluid loaded plate by an incident bounded beam, 8A275
- Influence of an inclusion on the phase of a Stoneley wave, 8A276

LES, CM: Distribution of material properties in the equine third metacarpal bone serves to enhance sagital bending, 9A1564
LESAR, R: Two dimensional stochastic micro-macro model of equiaxed eutectic solidification, 9A1272
LESCHZINER, MA: Multiblock implementation of a non-orthogonal, collocated finite volume algorithm for complex turbulent flows, 3A58
- Numerical prediction of separation and reattachment of turbulent flow in axisymmetric diffuser, 11A1049
- Local mesh refinement within a multi-block structured-grid scheme for general flows, 11A965
LESHCHENKO, DD: Evolution of rotation of a nearly dynamically spherical triaxial satellite under the action of light pressure torques, 4A68
LESHCHINSKY, D: Geosynthetic tubes for confining pressurized slurry: Some design aspects, 3A538
- Seismic stability and permanent displacement of landfill cover systems, 8A668
LESHCHINSKY, O: Geosynthetic tubes for confining pressurized slurry: Some design aspects, 3A538
LESHER, M: Processing snow for high strength roads and runways, 6A1518
LESIEUR, M: Turbulence in Fluids, Third Revised and Enlarged Edition, 9N25
- Effects of spanwise rotation on the vorticity stretching in transitional and turbulent channel flow, 2A1039
- Geostrophic versus wave eddy viscosities in atmospheric models, 3T1413
- Large-eddy simulation of transition to turbulence in a boundary layer developing spatially over a flat plate, 5A988
LESIEUTRE, GA: Formulation, validation, and application of a FE model for elastomeric lag dampers, 2A830
- Vibration analysis of laminated beams using an iterative smeared laminate model, 8A142
- Broadband vibration damping using highly distributed tuned mass absorbers, 9T115
LESKELA, MV: LBE-modeling applied to reinforced concrete T-section-steel U-section composite beam, 10A626
LESLIE, FM: Flow and field induced instabilities in a smectic C liquid crystal, 7A981
LESMERISES, AL: Lean blowout in a research combustor at simulated low pressures, 5A1350
LESNIC, D: Identification of the thermal conductivity and heat capacity in unsteady nonlinear heat conduction problems using the BEM, 1T87
- Derivation of boundary integral equations for the fluid velocity in potential and viscous flows past arbitrary bodies, 8A63
- Conjugate film flow down a heated vertical wall, 10T1145
LESNIEWSKA, D: Reinforced soil in motorway construction (Polish), 2A572
LESNIEWSKI, P: Z-matrix model of the thickness-mode piezoelectric transducer, 2A744
LESNIKOVICH, AI: Liquid flame combustion II: Some physical and chemical characteristics of the burning process, 12A1389
LESOINNE, M: Geometric conservation laws for flow problems with moving boundaries and deformable meshes, and their impact on aeroelastic computations, 2A255
- High performance solution of 3D nonlinear aeroelastic problems via parallel partitioned algorithms: methodology and preliminary results, 8A288
LESQUOIS, O: Degradations in a high-speed sliding contact in transient regime, 7A859
LESSARD, LB: Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - II: Experimental evaluation, 12A763
- Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - I: Modeling, 12A762
LESSARD, M: First year monitoring of the first air-entrained high-performance bridge in North America, 2A745
LESSELIER, D: Modified gradient approach to inverse scattering for binary objects in stratified media, 2A295
- Inversion of a cylindrical vibrating body in shallow water from aspect-limited data using filtered SVD and the L-curve, 5A237
- Shape retrieval of an obstacle immersed in shallow water from single-frequency farfields using a complete family method, 10A399
LESSER, M: Analysis of Complex Nonlinear Mechanical Systems: A Computer Algebra Assisted Approach, 3R4
LESSMANN, H: Analysis of tunnels: Fuzzy (German), 10A39
LESSMANN, R: Computer simulation of the flow field and particle deposition by diffusion in a 3D human airway bifurcation, 3A1084
LESTER, WT: Neural network approach to electromyographic signal processing for a motor control task, 12A1563
LESUEUR, D: Structure-related model to describe asphalt linear viscoelasticity, 3A955
LESZCZYNSKI, M: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
LETOFFE, J-M: Structure-related model to describe asphalt linear viscoelasticity, 3A955
LEU, DAW-KWEI: Prediction of the limiting drawing ratio and the maximum drawing load in cup-drawing, 7A604
- Simplified approach for evaluating bendability and springback in plastic bending of anisotropic sheet metals, 12A712
LEU, MC: Characteristics of abrasive waterjet generated surfaces and effects of cutting parameters and structure vibration, 11A594
LEUNG, AT: Normal multi-modes of nonlinear Euler beams, 12A164
LEUNG, CF: Behavior of gravity caisson on sand, 9A629
LEUNG, CKY: Pullout of inclined flexible fiber in cementitious composite, 9A484
- Damage-based modeling of fiber pullout under variable compressive stress, 9A749
LEUNG, CP: Development and validation of a dynamic fracture propagation model for gas transmission pipelines, 7A761
LEUNG, CW: Laminar convection of horizontal and vertical simulated printed-circuit board assemblies, 10A1282
LEUNG, CY: Iterative solution of large 3D BEM elastostatic analyses using the GMRES technique, 11A58
LEUNG, RCK: Control of vortex pairing sound, 10A374
- Interaction of perturbed vortex rings and its sound generation, 10A344
LEUNG, RCN: Actuators for active noise and vibration control, 6A345
LEUNG, TP: Use of ambient response measurements to determine dynamic characteristics of slender structures, 6A132
LEUTHEUSSER, HJ: Experimental study of viscous vortex rings, 4A972
- Micro-inertia effects in laminar thin-film flow past a sinusoidal boundary, 7A1205
LEUZZI, G: Closure to derive a 3D well-mixed trajectory-model for non-Gaussian, inhomogeneous turbulence, 6T1154
LEVAILLANT, C: Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: Titanium alloy matrix composites, 6A680
LEVALLOIS, F: Study of single-lap compression-shear test for brittle substrates bonded with a structural adhesive, 6A982
- Study of the crack deviation angle in adhesive ruptures of ceramic adhesively-bonded assemblies, 10A823
LEVAN, MD: Second-law analysis of adsorptive refrigeration cycles: The role of thermal coupling entropy production, 5A1123
LEVANDOVSKY, AY: Interaction of resonances in a weakly nonlinear oscillator with a quasiperiodic excitation, 11A97
LEVASSORT, F: Lateral resonances in 1-3 piezoelectric periodic composite: Modeling and experimental results, 9A602
LEVCHENKO, VV: Shift waves in a layer contacting with regularly-layered and homogeneous half-space (Russian), 1A531
- Surface magnetoelastic waves in metallized ferrite layer on regular-layered dielectric backing (Russian), 2T191
- Surface magnetoelastic shift waves in periodic structure ferrite-dielectric with metallized interfaces (Russian), 2A190
- Surface magnetoelastic waves of shift on the interface of periodically laminated structure and metallized magnetoelastic ferrite (Russian), 12T224
- Propagation of magnetoelastic waves in regular-laminar media (Russian), 12T223
LEVENDIS, YA: Observations on the combustion of pulverized PVC and poly(ethylene), 4A1316
LEVENSTON, ME: Temporal stability of node-based internal bone adaptation simulations, 9A1572
LEVEQUE, RJ: Immersed interface method for acoustic wave equations with discontinuous coefficients, 11A251
LEVERMORE, CD: Large oscillations arising in a dispersive numerical scheme, 7A44
LEVI, CG: Role of scarf angle in the performance of aluminum matrix composite joints, 12A570
LEVIANT, AS: Recursive numerical algorithm for conformal mapping in 2D hydrodynamics, 4A998
LEVIN, BW: Nonlinear oscillating structures in the earthquake and seaquake dynamics, 3A1367
LEVIN, D: Dual hologram technique with enhanced sensitivity for measurements of weak phase objects, 8A1258
LEVIN, DA: Overlay method for calculating excited state species properties in hypersonic flows, 7A1055
LEVIN, DB: Single jet-induced effects on small-scale hover data in ground effect, 11A1148
LEVIN, FK: Anatomy of diving waves, 4A1360
- Bandwidth reduction from location inaccuracies, 9A1455
LEVIN, JB: PMPS: A prototype CAPP system for parallel machining, 2A596
LEVIN, R: Dynamic crack initiation in polycarbonate under mixed-mode loading, 8T728
LEVIN, VA: Propagation of converging and diverging shock waves under isothermal condition, 3T254
- Propagation of converging and diverging shock waves under intense heat-exchange conditions, 8A264
LEVIN, VM: Effective properties of piezoactive matrix composite materials, 3A571
LEVIN, VY: Ultrasonic devulcanization of waste rubbers: Experimentation and modeling, 7A989
LEVINE, M: Vibrational control of a flexible beam, 6A396
LEVINE, RA: Quasisteady behavior of pulsatile, confined, counterflowing jets: Implications for the assessment of mitral and tricuspid regurgitation, 5A1502
LEVINE, RS: Relationship between loading conditions and fracture patterns of the proximal femur, 5A1473
LEVINE, WS: Muscle coordination of maximum-speed pedaling, 10A1576
LEVINER, MD: Adaptive tracking controller for multiple-phase permanent-magnet machines, 3A352
LEVIT, VI: Simulation and measurement of a vertical Bridgman growth system for β-NiAl crystal, 9A1280
LEVITAN, YS: Peculiarities of turbulent heat transfer in electric-arc plasma devices, 5A1140
LEVITAS, J: Adaptive fuzzy control algorithm for model-independent active vibration damping of flexible beam-like structures, 1A150
- Global dynamic stability of a shallow arch by Poincare-like simple cell mapping, 8A615
LEVITAS, VI: Theory of Martensitic phase transformations in inelastic materials in local description, 4T1266
- Phase transitions in elastoplastic materials: Continuum thermomechanical theory and examples of control - Part I, 11A2
- Phase transitions in elastoplastic materials: Continuum thermomechanical theory and examples of control - Part II, 12A4
LEVITT, L: Extensional rheometry of polymer multilayers: A sensitive probe of interfaces, 10A1044
LEVIZZANI, V: Multispectral, high-resolution satellite observations of plumes on top of convective storms, 3A1420
LEVY, A: Numerical investigation of the propagation of shock waves in rigid porous materials: Development of the computer code and comparison with experimental results, 5A193
LEVY, C: Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part I: Radial crack arrays, 2A657
- Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part II: Longitudinal coplanar crack arrays, 2A658
- Active vibration control of elastic beam by means of shape memory alloys layers, 3A132
- Vibration characteristics of partially covered double-sandwich cantilever beam, 6A181
- Interaction effects in combined arrays of radial and longitudinal semi-elliptical surface cracks in pressurized thick-walled cylinder, 11A679
LEVY, M: Model of fatigue and recovery in paraplegic's quadriceps muscle subjected to intermittent FES, 2A1479
LEVY, R: Rayleigh-Ritz optimal design of orthotropic plates for buckling, 4A816
- Design of supplemental dampers for control of structures, 6A863
- Member stiffness with offset hinges, 9A826
LEVYTSKY , VP: Heat transfer into elastic half-space through pressed in rigid punch (Russian), 12A1342
LEWANDOWSKA, J: Diffusion-adsorption-advection macrotransport in soils, 3A1347
LEWANDOWSKI, A: Solar concentration of 50,000 achieved with output power approaching 1kW, 2A1429
LEWANDOWSKI, AA: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515
LEWANDOWSKI, J: Performance characteristics of impulse type turbine stage groups, 4A1141
LEWANDOWSKI, JJ: Layered Materials for Structural Applications, 7N15
LEWANDOWSKI, R: Mathematical analysis of the coupling of a turbulent kinetic energy equation to the Navier-Stokes equation with an eddy viscosity, 5T911
- Computational formulation for periodic vibration of geometrically nonlinear structures - Part 1: Theoretical background, 10A145
- Computational formulation for periodic vibration of geometrically nonlinear structures - Part 2: Numerical strategy and examples, 10A169
LEWANDOWSKI, WM: Theoretical and experimental study of natural convection heat transfer from isothermal hemisphere, 3A1225
LEWELLEN, DC: Large-eddy simulations of the vortex-pair breakup in aircraft wakes, 5A1080
LEWELLEN, WS: Large-eddy simulations of the vortex-pair breakup in aircraft wakes, 5A1080
LEWICKI, B: Revision of the standard PN-84/B-03264: Concrete reinforced concrete and prestressed concrete structures - Statical analysis and design (Polish), 2A796
- Design of reinforced concrete structures with application of POLLYTAG aggregate for concrete (Polish), 9A874
LEWICKI, DG: Effect of rim thickness on gear crack propagation path, 9A711
LEWIS MINGORI, D: Removing bias from discrete time models based on finite interval response data, 5A279
LEWIS, AD: Configuration controllability of simple mechanical control systems, 10A407
LEWIS, BA: Doubly asymptotic approximations for transient elastodynamics, 9A105
LEWIS, CH: Transmission of vibration to the occupants of a car seat with a suspended back-rest, 2A167
LEWIS, DB: Effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, 2A907
- Analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, 2A877
LEWIS, DP: Tangential injection from overlaid slots into a supersonic stream, 7A1111
LEWIS, DW: Magnetic thrust bearing operation and industrial pump application, 8A958
LEWIS, ER: Introduction to Bioengineering, 7R29
LEWIS, FL: Neural network controller for flexible-link robots, 7A385
- Control of a nonholonomic mobile robot: Backstepping kinematics into dynamics, 8A430
LEWIS, GM: Imperfection sensitivity of structures with semi-rigid joints, 8A598
LEWIS, JL: Fracture of articular cartilage, 5A1485
LEWIS, JM: Autonomous robot calibration using a trigger probe, 4A452
LEWIS, JO: Application of the energy balance equation to predict ground temperature profiles, 11A1522
LEWIS, MJ: Computational study on the flowfields associated with oblique shock-vortex interactions, 6A1046
- Analytical model of unsteady shock motion on hypersonic forebodies, 7A1052
- Interpretation of FE analysis results of scramaccelerator thrust, 10T1434
- Experimental results on a Mach 14 waverider with blunt leading edges, 11A984
LEWIS, MWJ: Impulse response model for the prediction of thermal striping damage, 5A1298
LEWIS, RI: Turbomachinery Performance Analysis, 7R22
LEWIS, RW: Finite Element Method in Heat Transfer Analysis, 4R28
- Three-dimensional unstructured mesh generation - Part 1: Fundamental aspects of triangulation and point creation, 3A27
- Three-dimensional unstructured mesh generation - Part 3: Volume meshes, 3A29
- Three-dimensional unstructured mesh generation - Part 2: Surface meshes, 3A28
- Finite element double porosity model for heterogeneous deformable porous media, 5A1408
- Automatic timestep selection for the super-time-stepping acceleration on unstructured grids using object-oriented programming, 10A76
- Experimental investigation and FE modeling in gravity die casting, 12A741
- Finite element modeling of surface tension effects using a Lagrangian-Eulerian kinematic description, 12A1077
LEWIS, SR: Laboratory and numerical studies of baroclinic waves in an internally heated rotating fluid annulus: A case of wave-vortex duality?, 10A1087
LEWIS, WJ: Optimal structural membranes - I: Formulation of a curved quadrilateral element for surface definition, 4A602
- Optimal structural membranes - II: Form-finding of prestressed membranes using a curved quadrilateral FE for surface definition, 4A603
LEXCELLENT, C: Thermodynamical model of cyclic behavior of Ti-Ni and Cu-Zn-Al shape memory alloys under isothermal undulatod tensile tests, 4A510
- Experimental study of pseudoelastic behavior of a CuZnAl polycrystalline shape memory alloy under tension-torsion proportional and non-proportional loading tests, 9A787
LEYK, Z: C^0-collocation-like method for elliptic equations on rectangular regions, 9A61
LEZANSKI, P: Basic concepts of an open distributed system for cooperative design and structure analysis, 2A57
LI , JIAYING: Thin film thermocouple arrays for sliding surface temperature measurement, 12A994
LI , QUANG: Search for methods to assess the fuzzy fracture probability of spherical tanks, 5A707
LI , SHU: Higher order sensitivities in structural static design, 12A878
LI , XIAOHE: Electrochemical and histomorphometric evaluation of the TiNiCu shape memory alloy, 11T768

LI , YANBAO: Wave uplift forces on the bottom of a circular cylinder, 1A287
LI , YUCHENG: Refraction-diffraction model for irregular wave and directional spectrum considering current, 1A264
LI, BEN-WEN: Ray effect in ray tracing method for radiative heat transfer, 11A1324
LI, BIN: Three dimensional multigrid model for fully nonlincar water waves, 10A290
LI, BINYAO: Residual properties of an injection-molded poly(phenylene ether ketone)-carbon composite during flexural fatigue, 12A764
LI, BQ: Effect of magnetic fields on low frequency oscillating natural convection, 3A1239
- Thermomechanical deflection of microcantilever beams in scanning force microscopes, 4A428
- Containerless thermal diffusivity determination of high-temperature levitated spherical specimen by extended flash methods: Theory and experimental validation, 11A1203
LI, C JAMES: Bearing localized defect detection by bicoherence analysis of vibrations, 11A852
LI, CHENGHUA: Study of directionality of latent hardening behavior in aluminum single crystals, 4A511
LI, CHI LEUNG WELKIN: Parallel computing solution of heat and moisture transfer in unsaturated soil, 5A521
LI, CHIH-YANG: Interaction of single traveling bubbles with the boundary layer and attached cavitation, 3A981
LI, CHIN-HSIEN: Modeling and numerical simulation of low-Mach-number compressible flows, 1A1008
LI, CHIPING: Stability of projectiles in thermally choked ram accelerators, 1A1378
- Detonation structures generated by multiple shocks on ram-accelerator projectiles, 6A330
LI, CHUAN: Stability of thermoelastic contact of two layers of dissimilar materials, 9A1327
LI, CHUANQI: Reconstruction of service load histories with time series models for random vibration simulation tests, 9A870
LI, CHUN-THE: Anaerobic fluidized bed pretreatment of hog wastewater, 9A1553
LI, CHUNZHU: Calculation of wave pressure and pressure spectrum for perforated-pipe breakwater, 12T1057
LI, CJ: Bearing condition monitoring by pattern recognition based on bicoherence analysis of vibrations, 1A225
- Gear defect detection through model-based wideband demodulation of vibrations, 4A920
LI, CIAMES: Wavelet decomposition of vibrations for detection of bearing-localized defects, 12A219
LI, CLW: Assessment of a model of heat and moisture transfer in unsaturated soil, 9A610
LI, CW: Three-dimensional simulation of thermals using a split-operator scheme, 1A1202
- Numerical investigation of turbulent shallow recirculating flows by a quasi-3D k-ε model, 3A1160
- Convection of particle thermals, 11A992
LI, DASHAN: Research on characteristics of density current under the action of waves, 12A257
LI, DB: Use of ambient response measurements to determine dynamic characteristics of slender structures, 6A132
LI, DF: Developments for single-pass pendulum scratching, 4A896
LI, DINGQUING: Cumulative plastic deformation for fine-grained subgrade soils, 6A650
LI, DM: Supercritical and subcritical Hopf bifurcations in a stochastically excited system, 10T126
- Fracture toughness evaluation using circumferentially-cracked cylindrical bar specimens, 11A732
LI, DONG: Wave propagation and localization in disordered periodic laminated materials, 11A178
LI, DONG SHENG: Evaluating Weibull parameters for transverse cracking in cross-ply laminates, 11A702
LI, DONGQING: Heat transfer and fluid flow in microchannels, 10A1280
LI, DZ: Dynamics of a mechanical system with a shape memory alloy bar, 3A746
LI, EDWARD: High temperature hybrid titanium composite laminates: An early analytical assessment, 6A549
LI, FANCHUN: Asymptotic solution to the antiplane shear dynamic crack-tip field in an elastic strain-softening viscoplastic material, 10A840
LI, FEI: Nature of PSE approximation, 1A1067
- Spectral analysis of parabolized stability equations, 10A1140
LI, G: Comparison of different methods in predicting static pressure distribution in articulating joints, 10A1514
LI, GANG: Nonparametric estimation of the next failure time, 10A793
LI, GC: Numerical analyses for the material bifurcation in plane sheet under tension, 2A423
LI, GL: Effects of imperfect spatial resolution on turbulence measurements in the very near-wall viscous sublayer region, 8A1190
LI, GUANGYAO: Dynamic explicit FE analysis for 3D sheet forming processes (Chinese), 2A23
LI, H: Modification of the residual stress state in a SiC_p-6061Al composite by low-temperature treatment, 9A496
- Analytical investigation of 2D unsteady shock-on-shock interactions, 11A197
- Parametric study of Mach reflection in steady flows, 12A269
LI, HAIDONG: High order accuracy scheme for 2D transonic flows, 5A952
LI, HAIYING: Arrangement of error sensors for adaptive active noise control in free sound field (Chinese), 7T271
LI, HAOMING: Gradient maintenance technique for seawater solar ponds, 8A1533
LI, HEWEN: Posttensioned and shaped hypar space trusses, 7A838
LI, HL: Evaluation of fractal dimension for mixing and combustion by the schlieren method, 3A1332
- Dynamic behavior of a semi-infinite elastic-hardening-softening beam, 8A130
LI, HONGBO: Unilaterally constrained motions of rigid bodies systems, 7A84
LI, HONGJUN: Conjugate heat transfer analysis of fluid flow in a phase-change energy storage unit, 1A1273
LI, HONGSHENG: Experimental study of fracture toughness K_{IC} for frozen soil (Chinese), 10A699
LI, HUI: Experimental study of swirling flow pneumatic conveying system in a horizontal pipeline, 4A1047
LI, HY: Genetic algorithm for inverse radiation problems, 7A1321
- Inverse source problem in radiative transfer for spherical media, 9A1278
LI, J: Test results of a new damper seal for vibration reduction in turbomachinery, 5A136
- Stress-strain relations of a viscoelastic composite reinforced with elliptic cylinders, 8A509
- Elastic-plastic analysis of an arbitrarily-oriented model III crack touching an interface, 8A782
- Secant-viscosity approach to the time-dependent creep of an elastic-viscoplastic composite, 12A512
- Influence of inclusion microgeometry on some thermomechanical properties of isotropic polymer-matrix composites, 12A1345
LI, JB: Modification of the residual stress state in a SiC_p-6061Al composite by low-temperature treatment, 9A496
LI, JCM: Symmetric branching of Mode II and mixed-mode fatigue crack growth in a stainless steel, 1A698
- Mixed-mode fatigue crack growth in stainless steels under biaxial loading, 1A696
- Finite element analysis of a subsurface crack, 3A720
- Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - I: Sequential emission, 4A733
- Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - II: Simultaneous emission, 4A734
- Interaction between edge dislocations around the tip of a crack, 6A769
- Effect of Mode II fatigue loading on Mode I fatigue growth, 7A646
- Effect of friction and cavity depth on the elastic indentation of a cylindrical rod, 11A27
- Squeezing flow of an Eyring fluid, 12A1070
LI, JD: Diffusion of conserved and reactive scalars behind line sources in homogeneous turbulence, 2A1041
- Theoretical and experimental study of composite solid propellant combustion, 4A1312
LI, JF: Wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 2A926
LI, JIACHUN: Vortex dynamics in the studies of looping in tropical cyclone tracks, 11A1499
LI, JIAN-CHU: Random analysis of apron slab missing stability under water jet lashing, 3A1121
LI, JIANJUN: Random seismic responses of multi-support structures in evolutionary inhomogeneous random fields, 6A1446
LI, JIJUN: Investigation on simulation models and reduction methods of unburned hydrocarbon emissions in spark ignition engines, 4A1297
LI, JINDONG: Decreasing the core loss of grain-oriented silicon steel by laser processing, 8A720
LI, JUNFENG: Stability of non-conservative linear gyroscopic systems, 9A93
LI, K: Interferometric strain rosette technique, 2A728
LI, KANGJIE: Interaction between edge dislocations around the tip of a crack, 6A769
LI, KE YANG: Scuffing as evaluated from the viewpoint of surface roughness and friction energy, 1A894
LI, KEYU: Out-of-plane displacement derivative measurements using interferometric strain-slope gage, 7A786
- Viscoplastic behavior of a notch root at 650°C: ISDG measurement and FE modeling, 11A422
LI, KEZHUN: Phenomenological model for perforation of moderately thick plates by tumbling projectiles, 2A208
LI, KP: 8-node brick element with mixed formulation for large deformation analyses, 9A44
LI, KUN: Modeling of ceramic grinding processes - Part I: Number of cutting points and grinding forces per grit, 11A620
LI, KY: Mathematical model of higher level structural optimization problems and their solution, 5A751
LI, L: Influence of thermoplastic film interleaving on the interlaminar shear strength and Mode I fracture of laminated composites, 1A762
- Occurrence of lock-in under highly sheared conditions, 3A1032
- Numerical modeling of tide-induced beach water table fluctuations, 9A1004
- Effect of geometric gap between cylinder and reinforcement pad on local stresses: Axial thrust load on nozzle, 11A826
LI, L-Y: Mesh refinement formulations in adaptive FEMs, 3A22
LI, LI: Experimental research on steel fiber reinforced concrete poles (Chinese), 10A934
LI, LIKANG: Superconvergence of isoparametric bilinear FEs, 7A38
- Two-level Schwarz methods for Wilson element approximation of elasticity problem, 10A573
- Superconvergent recoveries of Carey non-conforming element approximations, 12A58
LI, LIMING: Experimental study on earth pressure on and deformation of buried flexible pipes (Japanese), 10A965
LI, LIN: Second order nonlinear periodic convection and its stability analysis of thermohaline double-diffusive system, 10T1390
LI, LONG-YUAN: Dynamic instability criteria for structures subjected to sudden step loads, 7A552
- Error estimates and adaptive remeshing techniques in elastoplasticity, 10A590
LI, LONG-YUAN: Adaptive FEMs: A review, 11A9
LI, LP: Vibration of poroelastic beams with axial diffusion, 6A1386
- Buckling of poroelastic columns with axial diffusion, 7A541
LI, LY: Adaptive mesh refinement for shells with modified Ahmad elements, 5A484
- Auto-adaptive FE analysis software for stiffened plate and shell structures, 11A518
LI, M: Surface pretreatment of glass fiber-reinforced liquid crystalline polymer composites by excimer laser for adhesive bonding, 8A988
- Cyclic fatigue of Al_2O_3 and Al_2O_3-Al_2TiO_5 composites in direct push-pull, 12A754
LI, MAOCHENG: Linear complementary formulations involving frictional contact for elasto-plastic deformable bodies, 10A563
LI, MC: Plane-strain FE model for process-induced residual stresses in a graphite-PEEK composite, 9A27
LI, MIN: Reconstruction of service load histories with time series models for random vibration simulation tests, 9A870
LI, MING: Finite-difference approximation for the velocity-vorticity formulation on staggered and non-staggered grids, 7A47
LI, MINGRUI: Finite deformation theory for beam, plate and shell - Part I: The 2D beam theory, 11A495
LI, MINGWEI: Effect of liquid encapsulation on the Marangoni convection in a liquid column under microgravity condition, 1A1171
LI, N: Dynamic response of cross-ply laminated shell panels, 11A481
LI, N-Y: Interactive growth of multiple fiber-bridged matrix cracks in unidirectional composites, 1A763
- Model study of thermal stress-induced voiding in electronic packages, 6A1308
LI, PEIWU: Stiffness of screw presses, 6A687
LI, PENGXING: High-temperature mechanical behavior and microstructure of SiC-whisker-reinforced MoSi, composites, 11A1379
LI, PLS: Vibration analysis in the detection of total hip prosthetic loosening, 4A1499
LI, PN: Analytical and experimental fracture assessment of carbon steel piping with circumferential through-wall cracks under bending, 5A654
- J integral estimation fracture analysis for circumferentially cracked carbon steel piping, 6A770
LI, QIJUN: Study on fretting wear of rolling bearings - Part 3: Effects of Mindlin slip and differential slip on fretting wear, 5T831
LI, QUANLIN: Forecasting b-values for seismic events, 1A1406
LI, RS: Examination of the fatigue crack growth equations, 10A760
LI, RUNPEI: Static analysis of collision strength of offshore platform, 1A860
LI, S: Wear behavior of a TiNi alloy, 3A862
- Effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 3A837
- Fuzzy clustering for automated tool condition monitoring in machining, 4A908
- Developments for single-pass pendulum scratching, 4A896
- Tool condition monitoring in machining by fuzzy neural networks, 6A406
LI, SHAOFAN: Dynamic crack propagation in piezoelectric materials - Part II: Vacuum solution, 5A694
- Dynamic crack propagation in piezoelectric materials - Part I: Electrode solution, 5A693
- Moving least-squares reproducing kernel method - Part II: Fourier analysis, 6A19
- Moving least-square reproducing kernel methods - I: Methodology and convergence, 10A97
LI, SHUFAN: Concept design software system for VLCC (Chinese), 6A924
LI, SHUJIANG: Investigation of properties and microstructures of ceramic lined of pipe produced by SHS (Chinese), 12A596
LI, SHUJIE: Periodic solutions of a superlinear wave equation, 11T167
LI, SZ: Wear behavior of a TiNi alloy, 3A862
- Effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 3A837
- Developments for single-pass pendulum scratching, 4A896
- Acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, 5A825
LI, T: Experimental heat transfer and friction in channels roughened with angled, V-shaped, and discrete ribs on two opposite walls, 11A1215
- Measurements of heat transfer coefficients and friction factors in rib-roughened channels simulating leading-edge cavities of a modern turbine blade, 12A1259
LI, TIANJUN: Control of wall joint on the coupled wave propagation in a fluid-filled shell (Chinese), 7T226
LI, TIELI: Three dimensional auto-numerical grid generation around ship hulls by PDE method (Chinese), 2A43
- Ship wave-making resistance calculation by panel method and numerical flow field visualization (Chinese), 10A1211
LI, TONG-SHENG: Tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 2A872
LI, TONGCHUN: Stabilized FEs for harmonic soil dynamics problems near the undrained-incompressible limit, 9A623
LI, TQ: Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - II: Prediction of moment capacity, 1A850
- Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - I: Experimental behavior, 1A793
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Overall considerations, 8A926
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Detailed appraisal, 8A927
- Design of composite finplate and angle cleated connections, 11A800
LI, TSAI-YEN: On-line manipulation planning for two robot arms in a dynamic environment, 10A534
LI, TY: Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams, 10A246
LI, TZUU-HSENG S: Decentralized robust control design for large-scale time-delay systems with time-varying uncertainties, 5A287
LI, VC: Applicability of J-integral to tension-softening materials, 11A676
- Constitutive modeling and material characterization of polymeric foams, 12A526
LI, VICTOR C: Crack bridging in fiber reinforced cementitious composites with slip-hardening interfaces, 11A696
LI, WANG-LONG: Roughness effects on the dynamic coefficients of ultra-thin gas film in magnetic recording, 4A879
- Surface roughness effects in journal bearings with non-Newtonian lubricants, 4A1171
- Average Reynolds equation for non-Newtonian fluid with application to the lubrication of the magnetic head-disk interface, 7A1197
LI, WANZHI: Retrofit of non-ductile moment-resisting frames using precast infill wall panels, 6A892
LI, WEI: V(z) measurement of multiple leaky wave velocities for elastic constant determination, 3A832
- Cyclic strain resistance, fatigue life, and final fracture behavior of magnesium alloys, 10A766
- Comparison of optical performance between evacuated collector tubes with flat and semicylindric absorbers, 10A1484
LI, WEI-LIN: Analytic sensitivities and approximations in supersonic and subsonic wing-control surface unsteady aerodynamics, 11A1141
LI, WEIZHONG: Applied software of thermodynamic calculation and exergy analysis for steam power boilers (Chinese), 2A1275
LI, WENKAI: Prediction of homogeneous nucleation superheat limits of pure liquids using molecular interaction model (Chinese), 2A1203
LI, WY: Buckling of thin-walled compression members with shear lag using spline finite member element method, 1A603
- Spline finite member element method for buckling of thin-walled members with any cross sections in pure bending, 4A627
LI, X: Hydrodynamic pressures on rigid dam with a reservoir of arbitrary geometry (Spanish), 3A801
- Computer simulation of dilute pneumatic conveying of granular materials in pipe branches, 6A1366

- Alternate method for the analysis of residual strain in the arterial wall, 8A1563
- Non-viscoelastic drag reducing cationic surfactant system, 12A1121

LI, XAOLI: Optimization of a holographic system for solar power generation, 9A1540

LI, XIANG-YANG: Data-matrix asymmetry and polarization changes from multicomponent surface seismics, 9A1456

LI, XIANGUO: Breakup of annular viscous liquid jets in two gas streams, 1A1051
- Droplet autoignition in a reactive oxidant-fuel-vapor-inert environment, 7A1390

LI, XIANMING: Convective mass transfer at the carotid bifurcation, 10A1543

LI, XIAO FAN: Simple shear flow of suspensions of liquid drops, 3A1074

LI, XIAO-SONG: Buckling analysis of elastic space rods under torsional moment, 3A549

LI, XIAOFAN: Effect of surfactants on drop deformation and on rheology of dilute emulsions in Stokes flow, 12A1110

LI, XIAONIU: Selection of structural parameters for correcting frequency random errors, 7A172

LI, XIAOPING: Study of the jet-flow rate of cooling in machining - Part I: Theoretical analysis, 6A1226
- Study of the jet-flow rate of cooling in machining - Part 2: Simulation study, 6A1227

LI, XIAOWEI: Analytical model to study blunt impact response of the rabbit P-F joint, 11A1558

LI, XIAOYAN: Study of fatigue crack growth and crack closure in mechanical heterogeneous welded joints, 5A588

LI, XIAOYU: Overall view of laminate theories based on displacement hypothesis, 4A538
- Generalized laminate theories based on double superposition hypothesis, 9A533

LI, XIKUI: Development of elastoplastic material models in a natural coordinate system, 3A475
- Mixed element method in gradient plasticity for pressure dependent materials and modeling of strain localization, 11A447

LI, XIN: Numerical method for axisymmetric wave propagation problem of anisotropic solids, 11A183

LI, XIN-GONG: Wavelet transform inversion with prior scale information, 4A1382

LI, XL: Numerical study for the 3D Rayleigh-Taylor instability through the TVD-AC scheme and parallel computation, 1A1064

LI, XM: Impact wear performances of Cr_3C_2-NiCr coatings by plasma and HVOF spraying, 9A941

LI, XP: Three-dimensional model of chip flow, chip curl and chip breaking for oblique cutting, 6A699

LI, XQ: Tool wear and chatter detection using the coherence function of two crossed accelerations, 8A942

LI, XS: Reduced-order sand model for ground response analysis, 3A1392
- Rotational shear effects on ground earthquake response, 7A572
- Modeling of dilative shear failure, 12A702
- Analysis of stress-change disturbance caused by ideal drilling in clay, 12A42

LI, Y: Grinding vibration detection using a neural network, 2A602
- Reliability simulations for solder joints using stochastic FE and artificial neural network models, 4A948
- Three-dimensional stress relief displacement resulting from drilling a blind hole in acrylic, 5A730
- Learning from recorded earthquake motion of buildings, 6A1441
- Statistical model for interpreting hard disk drive stiction measurements, 7A868
- Rate dependent deformation of semi-crystalline polypropylene near room temperature, 12A534

LI, YA YUN: Thermal phase transformation and residual stress estimation of multi-layer materials for cylindrical or flat shape, 1A1291

LI, YC: Approximate analytical solutions for diffusion problems in unbounded media and their application in infinite elements, 7A1299

LI, YD: New creep lifetime prediction method: The C-project concept, 4A720

LI, YH: Numerical simulation of flow pattern formation in a bottom heated cylindrical fluid layer, 5A1152

LI, YINDONG: Concept design software system for VLCC (Chinese), 6A924

LI, YING: Study of cutting by a knife-edged cutter - 1st Report: Test apparatus for cutting and a few results (Japanese), 4A677

LI, YIWEI: Convergence analysis of an h-version FEM with high-order elements for 2D elasto-plasticity problems, 11A444

LI, YONG: Analysis of steady behavior for electrorheological (ER) "Smart" journal bearings (Chinese), 2A1121

LI, YONG-GANG: Fault-zone guided waves from explosions in the San Andreas Fault at Parkfield and Cienega Valley, California, 12A1490

LI, YONG-SHENG: Relationships of exponents with coefficients of equations on axial and radial dispersions in flow-injection analysis, 2A1019
- Two new parameters: Axial dispersion degree and radial dispersion intensity of sample zone injected in flow-injection analysis systems, 7A396

LI, YOUMING: Numerical simulation of elastic wave propagation in inhomogeneous media, 10A262

LI, YS: Multi-layer modeling of 3D hydrodynamic transport processes, 6A1005
- In-line response of a horizontal cylinder in regular and random waves, 8A281

LI, YU: Curved bar subjected to an arbitrarily distributed loading: Another paradox in the 2D theory of elasticity, 4A594

LI, YUAN NENG: Theory of crack spacing in concrete pavements, 9A914

LI, YUAN-NENG: Stability of cohesive crack model - Part II: Eigenvalue analysis of size effect on strength and ductility of structures, 11A719
- Stability of cohesive crack model - Part I: Energy principles, 11A718

LI, YUANYUAN: Mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, 2A866
- Effects of Mn content on the tribological behaviors of Zn-27% Al-2% Cu alloy, 3A840

LI, YUCHENG: Unique solvable higher order BEM for wave diffraction and radiation, 4A233

LI, YUFENG: Evaluations of diamond-like-carbon film optical constants and their effects on flying height determination, 4A901
- Model of slider-disk interface wear for proximity recording, 4A876

LI, YUGUO: Anisotropic local grid refinement method for fluid flow simulation, 3A1039
- Wavenumber-extended high-order upwind-biased finite-difference schemes for convective scalar transport, 10A1383

LI, YUHENG: Dynamic measurements of damage generation in single crystal silicon due to sliding contact with a spherical diamond, 7A915

LI, YULING: Solving ray acoustic problems with a DNA computer, 10A400

LI, YUNPENG: Stress singularities near corner of wedged multi-dissimilar materials (Chinese), 2A388

LI, YUXIN: High friction coefficient of fullerene C_{60} film, 3A843

LI, YW: Imperfection sensitivity due to the elastic moduli in the Roorda-Koiter frame, 3A547
- Passive control of buckling deformation via Anderson localization phenomenon, 7A560

LI, YX: Rigid viscoplastic FE analysis of the gas-pressure constrained bulging of superplastic circular sheets into cone disk shape dies, 7A22

LI, Z: Relationship between volume velocity and far-field radiated pressure of a planar structure, 5T258
- Design of active structural acoustic control systems using a nonvolumetric eigenproperty assignment approach, 9A278
- Numerical model for steady-state flow in friction welding, 9A1024
- Vortex magnetic separation, 11A998

LI, ZAILIANG: Half-space Green's function due to a spatially harmonic line load and scattered fields in the far field region, 10A272

LI, ZHAOXIA: Finite element analysis of strain softening response for damaged materials (Chinese), 2A25
- Finite element analysis of local damage and post-failure behavior for strain-softening solid, 7A15

LI, ZHENG: DDGS high speed camera with some applications, 6A820

LI, ZHENGNENG: Property degradation of anisotropic composite laminates with matrix cracking - Part I: Development of constitutive relations for $(\theta_2/90_2)_s$ cracked laminates by stiffness partition, 5A679
- Property degradation of anisotropic composite laminates with matrix cracking - Part 2: Determination of resolved stiffness and numerical study of stiffness degradation, 10A822

LI, ZHENGZHI: Size effect and fracture characteristics of composite laminates, 1A766

LI, ZHI-CHENG: High frequency electrical measurements of adhesive bonded structures: An investigation of model parallel plate waveguide structures, 12A870

LI, ZHONGHUA: Thermal stresses analysis of a 3D crack in a thermopiezoelectric solid, 5A642

LI, ZHOU: Existence of wave front solutions and estimates of wave speed for a competition-diffusion system, 1T1208
- New technique for determining fracture toughness K_{Ic} and its confidence with single DCB specimen, 2A722

LI, ZJ: Sliding wear behavior of planar random zinc-alloy matrix composites, 4A889

LIAN, J: Rigid viscoplastic FE analysis of the gas-pressure constrained bulging of superplastic circular sheets into cone disk shape dies, 7A22

LIAN, R-J: Combination of fuzzy logic and neural network algorithms for active vibration control, 4A385

LIAN, YAFENG: Antiwear and expressure properties of some oil-water double soluble rare earth complexes - Part 2: Their tribological behavior is liquid paraffin, 2A1128
- Tribological behavior and application of rare earth lubricants, 2A1136
- Antiwear and extreme pressure properties of some oil-water double soluble rare earth complexes - Part 1: Their tribological behavior in water, 2A1129
- Improved friction and wear properties of cast Fe-Mo-S wear-resistant alloy by cerium dioxide doping, 5A821

LIANG, CG: Reverse static force analysis of a special planar three-spring system, 11A341

LIANG, CHEN: Impedance-based system modeling approach for induced strain actuator-driven structures, 1A840

LIANG, CHO-CHUNG: Minimum weight design of submersible pressure hull under hydrostatic pressure, 8A937

LIANG, DONG: High-order upwind method for the convection-diffusion problem, 12A1351

LIANG, HAOYUN: Principal axis intrinsic method and the high dimensional tensor equation AX - XA = C, 7A403

LIANG, HSING-SHENG: Nucleate pool boiling on micro graphite-copper composite surfaces, 2T1202
- Remedy for hysteresis in nucleate boiling through application of micrographite-fiber nucleation activators, 8A1314

LIANG, J: Study of fatigue and creep behavior of four high temperature solders, 5A598

LIANG, JW: Decrement method for the simultaneous estimation of Coulomb and viscous friction, 2T98
- Phase-space reconstructions and stick-slip, 11T100

LIANG, KEO-ZOO: Boundary element analysis of stress concentration in micropolar elastic plate, 10A648

LIANG, LIFU: Unification of the Hamilton principles in non-holonomic system and in holonomic system, 1A102

LIANG, M: Two-stage iterative approach to soaking pit loading of composite ingots, 12A467

LIANG, MC: Finite-volume-Newton method for a two-phase heat flow problem using primitive variables and collocated grids, 3A1248
- Three-dimensional finite-volume and Newton method for thermal-capillary problems, 7A628

LIANG, PING: Moore-Penrose inverse method of topological variation of FE systems, 7A34

LIANG, RY: Probability method applied to dynamic pile-driving control, 8A666
- Prediction of fatigue life of asphalt concrete beams, 10A773

LIANG, S-J: Finite element computations for unsteady fluid and elastic membrane interaction problems, 11A31

LIANG, SHALI: Prediction of thermal fatigue life for diesel engine piston under states of multiaxial stresses, 4A1262

LIANG, SHUGUO: Analysis of galloping oscillations of highrise structures, 4T173

LIANG, SM: Numerical study of low-thrust nozzles for satellites, 4A1053

LIANG, SS: Thermal phase transformation and residual stress estimation of multi-layer materials for cylindrical or flat shape, 1A1291

LIANG, SY: Identification of cutter axis tilt in end milling, 11A604

LIANG, TIANLING: Another class D'Alembert principle and a new Maggi equation for arbitrary order nonholonomic mechanical systems in derivative space, 9A83

LIANG, VEI-CHUNG: Packing generation scheme for the granular assemblies with planar elliptical particles, 10A1442

LIANG, WEI: Ponding problem of plates in nonlinear nature, 1T275

LIANG, XIAO-PING: Computer simulation of a 3D sensing system with structured illumination, 9A797

LIANG, XINGFU: Nonlinear problem of vibration for free edge rectangular plate on elastic foundation (Chinese), 7T529

LIANG, XQ: Vibration of a rectangular laminated elastic plate with embedded piezoelectric sensors and actuators, 8A172

LIANG, YANCHUN: Numerical study on identification of time varying parameters of vibration systems, 6A361
- Identification of nonlinearities in cushioning packaging using neural networks with fuzzy adaptive control, 12T361

LIANG, YN: Wear behavior of a TiNi alloy, 3A862
- Effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 3A837
- Developments for single-pass pendulum scratching, 4A896

LIANG, ZAICHAO: Dynamical characteristics of coherent structure in the outer region of turbulence boundary layer, 8A1189

LIANG, ZHENG: Fast technique for measuring water activity of atmospheric aerosols, 8A1443

LIANGJIANG: United point force solution for both isotropic and transversely isotropic media, 8A489

LIAO, CC: Experimental study of steady and pulsatile flows in cerebral aneurysm model of various sizes at branching site, 12A1556

LIAO, CHANGMING: Mass-flux-based implicit multigrid method for modeling multidimensional combustion, 7A1424

LIAO, CHUNG-MIN: Optimal feedback control strategy for waste disposal management in agroecosystems, 10A1505

LIAO, FUCHENG: General type of digital optimal preview servo system, 1A380

LIAO, J-S: Modeling and analysis of nonlinear guideway for double-ball bar measurement and diagnosis, 9A419

LIAO, JB: Fuzzy set theory in the control of coordinate measuring machines (CMMSs), 6A391

LIAO, P: Wear and friction of nylon-glass fiber composites in non-conformal contact under combined rolling and sliding, 2A874
- Friction and wear of polymers in non-conformal contacts, 7A863

LIAO, QINGBO: Multifrequency viscoacoustic modeling and inversion, 4A1376

LIAO, QZ: Reverse static force analysis of a special planar three-spring system, 11A341

LIAO, SC: Minimum weight design of laminated composite plates subject to strength constraint, 2A136

LIAO, SHANTAO: Notes on a study of vector bundle dynamical systems (II) - Part I, 6A99

LIAO, SHI-JUN: High-order BEM formulations for strongly nonlinear problems governed by quite general nonlinear differential operators, 4A44
- High-order BEM formulations for strongly nonlinear problems governed by quite general nonlinear differential operators - Part 2: Some 2D examples, 10A90
- Kind of approximate solution technique which does not depend upon small parameters - II: An application in fluid mechanics, 12A82

LIAO, SHIJUN: Numerical simulation of dynamic response of towed systems, 12A282

LIAO, SHUTAO T: Dynamic response of intact piles to impulse loads, 10A282
- Identification of defects in piles through dynamic testing, 10A860

LIAO, SJ: General BEM for nonlinear problems, 3A47

LIAO, TW: Automated radiographic NDT system for weld inspection - Part I: Weld extraction, 4A791
- Modeling of ceramic grinding processes - Part I: Number of cutting points and grinding forces per grit, 11A620

LIAO, XIN-XIONG: Simplified theory of the ignition of single droplets under forced convection, 12A1356

LIAO, YC: Large-scale seismic test program at Hualien Taiwan, 1A1421

LIAO, YIN-KUEI: Quantitative feedback design of uncertain multivariable control systems, 4A383

LIAO, YS: Study of wire breaking process and monitoring of WEDM, 8A711

LIAO, ZHEN-PENG: Extrapolation non-reflecting boundary conditions, 4A217

LIAOU, KH: Effect of acoustic vibration on boiling incipience, 7A1281

LIAPIS, S: Adaptive BEM for the solution of potential flow problems, 7A1035

LIASI, E: Photoelasticity using retroreflection, 7T787

LIAW, BM: Interface and matrix fracture in brittle fiber-reinforced composites, 2A680
- Characterization of failure behavior of brittle matrix composites at room and elevated temperatures, 3T703

LIAW, CY: Large-scale seismic testing of knee-brace-frame, 6A1474

LIAW, HC: Robust motion control for robotic assembly tasks using variable structure control scheme, 8A452

LIAW, P: Combined Eulerian-VOF-Lagrangian method for general gas-liquid flow applications, 6A1264

LIAW, PK: Fatigue crack initiation and propagation behavior of pressure vessel steels, 11A645
- Creep crack growth behavior of steam pipe steels: Effects of inclusions content and primary creep, 11A659

LIBAI, A: Intrinsic equations for the nonlinear dynamics of space beams, 2A120

LIBBY, PA: Introduction to Turbulence, 3R30
- Extinction of premixed flames in turbulent counterflowing streams with unequal enthalpies, 3A1301

LIBCHABER, A: Is temperature passive or active in hard turbulence?, 4A1087

LIBERSKY, LD: Smoothed particle hydrodynamics: Some recent improvements and applications, 6A811

LIBO, YUAN: Fiber-optic crack-tip opening displacement sensor for concrete, 10A868

LIBRESCU, L: Two models of shear deformable laminated plates and shells and their use in prediction of global response behavior, 6A589
- Postbuckling and vibration of shear deformable flat and curved panels on a nonlinear elastic foundation, 8A595
- Vibration of thermomechanically loaded flat and curved panels taking into account geometric imperfections and tangential edge restraints, 10A199

LICHMAN, E: High-resolution velocity notch filter without Gibbs effect, 7A1468

LICHON, PG: Development and demonstration of a 600-second mission-average I_{sp} arcjet, 5A1380
LICHTENBERG, AJ: Self-synchronization of coupled oscillators with hysteretic responses, 8A106
LICHTENBERG, G: Observation of qualitative states by means of a qualitative model, 10T409
LIE, I: Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part I: Comparison of 2D and 3D flows, 6A1135
LIE, ST: Analysis of load and non-load-carrying fillet welds using HBIEs, 7A962
LIEBER, BB: Inspiratory and expiratory steady flow analysis in a model symmetrically bifurcating airway, 9A1588
- Modeling of flow in a straight stented and nonstented side wall aneurysm model, 10A1548
LIEBOWITZ, H: Quest of a universal fracture law governing the process of slow crack growth, 2A669
- Finite element analysis of the slow crack growth process in mixed mode fracture, 7A16
LIEBST, BS: Asymptotic approximations for systems incorporating fractional derivative damping, 4A919
- Structural damage identification using assigned partial eigenstructure, 6A362
- Sensor placement and structural damage identification from minimal sensor information, 7A796
LIECHTI, KM: Multiaxial nonlinear viscoelastic characterization and modeling of a structural adhesive, 12A508
LIEH, JUNGHSEN: Semiactive and active suspensions for vehicle ride control using velocity feedback, 10A499
LIEN, FS: Multiblock implementation of a non-orthogonal, collocated finite volume algorithm for complex turbulent flows, 3A58
- Local mesh refinement within a multi-block structured-grid scheme for general flows, 11A965
LIENAU, J: Flow Modeling and Turbulence Measurements VI, 3N33
LIENHARD, VJH: Statistical convergence of acrosol deposition measurements, 9A1070
LIENKAMP, M: Prediction of the strength distribution for unidirectional fiber reinforced composites, 4A556
LIEPMANN, D: Trailing vortex wake growth characteristics of a high aspect ratio rectangular airfoil, 7A1168
- Digital particle velocimetry in flows with nearly closed pathlines: The viscoelastic Taylor-Couette instability, 11A1070
LIERSE , W: Variability of femoral muscle attachments, 3A1501
LIETZMANN, A: Notch-stress analysis by FE submodeling, 11A29
LIEW, JYR: Stability Design of Semi-Rigid Frames, 4R12
- Testing of semi-rigid unbraced frames for calibration of second-order inelastic analysis, 12A921
- Advanced analysis and design of spatial structures, 12A910
LIEW, KM: Vibration studies on moderately thick double-curved elliptic shallow shells, 1A191
- Influence of thermoplastic film interleaving on the interlaminar shear strength and Mode I fracture of laminated composites, 1A762
- Nonlinear dynamics of multibodies with composite laminates - I: Theoretical formulation, 1A553
- Exact buckling solutions for composite laminates: Proper free edge conditions under in-plane loadings, 3A562
- Higher-order theory for vibration of doubly curved shallow shells, 3A167
- Nonlinear FE model for dynamics of flexible manipulators, 3A7
- Natural frequencies of thick arbitrary quadrilateral plates using the pb-2 Ritz method, 4A148
- Vibration characteristics of cantilevered thick cylindrical shallow shells, 5T116
- Solving the vibration of thick symmetric laminates by Reissner-Mindlin plate theory and the p-Ritz method, 6A166
- Free vibration of pretwisted, cantilevered composite shallow conical shells, 7A162
- Structural Dynamics and Controls, 8A113
- Four-node differential quadrature method for straight-sided quadrilateral Reissner-Mindlin plates, 8A591
- Three-dimensional vibration analysis of solid cylinders of polygonal cross-section using the p-Ritz method, 9A155
- Vibration of shallow shells: A review with bibliography, 9A144
- Bending analysis of simply supported shear deformable skew plates, 9A552
- Eight-node curvilinear differential quadrature formulation for Reissner-Mindlin plates, 9A572
- Differential cubature method: A solution technique for Kirchhoff plates of arbitrary shape, 11A520
- Vibration of thick doubly-curved stress free shallow shells of curvilinear planform, 11A138
- Vibration characteristics of simply supported thick skew plates in 3D setting, 11A137
- Vibration analysis of arbitrary quadrilateral unsymmetrically laminated thick plates, 12T187
LIFSCHITZ, A: Onset of instability in exact vortex rings with swirl, 5A1033
LIFSHITZ, JM: Effect of near-surface impact-induced damage on the residual strength of woven glass-epoxy composite beams, 9A752
LIGARO, S: Competition between brittle fracture and plastic collapse in the failure of thin rectangular panels, 3A695
LIGEZA, P: Thermoanemometric sensor model, 4A1220
LIGGINS, AB: Image-averaging in the analysis of data from pressure-sensitive film, 11A61
LIGHT, GM: Detection and sizing of defects in control rod drive mechanism penetrations using eddy current and ultrasonics, 2A739
LIGHT, WA: Fast evaluation of radial basis functions: Methods for 2D polyharmonic splines, 12A340
LIGIER, JL: Four-layered self-consistent scheme applied to two-phase composites, 1T532
LIGON, J: Decoupling longitudinal and transverse vibrations of a cylindrical beam in time and frequency domains, 10T176
LIGRANI, PM: Effects of bulk flow pulsations on film-cooled boundary layer structure, 9T1083
- Bulk flow pulsations and film cooling: Flow structure just downstream of the holes, 12A1118
- Film cooling from spanwise-oriented holes in two staggered rows, 12A1250
LIKHACHEV, O: Stability of a compressible laminar wall-jet with heat transfer, 7A1102
LIKHANSKII, VV: Dynamics of fission gas release from molten nuclear fuel, 5A1443
LIKHTEROV, L: High-frequency acoustic noise emission excited by laser-driven cavitation, 2A262
LIKOS, W: Centrifuge-modeled rigid structure to investigate dynamic soil-structure interaction, 12A689
LILEK, Z: Efficiency and accuracy aspects of a full-multigrid SIMPLE algorithm for 3D flows, 7A1037
LILI, T: Asymptotic analysis of equilibrium states for rotating turbulent flows, 1A1076
LILJEGREN, LM: Ensemble-average equations of a particulate mixture, 11A993
LILLEBEKKEN, PM: Linear modeling of oscillating water columns including viscous loss, 5A1451
LILLY, DK: Linear stability and structure of convection in a circular mean shear, 4A1074
LILLY, KW: Dynamic simulation and neural network compliance control of an intelligent forging center, 5A548
LILLYS, TP: Filtered solution of the primitive shallow-water equations, 6A1011
LIM , CW: Vibration of shallow shells: A review with bibliography, 9A144
- Vibration of thick doubly-curved stress free shallow shells of curvilinear planform, 11A138
LIM, AEB: Separation theorem for linearly constrained LQG optimal control, 4T359
LIM, CH: Elastohydrodynamic lubrication analysis of layered line contact by the BEM, 1A1145
- Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, 11T1182
LIM, CJ: Radiative heat transfer in circulating fluidized beds, 11A1457
LIM, CK: Verification of numerical models used in microelectronics packaging design by interferometric displacement measurement methods, 4A940
LIM, CW: Vibration studies on moderately thick double-curved elliptic shallow shells, 1A191
- Higher-order theory for vibration of doubly curved shallow shells, 3A167
- Vibration characteristics of cantilevered thick cylindrical shallow shells, 5T116
- Free vibration of pretwisted, cantilevered composite shallow conical shells, 7A162
- Timoshenko curved beam bending solutions in terms of Euler-Bernoulli solutions, 9A549
LIM, DF: Vortex breakdown in an unconfined vortical flow, 7T1124
- Axisymmetric boundary layer beneath a Rankine-like vortex, 8A1141
LIM, EE MENG: Integrated planning for precision machining of complex surfaces - Part 1: Cutting-path and feedrate optimization, 6A694
- Integrated planning for precision machining of complex surfaces - Part 2: Application to the machining of a turbine blade die, 6A695
LIM, EL: Large-scale seismic testing of knee-brace-frame, 6A1474
LIM, GH: Conveying velocity of a vibratory feeder, 7A936
LIM, JAE MOON: Optimum design of a steering column to minimize the injury of a passenger, 3A909
LIM, KB: Balanced actuator and sensor placement for flexible structures, 3T355
- Hankel singular values of flexible structures in discrete time, 5T319
- Disturbance rejection approach to actuator and sensor placement, 7T366
LIM, KYOUNG HO: Robustness of natural controls of distributed-parameter systems, 11A329
LIM, LC: Transitions in wear mechanisms of alumina cutting tools, 7A891
- Effect of grain size on wear behavior of alumina cutting tools, 12A942
LIM, LG: Modeling central bursting in the extrusion of particulate reinforced metal matrix composite materials, 12T716
LIM, MK: Nonlinear dynamics of multibodies with composite laminates - I: Theoretical formulation, 1A553
- Analytical model updating and model reduction, 2T159
- Nonlinear FE model for dynamics of flexible manipulators, 3A7
- Complex eigensensitivity-based characterization of structures with viscoelastic damping, 5A144
- Three-dimensional vibration analysis of solid cylinders of polygonal cross-section using the p-Ritz method, 9A155
- Improved calculation of eigenvector sensitivities using matrix perturbation analysis, 9A880
- Modal analysis of close modes using perturbative sensitivity approach, 9A108
- Derivation of structural design sensitivities from vibration test data, 10A421
- Vibration characteristics of simply supported thick skew plates in 3D setting, 11A137
- Structural damage detection using measured FRF data, 12A789
LIM, MT: Stable optimal model reduction of linear discrete-time systems, 12A386
LIM, O KAUNG: Application of the first-order perturbation method to optimal structural design, 2A752
- Design sensitivity analysis extended to perturbation treatment in problems of uncertain structural system, 7A813
LIM, SC: Transitions in wear mechanisms of alumina cutting tools, 7A891
- Effect of grain size on wear behavior of alumina cutting tools, 12A942
LIM, SIOW-YONG: Local scour by a deeply submerged horizontal circular jet, 3A1120
LIM, TAE GYU: Flow driven by a torsionally-oscillating shrouded endwall disk, 9A1008
LIM, TAE W: On-line identification of modal parameters using artificial neural networks, 4A332
- Structural damage detection using real-time modal parameter identification algorithm, 5A708
- Adaptive filters for real-time system identification and control, 7A306
LIM, TT: Role of Kelvin-Helmholtz-like instability in the formation of turbulent vortex rings, 11A939
LIM, YOUNG-HUN: Finite element modeling of the transient response of MEMS sensors, 8A414
- Closed loop FE modeling of active structural damping in the frequency domain, 10A155
LIMA SORIANO, H: Method for graphic stress representation, 10A53
LIMA, AMN: Compensation of self-heating in the measurement of the dynamic response of a thermoresistive sensor, 12A1245
LIMA, JA: Hybrid solution of the averaged Navier-Stokes equations for turbulent flow, 10A1196
LIMACHE, AC: Hodograph method for airfoil design: The general case, 2A1081
LIMEBEER, DJN: Linear Robust Control, 1R15
LIMONGELLI, MP: Model to estimate the virgin and ultimate effective stiffnesses from the response of a damaged structure to a single earthquake, 4A1404
LIN , DW: Transient conjugate heat transfer on a naturally cooled body of arbitrary shape, 8A1278
LIN , HWUNG-YUI: Simple eddy viscosity model of rough turbulent wave boundary layer, 4A1032
LIN , JINGBO: Simple calculation approach for the second harmonic sound field generated by an arbitrary axial-symmetric source, 2A298
LIN , JINMU: Geometrically nonlinear analysis of the shallow shell by the displacement-based BE formulation, 7A520
LIN , SH: Heat transfer model for biological wastewater treatment system, 10A1351
LIN , TSANN-RONG: Effects of 3D irregularities on the performance characteristics of turbulent journal bearing, 2A1116
LIN, B: Theory of thermohyperelasticity for near-incompressible elastomers, 1A1280
LIN, BINLIANG: Numerical modeling of 3D suspended sediment for estuarine and coastal waters, 3A985
- Depth-integrated 2D coastal and estuarine model with conformal boundary-fitted mesh generation, 4A1428
LIN, BJ: Profile determination of planar and spatial cams with cylindrical roller-followers, 8A948
LIN, BOR JENG: Design and machining of globoidal index cams, 8A703
LIN, C: CAD approach to helical groove machining - Part 2: Numerical evaluation and sensitivity analysis, 6A691
LIN, C-C: Dynamic analysis of generally supported beams using Fourier series, 4A120
- Adaptive perturbation scheme for the analysis of mistuned bladed disks, 8A158
LIN, C-K: Influence of microstructure on the fatigue properties of austempered ductile irons - I: High-cycle fatigue, 2A631
- Influence of microstructure on the fatigue properties of austempered ductile irons - II: Low-cycle fatigue, 2A632
LIN, C-S: Genetic algorithm for control design of biped locomotion, 10A521
LIN, CA: Modeling influences of inlet swirl profiles on dump combustor flows, 6T1341
- Accurate interpolating scheme for semi-Lagrangian advection on an unstructured mesh for ocean modeling, 7T1492
- Numerical studies of small island wakes in the ocean, 8T1508
- Simple high-order bounded convection scheme to model discontinuities, 9T1237
- Implementation of vortex filament methods on parallel machines with distributed adaptive data structure, 10A1173
LIN, CC: Wrinkling of rectangular webs under nonlinearly distributed edge loading, 3A533
- Wrinkling of thin, flat, rectangular webs, 3A534
- Eigenvalue solutions predicting the wrinkling of rectangular webs under nonlinearly distributed edge loading, 5A105
LIN, CH: Modeling influences of inlet swirl profiles on dump combustor flows, 6T1341
- Evaluation of the combustion efficiency and emission of pollutants by coal particles in a vortexing fluidized bed, 12A1388
LIN, CHAUR-KIE: Unsteady solutions of a unified heat conduction equation, 7T1303
LIN, CHENG-XIAN: Experimental investigation of the laminar flow heat transfer enhancement in a small-scale square duct with aqueous Carbopol solutions, 2A1185
LIN, CHERN SHENG: Digital image processing of crack growth using a modified caustic set-up, 5A713
LIN, CHIA-HAN: Intelligent collision avoidance by fuzzy logic control, 12A448
LIN, CHIEN-CHANG: Local buckling of delaminated composite sandwich plates, 4A724
- Local buckling of delaminated sandwich beams using continuous analysis, 6A607
- Finite element analysis of deflection control of plates with piezoelectric actuators, 8A891
- Buckling of beam-plates having multiple delaminations, 11A526
LIN, CHIH-HSIEN: Multi-region BE analysis of unconfined seepage problems in excavations, 1A626
LIN, CHIH-MIN: Flight control system design by self-organizing fuzzy logic controller, 7T1171
- Frequency-domain linear quadratic optimal system design with 2dof configuration, 10T449
LIN, CHUNG-HSIUNG: Simple high-order bounded convection scheme to model discontinuities, 9T1237
LIN, CHUNG-YUNN: Mathematical model of spiral bevel and hypoid gears manufactured by the modified roll method, 7A940
LIN, CL: Flow characteristics and shear-layer vortex shedding of double concentric jets, 10A1188
LIN, CS: Dynamic model for global positioning system block IIR space vehicle, 12A206
LIN, CT: Edge function analysis of glacier mechanics problems, 8A1468
LIN, CX: Laminar forced convection in the entrance region of helical pipes, 11A1218
LIN, CY: Open- and closed-loop results of a strain-actuated active aeroelastic wing, 4A1119
- Multivariable high-authority control of plate-like active structures, 5A324
- Multivariable active lifting surface control using strain actuation: Analytical and experimental results, 11A224
LIN, D-C: Non-uniform recovery of vortex breakdown over delta wing in response to blowing along vortex core, 6A1180
LIN, DA-CHI: Evolution of vortical structure over delta-wing with transient along-core blowing, 9A1160
LIN, E: Calculations of fracture criteria by classical mechanics - II: COD, 6A804
- Calculations of fracture criteria by classical mechanics - I: Pellini's Duplex Rule, 6A803
LIN, EN-BING: Coiflet interpolation and approximate solutions of elliptic partial differential equations, 11A59
LIN, FANG-CHANG: Cooperation protocols in multi-agent robotic systems, 12A437
LIN, FB: Assessment of artificial dissipation models for 3D incompressible flow solutions, 11A960
- Strongly-coupled multigrid method for 3D incompressible flows using near-wall turbulence closures, 11A1116
LIN, FH: Numerical simulation of 3D incompressible flow by a new formulation, 5A948
- Simulation of natural convection in a vertical enclosure by using a new incompressible flow formulation: Pseudovorticity-velocity formulation, 12A1272
LIN, FU-REN: Scheduling printed circuit board production systems using the two-level scheduling approach, 10T548
LIN, GANG: Comparative study of hardening theories in torsion using the Taylor polycrystal model, 3A469

LIN, GAO: Two dof lumped-parameter model of dynamic impedances of foundation soils (Chinese), 2A164
LIN, GM: Development of a DSP-based active small amplitude vibration control system for flexible beams by using the LQG algorithms and intelligent materials, 6A864
LIN, GUOYU: Fully plastic crack-tip fields for plane strain shallow-cracked specimens under pure bending, 5A659
LIN, H: Nonlinear rocking motions - I: Chaos under noisy periodic excitations, 3A105
- Nonlinear rocking motions - II: Overturning under random excitations, 3A106
- Deterministic and stochastic analyses of chaotic and overturning responses of a slender rocking object, 4T83
LIN, HEQUAN: Discrete vortex method for simulating unsteady flow around pitching aerofoils, 9A1166
LIN, HSIANG HSI: Effect of contact ratio on spur gear dynamic load with no tooth profile modifications, 3A891
LIN, HSIAO-TSUNG: Combined heat and mass transfer by laminar natural convection from a vertical plate with uniform heat flux and concentration, 10A1287
LIN, HSIAO-WEN: Application of the Krylov subspace method to numerical heat transfer, 2A1195
LIN, HUAN-CHANG: Effects of die chilling and flow stress characteristics on the deformation of non-isothermal forging of Ti-6Al-4V alloy, 2A582
LIN, HUIJIE: Site coefficients for design of buildings in eastern United States, 7A1490
LIN, HY: Residual stresses with different tool flank wear lengths in the ultra-precision machining of Ni-P alloys, 11A613
LIN, J: Thermomechanical deflection of microcantilever beams in scanning force microscopes, 4A428
- Numerical study of fluid flow and heat transfer in a channel with heated normal plates, 12A1260
LIN, J-C: Controlled motion of a cylinder through a free surface: Effect of depth of penetration, 1A981
- Force identification by vorticity fields: Techniques based on flow imaging, 3A979
- Flow past a cylinder close to a free surface, 8A1075
LIN, J-S: Strong nonlinear dynamics of cutting processes, 12A207
LIN, JAU-WEN: Reductions in wear rate of carbon samples sliding against wavy copper surfaces, 11T833
LIN, JAW-REN: Hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 3A1207
- Squeeze film behavior in a hemispherical porous bearing using the Brinkman model, 4T930
- Couple-stress effects on the squeeze film characteristics of hemispherical bearings with reference to synovial joints, 4A1477
- Static characteristics of rotor bearing system lubricated with couple stress fluids, 7A945
- Effects of couple stresses on the lubrication of finite journal bearings, 12A1206
LIN, JC: Formation and evolution of a subsurface layer in a metalworking process, 12A980
LIN, JCM: Low-Reynolds-number separation on an airfoil, 2A1083
LIN, JEN FIN: Hydrodynamic lubrication of face seal in a turbulent flow regime, 1T924
- Scuffing as evaluated from the viewpoint of surface roughness and friction energy, 1A894
- Analysis of the friction and wear mechanism of structural ceramic coatings - Part 2: The effect of operating conditions and substrate material, 3A834
- Tribological performance of 6061 aluminum alloy-graphite composite materials in oil lubrications with EP additives, 3A877
- Correlation between three-body wear and tribological characteristics of titanium nitride, titanium carbonitride and titanium carbide coatings, 12A977
LIN, JEN-FIN: Thermal analysis of a medium-carbon steel tribo-system and its application to oxidational wear, 4T890
LIN, JENG-HSIANG: Separation distance to avoid seismic pounding of adjacent buildings, 8A1487
LIN, JH CHERN: Surface effect on braking behavior of PAN-pitch carbon-carbon composite, 5A848
LIN, JIAHAO: Random seismic responses of multi-support structures in evolutionary inhomogeneous random fields, 6A1446
- Accurate high-speed computation of non-stationary random structural response, 10A954
- Asynchronous parallel computing of structural non-stationary random seismic responses, 11A1487
LIN, JIAN-ZHONG: Effect of solid particles on stability flow in the boundary layer on a flat plate, 3A1092
LIN, JIN-MU: Error bounds estimate of weighted residuals method using genetic algorithms, 6A82
LIN, JR: Static and dynamical behaviors of pure squeeze films in couple stress fluid-lubricated short journal bearings, 11A1177
LIN, JS: Computer aided photoelastic stress analysis of a variable-pitch lead screw, 12A860
LIN, K-C: Effects of hydrodynamics on soot formation in laminar opposed-jet diffusion flames, 1A1319
LIN, KAI-YUNG: Reliability of reinforced concrete girders under corrosion attack, 9A866
LIN, KAISER: Experimental investigation of a small-aspect-ratio elliptic jet under pseudolocal excitation, 8A85
LIN, KUO-WAN: New map of the geographic extent of the Socorro mid-crustal magma body, 12T1461
LIN, KWANG-MING: Modified MOS IC process suitable for bulk micromachining, 2T331
LIN, L: Critical conditions for collapse of annular flow in a rotating heat pipe with a cylindrical wall, 4A1248
- One-dimensional analysis of maximum performance in a closed two-phase thermosyphon with a crossover flow separator, 4A1223
LIN, LANCHAO: Steady-state performance in a thermo-syphon with tube separator, 11A1347
LIN, LI: Wear maps of TZP-steel reciprocating sliding couple under dry sliding, 3A863
LIN, LIH-CHANG: Integrated PID-type learning and fuzzy control for flexible-joint manipulators, 8A446
LIN, MARK CHING-CHENG: Residual stress measurement in 304 stainless steel weld overlay pipes, 11A437
LIN, MC: Upstream interactions between premixed flames, 2A1339
LIN, MH: Estimation of the onset of longitudinal vortices in a laminar boundary layer heated from below, 11A1245
LIN, MING-CHIH: Optimal shape design of engine connecting rod with special lumping-mass constraint, 5A873
LIN, MING-CHUNG: Simultaneous measurements of water impact on a 2D body, 7A1108
LIN, MONG-TUNG: Transient free convection of non-Newtonian fluids along a wavy vertical plate including the magnetic field effect, 5A1183
LIN, MS: Transport phenomena during resistance spot welding, 2A1190
LIN, P: Numerical approach to model heat transfer in polymer melts flowing in constricted channels, 2A1186
LIN, PD: Sensing of motion related errors in multiaxis machines, 4A183
LIN, PIN-HUA: Phenomenological analysis of plateaus on stress-strain hysteresis in TiNi shape memory alloy wires, 4A781
LIN, PING: Sequential regularization method for time-dependent incompressible Navier-Stokes equations, 11A968
LIN, PP: Noncontact sphericity measurement by means of phase shift interferometry, 2A366
LIN, Q: Subconvergence of FEs and a self-adaptive algorithm, 5A42
LIN, QIAOMING: Buckling and initial post-buckling of thin-walled composite beams, 2A527
LIN, R-SING: Stability of attachment-line boundary layers - Part 2: The effect of leading-edge curvature, 8A1130
LIN, RAY-HONG: Experimental studies on flow in convergent and divergent ducts of rectangular cross section, 7A1238
LIN, RJ: Tool wear monitoring in face milling using force signals, 3A881
LIN, RM: Analytical model updating and model reduction, 2T159
- New method for accurate and consistent identification of modal parameters, 3A334
- Complex eigensensitivity-based characterization of structures with viscoelastic damping, 5A144
- Improved calculation of eigenvector sensitivities using matrix perturbation analysis, 9A880
- Modal analysis of close modes using perturbative sensitivity approach, 9A108
- Derivation of structural design sensitivities from vibration test data, 10A421
- Structural damage detection using measured FRF data, 12A789
LIN, RY: Comparison testings between two high-temperature strain measurement systems, 5A1306
LIN, S: Stress intensity factors for cracks emanating from a semicircular notch in a half-plate, 6A765
- Stresses in a flat plate due to a loose pin pressing against a cracked hole, 12A496
LIN, S-C: Application of approximate equations for waveriders with multi-directional curvature, 6A1045
LIN, SB: Modified form of Hill's orientation-dependent yield criterion for orthotropic sheet metals, 5A9
LIN, SC: Tool wear monitoring in face milling using force signals, 3A881
LIN, SENPUU: Nonlinear Czochralski growing process of crystals with variable thermal properties, 4A1231
LIN, SHEAM-CHYUN: Numerical study of multidirectional-curvature waverider with finlets, 2A983
- Navier-Stokes simulation of a cone-derived waverider with multidirectional curvature, 2T987
- Flight simulation of a waverider-based hypersonic vehicle, 7A1175
LIN, SHI: Study of directionality of latent hardening behavior in aluminum single crystals, 4A511
LIN, SHIANN: Solution of cracks developing from stress raisers, in finite bodies, by a hybrid dislocation density-BEM approach, 2A662
LIN, SHIH-TIN: Impedance control with on-line neural-network compensator for robot contact tasks, 1A397
- Control of the J-85 turbojet engine using the Edmunds' method and the extended Kalman filter technique, 8A1438
- Impedance control with on-line neural network compensator for dual-arm robots, 8A445
- Force sensing using Kalman filtering techniques for robot complaint motion control, 8A441
LIN, SHUI-SHUN: Statistical tolerance analysis based on beta distributions, 10A549
LIN, SONG-SUN: Stability of gaseous stars in spherically symmetric motions, 10A1171
LIN, SP: Nonequilibrium evaporation from a heated liquid layer, 1A1213
- Atomization of a liquid drop by pulsation, 5A975
- Critical angle of shear wave instability in a film, 7T1118
- Absolute and convective instability of a viscous liquid curtain in a viscous gas, 8A1165
LIN, ST: Thermoelastic determination of stress intensity factors in orthotropic composites using the J-integral, 7A724
LIN, SUI: Application of Kalman filter and finite difference scheme to inverse heat conduction problems, 4A1234
- Heat flux limiter finite difference scheme in solving a 1D inverse Stefan problem, 12A1295
LIN, SY: Hollow cylinder upsetting between flat platens considering unequal frictional conditions, 6A673
- Investigation of unequal interface frictional conditions during the upsetting process, 11A576
- Investigation of the effect of dissimilar interface frictional properties on the process of hollow cylinder upsetting, 12A711
LIN, SY-HONG: Application of Taylor transformation to nonlinear predictive control problem, 2A318
LIN, TF: Experimental observation and conjugated heat transfer analysis of vortex flow development in mixed convection of air in a horizontal rectangular duct, 1A1182
- Combined numerical and experimental study of air convection in a differentially heated rotating cubic cavity, 1A1170
- Structures of moving transverse and mixed rolls in mixed convection of air in a horizontal plane channel, 4A1209
- Changes of longitudinal vortex roll structure in a mixed convective air flow through a horizontal plane channel: An experimental study, 4A1205
- Unsteady vortex roll structures in a mixed convective air flow through a horizontal plane channel: A numerical study, 5A1170
- Flow visualization and numerical simulation of transverse and mixed vortex roll formation in mixed convection of air in a horizontal flat duct, 7A1258
- Effects of aspect ratio on vortex flow patterns in mixed convection of air through a bottom-heated horizontal rectangular duct, 11A1244
- Time-averaged and reverse transition in oscillatory air convection in a differentially heated rotating cubic cavity, 11A1252
LIN, TSING-FA: Numerical simulation of flow pattern formation in a bottom heated cylindrical fluid layer, 5A1152
LIN, TSUNG-CHING: Cross-coupled precompensation method for the contouring accuracy of computer numerically controlled machine tools, 12A730
LIN, W: Two models of shear deformable laminated plates and shells and their use in prediction of global response behavior, 6A589
LIN, W-Y: Sliding mode control for nonlinear systems with global invariance, 9A329
LIN, WEI: Further results on global stabilization of discrete nonlinear systems, 5T298
- Time-varying feedback control of nonaffine nonlinear systems without drift, 6T377
LIN, WEIQING: Postbuckling and vibration of shear deformable flat and curved panels on a nonlinear elastic foundation, 8A595
- Vibration of thermomechanically loaded flat and curved panels taking into account geometric imperfections and tangential edge restraints, 10A199
LIN, WEN-YI: Effect of flame support layer geometry and materials on the radiant efficiency of gas radiant burners, 5A1349
- Radiant efficiencies and performance considerations of commercially manufactured gas radiant burners, 5A1352
LIN, WEN-ZER: Optimal feedback control strategy for waste disposal management in agroecosystems, 10A1505
LIN, WL: Experimental observation and conjugated heat transfer analysis of vortex flow development in mixed convection of air in a horizontal rectangular duct, 1A1182
LIN, WW: Second-law analysis on a pin-fin array under crossflow, 7A1337
- Relative stability between nucleate and film boiling on a nonuniformly heated plate surface, 11A1276
LIN, X: Modeling and test of an electropneumatic servovalve controlled long rodless actuator, 4A412
- Time dependent correlation function of linear systems excited by shot noise with different arrival rates, 6A136
LIN, XUEJUN: Aerosolization of particles from a bubbling liquid: Characteristics and generator development, 7A1077
LIN, XW: Numerical study of oscillatory flow about a circular cylinder for low values of beta parameter, 3A1031
LIN, Y: Calculations of fracture criteria by classical mechanics - II: COD, 6A804
- Calculations of fracture criteria by classical mechanics - I: Pellini's Duplex Rule, 6A803
LIN, Y-H: Active flutter control of a cantilever tube conveying fluid using piezoelectric actuators, 4A256
- Nonlinear active vibration control of a cantilever pipe conveying fluid, 11A217
LIN, YAN: Three dimensional auto-numerical grid generation around ship hulls by PDE method (Chinese), 2A43
- Ship wave-making resistance calculation by panel method and numerical flow field visualization (Chinese), 10A1211
LIN, YC: Effect of welding parameters on the residual stress by the parallel heat welding, 11A436
LIN, YEE SHOWN: Finite element modeling for water waves-soil interaction, 1A47
LIN, YH: Wear performance of CAP-titanium nitride-coated high-speed steel in different dry sliding conditions, 12A995
LIN, YICHING: Composite beams subjected to static and fatigue loads, 11A499
LIN, YIH-HWANG: Optimal vibration suppression in modal space for flexible beams subjected to moving loads, 6A869
LIN, YING-CHUN: Measurement and prediction of apparent thermal conductivity of plastic foam with or without biomass materials, 9A1332
LIN, YK: Exact and approximate solutions for randomly excited MDOF nonlinear systems, 3A123
- Markov process modeling of groundwater contamination problems, 4A53
- Stochastic stability of wind-excited long-span bridges, 4A174
- Response spectral densities of strongly nonlinear systems under random excitation, 6A135
- Comparing quasi-conservative averaging and dissipation energy balancing methods in nonlinear rand. n vibration, 8A116
LIN, YS: Nonlinear wave-induced response of porous seabed: A FE analysis, 7A1444
- Numerical study of heat transfer enhancement of a horizontal tube with an eccentrically inserted plate, 7A1339
- Effects of variable permeability on the wave-induced seabed response, 9T997
LIN, YT: Finite flow-line regions approach to visioplasticity in plane-strain extrusion, 1A639
LIN, YUAN-TANG: Experimental investigation of a small-aspect-ratio elliptic jet under pseudolocal excitation, 8A85
LIN, YUCHI: Self-calibration method for 2D displacement sensor (Japanese), 1A381
LIN, YUH-LANG: Flow regimes and transient dynamics of 2D stratified flow over an isolated mountain ridge, 3T1016
LIN, YUR-TSAI: Performance of plate finned tube heat exchangers under dehumidifying conditions, 8A1368
LIN, Z: Acoustic waves in a shallow inhomogeneous ocean with a layer of sediment, 5A234
- Structural characteristics of RC beams with exposed main steel, 8T912
- Nonlinear isoparametric finite-strip method, 8A32
- Constitutive modeling and material characterization of polymeric foams, 12A526
LIN, ZH: Heat transfer behaviors of a confined slot jet impingement, 5A1138
LIN, ZHENKUN: Investigation on the revision of the formula for calculating stability threshold speed of turbine-generator bearings (Chinese), 2A70
LIN, ZHI-JIE: Nitrogen oxides emission from a circulating fluidized bed combustor, 5A1339
LIN, ZHONG: Crack bridging in fiber reinforced cementitious composites with slip-hardening interfaces, 11A696
LIN, ZHONG-QIN: Buckling and postbuckling of shear-deformable rectangular plates of composite construction, 3A557
LIN, ZHONGQIN: New mechanics model of stamping a thin strip on an elastic foundation, 6A685
LIN, ZONC-CHING: Rolling process 2D FE model analysis, 12A728
LIN, ZONE-CHING: Application of fuzzy set theory and back-propagation neural networks in progressive die design, 2A359
- Residual stresses with different tool flank wear lengths in the ultra-precision machining of Ni-P alloys, 11A613

LIN, ZONGLI: Robust semi-global stabilization of linear systems with imperfect actuators, 7T301
LINAK, WP: Nitrogen oxide-chlorine interactions in a laboratory swirl flame combustor, 4A1299
LINAN, A: Theory of structures of hydrogen-air diffusion flames, 2A1308
- Flow field of a diffusion flame attached to a thick-walled injector between two coflowing reactant streams, 7A1391
LINAN, AM: Transient effects in droplet ignition phenomenon, 10A1399
LINAZA, MA: Determination of the energetic parameters controlling cleavage fracture initiation in steels, 12A828
LIND, CA: Effect of geometry on the unsteady type-IV shock interaction, 8A1131
LIND, D: Physics of Skiing: Skiing at the Triple Point, 4R33
LIND, NC: Approximate reliability analysis using normal polynomial and simulation results, 6A876
LIND, R: Robust flutter margins of an F-A-18 aircraft from aeroelastic flight data, 10T473
LINDBERG, W: Airfoil performance degradation by supercooled cloud, drizzle, and rain drop icing, 6A1195
LINDBORG, E: Note on Kolmogorov's third-order structure-function law, the local isotropy hypothesis and the pressure-velocity correlation, 5A1038
LINDBY, T: Two-dimensional and 3D shape optimization using mesh velocities to integrate analytical sensitivities with associative CAD, 12A891
LINDEMAN, D: Steady-state current conduction analysis featuring electrochemical kinetics, 1A50
LINDEN, PF: Similarity considerations for non-Boussinesq plumes in an unstratified environment, 2A1026
LINDENMUTH, WT: Radar imaging of water surface flow fields, 11A950
LINDFORS, L-E: Catalytic combustion of propane and natural gas over silica-fiber supported catalysts, 2A1323
LINDGREN, M: Test procedure and automatic system for sound insulation measurement using the sound intensity method, 11A269
LINDLEY, GT: Site amplification in the San Fernando Valley, California: Variability of site-effect estimation using the S-wave, Coda, and H-V methods, 12A1458
LINDMARK, K: Analysis of flow acceleration during erythrocyte filtration: Dependence of hematocrit and cell rigidity, 5A1495
LINDNER, DK: Nonlinear control of a proof-mass actuator, 10A488
LINDNER, M: Solar water detoxification: Novel TiO_2 powders as highly active photocatalysts, 11A1546
LINDNER, P: Shear induced gelation of colloidal dispersions, 10A1032
LINDQVIST, P-A: Application of a splitting fracture model to the simulation of rock indentation subsurface fractures, 7A591
LINDROOS, VK: Influence of the metal-ceramic interface on the microstructure and mechanical properties of HIPed iron-based composites, 7A487
LINDSAY, D: Results of an aeroelastic tailoring study for a composite tiltrotor wing, 10A321
LINDT, JT: Kinetics of structure development in liquid-liquid dispersions under simple shear flow: Theory, 5A883
LINDZEN, RS: Baroclinic adjustment in a two-level model with barotropic shear, 4A1072
LINES, LR: Implicit interpolation in reverse-time migration, 11A1471
LING , GUOCAN: Compact finite difference-Fourier spectral method for 3D incompressible Navier-Stokes equations, 8A1083
LING, AV: Fuzzy control of burnout of multilayer ceramic actuators, 3T398
LING, DAOSHENG: h-type adaptive FE, 3A37
LING, HOE I: Geosynthetic tubes for confining pressurized slurry: Some design aspects, 3A538
- Seismic stability and permanent displacement of landfill cover systems, 8A668
LING, J: Improving traditional balancing methods for high-speed rotors, 11A146
- Frequency spectrum analysis and applications to steam turbine vibrations, 12T208
LING, JIAN: Experimental investigations and correlations for the performance of reciprocating heat pipes, 6A1289
LING, LING: Statistical strength of unidirectional composites and the effect of the interfacial shear strength, 7A707
- Study of the influence of interfacial damage on stress concentrations in unidirectional composites, 8A808
LING, S-F: New method for accurate and consistent identification of modal parameters, 3A334
LING, SF: Minimization of acoustic potential energy in irregularly shaped cavities, 4A303
LING, SHOU-HUNG: Kinestatic analysis of general parallel manipulators, 11A332
LING, WENHUA: Contact algorithm for problems involving quadrilateral approximation of surfaces, 9A942
LING, YUN: Approximate solution for the compression of a bonded thin annular disk, 3A439
LING, YX: Interval algorithm for linear-nonlinear coupled systems, 10T110
LING, ZHI-KUI: Use of swept volumes in the design of interference free spatial mechanisms, 9A970
- Analytical study on the kinematic and dynamic behaviors of a knee joint, 10A1512
LINGARD, S: Pressure and temperature dependence of the density of liquid lubricants, 7A1211
LINGEVITCH, JF: Wave propagation in poro-acoustic media, 11A179
LINGWOOD, RJ: Absolute instability of the Ekman layer and related rotating flows, 8A1174
LINK, M: Identification of composite material parameters of plates using vibration test data, 4A566
LINSCHEID, RL: Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, 12A1544
LINSON, ING-JER: Object-oriented programming of adaptive FE and finite volume methods, 6A46
LINTERIS, GT: Numerically predicted structure and burning velocity of premixed CO-Ar-O_2-H_2 flames inhibited by CF_3H, 3A1329
LINTON, CM: Scattering of water waves by an array of circular cylinders in a channel, 5A186
LINTULA, P: Influence of topography on the running-in of water-lubricated silicon carbide journal bearings, 7A918
LINZ, SJ: Effect of periodic shear on avalanches in granular systems, 4A1326
LIONBERGER, RA: Smoluchowski theory with simply approximations for hydrodynamic interactions in concentrated dispersions, 8A989
LIONS, JL: Handbook of Numerical Analysis, Volume IV: Finite Element Methods (Part 2), Numerical Methods for Solids (Part 2), 6N4
- Computational approach to controllability issues for flow-related models - I: Pointwise control of the viscous Burgers equation, 6A355
LIONS, P-L: Mathematical Topics in Fluid Mechanics, Volume 1: Incompressible Models, 8R18
- Existence and stability of entropy solutions for the hyperbolic systems of isentropic gas dynamics in Eulerian and Lagrangian coordinates, 2A980
LIOR, N: Simple universal equation for bubble growth in pure liquids and binary solutions with a non-volatile solute, 7A1283
- Critical transitions in pool flash evaporation, 9A1255
LIOU, B-T: Ray effects in the discrete-ordinate solution for surface radiation exchange, 10A1345
LIOU, BO-TING: Composite discrete-ordinate solutions for radiative transfer in a two-layer medium with Fresnel interfaces, 6A1280
- Discrete-ordinate solutions for radiative transfer in a cylindrical enclosure with Fresnel boundaries, 9A1277
LIOU, CHUEN-HUEI: Effect of contact ratio on spur gear dynamic load with no tooth profile modifications, 3A891
LIOU, CHYR PYNG: Filling of pipelines with undulating elevation profiles, 3T976
LIOU, GIN-SHOW: Structural analysis model for mat foundations, 3A593
- Quadratic time domain BEM formulation for 2D elastodynamic transient analysis, 5A61
LIOU, JH: Forging parameter optimization considering stress distributions in products through FEM analysis and robust design methodology, 11A580
LIOU, JIUN-KAE: Time-dependent double-diffusive convective due to salt-stratified fluid layer with differential heating in an inclined cavity, 5A1316
LIOU, KN: Radiative transfer in cirrus clouds - Part IV: On cloud geometry, inhomogeneity, and absorption, 5T1256
LIOU, TM: Experimental study of steady and pulsatile flows in cerebral aneurysm model of various sizes at branching site, 12A1556
LIOU, TONG-MIIN: LDV measurements of spatially periodic flows over a detached solid-rib array, 11A1041
- Heat transfer and friction in a low-aspect-ratio rectangular channel with staggered perforated ribs on two opposite walls, 11A1217
- Heat transfer augmentation in a rectangular channel with slit rib-tubulators on two opposite walls, 12A1258
LIOU, WJ: Stress analysis of laminated E-glass epoxy composite plates subject to impact dynamic loading, 1A577
- Stress distributions of short fiber composite materials, 7A474
- Impact analysis of laminated composite plates with statical indentation laws, 7A198
- Development of an artificial skin ridge for pattern recognition, 9A396
- Contact laws of carbon-epoxy laminated composite plates, 9A502
LIPATNIKOV, AN: Finding the Markstein number using the measurements of expanding spherical laminar flames, 10A1402
LIPATOV, II: Propagation of perturbations in supersonic boundary layers, 6A1086
LIPINSKI, P: Micromechanical modeling of the elastoplastic behavior of polycrystals containing precipitates: Application to hypo- and hyper-eutectoid shells, 12A543
LIPKIN, DM: Strain-gradient model of cleavage fracture in plastically deforming materials, 4A746
LIPNIACKI, T: Can the system of discrete vortices imitate a boundary layer?, 9A1105
LIPNICKI, Z: Solidifying liquid flow in a cooling plane channel forced by the changeable pressure, 4T1213
LIPP, SC: Brachistochrone with Coulomb friction, 8A379
LIPPINCOTT, A: Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, 10T1527
LIPPKE, F: Operating strategy and its impact on the performance of a 30 MWe SEGS plant, 12A1516
LIPPMANN, H: Averaging on distributing stress and strain?, 4A480
- Mathematical modeling of sintering during powder forming processes, 7A635
- Numerical simulation of density distribution during compaction of iron powders, 9A1410
LIPS, P: Orientation of the trabecular pattern of the distal radius around the menopause, 9A1570
LIPSKII, LA: Stress state and wear of polymer piston, 1A899
LIPTON, R: Parametrization in laminate design for optimal compliance, 6A551
- Variational methods, bounds, and size effects for composites with highly conducting interface, 9A475
- Reciprocal relations, bounds, and size effects for composites with highly conducting interface, 10A1334
LIPTOW, F: Seismic constant-velocity remigration, 9A1466
LISIN, VB: Variational principle in the mechanics of liquid crystals, 8A1009
LISOVSKII, AL: Wear-resistant boron-containing coatings applied by electrocontact welding, 1A897
LISSART, N: Damage and failure in ceramic matrix minicomposites: Experimental study and model, 8A789
LISSENDEN, CJ: Damage detection by piezoelectric patches in a free vibration method, 9A808
LISSIANSKI, VV: Generalized intermediate approach to combustion chemistry: Application to methane ignition and flame propagation, 2A1305
LIST, RD: Fractal-based algorithm for detecting first arrivals on seismic traces, 1A1411
- Inversion of seismic refraction data using genetic algorithms, 6A1411
LISTER, JR: Solidification of pressure-driven flow in a finite rigid channel with application to volcanic eruptions, 4A1368
LISZKA, TJ: hp-meshless cloud method, 6A45
LITAK, G: Chaotic vibration affected by initial conditions in a parametrically and externally excited system with backlash, 4A81
LITKE, M: Flow simulation and high performance computing, 5A947
LITTLE, AR: Prediction and measurement of the total pressure loss in an engine representative diffuser system, 10A1248
LITTLE, EG: Three-dimensional embedded strain gauge analysis of the effect of collared versus collarless prostheses on cement mantle stresses in a femoral model of a total hip replacement, 4A1480
LITTLE, RW: Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, 4A629
LITTLEFIELD, DL: Magnetomechanical instabilities in elastic-plastic cylinders - Part I: Elastic response, 3A574
- Magnetomechanical instabilities in elastic-plastic cylinders - Part II: Plastic response, 3A575
- Penetration of steel targets finite in radial extent, 7A200
LITTLEWOOD, JJ: Relations between compressive axial forces in an instrumented massive femoral implant, ground reaction forces, and integrated electromyographs from vastus lateralis during various "osteogenic" exercises, 7A1531
LITVIN, FL: Computerized design and generation of cycloidal gearings, 1A908
- Computerized determination of gear tooth surface as envelope to two parameter family of surfaces, 6A948
- Kinematic and geometric models of gear drives, 6A953
- Computerized design and analysis of face-milled, uniform tooth height spiral bevel gear drives, 6A961
- Application of FE analysis for determination of load share, real contact ratio, precision of motion, and stress analysis, 6A946
- Computerized design, generation, and simulation of meshing and contact of worm-gear drives with improved geometry, 6A947
- Computerized design, generation and simulation of meshing and contact of modified involute, Klingelnberg and Flender type worm-gear drives, 6A962
- Computerized design, generation, and simulation of meshing of rotors of screw compressor, 7A954
- Computerized design, generation and simulation of meshing of modified involute spur gears with localized bearing contact and reduced level of transmission errors, 9A953
LITZ JR, CJ: Laser Doppler vibrometer: Application of DOE-Taguchi methodologies to pyroshock response spectra, 8A245
LITZINGER, TA: Planar laser Rayleigh scattering for quantitative vapor-fuel imaging in a diesel jet, 9A1389
LIU , GUANGTING: Solution of periodic heat conduction by indirect BEM based on fictitious heat source, 4A1236
LIU , NING: Computational method for first-excursion reliability, 8A897
LIU , RENHUAI: Bounds of the expansion coefficients of composites reinforced by spherically isotropic particles, 12A557
LIU , YANG: Coupled conduction-convection problem for an underground rectangular duct containing three insulated cables, 9A1214
LIU , YINGZHONG: Interactions between wave-currents and offshore structures with consideration of fluid viscosity, 8A1028
LIU , YOUWEN: General solution of second order effects in elastic half-space acted upon by a non-uniform shear load, 12A477
LIU , YULU: Calculation method for fully developed flows in curved rectangular tubes, 12A1127
LIU, BAOSHENG: Non-incremental time-space algorithm for numerical simulation of forming process, 7A597
LIU, BIYUE: Penalized FEM for a compressible Stokes system, 11A981
LIU, C: Correction for system compliance during point-loading of thin brittle films, 9T535
- Asymmetric yield surface of plastically orthotropic materials: A phenomenological study, 11A404
LIU, C-P: Modified influence coefficient method for balancing unsymmetrical rotor-bearing systems, 1A215
LIU, CD: Analytical stress around mode II crack parallel to principle axis in orthotropic composite plate, 1A752
LIU, CH: Numerical simulations of tire-soil interaction based on critical state soil mechanics, 12A687
LIU, CHANGHAI: Mass and moment transports by organized convection: Effects of shear and buoyancy, 3A1426
- Analytical study of density currents in sheared, stratified fluids including the effects of latent heating, 6A997
LIU, CHAOQUN: Mass-flux-based implicit multigrid method for modeling multidimensional combustion, 7A1424
LIU, CHEN: Simulation of fixed microphone arrays for directional hearing aids, 2A305
LIU, CHIH-YUAN: Variable structure controler design for robust tracking and model following, 5T300
LIU, CHINCHAO: Sensor placement for time-domain modal parameter estimation, 5A332
LIU, CHORNG-FUH: Stress intensity factor of a patched crack, 9A736
LIU, CHUN-KAI: Holographic interferometry study of the double-diffusive layered system, 10A1387
LIU, CHUN-RONG: Motion of a bubble in waves, 10A1132
LIU, CHUNTU: Dynamic ice-induced responses of offshore fixed platforms, 1A855
- BIEM optimization method for fracture dynamics inverse problem, 6A802
- Mixed-type integral equations for transient elastodynamic plane crack problems, 9A769
LIU, CR: Innovative approach to increase the accuracy of multi-axis machines for process-intermittent inspection, 5A365
- Residual stresses with different tool flank wear lengths in the ultra-precision machining of Ni-P alloys, 11A613
LIU, CT: Temperature and rate effects on stable crack growth in a particulate composite material, 2A687
- Crack growth behavior in a solid propellant, 7A645
LIU, CY: Liquid flow in the anisotropic wick structure of a flat plate heat pipe under block-heating condition, 8A1371
- Mixing characteristics of forced mixers with scallped lobes, 9A1180
LIU, D: Experimental investigation of composite repair, 1A546
- Experimental studies of magnetic levitation train aerodynamics, 6A922
LIU, DAHSIN: Overall view of laminate theories based on displacement hypothesis, 4A538
- Generalized laminate theories based on double superposition hypothesis, 9A533
LIU, DALIN: Improvement of pressure behavior of hydraulic brake control system, 10A484
LIU, DAYOU: Three-fluid model of the sand-driven flow, 5A981
LIU, DD: From piston theory to a unified hypersonic-supersonic lifting surface method, 11A977
LIU, DE-CHANG: Nitrogen oxides emission from a circulating fluidized bed combustor, 5A1339

LIU, DEQUAN: Using genetic algorithm to generate non-homomorphic topological-pattern for layout optimization (Chinese), 12A1031
LIU, DIANKUI: Scattering of flexural waves and dynamic stress concentrations in Mindlin's thick plates with a cutout, 6A172
- Interaction of plane SH-waves and non-circular cavity surfaced with lining in anisotropic media, 6A235
LIU, DONG: Snap-buckling of dished shallow shells under uniform loads, 10A664
LIU, ENRU: Diffraction of seismic waves by cracks with application to hydraulic fracturing, 7A1459
LIU, ERLIE: Criteria of d-δ operations' exchange relationship in nonholonomic systems of analytical dynamics, 8T78
LIU, F: Spatial differencing schemes of the discrete-ordinates method, 1A1259
- Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224
LIU, F-L: Differential cubature method: A solution technique for Kirchhoff plates of arbitrary shape, 11A520
LIU, FB: Estimation of inlet temperature profile in laminar duct flow, 4A1051
LIU, FENG: Unsteady flow calculations with a multigrid Navier-Stokes method, 4A1094
- Strongly coupled time-marching method for solving the Navier-Stokes and k-ω turbulence model equations with multigrid, 4A1096
LIU, FENGSHAN: Radiation extinction limit of counterflow premixed lean methane-air flames, 11A1412
LIU, GAO-LIAN: New pseudo-potential model for rotational turbo-flow - I: Variational formulation and FE solution for transonic blade-to-blade flow, 10A1253
LIU, GP: Stable sequential identification of continuous nonlinear dynamical systems by growing radial basis function networks, 3T336
- Eigenvectors and generalized eigenvectors in multi-variable descriptor control systems, 4T321
LIU, GR: Two-dimensional time-harmonic elastodynamic Green's functions for anisotropic media, 3A217
- Stress waves in composite laminates excited by transverse plane shock waves, 5A160
LIU, GUANGJUN: Comparitive study of robust saturation-based control of robot manipulators: Analysis and experiments, 4A446
LIU, GUANGTING: Research on nonstationary random thermal creep stresses in mass concrete structures, 12A51
LIU, GUANGXU: Singular perturbations for a class of boundary value problems of higher order nonlinear differential equations, 9T74
LIU, GUI-RONG: New technique for analyzing the 3D wave fields in anisotropic laminates excited by point harmonic loads, 7A192
LIU, GUOJIAN: Filter inlet velocity redistribution with filter loading, 6A1072
LIU, H-J: Asymmetric effects on mode localization of symmetric structures, 2T88
LIU, HAO: Nitrogen oxides emission from a circulating fluidized bed combustor, 5A1339
LIU, HH: Interpolation-corrected modified method of characteristics to solve advection-dispersion equations, 5A1461
LIU, HONG: Hygrostress-multicrack formation and propagation in cylindrical viscoelastic food undergoing heat and moisture transfer processes, 7A1377
LIU, HONGJUN: Analysis of mode localization of a structure due to symmetry breaking (Chinese), 2A107
LIU, HONGYI: Force distribution for the legs of a quadruped walking vehicle, 6A413
LIU, HP: Empirical method to estimate shear wave velocity of soils in the New Madrid seismic zone, 3A205
LIU, HSUI-LIN: Three-dimensional finite difference simulation of sonic logging, 1A340
LIU, HSUI-LIN: Effects of an elastic membrane on tube waves in permeable formations, 12A230
LIU, HUI: Variable step explicit difference method for parabolic partial differential equations (Chinese), 6A60
LIU, HUIWEN: Effect of particle size of nanometer ZrO, on the tribological behavior of PEEK, 3A853
- Tribological properties of TZP-graphite self-lubricating ceramics, 3A847
- Wear maps of TZP-steel reciprocating sliding couple under dry sliding, 3A863
- Wear mechanisms of zirconia-steel reciprocating sliding couple under water lubrication, 7A897
LIU, J: Determination of elastic-plastic stresses and strains from measured surface strain data, 1A507
- Radiative heat transfer effects in chemically reacting nozzle flows, 1A1257
- Rheology of a magnetorheological fluid, 6A984
- Nucleation theory of structure evolution in magnetorheological fluid, 6T9
- Assessment of grid interface treatments for multi-block incompressible viscous flow computation, 6A1034
LIU, JC: Distortion and residual stress in quenched aluminum bars, 3A647
LIU, JEN Y: Duration of constant and ramp loading of strength of wood, 11A398
LIU, JH: Theoretical analysis of large deformation simultaneous tearing and peeling of elastoplastic materials, 5A412
LIU, JIA-HONG: Analysis of an equivalent drawbead model for the FE simulation of a stamping process, 8A697
LIU, JIAJUN: Effects of antiwear additives on the friction and wear of Si_3N_4-steel sliding contacts, 7A909
- Tribological characteristics of Si_3N_4 ceramic sliding on stainless steel, 12A933
LIU, JIAN: Kinematic differential geometry of a rigid body in spatial motion - II: A new adjoint approach and instantaneous properties of a line trajectory in spatial kinematics, 9A87
- Kinematic differential geometry of a rigid body in spatial motion - I: A new adjoint approach and instantaneous properties of a point trajectory in spatial kinematics, 9A86
- Kinematic differential geometry of a rigid body in spatial motion - III: Distribution of characteristic lines in the moving body in spatial motion, 9A88
LIU, JIAN-GUO: Effects of numerical viscosities - I: Slowly moving shocks, 1A269
- Boundary-layer behavior in the fluid-dynamic limit for a nonlinear model Boltzmann equation, 5A966
- Large oscillations arising in a dispersive numerical scheme, 7A44
- Finite difference schemes for incompressible flows in the velocity-impulse density formulation, 7A1038
LIU, JIANHUI: Shear and bending response of a rigid plastic circular plate struck transversely by a mass, 2A138
LIU, JIE: Large deflection problem of thin orthotropic circular plate on elastic foundation with variable thickness under uniform pressure, 1A580
LIU, JIJUN: Uniqueness of an inverse problem for a 1D wave equation from transmission data, 8A70
LIU, JINN-LIANG: Object-oriented programming of adaptive FE and finite volume methods, 6A46
LIU, JINSONG: Studies of stress concentration by using special hybrid stress elements, 10A560
LIU, JINXI: Line force, charge and dislocation in anisotropic piezoelectric materials with an elliptic hole or a crack, 12T673
LIU, JIWEN: Prediction of radiative transfer in general body-fitted coordinates, 12A1315
LIU, JJ: Sound wave structures downstream of pseudo-steady weak and strong Mach reflections, 5A194
LIU, JP: Numerical analysis of natural convection around a vertical channel in a rectangular enclosure, 1A1177
LIU, JUN: Design of stable systems with uncertainties and constrained performance variations, 11A300
LIU, JUNHUI: Interaction between a spatially growing turbulent boundary layer and embedded streamwise vortices, 5A1041
LIU, JW: Principle and application of the constant strain rate tensile test with *in situ* scanning electron microscopy for evaluation of the adhesion of films, 7A968
LIU, JY: Energy criterion for fatigue strength of wood structural members, 1A692
LIU, K: Trajectory optimization for a two-link flexible manipulator, 1A390
- Modal parameter estimation using the state space method, 5A276
- Numerical solution of transient torsional wave propagation in a transversely isotropic cylinder, 6A236
- Application of SVD in optimization of structural modal test, 8A840
LIU, KAISHIN: Numerical method for axisymmetric wave propagation problem of anisotropic solids, 11A183
LIU, KAIXIN: Transient torsional waves in transversely isotropic tube (Chinese), 10A264
LIU, KC: Technique to achieve uniform stress distribution in compressive creep testing of advanced ceramics at high temperatures, 12A597
LIU, KETAO: Time domain state space identification of structural systems, 11A280
LIU, KO-WANG: Laser machining for secondary finishing applications, 11A605
LIU, L: Seismic response of shallow foundation on liquefiable sand, 11A561
LIU, LY: Theoretical analysis for mechanical erosion of carbon-base materials in ablation, 5A1288
LIU, MING HUANG: Analysis of the friction and wear mechanism of structural ceramic coatings - Part 2: The effect of operating conditions and substrate material, 3A834
LIU, MING-HUEI: Mass diffusion effect on film boiling of saturated binary mixtures, 6A1257
- Prediction of film boiling heat transfer coefficients for binary mixtures, 10A1321
LIU, MINGSHENG: Measured energy impact of infiltration in an outdoor test cell, 2A1272
LIU, NAN-SUEY: Simulation of an H_2-O_2 flame by the least-squares FEM, 1A1341
- Div-curl-grad formulation for compressible buoyant flows solved by the least-squares FEM, 5A1221
LIU, NING: Sensitivity analysis for 3D elastoplastic structural reliability, 7A817
- Research on nonstationary random thermal creep stresses in mass concrete structures, 12A51
LIU, P: Tribological behavior of Cu-20% Nb and Cu-15% Cr in situ composites under dry sliding conditions, 4A881
- Nonlinear H_∞ method for Volterra systems, 5T293
LIU, PAI-CHUAN: Onset of Benard-Marangoni convection in a rotating liquid layer with nonuniform volumetric energy sources, 5A1160
LIU, PEI-LING: Parametric identification of truss structures using static strains, 12A25
LIU, PL-F: Interfacial waves over random topography, 4A223
- Numerical study of surface solitary wave and Kelvin solitary wave propagation in a wide channel, 5A178
- Wave-induced boundary layer flows above and in a permeable bed, 5A183
LIU, Q: Performance of a scroll compressor with R134a at medium temperature heat pump conditions, 2A1105
LIU, QING: Form-accuracy analysis and prediction in computer integrated manufacturing, 8A465
LIU, QING-HUO: Three-dimensional finite difference simulation of sonic logging, 1A340
- Compressional head waves in attenuative formations: Forward modeling and inversion, 6A1407
LIU, QINGMIN: Numerical simulation of fluid flow in electromagnetic centrifugal casting, 5A566
LIU, QIUSHENG: High order accuracy scheme for 2D transonic flows, 5A952
LIU, QIWU: Universal algorithm for revolving cutters with equal helical angle edge (Chinese), 10A740
LIU, RENHUAI: Investigation of the effective conductivities of carbon-carbon fiber composites with inhomogeneous interphase, 11A1314
LIU, RI-XIN: Ray effect in ray tracing method for radiative heat transfer, 11A1324
LIU, RONGQIANG: Whirl orbit and stability of journal bearing under the nonlinear oil film force, 4A189
LIU, S: Volume III: Materials Engineering, 10N27
- Steady developing laminar flow in helical pipes with finite pitch, 1A1041
- Study of powder sintering-compaction by a micromechanics model, 9A685
LIU, S CHARLES: Parametric study of joint performance in sheet metal assembly, 11A880
LIU, SHAW-WEN: Transient scattering of Rayleigh waves by surface-breaking and sub-surface cracks, 2A205
LIU, SHENG: Modeling of vapor compression cycles for multivariable feedback control of HVAC systems, 12A409
LIU, SHENGHU: Structural reanalysis for general layout modifications, 7A806
LIU, SHENGLI: Skill learning in manual machine tool operation: Development of new virtual lathe and study on minute grooving by using it (Japanese), 2A1472
LIU, SHICHENG: Simplified method for determination of fracture toughness in transition temperature region (Japanese), 8A767
LIU, SHIN-WHAR: Fuel-time optimal control of spacecraft maneuvers, 9T360
LIU, SHU: Staggered finite-difference method for elastic waves in transversely isotropic media (Chinese), 2A207
LIU, SHUTIAN: Coupling dynamic analysis of composite rotor blade (Chinese), 12A189
LIU, SK: Sliding wear behavior of planar random zinc-alloy matrix composites, 4A889
LIU, SP: Global-local integrated study of roller chain meshing dynamics, 12A1003
LIU, SZ: Development of a one-step accurate flux vector-splitting implicit algorithm for Euler and Navier-Stokes equations, 7A1036
- Novel implicit difference algorithm of primitive variable flow equations with higher-order extra terms, 8A52
LIU, TAI-KANG: Analysis of agglomerate size from burning aluminized AP-RDX-HTPB propellants in quench bomb, 3A1320
LIU, TAO: Interlaminar tensile strength (ILTS) measurement of woven glass-polyester laminates using a four-point curved beam specimen, 5A465
LIU, THOMAS JIN-CHEE: Effects of size and stacking sequence of composite laminated patch on bonded repair for cracked hole, 6A544
LIU, TI: Detection of roller-bearing defects using expert system and fuzzy logic, 4A924
LIU, TIANSHU: Heat transfer and flow structures in an excited circular impinging jet, 1A1267
- Temperature- and pressure-sensitive luminescent paints in aerodynamics, 7A1179
- Boundary-layer transition detection in a cryogenic wind tunnel using luminescent paint, 8A1127
LIU, TJ: Investigation of mid-loop operation with loss of RHR at INER integral system test facility, 1A1431
LIU, TS: Stabilization control for rider-motorcycle model in Hamiltonian form, 6A395
LIU, TSONG-ZEN: Discrete-time neural control method for manipulator tracking problems, 8A397
LIU, TUGUANG: Elastic pulse buckling of cylindrical shells under radial impulsive loading, 5A499
LIU, W: Mathematical modeling of moisture desorption in a porous medium, 4A1348
LIU, WEI: Moisture evaporation and migration in thin porous packed bed influenced by ambient and operating conditions, 7A1451
LIU, WEI-JEN: Uneven wall heat flux effect on local heat transfer in rotating two-pass channels with two opposite ribbed walls, 5A1176
LIU, WEI-MIN: Tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 2A872
LIU, WEIMIN: Tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum N-salicylidene derivative of malonic dihydrazide, 2A1133
- Investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 2A864
- Tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 2A1132
- Wear mechanisms of $K_2Ti_6O_{13}$ whiskers reinforced Al-20Si aluminum matrix composites with lubrication of water and tetradecane, 5A833
- Friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, 5A819
LIU, WEINMIN: Wear property of silicon nitride in steel-on-Si_3N_4 and Si_3N_4-on-Si_3N_4 systems, 5A834
LIU, WEN: Improving the accuracy of instrumented spatial linkage system, 3A1519
LIU, WING KAM: Moving least-squares reproducing kernel method - Part II: Fourier analysis, 6A19
- Generalized multiple scale reproducing kernel particle methods, 6A15
LIU, WING-KAM: Moving least-square reproducing kernel methods - I: Methodology and convergence, 10A97
LIU, WK: Advances in multiple scale kernel particle methods, 1A92
- Admissible approximations for essential boundary conditions in the reproducing kernel particle method, 6A12
- Reproducing Kernel Particle Methods for large deformation analysis of nonlinear structures, 6A30
LIU, WQ: New algorithm for computing LQ suboptimal output feedback gains of decentralized control systems, 11A293
LIU, X: Condensing and evaporating heat transfer and pressure drop characteristics of HFC-134a and HCFC-22, 8A1323
LIU, X-H: Active vibration control and suppression for intelligent structures, 8A889
LIU, XC: Class of C^1 discrete interpolants over tetrahedra, 11A39
LIU, XIAO-BING: Boundary layer effects on solid particle motion and erosive wear, 9T1058
LIU, XIAOBING: K-ε two-equation turbulence model for the solid-liquid two-phase flows, 3A1158
- Lagrangian model on the turbulent motion of small solid particle in turbulent boundary layer flows, 11A1095
LIU, XIAOBO: Interior estimates for nonconforming FEMs, 1A22
LIU, XIAOJIAN: Sensitivity analysis of constrained flexible multibody systems with stability considerations, 1A108
- Partitioned model reduction for large space structural control problem, 4A829
- High precision integration for dynamic structural systems with holonomic constraints, 12A217
LIU, XIAOLIN: Perturbation method for reduction of eigenvalue analysis of structures with large stiffnesses and small masses, 10A250
LIU, XIAOMING: Stability of forced dissipative nonlinear system, 3A1131
LIU, XIN-SHENG: Shakedown of 3D elastoplastic strain-hardening structures, 8A876
LIU, XINGZHOU: Measurements of third-order elastic constants in rocks, 3A617
LIU, XJ: Vibration of a nearly cyclic system, 1A197
LIU, Y: Application of Papkovich-Neuber function in stress calculation of pressure vessels and piping, 1A868
- Coupled conduction-convection problem for a cylinder in an enclosure, 5A1309
- Free vibration of cord-rubber composite laminates, 5T121
- Effective 3D BEM with mixed boundary conditions for surface crack problems, 6A80
- Short fatigue crack growth behavior in Waspaloy at room and elevated temperatures, 6A728
- Application of viscoelastic BEM to creep problems in chemical engineering structures, 7A57
LIU, YAN: Advances in research on a multi-channel on-line ferrograph, 9A929
LIU, YB: Wear resistance of laser processed Al-Si-graphite composites, 12A964
LIU, YC: Frequency domain control of flexible beams with piezoelectric actuator, 11A312
LIU, YING-ZHONG: Inverse problem of water wave generation in a wave tank, 9T207
LIU, YINGJIE: Study on the behavior of adiabatic shear bands in impact wear, 3A859

LIU, YJ: Dynamic characteristics of a beam specimen featuring electrorheological fluids, 8A131
LIU, YM: Fiber optic sensor development for real-time in-situ epoxy cure monitoring, 7A367
LIU, YONG: Propagation of cracks in elastic media, 6T795
LIU, YONGMING: Nonlinear stability theorem for Eady's model of quasigeostrophic baroclinic flow, 3T1421
- Nonlinear stability of continuously stratified quasi-geostrophic flow, 5A1027
LIU, YOUMIN: Evaluation of head-disk pseudo-impact contact by acoustic emission technique, 10A984
LIU, YQ: Rigid viscoplastic FE analysis of the gas-pressure constrained bulging of superplastic circular sheets into cone disk shape dies, 7A22
LIU, YU: Non-incremental time-space algorithm for numerical simulation of forming process, 7A597
LIU, YUGANG: Effect of temperature on the wear of an electroless nickel coating under lubricated reciprocating sliding conditions, 5T841
LIU, YUNG CHING: Stress transfer into a fragmented, anisotropic fiber through an imperfect interface, 8A815
LIU, YUNGANG: Frequency-domain dynamic analysis of cables, 9A135
LIU, YUQI: Quasi-flow corner theory on large plastic deformation of ductile metals and its applications, 7A439
LIU, YZ: Chaotic motion of a tethered satellite system, 7A243
LIU, ZENGLI: Experimental study of fracture toughness K_{IC} for frozen soil (Chinese), 10A699
LIU, ZENGRONG: Is there chaotic synchronization in space extend systems?, 10T135
LIU, ZG: Pressure drop and interception efficiency of multifiber filters, 9A1071
LIU, ZHAO: All particular solution BEM analyzing sound radiation by structure (Chinese), 7A252
LIU, ZHAO-RONG: Displacement oscillation of viscoelastical collapsible tube, 3T1107
LIU, ZHAORONG: Analysis of oscillatory flow in consideration of a plasma layer in arterial stenoses, 9A1584
LIU, ZHEN: Minimum-weight design of flexible arms for specified fundamental frequency, 6A421
LIU, ZHENGRONG: Chaotic oscillation of saddle form cable-suspended roofs under vertical excitation action, 9A98
LIU, ZHIHONG: Dynamic analysis of arrest of buckle propagation on a beam on a nonlinear elastic foundation by FEM, 10A658
LIU, ZHILI G: Numerical investigation of viscous flow fields around multifiber filters, 4A1029
LIU, ZHINING: Mass-flux-based implicit multigrid method for modeling multidimensional combustion, 7A1424
LIU, ZHONG-SHENG: Eigenpair derivative with respect to boundary shape, 6A847
- Comparison of several approximate modal methods for computing mode shape derivatives, 7A164
- Accurate modal method for computing response to periodic excitation, 9A123
LIU, ZHONGSHENG: Influence of small change of support location on vibration frequencies (Chinese), 2A117
LIU, ZHUANG: Numerical simulation and experimental verification of microstructure evolution in a 3D hot-upsetting process, 1A636
LIU, ZM: Buckling optimization of hybrid-fiber multilayer-sandwich cylindrical shells under external lateral pressure, 8A610
LIU, ZS: Dynamic response of large strain elasto-plastic plate and shell structures, 4A507
LIVBJERG, H: Field study of submicron particles from the combustion of straw, 2A1319
LIVESAY, GA: Combined robotic-universal force sensor approach to determine *in situ* forces of knee ligaments, 3A412
- Forces and moments in 6 dof at the human knee joint: Mathematical description for control, 5A1468
LIVNE, E: Analytic sensitivities and design oriented structural analysis for airplane fuselage shape synthesis, 7A845
- Analytic sensitivities and approximations in supersonic and subsonic wing-control surface unsteady aerodynamics, 11A1141
LIVSHITS, AA: Recursive numerical algorithm for conformal mapping in 2D hydrodynamics, 4A998
LJUNGEMYR, P: Parameterization of lake thermodynamics in a high-resolution weather forecasting model, 5T1433
LL, XK: Modeling of strain localization in a large strain context, 6A29
LLASAT, MC: Catastrophic rainfalls in the West Mediterranean area, 2A1407
LLORCA, J: Reinforcement fracture and tensile ductility in sphere-reinforced metal-matrix composites, 12A816
LLORENTE, JI: Integrated method for the updating of FE models based on experimental modal data (Spanish), 3A39
- Method for the optimization of the kinematical behavior of linkages (Spanish), 3A917
LLOYD, DG: Model of load sharing between muscles and soft tissues at the human knee during static tasks, 2A1446
- Technique for the measurement of cadence using walkway vibrations, 5A1515
LLOYD, G: Compressor-driven metal-hydride heat pumps, 11A1358
LLOYD, NA: Studies on high-strength concrete columns under eccentric compression, 5A782
LLOYD, S: Efficient robust adaptive control law for robot manipulators, 3A413
- Modeling, optimization, and performance evaluation of a parabolic trough solar collector steam generation system, 9A1535
LO CASTO, S: Wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 12A963
LO VALVO, E: Wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 12A963
LO, ALOYSIUS KOU-FANG: Role of roughness lengths in flux parameterizations of boundary-layer models, 6T1489
LO, DC: Progressive damage model and analysis methodology for predicting the residual strength of composite laminates, 7A748
LO, G: Turboprop nacelle optimization using automated surface and grid generation and coarse-grain parallelization, 6A1199
- Dynamic multi-rigid-body contact problems with Coulomb friction, 10A116
LO, IMC: Modified clays for waste containment and pollutant attenuation, 7T1521
LO, KH: Crack interaction criteria in pressure vessels and pipe, 11A687
LO, KW: Turbulent near wake behind a partially grooved circular cylinder, 9A1095
LO, S-L: Analysis of fracture in burr formation at the exit stage of metal cutting, 1A651
LO, SH: Optimal Delaunay point insertion, 4A41
- Optimization of tetrahedral meshes based on element shape measures, 9A39
- Adaptive meshing - Part 1, 10A5
- Automatic adaptive 3D FE refinement using different-order tetrahedral elements, 11A38
LOBACHYOV, K: Combined cycle gas turbine power plant with coal gasification and solid oxide fuel cell, 6A1360
LOBACHYOV, KV: Addition of highly efficient bottoming cycles for the Nth-generation molten carbonate fuel cell power plant, 12A1408
LOBAS, LG: Invariant manifolds and behavior of dynamical systems with symmetry near by the boundary of stability domain (Russian), 2A69
- Nonlinear stability and bifurcation of the fork type in dynamical systems with the simplest symmetry, 3A568
- Real bifurcations of two-unit systems with rolling, 6A144
- Existence of periodic motions of dynamic systems with simplest symmetry (Russian), 12T137
LOBAS, VL: Bifurcations of the circular motion of one-link systems with rolling (Russian), 12A103
LOBBRECHT, A: Polymers toughened with rubber microspheres: An analytical solution for stresses and strains in the rubber particles at equilibrium and rupture, 2A693
LOBKIS, IO: Acoustic microscopy for spherical inclusion characterization, 1A811
LOBKIS, O: Theory of 3D imaging of strong scatterers in scanning acoustic microscopy, 11A753
LOBNER, B: Cobalt disilicide interconnects for micromechanical devices, 2T327
LOBO, PC: Compensation of self-heating in the measurement of the dynamic response of a thermoresistive sensor, 12A1245
LOBO, RF: Microporous and Macroporous Materials, 7N18
LOBODA, VV: Problem of an orthotropic semi-infinite strip with a crack along the fixed end, 2A387
LOC, TA-PHUOC: Numerical method for unsteady 3D Navier-Stokes equations in velocity-vorticity form, 8A1087
LOCASCIO, A: Scheduling printed circuit board production systems using the two-level scheduling approach, 10T548
LOCH, KJ: Capacities of template-type platforms in the Gulf of Mexico during hurricane Andrew, 8A934
LOCHAN, R: Separation dynamics of heat shield fairings, 12A102
LOCHEGNIES, D: FE strategy for glass sheet manufacture by creep forming, 1A678
LOCK, GD: Calibration of a four-hole pyramid probe and area traverse measurements in a short-duration transonic turbine cascade tunnel, 3A1204
- Free vortex theory for efficiency calculations from annular cascade data, 10A1230
LOCK, GSH: Forced convection in an air-filled bayonet tube during the laminar-turbulent transition, 7A1239
- Bayonet tube heat exchanger, 9A1281
LOCK, J: IAGA paleomagnetic databases with access, 5A1409
LOCKE, JE: Thermal-mechanical stress analysis of inhomogeneous antisymmetric cross-ply laminates, 7A527
LOCKWOOD, FC: Computation of heat transfer in engineering combustion equipment, 7A1414
- Third international conference on combustion technologies for a clean environment, 10A1397
LOCQUETEAU, C: Vibration and sound radiation of fluid-loaded stiffened plates with consideration of in-plane deformation, 1A280
LOCURCIO, AP: Progressive crush response of hybrid felt-fabric composite structures, 9A528
LODS, V: Asymptotic analysis of linearly elastic shells: Generalized membrane shells, 3T522
- Asymptotic analysis of linearly elastic shells - Part I: Justification of membrane shell equations, 6A583
- Asymptotic analysis of linearly elastic shells - Part I: Justification of flexural shell equations, 6T584
- Asymptotic analysis of linearly elastic shells - Part III: Justification of Koiter's shell equations, 6T585
LODYGOWSKI, T: Regularization of plastic flow localization in a soil material, 9A628
LOEFFLER, CM: Elastic wave contributions in high-resolution acoustic images of fluid-filled, finite cylindrical shells in water, 1A278
LOEWENBERG, M: Numerical simulation of a concentrated emulsion in shear flow, 3A952
- Collision of two deformable drops in shear flow, 11A1003
LOF, GOG: Effects of auxiliary heater on annual performance of thermosyphon solar water heater simulated under variable operating conditions, 10A1488
LOFDAHL, L: Small silicon pressure transducers for space-time correlation measurements in a flat plate boundary layer, 4A1041
- Shear-free turbulence near a wall, 11A1098
LOFTMAN, RC: Application of analytical-numerical matching to structural discontinuities in structural-acoustic problems, 8A344
LOGAK, E: Mathematical analysis of a condensed phase combustion model without ignition temperature, 5T1327
LOGAN, D: First Course in the Finite Element Method Using Algor™, 11R1
LOGEMANN, H: Low-gain control of uncertain regular linear systems, 7T338
LOGINOV, LM: Investigation of wear debris formed at friction, 5A827
LOGNONNE, P: Effects of the atmospheric pressure changes on seismic signals or how to improve the quality of a station, 8A1498
LOGO, J: Optimal plastic limit and shakedown design of bar structures with constraints on plastic deformation, 6A842
LOGORY, LM: Velocity field and surfactant concentration measurement techniques for free-surface flows, 8A1070
LOH, CHIN-HSING: Identification of Fei-Tsui arch dam from both ambient and seismic response data, 5A127
LOH, CHIN-HSIUNG: Seismic monitoring of a bridge: Assessing dynamic characteristics from both weak and strong ground excitations, 7A1483
LOH, NL: Failure mechanisms of plasma nitrided Inconel 718 film, 12A946
LOHAR, FA: Mars-Jupiter aerogravity assist trajectories for high-energy missions, 8A293
LOHNER, R: Improved ale mesh velocities for moving bodies, 4A40
- Extensions and improvements of the advancing front grid generation technique, 4A39
- Conservative load projection and tracking for fluid-structure problems, 9A231
LOHSE, D: Scaling and linear response in the GOY turbulence model, 7A1154
LOIA, MA: Edge debonding in patched cylindrical panels, 2A654
- Axisymmetric edge debonding in patched plates, 11A665
LOJEK, A: Energy-recovery machine as a pressure reductor in industrial installations (Polish), 9A1284
LOK, TS: Shear stiffness D_{55} for C-core sandwich panels, 3A530
LOKAJICEK, T: Influence of nonlinear processes in seismic foci on released energy, 9A1451
LOKBERG, OJ: Speckle averaging in deformation analysis using video speckle interferometry, 8A851
LOMAS, KJ: Solar radiation transport through slat-type blinds: A new model and its application for thermal simulation of buildings, 6A1507
LOMBARDI, A: State-space approach to stabilizing predictive control, 5A304
LOMBARDI, G: Boundary-layer transition on a forward-swept wing in canard configuration, 6T1176
LOMNITZ, C: Gravilastic equation and the emergence of gravity waves in large earthquakes, 4A1398
LOMOV, SV: Mathematical simulation of yarn formation in ring spinning, 9T493
LOMUNOV, AK: Use of the Kolsky method for confined tests of soft soils, 2A557
LONG , SHUYAO: Geometrically nonlinear analysis of the shallow shell by the displacement-based BE formulation, 7A520
LONG, AC: Effect of shear deformation on the processing and mechanical properties of aligned reinforcements, 9A517
LONG, AJ: Quantifying the kinematics of natural and prosthetic knee flexion, 5A1481
LONG, CA: Semi-implicit second order finite volume jet stream computations, 5A1201
- Measurement and computation of heat transfer in high-pressure compressor drum geometries with axial throughflow, 8A1300
LONG, DF: Proper orthogonal decomposition of pressure fluctuations surrounding a turbulent jet, 11A1057
LONG, GL: Use of the cylindroid for the singularity analysis of rank 3 robot manipulators, 8A436
LONG, LN: Multigrid acceleration of a high-resolution computational aeroacoustics scheme, 9A1171
- Parallel 3D computational aeroacoustics method using nonlinear disturbance equations, 10A366
LONG, MB: Simultaneous scaler-velocity field measurements in turbulent gas-phase flows, 3A1334
- Mixture fraction imaging in a lifted methane jet flame, 5A1361
LONG, PV: Stability analysis of reinforced and unreinforced embankments on soft ground, 7A584
LONG, YT: Slosh dynamics coupled with spacecraft attitude dynamics - Part 1: Formulation and theory, 2A248
- Slosh dynamics coupled with spacecraft attitude dynamics - Part 2: Orbital environment application, 2A243
LONGERAY, R: Optimal design in abrasive resistance of refractory concretes, 9A933
LONGHETTO, A: Physical simulations in rotating tank of lee cyclogenesis, 9A1016
LONGMAN, RW: Comparison and combination of learning controllers: Computational enhancement and experiments, 3A356
LONGMIRE, EK: Concentration measurements in experimental microbursts, 9T1175
LONGMORE, DK: Dynamic analysis of flexible multi-body mechanical systems, 3A88
LONGO, A: New implementation of the BEM using a B-rep geometric modeler, 3A49
LONGO, GA: New model for forced-convection condensation on integral-fin tubes, 2A1222
LONGORIA, RG: Modeling and design of an inertial vibration reflector, 9A178
LONGTIN, JP: Efficient laser heating of transparent liquids using multiphoton absorption, 5A1254
- Saturable absorption during high-intensity laser heating of liquids, 5A1257
LONGUET-HIGGINS, M: Crest instabilities of steep surface waves, 10A292
LONGUET-HIGGINS, MS: Crest instabilities of gravity waves - Part 3: Nonlinear development and breaking, 10A291
LONGUSKI, JM: Annihilation of transverse velocity bias during spinning-up maneuvers, 10T455
- V_∞ leveraging for interplanetary missions: Multiple-revolution orbit techniques, 10T475
- Trajectory options to Pluto via gravity assists from Venus, Mars, and Jupiter, 12A291
LONNGREN, KE: Expansion of a dusty plasma into a vacuum: Effects of charge nonneutrality, 9A1133
LONSDALE, B: Eddy genesis in the double-lid-driven cavity, 5A923
LOOF, R: Self-sustained flaming combustion and ignition of single wood pieces in quiescent air, 2A1307
LOOIJMANS, KNH: Pulse-expansion wave tube for nucleation studies at high pressures, 11A1001
LOOK JR, DC: Novel stokesmeter, 1T1261
- Two dimensional trapezoidal fins analysis, 9A1276
- One-dimensional fin tip boundary condition corrections, 11A1343
LOOS, AC: Effects of fluid type and viscosity on the steady-state and advancing front permeability behavior of textile preforms, 7A1096
- Plane-strain FE model for process-induced residual stresses in a graphite-PEEK composite, 9A27
LOOS, II: Nonlinear deformation of a conical shell being in the magnetic field (Russian), 12A617
LOPANITSYN, YA: Finite deflection and snapping of thin elastic flat panels, 8A606
LOPATNIKOV, SL: Seismic attenuation in finely layered porous rocks: Effects of fluid flow and scattering, 7A1445
LOPER, SJ: Determination of local magnitude using BDSN broadband records, 4A1426
LOPES, A: Dynamic analysis and response of semirigid frames, 10A221
LOPES, AB: Injection forging of tubular materials: A workability analysis, 11A581
LOPES, ML: Role of specimen geometry, soil height and sleeve length on the pull-out behavior of geogrids, 8A681
- Influence of the confinement, soil density and displacement rate on soil: Geogrid interaction, 9A644
LOPES, SMR: Study of moment redistribution in prestressed concrete beams, 11A796

LOPES, SR: Hamiltonian chaos in two coupled three-wave parametric interactions with quadratic nonlinearity, 7A100
LOPES, TAP: In-time fatigue monitoring using neural networks, 11A819
LOPEZ DE BERTODANO, M: Direct containment heating dispersal and entrainment experiment in a scaled annular cavity, 3A1437
LOPEZ, AM: Heat-transfer enhancement of twisted-tape inserts in turbulent pipe flows, 7A1242
LOPEZ, H: Finite-element error estimates for the MAC scheme, 1A61
LOPEZ, I: Three-dimensional Navier-Stokes analysis and redesign of an imbedded bellmouth nozzle in a turbine cascade inlet section, 1A1112
LOPEZ, JF: Model of hysteretic behavior of RC members based on lumped damage theory (Spanish), 7A823
LOPEZ, JM: Stability of stationary endwall boundary layers during spindown, 5A1031
- Vortex evolution in non-axisymmetric impulsive spin-up from rest, 5A927
LOPEZ, JR: Heat transfer in a 3D channel with baffles, 2A1158
LOPEZ, OA: Number of modes for the seismic design of buildings, 2A1389
LOPEZ, PG: Non-isothermal spreading of a thin liquid film on an inclined plane, 5A933
LOPEZ, S: Algorithmic aspects of adaptive multigrid FE analysis, 8A39
- Improvement of convergence in Newton's method, 11A73
LOPEZ-ANIDO, R: Postbuckling of 1D elements with thin-walled angle section using simplified models, 6A609
LOPEZ-LINARES, S: Vibration controllability of 3D flexible manipulators, 12A447
LORD, GJ: Computation of homoclinic solutions to periodic orbits in a reduced water-wave problem, 8A250
LORD, M: Spatial resolution in plantar pressure measurement, 11A1586
LORD, W: Signal processing for in-line inspection of gas transmission pipelines, 10A883
LOREDO, A: Generalized inverse of the compliance tensor, and behavior of incompressible anisotropic materials: Application to damage, 12T498
LORENCE, CB: Sensitivity analysis of the aeroacoust response of turbomachinery blade rows, 2A176
LORENZ, RD: Martian surface wind speeds described by the Weibull distribution, 4T268
LORENZANA IBAN, A: Study of the elastic-plastic problem undergoing finite plastic strain using the BE technique (Spanish), 4A519
LORENZINI, E: Polynomial fin profile optimization, 7A1336
LORENZINI, EC: Control and flight performance of tethered satellite small expendable deployment system-II, 3T373
LORENZINI, G: Hypervapotron effect application for high power electronic devices cooling, 7A1334
- High thermal fluxes removal from finned surfaces under boiling conditions, 7A1333
- Experimental analysis of the convection in conduits with wavy walls, 7A1237
LORET, B: Adaptive meshing for dynamic strain localization, 6A630
- Automated band identification procedure for dynamic strain localization, 6A631
- Growth and decay of acceleration waves in non-associative elastic-plastic fluid-saturated porous media, 9A186
LORITO, F: LQ approach to active control of vibrations in helicopters, 4A395
LORRAIN, M: Structural reliability analysis of reinforced concrete columns: A comparison of methods to assess the probability of buckling failure (French), 4A834
- Evaluation of dynamic properties of structures subjected to irregular base movements (French), 6A145
- Cracking of plain or reinforced high performance concrete slabs, 10A930
LORTIE, M: Knee movement strategies differentiate expert from novice workers in asymmetrical manual materials handling, 4A1486
LOSADA, IJ: Interaction of non-breaking directional random waves with submerged breakwaters, 4T230
- Three-dimensional non-breaking regular wave interaction with submerged breakwaters, 4A232
- Harmonic generation past a submerged porous step, 12A252
LOSADA, MA: Interaction of non-breaking directional random waves with submerged breakwaters, 4T230
- Three-dimensional non-breaking regular wave interaction with submerged breakwaters, 4A232
- Harmonic generation past a submerged porous step, 12A252
LOSIN, NA: Asymptotics of flexural waves in isotropic elastic plates, 12A228
LOTH, E: Tone excitation of a supersonic bounded shear layer, 4A1005
- Dusty detonation simulations with adaptive unstructured FEs, 12A1383
LOTH, F: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587
- Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, 10A1554
LOTH, R: Development of local two-phase flow parameters for vertical bubbly flow in a pipe with sudden expansion, 1A1020
LOTHE, J: Stroh formalism and the reciprocity properties of reflection-transmission problems in crystal piezo-acoustics, 12A327
LOTOTSKY, S: Nonlinear filtering revisited: A spectral approach, 8T371
LOTZ, RD: Divergent-trailing-edge airfoil flow, 4A1111
- Numerical uncertainties in transonic flow calculations for aerofoils with blunt trailing edges, 8A1096
LOU, JC: Thermal oxidation of chloroform, 9A1382
LOU, LIN: Adaptive sign detection method of 4 × 4 determinant method - 2nd Report: Sign detection method for arbitrary homogeneous polynomials (Japanese), 4A60
- Point-in-polygon test dealing with the polygons including curve edges based on the 4 × 4 determinant method (Japanese), 7A79
- Adaptive sign detection method using a floating point processing unit: Sign detection for 3 × 3 determinants (Japanese), 12T86
LOU, MIN: Characterization of geothermal reservoir crack patterns using shear-wave splitting, 9A1449
LOU, YF: Post-collapse bifurcation analysis of shells of revolution by the accumulated arc-length method, 12A644
LOU, ZHI-WEN: Continuum damage model of low-cycle fatigue and fatigue damage analysis of welded joint, 2A635
LOU, ZHIWEN: DOF expanding method for connecting solid and shell element, 1A59
LOUCA, LA: Nonlinear analysis of imperfect plates under transient lateral pressure loading, 8A579
LOUCHEZ, PR: Introductory analysis of draining and freezing of de-icing fluids, 10A1499
LOUGE, MY: Application of capacitance instrumentation to the measurement of density and velocity of flowing snow, 6A1524
LOUI, PJ: Experimental investigations of pick-rock interface temperature in drag-pick cutting, 12A708
LOUIE, JN: Shear-wave velocity structure in the northern basin and range province from the combined analysis of receiver functions and surface waves, 12A1457
LOUIS, AK: Inverse Problems in Geophysical Applications, 4N31
LOULOU, T: Interface temperature of two suddenly contacting bodies, one of them undergoing phase change, 7T1300
LOURENCO, PB: Matrix formulation for the elastoplastic homogenization of layered materials, 2A441
LOUTFY, R: Novel processing technique for tow fiber reinforced metal matrix composites with tailored interfaces, 3T651
LOUTRE, MF: Spectral analysis of climate data, 6A1491
LOVADINA, C: New class of mixed FEMs for Reissner-Mindlin plates, 6A598
- Analysis of new augmented Lagrangian formulations for mixed FE schemes, 8A13
LOVAT, G: Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measurements - Part 1: Evaluation of inaccuracies attached to the simplifications of the model in the case of a single vibrating side, 9A295
- Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measurements - Part 2: Determination of the acoustic radiation contribution of each vibrating side, 9T296
LOVE, MH: Modal-based structural optimization with static aeroelastic and stress constraints, 11A822
LOVEGROVE, KM: High pressure ammonia dissociation experiments for solar energy transport and storage, 5A1447
LOVELL, EG: Improved analysis of microbeams under mechanical and electrostatic loads, 10A508
LOVELL, MR: Dynamic friction measurements of MoS_2 coated ball bearing surfaces, 4T914
- Comparison of the low-speed frictional characteristics of silicon nitride and steel balls using conventional lubricants, 11T835
- Parameter identification of hysteresis friction of coated ball bearings based on 3D FEM analysis, 12A1013
LOVELL, TA: Mission performance and design sensitivities of air-breathing hypersonic launch vehicles, 10A964
LOVETRI, J: Modeling of the seat dip effect using the finite-difference time-domain method, 4A304
LOVISEK, J: Optimal design of an elastic plate with unilateral elastic foundation and rigid supports, using the Reissner-Mindlin plate model - I: Continuous problems, 12A632
LOW, BK: Reliability analysis of rock wedges, 11A572
LOW, HT: Pulmonary airway reopening: Effects of non-Newtonian fluid viscosity, 12A1560
LOW, KH: Comparative study of vibrating loaded plates between the Rayleigh-Ritz and experimental methods, 8A143
- Improved model for predicting fundamental frequencies of plates carrying multiple masses, 8T147
- Comments on "resonance conditions and deformable body co-ordinate systems", 10T173
- Note on the fundamental shape function and frequency for beams under off-center load, 10T183
- Closed-form formulas for fundamental vibration frequency of beams under off-center load, 10T172
- Experimental investigations and shape functions for lateral vibration of axially constrained beams with a concentrated mass at the center, 12T159
LOWEN, GG: Closed solution for the elastic-dynamic behavior of an industrial press feed mechanism and experimental verification, 11A871
LOWENGRUB, J: Convergence of a boundary integral method for water waves, 3A250
LOWET, G: Ultrasound velocity measurement in long bones: Measurement method and simulation of ultrasound wave propagation, 3A1521
LOWREY, P: Strategies to raise the off-design efficiency of chiller machines, 1A1270
LOWRY, BJ: Stability of slender liquid bridges subjected to axial flows, 8A1178
LOWRY, JT: Why an engine slows down at onset of climb, 4T1129
LOY, CT: Vibration of cylindrical shells with ring support, 7A153
- Analysis of cylindrical shells using generalized differential quadrature, 10A202
LOYAU, T: Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measurements - Part 1: Evaluation of inaccuracies attached to the simplifications of the model in the case of a single vibrating side, 9A295
- Calculation of the acoustic radiation of a parallelepipedic structure by using acceleration measurements - Part 2: Determination of the acoustic radiation contribution of each vibrating side, 9T296
LOZANO, A: Observations of a large, burning jet in crossflow, 3A1123
LOZANO, MA: On-line monitoring of power-plant performance, using exergetic cost techniques, 4A1320
LOZEV, MG: Acoustic emission: A tool for the bridge engineer, 2T731
LOZIA, Z: Experimental verification of biaxial box-van truck curvilinear motion model (Polish), 9A180
LOZINSKI, D: Fast-time stability of a simple deflagration, 2A1312
LOZZA, G: Combined-cycle power stations using "clean-coal technologies": Thermodynamic analysis of full gasification versus fluidized bed combustion with partial gasification, 5A1357
LU , ENLING: New solution to structural fuzzy FE equilibrium equations (SFFEEE), 12A52
LU , QIMIAO: Multi-layer modeling of 3D hydrodynamic transport processes, 6A1005
LU , ZHIMING: Calculation method for fully developed flows in curved rectangular tubes, 12A1127
LU, B: Non-viscoelastic drag reducing cationic surfactant system, 12A1121
LU, C-H: Stabilization of nonstationary parametric main resonance of a laminated angle-ply column, 3A151
LU, D: Effect of wall inclination on the mean flow and turbulence characteristics in a 2D wall jet, 2A1001
LU, DC: Single-phase heat transfer and flow friction correlations for microfin tubes, 4A1242
LU, DING-CHONG: Analysis of evaporation of non-azeotropic refrigerants in a horizontal tube, 2A1223
LU, DING-CHUNG: Pool boiling of R-22, R-124 and R-134a on a plain tube, 7A1282
LU, DM: Application of split-coefficient matrix method to transient two phase flows, 1A1023
LU, FANG: Viscous scale effects on propeller tip vortex cavitation, 7T1182
LU, FENG: Robot pose estimation in unknown environments by matching 2D range scans, 10A523
LU, G: Collapse of tubular beams loaded by a wedge-shaped indenter, 5A410
- Simply-supported plate subject to loads distributed over an arbitrarily shaped area, 7A530
LU, GQ: Evolution of the pore structure of a ceramic powder compact during sintering, 4A688
LU, GUIZHANG: Well-posedness of inverse dynamics of flexible robot arms, 8A438
LU, H-M: Three-dimensional model for the probabilistic intergranular failure of polycrystalline arrays, 4A529
LU, HAO: Galerkin and weighted Galerkin methods for a forward backward heat equation, 7A63
LU, HUIPING: Simulation of annular swirling turbulent flows with a new algebraic Reynolds stress model, 9A1238
LU, I-TAI: Ray shooting, eigenray search, and complex resonances for submerged structures, 7A286
LU, IG: Flow patterns of mixed convection in a horizontal square channel flow, 5A1167
LU, J: Kinematic and geometric models of gear drives, 6A953
- Application of FE analysis for determination of load share, real contact ratio, precision of motion, and stress analysis, 6A946
LU, JAY W: Rotation effects on the convection of binary alloys unidirectionally solidified from below, 4A1280
LU, JIA: Direct determination of the rotation tensor from the deformation gradient, 8A469
LU, JIAN-KE: Complex Variable Methods in Plane Elasticity, 2R16
LU, JIECHI: Experimental research on machine position fuzzy controller (Chinese), 6A367
- Method of 3D cutter compensation based on digitizing copying system, 10A518
LU, JINGUI: Improved strategy for GAs in structural optimization, 5A750
LU, JIUXIAO: Quick Hough Transform Parameter Search algorithm for flexible part inspection, 5A366
LU, JQ: Interaction between a jet and a flat plate: An inviscid analysis, 11A1060
LU, L-W: Full-scale experiments and analyses of cellular hull sections in compression, 2A821
LU, LY: Dynamic response of equipment in structures with sliding support, 6A213
- Analytical approach for nonlinear response of elastic cable under complex loads, 12A604
LU, M: Asymptotic analysis to a tensile crack in creeping solids coupled with damage - Part II: Large damage region very near the crack tip, 8A779
LU, NI-YU: Evolution of vortical structure over delta-wing with transient along-core blowing, 9A1160
LU, NING: Onset of thermally induced gas convection in mine wastes, 9A1223
LU, PF: Equivalence of stress- and strain-based plasticity theories, 12A519
LU, PING: Entry guidance and trajectory control for reusable launch vehicle, 7T346
LU, QISHAO: Controlling erosion of safe basin in nonlinear parametrically excited systems, 6A116
LU, SC: Integration of CAD and FEA for concurrent engineering design of sheet stamping, 2A936
LU, T: Study of tertiary creep of rock salt, 6A740
LU, TC: Stress analysis of the rotational object under the conditions of transient state (Russian), 2A791
LU, W: Reinforcement design method based on analysis of large openings in cylindrical pressure vessels, 5A804
LU, WEI-YANG: Thermo-viscoplastic modeling of machining process using a mixed FEM, 5A1295
LU, WEISONG: New nonlinear barotropic stability criterion including Ekman friction, 9A1103
LU, WENLIAN: New system for 3D kinematic trajectory acquisition and analysis - I: The application of an ultrasonic technique to human gait analysis, 1A1454
- New system for 3D kinematic trajectory acquisition and analysis - II: Digital orthogonal integration phase-detection technique, 1A1455
LU, WENXIANG: Theoretical investigation of rotating frequency noise with axial fan of skewed blade, 4T188
LU, X: Evaluation of FE models for the calculation of die-cavity compensation, 1A37
LU, X-Y: Calculation of the timing of vortex formation from an oscillating cylinder, 3A255
- Numerical study of flow past a rotationally oscillating circular cylinder, 6T1130
LU, XG: Series representation of Daubechies' wavelets, 8T69
LU, XI-NIAN: High-order optimum synthesis of a driving mechanism with flexible connector, 1A930
LU, XIAOYONG: Nonisothermal model of glass fiber drawing stability, 7A969
LU, XILIN: Seismic behavior of a new type of seismic energy dissipation shear wall system, 10A1463
LU, XINSEN: Estimation of probability of damage detection in offshore structural inspection, 4A853
LU, Y-L: Experimental parameter J_{-} in elastic-plastic fatigue crack growth, 5A579
LU, YA YAN: Riccati method for the Helmholtz equation, 3A326
LU, YC: Method for embedding fine-wire thermocouples for solid-fuel surface temperature measurements, 2A1340
LU, YEU-CHERNG: UV-visible absorption spectroscopy of dark zones in solid-propellant flames, 10A1416
- Determination of temperature profiles of self-deflagrating RDX by UV-Visible absorption spectroscopy and fine-wire thermocouples, 12A1404
LU, YICHI: Laser ultrasonic studies of solid-liquid interfaces, 8A852
LU, Z: Frangible roof joint behavior of cylindrical oil storage tanks designed to API 650 rules, 2A851
- Frictional heating of bearing materials tested in a hip joint wear simulator, 10T976

LU, ZH: Analytical approach for nonlinear response of elastic cable under complex loads, 12A604
LU, ZHEN: Optimum grasping planning for multi-fingered dextrous hands based on the asymptotical stability, 5A334
LU, ZHIYONG: Separation control for the outwing of a Strake-wing by rotating cone placed near the leading edge, 5A1072
LU, ZK: Simple unified theory for the cyclic deformation of metals at high temperature, 5A4
LUAN, GF: Mathematical model study on the die-less drawing of variable-section tubular parts, 4A666
LUAN, MAOTIAN: Two dof lumped-parameter model of dynamic impedances of foundation soils (Chinese), 2A164
- Variational analysis of earth pressure on a rigid earth-retaining wall, 11A567
LUBARDA, VA: Stress fields due to dislocation arrays at interfaces, 2A389
- Stress fields due to dislocation walls in infinite and semi-infinite bodies, 2A390
- Energy analysis of dislocation arrays near bimaterial interfaces, 8A531
- New estimates of the third-order elastic constants for isotropic aggregates of cubic crystals, 9A11
LUBE, G: Anisotropic mesh refinement in stabilized Galerkin methods, 4A46
LUBLINER, J: Shape-memory alloys: Macromodeling and numerical simulations of the superelastic behavior, 12A589
LUBNAUER, W: Experimental research of rheological strain of soil under load distributed on circular surface (Polish), 2A554
LUBRECHT, AA: Numerical analysis of the influence of waviness on the film thickness of a circular EHL contact, 11A1183
LUCACI, P: Magnetic behavior of $U_{1-x}Dy_xNi_2$ systems, 4T636
LUCAS, CL: Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
LUCAS, GE: Simple method for measuring surface strains around cracks, 1A791
- Micromechanics of low temperature strength and toughness of intermetallic-metallic microlaminate composites, 4A559
LUCAS, PW: Ranking the fracture toughness of thin mammalian soft tissues using the scissors cutting test, 6A1545
LUCAS, RM: Modeling of cold-formed purlin-sheeting systems - Part 2: Simplified model, 8A572
- Modeling of cold-formed purlin-sheeting systems - Part 1: Full model, 8A928
LUCAS, V: Roughness influence on turbulent flow through annular seals including inertia effects, 11A1184
LUCCA, DA: Heating effects in the drawing of wire and strip under hydrodynamic lubrication conditions, 5A553
LUCCHESI , M: Computation of crack extension energy rate for elastic-plastic hardening materials under variable loading, 5A656
LUCCHINI, E: Wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 12A963
LUCCI, BL: Measurement of gust response on a turbine cascade, 10A1235
LUCCIONI, B: Method for the seismic damage evaluation (Spanish), 3A1405
LUCERI, L: Unified boundary integral methodology for aerodynamics and aeroacoustics of rotors, 9A1185
LUCEY JR, GK: Boundary layer fracture in composite solder joints, 11A876
LUCHI, ML: Unified approach to physically based weakest-link theories for multiaxial fracture of ceramics, 4A731
LUCHINI, P: Ninth European drag reduction meeting, April 19-21, 1995, University of Naples Federico II, Ravello, Italy, 2A1004
- Reynolds-number-independent instability of the boundary layer over a flat surface, 6A1133
LUCHT, RP: Nitrogen and hydrogen CARS temperature measurements in a hydrogen-air flame using a near-adiabatic flat-flame burner, 10A1421
LUCIBELLO, P: Trajectory tracking by learning of flexible joint arms, 8A435
LUCK, DL: Life cycle considerations in propulsion alternatives for fast vessels, 1A1346
LUCKE, M: Influencer of boundaries on pattern selection in through-flow, 4A1198
LUCKHAUS, S: Convergence of the homogenization process for a double-porosity model of immiscible two-phase flow, 4A1333
LUDEMA, KC: Friction, Wear, Lubrication: A Textbook in Tribology, 3R15
- Mechanism-based modeling of friction and wear, 7A866
LUDMAN, JE: Optimization of a holographic system for solar power generation, 9A1540
LUDWICK, SJ: Determination of a dynamic grinding model, 12A406
LUE, JANG-I: Surface roughness effects in journal bearings with non-Newtonian lubricants, 4A1171
LUECKE, GR: Design, development, and testing of an automated window shade controller, 11A1529
LUEKEN, H: Synthesis, structure, and magnetism of heterobinuclear complex $GdCu(OTf)_4(bdmap)_2(H_2O) \times THF$, 2T537
LUELF, WC: Viscous dissipation effect on pressure gradient for laminar flow of a non-Newtonian liquid through a duct of subfreezing wall temperature, 5T1184
LUENGO, G: Generalized effects in confined fluids: New friction map for boundary lubrication, 7A1198
LUEPTOW, RM: Spatio-temporal development of wall pressure events in turbulent wall-bounded flow, 8A1191
LUESCHEN, GGG: Green's functions for uniform Timoshenko beams, 1A164
LUGOVOI, PZ: Numerical solution of dynamic problems of nonlinear theory of stiffened shells (Russian), 6A578
LUGSCHEIDER, E: Sliding wear behavior of thermally sprayed 75-25 Cr_3C_2-NiCr wear resistant coatings, 3A876
LUGT, HJ: Interaction of an obliquely rising vortex ring with a free surface in a viscous fluid, 7A1019
LUHRS, G: Efficient stress algorithm with applications in viscoplasticity and plasticity, 9A460
- Numerical treatment of finite deformations in elastoviscoplasticity, 10A593
LUI, EM: Dynamic analysis and response of semirigid frames, 10A221
LUJAN, JM: Modeling study of the scavenging process in a turbocharged diesel engine with modified valve operation, 3A1338
LUK, VK: Stress properties at the tip of a conical notch, 9A438
- Elastic-cracked model for penetration into unreinforced concrete targets with ogival nose projectiles, 9A196
LUKACOVA-MEDVID'OVA, M: Convergence of a combined finite volume-FEM for nonlinear convection-diffusion problems, 8A1402
LUKAS, P: Modeling of recovery controlled creep in nickel-based superalloy single crystals, 7A426
LUKASCHKIN, ND: System analysis of metal forming technique in welding processes, 12A729
LUKASHENKO, VI: Bacterial decomposition of excessive oil in sliding bearings, 2A932
- Analysis of contact parameters calculation methods for nonmetallic sliding bearings, 7A941
LUKASZEWICZ, G: Micropolar fluids in the theory of lubrication: Rigorous derivation of an analogue of the Reynolds equation, 5A1105
- Heat convection equations with dissipation term in regions with moving boundaries, 8A1266
LUKIN, AN: Calculation of plates by BEMs (Russian), 12A75
LUKYANOV, AT: Mathematical modeling of stability of non-adiabatic laminar premixed flame, 8A1424
LUM, K: Adaptive, high bandwidth control of hydraulic actuator, 6A398
LUMELSKY, VJ: Decentralized motion planning for multiple mobile robots: The cocktail party model, 10A526
LUMLEY, J: Dynamical systems theory and extra rates of strain in turbulent flows, 4A84
LUMLEY, JL: Turbulence, Coherent Structures, Dynamical Systems and Symmetry, 5R21
- Simulation and Modeling of Turbulent Flow, 5R20
- Annual Review of Fluid Mechanics, Volume 29, 8NI9
- Formation of longitudinal vortices in a turbulent boundary layer over wavy terrain, 5A1042
- Calculation of wall-bounded complex flows and free shear flows, 6A1145
- Active control in the turbulent wall layer of a minimal flow unit, 7A1085
LUMPKIN, VA: Rotordynamic analysis of a vertical pump with tilting-pad journal bearings, 12A1016
LUMSDEN, CJ: Stochastic simulation of coupled reaction-diffusion processes, 2A1304
LUNA, E: Conjugate natural convection heat transfer between two fluids separated by a horizontal wall: Steady-state analysis, 1A1165
LUND, TS: Large-eddy simulation of a concave wall boundary layer, 2A1002
- Lagrangian dynamic subgrid-scale model of turbulence, 3A1159
LUNDBERG, A: Laboratory calibration of TDR-probes for snow wetness measurements, 10T1509
LUNDBERG, B: Influence of pole length and stiffness on the energy conversion in pole-vaulting, 7A1562
- Dissipation of wave energy in a viscoelastic junction between elastic bars: Dependence on transmission direction, 8A209
LUNDBLADH, A: Very large structures in plane turbulent Couette flow, 3A1148
LUNDE, L: Three-dimensional measurement of head flying height and attitude using image processing of fringe patterns formed by Michelson laser interferometry, 1T901
- Numerical simulation of the effects of 3D roughness on hydrodynamic lubrication: Correlation coefficients, 10A1259
- Pressure and shear flow in a rough hydrodynamic bearing, flow factor calculation, 12A1210
LUNDSTEDT, H: Solar origin of geomagnetic storms and prediction of storms with the use of neural networks, 5A1430
LUNE, E: Transient analysis of the natural laminar convection heat transfer process between two fluids separated by a thin horizontal wall, 11A1225
LUNSKENS, S: Experimental study of natural convection in a model alloy with a miscibility gap, 9A1216
LUNZE, J: Observation of qualitative states by means of a qualitative model, 10T409
LUO, ALBERT CJ: Analytical vibration and resonant motion of a stretched spinning nonlinear tether, 3A154
LUO, BAIHUA: Numerical simulations of flow induced oscillation in cavity and its suppression by sound excitation (Chinese), 10T320
LUO, CHUN-HUI: Modeling the frictional boundary conditions in a rolling process, 4A657
LUO, D: Liquid-side interphase mass transfer in cocurrent vertical two-phase channel flows, 5A1311
- Heat transfer in a turbulent falling film subject to intense volumetric heating, 9A1117
LUO, DEHAI: Envelope solitary Rossby waves and modulational instabilities of uniform Rossby wave trains in two space dimensions, 6A264
LUO, DI-AN: Fluid flow and convective heat transfer in a vertical porous annulus, 2A1193
LUO, H: Delamination modes in composite plates, 4A723
LUO, J: Three-dimensional Navier-Stokes computation of turbine nozzle flow with advanced turbulence models, 12A1152
LUO, JIANG: Prediction of strongly curved turbulent duct flows with Reynolds stress model, 6A1103
LUO, JX: Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, 4A406
- Control of the fabrication of long slender workpieces of arbitrary shape - Part II: Closed-loop control of the multi-axis bending process, 4A407
LUO, K: Scanning thermal microscopy at nanometer scales: A new frontier in experimental heat transfer, 2A1151
LUO, KH: Compressible mixing layer growth rate and turbulence characteristics, 3A1095
LUO, LIMIN: Forming-limit diagrams for Al 2124 and Al-Li 8090 through fracture mechanics and perturbation analysis, 6A755
LUO, S-S: Use of the analytical-and-numerical-combined method in the free vibration analysis of a rectangular plate with any number of point masses and translational springs, 8A176
LUO, SC: Hybrid vortex method for flows over a bluff body, 8A1077
LUO, SHAOKAI: Relativistic variation principles and equation of motion for variable mass controlable mechanical systems, 5A77
LUO, SHENGWU: Adaptive control of redundant multiple robots in cooperative motion, 5A337
LUO, SHIJUN: Second-order small-disturbance solution for wing at supersonic speeds, 6A1182
LUO, SHYH-SHIN: Free vibration analysis of a rectangular plate carrying any number of point masses and translational springs by using the modified and quasi-analytical and numerical combined methods, 11A124
LUO, SY: Studies on the wear conditions and the sheared edges in punching, 12A960
LUO, W-J: Turbine blade heat transfer prediction in flow transition using k-ω two-equation model, 5A992
LUO, X-L: Control volume approach for integral viscoelastic models and its application to contraction flow of polymer melts, 1A456
LUO, XIAO-LIN: Coupled conduction-convection problem for an underground rectangular duct containing three insulated cables, 9A1214
LUO, XIAODONG: ASTROS for reliability-based multidisciplinary structural analysis and optimization, 7A832
LUO, Y: Dynamic response of railway ballast to the action of trains moving at different speeds, 8A193
LUO, YUANQUAN: Variable step explicit difference method for parabolic partial differential equations (Chinese), 6A60
LUO, ZHENBI: Effects of antiwear additives on the friction and wear of Si_3N_4-steel sliding contacts, 7A909
- Tribological characteristics of Si_3N_4 ceramic sliding on stainless steel, 12A933
LUONGO, A: Perturbation methods for nonlinear autonomous discrete-time dynamical systems, 2A79
LUOSTARINEN, J: Microlens array in optical inspection of critical surface roughness of cold-rolled steel, 9A418
LUPKES, C: Modeling the arctic convective boundary-layer with different turbulence parameterizations, 2T1412
LUPSA, I: Magnetic behavior of $U_{1-x}Dy_xNi_2$ systems, 4T636
LUPU, M: Numerical solutions to inverse problems of general planar motion, 12A132
LUR'E, SA: Correct variants of the refined theories of composite beams, plates, and shells, 12A550
LUR'E, ZY: Optimization of pumping units of internal involute gear pumps, 8A963
LUR'YE, SA: Method of homogeneous solutions and biorthogonal expansions in the plane problem of the theory of elasticity for an orthotropic body, 1A451
LURIE, KA: Effective properties of smart elastic laminates and the screening phenomenon, 9A504
LUSAKOWSKI, A: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
LUSHCHIK, ON: Frequency influence on the singular stress field in a compound waveguide, 5A156
LUST, G: Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, 6A1534
LUSTER, JW: Formation and characterization of corrosion-resistant amorphous coatings by thermal spraying, 4T693
LUTENEGGER, AJ: Influence of pile plugging on skin friction in overconsolidated clay, 11A562
LUTES, LD: Stochastic Analysis of Structural and Mechanical Vibrations, 7R3
LUTH, H: Tunneling in semiconductor nanostructures: Physics and devices, 9T386
LUTJERING, G: Fatigue '96, 1N26
LUTMAN, M: Seismic behavior of masonry walls: Modeling of hysteretic rules, 3A1394
- Seismic behavior of masonry walls: Experimental simulation, 3A1393
- Seismic upgrading of old brick-masonry urban houses: Tying of walls with steel ties, 3A1396
LUTOMIRSKI, SZ: Poisson's ratio of steel at large plastic deformations, 9A791
LUTTON, BG: Stresses and deformations induced during manufacturing - Part II: A Study of the spring-in phenomenon, 10A645
LUTZ, MP: Effect of the interphase zone on the bulk modulus of a particulate composite, 7A485
LUTZ, R: In vitro study on the effect of branch points on the stability of coronary artery flow, 11A1575
LUXMOORE, AR: Sensitivity of J-integrals of material law variations for semi-elliptical surface cracks, 8A787
- Elastic-plastic fracture mechanics assessment of low constraint aluminium test specimens, 10A810
- Integrated system for automatic wear particle analysis, 12A950
LUYBEN, KCAM: Microbial decontamination of polluted soil in a slurry process, 6T1519
LUZNIK, L: Uncertainty analysis in propeller open water tests, 5A1063
LY, MH: Feature-based machining of curved surfaces using the steepest directed tree approach, 5A557
LYAKHOVKA, GV: Torsional vibrations of a shaft under a random axial load, 4T159
LYASHKO, VA: Structural analysis of surface roughness parameters, 2A922
- Development of friction surface wear resistance criteria, 2A854
LYDZBA, D: Gas filtration through porous coal medium: Effect of the gas constrained in micropores, 4A1355
LYELL, MJ: Stability of a deformed finite length inviscid liquid column, 6T1031
LYGEROS, AI: Thermoeconomic operation optimization of the Hellenic Aspropyrgos Refinery combined-cycle cogeneration system, 4A1318
LYLES, BF: Threshold precipitation events and potential ground-water recharge, 3A1408
LYNCH, DG: Flow in a tube with non-uniform, time-dependent curvature: Governing equations and simple examples, 4A1043
LYNCH, JF: Theoretical and simulation study of acoustic normal mode coupling effects due to the Barents Sea Polar Front, with applications to acoustic tomography and matched-field processing, 1A310
- Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, 5T1427
LYNCH, KM: Stable pushing: Mechanics, controllability, and planning, 6A424
LYNE, JE: Extension of curve fits for enthalpy of equilibrium air to 1000 atmospheres, 7T1232
LYNGESEN, S: Ringing and double frequency response of a tripod, 11A210
LYNN, AC: Seismic evaluation of existing reinforced concrete building columns, 6A1452
LYNN, SR: Unified electro-magneto-fluid dynamics: Introductory concepts, 12A1154
- Unified electro-magneto-fluid dynamics: A survey of mathematical models, 12A1155
LYONS, DW: Stress concentration in the matrix around the fibers in laminae, 2A438
- Effect of coating and interfacial reaction zone on the residual stresses in fiber-reinforced metal-matrix composite, 9A489
LYONS, JS: Distribution of particulates in cast metal matrix composites, 5A435
- Measuring microscopic deformations with digital image correlation, 9A818
- Finite element analysis of creep fracture initiation in a model superalloy material, 10A790

LYONS, KM: Simultaneous scaler-velocity field measurements in turbulent gas-phase flows, 3A1334
LYONS, R: Investigation of an open screen acoustic performance, 6A342
LYRINTZIS, A: Versatile Kirchhoff code for aeroacoustic predictions, 6T354
LYRINTZIS, AS: Parallelization of a 3D flow solver for Euler rotorcraft aerodynamics predictions, 5A965
- Rotorcraft impulsive noise prediction using a rotating Kirchhoff formulation, 6A1185
LYRINTZIS, CS: Forced random parametric vibration in single-dof systems, 4A104
LYSAK, MV: Development of the theory of acoustic emission by propagating cracks in terms of fracture mechanics, 3A683
LYSMER, J: Topographic effects on the seismic response of steep slopes, 12A1449
LYU, MYUNG-SEOK: Unstructured grid finite volume analysis for acoustic and pulsed wave propagation characteristics in exhaust silencer systems, 5A951
LYUBIMTSEV, YK: Definition for global stability and a problem of breaking a three-wheel vehicle (Russian), 12T104

M

MA , KOUGEN: Parameters selection and stability analysis of adaptive feedforward vibration control (Chinese), 12T359
MA'ADHAH, AG: Theme issue on petroleum residheavy oil upgrading, 8A1511
MA, B: Effect of stress concentration on magnetic flux leakage signals from blind-hole defects in stressed pipeline steel, 4A629
- Muscle coordination of maximum-speed pedaling, 10A1576
MA, BANG-AN: Vibration analysis of viscoelastically damped sandwich shells, 5A120
MA, CF: Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part I: Unconfined circular jets, 6A1222
- Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part II: Initially laminar confined slot jets, 6A1223
- Numerical study of recovery effect and impingement heat transfer with submerged circular jets of large Prandtl number liquid, 9A1211
- Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, 9A1206
MA, CHIEN-CHING: Analytical transient analysis of layered composite medium subjected to dynamic inplane impact loadings, 4A563
- Exact transient solutions of buried dynamic point forces for elastic bimaterials, 5A453
- Transient wave analysis of an antiplane crack interaction with half-plane boundary, 5A695
- Relationship of anisotropic and isotropic materials for antiplane problems, 5T684
- Dynamic fracture analysis of an inclined subsurface crack subjected to dynamic moving loadings, 7A759
- Dynamic fracture analysis of a finite crack subjected to an incident horizontally polarized shear wave, 8A817
- Transient analysis of crack in composite layered medium subjected to dynamic loadings, 9A696
- Dynamic crack propagation in a layered medium under antiplane shear, 10A832
- Transient analysis of dynamic crack propagation with boundary effect, 11A722
MA, CHING-CHIEN: Papers presented at the 8th Asia-Pacific Conference on NDT, December 11-14, 1995, Taipei, Taiwan, 7A790
MA, DC: Fluid-Structure Interaction - 1996, 2N11
MA, F: Equations of nonlinear vibrations, 7A111
- Simultaneous triangularization of the coefficients of linear systems, 12T142
MA, FA-SHANG: Removal of the influence of stress triaxiality on crack tip opening displacement fracture toughness by continuum damage mechanics approach, 5A660
MA, H: Unified correlations in transition temperatures of low-alloy steels and weld metals of various toughnesses, 6A817
MA, HB: Experimental investigation of the maximum heat transport in triangular grooves, 2A1264
- Theoretical analysis of the maximum heat transport in triangular grooves: A study of idealized micro heat pipes, 2A1266
- Temperature variation and heat transfer in triangular grooves with an evaporating film, 7A1295
MA, HUI-YANG: Interaction of vortices with a progressive surface wave, 9A206
MA, J: Bearing condition monitoring by pattern recognition based on bicoherence analysis of vibrations, 1A225
- Gear defect detection through model-based wideband demodulation of vibrations, 4A920
- Bearing localized defect detection by bicoherence analysis of vibrations, 11A852
MA, JINGHUAI: Optimal control variational principle and FEs analysis for viscoplastic dynamics, 10A594
MA, JJ: Shear stress of elastohydrodynamic lubrication in elliptical contacts, 1T1130
MA, JUN: Wavelet decomposition of vibrations for detection of bearing-localized defects, 12A219
MA, KOUGEN: Active control for tall-slender structure vibration induced by wind (Chinese), 2A163
MA, M: Inelastic analysis of panel collapse by stiffener buckling, 1A597
MA, MING: Lateral distortional buckling of monosymmetric beams under point load, 3A551
MA, MING-TANG: Expedient approach to the non-Newtonian thermal EHL in heavily loaded point contacts, 12A1215
MA, MINGSHU: High-order accuracy explicit difference scheme for solving the equation of 2D parabolic type, 7A48
MA, NX: Measuring method for residual stresses in explosively clad plates and a method of residual stress reduction, 4A524
MA, PINGPING: Convective mass transfer at the carotid bifurcation, 10A1543
MA, R: Direct rotatability criterion for spherical four-bar linkages, 11A859
MA, SY: Determination of optimal transition profile of a stepped bar in tension or in torsion by BEM, 5A469
MA, X: Finding the best possible solutions to simple assembly line balancing problems, 9A415
MA, XIAOQING: New principle of ignition and flame stability for low-volatile pulverized coal with slitted bluff-body burner, 5A1329
MA, XINGRUI: Nonlinear dynamical characteristics analysis of tethered subsatellite in the presence of offset, 6A931
- Application of the BEM to the fatigue cracked propagation in a crack heterogeneous body, 10A87
MA, Y-G: Nuclear temperature measurements with isotropic thermometer, 9A1144
MA, YANWEN: High order accurate difference scheme for complex flow fields, 11A1091
MA, YUSHIEH: Analytical study of a disk-type torsional shear-wave radiator immersed in an elastic medium, 1A231
MA, ZHENG-DONG: New component mode synthesis method: Quasi-static mode compensation, 8A207
MA, ZY: High-temperature creep behavior of aluminium-matrix composites reinforced with SiC, Al_2O_3 and TiB, particles, 12A510
MAA, JER-RU: Mass diffusion effect on film boiling of saturated binary mixtures, 6A1257
- Prediction of film boiling heat transfer coefficients for binary mixtures, 10A1321
MAA, JIANN-HWA: Flight control system design by self-organizing fuzzy logic controller, 7T1171
MAA, S: Wind-tunnel test of flow through Mars pathfinder Lander, 12T1236
MAAS, D: Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, 9A382
MAAS, U: Development of a parallel direct simulation code to investigate reactive flows, 2A59
MAASKANT, R: Fiber-optic Bragg grating sensors for bridge monitoring, 10A867
MAATAR, M: Analytical expression for the time-varying contact length in perfect cylindrical gears: Some possible applications in gear dynamics, 6A945
- Numerical methods for the simulation of geared transmission dynamic behavior formulation and assessment, 12T1006
MAATHUIS, PGM: Global verification study of a quasi-static knee model with multi-bundle ligaments, 5A1470
MABIT, C: Muscular stabilization of the lumbar spine (French), 6T1528
MABRU, C: Damage mechanisms in composite-composite bonded joints under static tensile loading, 9A748
MAC, W: Magnetic anisotropy of V'' in CdS, 9A608
MACARI, EJ: Effect of degree of weathering on dynamic properties of residual soils, 6A652
- Implicit integration of elastoplastic constitutive models for frictional materials with highly nonlinear hardening functions, 8A4
- Measurement of volume changes in triaxial tests using digital imaging techniques, 12A693
MACARTHUR, CD: Aircraft anti-icing and de-icing techniques and modeling, 4A1134
- Effect of high free-stream turbulence on film cooling effectiveness, 5A1128
MACBETH, C: Data-matrix asymmetry and polarization changes from multicomponent surface seismics, 9A1456
MACDERMOTT, WN: Near-electrode model for 100-standard atmosphere arc discharges, 5A1388
- Impacts of external magnetic fields applied to high-pressure electric arc heaters, 5A1385
MACDONALD, KA: Fatigue failure of a rotating chemical vessel, 1A704
- Case studies of failed austenitic drillcollars, 7A671
- Effectiveness of stress relief features in austenitic drillcollar connections, 7A673
MACDONALD, MJ: Shear rheology of polymer solutions near the critical condition for elastic instability, 10A1024
MACDONNELL, C: Examples of gauge conservation laws in nonholonomic systems, 2A82
MACE, BR: Wave coherence, coupling power, and statistical energy analysis, 8A221
- Fourier series approach to the measurement of flexural wave intensity in plates, 12A229
MACERI, F: Consistent theory of thin piezoelectric plates, 3A570
- Exact 3D solution for simply supported rectangular piezoelectric plates, 3A573
MACEWEN, SR: Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, 11A434
MACGILLIVRAY, JR: Active control of axial-flow fan noise, 7A270
MACGREGOR, JG: Numerical investigation of eccentrically loaded high-strength concrete tied columns, 2A780
- Tests of eccentrically loaded high-strength concrete columns, 3A776
- Flexural behavior of laterally reinforced high-strength concrete sections, 5A778
- Effect of size on flexural behavior of high-strength concrete beams, 8A901
- Modification of the ACI rectangular stress block for high-strength concrete, 8A906
- Performance of high-strength concrete tied columns: A parametric study, 10A952
MACHA, E: Influence of correlations between stresses on calculated fatigue life of machine elements, 7A704
MACHADO COTTA, R: Comparison of convergence acceleration schemes for eigenfunction expansions of partial differential equations, 5A68
MACHANE, R: High-order schemes in BEMs for transient nonlinear free surface problems, 10A91
MACHCHA, AR: Investigation of nano-wear during contact recording, 2A884
MACHIDA, F: Influence of welding materials on fatigue strength of fillet welded joints made from high strength steel (Japanese), 3A928
MACHIDA, K: J_e evaluation and effective thickness of thin specimens with and without side-grooves, 11A691
MACHIDA, S: Detailed observation of change in strain near fatigue crack tip (Japanese), 9A710
MACHIELS, L: Advances in Turbulence VI, 7N24
MACIAS, ME: Spinal ligament transducer based on a Hall effect sensor, 7A1556
MACIEJEWSKI, AA: Planning of collision-free paths for a reconfigurable dual manipulator equipped mobile robot, 6A414
MACK, W: Rotating elastic-plastic solid shaft with fixed ends, 7A450
MACKAPLOW, MB: Numerical study of the rheological properties of suspensions of rigid, non-Brownian fibers, 7A991
MACKAY, ME: Analysis of entry flow to determine elongation flow properties revisited, 11A893
MACKENZIE, D: Limit and shakedown analysis of nozzle-cylinder intersections under internal pressure and in-plane moment loading, 1A871
- Approximate limit design of frames using elastic analysis, 3A804
- Simple method of calculating lower-bound limit loads for axisymmetric thin shells, 11A522
MACKERLE, J: Finite element and boundary element analyses of beams and thin-wall structures: A bibliography (1994-1995), 1A29
- Finite element method and boundary element method in geomechanics - Foundations and soil-structure interaction: A bibliography (1992-1994), 1A51
- Finite elements in the analysis of pressure vessels and piping: A bibliography (1976-1996), 5A22
MACKERTICH, S: Response of an elastically supported infinite Timoshenko beam to a moving vibrating mass, 7A134
MACKIN, TJ: Simple method for measuring surface strains around cracks, 1A791
MACKLEY, MR: Development of asymmetry and period doubling for oscillatory flow in baffled channels, 6A1109
MACKRIELL, LE: Critical mode control of a wind-loaded tall building using an active tuned mass damper, 12A390
MACKWOOD, WA: Comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S-P and zinc dialkyl dithiophosphate additives, 2A1120
- Effect of steel hardness on the performance of antiwear additives, 7A878
MACLAREN, D: Failure analysis of a mine hoist rope, 9A541
MACMANUS, DG: Predictions and observations of the flow field induced by laminar flow control microperforations, 6T1097
MACOSKO, CW: Capillary impregnation of aligned fibrous beds: Experiments and model, 4A1048
- Simultaneous measurement of viscoelastic changes and cell opening during processing of flexible polyurethane foam, 7A992
- Extensional rheometry of polymer multilayers: A sensitive probe of interfaces, 10A1044
- Extensional viscosity from entrance pressure drop measurements, 10A1027
MACRAE, GA: Post-earthquake residual displacements of bilinear oscillators, 12A1470
MACROSSAN, MN: Chemical nonequilibrium inviscid flow over a blunt cone at incidence, 4A1011
MACY, WK: Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, 9A1155
MADANARAJ, H: Effect of extrinsic and intrinsic factors on an indentation test, 2A727
MADANSHETTY, SI: Electromechanical vibration absorber, 9T177
MADDEN, N: Efficient generation of oriented meshes for solving convection-diffusion problems, 7A1382
MADDOCK, DG: Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part I: Flow at exit of turbine, 12A1191
- Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part II: Unsteady pressure on the stator blade surface, 12A1192
MADDOCKS, JH: Hamiltonian dynamics of an elastica and the stability of solitary waves, 6A565
MADDOX, SJ: Fatigue of welds, 1A706
MADDRELL, RJ: Managed coastal retreat, reducing flood risks and protection costs, Dungeness Nuclear Power Station, UK, 4T966
MADEJSKI, J: Flashing in capillary tubes (Polish), 2A1269
MADENCI, E: Dynamic response of thin composite shells experiencing nonlinear elastic deformations coupled with large and rapid overall motions, 2A143
- Nonlinear analysis of laminates through a Mindlin-type shear deformable shallow shell element, 10A654
MADERA, AG: Method for analyzing stochastic heat transfer in a fluid flow, 1A1192
- Heat transfer from an extended surface at a stochastic heat-transfer coefficient and stochastic environmental temperature, 2A1242
MADGETT, MR: Subgrade resilient modulus correction for saturation effects, 12A678
MADHANI, A: Force workspace: A tool for the design and motion planning of multi-limb robotic systems, 12A431
MADHU, R: Liquefaction and residual strength of sands from drained triaxial tests, 9A619
MADHUSUDANA, CV: Thermal contact conductance of composite cylinders, 7A1306
MADI, UR: Transverse steel content in spiral concrete columns subject to eccentric loading, 2A785
MADONNA, RG: Orbital Mechanics, 5R3
MAEDA, H: Offshore Technology, Volume I, 1N30
- Volume I: Offshore Technology, 10N26
MAEDA, K: Optimizing the design characteristics of seismic-isolation device (lead rubber bearing) for bridges (Japanese), 8A1488
- Development of waste water purification technique in closed water area (Japanese), 8A1553
MAEDA, M: Possibility of quantitative prediction of cavitation erosion without model test, 4A964
- Development of six axis force sensor for javelin throw, 7T1561
- Proposal for optimum structural design with the largest buckling load, 9A837
- Vortex structure and heat transfer in the stagnation region of an impinging plane jet: Simultaneous measurements of velocity and temperature fields by digital particle image velocimetry and laser-induced fluorescence, 10A1297
- Simulation analysis of 3D continuous chip formation processes - Part I: FE formulation and experimental verification, 11A614
MAEDA, N: Fundamental study on applications of damage mechanics to evaluation of material degradation, 6A788
- Changes in electromagnetic properties during thermal aging of duplex stainless steel, 9A713
- Development of an advanced SQUID system for nondestructive evaluation of material degradation in power plants, 9A812
MAEDA, T: Numerical simulation of the phenomena due to the passing-by of two bodies using the unsteady BEM, 3A52
- Power augmentation of a horizontal axis wind turbine using a Mie type tip vane: Velocity distribution around the tip of a HAWT blade with and without a Mie type tip vane, 11A1549
- Estimation of acceleration response spectra in the severely damaged area due to the 1995 Hyogoken-Nambu earthquake (Japanese), 11A1482
MAEDA, Y: In-situ loading tests of diaphragm wall foundation and property of its bearing capacity (Japanese), 5A526
MAEKAWA, H: High-precision numerical method for the incompressible Navier-Stokes equations tested by Stuart solution, 7T1041

MAEKAWA, K: Simulation analysis of cutting performance of diamond in titanium machining, 3T636
- Finite element analysis of thermal behavior in metal machining - 1st report: Influence of thermophysical properties on cutting temperature, 7A17
- Finite element analysis of thermal behavior in metal machining - 2nd report: Determination of energy balance and its application to 3D analysis, 7A18
- Temperature and wear of cutting tools in high-speed machining of Inconel 718 and Ti-6Al-6V-2Sn, 9A934
- Path-dependent nonlinear analysis of reinforced concrete shells, 10A937
- Stress transfer across interfaces in reinforced concrete due to aggregate interlock and dowel action, 10A942
- Simulation analysis of 3D continuous chip formation processes - Part 1: FE formulation and experimental verification, 11A614
- Design of a 3D cut-away tool for the turning of high manganese steels, 11A596
MAEKAWA, T: Computation of shortest paths on free-form parametric surfaces, 6A968
- Numerical analysis of InP solution growth by traveling heater method: Transient response in the case of no heater movement, 10A1396
- Computation of self-intersections of offsets of Bezier surface patches, 12A1026
MAEKAWA, Z: Effect of surface oxidation and sizing treatment of carbon fiber on interfacial adhesion (Japanese), 9A481
- Examination of void formation mechanism by numerical analysis, 11A1038
MAEKAWA, Z-I: Strength prediction of mechanically fastened quasi-isotropic carbon-epoxy joints, 4A574
- Strength prediction of adhesively bonded carbon-epoxy joints, 4A544
- Tensile strength and its scatter of unidirectional carbon fiber reinforced composites, 9A485
MAELAND, E: Focusing analysis of seismic data with prg-leg multiples, 7A1467
MAENG, HY: Feature-based machining of curved surfaces using the steepest directed tree approach, 5A557
MAENG, JOO-SUNG: Unstructured grid finite volume analysis for acoustic and pulsed wave propagation characteristics in exhaust silencer systems, 5A951
MAENO, K: Investigation on the behavior of laser induced bubble in cryogenic liquid nitrogen, 7A1075
MAENO, S: Residual stress analysis on materials with steep stress gradient by using X-ray incidence at higher angles (Japanese), 2A742
MAES, MA: Static drilling riser model using free boundary conditions, 8A190
MAESTRELLO, L: Panel-structure response to acoustic forcing by a nearly sonic jet, 7A1106
- Active control of panel oscillation induced by accelerating boundary layer and sound, 10A311
- Active control of nonlinear panel vibration and sound radiation, 10A476
MAEVSKAYA, ME: Acoustic analyzer study of SAW propagation in homogeneous and composite models, 12A600
MAEVSKII, EI: Acoustic analyzer study of SAW propagation in homogeneous and composite models, 12A600
MAEWAL, A: Model for defective fibrous composites, 5A433
MAGAGNINI, PL: Isothermal elongational behavior of liquid-crystalline polymers and LCPs based blends, 10A1036
MAGALHAES, JF: Transient thermoelastic fracture of brittle substrates bonded to brittle films, 7A1364
MAGALINSKY, VB: Extension of the Kepler Problem towards minimization of energy and gravity softening, 11A230
MAGAND, F: Time frequency analysis of energy distribution for circumferential waves on cylindrical elastic shells, 5A205
MAGDA, W: Wave-induced uplift force on a submarine pipeline buried in a compressible seabed, 8A285
MAGDENKOV, VA: New type of constrained vibration-damping coating, 10A162
MAGDZIAREK, S: Result of fuel-air mixture heating on starting properties of carburetor engine (Polish), 9A1400
MAGGIO, F: Spectral-domain decomposition methods for the solution of acoustic and elastic wave equations, 1A1417
MAGGIO, G: Energy balance of different internal reforming MCFC configurations, 9A1544
MAGI, V: Application of the discrete ordinates method to compute radiant heat loss in a diesel engine, 11A1419
MAGILL, MA: Sustained Mode I and Mode II fatigue crack growth in flat plates, 6A719
- Analysis of sustained mixed mode fatigue crack growth, 7A644
MAGLARAS, G: Analytical-experimental comparison of probabilistic methods and fuzzy set based methods for designing under uncertainty, 10A921
MAGLUTA, C: Analysis of single pipeline pull-in procedure using small scale models, 3A1463
- Dynamic behavior analysis of a lifeboat system under simulated accidents, 6A202
MAGNANI, G: Stability of integral force control in case of contact with stiff surfaces, 11A308
MAGNAUDET, J: Turbulent structure beneath surface gravity waves sheared by the wind, 6A274
- Effects of slighly solubie surfactants on the flow around a spherical bubble, 11A1008
MAGNICO, P: Permeability evolution induced by the precipitation of an advected solute: Effect of the microscopic and the macroscopic scales competition on the clogging mechanism, 3A1345
MAGNIN, A: Rheological and physical studies of lubricating greases before and after use in bearings, 1T1140
- Experimental validation of steady shear and dynamic viscosity relation for yield stress fluids, 9A983
MAGNUSSEN, BF: Influence of turbulence modeling on predictions of turbulent combustion, 6A1152
- Simulation of fluid flow and gaseous radiation heat transfer in a natural gas-fired furnace, 11T1327
MAGNUSSON, C: Finite-element simulation of V-die bending: A comparison with experimental results, 11A28
MAGNUSSON, M: Upper extremity attenuates intermediate frequency vibrations, 7A1542
- Study of the flow downstream of a wind turbine using measurements and simulations, 12T1177
MAGNUSSON, P: Evolution of the obliquities for ten asteroids, 6A322
MAGNUSSON, R: Characterization of ultrasonic transducers by means of double-exposure holographic interferometry, 7A291
MAGNY, C: Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: Titanium alloy matrix composites, 6A680
MAGONETTE, GE: PsD test on four-story R-C buildings designed according to Eurocodes, 6A890
MAGRAB, EB: Dynamic interaction of the cutting process, workpiece, and Lathe's structure in facing, 2A591
MAHADEVAN, L: Experimental study of coating flows in a partially-filled horizontally rotating cylinder, 11A948
MAHADEVAN, S: Adaptive Monte Carlo simulation for time-variant reliability analysis of brittle structures, 7A815
MAHAJAN, R: Moisture migration and cracking in plastic quad flat packages, 12A821
MAHAJAN, RL: ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40
- Proceedings of the ASME Fluids Engineering Division, 4N25
- Reliability simulations for solder joints using stochastic FE and artificial neural network models, 4A948
- Real-time physiconeural solutions for MOCVD, 5A1200
MAHAJAN, SC: Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, 4A769
MAHALINGAM, S: Classification of absolute and convective instabilities in premixed bluff body stabilized flames, 4A1294
- Assessment of conditional moment closure for single and multistep chemistry, 4A1306
MAHALOV, A: Global splitting, integrability, and regularity of 3D Euler and Navier-Stokes equations for uniformly rotating fluids, 1T980
MAHAPATRA, M: Green's function for anisotropic half-space solids in frequency space and calculation of mechanical admittance, 5A153
MAHBUBUR, RMD: Positioning accuracy improvement in five-axis milling by post processing, 7T611
MAHDI, M: Applied mechanics in grinding - V: Thermal residual stresses, 9A673
MAHENDRAN, M: Local plastic mechanisms in thin steel plates under in-plane compression, 8A607
- Review of current test methods for screwed connections, 9A975
MAHER, A: Detection of underground obstacles by SASW method: Numerical aspects, 9A29
MAHER, LJ: Hybrid migration: A cost-effective 3D depth-imaging technique, 9A1461
MAHERI, MR: Effect of temperature on the dynamic characteristics of heat-resistant thermoplastic composites, 8A561
MAHESH, K: Influence of entropy fluctuations on the interaction of turbulence with a shock wave, 9A1109
MAHFUZ, H: Nondestructive characterization-evaluation of functional sandwich and hybrid carbon-carbon composites, 4A798
- Response of SiC/Si$_3$N$_4$ composites under static and cyclic loading: An experimental and statistical analysis, 10A775
- Response of resin transfer molded (RTM) composites under reversed cyclic loading, 11A453
MAHIN, SA: Seismic evaluation of existing reinforced concrete building columns, 6A1452
MAHIR, N: Vortex formation from a forced system of two cylinders - Part II: Side-by-side arrangement, 3T258
- Vortex formation from a forced system of two cylinders - Part I: Tandem arrangement, 3A257
MAHMOOD, Z: Structure of steady flow through dual-intake engine ports, 5A1363
MAHMOODI, F: Simultaneous identification of group technology machine cells and part families using a multiple solution framework, 3A426
MAHMOUD, GM: Periodic solutions of strongly nonlinear Mathieu oscillators, 12A127
MAHMOUD, NA: Robust control for a nonlinear servomechanism problem, 10A444
MAHMOUD, SM: Mechanical design for JET-X aperture door, 9T961
MAHNKEN, R: Parameter identification for viscoplastic models based on analytical derivatives of a least-squares functional and stability investigations, 1A489
- Unified approach for parameter identification of inelastic material models in the frame of the FEM, 4A532
- Parameter identification for finite deformation elastoplasticity in principal directions, 12A536
MAHRENHOLTZ, O: ICIAM-GAMM 95: Applied Sciences, Especially Mechanics: Contributed Lecture and Poster Presentations, Hamburg, July 1995, 6N31
- ICIAM-GAMM 95: Applied Sciences, Especially Mechanics: Minisymposia Contributions, Hamburg, July 1995, 6N30
- Effects of dissipation energy on vibrational and sound energy flow, 1A301
- Influence of friction and geometry on plastic spread, 12T719
MAHRT, L: Multiresolution flux decomposition, 11A1501
MAI, HC: Asymptotic analysis to a tensile crack in creeping solids coupled with damage - Part II: Large damage region very near the crack tip, 8A779
MAI, YIU-WING: Mixed-mode fracture of adhesively bonded CF-epoxy composite joints, 2A682
- Residual stress induced distortions during fabrication of composite shells, 2A485
- Evaluations of effective crack growth and residual strength of fiber-reinforced metal laminates with a sharp notch, 5A666
- Effect of molding temperature on flexure, impact strength, and interlaminar fracture toughness of CF-PEI composite, 5A568
- Simulation of fatigue performance of cross-ply composite laminates, 6A745
- Effect of adhesive bonding between aluminum and composite prepreg on the mechanical properties of carbon-fiber-reinforced metal laminates, 8A536
- Manufacturing of an aileron rib with advance thermoplastic composites, 9A681
- Prediction of critical load and wear rate of coatings by fuzzy theory, 10A987
- Stresses and deformations induced during manufacturing - Part II: A Study of the spring-in phenomenon, 10A645
- Stresses and deformations induced during manufacturing - Part I: Theoretical analysis of composite cylinders and shells, 10A644
- Progressive damage and residual strength of a carbon fiber reinforced metal laminate, 11A709
- Residual strength of an ARALL laminate containing a crack, 11A711
MAIDANIK, G: Design criteria for the damping effectiveness of structural fuzzies, 4A106
- Double-sum technique for performing a Fourier transformation, 10A388
- Computation of the modal response of regularly ribbed cylinders, 10A384
MAIER, G: Failure indicators in multi-dissipative materials, 1A732
- Symmetric boundary integral approach to transient poroelastic analysis, 9A1443
- Multiplicity of solutions in quasi-brittle fracture computations, 12A841
MAIGRE, H: Investigation of dynamic crack initiation in PMMA, 2A702
- Study of mixed-mode dynamic crack initiation in PMMA, 4T698
- Dynamic crack initiation in polycarbonate under mixed-mode loading, 8T728
MAILE, K: Development of a PC-based remote measurement device for high temperature material testing, 8A1388
MAIMAN, DJ: Instrumented artificial spinal cord for human cervical pressure measurement, 5A1510
MAIN, AJ: Calibration of a four-hole pyramid probe and area traverse measurements in a short-duration transonic turbine cascade tunnel, 3A1204
- Free vortex theory for efficiency calculations from annular cascade data, 10A1230
MAIN, JA: Efficient power amplifiers for piezoelectric applications, 7A563
- Design impact of piezoelectric actuator nonlinearities, 9A375
- Piezoelectric stack actuators and control system design: Strategies and pitfalls, 10A494
MAINARDI, F: Fractional relaxation-oscillation and fractional diffusion-wave phenomena, 4A48
MAINARDI, L: Multivariate time-variant AR method for the analysis of heart rate and arterial blood pressure, 11A1568
MAINELIS, G: Aerosolization of particles from a bubbling liquid: Characteristics and generator development, 7A1077
MAINES, B: Case of the singing Vortex, 11A916
MAINES, BH: Tip vortex formation and cavitation, 11A918
MAINES, ND: Regularization of strongly singular integrals in boundary integral equations, 5A58
MAINI, PK: Boundary-driven instability, 8A1390
MAIONE, B: Performance of deadlock avoidance algorithms in flexible manufacturing systems, 1T426
MAIR, HD: Ultrasonic characterization of the radius of curvature at the root of a surface breaking AFS mark, 10A874
MAIR, RW: Shear flow of wormlike micelles in pipe and cyclindrical Couette geometries as studied by nuclear magnetic resonance microscopy, 12A1128
MAISCHAK, M: hp-version of the BEM in R^3: The basic approximation results, 9A53
MAISON, BF: Building pounding damage during the 1989 Loma Prieta earthquake, 7A1480
MAISONNEUVE, V: Prediction of the dynamic behavior of non-symmetric coaxial co- or counter-rotating rotors, 3A171
MAITI, MK: Inelastic seismic resistance of reinforced concrete stack-like structures, 10T1462
MAITI, R: Modeling and dynamics of epitrochoid generated orbital rotary piston LSHT hydraulic motor: A bondgraph approach, 2A938
MAITI, SK: Boundary element method based computation of stress intensity factor by modified crack closure integral, 9A773
- Detection of the location and size of a crack in stepped cantilever beams based on measurements of natural frequencies, 12A157
MAITOURNAM , MH: Elastoplastic analysis of repeated moving contact: Application to railways damage phenomena, 2A899
MAITOURNAM, H: Pressure rolling contact: Steady state flow analysis and comparison with experimental data, 2A394
MAITRE, J-F: Condition number and diagonal preconditioning: Comparison of the p-version and the spectral element methods, 1A19
MAITY, KP: Class of upper-bound solutions for the extrusion of square shapes from square billets through curved dies, 6A672
MAJ, S: Variation of seismic source parameters and earthquake entropy with depth, 4A1391
MAJCHRZAK, E: BEM application for numerical solution of non-steady and nonlinear thermal diffusion problems, 9A55
MAJDA, AJ: Monte Carlo methods for turbulent tracers with long range and fractal random velocity fields, 9A1128
MAJDALANI, J: Multiple-scales solution to the acoustic boundary layer in solid rocket motors, 9A1402
MAJED, A: Residual flexibility approach for decoupled analysis of systems of combined components, 4A113
MAJER, EL: Fracture detection using crosswell and single well surveys, 9A1468
MAJERCAK, P: Meshing characteristics of the spiroid gearings (Polish), 9A957
MAJERUS, JN: Anisotropy in fracture behavior of thin Al 7075-T651 plates, 7A753
- Quantitative data for precision, closed-die, forging: Internal deformations and computer simulations, 8A692
- Qualitative data for precision, closed-die forging via "line-averaged" residual plastic-strains, 9T656
MAJI, AK: Evaluation of rib-skin fracture in composite isogrid, 6A908
- Acoustic emission source location using Lamb wave modes, 7A788
- Electronic shearography for detecting disbonds in lattice-skin structures, 10A879
MAJLESSI, SA: Strain gradient approach for deformation localization and forming limit diagrams, 9A662
MAJORANA, CE: Experimental investigation on the use of fly ash for lightweight precast structural elements, 6A538
MAJUMDAR, A: Microelectromechanical Systems, 3N10
- ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40
- Scanning thermal microscopy at nanometer scales: A new frontier in experimental heat transfer, 2A1151
MAJUMDAR, AAK: Optimality conditions in differentiable multiobjective programming, 8T384
MAJUMDAR, BC: Stochastic FEM model of 1D hydrodynamic bearings with rough surfaces, 2A921
- Analysis of rotors considering distributed bearing stiffness and damping, 4A923
- Thermohydrodynamic analysis of submerged oil journal bearings considering surface roughness effects, 7A1220

MAJUMDAR, BS: Determination of the interface failure mechanism during transverse loading of single fiber SiC/Ti-6Al-4V composites from torsion tests, 7A734

MAJUMDAR, D: Oscillatory momentum transport mechanisms in transitional complex geometry flows, 9A1079

MAK, AFT: Deformation-induced hierarchical flows and drag forces in bone canaliculi and matrix microporosity, 6A1539

MAK, KL: Synthesis of joint replenishment policies for inventory systems when demand is lumpy, 1A428

MAK, RKM: Modified clays for waste containment and pollutant attenuation, 7T1521

MAKANGA, JT: Effect of tine rake angle and aspect ratio on soil failure patterns in dry loam soil, 12A700

MAKARCHIAN, M: Simplified method for design of underpinning piles, 3A598

MAKARENKO, AI: Study of nonlinear dynamics of underwater self-propelled cable-controlled apparatus (Russian), 12T402

MAKAREWICZ, R: Ground attenuation of railroad noise, 5A226

- Interrupted traffic noise, 7A273
- Simplified model of the ground effect, 7A274
- Railroad noise in an open space, 8A309

MAKAROV, S: Noelinear and thermoviscous phenomena in acoustics - Part 1, 5A222

- Nonlinear and Thermoviscous phenomena in acoustics: Part II, 11A249

MAKER, BN: Finite element implementation of incompressible, transversely isotropic hyperelasticity, 3A449

MAKEVET, E: Numerical mode I weight function for calculating stress intensity factors of 3D cracked bodies, 1A744

MAKHLOUFI, R: Nonlinear rheology of a wormlike micellar system in the presence of sodium salicylate salt, 8A996

MAKHVILADZE, GM: Effect of momentum nonequilibrium on flame propagation and extinction in the presence of inert particles, 1A1313

MAKIN, VK: Experimental evidence of the rapid distortion of turbulence in the air flow over water waves, 2A239

- Impact of waves on air-sea exchange of sensible heat and momentum, 3T230

MAKINDE, A: Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, 11A434

MAKINO, A: Determination of biaxial residual stresses by a holographic-hole drilling technique, 4A523

- Determination of sub-surface distributions of residual stresses by a holographic-hole drilling technique, 7A629

MAKINO, E: Atomistic analysis of diamond-turning processes in single-crystal copper (Japanese), 7T636

MAKINO, H: Comparative analysis of clothoid and cubic spline curves as applied to continuous path control, 1A363

- Painting of industrial art object using teaching robot and spherical SCARA robot, 3T419
- New approach to physical edge detection using the curvature at the boundary contour points, 7A392
- Detailed observation of change in strain near fatigue crack tip (Japanese), 9A710
- Development of versatile vacuum-chuck (Japanese), 9A665
- Collision avoidance control of a quadruple arm SCARA robot (Japanese), 12A435
- Laser lithography for making jewels - 2nd Report: An algorithm of diagonal irradiation method (Japanese), 12A454

MAKINO, K: Comparison of viscous fingering patterns in polymer and Newtonian solutions, 12T1069

MAKINO, T: Thermohydrodynamic performance of high-speed journal bearings, 3T1209

MAKINO, Y: Study on high power CO, laser welding - 1st report: Observation and measurement of welding phenomena (Japanese), 10T1010

MAKINOUCHI, A: Performance study of the domain decomposition method with direct equation solver for parallel FE analysis, 6A48

MAKIYAMA, AM: Topology design for composite components of minimum weight, 2A458

MAKKONEN, L: Small-scale experiments on rime icing, 10A1502

MAKOWSKI, J: Finite element analysis of smooth, folded, and multi-shell structures, 9A573

MAKRIDAKIS, CG: Stability of the discontinuous Galerkin method for the heat equation, 8A1357

MAKRIS, J: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453

MAKRIS, N: Analysis and design of ER damper for seismic protection of structures, 3A186

- Modeling the response of ER damper: Phenomenology and emulation, 3A750
- Zoolite-based electrorheological fluids: Testing, modeling and instrumental artifacts, 7A980
- Prediction of the measured response of a scaled soil-pile-superstructure system, 8A1479
- Rigidity-plasticity-viscosity: Can electorheological dampers protect base-isolated structures from near-source ground motions, 10A164

MAKRIS, NC: Effect of saturated transmission scintillation on ocean acoustic intensity measurements, 2A261

MAKROPOULOS, K: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439

MAKRYGIANNIS, PI: Photoelasticity using retroreflection, 7T787

MAKSIMOVIC, C: Modeling of storm wash-off of suspended solids from impervious surfaces, 8A1035

MAKUSHOK, EM: Principal trends in friction mechanics, 1A878

MAL, A: Volume integral equation technique for multiple inclusion and crack interaction problems, 10A567

MALA, GM: Heat transfer and fluid flow in microchannels, 10A1280

MALAGNINI, L: Velocity and attenuation structure of very shallow soils: Evidence for a frequency-dependent Q, 4A1359

MALALASEKERA, WMG: Stress analysis of hemispherical shells with single nonradially penetrated nozzles, 5A475

MALANOWSKI, K: Sufficient optimality conditions for optimal control subject to state constraints, 7T323

MALAYERI, MR: Unified correlation for the prediction of heat transfer coefficients in liquid-solid fluidized bed systems, 5A1400

MALBEQUI, P: Sound propagation and radiation in a curved duct, 2A279

MALBURG, MC: Local slope analysis in the stylus-based assessment of surface integrity, 12T983

MALDAGUE, X: Calibration procedure for focal plane array cameras and noise equivalent material loss for quantitative thermographic NDT, 8A858

MALDARELLI, C: Temporal and spatial instability of an inviscid compound jet, 7A1131

MALDINI, M: High temperature cyclic deformation of a directionally solidified Ni-based superalloy, 5A417

MALEK, E: Estimation of the effective depth of RC section with decomposed reinforcement (Polish), 2A794

- Laboratory investigation of composite steel-concrete beams (Polish), 2A803

MALENFANT, P: Classification methodology for coupled shear walls, 6A881

MALEQUE, MA: Effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, 3A852

- Investigation of the anti-wear characteristics of palm oil methyl ester using a four-ball tribometer test, 12A952

MALHOTRA , M: Matrix-free interpretation of the non-local Dirichlet-to-Neumann radiation boundary condition, 5A262

MALHOTRA, M: Recent developments in FEM for structural acoustics, 1A76

- Iterative solution of multiple radiation and scattering problems in structural acoustics using a block quasi-minimal residual algorithm, 11A264

MALHOTRA, N: Chaotic dynamics of shallow arch structures under 1:2 resonance, 11A90

- Chaotic motion of shallow arch structures under 1:1 internal resonance, 11A91

MALHOTRA, PK: Energy method for base uplifting analysis of liquid-storage tanks, 2A491

- Method for seismic base isolation of liquid-storage tanks, 6A1443
- Seismic response of soil-supported unanchored liquid-storage tanks, 9A1486

MALHOTRA, SK: Studies on static analysis of composite thin-walled box beam, 7A503

MALIK , L: Crack arrest toughness of a heat-affected zone containing local brittle zones, 6A797

MALIK, IH: Economic feasibility and performance study of a solar-powered absorption cycle using some aqueous salt solutions, 8A1527

MALIK, M: Transient analysis of gas-lubricated journal bearing systems by differential quadrature, 7A1216

MALIK, MR: Nature of PSE approximation, 1A1067

- Sensitivity of e^N method of transition prediction, 7T1090
- Stability of attachment-line boundary layers - Part 2: The effect of leading-edge curvature, 8A1130
- Spectral analysis of parabolized stability equations, 10A1140

MALIK, NA: Eulerian and Lagrangian scaling properties of randomly advected vortex tubes, 5A1039

MALIK, OP: Robust power system stabilizer design, 12A413

MALIK, SK: Pattern selection in magnetic fluids with surface adsorption, 2A1062

- Parametrically excited waves and chaos in magnetic fluids with surface adsorption, 7A1161

MALIN, MR: Numerical prediction of two-phase flow in bubble columns, 7A1076

MALIN, PE: Fault-zone guided waves from explosions in the San Andreas Fault at Parkfield and Cienega Valley, California, 12A1490

MALINEN, P: Experimental and theoretical investigations for the design of scrubbers in heat recovery from paper machines, 11A1387

MALJAARS, M: Wind tunnel measurement of boundary-layer response to sediment transport, 12A1109

MALKIEL, E: Transition in a separation bubble, 5A990

MALKIN, AY: Conditions for rupture of polymer liquids in extension, 7A984

MALKIN, S: Cycle-time reduction in machining by recursive constraint bounding, 11A595

- Analysis of transient temperatures in grinding, 11A616

MALKOV, MA: Spatial chaos in weakly dispersive and viscous media: A nonperturbative theory of the driven kdV-Burgers equation, 1A252

MALKUS, WVR: Statistical stability of convection dynamos, 4A1201

MALL, S: Simplified approach for modeling fatigue of unidirectional ceramic matrix composites, 1A697

- Incorporating fiber damage in a micromechanical analysis of metal matrix composite laminates, 4A756
- Modeling of a cracked metallic structure with bonded composite patch using the three layer technique, 4A759
- Modeling of matrix failure in ceramic matrix composites, 7A746
- Tension-compression fatigue behavior of a unidirectional titanium-matrix composite at elevated temperature, 8A746
- Fatigue behavior of a cross-ply titanium matrix composite with tensile and zero mean load at elevated temperature, 11A644

MALLA, RB: Double-layer grids: Review of dynamic analysis methods and special topics, 3A779

- Double-layer grids: Review of static and thermal analysis methods, 3A780

MALLENS, RMM: Evaluation of different contributions to flame stretch for stationary premixed flames, 12A1359

MALLERY, CF: Thermal decomposition studies of energetic materials using confined rapid thermolysis-FTIR spectroscopy, 12A1406

MALLICK, PK: Composites Engineering Handbook, 10N16

- Investigation of tensile properties and a simple constitutive model for a random continuous fiber thermoplastic composite, 8A544

MALLIER, R: Fully coupled resonant triad interactions in a Bickley jet, 3A1112

MALLIKARJUNA REDDY, J: Experimental investigation into pile group-layered soil interaction, 4A650

MALLINSON, SG: Upstream influence and peak heating in hypervelocity shock wave-boundary-layer interaction, 3A1096

- Leading-edge bluntness effects in high enthalpy, hypersonic compression corner flow, 5A957

MALLORY, G: Frequency domain identification scheme for control and fault diagnosis, 9A304

MALONE, B: 15th Annual International Conference of the Center for Nonlinear Studies: Los Alamos, NM, USA, May 15-19 1995, 5A1423

MALOOF, R: Probabilistic framework for detecting and identifying anomalies, 9A855

MALTE, PC: NO_x prediction scheme for lean-premixed gas turbine combustion based on detailed chemical kinetics, 5A1368

- Nitrous oxide emissions control by reburning, 5A1340
- Variables affecting NO_x formation in lean-premixed combustion, 8A1422

MALYSHEV, C: Approach to gauge potentials in the non-Abelian ISO (3)-gauge model of defects in solids, 9T9

MAMALIS, AG: Finite-element modeling of the deep-drawing of square sections of coated steels, 1A645

- Cold rolling of multi-layer explosively cladded strips, 3A623

MAMEDOV, IG: Variable-Structure Control Systems: Discrete and Digital, 6R13

MAMIYA, EN: Stress-induced phase transformations in elastic solids under anti-plane deformations: Dissipative constitutive models and numerical simulation, 1A454

MAMMINO, L: Exergonomic organization of an air-conditioning system, 9A1195

MAMMOLI, AA: Migration of particles undergoing pressure-driven flow in a circular conduit, 10A1031

MAMUZIC, I: Mathematical model of the formation of the plastic deformation zone in the rolling of rheologically complex metals and alloys, 1A633

MAMYROV, E: M_s = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454

MAN, CHI-SING: Separation of stress-induced and texture-induced birefringence in acoustoelasticity, 8A472

MAN, HC: Surface pretreatment of glass fiber-reinforced liquid crystalline polymer composites by excimer laser for adhesive bonding, 8A988

MAN, RSO: Implicit high-order compact algorithm for computational acoustics, 4A312

MAN, ZHIHONG: Model reference adaptive control systems with terminal sliding modes, 3T358

- Robust adaptive sliding-mode control for rigid robotic manipulators with arbitrary bounded input disturbances, 7A384

MANABE, K: Combined molecular dynamics and rigid-plastic FEM simulation of atomic level cutting (Japanese), 2A612

- Implicit-type elastic-plastic FEM analysis of cutting mechanism: Radial return formulation and chip curling simulation (Japanese), 3A12
- Implicit-type elastic-plastic FEM analysis of cutting mechanism - 2nd report: Simulation of chip formation process using chip breaker (Japanese), 10A735

MANACORDA, T: Thermomechanics of continua, 5T6

MANAF, S: Detecting faults in postensioning ducts by electrical time-domain reflectometry, 11A755

MANCA, O: Optimum plate separation in vertical parallel-plate channels for natural convective flows: Incorporation of large spaces at the channel extremes, 5A1154

MANCILLA AGUILAR, JL: Exact linearization of nonlinear systems: Trajectory tracking with bounded controls and state constraints, 4T365

MANDAL , SC: Moving punch on a two-layered viscoelastic medium, 2A409

MANDAL, BN: Mathematical Techniques for Water Waves, 7N5

- Oblique diffraction of surface waves by a submerged vertical plate, 1A257
- Oblique wave diffraction by two parallel vertical barriers with submerged gaps in water of uniform finite depth, 4A250
- Waves due to rolling of a ship in water of finite depth, 6A305
- Scattering of oblique waves by a thin vertical wall with a submerged gap, 9A208
- Oblique wave scattering by submerged thin wall with gap in finite-depth water, 12A262

MANDAL, JN: Soil Testing in Civil Engineering, 4R10

- Design of geosynthetic reinforced embankments on soft soil, 1A624
- Centrifuge modeling of geosynthetic reinforced embankments on soft ground, 1A623

MANDAL, PK: Analysis of pulsatile flow in a model aortic bifurcation, 8A1565

MANDAL, SC: Forced vertical vibration of four rigid strips on a semi-infinite elastic solid, 8A174

MANDAYAM, S: Signal processing for in-line inspection of gas transmission pipelines, 10A883

MANDEL, J: Iterative methods for p-version FEs: Preconditioning thin solids, 1A64

- Balancing domain decomposition for problems with large jumps in coefficients, 5A35
- Multigrid methods for nearly singular linear equations and eigenvalue problems, 8A58

MANDER, JB: Parameter identification for degrading and pinched hysteretic structural concrete systems, 7A1487

MANDRUSIAK, GD: Analysis of non-Fourier conduction waves from a reciprocating heat source, 7A1298

MANDZYK, YI: Quasistatic thermoelastic contact problem for infinite two-layer circular cylinder under friction heating, 7A1352

MANESCHY, CE: Inhomogeneous deformations in finite thermo-elasticity, 2A1282

MANEVICH, V: Optimal orthogonal subdivision of rectangular sheets, 2A367

MANFREDI, G: Behavior of bond between concrete and steel in a large post-yielding field, 4A835

- Low cycle fatigue of RC beams in NSC and HSC, 7A1486

MANG, H: Nonuniqueness of solutions obtained with simplified variational principles, 3A67

MANG, HA: Computational Mechanics of Reinforced Concrete Structures, 9R13

- Numerical analyses of tunnel linings by means of a viscoplastic material model for shotcrete, 3A478
- Computational mechanics of the excavation of tunnels, 6A663

MANGAL, L: ART-based multiple neural networks for monitoring offshore platforms, 5A797

MANGALARAMANAN, SP: Minimum weight design of pressure components using r-nodes, 11A446

- Lower bound limit loads using variational concepts: The m_α-method, 11A763

MANGES, JB: Tree-cotree decompositions for first-order complete tangential vector FEs, 10A63

MANGLIK, RM: Process, Enhanced, and Multiphase Heat Transfer: A Festschrift for AE Bergles, 1N49

- Laminar flow heat transfer to viscous power-law fluids in double-sine ducts, 6A1246

MANGO , F: Converse piezoelectric effect detected in fresh cow femur bone, 3A1485

MANI, A: Analysis of a bubble absorbent working with R22 and five organic absorbents, 10A1393

MANI, M: Application of turbulence models for aerodynamic and propulsion flowfields, 5A1050

MANI, S: Linear viscoelastic behavior of copper phthalocyanine dispersions used in printing inks, 3A951

MANIAR, HD: Wave diffraction by a long array of cylinders, 11A196
MANIATTY, AM: Model for predicting thermal stresses in thin polycrystalline films, 9A1318
MANIEZZO, V: Parallel simulation of a cellular pollution model, 3A1481
MANIN, AA: Synthesis of suboptimal control of stochastic systems using a prognosing model, 7A333
MANIRUZZAMAN, M: Response of SiC/Si_3N_4 composites under static and cyclic loading: An experimental and statistical analysis, 10A775
MANIVANNAN, R: Proposed criteria for discharge capacity of prefabricated vertical drains, 7A1003
MANKE, CW: Linear viscoelastic behavior of the Hookean dumbbell with internal viscosity, 1A950
MANKIN, RW: Optimizing and assessing the performance of an algorithm that cross-correlates acquired acoustic emissions from internally feeding larvae to count infested wheat kernels in grain samples, 12A346
- Quantifying larval infestation with an acoustical sensor array and cluster analysis of cross-correlation outputs, 12A348
MANN III, JA: Placing constrained layer damping patches using reactive shearing structural intensity measurements, 9A120
- Test rig for studying lawnmower blade noise, 11A270
- Iterative design method to reduce the exhaust and venting noise of a vacuum cleaner motor with minimum use of absorptive foam, 11A256
MANN, BS: Boronizing of cast martensitic chromium nickel stainless steel and its abrasion and cavitation-erosion behavior, 12A935
MANN, KA: Tensile strength of the cement-bone interface depends on the amount of bone interdigitated with PMMA cement, 9A1605
- Modeling the tensile behavior of the cement-bone interface using nonlinear fracture mechanics, 10A1568
MANNAN, SL: Dynamic fracture toughness properties of a 9Cr-1Mo weld from instrumented impact and drop-weight tests, 4A778
- Instrumented drop-weight test results for normalized and tempered 9Cr-1Mo steel, 5A1439
- Influence of sodium environment and load ratio (R) on fatigue crack growth behavior of a Type 316 LN stainless steel at 813K, 7A651
MANNERS, AP: Prediction and measurement of the total pressure loss in an engine representative diffuser system, 10A1248
MANNING, TA: Enhanced mixing with streamwise vorticity, 11A1386
MANNIX JR, CE: Potential function construction by use of an adaptive mesh algorithm for a class of singular integral equations, 6A77
MANNL, V: Numerical simulation of density distribution during compaction of iron powders, 9A1410
MANNO, VP: Numerical simulation of receptivity phenomena in transitional boundary-layer flows, 10A395
MANNUCCI, P: Existence of a classical solution for a multidimensional filtration problem, 8A1392
MANNβ, J: Deformation of small diameter solid tibial nails with unreamed intramedullary insertion, 9A1601
MANOHAR, CS: Dynamic stiffness matrix for axially vibrating stochastic rods using Stratonovich's averaging principle, 9A182
MANOHARAN, N: Collapse load computation for high-friction soil, 7A583
MANOLAKOS, DE: Finite-element modeling of the deep-drawing of square sections of coated steels, 1A645
MANOLIS, DG: Fundamental solutions to Helmholtz's equation for inhomogeneous media by a first-order differential equation system, 8A232
MANOLIS, GD: Green's functions for the vector wave equation in a mildly heterogeneous continuum, 3A193
MANOOCHEHRI , S: Optimal cooling system design for multi-cavity injection molding, 12A49
MANOOCHEHRI, S: Three-dimensional transient mold cooling analysis based on Galerkin FE formulation with a matrix-free conjugate gradient technique, 3A620
- Optimum parting line design of moldod and cast parts for manufacturability, 8A459
- Generating optimal configurations in structural design using simulated annealing, 9A828
MANOUSIOUTHAKIS, V: Constrained infinite-time linear quadratic optimal control, 6T368
MANSON, G: Harmonic probing algorithm for the multi-input Volterra series, 10A434
MANSON, J-AE: Adhesive strength of deformed epoxy and polyester coatings, 10A1012
- Two-way interaction between anisotropic flow and fiber orientation in squeeze flow, 10A1018
MANSON, JR: Accurate numerical simulation of advection using large time steps, 7A66
- Modeling turbulence mechanisms in flows over abrupt drops in bed elevation, 11A1112
MANSOUR, AE: Code development for ship structures: A demonstration, 11A773
- Ship hull bottom slamming, 11A1130
- Reliability-based method for optimal structural design of stiffened panels, 11A767
MANSOUR, GN: Crossover of integral-ring buckle arrestor: Computational results, 9A595
MANSOUR, MA: Combined convection in an axisymmetric stagnation flow of micropolar fluid, 2A1174
- Transient free convection in micropolar fluids from an isothermal horizontal circular cylinder, 7A1252
MANSOUR, MS: Detailed flame structure of highly stretched turbulent premixed methane-air flames, 5A1333
MANSOUR, NN: Energy transfer in rotating turbulence, 10A1181
MANSOUR, RR: Transient performance of a 2D salt gradient solar pond: A numerical study, 2A1436
MANSOURI, K: Approximate analytical solution to the Graetz problem with periodic inlet temperature, 9A1209
MANSUR, MA: Design procedure for reinforced concrete beams with large web openings, 2A777
MANSUR, WJ: Boundary integral formulation for 2D acoustic radiation in a subsonic uniform flow, 1A304
- Dual BE formulation for sound propagation around barriers over an impedance plane, 12A67
MANSUROV, VA: Liquid flame combustion II: Some physical and chemical characteristics of the burning process, 12A1389
MANTEGAZZA, P: Production and use of an interferometric optical strain gauge with comparison to conventional techniques, 8A849
MANTEL, T: Conditional statistics in a turbulent premixed flame derived from direct numerical simulations, 2A1311
- Gradient and counter-gradient scalar transport in turbulent premixed flames, 8A1409
MANTELL, SC: Optimized design of pultruded composite beams, 2A437
- Experimental investigation of *in situ* consolidation of thermoplastic matrix composites, 6A560
MANTENA, PR: Proceedings of the ASME Noise Control and Acoustics Division, Volume 2, 5N6
- Experimental and FE analysis of pultruded glass-graphite-epoxy hybrids in axial and flexural modes of vibration, 6A558
MANTERO, S: Lumped parameter model to evaluate the fluid dynamics of different coronary bypasses, 2A1459
MANTIC, V: Stroh orthogonality relations: An alternative proof applicable to Lekhnitskii and Eshelby theories of an anisotropic body, 3A1
- Removal of rigid body motions in the solution of elastostatic problems by direct BEM, 6A493
MANTZARAS, J: Coherent anti-Stokes Raman spectroscopy measurements of temperature fluctuations in turbulent natural gas-fueled piloted jet diffusion flames, 12A1403
MANZAN, M: Open boundary conditions for the streamfunction-vorticity formulation of unsteady laminar convection, 9A1236
MANZARI, MT: Implicit integration of bounding surface plasticity models, 9A461
MANZOLI, O: Rate-dependent isotropic damage model for the seismic analysis of concrete dams, 3A1391
MANZONI, D: Effective mechanical properties of random porous media, 4A6
MANZOURI, T: Repair and retrofit of unreinforced masonry structures, 6A917
MAO, F: Combustion inhibition by methyl chloride and the effects of steam injection in a two-stage turbulent flow reactor, 4A1308
MAO, K: Effect of sliding friction on contact stresses for multi-layered elastic bodies with rough surfaces, 12A929
MAO, KL: Interlaminar morphology effects on fracture resistance of amorphous polymer-modified epoxy-carbon fiber composites, 1A764
MAO, RENJIE: Buckling and initial post-buckling of thin-walled composite beams, 2A527
MAO, WEIJIAN: Rapid multi-wave-type ray tracing in complex 2D and 3D isotropic media, 7A1474
- Transmission-reflection tomography: Application to reverse VSP data, 11A1478
MAO, X: Exponential stability of nonlinear differential delay equations, 4T324
MAO, ZE-YU: Comprehensive study of combining flow conditions at pipe junctions, 1T960
MAO, ZE-YU: Numerical simulation of discontinuous flow in circular conduits, 7A995
MAO, ZHI Y: Study for erosion of Si_3N_4 ceramics by impact of solid particles, 5A619
MAR'IN, BN: Study of the interaction of titanium and its alloys with the environment in manufacturing sophisticated structures, 8T463
MAR, A: Benchmark computational study of FE error estimation, 6A39
MARADUDIN, AA: Perturbation theory results for the diffuse scattering of light from 2D randomly rough metal surfaces, 2A204
MARANGONI, RD: Dynamic friction measurements of MoS_2 coated ball bearing surfaces, 4T914
- Comparison of the low-speed frictional characteristics of silicon nitride and steel balls using conventional lubricants, 11T835
- Parameter identification of hysteresis friction of coated ball bearings based on 3D FEM analysis, 12A1013
MARASANOV, AY: Investigation of the stability of elastic and viscoelastic rods under a stochastic excitation, 9A586
MARATHE, BV: Experimental and numerical investigation of stator exit flow field of an automotive torque converter, 5A928
- Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part I: Flow at exit of turbine, 12A1191
- Experimental investigation of steady and unsteady flow field downstream of an automotive torque converter turbine and inside the stator - Part II: Unsteady pressure on the stator blade surface, 12A1192
MARAVEGIAS, S: Numerical study of anchors for composite prestressing straps, 4A18
MARBAN, G: Fuel-gas injection to reduce N_2O emissions from the combustion of coal in a fluidized bed, 3A1312
MARBLE, FE: Enhanced mixing with streamwise vorticity, 11A1386
MARBOT, P-H: Scaling of direct drive robot arms, 4A443
MARCELIN, J-L: Optimization of stiffened plates by genetic search, 10A905
MARCHAK, R: Self-organization in a brass-glycerin-steel tribosystem, 5A845
MARCHAL, K: Prediction of the pore-closing kinetics during the consolidation stage of SiC unidirectional long fibers: Titanium alloy matrix composites, 6A680
MARCHAL, Y: Influence of test parameters on the measurement of the essential work of fracture of zinc sheets, 8A832
- Experimental and numerical investigation of fracture in double-edge notched steel plates, 10A811
MARCHAND, AP: Ignition characteristics of a new high-energy density fuel in high-speed flows, 9A1354
MARCHAND, R: Combined octant-Delaunay method for fully automatic 3D mesh generation with multiple level octant differences, 1A77
MARCHAND, V: Determination of the elastic constants of materials, in the form of plates, by a free vibration method, 2A132
MARCHANT, BP: Algebraic decay and variable speeds in wavefront solutions of a scalar reaction-diffusion equation, 2A1301
MARCHANT, MJ: Adaptation of unstructured grids for transonic viscous flow simulation, 10A31
MARCHE, R: Preloading at the south end of Confignon tunnel, 9A652
MARCHENKO, TN: Random vibrations of elastic-plastic structures, 1A149
MARCHENKO, VM: Approach to the problem of stabilizing systems with delay, 7A330
MARCHESE, AJ: Semi-empirical reaction mechanism for n-heptane oxidation and pyrolysis, 12A1392
MARCHIONNA, C: Timoshenko beam vibrating under an obstacle condition, 11A171
MARCHIONNI, M: High temperature cyclic deformation of a directionally solidified Ni-based superalloy, 5A417
MARCHIORI, G: Analogue feedback control system of RFX, 3A391
MARCHMAN, JF: Experimental studies of magnetic levitation train aerodynamics, 6A922
MARCHON, B: Glide avalanche prediction from surface topography, 1A891
MARCI, G: The ΔK_{eff}-concept: A unique and complete description of fatigue crack propagation, 2A623
MARCINIAK, M: Topography generation by nontraditional surface grinding, 4A683
MARCINOWSKI, J: Large displacements of the cylindrical shell evoked by external load and temperature changes, 4A611
- Large deflections of shells subjected to an external load and temperature changes, 7A512
MARCO, O: Analysis of a rigid frame model of porous media for the acoustic properties of dense snow, 4A1468
MARCO, V: Extended Willis circle model to explain clinical observations in periorbital arterial flow, 7A1546
MARCONE, A: Impact testing on composites laminates and sandwich panels, 5A174
MARCOS, M: Feed, cutting speed and cutting forces as machinability parameters of Al-Cu alloys, 9A669
MARCOTULLIO, F: Multidimensional transient conduction analysis by generalized transfer functions tables, 11A1309
MARCUM, DL: Adaptive unstructured grid generation for viscous flow applications, 5T1081
MARCUS, DL: High-order projection method for tracking fluid interfaces in variable density incompressible flows, 8A1066
MARCUS, HL: Design of a closed loop computer controlled system for selective area laser deposition - Part II: Remote plasma source and pressure control, 3T658
- Design of a closed loop computer controlled system for selective area laser deposition - Part I: Laser systems, gasflow, and substrate temperature control, 3A657
MARCUS, SI: Risk sensitive control of Markov processes in countable state space, 6T382
MARCUS, SW: Thin vs full Navier-Stokes computation for high-angle-of-attack aerodynamics, 9T1174
MARCZAK, RJ: Analytical integration of membrane-bending coupling terms in nonlinear BE analysis of Mindlin-Reissner plates, 3A539
MARDARE, D: Modeling of the seat dip effect using the finite-difference time-domain method, 4A304
MARDIS, ER: Automated plaque picking and arraying on a robotic system equipped with a CCD camera and a sampling device using intramedic tubing, 5T361
MAREE, GJM: Slow periodic crossing of a pitchfork bifurcation in an oscillating system, 9A102
MAREK, P: Residual stress in some elastoplastic problems of rolling contact with friction, 3A480
MARELLI, M: FAST: A generalized FV solution of convection-diffusion problems by means of monotonic v-splines profiles, 7A1276
MARENGO, AA: Pressure vessel steel fracture toughness in the regime from room temperature to 400°C, 6A1499
MARENGO, M: Impact of a single drop on a wetted solid surface, 10A1160
MARES, C: Application of genetic algorithms to identify damage in elastic structures, 2A706
MARES, JA: Energy transfer, fluorescence and scintillation processes in cerium-doped RE^{3+} + AlO, fast scintillators, 2A1466
MARESCA, C: Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, 2A1100
- Boundary-layer characterization on moving walls by an embedded laser velocimetry technique, 6T1100
- Experimental and numerical investigation of rotor aerodynamics in forward flight, 11A1170
MARFURT, KJ: Pitfalls of using conventional and discrete Radon transforms on poorly sampled data, 4A1377
- Green's function implementation of common-offset wave-equation migration, 6A1410
MARGERIT, J: Study of the evaporation of a droplet in its stagnant vapor by asymptotic matching, 2A1227
MARGHITU, DB: Quantitative measure of vehicle stability, 10T122
- Nonlinear dynamic stability of normal and arthritic greyhounds, 10A1551
MARGOLIN, H: Processing and characterization of fiber reinforced intermetallic matrix composites, 3T652
MARGOLIN, L: 15th Annual International Conference of the Center for Nonlinear Studies: Los Alamos, NM, USA, May 15-19 1995, 5A1423
MARGOLIS, DL: Regenerative systems for vibration control, 10A496
- Assessing the potential for energy regeneration in dynamic subsystems, 12A411
MARGRITA, R: Water diffusion through geomembranes under hydraulic pressure, 8A683
MARGUET, B: Friction, temperature, and wear analysis for ceramic coated brake disks, 1T876
MARI, AR: Recent Advances in Bridge Engineering: Evaluation, Management, and Repair, 8N14
MARIANI, A: Experimental evaluation of the onset of subcooled flow boiling at high liquid velocity and subcooling, 9A1244
MARIANI, NJ: BEM formulation for evaluating conductive heat transfer rates in particulate systems, 12A1298
MARIJNISSEN, JCM: Formation and growth of silicon nitride particles in a laser-driven aerosol reactor investigated with photon correlation spectroscopy and electron microscopy, 6A1370
MARIN, EB: Associative versus non-associative porous viscoplasticity based on internal state variable concepts, 3A471
- Semi-implicit integration scheme for rate-dependent and rate-independent plasticity, 9A466
MARIN, G: Relationship between viscoelastic and peeling properties of model adhesives - Part I: Cohesive fracture, 10A809
MARIN, J: Photoelastic determination of K_I and K_{II}: A numerical study on experimental data, 8A833
MARIN, M: Uniqueness in elastodynamics of dipolar materials with voids, 1A435
- Aspects of uniqueness in thermoelasticity of micropolar bodies with internal state variables, 2A1281
MARINA, VY: State equation under proportional nonisothermal loading (Russian), 12T11
MARINEAU-MES, S: Investigation of the unsteady pressure fluctuations on an F/A-18 wing at high incidence, 4A1133
MARINETTI, S: Calibration procedure for focal plane array cameras and noise equivalent material loss for quantitative thermographic NDT, 8A858
MARINI, G: Importance of the temperature and lateral pressure on the CFRP joints strength under uniaxial loading, 12A560

MARINI, M: Analysis of hypersonic shock-wave laminar boundary-layer interaction phenomena, 3A1093
- Comparison between numerical and experimental results on different Hermes elevon shapes, 12T1088
MARININ, VB: Theory of four-ball test machine, 3A885
MARINO, MA: Automated sample processing using robotics for genetic typing of short tandem repeat polymorphisms by capillary electrophoresis, 9A403
MARINOV, V: Experimental study on the abrasive wear in metal cutting, 2A882
MARION, M: Studies on the ignition and burning of levitated aluminum particles, 6A1325
MARISSEN, R: Folding of continuous fiber thermoplastic composites, 12A566
MARIUNAS, M: Dynamic behavior of a harmonically excited electromechanical drive with elastic couplings, 6A634
MARK, JE: Physical Properties of Polymers Handbook, 2N52
MARKATIS, S: Compound branching in elastic systems, 3A567
MARKATOS, NC: Mathematical modeling of the performance of non-isothermal membrane reactors, 9A1437
MARKEEV, AP: Subharmonic oscillations of a damped pendulum under parametric excitation, 1A136
- Area-preserving mappings and their applications to the dynamics of systems with collisions, 4A74
MARKENSCOFF, X: Debonded interface anticrack, 3A675
- Stress amplification in vanishingly small geometries, 6A472
- Singular stress amplification between two holes in tension, 6A470
- Note on strain jump conditions and Cesaro integrals for bonded and slipping inclusions, 7A402
- Conditions at an interface between two materials in plane deformation, 7T477
MARKEY, BR: Modeling the volatilization of organic soil contaminants: Extension of the Jury, Spencer and Farmer Behavior Assessment Model and solution, 8A1555
MARKEYEV, AP: Oscillations of a particle suspended on an ideal thread, 3A80
MARKHAM, JR: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515
MARKIEWICZ, WJ: Ice hazes and clouds in the Martian atmosphere as derived from the Phobos-KRFM data, 6T1403
- Properties of dust in the Mars atmosphere: A revised analysis of Phobos-KRFM data, 9A1519
MARKIN, AA: Influence of rotation of the principal orthotropy axes on the deformation of anisotropic ideally plastic materials, 1A493
MARKLEY, FL: Predictive filtering for attitude estimation without rate sensors, 10A472
- Predictive filtering for nonlinear systems, 10A424
MARKO, L: Numerical solution of circular elastic plates using the method of local variations, 12T620
MARKOPOULOS, N: Altitude for maximum angular velocity about the earth during hypersonic cruise, 3T284
- Explicit, near-optimal guidance for power-limited transfers between coplanar circular orbits, 5T306
MARKOU, CT: Thermoeconomic operation optimization of the Hellenic Aspropyrgos Refinery combined-cycle cogeneration system, 4A1318
MARKOV, D: Laboratory tests for seizure of rail and wheel steels, 12A954
MARKS, PC: One-dimensional FEs based on the Daubechies family of wavelets, 2A17
MARKS, ST: Pyrolysis of para-toluene isocyanate, 5A1355
MARKUS, S: Dispersion properties of transversely isotropic layered shells, 9A185
MARKVART, T: Sizing of hybrid photovoltaic-wind energy systems, 8A1546
MARLETTA, L: Exergonomic organization of an air-conditioning system, 9A1195
MARLEY, MJ: Fatigue reliability reassessment applications: State-of-the-art paper, 9A858
- Fatigue reliability reassessment procedures: State-of-the-art paper, 9A859
MARLIANI, C: Adaptive mesh refinement for singular current sheets in incompressible magnetohydrodynamic flows, 11T1125
MARLIANI, G: Visualization studies of the transition regime flow in a channel of varying cross section under the influence of Coriolis force, 11A1035
MARLOWE, DE: Modularity of Orthopedic Implants, 10N32
MAROM, G: Processing of composites of chopped PE fiber-reinforced PE matrix, 3A489
- Determining the interfacial shear strength in the presence of transcrystallinity in composites by the "single-fiber microcomposite compressive fragmentation test", 11A698
MAROTTA, T: Lumped parameter model to evaluate the fluid dynamics of different coronary bypasses, 2A1459
MAROTTI DE SCIARRA, F: Compatible mixed formulations for elastoplastic models, 1T481
- Consistent approach to continuum and discrete rate elastoplastic structural problems, 6A513
- Mixed FE formulations and related limitation principles: A general treatment, 6A18
MAROTZKE, C: Energy release rate of the fiber-polymer matrix interface: Measurement and theoretical analysis, 10A816
MARQUES, AT: Reliability based design with a degradation model of laminated composite structures, 2A763
- Isoparametric interface FE for 3D - Problems (Spanish), 7A41
MARQUETTE, OR: Eccentricity effects on the rotordynamic coefficients of plain annular seals: Theory versus experiment, 12A1018
MARQUIS, D: Analysis of the failure of ceramics due to subcritical crack growth, 1A679
MARQUIS, PM: Mechanical properties and microstructural analysis of a diamond-like carbon coating on an alumina-glass composite, 2A451
MARR, NJ: Evaporation coefficient of water: A review, 9A1256
MARRAN, DF: Mixture fraction imaging in a lifted methane jet flame, 5A1361
MARRAS, WS: Method for measuring external loads during dynamic lifting exertions, 3A1520
MARRERO, TR: Experimental study of simultaneous heat and moisture transfer around single short porous cylinders during convection drying by a psychrometry method, 1A1306
MARRETTA, RMA: Performance of a propeller embedded in the flowfield of a wing, 4A1120
- Explicit Kutta condition for unsteady 2D high-order potential BEM, 12T68
MARREY, RV: Analytical method for micromechanics of textile composites, 12A576
- Micromechanical model for textile composite plates, 12A580
MARRISON, CI: Economic scales for first-generation biomass-gasifier-gas turbine combined cycles fueled from energy plantations, 10T1491
MARROW, TJ: Fracture mechanism of 475°C embrittlement in a duplex stainless steel, 2A641
- Fracture mechanism in 475°C embrittled ferritic stainless steels, 2A640
- Brittle fracture of 475°C embrittled cast duplex stainless steel, 10A787
MARRUCCI, G: Compatibility of the Cox-Merz rule with the model of Doi and Edwards, 3A958
MARSALEK, J: Overview of urban drainage: Environmental impacts and concerns, means of mitigation and implementation policies, 7A1515
MARSAN, AL: Construction of a surface model and layered manufacturing data from 3D homogenization output, 3A423
MARSCHALL, J: Calculation of anisotropic extinction coefficients for radiation diffusion in rigid fibrous ceramic insulations, 5A1250
MARSDEN, JE: Integration Algorithms and Classical Mechanics, 4N4
- Nonholonomic mechanical systems with symmetry, 6T98
- Branches of stable three-tori using Hamiltonian methods in Hopf bifurcation on a rhombic lattice, 7A89
- Optimal control for holonomic and nonholonomic mechanical systems with symmetry and Lagrangian reduction, 10T442
- Stability and drift of underwater vehicle dynamics: Mechanical systems with rigid motion symmetry, 12A1167
MARSH, C: Design of single and multiple angle columns and beams, 12A912
MARSH, ER: Experimental measurement of precision bearing dynamic stiffness, 10A237
MARSH, ML: Lateral-load response of a reinforced concrete bridge, 9A1480
- Lateral-load response of two reinforced concrete bents, 9A1481
MARSHALL, JS: Method for determining the velocity induced by highly anisotropic vorticity blobs, 1T993
- Stability of a counter-rotating vortex pair immersed in cross-stream shear flow, 7A1057
MARSHALL, NS: Tearing of blast loaded plates with clamped boundary conditions, 6A257
MARSHALL, P: Failure characteristics in carbon-epoxy composite tows, 5A671
MARSHALL, RH: Sizing and techno-economical optimization for hybrid solar photovoltaic-wind power systems with battery storage, 11A1541
MARSHALL, RI: Metallurgical and tribological investigations of aluminum bronze bushes made by a novel centrifugal casting technique, 1T663
MARSTON, C: Failure characteristics in carbon-epoxy composite tows, 5A671
MARSZALEK, J: Dynamical analysis of collapsible bridges on stationary supports in model of virtual bending ridigity (Polish), 9T888
MARTA, E: Perception-based learning for motion in contact in task planning, 6A393
MARTEL, G: Clinical analysis of a CAD-CAM system for custom seating: A comparison with hand-sculpting methods, 1A1466
MARTELLI, F: Preconditioned scalar approximate factorization method for incompressible fluid flows, 7A1046
MARTENS, S: Structure of coherent instabilities in a supersonic shear layer, 2A1096
- Lobed mixers using simultaneous laser-induced fluorescence and Mie scattering, 10A1161
MARTI, EE: Second Symposium and Workshops on Pharmacy and Thermal Analysis PhandTA 2, held from September 17-19, 1995 at the Univ of Geneva, Geneva, Switzerland, 9T1200
MARTI, JJ: Modification of the TSI 3025 condensation particle counter for pulse height analysis, 2A1356
- Ultrafine aerosol measurement using a condensation nucleus counter with pulse height analysis, 2A1354
MARTI, K: Approximation and derivatives of probabilities of survival in structural analysis and design, 12A881
MARTI, O: Energy dissipation in scanning force microscopy: Friction on an atomic scale, 7A931
MARTIN, AJ: Formation of powder particles during thermal interaction of liquid and solidified drops in the process of metal atomization, 6A708
MARTIN, BJ: Distributed Moment Histogram: A neurophysiology based method of agonist and antagonist trunk muscle activity prediction, 5A1475
- Neural network model for simulation of torso muscle coordination, 7A1537
MARTIN, C: Gaussian quadrature for products of exponential functions, 3A71
MARTIN, CJ: Frictional resistance of thermoset prepregs and its influence on honeycomb composite processing, 4A582
MARTIN, CL: Viscoplastic behavior of porous metallic materials saturated with liquid - Part II: Experimental identification on a Sn-Pb model alloy, 12A541
- Viscoplastic behavior of porous metallic materials saturated with liquid - Part I: Constitutive equations, 12A540
MARTIN, D: Structure-related model to describe asphalt linear viscoelasticity, 3A955
MARTIN, E: Mathematica 3.0: Standard Add-On Packages, 9N4
- Available solar exergy in an absorption cooling process, 3A1448
MARTIN, G: Creep crack growth measured in tension with a four-point bending device, 7A698
MARTIN, H: Loss of stiffness as osteoporosis progresses, 4A1478
- Friction factors for fully developed laminar flow in ducts confined by corrugated parallel walls, 5A1136
MARTIN, J: Optimization of a holographic system for solar power generation, 9A1540
MARTIN, JA: Analysis of concepts for single stage to orbit, 2T835
- Dual fuel solar thermal stage: Ideal analysis, 4T1323
MARTIN, JB: Internal variable formulations of elastic-plastic dynamic problems, 6A526
MARTIN, JE: Flap side-edge noise: Acoustic analysis of Sen's model, 10A343
MARTIN, JM: Specific heat measurements under non-equilibrium conditions, 7A1233
- Nonlinear Performance Index: A tool for manipulator dynamics improvement, 10A533
MARTIN, KF: Failure detection and location using residual difference generation detection filters, 7A369
MARTIN, M: Mass transfer from a flat plate segment facing impinging jets: Influence of exhausts number and location and of nozzle geometry (French), 2A1293
MARTIN, P: Multistep numerical methods based on the Scheifele G-functions with application to satellite dynamics, 8A299
MARTIN, PA: Water waves incident on an infinitely long rectangular inlet, 4A234
- Mapping flat cracks onto penny-shaped cracks, with application to somewhat circular tensile cracks, 5A648
- Angular-spectrum representations for scattering by infinite rough surfaces, 6A241
- Radiation of water waves by a heaving submerged horizontal disc, 10A296
MARTIN, R: Modeling of a thermo-viscoelastic coupling for large deformations through FE analysis, 2A1287
MARTIN, RB: Calcium buffering is required to maintain bone stiffness in saline solution, 3A1511
- Collagen fiber organization is related to mechanical properties and remodeling in equine bone: A comparison of two methods, 5A1463
- Residual strength of equine bone is not reduced by intense fatigue loading: Implications for stress fracture, 7A1532
- Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, 7A1549
MARTIN, RH: Local fracture mechanics analysis of stringer pull-off and delamination in a post-buckled compression panel, 5A676
- Delamination characterization of woven glass-polyester composites, 7A733
MARTIN, T: Optimization of an active noise control system using spherical harmonics expansion of the primary field, 10A380
MARTIN, TJ: Inverse determination of boundary conditions and sources in steady heat conduction with heat generation, 2A1235
MARTIN-MEIZOSO, A: Localized stress redistribution after fiber fracture in brittle matrix composites, 9A757
- High temperature fatigue in single crystal superalloys, 12A756
- Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, 12A812
MARTINELLI, L: Seismic response of concentrically braced moment-resisting steel frames, 4A1411
- BGK-based schemes for the simulation of compressible flow, 6T1048
MARTINEZ, AB: Fracture behavior of untreated and silane-treated talc-filled polypropylene composites, 12A808
MARTINEZ, D: Proceedings of the ASME Aerospace Division, 4N19
MARTINEZ, DR: Vibration control for precision manufacturing using piezoelectric actuators, 1A429
MARTINEZ, E: Kinetic studies of fluorine atom abstraction by ground state atomic cesium, $Cs(6^2S_{1/2})$, using time-resolved laser-induced fluorescence [$Cs(7^2P_{3/2} - 6^2S_{1/2})$, λ = 455.5 nm] following pulsed irradiation, 5A1345
MARTINEZ, F: Hydraulic Machinery and Cavitation, 6N22
- Dynamic investigation of a repaired cable-stayed bridge, 6A198
MARTINEZ, JB: Biomechanics of load-bearing of the intervertebral disc: An experimental and FE model, 11A1559
MARTINEZ, JL: Reinforcement fracture and tensile ductility in sphere-reinforced metal-matrix composites, 12A816
MARTINEZ, L: Computerized model for thermal stresses in thin films, 10A1372
MARTINEZ, MA: Dynamic tensile testing of aramid and polyethylene fiber composites, 7A495
MARTINEZ, OM: BEM formulation for evaluating conductive heat transfer rates in particulate systems, 12A1298
MARTINEZ-AUSTRIA, P: Experimental study of flow resulting from a dam-break (Spanish), 6T991
MARTINEZ-BOTAS, RF: Modeling of a turbocharger turbine under pulsating inlet conditions, 5A1362
MARTINEZ-ESNAOLA, JM: Fracture condition based on the upper bound method for the extrusion of bimetallic tubes, 4A656
- Localized stress redistribution after fiber fracture in brittle matrix composites, 9A757
- High temperature fatigue in single crystal superalloys, 12A756
- Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, 12A812
MARTINEZ-RUEDA, J: Confined concrete model under cyclic load, 10A853
MARTINEZ-SANCHEZ, M: Arcjet modeling: Status and prospects, 5A1378
MARTINI, K: Simulation of structural response to sonic booms using structural acoustic techniques, 8A330
MARTINS, F: Use of the modified implant test as a manner of determining susceptibility to reheat cracking (Spanish), 3A1280
MARTINS, JAC: Finite element analysis of non-prescribed crack propagation in concrete, 8A823
- Growth and decay of acceleration waves in non-associative elastic-plastic fluid-saturated porous media, 9A186
MARTINS, JB: Boundary Elements XVIII, 3N2
MARTINS, N: New method for hemispherical radiation heat flux measurement, 7A1328
MARTINS, PAF: Finite element remeshing: A metal forming approach for quadrilateral mesh generation and refinement, 10A48
- Injection forging of tubular materials: A workability analysis, 11A581
- Friction in bulk metal forming: A general friction model vs the law of constant friction, 12A725
MARTINS, RV: Mapping for nonconservative systems, 11A237
MARTINS-COSTA, ML: Numerical heat transfer based upon mixture theory, 3A1359
- Local model for packed-bed heat exchangers, 7A1330
MARTINSON, SD: Transition detection with deposited hot films in cryogenic tunnels, 5T1119
MARTINUZZI, R: Natural transition in transonic flows using an efficient temporal-spatial formulation, 4A1117
MARTO, PJ: Free and forced convection laminar film condensation on horizontal elliptical tubes, 11A1289
MARTONEN, T: Particle diffusion from developing flows in rough-walled tubes, 6A1312
MARTONEN, TB: Simulations of flow in curved tubes, 11A1042

MARTYNYUK, AA: Periodic movements in multidimensional systems (Russian), 1A156
- Aggregation forms of nonlinear systems: Regions of asymptotic stability: Survey (Russian), 2T68
- Analytical dynamics of controllable systems (Russian), 9T82
- Stability of discrete systems with structural perturbations, 12A639
MARUI, E: Fundamental study of rolling friction in the region of micro-displacement - 1st Report: Development of forced type testing apparatus for rolling friction (Japanese), 4A878
- Experimental research on cutting force variation during regenerative chatter vibration in a plain milling operation, 4A181
- Fundamental study on rolling friction in the region of micro-displacement - 2nd report: Measurement of rolling characteristics in the transient region (Japanese), 10A967
- Regenerative chatter vibration occurring in turning with different side cutting edge angles, 11A159
MARUMO, N: Development of a new production system for high-precision, low-cost gears of automobile manual transaxles under high-volume production, 1T419
MARUO, S: Relation between failure criterion, unconfined compressive strength and initial void ratio of light-weight soil (Japanese), 8A641
MARUOKA, A: Two-dimensional fluid-structure interaction problems by an arbitrary Lagrangian-Eulerian FEM, 7T234
MARUR, PR: Effects of higher vibration modes in the analysis of three point bend testing, 3A714
- Numerical simulation of anvil interactions in the impact testing of notched bend specimens, 9A768
MARUR, SR: Free vibration analysis of fiber reinforced composite beams using higher order theories and FE modeling, 1A201
MARUSZEWICZ, K: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
MARUSZEWSKI, B: Coupled electronic-dislocation bulk and surface waves in a deformable semiconductor, 4A628
MARUTA, K: Turbulence measurements and observations of turbulent premixed flames at elevated pressures up to 3.0 MPa, 6A1331
- Radiation extinction limit of counterflow premixed lean methane-air flames, 11A1412
MARUTHI RAO, D: Finite element coupled thermostructural analysis of composite beams, 9A547
MARUYAMA, N: Acoustic tomography for 3D temperature and CO_2-concentration measurements of an environmental field: CT algorithm for axisymmetric field and experimental verification, 2A1199
MARUYAMA, S: Radiation heat transfer of arbitrary 3D absorbing, emitting, and scattering media and specular and diffuse surfaces, 8A1362
- Interior noise analysis based on acoustic excitation tests, 8A336
MARUYAMA, T: Ground-based simulation of space manipulators using test bed with suspension system, 3A379
- Application of genetic algorithms to the back-calculation of pavement layer moduli (Japanese), 7T476
MARWITZ, JD: Airfoil performance degradation by supercooled cloud, drizzle, and rain drop icing, 6A1195
- Turboprop aircraft performance response to various environmental conditions, 11A1145
MARYNOWSKI, K: Stability of rotors supported in gas bearings with bushes mounted in air rings, 4A931
MARZARI, F: Gas drag effects on planetesimals in the 2:1 resonance with proto-Jupiter, 9A232
MARZOUK, H: Effect of high-strength concrete columns on the behavior of slab-column connections, 3A782
- Finite element evaluation of shear enhancement of high-strength concrete plates, 5A20
- Experimental investigation on shear enhancement types for high-strength concrete plates, 8A904
- Seismic response of slab-column connections constructed with high-strength concrete, 10A940
MAS, R: Rheological and physical studies of lubricating greases before and after use in bearings, 1T1140
- Experimental validation of steady shear and dynamic viscosity relation for yield stress fluids, 9A983
MASAD, JA: Boundary-layer tripping by a roughness element, 1A1031
- Free vibrations of a non-homogeneous rectangular membrane, 3T157
- Natural frequencies of near-periodic structures, 4A100
- Transition correlation in flow over a swept cylinder, 5T989
- Effect of localized cooling on laminar flow, 6A1098
- Optimization methods with structural dynamics applications, 7A804
- Sensitivity of e^N method of transition prediction, 7T1090
- Effect of the second harmonic on the fundamental parametric resonance in boundary layers, 8A1128
- Computational methods for differential eigensystems, 8A178
MASCHIO, S: Wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 12A963
MASCIA, D: Elastic instability of thin cylindrical shells: Numerical and experimental investigation, 6A621
MASCOLO, S: Performance of deadlock avoidance algorithms in flexible manufacturing systems, 1T426
MASHAYEK, F: Geometry independent technique for solid propellant grain design, 2A1326
- Instability of a liquid jet subject to disturbances composed of two wavenumbers, 3A1135
- Differential diffusion in binary scalar mixing and reaction, 11A1384
MASHIBA, H: Influence of prolonged aging on creep embrittlement susceptibility, 12A780
MASHIMO, K: Optical noncontact measuring instrument for 3D shapes - 3rd report: Expansion of detecting range with a low resolution optical system (Japanese), 1A808
MASIANI, R: Cosserat and Cauchy materials as continuum models of brick masonry, 2A8
MASINCUP , WE: Development of an interactive electronic technical manual, 1A1356
MASJUKI, HH: Effect of palm oil diesel fuel contaminated lubricant on sliding wear of cast irons against mild steel, 3A852
- Investigation of the anti-wear characteristics of palm oil methyl ester using a four-ball tribometer test, 12A952
MASKELL, SJ: Generalized cross-correlation - Part II: Discretization of generalized cross-correlation and progress to date in its implementation, 12A78
MASKEW, B: Comparisons of two different mixed Eulerian-Lagrangian schemes based on a study of flare-slamming hydrodynamics, 2A1069
MASLEHUDDIN, M: Evaluation of repair materials for functional improvement of slabs and beams with corroded reinforcement, 8A903
MASLEN, EH: Magnetic bearing design for reduced power consumption, 4A926
- Measured force-current relations in solid magnetic thrust bearings, 8A959
- Magnetic thrust bearing operation and industrial pump application, 8A958
- Optimization of bearing locations for rotor systems with magnetic bearings, 10A217
MASLIYAH, JH: Steady developing laminar flow in helical pipes with finite pitch, 1A1041
- Secondary instability of flow in a curved duct of square cross-section, 4A1050
MASLOV, AA: Technique for the heat flux determination in an aerophysical experiment, 5T1116
MASLOV, KI: Acoustic microscopy for spherical inclusion characterization, 1A811
MASLOWSKI, R: Mechanical vibration damper for the reduction of floor vibrations possibility study (Polish), 9A868
MASON, AB: Vertical vibration of pile in vibration-induced excess pore pressure field, 11A563
MASON, JC: Neural network model of rainfall-runoff using radial basis functions, 3T1407
MASON, MT: Stable pushing: Mechanics, controllability, and planning, 6A424
MASON, TA: Bounding elastic constants of an orthotropic polycrystal using measurements of the microstructure, 3A3
MASON, WH: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
MASOUD, SA: Nonequilibrium laser heating of metal films, 8T1340
MASPEYROT, P: Cavitation in noncircular journal bearings, 12A1010
MASRI, AC: Seismic design and testing of an RC slab-column frame strengthened by steel bracing, 6A1469
MASRI, AR: Artificial neural network implementation of chemistry with pdf simulation of H_2/CO_2 flames, 3A1327
- Structure of turbulent nonpremixed flames revealed by Raman-Rayleigh-LIF measurements, 7A1395
MASRI, MA: Study of the deposition of fine particles in compact plate fin heat exchangers, 2A1258
MASRI, SF: Performance of particle dampers under random excitation, 4A192
- Implementation of EFPI-based optical-fiber sensor instrumentation for the NDE of concrete structures, 10A869
MASSABO, R: Suppression of delaminations in curved structures by stitching, 5A680
- Reversal in failure scaling transition of fibrous composites, 7A750
- Bridged versus cohesive crack in the flexural behavior of brittle-matrix composites, 9A744
- Continuous vs discontinuous bridged-crack model for fiber-reinforced materials in flexure, 11A457
MASSAH, H: Added stresses because of the presence of FENE-P bead-spring chains in a random velocity field, 10A1182
MASSALAS, CV: Dynamic characteristics of the human skull, 3A1487
- Existence and uniqueness in linear thermoviscoelasticity, 8A1379
MASSARDO, A: Advanced solar dynamic space power systems - Part I: Efficiency and surface optimization, 11A1526
- Advanced solar dynamic space power systems - Part II: Detailed design and specific parameters optimization, 11A1527
MASSARDO, AF: Experimental investigation of a new and energy-saving nacelle anti-ice system, 6A1196
MASSE, J-E: Ceramic coatings on titanium alloy by $C0_2$ laser treatment, 3T656
MASSEL, SR: Ocean Surface Waves: Their Physics and Prediction, 3R43
MASSENGILL, L: Efficient power amplifiers for piezoelectric applications, 7A563
MASSIH, AR: Evaluation of fretting of zircaloy cladding tubes, 4T900
MASSIMO, S: Experimental study on anchored bars in RC elements with transverse reinforcement, 5A775
MASSMAN, WJ: Analytical 1D model of momentum transfer by vegetation of arbitrary structure, 12T1504
MASSMANN, JW: Effects of vapor extraction on contaminant flux to atmosphere and ground water, 3T1474
MASSON, C: Natural transition in transonic flows using an efficient temporal-spatial formulation, 4A1117
- Performance predictions of VAWTs with NLF airfoil blades, 8T1545
MASSON, P: Amounts of crustal stretching in Valles Marineris, Mars, 5T219
- International Workshop on INTERMARSNET, Sept 28-30, 1995, held in Capri, Italy, 7A1456
- Plume tectonics model for the Tharsis province: Mars, 7A1458
- Stress models for Tharsis formation: Mars, 7A1457
MASSOUDI, M: Inhomogeneous deformations in finite thermo-elasticity, 2A1282
- Stability of flows in fluidized beds, 6A1402
MASTENBROEK, C: Experimental evidence of the rapid distortion of turbulence in the air flow over water waves, 2A239
- Impact of waves on air-sea exchange of sensible heat and momentum, 3T230
MASTERS, I: Automatic timestep selection for the super-time-stepping acceleration on unstructured grids using object-oriented programming, 10A76
MASTERS, IG: Models for the elastic deformation of honeycombs, 8A916
MASTIKOV, IP: Self-consistent determination of dayside magnetopause shape and position, 6A325
MASTORAKOS, E: Numerical simulations of autoignition in turbulent mixing flows, 9A1355
MASTRODDI, F: Applicability conditions of a nonlinear superposition technique, 8A110
MASUD, A: Space-time Galerkin-least-squares FE formulation of the Navier-Stokes equations for moving domain problems, 11A969
MASUD, J: Oscillatory thermocapillary flow in cylindrical columns of high Prandtl number fluids, 7A1254
MASUDA, A: Experiment of wind waves in decay area in reference to the role of nonlinear energy transfer, 3A1409
- Study on simulation of tunnel lining which involves crack (Japanese), 8A924
MASUDA, C: Measurements of thermal residual stresses in SiC-Ti-15-3 composites, 3A1282
MASUDA, H: Morphological change of hardened oil particles induced by impaction against a solid surface, 9A1408
MASUDA, M: Miro drilling of printed circuit boards - 2nd Report: FEM analysis of torsional strength for twist drill (Japanese), 10A737
MASUDA, S: Experimental study on the statistics of wall shear stress in turbulent channel flows, 2A1154
MASUDA, T: Stress-strain behavior of segmented polyurethaneureas under pure shear deformation, 1A948
- Coordinate measuring method using laser plane scanners - 2nd Report: 2D measurement (Japanese), 8A845
- Loss factor of the partially covered sandwich beam (Japanese), 11A131
MASUDI, H: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3, 1N32
MASUI, M: Fabrication and mechanical properties of multi-reciprocal braided composite tube, 1A519
MASUKAWA, J: Time domain modeling of bridge deck flutter (Japanese), 3A184
MASUTANI, SM: Capillary instability of a liquid film on a wire, 11A1084
MASUZAWA, T: Application of vibroscanning method to on-the-machine measurement of micro electro discharge machining, 1T673
MASUZAWA, Y: Injection molded plastic gears now (Japanese), 1T912
MAT , M: Deformation and kinematic mixing of a collapsing interface, 8A1279
MAT, M: Effect of Atwood number on the kinematic mixing of two fluids, 6A1012
MATAGA, PA: Dynamic crack propagation in piezoelectric materials - Part II: Vacuum solution, 5A694
- Dynamic crack propagation in piezoelectric materials - Part I: Electrode solution, 5A693
MATAGA, TG: Quenching effects on laser-fluorescence measurements of OH rotational temperature in H_2O_2/AR flames, 4A1317
MATALON, M: Propagation of premixed flames in closed tubes, 10A1406
MATARIC, MJ: Reinforcement learning in the multi-robot domain, 10A539
MATBULY, MS: Analytical solution of cracked shell resting on elastic foundation, 7A768
MATEESCU, D: Mars-Jupiter aerogravity assist trajectories for high-energy missions, 8A293
MATEMILOLA, SA: Impact response of composite cylinders, 12A592
MATERA, R: Study on thermal fatigue testing of a prototypical first wall component, 3A682
MATERKA, A: Modular neural network architecture for accurate estimation of dynamic system parameters, 9T307
- Parameter estimation of Markov random field model of image textures, 9A316
MATHAD, RD: Effect of an oblique magnetic field on the surface instability of a finite conducting fluid layer, 6A1140
MATHES, HB: Stability testing of full-scale tactical motors, 10A1432
- Nonlinear stability testing of full-scale tactical motors, 10A1430
MATHEU, EE: Active and semi-active control of structures under seismic excitation, 7A1478
MATHEW, G: Behavior of externally prestressed concrete beams with multiple deviators, 2A788
MATHEW, P: Prediction of tool life in oblique machining with nose radius tools, 3A635
- Prediction of cutting forces and built-up edge formation conditions in machining with oblique nose radius tools, 4A675
- Evaluation of cut quality of fiber-reinforced plastics: A review, 11A600
MATHEWS, PV: Collagen fiber organization is related to mechanical properties and remodeling in equine bone: A comparison of two methods, 5A1463
MATHEWSON, A: Ballistic properties of tool steel as a potential improvised armour plate, 9A194
MATHIA, T: Friction in the atomic scale, 4A875
- Optimal design in abrasive resistance of refractory concretes, 9A933
MATHIAS, R: Fast accurate eigenvalue methods for graded positive definite matrices, 1A96
MATHIEU, J-F: Ceramic coatings on titanium alloy by $C0_2$ laser treatment, 3T656
MATHIOUDAKIS, K: Numerical simulation of blade fault signatures from unsteady wall pressure signals, 10A516
MATHIOULAKIS, DS: Experimental and numerical study of a 90° bifurcation, 5A83
MATHIS, JA: Solid particle erosion mechanism in glass, 2A647
MATHISEN, KM: Multilevel aggregation method for solving large-scale generalized eigenvalue problems in structural dynamics, 7A170
MATHUR, GD: Techno-economic analysis of solar detoxification systems, 11A1547
MATHUR, JS: Computation of 3D transonic viscous flow using the JUMBO3D code, 6A1050
MATHUR, SR: Pressure-based method for unstructured meshes, 9A1032
MATIAS, MA: Chaos suppression through changes in the system variables and numerical rounding errors, 3A98
MATIAS, WT: Critical displacement approach for predicting structural instability, 2A528
MATIC, P: Experimental study evaluating macroscopic cavity interactions as a model of microvoid ductility, 4A526
MATIOTTI, R: Undrained instability of very loose Hostun sand in triaxial compression and extension - Part I: Experimental observations, 8A655
MATKOWSKY, BJ: Downward buoyant filtration combustion, 3A1296
- Gravity induced separation in "liquid flames", 6A1322
- Structure and dynamics of kink and cellular flames stabilized on a rotating burner, 7A1396
MATOLCSI, T: Classification of phase transitions, 6A1218
- Dynamics of phase transitions, 6A1274
MATONE, R: Effects of actuation schemes on the kinematic performance of manipulators, 12A439
MATOUSEK, V: Unsteady solids flow in a long slurry pipeline with pumps in series: Process of material aggregation, 11T997
- Theoretical description and numerical sensitivity analysis of Wilson model for hydraulic transport of solids in pipelines, 11T903
MATOVIC, MD: Finite difference schemes for 3D time-dependent convection-diffusion equation using full global discretization, 7T1383
MATRAS, Z: Analogues of Ito's equations for the flow of non-Newtonian liquids through curved tubes, 4A989

MATSKEVITCH, DG: Eccentric impact of an ice feature: Linearized model, 10A1497
MATSUBARA, A: Development of straight cup wheel to prevent grinding seizure for grinding center, 3T637
- High speed and high acceleration feed drive system for NC machine tools, 10A752
- Fuzzy ID3 and its application to rules generation for process distribution in grinding (Japanese), 12A739
MATSUBARA, T: Study on regenerative chatter vibration in end mill operation - 1st report: Theoretical analysis of chatter stability limit in side cutting- (Japanese), 3A185
- Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), 10A238
MATSUBAYASHI, J: Ferro-fluid lubricated bearings for a polygon mirror motor, 3T1210
MATSUDA, A: Induced drag calculation by numerical lifting surface method, 10T1228
MATSUDA, F: Study on crack generation at root of socket welds, 5A1440
MATSUDA, H: Free vibration analysis of continuous sandwich beams with elastic or viscoelastic cores by applying the discrete Green function, 6A180
- Free vibration analysis of sandwich arches with elastic or viscoelastic core and various kinds of axis-shape and boundary conditions, 12A194
MATSUDA, K: Time evolution of acoustic streaming from a planar ultrasound source, 1A307
- Self-induced vibration of a water drop placed on an oscillating plate, 1A1068
- Abnormal phenomena appearing in EHL contacts, 4A1160
MATSUDA, K-I: Self-sensing active suppression of vibration of flexible steel sheet, 1A841
MATSUDA, R: Ultra-thin gas squeeze film characteristics for finite squeeze numbers, 11A1186
MATSUDA, S: Viscosity equation for concentrated suspensions of charged colloidal particles, 10A1034
MATSUDA, T: Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), 2A1390
- Effects of a porous medium on local heat transfer and fluid flow in a forced convection field, 7A1271
- Seismic damage analyses on box culvert with intermediate columns (Japanese), 11A641
MATSUFUJI, Y: Analysis of accumulating mechanism of distributed and unbonded prestress (Japanese), 5A717
MATSUHISA, H: Development of antiresonance enforced active vibration absorber system, 5A92
MATSUI, H: Spherical Couette flow of a viscoelastic fluid - Part II: Numerical study for the inner sphere rotation, 10A583
- Spherical Couette flow of a viscoelastic fluid - Part I: Experimental study of the inner sphere rotation, 10A1088
MATSUI, K: Evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, 7A880
- Time domain backcalculation of pavement structure by using matrix reduction (Chinese), 10A712
- Confidence region of identified parameters due to effects of measurement noise (Japanese), 11A111
MATSUI, M: Phenomenological analysis of plateaus on stress-strain hysteresis in TiNi shape memory alloy wires, 4A781
MATSUI, T: Tunnel rock mass classification technique and its applicability using resistivity and seismic wave velocity (Japanese), 5A532
- Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, 7A1557
- Classification of vibration performance of penetration piles into the ground (Japanese), 10A703
MATSUIKE, T: Estimation of ground properties based on a fuzzy reasoning method during vertical hole excavation, 3A616
MATSUKAWA, M: Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), 2A698
MATSUKI, Y: Bifurcations of higher subharmonics and chaos in a forced vibratory system with an asymmetrical restoring force, 7A93
MATSUKURA, M: Numerical simulation and experiment on the transport of fine particles in a ventilated room, 3A1343
MATSUMOTO, A: Application of infrared thermography technique for evaluation of cracks in concrete structures (Japanese), 9A810
MATSUMOTO, H: Characterization of impact damage resistance of CF-PEEK and CF-toughened epoxy laminates under low and high velocity impact tests, 9A745
MATSUMOTO, I: Nonlinear analysis of dynamic characteristics of cylindrical bearing oil film, 5A868
MATSUMOTO, K: Development of man-machine cooperative production system, 1A1468
- Influences of initial concentration and super-cooling degree on the permeability of a porous medium saturated with partially solidified aqueous solution, 2A1302
- Internal characteristics and numerical analysis of plunging breaker on a slope, 12A253
MATSUMOTO, M: Aerodynamics of the cable of cable-stayed bridges (Japanese), 3A153
MATSUMOTO, N: Undrained cyclic strength of compacted rockfill material from triaxial and torsional simple shear tests (Japanese), 8A644
MATSUMOTO, S: Load distribution analysis method for cylindrical worm gear teeth, 5A861
- Systematization of equipment management by the introduction of the equipment diagnosis technique, 9T947
- Numerical analysis of InP solution growth by traveling heater method: Transient response in the case of no heater movement, 10A1396
MATSUMOTO, T: Recognizing chaotic time-waveforms in terms of a parametrized family of nonlinear predictors, 2A81
- Effect of uniaxial cyclic stretch on the morphology of monocytes-macrophages in culture, 2T1453
- Noninvasive method for measuring the electrical properties of deep tissues using an open-ended coaxial probe, 5A1513
- Display of feel for the manipulation of dynamic virtual objects, 11A1588
MATSUMOTO, Y: Wind-induced gust response analysis based on state space formulation (Japanese), 3A1188
- Multiobjective optimal unit sizing of a grid-connected photovoltaic system in consideration of its probabilistic characteristics, 11A1533
MATSUMURA, A: Real-time optical measuring system for dye color and concentration - II: Dispersive dye, 8A850
MATSUMURA, S: Development of a multi-surveying system using GPS for the measurement of ground displacements (Japanese), 2A575
- Rotational vibration of a helical gear pair having tooth surface deviation during transmission of light load, 5A862
- Power augmentation of a horizontal axis wind turbine using a Mie type tip vane: Velocity distribution around the tip of a HAWT blade with and without a Mie type tip vane, 11A1549
MATSUMURA, T: Autonomous operation planning with evaluating machine tool characteristics (Japanese), 1A210
- Development of autonomous operation planning system with genetic algorithm (Japanese), 2A361
- Analytical presumption of cutting tool wear in machining with chatter vibration (Japanese), 10A972
MATSUNAGA, H: Buckling instabilities of thick elastic plates subjected to in-plane stresses, 7A546
MATSUNAGA, M: Intelligent visual evaluation system for mirror finished surfaces (Japanese), 9A801
MATSUNAGA, N: Experimental study on the effective transformation of wave energy into potential energy (Japanese), 7A214
MATSUNOSHITA, T: Surface improvement and durability of case-carburized gear: Results of basic rollers running test, 11A346
MATSUNOSITA, T: Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, 9A423
MATSUO, A: Detailed mechanism of the unsteady combustion around hypersonic projectiles, 4A1007
MATSUO, K: Study of a negative impulsive wave generator, 5A151
- Investigation on onset of shock-induced separation, 6A1091
MATSUO, M: Study on development of soil improvement method using construction waste soil (Japanese), 5T511
- New infrastructure design method considering restriction of energy consumption (Japanese), 8T875
MATSUO, S: Study on simulation of tunnel lining which involves crack (Japanese), 8A924
MATSUO, T: Remarks on thermal behavior of rock mass around openings affected by low temperature (Japanese), 5T542
- Experimental study on relationship between type of cements and fracture properties of concrete (Japanese), 7A656
- Single-grit orthogonal cutting with shaped superabrasive grains - 2nd Report: Friction behavior of superabrasive tools in metal cutting (Japanese), 7T622
- Experimental analysis of relation between shear coupling element and bias angle of carbon fiber reinforced polyether-polyester elastomer composites, 9A482
- Development of micro torque measurement technology (Japanese), 10T876
- Numerical solution of singular integral equations in stress concentration problems, 11A363
MATSUO, Y: New blunt trailing-edge airfoil design by inverse optimization method, 10T1222
MATSUOKA, H: Discrete nature of ultra-thin lubrication film between mica surfaces, 4A1169
- Corrosions influenced by physical phenomena (Japanese), 7T686
- Ultrathin liquid film lubrication theory: Calculation method of solvation pressure and its application to the EHL problem, 7A1209
- Application of optical cutting method to measurements of tooth-profile error of minute module gears - 1st report: Examination of the method by means of bright field observation (Japanese), 10T863
- Coarse interval linearity-calibration method involving self-inspection technique for displacement sensors (Japanese), 12T424
MATSUOKA, N: Rigid-plastic FE simulation of peening process with plastically deforming shot, 1A42
MATSUOKA, S: Nanoscopic hardness measurement by atomic force microscope, 1A798
- Design for tunnel linings which involve property of steel fiber reinforced concrete (Japanese), 8A923
- Study on simulation of tunnel lining which involves crack (Japanese), 8A924
- Characteristics of open-channel flows with adverse pressure gradients (Chinese), 10A1046
MATSUOKA, T: Fundamental study on fiber-reinforced epoxy composites using glass fabric treated by low-temperature ammonia plasma, 2A435
- Ultra high speed milling and cutting tools, 10A755
- Study on advanced man-machine interface system for autonomous nuclear power plants, 12A1418
MATSUOKA, Y: Mechanisms in a humanoid robot hand, 12A427
MATSUSHIMA, H: Prediction algorithm of pressure drop for impingement cooling of heat sinks with longitudinal fins, 7A1015
- Numerical simulation of impingement air cooling from LSI packages with large plate fins by the penalty FEM, 9A1297
MATSUSHIMA, K: Inverse design method for transonic multiple wing systems using integral equations, 11A1132
MATSUSHIMA, T: Measurement of the distribution of sandy soil void diameter by air intrusion method (Japanese), 2A555
MATSUSHITA, H: Planning of simultaneous machining sequence for turning by considering division of machining areas: Generation of effective combinations for simultaneous machining (Japanese), 1A654
MATSUSHITA, J: Analyses of interaction between two pairs of shield tunnels and soil, and their application to design and construction of parallel shield tunnels (Japanese), 10A957
MATSUTO, T: Theoretical estimation for removal ability of organic pollutants through crushed stone layer around leachate collection pipe and design of the pipe in semiaerobic sanitary landfills (Japanese), 7T1082
MATSUURA, A: Study on the drag force of steels used for the superconducting magnetic levitation vehicle system (Maglev) guideway (Japanese), 3A829
- Running safety of railway vehicle on oscillating track using a mechanical model with vertical wheel flanges (Japanese), 9A164
MATSUURA, T: Development on thrust ram system for tunnel boring machine (TBM) by using parallel link (Japanese), 2A568
- Fabrication of fluorinated polyimide microgrids using magnetically controlled reactive ion etching and their applications to an ion drag integrated micropump, 4T425
MATSUZAKI, H: Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
- Final report of the key technology development program for a next-generation high-temperature gas turbine, 12T1416
MATSUZAKI, K-I: Numerical scheme and program for the solution and stability analysis of a steady periodic vibration problem, 5A147
MATSUZAKI, Y: Material damping analysis of smart hybrid composite laminated plate structures, 3A749
- Flutter boundary prediction based on nonstationary data measurement, 11A223
- Reexamination of steady solutions of a collapsible channel conveying fluid, 11A1578
MATSUZAWA, H: Wall displacement modes dependent active earth pressure analyses using smeared shear band method with two bands, 3A604
MATTEAZZI, S: Short crack propagation in eutectoid steel wires, 5A587
MATTEI, P-O: Two-dimensional Tchebycheff collocation method for the study of the vibration of a baffled fluid-loaded rectangular plate, 4A246
MATTEO, CL: Nonlinear method for the calculation of the loss tangent distribution function, 3A935
- Fundamental relationship between the relaxation spectra and the tangent distribution function in the theory of linear viscoelasticity, 3A932
MATTER, ZEM: Efficient methods for the optimal power flow problem of large-scale power systems, 11A320
MATTERN, R: Protection for thorax injury severity in 90° lateral collision, 2A1448
MATTEUCCI, E: Use of microtiter plates in the assay of urinary enzymes NAG and AAP: A useful time-and reagent-sparing procedure, 2T1469
- Automated measurement of urinary cholinesterase activity, 2T1465
MATTHES, M: Dynamic model for elastic-plastic plates, 7A154
MATTHEWS, FL: Fabrication of woven carbon fiber-polycarbonate repair patches, 5A455
- Mechanical performance of carbon-fiber and glass-fiber-reinforced epoxy I-beams - II: Fractographic failure observations, 5A677
- Stress analysis and strength prediction of mechanically fastened joints in FRP: A review, 11A875
MATTHEWS, J: Radius of curvature and entraining velocity of cam follower mechanisms, 4A918
MATTHEWS, K: New method for numerical representation of the land-water boundary in lake circulation models, 1A1427
MATTHEWS, L: Experimental characterization of a high-temperature, high-flux, solar volumetric receiver, 12A1513
MATTHEWS, LK: Modeling and optimum design of a wire mesh solar volumetric air receiver, 12A1514
MATTHEWS, PC: The √2:1 resonance in non-Boussinesq convection, 4A1203
- Pseudospectral code for convection with an analytical-numerical implementation of horizontal boundary conditions, 12A1071
MATTHIESEN, DH: Numerical simulation of heat transport and fluid flow in directional crystal growth of GaAs, 6A1247
MATTHYS, DR: Characterization of the panoramic annular lens, 5A722
MATTHYS, EF: Effects of salts on the rheological characteristics of a drag-reducing cationic surfactant solution with shear-induced micellar structures, 5A978
- Modeling of nonequilibrium surface melting and resolidification for pure metals and binary alloys, 5A1242
- Rheological and rheo-optical characterization of shear-induced structure formation in a nonionic drag-reducing surfactant solution, 7A974
- Experimental investigation of thermal and hydrodynamic development regions for drag-reducing surfactant solutions, 8A1269
MATTINGLY, D: Radiative emission fraction of pool fires burning silicone fluids, 6A1338
MATTSON, KG: Velocity problems of two 3-R robots manipulating a four-bar linkage payload, 3A411
MATTSSON, H: Method to correct yield surface drift in soil plasticity under mixed control and explicit integration, 9A621
MATTSSON, J: Ultrasonic 2D SH crack detection in anisotropic solids, 11A754
MATUBARA, A: Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), 9A676
MATUDA, K: Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), 9A676
MATUKAWA, H: Study on application of high-strength shotcrete for a high overburden tunnel (Japanese), 5T791
MATULA, TJ: Optical pulse width measurements of sonoluminescence in cavitation-bubble fields, 9A297
MATUNAGA, S: Suppression of low frequency structural vibrations using intelligent control methods, 2A99
- Symmetric motion control for adaptive structure based construction of large space structures, 8A894
- Vibration suppression using acceleration feedback control with multiple proof-mass actuators, 10A501
MATUOKA, CA: Position control of mechanical manipulators using the optimal root locus, 6A436
MATVEENKO, VP: Optimization of elastic bodies near singular points, 4A21
MATVEEV, A: Nonconvex problems of global optimization: Linear-quadratic control problems with quadratic constraints, 8T383
MATVEYENKO, VP: Construction of solutions of problems in the theory of elasticity in the form of series in powers of the elasticity constants and their application to viscoelasticity, 7A423
MATVIYCHUK, KS: Properties of technical stability of solution of the boundary value problem for the extended rod system moving in the liquid (Russian), 6A296
MATYASOVSZKY, I: Estimating daily wind speed under climate change, 7A1510
MATYSIAK, SJ: Influence of periodically layered material structure on the frictional temperature during braking, 8A1339
MATZKEIT, M: Visualization studies of the transition regime flow in a channel of varying cross section under the influence of Coriolis force, 11A1035

MATZNER, A: Relation between the characteristic permeability of porous bearings sleeves evaluated from an air or oil flow characteristics, 2A933
MAU RE: Mixing in distribution system storage tanks: Its effect on water quality, 3T1475
MAU, ST: Learning from recorded earthquake motion of buildings, 6A1441
MAUBERT, P: Spatio-temporal behavior in a rotating annulus with a source-sink flow, 6A1137
MAUDLIN, PJ: Application of multisurface plasticity theory: Yield surfaces of textured materials, 4A503
- Engineering analysis of plastic wave propagation in the Taylor test, 7A189
- Continuum mechanics code analysis of steady plastic wave propagation in the Taylor test, 8A227
- Evolution of plastic anisotropy for high-strain-rate computations, 10A591
MAUGHAN, JR: Field test results of a dry low NO_x combustion system for the MS3002J regenerative cycle gas turbine, 8A1436
- Reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion, 11T1407
MAUGIN, G: Acoustic Interactions with Submerged Elastic Structures, Part 2, 12N9
MAUGIN, GA: Driving force on phase transition fronts in thermoelectroelastic crystals, 11A439
MAUK, CS: Unsteady blade loading and aeroacoustics of a pusher propeller, 8A1228
MAULDON, M: Vector analysis of keyblock rotations, 6A668
- Infiltration tests on fractured compacted clay, 11A558
MAUNDER, EAW: Effective error estimation from continuous, boundary admissible estimated stress fields, 2A403
- General formulation of equilibrium macro-elements with control of spurious kinematic modes: The exorcism of an old curse, 3A36
- General method for recovering equilibrating element tractions, 6A43
- A posteriori error estimators related to equilibrium defaults of FE solutions for elastostatic problems, 12A18
MAURER, J: Viscous effects in internal waves of two-layered fluids with variable depth, 3A248
MAURI, G: Cellular automata in fuzzy backgrounds, 12A360
MAURI, R: Transverse shear-induced liquid and particle tracer diffusivities of a dilute suspension of spheres undergoing a simple shear flow, 6A1062
MAURIN, G: Flow measurement in an impinging jet cell with three-segment microelectrodes, 6A1209
MAURIN, LN: Penetrability of lubricants as the characteristic of metal cutting efficiency, 2A595
MAURIZI, A: Method of analysis for turbulent flows using the streamline coordinate system, 10T1191
MAURIZI, MJ: Natural vibrations of tapered beams with attached inertia elements, 8T134
- Comments on "dynamic stability of spinning beams of unsymmetrical cross-section with distinct end conditions", 10T119
MAURY, B: Characteristics ALE method for the unsteady 3D Navier-Stokes equations with a free surface, 1A976
MAVKO, B: Reliability of steam gencrator tubes with axial cracks, 5A627
MAVRAKOS, SA: Hydrodynamic characteristics of floating toroidal bodies, 7A230
MAVRANTZAS, VG: Model with two coupled Maxwell modes, 3A940
MAVRIDIS, C: Study of unsteady wake flows past a 2D square cylinder with and without planar jet injection into the vortex formation region, 1A1049
- Computational investigation of unsteady separated flows, 10A1078
MAVRIPLIS , DJ: Three-dimensional agglomeration multigrid solver for the Reynolds-averaged Navier-Stokes equations on unstructured meshes, 3A1007
MAVRIPLIS, C: Aerodynamic design of the George Washington Univ solar car sunforce 1, 9A1169
MAVRIPLIS, DJ: Implicit method for the computation of unsteady flows on unstructured grids, 3A1009
MAVRIS, DN: Concept exploration method for determining robust top-level specifications, 1A407
MAVROIDIS, C: Geometry of spatial polygons and screw polygons, 12A1034
MAWHINNEY, RN: Revisiting the Carrier-phase source-term formulation in mixed Lagrangian-Eulerian particle models, 1A1024
MAXIMYUK, VA: Inverse problems of deformation of flexible cylindrical shells from nonlinearly-elastic composite materials (Russian), 1T572
MAXWELL, TO: Heteroclinic chains for a reversible Hamiltonian system, 6T97
MAXWORTHY, T: Experiments on the rise of air bubbles in clean viscous liquids, 3A1076
- Miscible displacements in capillary tubes - Part 1: Experiments, 5A938
- Spreading of miscible, viscous gravity currents, 6A1021
MAYER, HR: Fatigue properties of Al_2O_3-particle-reinforced 6061 aluminium alloy in the high-cycle regime, 5A594
MAYER, IF: Developmental solar thermal receiver studies for the White Cliffs Solar Thermal Power Plant, 8A1526
MAYER, J: Transverse impact behavior of knitted carbon-fiber fabric-reinforced thermoplastic composite sheets, 9A486
MAYER, JRR: Touch probe radius compensation for coordinate measurement using kriging interpolation, 9A426
MAYER, W: Propellant injection in a liquid oxygen-gaseous hydrogen rocket engine, 5A1371
MAYERS, DF: Numerical and asymptotic solution of a sixth-order nonlincar diffusion equation and related coupled systems, 6A62
MAYINGER, F: Convective Flow Boiling, 4R27
- Modeling maximum flame speeds, 6A1330
- Capillary-pumped heat transport system: A thermal control concept designed for special cooling purposes, 7A1340
MAYLE, RE: Transition in a separation bubble, 5A990
- Path to predicting bypass transition, 12A1115
MAYNARD, DE: Dual coordinate system finite difference method for forward and inverse solutions of the volume conductor problem in neurology, 11A51
MAYNE, RW: Hydraulic actuator turning in the control of a rotating flexible beam mechanism, 4A393
MAYNORD, ST: Toe-scour estimation in stabilized bendways, 3A987
MAYOR, MB: Modularity of Orthopedic Implants, 10N32
MAYS, GC: Design charts relating to protection of structures against airblast from high explosives, 11A798
MAYSENHOLDER, W: Low-frequency sound transmission through periodically inhomogeneous plates with arbitrary local anisotropy and arbitrary global symmetry, 5A238
MAYTON, DJ: Magnetic pressure stressing of lap joints: Modeling and experimental verification, 11A756
MAYU, P: Preloading at the south end of Confignon tunnel, 9A652
MAZ'YA, VG: "Power-logarithmic" solutions to the Dirichlet problem for the Stokes system in a dihedral angle, 8T1051
MAZAHERI, K: Numerical wave propagation and steady-state solutions: Soft wall and outer boundary conditions, 12A59
MAZARS, J: From damage to fracture mechanics and conversely: A combined approach, 1A733
- Crush-crack: A non-local damage model for concrete, 5A640
MAZE, G: Identification of the resonances of a cylindrical shell stiffened by an internal lengthwise rib, 5A112
- Scattering of an obliquely incident plane acoustic wave by a circular cylindrical shell: Results of computations, 5A245
MAZEROLLE, F: Void ratio evolution inside shear bands in triaxial sand specimens studied by computed tomography, 4A641
MAZINDRANI, ZH: Lateral earth pressure problem of cohesive backfill with inclined surface, 8A670
MAZNEV, AA: Time-domain dynamic surface response of an anisotropic elastic solid to an impulsive line force, 8A217
MAZOR, G: Stress-strain relations for elastomeric foams in uni-, bi-, and tri-axial compression modes, 1A849
MAZOUZ, A: Effect of roughness aspect ratio on the "Bursting" period in a fully turbulent channel flow, 11T1100
MAZOUZI, A: Wind-induced ovalling oscillations of cylindrical shells: Critical onset velocity and mode prediction, 5A203
MAZUCH, T: Comparison of two independent modeling techniques of dispersion properties for cylindric shells of infinite length by FEM (Czech), 3A164
- Wave dispersion modeling in anisotropic shells and rods by the FEM, 6A227
MAZUMDER, MK: Transfer efficiency enhancement of power coating application using response surface methodology, 6A1061
- Powder costing process parameters for a transfer efficiency model, 6A1060
MAZUMDER, MM: Laser diagnostics for droplet characterization: Application of morphology dependent resonances, 3A1333
MAZUMDER, S: Boundary treatment and an efficient pressure algorithm for internal turbulent flows using the PDF method, 7A1157
- Stochastic Lagrangian model for near-wall turbulent heat transfer, 8A1199
MAZUR, MA: Direct optimization methods, ray propagation, and chaos - I: Continuous media, 7A279
- Direct optimization methods, ray propagation, and chaos - II: Propagation with discrete transitions, 7A280
MAZUR, PO: Gravitation, the quantum, and cosmological constant, 2A10
MAZUR, PP: Simulation and automation of calculations of buildings (structures) on seismic effects, 10A1458
MAZUR, S: Theoretical fundamentals of calculation of the car bumpers sandwich beams (Polish), 9A548
MAZUR-SNIADY, K: Design sensitivity of bars of periodic structure subjected to torsion, 9T827
MAZZA, GD: BEM formulation for evaluating conductive heat transfer rates in particulate systems, 12A1298
MAZZOLANI, FM: Theory and Design of Seismic Resistant Steel Frames, 7R9
- Plastic design of seismic resistant steel frames, 7A1488
MAZZOLDI, A: Characterization and modeling of a conducting polymer muscle-like linear actuator, 8A425
MAZZUCCO, E: Note on the model of crystalline defects in Ericksen-Pitteri neighborhoods, 7A453
MBAKOGU, FC: Rayleigh estimates of the fundamental frequencies of vibration of circular plates, 6T178
MC NEILL, SR: Measuring microscopic deformations with digital image correlation, 9A818
MCASSEY JR, EV: Onset of flow instability for downward flow in vertical channels, 2A1173
MCBAIN, GD: Natural convection with unsaturated humid air in vertical cavities, 10A1290
MCBRAYER, MC: Infiltration tests on fractured compacted clay, 11A558
MCBRIDE, TM: Unit-cell geometry in plain-weave fabrics during shear deformations, 9A500
MCCALL, KR: Quasi-analytic treatment of hysteretic nonlinear response in elastic wave propagation, 9A191
MCCAREY, BE: Distribution of strain in the human cornea, 10A1533
MCCARTER, WJ: Soil characterization using electrical measurements, 9T631
MCCARTHY, DJ: Short-time coherence functions: Instantaneous and tuned, 9A156
MCCARTHY, JM: Passing a central axis congruence through six arbitrary lines in space, 6A970
- Center-point curves through six arbitrary points, 9A966
MCCARTHY, TR: Coupled rotor-wing optimization procedure for high speed tilt-rotor aircraft, 4A1146
MCCARTOR, GD: Regional event discrimination without transporting thresholds, 4T1363
MCCARTY, TA: Substrate barrier effects on total heat transfer for a R-30 fibrous insulation batt, 5A1277
- Experimental and FE analysis of pultruded glass-graphite-epoxy hybrids in axial and flexural modes of vibration, 6A558
MCCARVILL, WT: Blood analog for laser-induced photochemical anemometry, 8T1570
MCCAULEY, JL: Classical Mechanics: Transformations, Flows, Integrable and Chaotic Dynamics, 10R2
MCCLAIN, JAS: Structural model updating using experimental static measurements, 11A21
MCCLELLAND, B: Design and process considerations for a tunneling tip accelerometer, 4A422
MCCLINTOCK, FA: Yield locus in deep, single-face-cracked specimens under combined bending and tension, 7T715
MCCLINTON, CR: Thrust losses in hypersonic engines - Part 1: Methodology, 9A1404
MCCLURE, BA: Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, 10T457
MCCLURE, PD: Simulation of bioventing for soil and ground-water remediation, 6T1319
MCCLUSKEY, FMJ: Energy model for artificially generated bubbles in liquids, 6A1068
MCCOLL, IR: Fretting wear of a fine particulate reinforced aluminum alloy matrix composite against a medium carbon steel, 2A645
MCCOLLUM, MD: In-plane and out-of-plane waves' power transmission through an L-plate junction using the mobility power flow approach, 2A186
MCCONLEY, MW: Emittance measurements for a thin liquid sheet flow, 1T1260
- Stability of thin liquid sheet flows, 7A1129
MCCONNELL, KG: Base strain effects on force measurements, 2A724
MCCOOK, DK: Correlations between simple field test and relative density-test values, 3A615
MCCORMACK, BAO: Analysis of crack propagation paths at implant and bone-cement interfaces, 5A1519
MCCORMICK, ME: Hydrodynamic design of active panels of marine vehicles, 11A1019
MCCORMICK, NJ: Closed-form solutions for transcendental equations of heat transfer, 5T1222
MCCORMICK, PG: Prediction of impact forces in a vibratory ball mill using an inverse technique, 7A180
MCCORMICK, S: Effect of shear-layer control on leading-edge vortices, 6A1189
- Multigrid methods for nearly singular linear equations and eigenvalue problems, 8A58
MCCORMICK, WD: Plume dynamics in quasi-2D turbulent convection, 9A1338
MCCORQUODALE, JA: Modeling of flow in rectangular sedimentation tanks by an explicit third-order upwinding technique, 9A1073
- Depth averaged hydrodynamic model in curvilinear collocated grid, 11A905
MCCROSKEY, WJ: Computations of unsteady separating flows over an oscillating airfoil, 12A1149
MCCULLEY, C: Genetic tool for optimal design sequencing in complex engineering systems, 5A748
MCCULLOCH, AD: Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, 5A30
- Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, 5A31
- Strain softening in rat left ventricular myocardium, 9A1580
MCCULLOUGH, CL: Missile Control using fuzzy cerebellar model arithmetic computer neural networks, 10A465
MCDANIEL JR, JC: Computer-controlled multiparameter flowfield measurements using planar laser-induced iodine fluorescence, 2A1142
MCDANIEL, JC: OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, 9A1388
MCDANIEL, JG: Structural wave reflection coefficients of cylindrical shell terminations: Numerical extraction and reciprocity constraints, 8A280
MCDANIEL, ST: Fluctuations of the acoustic field Bragg-backscattered from rough surfaces, 2A203
MCDERMOTT, WT: Reactive gas diluter for measuring nanometer-size particles, 8T1445
MCDONALD, BE: Bathymetric and volumetric contributions to ocean acoustic mode coupling, 1A308
MCDONALD, CF: Heat recovery exchanger technology for very small gas turbines, 10A1232
MCDONALD, JA: Comparison of experimental velocity measurements with theoretical results in a solid-solid composite material, 4A210
- Fourier transform approximations for sweeps and phase-encoded sweeps, 4A1373
MCDONALD, JP: Measurement of effective saturation concentration for gas transfer, 7A1070
MCDONALD, JR: Low pressure flat flame studies of C_2F_4-O_2, 5A1354
MCDONALD, MA: Microearthquakes at intermediate spreading-rate ridges: The Cleft segment megaplume site on the Juan de Fuca Ridge, 12T1440
MCDONALD, NR: Topographic wave radiation and modon decay, 6T1479
MCDONELL, VG: Effects of cycle operating condition on combustor performance, 8A1419
MCDONNELL, PJ: Ultrasonic technique for the measurement of the elastic moduli of human cornea, 5A1516
- Constitutive laws for biomechanical modeling of refractive surgery, 5A7
MCDONOUGH, JM: Computational fluid dynamics simulation of the automotive spray painting process, 10T1051
- Resolution effects in chaotic velocity field reconstruction from passive scalar data, 12T1235
MCDONOUGH, WG: Measurement of fiber strength parameters in fragmentation tests by using acoustic emission, 7A789
MCDOWELL, DL: Microcrack growth law for multiaxial fatigue, 2A703
- Associative versus non-associative porous viscoplasticity based on internal state variable concepts, 3A471
- Modeling large strain multiaxial effects in FCC polycrystals, 6A507
- Engineering model for propagation of small cracks in fatigue, 7A648
- High cycle fatigue, 7T677
- Semi-implicit integration scheme for rate-dependent and rate-independent plasticity, 9A466
- Effect of stress-state on the large strain inelastic deformation behavior of 304L stainless steel, 11A419
MCDOWELL, GR: Fractal crushing of granular materials, 6A1365
MCDOWELL, JK: Integrating material-part-process design for polymer composites: A knowledge-based problem-solving approach, 1A412
MCDULING, C: Surface contact fatigue failures in gears, 12A970
MCELHANEY, JM: Modeling and simulation methods for MDOF structures and rotating machinery with impact dampers, 10T160
MCELHINNY, MW: IAGA paleomagnetic databases with access, 5A1409
MCENALLY, CS: Soot volume fraction and temperature measurements in laminar nonpremixed flames using thermocouples, 11A1425
MCEVILLY, TV: Seismological studies at Parkfield IV: Variations in controlled-source waveform parameters and their correlation with seismicity, 1987 to 1995, 12A1447
MCFADDEN, GB: A ξ-vector formulation of anisotropic phase-field models: 3D asymptotics, 3A1255

MCFARLAND, AR: Shrouded probe performance: Variable flow operation and effect of free stream turbulence, 7A1438
MCFARLAND, DM: Green's functions for uniform Timoshenko beams, 1A164
MCFARLANE, NA: Parameterization of the surface-layer exchange coefficients for atmospheric models, 6T1488
MCGARRY, T: Search of invariant athletic behavior in sport: An example from championship squash match-play, 6T1550
MCGEE, MA: Role of polyethylene wear in joint replacement failure, 10A978
MCGEE, OG: Three-dimensional analysis of the spheroidal and toroidal elastic vibrations of thick-walled spherical bodies of revolution, 10A206
MCGEOUGH, JA: Special issue devoted to Processing of Advanced Materials, 1A669
- 12th International Conference on computer aided production engineering, Cookeville, TN, August 5-7, 1996, 2T358
MCGHEE, RJ: Development of semispan model test techniques, 6A1200
MCGILL, S: Appropriately placed surface EMG electrodes reflect deep muscle activity (psoas, quadratus lumborum, abdominal wall) in the lumbar spine, 4A1482
MCGILL, SM: Biomechanics of low back injury: Implications on current practice in industry and the clinic, 10A1558
MCGORMLEY, JC: Performance of epoxy-coated shear reinforcement, 3A773
MCGOVERN, JA: Mechanical work at a boundary and its associated exergy transfer, 8A6
MCGOVERN, L: Dynamics of an unbalanced shaft interacting with a limited power supply, 12A190
MCGRATTAN, KB: Effects of ignition and wind on the transition to flame spread in a microgravity environment, 3A1324
MCGUINN, RS: Low flow-noise microphone for active noise control applications, 6A347
MCGUINNESS, MJ: Steady-solution selection and existence in geothermal heat pipes - II: The conductive case, 4A1249
MCGUIRE, DP: Modeling, actuation, and control of an active fluid vibration isolator, 6A868
MCGUIRE, JW: Site response studies for purpose of revising NEHRP seismic provisions, 3A1372
MCGUIRK, JJ: Velocity and turbulence characteristics of isothermal lobed mixer flows, 11A1438
MCGURN, AR: Perturbation theory results for the diffuse scattering of light from 2D randomly rough metal surfaces, 2A204
MCHATTIE, JS: Factors affecting cathodic disbondment of epoxy coatings for steel reinforcing bars, 1A846
MCHUGH, JP: Limit of wave propagation on the free surface of a viscous fluid, 11T190
MCHUGH, PE: Simulation of void growth in WC-Co hardmetals using crystal plasticity theory, 4A528
MCHUGH, PR: High-order scheme implementation using Newton-Krylov solution methods, 10A1312
MCHUGHES, A: Acoustic analyzer study of SAW propagation in homogeneous and composite models, 12A600
MCINNES, CR: Gravity turn descent with quadratic air drag, 9T348
MCINTOSH, A: Effect of diffusion on the autoignition of combustible fluids in insulation materials, 8A1404
MCINTOSH, AC: Evolution of a fast flame behind an induction zone, 4A1292
MCINTYRE, T: Visualization and analysis of bow shocks in a superorbital expansion tube, 4T1042
MCINTYRE, TJ: Optical and pressure measurements in shock tunnel testing of a model scramjet combustor, 10A1435
MCINVILLE, RM: Nonlinear aeroprediction methodology for roll position of 45°, 8A1227
- New semiempirical model for wing-tail interference, 8A1223
MCIVER , P: Trapped modes in an axisymmetric water-wave problem, 11A192
MCIVER, M: Trapped modes in an axisymmetric water-wave problem, 11A192
MCIVER, P: Scattering of water waves by an array of circular cylinders in a channel, 5A186
MCKAY, BA: Wrinkling of inflated elastic cylindrical membranes under flexure, 5A476
- Inflation of joined dissimilar elastic tubes, 8A588
MCKEAGUE, KT: Analysis of powder lubricated slider bearings, 11A1187
MCKEAUGUE, KT: Generalized boundary interactions for powder lubricated Couette flows, 1A1138
MCKEE, S: Time-dependent flow in a penstock during head-gate closure, 1A962
- Calculation of electrohydrodynamic flow in a circular cylindrical conduit, 12A1156
MCKELLOP, H: Frictional heating of bearing materials tested in a hip joint wear simulator, 10T976
MCKENNA NEUMAN, C: Wind tunnel measurement of boundary-layer response to sediment transport, 12A1109
MCKEOWN, JJ: Upper limits on the number of elements in elastic structures of minimum weight, 10A914
MCKIBBEN, MJ: Flow of sand-water mixtures at velocities below the deposition condition, 9A1060
MCKINLAY, P: Experimental description of the response of paper, 11A491
MCKINLEY, GH: Sedimentation of a sphere through an elastic fluid - Part 2: Transient motion, 1A986
- Role of end-effects on measurements of extensional viscosity in filament stretching rheometers, 1A957
- Effects of viscoelasticity on the transient motion of a sphere in a shear-thinning fluid, 7A1034
MCKINLEY, TO: Device for the measurement of pedicle screw moments by means of internal strain gauges, 2A1475
MCLACHLAN, BG: Image registration for pressure-sensitive paint applications, 6A1217
MCLAIN, RF: Device for the measurement of pedicle screw moments by means of internal strain gauges, 2A1475
MCLAUGHLIN, BD: Stress corrosion cracking simulation, 11A656
MCLAUGHLIN, DK: Structure of coherent instabilities in a supersonic shear layer, 2A1096
MCLAUGHLIN, JR: Riccati method for the Helmholtz equation, 3A326
MCLEAN, A: Virtual springs method: Path planning and collision redundant manipulators, 2A350
- Distributed water ingress and wax potential measurements using fiber optics, 10A866
MCLEAN, DR: Classification of magnetic instabilities, 4T1100
MCLEAN, W: Boundary element collocation methods using splines with multiple knots, 5A65
- Preconditioning strategy for BE Galerkin methods, 10A85
MCLEISH, TCB: Predicting the rheology of linear with branched polyethylene blends, 5A887
MCLEOD, P: Melting of a sphere in hot fluid, 6A1275
MCLEON, JB: Solution of a contact lens problem, 8A1250
MCMAHON, TA: Tensile behavior of demineralized bovine cortical bone, 4A1479
- Energy-shunting hip padding system attenuates femoral impact force in a simulated fall, 11A1589
- Predicting the impact response of a nonlinear single-dof shock-absorbing system from the measured step response, 12A1536
MCMANIS, KL: Strength and deformation properties of soils reinforced with fibrillated fibers, 10A717
MCMANUS, HL: Thermally induced damage in composite laminates: Predictive methodology and experimental investigation, 7A1371
- Effects of material and manufacturing variations on dimensionally stable composite structure, 9A518
MCMANUS, KJ: Dilation-induced pore fluid cavitation in sands, 9T616
MCMASTER, MS: Stability of thin liquid sheet flows, 7A1129
MCMECHAN, GA: Implementation of 3D prestack Kirchhoff migration, with application to data from the Ouachita frontal thrust zone, 4A1374
- Application of ground-penetrating radar to investigation of near-surface fault properties in the San Francisco bay region, 4A1384
- Multifrequency viscoacoustic modeling and inversion, 4A1376
- Solving 1D inverse problems in Chebyshev polynomial expansion, 6A1417
- Three-dimensional two-point ray tracing for heterogeneous, weakly transversely isotropic media, 6A238
- Turning wave migration by horizontal extrapolation, 7A1476
- Numerical simulation of multi-parameter seismic scattering, 8A1491
MCMEEKING, RM: Power-law matrix creep in fiber composites due to transverse stress gradients, 11A465
- Creep crack growth with small scale bridging in ceramic matrix composites, 12A779
MCMILLAN, AJ: Vibration isolation in a thin rectangular plate using a large number of optimally positioned point masses, 12A183
MCMILLAN, W: Novel method to detect crack location and volume in opaque and semi-opaque brittle materials, 8A766
MCMORRIS, H: Octree-advancing front method for generation of unstructured surface and volume meshes, 12A60
MCMURRAY, MK: Prediction of flexural fatigue strength of CRFP composites under arbitrary frequency, stress ratio, and temperature, 10A774
MCMURRY, PH: Modification of the TSI 3025 condensation particle counter for pulse height analysis, 2A1356
- Ultrafine aerosol measurement using a condensation nucleus counter with pulse height analysis, 2A1354
MCMURTRY, PA: Use of caged fluorescent dyes for the study of turbulent passive scalar mixing, 3A1154
MCNAB, A: Geometrical analysis of segmented ultrasonic flaw regions, 1A819
MCNABB, JW: Dynamics for Engineers, 9R5
MCNAMARA, BP: Minimal parametric model of the femur to describe axial elastic strain in response to loads, 2A1445
- Relationship between bone-prosthesis bonding and load transfer in total hip reconstruction, 10A1571
MCNAMARA, JF: Semi-analytical hydrodynamics and motions for a TLP structure - Part I: Enhancement of Pontoon results using two of Haskind's theorems, 12A1166
MCNANEY, JM: Fracture and fatigue-crack growth along aluminum-alumina interfaces, 5A595
- Limitations on the use of the mixed-mode delaminating beam test specimen: Effects of the size of the region of K-dominance, 12A46
MCNEIL, A: Combined pressure and subcooling effects on pool boiling from a PPGA chip package, 12A1277
MCNIDER, RT: Dynamical analysis of time dependent katabatic flows, 9A1515
MCQUATER, RE: Effectiveness of quality management tools and techniques: An examination of the key influences in five plants, 2T377
MCQUAY, MQ: ASME Proceedings of 31st National Heat Transfer Conference, Volume 6, 2N41
- Interaction of liquid reacting droplets with the pulsating flow in a Rijke-tube combustor, 6A1340
- Laser-based techniques for particle-size measurement: A review of sizing methods and their industrial applications, 6A1353
- Fundamental aspects of modeling turbulent particle dispersion in dilute flows, 7A1144
- Effects of acoustics on an ethanol spray flame in a propane-fired pulse combustor, 12A1380
MCQUIGGAN, G: New 200 MW class 501G combustion turbine, 1A1361
MCQUILLEN, JB: Heat transfer to annular gas-liquid mixtures at reduced gravity, 5A1213
MCRUER, DT: Pilot-induced oscillation analysis and prediction with actuator rate limiting, 7A358
MCTAGUE, D: Three-dimensional embedded strain gauge analysis of the effect of collared versus collarless prostheses on cement mantle stresses in a femoral model of a total hip replacement, 4A1480
MCVAY, M: Pullout simulation of postinstalled chemically bonded anchors, 3A601
MCVEY, JB: Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, 11T1415
MCWHIRTER, JD: Wall region porosity distributions for packed beds of uniform spheres with modified and unmodified walls, 11A1452
MCWHORTER III, JC: Spectral solution for the bending of arbitrarily shaped plates, 8A580
MCWILLIAM, S: Random response of catenary moored offshore vessels to nonlinear wave forces, 3A819
MCWILLIAMS, J: Rapidly rotating turbulent Rayleigh-Benard convection, 3A1025
MCWILLIAMS, JC: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
- Grid nesting method for large-eddy simulation of planetary boundary-layer flows, 5A1431
- Langmuir turbulence in the ocean, 9A1503
ME-BAR, Y: Correlation between the ballistic behavior and dynamic properties of titanium-alloy plates, 9A195
MEABURN, A: Simple predictive controller for use on large scale arrays of parabolic trough collectors, 3A1446
- Feedforward control of solar thermal power plants, 8A1532
MEANEY, R: Analysis of medium scale ice-indentation tests, 1A1440
MEASE, KD: Altitude for maximum angular velocity about the earth during hypersonic cruise, 3T284
MEASURES, RM: Fiber-optic Bragg grating sensors for bridge monitoring, 10A867
MECHEL, FP: Uniform theory of sound screens and dams, 11A259
MECHOLSKY JR, JJ: Damage processes in Si_3N_4 bearing material under contact loading, 3A849
- Hertzian fatigue cone crack propagation in ceramics, 6A716
MECITOGLU, Z: Governing equations of a stiffened laminated inhomogeneous conical shell, 4A145
- Free vibrations of a conical shell with temperature-dependent material properties, 5A111
- Vibration characteristics of a stiffened conical shell, 5A114
MECKL, PH: Modeling of SMA tendons for active control of structures, 9A848
MEDA, G: Stress intensity factors for deep edge cracks in bending, 2A663
MEDALE, M: Numerical modeling of buoyancy-driven flows in a rotating cylindrical cavity: Comparison of a FE model with a spectral model, 6A1245
- Numerical simulation of incompressible flows with moving interfaces, 9A1031
MEDEIROS, WE: Geophysical inversion using approximate equality constraints, 6A1409
MEDHI, G: Electromechanical vibration absorber, 9T177
MEDJO, TT: Navier-Stokes equations in the vorticity-velocity formulation: The 2D case, 1A971
MEDLAND, AJ: Strategy for the verification of tolerances by coordinate measuring machines, 2A376
MEDLEY, JB: Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, 10T1527
MEDVEDEV, VI: Synthesis of bevel gearings on the basis of the theory of quasilinear contact, 4T921
MEDWELL, N: Crack growth response of IMI 834 under variable amplitude loading, 8A739
MEE, DJ: Drag measurements in a hypervelocity expansion tube, 3A1189
- Dynamic strain measurement using piezoelectric polymer film, 6A819
- Turbulent spots in boundary layers in a free-piston shock-tunnel flow, 7A225
MEEGODA, JN: Micromechanical simulation of hot mix asphalt, 11A399
MEEHAN, PA: Chaotic motion in a spinning spacecraft with circumferential nutational damper, 9A97
MEEK, JL: Study on the instability problem for 2D-frames, 4A620
- Brief history of the beginning of the FEM, 5A11
- Large displacement analysis of thin plates and shells using a flat facet FE formulation, 11A521
MEEKS, CR: Ball bearing dynamic analysis using computer methods - Part I: Analysis, 11A851
MEENA, R: Use of tergitol-7 in photogalvanic cell for solar energy conversion and storage: Toluidine blue-glucose system, 1A1434
MEERBERGEN, K: Matrix transformations for computing rightmost eigenvalues of large sparse non-symmetric eigenvalue problems, 1A97
MEERE, MG: Moving-boundary problems arising from a model for solid-state diffusion, 9A1342
MEES, AI: Directing orbits of chaotic systems in the presence of noise: Feedback correction, 8A385
MEES, PAJ: Secondary instability of flow in a curved duct of square cross-section, 4A1050
MEGAHED, MM: Low-cycle fatigue in rotating cantilever under bending - I: Theoretical analysis, 3A668
- Low-cycle fatigue in rotating cantilever under bending II: Experimental investigations on smooth specimens, 7A678
MEGAHED, SM: Symbolic computation of robot models for geometric parameters identification with singularity analysis, 2T349
MEGAHID, IE: Steady-state solutions of buoyancy-assisted internal flows using a fast false implicit transient scheme, 5A1204
MEGARIDIS, CM: Droplet spindown in a high-temperature gas environment, 5A1218
MEGE, D: Amounts of crustal stretching in Valles Marineris, Mars, 5T219
- Plume tectonics model for the Tharsis province: Mars, 7A1458
- Stress models for Tharsis formation: Mars, 7A1457
MEGLI, TW: Plasmadynamics model for nonequilibrium processes in N_2-H_2 arcjets, 5A935
- Two-temperature plasma modeling of nitrogen-hydrogen arcjets, 5A1391
MEGUID, SA: Interaction between an interface crack and a microcrack under antiplane loading, 1A784
- General treatment of interacting cracks near an interfacial crack, 3A721
- Novel FE approach to frictional contact problems, 5A851
- Eigenstrain problem of a spherical inclusion with an imperfectly bonded interface, 7A415
- Interfacial debonding of a circular inhomogeneity in piezoelectric materials, 10A792
- Analytical, numerical, and experimental studies of effective elastic properties of periodically perforated materials, 11A362
- Elastic field of a spherical inhomogeneity with an imperfectly bonded interface, 12A499
MEGURO, T: Three-dimensional shock wave reflection over a corner of two intersecting wedges, 10A308
- Transient shock wave flows in tubes with a sudden change in cross section, 11T201
MEHAUTE, AL: Multivariate scattered data fitting, 4A65
MEHDIAN, M: Blood flow measurement using a highly filled carbon polymer sandwich sensor and an elasto-pseudo compressible vascular flow, 8A1571
MEHENDALE, AB: Combined effect of grid turbulence and unsteady wake on film effectiveness and heat transfer coefficient of a gas turbine blade with air and CO_2 film injection, 12A1145
MEHL, NA: Influence of molecular weight on the morphology and crystallization kinetics of poly(phenylene sulfide) composites, 2A436
MEHRABADI, MM: Micromechanical model for the initial rearrangement stage of liquid phase sintering, 9A476
MEHRABI, AB: Finite element modeling of masonry-infilled RC frames, 11A18

MEHREZ, A: Multivariate economic analysis of robot performance repeatability and accuracy, 2A378
MEHRI, B: Periodic solution of a second order, autonomous, nonlinear system, 2T78
- Investigation of periodic orbits in elliptical galaxies using the method of implicit functions, 3A294
MEHRKAM, PA: Evaluation of materials for composite repair applications, 8A557
MEHTA, AJ: Problems in characterizing dynamics of mud shore profiles, 9T1005
MEHTA, HS: Fatigue and Fracture - 1996, Volume 2, 4N14
- Fatigue and Fracture - 1996, Volume 1, 4N13
MEHTA, KC: Identification of vortex-induced-response parameters in time domain, 6A295
MEHTA, RC: Numerical analysis of transient two-phase flow in heat pipe, 2A1265
- Estimation of shock-cell structure of axisymmetric supersonic free jets, 2A1022
- Computation of aerodynamic load and coefficient for satellite launch vehicle, 12A1172
MEHTA, RD: Curved two-stream turbulent mixing layers revisited, 4T1082
- Topology of the near-field vortical structures in a 3D wake, 4T1059
MEHTA, UB: Guide to credible computer simulations of fluid flows, 3A1042
MEHTA, V: Chaotic motion in an oscillatory boundary layer, 6A1093
MEI, C: Comparison of FE nonlinear beam random response with experimental results, 3A147
MEI, CHIANG C: Re-examination of the equations of poroelasticity, 8A1463
- Effects of weak wind and damping on Wilton's ripples, 10A297
- Effects of a semipervious lens on soil vapor extraction, 12A1526
MEI, CHUH: Finite element method for nonlinear free vibrations of composite plates, 6A182
MEI, DUAN: Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, 8A50
MEI, FENGXIANG: Stability of motion for a constrained Birkhoff's system in terms of independent variables, 10A123
MEI, GANG: Coatings optimization of embedded fiber optical sensors under thermal and mechanical load, 7A1367
MEI, R: Velocity fidelity of flow tracer particles, 6A1063
- Simplified model for predicting vapor bubble growth rates in heterogeneous boiling, 11A1277
- Suppression of flow boiling nucleation, 12A1278
MEI, RENWEI: Flow field due to a body in impulsive motion, 5A936
- Motion of a sphere oscillating at low Reynolds numbers in a viscoelastic-fluid-filled cylindrical tube, 6A499
- Turbulent dispersion of heavy particles with nonlinear drag, 9A1548
MEI, XUESONG: Numerical analysis of the nonsteady EHL process in high-speed rotating engine cam-tappet pairs, 1A1129
MEIBURG, E: Miscible displacements in capillary tubes - Part 2: Numerical simulations, 5A939
MEIER, GEA: Control of Flow Instabilities and Unsteady Flows, 11N14
- Comparison of nucleation theories by the asymptotic solution of condensing nozzle flows, 3A1245
- Forced oscillations of airfoil flows, 5A1066
MEIER, H: Numerical description of a propeller blade, 12A1168
MEIER, U: Behavior of hybrid aluminium-CFRP box beams at low temperatures, 7A466
MEIJAARD, JP: Efficient numerical integration of the equations of motion of non-smooth mechanical systems, 12A114
MEIJER, G: Mechanical behavior of Al_2O_3-particle-reinforced 6061 aluminum alloy under uniaxial and multiaxial cyclic loading, 9A707
MEIJER, HEH: Rheological study of shear induced crystallization, 5A889
- Steady Stokes flow in an annular cavity, 5A926
MEIJLINK, TJJ: Application of optimal control theory to inverse simulations of car handling, 6A388
MEILIKHOV, EZ: Handbook of Physical Quantities, 3N48
MEINSMA, C: Seismic investigations of plane steel-concrete composite frames (German), 10A1464
MEINSMA, G: Key sampling formula relating the Laplace and F transforms, 7A311
MEIROVITCH, L: Principles and Techniques of Vibrations, 5R4
- Separation principle for gyroscopic conservative systems, 6A129
MEISELMAN, HJ: Determination of red blood cell shape recovery time constant in a Couette system by the analysis of light reflectance and cktacytometry, 8T1562
MEISH, VF: Dynamic behavior of orthotropic rectangular plate under effect of suddenly applied load (Russian), 2T486
- Numerical solution of 2D dynamical problems of Timoshenko type geometrically nonlinear theory of discrete stiffened cylindrical shells (Russian), 12A630
MEISSNER, J: Melt elongation and recovery of polymer blends, morphology, and influence of interfacial tension, 7A988
- Extensional rheometry of polymer multilayers: A sensitive probe of interfaces, 10A1044
MEISTER, J-J: Separation of arterial pressure waves into their forward and backward running components, 2A1461
- Effects of friction and nonlinearities on the separation of arterial waves into their forward and backward components, 4A1492
MEISTER, JJ: Residual strain effects on the stress field in a thick wall FE model of the human carotid bifurcation, 12A1548
MEIZEL, D: Planning robust displacement missions by means of robot-tasks and local maps, 12T450
MEJAK, G: Finite element solution of a model free surface problem by the optimal shape design approach, 10A900
MEJDANI, R: Orientation ordering for system of ellipsoidal molecules dispersed in cubic lattice, 9A987
MEJIA, LH: Liquefaction at Moss Landing during Loma Prieta earthquake, 11A551
MEKARU, H: Analysis of single-side shearing by using punch with high slenderness ratio, 12A724
MEKARU, S: Effect of factors on quality of alumina injection molding product (Japanese), 7T626
- Analysis of single-side shearing by using punch with high slenderness ratio, 12A724
MELANDER, A: FEM study of driving forces of short cracks at inclusions in hard steels, 3A11
- Finite element study of short cracks with different inclusion types under rolling contact fatigue load, 8A23
MELANDSO, F: Meter-scale variations of the charge carried by mesospheric dust, 6A323
MELBOURNE, I: Transverse bifurcations of homoclinic cycles, 7A110
MELBOURNE, WH: Effects of free-stream turbulence on surface pressure fluctuations in a separation bubble, 10A1142
MELBY, K: Long-span bridges in Norway constructed in high-strength LWA concrete, 4A843
MELCHERS, RE: Reliability-based evaluation and design of masonry, steel and reinforced concrete structures, 4A833
- Reliability estimation of pressurized pipelines subject to localized corrosion defects, 5A626
MELCHIORRI, C: Multiple whole-limb manipulation: An analysis in the force domain, 12A428
MELCHIORRI, G: Tensile and flexural creep rupture tests on partially-damaged concrete specimens, 12A908
MELENK, JM: Partition of unity FEM: Basic theory and applications, 6A21
- Partition of unity method, 7A37
MELESHKO, VV: Steady Stokes flow in an annular cavity, 5A926
MELETIS, EI: Review of present mechanisms of transgranular stress corrosion cracking, 1A710
- Effect of the 3-dimensionality of the stress field around a crack tip on the evaluation of SIFs by caustics, 9A740
MELIKHOV, OI: Effect of momentum nonequilibrium on flame propagation and extinction in the presence of inert particles, 1A1313
MELIN, L: Finite-element simulation of V-die bending: A comparison with experimental results, 11A28
MELLEMA, J: Shear history dependence of the viscosity of aggregated colloidal dispersions, 3A954
MELLER, RD: Facility layout problem: Recent and emerging trends and perspectives, 4T479
MELLER, S: Implementation of EFPI-based optical-fiber sensor instrumentation for the NDE of concrete structures, 10A869
MELLIGERI, AS: Dynamic simulation and neural network compliance control of an intelligent forging center, 5A548
MELLO, FJ: Modeling the initiation and growth of delaminations in composite structures, 11A707
MELLO, M: Variable sensitivity displacement interferometer with application to wave propagation experiments, 10A886
MELLO, MD: Fabrication, processing, and characterization of braided, continuous SiC fiber-reinforced-CVI SiC matrix ceramic composites, 3T659
MELLOR, AM: Semiempirical predictions and correlations of CO emissions from utility combustion turbines, 3A1314
MELLOR, G: Introduction to Physical Oceanography, 10R29
MELLORS, RJ: M_w = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - 1: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, 12T1453
- M_w = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454
MELNIK, RVN: Stability condition and energy estimate for nonstationary problems of coupled electroelasticity, 11A543
MELNIK, SI: Energy analysis of propagation of axisymmetrical waves in a hollow piezoelectric cylinder with liquid (Russian), 1A284
MELNIKOV, YA: Green's function method solution of the Reissner's plate problem, 5A474
MELO, AP: Multiaxial fatigue life evaluation of tubular adhesively bonded joints, 8A758
MELO, FJMQ: Linear elastic stress analysis of curved pipes under generalized loads using a reduced integration finite ring element, 10A629
MELO, LF: Fouling of heat exchangers, 10A1352
MELTON, RG: Sensitivity effects on distributed-effect optical sensor output, 5T354
MELVILLE, BW: Pier and abutment scour: Integrated approach, 7T1010
MELVILLE, WK: Hydraulic jumps at boundaries in rotating fluids, 5A906
MELWANI, N: Effects of streamwise pressure gradient on turbulent spot development, 5A987
MEMORY, SB: Free and forced convection laminar film condensation on horizontal elliptical tubes, 11A1289
MEN'KOV, GB: Construction of special functions for the analytic solution of boundary-value problems of the theory of conical shells, 1A570
- Analytic methods of study of the strength of thin-wall structures made of composite materials, 12A598
MEN'SHIKOV, GP: Estimating the toughness of laminated composite barriers, 12A245
MEN, FU-LU: Influence of building existence on seismic liquefaction of subsoils, 12T681
MENALDI, JL: Infinite-dimensional Hamilton-Jacobi-Bellman equations in Gauss-Sobolev spaces, 11T80
MENDEZ, F: Steady-state analysis of the conjugate heat transfer between forced counterflowing streams, 1A1156
- Longitudinal heat conduction effects on a vertical thin plate in a steady laminar condensation process, 4A1225
- Film condensation induced by a natural convective flow: Steady-state analysis, 6A1258
- Laminar film condensation on a thin finite thickness plate, 7T1292
- Asymptotic analysis of the transient conjugate heat transfer process between two forced counterflowing streams, 11A1205
MENDEZ-DIAZ, MM: Buoyant plumes from multiport diffuser discharge in deep coflowing water, 3A1114
MENDIS, KJS: Measure34ments and modeling of a lean burn gas engine, 8A1431
MENDIS, PA: Instability analysis of normal- and high-strength reinforced-concrete walls, 11A803
MENDOZA, DR: Limiting Mach number for quantitative pressure-sensitive paint measurements, 12T1237
MENEES, GP: Bent-biconic single-stage-to-orbit vehicle conceptual study, 2A836
MENETREY, P: Analytical computation of the punching strength of reinforced concrete, 3A763
- Simulation of punching failure in reinforced-concrete structures, 11A790
MENEVEAU, C: Lagrangian dynamic subgrid-scale model of turbulence, 3A1159
MENEZES, PTL: Gravity inversion of basement relief constrained by the knowledge of depth at isolated points, 6A1405
MENG , GUANG: Nonlinear influences of whirl speed on bifurcation and chaos of a cracked rotor (Chinese), 12T110
MENG, C-I: Transition regime aerodynamic heating of missiles, 4A1013
MENG, CAI-FANG: High-order optimum synthesis of a driving mechanism with flexible connector, 1A930
MENG, G: Dynamic response of a cracked rotor with some comments on crack detection, 10A511
MENG, GUANG: Influences of fluid inertia force on double stable response of SFD-supported flexible rotors (Chinese), 10T242
MENG, LIANG: Seismic behavior of a new type of seismic energy dissipation shear wall system, 10A1463
MENG, QUAN: Bifurcations of a nonlinear rotor-bearing system, 4A79
MENG, XIANQIN: Investigation of resistance performance test for channel planning craft with hydrofoils (Chinese), 2A1070
MENGAC, MP: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
MENGALI, G: Mixed linear-quadratic-eigenstructure strategy for design of stability augmentation systems, 5A323
MENGI, Y: Use of FFT algorithm for the circumferential co-ordinate in BE formulation of axisymmetric problems, 12A71
MENGUAL, JI: Straightforward approximation to the equations governing convective flows in multi-component fluids, 6A1243
MENICANTI, L: Lumped parameter model to evaluate the fluid dynamics of different coronary bypasses, 2A1459
MENICHELLA, M: Did a discrete asteroid breakup event affect Gaspra's cratering record?, 9A239
MENICUCCI, D: Calculating solar radiation received by tubular collectors, 11T1528
MENNA, TL: Penetration of confined boron carbide targets by tungsten long rods at impact velocities from 1.5 to 5.0 km/s, 7A201
MENNICKENT, H: Boundary-field equation method for a nonlinear exterior elasticity problem in the plane, 2A382
MENNITTO, G: LADD transmissions: Design, manufacture, and new compliance models, 12A1005
MENON , D: Estimation of along-wind moments in RC chimneys, 6A885
MENON, A: Evaluations of diamond-like-carbon film optical constants and their effects on flying height determination, 4A901
- Model of slider-disk interface wear for proximity recording, 4A876
MENON, AK: Statistical model for interpreting hard disk drive stiction measurements, 7A868
MENON, MN: Strength prediction of ceramic components under complex stress states, 5A461
MENON, S: Large-eddy simulations of forced 3D impinging jets, 6A1129
MENORET, A: Preloading at the south end of Confignon tunnel, 9A652
MENQ, CHIA-HSIANG: Flexible ball-end milling system model for cutting force and machining error prediction, 5A558
- Unified least-squares approach to the evaluation of geometric errors using discrete measurement data, 5A67
- Integrated planning for precision machining of complex surfaces - Part 1: Cutting-path and feedrate optimization, 6A694
- Integrated planning for precision machining of complex surfaces - Part 2: Application to the machining of a turbine blade die, 6A695
MENQ, FY: Deep-footing and wide-slab effects in reinforced sandy ground, 8A663
MENTER, FR: Comparison of some recent eddy-viscosity turbulence models, 4A1089
MENZ, W: Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, 9A382
MERAGHNI, F: Effect of interfacial decohesion on stiffness reduction in a random discontinuous-fiber composite containing matrix microcracks, 1A757
MERAT, FL: Unattenuated tracer particle extraction through time-averaged, background image subtraction with outlier rejection, 8A1260
MERATI, P: Investigation of turbulent Taylor-Couette flow using laser Doppler velocimetry in a refractive index matched facility, 7A1142
MERCADER, B: Comparison of real and theoretical values of oscillatory flow in the surf zone, 11T933
MERCER, JA: Effects of transverse isotropy on nodes and mode coupling in shallow water, 4A285
MERCIER, F: Evaluation of active damping performances in orbit, 1A206
MERCY, SE: Numerical modeling of the sound field near a tall building with balconies near a road, 6A338
MEREDITH, JR: Simulation study of FMS tool allocation procedures, 5A377
MEREMONTE, M: Urban seismology: Northridge aftershocks recorded by multi-scale arrays of portable digital seismographs, 4A1365
MERGELAS, BJ: Finite-element calculations of remote field eddy current interactions with slit defects, 10A34
MERGUI, S: Velocity and temperature analysis of air free convection in a differentially heated square cavity at Ra = 1.69×10^9 (French), 11A1240
MERIAM, JL: Engineering Mechanics: Statics, 4th Edition, 2N51
MERIC, RA: Simultaneous optimization of shape and flow parameters for combined free and forced convection in vertical channels, 7A1279
MERINO, F: Fluid flow through a vertical slot under gravity, 6A1015
MERKIN, JH: Free convection stagnation point boundary layers driven by catalytic surface reactions - II: Times to ignition, 1A1167
- Approximation of attractors using Chebyshev polynomials, 7A91
- Modeling of yarn geometry: Continuous filament yarns, 7A498
MERKISZ, J: Low temperature of a combustion engine and its emissions (Polish), 9A1398
MERKLE, CL: Cavitation modeling with a CFD approach, 1T963
- Bifurcation of low Reynolds number flows in symmetric channels, 6A1101
- Numerical modeling of the thermodynamic effects of cavitation, 11A917
MERLE, G: Analysis and modeling of shrinkage in composite material curing, using fractal geometry, 4A578
MERLET, J-P: Computing four-finger equilibrium and force-closure grasps of polyhedral objects, 8A424
MERLINI, T: Variational formulation for finite elasticity with independent rotation and Biot-axial fields, 9A436

MERLINO, RL: Payload environment and gas release effects on sounding rocket neutral pressure measurements, 2A1349
- Current-driven dust-acoustic instability in a collisional plasma, 7A1163
MERMERTAS, V: Longitudinal vibrations of rods coupled by a double spring-mass system, 11A116
MERODO, JAF: Stabilized FEs for harmonic soil dynamics problems near the undrained-incompressible limit, 9A623
MEROLA, M: Study on thermal fatigue testing of a prototypical first wall component, 3A682
MERONEY, RN: Turbulence structure in a stratified boundary layer under stable conditions, 11A1506
MERRILL, TL: Combined heat and mass transfer during bubble absorption in binary solutions, 5A1314
MERRY, SM: Geomembrane response in the wide strip tension test, 5A718
- Time-dependent mechanical response of HDPE geomembranes, 8A584
MERRYFIELD, WJ: Topographic stress parameterization in a quasi-geostrophic barotropic model, 12A1498
MERTE JR, H: Qasi-homogeneous nucleation in microgravity at low heat flux: Experiments and theory, 11A1275
MERTIG, I: Experiments on interlayer exchange coupling, 9A381
MERTOGUL, A: Two-temperature plasma modeling of nitrogen-hydrogen arcjets, 5A1391
MERTZIOS, BG: Implementation of the velocities of the end-effector with the distributed arithmetic architecture, 7A373
MERZ, B: Automated FE analysis of excised human femora based on precision-QCT, 2A1443
MERZHANOV, A: Advances in Combustion Science, 12N40
MERZHANOV, AG: Combustion wave microstructure in heterogeneous gasless systems, 6A1321
MERZKIRCH, W: Method of tracking ensembles of particle images, 5A1118
MERZLYAKOV, VA: Estimation of efficiency of some approaches to solution of the problem of thermoplasticity of thin layers (Russian), 2A414
MESAROVIC, SD: Continuum aspects of directionally dependent cracking of an interface between copper and alumina crystals, 3A709
MESAROVIC, SDJ: Influence of pre-existing dislocations on cleavage crack propagation behavior in crystals, 8A734
MESBAH, B: Deposition of particles in a chamber as a function of ventilation rate, 12A1420
MESCHKE, G: Consideration of aging of shotcrete in the context of a 3D viscoplastic material model, 3A472
- Numerical analyses of tunnel linings by means of a viscoplastic material model for shotcrete, 3A478
MESCHYAN, SR: Experimental Rheology of Clayey Soils, 3R14
MESHII, M: Time-dependent damage in carbon fiber-reinforced polymer composites, 5A681
- Creep rupture of polymer composites, 11A660
MESHKOV, VV: Stress state and wear of polymer piston, 1A899
MESMACQUE, G: Evaluation of the energy parameter J on rubber-like materials: Comparison between experimental and numerical results, 6A808
MESRI, G: Secondary compression of peat with or without surcharging, 11A559
MESSAFER, T: Boundary element analysis of reinforced soil systems using geotextiles, 5A519
MESSAOUDI, A: Recursive interpolation algorithm: A formalism for solving systems of linear equations - II: Iterative methods, 6A96
- Recursive interpolation algorithm: A formalism for solving systems of linear equations - I: Direct methods, 6A95
MESSER, H: Robust maximum-likelihood source localization in an uncertain shallow-water waveguide, 7A258
MESSERSCHMID, EW: Arcjet thruster development, 5A1379
MESSERSMITH, NL: Characteristic features of large structures in compressible mixing layers, 2A990
- Mie scattering measurements of probability density functions in compressible mixing layers, 3A1053
MESSLER JR, RW: Enumerating possible design options for integral attachment using a hierarchical classification scheme, 12A462
MESSNER, TW: Stress intensity factors for deep edge cracks in bending, 2A663
MESTADI, A: Modelization of extensional experiments under constant force using memory-integral constitutive equations and stream-tube analysis, 3A933
MESTAS-NUNEZ, A: Numerical studies of small island wakes in the ocean, 8T1508
MESWANIA, JM: Telemetry of forces from proximal femoral replacements and relevance to fixation, 7A1560
METAIS, O: Effects of spanwise rotation on the vorticity stretching in transitional and turbulent channel flow, 2A1039
- Geostrophic versus wave eddy viscosities in atmospheric models, 3T1413
METAXAS, D: Flexible multibody dynamics and adaptive FE techniques for model synthesis and estimation, 3A83
METCALF, VL: Estimation of material and patch parameters in a PDE-based circular plate model, 8A366
METCALFE, E: Pyrolysis of para-toluene isocyanate, 5A1355
METHA, KN: Casson fluid flow in a pipe filled with a homogeneous porous medium, 2A1009
METRIKIN, AV: Diffractional radiation in 2D elastic systems, 1A315
METRIKIN, VS: Periodic and stochastic self-excited oscillations in a system with hereditary-type dry friction, 8A119
- Definition for global stability and a problem of breaking a three-wheel vehicle (Russian), 12T104
METRIKINE, A: Eigenfrequencies and simplified models of semi-infinite cascades with variable boundary mass, 10T147
METRIKINE, AV: Wave radiation in a 1D system due to a non-uniformly moving constant load, 4A199
- Instability of vibrations of a mass moving uniformly along an axially compressed beam on a viscoelastic foundation, 10A120
- Equivalent vertical stiffness of an elastic half-space interacting with a beam, including the shear stresses at the beam - half-space interface, 11A498
- Passing through the "elastic wave barrier" by a load moving along a waveguide, 12A222
METRIKINE, V: Steady-state displacements of a beam on an elastic half-space due to a uniformly moving constant load, 8A212
METRIS, G: Thermal force perturbations of the LAGEOS orbit: The albedo radiation part, 4A266
METSAVEER, J: Influence of the curvature on the dispersion curves of a submerged cylindrical shell, 3A270
- Identification of the resonances of a cylindrical shell stiffened by an internal lengthwise rib, 5A112
METWALLY, MN: Solar-assisted R22 and R134a heat pump systems for low-temperature applications, 9A1541
METZENER, P: Propagation of premixed flames in closed tubes, 10A1406
MEUNIER, A: Mechanical characterization of compact bone structure using the homogenization theory, 5A1471
MEUNIER, F: Second-law analysis of adsorptive refrigeration cycles: The role of thermal coupling entropy production, 5A1123
MEUNIER, MA: Thermomechanical analysis of shape memory devices, 9T850
MEURIS, P: Korteweg-de Vries equation for oblique modes in magnetized multi-ion plasmas, 3A227
- Influence of dust mass distributions on generalized Jeans-Buneman instabilities in dusty plasmas, 10A1208
MEURS, PFM: Measurement of the interfacial normal strength in single fiber transverse tensile tests, 11A492
MEVREL, R: Analysis of the fragmentation test based on aluminium matrix silicon carbide single fiber composites experiments, 11A693
MEWIS, J: Transient rheological response and morphology evolution of immiscible polymer blends, 10A1026
MEYER, AE: Thin Films and Surfaces for Bioactivity and Biomedical Applications, 6N29
MEYER, C: Thermomechanically consistent continuum damage model for concrete materials, 6A759
MEYER, D: Statistical model for interpreting hard disk drive stiction measurements, 7A868
MEYER, HD: Effect of inlet reflections on fan noise radiation, 2A284
MEYER, KE: Laser induced fluorescence imaging of thermal damage in polymer matrix composites, 11A757
MEYER, RX: Coning instability of spacecraft during periods of thrust, 6A320
MEYERHOF, GG: Analysis of behavior of stone columns and lime columns, 8A685
MHAMDI-ALAOUI, M: Erosion and deposition of solid particles in porous media: Homogenization analysis of a formation damage, 6A1382
MI, LIN: Investigation on limitations for demodulation analysis application in failure diagnosis (Chinese), 10T513
MI, YAOMING: Three-Dimensional Analysis of Crack Growth, 10R14
MIANI, S: Constrained stabilization of continuous-time linear systems, 3T357
MIANOWSKI, KM: Durability of brittle material subjected to static loads, 4A840
MIAO , BINGQI: Newmark recursive algorithm for nonstationary response moment of nonlinear systems (Chinese), 12T218
MIAO , GUOPING: Interactions between wave-currents and offshore structures with consideration of fluid viscosity, 8A1028
MIAO, BINGQI: Note on the contact problem in an ultrasonic traveling wave motor, 7A182
MIAO, BQ: Recursive response analysis of structures subjected to nonwhite random excitation, 3A127
MIAO, BUQUAN: First year monitoring of the first air-entrained high-performance bridge in North America, 2A745
MIAO, GUO-PING: Inverse problem of water wave generation in a wave tank, 9T207
MIAO, HEZHOU: Effects of antiwear additives on the friction and wear of Si_3N_4-steel sliding contacts, 7A909
MIAO, HEZHUO: Tribological characteristics of Si_3N_4 ceramic sliding on stainless steel, 12A933
MIAO, S: Elastoplastic damage model for concrete subjected to sustained high temperatures, 11A405
MIARA, B: Asymptotic analysis of linearly elastic shells - Part I: Justification of flexural shell equations, 6T584
MIATECH, J: Operation of gas turbine engines in volcanic ash clouds, 5A1369
MICAELLI, A: Nonlinear control for a train-like vehicle, 12A396
MICALLEF, JP: Modern method of motion analysis: Application in normal and pathologic shoulder's abduction (French), 6T1544
MICCI, MM: Linear acoustic analysis of solid propellant pressure-coupled distributed combustion, 5A1353
MICHAEL, O: New boundary spectral strip method for non-periodical geometrical entities based on analytical integrations, 3A48
- Adaptive successive over relaxation domain decomposition by the boundary spectral strip method, 10A81
MICHAELI, DA: Comparison of predicted and measured contact pressures in normal and dysplastic hips, 11A1560
MICHAELIDES, EE: Analogies between the transient momentum and energy equations of particles, 3A1326
- Similarity solution for a turbulent round jet, 4T1058
- Use of modified Green's functions in unsteady heat transfer, 9T1267
- Transient equation of motion for particles, bubbles, and droplets, 11A1010
MICHAELOV, G: Fatigue of welded steel joints under wideband loadings, 4A706
MICHALAK, M: Tribology of three-element: Traveller-ring-yarn friction arrangements in ring spinning reaction of ring to traveller in two-contact configuration - Part 1, 9A962
MICHALI, A: Identifying soil parameters by means of laboratory and *in situ* testing, 1A620
MICHALKE, A: Disturbances excited by a point source in an axisymmetric laminar separation bubble, 5A983
- Excitation of small disturbances by a Dirac line source at the wall and their growth in a decelerated laminar boundary layer, 7A1120
MICHALLET, H: Ultrasonic probes and data processing to study interfacial solitary waves, 9A204
MICHALOPOULOS, A: Prestressed tendon based passive control system for bridges, 10A495
MICHALOWSKI, J: Fabrication and assessment of properties of Cu-Ni highly plastic sinters (Polish), 9A682
- Investigation of explosively thickened sinters with addition of B_4C and SiC carbons (Polish), 9A683
MICHALOWSKI, RL: Limit torque for a frictional joint, 6A973
- Failure of unidirectionally reinforced composites with frictional matrix, 6A542
- Stability of uniformly reinforced slopes, 11A566
MICHALOWSKI, T: Aerodynamic problems of cable stayed and suspension bridges (Polish), 2A806
MICHALSKA, H: Stabilization of a class of nonlinear systems through Lyapunov function decomposition, 12T353
MICHALSKI, A: Copolyesters with controllable melting temperatures, 4T500
MICHASEV, GI: Study of flexural waves in the infinite shell of revolution (Russian), 6T226
MICHEL, B: Bruggeman formalism for two models of uniaxial composite media: Dielectric properties, 9A601
MICHEL, JE: Detailed modeling of a swirling coal flame, 12A1395
MICHEL, P: Numerical experiments on the efficiency of second-order mixed-variable symplectic integrators for N-body problems, 11A238
MICHELASSI, V: Aerodynamic performance of a transonic turbine guide vane with trailing edge coolant ejection - Part I: Experimental approach, 1A1113
- Preconditioned scalar approximate factorization method for incompressible fluid flows, 7A1046
MICHELENA, NF: Optimal model-based decomposition of powertrain system design, 11A344
MICHELIS, P: Behavior of structural concrete elements designed to the concept of the compressive force path, 2A792
MICHELITSCH, T: Fundamental solution of the incompatibility problem in 3D infinite anisotropic elasticity theory, 6A482
MICHIE, WC: Distributed water ingress and water potential measurements using fiber optics, 10A866
MICHON, JC: Identification by a non-integer order model of the mechanical behavior of an elastomer, 6A503
MICHOPOULOS, Y: Generic properties of rheological flow curves, 10A1263
MICKENS, RE: Oscillations in Planar Dynamic Systems, 1R9
- Fourier analysis of a rational harmonic balance approximation for periodic solutions, 2T75
MICKLE, MC: Missile autopilot design using a new linear time-varying control technique, 7T347
MICLAU, T: Deformation of small diameter solid tibial nails with unreamed intramedullary insertion, 9A1601
MIDDLEBROOK, AM: Thresholds for laser-induced ion formation from aerosols in a vacuum using ultraviolet and vacuum-ultraviolet laser wavelengths, 11A1444
MIDDLETON, J: Numerical modeling of brick masonry panels subject to lateral loadings, 3A521
MIDDLETON, R: Key sampling formula relating the Laplace and F transforms, 7A311
MIDDLETON, RH: Condition monitoring of the grinding process using light scattering, 3A870
MIDHA, A: Steady-state response of periodically time-varying linear systems, with application to an elastic mechanism, 11A872
MIDORIKAWA, S: Jumping of bell houses caused by near-field ground motion: Case histories and shaking table experiment, 11T1495
MIECZNIK, P: Ultrasonic study on the complexation kinetics of N,N-diethylformamide and zinc acetate in aqueous solutions, 10A335
MIEDEMA, SA: Theoretical description and numerical sensitivity analysis of Wilson model for hydraulic transport of solids in pipelines, 11T903
MIEHE, C: Multisurface thermoplasticity for single crystals at large strains in terms of Eulerian vector updates, 1A467
- Numerical computation of algorithmic (consistent) tangent moduli in large-strain computational inelasticity, 3A451
- Exponential map algorithm for stress updates in anisotropic multiplicative elastoplasticity for single crystals, 3A482
- Physically nonlinear dual mixed FE formulation, 10A58
MIELE, A: Robust predictor-corrector guidance for aeroassisted orbital transfer, 3T290
MIESEN, RHM: Chebyshev collocation method for solving two-phase flow stability problems, 10T1135
MIETTINEN, A: Modified SIMPLE formulation on a collocated grid with an assessment of the simplified QUICK scheme, 5A1199
MIF, VA: Structure and friction of modified cross-linked polyimides, 7A869
MIGDAL'SKII, VI: Stress state problem for a box-shaped shell weakened by a crack outgoing to a rib, 4A738
MIGDALAS, A: Parallel Computing in Optimization, 12N6
- Multilevel Optimization: Algorithms and Applications, 12N4
MIGITA, Y: Local buckling behavior of polygonal sections, 12A648
MIGLIARESI, C: Thermomechanical behavior of interfacial region in carbon fiber-epoxy composites, 5A1304
MIGLIAVACCA, F: Computational pulsatile model of the bidirectional cavopulmonary anastomosis: The influence of pulmonary forward flow, 5A1497
- Mathematical model of circulation in the presence of the bidirectional cavopulmonary anastomosis in children with a univentricular heart, 12A1559
MIGLIORE, P: Variable speed operation of generators with rotor-speed feedback in wind power applications, 5A1455
MIGLIORE, PG: Evaluation of several wind turbine trailing-edge aerodynamic brakes, 5A1450
MIGLIORINI, F: Preconditioned scalar approximate factorization method for incompressible fluid flows, 7A1046
MIGNOGNA, RB: Ultrasonic tomography using curved ray paths obtained by wave propagation simulations on a massively parallel computer, 4A316
MIGNOLET, MP: Free vibration of flexible rotating disks, 4A149
- Adaptive perturbation scheme for the analysis of mistuned bladed disks, 8A158
MIGNOSI, A: Rear fuselage transonic flow characteristics for a complete wing-body configuration, 11A1147
MIGON, HS: Rain-fall modeling: An application of Bayesian forecasting, 10T1465
MIGORSKI, S: Inverse problem for the prelinear filtration of ground water, 2A1368
MIHAILOVIC, DT: Sensitivity study of a coupled soil-vegetation boundary-layer scheme for use in atmospheric modeling, 10T1478
MIHALAKAKOU, G: Efficiency of night ventilation techniques for thermostatically controlled buildings, 3A1264
- Application of the energy balance equation to predict ground temperature profiles, 11A1522

MIHALAKAKOU, M: Coupling of thermostatically controlled buildings with ground and night ventilation passive dissipation techniques, 11A1359
MIHALIC, PA: Computational methods for inverse finite elastostatics, 3A448
MIHARA, S: Experimental study of critical heat flux in open two-phase thermosyphon, 2A1213
MIHARA, T: Optimal location design method of steel pipe pile foundation using genetic algorithm (Japanese), 6A660
MIHASHI, H: Correlation between characteristics of fracture process zone and tension-softening properties of concrete, 5A696
MIHELIC, A: Optimization of single and multistep wire drawing processes with respect to minimization of the forming energy, 5A554
MIIKE, H: Monitoring of heart and respiratory rates by photoplethysmography using a digital filtering technique, 1A1465
MIKAMI, I: System for inferring axial force of high-strength bolts on steel bridges (Japanese), 6A905
- Low cycle fatigue behavior of steel pier beam-column joint (Japanese), 11A874
MIKAMI, M: Analytical method for the determination of the roughness parameters over complex regions, 2T1408
MIKAMI, T: Basic consideration on the parameter identification of road tunnel with heat insulater (Japanese), 8T922
- Dynamic characteristics of submerged floating tunnels due to wave force (Japanese), 9A896
- Effect of debris on the life of tapered roller bearing in contaminated lubricant, 11T832
MIKAMI, Y: Fabrication of a linear motion microsystem on a Si wafer, 3T395
MIKELIC, A: Convergence of the homogenization process for a double-porosity model of immiscible two-phase flow, 4A1333
- Derivation of the Buckley-Leverett model from the two fluid Navier-Stokes equations in a thin domain, 12A1081
MIKHAIL, AG: In-flight flexure and spin lock-in for antitank kinetic energy projectiles, 4A271
MIKHAIL, SN: Free vibrations and stability analysis of laminated composite plates and shells with hybrid-mixed formulation, 10A223
MIKHAILENKO, VV: Numerical modeling of vibration heating and heating stresses in the Langevin type piezoelectric transducer (Russian), 2A532
- Development of the theory of constitutive equations of physically nonlinear viscoelastic bodies under cyclic deformations (Russian), 12A7
MIKHAILOV, SA: Analysis of peculiarities of blade layout of rolled-up main rotor, 1A1107
MIKHAILOV, SE: Singular stress behavior in a bonded hereditarily-elastic aging wedge - Part I: Problem statement and degenerate case, 8A498
- Singular stress behavior in a bonded hereditarily-elastic aging wedge - Part II: General heredity, 8T499
MIKHASEV, GI: Free vibrations of a non-uniformly heated viscoelastic cylindrical shell, 7A146
- Localized families of bending waves in a non-circular cylindrical shell with sloping edges, 7A149
- Localized wave forms of motion of an infinite shell of revolution, 8A214
MIKHLIN, YV: Normal vibrations of a general class of conservative oscillators, 4A88
- Application of the Ince algebraization to the stability of nonlinear normal vibration modes, 8A111
MIKI, C: Influence of welding materials on fatigue strength of fillet welded joints made from high strength steel (Japanese), 3A928
- Study on dynamic response of bridge caused by loads in line at high speed by BEM (Japanese), 6A903
- Study on improvement of time-resolution of ultrasonic inspection by deconvolution method (Japanese), 9A806
- Local stress and deformation at field joints of orthotropic steel deck (Japanese), 9A890
- Fatigue design for cope hole details in I-section members of steel bridges, 11A812
- Fatigue strength of the joint between diaphragms and longitudinal ribs in box section girders (Japanese), 11A873
MIKIELEWICZ, DP: Turbulence modeling using various turbulent Prandtl number models, 2A1055
- Modeling of an ascending flow of air in a heated vertical pipe, 9A1127
MIKIELEWICZ, J: Laislavus Natanson, The Pioneer of extended thermodynamics (Polish), 2A1
- Impingement of a liquid jet on an inclined plate, 2A1027
- Impingement of liquid jet on inclined plate (Polish), 9A1097
MIKITYANSKAYA, LM: Influence of oscillations on static friction under preliminary displacement, 7T855
MIKITYANSKII, VV: Influence of oscillations on static friction under preliminary displacement, 7T855
MIKKELSEN, NJ: Application of advanced surface treatment technologies in the modern plastics molding industry, 12A972
MIKKILINENI, S: Measurement of dynamic gas disengagement profile by using an analog output level gauge, 8A1120
MIKKOLA, S: Slow-down treatment for close binaries, 7A239
MIKLAVCIC, M: Impulsive stretching of a surface in a viscous fluid, 8A1049
MIKOLAJCZYK, T: Effect of an additional drawing stage under superheated steam on the mechanical properties and compensation stress of precursor PAN fibers, 4A501
MIKOLAJCZYK, W: Assessing the suitability of various types of cellulose for the production of cellulose carbamate, 4T462
- Calculation of the cooling power of air cooler installed along the airduct in connection with the ventilation of the development galleries (Polish), 4A1446
MIKOLAJCZYK, Z: Experimental analysis of changes in quality needles during the technological process, 9T406
MIKSA, M: Stationary and oscillatory flow of the Reiner-Rivlin fluid between two external rollers, 4A991
MIKSAD, RW: Perspective: Measurements and analyses of nonlinear wave interactions with higher-order spectral moments, 9A1106
MIKSIS, MJ: Non-isothermal spreading of a thin liquid film on an inclined plane, 5A933
- Effects of surfactant on the dynamics of bubble snap-off, 10A1131
MIKULAS JR, MM: Large-angle articulated beam truss design methodology considering offset joint modeling, 2A840
MIKULCIK, EC: Control of non-twisting somersaults using configuration changes, 3A1503
MIKULEVICIUS, R: Nonlinear filtering revisited: A spectral approach, 8T371
MILADINOVA, S: Unsteady film flow of power-law liquids on a rotating disk, 6A1028
MILAM, DM: Lobed mixers using simultaneous laser-induced fluorescence and Mie scattering, 10A1161
MILANE, RE: Large-eddy simulation of mixing layer using vortex method: Effect of subgrid-scale models on early development, 8T1163
MILAS, M: Crossover behavior in the viscosity of semiflexible polymers: Solutions of sodium hyaluronate as a function of concentration, molecular weight, and temperature, 5A891
MILAZZO, A: Explicit Kutta condition for unsteady 2D high-order potential BEM, 12T68
MILBURN, DI: Experimental investigation of thick-sample effects in the measurement of directional-hemispherical transmittance of advanced glazing materials, 8A1531
MILDE, F: Comparison of several mesh refinement strategies near edges, 1A58
MILDER, DM: Role of the admittance operator in rough-surface scattering, 2A277
MILENIN, AA: Mathematical model of the formation of the plastic deformation zone in the rolling of rheologically complex metals and alloys, 1A633
MILES, AW: Influence of the stem-cement interface in total hip replacement: A comparison of experimental and FE approaches, 12A1579
MILES, AW: Investigation of the stress distribution generated in articular cartilage by crystal aggregates of varying material properties, 12A1534
MILES, J: Viscoelastic eddy viscosity for flow over a wavy surface, 2T1416
- Surface-wave generation: A viscoelastic model, 3A234
- Vorticity of long gravity waves in water of variable depth, 11A194
MILES, JB: Computational fluid dynamics simulation of turbulent waverider flowfield with sideslip, 8A1103
MILES, JJ: Integrated infrared failure analysis of printed circuit boards, 11A1371
MILES, KC: Three-dimensional chaotic mixing of fluids in a cylindrical cavity, 11A1053
MILES, RB: Transverse velocity increments in turbulent flow using the RELIEF technique, 11A1059
MILES, RN: Experimental determination of bending strain power spectra from vibration measurements, 1A161
MILEWSKI, J: Modeling and validation of multiple reflections for enhanced laser welding, 4A951
MILGROM, C: Method suitable for *in vivo* measurement of bone strain in humans, 10A1555
MILGROM, M: More exact results concerning multifield moduli of two-phase composites, 9A472
MILHACEA, R: NO_x and hydrocarbon emissions from a diesel engine fueled on digester gas, 12A1374
MILHOLEN II, WE: Development of semispan model test techniques, 6A1200
MILIN, L: Kinetics of alumina ultrafine grinding in a planetary ball mill, 10A746
MILINAZZO, FA: Rational square-root approximations for parabolic equation algorithms, 8T351
MILIOLI, FE: Atmospheric bubble fluidized bed combustion: Application to high ash coals and approach to scientific research, 1A1325
MILIOS, E: Robot pose estimation in unknown environments by matching 2D range scans, 10A523
MILITKY, J: Thermomechanical properties of basalt fibers, 4A1272
MILKOVSKA, B: Variable speed operation of permanent magnet alternator wind turbines using a single switch power convertor, 5A1456
MILL, W: Sediment transport in a river under 1D and unsteady flow conditions, 9A1000
MILLAN, MM: Double-camera measurements of plumes, applied to wind field characterization and dispersion studies, 2A1421
MILLAT, J: Transport Properties of Fluids: Their Correlation, Prediction, and Estimation, 2R35
MILLER , SJ: Evaluation of several wind turbine trailing-edge aerodynamic brakes, 5A1450
MILLER, A: Performance characteristics of impulse type turbine stage groups, 4A1141
- Analysis of gas turbine engine arrangements, 4A1139
MILLER, AK: Die-less forming of thermoplastic-matrix continuous fiber composite materials: Process and demonstration, 11A625
MILLER, AR: Inelastic analysis and design: Frames with members in minor-axis bending, 7A835
MILLER, B: Stability of gas lubricated triboelements using the step jump method, 7A1215
MILLER, BM: Optimization of observations: A stochastic control approach, 10T446
MILLER, BN: Dynamics of a pair of spherical gravitating shells, 9A241
MILLER, CA: Determination of the step duration of gait initiation using a mechanical energy analysis, 3A1504
MILLER, CT: Alternative split-operator approach for solving chemical reaction-groundwater transport models, 1T1423
- Accurate and economical solution of the pressure-head form of Richard's equation by the method of lines, 6T1475
MILLER, DW: Experimental comparison of robust H_∞ control techniques for uncertain structural systems, 10T481
- Time domain state space identification of structural systems, 11A280
MILLER, EM: Design and development of an electromechanical ultrasound probe holder for urodynamics testing, 3A1518
MILLER, GA: Influence of pile plugging on skin friction in overconsolidated clay, 11A562
MILLER, GR: Algorithmic framework for flexible FE-based structural modeling, 4A839
MILLER, J: Gaussian quadrature for products of exponential functions, 3A71
MILLER, JA: Oxidation of allene in a low-pressure H_2-O_2-Ar-C_3H_4 flame, 2A1328
MILLER, JG: Effective ultrasonic transmission coefficient for randomly rough surfaces, 2A273
MILLER, JH: Theoretical and simulation study of acoustic normal mode coupling effects due to the Barents Sea Polar Front, with applications to acoustic tomography and matched-field processing, 1A310
MILLER, JJH: Analysis of Rayleigh-Lamb wave scattering by a crack in an elastic plate, 12A237
MILLER, JL: High temperature hybrid titanium composite laminates: An early analytical assessment, 6A549
MILLER, JM: Low profile human tendon force transducer: The influence of tendon thickness on calibration, 9A1599
MILLER, JR: Asymptotic stability of solitary waves for the regularized long-wave equation, 2A217
- Effects of low speed on roller bearing fatigue life, 7A904
MILLER, K: Geometrical-mechanical interpretation of gradient-weighted moving FEs, 8A44
MILLER, KC: Effects of choking on the aeroacoustics of an axisymmetric supersonic inlet, 12A1130
MILLER, KG: Equilibrium configurations of point vortices for channel flows past interior obstacles, 8A1046
- Trial-free-boundary method for computing Batchelor flows, 11A972
MILLER, KJ: Fatigue of welds, 1A706
- Influence of shot-peening on short crack behavior in a medium carbon steel, 2A637
- Micro-mechanics model of corrosion-fatigue crack growth in steels, 5A608
MILLER, LA: Analysis of a vertical compliance prosthetic foot, 8A1576
MILLER, LS: Diamond, cropped, delta, double-delta wing vortex breakdown during dynamic pitching, 9T1159
- Effect of canards on delta wing vortex breakdown during dynamic pitching, 10A1218
MILLER, MP: Modeling large strain multiaxial effects in FCC polycrystals, 6A507
- Effect of stress-state on the large strain inelastic deformation behavior of 304L stainless steel, 11A419
MILLER, R: Dynamics of Adsorption at Liquid Interfaces: Theory, Experiment, Application, 7N25
MILLER, RA: Integration of CAD and FEA for concurrent engineering design of sheet stamping, 2A936
- Modular six-directional force sensor for prosthetic assessment: A technical note, 10A1569
MILLER, RS: Differential diffusion in binary scalar mixing and reaction, 11A1384
MILLER, RW: Flow Measurement Engineering Handbook, Third Edition, 2N31
MILLER, SA: Arcjet modeling: Status and prospects, 5A1378
MILLER, SE: Modal control of piezolaminated anisotropic rectangular plates - Part 1: Modal transducer theory, 2A770
- Modal control of piezolaminated anisotropic rectangular plates - Part 2: Control theory, 2A771
MILLER, SN: Vortex-induced vibration of marine cables: Experiments using force feedback, 11A220
MILLER, SW: Parametric model of muscle moment arm as a function of joint angle: Application to the dorsiflexor muscle group in mice, 5A1480
MILLER, TF: Fourier analysis of the SIMPLE algorithm formulated on a collocated grid, 1A992
MILLERD, JE: Holographic sensor for measurement of wall velocity gradients, 5A1053
MILLIGAN, CD: Interaction between a bubble and a submerged compliant structure, 4A241
MILLS, AF: Heat transfer and flow friction characteristics of perforated-plate heat exchangers, 8A1366
MILLS, B: Analysis and simulation of the grinding process - Part III: Comparison with experiment, 1T657
- Grinding vibration detection using a neural network, 2A602
- Formation mechanism of adherent layers on a cutting tool, 3A854
- Analysis of grinding temperatures by energy partitioning, 6A702
- Experimental investigation of contact behavior in grinding, 9T668
- Contact length in grinding - Part 1: Contact length measurement, 11A618
- Formation of an adherent layer on a cutting tool studied by micro-machining and FE analysis, 12A734
MILLS, JK: Stability problem formulation of structurally compliant robot manipulators during contact task execution: A singular perturbation approach, 3A407
- Simultaneous control of robot manipulator impedance and generalized force and position, 3A415
- Operational method for nonparametric analysis of feedback control systems, 4A382
- Dynamic modeling and control of a multi-robot system for assembly of flexible payloads with applications to automotive body assembly, 6A442
- Robot link and contract surface dynamic interaction: An experimental study of contact task instability, 8A454
- Implementation methodology for the supervisory control of flexible manufacturing workcells, 10A546
MILLS, NJ: Biomechanics of hip protectors, 8A1573
- Analysis of the elastic properties of open-cell foams with tetrakaidecahedral cells, 9A427
MILLWARD, A: Effect of trailing edge flaps on the performance of a yacht with a winged keel, 2A1067
- Calculations of wave resistance for a high-speed displacement ship, 5A1060
MILNER, FA: Mixed FEMs for Hamilton-Jacobi-Bellman-type equations, 1A53
- Mixed FEMs for nonlinear elliptic problems: The p-version, 5A14
MILOCCO, RH: Optimal parallel model solutions using the polynomial approach, 5T295
MILOH, T: Rotation and magnetic effect on the non-axisymmetric temporal stability of a capillary jet, 3A1136
- Traveling wave instability caused by moving planar heat sources: The rigid problem, 3A1233
- Hydrodynamic loads on a slender cylinder moving unsteadily in a 3D non-uniform flow field, 4A249
- Hydrodynamic loads on a conical slender cylinder, 8A1027
- Collision avoidance by a ship with a moving obstacle: Computation of feasible command strategies, 10A456
MILOS, FS: Calculation of anisotropic extinction coefficients for radiation diffusion in rigid fibrous ceramic insulations, 5A1250
MILOSAVLJEVIC, C: Design of tactical and executive level of redundant robot control via distributed positioning, 6A430
- Decomposition principle based on sliding mode in variable structure system with proportional-plus-integral action, 10A436
MILOSAVLJEVIC, N: Experimental and theoretical investigations for the design of scrubbers in heat recovery from paper machines, 11A1387

MILTON, BE: Thermodynamics, Combustion, and Engines, 6R24
- Conical Mach reflection of moving shock waves - Part I: Analytical considerations, 1A273
- Dual-fuel combustion model for premixed natural gas with distillate ignition in a quiescent bomb, 11A1422
MILTON, GW: Duality relations, correspondences, and numerical results for planar elastic composites, 9A468
MILZ, S: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
MIMURA, K: Evaluation of critical impact velocity of materials and its application to processing thin plates (Japanese), 2A699
- Development of dynamic loading device with stress sensing block and its experimental examination (Japanese), 4A787
- Sensing block method for measuring impact force generated at a contact part, 7A209
MIN , XING: DOF expanding method for connecting solid and shell element, 1A59
MIN, JE-HONG: Pressurized cylinder problem for nonlinear viscoelastic materials with a strain clock, 6A500
MIN, KW: Effects of magnetic reconnection in the Kelvin-Helmholtz instability at the magnetospheric boundary, 10A1206
MIN, TAEGEE: Laminar convective heat transfer of a Bingham plastic in a circular pipe - I: Analytical approach - thermally fully developed flow and thermally developing flow (the Graetz problem extended), 10A1303
MIN, ZHANG: Influence of strength mis-matching on crack driving force and failure assessment curve of weldment, 7A770
MINAKAWA, N: Residual stress distribution in carbon steel pipe welded joints measured by neutron diffraction (Japanese), 2A743
MINAMI, K: Integrated communication and control system for a multi-link active catheter, 4A426
MINAMISAWA, C: Analysis of axial loads due to the screw fastenings in the tie rods of built-up columns (Japanese), 3A921
MINAMIYAMA, T: Effects of free stream turbulence on a turbulent boundary layer on a flat plate with zero pressure gradient - Part IV: Calculation of the flow field, 9A1112
MINAMOTO, H: Two-dimensional collisions of vehicles: Case of consideration of vehicle movements during impact, 5A171
MINATO, T: Measurement and identification of deformational behavior of a tunnel reservoir (Japanese), 10A959
MINDEK JR, RB: Slot and vertical face grinding of aerospace components, 1A661
MINDESS, S: Shear tests of fiber concrete beams without stirrups, 8A911
MINDOLIN, YI: Stress distribution in an anisotropic plate with heat-insulated faces under the action of heat sources and sinks, 1A575
MINEMOTO, M: Design for tunnel linings which involve property of steel fiber reinforced concrete (Japanese), 8A923
MINEMURA, K: Measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 4A718
MINENKOV, VA: Internal stresses in material under drying, 1A1395
MINEOKA, M: Oscillatory natural convection of water near the density extremum at high Rayleigh numbers, 11A1235
MINET, M: Optimization of design of railway disc brake pads, 5A858
MINETA, T: Three-axis capacitive accelerometer with uniform axial sensitivities, 8A415
MINEV, PD: Second order splitting algorithm for thermally-driven flow problems, 1A1201
MING LI, KAI: Sound propagation from a dipole source near an impedance plane, 12A343
MING, RUISEN: Estimate and measurement of longitudinal wave intensity, 6A249
- Measuring coupling loss factors by structural acoustic intensity technique (Chincse), 10T391
MINGALYOV, O: Class of invariants for the Boltzmann equation and the Broadwell model, 11T985
MINGARDI, L: Nonlinear analysis of reinforced concrete foundation plates, 1A562
MINGHAM, CG: Spectral method with subcell resolution for shock wave calculations, 1A274
MINGORI, DL: Stability of a spinning axisymmetric rocket with dissipative internal mass motion, 9A236
MINH, NG: Finite element analysis of out-of-plane buckling of reinforced concrete walls, 5A777
MINHAS, H: Forced convection in an air-filled bayonet tube during the laminar-turbulent transition, 7A1239
- Bayonet tube heat exchanger, 9A1281
MINIS, I: Cutting state identification, 8A701
MINISTER, JB: Constraints on crustal structure and complex Moho topography beneath Pinon Flat, California, from teleseismic receiver functions, 8A1489
MINKOFF, SE: Full waveform inversion of marine reflection data in the plane-wave domain, 9A1460
MINKOWYCZ, WJ: Advances in Numerical Heat Transfer, Volume 1, 5N26
- Natural convection in a porous cavity saturated with a non-Newtonian fluid, 5A1188
- Information highway and numerical heat transfer, 6A1251
- Numerical method for the computation of flow in irregular domains that exhibit geometric periodicity using nonstaggered grids, 7A1044
MINNETYAN, L: Progressive fracture of fiber composite build-up structures, 9A759
- Structural durability of damaged metallic panel repaired with composite patches, 9A761
- Progressive fracture of composite cylindrical shells subjected to external pressure, 11A710
MINTER, JA: Active control of turbomachine discrete frequency noise utilizing oscillating flaps and pistons, 12A329
MINUTOLO, V: Complete set of corollaries of the reciprocal theorems in elasticity, 3A428
MINZONI, AA: Evolution of lump solutions for the KP equation, 6A265
- Effect of radiation losses on hotspot formation and propagation in microwave heating, 6A1282
MIODUCHOWSKI, A: Idea of thin-plate thermal mirror - I: Mirror created by a heat pulse, 9A1331
MIOTTO, P: Application of real structured singular values to flight control law validation, 5T1077
MIQUEL, J: Mixing anisotropic formulation for analysis of composites, 3A497
MIR, YA: Touch probe radius compensation for coordinate measurement using kriging interpolation, 9A426
MIRACLE, DB: Determination of the interface failure mechanism during transverse loading of single fiber SiC/Ti-6Al-4V composites from torsion tests, 7A734
MIRAMBELL, E: Model for the analysis of concrete dams due to environmental thermal effects, 2A1237
- Geometric and material nonlinearities in steel plates, 6A580
MIRANDA, E: Seismic performance of an instrumented ten-story reinforced concrete building, 4A1410
MIRANDA, EN: Fractal porous media: Relations between macroscopic properties, 4A1354
MIRANDA, RF: Two-dimensional axisymmetrical model for a rotating porous wicked heat pipe, 6A1290
MIRANZO, P: Role of triboelectrification mechanism in the wear behavior of Al_2O_3-SiC platelet composites, 4A888
MIRDAMADI, M: Prediction of stress-strain response of SCS-6 and Timetal-21S subjected to a hypersonic flight profile, 5A1302
MIRKIN, L: Characterization of sampled-data controllers in the lifted domain, 8T386
- Discrete-time H^∞ problem with a strictly proper controller, 10T440
MIRMAN, B: Impact of tapering on interfacial stresses, 4T1265
- Mechanics of the edge delamination test, 11A473
MIRMIRAN, A: Looping behavior of arches using corotational FE, 7A545
- Behavior of concrete columns confined by fiber composites, 11A776
MIRONOV, DV: Multi-limit formulation for the equilibrium depth of a stably stratified boundary layer, 7A1499
MIRONOV, VA: Deformation and friction of frozen peat soil, 3A589
MIRONOV, VS: Control over tribological behavior of laminated polymer composites in design and processing, 1A408
MIROSHNIK, R: Life assessment evaluation of piping branch connection under creep and fatigue, 11A662
MIROSHNIKOV, VA: Finite-amplitude solitary wave on a stream with linear vorticity, 1A249
MIRSALIMOV, VM: Dynamic cracks in an elasto-plastic body, 7A762
MIRSHAMS, M: Natural transition in transonic flows using an efficient temporal-spatial formulation, 4A1117
MIRSKI, M: Stand for investigations of 3D, turbulent flow in axial compressing stage, 4A1095
MIRTH, JA: Circuit rectification for four precision position synthesis of four-bar and watt six-bar linkages, 11A858
MIRZA, FA: Large displacement extension of consistent shell element for static and dynamic analysis, 7A534
- Stability of imperfect steel conical tanks under hydrostatic loading, 11A536
MIRZA, MR: Effect of boundary conditions on the downstream penetration of pulsed sprays after impaction on a flat surface, 2A996
MIRZA, MS: Element size effects in nonlinear analysis of reinforced concrete members, 7A822
- High strain-rate fracture characteristics of ductile metals at elevated and sub-ambient temperatures, 10A829
MIRZA, S: Dynamic response of cross-ply laminated shell panels, 11A481
MIRZA, SA: Physical tests and analyses of composite steel-concrete beam-columns, 6A916
MIRZADEH, F: Discrete layer analysis of orthotropic, stiffened composite cylinders, 7A1368
MIRZOYANTS, SA: Oil as a structural member of machines and mechanisms, 2A1117
MISAWA, EA: Transient error detection during UDU^T covariance calculations using algorithm based fault tolerance, 12A423
MISCEVIC, M: Fluid flow through randomly packed monodisperse fibers: The Kozeny-Carman parameter analysis, 9A1425
MISCOW F, PC: Mechanics of static and dynamic inversion processes, 4A515
MISH, KD: Nonlinear dynamic response of frames using Lanczos modal analysis, 6A179
MISHCHENKO, IV: Reliability prediction of structures with random parameters subjected to stationary stochastic input, 10A924
MISHIMA, K: Manufacturing of 3D micro-parts by UV laser induced polymerization, 2T330
MISHIMA, T: Study of shear resisting behavior on concrete beams reinforced with steel and/or FRP rods (Chinese), 10A943
MISHINA, VP: Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, 12A936
MISHNAEVSKY JR, LL: Determination for the time-to-fracture of solids, 6A798
- Methods of the theory of complex systems in modeling of fracture: A brief review, 7A711
MISHRA, D: Determination of dispersion coefficients in a porous medium using the frequency response method, 12A1429
MISHRA, KK: Strip welding of aluminum bronze, 2A611
MISHRA, MP: Influence of sodium environment and load ratio (R) on fatigue crack growth behavior of a Type 316 LN stainless steel at 813K, 7A651
MISHRA, PK: Analysis of 3D transient heat condition for predicting wire erosion in the wire electrical discharge machining process, 11A1308
MISHRA, RC: Shear and attachment effects on the behavior of rectangular plates resting on tensionless elastic foundation, 10A647
MISHRA, RS: Mechanism of high strain rate superplasticity in aluminium alloy composites, 8A717
MISHRA, SC: Use of the 2D collapsed dimension method in gray enclosures with absorbing-emitting-isotropic scattering media in radiative equilibrium, 6A1281
MISHRA, SS: Steady state analysis of non-circular worn journal bearings in nonlaminar lubrication regimes, 1A921
MISHURIS, G: Influence of interfacial models on a stress field near a crack terminating at a bimaterial interface, 5A672
MISHURIS, GS: Boundary value problems for Poisson's equation in a multi-wedge-multi-layered region - Part II: General type of interfacial conditions, 4A5
- Asymptotic expansion of solution of the torsion problem for an elastic rod with a cavity and a thin bonded multilayer, 9A71
MISHUSTIN, IV: Theory of a one plane truss-type structure with quasi-regularity in one direction, 12A879
MISIOLEK, Z: Constitutive equations of silicon bronzes, 6A510
MISIRLIOGLU, A: Three-dimensional flow calculations with an A-L-E description using space-time FEs, 10A37
MISKA, S: Experimental and analytical study of single-phase liquid flow in a horizontal well, 9A1086
MISKIOGLU, I: Experimental investigation of the effects of cycling frequency and temperature on the fatigue life of 60 Tin-40 lead solder, 6T976
MISLEVY, SP: Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part I: Mean quantities, 5A985
- Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part 2: Fluctuation quantities, 5A986
MISRA, A: Mechanistic model for contact between rough surfaces, 11A368
MISRA, AK: Analytical vibration and resonant motion of a stretched spinning nonlinear tether, 3A154
- Mars-Jupiter aerogravity assist trajectories for high-energy missions, 8A293
MISRA, D: Finite element analysis of conjugate natural convection in a square enclosure with a conducting vertical wall, 9A1218
MISSAOUI, J: Combined integro-modal approach for predicting acoustic properties of irregular-shaped cavities, 12A338
MISTAKIDIS, ES: Solution of structures involving elements with nonconvex energy potentials, 10A892
- Fractal fracture in brittle structures: Numerical approach, 12A838
MISTREE, F: Concept exploration method for determining robust top-level specifications, 1A407
- Procedure for robust design: Minimizing variations caused by noise factors and control factors, 6A452
- Statistical experimentation methods for achieving affordable concurrent systems design, 10T962
MISTRY , J: End reinforcement of composite cylinders for biaxial testing, 12A851
MISTRY, K: Thermal analysis of noncircular bearings, 11A1190
MISU, T: Study on positioning sensor for human navigation: Measurement method of linear acceleration and rotation angular acceleration (Japanese), 5T313
MISUMI, M: Study on fatigue crack growth under out-of-phase combined loadings, 12A770
MISUMI, T: Heat transfer enhancement of turbulent natural convection adjacent to a vertical heated plate, 9A1213
MITACHI, K: Flow patterns and heat transfer of low-speed upward flow between uniformly heated vertical plates, 2A1177
- Fluid motion and heat transmission in a horizontal liquid layer heated locally from free surface, 7T1031
MITACHI, T: Method for predicting in-situ undrained strength of clays based on the suction value and unconfined compressive strength (Japanese), 2A556
MITAL, A: Robot cleaning of underground liquid storage tanks: Feasibility and design considerations, 12T451
MITCHELL , JK: Cavity expansion and penetration resistance in sand, 9A647
MITCHELL, D: Minimum shear reinforcement in normal, medium, and high-strength concrete beams, 3A771
- Identification of engineering system parameters, 9A305
MITCHELL, DL: Use of mass- and area-dimensional power laws for determining precipitation particle terminal velocities, 3A1033
MITCHELL, HL: Discretization error and signal-error correlation in atmospheric data assimilation - I: All scales resolved, 7T1505
MITCHELL, JK: Observation of Biot compressional wave of the second kind in granular soils, 9A187
MITCHELL, L: Design of a smart flap using polymeric C-block actuators and a hybrid optimization technique, 10A519
MITCHELL, MR: Advances in Fatigue Lifetime Predictive Techniques, Third Volume, 2N19
MITCHELL, PJ: Mean-field hydrodynamics Brownian dynamics simulations of stabilized colloidal liquids under shear, 8A1004
MITCHELL, RE: Release of inorganic material during coal devolatilization, 8A1410
MITCHELL, SA: Whisker weaving algorithm: A connectivity-based method for constructing all-hexahedral FE meshes, 3A33
MITCHENER, H: Settling and consolidation of mud-sand mixtures, 7T1011
- Erosion of mud-sand mixtures, 7A1006
MITIC, P: Innovation in Mathematics, 12N3
MITIGUY, PC: Motion variables leading to efficient equations of motion, 4A442
MITO, M: Development of measurement system of angular profile of the polygonal mirror surface, 10A888
MITOMO, N: Study on advanced man-machine interface system for autonomous nuclear power plants, 12A1418
MITON , H: Experimental study of unsteady phenomena in a multi stages axial compressor (French), 2A1108
MITOSEK, HT: Can series of maximal annual flow discharges be treated as realizations of stationary processes?, 4A1441
MITRA, NK: Numerical investigation of heat transfer by rows of rectangular impinging jets, 1A1155
- Numerical investigation of heat transfer in impinging axial and radial jets with superimposed swirl, 3A1236
- Mass transfer enhancement by longitudinal vortices, 8A1396
- Numerical analysis of heat transfer and flow loss in a parallel plate heat exchanger element with longitudinal vortex generators as fins, 11T1220
MITRA, R: Study on the vibrational characteristics of ultrasonic transducers using tapered piezoelectric ceramic elements, 7A297
MITRI, H: Tools and Techniques in Rock Mechanics, 1N37
MITROPOLSKY, YA: Application of asymptotic methods of nonlinear mechanics for solving of some problems of oscillation theory, 10T104
MITROUCHEV, P: Generation of plane kinematic structures, 8T965
MITROVIC, J: Bubble detachment criteria, 3T1246
- Fick and Lagrange equations as a basis for the Maxwell-Stefan diffusion equations, 9A1341
MITSI, S: Computer-aided optimum design and NC milling of planar cam mechanisms, 12A1027
MITSOULIS, E: Excess pressure losses in the capillary flow of molten polymers, 7A986
- Creeping motion of a sphere in tubes filled with a Bingham plastic material, 11A957
MITSUI, A: Three-dimensional measurement of head flying height and attitude using image

processing of fringe patterns formed by Michelson laser interferometry, 1T901
MITSUI, K: Development of dual servo STM (Japanese), 1A799
- Measurement of geometric feature and dimension of micro parts (Japanese), 10T882
MITSUI, Y: Flexural behavior of reinforced concrete beams strengthened with carbon fiber sheets, 4A836
MITSUISHI, K: Biochemical machining of biodegradable plastics: Development of microremoval process by enzyme (Japanese), 2A588
MITSUTAKE, Y: Experimental study of critical heat flux in open two-phase thermosyphon, 2A1213
MITSUYA, Y: Three-dimensional measurement of head flying height and attitude using image processing of fringe patterns formed by Michelson laser interferometry, 1T901
MITTAL, AK: Uncoupled frequency ratio in asymmetric buildings, 2A1387
MITTELMANN, HD: Matrices for the direct determination of the barycentric weights of rational interpolation, 8T66
MITYUSHEV, VV: Transport properties of double-periodic arrays of circular cylinders, 10A1335
MIURA, H: Accumulation and runoff simulation model for non-point pollution control in urban area (Chinese), 10A1503
- Evaluation of environmental impact reduction by the waste asphalt concrete recycling, 10T1504
MIURA, K: Suppression of embedded shocks in supersonic free-shear-layer structures, 3A1054
MIURA, KT: Mesh generation based on a new label-driven subdivision (Japanese), 4A34
- Mesh generation based on a new label-driven subdivision, 10A68
MIURA, N: Heat pump using a solar collector with photovoltaic modules on the surface, 11A1531
MIURA, S: Effect of stress history on cyclic undrained deformation: Strength characteristics of volcanic coarse-grained soils (Japanese), 5A513
- Static and cyclic shear behavior and particle crushing of volcanic coarse grained soils in Hokkaido (Japanese), 5A514
- Particle breakage of volcanic coarse: Grained soils and its evaluation (Japanese), 10A685
MIURA, T: Study on a design method for strengthening concrete members by steel-plate-bonding (Japanese), 7A825
- Impact resistance ability in bended point of reinforcing bars at very low temperature (Chinese), 10T935
MIWA, A: Biochemical machining of biodegradable plastics: Development of microremoval process by enzyme (Japanese), 2A588
MIWA, H: Studies on abrasion characteristics of concrete pavement (Chinese), 10A711
MIWA, N: Texture and shape memory strain in TiNi alloy sheets, 5A546
MIYACHI, H: Development of a computational scheme for transient combustion inside a refractory tube, 6A1348
MIYAGAWA, K: Effects of inner rotating horizontal cylinder on heat transfer in a differentially heated enclosure, 7A1265
- Tabular Taylor series expansion method for fast calculation of steam properties, 10A1424
MIYAGAWA, O: Force dispersion and shock damping mediated by close-packed arrays of distally connected cells, 4A220
MIYAGAWA, T: Influence of desalination on bond behavior between concrete and reinforcing steel (Japanese), 7T967
- Development of ultra-small sized servo actuator with brushless DC Motor, planetary gear drive and optical rotary encoder, 11A847
MIYAGI, H: Robust stability of nonlinear feedback systems with parameter deviations and perturbed nonlinearities, 9T301
MIYAGI, K: Nonunique dynamic equilibrium constitutive relation of metal powder depending on its microstructure, 11A634
MIYAGI, N: Robust stability of nonlinear feedback systems with parameter deviations and perturbed nonlinearities, 9T301
MIYAGI, T: Evaluation of collision analysis of ship to pile type fender (Japanese), 2A211
- Dynamic stress intensity factors analysis of interface crack using line-spring model, 6A762
MIYAHARA, K: Nanoscopic hardness measurement by atomic force microscope, 1A798
- Study on residual stress of ground surface of silicon nitrides (Japanese), 8A714
MIYAHARA, M: Prediction of crack initiation life of converter shell based on stress analysis (Japanese), 8A751
MIYAJI, K: Enhancement of the leading-edge separation vortices by trailing-edge lateral blowing, 2T1077
MIYAJI, R: Shaft response characteristics of hybrid type hydrostatic journal gas bearings with fluid damper (Japanese), 9A960
- Bearing characteristics of hydrostatic gas bearings with hybrid restrictor: Experimental study (Japanese), 12T1009
MIYAKE, K: Verification of SGS-stress models by direct numerical simulation of compressible homogeneous isotropic turbulence, 7T1156
MIYAKE, Y: International Symposium on Mathematical Modeling of Turbulent Flows, December 18-20, 1995, Tokyo Japan, 8A1196
MIYAMOTO, A: Mechanical characteristics and countermeasures of landslides at the fractured zone on meadian tectonic line (Japanese), 5T528
MIYAMOTO, I: Oxygen ion beam etching of single crystal diamond chips using an ECR-type ion source (Japanese), 5T571
MIYAMOTO, K: Study on streamlining the reinforced concrete structures for inground LNG storage tanks (Japanese), 10A945
MIYAMOTO, M: Measures to reduce the lateral vibration of the tail car in a high speed train, 8A194
- Bottom shear stresses of flows over a wavy bed by using depth averaged flow equations (Chinese), 10A1058
MIYAMOTO, T: Recent progress in microtribology, 7A884
MIYAMOTO, Y: Development of an active mass damper for a suspended load on a floating crane (Japanese), 6A161
- Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, 8A50
MIYANO, Y: Prediction of flexural fatigue strength of CRFP composites under arbitrary frequency, stress ratio, and temperature, 10A774
MIYARA, A: Heat transfer and flow resistance of a shell and plate-type evaporator, 11A1338
MIYASHITA, C: Considerations on the erection of bridge girders by use of floating crane barge and its dynamic behavior in long-period waves (Japanese), 2A807
MIYASHITA, S: Modeling of steel bridge pier base to footing connections under cyclic loading (Japanese), 11A814
MIYATA, K: Analyses of interaction between two pairs of shield tunnels and soil, and their application to design and construction of parallel shield tunnels (Japanese), 10A957
MIYATA, S: Application of CFD to engineering problems using FLOTRAN (Japanese), 5T943
MIYATA, T: Three dimensional unsteady aerodynamic force measurement by the modal decomposition and reassemblage method (Japanese), 3A1190
MIYATA, Y: Support system for FE analysis, 5A16
MIYATAKE, O: Numerical analysis of the transient turbulent flow field in a thermally stratified thermal storage water tank, 6A1244
- Simple universal equation for bubble growth in pure liquids and binary solutions with a non-volatile solute, 7A1283
- Theoretical study of droplet impingement on a solid surface below the Leidenfrost temperature, 9T1258
MIYAUCHI, T: Verification of SGS-stress models by direct numerical simulation of compressible homogeneous isotropic turbulence, 7T1156
- Assessment of subgrid-scale models by a direct numerical simulation of a temporally developing turbulent mixing layer, 7A1151
MIYAZAKI, A: Modeling of irradiation embrittlement of reactor pressure vessel steels (Japanese), 9A715
MIYAZAKI, K: Characteristics of molybdenum thin-film plate oscillators fabricated by minimum deformation micromachining, 11T635
- Heat transfer and flow resistance of a shell and plate-type evaporator, 11A1338
- Study on advanced man-machine interface system for autonomous nuclear power plants, 12A1418
MIYAZAKI, N: Constraint effects of clad on underclad crack, 5A657
- Dynamic stress intensity factors analysis of interface crack using line-spring model, 6A762
MIYAZAKI, S: Non-contact 3D 360° shape measuring system using light section method (Japanese), 7A795
MIYAZAKI, T: Holographic measurement of lower loss tangent using a beam of variable cross section - 1st report: Calculation and measurement of amplitude distribution, 1A804
- Studies on abrasion characteristics of concrete pavement (Chinese), 10A711
MIYAZAWA, H: Study on water sealing mechanism of earth pressure balanced shield subject to high water pressure (Japanese), 5A531
MIYAZAWA, S: Improvement of tool life by jet supplied cutting fluid (Japanese), 10A553
MIYOSHI, K: Generation of welded-part geometry with manufacturing process rules (Japanese), 10A1008
MIYOSHI, N: Study of immersed heat exchange surface for high-efficiency heat recovery from wire-rim tires in a fluidized-bed boiler, 9A1431
MIYOSHI, T: Study on micro-machined profile measurement by means of optical inverse scattering reconstruction phase method: Phase retrieval of periodic fine profile (Japanese), 2A736
- Study on B-spline surface fitting onto dense measured point data: Method of setting knot location and parameter with considering curvature (Japanese), 5A66
- Study on a 5-axis machine tool for sculptured surface having a fixed point in the tip of the tool, 7A614
MIYOSHI, Y: Abnormal cutting state detection using model parameters, 1A650
MIZE, J: Discrete averaging effects of a strain gage at a crack tip, 2A719
MIZOH, I: Wear of magnetic video head, 7T899
- Wear of tribo-elements of video tape recorders, 7A900
MIZOMOTO, M: Velocity statistics along the stagnation line of an axi-symmetric stagnating turbulent flow, 10A1158
MIZRAHI, J: Model of fatigue and recovery in paraplegic's quadriceps muscle subjected to intermittent FES, 2A1479
MIZUGAKI, Y: Emergence of complicated patterns from the viewpoint of machining (Japanese), 3T628
MIZUHARA, K: Evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 2A1126
- Elastohydrodynamic properties of lubricants in refrigerant environments, 7T1207
MIZUKAMI, K: Mathematical modeling of moisture desorption in a porous medium, 4A1348
- Decentralized robust control for a class of uncertain large-scale interconnected nonlinear dynamical systems, 4T343
- Moisture evaporation and migration in thin porous packed bed influenced by ambient and operating conditions, 7A1451
MIZUKAMI, Y: Planning of simultaneous machining sequence for turning by considering division of machining areas: Generation of effective combinations for simultaneous machining (Japanese), 1A654
MIZUKUCHI, H: Mechanism of degradation of organic matter in seawater by effective microbes and its utilization (Chinese), 10A1496
MIZUMOTO, H: Binocular machine vision system using an active view point (Japanese), 5A346
- Lapping system for improving the waviness of ultra-precision steel balls (Japanese), 8A722
MIZUNO, H: Trends of commercial transport aircraft, 5T803
- Vibration control of Kurushima Bridge Tower 5P under construction (Japanese), 11T815
MIZUNO, S: New dressing method for gear honing wheel and its effectiveness - 2nd Report: Improvement of dressing ability with slant feeding (Japanese), 7A638
- Development of gear finishing by a compound lapping machine (Japanese), 10A552
- New tooth finishing method with CBN abrasive wheel for involute internal spline: Improvement of tooth accuracy with slant traverse feeding (Japanese), 10A969
MIZUNO, T: Changes in surface texture of zinc-coated steel sheets under plastic deformation, 3A868
- Contact mechanics of zinc-coated steel sheets, 5A837
MIZUSAWA, T: Vibration of thick laminated cylindrical panels by the spline strip method, 3A169
- Vibration of annular sector Mindlin plates with intermediate arc supports by the spline strip method, 4A143
MIZUSHIMA, J: Stability of the flow past a row of square bars, 1A1059
- Stability of the thermal convection in a tilted square cavity, 1A1181
MIZUSHINA, Y: Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226
MIZUTA, K: Flow pattern of working fluid and heat-transfer performance in annular type rotating heat pipes with horizontal axis - Part I: Flow pattern and the heat transport rate at the evaporation section, 7A1341
- Heat transfer rate of annular-type horizontal rotating heat pipes - Part II: Experiments and theoretical analysis for the heat transport rate, 9A1300
MIZUTA, Y: Effect of injected water on hydraulic fracturing deduced from acoustic emission monitoring (Japanese), 2A955
- Effects of fluid viscosity in hydraulic fracturing deduced from acoustic emission monitoring (Japanese), 5A917
MIZUTANI, H: In-feed internal honing of fine ceramics, 11T639
- In-feed internal honing of fine ceramics, 11A638
MIZUTANI, N: Second order exact theory of nonlinear wave diffraction due to a cylindrical structure (Japanese), 7A220
- Kinematics of overturning solitary waves and their relations to breaker types, 8A253
MIZUYAMA, H: Design for quality by a decompositional approach - 1st report: The case in which the product is decomposed into plural parts in parallel (Japanese), 10A542
MIZUYAMA, T: Elastic-plastic impact response analysis and impact resistant design of steel pipe check dam (Japanese), 6A1434
MKRTCHYAN, KS: Propagation of oscillations from a point source in an anisotropic plane and half-plane with a thin coating, 3A194
MLADENOV, KA: Stability of a jointed free-free beam under end rocket thrust, 6A628
MLADENOVIC, N: Numerical solution of the Euler equations in quasi 1D flow, 10A1151
MLADIN, EC: Local convective heat transfer to submerged pulsating jets, 11A1270
MLOTKOWSKI, A: Experimental analysis of post-buckling and collapse behavior of thin-walled box-section beam, 4A612
- Modeling of free vibrations of cylindrical coil, 4A170
MO, A: Influence of micro-scale solute diffusion and dendrite coarsening upon surface macrosegregation, 8A1393
MO, JIAQI: Class of singularly perturbed reaction diffusion systems, 11A1383
MO, JX: Extent of stretching during deep drawing, 4A665
MO, Y: Numerical analysis of the transient turbulent flow field in a thermally stratified thermal storage water tank, 6A1244
MO, YL: Response of reinforced-prestressed concrete box structures to dynamically applied torsion, 4A1409
- Behavior of reinforced-concrete-framed shear walls, 5A769
- Bond and slip of plain rebars in concrete, 6A879
- Seismic response of reinforced concrete buildings close to deep excavation, 11A1494
MOAKE, JL: Shear stress-induced binding of Von Willebrand factor to platelets, 10T1536
MOAN, MR: Transient error detection during UDU^T covariance calculations using algorithm based fault tolerance, 12A423
MOAN, T: Fatigue reliability of TLP tether systems, 8A898
- Tube collapse under combined external pressure, tension and bending, 11A24
MOAVENIAN, M: Failure detection and location using residual difference generation detection filters, 7A369
MOAYEDIAN, M: Nonprismatic beam and column design tables: For nonlinear analysis, 2A515
MOBARAK, A: Experimental and numerical study of the flow field in a multi-turning variable area duct, 11A1046
MOCCIA, A: Space station based tethered interferometer for natural disaster monitoring, 4A868
MOCHIDA, H: Development of high-productivity machine for precision dies and molds, 11A590
MOCHIDA, Y: Vibration measurements of micromachined gyroscope (Japanese), 10T862
MOCHIZUKI, C: Injection molded plastic gears now (Japanese), 1T912
MOCHIZUKI, E: Nonuniqueness of 2D anisotropic tomography, 12A1474
MOCHIZUKI, S: Reynolds-number-dependence of the maximum in the streamwise velocity fluctuations in wall turbulence, 2A1035
- Turbulent drag reduction in a d-type rough wall boundary layer with longitudinal thin ribs placed within traverse grooves: Higher-order moments and conditional sampling analysis, 3A1099
- Effects of rib arrangements on pressure drop and heat transfer in a rib-roughened channel with a sharp 180° turn, 12A1256
MOCHNACKI, B: BEM application for numerical solution of non-steady and nonlinear thermal diffusion problems, 9A55
MOCKENSTURM, EM: Stability and limit cycles of parametrically excited, axially moving strings, 1A174
MOCZKO, A: Modern methods of concrete quality inspection in road and bridge engineering (Polish), 2A805
MOCZO, P: Amplification and differential motion due to an antiplane 2D resonance in the sediment valleys embedded in a layer over the half-space, 4A1423
MODAK, AR: Optimal regional scheduling of solid waste systems - I: Model development, 3T1479
MODAK, JP: Approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 2A878
MODARESSI, H: Diffuse element-FE technique for transient coupled analysis, 5A26
- Thermo-viscoplastic constitutive model for clays, 10A686
MODER, JP: Nonaxisymmetric radiative transfer in cylindrical enclosures, 6A1277
- Spatial-multiblock procedure for radiation heat transfer, 10A1341
MODEST, MF: Transient model for CW and pulsed laser machining of ablating-decomposing materials: Approximate analysis, 2A1233
- Boundary treatment and an efficient pressure algorithm for internal turbulent flows using the PDF method, 7A1157
- Stochastic Lagrangian model for near-wall turbulent heat transfer, 8A1199
MODI, V: Design of minimum drag bodies in incompressible laminar flow, 5A1075
MODI, VJ: Analytical vibration and resonant motion of a stretched spinning nonlinear tether, 3A154

- Analytical and numerical analysis of the dynamics of a marine riser connected to a floating platform, 6A200
MODUKURU, SC: Determination of the die profile for the investment casting of aerofoil-shaped turbine blades using the FEM, 1A36
MOE, V: Stationary and non-stationary random vibration of oscillators with bilinear hysteresis, 3A129
MOEHLE, JP: Seismic evaluation of existing reinforced concrete building columns, 6A1452
MOEIZADEH, M: Electronic device to measure drive and recovery phases during wheelchair propulsion: A technical note, 1A1474
MOELLER, MJ: Implementing and improving statistical energy analysis models using quality technology, 8A349
MOEN, CD: Solution algorithm for low-Peclet-number reacting flow, 12A1353
MOENG, CHIN-HOH: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
- Grid nesting method for large-eddy simulation of planetary boundary-layer flows, 5A1431
- Langmuir turbulence in the ocean, 9A1503
MOERK, K: Volume V: Pipeline Technology, 11N30
MOETAKEF, MA: Elastic wave generation by piezoceramic patches, 4A799
MOFFAT, DG: Effects of chord length and boundary conditions on the static strength of a tubular T-joint under brace compression loading, 3A818
- Effect of diameter-thickness ratio on the ratchetting behavior of pressurized plain pipework subjected to simulated seismic loading, 3A1381
- Pressurized piping elbows under simulated seismic bending: Design code implications, 8A940
MOFFATT, HK: General transformations and variational principles for the magnetohydrodynamics of ideal fluids - Part 2: Stability criteria for 2D flows, 7A1160
- Similarity solution for viscous source flow on a vertical plane, 8A1068
- Effect of a central vortex on a stretched magnetic flux tube, 11A1121
MOFID, M: Experimental study of prefabricated funicular shell units, 11A523
MOGILEVSKAYA, SG: Universal algorithm based on complex hypersingular integral equation to solve plane elasticity problems, 1A455
MOGILEVSKII, RI: Dynamic bending of a beam lying on a rough surface, 1A159
MOGILEVSKY, RI: Frictional behavior of thermally loaded beams resting on a plane, 1A554
MOH, JAU-SUNG: Optimization for buckling of composite sandwich plates, 10A904
MOH, JH: Simulation of 2D, low-PR natural convection in harmonically oscillated, differentially heated enclosures, 7A1251
MOHAJERJASBI, S: Predictions for coefficients of thermal expansion of 3D braided composites, 6A1309
MOHAMAD, AA: Spatially fourth-order-accurate scheme for unsteady-convection problems, 10A1316
- Turbulent heat and mass transfer in an asymmetrically heated, vertical parallel-plate channel, 10A1386
- High efficiency solar air heater, 10A1486
MOHAMED, AEMA: Electroviscoelastic stability of a Kelvin fluid layer, 7A1164
- Electroviscoelastic Rayleigh-Taylor instability of Kelvin fluids: Effect of a constant tangential electric field, 9A1138
MOHAMED, AMO: Boundary layer transport of metal ions in frozen soil, 4A647
- Determination of ionic strength and equilibrium concentrations of heavy metals by the electrical conductivity method, 12A676
MOHAMED, AR: Prediction of stresses in concrete pavements subjected to nonlinear gradients, 10A588
MOHAMED, FAA: Simulation study of performance influencing parameters in solar electric water pumping system, 11A1540
MOHAMED, SA: Analytical solution of cracked shell resting on elastic foundation, 7A768
MOHAMMADEIN, AA: Effects of transverse magnetic field on mixed convection in a micropolar fluid on a horizontal plate with vectored mass transfer, 5A1179
- Effect of a transverse magnetic field on natural convection in micropolar fluids, 9A1132
MOHAMMADI, AB: Dual-fuelling of an industrial indirect injection diesel engine by diesel and liquid petroleum gas, 4A1322
MOHAMMADI, B: New optimal shape design procedure for inviscid and viscous turbulent flows, 12A1153
MOHAMMADI, J: Fatigue reliability reassessment applications: State-of-the-art paper, 9A858
- Fatigue reliability reassessment procedures: State-of-the-art paper, 9A859
MOHAMMADIOUN, B: Nonlinear response of soils to horizontal and vertical bedrock earthquake motion, 11A1483
MOHAMMED, AAF: Near field transient axisymmetric waves in layered structures: Effects of weak coupling, 10A266
MOHAMMED, RA: Crack propagation under mixed Mode (I + III) loading, 5A577
MOHAMMED, UF: Experimental study of ultrasonic attenuation in microporous polyethylene, 10A364
MOHAMMEDIEN, AA: Combined convection in an axisymmetric stagnation flow of micropolar fluid, 2A1174
- Transient free convection in micropolar fluids from an isothermal horizontal circular cylinder, 7A1252
MOHAN, PR: Accurate thermal stress predictions using C^0-continuous higher-order shear deformable elements, 10A1379
MOHAN, R: Monitoring of thermal energy distribution in abrasive waterjet cutting using infrared thermography, 5A560
- Low-cycle fatigue crack growth considerations in pipe fracture analyses, 12A1510
MOHAN, RV: Flux-based finite-volume formulations and adaptive time-stepping strategies for modeling of reentry thermal protection systems, 3A1257
MOHANTY, B: Rock Fragmentation by Blasting, 5N17
MOHANTY, M: Sliding wear behavior of thermally sprayed 75-25 Cr_3C_2-NiCr wear resistant coatings, 3A876
- Cellular basis for failure of joint prosthesis, 5T1520
MOHANTY, RK: $O(k^2 + h^2)$ finite difference method for one-space Burger's equation in polar coordinates, 2A41
- Use of high order difference methods for the system of one space second order nonlinear hyperbolic equations with variable coefficients, 2A44
- Difference methods of order two and four for systems of mildly nonlinear biharmonic problems of the second kind in two space dimensions, 5A50
MOHEIMANI, SOR: Minimax optimal control of discrete-time uncertain systems with structured uncertainty, 8T381
MOHIUDDIN, MA: Dynamic analysis of rotors using modal reduction, 12A44
MOHLMANN, D: Comentary activity and nucleus modeling: A new approach, 4A260
MOHR, JW: Heat transfer characteristics of a radial jet reattachment flame, 11A1247
- Thermal contact conductance of a paper-elastomer interface, 11T1312
- Heat transfer from a pair of radial jet reattachment flames, 12T1251
MOHRAZ, B: Method of estimating the parameters of tuned mass dampers for seismic applications, 11A161
MOHRBACHER, H: Frotting behavior of PVD TiN coatings in aqueous solutions, 7A693
MOHRI, N: Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), 8A730
- Three dimensional generation by dot-matrix EDM - 1st Report: Proposal of dot-matrix EDM, 9A672
- Development of end effector utilizing parallel mechanism for EDM with a scanning motion (Japanese), 12T425
MOHRING, W: Scattering of sound waves by a cylindrical vortex: A semi-analytical theory, 8A329
MOIN, P: Large-eddy simulation of a concave wall boundary layer, 2A1002
- Zonal embedded grids for numerical simulations of wall-bounded turbulent flows, 3A1147
- Sound radiation during local laminar breakdown in a low-Mach-number boundary layer, 3A299
- Computation of quadrupole noise using acoustic analogy, 5A229
- Sound generation in a mixing layer, 8A315
- Effect of numerical errors in large eddy simulations of turbulent flows, 8A1201
- Direct numerical simulation of turbulent flow over a backward-facing step, 8A1188
- Influence of entropy fluctuations on the interaction of turbulence with a shock wave, 9A1109
- Interaction of isotropic turbulence with shock waves: Effect of shock strength, 11A1089
MOINI, H: Concurrent design of a structure and its distributed piezoelectric actuators, 8A890
MOISEEV, VF: Wear strength of nitrogen-hardened high-speed steel tools, 2A896
MOISEFF, A: Artificial neural network for sound localization using binaural cues, 1A342
MOISIDIS, NT: Serviceability approach for carbon steel piping to intermittent high temperatures, 5A812
MOITA, GF: Co-rotational formulation for 2D continua including incompatible modes, 1A57
- Unified co-rotational framework for solids, shells, and beams, 1A27
- Post-critical analysis of axisymmetric hyper-elastic membranes by the FEM, 3A523
- Finite element formulation for 3D continua using the co-rotational technique, 5A12
MOITINHO DE ALMEIDA, JP: Set of hybrid equilibrium FE models for the analysis of 3D solids, 2A35
- General formulation of equilibrium macro-elements with control of spurious kinematic modes: The exorcism of an old curse, 3A36
- Non-conventional formulations for the FEM, 6A55
MOITRA, A: Dynamic fracture toughness properties of a 9Cr-1Mo weld from instrumented impact and drop-weight tests, 4A778
- Instrumented drop-weight test results for normalized and tempered 9Cr-1Mo steel, 5A1439
MOJTABI, A: Asymptotic solution of natural convection problem in a square cavity heated from below, 3A1226
- Properties of convective oscillations in porous medium, 5A1404
MOK, CHIN MAN: Inference of dynamic shear modulus from Lotung downhole data, 3A587
MOK, DK: Effect of workpiece temperature on the machinability of an aluminum-SiC MMC, 2A592
MOKEEV, AA: Ultimate strength of electrorheological suspension as a function of electrical field intensity, 12A1159
- Ultimate strength of electrorheological suspension as a function of electrical field intensity, 12A1159
MOKHEIMER, EMA: Analytical and numerical solution along with PC spreadsheets modeling for a composite fin, 10A1327
MOKNI, M: Void ratio evolution inside shear bands in triaxial sand specimens studied by computed tomography, 4A641
MOKRANI, A: Residence time distribution in twisted pipe flows: Helically coiled system and chaotic system, 9A1090
- Effects of chaotic advection on heat transfer, 10A1354
MOKRY, M: NPARC study of a 2D transonic wall interference, 4A1118
MOLAS, GL: Earthquake hazard mapping in the Maghreb countries: Algeria, Morocco, Tunisia, 4A1393
MOLCHENKO, LV: Nonlinear deformation of shells of revolution of arbitrary meridian in a nonsteady magnetic field (Russian), 2A478
- Nonlinear deformation of a conical shell being in the magnetic field (Russian), 12A617
MOLDENAERS, P: Concentration effects on the rheology and texture of PBG-m-cresol solutions, 3A956
- Transient rheological response and morphology evolution of immiscible polymer blends, 10A1026
- Kinetic network model for nonlinear flow behavior of molten plastics in both shear and extension, 11A900
MOLDRUP, P: Effects of vapor extraction on contaminant flux to atmosphere and ground water, 3T1474
- Gas chromatography micro-column method for measuring retardation of volatile organic chemical gas transport in soils (Chinese), 10A700
MOLE, N: Velocity based approach including acceleration to the FE computation of viscoplastic problems, 4A533
MOLEMAKER, MJ: Symmetry breaking and overturning oscillations in thermohaline-driven flows, 8A107
- Formation and evolution of a diffusive interface, 8A1389
MOLENAAR, J: Modeling of velocity enhancement in polymer flooding, 9A1440
MOLES, MDC: Ultrasonic characterization of the radius of curvature at the root of a surface breaking AFS mark, 10A874
MOLESINI, G: Using a programmable interferometer for digital phase-shifting speckle interferometry, 8A872
MOLIAN, PA: Model for prediction of dimensional tolerances of laser cut holes in mild steel thin plates, 12A464
MOLINARI, A: Problem of elastic inclusions at finite concentration, 1A444
- Self heating and thermal failure of polymers sustaining a compressive cyclic loading, 1A688
- Modeling of cutting for viscoplastic materials, 7A596
- Propagative front in unstable thermal sensitive materials, 8A1384
- Dry sliding wear mechanisms of the Ti6Al4V alloy, 12A940
MOLINEAUX, B: Broad band transmittance of direct irradiance in a cloudless sky and its application to the parameterization of atmospheric turbidity, 3A1449
MOLLER, B: Fuzzy modeling in structural mechanics (German), 10A432
MOLOKOV, S: Magnetohydrodynamic flow in a right-angle bend in a strong magnetic field, 5A1059
MOLONEY, LD: Fabrication of woven carbon fiber-polycarbonate repair patches, 5A455
MOLSKI, K: Elastic stress singularities and corresponding generalized stress intensity factors for angular corners under various boundary conditions, 5A388
MOLSKI, KL: Side curvature effect on the stress intensity factor K_I of finite width cracked elements subjected to tension and bending, 4A741
- Weight functions of loading modes I, II, and III for a round hole with two symmetric radial cracks, 4A777
- Determination of K_I and K_{II} for curvilinear cracks under a non-uniform biaxial stress field, 5A651
MOLYNEAUX, TCK: Dynamic instability criteria for structures subjected to sudden step loads, 7A552
MOLYNEUX, WG: Internal bevel gear and its applications, 9A956
MOMBER, AW: Investigations in abrasive water jet erosion based on wear particle analysis, 4A887
- Accelerated high speed water erosion test for concrete wear debris analysis, 4T913
- Alternative method for the evaluation of the abrasive water-jet cutting of grey cast iron, 11A591
MOMIYAMA, Y: Study on bond mechanism of steel fiber reinforced ultra rapid hardening concrete applied to concrete overlay (Japanese), 2T783
MOMMERSTEEG, TJA: Global verification study of a quasi-static knee model with multi-bundle ligaments, 5A1470
- Inverse dynamics modeling approach to determine the restraining function of human knee ligament bundles, 7A1539
MOMONOI, N: Method for seismic reliability analysis of secondary transmission system (Japanese), 6A1472
MOMOSE, K: Green's function approach to optimal arrangement of heat sources in a heat conductor, 2A1231
MONACO, JF: Supersonic flows of dense gases in cascade configurations, 8A1097
MONACO, R: Numerical simulations of a Boltzmann model for reacting gases, 12A1400
MONAGHAN, PF: Modeling of pre-heating of flat panels prior to press forming, 7A634
MONBET, V: Joint PDF parametric models for the rate of upcrossings of the acceleration for a nonlinear stochastic oscillator, 3A125
MONCADA, AT: Velocity distribution in sediment-laden flow (Spanish), 11A928
MONCRIEFF, MW: Mass and moment transports by organized convection: Effects of shear and buoyancy, 3A1426
- Analytical study of density currents in sheared, stratified fluids including the effects of latent heating, 6A997
MONDA, K: Stress concentration factors for shoulder fillets in round and flat bars under various loads, 8A478
MONDAL, D: Bending analysis of a finite beam on a reinforced halfplane, 12A848
MONDE, M: Experimental study of critical heat flux in open two-phase thermosyphon, 2A1213
MONDRAGON C, RJ: Control of the Arnold Circle Map, 1A118
MONEGATO, G: New numerical integration schemes for applications of Galerkin BEM to 2D problems, 10A92
MONGEAU, L: Adaptive-passive noise control with self-tuning Helmholtz resonators, 10A373
MONGIA, HC: Monte Carlo probability density function method for gas turbine combustor flowfield predictions, 9A1399
- Anchored CCD for gas turbine combustor design and data correlation, 12A1396
MONGKOL, J: Linear-saturation control of buildings, 6A865
MONGRUEL, A: Scaling of boundary-layer flows driven by double-diffusive convection, 2A1300
MONISMITH, SG: Hybrid digital particle tracking velocimetry technique, 8A1259
- Hybrid spectral finite difference simulations of stratified turbulent flows on distributed memory architectures, 11A1101
MONKEWITZ, PA: Advances in Turbulence VI, 7N24
- Nonlinear modeling of vortex shedding control in cylinder wakes, 4A986
MONKMAN, GJ: Analysis of astrictive prehension, 8A423
MONLEON PRADAS, M: Fundamental property of a perfect gas and the second law of thermodynamics, 6T1219
MONMOUSSEAU, P: Transient thermoelastohydrodynamic study of tilting pad journal bearings: Comparison between experimental data and theoretical results, 12A1211
MONNIER, J: Shape optimal design for a fluid-heat coupled system, 4A24
MONSELL, FP: Quantifying the kinematics of natural and prosthetic knee flexion, 5A1481
MONSERRAT, S: Use of ducting theory in an observed case of gravity waves, 3T1021
MONTAG, U: Increase of computational algorithm efficiency for elastoplastic shell analysis, 9A577
MONTAGNER, JP: Effects of the atmospheric pressure changes on seismic signals or how to improve the quality of a station, 8A1498
MONTAGUE, GT: Electromechanical modeling of hybrid piezohydraulic actuator system for active control, 9A358
MONTANARI, P: Importance of the temperature and lateral pressure on the CFRP joints strength under uniaxial loading, 12A560
MONTEBUGNOLI, S: First evidence of planetary water maser emission induced by the comet-Jupiter catastrophic impact, 5T172
MONTECCHIARI, P: Multibump solutions for perturbations of periodic second order Hamiltonian systems, 4T56

MONTEI, EL: High resolution electron energy loss spectroscopy of low vapor pressure liquid lubricants: Fomblin Y and Z, 10A1264
MONTEIRO, ABS: Rain-fall modeling: An application of Bayesian forecasting, 10T1465
MONTELLI, L: Simulation and moderation of the thermal response of confined pressed explosive compositions, 3A1319
MONTENS, SJ: Roize River experimental bridge, 4T844
MONTERO DE FREIJO, F: New constitutive relations for piezoelectric composites and porous piezoelectric ceramics, 5A508
MONTES, JS: Transition to a free-surface flow at end of a horizontal conduit, 10T1049
MONTESI, LGJ: Shear-enhanced compaction and permeability reduction: Triaxial extension tests on porous sandstone, 11A736
MONTEVECCHI, FM: Computational evaluation of intraventricular pressure gradients based on a fluid-structure approach, 5A1496
MONTGOMERY, CJ: Direct numerical solution of turbulent nonpremixed combustion with multistep hydrogen-oxygen kinetics, 9A1361
MONTGOMERY, D: Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, 12A1411
MONTGOMERY, DC: Kinetic method for computing inhomogeneous fluid behavior, 12T1103
MONTGOMERY, DE: Weighted least-squares discrete FE formulation for modeling 3D velocity response fields measured by a laser doppler vibrometer, 3A145
MONTHEILLET, F: Velocity, strain rate, and stress fields around a spheroidal cavity in a linearly viscous material, 1A474
- Damage in a viscoplastic material - Part I: Cavity growth, 1A747
- Predicting the mechanical behavior of two-phase materials with cellular automata, 1A495
- Extension of the Hill (1948) yield criterion to the case of prismatic monoclinic symmetry, 2A415
- Thermo-mechanical analysis of stability in dieless wire drawing, 7A1362
MONTI, G: Nonlinear response of bridges under multisupport excitation, 3A182
- Finite element for anchored bars under cyclic load reversals, 11A17
MONTI, M: Elastic instability of thin cylindrical shells: Numerical and experimental investigation, 6A621
MONTI, P: Closure to derive a 3D well-mixed trajectory-model for non-Gaussian, inhomogeneous turbulence, 6T1154
MONTI, R: Microgravity experiment acceleration tolerability on space orbiting laboratories, 4A864
- Three-dimensional numerical simulation of thermocapillary instabilities in floating zones, 5A1166
- Modeling of non-coalescing liquid drops in the presence of thermocapillary convection, 11A1005
MONTMITONNET, P: Application of anisotropic viscoplastic behavior in 3D FE simulations of hot rolling, 1A630
MONTOYA-VITINI, F: Onset of transient cavitation in gassy liquids, 10A346
MONTRASIO, L: Settlements of shallow foundations on sand: Geometrical effects, 9A618
MONTSERRAT, S: Application of modulated differential scanning calorimetry to the glass transition: Theoretical analysis using a single parameter model, 4A1186
MONTUSIEWICZ, J: Computer aidod optimum design of machine tool spindle systems with hydrostatic bearings, 9A412
MOO-YOUNG, HK: Geotechnical properties of paper mill sludges for use in landfill covers, 3A600
MOOCK, W: Collector efficiency factor F' for absorbers with rectangular fluid ducts contacting the entire surface, 11A1520
MOODY, FJ: Fluid-Structure Interaction - 1996, 2N11
- Proceedings of the ASME Fluids Engineering Division, 4N25
MOOG, CH: Linearization of discrete-time systems, 4A367
MOOK, DJ: Integrated estimation-identification using second-order dynamic models, 6A359
MOOK, DT: Wing in heaving oscillatory motion, 4A1125
MOON, CHAN-HONG: Stability of a friction driver using a describing function, 4A414
- Study on microcutting for the configuration of tools using molecular dynamics, 4A678
MOON, FC: Controlling chaos in a two-well oscillator, 1A119
MOON, HYEONG-SOON: Neuro-fuzzy approach to select welding conditions for welding quality improvement in horizontal fillet welding, 5A881
- Optimum design based on mathematical model and neural network to predict weld parameters for fillet joints, 8A458
MOON, J: Nonlinear vibration of power transmission belts, 9A950
MOON, KS: Development of a microscopic laser interferometry system for precision surface measurement, 11A352
MOON, KW: Dynamic aspects of wetting balance tests, 4A691
MOON, SEUNG JAE: Effects of buoyancy and periodic rotation on the melt flow in a vertical Bridgman configuration, 8A1297
MOON, SY: Numerical simulation of heat transfer in chemically reacting shock wave-turbulent boundary layer interactions, 1A1038
MOON, WON-KYU: Modeling of piezoelectric ceramic vibrators including thermal effects - Part IV: Development and experimental evaluation of a bond graph model of the thickness vibrator, 8A633
- Modeling of piezoelectric ceramic vibrators including thermal effects - Part III: Bond graph model for 1D heat conduction, 8A632
MOONEY, CJ: Finite-amplitude baroclinic instability of a mesoscale gravity current in a channel, 4T1073
MOONEY, MA: Shear bands in plane strain compression of loose sand, 9A614
- Undrained shear band deformation in granular media, 11A553
MOORCROFT, CI: Data-logging system to monitor bone fracture movement continuously, 12T1566
MOORE JR, JE: Effect of blood viscoelasticity on pulsatile flow in stationary and axially moving tubes, 1A1460
- Residual strain effects on the stress field in a thick wall FE model of the human carotid bifurcation, 12A1548
MOORE, DB: Pressures in a square planform silo during discharge, 1A625
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Overall considerations, 8A926
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Detailed appraisal, 8A927
MOORE, DF: Empirical model for determining the radial force-deflection characteristics of off-road bicycle tires, 3A828
MOORE, DW: Inertial nonlinear equilibration of equatorial flows, 8A1505
MOORE, EF: Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, 8A1439
- Dynamical systems approach to particle transport modeling in dilute gas-particle flows with application to a chemical vapor deposition reactor, 12A1422
MOORE, FG: Nonlinear aeroprediction methodology for roll position of 45°, 8A1227
- New semiempirical model for wing-tail interference, 8A1223
MOORE, ID: Two-level iterative FEM technique for rigorous solution of nonlinear interaction problems under large deformations, 1A447
- New techniques for modeling reservoir-dam and foundation-dam interaction, 11A1486
MOORE, J: Methods of classical mechanics applied to turbulence stresses in a tip leakage vortex, 5A1045
MOORE, JB: Separation theorem for linearly constrained LQG optimal control, 4T359
- Least squares pole assignment by memoryless output feedback, 5T302
MOORE, JG: Methods of classical mechanics applied to turbulence stresses in a tip leakage vortex, 5A1045
MOORE, JR: Dual-use conversion of a high-Mach-number jet engine test cell for industrial gas turbine low-emission combustor development, 8A1418
MOORE, L: Experimental and numerical evaluation of beam-to-column connections for pultruded structures, 4A573
MOORE, TN: Backlash detection in geared mechanisms: Modeling, simulation, and experimentation, 11A846
MOORS, JHJ: Kinetic study of pulverized coal combustion at high pressure using a shock tube, 6A1343
MOORTHY, MBK: Symmetric linear elastic model for helical wire strands under axisymmetric loads, 4A587
MOORTHY, RIK: Use of an unconventional technique for seismic qualification of equipments, 4A1415
- Significance of higher modes for evolution of chaos in structural mechanics systems, 6A124
- Vibration problems in vertical pumps: Need for integrated approach in design and testing, 10T245
MOORTHY, S: Model for analysis of arbitrary composite and porous microstructures with Voronoi Cell FEs, 1A541
MOORTHY, V: Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813
MOOSAVI, M: Load distribution along fully grouted bolts, with emphasis on cable bolt reinforcement, 1A936
MOOTZ, F: Numerical study of a ventilated facade panel, 4A1460
MORA, J-C: Expansion of multi-jet bed with large particles, 5A1397
MORAAL, J: Cracking in asphalt concrete, 5A770
MORABITO, D: Effect of cathodic protection potential on corrosion fatigue crack growth rate of an offshore structural steel, 5A616
MORAG, E: Relationship of static foot structure to dynamic foot function, 7A1541
MORAL, JA: Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars, 12A162
MORALES, JC: Boundary-fitted coordinates for the asymptotic friction factors and Nusselt numbers of laminar flows inside straight ducts with irregular, singly connected cross-sections, 5A1133
- Irreversibility phenomena associated with heat transfer and fluid friction in laminar flows through singly connected ducts, 5A1139
- Application of a finite volume based method of lines to turbulent forced convection in circular tubes, 5A1196
- Pressure drop and heat transfer associated with flows moving laminarly in straight ducts of irregular, singly connected cross-sections, 8A1275
- Semi-analytical calculation of turbulent, in-tube forced convection heat transmission of metallic liquids, 10A1284
MORALES-PATINO, A: Oscillatory and simple shear flows of a flour-water dough: A constitutive model, 9A989
MORAN, B: Self-similar crack expansion method for 3D cracks in an infinite or semi-infinite medium, 4A740
- Treatment of material discontinuity in the Element-Free Galerkin method, 6A34
- Film cracking and debonding in a coated fiber, 6A780
- Enriched element-free Galerkin methods for crack tip fields, 10A842
MORAN, JC: Statistical convergence of aerosol deposition measurements, 9A1070
MORAN, KJ: Numerical analysis of a swept-fin missile, 10A1226
MORAN, PM: Kink band initiation and band broadening in clear wood under compressive loading, 9A492
MORAND, M: Effects of the atmospheric pressure changes on seismic signals or how to improve the quality of a station, 8A1498
MORASSI, A: Uniqueness result on crack location in vibrating rods, 9A782
- Localizing a notch in a steel frame from frequency measurements, 11A277
MORAWETZ, CS: Viscous approximation for a 2D steady semiconductor or transonic gas dynamic flow: Existence theorem for potential flow, 4A1001
MORAWITZ, WML: Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, 5T1427
MORBIDELLI, A: Relationship between Lyapunov times and macroscopic instability times, 1A299
- Kozai resonance in the outer solar system and the dynamics of long-period comets, 7A240
MORBIDELLI, M: Modeling of the reburning process, 12A1378
MORE, KL: Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, 4A548
MOREAU, M: Exact results for the transmission probabilities in linear array of fluctuating barriers, 9A1340
MOREAU, P: FE strategy for glass sheet manufacture by creep forming, 1A678
MORECKI, A: RoManSy 11: Theory and Practice of Robots and Manipulators, 11N18
MOREGA, AM: Optimal spacing between pin fins with impinging flow, 2A1261
MOREIRA, ALN: Mean and turbulent flowfields in a model RQL gas-turbine combustor, 7A1407
MOREL, YG: Intense vortex motion in a stratified fluid on the beta-plane: An analytical theory and its validation, 10A1068
MORELLI, EA: Accuracy of aerodynamic model parameters estimated from flight test data, 7A1173
MORELLI, M: Boundary-layer transition on a forward-swept wing in canard configuration, 6T1176
MORENA, JJ: Advanced Composites World Reference Dictionary, 3N22
MORENCY, JR: Infrared measurements of soot formation in diesel sprays, 5A1336
MORENO, A: Rating index for estimating insertion loss of noise barriers under traffic noise conditions, 2A290
MORENO, B: Use of the strip-yield model to predict fatigue crack growth under irregular loading, 12A751
MORENO, L: Intercomparison of coastal area morphodynamic models, 12T1060
MORENO, M: Tribological aspects of an Al-SiC composite under axisymmetric compression, 12A988
MORENO, R: Numerical study of 3D incompressible thermal flows in complex geometries - Part I: Theory and benchmark solutions, 11A1267
MORETON, DN: Effect of diameter-thickness ratio on the ratchetting behavior of pressurized plain pipework subjected to simulated seismic loading, 3A1381
- Preasurized piping elbows under simulated seismic bending: Design code implications, 8A940
MORETTI, M: Behavior and ductility of reinforced concrete coupling beams of shear walls, 5A768
MOREYRA, M: Scaling of direct drive robot arms, 4A443
MORFILL, GE: Meter-scale variations of the charge carried by mesospheric dust, 6A323
MORGAN, AP: Locating sound sources with vector sound-intensity probes, using polynomial continuation, 1A334
MORGAN, ASE: Size effect analysis for pull-out strength by fictitious crack model, 10A799
- Detecting the size effect in concrete beams using nonlinear fracture mechanics, 10A932
MORGAN, DD: Payload environment and gas release effects on sounding rocket neutral pressure measurements, 2A1349
MORGAN, DR: Parametric error analysis of the backward integration method for reverberation time estimation, 10A397
MORGAN, DT: Barotropic thin jets over arbitrary topography, 12T1493
MORGAN, JA: Forced response of coupled substructures using experimentally based component mode synthesis, 7A168
MORGAN, JJ: Stability and Lyapunov functions for reaction-diffusion systems, 10A1391
MORGAN, K: Finite Element Method in Heat Transfer Analysis, 4R28
- Split, characteristic based semi-implicit algorithm for laminar-turbulent incompressible flows, 4A999
- Unstructured mesh generation including directional refinement for aerodynamic flow simulation, 10A38
MORGAN, P: Streamline based grid adaption for Euler and Navier-Stokes: Direct and inverse design applications, 11A945
MORGAN, PA: Acoustic performance of an interference-type noise-barrier profile, 4A300
MORGAN, R: Visualization and analysis of bow shocks in a superorbital expansion tube, 4T1042
MORGAN, RG: Shock-tunnel investigation of hypervelocity free shear layers in a planar duct, 3A1118
MORGAN, RM: Mechanisms of thoracic injury in frontal impact, 5T1472
MORGAN, VT: Heat transfer by natural convection from a horizontal isothermal circular cylinder in air, 9A1212
MORGANTI, F: Analysis and control of microvibrations on ARTEMIS satellite, 1A205
MORI, A: Study for evaluation of compacted density of granular materials (Japanese), 2A550
- One proposal on the design of nonwoven geotextile filter layer considering permeability due to clogging (Japanese), 8T680
- Study on suitable slurry properties with slurry-type shield driving in sandy soils (Japanese), 8A1115
MORI, H: Study on suitable slurry properties with slurry-type shield driving in sandy soils (Japanese), 8A1115
MORI, J: Large-amplitude Moho reflections (SmS) from Landers aftershocks, Southern California, 8A1473
MORI, K: Fracture behavior and strength of stepped-lap bonded joint with adhesive resin under tensile loading, 1A944
- Dryout and wall-temperature fluctuations in helically coiled evaporating tubes, 2A1212
- Distinct element simulation of grain alignment in mushy-state forging of magnets, 8A526
- Fracture prediction in stretch forming using FE simulation combined with ductile fracture criterion, 9A658
- Method for measuring effective crack tip fracture toughness in bridging materials (Japanese), 9A725
- Finite element simulation of jetting behavior in metal injection molding using remeshing scheme, 10A40
MORI, K-I: Rigid-plastic FE simulation of pooning process with plastically deforming shot, 1A42
MORI, M: Study for evaluation of compacted density of granular materials (Japanese), 2A550
- Development of air-cooled ceramic nozzles for a power-generating gas turbine, 5A1365
- Sensitivity analysis for frictionless contact problems, 9A452
- Regularization of two-phase flow models: A comparison of numerical and differential approaches, 12T1112
MORI, N: Measurements of velocity profile development in the spinning flows of liquid crystalline polymer solutions, 8A995
MORI, T: Powder-metallurgical giant magnetostrictive material and its application to actuators: Development of magnetostrictive pump (Japanese), 1A384
- Stress concentration and fatigue strength of rectangular plates with bolted circular holes (Japanese), 3A718
- Analytical study on the kinematics of an orbiting scroll in a scroll compressor: Analysis of self-rotational motion, 7A1183

- Stress relaxation by plastic flow, interfacial sliding and diffusion in an inclusion bearing material, 8A508
- Forming mechanism of planetary conical rolling, 8A696

MORI, Y: Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729

MORIARTY, JA: Mathematical modeling of the motion of hard contact lenses, 8A1249

MORII, Y: Residual stress distribution in carbon steel pipe welded joints measured by neutron diffraction (Japanese), 2A743

MORIKAWA, S: Thermomechanical consolidation coupling analysis on jointed rock mass by the FEM, 6A667

MORILLON, J-P: Numerical solutions of linear mixed boundary value problems using stochastic representations, 7A77

MORIMITSU, T: Dynamics of mobile legs suspended from wire, 12A430

MORIMOTO, H: Thermal crack analysis based on practical 3D FEM analysis model (Japanese), 7T1360
- Periodic optimal cruise for a hypersonic vehicle with constraints, 10A493

MORIMOTO, M: Sound absorption of a cavity-backed membrane: A step towards design method for membrane-type absorbers, 6A349
- Development of waste water purification technique in closed water area (Japanese), 8A1553

MORIMOTO, Y: Fringe-pattern analysis by phase-shifting method using extraction of characteristic, 1T802
- Elliptical vibration cutting - 1st report: Cutting principle and basic performance (Japanese), 3A627
- Strain analysis of moving objects using a Fourier transform grid method, 6A825

MORIN, M: Smart materials: A future for composites, 2T774

MORINAGA, H: Studies on short-term rainfall prediction using animation of radar images and estimation of average-rainfall-depth over a watershed (Chinese), 10A1466

MORINI, GL: Thermal entrance length problem for slug flow in rectangular ducts, 5T1141

MORINO: IABEM Symposium on Boundary Integral Methods for Nonlinear Problems, 9N3

MORINO, L: Unified boundary integral methodology for aerodynamics and aeroacoustics of rotors, 9A1185
- Steady 2D transonic analysis using a boundary integral equation method, 11A974

MORIO, S: Effects of grain surface roughness on phase transformation and failure lines under undrained torsional simple shear (Japanese), 2A540

MORIOKA, H: Biochemical machining of biodegradable plastics: Development of microremoval process by enzyme (Japanese), 2A588

MORISAKI, O: Development of a high efficiency rough cutting for metal molds and dies machining (Japanese), 12T731

MORISHIGE, K: Tool path generation using C-space for 5-axis control machining (Japanese), 7T395

MORISHIMA, Y: Nonlinear rheological behavior of a concentrated spherical silica suspension, 5A894

MORISHITA, M: Effects of end-tab shape on strain field of unidirectional carbon-epoxy composite specimens subjected to off-axis tension, 8A537

MORISHITA, S: Development of an electrically controllable damper using a liquid crystal, 1A218
- Dynamic characteristics of ER fluid squeeze film damper, 7A1203

MORISHITA, T: Creep damage modeling based on ultrasonic velocities in copper, 8A780

MORISIGE, K: 5-axis control machining by use of conicoid end mill (Japanese), 10A734

MORITA, C: Free vibration analysis of continuous sandwich beams with elastic or viscoelastic cores by applying the discrete Green function, 6A180
- Free vibration analysis of sandwich arches with elastic or viscoelastic core and various kinds of axis-shape and boundary conditions, 12A194

MORITA, H: Evaluation of critical impact velocity of materials and its application to processing thin plates (Japanese), 2A699
- Characterization of impact damage resistance of CF-PEEK and CF-toughened epoxy laminates under low and high velocity impact tests, 9A745

MORITA, I: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587

MORITA, T: Effects of ultrasonic vibration on machining accuracy in microdrilling, 7A607
- New dressing method for gear honing wheel and its effectiveness - 2nd Report: Improvement of dressing ability with slant feeding (Japanese), 7A638
- Factors controlling the fatigue strength of nitrided titanium, 8A741
- Development of gear finishing by a compound lapping machine (Japanese), 10A552
- New tooth finishing method with CBN abrasive wheel for involute internal spline: Improvement of tooth accuracy with slant traverse feeding (Japanese), 10A969

MORITA, Y: Ginzburg-Landau equations and stable solutions in a rotational domain, 2A533
- Piezoelectric mount force sensor of placement system for surface mount devices (Japanese), 12T877

MORIWAKI, E: Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), 10A238

MORIWAKI, M: Study on fatigue crack growth under out-of-phase combined loadings, 12A770

MORIWAKI, T: Elliptical vibration cutting - 1st report: Cutting principle and basic performance (Japanese), 3A627
- Development of six axis force sensor for javelin throw, 7T1561

MORIYA, H: Precise detection of a P-wave in low S-N signal by using time-frequency representations of a triaxial hodogram, 4A1378

MORIYA, K: Vibration measurements of micromachined gyroscope (Japanese), 10T862

MORIYA, Y: Finite element fracture analysis of WC-Co alloys, 2A667

MORIYAMA, S: End-point detector for planarization of semiconductor devices by chemical mechanical polishing, 1A674
- Interaction of newly defined stress intensity factors for angular corners in a row of diamond-shaped inclusions, 12A800

MORIYAMA, Y: In-situ loading tests of diaphragm wall foundation and property of its bearing capacity (Japanese), 5A526

MORK, KJ: Reliability-based calibration study for upheaval buckling of pipelines, 12A902

MORKEN, K: General framework for high-accuracy parametric interpolation, 7A64

MORLON, B: Simulation of *in situ* soleus isometric force output as a function of neural excitation, 4A1483

MORLOT, G: Theoretical study of the influence of slugs on the radiative behavior of fibrous media (French), 1A1252

MOROCHNIK, V: Viscoelastic approximation of poroelastic media for wave scattering problems, 1A236

MOROHOSHI, S: Thermohydrodynamic performance of high-speed journal bearings, 3T1209

MORONI, MO: Establishing R_w and C_q factors for confined masonry buildings, 3A1404

MORONI, P: Asymptotic error bounds of product formulas for functions with interior singularity, 3T68

MORONUKI, M: Fabrication of a linear motion microsystem on a Si wafer, 3T395

MOROOKA, CK: Ocean waves: Simulation and spectral analysis, 1A1426

MOROTSU, Y: Seventh International Conference on Adaptive Structures, 8N15

MOROZ, V: Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, 10A329

MOROZOV, IB: High-resolution velocity determination: Statistical phase correlation and image processing, 1A1412
- Crustal and uppermost mantle velocity structure of northern Eurasia along the profile Quartz, 12A1460

MOROZOV, N: Problem of equilibrium length of a bridged crack, 12A815

MOROZOV, NF: Threshold velocities of the surface erosion fracture of solids, 5A589
- Macroscopic parameters of brittle fracture, 9A730

MORRAS, ML: Acoustic emission applied to pipes of GFRP that have been exposed to corrosive mediums, 11A746

MORRIS, AJ: Consistent FE structural analysis and error control, 6A26

MORRIS, DH: Engineering Mechanics, Second Edition: 2 Volume Set, 1N55
- Statics and Mechanics of Materials: An Integrated Approach, 1R22

MORRIS, EL: Generalized cross-correlation - Part II: Discretization of generalized cross-correlation and progress to date in its implementation, 12A78

MORRIS, GK: Prediction of jet impingement heat transfer using a hybrid wall treatment with different turbulent Prandtl number functions, 2A1198
- Composite correlations for convective heat transfer from arrays of 3D obstacles, 4T1189

MORRIS, JR: Active force control of a flexible manipulator by distal feedback, 11A338

MORRIS, KA: Application of center manifold theory to regulation of a flexible beam, 10A151

MORRIS, PJ: Instability wave analysis of confined supersonic jets using the FEM, 6A1044
- Modeling of yarn geometry: Continuous filament yarns, 7A498
- Noise from supersonic coaxial jets - Part 3: Inverted velocity profile, 9A258
- Noise from supersonic coaxial jets - Part 1: Mean flow predictions, 9A256
- Noise from supersonic coaxial jets - Part 2: Normal velocity profile, 9A257
- Parallel 3D computational aeroacoustics method using nonlinear disturbance equations, 10A366

MORRIS, SR: Analysis of forming loads for thermoplastic composite laminates, 1A665

MORRIS, SW: Spatio-temporal structure of spiral-defect chaos, 4A1200

MORRIS, WL: Study of fatigue and creep behavior of four high temperature solders, 5A598

MORRISON, D: Offshore Technology, Volume I, 1N30

MORRISON, DS: Modeling the behavior of stratified liquid natural gas in storage tanks: A study of the rollover phenomenon, 7A1066

MORRISON, GL: Phase-averaged wall shear stress, wall pressure, and near-wall velocity field measurements in a whirling annular seal, 1A1095
- Experimental study of flow rates through inclined open thermosyphons, 8A1282

MORRISON, JF: Perspectives on wall turbulence: The use of complementary techniques, 4A1085

MORRISON, JH: Prediction of aerodynamic flows with a new explicit algebraic stress model, 6T1193

MORRISON, JNA: Augmentation of steam condensation heat transfer by addition of ammonia, 5A1214

MORRISON, PJ: Renormalization and transition to chaos in area preserving nontwist maps, 8A105

MORRISSEY, JW: Numerical scheme for mode III dynamic fracture problems, 9A779

MORRO, A: Inhomogeneous waves in transversely isotropic solids, 2A194
- Non-uniqueness of reflected and transmitted waves, 6T243
- Lagrange's equations for holonomic systems with rigid bodies, 9A89

MORRONE, B: Optimum plate separation in vertical parallel-plate channels for natural convective flows: Incorporation of large spaces at the channel extremes, 5A1154

MORROW, JD: Shape from motion approach to rapid and precise force-torque sensor calibration, 12A419

MORSE, AP: Measurement and computation of heat transfer in high-pressure compressor drum geometries with axial throughflow, 8A1300

MORSE, K: Nanomechanical properties of SiC films grown from C_{60} precursors using atomic force microscopy, 7T934

MORTARI, D: Moon-sun attitude sensor, 12A295

MORTAZAVI, MM: ULSLEA: A limit equilibrium procedure to determine the ultimate limit state loading capacities of template-type platforms, 6A1001

MORTELMANS, F: Shear domain of fiber-reinforced high-strength concrete beams, 11A789

MORTHLAND, TE: Convective heat transfer due to thermocapillary convection with a strong magnetic field parallel to the free surface, 11A1259

MORTIER, L: Nested grip methods for an ocean model: A comparative study, 6A1490

MORTIER, M: Concentration effects on the rheology and texture of PBG-m-cresol solutions, 3A956

MORTON, ID: Estimating return period wave heights and wind speeds using a seasonal point process, 12T1494

MORTON, J: In situ determination of adhesive shear moduli using strain gages, 5A720
- Plane-strain FE model for process-induced residual stresses in a graphite-PEEK composite, 9A27
- Numerical analysis of a thick-adherend lap shear specimen, 12A1044

MORTON, KW: Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995, 3N34
- Airfoil design via transpiration and optimal control theory, 4A1110

MORTON, PG: Synchronous instability of a compressor rotor due to bearing journal differential heating, 5A135

MORVAN, J-M: Under load strain partition of a ceramic matrix composite using an ultrasonic method, 1A550

MORWAL, SB: Dynamical aspects of the monsoon boundary layer, 11T1503

MORWALD, K: Optimal cooling strategies in continuous casting of steel with variable casting speed, 2A603

MORY, M: Race-track recirculating flume for cohesive sediment research, 11A925
- Wave height, setup and currents around a detached breakwater submitted to regular or random wave forcing, 12A259
- Intercomparison of wave-driven current models, 12T1496

MOSALAM, KM: 1996 EERI student paper award modeling of the nonlinear seismic behavior of gravity load designed frames, 3A1376

MOSBARGER, NA: Time-dependent supersonic separation of tangent bodies, 4A1122

MOSCA, E: State-space approach to stabilizing predictive control, 5A304

MOSCATO, LA: Use of Voronoi Diagram for defining the cutting path (Spanish), 6A701
- Application of PFS model (Production Flow Schema) based analysis of manufacturing systems for performance assessment, 9A411

MOSCHANDREOU, T: Heat transfer in a tube with pulsating flow and constant heat flux, 9A1210

MOSCHETTA, J-M: Robust low diffusive kinetic scheme for the Navier-Stokes-Euler equations, 10A1103

MOSCHUK, N: Unified second-order stochastic averaging approach, 12A107

MOSE, R: Solution of the advection-diffusion equation using a combination of discontinuous and mixed FEs, 9A28

MOSER, R: Zonal embedded grids for numerical simulations of wall-bounded turbulent flows, 3A1147

MOSES, E: Space-time spectral element methods for unsteady convection-diffusion problems, 11T1268

MOSHAGEN, H: Volume V: Pipeline Technology, 11N30

MOSHARAFA, A: Deformation of a superconducting cylindrical tube in a perpendicular magnetic field, 12A666

MOSHCHUK, N: Nonlinear random response of ocean structures using first-and-second-order stochastic averaging, 10A316

MOSHEV, VV: Influence of structural features of the effective mechanical properties of granular composites - I: Plane deformation, 12A559

MOSIER, CT: Simultaneous identification of group technology machine cells and part families using a multiple solution framework, 3A426

MOSKOVIC, R: Statistical model for the analysis and prediction of the effect of neutron irradiation on Charpy impact energy curves, 4A1459

MOSLEHY, FA: Inverse vibration method applied to bond evaluation of space shuttle tiles, 1A145
- Vibration technique for space shuttle tiles bond assessment - Part I: Modeling, 2A168
- Vibration technique for space shuttle tiles bond assessment - Part II: Experimental results, 2A169
- Modeling friction and wear phenomena, 12A955

MOSQUERA, AA: Modeling polymer melt flows in wirecoating processes, 1A635

MOSS, JB: Differential total absorptivity solution to the radiative transfer equation for mixtures of combustion gases and soot, 7A1415

MOSS, PJ: Calculating the dynamic stiffness matrix of 2D foundations by discrete wave number indirect BEMs, 6A1426

MOSS, RW: Effect of free-stream turbulence on flat-plate heat flux signals: Spectra and eddy transport velocities, 1A1158

MOSS, SHO: Measurements of the narrow-band decay rates of a gas-particle suspension confined in a cylindrical tube: Relationship to particle concentration, 4A1024

MOSS, TR: Reliability assessment of mechanical systems, 8A972

MOSSET, S: Probabilistic method for the fatigue design of powder metallurgy parts of aircraft engines, 9A856

MOSSO, C: Comparison of real and theoretical values of oscillatory flow in the surf zone, 11T933

MOSTAFA, A: Experimental and numerical study of the flow field in a multi-turning variable area duct, 11A1046

MOSTAFAVI, M: Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Supercharged engine with intercooling, 2A1148
- Thermodynamic analysis of combined diesel engine and absorption unit: Turbocharged engine, 2A1149
- Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Naturally aspirated diesel engine, 9A1198
- Thermodynamic analysis of combined diesel engine and absorption refrigeration unit: Naturally aspirated engine with pre-cooling, 11A1200

MOSTAGHEL, N: Representations of Coulomb friction for dynamic analysis, 10A163

MOSTOLLER, D: Simulating seismic response behavior of telecommunications equipment, 3A1397

MOSTOVOY, S: Crack closure effects on fatigue crack growth thresholds and remaining life in an HSLA steel, 8A731

MOSYAK, A: Effect of surface waves on heat transfer in natural and forced convection, 8A1264

MOTA SOARES, CM: Full-stress technique for structural shape optimization, 4A808

MOTABARZADEH, I: Re-examination of calcium activation in the Huxley cross-bridge model, 9A1574

MOTAVALLI, M: Behavior of hybrid aluminium-CFRP box beams at low temperatures, 7A466

MOTAVALLI, S: Object-oriented modeling of a feature-based reverse engineering system, 3T422

MOTE JR, CD: Skiing Trauma and Safety, Tenth Volume, 1N53
- Skiing Trauma and Safety, 11th Volume, 10N33
- Exact perturbation for the vibration of almost annular or circular plates, 1A183
- Active and passive vibration control of an axially moving beam by smart hybrid bearings, 3A146
- Analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, 3A1205
- Wrinkling of rectangular webs under nonlinearly distributed edge loading, 3A533
- Wrinkling of thin, flat, rectangular webs, 3A534

- Mathematical analysis of stability of a spinning disk under rotating, arbitrarily large damping forces, 4A151
- Eigenvalue solutions predicting the wrinkling of rectangular webs under nonlinearly distributed edge loading, 5A105
- Low profile human tendon force transducer: The influence of tendon thickness on calibration, 9A1599
- Propagation of boundary disturbances in an axially moving strip in contact with rigid and flexible constraints, 11A120

MOTE JR, CJ: Vibration and coupling phenomena in asymmetric disk-spindle systems, 7A158

MOTOHASHI, H: Development of plastic anisotropy in rolled aluminium sheets, 6A519

MOTOIE, K: Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563

MOTOK, MD: Stress concentration on the contour of a plate opening of an arbitrary corner radius of curvature, 6A581

MOTOSAKA, M: Analysis of amplification characteristics of ground motions in the heavily damaged belt zone during the 1995 Hyogo-ken Nanbu earthquake, 8A1470

MOTOVILOVETS, IA: Plate stability under local heating (Russian), 9T592
- Thermal stability of a round orthotropic plate with a hole (Russian), 12A654

MOTOYAMA, H: Study on lining design of earth tunnels with large diameter under high water pressure (Japanese), 2T810

MOTTRAM, JT: State-of-the-art review on the design of beam-to-column connections for pultruded frames, 8A929

MOU, J: Innovative approach to increase the accuracy of multi-axis machines for process-intermittent inspection, 5A365
- Analytical assessment of measurement uncertainty in precision inspection and machine calibration, 8A857
- Systematic approach to enhance machine tool accuracy for precision manufacturing, 9A424
- Method of using neural networks and inverse kinematics for machine tools error estimation and correction, 11A322
- Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 2: Experimental verification, 11A348
- Adaptive error correction method using feature-based analysis techniques for machine performance improvement - Part 1: Theory derivation, 11A347
- Sampling strategy design for dimensional measurement of geometric features using coordinate measuring machine, 12A875

MOU, YANGHU: Damage evolution in ductile materials, 1A730
- Influence of damage in the vicinity of a macrocrack tip, 5A697
- Exact dynamic stiffness matrix for beams of arbitrarily varying cross sections, 6A152

MOUDGIL, BM: Rheological behavior of highly concentrated aqueous silica suspensions in the presence of sodium nitrate and polyethylene oxide, 5A896

MOUDGIL, S: Laser deposition of hydroxyapatite coatings, 3T661

MOUKALLED, F: Natural convection in the annulus between concentric horizontal circular and square cylinders, 1A1175
- Normalized weighting factor method: A novel technique for accelerating the convergence of high-resolution convective schemes, 3A1044
- New bounded skew central difference scheme - Part I: Formulation and testing, 7A1043
- New bounded skew central difference scheme - Part II: Application to natural convection in an eccentric annulus, 7A1277

MOUKAWSHER, EJ: Fatigue life of panels with multiple site damage, 4A705
- Residual strength of panels with multiple site damage, 4A710

MOULD, G: Estimating return period wave heights and wind speeds using a seasonal point process, 12T1494

MOULIJN, JA: Fuel-gas injection to reduce N_2O emissions from the combustion of coal in a fluidized bed, 3A1312

MOULIN, AM: Directionally sensitive hot-wire anemometer, 10A1268

MOULIN, B: Modal-based structural optimization with static aeroelastic and stress constraints, 11A822

MOULIN, D: Practical method based on stress evaluation (σ_0 criterion) to predict initiation of crack under creep and creep-fatigue conditions, 11A663

MOUNTAIN, JR: Transfer efficiency enhancement of power coating application using response surface methodology, 6A1061
- Powder coating process parameters for a transfer efficiency model, 6A1060

MOUNTIAN, I: Neuro-muscular control of trochlean joints, 2A1447

MOURA BRANCO, C: Mechanical Behavior of Materials at High Temperature, 6N27
- Comparative study of the fatigue behavior of GRP hand lay-up and pultruded phenolic composites, 1A689

MOURA, JT: Low-cost automatic system for machining photoelastic specimens, 1T806

MOURAD, A: Green's function for surface acoustic waves: Comparison between theory and experiment, 3A216
- Behavior of Lamb waves in stressed polymer foils, 3A195
- Acoustic waves generated by a transient line source in an anisotropic half-space, 7A260

MOURAD, M: Intermittent drying of corn kernels in a flotation fluidized bed: Experimental study and modeling (French), 5A1274

MOURAD, PD: Optical pulse width measurements of sonoluminescence in cavitation-bubble fields, 9A297

MOURAD, S: Moment-rotation relationship of blind bolted connections for HSS columns, 9A906

MOURAD, SA: Seismic response of steel frames coupled with R-C shear walls, 12A1471

MOUREY, TH: Time-dependent adhesion-induced phenomena: Viscoelastic creep of a substrate polymer over rigid particles, 12A514

MOURING, SE: Hydrodynamic design of active panels of marine vehicles, 11A1019

MOURITZ, AP: Fatigue behavior of stitched GRP laminates, 2A628
- Flexural strength and interlaminar shear strength of stitched GRP laminates following repeated impacts, 12A590

MOUSSA, B: Trajectories and deposition of silica particles on cylinders in crossflow with and without a magnetic field, 5A1267

MOUSSEAU, CW: Dynamic response of spindle forces produced by a tire impacting large obstacles in a plane, 3A826
- Efficient tire model for the analysis of spindle forces produced by a tire impacting large obstacles, 3A827

MOUSTAFA, M: Synthesis of a multi-step cam mechanism to drive a shaking belt conveyor, 1A902

MOUSTAPHA, SH: Design and performance of a high work research turbine, 5A1087
- Influence of leading-edge geometry on profile losses in turbines at off-design incidence: Experimental results and an improved correlation, 10A1234

MOUTSOPOULOS, KN: Numerical simulation of transport phenomena by using the double porosity-diffusivity continuum model, 6T1315

MOVCHAN, AA: Method based on microcarrier nucleation and growth for describing the mechanical beahvior of heterogeneous continua, 12A3

MOVCHAN, AB: Duality relations, correspondences, and numerical results for planar elastic composites, 9A468
- Three-dimensional dynamic perturbation of a propagating crack, 9A770

MOVCHAN, NV: Critical load for a mode-1 crack reinforced by bridging fibers, 5A663

MOW, VC: Triphasic analysis of negative osmotic flows through charged hydrated soft tissues, 6A1540

MOY, SSJ: Thermoelastic stress analysis of a GRP tee joint, 12A1347

MOYA, FY: Damage scenarios simulation for seismic risk assessment in urban zones, 3A1378

MOYA, JS: Cyclic fatigue of Al_2O_3 and Al_2O_3-Al_2TiO_5 composites in direct push-pull, 12A754

MOYLE, IN: Case wall pressures in a multistage axial compressor with tip clearance variation, 3A1194

MOZELL, MM: Numerical simulation of airflow in the human nasal cavity, 11A1576

MRAD, N: Sensitivity effects on distributed-effect optical sensor output, 5T354

MRAZIK, A: Probability-based design standards of structures, 12T900

MROZ, Z: Elasto-plastic analysis of a cylinder with surface layer under cyclic loading, 4A514
- Brittle fracture in plate elements with sharp notches under mixed-mode loading, 11A677

MRUK, I: Holographic contouring for determination of 3D description of surface roughness, 4A903

MSHVIDOBADZE, YM: Heat transfer coefficient and aerodynamic resistance on a surface with a single dimple, 9A1295

MU, HAILIN: Investigation on application of orthogonal network optimal method to performance optimization of diesel engines (Chinese), 6A1357

MU, JUN: Solving the Laplace-Beltrami equation on S^2 using spherical triangles, 2A1420

MU, MU: Nonlinear stability theorem for Eady's model of quasigeostrophic baroclinic flow, 3T1421
- Nonlinear symmetric stability and the nonlinear saturation of symmetric instability, 4T1071
- Nonlinear stability of continuously stratified quasi-geostrophic flow, 5A1027

MU, XIAOWU: Neural network-based adaptive control of a class of uncertain nonlinear systems, 10A503

MU, YONG-GUANG: Forward problem of nonlinear Fredholm integral equation in reference medium via velocity-weighted wavefield function, 9A1459

MUCCIARELLI, M: S-wave site-response estimates using horizontal-to-vertical spectral ratios, 12A1443

MUCO, B: Features of seismicity of Albania, 4T1389

MUDAWAR, I: Optimizing and predicting CHF in spray cooling of a square surface, 2A1215
- Effects of surface roughness on water droplet impact history and heat transfer regimes, 3A1247
- Mapping of impact and heat transfer regimes of water drops impinging on a polished surface, 4A1227
- Contact angle temperature dependence for water droplets on practical aluminum surfaces, 5A1217
- Ultra-high power two-phase jet-impingement avionic clamshell module, 6A1256
- Enhancement of boiling heat transfer using highly wetting liquids with pressed-on fins at low contact forces, 9A1247
- Analytical model for near-saturated pool boiling critical heat flux on vertical surfaces, 9A1242
- Film boiling heat transfer of droplet streams and sprays, 9A1249
- Comparison of two-phase electronic cooling using free jets and sprays, 11A1368

MUDFORD, NR: Upstream influence and peak heating in hypervelocity shock wave-boundary-layer interaction, 3A1096
- Leading-edge bluntness effects in high enthalpy, hypersonic compression corner flow, 5A957

MUELLER, C: Single fiber microbuckling in a model composite, 5A496

MUELLER, MA: Novel nonconcentrating reactor for solar water detoxification, 11A1534

MUELLER, MC: Pitfalls of using conventional and discrete Radon transforms on poorly sampled data, 4A1377

MUELLER, P: Truss model and failure mechanism for bar development in C-C-T nodes, 3A786

MUELLER, SA: Inverse vibration method applied to bond evaluation of space shuttle tiles, 1A145

MUFTU, S: Video tape behavior on rotary heads: Modeling and results, 7A928

MUGGLETON, JM: Automatic location of vertebrae in digitized videofluoroscopic images of the lumbar spine, 10A1552

MUGHRABI, H: Low-temperature autofrettage: Improved technique to enhance the fatigue resistance of thick-walled tubes against pulsating internal pressure, 10A785

MUHLHAUS, H-B: Bifurcation of crack pattern in arrays of 2D cracks, 2A696
- Continuum model for periodic 2D block structures, 8A3
- Discrete and continuous models for dry masonry columns, 9A148

MUHR, AH: Fracture mechanics study of natural rubber-to-metal bond failure, 1A773

MUHUNTHAN, B: Void fabric tensor and ultimate state surface of soils, 8A637

MUI, G: Nonlinear parameter identification of an electro-rheological fluid damper, 6T140

MUIJTJENS, AMM: Tracking markers with missing data by lower rank approximation, 6A1546
- Relation between torsion and cross-sectional area change in the human left ventricle, 7A977

MUIN, M: Two dimensional boundary-fitted circulation model in spherical coordinates, 3A1410

MUIR, E: Control law design for a thrust vectoring fighter aircraft using robust inverse dynamics estimation (RIDE), 6A389

MUJUMDAR, AS: Mathematical Modeling and Numerical Techniques in Drying Technology, 3N40
- Cyclic heat transfer in a novel storage unit of multiple phase change materials, 2A1277
- Exergetic analysis of energy storage using multiple phase-change materials, 3A1214
- Finite element analysis of a multistage latent heat thermal storage system, 6A1296
- Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, 6A1108
- Finite element analysis of cyclic heat transfer in a shell-and-tube latent heat energy storage exchanger, 11A1366
- Solar drying of foods: Modeling and numerical simulation, 11A1543

MUKAITANI, M: Influence of shear test method and restraint condition on residual strength of soil (Japanese), 8A659

MUKASYAN, AS: Combustion wave microstructure in heterogeneous gasless systems, 6A1321
- Combustion wave microstructure in gas-solid reaction systems: Experiments and theory, 12A1394

MUKHA, IS: Absolutely stable numerical procedures for solution of nonlinear deformation problems of solids (Russian), 6A489

MUKHERJEE, A: Modeling and dynamics of epitrochoid generated orbital rotary piston LSHT hydraulic motor: A bondgraph approach, 2A938
- Prediction of buckling load of columns using artificial neural networks, 6A610
- Analysis of tapered laminated composites with non-symmetric lay-up, 10A620

MUKHERJEE, AK: Mechanism of high strain rate superplasticity in aluminium alloy composites, 8A717

MUKHERJEE, B: Chevron patterns in liquid crystal flows, 5A899

MUKHERJEE, R: Noetherian perspective of Eulerian motion of a free rigid body, 7T83

MUKHERJEE, S: Boundary Element Methods in Manufacturing, 12R1
- Adaptive FE analysis of plates by shear-flexible quadrilateral Reissner-Mindlin elements, 1A73
- Globally optimal force allocation in active mechanisms with four frictional contacts, 3A920
- Implicit BEM formulations for usual and sensitivity problems in elasto-plasticity using the consistent tangent operator concept, 5A60
- Normal modes and acoustic response of finite 1D and 2D multi-bay periodic panels, 5A108
- Evaluation of hypersingular integrals in the BEM by complex variable techniques, 6A73
- Boundary node method for potential problems, 8A40
- Further observations on wave propagation in 1D multi-bay periodic panels under supersonic fluid flow, 9T227
- Boundary conditions in the element-free Galerkin method, 10A95
- Corner tensor in 3D linear elasticity, 12A503
- Nodal sensitivities as error estimates in computational mechanics, 12A69

MUKHERJEE, YX: Boundary node method for potential problems, 8A40
- Boundary conditions in the element-free Galerkin method, 10A95

MUKHIN, VA: Heat transfer between a filtrating fluid and channel walls in packed beds, 5T907

MUKHOPADHYAY, M: Large amplitude free flexural vibration of stiffened plates, 5A107
- Static, free, and forced vibration analysis of arbitrary non-uniform shells with tapered stiffeners, 7A152

MUKHOPADHYAY, NK: Numerical characterization of a cylinder with circumferential cracks under pressurized thermal shock, 4A769
- Boundary element method based computation of stress intensity factor by modified crack closure integral, 9A773

MUKI, R: Prediction of flexural fatigue strength of CRFP composites under arbitrary frequency, stress ratio, and temperature, 10A774

MUKOED, AA: Solution of the problem on stressed state of inhomogeneous thick-walled plates by the spline collocation method (Russian), 12A633

MUKOID, VP: Nonstationary dynamic behavior of a rectangular plate with a hole under effect of suddenly applied load (Russian), 2A481

MUKUNDA, HS: Universal behavior in erosive burning of solid propellants, 9A1381

MUKUTMONI, D: Computations for a three-by-three array of protrusions cooled by liquid immersion: Effect of substrate thermal conductivity, 11A1369

MULAS, MG: Seismic response of concentrically braced moment-resisting steel frames, 4A1411

MULAY, S: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42

MULDER, JA: Modified recursive maximum likelihood adaptive filter for nonlinear aircraft flight-path reconstruction, 5A1076

MULDER, WA: Experiments with Higdon's absorbing boundary conditions for a number of wave equations, 12A62

MULJADI, E: Electric design of wind-electric water pumping systems, 5A1449
- Variable speed operation of generators with rotor-speed feedback in wind power applications, 5A1455

MULKEY, LA: Problem of model validation for predictive exposure assessments, 12A1527

MULKI, H: Changes in surface texture of zinc-coated steel sheets under plastic deformation, 3A868
- Contact mechanics of zinc-coated steel sheets, 5A837

MULLA, DJ: Mixed transform FEM for solving the nonlinear equation for flow in variably saturated porous media, 8A31

MULLARKEY, T: Modal analysis of an existing offshore platform, 9A159

MULLARKEY, TP: Semi-analytical hydrodynamics and motions for a TLP structure - Part I: Enhancement of Pontoon results using two of Haskind's theorems, 12A1166

MULLEN, RL: Finite element modeling of internally pressurized closed cell composites, 5A806

MULLENGER, G: Extended continuum mechanics for the study of granular flows, 1A1380

MULLER, B: Implicit solution method for incompressible Navier-Stokes equations including two-layer k-τ turbulence model, 6A1159

- Correction of conservative Euler solvers for gas mixtures, 9T217
MULLER, G: Bowed string as a nonlinear dynamic system, 5A224
MULLER, GU: Photoelastic determination of contact stresses of foundations, 3A592
MULLER, HW: Influencer of boundaries on pattern selection in through-flow, 4A1198
MULLER, I: Two instructive instabilities in nonlinear elasticity: Biaxially loaded membrane, and rubber balloons, 2A499
MULLER, M: Slip of complex fluids in viscometry, 1A947
MULLER, PC: Experimental results of an adaptive controller for robot manipulators, 1A396
- Control of multi-axis robots with elastic joints via cascade compensation using the method of exact linearization, 7A381
MULLER, R: Automated FE analysis of excised human femora based on precision-QCT, 2A1443
- Rheology-morphology-flow conditions relationships for polymethylmethacrylate-rubber blend, 3A942
MULLER, RHG: Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, 2A1100
MULLER, S: Calculation of stagnation streamline quantities in hypersonic blunt body flows, 10A1112
MULLER, SC: Spiral waves on circular and spherical domains of excitable medium, 4A1282
MULLER, SJ: Transient extensional behavior of polystyrene-based Boger fluids of varying solvent quality and molecular weight, 3A938
- Shear rheology of polymer solutions near the critical condition for elastic instability, 10A1024
- Digital particle velocimetry in flows with nearly closed pathlines: The viscoelastic Taylor-Couette instability, 11A1070
MULLER, U: Convection in cylindrical containers at supercritical Rayleigh numbers, 4A1197
- Critical heat flux in uniformly heated vertical tubes, 9A1245
MULLER, UC: Approximations for burning velocities and Markstein numbers for lean hydrocarbon and methanol flames, 7A1421
MULLER-KARGER, CM: Influence of fluid film nonlinearity on the experimental determination of dynamic stiffness and damping coefficients for three-lobe journal bearings, 7T1222
MULLER-STEINHAGEN, H: Unified correlation for the prediction of heat transfer coefficients in liquid-solid fluidized bed systems, 5A1400
- Boiling and nonboiling heat transfer to electrolyte solutions, 6A1254
- Effect of suspended particles on crystallization fouling in plate heat exchangers, 12A1318
MULLIN, T: Experimental study of oscillatory convection in liquid gallium, 6A1241
MULLINEUX, G: Strategy for the verification of tolerances by coordinate measuring machines, 2A376
MULLINS, G: Investigation of impact stresses induced in laboratory dynamic compaction of soft soils, 4A643
MULMULE, SV: Fracture analysis of semi-circular and semi-circular-bend geometries, 3A691
MULPUR, A: Chaotic motion in an oscillatory boundary layer, 6A1093
MULPURU, SR: Phase Doppler anemometer: Commissioning tests for measurement of water aerosol sizes and velocities in flashing jets, 6A1501
MULTALA, J: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513
MULYAR, YM: Study of the effect of low perturbing actions on the shell stability (Russian), 9T593
MULYUKOV, VV: Mathematical simulation and optimization of technological processes described by relations of geometrically nonlinear theory of plasticity (Russian), 1A472
MUN, RP: Extensional viscosity measurements of dilute solutions of various polymers, 3A944
MUN, SD: Machined surface plastic strain in orthogonal cutting by subsequent recrystallizations technique, 5A844
MUNASINGHE, WK: Modular CNC design for intelligent machining - Part 2: Modular integration of sensor based milling process monitoring and control tasks, 5A373
MUNCHMEYER, F: Developments in surface fairing procedures, 6A1173
MUNCK, EDS: Analysis of computed order tracking, 9A166
MUND, P: Adaptive coupling and fast solution of FEM-BEM equations for parabolic-elliptic interface problems, 9A50
MUNDT, C: Rotational and vibrational temperature measurements using CARS in a hypervelocity shock layer flow and comparisons with CFD calculations, 1T1091
MUNDT, M: Local instability in a periodically forced sliced cylinder, 5A1018
MUNEMASSA ARATA, W: Application of PFS model (Production Flow Schema) based analysis of manufacturing systems for performance assessment, 9A411
MUNGAL, MG: Observations of a large, burning jet in crossflow, 3A1123
- Scalar mixing and reaction in plane liquid shear layers, 4A1083
- Mixing and reaction in curved liquid shear layers, 9A1110
MUNIH, M: Modeling muscle activity in standing with considerations for bone safety, 6A1531
MUNIPALLI, R: Adaptive grid scheme using the BEM, 3A45
MUNITSYNA, NV: Analysis of the dynamics of parallel-structure mechanism with elastic links, 4T941
MUNJAL, ML: Effect of protective layer on the performance of absorptive ducts, 8A313
- Prediction of the vibro-acoustic transmission loss of planar hose-pipe systems, 10A259
MUNOZ RIVERA, JE: Decay rates for viscoelastic plates with memory, 5A470
- Exponential stability for a contact problem in thermoelasticity, 10A1363
MUNOZ, BC: Magnetoviscoelastic response of elastomer composites consisting of ferrous particles embedded in a polymer matrix, 9A524
MUNOZ-COBO, JL: Turbulent vapor condensation with noncondensable gases in vertical tubes, 1A1211
MUNOZ-SOLA, R: Polynomial liftings on a tetrahedron and applications to the h-p version of the FEM in 3D, 8A47
MUNRO, N: Note on pole assignment in uncertain systems, 9T314
MUNSHI, P: Automated ultrasonic NDE of composite specimens by cluster and fractal analysis, 6A828
- Performance evaluation of iterative tomographic algorithms applied to reconstruction of a 3D temperature field, 10A1314
MUNSON, BR: Brief Introduction to Fluid Mechanics, 4R23
MUNSON, DE: Inelastic flow behavior of argillaceous salt, 1A462
- Cleavage and creep fracture of rock salt, 2A689
- Three-dimensional FE simulation of creep deformation in rock salt, 6A651
- Damage mechanics treatment of creep failure in rock salt, 11A661
- Treatment of anisotropic damage development within a scalar damage formulation, 12A823
MUNSTEDT, H: Rheological behavior of a filled wax system, 5A888
MUNUKUTLA, SS: Exact solution for unsteady duct flow due to a moving center body, 5A1009
MUNZ, D: Stress singularities at a joint formed by dissimilar elastic-plastic materials under mechanical loading, 3A713
- Cyclic fatigue of zirconia, 6A724
- Weight functions for sub-interface cracks, 6A760
- Weight functions for cracks near the interface of a bimaterial joint, and application to thermal stresses, 7A774
- Stress singularities in a dissimilar materials joint with edge tractions under mechanical and thermal loadings, 8A479
- Evaluation of the plastic zone in an elastic-plastic dissimilar materials joint, 8A515
- Weight functions for edge cracks in thin surface layers, 10A806
MURA, T: Intergranular crack nucleation in bicrystalline materials under fatigue, 3A678
- Elliptic cavity in a 3D anisotropic body with inclined strata deformed by line loads and dislocations, 3A445
MURAD, E: Interaction of solid-rocket exhaust with the atmosphere, 4A1066
MURAD, MA: Clarifying mixture theory and the macroscale chemical potential for porous media, 6A1392
MURAI, T: Study on the criterion of slip-resistance for pedestrian road pavement (Japanese), 7T924
MURAKAMI, A: Impulse function and drag in scramjet inlet models, 5A1376
- Engineering identification method for curvilinear hysteretic systems excited by varying amplitude dynamic loading, 9A106
MURAKAMI, D: Thermal deformation rate control grinding for improving surface finish (Japanese), 3A641
MURAKAMI, H: Anisotropic beam theories with shear deformation, 3A512
- Mechanism of degradation of organic matter in seawater by effective microbes and its utilization (Chinese), 10A1496
- Heat transfer and flow resistance of a shell and plate-type evaporator, 11A1338
MURAKAMI, K: Flexural behavior of reinforced concrete beams strengthened with carbon fiber sheets, 4A836
MURAKAMI, R: Evaluation of mechanical and wear properties of potassium acid titanate whisker-reinforced copper matrix composites formed by hot isostatic pressing, 7A880
MURAKAMI, S: New low-Reynolds-number k-ε model including damping effect due to buoyancy in a stratified flow field, 1A1176
- Mechanical model of cardiac muscle taking account of excitation-contraction coupling, 1A1452
- Experimental investigation for modeling of elastic-plastic-damage materials: Investigation of damage surface under multiaxial loading (Japanese), 1A486
- Application of damage mechanics to the analysis of spall damage, 1A712
- Formulation of damage evolution equation for elastic-plastic-damage materials in stress space (Japanese), 4A729
- Nonstationary oscillation of a rotating shaft with nonlinear spring characteristics during acceleration through a major critical speed: A discussion by the asymptotic method and the complex-FFT method, 6A177
- Constitutive and damage evolution equations of elastic-brittle materials based on irreversible thermodynamics, 7A709
- Lamination theory incorporating the effect of interlayer deformation (Japanese), 7A478
- Modeling of irradiation embrittlement of reactor pressure vessel steels (Japanese), 9A715
MURAKAMI, T: Structural component development of three-layer cylinders for superconducting generators - Part 2: Development of three-layer welding techniques to extend axial length and evaluation of the welds, 8A980
- Structural component development of three-layer cylinders for superconducting generators - Part 1: Selection of layer-bonding method and development of long large-gauge three-layer cylindrical structure, 8A986
- Force sensorless control in a flexible link arm based on estimated reaction torque, 9A398
MURAKAMI, Y: Effect of lateral boundaries on large-scale mode: Linear stability of square cell flows in rectangular regions, 1A1055
- New method for the measurement of mode II fatigue threshold stress intensity factor range ΔK_{IIth}, 12A847
MURAKAWA, H: Measuring method for residual stresses in explosively clad plates and a method of residual stress reduction, 4A524
MURAKI, H: Studies on abrasion characteristics of concrete pavement (Chinese), 10A711
MURAKOSHI, J: Local stress and deformation at field joints of orthotropic steel deck (Japanese), 9A890
MURAKUNI, M: Studies on abrasion characteristics of concrete pavement (Chinese), 10A711
MURALIDHAR, K: Theoretical study of interphase heat and mass transfer in saturated porous media, 7A1441
- Application of domain decomposition in modeling flow and heat transfer problems, 8A1336
- Performance evaluation of iterative tomographic algorithms applied to reconstruction of a 3D temperature field, 10A1314
- Determination of dispersion coefficients in a porous medium using the frequency response method, 12A1429
MURALIDHAR, R: New models for optimal truss topology in limit design based on unified elastic-plastic analysis, 6A852
MURALIEV, AR: M_s = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454
MURAMATSU, T: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825
MURAMOTO, Y: Bottom shear stresses of flows over a wavy bed by using depth averaged flow equations (Chinese), 10A1058
MURANO, T: Study of design method of pile anchored to bedrock (Japanese), 2A561
MURASE, K: Investigation of loading rate and plate thickness effects on dynamic fracture toughness of PMMA, 1A780
MURASE, Y: Reduction of vibration for main functional part in precision device based on sensitivity analysis with respect to relative motion (Japanese), 8T871
MURATA, A: Effects of rib arrangements on pressure drop and heat transfer in a rib-roughened channel with a sharp 180° turn, 12A1256
MURATA, H: Effects of grain surface roughness on phase transformation and failure lines under undrained torsional simple shear (Japanese), 2A540
- Stability of slurry trenches constructed in cohesive soil ground (Japanese), 2A565
- Steady state and liquefaction strengths of crushable soils (Japanese), 8A643
MURATA, M: Stress analysis on rectangular cross-sectional ring headers, 11A509
MURATA, T: Effects of sedimentation of small red blood cell aggregates on blood flow in narrow horizontal tubes, 1A1461
MURAV'EV, VI: Study of the interaction of titanium and its alloys with the environment in manufacturing sophisticated structures, 8T463
MURAVSKII, G: Time-harmonic vibration of an incompressible linearly non-homogeneous half-space, 4A103
- Green functions for an incompressible linearly nonhomogeneous half-space, 6A228
- Time-harmonic problem for non-homogeneous elastic half-space with shear modulus limited at infinite depth, 8A218
MURAVSKII, GB: Analytical description of stress-strain relationship for rocks and soils, 7A568
MURAVYOV, A: Component mode synthesis for nonclassically damped systems, 2A97
- Analytical solutions in the time domain for vibration problems of discrete viscoelastic systems, 8T173
MURAYAMA, M: Support system for FE analysis, 5A16
MURAYAMA, R: Development of an on-line evaluation system of formability in cold-rolled steel sheets using electromagnetic acoustic transducers (EMATs), 4A795
MURCIA, N: Performance of heat exchanger using heat pipes at low inclination, 1A1263
MURDOCH, AI: Microscopic perspective on the physical foundations of continuum mechanics - Part I: Macroscopic states, reproducibility, and macroscopic statistics, at prescribed scales of length and time, 2A3
MUREITHI, EW: Effect of buoyancy on upper-branch Tollmein-Schlichting waves, 10A1167
MURIEL, A: Integral formulation of hydrodynamics, 8A5
MURIN, J: Weakly coupled thermomechanical problem: Solution by the FEM (Polish), 10A1380
MURIS, S: Kinetic and thermodynamic sensitivity analysis of the NO-sensitized oxidation of methane, 6A1337
MURMAN, SM: Computation of F/A-18 tail buffet, 6A310
MURO, T: Estimation of ground properties based on a fuzzy reasoning method during vertical hole excavation, 3A616
- Experimental consideration on the impact cutting productivity of mortar by a point attack bit (Japanese), 10A725
MUROI, J: Holographic measurement of lower loss tangent using a beam of variable cross section - 1st report: Calculation and measurement of amplitude distribution, 1A804
MUROZONO, M: Thermally induced bending vibrations of internally heated beams in air, 5A99
MURPHY , RC: Survey to estimate residential solid waste generation, 3T1471
MURPHY, DM: Thresholds for laser-induced ion formation from aerosols in a vacuum using ultraviolet and vacuum-ultraviolet laser wavelengths, 11A1444
MURPHY, E: Experimental study of ultrasonic attenuation in microporous polyethylene, 10A364
MURPHY, JG: Family of solutions describing plane strain cylindrical inflation in finite compressible elasticity, 7A407
- Family of solutions describing spherical inflation in finite, compressible elasticity, 8A475
MURPHY, KD: Characterizing the dynamic response of a thermally loaded, acoustically excited plate, 4A132
- Experimental snap-through boundaries for acoustically excited, thermally buckled plates, 5A1297
- Effect of thermal prestress on the free vibration characteristics of clamped rectangular plates: Theory and experiment, 10A195
MURPHY, RJ: Mode I fatigue crack growth in a continuous alumina fiber-reinforced magnesium matrix composite, 2A619
MURPHY, S: Wear performance of aluminum alloy composites containing unidirectionally-oriented silicon carbide coated boron fibers, 2A895
MURPHY, SB: Comparison of predicted and measured contact pressures in normal and dysplastic hips, 11A1560
MURRAY, A: Volume V: Pipeline Technology, 11N30
MURRAY, AP: Passing a central axis congruence through six arbitrary lines in space, 6A970
- Center-point curves through six arbitrary points, 9A966
MURRAY, BT: Dynamic aspects of wetting balance tests, 4A691
MURRAY, DB: Cross-flow heat transfer in the freeboard region of a fluidized bed, 1A1197
- Measurement of convective heat transfer using hot film sensors: Correction for sensor overheat, 5T1207
- Influence of direction of heat flow on Nusselt numbers for a gas-particle crossflow, 11T1301
MURRAY, JJ: Motions and internal forces of a moored semi-submersible in regular waves, 9T222
MURRAY, PE: Numerical simulation of coalescence of inviscid drops at a solid surface, 3A1036
MURRAY, RJ: Explicit generation of orthogonal grids for ocean models, 1A1428
MURRAY, RM: Nonholonomic mechanical systems with symmetry, 6T98
- Configuration controllability of simple mechanical control systems, 10A407
MURRU, M: Seismicity rate change before the Irpinia (M = 6.9) 1980 earthquake, 12T1446
MURRY , R: Ice accretion on a radial inflow turbine blade, 1A1109
MURTAZA, G: Corrosion fatigue short crack growth behavior in a high strength steel, 7A672

MURTAZANOV, GK: Model of growth of a penny-shaped low-cycle fatigue crack, 5A609
MURTHY, JY: Pressure-based method for unstructured meshes, 9A1032
MURTHY, PVSN: Effect of viscous dissipation on a non-Darcy natural convection regime, 6A1248
- Natural convection heat transfer from a horizontal wavy surface in a porous enclosure, 8A1307
- Integral solution for Forchheimer free convection over a horizontal flat surface, 8A1457
MURTY, GS: Power-laws and applications to earthquake populations, 3A1369
MUSAT, SD: Study of warping torsion of thin-walled beams with closed cross-section using macro-elements, 7A504
MUSCARA, J: Steam generator tube integrity program, 4A1456
MUSCHINSKI, A: Similarity theory of locally homogeneous and isotropic turbulence generated by a Smagorinsky-type LES, 5A1040
MUSCOLINO, G: Dynamically modified linear structures: Deterministic and stochastic response, 6A133
- Stationary and non-stationary probability density function for nonlinear oscillators, 12A148
MUSEMIC, R: Modeling the dynamics of double-diffusive scalar fields at various stability conditions, 11A1389
MUSICKI, D: Homogeneous formalism and Dirac's theory of degenerate systems, 10T113
MUSIELAK, G: Response of dried materials to drying conditions, 5A1275
MUSIL, M: Discrimination between local microearthquakes and quarry blasts by multi-layer perceptrons and Kohonen maps, 2A1378
MUSIOL , K: Spectral and electrical diagnostics of gliding arc, 2A993
MUSMARRA, D: Kinetics of adsorption of mercuric chloride vapors on sulfur impregnated activated carbon, 4A1301
MUSTE, M: Discriminator laser Doppler velocimetry for measurement of liquid and particle velocities in sediment-laden flows, 6A1074
MUSTONEN, V: Nonresonance for systems of semilinear wave equations, 12T221
MUSZYNSKA, A: "Snapping" torsional response of an anisotropic radially loaded rotor, 10A239
MUSZYNSKI, R: Normal forms of non-redundant singular robot kinematics: Three dof worked examples, 6A422
- Singularities of nonredundant robot kinematics, 8A433
MUTAGUCHI, M: Development of an active mass damper for a suspended load on a floating crane (Japanese), 6A161
MUTHIAH, R: Pipeline leak detection system for oil and gas flowlines, 8A1152
MUTHUKUMARASAMY, S: Performance of zinc alloy based metal matrix composites produced through squeeze casting, 3T645
MUTLU, I: Adaptive solutions for viscoelastic flows, 4A499
MUTO, T: Adaptive predictive controller for hydraulic systems driven by fast switching on-off solenoid valves, 5A282
- Application of unified predictive control to on-off control of hydraulic system driven by fast-switching solenoid valves, 5A871
MUTO, Y: Study on the buckling of rectangular bellows under pressure loads, 5A495
MUTOH, Y: Static and cyclic fretting fatigue behavior of silicon nitride, 6A729
MUTSUDA, H: Kinematics of overturning solitary waves and their relations to breaker types, 8A253
MUTTIN, F: Finite element for wrinkled curved elastic membranes, and its application to sails, 5A485
MUTTONI, A: Design of Concrete Structures with Stress Fields, 10R10
MUVDI, BB: Dynamics for Engineers, 9R5
MUYLAERT, J: Comparison of catalytic wall conditions for hypersonic flow, 4A1006
MUYZERT, E: Influence of errors in source parameters on phase velocity measurements of surface waves, 8A1499
MUZAFERIJA, S: Efficiency and accuracy aspects of a full-multigrid SIMPLE algorithm for 3D flows, 7A1037
- Benchmark solutions of some structural analysis problems using finite-volume method and multigrid acceleration, 10A15
MUZZIO, FJ: Chaotic motion of fluid and solid particles in plane wakes, 7A1113
MYDLARSKI, L: Onset of high-Reynolds-number grid-generated wind tunnel turbulence, 3A1166
MYER, L: Fracture detection using crosswell and single well surveys, 9A1468
MYERS JR, JG: Evaluation of the proximal flow field to circular and noncircular orifices of different aspect ratios, 12A1555
MYERS, BS: Role of strength in rising from a chair in the functionally impaired elderly, 5A1517
MYERS, KW: Parallel solver for the hp-version of FEMs, 1A69
MYERS, M: Computing Hopf bifurcations - I, 8A617
MYERS, MK: Simple application of nonstandard analysis to forced vibration of a spring-mass system, 2T90
- Graphical approach to wave propagation in a rigid duct, 9T268
MYERS, MR: Response of transiently excited thick transducers at low frequencies, 5A268
MYERS, TT: Pilot-induced oscillation analysis and prediction with actuator rate limiting, 7A358
MYERSCOUGH, MR: Boundary-driven instability, 8A1390
MYKHASKIV, V: Time-domain BE analysis in 3D dynamic fracture mechanics, 8A65
MYKHASKIV, VV: Analysis of dynamic stress concentration in an infinite body with parallel penny-shaped cracks by BIEM, 2A697
MYKKELTVEIT, J: Effective relative permeabilities and capillary pressure for 1D heterogeneous media, 11A1448
MYLNE, KR: Concentration fluctuation measurements in tracer plumes using high and low frequency response detectors, 3A1464
MYLONAKIS, G: Soil-pile-bridge seismic interaction: Kinematic and inertial effects - Part I: Soft soil, 8A1480
MYONG, HYON KOOK: Numerical analysis of particle deposition onto horizontal freestanding wafer surfaces heated or cooled, 2A1353
MYOSE, RY: Flow visualization of an oscillating airfoil with sawtooth trailing edge, 2T1080
- Diamond, cropped, delta, double-delta wing vortex breakdown during dynamic pitching, 9T1159
- Effect of canards on delta wing vortex breakdown during dynamic pitching, 10A1218
MYRABO, LN: Numerical investigation of vibrational nonequilibrium effects in hydrogen-oxygen rocket engines, 7A1061
MYRHAUG, D: Long-term distribution of seabed shear stresses beneath random waves, 12A255
MYRUM, T: Developing and periodically developed flow, temperature, and heat transfer in a ribbed duct, 4A1190
MYZNIKOVA, BI: Vibrational convective instability of a horizontal, binary-mixture layer with Soret effect, 8A1173

N

NA, H-S: Adaptive feedforward controller for rejection of periodic disturbances, 10A150
NA, SJ: Two-stage approach for nesting in 2D cutting problems using neural network and simulated annealing, 6A700
NA, SUCK-JOO: Neuro-fuzzy approach to select welding conditions for welding quality improvement in horizontal fillet welding, 5A881
- Optimum design based on mathematical model and neural network to predict weld parameters for fillet joints, 8A458
NA, T-Y: Flow and heat transfer over a longitudinal circular cylinder moving in parallel or reversely to a free stream, 5A984
NA, TSUNG-YEN: Unsteady flow past a stretching sheet, 1T974
- MHD free convection from a vertical semi-infinite flat plate with a step change in the magnetic field, 2T1164
- Boundary layer flow over a continuously moving wavy surface in micropolar fluids, 4A1040
- Effects of area change and friction on acoustic propagation in compressible flow through long ducts, 12A314
NA, TY: MHD flow over a moving flat plate with a step change in the magnetic field, 1A1086
NABIEV, VU: Motion of a body through large-scale inhomogeneity in the stratified atmosphere, 12A1098
NABIYEV, VU: Spatial supersonic motion of a body through a large-scale inhomogeneity in a stratified atmosphere, 7A1051
NABOULSI, S: Modeling of a cracked metallic structure with bonded composite patch using the three layer technique, 4A759
NACCACHE, MF: Heat transfer to non-Newtonian fluids in laminar flow through rectangular ducts, 5A1181
- Mixed convection in the laminar flow of viscoelastic liquids through rectangular ducts, 7A1268
NACHOVNYI, II: Performance of gland packings from soft chemical fibers, 2A1135
NACHSHON, A: Aerodynamically accurate 3D Navier-Stokes method, 12A1093
NACKENHORST, U: Numerical simulation of stress stimulated bone remodeling, 10A1518
NADAOKA, K: Development of a piston-type closed conduit to generate oscillatory flow with arbitrary profile (Chinese), 10A1045
NADARAJAH, C: Limit and shakedown analysis of nozzle-cylinder intersections under internal pressure and in-plane moment loading, 1A871
NADEAU, JC: Advances in Doublet Mechanics, 8N4
NADEEM, SA: Study of plane steady flows of an incompressible fluid of variable viscosity using Martin's method, 9T1033
NADIGA, BT: Investigations of a two-phase fluid model, 6A1027
NADOLSKI, W: Influence of ponderable shafts on dynamic loads between gear teeth in single gear transmission, 4A177
- Influence of nonlinear stiffness of teeth on dynamic loads in gear transmission, 7A939
- Nonlinear dynamic loads on gear teeth in discrete-continuous model of single gear transmission, 11T850
NAEEM, RK: Study of plane steady flows of an incompressible fluid of variable viscosity using Martin's method, 9T1033
- Exact solutions to equations of motion of an incompressible second grade fluid, 9A1028
NAEENI, ST: Optimization of water distribution networks, 6T995
NAESHEIM, LI: Meter-scale variations of the charge carried by mesospheric dust, 6A323
NAESS, A: Volume II: Safety and Reliability, 10N8
- Effect of springing response of a TLP on tether fatigue, 2A636
- Stationary and non-stationary random vibration of oscillators with bilinear hysteresis, 3A129
- Alternative stochastic representation of drag forces on offshore structures for dynamic analyses, 12A1058
NAG, PK: Design and operation of a heat recovery steam generator with minimum irreversibility, 8A1427
NAGABHUSHAN, BL: Directional control of an advanced airship, 4A1131
NAGABHUSHANAM, J: Parallel computing concepts and methods for Floquet analysis of helicopter trim and stability, 4A1151
- Response, loads and stability of rotors with interconnected blades, 4A1152
- Response, loads, and stability of interconnected rotor-body systems, 11A824
NAGABUSHANA, KA: Review: Hot-wire anemometry in transonic and subsonic slip flows, 9A1036
NAGAI, I: Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), 2A698
NAGAI, K: Active control of cascade flutter by means of sound waves from duct wall sources, 3T280
NAGAI, N: Pool boiling on a single-crystal sapphire surface: A measuring method of quantities upon liquid-solid contacts, 7A1284
- Spray characteristics of liquid jet traversing subsonic airstreams, 9A1098
NAGAI, TUNGWAI L: Effects of Mn content on the tribological behaviors of Zn-27% Al-2% Cu alloy, 3A840
NAGAKI, S: Tensile deformation behavior of rubber composite plate (Japanese), 1A540
NAGAMATSU, HT: Numerical investigation of vibrational nonequilibrium effects in hydrogen-oxygen rocket engines, 7A1061
NAGANARAYANA, BP: Multidomain modeling and analysis of delaminated stiffened composite shells, 2A650
- Accurate thermal stress predictions using C^0-continuous higher-order shear deformable elements, 10A1379
NAGANATHAN, NG: Taguchi optimization of strain transfer in an induced strain actuator, 1A609
- Finite element analysis of strain transfer in an induced strain actuator, 8A892
NAGANO, M: Analysis of amplification characteristics of ground motions in the heavily damaged belt zone during the 1995 Hyogo-ken Nanbu earthquake, 8A1470
NAGANO, N: Path planning for space manipulators to reduce attitude disturbances, 10T469
NAGANO, Y: Two-equation heat transfer model reflecting second-moment closures for wall and free turbulent flows, 2A1042
- Reynolds-stress expressions and near-wall scaling parameters for predicting wall and homogeneous turbulent shear flows, 10A1193
- Multiple time-scale turbulence model for wall and homogeneous shear flows based on direct numerical simulations, 11A1030
NAGAOKA, T: Mechanical properties and failure criterion of normally and over consolidated cement-treated soil (Japanese), 10A684
NAGARAJ, C: Automated measurement of aggregate indices of shape, 11A1439
NAGARAJ, TS: Parametric sensitivity of fracture behavior of concrete, 1A776
NAGARAJ, VT: Higher-order shear deformation theory for thin-walled composite beams, 4A590
- Relationship between fundamental natural frequency and maximum static deflection for rotating Timoshenko beams, 10T185
NAGARAJAN, B: Three-dimensional chaotic mixing of fluids in a cylindrical cavity, 11A1053
NAGARAJAN, S: Efficient simulation of large overall motion of beams undergoing large deflection, 12A100
NAGARAJAN, VS: Relationship between microstructure and wear of mica-containing glass-ceramics, 7A885
NAGARJUNA, S: Effect of alloying content on high cycle fatigue behavior of Cu-Ti alloys, 8A740
NAGASAKA, I: Forced oscillations of a vertical continuous rotor with geometric nonlinearity, 4A85
- Three dimensional model shape design - 2nd Report: 3D geometric model focused on shape generating rules (Japanese), 9A965
NAGASAKA, K: Fuzzy ID3 and its application to rules generation for process distribution in grinding (Japanese), 12A739
NAGASAWA, S: Support system for FE analysis, 5A16
NAGASE, Y: Non-contact strain measurement using metal foil gauges with the application of the laser speckle method, 9A802
NAGASHIMA, F: Statical and fatigue strength tests of insulated friction-type connections (Japanese), 6A734
NAGASHIMA, N: Nanoscopic hardness measurement by atomic force microscope, 1A798
NAGASHIMA, S: Method for defect segmentation in digital radiographs of pipeline girth welds, 2A729
NAGASHIMA, T: Analysis and simulation of grasping-manipulation by multi-fingersurface, 7A372
NAGASWAMY, V: FEAM-based methodology for analyzing composite patch repairs of metallic structures, 1A760
NAGATA, K: Effects of molecular diffusivities on counter-gradient scalar and momentum transfer in strongly stable stratification, 5A1044
- Field measurement and fatigue assessment of orthotropic steel deck with asphalt pavement (Japanese), 11A648
NAGATA, S: General mathematical model for gears cut by CNC hobbing machines, 9A955
NAGATA, T: Study on micro-machined profile measurement by means of optical inverse scattering reconstruction phase method: Phase retrieval of periodic fine profile (Japanese), 2A736
NAGATAKI, S: Study on deterioration of tightness of cover concrete due to internal cracking based on air permeability (Japanese), 7A702
- Study on the ability to pass between steel reinforcing bars of highly flowable concrete (Japanese), 7A1067
- Application of infrared thermography technique for evaluation of cracks in concrete structures (Japanese), 9A810
NAGATO, S: Study of immersed heat exchange surface for high-efficiency heat recovery from wire-rim tires in a fluidized-bed boiler, 9A1431
NAGATOMO, T: New method of dynamic measurements of the plastic deformation occurring at a fatigue crack tip, 12A788
NAGAWA, Y: Thin spacing analysis for head-tape interface, 4A880
NAGAYA, K: Deflection shape control of a flexible beam by using shape memory alloy wires under the genetic algorithm control, 2A322
- Stress-strain model for confined reinforced concrete in bridge piers, 11A791
NAGAYA, T: Electrorheological effect in immiscible polymer blends, 8A1012
NAGAYAMA, A: Cross-flow filtration of machining fluids by microfiltration membranes: Influence of chip size on permeation flux, 5A982
NAGAYEV, RF: Periodic and stochastic self-excited oscillations in a system with hereditary-type dry friction, 8A119
NAGAYOSHI, T: Stability of embankment on liquefiable sand layers in centrifuge shaking table tests (Japanese), 5A530
NAGE SWARA RAO, P: Combustion study of metal powders in contact with sodium nitrate, 2A1324
NAGELHOUT, DF: Mesh generation and flow calculations in highly contorted geometries, 1A662
NAGEM, RJ: Electromechanical vibration absorber, 9T177
NAGESWARA RAO, B: Magnetohydrodynamic flow past a semi-infinite moving plate, 3A1169
- Relationship between the fundamental frequency and static deflections of thin elastic plates, 4T141
- Uniqueness of angular frequency using harmonic balance from the equation of motion and the energy relation, 9T103
- Heat transfer in the MHD flow of a viscoelastic fluid over a stretching sheet, 10T1302
NAGHDI, PM: Extended theory for incompressible viscous fluid flow, 6A1020
NAGHDY , F: Soft fruit grading using a robotics gripper, 6A410
NAGTEGAAL, JC: Using assumed enhanced strain elements for large compressive deformation, 1A28
NAGUIB, AM: Extraction of turbulent wall-pressure time-series using an optimal filtering scheme, 6A1146
NAGULESWARAN, S: Out-of-plane vibration of a uniform Euler-Bernoulli beam attached to the inside of a rotating rim, 8A136
NAGURA, K: Stability of slurry trenches constructed in cohesive soil ground (Japanese), 2A565
NAGY, A: Determination of E-modulus of young concrete with nondestructive method, 8A838
- Simulation of thermal stress in reinforced concrete at early ages with a simplified model, 10A941

NAGY, EN: Microtomographic measurements of internal damage in Portland-cement-based composites, 6A813
NAGY, FLN: Autonomous robot calibration using a trigger probe, 4A452
NAGY, L: Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, 12A1544
NAGY, PB: Effective ultrasonic transmission coefficient for randomly rough surfaces, 2A273
- Viscosity-induced attenuation of longitudinal guided waves in fluid-loaded rods, 3A274
- Excess attenuation of leaky Lamb waves due to viscous fluid loading, 10A324
- Circumferential creeping waves around a fluid-filled cylindrical cavity in an elastic medium, 10A261
NAGY, S: Modeling of the composition changes in the gas-condensate system, 9A1533
NAHAN, MF: Simple nonlocal damage model for predicting failure of notched laminates, 3A685
NAHAS, MN: Failure of composite stiffened plates loaded in compression, 10A665
NAHTA, R: Film cracking and debonding in a coated fiber, 6A780
NAIK, NK: Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - I: Laminate geometry, 5A668
- Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - II: Analytical predictions, 5A669
- Failure behavior of plain weave fabric laminates under on-axis uniaxial tensile loading - III: Effect of fabric geometry, 5A670
- ($\pm$ 45)^{o} Off-axis tension test for shear characterization of plain weave fabric composites, 11A456
NAIK, TR: Permeability of flowrate slurry materials containing foundry sand and fly ash, 11A552
NAIKI, T: Three-dimensional-LDA study of the relation between wall shear stress and intimal thickness in a human aortic bifurcation, 2A1463
NAIMAN, AE: Note on conjugate gradient convergence, 10T98
NAIMARK, L: H$^{\infty}$ controller design for pure delay and other distributed systems, 12A368
NAIR, MT: Onset of asymmetry: Flow past circular and elliptic cylinders, 7A1028
NAIR, PS: Modal density of composite honeycomb sandwich panels, 3A498
NAIR, RB: Modeling sulfur dioxide capture in a pulverized coal combustor, 10A1479
NAIR, S: Finite element for the analysis of shell intersections, 5A21
NAIR, SS: Fluid Power Systems and Technology - 1996: Collected Papers, 3N35
NAIR, SV: Creep crack growth in fiber reinforced composites with rate-dependent bridging: Role of a viscous fiber matrix interface, 3A704
NAIRN, JA: Revised shear-lag analysis of an energy model for fiber-matrix debonding, 8A804
- Stress transfer into a fragmented, anisotropic fiber through an imperfect interface, 8A815
NAISHTUT, YS: Analysis of 3D frames of rectilinear anisotropic bars, 5A45
NAITO, T: Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, 7A1557
- Changes in electromagnetic properties during thermal aging of duplex stainless steel, 9A713
NAJAFI, M: Distributed and boundary control for a parallel system of Euler-Bernoulli beams, 10T430
NAJDJUK, W: Mathematical model of optimum contact of discharge from reservoir (Polish), 9T1439
NAJI MEIDANI, AR: Numerical study of the complex dynamic behavior of a reactive gas bubble in water, 10A1134
NAJIBI, SH: Boiling and nonboiling heat transfer to electrolyte solutions, 6A1254
NAJIM, K: Adaptive control: Practical aspects and application to a grinding circuit, 10A426
NAJJAR , YSH: Comparison of performance for cogeneration systems using single- or twin-shaft gas turbine engines, 6A1361
NAJJAR, FM: Proceedings of the ASME Fluids Engineering Division, 4N25
- Computations of flow and heat transfer in parallel-plate fin heat exchangers on the CM-5: Effects of flow unsteadiness and three-dimensionality, 6A1284
- Heat transfer enhancement mechanisms in inline and staggered parallel-plate fin heat exchangers, 9A1286
NAJJAR, YSH: Performance of a waste heat recovery system using looped heat pipes, 7A1342
NAJM, HN: Premixed flame response to unsteady strain rate and curvature, 12A1362
NAJMI, A: Design of round reinforced-concrete columns, 3A765
NAJMI, A-H: Closed form solutions for the geometrical spreading in inhomogeneous media, 1A1409
NAJSON, F: Robot robust path tracking, 4A450
NAKABAYASHI, Y: Parallel FE fluid analysis on an element-by-element basis, 5A33
NAKACHO, K: Simple estimating method for reduction of welding residual stresses in thick welded joint from stress-relief annealing - Part I: Development of the analytical method for relaxation tests and its applicability, 2A1283
NAKADA, K: Thermal ratchetting analysis of cylinders subjected to axial traveling of temperature distribution: Effect of travel distance of temperature distribution (Japanese), 8A1383
NAKADA, M: Prediction of flexural fatigue strength of CRFP composites under arbitrary frequency, stress ratio, and temperature, 10A774
NAKADI, RM: Parallel computing concepts and methods for Floquet analysis of helicopter trim and stability, 4A1151
NAKAGAWA, H: Development of straight cup wheel to prevent grinding seizure for grinding center, 3T637
- Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), 9A676
NAKAGAWA, I: Three-axis capacitive accelerometer with uniform axial sensitivities, 8A415
NAKAGAWA, JM: Critique of mode acceleration and modal truncation augmentation methods for modal response analysis, 7A165
NAKAGAWA, K: Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), 2A574
- Back analysis method using measured displacements for predicting deformational behavior of discontinuous rock mass (Japanese), 5A543
- Developments of a ground displacement monitoring system by using the global positioning system (Japanese), 5A539
- Study on the evaluation of rock condition for construction and adoption of assisting methods based on the past records of twin tunnel construction (Japanese), 8T688
- Study on evaluation unit of blasting vibration based on effects on people (Japanese), 8A1575
- Proposal for optimum structural design with the largest buckling load, 9A837
- Observation of Biot compressional wave of the second kind in granular soils, 9A187
- Study on box shield tunnneling method in trial field operation (Japanese), 10A709
NAKAGAWA, M: Effect of vertical seismic load on shear-bending buckling strength of thin cylindrical shells, 7A549
- Hitting device for sport and precision engineering (Japanese), 10T1574
NAKAGAWA, N: Effects of dissipation energy on vibrational and sound energy flow, 1A301
- Nonlinear vibrations of a structure caused by water sloshing in a rectangular tank, 10A310
NAKAGAWA, S: Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents, 5A1445
NAKAGIRI, S: Optimization of truss topology using boundary cycle: Derivation of design variables to avoid inexpedient structure, 1A835
NAKAHARA, N: Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), 8A730
NAKAHARA, T: Fluid film lubrication mechanism of emulsion, 5T1112
- Lubrication characteristics of refrigerating-air conditioning rotary compressor: Mixed lubrication analysis on vane tip, 11A1175
NAKAI, A: Fabrication and mechanical properties of multi-reciprocal braided composite tube, 1A519
NAKAI, H: Non-contact strain measurement using metal foil gauges with the application of the laser speckle method, 9A802
NAKAI, M: Bifurcations of higher subharmonics and chaos in a forced vibratory system with an asymmetrical restoring force, 7A93
NAKAI, S: Object-oriented architecture for a FEM knowledge-based system, 4A31
NAKAI, T: Finite element analyses and model tests for excavation problems (Japanese), 2A569
NAKAJIMA, H: Fatigue crack growth properties of a cryogenic structural steel at liquid helium temperature, 11A640
NAKAJIMA, K: Monitoring of heart and respiratory rates by photoplethysmography using a digital filtering technique, 1A1465
NAKAJIMA, M: Initiation behavior of fatigue crack from corrosion pits (Japanese), 7T642
- Device to measure the size of volatile droplets utilizing a hot-film sensor, 11A1015
- Effect of crack size on dynamic SCC behavior of Ti-6Al-4V alloy in 3% NaCl solution, 12A772
NAKAJIMA, N: New method of nondestructive measurement for assessment of material degradation of aged reactor pressure vessels, 5A740
NAKAJIMA, T: Distribution of heat-transfer coefficients from small surfaces cooled with submerged jets of fluorocarbon liquid determined by an inverse heat-conduction analysis, 2A1234
- Fundamental model of the human thermal system for prediction of thermal comfort, 2A1271
- Ferro-fluid lubricated bearings for a polygon mirror motor, 3T1210
- Thermal deformation rate control grinding for improving surface finish (Japanese), 3A641
- Convergence of panel methods using discrete vortices around 2D bodies, 7A1018
- Asymptotic solutions for 2D low Reynolds number flow around an impulsively started circular cylinder, 9A1021
NAKAKARUMAI, N: 5-axis control machining by use of conicoid end mill (Japanese), 10A734
NAKAKUKI, A: Heat transfer in hot-zone-forming pool fires, 10A1418
NAKAKURA, M: Influences of fatigue frequency and hydrogen content on crack propagation in hydrogen embrittlement environment (Japanese), 7A665
NAKAMICHI, S: Stress intensity factors for an interface crack along an elliptical inclusion, 10A803
NAKAMINAMI, K: Semi-active suspension with dynamic absorbers of ground vehicles using fuzzy reasoning, 8A405
NAKAMIZO, T: Disturbance rejection using internal model control with limiting properties of the optimal control (Japanese), 4A352
NAKAMOTO, T: Manufacturing of 3D micro-parts by UV laser induced polymerization, 2T330
- Characterization and application of the sliding wear of hardened die steel against SiC whisker-plastic composite, 3A848
- Tear-off mechanism of sintered diamond tool in cutting SiC-particle-strengthened epoxy composites, 12A961
NAKAMURA, A: Development of dual servo STM (Japanese), 1A799
NAKAMURA, G: Formula for the fundamental solution of anisotropic elasticity, 11A373
NAKAMURA, H: Powder-metallurgical giant magnetostrictive material and its application to actuators: Development of magnetostrictive pump (Japanese), 1A384
- Elastic-plastic dynamic buckling analysis of steel circular pier (Japanese), 6A604
- Gear grinding by threaded vitrified-bonded CBN wheel, 7T618
NAKAMURA, I: Existence of extra vortex and twin vortex of anomalous mode in Taylor vortex flow with a small aspect ratio, 3A1023
NAKAMURA, K: Measurements of velocity profile development in the spinning flows of liquid crystalline polymer solutions, 8A995
NAKAMURA, M: Flexural behavior of reinforced concrete beams strengthened with carbon fiber sheets, 4A836
- Design method of rock bolts in jointed rock masses (Japanese), 8A687
- Uniqueness for unbounded classical solutions of the MHD equations, 10A1201
- Secondary current control in river bend by the action of obliquely arranged square bar elements (Chinese), 10A1059
NAKAMURA, R: Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), 10A551
NAKAMURA, S: Unsteady free convection flow over a continuous moving vertical surface, 1A1169
- Dry spot formation and changes in liquid composite molding - II: Modeling and simulation, 2A606
- Study on the ultimate strength of the main-cable and hanger system of simple-span suspension bridges due to the vertical loads (Japanese), 6A904
- Simulation of transient flow through Monsanto Processability Tester, by marker FEM, 7T29
- Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226
NAKAMURA, T: Optical noncontact measuring instrument for 3D shapes - 3rd report: Expansion of detecting range with a low resolution optical system (Japanese), 1A808
- Minimum constraint perturbation method for system topology optimization, 1A832
- Large earth retaining wall using precast SRC struts (Japanese), 2A567
- Hybrid inverse mode problem for fixed-fixed mass-spring models, 4A329
- Sequential stiffness design for seismic drift ranges of a shear building-pile-soil system, 6A1428
- Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, 8A1513
- Micro-displacement of contacting surface, 9T926
- Hybrid inverse mode problem for structure-foundation systems, 9A125
- Tensile toughness test and high temperature fracture analysis of thermal barrier coatings, 9A786
- Response of thin seal coated road pavement to the swelling and shrinkage of reactive clay subgrades, 10A710
- FEM simulation of friction testing method based on combined forward rod-backward can extrusion, 12A715
- Identification of Gurson's material constants by using Kalman filter, 12A852
NAKAMURA, Y: Transition to turbulence from a localized vortex array, 1A1066
- Experiments on ion-acoustic solitons in a plasma, 2A1064
- Noetherian perspective of Eulerian motion of a free rigid body, 7T83
- Planning spiral motions of nonholonomic free-flying space robots, 8A294
NAKANISHI, E: Temperature dynamic models of heat exchanger for photosensitive material coating and drying processes, 11A1352
NAKANISHI, K: Error-correcting merit of the volumetrically elastic and deviatorically rigid-plastic FEM, 12A30
NAKANISHI, M: Asymptotic solutions for 2D low Reynolds number flow around an impulsively started circular cylinder, 9A1021
NAKANISHI, S: Dryout and wall-temperature fluctuations in helically coiled evaporating tubes, 2A1212
NAKANISHI, T: Dynamics of multibody tracked vehicles using experimentally identified modal parameters, 4A391
NAKANISHI, Y: Optimization of truss topology using boundary cycle: Derivation of design variables to avoid inexpedient structure, 1A835
NAKANIWA, H: Vibration suppression effect of liquid crystal under electromagnetic field, 2A100
NAKANO, A: Outdoor measurement of multi-junction solar cells and modules based on the reference sunlight method, 10A1490
NAKANO, K: Evaluation of environmental impact reduction by the waste asphalt concrete recycling, 10T1504
NAKANO, S: Surface modification of electric shaver foil using ion beam (Japanese), 5T573
NAKANO, T: Toward the coherent development of tribology and mathematical science, 3T846
- Effects of anisotropic pressure Hessian on the interaction between vorticity and strain fields, 4A970
- Precision table control system by friction drive for optical disk mastering machine (Japanese), 5A309
NAKANO, Y: Effect of installation of cylindrical grinding machine upon its dynamic characteristics, 3T638
- Simulation analysis of cutting performance of diamond in titanium machining, 3T636
- Finite element analysis of thermal behavior in metal machining - 1st report: Influence of thermophysical properties on cutting temperature, 7A17
- Finite element analysis of thermal behavior in metal machining - 2nd report: Determination of energy balance and its application to 3D analysis, 7A18
NAKAO, MT: Verified computations of solutions for nondifferentiable elliptic equations related to MHD equilibria, 6T1168
NAKAO, T: Perpendicular construction of bridge girder for long span suspension bridge under a rapid stream (Japanese), 2T808
NAKAO, Y: Changes in electromagnetic properties during thermal aging of duplex stainless steel, 9A713
NAKASA, K: Cracking process and delamination strength of WC film coated by high-speed flame spraying (Japanese), 1A713
NAKASHIMA, M: In-feed internal honing of fine ceramics, 11T639
- In-feed internal honing of fine ceramics, 11A638
NAKASHIMA, T: Turbulence measurements and observations of turbulent premixed flames at elevated pressures up to 3.0 MPa, 6A1331
NAKATA, T: Study on low NO_x combustion in LBG-fueled 1500°C-class gas turbine, 1A1370
NAKATA, Y: Steady state and liquefaction strengths of crushable soils (Japanese), 8A643
NAKATO, T: Issues and Directions in Hydraulics, 3N37
NAKATOMI, R: Study of a negative impulsive wave generator, 5A151
NAKATSUCHI, Y: Vibrational mode of the tibia and assessment of bone union in experimental fracture healing using the impulse response method, 4A1481
NAKATSUGAWA, M: Studies on short-term rainfall prediction using animation of radar images and estimation of average-rainfall-depth over a watershed (Chinese), 10A1466
NAKATSUJI , K: Residual baroclinic circulations in semienclosed coastal seas, 9T1505
NAKATSUJI, K: Trends of global environmental research in fields of hydraulics and hydrology (Chinese), 10T1469
NAKAYAMA, A: Numerical study of thermal dispersion in porous media, 2A1366
- Boundary layer analysis of combined heat and mass transfer by natural convection from a concentrated source in a saturated porous medium, 5A1143
- Boundary element inverse analysis for improving accuracy of measuring polarization characteristics (Japanese), 9A56
NAKAYAMA, K: Effect of dissolved oxygen on the formation of iron fluoride, friction and wear in an iron-iron frictional system under perfluoropolyether fluid lubrication, 3A836
- Triboemission characteristics of electrons during wear of amorphous carbon and hydrogenated amorphous carbon films in a dry air atmosphere, 3A860
NAKAYAMA, M: Degradation characteristics of highly concentrated organic waste water by the sand layer method (Chinese), 10A1494
NAKAYAMA, T: Study on unsteady aerodynamic characteristics of oscillating cascades with arbitrary blade profiles: 2D cascades oscillating with blade section deformation, 3A1187

- Unified method for the numerical analysis of compressible and incompressible viscous flows, 5A950
- Boundary element method applied to the analysis of shallow liquid sloshing in moving tanks, 7A58
- Space-time correlation structures of horizontal coherent vortices in compound open-channel flows by using particle-tracking velocimetry, 10T1048

NAKAYAMA, Y: Atlas of Visualization, II, 2N50

NAKAZAWA, S: Injection molded plastic gears now (Japanese), 1T912

NAKAZAWA, T: Collision avoidance control of a quadruple arm SCARA robot (Japanese), 12A435

NAKHAIE-JAZAR, G: Periodic solution of a second order, autonomous, nonlinear system, 2T78

- Periodic solution of a Mathieu-Duffing type equation, 12A126

NAKHAMKIN, M: Cascaded humidified advanced turbine (CHAT), 1A1355

NAKURA, S: Development of a bilateral manipulator for surgical operation: Characteristics of developed manipulator (Japanese), 5T358

NALIM, MR: Wave cycle design for wave rotor gas turbine engines with low NO_x emissions, 1A1371

- Numerical investigation of premixed combustion in wave rotors, 12A1398

NALLASAMY, M: Computation of noise radiation from fan inlet and aft ducts, 11A241

NALLURI, P: Nonlinear dynamic stability of normal and arthritic greyhounds, 10A1551

NAM, CHANGHO: Reduced-order aeroservoelastic model with an unsteady aerodynamic eigen formulation, 12A285

NAM, SOO-RYONG: Development of a micro-depth control system for an ultra-precision lathe using a piezo-electric actuator, 8A705

NAMACHCHIVAYA, NS: Moment Lyapunov exponent for two coupled oscillators driven by real noise, 3A92

- Chaotic dynamics of shallow arch structures under 1:2 resonance, 11A90
- Chaotic motion of shallow arch structures under 1:1 internal resonance, 11A91

NAMACHCHIVYA, NS: Nonlincar Dynamics and Controls, 3N8

NAMBA, M: Unsteady aerodynamic analysis of supersonic through-flow fan with vibrating blades under non-zero mean loading, 2A179

- Active control of cascade flutter by means of sound waves from duct wall sources, 3T280

NAMBA, Y: Ductile grinding of glass-ceramics with bronze-bonded diamond wheels (Japanese), 10T742

NAMI, Z: Energy-based design criterion for magnetic microactuators, 4A424

NAMIKI, H: Trends in ammonia for industrial refrigeration plants, 5T1282

NANASI, T: Matrix decompositions in the mechanics of systems (Russian), 1A140

- Dispersion properties of transversely isotropic layered shells, 9A185

NANCE, DV: Low-dispersion finite volume scheme for aeroacoustic applications, 7A282

NANCE, LB: Inclusion of compressibility effects in the scorer parameter, 8T1104

NANDAKUMAR, K: Three-dimensional viscous flow through a rotating channel: A pseudospectral matrix method approach, 2A1006

- Secondary instability of flow in a curved duct of square cross-section, 4A1050
- Further contributions on the 2D flow in a sudden expansion, 8A1149

NANDAKUMAR, R: Estimation of machining errors using the concept of cyclic symmetry, 9A667

NANDWANA, BP: Detection of the location and size of a crack in stepped cantilever beams based on measurements of natural frequencies, 12A157

NANDY, U: Minimization of residual vibrations in lumped parameter positioners: A non-time-optimal bang-bang control, 4A828

NANJO, M: Analysis and model-tests on vortex-induced oscillation of bridges (Japanese), 3A789

NANJUNDA RAO, KS: Approximate elasticity solution for a long and thick laminated circular cylindrical shell of revolution, 9A568

NANOS, J: Tribological behavior of yttria-stabilized zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 7A892

NANRI, M: Characteristics of strength increasing on soft ariake clays in construction works used quicklime and pozzolanic materials (Japanese), 5A512

NANTKA, MB: Method for prediction of air flows in multizone buildings, 2A812

NANUA, P: Energy comparison between trot, bound, and gallop using a simple model, 11A1564

NAPIERALSKI, A: Application of sparse matrix techniques and self-adopting mesh generation to 3D transient thermal simulation, 9A379

- Computer-aided analysis of integrated electrostatic micromotors, 9A380

NAPOLITANO, M: Optimal vorticity conditions for the nodo-centered finite-difference discretization of the second-order vorticity-velocity equations, 2A38

NAPPA, L: Thermoelastic deformation of microstretch elastic beams, 5A1291

- Decay estimates for micropolar elastic cylinders, 6A485
- Torsion and flexure of microstretch elastic circular cylinders, 11A511

NAPPO, CJ: Note on the application of linear wave theory at a critical level, 10A300

NAPRSTEK, J: Stochastic exponential and asymptotic stability of simple nonlinear systems, 3A130

NAQIB, RA: Practical considerations in 2D shape optimization of elastic continuum, 2A761

NARABAYASHI, T: Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226

NARAHARA, H: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825

- Study on a 5-axis machine tool for sculptured surface having a fixed point in the tip of the tool, 7A614

NARAHARI, Y: Modeling reentrant manufacturing systems with inspection stations, 5A371

NARASIMHA, R: Volumetrically heated jet: Large-eddy structure and entrainment characteristics, 5A1022

- Experimental studies of a distorted turbulent spot in a 3D flow, 7A1087

NARASIMHAM, SV: Stress analysis of V-shaped expansion joints under internal pressure, 9A560

NARASIMHAN, KS: Recent advances in ferrous powder metallurgy, 2A610

NARASIMHAN, R: Numerical simulations of hole growth and ductile fracture initiation under mixed-mode loading, 3A700

- Babuska-Brezzi condition and the patch test: An example, 6A13
- Asymptotic fields for dynamic crack growth at a ductile-brittle interface, 7A760
- Finite element study of the effect of void initiation and growth on mixed-mode ductile fracture, 9A26
- Finite element analysis of plane strain dynamic crack growth at a ductile-brittle interface, 10A833

NARASIMHAN, S: Finite deformations and the dynamic measurement of radial strains in compression Kolsky bar experiments, 2A467

- Effect of operating conditions on heavy duty engine valve seat wear, 7A877

NARAYAN, JP: Optimum inverse filtering of seismic signatures, 4T1425

NARAYAN, KY: Types of flow on the lee side of delta wings, 9A1162

NARAYANAN, AK: Experimental studies on piloted supersonic combustion using the petal nozzle, 7A1400

NARAYANAN, R: Testing and analysis of steel-concrete-steel sandwich beams, 2A476

- Hydraulic jump in sloping channels, 3A971
- Case study of safe lowering of an in service gas pipeline, 12A1524

NARAYANAN, S: Chaotic oscillations in pipes conveying pulsating fluid, 2A74

- Measurements of spatiotemporal dynamics in a forced plane mixing layer, 3A1145
- Modal density of composite honeycomb sandwich panels, 3A498

NARAYANAN, VA: Modeling and design of an inertial vibration reflector, 9A178

NARAYANASWAMI, L: Pressure-gain combustion - Part I: Model development, 1A1338

NARAYANASWAMI, R: Burr minimization in face milling: A geometric approach, 11A593

NARDIN, M: Interfacial shear strength in glass-fiber-vinylester-resin composites, 1A523

- Review of adhesion mechanisms using the peel test in air and liquid media, 1A945

NAREJO, D: Puncture protection of geomembranes - Part I: Theory, 7A515

- Puncture protection of geomembranes - Part II: Experimental, 7A516
- Puncture protection of geomembranes - Part III: Examples, 7A517

NARENDRA, KS: Error models with parameter constraints, 3T332

- Adaptive control of robotic manipulators using multiple models and switching, 6A426

NARIKIYO, T: Evaluation of sectional curve on progressive lens (Japanese), 8A861

NARIMOUSA, S: Penetrative turbulent convection into a rotating two-layer fluid, 3A1014

NARITA, F: Singular stress and electric fields of a piezoelectric ceramic strip with a finite crack under longitudinal shear, 8A634

NARITA, K: Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), 10A741

NARITA, N: Optimizing the design characteristics of seismic-isolation device (lead rubber bearing) for bridges (Japanese), 8A1488

NARIYUKI, A: Remarks on thermal behavior of rock mass around openings affected by low temperature (Japanese), 5T542

NARKIEWICZ, J: Survey of applicability of electrically-mechanically stimulated materials to sensors and actuators in smart structures, 4A432

NARKIEWICZ, JP: Application of a learning control algorithm to a rotor blade tab, 5T283

NARUSAWA, U: Pattern selection in mixed convection in rectangular ducts, 10A1292

NASEDKIN, AV: Properties of the natural frequencies of electroelastic bodies of bounded dimensions, 1A612

NASER, JA: Experiment and prediction of a cavity type separated flow, 8A1091

NASR, A: Two parallel plane jets: Mean flow and effects of acoustic excitation, 8A1161

NASRALLAH, SB: Transient free convection in a vertical cylinder filled with granular product, open at the extremities and heated with uniform heat flux density: Validity of the local thermal equilibrium hypothesis (French), 5A1156

NASSAR, H: Spectral and electrical diagnostics of gliding arc, 2A993

NASSAR, IN: Heat, water, and solute transfer in unsaturated porous media - II: Compacted soil beneath plastic cover, 11A1461

- Heat, water, and solute transfer in unsaturated porous media - I: Theory development and transport coefficient evaluation, 11T1462

NASSAR, J: Experiments on interlayer exchange coupling, 9A381

NASSAR, M: General solution for plastic circular plates resting on a fluid, 2A492

- Analytical solution of cracked shell resting on elastic foundation, 7A768

NASSAR, MM: Hydrodynamic lubrication of squeeze-film porous bearings, 5A1108

- Lubrication analysis of externally pressurized circular porous bearings, 6A1207

NASSAR, R: Three-dimensional numerical model for thermal analysis in X-ray irradiated photoresists, 11A1331

NASSEF, R: Simultaneously developing flow and heat transfer of non-Newtonian fluids in equilateral triangular duct, 8A1108

NASSEHI, V: Finite element modeling of free surface viscoelastic flows with particular application to rubber mixing, 6A502

- New 2D FE model for the shallow water equations using a Lagrangian framework constructed along particle trajectories, 6A282

NASSERI, S: Path and efficiency of two micromachines with rigid tails, 2A962

NASSTROM, M: Simulation of hot isostatic pressing of metal powder components to near net shape, 1A671

NATARAJ, C: Heat transfer in an electromagnetic bearing, 12A1160

NATARAJ, MS: Strength and deformation properties of soils reinforced with fibrillated fibers, 10A717

NATARAJ, N: Mixed-hybrid FEM for anisotropic plate bending problems, 6A597

NATARAJA, HR: Final solution of duffing equation of mixed parity, 12T116

NATARAJAN, B: Ultrasonic studies on poly(methylmethacrylate) in Dioxane, 10A334

NATARAJAN, R: Numerical investigation of the interference effects between two burning fuel spheres, 2A1337

NATARAJAN, VVR: Heat transfer in vertical granular flows, 12A1284

NATEGHI, F: Analysis of timber structures subjected to wind loads, 2A814

NATERER, GF: Conduction shape factors of long polygonal fibers in a matrix, 6A1265

- Subgrid volumetric quadrature accuracy for transient compressible flow predictions, 12A1100

NATH, G: Unsteady free convection flow over a continuous moving vertical surface, 1A1169

- Unsteady flow and heat transfer between rotating coaxial disks, 5A1177
- Growth of perturbations associated with the linear stability of inviscid fluid flows, 6A1016
- Unsteady compressible boundary layer flow at the stagnation point of a rotating sphere with an applied magnetic field, 9A1137
- Unsteady 3D stagnation point flow of a viscoelastic fluid, 11A959
- Similarity solution of unsteady boundary layer equations with a magnetic field, 11A468
- Effect of large blowing rates on the compressible boundary layer flow at the stagnation point of a rotating sphere, 12A1119

NATH, SK: Forward modeling in cross-hole seismic tomography using reciprocity, 4A1372

- Forward modeling in cross-hole seismic tomography using reciprocity, 8A1469

NATH, T: Free vibrations of circular cylindrical shell on Winkler and Pasternak foundations, 3A165

NATHAN, GJ: Influence of fuel jet precession on the global properties and emissions of unconfined turbulent flames, 4A1290

NATHER, F: Steel bridges with double composite action in Germany (German), 10A956

- Composite steel bridges with composite concrete bottom plate in Germany (German), 11A811

NATKANIEC-KOCANDA, D: Influence of shot-peening on short crack behavior in a medium carbon steel, 2A637

NATKE, HG: Parallel interval algorithm for parameter identification in the frequency domain, 5A168

- Applications of system identification and the role of regularization, 9A302

NATORI, MC: Active shape control of a deployable space antenna reflector, 1A366

- Object-oriented architecture for a FEM knowledge-based system, 4A31

NATOV, M: Long-term durability of wood-flour-polypropylene-elastomer composites, 9A532

NATROSHVILI, D: Interaction of elastic scalar fields, 6A288

- Boundary integral equation method in the steady state oscillation problems for anisotropic bodies, 8A230

NATSIAVAS, S: Vibration isolation of mechanical systems with nonlinear foundations, 1A222

- Seismic behavior of unanchored liquid containers, 2A1386
- Stability analysis and complex dynamics of a gear-pair system supported by a squeeze film damper, 6A626
- Free vibration in a class of self-excited oscillators with 1:3 internal resonance, 10A134

NAU, JM: Seismic response of building frames with vertical structural irregularities, 6A1457

NAUGHTON, JW: Experimental study of compressible turbulent mixing enhancement in swirling jets, 8A1158

NAUMENKO, AP: Simulation of viscoelastic behavior of layered members of constructions of anisotropic elastomeric materials (Russian), 12A574

NAUMENKO, K: Creep bending of thin-walled shells and plates by consideration of finite deflections, 12A635

NAUMOVIC, MB: Experience with self-tuning controlling design for servodrives in positioning systems, 10A505

NAUS, DJ: Aging management of containment structures in nuclear power plants, 6A1495

NAVA, R: Response time and viscosity of electrorheological fluids, 8A1206

NAVARRO, A: Constitutive model for elastic-plastic deformation under cyclic multiaxial straining, 12A530

NAVTI, SE: Finite element modeling of surface tension effects using a Lagrangian-Eulerian kinematic description, 12A1077

NAVZENYA, VY: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297

NAWY, EG: Reinforced Concrete: A Fundamental Approach, Third Edition, 4N21

- Prestressed Concrete: A Fundamental Approach, Second Edition, 4N18

NAYAMA, M: Study on crack generation at root of socket welds, 5A1440

NAYEB-HASHEMI, H: Mode I fatigue crack growth in a continuous alumina fiber-reinforced magnesium matrix composite, 2A619

- Multiaxial fatigue life evaluation of tubular adhesively bonded joints, 8A758

NAYFEH, AH: Nonlinear normal modes of systems with internal resonance, 1A130

- Damping characteristics of thick rectangular laminates, 3A136
- Bifurcation and chaos in externally excited circular cylindrical shells, 3A163
- Viscosity-induced attenuation of longitudinal guided waves in fluid-loaded rods, 3A274
- Natural frequencies and mode shapes of laminated composite plates: Experiments and FEA, 4A165
- Coupling between high-frequency modes and a low-frequency mode: Theory and experiment, 4A82
- Nonlinear combination resonances in cantilever composite plates, 4T86
- Acoustic radiation from multi-span baffled panels, 6A336
- Effect of the second harmonic on the fundamental parametric resonance in boundary layers, 8A1128
- Three-to-one internal resonances in hinged-clamped beams, 10A141
- Damping characteristics of laminated thick plates, 10A208
- Excess attenuation of leaky Lamb waves due to viscous fluid loading, 10A324
- Experimental verification of the importance of the nonlinear curvature in the response of a cantilever beam, 11A115
- Theoretical and experimental implementation of a control method based on saturation, 12A214

NAYFEH, SA: Nonlinear normal modes of systems with internal resonance, 1A130

NAYLOR, D: Natural convective heat transfer in an enclosure partly filled with a non-porous insulation, 3A1227

- Natural convective heat transfer from a cylinder in an enclosure partly filled with a porous medium, 5A1189

NAZARENKO, LV: Elastic properties of materials with spheroidal porous (Russian), 1T14

- Thermoelastic properties of orthotropic porous materials (Russian), 12A1336

NAZARENKO, OA: Diffraction of elastic waves by spherical defects, 8A236

NAZARENKO, S: Single fiber microbuckling in a model composite, 5A496

NAZARENKO, SV: Circulation density and its role in 3D turbulence, 9A1107

NAZARENKO, VM: Failure of infinitely noncompressible hyperelastic material under compression along the cylindrical crack (Russian), 2A655

NAZARIAN, S: Low strain shear moduli of cemented sands, 11A548

NAZAROFF, WW: Particle decomposition from natural convection enclosure flow onto smooth surfaces, 4A1329

NAZAROV, AD: Computational and experimental evaluation of the effect of engine disbalance on wear of crankshaft bearings, 2A880
NAZAROV, SA: Korn's inequalities for junctions of spatial bodies and thin rods, 8A132
- Pressure of a narrow ring-shaped punch on an elastic half-space, 8A485
NAZMY, M: Effects of the state of stress on the tensile and creep properties of γ-TiAl, 12A527
NDOUDI-LIKOHO, AD: Nonlinear control for a train-like vehicle, 12A396
NDUBIZU, CC: Pulse combustion: A new technique for improving the efficiency of industrial thermal processes, 7A1409
NEALE, BK: Fracture behavior of a center cracked tensile specimen, 9A778
- J-integral function for a center-cracked tensile specimen, 11A690
NEALE, KW: Simulation of the behavior of FCC polycrystals during reversed torsion, 7A442
NEALE, SD: Role of polyethylene wear in joint replacement failure, 10A978
NEBOT, EM: Artificial neural network implementation of chemistry with pdf simulation of H_2/CO_2 flames, 3A1327
NEDA, Z: Two-step Monte Carlo method for wetting on heterogeneous surfaces, 11A1072
NEDDERMAN, WH: Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, 9A1155
NEDER, Z: Evaluation of the real contact areas, pressure distributions and contact temperatures during sliding contact between real metal surfaces, 7A916
NEDERBRAGT, WW: Design of tactile fixtures for robotics and manufacturing, 12A445
NEDERGAARD, H: Ringing and double frequency response of a tripod, 11A210
NEDEß, C: Development of the new-type indexable inserts with helical rake faces, 12A732
NEDUNGADI, A: Computational study on the flowfields associated with oblique shock-vortex interactions, 6A1946
NEE, AYC: Tool wear and chatter detection using the coherence function of two crossed accelerations, 8A942
NEEDHAM, G: Mechanism of multi-valued friction in unsteady sliding line contacts operating in the regime of mixed-film lubrication, 7A865
NEEDLEMAN , A: Numerical study of dynamic crack growth in elastic-viscoplastic solids, 7A766
NEEDLEMAN, A: Constraint effects on the ductile-brittle transition in small scale yielding, 1A727
- Nonlocal effects on localization in a void-sheet, 11A681
- Numerical modeling of crack growth under dynamic loading conditions, 12A842
NEELAKANTAN, NR: Short banana fiber reinforced polyester composites: Mechanical, failure and aging characteristics, 11A467
NEEP, JP: Measurement of seismic attenuation from high-resolution crosshole data, 1A1414
NEFEDOV, SV: Model of growth of a penny-shaped low-cycle fatigue crack, 5A609
- Growth of thin delaminations in laminate composite beams under cyclic bending, 6A624
NEFF, DE: Turbulence structure in a stratified boundary layer under stable conditions, 11A1506
NEFF, RA: Simultaneous measurement of viscoelastic changes and cell opening during processing of flexible polyurethane foam, 7A992
NEFF, WD: Ground-based remote sensing of the atmospheric boundary layer: 25 years of progress, 2T1417
- Seventh International Symposium on Acoustic Remote Sensing and Associate Techniques of the Atmosphere and Oceans, 7A1501
NEFUSSI, G: Algorithm for integrating the spin on convected bases, 2A424
NEGAHBAN, M: Thermodynamic modeling of the thermomechanical effects of polymer crystallization: A general theoretical structure, 7A3
- Thermomechanical effects associated with crystallization of rubber under stretch and during slow extension, 12A516
NEGM, A-AM: Hydraulic jumps at positive and negative steps on sloping floors, 2A951
- Depth ratio of hydraulic jump in rectangular stilling basins, 6T989
NEGM, HM: Analysis of composite swept wing structures, 12A197
NEGRO, P: Effect of infills on the global behavior of R-C frames: Energy considerations from pseudodynamic tests, 2A1388
- PsD test on four-story R-C buildings designed according to Eurocodes, 6A890
- Irregularities induced by nonstructural masonry panels in framed buildings, 10A948
NEHRIR, H: Variable speed operation of permanent magnet alternator wind turbines using a single switch power convertor, 5A1456
NEILSEN, MK: Discontinuous bifurcation states for associated smooth plasticity and damage with isotropic elasticity, 1A11
NEISE, W: Noise source identification in a propfan model by means of acoustical near field measurements, 12A302
- Experimental study of tip clearance losses and noise in axial turbomachines and their reduction, 12A1183
NEISES, J: Finite element integration for the control volume method, 4A28
NEITZEL, GP: Finite element computations for unsteady fluid and elastic membrane interaction problems, 11A31
NEITZEL, M: Electro-mechanical dynamic analysis of the piezoelectric stack, 3A572
- Analytical investigation of static models of piezoelectric patches attached to beams and plates, 10A675
NEJAD, AS: Injection of supercritical ethylene in nitrogen, 1A1335
- Bow shock-jet interaction in compressible transverse injection flowfields, 4T1062
- Effects of nozzle geometry on parallel injection into a supersonic flow, 5A1011
- Breakup processes of liquid jets in subsonic crossflows, 7A1109
- Effects of incorporating a cone swirler into a side-inlet ducted ramrocket, 7A1431
- Large structure convection velocity measurements in compressible transverse injection flowfields, 9A1050
- Experimental and numerical study of the isothermal flowfield behind a bluff body flameholder, 10A1089
NELE, L: Cutting forces in orthogonal cutting of unid.rectional GFRP composites, 1A652
NELISSE, H: Fluid-structure coupling for an unbaffled elastic panel immersed in a diffuse field, 6A331
- Characterization of a diffuse field in a reverberant room, 12A331
NELLI SILVA, EC: Optimal design of piezoelectric microstructures, 11A545
NELLIS, GF: Entropy-based correction of finite-difference predictions, 9A46
NELSEN, EB: Water intrusion in graphite-epoxy sandwich panels subjected to low level impact damage, 5A458
NELSON II, SA: Sequentially decomposed programming, 12T890
NELSON, CM: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515
NELSON, DA: Experimental investigation of the effects of cycling frequency and temperature on the fatigue life of 60 Tin-40 lead solder, 6T976
NELSON, DC: KEEP EAGLE F-15E high angle-of-attack flight test program, 11T1146
NELSON, DV: Determination of biaxial residual stresses by a holographic-hole drilling technique, 4A523
NELSON, FC: Vibration isolation review - Part II: Shock Excitation, 5A141
NELSON, HD: Stability analysis and complex dynamics of a gear-pair system supported by a squeeze film damper, 6A626
NELSON, HF: Heat transfer in two-phase solid-rocket plumes, 2A1346
- Radiative heating in scramjet combustors, 7A1410
NELSON, JJ: Least-squares FEM for the Stokes problem with zero residual of mass conservation, 10A1075
NELSON, PA: Local sound field reproduction using digital signal processing, 3A322
- Automatic control of laminar boundary-layer transition, 6A1075
- Experiments on the active control of broadband sound radiation from a lightweight partition, 12T333
NELSON, R: Convective Flow Boiling, 4R27
- Nonlinear aspects of high heat flux nucleate boiling heat transfer, 11A1279
NELSON, RB: Matrix Structural Analysis, 8R8
- Analysis of disjoint 2D particle assemblies, 6A653
NELSON, RC: Hydraulic roughness of coral reef platforms, 11T913
NELSON, TE: High-lift aerodynamic computations with one- and two-equation turbulence models, 7A1178
NELSON, VK: Axisymmetric vibration of piezo-composite hollow circular cylinder, 1A199
NEMAT-ALLA, M: Thermal stress intensity factor for functionally gradient half space with an edge crack under thermal load, 3A1279
- Study of an edge crack problem in a semi-infinite functionally graded medium with two dimensionally nonhomogeneous coefficients of thermal expansion under thermal load, 6A790
NEMAT-NASSER, S: New computational approach to crystal plasticity: fcc single crystal, 4A530
- General duality principle in elasticity, 5A399
- Direct measurement of isothermal flow stress of metals at elevated temperatures and high strain rates with application to Ta and Ta-W alloys, 8A530
NEMCHINSKY, VA: Role of thermocapillary instability in heat transfer in a liquid metal pool, 5A1163
NEMES, JA: Dynamic punch shear behavior of AS4-3501-6, 2A454
- Propagation of elastic-viscoplastic waves in damage-softened polycrystalline materials, 7A190
NEMET, B: Baroclinic adjustment: A comparison between theory, observations, and models, 3T1137
NEMETH, NN: Reliability analysis of uniaxially ground brittle materials, 5A457
- Durability evaluation of ceramic components using CARES-LIFE, 11A483
NEMETH, T: Dynamic smoothing in crosswell traveltime tomography, 7A1465
NEMISH, YN: Solution of spatial problem of symmetrical deformation of a laminas cone with non-canonical interfaces (Russian), 2A442
- Solution of a spatial problem on asymmetric deformation of the laminated cone with non-canonical interfaces (Russian), 6A552
- One approach to solution of spatial boundary value problems of the elasticity theory doubly-connected problems (Russian), 9A429
- Stressed state of nonlinear elastic medium with spherical inclusion (Russian), 12A494
- Spatial boundary value problems of mechanics of piecewise-homogeneous bodies with non-canonical interfaces: Survey (Russian), 12A475
NEMOTO, E: Thermal-conductivity measurement of a 2D anisotropic heat conductor using steady-state point heat source and sink, 7A1316
NEMOTO, T: Numerical analysis on hydrogen diffusion and concentration in solid with emission around the crack tip, 2A642
NEMTSOV, BE: Induced coagulation of small particles under the action of sound, 2A269
NENCHEV, DN: Singularity-consistent path planning and motion control through instantaneous self-motion singularities of parallel-link manipulators, 6A441
NEPERSHIN, RI: Non-isothermal plane plastic flow of a thin layer compressed by flat rigid dies, 11A577
NEPOMNYASHCHY, AA: Three-dimensional long-wave instability of unidirectional spatially periodic viscous flows, 5A1024
- Marangoni instability in tri-layer liquid systems, 7A1127
- New types of long-wave oscillatory Marangoni instabilities in multilayer systems, 8A1290
- Nonlinear evolution and secondary instabilities of Marangoni convection in a liquid-gas system with deformable interface, 12A1140
NEPTUNE, RR: Pedal and knee loads using a multi-dof pedal platform in cycling, 10A1577
NERANTZAKI, MS: Buckling of plates with variable thickness: An analog equation solution, 7A559
NEREM, RM: Effect of uniaxial cyclic stretch on the morphology of monocytes-macrophages in culture, 2T1453
NERUBAILO, BV: Class of integral equations of the axisymmetric theory of elasticity for a composite space with gaps at the interface, 3A447
NESPRYADKO, VP: Effect of nonuniformity of stressed state on the estimate of residual power of teeth periodont (Russian), 12A1532
NESREDDINE, H: Variable-property effects in laminar aiding and opposing mixed convection of air in vertical tubes, 7A1262
NESS, E: Abrasion and erosion of hard materials related to wear in the abrasive waterjet, 2A643
NESS, OB: Strain concentrations in pipelines with concrete coating, 2A849
NESSIM, MA: Environmental load uncertainties for offshore structures, 11A818
NESTEROV, SV: Analysis of the spatial nonlinear vibrations of a string, 1A171
- Forced nonlinear vibrations of a string, 1A184
NESTEROVA, IN: Microtribometer for testing of thin surface layers and coatings, 3A884
NETHERCOT, A: Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - I: Experimental behavior, 1A793
NETHERCOT, DA: Behavior of flush end-plate composite connections with unbalanced moment and variable shear-moment ratios - II: Prediction of moment capacity, 1A850
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Overall considerations, 8A926
- Experimental behavior of a full-scale, semi-rigidly connected composite frame: Detailed appraisal, 8A927
- Effect of high shear on the moment capacity of composite cruciform endplate connections, 10A950
- Design of composite finplate and angle cleated connections, 11A800
- Prediction of initial stiffness and available rotation capacity of major axis composite flush endplate connections, 11A817
NETO, AC: Railway wheelset dynamics (Spanish), 6A201
NETO, JSR: Compensation of self-heating in the measurement of the dynamic response of a thermoresistive sensor, 12A1245
NETZER, DW: Tactile Missile Propulsion, 12N43
NETZER, E: Novel vibratory device for angular rate measurement, 11A321
NEUBER, AA: Turbulence modulation in jet diffusion flames: Modeling and experiments, 1A1317
NEUBERT, RJ: Bowed stators: An example of CFD applied to improve multistage compressor efficiency, 10A1244
NEUENHOFER, A: Multiple-support response spectrum method and application to bridge structures (German), 10A230
- Evaluation of nonlinear frame FE models, 12A22
NEUHAUSER, DS: Real-time seismology at UCB: The rapid earthquake data integration project, 2A1373
NEUHOF, U: Investigation on ceramic-metal joints for shaft-hub connections in gas turbines, 1A905
NEUMAN, SP: Subsurface Flow and Transport: A Stochastic Approach, 11N38
NEUSSL, MA: Fatigue life of panels with multiple site damage, 4A705
NEVALAINEN, O: Determining the manual setting order of components on PC boards, 1T410
NEVE, M: Improved design of vehicle seat, 7A1558
NEVE, RS: Enhancement of heat exchanger performance using combined electrohydrodynamic and passive methods, 2A1254
- EHD effects of nucleate boiling at passively enhanced surfaces, 5A1209
NEVES, IC: Mechanical properties of reinforcing and prestressing steels after heating, 6A1300
NEVEU, P: Energetic analysis, application field and performance of a new thermochemical sorption cycle: The multisalt system, 2A1147
- Development of a numerical sizing tool for a solid-gas thermochemical transformer - I: Impact of the microscopic process on the dynamic behavior of a solid-gas reactor, 11A1410
- Development of a numerical sizing tool applied to a solid-gas thermochemical transformer - II: Influence of external couplings on the dynamic behavior of a solid-gas thermochemical transformer, 11A1411
NEVILLE, A: Properties of Concrete, Fourth Edition, 9N19
NEWARK, ACB: Strength of webs subjected to compressive edge loading, 7A502
NEWAZ, G: Elastostatic surface displacements of a half-space reinforced by a thin film due to an axial ring load, 11A459
NEWBERGER, PA: Use of the Boussinesq equations, the reduced system, and the primitive equations for the computation of geophysical flows, 4T1431
NEWCOMB, DE: Viscoelastic analysis of diametral compression of asphalt concrete, 11A400
NEWCOMB, TP: Double pulsed holography used to investigate noisy brakes, 1A800
NEWELL, KJ: Ultrasonic determination of stiffness properties of an orthotropic viscoelastic material, 10A875
NEWELL, N: Modular CNC design for intelligent machining- Part I: Design of a hierarchical motion control module for CNC machine tools, 5A372
NEWELL, TA: Optical measurement of liquid film thickness and wave velocity in liquid film flows, 4A1182
- Comparison of gradient zone pumping and rising pond maintenance techniques for gradient zone stabilization, 9A1539
NEWHALL, HK: Automotive diesel fuel emissions durability trends, 1A1348
NEWHALL, XX: Lunar moments, tides, orientation, and coordinate frames, 6T1406
NEWLING, B: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193
NEWMAN JR, JC: Fatigue and Fracture Mechanics: 27th Volume, 10N21
- Three-dimensional FE analyses of corner cracks at stress concentrations, 3A13
- Extended compact tension specimen, 10A850
NEWMAN, D: Parallel benchmarks of turbulence in complex geometries, 3A1163
- Simulations of flow over a flexible cable: A comparison of forced and flow-induced vibration, 3A277
NEWMAN, DJ: Closed-loop, estimator-based model of human posture following reduced gravity exposure, 3A1516
NEWMAN, JN: Second-order wave force on a vertical cylinder, 3A240
- Extended boundary integral equation method for the removal of irregular frequency effects, 4A247
- Wave diffraction by a long array of cylinders, 11A196
NEWMAN, MG: Modeling the creep in a welded plate using a three-director Cosserat model, 3A929
NEWMAN, PA: First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, 7T1177
NEWSON, TA: Numerical modeling of consolidation and evaporation of slurried mine tailings, 3A586
NEWTON, DV: Efficient power amplifiers for piezoelectric applications, 7A563
NEYESTANAKI, AK: Catalytic combustion of propane and natural gas over silica-fiber supported catalysts, 2A1323
NEZLIN, MV: Self-organization of the large-scale planetary and plasma drift vortices, 3A1417
NEZU, I: Space-time correlation structures of horizontal coherent vortices in compound open-channel flows by using particle-tracking velocimetry, 10T1048

NEZU, K: Study of auto steering control method in the small-diameter pipe excavation-thrust method (Japanese), 10A708
NG, CF: Testing techniques for chaotic vibration of buckled aircraft structures, 2A826
NG, CHEE-KHOON: Effects of deviators and tendon configuration on behavior of externally prestressed beams, 8A914
NG, CHIU-ON: Effects of a semipervious lens on soil vapor extraction, 12A1526
NG, CW: Numerical study of vortex interactions behind two circular cylinders in bistable flow regime, 11A1055
NG, EYK: Development of a one-step accurate flux vector-splitting implicit algorithm for Euler and Navier-Stokes equations, 7A1036
- Novel implicit difference algorithm of primitive variable flow equations with higher-order extra terms, 8A52
NG, KC: Diagnostics and optimization of reciprocating chillers: Theory and experiment, 7A1230
- Modeling of absorption chillers with external and internal irreversibilities, 9A1310
NG, KLA: Behavior of joints and interfaces subjected to water pressure, 8A686
NG, SL: Extensional viscosity measurements of dilute solutions of various polymers, 3A944
NG, SW: Semi-infinite-crack model for determining mode I stress intensity factors using crack surface displacements, 1A745
NG, TW: Numerical study of effects of pulsatile amplitude on unsteady laminar flows in rigid pipe with ring-type constrictions, 8A1144
NG, W: Proceedings of the ASME Aerospace Division, 4N19
NG, WF: Development of flow distortions at the fan face for an axisymmetric supersonic inlet, 12A1129
- Effects of choking on the aeroacoustics of an axisymmetric supersonic inlet, 12A1130
NG, YH: Testing of semi-rigid unbraced frames for calibration of second-order inelastic analysis, 12A921
NGAI, TUNGWAI LEO: Mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, 2A866
NGAMSRITRAKUL, P: Heat pump dryer - Part 2: Results of the simulation, 7A1343
- Heat pump dryer - Part 1: Simulation of the models, 7A1347
NGAN, AHW: Generalized Peierls-Nabarro model for non-planar screw dislocation cores, 11A440
NGAN, K: Chaotic mixing and transport in Rossby-wave critical layers, 9A96
NGUYEN , TH: Effects of anisotropy in permeability on the two-phase flow and heat transfer in a porous cavity, 8A1455
NGUYEN, CC: Recent progress on the theoretical developments for mobile robots, 7A378
- Recent practical developments for mobile robots, 9T394
- Special issue on latest developments in neuro-fuzzy intelligent robotic systems, 11T287
NGUYEN, CT: Variable-property effects in laminar aiding and opposing mixed convection of air in vertical tubes, 7A1262
NGUYEN, HD: Transient thermal convection in a spherical enclosure containing a fluid core and a porous shell, 4A1218
NGUYEN, HL: Approximate theory for radial filtration-consolidation, 3A584
NGUYEN, NT: Effect of undercut and residual stresses on fatigue behavior of misaligned butt joints, 3A665
- Partial interaction in composite steel and concrete beams with full shear connection, 12A593
NGUYEN, P: Translating and transversely oscillating cylinder - Part I: The effect of the Strouhal number on the hydrodynamic forces and the near-wake structure, 11A211
NGUYEN, TT: Theoretical and experimental study of composite solid propellant combustion, 4A1312
NGUYEN, VH: Generalized method of moving asymptotes (GMMA) including equality constraints, 5A747
NGUYEN, VX: Connection design methodology for automated assembly and the framing of buildings, 8A464
NGUYEN-THIEN, T: Boundary element method based on a new second kind integral equation formulation, 5A55
NHIM, K: Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks, 12A1512
NI, FUSHENG: Effective thermal conductivity of nonlinear composite media with contact resistance, 5A1237
NI, J: Analysis of drill failure modes by multi-sensors on a robotic end effector, 5A555
NI, JAMES F: Propagation characteristics of short-period Sn and Lg in the Middle East, 12T1462
NI, JG: Fatigue crack growth under ultrasonic fatigue loading, 8A732
NI, JIAWEI: Automated radiographic NDT system for weld inspection - Part I: Weld extraction, 4A791
NI, JINGANG: Determination of stress intensity factors in ultrasonic fatigue loading, 5A652
NI, JUN: Modeling and calibration of a structured-light optical CMM via skewed frame representation, 5A370
NI, LUQUN: Debonded interface anticrack, 3A675
- General duality principle in elasticity, 5A399
NI, QING-QING: Fracture behavior and acoustic emission in bending tests on single-fiber composites, 10A819
NI, SHEAN-DER: Characteristics of nonlinear response of deep saturated soil deposits, 12A1452
NI, W-M: Eigensolutions sensitivity for quadratic eigenproblems, 4A98
NI, X: Damage occurrence under dynamic loading for strain rate sensitive materials, 8A822
NIAN, CY: Automatic synthesis of membership functions for the force control of turning operations, 11A350
NIAN, SIHONG: Variable step explicit difference method for parabolic partial differential equations (Chinese), 6A60
NIBALI, BD: Active boundary control of elastic cables: Theory and experiment, 5A100
NIBU, K: Spinal ligament transducer based on a Hall effect sensor, 7A1556
NICASTRO, S: Exact dynamic analysis of beam-mass systems, 4T124
NICHOLAS, T: Computer Technology - 1996: Applications and Methodology, 2N23
NICHOLSON, C: Seismic behavior of the southern San Andreas fault zone in the northern Coachella Valley, California: Comparison of the 1948 and 1986 earthquake sequences, 4T1364
NICHOLSON, DW: Theory of thermohyperelasticity for near-incompressible elastomers, 1A1280
- Boundary element solution of an inverse elasticity problem and applications to determining residual stress and contact stress, 10A89
NICHOLSON, J: Intercomparison of coastal area morphodynamic models, 12T1060
NICKEL, DA: Elastoplastohydrodynamic lubrication with dent effects, 5T1110
- Internal stresses in contact of a rough body and a viscoelastic layered semi-infinite plane, 11A417
NICKOLOV, Y: Accelerated iterative procedure for solving optimizational problems through the FEM, 10A27
NICODEMUS, R: Improved variational principle for bounds on energy dissipation in turbulent shear flow, 8A1202
NICOL, DG: NO_x prediction scheme for lean-premixed gas turbine combustion based on detailed chemical kinetics, 5A1368
- Variables affecting NO_x formation in lean-premixed combustion, 8A1422
NICOL, M: Detection of symmetry of attractors from observations - I: Theory, 7A94
NICOLAENKO, B: Global splitting, integrability, and regularity of 3D Euler and Navier-Stokes equations for uniformly rotating fluids, 1T980
- Symmetries and dynamics for 2D Navier-Stokes flow, 1A1061
NICOLAIDES, RA: Self-contained automated methodology for optimal flow control, 10A1144
NICOLAIS, L: Fractal analysis and simulation of surface roughness of ceramic particles for composite materials, 9A510
NICOLAS, D: Experimental study of thermal effects in tilting-pad journal bearings at high operating speeds, 1T1141
NICOLAS, J: Modal radiation from an unbaffled rotating disk, 5A228
- Active control of finite beam volume velocity using shaped PVDF sensor, 5A253
- Fluid-structure coupling for an unbaffled elastic panel immersed in a diffuse field, 6A331
- Boundary integral approach for acoustic radiation of axisymmetric bodies with arbitrary boundary conditions valid for all wave numbers, 8A346
- Hierarchical functions set for predicting very high order plate bending modes with any boundary conditions, 11A43
- Characterization of a diffuse field in a reverberant room, 12A331
NICOLAS, JA: Weakly nonlinear oscillations of nearly inviscid axisymmetric liquid bridges, 6A1032
NICOLAS, KR: Radar imaging of water surface flow fields, 11A950
NICOLETTA, RJ: Tensile strength of the cement-bone interface depends on the amount of bone interdigitated with PMMA cement, 9A1605
NICOLETTI, D: Determination of grain-size distribution from ultrasonic attenuation: Transformation and inversion, 8A332
NICOLETTI, R: Self-excited vibrations in active hydrodynamic bearings, 3A1208
NICOLETTO, G: Sliding wear behavior of nitrided and nitrocarburized cast irons, 2A887
NICOLI, C: High pressure vaporization of LOX droplet crossing the critical conditions, 1A1212
- Substitute mixtures for lox droplet vaporization study, 4A1311
NICULIN, D: Navier-Stokes study of natural convection and heat transfer in vertical symmetrically heated plate-fin heat sinks, 6A1239
NIE , RUNTU: Mech-electric coupling dynamic analysis and vibration control of intelligent truss structures (Chinese), 12T394
NIE, MINGDE: Tribological behavior and application of rare earth lubricants, 2A1136
NIE, ZHAOMING: Three-dimensional solution of the problem of three fixed centers, 3A283
NIEDERER, P: Automated FE analysis of excised human femora based on precision-QCT, 2A1443
NIEDZWIECKI, M: Parallel estimation approach to adaptive filtering, 9A309
NIEH, SEN: Simulation of annular swirling turbulent flows with a new algebraic Reynolds stress model, 9A1238
NIEHORSTER, C: Catalytically supported combustion on a surface burner: Modeling and NO_x formation analysis, 12A1369
NIELD, DA: Effect of temperature-dependent viscosity on the onset of convection in a saturated porous medium, 2T1363
- Forced convection in a fluid-saturated porous-medium channel with isothermal or isoflux boundaries, 3A1222
NIELSEN, A: Determination of length changes due to moisture variations in autoclaved aerated concrete, 10A854
NIELSEN, BF: Stability of pressure and velocity computations for heterogeneous reservoirs, 1A1403
- Approximation of the solution of the pressure equation by changing the domain, 8A1461
NIELSEN, P: Groundwater waves in aquifers of intermediate depths, 6T1380
NIELSEN, RJ: Fatigue reliability reassessment applications: State-of-the-art paper, 9A858
- Fatigue reliability reassessment procedures: State-of-the-art paper, 9A859
NIELSEN, SRK: Dynamic response of nonlinear systems to renewal impulses by path integration, 2A95
- faster simulation method for the stochastic response of hysteretic structures subject to earthquakes, 3A1383
- Identification of damage in reinforced concrete structures from earthquake records: Optimal location of sensors, 3A1385
- Midbroken reinforced concrete shear frames due to earthquakes: A hysteretic model to quantify damage at the story level, 8A905
- Prediction of global and localized damage and future reliability for RC structures subject to earthquakes, 9A1484
NIELSEN-GAMMON, JW: Piecewise tendency diagnosis of dynamical processes governing the development of an upper-tropospheric mobile trough, 5T1428
NIEMANN, H: New energy term combining Kalman-filter and active contour models for object tracking, 4T339
- Multiobjective control for multivariable systems with mixed-sensitivity specifications, 7T320
NIEMANN, H-J: Dynamics of Civil Engineering Structures, 2R17
NIEMI, E: Analysis of the stress concentration factor for a shallow notch by the slip-line field method, 12A479
NIEMINEN, K: Test procedure and automatic system for sound insulation measurement using the sound intensity method, 11A269
NIEMUNIS, A: Beyond failure in granular materials, 9A620
NIERHOFF, T: Digital signal processing for optical particle counters in order to improve the signal-to-noise ratio, 4A1331
NIETO BORGE, JC: Directional wave navigation radar measurements compared with pitch-roll buoy data, 8A1504
NIETO DE CASTRO, CA: Transport Properties of Fluids: Their Correlation, Prediction, and Estimation, 2R35
NIETO-VESPERINAS, M: Frequency properties of random photonic lattices, 10A1207
NIEUWENHUIZEN, JK: Modeling of methane-air combustion on ceramic foam surface burners in the radiation mode, 7A1417
NIEUWSTADT, FTM: Reynolds-number-dependence of the maximum in the streamwise velocity fluctuations in wall turbulence, 2A1035
- Criterion for identifying strong flow regions in turbulence, 5A1048
- Large-scale structures in a numerical and experimental low-Reynolds number turbulent pipe flow, 6A1102
- Drag reduction by polymer additives in a turbulent pipe flow: Numerical and laborstory experiments, 10A1179
NIEZRECKI, C: Structural control using analog phase-locked loops, 6A874
NIGG, BM: Method to determine bone movement in the ankle joint complex *in vitro*, 10A1556
NIGHTINGALE, TRT: Sound transmission through a double leaf partition with edge flanking, 8A340
NIGIM, HH: Effects of Coriolis force on flow in rotating diffusers, 12A1181
NIGRO, N: Petrov-Galerkin formulation for advection-reaction-diffusion problems, 3A1292
- Equal-order interpolations: A unified approach to stabilize the incompressible and advective effects, 10A1094
- General algorithm for compressible and incompressible flow: Stability analysis and explicit time integration, 11T964
NIGRO, NJ: Parametric FEM for predicting shapes of 3D solder joints, 4A945
NIHEI, Y: Development of a piston-type closed conduit to generate oscillatory flow with arbitrary profile (Chinese), 10A1045
NIHOUS, GC: Continuity of the boundary value problem for vibrating free-free straight beams under axial loads, 8A129
- Prediction of dynamic stresses for long, large-diameter horizontal pipes at or near the ocean free surface, 11A118
NII, K: Ferro-fluid lubricated bearings for a polygon mirror motor, 3T1210
NII, S: Extension of the stability index for traveling-wave solutions and its application to bifurcations, 8A1400
NIIOKA, T: Turbulence measurements and observations of turbulent premixed flames at elevated pressures up to 3.0 MPa, 6A1331
- Counterflow diffusion flame of methane and methane-hydrogen mixed fuel in supersonic flow, 9A1371
- Radiation extinction limit of counterflow premixed lean methane-air flames, 11A1412
NIITSU, Y: Non-contact 3D 360° shape measuring system using light section method (Japanese), 7A795
NIITSUMA, H: Precise detection of a P-wave in low S-N signal by using time-frequency representations of a triaxial hodogram, 4A1378
NIIYAMA, K: Finite element methods under the windows environment (Japanese), 5T13
NIKBIN, KM: Effects of the state of stress on the tensile and creep properties of γ-TiAl, 12A527
NIKIFORAKIS, N: Flamelet-vortex interaction and the Gibson scale, 10A1419
NIKIFOROV, IV: New optimal approach to global positioning system-differential global positioning system integrity monitoring, 3T369
NIKISHKOV, GP: Performance study of the domain decomposition method with direct equation solver for parallel FE analysis, 6A48
NIKITIN, LV: Frictional behavior of thermally loaded beams resting on a plane, 1A554
- Dynamic bending of a beam lying on a rough surface, 1A159
- Softening solids: Reality or misinterpretation?, 1A602
NIKITINA, NV: Periodic movements in multidimensional systems (Russian), 1A156
NIKKILA, A-P: Influence of topography on the running-in of water-lubricated silicon carbide journal bearings, 7A918
NIKL, M: Energy transfer, fluorescence and scintillation processes in cerium-doped RE^{3} + AlO_{x} fast scintillators, 2A1466
NIKLASSON, AJ: Ultrasonic 2D SH probe modeling in anisotropic solids, 4A202
- Ultrasonic 2D SH crack detection in anisotropic solids, 11A754
NIKOLAEV, VI: Friction materials with structure simulating human cartilage, 1A1447
NIKOLAEVSKII, VN: Mathematical modeling of the distributed state of a fragmented rock media, 12A707
NIKOLAEVSKIY, VN: Geomechanics and Fluidodynamics: With Applications to Reservoir Engineering, 4R8
NIKOLAIDIS, E: Reliability-based optimization: A proposed analytical-experimental study, 4A817
- Analytical-experimental comparison of probabilistic methods and fuzzy set based methods for designing under uncertainty, 10A921
NIKOLAKOPOULOS, PG: Dynamic stability of linear misaligned journal bearings via Lyapunov's direct method, 7A159
NIKOLAOU, A: Soil-pile-bridge seismic interaction: Kinematic and inertial effects - Part I: Soft soil, 8A1480
NIKOLOVA, VI: Self-consistent determination of dayside magnetopause shape and position, 6A325
NIKOV, I: Electrochemical probe for bubble size prediction in a bubble column, 10T1137
NIKU, SM: Computational aspect of the dual reciprocity method for dynamics, 7A60
NIKZAD, K: Actuator dynamics and delay compensation using neurocontrollers, 3A744
NILAND, ME: Turbulent flow heat transfer and friction in a rectangular channel with varying numbers of ribbed walls, 10A1285
NILSSON, A: Finite-element simulation of V-die bending: A comparison with experimental results, 11A28
NILSSON, F: Constraint based evaluation of crack growth experiments in the transition region, 5A633
- Two parameter description of crack growth initiation including thickness effects through probabilistic modeling, 9A693
NILSSON, K-F: Contact problem at delamination, 11A666
NILSSON, L: Effects of serial and parallel pore non-uniformities: Results from two models of the porous structure, 6A1371
NILSSON, S: Evaluation of fretting of zircaloy cladding tubes, 4T900

NIMITYONGSKUL, P: Simulation of concrete shrinkage taking into account aggregate restraint, 8A534
NIMMO, W: Experimental investigation of sulphur-nitrogen interactions in turbulent spray flames, 2A1318
NING, J: Anisotropic yield and plastic flow of polycrystalline solids, 8A523
- Gradient theory and its applications to stability analysis of materials and structures, 9A580
- Strain gradient approach for deformation localization and forming limit diagrams, 9A662
NING, WANG: Goupillaud inverse problem with arbitrary input, 12A323
NINO, Y: Experiments on particle-turbulence interactions in the near-wall region of an open-channel flow: Implications for sediment transport, 5A969
NINOMIYA, T: Study on low NO_x combustion in LBG-fueled 1500°C-class gas turbine, 1A1370
NIPP, K: Invariant manifolds and global error estimates of numerical integration schemes applied to stiff systems of singular perturbation type - Part II: Linear multistep methods, 4T63
NIPPA, DW: Engineering the development of optical fiber sensors for adverse environments, 12A861
NIRASAWA, N: Basic consideration on the parameter identification of road tunnel with heat insulater (Japanese), 8T922
NISHI, K: Earthquake response of submerged gravity foundation on soft rock, 8A662
NISHI, Y: Direct-contact heat-transfer characteristics between a melted alloy and water, 7A1338
NISHIDA, M: Gas dispersion in a model pulmonary bifurcation during oscillatory flow, 12A1557
NISHIDE, K: How to manufacture circular arc hinges (Japanese), 2T365
NISHIE, M: Machining of micro-parts by ultra-precision milling machine (Japanese), 3A633
NISHIGAKI, Y: Development of a multi-surveying system using GPS for the measurement of ground displacements (Japanese), 2A575
NISHIGUCHI, I: Study on the buckling of rectangular bellows under pressure loads, 5A495
NISHIHARA, A: Distribution of heat-transfer coefficients from small surfaces cooled with submerged jets of fluorocarbon liquid determined by an inverse heat-conduction analysis, 2A1234
NISHIHARA, O: Development of antiresonance enforced active vibration absorber system, 5A92
NISHIJIMA, N: Pressure field around a rectangular supersonic jet in screech, 4A1004
NISHIKAWA, A: Boundary element inverse analysis for improving accuracy of measuring polarization characteristics (Japanese), 9A56
- Boundary element analysis of galvanic corrosion of long structure buried in soil with gradient electrical conductivity (Japanese), 9A712
NISHIKAWA, H: Abnormal phenomena appearing in EHL contacts, 4A1160
NISHIKAWA, M: Heat pump using a solar collector with photovoltaic modules on the surface, 11A1531
NISHIKAWA, O: Elastoplastic FE analysis and strength evaluation of adhesive butt joints of similar and dissimilar hollow shafts subjected to external bending moments, 10A28
NISHIKAWA, T: Systematization of equipment management by the introduction of the equipment diagnosis technique, 9T947
- Basic study on simultaneous identification of cable tension and flexual rigidity by extended Kalman filter (Japanese), 9A540
- Field measurement and fatigue assessment of orthotropic steel deck with asphalt pavement (Japanese), 11A648
NISHIMAKI, H: Rock resistivity and its correlation to mechanical properties (Japanese), 2T577
NISHIMORI, K: Dynamic and static displacement property of rigid foundation on weathered rock by field test (Japanese), 8A661
NISHIMURA, F: Phenomenological analysis of plateau on stress-strain hysteresis in TiNi shape memory alloy wires, 4A781
NISHIMURA, H: H^{∞}/μ control-based frequency-shaped sliding mode control for flexible structures, 5A351
NISHIMURA, M: Flow patterns and heat transfer of low-speed upward flow between uniformly heated vertical plates, 2A1177
NISHIMURA, N: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825
NISHIMURA, R: Corrosion and hydrogen absorption of carbon steels in CO_2 environment (Japanese), 7A683
NISHIMURA, T: Mass transfer enhancement in a furrowed channel with arc-shaped walls for pulsatile flow, 2A1288
- Design and construction of zero-gravity gymnasium, 9A918
- Oscillatory natural convection of water near the density extremum at high Rayleigh numbers, 11A1235
NISHINARI, K: SH-wave in a cylindrically anisotropic solid, 6A237
- Resonant frequency of a reciprocating load on an elastic beam, 9A133
NISHINO, K: Numerical and experimental determination of flow structure and heat transfer effects of longitudinal vortices in a channel flow, 1A1163
- Turbulence statistics in the stagnation region of an axisymmetric impinging jet flow, 2A1056
- Stabilization of cantilevered flexible structures by means of an internal flowing field, 3T279
NISHINO, Y: New method for phase readout in phase modulated interferometer, 5A727
NISHIO, M: Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), 2A574
NISHIO, N: Mechanism of pipeline failures caused by soil liquefaction during the 1983 Nihonkai-Chubu earthquake, 9A612
NISHIO, R: Study on development of soil improvement method using construction waste soil (Japanese), 5T511
NISHIO, S: Enhancement of evaporation of a droplet using EHD effect: Measurement of steady-state heat flux during evaporation of a single droplet, 3A1072
- Pool boiling on a single-crystal sapphire surface: A measuring method of quantities upon liquid-solid contacts, 7A1284
NISHIOKA, M: Development of turbulent patch in a subcritical boundary-layer transition, 1A1077
- Numerical study of ignition in the supersonic hydrogen-air laminar mixing layer, 6A1324
NISHIOKA, T: Development of a new production system for high-precision, low-cost gears of automobile manual transaxles under high-volume production, 1T419
NISHITAKE, S: Development on thrust ram system for tunnel boring machine (TBM) by using parallel link (Japanese), 2A568
- Study on tunnel face stabilization by X-ray radiography method: Approach by 3D strain analysis (Japanese), 5T792
- Study on acting forces to the disk cutters during excavation by using TBM-interaction forces between rock and disk cutters (Japanese), 8T675
NISHITANI, M: Aspects of the vibrating behavior of a vibratory roller in soil compaction (Japanese), 8A192
NISHITANI, T: Application of photo-viscoplasticity to geotechnical engineering, 7T574
NISHIWAKI, S: Topological synthesis of compliant mechanisms using multi-criteria optimization, 12A1025
NISHIYAMA, H: Stability analysis of key block at excavation surface with probabilistic approach (Japanese), 8A673
NISHIYAMA, K: Grouting test using a suspension of ultrafine clay on artificially cracked rock samples (Japanese), 5A544
- Temporary threshold shift of a vibratory sensation induced by hand-arm vibration composed of four one-third octave band vibrations, 9A1593
- Study on characteristics of radar parameters and real-time prediction of ground rainfall (Chinese), 10T1467
NISHIYAMA, Y: Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, 8A1513
NISHIZAKA, T: Study on the prevention method of fretting corrosion damage: Concerning nitriding, 5T847
NISHIZAWA, SI: Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224
NISITANI, H: Stress analysis with arbitrary body force by BEM, 5A63
- Stress analysis on rectangular cross-sectional ring headers, 11A509
- Body force method and its applications to numerical and theoretical problems in fracture and damage, 12A835
NISSIM, E: Flutter analysis using unsteady aerodynamics in non-Pade form, 8T286
NITA, RP: Parametric contract modeler for DFM analysis, 2T374
NITHIARASU, P: Double-diffusive natural convection in an enclosure filled with fluid-saturated porous medium: A generalized non-Darcy approach, 3A1291
NITSCHE, JM: Break-up of a falling drop containing dispersed particles, 11A1002
NITSCHE, LC: Shear-induced lateral migration of Brownian rigid rods in parabolic channel flow, 8A1015
NITTA, A: Continuous observation of cavity growth and coalescence by creep-fatigue tests in SEM, 1A723
NITTA, H: Fine-particle slurry wear resistance of selected tungsten carbide thermal spray coatings, 6T940
NITTA, I: Measurements of distributions of contact pressures between ground surfaces using PET films, 5A854
NIU, L: Steady flow in an aneurysm model: Correlation between fluid dynamics and blood platelet deposition, 2A1462
NIU, PENGCHENG: Generalized lie symmetries and the integrability of generalized Holmes-Rand nonlinear oscillator, 12T118
NIU, PENGSHUN: Determination of crankshaft coupled stiffness by using static condensation of dof (Chinese), 4A156
NIWA, H: Nonlinear rheological behavior of a concentrated spherical silica suspension, 5A894
NIWA, J: Influence of initial stresses on the size effect of concrete flexural strength (Japanese), 7A826
- Experimental study on relationship between type of cements and fracture properties of concrete (Japanese), 7A656
- Size effect analysis for pull-out strength by fictitious crack model, 10A799
- Detecting the size effect in concrete beams using nonlinear fracture mechanics, 10A932
- Study of shear resisting behavior on concrete beams reinforced with steel and/or FRP rods (Chinese), 10A943
NIWA, N: Scattering of anitplane shear waves in a fiber-reinforced composite medium with interfacial layers, 3A212
NIXON, WA: Volume IV: Arctic/Polar Technology, 10N31
- Arctic-Polar Technology, Volume IV, 1N51
- Creating initial cracks for interfacial fracture of ice, 9A1551
NIZAMI, JS: Optimal dimensions of circular fins with variable profile and temperature-dependent thermal conductivity, 1A1266
NJEH, CF: Orthogonal relationships between ultrasonic velocity and material properties of bovine cancellous bone, 1T1449
NJOMO, D: Heat and mass transfer from a streaming hot saline water in an enclosure partitioned by an active baffle, 2A1296
NNAJI, BO: Design rule checker for sheet metal components using medial axis transformation and geometric reasoning, 1A409
NO, HEE CHEON: Flooding correlation based on the concept of hyperbolocity breaking in a vertical annular flow, 5A1444
- Design of stability-guaranteed neurofuzzy logic controller for nuclear steam generators, 5A363
NOAH, ST: Detecting parameter changes using experimental nonlinear dynamics and chaos, 1A120
- Dynamics of forced nonlinear systems using shoot and arc-length continuation method: Application to rotor systems, 6A207
NOAKES, JL: Computations and time-optimal controls, 3T341
NOBILE, E: Simulation of time-dependent flow in cavities with the additive-correction multigrid method - Part II: Applications, 5A1203
- Simulation of time-dependent flow in cavities with the additive-correction multigrid method - Part I: Mathematical formulation, 5A1202
NOBLE, DR: Comparison of accuracy and performance for lattice Boltzmann and finite difference simulations of steady viscous flow, 1A1424
NOBLESSE, F: Far-field and near-field dispersive waves, 9A1153
NOCA, F: Measuring instantaneous fluid dynamic forces on bodies, using only velocity fields and their derivatives, 11A227
NOCHETTO , RH: Combined effect of explicit time-stepping and quadrature for curvature driven flows, 1T93
NODA, M-A: Stress concentration factors for shoulder fillets in round and flat bars under various loads, 8A478
NODA, N: Thermal stress intensity factor for functionally gradient half space with an edge crack under thermal load, 3A1279
- Optimum material design for functionally gradient material plate, 3A910
- Study of an edge crack problem in a semi-infinite functionally graded medium with two dimensionally nonhomogeneous coefficients of thermal expansion under thermal load, 6A790
- Theoretical analysis of thermoelastoplastic deformation of a circular plate due to a partially distributed heat supply, 9A1325
- Control of transient thermoelastic displacement of an isotropic plate associated with a piezoelectric ceramic plate, 10A1362
- Thermal stresses intensity factor for functionally gradient plate with an edge crack, 10A1371
NODA, N-A: Analysis of newly-defined stress intensity factors for angular corners using singular integral equations of the body force method, 1A738
- Numerical solution of singular integral equations in stress concentration problems, 11A363
- Interaction of newly defined stress intensity factors for angular corners in a row of diamond-shaped inclusions, 12A800
NODA, T: Elastohydrodynamic lubrication model of connecting rod big-end bearings: Application to real engines, 12A1214
NODZENSKI, A: Carbon dioxide sorption on hard coals over wide range of pressure values (Polish), 4A1356
NOEL, AT: Formulation of geometrically nonlinear problems in the spatial reference frame, 9A36
NOEL, C: Numerical simulation method to study sea surface acoustical effects (French), 11A250
NOETINGER, B: Preferential flow-paths detection for heterogeneous reservoirs using a new renormalization technique, 9A1418
NOF, D: Momentum imbalance paradox, 9T1504
NOF, SY: Cooperation requirements planning (CRP) for multiprocessors: Optimal assignment and execution planning, 1A348
- Design and implementation of computer integrated manufacturing systems, 7A390
NOGAE, K: New complex-valued formulation and eigenvalue analysis of the Helmholtz equation by BEM, 3A324
NOGAMI, M: Injection molded plastic gears now (Japanese), 1T912
- Finite element and experimental studies of creep at the interface of press fitted gears-shafts connections, 6A951
NOGAMI, T: Simplified subgrade model for 3D soil-foundation interaction analysis, 5A523
- Earthquake response of submerged gravity foundation on soft rock, 8A662
- Variational analysis of earth pressure on a rigid earth-retaining wall, 11A567
- Vertical vibration of pile in vibration-induced excess pore pressure field, 11A563
NOGI, T: Influence of a hard surface layer on the limit of elastic contact - Part I: Analysis using a real surface model, 12A925
NOGUCHI, H: Stress intensity factors of embedded elliptical cracks and an assessment of the ASME XI defect recharacterization criteria, 7A723
NOGUCHI, K: Field observation of infragravity motion and suspended sand transport under a swell (Japanese), 7A1007
NOGUCHI, S: Study on an evaluation method of angular motion for air spindle (Japanese), 1A103
- Numerical study of a turbulent flow compressed by a weak shock wave, 7T1134
NOGUCHI, T: Progress of erosive wear in spheroidal graphite cast iron, 3A672
NOGUEIRA, E: Integral transform solution of heat transfer in two-phase gas-liquid annular flow, 7A1297
NOH, HYUK-CHUN: Stochastic FE analysis of plate structures by weighted integral method, 6A87
NOH, MD: Magnetic bearing design for reduced power consumption, 4A926
NOHNO, K: Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563
NOJIMA, T: Slow impact punching in brittle materials (Japanese), 2A701
- Load maximum condition and Hart's instability criterion in uniaxial impact tensile testing (Japanese), 9A793
NOLAN, CJ: Anomalous reflections near a caustic, 8A235
NOLAN, TW: Implementing and improving statistical energy analysis models using quality technology, 8A349
NOLDE, EV: Role of thickness compression in shell dynamics, 7A151
NOLTE, LP: Design and evaluation of a device for measuring 3D micromotions of press-fit femoral stem prostheses, 11A1583
NOLTE, LW: Narrow-band source localization in the presence of internal waves for 1000-km range and 25-Hz acoustic frequency, 8A317
NOMACHI, SG: Elastic analysis of pavement materials with the bending test by two points loading (Japanese), 7A829
NOMICOS, K: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453
NOMOTO, H: Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
NOMOTO, K: Development of a piston-type closed conduit to generate oscillatory flow with arbitrary profile (Chinese), 10A1045
NOMOTO, T: Development of user-friendly structural design system for pressure vessels, 1A869
- Design and performance of compact load cell for measuring earth pressure in a centrifuge (Japanese), 2A553
- Surface settlement and lining stress of shield tunnel in sand observed in a centrifuge (Japanese), 10A690
NOMURA, A: Vibrational mode of the tibia and assessment of bone union in experimental fracture healing using the impulse response method, 4A1481
NOMURA, H: Development of six axis force sensor for javelin throw, 7T1561
NOMURA, N: Correlation between characteristics of fracture process zone and tension-softening properties of concrete, 5A696
NOMURA, S: Numerical Green's function approach to finite-sized plate analysis, 4A610
NOMURA, T: Nonlinear sloshing analysis of circular tuned liquid damper by using boussinesq equation (Japanese), 6A299
- H-adaptive Element-Free Trefftz method, 9A62
NOMURA, Y: Deposition of particles in a chamber as a function of ventilation rate, 12A1420
NONAKA, H: Influences of fatigue frequency and hydrogen content on crack propagation in hydrogen embrittlement environment (Japanese), 7A665
NONAKA, N: Unified method for the numerical analysis of compressible and incompressible viscous flows, 5A950

NONAKA, T: Longitudinal elastic waves in columns due to earthquake motion, 6A223
NONAMI, K: H^{∞} control of milling AMB spindle, 5A333
- H^{∞}/μ control-based frequency-shaped sliding mode control for flexible structures, 5A351
NOOMEN, R: Global lunar gravity recovery from satellite-to-satellite tracking, 6A1404
NOOR , AK: Predictor-corrector FE approach for electrocleastic analysis of hybrid composite plates, 12A637
NOOR, AK: Structures Technology: Historical Perspective and Evolution, 6N19
- Future Aeronautical and Space Systems, 12N30
- Sensitivity analysis of the contact-impact response of composite structures, 2T215
- Computational strategies for tire modeling and analysis, 3A824
- Assessment of computational models for thermoelectroelastic multilayered plates, 4A1274
- 3D solutions for free vibration of initially stressed thermoelectroelastic multilayered cylinders, 6A1303
- Modeling and sensitivity analysis of multibody systems using new solid, shell, and beam elements, 6A53
- Three-dimensional solutions for free vibrations of initially-stressed thermoelectroelastic multilayered plates, 9A1330
- Large-scale contact-impact simulation and sensitivity analysis on distributed-memory computers, 9A199
- Space-time FEMs for the sensitivity analysis of contact-impact response of axisymmetric composite structures, 11A188
- Assessment of continuum models for sandwich panel honeycomb cores, 11A153
- Computational procedure for simulating the contact-impact response in flexible multibody systems, 12A95
- Structural analysis of the adhesive bond in a honeycomb core sandwich panel, 12A27
NOORI, M: Tuned vibration absorbers for floating bodies, 4A195
- Stationary model for periodic excitation with uncorrelated random disturbances, 4A105
- Random response to periodic excitation with correlated disturbances, 6A134
- Third International Stochastic Structural Dynamics Conference, 10A140
NOORI, MN: Model for general periodic excitation with random disturbance and its application, 12A146
NORBURY, J: Traveling combustion waves in porous media, 7A1419
- Steady flow of an incompressible elastic-plastic material past thin cones: Numerical results, 10A679
NORDBROCK, U: Flow field of two stratified liquids in the presence of interfacial waves, 3A245
NORDENHOLZ, TR: Steady motions of an elastic rod with application to contact problems, 8A140
NORDER, B: Transient and steady-state rheological behavior of the thermotropic liquid crystalline polymer Vectra B950, 3A957
- Influence of the flow history on stress growth and structure changes in the thermotropic liquid crystalline polymer Vectra B950, 9A984
NORI, CV: Experimental and FE analysis of pultruded glass-graphite-epoxy hybrids in axial and flexural modes of vibration, 6A558
NORKUS, A: Distortion in mechanics of elastic and elastic-plastic frames, 7A834
NORMAN, TL: Axisymmetric FE analysis of a debonded total hip stem with an unsupported distal tip, 2A1444
NORMAND, C: Pulsed flow between concentric rotating cylinders, 8A1072
NORMANDIN, M: Modelization of extensional experiments under constant force using memory-integral constitutive equations and stream-tube analysis, 3A933
- Three-dimensional extrudate swell: Formulation with the stream tube method and numerical results for a Newtonian fluid, 5A552
NORMARK, E: Dynamic smoothing in crosswell traveltime tomography, 7A1465
NORRIS, AN: Dispersion of flexural waves on shells, 1A230
- Acoustoelasticity theory and applications for fluid-saturated porous media, 3A1353
- Acoustic interaction between two thin elastic plates through an angular welded joint, 4A288
- Attenuation of waves in plates and bars using a graded impedance interface at edges, 4A200
- Hamiltonian and Onsageristic approaches in the nonlinear theory of fluid-permeable elastic continua, 7A1446
- Structural and acoustical wave interaction at a wedge-shaped junction of fluid-loaded plates, 8A279
- Exact complex source representations of time-harmonic radiation, 10A275
- Nonlinear elasticity of granular media, 10A1441
- Rough elastic spheres in contact: Memory effects and the transverse force, 11A370
NORRIS, G: Liquefaction and residual strength of sands from drained triaxial tests, 9A619
NORRIS, MA: Distributed piezoelectric actuators for shell interior noise control, 4A302
NORRIS, T: Shear and flexural strengthening of R-C beams with carbon fiber sheets, 12A907
NORRIS, WE: Aging management of containment structures in nuclear power plants, 6A1495
NORTH, TH: Numerical model for steady-state flow in friction welding, 9A1024
NORTH, W: Photoelasticity using retroreflection, 7T787
NORTHAM, GB: Effects of internal nozzle geometry on compression-ramp mixing in supersonic flow, 9A1037
NORTHOLT, MG: Elastic extension of polymer fibers in the glassy state: Experimental results, 10A602
- Continuous chain model for the elastic extension of polymer fibers in the glassy state, 10A599
NORTHWOOD, EJ: High-resolution velocity notch filter without Gibbs effect, 7A1468
NORTON, MP: Quantification of acoustic and hydrodynamic fields in flow duct systems, 11A244
NORTON, RL: Dynamics of an unbalanced shaft interacting with a limited power supply, 12A190
NORWOOD, C: Surface mobility of a circular contact area on an infinite plate, 10A247
NOSE, J: Outdoor measurement of multi-junction solar cells and modules based on the reference sunlight method, 10A1490
NOSEK, S: Study on the occurrence of stop marks and periodic bars in fabric, 9T409
NOSTRO, C: Static stress changes in extensional regimes: An application to southern Apennines (Italy), 12A1478
NOTANI, H: Stains on shell of non-coating rolling stock (Japanese), 7A691
NOTARIO, A: Kinetic studies of fluorine atom abstraction by ground state atomic cesium, $Cs(6^2S_{1/2})$, using time-resolved laser-induced fluorescence $[Cs(7^2P_{3/2} - 6^2S_{1/2}), \lambda = 455.5\ nm]$ following pulsed irradiation, 5A1345
NOTASH, L: Forward displacement analysis and uncertainty configurations of parallel manipulators with a redundant branch, 2A357
NOTEA, A: Detection of internal defects using phase shifting holographic interferometry, 4A792
NOTO, T: Influence of CF_3I, CF_3Br, and CF_3H on the high-temperature combustion of methane, 5A1344
- Inhibitor influence on the bistability of a CSTR, 6A1339
NOUAR, C: Analytical, numerical, and experimental investigation of the flow structure in a flooded ball bearing, 4A1156
NOULLEZ, A: Transverse velocity increments in turbulent flow using the RELIEF technique, 11A1059
NOUR, MA: Implicit integration of bounding surface plasticity models, 9A461
NOURAZAR, S: Large-eddy simulation of mixing layer using vortex method: Effect of subgrid-scale models on early development, 8T1163
NOURBAKHSH, S: Processing and characterization of fiber reinforced intermetallic matrix composites, 3T652
NOURGALIEV, RR: Modeling of heat and mass transfer processes during core melt discharge from a reactor pressure vessel, 1A1237
NOURI, JM: Flow characteristics of an underexpanded jet and its application to the study of droplet breakup, 3A1073
- Flow of Newtonian and non-Newtonian fluids in an eccentric annulus with rotation of the inner cylinder, 9A1018
NOUTSOS, D: Convergence domains of the p-cyclic SOR, 1A95
NOVA, R: Settlements of shallow foundations on sand: Geometrical effects, 9A618
NOVAK, D: Sensitivity study of BP-KX and B3 creep and shrinkage models, 4A721
NOVAK, JM: Circular concentric Helmholtz resonators, 7A265
NOVAK, JW: Assessment of plasma enhanced machining for improved machinability of Inconel 718, 8A699
NOVAK, M: Influence of foundation nonlinearity on offshore towers response, 3A597
NOVAK, MD: Coherent eddies and temperature structure functions for three contrasting surfaces - Part I: Ramp model with finite microfront time, 12A1147
- Coherent eddies and temperature structure functions for three contrasting surfaces - Part II: Renewal model for sensible heat flux, 12T1148
NOVAK, P: Volumetric absorption in gas: Properties of particles and particle-gas suspensions, 3A1447
NOVARINI, JC: Modeling low-frequency reverberation near the Mid-Atlantic Ridge and comparison with ARSRP data, 10A349
NOVATI, G: Symmetric BEM in 2D elasticity: Evaluation of double integrals for curved elements, 6A494
NOVIKOV, SA: Strain and Stress Analysis by Holographic and Speckle Interferometry, 3R18
NOVOTNY, VJ: Surface potential and magnetic recording media tribology, 7A927
NOVOZHILOV, IV: Fractional Analysis: Methods of Motion Decomposition, 11R8
NOWACK, H: Fatigue '96, 1N26
NOWACKI, WK: Foundations of Thermomechanics of Shape Memory Alloys (Polish), 1N48
- Changes of temperature during the simple shear test of stainless steel, 4A789
- Useful scalar parameters for multiaxial fatigue deformation studies, 5A614
NOWAK, B: Climatic conditions in underground mining galleries ventilated by cooled air, 9A1523
NOWAK, M: Singularities of aerodynanamic transfer functions calculated on the basis of an unsteady lifting surface model in subsonic flow, 9A1173
NOWAK, ZP: Turbulent flow calculations by the nonlinear multi-grid method, 2A1059
NOWELL, D: Analysis of crack initiation and propagation in fretting fatigue: The effective initial flaw size methodology, 8A727
- Modeling of growth of 3D cracks by a continuous distribution of dislocation loops, 12A839
- Stresses in a flat plate due to a loose pin pressing against a cracked hole, 12A496
NOWINSKA, A: Impact of a cylinder against a rigid target - Part II: Initial condition, 9A198
NOYE, J: New method for numerical representation of the land-water boundary in lake circulation models, 1A1427
NOZAKI, O: Numerical and experimental investigation of secondary flow in a high-speed compressor stator, 10A1247
NOZAKI, T: Energy losses due to combination of flow at tees, 3T1090
NSHANIAN, T: In-situ strain analysis with high spatial resolution: A new failure inspection tool for integrated circuit applications, 1A724
NSI MBA, M: Visualization and measurement of helicopter rotor flow with swept back tip shapes at hover flight using the "flow visualization gun" time line technique, 2A1100
NTOKO, N-M: Combined characteristics of dissimilar centrifugal pumps, 1A1098
NUEBEL, K: Particle shape effect in stress-force-fabric relationship for granular media, 9A477
NUMANO, M: Study on advanced man-machine interface system for autonomous nuclear power plants, 12A1418
NUNES, U: Three-dimensional surface-tracking with a robot manipulator, 1A404
NUNOMURA, S: New method of dynamic measurements of the plastic deformation occurring at a fatigue crack tip, 12A788
NUNOYA, Y: Fatigue crack growth properties of a cryogenic structural steel at liquid helium temperature, 11A640
NUNZIANTE, L: Complete set of corollaries of the reciprocal theorems in elasticity, 3A428
NUR DEMIRBILEK, F: Proposal for "correction values" for winter outdoor design temperatures, 6A1506
NURICK, GN: Tearing of blast loaded plates with clamped boundary conditions, 6A257
- Large deformation of thin plates under localized impulsive loading, 6A577
NURPRASETIO, P: Direct spectral method for continuous-time stochastic system estimation based on measured data and a priori information, 9A112
NURSE, AD: Determining stress intensity factors for mixed mode cracks from thermoelastic data, 9A732
NUSHOLTZ, GS: Constitutive modeling and material characterization of polymeric foams, 12A526
NUSSBAUM, MA: Neural network model for simulation of torso muscle coordination, 7A1537
NUTI, C: Nonlinear response of bridges under multi-support excitation, 3A182
NUTT, S: Failure characteristics in carbon-epoxy composite tows, 5A671
NUTZEL, B: Simultaneous acoustic and microwave backscattering from the sea surface, 10A362
NWOKAH, ODI: Robust nondiagonal controller design for uncertain multivariable regulating systems, 9A341
- Digital robust controller for cutting force control in the end milling process, 12A407
NWOSU, DI: Numerical joint studies on crack growth in a steel tubular T-joint, 8A735
NYBERG, U: Real time control of wastewater systems, 7T1523
NYCANDER, J: Steady two-layer vortices on the beta-plane, 5T916
NYGREN, T: Dissipation of wave energy in a viscoelastic junction between elastic bars: Dependence on transmission direction, 8A209
NYLUND, O: CFD application to prediction of void distribution in two-phase bubbly flows in rod bundles, 1A1430
NYMAN, T: Composite fatigue design methodology: A simplified approach, 3A727

O

O'BRIEN, K: Head-disk interface contact detection using a refined acoustic emission technique, 1A893
O'CONNOR, B: Intercomparison of wave-driven current models, 12T1496
O'CONNOR, DN: Active control of a high-speed pantograph, 9A353
O'CONNOR, JP: Gas-saturated pool boiling heat transfer from smooth and microporous surfaces in FC-72, 2A1204
O'CONNOR, MJ: Stress-free temperature of the macro-interface in selectively reinforced aluminum castings, 1A1292
O'CONNOR, P: Cross-flow heat transfer in the freeboard region of a fluidized bed, 1A1197
O'CONNOR, TP: Swirl Technology: Enhancement of design, evaluation, and application, 3T1087
O'CONNOR, W: Transmission line matrix acoustic modeling on a PC, 11A266
O'DANIEL, JL: Assessment of numerical simulation capabilities for medium-structure interaction systems under explosive loads, 9A250
O'DOHERTY, T: Phase-averaged temperature characterization in swirl burners, 5A1351
- Submicrometer particle separation via high-speed gas centrifuges, 11A1012
O'DONNELL, CJ: Field behavior of excavation stabilized by deep soil mixing, 11A565
- Deep rotational stability of tiedback excavations in clay, 11A564
O'DONNELL, JH: Laboratory wear testing of polyurethane elastomers, 12A990
O'DONNELL, P: Three-dimensional embedded strain gauge analysis of the effect of collared versus collarless prostheses on cement mantle stresses in a femoral model of a total hip replacement, 4A1480
O'DONNELL, WJ: Weight-saving plastic design of pressure vessels, 11A825
O'DONOGHUE, PE: Development and validation of a dynamic fracture propagation model for gas transmission pipelines, 7A761
- Driving force and deformation analysis for dynamic crack propagation in gas pipelines under different boundary conditions, 10A831
O'GALLAGHER, J: Solar concentration of 50,000 achieved with output power approaching 1kW, 2A1429
O'HARA, GJ: Dynamic design analysis method, 5A788
O'HARA-DHAND, KA: Measurement of seismic attenuation from high-resolution crosshole data, 1A1414
O'HARE ADAMS , D: Analysis of layer waviness in flat compression-loaded thermoplastic composite laminates, 11A469
O'HERN, TJ: Heuristic model of turbulent mixing applied to blowout of turbulent jet diffusion flames, 3A1303
O'LOUGHLIN, G: Rainfall-runoff processes and modeling, 7T1491
O'NEIL, DA: Plasticity considerations in probabilistic ceramic-to-metal joint design, 11A421
O'NEIL, KA: Existence and the manipulability recovery rate of self-motion at manipulator singularities, 10A527
O'NEILL, FG: Differential equations governing the geometry of a diamond mesh cod-end of a trawl net, 10A640
O'NEILL, MW: Side load-transfer mechanisms in drilled shafts in soft argillaceous rock, 8A38
- Design method for drilled shafts in soft argillaceous rock, 9A642
O'NEILL, PL: High shear rate, high pressure microviscometer, 1A1128
O'REILLY, M: Software to predict the behavior of tension piles, 7A579
O'REILLY, OM: Dynamics of rolling disks and sliding disks, 1A122
- Comments on vehicle instability due to brake lockup, 2T817
- Remarks on invariance requirements for constrained rods, 2A468
- Another mode of vibration in a Timoshenko beam, 6T148
- Steady motions of an elastic rod with application to contact problems, 8A140
O'ROURKE, JP: Effective elastic constants of solids containing spherical exclusions, 11A366
O'ROURKE, TD: Earthquake performance of gas transmission pipelines, 3A1370
- Seismic response of liquefaction sites, 8A653
- Mapping liquefiable layer thickness for seismic hazard assessment, 8A652
- Field behavior of excavation stabilized by deep soil mixing, 11A565
- Deep rotational stability of tiedback excavations in clay, 11A564
O'SHAUGHNESSY, PT: System identification and feedback control of an aerosol production process, 3A1081
O'SHEA, MD: Local buckling of thin-walled circular steel sections with or without internal restraint, 12A649
O'SULLIVAN, MN: Enhanced mixing with streamwise vorticity, 11A1386
O'TOOLE, BJ: Effect of lay-up, core material, and cross-sectional geometry on the structural performance of pultruded fiberglass utility poles, 1A539
O'YOUNG, F: Scalar gradient and related quantities in turbulent premixed flames, 11A1405

OAKLEY, DL: Filter sensitivity in exoatmospheric target vehicle tracking, 3A394
OAKLEY, DR: Stochastic optimization using the stochastic preconditioned conjugate gradient method, 2T317
OANCEA, VG: Constitutive modeling and FE computation of rate-dependent frictional sliding in large deformations, 10A989
- Stability analysis of state dependent dynamic frictional sliding, 12A932
OBA, F: Proc of 1996 Japan-USA Flexible Automation Conf, Boston MA, July 1996, 2N14
OBA, R: Study on flows through centrifugal pump impeller by turbulent simulation, 10T1236
OBARA, T: High-speed photographic study of the transition from deflagration to detonation wave, 4T240
OBATA, F: Study on regenerative chatter vibration in end mill operation - 1st report: Theoretical analysis of chatter stability limit in side cutting- (Japanese), 3A185
- Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), 10A238
OBATA, M: Rigorous method for the analysis of localization behavior of compression plate (Japanese), 3A518
- Localization of axisymmetric buckling patterns of cylindrical shells under cyclic loading (Japanese), 3A560
OBATA, Y: Optimum material design for functionally gradient material plate, 3A910
OBAYASHI, S: Practical application of an apparatus to improve slurry discharged as construction resources (Japanese), 2T994
- New blunt trailing-edge airfoil design by inverse optimization method, 10T1222
- Development of a system to dehydrate construction slurry (Japanese), 10A1120
OBERAIGNER, ER: Frictional behavior of thermally loaded beams resting on a plane, 1A554
- Kinetics on the micro- and macro-levels in polycrystalline alloy materials during martensitic transformation, 1A1288
- Investigation of the damping behavior of a vibrating shape memory alloy rod using a micromechanical model, 3A140
OBERC, P: Electrostatic and rotational ejection of dust particles from a disintegrating cometary aggregate, 9A242
OBERG, A-L: Determination of shear strength parameters of unsaturated silts and sands based on the water retention curve, 12A677
OBERGUGGENBERGER, M: Analysis of tunnels: Fuzzy (German), 10A39
OBERMEIER, E: Materials for Mechanical and Optical Microsystems, 9N17
OBERMEIER, F: Scattering of sound waves by a cylindrical vortex: A semi-analytical theory, 8A329
OBERWEIS, P: Pala's method for plastic bending with torsion, 12T609
OBEYESEKERE, M: Model for water uptake in plants, 11A1573
OBI, S: Experimental study on the statistics of wall shear stress in turbulent channel flows, 2A1154
OBIKAWA, T: Energy flowing rate into workpiece in surface grinding based on 3D temperature analysis - 1st report: Discussion on temperature distribution in workpiece measured by hole method, 1A658
- Chip breaking process simulation by thermo-elastic plastic FEM (Japanese), 3A10
- In-process monitoring of tool damage by active method: Behavior of damping ratio with cutting conditions (Japanese), 3A879
OBLAK, MM: Optimization of mechanical systems: On nonlinear first-order approximation with an additive convex term, 8A879
OBNOSOV, YV: Explicit, rigorous solutions to 2D heat transfer: Two-component media and optimization of cooling fins, 5A1270
OBODAN, NI: Stability of the shells in a rigid casing, 12T656
OBONAI, A: Point measurements of noncondensable gas concentration in condensing systems, 8A1324
OBOUNOU, M: Modeling finite-rate chemistry effects in nonpremixed turbulent combustion: Test on the bluff-body stabilized flame, 12A1365
OBRUBOV, SA: Acoustic analyzer study of SAW propagation in homogeneous and composite models, 12A600
OCHI, K: Remarks on thermal behavior of rock mass around openings affected by low temperature (Japanese), 5T542
- Constraint effects of clad on underclad crack, 5A657
- AWS vs international design rules for circular tubular K-connections, 7A958
OCHI, M: Tensile deformation behavior of rubber composite plate (Japanese), 1A540
OCHIAI, H: Earth Reinforcement, 3N29
OCHIAI, M: Mechanism of degradation of organic matter in seawater by effective microbes and its utilization (Chinese), 10A1496
OCHIAI, Y: Fundamental experiments on wire explosion spraying: Effect of discharging characteristics on sprayed coating (Japanese), 2A997
- Stress analysis with arbitrary body force by BEM, 5A63
- Steady heat conduction analysis by improved multiple-reciprocity BEM, 7A1313
OCHMANN, M: Nonlinear and thermoviscous phenomena in acoustics - Part 1, 5A222
- Nonlinear and Thermoviscous phenomena in acoustics: Part II, 11A249
OCHOA, J: Horizontal convective rolls in a tilted square duct of conductive and insulating walls, 7A1253
OCHOA, JA: In vivo observations of hydraulic stiffening in the canine femoral head, 9A1569
OCHOA, OO: Assessment of the effect of inhibitor oxidation on the response of oxidation-resistant carbon-carbon composites, 1A514
- Micromechanical analysis of hybrid composites, 2A448
OCHOA-TAPIA, JA: Heat transfer at the boundary between a porous medium and a homogeneous fluid, 9A1233
OCHS, LM: Development of an interactive electronic technical manual, 1A1356
OCHTERBECK, JM: Effects of metallic vapor deposition process and the overall coating thickness on thermal contact conductance, 11A1311
OCKENDON, H: Scaling law for the effect of inertia on the formation of adiabatic shear bands, 6A505
OCONE, D: Exponential stability of discrete-time filters for bounded observation noise, 11T281
OCONE, R: Rayleigh approach to the rheology of compressible granular flow, 10A1445
ODA, H: Experimental re-examination of coupled buckling strength formula expressed as function of initial imperfections (Japanese), 3A545
- Aspherical correction for free vibration of elastically anisotropic solid by means of the XYZ algorithm, 5A164
- Stability design of steel plane frames by second-order elastic analysis, 10A953
ODA, K: Analysis of newly-defined stress intensity factors for angular corners using singular integral equations of the body force method, 1A738
- Interaction of newly defined stress intensity factors for angular corners in a row of diamond-shaped inclusions, 12A800
ODA, M: Fundamental study on the effect of fines on liquefaction strength of reclaimed ground (Japanese), 10A693
ODABAS, D: Comparison of the reciprocating and continuous two-body abrasive wear behavior of solution-treated and age-hardened 2014 Al alloy, 12A939
ODAGAWA, M: Investigation on the behavior of laser induced bubble in cryogenic liquid nitrogen, 7A1075
ODAJIMA, S: Elongation mechanism of collagen fibrils and force-strain relations of tendon at each level of structural hierarchy, 3A1488
ODEN, JT: Application of hp-adaptive BEMs and FEMs to elastic scattering, 1A241
- hp-version discontinuous Galerkin methods for hyperbolic conservation laws, 1A63
- Numerical solution and *a posteriori* error estimation of exterior acoustics problems by a BEM at high wave numbers, 1A335
- Adaptive hpq-FEMs of hierarchical models for plate- and shell-like structures, 4A606
- H-p clouds: An h-p meshless method, 5A37
- TICAM S34posium held at the University of Texas in April 1995, 5A43
- Hierarchical modeling of heterogeneous bodies, 6A486
- h-p adaptive method using clouds, 6A44
- A posteriori error estimators for the Stokes and Oseen equations, 8A1056
- A posteriori error estimation in FE analysis, 10A59
ODET, C: Optimization of the the recognition of defects in flat steel products with the cost matrices theory, 9A420
ODETTE, GR: Micromechanics of low temperature strength and toughness of intermetallic-metallic microlaminate composites, 4A559
ODGAARD, A: Direct mechanics assessment of elastic symmetries and properties of trabecular bone architecture, 5A1464
- Fabric and elastic principal directions of cancellous bone are closely related, 10A1515
ODGERS, J: Prediction of laminar flame speeds for weak mixtures, 12A1361
ODINTSEV, IN: Strain and Stress Analysis by Holographic and Speckle Interferometry, 3R18
ODOM, RI: Effects of transverse isotropy on modes and mode coupling in shallow water, 4A285
ODSTRCIL, D: Comparison of some flux corrected transport and total variation diminishing numerical schemes for hydrodynamic and magnetohydrodynamic problems, 4A1107
OEHLERS, DJ: Composite Steel and Concrete Structural Members: Fundamental Behaviour, 9R12
- Linear fracture envelopes for fatigue assessment of welds in bridges, 2A656
- Partial interaction in composite steel and concrete beams with full shear connection, 12A593
OELJEKLAUS, M: Parallel interval algorithm for parameter identification in the frequency domain, 5A168
OERTLING, AB: Analysis of mass transfer in arctic plumes: Implications for global climate, 7T1112
OESCHGER, J: Acoustic scattering from a thermally driven buoyant plume, 3A305
OESTENSEN, H: Sensitivity of parameter changes in structural damage detection, 6A721
OESTERLE, B: Modeling of saltation and turbulence effects in a horizontal gas-solid boundary layer, 9A1062
OFFODILE, OF: Multivariate economic analysis of robot performance repeatability and accuracy, 2A378
OGALE, AA: Electrical percolation behavior of short-fiber composites: Experimental characterization and modeling, 4A552
OGASAWARA, M: Identification of dynamic characteristics by field vibration test in Tsurumi Tsubasa bridge (Japanese), 3A795
- Analysis and model-tests on vortex-induced oscillation of bridges (Japanese), 3A789
- Energy-based damping evaluation of cable-stayed bridges and its application to Tsurumi Tsubasa bridge (Japanese), 3A794
OGASAWARA, S: Adhesion between high strength and high modulus polyethylene fibers by use of polyethylene gel as an adhesive, 2A941
OGASAWARA, Y: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587
OGATA, H: Flow behavior with an oscillating motion of the impinging jet in a dump diffuser combustor, 11A1403
OGATA, N: Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), 2A1390
OGATA, R: Correlation of separation angles induced by glancing interactions, 4T1035
OGATA, T: Continuous observation of cavity growth and coalescence by creep-fatigue tests in SEM, 1A723
OGAWA, A: Mechanical separation process and flow patterns of cyclone dust collectors, 5A1092
- Viscosity equation for concentrated suspensions of charged colloidal particles, 10A1034
OGAWA, H: Measurement and evaluation of mechanical properties of micro materials (Japanese), 10T881
OGAWA, K: Experimental studies on ultra-precision positioning - 2nd report: Newly developed inch-worm dual movement method to reduce interference between fine and coarse positionings (Japanese), 1T400
- Precision table control system by friction drive for optical disk mastering machine (Japanese), 5A309
- Evaluation of friction welded joint performance by discriminant analysis method, 11A886
OGAWA, M: Drilling of high hardness steels with the high pressure supply of coolant (Japanese), 4T671
- Classification of vibration performance of penetration piles into the ground (Japanese), 10A703
OGAWA, S: Relation between failure criterion, unconfined compressive strength and initial void ratio of light-weight soil (Japanese), 8A641
- Fabrication and transformation characteristics of reversible shape memory alloy thin film actuators (Japanese), 10A544
- Inverse analysis of a regional groundwater flow model by extended Bayesian method: In case of unsteady flow data (Japanese), 10T1064
OGAWARA, K: Study on bifurcation control using pattern recognition of thermal convection, 7T109
OGDEN, RW: Necessary condition for energy-minimizing plane deformations of elastic solids with intrinsic boundary elasticity, 8A476
OGI, K: Structure control for improvement of machinability of ADI in drilling (Japanese), 4T676
OGI, KEIJI: Effects of moisture content on nonlinear deformation behavior of CF-epoxy composites, 10A597
OGIHARA, S: Experimental characterization of microscopic failure process under quasi-static tension in interleaved and toughness-improved CFRP cross-ply laminates, 9A753
- Impact perforation fracture in polymeric materials (Japanese), 9A792
OGITA, H: Evaluation of ceramic rotor strength by cold and hot spin tests, 11A484
OGIYAMA, H: Transient fatigue crack growth behavior following single overloads at high stress ratios, 2A622
OGOT, M: Stochastic approach to optimal aerodynamic shape design, 4A820
OGRODNIK, PJ: Calculation and measurement of the stiffness and damping coefficients for a low impedance hydrodynamic bearing, 7A1202
- Data-logging system to monitor bone fracture movement continuously, 12T1566
OGUEJIOFOR, EC: Numerical analysis of push-out specimens with perfobond rib connectors, 7A508
OGUMA, M: Solution of the inverse radiative load problem using the singular value decomposition technique, 7A1327
OGUNLANA, SO: Hierarchical approach to project planning: The case of a petroleum pipeline construction, 2A1440
OGURA, H: Application of photo-viscoplasticity to geotechnical engineering, 7T574
OGURTANI, TO: Mathematical modeling of decoration peak associated with dragging point defects situated selectively at the kink chain with special references to hydrogenated bcc and fcc metals, 8A525
OGUZ, HN: Emission of sound by a semi-submerged object in shallow water, 1A309
OH, CH: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
OH, CHANG: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
OH, CHUNG-SEOG: Automated real-time measurements of fatigue crack length and crack opening load using unloading elastic compliance method, 10A796
OH, CS: Improved Navier-Stokes procedure for analysis of 2D aerofoils in laminar and turbulent flows, 12A1173
OH, HUNG-KUK: Determination of rupture time and strain rate in creep by means of the uniaxial tensile test, 4A719
- Note on the variation of Young's modulus, absorptive power of impactive energy, fracture toughness and creep strain rate during the creep process, 4A498
- Determination of fracture toughness by uniaxial tensile test, 5A711
- Characterization of high-temperature fatigue by the uniaxial tensile test, 6A723
- New recognition and untouched engineering subjects on the phenomenon of fatigue, 6A736
- Study on center thinning in the rotary forging of a circular plate, 12A713
OH, JONG YUN: Numerical study of heat transfer and flow of natural convection in an enclosure with a heat-generating conducting body, 8A1287
OH, JONG-TAEK: Boiling heat transfer of a ternary refrigerant mixture inside a horizontal smooth tube, 8A1315
OH, KH: Analysis of the deformation of a perforated sheet under uniaxial tension, 1A473
- Plastic behavior of perforated sheets under biaxial stress state, 8A528
OH, KYOYUL: Nonlinear combination resonances in cantilever composite plates, 4T86
OH, MYUNG-DO: Numerical analysis of particle deposition onto horizontal freestanding wafer surfaces heated or cooled, 2A1353
OH, SI-DOEK: Exergy analysis for a gas turbine cogeneration system, 5A1366
OHADI, AR: Analysis of preloaded bolted joints under exponentially decaying pressure, 5A879
OHADI, MM: Advances in Energy Efficiency, Heat and Mass Transfer Enhancement, 3N39
- Boiling heat transfer enhancement of R-134a in a tube bundle utilizing the EHD technique, 2A1206
- EHD-enhanced boiling coefficients and visualization of R-134a over enhanced tubes, 11A1273
- EHD-enhanced boiling of R-123 over commercially available enhanced tubes, 11T1286
OHARA, T: Heat-transfer and defrosting characteristics of a horizontal array of cooled tubes immersed in a very shallow fluidized bed, 7A1442
OHASHI, H: Considerations on the erection of bridge girders by use of floating crane barge and its dynamic behavior in long-period waves (Japanese), 2A807
- Initial imperfection data and evaluation of compression strength of orthotropic steel deck for long-span cable-stayed bridges (Japanese), 6A901
- Local stress and deformation at field joints of orthotropic steel deck (Japanese), 9A890
- Fluid force moment on a centrifugal impeller shroud in precessing motion, 11A218
- Fatigue strength of the joint between diaphragms and longitudinal ribs in box section girders (Japanese), 11A873
OHASHI, M: Observation on subsurface defects ultra high molecular weight polyethylene due to rolling contact, 9A1603
OHASHI, T: Elastic stress in single crystal Ni-base superalloys and the driving force for their microstructural evolution under high temperature creep conditions, 10A576
OHAYON, R: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 6, 1N5
- Dynamic substructuring of damped structures using singular value decomposition, 12A238
OHBO, N: Evaluation of sheet pile-ring countermeasure against liquefaction for oil tank site, 3A1373
OHBUCHI, Y: In-process measurement of wear of abrasive grain - 3rd Report: Evaluation of image acquired under wet condition (Japanese), 4A909
- Single-grit orthogonal cutting with shaped superabrasive grains - 2nd Report: Friction behavior of superabrasive tools in metal cutting (Japanese), 7T622
OHGUCHI, K-I: Prediction of fatigue failure of 60Sn-40Pb solder using constitutive model for cyclic viscoplasticity, 4A709
OHGUSHI, H: Viable bone formation in porous hydroxyapatite: Marrow cell-derived *in vitro* bone on the surface of ceramics, 11T1571

OHIRA, F: Precision machining and assembly technologies for optical fibers and components (Japanese), 4T674
OHISHI, M: Dryout and wall-temperature fluctuations in helically coiled evaporating tubes, 2A1212
OHKAMI, Y: Suppression of low frequency structural vibrations using intelligent control methods, 2A99
- Vibration suppression using acceleration feedback control with multiple proof-mass actuators, 10A501
OHKAWA, I: Study on fatigue crack growth under out-of-phase combined loadings, 12A770
OHKITA, Y: Numerical and experimental investigation of secondary flow in a high-speed compressor stator, 10A1247
OHL, CD: Dynamics of laser-induced cavitation bubbles in polymer solutions, 2A945
OHLSEN, DR: Laboratory studies of equatorially trapped waves using ferrofluid, 11A1496
OHLSSON, R: Wear of cylinder bore microtopography, 3A864
- Characterizing 3D topography of engineering and biomaterial surfaces by confocal laser scanning and stylus techniques, 4A1493
OHMACHI, T: Three dimension simulation of near-field motion in irregular ground (Japanese), 9A1473
- Deployable display stand developed for protecting art objects from earthquake damage (Japanese), 9A1491
- Simulation procedure for near-field motion in irregular ground and its application to 2D in-plane wave field (Japanese), 9A1472
- Jumping of bell houses caused by near-field ground motion: Case histories and shaking table experiment, 11T1495
OHMATSU, S: Wind and current forces acting on a very large floating structure, 8A1031
OHMINATO, T: Free-surface boundary condition for including 3D topography in the finite-difference method, 12A1483
OHMORI, H: Highly efficient grinding of ceramic parts by electrolytic in-process dressing (ELID) grinding, 3T639
- Ductile regime mirror finish grinding of ceramics with electrolytic in-process dressing (ELID) grinding, 4T680
- Finishing characteristics of ELID-lap grinding using ultra fine grain lapping wheel, 10A743
- Mirror surface grinding of Zr0, by metal resin bonded wheel with ELID, 11T619
OHMORI, T: Conservation of test time for rolling bearing fatigue life - Part II: Effects by designated failure probability for suspension, 7T901
OHMURA, E: Study on fusing- and evaporating-process of fcc metal due to laser irradiation using molecular dynamics, 1T939
- Estimation of intensity distribution of heat source in surface grinding based on surface generation theory and its application to grinding simulation (Japanese), 9A674
OHNAKA, K: Estimation method for point sources of multidimensional diffusion equation, 8A1391
OHNAMI, M: High temperature multiaxial low cycle fatigue of CMSX-2 Ni-base single crystal superalloy, 10A768
OHNISHI, K: Force sensorless control in a flexible link arm based on estimated reaction torque, 9A398
OHNISHI, N: Planning of simultaneous machining sequence for turning by considering division of machining areas: Generation of effective combinations for simultaneous machining (Japanese), 1A654
OHNISHI, O: Effects of ultrasonic vibration on machining accuracy in microdrilling, 7A607
OHNISHI, Y: Stability analysis of key block at excavation surface with probabilistic approach (Japanese), 8A673
OHNO, N: Analysis of thermal ratchetting of cylinders subjected to axial movement of temperature distribution, 7A1357
- Thermal ratchetting analysis of cylinders subjected to axial traveling of temperature distribution: Effect of travel distance of temperature distribution (Japanese), 8A1383
OHNO, S: Seismic retrofitting using carbon fiber for existing RC bridge piers (Japanese), 2A1390
OHNO, T: Drilling of high hardness steels with the high pressure supply of coolant (Japanese), 4T671
OHNO, Y: Superfinishing of fine ceramics: Influence of machining damage on bending strength (Japanese), 2A614
OHRING, S: Interaction of an obliquely rising vortex ring with a free surface in a viscous fluid, 7A1019
OHSAKI, M: Higher order expansion method for optimum design of structures for specified fundamental eigenvalue, 1A830
- Minimum constraint perturbation method for system topology optimization, 1A832
OHSHIMA, A: Machining of nickel-based supcralloy using PcBN endmill tool: Effect of high-pressure coolant supply on tool wear, 10T977
OHSHIMA, S: Structural component development of three-layer cylinders for superconducting generators - Part 2: Development of three-layer welding techniques to extend axial length and evaluation of the welds, 8A980
- Structural component development of three-layer cylinders for superconducting generators - Part 1: Selection of layer-bonding method and development of long large-gauge three-layer cylindrical structure, 8A986
OHTA, K: Numerical study of heterogeneous nucleation and mist formation in turbulent flows between parallel plates, 7A1291
- Electrorheological effect in immiscible polymer blends, 8A1012
OHTA, M: Study on utilization of fly ash and fluc gas desulfurization wastes for road base under light traffic (Japanese), 5T536
OHTA, T: Impact model test and impact response analysis of the precast concrete guardfense buried into the soil (Japancse), 6A1439
- Optimal location design method of steel pipe pile foundation using genetic algorithm (Japanese), 6A660
OHTA, Y: Evaluation and prediction of blade-passing frequency noise generated by a centrifugal blower, 1A1101
- Current topics on medical and rehabilitation engineering (Japanese), 1T1472
- Two-thermocouple probe for fluctuatfng temperature measurement in combustion: Rational estimation of mean and fluctuating time constants, 11A1426
OHTAKE, K: Experimental study of space and time-resolved structures of turbulent diffusion flame, 7A1394
OHTANI, K: Fabrication of SiC aspherical mirror by elastic emission machining, 7T609
OHTANI, R: Atomic mechanics simulation on nucleation process of grain boundary groove in aluminum conductor of microelectronic packages, 1A783
OHTANI, Y: Vocal tract shape identification from formant frequency spectra: A simulation using 3D BE models, 12A345
OHTOMO, K: Vibration suppression effect of liquid crystal under electromagnetic field, 2A100
OHTSU, I: Incipient jump conditions for flows over a vertical sill, 3T978
OHTSU, M: Acoustic emission waveform analysis in 2D models (Japanese), 5A239
OHTSUKA, M: Proposal for a new turbulent premixed combustion model and its evaluation: Development of the model, 3T1325
- Nonstationary vibrations of a string with time-varying length and a mass-spring attached at the lower end, 9A136
OHTSUKA, T: Influence of prolonged aging on creep embrittlement susceptibility, 12A780
OHUCHI, H: Monitoring of lapping process with piezoelectric ceramic sensor - 1st report: Relation between lapping conditions and detected acoustic signals (Japanese), 1T422
OHWADA, K: Vibration measurements of micromachincd gyroscope (Japanese), 10T862
OHYA, M: Deformation and interface pressure distribution of 1/10 tapered joints at high rotation speed, 1A935
OHYA, S-I: Residual stress analysis on materials with steep stress gradient by using X-ray incidence at higher angles (Japancse), 2A742
OHYA, Y: Turbulence structure in a stratified boundary layer under stable conditions, 11A1506
OHYAGI, S: High-speed photographic study of the transition from deflagration to detonation wave, 4T240
OHYAMA, T: Nonlinear wave effect on the slow drift motion of a floating body, 3A822
- Expanded mild-slope equations for the analysis of wave-induced ship motion in a harbor, 9A1148
OHYOSHI, T: Backscatter of elastic wave from a thermally affected inhomogeneous layer, 10A271
OIKAWA, H: Settlement rates during 1D consolidation of peat (Japanese), 8A649
OIKAWA, M: Direct simulation of unsteady capillary gravity waves on deep water, 1A261
OISHI, M: Sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 7A888
OISHI, S: Self-synchronization of coupled oscillators with hysteretic responses, 8A106
OIWA, T: High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 2nd Report: Extension to six-dof (Japanese), 4A431
OJAKANGAS, GW: Solid-rocket-motor contribution to large-particle orbital debris population, 2A258
OJALVO, IU: Efficient eigenvector sensitivities by a new procedure based on Lanczos vectors, 5A93
OJDROVIC, RP: Fracture of steel moment connections in the Northridge earthquake, 11A720
OJIMA, K: Device to measure the size of volatile droplets utilizing a hot-film sensor, 11A1015
OJIMA, R: Temperature changes and thermal stresses obtained during construction of immersed-type tunnel (Japanese), 5A793
OJIO, T: Field measurement and fatigue assessment of orthotropic steel deck with asphalt pavement (Japanese), 11A648
OKA, K: Energy losses due to combination of flow at tees, 3T1090
OKA, SN: Combustion regimes and temperature of coal char particles in a fluidized bed, 1T1332
OKABAYASHI, T: Steady state and liquefaction strengths of crushable soils (Japanese), 8A643
OKABAYASI, N: Study on application of high-strength shotcrete for a high overburden tunnel (Japanese), 5T791
OKABE, N: Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, 2A1180
OKADA, J: Identification of dynamic characteristics by field vibration test in Tsurumi Tsubasa bridge (Japanese), 3A795
OKADA, M: Influences of initial concentration and super-cooling degree on the permeability of a porous medium saturated with partially solidified aqueous solution, 2A1302
- Natural convection of water-fine particle suspension in a rectangular cell, 10A1324
OKADA, S: Influence of thermo-currents on BUE forms and cutting mechanism, 3T632
OKADA, T: Experimental study on the effective transformation of wave energy into potential energy (Japanese), 7A214
OKADA, Y: Self-sensing active suppression of vibration of flexible steel sheet, 1A841
- Self-excited vibration caused by internal friction in universal joints and its stabilizing method, 10A218
OKADO, N: Fatigue strength of tensile plate with side gussets subjected to static transverse load (Japanese), 6A732
OKADO, S: Optimum support arrangement of piping systems using genetic algorithm, 5A811
OKAFOR, AC: Delamination prediction in composite beams with built-in piezoelectric devices using modal analysis and neural network, 1A714
OKAJIMA, K: Viscosity equation for concentrated suspensions of charged colloidal particles, 10A1034
OKAMOTO, H: Resonance of modes in the problem of 2D capillary-gravity waves, 2A224
OKAMOTO, J: Conservation of test time for rolling bearing fatigue life - Part II: Effects by designated failure probability for suspension, 7T901
OKAMOTO, K: Adoption of a genetic algorithm for tomographic reconstruction of line-of-sight optical images, 7A1228
OKAMOTO, M: Theoretical modeling of buoyancy-driven turbulent flows, 1A1082
- Experimental study on the consolidation efficiency and the equivalent diameter of cross shaped drain (Japanese), 8T647
- Experimental study on the consolidation efficiency of a plastic board drain for larger depth of soft clay (Japanese), 10A688
OKAMOTO, N: Finite element and experimental studies of creep at the interface of press fitted gears-shafts connections, 6A951
OKAMOTO, S: Turbulent near-wakes of periodic array of square blocks on a plate, 2A1045
OKAMOTO, T: Experimental study on relationship between type of cements and fracture properties of concrete (Japanese), 7A656
- Characteristics of open-channel flows with adverse pressure gradients (Chinese), 10A1046
OKAMOTO, Y: Surface temperature measurement near ambient conditions using infrared radiometers with different detection wavelength bands by applying a grey-body approximation: Estimation of radiative properties for non-metal surfaces, 9A822
- Diagnosis of the leakage point on a structure surface using infrared thermography in near ambient conditions, 12A872
OKAMURA, H: Study on earthquake resistance on design and damage of reinforced concrete viaduct (Japanese), 11T1491
- Crack arrest test using a toughness gradient steel plate, 11A723
OKAMURA, K: In-feed internal honing of fine ceramics, 11T639
- In-feed internal honing of fine ceramics, 11A638
OKAMURA, M: Direct simulation of unsteady capillary gravity waves on deep water, 1A261
OKAMURA, T: Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, 2A1180
OKANE, M: Static and cyclic fretting fatigue behavior of silicon nitride, 6A729
OKANLA, EI: Detecting faults in posttensioning ducts by electrical time-domain reflectometry, 11A755
OKAZAKI, S: Numerical simulation and experiment on the transport of fine particles in a ventilated room, 3A1343
OKAZAKI, T: Longitudinal elastic waves in columns due to earthquake motion, 6A223
OKAZAWA, S: Computational bifurcation analysis of geometrically nonlinear structures (Japanese), 9A877
- Pinpointing bifurcation points and brand-switching, 9A599
OKEIL, AM: Effects of ductility on seismic response of piping systems and their implication on design and qualification, 5A1436
OKI, Y: Numerical analysis of natural convection of thermo-electrically conducting fluids in a square cavity under a uniform magnetic field: Calculated results, frequency characteristics, 3T1171
OKIISHI, TH: Brief Introduction to Fluid Mechanics, 4R23
- Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, 8A1240
- Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, 8A1239
- Flow through a rectangular-to-semiannular diffusing transition duct, 9A1089
- Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, 10A1217
- Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, 12A1178
OKINAKA, T: New computational approach to crystal plasticity: fcc single crystal, 4A530
OKINE, RK: Nonlinear response of a long, discontinuous fiber-melt system in elongational flows, 3A941
OKKONEN, T: Modeling of heat and mass transfer processes during core melt discharge from a reactor pressure vessel, 1A1237
OKOROAFOR, EU: Adhesion in fiber reinforced plastics investigated by means of acoustic emission, 1A814
OKOYE, PN: Inversion technique for recovering the elastic constants of transversely isotropic materials, 4A786
OKSAMA, M: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513
OKUBO, H: Tendon control system for active shape control of flexible space structures, 3A762
- Path planning for space manipulators to reduce attitude disturbances, 10T469
OKUBO, N: Reduction of vibration for main functional part in precision device based on sensitivity analysis with respect to relative motion (Japanese), 8T871
OKUDA, H: Parallel FE fluid analysis on an element-by-element basis, 5A33
- Neural networks in computational mechanics, 6A94
- Thermal deformation of CNC surface grinding machine under the warming-up operation (Japanese), 8T715
- Three-dimensional FE adaptive analysis of incompressible flow based on control of node density distribution and *a posteriori* error estimation, 9A1034
- Study on limit state design method for prestressed concrete sleepers (Chinese), 10A947
OKUDA, M: Impact model test and impact response analysis of the precast concrete guardfense buried into the soil (Japanese), 6A1439
OKULOV, VL: Swirl flow in technical applications: Review, 5A1005
- One-dimensional solutions for a flow with a helical symmetry, 8T1133
OKUNO, T: Shock-tube and modeling study of acetylene pyrolysis and oxidation, 5A1356
OKUYAMA, H: Fabrication of SiC aspherical mirror by elastic emission machining, 7T609
OKUYAMA, K: Numerical simulation and experiment on the transport of fine particles in a ventilated room, 3A1343
- Thin spacing analysis for head-tape interface, 4A880
- Premature transition to film boiling with stepwise heat generation - 2nd report: Effect of wall material and surface condition, 9A1248
- Experimental measurement of competitive ion-induced and binary homogeneous nucleation in $SO_2/H_2O/N_2$ mixtures, 11A1442
OKUYAMA, S: Thermal deformation of CNC surface grinding machine under the warming-up operation (Japanese), 8T715
OKUYAMA, Y: Study on improvement of time-resolution of ultrasonic inspection by deconvolution method (Japanese), 9A806
OKUZONO, M: Mechanical characteristics and countermeasures of landslides at the fractured zone on meadian tectonic line (Japanese), 5T528
OKUZUMI, F: Trial making of a polishing apparatus by hot iron metal for CVD diamond cutting tools and its characteristics (Japanese), 2A600
OL'KHOVIK, E: Longevity of constructional materials in 3D stress state, 9A790
OL'SHANSKII, VY: Linear and quadratic integrals of a compound mechanical system, 1A104
OLAFSSON, H: Nonlinear flow past an elliptic mountain ridge, 4T979
- Effect of rotation and surface friction on orographic drag, 7A1026
OLAJOSSY, A: Methane release through coal bed diffusion, 4T1450
OLANCZUK-NEYMAN, K: Problems of harbor bottom sediments contamination (Polish), 9A1558
OLAND, CB: Aging management of containment structures in nuclear power plants, 6A1495
OLATUNBOSUN, OA: Contact modeling of the tire-road interface, 9A916
- New techniques in tire modal analysis using MSC-NASTRAN, 9A917
OLBRICHT, WL: Effects of particle concentration on the partitioning of suspensions at small divergent bifurcations, 2A1458

OLCHINI, A: Effect of laser surface treatment on high cycle fatigue of AISI 316L stainless steel, 5A590

OLDFIELD, MLG: Effect of free-stream turbulence on flat-plate heat flux signals: Spectra and eddy transport velocities, 1A1158

- Calibration of a four-hole pyramid probe and area traverse measurements in a short-duration transonic turbine cascade tunnel, 3A1204

- Free vortex theory for efficiency calculations from annular cascade data, 10A1230

OLEINIK, OA: Asymptotics of solutions and eigenvalues of the boundary value problem with rapidly alternating boundary conditions for the system of elasticity, 8A473

OLESIAK, ZS: Transient response in a 1D model of thermoelastic contact, 3A1274

- Nonuniqueness and stability in Barber's model of thermoelastic contact, 3A1271

OLESKIW, MM: Small-scale experiments on rime icing, 10A1502

OLEVSKY, EA: Evolution of porosity distribution for 1D problem of viscous sintering, 11A632

OLEVSKY, VI: Approximate nonlinear boundary value problems of reinforced shell dynamics, 1A188

OLFE, J: Description of stress-strain hysteresis loops with a simple approach, 10A778

OLGAC, N: Active vibration absorption using delayed resonator with relative position measurement, 6A215

- Tunable active vibration absorber: The delayed resonator, 11A164

OLHOFF, N: Applied Structural Mechanics: Fundamentals of Elasticity, Load-Bearing Structures, Structural Optimization, 10R9

OLIVE, S: Numerical optimization of process control variables for the Bridgman casting process, 9A677

OLIVEIRA, AC: Natural refrigerants for refrigeration and air-conditioning systems, 5A1281

OLIVEIRA, SAG: Analysis of fracture and delamination in thin coatings subjected to contact loading, 3A866

OLIVEIRA-PIRES, H: Modeling the effect of shelter in the modification of waves from the open sea to near-shore, 8A1507

- Use of numerical wind-wave models for assessment of the offshore wave energy resource, 12A1499

OLIVELLA, S: Porosity variations in saline media caused by temperature gradients coupled to multiphase flow and dissolution-precipitation, 4A1342

OLIVER, J: Plasticity model for simulation of industrial powder compaction processes, 1A16

- Constitutive model for the analysis of elastoplastic solids undergoing large strains (Spanish), 3A473

- Rate-dependent isotropic damage model for the seismic analysis of concrete dams, 3A1391

- Modeling strong discontinuities in solid mechanics via strain softening constitutive equations - Part 1: Fundamentals, 5A389

- Modeling strong discontinuities in solid mechanics via strain softening constitutive equations - Part 2: Numerical simulation, 5A390

OLIVER, JHUO-YAN: Parallel disassembly by onion peeling, 12A456

OLIVER, JL: Criteria to achieve nearly optimal meshes in the h-adaptive FEM, 6A41

- Extension of the Zienkiewicz-Zhu error estimator to shape sensitivity analysis, 10A899

- Calculation of the stress intensity factor and estimation of its error by a shape sensitivity analysis, 12A798

OLIVER, RI: Control-structure integrated design for flexible spacecraft undergoing on-orbit maneuvers, 9A357

OLIVER, WC: Scanning micro-sclerometer: A new method for scratch hardness mapping, 12A857

OLIVETI, G: Solar radiation utilizability method in heat pipe panels, 8A1523

OLIVETO, G: Complex modal analysis of a flexural vibrating beam with viscous end conditions, 9A130

OLIVIERI, DA: Three-dimensional vortex dipole model for wind turbines, 11T1153

OLLA, S: First-order correction for the hydrodynamic limit of asymmetric simple exclusion processes in dimension $d \geq 3$, 8A1109

OLLER, S: Hygro-thermo-mechanical constitutive model for multiphase composite materials, 1A8

- Plasticity model for simulation of industrial powder compaction processes, 1A16

- Method for the seismic damage evaluation (Spanish), 3A1405

- Mixing anisotropic formulation for analysis of composites, 3A497

OLLEY, P: Approximation to the KBKZ constitutive equation, 11A388

OLLIS, DF: Engineering models of combined chemical and biological processes, 6A1511

OLMSTEAD, WE: Model for thermocouple sensitivity during microwave heating, 7A1301

- Temporal evolution of shear band thickness, 9A430

OLOFSSON, A: Ear muff performance in impulsive noise as a function of angle of incidence, 5A255

OLOFSSON, K: Laser generated and recorded transient bending waves in composite tubes, 2A187

OLOFSSON, KS: Stress development in wet filament wound pipes, 10A966

OLOFSSON, L: TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells, 11A47

OLOFSSON, U: Characterization of wear in boundary lubricated spherical roller thrust bearings, 12A937

- Fatigue life reduction due to wear in boundary lubricated spherical roller thrust bearings, 12A968

OLOOMI, HM: Distributed and boundary control for a parallel system of Euler-Bernoulli beams, 10T430

OLORUNMAIYE, JA: Measurement and spectral analysis of pressure-time variation in a valveless pulsed combustor, 9A1377

OLOWOKERE, DO: Numerical joint studies on crack growth in a steel tubular T-joint, 8A735

OLOYEDE, A: Dynamic fracture characteristics of the osteochondral junction undergoing shear deformation, 1A1446

OLOYEDE, VOA: Biomechanics of load-bearing of the intervertebral disc: An experimental and FE model, 11A1559

OLSEN, ET: First-order exactly incompressible FE for axisymmetric fluid flow, 3A14

OLSEN, JE: In situ analysis of the tribochemical reactions of diamond-like carbon by internal reflection spectroscopy, 7A864

OLSEN, MG: Effects of cofiring natural gas and coal on sulfur retention in ash, 1A1318

OLSEN, RE: Automotive diesel fuel emissions durability trends, 1A1348

OLSEN, SE: Burn time measurements of single aluminum particles in steam and CO_2 mixtures, 1A1331

OLSON, JF: Two-fluid flow in sedimentary rock: Simulation, transport, and complexity, 12A1427

OLSON, JR: Energy dissipation in oscillating flow through straight and coiled pipes, 4A1046

OLSON, LG: Axisymmetric laser welding of ceramic and metallic materials: FE modeling, 1A1190

- Application of a general purpose FEM to elastic pipes conveying fluid, 9T225

OLSON, MC: Cyclic nonlinear model for concrete-filled tubes - II: verification, 11A14

OLSON, MD: Nonlinear transient analysis of submerged circular plates subjected to underwater explosions, 2A244

- Impact analysis of laminated composite plates and shells by super FEs, 6A259

OLSON, SA: Statically equivalent load and support conditions produce different hip joint contact pressures and periacetabular strains, 7A1534

OLSON, SJ: Flow visualization in a linear turbine cascade of high performance turbine blades, 8A1257

OLSON, SL: Effects of ignition and wind on the transition to flame spread in a microgravity environment, 3A1324

OLSON, T: Bounding elastic constants of an orthotropic polycrystal using measurements of the microstructure, 3A3

OLSON, WW: Shear instability in chip formation in orthogonal machining, 9A670

OLSSON, B: Calibration at different flow rates of a multistage liquid impinger, 12A1424

OLSSON, C-O: Heat transfer and pressure drop characteristics of ten radiator tubes, 1A1159

OLSSON, F: Stability of interpolation on overlapping grids, 3A44

OLSSON, K-O: Dynamic instability of a rotating asymmetric shaft with internal viscous damping, supported in anisotropic bearings, 2A150

OLSSON, P: Superconvergence of Galerkin methods for hyperbolic IBVP, 3A26

- Designing an efficient solution strategy for fluid flows - I: A stable high order finite difference scheme and sharp shock resolution for the Euler equations, 7A223

OLSZAK, A: Adaptive system for smart fringe image processing, 4A790

OLUND, B: Shear tests of fiber concrete beams without stirrups, 8A911

OLVERA, O: Experimental study of burr formation in square shoulder face milling, 3A630

OLWI, IA: Aerodynamic characteristics of aircraft under side gust, 4A1127

OLYNICK, D: Trajectory-based validation of the shuttle heating environment, 10A1381

OLYNICK, DR: Navier-Stokes heating calculations for benchmark thermal protection system sizing, 6A930

OMAN, J: Volumetric absorption in gas: Properties of particles and particle-gas suspensions, 3A1447

OMBRES, L: Maximum buckling loads for unsymmetric thin hybrid laminates under in-plane and shear forces, 11A538

OMEL'CHENKO, AI: Thermal and diffusion processes in laser-induced stress relaxation and reshaping of cartilage, 12A1537

OMENS, JH: Strain softening in rat left ventricular myocardium, 9A1580

OMIDVAR, B: Nonlinear FE solution for thin-walled open-section composite beams, 6A574

- Simplified analysis of thin-walled composite members, 6A571

- Correction factor for measured natural frequencies in beams, 11A114

OMINE, K: Earth Reinforcement, 3N29

OMORI, T: Simulation of quenching-tempering process based on metallo-thermo-mechanics (Japanese), 1A1284

OMSTEDT, A: Parameterization of lake thermodynamics in a high-resolution weather forecasting model, 5T1433

OMURALIEV, M: M_s = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454

OMURTAG, MH: Free vibration analysis of Kirchhoff plates resting on elastic foundation by mixed FE formulation based on Gateaux differential, 6A186

- Analysis of orthotropic plate-foundation interaction by mixed FE formulation using Gateaux differential, 7A528

ONAH, ES: Direct methods for the discretization of a heat-conduction equation using spline functions, 12A1299

ONARI, H: Channel-meandering effect on the large-scale structure of turbulent secondary flow (Japanese), 7T1014

- Development of waste water purification technique in closed water area (Japanese), 8A1553

ONATE, E: Hygro-thermo-mechanical constitutive model for multiphase composite materials, 1A8

- Critical displacement approach for predicting structural instability, 2A528

- Mixing anisotropic formulation for analysis of composites, 3A497

- Finite point method in computational mechanics: Applications to convective transport and fluid flow, 5A1319

- Stabilized finite point method for analysis of fluid mechanics problems, 6A1042

- Finite element formulation for incompressible flow problems using a generalized streamline operator, 10A1095

ONCK, P: Influence of microstructural variations on steady state creep and facet stresses in 2D freely sliding polycrystals, 7A425

ONCLEY, SP: Surface-layer fluxes, profiles, and turbulence measurements over uniform terrain under near-neutral conditions, 3T1428

ONDERS, JP: Taguchi optimization of strain transfer in an induced strain actuator, 1A609

ONDROVIC, P: Hydrodynamics and heat transfer in helical ducts with rectangular cross-section (Polish), 10A1147

ONGTRO, A: Modeling of heat recovery steam generator performance, 9A1314

ONG, CHONG-JIN: Quantification of penetration between general objects, 12A449

ONG, KCG: Cyclic behavior of steel-fiber mortar overlaid concrete beams, 8A900

ONG, LS: Analysis of a cylindrical shell supported by two longitudinal beams, 1A567

- Bending stresses at longitudinal weld joints of pressurized cylindrical shells due to angular distortion, 2A483

- Collapse of tubular beams loaded by a wedge-shaped indenter, 5A410

- Simply-supported plate subject to loads distributed over an arbitrarily shaped area, 7A530

- Peak stress and fatigue assessment at the saddle support of a cylindrical vessel, 11A654

ONG, SY: Optimal planar evasive aircraft maneuvers against proportional navigation missiles, 5A307

ONG, W: Diagnostics and optimization of reciprocating chillers: Theory and experiment, 7A1230

ONIKURA, H: Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), 2T613

- Effects of ultrasonic vibration on machining accuracy in microdrilling, 7A607

ONIPEDE JR, O: Propagating waves and end modes in pretwisted beams, 2A185

ONISCHENKO, VY: Ergonomic aspects of development of means of contact vibration protection, 10A1549

ONITSUKA, K: Characteristics of strength increasing on soft ariake clays in construction works used quicklime and pozzolanic materials (Japanese), 5A512

- Characteristics of open-channel flows with adverse pressure gradients (Chinese), 10A1046

ONITUKA, S: Generation of continuous robot configurations for articulated robot arm using self-organization of cell group (Japanese), 5A339

ONIZAWA, K: Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, 8A1513

ONO FONSECA, JS: Optimal design of piezoelectric microstructures, 11A545

ONO, K: Chaotic behaviors of contact vibration, 3T118

- Localization of axisymmetric buckling patterns of cylindrical shells under cyclic loading (Japanese), 3A560

- Self-excited vibration caused by internal friction in universal joints and its stabilizing method, 10A218

- Theoretical and experimental investigation of an externally pressurized porous annular thrust gas bearing and its optimal design, 12A1227

ONO, S: Local stress and deformation at field joints of orthotropic steel deck (Japanese), 9A890

ONO, T: Fracture toughness of structural ceramics under biaxial stress state by anticlastic bending test, 8A800

- Magnetism and magnetoresistance of multilayers prepared on microstructured substrates, 9A609

ONODA, J: Partitioned model reduction for large space structural control problem, 4A829

- Symmetric motion control for adaptive structure based construction of large space structures, 8A894

ONODA, M: Spin angle control lapping of balls - 1st Report: Theoretical analysis of lapping mechanism (Japanese), 7A639

ONODA, Y: Science of Whitewares, 4N22

ONODERA, O: Three-dimensional shock wave reflection over a corner of two intersecting wedges, 10A308

ONORATI, A: Nonlinear fluid dynamic modeling of reactive silencers involving extended inlet-outlet and perforated ducts, 8A339

ONOYAMA, K: Adaptive control of a hybrid servo system for magnetic disk drives, 7A310

ONSTOTT, RG: Microwave responses to stress in sea ice: A report on initial field tests, 6A1525

ONTIVEROS, A: Study on the adhesion of calcium carbonate to glass: Energy balance in the deposition process, 2A944

ONUMA, Y: Local reaction rate in round-jet diffusion flames, 7T1398

ONUR, N: Experimental study on air window collector having a vertical blind for active solar heating, 8A1522

- Application of Wagner functions in symmetrical airfoil design, 10T1216

ONYEJEKWE, OO: Green element description of mass transfer in reacting systems, 6A1317

- Mixed Green element formulation for the transient Burgers equation, 9A59

ONYEMELUKWE, OU: Numerical simulation of wind-induced forces on bridge deck sections of long-span bridges, 7A175

ONYSHKEVYCH, VM: Heat transfer into elastic half-space through pressed in rigid punch (Russian), 12A1342

OOBA, T: Stability robustness for linear state space models: A Lyapunov mapping approach, 7T303

OOI, A: Volume integrals of the Q_α - R_α invariants of the velocity gradient tensor in incompressible flows, 7A1133

OOI, JY: Finite element analysis of wall pressure in imperfect silos, 10A19

OOI, KT: Computer simulation of a rotary compressor for household refrigerators, 5A1088

OOMS, G: Influence of drill pipe rotation and eccentricity on pressure drop over borehole during drilling, 5A559

OOSONE, Y: Distribution of heat-transfer coefficients from small surfaces cooled with submerged jets of fluorocarbon liquid determined by an inverse heat-conduction analysis, 2A1234

OOSTERBAAN, WA: European intercomparison of ultrasonic power measurements, 2A300

OOSTERLEE, CW: Flux difference splitting for 3D steady incompressible Navier-Stokes equations in curvilinear co-ordinates, 2A974

OOSTERLEE, K: Adaptive parallel multigrid solution of 2D incompressible Navier-Stokes equations, 10A1091

OOSTHUIZEN, PH: ASME Proceedings of 31st National Heat Transfer Conference, Volume 2, 2N37

- Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22

- ASME Proceedings of 31st National Heat Transfer Conference, Volume 8, 2N43

- Natural convective heat transfer in an enclosure partly filled with a non-porous insulation, 3A1227

- Numerical study of the steady state freezing of water in an open rectangular cavity, 3A1228

- Natural convective heat transfer from a cylinder in an enclosure partly filled with a porous medium, 5A1189

OOTA, H: Estimation of lateral pressure and coefficient of subgrade reaction during excavation work in Osaka (Japanese), 10A707

OOTAKE, N: Study on the generation mechanism and the compensation for the exponential-type lost motion for feed drive system of NC machine tools, 1T427

OOTOMO, H: Study on bond mechanism of steel fiber reinforced ultra rapid hardening concrete applied to concrete overlay (Japanese), 2T783

OP DEN CAMP, OMGC: Modeling and optimal estimation of mixtures: A simulation study, 2A1452

OPERSTEIN, V: Time-harmonic vibration of an incompressible linearly non-homogeneous half-space, 4A103

OPICHO, NB: Analysis of Piecewise Linear Dynamical Systems, 1N17

OPLINGER, DW: In situ determination of adhesive shear moduli using strain gages, 5A720

- Numerical analysis of a thick-adherend lap shear specimen, 12A1044
OPPENHEIMER, CH: Radiation efficiency for unbaffled plates with experimental validation, 8A308
OR, AC: Finite-wavelength instability in a horizontal liquid layer on an oscillating plane, 10A1172
ORAEVSKY, VN: Spectral method of global minimum and its application to problems of heliospheric and planetary physics, 9A246
ORAL, HA: Crank mechanism with variable radius and phase, 5A874
ORAL, S: Two-step method for the optimum design of trusses with commercially available sections, 8A886
- Coupled rigid-elastic motion of filament-wound composite robotic arms, 12A438
ORAN, ES: Stability of projectiles in thermally choked ram accelerators, 1A1378
- Influence of cellular structure on detonation transmission, 3T252
- Detonation structures generated by multiple shocks on ram-accelerator projectiles, 6A330
- Theory of deflagration-to-detonation transition in unconfined flames, 8A301
- Load balancing and performance issues for data parallel simulation of stiff chemical nonequilibrium flows, 9A1041
- Reaction-zone structure of a steady-state detonation wave in a cylindrical charge, 9A247
ORAVAS, GAE: Method for contact problems using virtual elements, 10A564
ORAVSKY, V: New dimensionless dynamic model of hydrostatic transmission and its splitting (Czech), 3A899
- Quasistatic efficiency of a concentric ER clutch, 6A943
- Determination and relation of various efficiencies of a symmetric hydrostatic transmission at periodic load (Polish), 10A1002
ORD, A: Bifurcation of crack pattern in arrays of 2D cracks, 2A696
ORDAZ, M: Great Mexican earthquake of June 19, 1858: Expected ground motions and damage in Mexico City from a similar future event, 8T1478
ORDON, B: Local load-carrying capacity of slabs in the light of tests and four effort hypotheses, 2A779
ORDUNA-BUSTAMANTE, F: Local sound field reproduction using digital signal processing, 3A322
ORENBAKH, Z: Sound and weak shock wave propagation in gas-liquid foams, 10T306
ORF, LG: Three-dimensional numerical analysis of colliding microburst outflow dynamics, 4A1442
ORFEI, A: First evidence of planetary water maser emission induced by the comet-Jupiter catastrophic impact, 5T172
ORGAN, AJ: Solution of the conjugate heat exchange problem, 10A1315
- Analysis of the gas turbine rotary regenerator, 11A1433
ORGAN, D: Continuous meshless approximations for nonconvex bodies by diffraction and transparency, 2A29
- Meshless methods: An overview and recent developments, 6A16
ORIHARA, H: Electrorheological effect in immiscible polymer blends, 8A1012
ORIOLO, G: Fuzzy Maps: A new tool for mobile robot perception and planning, 8A427
ORIUNNO, M: Influence of the constitutive characteristics of resins on the composite materials delamination, 6A781
ORKISZ, J: Basic concepts of an open distributed system for cooperative design and structure analysis, 2A57
ORKWIS, PD: Proving algorithm symmetry for flows exhibiting symmetry breaking, 4T1017
- Algebraic turbulence model simulations of supersonic open-cavity flow physics (Disimile), 5A953
- Effect of Yaw on pressure oscillation frequency within rectangular cavity at Mach 2, 12T1086
ORLANDE, HRB: Function estimation approach for determining temperature-dependent thermophysical properties, 5A1305
ORLOB, GT: Multiphase distribution of cohesive sediments and heavy metals in estuarine systems, 3A1361
ORLOFF, D: Lubrication and heat transfer in a crown-compensated press roll, 4A1159
ORLOV, A: Asymptotic analysis of bipropellant droplet burning for the reaction A + B → 2C, 7A1380
ORLOV, EF: Fracture surface development in an overloaded D16T Al-alloy subjected to biaxial loading: A fractographic analysis, 9A706
ORON, A: Marangoni instability in tri-layer liquid systems, 7A1127
ORPHAL, DL: Penetration of confined boron carbide targets by tungsten long rods at impact velocities from 1.5 to 5.0 km/s, 7A201
- Penetration of confined silicon carbide targets by tungsten long rods at impact velocities from 1.5 to 4.6 km/s, 7A202
ORR, A: Eversion of compressible elastic cylinders, 10A559
ORR, J: Optical Measurement Methods in Biomechanics, 4N35
ORRENIUS, U: Calculation of wave propagation in rib-stiffened plate structures, 6A232
ORRHEDE, M: Elastic constants and thermal expansion of aluminum-SiC metal-matrix composites, 1A508
ORRINGER, O: Crack propagation and fracture in contacting bodies, 5A576
ORRIS, GJ: Application of the Foldy-Wouthuysen transformation to the reduced wave equation in range-dependent environments, 8A345
ORSZAG, SA: Unsteadiness and convective instabilities in 2D flow over a backward-facing step, 3A1130
ORTEGA, A: Heat transfer in the forced laminar wall jet, 12A1252
ORTEGA, MA: Wake behind a backward-facing step: A numerical study, 3A1116
ORTEGA, R: Globally stable discrete-time controller for current-fed induction motors, 4T366
ORTIGAO, JAR: Soil Mechanics in the Light of Critical State Theories: An Introduction, 5R11
ORTIGUEIRA, MD: Matrices generated by adding Dyads (rank 1 matrices): Properties and applications (Spanish), 7A75
ORTIZ, M: Computational modeling of impact damage in brittle materials, 1A721
- Computational micromechanics, 5A1
- Adaptive Lagrangian modeling of ballistic penetration of metallic targets, 10A288
ORTNER, N: Solution of the initial-boundary value problem for the simply supported semi-infinite Timoshenko beam, 1T555
ORYNYAK, IV: Ultimate ductile state model for a pipe with an axial through crack, 7A729
- Modeling of the limit state of thin-walled pipes with multiple axial coplanar defects, 7A727
ORZELOWSKI, S: Clutch ability for torque transfer in dynamic loading condition (Polish), 2T170
OSADA, T: Monitoring of lapping process with piezoelectric ceramic sensor - 1st report: Relation between lapping conditions and detected acoustic signals (Japanese), 1T422
OSAKA, H: Turbulent drag reduction in a d-type rough wall boundary layer with longitudinal thin ribs placed within traverse grooves: Higher-order moments and conditional sampling analysis, 3A1099
OSAKADA, K: Rigid-plastic FE simulation of peening process with plastically deforming shot, 1A42
- Fundamental study of laser rapid prototyping of metallic parts, 7T391
- Distinct element simulation of grain alignment in mushy-state forging of magnets, 8A526
- Finite element simulation of jetting behavior in metal injection molding using remeshing scheme, 10A40
OSAKI, H: Tribology of videotapes, 7A894
OSAKI, K: Nonlinear rheological behavior of a concentrated spherical silica suspension, 5A894
OSAWA, S: Measurement of 3D objects using gray code projection - 2nd Report: Improvement of reliability of space encoding method (Japanese), 1T382
OSBORN, R: Ring wing for a compressed missile, 2T1086
OSBORNE, NR: Dynamic fatigue testing of candidate ceramic materials for turbine engines to determine slow-crack-growth parameters, 10A767
OSHER, S: Eulerian approach for vortex motion using a level set regularization procedure, 2T1371
OSHIMA, A: Relation between compacted area and ram momentum by heavy tamping: Density and strength increases due to single point tamping (Japanese), 8A648
- Effect of ram mass and area on ram impact acceleration and penetration of sandy ground (Japanese), 10T696
- Ram penetration behavior and ensuing earth pressure during ram blow on sandy soil (Japanese), 10A698
OSHIMA, H: Velocity measurements over a pitching airfoil, 6A1184
OSHIMA, S: Classification of pulsating flow patterns in curved pipes, 2A1457
OSHIMA, T: Stress-wave displacement polarizations and attenuation in unidirectional composites: Theory and experiment, 4A567
OSHINSKI, J: Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
OSHINSKI, JN: Accuracy of magnetic resonance phase velocity measurements in stenotic flow, 5A1508
OSHITA, S: Proposal of out-of-plane analysis using plane model for suspension brige (Japanese), 2A809
OSHITA, T: Study of immersed heat exchange surface for high-efficiency heat recovery from wire-rim tires in a fluidized-bed boiler, 9A1431
OSHMAN, Y: Modal control of piezolaminated anisotropic rectangular plates - Part 1: Modal transducer theory, 2A770
- Modal control of piezolaminated anisotropic rectangular plates - Part 2: Control theory, 2A771
OSINKOLU, GA: High temperature cyclic deformation of a directionally solidified Ni-based superalloy, 5A417
OSIPOV, A: Sound transmission in buildings with elastic layers at joints, 5A246
OSIPOV, AV: Acoustic interaction between two thin elastic plates through an angular welded joint, 4A288
- Structural and acoustical wave interaction at a wedge-shaped junction of fluid-loaded plates, 8A279
OSIPOV, GV: Phase synchronization of chaotic oscillators by external driving, 12A128
OSIPTSOV, AN: Mathematical modeling of dusty-gas boundary layers, 8A1114
OSMAN, AM: Numerical solution of the general 2D inverse heat conduction problem, 8A1355
OSMAN, KM: Behavior investigation of concrete slabs subjected to high temperatures, 2A787
OSMAN, MBS: Measurement of thermophysical properties of ammonium salts in the solid and molten states, 3A1218
OSMAN, MM: Experimental investigation on varying the compression ratio of SI engine working under different ethanol-gasoline fuel blends, 7A1430
OSMAN, MOM: Discrete adaptive active suspension for hardware implementation, 3A375
- Analytical evaluation of the cutting forces in self-piloting drilling using the model of shear zone with parallel boundaries - Part 1: Theory, 5A556
- Analytical evaluation of the cutting forces in self-piloting drilling using the model of shear zone with parallel boundaries - Part 2: Application, 6A689
- Novel approach to the design of self-piloting drills with external chip removal - Part 1: Geometry of the cutting tip and grinding process, 11A611
- Novel approach to the design of self-piloting drills with external chip removal - Part 2: Bottom clearance topology and experimental results, 11A612
OSMONT, D: Effects of perfusion on the mechanical behavior of the brain exposed to hypergravity, 9A1581
OSSES, A: Added mass and damping in fluid-structure interaction, 12A274
OSSOWSKI, A: Robust stability of dynamical systems, 9A91
OSTACHOWICZ, W: Natural vibration frequencies of delaminated compoiste beams, 9A151
- Natural vibrations of a clamped-clamped arch with an open transverse crack, 10A222
OSTAPENKO, NA: Asymptotic solution of the problem of a thin 3D body entering a compressible fluid, 7A1060
OSTENSEN, JO: Determination of viscosity and pressure in an elastohydrodynamic rolling contact by using optical interferometry: A theoretical study, 5T1115
OSTGATHE, M: Stiffness and strength anisotropy in the tensile response of weft knitted fabric-reinforced peek-and pet-composites, 1A535
OSTOJA-STARZEWSKI, M: Brittle intergranular failure in 2D microstructures: Experiments and computer simulations, 4A771
- Micromechanically based stochastic FEs: Length scales and anisotropy, 4A30
OSTOJIC, M: Recursive control of robotic motion, 2A352
OSTRACH, S: Oscillatory thermocapillary flow in cylindrical columns of high Prandtl number fluids, 7A1254
OSTROVSKII, AG: New method for obtaining velocity and diffusivity from time-dependent distributions of a tracer via the maximum likelihood estimator for the advection-diffusion equation, 10T1382
OSTWALD, M: Multicriteria optimization of cylindrical sandwich shells under combined loads, 5A755
OSWALD, FB: Effect of contact ratio on spur gear dynamic load with no tooth profile modifications, 3A891
OSYCZKA, A: Computer aided optimum design of machine tool spindle systems with hydrostatic bearings, 9A412
OTA, M: Study on residual stress of ground surface of silicon nitrides (Japanese), 8A714
OTAKA, M: Development of an advanced SQUID system for nondestructive evaluation of material degradation in power plants, 9A812
OTANI, RK: Assessment of reinforcement details for blast containment structures, 10A928
- Mesh, gravity, and load effects on FE simulations of blast loaded reinforced concrete structures, 10A287
OTEGUI, JL: Technique to produce automatic welds with enhanced fatigue crack propagation lives under transverse loading, 8A736
OTERO, JA: Homogenization of heterogeneous piezoelectric medium, 8T630
OTHMAN, IA: Stability of natural convection in an inclined fluid layer in the presence of ac electric field, 3A1231
OTHMAN, MO: Mechanical properties of catgut in holding and bonding fractured bones, 4A1488
OTOMO, F: Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
OTRAZHII, VI: Investigation of wear debris formed at friction, 5A827
OTSU, M: Distinct element simulation of grain alignment in mushy-state forging of magnets, 8A526
OTSUKA, A: Test method for mode II fatigue crack growth relating to a model for rolling contact fatigue, 5A637
OTSUKA, J: Study on an ultraprecision grinding wheel spindle, both-end supported, 7T623
- Ultrafine motion table using piezoelectric actuator for ultraprecision grinding, 10T748
OTSUKA, K: Materials for Smart SystemsII, 10N7
- Estimation of inertia forces on a horizontal circular cylinder in regular and irregular waves at low Keulegan-Carpenter numbers, 5A204
OTSUKI, N: Study on the ability to pass between steel reinforcing bars of highly flowable concrete (Japanese), 7A1067
OTTARSSON, G: Transfer matrix approach to free vibration localization in mistuned blade assemblies, 5A118
- Vibration and wave localization in a nearly periodic beaded string, 12A169
OTTE, MJ: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
- General framework for an "unmixed layer" PBL model, 4T1436
OTTINGER, HC: Kinetic theory and transport phenomena for a dumbbell model under nonisothermal conditions, 3A936
- Detailed comparison of various FENE dumbbell models, 8A494
- Accurate simulation of linear viscoelastic properties by variance reduction through the use of control variates, 10A1022
- Brownian configuration fields and variance reduced CONNFFESSIT, 11T401
OTTO, K: Analysis of preconditions for hyperbolic partial differential equations, 6A247
OTTO, T: Structure and magnetic properties of Ni-Ti multilayers, 9A384
OTTOSEN, NS: Corners in plasticity: Koiter's theory revisited, 2A413
OTUGEN, MV: Axisymmetric sudden expansion flow of a non-Newtonian viscoplastic fluid, 9A451
- Uncertainty estimates of turbulent temperature in Rayleigh scattering measurements, 10T1186
- Nd: YAG laser-based dual-line Rayleigh scattering system, 10A1272
OTUONYE, F: Decoupling longitudinal and transverse vibrations of a cylindrical beam in time and frequency domains, 10T176
OU, BIAO: Kinematic compatibility equation related to elastic stress-free joints and crystal twins, 8A470
OU, CHANG-YU: Analysis of deep excavation with column type of ground improvement in soft clay, 3A606
OU, J-S: Integrated optimal structural and vibration control design, 6A851
OU, JIN-PING: Optimal placement of energy dissipation devices for 3D structures, 6A1445
OU, SHAN-HWEI: Wave boundary layers in rough turbulent flow, 6A1148
OU, YEONG-JEONG: Isotropic design of tendon-driven manipulators, 3A892
OUADOU, M: Optimal design in abrasive resistance of refractory concretes, 9A933
OUAHSINE, A: Vertical structure and stability in a mathematical model of the ocean internal waves, 3A1411
OUAZAR, D: Numerical simulation of shallow water wave propagation using a BE wave equation model, 7A61
- Groundwater optimization and parameter estimation by genetic algorithm and dual reciprocity BEM, 12A1530
OUAZZANI, J: Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, 5A1030
OUCHERIAH, S: Robust sliding mode control of uncertain dynamic delay systems in the presence of matched and unmatched uncertainties, 9A344
OUCHI, H: Seismic damage analyses on box culvert with intermediate columns (Japanese), 11A641
OUDIN, J: Friction, temperature, and wear analysis for ceramic coated brake disks, 1T876
- FE strategy for glass sheet manufacture by creep forming, 1A678
- Elastoplastic FE analyses of an upsetting-sliding test for the determination of friction at medium and high contact pressure, 1T45
- Determination of the compression-translation for test parameters for the identification of the coefficients of friction in realistic contact conditions (French), 1A874
- Sensitivity of material parameters in the FE computation of microvoid nucleation and growth, 1A790
- Optimization of the upsetting-sliding test parameters for the determination of friction laws at medium and high contact pressures, 6A937
- Damage occurrence under dynamic loading for strain rate sensitive materials, 8A822
OUEINI, SS: Theoretical and experimental implementation of a control method based on saturation, 12A214

OUELLET, M: Theoretical and experimental investigation of failure and damage progression of graphite-epoxy composites in flexural bending test, 1A767
OUELLET, Y: New kind of nonlinear mild-slope equation for combined refraction-diffraction of multifrequency waves, 12T266
OUKIT, A: Mixed FE for the linear plate problem: The Herman-Miyoshi model revisited, 5A24
OULD-ROUIS, M: Analogy between predictions of Kolmogorov and Yaglom, 8A1181
OURSLER, DA: Magnetic pressure stressing of lap joints: Modeling and experimental verification, 11A756
OUSHITA, H: Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), 10A741
OUT, JMM: Slippage of helical reinforcing on a bent cylinder, 9A921
OUTA, E: Evaluation and prediction of blade-passing frequency noise genorated by a centrifugal blower, 1A1101
OUYANG, C: Response of reinforced concrete panels under uniaxial tension, 5A780
- Prediction of cracking response of reinforced concrete tensile members, 6A889
OUYANG, H: Simulation and measurement of a vertical Bridgman growth system for β-NiAl crystal, 9A1280
OUYANG, J: Pilot prefilter design via H_∞ model-matching approach, 7T353
OUYANG, S: Adaptive FE scheme for hydraulic fracturing with proppant transport, 10A32
- Dual coordinate system finite difference method for forward and inverse solutions of the volume conductor problem in neurology, 11A51
OUYANG, TIANHONG: Adaptive time stepping approaches for thermal solidification processes, 1A1235
OVAERT, TC: Wear of unidirectional polymer matrix composites with fiber orientation in the plane of contact, 10T988
- Effect of controlled surface topographical features on the unlubricated transfer and wear of PEEK, 12A978
OVANDO-SHELLEY, E: Undrained behavior of clayey sands in load controlled triaxial tests, 9A633
OVASKAINEN, O: h-p-n adaptive FE scheme for shell problems, 3A541
OVCHAROV, VV: Analytical solution of the diffusion equation for an extended source of infinite extent at constant temperature gradient, 8A1335
OVEN, VA: Analytical model for the analysis of composite beams with partial interaction, 7A505
OVERMARS, MH: Motion planning for carlike robots using a probabilistic learning approach, 10A522
OVSYANNIKOV, LV: Regular partially invariant submodels of the equations of gas dynamics, 11A982
OVTCHINNIKOV, EE: New Korn's type inequality for thin domains and its application to iterative methods, 6A599
OVUNC, BA: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellior, France, July 1996, Volume 9, 1N13
- Nonlinearities in the analysis of frames, 5A794
OWEN , JM: Heat transfer from air-cooled contrarotating disks, 8A1298
OWEN, DRJ: Design of simple low order FEs for large strain analysis of nearly incompressible solids, 1A2
- Transfer operators for evolving meshes in small strain elasto-plasticity, 6A529
- Sign of the determinant of the structural stiffness matrix for determination of loading increment in arc-length algorithms, 8A619
- Non-nested Galerkin multi-grid method for solving linear and nonlinear solid mechanics problems, 11A385
OWEN, I: Behavior of liquid films and drops in relation to liquid-gas separators, 11A990
OWEN, JM: Flow and Heat Transfer in Rotating-Disc Systems, Volume 2: Rotating Cavities, 2R30
- Heat transfer in an air-cooled rotor-stator system, 1A1187
- Effect of rotation on temperature response of thermochromic liquid crystal, 4A1219
- Flow and heat transfer in a preswirl rotor-stator system, 10A1238
OWENDE, PMO: Characteristic loading of light mouldboard ploughs at slow speeds, 2A816
OWENS, D: Prediction of flow and erosion in power utility boilers and comparison with measurement, 12A1329
OWENS, DB: Stability and control of a three-surface, forward-swept wing configuration, 6T1187
OWENS, DH: Iterative learning control using optimal feedback and feedforward actions, 4A335
OWSENEK, BL: Numerical investigation of heat transfer in impinging axial and radial jets with superimposed swirl, 3A1236
- Theoretical and experimental study of electrohydrodynamic heat transfer enhancement through wire-plate corona discharge, 12A1161
OWSIK, J: Absorption coefficient of calorimetric reciever of laser radiation, 4T1240
OXLAND, TR: Design and evaluation of a device for measuring 3D micromotions of press-fit femoral stem prostheses, 11A1583
OXLEY, PLB: Prediction of tool life in oblique machining with nose radius tools, 3A635
- Prediction of cutting forces and built-up edge formation conditions in machining with oblique nose radius tools, 4A675
- Sliding metallic wear test with in-process wear measurement: A new approach to collecting and applying wear data, 7A886
- Analysis and experimental investigation of a simplified burnishing process, 8A689
OYA, N: Tensile strength and its scatter of unidirectional carbon fiber reinforced composites, 9A485
OYADIJI, SO: Applications of electro-rheological fluids for constrained layer damping treatment of structures, 6A137
OYAMA, T: Fiber-optic laser-doppler anemometer microscope applied to the cerebral microcirculation in rats, 8A1572
OYMAK, O: Method-of-lines solution of time-dependent 2D Navier-Stokes equations, 3A1010
- Transient simulation of internal separated flows using an intelligent higher-order spatial discretization scheme, 10A1143
OYUMI, SM: Post-nucleation growth of water microdroplets in supersaturated gas mixtures: A molecular simulation study, 9A1252
OZ, H: Direct optimal control: A hybrid approach, 11A290
OZ, HR: Nonlinear vibrations of a beam-mass system under different boundary conditions, 8A135
OZAKI, K: Flow resistance and heat transfer characteristics of water solution with surfactant in circular tubes, 8A1302
OZAKI, N: Study on sludge accumulation process in the externally pressurized filtration of activated sludge suspension using hollow fiber membranes (Japanese), 7A1081
OZAKI, Y: Device to measure the size of volatile droplets utilizing a hot-film sensor, 11A1015
OZALAYBEY, S: Shear-wave velocity structure in the northern basin and range province from the combined analysis of receiver functions and surface waves, 12A1457
OZARD, S: Shallow-water receptions from the transarctic acoustic propagation experiment, 3A303
OZASA, T: Elastohydrodynamic lubrication model of connecting rod big-end bearings: Application to real engines, 12A1214
OZBAYRAK, M: Tool management and job allocation in flexible machining cells - Part 1: Work-oriented strategies, 4A468
- Tool management and job allocation in flexible machining cells - Part 2: Tool-oriented strategies, 4A469
OZCAN, R: Exact solution of elastoplastic stresses in a metal-matrix composite beam of arbitrary orientation subjected to transverse loads, 8A542
OZCELIKORS, Y: Free vibration analysis of Kirchhoff plates resting on elastic foundation by mixed FE formulation based on Gateaux differential, 6A186
- Analysis of orthotropic plate-foundation interaction by mixed FE formulation using Gateaux differential, 7A528
OZDEMIR , IB: Mixing mechanisms of vortex ring formed by gravity slumping motion, 8A1551
OZDEMIR, AT: Measurement of the 3D residual stress distribution around split-sleeve cold-expanded holes, 6A520
OZDEMIR, IB: Flow properties and passive scalar transport in a model room with relevance to ventilation efficiency, 3A1111
- Stability of the wall jet formed by the impingement of a single-phase jet, 4A1065
OZEKI, K: Fundamental study on the effect of fines on liquefaction strength of reclaimed ground (Japanese), 10A693
OZEL, A: Elastic-plastic FE analysis of metal matrix plates with edge notches, 9A562
OZER, A: Sensitivity of the eigenvalues of a damped Euler-Bernoulli beam (German), 10T186
OZERDEM, B: Physical response of collagen gels to tensile strain, 11A1565
OZGUR, M: Finite element modeling of internally pressurized closed cell composites, 5A806
OZISIK, MN: Determination of elastic constants by inverse analysis, 4A783
- Estimation of inlet temperature profile in laminar duct flow, 4A1051
OZKAN, G: Use of FFT algorithm for the circumferential co-ordinate in BE formulation of axisymmetric problems, 12A71
OZKAYA, E: Nonlinear vibrations of a beam-mass system under different boundary conditions, 8A135
OZMETIN, C: Mass transfer to local electrodes at wall and wall friction factor in decaying turbulent swirl flow, 9A1337
OZOE, H: Effect of Prandtl number and computational schemes on the oscillatory natural convection in an enclosure, 2A1166
- Oscillatory phenomena of low-Prandtl-number fluids in a rectangular cavity, 5A1155
- Development of a computational scheme for transient combustion inside a refractory tube, 6A1348
- Enhancement of heat transfer rate by application of a static magnetic field during natural convection of liquid metal in a cube, 11A1230
OZONE, O: Retrofit based methodology for the fast generation and optimization of large-scale mesh partitions: Beyond the minimum interface size criterion, 1A80
OZONO, S: Measurement of 3D objects using gray code projection - 2nd Report: Improvement of reliability of space encoding method (Japanese), 1T382
OZRIN, VD: Diffuse reflection of light from a dense random medium using fibers dipped into the medium, 2A196
OZTURK, A: Influence of cyclic fatigue damage on the fracture toughness of carbon-carbon composites, 1A761
- Unsteady forced convection heat transfer from a translating and spinning body, 11A1212
OZTURK, C: Audible noise predicted by the sporadic changes of tensile forces in a belt driven system, 4A277
- Significance of the electromagnetic forces on the mechanical resonances of stator laminations, 4A178
OZTURK, M: Bending stresses in composite spherical shells under axisymmetric edge-loads, 7A518
OZUPEK, S: Constitutive equations for solid propellants, 10A578
OZUTOK, A: Free vibration analysis of Kirchhoff plates resting on elastic foundation by mixed FE formulation based on Gateaux differential, 6A186
OZYORUK, Y: Multigrid acceleration of a high-resolution computational aeroacoustics scheme, 9A1171

P

PAASCH, RK: Evaluation of failure diagnosis in conceptual design of mechanical systems, 9A414
PABIAN, Z: Survey problems in the soil test load method (Polish), 9A632
PABIOT, H: Interactions between flows occurring inside and outside fabric tows during RTM, 12A1125
PABST, W: Eshelby relation in mixtures, 8A1113
PACCIANI, R: Rotor-stator interaction analysis using the Navier-Stokes equations and a multigrid method, 5A1102
- Multigrid computations of unsteady rotor-stator interaction using the Navier-Stokes equations, 11A1172
PACE, KK: Vortex shedding in a large solid rocket motor without inhibitors at the segment interfaces, 9A1403
PACHECO, J: Solar Engineering: 1997, 10N30
PACHECO, JE: Investigation of cold filling receiver panels and piping in molten-nitrate-salt central-receiver solar power plants, 11A1532
PACHTER, M: Proportional and integral control of nonlinear systems, 1A356
PACI, M: Isothermal elongational behavior of liquid-crystalline polymers and LCPs based blends, 10A1036
PACK, DJ: Applications of accurate isentropic exponent determination for fuel gas measurement, 1A1093
PACKER, JA: Nailed tubular connections under axial loading, 3A922
PACKIARAJ, CC: Influence of sodium environment and load ratio (R) on fatigue crack growth behavior of a Type 316 LN stainless steel at 813K, 7A651
PACKMAN, PF: Statistical approach to the analysis of ultimate strengths of bolted joints in laminated composites, 1A719
PACOR, F: S-wave site-response estimates using horizontal-to-vertical spectral ratios, 12A1443
PACOSTE, C: Beam elements in instability problems, 10A672
PACZELT, I: Application of the space enrichment method to problems of mechanical contact, 8A20
PADEN, B: Exact-output tracking theory for systems with parameter jumps, 11T302
PADET, J: Time constant of double pipe and one pass shell-and-tube heat exchangers in the case of varying fluid flow rates, 8A1367
PADGETT, C: Evaluation of star identification techniques, 9T244
PADGETT, RS: Nonlinear deformation and breakup of stretching liquid bridges, 7A1032
PADHY, S: Galerkin method for a Stefan-type problem in one space dimension, 11A1317
PADILLA, CO-AG: Application of genetic algorithms to constrain shallow elastic parameters using *in situ* ground inclination measurements, 9A622
PADILLA, F: Simulation and analysis of frost heaving in subsoils and granular fills of roads, 9A1560
- Open boundaries in the FE approximation of 2D advection-diffusion flows, 12A1352
PADMANABHAN, K: Time-temperature failure analysis of epoxies and unidirectional glass-epoxy composites in compression, 1A768
PADMANABHAN, KA: Low cycle fatigue behavior of a medium carbon microalloyed steel, 10A771
PADMANABHAN, M: Extensional viscosity from entrance pressure drop measurements, 10A1027
PADOVAN, J: Kinetic formulation of elasto-viscoplasticity, 2A421
- Fatigue crack propagation and closure behavior of modified 1070 steel: Experimental results, 7A658
- Fatigue crack propagation and closure behavior of modified 1070 steel: FE study, 7A659
- Finite element modeling of expansive oxide induced fracture of rebar reinforced concrete, 10A30
- Diophantine type fractional derivative representation of structural hysteresis - Part I: Formulation, 11A107
- Diophantine type fractional derivative representation of structural hysteresis - Part II: Fitting, 11A108
PADOVANI, C: No-tension solids in the presence of thermal expansion: An explicit solution, 7A1350
PADUANO, JD: Application of real structured singular values to flight control law validation, 5T1077
- Modeling for control of rotating stall in high-speed multistage axial compressors, 11A1158
- Stall precursor identification in high-speed compressor stages using chaotic time series analysis methods, 12A1182
PAES-LEME, PJ: Modeling and numerical simulations of contaminant transport in naturally fractured porous media, 9A1416
PAGALDAY, JM: Optimization of multibody dynamics using object oriented programming and a mixed numerical-symbolic penalty formulation, 7A88
PAGALDIPTI, N: Optimization procedure with analytical aerodynamic sensitivity for reduced sonic boom design, 6A1186
PAGANO, NJ: Matrix crack impinging on a frictional interface in unidirectional brittle matrix composites, 4A758
- Elastic moduli of brittle matrix composites with interfacial debonding, 6A533
- Use of a plane-strain model to solve generalized plain-strain problems, 10A558
PAGE, RH: Heat transfer characteristics of a radial jet reattachment flame, 11A1247
- Heat transfer from a pair of radial jet reattachment flames, 12T1251
PAGE, TF: Analysis of nanoindentation load-displacement loading curves, 2A419
PAGEAU, SS: Standardized complex and logarithmic eigensolutions for n-material wedges and junctions, 2A694
- Enriched FEs for regions with multiple, interacting singular fields, 2A32
PAGLIANTI, A: Identification of two phase flow regimes via diffusional analysis of experimental time series, 2A999
PAGLIARINI, G: Error in lumped parameter analysis of heat flow rate through extended surfaces accounting for thermal contact resistance, 6A1287
PAGNEUX, V: Study of wave propagation in varying cross-section waveguides by modal decomposition - Part I: Theory and validation, 4A275
- Study of wave propagation in varying cross-section waveguides by modal decomposition - Part II: Results, 10A401
PAGOUNIS, E: Influence of the metal-ceramic interface on the microstructure and mechanical properties of HIPod iron-based composites, 7A487
PAHK, HJ: Development of straightness measurement technique using the profile matching method, 7A794
PAHL, MH: Curing effects on viscosity of reactive epoxy resin adhesives, 3A943
PAI, YI-CHUNG: Center of mass velocity-position predictions for balance control, 9A1575
PAIALUNGA, J: Clinical analysis of a CAD-CAM system for custom seating: A comparison with hand-sculpting methods, 1A1466
PAICE, GM: Finite element modeling of settlements on spatially random soil, 3A590
PAIDOUSSIS, MP: Flow-Induced Vibration - 1996, 2N10
- Numerical solutions of second-order implicit nonlinear ordinary differential equations, 3A107
- Improvement to the quasi-steady model with application to cross-flow-induced vibration of tube arrays, 3A269
- Nonlinear analysis of the parametric resonances of a planar fluid-conveying cantilevered pipe, 5T209
- Intermittency route to chaos of a cantilevered pipe conveying fluid with a mass defect at the free end, 11A216
PAIELLI, RA: Conflict probability estimation for free flight, 10T460
PAIGE YOUNGKINS, V: Dynamics of a pair of spherical gravitating shells, 9A241
PAIGE, CC: New perturbation analyses for the Cholesky factorization, 5A72
PAIK, I: Use of quadratic transfer functions to predict response of tension leg platforms, 3A821
PAIK, JK: Simplified method for predicting ultimate compressive strength of ship panels, 2A823

PAIK, P: Effects of transverse isotropy on modes and mode coupling in shallow water, 4A285
PAIK, S: Transient thermal convection in a spherical enclosure containing a fluid core and a porous shell, 4A1218
PAIKOWSKY, SG: Calibration and use of grid-based tactile pressure sensors in granular material, 12A688
PAILLARD, B: Transform domain optimization to increase the convergence speed of the multichannel filtered-X least-mean-square algorithm, 5A260
PAILLARD, C: Shock tube study of the effect of nitrogen or hydrogen on ignition delays in mixtures of monomethylhydrazine + oxygen + argon, 9A1356
PAILLERE, H: Multidimensional upwind residual distribution schemes for the convection-diffusion equation, 5A1321
PAIS, MR: Nucleate boiling heat transfer in spray cooling, 2A1205
PAK, CHAN-GI: Automated matched flutter optimization of the HSCT aircraft, 1A288
PAK, CK: Consequences of fluid lag in 3D hydraulic fractures, 10A1452
PAK, J: Melting in a two-component packed bed, 12A1286
PAK, PS: Exergetic evaluation of gas turbine cogeneration systems for district heating and cooling, 9A1307
PAK, YE: Electroelastic properties of cracked piezoelectric materials under longitudinal shear, 8A623
PAKALA, R: Study of concurrent decision-making protocols in the design of a metal cutting tool using monotonicity arguments, 8A974
PAKANEN, J: Conduction of heat through one- and multilayer slabs: A differential-difference approach, 1A1242
PAKDEMIRLI, M: Direct-perturbation method versus the discretization-perturbation method: Linear systems, 8T72
- Nonlinear vibrations of a beam-mass system under different boundary conditions, 8A135
- Vibrations of continuous systems having arbitrary quadratic and cubic nonlinearities, 9A75
PAKULA, K: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
PAKULA, T: Relaxation and viscoelastic properties of complex polymer systems, 7A972
PAKYARI, A: Steady two-layer vortices on the beta-plane, 5T916
PAL, A: Unsteady flow and heat transfer between rotating coaxial disks, 5A1177
- MHD squeezing flow between two parallel discs, 7A1162
PAL, D: Application of phase change materials for passive thermal control of plastic quad flat packages: A computational study, 1A1275
- Application of phase change materials to thermal control of electronic modules: A computational study, 9A1316
PAL, J: Discretization of existing continuous control systems, 12A375
PAL, PK: Sonar-based mobile robot navigation through supervised learning on a neural net, 6A416
PAL, R: Scaling of relative viscosity of emulsions, 7A978
PAL, S: Calibration of a constitutive model using genetic algorithms, 7A567
PAL, SC: Forced vertical vibration of four rigid strips on a semi-infinite elastic solid, 8A174
PALA, Y: Torsion of nonlinear viscous shafts, 9A545
PALACHARLA, G: Three-dimensional prestack migration of common azimuth data, 6A1418
PALADE, L-I: Modified fractional model to describe the entire viscoelastic behavior of polybutadienes from flow to glassy regime, 1A955
PALAGYI, P: Laser generated and recorded transient bending waves in composite tubes, 2A187
PALAIS, B: NIST-CTCMS international workshop on optimal design for materials and structures, 8A878
PALAIS, R: Optimal dseign of 3D axisymmetric elastic structures, 2A758
PALANIAPPAN, D: Slow viscous flow about a permeable circular cylinder, 9A1442
PALANINATHAN, R: Finite element analysis of laminated shells with exact through-thickness integration, 8A585
PALAZOTTO, AN: Nonlinear FE analysis of isotropic and composite shells by a total Lagrangian decomposition scheme, 2A21
- Nonlinear analysis of pressurized spinning fiber-reinforced tori, 6A176
- Elasticity solutions for Hertzian loaded composite sandwich plates, 6A479
- Finite element analysis of arches undergoing large rotations - II: Classification, 8A17
- Finite element analysis of arches undergoing large rotations - I: Theoretical comparison, 8A27
- Investigation of graphite PEEK composite under compression with a centrally located circular discontinuity, 8A551
- Nonlinear FE analysis of beams and arches using parallel processors, 9A550
- Nonlinear analysis of beams and arches undergoing large rotations, 9A538
- Singularities in polynomial representations of transverse shear in FEs, 12T26
PALAZZO, GS: No contact capacitive sensor to mechanical working control, 1A424
PALAZZOLO, A: Modeling and simulation methods for MDOF structures and rotating machinery with impact dampers, 10T160
PALAZZOLO, AB: Effects of wall flexibility on the rotordynamic coefficients of turbulent cryogenic annular seals, 1A923
- Thermohydrodynamic analysis of eccentric annular seals using cubic spline interpolations, 7A908
- Electromechanical modeling of hybrid piezohydraulic actuator system for active control, 9A358
PALAZZOLO, JJ: Modeling of a one-dof active hydraulic mount - Part I, 4A413
- Control of a one-dof active hydraulic mount - Part II, 4A411
PALCHEVSKY, OS: Effect of the meridian form on the natural frequencies and form of vibrations of the shells of revolution (Russian), 12A184
PALEN, JW: Road to understanding heat exchangers: A few stops along the way, 1T1264
- Breakdown of evaporating falling films as a function of surface tension gradient, 6A1262
PALESE, L: Extension of Joseph's criterion to the nonlinear stability of mechanical equilibria in the presence of thermodiffusive conductivity, 6A1134
PALII, OI: Tribological properties of PTFE coatings deposited from active gas phase, 1A896
PALIWAL, DN: Free vibrations of circular cylindrical shell on Winkler and Pasternak foundations, 3A165
- Orthotropic shallow spherical shell on a Kerr foundation, 8A587
- Stress analysis of V-shaped expansion joints under internal pressure, 9A560
PALIZZOLO, L: Computation of bounds on chosen measures of real plastic deformation for beams, 1A551
PALKOVICS, L: Examination of different control strategies of heavy-vehicle performance, 4A392
PALKOWSKI, S: Some remarks concerning the stability of guyed masts (Polish), 9A590
PALLARES, J: Natural convection in a cubical cavity heated from below at low Rayleigh numbers, 1A1173
PALM, E: Wave drift damping of floating bodies in slow yaw motion, 3A275
PALMA, PC: Optical and pressure measurements in shock tunnel testing of a model scramjet combustor, 10A1435
PALMEIRA, EM: Comparisons of predicted and observed failure mechanisms in model reinforced soil walls, 3A611
PALMEN, DEM: Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, 4A1491
PALMER, BJ: Comparison of equation of transfer with simulations on large arrays of cylindrical reflector elements, 5A1244
PALMER, BM: Quantitative characterization of vascular endothelial cell morphology and orientation using Fourier transform analysis, 10A1541
PALMER, CGS: Exact convolution of discrete random variables, 9A65
PALMER, MC: Earthquake performance of gas transmission pipelines, 3A1370
PALMER, TL: Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part I: Comparison of 2D and 3D flows, 6A1135
- Evolution and breakdown of Kelvin-Helmholtz billows in stratified compressible flows - Part II: Instability structure, evolution, and energetics, 6T1482
PALMER, TN: Finite-time instabilities of lower-stratospheric flow, 3T1139
PALMERIO, B: Multimesh and multiresolution analysis for mesh adaptive interpolation, 6A84
PALMIERI, F: Artificial neural network for sound localization using binaural cues, 1A342
PALMOR, ZJ: Solvability criterion for the constrained discrete Lyapunov and Riccati equations, 7T329
- Discrete positive realness of the discrete min-max control law, 8T378
PALOMBA, E: Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, 10A329
PALOSZ, B: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
PALS, H: Galerkin-averaging method for the Klein-Gordon equation in two space dimensions, 2T15
PALUSAMY, SS: Fatigue crack initiation and propagation behavior of pressure vessel steels, 11A645
PALUSZKIEWICZ, T: One-dimensional model for the parameterization of deep convection in the ocean, 12T1497
PAMBAGUIAN, L: Analysis of the fragmentation test based on aluminium matrix silicon carbide single fiber composites experiments, 11A693
PAMIN, J: Novel developments in FE procedures for gradient-dependent plasticity, 1A505
PAMMER, SE: Relationship of static foot structure to dynamic foot function, 7A1541
PAMPLONA, DC: Aspects of the mechanics of lobed liposomes, 5A1493
PAN , HOUZHI: Dynamic response behaviors of upright breakwaters under breaking wave impact, 4A962
PAN , LIZHOU: Nonlinear theory of multilayer sandwich shells and its application - III: Large deflection and postbuckling of shallow shells, 12A629
PAN, AN-JIA: Active robust vibration control of flexible composite beams with parameter perturbations, 8A128
PAN, C: Large deformation analysis of rubber based on a reproducing kernel particle method, 9A434
- Eulerian-Lagrangian computations on phase distribution of two-phase bubbly flows, 9A1072
PAN, CHI SHIANG: Electro-thermally and laterally driven polysilicon microactuator, 10A506
PAN, CHUNHUI: Reproducing Kernel Particle Methods for large deformation analysis of nonlinear structures, 6A30
- Pressure projection method for nearly incompressible rubber hyperelasticity - Part I: Theory, 7A492
- Pressure projection method for nearly incompressible rubber hyperelasticity - Part II: Applications, 7A493
PAN, CP: Re-examination of natural convection in a horizontal layered porous annulus, 5T1193
PAN, CT: Anisotropic heat-affected zone in the laser grooving of fiber-reinforced composite material, 6A543
PAN, E: Fracture mechanics analysis of cracked 2D anisotropic media with a new formulation of the BEM, 2A691
- Water reservoir loading of long anisotropic valleys with irregular topographies, 6A1390
- Symmetric boundary integral approach to transient poroelastic analysis, 9A1443
- Three-dimensional BE formulation of viscoelastic media with gravity, 10A582
PAN, H: Effects of target curvature on the impact characteristics of simulated hailstones, 12A247
PAN, HAO: Parametric analysis and experimental study on local flexibility of TY-type tubular joints, 1A857
PAN, HL: Dynamical behavior of cryogenic helium in a partially filled dewar in microgravity, 2A238
- Effect of baffles on orbital accelerations: Induced bubble oscillations in microgravity, 6A1067
PAN, J: Influences of non-singular stresses on plane-stress near-tip fields for pressure-sensitive materials and applications to transformation-toughened ceramics, 3A699
- Prediction of impact forces in a vibratory ball mill using an inverse technique, 7A180
- Implementing and improving statistical energy analysis models using quality technology, 8A349
PAN, JIANHUA: Operational method for non-parametric analysis of feedback control systems, 4A382
PAN, JIAQIANG: Power transmission from a vibrating body to a circular cylindrical shell through passive and active isolators, 8A319
PAN, JIE: Actively created quiet zones by multiple control sources in free space, 8A335
PAN, JZ: Three dimensional measurements on small cracks, 1T725
PAN, K: Plastic deformation of a tube during bending, 11A448
PAN, KE-LIN: Interaction of a dislocation and an inclusion in nonlocal elasticity, 6A474
PAN, KEYU: Investigation on simulation models and reduction methods of unburned hydrocarbon emissions in spark ignition engines, 4A1297
PAN, LIZHOU: Nonlinear theory of multilayer sandwich shells and its application - I: General theory, 10A632
- Nonlinear theory of multilayer sandwich shells and its application - II: Fundamental equations for orthotropic shallow shells, 10A642
PAN, LS: Anelastic behavior of zirconia ceramics under monotonic and cyclic loadings, 8A519
PAN, MING-JEN: Residual stresses in composites with coated particles, 11A382
PAN, RONGHUA: Class of diffusion equations with localized chemical reactions, 1T1298
PAN, S: Discretization of existing continuous control systems, 12A375
PAN, SHING-TAI: Robust Kalman filter synthesis for uncertain multiple time-delay stochastic systems, 6A364
- Robust controller design for discrete uncertain multiple time-delay systems, 9A338
PAN, WEN F: Endochronic analysis for finite elastoplastic deformation and application to metal tube under torsion and metal rectangular block under biaxial compression, 8A513
PAN, WEN-FUNG: Endochronic theory accounting for deformation induced anisotropy of metals under biaxial load, 7A431
PAN, WENKE: Finite deformation analysis of polycrystal by considering the influence of grain boundary, 4A485
PAN, WF: Endochronic description for viscoplastic behavior of materials under multiaxial loading, 10A587
PAN, X: Active control of vibration transmission in a cylindrical shell, 12A388
PAN, XC: General semicausal stochastic model for turbulence-radiation interactions in flames, 12A1310
PAN, XIA: Power transmission characteristics in an actively controlled semi-infinite plate, 3A755
PAN, Y: Heat transfer characteristics of arrays of free-surface liquid jets, 11A1209
PAN, YG: Interaction between concrete cladding panels and fixings under blast loading, 4A221
PANAGIOTAKOS, TB: Seismic design and response of bare and masonry-infilled reinforced concrete buildings - Part I: Bare structures, 11A788
PANAGIOTOPOULOS, PD: New models for a class of adhesive grippers: The hemivariational inequality approach, 6A409
- Applications of fractals in material science and engineering, 8A491
- Prestressed tendon based passive control system for bridges, 10A495
- Fractal fracture in brittle structures: Numerical approach, 12A838
- Calculation of effective transverse elastic moduli of fiber-reinforced composites by numerical homogenization, 12A599
PANAGIOTOU, T: Observations on the combustion of pulverized PVC and poly(ethylene), 4A1316
PANAGOULI, OK: Fractal fracture in brittle structures: Numerical approach, 12A838
PANARAS, AG: Algebraic turbulence modeling for swept shock-wave-turbulent boundary-layer interactions, 9A1081
PANARAS, SG: Effect of the structure of swept-shock-wave and turbulent-boundary-layer interactions on turbulence modeling, 11A1026
PANASYUK, IV: Thermally stressed state of an elastic half-plane heated by a uniformly moving heat source, 1A1295
PANAYOTOUNAKOS, DE: Ad hoc exact solutions for the stress and velocity fields in rigid, perfectly plastic materials under plane-strain conditions, 7A455
PANCEWICZ, T: Holographic contouring for determination of 3D description of surface roughness, 4A903
PANCHAL, S: Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
PANDA, PC: Influence of microstructural scale on plastic flow behavior of metal matrix composites, 9A511
PANDE, GN: Numerical modeling of brick masonry panels subject to lateral loadings, 3A521
PANDEY, BD: Analytical solution of an unsteady gas flow with shocks, 9A211
PANDEY, JD: Temperature and pressure dependence of thermoacoustical parameters of liquid argon and xenon, 10A367
PANDEY, KP: Review on contact area measurement of pneumatic tire on rigid and deformable surfaces, 12A697
PANDEY, PC: Time-delay neural networks in damage detection of railway bridges, 8A921
- Structural sensitivity as a measure of redundancy, 9A838
PANDEY, PK: Deformation of thermoplastic composite laminates under processing conditions, 2A445
- Difference methods of order two and four for systems of mildly nonlinear biharmonic problems of the second kind in two space dimensions, 5A50
PANDEY, R: Designing with 4-step braided fabric components, 2A446
PANDEY, RK: Calculating strain energy release rate in cracked orthotropic beams, 4A749
PANDEY, S: Path planning of free-floating prismatic-jointed manipulators, 12A443
PANDHEERADI, M: Efficient solutions schemes for interface problems, 1A60
- Composite grid method for hybrid systems, 3A43
PANDIT, SM: Computer rigid disk surface assessment with laser interferometry using DDS, 2A371
PANDITHURAI, G: Retrieval of aerosol size index from high-resolution spectroradiometer observations, 7A1437
PANDOLF, KB: Numerical analysis of an extremity in a cold environment including countercurrent arterio-venous heat exchange, 10A1550
PANDOLFI BIANCHI, M: Numerical simulations of a Boltzmann model for reacting gases, 12A1400
PANDOLFI, M: Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995, 3N34
PANDY, MG: Musculoskeletal model of the knee for evaluating ligament forces during isometric contractions, 7A1530
PANDYA, MJ: Gradient-based aerodynamic shape optimization using alternating direction implicit method, 11A987
PANFEROV, AI: Principles of surface effect vehicle control in extended range of altitudes, 1A374
PANFEROV, IV: Uniform heating of a locally inhomogeneous elastic plate, 1A1296
PANG , HLJ: Compact mixed mode fracture specimen for adhesive bonded joints, 11A731
PANG, AA-K: Full-scale experiments and analyses of cellular hull sections in compression, 2A821
PANG, FEIYI: Creep response of woven-fiber composites and the effect of stitching, 8A504

PANG, FG: Critical heat flux in uniformly heated vertical tubes, 9A1245
PANG, HYO-SUN: Exergy analysis for a gas turbine cogeneration system, 5A1366
PANG, JONG-SHI: Dynamic multi-rigid-body contact problems with Coulomb friction, 10A116
PANG, S-S: Buckling analysis of thick-walled composite pipe under torsion, 8A609
PANG, SU-SENG: Strain distribution in a taper-taper adhesive-bonded joint in a composite flat plate, 1A543
- Correlation of tensile and bending strength of composites with a circular hole, 4A560
- Buckling analysis of thick-walled composite pipe under external pressure, 9A594
PANGBORN, RN: In situ measurement of the Young's modulus of an embedded inclusion by acoustic microscopy, 10A859
PANI, A: Forward modeling in cross-hole seismic tomography using reciprocity, 4A1372
- Forward modeling in cross-hole seismic tomography using reciprocity, 8A1469
PANI, AK: Galerkin method for a Stefan-type problem in one space dimension, 11A1317
- Finite element Galerkin method for the "good" Boussinesq equation, 12T14
PANIZZA, MP: Subharmonic orbits in an anharmonic oscillator, 9A107
PANIZZI, S: Timoshenko beam vibrating under an obstacle condition, 11A171
PANJABI, MM: Improving the accuracy of instrumented spatial linkage system, 3A1519
- Spinal ligament transducer based on a Hall effect sensor, 7A1556
PANKAJ: Detection of multiple active yield conditions for Mohr-Coulomb elasto-plasticity, 7A447
PANKNIN, D: Cobalt disilicide interconnects for micromechanical devices, 2T327
PANKOW, DR: Two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 5A832
PANKRATOVA, N: Deformation of an anisotropic non-homogeneous cylinder, 4A491
PANKRATOVA, ND: Deformation of nonhomogeneous anisotropic hollow bodies with different types of layers conjugation (Russian), 2T400
- Solution of the problem on stressed state of inhomogeneous thick-walled plates by the spline collocation method (Russian), 12A633
PANNETON, R: Numerical prediction of sound transmission through finite multilayer systems with poroelastic materials, 1A311
- Efficient FE scheme for solving the 3D poroelasticity problem in acoustics, 12A339
PANONTIN, TL: Numerical modeling of ductile crack growth in 3D using computational cell elements, 10A795
PANOSKALTSIS, VP: Invariant formulation of a gradient dependent multiaxial high-cycle fatigue criterion, 5A607
PANOVKA, MY: Numerical simulation of a point elastohydrodynamic contact in case of complicated geometry of the inlet boundary of a lubricant film, 2A1127
PANOVKO, GY: Micro-mechanics of plastic deformations in a polycrystalline material subjected to monotone and variable loadings, 8T820
PANOVKO, MY: Influence of an inlet oil meniscus geometry on parameters of a point elastohydrodynamic contact, 7A1208
PANT, RH: Analysis and testing of dynamic micromechanical behavior of composite materials at elevated temperatures, 4A1267
PANTALONI, J: Analysis of heat transfer with liquid-vapor phase change in a forced-flow fluid moving through porous media, 2A1361
PANTELEENKO, FI: Wear-resistant boron-containing coatings applied by electrocontact welding, 1A897
PANTELIDES, CP: Convex model for seismic design of structures - II: Design of conventional and active structures, 3A1403
- Convex model for seismic design of structures - I: Analysis, 3A1402
- Development of a loading history for seismic testing of architectural glass in a shop-front wall system, 5A1415
- Optimal design of dynamically constrained structures, 7A803
PANTELIOU, S: Use of expert systems for the selection and the design of solar domestic hot water systems, 4A1465
PANTELIOU, SD: Thermodynamic damping in porous materials with ellipsoidal cavities, 10A166
PANTON, RL: Reynolds stress function for wall layers, 11A1097
PANUSSIS, DA: Automated plaque picking and arraying on a robotic system equipped with a CCD camera and a sampling device using intramedic tubing, 5T361
PANZA, GF: Seismic input modeling for zoning and microzoning, 3A1371
PANZA, MJ: Hydraulic actuator turning in the control of a rotating flexible beam mechanism, 4A393
- Modeling, actuation, and control of an active fluid vibration isolator, 6A868
PAO, LY: Slewing multimode flexible spacecraft with zero derivative robustness constraints, 7T247
PAO, Y-H: Development of an integrated design system for thermal reliability prediction of SMT solder interconnects, 6T972
PAOLETTI, A: Holographic tests on ceramic coatings on metal surfaces, 9A800
PAOLETTI, D: Holographic tests on ceramic coatings on metal surfaces, 9A800
PAOLI, L: Derivation of the Buckley-Leverett model from the two fluid Navier-Stokes equations in a thin domain, 12A1081
PAOLICCHI, P: Catastrophic fragmentation as a stochastic process: Sizes and shapes of fragments, 7A69
PAOLOZZI, A: Response of acrospace sandwich panels to launch acoustic environment, 4A162
- Procedure for the determination of effective mass sensitivities in a general tridimensional structure, 7A171
- Experimental assessment of debonding damage in a carbon-fiber reinforced plastic sandwich panel by frequency variations, 8A797
PAOLUCCI, R: Soil inertia effects on the bearing capacity of rectangular foundations on cohesive soils, 10A702
PAOLUCCI, S: Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22
PAPA, E: Anisotropic damage model for the multiaxial static and fatigue behavior of plain concrete, 2A624
- Unilateral damage model for masonry based on a homogenization procedure, 5A643
PAPADAKIS, EP: Elastic moduli for FEA-FEM from ultrasonic velocity, 1T818
PAPADIMITRIOU, C: Dynamic response variability of structures with uncertain properties, 2A789
- Mean-square stability of linear stochastic dynamical systems under parametric wide-band excitations, 12T80
PAPADOPOULOS , C: Third international conference on combustion technologies for a clean environment, 10A1397
PAPADOPOULOS, C: Thermal convective and radiative effects in forest fires simulation, 7A1418
PAPADOPOULOS, CA: Dynamic stability of linear misaligned journal bearings via Lyapunov's direct method, 7A159
PAPADOPOULOS, E: Design of zero reaction manipulators, 3A400
PAPADOPOULOS, IV: Invariant formulation of a gradient dependent multiaxial high-cycle fatigue criterion, 5A607
PAPADOPOULOS, JM: Shock protection of portable electronic products: Shock response spectrum, damage boundary approach, and beyond, 10A285
PAPADOPOULOS, KH: Triple hot-wire system for indoor air flow measurements, 2A1201
- Study of the near wake structure of a wind turbine comparing measurements from laboratory and full-scale experiments, 3A1458
PAPADOPOULOS, M: Improvement in model reduction schemes using the system equivalent reduction expansion process, 4T29
- Global-local observer Markov parameter identification for system realization, 5T274
- Cutting state identification, 8A701
- Close-loop pole design for vibration suppression, 9A332
PAPADOPOULOS, P: Generalized Newton method for higher order FE approximations in nonlinear elasticity, 1A62
- Direct determination of the rotation tensor from the deformation gradient, 8A469
PAPADOPOULOS, V: Robust and efficient methods for stochastic FE analysis using Monte Carlo simulation, 3A24
- Structural reliability analysis of elastic-plastic structures using neural networks and Monte Carlo simulation, 3A788
PAPADOUPOULOS, IV: Comparative study of multiaxial high-cycle fatigue criteria for metals, 12A767
PAPADRAKAKIS, M: Solving Large Scale Problems in Mechanics: Parallel and Distributed Computer Applications, 1N6
- Advanced solution methods in topology optimization and shape sensitivity analysis, 1A828
- Robust and efficient methods for stochastic FE analysis using Monte Carlo simulation, 3A24
- Structural reliability analysis of elastic-plastic structures using neural networks and Monte Carlo simulation, 3A788
- Second International Conference on Computational Structures Technology, 3A25
- Computational structures technology, 5A19
- Efficiency of refinement procedures for the p-version of the adaptive FEM, 9A31
- Computational structures technology, 12A916
PAPAGEORGIOU, AS: Simulation of the response of the Marina District Basin, San Francisco, California, to the 1989 Loma Prieta earthquake, 4A1422
PAPAGEORGIOU, DT: Temporal and spatial instability of an inviscid compound jet, 7A1131
PAPAILIOU, D: Study of unsteady wake flows past a 2D square cylinder with and without planar jet injection into the vortex formation region, 1A1049
PAPAILIOU, KD: Numerical simulation of blade fault signatures from unsteady wall pressure signals, 10A516
PAPAIOANNOU, C: Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, 8A1502
- Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
PAPAKONSTANTINOU, G: Experiment for truly parallel logic programming, 2A60
PAPAKOSTAS, SN: Highly continuous interpolants for one-step ODE solvers and their application to Runge-Kutta methods, 8A56
PAPAKYRIACOU, M: Fatigue properties of Al_2O_3-particle-reinforced 6061 aluminium alloy in the high-cycle regime, 5A594
PAPALAMBROS, PY: Optimal structural topology design using the homogenization method with multiple constraints, 6A854
- Quasi-Monte Carlo method for multicriteria design optimization, 8A882
- Multicriteria optimization of anti-lock braking system control algorithms, 8A403
- Optimal model-based decomposition of powertrain system design, 11A344
- Sequentially decomposed programming, 12T890
PAPALEXANDRIS, MV: Unsplit schemes for hyperbolic conservation laws with source terms in one space dimension, 11T973
PAPALOU, A: Performance of particle dampers under random excitation, 4A192
PAPAMOSCHOU, D: Analysis of partially mixed supersonic ejector, 1A1044
PAPANASTASIOU, P: Elastoplastic analysis of cylindrical cavity problems in geomaterials, 8A671
PAPANICOLAOU, E: Natural convection in shallow, horizontal air layers encountered in electronic cooling, 11A1234
PAPANICOLAOU, G: Statistical inversion from reflections of spherical waves by a randomly layered medium, 5A161
- Transport equations for elastic and other waves in random media, 6A240
- Flow past periodic arrays of spheres at low Reynolds number, 10A1070
PAPANICOLAOU, GC: Stability of the P-to-S energy ratio in the diffusive regime, 2A1374
- Thermal stress concentration due to imperfect adhesion in fiber-reinforced composites, 12A1346
PAPANICOLAOU, VG: Eigenvalue asymptotics of layered media and their applications to the inverse problem, 10A265
PAPANIKOLOPOULOS, NP: Use of active deformable models in model-based robotic visual servoing, 5A356
PAPAPHILIPPOU, C: Effects of CO_2 laser surface hardening in the unlubricated wear of ductile cast iron against alumina, 4T897
PAPASPYRIDES, CD: Processing of composites of chopped PE fiber-reinforced PE matrix, 3A489
- Glass fabric vinyl-ester composites: Tailoring the fiber bundle-matrix interphase with nylon coatings to modify energy absorption behavior, 8A556
PAPASTAVRIDIS, JG: Transformation properties of the nonlinear Hamel equations, 11A82
PAPATHANASIOU, TD: Structure-oriented micromechanical model for viscous flow through square arrays of fiber clusters, 5A1008
- Analysis of the plane-strain compression of viscoplastic materials, 12A535
PAPAVASSILIOU, DV: Transport of a passive scalar in a turbulent channel flow, 6A1232
PAPAYANNAKOS, N: Mathematical modeling of the performance of non-isothermal membrane reactors, 9A1437
PAPAZACHOS, BC: Toward a homogeneous moment-magnitude determination for earthquakes in Greece and the surrounding area, 12A1450
PAPAZOGLOU, AJ: Analytical and field evidence of the damaging effect of vertical earthquake ground motion, 4A1392
- Procedure and spectra for analysis of RC structures subjected to strong vertical earthquake loads, 11A787
PAPINI, F: Potentiality of instability of a thermal system containing two temperatures of reference (French), 7A1255
PAPIS, E: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
PAPKOV, SN: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297
PAPOULIA, K-D: Visco-hyperelastic model for filled rubbers used in vibration isolation, 12A213
PAPPOU, T: Experimental and numerical study of a 90° bifurcation, 5A83
PAPPU, K: Development of 2D wakes within curved channels: Theoretical framework and Experimental investigation, 1A1071
- Theoretical and experimental study of development of 2D steady and unsteady wakes within curved channels, 11A1043
PAPUSHA, AN: Problem of construction of the first integral of nonconservative dynamic system (Russian), 2A63
PARADIES , R: Shape control of an adaptive mirror at different angles of inclination, 1A376
PARAMASIVAM, P: Cyclic behavior of steel-fiber mortar overlaid concrete beams, 8A900
PARAMESWARAN, T: Effect of spatial averaging on CARS-derived temperatures, 3T1328
PARAMESWARAN, V: Indicial aerodynamics in compressible flow: Direct computational fluid dynamic calculations, 8T1106
PARANJPE, RS: Study of dynamically loaded engine bearings using a transient thermohydrodynamic analysis, 1A1143
PARASCHIVOIU, I: Natural transition in transonic flows using an efficient temporal-spatial formulation, 4A1117
- Performance predictions of VAWTs with NLF airfoil blades, 8T1545
PARASNIS, SS: Dynamical aspects of the monsoon boundary layer, 11T1503
PARCHURE, TM: Selective withdrawal through an intake fitted with a collar, 6A998
PARDALOS, PM: Parallel Computing in Optimization, 12N6
- Multilevel Optimization: Algorithms and Applications, 12N4
PARDIS, CJ: Optimal power-limited rendezvous with upper and lower bounds on thrust, 3T371
PARDOEN, T: Critical assessment of the application of the J integral and CTOD concepts to circumferentially cracked copper bars, 6A767
- Experimental and numerical investigation of fracture in double-edge notched steel plates, 10A811
PAREDIS, CJJ: Designing fault-tolerant manipulators: How many dof?, 6A438
PAREIGE, P: Interference aspect of the interaction between two elastic tubes: Impulsive and quasi-harmonic studies (French), 10A348
PARENT, JS: Rational approximations to $1/\sqrt{1-s^2}$, one-way wave equations and absorbing boundary conditions, 2A297
PARENTI-CASTELLI, V: Recent Advances in Robot Kinematics, 3N12
- Closed-form solution of the direct kinematics of the 6-3 type Stewart Platform using one extra sensor, 7A380
PARET, J: Nonlinear saturation of baroclinic instability in a three-layer model, 4A1076
PARETKAR, RK: Approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 2A878
PARHAM JR, T: Results of an aeroelastic tailoring study for a composite tiltrotor wing, 10A321
PARHI, DR: Dynamic deflection of a cracked beam with moving mass, 10A177
PARHI, S: Growth of perturbations associated with the linear stability of inviscid fluid flows, 6A1016
PARIHAR, KS: Young's modulus and Poisson's ratio of an n-phase composite body reinforced with inclined inclusions, 9A501
PARIKIAN, TF: Multi-generation of coupler curves of spatial linkages, 5A876
PARIS, F: Stroh orthogonality relations: An alternative proof applicable to Lekhnitskii and Eshelby theories of an anisotropic body, 3A1
- Removal of rigid body motions in the solution of elastostatic problems by direct BEM, 6A493
- Photoelastic determination of K_I and K_{II}: A numerical study on experimental data, 8A833
- Fiber-matrix interface crack: A numerical analysis using BEs, 10A825
- Stress singularities induced by the discretization in curved recoding contact surfaces: A BEM analysis, 11A371
- Effect of crack-face contact on fiber-matrix debonding in transverse tensile loading, 12A804
PARIS, H: Assisting designers in the forecasting of surfaces used for easier fixturing in a machining process, 11A592
PARIS, PA: Direct identification of elastic constants of anisotropic plates by modal analysis: Theoretical and numerical aspects, 2A133
PARISI, MG: Constraints to Uranus' Great Collision - II, 9A238
PARISINI, T: Neural approximators for nonlinear finite-memory state estimation, 11T278
PARK, BH: Adaptive learning control of uncertain robotic systems, 6A387
PARK, C: Radiative emission from the simulated shock layer of the Huygens probe, 5A1260
- Modeling piezoceramic actuation of beams in torsion, 6A867
PARK, CB: Rapid polymer-gas solution formation for continuous production of microcellular plastics, 5A551
PARK, CH: Thermally induced damage in composite laminates: Predictive methodology and experimental investigation, 7A1371
PARK, CHANG-HO: Effect of gravity load on seismic response of steel-framed structures, 9A1478
PARK, CHANG-SU: Time-delayed state and unknown input observation, 10A425
PARK, CHUL: Bent-biconic single-stage-to-orbit vehicle conceptual study, 2A836
- Evaluation of real-gas phenomena in high-enthalpy impulse test facilities: A review, 7A1053
PARK, CHUNG SIK: Radiative emission from the simulated shock layer of the Huygens probe, 5A1260
PARK, E-J: Mixed FEMs for Hamilton-Jacobi-Bellman-type equations, 1A53

PARK, GYUNG-JIN: Optimum design of a steering column to minimize the injury of a passenger, 3A909
- Accuracy test of sensitivity analysis in the semi-analytic method with respect to configuration variables, 10A893
PARK, H: Nonlinear analysis of RC members using plasticity with multiple failure criteria, 11A784
PARK, HAESUN: Stability analysis and fast algorithms for triangularization of Toeplitz matrices, 11T77
PARK, HC: Superconvergent stress recovery technique with equilibrium constraint, 9A444
PARK, HEE-JIN: Turbulent two-phase mixing in gas-stirred ladle systems for continuous casting applications, 10A1128
PARK, HEUNG-BAE: Plastic zone size in fatigue cracking, 1A750
PARK, HK: Transient temperature during the vaporization of liquid on a pulsed laser-heated solid surface, 2A1228
PARK, HM: Low dimensional modeling of flow reactors, 1A1304
- Hopf bifurcations of viscoelastic fluids heated from below, 3A102
PARK, HWAYOUNG: Automated measurement of tool wear using an image processing system, 3A882
PARK, HYO SEON: Distributed neural dynamics algorithms for optimization of large steel structures, 12A883
PARK, HYUN CHUL: Optimum placement of piezoelectric sensor-actuator for vibration control of laminated beams, 2A773
PARK, J: Reinforcement redistribution in Al-SiC composites under cyclic deformations, 9A478
- Experimental investigation of the developing process of an unsteady diffusion flame, 12A1381
PARK, J-H: Efficient method for the unbalance response analysis of rotor-bearing systems, 9A167
PARK, JAE-WOO: Analysis of tube-spinning processes by the upper-bound stream-function method, 12A710
PARK, JB: Reinforcement of PMMA bone cement with a continuous wire coil: A 3D FE study, 9A1604
- Fatigue properties and stem subsidence in wire coil reinforced PMMA bone cement: A preliminary *in vitro* study, 9A1602
PARK, JE: Effects of partial inlet blockages on high-velocity flow through a thin rectangular duct: Experimental and analytical results, 12A1255
PARK, JH: Event graph modeling of automated sorting and buffering system, 3A424
PARK, JK: Transport of aqueous organic compounds in thermoplastic geomembranes - II: Mass flux estimates and practical implications, 3T1480
PARK, JOON B: Reinforcement of bone cement around the femoral prosthesis tip by pre-coated wire coil: A human cadaver bone study, 5A1523
PARK, JS: Development of straightness measurement technique using the profile matching method, 7A794
PARK, JUN SANG: Transient Stewartson layers of a rotating compressible fluid, 9A1042
PARK, K: Investigation of combustion chamber shapes for small automotive direct injection diesel engines employing spray impaction, 2A1345
- Comparison of wall spray impaction models with experimental data on drop velocities and sizes, 2A1341
- Integrated communication and control system for a multi-link active catheter, 4A426
- Measurement of air flowrate by using an integration type ultrasonic flow meter applicable for spark ignition engine control, 11A1193
PARK, KC: Deployment of curved closed tubes, 3A537
- Extraction of normal modes and full modal damping from complex modal parameters, 12A354
PARK, KYOUNGKUHN: Generalized volumetric behavior of refrigerants based on a new four-parameter corresponding states correlation, 3A1217
PARK, M: Correlations for film regeneration and air dehumidification for a falling desiccant film with air in crossflow, 2A1291
PARK, MINKYU: Effects of transverse isotropy on modes and mode coupling in shallow water, 4A285
PARK, MOON BOK: Mode II stress intensity factor for layered material under arbitrary shear crack surface loading, 2A661
PARK, NA: Anomalous viscosity-temperature behavior of aqueous Carbopol solutions, 7A976
PARK, POOGYEON: H_∞ filtering via convex optimization, 7T319
PARK, S-J: Determination on the most appropriate mesh size for a 2D FE analysis of fatigue crack closure behavior, 10A781
PARK, SANG-HOON: Study on the shape extraction process in the structural topology optimization using homogenized material, 7A807
PARK, SEONG JIN: Sensitivity analysis formulation for 3D conduction heat transfer with complex geometries using a BEM, 2A1244
PARK, SG: Tunnel rock mass classification technique and its applicability using resistivity and seismic wave velocity (Japanese), 5A532
PARK, SH: Numerical verification of scaling laws for shock-boundary layer interactions in arbitrary gases, 9A1082
PARK, SJ: New method for measuring time constants of a thermocouple wire in varying flow states, 4A1178
PARK, SUNGHO: Parametric identification of nonlinear structural dynamic systems using time FEM, 9A23
PARK, SW: Viscoelastic continuum damage model and its application to uniaxial behavior of asphalt concrete, 8A770
- Viscoelastic constitutive model for particulate composites with growing damage, 8A535
PARK, T: Anisotropic damage effect tensors for the symmetrization of the effective stress tensor, 10A839
PARK, T-D: Performance of integral buckle arrestors for offshore pipelines, 8A612
PARK, TAE SEON: Application of a near-wall turbulence model to the flows over a step with inclined wall, 9A1076
PARK, TAE-HAK: Vibration and damping characteristics of a beam with a partially sandwiched viscoelastic layer, 10A188
PARK, TAEHYO: Local and interfacial damage analysis of metal matrix composites using the FEM, 7A743
- Damage analysis and elasto-plastic behavior of metal matrix composites using the FEM, 8A788
PARK, TS: Improved multistage time stepping for second-order upwind TVD schemes, 3A1005
PARK, WC: Boundary lubrication characteristics of silica-based electro-rheological fluids, 6A1206
PARK, Y: Adaptive feedforward controller for rejection of periodic disturbances, 10A150
PARK, Y-S: Near-field approach to active control of sound radiation from a fluid-loaded rectangular plate, 4A305
PARK, YANG-BYUNG: ICMESE: Intelligent consultant system for material handling equipment selection and evaluation, 4A465
PARK, YONG-KUN: Active vibration control of intelligent composite laminate structures incorporating an electro-rheological fluid, 3A133
PARK, YOUNG C: Global attenuation of broadband noise fields using energy density control, 7A272
PARK, YOUNG-SUN: Optimum design of a steering column to minimize the injury of a passenger, 3A909
PARK, YOUNGMOO: Thermodynamic properties of ideal gas air, 3A1220
PARK, YS: Stresses around a periodic array of planar cracks in an anisotropic bimaterial, 5A686
- Task oriented positioning of a mobile manipulator base in a cluttered environment, 9A395
PARKER , RG: Vibration and coupling phenomena in asymmetric disk-spindle systems, 7A158
PARKER III, TD: Automated determination of a novel anti-inflammatory drug in plasma using batch robotic sample preparation and HPLC, 5A360
PARKER, AP: Stress intensity, stress concentration, and fatigue crack growth along evacuator holes of pressurized, autofrettaged tubes, 2A621
- Fatigue life measurements and analysis for overstrained tubes with evacuator holes, 5A581
PARKER, DF: Ideal fluid jet impinging on an uneven wall, 8A1159
PARKER, G: Actuator placement based on reachable set optimization for expected disturbance, 2A314
- Characteristic analysis of turbid underflows, 11A919
PARKER, GG: Decentralized sliding mode control for flexible link robots, 5A338
PARKER, J: Investigation of turbulent Taylor-Couette flow using laser Doppler velocimetry in a refractive index matched facility, 7A1142
PARKER, JD: Assessment of notched tubular ferritic oxide-dispersion-strengthened components subjected to multiaxial creep loading at 1100°C, 10A788
PARKER, JK: Measurement of volume changes in triaxial tests using digital imaging techniques, 12A693
PARKER, RG: Exact perturbation for the vibration of almost annular or circular plates, 1A183
PARKER, RP: Simulation and moderation of the thermal response of confined pressed explosive compositions, 3A1319
PARKER, TE: Infrared measurements of soot formation in diesel sprays, 5A1336
PARKHIMOVICH , EM: Investigation of physical, mechanical and tribological behavior of hard coatings, 2A915
PARKINSON, BW: Origins, evolution, and future of satellite navigation, 7A352
PARKINSON, GV: Steady separated flow around an inclined flat plate, 8A1078
PARKINSON, J: Mechanical properties of simulated collagen fibrils, 10A1535
PARKS JR, WP: Catalytic combustion for industrial gas turbines, 2A1314
PARKS, CM: Manufacturing systems engineering and design: An intelligent, multi-model, integration architecture, 4A473
PARKS, DM: Yield locus in deep, single-face-cracked specimens under combined bending and tension, 7T715
PARKS, EK: Comprehensive analysis of two downburst-related aircraft accidents, 4A1132
PARKS, MB: Experiments to evaluate behavior of containment piping bellows under severe accident conditions, 1A1429
PARLANGE, J-Y: Calculating parameters for infiltration equations from soil hydraulic functions, 3A1344
- Wetting and nonwetting fluid displacements in porous media, 6A1377
PARLANGE, MB: Local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, 2A1044
- "Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, 4T1088
PARLATAN, Y: Simple model of boiling heat transfer on tubes in large pools, 11T1281
PARLITZ, U: Shock wave emission and cavitation bubble generation by picosecond and nanosecond optical breakdown in water, 1A268
PARMAKSIZOGLU, C: Transverse vibrations of a variable composite flywheel with optimum design, 4T153
PARNAS, L: Strain gage methods for measurement of opening mode stress intensity factor, 3A725
PARNAS, RS: Mid-infrared attenuated total internal reflection cure sensor for control of resin transfer molding of a pre-ceramic polymer, 7A633
PARONESSO, A: Property matrices identification of unbounded medium from unit-impulse response functions using Legendre polynomials: Implementation and examples, 4A1400
- Property matrices identification of unbounded medium from unit-impulse response functions using Legendre polynomials: Formulation, 4A1399
PARONI, R: Separation of stress-induced and texture-induced birefringence in acoustoelasticity, 8A472
PARR, JE: Modularity of Orthopedic Implants, 10N32
PARRA, E: Identification and modeling of earthquake ground response - II: Site liquefaction, 5A1413
- Identification and modeling of earthquake ground response - I: Site amplification, 5A1412
PARRA, JO: Transversely isotropic poroelastic wave equation including the Biot and the squirt mechanisms: Theory and application, 7A1455
PARRAVICINI, G: Differential system method for the identification of transmissivity and storativity, 11A1447
PARRIAUX, A: Generation of granular media, 9A1414
PARRINI, L: Characterization of mechanical stresses in metal matrix composites by internal friction, 4A549
- Thermal stresses in metal matrix composites studied by internal friction, 5A1303
PARRONDO, JL: Fluidelastic instability in a tube array subjected to partial admission water cross-flow, 9T230
PARRY, AB: Modular prediction scheme for blade row interaction noise, 10A1240
PARSA, AR: Power-laws and applications to earthquake populations, 3A1369
PARSY, F: Prediction of abrasive particle velocity in a high pressure water jet and effect of air on acceleration process, 3A1068
- Interaction of abrasive water jet with cut material at high velocity of impact: Development of an experimental correlation, 6A703
PARTHAN, S: Environmental effects on flutter characteristics of laminated composite rectangular and skew panels, 2A251
- Normal modes and acoustic response of finite 1D and 2D multi-bay periodic panels, 5A108
- Further observations on wave propagation in 1D multi-bay periodic panels under supersonic fluid flow, 9T227
PARTHASARATHY, G: Nonaxisymmetric radiative transfer in cylindrical enclosures, 6A1277
PARTHASARATHY, RN: Discriminator laser Doppler velocimetry for measurement of liquid and particle velocities in sediment-laden flows, 6A1074
PARTHEYMULLER, P: Evaluation of the stress tensor in 3D elastoplasticity by direct solving of hypersingular integrals, 1A502
PARTOM, Y: Penetration of steel targets finite in radial extent, 7A200
PARTRIDGE, PW: Hybrid approximation functions in the dual reciprocity BEM, 8A61
PARTSEVSKII, VV: Circular delamination in a composite plate of arbitrary shape under bending, 1A528
- Bending of an orthotropic plate with delamination, 5A480
PARVATAREDDY, H: Impact damage resistance and tolerance of high-performance polymeric composites subjected to environmental aging, 7A739
PASCAL, H: Nonlinear effects on some unsteady non-Darcian flows through porous media, 8A1449
- Free convection in a non-Newtonian fluid saturated porous medium with lateral mass flux, 8A994
PASCAL, JP: Steady flow of a power-law fluid past a cylinder, 3A1038
- Nonlinear effects on some unsteady non-Darcian flows through porous media, 8A1449
- Free convection in a non-Newtonian fluid saturated porous medium with lateral mass flux, 8A994
PASCALI, R: Vortex-wake characteristics of a supersonic transport wing planform at Mach 2.5, 2T1090
PASCAU, A: Comparison of segregated and coupled methods for the solution of the incompressible Navier-Stokes equations, 4A993
PASCAZIO, M: Boundary-layer characterization on moving walls by an embedded laser velocimetry technique, 6T1100
PASCHMANN, G: Uncertainties in plasma measurements: Effects of lower cutoff energy and spacecraft charge, 9A1145
PASCOVICI, MD: Hydrodynamic effects on the boiling interface in a misaligned, two-phase, mechanical seal: A qualitative study, 4A1173
- Boiling interface in a misaligned two-phase mechanical seal, 10A1266
- Phase change in a misaligned mechanical face seal, 11A857
PASCUAL, J: Effect of load histories on scatter of fatigue crack growth in aluminum alloy 2024-T351, 7A703
PASEK, R: NO, and hydrocarbon emissions from a diesel engine fueled on digester gas, 12A1374
PASHBY, IR: Effect of workpiece temperature on the machinability of an aluminum-SiC MMC, 2A592
PASHECHKO, MI: Thermal analysis of sliding rod with coating, 2A905
PASHIAS, N: Fifty cent rheometer for yield stress measurement, 5A901
PASIN, F: Torsional vibrations of the drive shafts of mechanisms, 8A167
PASKOTA, M: Local control of chaos: The neighborhood size, 1A354
- Directing orbits of chaotic systems in the presence of noise: Feedback correction, 8A385
PASQUINO, R: No contact capacitive sensor to mechanical working control, 1A424
PASSARELLA, F: Results in micropolar thermoelasticity, 1T1279
- Scattering of a horizontally polarized oblique wave by a pair of surface-breaking cracks, 5A244
PASSEREL, D: Stability of regular and Mach reflection wave configurations in steady flows, 4T1009
PASSINO, KM: Intelligent control for an acrobot, 10A464
PASSOS MORGADO, KM: Study of propagation of nonstationary waves in axisymmetrical problems of the bound theory of thermoelasticity (Russian), 2A181
PASTARUS, JR: Pillar strength and failure mechanisms, 11A1508
PASTOR, I: Different and coexisting routes to chaos along a common bifurcation path in the Maxwell-Bloch equations, 1A121
PASTOR, J: Four-layered self-consistent scheme applied to two-phase composites, 1T332
- Lower and upper numerical bounds to the off-axis strength of unidirectional fiber-reinforced composites by limit analysis methods, 8A546
- Homogenization of linear piezoelectric media, 8T631
- Thermal stresses and thermal expansion coefficients of n-layered fiber-reinforced composites, 9A1329
PASTOR, JV: LDV measurements of the flow inside the combustion chamber of a 4-valve DI diesel engine with axisymmetric piston-bowls, 7A1406
PASTOR, M: Mixed displacement-pressure formulation for numerical analysis of plastic failure, 7A558
- Stabilized FEs for harmonic soil dynamics problems near the undrained-incompressible limit, 9A623
PASTOR, TP: ASME Task Group report on primary stress, 8A938
PASTRONE, D: Mixture-ratio control to improve hydrogen-fuel rocket performance, 10A1429
PASYANOS, ME: Real-time seismology at UCB: The rapid earthquake data integration project, 2A1373
PASZULA, J: Investigation of influence of gas filling of pores on the effects of explosive compaction of iron powder (Polish), 9A684
PATALIER, D: Optimization of the upsetting-sliding test parameters for the determination of friction laws at medium and high contact pressures, 6A937
PATANKAR, SV: Numerical study on the heating of a cast iron slab in a car-hearth furnace, 5A1262
- Nonaxisymmetric radiative transfer in cylindrical enclosures, 6A1277
- Numerical prediction of flow and heat transfer in an impingement heat sink, 9A1292
- Numerical method for the prediction of free surface flows in domains with moving boundaries, 12A1082

PATAT, F: Lateral resonances in 1-3 piezoelectric periodic composite: Modeling and experimental results, 9A602
PATEK, J: Functional forms to describe thermodynamic properties of gases for fast calculations, 11A1204
PATEK, SD: Application of multivariable linear control design to marine towed systems, 5A316
PATEL, B: Parametric sensitivity of fracture behavior of concrete, 1A776
PATEL, CK: Effect of age on residual strain in the rat aorta, 5A1484
PATEL, MK: Revisiting the Carrier-phase source-term formulation in mixed Lagrangian-Eulerian particle models, 1A1024
PATEL, N: Developing combined convection of non-Newtonian fluids in an eccentric annulus, 12A1266
PATEL, NH: Imploding shocks in a non-ideal medium, 5A192
PATEL, PL: Fractionwise calculation of bed load transport, 2T954
PATEL, VC: Measurements in 3D wake of a surface-mounted winglike symmetrical ellipsoid, 4T1056
- Discriminator laser Doppler velocimetry for measurement of liquid and particle velocities in sediment-laden flows, 6A1074
- Longitudinal curvature effects in turbulent boundary layers, 7A1088
- Experimental study of pulsatile flow in canine laryngex, 11A1574
PATER, Z: Analysis of the drop forging of a piston using slip-line fields and FEM, 4A661
- Theoretical method for estimation of mean pressure on contact area between rolling tools and workpiece in cross wedge rolling processes, 4A659
PATERA, AT: Three-dimensional ribbing instability in symmetric forward-roll film-coating processes, 10A1170
PATERSON , L: Pore-scale network model for drainage-dominated three-phase flow in porous media, 1A1391
PATERSON, AE: Constant and variable amplitude loading of 6261 aluminium alloy I-beams with welded cover plates: Influence of weld quality and stress relief, 10A765
PATERSON, EG: Computation of unsteady viscous marine-propulsor blade flows - Part 1: Validation and analysis, 9A1183
PATHAK, JP: Friction and wear properties of bushing bearing of graphite filled short glass fiber composites in dry sliding, 2A860
- Antiseizure and antifriction characteristics of Al-Si-Pb alloys, 9A939
PATHAK, N: Residual stress mapping in a steam turbine disk using the L_{cr} ultrasonic technique, 1A823
PATIGNY , J: Effects of velocity fluctuations on a vane anemometer (French), 7A1224
PATIL, BM: Use of eigenvalue technique in FE tidal computations, 10A1474
PATIL, KM: Stresses in a 3D two arch model of a normal human foot, 1T1451
PATIL, SR: Zero-lift drag characteristics of afterbodies with a square base, 12A1102
PATINO, C: Experimental study of flow resulting from a dam-break (Spanish), 6T991
PATLA, AE: Intralimb dynamics simplify reactive control strategies during locomotion, 10A1526
PATLASHENKO, I: Nonlocal and local artificial boundary conditions for 2D flow in an infinite channel, 1A1043
- High-order boundary conditions and FEs for infinite domains, 10A49
PATLAZHAN, SA: Kinetics of structure development in liquid-liquid dispersions under simple shear flow: Theory, 5A883
PATNAIK, BSVP: Simulation of laminar confined flow past a circular cylinder with integral wake splitter involving heat transfer, 2A1179
PATNAIK, G: Load balancing and performance issues for data parallel simulation of stiff chemical nonequilibrium flows, 9A1041
PATNAIK, SN: Weight minimization of flight components, 3A830
- Treatment of initial deformations in the Integrated Force Method, 6A31
- Cascade optimization strategy for aircraft and air-breathing propulsion system concepts, 8T1426
- Cascade optimization strategy for solution of difficult design problems, 11A764
- Dynamic animation of stress modes via the integrated force method of structural analysis, 11A809
PATON, R: Stresses and deformations induced during manufacturing - Part II: A Study of the spring-in phenomenon, 10A645
PATORSKI, K: Generation of the derivative of out-of-plane displacements in the high-sensitivity grating interferometry configuration, 3A736
- Novel approach to high-sensitivity grating interferometry, 6A822
PATRA, A: Non-overlapping domain decomposition method for adaptive hp approximations of the Stokes problem with discontinuous pressure fields, 11A966
PATRAT, J-C: Sound intensity vector measurement with a two microphone rotative probe (French), 11A268
PATRIA, MC: Energy bounds in dynamical problems for a semi-infinite magnetoelastic beam, 6A633
- Decay and other estimates for a semi-infinite magnetoelastic cylinder: Saint-Venant's principle, 12A665
PATRICK, GW: Integration Algorithms and Classical Mechanics, 4N4
PATRICK, JW: Towards the optimization of the densification of pan-based carbon-fiber-reinforced carbon laminates, 11A455
PATRICK, TJ: Principles of Space Instrument Design, 10N23
PATRIKALAKIS, NM: Computation of self-intersections of offsets of Bezier surface patches, 12A1026
PATRIKSSON, M: Topology optimization of sheets in contact by a subgradient method, 9A840
PATRYKIEJEW, A: Melting of 2D monolayer films, 2A918
PATTEN, WN: Measuring and modeling dynamic loads imposed by moving crowds, 6A196
PATTERSON, DJ: Nonlinear valve train dynamics simulation with a distributed parameter model of valve springs, 12A124
PATTERSON, EA: Two- and three-dimensional separation of stresses using automated photoelasticity, 2A730
- Photomechanical properties of some birefringent polymers around their glass transition temperatures, 5A728
- Full-field separation of principal stresses by combined thermo- and photoelasticity, 5A1307
- Determining stress intensity factors for mixed mode cracks from thermoelastic data, 9A732
- Photoelastic study of an angle crack specimen subject to mixed mode I-III displacements, 10A852
- Image analysis for birefringence measurements in photoelasticity, 12A863
PATTERSON, HA: Direct measurement of strain in the posterolateral bundle of the anterior cruciate ligament, 7A1551
PATTERSON, JC: Visualization of natural convection in a side-heated cavity: Transition to the final steady state, 1A1179
- Evaluation of the shadowgraph method for the convective flow in a side-heated cavity, 4A1067
- Long-wave instability of natural-convection boundary layers, 10A1288
PATTERSON, MD: Harmonic generation past a submerged porous step, 12A252
PATTERSON, PE: Development and evaluation of an inexpensive sensor system for use in measuring relative finger positions, 10A1553
PATTIARATCHI, CB: Numerical modeling of tide-induced beach water table fluctuations, 9A1004
PATTON, J: Center of mass velocity-position predictions for balance control, 9A1575
PATTON, RD: One-dimensional FEs based on the Daubechies family of wavelets, 2A17
PATTON, RJ: Eigenvectors and generalized eigenvectors in multi-variable descriptor control systems, 4T321
PATTON, ST: Friction and wear of metal particle, barium ferrite and metal evaporated tapes in rotary head recorders, 11T837
PATWARDHAN, AK: Dry sliding wear characteristics of some zinc-aluminum alloys: A comparative study with a conventional bearing bronze at a slow speed, 4A884
PAUK, V: Periodical contact problems for a half-space involving frictional heating, 3A443
PAUK, VI: Non-stationary contact problem for rough bodies taking heat generation by friction into account, 7A906
PAUK, VJ: Frictional heating in sliding contact of two thermoelastic bodies, 9A938
PAUKEN, MT: Surface concentration measurement of a spreading monolayer film using a displacement current technique, 1A1148
PAUKSHTO, M: Problem of equilibrium length of a bridged crack, 12A815
PAUL, A: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
PAUL, AC: Accurate computation of design sensitivities for dynamically loaded structures with displacement constraints, 2A751
PAUL, D: Computer model for probabilistic leak-rate analysis of nuclear piping and piping welds, 8A1512
PAUL, HS: Axisymmetric vibration of piezocomposite hollow circular cylinder, 1A199
PAUL, JP: Knee simulating machine for performance evaluation of total knee replacements, 6A1547
- Development of standards for orthopaedic implants, 10A1559
PAUL, JT: Numerical study of the steady state freezing of water in an open rectangular cavity, 3A1228
PAUL, O: Surface micromachining by sacrificial aluminium etching, 8T420
PAUL, PJ: Universal behavior in erosive burning of solid propellants, 9A1381
PAUL, S: Application of piezoelectric film in cavitation research, 11T915
PAUL, SL: Actuator dynamics and delay compensation using neurocontrollers, 3A744
PAULAY, T: Displacement-based design approach to earthquake-induced torsion in ductile buildings, 11A801
PAULETTI, RMO: Analysis of nonlinear oscillations by Gabor spectrograms, 10A127
PAULEY, LL: Low-Reynolds-number separation on an airfoil, 2A1083
PAULIN, JSP: Domain decomposition methods for the study of the particular behavior of a very thin long structure, 5A790
PAULINO, GH: Evaluation of automatic domain partitioning algorithms for parallel FE analysis, 9A33
- Nodal sensitivities as error estimates in computational mechanics, 12A69
PAULL, A: Simple shock tunnel driver gas detector, 6A1056
PAULLET, JE: Existence and a priori bounds for the finite torsion solution for a class of general Blatz-Ko materials, 2A384
PAULSEN, F: Application of numerical simulation in the bending of aluminum-alloy profiles, 1A35
PAULSEN, KD: Three-dimensional mesh generator for arbitrary multiple material domains, 10A62
PAULSEN, O: Evaluation of the dynamic performance of a hot water tank with built-in heating coil, 9A1315
PAULSON, CA: Optical measurements of frazil concentration, 6A1517
PAULSON, KV: Enhancement of signal-to-noise ratio in natural-source transient magnetotelluric data with wavelet transform, 9A1457
PAULTRE, P: Strain localization in confined high-strength concrete columns, 3A488
PAUREAU, J: Acrobatic works: Computation of shock forces on belaying ropes (French), 2A1470
PAUWELS, J-F: Oxidation of allene in a low-pressure H_2-O_2-Ar-C_3H_4 flame, 2A1328
- Experimental and modeling studies of a rich H_2/CO/N_2O/Ar flame, 11T1423
PAVAN, A: Viscoelastic effects on the interlaminar fracture behavior of thermoplastic matrix composites - II: Rate and temperature dependence in unidirectional PEEK-carbon-fiber laminates, 7A752
- Experimental analysis of viscoelastic criteria for crack initiation and growth in polymers, 9A738
PAVANACHAND, C: New one-pass approach for large deformation multibody frictional contact analysis, 4A912
PAVANACHAND, CH: Yield function parameters for metal powder compaction based on unit cell studies, 9A453
PAVARINO, LF: Polylogarithmic bound for an iterative substructuring method for spectral elements in 3D, 1A70
- Preconditioned conjugate residual methods for mixed spectral discretizations of elasticity and Stokes problems, 11A387
PAVELIC, V: Strip welding of aluminum bronze, 2A611
PAVESE, A: Conceptual design of isolation systems for bridge structures, 11A162
PAVIER, MJ: Finite element prediction of the post-impact compressive strength of fiber composites, 11A19
PAVLENKO, ID: Approximate determination of inherent characteristics of a cylindrical shell with a hole (Russian), 1A569
PAVLINEK, V: Anomalous electrorheological behavior of magnesium hydroxide suspensions in silicone oil, 3A946
PAVLIS, GL: Estimation of slowness vectors and their uncertainties using multi-wavelet seismic array processing, 12A1482
- M_s = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - 1: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, 12T1453
- M_s = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454
PAVLIS, TL: M_s = 7.3 1992 Suusamyr, Kyrgyzstan, earthquake in the Tien Shan - 2: Aftershock focal mechanisms and surface deformation, 12T1454
PAVLISHKO, SV: Friction and wear model of a heavy-loaded sliding pair - Part II: Application to an unlubricated journal bearing, 2A859
PAVLOV, AA: Method of temperature fields registration using liquid-crystal coatings, 8T1254
PAVLOV, V: Transversal structure of finite amplitude Lamb waves in the atmosphere near the Earth's surface, 2A1406
PAVLOVIC, MD: Laminar free convection in the square cavity, 10A1139
PAVLOVIC, MN: Rayleigh estimates of the fundamental frequencies of vibration of circular plates, 6T178
PAVLOVITCH, A: Elastic energy of disordered cubic networks of springs, 11A1440
PAWELEC, E: Spectral and electrical diagnostics of gliding arc, 2A993
PAWINSKI, J: Specification of the parameters influencing the intensity of the methane flow in drainage holes (Poland), 4A1451
PAWLOWICZ, R: Shallow-water receptions from the transarctic acoustic propagation experiment, 3A303
- Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, 5T1427
PAWLUK, K: Vector and scalar models of a quasi-stationary electromagnetic field in boundary-integral approach, 9T60
PAXSON, DE: Wave rotor optimization for gas turbine engine topping cycles, 1A1372
- Numerical simulation of dynamic wave rotor performance, 3A1201
- Wave-rotor-enhanced gas turbine engines, 10A1427
- Numerical investigation of premixed combustion in wave rotors, 12A1398
- Numerical investigation of the startup transient in a wave rotor, 12A1399
PAYANDEH, S: Force and position control of grasp in multiple robotic mechanisms, 1A383
- Manipulation of objects in three-fingered grasp, 11A328
PAYNE, LE: Phragmen-Lindelof and continuous dependence type results in generalized heat conduction, 3A1252
- Spatial decay estimates for a class of second-order quasilinear elliptic partial differential equations arising in anisotropic nonlinear elasticity, 6A467
- Effect of a variation in the elastic moduli on Saint-Venant's principle for a half-cylinder, 6A457
- Saint-Venant's principle in linear isotropic elasticity for incompressible or nearly incompressible materials, 12A474
PAYNE, PR: Response of a hydrofoil to wave orbital velocity fields, 6A203
PAYNTER, GC: Modified Spalart-Allmaras one-equation turbulence model for rough wall boundary layers, 1A1029
- Response of a 2D cascade to an upstream disturbance, 9A1046
PAYRI, F: Application of MacCormack schemes to IC engine exhaust noise prediction, 3A1336
- LDV measurements of the flow inside the combustion chamber of a 4-valve DI diesel engine with axisymmetric piston-bowls, 7A1406
PAYTON, RG: SH wave in a cylindrically anisotropic elastic solid: A general solution for a point source, 10A263
- Scalar wave analysis of distributed and moving sources by means of Huygens construction, 12A235
PAYVAR, P: Heat transfer enhancement in laminar flow of viscoelastic fluids through rectangular ducts, 5T1180
PAZHAYANNUR, PV: Measurement and simulation of water transport during freezing in mammalian liver tissue, 12A1552
PEACOCK, J: In vitro study on the effect of branch points on the stability of coronary artery flow, 11A1575
PEAKE, N: Sound radiation from sources close to a corner in supersonic flow, 4A282
- Behavior of a fluid-loaded cylindrical shell with mean flow, 11A207
- Global linear stability analysis of thin aerofoil wakes, 11A1085
- Scattering of vorticity waves by a supersonic rectangular wing, 12A326
PEARCE, GF: Prediction of soot emissions in gas-turbine combustors, 7A1408
PEARCY, MJ: Role of polyethylene wear in joint replacement failure, 10A978
PEARLMAN, H: Excitability in high-Lewis number premixed gas combustion, 10A1413
PEARLMAN, HG: Diffusion flame extinction and viscous hydrodynamics around rotating porous spheres with surface blowing, 8A1408
PEARLSTEIN, AJ: Steady axisymmetric motion of deformable drops falling or rising through a homoviscous fluid in a tube at intermediate Reynolds number, 10A1130
PEARSON, BR: Response of a turbulent boundary layer to a square groove, 11T1096
PEARSON, JB: Parametric study of solar thermal rocket nozzle performance, 2T1434
PEARSON, JT: Velocity problems of two 3-R robots manipulating a planar open-chain payload, 8A437
PEASE, JW: Seismic response of liquefaction sites, 8A653
- Mapping liquefiable layer thickness for seismic hazard assessment, 8A652
PEAVY, BA: Heat transfer note on temperature dependent thermal conductivity, 1A1217
PECCE, M: Behavior of bond between concrete and steel in a large post-yielding field, 4A835
- Low cycle fatigue of RC beams in NSC and HSC, 7A1486
PECHERSKY, MJ: Residual-stress analysis by local laser heating and speckle-correlation interferometry, 6T839
PECHON, P: Intercomparison of wave-driven current models, 12T1496
PECK, RE: Analysis of a bilayered porous radiant burner, 2A1360
PECKER, A: Soil inertia effects on the bearing capacity of rectangular foundations on cohesive soils, 10A702
PECORARI, C: Modeling variations of Rayleigh wave velocity due to distributions of 1D surface-breaking cracks, 3A197

PECSELI, HL: Eulerian and Lagrangian velocity correlations in 2D random geostrophic flows, 11A1105
PEDCHENKO, AM: Interaction of rotational and oscillation movements in the Flywheel system with friction clutch (Russian), 2A175
PEDDIESON JR, J: Exact solution for unsteady duct flow due to a moving center body, 5A1009
PEDERSEN, G: Numerical model for 3D run-up, 10A294
PEDERSEN, P: Parametrization in laminate design for optimal compliance, 6A551
- Sufficiency conditions for optimal design based on extremum principles of mechanics, 7A7
PEDERSEN, PT: Simplified method for predicting ultimate compressive strength of ship panels, 2A823
PEDERSEN, RC: Quantification of acoustic and hydrodynamic fields in flow duct systems, 11A244
PEDLEY, TJ: Large post-buckling deformations of cylindrical shells conveying viscous flow, 3A278
- Flow in a tube with non-uniform, time-dependent curvature: Governing equations and simple examples, 4A1043
- Bioconvection in suspensions of oxytactic bacteria: Linear theory, 5A1494
- Active membrane model for peristaltic pumping - Part I: Periodic activation waves in an infinite tube, 9A1583
PEDLOSKY, J: Thermally driven motions in a rotating stratified fluid: Theory and experiment, 11A953
PEDREGAL, P: Numerical analysis of non-convex variational problems, 4A58
- Fundamental property of a perfect gas and the second law of thermodynamics, 6T1219
PEDREGAL, PD: Evaluation of the environmental quality of buildings towards a more environmentally conscious design, 7A1526
PEDRERO, JI: Approximate equation for the addendum modification factors for tooth gears with balanced specific sliding, 1A907
- Determination of the addendum modification factors for gears with pre-established contact ratio, 1A909
PEDRESCHI, R: Moment-rotation behavior of groups of press-joins in cold-formed steel structures, 8A835
PEDRESCHI, RF: Advanced connection techniques for cold-formed steel structures, 7A957
PEEK, R: Mechanical analogies for liquid storage tanks and action of eccentric gravity loads, 11A1492
PEEKEN, H: Computer-aided simulation of piston and piston ring dynamics, 5A1364
PEEKEN, HJ: Numerical determination of flow factors, 10A1257
PEERHOSSAINI , H: Residence time distribution in twisted pipe flows: Helically coiled system and chaotic system, 9A1090
PEERHOSSAINI, H: Effects of chaotic advection on heat transfer, 10A1354
PEERLINGS, RHJ: Gradient enhanced damage for quasi-brittle materials, 3A722
- Observations on localization in non-local and gradient damage models, 6A757
PEGAU, WS: Optical measurements of frazil concentration, 6A1517
PEGNA, J: Generalized Abbe principle: Position error propagation in machine elements, 9A963
PEGO, RL: Hamiltonian dynamics of an elasica and the stability of solitary waves, 6A565
PEGON , P: Improving modularity in object-oriented FE programming, 9A37
PEGON, P: Useful scalar parameters for multiaxial fatigue deformation studies, 5A614
PEGORETTI, A: Thermomechanical behavior of interfacial region in carbon fiber-epoxy composites, 5A1304
PEI, J: Lamb wave tomography and its application in pipe erosion-corrosion monitoring, 10A797
PEI, JUEMIN: Three dimensional simulation of unstable immiscible displacement in the porous medium, 10A1174
PEI, KC: Layerwise mechanics and FE model for laminated piezoelectric shells, 5A481
PEIJS, T: Selected papers presented at the 4th International Conference on Interfacial Phenomena in Composite Materials, Eindhoven, Netherlands on September 11-13, 1995, 2A942
- Experimental monitoring of strain localization and failure behavior of composite materials, 7A736
- Experimental and numerical investigation into the single-fiber fragmentation test: Stress transfer by a locally yielding matrix, 8A796
- Measurement of the interfacial normal strength in single fiber transverse tensile tests, 11A492
PEIL, U: Random FE analysis for stochastical responses of structures, 7A115
PEILL, NJ: Solar-powered photocatalytic fiber-optic cable reactor for waste stream remediation, 12A1518
PEINKE, J: Statistical properties of a turbulent cascade, 8A1182
- Chaotic billiards seen as mirror cabinets, 9A95
PEIPONEN, KE: Microlens array in optical inspection of critical surface roughness of cold-rolled steel, 9A418
PEIRCE, A: Stability analysis of model problems for elastodynamic BE discretizations, 2A206
- Stability analysis and design of time-stepping schemes for general elastodynamic BE models, 6A248
PEIRE, J: Renewable-energy integration assessment through a dedicated computer program, 8A1550
PEJOVIĆ, S: Air influence on similarity of hydraulic transients and vibrations, 7A1180
PEKKARI, M: Oil film thickness measurement in the middle main bearing of a six-cylinder supercharged 9 liter diesel engine using capacitive transducers, 12A1209
PEKOSHEVSKI, V: System analysis in tribological tests, 7A1223
PEL, L: Moisture transport in porous building materials, 5A1395
PELECHANO, J: Measurement and storage of a network of Jacobians as a method for the visual positioning of a robot arm, 4A453
PELEG, K: Cross calibration by FFT equalization, 12A418
PELEGRIN, M: Complete automatic piloting of an airplane (French), 10A458
PELILLO, E: Scratching maps for polymers, 7A923
PELINOVSKY, DE: Asymptotic approach to solitary wave instability and critical collapse in long-wave KdV-type evolution equations, 5A176
PELKA, R: Linearizing transfer characteristics of precision time-interval digitizer with neural network, 9A306
PELLEGRINO, S: Shape and stress control analysis of prestressed truss structures, 6A912
- Deployment and retraction of a cable-driven rigid panel solar array, 6A928
- Foldable bar structures, 10A891
PELLETIER, D: Adaptive FEM for a two-equation turbulence model in wall-bounded flows, 7A23
- Adaptive remeshing for the k-ϵ model of turbulence, 9A1126
PELLETIER, M: Synthesis of hybrid impedance control strategies for robot manipulators, 4A451
PELLICANE, PJ: Stressed-skin panels of mixed construction: Creep behavior, 12A917
PELLICANO, F: Applicability conditions of a nonlinear superposition technique, 8A110
PELOSI, G: Finite element approach for scattering from inhomogeneous media with a rough interface, 8A237
PELTE, T: Water diffusion through geomembranes under hydraulic pressure, 8A683
PELTIER, LJ: Spectra in the unstable surface layer, 3A1150
- Numerical solution of 2D buoyancy-driven turbulence in a tall rectangular cavity, 7A1116
PELTIER, WR: Vortex erosion and amalgamation in a new model of large scale flow on the sphere, 4T25
PELZ, R: Stochastic approach to optimal aerodynamic shape design, 4A820
PEMBLE, B: Evaluation of rib-skin fracture in composite isogrid, 6A908
PENDER, G: Modeling turbulence mechanisms in flows over abrupt drops in bed elevation, 11A1112
PENDER, MJ: Dynamic response of laterally excited pile groups, 8A664
PENDLETON, E: Full-scale wind-tunnel pressure measurements of an F/A-18 tail during buffet, 6A1201
PENEAU, S: Front motion and convective heat flux determination in a phase change process, 7A1308
PENG , FUJUN: Parameters selection and stability analysis of adaptive feedforward vibration control (Chinese), 12T359
PENG, BF: Fully nonstationary analytical earthquake ground-motion model, 6A1424
PENG, C: Tolerance of composite pipes to local impact damage, 8A559
PENG, GAI-FEI: Comparison between high strength concrete and normal strength concrete subjected to high temperature, 6A882
PENG, GUANGZHENG: Dynamic evaluation technique for liquid flow meters based on hydraulic line dynamics, 12A415
PENG, HUEI: Distributed link-layer control for automated highway systems, 12A392
PENG, J-P: Finite element approach to the prediction of foil bearing rotor dynamic coefficients, 7A25
PENG, JH: Chaotic motion of a tethered satellite system, 7A243
PENG, JIH-PING: Characteristics of air bearing suction force in magnetic recording disks, 1A1135
PENG, JUN: Studies of multiaxial shear strengths for roller-compacted concrete, 10A858
PENG, NALING: Curved bar subjected to an arbitrarily distributed loading: Another paradox in the 2D theory of elasticity, 4A594
PENG, PEI-YUAN: Fuzzy neural network control for DC-motor micromaneuvering, 12A420
PENG, S: Numerical solution of transient, free surface problems in porous media, 2A1369
PENG, SHU H: Compressible approach in FE analysis of rubber-elastic materials, 7A13
PENG, SW: Mathematical modeling of moisture desorption in a porous medium, 4A1348
- Moisture evaporation and migration in thin porous packed bed influenced by ambient and operating conditions, 7A1451
PENG, WEIDONG: Free-surface shapes of a jet injecting through a porous wall, 6A1125
- Ideal fluid jet impinging on an uneven wall, 8A1159
PENG, X: Instabilities induced by coarse meshes for a nonlinear shell problem, 4A608
- Analysis for plastic buckling of thin-walled cylinders via non-classical constitutive theory of plasticity, 5A493
- Thermomechanically consistent continuum damage model for concrete materials, 6A759
PENG, ZHU: Half-space Green's function due to a spatially harmonic line load and scattered fields in the far field region, 10A272
PENN, LS: Damage detection by piezoelectric patches in a free vibration method, 9A808
PENNATI, G: Mathematical model of circulation in the presence of the bidirectional cavopulmonary anastomosis in children with a univentricular heart, 12A1559
PENNATI, V: Finite volume method for the solution of convection-diffusion 2D problems by a quadratic profile with smoothing, 2A1197
- FAST: A generalized FV solution of convection-diffusion problems by means of monotonic v-splines profiles, 7A1276
PENNOCK, GR: Velocity problems of two 3-R robots manipulating a four-bar linkage payload, 3A411
- Force analysis of the apex seals in the Wankel rotary compressor including the influence of fluctuations in the crankshaft speed, 8A960
- Velocity problems of two 3-R robots manipulating a planar open-chain payload, 8A437
PENNY, JET: Application of the IRS and balanced realization methods to obtain reduced models of structures with local nonlinearities, 4A94
PENOT, F: Numerical study of a buoyancy-induced flow along a vertical plate with discretely heated integrated circuit packages, 7A1261
- Laminar free convection in the square cavity, 10A1139
- Velocity and temperature analysis of air free convection in a differentially heated square cavity at $Ra = 1.69 \times 10^6$ (French), 11A1240
PENTARIS, A: Application of an artificial compressibility methodology for the incompressible flow through a wavy channel, 1A968
- Numerical simulation of unsteady viscous flows using an implicit projection method, 5A919
PEPE, F: Kinetics of adsorption of mercuric chloride vapors on sulfur impregnated activated carbon, 4A1301
PEPER, F: Impinging radial and inline jets: A comparison with regard to heat transfer, wall pressure distribution, and pressure loss, 7A1105
PEPPER, DW: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
PEPPER, SV: Lubrication of slow rolling contacts: The NASA ball on plate tribometer, 12A1230
PERA, J: Concrete behavior under freezing when subjected to mechanical stresses (French), 4A539
PERADZYNSKI, Z: Stationary Stokes flow through a spherical region with large variations of density and viscosity coefficient, 4A973
- Double waves and wave-wave interaction in gasdynamics, 9A216
PERAIRE, J: Unstructured mesh generation including directional refinement for aerodynamic flow simulation, 10A38
- Aeroelastic computations in the time domain using unstructured meshes, 12A287
PERALTA, A: Micromechanical analysis of surface defects, 6A522
PERALTA, AD: Strength prediction of ceramic components under complex stress states, 5A461
PERAU, E: Description of air and water flow in soils on the basis of the theory of porous media (German), 12A1426
PERDIKARIS, PC: Punching shear failure in concrete decks as snap-through instability, 3A798
PERDIKIS, C: Heat transfer of a micropolar fluid by the presence of radiation, 2A1252
PEREGO, U: Generalized variable formulation for gradient dependent softening plasticity, 5A427
PEREGRINE, DH: Effect of entrained air in violent water wave impacts, 5A185
PEREIRA ANDERY, PR: Analysis of the mechanical behavior of bimetallic strips under the plain strain compression test (Spanish), 9A443
PEREIRA, BP: Ranking the fracture toughness of thin mammalian soft tissues using the scissors cutting test, 6A1545
PEREIRA, EMBR: Hybrid-mixed FE model based on Legendre polynomials for Reissner-Mindlin plates, 3A542
- Non-conventional formulations for the FEM, 6A55
PEREIRA, GG: Pore-scale network model for drainage-dominated three-phase flow in porous media, 1A1391
PEREIRA, JCF: Experimental and numerical study of a water spray in the wake of an axisymmetric bluff body, 1T1053
- Comparison of second order convection discretization schemes for incompressible fluid flow, 1A989
- Stochastic-probabilistic efficiency enhanced dispersion modeling of turbulent polydispersed sprays, 1A1022
- Efficient computation of particle dispersion in turbulent flows with a stochastic-probabilistic model, 7A1065
PEREIRA, JM: Magnetic field line mappings for a tokamak with ergodic limiters, 2A1063
- Using LabVIEW under windows in advanced ultrasonic testing, 6A834
PEREIRA, MFOS: Distributed and discrete nonlinear deformations on multibody dynamics, 2A65
PEREIRA, MS: Crashworthiness analysis and design using rigid-flexible multibody dynamics with application to train vehicles, 7A197
- Fatigue life studies in carbon dual-phase steels, 7A661
- Biomechanical model with joint resistance for impact simulation, 12A1541
PERERS, B: Construction and testing of a large-area CPC-collector and comparison with a flat plate collector, 7A1507
PERESTENKO, OV: Instability mechanism in a stably stratified atmospheric layer over a moistened surface, 2A1030
PEREVERZEVA, OV: Hydrodynamic effects at melting of rubbing surfaces, 1A872
PEREYASLAVETS, LA: Prevention of fatigue failures in elastic coupling discs and in fan blades, 5A613
- Problems of fatigue strength definition for shell structures, 8A759
PEREZ CASEIRAS, C: Numerical investigation of vapor-liquid flow and heat transfer in capillary porous media, 8A1459
PEREZ GUERRERO, JS: Benchmark integral transform results for flow over a backward-facing step, 2A48
PEREZ, BE: Undrained behavior of clayey sands in load controlled triaxial tests, 9A633
PEREZ, C: Comparison of segregated and coupled methods for the solution of the incompressible Navier-Stokes equations, 4A993
PEREZ, E: Phase-change temperature-based formulation including general latent heat effects, 7A1310
PEREZ, IL: Factors affecting cathodic disbondment of epoxy coatings for steel reinforcing bars, 1A846
PEREZ, J: Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, 10A1039
PEREZ, MM: Integral-equation formulation for anisotropic elastostatics, 7A405
PEREZ, R: Comparing satellite remote sensing and ground network measurements for the production of site-time specific irradiance data, 10A1487
- Calculating solar radiation received by tubular collectors, 11T1528
PEREZ, RA: Model reference control of a gas turbine engine, 6A1203
PEREZ-BLANCO, H: Combined heat and mass transfer during bubble absorption in binary solutions, 5A1314
PEREZ-CORDON, R: Straightforward approximation to the equations governing convective flows in multi-component fluids, 6A1243
PEREZ-GARCIA, C: Resonant interactions in Benard-Marangoni convection in cylindrical containers, 7A1256
PEREZ-GARCIA, VM: Different and coexisting routes to chaos along a common bifurcation path in the Maxwell-Bloch equations, 1A121
PEREZ-GONZALEZ, J: Nuclear magnetic resonance imaging of apparent slip effects in xanthan solutions, 5A904
PEREZ-GUERRERO, JS: Hybrid solution of the averaged Navier-Stokes equations for turbulent flow, 10A1196
PEREZ-MORENO, D: Issues on the seismic retrofit of a building near resonant response and structural pounding, 3A1388
PEREZ-MUNUZURI, V: Terrain-induced focusing of wind fields in the mesoscale, 4A1439
PEREZ-ROCHA, LE: Simplified procedure for torsional impedance functions of embedded foundations in a soil layer, 1A616
- Great Mexican earthquake of June 19, 1858: Expected ground motions and damage in Mexico City from a similar future event, 8T1478
PEREZ-VILLAR, V: Wake development in turbulent subsonic axisymmetric flows, 2A1024
- Terrain-induced focusing of wind fields in the mesoscale, 4A1439
PERIC, D: Design of simple low order FEs for large strain analysis of nearly incompressible solids, 1A2
- Transfer operators for evolving meshes in small strain elasto-plasticity, 6A529
- Large deformations of thin elasto-plastic shells: Implementation of a finite rotation model for quadrilateral shell element, 7A533
- Sign of the determinant of the structural stiffness matrix for determination of loading increment in arc-length algorithms, 8A619
- Non-nested Galerkin multi-grid method for solving linear and nonlinear solid mechanics problems, 11A385
PERIC, M: Numerical study of grey-body surface radiation coupled with fluid flow for general geometries using a finite volume multigrid solver, 1A1234

- Efficiency and accuracy aspects of a full-multigrid SIMPLE algorithm for 3D flows, 7A1037
- Further discussion of numerical errors in CFD, 7A73
- Benchmark solutions of some structural analysis problems using finite-volume method and multigrid acceleration, 10A15

PERKINS, FE: Watershed-specific model for stream-flow, sediment, and metal transport, 7A1013

PERKINS, JN: High-enthalpy and perfect-gas heating measurements on a blunt cone, 4A1012
- Stability and control of a three-surface, forward-swept wing configuration, 6T1187

PERKINS, N: Dynamics of Gyroscopic Systems: Flow Induced Vibration of Structures, Gyroelasticity, Oscillation of Rotors, and Mechanics of High Speed Moving Continua, 12N12

PERKINS, NC: Free vibration of serpentine belt drive systems, 1A173
- Stability and limit cycles of parametrically excited, axially moving strings, 1A174
- Nonlinear coupled vibration response of serpentine belt drive systems, 4A130
- Freely propagating waves in elastic cables, 4A197
- Design and analysis of automotive serpentine belt drive systems for steady state performance, 12A996

PERKINS, RJ: Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, 10A1199

PERKINS, SW: In-isolation strain measurement of geosynthetics in wide-width strip tension test, 10A715

PERKTOLD, K: Numerical study of wall mechanics and fluid dynamics in end-to-side anastomoses and correlation to intimal hyperplasia, 3A1512
- Pulsatile albumin transport in large arteries: A numerical simulation study, 5A1501

PERL, DR: Laser induced fluorescence imaging of thermal damage in polymer matrix composites, 11A757

PERL, M: Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part I: Radial crack arrays, 2A657
- Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part II: Longitudinal coplanar crack arrays, 2A658
- Interaction effects in combined arrays of radial and longitudinal semi-elliptical surface cracks in pressurized thick-walled cylinder, 11A679

PERLIN, M: Moderate and steep Faraday waves: Instabilities, modulation, and temporal asymmetries, 7A216

PERONI, I: Response of aerospace sandwich panels to launch acoustic environment, 4A162
- Procedure for the determination of effective mass sensitivities in a general tridimensional structure, 7A171
- Experimental assessment of debonding damage in a carbon-fiber reinforced plastic sandwich panel by frequency variations, 8A797

PEROTIN, L: Linearized unsteady model for computing dynamics of cylindrical structures subjected to nonuniform annular flows at high Reynolds numbers, 9A219

PEROTTI, F: Seismic response of concentrically braced moment-resisting steel frames, 4A1411

PERREIRA, ND: Connection design methodology for automated assembly and the framing of buildings, 8A464

PERRET-LIAUDET, J: Original method for computing the response of a parametrically excited forced system, 4A101

PERREUX, D: Use of homogenization methods for estimating anisotropic viscosities of composite melts, 1A951
- Overall mechanical behavior modeling of composite laminate, 1A509
- Effect of frequency on the fatigue performance of filament-wound pipes under biaxial loading: Experimental results and damage model, 9A703

PERRIN, IJ: Method for the transformation of creep constitutive equations, 1A463
- Creep constitutive equations for a 0.5Cr-0.5Mo-0.25V ferritic steel in the temperature range 600 - 675°C, 2A407

PERROCHET, P: Groundwater waves in aquifers of intermediate depths, 6T1380
- Generation of granular media, 9A1414

PERRY, GJ: Evaluation of the proximal flow field to circular and noncircular orifices of different aspect ratios, 12A1555

PERRY, J: Knee simulating machine for performance evaluation of total knee replacements, 6A1547

PERRY, JS: Telemetry of forces from proximal femoral replacements and relevance to fixation, 7A1560

PERRY, KE: Displacement and strain fields for a bimetallic strip under remote tension, 11A431

PERSHUKOV, VA: Fine-fracture moisture separation in flow-type cyclone separators, 8T1450

PERSON, TJ: Effect of die materials and pressure-dependent slip on the extrusion of linear low-density polyethylene, 8A1082

PERSON, V: Numerical study of the stable dynamic behavior of radial face seals with grooved faces, 12A1020

PERSSON, BNJ: Physics of Sliding Friction, 2N26

PERSSON, E: Effects of hole machining defects on strength and fatigue life of composite laminates, 7A674
- Propagation of hole machining defects in pin-loaded composite laminates, 9A760

PERTHAME, B: Existence and stability of entropy solutions for the hyperbolic systems of isentropic gas dynamics in Eulerian and Lagrangian coordinates, 2A980
- MUSCL method satisfying all the numerical entropy inequalities, 5A38

PERUS, I: Non-parametric approach to attenuation relations, 11A1467

PERZ, P: Holographic visualization of vibration distribution on a loudspeaker membrane in the growth and decay of the excitation signal, 6A162

PERZYNA, P: Adiabatic shear band localization of inelastic single crystals in symmetric double-slip process, 1A499
- Analysis of the influence of the substructure of a crystal on shear band localization phenomena of plastic deformation, 5A424
- Regularization of plastic flow localization in a soil material, 9A628

PESCE, S: Thermoelastic deformation of microstretch elastic beams, 5A1291

PESCH, W: Complex spatiotemporal convection patterns, 3A1244

PESCIULLESI, C: Optimal spherical masonry domes of uniform strength, 7A843

PESIGAN, M: Cervical vertebral strain measurements under axial and eccentric loading, 11A1582

PESKIN, RL: Chaotic motion of fluid and solid particles in plane wakes, 7A1113

PESQUE, J-J: Consistent tangent operator algorithm for thermoplastic problems, 12A1348

PESSOA-FILHO, JB: Approximate solution to radiative transfer in 2D cylindrical media, 1A1253
- Thermal radiation from solid-propellant rocket exhaust plumes, 7A1323

PESTEREV, AV: Vibrations of a system with an eigenfrequency identical to that of one of its subsystems - Part 2, 1A146

PETER, J: Nuclear temperature measurements with isotropic thermometer, 9A1144

PETERA, J: Finite element modeling of free surface viscoelastic flows with particular application to rubber mixing, 6A502
- New 2D FE model for the shallow water equations using a Lagrangian framework constructed along particle trajectories, 6A282

PETERLIK, H: Determination of interface parameters for carbon-carbon composites by the fiber-bundle pull-out test, 5A439

PETERS, AAF: Mathematical modeling of a 2.25 MW, swirling natural gas flame - Part I: Eddy break-up concept for turbulent combustion; probability density function approach for nitric oxide formation, 2A1336

PETERS, BA: Genetic algorithm for determining facility design and configuration of single-stage flexible electronic assembly systems, 4T464

PETERS, DA: Lifting rotor inflow mode shapes and blade flapping vibration system eigen-analysis, 2A149

PETERS, F: Measurement and interpretation of growth of binary droplets suspended in a water-n-propanol-nitrogen mixture by means of a piston expansion tube, 11A1304

PETERS, GWM: Steady Stokes flow in an annular cavity, 5A926

PETERS, JE: Effects of cofiring natural gas and coal on sulfur retention in ash, 1A1318
- Effects of surface voids on burning rate measurements of pulverized coal at diffusion-limited conditions, 6A1342

PETERS, KJ: Balance technique for monitoring in situ structural integrity of prismatic structures, 10A955

PETERS, N: Detailed flame structure of highly stretched turbulent premixed methane-air flames, 5A1333
- Approximations for burning velocities and Markstein numbers for lean hydrocarbon and methanol flames, 7A1421
- Numerical and asymptotic studies of the structure of stoichiometric and lean premixed heptane flames, 8A1407

PETERSEN, IR: Minimax optimal control of discrete-time uncertain systems with structured uncertainty, 8T381

PETERSEN, MD: Monte Carlo approach in estimating uncertainty for a seismic hazard assessment of Los Angeles, Ventura, and Orange Counties, California, 8A1494
- Seismic ground-motion hazard mapping incorporating site effects for Los Angeles, Orange, and Ventura Counties, California: A geographical information system application, 12T1445

PETERSEN, SB: Finite element remeshing: A metal forming approach for quadrilateral mesh generation and refinement, 10A48
- Injection forging of tubular materials: A workability analysis, 11A581
- Friction in bulk metal forming: A general friction model vs the law of constant friction, 12A725

PETERSEN, T: Calibration of adjustable strain transducers, 2A738

PETERSON, GP: Review of flow boiling heat transfer with twisted tape inserts, 2A1210
- Experimental investigation of the maximum heat transport in triangular grooves, 2A1264
- Interline heat transfer of evaporating thin films along a micro grooved surface, 2A1187
- Theoretical analysis of the maximum heat transport in triangular grooves: A study of idealized micro heat pipes, 2A1266
- Natural convection in porous media near L-shaped corners, 4T1216
- Temperature variation and heat transfer in triangular grooves with an evaporating film, 7A1295
- Heat transfer analysis and evaluation for two-phase flow in porous-channel heat sinks, 8A1327
- Combined heat and mass transfer by natural convection in a saturated thermally stratified porous medium, 8A1451
- Combined heat and mass transfer by natural convection with opposing buoyancy effects in a fluid saturated porous medium, 9A1232
- Effects of metallic vapor deposition process and the overall coating thickness on thermal contact conductance, 11A1311

PETERSON, J: ASME Proceedings of 31st National Heat Transfer Conference, Volume 2, 2N37

PETERSON, JE: Fracture detection using crosswell and single well surveys, 9A1468

PETERSON, LD: Statistical sensitivity of experimental modal frequencies and damping ratios to measurement noise, 2A106
- Estimation of reciprocal residual flexibility from experimental modal data, 2A89
- Analysis of nonlinear mechanisms in a precision deployable structure using measured flexibility, 6A933
- Method for structural model update using dynamically measured static flexibility matrices, 7A126
- Improved damage location accuracy using strain energy-based mode selection criteria, 9A126
- Time and frequency domain procedure for identification of structural dynamic models, 10T420
- Extraction of normal modes and full modal damping from complex modal parameters, 12A354

PETERSON, MD: Seismic hazard estimate from background seismicity in southern California, 4A1390

PETERSON, PA: Numerical modeling of transdermal heat transfer due to air bag deployment, 10A1331

PETERSON, PF: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
- Determination of the local heat flux in condensation experiments, 2A1221
- Point measurements of noncondensable gas concentration in condensing systems, 8A1324
- Experimental methods for measuring X-ray ablation response of surfaces, 10A1384
- Stability of condensation on horizontal surfaces with noncondensables present, 11A1292

PETERSON, PJ: Seismic behavior of unanchored liquid containers, 2A1386

PETERSSON, BAT: Concentrated excitation of structures, 4A147
- Geometrical and spatial effects on effective mobilities of annular interfaces, 11A128

PETERSSON, J: Stiffness maximization of variable thickness sheet with unilateral contact, 2A765
- Topology optimization of sheets in contact by a subgradient method, 9A840

PETERSSON, NA: Stability of interpolation on overlapping grids, 3A44
- Fast numerical computation of 2D free surface jet flow with surface tension, 4T987

PETERSSON, P: Measurements of the velocity field downstream of an impeller, 4A1144

PETHRICK, RA: High frequency electrical measurements of adhesive bonded structures: An investigation of model parallel plate waveguide structures, 12A870
- Environmental ageing of adhesively-bonded joints - I: Dielectric studies, 12A1040
- Environmental ageing of adhesively-bonded joints - II: Mechanical studies, 12A1041

PETIT, J: Influence of correlations between stresses on calculated fatigue life of machine elements, 7A704

PETIT, JA: Study of single-lap compression-shear test for brittle substrates bonded with a structural adhesive, 6A982
- Study of the crack deviation angle in adhesive ruptures of ceramic adhesively-bonded assemblies, 10A823

PETITJEANS, P: Spatial evolution of Gortler instability in a curved duct of high curvature, 2A1013
- Miscible displacements in capillary tubes - Part 1: Experiments, 5A938
- Vortex stretching in a laminar boundary layer flow, 8A1124

PETKOVIC, L: Seismic behavior of masonry walls: Experimental simulation, 3A1393

PETRAKIS, MA: Exponentially decaying flow in a gently curved annular pipe, 12A1126

PETRANGELI, M: Equilibrium based iterative solutions for the nonlinear beam problem, 7A511

PETRI, KL: Performance standards and testing of 2D bar code systems for overhead scanning, 4A466

PETRIE, CJS: Conditions for rupture of polymer liquids in extension, 7A984
- Three-dimensional presentation of extensional flow data, 11A894

PETRILLO, F: Kinetic theory and transport phenomena for a dumbbell model under nonisothermal conditions, 3A936

PETRING, D: Free boundary problem related to laser beam fusion cutting: ODE approximation, 9A1271

PETROLITO, J: Benchmarks for frames subject to follower loads, 9A898

PETROLL, WM: Collagen fiber architecture of a cultured dermal tissue, 9A1578

PETRONE, F: Dynamic characterization of a highly flexible reticular structure, 4A161

PETROSSIAN, ZJ: Interlaminar failure of unidirectional glass-epoxy due to combined through thickness shear and tension, 4A757

PETROU, MF: Punching shear failure in concrete decks as snap-through instability, 3A798

PETROV, RJ: Comparison of laboratory-measured GCL hydraulic conductivity based on three parameter types, 12A690

PETROV, VA: Fatigue crack propagation in austenitic steels and their weldments under isothermal and thermal cyclic loading in the range of creep temperatures, 7T660
- Combined radiation and conduction heat transfer in high temperature fiber thermal insulation, 8A1363

PETROV, YV: Threshold velocities of the surface erosion fracture of solids, 5A589
- Synthesis of an aeroelastic mathematical model of an airplane with allowance for the motion of fuel in the tanks, 5A215
- Macroscopic parameters of brittle fracture, 9A730

PETROVA, D: Testing of the kinematic conjugation of the flanks active surfaces of gear-pairs of type spiroid, 8A956

PETROVA, E: Ice hazes and clouds in the Martian atmosphere as derived from the Phobos-KRFM data, 6T1403
- Properties of dust in the Mars atmosphere: A revised analysis of Phobos-KRFM data, 9A1519

PETROVA, IM: Analysis of the effect of the parameters used for processing a realization of a random loading process on the accuracy of service life estimation, 8T971

PETROVA, V: Plane problem of macro-microcrack interaction taking account of crack closure, 6A801

PETRUCCI, G: Effect of plasticity on the residual stress measurement using the groove method, 3A702

PETRUNGARO, C: S-wave site-response estimates using horizontal-to-vertical spectral ratios, 12A1443

PETTERSSON, BA: Near-wall Reynolds-stress modeling in noninertial frames of reference, 9A1124

PETTIGREW, MJ: Flow-Induced Vibration - 1996, 2N10
- Random excitation forces in tube bundles subjected to two-phase cross-flow, 2A236
- Vibration of a tube bundle in two-phase Freon cross-flow, 11A206

PETTIGREW, RI: Accuracy of magnetic resonance phase velocity measurements in stenotic flow, 5A1508

PETTIT, CL: Full-scale wind-tunnel pressure measurements of an F/A-18 tail during buffet, 6A1201

PETTY, J: Evaluation of shims, gaussmeter, penetrameter, and equations for magnetic particle inspection, 10A880

PETUKHOV, YV: Influence of diffraction effects upon slightly-divergent acoustical beams forming in ocean waveguides, 6A337
- Restoration of the bottom characteristics by the interference structure of the wide-band sound, 9A270

PETULLO, SP: Large-scale structure evolution in supersonic interacting shear layers, 4A1002

PETYT, M: Linear vibration analysis of laminated rectangular plates using the hierarchical FEM - II: Forced vibration analysis, 3A150
- Linear vibration analysis of laminated rectangular plates using the hierarchical FEM - I: Free vibration analysis, 3A161
- Geometrically nonlinear vibration analysis of thin, rectangular plates using the hierarchical FEM - II: 1st mode of laminated plates and higher modes of isotropic and laminated plates, 8A156
- Geometrically nonlinear vibration analysis of thin, rectangular plates using the hierarchical FEM - I: The fundamental mode of isotropic plates, 8A145
- Method of analyzing finite periodic structures - Part 2: Comparison with infinite periodic structure theory, 11A170
- Method of analyzing finite periodic structures - Part 1: Theory and examples, 11A169
- Ground vibration in the vicinity of a rectangular load acting on a viscoelastic layer over a rigid foundation, 12A138

PETZING, JN: Effect of metallographic structure on clamped plate vibration characteristics, 1A181

PEUPORTIER, B: Evaluation of the environmental quality of buildings towards a more environmentally conscious design, 7A1526
PEURRUNG, L: Three-dimensional microscopic measurement and analysis of chemical flow and transport in porous media, 4A1357
PEY, LP: Compatibility conditions for modeling tubular joints using different types of elements, 7A963
PEZESHK, S: Empirical method to estimate shear wave velocity of soils in the New Madrid seismic zone, 3A205
PFAHNL , AC: Analytical efficiency comparison bewteen gas turbine and gas turbine hybrid engines for passenger cars, 11A1434
PFEFFER, WT: Edge function analysis of glacier mechanics problems, 8A1468
- Three-dimensional BE formulation of viscoelastic media with gravity, 10A582
PFEFFERLE, LD: Soot volume fraction and temperature measurements in laminar nonpremixed flames using thermocouples, 11A1425
PFEIFFER, F: Multibody Dynamics with Unilateral Contacts, 10R3
- Dynamics With Friction: Modeling, Analysis and Experiment, Parts I and II, 12N13
- Bifurcation and chaos in solid and structural dynamics, 2T73
PFEIFFER, M: Protocol to evaluate semi-rigid pedicle screw systems, 12A1582
PFISTER, F: Linearized dynamics: A tensorial treatment based on the raw form of Lagrange's equations, 11A86
PFRETZSCHNER, J: Rating index for estimating insertion loss of noise barriers under traffic noise conditions, 2A290
PFROMMER, P: Solar radiation transport through slat-type blinds: A new model and its application for thermal simulation of buildings, 6A1507
PFUDERER, DG: Turbulence modulation in jet diffusion flames: Modeling and experiments, 1A1317
- Nonlinear second moment closure consistent with shear and strain flows, 10A1192
PHALEN, RF: Comparisons of calculated respiratory tract deposition of particles based on the proposed NCRP model and the new ICRP66 model, 2A1355
PHAM NGOC DINH, A: Regularization of a 2D two-phase inverse Stefan problem, 11A1319
PHAM, DC: Estimations for the overall properties of some locally-ordered composites, 12A578
PHAM, DT: Processing signals from an internal sensor using neural networks, 5A331
PHAM, HOANG LUONG: Expansion of multi-jet bed with large particles, 5A1397
PHAM, VB: Damage evolution ahead of sharp notches under cyclic loading, 4A697
PHAM, XT: Theoretical and experimental investigation of failure and damage progression of graphite-epoxy composites in flexural bending test, 1A767
PHAN-THIEN, N: Rayleigh similarity solutions and boundary layer flow for concentrated suspensions, 1A1035
- Adaptive viscoelastic stress splitting scheme and its applications: AVSS-SI and AVSS-SUPG, 1T457
- Path and efficiency of two micromachines with rigid tails, 2A962
- Experimental investigation of the use of random squeezing to determine the complex modulus of viscoelastic fluids, 3A959
- Boundary integral formulation for elastically deformable particles in a viscous fluid, 4A974
- Micro-Fourier rheometer: Inertial effects, 5A903
- Coupled conduction-convection problem for a cylinder in an enclosure, 5A1309
- Boundary element method based on a new second kind integral equation formulation, 5A55
- Oscillatory and simple shear flows of a flour-water dough: A constitutive model, 9A989
PHAN-THIEN, NHAN: Coupled conduction-convection problem for an underground rectangular duct containing three insulated cables, 9A1214
PHANIKUMAR, MS: Heat transfer augmentation using dilute gas-solid suspensions, 11T1346
PHELAN, PE: ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40
- Thermal boundary resistance for thin-film high-T_c superconductors at varying interfacial temperature drops, 9A1269
- Thermoelectric voltage at metallic point contacts from nonequilibrium effects, 11A1313
PHELPS, AD: Use of a combination frequency technique to measure the surf zone bubble population, 9A298
- Subharmonic oscillations and combination-frequency subharmonic emissions from a resonant bubble: Their properties and generation mechanisms, 10A351
- Detection of tethered and rising bubbles using multiple acoustic techniques, 10A403
PHETKONG, N: Controlled motion of a cylinder through a free surface: Effect of depth of penetration, 1A981
PHILIP, JR: Two-dimensional checkerboards and blending heights, 5A1458
- Blending and internal boundary-layer heights, and shear stress, 12A1505
PHILIPP, A: Dynamics of laser-induced cavitation bubbles in polymer solutions, 2A945
- Damage of solid surfaces by single laser-produced cavitation bubbles, 11A670
PHILIPS, RB: Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, 9A1155
PHILLIPI, PC: Optimizing the estimation of thermophysical properties (Spanish), 9A1199
PHILLIPS, BJ: Heat transfer to viscoelastic polymer solutions flowing over a smooth cylinder, 9A991
PHILLIPS, CG: Uniformly asymptotic approximation for the development of shear dispersion, 7A1518
PHILLIPS, DJ: High-performance active control of dynamically complex space structures, 3A380
PHILLIPS, RL: Propagation of a Gaussian-beam wave through a random phase screen, 10A352
PHILLIPS, TN: Effects of a piezoviscous lubricant on the dynamics of a journal bearing, 5A1111
PHILLIPS, WP: Aerodynamics for a winged, circular-body, single-stage-to-orbit spacecraft configuration, 8A1220
PHILLIPS, WRC: Class of unsteady boundary layers of finite extent, 3A1128
- Formation of longitudinal vortices in a turbulent boundary layer over wavy terrain, 5A1042
PHILOGENE, K: Simulating seismic response behavior of telecommunications equipment, 3A1397
PHILPOT, TA: Theoretical joist-rupture sequences in wood-floor system model, 3A781
PHILPOTT, ML: Parametric contract modeler for DFM analysis, 2T374
- Two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 5A832
PHINNEY, LM: Ultrashort-pulse laser heating of silicon to reduce microstructure adhesion, 1A1230
- Extension of the wall-driven enclosure flow problem to toroidally shaped geometries of square cross-section, 7A1115
PHOENIX, SL: Analysis of fragmentation in the single filament composite: Roles of fiber strength distributions and exclusion zone models, 4A547
- Stress concentrations around multiple fiber breaks in an elastic matrix with local yielding or debonding using quadratic influence superposition, 6A783
PHOTIADIS, DM: Wave-number space response of a near periodically ribbed shell, 8A157
- Effect of internal oscillators on the acoustic response of a submerged shell, 8A274
- Wave mixing effects on a periodically ribbed cylindrical shell, 11A172
PI, Y-L: Lateral-distortional buckling of hollow flange beams, 11A528
PIAN, THH: New formulation of isoparametric FEs and the relationship between hybrid stress element and incompatible element, 6A54
- Studies of stress concentration by using special hybrid stress elements, 10A560
PIASCIK, RS: Effects of the Environment on the Initiation of Crack Growth, 10N20
- Fatigue and Fracture Mechanics: 27th Volume, 10N21
- Elevated Temperature Effects on Fatigue and Fracture, 12N29
- Blunt notch extended compact tension specimen for the study of short and long crack propagation, 9T723
- Extended compact tension specimen, 10A850
PIASECKI, M: Site and size optimization of contaminant sources in surface water systems, 3T1476
- Control of contaminant releases in rivers - I: Adjoint sensitivity analysis, 11T1552
- Control of contaminant releases in rivers - II: Optimal design, 11T930
PIASTA , Z: Analysis of superplasticizer influence on cement paste with multicriteria statistical optimization, 2A427
PIASTA, WG: Durability of loaded concrete in conditions of chemical aggressiveness (Polish), 2A802
PIAU, J-M: Mechanisms of peeling of uncrossed-linked pressure sensitive adhesives, 12A1043
PIAU, JM: Rheology for Polymer Melt Processing, 11N33
PIAU, M: Acoustic wave propagation in two-phase viscoelastic fluids: The case of polymeric emulsions, 9A273
PICA, A: Geometric mesh adaptivity, 1A78
PICARD, C: Sound intensity vector measurement with a two microphone rotative probe (French), 11A268
PICART, P: Elastoplastic FE analyses of an upsetting-sliding test for the determination of friction at medium and high contact pressure, 1T45
- Sensitivity of material parameters in the FE computation of microvoid nucleation and growth, 1A790
- Optimization of the upsetting-sliding test parameters for the determination of friction laws at medium and high contact pressures, 6A937
PICCIONI, G: Spectroscopic performances of the planetary Fourier spectrometer for the Mars '96 mission, 10A329
PICCIRILLO, P: Evolution of a uniformly sheared thermally stratified turbulent flow, 9A1114
PICHEVIN, T: Momentum imbalance paradox, 9T1504
PICHLMAIER, S: Evaluation of light scattering in attenuated total reflection configuration, 2A202
PICKEN, DJ: Continuous flow stirred tank reactor model and used oil volume corrections in condition monitoring, 9T1393
PICKETT, JS: Payload environment and gas release effects on sounding rocket neutral pressure measurements, 2A1349
PICOLOGLOU, BF: Liquid-metal MHD flow in rectangular ducts with thin conducting or insulating walls: Laminar and turbulent solutions, 11A1123
- Heat transfer in laminar and turbulent liquid-metal MHD flows in square ducts with thin conducting or insulating walls, 11A1256
PICON, R: Photoelastic determination of K, and K_2: A numerical study on experimental data, 8A833
PICORNELL, M: Leakage through flaws in geomembrane liners, 11A569
- Low strain shear moduli of cemented sands, 11A548
PICU, RC: Nucleation of splitting cracks in columnar freshwater ice, 9A692
PIDAPARTI, RMV: Analysis of truss structures using distributed object-oriented methods, 3A803
- Free vibration of cord-rubber composite laminates, 5T121
- Microdamage simulation in a bone tissue using FE analysis, 7A1529
- Uniform strain criterion for trabecular bone adaptation: Do continuum-level strain gradients drive adaptation, 10A1520
- Authors reply, 11T221
PIECHNA, JR: Prediction of small water drops separation in helicopter engine diffuser, 4A1145
PIECHOR , K: Traveling wave solutions to model equations of van der Waals fluids, 4A222
PIECZYRAK, J: Hydrology of the ground water (Polish), 9A1426
PIECZYSKA, EA: Changes of temperature during the simple shear test of stainless steel, 4A789
PIEDRA-CUEVA, I: Race-track recirculating flume for cohesive sediment research, 11A925
PIEKARSKI, S: Thermodynamic potentials and extremum principles for a Boltzmann gas, 9A8
PIEKOS, ES: Numerical modeling of micromechanical devices using the direct simulation Monte Carlo method, 4A427
PIEKUTOWSKI, AJ: Perforation of aluminum plates with ogive-nose steel rods at normal and oblique impacts, 6A255
- Penetration of confined boron carbide targets by tungsten long rods at impact velocities from 1.5 to 5.0 km/s, 7A201
PIELA, A: Analysis of the metal flow in swaging: Numerical modeling and experimental verification, 4A655
PIELORZ, A: Discrete-continuous models in the analysis of low structures subject to kinematic excitations caused by transversal waves, 4A216
- Nonlinear dynamic loads on gear teeth in discrete-continuous model of single gear transmission, 11T850
PIEN, SJ: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
PIERACCI, A: Initial fatigue quality confidence-interval approach for determination of inspection intervals, 5A596
- Useful formulae for Monte Carlo simulations relating to the Weibull and to the exponential probability distribution functions, 8A764
PIERATTINI, G: Analysis of rigid rotations in holographic interferometry for simple flexural loadings tests, 9A795
PIEROLA, J: Three-dimensional interaction effects in an internally multicracked pressurized thick-walled cylinder - Part I: Radial crack arrays, 2A657
PIERRE, C: Transfer matrix approach to free vibration localization in mistuned blade assemblies, 5A118
- Forced response of coupled substructures using experimentally based component mode synthesis, 7A168
- Statistical investigation of the forced response of finite, nearly periodic assemblies, 12T141
- Predicting localization via Lyapunov exponent statistics, 12T140
- Vibration and wave localization in a nearly periodic beaded string, 12A169
PIERRE, M: Blowup in reaction-diffusion systems with dissipation of mass, 8A1399
PIERRE, R: Mixed FE for the linear plate problem: The Herman-Miyoshi model revisited, 5A24
- Experiments with stability analysis of discrete incompressible flows in the lid-driven cavity, 8A1162
- Numerical analysis of the modified EVSS method, 10A56
- Localization of Hopf bifurcations in fluid flow problems, 11A98
PIERRE, S: Robotic assembly for computer-integrated manufacturing, 6A443
PIERRET, S: Three-dimensional unsteady flow and forces in centrifugal impellers with circumferential distortion of the outlet static pressure, 8A1073
PIERRON, F: New ideas on the measurement of the in-plane shear strength of unidirectional composites, 11A493
PIERRYNOWSKI, MR: Classification of errors in locating a rigid body, 3A1502
PIERSON, BL: Model comparison for optimal Mars ascent trajectories, 4A265
- Optimal planar evasive aircraft maneuvers against proportional navigation missiles, 5A307
- Optimal earth-moon trajectories using nuclear electric propulsion, 9T351
PIERSON, MO: Analytical solution for low-velocity impact response of composite plates, 2A209
PIERSON, P: Water diffusion through geomembranes under hydraulic pressure, 8A683
PIESIAK, S: Identification technique for nonlinear dynamical systems under stochastic excitations, 8A117
PIETASZEWSKI, J: Fabrication and assessment of properties of Cu-Ni highly plastic sinters (Polish), 9A682
- Investigation of explosively thickened sinters with addition of B_4C and SiC carbons (Polish), 9A683
PIETRABISSA, R: Lumped parameter model to evaluate the fluid dynamics of different coronary bypasses, 2A1459
- Computational pulsatile model of the bidirectional cavopulmonary anastomosis: The influence of pulmonary forward flow, 5A1497
- Structural model of the left ventricle including muscle fibers and coronary vessels: Mechanical behavior in normal conditions, 9A1582
- Mathematical model of circulation in the presence of the bidirectional cavopulmonary anastomosis in children with a univentricular heart, 12A1559
PIETRALLA, M: Photothermal method with step heating for measuring the thermal diffusivity of anisotropic solids, 10A1343
PIETRUSZCZAK, S: Numerical analysis of concrete structures subjected to alkali-aggregate reaction, 5A438
- Numerical analysis of concrete fracture based on a homogenization technique, 9A765
PIETRUSZKA, M: Numerical modeling of layered structures for magnetic field computations, 4A634
PIGARI, A: Monitoring the tool wear in the turning process using acoustic emission (Spanish), 3A880
PIGEON, P: Moments arms and lengths of human upper limb muscles as functions of joint angles, 3A1499
PIGGOTT, AR: Static and dynamic calculation of formation fluid displacement induced by hydraulic fracturing, 4A1347
- Displacement of formation fluids by hydraulic fracturing, 6A1494
PIGGOTT, MR: Effect of fiber alignment on composite strength - I: Single-fiber studies, 8A540
- Effect of fiber alignment on composite strength - II: The strength of angle-ply laminates, 8A541
PIGNOTTI, A: Influence of a finite number of baffles on shell-and-tube heat exchanger performance, 9A1287
PIGOSKI, TM: Inverse force analysis of a planar two-spring system, 11A842
PIJAUDIER-CABOT, G: From damage to fracture mechanics and conversely: A combined approach, 1A733
- Rate dependent damage model for concrete in dynamics, 3A774
- Continuum damage modeling: Approximation of crack induced anisotropy, 8T2
PIKE, CP: Interaction of solid-rocket exhaust with the atmosphere, 4A1066
PIKOVSKY, AS: Phase synchronization of chaotic oscillators by external driving, 12A128
PIL, A: Rapid recursive structure redesign for improved dynamics of a single link robot, 11A862
PILANT, MS: Triangular wavelet based FEs via multivalued scaling equations, 11A46
PILBROW, R: Flow and heat transfer in a preswirl rotor-stator system, 10A1238
PILBROW, RG: Effect of rotation on temperature response of thermochromic liquid crystal, 4A1219
PILCH, MM: Hydrogen combustion during direct containment heating events, 3A1440
- Continued enlargement of the initial failure site in the reactor pressure vessel, 3A1436
- Two-cell equilibrium model for predicting direct containment heating, 3A1443
PILIA, ML: Autoignition of methane mixtures: The effect of hydrogen peroxide, 1A1308
PILIDIS, P: Semiclosed-cycle gas turbine with carbon dioxide-argon as working fluid, 12A1417
PILIPCHUK, VN: Calculation of mechanical systems with pulsed excitation, 3A113
- Primary pulse transmission in a strongly nonlinear periodic system, 4A90
- Study of a class of subharmonic motions using a non-smooth temporal transformation (NSTT), 7A108
PILKEY, WD: Peterson's Stress Concentration Factors, Second Edition, 9N18
- Chebyshev norm as a deterministic alternative for problems with uncertainties, 4A52
- Measurement of dynamic joint motion using magnetohydrodynamic angular rate sensors, 4A196
- Sensitivity of occupant response subject to prescribed corridors for impact testing, 5A170
- Beam stiffness matrix based on the elasticity equations, 6A573

PILLAI, V: Intelligent curing of thick composites using a knowledge-based system, 7A632
PILLING, MJ: Approximation of attractors using Chebyshev polynomials, 7A91
PILLINGER, I: Finite element simulation and experimental study of hot closed-die upsetting, 3A622
- Development of product and process comparison criteria for an intelligent knowledge-based system for forging die design, 6A678
- Roll pass evaluation for 3D section rolling using a simplified FEM, 12A721
PILLSBURY, PW: Dual-use conversion of a high-Mach-number jet engine test cell for industrial gas turbine low-emission combustor development, 8A1418
PILUSO, V: Theory and Design of Seismic Resistant Steel Frames, 7R9
- Plastic design of seismic resistant steel frames, 7A1488
- New method to design extended end plate connections and semirigid braced frames, 11A806
PILVIN, P: Polymorphic constitutive equations in FE codes, 9A40
PILVIN, PH: Cyclic deformation behavior of an α-β titanium alloy - II: Internal stresses and micromechanic modeling, 12A532
PIN, LEI YONG: Correction of plasticity effect at the hole edge when using the center hole method for measuring high welding residual stress, 6A509
PINA DA SILVA, FA: Crashworthiness of Transportation Systems: Structural Impact and Occupant Protection, 9N9
PINA, H: Influence of radiation absorption on solar pond stability, 2A1433
PINAR, MC: Piecewise-linear pathways to the optimal solution set in linear programming, 11T295
PINCHUK, LS: Friction materials with structure simulating human cartilage, 1A1447
PINCZEWSKI, WV: Pore-scale network model for drainage-dominated three-phase flow in porous media, 1A1391
PINDER, ADJ: Hydro-resistive measurement of dynamic lifting strength, 9A1598
PINDERA, JT: Strain-gradient stress analysis in Saint-Venant bending, 6A826
- Electronic techniques in isodyne stress analysis - Part I: Basic relations, 8A846
PINDERA, M-J: Influence of fiber architecture on the inelastic response of metal matrix composites, 1A520
- Inelastic thermal response of Gr-Cu with nonuniform fiber distribution, 4A554
- Thermoplasticity theory for bidirectionally functionally graded materials, 6A1302
- Degradation of elastic response of MMC laminated tubes due to internal fiber cracks, 6A777
- Analytical model for the inelastic axial shear response of unidirectional metal matrix composites, 12A542
PINEAU, A: Dynamic crack propagation and crack arrest investigated with a new specimen geometry - Part I: Experimental and numerical calculations, 5A691
- Dynamic crack propagation and crack arrest investigated with a new specimen geometry - Part II: Experimental study on a low-alloy ferritic steel, 5A692
PINEDA, AR: Equilibrium of a radially symmetric inhomogeneous plate under tension and load, 10A636
PINES, DJ: Detection of utility pole rot damage by measuring the reflection coefficient, 11A749
PINES, DS: Coal-fired heat exchanger for an externally fired gas turbine, 11T1339
PING, ZHAO: Inversion technique for recovering the elastic constants of transversely isotropic materials, 4A786
PINGLOT, M: Structural reliability analysis of reinforced concrete columns: A comparison of methods to assess the probability of buckling failure (French), 4A834
PINHEIRO, PAT: Analytical stiffness matrix for first- and second-order upright triangular prismatic FEs, 12A55
PINI, G: Parallel block iterative method for multiaquifer flow models, 6A1399
PINKELMAN, JK: Total least-squares criteria in parameter identification for flight flutter testing, 2A252
PINKIN, VF: Experimental study of heat and mass transfer between high-temperature heterogeneous jets and surface, 1A1050
PINNELL, MF: Examination of the effect of composite constituent properties on the notched-strength performance of composite materials, 8A795
PINNEY, M: Ring wing for a compressed missile, 2T1086
PINNINGTON, RJ: Non-intrusive fluid-wave actuator and sensor pair for the active control of fluid-borne vibrations in a pipe, 1A286
PINOL, S: Flow around a cylinder: Effect of the wall boundary condition on the domain width (Spanish), 4A976
PINSKY , PM: Iterative solution of multiple radiation and scattering problems in structural acoustics using a block quasi-minimal residual algorithm, 11A264
PINSKY, PM: Space-time FEM for structural acoustics in infinite domains - Part 2: Exact time-dependent non-reflecting boundary conditions, 1A33
- Recent developments in FEM for structural acoustics, 1A76
- Space-time FEM for structural acoustics in infinite domains - Part 1: Formulation, stability, and convergence, 1A32
- Matrix-free interpretation of the non-local Dirichlet-to-Neumann radiation boundary condition, 5A262
PINSON, MW: Effects of leading-edge roughness on fluid flow and heat transfer in the transitional boundary layer over a flat plate, 9A1205
PINTAR, FA: Mechanisms of thoracic injury in frontal impact, 5T1472
- Instrumented artificial spinal cord for human cervical pressure measurement, 5A1510
- Finite element model of the human lower cervical spine: Parametric analysis of the C4-C6 unit, 9A1566
- Cervical vertebral strain measurements under axial and eccentric loading, 11A1582
- Inertial loading of the human cervical spine, 12A1568
PINTER, FA: Finite element modeling of the C4-C6 cervical spine unit, 4A20
PINTO, AV: PnD test on four-story R-C buildings designed according to Eurocodes, 6A890
PINTO, G: Stability of 2D model problems for multiblock structured fluid-dynamics calculations, 7A1389
PINTO, MIM: Geotextile reinforced brick faced retaining walls, 7A586
PINTO, PE: Nonlinear response of bridges under multisupport excitation, 3A182
PIOMBO, B: Natural frequencies and dampings identification using wavelet transform: Application to real data, 9A308
PIOMBO, BAD: Identification of linear mechanical systems by deconvolution techniques, 11A275
PIOMELLI, U: Interaction between a spatially growing turbulent boundary layer and embedded streamwise vortices, 5A1041
PIOT, D: Method of generating analytical yield surfaces of crystalline materials, 3A458
PIOTROWSKA, A: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
PIPELZADEH, MK: Elastic-plastic FE analysis of short flat bars with projections - Part 3: Combined axial and shear loading, 2A24
PIPER, GE: Active feedback noise control of a magnetic bearing pump, 11A255
PIPES, RB: Experimental Characterization of Advanced Composite Materials, Second Edition, 12R23
- Probabilistic strength analysis of four-directional laminated composites, 2A652
PIPKINS, DS: FEAM-based methodology for analyzing composite patch repairs of metallic structures, 1A760
- Computational modeling of aircraft structures, 5A18
PIPKORN, B: Parametric study of a side airbag system to meet deflection based criteria, 2A1471
PIPPAN, R: Fracture resistance of a ferritic-austenitic duplex steel, 1A748
PIQUES, R: Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, 10A1039
PIQUET, J: Two-dimensional turbulent viscous flow simulation past airfoils at fixed incidence, 8A1234
PIQUETTE, JC: New techniques for panel measurements, 5A267
PIRANDA, J: Transverse vibrations of short beams: FE models obtained by a condensation method, 10A187
PIRES, C: Statistical and dynamical long-range atmospheric forecasts: Experimental comparison and hybridization, 2T1419
PIRES, EB: Finite element analysis of non-prescribed crack propagation in concrete, 8A823
PIRES, JA: Stochastic seismic performance evaluation of tuned liquid column dampers, 4A245
PIRMAN, SR: Shock initiation of crystalline boron in oxygen and fluorine compounds, 1A1334
PIRNER, M: Resonance testing of the torsionally loaded RC slabs, 1A848
PIRONTI, A: Quadratic stabilization with an H^∞ performance bound of uncertain linear-time-varying systems, 3T349
PIRONTI, F: Finite-volume calculation procedure for 3D viscous incompressible flows in complex geometries, 7A1039
PIROUZPANAH, V: Dual-fuelling of an industrial indirect injection diesel engine by diesel and liquid petroleum gas, 4A1322
PIROZZOLI, S: Nonequilibrium effects in near-wake ionizing flows, 12A1091
PIRROTTA, A: Experimental investigation of friction-base isolation, 12A151
PIS-LOPEZ, ME: Multilayer film casting of modified Giesekus fluids - Part I: Steady-state analysis, 3A644
- Multilayer film casting of modified Giesekus fluids - Part 2: Linear stability analysis, 3A1134
PISANO, AA: Alternative stochastic representation of drag forces on offshore structures for dynamic analyses, 12A1058
PISARCZYK, S: Fractors influenced vibrative compaction of noncohesive soils (Polish), 2A548
PISARCZYK, T: Investigation of the expansion of laser-produced plasma in a strong axial magnetic field, 4A1109
PISAREV, VS: Strain and Stress Analysis by Holographic and Speckle Interferometry, 3R18
PISIO, VJ: Microphone positioning system for acoustical reverberation chamber, 7T294
PISMEN, LM: Nonlinear evolution and secondary instabilities of Marangoni convection in a liquid-gas system with deformable interface, 12A1140
PISONI, C: Thermodynamic analysis of solar energy utilization combined with the exploitation of the LNG physical exergy, 11A1201
PISTELLA, F: Simulation of planar high speed combustion phenomena, 3A1331
- High resolution scheme for the numerical simulation of second sound in crystals, 9A290
PISTORIUS, PGH: Effect of a long post weld heat treatment on the integrity of a welded joint in a pressure vessel steel, 8A979
PISZCZOR JR, MF: Recent advances in solar cell technology, 3A1456
PITARKA, A: Elastic finite-difference modeling of strong motion in Ashigara Valley for the 1900 Odawara, Japan, earthquake, 2A1392
PITCHUMANI, R: Design and optimization of a thermoplastic tow-placement process with *in situ* consolidation, 9A531
PITERBARG, LI: New method for obtaining velocity and diffusivity from time-dependent distributions of a tracer via the maximum likelihood estimator for the advection-diffusion equation, 10T1382
PITHIA, KD: Alternative view of building structures, 7A841
PITKARANTA, J: Scale resolution, locking, and high-order FE modeling of shells, 1A586
- h-p-n adaptive FE scheme for shell problems, 3A541
- Design principles and error analysis for reduced-shear plate-bending FEs, 6A27
PITT, S: Structural integrity monitoring, 12A769
PITTS, TA: Analytic investigation of chaos in a class of parabolic ray systems, 9A286
PITZ-PAAL, R: Experimental and numerical evaluation of the performance and flow stability of different types of open volumetric absorbers under non-homogeneous irradiation, 11A1530
PIVA, A: Effect of orthotropy on the intersonic shear crack propagation, 7A764
PIVA, JI: Experimental determination of flexural power flow in beams using a modified Prony method, 5A150
PIVA, R: Trailing edge singularity and Kutta condition for 3D airfoils, 6A1183
- Vorticity generation on a flat surface in 3D flows, 7A1089
PIVA, S: Axial wall conduction preheating effects in high Peclet number laminar forced convection, 1A1157
PIZARRO, G: Numerical models for flow and sediment transport in Estuaries during flooding, 3T986
PLACE, JMM: Simulating the multistage environment for single-stage compresor experiments, 5A1089
PLAG, HP: Geophysical evidence of past and present climate change, 12A1431
PLAKHTIENKO, NP: Account of the earth gravitation field anomaly on gyrotheodolite indications (Russian), 2A1376
- Interaction of rotational and oscillation movements in the Flywheel system with friction clutch (Russian), 2A175
- Estimate of parameters of auto-oscillations of two-weight system with the presence of dry friction (Russian), 9T84
PLAMONDON, A: Knee movement strategies differentiate expert from novice workers in asymmetrical manual materials handling, 4A1486
PLANAS, J: Stress intensity factors for wedge-splitting geometry, 9A737
- Crack trajectories under mixed mode and non-proportional loading, 9A785
- Generalized size effect equation for quasibrittle materials, 12A792
PLANCHARD, J: Added mass and damping in fluid-structure interaction, 12A274
PLANCHE, J-P: Structure-related model to describe asphalt linear viscoelasticity, 3A955
PLANCQ, D: In-plane limit moment for an elbow: Lower-bound analytical solution and FE processing by elastic compensation method, 9A559
- Complete analytic elastic study of a 90° branch connection of a cylinder on a sphere subjected to a bending load, 9A557
PLANINC, I: Kinematically exact FE formulation of planar elastic-plastic frames, 10A958
PLANK, RJ: Analytical model for the analysis of composite beams with partial interaction, 7A505
PLANT, WJ: Variability of high-frequency acoustic backscatter from the region near the sea surface, 10A363
- Simultaneous acoustic and microwave backscattering from the sea surface, 10A362
PLASARI, E: Planar laser induced fluorescence technique for measurements of concentration fields in continuous stirred tank reactors, 7A1226
PLATE , E: Wind tunnel study of turbulent flow structure in the convective boundary layer capped by a temperature inversion, 3A1151
PLATE, EJ: Preliminary study on the turbulence structure of flows on non-Newtonian fluid, 2A1040
PLATFOOT, RA: Estimation of metal temperature variations for scarred boiler tubes, 5A621
PLATON, F: Muscular stabilization of the lumbar spine (French), 6T1528
PLATTEN, JK: Measurements of thermally-induced convection in a model porous medium, 1A1400
- Soret effects in ternary systems heated from below, 5A1164
PLATTS , MJ: Topology design for composite components of minimum weight, 2A458
- Using internal fiber geometry to improve the performance of pin-loaded holes in composite materials, 3A491
PLATZER, MF: Experimental study of vortex flow control on double-delta wings using fillets, 2A1078
PLAUT, G: Statistical and dynamical long-range atmospheric forecasts: Experimental comparison and hybridization, 2T1419
PLAUT, RH: Rocking instability of a pulled suitcase with two wheels, 3A94
- Analysis of the vibrations of inflatable dams under overflow conditions, 4A845
- Use of flexible internal support to suppress vibrations of a rotating shaft passing through a critical speed, 10A220
- Comments on "The role of eigenvectors in aeroelastic analysis", 11T222
PLAZA, S: Stability of hyperbolic vector fields, 10T138
PLAZEK, DJ: 1995 Bingham medal address: Oh, thermorheological simplicity, wherefore art thou?, 5A884
PLEASE, CP: Asymptotic analysis of the growth of cake layers in filters, 6A1071
- Extrusion of power-law shear-thinning fluids with small exponent, 8A693
PLECHAC, P: Symmetry breaking Hopf bifurcations in equations with O(2) symmetry with application to the Kuramoto-Sivashinsky equation, 8T108
PLEKHANOV, AV: Non-classical theory of deformation of orthotropical shells (Russian), 12T614
PLESEK, J: Assessments of methods for locating the point of initial yield, 9A459
PLESHA, ME: Life prediction of solder joints by damage and fracture mechanics, 6A733
PLESINGER, A: Discrimination between local microearthquakes and quarry blasts by multi-layer perceptrons and Kohonen maps, 2A1378
PLESNIAK, MW: Curved two-stream turbulent mixing layers revisited, 4T1082
- Development of a full-field planar Mie scattering technique for evaluating swirling mixers, 4A1179
- Convex turbulent boundary layers with zero and favorable pressure gradients, 7T1086
- Influence of large-scale, high-intensity turbulence on vane aerodynamic losses, wake growth, and the exit turbulence parameters, 10A1246
PLETCHER, R: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
PLETCHER, RH: Computational Fluid Mechanics and Heat Transfer, Second Edition, 11N4
- Implicit numerical scheme for the simulation of internal viscous flow on unstructured grids, 2A959
- Evaluation of multigrid acceleration for preconditioned time-accurate Navier-Stokes algorithms, 6A1026
- Parallel implementation for solving the 2D Navier-Stokes equations on a cell-centered, unstructured grid, 6A1053
PLIZZARI, GA: Experimental study on anchored bars in RC elements with transverse reinforcement, 5A775
PLOCHOCKI, Z: Stationary Stokes flow through a spherical region with large variations of density and viscosity coefficient, 4A973
- Idea of thin-plate thermal mirror - I: Mirror created by a heat pulse, 9A1331
- Stationary transverse Euler and Stokes gas flows through a cylindrical region with large variations of density and viscosity coefficient, 9A1047
PLOEHN, HJ: Molecular-level modeling of the viscoelasticity of crosslinked polymers: Effect of time and temperature, 10A1041
PLOHR, BJ: Tracking of shear bands - I: The 1D case, 4A505
PLONECKI, L: Experimental evaluation of path accuracy of hydraulic excavator fixture, 9A387
PLONKA, ZJ: Current directions in developmental work at STILON: Experimental department in polyamide fibers and polymers, 4T463
PLOURDE, F: Cold gas simulation of a solid propellant rocket motor, 6A1362

PLUMB, OA: Melting in a two-component packed bed, 12A1286
PLUMMER, DN: Heuristic method for evaluating coil performance, 2A1144
PLUMMER, JW: Construction and use of a clear acrylic phantom to generate a 3D FE model of the human pelvis from CT data, 7T1528
PLUMTREE, A: Confocal scanning laser microscopy measurements of the growth and morphology of microstructurally short fatigue cracks in Al 2024-T351 alloy, 5A632
PLUVINAGE, G: Rupture and fatigue initiated from notches: Application of notch intensity factor, 9A735
PLYS, MG: Surface temperature profiles due to radiant heating in a thermocapillary channel flow, 8A1364
POBST, JA: Fluctuation of arcjet plume properties, 5A1383
POCHA, JJ: Experimental assessment of the influence of heat pipes on a nutating satellite, 4A861
POCHIRAJU, K: Three-dimensional transient mold cooling analysis based on Galerkin FE formulation with a matrix-free conjugate gradient technique, 3A620
POCHTMAN, YM: Optimization of cylindrical shells subjected to pitting corrosion, 9A833
POCWIERZ, M: Dust spreading in the turbulent atmosphere, 4A1472
PODCHASOV, NP: Nonstationary wave movements of liquid in an oscillating cylindrical vessel when it passes through the resonance zone (Russian), 1A285
- Analysis of power exchange between proper forms of liquid in cylindric vessel fasted on elastic supports, 12A277
PODDUBNY, VI: Study of nonlinear dynamics of underwater self-propelled cable-controlled apparatus (Russian), 12T402
- Study of nonlinear dynamics of automotive under water vehicles with regard for the cable effect (Russian), 12A401
PODHORECKI, A: Behavior of fiber composite plate cantilever in bending, 9A570
PODHORODESKI, RP: Forward displacement analysis and uncertainty configurations of parallel manipulators with a redundant branch, 2A357
PODILCHUK, YN: Thermostressed state of transversally: Isotropic body with rigid elliptical inclusion (Russian), 1A1283
- Study of propagation of nonstationary waves in axisymmetrical problems of the bound theory of thermoelasticity (Russian), 2A181
- Thermostressed state of transversally-isotropic body with rigid elliptical inclusion subject to the action of the uniform heat flow in the inclusion plane (Russian), 9A1319
- Stressed state of transversally isotropic half-space affected by forces and bending moments in the case of nonplane die elliptical in a plan (Russian), 12A495
- Study of the effect of a rigid inclusion on thermal stressed state of a transversally isotropic body (Russian), 12A1340
PODILCHUKO, YN: Contact problem of the elasticity theory for transversally isotropic half-space with elliptical boundary line of the boundary conditions (Russian), 6A478
PODIO-GUIDUGLI, P: Gleanings of radial cavitation, 6A458
PODOLSAK, AK: Flow of non-Newtonian fluids through tubes with abrupt expansions and contractions: Square wave tubes, 12A1124
PODRA, P: Wear simulation with the Winkler surface model, 12A989
PODSIADLO, P: Analysis of wear particle boundaries found in sheep knee joints during in vitro wear tests without muscle compensation, 9A1562
- Characterization of surface topography of wear particles by SEM stereoscopy, 12A975
PODSIADLY, R: Studies of fractal aspects of cement, 9T821
PODSZUS, WW: Laminated shell model for the infarcted left ventricle, 6A76
PODVIN, B: Dynamical systems theory and extra rates of strain in turbulent flows, 4A84
POELAERT, D: Balance and variational formulations of the equation of motion of a body deploying along a cable, 12A98
POELAERT, DHL: Small displacements about equilibrium of a beam subjected to large static loads, 5A98
POGACNIK, M: Theory and practice of achieving quality surface in turn milling, 9A671
POGODAEV, LI: Approaches and criteria used in estimating the longevity and wear-resistance of materials, 8T947
POGREBENKO, S: First evidence of planetary water maser emission induced by the comet-Jupiter catastrophic impact, 5T172
POGREBNYAK, AD: Strength, longevity and fracture of construction materials under multicycle loading: Survey (Russian), 12A765
POH, FOW LAI: Painting of industrial art object using teaching robot and spherical SCARA robot, 3T419
POH, S: Modal and physical deflections of beams using distributed wire sensors, 1A203
- Demonstration of adaptive least-mean-square control of small amplitude vortex-induced vibrations, 3A266
POHANERKAR, SG: Transient free convection flow of an incompressible viscous dissipative fluid, 10A1305
POHL, M: Effect of parallel combined steady and oscillatory shear flows on blood and polymer solutions, 10A1019
POHOST, GM: Effect of physiological factors on proximal flow convergence upstream of an incompetent valve: An in-vitro study, 9A1585
POINSOT, T: Direct Numerical Simulation for Turbulent Reacting Flows, 11N35
- Flame-wall interaction simulation in a turbulent channel flow, 3A1302
- Behavior of wake vortices near ground, 10A1476
POINSOT, TJ: Numerical simulations of autoignition in turbulent mixing flows, 9A1355
POINT, N: Delamination of beams: An application to the DCB specimen, 6A778
POIREE, B: Energy velocity of complex harmonic plane waves in viscous fluids, 8A262
POIRIER, DR: Mesh generation and flow calculations in highly contorted geometries, 1A662
POIRION, F: Multi-Mach rational approximation to generalized aerodynamic forces, 6T1192
POITOU, A: Powder injection molding: An original simulation of paste flow, 1A670
POJMAN, JA: Hydrodynamic stability of a polymerization front, 1A1062
- Numerical modeling of self-propagating polymerization fronts: The role of kinetics on front stability, 11A1399
POKHARNA, H: Regularization of two-phase flow models: A comparison of numerical and differential approaches, 12T1112
POLAK, E: Use of consistent approximations for the optimal design of beams, 4T939
- Family of projected descent methods for optimization problems with simple bounds, 7T316
POLAK, MA: Effective stiffness model for reinforced concrete slabs, 3A766
POLAND, GA: Effect of lubricating oil contamination on evaporation in refrigerants R12 and R22, 2A1224
POLDER, RB: Influence of blast furnace slag, fly ash and silica fume on corrosion of reinforced concrete in marine environment, 10A936
POLET, J: Upper-mantle shear velocities beneath southern California determined from long-period surface waves, 12A1459
POLETAEV, VA: Wear of card clothing teeth, 7A898
POLIDORI, DC: Approximate solutions for nonlinear random vibration problems, 1A147
POLIFKE, W: NO_x prediction scheme for lean-premixed gas turbine combustion based on detailed chemical kinetics, 5A1368
- Low-NO_x premixed combustion of MBtu fuels using the ABB double cone burner: EV burner, 11T1435
POLIGNONE, DA: Existence and a priori bounds for the finite torsion solution for a class of general Blatz-Ko materials, 2A384
POLINENI, VK: Tribological studies of glass fabric-reinforced polyamide composites filled with CuO and PTFE, 7A871
POLIT, O: C^0 eight-node membrane-shear-bending element for geometrically nonlinear (static and dynamic) analysis of laminates, 4A607
POLIZZOTTO, C: Shakedown and steady-state responses of elastic-plastic solids in large displacements, 1A490
- Extended shakedown theory for elastic-plastic-damage material models, 4A806
- Shakedown of elastic-plastic solids with frictionless unilateral contact boundary conditions, 8A877
POLLACK, HN: Inference of ground surface temperature history from subsurface temperature data: Interpreting ensembles of borehole logs, 3A1368
POLLACK, SR: Intracellular Ca^{2+} stores and extracellular Ca^{2+} are required in the real-time Ca^{2+} response of bone cells experiencing fluid flow, 4A1489
- What is the role of the convective current density in the real-time calcium response of cultured bone cells to fluid flow?, 4A1490
POLLANDT, R: Solving nonlinear differential equations of mechanics with the BEM and radial basis functions, 6A78
POLLARD, A: Spatial differencing schemes of the discrete-ordinates method, 1A1259
- Simulating turbulent flow over thin element and flat valley V-shaped riblets, 5A1043
- Finite difference schemes for 3D time-dependent convection-diffusion equation using full global discretization, 7T1383
- T_N quadrature set for the discrete ordinates method, 11T1332
POLLMEIER, K: Partitioned simulation of fluid power systems: An approach for reduced communication between processors, 7A363
POLLOCK, DG: Seismic performance of confined sill plate connections, 6A1454
POLLOCK, GD: Sensitivity analysis of the contact-impact response of composite structures, 2T215
POLMAN, BJW: Computational strategies for iterative solutions of large FEM applications employing voxel data, 2A28
POLONSKY, IA: Analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 12A965
POLSKY, M: Cascaded humidified advanced turbine (CHAT), 1A1355
POLSTER, B: Evaluation of the environmental quality of buildings towards a more environmentally conscious design, 7A1526
POLUBINSKY, AS: Advancements in the theory of heat transfer in rock masses destroyed by openings (Polish), 4A1273
POLUYANOVICH, VY: Non-stationary heat exchange in brakes, 2A931
POLYAK, D: Concept of automatic control for a passenger car clutch, 2A935
POLYAKHOVA, EN: Planar heliocentric roto-translatory motion of a spacecraft with a solar sail of complex shape, 3A289
POLYAKOV, NA: Homogeneous solutions and Saint-Venant problems for a naturally twisted rod, 7A500
POLYAKOVA, LN: Nonsmooth and nonconvex structural analysis algorithms based on difference convex optimization techniques, 5A757
POLYAKOVA, NP: Three-dimensional deformation of the bilayered half-space under the effect of the surface mobile load (Russian), 9A474
POLYCARPOU, AA: Two-component mixed friction model for a lubricated line contact, 11A830
POLYMEROPOULOS, CE: Temperature distribution in an optical fiber draw tower furnace, 2A1253
POLYMILIS, C: Recurrence time in the homoclinic tangle, 1A295
- Distribution of periodic orbits and the homoclinic tangle, 8A297
POMEAU, Y: Freezing and boiling between parallel plates, 4A1221
POMERLEAU, A: Adaptive control: Practical aspects and application to a grinding circuit, 10A426
POMERY, PJ: Laboratory wear testing of polyurethane elastomers, 12A990
POMFRET, MJ: New approach to the design of fan volute profiles, 1A1102
- Three-dimensional viscous flow simulation in a backswept centrifugal impeller at the design point, 2A1107
- Performance prediction of a backswept centrifugal impeller at off-design point conditions, 5A1100
- Natural vibration of a beam-water interaction system, 8A277
POMIES, F: Influence of water and accelerated aging on the shear fracture properties of glass-epoxy composite, 3A705
POMMER, C: Buckling of an elastic rotating beam, 8A599
POMMIER, S: Crack closure effect on crack growth rate at 650°C in double notched specimens of a nickel base superalloy, 5A620
- Influence of a negative R ratio on the creep-fatigue behavior of the N18 nickel base superalloy, 8A743
POMP, A: Linear, first-order shell model for transverse isotropic material under a uniform change of temperature, 4A1259
PONCE, J: Computing four-finger equilibrium and force-closure grasps of polyhedral objects, 8A424
PONCE, MA: Response time and viscosity of electrorheological fluids, 8A1206
PONCELET, O: Energy velocity of complex harmonic plane waves in viscous fluids, 8A262
PONIKAROV, N: Problem of equilibrium length of a bridged crack, 12A815
PONNAMBALAM, K: New formulation for the stochastic control of systems with bounded state variables: An application to a single reservoir system, 3T980
PONNIAH, DA: New techniques in the elastic analysis of arch bridges using image processing, 6A902
- Fill stresses in a new brick arch bridge subject to heavy axle-load tests, 11A813
PONOMARYOV, VK: Principles of surface effect vehicle control in extended range of altitudes, 1A374
PONS, G: Modelisation des deformations differees des betons a hautes performances: Relation entre le retrait et le fluage (French), 1A512
PONS, JL: Nonlinear Performance Index: A tool for manipulator dynamics improvement, 10A533
PONS, M: Second law analysis of adsorption cycles with thermal regeneration, 3A1216
- Numerical investigation of adsorptive heat pump systems with thermal wave heat regeneration under uniform-pressure conditions, 4A1244
- Characteristic parameters of adsorptive refrigeration cycles with thermal regeneration, 7A1345
- Analysis of the adsorption cycles with thermal regeneration based on the entropic mean temperatures, 11A1357
PONTER, ARS: Limit state solutions, based upon linear elastic solutions with a spatially varying elastic modulus, 6A527
- Shakedown state simulation techniques based on linear elastic solutions, 6A512
PONTES , MT: Use of numerical wind-wave models for assessment of the offshore wave energy resource, 12A1499
PONTES, MT: Offshore Technology, Volume I, 1N30
PONTES, T: Modeling the effect of shelter in the modification of waves from the open sea to nearshore, 8A1507
PONTICIELLO, A: Multidimensional transient conduction analysis by generalized transfer functions tables, 11A1309
PONTRELLI, G: Flow of a viscoelastic fluid between two rotating circular cylinders subject to suction or injection, 8A500
PONZINI, G: Differential system method for the identification of transmissivity and storativity, 11A1447
POOLTON, J: Concurrent engineering assessment: A proposed framework, 2A360
POON, CC: Transient temperature during the vaporization of liquid on a pulsed laser-heated solid surface, 2A1228
POON, YM: Fracture toughness and damage propagation of ultrahigh-modulus polyethylene fiber-reinforced composites, 9A755
POORMON, KL: Perforation of aluminum plates with ogive-nose steel rods at normal and oblique impacts, 6A255
POOROOSHASB, HB: Analysis of behavior of stone columns and lime columns, 8A685
POP, I: Unsteady flow past a stretching sheet, 1T974
- MHD stability of boundary layer flow over a moving flat plate, 1A1087
- MHD flow over a moving flat plate with a step change in the magnetic field, 1A1086
- MHD free convection from a vertical semi-infinite flat plate with a step change in the magnetic field, 2T1164
- Free convection from cylinders of elliptic cross-section in micropolar fluids, 3A1237
- Conjugate natural convection heat transfer between two porous media separated by a vertical wall, 3A1240
- Transient free convection from a vertical plate subjected to a change in surface heat flux in porous media, 4A1217
- Boundary layer flow over a continuously moving wavy surface in micropolar fluids, 4A1040
- Transient thermal convection in a spherical enclosure containing a fluid core and a porous shell, 4A1218
- Free convection of non-Newtonian power-law fluid from a vertical wavy surface with uniform surface heat flux, 4A1192
- Natural convection in porous media near L-shaped corners, 4T1216
- Unsteady penetration of free convection flows caused by heating and cooling flat surfaces in a porous media, 5A1195
- Numerical study of unsteady free convection from a sphere in a porous medium, 5A1192
- Flow and heat transfer over a longitudinal circular cylinder moving in parallel or reversely to a free stream, 5A984
- Transient free convection about a horizontal circular cylinder in a porous medium with constant surface flux heating, 6A1236
- MHD squeezing flow between two parallel discs, 7A1162
- Combined heat and mass transfer by natural convection in a saturated thermally stratified porous medium, 8A1451
- Combined heat and mass transfer by natural convection with opposing buoyancy effects in a fluid saturated porous medium, 9A1232
- Magnetohydrodynamic boundary layer flow and heat transfer on a continuous moving wavy surface, 9A1135
- Free convection from a vertical plate in a porous medium subjected to a sudden change in surface heat flux, 9A1436
- Conjugate film flow down a heated vertical wall, 10T1145
- Radiation effect on Darcy free convection flow along an inclined surface placed in porous media, 10A1310
POPE, AN: Advanced seals for engine secondary flowpath, 1A922
POPE, CJ: Simultaneous particle and molecule modeling: An approach for combining sectional aerosol equations and elementary gas-phase reactions, 12A1113
POPE, GA: Micellar-polymer physical-property models for contaminant cleanup problems and enhanced oil recovery, 1A1387
POPE, M: Mathematical model of the impact response of the seated subject, 1A1453
POPE, MH: Upper extremity attenuates intermediate frequency vibrations, 7A1542
POPE, SB: PDF model calculations of compressible turbulent flows using smoothed particle hydrodynamics, 11A1090
- Calculations of swirl combustors using joint velocity-scalar probability density function method, 12A1131
POPELAR, CF: Multiaxial nonlinear viscoelastic characterization and modeling of a structural adhesive, 12A508

POPELKA, D: Results of an aeroelastic tailoring study for a composite tiltrotor wing, 10A321
POPIEL, CO: Viscosity correction factor for rotameter, 4A1176
POPLI, JK: Case study of safe lowering of an in service gas pipeline, 12A1524
POPOV, AA: Bifurcation analysis of the dynamics of a simplified shell model, 10A128
POPOV, EP: Constitutive model for 3D cyclic analysis of concrete structures, 7A821
POPOV, GY: Diffraction of elastic waves by spherical defects, 8A236
POPOV, IY: Solvable model for the transmission of sound through a screen with narrow slit in the presence of a low-Mach-number bias flow, 2A278
- Hydrotron: Creep and slip, 2A958
POPOV, V: BEM solution for the problem of flux of a multicomponent mixture of gases out of a multilayered landfill, 3A1362
POPOV, VG: Diffraction of elastic shift waves on radially distributed rigid inclusion (Russian), 9A189
POPOV, VK: Thermal and diffusion processes in laser-induced stress relaxation and reshaping of cartilage, 12A1537
POPOVA, SL: Hydrotron: Creep and slip, 2A958
POPOVIC, S: Nd: YAG laser-based dual-line Rayleigh scattering system, 10A1272
POPOVICI, AM: Prestack migration by split-step DSR, 4A1379
POPOVICS, JS: Approach for wave velocity measurement in solid cylindrical rods subjected to elastic impact, 3A218
POPP, K: Dynamics With Friction: Modeling, Analysis and Experiment, Parts I and II, 12N13
POPP, P: Analysis of wall heat fluxes, reaction mechanisms, and unburnt hydrocarbons during the head-on quenching of a laminar methane flame, 7A1393
POPPLEWELL, N: Non-uniform, axially loaded Euler-Bernoulli beam having complex ends, 2A124
- Free vibrations of a stepped, spinning Timoshenko beam, 12T161
POPRAWE, R: Free boundary problem related to laser beam fusion cutting: ODE approximation, 9A1271
PORAT, I: Novel vibratory device for angular rate measurement, 11A321
PORBAHA, A: Geotextile reinforced lime treated cohesive soil retaining walls, 3A612
- Centrifuge modeling of geotextile-reinforced cohesive soil retaining walls, 3A602
PORCELLI, PC: Influence of capillary pressure, adsorption and dispersion on chemical flood transport phenomena, 3A1348
- Influence of phase behavior on chemical flood transport phenomena, 3A1349
PORCO, G: Experimental evaluation of thermal effects on the tensile mechanical properties of pultruded GFRP rods, 10A608
POROCHOVSKII, V: Scattering of an obliquely incident plane acoustic wave by a circular cylindrical shell: Results of computations, 5A245
POROWSKI, JS: Weight-saving plastic design of pressure vessels, 11A825
POROWSKI, S: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
PORRAL, F: Measurements of friction in cold metal rolling, 1A643
PORTEIRO, JLF: Wake development in turbulent subsonic axisymmetric flows, 2A1024
PORTER , JR: Investigation of the role of processing in the high temperature creep of whisker-reinforced alumina composites, 3T650
PORTER, D: Approximations to wave trapping by topography, 5A184
PORTER, LJ: Vibration reduction using multi-hump input shapers, 12A405
PORTER, ML: Quantifying the kinematics of natural and prosthetic knee flexion, 5A1481
- Automated method for assessing routine radiographs of patients with total hip replacements, 12A1575
PORTER, R: Trapped modes about multiple cylinders in a channel, 11A191
PORTER, WP: Mixed convection heat and moisture transfer from a horizontal furry cylinder in a transverse wind, 9A1225
PORTMAN, VT: Automated synthesis of surface generation equations with application to gearing, 3A902
- Theory of form-shaping systems and its application to grinding machines, 7A625
POSASHKOV, SA: New explicit solutions of quasilinear heat equations with general first-order sign-invariants, 7A1305
POSCHMANN, P: Preconditioning technique for indefinite linear systems, 12A54
POSIADALA, B: Influence of crane support system on motion of the lifted load, 5A877
POSKROBKO, S: Brittle fracture in plate elements with sharp notches under mixed-mode loading, 11A677
POSOKHIN, VN: Calculating separated flows near sinks, 1A1006
POSPISIL, S: Resonance testing of the torsionally loaded RC slabs, 1A848
POSTAIRE, J-G: Feature extraction and selection for fault detection in production of glass bottles, 4A472
POSTEL, M: Statistical inversion from reflections of spherical waves by a randomly layered medium, 5A161
POSTLETHWAITE, I: Multivariable Feedback Control: Analysis and Design, 12R17
POSTON , RW: Detecting voids in grouted tendon ducts of post-tensioned concrete structures using the impact-echo method, 2A734
POSTON, DI: High-thrust-high-specific impulse gasdynamic fusion propulsion system, 10A1437
POSTON, T: Catastrophe Theory and Its Applications, 7N10
POSYLKIN, M: Effects of injection timing on performance and droplet characteristics of a sixteen-valve four cylinder engine, 8A1429
POTAPOV, A: Distortions of reconstruction for chaotic attractors, 8A94
POTAPOV, AI: Nonlinear waves in elastic bar, 6A233
- Variational principle in the mechanics of liquid crystals, 8A1069
POTAPOV, VD: Influence of damping forces randomly changing in time on the stability of nonconservative systems, 1A110
- Stochastic flutter of elastic and viscoelastic in a supersonic flow, 4A257
- Investigation of the stability of elastic and viscoelastic rods under a stochastic excitation, 9A586
- Stability of elastic and viscoelastic systems under action of random stationary narrow-band loads, 11A540
POTAPOV, VN: Object-oriented programming of FEM for continuum mechanics problems - Part 1: Ideology of the object-oriented approach and its application to the FEM, 12A53
POTEKHA, V: System analysis in tribological tests, 7A1223
POTEL, C: Behavior of lamb waves and multilayered Rayleigh waves in an anisotropic periodically multilayered medium: Application to the long-wave length domain, 5A155
POTEMKIN, MM: Structural analysis of surface roughness parameters, 2A922
- Development of friction surface wear resistance criteria, 2A854
POTERASU, VF: Multicriterial material tailoring of a hollow cylinder in functionally gradient materials: Scheme to global reduction of thermoelastic stresses, 3A529
POTHAN, LA: Short banana fiber reinforced polyester composites: Mechanical, failure and aging characteristics, 11A467
POTKONJAK, V: Design of tactical and executive level of redundant robot control via distributed positioning, 6A430
- Solution of constrained motion robot tasks via kinematic redundancy, 10A536
POTRA, FA: Formulating 3D contact dynamics problems, 6A105
POTRZEBOWSKI, J: Application of FRC in construction of the underground railway track, 4A568
POTTER, GE: Bowed stators: An example of CFD applied to improve multistage compressor efficiency, 10A1244
POTTER, TEC: Spatial repeatability of measured dynamic tire forces, 2A498
- Road-damaging potential of measured dynamic tire forces in mixed traffic, 2A497
POTTHAST, R: Fast new method to solve inverse scattering problems, 4A309
POTTI, SV: Prediction of impact induced penetration and delamination in thick composite laminates, 7A204
POTTS, DM: New versatile expression for yield and plastic potential surfaces, 3A578
- Analysis of progressive failure and cracking in old British dams, 6A906
POUIT, F: Stability study, error estimation, and condition number for semi-implicit schemes using incremental unknowns, 5A51
POULIKAKOS, D: Solidification phenomena in picoliter size solder droplet deposition on a composite substrate, 4A1228
- Natural convection in a porous cavity saturated with a non-Newtonian fluid, 5A1188
- Experiments on double-diffusion in a composite system comprised of a packed layer of spheres and an underlying fluid layer, 8A1456
POULIQUEN, O: Study of the origin of shear zones in quasi-static vertical chute flows by using discrete particle simulations, 8A1164
POULOS, HG: Simplified method for design of underpinning piles, 3A598
- Pile response due to excavation-induced lateral soil movement, 8A665
POULSEN, JS: Kink band initiation and band broadening in clear wood under compressive loading, 9A492
POULSEN, PN: Flat triangular shell element with Loof nodes, 5A486
POULSEN, TG: Effects of vapor extraction on contaminant flux to atmosphere and ground water, 3T1474
POUMARAT, G: Articular cartilage, morphology and mechanical properties (French), 6T1533
POURBOGHRAT, F: Bend allowance and developed length calculation for pressbrake bending, 11A573
POURKASHNIAN, M: Computational study of pressure effects on pollutant generation in gas turbine combustors, 8A1416
POURQUIE, M: Status of large eddy simulation: Results of a workshop, 11A1115
POURQUIER, O: Condition number and diagonal preconditioning: Comparison of the p-version and the spectral element methods, 1A19
POURSABA, M: Ceramic hybrid bearings in air-cycle machines, 11A482
POURSARTIP, A: Energy-based approach to impact damage in CFRP laminates, 12A244
POURTAKDOUST, SH: Investigation of periodic orbits in elliptical galaxies using the method of implicit functions, 3A294
POUSSIGUE, G: Elastic wave-propagation simulation in heterogeneous media by the spectral moments method, 4A1369
POUTET, J: Effective mechanical properties of random porous media, 4A6
POUYET, J: Determination of the elastic constants of materials, in the form of plates, by a free vibration method, 2A132
POVIRK, GL: Reinforcement redistribution in Al-SiC composites under cyclic deformations, 9A478
POVITSKY, A: Parallelization efficiency of CFD problems on a MIMD computer, 11A78
POWELL, EA: Comparison of design optimization formulations for minimization of noise transmission in a cylinder, 10A356
POWELL, RE: Performance of high-strength concrete corbels, 3A785
POWELL, SM: Efficient multi-level substructuring with constraints for buckling and vibration analysis of prismatic plate assemblies, 8A604
POWER, H: Simulations in Biomedicine IV, 11N40
- BEM solution for the problem of flux of a multicomponent mixture of gases out of a multilayered landfill, 3A1362
- Boundary element analysis for the motion of a porous body near a plane wall, 3A51
- Application of a C^{∞} continuous element to the evaluation of hypersingular integrals, 3T50
- Boundary element analysis of creeping flow past two porous bodies of arbitrary shape, 5A921
- Low Reynolds number motion of a porous particle near a plane interface, 6A1024
- Three-dimensional scattering of seismic waves from topographical structures, 7A194
- Two-dimensional scattering of P, SV and Rayleigh waves: Preliminary results for the Valley of Mexico, 11T181
POWER, JL: Whistler-driven, electron-cyclotron-resonance-heated thruster: Experimental status, 1A1379
POWER, RK: Orientation and formability of orthotropic sheet metals, 10A729
POWERS, BM: High strain rate properties of Cycom 5920-1583 cloth glass-epoxy composites, 9A523
POWERS, EJ: Perspective: Measurements and analyses of nonlinear wave interactions with higher-order spectral moments, 9A1106
POWERS, JM: Numerical predictions of oblique detonation stability boundaries, 3A253
- Numerical investigation of transient detonation in granulated material, 4T1328
POWERS, LM: Reliability analysis of uniaxially ground brittle materials, 5A457
- Durability evaluation of ceramic components using CARES-LIFE, 11A483
POWRIE, W: Limit equilibrium analysis of embedded retaining walls, 6A662
- Ground response during diaphragm wall installation in clay: Centrifuge model tests, 6A664
POYELLE, R: Second-law analysis of adsorptive refrigeration cycles: The role of thermal coupling entropy production, 5A1123
POZHARSKII, DA: Indentation of a punch into an elastic 3D wedge as a model of contact interaction between the surfaces of gearing teeth, 8T952
POZHUEV, VI: Propagation of antiplane self-balanced elastic waves from the boundary of a half-space, 4A201
- Three-dimensional deformation of the bilayered half-space under the effect of the surface mobile load (Russian), 9A474
POZRIKIDIS, C: Introduction to Theoretical and Computational Fluid Dynamics, 8R17
- Simple shear flow of suspensions of liquid drops, 3A1074
- Numerical studies of singularity formation at free surfaces and fluid interfaces in 2D Stokes flow, 8A1067
- Shear flow over a protuberance on a plane wall, 9A1012
- Unsteady heat or mass transport from a suspended particle at low Peclet numbers, 9A1063
- Effect of surfactants on drop deformation and on rheology of dilute emulsions in Stokes flow, 12A1110
PRABAVATHI, C: Determination of far-field pattern of rigid scatterers using independent FEM and eigenfunction expansion - Part 1: Axisymmetric scattering, 4A292
- Determination of far-field pattern of rigid scatterers using independent FEM and eigenfunction expansion - Part 2: Nonaxisymmetric scattering, 4A293
PRABHAKAR, O: Fracture mechanics approaches to coating strength evaluation, 2A692
PRABHAKARA, DL: Vibration, buckling, and parametric instability behavior of plates with centrally located cutouts subjected to in-plane edge loading (tension or compression), 8A608
PRABHAKARAN, R: Blunt notch extended compact tension specimen for the study of short and long crack propagation, 9T723
PRABHU, A: Transitional intermittency distribution in a 3D constant pressure diverging flow, 3A1108
- Experimental studies of a distorted turbulent spot in a 3D flow, 7A1087
PRABHU, BS: Experimental investigation on the static and dynamic characteristics of journal bearings under the influence of twisting misalignment, 7A160
- Experimental investigation on the misalignment effects in journal bearings, 10A994
- Effects of journal misalignment on the performance characteristics of three-lobe bearings, 12A1011
PRABHU, SM: Artificial neural network based robot control: An overview, 1A392
PRABHUDUTT, J: Mathematical programming formulation and optimum design of robot control system, 6A964
PRADHAN, TBS: Experimental study on the consolidation efficiency and the equivalent diameter of cross shaped drain (Japanese), 8T647
- Experimental study on the consolidation efficiency of a plastic board drain for larger depth of soft clay (Japanese), 10A688
PRAH, ME: Temperatures in a fuel particle burning in a fluidized bed: The effect of drying, devolatilization, and char combustion, 7A1412
PRAKASH, A: Desorption of soil contaminants due to rainwater infiltration, 3A1465
- Investigation of cyclic plastic strain response and fracture behavior of steel-based metal-matrix composites, 7A742
- Steady natural convection in a two-layer system of immiscible liquids, 9A1220
- Tensile deformation and fracture behavior of a tool-steel-based metal-matrix composite, 9A763
PRALL, D: Properties of a chiral honeycomb with a Poisson's ratio of -1, 6A556
PRAMILA BAI, BN: Erosion of A356 Al-SiC_p composites due to multiple particle impact, 9A716
PRANDLE, D: Tidal characteristics of suspended sediment concentrations, 9A1001
PRASAD, A: Lift-off characteristics and flame base structure of coal seeded gas jet flames, 5A1334
- Instability of the shear layer separating from a bluff body, 8A1135
PRASAD, AK: Combined forced and natural convection heat transfer in a deep lid-driven cavity flow, 4A1206
- Derivation of Rayleigh number for nonpenetrative thermal convection, 8T1280
PRASAD, AM: Transfer functions for rigid rectangular foundations, 6A1430
PRASAD, BK: Dry sliding wear characteristics of some zinc-aluminum alloys: A comparative study with a conventional bearing bronze at a slow speed, 4A884
PRASAD, BKR: Parametric sensitivity of fracture behavior of concrete, 1A776
PRASAD, BSV: Sizing and passage arrangement of multistream plate-fin heat exchangers, 4A1243
PRASAD, BVSSS: Analysis of 3D transient heat condition for predicting wire erosion in the wire electrical discharge machining process, 11A1308
PRASAD, D: Stability of stratified flow of large depth over finite-amplitude topography, 3A1020
PRASAD, JK: Estimation of shock-cell structure of axisymmetric supersonic free jets, 2A1022
PRASAD, JVR: Parallel methods for turbulence simulation and helicopter-response prediction, 2A1112
PRASAD, NNV: Thermomechanical fatigue crack growth, 3A669
PRASAD, PL: Estimation of machining errors using the concept of cyclic symmetry, 9A667
PRASAD, V: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
PRASAD, YVSN: Lateral capacity of helical piles in clays, 6A659
PRASANTH, A: Algorithm for 2D and 3D automatic structured mesh generation, 3A41
PRASANTH, RK: Interpolation approach to multiobjective H_∞ design, 5A292
PRASERTSAN, S: Heat pump dryer - Part 2: Results of the simulation, 7A1343
- Heat pump dryer - Part 1: Simulation of the models, 7A1347
PRASHAD, H: Evaluation of dynamic coefficients of a two-lobe journal bearing using an electrical analogy approach, 1A917
- Diagnosis of failure of rolling-element bearings of alternators: A study, 3A872
PRASIL, B: Elastoplastic analysis of repeated moving contact: Application to railways damage phenomena, 2A899
PRASKOVSKAYA, EA: Fractal geometry of isoconcentration surfaces in a smoke plume, 3T1467

PRASKOVSKY, AA: Fractal geometry of isoconcentration surfaces in a smoke plume, 3T1467
PRAT, PC: Tangential stiffness of elastic materials with systems of growing or closing cracks, 9A728
PRATAP, CR: Mechanisms of a kinematic chain and the degree of structural similarity based on the concept of link-path code, 1A932
- Computer aided detection of isomorphism among binary chains using the link-link multiplicity distance concept, 1A929
- Freedom analysis of planar kinematic chains using the concept of distance, 3A913
- Detection of isomorphism among kinematic chains using the distance concept, 11A863
PRATEEPCHAIKUL, G: Heat pump dryer - Part 2: Results of the simulation, 7A1343
- Heat pump dryer - Part 1: Simulation of the models, 7A1347
PRATHAP, G: Accurate thermal stress predictions using C^0-continuous higher-order shear deformable elements, 10A1379
PRATO, J: Exit flowfield of an embedded stator in a multistage axial flow compressor, 9A1178
PRATT, MM: Aspects of choking in two-phase flow, 4A1022
PRATT, RG: Improved inversion through use of the null space, 11A1472
PRAVDINA, MH: Planar flow model for the vortex chamber flow - I: Turbulent viscosity in the near-axis region, 6T1106
PRAZAK, J: Liquid transport in porous media, discontinuous phenomena - Part II: Examples, 11A1453
PRAZEWSKA, M: Inspection of reliability of unit production objects, 9A617
PREBLE, JC: Small Solar Probe, 4A867
PRECUP, R-E: Combination of sliding mode control and fuzzy control, 10A435
PREDELEANU, M: Dynamic cavitation problem in viscoplastic solids, 4T516
PREDIN, A: Torsional vibrations at guide-vane shaft of pump-turbine model, 10A244
PREDTECHENSKY, AA: Plume dynamics in quasi-2D turbulent convection, 9A1338
PREECE, FR: Expected seismic behavior of older steel structures, 6A1436
PREHN, JG: Aerodynamic design of the George Washington Univ solar car sunforce 1, 9A1169
PREITL, S: Combination of sliding mode control and fuzzy control, 10A435
PRELLS, U: Regularization method for the linear error localization of models of elastomechanical systems, 5A721
- Applications of system identification and the role of regularization, 9A302
PREMA KUMAR, WP: Finite element analysis of laminated shells with exact through-thickness integration, 8A585
PRENDERGAST, PJ: Analysis of crack propagation paths at implant and bone-cement interfaces, 5A1519
- Biophysical stimuli on cells during tissue differentiation at implant interfaces, 10A1540
PRENDIVILLE, PL: Ultrasonic technique for the measurement of the elastic moduli of human cornea, 5A1516
PRENTICE, DJ: New techniques in the elastic analysis of arch bridges using image processing, 6A902
- Fill stresses in a new brick arch bridge subject to heavy axle-load tests, 11A813
PRESCOTT, PJ: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Influence of electromagnetic stirring on the solidification of a binary metal alloy, 2A1189
PRESSER, C: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
PRETE, TW: Specification, development, and testing of the FT8-2 dry low NO_x control system, 1A1369
PREUMONT, A: Vibration Control of Active Structures: An Introduction, 12R19
- Active damping of structures with guy cables, 9A354
PREVOST, JH: Evaluation of sheet pile-ring countermeasure against liquefaction for oil tank site, 3A1373
- Adaptive meshing for dynamic strain localization, 6A630
- Automated band identification procedure for dynamic strain localization, 6A631
- Partitioned solution procedure for simultaneous integration of coupled-field problems, 10A73
PREVOSTO, M: Joint PDF parametric models for the rate of upcrossings of the acceleration for a nonlinear stochastic oscillator, 3A125
PRICE , WG: Statistical Energy Analysis: An Overview, with Applications in Structural Dynamics, 6N9
PRICE, AJ: Small scale aluminium-epoxy peel test specimens and measurement of adhesive fracture energy, 8A806
PRICE, D: Intercomparison of coastal area morphodynamic models, 12T1060
PRICE, DC: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
- Numerical study of a low permeability microporous heat sink for cooling phased-array radar systems, 1A1402
- Numerical characterization of micro heat exchangers using experimentally tested porous aluminum layers, 5A1190
- Thermal contact conductance of a paper-elastomer interface, 11T1312
- Experimental determination of permeability and inertia coefficients of mechanically compressed aluminum porous matrices, 11T1335
PRICE, GR: Pressure oscillations occurring in a centrifugal compressor system with and without passive and active surge control, 11A1156
PRICE, MA: Hexahedral mesh generation of medial surface subdivision - Part II: Solids with flat and concave edges, 6A66
PRICE, RK: Neural network model of rainfall-runoff using radial basis functions, 3T1407
PRICE, SJ: Nonlinear dynamics of an airfoil forced to oscillate in dynamic stall, 1A1089
- Post-Hopf-bifurcation response of an airfoil in incompressible 2D flow, 2A80
PRICE, WG: Explicit finite-difference methods for nonlinear dynamic systems: Froude's pendulum, 3A110
- Natural vibration of a beam-water interaction system, 8A277
- Transient analysis of the ship-water interaction system excited by a pressure water wave, 11A23
PRIDATCHENKO, YV: Electrorheological effect of reducing the suspension viscosity in laminar flows below the viscosity of anisotropic dispersive medium, 6A1019
PRIDE, SR: Electroseismic wave properties, 3A1354
PRIESTLEY, MJN: Seismic Design and Retrofit of Bridges, 12R44
- Seismic performance of circular columns with low longitudinal reinforcement ratios, 2A782
- Displacement-based seismic assessment of reinforced concrete buildings, 11A781
PRIESTLEY, SJ: Effect of trailing edge flaps on the performance of a yacht with a winged keel, 2A1067
PRIEUR DU PLESSIS, J: Simplified control-volume FEM, 3A1046
PRIGOZHIN, L: Variational model of sandpile growth, 1A1381
- Bean critical-state model in superconductivity, 1A610
PRIKHOD'KO, OG: Effect of solid lamellar lubricants on tribological characteristics of composites based on aromatic polyamides, 5T815
PRIKHODKO, OG: Effect of structure upon triboengineering properties of phenylon, 1A13
PRIKRYL, K: Sound field simulation of the tractor's gearbox structure using structural and acoustic interactions, 9A292
PRIMACHENKO, OV: Effect of initial stresses on the intensity coefficient and preliminarily stressed elastic layer weakened by circular crack (Russian), 1A740
PRIMAS, RJ: ESIS TC6 round robin on fracture toughness, 10A849
PRIME, MB: Surface strains due to face loading of a slot in a layered half-space, 1A448
PRIMICERIO, M: Spherically symmetric Stefan problem with the Gibbs-Thomson law at the moving boundary, 1A1239
- Analysis of phase transition models, 5A1238
PRIMROSE, EJF: Inverse analysis of a planar two-spring system, 3A402
PRINSENBERG, SJ: Ice stress measurements from land-fast ice along Canada's Labrador coast, 6A1515
PRINZ, B: Determination of stress gradients in fibrous composites by X-ray diffraction from fillers, 11A490
PRINZ, JF: Cybermouse: A simple method of describing the trajectory of the human mandible in three dimensions, 10A1524
PRINZEN, FW: Relation between torsion and cross-sectional area change in the human left ventricle, 7A977
PRIOUL, C: Crack closure effect on crack growth rate at 650°C in double notched specimens of a nickel base superalloy, 5A620
- Influence of a negative R ratio on the creep-fatigue behavior of the N18 nickel base superalloy, 8A743
PRISTON, A-M: Adhesion in fiber reinforced plastics investigated by means of acoustic emission, 1A814
PRITCHARD, AJ: Structured perturbations for two classes of linear infinite-dimensional systems, 1T359
- Stability radii of systems with stochastic uncertainty and their optimization by output feedback, 4T328
PRITCHARD, CJ: Improved method of determining time-domain transient performance bounds from frequency response uncertainty regions, 7A337
- Determination of time-domain signal levels at the specification stage in quantitative feedback theory controller synthesis, 7A336
PRITZ, T: Analysis of four-parameter fractional derivative model of real solid materials, 2A86
- Dynamic Young's modulus and loss factor of floor covering materials, 5A250
PRIVALKO, VP: Thermodynamic characterization of carbon black-filled rubbers, 3A1219
PRIVARNIKOV, YK: Study of the effect of low perturbing actions on the shell stability (Russian), 9T593
PROAKIS, JG: Performance of high-rate adaptive equalization on a shallow water acoustic channel, 4A287
PROBERT, PJ: Interpretation of phase and intensity data from AMCW light detection sensors for reliable ranging, 4A448
PROBSTEIN, RJ: Bimodal model of suspension viscoelasticity, 12A1049
PROCHNICKI, W: Influence of ship propulsion control system structure on torque transients, 3A1179
PROCHOWSKI, L: Dynamic loads in automotive suspension, 4A856
- Modeling of tire and road interaction (Polish), 9A162
- Modeling the tires non-uniformity as a car vibrations cause (Polish), 9A163
PROCTOR , MRE: The √2:1 resonance in non-Boussinesq convection, 4A1203
PRODROMOU, AG: Relationship between shear angle and wrinkling of textile composite preforms, 10A598
PROEHL, JA: Barotropic thin jets over arbitrary topography, 12T1493
PROKHOROV, VP: Radiation properties of a semi-transparent composite matrix with the particles at a metal-dielectric phase transition, 5T1255
PROKIC, A: New warping function for thin-walled beams - II: FEM and applications, 6A568
- New warping function for thin-walled beams - I: Theory, 6A567
PROKOP, R: Design and analysis of simple robust controllers, 10A448
PROKOPENKO, NY: Determination of critical external pressure under dynamic loading of the shells of revolution (Russian), 2A500
PRONCHATOV-RUBTSOV, NV: Fresnel zones for modes, 7A256
PRONOBIS, M: Model investigations of the heat transfer and flow resistance in diagonally finned surfaces (German), 2A1159
PROSKIW, G: Variations in airtightness of houses constructed with polyethylene and ADA air barrier systems over a three-year period, 11A1355
PROSNAK, WJ: Effective method for conformal mapping of multiply connected domains, 6A1014
PROSPATHOPOULOS, AM: Three-dimensional acoustic scattering of a source-generated field from a cylindrical island, 1A320
PROSPERETTI, A: New mechanism for sonoluminescence, 9A1068
PROSSDORF, S: Lifting line equation for a curved wing in oscillatory motion, 10A1221
PROST-DOMASKY, SA: Note on start-up and large amplitude oscillatory shear flow of multimode viscoelastic fluids, 1A949
PROSTOKISHIN, VM: Scaling laws for fully developed turbulent flow in pipes, 9A1088
PROTOGEROPOULOS, C: Sizing and techno-economical optimization for hybrid solar photovoltaic-wind power systems with battery storage, 11A1541
PROUDMAN, I: Free boundary fluid flow in a trough: A numerical approach, 6A1039
PROUST, S: Rheological interpretation of deposits of yield stress fluids, 3A945
PROVENZANO, NJ: Development of life prediction techniques for structural ceramics, 5A459
PROVIDAKIS, CP: Transient BE analysis of elasto-plastic plates on elastic foundation, 7A62
PROßDORF, SB: Boundary element collocation methods using splines with multiple knots, 5A65
PRUD'HOMME, M: Effect of weak rotation on natural convection in a horizontal porous cylinder, 2A1191
PRUESS, K: Fickian diffusion model for the spreading of liquid plumes infiltrating in heterogeneous media, 1A1386
PRUETT, CD: Semi-implicit method for internal boundary layers in compressible flows, 6A1087
PRUSA, JM: Propagation and breaking at high altitudes of gravity waves excited by tropospheric forcing, 3T246
PRUSAKOV, AP: Analysis of a bend of the transversally isotropic plates (Russian), 6A579
- Theory on bending of laminated plates (Russian), 12A622
PRUSHAK, VY: Investigation of temperature fields developed at friction of material having regular surface topography, 2A863
- Study of friction force influence on the rheology of composites in ring extruder channel, 2A948
- Development of elastomer-based composites and control of their friction and wear, 7A852
PRUSSING, JE: Preliminary study of optimal thrust-limited path-constrained maneuvers, 5A310
PRUSZAK, Z: Statistical properties of multiple bars, 12T1063
PRYSTAY, M: Calibration procedure for focal plane array cameras and noise equivalent material loss for quantitative thermographic NDT, 8A858
PRZEKWAS, AJ: Multigrid algorithm for a multi-block pressure-based flow and heat transfer solver, 3A1043
PRZETAKIEWICZ, W: Morphology of austenite grains in ferritic-austenitic steel 00H20N5M1 (Polish), 9A657
PRZEWLOCKI, J: Random elasticity theory in geotechnical engineering (Polish), 9A68
PRZYBYLSKI, J: Vibration and stability of an elastic column subject to a generalized load, 6A157
PRZYBYLSKI, P: Basic concepts of an open distributed system for cooperative design and structure analysis, 2A57
PRZYSTUPA, W: Chaotic vibration affected by initial conditions in a parametrically and externally excited system with backlash, 4A81
PRZYWARA, B: Development of a parallel direct simulation code to investigate reactive flows, 2A59
PSENCIK, I: Seismic waves in laterally inhomogeneous media - Part I, 6A1416
- Seismic waves in laterally inhomogeneous media IV - Part II, 6A1415
PSILOGLOU, BE: Evaluation of different radiation and albedo models for the prediction of solar radiation incident on tilted surfaces, for four European locations, 2A1432
- New parameterization of the integral ozone transmission, 3A1452
PU , Z: Effect of strain rate on detwinning and superelastic behavior of NiTi shape memory alloys, 1A12
PU, HUA-NAN: Buckling of beam-plates having multiple delaminations, 11A526
PU, LP: Finite element calculation of energy release rate prior to crack kinking in 2D solids, 2A711
- Finite element approach for J, calculation in anisotropic materials, 7A424
PU, Y: Structural system reliability analysis of SWATH ships, 5A800
- Strategy for reliability-based optimization, 7A805
PUCHKA, GN: Nonlinear surface waves in fluid in cylindrical vessel making nonperiodical movements in space (Russian), 2A242
PUCKETT, EG: High-order projection method for tracking fluid interfaces in variable density incompressible flows, 8A1066
PUDJAPRASETYA, SR: BEM-numerics and KdV-model analysis for solitary wave split-up, 9A201
PUENTE LEON, F: Detection of defects in groove textures of honed surfaces, 8A859
PUENTE, I: Localized stress redistribution after fiber fracture in brittle matrix composites, 9A757
- Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, 12A812
PUGH, M: Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, 2T968
- Lubrication approximation for thin viscous films: Regularity and long-time behavior of weak solutions, 2A967
PUI, DYH: Retention of inertialess particles in the near wake region of a 2D flat plate placed normal to an aerosol-laden freestream, 8A1442
PULFORD, DRN: Rotational and vibrational temperature measurements using CARS in a hypervelocity shock layer flow and comparisons with CFD calculations, 1T1091
PULIDO, GA: Quasisteady behavior of pulsatile, confined, counterflowing jets: Implications for the assessment of mitral and tricuspid regurgitation, 5A1502
PULKKINEN, T: Comparative study of shotblasted and electrical-discharge-textured rolls with regard to frictional behavior of the rolled steel sheet surfaces, 12A976
PULKKINEN, TI: Global substorm cycle: What can the models tell us?, 9A1512
PULKO, SH: New boundary treatment for TLM diffusion models and its use with hexagonal meshes, 5A1247
PULLAN, AJ: Semi-analytic BEM for parabolic problems, 12A70
PULLIAM, TH: Numerical simulation of viscoelastic flow using flux difference splitting at moderate Reynolds numbers, 1A466
PULLIN, DI: Robust low diffusive kinetic scheme for the Navier-Stokes-Euler equations, 10A1103
PULLUM, L: Rapid diagnosis of flow separation around an axial impeller in a mixing vessel, 10A1241
PUN, J: Joint stiffness control of a one-link flexible arm, 12A153
PUNNIYAKOTTY, NM: Advanced analysis and design of spatial structures, 12A910
PURCELL, A: Reflection coefficients for scattering from a pressure-release, sinusoidal surface, 5A242
PURI, KK: Mass transport in contaminated flows, 8A254
PURI, NN: Stable optimal model reduction of linear discrete-time systems, 12A386
PURI, P: Partial Differential Equations and Mathematica, 6N5
- Discontinuities in velocity gradients and temperature in the Stokes' first problem with nonclassical heat conduction, 8A1047
PURI, R: Dry ultralow NO_x "Green Thumb" combustor for Allison's 501-K series industrial engines, 8A1417

PURNODE, B: Flows of polymer solutions through contractions - Part 1: Flows of polyacrylamide solutions through planar contractions, 3A1109
PURO, A: Photoelastic tomography for 3D flow birefringence studies, 10A1271
PURWANTO, PE: Musculoskeletal model of the human lower extremity - Part 1: Modeling of the knee joint, 3A1493
PURZER, NR: Fluidized bed studies of carbon particle oxidation: Gas phase surface products and surface area evolution, 2A1358
PUSEY, H: 50 Years of Shock and Vibration Technology, 10N5
PUSSEGODA, LN: Crack arrest toughness of a heat-affected zone containing local brittle zones, 6A797
PUSTELNY, T: Electroluminescent effect and its application to electric field intensity measurements, 4A447
PUSZKARSKI, H: Brillouin zone mapping of the existence conditions for interface bilayer spin-waves: Effects of the configuration of the film magnetization, 2T534
PUTCHA, CS: Comparative statistical study for the ultimate stress in unbonded post-tensioning, 10A946
PUTERBAUGH, SL: Unsteady flow and shock motion in a transonic compressor rotor, 7A1190
- Tip clearance flow-shock interaction in a transonic compressor rotor, 7A1189
- Flow field unsteadiness in the tip region of a transonic compressor rotor, 9A1181
- Unsteady aerodynamic flow phenomena in a transonic compressor stage, 10A1250
- Three-dimensional shock loss model applied to an aft-swept, transonic compressor rotor, 12A1189
PUTTA, S: Turbulent velocity field in isothermal and heated liquid flow through a vertical annular channel, 1A1164
- Velocity field in isothermal turbulent bubbly gas-liquid flow through a pipe, 4A1027
PUTZ, R: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
PUZRIN, A: Effect of degradation on seismic response of Israeli continental slope, 8A638
PUZRIN, AM: New versatile expression for yield and plastic potential surfaces, 3A578
PYATNITSKII, YS: Complete controllability criteria for classes of mechanical systems with bounded controls, 8A377
PYRAH, IC: One-dimensional consolidation of layered soils, 4T644
- Equipment for 1D compression and triaxial testing of unsaturated granular soils at low stress levels, 12A691
PYRAK, S: Design and construction of covered triple septic chamber (Polish), 2A848
- Damage of precast prestressed storage bin after 30 years of exploitation, 2A850
PYRYEV, YA: Transient response in a 1D model of thermoelastic contact, 3A1274
- Nonuniqueness and stability in Barber's model of thermoelastic contact, 3A1271
- Quasistatic thermoelastic contact problem for infinite two-layer circular cylinder under friction heating, 7A1352
PYRZ, M: Minimum weight design of trusses using heuristic rules, 9A830
PYSHER, DJ: Development of ceramic composite hot-gas filters, 1A1357
PYTHOUD, F: Separation of arterial pressure waves into their forward and backward running components, 2A1461
- Effects of friction and nonlinearities on the separation of arterial waves into their forward and backward components, 4A1492

Q

QADDOUMI, N: Microwave detection and depth determination of disbonds in low-permittivity and low-loss thick sandwich composites, 1A826
- Microwave diagnosis of low-density fiberglass composites with resin binder, 6T837
QAISI, MI: Analytical solution of the forced Duffing's oscillator, 2A72
- Power series approach for the study of periodic motion, 4A97
- Power series solution for the nonlinear vibration of beams, 8A137
QAMMAR, HK: Stall precursor identification in high-speed compressor stages using chaotic time series analysis methods, 12A1182
QASSEM, W: Model prediction of vibration effects on human subject seated on various cushions, 1A1470
- Mechanical properties of catgut in holding and bonding fractured bones, 4A1488
QI, DT: New approach to the design of fan volute profiles, 1A1102
QI, GANG: Discrete wavelet decomposition of acoustic emission signals from carbon-fiber-reinforced composites, 11A750
QI, HS: Formation mechanism of adherent layers on a cutting tool, 3A854
- Analysis of grinding temperatures by energy partitioning, 6A702
- Experimental investigation of contact behavior in grinding, 9T668
- Contact length in grinding - Part 1: Contact length measurement, 11A618
- Formation of an adherent layer on a cutting tool studied by micro-machining and FE analysis, 12A734
QI, HUI: Asymptotic solution to the antiplane shear dynamic crack-tip field in an elastic strain-softening viscoplastic material, 10A840
QI, LONGXI: Water and salt movements in simultaneous flood-irrigation and well-drainage operations, 6A1477
QI, YULIN: Effect of two-phase liquid lubricant on fatigue life, 7A903
QI, YUNQIAN: Restatement of first-order shear-deformation theory for laminated plates, 6A440
QIAN , RENZHANG: New principle of ignition and flame stability for low-volatile pulverized coal with slitted bluff-body burner, 5A1329
QIAN, CAI-FU: Symmetric branching of Mode II and mixed-mode fatigue crack growth in a stainless steel, 1A698
- Mixed-mode fatigue crack growth in stainless steels under biaxial loading, 1A696
- Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - I: Sequential emission, 4A733
- Edge dislocations emitted along multiple inclined slip planes from a Mode I crack - II: Simultaneous emission, 4A734
- Interaction of a thin-film-covered mode III crack with screw dislocations: Emission of a screw dislocation dipole from the interface, 5A647
- Interaction between edge dislocations around the tip of a crack, 6A769
QIAN, CAIFU: Finite element analysis of a subsurface crack, 3A720
QIAN, CF: Effect of Mode II fatigue loading on Mode I fatigue growth, 7A646
QIAN, DE-XING: Viscous scale effects on propeller tip vortex cavitation, 7T1182
QIAN, F: Laser deposition of hydroxyapatite coatings, 3T661
QIAN, G: Tensile toughness test and high temperature fracture analysis of thermal barrier coatings, 9A786
QIAN, J: Experimental values of Kolmogorov constant of turbulence, 3A1142
- Fatigue crack growth under mixed-mode I and II loading, 5A580
- Mixed mode fatigue crack growth: A literature survey, 6A717
- Regimes of coalescence and separation in droplet collision, 8A1117
- Response of spherical premixed flames under rotation, 12A1364
- Spreading of unsteady cylindrical diffusion flames, 12A1393
QIAN, JUN: Oblique edge crack and an internal crack in a semi-infinite plane acted on by concentrated force at arbitrary position, 7A713
- Circular rigid punch with one smooth and another sharp ends on a half-plane with edge crack, 10A561
- Property of eigenvalues and eigenfunctions for an interface V-notch in antiplane elasticity, 10A846
QIAN, MIN: Dynamics in a chain of overdamped pendula driven by constant torques, 8A81
QIAN, QIN: Dynamic analysis of arrest of buckle propagation on a beam on a nonlinear elastic foundation by FEM, 10A658
QIAN, RENZHANG: Analysis of thermal injury process based on enzyme deactivation mechanisms, 11A1580
QIAN, RONG: Simulation of the stochastic damage evolution process under low cycle fatigue by the FEM, 4A726
QIAN, W: Calculation of stress intensity factors for interlaminar cracks in composite laminates, 12A797
- Use of finite extension strain energy release rates in fracture of interfacial cracks, 12A796
QIAN, YUAN-YAO: Nonlinear FE simulation of superelastic shape memory alloy parts, 7A494
QIAN, YY: Thermomechanical analysis of shape memory devices, 9T850
QIAN, ZHENGFANG: Two dimensional texture study based on a double-slip model of polycrystal plasticity with analysis of thin-walled tubes under torsion, 4A520
QIAN, ZHIXIONG: Effect of loading frequency on fatigue crack growth under high temperature, 2A618
QIAN, ZILI: Pore shape effects during consolidation processing, 5A545
QIAO, GUANJUN: Mechanical and environmental factors in the cyclic and static fatigue of a machinable glass-ceramic, 7A667
QIAO, H: Robotic assembly operation strategy investigation without force sensors through the research on contact point location and range of peg movement, 4A456
QIAO, PIZHONG: Multiobjective material architecture optimization of pultruded FRP I-beams, 4A811
QIAO, XIN: Prediction of the mechanical properties of 3D braided composites, 12A588
QIAO, XINQI: Key technique of laser measurement of fuel spray field (Chinese), 4A1181
- Sync laser measurement of two-phase of vapor and liquid and 3D concentration of fuel spray (Chinese), 10A1270
QIAO, Z: Convection in a porous medium induced by an inclined temperature gradient with mass flow, 11T1263
QIAO, ZONG-CHUN: Limit cycle analysis of a class of strongly nonlinear oscillation equations, 1T126
QIAO, ZONGCHUN: Nonlinear stability of convection in a porous medium with inclined temperature gradient, 7A1452
- Nonlinear convection with inclined temperature gradient and horizontal mass flow, 8A1285
QIEN, HL: Effect of geometric gap between cylinder and reinforcement pad on local stresses: Axial thrust load on nozzle, 11A826
QIMI, JIANG: Design of cam, steel-strip function mechanism, 6A941
QIN, FEI: Determination of an equivalent elastic modulus for bodies with cracks by BEM, 4A773
QIN, FUHAO: Dynamic smoothing in crosswell traveltime tomography, 7A1465
QIN, HAOMING: Error analysis on measurement of vibration intensity based on dual transducers, 4A171
QIN, JH: Effect of the formulation of nonlinear terms on aliasing errors in spectral methods, 3A60
QIN, N: Computational study of supersonic lateral jet flow interactions, 4A1063
QIN, QH: Nonlinear analysis of thick plates by HT FE approach, 2A508
- Nonlinear analysis of thick plates on an elastic foundation by HT FE with p-extension capabilities, 5A483
- Fracture and damage analysis of a cracked body by a new BE model, 11A728
QIN, QING HUA: Branched interface cracks between two piezoelectric materials, 6T766
QIN, QING-HUA: Transient plate bending analysis by hybrid Trefftz element approach, 4A142
QIN, S: Holographic evaluation of edge delamination in bars bonded to a rigid support with foam-adhesive, 1A803
- Extent of stretching during deep drawing, 4A665
- Determination of sample size in service inspection, 8A763
QIN, SHAOWEN: Micromechanical analysis of surface defects, 6A522
QIN, SHENGLI: Problem of the nonlinear unsymmetrical bending for cylindrically orthotropic circular thin plate with variable thickness, 11A506
QIN, W: Liquid flow in the anisotropic wick structure of a flat plate heat pipe under block-heating condition, 8A1371
QIN, WEN-XIN: Dynamics in a chain of over-damped pendula driven by constant torques, 8A81
QIN, XUEZHI: Variable step explicit difference method for parabolic partial differential equations (Chinese), 6A60
QIN, Y: Finite element simulation of the influence of die-elasticity on component dimensions in forward extrusion, 7A602
- Spatial decay estimates for flow in a porous medium, 12A1425
QIN, YIPING: Three-dimensional solution of the problem of three fixed centers, 3A283
QIN, Z: Dynamic analysis of tension structures, 7A137
- Model for convective mass transport in liquid phase epitaxial growth of semiconductors, 10A1389
QIU , ZHIPING: Extension of convex models and its improvement on the approximate solution, 8A895
QIU, DAMOU: Study of the master-slave neural network in fault diagnosis of a rotating machinery, 4T430
QIU, DELONG: Solution of periodic heat conduction by indirect BEM based on fictitious heat source, 4A1236
QIU, JI-BAO: Exact modal synthesis techniques using residual constraint modes, 12A216
QIU, JINHAO: Vibration suppression of a cylindrical shell using a hybrid control method, 2A101
QIU, Q: Corrosion of E-glass fibers in acidic environments, 12A771
QIU, QINGJIU: Minimal period solutions of nonlinear Hamiltonian systems, 2T83
QIU, RONG: Method of derivation of Mac-Millan's equation for the nonlinear non-holonomic system, 3A104
QIU, X: Markov process modeling of groundwater contamination problems, 4A53
- Developing and periodically developed flow, temperature, and heat transfer in a ribbed duct, 4A1190
QIU, YJ: Enhanced mixing with streamwise vorticity, 11A1386
QIU, YP: Energy approach to the plasticity of a two-phase composite containing aligned inclusions, 11A432
QIU, ZHIPING: Bound set of possible eigenvalues of structures with uncertain but non-random parameters, 6A189
QIU, ZL: Experimental study of freely alignable journal bearings - Part 2: Dynamic characteristics, 1A1147
QU , LIANGSHENG: Rotor balancing technique based on load identification (Chinese), 12T191
QU, CHANGZHENG: Generalized lie symmetries and the integrability of generalized Holmes-Rand nonlinear oscillator, 12T118
QU, FUJIN: Experimental study of stress-strain curve of SIFCON in tension (Chinese), 6A546
QU, HAIMING: Study of basicity resistance of high-alumina bricks coating (Chinese), 12A986
QU, J: Long-period ground motions and dynamic strain field of Los Angeles basin during large earthquakes, 4A1419
QU, QINGZHANG: Nonlinear problem of vibration for free edge rectangular plate on elastic foundation (Chinese), 7T529
QU, WEILIAN: Analysis of galloping oscillations of highrise structures, 4T173
QU, YC: Extension of the tip excitation technique to the rotational compliance measurement of curved structures, 8A182
QUADRAT, O: Anomalous electrorheological behavior of magnesium hydroxide suspensions in silicone oil, 3A946
QUADRELLI, BM: Primal and mixed variational principles for dynamics of spatial beams, 5A97
QUADRIO, M: Turbulent boundary layer over riblets: Conditional analysis of ejection-like events, 9A1078
QUALEY, DL: Monte Carlo simulation of radiation heat transfer from an infinite plane to parallel rows of infinitely long tubes: Hottel extended, 8A1365
QUALLS, WR: Orthotropic viscoelastic winding model including a nonlinear radial stiffness, 10A575
QUAN, R: Time varying passive vibration absorption for flexible structures, 11A163
QUAN, X: Impact analysis of laminated composite plates and shells by super FEa, 6A259
QUAN, YOULI: Seismogram synthesis for radially layered media using the generalized reflection-transmission coefficient method: Theory and applications to acoustic logging, 1A1416
- Seismic attenuation tomography using the frequency shift method, 11A1477
QUANDIEU, P: Effects of perfusion on the mechanical behavior of the brain exposed to hypergravity, 9A1581
QUANDT, GA: Evaluation of several wind turbine trailing-edge aerodynamic brakes, 5A1450
QUARANTA VOGLIOTTI, C: Cellular automata in fuzzy backgrounds, 12A360
QUARINI, G: Hydrodynamic modeling of sedimentation tanks, 1A964
QUARINI, GL: Mass transfer by simultaneous dropwise condensation and particle deposition, 5A1315
QUARTAPELLE, L: Calculation of incompressible viscous flows by an unconditionally stable projection FEM, 9T1025
QUARTERONI, A: Spectral-domain decomposition methods for the solution of acoustic and elastic wave equations, 1A1417
QUASCHNING, V: Numerical simulation of current-voltage characteristics of photovoltaic systems with shaded solar cells, 3A1453
QUAST, P: Acceleration feedback control of MDOF structures, 3A737
QUATTRONE, R: Passive and active tagging of glass-fiber polymeric composites for in-process and in-field non-destructive evaluation, 9A497
QUDDUS, A: Statistical aspects of $CaCO_3$ fouling in AISI 316 stainless-steel tubes, 12A1322
QUECEDO, M: Mixed displacement-pressure formulation for numerical analysis of plastic failure, 7A558
QUEEN, J: Fracture detection using crosswell and single well surveys, 9A1468
QUEGAN, S: Modeling microwave backscatter from discrete random media using a multiple-scattering series: Convergence issues, 10A392
- Regularization method for calculating engineering loads from strain data, 12A491
QUEHEILLALT, DT: Laser ultrasonic studies of solid-liquid interfaces, 8A852
QUENARD, D: Multiscale structures to describe porous media - Part I: Theoretical background and invasion by fluids, 9A1417
- Multiscale structures to describe porous media - Part II: Transport properties and application to test materials, 11A1450
QUERRY, M: Behavior of cold-rolling oil-in-water emulsions: A rheological approach, 10A732
QUEUTEY, P: Two-dimensional turbulent viscous flow simulation past airfoils at fixed incidence, 8A1234
QUI, KEJIAN: Water and salt movements in simultaneous flood-irrigation and well-drainage operations, 6A1477
QUI, XIDING: Effects of loading patterns on the pressure-sinkage relation of dry loose sand, 2A818
QUICKERT, M: Determination of acoustic absorber parameters in impedance tubes, 10A100
QUIGLEY, RM: Comparison of laboratory-measured GCL hydraulic conductivity based on three parameter types, 12A690

QUILTY, EG: Water-level changes in response to the December 20, 1994 earthquake near Parkfield, California, 12A1466
QUINN, D DANE: Transition to escape in a system of coupled oscillators, 12A131
QUINN, DF: Simulation of void growth in WC-Co hardmetals using crystal plasticity theory, 4A528
QUINN, S: Thermoelastic stress analysis of a GRP tee joint, 12A1347
QUINN, TFJ: Computational methods applied to oxidational wear, 5A850
QUINTANA, DL: Heat transfer in the forced laminar wall jet, 12A1252
QUINTANILLA, R: Saint-Venant's principle in linear elastodynamics, 1A434
- Uniqueness in nonlinear theory of porous elastic materials, 9A435
QUINTARD, DR M: Advances in heat transfer in porous media, 7A1447
QUINTARD, M: Determination of permeability tensors for two-phase flow in homogeneous porous media: Theory, 1A1385
QUINTERN, J: Biomechanical model of the human knee evaluated by neuromuscular stimulation, 3A1483
QUIRK, JJ: Dynamics of a shock-bubble interaction, 2A229
- Nonlinear stability and detonability limit of a detonation wave for a model three-step chain-branching reaction, 11A1068
QUIROS, DA: Experimental analysis of the convection in conduits with wavy walls, 7A1237
QURESHI, J: Stress transfer across interfaces in reinforced concrete due to aggregate interlock and dowel action, 10A942

R

RAAD, PE: Implicit multidomain spectral collocation method for the simulation of gas bearings between textured surfaces, 4A830
- Introduction of micro cells to treat pressure in free surface fluid flow problems, 11A949
- Free surface mixing with heat transfer, 11A1222
RAAMACHANDRAN, J: Analysis of composite plates using charge simulation method, 7A532
- Boundary element analysis of skew plates using a new fundamental solution, 12T74
RAASCH, CC: Muscle coordination of maximum-speed pedaling, 10A1576
RAASCH, S: Roll vortices and boundary-layer development during a cold air outbreak, 12T1508
RABAH, R: Exact controllability and complete stabilizability for linear systems in Hilbert spaces, 8A364
RABAS, TJ: Turbulent flow in integrally enhanced tubes - Part 1: Comprehensive review and database development, 1A1074
- Turbulent flow in integrally enhanced tubes - Part 2: Analysis and performance comparison, 1A1075
RABAU, G: Excitation of the Stoneley-Scholte wave at the boundary between an ideal fluid and a viscoelastic solid, 12A232
RABBANI, MG: Direct formulation FEM for 2D groundwater pollution modeling with a comparison with conventional FEM, 1A1445
RABBATH, PAB: Optical and pressure measurements in shock tunnel testing of a model scramjet combustor, 10A1435
RABBITT, MJ: Validation of standard, modified and nonlinear k-ε turbulence models, 10A1197
RABEEH, BM: Tensile behavior of a silicon carbide fiber-reinforced titanium matrix composite, 5A446
RABEMANANTSOA, M: Robotic assembly for computer-integrated manufacturing, 6A443
RABIEJ, S: X-ray diffraction investigations of the crystallinity of a semicrystalline polymer blended with an amorphous copolymer, 4T502
RABIEN, U: Ship geometry modeling, 2A937
RABIN, Y: Incorporation of phase-change materials into a ground thermal energy storage system: Theoretical study, 3A1266
- Combined solution of the inverse Stefan problem for successive freezing-thawing in nonideal biological tissues, 10A1531
RABINOVICH, BI: Recursive numerical algorithm for conformal mapping in 2D hydrodynamics, 4A998
RABINOWITZ, PD: New regional hypocenter location method, 2A1375
RABISCHONG, E: Surface action potentials related to torque output in paraplegics' electrically simulated quadriceps muscle, 4T1484
RABISCHONG, P: Muscular stabilization of the lumbar spine (French), 6T1528
- Modern method of motion analysis: Application in normal and pathologic shoulder's abduction (French), 6T1544
RABITZ, H: Explicit method for parameter identification, 10A413
RACCA, G: LUVIMS lunar UV and IR mapping spectrometer, 6A328
RACCA, GD: Global lunar gravity recovery from satellite-to-satellite tracking, 6A1404
RACE, A: Cross-sectional area measurement of soft tissue: A new casting method, 3A1517
RACHER, P: Effet des conditions aux limites sur le comportement des assemblages bois boulonnes (French), 1A501
RACHEV, A: Theoretical study of the effect of stress-dependent remodeling on arterial geometry under hypertensive conditions, 12A1549
RACHKOVSKIJ, DA: Micromechanical engineering: A basis for the low-cost manufacturing of mechanical microdevices using microequipment, 8T416
RACHOWICZ, W: Anisotropic h-adaptive FEM for compressible Navier-Stokes equations, 12A1094
RACK, HJ: Tribological investigation of 2009 Al-20 vol% SiC/17-4 PH - Part I: Composite performance, 2A890
- Tribological investigation of 2009 Al-20 vol % SiC$_p$-17 - 4 PH - Part II: counterpart performance, 2A891
RACKWITZ, R: Moving loads on beams with general boundary conditions, 2A122
- Polynomial approximation of Morison wave loading, 8A1029
RACLOT, J-P: Numerical methods for the simulation of geared transmission dynamic behavior formulation and assessment, 12T1006
RACZKOWSKI, J: Visual simulation and animation of laminar candle flame, 4T1321
RADAIDEH, SM: Powerful numerical technique solving Zakai equation for nonlinear filtering, 12T357
RADAJ, D: Forces and stresses in seam welded overlap joints derived from outer surface deformation, 1A937
- Stress concentration at fictitiously rounded sharp notches in shear loading, 5A391
- Theory of forces and stresses in spot welded overlap joints, 6A978
RADAKOVIC, DJ: Heat transfer in a thin-film flow in the presence of squeeze and shear thinning: Application to piston rings, 11A1253
RADAVICH, PM: Circular concentric Helmholtz resonators, 7A265
- Effect of length on the acoustic attenuation performance of concentric expansion chambers: An analytical, computational, and experimental investigation, 10A389
RADE, DA: Vibration analysis of structures subjected to boundary condition modifications using experimental data, 6A143
RADER, DJ: Virtual cyclone: A device for nonimpact particle separation, 11A1445
RADERMACHER, R: Absorption Chillers and Heat Pumps, 2R34
RADHAKRISHNAN, G: Relationship between the fundamental frequency and static deflections of thin elastic plates, 4T141
- Vibration and stability of simply supported elliptical plates, 6T618
- Uniqueness of angular frequency using harmonic balance from the equation of motion and the energy relation, 9T103
RADHAKRISHNAN, J: Advanced composites with embedded fiber optic sensors for smart applications, 9A487
RADHAKRISHNAN, R: Design rule checker for sheet metal components using medial axis transformation and geometric reasoning, 1A409
RADI, E: Asymptotic solution for mode III crack growth in J_2-elastoplasticity with mixed isotropic-kinematic strain hardening, 2A665
- Effects of anisotropic hardening on crack propagation in porous-ductile materials, 3A711
RADIN, M: Two-stage algorithm for determination of the bending sequence in sheet metal products, 12A460
RADOMINSKI, J: New possibility of the gravimetric inversion of the state of the rockmass affected by expansion of the post-exploitation cavities, 9A651
RADON, JC: Short fatigue crack growth behavior in Al 5083 alloy, 10A776
RADOS, KG: Study of the flow downstream of a wind turbine using measurements and simulations, 12T1177
RAETHER, F: Transient coupled conductive-radiative heat transfer in absorbing, emitting, and scattering media: Application to laser-flash measurements on ceramic materials, 5A1263
RAFFA, FA: Dynamic stiffness method for linear rotor-bearing systems, 1A212
RAFFIN, M: Aerodynamic forces and moments for a re-entry module, 10A1227
RAFFLIN, C: Learning with a friendly interactive robot for service tasks in hospital environments, 6T445
RAFFOUL, CN: Experimental and numerical study of the isothermal flowfield behind a bluff body flameholder, 10A1089
RAGAB, AM: Behavior investigation of concrete slabs subjected to high temperatures, 2A787
RAGAB, SA: Efficient fractional-step technique for unsteady incompressible flows using a semi-staggered grid strategy, 2T40
- Interaction of rolling vortices with a turbulent boundary layer, 11A1020
RAGHAV, MS: Design of single-chamber settling basins, 11T922
RAGHAVAN, J: Time-dependent damage in carbon fiber-reinforced polymer composites, 5A681
- Creep rupture of polymer composites, 11A660
RAGHAVAN, M: Number and dimensional synthesis of independent suspension mechanisms, 3A901
RAGHAVARAO, CV: Natural convection heat transfer of cold water in an eccentric horizontal cylindrical annulus: A numerical study, 5A1150
RAGHUNANDAN, M: Possibility of chemo-mechanical action in magnetic float polishing of silicon nitride, 4T906
RAGHUNATHAN, S: Aerodynamic performance of contra-rotating Wells turbine for wave energy conversion, 8A1236
RAHAIM, CP: Pressure correction Dual Reciprocity BEM solution for heat transfer and fluid flow in incompressible viscous fluids, 12A1083
RAHAL, KN: Simple model for predicting torsional strength of reinforced and prestressed concrete sections, 5A781
RAHLI, O: Analysis of heat transfer with liquid-vapor phase change in a forced-flow fluid moving through porous media, 2A1361
- Fluid flow through randomly packed monodisperse fibers: The Kozeny-Carman parameter analysis, 9A1425
RAHMAN, K: CDM-based computational model for the Timoshenko beam, 9A543
RAHMAN, M: Hertz problem for a rigid punch moving across the surface of a semi-infinite elastic solid, 3A196
- Three-dimensional model of chip flow, chip curl and chip breaking for oblique cutting, 6A699
- Application of the plane section method for determining SIF, 7A717
- Transitions in wear mechanisms of alumina cutting tools, 7A891
- Stress intensity factor for a circular crack in an infinitely long cylinder of an inhomogeneous material under axial loading: A simplified approach, 7A714
- Simulation of dam-break flow with grid adaptation, 9T994
- Elastostatic surface displacements of a half-space reinforced by a thin film due to an axial ring load, 11A459
- Effect of intermittent contact on the stability of thermoelastic sliding contact, 11A1189
- Leakage through flaws in geomembrane liners, 11A569
- Effect of grain size on wear behavior of alumina cutting tools, 12A942
RAHMAN, MM: Modified SIMPLE formulation on a collocated grid with an assessment of the simplified QUICK scheme, 5A1199
- Analysis and design of an air-cycle microclimate cooling device, 6A1356
- Experiment and prediction of a cavity type separated flow, 8A1091
RAHMAN, MS: Probabilistic liquefaction risk analysis including fuzzy variables, 7A571
RAHMAN, S: Fatigue and Fracture - 1996, Volume 1, 4N13
- Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes, 6A1498
- Computer model for probabilistic leak-rate analysis of nuclear piping and piping welds, 8A1512
- Probabilistic fracture analysis of cracked pipes with circumferential flaws, 8A829
- Low-cycle fatigue crack growth considerations in pipe fracture analyses, 12A1510
RAHMAN, Z: Vibration isolation, suppression, and steering, 1A223
RAHMANIAN-SHAHRI, N: Collision-avoidance for redundant robots through control of the self-motion of the manipulator, 2A342
RAHMATTULLA, A: Homogenization of a thermal problem in the plate of a heat exchanger, 11A1321
RAHN, CD: Active boundary control of elastic cables: Theory and experiment, 5A100
RAHNEJAT, H: Blood flow measurement using a highly filled carbon polymer sandwich sensor and an elasto-pseudo compressible vascular flow, 8A1571
RAHNEMA, M: Turbulent wind flow patterns and pressure fields across a tall building, 9T1113
- Numerical study of convective heat transfer from an array of parallel blunt plates, 11A1210
RAHOUADJ, R: Influence of viscoplasticity in the interpretation of the ring test, 1A632
RAHROOH, A: Efficient approach to analysis of generalized systems, 1A345
RAHULKUMAR, P: Singular p-version FEs for stress intensity factor computations, 9A780
RAI, DC: Seismic strengthening of unreinforced masonry piers with steel elements, 6A1368
RAI, S: Integrated structure-control design of high speed flexible robots based on time optimal control, 11A313
RAILKAR, S: Pressurization and heat transfer during twin screw extrusion processing of concentrated suspensions, 8A695
RAISI, A: Temperature distribution and melt pool size in a semi-infinite body due to a moving laser heat source, 11A1329
RAITHBY, GD: Heat transfer by natural convection across a vertical air cavity of large aspect ratio, 5T1148
- Adaptive agglomeration method for additive correction multigrid, 8A53
- Application of a novel algorithm for moving surface flows, 10A1082
RAITT, WJ: Payload environment and gas release effects on sounding rocket neutral pressure measurements, 2A1349
RAIZER, YP: Continuous optical discharge stabilized by gas flow in weakly focused laser beam, 2A984
RAJ, B: Improving the evaluation sensitivity of an ultrasonic pulse echo technique using a neural classifier, 4A796
- Ultrasonic response of various types of code recommended reference defects: A comparative study, 7T792
- Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813
RAJ, KH: Finite element modeling of hot metal forming, 6A681
RAJ, PE: Retrieval of aerosol size index from high-resolution spectroradiometer observations, 7A1437
RAJ, R: Microindentation method for estimating interfacial shear strength and its use in studying the influence of titanium transition layers on the interface strength of epitaxial copper films on sapphire, 8A841
- Influence of microstructural scale on plastic flow behavior of metal matrix composites, 9A511
RAJA SEKHAR, GP: Stokes flow past a porous sphere with an impermeable core, 4A975
RAJA, J: Local slope analysis in the stylus-based assessment of surface integrity, 12T983
RAJADAS, JN: Optimization procedure with analytical aerodynamic sensitivity for reduced sonic boom design, 6A1186
RAJAGOPAL, CJ: Effect of node placement algorithm on adaptive mesh generation, 7A50
RAJAGOPAL, KR: Modeling of electrorheological materials, 1T946
- Generalized nonlinear K-ε model for turbulence that models relaxation effects, 1A1080
- Constitutive theory for the Reynolds-stress closures in turbulence modeling, 1A1078
- Inhomogeneous deformations in finite thermoelasticity, 2A1282
- Chemorheological relaxation, residual stress, and permanent set arising in radial deformation of elastomeric hollow spheres, 2A383
- Flow of a non-Newtonian fluid between intersecting planes, one of which is moving, 5T942
- Deformations of nonlinear elastic solids in unbounded domains, 6A463
- Stability of flows in fluidized beds, 6A1402
- Buoyancy-induced deformations in a compressible elastic solid, 7A397
- Slow motion of a body in a fluid of second grade, 7A1030
- Notes on FEM and its generalization, 7A28
- Continuum theory for the thermomechanics of solidification, 8A719
- Inelastic behavior of materials - Part II: Energetics associated with discontinuous deformation twinning, 11A407
RAJAGOPALAN, AB: Analysis of rockbolt reinforcement using beam-column theory, 10A723
RAJAGOPALAN, C: Improving the evaluation sensitivity of an ultrasonic pulse echo technique using a neural classifier, 4A796
RAJAGOPALAN, D: Sedimentation of a sphere through an elastic fluid - Part 2: Transient motion, 1A986
RAJAGOPALAN, R: Predictor-corrector guidance control scheme for AGV navigation, 6A415
RAJAKUMAR, C: Estimation of error in FE acoustic analysis, 1A332
RAJALINGHAM, C: Closed form approximation of vibration modes of rectangular cantilever plates by the variational reduction method, 5A104
- Vibration of rectangular plates by reduction of the plate partial differential equation into simultaneous ordinary differential equations, 12A188
RAJAMANI, RK: Kinetics of alumina ultrafine grinding in a planetary ball mill, 10A746
RAJAMOHAN, C: Analysis of composite plates using charge simulation method, 7A532
- Boundary element analysis of skew plates using a new fundamental solution, 12T74
RAJAMURTHY, MS: Generation of comprehensive longitudinal aerodynamic data using dynamic wind-tunnel simulation, 8A1235
RAJAN, K: In-situ strain analysis with high spatial resolution: A new failure inspection tool for integrated circuit applications, 1A724
RAJAN, TV: Bearing characteristics of cast leaded aluminum-silicon alloys, 2A856
RAJAN, VN: Cooperation requirements planning (CRP) for multiprocessors: Optimal assignment and execution planning, 1A348
RAJAPAKSE, RKND: Stress analysis of piezoceramic cylinders, 10A677
RAJARAM, H: Time and scale dependent effective retardation factors in heterogeneous aquifers, 7T1517

RAJARATHNAM, N: Three-dimensional turbulent boundary layers: A review, 8A1126
RAJARATNAM, N: Transition from hydraulic jump to open channel flow, 3A973
- Air entrainment at drops, 6A988
- Three-dimensional turbulent boundary layer flow around bridge piers, 10A1057
RAJASEKARAN, S: Artificial fuzzy neural networks in civil engineering, 2A573
- Failure criteria for nonlinear analysis of concrete structures, 5A416
- Stability of structures, 8A593
RAJASEKHARAN, M: Genetic algorithm for determining facility design and configuration of single-stage flexible electronic assembly systems, 4T464
RAJASHREE, SS: Degradation model for one-way cyclic lateral load on piles in soft clay, 7A577
RAJEEV, S: Genetic algorithms-based methodologies for design optimization of trusses, 9A903
RAJENDRAKUMAR, PK: Elastic contact between a cylindrical surface and a flat surface: A non-Hertzian model of multi-asperity contact, 1T439
RAJENDRAN, AM: Modeling the shock response of silicon carbide, boron carbide, and titanium diboride, 1A777
RAJIC, N: Plastic zone size determination by temperature measurement, 7A598
RAJKOVIC, M: Strange attractors and chaotic dynamics in boiling flows, 7A1285
RAJOPADHYE, SV: Propagation of bores II: 3D theory, 3T220
RAJTAR, JM: Pipeline leak detection system for oil and gas flowlines, 8A1152
RAJU, GB: Behavior of pile-supported dolphins in marine clay under lateral loading, 3A595
RAJU, MS: Application of scalar Monte Carlo probability density function method for turbulent spray flames, 6A1328
RAJU, PK: Proceedings of the ASME Noise Control and Acoustics Division, Volume 2, 5N6
- Identification of failure modes of carbon-carbon composites at various processing stages using the acoustic emission technique, 1A820
RAJU, S: R-S adapted arbitrary Lagrangian-Eulerian FEM for metal-forming problems with strain localization, 3A625
RAJURKAR, KP: Dynamic analysis of the ultrasonic machining process, 2A171
- Study of electrochemical jet machining process, 5A562
- Wear of CBN tool in turning of silicon nitride with cryogenic cooling, 8A944
RAKESH: Potential inversion from transmission data for the 1D, wave equation, 12A236
RAKESH,: Impedance inversion from transmission data for the wave equation, 6A263
RAKHA, KA: Morphology model for an eroding beach backed by a seawall, 9T999
- Wave-induced currents in the vicinity of a seawall, 9A1002
- Phase-resolving cross shore sediment transport model for beach profile evolution, 12T1061
RAKHIMOV, RD: Computational mesh construction for numerical analysis of 3D supersonic flow over two bodies, 6T1043
RAKHIT, AK: Improved epicyclic gearbox for reduced and controllable subsynchronous vibrations in gas turbogenerator applications, 12T1004
RAKOPOULOS, CD: Speed and load effects on the availability balances and irreversibilities production in a multi-cylinder turbocharged diesel engine, 7A299
RAKOTOMALALA, M: Hydrodynamic control of boundary layers around a body of revolution in mixed-convection (French), 5A1159
RAKOTOMALALA, N: Miscible displacement between two parallel plates: BGK lattice gas simulations, 11A1074
RALL, DLA: Interaction of solid-rocket exhaust with the atmosphere, 4A1066
RALLIS, E: Optimization of a holographic system for solar power generation, 9A1540
RALLISON, JM: Dissipative stresses in dilute polymer solutions, 8A1002
- Lubrication theory for a fiber suspension - Part 1: Pressure-driven flow in a planar channel having slowly-varying cross-section, 12A1195
- Lubrication theory for a fiber suspension - Part 2: Flow in a journal bearing, 12A1196
RALPH, B: Study of the strength and shape of surface mount technology leadless chip solder joints, 9A980
RALPH, ME: Investigation of cold filling receiver panels and piping in molten-nitrate-salt central-receiver solar power plants, 11A1532
RAM GOPAL, M: Design and performance analysis of a metal hydride air-conditioner, 7A1346
RAM, A: Optimum inverse filtering of seismic signatures, 4T1425
RAM, YM: Free vibration of a string with moving boundary conditions by the method of distorted images, 1A172
- Theory of a multi-dof dynamic absorber, 3A188
- Mass and stiffness modifications to achieve desired natural frequencies, 4A169
- Optimal construction of a mass-spring system with prescribed modal and spectral data, 10A170
RAMACHANDRA, S: Effect of controlled surface topographical features on the unlubricated transfer and wear of PEEK, 12A978
RAMADHYANI, S: Laminar natural convection in a discretely heated cavity - I: Assessment of 3D effects, 11A1232
- Development of fuel burn-up and wall heat transfer correlations for flows in radiant tubes, 11A1421
- Laminar natural convection in a discretely heated cavity - II: Comparisons of experimental and theoretical results, 11A1233
RAMAKRISHNA, S: Effect of fiber material on the energy absorption behavior of thermoplastic composite tubes, 1A536
- Analytical procedure for the prediction of elastic properties of plain knitted fabric-reinforced composites, 7A484
- Analysis and modeling of plain knitted fabric reinforced composites, 7A469
- Characterization and modeling of the tensile properties of plain weft-knit fabric-reinforced composites, 8A539
- Finite element method for prediction of energy absorption capability of crashworthy polymer composite materials, 9A527
- Development of a flexible composite material, 11A458
- Tensile properties of plain weft knitted glass fiber fabric reinforced epoxy composites, 12A572
RAMAKRISHNA, VGST: Behavior of pile-supported dolphins in marine clay under lateral loading, 3A595
RAMAKRISHNAN, CV: Accurate computation of design sensitivities for dynamically loaded structures with displacement constraints, 2A751
- Error estimation in FE transient dynamic analysis using modal superposition, 9A32
RAMAKRISHNAN, N: Determination of the die profile for the investment casting of aerofoil-shaped turbine blades using the FEM, 1A36
RAMALINGESWARA RAO, S: Dynamic response of non-uniform composite beams, 9A149
RAMAMOORTHY, P: Derivation of four-digit airfoils from the Sunya airfoil, 11T1131
RAMAMURTHY, AS: Dividing rectangular closed conduit flows, 6T994
RAMAMURTHY, H: Development of fuel burn-up and wall heat transfer correlations for flows in radiant tubes, 11A1421
RAMAMURTHY, TS: Finite element analysis of an interface crack with large crack-tip contact zones, 1A38
RAMAMURTI, V: Dynamic response of transmission housings, 2A173
- Studies on the determination of natural frequencies of industrial turbine blades, 4A152
- Stress analysis of taper locks, 7A937
- Computer-aided design of a two-stage gearbox, 8A951
- Estimation of machining errors using the concept of cyclic symmetry, 9A667
RAMAMURTY, U: Method for measuring residual strains in fiber-reinforced titanium matrix composites, 1A524
RAMAN, A: Isospectral systems for tapered beams, 6A154
RAMAN, G: Flow characteristics of a rectangular multielement supersonic mixer-ejector, 3A1110
- Screech tones from rectangular jets with spanwise oblique shock-cell structures, 8A314
- Using controlled unsteady fluid mass addition to enhance jet mixing, 9A1099
- Cessation of screech in underexpanded jets, 10A341
- Screech tones of supersonic jets from bevelled rectangular nozzles, 12A309
RAMAN, S: Numerical simulation of a Mesolow over a Gulf Stream filament, 5A1426
RAMANAIAH, G: Note on the flow over a stretching sheet, 1A1027
RAMANAN, VV: Exploiting accurate spinline measurements for elongational material characterization, 8A1013
RAMANATHAN, V: Fluid mechanical considerations in the design of an improved aerator, 7A1073
RAMANI, K: Die-less forming of thermoplastic-matrix continuous fiber composite materials: Process and demonstration, 11A625
RAMANUJACHAR, K: Micromechanisms of tool wear in machining free cutting steels, 2A886
RAMAPRIAN, BR: Velocity measurements over a pitching airfoil, 6A1184
- Measurements of velocity and vorticity fields around a pitching swept wing, 6T1202
RAMARAO, AV: Approximate generalized experimental model for dry sliding adhesive wear of some single-phase copper-base alloys, 2A878
- Analytical model for material removal in abrasive jet machining for brittle materials, 3A626
RAMASAMY, JV: Artificial fuzzy neural networks in civil engineering, 2A573
RAMASUNDARAM, P: Damage in a $[0/90]_s$ nicalon-reinforced CAS glass ceramic composite, 1A755
- Tensile behavior of a silicon carbide fiber-reinforced titanium matrix composite, 5A446
RAMASWAMY, B: ASME Proceedings of 31st National Heat Transfer Conference, Volume 9, 2N44
- Full-scale numerical study of interfacial instabilities in thin-film flows, 5A1034
- Three-dimensional simulation of instabilities and rivulet formation in heated falling films, 8T1069
- Numerical study of 3D incompressible thermal flows in complex geometries - Part I: Theory and benchmark solutions, 11A1267
RAMASWAMY, M: Tone excitation of a supersonic bounded shear layer, 4A1005
RAMASWAMY, R: Designer's spreadsheet, 9A972
RAMBABU, KV: Adequacy of a shear building for modeling open-plane frames under seismic excitation, 8T1483
RAMBLE, DG: Use of a combination frequency technique to measure the surf zone bubble population, 9A298
- Detection of tethered and rising bubbles using multiple acoustic techniques, 10A403
RAMDAN, AI: Seismic response of steel frames coupled with R-C shear walls, 12A1471
RAMÉ, E: Velocity field near moving contact lines, 10A1084
RAMESH KUMAR, M: Dynamic analysis of supporting structure of mobile antenna, 9A899
RAMESH KUMAR, R: Coaxial jets from lobed-mixer nozzles, 2A1021
RAMESH, J: Thermohydrodynamic analysis of submerged oil journal bearings considering surface roughness effects, 7A1220
RAMESH, K: Three fringe photoelasticity: Use of color image processing hardware to automate ordering of isochromatics, 3A732
- Phase-shifting methodologies in photoelastic analysis: The application of Jones calculus, 6A823
- Numerical evaluation of SIF for radial cracks in thick annular ring using cyclic symmetry, 7A721
- Evaluation of stress field parameters in fracture mechanics by photoelasticity: Revisited, 7A775
- Automation of white light photoelasticity by phase-shifting technique using color image processing hardware, 12A858
RAMESH, KT: Analytical and computational investigation of high-rate rheometry, 1A1146
- Finite deformations and the dynamic measurement of radial strains in compression Kolsky bar experiments, 2A467
- Behavior of an elastohydrodynamic lubricant at moderate pressures and high shear rates, 11A1179
RAMESH, MC: Automatic runner balancing of injection molds using flow simulation, 11A1044
RAMESH, ON: Transitional intermittency distribution in a 3D constant pressure diverging flow, 3A1108
RAMESH, P: Nodal sensitivities as error estimates in computational mechanics, 12A69
RAMESH, V: NO_x measurements for combustor with acoustically controlled primary zone, 12A1382
RAMIN, TH: Parallel implementation for solving the 2D Navier-Stokes equations on a cell-centered, unstructured grid, 6A1053
RAMINOSOA, CRR: Hydrodynamic control of boundary layers around a body of revolution in mixed-convection (French), 5A1159
RAMIREZ, J: Stability of stratified flow of large depth over finite-amplitude topography, 3A1020
RAMIREZ, JA: Performance of concrete bridge decks and slabs reinforced with epoxy-coated steel under repeated loading, 2A781
- Performance of epoxy-coated shear reinforcement, 3A773
RAMIREZ, R: Construction of dynamic systems from given integrals, 1A297
RAMIREZ, WF: Implicit Kalman filtering, 8T370
RAMIREZ-PISCINA, L: Phase-field simulations and experiments of faceted growth in liquid crystals, 7A983
RAMKISSOON, H: Long-wave peristaltic transport of a compressible viscous fluid in a finite pipe subject to a time-dependent pressure drop, 7A1093
RAMKUMAR, DHS: Molecular weight distributions from linear viscoelastic measurements, 3A934
RAMM, E: Large elasto-plastic FE analysis of solids and shells with the enhanced assumed strain concept, 1A41
- Constraint energy momentum algorithm and its application to nonlinear dynamics of shells, 4A144
RAMMERSTORFER, FG: Frictional behavior of thermally loaded beams resting on a plane, 1A554
- Thinly coated inclusion with stress free strains in an elastic medium, 4T490
- Determination of effective breadth and effective width of stiffened plates by finite strip analyses, 4A15
- Elastic stress fluctuations in random structure particulate composites, 7A481
RAMMOHAN RAO, V: Interferometric study of interaction of free convection with surface radiation in an L corner, 9A1279
RAMON, H: Influence of tires on the dynamic behavior of a lawn mower, 12A1574
RAMOS, G: Flexural strength of externally pre-stressed concrete bridges, 3A778
RAMOS, J: Assessment of hydrodynamic coefficients of cylinders in heaving, 11A208
RAMOS, JI: One-dimensional models of steady, inviscid, annular liquid jets, 1A978
- Force fields on inviscid, slender, annular liquid jets, 1A1054
- G-jitter effects on mass transfer in annular liquid jets, 3A1286
- Asymptotic and numerical analysis of vertical, planar liquid sheets subject to London-van der Waals forces, 8T1040
RAMOS, NRSS: Free vibration analysis of cylindrical tanks partially filled with liquid, 2A240
- Numerical method for vibration analysis of cylindrical shells, 11A132
RAMOS, RR: Homogenization of heterogeneous piezoelectric medium, 8T630
RAMOS, S: Specific heat measurements under non-equilibrium conditions, 7A1233
RAMPALL, I: Influence of surface roughness on the particle-pair distribution function of dilute suspensions of non-colloidal spheres in simple shear flow, 11A896
RAMPELLO, S: Laboratory study of the strength of four stiff clays, 4A642
RAMSAY, ACA: Effective error estimation from continuous, boundary admissible estimated stress fields, 2A403
- General formulation of equilibrium macro-elements with control of spurious kinematic modes: The exorcism of an old curse, 3A36
RAMSEY, AE: Film cooling from spanwise-oriented holes in two staggered rows, 12A1250
RAMULU, M: Orthogonal cutting of fiber-reinforced composites: A FE analysis, 7A20
- Influence of fiber on the cutting stress state in machining idealized glass fiber composite, 10A736
RANAIVOSOLOARIMANANA, A: Spectral and electrical diagnostics of gliding arc, 2A993
RANDALL, C: Three-dimensional finite difference simulation of sonic logging, 1A340
RANDALL, DA: Closed mesoscale cellular convection driven by cloud-top radiative cooling, 3A1012
RANDALL, RB: Gear transmission error measurement using phase demodulation, 1A207
- Advanced machine diagnostics, 8A839
RANDALL, RE: Hybrid wave model for unidirectional irregular waves - Part II: Comparison with laboratory measurements, 5A181
- Hybrid wave model for unidirectional irregular waves - Part I: Theory and numerical scheme, 5A180
RANDLE, V: Interfacial geometry in simulated rolling and recrystallization textures, 6A521
- Orientation modeling of 2D textures, 11A441
RANDLES , PW: Stress points for tension instability in SPH, 12A246
RANDLES, PW: Smoothed particle hydrodynamics: Some recent improvements and applications, 6A811
RANDOLPH, MF: Centrifuge modeling of piled raft foundations on clay, 6A657
- Torsional piles in non-homogeneous media, 7A581
RANDRIAMAMPIANINA, A: Spatio-temporal behavior in a rotating annulus with a source-sink flow, 6A1137
RANDRIAMANPIANINA, A: Numerical modeling of buoyancy-driven flows in a rotating cylindrical cavity: Comparison of a FE model with a spectral model, 6A1245
RANDRIARIFARA, T: Effect of spanwise system rotation on spatially developing Dean vortices, 7A1094
RANDRUP-THOMSEN, S: One-floor building as elasto-plastic oscillator subject to and interacting with Gaussian base motion, 6A898
RANERO, IB: Efficient 2D vortex method with long time accuracy, 1A991
RANGA RAJU, KG: Fractionwise calculation of bed load transport, 2T954
RANGA RAO, MP: Imploding shocks in a non-ideal medium, 5A192
RANGAN, BV: Studies on high-strength concrete columns under eccentric compression, 5A782
RANGANATH, VR: Finite element solutions for stress intensity factors in longitudinally cracked cylindrical components, 7A719
RANGANATHAN, N: Equivalent constant amplitude concepts examined under fatigue crack propagation by block loading, 5A578
RANGANATHAN, R: Impact of liquid load shift on the braking characteristics of partially filled tank vehicles, 3A381
RANGANAYAKULU, C: Effects of inlet fluid flow nonuniformity on thermal performance and pressure drops in crossflow plate-fin compact heat exchangers, 3A1261
- Effects of longitudinal heat conduction in compact plate-fin and tube-fin heat exchangers using a FEM, 6A1285
RANGEL, RH: Multidirectional solidification model for the description of micropore formation in spray deposition processes, 1A1193
- Viscous stagnation-flow solidification problem, 1A1196
- Flame and droplet interaction effects during droplet-stream combustion at zero Reynolds number, 7A1416
- Metal-droplet deposition model including liquid deformation and substrate remelting, 9A1260
RANGER, KB: Time-dependent decay of the motion of a sphere translating and rotating in a viscous liquid, 5A920

RANGWALA, S: Real time control of thermal distortion during pulsed laser welding of optical packages, 2A375
RANJBARAN, A: Mathematical formulation of embedded reinforcements in 3D brick elements, 7A42
RANJITH, K: Asymptotic fields for dynamic crack growth at a ductile-brittle interface, 7A760
RANKIN, CC: Solution of mode jumping phenomena in thin-walled shell structures, 3A561
RANKIN, GW: Numerical study of steady laminar flow through tubes with multiple constrictions using curvilinear co-ordinates, 5A949
RANNACHER, R: Feed-back approach to error control in FEMs: Application to linear elasticity, 11A41
RANSOM, VH: Regularization of two-phase flow models: A comparison of numerical and differential approaches, 12T1112
RANTA, MA: Velocity maximization in downhill skiing, 10A1584
RANTALA, J: Infrared line scanning technique for detecting delaminations in carbon fiber tubes, 9A816
RANZI, E: Wide-ranging modeling study of isooctane oxidation, 6A1346
RAO ADABALA, R: Peristaltic pumping in a circular tube in the presence of an eccentric catheter, 11A1577
RAO, AC: Selection of best frame, input and output links for function generators modeled as probabilistic systems, 1A933
- Hamming number technique - I: Further applications, 9A967
- Hamming number technique - II: Generation of planar kinematic chains, 9A968
- Platform-type planar robots: Topology-based selection for rigidity and work space, 10A535
RAO, AD: Multi-level numerical model of coastal upwelling: A diagnostic study, 7A1495
RAO, AR: Use of an unconventional technique for seismic qualification of equipments, 4A1415
- Vibration problems in vertical pumps: Need for integrated approach in design and testing, 10T245
RAO, BK: Heat transfer to viscoelastic polymer solutions flowing over a smooth cylinder, 9A991
RAO, BN: Vibration and stability of simply supported elliptical plates, 6T618
- Final solution of duffing equation of mixed parity, 12T116
RAO, BV: Use of eigenvalue technique in FE tidal computations, 10A1474
RAO, BVN: Application of domain decomposition in modeling flow and heat transfer problems, 8A1336
RAO, C: Experimental verification of simultaneous forward and backward whirling at different points of a Jeffcott rotor supported on identical journal bearings, 6T175
- Simultaneous forward and backward whirling in a Jeffcott rotor supported on dissimilar hydrodynamic bearings, 12A192
RAO, CN: Selection of best frame, input and output links for function generators modeled as probabilistic systems, 1A933
RAO, CVSK: Fire loads in office buildings, 9A872
RAO, DM: Thermostructural FE analysis of laminated doubly curved composite shells, 12A28
RAO, DRVP: Unsteady convection flow through a pipe of variable gap induced by a travelling thermal boundary wave, 9A1230
RAO, GV: Buckling and post-buckling analysis of moderately thick laminated rectangular plates, 1A592
RAO, IJ: Stability of condensation on horizontal surfaces with noncondensables present, 11A1292
RAO, JRJ: New models for optimal truss topology in limit design based on unified elastic-plastic analysis, 6A852
- Study of concurrent decision-making protocols in the design of a metal cutting tool using monotonicity arguments, 8A974
RAO, JS: Dynamic stress analysis and a fracture mechanics approach to life prediction of turbine blades, 9A775
RAO, KB: Equivalent statistical quadratization and cubicization for nonlinear systems, 11A106
RAO, KP: Upper-bound analysis of friction in metal forming, 4A660
RAO, KUM: Experimental investigations of pick-rock interface temperature in drag-pick cutting, 12A708
RAO, M: Wear and friction of nylon-glass fiber composites in non-conformal contact under combined rolling and sliding, 2A874
- Friction and wear of polymers in non-conformal contacts, 7A863
RAO, MD: Damping of composite tubes with embedded viscoelastic layers, 1A200
- Analysis of modal parameters of adhesively bonded double-strap joints by the modal strain energy method, 11A112
RAO, MM: Computational Fluid Dynamics with Moving Boundaries, 4R1
- Moving boundary computation of the float-zone process, 9A688
RAO, MR: Heat transfer augmentation for the flow of a viscous liquid in circular tubes using twisted tape inserts, 1A1160
RAO, N: Radiative transfer in cirrus clouds - Part IV: On cloud geometry, inhomogeneity, and absorption, 5T1256
- Tool path planning for five-axis machining using the principal axis method, 12A459
RAO, NN: Kinetic theory of nonlinear dust-acoustic waves in a dusty plasma, 9A1129
RAO, NS: Thermohydrodynamic analysis of submerged oil journal bearings considering surface roughness effects, 7A1220
RAO, PM: Simulation of a viscous flow around an oscillating cylinder at low Keulegan-Carpenter numbers, 1A1046
RAO, PP: Six-dof trajectory targeting and optimization for Titan launch vehicles, 12A290
RAO, PS: Behavior of externally prestressed concrete beams with multiple deviators, 2A788
RAO, PVS: Effect of oblateness on the nonlinear stability of L_4 in the restricted three-body problem, 11A234
RAO, SN: Behavior of pile-supported dolphins in marine clay under lateral loading, 3A595
- Lateral capacity of helical piles in clays, 6A659
RAO, SP: Case study of safe lowering of an in service gas pipeline, 12A1524
RAO, SR: Interlaminar stresses in shells of revolution, 6A587
RAO, SS: Generalized hybrid method for fuzzy multi-objective optimization of engineering systems, 2A754
- Distributed modeling and actuator location for piezoelectric control systems, 4T826
- Analysis of uncertain structural systems using interval analysis, 9A64
- Thermopiezoelectric control design and actuator placement, 9A851
- Manipulation of uncertaintics in the determination of optimal machining conditions under multiple criteria, 11A607
RAO, URK: Approach towards fatigue wear modeling, 3A865
RAO, V: State space modeling and control method for multivariable smart structural systems, 3A761
RAO, VS: Robust multiobjective controllers for smart structures, 6A872
RAOOF, M: Prediction of axial hysteresis in locked coil ropes, 4A589
- Structural characteristics of RC beams with exposed main steel, 8T912
- Effect of mean axial load on axial fatigue life of spiral strands, 8A747
- Nonlinear isoparametric finite-strip method, 8A32
RAOUF, RA: Nonlinear analysis of pressurized spinning fiber-reinforced tori, 6A176
RAOUS, M: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 4, 1N33
RAPALLINI, M: Optimal spherical masonry domes of uniform strength, 7A843
RAPARELLI, T: Friction analysis of pneumatic semi-rotary actuators, 7T862
RAPER, RL: Soil stresses under a tractor tire at various loads and inflation pressures, 2A819
- Soil stress state orientation beneath a tire at various loads and inflation pressures, 12A493
RAPOPORT, L: Influence of temperature on failure development in steels under transition to seizure, 1T888
RAPP, DC: Modeling and measurements of soot and species in a laminar diffusion flame, 5A1337
RAPPAZ, J: Mathematical modeling and numerical simulation of induction heating processes, 4A1276
- Spectral pollution in the FE approximation of thin elastic "membrane" shells, 8A68
RAPPITSCH, G: Numerical study of wall mechanics and fluid dynamics in end-to-side anastomoses and correlation to intimal hyperplasia, 3A1512
- Pulsatile albumin transport in large arteries: A numerical simulation study, 5A1501
RAPTIS, A: Heat transfer of a micropolar fluid by the presence of radiation, 2A1252
RASCHKE, U: Support for a linear length-tension relation of the torso extensor muscles: An investigation of the length and velocity EMG-force relationships, 5A1477
- Distributed Moment Histogram: A neurophysiology based method of agonist and antagonist trunk muscle activity prediction, 5A1475
RASETARINERA, P: Accurate finite difference scheme for solving convection-dominated diffusion equations, 7A46
RASHED, AA: Seismic response of steel frames coupled with R-C shear walls, 12A1471
RASHED, YF: Evaluation of the stresses in the BEM for Reissner plate-bending problems, 10A637
RASHID, MM: Incremental objectivity in cyclic shearing deformations, 7A33
- New theory for free-surface formation in solid continua, 11A671
RASHIDI, M: Three-dimensional microscopic measurement and analysis of chemical flow and transport in porous media, 4A1357
RASHIDI, S: Member stiffness for 3D beam-columns, 12A23
RASKIN, I: Buckling modes at coincident singularities of stiffness matrix, 3A550
RASMUSON, A: Aspects of the modeling of wood chips drying in superheated steam, 9A1302
- High temperature convective drying of wood chips with air and superheated steam, 9A1304
RASMUSSEN, JJ: Formation of a 2D vortex pair and its 3D breakup: An experimental study, 11A938
RASMUSSEN, KB: Ground attenuation of railroad noise, 5A226
RASMUSSEN, KJR: Strength curves for metal columns, 11A807
- Explicit approach to design of stainless steel columns, 12A914
RASMUSSEN, ST: Analysis of dental shear bond strength tests, shear or tensile?, 1A943
RASMUSSEN, TC: Application of the ordinary least-squares approach for solution of complex variable BE problems, 9A51
RASPET, R: Comparison of computer codes for the propagation of sonic boom waveforms through isothermal atmospheres, 5A196
RASPO, I: Oscillatory convection and control by rotation in a large Prandtl number melt during a Czochralski process, 5A1030
RASSEM, M: Engineering perspective for the seismic site response of alluvial valleys, 9A1471
RASSINEUX, A: Three-dimensional mesh adaptation: Optimization of tetrahedral meshes by advancing front technique, 9A49
RASSINOT, P: Ship hull bottom slamming, 11A1130
RASTEGAR, J: Geometrically approximated rotatability conditions for spatial RSRC mechanisms with joint angle limitations, 3A915
- Bernstein-Bezier harmonics and their application to robot trajectory synthesis with minimal vibrational excitation, 6A417
- Effects of the manipulator type on the vibrational excitation during motion, 7A382
RASTEGAR, S: 1996 Advances in Bioengineering, 3N45
RASTOGI, PK: Special issue: Speckle and speckle shearing interferometry - I, 4T805
- Speckle and speckle shearing interferometry - II, 5T729
RASTOGI, SK: Experiments on double-diffusion in a composite system comprised of a packed layer of spheres and an underlying fluid layer, 8A1456
RASTOGI, SR: Quantitative predictions of suspension rheology by nonequilibrium Brownian dynamics and hydrodynamic preaveraging, 12A1050
RASTOIN, S: Review of multiphase flow through chokes, 9A1057
RASTY, J: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3, 1N32
RASZILLIER, H: Further contributions on the 2D flow in a sudden expansion, 8A1149
RATAN, S: On-line identification and location of rotor cracks, 1A216
RATCLIFF, JT: Effects of temperature-dependent viscosity on thermal convection in a spherical shell, 4A1193
RATH, HJ: Flow field of two stratified liquids in the presence of interfacial waves, 3A245
- Three-dimensional instability of axisymmetric buoyant convection in cylinders heated from below, 5A1028
- Damped oscillations of a liquid-gas surface upon step reduction in gravity, 8A271
- Flow in two-sided lid-driven cavities: Non-uniqueness, instabilities, and cellular structures, 10A1153
RATHAKRISHNAN, E: Studies on twin non-parallel unventilated axisymmetric jets, 6A1131
RATHINAM, P: Case study of safe lowering of an in service gas pipeline, 12A1524
RATHISH KUMAR, BV: Natural convection heat transfer from a horizontal wavy surface in a porous enclosure, 8A1307
RATHJE, H: Viscous effects in seakeeping prediction of twin-hull ships, 9A1150
RATHNASINGHAM, R: Coupled fluid-structural characteristics of actuators for flow control, 10A502
RATHOD, HT: Symbolic integration of polynomial functions over a linear polyhedron in euclidean 3D space, 3A77
RATHORE, RPS: Elastic behavior and lattice vibrations in bcc V and Nb, 4T7
RATIU, MD: Serviceability approach for carbon steel piping to intermittent high temperatures, 5A812
RATKE, R: Coupled groundwater flow and transport - I: Verification of variable density flow and transport models, 9A1502
RATKJE, SK: Perturbational thermodynamics of coupled electro-chemical heat and mass transfer, 1A1151
RATTI, C: Solar drying of foods: Modeling and numerical simulation, 11A1543
RAU, G: Noninvasive approach to motor unit characterization: Muscle structure, membrane dynamics, and neuronal control, 10A1523
RAU, M: Wind tunnel study of turbulent flow structure in the convective boundary layer capped by a temperature inversion, 3A1151
RAUCH, GC: Glide avalanche prediction from surface topography, 1A891
RAUCH, W: Real time control of wastewater systems, 7T1523
- Integrated design and analysis of drainage systems including sewers, treatment plant and receiving waters, 7T1520
RAUDENSKY, M: Usage of artificial intelligence methods in inverse problems for estimation of material parameters, 7A67
RAUH, A: Global stability properties of the complex Lorenz model, 6A108
RAUL, R: Numerical calculation of flutter derivatives via indicial functions, 1T290
RAULT, DFG: Aerodynamic analysis of commercial experiment transporter re-entry capsule, 4A859
- Transition regime aerodynamic heating of missiles, 4A1013
RAUPACH, MR: Coherent eddies and turbulence in vegetation canopies: The mixing-layer analogy, 2A1409
- Wind tunnel study of turbulent flow around single and multiple windbreaks - Part I: Velocity fields, 5T1432
RAUSCH, RD: Implicit-multigrid algorithms for incompressible turbulent flows on unstructured grids, 4A1093
RAUSCHENBERGER, V: Recursive model for Rheotens tests, 10A1042
RAUWOLF, GA: Near-optimal low-thrust orbit transfers generated by a genetic algorithm, 6A319
RAVACHOL, M: Comparison between numerical and experimental results on different Hermes elevon shapes, 12T1088
RAVANI, B: Contact stress analysis in ball screw mechanism using the tubular medial axis representation of contacting surfaces, 9A954
- Design of tactile fixtures for robotics and manufacturing, 12A445
RAVEENDRA, VVS: Algorithm for 2D and 3D automatic structured mesh generation, 3A41
RAVEN, HC: Nature of nonlinear effects in ship wave making, 9A1156
RAVENSBERGEN, J: Influence of the blunting of the apex on the flow in a vertebro-basilar junction model, 10A1547
RAVETZ, JR: Problem of model validation for predictive exposure assessments, 12A1527
RAVEZ, M: Application of the FEM for modeling backed transducers, 5A261
RAVI SANKAR, K: Case study of safe lowering of an in service gas pipeline, 12A1524
RAVI TEJA, S: Investigations on the stochastically optimized PID controller for a linear quarter - car road vehicle, 1A372
RAVI-CHANDAR, K: Role of the process zone in dynamic fracture, 6A720
- Role of microcracks in the dynamic fracture of brittle materials, 9A727
RAVICHANDRAN, G: Experimental technique for imposing dynamic multiaxial-compression with mechanical confinement, 1A795
RAVICHANDRAN, M: Computation of isothermal and reacting flows in turbojet afterburners, 1A1337
RAVICHANDRAN, RV: Nonlinear analysis with an axisymmetric thick shell element, 10A70
RAVIGURURAJAN, TS: Turbulent flow in integrally enhanced tubes - Part 1: Comprehensive review and database development, 1A1074
- Turbulent flow in integrally enhanced tubes - Part 2: Analysis and performance comparison, 1A1075
RAVIKIRAN, A: Effect of sliding speed on wear behavior of A356 Al-30 wt% SiC_pMMC, 12A944
RAVINDRAN, K: Finite element modeling of surface tension effects using a Lagrangian-Eulerian kinematic description, 12A1077
RAVINDRAN, R: Strong shock approximation in the new theory of shock dynamics, 11A199
RAVINDRAN, SS: Computations of boundary optimal control problems for an electrically conducting fluid, 4T1104
- Numerical solutions of optimal control for thermally convective flows, 12A369
RAWAL, SP: Measurement of nonlinear damping in a Gr-Al metal-matrix composite, 8A123
RAWES, BC: Critical parameters for specification of prefabricated vertical drains, 10A713
RAWLINGS, RD: Spectral analysis of acousto-ultrasonic waves for defect sizing, 6A832
RAWLINS, D: Combustion oscillation control by cyclic fuel injection, 10A1407
RAWLINS, WT: Infrared measurements of soot formation in diesel sprays, 5A1336
RAWSON, MS: Multiaxial stress concentration in an externally pressurized cylinder with an external circumferential groove, 11A416
RAY, A: Damage-mitigating control of a reusable rocket engine - Part I: Life prediction of the main thrust chamber wall, 4A389
- Damage-mitigating control of a reusable rocket engine - Part II: Formulation of an optimal policy, 4A390
- Nonlinear stochastic model of fatigue crack dynamics, 6A794
- Life-extending control of reusable rocket engines, 10T486
- Robust multivariblc control of rotorcraft in forward flight, 10A497

RAY, C: Finite element analysis of laminated hat-stiffened plates, 6A590
RAY, K: Parametric instability of a dual-cored sandwich beam, 3A552
- Parametric instability of partially covered sandwich beams, 5A96
RAY, MC: Finite element model for active control of intelligent structures, 2A769
RAY, P: Direct measurement of dynamic compressibility modulus: Introducing the K-meter and experimental difficulties (French), 2A282
RAY, RP: Multilevel soil-vapor extraction test for heterogeneous soil, 7T1522
RAY, S: Measurement of nonlinear damping in a Gr-Al metal-matrix composite, 8A123
- Note on the crack problem for a nonhomogeneous plane, 9A731
RAY, SK: Measurement of stretch zone height and its relationship to crack tip opening displacement and initiation J-value in an AISI 316 stainless steel, 2A721
- Dynamic fracture toughness properties of a 9Cr-1Mo weld from instrumented impact and drop-weight tests, 4A778
- Instrumented drop-weight test results for normalized and tempered 9Cr-1Mo steel, 5A1439
- Influence of sodium environment and load ratio (R) on fatigue crack growth behavior of a Type 316 LN stainless steel at 813K, 7A651
RAYNAL, F: Energy saving in chaotic laminar mixing, 11A1385
RAYNAUD, M: Solution of the inverse heat conduction problem from thermal strain measurements, 5A1225
- Microscopic thermal model for dry sliding contact, 5A1236
RAZANI, A: Compressor-driven metal-hydride heat pumps, 11A1358
RAZAQPUR, AG: Frost-induced deformations and stresses in pipelines, 4A872
- Analysis of curved multicell box girder assemblages, 8A16
RAZDAN, MK: Dry ultralow NO_x "Green Thumb" combustor for Allison's 501-K series industrial engines, 8A1417
RAZIN, AV: Reconstruction of a bilinear sound speed profile in a ground-based refraction waveguide, 2A304
READ, PJCL: Thermoelastic stress analysis of a GRP tee joint, 12A1347
READ, PL: Laboratory and numerical studies of baroclinic waves in an internally heated rotating fluid annulus: A case of wave-vortex duality?, 10A1087
- Laboratory study of baroclinic waves and turbulence in an internally heated rotating fluid annulus with sloping endwalls, 11A1106
READ, WW: Efficient analytic series solutions for 2D potential flow problems, 3A995
REAL, CR: Seismic ground-motion hazard mapping incorporating site effects for Los Angeles, Orange, and Ventura Counties, California: A geographical information system application, 12T1445
REALI, M: Dynamics of an oscillating spherical gas-vapor bubble, 5A977
- Cavitation erosion and sonoluminescence at high hydrostatic pressures, 10A871
REARDON, JT: Evaluation of five simple ventilation systems suitable for houses without forced-air heating, 9T1306
REAY, DA: Natural refrigerants for refrigeration and air-conditioning systems, 5A1281
REBAY, S: High-order accurate discontinuous FEM for the numerical solution of the compressible Navier-Stokes equations, 8A1105
REBEIZ, KS: Flexural strength of reinforced polymer concrete made with recycled plastic waste, 3A767
REBENFELD, L: Influence of molecular weight on the morphology and crystallization kinetics of poly(phenylene sulfide) composites, 2A436
REBILLAT, J-C: Sound intensity vector measurement with a two microphone rotative probe (French), 11A268
REBINSKY, DA: Dispersion of flexural waves on shells, 1A230
REBOLLO, TC: Efficient 2D vortex method with long time accuracy, 1A991
REBOUD, JL: Experiments on unsteady cavitation, 8A1032
REBOUILLAT, S: Interactions of Kevlar fibers with selected model compounds: Water sorption and dynamic mechanical properties of fiber-matrix samples, 1A522
REBROV, AK: Processes of molecular energy exchange at the interaction of low-density supersonic flows, 1T999
RECCANELLO, F: Effects of severed tethers in space, 10A233
REDA, DC: New methodology for the measurement of surface shear stress vector distributions, 9A1188
- Simultaneous, full-surface visualizations of transition and separation using liquid crystal coatings, 9T1189
REDAELLI, A: Computational evaluation of intraventricular pressure gradients based on a fluid-structure approach, 5A1496
- Structural model of the left ventricle including muscle fibers and coronary vessels: Mechanical behavior in normal conditions, 9A1582
REDANA, IW: Plane-strain modeling of smear effects associated with vertical drains, 11A555
REDDI, LN: Representative of compacted clay mini-fabric using random networks, 6A645
REDDY , DR: Throughflow method for turbomachines applicable for all flow regimes, 10A1231
REDDY , JN: Unified FE based on the classical and shear deformation theories of beams and axisymmetric circular plates, 12A613
REDDY GORLA, RS: Combined convection in power-law fluids along a nonisothermal vertical plate in a pourous medium, 1A1396
- Radiation effects on MHD free convection flow of a gas past a semi-infinite vertical plate, 1A1256
- Effects of thermal dispersion and stratification on combined convection on a vertical surface embedded in a porous medium, 6A1387
REDDY, BD: Qualitative and numerical analysis of quasi-static problems in elastoplasticity, 8A522
REDDY, ESB: Software to predict the behavior of tension piles, 7A579
REDDY, JM: Design of global control algorithm for irrigation canals, 3T969
REDDY, JN: Mechanics of Laminated Composite Plates: Theory and Analysis, 5R10
- Multigrid methods to accelerate convergence of element-by-element solution algorithms for viscous incompressible flows, 1A994
- Efficient computational model for the stress analysis of smart plate structures, 1A838
- Buckling load relationship between Reddy and Kirchhoff plates of polygonal shape with simply supported edges, 8T602
- Free and forced vibration of cross-ply laminated composite shallow arches, 8A170
- Finite elements based on a first-order shear deformation moderate rotation shell theory with applications to the analysis of composite structures, 12A57
REDDY, KR: Field evaluation of protective covers for landfill geomembrane liners under construction loading, 8A677
REDDY, MP: Multigrid methods to accelerate convergence of element-by-element solution algorithms for viscous incompressible flows, 1A994
REDDY, NC: Numerical simulation of a Mesolow over a Gulf Stream filament, 5A1426
REDDY, NM: Injection cooling of blunt bodies flying at high Mach numbers, 5A962
REDDY, NV: Central bursting and optimal die profile for axisymmetric extrusion, 5A550
- Analysis of axisymmetric tube extrusion, 5A549
REDDY, RN: Powder coating process parameters for a transfer efficiency model, 6A1060
REDDY, TSR: Forced response analysis using a 2D multistage Euler aeroelastic solver, 8A1233
REDDY, YP: Unsteady convection flow through a pipe of variable gap induced by a travelling thermal boundary wave, 9A1230
REDEKOP, D: Instability of a curved pipe under three-point bending, 7A550
- Dynamic response of curved pipes, 8A150
- Natural frequencies and mode shapes of curved pipes, 9A143
REDEKOPP, LG: Global dynamics of symmetric and asymmetric wakes, 8A1155
- Global dynamics and aerodynamic flow vectoring of wakes, 11A1051
REDFIELD, RC: Experimental verification of resistance control semi-active damping, 1A369
REDFORD, A: Cell control architecture for manufacturing applications, 12A461
REDHEAD, AL: Quantifying the kinematics of natural and prosthetic knee flexion, 5A1481
- Automated method for assessing routine radiographs of patients with total hip replacements, 12A1575
REDINIOTIS, OK: Reynolds number effects on vortex breakdown of a blunt-edged delta, 2T1085
- Interaction of rolling vortices with a turbulent boundary layer, 11A1020
REDIONITIS, OK: Proceedings of the ASME Fluids Engineering Division, 4N25
REDMOND, J: Actuator placement based on reachable set optimization for expected disturbance, 2A314
- Nonlinear time-optimal control of a photolithography platen, 8A411
REDMOND, JM: Vibration control for precision manufacturing using piezoelectric actuators, 1A429
REDWOOD, R: Web buckling in thin webbed castellated beams, 3A511
REED, MB: Robust preconditioners for linear elasticity FEM analyses, 10A572
REED, ML: Materials for Mechanical and Optical Microsystems, 9N17
- Control of liquid bridging induced stiction of micromechanical structures, 2A328
REED, SJ: Enhancement of boiling heat transfer using highly wetting liquids with pressed-on fins at low contact forces, 9A1247
REEDER, MF: Investigation of the effect of tabs on supersonic jets using advanced diagnostics, 1A1048
REEDY JR, ED: Interface corner stress states: Plasticity effects, 10A812
- Modeling the initiation and growth of delaminations in composite structures, 11A707
REES, DAS: Effect of inertia on free convection from a horizontal surface embedded in a porous medium, 1A1198
- Free convection from a heated vertical cylinder embedded in a fluid-saturated porous medium, 1A1166
- Effect of thermal stratification on natural convection in a vertical porous insulation layer, 3A1241
REES, DWA: Sheet orientation and forming limits under diffuse necking, 1A496
- Orientation and formability of orthotropic sheet metals, 10A729
REES, M: Assessment of notched tubular ferritic oxide-dispersion-strengthened components subjected to multiaxial creep loading at 1100°C, 10A788
REES, NW: Stability analysis and design for a class of continuous-time fuzzy control systems, 3T330
REESE, S: Comparison of 3D continuum and shell elements for finite plasticity, 1A18
- Note on enhanced strain methods for large deformations, 3A38
- Presentation and comparison of two large deformation viscoelasticity models, 12A509
REEVE, DE: Statistical-dynamical method for predicting long term coastal evolution, 10T1062
REEVES, HW: Multilevel soil-vapor extraction test for heterogeneous soil, 7T1522
REEVES, JS: Subgrade resilient modulus correction for saturation effects, 12A678
REEVES, M: Particle image velocimetry analysis of IC engine in-cylinder flows, 1A809
REFAAT, MH: Novel FE approach to frictional contact problems, 5A851
REFAI AHMED, G: Experimental study of forced convection from isothermal circular and square cylinders and toroids, 8A1265
REGA, G: Bifurcation and chaos in solid and structural dynamics, 2T73
- Nonlinear dynamics and chaos in mechanical systems, 6A120
REGAN, PE: Simulation of punching failure in reinforced-concrete structures, 11A790
REGAN, T: Dynamic stresses and strains in the left ventricular wall based on large deformation theory, 8A1564
REGAR, OMP: Use of tergitol-7 in photogalvanic cell for solar energy conversion and storage: Toluidine blue-glucose system, 1A1434
REGELBRUGGE, ME: Performance of a smart vibration isolator for precision spacecraft instruments, 1A221
- Evaluation of a constitutive model for shape memory alloys embedded in shell structures, 6A511
REGEV, O: Physics with Answers: 500 Problems and Solutions, 12N14
REGISTER, RA: Influence of molecular weight on the morphology and crystallization kinetics of poly(phenylene sulfide) composites, 2A436
REGOLO, V: Multiblock multigrid generation algorithms: Overcoming multigrid anisotropy, 11A53
REGTIEN, PPL: New computer method for temperature measurement based on an optimal control problem, 3A359
REHAGE, H: Nonlinear flow properties of viscoelastic surfactant solutions, 9A988
REHBINDER, G: Theory of single well tests in a leaky aquifer: Analytical solution of non steady flow, 1A1404
- Double packer permeameter with long packers: An approximate analytical solution, 8A1255
- Double packer permeameter with narrow packers: Analytical solution for non-steady flow, 8A1256
- Relaxation of pore pressure in a slender core of a rockfill dam, 10T1052
REHKOPF, PG: New method for assessment of changes in retinal blood flow, 11A1569
REHMAN, FU: Stabilization of a class of nonlinear systems through Lyapunov function decomposition, 12T353
REIBLE, DD: Diffusive transport of organic colloids from sediment beds, 3T948
REICH, C: Effect of preparation parameters on the properties of unidirectional SiC-fiber-reinforced MAS and BMAS glass-ceramics, 12A805
REICH, S: Higher-order semi-explicit symplectic partitioned Runge-Kutta methods for constrained Hamiltonian systems, 10T109
REICHENBACH, H: Uni-axial strain loading of a rubber rod by planar shock waves, 8A213
REICHERT, AW: Design and flow field calculations for transonic and supersonic radial inflow turbine guide vanes, 8A1244
REICHERT, BA: Proceedings of the ASME Fluids Engineering Division, 4N25
- Flow through a rectangular-to-semiannular diffusing transition duct, 9A1089
REICHLE, MS: Seismic hazard estimate from background seismicity in southern California, 4A1390
- Monte Carlo approach in estimating uncertainty for a seismic hazard assessment of Los Angeles, Ventura, and Orange Counties, California, 8A1494
- Seismic ground-motion hazard mapping incorporating site effects for Los Angeles, Orange, and Ventura Counties, California: A geographical information system application, 12T1445
REID, RH: Weight-saving plastic design of pressure vessels, 11A825
REID, SR: Incipient deformation mechanisms of a semicircular cantilever beam subjected to an out-of-plane step-loading, 6A253
- Dynamic elastic-plastic behavior of whipping pipes: Experiments and theoretical model, 6A107
- Tolerance of composite pipes to local impact damage, 8A559
- Out-of-plane impact at the tip of a right-angled bent cantilever beam, 11A117
REIFF, K: CTOD measured by means of a modified Charpy-V-specimen, 8A831
REIFSNIDER, KL: Micromechanical analysis of fiber fracture in unidirectional composite materials, 3A707
REIN, G: Time decay of the solutions of the Vlasov-Poisson system in the plasma physical case, 5A1057
REINARTZ, J: Cervical vertebral strain measurements under axial and eccentric loading, 11A1582
REINAUER, R: Shockwave reduction by chute diffractor, 2A231
REINECKE, WG: Pressure distribution on sabots in hypervelocity flight, 12A1087
REINEMER, G: Processing snow for high strength roads and runways, 6A1518
REINERT, U: Modeling and simulation of the macromechanical nonlinear behavior of fiber-reinforced ceramics on the basis of a micromechanical-statistical material description, 8A548
REINHAND, NO: Optimization of a holographic system for solar power generation, 9A1540
REINHARDT, H-J: Sequential conjugate gradient method for the stable numerical solution to inverse heat conduction problems, 2A1245
REINHARDT, WD: Application of objective rates in mechanical modeling of solids, 3A427
REINHART, WH: Newly designed oscillating viscometer for blood viscosity measurements, 5A1512
REINHOLTZ, CF: Inverse kinematics of serial-chain manipulators, 3A403
REINHORN, AM: Design of supplemental dampers for control of structures, 6A863
- Seismic performance and retrofit evaluation of reinforced concrete structures, 6A1470
REINIKAINEN, T: New method to determine crack shape and size in solder joints, 11A879
REININGER, F: LUVIMS lunar UV and IR mapping spectrometer, 6A328
REINKE, P: Site deactivation techniques for suppression of nucleation in superheated liquid, 12A1276
REINOSO, E: Three-dimensional scattering of seismic waves from topographical structures, 7A194
- Two-dimensional scattering of P, SV and Rayleigh waves: Preliminary results for the Valley of Mexico, 11T181
REINSALU, E: Sustainable phosphate rock mining, 11T1509
REINSCHKE, J: Scattering of sound waves by a cylindrical vortex: A semi-analytical theory, 8A329
REIS, PNB: Fatigue and creep in titanium grade 2, 1A694
REISEL, JR: Laser-induced fluorescence measurements of nitric oxide formation in high-pressure premixed methane flames, 2A1320
REISER, M: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
REISS, T: Multiobjective design of laminated cylindrical shells for maximum torsional and axial buckling loads, 7A551
- Optimal design of symmetrically laminated plates for maximum buckling temperature, 7A548
REISSIG, S: Stability of the $T_{cr_{TT}} < T_{cr_{TS}}$ relation between Vogel temperatures of flow and glass transition against determination variants, 10A1025
REISSNER, E: Anisotropic beam theories with shear deformation, 3A512
REITER, H: Fatigue of carbon-fiber-reinforced plastics under block-loading conditions, 9A704
REITSMA, SH: Numerical simulation of receptivity phenomena in transitional boundary-layer flows, 10A395
REITZ, RD: Temperature wall function formulation for variable-density turbulent flows with application to engine convective heat transfer modeling, 5A1132
- Multidimensional modeling of fuel effects and split injections on diesel engine cold-starting, 7A1392
- Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, 12A1411
REIZES, JA: Motion of interacting gas bubbles in a viscous liquid including wall effects and evaporation, 11A1295
- Prediction of flow and erosion in power utility boilers and comparison with measurement, 12A1329
REJON, L: Response time and viscosity of electrorheological fluids, 8A1206
REKSTAD, J: Study of the heat transfer of rivulet flow on inclined plates, 11A1525

REMBIELINSKI, J: Groups and nonlinear dynamical systems: Dynamics on the SU(2) group, 7A99
REMBOLD, U: Robotics and Autonomous Systems, 2A339
REMIZOV, AE: Study of gas flow characteristics in GTE interturbine diffuser, 1A1096
REMMERS, GM: Dynamic design analysis method, 5A788
REMOISSENET, M: Waves Called Solitons: Concepts and Experiments, Second Edition, 2N12
REMONDINI, L: Generic data structures dedicated to integrated structural design, 1A346
REMPEL, DM: Low profile human tendon force transducer: The influence of tendon thickness on calibration, 9A1599
REMY, JM: Ultrasonic wave attenuation as a tool for estimating frost action on limestone rocks, 5A736
REMY, L: Fatigue failure probability in a powder metallurgy Ni-base superalloy, 11A647
REN , XIAOJING: Exploration on failure diagnosis of electrostatic suspended gyro (Chinese), 12T108
REN, CHUANBO: Fractural analysis for composites with interfacial crack (Chinese), 2A679
REN, DONGYUN: Non-symmetrical large deformation of a shallow thin spherical shell, 5A471
REN, FEN: Theoretical analysis for mechanical erosion of carbon-base materials in ablation, 5A1288
REN, FENZHI: Vertical vibration of pile in vibration-induced excess pore pressure field, 11A563
REN, GEXUE: Analytical approach for large scale non-classically damped dynamic system, 6A109
- Multiple eigenvalues arising from a class of repetitive substructures, 7A127
- Eigenvalue problem for damped gyroscopic systems, 8A87
REN, GX: Reduction method for large scale unsymmetric eigenvalue problems in structural dynamics, 8A125
REN, JG: Wavelet methods for boundary integral equations, 11A56
REN, LIANWEI: Prediction of homogeneous nucleation superheat limits of pure liquids using molecular interaction model (Chinese), 2A1203
REN, LUQUAN: Reducing sliding resistance of soil against bulldozing plates by unsmoothed bionics surfaces, 1A863
REN, MINGFA: Fatigue behavior of sharp-notch specimens under cyclic compressive load (Chinese), 6A725
- Effect of compressive load on overload retardation (Chinese), 10A834
REN, RUSHU: Research on characteristics of density current under the action of waves, 12A257
REN, T: Nonlinearities in the analysis of frames, 5A794
REN, W: Fatigue crack initiation and propagation behavior of pressure vessel steels, 11A645
REN, X: Hydrodynamic flow modeling at confluence of two streams, 3A990
REN, XUGUI: Boussinesq model for simulating wave and current interaction, 7A213
- Open boundary conditions for obliquely propagating nonlinear shallow-water waves in a wave channel, 10A289
REN, YJ: Simulation of multivariate Gaussian fields conditioned by realizations of the fields and their derivatives, 3A64
- Finite element method for stochastic structures with random material properties, 10A64
- New formulation of FEM for deterministic and stochastic beams through generalization of Fuchs' approach, 11A501
REN, Z: Simulation of progressive fracturing under dynamic loading conditions, 8A830
- New model for the numerical determination of pitting resistance of gear teeth flanks, 8A729
REN, ZE-PEI: Fluid flow and convective heat transfer in a vertical porous annulus, 2A1193
RENARDY, M: High Weissenberg number boundary layers for the upper convected Maxwell fluid, 8A1134
- Qualitative correlation between viscometric and linear viscoelastic functions, 8A1014
- Imposing "no" boundary condition at outflow: Why does it work, 8A30
- Temporal evolution of periodic disturbances in two-layer Couette flow, 10A1072
- Re-entrant corner behavior of the Phan-Thien-Tanner fluid, 10T1017
- High Weissenberg number limit of the UCM model and the Euler equations, 11A899
RENARDY, YY: Pattern formation for oscillatory bulk-mode competition in a two-layer Benard problem, 3A1230
- Small-amplitude oscillatory forcing on two-layer plane channel flow, 9A1101
- Temporal evolution of periodic disturbances in two-layer Couette flow, 10A1072
- Snakes and corkscrews in core-annular down-flow of two fluids, 11A1076
- Thin film core-annular flow of upper-convected maxwell liquids, 11A958
RENAUD, F: Dynamical pseudo-spectral domain decomposition technique: Application to viscous compressible flows, 8A1101
RENAUD, JE: Automatic differentiation in robust optimization, 12A882
RENAUDIN, P: Heterogeneous solids - Part I: Analytical and numerical 1D results on boundary effects, 11A376
- Heterogeneous solids - Part II: Numerical 2D results on boundary and other relevant phenomena, 11A377
RENAUT, RA: Rational approximations to $1/\sqrt{1-s^2}$, one-way wave equations and absorbing boundary conditions, 2A297
RENDER, PM: Effects of target curvature on the impact characteristics of simulated hailstones, 12A247
RENEMAN, RS: Tracking markers with missing data by lower rank approximation, 6A1546
- Relation between torsion and cross-sectional area change in the human left ventricle, 7A977
RENIERS, AJHM: Laboratory study of longshore currents over barred and non-barred beaches, 9A1003
RENJI, K: Modal density of composite honeycomb sandwich panels, 3A498
RENMAN, M: Test fixture for eccentricity and stiffness of corrugated board, 2A509
RENNELL, RW: Modeling of yarn geometry: Continuous filament yarns, 7A498
RENNIE, RM: Experimental measurements of dynamic control surface effectiveness, 4A1113
RENSHAW, AA: Modal decoupling of systems described by three linear operators, 10T148
RENTON, JD: Note on the form of the shear coefficient, 10A627
- Pure bending of a solid cone, 11A359
RENTOUL, AH: Strategy for the verification of tolerances by coordinate measuring machines, 2A376
RENZ, U: Multicomponent diffusion interactions during condensation in laminar and turbulent pipe flow, 3A1289
- Detailed flame structure of highly stretched turbulent premixed methane-air flames, 5A1333
REPIN, SI: A posteriori error estimation for elasto-plastic problems based on duality theory, 6A528
REPPERGER, DW: Inverse kinematic control algorithms with a reduced Coriolis component for use in motion simulators, 11A340
REPPLE, KH: Special cloud chambers for investigations into the time-behavior of homogeneously nucleated spontaneous condensation, 4A1226
REQUENA, J: Cyclic fatigue of Al_2O_3 and Al_2O_3-Al_2TiO_5 composites in direct push-pull, 12A754
RESENDE ALMEIDA, A: Comparison of convergence acceleration schemes for eigenfunction expansions of partial differential equations, 5A68
RESENDE, HB: Subsonic-supersonic yawed gust over an airfoil, 7T1167
- Generalized vortex lattice method for planar supersonic flow, 12T1096
RESHEF, M: Use of 3D prestack depth imaging to estimate layer velocities and reflector positions, 7A1477
RESLER JR, EL: Wave cycle design for wave rotor gas turbine engines with low NO_x emissions, 1A1371
RESTUCCIA, L: Coupled electronic-dislocation bulk and surface waves in a deformable semiconductor, 4A628
RETTNER, CT: Determination of accommodation coefficients for N_2 at disk-drive air-bearing surfaces, 12A1225
RETZLER, CH: Predictions of the hydrodynamic performance of the wave rotor wave energy device, 3A1457
REUBEN, RL: Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, 2A732
- Use of cutting force and acoustic emission signals for the monitoring of tool insert geometry during rough face milling, 8A867
REULING, J: Variational models for quasi-static Bingham fluids, 2T946
REUT, VV: Stress state problem for a box-shaped shell weakened by a crack outgoing to a rib, 4A738
REUTELER, DM: High Rayleigh number convection at finite Prandtl number with weakly temperature-dependent viscosity, 6A1233
REUTER, WG: Displacement and strain fields for a bimetallic strip under remote tension, 11A431
REVANKAR, ST: High pressure simulation experiment on corium dispersion in direct containment heating, 3A1439
- Experimental simulation of corium dispersion phenomena in direct containment heating, 3A1438
- Effect of channel blockage on critical heat flux for a horizontal cylinder in crossflow, 11A1285
REVEILLON, J: Dynamics of isoconcentration surfaces in weak shock turbulent mixing interaction, 6A1088
REVELL, PA: Size and shape of particulate polyethylene wear debris in total joint replacements, 10A979
- Biological reaction to debris in relation to joint prostheses, 12A1576
REVENU, P: Experimental and numerical study of entry flow of low-density polyethylene melts, 5A941
- Extrudate swell and isothermal melt spinning analysis of linear low density polyethylene using the Wagner constitutive equation, 11A392
REVYAKO, MM: Non-stationary heat exchange in brakes, 2A931
REY, AD: Structural transformations and viscoelastic response of sheared fingerprint cholesteric textures, 1A459
- Residual normal force after cessation of squeezing flow of liquid crystalline polymers, 5A900
- Theory of linear viscoelasticity of chiral liquid crystals, 5A882
- Pattern selection mechanism in mesophase carbon fibers, 9A687
REY, C: Analysis of shear band development in a viscoplastic double slip, single crystal in tension, 11A428
REYBROUCK, K: Evaluation of shock absorber models, 9A374
REYES, E: Modeling study of the scavenging process in a turbocharged diesel engine with modified valve operation, 3A1338
REYES, R: Kelvin-Clapeyron adsorption model for spreading on a heated plate, 5A1219
REYMEN, B: Pyro shock qualification tests on pneumatic and hydraulic components of the vulcain main engine, 7T782
REYNIER, C: Sound propagation and radiation in a curved duct, 2A279
REYNOLDS, AM: Lagrangian stochastic model for particle trajectories in non-Gaussian turbulent flows, 9A1119
REZA DAGHYANI, H: Mixed-mode fracture of adhesively bonded CF-epoxy composite joints, 2A682
REZAEEPAZHAND, J: Design of scaled down models for predicting shell vibration response, 2A142
REZAIEE-PAJAND, M: Nonprismatic beam and column design tables: For nonlinear analysis, 2A515
- Two-dimensional sensitivity analysis, 3A31
REZAIFARD, AH: Transverse ply cracking in crossply CFRP laminates: Initiation or propagation controlled?, 11A712
REZAIG, B: Numerical study of adiabatic shear banding in mild steel by dislocation mechanics based constitutive relations, 5A425
RHEE, GWANG HOON: Nonlinear low-Reynolds-number k-ε model for turbulent separated and reattaching flows - II: Thermal field computations, 1A1184
RHEE, J: Stresses around extremely large or interacting multiple holes in orthotropic composites, 4A604
- Hybrid moire-numerical stress analysis around cutouts in loaded composites, 5A463
RHIM, Y: Study of the oil-lubricated herringbone-grooved journal bearing - Part 1: Numerical analysis, 4T932
RHINES, PB: Laboratory studies of equatorially trapped waves using ferrofluid, 11A1496
RHO, OH HYUN: Lower-upper symmetric Gauss-Seidel scheme exhibiting asymmetric vortices over slender bodies, 4T259
RHODE, DL: Computed effects of rotor-induced swirl on brush seal performance - Part I: Leakage analysis, 4A933
- Computed effects of rotor-induced swirl on brush seal performance - Part 2: Bristle force analysis, 4A934
- Assessment of two- and three-scale k-ε models for rotating cavity flows, 5A1051
- Circumferentially smeared computed effects of rim seal clearance on wheelspace thermal distributions, 8A1246
- Computed eccentricity effects on turbine rim seals at engine conditions with a mainstream, 11A1151
- Turbulent flow and heat transfer in staggered tube banks with displaced tube rows, 11A1211
RHODES-ROBINSON, PF: Forced surface waves due to a partially immersed vertical wave-maker in water of infinite depth, 5A179
RIAD, S: Combined octant-Delaunay method for fully automatic 3D mesh generation with multiple level octant differences, 1A77
RIAHI, DN: Modal package convection in a porous layer with boundary imperfections, 2A1194
- Effect of rotation on the structure of a convecting mushy layer, 5A1240
- Effect of rotation on flow instabilities during solidification of a binary alloy, 6A1136
- Weakly nonlinear instability of non-parallel shear flows, 8A1170
- Oscillatory instabilities of the liquid and mushy layers during solidification of alloys under rotational constraint, 12A1297
RIAHI, H: Study of the generalized solutions of n-body type problems with weak forces, 5T218
RIAL, JA: Anomalous seismic response of the ground at the Tarzana hill site during the Northridge 1994 Southern California earthquake: A resonant, sliding block?, 8A1475
- Characterization of geothermal reservoir crack patterns using shear-wave splitting, 9A1449
RIBBERINK, SJ: Comparisons between sediment transport models and observations made in wave and current flows above plane beds, 12T1059
RIBNER, HS: Effects of jet flow on jet noise via an extension to the Lighthill model, 3A297
RICCA, RL: Contributions of Da Rios and Levi-Civita to asymptotic potential theory and vortex filament dynamics, 3A1001
RICCARDI, G: Numerical evaluation of viscous effects on vortex induced noise, 4A281
- Analysis of the sound generated by the pairing of two axisymmetric co-rotating vortex rings, 9A254
RICCI, S: Experimental model analysis of large structures by substructuring, 9A127
RICCIARDI, G: Stationary and non-stationary probability density function for nonlinear oscillators, 12A148
RICCIUS, J: Combination of adaptivity and mesh smoothing for the FE analysis of shells with intersections, 12A634
RICCOBONO, J: Optimization of a holographic system for solar power generation, 9A1540
RICE, IG: Split stream boilers for high-temperature and high-pressure topping steam turbine combined cycles, 10A1357
RICE, JQ: Low-speed maneuvering hydrodynamics of fish and small underwater vehicles, 9A1155
RICE, JR: Self-consistent model for cleavage in the presence of plastic flow, 4A745
RICE, RA: Confined and submerged liquid jet impingement heat transfer, 11A1206
RICE, SL: Modeling friction and wear phenomena, 12A955
RICHARD, J: Rheology of a magnetorheological fluid, 6A984
RICHARD, J-R: Simultaneous drying and pyrolysis of solid fuel particles, 1A1326
RICHARD, MJ: Effect of load-distributing devices on the stability of heavy vehicles, 8A398
RICHARDS JR, R: Threshold accelerations for rotation or sliding of bridge abutments, 3A1375
RICHARDS, CD: Velocity measurements in a turbulent non-Newtonian jet, 7A1117
RICHARDS, DJ: Compressor station recycle system dynamics during emergency shutdown, 1A1099
RICHARDS, GA: Pressure-gain combustion - Part II: Experimental and model results, 1A1339
- Pressure-gain combustion - Part I: Model development, 1A1338
- Analytical approach to understanding the "pressure gain" combustor, 9A1376
- Combustion oscillation control by cyclic fuel injection, 10A1407
RICHARDS, JR: Temporal evolution of periodic disturbances in two-layer Couette flow, 10A1072
RICHARDS, M: Trabecular bone adaptation to variations in porous-coated implant topology, 7A1535
RICHARDS, PG: Discrimination of earthquakes and explosions in southern Russia using regional high-frequency three-component data from the IRIS-JSP Caucasus Network, 12A1488
RICHARDS, RL: Acoustics and Noise Control Handbook for Architects and Builders, 9N8
RICHARDS, SD: Effect of suspended particulate matter on sound attenuation in seawater, 3A301
RICHARDSON, J: Boundary element analysis for the motion of a porous body near a plane wall, 3A51
- Boundary element analysis of creeping flow past two porous bodies of arbitrary shape, 5A921
- Low Reynolds number motion of a porous particle near a plane interface, 6A1024
RICHARDSON, JD: Non-singular Somigliana stress identities in elasticity, 3A450
RICHARDSON, JF: Hydraulic conveying in small diameter horizontal pipes, 11T902
RICHARDSON, MOW: Comparative study of the fatigue behavior of GRP hand lay-up and pultruded phenolic composites, 1A689
- Review of low-velocity impact properties of composite materials, 5A454
RICHARDSON, S: Hele-Shaw flows with free boundaries driven along infinite strips by a pressure difference, 3A1103
RICHERT, M: Plasticity in the compression stress state, 1A475
RICHMOND, O: Blank shape design for a planar anisotropic sheet based on ideal forming design theory and FEM analysis, 3A618
- Freezing range effect on shell growth instability during alloy solidification, 3A655
RICHTER, A: Minimum weight design of symmetric angle-ply laminates with incomplete information on initial imperfections, 10A1004
RICHTER, AG: Characterization of the panoramic annular lens, 5A722
RICHTER, H: Recycling carbon-fiber-reinforced thermoplastic composites, 1A516
RICHTER, HJ: Combined cycle gas turbine power plant with coal gasification and solid oxide fuel cell, 6A1360
- Addition of highly efficient bottoming cycles for the Nth-generation molten carbonate fuel cell power plant, 12A1408
RICHTER, K: Properties of dust in the Mars atmosphere: A revised analysis of Phobos-KRFM data, 9A1519
RICHTER, R: Effects of grain boundary properties on intergranular cracking in fatigued fcc metals, 8A755

- Investigations on the origin of grain boundary cracks in fatigued fcc metals, 8A757
- Chaotic billiards seen as mirror cabinets, 9A95

RICHWIEN, W: Description of air and water flow in soils on the basis of the theory of porous media (German), 12A1426

RICKMAN, JM: Twinning in thin films - I: Elastic analysis, 4A492
- Twinning in thin films - II: Equilibrium microstructures, 4A493
- Microstructural stability of stressed lamellar and fiber composites, 12A586

RICLES, JM: Full-scale experiments and analyses of cellular hull sections in compression, 2A821

RIDD, PV: Wave-current bottom shear stresses and sediment resuspension in Cleveland Bay, Australia, 7A219

RIDER, TH: Fundamental constraints on large-scale antimatter rocket propulsion, 10A1438

RIDER, WJ: High-order projection method for tracking fluid interfaces in variable density incompressible flows, 8A1066

RIDGELY, DB: Discrete-time, mixed-norm control synthesis applied to aircraft terrain following, 3T367
- Flight control applications of l_1 optimization, 7A1169

RIDHA, A: Three-dimensional mixed convection laminar boundary-layer over a horizontal surface in the neighborhood of a plane of symmetry, 4A1210

RIE, K-T: New approach for estimation of ΔJ and for measurement of crack growth at elevated temperature, 5A584
- Description of stress-strain hysteresis loops with a simple approach, 10A778

RIEDER, KF: Wave induced motion of FLIP, 6A275

RIEGER, NF: Aerodynamic analysis of turbine cascade by using a second-order closure of turbulence, 2A1102

RIEHLE, M: Arcjet thruster development, 5A1379

RIEMELMOSER, F: Fracture resistance of a ferritic-austenitic duplex steel, 1A748

RIEMER, MF: Factors affecting apparent position of steady-state line, 9A630

RIENACKER, A: Numerical determination of flow factors, 10A1257

RIENDEAU, S: Dynamic punch shear behavior of AS4-3501-6, 2A454

RIENER, R: Biomechanical model of the human knee evaluated by neuromuscular stimulation, 3A1483

RIENSTRA, SW: Geometrical effects in a Joule heating problem from miniature soldering, 9T979

RIES, H: Inherent limitations of volumetric solar receivers, 2A1427
- Compact high-flux two-stage solar collectors based on tailored edge-ray concentrators, 3A1444
- High-flux photovoltaic solar concentrators with kaleidoscope-based optical designs, 9A1534
- Optimal parallel flow in solar collectors for nonuniform irradiance, 11A1523
- Performance of surface and volumetric solar thermal absorbers, 11A1524

RIESER, A: Analysis of tunnels: Fuzzy (German), 10A39

RIESZ, F: Strain relaxation of ZnTe-CdTe and CdTe-ZnTe heterostructures: *In situ* study, 9A383

RIEUTORD, M: Inertial waves in a rotating spherical shell, 12A264

RIFANI, AI: Fracture mechanics analysis of fatigue crack growth in a complex cross section, 7A650

RIFFAT, SB: Natural refrigerants for refrigeration and air-conditioning systems, 5A1281
- Computational and experimental study of pressure losses in duct transitions, 5A1000
- k-Factor data of interacting duct fittings based on measurement and CFD modeling, 7A993
- Flow loss caused by heat pipes in natural ventilation stacks, 8A1370
- Adsorption heat pump using HFC refrigerants, 11A1356
- CFD prediction of k-factors of duct elbows, 12A1056

RIGATOS, A: "Inertial" time in stability of materials with non-monotone yield stress, 12A520

RIGATOS, AP: Transient SIF results for a cracked viscoelastic strip under concentrated impact loading: An integral-transform and function-theoretic approach, 3A215

RIGAUD, M: Wear behavior of alumina toughened zirconia materials, 4A892
- Al_2O_3-ZrO_2 debris life cycle during wear: Effects of the third body on wear and friction, 12A934

RIGBI, Z: Adjustable-torque slipping clutch, 12T1000

RIGBY, B: Stress intensity factors for cracks at attachment lugs, 12A801

RIGBY, DB: Cyclic interface and joint shear device including pore pressure effects, 11A556

RIGGINS, DW: Thrust losses in hypersonic engines - Part 2: Applications, 9A1405
- Thrust losses in hypersonic engines - Part 1: Methodology, 9A1404
- Evaluation of performance loss methods for high-speed engines and engine components, 9A1390

RIGGS, HR: Computationally efficient techniques in the hydroelasticity analysis of very large floating structures, 7A177
- C^1-Continuous stress recovery in FE analysis, 10A46

RIGHETO, AM: Recent advances and application of turbulence depth-integrated two-equation closure for modeling contaminant discharges, 6A1156

RIGHTLEY, ML: Burning velocities of CO flames, 12A1357

RIKS, E: Solution of mode jumping phenomena in thin-walled shell structures, 3A561

RILEY III, LH: In vitro load measurement using an instrumented spinal fixation device, 2A1467

RILEY, CJ: Hypersonic aerodynamic characteristics of a proposed single-stage-to-orbit vehicle, 2A839

RILEY, DS: Melting of a sphere in hot fluid, 6A1275

RILEY, JJ: Direct numerical simulation of a turbulent reactive plume on a parallel computer, 7T1147
- Direct numerical solution of turbulent nonpremixed combustion with multistep hydrogen-oxygen kinetics, 9A1361
- Laminar flamelet approach to subgrid-scale chemistry in turbulent flows, 10A1404

RILEY, N: Oscillatory flow over a circular cylinder close to a plane boundary, 3A1011
- Inviscid fluid flow around a submerged circular cylinder induced by free-surface traveling waves, 3A996
- Formation and propagation of vortex rings and pairs of vortex rings, 8A1018
- Oscillatory flow over a cylinder resting on a plane boundary, 8A1060
- Simulations of the formation of an axisymmetric vortex ring, 11A940

RILEY, PO: Modeling the systematic uncertainty of photogrammetric tracking of human motion, 12A1562
- Numerical differentiation of tracking data of human motion: The virtual accelerometer, 12A1564

RILEY, WF: Engineering Mechanics, Second Edition: 2 Volume Set, 1N55
- Statics and Mechanics of Materials: An Integrated Approach, 1R22

RIMAI, RS: Time-dependent adhesion-induced phenomena: Viscoelastic creep of a substrate polymer over rigid particles, 12A514

RIMKUS, L: Distortion in mechanics of elastic and elastic-plastic frames, 7A834

RIMMER, A: Wetting and nonwetting fluid displacements in porous media, 6A1377

RIMON, E: Obstacle collision detection using best ellipsoid fit, 9A402

RIMROTT, FPJ: Analogies between the Chaplygin problem and the Kepler problem, 1A294
- Canonical equations in terms of generalized impulse variables, 1A100
- Complementary formulation of the Appell equation, 1A101
- Approximated shell model based on additive decomposition of deformation gradient, 1A557
- Nonaxisymmetric loading of nonhomogeneous annular plates of variable thickness, 12A619

RINALDI, M: Characterization of stream meanders for stream restoration, 11T929

RINALDI, Z: Statistical analysis of seismic behavior of steel frame: Influence of overstrength, 7A1485

RINCON, J: High-resolution pressure-based method for compressible flows, 10A1116

RINGERTZ, U: Convergence of methods for nonlinear eigenvalue problems, 12A284

RINGHOFER, M: Low frequency-shear rate measurements on polymer melts with a novel rheometer, 3A963

RINGOIR, S: Estimation of parameters in a two-pool urea kinetic model for hemodialysis, 10A1545

RINK, M: Viscoelastic effects on the interlaminar fracture behavior of thermoplastic matrix composites - II: Rate and temperature dependence in unidirectional PEEK-carbon-fiber laminates, 7A752
- Experimental analysis of viscoelastic criteria for crack initiation and growth in polymers, 9A738

RINKER JR, DK: Use of obliquely rotated principal component analysis to identify coherent structures, 5T1049

RINNE, A: Development of local two-phase flow parameters for vertical bubbly flow in a pipe with sudden expansion, 1A1020

RIOUAL, J-L: Automatic control of laminar boundary-layer transition, 6A1075

RIPOCHE, J: Acoustic Interactions with Submerged Elastic Structures, Part 1, 12N8
- Identification of the resonances of a cylindrical shell stiffened by an internal lengthwise rib, 5A112
- Scattering of an obliquely incident plane acoustic wave by a circular cylindrical shell: Results of computations, 5A245

RISH III, JW: Normal and tangential compliance for conforming binder contact - II: Visco-elastic binder, 4A508
- Normal and tangential compliance for conforming binder contact - I: Elastic binder, 4A489

RISKA, K: Airborne electromagnetic system on a fixed wing aircraft for sea ice thickness mapping, 6A1513

RISKIN, VB: Structure and friction of modified cross-linked polyimides, 7A869

RISSO, F: Diffusive turbulence in a confined jet experiment, 10A1154
- Direct numerical simulations of wake vortices in intense homogeneous turbulence, 12A1139

RISTIC, D: Three-dimensional flowfield in a turbine nozzle passage, 3A1192

RISTIC, S: Large displacement analysis of thin plates and shells using a flat facet FE formulation, 11A521
- Soil stress and compaction effects for four tractor tires, 12A680

RISTINMAA, M: Corners in plasticity: Koiter's theory revisited, 2A413
- Finite element-formulation of a non-local plasticity theory, 3A483
- Use of couple-stress theory in elasto-plasticity, 4A521

RISTOW, D: Three-dimensional implicit finite-difference migration by multiway splitting, 9A1467

RITCEY, JA: Probability distribution for the complex field of waves propagating in random media, 1A312

RITCHEY, JD: Subsurface Fluid Flow (Ground-Water and Vadose Zone) Modeling, 5N29

RITCHIE, R: Mechanical Behavior of Materials at High Temperature, 6N27

RITCHIE, RO: Fracture and fatigue-crack growth along aluminum-alumina interfaces, 5A595
- Limitations on the use of the mixed-mode delaminating beam test specimen: Effects of the size of the region of K-dominance, 12A46

RITCHIE, SJ: Modeling and experiments of laser-induced ignition of nitramine propellants, 10A1398

RITT, M: Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, 12A1544

RITTEL, D: Investigation of dynamic crack initiation in PMMA, 2A702
- Study of mixed-mode dynamic crack initiation in PMMA, 4T698
- Dynamic crack initiation in polycarbonate under mixed-mode loading, 8T728

RITTER, AB: Residual stresses in oscillating thoracic arteries reduce circumferential stresses and stress gradients, 6A1535

RITTMUELLER, SP: Iterative design method to reduce the exhaust and venting noise of a vacuum cleaner motor with minimum use of absorptive foam, 11A256

RITZDORF, H: Flux difference splitting for 3D steady incompressible Navier-Stokes equations in curvilinear co-ordinates, 2A974
- Adaptive parallel multigrid solution of 2D incompressible Navier-Stokes equations, 10A1091

RIVARA, M-C: Using longest-side bisection techniques for the automatic refinement of Delaunay triangulations, 7A52

RIVAS, D: Radiative exchange between a cylindrical crystal and a monoellipsoidal mirror furnace, 4A1239

RIVELL, T: Wind-tunnel test of flow through Mars pathfinder Lander, 12T1236

RIVERA, A: Hydrological aspects of toxic wastes management (Spanish), 6A1476

RIVERA, W: Mobile pilot-plant for the production of environmentally clean steam, 8A1428

RIVERO, F: Intercomparison of wave-driven current models, 12T1496

RIVES, G: Leg cycling tracking by dynamic vision, 12A1570

RIVIERE, JP: Wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 2A928

RIVIN, EI: Finite element analysis of load-deflection and creep characteristics of compressed rubber components for vibration control devices, 3A139

RIVIR, RB: Effect of high free-stream turbulence on film cooling effectiveness, 5A1128

RIVOLA, A: Dynamic analysis of spur gear pairs: Steady-state response and stability of the sdof model with time-varying meshing damping, 11A848

RIZER, W: Fracture detection using crosswell and single well surveys, 9A1468

RIZIOTIS, VA: Development of a state-of-the-art aeroclastic simulator for horizontal axis wind turbines - Part 2: Aerodynamic aspects and application, 12T1175

RIZK, M: Large-eddy simulations of forced 3D impinging jets, 6A1129

RIZKALLA, SH: Fiber-optic Bragg grating sensors for bridge monitoring, 10A867

RIZNIC, JR: Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22
- Strange attractors and chaotic dynamics in boiling flows, 7A1285

RIZWAN-UDDIN: Second-order space and time nodal method for the 1D convection-diffusion equation, 10A1394

RIZWAN-UDDIN,: Improved coarse-mesh nodal integral method for partial differential equations, 8A57

RIZZANO, G: New method to design extended end plate connections and semirigid braced frames, 11A806

RIZZATO, FB: Nonintegrable three mode interaction in the Zakharov equations, 11A99

RIZZETTA, DP: Numerical simulation of vortex-induced oblique shock-wave distortion, 6T1047
- Numerical simulation of the interaction between leading-edge vortex and vertical tail, 9T1172

RIZZI, A: Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995, 3N34

RIZZI, E: Failure indicators in multi-dissipative materials, 1A732

RIZZI, G: Weight functions for edge cracks in thin surface layers, 10A806

RIZZI, SA: Characterizing the dynamic response of a thermally loaded, acoustically excited plate, 4A132
- Dynamic analysis of folded plate structures, 4A133
- Experimental snap-through boundaries for acoustically excited, thermally buckled plates, 5A1297
- Effect of thermal prestress on the free vibration characteristics of clamped rectangular plates: Theory and experiment, 10A195

RIZZUTO, E: Elastic instability of thin cylindrical shells: Numerical and experimental investigation, 6A621

RJASANOW, S: Difference scheme for the Boltzmann equation based on the Fast Fourier Transform, 8T1108

RO , ST: New method for measuring time constants of a thermocouple wire in varying flow states, 4A1178

RO, J: Vibration control of plates with active constrained layer damping, 1A154

RO, KIDEOK: Numerical analysis of unsteady flow in the Weis-Fogh mechanism by the 3D discrete vortex method with GRAPE3A, 9A1164

RO, PAUL I: Robust control of passive-jointed robot and experimental validation using sliding mode, 3A414

RO, PI: Four wheel steering system for vehicle handling improvement: A robust model reference control using the sliding mode, 5A318

RO, ST: Measurement of air flowrate by using an integration type ultrasonic flow meter applicable for spark ignition engine control, 11A1193

RO, SUNG TACK: Effects of buoyancy and periodic rotation on the melt flow in a vertical Bridgman configuration, 8A1297

ROACH, MP: Calculation and measurement of the stiffness and damping coefficients for a low impedance hydrodynamic bearing, 7A1202

ROBBE-VALLOIRE, F: Mechanical and geometrical approach to thermal contact resistance, 5A1235

ROBBINS JR, DH: Efficient computational model for the stress analysis of smart plate structures, 1A838

ROBE, FR: Moist convective scaling: Some inferences from 3D cloud ensemble simulations, 6T1487

ROBER, SJ: Control of cutting force for end milling processes using an extended model reference adaptive control scheme, 2A589
- Digital robust controller for cutting force control in the end milling process, 12A407

ROBERDS, JH: Period-doubling bifurcations for systems of difference equations and applications to models in population biology, 11T50

ROBERT, G: Turbulent kinetic energy balance in the wake of a self-propelled body, 3A1115
- Spectral analysis of the turbulent structure in the momentumless wake of a propeller-driven body, 8A1185

ROBERT, J-L: Three-dimensional FE model to simulate secondary flows: Development and validation (French), 11T34

ROBERTS JR, AS: Effects of internal nozzle geometry on compression-ramp mixing in supersonic flow, 9A1037

ROBERTS, AJ: Construction of zonal models of dispersion in channels via matched center manifolds, 1A1438
- Observability of finite-depth short-crested water waves, 3A233

ROBERTS, CA: Open control-interface for multi-axis manufacturing entities, 4A475

ROBERTS, EPL: Development of asymmetry and period doubling for oscillatory flow in baffled channels, 6A1109

ROBERTS, GT: Liquid crystal thermography for heat transfer measurement in hypersonic flows: A review, 6T1055

ROBERTS, JB: Force coefficients for a centrally grooved short squeeze film damper, 1A903
- Solutions for the combined motion of finite length squeeze film dampers around the bearing center, 1A904

ROBERTS, JC: Finite element modeling of stiffened and unstiffened orthotropic plates, 8A589
- Analytic and FE solutions for bending and buckling of orthotropic rectangular plates, 10A634
- Test fixture for mapping thermal conduction in composites under transient and steady-state conditions, 11A494

ROBERTS, JP: Effect of momentum nonequilibrium on flame propagation and extinction in the presence of inert particles, 1A1313

ROBERTS, KJ: Investigation into the molecular stability of zinc di-alkyl-di-thiophosphates

(ZDDPs) in relation to their use as anti-wear and anti-corrosion additives in lubricating oils, 12A1223
ROBERTS, L: Effects of leading-edge lateral blowing on delta wing aerodynamics, 6A1178
ROBERTS, PH: Anelastic evolutionary geodynamo simulation driven by compositional and thermal convection, 4A1099
- Structure and stability of a spherical shock wave in a van der Waals gas, 5A195
- Microstructural coarsening kinetics for a mushy zone of a pure material, 12A1296
ROBERTS, PV: Micromodel observation of the role of oil layers in three-phase flow, 11A1456
ROBERTS, RG: Local fault tolerance of a kinematically redundant manipulator, 3A405
ROBERTS, RM: Spark-generated bubble model with semi-empirical mass transport, 9A264
ROBERTS, TM: Testing and analysis of steel-concrete-steel sandwich beams, 2A476
- Strength of webs subjected to compressive edge loading, 7A502
ROBERTS-WOLLMANN, CL: Field measurements of prestress losses in external tendons, 3A777
ROBERTSHAW, AC: Effect of reservoir drawdown and long-term consolidation on the deformation of old embankment dams, 9A895
ROBERTSON , DD: Simplified approach for modeling fatigue of unidirectional ceramic matrix composites, 1A697
ROBERTSON, AM: Flow of a non-Newtonian fluid between intersecting planes, one of which is moving, 5T942
ROBERTSON, D: Fractal crushing of granular materials, 6A1365
ROBERTSON, DD: Incorporating fiber damage in a micromechanical analysis of metal matrix composite laminates, 4A756
- Modeling of matrix failure in ceramic matrix composites, 7A746
ROBERTSON, IM: Influence of hydrogen on the fatigue behavior of the beta-titanium alloy Ti-3Al-8V-6Cr-4Mo-4Zr, 6A727
ROBERTSON, JS: Engineering Mathematics with MAPLE, 2N3
ROBERTSON, RN: Methods for determining 3D wheelchair pushrim forces and moments: A technical note, 10A1567
ROBERTSSON, JOA: Numerical free-surface condition for elastic-viscoelastic finite-difference modeling in the presence of topography, 6A1414
ROBEY, E: Combustion oscillation control by cyclic fuel injection, 10A1407
ROBILLARD, L: Effect of weak rotation on natural convection in a horizontal porous cylinder, 2A1191
ROBINETT III, RD: Moving mass trim control for aerospace vehicles, 3A287
ROBINETT, RD: Decentralized sliding mode control for flexible link robots, 5A338
- New penalty functions and optimal control formulation for spacecraft attitude control problems, 10A466
ROBINOVITCH, SN: Energy-shunting hip padding system attenuates femoral impact force in a simulated fall, 11A1589
- Predicting the impact response of a nonlinear single-dof shock-absorbing system from the measured step response, 12A1536
ROBINSON , JC: p-adaptivity in the domain using MV_m multivalue time-marching integrators, 12A1302
ROBINSON, AR: Generalized method of rotational superposition for problems with elliptical distribution of boundary values, 7A410
- Determination of the natural frequencies and mode shapes for large structures by accelerated Newton-Raphson method, 8A179
- Exact solutions of some shear dislocation problems involving a stopping effect, 10A589
ROBINSON, DN: Fiber orientation in composite structures for optimal resistance to creep failure, 3A674
ROBINSON, J: Towards automated stress analysis: FE mode-amplitude technique, 1A26
ROBINSON, M: Limit analysis of a spherical shell under axial loading on central boss, 5A478
ROBINSON, NI: Angularly averaged heat transfer for a roller used in strip rolling, 6A1268
ROBINSON, P: Effects of starter film thickness, residual stresses and layup on G_{ic} of a 0°-0° interface, 8A794
ROBLEE, CJ: Analysis of stress-change disturbance caused by ideal drilling in clay, 12A42
ROCA, P: Geometric and material nonlincarities in steel plates, 6A580
ROCCA, E: Nonlinear stability analysis of a rigid rotor on tilting pad journal bearings, 1A918
ROCCO, P: Stability of integral force control in case of contact with stiff surfaces, 11A308
ROCHA, LAO: Comparative study of elliptical and circular sections in one- and two-row tubes and plate fin heat exchangers, 9A1282
ROCHAT, JL: Two-dimensional focusing of sonic boom noise penetrating an air-water interface, 6A341
ROCHE, AA: Mechanical properties of thin and thick coatings applied to various substrates - Part II: Young's modulus determination of coating materials, 8A552
- Mechanical properties of thin and thick coatings applied to various substrates - Part I: An elastic analysis of residual stresses with coating materials, 8A573
ROCHELEAU, T: Photoelasticity using retroreflection, 7T787
ROCHELLE, RD: Identification and correlation of human footfall load parameters using multivariate analysis, 9A1576
ROCHINHA, FA: Numerical modeling of the extension-torsion coupling in cables, 4T588
ROCHLIS, JL: Closed-loop, estimator-based model of human posture following reduced gravity exposure, 3A1516
ROCK, SM: Effects of blade bending on aerodynamic control of fluctuating loads on teetered HAWT rotors, 5A1078
ROCKWELL, D: Controlled motion of a cylinder through a free surface: Effect of depth of penetration, 1A981
- Karman vortex development: Relation to symmetry and circulation of transition vortices, 2T235
- Vortex formation from a forced system of two cylinders - Part II: Side-by-side arrangement, 3T258
- Vortex formation from a forced system of two cylinders - Part I: Tandem arrangement, 3A257
- Force identification by vorticity fields: Techniques based on flow imaging, 3A979
- Near-wake structure of an oscillating cylinder: Effect of controled shear-layer vortices, 3A1030
- Evolution of patterns of streamwise vorticity in the turbulent near wake of a circular cylinder, 3A1091
- Multiple-actuator control of vortex breakdown on a pitching delta wing, 4T1116
- Interactions of a vortex with an oscillating leading edge, 5T1068
- Flow past a cylinder close to a free surface, 8A1075
- Dynamics of the vorticity distribution in endwall junctions, 12A1123
ROCKWELL, TK: Neotectonic study of the San Miguel-Vallecitos Fault, Baja California, Mexico, 8T1466
- Paleoseismicity of the North Branch of the Newport-Inglewood fault zone in Huntington Beach, California, from cone penetrometer test data, 12A1441
RODELLAR, J: Structural Control, 12N31
RODEMANN, T: Measurement and interpretation of growth of binary droplets suspended in a water-n-propanol-nitrogen mixture by means of a piston expansion tube, 11A1304
RODENAS, JJ: Extension of the Zienkiewicz-Zhu error estimator to shape sensitivity analysis, 10A899
RODGERS, AJ: Propagation characteristics of short-period Sn and Lg in the Middle East, 12T1462
RODGERS, C: Development of a high-specific-speed centrifugal compressor, 12A1179
RODI, W: Simulation of vortex shedding past a square cylinder near a wall, 2A1051
- Experiments on the flow past a square cylinder placed near a wall, 4T1054
- Status of large eddy simulation: Results of a workshop, 11A1115
RODIC, AG: Impedance control as a particular case of the unified approach to the control of robots interacting with a dynamic known environment, 9A399
RODIN, GJ: Hierarchical modeling of heterogeneous bodies, 6A486
- Eshelby's inclusion problem for polygons and polyhedra, 6A480
RODKIEWICZ, CM: Thermal lubrication theory of tilting-pad bearings inclusive of pad bending, side leakage and inlet pressure build-up, 4A1172
- Numerical analysis to the thermoelastohydrodynamic lubrication of a tilting pad inclusive of side leakage, 10A1262
RODNENKOV, VG: Tribological behavior of liquid crystals - Part I: Tribology of pure liquid crystals and their mixtures, 1A873
RODOPOULOS, CA: Modeling the conditions for fatigue failure in metal matrix composites, 5A597
RODRIGUE, D: Experimental study of the effect of surfactants on the free rise velocity of gas bubbles, 6A1069
RODRIGUES, JMC: Injection forging of tubular materials: A workability analysis, 11A581
RODRIGUES, JPC: Mechanical properties of reinforcing and prestressing steels after heating, 6A1300
RODRIGUEZ, A: Comparison of real and theoretical values of oscillatory flow in the surf zone, 11T933
RODRIGUEZ, C: Analysis and modelization of short crack growth by ductile fracture micromechanisms, 12A827
RODRIGUEZ, J: On-line identification and location of rotor cracks, 1A216
- Dynamic tensile testing of aramid and polyethylene fiber composites, 7A495
RODRIGUEZ, JA: Renewable-energy integration assessment through a dedicated computer program, 8A1550
RODRIGUEZ, K: Rayleigh's optimization concept and the use of sinusoidal co-ordinated functions, 9T111
- Comments on "Vibration frequencies of simply supported polygonal sandwich plates via Kirchhoff solutions", 11T123
RODRIGUEZ, M: Acoustic emission applied to pipes of GFRP that have been exposed to corrosive mediums, 11A746
RODRIGUEZ, P: Measurement of stretch zone height and its relationship to crack tip opening displacement and initiation J-value in an AISI 316 stainless steel, 2A721
RODRIGUEZ, R: Order of convergence of eigenfrequencies in FE approximations of fluid-structure interaction problems, 5A216
- Finite element solution of incompressible fluid-structure vibration problems, 10A325
RODRIGUEZ, RM: Filling data algorithms in urban air pollution monitoring networks, 9T1561
RODRIGUEZ-FERRAN, A: Note on a numerical benchmark test: An axisymmetric shell under ring loads, 9A578
RODRIGUEZ-IBABE, JM: Determination of the energetic parameters controlling cleavage fracture initiation in steels, 12A828
RODRIGUEZ-ZUNIGA, JL: Use of in situ measurements of ground inclination for determining shallow elastic parameters, 9A634
- Application of genetic algorithms to constrain shallow elastic parameters using *in situ* ground inclination measurements, 9A622
RODRIQUEZ, JF: Unidimensional and bidimensional modeling of the pollutant transport in rivers (Spanish), 6T1512
RODRIQUEZ, JI: Heat transfer and flow friction characteristics of perforated-plate heat exchangers, 8A1366
ROE, GH: Baroclinic adjustment in a two-level model with barotropic shear, 4A1072
ROE, LA: Normal, sonic helium injection through a wedge-shaped orifice into supersonic flow, 9A1378
ROE, PL: Postshock oscillations due to shock capturing schemes in unsteady flows, 7A224
- Numerical wave propagation and steady-state solutions: Soft wall and outer boundary conditions, 12A59
ROEDER, CW: Expected seismic behavior of older steel structures, 6A1436
- Role of building foundations in seismic retrofit, 6A1451
ROEGIERS, J-C: Poroviscoclastic analysis of borehole and cylinder problems, 6A666
ROEHL, D: Large elasto-plastic FE analysis of solids and shells with the enhanced assumed strain concept, 1A41
ROELOFFS, EA: Water-level changes in response to the December 20, 1994 earthquake near Parkfield, California, 12A1466
ROELVINK, JA: Intercomparison of coastal area morphodynamic models, 12T1060
ROEMER, MJ: Machine health monitoring and life management using FE-based neural networks, 5A739
ROESSET, JM: Use of quadratic transfer functions to predict response of tension leg platforms, 3A821
- Second-order vertical diffraction forces on truncated cylinders, 6A1000
- Dynamic response of intact piles to impulse loads, 10A282
- Identification of defects in piles through dynamic testing, 10A860
ROETZEL, W: Dynamic behavior of plate heat exchangers: Experiments and modeling, 11A1214
ROFAEEL, FEK: Torsion of an elastic non-homogeneous layer by two circular disks, 3A433
ROFE, CJ: Nuclear magnetic resonance imaging of apparent slip effects in xanthan solutions, 5A904
ROGACHEV, AS: Combustion wave microstructure in heterogeneous gasless systems, 6A1321
- Combustion wave microstructure in gas-solid reaction systems: Experiments and theory, 12A1394
ROGACHEV, AV: Tribological properties of PTFE coatings deposited from active gas phase, 1A896
ROGAK, SN: Modeling small cluster deposition on the primary particles of aerosol agglomerates, 7A1435
ROGALSKA, E: Limit load analysis of perforated disks with square penetration pattern, 8A527
ROGDAKIS, ED: Propane-n-hexadecane resorption cycle for air-conditioning applications, 12A1327
ROGERS, CA: Seventh International Conference on Adaptive Structures, 8N15
- Magnetorheological fluids: Materials, characterization, and devices, 1A954
- Solid-state actuation of rotor blade servo-flap for active vibration control, 1A151
- Debond detection using broad-band high-frequency excitation and non-contacting laser vibrometer system, 1A157
- Impedance-based system modeling approach for induced strain actuator-driven structures, 1A840
- Passive and active tagging of glass-fiber polymeric composites for in-process and in-field non-destructive evaluation, 9A497
- Dynamic power and energy capabilities of commercially-available electro-active induced-strain actuators, 9A844
- Large-amplitude rotary induced-strain actuator, 9A389
- Impedance-based modeling of induced strain actuators bonded on ring structures, 10A918
ROGERS, E: Iterative learning control using optimal feedback and feedforward actions, 4A335
ROGERS, JM: Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, 5A30
ROGERS, P: Prediction of fatigue failure in a crankshaft using the technique of crack modeling, 8A828
ROGERS, RC: Numerical study of hypervelocity flows through a scramjet combustor, 7A1432
ROGERS, RE: Storage of fuel in hydrates for natural gas vehicles, 3A1435
ROGERS, RH: Flow and Heat Transfer in Rotating-Disc Systems, Volume 2: Rotating Cavities, 2R30
ROGERS, RJ: Squeeze film force modeling for large amplitude motion using an elliptical velocity profile, 1A1123
- Simulation of 2D squeeze film and solid contact forces acting on a heat exchanger tube, 12A240
ROGERS, RL: Spark-generated bubble model with semi-empirical mass transport, 9A264
ROGERS, RR: New look at the melting layer, 3T1434
ROGERSON, GA: Asymptotic expansions of the dispersion relation for an incompressible elastic plate, 12A227
ROGGE, A: Design and construction of non-reinforced, reinforced and prestressed concrete structures according to DIN 1045-1 (German), 12A911
ROGOFF, ZM: Acoustic radiation from a phased line source at a fluid-solid boundary, 11A213
ROGOVINA, LZ: Structure and friction of modified cross-linked polyimides, 7A869
ROGOVOY, A: Displacement formulation of the friction conditions on the contact surface, 7A930
ROGOVOY, AA: Stress recovery procedure for the FEM, 10A61
ROGOZ, M: Influence of flooding up of coal mines upon water environment (Polish), 4T1471
ROGOZHIN, VD: Wear of the main elements in a ball mechanism of free-travel, 1A884
ROGUEDA, C: Experimental study of pseudoelastic behavior of a CuZnAl polycrystalline shape memory alloy under tension-torsion proportional and non-proportional loading tests, 9A787
ROGULA, D: Order parameter spaces of complex crystalline structures, 4A10
ROH, VR: Optimal design of immersed SAW devices for high- and low-frequency sensor applications, 1A343
ROHATGI, J: Analysis of the influence of atmospheric stability on vertical wind profiles: Its influence on wind energy and wind turbines, 11T1502
ROHATGI, PK: Wear resistance of laser processed Al-Si-graphite composites, 12A964
ROHATGI, US: Simple model of boiling heat transfer on tubes in large pools, 11T1281
ROHATGI, V: Moldability of tackified fiber preforms in liquid composite molding, 10A753
ROHLMANN, A: In vitro load measurement using an instrumented spinal fixation device, 2A1467
- Loads on an internal spinal fixation device during walking, 6A1543
ROHLOFF, TJ: Low pressure differential discharge characteristics of saturated liquids passing through orifices, 4A1052
ROHR, JJ: Field evaluation of protective covers for landfill geomembrane liners under construction loading, 8A677
ROHSENOW, WM: Handbook of Heat Transfer, Third Edition, 11N36
ROHWER, K: Improved transverse shear stresses in composite FEs based on first order shear deformation theory, 6A28
ROISMAN, IV: Chaotic rotation of triaxial ellipsoids in simple shear flow, 11A92
ROITMAN, N: Analysis of single pipeline pull-in procedure using small scale models, 3A1463
- Dynamic behavior analysis of a lifeboat system under simulated accidents, 6A202
ROJAS-MEDAR, MA: Global strong solutions of equations of magnetohydrodynamic type, 9A1139
ROJEK, J: Improvement of durability of concrete with admixtures and addition of silica fume (Polish), 9A884
ROKHLIN, SI: Analysis of different boundary condition models for study of wave scattering from fiber-matrix interphases, 9A188
- Anomalous attenuation effect of reflectivity of an ultrasonic wave from a thin layer between dissimilar materials, 12A322
ROKHLIN, V: Fast algorithms for polynomial interpolation, integration, and differentiation, 3A70
- Riccati equations for the scattering matrices in 2D, 8A352
- New version of the fast multipole method for the Laplace equation in 3D, 11A66
ROKNI, M: Numerical investigation of turbulent forced convection in ducts with rectangular and trapezoidal cross-section area by using different turbulence models, 3A1223
- Cutting state identification, 8A701

ROLDUGHIN, VI: Effect of a phase transition on the boundary conditions for rarefied gases, 8A1111
ROLFES, R: Improved transverse shear stresses in composite FEs based on first order shear deformation theory, 6A28
ROLL, K: Structure and magnetic properties of Ni-Ti multilayers, 9A384
ROLLET, R: Numerical simulation of vehicle behavior during straight line keeping on undulating road surfaces, 10A489
ROLON, JC: Study of radiative effects on laminar counterflow H_2-O_2-N_2 diffusion flames, 1A1327
ROLOVIC, RD: Updated stress concentration factors for filleted shafts in bending and tension, 3A438
ROM, J: Interpretation of FE analysis results of scramaccelerator thrust, 10T1434
ROMALIS, N: Plane problem of macro-microcrack interaction taking account of crack closure, 6A801
ROMAN, I: Concept of the limit yield condition in shakedown theory, 9A3
ROMAN, OV: Symmetry reduction and some exact solutions of nonlinear biwave equations, 2T193
ROMANCZUK, W: Passive systems of the damping of vibrations evolved by vortices detachments (Polish), 9A869
ROMANELLI, E: Vibrations and elastic stability of thin circular plates with variable profile, 2A141
- Approximate method for analyzing transverse vibrations of circular, annular plates of non-uniform thickness and a free inner boundary, 7A139
- Transverse vibrations of simply supported rectangular plates with rectangular cutouts, 12T182
ROMANO, F: Finite element method and analytical solutions for buckling of nonlinear masonry members, 6A605
ROMANO, GP: Image techniques and analysis in fluid dynamics, 7A1227
ROMANO, SM: Converse piezoelectric effect detected in fresh cow femur bone, 3A1485
ROMANO, V: Asymptotic waves for the hydrodynamical model of semiconductors, 4A209
ROMANOW, F: Theoretical fundamentals of calculation of the car bumpers sandwich beams (Polish), 9A548
ROMANOWICZ, B: Real-time seismology at UCB: The rapid earthquake data integration project, 2A1373
- Determination of local magnitude using BDSN broadband records, 4A1426
ROMANOWSKI, MC: Eigenmode analysis in unsteady aerodynamics: Reduced order models, 8A1225
ROMEA, RD: One-dimensional model for the parameterization of deep convection in the ocean, 12T1497
ROMEO, A: Cohesive zone model for cracks terminating at a bimaterial interface, 9A746
ROMEO, G: Post-buckling behavior of graphite-epoxy stiffened panels with initial imperfections subjected to eccentric biaxial compression loading, 12A659
ROMEO, M: Material symmetries and inhomogeneous waves in piezoelectric media, 5A507
- Wave scattering from biased elastic dielectrics, 7A195
ROMERO, LA: Flow in an open channel capillary, 3A1034
ROMINE, PR: Assessment of the effect of inhibitor oxidation on the response of oxidation-resistant carbon-carbon composites, 1A514
ROMMEL, M: Collector efficiency factor F' for absorbers with rectangular fluid ducts contacting the entire surface, 11A1520
ROMO O, MP: Hydrodynamic pressures on rigid dam with a reservoir of arbitrary geometry (Spanish), 3A801
ROMSTAD, KM: Nonlinear dynamic response of frames using Lanczos modal analysis, 6A179
RONAGH, HR: Elastic distortional buckling of tapered composite beams, 12A647
RONAI, D: Tire footprint characteristics as a function of soil properties and tire operations, 1A865
RONDAL, J: Finite element modeling of single lap screw connections in steel sheeting under static shear, 8A35
- Strength curves for metal columns, 11A807
- Explicit approach to design of stainless steel columns, 12A914
RONG , HAIWU: Lyapunov exponents and stochastic stability of 2D random system (Chinese), 12T105
RONG, Y: Machining accuracy analysis for computer-aided fixture design verification, 2A593
RONG, YIMING: Automated generation of fixture configuration design, 11A349
RONGERE, FX: Influence of a strong density stratification on the entrainment of a turbulent axisymmetric plume, 2A1025
RONGONG, JA: Modeling of a hybrid constrained layer-piezoceramic approach to active damping, 6A866
RONNELID, M: Experimental investigation of heat losses from low-concentrating non-imaging concentrators, 6A1505
- Construction and testing of a large-area CPC-collector and comparison with a flat plate collector, 7A1507
RONNEY, PD: Diffusional-thermal instability of diffusion flames, 6A1332
RONOLD, KO: Random-field approach to slope failure along a sub-sea pipeline route, 5A529
RONSKY, J: Modeling axi-symmetrical joint contact with biphasic cartilage layers: An asymptotic solution, 3A1492
RONSKY, JL: Experimental evaluation of theoretical contact forces in the cat patellofemoral joint, 3A1489
ROOKE, DP: Application of the weight function method to 2D elastodynamic fracture mechanics, 1A787
- Influence of elastic waves on dynamic stress intensity factors: 3D problems, 1A742
- Thermomechanical fatigue crack growth, 3A669
- Weight function technique in 3D fracture mechanics: Static and dynamic, 6A812
- Time-domain DBEM for rapidly growing cracks, 10A847
ROONEY, GG: Similarity considerations for non-Boussinesq plumes in an unstratified environment, 2A1026
ROONEY, M: Well-conditioned matrix for $(ku_x)_x$ with discontinuous k, 5A1248
ROORDA, J: Buckling modes at coincident singularities of stiffness matrix, 3A550
ROORDA, O: Effects of compressibility on flow characteristics and dynamics of swing check valves: Part I, 11A978
- Effects of compressibility on flow characteristics and dynamics of swing check valves: Part II, 11A979
ROOS, G: Numerical simulation of vehicle behavior during straight line keeping on undulating road surfaces, 10A489
ROOS, H-G: Note on the conditioning of upwind schemes on Shishkin meshes, 5A1322
ROOS, JMA: Tracking markers with missing data by lower rank approximation, 6A1546
ROOSE, D: Matrix transformations for computing rightmost eigenvalues of large sparse non-symmetric eigenvalue problems, 1A97
ROOSTA, GR: Suboptimal-minimal and suboptimal cycle bases for the force method, 2A766
- Automated mesh decomposition for FE analysis, 2A27
- Domain decomposition for FE analysis, 8A42
ROOT, JH: Residual stresses in steel and zirconium weldments, 11A438
ROOT, RG: Equilibrium of a radially symmetric inhomogeneous plate under tension and load, 10A636
ROQUEJOFFRE, JM: Bifurcations of traveling waves in the thermo-diffusive model for flame propagation, 5A1326
ROSA, L: Outlooks in Saint Venant theory - Part II: Torsional rigidity, shear-stress "and all that" in the torsion of cylinders with section of variable thickness, 4A57
ROSADO, L: Evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants - Part II, 2A901
ROSAKIS, AJ: Dynamic crack initiation and growth in thick unidirectional graphite-epoxy plates, 8A816
ROSALES, MB: Brief discussion on some dynamic energy principles, 1A91
- Comments on "dynamic stability of spinning beams of unsymmetrical cross-section with distinct end conditions", 10T119
ROSAM, N: Development and simulation of a novel roll control system for the Interconnected Hydragas Suspension, 8A396
ROSANT, JM: Turbulent flow induced by an impeller in a closed toroidal loop, 7A1188
ROSE, I: Estimation of metal temperature variations for scarred boiler tubes, 5A621
ROSE, JH: Effective ultrasonic transmission coefficient for randomly rough surfaces, 2A273
- Acoustic backscatter from materials with rough surfaces and finite size microstructure: Theory, 7A263
- Acoustic signal-to-noise ratio for an inclusion beneath a randomly rough surface and in the presence of microstructure, 7A264
ROSE, JL: Guided waves in a water loaded hollow cylinder, 1A228
- Approach for wave velocity measurement in solid cylindrical rods subjected to elastic impact, 3A218
- Ultrasonic guided wave NDE for piping, 5A735
ROSE, JW: Effect of 2D conduction in the condensate film on laminar film condensation on a horizontal tube with variable wall temperature, 1A1209
ROSE, LRF: Determination of triaxial stresses in bonded joints, 8A564
ROSE, MJ: Impulsively started turbulent jets, 9A1094
ROSE, TA: Design charts relating to protection of structures against airblast from high explosives, 11A798
ROSEMAN, JJ: Symmetric and unsymmetric buckling of circular arches, 5A467
ROSEN, A: Influence of unsteady aerodynamic effects on the coupled free vibrations of rotor flapping and body pitch and roll in hover, 2A1111
- General nonlinear structural model of a multirod (multibeam) system - II: Results, 3A809
- General nonlinear structural model of a multirod (multibeam) system - I: Theoretical derivations, 3A808
- Mathematical modeling of a helicopter rotor track and balance: Theory, 9A169
- Mathematical modeling of a helicopter rotor track and balance: Results, 9A170
- Investigation of a new formulation of the Lagrange method for constrained dynamic systems, 10A114
ROSEN, B-G: Wear of cylinder bore microtopography, 3A864
- Characterizing 3D topography of engineering and biomaterial surfaces by confocal laser scanning and stylus techniques, 4A1493
ROSEN, D: Gauge conditions and the analysis of singular fields with boundary integral equations, 7A53
ROSEN, IG: On-line parameter estimation for infinite-dimensional dynamical systems, 8T368
ROSEN, MA: Exergy and environmental impact, 12A1244
ROSENBAUM, D: Calcaneal fractures cause a lateral load shift in Chopart joint contact stress and plantar pressure pattern *in vitro*, 4A1476
ROSENBERG, ND: Compressible gas in porous media: A finite amplitude analysis of natural convection, 7A1448
ROSENBERG, TJ: Analysis of the Martian atmosphere for riometry, 9A1521
ROSENBERG, Z: Computational study of the influence of projectile strength on the performance of long-rod penetrators, 1A248
- Note on the geometric scaling of long-rod penetration, 8A246
- Correlation between the ballistic behavior and dynamic properties of titanium-alloy plates, 9A195
ROSENBLUM, MG: Phase synchronization of chaotic oscillators by external driving, 12A128
ROSENBLUM, V: Thermodynamic modeling of heat conduction, 10A1326
ROSENFELD, M: Uncoupled temporally second-order accurate implicit solver of incompressible Navier-Stokes equations, 2A977
- Effect of constriction size on the pulsatile flow in a channel, 11A1034
ROSENHECK, A: Outdoor sound propagation measurements using an MLS technique, 12A347
ROSENHOUSE, G: New boundary spectral strip method for non-periodical geometrical entities based on analytical integrations, 3A48
- Adaptive successive over relaxation domain decomposition by the boundary spectral strip method, 10A81
ROSENWAKS, S: Power dependence of chemical oxygen-iodine lasers on iodine dissociation, 6A1212
ROSFJORD, TJ: Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, 11T1415
ROSINDALE, I: Iterative solution scheme for systems of weakly connected BE equations, 6A75
ROSLER, S: One-dimensional analysis of maximum performance in a closed two-phase thermosyphon with a crossover flow separator, 4A1223
ROSNER, DE: Synthesis and restructuring of inorganic nano-particles in counterflow diffusion flames, 3A1315
- Erosion rate prediction and correlation technique for ceramic surfaces exposed to high speed flows of abrasive suspensions, 7A692
- Soot volume fraction and temperature measurements in laminar nonpremixed flames using thermocouples, 11A1425
ROSOCHOWSKI, A: Effect of secondary yielding on nett-shape forming, 1A631
ROSOWSKY, D: Combining snow and earthquake loads for limit states design, 6A1462
ROSOWSKY, DV: Theoretical joist-rupture sequences in wood-floor system model, 3A781
- Time-dependent service-load behavior of wood floors: Experimental results, 11A664
- Effect of discrete member size on reliability of wood beams, 11A774
ROSS, CTF: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 9, 1N13
- Redesign of the corrugated tin can, 3A9
- Vibration and elastic instability of thin-walled domes under uniform external pressure, 3A168
- Inelastic general instability of ring-stiffened circular cylinders and cones under uniform external pressure, 10A663
ROSS, GR: Micromechanical analysis of hybrid composites, 2A448
ROSS, IM: External angle of attack over a singular thrust arc in rocket flight, 9T347
- Suboptimal singular orbital transfer, 10T474
ROSS, JA: Algebraic stress FE model of turbulent flow, 10A1189
ROSS, PJ: Calculating parameters for infiltration equations from soil hydraulic functions, 3A1344
ROSS, PW: Handbook of Software for Engineers and Scientists, 2N5
ROSS, RJ: Energy criterion for fatigue strength of wood structural members, 1A692
ROSS-MARTIN, TJ: Theoretical investigation of a prototype active roll control system, 9A370
ROSSELLI, F: Comparison of the short beam shear and interlaminar shear device tests, 11A488
ROSSETTI , DJ: Distributed piezoelectric actuators for shell interior noise control, 4A302
ROSSETTO, L: New model for forced-convection condensation on integral-fin tubes, 2A1222
ROSSETTOS, JN: Multiaxial fatigue life evaluation of tubular adhesively bonded joints, 8A758
ROSSI, A: Comparative overview of strain actuated surfaces' design, 10A676
ROSSI, C: Chaotic motions of a rigid rotor in short journal bearings, 1T116
- Dynamic behavior of an unbalanced rotor on lubricated bearings, 4A122
- Non-periodic motions of a Jeffcott rotor with non-linear elastic restoring forces, 4A938
- Exact-output tracking theory for systems with parameter jumps, 11T302
ROSSI, DT: Automated determination of a novel anti-inflammatory drug in plasma using batch robotic sample preparation and HPLC, 5A360
ROSSI, J-L: GTD analysis of scattering by two elastic spheres, 10A357
ROSSI, JD: Blow-up rate for a system of heat equations with non-trivial coupling at the boundary, 8T1337
ROSSI, M: Identification of parameters in amplitude equations describing coupled wakes, 8A1168
ROSSI, P: Analysis of metallic fiber-reinforced concrete beams submitted to bending, 1A844
- Compressive behavior of concrete: Physical mechanisms and modeling, 6A536
- Size effects in the biaxial tensile-compressive behavior of concrete: Physical mechanisms and modeling, 11A737
ROSSI, RE: Truncated pyramidal cantilever beam: A convenient dynamically stiffened structural element, 1T170
- Effect of Poisson ratio and certain approximation schemes on transverse vibrations of thin, rectangular plates with a free edge, 1T182
- Symmetric and antisymmetric normal modes of a cantilever rectangular plate: Effect of Poisson's ratio and a concentrated mass, 2T139
- Vibrations of a rectangular plate with a free edge in the case of discontinuously varying thickness, 6A168
- Vibrations of rectangular membranes and plates with rectangular holes with fixed boundaries, 10T201
- Effect of different coordinate functions when employing the Rayleigh-Ritz method in the case of a vibrating rectangular plate with a free edge, 10T227
- Transverse vibrations of simply supported rectangular plates with rectangular cutouts carrying an elastically mounted concentrated mass, 11T136
- Transverse vibrations of simply supported rectangular plates with rectangular cutouts, 12T182
ROSSIKHIN, YA: Ray method for solving boundary-value problems connected with the propagation of thermoelastic shock waves of finite amplitude, 1A1286
- Applications of fractional calculus to dynamic problems of linear and nonlinear hereditary mechanics of solids, 2A7
- Application of fractional derivatives to the analysis of damped vibrations of viscoelastic single mass systems, 8A228
- Application of fractional operators to the analysis of damped vibrations of viscoelastic single-mass systems, 8A120
ROSSIT, CA: Vibrations of a rectangular plate with a free edge in the case of discontinuously varying thickness, 6A168
- Unified, polynomial approach for the approximate solution of thermoelastic problems in rectangular plates, 8A1380
ROSSITER, JA: Improving the tracking of generalized predictive control controllers, 4A380
- State-space approach to stabilizing predictive control, 5A304
- Robust stable generalized predictive control, 12A384
ROSSITER, PL: Characterization of mechanical vibration damping by piezoelectric materials, 5A138
ROSSMANITH, H-P: Mechanics of Jointed and Faulted Rock, 1N28
ROSTAMI, AA: Temperature distribution and melt pool size in a semi-infinite body due to a moving laser heat source, 11A1329
ROSTEDT, M: Intervertebral disc response to cyclic loading: An animal model, 8A1559
ROSTKOWSKI, A: Simulation study on control of hydrostatic transmission propelled by recovery braked AC motor, 4T420
ROSZKOWSKI, J: Specification of the parameters influencing the intensity of the methane flow in drainage holes (Poland), 4A1451
ROTA, PM: Thermoplastic polymers quality control: DSC baseline optimization for heat of fusion measurements, 4A1187
ROTA, R: Modeling of the reburning process, 12A1378

ROTE, DM: Vehicle-guideway dynamic interaction in maglev systems, 4A403
ROTEA, MA: Interpolation approach to multiobjective H_∞ design, 5A292
ROTENBERGER, K: Load variability of a two-bladed helicopter, 7A847
ROTH, B: Connectivity in open and closed loop robotic mechanisms, 8A964
- Geometry of spatial polygons and screw polygons, 12A1034
- Effects of actuation schemes on the kinematic performance of manipulators, 12A439
ROTH, D: Influencer of boundaries on pattern selection in through-flow, 4A1198
ROTH, H: Proposal for testing and rating of traction and stability control systems, 1A375
ROTH, KR: Comparison of computation with experiment for a geometrically simplified powered-lift model, 10A1229
ROTH, P: Measurement of $O(^1D)$ formation during thermal decomposition of CO_2 behind shock waves, 1T271
- Influence of reactive particles on the formation of a 1D detonation wave, 2A1325
ROTHENBURG, L: Micromechanical definition of the strain tensor for granular materials, 3A1341
- Particle shape effect in stress-force-fabric relationship for granular media, 9A477
ROTHENFLUE, JA: Three-dimensional velocity measurements within Gortler vortices, 2T1140
ROTHERMEL, SA: Nondestructive characterization of ceramic composites used as combustor liners in advanced gas turbines, 1A1362
ROTHERT, H: Formulation and implementation of 3D viscoelasticity at small and finite strains, 9A445
- Finite element implementation of rubber-like materials at finite strains, 12A32
ROTHMAN, DH: Two-fluid flow in sedimentary rock: Simulation, transport, and complexity, 12A1427
ROTOLI, G: Nucleation of spherical shell-like interfaces by second gradient theory: Numerical simulations, 3T1078
ROTSTEIN, H: Characterization of sampled-data controllers in the lifted domain, 8T386
ROTUNDI, A: Planetary atmosphere simulator: Application to Titan, 9A1518
ROTUNNO, R: Diffraction of Kelvin waves and bores at coastal bends, 3A238
- Propagation of internal bores, 8A1024
ROUDIER, P: Dynamic fracture toughness measurements and local approach modeling of titanium alloys, 5A688
ROURE, A: Optimization of an active noise control system using spherical harmonics expansion of the primary field, 10A380
ROURE, I: Crossover behavior in the viscosity of semiflexible polymers: Solutions of sodium hyaluronate as a function of concentration, molecular weight, and temperature, 5A891
ROUSCH, CJ: Comparison of tests of bridged and unbridged purlins with a nonlinear analysis model, 12A605
ROUSSEAU, AN: Short comparison of damping functions of standard low-Reynolds-number k-ε models, 11T1114
ROUSSEAU, J: Friction in the atomic scale, 4A875
ROUSSEAU, V: Elastic wave-propagation simulation in hetcrogeneous media by the spectral moments method, 4A1369
ROUSSELET, B: Geometrically constrained thickness optimization of flexible beams, 4A810
ROUSSET, G: "New Implicit Method" for tunnel analysis, 3A605
ROUSSOPOULOS, K: Nonlinear modeling of vortex shedding control in cylinder wakes, 4A986
ROUX, B: Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995, 3N34
ROUX, JA: Effects of pull speed on die wall temperatures for flat composites of various sizes, 1A667
- Substrate barrier effects on total heat transfer for a R-30 fibrous insulation batt, 5A1277
ROUX, S: Mode III stress intensity factor ahead of a rough crack, 11A680
ROVEN, HJ: Observations and calculations on mechanical anisotropy and plastic flow of an A1ZnMg extrusion, 2A422
ROVERE, N: Localizing a notch in a steel frame from frequency measurements, 11A277
ROWBOTHAM, PS: Improved inversion through use of the null space, 11A1472
ROWE, K: Effect of wall geometry on the behavior of reinforced soil walls, 9A639
ROWE, NC: Obtaining optimal mobile-robot paths with nonsmooth anisotropic cost functions using qualitative-state reasoning, 12A432
ROWE, PJ: Development of a low-cost video vector for the display of ground reaction forces during gait, 4A1494
ROWE, RG: Micromechanics of low temperature strength and toughness of intermetallic-metallic microlaminate composites, 4A559
ROWE, RK: Use of a geotextile separator to minimize intrusion of clay into a coarse stone layer, 1A628
- Advective-diffusive contaminant migration in unsaturated sand and gravel, 6A654
- Comparison of laboratory-measured GCL hydraulic conductivity based on three parameter types, 12A690
ROWE, WB: Analysis and simulation of the grinding process - Part II: Mechanics of grinding, 1T656
- Analysis and simulation of the grinding process - Part III: Comparison with experiment, 1T657
- Analysis and simulation of the grinding process - Part I: Generation of the grinding wheel surface, 1A655
- Grinding vibration detection using a neural network, 2A602
- Analysis of grinding temperatures by energy partitioning, 6A702
- Experimental investigation of contact behavior in grinding, 9T668
- Contact length in grinding - Part 1: Contact length measurement, 11A618
ROWELL, D: System Dynamics: An Introduction, 6R11
- Solutions Manual to *System Dynamics: An Introduction*, 12N21
ROWEN, B: Technique for calibrating measurements from photographs of sliced specimens, 11A1587
ROWLANDS, RE: Stresses around extremely large or interacting multiple holes in orthotropic composites, 4A604
- Hybrid moire-numerical stress analysis around cutouts in loaded composites, 5A463
- Thermoelastic determination of stress intensity factors in orthotropic composites using the J-integral, 7A724
ROWLEY, MA: Constitutive modeling of the viscoplastic response of Hastelloy-X and Aluminum alloy 8009, 11A429
ROY, A: Damage mechanisms in composite-composite bonded joints under static tensile loading, 9A748
ROY, AG: Turbulent flow structure at concordant and discordant open-channel confluences, 5A1010
- Effects of bed discordance on flow dynamics at open channel confluences, 6T990
ROY, AK: Tensile fatigue behavior of a coated 2D carbon-carbon composite laminate, 1A699
ROY, B: Development of a new tandem cascade for axial flow fan-compressor applications, 8A1241
- Experimental investigations on tandem compressor cascade performance at low speeds, 10T1237
ROY, DNG: Scattering and inverse scattering of sound-hard obstacles via shape deformation, 11A265
ROY, ID: Adaptive flutter suppression of an unswept wing, 2A250
- Active flutter suppression using multi-input and multi-output adaptive least mean square control, 10A317
ROY, PK: Dynamic studies on beams with unconstrained layer damping treatment, 2A110
ROY, RA: Optical pulse width measurements of sonoluminescence in cavitation-bubble fields, 9A297
ROY, RP: Turbulent velocity field in isothermal and heated liquid flow through a vertical annular channel, 1A1164
- Velocity field in isothermal turbulent bubbly gas-liquid flow through a pipe, 4A1027
ROY, RV: Asymptotic analysis of first-passage problems, 8T115
ROY, S: New approach to optimal design of multistage metal forming processes with micro genetic algorithms, 6A679
- Nonlinear, subgrid embedded FE basis for accurate, monotone, steady CFD solutions, 9A1030
- Analysis of rockbolt reinforcement using beam-column theory, 10A723
ROY, SK: Natural convection heat transfer from a vertical flat plate with phase change material suspensions, 6A1234
ROYCHOUDHURI, SK: Generalized thermo-viscoelastic problem of an infinitely extended thin plate containing a circular hole, 1A1287
- Magneto-thermo-elastic interactions in an infinite isotropic elastic cylinder subjected to a periodic loading, 8A622
ROYER, J: Boundary formulation for 3D anisotropic crack problems, 2A398
ROYLANCE, BJ: Investigation of the hydrodynamic and mechanical behavior of a soft nip rolling contact, 11T1182
ROYSTON, TJ: Periodic response of mechanical systems with local nonlinearities using an enhanced Galerkin technique, 1A142
- Optimization of passive and active nonlinear vibration mounting systems based on vibratory power transmission, 1A220
- Experimental study of a mechanical system containing a local continuous stiffness nonlinearity under periodic excitation and a static load, 6A188
- Vibratory power flow through a nonlinear path into a resonant receiver, 9A122
ROZAK, JN: Robust multivarible control of rotorcraft in forward flight, 10A497
ROZENBLIT, R: Effect of coarse particles on the heat transfer in a turbulent boundary layer, 8A1139
ROZENDAL, RH: Parameters for modeling the upper extremity, 10A1528
ROZIER, C: Inversion of a cylindrical vibrating body in shallow water from aspect-limited data using filtered SVD and the L-curve, 5A237
- Shape retrieval of an obstacle immersed in shallow water from single-frequency farfields using a complete family method, 10A399
ROZOVSKII, BL: Nonlinear filtering revisited: A spectral approach, 8T371
ROZVANY, GIN: Validity of Prager's example of nonunique Michell structures, 10A915
ROZVANY, GIN: Shortcomings in Michell's truss theory, 6A858
- Exact analytical solutions for non-selfadjoint variable-topology shape optimization problems: Perforated cantilever plates in plane stress subject to displacement constraints - Part I, 10A897
- Exact optimal layout of grillages for partially upward and partially downward loading, 12A886
- Partial relaxation of the orthogonality requirement for classical Michell trusses, 12A888
ROZYNSKI, G: Statistical properties of multiple bars, 12T1063
RU, CHONG QING: Finite strain singular field near the tip of a crack terminating at a material interface, 8A784
RU, CHONG-QING: Exterior mixed problem in plane elasticity, 2A381
- Elliptic inclusion in anti-plane shear, 2A393
RUAN, XIAOPING: Experimental and theoretical studies of the elastic behavior of knitted-fabric composites, 8A543
RUAS, V: Circumventing discrete Korn's inequalities in convergence analyses of nonconforming FE approximations of vector fields, 2T13
- Galkerkin-least-squares FEMs for the three-field Stokes system in R^3, 10A580
RUBAN, AI: Influence of wall cooling on hypersonic boundary-layer separation and stability, 3A1097
- Model for adiabatic supersonic turbulent boundary layers, 4A1003
RUBENCHIK, V: Beam stiffness matrix based on the elasticity equations, 6A573
RUBEZHANSKY, YI: Optimal control of deflections of unfastened heated spherical shells (Russian), 2A325
RUBI, E: Preconcentration and colorimetric determination of Fe(III) by sequential injection analysis, 2A1018
RUBIHNSKY, B: Magnetic resonance imaging assisted temperature calculations in multiple domain freezing problems, 11T1318
RUBIN, CA: Modeling of surface modified layers in the presence of surface irregularities, 4A905
RUBIN, MB: Numerical solutions of forced vibration and whirling of a nonlinear string using the theory of a Cosserat point, 4A131
- Restrictions on nonlinear constitutive equations for elastic rods, 5A466
- Treatment of elastic deformation in finite elastic-viscoplastic theory, 6A468
RUBIN, R: DIAPR: A high-pressure, high-temperature solar receiver, 8A1517
RUBIN, S: Streamline based grid adaption for Euler and Navier-Stokes: Direct and inverse design applications, 11A945
RUBINI, PA: Differential total absorptivity solution to the radiative transfer equation for mixtures of combustion gases and soot, 7A1415
- Preliminary gas turbine combustor design using a network approach, 12A1401
RUBINSKY, B: Evolutionary-genetic approach to heat transfer analysis, 2T1230
- Microscale heat transfer in biological systems at low temperatures, 10A1337
RUBINSTEIN, R: Relaxation approximation for time-dependent second-order effects in shear turbulence, 4A1092
RUBINSZTEIN-DUNLOP, H: Visualization and analysis of bow shocks in a superorbital expansion tube, 4T1042
RUBTSOV, YK: Study of propagation of nonstationary waves in axisymmetrical problems of the bound theory of thermoelasticity (Russian), 2A181
RUCKI, MD: Algorithmic framework for flexible FE-based structural modeling, 4A839
RUCKMAN, CE: Mechanisms of localized vibration control in complex structures, 11A314
RUDAKOV, VI: Analytical solution of the diffusion equation for an extended source of infinite extent at constant temperature gradient, 8A1335
RUDD, CD: Effect of shear deformation on the processing and mechanical properties of aligned reinforcements, 9A517
RUDDY, JH: Bonded repair of minimum-gage composite sandwich structures, 2A455
RUDE, M: Collision avoidance by using space-time representations of motion processes, 10A525
RUDEEN, DK: Application of a coupled solid-fluids mixture theory: Process of squeezing a sponge, 8A7
- Clarifications and further implications of the concept of motion in mixture theories, 8T8
RUDENKO, OV: Analytical method for describing the paraxial region of finite amplitude sound beams, 8A343
RUDEV, AN: Instability of a nonlinearly elastic beam under tension, 8A600
RUDIN, AE: Mathematical simulation of yarn formation in ring spinning, 9T493
RUDIONO: Application of the secant method to prediction of flow curves in multi-microstructual steels, 10A585
RUDMAN, M: Volume-tracking methods for interfacial flow calculations, 10A1085
RUDOLPH, J: Notch-stress analysis by FE submodeling, 11A29
RUDOLPHI, AK: Gross plastic fretting mechanical deterioration of silver coated electrical contacts, 7A694
- Gross plastic fretting: Examination of the gross weld regime, 7A695
RUDOVICS, B: From quasi-2D to 3D Turing patterns in ramped systems, 5A1318
RUDOWSKI, J: Coexistence of periodic, almost-periodic, and chaotic attractors in the van der Pol-Duffing oscillator, 8A93
RUDRAIAH, N: Effect of an oblique magnetic field on the surface instability of a finite conducting fluid layer, 6A1140
RUDY, TW: Combined robotic-universal force sensor approach to determine *in situ* forces of knee ligaments, 3A412
RUDZINSKA, K: Nondimensional Schmidt analysis for optimal design of Stirling engines, 11A1430
RUEB, CJ: Viscoelastic properties of colloidal gels, 8A998
RUEGSEGGER, P: Automated FE analysis of excised human femora based on precision-QCT, 2A1443
RUFF, DN: Evaluation of failure diagnosis in conceptual design of mechanical systems, 9A414
RUFFINO, G: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329
RUGER, A: P-wave reflection coefficients for transversely isotropic models with vertical and horizontal axis of symmetry, 11A1464
RUGGIERI, C: Transferability model for brittle fracture including constraint and ductile tearing effects: A probabilistic approach, 6A773
- Numerical modeling of ductile crack growth in 3D using computational cell elements, 10A795
RUGGIERO, F: Energy recovery of blast-furnace gas coke: The importance of a correct regulation system, 1A1359
RUGGLES, MB: Experimental investigation of uniaxial and biaxial rate-dependent behavior of a discontinuous metal-matrix composite at 538°C, 9A522
RUHL, T: Finite-difference migration derived from the Kirchhoff-Helmholtz integral, 4A1371
- Three-dimensional implicit finite-difference migration by multiway splitting, 9A1467
RUHLE, M: Microindentation method for estimating interfacial shear strength and its use in studying the influence of titanium transition layers on the interface strength of epitaxial copper films on sapphire, 8A841
RUI, HX: Nonoverlapping domain decomposition method with mixed element for elliptic problems, 5A39
RUISI, VF: Wear rates and wear mechanisms of alumina-based tools cutting steel at a low cutting speed, 12A963
RUIZ AYALA, JR: Effect of intermittent contact on the stability of thermoelastic sliding contact, 11A1189
RUIZ, SE: Design live loads for office buildings in Mexico and the US, 11A799
RUIZ-CHAVARRIA, G: Scaling laws and dissipation scale of a passive scalar in fully developed turbulence, 7A1132
RULE, JA: Novel method for calculating 2D blade vortex interaction, 10A338
RULE, WK: Response surface for structural optimization, 12A889
RUMBAUGH, JO: Subsurface Fluid Flow (Ground-Water and Vadose Zone) Modeling, 5N29
RUMSCHITZKI, DS: Temporal and spatial instability of an inviscid compound jet, 7A1131
RUMSEY, CL: Computation of acoustic waves through sliding-zone interfaces, 7A278
RUMYANTSEV, VV: General equations of analytical dynamics, 11A79
RUNCHAL, A: ASME Proceedings of 31st National Heat Transfer Conference, Volume 6, 2N41
RUNDELL, W: Inverse Problems in Geophysical Applications, 4N31
RUNDQVIST, T: Imbedded disk retraction method for measurement of interfacial tension between polymer melts, 5A902
RUNESSON, K: Embedded localization band in undrained soil based on regularized strong discontinuity: Theory and FE-analysis, 1A613
- Implicit integration and consistent linearization for yield criteria of the Mohr-Coulomb type, 5A23
- Localization properties of a frictional material model based on regularized strong discontinuity, 5A428
- Localization properties of multiplicative hyper-elasto-plastic continua with strong discontinuities, 8A11

RUNGGALDIER, WJ: Optimization of observations: A stochastic control approach, 10T446
RUNKEL, RL: Solution of the advection-dispersion equation: Continuous load of finite duration, 3A1470
RUNKIEWICZ, L: "In situ" testing methods applied to building expertises (Polish), 9A883
RUO, RONGBIAO: Interlaminar tensile strength (ILTS) measurement of woven glass-polyester laminates using a four-point curved beam specimen, 5A465
RUOTOLO, R: Harmonic analysis of the vibrations of a cantilevered beam with a closing crack, 5A95
RUP, K: Indirect measurement of the heat conductivity and specific heat coefficients of homogeneous fluid, 1A1153
- Identification of the flowrate based upon a solution of an inverse heat transfer problem, 6A1230
RUPP, CC: Control and flight performance of tethered satellite small expendable deployment system-II, 3T373
RUSAK, Z: Axisymmetric swirling flow around a vortex breakdown point, 4A969
- Dynamics of a swirling flow in a pipe and transition to axisymmetric vortex breakdown, 11A937
RUSANOV, VA: Geometrical approach to a problem of forming a flight path for a surface effect vechile, 1A364
RUSHCHITSKY, JJ: Three-wave interaction and second harmonic generation in one-phase and two-phase hyperelastic media (Russian), 6A222
RUSHCHITSKY, YY: Self-excitation of transverse waves in hyperelastic materials: The third approximation (Russian), 2A180
- Simple waves in solid mixtures (Russian), 9A181
- Nonlinear and simple waves in solid mixtures: Survey (Russian), 12A231
RUSHTON, A: Solid-Liquid Filtration and Separation Technology, 3R32
RUSOVICI, R: Solid-state actuation of rotor blade servo-flap for active vibration control, 1A151
RUSS, G: Heat transfer and flow field in a pipe with sinusoidal wavy surface - II: Experimental investigation, 5A1172
- Heat transfer and flow field in a pipe with sinusoidal wavy surface - I: Numerical investigation, 5A1171
RUSSEL, WB: Smoluchowski theory with simply approximations for hydrodynamic interactions in concentrated dispersions, 8A989
RUSSELL, BW: Measurement of transfer lengths of pretensioned concrete elements, 11A794
RUSSELL, DL: Nonlinear parameter identification of an electro-rheological fluid damper, 6T140
RUSSELL, JL: Minimum-weight design of flexible arms for specified fundamental frequency, 6A421
RUSSELL, PA: Dilation-free solutions for the incompressible flow equations on nonstaggered grids, 9T1026
RUSSO, A: Bubble stabilization of FEMs for the linearized incompressible Navier-Stokes equations, 1A988
- Mass lumping emanating from residual-free bubbles, 10A96
- Unlocking with residual-free bubbles, 10A99
RUSSO, D: Note on the orientation of the macrodispersion tensor in partially saturated heterogeneous porous formations, 9T1435
RUSSO, G: Uniformly accurate schemes for hyperbolic systems with relaxation, 8A266
RUSSO, R: Nonlinear stability analysis of a rigid rotor on tilting pad journal bearings, 1A918
RUSSO, S: New proposal for defining the ductility of concrete reinforcement steels by means of a single parameter, 4A837
RUSU-CASANDRA, A: Stress analysis of hemispherical shells with single nonradially penetrated nozzles, 5A475
RUTA, GC: Perturbation series for shear stress in flexure of Saint-Venant cylinders with Bredt-like sections, 4T484
RUTAR, T: Nitrous oxide emissions control by reburning, 5A1340
RUTENBERG, A: Comparison of the present SEAOC-UBC torsional provisions with the old ones, 10A949
RUTHENBERG, BJ: Experimental device for investigating the force and power requirements of a powered gait orthosis, 10A1564
RUTHER, P: Prototype of a microtesting system made by the LIGA process to measure the Young's modulus in cantilever microbeams, 9A382
RUTKOWSKI, L: Room response to frequency change and its relation to the pitch changes, 4T313
RUTZ, MW: Effect of acoustic perturbations on liquid jet atomization, 7A1110
RUXTON, T: Safety based design and maintenance optimization of large marine engineering systems, 4A818
RUYTEN, W: Low-power ammonia arcjet: Numerical simulations and laser-induced fluorescence measurements, 5A1387
RUZICKA, M: Modeling of electrorheological materials, 1T946
RUZZENE, M: Natural frequencies and dampings identification using wavelet transform: Application to real data, 9A308
RVACHEV, VI: Study of thermostressed state of the aviation engine blade by the method of R-functions (Russian), 1T583
RYABININ, VA: Non-stationary heat exchange in brakes, 2A931
RYABOY, VM: Shock isolation by a low-damped multi-dof mechanical system, 5T140
RYABTSEV, GI: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
RYAN, RS: Fundamentals and issues in launch vehicle design, 10A963
RYAN, WR: Dual-use conversion of a high-Mach-number jet engine test cell for industrial gas turbine low-emission combustor development, 8A1418
RYASHKO, LB: Stability of stochastically perturbed orbital motions, 7A241
RYBAKOV, LS: Elastic analysis of a plane regular latticed structure, 1A854
- Theory of a one plane truss-type structure with quasi-regularity in one direction, 12A879
RYBICKI, A: Drying stress formation by inhomogeneous moisture and temperature distribution, 1A1269
- Response of dried materials to drying conditions, 5A1275
RYBKA, P: Crystalline motion: Uniqueness and geometric properties, 8A1347
RYCHKOV, BA: Concentration of slip and mechanics of orthotropic material, 1A492
RYCHLIK, I: Simulation of load sequences from rainflow matrices: Markov method, 5A628
- Modeling and statistical analysis of ocean-wave data using transformed Gaussian processes, 6A271
RYDIN , RW: Glass fabric vinyl-ester composites: Tailoring the fiber bundle-matrix interphase with nylon coatings to modify energy absorption behavior, 8A556
RYLOV, AY: Self-organization of the large-scale planetary and plasma drift vortices, 3A1417
RYMARZ, CZ: Baroclinic instability of the type of self-organization in westerly zonal low, 4A1434
RYMARZ, PB: Measurements of velocity and vorticity fields around a pitching swept wing, 6T1202
RYMUZA, Z: Energy concept of the coefficient of friction, 5A817
RYOO, CK: Closed-form optimal guidance law for missiles of time-varying velocity, 3A365
RYOU, HS: Numerical simulation of heat transfer and flow structure in 3D turbulent boundary layer with imbedded longitudinal vortex, 9A1207
RYSCHENKOW, G: Adhesion failure in the stick-slip regime: Optical and AFM characterizations and mechanical analysis, 4A953
RYTWINSKA, D: Revision of the standard PN-84/B-03264: Concrete reinforced concrete and prestressed concrete structures - Statical analysis and design (Polish), 2A796
RYU, CHUNG-SON: Nonstationary response analysis of offshore guyed tower subjected to earthquake loading, 6A1444
RYU, H: Deflection shape control of a flexible beam by using shape memory alloy wires under the genetic algorithm control, 2A322
RYU, HA-SANG: Curved beam elements based on strain fields, 5A468
RYU, JAIYOUNG: Technique for calibrating measurements from photographs of sliced specimens, 11A1587
RYU, JEHA: Criterion on inclusion of stress stiffening effects in flexible multibody dynamic system simulation, 7A87
RYU, K.-W: Sound radiation from elliptic vortex rings: Evolution and interaction, 9A260
RYU, YK: New optical measuring system for solder joint inspection, 6A821
RYVKIN, M: Mode III crack in a laminated medium, 2A683
RYZHIK, L: Transport equations for elastic and other waves in random media, 6A240
RYZHIK, LV: Stability of the P-to-S energy ratio in the diffusive regime, 2A1374
RYZHIK, V: Movement of an LNAPL lens on the water table, 6A1383
RYZHOV, OS: Composite asymptotic model for the wave motion in a steady 3D subsonic boundary layer, 10A1108
RZYMKOWSKI, C: RoManSy 11: Theory and Practice of Robots and Manipulators, 11N18

S

SAAD, AM: Decrease in canine proximal femoral ultimate strength and stiffness due to fatigue damage, 9A1563
SAADATMANESH, H: Seismic strengthening of circular bridge pier models with fiber composites, 5A444
- Repair of earthquake-damaged RC columns with FRP wraps, 10A939
- Shear and flexural strengthening of R-C beams with carbon fiber sheets, 12A907
SAADEGHVAZIRI, MA: Nonlinear response and modeling of RC columns subjected to varying axial load, 9A864
SAADEH, M: Combined PIV-LIF-system for the measurement of heterogeneous drag reduction effects in a pipe-flow, 8A1140
SAAL, H: Flexibility factors for nozzles in the knuckle region of dished pressure vessel heads, 8A939
SAALEHI, A: Quadtree grid generation: Information handling, boundary fitting, and CFD applications, 6A68
SAANOUNI, K: Micromechanical modeling of low cycle fatigue under complex loadings - Part I: Theoretical formulation, 7A679
- Micromechanical modeling of low cycle fatigue under complex loadings - Part II: Applications, 7A680
SAARI, DG: Hamiltonian Dynamics and Celestial Mechanics, 4N5
SAARI, K: Studies of seeding particle velocities in a circular free jet using a laser-Doppler anemometer, 10A1163
SAASTAMOINEN, J: Simultaneous drying and pyrolysis of solid fuel particles, 1A1326
SAATDJIAN, E: Reduction of natural convection heat transfer in horizontal eccentric annuli containing saturated porous media, 11A1265
SAATHOFF, PJ: Effects of free-stream turbulence on surface pressure fluctuations in a separation bubble, 10A1142
SAAVEDRA, P: Modeling the dynamic behavior of a rotating shaft with a transverse crack (Spanish), 3A515
SAB, K: Stochastic nonlocal damage model, 1A720
SABADA, S: Automatic synthesis of crank driven four-bar mechanisms for two, three, or four-position motion generation, 12A1032
SABAG, M: General nonlinear structural model of a multirod (multibeam) system - II: Results, 3A809
- General nonlinear structural model of a multirod (multibeam) system - I: Theoretical derivations, 3A808
SABBAGHIAN, M: Design of an engagement guiding mechanism for roller chain drives, 6A949
- Load distribution between threads in threaded connections, 8A978
SABBATINI, F: Study of the steam turbine trip in a 20 MW geothermal plant, 1A1350
SABER, HH: Flooding limit in closed, two-phase flow thermosyphons, 8A1369
SABINIAK, HG: Application of finite difference method to the determination of deflections in ring-shaped plates, 2A503
SABIR, BB: Stress analysis of a fracture test specimen for cementitious materials, 1A792
SABIR, H: Evaporation coefficient of water: A review, 9A1256
SABIR, HM: Potential benefits of electrohydrodynamic enhancement of two-phase heat transfer in the design of refrigeration systems, 5A1273
SABNIS, JS: Evolution of internal flow in a solid rocket motor with radial slots, 1A1373
SABOO, P: Fractal analysis of adhesion at the contact between rough solids, 5A84
SABOYA, FEM: Comparative study of elliptical and circular sections in one- and two-row tubes and plate fin heat exchangers, 9A1282
SABZERVARI, A: Turbulent wind flow patterns and pressure fields across a tall building, 9T1113
SACADURA, J-F: Radiative transfer modeling: A survey of current capabilities for non-grey participating media, 7A1322
SACADURA, JF: Alternative formulation of the S-N discrete ordinates for predicting radiative transfer in nongray gases, 2T1250
SACCHETTI, D: Comparison among empirical probability density functions of the vertical velocity in the surface layer based on higher order correlations, 10T1477
SACCHI, G: New FE with "drilling" dof, 10A69
SACCHI, MD: Estimation of the discrete Fourier transform, a linear inversion approach, 1A1410
- Wavelet transform inversion with prior scale information, 4A1382
SACCO, C: Stabilized finite point method for analysis of fluid mechanics problems, 6A1042
SACCO, E: Augmented Lagrangian FEs for plate contact problems, 6A595
- Delamination of beams: An application to the DCB specimen, 6A778
- Rational deduction of plate theories from the 3D linear elasticity, 12A621
- One-dimensional model for superelastic shape-memory alloys with different elastic properties between austenite and martensite, 12A896
SACCOMANDI, G: Bending of pretwisted bars by a terminal transverse load, 3A506
- Note on inhomogeneous deformations of linear elastic layers, 8A477
- Universal relation characterizing transversely hemitropic hyperelastic materials, 11A5
SACHDEV, PL: Compendium of Nonlinear Ordinary Differential Equations, 11R41
SACHS, G: Reduction of coolant fuel losses in hypersonic flight by optimal trajectory control, 5A311
SACK, RA: Lagrange Pade parabolic equation (LPPE) for the prediction of long range sound propagation in the atmosphere, 5A232
SACK, RL: Measuring and modeling dynamic loads imposed by moving crowds, 6A196
SACKFIELD, A: State of stress induced by a conical indenter, 2A396
SACKS, A: Experimental results of adaptive periodic disturbance cancellation in a high performance magnetic disk drive, 4A418
SACKS, MS: Collagen fiber architecture of a cultured dermal tissue, 9A1578
SACKS, P: Impedance inversion from transmission data for the wave equation, 6A263
SADASIVAN, P: Nonlinear aspects of high heat flux nucleate boiling heat transfer, 11A1279
SADAYUKI, U: Goupillaud inverse problem with arbitrary input, 12A323
SADD, MH: Effect of microstructural fabric on dynamic load transfer in 2D assemblies of elliptical particles, 1A438
- Finite element modeling of a deep sea clay in long-term laboratory creep tests, 7A570
- Discrete element study of the relationship of fabric to wave propagational behaviors in granular materials, 10A695
SADEGHI, F: Thermal EHL analysis of circular contacts with measured surface roughness, 1A1132
- Viscoelastic effects in lubricated contacts, 3A878
- Radius of curvature and entraining velocity of cam follower mechanisms, 4A918
- Elastoplastohydrodynamic lubrication with dent effects, 5T1110
- Analytical and numerical modeling of engagement of rough, permeable, grooved wet clutches, 7A938
- Spall initiation and propagation due to debris denting, 7A889
- Finite element modeling of engagement of rough and grooved wet clutches, 11A849
- Internal stresses in contact of a rough body and a viscoelastic layered semi-infinite plane, 11A417
- Debris denting effects on elastohydrodynamic lubricated contacts, 12A1212
SADEGHI, MH: Geometric approach to nondestructive identification of faults in stochastic structural systems, 9A815
SADEGHIPOUR, K: Finite element analysis of horizontal and branched subsurface cracks in brittle materials, 12A826
SADEK, F: Method of estimating the parameters of tuned mass dampers for seismic applications, 11A161
SADEK, IS: Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, 10A431
SADHAL, SS: Proceedings of the ASME Heat Transfer Division, Volume 1, 3N41
- Note on the evaluation of thermal constriction resistance for finite thickness gaps, 8T1343
SADIQ, A: Water surface profiles in compound channel with multiple critical depths, 6T993
SADLER, LY: Particle-size analysis of soils using laser light scattering and X-ray absorption technology, 12A695
SADOUKI, H: Analysis of hygral induced crack growth in multiphase materials, 10A838
SADOVSKAIA, N: Construction of dynamic systems from given integrals, 1A297
SADOVSKY, Z: Tolerances of initial deflections of steel plates and strength of I cross-section in compression and bending, 2A799
- Stochastic resistance of square plate under uniaxial compression, 12A653
SADUNISHVILI, G: Interaction of elastic scalar fields, 6A288
SAE-TANG, A: Machined feature recognition based on feature loop and convex polyhedron, 5A284
SAEED, F: Multipoint inverse airfoil design method for slot-suction airfoils, 2A1084
- Design of subscale airfoils with full-scale leading edges for ice accretion testing, 8A1229
SAELS, P: Energy cost, mechanical work, and muscular efficiency in swing-through gait with elbow crutches, 4A1485
SAEN-SABY, P: Heat pump dryer - Part 2: Results of the simulation, 7A1343
- Heat pump dryer - Part 1: Simulation of the models, 7A1347
SAENKO, VP: Optimization of pumping units of internal involute gear pumps, 8A963
SAETHER, E: Explicit plane quadrilateral element for nonlinear material analysis, 3A35
SAETTA, AV: Finite element solution of the stability problem for nonlinear undamped and damped systems under nonconservative loading, 11A534
SAFARI-ARDI, M: Oscillatory and simple shear flows of a flour-water dough: A constitutive model, 9A989
SAFAROV, Y: Asymptotic Distribution of Eigenvalues of Partial Differential Operators, 4N2
SAFF, CR: Composite Materials: Testing and Design, Twelfth Volume, 2N22
SAFFRE, P: Four-layered self-consistent scheme applied to two-phase composites, 1T532
SAFWAT, HM: Free vibration analysis of penta, heptagonal shaped plates, 7A141

SAGA, T: Channel-meandering effect on the large-scale structure of turbulent secondary flow (Japanese), 7T1014
- Development of waste water purification technique in closed water area (Japanese), 8A1553
SAGALYUK, IS: One approach to solution of spatial boundary value problems of the elasticity theory doubly-connected problems (Russian), 9A429
SAGAUT, P: Direct numerical simulation of a cooling flow in a ribbed channel: Pegase code (French), 2A1196
- Pegase: A Navier-Stokes solver for direct numerical simulation of incompressible flows, 10A1101
SAGELOLI, J: Dispersive acoustical propagation in stratified structures (French), 2A268
- Two Scholte-Stoneley waves on doubly fluid-loaded plates and shells, 7A268
SAGFORS, MF: Sampled-data H_∞ problem: A unified framework for discretization-based methods and Riccati equation solution, 7T321
SAGHIRUDDIN: Effect of using a heat recovery absorber on the performance and operating cost of the solar ammonia absorption cycles, 8A1529
SAGIE, D: DIAPR: A high-pressure, high-temperature solar receiver, 8A1517
SAGIROGLU, S: Processing signals from an internal sensor using neural networks, 5A331
SAGONG, SEONG DAE: Analytical solutions for exponentially correlated acceleration tracking filters, 9T311
SAH, PL: Static and dynamic performance characteristics of an orifice compensated hydrostatic journal bearing with non-Newtonian lubricants, 1A1124
SAHA, KN: Dynamic stability of a rectangular plate on non-homogeneous Winkler foundation, 10A668
SAHA, P: Anomalous electrorheological behavior of magnesium hydroxide suspensions in silicone oil, 3A946
SAHA, PK: Influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 2A914
SAHA, S: Reflection and refraction of P waves at the interface of two monoclinic media, 3A1363
SAHA, SK: Inverse dynamics algorithm for space robots, 4A440
SAHA, TK: Performance of a mixed flow pump with varying tip clearance - Part I, 3A1197
- Performance of a mixed flow pump with varying tip clearance - Part 2, 3A1198
SAHA, UK: Development of a new tandem cascade for axial flow fan-compressor applications, 8A1241
- Experimental investigations on tandem compressor cascade performance at low speeds, 10T1237
SAHASHI, M: Simulation of quenching-tempering process based on metallo-thermo-mechanics (Japanese), 1A1284
- Identification of Gurson's material constants by using Kalman filter, 12A852
SAHASRABUDHE, V: Integrated rotor-flight control system optimization with aeroelastic and handling qualities constraints, 9T361
SAHI, M: Influence of viscoplasticity in the interpretation of the ring test, 1A632
SAHIN, I: Application of a panel method to hydrodynamics of underwater vehicles, 8A284
SAHIN, MA: Lateral distribution factor from bridge field testing, 3A796
SAHIN, Y: Wear performance of aluminum alloy composites containing unidirectionally-oriented silicon carbide coated boron fibers, 2A895
SAHM, PR: Numerical optimization of process control variables for the Bridgman casting process, 9A677
SAHN, S: Damage evolution ahead of sharp notches under cyclic loading, 4A697
SAHO, N: Heat-transfer and flow characteristics of perforated-plate heat exchangers with crosscut fins, 7A1329
SAHOO, RK: Numerical investigation of free convective flow in divergent channels, 11A1045
SAHOTA, MS: Application of multisurface plasticity theory: Yield surfaces of textured materials, 4A503
SAHU, J: Numerical investigation of supersonic base flow with base bleed, 8A1224
SAICHEV, AI: Density fields in burgers and KdV-burgers turbulence, 1A1079
- Advection of passive and reactive tracers in multi-dimensional Burgers' velocity field, 7A1150
- Evolution of Burgers' turbulence in the presence of external forces, 8A1180
SAID, R: Soot formation modeling for turbulent flames, 6A1334
SAID, SAM: Investigation of natural convection in convergent vertical channels, 1A1172
SAIDA, N: Correlation of separation angles induced by glancing interactions, 4T1035
SAIDEL, GM: Sensitivity analysis of 1D heat transfer in tissue with temperature-dependent perfusion, 9A1595
SAIDOV, GI: Thermal activation approach to the crack resistance of steels, 8A769
SAIEDI, S: Coupled modeling of alluvial flows, 11T931
SAIF, M: Force and position control of grasp in multiple robotic mechanisms, 1A383
SAIGAL, A: Digital computer algorithms to calculate ultrasonic wave speed, 1A817
- Using LabVIEW under windows in advanced ultrasonic testing, 6A834
SAIGAL, R: Investigation of techniques for asymmetry rectification, 11A353
SAIGAL, S: Singular p-version FEs for stress intensity factor computations, 9A780
SAIGO, M: Self-excited vibration caused by internal friction in universal joints and its stabilizing method, 10A218
SAIIDI, MS: Response modification factors for seismic design of circular reinforced concrete bridge columns, 8A909
SAIKA, S: Adaptive sign detection method of 4 × 4 determinant method - 2nd Report: Sign detection method for arbitrary homogeneous polynomials (Japanese), 4A60
SAIKIA, CK: Simulated hard-rock motions in Saint Louis, Missouri, from large New Madrid earthquakes ($M_w \geq 6.5$), 12A1476
SAIKKO, V: Phospholipids as boundary lubricants in wear tests of prosthetic joint materials, 12A1224
SAIKKONEN, M: Kinematics and strength of bi-harmonic gear drives, 6A954
SAIMOTO, S: Precision strain rate sensitivity measurement using the step-ramp method, 5A432
SAIN, K: Interpretation of first arrival travel times in seismic refraction work, 1A1413
SAIN, MK: Acceleration feedback control of MDOF structures, 3A737
- Series solution of a class of nonlinear optimal regulators, 4A360
- Phenomenological model for magnetorheological dampers, 9A119
SAIN, S: Global strength of hybrid shape memory composite plates subjected to low-velocity impact, 12A591
SAINI, JS: Heat transfer and friction factor correlations for artificially roughened ducts with expanded metal mesh as roughness element, 5A1137
SAINI, RP: Heat transfer and friction factor correlations for artificially roughened ducts with expanded metal mesh as roughness element, 5A1137
SAINSAULIEU, L: Traveling-wave solutions of convection-diffusion systems in nonconservation form, 2A1295
- Numerical method for the computation of the dispersion of a cloud of particles by a turbulent gas flow field, 10T1185
- Analysis of a non-hyperbolic system modeling two-phase flows - Part 1: The effects of diffusion and relaxation, 10A1126
SAIRYO, K: Protocol to evaluate semi-rigid pedicle screw systems, 12A1582
SAISHO, K: Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), 2T613
SAITH, A: SPSLIFE: A user-friendly approach to the structural design and life assessment of ceramic components, 11A486
SAITO, A: Rock resistivity and its correlation to mechanical properties (Japanese), 2T577
SAITO, E: Estimation of lateral pressure and coefficient of subgrade reaction during excavation work in Osaka (Japanese), 10A707
- Back analysis by EK-filter for coefficient of subgrade reaction and earth pressure in excavation work (Japenese), 10A706
SAITO, K: Study on a 5-axis machine tool for sculptured surface having a fixed point in the tip of the tool, 7A614
- Generation of a model for die-sinking from digitized data (Japanese), 9A659
- Computational fluid dynamics simulation of the automotive spray painting process, 10T1051
SAITO, N: Sliding wear tests of stainless steel couples in water at high temperature, high sliding speed and high load, 7A888
SAITO, S: Study on high pressure dewatering method of cement-stabilized soft clay (Japanese), 2A547
SAITO, T: Layered model of electrorheological fluid under flow, 1A952
- Design and performance of compact load cell for measuring earth pressure in a centrifuge (Japanese), 2A553
- Numerical simulation of unsteady flow in air-lift pump, 3T1085
- Solution of the inverse radiative load problem using the singular value decomposition technique, 7A1327
- Mechanism of absorption enhancement by surfactant, 7A1378
- Theoretical analysis of interfacial instability in countercurrent annular two-phase flow, 7A1119
- Boiling heat transfer of a ternary refrigerant mixture inside a horizontal smooth tube, 8A1315
- Basic consideration on the parameter identification of road tunnel with heat insulater (Japanese), 8T922
SAITO, Y: Identification of two dissimilar surface cracks hidden in solid using neural networks and computational mechanics, 5A275
- Forming mechanism of planetary conical rolling, 8A696
SAITOH, F: Method for detecting circular pads on a modulus board using the Hough transform for the semiconductor chip placement tool (Japanese), 1A403
- Uneven area defects inspection on LCD display using multiple resolute images (Japanese), 12T876
SAITOH, T: Interpolating clothoidal spline curve by computer algebra system (Japanese), 7A74
SAITOU, A: Study on lateral resistance properties of pile groups (Japanese), 2A562
SAITOU, K: Effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 2A858
SAITOU, T: Channel-meandering effect on the large-scale structure of turbulent secondary flow (Japanese), 7T1014
- Development of waste water purification technique in closed water area (Japanese), 8A1553
SAIZUKA, K: Hysteresis models for steel bridge piers and their application to elasto-plastic seismic response analysis (Japanese), 6A1438
- Pseudodynamic testing of scaled models, 9A1501
- Hybrid testing of steel bridge pier models using the Hyogoken-nanbu earthquake accelerograms (Japanese), 9A889
- Behavior of partially concrete-filled steel bridge piers under cyclic and dynamic loading, 12A854
SAJE, M: Kinematically exact FE formulation of planar elastic-plastic frames, 10A958
SAJIMA, T: Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), 2T613
SAJJADI, SG: Application of a cubic pressure-strain correlation to turbulent flow over sand ripples, 7A261
- Application of roughness-dependent boundary conditions to turbulent oscillatory flows, 11A1109
SAKAGAITO, Y: Optical scanning system for recording large image, 7A386
SAKAGAMI, K: Sound absorption of a cavity-backed membrane: A step towards design method for membrane-type absorbers, 6A349
SAKAGUCHI, A: Airfoil section characteristics at a low Reynolds number, 9A1158
- Piezoelectric mount force sensor of placement system for surface mount devices (Japanese), 12T877
SAKAGUCHI, K-I: Slow impact punching in brittle materials (Japanese), 2A701
SAKAGUCHI, T: Grouting test using a suspension of ultrafine clay on artificially cracked rock samples (Japanese), 5A544
SAKAI , H: Flexural behavior of reinforced concrete beams strengthened with carbon fiber sheets, 4A836
SAKAI, K: Thin spacing analysis for head-tape interface, 4A880
SAKAI, S: Estimation of the clay ground improved by sand compaction piles at Kawasaki man-made island (Japanese), 8T646
- Real-time optical measuring system for dye color and concentration - II: Dispersive dye, 8A850
- Horizontal scale of rotating convection in the geostrophic regime, 8A1063
SAKAI, T: Databook on Fatigue Strength of Metallic Materials, 8N10
- Determination of the bearing capacity of the pile by means of stress wave theory (Japanese), 5A524
SAKAI, Y: Study on the simulation of grinding process - 3rd Report: Influence of cutting edge distribution on finished surface roughness and grinding force (Japanese), 7A624
SAKAKIBARA, J: Vortex structure and heat transfer in the stagnation region of an impinging plane jet: Simultaneous measurements of velocity and temperature fields by digital particle image velocimetry and laser-induced fluorescence, 10A1297
SAKAMOTO , M: Comparison of different methods in predicting static pressure distribution in articulating joints, 10A1514
SAKAMOTO, M: Perpendicular construction of bridge girder for long span suspension bridge under a rapid stream (Japanese), 2T808
SAKAMOTO, S: Superfinishing of fine ceramics: Influence of machining damage on bending strength (Japanese), 2A614
- Control of cutting ability in superfinishing (Japanese), 5T570
SAKAMOTO, Y: Preparation of fine grain diamond coated WC-Co tools and their cutting performance (Japanese), 10T738
SAKANE, K: Adaptive sign detection method of 4 × 4 determinant method - 2nd Report: Sign detection method for arbitrary homogeneous polynomials (Japanese), 4A60
SAKANE, M: High temperature multiaxial low cycle fatigue of CMSX-2 Ni-base single crystal superalloy, 10A768
SAKANO, M: Low cycle fatigue behavior of steel pier beam-column joint (Japanese), 11A874
SAKATA, K: Comprehensive monitoring system in metal cutting - 1st Report: Proposed system and construction (Japanese), 8A700
SAKATA, M: Numerical study of natural convection in a cylindrical cavity bounded by a partially-heated vertical wall, 2A1172
SAKAYA, K: Grinding-like polishing using magnetic fluid: Surface polishing characteristics of silicon wafer, 3T660
SAKEMI, T: Settlements of oil storage tank during liquefaction (Japanese), 5A522
SAKIMOTO, J: In-situ loading tests of diaphragm wall foundation and property of its bearing capacity (Japanese), 5A526
SAKISHITA, M: Multiobjective optimal unit sizing of a grid-connected photovoltaic system in consideration of its probabilistic characteristics, 11A1533
SAKIYAMA, T: Free vibration analysis of continuous sandwich beams with elastic or viscoelastic cores by applying the discrete Green function, 6A180
- Free vibration analysis of sandwich arches with elastic or viscoelastic core and various kinds of axis-shape and boundary conditions, 12A194
SAKSENA, TK: Study on the vibrational characteristics of ultrasonic transducers using tapered piezoelectric ceramic elements, 7A297
SAKTI, JP: Transport of aqueous organic compounds in thermoplastic geomembranes - II: Mass flux estimates and practical implications, 3T1480
SAKUMA, I: Current topics on medical and rehabilitation engineering (Japanese), 1T1472
- Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), 10A551
SAKURAI, M: Solar UT-3 thermochemical cycle for hydrogen production, 4A1463
- Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224
SAKURAI, S: Analysis of strain localization on the basis of a strain gradient dependent constitutive model, 2A543
- Development of a multi-surveying system using GPS for the measurement of ground displacements (Japanese), 2A575
- Study on water sealing mechanism of earth pressure balanced shield subject to high water pressure (Japanese), 5A531
- Study on tunnel face stabilization by X-ray radiography method: Approach by 3D strain analysis (Japanese), 5T792
- Design method of rock bolts in jointed rock masses (Japanese), 8A687
- Measurement and identification of deformational behavior of a tunnel reservoir (Japanese), 10A959
SAKURAI, T: Multiobjective shape optimization of linear elastic structures considering multiple loading conditions: Dealing with mean compliance minimization problems, 1A928
SAKURAI, Y: Vibration measurement of rotating elements by using an optical non-contacting slipring (Japanese), 1A226
SAKUTA, H: Support system for FE analysis, 5A16
SAKUTA, S: Experimental studies on ultra-precision positioning - 2nd report: Newly developed inchworm dual movement method to reduce interference between fine and coarse positionings (Japanese), 1T400
- Precision table control system by friction drive for optical disk mastering machine (Japanese), 5A309
SALA, G: Environmental and mechanical fatigue of wind turbine blades made of composites materials, 1A693
- Production and use of an interferometric optical strain gauge with comparison to conventional techniques, 8A849
- Pultrusion of powder-impregnated thermoplastic composites, 12A742
SALAGAME, RR: Simple p-adaptive refinement procedure for structural shape optimization, 8A48
SALAHUDINOV, RG: Exact solution of the plane elasticity problems for the non-symmetric airfoil crack, 8T483
SALAJEGHEH, E: Discrete variable optimization of plate structures using penalty approaches and approximation concepts, 1A829
- Optimum design of plate structures using three-point approximation, 10A906
- Structural optimization using response approximation and optimality criteria methods, 10A910
SALAM, I: Air crash case study, 4A714
- Causes of fatigue failure in an aero-engine component, 9A709
SALAMA, K: Elastic constants and thermal expansion of aluminum-SiC metal-matrix composites, 1A508
SALAMA, MM: Volume III: Materials Engineering, 10N27
SALAMATIN, AN: Creep flow and pressure relaxation in bubbly medium, 5A922
SALAMI, MJE: Measurement and spectral analysis of pressure-time variation in a valveless pulsed combustor, 9A1377
SALAMON, NJ: Finite element analysis of poroelastic composites undergoing thermal and gas diffusion, 5A1285
SALANT, RF: Rotary lip seal operation with an ingested meniscus, 7A949
- Modeling rotary lip seals, 12A1216
SALAPAKA, MV: Controller design to optimize a composite performance measure, 4A350
SALARY, MR: Two-dimensional sensitivity analysis, 3A31
SALAS, MD: Entropy jump across an inviscid shock wave, 4A237
SALAUN, M: Mixed FE for shell model with free edge boundary conditions - Part 3: Numerical aspects, 4A609

- Eulerian approach for large displacements of thin shells including geometrical nonlinearities, 6A596
SALAWU, OS: Detection of structural damage through changes in frequency: A review, 11A741
SALAZAR, A: Similarity between unsteady-state conduction in a planar slab for short times and steady-state conduction in a uniform, straight fin, 1A1226
- Matching solutions for unsteady conduction in simple bodies with surface heat fluxes, 5T1229
SALAZAR, AJ: Computational fluid dynamics simulation of the automotive spray painting process, 10T1051
SALBUT, L: Generation of the derivative of out-of-plane displacements in the high-sensitivity grating interferometry configuration, 3A736
SALCUDEAN, M: Turbulent flow calculations by the nonlinear multi-grid method, 2A1059
- Multiple jets in a crossflow: Detailed measurements and numerical simulations, 10A1318
SALCUDEAN, ME: Experimental investigation of film cooling heat transfer coefficients using the mass-heat analogy, 11A1207
SALCUDEAN, SE: Emulation of stiff walls and static friction with a magnetically levitated input-output device, 9A359
SALDANHA DA GAMA, RM: Numerical heat transfer based upon mixture theory, 3A1359
- Local model for packed-bed heat exchangers, 7A1330
- Easy procedure for solving steady-state conduction heat transfer problems with nonlinear boundary conditions, 8T1331
- Mathematical modeling of the nonlinear heat transfer process in a gray shell surrounded by a non-participating medium, 12A1312
SALEEB, AF: Free vibrations and stability analysis of laminated composite plates and shells with hybrid-mixed formulation, 10A223
SALEEM, MA: Seismic, Shock, and Vibration Isolation - 1996, 2N47
- Seismic Engineering - 1996, 2N46
SALEH, A: Optimal control of adaptive-smart bridge structures, 7A810
SALEH, AL: Boundary element analysis of the pull-out behavior of an anchor bolt embedded in concrete, 2A47
SALEH, S: Measurements of thermally-induced convection in a model porous medium, 1A1400
SALEHI, C: Short-term canine implantation of a glucose monitoring-telemetry device, 5A1514
SALEHI, H: Asymptotic behavior of oscillatory solutions of operator differential equations perturbed by a fast Markov process, 4A51
SALEHI, M: Surface engineering, 8T946
SALEM, JA: Reliability analysis of uniaxially ground brittle materials, 5A457
SALERNO, G: Mode jumping and attractive paths in multimode elastic buckling, 8A618
- Nonlinear beam FE for the post-buckling analysis of plane frames by Koiter's perturbation approach, 12A664
SALES PALMA, E: Effect of porosity on the strength coefficient and strain-hardening exponent of sintered ferrous materials, 9A1409
SALES, DM: Approximate solutions to H_2/$H\infty$ problems via sequences of H_2-cost/H_2-constraint optimization problems, 12T365
SALGADO, NK: Analysis of mechanically fastened repairs and lap joints, 10A1006
- Dual reciprocity method for the analysis of adhesively patched sheets, 11A884
SALGADO, R: Interpretation of large-strain seismic cross-hole tests, 9A649
- Cavity expansion and penetration resistance in sand, 9A647
SALGON, JJ: Mechanical and geometrical approach to thermal contact resistance, 5A1235
SALHI, A: Asymptotic analysis of equilibrium states for rotating turbulent flows, 1A1076
SALIBA, HT: Free vibration of simply supported general triangular thin plates: An accurate simplified solution, 4A136
SALIBA, JE: Hypervelocity model for the forces produced in a thick target by the penetration of projectile, 2A213
- Use of FE in micromechanics of natural composites, 3A501
SALIBA, Y: Optimization and control of autonomous renewable energy systems, 1A1436
SALIGRAMA, VC: Axisymmetric FE analysis of a debonded total hip stem with an unsupported distal tip, 2A1444
SALIN, D: Miscible displacement between two parallel plates: BGK lattice gas simulations, 11A1074
SALISBURY, EJ: Development of a microscopic laser interferometry system for precision surface measurement, 11A352
SALLAM, HEM: Front development of a long fatigue crack during its growth, 12A746
SALLFORS, G: Determination of shear strength parameters of unsaturated silts and sands based on the water retention curve, 12A677
SALLSTROM, JH: Small displacements about equilibrium of a beam subjected to large static loads, 5A98
- Spinning finite beam element of general orientation analyzed with Rayleigh-Timoshenko and Saint-Venant theory, 11A44
SALMAN, A: Theory and practice of projectile's penetration in soils, 3A588
SALMAN, TH: Equipment for 1D compression and triaxial testing of unsaturated granular soils at low stress levels, 12A691
SALMEN, L: Influence of strain rate and temperature on the radial compression behavior of wet spruce, 1A533
SALMON, R: Large-scale semigeostrophic equations for use in ocean circulation models, 2A1402
- Vorticity of long gravity waves in water of variable depth, 11A194
SALMONS, S: Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, 9A1586
SALOKHE, VM: Effect of tine rake angle and aspect ratio on soil failure patterns in dry loam soil, 12A700
SALOMATIN, EN: Heat transfer between a filtrating fluid and channel walls in packed beds, 5T907
SALOMONI, P: Parallel simulation of a cellular pollution model, 3A1481
SALOMONS, EM: Comparison of a ray model with a Fourier-BEM for traffic noise situations with multiple diffractions and reflections, 10A355
SALTIEL, C: Proceedings of the ASME Heat Transfer Division, Volume 4, 5N27
- Thermal and stress analysis during diffusion bonding of metal drum rotor disks using electromagnetic heating, 1A1281
SALVADOR, FR: Comparative analysis of clothoid and cubic spline curves as applied to continuous path control, 1A363
- New approach to physical edge detection using the curvature at the boundary contour points, 7A392
SALVIA, M: Smart materials: A future for composites, 2T774
- Flexural fatigue behavior of UDGFRP experimental approach, 12A755
SALVIGNI, S: Error in lumped parameter analysis of heat flow rate through extended surfaces accounting for thermal contact resistance, 6A1287
SALVINI, P: Temperature sensor on the Huygens probe for the Cassini mission: Design, manufacture, calibration and test of the laboratory prototype, 6A329
SALYER, TR: Multiple-source Schlieren noise reduction measurements, 5T958
SAM LAWRENCE, P: Magnetohydrodynamic flow past a semi-infinite moving plate, 3A1169
SAMADA, M: Turbulence statistics in the stagnation region of an axisymmetric impinging jet flow, 2A1056
SAMALI, B: Characteristics of liquid column vibration absorbers (LCVA) - I, 6A216
- Characteristics of liquid column vibration absorbers (LCVA) - II, 6A217
- Soil-structure interaction and axial force effect in structural vibration, 8A1481
- Optimization of tuned liquid column dampers, 9A174
- Critical mode control of a wind-loaded tall building using an active tuned mass damper, 12A390
SAMANI, HMV: Optimization of water distribution networks, 6T995
SAMANTA ROY, RI: Ion-thruster plume modeling for backflow contamination, 2A1347
- Three-dimensional modeling of dual ion-thruster plumes for spacecraft contamination, 2A1351
- Numerical study of spacecraft contamination and interactions by ion-thruster effluents, 2A1348
SAMANTA, B: Finite element model for active control of intelligent structures, 2A769
SAMARSKII, AA: Computational Heat Transfer, Volume 1: Mathematical Modeling, 1R47
SAMARTIN, A: Computational Methods on Contact Mechanics III, 12N28
SAMATA, S: Seismic damage analyses on box culvert with intermediate columns (Japanese), 11A641
SAMBA, O: Effect of parallel combined steady and oscillatory shear flows on blood and polymer solutions, 10A1019
SAMES, P: Resistance and weak prediction by computing turbulent ship flows, 2A1058
SAMI, M: Heat transfer analysis of a semi-infinite solid heated by a laser beam, 10A1330
SAMI, SM: Drop-in-replacement blend HFC-23-HCFC-22-HFC-152A for air-refrigerant equipment, 3A1263
SAMIMI, J: Optimal sizing of photovoltaic systems in varied climates, 10A1489
SAMIMY, M: Investigation of the effect of tabs on supersonic jets using advanced diagnostics, 1A1048
- Rayleigh scattering technique for simultaneous measurements of velocity and thermodynamic properties, 5A1120
- Effects of nozzle geometry on parallel injection into a supersonic flow, 5A1011
- Mixing processes in a coaxial geometry with a central lobed mixer-nozzle, 10A1164
- Lobed mixers using simultaneous laser-induced fluorescence and Mie scattering, 10A1161
SAMIN, JC: Symbolic generation of a multibody formalism of order N: Extension to closed-loop systems using the coordinate partitioning method, 6A106
- Fully symbolic generation of the equations of motion of multibody systems containing flexible beams, 10A117
- Comparison of various techniques for modeling flexible beams in multibody dynamics, 10A174
SAMMAKIA, B: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
SAMMATARO, RF: Development, Validation, and Application of Inelastic Methods for Structural Analysis and Design, 3N28
SAMOHYL, I: Thermodynamics of mixtures of reacting and non-reacting fluids with heat conduction, diffusion, and viscosity, 8A576
- Eshelby relation in mixtures, 8A1113
- Thermodynamics of non-reacting mixtures of any symmetry with heat conduction, diffusion, and viscosity, 8A577
SAMOKRUTOV, AA: Thickness measurements and flaw detection in concrete using ultrasonic echo method, 8A856
SAMPAIO, R: Dynamic substructuring of damped structures using singular value decomposition, 12A238
SAMPSON, WW: Modeling a class of stochastic porous media, 9A867
SAMRA, RM: Transverse steel content in spiral concrete columns subject to eccentric loading, 2A785
- Time-dependent deflections of reinforced concrete beams revisited, 11A792
SAMS, MS: Measurement of seismic attenuation from high-resolution crosshole data, 1A1414
SAMSETH, J: Studies of fractal aspects of cement, 9T821
SAMSONOV, VA: Quasistationary motions of a fluid-filled top, 4T72
SAMTANEY, R: Computational methods for self-similar solutions of the compressible Euler equations, 10A1114
SAMUEL, P: Lift-off stability of n-heptane jet diffusion flames in homogeneous environments of fuel and air, 9A1364
SAMUELSEN, GS: Effects of cycle operating condition on combustor performance, 8A1419
SAMUS, MA: Modeling foam damping materials in automotive structures, 12A212
SAN ANDRES, L: Experimental study on the effect of a circumferential feeding groove on the dynamic force response of a sealed squeeze film damper, 4A191
- Bulk-flow model for the transition to turbulence regime in annular pressure seals, 4A1168
- Transient response of externally pressurized fluid film bearings, 7T1196
- Measurements of static loading versus eccentricity in a flexure-pivot tilting pad journal bearing, 10A996
- Turbulent flow, flexure-pivot hybrid bearings for cryogenic applications, 11A1185
- Eccentricity effects on the rotordynamic coefficients of plain annular seals: Theory versus experiment, 12A1018
SAN ANDRES, LA: Theoretical and experimental comparisons for damping coefficients of a short-length open-end squeeze film damper, 5A137
SAN ARDRES, L: Angled injection: Hydrostatic bearings analysis and comparison to test results, 7T1201
SAN JUAN, L: Modeling the dynamic behavior of a rotating shaft with a transverse crack (Spanish), 3A515
SAN ROMAN, JL: Theoretical model to analyze the collision of an automobile vehicle, 3A388
SAN, JUNG-YANG: Impingement cooling of a confined circular air jet, 6A1221
SANA, A: Improvement of the full-range equation for bottom friction under 3D wave-current combined motion, 12T1495
SANADA, T: Second order exact theory of nonlinear wave diffraction due to a cylindrical structure (Japanese), 7A220
SANADA, Y: Theme issue on petroleum resid-heavy oil upgrading, 8A1511
SANAYEI, M: Structural model updating using experimental static measurements, 11A21
SANCAKTAR, E: Reliability, Stress Analysis, and Failure Prevention Issues in Fastening and Joining, Composite and Smart Structures, Numerical and FEA Methods, Risk Minimization, 5N16
SANCES JR, A: Mechanisms of thoracic injury in frontal impact, 5T1472
- Cervical vertebral strain measurements under axial and eccentric loading, 11A1582
SANCHEZ GALVEZ, V: Dynamic tensile testing of aramid and polyethylene fiber composites, 7A495
SANCHEZ HUBERT, J: Spectral pollution in the FE approximation of thin elastic "membrane" shells, 8A68
SANCHEZ PALENCIA, E: Spectral pollution in the FE approximation of thin elastic "membrane" shells, 8A68
SANCHEZ PENA, RS: Extension of the small gain theorem in L_∞, 6T375
SANCHEZ, AL: Theory of structures of hydrogen-air diffusion flames, 2A1308
SANCHEZ, JM: Localized stress redistribution after fiber fracture in brittle matrix composites, 9A757
- Modeling the tensile fracture behavior of the reinforcing fiber yarns in ceramic matrix composites, 12A812
SANCHEZ, LR: Topographic site effects and HVSR: A comparison between observations and theory, 4A1396
SANCHEZ, M: Introductory Statistical Mechanics, 5R25
SANCHEZ, VM: Feed, cutting speed and cutting forces as machinability parameters of Al-Cu alloys, 9A669
SANCHEZ-ARCILLA, A: Comparison of real and theoretical values of oscillatory flow in the surf zone, 11T933
SANCHEZ-AVILA, C: New POCS algorithms for regularization of inverse problems, 1A98
SANCHEZ-SESMA, FJ: Dynamic soil parameters determination by geophysical prospecting in Mexico City: Implication for site effect modeling, 5A517
- Analysis of wave propagation in the Valley of Mexico from a dense array of seismometers, 8A1495
- Use of in situ measurements of ground inclination for determining shallow elastic parameters, 9A634
SANCHO, J: Turbulent vapor condensation with noncondensable gases in vertical tubes, 1A1211
SAND, IO: Modeling of release of gas from high-pressure pipelines, 5A1054
SANDAY, SC: Elastic force on a point defect in or near a surface layer, 7A412
SANDERCOCK, TG: Dynamic force responses of muscle involving eccentric contraction, 6A1530
SANDERS, AP: In vivo observations of hydraulic stiffening in the canine femoral head, 9A1569
SANDERS, BP: Tension-compression fatigue behavior of a unidirectional titanium-matrix composite at elevated temperature, 8A746
SANDERS, CO: Geomorphic evidence for Holocene earthquakes in the Olinghouse fault zone, Western Nevada, 8T1465
SANDERS, DA: Effect of lubricating oil contamination on evaporation in refrigerants R12 and R22, 2A1224
SANDERS, DGM: Relation between torsion and cross-sectional area change in the human left ventricle, 7A977
SANDERS, DH: Post-tensioned anchorage zones with single straight concentric anchorages, 10A938
SANDERS, J: Oblique and vertical jet dispersion in channels, 11A1063
SANDERS, JE: Modular six-directional force sensor for prosthetic assessment: A technical note, 10A1569
SANDERS, JPH: Variable density effects in axisymmetric isothermal turbulent jets: A comparison between a first- and a second-order turbulence model, 5A1313
SANDERS, MM: Scoliosis correction device based on memory metal, 11T1592
SANDERS, SP: Physics of Skiing: Skiing at the Triple Point, 4R33
SANDERSON, MA: Vibration isolation: Moments and rotations included, 6A214
SANDERSON, T: Laser phased array generated ultrasound for NDE of ceramic materials, 11A752
SANDHAM, ND: Compressible mixing layer growth rate and turbulence characteristics, 3A1095
- Box-length requirements for simulation of sound from large structures in jets, 10T340
SANDOR, BI: Life prediction of solder joints by damage and fracture mechanics, 6A733
SANDOZ, P: Roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 7A921
SANDSTROM, R: Carbide coarsening during creep in 12% CrMoV steel, 4A496
SANFORD, AR: New map of the geographic extent of the Socorro mid-crustal magma body, 12T1461
SANFORD, RJ: Classic Papers in Fracture Mechanics, 9N16
SANG CHOI, GI: Process analysis and monitoring in abrasive water jet machining of alumina ceramics, 8A710
SANG, X-Y: Enhancement of thermal conductivity by using polymer-zeolite in solid adsorption heat pumps, 12T1291
SANG, ZF: Effect of geometric gap between cylinder and reinforcement pad on local stresses: Axial thrust load on nozzle, 11A826
SANGER, NL: Design of a low aspect ratio transonic compressor stage using CFD techniques, 1A1100
SANI, RL: Real-time physiconeural solutions for MOCVD, 5A1200
SANIIE, J: Spectral analysis for ultrasonic NDE applications using autoregressive, Prony, and multiple signal classification methods, 5A734
SANJUAN, MAF: Indecomposable continua in dynamical systems with noise: Fluid flow past an array of cylinders, 9A1029
SANKAR , N: Velocity and acceleration analysis of contact between 3D rigid bodies, 7A85
SANKAR, BV: Effect of stitching on impact and interlaminar properties of graphite-epoxy laminates, 10A612

- Sublaminate buckling and compression strength of stitched uniweave graphite-epoxy laminates, 10A666
- Analytical method for micromechanics of textile composites, 12A576
- Micromechanical model for textile composite plates, 12A580

SANKAR, LN: Numerical simulation of viscous flow over rotors using a distributed computing strategy, 4T1016
- Low-dispersion finite volume scheme for aeroacoustic applications, 7A282
- Forward-flight analysis of slatted rotors using Navier-Stokes methods, 8A1221
- Numerical simulation of the flow about a swept wing with leading-edge ice accretions, 8A1217

SANKAR, S: Analytical wheel models for ride dynamic simulation of off-road tracked vehicles, 8A935

SANKAR, SV: Application of rainbow thermometry to the study of fuel droplet heat-up and evaporation characteristics, 12A1402

SANKARASUBRAMANIAN, G: Failure criteria for nonlinear analysis of concrete structures, 5A416

SANKOVIC, JM: Development and demonstration of a 600-second mission-average I_{sp} arcject, 5A1380

SANLITURK, KY: Harmonic balance vibration analysis of turbine blades with friction dampers, 6A208

SANNINO, AP: Tribological investigation of 2009 Al-20 vol% SiC_p/17-4 PH - Part I: Composite performance, 2A890
- Tribological investigation of 2009 Al-20 vol % SiC_p-17 - 4 PH - Part II: counterpart performance, 2A891

SANO, H: Study on utilization of fly ash and flue gas desulfurization wastes for road base under light traffic (Japanese), 5T536
- Application of a least squares lattice algorithm to active noise control for an automobile, 12A330

SANO, J: Crack arrest test using a toughness gradient steel plate, 11A723

SANO, M: Modal Parameter identification of controlled structures, 7T356
- Study on a design method for strengthening concrete members by steel-plate-bonding (Japanese), 7A825

SANO, O: Note on the drag reduction of a circular cylinder due to double rows of holes, 2A1005
- Development of monitoring technics of rocks in situ using precise measurement system of elastic waves (Japanese), 10A726

SANO, T: Papers from the International Symposium on Metal-forming Related Environmental Issues, 2T586
- Unsteady forced and natural convection around a sphere immersed in a porous medium, 3A1235

SANO, Y: Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
- Nonunique dynamic equilibrium constitutive relation of metal powder depending on its microstructure, 11A634

SANSALONE, MJ: Detecting voids in grouted tendon ducts of post-tensioned concrete structures using the impact-echo method, 2A734

SANSOUR, C: Finite element approach to the chaotic motion of geometrically exact rods undergoing in-plane deformations, 4A17
- Theory and numerics of large viscoplastic deformation, 12A539

SANSOUR, J: Finite element approach to the chaotic motion of geometrically exact rods undergoing in-plane deformations, 4A17

SANTAMARIA, C: Frequencies, input admittances and bandwidths of the natural bending eigenmodes in xylophone bars, 12A162

SANTAMARINA, C: Low strain measurements using random noise excitation, 12A692

SANTAMARINA, JC: Interparticle contact behavior and wave propagation, 3A206
- Methods for broad-band dielectric permittivity measurements: Soil-water mixtures, 5 Hz to 1.3 GHz, 12A694

SANTAMOURIS, M: Evaluation of different radiation and albedo models for the prediction of solar radiation incident on tilted surfaces, for four European locations, 2A1432
- Triple hot-wire system for indoor air flow measurements, 2A1201
- New parameterization of the integral ozone transmission, 3A1452
- Efficiency of night ventilation techniques for thermostatically controlled buildings, 3A1264
- Application of the energy balance equation to predict ground temperature profiles, 11A1522
- Coupling of thermostatically controlled buildings with ground and night ventilation passive dissipation techniques, 11A1359

SANTARE, MH: Comparison of the short beam shear and interlaminar shear device tests, 11A488

SANTAVICCA, DA: Planar laser Rayleigh scattering for quantitative vapor-fuel imaging in a diesel jet, 9A1389
- Fiber-optic probe for laser-induced fluorescence measurements of the fuel-air distribution in gas-turbine combustors, 10A1414

SANTHAKUMAR, S: Fuzzy logic approach in the control of a twin-spool aircraft gas turbine engine under development, 7A362

SANTHANAM, S: Anisotropy in fracture behavior of thin Al 7075-T651 plates, 7A753

SANTHIKUMAR, S: Time-dependent tension softening, 2A6

SANTIAGO, JG: Velocity measurements of a jet injected into a supersonic crossflow, 9A1100
- Crossflow vortices of a jet injected into a supersonic crossflow, 10T1159

SANTILLAN, AO: Acoustic power and heat fluxes in the thermoacoustic effect due to a traveling plane wave, 7A1270

SANTILLI, C: Planning shortest bounded-curvature paths for a class of nonholonomic vehicles among obstacles, 4A455

SANTINI, A: Complex modal analysis of a flexural vibrating beam with viscous end conditions, 9A130

SANTINI, P: Seventh International Conference on Adaptive Structures, 8N15
- Comparative overview of strain actuated surfaces' design, 10A676

SANTINI, R: Fluid flow through randomly packed monodisperse fibers: The Kozeny-Carman parameter analysis, 9A1425

SANTOLARIA, C: Fluidelastic instability in a tube array subjected to partial admission water crossflow, 9T230

SANTORO, N: Cellular automata in fuzzy backgrounds, 12A360

SANTORO, RJ: Modeling and measurements of soot and species in a laminar diffusion flame, 5A1337

SANTOS, IF: Self-excited vibrations in active hydrodynamic bearings, 3A1208

SANTOS, JLT: Two-dimensional and 3D shape optimization using mesh velocities to integrate analytical sensitivities with associative CAD, 12A891

SANTOYO, M: Dynamic deformations of shallow sediments in the Valley of Mexico - Part II: Single-station estimates, 12A685
- Dynamic deformations of shallow sediments in the Valley of Mexico - Part I: 3D strains and rotations recorded on a seismic array, 12A684

SANTRA, KC: Electro-mechanical response in a piezo sensor that can be used in monitoring shear deformations, 5T504
- Stress distribution in a piezoceramic disc applied in vibration control of high-rise building, 9A849

SANYASIRAJU, YVSS: Natural convection heat transfer of cold water in an eccentric horizontal cylindrical annulus: A numerical study, 5A1150

SANZ, J: Radiative exchange between a cylindrical crystal and a monoellipsoidal mirror furnace, 4A1239

SANZI, HC: Approximate determination of vibration frequencies of doubly connected membranes of complicated boundary shape, 3A156

SANZIEL, MC: Numerical analysis of two steady-state two-phase Stefan problems with internal energy (Spanish), 10T1119

SAPKOTA, B: Response of thin seal coated road pavement to the swelling and shrinkage of reactive clay subgrades, 10A710

SAPOGOV, BA: Technique for the heat flux determination in an aerophysical experiment, 5T1116

SAPOZHNIKOV, OA: Lamb waves in piezoelectric focused radiator as a reason for discrepancy between O'Neil's formula and experiment, 8A350

SARAN, MJ: Integration of CAD and FEA for concurrent engineering design of sheet stamping, 2A936

SARANGA, H: Finite element Galerkin method for the "good" Boussinesq equation, 12T14

SARAVANAN, RA: Erosion of A356 Al-SiC_p composites due to multiple particle impact, 9A716

SARAVANOS, D: Layerwise mechanics and FE model for laminated piezoelectric shells, 5A481

SARAVANOS, DA: Micromechanics of composites with shape memory alloy fibers in uniform thermal fields, 2A705
- Layerwise mechanics and FE for the dynamic analysis of piezoelectric composite plates, 6A550

SARBU, I: Optimal design of water distribution networks, 8T1022

SARDA, J: Statistical and dynamical long-range atmospheric forecasts: Experimental comparison and hybridization, 2T1419

SARDAIN, P: Linkage synthesis: Topology selection fixed by dimensional constraints: Study of an example, 5A875

SARDESHMUKH, PD: Application of perturbation theory to the stability analysis of realistic atmospheric flows, 11T1073

SARDJONO, ID: Effect of channel blockage on critical heat flux for a horizontal cylinder in crossflow, 11A1285

SARGENT, JP: Small scale aluminium-epoxy peel test specimens and measurement of adhesive fracture energy, 8A806

SARH, B: Variable density effects in axisymmetric isothermal turbulent jets: A comparison between a first- and a second-order turbulence model, 5A1313

SARHADDI, D: From piston theory to a unified hypersonic-supersonic lifting surface method, 11A977

SARHANGI, R: Distributed and boundary control for a parallel system of Euler-Bernoulli beams, 10T430

SARIBAS, A: Optimization and sensitivity of retaining structures, 3A739

SARICA, C: Experimental and analytical study of single-phase liquid flow in a horizontal well, 9A1086

SARIGUL, NG: Parametric studies on vertical boundary location in dynamic FE analyses, 7A36

SARKANI, S: Stochastic Analysis of Structural and Mechanical Vibrations, 7R3
- Fatigue of welded steel joints under wideband loadings, 4A706
- Fatigue reliability reassessment applications: State-of-the-art paper, 9A858
- Fatigue reliability reassessment procedures: State-of-the-art paper, 9A859

SARKAR, A: Computational modeling of thermal transport phenomena in continuous casting process based on non-orthogonal control volume approach, 4A684
- Treatment of hydrodynamic loading for random sea state, 4A252
- Finite element analysis of conjugate natural convection in a square enclosure with a conducting vertical wall, 9A1218
- Critical evaluation of near-wall two-equation models against direct numerical simulation data, 9A1122

SARKAR, N: Backlash detection in geared mechanisms: Modeling, simulation, and experimentation, 11A846
- Control of contact interactions with acatastatic nonholonomic constraints, 12A436

SARKAR, PK: Approximate determination of the fundamental frequency of a cantilevered beam with point masses and restraining springs, 2A108

SARKAR, PP: Identification of vortex-induced-response parameters in time domain, 6A295

SARKAR, S: Finite element analysis of rotor fragment impact on containment structures, 2A174
- Numerical analysis of slot-film cooling: Effectiveness and flow-field, 7A1278

SARKIS, ZA: Nonintrusive auto-transformer technique for the measurement of void fraction, 1A1026

SARKISYAN, AG: Combined BE-FE method in structure dynamics, 5A17

SARLIS, N: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453
- Statistical evaluation of earthquake prediction results: Comments on the success rate and alarm rate, 9A1454

SARMA, DS: Effect of alloying content on high cycle fatigue behavior of Cu-Ti alloys, 8A740

SARMA, GB: Texture predictions using a polycrystal plasticity model incorporating neighbor interactions, 7A451

SARMA, KC: Sparse matrix algorithm for minimum weight design of large structures, 5A762

SARMA, MS: Relationship between the fundamental frequency and static deflections of thin elastic plates, 4T141
- Uniqueness of angular frequency using harmonic balance from the equation of motion and the energy relation, 9T103
- Final solution of duffing equation of mixed parity, 12T116

SARMA, R: Geometry and generation of NC tool paths, 12A463

SARMA, SE: Reference Free Part Encapsulation: A new universal fixturing concept, 8A461

SARMA, SK: Simplified method for prediction of kinematic soil-foundation interaction effects on peak horizontal acceleration of a rigid foundation, 2A1382

SAROS, MT: Modification of the TSI 3025 condensation particle counter for pulse height analysis, 2A1356
- Ultrafine aerosol measurement using a condensation nucleus counter with pulse height analysis, 2A1354

SARPER, H: Extreme value flight duration analysis of four-engine spacecraft, 12T292

SARPKAYA, T: Oscillating turbulent flow with or without a current about a circular cylinder, 11A205
- Hydrodynamic damping, flow-induced oscillations, and biharmonic response, 11A204

SARRAF, S: Modeling ice-cover melting using a variable heat transfer coefficient, 3A1473

SARRAFI, A: Linearization and optimization of robot dynamics via inertial parameter design, 1A389

SARRO, CA: Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, 11A1150

SARRON, JC: Effects of perfusion on the mechanical behavior of the brain exposed to hypergravity, 9A1581

SARTRE, V: Transient state study of electric motor heating and phase change solid-liquid cooling, 5A1243

SARUMI, M: Crack straining-based spall model, 7A203

SARWAR, M: Effect of substrate surface preparation on the wear and failure modes of TiN coated high speed steel circular saw blades, 2A907
- Analysis of the wear and failure mechanisms that develop in high speed steel circular saw blades when machining nickel-based alloys, 2A877

SARYCHEV, AV: First- and second-order sufficient optimality conditions for bang-bang controls, 7T317

SARYCHEV, GA: Application of the theory of random processes to estimate probability density of pressure distribution on surface microcontact spots, 2A853
- Modeling of the parameters of acoustic emission under sliding friction of solids, 9A927

SARZETO, CAP: Kinematical model for quick return mechanism using movement restrictions (Spanish), 1A931

SARZHIKOV, ST: Continuous optical discharge stabilized by gas flow in weakly focused laser beam, 2A984

SAS, P: Statistical analysis of the power injection method, 1A224
- Vibro-acoustical modal analysis: Reciprocity, model symmetry, and model validity, 5A142

SASAGUCHI, K: Numerical analysis of solid-liquid phase change heat transfer around a single and two horizontal, vertically spaced cylinders in a rectangular cavity, 6A1249

SASAKI, A: Effect of discontinuous hard undercoating on the life of solid film lubricant under extreme contact pressure, 12A941

SASAKI, H: High speed 3D shape measuring apparatus using shape from focus method (Japanese), 8T862

SASAKI, K: Development of indoor mobile robot system based on RECS concept (Japanese), 1T386
- Prediction of fatigue failure of 60Sn-40Pb solder using constitutive model for cyclic viscoplasticity, 4A709
- Adaptive and optimal control of the water gate of a dam using a FEM, 6A35

SASAKI, M: Displacement magnification micromechanism with saddle-shaped click buckling spring strip actuated by SMA wire, 10A877
- Vibration control of Kurushima Bridge Tower SP under construction (Japanese), 11T815
- Development of a low-emission combustor for a 100-kW automotive ceramic gas turbine: II, 11T1414

SASAKI, N: Elongation mechanism of collagen fibrils and force-strain relations of tendon at each level of structural hierarchy, 9A1488

SASAKI, R: Analysis of pipe flange connections using epoxy adhesives-anaerobic sealant instead of gaskets, 11A883

SASAKI, S: Metallurgical and tribological investigations of aluminum bronze bushes made by a novel centrifugal casting technique, 1T663
- Distribution of heat-transfer coefficients from small surfaces cooled with submerged jets of fluorocarbon liquid determined by an inverse heat-conduction analysis, 2A1234
- Estimation of ductility in interior beam-column subassemblages of reinforced concrete frames (Japanese), 5A773
- Small length measurement using regular crystalline lattice for reference - 1st Report: Determining the geometrical distortion of raw STM image and correcting it by 2D FFT analysis (Japanese), 8T866

SASAKI, T: Thermomechanical consolidation coupling analysis on jointed rock mass by the FEM, 6A667
- Representation and analysis of mechanism by means of motor algebra and graph theory - 5 th Report: Error reduction by Gap-Pair method (Japanese), 8A967
- Displacement magnification micromechanism with saddle-shaped click buckling spring strip actuated by SMA wire, 10A877

SASAKI, Y: Development of a spherical in-parallel actuated mechanism with three dof with large working space and high motion transmissibility: Evaluation of motion transmissibility and analysis of working space, 5A335
- Fiber-optic laser-doppler anemometer microscope applied to the cerebral microcirculation in rats, 8A1572

SASAO, A: Traction data analysis with the traction prediction equation, 2A820

SASOH, A: Hollow projectile operation in the ram accelerator, 5A221
- Reflection of a shock wave over a cone, 6T286

SASSANI, F: Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, 4A402

SASSI, S: Dynamic response obtained by direct numerical integration for pre-deformed rectangular plates subjected to in-plane loading, 4A134

SASSOLAS, C: Three-dimensional BE formulation of viscoelastic media with gravity, 10A582

SASSOULAS, H: Thermo-mechanical analysis of stability in dieless wire drawing, 7A1362

SASTRI, VMK: Numerical investigation of free convective flow in divergent channels, 11A1045

SASTRY, MS: Computation of aerodynamic load and coefficient for satellite launch vehicle, 12A1172
SATA, T: Machining of micro-parts by ultra-precision milling machine (Japanese), 3A633
- Non-contacting displacement measurement of rotating main spindle in the axial direction (Japanese), 5A741
- Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), 8A730
SATAEV, IR: Period-doubling for 2D non-invertible maps: Renormalization group analysis and quantitative universality, 8A103
SATAKE, K: 1965 Rat Island earthquake: A critical comparison of seismic and Tsunami wave inversions, 4A1417
SATAKE, S-I: Turbulence control with wall-adjacent thin layer damping spanwise velocity fluctuations, 2A1037
SATAKE, T: Robot modeling and determination of robot configuration by applying self-organization of cell group (Japanese), 5A343
- Generation of continuous robot configurations for articulated robot arm using self-organization of cell group (Japanese), 5A339
SATAPATHY, S: Calculation of penetration resistance of brittle materials using spherical cavity expansion analysis, 3A2
SATHASIVAM, S: Knee simulating machine for performance evaluation of total knee replacements, 6A1547
- Computer model with surface friction for the prediction of total knee kinematics, 7A1527
SATHE, S: Numerical prediction of flow and heat transfer in an impingement heat sink, 9A1292
SATHE, SB: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
SATHIKH, S: Symmetric linear elastic model for helical wire strands under axisymmetric loads, 4A587
SATHIYAMOORTHY, TS: Low-velocity impact response for laminated stepped beam, 8A558
SATHYAMOORTHY, M: Large amplitude circular plate vibration with transverse shear and rotatory inertia effects, 1T185
SATISH KUMAR, D: Disc flexibility effects in rotor bearing systems, 7A155
SATO, A: Flow behavior with an oscillating motion of the impinging jet in a dump diffuser combustor, 11A1403
SATO, H: Cross-flow filtration of machining fluids by microfiltration membranes: Influence of chip size on permeation flux, 5A982
- Investigation on the behavior of laser induced bubble in cryogenic liquid nitrogen, 7A1075
- Wind and current forces acting on a very large floating structure, 8A1031
SATO, I: Injection molded plastic gears now (Japanese), 1T912
SATO, J: Study on fretting wear of rolling bearings - Part 3: Effects of Mindlin slip and differential slip on fretting wear, 5T831
- Numerical study of flow past a rotationally oscillating circular cylinder, 6T1130
SATO, K: Fundamental study on latent cold heat storage by means of direct-contact-freezing between oil droplets and cold water solution, 2T1279
- Instability of a clamped-elastically restrained Timoshenko column carrying a tip load, subjected to a follower force, 2T119
- Characterization of the grinding wheel surface by means of image processing - 1st Report: Post-process measurement of abrasive grain and cutting-edge distribution on the wheel surface (Japanese), 4A679
- Method for measuring tractions in disk-to-plate contact using caustic images, 5A855
- Characterization of chaotic vibration without system equations, 8A92
- Latent cold heat energy storage characteristics by means of direct-contact-freezing between oil droplets and cold water solution, 10A1358
- Active force control of a flexible manipulator by distal feedback, 11A338
- Precision magnetic bearing - 2nd Report: Displacement estimation by an observer and sensorless precision positioning (Japanese), 12T1014
SATO, K-I: Effect of principal stress direction on undrained cyclic shear and recompression behavior of dense sand (Japanese), 10A683
SATO, KEN-ICHI: Effect of principal stress direction on undrained cyclic shear behavior of dense sand (Japanese), 2A538
SATO, M: Study on low NO_x combustion in LBG-fueled 1500°C-class gas turbine, 1A1370
- Vibration control of flexible structures using a combined H_∞ filter approach, 3A390
- Study on crack generation at root of socket welds, 5A1440
- Fundamental study on the effect of fines on liquefaction strength of reclaimed ground (Japanese), 10A693
- Deformation characteristics and wave velocities of hard rock block with cracks at low strain levels (Japanese), 10A721
- Structural identification using neural network and Kalman filter algorithms, 11A762
- Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
- Final report of the key technology development program for a next-generation high-temperature gas turbine, 12T1416
SATO, N: Response reduction effect by passive use of a wave impeding block (Japanese), 6A1448
- Temperature dynamic models of heat exchanger for photosensitive material coating and drying processes, 11A1352
SATO, R: Study on deterioration of tightness of cover concrete due to internal cracking based on air permeability (Japanese), 7A702
SATO, S: Effect of installation of cylindrical grinding machine upon its dynamic characteristics, 3T638
- Experiments on air-water two-phase flow pump impeller with rotating-stationary circular cascades and recirculating flow holes, 3T1199
- Drilling of high hardness steels with the high pressure supply of coolant (Japanese), 4T671
- Mechanical characteristics and countermeasures of landslides at the fractured zone on meadian tectonic line (Japanese), 5T528
- Field observation of infragravity motion and suspended sand transport under a swell (Japanese), 7A1007
- Morphological studies relating to the fracture stress and fracture toughness of silicon nitride, 12A830
SATO, T: Development of user-friendly structural design system for pressure vessels, 1A869
- Optimum member location design of truss by genetic immune recruitment mechanism (Japanese), 6A855
- Determination of the higher-order elastic compliance constants of metals from measurements of the dependence of ultrasound velocity on stress, 9A805
- Heat transfer and thermal diffusion phenomena in a horizontal cold-wall CVD reactor, 9A1343
- Settlement and disintegration behavior of soft rock by in-situ exposure and laboratory slaking tests (Japanese), 10A689
- Effect of auditory feedback on operating efficiency and fatigue: In the case of manual cut-off turning with virtual lathe, 10A782
- Vibration control of Kurushima Bridge Tower 5P under construction (Japanese), 11T815
- Estimation of acceleration response spectra in the severely damaged area due to the 1995 Hyogoken-Nambu earthquake (Japanese), 11A1482
- Structural identification using neural network and Kalman filter algorithms, 11A762
- Statistical spectral model of earthquakes in the eastern Tohoku district, Japan, based on the surface and borehole records observed in Sendai, 12T1448
- Performance evaluation of LDTs for use in triaxial tests, 12A696
SATO, Y: Transport process of turbulence energy in particle-laden turbulent flow, 2A1053
- Study on the prevention method of fretting corrosion damage: Concerning nitriding, 5T847
- Grinding using directionally aligned SiC whisker wheel: Anti-loading by addition of abrasive grains to grinding fluid (Japanese), 9A675
SATOH, H: Effects of end-tab shape on strain field of unidirectional carbon-epoxy composite specimens subjected to off-axis tension, 8A537
SATOH, K: Numerical analysis on hydrogen diffusion and concentration in solid with emission around the crack tip, 2A642
SATOH, M: Crack arrest test using a toughness gradient steel plate, 11A723
SATOH, S: Corrosion resistance of muffler materials in automotive exhaust gas condensates (Japanese), 7A685
SATOH, T: Statistical spectral model of earthquakes in the eastern Tohoku district, Japan, based on the surface and borehole records observed in Sendai, 12T1448
SATPATHI, D: Evaluation of rib-skin fracture in composite isogrid, 6A908
- Acoustic emission source location using Lamb wave modes, 7A788
- Electronic shearography for detecting disbonds in lattice-skin structures, 10A879
SATSANGI, SK: Finite element analysis of laminated hat-stiffened plates, 6A590
SATTAR, T: Design of multi-task, compact, climbing Robotic NDT systems for remote operation on large surfaces and in hazardous environments, 8A440
SATTELMAYER, T: NO_x prediction scheme for lean-premixed gas turbine combustion based on detailed chemical kinetics, 5A1368
- Low-NO_x premixed combustion of MBtu fuels using the ABB double cone burner: EV burner, 11T1435
- Low NO_x premixed combustion of MBtu fuels in a research burner, 12A1385
SATYA SAI, BVK: Split, characteristic based semi-implicit algorithm for laminar-turbulent incompressible flows, 4A999
- Finite element analysis of heat transfer by natural convection in porous media in vertical enclosures: Investigations in Darcy and non-Darcy regimes, 11A1264
SATYAPRAKASH: Application of fiber optic sensors in geophysics: A review, 4T1383
SAU, A: Unsteady compressible boundary layer flow at the stagnation point of a rotating sphere with an applied magnetic field, 9A1137
SAUER, G: Simple formulae for the approximate computation of axial stresses in pipes due to thermal stratification, 5A813
SAUER, K: "Phobos events": Signatures of solar wind dust interaction, 4A267
- Plasma structures at weakly outgrassing comets: Results from bi-ion fluid analysis, 4A1102
SAUL, J: Influence of near-source and near-receiver structure on the spectrum of P waves from nuclear explosions, 4A1386
SAULINER, JB: Numerical study of a buoyancy-induced flow along a vertical plate with discretely heated integrated circuit packages, 7A1261
SAUMS, DL: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
SAUNDERS, R: Spectral method with subcell resolution for shock wave calculations, 1A274
SAUNDERS, WR: Similitude analyses for piezostructures, 1A608
SAUREL, R: Numerical analysis of a ram accelerator employing two-phase combustion, 1A1377
SAUT, J-C: Mathematical Problems in the Theory of Water Waves, 4N6
SAUT, JC: Linear stability of multilayer plane Poiseuille flows of Oldroyd B fluids, 12A1137
SAUTER, M: Finite element simulation of large plastic deformation in heterophase materials, 9A25
SAUTER, SA: Effect of numerical integration in the Galerkin BEM, 4A43
- Composite FEs for the approximation of PDEs on domains with complicated micro-structures, 8A33
SAVAGE, MD: Creeping flow analyses of free surface cavity flows, 6A1119
- Stokes flow in a half-filled annulus between rotating coaxial cylinders, 10A1076
SAVAGE, MK: Shear-wave velocity structure in the northern basin and range province from the combined analysis of receiver functions and surface waves, 12A1457
SAVANDER, P: Microlens array in optical inspection of critical surface roughness of cold-rolled steel, 9A418
SAVAS, O: Trailing vortex wake growth characteristics of a high aspect ratio rectangular airfoil, 7A1168
- Structure of the flow field of a nonpremixed gas jet flame in cross-flow, 12A1366
SAVCHENKO, VG: Calculation on nonaxisymmetrical thermal stressed state of discretely homogeneous bodies of revolution with orthotropic layers (Russian), 1A1282
- Computation of the stressed state of the components in the circumferential direction of the bodies of revolution (Russian), 6A460
SAVELBERG, HHCM: Inertial properties of Dutch Warmblood horses, 10A1534
SAVELIEV, VB: Improvement of wear resistance by deformation cladding with flexible tool, 7A854
SAVELIEVA, EV: Self-excitation of transverse waves in hyperelastic materials: The third approximation (Russian), 2A180
SAVELIEVA, RN: Improvement of wear resistance by deformation cladding with flexible tool, 7A854
SAVELYEV, VB: Investigation of surface layer after deformation cladding with flexible tools, 2A916
SAVILL, AM: Experimental results on aerofoil manipulators at high subsonic speeds, 3A1052
- Simulating turbulent flow over thin element and flat valley V-shaped riblets, 5A1043
SAVIN, VG: Emission of nonstationary acoustic waves by a system of two unidirectional cylindrical piezotransformers, 4T273
SAVINO, R: Microgravity experiment acceleration tolerability on space orbiting laboratories, 4A864
- Three-dimensional numerical simulation of thermocapillary instabilities in floating zones, 5A1166
- Modeling of non-coalescing liquid drops in the presence of thermocapillary convection, 11A1005
SAVIOLI, J: Sediment in oscillatory flows over a plane bed, 10A1056
SAVITSKY, S: Preliminary estimation of antisurge valve carrying capacity, 10T1251
SAVKIN, AV: Minimax optimal control of discrete-time uncertain systems with structured uncertainty, 8T381
SAVOLAINEN, M: Microlens array in optical inspection of critical surface roughness of cold-rolled steel, 9A418
SAVVAIDIS, A: Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, 8A1502
SAWA, K: Characteristics of Ag contact morphology in breaking arcs, 5A836
SAWA, T: Finite-element stress analysis of double-lap adhesive joints, 6A979
- Elastoplastic FE analysis and strength evaluation of adhesive butt joints of similar and dissimilar hollow shafts subjected to external bending moments, 10A28
- Two-dimensional stress analysis and strength evaluation of band adhesive butt joints subjected to tensile loads, 11A381
- Analysis of pipe flange connections using epoxy adhesives-anaerobic sealant instead of gaskets, 11A883
SAWABE, M: Optical sensor for detecting a position and an inclination, 2A373
SAWADA, K: Machining of micro-parts by ultra-precision milling machine (Japanese), 3A633
- Non-contacting displacement measurement of rotating main spindle in the axial direction (Japanese), 5A741
SAWADA, K-I: Development of turbulent patch in a subcritical boundary-layer transition, 1A1077
SAWADA, R: Fabrication of fluorinated polyimide microgrids using magnetically controlled reactive ion etching and their applications to an ion drag integrated micropump, 4T425
SAWADA, Y: Design and evaluation frontiers of composite materials - II: Evaluation methods of reinforcing fibers and interface (Japanese), 9T480
SAWAI, H: Determination of the bearing capacity of the pile by means of stress wave theory (Japanese), 5A524
SAWAI, N: Automated measurement of tool wear using an image processing system, 3A882
SAWAMOTO, A: Structure control for improvement of machinability of ADI in drilling (Japanese), 4T676
SAWAOKA, AB: Fragmentation and dispersion of aluminum nitride ceramic plates by hypervelocity impact, 9A193
SAWFORD, BL: Molecular diffusion and viscous effects on concentration statistics in grid turbulence, 5A1046
- Turbulent dispersion with broken reflectional symmetry, 8A1552
SAWHNEY, RL: Experimental performance of built-in storage solar water heating systems in laboratory and field conditions, 9A1545
SAWICKI, A: Reinforced soil in motorway construction (Polish), 2A572
- Principles of design analysis of reinforced soil construction of retaining walls (Polish), 2A571
- Geosynthetics in civil engineering, 9A643
SAWICKI, J: Magnetohydrodynamic flow of viscous fluid in a slot between curvilinear surfaces of revolution, 4T55
SAWICKI, JM: Hydraulic consequences of landfill-liner damage, 9A1554
SAWICKI, JT: Experimental and theoretical rotordynamic characteristics of a hybrid journal bearing, 7A1193
- Balanced dissipative controllers for flexible structures, 9A355
- Response errors of non-proportionally lightly damped structures, 9T121
- Balanced model reduction and control of rotor-bearing systems, 10A477
- Diophantine type fractional derivative representation of structural hysteresis - Part I: Formulation, 11A107
- Diophantine type fractional derivative representation of structural hysteresis - Part II: Fitting, 11A108
SAWICKI, M: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
SAWICZ, Z: Durability of loaded concrete in conditions of chemical aggressiveness (Polish), 2A802
SAWISCHLEWSKI, E: Modeling and computation of instability phenomena in multisurface elasto-plasticity, 3A477
SAWYER, JPG: Experimental description of the response of paper, 11A491
SAWYER, ML: Critical heat flux correlation for droplet impact cooling, 8A1319
SAXENA, A: Elevated Temperature Effects on Fatigue and Fracture, 12N29
- Creep crack growth behavior of steam pipe steels: Effects of inclusions content and primary creep, 11A659
SAXENA, S: Analysis of cold strip rolling under hydrodynamic lubrication, 1A641
SAXENA, SC: Management and combustion of hazardous wastes, 8A1554
- Incineration of solid waste and energy recovery: A state-of-the-art survey, 9T1555
SAXENA, V: Transverse vibration on triangular plates with variable thickness, 2A140
- Transverse vibration of a rectangular plate with bidirectional thickness variation, 5A110
SAXTON, K: Global existence and singularity formation in solutions of a modified Fourier law, 5A1223
- Second sound speed in a crystal of NaF at low temperature, 9A14
SAXTON, R: Second sound speed in a crystal of NaF at low temperature, 9A14
SAYER, PG: Hydrodynamic interactions between two vertical circular cylinders in linear oscillatory flow, 7A231
SAYERS, CM: Determination of anisotropic velocity models from walkaway VSP data acquired in the presence of dip, 11A1468
SAYIR, M: Newly designed oscillating viscometer for blood viscosity measurements, 5A1512
SAYMA, AI: Finite element model for the simulation of dense gas dispersion in the atmosphere, 8A29

SAYMAN, O: Elastic-plastic FE analysis of metal matrix plates with edge notches, 9A562
SAYRE, A: Evaluation of emissivity correlations for H_2O-CO_2-N_2-air mixtures and coupling with solution methods of the radiative transfer equation, 11A1424
SAYRE, TL: Effect of rotation on the structure of a convecting mushy layer, 5A1240
- Effect of rotation on flow instabilities during solidification of a binary alloy, 6A1136
- Oscillatory instabilities of the liquid and mushy layers during solidification of alloys under rotational constraint, 12A1297
SAZGARAN, M: Stability of rectilinear beams under compression-torsion with allowance for finite torsional rigidity, 4A616
SAZHIN, SS: Rarefied gas flows: Hydrodynamic versus Monte Carlo modeling, 9A1055
- Detailed modeling of a swirling coal flame, 12A1395
SAZONOV, I: Pulses and Other Wave Processes in Fluids: An Asymptotical Approach to Initial Problems, 2R7
SAZONOV, IS: Wear of the main elements in a ball mechanism of free-travel, 1A884
SCALABRIN, A: Influence of scattering of thermal radiation by suspended particles on the rate of heat transfer in the freeboard of a 1 MW, fluidized bed combustor, 7A1405
SCALES, JA: Resolution of seismic waveform inversion: Bayes versus Occam, 10A1455
SCALIA, A: Slide rotation of rigid bodies subjected to a horizontal ground motion, 4A1414
SCANLAN, RH: Numerical calculation of flutter derivatives via indicial functions, 1T290
- Amplitude and turbulence effects on bridge flutter derivatives, 7A173
SCARLETT, B: Formation and growth of silicon nitride particles in a laser-driven aerosol reactor investigated with photon correlation spectroscopy and electron microscopy, 6A1370
SCARPAS, A: Finite elements simulation of reflective cracking in asphaltic overlays, 5A534
SCARPETTA, E: Well-posedness for nonlinear problems in the theory of elastic materials with voids, 4A486
- Wave propagation in elastic solids with a doubly periodic array of cracks, 8A220
SCARPONI, C: Influence of interlaminar stresses on fatigue behavior of notched composite laminates, 2A629
- Impact testing on composites laminates and sandwich panels, 5A174
- Importance of the temperature and lateral pressure on the CFRP joints strength under uniaxial loading, 12A560
- Ultrasonic detection of delaminations on composite materials, 12A868
SCATTERGOOD, RO: Erosion ripple formation mechanism in aluminum and aluminum alloys, 2A644
SCAVARDA, S: Modeling and test of an electropneumatic servovalve controlled long rodless actuator, 4A412
SCAVIA, C: Effect of scale on rock fracture toughness: A fractal approach, 6A665
SCHADLER, LS: Experimental measurement of fiber-fiber interaction using Micro Raman Spectroscopy, 2A463
SCHAEFER, M: Prediction of solder joint geometries in array-type interconnects, 4A946
- Experiments on interlayer exchange coupling, 9A381
SCHAEFER, R: Inverse problem for the prelinear filtration of ground water, 2A1368
- Basic concepts of an open distributed system for cooperative design and structure analysis, 2A57
- Semivariational numerical model of prelinear filtration with the special emphasis on nonlinear sources, 2A1370
- Quasi context sensitive graph grammars as a formal model of FE mesh generation, 9A17
SCHAEFFER, D: Plane shear waves in a fully saturated granular medium with velocity and stress controlled boundary conditions, 8A1446
SCHAEFFER, DG: Riemann problems for 5×5 systems of fully nonlinear equations related to hypoplasticity, 6A234
SCHAFER, AI: Epinephrine and shear stress synergistically induce platelet aggregation via a mechanism that partially bypasses VWF-GP IB interactions, 1T1462
SCHAFERKOTTER, MR: Partial Differential Equations and Mathematica, 6N5
- Exterior-point method for linear programming problems, 6T370
SCHAFF, JR: Life prediction methodology for composite structures - Part II: Spectrum fatigue, 8A750
- Life prediction methodology for composite structures - Part I: Constant amplitude and two-stress level fatigue, 8A749
SCHAFF, PS: Skiing Trauma and Safety, Tenth Volume, 1N53
SCHAFFER, EL: Duration of constant and ramp loading of strength of wood, 11A398
SCHAFLINGER, U: Flow of Particles in Suspensions, 8N20
SCHAJER, GS: Influence of elastic nonlinearity on arterial anastomotic compliance, 5A1486
- Stress calculation error analysis for incremental hole-drilling residual stress measurements, 11A383
SCHALL, E: Asymptotic defect boundary layer theory applied to thermochemical non-equilibrium hypersonic flows, 11A976
SCHALLER, E: Influence of non-Gaussianity on turbulent transport, 7T1146
SCHALLER, P: Newly designed oscillating viscometer for blood viscosity measurements, 5A1512
SCHALLER, R: Characterization of mechanical stresses in metal matrix composites by internal friction, 4A549
- Thermal stresses in metal matrix composites studied by internal friction, 5A1303
SCHAMHARDT, HC: Inertial properties of Dutch Warmblood horses, 10A1534
SCHANDELMAIER, P: Deformation of small diameter solid tibial nails with unreamed intramedullary insertion, 9A1601
SCHANZE, KS: Remote surface pressure measurement technique for rotating elements, 10T1255
SCHAPER, M: Damage evolution ahead of sharp notches under cyclic loading, 4A697
SCHAPERY, RA: Viscoelastic continuum damage model and its application to uniaxial behavior of asphalt concrete, 8A770
- Viscoelastic constitutive model for particulate composites with growing damage, 8A535
SCHARSTEIN, RW: Complete extension of the Biot-Tolstoy solution to the density contrast wedge with sample calculations, 9A287
SCHAT, J: Multifrequency acoustic measurement of concentration and grain size of suspended sand in water, 7A295
SCHATTLER, H: Extended maximum principle, 11T271
SCHATZMAN, E: Diffusion process produced by random internal waves, 3A244
SCHAUB, H: Higher-order Cayley transforms with applications to attitude representations, 10T463
- New penalty functions and optimal control formulation for spacecraft attitude control problems, 10A466
SCHAUB, S: Boundedness evaluation of structural systems with randomly distributed initial conditions, 3A117
SCHECHTER, RS: Ultrasonic tomography using curved ray paths obtained by wave propagation simulations on a massively parallel computer, 4A316
SCHECHTMAN, H: In vitro fatigue of human tendons, 12A1533
SCHEDIN, E: Comparative study of shotblasted and electrical-discharge-textured rolls with regard to frictional behavior of the rolled steel sheet surfaces, 12A976
SCHEEL, A: Transverse bifurcations of homoclinic cycles, 7A110
SCHEIBER, E: Numerical solutions to inverse problems of general planar motion, 12A132
SCHELLER II, WL: Machining of green Si_3N_4 polymer bonded ceramic materials, 4T695
SCHELLIN, TE: Viscous effects in seakeeping prediction of twin-hull ships, 9A1150
- Horizontal motions of an SPM tanker under alternative mooring configurations, 11A1126
SCHELLING, DR: Lateral distribution factor from bridge field testing, 3A796
SCHENK-HOPPE, KR: Stochastic Hopf bifurcation: An example, 3A131
- Bifurcation scenarios of the noisy Duffing-van der Pol oscillator, 6T114
SCHENKEL, GG: Passivity of a class of sampled-data systems: Application to Haptic interfaces, 6A435
SCHENKMAN, ML: Role of strength in rising from a chair in the functionally impaired elderly, 5A1517
SCHERBA, VY: Study of friction force influence on the rheology of composites in ring extruder channel, 2A948
SCHERBININ, VE: Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813
SCHERER, K: General framework for high-accuracy parametric interpolation, 7A64
SCHERER, PW: Numerical simulation of airflow in the human nasal cavity, 11A1576
SCHERER, RC: Experimental study of pulsatile flow in canine larynges, 11A1574
SCHERER, S: Determination of the fracture toughness by automatic image processing, 5A712
SCHETTINO, A: Hypersonic nonequilibrium parallel multiblock Navier-Stokes solver, 4T1008
- Numerical correlations between flight and plasma wind-tunnel tests, 12A1092
SCHETTINO, F: Application of durability analysis to glare aeronautical components, 1A717
SCHETZ, JA: Experimental studies of magnetic levitation train aerodynamics, 6A922
- Tangential injection from overlaid slots into a supersonic stream, 7A1111
- Normal, sonic helium injection through a wedge-shaped orifice into supersonic flow, 9A1378
SCHIANO, P: Hypersonic nonequilibrium parallel multiblock Navier-Stokes solver, 4T1008
SCHIAVONE, P: Exterior mixed problem in plane elasticity, 2A381
- Integral equation methods in plane asymmetric elasticity, 2A405
- Elliptic inclusion in anti-plane shear, 2A393
- Mixed problems in the theory of bending of elastic plates with transverse shear deformation, 11A508
SCHIBUOLA, L: High-efficiency recovery for air-conditioning applications in a mild climate: A case study, 9A1309
SCHIEBER, JD: Linear viscoelastic behavior of the Hookean dumbbell with internal viscosity, 1A950
SCHIEHLEN, W: Boundedness evaluation of structural systems with randomly distributed initial conditions, 3A117
- Eigenvalue, frequency response, and variance bounds of linear damped systems, 3A137
- Simulation of stochastic processes by spectral representation, 9A70
SCHIEK, RL: Cross-streamline migration of slender Brownian fibers in plane Poiseuille flow, 8A1081
- Oscillatory shear of a confined fiber suspension, 8A1006
SCHIELDGE, J: Ejection-sweep character of scalar fluxes in the unstable surface layer, 11T1504
SCHIELE, K: Stabilization of a parametrically driven inverted double pendulum, 10A125
SCHIERMAN, JD: Limitations of decentralized control, 9A319
SCHIESSE, P: Continuum model of elastic-plastic materials with anisotropic damage by oriented microvoids, 1A6
SCHIESTEL, R: Turbulence modeling of rotating confined flows, 2A1054
SCHIFERL, SK: Evolution of plastic anisotropy for high-strain-rate computations, 10A591
SCHIFF, LB: Computation of F/A-18 tail buffet, 6A310
SCHIJVE, J: Calculations on the stress distribution in an infinite sheet with a single crack and with periodic colinear cracks, 2A707
- Considerations on the Eftis-Liebowitz equation for the COD compliance of a center cracked sheet specimen, 3A696
- Semi-empirical model for predicting overload-affected fatigue crack growth in steels, 4A711
SCHIKORA, K: Design for the control of cracking in tunnel shells made of water-tight concrete (German), 11A780
SCHILLING, JH: Fluctuation of arcjet plume properties, 5A1383
SCHILLING, W: Real time control of wastewater systems, 7T1523
SCHIMA, H: Numerical study of wall mechanics and fluid dynamics in end-to-side anastomoses and correlation to intimal hyperplasia, 3A1512
SCHINDEL, DW: Field characterization of an air-coupled micromachined ultrasonic capacitance transducer, 7A292
SCHINDEL, LH: Improved missile control effectiveness payoffs, 4A862
SCHINDLER, HJ: CTOA-based approach to burst and leak-before-break behavior, 4A767
SCHINDLER, K-P: Flow, spray and combustion analysis by laser techniques in the combustion chamber of a direct-injection diesel engine, 1A1343
SCHINKE, B: Experiments on the ratchetting behavior of AISI 316L (N) austenitic steel at room temperature, 1A477
- Automated evaluation of material parameters of viscoplastic constitutive equations, 1A480
- Influence of the hardening state on time-dependent damage and its consideration in a unified damage model, 5A641
- Unified modeling of time dependent damage taking into account an explicit dependency on backstress, 12A782
SCHINNER, G: Recycling carbon-fiber-reinforced thermoplastic composites, 1A516
SCHIPPER, G: Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - Part 3: Strength and strain at failure, 5A443
SCHIPPERS, H: Hybrid computational model for noise propagation through a fuselage boundary layer, 2A274
SCHIRRER, R: Polymers toughened with rubber microspheres: An analytical solution for stresses and strains in the rubber particles at equilibrium and rupture, 2A693
SCHLAFER, D: New method to determine triaxial non-uniform residual stresses from measurements using the hole drilling method, 12A48
SCHLANGEN, E: New method for simulating fracture using an elastically uniform random geometry lattice, 2A714
SCHLEGEL, M: Suitability of yield functions for the approximation of subsequent yield surfaces, 7A436
SCHLEICH, JB: Stability of steel columns in case of fire: Numerical modeling, 11A530
SCHLEICHER, B: Meter-scale variations of the charge carried by mesospheric dust, 6A323
SCHLEICHER, J: Minimum apertures and Fresnel zones in migration and demigration, 7A1472
- Seismic constant-velocity remigration, 9A1466
SCHLEIN, BC: Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, 11T1415
SCHLEINIGER, G: Unsteady transonic flow: Flow about a suddenly deflected wedge, 12A1090
SCHLEYER, GK: Development of simplified analytical methods for predicting the response of offshore structures to blast and fire loading, 3A817
SCHLICK, MB: Instrumented artificial spinal cord for human cervical pressure measurement, 5A1510
SCHLIEF, RE: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515
SCHLUNZEN, KH: Modeling the arctic convective boundary-layer with different turbulence parameterizations, 2T1412
SCHLUSSEL, P: Cool and freshwater skin of the ocean during rainfall, 10T1471
SCHLUTT, MG: Volume flow-rate measurements and scaling laws for a transverse-inlet multiple-disk fan, 7A1191
SCHMALFUSS, B: Qualitative properties for the stochastic Navier-Stokes equation, 8T1041
SCHMAUDER, S: Finite element fracture analysis of WC-Co alloys, 2A667
SCHMERR JR, LW: Boundary diffraction wave model for a spherically focused ultrasonic transducer, 8A324
SCHMERR, LW: Characterization of spherically focused transducers using an ultrasonic measurement model approach, 1A815
SCHMID, J: Determination of energy output losses due to shading of building-integrated photovoltaic arrays using a raytracing technique, 6A1508
SCHMID, SR: Hydrodynamic segregation, entrainment and rejection of oil in emulsion lubrication problems, 10A1265
- Particle behavior in two-phased lubrication, 12A1200
SCHMIDT, A: Simultaneous acoustic and microwave backscattering from the sea surface, 10A362
- Study on the production of 950°C moire gratings in metal materials, 12A865
SCHMIDT, DK: Limitations of decentralized control, 9A319
- Mission performance and design sensitivities of air-breathing hypersonic launch vehicles, 10A964
SCHMIDT, DL: Film cooling with compound angle holes: Adiabatic effectiveness, 5A1130
- Film cooling with compound angle holes: Heat transfer, 5A1129
SCHMIDT, G: Biomechanical model of the human knee evaluated by neuromuscular stimulation, 3A1483
SCHMIDT, H: Hybrid coupled wave-number integration approach to range-dependent seismoacoustic modeling, 3A321
- Acoustic propagation through a low Mach number, stratified flow, 9A262
- Rational operators for filtering, 10A398
SCHMIDT, JP: Note on the contact problem in an ultrasonic traveling wave motor, 7A182
SCHMIDT, LC: Dome-shaped space trusses formed by means of posttensioning, 3A806
- Fractional-spectral method for vibration of damped space structures, 5A145
- Posttensioned and shaped hypar space trusses, 7A838
SCHMIDT, LD: Ignition of methane flames in oxygen near inert surfaces: Effects of composition, pressure, preheat, and residence time, 12A1355
SCHMIDT, M: Multipayload modeling for the upper atmosphere research satellite, 2A842
SCHMIDT, R: ASME Proceedings of 31st National Heat Transfer Conference, Volume 7, 2N42
- Rayleigh's own method versus the two-term Rayleigh-Ritz method, 6A192
- Comparison of critical own weights and different critical pressures acting on circular arches, 6A612
- Finite elements based on a first-order shear deformation moderate rotation shell theory with applications to the analysis of composite structures, 12A57
SCHMIDT, Z: Review of multiphase flow through chokes, 9A1057
SCHMIT, J: Novel approach to high-sensitivity grating interferometry, 6A822
SCHMIT, TS: Genetic algorithm optimization technique for compact high intensity cooler design, 2A1262
SCHMITENDORF, WE: Robust H_∞ stabilizing controllers for a seeker scan loop system, 3T385
- Stability of actively controlled structures with actuator saturation, 9A1498
SCHMITT, B: Solar system ices, 5T1459
SCHMITT, C: Micromechanical modeling of the elastoplastic behavior of polycrystals containing precipitates: Application to hypo- and hyper-eutectoid shells, 12A543
SCHMITT, D: Blowup in reaction-diffusion systems with dissipation of mass, 8A1399
SCHMITT, DR: Three-dimensional stress relief displacement resulting from drilling a blind hole in acrylic, 5A730
- Ultrasonic anisotropic phase velocity determination with the Radon transformation, 12A344
SCHMITT, H: Flows at Large Reynolds Numbers, 11N32

SCHMITT, R: Cyclic fatigue of zirconia, 6A724
SCHMITZ, G: Feedback of midlatitude waves onto the Hadley cell in a simple general circulation model, 9T1508
SCHMITZ, K-P: Loss of stiffness as osteoporosis progresses, 4A1478
SCHMITZ, R: Influencer of boundaries on pattern selection in through-flow, 4A1198
SCHMOLL, WJ: Structure of turbulent hydrogen jet diffusion flames with or without swirl, 5A1332
- Experimental and computational study of swirling hydrogen jet diffusion flames, 10A1149
SCHMUCKER, A: Ventilation of passenger car cabins: Comparison of experimental data and numerical calculations, 2A960
SCHMUCKER, M: Effect of BN coating on the strength of a mullite type fiber, 12A564
SCHMUCKER, RH: Performance aspects of plug cluster nozzles, 2A1350
SCHNACK, E: Integration of singular Galerkin-type BE integrals for 3D elasticity problems, 10A84
- Determination of stress gradients in fibrous composites by X-ray diffraction from fillers, 11A490
SCHNAID, F: Analysis of cone pressuremeter tests in sands, 3A591
SCHNEEBELI, M: Application of capacitance instrumentation to the measurement of density and velocity of flowing snow, 6A1524
SCHNEEMANN , GA: Detailed flame structure of highly stretched turbulent premixed methane-air flames, 5A1333
SCHNEIDER, D: Effects of an electrically conducting first wall on the blanket loading during a Tokamak plasma disruption, 4A1105
SCHNEIDER, E: Variability of femoral muscle attachments, 3A1501
SCHNEIDER, H: Effect of BN coating on the strength of a mullite type fiber, 12A564
SCHNEIDER, HA: Isothermal and isobaric PVT-measurements of atactic polymers, 4A1185
SCHNEIDER, JB: Application of the perfectly matched layer (PML) absorbing boundary condition to elastic wave propagation, 5A163
SCHNEIDER, JW: Wind-tunnel tests of flap gap seals on a 2D wing model, 4T1124
SCHNEIDER, P: Cobalt disilicide interconnects for micromechanical devices, 2T327
SCHNEIDER, RV: Pitfalls of using conventional and discrete Radon transforms on poorly sampled data, 4A1377
SCHNEIDER, SP: Development of square nozzles for supersonic low-disturbance wind tunnels, 6A1116
- Analytical behavior of connections to concrete-filled steel tubes, 10A14
SCHNEIDER, T: Combined PIV-LIF-system for the measurement of heterogeneous drag reduction effects in a pipe-flow, 8A1140
SCHNEIDER, WE: Development of life prediction techniques for structural ceramics, 5A459
SCHNEIDER, YG: Basics of machining methods to yield wear- and fretting-resistive surfaces, having regular roughness patterns, 12A973
SCHNELL, W: Applied Structural Mechanics: Fundamentals of Elasticity, Load-Bearing Structures, Structural Optimization, 10R9
SCHNERR, GH: Control of Flow Instabilities and Unsteady Flows, 11N14
SCHNETZER, KJ: Effect of uniaxial cyclic stretch on the morphology of monocytes-macrophages in culture, 2T1453
SCHNIDER, R: Direct containment heating dispersal and entrainment experiment in a scaled annular cavity, 3A1437
SCHOBEIRI, MT: Development of 2D wakes within curved channels: Theoretical framework and Experimental investigation, 1A1071
- Theoretical and experimental study of development of 2D steady and unsteady wakes within curved channels, 11A1043
SCHOBER, C: Numerical solution of the sine-Gordon equation - I: Integrable discretizations and homoclinic manifolds, 1A251
SCHOBER, H-C: Loss of stiffness as osteoporosis progresses, 4A1478
SCHOCHET, S: Point-vortex method for periodic weak solutions of the 2D Euler equations, 3A1045
SCHOCK, A: Space nuclear power: An overview, 3A1339
SCHOEN, M: State-space system identification from closed-loop frequency response data, 5T277
SCHOEN, R: Three-dimensional finite difference simulation of sonic logging, 1A340
SCHOEPHOERSTER, RT: Steady flow in an aneurysm model: Correlation between fluid dynamics and blood platelet deposition, 2A1462
SCHOFIELD, P: Offshore Technology, Volume I, 1N30
- Spectral fatigue analysis of shallow water jacket platforms, 2A638
SCHOLL, H: Gas drag effects on planetesimals in the 2:1 resonance with proto-Jupiter, 9A232
SCHOLTEN, JW: Measurement of convective heat transfer using hot film sensors: Correction for sensor overheat, 5T1207
- Influence of direction of heat flow on Nusselt numbers for a gas-particle crossflow, 11T1301
SCHOLTZ, P: Group traveltime estimation by wavelet transform with linear chirp as the basic wavelet, 12A1432
SCHONBERG, WP: Internal effects model for spacecraft modules perforated by orbital debris, 12A243
- Cracking characteristics of dual-wall structures following simulated orbital debris particle impact, 12A242
SCHONEMANN, AT: Mass spectrometry and optical spectroscopy in N_2-CO_2 and N_2-CH_4 plasma jets, 1A1090
SCHONEN, R: Numerical determination of flow factors, 10A1257
SCHONENBORN, H: Numerical simulation of supersonic, chemically reacting flow using an implicit finite volume method, 7A1050
SCHOOFS, AJG: Crash worthiness design optimization using multipoint sequential linear programming, 6A845
SCHOONMAN, J: Formation and growth of silicon nitride particles in a laser-driven aerosol reactor investigated with photon correlation spectroscopy and electron microscopy, 6A1370
SCHOOP, H: Structural and aerodynamic calculation of sails as flexible membranes, 12A272
SCHOPF, W: Visualization of natural convection in a side-heated cavity: Transition to the final steady state, 1A1179
- Evaluation of the shadowgraph method for the convective flow in a side-heated cavity, 4A1067
SCHOPPA, W: Coherent structures near the wall in a turbulent channel flow, 8A1187
SCHORGHOFER, N: Scaling and linear response in the GOY turbulence model, 7A1154
SCHORN, SA: Methods of classical mechanics applied to turbulence stresses in a tip leakage vortex, 5A1045
SCHOUKENS, JFM: Selection of an optimal force-state map, 6A122
SCHOVANEC, L: Anti-plane crack in a nonhomogeneous viscoelastic body, 5A653
SCHOWALTER, WR: Dynamic simulation of suspensions of non-Brownian hard spheres, 5A968
SCHRAGE, DP: Statistical experimentation methods for achieving affordable concurrent systems design, 10T962
SCHRAMM, RE: Ultrasonic measurement of residual stress in the rims of inductively heated railroad wheels, 2A737
SCHRAMM, U: Beam stiffness matrix based on the elasticity equations, 6A573
SCHRECK, SJ: Neural networks: Applications and opportunities in aeronautics, 5A1079
SCHREFLER, B: FE modeling of a boundary layer corrector for composites using the homogenization theory, 4A580
SCHREFLER, BA: Modern Issues in Non-Saturated Soils, 3R16
- Effective stress principle: Incremental or finite form, 5A1407
- Use of homogenization theory to build a beam element with thermomechanical microscale properties, 6A58
- Thermo-hydro-mechanical analysis of partially saturated porous materials, 6A1400
- Experimental investigation on the use of fly ash for lightweight precast structural elements, 6A538
- Parallel algorithm for thermo-hydro-mechanical analysis of deforming porous media, 6A1398
- Modeling heat and moisture transfer in deformable porous building materials, 9A1347
- Standard staggered and staggered Newton schemes in thermo-hydromechanical problems, 10A79
SCHREIBER, M: Catalytically supported combustion on a surface burner: Modeling and NO_x formation analysis, 12A1369
SCHREIBER, S: Dynamic model for elastic-plastic plates, 7A154
SCHREIBER, W: ASME Proceedings of 31st National Heat Transfer Conference, Volume 6, 2N41
SCHREINER, W: Finite element analysis of blood flow through biological tissue, 8A1566
SCHREMS, K: Failure analysis of a mine hoist rope, 9A541
SCHREURS, AW: New transducer system for direct motor unit force measurement, 4A1495
SCHREURS, PJG: Application of computed phase transformation power to control shape memory alloy actuators, 10A916
- Measurement of the interfacial normal strength in single fiber transverse tensile tests, 11A492
SCHREYER, HL: Discontinuous bifurcation states for associated smooth plasticity and damage with isotropic elasticity, 1A11
- Axisymmetric form of the material point method with applications to upsetting and Taylor impact problems, 6A258
SCHROCK, VE: Determination of the local heat flux in condensation experiments, 2A1221
- Point measurements of noncondensable gas concentration in condensing systems, 8A1324
SCHRODER, J: Physically nonlinear dual mixed FE formulation, 10A58
SCHROEDER, AR: Effects of cofiring natural gas and coal on sulfur retention in ash, 1A1318
- Effects of surface voids on burning rate measurements of pulverized coal at diffusion-limited conditions, 6A1342
SCHROEDER, GC: Qualitative and numerical analysis of quasi-static problems in elastoplasticity, 8A522
SCHROEDER, SA: Prediction of solder joint geometries in array-type interconnects, 4A946
- Study of fatigue and creep behavior of four high temperature solders, 5A598
SCHROTER, K: Stability of the $T_{eyy} < T_{sm}$ relation between Vogel temperatures of flow and glass transition against determination variants, 10A1025
SCHROTER, RC: Relationships between alveolar size and fiber distribution in a mammalian lung alveolar duct model, 12A1547
SCHUBART, D: Process modeling of laser ablating ferrous materials, 9A719
SCHUBERT, G: Effects of temperature-dependent viscosity on thermal convection in a spherical shell, 4A1193
SCHUELLER, W: Crustal and uppermost mantle velocity structure of northern Eurasia along the profile Quartz, 12A1460
SCHULGASSER, K: Vibration of poroelastic beams with axial diffusion, 6A1386
- Buckling of poroelastic columns with axial diffusion, 7A541
- Stiffest wire, 11A480
SCHULLER, A: Adaptive parallel multigrid solution of 2D incompressible Navier-Stokes equations, 10A1091
SCHULLER, MP: Repair and retrofit of unreinforced masonry structures, 6A917
SCHULT, DA: Downward buoyant filtration combustion, 3A1296
SCHULTE, E: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
SCHULTE, JK: Forces and moments generated at the dental incisors during forceful biting in humans, 10A1517
SCHULTEN, JBHM: Vane sweep effects on rotor-stator interaction noise, 12A312
SCHULTZ, AB: Vesico-urethral pressurogram analysis of urethral function under stress, 6A1536
SCHULTZ, FM: Calibration of measured center of pressure of a new stairway design for kinetic analysis of stair climbing, 5A1478
SCHULTZ, J: Relevance of perturbation methods in the mechanics of adhesion, 2A54
- Elastomer-elastomer interfaces: Mechanisms of autohesion, 4A957
- Model of damaged adhesives, 7A701
- Interactions between adhesion and friction - Part I: Theoretical aspects, 7A856
- Modeling of the mechanical behavior of joints bonded by a nonlinear incompressible elastic adhesive, 8A984
SCHULTZ, KU: Closed-loop, estimator-based model of human posture following reduced gravity exposure, 3A1516
SCHULTZ, WW: Moderate and steep Faraday waves: Instabilities, modulation, and temporal asymmetries, 7A216
- Nonisothermal model of glass fiber drawing stability, 7A969
SCHULZ, A: Path to predicting bypass transition, 12A1115
SCHULZ, H: Calculation of 3D viscous flow in hydrodynamic torque converters, 1A1114
SCHULZ, KC: Statistical approach to the analysis of ultimate strengths of bolted joints in laminated composites, 1A719
- Mode I fracture of orthotropic laminated composite plates, 12A811
SCHULZ, R: Dust and gas in D-shoemaker-Levy 9, 9A240
SCHULZ, S: General simulation model for Stirling cycles, 11A1429
SCHULZ, W: Free boundary problem related to laser beam fusion cutting: ODE approximation, 9A1271
SCHUMACHER, R: Tribofragmentation and anti-wear behavior of isogeometric phosphorus compounds, 6T938
SCHUMACK, M: Model for automotive windshield washer spray delivered by a fluidic nozzle, 5A980
SCHUMACK, MR: Application of the pseudospectral method to thermohydrodynamic lubrication, 6A1208
SCHUMAKER, LL: Multivariate scattered data fitting, 4A65
SCHUPP, PE: Nonaxisymmetric convection in stationary gas tungsten arc weld pools, 8A1311
SCHUSTER, GT: Quasi-Monte Carlo approach to 3D migration: Theory, 11A1476
- Elastic wave equation traveltime and waveform inversion of crosswell data, 11A1469
SCHUSTER, J: Modeling of the mechanical properties of discontinuous-aligned-fiber composites after thermoforming, 11A463
SCHUSTER, RL: Landslides: Investigation and Mitigation, 4N16
SCHUTZ, W: Time-dependent interaction between water at supercritical pressures and a hot surface, 5A1220
SCHUTZE, R: Adaptive lightweight CFRP strut for active vibration damping in truss structures, 3T134
SCHUßLER, J: Special cloud chambers for investigations into the time-behavior of homogeneously nucleated spontaneous condensation, 4A1226
SCHWAAB, R: Relationship between the Colburn and Silver methods of condenser design, 1A1210
SCHWAB, C: A-posteriori modeling error estimation for hierarchic plate models, 3A517
- Finite element analysis of nonlinear orthotropic hyperelastic membranes, 3A540
- p and hp versions of the FEM for problems with boundary layers, 5A41
- Wavelet approximations for first kind boundary integral equations on polygons, 5T59
SCHWAB, JR: Unsteady numerical simulations of radial temperature profile redistribution in a single-stage turbine, 5A1206
SCHWABACHER, M: Automated design optimization for the P2 and P8 hypersonic inlets, 10A1150
SCHWALBE, K-H: Fully plastic crack-tip fields for plane strain shallow-cracked specimens under pure bending, 5A659
- Plastic stress-strain fields and limit loads of a plane strain cracked tensile panel with a mismatched welded joint, 6A771
- Fracture toughness testing of TiAl base intermetallic alloys, 7A777
SCHWARTZ, A: Family of projected descent methods for optimization problems with simple bounds, 7T316
SCHWARTZ, AL: Nonlinear PI compensators that achieve high performance, 9A336
SCHWARTZ, IB: Slaving the in-plane motions of a nonlinear plate to its flexural motions: An invariant manifold approach, 10A196
SCHWARTZ, IF: Residual stresses associated with post-cure shrinkage in GRP tubes, 8A538
SCHWARTZ, J: Design of Concrete Structures with Stress Fields, 10R10
SCHWARTZ, MM: Composite Materials, Volume II: Processing, Fabrication, and Applications, 2N21
- Composite Materials, Volume I: Properties, Nondestructive Testing, and Repair, 2N20
SCHWARTZ, P: Bending fatigue of carbon-fiber-reinforced epoxy composite strands, 9A697
SCHWARZ, AC: Convex turbulent boundary layers with zero and favorable pressure gradients, 7T1086
SCHWARZ, SG: Analysis of mass transfer in arctic plumes: Implications for global climate, 7T1112
SCHWARZ, WR: Combined experimental and computational study of pressure-driven 3D separation in a turbulent boundary layer, 4A1039
SCHWARZ-VAN-MANEN, AD: Large-scale structures in a numerical and experimental low-Reynolds number turbulent pipe flow, 6A1102
SCHWEERS, TF: Proposal for testing and rating of traction and stability control systems, 1A375
SCHWEITZ, J-A: High-sensitivity surface micromachined structures for internal stress and stress gradient evaluation, 10T507
SCHWEIZER, T: Extensional rheometry of polymer multilayers: A sensitive probe of interfaces, 10A1044
SCHWEIZERHOF, K: Systematic development of trilinear 3D solid elements based on Simo's enhanced strain formulation, 1A25
- Study on free vibration of moderately thick orthotropic laminated shallow shells by boundary-domain elements, 1A190
- Fundamental solutions and boundary integral equations of moderately thick symmetrically laminated anisotropic plates, 1A582
- Free vibration of laminated anisotropic shallow shells including transverse shear deformation by the boundary-domain element method, 7A145
- Combination of adaptivity and mesh smoothing for the FE analysis of shells with intersections, 12A634
SCHWENDEMAN, DW: Front dynamics approach to curvature-dependent flow, 5A191
SCHWENDIG, F: General simulation model for Stirling cycles, 11A1429
SCHWENDT, A: Zeolite-based electrorheological fluids: Testing, modeling and instrumental artifacts, 7A980
SCHWERTEL, J: Automated evaluation of material parameters of viscoplastic constitutive equations, 1A480
SCHWUTTKE, UM: Visual utility for the localization of corona-accelerated nuclei, 4A269
SCIABONI, A: Nondimensional Schmidt analysis for optimal design of Stirling engines, 11A1430
SCIAMMARELLA, CA: Elastoplastic analysis of the crack tip field in a compact tension specimen, 2A666
- New fiber optics illumination system for application to electronics holography, 7A784
SCIGALLO, J: Optimal design of reinforced concrete beams and frames, 9A832
SCITOVSKI, R: Existence of optimal solution for exponential model by least squares, 8A75
SCKUHR, MA: Stress singularities at a joint formed by dissimilar elastic-plastic materials under mechanical loading, 3A713
- Evaluation of the plastic zone in an elastic-plastic dissimilar materials joint, 8A515

SCLATER, N: Mechanisms and Mechanical Devices Sourcebook, Second Edition, 5N5
SCLAVOUNOS, PD: Simulation of slow-drift motions of offshore structures, 5A212
SCONDO, W: On-line parameter estimation for infinite-dimensional dynamical systems, 8T368
SCOTT, BL: Estimating acoustic radiation from a Bernoulli-Euler beam using shaped polyvinylidene flouride film, 12A301
SCOTT, CF: Mixing in the tidal environment, 9A1116
SCOTT, G: Size and shape of particulate polyethylene wear debris in total joint replacements, 10A979
SCOTT, JA: Element resequencing for use with a multiple front algorithm, 6A42
SCOTT, JP: Engineering models of combined chemical and biological processes, 6A1511
SCOTT, M: Multiple objective decision making in environmental management, 10A1507
SCOTT, MA: Transition detection with deposited hot films in cryogenic tunnels, 5T1119
SCOTT, NH: Connections between deformation-temperature and deformation-entropy constraints and near-constraints in thermoelasticity, 7A1348
- Energy flux and dissipation of inhomogeneous plane wave forms in Kelvin-Voigt viscoelasticity, 11A177
SCOTT, SC: Rate of temperature rise of a subbituminous coal during spontaneous combustion in an adiabatic device: The effect of moisture content and drying methods, 1A1333
SCOTT, TC: Steady axisymmetric motion of deformable drops falling or rising through a homoviscous fluid in a tube at intermediate Reynolds number, 10A1130
SCOTT, VD: Deformation and damage mechanisms in fiber-reinforced aluminium alloy composites under tension, 8A790
SCOTT, W: Comparison of an external gear pump wear model with test data, 2A879
SCOTT, WD: Excavation forces in reduced gravity environment, 9A919
SCOTTA, R: Structural dynamic and viscoelastic analysis via electric analogy, 3A176
SCOTTI, T: Wide-band approximation of the sound field scattered by an impenetrable body of arbitrary shape, 2A281
- Shape reconstruction of an impenetrable scattering body via the Rayleigh hypothesis, 6A339
SCOTTO, S: Linear stability of multilayer plane Poiscuille flows of Oldroyd B fluids, 12A1137
SCRIVEN, LE: Capillary and viscoelastic effects on elastohydrodynamic lubrication in roller nips, 4A1161
- Multiple states of a viscous free surface flow: Transition from pre-metered to a metering inflow, 10A1071
- Deformable roll coating flows: Steady state and linear perturbation analysis, 11A391
SCROGGS, SD: Experimental study of supersonic microjets, 5A956
SCRUTTON, RF: Model for prediction of dimensional tolerances of laser cut holes in mild steel thin plates, 12A464
SEABA, J: Novel method to measure capsule pressure gradient in a pipeline, 7T999
- Capsule transport in coal slurry medium, 11A991
SEABRA PEREIRA, MFO: Crashworthiness of Transportation Systems: Structural Impact and Occupant Protection, 9N9
SEAH, KHW: Three-dimensional model of chip flow, chip curl and chip breaking for oblique cutting, 6A699
SEAL, CV: Dynamics of the vorticity distribution in endwall junctions, 12A1123
SEALS, R: Comparing satellite remote sensing and ground network measurements for the production of site-time specific irradiance data, 10A1487
- Calculating solar radiation received by tubular collectors, 11T1528
SEAMAN, L: Analysis of piczoresistance gauges for stress in divergent flow fields, 6A840
SEARE, KDR: Continuous flow stirred tank reactor model and used oil volume corrections in condition monitoring, 9T1393
SEBER, D: Integrated geophysical investigation of recent seismicity in the Al-Hoceima Region of North Morocco, 12A1438
SEBO, P: Flexible joints made of polymer composites for load transfer in measuring systems (Polish), 10A1000
SECOMB, TW: Motion of red blood cells in capillaries with variable cross-sections, 5A1500
SECRETAN, Y: Open boundaries in the FE approximation of 2D advection-diffusion flows, 12A1352
SEDMAN, KG: Type III creep cracking at main steam line welds, 12A781
SEDOV, A: Characterization of spherically focused transducers using an ultrasonic measurement model approach, 1A815
- Boundary diffraction wave model for a spherically focused ultrasonic transducer, 8A324
SEDOV, LI: The need to take into account the potential energy of mass systems, 11A228
- Scientific methods, 12T5
SEDRAN, T: Validation of BTRHEOM, the new rheometer for soft-to-fluid concrete, 6A541
SEDZIWY, S: Semivariational numerical model of prelinear filtration with the special emphasis on nonlinear sources, 2A1370
SEE, H: Layered model of electrorheological fluid under flow, 1A952
SEED, GM: Boussinesq wedge and the J_k, L and M integrals, 12A836
SEED, RB: Factors affecting apparent position of steady-state line, 9A630
SEEDHOM, BB: Articular cartilage deformation under physiological cyclic loading: Apparatus and measurement technique, 9A1597
- Technique for measuring the compressive modulus of articular cartilage under physiological loading rates with preliminary results, 12A1572
SEELEUTHNER, P: Mechanical behavior of ± 55° filament-wound glass-fiber and epoxy-resin tubes - I: Microstructural analyses, mechanical behavior and damage mechanisms of composite tubes under pure tensile loading, pure internal pressure, and combined loading, 9A494
SEELEY, CE: Design of a smart flap using polymeric C-block actuators and a hybrid optimization technique, 10A519
SEELIG, T: Analysis of dynamic crack propagation using a time-domain boundary integral equation method, 10A830
SEELMAN, S: Use of functionally graded materials to eliminate or control thermal deformation, 5A1293
SEEMANN, W: Linear ultrasonic traveling wave motor of the ring type, 1A237
- Deformation of an elastic helix in contact with a rigid cylinder, 6A572
- Transmission and reflection coefficients for longitudinal waves obtained by a combination of refined rod theory and FEM, 6A224
SEERING, WP: Slewing multimode flexible spacecraft with zero derivative robustness constraints, 7T247
- Active control of a high-speed pantograph, 9A353
- Slewing flexible spacecraft with deflection-limiting input shaping, 9A369
- Time-optimal negative input shapers, 12A404
SEETHALER, RJ: Upper-bound cutting model for oblique cutting tools with a nose radius, 7A616
SEETHARAMU, KN: Finite Element Method in Heat Transfer Analysis, 4R28
- Numerical investigation of mixed convection heat transfer past an in-line bundle of cylinders, 1A1183
- Simulation of laminar confined flow past a circular cylinder with integral wake splitter involving heat transfer, 2A1179
- Numerical investigation of the interference effects between two burning fuel spheres, 2A1337
- Effects of inlet fluid flow nonuniformity on thermal performance and pressure drops in crossflow plate-fin compact heat exchangers, 3A1261
- Double-diffusive natural convection in an enclosure filled with fluid-saturated porous medium: A generalized non-Darcy approach, 3A1291
- Effects of longitudinal heat conduction in compact plate-fin and tube-fin heat exchangers using a FEM, 6A1285
- Mixed convection heat transfer past in-line cylinders in a vertical duct, 10A1294
- Finite element analysis of heat transfer by natural convection in porous media in vertical enclosures: Investigations in Darcy and non-Darcy regimes, 11A1264
SEETOH, CW: Compact mixed mode fracture specimen for adhesive bonded joints, 11A731
SEFERIS, JC: Thermal and mechanical characterization of high performance epoxy systems with extended cure times, 3A962
- Frictional resistance of thermoset prepregs and its influence on honeycomb composite processing, 4A582
SEFFAL, R: Similarity solution for a turbulent round jet, 4T1058
SEGAL, A: Rubber supported hydrostatic thrust bearings with rigid bearing surfaces, 5A1109
- Modeling of solar receiver for cracking of liquid petroleum gas, 8A1537
SEGAL, C: Energetic fuels for combustion applications, 3A1323
- Ignition characteristics of a new high-energy density fuel in high-speed flows, 9A1354
SEGAL, D: Economic evaluation of design codes: Case of seismic design, 6A1465
SEGAL, E: Trapped torsional modes in solid cylinders, 1A229
SEGALL, AE: Correction functions for a wide range of measured substrate temperature histories, 9T1262
SEGALMAN, DJ: Method for calculating the dynamics of rotating flexible structures - Part 1: Derivation, 1A213
- Method for calculating the dynamics of rotating flexible structures - Part 2: Example calculations, 1A214
- Decentralized sliding mode control for flexible link robots, 5A338
SEGAWA, Y: H^∞ control of milling AMB spindle, 5A333
SEGINER, I: Nonlinear optimal greenhouse control problem with heating and ventilation, 3A345
SEGLETES, SB: Homogenized penetration calculations, 5A689
SEGO, DC: Long-term pile load testing system performance in saline and ice-rich permafrost, 4A648
SEGUR, H: Generalized stability criterion for resonant triad interactions, 3A226
SEGURET, J: Possible mechanical quantification of fatigue damage, 5A612
SEHANOBISH, K: New experimental technique for modeling of a micro-heterogeneous media, 6A814
SEHGAL, BR: Modeling of heat and mass transfer processes during core melt discharge from a reactor pressure vessel, 1A1237
SEHITOGLU, H: Failure behavior of unidirectional AS4/3501-6 carbon-epoxy laminates, 2A678
- Modeling of cyclic ratchetting plasticity - Part I: Development of constitutive relations, 3A459
- Modeling of cyclic ratchetting plasticity - Part II: Comparison of model simulations with experiments, 3A460
- FEM study of fatigue crack closure under double slip, 4A744
- New apparatus for studying mechanical behavior under pressure, 8A836
- Methodology for predicting variability in microstructurally short fatigue crack growth rates, 10A762
- Thermomechanical and isothermal fatigue behavior of bare and coated superalloys, 11A650
SEIBI, A: Prediction of fracture toughness using artificial neural networks, 7A771
SEIBLE, F: Seismic Design and Retrofit of Bridges, 12R44
SEIBOLD, S: Time domain method for the localization of cracks in rotors, 2A177
- Identification of physical parameters using an instrumental variables technique, 11A276
SEIDEL, JA: Interface wavelength between supersonic jets and subsonic flowfields, 2T982
SEIDERMANN, J: Optimization of design of railway disc brake pads, 5A858
SEIDLER, S: Application of a normalization method for determining J-R curves in glassy polymer PVC at different crosshead speeds, 9A784
SEIFERT, A: Delay of airfoil stall by periodic excitation, 2A1092
SEIFERT, D: Velocity dispersion: A tool for characterizing reservoir rocks, 9A650
SEIFERT, G: Chaos in general semiflows, 8T91
SEIFF, A: Wind-tunnel test of flow through Mars pathfinder Lander, 12T1236
SEIKA, M: Investigation of loading rate and plate thickness effects on dynamic fracture toughness of PMMA, 1A780
- Use of nickel foil strain gages at varying temperatures, 1A797
SEILER, A: Tool interference detection and avoidance based on offset nets, 9A425
SEINER, JM: Nozzle thrust optimization while reducing jet noise, 9A1092
SEINFELD, JH: Experimental measurement of competitive ion-induced and binary homogeneous nucleation in $SO_2/H_2O/N$, mixtures, 11A1442
SEITZBERGER, M: Frictional behavior of thermally loaded beams resting on a plane, 1A554
SEJNOHA, J: Numerical Methods in Structural Mechanics, 8R3
SEJNOHA, M: Initial failure maps for ceramic and metal matrix composite laminates, 9A718
SEKERZH-ZEN'KOVICH, SY: Parametric excitation of the oscillations of a viscous continuously stratified fluid in a closed vessel, 6A300
SEKHAR DEY, S: Stochastic FE simulation of random structure on uncertain foundation under random loading, 1A43
SEKHAR, AS: Stochastic FEM model of 1D hydrodynamic bearings with rough surfaces, 2A921
- Analysis of rotors considering distributed bearing stiffness and damping, 4A923
SEKHON, GS: Computerized diagraph and matrix approach for evaluation of metal stamping layouts, 4A470
- CAP-GO computer-aided planning of grinding operations for ferrous components, 11A617
SEKI, H: Development of indoor mobile robot system based on RECS concept (Japanese), 1T386
- Analysis and simulation of grasping-manipulation by multi-fingersurface, 7A372
SEKI, J: Fiber-optic laser-doppler anemometer microscope applied to the cerebral microcirculation in rats, 8A1572
SEKI, S: Remarks on thermal behavior of rock mass around openings affected by low temperature (Japanese), 5T542
SEKIGUCHI, H: Autonomous operation planning with evaluating machine tool characteristics (Japanese), 1A210
- Reasoning of the machinability and cutting condition based on the chemical compositions of material - 1st report: Influence of the chemical composition on machinability (Japanese), 2A598
- Mathematical model study on the dic-less drawing of variable-section tubular parts, 4A666
SEKIGUCHI, Y: Effects of dissipation energy on vibrational and sound energy flow, 1A301
SEKINE, E: Study on durability of chemically stabilized roadbed under repeated train load (Japanese), 5A535
SEKINE, H: Effect of thermal residual stress on the interlaminar crack extension behavior in cross-ply laminates due to transverse loading, 10A1370
- Discussion on the damage mechanism and the apparent fracture strength of notched fiber-reinforced composite laminates, 10A815
- Flat inclusion problem in bonded dissimilar anisotropic elastic media under longitudinal shear loading, 12A487
SEKINE, I: Rock resistivity and its correlation to mechanical properties (Japanese), 2T577
SEKINE, M: Secondary current control in river bend by the action of obliquely arranged square bar elements (Chinese), 10A1059
SEKIYA, K: Structure control for improvement of machinability of ADI in drilling (Japanese), 4T676
SEKIYA, T: Stress analysis with arbitrary body force by BEM, 5A63
- Steady heat conduction analysis by improved multiple-reciprocity BEM, 7A1313
SEKKAT, A: Generalized Maxwell model for the viscoelastic behavior of a soda-lime-silica glass under low frequency shear loading, 10A1039
SEKULIC, DP: Irreversibility phenomena associated with heat transfer and fluid friction in laminar flows through singly connected ducts, 5A1139
SELAK, R: Rayleigh-Marangoni thermoconvective instability with non-Boussinesq corrections, 5A1162
SELAMET, A: Helmholtz resonators: 1D limit for small cavity length-to-diameter ratios, 2T288
- Circular concentric Helmholtz resonators, 7A265
- Wave propagation and attenuation in Herschel-Venturi tubes, 8A357
- Effect of length on the acoustic attenuation performance of concentric expansion chambers: An analytical, computational, and experimental investigation, 10A389
SELBIE, WS: Simulation study of vertical jumping from different starting postures, 3A1509
SELCUK, N: Method-of-lines solution of time-dependent 2D Navier-Stokes equations, 3A1010
- Evaluation of discrete ordinates method for radiative transfer in rectangular furnaces, 4A1238
- Evaluation of multi-dimensional flux models for radiative transfer in combustors, 7A1404
- Transient simulation of internal separated flows using an intelligent higher-order spatial discretization scheme, 10A1143
SELEEM, MH: Front development of a long fatigue crack during its growth, 12A746
SELEZNEV, NG: Wear of crushing mills working tools, 1A883
SELEZOV, I: Effect of the electric field on wave motion in a thin suspension layer flowing over an inclined plane, 6A1165
SELEZOV, IT: Cylindrical shell in a nonstationary flow of viscous fluid, 5A199
- Electrorheological effect of reducing the suspension viscosity in laminar flows below the viscosity of anisotropic dispersive medium, 6A1019
SELGRADE, JF: Period-doubling bifurcations for systems of difference equations and applications to models in population biology, 11T50
SELIG, ET: Cumulative plastic deformation for fine-grained subgrade soils, 6A650
SELIG, MS: Multipoint inverse airfoil design method for slot-suction airfoils, 2A1084
- Spanwise variations in profile drag for airfoils at low Reynolds numbers, 2A1089
- High-lift Reynolds number airfoil design, 8A1214
- Design of subscale airfoils with full-scale leading edges for ice accretion testing, 8A1229
- Freestream velocity corrections for 2D testing with splitter plates, 12A1233
- Desirable airfoil characteristics for large variable-speed horizontal axis wind turbines, 12A1519
SELIH, J: Moisture transport in initially fully saturated concrete during drying, 1A1401
- Drying of saturated lightweight concrete: An experimental investigation, 4A540
SELIM, HS: Performance of high-strength concrete corbels, 3A785
SELIVANOV, YM: Approximate determination of inherent characteristics of a cylindrical shell with a hole (Russian), 1A569
SELL , J: Preliminary assessment of wake management strategies for reduction of turbomachinery fan noise, 3A1196
SELLERS, CL: Compressibility effects in modeling turbulent high speed mixing layers, 9A1108
SELLIN, RHJ: Discharge prediction in straight compound channels using the mixing length concept, 2T950
- Flow over tube banks: A visualization study, 11T955
SELMAN, A: Multi-mesh and adaptivity in 3D shape optimization, 5A754
- Adaptive mesh refinement for localized phenomena, 9A47
SELMANE, A: Dynamic analysis of anisotropic open cylindrical shells, 7A144
- Vibration analysis of anisotropic open cylindrical shells subjected to a flowing fluid, 8A270

- Classical solution shape functions in the FE analysis of circular and annular plates, 9A571
- Influence of geometric nonlinearities on the free vibrations of orthotropic open cylindrical shells, 9A141
- Nonlinear dynamic analysis of orthotropic open cylindrical shells subjected to a flowing fluid, 10A313

SELMY, AI: Effect of mean stress on fatigue behavior of GFRP pultruded rod composites, 7A655

SELSTAD, TJ: Efficient computation of the steady-state response of linear systems with periodic coefficients, 1A144

SELVADURAI, APS: Mechanics of Poroelastic Media, 1N29
- Matrix-fiber crack in an elastic solid, 3A679
- Interacting indenters on a poroelastic half-space, 4A1344
- Integral equation approaches to the mechanics of fiber-crack interaction, 5A682

SELVAGGI, G: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439

SELVAM, RP: Computation of flow around Texas Tech building using k-ε and Kato-Launder k-ε turbulence model, 4A847

SELVERIAN, JH: Plasticity considerations in probabilistic ceramic-to-metal joint design, 11A421

SELYAKOV, VI: Percolation Models for Transport in Porous Media with Applications to Reservoir Engineering, 11R37

SELYANSKY, VK: Account of torsional rigidity of ribs for reinforced structures (Russian), 2T747

SELZER, R: Mechanical properties and failure behavior of carbon fiber-reinforced polymer composites under the influence of moisture, 11A706

SEMENOV, AP: Specific features of the formation of a hydrodynamic-lubricant layer in bearings made of a metalfluoroplastic band, 4A929

SEMENOVA, IV: Optimization of a holographic system for solar power generation, 9A1540

SEMENYUK, NP: Two methods of calculations for stability of shells with multimodal imperfections (Russian), 1A596
- Nonlinear asymptotic equilibrium equations for the shells with geometrical imperfections (Russian), 12T615
- Resistance on conical shells from reinforced materials under the external pressure outside the elasticity limit (Russian), 12A631

SEMERCIGIL, SE: Joint stiffness control of a one-link flexible arm, 12A153

SEMIAO, V: LIMPO: An improved version of the PISO algorithm for turbulent swirling flows, 12A1144

SEMLEIT, D: Digital signal processing for optical particle counters in order to improve the signal-to-noise ratio, 4A1331
- Fluctuations and noise of the optical output power of laser diodes and the effect on optical particle size determination, 9A1412

SEMLER, C: Numerical solutions of second-order implicit nonlinear ordinary differential equations, 3A107
- Nonlinear analysis of the parametric resonances of a planar fluid-conveying cantilevered pipe, 5T209
- Intermittency route to chaos of a cantilevered pipe conveying fluid with a mass defect at the free end, 11A216

SEMLITSCH, M: Clinical wear behavior of ultra-high molecular weight polyethylene cups paired with metal and ceramic ball heads in comparison to metal-on-metal pairings of hip replacements, 10T974

SEMWOGERERE, D: Fourier analysis of a rational harmonic balance approximation for periodic solutions, 2T75

SEN, B: Film cooling with compound angle holes: Adiabatic effectiveness, 5A1130
- Film cooling with compound angle holes: Heat transfer, 5A1129

SEN, M: Novel pump for MEMS applications, 4A935

SEN, MIHIR: Navier-Stokes simulations of a novel viscous pump, 11A1173

SEN, MK: Prestack plane-wave Kirchhoff migration in laterally varying media, 1A1408

SEN, P: Safety based design and maintenance optimization of large marine engineering systems, 4A818

SEN, R: Vortex-oscillation model of airfoil side-edge noise, 9A261

SENATORE, A: Thermal cycle analysis and component aerodesign for gas turbine concept in low-range cogenerating systems, 5A1370

SENCHENKOV , IK: Thermodynamical analysis of thermoviscoplastic model deformation of materials (Russian), 12A1335

SENCHENKOV, IK: Numerical modeling of vibration heating and heating stresses in the Langevin type piezoelectric transducer (Russian), 2A532
- Planar vibrations and vibroheating of plate-like inelastic bodies with temperature dependent properties (Russian), 2A137
- Effect of prestrain on the resonants vibrations and dissipative heating of viscoelastic cylinder of finite length (Russian), 12A136
- Simulation of viscoelastic behavior of layered members of constructions of anisotropic elastomeric materials (Russian), 12A574

SENCHENKOV, IR: Determination of parameters of the Bodner-Partom model of thermoviscoelastic deformation of materials (Russian), 1A1278

SEND, U: Ocean acoustic tomography based on peak arrivals, 2A263

SENDA, J: Modeling of diesel spray impinging on flat wall, 7A1080

SENER, S: Size effect tests of high strength concrete, 8A837

SENEVIRATNE, LD: Analysis of a four-bar mechanism with a radially compliant clearance joint, 1A915
- Three-dimensional shortest path planning in the presence of polyhedral obstacles, 3A417
- Motion planning with reversal maneuvers for a nonholonomic constrained robot, 4A441

SENEVIRATNE, NH: Numerical modeling of consolidation and evaporation of slurried mine tailings, 3A586

SENG, JIAQING: Existence and the manipulability recovery rate of self-motion at manipulator singularities, 10A527

SENG, VP: Chemically enhanced sunlight for killing bacteria, 8A1525

SENGADIR, T: Asymptotic stability of nonlinear functional differential equations, 9T72

SENGUN, MZ: Bimodal model of suspension viscoelasticity, 12A1049

SENGUPTA, D: Static and dynamic applications of a five noded horizontally curved beam element with shear deformation, 10A630

SENGUPTA, DK: Analysis of thermal effects in the yield phase of hydrodynamic lubricant film in plane strain forging, 4A1155

SENGUPTA, R: Proving algorithm symmetry for flows exhibiting symmetry breaking, 4T1017

SENGUPTA, S: Forward modeling in cross-hole seismic tomography using reciprocity, 4A1372
- Exact piezothermoelastic axisymmetric solution of a finite transversely isotropic cylindrical shell, 5A505
- Natural convection heat transfer from a vertical flat plate with phase change material suspensions, 6A1234
- Three-dimensional solution for simply-supported piezoelectric cylindrical shell for axisymmetric load, 6A636
- Three-dimensional piezothermoelastic solution for shape control of cylindrical panel, 7A1353
- Forward modeling in cross-hole seismic tomography using reciprocity, 8A1469

SENGUPTA, SN: Minimization of residual vibrations in lumped parameter positioners: A non-time-optimal bang-bang control, 4A828

SENGUPTA, TK: Onset of asymmetry: Flow past circular and elliptic cylinders, 7A1028

SENIK, NA: Rayleigh waves in a half-space with a finite system of surface electrodes, 1A233

SENKAN, S: Formation of polycyclic aromatic hydrocarbons (PAH) in methane combustion: Comparative new results from premixed flames, 3A1311

SENNESET, K: Landslides, 5N15

SENSALE, B: Hybrid approximation functions in the dual reciprocity BEM, 8A61

SENSER, DW: Simulation of paint transfer in an air spray process, 11A1006
- Peclet correlation for stability of inverse diffusion flames in methane-air cross flows, 12A1368

SENSHARMA, PK: Limits of stress reduction in a plate with a hole using piezoelectric actuators, 3A748

SENSKI, G: Determination of critical circumferential through-wall crack sizes regarding load reduction by increased flexibility in piping systems, 11A688

SENTMAN, LH: Fundamental gain suppression mechanisms in a continuous wave hydrogen fluoride overtone laser, 2A1143

SEO, I: Radiation impedance computations of a square piston in a rigid infinite baffle, 6A332

SEO, JEONG-YUN: Study on heat-transfer enhancement by a square-rod array in an impinging jet system, 2A1263

SEO, JIN KEUN: Unique determination of a collection of a finite number of cracks from two boundary measurements, 2A740

SEO, JUNG HAE: Network-based relaxation approach for selecting optimal bridge replacement or rehabilitation strategies, 1A833

SEO, SEUNG IL: Development of a rigid-ended beam element for analysis of bracketed frame structures, 3A805

SEOL, IH: Computerized determination of gear tooth surface as envelope to two parameter family of surfaces, 6A948
- Kinematic and geometric models of gear drives, 6A953
- Computerized design, generation, and simulation of meshing and contact of worm-gear drives with improved geometry, 6A947
- Computerized design, generation and simulation of meshing and contact of modified involute, Klingelnberg and Flender type worm-gear drives, 6A962

SEOL, WS: Energy separation in a jet flow, 9A1093

SEPEHRI, N: Simulation and experimental studies of gear backlash and stick-slip friction in hydraulic excavator swing motion, 4A402

SEPKA, S: Combustion initiated by a porous ceramic regenerator in a reciprocating engine environment, 9A1352

SEPPECHER, P: Moving contact lines in the Cahn-Hilliard theory, 2A969
- Edge contact forces and quasi-balanced power, 9A440

SEPULVEDA, AE: Structural synthesis with reliability constraints using approximation concepts, 2A775
- Comparison of local and global approximations for reliability estimation, 4A831
- Global optimization using accurate approximations in design synthesis, 6A850
- Approximation of system reliabilities using a shooting Monte Carlo approach, 12A897

SEPULVEDA, F: Two artificial neural systems for generation of gait swing by means of neuromuscular electrical stimulation, 10A1529

SERAFIN, R: Solving Kepler's equation for nearly parabolic orbits, 11A233

SERAJI, H: Sensor-based collision avoidance: Theory and experiments, 2A355
- Force tracking in impedance control, 8A442

SERATE, W: Trajectory planning of tracked vehicles, 11A318

SERAUDIE, A: Rear fuselage transonic flow characteristics for a complete wing-body configuration, 11A1147

SERGENT, P: Effects of sampling rate and length of an adaptive filter on the active control of a plane sound wave in a lossy semi-infinite waveguide, 12A332

SERGIENKO, VP: Frictional heat resistance tests of materials, 7A905

SERIKOV, VV: Rarefied gas flows: Hydrodynamic versus Monte Carlo modeling, 9A1055

SERIO, MA: Coal-fired heat exchanger for an externally fired gas turbine, 11T1339

SERNA, MA: Perception-based learning for motion in contact in task planning, 6A393

SERO-GUILLAUME, O: Study of the evaporation of a droplet in its stagnant vapor by asymptotic matching, 2A1227

SERON, FJ: Comparison of segregated and coupled methods for the solution of the incompressible Navier-Stokes equations, 4A993

SEROR, S: Asymptotic defect boundary layer theory applied to thermochemical non-equilibrium hypersonic flows, 11A976

SERPICO, M: Comparison between numerical and experimental results on different Hermes elevon shapes, 12T1088

SERRA, JJ: Degradations in a high-speed sliding contact in transient regime, 7A859

SERRA, M: Approximated calculus of torsional rigidity of beams with solid cross-section, 7A499

SERRANO, J: Internal effects model for spacecraft modules perforated by orbital debris, 12A243

SERRANO, SE: Hydrologic theory of dispersion in heterogeneous aquifers, 4A1338
- Non-Fickian transport in heterogeneous saturated porous media, 6A1376

SERRATOS, M: Effect of oxygen partial pressure on the stability of Magneli phases in high temperature corrosive wear, 3A851

SERRETTE, RL: Double-layer grids: Review of dynamic analysis methods and special topics, 3A779
- Double-layer grids: Review of static and thermal analysis methods, 3A780

SERROR, S: Degradations in a high-speed sliding contact in transient regime, 7A859

SERVIDA, A: Modeling of the reburning process, 12A1378

SERVOUZEIES, Y: External heat flux measurements along a high pressure turbine nozzle guide vane (French), 2T1200

SESHADRI, A: Bending strength of steel beams with corrugated webs, 11A500
- Girders with corrugated webs under partial compressive edge loading, 11A527

SESHADRI, HK: Punching shear strength of flat slab corner column connections - Part 2: Fiber-reinforced concrete connections, 8A908
- Punching shear strength of flat slab corner column connections - Part 1: Reinforced concrete connections, 8A907

SESHADRI, K: Characteristic residence times of laminar nonpremixed flames at extinction, 4A1305
- Numerical and asymptotic studies of the structure of stoichiometric and lean premixed heptane flames, 8A1407

SESHADRI, R: Minimum weight design of pressure components using r-nodes, 11A446
- Lower bound limit loads using variational concepts: The m_α-method, 11A763
- Unsteady 3D stagnation point flow of a viscoelastic fluid, 11A959

SESHADRI, SN: Types of flow on the lee side of delta wings, 9A1162

SESHADRI, V: Migration of solid particles in the heterogeneous slurry flow through a 90°C bend, 10A1123
- Prediction of concentration and size distribution of solids in a slurry pipeline, 10A1125

SESHAN, S: Performance of zinc alloy based metal matrix composites produced through squeeze casting, 3T645

SESHU, P: Taguchi optimization of strain transfer in an induced strain actuator, 1A609
- Dynamics of a flexible five bar manipulator, 8A432
- Finite element analysis of strain transfer in an induced strain actuator, 8A892
- Substructuring and component mode synthesis, 10A252

SESSAREGO, J-P: Two Scholte-Stoneley waves on doubly fluid-loaded plates and shells, 7A268
- GTD analysis of scattering by two elastic spheres, 10A357

SESTIERI, A: Identification of rigid body inertia properties from experimental data, 6A102

SESTIERRI, A: Complex envelope displacement analysis: A quasistatic approach to vibrations, 10A337

SESTINI, A: Multigrid computations of unsteady rotor-stator interaction using the Navier-Stokes equations, 11A1172

SETHARES, WA: Multiplication-free evaluation of polynomials via a Stochatic Bernstein Representation, 3A62

SETHI, SP: Optimal production planning in a stochastic manufacturing system with long-run average cost, 7T393

SETHURAMIAH, A: Asperity level conformity in partial EHL - Part I: Its characterization, 2A1122
- Asperity level conformity in partial EHL - Part II: Its influence in lubrication, 2A1123
- Approach towards fatigue wear modeling, 3A865

SETO, K: Vibration control method for parallel structures connected by damper and spring, 7A123
- Impact resistance ability in bended point of reinforcing bars at very low temperature (Chinese), 10T935

SETOGUCHI, T: Study of a negative impulsive wave generator, 5A151
- Investigation on onset of shock-induced separation, 6A1091

SETOUCHI, H: Study of special spacer with damping device for suppressing wake galloping in tandem cables of cable-stayed bridges and its application to full scale bridge (Japanese), 8A186

SETTLES, GS: Experimental study of supersonic microjets, 5A956
- Experimental study of compressible turbulent mixing enhancement in swirling jets, 8A1158

SETVAK, M: Multispectral, high-resolution satellite observations of plumes on top of convective storms, 3A1420

SEVCOVIC, D: Dissipative feedback synthesis for a singularly perturbed model of a piston driven flow of a non-Newtonian fluid, 8A410

SEVEROV, LA: Principles of surface effect vehicle control in extended range of altitudes, 1A374

SEVINK, AGJ: Three-dimensional, nonlinear, asymptotic seismic inversion, 4A1381

SEVRUK, BB: Parametric phonon-helicon interaction in centrosymmetric crystals with strain-dependent dielectric constant, 4A630

SEWERYN, A: Elastic stress singularities and corresponding generalized stress intensity factors for angular corners under various boundary conditions, 5A388
- Brittle fracture in plate elements with sharp notches under mixed-mode loading, 11A677

SEXSMITH, M: Plastic work in the peeling of work hardening foils, 8A985

SEXSMITH, R: Cyclic behavior of concrete bridge bents, 10A931

SEXSMITH, RG: Seismic assessment of concrete bridges using inelastic damage analysis, 7A1489

SEXTON, MJ: Exothermic chemical reaction with linear feedback control, 6A366

SEYED-YAGOOBI, J: Proceedings of the ASME Heat Transfer Division, Volume 1, 3N41
- Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22
- Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
- Heat transfer characteristics of a radial jet reattachment flame, 11A1247
- Thermal contact conductance of a paper-elastomer interface, 11T1312
- Theoretical and experimental study of electrohydrodynamic heat transfer enhancement through wire-plate corona discharge, 12A1161
- Heat transfer from a pair of radial jet reattachment flames, 12T1251

SEYEDAN, B: Optimization of waste heat recovery boiler of a combined cycle power plant, 1A1272

SEYEDEIN, SH: Numerical simulation of turbulent flow and heat transfer in the wedge-shaped liquid metal pool of a twin-roll caster, 9A1208

SEYNHAEVE, JM: Modeling of steady-state two-phase bubbly flow through a sudden enlargement, 11A1283

SEYWALD, H: Method for automatic costate calculation, 5A305
- Concatenated approach to trajectory optimization, 10T459

- Identification of the optimal switching structure for range-optimal atmospheric flight trajectories, 12A1170
SFORZA, PM: Vortex-wake characteristics of a supersonic transport wing planform at Mach 2.5, 2T1090
- Near-field experiments on tip vortices at Mach 3.1, 9T1052
SGARD, F: Mean flow effects on a plate-backed cavity - Part 2: Results, 11A243
- Mean flow effects on a plate-backed cavity - Part 1: Theory, 11A242
SGLAVO, VM: Sub-critical indentation fracture process in soda-lime-silica glass, 2A695
SHA, DESONG: Explicit unconditionally stable approaches for built-up shell structural configurations, 2A103
- Linear complementary formulations involving frictional contact for elasto-plastic deformable bodies, 10A563
SHA, HUYUN: Internal solitary waves with stratification in density, 10A298
SHA, Y: Analysis of adhesion and interface debonding in laminated safety glass, 7A964
SHAABAN, SM: Objective method for the evaluation of off-road wheeled vehicle mobility, 8T404
SHABAKA, IMA: Ignition transient of solid propellant rocket motors, 11A1396
SHABALINA, TN: Oil as a structural member of machines and mechanisms, 2A1117
- Study of antiwear effect of phosphorus-containing additive in low-viscous oil, 7A1213
SHABAN, HI: Experimental investigation of the performance of two-stage evaporative coolers, 11A1362
SHABANA, AA: Dynamics of multibody tracked vehicles using experimentally identified modal parameters, 4A391
- Coupling between rigid body and deformation modes, 6A101
SHABANEH, NH: Comparison of various basic wavelets for the analysis of flow-induced vibration of a cylinder in cross flow, 3T264
- Large amplitude free vibrations of a restrained uniform beam carrying an intermediate lumped mass, 8A133
- Period of large amplitude free vibration of conservative autonomous oscillators with static and inertia type cubic nonlinearities, 8A102
SHABANY, Y: Explicit algebraic scalar flux approximation, 12A1150
SHABUNEVICH, VI: Question of crack propagation in thin walled construction elements, 6A815
SHACK, WJ: Steam generator tube integrity program, 4A1456
- Statistical models for estimating fatigue strain-life behavior of pressure boundary materials in light water reactor environments, 6A1497
SHADDIX, CR: Computations of enhanced soot production in time-varying CH_4/air diffusion flames, 3A1310
- Elusive history of m = 1.57 - 0.56i for the refractive index of soot, 5T1359
- Laser-induced incandescence measurements of soot production in steady and flickering methane, propane, and ethylene diffusion flames, 5A1360
- Analysis of fuel decay routes in the high-temperature oxidation of 1-methylnaphthalene, 6A1345
SHADWICK, WF: Integration Algorithms and Classical Mechanics, 4N4
SHAFAI, B: Improving control design for nonlinear parameteric uncertainty, 10A450
- Adaptive forced balancing for multivariable systems, 11A142
SHAFEY, HM: Heat, water, and solute transfer in unsaturated porous media - II: Compacted soil beneath plastic cover, 11A1461
SHAFFER, TM: Investigation of tensile properties and a simple constitutive model for a random continuous fiber thermoplastic composite, 8A544
SHAFI, A: Dry spot formation and changes in liquid composite molding - II: Modeling and simulation, 2A606
SHAFI, HS: Lateral vorticity measurements in a turbulent wake, 4A1055
- Statistics of $\partial u/\partial y$ in a turbulent wake, 7A1135
- Heat flux measurements in a turbulent boundary layer on a rough wall, 9T1241
SHAFIROVICH, EY: Comparison of potential fuels for Martian rockets using CO_2, 10A1428
SHAGINYAN, AS: Study of hydrostatic supports in high-speed hydraulic actuators, 1A385
- Investigation of load-carrying capacity of hydrostatic supports in high-speed hydraulic actuators, 7A374
SHAH, AD: Inverse FE characterization of nonlinear hyperelastic membranes, 12A35
SHAH, AH: Exact dynamic stiffness matrix for beams of arbitrarily varying cross sections, 6A152
- Hybrid method for transient wave scattering by flaws in composite plates, 10A273
SHAH, HS: Modeling of the noise spectra of axial flow fans in a free field, 9A255
SHAH, MM: Survey of critical heat flux data for pool boiling of liquid metals and new correlations, 1A1206
SHAH, PL: Sound generated by a vortex interacting with a rib-stiffened elastic plate, 4A279
SHAH, RK: Influence of a finite number of baffles on shell-and-tube heat exchanger performance, 9A1287
- Fin efficiency of extended surfaces in two-phase flow, 11A1342
SHAH, SP: Postpeak behavior of laterally reinforced concrete panels in compression-tension, 5A779
- Response of reinforced concrete panels under uniaxial tension, 5A780
- Prediction of cracking response of reinforced concrete tensile members, 6A889
- Effect of length on compressive strain softening of concrete, 6A883
- Strain-softening of laterally reinforced concrete panels in compression, 11A795
SHAHALAM, AB: Mechanical properties of catgut in holding and bonding fractured bones, 4A1488
SHAHANI, AR: Analysis of an isotropic finite wedge under antiplane deformation, 5A386
SHAHAWY, M: Behavior of concrete columns confined by fiber composites, 11A776
SHAHDA, J: Pattern selection in mixed convection in rectangular ducts, 10A1292
SHAHIN, AR: Modeling of SMA tendons for active control of structures, 9A848
SHAHINPOOR, M: Design, prototyping and computer simulations of a novel large bending actuator made with a shape memory alloy contractile wire, 10A917
SHAHJADA TARAFDER, M: Analytical investigation of wave-induced oscillations of water in a rectangular harbor, 12A251
SHAHROUDI, KE: Non-random adaptive grid method for high-speed optimization of highly dimensional, badly behaving real time functions, 10A1005
SHAHRUZ, SM: Boundary control of a nonlinear string, 2T128
- Nonlinear PI compensators that achieve high performance, 9A336
- Approximate solutions of non-classically damped linear systems in normalized and physical coordinates, 10T153
- Vibration suppression of a nonlinear axially moving string by boundary control, 10T920
SHAIDUROV, VV: Multigrid Methods for Finite Elements, 5N2
SHAIK, S: Application of an orthotropic macro-strip plate element with stiffness discontinuities, 12A19
SHAIKH, FN: Generation of turbulent spots in a laminar boundary layer, 11A1022
SHAIKHET, LE: Control of Systems with Aftereffect, 7R7
SHAIL: Application of U and g values for sizing passive heating concepts, 8A1521
SHAIL, R: Regular perturbation solutions in fluid mechanics, 8A1050
SHAILENDHRA, K: Heat transport along an oscillating flat plate in the presence of a transverse magnetic field, 4T1214
SHAKED, U: Finite horizon static output H_∞ control with automatic beam guidance application, 10T462
- Robust discrete-time H_∞ control, 11T296
SHAKED, Y: Life assessment evaluation of piping branch connection under creep and fatigue, 11A662
SHAKER, M: Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma, 4A553
SHAKER, O: State space formulation to viscoelastic fluid flow of magnetohydrodynamic free convection through a porous medium, 6A1235
SHAKOURZADEH, H: Role of geometrically exact and second-order theories in buckling and post-buckling analysis of 3D beam structures, 5A489
SHAKSHIN, NI: Evaluation of thermal ageing conditions in 17-4 PH stainless steel by Fourier descriptor analysis of magnetic hysteresis loops, 9A813
SHALABY, MA: Inverse dynamics of a flexible hub-arm system through Liapunov second method, 2A347
SHALABY, SA: Stability of natural convection in an inclined fluid layer in the presence of ac electric field, 3A1231
SHALASHILIN, VI: Strength of conical structure elements (Russian), 2A748
SHALEV, D: Micro-macro model for the effects of thermo-mechanical fields on optical fibers embedded in a laminated composite plate with applications to sensing, 6A588
SHALFEEV, VD: Exact synchronization of mismatched chaotic systems, 1A123
SHAM, T-L: Scheme for hybrid molecular dynamics-FE analysis of thin film lubrication, 12A1204
SHAMARDAN, AB: Backlund transformations and Painleve analysis: Exact solutions for a Grad-Shafranov-type magnetohydrodynamic equilibrium, 10A1198
SHAMARIN, YE: Study of nonlinear dynamics of automotive under water vehicles with regard for the cable effect (Russian), 12A401
SHAMIR, J: Detection of internal defects using phase shifting holographic interferometry, 4A792
SHAMMA, JS: Gain-scheduled bank-to-turn autopilot design using linear parameter varying transformations, 3A1185
SHAMOLIN, MV: Periodic and Poisson stable trajectories of a body moving in a resisting medium, 4T77
SHAMOTO, E: Elliptical vibration cutting - 1st report: Cutting principle and basic performance (Japanese), 3A627
- Development of six axis force sensor for javelin throw, 7T1561
SHAMOTO, S: Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), 8A730
SHAMPINE, R: Longitudinal electromagnetic levitator, 8A621
SHAMROTH, SJ: Coal-fired heat exchanger for an externally fired gas turbine, 11T1339
SHAMROVSKII, AD: Propagation of antiplane self-balanced elastic waves from the boundary of a half-space, 4A201
SHAMS-AHMADI, M: Complex variable BEM for torsion of composite shafts, 9A544
SHAMSAASEF, R: Object-oriented modeling of a feature-based reverse engineering system, 3T422
SHAN'KO, YV: Exact solutions of the axially symmetric Euler equations, 6A1037
SHAN, J-M: Vibration analysis of rotating machinery using a bispectrum, 9A173
SHAN, MY: Bending and shear behavior of web elements with openings, 3A510
SHANG, DE-YI: Extended study on steady-state laminar film condensation of a superheated vapor on an isothermal vertical plate, 5A1215
SHANG, EC: Numerical simulations with horizontal-refraction-modal tomography - Part I: Adiabatic propagation, 10A396
SHANG, FULIN: Thermal stresses analysis of a 3D crack in a thermopiezoelectric solid, 5A642
SHANG, HM: Holographic evaluation of edge delamination in bars bonded to a rigid support with foam-adhesive, 1A803
- Measurement of Y-notch tip plastic zone by the laser speckle technique, 3A731
- Extent of stretching during deep drawing, 4A665
- Prediction of radiative transfer in general body-fitted coordinates, 12A1315
SHANG, HUAN-MIN: Combined Eulerian-VOF-Lagrangian method for general gas-liquid flow applications, 6A1264
SHANG, JK: Effect of interface roughness on fatigue crack growth in Sn-Pb solder joints, 4A768
- Effect of load-mix on fatigue crack growth in 63Sn-37Pb solder joints, 12A745
SHANG, JS: Skin-friction predictions in a crossing-shock turbulent interaction, 10A1141
- Structure of a supersonic 3D cylinder-offset-flare turbulent interaction, 12A1117
SHANG, LIN: Frequency multiplexed DOG filter, 8A869
SHANG, T: Analysis of hot streak effects on turbine rotor heat load, 12A1185
SHANG, XIAOYANG: Finite element solution of nonlinear intrinsic equations for curved composite beams, 4A125
SHANG, XIN-CHUN: Mode jumping of simply supported rectangular plates on nonlinear elastic foundation, 8A175
SHANIAVSKI, AA: Quantitative fractographic analyses of fatigue crack growth in longerons of in-service helicopter rotor-blades, 5A586
SHANKAR, K: Vibrational energy flow analysis using a substructure approach: The application of receptance theory to FEA and SEA, 10A26
SHANKAR, V: From aerospace to commercial: Advanced computational technology for product design, 1A867
SHANKER, D: Earthquake distribution characteristics and seismicity rate in the Hindu Kush and its vicinity, 4A1388
SHANKLAND, R: Effects of variable partial premixing on turbulent jet flame structure, 11A1401
SHANKLAND, TJ: Laboratory study of linear and nonlinear elastic pulse propagation in sandstone, 3A200
SHANMUGA BABU, R: Review of work related to "leak-before-break" assessment, 4A1455
SHANMUGAM, NE: Testing of semi-rigid unbraced frames for calibration of second-order inelastic analysis, 12A921
- Advanced analysis and design of spatial structures, 12A910
SHANYAVSKII, AA: Development of semi-elliptic fatigue cracks in AK6 aluminium alloy under biaxial loading, 6A714
SHANYAVSKY, AA: Fracture surface development in an overloaded D16T Al-alloy subjected to biaxial loading: A fractographic analysis, 9A706
SHAO , CHENGXUN: Mech-electric coupling dynamic analysis and vibration control of intelligent truss structures (Chinese), 12T394
SHAO , RONGGUANG: Spline FEM on mapping, 2A18
SHAO, CHENG: Robust stability of a Clarke-Gawthrop type of self-tuning controller, 1T361
SHAO, CHENGXUN: Nonlinear dynamical characteristics analysis of tethered subsatellite in the presence of offset, 6A931
SHAO, JINYU: Two-parameter model for three-types of nuclepore filtration of leukocytes, 11A901
SHAO, L: k-Factor data of interacting duct fittings based on measurement and CFD modeling, 7A993
- Flow loss caused by heat pipes in natural ventilation stacks, 8A1370
SHAO, LISHENG: Dynamic properties of Piedmont residual soils, 3A582
SHAO, QINGQIU: Closed mesoscale cellular convection driven by cloud-top radiative cooling, 3A1012
SHAO, TM: Impact wear performances of Cr_3C_2-NiCr coatings by plasma and HVOF spraying, 9A941
SHAPIRO, A: Nonlinear shallow-water oscillations in a parabolic channel: Exact solutions and trajectory analyses, 2A219
SHAPIRO, AJ: Boundary layer fracture in composite solder joints, 11A876
SHAPIRO, LH: Core-based SCB fracture of aligned first-year sea ice: Phases III and IV, 9A1549
SHAPIRO, M: Mechanics of collisional motion of granular materials - Part 4: Expansion wave, 6A1367
SHAPIRO, SA: Elastic waves in finely layered sediments: The equivalent medium and generalized O'Doherty-Anstey formulas, 4A1361
SHAPIRO, VD: Tilting instability with buoyant forcing in a 2D viscous fluid, 4A1077
SHAPOSHNIKOVA, GA: Mathematical modeling of the development of mechanical instability in fracturing systems, 11A889
SHAQFEH, ESG: Observations of viscoelastic instabilities in recirculation flows of Boger fluids, 1A458
- Conformation of semi-rigid polymers during flow through a fixed fiber bed, 1A984
- Numerical study of the rheological properties of suspensions of rigid, non-Brownian fibers, 7A991
- Cross-streamline migration of slender Brownian fibers in plane Poiseuille flow, 8A1081
- Oscillatory shear of a confined fiber suspension, 8A1006
- Dynamic simulation of freely draining flexible polymers in steady linear flows, 9A982
SHARAN, AM: LP-neuro method: A new approach for solving neural network problems, 6A405
- Free-vibration analysis of turbine blades using non-linear FEM, 9T168
SHARAN, M: Application of the multiquadratic method for numerical solution of elliptic partial differential equations, 11A71
SHARAPOV, I: Preconditioning technique for indefinite linear systems, 12A54
SHARATCHANDRA, MC: Computed effects of rotor-induced swirl on brush seal performance - Part 1: Leakage analysis, 4A933
- Computed effects of rotor-induced swirl on brush seal performance - Part 2: Bristle force analysis, 4A934
- Navier-Stokes simulations of a novel viscous pump, 11A1173
- Turbulent flow and heat transfer in staggered tube banks with displaced tube rows, 11A1211
SHARAV-SCHAPIRO, N: Solvability criterion for the constrained discrete Lyapunov and Riccati equations, 7T329
- Discrete positive realness of the discrete min-max control law, 8T378
SHARF, I: Active damping of a large flexible manipulator with a short-reach robot, 6A425
SHARIAH, AM: Effects of auxiliary heater on annual performance of thermosyphon solar water heater simulated under variable operating conditions, 10A1488
SHARIF, MAR: Performance evaluation of vaned pipe bends in turbulent flow of liquid propellants, 8A1142
- Numerical study of fluid flow and heat transfer in a channel with heated normal plates, 12A1260
SHARIFF, K: High-resolution hybrid compact-ENO scheme for shock-turbulence interaction problems, 2A232
SHARIFF, MHBM: Extension of Herrmann's principle to nonlinear elasticity, 8A474
SHARIPOV, F: Linear Couette flow between two rotating cylinders, 3A1024
SHARIYAT, M: Isoparametric FE thermoelasto-plastic creep analysis of shells of revolution, 1A40
- Elastic, plastic, and creep buckling of imperfect cylinders under mechanical and thermal loading, 8A611
SHARKEY, NA: Statically equivalent load and support conditions produce different hip joint contact pressures and periacetabular strains, 7A1534
SHARMA, A: Bearing characteristics of cast leaded aluminum-silicon alloys, 2A856
SHARMA, AK: Experimental performance of built-in storage solar water heating systems in laboratory and field conditions, 9A1545
- Review on contact area measurement of pneumatic tire on rigid and deformable surfaces, 12A697
SHARMA, CB: Dynamic radial loading of thin GRP tubes, 4A565
SHARMA, JN: Axisymmetric problems of generalized anisotropic thermoelasticity, 6A1299
- Alternate state space approach to generalized thermoelasticity, 9A1321

SHARMA, N: Forced motion of a stepped semi-infinite plate, 12A174
SHARMA, OP: Performance improvement through indexing of turbine airfoils - Part 2: Numerical simulation, 5A1099
- Performance improvement through indexing of turbine airfoils - Part 1: Experimental investigation, 5A1098
- Evaluation of flow field approximations for transonic compressor stages, 12A1085
SHARMA, P: Analytical solution of an unsteady gas flow with shocks, 9A211
SHARMA, R: Young's modulus and Poisson's ratio of an n-phase composite body reinforced with inclined inclusions, 9A501
SHARMA, RC: Double-diffusive convection in compressible fluids with suspended particles in porous medium, 4A1350
- Thermal instability of an Oldroydian viscoelastic fluid in porous medium, 4A1351
SHARMA, RD: Use of power spectral density in deriving response spectral shapes for aseismic design, 4A1416
SHARMA, RK: Effect of oblateness on the nonlinear stability of L_4 in the restricted three-body problem, 11A234
- Solar conversion parameters of graded base silicon solar cells, 12A1517
SHARMA, RR: Analytical solution of an unsteady gas flow with shocks, 9A211
SHARMA, S: Retrieval of aerosol size index from high-resolution spectroradiometer observations, 7A1437
- Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
SHARMA, SD: Zero wave resistance for ships moving in shallow channels at supercritical speeds, 10A1212
- Horizontal motions of an SPM tanker under alternative mooring configurations, 11A1126
SHARMA, SK: Effect of stitching on impact and interlaminar properties of graphite-epoxy laminates, 10A612
- Sublaminate buckling and compression strength of stitched uniweave graphite-epoxy laminates, 10A666
- Techno-economic analysis of solar detoxification systems, 11A1547
SHARMA, SP: Modeling of nonequilibrium radiation phenomena: An assessment, 1A1004
SHARMAN, DJ: Benchmarking of a destructive technique to determine residual stresses in thick-walled axisymmetric components, 12A547
SHARMAN, RD: Propagation of gravity-inertia waves and lee waves under a critical level, 3T243
SHAROBIM, K: Flexural behavior of high-strength fiber reinforced concrete beams, 12A608
SHARON, A: Direct containment heating dispersal and entrainment experiment in a scaled annular cavity, 3A1437
SHARP, DH: Tracking of shear bands - I: The 1D case, 4A505
SHARP, JJ: Characteristics of radial jets and mixing under buoyant conditions, 3A1119
- Selective withdrawal through an intake fitted with a collar, 6A998
SHARP, MK: Effect of blood viscoelasticity on pulsatile flow in stationary and axially moving tubes, 1A1460
- Blood analog for laser-induced photochemical anemometry, 8T1570
SHARP, PK: Retardation and repair of fatigue cracks by adhesive infiltration, 10A763
SHARPE JR, WN: Biaxial creep strains at notch roots: Measurement and modeling, 7A697
- Viscoplastic behavior of a notch root at 650°C: ISDG measurement and FE modeling, 11A422
SHASHIKALA, AP: Dynamics of a moored barge under regular and random waves, 8A188
SHASHKIN, AP: Computational mesh construction for numerical analysis of 3D supersonic flow over two bodies, 6T1043
SHASHKOV, M: Solving diffusion equations with rough coefficients in rough grids, 7T1388
SHATIL, G: Life prediction of notched specimens using multiaxial surface and subsurface strain analyses, 4A712
SHATTO, DP: Review of flow boiling heat transfer with twisted tape inserts, 2A1210
SHATTUCK, MD: Convection and flow in porous media - Part 1: Visualization by magnetic resonance imaging, 8A1452
SHAW, A: European intercomparison of ultrasonic power measurements, 2A300
SHAW, CHIA-YU: Evaluation of five simple ventilation systems suitable for houses without forced-air heating, 9T1306
SHAW, JIANSIANG: New algorithm for testing the stability of a polytope: A geometric approach for simplification, 4T325
SHAW, MC: Principles of Abrasive Processing, 12R26
SHAW, MJ: Scheduling printed circuit board production systems using the two-level scheduling approach, 10T548
SHAW, RP: Green's functions for the vector wave equation in a mildly heterogeneous continuum, 3A193
- Fundamental solutions to Helmholtz's equation for inhomogeneous media by a first-order differential equation system, 8A232
SHAW, S: Discontinuous Galerkin method with a posteriori $L_2(O,t)$ error estimate for second-kind Volterra problems, 4A47
SHAW, SW: Stability of the unison response for a rotating system with multiple tautochronic pendulum vibration absorbers, 10A124
SHAW, WJD: Fatigue crack closure and its effect on life prediction in compact tension specimens, 5A605
SHAWKI, TG: Finite-difference scheme for elastic wave propagation in a circular disk, 4A135
- Shear band nucleation and the finite propagation speed of thermal disturbances, 6A1306
SHAWKY, AM: Enhanced dynamic model in turning including the effect of ploughing forces, 8A707
SHAYANFAR, MA: Element size effects in nonlinear analysis of reinforced concrete members, 7A822
SHAZALI, AM: CDM-based computational model for the Timoshenko beam, 9A543
SHCHEKINOV, Y: Self-similarity and nonlinear dynamics of thermally unstable media, 11T1069
SHCHEKINOV, YA: Instability of evaporation-dominated flows, 1A1063
SHCHEPINOV, VP: Strain and Stress Analysis by Holographic and Speckle Interferometry, 3R18
SHCHEREK, M: System analysis in tribological tests, 7A1223
SHE, JJ: Unsteady turbulent flow past solid fence, 11A911
SHE, KM: Finite element analysis of wall pressure in imperfect silos, 10A19
SHE, YINGHE: Finite element analysis of strain softening response for damaged materials (Chinese), 2A25
- Free boundary problem for the 2D seepage flow, 3A992
SHEAHAN, TC: Experimental verification of CRS consolidation theory, 11A557
SHEARER, M: Riemann problems for 5×5 systems of fully nonlinear equations related to hypoplasticity, 6A234
- Plane shear waves in a fully saturated granular medium with velocity and stress controlled boundary conditions, 8A1446
SHEASBY, JS: Comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S-P and zinc dialkyl dithiophosphate additives, 2A1120
- Effect of steel hardness on the performance of antiwear additives, 7A878
SHEBEKO, YN: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297
SHEEHAN, AF: Shear-wave velocity structure in the northern basin and range province from the combined analysis of receiver functions and surface waves, 12A1457
SHEEN, G-J: Modified influence coefficient method for balancing unsymmetrical rotor-bearing systems, 1A215
- Development and modification of a unified balancing method for unsymmetrical rotor-bearing systems, 8A161
SHEEN, JIA-YIH: Process planning strategy for removing an arbitrary profile by hydrodynamic polishing process, 5A572
SHEHU, S: Constraint based evaluation of crack growth experiments in the transition region, 5A633
- Two parameter description of crack growth initiation including thickness effects through probabilistic modeling, 9A693
SHEIKH, AH: Large amplitude free flexural vibration of stiffened plates, 5A107
SHEIKH, AK: Reliability-based maintenance strategies for heat exchangers subject to fouling, 6A1286
- Statistical aspects of $CaCO_3$ fouling in AISI 316 stainless-steel tubes, 12A1322
- Maintenance strategy for heat transfer equipment subject to fouling: A probabilistic approach, 12A1320
SHEIKH, SA: Design method for drilled shafts in soft argillaceous rock, 9A642
SHEIKINA, NA: Study of antiwear effect of phosphorus-containing additive in low-viscous oil, 7A1213
SHEINMAN, EL: Wear of alloyed facings, 2A927
SHEINMAN, I: Energy release rate and stress intensity factors for delaminated composite laminates, 6A741
SHEINTUCH, M: Pattern selection in a general model of convection, diffusion, and catalytic reaction, 8A1397
SHEKARRIZ, A: Velocity measurements in a turbulent non-Newtonian jet, 7A1117
SHEKARRIZ, R: Advances in Energy Efficiency, Heat and Mass Transfer Enhancement, 3N39
SHEKERA, MK: Nonstationary dynamic processes in the system "Cylindrical reservoir fluid" (Russian), 9A224
SHEKOYAN, AV: Wave beams in viscoelastic dispersive nonlinear initially deformed medium with free surface, 8A226
SHELBURNE, KB: Musculoskeletal model of the knee for evaluating ligament forces during isometric contractions, 7A1530
SHELLEY, FJ: Eigenvector scaling for mode localization in vibrating systems, 5A317
SHELTON, JC: Optical Measurement Methods in Biomechanics, 4N35
SHELTON, JJ: Elastohydrodynamic lubrication of air-lubricated rollers, 1A1126
SHELUDKO, HA: Minimization of the mass of multilayer plates at impulse loading, 2A154
SHEMYAKIN, EN: "Brittle joint" problem, 4A732
SHEN , XUEMONG: Influence of warm overloading on stress-corrosion cracking of welded structures, 3A670
SHEN, B: Three-dimensional numerical model for thermal analysis in X-ray irradiated photoresists, 11A1331
SHEN, BAOLUO: Relation between whistling noise of a circular saw blade and its vibrations, 6A173
SHEN, CHI-CHIH: Rolling process 2D FE model analysis, 12A728
SHEN, CL: Design curve to characterize fatigue strength, 4A703
SHEN, F: Containerless thermal diffusivity determination of high-temperature levitated spherical specimen by extended flash methods: Theory and experimental validation, 11A1203
SHEN, G: Ligament-collapse load of plates and cylinders with an axial semi-elliptical flaw, 7A726
SHEN, HAO: Screech tones of supersonic jets from bevelled rectangular nozzles, 12A309
SHEN, HH: Computer simulation of dilute pneumatic conveying of granular materials in pipe branches, 6A1366
SHEN, HUI-SHEN: Thermomechanical postbuckling of imperfect moderately thick plates on nonlinear elastic foundations, 6A602
- Thermal postbuckling analysis of imperfect stiffened laminated cylindrical shells, 8A597
- Post-buckling analysis of imperfect stiffened laminated cylindrical shells under combined external pressure and axial compression, 8A594
- Biaxial buckling and post-buckling of composite laminated plates on two-parameter elastic foundations, 10A660
- Thermal post-buckling analysis of imperfect shear-deformable plates on two-parameter elastic foundations, 10A657
- Thermomechanical postbuckling of stiffened laminated cylindrical shell, 11A537
- Thermal post-buckling analysis of imperfect laminated plates using a higher-order shear deformation theory, 12A660
SHEN, IY: Effect of disk flexibility on rocking mode frequencies of a disk drive spindle motor system, 1T192
- Active constrained layer damping treatments for shell structures: A deep-shell theory, some intuitive results, and an energy analysis, 8A201
- Variational formulation, a work-energy relation and damping mechanisms of active constrained layer treatments, 10A167
- Nonclassical vibration analysis of a multiple rotating disk and spindle assembly, 10A210
- Stability and controllability of Euler-Bernoulli beams with intelligent constrained layer treatments, 11A771
- Closed-form forced response of a damped, rotating, multiple disks-spindle system, 12A198
SHEN, J: Comprehensive analysis of two downburst-related aircraft accidents, 4A1132
SHEN, J-C: Riccati equation approach to the design of memoryless stabilizing controllers and observers for uncertain linear systems with time-varying delay, 4T357
SHEN, JIHUA: Breakup of annular viscous liquid jets in two gas streams, 1A1051
SHEN, JR: Heat transfer enhancement within a turbine blade cooling passage using ribs and combinations of ribs with film cooling holes, 1A1108
SHEN, K-L: Relationship between loading conditions and fracture patterns of the proximal femur, 5A1473
SHEN, LETIAN: Statistical formulation and experimental determination of growth rate of micrometer cracks under impact loading, 12A831
SHEN, LI-FU: Nonlinear rupture theory of a thin free liquid film with insoluble surfactant, 3A236
SHEN, LIANXI: Asymptotic method for analyzing the stress in a functionally gradient material layer on a surface of a structural component, 10A105
SHEN, M: Two-dimensional frost action modeling using the segregation potential of soils, 1A618
SHEN, M-C: Application of approximate equations for waveriders with multi-directional curvature, 6A1045
SHEN, MC: Ceramic wear maps, 7A875
SHEN, MENGYU: High order accuracy scheme for 2D transonic flows, 5A952
SHEN, MH: Multiple circular inclusions in plane thermoelasticity, 10A565
SHEN, MHH: Reliability of welded structures containing fatigue cracks, 6A744
SHEN, MING-CHIOU: Numerical study of multidirectional-curvature waverider with fillets, 2A983
- Navier-Stokes simulation of a cone-derived waverider with multidirectional curvature, 2T987
- Flight simulation of a waverider-based hypersonic vehicle, 7A1175
SHEN, PO YU: Inference of ground surface temperature history from subsurface temperature data: Interpreting ensembles of borehole logs, 3A1368
SHEN, Q: Finite-element analysis of temperature distributions in spade drilling, 12A45
- Wear characteristics and flank wear model of the main cutting edges in spade drilling of ductile metals, 12A962
SHEN, S SHAN-PU: Theoretical amplitude and period of precursor soliton generation in two-layer flow, 8A256
SHEN, SHI-MING: Fatigue growth behavior for a corner crack at a vessel-nozzle junction, 1A685
- Development of the leak-before-break assessment method to reduce some shortcomings, 3A688
SHEN, TIELONG: Riccati equation approach to robust L_2-gain synthesis for a class of uncertain nonlinear systems, 3T361
- Approximate solution of Hamilton-Jacobi inequality by neural networks, 10A102
SHEN, TR: Effects of gravity on rewetting of capillary groove surface at elevated temperatures: Experimental theoretical studies, 11A1349
SHEN, WANCI: Study on the behavior of adiabatic shear bands in impact wear, 3A859
SHEN, WEI-CHANG: Tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 2A872
SHEN, WEICHANG: Investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 2A864
- Effect of particle size of nanometer ZrO_2 on the tribological behavior of PEEK, 3A853
SHEN, WEIPING: High precision direct integration method for structures subjected to arbitrary dynamic loading and its parallel implementation (Chinese), 7A185
- Accurate high-speed computation of non-stationary random structural response, 10A954
SHEN, WEN-ZHONG: Numerical method for unsteady 3D Navier-Stokes equations in velocity-vorticity form, 8A1087
SHEN, WQ: Dynamic response of rectangular plates under drop mass impact, 8A239
SHEN, XIN-RONG: Viscous flow behavior in a curved annular duct, 3T1102
SHEN, Y: Strain sensing of composite plates subjected to low velocity impact with distributed piezoelectric sensors: A mixed FE approach, 6A250
- Analytical assessment of measurement uncertainty in precision inspection and machine calibration, 8A857
- Sampling strategy design for dimensional measurement of geometric features using coordinate measuring machine, 12A875
SHEN, YA-PENG: Exact solution of orthotropic cylindrical shell with piezoelectric layers under cylindrical bending, 5A349
- Piezothermoelasticity analysis for a circular cylindrical shell under the state of axisymmetric deformation, 6A1304
SHEN, YAPEN: Effects of 3D constraint on cracks on bimaterial interfaces, 3A710
SHEN, YAPENG: Numerical analysis of vibration control of composite laminates by piezoelectric devices (Chinese), 2A487
- Coatings optimization of embedded fiber optical sensors under thermal and mechanical load, 7A1367
SHEN, YIN-LIN: Pretravel compensation for vertically oriented touch-trigger probes with straight styli, 8A864
SHEN, YT: Effects of salt water on bubble cavitation, 9A996
SHEN, YUFENG: Virtual BE-least square method for solving boundary value problems of elliptic partial differential equations (Chinese), 12A72
SHEN, ZENG-MING: Linear separated flow model for two-phase flow instability in boiling channels, 3T1071
SHEN, ZHONGHAN: Effects of internal flow on vortex-induced vibration and fatigue life of submarine pipelines, 4A244
SHEN, ZUO-JUN: Simulation of lubricant rheology in thin film lubrication - Part 2: Simulation of Couette flow, 2A1119
SHENDEROV, EL: Reflection of a plane sound wave from a semi-infinite periodic transversely isotropic set of layers, 8A326
SHENDEROV, IV: Development of an automated adaptive system for controlling the straightening of long parts, 8T456
SHENG CHIN, SIN: Stability and failure of symmetrically laminated plates, 4A623
SHENG, G: Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part I: Formulation, 11A103
- Comprehensive unified set of single-step algorithms with controllable dissipation for dynamics - Part II: Algorithms and analysis, 11A104
SHENG, I-CHING: Thermal phase transformation and residual stress estimation of multi-layer materials for cylindrical or flat shape, 1A1291
SHENG, PS: Laser machining for secondary finishing applications, 11A605

SHENG, PY: Brittle intergranular failure in 2D microstructures: Experiments and computer simulations, 4A771
SHENG, ZAIQUAN: Study on the stability and motion control of a unicycle - 4th report: Fuzzy gain schedule PD controller for managing nonlinearity of system, 5A328
- Study on the stability and motion control of a unicycle - 3rd report: Characteristics of unicycle robot, 5A327
SHENHAR, Y: Stresses and failure patterns in the bending of sandwich beams with transversely flexible cores and laminated composite skins, 3A514
SHENOI, RA: Cyclic creep and creep-fatigue interaction in sandwich beams, 10A789
- Thermoelastic stress analysis of a GRP tee joint, 12A1347
SHENTU, LONGMEI: Load-carrying capacity for concrete slabs on grade, 6A896
SHEPHARD, MS: General topology-based mesh data structure, 10A77
- Parallel adaptive FE Euler flow solver for rotary wing aerodynamics, 12A39
SHEPHARD, NE: Test method for accelerated humidity conditioning and estimation of adhesive bond durability, 10T1015
SHEPHERD, DET: Technique for measuring the compressive modulus of articular cartilage under physiological loading rates with preliminary results, 12A1572
SHEPHERD, IG: Measuring the burning rate of premixed turbulent flames in stagnation flows, 4A1315
- Velocity statistics along the stagnation line of an axi-symmetric stagnating turbulent flow, 10A1158
SHEPHERD, R: Spectral decompositions in nonlinear coupled diffusion, 2A1289
SHEPHERD, TG: Hamiltonian balanced dynamics and the slowest invariant manifold, 3A101
- Nonlinear symmetric stability and the nonlinear saturation of symmetric instability, 4T1071
- Nonlinear stability of continuously stratified quasi-geostrophic flow, 5A1027
- Chaotic mixing and transport in Rossby-wave critical layers, 9A96
SHEPPARD, A: Effect of adherend alignment on the behavior of adhesively bonded double lap joints, 6A548
SHEPPARD, SD: Explicit approximation method for design optimization problems with implicit constraints, 5A872
SHEPTUN, LA: Stability and oscillations of heated spherical shells (Russian), 2A524
SHERBOURNE, AN: Structural behavior of end-plate bolted connections to stiffened columns, 3A531
- Finite element prediction of end plate bolted connection behavior - I: Parametric study, 7A959
- Finite element prediction of end plate bolted connection behavior - II: Analytic formulation, 7A960
- Three-dimensional simulation of bolted connections to unstiffened columns - I: T-stub connections, 10A25
- 3D simulation of bolted connections to unstiffened columns - II: Extended endplate connections, 10A13
SHERIDAN, J: Controlled motion of a cylinder through a free surface: Effect of depth of penetration, 1A981
- Velocity perturbations induced by the longitudinal vortices in a cylinder wake, 4A1061
- Flow past a cylinder close to a free surface, 8A1075
SHERIEF, HH: Thermal-shock problem in magneto-thermoelasticity with thermal relaxation, 5A1296
SHERIF, SA: Proceedings of the ASME Fluids Engineering Division, 4N25
- Heat transfer optimization of a direct heating system using search methods, 9A1308
SHERIFF, RE: Fourier transform approximations for sweeps and phase-encoded sweeps, 4A1373
SHERMAN, CH: Analysis of harmonic distortion in electroacoustic transducers under indirect drive conditions, 7A290
SHERMAN, D: Damage and deformation growth in brittle-ductile laminates, 6A776
SHERMAN, LL: First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, 7T1177
SHERMAN, PJ: Stochastic structure of downstream pressure from an axial compressor - II: Investigation of blade-to-blade variability, 3A1203
- Stochastic structure of downstream pressure from an axial compressor - I: Periodic time-frequency spectral description, 3A1202
SHERRATT, JA: Algebraic decay and variable speeds in wavefront solutions of a scalar reaction-diffusion equation, 2A1301
- Oscillatory and chaotic wakes behind moving boundaries in reaction-diffusion systems, 7A103
- Comparison of two numerical methods for oscillatory reaction-diffusion systems, 9A1349
SHERWIN, TJ: Extension of baroclinic coastal-trapped wave theory to superinertial frequencies, 5T187
SHESTAKOV, VM: Non-stationary heat exchange in brakes, 2A931
SHETH, A: Estimation of metal temperature variations for scarred boiler tubes, 5A621
SHETTY, D: Mechatronics System Design, 12R16
SHETTY, N: Volume II: Safety and Reliability, 10N8
SHEU , JYH-CHERNG: Higher-order numerical model for simulation of time-dependent variable-density flows, 4A996
SHEU, CHI-HAUR: Heuristic approach to robot path planning based on task requirements using a genetic algorithm, 1A401
SHEU, GJ: Vibration and control of a flexible rotor in magnetic bearings using hybrid method and H$^{\infty}$ control theory, 8A408
- Design of experiments for the controller of rotor systems with a magnetic bearing, 10A213
SHEU, H-C: Stability behavior of a non-conservative spinning Timoshenko shaft with an overhung disk, 8A165
SHEU, JH: Three-dimensional computations of transverse helium jets in a supersonic air flow, 3A1062
SHEU, KUEN-BAO: Conceptual design of hybrid transmissions for motorcycle applications, 3A903
SHEU, PCY: Planning of collision-free paths for a reconfigurable dual manipulator equipped mobile robot, 6A414
SHEU, PEY-PEY: Modeling and analysis of the intermodiate shaft between two universal joints, 11A148
SHEU, TS: Numerical investigation of transient flow-mode transition of laminar natural convection in an inclined enclosure, 8A1286
SHEU, TWH: Implementation of a free boundary condition to Navier-Stokes equations, 8T1086
- Vortical flow over a 3D backward-facing step, 8A1151
- Element-by-element BICGSTAB iterative method for 3D steady Navier-Stokes equations, 9A1027
- Monotone FEM with test space of Legendre polynomials, 10A55
- Vortical structures in channel flows with a backward-facing step, 10A1286
- Topological flow structures in backward-facing step channels, 11A971
- Monotonic, multidimensional flux discretization scheme for all Peclet numbers, 12A1271
SHEU, WH: Finite volume analysis of spiral motion in a rectangular lid-driven cavity, 2A1028
- End-wall corner vortices in a lid-driven cavity, 9T1096
SHEU, WJ: Upstream interactions between premixed flames, 2A1339
SHEU, YP: Effects of thermomechanical treatments on superplasticity of Zn-22% Al alloy, 10T1365
SHEVALDYKIN, VG: Thickness measurements and flaw detection in concrete using ultrasonic echo method, 8A856
SHEVCHENKO, AN: Study of thermostressed state of the aviation engine blade by the method of R-functions (Russian), 1T583
SHEVCHENKO, AS: Effect of plastic deformation on static friction coefficient, 3A839
SHEVCHENKO, KN: Pendulum motion (Russian), 6A104
SHEVCHENKO, YN: Determinative equations of elastoplastic repeated deformation of a solid body taking into account the deformation anisotropy of material (Russian), 9A455
SHEVELEVA, GI: Synthesis of bevel gearings on the basis of the theory of quasilinear contact, 4T921
SHEVELYA, VV: Internal friction in the parts of tribosystem and its significance for selection of compatible materials, 2A862
SHEWBRIDGE, SE: Formation of shear zones in reinforced sand, 6A637
SHEWEN, E: Heat transfer by natural convection across a vertical air cavity of large aspect ratio, 5T1148
SHI , XUEFENG: New principle of ignition and flame stability for low-volatile pulverized coal with slitted bluff-body burner, 5A1329
SHI, BAOPING: Rocking and overturning of precariously balanced rocks by earthquakes, 4A1420
SHI, DONGYANG: Triangular elements for Reissner-Mindlin plate, 11A45
SHI, F: Nodal sensitivities as error estimates in computational mechanics, 12A69
SHI, FANGHUI: Mixed-lubrication study of journal bearing conformal contacts, 12A1199
SHI, FF: Mechanical properties and deformation of shear-induced polymer liquid crystalline fibers in an engineering thermoplastic, 4A562
SHI, GUANGYU: New free energy for plastic damage analysis, 12A794
SHI, HANMIN: Theoretical investigation of rotating frequency noise with axial fan of skewed blade, 4T188
SHI, HANSHENG: Optimal truncated low-dimensional dynamical systems based on flow databases, 6A126
SHI, HONGDA: Calculation of wave pressure and pressure spectrum for perforated-pipe breakwater, 12T1057
SHI, HUI-XIAN: Linear separated flow model for two-phase flow instability in boiling channels, 3T1071
SHI, IN: Study of cutting by a knife-edged cutter - 1st Report: Test apparatus for cutting and a few results (Japanese), 4A677
SHI, J: Effect of strain rate on detwinning and superelastic behavior of NiTi shape memory alloys, 1A12
- Tribological study of nitrogen implanted niobium, 2A873
- Fully discrete high-resolution schemes for hyperbolic conservation laws, 2A986
- Post-critical analysis of axisymmetric hyper-elastic membranes by the FEM, 3A523
- Approximate limit design of frames using elastic analysis, 3A804
- Finite element simulation of gust loading, 6A311
- Riemann-problem-based approach for steady incompressible flows, 7A1047
- Gradient maintenance technique for seawater solar ponds, 8A1533
- Gradient-zone erosion in seawater solar ponds, 8A1534
- Simple method of calculating lower-bound limit loads for axisymmetric thin shells, 11A522
SHI, JINGYU: Incremental elastic moduli in pre-stressed membranes, 4T601
SHI, JINYUAN: Investigation on the revision of the formula for calculating stability threshold speed of turbine-generator bearings (Chinese), 2A70
SHI, JM: Similarity solution of mixed convection over a horizontal moving plate, 8A1294
SHI, K: Nonlinear Galerkin approximation, 8A67
SHI, LIANGPING: Identification of simple-supported beam cracks by means of the wavelet analysis (Chinese), 10T512
SHI, MIN-GUAN: Viscous scale effects on propeller tip vortex cavitation, 7T1182
SHI, N: Two-dimensional hydraulics of recirculating ground-water remediation wells in unconfined aquifers, 3A1472
SHI, P: Least-square mixed method for Stokes equations, 8A1053
- Analysis and computation of a cyclic plasticity model by aid of Ddassl, 11A442
SHI, PENG: Robust filtering for interconnected uncertain systems under sampled measurements, 12A358
SHI, QINGZENG: Probabilistic distribution of ice forces on a solitary pile in the Liaodong Bay, 1A1444
SHI, SHOUXIA: Stress-strain field near the crack-tip of an incompress rubber-like material, 5A662
- Interaction of plane SH-waves and non-circular cavity surfaced with lining in anisotropic media, 6A235
SHI, TIELIN: Structural dynamic model modification and damage diagnosis method based on neural networks (Chinese), 10T517
- Identification of simple-supported beam cracks by means of the wavelet analysis (Chinese), 10T512
SHI, WANQING: Assessment of the sound insulation of a wood joist construction due to different types of impact sources, 3A313
SHI, WEICHEN: Rigid line inclusions under anti-plane deformation and in-plane electric field in piezoelectric materials, 7A565
SHI, WEIHUI: Stability of forced dissipative nonlinear system, 3A1131
SHI, XINGZHONG: Dynamical analysis of time dependent katabatic flows, 9A1515
SHI, Y-B: Mode II fracture of composites interlayered with nylon particles, 7A744
SHI, YAOWU: Studies on fracture toughness of nuclear pressure vessel steels by using a small round compact tension specimen and a comparison with a Charpy-size specimen, 4A779
- Comparative studies of several methods to determine the dynamic fracture toughness of a nuclear pressure vessel steel A508 CL3 with Charpy-size specimen, 10A848
SHI, YIJIAN: Computational fluid dynamics simulation of turbulent waverider flowfield with sideslip, 8A1103
SHI, YJ: Modeling for moment-rotation characteristics for end-plate connections, 6A909
SHI, YUCHENG: Finite element method for nonlinear free vibrations of composite plates, 6A182
SHI, YUMING: Singular perturbations for a class of boundary value problems of higher order nonlinear differential equations, 9T74
SHI, YW: Influence of strength mis-matching on crack driving force and failure assessment curve of weldment, 7A770
SHI, Z: Scanning thermal microscopy at nanometer scales: A new frontier in experimental heat transfer, 2A1151
- Influence of surface melting on dry rolling-sliding wear of aluminum bronze against steel, 3A875
- Synthesis of mechanical error in spatial linkages based on reliability concept, 7A955
SHI, ZD: Flow in a pipe with a ring-type obstacle, 1A1042
- Numerical study of effects of pulsatile amplitude on unsteady laminar flows in rigid pipe with ring-type constrictions, 8A1144
- Experimental investigation of pulsatile flows in tubes, 10A1546
SHI, ZHONG-CI: Mathematical Theory of Elastic Structures, 8R7
SHI, ZONG-CHENG: Reynolds number effects in tall building wind tunnel tests, 9T1191
SHIAN, MD: Three-dimensional analytical temperature field and its application to solidification characteristics in high- or low-power-density-beam welding, 9A1266
SHIANG, AH: Comparative study of AC and DC electrorheological material based adaptive structures in small amplitude vibration, 3A569
SHIANG, CHUAN-TZER: Mixed convection plume along a vertical adiabatic surface embedded in a non-Darcian porous medium, 7A1272
SHIANG, TY: Effect of insoles in therapeutic footwear: A FE approach, 10A1560
SHIAU, TING NUNG: Multi-objective optimization of a flexible rotor in magnetic bearings with critical speeds and control current constraints, 8A402
SHIAU, TN: Vibration and control of a flexible rotor in magnetic bearings using hybrid method and H$^{\infty}$ control theory, 8A408
SHIBA, M: Tin-based topographic modeling for a distributed rain-fall runoff model (Chinese), 10T1468
SHIBAHARA, M: Quantum molecular dynamics study on light-to-heat absorption mechanism: Two metallic atom system, 10A1348
SHIBASAKA, T: Comprehensive monitoring system in metal cutting - 1st Report: Proposed system and construction (Japanese), 8A700
SHIBATA, H: Study on suitable slurry properties with slurry-type shield driving in sandy soils (Japanese), 8A1115
SHIBATA, M: Force sensorless control in a flexible link arm based on estimated reaction torque, 9A398
- Effect of debris on the life of tapered roller bearing in contaminated lubricant, 11T832
SHIBATA, T: Atomistic analysis of diamond-turning processes in single-crystal copper (Japanese), 7T636
SHIBATA, Y: Displacement analysis and back-analysis of viscoelastic medium with arbitrary shaped tunnel under quasi 3D rock stresses (Japanese), 4A653
- Theoretical analysis of interfacial instability in countercurrent annular two-phase flow, 7A1119
SHIBATANI, K: Development of end effector utilizing parallel mechanism for EDM with a scanning motion (Japanese), 12T425
SHIBUSAWA, S: Traction data analysis with the traction prediction equation, 2A820
SHIBUYA, J: Structural component development of three-layer cylinders for superconducting generators - Part 2: Development of three-layer welding techniques to extend axial length and evaluation of the welds, 8A980
- Structural component development of three-layer cylinders for superconducting generators - Part I: Selection of layer-bonding method and development of long large-gauge three-layer cylindrical structure, 8A986
SHIBUYA, S: Advanced cooling technology for the 1500°C class gas turbines: Steam-cooled vanes and air-cooled blades, 12T1413
SHIBUYA, T: Experimental wavelet analysis of flexural waves in beams, 2A184
- Time frequency analysis of dispersive waves by means of wavelet transform, 11A184
SHIBUYAMA, H: Temperature changes and thermal stresses obtained during construction of immersed-type tunnel (Japanese), 5A793
SHIDFAR, A: Inverse problem for a nonlinear diffusion equation, 6T1314
SHIDLOVSKY, VP: Generalized Rayleigh's problem for a compressible flow over the surface of a dihedral corner, 5A959
SHIEH, CHIOU-FEN: Estimation of shear-wave splitting time using orthogonal transformation, 9A1458
SHIEH, CM: Instability wave analysis of confined supersonic jets using the FEM, 6A1044
SHIEH, J-S: Vibration analysis of a nonlinear coupled textile-rotor system with synchronous whirling, 8A168
SHIEH, LEANG-SAN: Design of PAM and PWM controllers for sampled-data interval systems, 6A400
SHIEH, LEANG-SAN: Robust control of sampled-data uncertain systems using digitally redesigned observer-based controllers, 7T340
SHIEH, LI-DER: Simultaneous measurements of water impact on a 2D body, 7A1108
SHIEH, M-G: Two-rotating-mass balancers for partial balancing of spatial mechanisms, 11A151
- Explicit formulae for designing the two-contra-rotating-mass balancers of spatial mechanisms, 11A145
SHIEH, WEN K: Anaerobic fluidized bed pretreatment of hog wastewater, 9A1553
SHIEH, YL: Implementation of vortex filament methods on parallel machines with distributed adaptive data structure, 10A1173
SHIELD, BM: Complete image-source method for the prediction of sound distribution in non-diffuse enclosed spaces, 10A383
SHIELD, CK: Full-scale testing of prestressed concrete bridge girders, 7T830

SHIELDS, DN: Bilinear fault detection observer and its application to a hydraulic drive system, 3A392
SHIELS, D: Simulations of the viscous flow normal to an impulsively started and uniformly accelerated flat plate, 6A1076
- Measuring instantaneous fluid dynamic forces on bodies, using only velocity fields and their derivatives, 11A227
SHIFLETT, GR: Analysis of rigid body motion from measured data, 11A83
SHIGEISHI, M: Acoustic emission waveform analysis in 2D models (Japanese), 5A239
SHIGETO, K: Magnetism and magnetoresistance of multilayers prepared on microstructured substrates, 9A609
SHIH, C: Flow Modeling and Turbulence Measurements VI, 3N33
SHIH, C FONG: Micromechanics of coalescence - Part I: Synergistic effects of elasticity, plastic yielding and multi-size-scale voids, 7A6
SHIH, CF: Constraint effects on the ductile-brittle transition in small scale yielding, 1A727
- Self-consistent model for cleavage in the presence of plastic flow, 4A745
- Failure of a thin film due to inclusions on the interface, 8A484
- Kink band initiation and band broadening in clear wood under compressive loading, 9A492
SHIH, CHING-LONG: Dynamics and control of a biped walking robot with seven de', 6A412
SHIH, CJ: Fuzzy and improved penalty approaches for multi-objective mixed-discrete optimization in structural systems, 9A879
SHIH, MIIN-ZHIH: Object-oriented programming of adaptive FE and finite volume methods, 6A46
SHIH, MING GUU: Tribological performance of 6061 aluminum alloy-graphite composite materials in oil lubrications with EP additives, 3A877
SHIH, MING-CHANG: Position control of servo hydraulic cylinder using a neuro-fuzzy controller with on-line searched parameters, 5A359
SHIH, T-H: Calculation of wall-bounded complex flows and free shear flows, 6A1145
SHIH, T-S: Influence of microstructure on the fatigue properties of austempered ductile irons - I: High-cycle fatigue, 2A631
SHIH, TIEN-MO: Information highway and numerical heat transfer, 6A1251
SHIH, WU-YANG: Boundary element based solution of an inverse elasticity problem by conjugate gradient and regularization method, 12A502
SHIH, Y-P: Identification of the unbalance distribution and dynamic characteristics of bearings in flexible rotors, 5A134
SHIH, YEN-PING: Computation of wavelet-Galerkin approximation on a bounded interval, 2A58
SHIH, YUAN-PIN: Identification of the unbalance distribution in flexible rotors, 8A163
SHIIBA, Y: Theoretical study of droplet impingement on a solid surface below the Leidenfrost temperature, 9T1258
SHIINA, K: Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226
SHIKANAI, G: Free vibrations of laminated composite non-circular thick cylindrical shells, 3A166
SHIKHMAN, VM: Forced flexural oscillations of an elastic half-strip for mixed boundary conditions, 3A192
SHIKHMURZAEV, YD: Moving contact lines in liquid-liquid-solid systems, 9A1015
SHIKINA, IS: Transition to instability in weakly non-uniform flows without dissipation, 6A1143
SHIKULA, EN: Deformation of composite materials under microdischarge (Russian), 6A532
- Nonlinear deformation of fibrous composites under microfailures of the binder (Russian), 9A513
SHIKULA, FN: Nonlinear deformation of laminated composite materials under macrodestructions, 9A505
SHILKO, SV: Friction of anomalously elastic bodies - Negative Poisson's ratio - Part 1: Self-locking effect, 1A875
- Experimental and computational contact stress evaluation - Part 1: Review, 7A932
SHILLER, Z: Trajectory planning of tracked vehicles, 11A318
SHILOH, K: Nondestructive evaluation of thermally shocked silicon carbide by impact-acoustic resonance, 1A1363
SHIM, E-B: Numerical analysis of 3D Bjork-Shiley valvular flow in an aorta, 9A1591
SHIM, I: Design sensitivity analysis of structure-induced noise and vibration, 10A422
SHIM, PY: Generating optimal configurations in structural design using simulated annealing, 9A828
SHIM, SANG-BEOM: Thermal and mechanical characterization of high performance epoxy systems with extended cure times, 3A962
SHIM, VPW: Elastic impact response of glass-epoxy laminated ogival shells, 1A537
- Central and noncentral normal impact on orthotropic composite cylindrical shells, 2A210
- Static and impact crushing of layered foam-plate systems, 3A219
SHIM, WOO JEON: Analysis of contact force and thermal behavior of lip seals, 5A865
SHIM, YOUNG MIN: Transient confined natural convection with internal heat generation, 10A1291
SHIMA, A: Studies on bubble dynamics, 10A1053
SHIMA, M: Study on fretting wear of rolling bearings - Part 3: Effects of Mindlin slip and differential slip on fretting wear, 5T831
SHIMADA, M: Improvement of optical probe response to large-amplitude ultrasound, 1A805
- Numerical simulation and experiment on the transport of fine particles in a ventilated room, 3A1343
- Development of CAM system based on simulation of the copy operation, 7A606
- Multiple time-scale turbulence model for wall and homogeneous shear flows based on direct numerical simulations, 11A1030
SHIMADA, R: Control of heat transfer on wall with wall jet, 9A1203
SHIMADA, S: Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), 8A730
SHIMADA, SD: Methods for determining 3D wheelchair pushrim forces and moments: A technical note, 10A1567
SHIMAMOTO, A: Biaxial test specimen for crack arrest studies, 2A717
SHIMAZAKI, Y: Simulation of transient flow through Monsanto Processability Tester, by marker FEM, 7T29
SHIMIZU, A: Painting of industrial art object using teaching robot and spherical SCARA robot, 3T419
SHIMIZU, F: Finite element methods under the windows environment (Japanese), 5T13
SHIMIZU, H: Practical application of an apparatus to improve slurry discharged as construction resources (Japanese), 2T994
- Analytical solution for 3D anisotropic bi-material problem with line source of heat and their numerical examples (Japanese), 7A1351
- Development of a system to dehydrate construction slurry (Japanese), 10A1120
SHIMIZU, I: Tensile deformation behavior of rubber composite plate (Japanese), 1A540
SHIMIZU, K: Progress of erosive wear in spheroidal graphite cast iron, 3A672
- Propagation and closure of small cracks in SiC particulate reinforced aluminum alloy in high cycle and low cycle fatigue, 5A585
SHIMIZU, M: Factors controlling the fatigue strength of nitrided titanium, 8A741
SHIMIZU, N: Application of 3D surveying system for monitoring displacements around the portal area of a tunnel (Japanese), 2A574
- Back analysis method using measured displacements for predicting deformational behavior of discontinuous rock mass (Japanese), 5A543
- Developments of a ground displacement monitoring system by using the global positioning system (Japanese), 5A539
SHIMIZU, S: Deformation and interface pressure distribution of 1/10 tapered joints at high rotation speed, 1A935
- Study on rolling contact fatigue life of linear motion ball guides system (Japanese), 1A886
- Acceleration of abrasive particles in premixed abrasive water jet nozzle, 3A1080
- Development of an advanced SQUID system for nondestructive evaluation of material degradation in power plants, 9A812
- Fabrication and transformation characteristics of reversible shape memory alloy thin film actuators (Japanese), 10A544
- Study on the inverse kinematics problem of robot - 2nd Report: Analysis of plurality of inverse kinematics solutions of 3R type robot (Japanese), 12A444
SHIMIZU, T: Large earth retaining wall using precast SRC struts (Japanese), 2A567
- Analytical study on the kinematics of an orbiting scroll in a scroll compressor: Analysis of self-rotational motion, 7A1183
- Effect of crack size on dynamic SCC behavior of Ti-6Al-4V alloy in 3% NaCl solution, 12A772
SHIMIZU, Y: Power augmentation of a horizontal axis wind turbine using a Mie type tip vane: Velocity distribution around the tip of a HAWT blade with and without a Mie type tip vane, 11A1549
SHIMODA, I: Study of special spacer with damping device for suppressing wake galloping in tandem cables of cable-stayed bridges and its application to full scale bridge (Japanese), 8A186
SHIMODA, M: Multiobjective shape optimization of linear elastic structures considering multiple loading conditions: Dealing with mean compliance minimization problems, 1A928
SHIMODA, T: Orbital re-entry experiment vehicle ground and flight dynamic test results comparison, 4A866
SHIMODAIRA, K: On-engine evaluation of emissions characteristics of a variable geometry lean-premixed combustor, 8A1421
SHIMOGA, KB: Soft robotic fingertips - Part I: A comparison of construction materials, 2A337
SHIMOJI, M: Temperature dynamic models of heat exchanger for photosensitive material coating and drying processes, 11A1352
SHIMOJO, M: New method of dynamic measurements of the plastic deformation occurring at a fatigue crack tip, 12A788
SHIMOKAWA, F: Fabrication of fluorinated polyimide microgrids using magnetically controlled reactive ion etching and their applications to an ion drag integrated micropump, 4T425
SHIMOKAWA, T: Application of Monte Carlo simulation for fractographic analysis of fatigue crack propagation, 2A651
SHIMOKOHBE, A: Ultrafine motion table using piezoelectric actuator for ultraprecision grinding, 10T748
- Precision magnetic bearing - 2nd Report: Displacement estimation by an observer and sensorless precision positioning (Japanese), 12T1014
SHIMOSATO, T: Identification of dynamic characteristics by field vibration test in Tsurumi Tsubasa bridge (Japanese), 3A795
- Energy-based damping evaluation of cable-stayed bridges and its application to Tsurumi Tsubasa bridge (Japanese), 3A794
SHIMOYAMA, R: Vocal tract shape identification from formant frequency spectra: A simulation using 3D BE models, 12A345
SHIMOYAMA, T: Heat-transfer and defrosting characteristics of a horizontal array of cooled tubes immersed in a very shallow fluidized bed, 7A1442
SHIMURA, H: Installation of surface grinding machines in case of five-point support, 7T619
SHIMURA, Y: Non-contacting displacement measurement of rotating main spindle in the axial direction (Japanese), 5A741
SHIN , DONG KU: Large amplitude free vibration behavior of doubly curved shallow open shells with simply-supported edges, 7A148
SHIN, CS: Continual service reassurance of steam turbine blades, 1A683
- Elastic longitudinal stress estimation in the neighborhood of notches, 7A411
- Fatigue damage repair: A comparison of some possible methods, 7A676
SHIN, DONGHO: Fast solvers for finite difference approximations for the Stokes and Navier-Stokes equations, 5A945
SHIN, DONGHOON: Comparative evaluation of municipal solid waste incinerator designs by flow simulation, 1A1328
SHIN, E: Harmonic synthesis theory for dynamic spring balancing, 9A964
SHIN, EUI-SUP: Thermoviscoplastic theory for composite materials by using a matrix-partitioned unmixing-mixing scheme, 4A1261
SHIN, EUNGSOO: Harmonic synthesis design methodology for dynamic spring balancing, 6A160
SHIN, H-W: Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, 8A1240
- Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, 8A1239
- Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, 10A1217
- Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, 12A1178
SHIN, HD: Experimental investigation of the developing process of an unsteady diffusion flame, 12A1381
SHIN, HYUN DONG: Parametric representation of diffusive enhancement in a confined oscillatory flow, 1T1300
- Experimental and numerical study on the laminar premixed flame stabilized inside a honeycomb ceramic, 4A1289
- Limit of equivalence ratio on mixing enhancement near the tube exit in a tone excited rich flame, 9A1365
SHIN, S: Crack identification in a cantilever beam from modal response, 6A149
- Damage detection and assessment of structures from static response, 11A761
SHIN, TAE-MYUNG: Seismic response of submerged secondary systems in base-isolated structures, 9A1487
SHIN, TJ: Distribution of strain in the human cornea, 10A1533
SHIN, YANG-SOO: Neural network modeling for tool path planning of the rough cut in complex pocket milling, 4A673
SHIN, YC: Control of cutting force for end milling processes using an extended model reference adaptive control scheme, 2A589
- Modeling of tool forces for worn tools: Flank wear effects, 2A594
- Assessment of plasma enhanced machining for improved machinability of Inconel 718, 8A699
- Digital robust controller for cutting force control in the end milling process, 12A407
SHIN, YOUNG S: Modeling and simulation of underwater shock problems using a coupled Lagrangian-Eulerian analysis approach, 6A315
- Explosion gas bubbles near simple boundaries, 6A313
SHIN, YOUNG-JAE: Efficient method for identification of motion error sources from circular test results in NC machines, 8A860
SHIN, YS: Structures under Extreme Loading Conditions - 1996, 4N7
SHIN, YUNG C: Robust tool wear estimation with radial basis function neural networks, 11A840
SHIN, YW: Fluid-Structure Interaction - 1996, 2N11
SHINDO, Y: Scattering of antiplane shear waves in a fiber-reinforced composite medium with interfacial layers, 3A212
- Dynamic stress intensity factor of a cracked dielectric medium in a uniform electric field, 3A210
- Singular stress and electric fields of a piezoelectric ceramic strip with a finite crack under longitudinal shear, 8A634
SHING, PB: Control of building vibrations with active-passive devices, 4A1401
- Repair and retrofit of unreinforced masonry structures, 6A917
- Finite element modeling of masonry-infilled RC frames, 11A18
SHINJO, T: Magnetism and magnetoresistance of multilayers prepared on microstructured substrates, 9A609
SHINKARENKO, VB: Effect of different factors on contact interaction of a shell with frame and support (Russian), 1A571
SHINKE, T: Basic study on simultaneous identification of cable tension and flexual rigidity by extended Kalman filter (Japanese), 9A540
SHINKIN, VN: Integrable cases of the three-body problem at second-order resonance under the high oblateness of the central body, 3A293
SHINMURA, T: Development of a new internal finishing process applying magnetic abrasive finishing by use of pole rotation system, 10A543
SHINOZAKI, M: Passive heat removal by vessel cooling system of HTTR during no forced cooling accidents, 5A1445
SHINOZUKA, J: Chip breaking process simulation by thermo-elastic plastic FEM (Japanese), 3A10
SHINOZUKA, M: Effects of irregular boundaries in a layered half-space on seismic waves, 2A1372
- Simulation of multivariate Gaussian fields conditioned by realizations of the fields and their derivatives, 3A64
- Analytical study of the Duffing oscillator excited by colored noise using a systematic adiabatic expansion, 7A68
- Seismic waves in a laterally inhomogeneous layered medium - Part I: Theory, 10A267
- Seismic waves in a laterally inhomogeneous layered medium - Part II: Analysis, 10A268
- New formulation of FEM for deterministic and stochastic beams through generalization of Fuchs' approach, 11A501
SHINSHI, T: Precision magnetic bearing - 2nd Report: Displacement estimation by an observer and sensorless precision positioning (Japanese), 12T1014
SHINTANI, K: Machining of nickel-based superalloy using PcBN endmill tool: Effect of high-pressure coolant supply on tool wear, 10T977
SHINYA, N: Powder particle manipulation and assemblage using microprobe, 2A428
SHINZATO, K: Laminar forced convection condensation of saturated vapors in the near-critical region, 6A1261
SHIODA, S: High-enthalpy extraction demonstration with closed-cycle disk MHD generators, 11T1436
SHIOI, Y: Determination of the bearing capacity of the pile by means of stress wave theory (Japanese), 5A524
SHIOMI, M: Design and practice of ground improvement in airport construction project on super soft ground (Japanese), 5A533
SHIOTA, K: Analysis of accumulating mechanism of distributed and unbonded prestress (Japanese), 5A717
SHIOTSUKI, T: Study on evaluation unit of blasting vibration based on effects on people (Japanese), 8A1575
SHIOYA, T: Energy balance analysis on mode-III dynamic crack propagation in fixed-sided strip, 7A765
SHIOZAKI, M: Fatigue strength of the joint between diaphragms and longitudinal ribs in box section girders (Japanese), 11A873
SHIOZAWA, K: Databook on Fatigue Strength of Metallic Materials, 8N10
- Crack initiation and small fatigue crack growth behavior of squeeze-cast Al-Si aluminium alloys, 9A701
SHIPITSA, NA: Effect of contact deformation upon surface electron work function, 1A885
SHIPLYUK, AN: Technique for the heat flux determination in an aerophysical experiment, 5T1116
SHIRAHATA, H: Study on dynamic response of bridge caused by loads in line at high speed by BEM (Japanese), 6A903
SHIRAISHI, M: Plant identification from leaves using quasi-sensor fusion, 2A326
SHIRAISHI, N: Analysis and model-tests on vortex-induced oscillation of bridges (Japanese), 3A789
SHIRAISHI, T: Transient fatigue crack growth behavior following single overloads at high stress ratio, 2A622
SHIRAKASHI, R: Numerical simulation of the freezing process of biological tissues, 7A1374
SHIRAKASHI, T: Energy flowing rate into workpiece in surface grinding based on 3D temperature analysis - 1st report: Discussion on temperature distribution in workpiece measured by hole method, 1A658

- Chip breaking process simulation by thermo-elastic plastic FEM (Japanese), 3A10
- In-process monitoring of tool damage by active method: Behavior of damping ratio with cutting conditions (Japanese), 3A879

SHIRASE, K: Instantaneous force with static deflection feedback model for irregular tooth pitch end mill (Japancse), 9A788

SHIRASU, H: Analysis of concepts for single stage to orbit, 2T835

SHIRASU, S-I: Experiments on air-water two-phase flow pump impeller with rotating-stationary circular cascades and recirculating flow holes, 3T1199

SHIRATORI, M: Brake system for aircraft, 5T857

SHIRAZI-ADL, A: Poroelastic creep response analysis of a lumbar motion segment in compression, 3A1494
- Analysis of cementless implants using interface nonlinear friction: Experimental and FE studies, 7A1559

SHIROKOVA, EA: Exact solution of the plane elasticity problems for the non-symmetric airfoil crack, 8T483

SHIROLKAR, JS: Fundamental aspects of modeling turbulent particle dispersion in dilute flows, 7A1144

SHISHKINA, OD: Resonant generation of a solitary wave in a thermocline, 4A224

SHISHODIA, KS: CAP-GO computer-aided planning of grinding operations for ferrous components, 11A617

SHITATA, T: Nonlinear rheological behavior of a concentrated spherical silica suspension, 5A894

SHITIKOVA, MV: Ray method for solving boundary-value problems connected with the propagation of thermoelastic shock waves of finite amplitude, 1A1286
- Applications of fractional calculus to dynamic problems of linear and nonlinear hereditary mechanics of solids, 2A7
- Application of fractional derivatives to the analysis of damped vibrations of viscoelastic single mass systems, 8A228
- Application of fractional operators to the analysis of damped vibrations of viscoelastic single-mass systems, 8A120

SHITOVA, LB: Model of the limit state of bodies, 1A827

SHITZER, A: Numerical analysis of an extremity in a cold environment including countercurrent arterio-venous heat exchange, 10A1550
- Combined solution of the inverse Stefan problem for successive freezing-thawing in nonideal biological tissues, 10A1531

SHIU, CHIA-LIN: Analysis on transient heat transfer in annular fins of various shapes with their bases subjected to a heat flux varying as a sinusoidal time function, 3A1256

SHIUE, JJ: Feasibility study of abrasive-waterjet milling of fiber-reinforced plastics, 11A601

SHIVAKUMAR, KN: Tow collapse model for compression strength of textile composites, 7A489

SHIVPURI, R: New approach to optimal design of multi-stage metal forming processes with micro genetic algorithms, 6A679
- Grain size modeling and optimization of rotary forged Alloy 718, 10A730

SHIWA, M: Analysis of acoustic emission signals generated during the fatigue testing of GFRP, 6A827

SHIXUAN, WANG: Experimental investigation on low-speed torque characteristics of vehicle turbocharged diesel engine (Chinese), 10A1425

SHIZAWA, T: Flow behavior with an oscillating motion of the impinging jet in a dump diffuser combustor, 11A1403

SHKADINSKAYA, GV: Gravity induced separation in "liquid flames", 6A1322

SHKADINSKY, KG: Gravity induced separation in "liquid flames", 6A1322

SHKERDIN, GN: Conversion of a Stoneley wave at the extremity of a fluid loaded plate, 8A273
- Generation of a Stoneley wave at the end of a fluid loaded plate by an incident bounded beam, 8A275
- Influence of an inclusion on the phase of a Stoneley wave, 8A276

SHKLYARCHUK, FN: Nonlinear and linearized equations of motion for elastic space structures, 1A552

SHKOLLER, B: Tilting instability with buoyant forcing in a 2D viscous fluid, 4A1077

SHKOLLER, S: Model for defective fibrous composites, 5A433

SHKOLNIK, IE: Evaluation of dynamic strength of concrete from results of static tests, 6A737

SHMAREV, SI: Energy Methods in Continuum Mechanics, 6N3

SHMARYAN, LE: Capillary instability of jets of magneto-rheological fluids, 3A1132

SHMATKOVA, AA: Nonlinear unsteady creep of an ice sheet on a hydraulic foundation, 7A1519

SHMULEVICH, I: Tire footprint characteristics as a function of soil properties and tire operations, 1A865

SHMYROV, AS: Planar heliocentric roto-translatory motion of a spacecraft with a solar sail of complex shape, 3A289

SHODJA, HM: Intergranular crack nucleation in bicrystalline materials under fatigue, 3A678

SHOHAM, M: Connectivity in open and closed loop robotic mechanisms, 8A964

SHOJI, A: Injection molded plastic gears now (Japanese), 1T912

SHOJI, G: Optimal allocation of earthquake-induced damage for elevated highway bridges (Japancse), 11A1490

SHOJI, M: Resonance of modes in the problem of 2D capillary-gravity waves, 2A224

SHOJI, Y: Fundamental model of the human thermal system for prediction of thermal comfort, 2A1271

SHOKRIEH, MM: Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - II: Experimental evaluation, 12A763
- Multiaxial fatigue behavior of unidirectional plies based on uniaxial fatigue experiments - I: Modeling, 12A762

SHOLA, PB: Free boundary fluid flow in a trough: A numerical approach, 6A1039

SHOME, B: Numerical investigation of laminar flow and heat transfer in internally finned tubes, 6A1231
- Experimental investigation of laminar flow and heat transfer in internally finned tubes, 6A1229
- Literature on enhancement of convective heat and mass transfer, 6A1288

SHOMURA, M: Test method for mode II fatigue crack growth relating to a model for rolling contact fatigue, 5A637

SHONAIKE, GO: Experimental analysis of relation between shear coupling element and bias angle of carbon fiber reinforced polyether-polyester elastomer composites, 9A482

SHOOK, CA: Flow of sand-water mixtures at velocities below the deposition condition, 9A1060

SHOOP, SA: Moisture migration during freeze and thaw of unsaturated soils: Modeling and large scale experiments, 6A1516

SHOOSHPASHA, I: Boundary layer transport of metal ions in frozen soil, 4A647

SHORT, M: Unsteady gasdynamic evolution of an induction domain between a contact surface and a shock wave - I: Thermal runaway, 3A1058
- Multidimensional linear stability of a detonation wave at high activation energy, 10A331
- Nonlinear stability and detonability limit of a detonation wave for a model three-step chain-branching reaction, 11A1068
- Low-frequency 2D linear instability of plane detonation, 11A198

SHORTIS, MR: Photogrammetry: An available surface characterization tool for solar concentrators - Part I: Measurements of surfaces, 2A1428

SHORTLAND, AP: Visualization of vortex shedding at the proximal side-to-end artery-graft anastomosis, 5A1503
- Flow in a simple model skeletal muscle ventricle: Comparison between numerical and physical simulations, 9A1586

SHOUCRI, RM: Kepler's problem with variable angular momentum, 1A293
- Elliptical orbit with non-central force field in celestial mechanics, 11A229

SHOUKRI, M: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
- Axial void fraction profile in low pressure subcooled flow boiling, 5A1212
- Void fraction profile in subcooled water-steam condensing flow, 7A1294

SHOUMAN, AR: Accounting for reactant consumption in the thermal explosion problem - Part II: A direct solution with application to the Frank-Kamenetskii problem, 8A300

SHOURESHI, R: Active Control of Vibration and Noise, 3N6

SHOUSE, D: Lean blowout research in a generic gas turbine combustor with high optical access, 8A1420

SHOZU, M: Inverse analysis for elastic medium with various lozenge cavities under in-plane and out-of-plane loadings (Japancse), 4A488

SHPAKOVA, SG: Stability and oscillations of heated spherical shells (Russian), 2A524

SHPENKOV, GP: Friction Surface Phenomena, 8R6

SHPITALNI, M: Optimal orthogonal subdivision of rectangular sheets, 2A367
- Two-stage algorithm for determination of the bending sequence in sheet metal products, 12A460

SHRAIMAN, BI: High Rayleigh number convection and passive scalar mixing, 4A1194

SHREEKUMAR: Breakage of a drop of inviscid fluid due to a pressure fluctuation at its surface, 6A1064

SHREEVE, DA: Evaluation of optimization techniques for the prediction of muscle activation patterns during isometric tasks, 5A1476

SHREEVE, RP: Case wall pressures in a multistage axial compressor with tip clearance variation, 3A1194
- Full viscous modeling in generalized coordinates of heat conducting flows in rotating systems, 5A918

SHREIBER, I: Sound and weak shock wave propagation in gas-liquid foams, 10T306

SHRESTHA, PL: Multiphase distribution of cohesive sediments and heavy metals in estuarine systems, 3A1361
- Integrated model suite for sediment and pollutant transport in shallow lakes, 5A1460

SHRIRA, VI: Model of water wave "horse-shoe" patterns, 2A221
- Nonlinear dynamics of vorticity waves in the coastal zone, 5A1425

SHRIVE, NG: Variations in rupture site and surface strains at failure in the maturing rabbit medial collateral ligament, 11A1563

SHTERTSER, AA: Possible mechanism of welding solids, 2A940

SHU, B-T: Adaptive control for a mechanical system with oscillation disturbance, 6A861

SHU, BIING-TAY: Pole assignment self-tuning control for a multivariable vibrating system, 6A870

SHU, C: Solutions of 3D boundary layer equations by global methods of generalized differential-integral quadrature, 1A1028
- Free vibration analysis of composite laminated conical shells by generalized differential quadrature, 2A157
- Numerical studies of unsteady boundary layer flows past an impulsively started circular cylinder by GDQ and GIQ approaches, 3A1101
- Generalized approach for implementing general boundary conditions in the GDQ free vibration analysis of plates, 7A132
- Implementation of clamped and simply supported boundary conditions in the GDQ free vibration analysis of beams and plates, 7A133
- Analysis of cylindrical shells using generalized differential quadrature, 10A202
- Numerical prediction of separation and reattachment of turbulent flow in axisymmetric diffuser, 11A1049

SHU, C-W: Interaction of a shock with a longitudinal vortex, 10A305

SHU, CHI-WANG: Eulerian approach for vortex motion using a level set regularization procedure, 2T1371

SHU, HZ: Superconvergence of a Galerkin collocation method for first kind boundary integral equations on smooth curves, 1A84

SHU, JIAN-JUN: Heat transfer in the flow of a cold, 2D vertical liquid jet against a hot, horizontal plate, 1A1154

SHU, JZ: Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224

SHU, MING-HONG: Impingement cooling of a confined circular air jet, 6A1221

SHU, WEI: Response of turbulent flow to the disturbance of a vibrating ribbon, 6A1080

SHU, XIAO-PING: Refined theory of laminated shells with higher-order transverse shear deformation, 7A526

SHUBIN, GV: Stability of a plane longitudinal shock wave in an isotropic elastic medium, 7A188

SHUCKTIS, B: Advanced seals for engine secondary flowpath, 1A922

SHUGAI, GA: Absolute, convective, and global instability of a magnetic liquid jet, 4A1098

SHUI, XIAOPING: Method for solving the dynamics of multibody systems with rheonomic and non-holonomic constraints, 3A86
- New electromechanical effect in discontinuous-filament elastomer-matrix composites, 8A624

SHUI, YONGAN: Simple calculation approach for the second harmonic sound field generated by an arbitrary axial-symmetric source, 2A298

SHUKHMAN, IG: Nonlinear critical layer resulting from the spatial or temporal evolution of weakly unstable disturbances in shear flows, 2A1029

SHUKLA, A: Characterization of isochromatic fringe patterns for a dynamically propagating interface crack, 1A779
- Effect of microstructural fabric on dynamic load transfer in 2D assemblies of elliptical particles, 1A438
- Explosively generated pulse propagation through particles containing natural cracks, 3A487
- Study of the dynamic behavior of elastomeric materials using FEs, 4A577
- Subsonic and intersonic crack growth along a bi-material interface, 7A767

SHUKLA, DS: Role of fatty materials and water soluble inorganic solids in synthetic metal working fluid, 12A956

SHUKLA, MM: Lattice dynamics of noble metals on effective three-body interaction, 2T11

SHUKLA, PK: Kinetic theory of nonlinear dust-acoustic waves in a dusty plasma, 9A1129

SHUKLA, S: Numerical evaluation of SIF for radial cracks in thick annular ring using cyclic symmetry, 7A721

SHUKLA, SK: Study on a new mechanical model for foundations and its elastic settlement response, 2A558

SHUKLA, V: Automated design optimization for the P2 and P8 hypersonic inlets, 10A1150

SHULER, SF: Transverse squeeze flow of concentrated aligned fibers in viscous fluids, 1A973

SHULGA, IA: Numerical solution of dynamic problems of nonlinear theory of stiffened shells (Russian), 6A578

SHULGA, NA: Energy analysis of propagation of axisymmetrical waves in a hollow piezoelectric cylinder with liquid (Russian), 1A284
- Surface magnetoelastic waves in metallized ferrite layer on regular-layered dielectric backing (Russian), 2T191
- Propagation of elastic waves in anisotropic hollow cylinders (Russian), 2A188
- Surface magnetoelastic shift waves in periodic structure ferrite-dielectric with metallized interfaces (Russian), 2A190

SHULL, KR: Axisymmetric adhesion tests of pressure sensitive adhesives, 12A846

SHULYAK, VA: Wear of crushing mills working tools, 1A883

SHUMAN, D: Optimizing and assessing the performance of an algorithm that cross-correlates acquired acoustic emissions from internally feeding larvae to count infested wheat kernels in grain samples, 12A346
- Quantifying larval infestation with an acoustical sensor array and cluster analysis of cross-correlation outputs, 12A348

SHUMLAK, U: Implicit scheme for nonideal magnetohydrodynamics, 8A1210

SHUMOVA, NP: Correct variants of the refined theories of composite beams, plates, and shells, 12A550

SHUMUTA, Y: Method for seismic reliability analysis of secondary transmission system (Japanese), 6A1472

SHUPIKOV, AN: Minimization of the mass of multilayer plates at impulse loading, 2A154

SHUSTER, LS: Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, 12A936

SHUVALOV, AL: Stroh formalism and the reciprocity properties of reflection-transmission problems in crystal piezo-acoustics, 12A327

SHVETS, VB: Reinforcement and Reconstruction of Foundations, 1N34
- Reinforcement and Reconstruction of Foundations, 7N19

SHY, SS: Nearly isotropic turbulence generated by a pair of vibrating grids, 10A1177

SHYU, KL: Dynamic behavior of a U-type tuned liquid damper, 6A1105

SHYU, KUO-KAI: Variable structure controler design for robust tracking and model following, 5T300

SHYU, R-N: Effect of acoustics on flow passing a high-AOA airfoil, 8A1212

SHYU, WEN-HWA: New component mode synthesis method: Quasi-static mode compensation, 8A207

SHYY, W: Energetic fuels for combustion applications, 3A1323
- Assessment of grid interface treatments for multi-block incompressible viscous flow computation, 6A1034
- Ignition characteristics of a new high-energy density fuel in high-speed flows, 9A1354
- Simulation and measurement of a vertical Bridgman growth system for β-NiAl crystal, 9A1280

SHYY, WEI: Computational Fluid Dynamics with Moving Boundaries, 4R1
- Computation of high-speed reacting flow for gun propulsion applications, 9A1043
- Moving boundary computation of the float-zone process, 9A688
- Incremental potential flow based membrane wing element, 10A67

SI , ZHONGYAO: Influence of warm overloading on stress-corrosion cracking of welded structures, 3A670

SIARRY, P: Fitting of tabu search to optimize functions of continuous variables, 12A887

SIBBALD, A: Non-destructive evaluation of the dynamic response of a brickwork arch, 8A171

SICARD, V: Modelisation des deformations differees des betons a hautes performances: Relation entre le retrait et le fluage (French), 1A512

SICHEL, M: Influence of cellular structure on detonation transmission, 3T252
- Ignition and volatile combustion of cellulosic dust particles, 4A1286

SICILIANO, B: Theory of Robot Control, 6R12
- Direct and inverse kinematics for coordinated motion tasks of a two-manipulator system, 6A420
- Output feedback parallel force-position regulator for a robot manipulator in contact with a compliant environment, 8A449

SIDDAPUREDDY, V: Development of an integrated design system for thermal reliability prediction of SMT solder interconnects, 6T972

SIDDERS, JA: Thermal-hydraulic performance prediction in fluid power systems, 7A365

SIDDHARTHAN, R: Liquefaction and residual strength of sands from drained triaxial tests, 9A619

SIDDHARTHAN, RV: Characteristics of nonlinear response of deep saturated soil deposits, 12A1452

SIDDIQI, ZA: Analysis of fluid storage tanks including foundation-superstructure interaction using differential quadrature method, 12A276

SIDDIQUI, DM: Hodograph transformation methods in incompressible second grade fluid, 12A1079
SIDEMAN, S: Simulation of fixed microphone arrays for directional hearing aids, 2A305
SIDERIS, A: H_∞ control with parametric Lyapunov functions, 11T292
- Constrained H_∞ control of an experimental flexible link, 12A389
SIDHARTH: Vibration induced fatigue life estimation of corner leads of peripheral leaded components, 6A722
- Dynamic stress analysis and a fracture mechanics approach to life prediction of turbine blades, 9A775
SIDOROV , VP: Air blast and heat radiation from fuel-rich mixture detonations, 1T267
SIDOROV, OR: Aero- and gas-dynamics of flight vehicles and their engines: Flow around thin bodies of revolution by axisymmetric subsonic streams, 1A998
SIDOROV, VP: Direct initiation of detonations in unconfined gasoline sprays, 1T1309
SIEBES, M: Design and development of an electromechanical ultrasound probe holder for urodynamics testing, 3A1518
- Fluid dynamics of a partially collapsible stenosis in a flow model of the coronary circulation, 5A1499
SIEBESMA, AP: Model impacts of entrainment and detrainment rates in shallow cumulus convection, 3T1415
SIEBKEN, J: Field evaluation of protective covers for landfill geomembrane liners under construction loading, 8A677
SIEBRITS, E: Stability analysis of model problems for elastodynamic BE discretizations, 2A206
- Stability analysis and design of time-stepping schemes for general elastodynamic BE models, 6A248
SIEGEL JR, JM: Accuracy of magnetic resonance phase velocity measurements in stenotic flow, 5A1508
SIEGEL, M: Singular effects of surface tension in evolving Hele-Shaw flows, 4A988
SIEGEL, P: Solution of the advection-diffusion equation using a combination of discontinuous and mixed FEs, 9A28
SIEGEL, R: Two-flux Green's function analysis for transient spectral radiation in a composite, 5A1258
- Internal radiation effects in zirconia thermal barrier coatings, 5T1234
SIEGMANN, WL: Effects of a sediment scattering layer in underwater-acoustic studies of intensity sensitivity and data matching, 4A284
- Convergence zone feature dependence on ocean temperature structure, 5A236
- Analysis and model-data comparison of broadband acoustic propagation at the Atlantic Generating Station site, 9A263
- Rational operators for filtering, 10A398
- Wave propagation in poro-acoustic media, 11A179
SIEGMUND, T: Numerical study of dynamic crack growth in elastic-viscoplastic solids, 7A766
SIENIUTYCZ, S: Perturbational thermodynamics of coupled electro-chemical heat and mass transfer, 1A1151
- Perturbational dynamics of thermal processes and chemical reactions in distributed systems, 9A1263
- Variational thermomechanical processes and chemical reactions in distributed systems, 11A1258
SIENKIEWICZ, Z: Shape optimization of a dynamically loaded machine foundation coupled to a semi-infinite inelastic medium, 2A764
SIENZ, J: Advanced solution methods in topology optimization and shape sensitivity analysis, 1A828
SIEREVOGEL, LM: Absorbing boundary condition for floating 2D objects in current and waves, 3A237
- Discussion on the second-order wave forces and wave drift damping, 11A914
SIEVERDING, CH: Assessment of the cold-wire resistance thermometer for high-speed turbomachinery applications, 8A1247
SIEW, PF: Small Reynolds number flow between eccentric rotating cylinders with a permeable sleeve, 5A925
SIGALAS, MM: Elastic wave band gaps and defect states in 2D composites, 8A231
SIGGIA, ED: High Rayleigh number convection and passive scalar mixing, 4A1194
SIGINER, DA: Rheology and Fluid Mechanics of Nonlinear Materials - 1996, 5N23
- Fluid displacement in a horizontal tube, 1A985
- Linear inverse problems in viscoelastic continua and a minimax method for Fredholm equations of the first kind, 3A456
SIGL, LS: Microcrack toughening in brittle materials containing weak and strong interfaces, 2A704
SIGMON, J: Energy-inertial scale interactions for velocity and temperature in the unstable atmospheric surface layer, 9T1511
SIGMON, JT: "Inactive" eddy motion and the large-scale turbulent pressure fluctuations in the dynamic sublayer, 4T1088
SIGMUND, O: Design of materials with extreme thermal expansion using a three-phase topology optimization method, 11A6
SIGNOR, DB: Flight measurements of blade-vortex interaction noise including comparisons with full-scale wind tunnel data, 4A1147
SIGUERDIDJANE, HB: Redundant dynamical sliding mode control scheme for an asymptotic space vehicle stabilization, 7A359
SIGURDSSON, S: Orogenic blocking and deflection of stratified air flow on an f-plane, 2T964
SIIKONEN, T: Modified SIMPLE formulation on a collocated grid with an assessment of the simplified QUICK scheme, 5A1199
SIK, PS: Computational simulation of 3D neck propagation in polymeric specimens under tension and hybrid identification of constitutive equation, 11A443
SIKA, Z: Parallelization of multibody formalism for rigid bodies using natural coordinates and modified state space, 8A84
SIKKA, KK: Efficient heat transfer approximation for the chip-on-substrate problem, 6A1269
- Thermal analysis and optimization of substrates with directionally enhanced conductivities, 9A1265
SIKORA, J: Enclosures solutions, studies of acoustic effectiveness under real conditions, 9A281
SIKORSKI, K: Quasi-Monte Carlo approach to 3D migration: Theory, 11A1476
SILAEV, BM: Adaptation of generalized model of solids contact, 2A852
SILBER, M: Branches of stable three-tori using Hamiltonian methods in Hopf bifurcation on a rhombic lattice, 7A89
SILCOX, RJ: On-line identification of modal parameters using artificial neural networks, 4A332
- Estimation of material and patch parameters in a PDE-based circular plate model, 8A366
SILKA, W: Influence of the intensity of the velocity variation on tractive-energy requirements of a car (Polish), 9A85
SILKAITIS, JM: Single-reference calibration technique for multiple-element array sonar imaging systems, 1A337
SILKOWSKI, PD: Influence of neighboring blade rows on the unsteady aerodynamic response of cascades, 8A1226
SILNY, J: Noninvasive approach to motor unit characterization: Muscle structure, membrane dynamics, and neuronal control, 10A1523
SILVA RAMOS, MA: Stable FE approximations of thermal viscoelastic flows, 8T1147
SILVA, AJ: Finite element modeling of a deep sea clay in long-term laboratory creep tests, 7A570
SILVA, JBC: Geophysical inversion using approximate equality constraints, 6A1409
- Gravity inversion of basement relief constrained by the knowledge of depth at isolated points, 6A1405
SILVA, MJ: Effects of non-periodic microstructure and defects on the compressive strength of 2D cellular solids, 7A480
SILVA, MPT: Biomechanical model with joint resistance for impact simulation, 12A1541
SILVA, R: Interaction of non-breaking directional random waves with submerged breakwaters, 4T230
- Three-dimensional non-breaking regular wave interaction with submerged breakwaters, 4A232
SILVA, RS: Stable Petrov-Galerkin method for convection-dominated problems, 6A1313
SILVA, W: Empirical study of earthquake source spectra for California earthquakes, 12A1437
SILVA-ARAYA, WF: Computation of energy dissipation in transient flow, 7A1004
SILVER-THORN, MB: Review of prosthetic interface stress investigations, 1A1476
- Parametric analysis using the FEM to investigate prosthetic interface stresses for persons with transtibial amputation, 1A1475
- Generic, geometric FE analysis of the transtibial residual limb and prosthetic socket, 10A1565
SILVERBERG, L: Space-based electrostatic antenna design with pointing and beam width control, 6A932
SILVERMAN, IK: Oscillations of a Timoshenko sandwich cantilever beam, 10T224
SIM, BOK-CHEOL: Study of thermal behavior and fluid flow during laser surface heating of alloys, 11A1262
SIM, YS: Solid elements with rotational dofs by explicit hybrid stabilization, 2A36
- Hybrid stress quadrilateral shell element with full rotational DOFs, 10A66
SIMA, V: Algorithms for Linear-Quadratic Optimization, 11N2
SIMACEK, P: Notes on the modeling of preform compaction - II: Effect of sizing on bundle level micromechanics, 2A449
SIMAKOV, ST: Formation of singularities in a stratified fluid in the presence of a critical level, 9A210
SIMANOVSKII, IB: New types of long-wave oscillatory Marangoni instabilities in multilayer systems, 8A1290
- Anticonvective, steady and oscillatory mechanisms of instability in multi-layer systems, 9A1221
SIMDYANKIN, SI: Fresnel zones for modes, 7A256
SIMEK, M: Spectral and electrical diagnostics of gliding arc, 2A993
SIMHA, NK: Twin and habit plane microstructures due to the tetragonal to monoclinic transformation of zirconia, 8A12
SIMIONESCU, O: Analytical solution of thermoplastic thick-walled tube subject to internal heating and variable pressure, taking into account corner flow and nonzero initial stress, 3A1275
SIMITSES, G: Nonlinear dynamic buckling of multi-dof structural dissipative systems under impact loading, 7A554
- Imperfection sensitivity of shear deformable moderately thick laminated cylindrical shells, 7A540
- Torsional instability of moderately thick composite cylindrical shells by various shell theories, 12A657
SIMITSES, GJ: Design of scaled down models for predicting shell vibration response, 2A142
- Nonlinear analysis of imperfect metallic and laminated cylinders under bending loads, 5A479
- Non-conservative systems with symmetrizable stiffness matrices exhibiting limit cycles, 8A100
SIMIU, E: Noise-induced snap-through of a buckled column with continuously distributed mass: A chaotic dynamics approach, 7A538
SIMKO, TM: Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, 3A1259
SIMMEN, J: Frequency dependence of broadband propagation in coastal regions, 12A315
SIMMONDS, JG: Exact time-dependent plane stress solutions for elastic beams: A novel approach, 7A400
SIMMONS JR, JL: Waveform-based AVO inversion and AVO prediction-error, 6A1420
SIMO, JC: Stress-induced phase transformations in elastic solids under anti-plane deformations: Dissipative constitutive models and numerical simulation, 1A454
- New viscoelastic constitutive model for continuous media at finite thermomechanical changes, 1A9
- Stability of symplectic and energy-momentum algorithms for nonlinear Hamiltonian systems with symmetry, 3A112
- Adaptive bone remodeling incorporating simultaneous density and anisotropy considerations, 10A1511
SIMOES, FMF: Growth and decay of acceleration waves in non-associative elastic-plastic fluid-saturated porous media, 9A186
SIMOMACHI, S: Fractal characteristics of grinding wheel surface (Japanese), 2A601
SIMON, F: Rating index for estimating insertion loss of noise barriers under traffic noise conditions, 2A290
SIMON, GP: Characterization of mechanical vibration damping by piezoelectric materials, 5A138
SIMON, H: Design and flow field calculations for transonic and supersonic radial inflow turbine guide vanes, 8A1244
SIMON, J-L: Planetary theories with the aid of the expansions of elliptic functions, 1A298
SIMON, PP: Molecular-level modeling of the viscoelasticity of crosslinked polymers: Effect of time and temperature, 10A1041
SIMON, TW: Pool boiling heat transfer with an array of flush-mounted, square heaters on a vertical surface, 9A1243
- Turbulence measurements in a heated, concave boundary layer under high-free-stream turbulence conditions, 11A1271
- Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 2: Turbulent transport results, 12A1248
- Velocity and temperature profiles in turbulent boundary layer flows experiencing streamwise pressure gradients, 12A1254
- Turbulent transport measurements in a heated boundary layer: Combined effects of free-stream turbulence and removal of concave curvature, 12A1275
- Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 1: Mean flow results, 12A1247
SIMON, V: Stress analysis in worm gears with ground concave worm profile, 3A893
- Displacements in worm gears with ground concave worm profile, 3A890
- EHD lubrication characteristics of a new type of ground cylindrical worm gearing, 9A1187
SIMONCINI, V: Analysis of a minimum perturbation algorithm for nonsymmetric linear systems, 8A74
SIMONE, A: Effect of compressibility on turbulent shear flow: A rapid-distortion-theory and direct-numerical-simulation study, 8A1183
SIMONI, L: Standard staggered and staggered Newton schemes in thermo-hydromechanical problems, 10A79
SIMONICH, JC: Actuator technologies for active noise control in gas turbines, 6A1359
SIMONINI, P: Analysis of behavior of sand surrounding pile tips, 6A656
SIMOS, N: Classical versus improved thin shell theories: A theoretical argument or a design concern?, 8A574
SIMOS, TE: Modified Runge-Kutta methods for the numerical solution of ODE's with oscillating solutions, 11A75
SIMPKINS, PG: Aerosols produced by spinning discs: A reappraisal, 6A1070
- laws for fiber temperature prediction during drawing, 12T1309
SIMPSON, G: Ultrasonic Methods of Non-Destructive Testing, 3R20
SIMPSON, HC: Application of split-coefficient matrix method to transient two phase flows, 1A1023
SIMPSON, JF: Nondestructive characterization of ceramic composites used as combustor liners in advanced gas turbines, 1A1362
SIMPSON, MT: Use of genetic algorithms to optimize vibration actuator placement for active control of harmonic interior noise in a cylinder with floor structure, 3A317
SIMPSON, RL: Aspects of turbulent boundary-layer separation, 5A996
- Detailed investigation of the 3D separation about a 6:1 prolate spheroid, 12A1239
SIMS, JA: V_∞ leveraging for interplanetary missions: Multiple-revolution orbit techniques, 10T475
- Trajectory options to Pluto via gravity assists from Venus, Mars, and Jupiter, 12A291
SIMS, JD: Preliminary design of a hybrid propulsion multimission missile system, 10A1431
SIMS, RA: Powder coating process parameters for a transfer efficiency model, 6A1060
SIMSCH, G: Load-deformation behavior of high-strength concrete columns (B65-B115) under compression: Theoretical models and design rules (German), 11A783
SIMUNEK, J: Third-order numerical scheme with upwind weighting for solving the solute transport equation, 10A1395
SIN, HYO-CHOL: Curved beam elements based on strain fields, 5A468
SINANAN-SINGH, KA: Steelpan as a system of nonlinear mode-localized oscillators - Part II: coupled sub-systems, simulations and experiments, 12A185
SINATRA, R: Dynamic characterization of a highly flexible reticular structure, 4A161
SINCLAIR, AN: Acoustic wave scattering from transversely isotropic cylinders, 1A313
- Ultrasonic determination of stiffness properties of an orthotropic viscoelastic material, 10A875
- Ultrasonic characterization of the radius of curvature at the root of a surface breaking AFS mark, 10A874
SINCLAIR, GB: Stress intensity factors for deep edge cracks in bending, 2A663
- Breakdown under contact conditions of Reynolds equation for gas lubricated bearings, 7A1214
SINDEL, Z: Drift control and damage in tall buildings, 5A1418
SINGACE, AA: Further experimental investigation on the eccentricity factor in the progressive crushing of tubes, 2A522
- Behavior of axially crushed corrugated tubes, 6A576
SINGAPERUMAL, M: Control of interaction impedance using an electrohydraulic servosystem: An application to robotic deburring, 11A339
SINGER, BA: Turbulent wall-pressure fluctuations: A new model for off-axis cross-spectral density, 11A1117
SINGER, J: Global dynamic stability of a shallow arch by Poincare-like simple cell mapping, 8A615
SINGER, NC: Vibration reduction using multi-hump input shapers, 12A405
- Time-optimal negative input shapers, 12A404
SINGER, RM: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
SINGH, A: Separate effects tests for GOTHIC condensation and evaporative heat transfer models, 6A1502
- EHD-enhanced boiling coefficients and visualization of R-134a over enhanced tubes, 11A1273
- EHD-enhanced boiling of R-123 over commercially available enhanced tubes, 11T1286
SINGH, AB: Study of rock fracture by permeability method, 12A709
SINGH, AK: Transient free convection flow between two vertical parallel plates, 1A1178
SINGH, AV: Vibrations of fiber-reinforced laminated deep shells, 5A115
- Geometrically nonlinear dynamic analysis of laminated shells using Bezier functions, 8A155
SINGH, B: Transverse vibration on triangular plates with variable thickness, 2A140
- Some numerical experiments on high accuracy fast direct finite difference method for elliptic problems, 4A42
- Transverse vibration of a rectangular plate with bidirectional thickness variation, 5A110
SINGH, BM: Matrix-fiber crack in an elastic solid, 3A679
SINGH, G: Buckling and post-buckling analysis of moderately thick laminated rectangular plates, 1A592
SINGH, GS: Synthesis of low-pressure air servomechanism using reliability concept, 5A767
SINGH, H: Combustion study of metal powders in contact with sodium nitrate, 2A1324
SINGH, JB: Atmospheric energy fluxes over tropical Indian region during two contrasting monsoon years, 9A1513

SINGH, KJ: Ultrasonic velocity and attenuation measurements in sodium lead borate glasses, 5A252
SINGH, KM: Three and four step least squares FE schemes in the time domain, 1A72
- Time integration in the dual reciprocity BE analysis of transient diffusion, 7A1314
SINGH, M: Parametrically excited waves and chaos in magnetic fluids with surface adsorption, 7A1161
SINGH, MC: Static drilling riser model using free boundary conditions, 8A190
- Analytical and numerical method for solving linear and nonlinear vibration problems, 12A133
SINGH, MM: Dynamic properties of fiber-reinforced polymers exposed to hot, wet conditions, 4A564
SINGH, MP: Active and semi-active control of structures under seismic excitation, 7A1478
- Dynamical analysis of time dependent katabatic flows, 9A1515
SINGH, N: Effect of solar collector design paramoters on the operation of solar Stirling power system, 8A1528
SINGH, P: Effect of viscous dissipation on a non-Darcy natural convection regime, 6A1248
- Natural convection heat transfer from a horizontal wavy surface in a porous enclosure, 8A1307
- Integral solution for Forchheimer free convection over a horizontal flat surface, 8A1457
- Sintered iron-based antifriction materials with added β-SiC, 12A1229
SINGH, R: Periodic response of mechanical systems with local nonlinearities using an enhanced Galerkin technique, 1A142
- Optimization of passive and active nonlinear vibration mounting systems based on vibratory power transmission, 1A220
- Explosively generated pulse propagation through particles containing natural cracks, 3A487
- Temporal variation of sediment yield, 4A965
- Computerized diagraph and matrix approach for evaluation of metal stamping layouts, 4A470
- Effects of modal truncation errors on transmitted dynamic power estimates in discretely joined component assemblies, 5A139
- Experimental study of a mechanical system containing a local continuous stiffness nonlinearity under periodic excitation and a static load, 6A188
- Vibratory power flow through a nonlinear path into a resonant receiver, 9A122
SINGH, RK: Laser deposition of hydroxyapatite coatings, 3T661
SINGH, RN: Effects of coating properties on crack propagation in Nicalon-fiber/SiC-matrix composites, 7A647
- Energy release rate and crack propagation in piezoelectric materials - Part II: Combined mechanical and electrical loads, 8A626
- Energy release rate and crack propagation in piezoelectric materials - Part I: Mechanical-electrical load, 8A625
SINGH, RP: Characterization of isochromatic fringe patterns for a dynamically propagating interface crack, 1A779
- Subsonic and intersonic crack growth along a bimaterial interface, 7A767
SINGH, S: Flexural capacity of edge loaded annular foundations, 12A698
SINGH, SK: Forward modeling in cross-hole seismic tomography using reciprocity, 4A1372
- Analysis of wave propagation in the Valley of Mexico from a dense array of seismometers, 8A1495
- Forward modeling in cross-hole seismic tomography using reciprocity, 8A1469
- Great Mexican earthquake of June 19, 1858: Expected ground motions and damage in Mexico City from a similar future event, 8T1478
- Flow properties of crushed ice, 11A1554
- Dynamic deformations of shallow sediments in the Valley of Mexico - Part II: Single-station estimates, 12A685
- Dynamic deformations of shallow sediments in the Valley of Mexico - Part I: 3D strains and rotations recorded on a seismic array, 12A684
SINGH, SN: Predictive end-point trajectory control of elastic manipulators, 2A348
- Adaptive control of chaos in Lorenz system, 8A88
- Migration of solid particles in the heterogeneous slurry flow through a 90°C bend, 10A1123
- Prediction of concentration and size distribution of solids in a slurry pipeline, 10A1125
SINGH, SP: Rotordynamic experiments on composite shafts, 4A158
- Comparison between two techniques for modeling interface conditions in a porous coated hip endoprosthesis, 10A1563
SINGH, SS: Permeability of flowrate slurry materials containing foundry sand and fly ash, 11A552
SINGH, T: Effect of damping on the structure of the time-optimal control profile, 3T376
- Stability of a parametrically excited damped inverted pendulum, 6A629
- Fuel-time optimal control of spacecraft maneuvers, 9T360
SINGH, TP: Double diffusive zone-boundary migration in solar ponds, 7A1508
SINGH, US: Atmospheric energy fluxes over tropical Indian region during two contrasting monsoon years, 9A1513
SINGH, VP: Environmental Hydraulics, 2N48
- Kinematic Wave Modeling in Water Resources: Surface-Water Hydrology, 3R31
- Dam Breach Modeling Technology, 3N26
- Earthquake distribution characteristics and seismicity rate in the Hindu Kush and its vicinity, 4A1388
SINGHAL, A: Method for probabilistic evaluation of seismic structural damage, 6A1468
SINGHAL, RK: Vibration of rectangular membranes with linearly varying tension and low flexural rigidity, 2A130
- Free vibration of partially clamped rectangular plates with and without rigid point supports, 12A178
SINGHOSE, WE: Slewing multimode flexible spacecraft with zero derivative robustness constraints, 7T247
- Slewing flexible spacecraft with deflection-limiting input shaping, 9A369
- Vibration reduction using multi-hump input shapers, 12A405
- Time-optimal negative input shapers, 12A404
SINGLA, RK: Second harmonic resonance on the marginally neutral curve in electrohydrodynamics, 11A1124
SINGLER, TJ: Computer simulation of solder bridging phenomena, 4A943
SINGLETARY, J: Ultrasonic testing technique for small-caliber piping containing defects, 1A825
SINGONAHALLI, JH: Detection of roller bearing defects using expert system and fuzzy logic, 4A924
SINHA, A: Efficient computation of the sensitivities of reciprocating engine dynamics to dimensional tolerances, 7A181
SINHA, BK: Stress-induced azimuthal anisotropy in borehole flexural waves, 6A231
SINHA, BP: Advanced connection techniques for cold-formed steel structures, 7A957
- Moment-rotation behavior of groups of press-joins in cold-formed steel structures, 8A835
SINHA, G: Static, free, and forced vibration analysis of arbitrary non-uniform shells with tapered stiffeners, 7A152
SINHA, JK: Use of an unconventional technique for seismic qualification of equipments, 4A1415
- Interferometric and FE investigation of interfacial crack tip fields: Role of mode-mixity on 3D stress variations, 7A710
- Vibration problems in vertical pumps: Need for integrated approach in design and testing, 10T245
SINHA, NK: Uniaxial constant compressive stress creep tests on sea ice, 11A395
SINHA, PK: Environmental effects on flutter characteristics of laminated composite rectangular and skew panels, 2A251
- Finite element coupled thermostructural analysis of composite beams, 9A547
- Thermostructural FE analysis of laminated doubly curved composite shells, 12A28
SINHA, S: Developing and periodically developed flow, temperature, and heat transfer in a ribbed duct, 4A1190
SINHA, SB: Thermal stresses for an infinite body with a spherical cavity with two relaxation times, 1A1285
- Reflection of thermoelastic waves at a solid half-space with two relaxation times, 5A1301
- Reflection and refraction of thermoelastic waves at an interface of two semi-infinite media with two relaxation times, 9A1328
SINHA, SC: Elasto-Impact and Friction in Dynamic Systems, 3N7
- Hybrid formulation for the analysis of time-periodic linear systems via Chebyshev polynomials, 2T49
SINHA, SK: Scratching maps for polymers, 7A923
- Finite element analysis of the squeeze flow of an elasto-viscoplastic paste material, 12A36
- Algebraic grid generation technique for 3D natural river reaches, 12A1064
SINHASAN, R: Static and dynamic performance characteristics of an orifice compensated hydrostatic journal bearing with non-Newtonian lubricants, 1A1124
SINMAO, MV: Simplified model of Brazier effect in plastic bending of cylindrical tubes, 9A467
SINNO, RR: Load Capacity of nested, laterally braced, cold-formed steel Z-section beams, 3A508
SINOPOLI, A: Modern formulation for preelastic theories on masonry arches, 9A905
- Unilaterality and dry friction: A geometric formulation for 2D rigid body dynamics, 10A115
SIORES, E: Kerf characteristics in abrasive waterjet cutting of ceramic materials, 5A574
SIOUTAS, C: Inertial separation of ultrafine particles using a condensational growth-virtual impaction system, 4A1327
SIR, M: Liquid transport in porous media, discontinuous phenomena - Part II: Examples, 11A1453
SIRA-RAMIREZ, H: Sliding mode control of multivariable nonlinear systems, 1A357
- Dynamical adaptive pulse-width-modulation control of DC-to-DC power converters: A backstepping approach, 4T379
- Redundant dynamical sliding mode control scheme for an asymptotic space vehicle stabilization, 7A359
SIRBAUGH, JR: Three-dimensional Navier-Stokes analysis and redesign of an imbedded bellmouth nozzle in a turbine cascade inlet section, 1A1112
SIRIGNANO, W: Advances in Combustion Science, 12N40
SIRIGNANO, WA: Fifteenth International Colloquium on the dynamics of explosions and reactive systems held at the University of Colorado, Boulder, Colorado, July 30 - August 4, 1995, 4A1285
SIRKIS, J: Multiplexed optical fiber sensors for air frame repair patch monitoring, 5A726
- Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A128
- Shape and vibration mode sensing using a fiber optic Bragg grating array, 7A129
- Absolute phase measurement in extrinsic Fabry-Perot optical fiber sensors using multiple path-match conditions, 8A843
SIRKIS, JJ: Nonlinear analysis of ductile metal coated optical fiber sensors embedded in a unidirectional laminate, 11T413
SIRKIS, JS: Smart materials and structures: What are they?, 1A842
- Extended range pseudo-heterodyne demodulation for fiber optic sensors, 1A801
- Damage detection in beam structures using subspace rotation algorithm with strain data, 6A746
- Detection of impact location and magnitude for isotropic plates using neural networks, 9A200
SIROVICH, L: Simple algorithm for tracing synthetic isoseismals, 2A1398
SISON, M: Acoustic emission: A tool for the bridge engineer, 2T731
SITAR, JLL: Modeling maximum flame speeds, 6A1330
SITAR, N: Formation of shear zones in reinforced sand, 6A637
- Analysis of topographic amplification of inclined shear waves in a steep coastal bluff, 12T683
- Topographic effects on the seismic response of steep slopes, 12A1449
SITTAMPALAM, AG: Numerical methods for steady-state mode interactions, 1A604
SITTEK, H: Non-invasive determination of cartilage thickness throughout joint surfaces using magnetic resonance imaging, 7A1554
SITZ, DM: KEEP EAGLE F-15E high angle-of-attack flight test program, 11T1146
SIVA PRASAD, N: Effect of node placement algorithm on adaptive mesh generation, 7A50
SIVACHENKO, LA: Wear of crushing mills working tools, 1A883
SIVAK, VF: Method to predict critical stresses for stiffened cylindrical shells under axial compression (Russian), 6A592
- Effect of the meridian form on the natural frequencies and form of vibrations of the shells of revolution (Russian), 12A184
SIVALOGANATHAN, S: Survey of design philosophies, models, methods and systems, 2T369
SIVAN, DD: Mass and stiffness modifications to achieve desired natural frequencies, 4A169
- Optimal construction of a mass-spring system with prescribed modal and spectral data, 10A170
SIVASANKARAN, K: Numerical investigation of the interference effects between two burning fuel spheres, 2A1337
SIVASEGARAM, S: Effect of flow boundary conditions on the stability of quarl-stabilized flames, 12A1367
SIVASHINSKY, G: Self-fragmentation of nonadiabatic cellular flames, 6A1333
SIVASHINSKY, GI: Effect of momentum non-equilibrium on flame propagation and extinction in the presence of inert particles, 1A1313
SIVASUBRAMONIAN, B: Free vibration of curved panels with cutouts, 8T152
SIVATHANU, YR: Discrete probability function method for the calculation of turbulent particle dispersion, 6T1158
- Effects of gas-band radiation on soot kinetics in laminar methane-air diffusion flames, 12A1384
- Effects of surface properties on radiative transfer in a cylindrical tube with a nonparticipating medium, 12A1304
SIVAYOGANATHAN, K: Tool interference detection and avoidance based on offset nets, 9A425
SIVERS, EA: CT multiscan: Using small area detectors to image large components, 5A723
SIVIER, S: Dusty detonation simulations with adaptive unstructured FEs, 12A1383
SIVRIOGLU, M: Experimental study on air window collector having a vertical blind for active solar heating, 8A1522
SIWEK, A: Nuclear temperature measurements with isotropic thermometer, 9A1144
SIZAIRE, R: Finite element simulation of a filament stretching extensional rheometer, 12A1052
SIZOVA, ND: Study of thermostressed state of the aviation engine blade by the method of R-functions (Russian), 1T583
SJERPS-KOOMEN, EA: Simple model for PV module reflection losses under field conditions, 8A1540
SJOEN, K: Modeling of release of gas from high-pressure pipelines, 5A1054
SJOLANDER, SA: Influence of leading-edge geometry on profile losses in turbines at off-design incidence: Experimental results and an improved correlation, 10A1234
SKAAR, SB: Application of a precision-enhancing measure in 3D rigid-body positioning using camera-space manipulation, 10A538
SKALLERUD, B: Mixed mode I-II inelastic line spring, 4A730
SKALSKI, T: Friction model of non-homogeneous surfaces for wheeled vehicle motion simulation, 2A165
SKAMAROCK, WC: Diffraction of Kelvin waves and bores at coastal bends, 3A238
- Propagation of internal bores, 8A1024
SKARPETIS, MG: Decoupling of the longitudinal modes of advanced aircraft, 3T374
SKARSOULIS, EK: Ocean acoustic tomography based on peak arrivals, 2A263
SKAWINSKI, R: Permeability changes during the flow of carbon dioxide solution in rock pores, 9A1445
SKELDON, P: Formation and characterization of self-lubricating MoS, precursor films on anodized aluminium, 12A1228
SKELLY, DW: Micromechanics of low temperature strength and toughness of intermetallic-metallic microlaminate composites, 4A559
SKELTON, RE: Optimal redesign of linear systems, 4A342
SKIEPKO, T: Indirect estimation of leakage distribution in steam boiler rotary regenerators, 9A1288
SKINNER, KA: Species measurements in a hypersonic, hydrogen-air, combustion wake, 3A1335
SKIPOR, AF: Constitutive response of 63-37 Sn-Pb eutectic solder, 11A418
SKJAERBAEK, PS: Identification of damage in reinforced concrete structures from earthquake records: Optimal location of sensors, 3A1385
SKLAD, MP: Theoretical and experimental investigation of limit strains in sheet metal forming, 2A579
SKLADZIEN, J: Analysis of the high-temperature part of the MHD-steam power plant, 4A1313
SKLAR, E: Modeling and validation of multiple reflections for enhanced laser welding, 4A951
SKLENICKA, V: Mechanical Behavior of Materials at High Temperature, 6N27
SKLEPUS, SN: Thermoelasticity of laminated shallow shells of complicated shape (Russian), 2A490
SKLIAR, M: Implicit Kalman filtering, 8T370
SKOCYPEC, RD: ASME Proceedings of 31st National Heat Transfer Conference, Volume 3, 2N38
SKOCZEN, B: Generalization of the Coffin equations with respect to the effect of large mean plastic strain, 1A478
SKOGESTAD, S: Multivariable Feedback Control: Analysis and Design, 12R17
SKOGLOV, E: Evolution of the obliquities for ten asteroids, 6A322
SKOGLY, L: Parametric modeling of exhaust gas emission from natural gas fired gas turbines, 1A1365
SKOMOROKHOV, VI: Viscosity of aircraft fuel components: Unsaturated hydrocarbon (1-Olefins), 1A1336
SKOREK, J: Extended Kalman filter: Control volume method for solving inverse heat-conduction problems in a moving body, 4A50
- Optimal dynamic filtration approach for inverse heat conduction problems with moving body, 9A1275
SKOREK, T: Modeling of two-phase flow in dividing T-junctions with various branch orientations, 4A1026
SKOROKHOD, AV: Asymptotic behavior of oscillatory solutions of operator differential equations perturbed by a fast Markov process, 4A51
SKOROKHOD, MY: Influence of dislocation interactions with impurities on their topographical images in silicon crystals, 4T803
SKORUPA, A: Semi-empirical model for predicting overload-affected fatigue crack growth in steels, 4A711
SKORUPA, M: Semi-empirical model for predicting overload-affected fatigue crack growth in steels, 4A711
SKOSKIEWICZ, T: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
SKOURUP, J: Non-Gaussian extreme waves in the Central North Sea, 12A248
SKOWRONSKI, W: Plastic load capacity and stability of frames in fire, 11A496
SKRYPNIK, IA: Propagation of antiplane self-balanced elastic waves from the boundary of a half-space, 4A201
SKUBOV, DY: Systems with magnetoelectric vibration dampers, 4A110
SKULLESTAD, A: Identification of vibration modes in a spacecraft using nonparametric and parametric methods, 8A196
SKUMIEL, A: Investigation of the ultrasonic propagation velocity anisotropy in magnetic liquids in a constant magnetic field, 4A1101

SKYNER, DJ: Study of the near wake structure of a wind turbine comparing measurements from laboratory and full-scale experiments, 3A1458
SLADEK, J: State of the art in BEMs for fracture mechanics, 9A781
- Evaluations of the T-stress for interface cracks by the BEM, 10A843
SLADEK, V: State of the art in BEMs for fracture mechanics, 9A781
- Evaluations of the T-stress for interface cracks by the BEM, 10A843
SLADKOVA, LA: Processing of data on abrasion tests, 7A935
SLAMA, L: Usage of artificial intelligence methods in inverse problems for estimation of material parameters, 7A67
SLAMOVA, M: Stereological unfolding of the trivariate size-shape-orientation distribution of spheroidal particles with application, 8A554
SLAOUTI, A: Unsteady free convection flow over a continuous moving vertical surface, 1A1169
SLATER, JC: Effect of weak nonlinearities on linear controllability and observability norms, an invariant manifold approach, 8A363
SLATTERY, R: Trajectory synthesis for air traffic automation, 9T1165
SLAUGHTER, J: Design, development, and testing of an automated window shade controller, 11A1529
SLAUGHTER, WS: Dynamic compressive failure of fiber composites, 5A664
- High strain rate compression of fiber composites, 11A460
SLAVIN, AM: Method for calculating the dynamics of rotating flexible structures - Part 2: Example calculations, 1A214
- Transient, high-speed, liquid impact into soft soil, 1A246
SLAVTCHEV, S: Unsteady film flow of power-law liquids on a rotating disk, 6A1028
SLAWIANOWSKA, A: Comparison of two theories of geometrically nonlinear shells, 4A596
SLAWSKA-WANIEWSKA, A: Surface effects in Fe-based nanocrystalline alloys, 9A385
SLAYZAK, SJ: Effect of dissimilar impingement velocities on local heat transfer for adjacent rows of circular free-surface jets, 11T1228
SLEEP, BE: Simulation of bioventing for soil and ground-water remediation, 6T1319
SLEITH, S: Stability of an explicit multi-time step integration algorithm for linear structural dynamics equations, 2A162
SLEMMONS, DB: Geomorphic evidence for Holocene earthquakes in the Olinghouse fault zone, Western Nevada, 8T1465
SLEPICKA, JS: Holographic diffraction image velocimetry for measurement of 3D velocity fields, 12A1234
SLEPTSOV, AG: Variational method of accelerating linear iterations and its applications, 2A56
SLICARU, S: Ellipticity of the middle surface of a shell and its application to the asymptotic analysis of "membrane shells", 12T623
SLIKER, G: Optimization of a holographic system for solar power generation, 9A1540
SLIKKERVEER, PJ: Angularity determination of abrasive powders, 4A882
SLIWOWSKI, M: Effect of cyclic loading on the yield surface evolution of 18G2A low-allow steel, 3A470
SLOAN, IH: Collocation method for mixed boundary value problems on domains with curved polygonal boundaries, 11A60
SLOAN, SW: Finite element limit analysis of reinforced soils, 9A627
SLODOWY, J: Improving the conditions of applying tension to yarn, 9A490
SLOMCHACK, GD: Mathematical model of the formation of the plastic deformation zone in the rolling of rheologically complex metals and alloys, 1A633
SLORDAL, LH: Pressure gradient force in sigma-coordinate ocean models, 10A1473
SLOSS, JM: Optimal boundary control of the longitudinal vibrations of a rod using a maximum principle, 10A431
- Control parameter optimization of a pre-stressed shallow cylindrical panel, 12A366
SLOWIK, M: Methods of determination of fracture energy in concrete elements (Polish), 2A659
SLUGUIN, SN: Necessary conditions for a domain optimization problem with various constraints, 2T315
SLUIS, WM: Bound on the number of integrators needed to linearize a control system, 5A297
SLUYS, LJ: Failure in plain and reinforced concrete: An analysis of crack width and crack spacing, 1A684
- Interaction between material length scale and imperfection size for localization phenomena in viscoplastic media, 1A487
SLUZALEC, A: Matrix equation of heat flow in random conditions, 11A1322
SMAGIN, VI: Dynamic locally optimal tracking control systems, 1A349
SMALL, JC: Behavior of joints and interfaces subjected to water pressure, 8A686
- Approximation for analysis of raft and piled raft foundations, 10A701
SMALS, ATJM: The λ-formed 4-bar linkages set in a translation-position to design mechanisms approximating a straight line, 3T919
SMAOUI, N: Symmetries and dynamics for 2D Navier-Stokes flow, 1A1061
SMART, BGD: Modified failure criteria for shales, 9T1530
SMART, CW: Flexure of concrete beams reinforced with advanced composite orthogrids, 6A886
SMART, J: Riveted single lap joints - Part 1: A numerical parametric study, 9A976
- Riveted single lap joints - Part 2: Fatigue life prediction, 12A766
SMART, JR: Influence of surface roughness on the particle-pair distribution function of dilute suspensions of non-colloidal spheres in simple shear flow, 11A896
SMART, MK: Interaction of supersonic wing-tip vortices with a normal shock, 2A1082
SMEDMAN, A-S: Low level jets: A decisive factor for off-shore wind energy siting in the Baltic Sea, 7T1511
SMEETH, M: Boundary film formation by viscosity index improvers, 1A1120
- Formation of viscous surface films by polymer solutions: Boundary or elastohydrodynamic lubrication?, 1A1127
- Central and minimum elastohydrodynamic film thickness at high contact pressure, 10A1260
SMELOVA-REYNOLDS, T: Role of higher modes in the chaotic motion of the buckled beam - I, 7A556
- Role of higher modes in the chaotic motion of the buckled beam - II, 7A557
SMELSER, RE: Distortion and residual stress in quenched aluminum bars, 3A647
- Rate-dependent model for hot-rolling, 8A691
SMEREKA, P: Axisymmetric free boundary problems, 12A1072
SMETANKINA, NV: Minimization of the mass of multilayer plates at impulse loading, 2A154
SMIRNOV, GV: Stabilization by constrained controls, 3T331
SMIRNOV, HF: Thermoacoustic phenomena at boiling subcooled liquid in channels, 7A1286
SMIRNOV, LG: Class of integral equations of the axisymmetric theory of elasticity for a composite space with gaps at the interface, 3A447
- Geometrically nonlinear tension of an elastic space with a spheroidal cavity, 5A385
SMIRNOV, VG: Asymptotic solution of the plane contact problem for a thin multilayer coating, 4A54
SMIRNOVA, ET: Development of longitudinal gas oscillations in a closed tube, 2A228
SMITH , AR: New technology trends for improved IGCC system performance, 5A1367
SMITH , CC: Frequency and spatial shaping of inputs for multiaxis shaker testing, 5A94
SMITH JR, JL: Entropy-based correction of finite-difference predictions, 9A46
SMITH JR, PW: Structural wave reflection coefficients of cylindrical shell terminations: Numerical extraction and reciprocity constraints, 8A280
SMITH JR, RE: Marrying airframes and engines in ground test facilities: An evolutionary revolution, 2A825
SMITH, AJ: Hypersonic jet control effectiveness, 10T1113
SMITH, AK: Longitudinal variations in mesospheric winds: Evidence for gravity wave filtering by planetary waves, 3T1414
SMITH, AL: Drag measurements in a hypervelocity expansion tube, 3A1189
- Dynamic strain measurement using piezoelectric polymer film, 6A819
SMITH, AM: ASME Proceedings of 31st National Heat Transfer Conference, Volume 3, 2N38
SMITH, AR: Next-generation integration concepts for air separation units and gas turbines, 10A1480
SMITH, B: Mathematical model and its analytical solution for slow depressurization of a gas-filled vessel, 9A1197
SMITH, BR: Prediction of hypersonic shock-wave and turbulent boundary-layer interactions, 4A618
SMITH, BV: Factors which determine the tunable frequency range of tunable transducers, 2A301
SMITH, C: Effect of a long post weld heat treatment on the integrity of a welded joint in a pressure vessel steel, 8A979
SMITH, CC: Duality of leakage and aliasing and improved digital spectral analysis techniques, 6A401
SMITH, CE: Fuel nozzle aerodynamic design using CFD analysis, 12A1132
SMITH, CR: Dynamics of the vorticity distribution in endwall junctions, 12A1123
SMITH, CS: CyberCut: A world wide web based design-to-fabrication tool, 5A364
SMITH, CW: Temperature and rate effects on stable crack growth in a particulate composite material, 2A687
SMITH, D: Automated design optimization for the P2 and P8 hypersonic inlets, 10A1150
- Regularization method for calculating engineering loads from strain data, 12A491
SMITH, DA: Dry ultralow NO_x "Green Thumb" combustor for Allison's 501-K series industrial engines, 8A1417
SMITH, DE: Automated emergency four-wheel-steered vehicle using continuous gain equations, 1A368
SMITH, DJ: Life prediction of notched specimens using multiaxial surface and subsurface strain analyses, 4A712
- Measurement of prior plastic deformation in metallic alloys using the neutron diffraction technique, 10A595
SMITH, DL: Large-displacement analysis of elasto-plastic thin-walled frames - I: Formulation and implementation, 3A811
- Large-displacement analysis of elastoplastic thin-walled frames - II: Verification and application, 3A812
SMITH, DR: Supersonic turbulent boundary layer subjected to step changes in wall temperature, 6A1081
SMITH, DW: Boundary element analysis of linear thermoelastic consolidation, 1A1294
SMITH, E: K_I-L_I failure assessment diagrams as applied to a flaw in the vicinity of a stress concentration, 4A776
- Conservatism of the net-section stress procedure for predicting the failure of cracked piping systems: The effect of crack shape complexity on the degree of conservatism, 4A772
- Difference between the J_0 and J_w crack growth resistance curves for a tensile loading situation, 5A645
- Criteria for the arrest of a crack in a pressure vessel, 9A771
- Validating the size effect expression for predicting the failure of initially cracked brittle structures - I: Simple configurations, 10A800
- K_I-L_I failure assessment diagrams as applied to a flaw in the vicinity of a stress concentration: The effect of the severity of the stress concentration, 11A729
SMITH, EC: Aeroelastic response and stability of helicopters with elastomeric lag dampers, 2A828
- Formulation, validation, and application of a FE model for elastomeric lag dampers, 2A830
SMITH, EJ: Pathogenesis of osteolysis in two different cementless hip replacements, 10A1570
SMITH, FA: Thin-film thermocouples for localized heat transfer measurements, 5A1208
SMITH, FC: Fabrication of woven carbon fiber-polycarbonate repair patches, 5A455
SMITH, FT: Vortex-wave interactions - Part 2: Originating from axisymmetric flow with swirl, 5A993
- Subsonic, supersonic, and hypersonic inflectional-wave-vortex interaction, 5A994
- Planar flows past thin multi-blade configurations, 5A1095
- Concerning 3D flow past a tall building on flat ground, 8A1132
- Singular modes in Rayleigh instability of 3D streamwise-vortex flows, 8A1167
SMITH, GC: Fluid factor as an AVO indicator, 4A1362
SMITH, GL: Sizewell B foundation dewatering: System design, construction and performance monitoring, 4T645
SMITH, HA: Robust H_∞ control considering actuator saturation - I: Theory, 3A757
- Robust H_∞ control considering actuator saturation - II: Applications, 3A758
- Effective optimal structural control of soil-structure interaction systems, 10A1456
SMITH, HC: Wind-tunnel tests of flap gap seals on a 2D wing model, 4T1124
SMITH, J: Scattering from an elastic shell and a rough fluid-elastic interface: Theory, 8A328
SMITH, JA: Wave induced motion of FLIP, 6A275
SMITH, KE: Design of a 3D surface scanner for lower limb prosthetics: A technical note, 1A1473
- Finite element modeling and experimental verification of lower extremity shape change under load, 10A1516
SMITH, LG: Holographic sensor for measurement of wall velocity gradients, 5A1053
SMITH, LV: Effect of architecture on the strength of braided tubes under biaxial tension and compression, 4A572
- Design of a cylindrical specimen for biaxial testing of composite materials, 10A624
- Immersed fatigue response of polymer composites, 10A769
SMITH, M: Hydrodynamic modeling of sedimentation tanks, 1A964
SMITH, MJ: Hybrid energy method for predicting high frequency vibrational response of point-loaded plates, 12A179
SMITH, MR: Effect of cross-sectional parameters on the dynamics of elastic mechanisms, 1A934
SMITH, MW: Modified Newmark model for seismic displacements of compliant slopes, 12A1484
SMITH, OI: Transverse gas jet injection behind a rearward-facing step, 5A1019
SMITH, P: Effect of shear deformation on the processing and mechanical properties of aligned reinforcements, 9A517
SMITH, PA: Flow-induced structure in a system of nuclear waste simulant slurries, 3A939
- Fatigue crack growth rates in adhesive joints tested at different frequencies, 4A700
- Determining the effective material properties of damaged particle-filled adhesives, 4A955
- Transverse ply cracking in cross-ply CFRP laminates: Initiation or propagation controlled?, 11A712
SMITH, PD: Design charts relating to protection of structures against airblast from high explosives, 11A798
SMITH, PJ: Efficient one-pass 3D time migration, 6A1408
SMITH, R: Transport in lungs and branched estuaries, 5A909
- Mixing in the tidal environment, 9A1116
- Incremental potential flow based membrane wing element, 10A67
SMITH, RA: Short fatigue crack growth behavior in Waspaloy at room and elevated temperatures, 6A728
- Stress intensity factors of embedded elliptical cracks and an assessment of the ASME XI defect recharacterization criteria, 7A723
- Stress intensity factors for the extended compact tension specimen obtained by superposition, 10T804
SMITH, RC: Estimation of material and patch parameters in a PDE-based circular plate model, 8A366
SMITH, RD: Aerodynamic loading and magnetic bearing controller robustness using a gain-scheduled Kalman filter, 5A133
SMITH, RG: Development of ceramic composite hot-gas filters, 1A1357
SMITH, RK: Mesh smoothing using a posteriori error estimates, 11A42
SMITH, RW: Computational Fluid Dynamics with Moving Boundaries, 4R1
- Sliding wear behavior of thermally sprayed 75-25 Cr_3C_2-NiCr wear resistant coatings, 3A876
SMITH, SC: Induced drag computations on wings with accurately modeled wakes, 10T1220
SMITH, SH: Slow oscillatory Stokes flow, 8A1057
SMITH, SJ: k-Factor data of interacting duct fittings based on measurement and CFD modeling, 7A993
SMITH, SK: Role of building foundations in seismic retrofit, 6A1451
SMITH, SW: Experimental study of structural health monitoring using incomplete measurements, 4A800
SMITH, TF: Development of proportional-sum-derivative control methodology, 8A1373
SMITH, TS: Device for the measurement of pedicle screw moments by means of internal strain gauges, 2A1475
SMITH, WR: Computational results of a dynamic simulation of the conforming shell gas journal bearing, 5T866
- Numerical and asymptotic solution of a sixth-order nonlinear diffusion equation and related coupled systems, 6A62
SMITHSON, SB: High-resolution velocity determination: Statistical phase correlation and image processing, 1A1412
- Crustal and uppermost mantle velocity structure of northern Eurasia along the profile Quartz, 12A1460
SMITS, AJ: Turbulent Shear Layers in Supersonic Flow, 6R20
- Supersonic turbulent boundary layer subjected to step changes in wall temperature, 6A1081
- Tenth Symposium on Turbulent Shear Flows, 7A1136
SMITS, HAA: Experimental set-up and data processing of the radial strip-drawing friction test, 12A722
SMOGLIE, C: Acoustical resonance of tube-in shell units, 1A303
SMOLARKIEWICZ, PK: Propagation and breaking at high altitudes of gravity waves excited by tropospheric forcing, 3T246
SMOLENSKI, DJ: Tribology of Hydraulic Pump Testing, 8N22
SMOLINSKI, P: Stability of an explicit multi-time step integration algorithm for linear structural dynamics equations, 2A162
SMOLYANIN, AG: Combined BE-FE method in structure dynamics, 5A17
SMOUT, PD: Investigation of wedge probe wall proximity effects - Part 1: Experimental study, 12A1241
- Investigation of wedge probe wall proximity effects - Part 2: Numerical and analytical modeling, 12A1242
SMUSZ, R: Effect of positioning the axis of a lamellar rotor model of a sucking and forcing regenerative exchanger on the intensity of convective mass-heat transfer, 11A1340
SMYE, S: Time-dependent stress and displacement of the eye wall tissue of the human eye, 11A1570
SMYSER, CP: Robust vibration control of composite beams using piezoelectric devices and neural networks, 10A165
SMYTH , NF: Evolution of lump solutions for the KP equation, 6A265

SMYTH, KC: Computations of enhanced soot production in time-varying CH/air diffusion flames, 3A1310
- NO production and destruction in a methane-air diffusion flame, 4A1300
- Elusive history of m = 1.57 - 0.56i for the refractive index of soot, 5T1359
SMYTH, NF: Effect of radiation losses on hotspot formation and propagation in microwave heating, 6A1282
SMYTHE, KC: Laser-induced incandescence measurements of soot production in steady and flickering methane, propane, and ethylene diffusion flames, 5A1360
SNEAD, L: Scanning micro-sclerometer: A new method for scratch hardness mapping, 12A857
SNELL, SA: Quantitative feedback theory with a scheduled gain for full envelope longitudinal control, 3A384
- Flight control system design with rate saturating actuators, 7A1172
SNELLING, DR: Effect of spatial averaging on CARS-derived temperatures, 3T1328
SNEYD, AD: Time-dependent flow in a penstock during head-gate closure, 1A962
- Influence of a yacht's heeling stability on optimum sail design, 5A1061
SNEZHKIN, EN: Formation of a 2D vortex pair and its 3D breakup: An experimental study, 11A938
SNIDER, AD: Mathematical analysis of the length-of-arc assumption, 1A1265
SNIDLE, RW: Model for elastohydrodynamic film failure in contacts between rough surfaces having transverse finish, 4A1165
- Solution of the non-Newtonian elastohydrodynamic problem for circular contacts based on a flow continuity method, 5A1106
SNIEDER, R: Influence of errors in source parameters on phase velocity measurements of surface waves, 8A1499
SNIEKERS, RJJM: Experimental set-up and data processing of the radial strip-drawing friction test, 12A722
SNIJDERS, H: Confined compression of canine annulus fibrosus under chemical and mechanical loading, 11A1561
SNOW, DJ: Noise control in power plant, 10A378
SNOWDON, P: Fuel effects on knock, heat release, and "CARS" temperatures in a spark ignition engine, 2A1344
SNYDER, FFC: Efficient one-pass 3D time migration, 6A1408
SNYDER, SA: CT multiscan: Using small area detectors to image large components, 5A723
SNYDER, SD: Power transmission characteristics in an actively controlled semi-infinite plate, 3A755
- Distributed parameter modal filtering using smart sensors, 4A416
- Use of optimally shaped piezoelectric film sensors in the active control of free field structural radiation - Part 2: Feedback control, 11A260
SNYDER, TS: Emission and performance of a lean-premixed gas fuel injection system for aeroderivative gas turbine engines, 11T1415
SNYMAN, JA: Modified trajectory method for practical global optimization problems, 4A354
SO, ANDREW KWOK WAI: Stability and strength analysis of glass wall systems stiffened by glass fins, 1A595
SO, ATP: Generation of 3D medical thermograms, 9A814
SO, JINYOUNG: Free vibrations of thick hollow circular cylinders from 3D analysis, 6A171
SO, RMC: Wall-bounded buoyant turbulent flow and its modeling, 1A1083
- Engineering Foundation Turbulent Heat Transfer Conference, San Diego CA, March 10-15, 1996, 8A1195
- Critical evaluation of near-wall two-equation models against direct numerical simulation data, 9A1122
- Near-wall modeling of plane turbulent wall jets, 11A1113
SO, SANG-GYUN: Active dual mode tilt control for narrow ground vehicles, 8A394
SOARES, AJ: Numerical simulations of a Boltzmann model for reacting gases, 12A1400
SOARES, CG: Assessment of hydrodynamic coefficients of cylinders in heaving, 11A208
SOARES, M: Heat transfer to viscoplastic fluids in laminar flow through isothermal short tubes, 9A1228
SOARES, TM: Approximate solutions to $H_2/H\infty$ problems via sequences of H_2-cost/H_2-constraint optimization problems, 12T365
SOAVI, F: Performance evaluation of a new screw conveyor for metal swarf, 12A465
SOB, M: Influence of local-spin configuration on elastic moduli, melting temperature T_m, T_c - related quantities, and activation enthalpy of diffusion, 1A794
- Interlayer exchange coupling: Effect of alloying, 9A607
SOBALLE, K: Biophysical stimuli on cells during tissue differentiation at implant interfaces, 10A1540
SOBCZAK, R: Low frequency-shear rate measurements on polymer melts with a novel rheometer, 3A963
SOBCZYK, K: Maximum entropy principle and non-stationary distributions of stochastic systems, 1A90
SOBEL, DR: Hydrocarbon fuel cooling technologies for advanced propulsion, 10A1277
SOBEY, AJ: Response of a bending-torsion coupled beam to deterministic and random loads, 2A125
SOBEY, RJ: Correlation between individual waves in a real sea state, 2T1401
SOBHANIE, M: Viscoelastic plastic rheological model for particle filled polymer melts, 9A990
SOBHI, S: Interface pullout formula for extensible sheet reinforcement, 7A582
SOBICH, J: Solidifying liquid flow in a cooling plane channel forced by the changeable pressure, 4T1213
SOBIERAJ, GB: Sound generation by a ring vortex-shock wave interaction, 2T260
SOBOL, EN: Thermal and diffusion processes in laser-induced stress relaxation and reshaping of cartilage, 12A1537
SOBOLEV, GA: Absorption of strain waves in porous media at seismic frequencies, 1A1405
SOBOLEV, VV: Formation of powder particles during thermal interaction of liquid and solidified drops in the process of metal atomization, 6A708
SOBOLEVSKÝ, DY: Strength of Dilating Soil and Load-Holding Capacity of Deep Foundations: Introduction to Theory and Practical Application, 3R19
SOBOLEWSKI, JZ: Determination of preload in kinematic ball screw pair, 4T916
SOBOLIK, V: Flow measurement in an impinging jet cell with three-segment microelectrodes, 6A1209
- Simultaneous wall shear rate measurements by a three segmented electrodiffusion probe and laser-Doppler-anemometry, 8A1252
SOBOWSKA, K: Change of discharge of flow caused by colmatage because of gas bubbling in liquid flowing through porous medium (Polish), 4A1352
- Effect of colmatage by gas bubbles emited from liquid flowing through porous medium on distributions of porosity and pressure (Polish), 4T1353
SOBOYEJO, ABO: Investigation of the effects of stress ratio and crack closure on the micromechanisms of fatigue crack growth in Ti-6Al-4V, 12A758
SOBOYEJO, WO: Damage in a $[0/90]_{2s}$ nicalon-reinforced CAS glass ceramic composite, 1A755
- Tensile behavior of a silicon carbide fiber-reinforced titanium matrix composite, 5A446
- Fatigue and fracture behavior of a gamma-titanium aluminide intermetallic: Influence of ductile phase reinforcement, 7A657
- Investigation of the cyclic fatigue and fracture behavior of a niobium aluminide intermetallic, 7A666
- Tensile deformation and fracture behavior of a titanium-alloy metal-matrix composite, 9A762
- Investigation of the effects of stress ratio and crack closure on the micromechanisms of fatigue crack growth in Ti-6Al-4V, 12A758
SOCZKIEWICZ, E: Penetration depth of the Rayleigh surface waves, 8A222
SODEN, PD: Indentation of composite sandwich beams, 4A593
SODERKVIST, J: High-sensitivity surface micromachined structures for internal stress and stress gradient evaluation, 10T507
SODERMAN, PT: Flight effects on the far-field noise of a heated supersonic jet, 12A305
SODHA, MS: Experimental performance of built-in storage solar water heating systems in laboratory and field conditions, 9A1545
SODHI, DS: Volume IV: Arctic/Polar Technology, 10N31
- Arctic-Polar Technology, Volume IV, 1N51
SOECHTING , JF: Evaluating an integrated musculoskeletal model of the human arm, 9A1565
SOEDEL, W: Two dimensional analysis of thin, shell, or plate like muffler elements, 1A187
- Two-dimensional analysis of thin shell- or plate-like muffler elements of non-uniform thickness, 2A158
- Gas pulsations in thin, curved, or flat cavities due to multiple mass flow sources with special attention to multi-cylinder compressors, 4A283
- Free gas pulsations in acoustic systems composed of two thin, curved, or flat, 2D gas cavities which share a common open boundary, 6A334
- Computation of compression loads in twin screw compressors, 11A1157
SOEGIARSO, R: Optimum load and resistance factor design of steel space-frame structures, 7A837
SOEJIMA, M: Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration, 6A1496
SOGA, K: Observation of Biot compressional wave of the second kind in granular soils, 9A187
SOGABE, H: Study on high pressure dewatering method of cement-stabilized soft clay (Japanese), 2A547
SOGARO, A: Wide-ranging modeling study of iso-octane oxidation, 6A1346
SOGO, S: Ignition and combustion of aluminum in oxygen-nitrogen mixture streams, 8A1405
SOH, A-K: Stress concentration factors of DK square-to-square tubular joints, 11A364
SOH, AI-KAH: Development of a simplified plate element for large deflection elasto-plastic FE analysis, 1A584
SOH, AK: Solid elements with rotational dofs by explicit hybrid stabilization, 2A36
- Compatibility conditions for modeling tubular joints using different types of elements, 7A963
- Behavior of pipes with a circular hole subjected to compressive loading, 9A20
- Hybrid stress quadrilateral shell element with full rotational DOFs, 10A66
SOH, C-K: Stress concentration factors of DK square-to-square tubular joints, 11A364
SOH, CHEE-KIONG: Development of a simplified plate element for large deflection elasto-plastic FE analysis, 1A584
SOH, CK: Compatibility conditions for modeling tubular joints using different types of elements, 7A963
SOH, WEE KING: Calculation of heat transfer in a pulsating bubble, 2A1239
SOH, YENG CHAI: Robust LQG control of uncertain linear systems via simultaneous H_2 and H_∞ approach, 10T452
SOHAL, R: Thermal performance of pin-fin fan-sink assemblies, 9A1293
SOHN, CH: Acoustic response of droplet flames to pressure oscillations, 2A1334
SOHRAB, SH: Stabilization of premixed flames on rotating Bunsen burners, 3A1306
- Diffusion flame extinction and viscous hydrodynamics around rotating porous spheres with surface blowing, 8A1408
SOILEMES, AT: Triple hot-wire system for indoor air flow measurements, 2A1201
SOIZE, C: Dynamic substructuring of damped structures using singular value decomposition, 12A238
SOJITRA, I: Diffusive transport of organic colloids from sediment beds, 3T948
SOJKA, PE: Development of a full-field planar Mie scattering technique for evaluating swirling mixers, 4A1179
- Emissions characteristics of liquid-fueled pilot stabilized lean premixed flames in a tubular premixer-combustor, 12A1371
SOKOLOV, AV: Development of an automated adaptive system for controlling the straightening of long parts, 8T456
SOKOLOV, LL: Dynamics of Mars-orbiting dust: Effects of light pressure and planetary oblateness, 3A282
SOKOLOV, SV: Solution of the problem of synthesizing a stochastic optimal control using nonlinear probabilistic criteria, 7A332
SOKOLOWSKI, J: Domain optimization problems for parabolic control systems, 4A370
- Domain optimization problem for stationary heat equation, 4A348
SOKOLOWSKI, M: Thermally excited stress waves in a rod resting on elastic foundation, 4A198
SOKOLSKY, AG: Computation of elliptic Hansen coefficients and their derivatives, 3A291
SOL, H: Identification of the damping properties of orthotropic composite materials using a mixed numerical experimental method, 8A203
SOLAIAPPAN, A: Studies on twin non-parallel unventilated axisymmetric jets, 6A1131
SOLANO, J: Non-overlapping TH-domain decomposition, 10A72
SOLARI, G: Wind-excited response of structures with uncertain parameters, 9A871
SOLDATENKOV, IA: Indentation with adhesion of a symmetrical punch into an elastic half-plane, 3A440
- Study of wheel-rail friction, wear and cumulative damage, 5A830
SOLDATI, A: Identification of two phase flow regimes via diffusional analysis of experimental time series, 2A999
SOLDATOS, KP: General theory for the accurate stress analysis of homogeneous and laminated composite beams, 12A552
SOLECKI, R: Free-Vibration of an L-shaped plate: The general solution and an example of a simply-supported plate with a clamped cutout, 11A126
SOLEIMANI, EA: Optimal sizing of photovoltaic systems in varied climates, 10A1489
SOLER, J: Functional solutions for the Vlasov-Poisson system, 8A1205
SOLIMAN, AMA: Preview control for a semi-active suspension system, 3A383
SOLIMAN, E: Chatter suppression by adaptive speed modulation, 8A121
- New method for the identification of stability lobes in machining, 11A610
SOLIMAN, FA: Finite element model for erosive wear of a pipe bend containing a flow of solid particles, 9A998
SOLIMAN, HM: Flow patterns and pressure drop in air-water two-phase flow in horizontal helicoidal pipes, 11A999
SOLIMAN, MS: Characteristics and variables of spot welding and weldbonding bimaterials, 10A1007
- Static and dynamic behavior of a notch filled by either welding or adhesive bonding, 10A1009
SOLLIE, R: Fluxes of mass, momentum, and energy in currents of uniform vorticity, 8A258
SOLO-GABRIELE, HM: Watershed-specific model for streamflow, sediment, and metal transport, 7A1013
SOLOMAN, S: Sensors Handbook, 12N20
SOLOMIN, JE: Order of convergence of eigenfrequencies in FE approximations of fluid-structure interaction problems, 5A216
SOLOMON, MJ: Transient extensional behavior of polystyrene-based Boger fluids of varying solvent quality and molecular weight, 3A938
SOLOMON, PR: Coal-fired heat exchanger for an externally fired gas turbine, 11T1339
SOLOMON, WJ: Transition length prediction for flows with rapidly changing pressure gradients, 5A991
SOLOMONIDIS, SE: Stump-socket interface pressure as an aid to socket design in prostheses for trans-femoral amputees: A preliminary study, 12A1583
SOLOMONOW, M: Force, velocity, and energy dynamics of nine load-moving muscles, 10A1521
SOLOVIEV, A: Cool and freshwater skin of the ocean during rainfall, 10T1471
SOLOVIEV, GI: Tilting instability with buoyant forcing in a 2D viscous fluid, 4A1077
SOLOVYOV, SE: Hydrodynamic stability of a polymerization front, 1A1062
- Numerical modeling of self-propagating polymerization fronts: The role of kinetics on front stability, 11A1399
SOLOVYOVA, NG: Biaxial thermal fatigue testing with non-uniform strain distributions, 5A601
SOLTI, JP: Simplified approach for modeling fatigue of unidirectional ceramic matrix composites, 1A697
- Modeling of matrix failure in ceramic matrix composites, 7A746
SOMA, A: Thermal expansion measurement of composites with optical heterodyne interferometry, 8A566
SOMASUNDARAM, S: Coadunation of technologies: Cogeneration and thermal energy storage, 11T1365
SOMERS, DM: Wind tunnel test of the S814 thick root airfoil, 5A1085
SOMERS, LMT: Modeling of methane-air combustion on ceramic foam surface burners in the radiation mode, 7A1417
SOMERVILLE, PG: Simulated hard-rock motions in Saint Louis, Missouri, from large New Madrid earthquakes ($M_w \geq 6.5$), 12A1476
SOMERVILLE, RCJ: Tilting instability with buoyant forcing in a 2D viscous fluid, 4A1077
SOMEYA, M: Study on advanced man-machine interface system for autonomous nuclear power plants, 12A1418
SOMMEIJER, BP: Stability analysis of an odd-even-line hopscotch method for 3D advection-diffusion problems, 8A1403
SOMMER, G: Real-time vergence control using local phase differences, 4A340
SOMMER, TP: Wall-bounded buoyant turbulent flow and its modeling, 1A1083
SOMMEREUX, IB: Evaluation of the environmental quality of buildings towards a more environmentally conscious design, 7A1526
SOMMERFELDT, SD: Global attenuation of broadband noise fields using energy density control, 7A272
- Estimating acoustic radiation from a Bernoulli-Euler beam using shaped polyvinylidene flouride film, 12A301
SOMMERIA, J: Strongly turbulent Rayleigh-Benard convection in mercury: Comparison with results at moderate Prandtl number, 10A1081
- Unstably stratified geophysical fluid dynamics, 10T1187
SON, C: Sensor fusion techniques used for learning-identifying features of robot's part assembly tasks, 4A457
SON, CHANGMAN: Stability analysis of a mobile base robot with an energy function, 7A379
SON, D-K: Influence of a strong density stratification on the entrainment of a turbulent axisymmetric plume, 2A1025
SON, G: Numerical simulation of saturated film boiling on a horizontal surface, 12A1280
SON, YS: Simulation of heat transfer in a reflow soldering oven with air and nitrogen injection, 11A1328
SONAR, T: Optimal recovery using thin plate splines in finite volume methods for the numerical solution of hyperbolic conservation laws, 5A964
- Construction of essentially non-oscillatory finite volume approximations to hyperbolic conservation laws on general triangulations: Polynomial recovery, accuracy, and stencil selection, 6A1051
SONDAK, DL: Study of hot streak phenomena in subsonic and transonic flows, 8A1095
SONE, D: Analytical treatment of axisymmetrical thermoelastic field with Kassir's nonhomogeneous material properties and its adaptation to boundary

value problem of slab under steady temperature field, 10A1373
SONE, T: Effects of multiple secondary paths on convergence properties in active noise control systems with LMS algorithm, 2A286
SONECHKIN, DM: Are climate evolution edges in the 20th century internally induced?, 4A1433
SONG, BAOYU: Effect of two-phase liquid lubricant on fatigue life, 7A903
SONG, BF: Technique for computing failure probability of a structure using importance sampling, 7A561
SONG, C-K: Reverse engineering: Autonomous digitization of free-formed surfaces on a CNC coordinate measuring machine, 12A874
SONG, CHARLES CS: Compressibility boundary layer theory and its significance in computational hydrodynamics, 3A1094
SONG, CHONGMIN: Consistent infinitesimal FE cell method for diffusion equation in unbounded medium, 1A1243
- Consistent infinitesimal FE cell method: 3D scalar wave equation, 3A265
- Consistent infinitesimal FE cell method in frequency domain, 4A1397
- To radiate or not to radiate, 6A1429
- Consistent infinitesimal FE cell method for incompressible unbounded medium, 8A21
SONG, DA-TONG: Mixed-basis superposition method for the perturbation analysis of eigensolutions, 7A169
SONG, DATONG: Selection of structural parameters for correcting frequency random errors, 7A172
SONG, G: Influence of microstructural scale on plastic flow behavior of metal matrix composites, 9A511
- Simulation of fluid flow and gaseous radiation heat transfer in a natural gas-fired furnace, 11T1327
SONG, HUAMAO: High precision direct integration method for structures subjected to arbitrary dynamic loading and its parallel implementation (Chinese), 7A185
SONG, J-H: Determination on the most appropriate mesh size for a 2D FE analysis of fatigue crack closure behavior, 10A781
SONG, JAY-WOOK: Synthesis of compensators for nonovershooting step response, 6A384
SONG, JC: Phragmen-Lindelof and continuous dependence type results in generalized heat conduction, 3A1252
SONG, JI: Mechanical properties and solid lubricant wear behavior of Al-Al_2O_3-C hybrid metal matrix composites fabricated by squeeze casting method, 9A483
SONG, JI-HO: Automated real-time measurements of fatigue crack length and crack opening load using unloading elastic compliance method, 10A796
SONG, JL: Plastic anisotropy in a superplastic duplex stainless steel, 12A546
SONG, JOONYEOB: Automated measurement of tool wear using an image processing system, 3A882
SONG, JW: Improvement of the interfacial adhesion between Kevlar fiber and resin by using R-F plasma, 4A553
SONG, KAI-TAI: Ultrasonic sensor data integration and its application to environment perception, 3A416
- Application of heuristic asymmetric mapping for mobile robot navigation using ultrasonic sensors, 6A411
SONG, KH: Radiative transfer in pulsed-laser-induced plasma, 12A1316
SONG, LE: Wear status estimation of fiber composite through fractal characterization of wear debris, 8A945
SONG, LIYAN: Statistical physics basis of the third law of thermodynamics (Chinese), 10A1275
SONG, MC: Creep densification of copper powder compact, 1A461
SONG, P: Uncertainties in plasma measurements: Effects of lower cutoff energy and spacecraft charge, 9A1145
SONG, PS: Fatigue damage repair: A comparison of some possible methods, 7A676
SONG, RENG: Wave uplift forces on the bottom of a circular cylinder, 1A287
SONG, RUXIN: Estimation of probability of damage detection in offshore structural inspection, 4A853
SONG, S: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
SONG, SHIN-MIN: Minimum energy trajectories of the swing ankle when stepping over obstacles of different heights, 7A1540
SONG, TAE-HO: Implementation of the weighted sum of gray gases model to a narrow band: Application and validity, 6A1279
SONG, XIGENG: Determination of crankshaft coupled stiffness by using static condensation of dof (Chinese), 4A156
- Engine noise resulting from crankshaft torsional vibrations (Chinese), 4A157
- Coupled vibrations of marine medium speed diesel engine crankshafting (Chinese), 4A155
SONG, Y: Application of a flame dictionary method in turbulent premixed flame modeling, 9A1383
SONG, YD: Special issue on latest developments in neuro-fuzzy intelligent robotic systems, 11T287
SONG, YONGCHEN: Key technique of laser measurement of fuel spray field (Chinese), 4A1181
- Sync laser measurement of two-phase of vapor and liquid and 3D concentration of fuel spray (Chinese), 10A1270
SONG, YONGFA: Experimental research on steel fiber reinforced concrete poles (Chinese), 10A934
SONG, YUHAI: Response analysis for fuzzy stochastic dynamical systems with multiple dof, 7A116
SONG, YUPU: Test research on aggregate's interlock behavior on cracked surface in concrete (Chinese), 6A751
- Experimental research on steel fiber reinforced concrete poles (Chinese), 10A934
SONG, ZENG YUAN: Research into the dieless hydro-forming of non-uniform thickness spherical vessels, 12A727
SONG-NIAN, HE: Chebyshev spectral-FEM for 3D unsteady Navier-Stokes equation, 8A26
SONI, BK: Application of a factored Newton-relaxation scheme to calculation of discrete aerodynamic sensitivity derivatives, 4A1136
- r-Adaptation in FE modeling of elastic solids, 8A24
SONIUS, MW: Parametric design optimization of an entrapped fiber connection, 4A814
SONMEZ, FO: Modeling of heat transfer and crystallization in thermoplastic composite tape placement process, 10A1338
SONMOR, LJ: Higher-order resonant instabilities of internal gravity waves, 5A189
SONNENBERG, T: Stiction in surface micromachining, 8T419
SONNTAG, RE: Thermodynamic and Transport Properties, 8N24
- Generalized volumetric behavior of refrigerants based on a new four-parameter corresponding states correlation, 3A1217
- Thermodynamic properties of ideal gas air, 3A1220
- Equation of state for 1,1-Difluoroethane (R152a), 12A1243
SONODA, K: Recent trends of composite constructions in the civil engineering field (Japanese), 9A473
SONOZAKI, S: Profile measurement with no standard: Measurement of profile along a circle with Fourier expansion (Japanese), 8A865
SONTAG, E: Complete controllability of continuous-time recurrent neural networks, 11T272
SONTAG, ED: Output-to-state stability and detectability of nonlinear systems, 8T375
- Global stabilization of linear discreto-time systems with bounded feedback, 12T377
SONTI, SS: Material characterization of pultruded laminates and shapes, 1A534
SONZOGNI, V: General approximate solution of the problem of free vibrations of annular plates of stepped thickness, 4A139
- Buckling of circular, annular plates of non-uniform thickness, 6A614
- Transverse vibrations of rectangular plates of non-uniform thickness with a free, concentric circular hole, 8T148
- Attempt to model the effect of a stress concentration field on the lower natural frequencies of structural elements, 12T173
- Transverse vibrations of polygonal plates of discontinuously varying thickness with a free, concentric circular edge, 12T181
SOO, SL: Instability in a falling liquid film, 4T1068
SOOM, A: Two-component mixed friction model for a lubricated line contact, 11A830
SOON, KOEK-KOE: Optimal shape design of engine connecting rod with special lumping-mass constraint, 5A873
SOON, WON: ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40
SOONG, CK: Numerical simulation of wind-induced entrainment in a stably stratified water basin, 8T1194
SOONG, CY: Mixed convection flow and heat transfer between two co-rotating porous disks with wall transpiration, 5A1175
- Numerical investigation of transient flow-mode transition of laminar natural convection in an inclined enclosure, 8A1286
SOONG, TT: Acceleration feedback control of MDOF structures, 3A737
- Modified bang-bang control law for structural control implementation, 3A751
- Optimal placement of energy dissipation devices for 3D structures, 6A1445
- Exact solutions to a class of structure-equipment systems, 6A1435
SOOS, E: Stability, resonance, and stress concentration in prestressed piezoelectric crystals containing a crack, 6A635
- New theory of the stored energy in elasto-plasticity and the torsion test, 11A430
SOPHIANOPOULOS, DS: Static and dynamic stability of a single-dof autoeonomous system with distinct critical points, 4A91
- Nonlinear dynamic buckling of a cylindrical shell panel model, 5A494
SOPIRAK, DA: Effects of leading-edge sweep angle on nonzero trimmed roll angles, 2T1093
SOPRANO, A: Application of durability analysis to glare aeronautical components, 1A717
- Unified approach for multi-site damage tolerance and fatigue analysis, 6A748
SORACE, S: Parameter models for estimating in-situ tensile force in tie-rods, 3A813
- Creep in building stones under tensile conditions, 4A497
- Long-term and bending strength of natural building stones, 4A780
SORBJAN, Z: Numerical study of penetrative and "solid lid" nonpenetrative convective boundary layers, 3A1013
- Effects caused by varying the strength of the capping inversion based on a large eddy simulation model of the shear-free convective boundary layer, 3A1424
- Decay of convective turbulence revisited, 10A1180
SOREK, S: Numerical investigation of the propagation of shock waves in rigid porous materials: Development of the computer code and comparison with experimental results, 5A193
SOREM JR, JR: Updated stress concentration factors for filleted shafts in bending and tension, 3A438
- Multiaxial stress concentration in an externally pressurized cylinder with an external circumferential groove, 11A416
- Finite element analysis of ply-by-ply and equivalent stress concentrations in composite plates with multiple holes under tensile and shear loading, 11A16
SORENSEN, CM: Morphology of Macroscopic soot, 3A1313
SORENSEN, NJ: Parallel FEM for the analysis of crystalline solids, 1A542
SORENSEN, P: Complex frequency domain model of wind turbine structures, 11A1548
SORENSSON, A: Energy absorption of vibration in the hand for higher frequencies, 9A1592
SORGE, F: Simple model for the axial thrust in V-belt drives, 6A956
SORIA, J: Volume integrals of the Q_s - R_s invariants of the velocity gradient tensor in incompressible flows, 7A1133
SORIANO, A: Design live loads for office buildings in Mexico and the US, 11A799
SORIC, J: Increase of computational algorithm efficiency for elastoplastic shell analysis, 9A577
SORINE, M: Nonlinear resonance in systems with hysteresis, 1T141
SORLI, M: Mechanics of Turin parallel robot, 5A340
SORNETTE, D: Acoustic radiation from membranes at high frequencies: The quantum chaos regime, 9A251
SORNMO, L: Detection of cardiac late potentials in nonstationary noise, 12A1567
SORRI, M: Comparison of three vibrators in static posturography: The effect of vibration amplitude on body sway, 1T1467
SORTORE, CK: Magnetic bearing design for reduced power consumption, 4A926
SOSA, H: New developments concerning piezoelectric materials with defects, 1A607
- New regularization formulas in the BEM for anisotropic elasticity, 12T76
SOSNITSKII, SP: Instability of Lagrangian configurations of attracting point masses, 7A238
SOTELO JR, J: Analysis of approximations to the delay dynamics in the optimization of control systems (Spanish), 1A358
SOTIRIN, B: Shallow-water receptions from the transarctic acoustic propagation experiment, 3A303
SOTIROPOULOS, F: Longitudinal curvature effects in turbulent boundary layers, 7A1088
- Assessment of artificial dissipation models for 3D incompressible flow solutions, 11A960
- Strongly-coupled multigrid method for 3D incompressible flows using near-wall turbulence closures, 11A1116
SOTNIKOV, AN: Method for analyzing stochastic heat transfer in a fluid flow, 1A1192
SOTO, O: Finite element solution of the Stokes problem with dominating Coriolis force, 10A1074
SOTOURA, M: Experimental study on the consolidation efficiency and the equivalent diameter of cross shaped drain (Japanese), 8T647
SOTTOS, NR: Local displacements and load transfer in shape memory alloy composites, 8A555
SOUAHI, A: Influence of crosslinking on the plastic behavior of amorphous polymers at large strains, 12A522
SOUBARAS, R: Explicit 3D migration using equiripple polynomial expansion and Laplacian synthesis, 4A1370
SOUFIANI, A: Study of radiative effects on laminar counterflow H_2-O_2-N_2 diffusion flames, 1A1327
- High temperature gas radiative property parameters of statistical narrow-band model for H_2O, CO_2, and CO, and correlated-K model for H_2O and CO_2, 5T1251
SOUGANIDIS, PE: Existence and stability of entropy solutions for the hyperbolic systems of isentropic gas dynamics in Eulerian and Lagrangian coordinates, 2A980
SOULI, M: Vorticity boundary conditions for Navier-Stokes equations, 3A1050
SOULIER, B: Modeling of steel fiber reinforced concrete response in tension (French), 12A904
SOULIER, JP: Interfacial shear strength in glass-fiber-vinylester-resin composites, 1A523
SOULODRE, G: Modeling of the seat dip effect using the finite-difference time-domain method, 4A304
SOUNDALGEKAR, VM: Transient free convection flow between two vertical parallel plates, 1A1178
- Radiation effects on MHD free convection flow of a gas past a semi-infinite vertical plate, 1A1256
- Effects of mass transfer and free convection currents on the oscillatory flow past an infinite vertical porous plate with variable suction, 7A1376
- Stability of Couette flow in the wide gap of two circular concentric cylinders with rotating inner cylinder and finite growth rate, 9A1104
- Transient free convection flow of an incompressible viscous dissipative fluid, 10A1305
- Transient free convection past a semi-infinite vertical plate with variable surface temperature, 11A1226
SOUNDRANAYAGAM, S: Performance of a mixed flow pump with varying tip clearance - Part I, 3A1197
- Performance of a mixed flow pump with varying tip clearance - Part 2, 3A1198
SOUQUET, P: Use of cutting force and acoustic emission signals for the monitoring of tool insert geometry during rough face milling, 8A867
SOURIAU, L: Modified gradient approach to inverse scattering for binary objects in stratified media, 2A295
SOUSA, ACM: Moisture transport in initially fully saturated concrete during drying, 1A1401
SOUSA, JL: Quasi-automatic simulation of crack propagation for 2D LEFM problems, 2A620
SOUSA, LG: Optimal cross-section and configuration design of elastic-plastic structures subject to dynamic cyclic loading, 10A902
SOUTH, JL: Analysis of concepts for single stage to orbit, 2T835
SOUTHALL, L: New 200 MW class 501G combustion turbine, 1A1361
SOUTIS, C: Prediction of the post-impact compressive strength of CFRP laminated composites, 2A430
- Approximate biaxial stress solution for orthotropic open-hole composite laminates, 3A499
- Evaluation of the Ko-Lin model for interlaminar stresses in composite laminates with an open hole, 8A550
- Moisture and temperature effects of the compressive failure of CFRP unidirectional laminates, 11A708
SOUTO, MJ: Terrain-induced focusing of wind fields in the mesoscale, 4A1439
SOUZA DE CURSI, JE: Stochastic modification for global optimization problems: An efficient implementation for the control of the vulcanization process, 11T297
SOUZA MENDES, PR: Heat transfer to non-Newtonian fluids in laminar flow through rectangular ducts, 5A1181
- Mixed convection in the laminar flow of viscoelastic liquids through rectangular ducts, 7A1268
- Obstruction of pipelines during the flow of waxy crude oils, 7A1097
- Heat transfer to viscoplastic fluids in laminar flow through isothermal short tubes, 9A1228
SOUZA, RHF: Flexural behavior of strengthened reinforced concrete beams, 10A856
SOVIERO, PAO: Subsonic-supersonic yawed gust over an airfoil, 7T1167
- Generalized vortex lattice method for planar supersonic flow, 12T1096
SOWARD, AM: Localized rotating convection induced by topography, 4A1199
- Upper bounds for turbulent Couette flow incorporating the poloidal power constraint, 6A1151
SOWERBY, R: Theoretical and experimental investigation of limit strains in sheet metal forming, 2A579
SOYLEMEZ, M: Identification of nonlinear effects in predicting the motion response of an offshore platform, 11T214
SOYLEMEZ, MT: Note on pole assignment in uncertain systems, 9T314
SOYLU, R: Linearization and optimization of robot dynamics via inertial parameter design, 1A389
SOYSTER, DH: Use of rotational elements in structural dynamic modification, 2A93
SOYUCOK, Z: Infinitesimal deformations of surfaces and the stress distribution on some membranes under constant inner pressure, 2A482
SOZEN, MA: Seismic vulnerability assessment of low-rise buildings in regions with infrequent earthquakes, 8A910
SPACONE, E: Finite element for anchored bars under cyclic load reversals, 11A17
SPADACCINI, LJ: Hydrocarbon fuel cooling technologies for advanced propulsion, 10A1277
SPADEA, G: Behavior of fiber-reinforced concrete beams under cyclic loading, 11A777
SPAETHE, G: Safety evaluation after proof load testing of structural elements in existing structures (German), 10A922
SPAGNOLI, A: Influence of radial edge constraint on the stability of stiffened conical shells in compression, 8A19

SPAGNOLINI, U: Two-dimensional continuation operators and their applications, 6A1419
SPALART, PR: Direct numerical simulation of strained 3D wall-bounded flows, 4A1084
- Interaction between a spatially growing turbulent boundary layer and embedded streamwise vortices, 5A1041
- Motion of laminar wing wakes in a stratified fluid, 6A1120
- Numerical study of a separation bubble with heat transfer, 8A1136
SPALDING, MJ: Shock initiation of crystalline boron in oxygen and fluorine compounds, 1A1334
SPALL, RE: Observations of spanwise symmetry breaking for unsteady mixed convection in horizontal ducts, 5A1169
SPANG, B: Dynamic behavior of plate heat exchangers: Experiments and modeling, 11A1214
SPANG, K: Assessment of whole-body vibration containing single event shocks, 8A306
SPANGNUOLO JR, J: Visual utility for the localization of corona-accelerated nuclei, 4A269
SPANN, W: Error estimates for the BE approximation of a contact problem in elasticity, 8A64
SPANNER JR, J: Ultrasonic guided wave NDE for piping, 5A735
SPANOS, PD: Rrsidual flexibility approach for decoupled analysis of systems of combined components, 4A113
- Random field representation and synthesis using wavelet bases, 7A70
- Spectral techniques for stochastic FEs, 9A18
- Random vibration of systems with frequency-dependent parameters or fractional derivatives, 9A113
SPARKS , AG: Optimal rejection of stochastic and deterministic disturbances, 9A337
SPARKS, RSJ: Melting of a sphere in hot fluid, 6A1275
SPARROW, EM: Advances in Numerical Heat Transfer, Volume 1, 5N26
SPARROW, VW: Two-dimensional focusing of sonic boom noise penetrating an air-water interface, 6A341
SPATHIS, G: Viscoplastic behavior of PMMA blends: The effect of moisture absorption, 10A609
SPATZ, H-CH: Mechanical anisotropy and inhomogeneity in the tissues comprising the hollow stem of the giant reed *Arundo donax*, 1A1457
SPAULDING, M: Two dimensional boundary-fitted circulation model in spherical coordinates, 3A1410
SPECK, JA: Mechanical Fastening, Joining, and Assembly, 10R12
SPECK, T: Mechanical anisotropy and inhomogeneity in the tissues comprising the hollow stem of the giant reed *Arundo donax*, 1A1457
SPECTOR, AA: Rolling-sliding of a vibrating elastic body on an elastic substrate, 11A369
SPECTOR, M: Hydrodynamic loads on a slender cylinder moving unsteadily in a 3D non-uniform flow field, 4A249
SPEDDING, GR: Evolution of initially turbulent bluff-body wakes at high internal Froude number, 10A1155
SPEDDING, PL: Prediction in stratified gas-liquid co-current flow in horizontal pipelines, 7A1071
SPEE, I: Observations on localization in non-local and gradient damage models, 6A757
SPEER, RE: Instrument for measuring the liquid water content for aerosols, 12A1114
SPELL, CA: Hybrid wave model for unidirectional irregular waves - Part II: Comparison with laboratory measurements, 5A181
SPELT, PDM: Motion of gas bubbles in homogeneous isotropic turbulence, 10A1133
SPENCE, AG: Removal of pinholes and bubbles from rotationally molded products, 6A704
SPENCE, EW: Thermal evaluation of a dry nonrotating thin section contact bearing, 5A870
SPENCE, SH: Crack growth response of IMI 834 under variable amplitude loading, 8A739
SPENCE, WD: Stump-socket interface pressure as an aid to socket design in prostheses for trans-femoral amputees: A preliminary study, 12A1583
SPENCER JR, BF: Acceleration feedback control of MDOF structures, 3A737
- Cumulant-neglect closure method in stochastic dynamics, 3A119
- Stochastic damage model for brittle materials subjected to monotonic loading, 3A680
- Serics solution of a class of nonlincar optimal regulators, 4A360
- Phenomenological model for magnetorheological dampers, 9A119
SPENCER, AJM: Fiber-streamline flows of fiber-reinforced viscous fluids, 12A1108
SPENCER, DA: Mars Pathfinder atmospheric entry: Trajectory design and dispersion analysis, 4A863
SPENCER, PA: Flow properties of crushed ice, 11A1554
SPENCER, TW: New regional hypocenter location method, 2A1375
SPENNATO, B: Effects of slighly soluble surfactants on the flow around a spherical bubble, 11A1008
SPERSKI, M: Added mass matrix in the vibration of thin-walled multi-cell structures, 3T276
SPETTEL, F: Modeling and test of an electropneumatic servovalve controlled long rodless actuator, 4A412
SPETTEL, T: Condition monitoring using time waveform parameters, 10A241
SPETZLER, HA: Absorption of strain waves in porous media at seismic frequencies, 1A1405
SPEYER, JL: Systems theory approach to the feedback stabilization of infinitesimal and finite-amplitude disturbances in plane Poiseuille flow, 8A389
- Near-optimal guidance law of ballistic missile interception, 9T350
SPEYER, RF: Effect of flame support layer geometry and materials on the radiant efficiency of gas radiant burners, 5A1349
- Radiant efficiencies and performance considerations of commercially manufactured gas radiant burners, 5A1352
SPEZIALE, CG: Towards the development of second-order closure models for nonequilibrium turbulent flows, 2A1052
- Explicit algebraic stress model of turbulence with anisotropic dissipation, 4T1091
- Prediction of aerodynamic flows with a new explicit algebraic stress model, 6T1193
- Assessment of the SSG pressure-strain model in free turbulent jets with and without swirl, 7A1114
SPHAIER, SH: Added mass and damping on bottom-mounted rectangular cylinders, 6A302
SPICER, JB: Laser ultrasonic signal processing: A model-reference approach, 1A821
SPIEGELBERG, SH: Role of end-effects on measurements of extensional viscosity in filament stretching rheometers, 1A957
SPIESBERGER, JL: Identifying cross-correlation peaks duc to multipaths with application to optimal passive localization of transient signals and tomographic mapping of the environment, 2A302
SPIGA, G: Application of extended kinetic theory to particle transport with inelastic scattering, 3A1063
SPIGA, M: Thermal entrance length problem for slug flow in rectangular ducts, 5T1141
- Polynomial fin profile optimization, 7A1336
SPIGARELLI, S: Creep behavior of an aluminum 2024 alloy produced by powder metallurgy, 8A503
SPIKES, H: Boundary film formation by viscosity index improvers, 1A1120
- Fractionation of liquid lubricants at solid surfaces, 7A1210
SPIKES, HA: Formation of viscous surface films by polymer solutions: Boundary or elastohydrodynamic lubrication?, 1A1127
- Development of a spacer layer imaging method for mapping elastohydrodynamic contacts, 4A1162
- Triboelectrochemistry on a nanometer scale, 5A835
- Central and minimum elastohydrodynamic film thickness at high contact pressure, 10A1260
SPILIOPOULOS, KV: Automation of the force method in the optimal plastic design of frames, 9A897
SPILLERS, WR: Member stiffness with offset hinges, 9A826
- Member stiffness for 3D beam-columns, 12A23
SPILLMAN JR, WB: Smart materials and structures: What are they?, 1A842
SPILLMAN, M: Flight control applications of l_1 optimization, 7A1169
SPINA, D: New procedure for detecting nonlinearity from transient data using the Gabor transform, 6A360
SPINDLER, K: Small solar (thermal) water-pumping system, 4A1461
SPINELLI, P: Structural Dynamics, 1N36
SPINKS, GM: Atomic force microscopy study of the effect of surface roughness on the fracture energy of adhesively bonded aluminium, 8A981
SPINNLER, G: Conception dos Machines: Principes et Applications, Volume 1: Statique (French), 11R19
SPIRIDONOVA, IM: Wear resistance of diffusion boron-silicide coatings, 7A929
SPIRKL, W: Analysis of gas heat conduction in evacuated tube solar collectors, 2A1430
- Inherent limitations of volumetric solar receivers, 2A1427
- Optimal parallel flow in solar collectors for nonuniform irradiance, 11A1523
- Performance of surface and volumetric solar thermal absorbers, 11A1524
SPIRN, D: Two-dimensional model for slow convection at infinite Marangoni number, 8A1080
SPITALERI, RM: Multiblock multigrid generation algorithms: Overcoming multigrid anisotropy, 11A53
SPITERI, P: Durability of closed-end pressurized GRP pipes under hygrothermal conditions - Part I: Monotonic tests, 4A570
SPIVACK, M: Sound propagation in an irregular 2D waveguide, 8A323
SPOELSTRA, J: Mathematical modeling of the interaction between a tracked vehicle and the terrain, 6A923
SPOKOYNY, FE: Momentum and Heat Transfer in Turbulent Gas-Solid Flows, 7R21
SPORES, RA: Fluctuation of arcjet plume properties, 5A1383
SPOSITO, G: Steady flows with Lamb surfaces, 7A1016
SPRAGG, CJ: Fiber, Matrix, and Interface Properties, 2N24
SPRIGLE, S: Development of test methodologies for determining the safety of wheelchair headrest systems during vehicle transport, 1A1469
SPRING, SA: Experimental and numerical study of the isothermal flowfield behind a bluff body flameholder, 10A1089
SPRING, SD: Measurements of heat transfer coefficients and friction factors in rib-roughened channels simulating leading-edge cavities of a modern turbine blade, 12A1259
SPRINGER, GS: Drapability of aligned discontinuous fiber composites, 10A600
- Interactive simulation of resin transfer molding, 11A626
SPRINGER, H: Adaptive vibration control of a rigid rotor supported by active magnetic bearings, 5A132
SPRINGER, J: Shape-derived anisotropy directions in quadrangle and brick FEs, 1A75
SPRINGMAN, SM: Three dimensional FE modeling of pile groups adjacent to surcharge loads, 7A580
SPRINHOLTZ, G: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
SPROAT, EA: Test method for accelerated humidity conditioning and estimation of adhesive bond durability, 10T1015
SPROSTON, JL: Applications of electro-rheological fluids in vibration control: A survey, 3A135
- Calculations of wave resistance for a high-speed displacement ship, 5A1060
SPROUL , CA: Bacterial impacts of ocean outfalls: Legal challenges, 7T1513
SPROUL, WD: Analysis of the effect of hard coatings on near-surface rolling contact fatigue initiation induced by surface roughness, 12A965
SPRY, SC: Three-dimensional analysis of the spheroidal and toroidal elastic vibrations of thick-walled spherical bodies of revolution, 10A206
SPURGEON, SK: Robust output tracking using a sliding-mode controller-observer scheme, 2A319
SPURK, JH: Fluid Mechanics, 9R22
SPURR, GJ: Fretting wear of a fine particulate reinforced aluminum alloy matrix composite against a medium carbon steel, 2A645
SPYRAKOS, CC: Soil-structure-water interaction of intake-outlet towers allowed to uplift, 8A1482
SPYROPOULOS, ET: Effect of the formulation of nonlinear terms on aliasing errors in spectral methods, 3A60
SPYROPOULOS, K: Finite element stress analysis of unilaterally supported submarine pipelines, 5A799
- Nonlinear static stress analysis of submarine high pressure pipelines, 9A922
SQUIRE, LC: Experimental results on aerofoil manipulators at high subsonic speeds, 3A1052
- Interaction of swept and unswept normal shock waves with boundary layers, 4A1037
SQUIRE, VA: Moving Loads on Ice Plates, 9R30
SQUIRES, KD: Large eddy simulation of an equilibrium 3D turbulent boundary layer, 6A1079
- Three-dimensional boundary layers over an infinite swept bump and free wing, 11A1021
SRAMKOVA, T: Two data reduction methods for evaluation of thermal diffusivity from step-heating measurements, 7A1317
SRBULOV, M: Simplified method for prediction of kinematic soil-foundation interaction effects on peak horizontal acceleration of a rigid foundation, 2A1382
- Influence of soil strength brittleness and nonlinearity on slope stability, 8A667
SREEDHAR, MK: Stokes layers in horizontal-wave outer flows, 4A978
SREEKANTH: Injection cooling of blunt bodies flying at high Mach numbers, 5A962
SREENIVASAN, PR: Measurement of stretch zone height and its relationship to crack tip opening displacement and initiation J-value in an AISI 316 stainless steel, 2A721
- Dynamic fracture toughness properties of a 9Cr-1Mo weld from instrumented impact and drop-weight tests, 4A778
- Instrumented drop-weight test results for normalized and tempered 9Cr-1Mo steel, 5A1439
SREENIVASAN, SV: Study of the solvability of the position problem for multi-circuit mechanisms by way of example of the double butterfly linkage, 3A918
- Globally optimal force allocation in active mechanisms with four frictional contacts, 3A920
SREERAM, V: New algorithm for computing LQ suboptimal output feedback gains of decentralized control systems, 11A293
SREESHYLAN, N: Unsteady 3D stagnation point flow of a viscoelastic fluid, 11A959
SREEVATSAN, KV: Effects of inlet fluid flow nonuniformity on thermal performance and pressure drops in crossflow plate-fin compact heat exchangers, 3A1261
- Effects of longitudinal heat conduction in compact plate-fin and tube-fin heat exchangers using a FEM, 6A1285
SRI JAYARAM, K: Thermodynamic optimization of tubular space radiators, 5T1124
- Interaction of surface radiation and free covection in an enclosure with a vertical partition, 12T1311
SRIDHAR, KR: Thermal control system for lunar base cooling, 1A1271
SRIDHAR, N: Twinning in thin films - I: Elastic analysis, 4A492
- Twinning in thin films - II: Equilibrium microstructures, 4A493
- Microstructural stability of stressed lamellar and fiber composites, 12A586
SRIDHARAN, R: Effect of mass transfer on a similar flow in the magnetohydrodynamic squeeze film, 10A1202
SRIDHARAN, S: Numerical modeling of buckling of ring-stiffenod cylinders, 6A625
- Stability of structures, 8A593
- Collapse analysis of ring-stiffened cylinders using ring elements, 9A596
SRIKRISHNAN, AR: Enhancement of thermal mixing in coaxial supersonic jets, 1A1047
- Experimental investigation of thermal mixing and combustion in supersonic flows, 5A1347
SRIMATSYA, PA: Approximate solutions of nonclassically damped linear systems in normalized and physical coordinatas, 10T153
SRINATH, KS: One-dimensional waves in a thermoelastic half-space without energy dissipation, 5A1294
- Axisymmetric thermoelastic interactions without energy dissipation in an unbounded body with cylindrical cavity, 12A1337
SRINIVAS, M: Effect of alloying content on high cycle fatigue behavior of Cu-Ti alloys, 8A740
SRINIVASA MURTHY, S: Design and performance analysis of a metal hydride air-conditioner, 7A1346
- Analysis of a bubble absorbent working with R22 and five organic absorbents, 10A1393
SRINIVASA RAO, P: Estimation of along-wind moments in RC chimneys, 6A885
SRINIVASA, AR: Nature of the response functions in rate-independent plasticity, 8A512
- Inelastic behavior of materials - Part II: Energetics associated with discontinuous deformation twinning, 11A407
SRINIVASA, YG: Investigations on the stochastically optimized PID controller for a linear quarter - car road vehicle, 1A372
SRINIVASAN, A: Smoothed particle hydrodynamics techniques for solution of kinetic theory problems - Part 1: Method, 11A892
SRINIVASAN, GR: Unsteady flowfield and cavity acoustics of the stratospheric observatory for infrared astronomy, 12A311
SRINIVASAN, K: Photovoltaic panel-generator based autonomous power source for small refrigeration units, 3A1454
- Transient response of repetitive control systems, 6A385
- Application of repetitive control to eccentricity compensation in rolling, 6A397
- Overview of robot-assisted die and mold polishing with emphasis on process modeling, 8A460
SRINIVASAN, LN: Parametric continuous and smooth motion interpolation, 6A969
SRINIVASAN, MN: Residual stress mapping in a steam turbine disk using the L_{cr} ultrasonic technique, 1A823
SRINIVASAN, P: Nonlinear Mechanical Vibrations, 6R7
SRINIVASAN, R: Analytical expression for a concentric-cylinder radiation view factor, 1T1248
SRINIVASAN, RS: Form of tolerancing theory using fractals and wavelets, 12A1024
SRINIVASAN, S: Analysis of composite structures using the 3D global and 3D local method, 10A619
- Optimization of bearing locations for rotor systems with magnetic bearings, 10A217
SRINIVASAN, U: Peristaltic pumping in a circular tube in the presence of an eccentric catheter, 11A1577
- Automatic synthesis of crank driven four-bar mechanisms for two, three, or four-position motion generation, 12A1032
SRINIVASAN, V: Fin efficiency of extended surfaces in two-phase flow, 11A1342
SRIPADA, SS: Condensation on a spray of water drops - A cell model study - II: Transport quantities, 2A1219
- Condensation on a spray of water drops: A cell model study - I: Flow description, 2A1218
SRIRAM, S: Influence of temperature on cyclic stress response and fracture behavior of aluminum alloy 6061, 7A664
SRIRAMAMURTHY, AM: Determination of the die profile for the investment casting of aerofoil-shaped turbine blades using the FEM, 1A36
SRIRAMULU, V: Enhancement of thermal mixing in coaxial supersonic jets, 1A1047
- Experimental investigation of thermal mixing and combustion in supersonic flows, 5A1347
- Thermodynamic analysis of a solar thermal water pump, 6A1509
SRIRANGARAJAN, HR: Significance of higher modes for evolution of chaos in structural mechanics systems, 6A124

SRIVASTAVA, K: Plasma structures at weakly outgassing comets: Results from bi-ion fluid analysis, 4A1102
SRIVASTAVA, R: Forced response analysis using a 2D multistage Euler aeroelastic solver, 8A1233
SRIVASTAVA, VK: Friction and wear properties of bushing bearing of graphite filled short glass fiber composites in dry sliding, 2A860
SRIVASTAVA, VP: Two-phase model of blood flow through stenosed tubes in the presence of a peripheral layer: Applications, 3A1515
SRIVATSAN, TS: Tensile behavior of a silicon carbide fiber-reinforced titanium matrix composite, 5A446
- Fatigue crack propagation and closure behavior of modified 1070 steel: Experimental results, 7A658
- Fatigue crack propagation and closure behavior of modified 1070 steel: FE study, 7A659
- Influence of temperature on cyclic stress response and fracture behavior of aluminum alloy 6061, 7A664
- Fatigue and fracture behavior of a gamma-titanium aluminide intermetallic: Influence of ductile phase reinforcement, 7A657
- Investigation of cyclic plastic strain response and fracture behavior of steel-based metal-matrix composites, 7A742
- Investigation of the cyclic fatigue and fracture behavior of a niobium aluminide intermetallic, 7A666
- Tensile deformation and fracture behavior of a titanium-alloy metal-matrix composite, 9A762
- Tensile deformation and fracture behavior of a tool-steel-based metal-matrix composite, 9A763
- Cyclic strain resistance, fatigue life, and final fracture behavior of magnesium alloys, 10A766
SROLOVITZ, DJ: Twinning in thin films - I: Elastic analysis, 4A492
- Twinning in thin films - II: Equilibrium microstructures, 4A493
- Microstructural stability of stressed lamellar and fiber composites, 12A586
ST DOLTSINIS, I: Numerical analysis of plasma-sprayed ceramic coatings for high-temperature applications, 6A38
ST JOHN, D: Laboratory wear testing of polyurethane elastomers, 12A990
ST PIERRE, C: Estimating film flow rate in a venturi scrubber, 11A1194
ST QUINTON, D: Structural performance of modern roofs with thick over-purlin insulation: Experimental investigation, 9A909
ST-PIERRE, D: Shear tests of fiber concrete beams without stirrups, 8A911
STABROWSKI, MM: Pivoted block solvers for large banded linear equation systems, 11A76
STACEY, BA: Multivariable decoupling design of an ROV depth control system: A direct adaptive fuzzy SMC approach, 9A364
STACHNIK, M: Elastomer-elastomer interfaces: Mechanisms of autohesion, 4A957
STACHOWIAK, GB: Application of numerical descriptors to the characterization of wear particles obtained from joint replacements, 10A973
STACHOWIAK, GW: Review of scuffing models, 1A880
- High shear rate, high pressure microviscometer, 1A1128
- Description of abrasive particle shape and its relation to two-body abrasive wear, 4A883
- Analysis of wear particle boundaries found in sheep knee joints during in vitro wear tests without muscle compensation, 9A1562
- Application of numerical descriptors to the characterization of wear particles obtained from joint replacements, 10A973
- Characterization of surface topography of wear particles by SEM stereoscopy, 12A975
- Characterization of surface abrasivity and its relation to two-body abrasive wear, 12A974
STACK, AP: Solar assisted open-cycle absorption cooling: Performance of collector-regenerators, 11A1542
STACK, MM: Characterization of wear scar surfaces using combined 3D topographic analysis and contact resistance measurements, 12A938
STADEL, M: Calculation of excavations in normally consolidated soft ground (German), 12A703
STADTLANDER, R: Turning waves and crustal reflection profiling, 7A1463
STAEGER, B: Three-dimensional measurement of macro- and microdomains using optical methods, 12A866
STAFFAN LUNDSTROM, T: Measurement of void collapse during resin transfer molding, 8A718
STAFFANSON, FL: Frequency and spatial shaping of inputs for multiaxis shaker testing, 5A94
STAGNI, L: Scanning electron microscopy of human cortical bone failure surfaces, 7A1533
STAHELIN, T: Method to determine bone movement in the ankle joint complex *in vitro*, 10A1556
STAHL, RP: Long-term pile load testing system performance in saline and ice-rich permafrost, 4A648
STAHLBERG, U: Three-dimensional UBET model applied to the forging of square blocks between flat dies and grooved dies of simple geometry, 6A675
- UBET-simulation meant for basic understanding of the extrusion of aluminum profiles, 11A585
STAHLE, P: Crack path stability in a layered material, 12A824
STAINBACK, PC: Review: Hot-wire anemometry in transonic and subsonic slip flows, 9A1036
STALKER, R: Visualization and analysis of bow shocks in a superorbital expansion tube, 4T1042
STALKER, RJ: Transverse and parallel injection of hydrogen with supersonic combustion in a shock tunnel, 1A1324
- Species measurements in a hypersonic, hydrogen-air, combustion wake, 3A1335
- Fuel stagnation temperature effects on mixing with supersonic combustion flows, 9A1372
STALLARD, BW: Whistler-driven, electron-cyclotron-resonance-heated thruster: Experimental status, 1A1379
STALLARD, WM: Two-dimensional hydraulics of recirculating ground-water remediation wells in unconfined aquifers, 3A1472
STALLER, M: Comparative investigations for the analysis of reinforced and prestressed concrete beams with lateral buckling according to the second order theory (German), 11A778
- Design and construction of non-reinforced, reinforced and prestressed concrete structures according to DIN 1045-1 (German), 12A911
STALNAKER, RA: Stability testing of full-scale tactical motors, 10A1432
STAM, G: Stress intensity factor for grooved DCB specimens loaded by splitting forces, 1A746
- Crack growth in non-homogeneous transformable ceramics - Part I: Constrained straight cracks, 6A712
- Crack growth in non-homogeneous transformable ceramics - Part II: Crack deflection, 6A713
STAM, M: Electrothermoelastic behavior of piezoelectric coupled cylinders, 2A530
STAMATELOS, AM: Transient heat transfer modeling in automotive exhaust systems, 10A1317
STAMATOPOULOS, CA: Sliding system predicting large permanent co-seismic movements of slopes, 4A1395
STAMATOPOULOS, GN: Analytical modeling of column-base plates under cyclic loading, 10A635
STAMM, H: Effect of laser surface treatment on high cycle fatigue of AISI 316L stainless steel, 5A590
STAMPFL, J: Fracture resistance of a ferritic-austenitic duplex steel, 1A748
- Determination of the fracture toughness by automatic image processing, 5A712
STAMPS, DW: Heuristic model of turbulent mixing applied to blowout of turbulent jet diffusion flames, 3A1303
STANCAMPIANO, AP: Modeling of flow in a straight stented and nonstented side wall aneurysm model, 10A1548
STANDER, N: Modified trajectory method for practical global optimization problems, 4A354
- Energy-conserving planar finite beam element for dynamics of flexible mechanisms, 4A123
- Structural optimization using augmented Lagrangian methods with secant Hessian updating, 5A764
STANGROOM, JE: Basic observations on Electro-Rheological fluids, 6A1160
STANIFORTH, A: Accurate interpolating scheme for semi-Lagrangian advection on an unstructured mesh for ocean modeling, 7T1492
STANISLAS, M: Experimental study of saltating particle trajectories, 8A1034
STANKE, FE: Ultrasonic pulsed beam interaction with a fluid-loaded elastic plate: Theory, 3A272
- Complex-transducer-point model for finite emitting and receiving ultrasonic transducers, 3A296
- Ultrasonic pulsed beam interaction with a fluid-loaded elastic plate: Experimental validation, 3A273
STANLEY, A: Influence of moisture on the thermal and mechanical properties of autoclaved and oven-cured Kevlar-49 and epoxy laminates, 12A585
STANLEY, HM: FFT-based method for rough surface contact, 12A924
STANLEY, P: Improvements in the prediction and characterization of the thermoelastic response of glass-fiber reinforced composite products, 4A1270
STANLEY, R: Space-based electrostatic antenna design with pointing and beam width control, 6A932
STANMORE, BR: Modeling NO_x release from a single coal particle - II: Formation of NO from char-nitrogen, 1A1321
STANSEL, DM: Dry ultralow NO_x "Green Thumb" combustor for Allison's 501-K series industrial engines, 8A1417
STANTON, JF: Design of seismic restrainers for in-span hinges, 9A1492
STANWAY, R: Applications of electro-rheological fluids in vibration control: A survey, 3A135
STANZL-TSCHEGG, SE: Fracture behavior of polypropylene-fiber-reinforced concrete: Modeling and computer simulation, 4A755
- Fracture behavior of polypropylene-fiber-reinforced concrete under biaxial loading: An experimental investigation, 4A754
- Fatigue properties of Al_2O_3-particle-reinforced 6061 aluminium alloy in the high-cycle regime, 5A594
STAPLE, BD: Efficient uncertainty analyses using fast probability integration, 5A765
STARICH, PJ: Hybrid migration: A cost-effective 3D depth-imaging technique, 9A1461
STARK, HL: Benchmarking of a destructive technique to determine residual stresses in thick-walled axisymmetric components, 12A547
STARK, R: Analysis of tunnels: Fuzzy (German), 10A39
STARK, RF: Surface displacements of a nonhomogeneous elastic half-space subjected to uniform surface tractions - Part II: Loading on rectangular shaped areas, 12A501
- Surface displacements of a nonhomogeneous elastic half-space subjected to uniform surface tractions - Part I: Loading on arbitrarily shaped areas, 12A500
STARK, TD: Shear behavior of reinforced geosynthetic clay liners, 8A682
- Slope stability analyses in stiff fissured clays, 9A638
- Secondary compression of peat with or without surcharging, 11A559
STARKEY, JM: Use of interpolated eigenvectors to position coupling elements between substructures - Part II: Applications, 2A92
- Use of interpolated eigenvectors to position coupling elements between substructures - Part I: Theory, 2A91
STARNER, SH: Mixture fraction imaging in a lifted methane jet flame, 5A1361
STARNES JR, JH: Design of scaled down models for predicting shell vibration response, 2A142
- Imperfection sensitivity due to the elastic moduli in the Roorda-Koiter frame, 3A547
- Bound set of possible eigenvalues of structures with uncertain but non-random parameters, 6A189
- Passive control of buckling deformation via Anderson localization phenomenon, 7A560
STAROBINSKI, R: Finding the eigenmodes of 2D cavities with two axes of symmetry, 7A281
STARODUB, G: Investigation by the FEM of stress-strain state of the Transcarpathian crust, 4A1375
STARODUB, VI: Simulation and automation of calculations of buildings (structures) on seismic effects, 10A1458
STAROSOLSKI, W: Necessity of taking account of solar operation in design of multi-field RC slabs (Polish), 2A795
- Some aspects of analysis of reinforced concrete two-way slabs (Polish), 9A567
- Investigation of mutual transverse cooperation of floor precast boards in the composite 2k floor construction (Polish), 9A565
STAROSTA, R: Coupled electronic-dislocation bulk and surface waves in a deformable semiconductor, 4A628
STAROSTIN, EL: Pendulum as a dynamical billiard, 3A81
STAROSTKA, P: Assessing the suitability of various types of cellulose for the production of cellulose carbamate, 4T462
STAROSZCYK, R: Energy dissipation in a saturated porous half-space under a vibrating rigid block, 9A1434
STARR, P: Design and construction of a concrete floating berth, 4A851
STARVROULAKI, ME: Optimal prestress in modal analysis via induced temperature modeling, 10A903
STARZYNSKI, G: Elasto-plastic analysis of a cylinder with surface layer under cyclic loading, 4A514
- Yield stress distribution in the natural surface layer of polycrystals, 4A534
- Theoretical and experimental studies on elasto-plastic deformation of an element with surface layer, 4A522
STASIAK, M: Tribology of three-element: Traveller-ring-yarn friction arrangements in ring spinning reaction of ring to traveller in two-contact configuration - Part 1, 9A962
STASZEWSKI, WJ: Local tooth fault detection in gearboxes using a moving window procedure, 11A324
- Identification of damping in multi-dof systems using time-scale decomposition, 12A152
STATHOPOULOS, T: Computer simulation of wind environmental conditions around buildings, 4A848
STAUBACH, JB: Performance improvement through indexing of turbine airfoils - Part 1: Experimental investigation, 5A1098
STAUBLI, M: Effects of the state of stress on the tensile and creep properties of γ-TiAl, 12A527
STAUBLI, T: First analysis of flow field hysteresis in a pump impeller, 7A1185
- Oscillating rectangular and octagonal profiles: Interaction of leading- and trailing-edge vortex formation, 8A278
STAUFFER, PH: Compressible gas in porous media: A finite amplitude analysis of natural convection, 7A1448
STAUGLER, AJ: V_∞ leveraging for interplanetary missions: Multiple-revolution orbit techniques, 10T475
- Trajectory options to Pluto via gravity assists from Venus, Mars, and Jupiter, 12A291
STAV, E: Reactions and early-age properties in *in-situ* polymerized gypsum-acryl amide composites, 1A547
STAVINSCHI, M: Compatible potentials and orbits in synodic systems, 8A296
STAVRAKAKIS, GS: Size optimization of a PV system installed close to sun obstacles, 8A1541
STAVRE, R: Numerical analysis of a control problem in heat conducting Navier-Stokes fluid, 5A301
STAVROULAKI, ME: Modeling prestress restoration of buildings by general purpose structural analysis and optimization software, the optimization module of MSC-NASTRAN, 7A842
STAVROULAKIS, GE: Nonsmooth computational mechanics algorithms, quasidifferentiability and related topics, 3A66
- Nonsmooth and nonconvex structural analysis algorithms based on difference convex optimization techniques, 5A757
- New models for a class of adhesive grippers: The hemivariational inequality approach, 6A409
- Modeling prestress restoration of buildings by general purpose structural analysis and optimization software, the optimization module of MSC-NASTRAN, 7A842
- Prestressed tendon based passive control system for bridges, 10A495
- Optimal prestress in modal analysis via induced temperature modeling, 10A903
- Calculation of effective transverse elastic moduli of fiber-reinforced composites by numerical homogenization, 12A599
STAWIARSKI, T: Fatigue analysis of spot-welded joints under variable amplitude load history, 3A666
STEBBINS, CJ: Effects of surface roughness on water droplet impact history and heat transfer regimes, 3A1247
- Mapping of impact and heat transfer regimes of water drops impinging on a polished surface, 4A1227
STEBE, KJ: Surfactant-induced retardation of the thermocapillary migration of a droplet, 11A1007
STECH, D: Time varying passive vibration absorption for flexible structures, 11A163
STECK, EA: Consideration of processes on the microscale of metallic materials for the development of constitutive models, 8A1
STECKEL, B: Adaptive parallel multigrid solution of 2D incompressible Navier-Stokes equations, 10A1091
STEEGE, JW: Review of prosthetic interface stress investigations, 1A1476
STEEL, DI: Orbital similarity of Earth-crossing asteroids (2101) Adonis and 1995 CS, 9T233
STEEL, JA: Sound transmission through a double leaf partition with edge flanking, 8A340
STEELANT, J: Modeling of bypass transition with conditioned Navier-Stokes equations coupled to an intermittency transport equation, 1A1033
STEELE, DE: Machining with super-pressure (690 MPa) waterjets, 8A708
STEELE, JPH: Fiber optic sensor development for real-time in-situ epoxy cure monitoring, 7A367
STEELE, R: Sensor-based collision avoidance: Theory and experiments, 2A355
STEELE, RC: Variables affecting NO_x formation in lean-premixed combustion, 8A1422
STEELE, WG: Implications of correlated bias uncertainties in single and comparative tests, 11A7
STEEN, PH: Heat transfer and solidification in planar-flow melt-spinning: High wheelspeeds, 8A1326
- Stability of slender liquid bridges subjected to axial flows, 8A1178
- Dynamics of inviscid capillary breakup: Collapse and pinchoff of a film bridge, 12A1076
STEENBERGEN, W: Reduction of beam refraction in optical pipe flow experiments by use of sheet-fabricated pipe walls, 7A1100
STEENBRINK, AC: Void growth in glassy polymers, 9A15
- Numerical study of cavitation and yield in amorphous polymer-rubber blends, 12A545
STEENHUIS, TS: Wetting and nonwetting fluid displacements in porous media, 6A1377
STEEVES, RA: Temperature distributions during thermoradiotherapy: A sensitivity study with a transient numerical model of the rabbit eye, 10A1539
STEFAN, HG: Long-term lake water temperature and ice cover simulations-measurements, 1A1443
STEFANI, G: Constrained regular LQ-control problems, 10T439
STEFANIAK, J: Method of concentrated sources in heat conduction, 1A1219
STEFANIK, P: Flexible joints made of polymer composites for load transfer in measuring systems (Polish), 10A1000
STEFANOV, SH: Curvilinear integral method: A question to the critical plane concept, 10A794
STEFANYSHYN, DJ: Method to determine bone movement in the ankle joint complex *in vitro*, 10A1556
STEFFEN JR, V: Balancing of flexible rotors, 2A172
STEFFLER, PM: Physically based hydraulic jump model for depth-averaged computations, 3A972

- One-dimensional dam-break solutions for variable width channels, 11T907
STEGMANN, GC: Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, 11A1150
STEGNER, A: Asymptotic expansions and monopolar solitary Rossby vortices in barotropic and two-layer models, 8T1044
STEGOU-SAGIA, A: Experimental study and a computer simulation of heat and mass transfer for 3D humidification processes, 5A1198
STEIDI, JH: What is a reference site?, 8A1467
STEIDL, JH: Site amplification in the San Fernando Valley, California: Variability of site-effect estimation using the S-wave, Coda, and H-V methods, 12A1458
STEIGMANN, DJ: Variational structure of a nonlinear theory for spatial lattices, 2A749
- Finite twist and extension of a cylindrical elastic membrane, 3A519
- Necessary condition for energy-minimizing plane deformations of elastic solids with intrinsic boundary elasticity, 8A476
- Small oscillations of finitely deformed elastic networks, 11A121
STEIN, E: Parameter identification for viscoplastic models based on analytical derivatives of a least-squares functional and stability investigations, 1A489
- Modeling and computation of instability phenomena in multisurface elasto-plasticity, 3A477
- Unified approach for parameter identification of inelastic material models in the frame of the FEM, 4A532
- Energy-conserving planar finite beam element for dynamics of flexible mechanisms, 4A123
- Symmetric coupling of BEs and Raviart-Thomas-type mixed FEs in elastostatics, 6A81
- Mixed FEMs for incompressible and nearly incompressible finite elasticity, 6A492
- Regularization of plastic flow localization in a soil material, 9A628
- Physically nonlinear dual mixed FE formulation, 10A58
- Unifying treatise of variational principles for two types of micropolar continua, 12A6
- Parameter identification for finite deformation elastoplasticity in principal directions, 12A536
- Finite element plane stress analysis incorporating arbitrary 3D large strain constitutive models, 12A33
STEIN, GJ: Electro-pneumatic active vibration control system for the driver's seat of agricultural tractors, 9A280
- Driver's seat with active suspension of electro-pneumatic type, 10T157
STEIN, J: Simulation and analysis of frost heaving in subsoils and granular fills of roads, 9A1560
STEIN, JL: Automatic detection of clearance in mechanical systems: Experimental validation, 3A889
- Model error compensation for bearing temperature and preload estimation, 4A331
- Active thermal preload regulation for machine tool spindles with rolling element bearings, 5A864
- Algorithm for obtaining proper models of distributed and discrete systems, 11A285
- Well-conditioned observer design for observer-based monitoring systems, 11A326
- Non-normality measure of the condition number for monitoring and control, 12T363
STEIN, KR: Computational fluid-structure interaction model for parachute inflation, 2A845
STEINBACH, C: Low-NO_x premixed combustion of MBtu fuels using the ABB double cone burner: EV burner, 11T1435
STEINBACH, I: Finite element integration for the control volume method, 4A28
STEINBERG, A: Solvability criterion for the constrained discrete Lyapunov and Riccati equations, 7T329
- Discrete positive realness of the discrete min-max control law, 8T378
STEINBERG, LG: Linearization of inverse spectral problems for nonhomogeneous elastic bodies, 2A725
STEINBERG, S: Solving diffusion equations with rough coefficients in rough grids, 7T1388
STEINBUCH, R: Determination of critical circumferential through-wall crack sizes regarding load reduction by increased flexibility in piping systems, 11A688
STEINDLER, R: Strain gage behavior on sandwich glasses, 11A760
STEINER, F: MFV-corrected variances, 12A1434
- New results on the theory of the most frequent value procedures, 12A1435
STEINER, F-P: Silicon dioxide sacrificial layer etching in surface micromachining, 10T509
STEINER, PR: Horizontal density variation in randomly-formed short-fiber wood composite boards, 7A486
STEINER, R: Application of capacitance instrumentation to the measurement of density and velocity of flowing snow, 6A1524
STEINER, W: Balance and variational formulations of the equation of motion of a body deploying along a cable, 12A98
STEINKOPFF, T: Finite element simulation of large plastic deformation in heterophase materials, 9A25
STEINMANN, P: Modeling and computation of instability phenomena in multisurface elasto-plasticity, 3A477
- Localization analysis in multisurface hyperelasto-plasticity, 4A518
- Views on multiplicative elastoplasticity and the continuum theory of dislocations, 7A437
- Localization properties of multiplicative hyper-elasto-plastic continua with strong discontinuities, 8A11
- Unifying treatise of variational principles for two types of micropolar continua, 12A6
STEINMEYER, J: Computer-controlled mechanical culture system for biological testing of articular cartilage explants, 12A1565
STEINNMANN, P: Finite element plane stress analysis incorporating arbitrary 3D large strain constitutive models, 12A33
STEJSKAL, V: Kinematics and Dynamics of Machinery, 1R7
STELLA, F: True transient vorticity-velocity method using preconditioned Bi-CGSTAB, 5A1205
- Numerical study of the effect of free surface deformation on buoyancy and thermocapillary convection, 9A1023
STELLING, R: Onset of flow instability for downward flow in vertical channels, 2A1173
STELMA, GN: Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407
STELSON, K: Proc of 1996 Japan-USA Flexible Automation Conf, Boston MA, July 1996, 2N14
STELSON, KA: Control of the fabrication of long slender workpieces of arbitrary shape - Part I: Open-loop control of the multi-axis bending process, 4A406
- Control of the fabrication of long slender workpieces of arbitrary shape - Part II: Closed-loop control of the multi-axis bending process, 4A407
- Bend allowance and developed length calculation for pressbrake bending, 11A573
- Prediction of filling time and vent locations for resin transfer molds, 11A1039
- Plastic deformation of a tube during bending, 11A448
STELZER, JF: Intersection curves of surfaces, 9A79
STEMME, G: Small silicon pressure transducers for space-time correlation measurements in a flat plate boundary layer, 4A1041
STENBERG, H: Numerical investigation of tri-pad sliders and comparison to other slider designs, 12A1023
STENBERG, J: Statistical pyrometric sizing of particles in fluidized bed combustion, 7A1411
STENBERG, R: hp Error analysis of MITC plate elements, 10A652
STENSTROM, S: Effects of serial and parallel pore nonuniformities: Results from two models of the porous structure, 6A1371
- Application of heat pump systems for energy conservation in paper drying, 12A1325
STENUM, B: Formation of a 2D vortex pair and its 3D breakup: An experimental study, 11A938
STEPANEK, C: Time-resolved wave front measurements through a compressible free shear layer, 9A1190
STEPANISHEN, PR: Transient vibratory response of fluid-loaded shells using convolution integral equations, 9A221
STEPANOV, GY: Inviscid Batchelor-model flow past an airfoil with a vortex trapped in a cavity, 4A1114
STEPANOV, SY: Steady motions and relative equilibria of mechanical systems with symmetry, 8A79
STEPANOVA, VV: Periodic and stochastic self-excited oscillations in a system with hereditary-type dry friction, 8A119
STEPANSKII, LG: Allowable stress discontinuities in applying the FEM, 4T12
STEPHAN, AM: Ultrasonic studies on poly(methylmethacrylate) in Dioxane, 10A334
STEPHAN, EP: h-p BEM for solving 2D and 3D problems, 1A86
- h-adaptive coupling of FE and BE for viscoplastic and elastoplastic interface problems, 6A525
- Adaptive coupling and fast solution of FEM-BEM equations for parabolic-elliptic interface problems, 9A50
- hp-version of the BEM in R^3: The basic approximation results, 9A53
- Collocation method for mixed boundary value problems on domains with curved polygonal boundaries, 11A60
STEPHAN, Y: Application of multilayered neural networks to ocean acoustic tomography inversions, 5A235
STEPHANISHEN, PR: Acoustic 2D radiation and scattering from cylinders using source density, SVD and Fourier methods, 10A353
- Generalized internal source density method for the forward and backward projection of harmonic pressure fields from complex bodies, 12A341
STEPHEN, DB: Error estimation for plate buckling elements, 3A558
- Error measures for the finite strip vibration analysis method, 8A126
- Natural frequency error estimation using a patch recovery technique, 8A127
- Error estimation for natural frequency analysis using plate elements, 9A137
- Natural frequency error estimation for 3D brick elements, 10A10
- Improved stress recovery for elements at boundaries, 10A8
- Error estimation for natural frequency FE analysis, 12A13
STEPHEN, EJ: Effects of leading-edge sweep angle on nonzero trimmed roll angles, 2T1093
STEPHEN, EP: Adaptive BEMs for some first kind integral equations, 6A71
STEPHEN, NG: Mindlin plate theory: Best shear coefficient and higher spectra validity, 11A135
STEPHEN, RA: Modeling of seafloor wave propagation and acoustic scattering in 3D heterogeneous media, 1A316
- Modeling sea surface scattering by the time-domain finite-difference method, 4A295
- Seafloor acoustic backscattering from different geological provinces in the Atlantic Natural Laboratory, 7A259
STEPHENS, DG: NASA noise reduction program for advanced subsonic transports, 2A289
STEPHENS, LS: Side-pull and stiffness of magnetic bearing radial flux return paths, 11A856
STEPHENS, RI: Fatigue of a particulate reinforced aluminium metal matrix composite subjected to axial, torsional, and combined axial-torsional loading conditions, 5A593
STEPHENSON, DA: Process-independent force characterization for metal-cutting simulation, 7A599
- Thermal expansion of the workpiece in turning, 11A615
STEPHENSON, UM: Quantized pyramidal beam tracing: A new algorithm for room acoustics and noise immission prognosis, 2A296
STEPIEN, C: Analysis of the shape of the water droplet on an inclined glass plate and visualization with the revolved surface with B-spline cross-section, 4A992
STEPINSKI, T: Optimal selection of parameters for the angular spectrum approach to numerically evaluate acoustic fields, 7A284
STEPP, JC: Identification and modeling of earthquake ground response - I: Site amplification, 5A1412
STERGIOPULOS, N: Separation of arterial pressure waves into their forward and backward running components, 2A1461
- Effects of friction and nonlinearities on the separation of arterial waves into their forward and backward components, 4A1492
- Residual strain effects on the stress field in a thick wall FE model of the human carotid bifurcation, 12A1548
STERK, JC: Folding of continuous fiber thermoplastic composites, 12A566
STERN , T: Processing of composites of chopped PE fiber-reinforced PE matrix, 3A489
STERN, F: Large-domain approach for calculating ship boundary layers and wakes and wave fields for nonzero Froude number, 3T1182
- Free-surface wave-induced separation, 4A984
- Stokes layers in horizontal-wave outer flows, 4A978
- Computation of unsteady viscous marine-propulsor blade flows - Part 1: Validation and analysis, 9A1183
STERN, ME: Wall jet in a rotating fluid, 10A1156
STERN, P: High performance solution of 3D nonlinear aeroelastic problems via parallel partitioned algorithms: methodology and preliminary results, 8A288
STERNBERG, N: Approximation of the bounded plasma problem by the plasma and the sheath models, 4A1097
STERNBY, J: Adaptive rejection of periodic disturbances with unknown period, 4A373
- Robustness properties of repetitive controllers, 7A343
STEVEN, GP: Asymptotic solutions for predicted natural frequencies of 2D elastic solid vibration problems in FE analysis, 2A160
- Practical error estimator for FE predicted natural frequencies of membrane vibration problems, 3A158
- Error estimation for plate buckling elements, 3A558
- General evolutionary path for fundamental natural frequencies of structural vibration problems: Towards optimum from below, 4A809
- Predicted natural frequencies of 2D elastodynamic problems: A practical error estimator, 6A191
- Effect of initial nondesign domain on optimal topologies of structures during natural frequency optimization, 7A801
- Various aspects of evolutionary structural optimization for problems with stiffness constraints, 8A887
- Error measures for the finite strip vibration analysis method, 8A126
- Natural frequency error estimation using a patch recovery technique, 8A127
- Error estimation for natural frequency analysis using plate elements, 9A137
- Natural frequency error estimation for 3D brick elements, 10A10
- Improved stress recovery for elements at boundaries, 10A8
- Evolutionary optimization of maximizing the difference between two natural frequencies of a vibrating structure, 10A896
- Numerical study on stresses in resin transfer molding lap joints reinforced with transverse stitching, 11A20
- Evolutionary natural frequency optimization of 2D structures with additional non-structural lumped masses, 12A215
- Error estimation for natural frequency FE analysis, 12A13
STEVENS, AW: Natural convection in a liquid metal enclosure with floor cooling, 1A1174
STEVENS, CL: Effect of sub-aqueous disposal of mine tailings in standing waters, 10A1050
STEVENS, CO: Technique to achieve uniform stress distribution in compressive creep testing of advanced ceramics at high temperatures, 12A597
STEVENS, DE: Forward-in-time advection scheme and adaptive multilevel flow solver for nearly incompressible atmospheric flow, 7T1502
STEVENS, JW: Free surface flow profile and fluctuations of a circular hydraulic jump formed by an impinging jet, 11A1048
STEVENS, SJ: Performance assessment of an annular s-shaped duct, 8A1071
STEVENSON, JD: Parametric nonlinear FE analysis of strain ratcheting in pressurized elbows based on random vibration, 2A1425
- Nonlinear 3D dynamic time history analysis in the recracking modifications for a nuclear power plant, 4A1405
STEWART, DE: Implicit time-stepping scheme for rigid body dynamics with inelastic collisions and Coulomb friction, 1A139
STEWART, DL: Vortex evolution in non-axisymmetric impulsive spin-up from rest, 5A927
STEWART, DS: Level set methods applied to modeling detonation shock dynamics, 1A270
- Low-frequency 2D linear instability of plane detonation, 11A198
STEWART, GW: Aftemotes on Numerical Analysis, 1N2
- New perturbation analyses for the Cholesky factorization, 5A72
- Perturbation of LU and Cholesky factors, 7A78
- Triangular matrices of Gaussian elimination and related decompositions, 7A80
STEWART, I: Catastrophe Theory and Its Applications, 7N10
STEWART, JF: Dual fuel solar thermal stage: Ideal analysis, 4T1323
STEWART, JR: Recent developments in FEM for structural acoustics, 1A76
- h-A34ptive FE computation of time-harmonic exterior acoustics problems in 2D, 11A263
STEWART, JT: Specification, development, and testing of the FT8-2 dry low NO_x control system, 1A1369
STEWART, MG: Time-dependent reliability of existing RC structures, 12A903
STEWART, RW: Adaptive IIR filtered-v algorithms for active noise control, 9A277
STEWART, WE: Mixed convection heat and moisture transfer from a horizontal furry cylinder in a transverse wind, 9A1225
STICHER, H: Quantitative description of multi-component reactive transport in porous media: An empirical approach, 6A1384
STICKELS, CA: Elastic moduli for FEA-FEM from ultrasonic velocity, 1T818
STICKLEN, J: Integrating material-part-process design for polymer composites: A knowledge-based problem-solving approach, 1A412
STIEDE, PE: Comparison of methods for determining specific acoustic impedance, 10A402
STIEGLITZ, R: Magnetohydrodynamic flow in a right-angle bend in a strong magnetic field, 5A1059
STIENS, R: Evaluation of shock absorber models, 9A374
STILL, G: Optimality conditions in smooth nonlinear programming, 3T348
STINNETTE, P: Investigation of impact stresses induced in laboratory dynamic compaction of soft soils, 4A643
STINSON, MR: Porous road pavements: Acoustical characterization and propagation effects, 7A262
STINTON, DP: Review of the efficacy of silicon carbide hot-gas filters in coal gasification and pressurized fluidized bed combustion environments, 1A1367
- Development of ceramic composite hot-gas filters, 1A1357
STIRLING, MW: Neotectonic study of the San Miguel-Vallecitos Fault, Baja California, Mexico, 8T1466
STITTELER, MR: System for real-time measurement of thermally induced PWB-PWA warpage, 9A1317
STOBIECKI, F: Structure and magnetic properties of Ni-Ti multilayers, 9A384

STOCKILL, NP: Biomechanics of fast bowling in men's cricket: A review, 6A1549
STOCKLEY, BC: Whole-field optical diagnostics for structural analysis in the automotive industry, 1A810
STOCKTON, R: Vibration analysis of rotating machinery using a bispectrum, 9A173
- Analysis and comparison of the density functions in a chaotic, slewing link, 9T94
STOESSEL, A: Direct numerical simulations of wake vortices in intense homogeneous turbulence, 12A1139
STOESSEL, C: Novel processing technique for tow fiber reinforced metal matrix composites with tailored interfaces, 3T651
STOFFA, PL: Prestack plane-wave Kirchhoff migration in laterally varying media, 1A1408
STOFFER, D: Invariant manifolds and global error estimates of numerical integration schemes applied to stiff systems of singular perturbation type - Part II: Linear multistep methods, 4T63
STOIANOVICI, D: Kinematics and dynamic stability of the locomotion of post-polio patients, 2A1450
STOICA, A: Small gain theorem for linear stochastic systems, 12T362
STOJANOVIC, M: Performance of high-rate adaptive equalization on a shallow water acoustic channel, 4A287
STOJNIC, N: Landslide process simulations of the clayey slope with sand lens, 2A563
STOK, B: Optimization of single and multistep wire drawing processes with respect to minimization of the forming energy, 5A554
STOKES, A: Dynamics of kinematic chains, 2A345
- Semi-active control of friction dampers, 12A999
STOLARSKI, HK: Contact algorithm for problems involving quadrilateral approximation of surfaces, 9A942
STOLARSKI, TA: Frictional performance of an O-ring type seal at the commencement of linear motion, 7T947
STOLLERY, JL: Hypersonic jet control effectiveness, 10T1113
STOLOFF, NS: Effects of environment and heat treatment on the tensile and fatigue properties of Ti - 24 at%Al - 11 at%Nb, 5A592
STOLTE, JS: Detection and sizing of defects in control rod drive mechanism penetrations using eddy current and ultrasonics, 2A739
STONE, BJ: Torsional (rotational) vibration: Excitation of small rotating machines, 10A171
STONE, CR: Measure34ments and modeling of a lean burn gas engine, 8A1431
STONE, HA: Note on the capillary thread instability for fluids of equal viscosities, 2A1033
- Time-dependent drop deformation in a rotating high viscosity fluid, 2A970
STONE, K: Unsteady heat transfer in baffled channels, 2A1188
STONE, LD: Row-of-holes film cooling of curved walls at low injection angles, 12A1253
STONE, M: Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, 11A1581
STONE, MA: Residual stresses associated with post-cure shrinkage in GRP tubes, 8A538
STONE, PH: Baroclinic adjustment: A comparison between theory, observations, and models, 3T1137
STONE, R: Neural network thrust force controller to minimize delamination during drilling of graphite-epoxy laminates, 3A676
STOPP, H: Coupled heat air and moisture transfer in building structures, 7A1449
STORAKERS, B: Analysis of cold and hot isostatic compaction of spherical particles, 2A609
STORER, D: Harmonic analysis of the vibrations of a cantilevered beam with a closing crack, 5A95
STORM, PV: Interior plasma diagnostic of arcjet thrusters, 5A1386
STORMS, DH: Calcium buffering is required to maintain bone stiffness in saline solution, 3A1511
STOROY, S: Parallel Computing in Optimization, 12N6
STORTI, M: Petrov-Galerkin formulation for advection-reaction-diffusion problems, 3A1292
- Equal-order interpolations: A unified approach to stabilize the incompressible and advective effects, 10A1094
- General algorithm for compressible and incompressible flow: Stability analysis and explicit time integration, 11T964
STORY, T: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
STOTEN, DP: Application of the minimal control synthesis algorithm to the control and synchronization of chaotic systems, 7T334
STOTH, BE: Convergence of the two-phase Stefan problem to the one-phase problem, 8A1346
STOTT, FH: Characterization of wear scar surfaces using combined 3D topographic analysis and contact resistance measurements, 12A938
STOTT, JAK: Effect of buoyancy on upper-branch Tollmein-Schlichting waves, 10A1167
STOTT, JB: Oxidation rates of coals as measured from 1D spontaneous heating, 11A1418
STOUFFS, P: Residual reactivity of burned gases in the early expansion process of future gas turbines, 11T1408
- High-temperature reactive flow of combustion gases in an expansion turbine, 12A1176
STOUSTRUP, J: Multiobjective control for multivariable systems with mixed-sensitivity specifications, 7T320
STOUT, MG: Asymmetric yield surface of plastically orthotropic materials: A phenomenological study, 11A404
- Three-dimensional, finite deformation, viscoplastic constitutive models for polymeric materials, 12A8
STOUT, PW: Quantitative feedback theory with a scheduled gain for full envelope longitudinal control, 3A384
STOUT, R: Experimental investigation on flooding in a fluted tube with and without a twisted insert, 9A1294
STOVALL, TK: What are the potential benefits of including latent storage in common wallboard?, 11A1551
- Effects of partial inlet blockages on high-velocity flow through a thin rectangular duct: Experimental and analytical results, 12A1255
STOVER, SM: Calcium buffering is required to maintain bone stiffness in saline solution, 3A1511
- Collagen fiber organization is related to mechanical properties and remodeling in equine bone: A comparison of two methods, 5A1463
- Residual strength of equine bone is not reduced by intense fatigue loading: Implications for stress fracture, 7A1532
- Artifactual nonlinearity due to wear grooves and friction in four-point bending experiments of cortical bone, 7A1549
- Distribution of material properties in the equine third metacarpal bone serves to enhance sagittal bending, 9A1564
STOY, MA: In-situ FT-IR monitoring of a solar flux induced chemical process, 12A1515
STOYAN, G: Mathematical model of a radiating, viscous, heatconducting fluid: Remarks on a paper by J Forste, 12A1314
STRADA, S: LQ approach to active control of vibrations in helicopters, 4A395
STRAFFELINI, G: Dry sliding wear mechanisms of the Ti6Al4V alloy, 12A940
STRAKA, JM: Three-dimensional numerical analysis of colliding microburst outflow dynamics, 4A1442
STRAKNA, TJ: Influence of grinding direction on fracture strength of silicon nitride, 1A716
STRAND, B: Superconvergence of Galerkin methods for hyperbolic IBVP, 3A26
STRANG, EJ: Measurement of turbulence near shear-free density interfaces, 9A1115
STRANO, S: Multivariate time-variant AR method for the analysis of heart rate and arterial blood pressure, 11A1568
STRATMANN, F: Differential electrical mobility analysis: A theoretical study, 9A1411
STRAUB, D: Alternative Mathematical Theory of Non-Equilibrium Phenomena, 12R32
STRAUB, FK: Effects of surface blowing-suction on the aerodynamics of helicopter rotor blade-vortex interactions - A numerical simulation, 10A1219
STRAUB, H: Strain relaxation induced red shift of photoluminescence of CdZnSe/ZnSe quantum wires, 9A1322
STRAUGHAN, B: Two very accurate and efficient methods for computing eigenvalues and eigenfunctions in porous convection problems, 2A1367
- Structural stability for the Brinkman equations of porous media, 4A1349
- Chebyshev tau-QZ algorithm methods for calculating spectra of hydrodynamic stability problems, 6A1142
- Multi-component diffusion and penetrative convection, 7A1379
STRAUSS, K: Combined PIV-LIF-system for the measurement of heterogeneous drag reduction effects in a pipe-flow, 8A1140
STRAWN, RC: Parallelization of a 3D flow solver for Euler rotorcraft aerodynamics predictions, 5A965
STREATOR, JL: Head-disk interface performance with a starved liquid bearing - Analytical solution to Reynolds equation in the near-contact regime, 1A1119
- Experimental and theoretical analysis of magnetic head-disk interface equilibrium in the "rupture" regime of the starved-liquid bearing, 12A1203
STREIFF, D: Propagation of a shear crack on a non-planar fault: A method of calculation, 12A1475
STREIT, DA: Harmonic synthesis design methodology for dynamic spring balancing, 6A160
- Modeling and analysis of a high-speed transmission with multi-path, elastomeric load-share gears, 8A954
- Harmonic synthesis theory for dynamic spring balancing, 9A964
STREITLIEN, K: Efficient foil propulsion through vortex control, 5A201
STREK, W: Utilization of IR laser pumped anti-Stokes emission of Er-Yb doped systems for identification of securities, 2A333
STRELETS, M: Navier-Stokes study of natural convection and heat transfer in vertical symmetrically heated plate-fin heat sinks, 6A1239
STREMEL, PM: Effects of fences on airfoil aerodynamics at -90° incidence, 4A1112
STRENG, M: Optimality conditions in smooth nonlinear programming, 3T348
STREPPEL, AH: Influence of material behavior in air bending of steel sheet, 10A733
STRGANAC, TW: Predictions of nonlinear viscoelastic behavior using a hybrid approach, 5A403
STRICKER, J: Holographic study of suspended vaporizing volatile liquid droplets in still air, 1A1214
- Dual hologram technique with enhanced sensitivity for measurements of weak phase objects, 8A1258
- Three-dimensional density field diagnostics by tomographic Moire technique, 11A1120
STRICKLAND, JH: Numerical and experimental investigations of the flow over a disk undergoing unsteady motion, 5A937
STRIFORS, HC: Transient resonance scattering and target identification, 5A247
STRIJCKMANS, K: Quantification of microscopic wear amounts of steel surfaces with thin layer activation, 1A898
- Characterization of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, 12A775
STRIKWERDA, JC: Fast solvers for finite difference approximations for the Stokes and Navier-Stokes equations, 5A945
- High-order-accurate schemes for incompressible viscous flow, 10A1097
STRINGER, C: Effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, 2A639
STRIZ, AG: New approach to the differential quadrature method for fourth-order equations, 10A111
- Free vibration of plates by the high accuracy quadrature element method, 11A125
STRIZHALO, VA: Development of a constitutive model for biaxial low-cycle fatigue, 5A602
STROGANOV, AS: Extension of Hencky's theorem, 7A432
STROHBEHN, K: Vesico-urethral pressuregram analysis of urethral function under stress, 6A1536
STROMATT, RF: Seismic performance of confined sill plate connections, 6A1454
STROMBERG, L: Finite element-formulation of a non-local plasticity theory, 3A483
STRONG, DJ: Elastic buckling of end-loaded, tapered, cantilevered beams with initial curvature, 12A645
STRONGE, WJ: Theory for ballistic limit of thin ductile tubes hit by blunt missiles, 6A251
- Impact response of composite cylinders, 12A592
STROSCHEIN, LA: Numerical analysis of an extremity in a cold environment including countercurrent arterio-venous heat exchange, 10A1550
STROUBOULIS, T: Pollution error in the h-version of the FEM and the local quality of the recovered derivatives, 6A22
- How to generate local refinements of unstructured tetrahedral meshes satisfying a regularity ball condition, 8A45
STROUD, WJ: Reliability-based optimization: A proposed analytical-experimental study, 4A817
STROZIK, M: Stand for investigations of 3D, turbulent flow in axial compressing stage, 4A1095
STRUL, E: Minimum-state unsteady aerodynamic approximations with flexible constraints, 6A1190
STRUM , MJ: Continuum predictions of deformation in composites with two creeping phases - I: Model systems, 1A460
STRUMINSKII, VV: Development and substantiation of the kinetic theory of gases in the twentieth century, 11A986
STRUNK, HP: Mechanical properties and microstructural analysis of a diamond-like carbon coating on an alumina-glass composite, 2A451
STRUPCZEWSKI, WG: Can series of maximal annual flow discharges be treated as realizations of stationary processes?, 4A1441
STRUSZCZYK, H: Assessing the suitability of various types of cellulose for the production of cellulose carbamate, 4T462
STRYK, RA: SPH for high velocity impact computations, 6A260
- Automatic sliding interface algorithm for intense impulsive loading computations, 7A206
STRYKOWSKI, PJ: Multiaxis fluidic thrust vector control of a supersonic jet using counterflow, 2T1095
- Counterflow thrust vectoring of supersonic jets, 5A955
- Counterflow thrust vector control of subsonic jets: Continuous and bistable regimes, 10A1433
STRZELECKI, M: Parameter estimation of Markov random field model of image textures, 9A316
STUART, D: Bacterial impacts of ocean outfalls: Legal challenges, 7T1513
STUART, GW: Rapid multi-wave-type ray tracing in complex 2D and 3D isotropic media, 7A1474
- Transmission-reflection tomography: Application to reverse VSP data, 11A1478
STUART, JT: Evolution of vorticity in perturbed flow in a pipe, 4A1045
STUART, RA: Epoxy-coated and uncoated strand transfer lengths for PC panels, 11A793
STUBBE, P: Earth's Ionosphere: A wall-less plasma laboratory, 9T1507
STUBBS, DA: Detection of porosity in glass ceramic matrix composites using an ultrasonic multiple-gate C-scan technique, 1A816
STUBBS, N: Damage localization in structures without baseline modal parameters, 2A709
STUBBS, RE: Efficient treatment of binary nonlinearities applied to elastic contact problems without friction, 9A441
STUBLEY, GD: Adaptive agglomeration method for additive correction multigrid, 8A53
- Application of a novel algorithm for moving surface flows, 10A1082
STUBOS, AK: Numerical investigation of vapor-liquid flow and heat transfer in capillary porous media, 8A1459
STUDER, M-A: Introduction a l'Analyse des Structures (French), 10R11
STUEBE, ET: Automated plaque picking and arraying on a robotic system equipped with a CCD camera and a sampling device using intramedic tubing, 5T361
STUFFLE, RE: Symbolic mathematics for the calculation of thermal efficiencies and tip temperatures in annular fins of uniform thickness, 4T1246
STUHLTRAGER, E: Heat transfer and flow resistance of a shell and plate-type evaporator, 11A1338
STUHNE, GR: Vortex erosion and amalgamation in a new model of large scale flow on the sphere, 4T25
STUKOTILOV, VS: Effect of anisotropic physico-mechanical properties of material on the surface instability of layered half-bounded media (Russian), 12A638
- Stability of multilayer coatings of tribotechnical purpose under low precritical strains (Russian), 12A927
STULOV, VP: Interactions of space bodies with atmospheres of planets, 12A293
STUMM, BJ: Control volume approach for investigating forces on a departing bubble under subcooled flow boiling, 11A1282
STUMP, BW: Constraints for upper mantle shear-wave models of the basin and range from surface-wave inversion, 4A1418
STUMP, DM: Elastic tensile stresses beneath perfectly plastic indentation fields, 12T525
STUMPF, H: Model of elastoplastic bodies with continuously distributed dislocations, 3A463
- Finite element analysis of smooth, folded, and multi-shell structures, 9A573
- Application of tensor algebra on manifolds to nonlinear continuum mechanics: Invited survey article, 12A1
STUNDZIA, AB: Stochastic simulation of coupled reaction-diffusion processes, 2A1304
STURE, S: Embedded localization band in undrained soil based on regularized strong discontinuity: Theory and FE-analysis, 1A613
- Implicit integrations in elastoplastic geotechnics, 10A718
- Mixed least squares method for solving problems in linear elasticity: Formulation and initial results, 10A570
STUREK, WB: Computation of the roll characteristics of a finned projectile, 6A1198
STURESSON, P-OH: Identification of statistical properties of cutting tool vibrations in a continuous turning operation: Correlation to structural properties, 11A157
STURGES, JL: High strain-rate fracture characteristics of ductile metals at elevated and sub-ambient temperatures, 10A829
STURGES, LD: Engineering Mechanics, Second Edition: 2 Volume Set, 1N55
- Statics and Mechanics of Materials: An Integrated Approach, 1R22
STURGESS, CEN: Roll pass evaluation for 3D section rolling using a simplified FEM, 12A721
STURGESS, GJ: Lean blowout in a research combustor at simulated low pressures, 5A1350
- Lean blowout research in a generic gas turbine combustor with high optical access, 8A1420
STURGIS, BR: Moving mass trim control for aerospace vehicles, 3A287
STURLA, FA: Free and forced vibrations of a spinning viscoelastic beam, 1A163
STURM, P: Vehicles and environment, 11T1555
STURM, TW: Water surface profiles in compound channel with multiple critical depths, 6T993
STURMFELS, B: Computing Hopf bifurcations - I, 8A617
STUTTAFORD, PJ: Preliminary gas turbine combustor design using a network approach, 12A1401
STUTZ, B: Experiments on unsteady cavitation, 8A1032
STUWE, HP: Fracture mechanics model for the wear of gear flanks by pitting, 12A947
STYCZEK, A: Fast and efficient vortex-blobs simulation of the flow past the circular cylinder, 4A983
- Dust spreading in the turbulent atmosphere, 4A1472
- Stochastic vortex method for viscous incompressible flows in a spatially periodic domain, 9A1022

STYLIANOU, MC: Consistent local error computations - Part II: FE applications, 3A19
- Consistent local error computations - Part I: Theory, 3A69
STYNES, M: Pointwise error estimates for a streamline diffusion scheme on a Shishkin mesh for a convection-diffusion problem, 7A1387
- Efficient generation of oriented meshes for solving convection-diffusion problems, 7A1382
- Analysis of a cell-vertex finite volume method for a parabolic convection-diffusion problem, 7A1381
SU, CHEN-KAI: Receptance method for the sensitivity analysis of critical speeds to rotor support stiffness, 12A211
SU, CHIN-CHIA: Experimental studies on flow in convergent and divergent ducts of rectangular cross section, 7A1238
SU, FEN: Response analysis for fuzzy stochastic dynamical systems with multiple dof, 7A116
SU, FENG: Comparison of direct S-wave and coda-wave site amplification determined from aftershocks of the Little Skull Mountain earthquake, 2A1395
SU, J: Coupled radially symmetric linear thermoelasticity, 12A297
- Automatic differentiation in robust optimization, 12A882
SU, JUN-YI: Investigation on the components and the formation of a tribochemical film in the Si_3N_4-gray iron sliding pair lubricated with distilled water, 12A953
SU, R: Control of building vibrations with active-passive devices, 4A1401
SU, S: Comparison of the reciprocating and continuous two-body abrasive wear behavior of solution-treated and age-hardened 2014 Al alloy, 12A939
SU, SG: Modeling of the noise spectra of axial flow fans in a free field, 9A255
SU, TC: Markov process modeling of groundwater contamination problems, 4A53
SU, WEIZHOU: Robust control of nonlinear feedback passive systems, 3A353
- Robust input to state stabilization for minimum-phase nonlinear systems, 10T429
SU, X: Surface-initiated rolling contact fatigue of pearlitic and low carbon bainitic steels, 2A904
- Surface initiated fatigue of pearlitic and bainitic steels under water lubricated rolling-sliding contact, 7A926
SU, XIAN-YU: Computer simulation of a 3D sensing system with structured illumination, 9A797
SU, XIAN-YUE: Propagation of waves in rate-dependent plastic softening rod and beam, 9A183
SU, XIANJI: DDGS high speed camera with some applications, 6A820
SU, XIAOFENG: Study of the elasto-plastic axially tensile properties of metal matrix composites with fiber-end debonding, 5A445
SU, XM: Singular stress at the crack tip of a thick plate under in-plane loading, 12A844
SU, XY: Dynamic behavior of a semi-infinite elastic-hardening-softening beam, 8A130
SU, YAW-TERNG: Effects of tool surface irregularities on machining rate of a hydrodynamic polishing process, 4A898
- Process planning strategy for removing an arbitrary profile by hydrodynamic polishing process, 5A572
SU, YIXIN: Robot modeling and determination of robot configuration by applying self-organization of cell group (Japanese), 5A343
SU, YL: Comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, 4A895
SU, YP: Three-dimensional hyperbolic grid generation with inherent dissipation and Laplacian smoothing, 2A989
- Explicit time marching methods for the time-dependent Euler computations, 8T1084
SUAREZ, LE: Active and semi-active control of structures under seismic excitation, 7A1478
SUAREZ, M: Stochastic structure of downstream pressure from an axial compressor - II: Investigation of blade-to-blade variability, 3A1203
- Stochastic structure of downstream pressure from an axial compressor - I: Periodic time-frequency spectral description, 3A1202
SUAREZ-VIDAL, F: Neotectonic study of the San Miguel-Vallecitos Fault, Baja California, Mexico, 8T1466
SUBBA RAO, KS: Passive pressure coefficients, critical failure surface and its kinematic admissibility, 9T640
- Passive pressure determination by method of slices, 10A705
- Flexural capacity of edge loaded annular foundations, 12A698
SUBBA, S: Partially premixed laminar gas flames from triangular burners, 9A1358
SUBBARAO, PMV: Performance evaluation of iterative tomographic algorithms applied to reconstruction of a 3D temperature field, 10A1314
SUBBARAYAN, G: Reliability simulations for solder joints using stochastic FE and artificial neural network models, 4A948
- Procedure for automated shape and life prediction in flip-chip and BGA solder joints, 4A947
SUBHASH, G: Experimental technique to investigate the dynamic indentation hardness of materials, 11A743
SUBRA, P: Numerical simulation of rapid expansion of supercritical fluid, 3T1215
SUBRAHMANYAN, PK: Dynamics of a flexible five bar manipulator, 8A432
SUBRAMANIAM, M: Minimum time maneuver of flexible systems using pulse response based control, 7A355
SUBRAMANIAM, VV: Numerical simulation of a hydrogen arcjet, 5A1389
SUBRAMANIAN, A: Single exposure reflection moire interferometric technique for complete curvature analysis of bent plates, 9A804
SUBRAMANIAN, C: Abrasive wear of aluminium composites: A review, 7A874
- Dry sliding wear of aluminium composites: A review, 11A831
SUBRAMANIAN, CV: Ultrasonic response of various types of code recommended reference defects: A comparative study, 7T792
SUBRAMANIAN, G: Algorithm for 2D and 3D automatic structured mesh generation, 3A41
- Isospectral systems for tapered beams, 6A154
- Single exposure reflection moire interferometric technique for complete curvature analysis of bent plates, 9A804
SUBRAMANIAN, M: Cyclic behavior of steel-fiber mortar overlaid concrete beams, 8A900
SUBRAMANIAN, S: Effect of loading frequency and interleaf on the delamination characteristics of laminated composites, 1A690
- Parallel computing concepts and methods for Floquet analysis of helicopter trim and stability, 4A1151
- Micromechanics model for predicting the tensile strength of unidirectional metal matrix composites, 11A474
SUBRAMANIAN, SV: Micromechanisms of tool wear in machining free cutting steels, 2A886
SUBRAMANYA SARMA, V: Low cycle fatigue behavior of a medium carbon microalloyed steel, 10A771
SUCCI, S: Turbulent channel flow simulations using a coarse-grained extension of the lattice Boltzmann method, 9T1125
SUCHANEK, M: Influence of the nonhomogeneous temperature field on the optimal winding prestress of the compound pressure vessel, 5A807
SUCHOMSKI, P: Parallel estimation approach to adaptive filtering, 9A309
SUCUOGLU, H: Performance evaluation of a three-story unreinforced masonry building during the 1992 Erzincan earthquake, 8A1486
- Behavior of window glass panels during earthquakes, 10A1460
SUDA, H: Effects of copper particles and oleic acid on the friction and wear characteristics of ceramics in ethanol, 2A858
SUDARSKY, S: Dynamic multi-rigid-body contact problems with Coulomb friction, 10A116
SUDHAKAR, A: Performance of zinc alloy based metal matrix composites produced through squeeze casting, 3T645
SUDHAKARA RAO, B: Analysis of rotors considering distributed bearing stiffness and damping, 4A923
SUDICKY, E: Upscaling in porous media: Theories and computations, 9A1421
SUDO, M: Mechanism of a lateral spreading of the saturated sandy ground (Japanese), 10A694
SUDO, T: Time evolution of acoustic streaming from a planar ultrasound source, 1A307
SUDO, Y: Mechanism and effects of predominant parameters regarding limitations of falling water in vertical countercurrent two-phase flow, 2A1209
- Study on critical heat flux in rectangular channels heated from one or both sides at pressures ranging from 0.1 to 14 MPa, 2A1214
- Analytical study on characteristics of critical heat flux under high subcooling and high velocity conditions, 9A1246
- Study of injected water subcooling effect on falling water limitation in countercurrent two-phase flow in vertical channels, 9A1254
SUDOH, K: Load distribution analysis method for cylindrical worm gear teeth, 5A861
SUDSANG, A: Computing four-finger equilibrium and force-closure grasps of polyhedral objects, 8A424
SUE, HJ: Mode II fracture of composites interlayered with nylon particles, 7A744
SUEKANE, T: High-enthalpy extraction demonstration with closed-cycle disk MHD generators, 11T1436
SUEMASA, N: Mechanism of a lateral spreading of the saturated sandy ground (Japanese), 10A694
SUENG, SH: Efficient optimum design procedure for bicycle rear derailers, 3A907
SUES, RH: Stochastic optimization using the stochastic preconditioned conjugate gradient method, 2T317
SUETAKE, Y: Extended trigonometric series analysis of box girders with diaphragms, 9A564
SUETSUGU, D: Elastic finite-difference modeling of strong motion in Ashigara Valley for the 1900 Odawara, Japan, earthquake, 2A1392
SUETSUGU, M: Application of photo-viscoplasticity to geotechnical engineering, 7T574
SUGA, H: Finite-element stress analysis of double-lap adhesive joints, 6A979
- Laser system for counting cloth filaments, 12A873
SUGAHARA, M: Study of design method of pile anchored to bedrock (Japanese), 2A561
SUGAI, H: Experiments on ion-acoustic solitons in a plasma, 2A1064
SUGANO, K: Experimental study on applicability of high sensitivity radar to diagnosis of impermeable asphalt layer (Japanese), 2A576
SUGANO, T: Stress strain relationship in the ground at the Kobe Port Island during 1995 Hyogo-Ken Nanbu earthquake inferred from strong motion array records (Japanese), 5T1419
SUGANO, Y: Multicriterial material tailoring of a hollow cylinder in functionally gradient materials: Scheme to global reduction of thermoelastic stresses, 3A529
- Thermally induced stress waves in functionally graded materials with temperature-dependent material properties, 10A1367
SUGANUMA, E: Three-axis capacitive accelerometer with uniform axial sensitivities, 8A415
SUGANUMA, S: Simulation of wind-induced lateral-torsional motion of tall buildings, 9A157
SUGASAWA, S: Study on advanced man-machine interface system for autonomous nuclear power plants, 12A1418
SUGAWARA, A: Effect of surfactant properties on lapping behavior of materials, 11A636
SUGAWARA, H: Test method for mode II fatigue crack growth relating to a model for rolling contact fatigue, 5A637
SUGIBAYASHI, T: Fracture behavior and strength of stepped-lap bonded joint with adhesive resin under tensile loading, 1A944
- Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563
SUGIE, N: Planning of simultaneous machining sequence for turning by considering division of machining areas: Generation of effective combinations for simultaneous machining (Japanese), 1A654
SUGIE, Y: Mechanical properties and localized corrosion behavior of powder metallurgical whisker reinforced aluminium metal matrix composites (Japanese), 7A473
SUGIHARA-SEKI, M: Motion of an ellipsoid in tube flow at low Reynolds numbers, 5A1001
SUGIMOTO, N: Acroelastic stability of a beam traveling in a tunnel lined with resonators, 4A1130
SUGIMOTO, T: Influence of a yacht's heeling stability on optimum sail design, 5A1061
SUGIMURA, J: Fractal surfaces and hydrodynamic lubrication, 3A1206
SUGIMURA, N: Simulation for manufacturing systems, 7A394
SUGISHIMA, T: Analyses of interaction between two pairs of shield tunnels and soil, and their application to design and construction of parallel shield tunnels (Japanese), 10A957
SUGITA, K: Gear grinding by threaded vitrified-bonded CBN wheel, 7T618
SUGITA, T: Control of cutting ability in superfinishing (Japanese), 5T570
SUGITA, Y: Magnetism and magnetoresistance of multilayers prepared on microstructured substrates, 9A609
SUGIURA, K: Three dimensional contact-separation behavior on high strength bolted flange joints (Japanese), 3A927
SUGIURA, M: Use of nickel foil strain gages at varying temperatures, 1A797
SUGIYAMA, H: Experimental analysis of 2D unsteady temperature field by using Mach-Zehnder interferogram images, 9A1239
SUGIYAMA, I: New infrastructure design method considering restriction of energy consumption (Japanese), 8T875
SUGIYAMA, T: Study on settlement crack for reinforced concrete structures (Chinese), 10A944
SUGIYAMA, Y: Stabilization of cantilevered flexible structures by means of an internal flowing field, 3T279
- Influencing factors on fatigue crack propagation of high strength steels in air (Japanese), 4A708
- Optimum member location design of truss by genetic immune recruitment mechanism (Japanese), 6A855
- Stability of a jointed free-free beam under end rocket thrust, 6A628
SUH, J-K: Dynamic unconfined compression of articular cartilage under a cyclic compressive load, 5A1483
SUH, KUNE Y: Debris interactions in reactor vessel lower plena during a severe accident - II: Integral analysis, 5A1442
- Debris interactions in reactor vessel lower plena during a severe accident - I: Predictive model, 5A1441
SUH, MS: Boundary lubrication characteristics of silica-based electro-rheological fluids, 6A1206
- Numerical analysis of channel flows of ER fluid, 6A1166
SUH, NP: Rapid polymer-gas solution formation for continuous production of microcellular plastics, 5A551
SUH, SUK-HWAN: Incorporation of tool deflection in tool path computation: Simulation and analysis, 1A411
- Neural network modeling for tool path planning of the rough cut in complex pocket milling, 4A673
SUHADOLC, P: Seismic input modeling for zoning and microzoning, 3A1371
SUHARA, R: Measurement and identification of deformational behavior of a tunnel reservoir (Japanese), 10A959
SUHERMAN, S: Use of flexible internal support to suppress vibrations of a rotating shaft passing through a critical speed, 10A220
SUHIR , E: Shock-excited vibrations of a conservative Duffing oscillator with application to shock protection in portable electronics, 2A87
SUHIR, E: Structural Analysis in Microelectronics and Fiber Optics - 1996, 3N13
- Predicted thermal mismatch stresses in a cylindrical bi-material assembly adhesively bonded at its ends, 10A1361
- Analysis and optimization of the input-output fiber configuration in a laser package design, 11A1375
SUHUBI, ES: Symmetry groups for arbitrary motions of hyperelastic solids, 12A92
SUI, GUANG JUN: Backscatter of elastic wave from a thermally affected inhomogeneous layer, 10A271
SUI, GUO-XIN: Effects of prestrain on the fatigue properties of VIRALL laminate, 4A704
SUI, PING C: Efficient computation model for calculating surface contact pressures using measured surface roughness, 10A1258
SUI, YK: Curvilinear search for structural optimization, 5A744
SUI, YUN KANG: Second-order method of generalized geometric programing for spatial frame optimization, 9A908
SUIB, SL: Microporous and Macroporous Materials, 7N18
SUIRE, G: Parametric instability of viscoelastic nonlinear (elastica) columns, 4T614
SUJATHA, C: Modified semi-analytical approach towards the modeling of a shaft-disc system, 1A194
- Studies on the determination of natural frequencies of industrial turbine blades, 4A152
- Disc flexibility effects in rotor bearing systems, 7A155
SUJATHA, KS: Analysis of a bubble absorbent working with R22 and five organic absorbents, 10A1393
SUJITH, RI: Effect of evaporation on droplet drag, 7A1072
SUK, M: Effect of disk roughness on the wear of contact recording heads, 4A925
SUKHANOV, MI: Internal friction in the parts of tribosystem and its significance for selection of compatible materials, 2A862
SUKHATME, GS: Design and control of a prototype quadruped microrover, 12A429
SULEIMAN, MB: Partitioning ordinary differential equations using Runge-Kutta methods, 3A74
SULEJ, S: Dynamic loads in automotive suspension, 4A856
SULEM, J: Continuum model for periodic 2D block structures, 8A3
- Discrete and continuous models for dry masonry columns, 9A148
SULIMAN, SMA: Relationship between performance and sparks generated in selected cylindrical grinding experiments, 3A640
SULIMOWSKI, Z: New approach to the limit states of building objects on mining exploitation areas (Polish), 9A912
SULLIVAN , S: Computing four-finger equilibrium and force-closure grasps of polyhedral objects, 8A424
SULLIVAN JR, JM: Adaptive mesh generation using a normal offsetting technique, 10A42
- Three-dimensional mesh generator for arbitrary multiple material domains, 10A62
SULLIVAN, JM: Distributed sensor-actuator design for plates: Spatial shape and shading as design parameters, 12A894
SULLIVAN, JP: Heat transfer and flow structures in an excited circular impinging jet, 1A1267
- Temperature- and pressure-sensitive luminescent paints in aerodynamics, 7A1179
- Boundary-layer transition detection in a cryogenic wind tunnel using luminescent paint, 8A1127
SULLIVAN, M: Use of active deformable models in model-based robotic visual servoing, 5A356
SULLIVAN, PA: Shock protection of portable electronic products: Shock response spectrum, damage boundary approach, and beyond, 10A285
SULLIVAN, PP: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
- Grid nesting method for large-eddy simulation of planetary boundary-layer flows, 5A1431
- Langmuir turbulence in the ocean, 9A1503
SULLIVAN, RM: Finite element analysis of poroelastic composites undergoing thermal and gas diffusion, 5A1285

SULSKY, D: Axisymmetric form of the material point method with applications to upsetting and Taylor impact problems, 6A258
SULTAN, MA: Output regulation for flexible-joint manipulators using partial state measurement, 5A342
- Robust PID regulator for robots yielding constant torque disturbance rejection, 11A336
SULTANOV, KS: Nonstationary diffraction of plane elastic waves by a cone, 1A317
SULTANOVIC, D: Study of the heat transfer of rivulet flow on inclined plates, 11A1525
SUMAN, BM: Effect of moisture on heat flow through homogeneous and composite building sections, 6A1273
SUMATHY, K: Thermodynamic analysis of a solar thermal water pump, 6A1509
SUMBATOV, AS: Poshekhonov pendulum, 6A142
SUMBATYAN, MA: Slide rotation of rigid bodies subjected to a horizontal ground motion, 4A1414
- Scattering of a horizontally polarized oblique wave by a pair of surface-breaking cracks, 5A244
- Wave propagation in elastic solids with a doubly periodic array of cracks, 8A220
- Interaction of an oblique incident elastic wave with a pair of surface-breaking cracks, 10A274
SUMER, BM: Velocity and concentration profiles in sheet-flow layer of movable bed, 3A989
- Horseshoe vortex and vortex shedding around a vertical wall-mounted cylinder exposed to waves, 8A1076
- Scour at the head of a vertical-wall breakwater, 8A1036
- Scour at the round head of a rubble-mound breakwater, 8T1037
SUMI, N: Thermally induced stress waves in functionally graded materials with temperature-dependent material properties, 10A1367
SUMI, Y: Morpohological aspects of fatigue crack propagation - Part II: Effects of stress biaxiality and welding residual stress, 12A748
- Morpohological aspects of fatigue crack propagation - Part I: Computational procedure, 12A747
SUMIYA, H: Plant identification from leaves using quasi-sensor fusion, 2A326
SUMIYOSHI, M: Temperature changes and thermal stresses obtained during construction of immersed-type tunnel (Japanese), 5A793
SUMMERS, J: Fifty cent rheometer for yield stress measurement, 5A901
SUMMERS, JL: Creeping flow analyses of free surface cavity flows, 6A1119
SUMNER, D: Permissible 3D testing in a 2D adaptive wall wind tunnel, 9T1053
- Testing 3D bluff-body models in a low-speed 2D adaptive wall test section, 11A956
SUMOMOGI, T: Flow pattern of working fluid and heat-transfer performance in annular type rotating heat pipes with horizontal axis - Part I: Flow pattern and the heat transport rate at the evaporation section, 7A1341
- Heat transfer rate of annular-type horizontal rotating heat pipes - Part II: Experiments and theoretical analysis for the heat transport rate, 9A1300
SUMPTER, JDG: Elastic-plastic fracture mechanics assessment of low constraint aluminium test specimens, 10A810
SUN , CT: Prediction of impact induced penetration and delamination in thick composite laminates, 7A204
SUN , MUNAN: Road induced evolutionary random response of vehicle (Chinese), 10T232
SUN , QINHONG: Modal suppression and modal reconstruction of active structures by secondary force (Chinese), 10A376
SUN , TAO: Optimal vibration control of structures with great disparity in rigidity (Chinese), 10T491
SUN , YING: Free boundary problem for the 2D seepage flow, 3A992
SUN, B: Finite element method for simulating interface motion - I: Migrations of phase and grain boundaries, 10A29
SUN, BEIBEI: Modal suppression and modal reconstruction of active structures by secondary force (Chinese), 10A376
SUN, BH: Approximated shell model based on additive decomposition of deformation gradient, 1A557
SUN, BYUNG K: Spectral optical functions of silicon in the range of 1.13 - 4.96 eV at elevated temperatures, 7A1319
SUN, C-Y: Heat and mass transfer characteristics of a new combined absorber-evaporator exchanger operating near the triple point of water, 1A1262
SUN, CHANGLING: Human-imitating intelligent control and triple inverted-pendulum, 5A288
SUN, CHIN-TEH: Effect of adhesive bonding between aluminum and composite prepreg on the mechanical properties of carbon-fiber-reinforced metal laminates, 8A536
SUN, CHUNG-YUNG: Experimental study on the heat and mass transfer of a combined absorber-evaporator exchanger, 5A1310
SUN, CJ: Analytic description of the evolution of 2D flame surfaces, 3A1295
- Structure of nonsooting counterflow ethylene and acetylene diffusion flames, 5A1331
SUN, CT: Analysis of forming loads for thermoplastic composite laminates, 1A665
- Deformation of thermoplastic composite laminates under processing conditions, 2A445
- Effect of matrix cracking on stiffness of composite laminates, 2A675
- Calculating strain energy release rate in cracked orthotropic beams, 4A749
- J-integral in periodically layered composites, 5A675
- Formulation of an adaptive sandwich beam, 7A507
- Fracture criterion for notched thin composite laminates, 7A738
- Formulation of an adaptive sandwich beam, 7A506
- Simplified method for predicting onset of open-mode free edge delamination, 9T720
- Quadratic yield function for fiber-reinforced composites, 11A435
- Calculation of stress intensity factors for interlaminar cracks in composite laminates, 12A797
- Use of finite extension strain energy release rates in fracture of interfacial cracks, 12A796
- Singular stress at the crack tip of a thick plate under in-plane loading, 12A844
- Scratch testing of advanced composite surfaces, 12A603
SUN, DA-WEN: Performance characteristics of HCFC-123 ejector refrigeration cycles, 4A1253
- Thermodynamic design data and optimum design maps for absorption refrigeration systems, 7A1231
SUN, DACHENG: Application of the BEM to the fatigue cracked propagation in a crack heterogeneous body, 10A87
SUN, DONGCHANG: Distributed piezoelectric segment method for vibration control of smart beams, 9T843
SUN, DONGNING: Influence of low-frequency varying magnetic field on the pulsatile flow in a rigid round tube, 10A1204
SUN, DZ: Three-dimensional cell model analyses of void growth in ductile materials, 10A837
SUN, EY: Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, 4A765
SUN, FAN-PING: Debond detection using broad-band high-frequency excitation and non-contacting laser vibrometer system, 1A157
SUN, FENGRUI: Heat transfer effect on the specific cooling load of refrigerators, 4A1252
- Heat transfer effect on the specific heating load of heat pumps, 5A1280
- Optimization of solar absorption refrigerator, 6A1293
- Influence of heat transfer law on the performance of a Carnot engine, 7A298
- Generalized model of a real refrigerator and its performance, 8A1375
- Steady flow combined refrigeration cycle performance with heat leak, 11A1363
- Maximum power of a combined-cycle isothermal chemical engine, 11A1198
SUN, H: Numerical solution of transient torsional wave propagation in a transversely isotropic cylinder, 6A236
- Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, 9A1206
SUN, HC: Relative difference quotient algorithm for discrete optimization, 2A762
- Two-level delimitative and combinatorial algorithm for discrete optimization of structures, 12A892
SUN, HS: Theoretical analysis for mechanical erosion of carbon-base materials in ablation, 5A1288
SUN, HUANCHUN: Virtual BE-least square method for solving 3D problems of thick shell (Chinese), 2A495
- Virtual BE-least square method for solving boundary value problems of elliptic partial differential equations (Chinese), 12A72
SUN, HUI-YU: Prediction of the mechanical properties of 3D braided composites, 12A588
SUN, I-MAN: Remarks on a singular diffusion equation, 3T1284
SUN, JAN-SHIUNG: Kinematic design optimization of the variable lead screw mechanism with cone meshing element, 3A908
SUN, JG: Measurement of surface heat transfer due to particle impact, 11A1302
SUN, JINCAI: Dynamic vibration absorbers used for increasing the noise transmission loss of aircraft panels, 3A187
- Error analysis on measurement of vibration intensity based on dual transducers, 4A171
- Arrangement of error sensors for adaptive active noise control in free sound field (Chinese), 7T271
SUN, JM: Effective viscosity of an electrorheological fluid, 6A5
SUN, JQ: Observations on physical duality and colocation of structural control sensors and actuators, 2T323
- Distributed piezoelectric actuators for shell interior noise control, 4A302
SUN, JUNSUO: Adaptive viscoelastic stress splitting scheme and its applications: AVSS-SI and AVSS-SUPG, 1T457
SUN, KE-NING: Electrodeposited Cr - Al_2O_3 composite coating for wear resistance, 2A911
SUN, L: Reverse static force analysis of a special planar three-spring system, 11A341
SUN, LI-TAN: Application of miles-Howard theorem to study the instability of atmospheric gravity waves on a heterogeneous orthogonal shear flow, 7T1498
SUN, LIXIAN: Investigation on application of orthogonal network optimal method to performance optimization of diesel engines (Chinese), 6A1357
SUN, LM: Numerical investigation of adsorptive heat pump systems with thermal wave heat regeneration under uniform-pressure conditions, 4A1244
SUN, LP: Restricted trust region method with supermemory for unconstrained optimization, 2A316
SUN, MAO: Prediction of the flow field of a rotor in ground effect, 10A1225
SUN, MIN: Study of air filter systems of heavy-duty diesel engines (Chinese), 4A1030
SUN, NS: Thermomechanical coupling effects on fractured solids, 5A1299
SUN, PEIYAN: Intelligential fuzzy control theory with predictive and decoupling functions (Chinese), 4A344
- Study of fuzzy control theory application to engine transient testbed (Chinese), 4A345
- Key technique of laser measurement of fuel spray field (Chinese), 4A1181
SUN, PU: Pseudo-non-time-splitting method in air quality modeling, 2A1442
SUN, QIN: Reliability analysis for offshore platform structural systems, 12T270
SUN, QING-PING: Continuum analysis of transformation plastic localization in ceramics, 12A518
SUN, R: Decoupling longitudinal and transverse vibrations of a cylindrical beam in time and frequency domains, 10T176
SUN, RUIJUAN: Two-parameter model for three-types of nuclepore filtration of leukocytes, 11A901
SUN, S-M: Crack initiation and small fatigue crack growth behavior of squeeze-cast Al-Si aluminium alloys, 9A701
SUN, SSU-HSUEH: Experimental study of simultaneous heat and moisture transfer around single short porous cylinders during convection drying by a psychrometry method, 1A1306
SUN, TAO: Optimal allocation of the control matrix of flexible structures (Chinese), 2A324
SUN, W: Observations on the creep of two-material structures, 6A501
- Optimal control of impressed cathodic protection systems in ship building, 6A408
- Effect of an interlaminar adhesive on the yielding behavior of aluminum-fiber-reinforced thermoplastics composite laminates, 9A488
- Method for estimating the stress distributions on the center line of an axisymmetric, two-material, cross-weld, creep test specimen, 11A394
- Stress singularities at the free surface of an axisymmetric two-material creep test specimen, 12A513
SUN, WEI: Direct optimization approach to the 2D acoustic inverse problem in the time domain, 3A308
SUN, X: Application of the LES method to the oscillating flow past a circular cylinder, 6T1025
SUN, X-F: Low-cycle fatigue under non-proportional loading, 2A633
SUN, XIANNIAN: Numerical method for axisymmetric wave propagation problem of anisotropic solids, 11A183
SUN, XIAO WU: Investigation on the behavior of laser induced bubble in cryogenic liquid nitrogen, 7A1075
SUN, XIAOLING: Stochastic BEMs for 3D problems with centrifugal forces and reliability analysis, 5A62
SUN, XIN: Shear band initiation of brittle damage materials, 5A426
SUN, Y: Influence of surface melting on dry rolling-sliding wear of aluminum bronze against steel, 3A875
- Multibody approach in granular dynamics simulations, 10A697
- Experimental investigation of film cooling heat transfer coefficients using the mass-heat analogy, 11A1207
- Effect of sliding friction on contact stresses for multi-layered elastic bodies with rough surfaces, 12A929
SUN, YI: Experimental research on machine position fuzzy controller (Chinese), 6A367
SUN, YI-SUI: Global applicability of the symplectic integrator method of Hamiltonian systems, 7A249
SUN, YONGHE: Quasi-Monte Carlo approach to 3D migration: Theory, 11A1476
SUN, YONGZHONG: Oscillating fluid mechanics method for studying oil film oscillation and dynamic characteristics of journal bearings, 11A1176
SUN, YOULIE: General method for solving dynamic problems, 5A89
SUN, YS: Effects of wall conduction, internal heat sources and an internal baffle on natural convection heat transfer in a rectangular enclosure, 5A1145
SUN, Z: Modification of the residual stress state in a SiC_p-6061Al composite by low-temperature treatment, 9A496
SUN, ZHAOHUI: Dynamic vibration absorbers used for increasing the noise transmission loss of aircraft panels, 3A187
- Error analysis on measurement of vibration intensity based on dual transducers, 4A171
SUN, ZHENQI: Application of a novel control scheme to ship steering, 2A1068
- Robust autopilot design for ship steering in waves, 10A1213
SUN, ZILI: Measuring microscopic deformations with digital image correlation, 9A818
SUNADA, K: Trends of global environmental research in fields of hydraulics and hydrology (Chinese), 10T1469
SUNADA, S: Airfoil section characteristics at a low Reynolds number, 9A1158
SUNAGO, H: Consideration on failure of cut slope of weathered serpentine clay (Japanese), 2A546
SUNAR, M: Distributed modeling and actuator location for piezoelectric control systems, 4T826
- Thermopiezoelectric control design and actuator placement, 9A851
SUNDARAM, PA: SEM study of the fracture mechanism in a X8019 AL-20 Vol% SiC_p metal matrix composite, 12A817
- Deformation behavior of an X2080 AL-20 Vol% SiC_p metal matrix composite under plane-stress and plane strain, 12A582
SUNDARAM, S: Collision statistics in an isotropic particle-laden turbulent suspension - Part 1: Direct numerical simulations, 10A1176
SUNDARARAGHAVAN, H: Near-boom oil-slick instability criterion in viscous flows and the influence of free-surface boundary conditions, 9A1102
SUNDARARAJAN, C: Risk-based inspection of pressure components in power and process plants, 11T827
SUNDARARAJAN, P: Dynamics of forced nonlinear systems using shoot and arc-length continuation method: Application to rotor systems, 6A207
SUNDARARAJAN, T: Double-diffusive natural convection in an enclosure filled with fluid-saturated porous medium: A generalized non-Darcy approach, 3A1291
SUNDARARAMAN, V: Single leg bending test for interfacial fracture toughness determination, 6A816
- Unsymmetric double cantilever beam test for interfacial fracture toughness determination, 7A779
SUNDARAVADIVELU, R: Degradation model for one-way cyclic lateral load on piles in soft clay, 7A577
- Dynamics of a moored barge under regular and random waves, 8A188
SUNDARESAN, MK: Vibration and stability of simply supported elliptical plates, 6T618
SUNDARESAN, P: Buckling and post-buckling analysis of moderately thick laminated rectangular plates, 1A592
SUNDARESAN, S: Fully developed traveling wave solutions and bubble formation in fluidized beds, 9A1429
SUNDARESWARAN, V: Exploiting image motion for active vision in a visual servoing framework, 6A433
SUNDARRAJ, S: Computational issues in using a dual-scale model of the segregation process in a binary alloy, 11T1299
SUNDBACK, U: Assessment of the sound insulation of a wood joist construction due to different types of impact sources, 3A313
- Source characterization of the lower front-end of a diesel engine, 8A311
SUNDEN, B: Heat transfer and pressure drop characteristics of ten radiator tubes, 1A1159
- Numerical prediction of laminar flow and forced convective heat transfer in a helical square duct with a finite pitch, 1A1189
- Numerical investigation of turbulent forced convection in ducts with rectangular and trapezoidal cross-section area by using different turbulence models, 3A1223
- Numerical investigation of the transient conduction in a rotating cylindrical shell exposed to an incident time varying heat flux, 5A1230
SUNDERLAND, JE: Thermal energy storage in the ground: Comparative analysis of heat transfer modeling using U-tubes and boreholes, 3A1268
- Integrated infrared failure analysis of printed circuit boards, 11A1371
SUNDERLAND, PB: Soot formation in laminar premixed ethylene-air flames at atmospheric pressure, 8A1411
SUNDGREN, J-E: Thin Films: Stresses and Mechanical Properties VI, 10N24
- Thin Films: Stresses and Mechanical Properties VI, 11N29
SUNG, CH: Recent progress in incompressible Reynolds-averaged Navier-Stokes solvers, 1T995
SUNG, CJ: Analytic description of the evolution of 2D flame surfaces, 3A1295
- Structure of nonsooting counterflow ethylene and acetylene diffusion flames, 5A1331
- Mild and vigorous oxidation of mixtures of chlorinated hydrocarbons in droplet burning, 12A1391
SUNG, CK: Efficiency analysis and improved design of a rubber V-belt CVT, 9A949

- Piezoelectric modal sensor-actuator design for monitoring-generating flexural and torsional vibrations of cylindrical shells, 11A769
SUNG, HJ: Control of turbulent separated flow over a backward-facing step by local forcing, 5A997
SUNG, HYUNG JIN: Vortex simulation of leading-edge separation bubble with local forcing, 1A1036
- Nonlinear low-Reynolds-number k-ε model for turbulent separated and reattaching flows - II: Thermal field computations, 1A1184
- Suppression of temperature oscillation in Czochralski convection by superimposing rotating flows, 7A1267
- Comparative study of inflow conditions for spatially evolving simulation, 7A1101
- Analysis of the Nusselt number in pulsating pipe flow, 9T1229
- Application of a near-wall turbulence model to the flows over a step with inclined wall, 9A1076
- Pulsating flow and heat transfer in an annulus partially filled with porous media, 10A1309
- Large-scale structure of a leading-edge separation bubble with local forcing, 11A1027
SUNG, JEN-CHUN: Transient scattering of Rayleigh waves by surface-breaking and sub-surface cracks, 2A205
SUNG, K: Study of the oil-lubricated herringbone-grooved journal bearing - Part I: Numerical analysis, 4T932
SUNG, LM: Study on the mathematical models and contact ratios of extended cycloid and cycloid bevel gear sets, 5A863
SUNKEL, JW: Design of PAM and PWM controllers for sampled-data interval systems, 6A400
SUNSERI, M: Accommodation of springback error in channel forming using active binder force control: Numerical simulations and experiments, 1A646
SUO, W: Optimal production planning in a stochastic manufacturing system with long-run average cost, 7T393
SUO, Z: Finite element method for simulating interface motion - I: Migrations of phase and grain boundaries, 10A29
- Shape change of a pore in a stressed solid via surface diffusion motivated by surface and elastic energy variation, 11A673
SUO, ZHIGANG: Global view of microstructural evolution: Energetics, kinetics and dynamical systems, 6A800
SUPHASITH, S: Latent heat effects in thermoelectric air conditioners and heat pumps equipped with a heat exchanger, 3A1265
SUPRUN, AS: Physico-mathematical model of rocket exhaust plumes, 5A1259
SUQUET, P: Continuum Micromechanics, 11N25
- Effective properties of porous ideally plastic or viscoplastic materials containing rigid particles, 11A390
SURACE, C: Application of genetic algorithms to identify damage in elastic structures, 2A706
- Harmonic analysis of the vibrations of a cantilevered beam with a closing crack, 5A95
SURANA, KS: Space-time coupled p-version least squares FE formulation for unsteady 2D Navier-Stokes equations, 1A996
- p-Version least-squares FE formulation of a system of convection-reaction nonlinear equations: Fixed bed o-xylene oxidation, 7A1386
SURAPPA, MK: Erosion of A356 Al-SiC$_p$ composites due to multiple particle impact, 9A716
- Effect of sliding speed on wear behavior of A356 Al-30 wt% SiC$_p$MMC, 12A944
SURERUS, K: Nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 7A1217
SURESH RAO, KS: Block-recursive identification of parameters and delay in the presence of noise, 11A273
SURESH, JK: Higher-order shear deformation theory for thin-walled composite beams, 4A590
- Response, loads and stability of rotors with interconnected blades, 4A1152
- Response, loads, and stability of interconnected rotor-body systems, 11A824
SURESH, R: Studies on static analysis of composite thin-walled box beam, 7A503
SURESH, S: Spherical indentation of compositionally graded materials: Theory and experiments, 9A442
- Indentation of solids with gradients in elastic properties - Part II: Axisymmetric indentors, 11A379
- Indentation of solids with gradients in elastic properties - Part I: Point force, 11A378
SURESHA, S: Thermal sensitivity analysis of spacecraft battery, 12A1313
SUREY, M: Viscoplastic behavior of porous metallic materials saturated with liquid - Part II: Experimental identification on a Sn-Pb model alloy, 12A541
- Viscoplastic behavior of porous metallic materials saturated with liquid - Part I: Constitutive equations, 12A540
SURGEON, M: Acoustic emission during tensile testing of SiC-fiber-reinforced BMAS glass-ceramic composites, 10A622
SURI, M: Analytical and computational assessment of locking in the hp FEM, 1A55
- p and hp versions of the FEM for problems with boundary layers, 5A41
- Design principles and error analysis for reduced-shear plate-bending FEs, 6A27
- Reduced constraint hp FEM for shell problems, 7A536
- Selection of a locking-free *hp* element for elasticity problems, 10A71
- hp Error analysis of MITC plate elements, 10A652
SURYANARAYANA, NV: Engineering Heat Transfer, 5R24
SURYAVAMSHI, N: Exit flowfield of an embedded stator in a multistage axial flow compressor, 9A1178
SUSHCHENKO, SA: Photoelastic analysis of stress concentrations in a 2D model of hard inclusions in a metal matrix, 10A851
SUSKI, T: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
SUSLIN, AV: Improvement of load-carrying capacity and longevity of high-speed gearings, 5A860
SUSLOV, AA: Effect of liquid crystalline additive on microrelief of steel surface at friction, 5A840
SUSSMAN, M: Axisymmetric free boundary problems, 12A1072
SUSSMAN, MA: Experimental demonstration of use of N_2O to increase shock tunnel test time, 12A1240
SUSSMANN, H: Complete controllability of continuous-time recurrent neural networks, 11T272
SUSSMANN, HJ: Global stabilization of linear discrete-time systems with bounded feedback, 12T377
SUSTEK, V: Analysis of a set of creep-strain-rate and time-to-creep fracture data for a 9CR-1Mo-0.2V steel, 11A658
SUTCLIFFE, MPF: Measurements of friction in cold metal rolling, 1A643
- Microbuckle propagation in fiber composites, 8A547
SUTCLIFFE, N: Constant and variable amplitude loading of 6261 aluminium alloy I-beams with welded cover plates: Influence of weld quality and stress relief, 10A765
SUTERS, WH: Onset of instability in exact vortex rings with swirl, 5A1033
SUTHERLAND, BR: Dynamic excitation of internal gravity waves in the equatorial oceans, 5A188
SUTHERLAND, HJ: Frequency domain analysis of the fatigue loads on typical wind turbine blades, 5A796
SUTHERLAND, JW: Shear instability in chip formation in orthogonal machining, 9A670
- Development of a microscopic laser interferometry system for precision surface measurement, 11A352
SUTHERLAND, RA: Fluid factor as an AVO indicator, 4A1362
SUTHERLAND, RJM: Special Issue: Historic concrete, 4A838
SUTOH, A: Basic consideration on the parameter identification of road tunnel with heat insulater (Japanese), 8T922
SUTTER, BM: Six-dof trajectory targeting and optimization for Titan launch vehicles, 12A290
SUTTMEIER, F-T: Feed-back approach to error control in FEMs: Application to linear elasticity, 11A41
SUTTON, JS: Sizewell B foundation dewatering: System design, construction and performance monitoring, 4T645
SUTTON, MA: Determination of elastic-plastic stresses and strains from measured surface strain data, 1A507
- Finite element analysis of creep fracture initiation in a model superalloy material, 10A790
SUTTON, PJ: Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, 5T1427
SUTTON, WH: Enhancement of heat transfer using porous convection-to-radiation converter for laminar flow in a circular duct, 3A1242
SUTYRIN, GG: Intense vortex motion in a stratified fluid on the beta-plane: An analytical theory and its validation, 10A1068
SUTYRIN, VG: Cross-sectional analysis of composite beams including large initial twist and curvature effects, 2A471
- Asymptotically correct linear laminated plate theory, 2A480
SUVOROV, A: Hierarchical composite grid method for global-local analysis of laminated composite shells, 9A576
SUVOROV, AA: Joint moments of the wave beam amplitude and inverse power in an absorbing random medium with lens properties, 2A198
- Joint moments of the wave beam amplitude and inverse power in an absorbing random medium with lens properties, 2A199
SUZUKI, A: Study of shear resisting behavior on concrete beams reinforced with steel and/or FRP rods (Chinese), 10A943
SUZUKI, D: Development of a low-emission combustor for a 100-kW automotive ceramic gas turbine: II, 11T1414
SUZUKI, H: Volume V: Pipeline Technology, 11N30
- Study on positioning sensor for human navigation: Measurement method of linear acceleration and rotation angular acceleration (Japanese), 5T313
- Robot modeling and determination of robot configuration by applying self-organization of cell group (Japanese), 5A343
- Generation of continuous robot configurations for articulated robot arm using self-organization of cell group (Japanese), 5A339
- Development of CAM system based on simulation of the copy operation, 7A606
- Decomposition of a welded part by iterative loop generation based on multiple feature recognition (Japanese), 7A793
- Generation of welded-part geometry with manufacturing process rules (Japanese), 10A1008
- Ductile grinding of glass-ceramics with bronze-bonded diamond wheels (Japanese), 10T742
- Development of a high efficiency rough cutting for metal molds and dies machining (Japanese), 12T731
SUZUKI, K: Powder-metallurgical giant magnetostrictive material and its application to actuators: Development of magnetostrictive pump (Japanese), 1A384
- Free vibrations of laminated composite non-circular thick cylindrical shells, 3A166
- Evaluation of sheet pile-ring countermeasure against liquefaction for oil tank site, 3A1373
- Vibration control method for parallel structures connected by damper and spring, 7A123
- Estimation of the clay ground improved by sand compaction piles at Kawasaki man-made island (Japanese), 8T646
SUZUKI, M: Current topics on medical and rehabilitation engineering (Japanese), 1T1472
- Vibration control of flexible structures using a combined H_∞ filter approach, 3A390
- Hysteresis models for steel bridge piers and their application to elasto-plastic seismic response analysis (Japanese), 6A1438
- Study on an ultraprecision grinding wheel spindle, both-end supported, 7T623
- Development of a reconstitution technique for Charpy impact specimens by surface-activated joining for reactor pressure vessel surveillance, 8A1513
- Hybrid testing of steel bridge pier models using the Hyogoken-nanbu earthquake accelerograms (Japanese), 9A889
- Morphological change of hardened oil particles induced by impaction against a solid surface, 9A1408
- Outdoor measurement of multi-junction solar cells and modules based on the reference sunlight method, 10A1490
- Stochastic modeling and estimating of pipe tip level using cokriging (Japenese), 10A680
SUZUKI, N: Structural component development of three-layer cylinders for superconducting generators - Part 2: Development of three-layer welding techniques to extend axial length and evaluation of the welds, 8A980
- Structural component development of three-layer cylinders for superconducting generators - Part 1: Selection of layer-bonding method and development of long large-gauge three-layer cylindrical structure, 8A986
SUZUKI, R: Effective distribution of seismic lateral force utilizing compressive deformation of rubber devices (Japanese), 11A1489
SUZUKI, S: Fundamental study on local dissipated energy and rheology model at impact point of concrete specimen by the pendulum impact test (Japanese), 3A883
- Grinding-like polishing using magnetic fluid: Surface polishing characteristics of silicon wafer, 3T660
- Static and cyclic fretting fatigue behavior of silicon nitride, 6A729
- Transient cooling of a hot metal plate with an impinging water jet, 7A1288
- Small length measurement using regular crystalline lattice for reference - 1st Report: Determining the geometrical distortion of raw STM image and correcting it by 2D FFT analysis (Japanese), 8T866
- Development of surface measurement method of impact force using the sheet piezoelectricity (Japanese), 8A244
- Transient behavior of subcooled forced-convective boiling with twisted tape inserts, 11A1284
- Adaptive sign detection method using a floating point processing unit: Sign detection for 3 × 3 determinants (Japanese), 12T86
SUZUKI, T: Flow patterns and heat transfer of low-speed upward flow between uniformly heated vertical plates, 2A1177
- Optical telemetering of temperature information in rotating spindle - 1st report: Development of high-speed multichannel optical telemetering system (Japanese), 2A746
- Robust H_∞ control considering actuator saturation - II: Applications, 3A758
- Analysis of stress transfer, deformation and fracture strength by FESM: An analysis method for discontinuous medium (Japanese), 5A540
- Fluid motion and heat transmission in a horizontal liquid layer heated locally from free surface, 7T1031
- Planning spiral motions of nonholonomic free-flying space robots, 8A294
- Modeling of irradiation embrittlement of reactor pressure vessel steels (Japanese), 9A715
- Natural convection of water-fine particle suspension in a rectangular cell, 10A1324
- Nonstationary shock reflection over nonstraight surfaces: An approach with a method of multiple steps, 10T307
SUZUKI, Y: Flow visualization by velocity-pressure cross-correlation, 4A1177
- Exergetic evaluation of gas turbine cogeneration systems for district heating and cooling, 9A1307
- Studies on roll-off-less polishing of magnetic disk substrate - 1st Report: Change of substrate edge shape in polishing process (Japanese), 10A885
SVANADZE, MZ: Fundamental solution of the oscillation equations of the thermoelasticity theory of mixture of two elastic solids, 5A1290
SVANSON, A: Impact behavior of pultruded composite box-beams, 11A742
SVEDBERG, G: Biomass externally fired gas turbine cogeneration, 1A1352
SVENDSEN, B: Continuum mechanics of elastic and inelastic simple materials, 1A1
- Interaction models for mixtures with application to phase transitions, 7A5
- Constituent structure of a classical mixture, 9A4
SVENSSON, E: Ear muff performance in impulsive noise as a function of angle of incidence, 5A255
SVENSSON, I: Dynamic buckling of a beam with transverse constraints, 7A97
SVENSSON, MC: Process identification in on-line optimizing control, an application to a heat pump, 8A412
- Model-based optimizing control of a water-to-water heat pump unit, 8A382
SVENSSON, NL: Technique for the measurement of cadence using walkway vibrations, 5A1515
SVESHNIKOVA, YI: Existence and uniqueness of self-similar solutions involving Jouguet points on the shock adiabatic curve, 1A1007
SVESTKA, P: Motion planning for carlike robots using a probabilistic learning approach, 10A522
SVETEC, DG: Properties of laboratory manufactured polypropylene fibers, 4A583
SVETLITSKII, VA: Stability of rectilinear beams under compression-torsion with allowance for finite torsional rigidity, 4A616
SVIRIDENOK, AI: Stress state and wear of polymer piston, 1A899
SVIRIDOV, AP: Thermal and diffusion processes in laser-induced stress relaxation and reshaping of cartilage, 12A1537
SVITONSKI, E: Solution of the problem on stressed state of inhomogeneous thick-walled plates by the spline collocation method (Russian), 12A633
SVOBODA, A: Simulation of hot isostatic pressing of metal powder components to near net shape, 1A671
SVOBODA, J: Modeling of recovery controlled creep in nickel-based superalloy single crystals, 7A426
SVORONOS, SA: One-dimensional clarifier model with sludge blanket heights, 6A1521
SWADDIWUDHIPONG, S: Nonlinear FE analysis of fiber reinforced concrete deep beams, 2A20
- Dynamic response of large strain elasto-plastic plate and shell structures, 4A507
- Ritz method for vibration analysis of cylindrical shells with ring stiffeners, 7A150
SWAIN, MV: Experimental investigation of the use of random squeezing to determine the complex modulus of viscoelastic fluids, 3A959
- Micro-Fourier rheometer: Inertial effects, 5A903
SWAMI, RD: Effect of catalyst mixing procedure on subatmospheric combustion characteristics of composite propellants, 9A1380
SWAMINATHAN, CR: Cyclic phase change with fluid flow, 2A1240
- Towards a general numerical scheme for solidification systems, 9A1350
SWAMINATHAN, N: Assessment of conditional moment closure for single and multistep chemistry, 4A1306
SWAMINATHAN, PK: Transition regime aerodynamic heating of missiles, 4A1013
SWANSON, DC: Error in bending wave power measurements resulting from longitudinal waves, 3A327
- Low flow-noise microphone for active noise control applications, 6A347
- Active control of axial-flow fan noise, 7A270
SWANSON, K: Nonlinear symmetric stability and the nonlinear saturation of symmetric instability, 4T1071
SWANSON, PD: Chaotic motion of fluid and solid particles in plane wakes, 7A1113
SWANSON, SR: Effect of architecture on the strength of braided tubes under biaxial tension and compression, 4A572
- Design of a cylindrical specimen for biaxial testing of composite materials, 10A624
SWANSTROM, M: Electromechanical ski release binding with mechanical backup, 9A1600

SWARNAMANI, S: Device to suppress vortexing during draining from cylindrical tanks, 2T237
- Influence of rotation and vibration on discharge of liquid from a cylindrical tank, 2T241
- Experimental investigation on the static and dynamic characteristics of journal bearings under the influence of twisting misalignment, 7A160
- Effects of journal misalignment on the performance characteristics of three-lobe bearings, 12A1011
SWARUP, J: Theoretical study of interphase heat and mass transfer in saturated porous media, 7A1441
SWATERS, GE: Finite-amplitude baroclinic instability of a mesoscale gravity current in a channel, 4T1073
SWEENEY, J: Large deformations of semicrystalline polymer modeled using the necking network concept, 12A478
SWEENEY, PJ: Gear transmission error measurement using phase demodulation, 1A207
SWEET, DH: Development of the S-76B-PT6B-36B engine acceleration schedule, 4A858
SWEGLE, JW: Transient, high-speed, liquid impact into soft soil, 1A246
SWENSEN, EC: Cascaded humidified advanced turbine (CHAT), 1A1355
SWENSON, DV: Frangible roof joint behavior of cylindrical oil storage tanks designed to API 650 rules, 2A851
SWESTY, FD: Thermodynamically consistent interpolation for equation of state tables, 2A1150
SWEVERS, J: Experimental robot identification using optimized periodic trajectories, 4A438
SWIATONIOWSKI, A: Special Issue: Journal of materials processing technology, 6T684
SWIDER, P: Modified objective function D_c for optimization of step transmission ratios in vehicles, 4T1314
- Parametric optimization of composite structures: Application to alpine skis, 8A881
SWIENTON, JP: Holographic sensor for measurement of wall velocity gradients, 5A1053
SWIERKOSZ, M: Mathematical modeling and numerical simulation of induction heating processes, 4A1276
SWIETY, SA: Convective heat transfer and pressure drop characteristics of various array configurations to simulate the cooling of electronic modules, 1A1276
SWIFT, GW: Energy dissipation in oscillating flow through straight and coiled pipes, 4A1046
- Simple harmonic analysis of regenerators, 5A1268
SWIFT, JB: Plume dynamics in quasi-2D turbulent convection, 9A1338
SWINDAL, JC: Laser diagnostics for droplet characterization: Application of morphology dependent resonances, 3A1333
SWINERD, GG: Review of debris-cloud modeling techniques, 2A257
- Design of a small satellite for earth observation, 6A929
SWINGLER, DN: Generalized approximation for a Cramer-Rao lower bound on direction-of-arrival estimates for a pair of closely spaced sources, 2A294
SWINNEY, HL: Anomalous diffusion in asymmetric random walks with a quasi-geostrophic flow example, 4A1279
- Plume dynamics in quasi-2D turbulent convection, 9A1338
SWINSON, WF: Experimental investigation of the interaction of primary and secondary stresses in fuel plates, 11A1515
SWIRKOWICZ, R: Dynamic susceptibility in thin films with antiferromagnetic coupling between layers, 9A606
SWIRYDCZUK, J: Calculation of vorticity from velocity measurements, 2A956
- Flow through a blade cascade with a local shape deformation, 12T1188
SWITKA, R: Boussinesq problem for elastic half-space reinforced with fibers in vertical direction, 4A579
- Behavior of fiber composite plate cantilever in bending, 9A570
SWOBODA, G: Robust preconditioners for linear elasticity FEM analyses, 10A572
SWOFFORD, TD: Experimental investigation of convective heat transfer from wire-on-tube heat exchangers, 11A1336
SYAM, B: Measuring method for impact tensile strength of brittle materials, 2A726
SYCZEWSKI, M: Three-dimensional model of shield buildings (Polish), 2A813
SYGULSKI, R: Dynamic stability of pneumatic structures in wind: Theory and experiment, 6T303
- Numerical analysis of membrane stability in air flow, 10A319
SYKES, P: Lubrication theory for a fiber suspension - Part I: Pressure-driven flow in a planar channel having slowly-varying cross-section, 12A1195
- Lubrication theory for a fiber suspension - Part 2: Flow in a journal bearing, 12A1196
SYLVESTER, D: Inverse problem for an expanding heated tube, 11A1377
SYMANS, MD: Seismic testing of a building structure with a semi-active fluid damper control system, 12A1492
SYMES, WW: Anomalous reflections near a caustic, 8A235
- Full waveform inversion of marine reflection data in the plane-wave domain, 9A1460
- Dispersion and cost analysis of some finite difference schemes on one-parameter acoustic wave modeling, 12A61
SYMONDS, PS: Regular and chaotic responses of a Hamiltonian beam model, 8A139
SYNGELLAKIS, S: Prediction of stresses in pipes caused by ice plug formation, 8A583
SYOJI, K: Study on residual stress of ground surface of silicon nitrides (Japanese), 8A714
- Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), 10A741
SYOJI, KATSUO: Wear characteristics of vitrified bonded CBN wheels in grinding mild steel (Japanese), 3T642
SYPHERS, G: Optimization of a holographic system for solar power generation, 9A1540
SYRED, N: Phase-averaged temperature characterization in swirl burners, 5A1351
- Use of center bodies and de-swirl vanes in the exhaust of cyclone dust separators, 8A1146
- Submicrometer particle separation via high-speed gas centrifuges, 11A1012
SYSON, BJ: Effect of rotation on temperature response of thermochromic liquid crystal, 4A1219
SYTCHEV, AE: Combustion wave microstructure in heterogeneous gasless systems, 6A1321
SYVERUD, T: Experimental investigation of the effect of shaft heating and cooling on single bore journal bearing, 12A971
SZABELSKI, K: Chaotic vibration affected by initial conditions in a parametrically and externally excited system with backlash, 4A81
- Free vibrations frequencies and forms of the sandwich plate for various support conditions, 4A138
SZABO, B: Application of the space enrichment method to problems of mechanical contact, 8A20
- Singular integration in the P-version of the FEM and in BEM, 8T15
SZABO, BA: Finite element analysis in professional practice, 1A20
- Formulation of geometrically nonlinear problems in the spatial reference frame, 9A36
- Finite element modeling and experimental verification of lower extremity shape change under load, 10A1516
SZABO, L: Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, 11A434
SZABO, T: Application of the space enrichment method to problems of mechanical contact, 8A20
SZAFRANSKI, Z: Oscillation theorems for some nonlinear difference equations, 9T45
SZALA, J: Comparative analysis of experimental and calculated fatigue life of the 45 steel notched structural member, 4A702
SZALAY, A: Cold rolling of multi-layer explosively cladded strips, 3A623
SZANTYR, J: New method for calculation of hydrodynamic parameters of waterjet propulsors, 3A1180
SZARGUT, J: Microphysical causes of macroscopic irreversibility, 9A7
SZCZEPANIAK, C: Friction model of non-homogeneous surfaces for wheeled vehicle motion simulation, 2A165
SZCZYGIELSKI, WM: Analogies between the Chaplygin problem and the Kepler problem, 1A294
SZE, KY: Solid elements with rotational dofs by explicit hybrid stabilization, 2A36
- Mixed and hybrid FEMs - Part II, 6A17
- Quadratic triangular C^0 plate bending element, 8A592
- Hybrid stress quadrilateral shell element with full rotational DOFs, 10A66
- Explicit hybrid-stabilized 18-node solid element for thin shell analysis, 10A650
SZEGA, M: Analysis of influence of top-gas recirculation on the energy characteristics of the blast-furnace process, 9T1374
SZEIDL, G: Complete solution for stresses in terms of stress functions - Part I: Derivation from the principle of virtual work, 1A432
- Complete solution for stresses in terms of stress functions - Part II: Modification of variational principles, 7A398
SZELANGIEWICZ, T: Tensions in lines of mooring positioning system of a vessel in irregular waves, 3A1177
- High and low frequency motions of a moored vessel, 3A1176
SZELAZEK, J: Ultrasonic measurement of residual stress in the rims of inductively heated railroad wheels, 2A737
SZEMPLINSKA-STUPNICKA, W: Coexistence of periodic, almost-periodic, and chaotic attractors in the van der Pol-Duffing oscillator, 8A93
SZEPIETOWSKI, W: Model of digging mechanism with hydrokinetic coupling for SchRs 1200 bucket wheel excavator, 4A175
SZERI, AJ: Capillary waves and air-sea gas transfer, 8A260
SZERI, AZ: Mechanism of fluid transport across the grinding zone, 2A1011
- Flow of emulsions in tribological contacts, 7A1204
- Combined effects of lubricant inertia and viscous dissipation in long bearings, 7A1218
SZEWCZYK, AA: Look at a universal parameter for 2D and 3D bluff body flows, 3T1029
SZILAGYI, J: Local effect of intermittency on the inertial subrange energy spectrum of the atmospheric surface layer, 2A1044
SZKODZIK, A: Subband coding for thermal image compression, 9T317
SZLAZAK, N: Specification of the parameters influencing the intensity of the methane flow in drainage holes (Poland), 4A1451
- Change of concentration of combustion gases in mining excavations (Polish), 4T1447
- Influence of working mode of machines powered with diesel engine on spreading of gases in mining excavations, 4T1448
- Distribution of concentration of hazard gasses in galleries, 9A1525
SZMANDA, B: Oscillation theorems for some nonlinear difference equations, 9T45
SZMIDLA, J: Vibration and stability of an elastic column subject to a generalized load, 6A157
SZOLWINSKI, MP: Mechanics of fretting fatigue crack formation, 3A671
SZUDROWICZ, B: Influence of the external wall on the airborne sound insulation in buildings, 9A282
SZULBORSKI, K: Damage of precast prestressed storage bin after 30 years of exploitation, 2A850
SZUMANOWSKI, A: Simulation study on control of hydrostatic transmission propelled by recovery braked AC motor, 4T420
SZUMBARSKI, J: Stochastic vortex method for viscous incompressible flows in a spatially periodic domain, 9A1022
SZUMOWSKI, AP: Sound generation by a ring vortex-shock wave interaction, 2T260
- Prediction of small water drops separation in helicopter engine diffuser, 4A1145
- Forced oscillations of airfoil flows, 5A1066
SZWABOWSKI, J: Compressive strength development of condensed silica fume modified mortars, 2A801
SZYBINSKI, B: Mesh design and reliability assurance in hybrid-Trefftz p-element approach, 1A24
SZYCHOWSKI, A: Limit bearing capacity of compressed bars under interactive transversal loading (Polish), 2A750
SZYKMAN, S: Constrained 3D component layout using simulated annealing, 9A413
SZYMANSKI, B: Structure and magnetic properties of Ni-Ti multilayers, 9A384
SZYMANSKI, S: Theoretical and experimental study of natural convection heat transfer from isothermal hemisphere, 3A1225
SZYMCZAK , CZ: Sensitivity analysis of bearing capacity of axially compressed bars according to the polish code PN-90/B-03200 (Polish), 2A797
SZYMCZAK, C: Partially embedded piles subjected to critical buckling load: Sensitivity analysis, 1A591
- Initial post-buckling behavior of piles partially embedded in soil, 7A578
SZYSZKOWSKI, W: Influence of the free surface on the thermal stresses in unidirectional composites, 11A1376

T

TIEN, JS: Diffusion flame adjacent to a rotating solid fuel disk in zero gravity, 9T1379
TA PHUOC, LOC: Pegase: A Navier-Stokes solver for direct numerical simulation of incompressible flows, 10A1101
TA'ASAN, S: Fourier-Laplace analysis of the multigrid waveform relaxation method for hyperbolic equations, 6A65
- Pseudotime method for shape design of Euler flows, 2A988
TA, LD: Approximation for analysis of raft and piled raft foundations, 10A701
TABARROK, B: Canonical equations in terms of generalized impulse variables, 1A100
- Complementary formulation of the Appell equation, 1A101
- Consistent local error computations - Part II: FE applications, 3A19
- Consistent local error computations - Part I: Theory, 3A69
- Bifurcation of self-excited rigid bodies subjected to small perturbation torques, 7A92
- Dynamic analysis of tension structures, 7A137
TABARY, PE: Measurements of friction in cold metal rolling, 1A643
TABATA, K: Survey and the analysis of rock joint and the determination of jointed rock mass model (Japanese), 5T541
TABATA, M: Active shape control of a deployable space antenna reflector, 1A366
TABER, JJ: Distribution of ground-motion intensity inferred from questionnaire survey, earthquake recordings, and microtremor measurements: A case study in Christchurch, New Zealand, during the 1994 Arthurs Pass Earthquake, 12T1489
TABER, LA: Laminated shell model for the infarcted left ventricle, 6A76
TABIEI, A: Nonlinear analysis of imperfect metallic and laminated cylinders under bending loads, 5A479
- Imperfection sensitivity of shear deformable moderately thick laminated cylindrical shells, 7A540
- Impact behavior of pultruded composite box-beams, 11A742
- Torsional instability of moderately thick composite cylindrical shells by various shell theories, 12A657
TABIEVA, GA: Determination of parameters of the Bodner-Partom model of thermoviscoelastic deformation of materials (Russian), 1A1278
TABOR, M: Nonlinear dynamics of filaments - II: Nonlinear analysis, 12A643
- Nonlinear dynamics of filaments - I: Dynamical instabilities, 12A642
TABOREK, J: Double-pipe and multitube heat exchangers with plain and longitudinal finned tubes, 11A1334
TABRIKIAN, J: Robust maximum-likelihood source localization in an uncertain shallow-water waveguide, 7A258
TABSH, SW: Safety of reinforced concrete members designed following ACI 318 building code, 12A915
TABUCANON, MT: Hierarchical approach to project planning: The case of a petroleum pipeline construction, 2A1440
TACHER, L: Generation of granular media, 9A1414
TACHIBANA, Y: Modeling of high homologous temperature deformation behavior using the visco-plasticity theory based on overstress (VBO) - Part II: Characteristics of the VBO model, 7A449
TACHIKAWA, Y: Tin-based topographic modeling for a distributed rain-fall runoff model (Chinese), 10T1468
TACHIM MEDJO, T: Vorticity-velocity formulation for the Navier-Stokes equations: The 3D case, 6A1013
TACHIYA, H: Synthesis of planar multilink mechanisms based on genetic algorithms, 7A952
TACK, AJ: Stress relaxation properties of alloy HP50Nb and their application to life assessment of reformer furnace tubing, 7A428
TADA, K: Study on wind resistant design of long-span bridges based on field observation result (Japanese), 3A800
- Study on box shield tunneling method in trial field operation (Japanese), 10A709
TADA, S: Classification of pulsating flow patterns in curved pipes, 2A1457
TADA, Y: Heat transfer enhancement in a convective field by applying ionic wind, 9A1296
TADASHI, E: General type of digital optimal preview servo system, 1A380
TADEU, AJB: Scattering of waves by subterranean structures via the BEM, 3A213
TADI, M: Explicit method for parameter identification, 10A413
- Explicit methods for inverse wave scattering in solids, 10A276
TADIKONDA, SSK: Articulated, flexible multibody dynamics modeling: Geostationary Operational Environmental Satellite-8 case study, 9A234
TADOLDER, J: Inner friction factor of fine powders, 11A633
TADRIST, L: Analysis of heat transfer with liquid-vapor phase change in a forced-flow fluid moving through porous media, 2A1361
- Fluid flow through randomly packed monodisperse fibers: The Kozeny-Carman parameter analysis, 9A1425
TADROS, G: Bridge progressive collapse vulnerability, 7A831
- Fiber-optic Bragg grating sensors for bridge monitoring, 10A867
TAERWE, L: Degree of hydration-based description of mechanical properties of early age concrete, 1A845
- Influence of steel fibers on design stress-strain curve for high-strength concrete, 3A769
- Analytical formulation of the complete stress-strain curve for high strength concrete, 5A434
TAFRESHI, A: Effects of local departures from nominal dimensions on stresses in thin torispherical end closures, 2A484
- Numerical analysis of thin torispherical end enclosures, 9A22
TAFTI, D: Comparison of some upwind-biased high-order formulations with a second-order central-difference scheme for time integration of the incompressible Navier-Stokes equations, 3A1041
TAFTI, DK: Proceedings of the ASME Fluids Engineering Division, 4N25
- Computations of flow and heat transfer in parallel-plate fin heat exchangers on the CM-5: Effects of flow unsteadiness and three-dimensionality, 6A1284
- Effects of intrinsic three dimensionality on heat transfer and friction loss in a periodic array of parallel plates, 9A1204
- Heat transfer enhancement mechanisms in inline and staggered parallel-plate fin heat exchangers, 9A1286

TAGAMI, H: Analytical study on the kinematics of an orbiting scroll in a scroll compressor: Analysis of self-rotational motion, 7A1183

TAGAVI, KA: ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40

- Numerical modeling of void migration in solids due to temperature gradient using the BEM, 3A1250

TAGAWA, M: Two-thermocouple probe for fluctuating temperature measurement in combustion: Rational estimation of mean and fluctuating time constants, 11A1426

TAGAWA, T: Effect of Prandtl number and computational schemes on the oscillatory natural convection in an enclosure, 2A1166

- Enhancement of heat transfer rate by application of a static magnetic field during natural convection of liquid metal in a cube, 11A1230

TAGHABONI-DUTTA, F: Value-added approach for automated guided vehicle task assignment, 8A467

TAGHAVI, R: Flow characteristics of a rectangular multielement supersonic mixer-ejector, 3A1110

- Application of pressure-sensitive paint in supersonic nozzle research, 6A1115

TAGHITE, M'B: Homogenization of a thermal problem in the plate of a heat exchanger, 11A1321

TAGLIAFERRI, V: Experimental study of the drilling of Aramid composites, 11A1510

TAGLIAFICO, L: Thermodynamic method for the comparison of plate-fin heat exchanger performance, 2T1259

- Free convection heat transfer from wire-and-tube heat exchangers, 11T1337

TAGLIAFICO, LA: Lightweight radiator optimization for heat rejection in space, 10A1353

TAGLIANI, A: Spectral-domain decomposition methods for the solution of acoustic and elastic wave equations, 1A1417

- Numerical approximation of elastic waves equations by implicit spectral methods, 10A278

TAHA, Z: Realistic animation of human figures using artificial neural networks, 5A1482

TAHARA, Y: Large-domain approach for calculating ship boundary layers and wakes and wave fields for nonzero Froude number, 3T1182

TAHER, SF: CDM-based computational model for the Timoshenko beam, 9A543

TAHERI, F: Simple novel technique for evaluation of viscoelastic properties of ceramic composites, 2A412

- Improvement of strength and ductiilty of adhesively bonded joints by inclusion of SiC whiskers, 11A704

TAHERI, MR: Dynamic response of cable-stayed bridges to moving vehicles using the structural impedance method, 6A199

TAHERZADEH, S: Sound propagation from a dipole source near an impedance plane, 12A343

TAHK, MIN-JEA: Closed-form optimal guidance law for missiles of time-varying velocity, 3A365

- Time-delayed state and unknown input observation, 10A425

TAHMASEBI, F: Multiobjective optimal design of a simplified P4R mechanism, 6A965

TAI, C: Numerical prediction of flow and heat transfer in an impingement heat sink, 9A1292

TAI, CH: Three-dimensional hyperbolic grid generation with inherent dissipation and Laplacian smoothing, 2A989

- Explicit time marching methods for the time-dependent Euler computations, 8T1084

TAI, FENG: Quasi-flow corner theory on large plastic deformation of ductile metals and its applications, 7A439

TAI, HSIANG: Equivalent thermal conductivity of 2D and 3D orthogonally fiber-reinforced composites in 1D heat flow, 1A1232

TAI, HUNG-CHUN: Experimental approach to selecting H_∞ weighting functions for DC servos, 9A323

TAI, K: Numerical study of some approaches to shape design sensitivity analysis using BEs, 4A812

TAI, QIMING: Discrete element study of the relationship of fabric to wave propagational behaviors in granular materials, 10A695

TAI, W: Optimization of a holographic system for solar power generation, 9A1540

TAI, WH: Modeling of damage behaviors of high impact polystyrene, 5A690

- Damage analysis of crack tip zone in high impact polystyrene, 8A781

TAI, X-C: Sequential and parallel splitting methods for bilinear control problems in Hilbert spaces, 8A391

TAI, YU-CHONG: Review: MEMS and its applications for flow control, 4A384

TAIGBENU, AE: Mixed Green element formulation for the transient Burgers equation, 9A59

TAINE, J: High temperature gas radiative property parameters of statistical narrow-band model for H_2O, CO_2, and CO, and correlated-K model for H_2O and CO_2, 5T1251

TAIRA, K: Precision table control system by friction drive for optical disk mastering machine (Japanese), 5A309

TAIT, RB: Failure analysis of a ceramic bidet, 4A736

TAIT, RJ: Finite twist and extension of a cylindrical elastic membrane, 3A519

TAJ, MSA: Family of fourth-order parallel splitting methods for parabolic partial differential equations, 11A48

TAJDARI, M: Moving singularities of the perturbation expansion of the classical Kepler problem, 3A285

TAJIMA, K: Evaluation and prediction of blade-passing frequency noise generated by a centrifugal blower, 1A1101

TAJIRI , K: Electrorheological effect in immiscible polymer blends, 8A1012

TAKABA, K: Discrete-time H_∞ algebraic Riccati equation and parametrization of all H_∞ filters, 3T342

TAKABA, S: Low cycle fatigue behavior of steel pier beam-column joint (Japanese), 11A874

TAKABATAKE, H: Simplified analysis of circular cellular plates, 4A599

TAKADA, K: Suppression of embedded shocks in supersonic free-shear-layer structures, 3A1054

- Small length measurement using regular crystalline lattice for reference - 1st Report: Determining the geometrical distortion of raw STM image and correcting it by 2D FFT analysis (Japanese), 8T866

TAKADA, M: Estimation of geotechnical properties of alluvial secondary shirasu ground (Japanese), 10A581

TAKADA, N: Relation between compacted area and ram momentum by heavy tamping: Density and strength increases due to single point tamping (Japanese), 8A648

- Effect of ram mass and area on ram impact acceleration and penetration of sandy ground (Japanese), 10T696

- Ram penetration behavior and ensuing earth pressure during ram blow on sandy soil (Japanese), 10A698

TAKAGI, H: Quantitative analysis in a sense of catching water for competitive swimmer (Japanese), 10T1581

TAKAGI, K: Adhesion between high strength and high modulus polyethylene fibers by use of polyethylene gel as an adhesive, 2A941

TAKAGI, R: Proposal for optimum structural design with the largest buckling load, 9A837

TAKAGI, T: Preferential diffusion effects on the temperature in usual and inverse diffusion flames, 1A1315

- Vibration suppression effect of liquid crystal under electromagnetic field, 2A100

TAKAHARA, H: Energy flowing rate into workpiece in surface grinding based on 3D temperature analysis - 1st report: Discussion on temperature distribution in workpiece measured by hole method, 1A658

TAKAHASHI, D: Sound absorption of a cavity-backed membrane: A step towards design method for membrane-type absorbers, 6A349

- New method for predicting the sound absorption of perforated absorber systems, 12A324

TAKAHASHI, F: Structure of turbulent hydrogen jet diffusion flames with or without swirl, 5A1332

- Experimental and computational study of swirling hydrogen jet diffusion flames, 10A1149

TAKAHASHI, H: Development of plastic anisotropy in rolled aluminium sheets, 6A519

- Small length measurement using regular crystalline lattice for reference - 1st Report: Determining the geometrical distortion of raw STM image and correcting it by 2D FFT analysis (Japanese), 8T866

- Factors controlling the fatigue strength of nitrided titanium, 8A741

- Study on fatigue crack growth under out-of-phase combined loadings, 12A770

TAKAHASHI, I: Highly efficient grinding of ceramic parts by electrolytic in-process dressing (ELID) grinding, 3T639

- Ductile regime mirror finish grinding of ceramics with electrolytic in-process dressing (ELID) grinding, 4T680

- Ultra high speed milling and cutting tools, 10A755

TAKAHASHI, K: Analysis of mode I interlaminar deformation ahead of crack front in composite DCB specimens, 2A670

- Nonlinear vibration of a small-sag cable subjected to an axial time-varying load and transverse time-varying load (Japanese), 6A159

- Neural-network-based controler used for directional control of tunneling machine, 7A349

- Numerical analysis of InP solution growth by traveling heater method: Transient response in the case of no heater movement, 10A1396

TAKAHASHI, M: Stress-strain behavior of segmented polyurethancureas under pure shear deformation, 1A948

- Critical heat-flux characteristics of R-113 boiling two-phase flow in twisted-tape-inserted tubes, 2A1211

- Design of tungsten-copper graded composite for high heat flux components, 4A1247

TAKAHASHI, N: High resolution transmission electron microscopy observation of the MoS_2-Au interface formed due to stick-slip of MoS_2 sliding on Au in relation to the friction trace, 12A982

TAKAHASHI, R: Characteristics of molybdenum thin-film plate oscillators fabricated by minimum deformation micromachining, 11T635

TAKAHASHI, S: Study on micro-machined profile measurement by means of optical inverse scattering reconstruction phase method: Phase retrieval of periodic fine profile (Japanese), 2A736

- Study on B-spline surface fitting onto dense measured point data: Method of setting knot location and parameter with considering curvature (Japanese), 5A66

- Study of unsteady orifice flow characteristics in hydraulic oil lines, 7A1001

- Experimental study on load transfer within multi-layered geosynthetics liner (Japanese), 8A676

TAKAHASHI, T: Mechanical model of cardiac muscle taking account of excitation-contraction coupling, 1A1452

- Flow around a source doublet in shear flow, 1A972

- Stress tensor measurement using birefringence in oblique transmission, 3A965

- Boundary element analysis of galvanic corrosion of long structure buried in soil with gradient electrical conductivity (Japanese), 9A712

- Vorticity distribution caused by 3D disturbance in 2D shear flow, 11A942

TAKAHASHI, Y: Flow patterns and heat transfer of low-speed upward flow between uniformly heated vertical plates, 2A1177

- Multi-freedom tube type manipulator with Shape Memory Alloy plate, 2T772

- Flow pattern of working fluid and heat-transfer performance in annular type rotating heat pipes with horizontal axis - Part I: Flow pattern and the heat transport rate at the evaporation section, 7A1341

- Heat transfer rate of annular-type horizontal rotating heat pipes - Part II: Experiments and theoretical analysis for the heat transport rate, 9A1300

TAKAI, R: Wind and current forces acting on a very large floating structure, 8A1031

TAKAKI, R: Self-induced vibration of a water drop placed on an oscillating plate, 1A1068

TAKAMASU, K: Measurement of 3D objects using gray code projection - 2nd Report: Improvement of reliability of space encoding method (Japanese), 1T382

TAKAMATSU, H: Minimum heat-flux point and liquid-solid contact during rapid quenching of thin wires, 7A1287

TAKAMATSU, S: Secondary current control in river bend by the action of obliquely arranged square bar elements (Chinese), 10A1059

TAKANASHI, K: Experiments on interlayer exchange coupling, 9A381

TAKANASHI, S: Inverse design method for transonic multiple wing systems using integral equations, 11A1132

TAKANO, H: Identification of dynamic characteristics by field vibration test in Tsurumi Tsubasa bridge (Japanese), 3A795

- Energy-based damping evaluation of cable-stayed bridges and its application to Tsurumi Tsubasa bridge (Japanese), 3A794

- Design of tungsten-copper graded composite for high heat flux components, 4A1247

TAKANO, K: Enhancement of evaporation of a droplet using EHD effect: Measurement of steady-state heat flux during evaporation of a single droplet, 3A1072

TAKANO, M: Development of indoor mobile robot system based on RECS concept (Japanese), 1T386

- Analysis and simulation of grasping-manipulation by multi-fingersurface, 7A372

TAKANO, Y: Method suitable for *in vivo* measurement of bone strain in humans, 10A1555

TAKANOHASHI, Y: Study on high power CO_2 laser welding - 1st report: Observation and measurement of welding phenomena (Japanese), 10T1010

TAKAO, M: Considerations on the erection of bridge girders by use of floating crane barge and its dynamic behavior in long-period waves (Japanese), 2A807

TAKAO, Y: Analysis for cracks parallel to the interface of bimaterial systems, 8A810

TAKAOKA, D: Piezoelectric mount force sensor of placement system for surface mount devices (Japanese), 12T877

TAKAOKA, M: Helicity generation and vorticity dynamics in helically symmetric flow, 3A1004

TAKASAKI, H: Progress of erosive wear in spheroidal graphite cast iron, 3A672

TAKASAKI, S: Ambient gas entrainment into a transient gas jet: Visualization of surrounding air motion and estimation of entrainment amount by path line method, 3T1113

TAKASAO, T: Tin-based topographic modeling for a distributed rain-fall runoff model (Chinese), 10T1468

TAKASE, H: Capillary network model for gas migration in low-permeability media, 11A1454

TAKASE, K: Numerical prediction of augmented turbulent heat transfer in an annular fuel channel with repeated 2D square ribs, 4A1457

TAKASE, M: Deployable display stand developed for protecting art objects from earthquake damage (Japanese), 9A1491

TAKASE, Y: Stress concentration factors for shoulder fillets in round and flat bars under various loads, 8A478

TAKASHIMA, T: Study on the propagation process of spontaneous vapor explosions and the behavior of induced pressure waves, 9A1064

TAKASHIMA, Y: Evaluation of friction welded joint performance by discriminant analysis method, 11A886

TAKASU, N: Precision table control system by friction drive for optical disk mastering machine (Japanese), 5A309

TAKASUGI, N: Theory of film condensation on shock-tube endwall behind reflected shock wave - Part II: Theoretical basis for determination of condensation coefficient, 11A1288

TAKATA, H: Study on unsteady aerodynamic characteristics of oscillating cascades with arbitrary blade profiles: 2D cascades oscillating with blade section deformation, 3A1187

TAKATO, K: Experimental analysis of 2D unsteady temperature field by using Mach-Zehnder interferogram images, 9A1239

TAKATORI, Y: Microstructure of diesel soot particles probed by electron microscopy: First observation of inner core and outer shell, 6A1354

TAKAYA, M: Preparation of fine grain diamond coated WC-Co tools and their cutting performance (Japanese), 10T738

TAKAYA, Y: Study on micro-machined profile measurement by means of optical inverse scattering reconstruction phase method: Phase retrieval of periodic fine profile (Japanese), 2A736

- Study on B-spline surface fitting onto dense measured point data: Method of setting knot location and parameter with considering curvature (Japanese), 5A66

TAKAYAMA, K: Reflection of a shock wave over a cone, 6T286

- Three-dimensional shock wave reflection over a corner of two intersecting wedges, 10A308

- Transient shock wave flows in tubes with a sudden change in cross section, 11T201

TAKAYASU, H: Fractal structures and their physical properties (Japanese), 3T100

- Point of contact between new mathematical science and tribology, fractal geometry and fractal statistics, 3T844

TAKE, T: Convergence of panel methods using discrete vortices around 2D bodies, 7A1018

TAKEDA , K: Flexural behavior of reinforced concrete beams strengthened with carbon fiber sheets, 4A836

TAKEDA, H: Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration, 6A1496

TAKEDA, N: Experimental characterization of microscopic failure process under quasi-static tension in interleaved and toughness-improved CFRP cross-ply laminates, 9A753

TAKEDA, NOBUO: Effects of moisture content on nonlinear deformation behavior of CF-epoxy composites, 10A597

TAKEDA, Y: Development of a spherical in-parallel actuated mechanism with three dof with large working space and high motion transmissibility: Evaluation of motion transmissibility and analysis of working space, 5A335

TAKEGAKI, Y: Experimental consideration on the impact cutting productivity of mortar by a point attack bit (Japanese), 10A725

TAKEHARA, H: Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226

TAKEMATA, H: Simplified method for determination of fracture toughness in transition temperature region (Japanese), 8A767

TAKEMIYA, H: Response reduction effect by passive use of a wave impeding block (Japanese), 6A1448

- Three-dimensional transient response characteristics of soil stratum due to moving loads (Japanese), 11A1484

TAKEMORI, H: Injection molded plastic gears now (Japanese), 1T912

TAKEMORI, T: Fundamental model of the human thermal system for prediction of thermal comfort, 2A1271

TAKEMOTO, Y: Stability of the flow past a row of square bars, 1A1059

TAKEMURA, T: Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 2 : Experimental validation, 1A1105

- Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 1: Design and numerical validation, 1A1104

- Experimental and numerical study of 3D flows in a mixed-flow pump stage, 1A1103

TAKENAKA, H: Elastic finite-difference modeling of strong motion in Ashigara Valley for the 1900 Odawara, Japan, earthquake, 2A1392

TAKENOUCHI, H: Optical scanning system for recording large image, 7A386

TAKENS, F: Spatio-temporal chaos: A solvable model, 12A130

TAKEO , M: Simulation of long-period ground motion near a large earthquake, 12A1477
TAKESAKO, R: Simplified analysis of circular cellular plates, 4A599
TAKESHI, T: General type of digital optimal preview servo system, 1A380
TAKESHITA, Y: Neural network approach to evaluate drawdown curves from pumping test (Japanese), 2A542
TAKESUE, K: Tensile deformation behavior of rubber composite plate (Japanese), 1A540
TAKEUCHI, M: Effects of inner rotating horizontal cylinder on heat transfer in a differentially heated enclosure, 7A1265
TAKEUCHI, Y: Machining of micro-parts by ultraprecision milling machine (Japanese), 3A633
- Non-contacting displacement measurement of rotating main spindle in the axial direction (Japanese), 5A741
- Tool path generation using C-space for 5-axis control machining (Japanese), 7T395
- Squared corner shaping by 6-axis control (Japanese), 7A613
- 5-axis control machining by use of conicoid end mill (Japanese), 10A734
TAKEWAKI, I: Semi-explicit optimal frequency design of chimneys with geometrical constraints, 1A837
- Design-oriented approximate bound of inelastic responses of a structure under seismic loading, 3A1379
- Hybrid inverse mode problem for fixed-fixed mass-spring models, 4A329
- Sequential stiffness design for seismic drift ranges of a shear building-pile-soil system, 6A1428
- Efficient optimal frequency design of elastically supported distributed-parameter cantilevers, 7A131
- Elastic frame redesign via a performance-based incremental inverse problem, 8A925
- Hybrid inverse mode problem for structure-foundation systems, 9A125
TAKEZAWA, N: Renormalized molecular dynamics simulation of crack initiation process in machining defectless monocrystal silicon (Japanese), 8A730
TAKEZONO, S: Propagation of small surface cracks in stainless steel at high temperature, 1A686
- Effect of loading frequency on fatigue crack growth under high temperature, 2A618
- Two-dimensional collisions of vehicles: Case of consideration of vehicle movements during impact, 5A171
- Application of fracture mechanics to the surface crack propagation in stainless steel at elevated temperatures, 11A674
TAKHAR, HS: Unsteady free convection flow over a continuous moving vertical surface, 1A1169
- Radiation effects on MHD free convection flow of a gas past a semi-infinite vertical plate, 1A1256
- Free convection of non-Newtonian power-law fluid from a vertical wavy surface with uniform surface heat flux, 4A1192
- Effects of transverse magnetic field, Prandtl number and Reynolds number on non-Darcy mixed convective flow of an incompressible viscous fluid convective flow of an incompressible viscous fluid past a porous vertical flat plate in saturated porous medium, 7A1450
- Stability of Couette flow in the wide gap of two circular concentric cylinders with rotating inner cylinder and finite growth rate, 9A1104
- Transient free convection past a semi-infinite vertical plate with variable surface temperature, 11A1226
- Similarity solution of unsteady boundary layer equations with a magnetic field, 11A468
TAKI, T: Evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 2A1126
TAKIGAMI, Y: Coarse interval linearity-calibration method involving self-inspection technique for displacement sensors (Japanese), 12T424
TAKIGAWA, T: Stress-strain behavior of segmented polyurethaneureas under pure shear deformation, 1A948
TAKIGUCHI, K: Practical application of an apparatus to improve slurry discharged as construction resources (Japanese), 2T994
- Development of a system to dehydrate construction slurry (Japanese), 10A1120
TAKIKAWA, K: Internal characteristics and numerical analysis of plunging breaker on a slope, 12A253
TAKIMOTO, A: Heat transfer enhancement in a convective field by applying ionic wind, 9A1296
TAKIMOTO, M: Identification of nonlinear structures by Kalman filter (Japanese), 9A824
TAKINACI, AC: Wake rollup model for heavily loaded marine propellers, 5A1064
TAKITA, K: Counterflow diffusion flame of methane and methane-hydrogen mixed fuel in supersonic flow, 9A1371
- Film cooling effect of hydrogen on cylinder in supersonic airflow, 12A1120
TAKIZAWA, H: Study on rolling contact fatigue life of linear motion ball guides system (Japanese), 1A886
- Application of damage mechanics to the analysis of spall damage, 1A712
TAKLE, ES: Three-dimensionality of shelterbelt structure and its influences on shelter effects, 2T1415
TAKSAR, MI: Optimal production planning in a stochastic manufacturing system with long-run average cost, 7T393
TAKUDA, H: Fracture prediction in stretch forming using FE simulation combined with ductile fracture criterion, 9A658
TAKUMI, K: Numerical algorithm for local failure mechanism of pre-stressed concrete containment vessel wall with penetration, 6A1496
TALAGANOV, KV: Stress-strain transformations and liquefaction of sands, 5A516
TALAMONA, D: Stability of steel columns in case of fire: Numerical modeling, 11A530
TALAYEV, SA: Micromechanical engineering: A basis for the low-cost manufacturing of mechanical microdevices using microequipment, 8T416
TALBERT, SH: Elementary Mechanics of Plastic Flow in Metal Forming, 2R18
TALBOT, DRS: Three-point bounds for the overall properties of a nonlinear composite dielectric, 6A554
- Bounds of third order for the overall response of nonlinear composites, 7A458
TALBOT, M: Dynamic behavior of multi-span beams under moving loads, 6A150
TALER, J: Theory of transient experimental techniques for surface heat transfer, 1A1228
TALESNICK, M: Effect of degradation on seismic response of Israeli continental slope, 8A638
TALHOUK, R: Unsteady flows of viscoelastic fluids with inflow and outflow boundary conditions, 3A1105
TALIA, JE: Solid particle erosion mechanism in glass, 2A647
- Erosion ripple formation mechanism in aluminum and aluminum alloys, 2A644
TALIERCIO, A: Anisotropic damage model for the multiaxial static and fatigue behavior of plain concrete, 2A624
TALJSTEN, B: Strengthening of concrete prisms using the plate-bonding technique, 12A818
TALKE, FE: Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part I: Experiments, 1A889
- Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part II: Model and analysis, 1A890
- Investigation of nano-wear during contact recording, 2A884
- Review of "contact recording" technologies, 12A985
- Numerical investigation of tri-pad sliders and comparison to other slider designs, 12A1023
- Friction and wear studies of carbon overcoated thin films magnetic sliders: Application of Raman microspectroscopy, 12A992
TALMAGE, G: Pseudospectral-finite difference analysis of an infinitely wide slider bearing with thermal and inertial effects, 10A1267
- Liquid-metal MHD flow in rectangular ducts with thin conducting or insulating walls: Laminar and turbulent solutions, 11A1123
- Heat transfer in laminar and turbulent liquid-metal MHD flows in square ducts with thin conducting or insulating walls, 11A1256
TALMON, Y: Non-viscoelastic drag reducing cationic surfactant system, 12A1121
TALREJA, R: Effects of fiber and interphase on matrix-initiated transverse failure in polymer composites, 2A434
- Prediction of matrix-initiated transverse failure in polymer composites, 5A678
- Criterion for crack initiation in glassy polymers subjected to a composite-like stress state, 7A641
- Special issue of the International Journal of Damage Mechanics, 8A807
TALVITIE, M: Influence of the metal-ceramic interface on the microstructure and mechanical properties of HIPed iron-based composites, 7A487
TAM, A: Directionally adaptive methodology using an edge-based error estimate on quadrilateral grids, 4A22
TAM, AC: Transient temperature during the vaporization of liquid on a pulsed laser-heated solid surface, 2A1228
- Marangoni mechanism in pulsed laser texturing of magnetic disk substrates, 12A1267
TAM, CHUNG-JEN: Algebraic turbulence model simulations of supersonic open-cavity flow physics (Disimile), 5A953
TAM, CKW: Cartesian boundary treatment of curved walls for high-order computational aeroacoustics schemes, 6A1049
- Screech tones of supersonic jets from bevelled rectangular nozzles, 12A309
TAM, HK: Pole assignment with minimum eigenvalue differential sensitivity, 9T315
TAM, KK: Numerical study of a problem in the combustion of a porous medium, 10A1415
TAM, T: Trajectory-based validation of the shuttle heating environment, 10A1381
TAMADA, K: Occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, 5A828
TAMAGAWA, M: Effects of shock waves on living tissues: Numerical analysis of a propagating pressure wave toward living tissue, 7A1548
TAMARU, T: Computation of turbulent reacting flow in a jet assisted ram combustor, 8A1200
TAMBOUR, Y: Theory of transient multicomponent transport coupling in 3D stagnation flows, 5A1312
TAMBURRINO, A: Visualization of flow structures in low Reynolds turbulent open-channel flows, 8T1204
TAMER, SM: Synthesis of robust gain matrices for adaptive rotor vibration control, 12A403
- Robustness of adaptive rotor vibration control to structured uncertainty, 12A399
TAMEROGLU, SS: Vibrations of clamped rectangular plates on elastic foundations subjected to uniform compressive forces, 3A162
TAMIMI, AA: Knowledge base for metal welding process selection, 12A1038
TAMM, B: Impact grinding and disintegrators, 10A745
TAMM, J: Inner friction factor of fine powders, 11A633
TAMMA, KK: Adaptive time stepping approaches for thermal solidification processes, 1A1235
- Explicit unconditionally stable approaches for built-up shell structural configurations, 2A103
- Flux-based finite-volume formulations and adaptive time-stepping strategies for modeling of reentry thermal protection systems, 3A1257
- Linear complementary formulations involving frictional contact for elasto-plastic deformable bodies, 10A563
TAMPIERI, F: Method of analysis for turbulent flows using the streamline coordinate system, 10T1191
TAMURA, A: Numerical and experimental investigation of secondary flow in a high-speed compressor stator, 10A1247
TAMURA, H: Propellant injection in a liquid oxygen-gaseous hydrogen rocket engine, 5A1371
- Numerical scheme and program for the solution and stability analysis of a steady periodic vibration problem, 5A147
- Fragmentation and dispersion of aluminum nitride ceramic plates by hypervelocity impact, 9A193
TAMURA, K: Riccati equation approach to robust L_2-gain synthesis for a class of uncertain nonlinear systems, 3T361
- Approximate solution of Hamilton-Jacobi inequality by neural networks, 10A102
TAMURA, M: Axial load capacity of water-lubricated hydrostatic conical bearings with spiral grooves: On the case of rigid surface bearings, 4A1157
TAMURA, S: Fabrication of SiC aspherical mirror by elastic emission machining, 7T609
TAMURA, T: Monitoring of heart and respiratory rates by photoplethysmography using a digital filtering technique, 1A1465
- Turbulence measurements and observations of turbulent premixed flames at elevated pressures up to 3.0 MPa, 6A1331
TAMURA, Y: Simulation of wind-induced lateral-torsional motion of tall buildings, 9A157
TAMUZS, V: Plane problem of macro-microcrack interaction taking account of crack closure, 6A801
TAN, ACC: Self-sensing active suppression of vibration of flexible steel sheet, 1A841
TAN, BENKUI: Collision interactions of envelope Rossby solitons in a barotropic atmosphere, 3A224
TAN, CA: Active Control of Vibration and Noise, 3N6
- Active vibration control of the axially moving string using space feedforward and feedback controllers, 1A367
- Dynamic analysis of the axially moving string based on wave propagation, 12A167
TAN, CL: General exact transformation of body-force volume integral in BEM for 2D anisotropic elasticity, 6A490
- Treatment of body-force volume integrals in BEM by exact transformation for 2D anisotropic elasticity, 6A495
TAN, CS: Enhanced mixing with streamwise vorticity, 11A1386
TAN, FL: Freezing inside an enclosure using n-paraffin materials: An experimental study, 8A1350
TAN, GS: Comparative study of vibrating loaded plates between the Rayleigh-Ritz and experimental methods, 8A143
TAN, HONGLAI: Nonlinear motion of crack tip atoms during cleavage processes, 3A690
TAN, JH: Numerical analysis of an inside-out tube inversion process, 12A544
TAN, JIN-ZHU: Failure assessment diagram for I-II mixed-mode crack structures under biaxial loading, 3A697
TAN, KH: Shear stiffness D_{qz} for C-core sandwich panels, 3A530
- Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part I: The effects of physical parameters, 9A930
- Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part II: The effect of detergents and dispersants, 9A931
TAN, KIANG-HWEE: Design procedure for reinforced concrete beams with large web openings, 2A777
- Effects of deviators and tendon configuration on behavior of externally prestressed beams, 8A914
TAN, KS: Ultrasonic evaluation of cement adhesion in wall tiles, 1A824
TAN, M: Opposite sunspaces passive solar air heating system, 11A1536
TAN, MJ: Powder hot pressing and front pad extrusion method for aluminum-lithium based matrix composites, 4A690
TAN, P: Biaxial test specimen for crack arrest studies, 2A717
TAN, PING: Study on influence of boundary, junction and discontinuities on disturbance propagation in 1D waveguide (Chinese), 10T258
TAN, PW: Three-dimensional FE analyses of corner cracks at stress concentrations, 3A13
TAN, RCE: Computation of derivatives of repeated eigenvalues and corresponding eigenvectors by simultaneous iteration, 4T111
TAN, RS: Numerical study of the early stages of impulsively started unsteady laminar flow past a square cylinder, 7A1045
TAN, SB: Directional control of an advanced airship, 4A1131
TAN, SOON KEAT: Coupled analysis of fluid transients and structural dynamic responses of a pipeline system, 8T1023
TAN, ST: Model for simulating flexible surfaces of cloth objects, 8A581
TAN, SZU-YING: Estimation of aeroelastic models in structural limit-cycle oscillations from test data, 12A286
TAN, TH: Dynamic stability of spinning Timoshenko shafts with a time-dependent spin rate, 8A162
- Dynamic stability of a radially rotating beam subjected to base excitation, 12A661
TAN, WK: Extended adaptive control of nonlinear multivariable servomechanisms not requiring acceleration sensing, 6A390
TAN, XC: Application of a splitting fracture model to the simulation of rock indentation subsurface fractures, 7A591
TAN, XIAOLI: Fatigue crack initiation in high-purity titanium crystals, 2A615
TAN, XIAOPING: Three dimensional simulation of unstable immiscible displacement in the porous medium, 10A1174
TAN, Y-K: Enhancement of thermal conductivity by using polymer-zeolite in solid adsorption heat pumps, 12T1291
TAN, ZHIQIANG: Mass-damped Riemann problem and the aerodynamic surface force calculation for an accelerating body, 8A1222
- Radiative and combined-mode heat transfer within L-shaped nonhomogeneous and nongray participating media, 12A1307
TANABE, K: Non-contact strain measurement using metal foil gauges with the application of the laser speckle method, 9A802
TANABE, T: Detecting the size effect in concrete beams using nonlinear fracture mechanics, 10A932
TANABE, T-A: Influence of initial stresses on the size effect of concrete flexural strength (Japanese), 7A826
- Experimental study on relationship between type of cements and fracture properties of concrete (Japanese), 7A656
- Investigation of mode-I fracture of early age concrete by a non-local plasticity approach, 10A826
- Size effect analysis for pull-out strength by fictitious crack model, 10A799
TANABE, Y: Fragmentation and dispersion of aluminum nitride ceramic plates by hypervelocity impact, 9A193
TANAHASHI, M: Verification of SGS-stress models by direct numerical simulation of compressible homogeneous isotropic turbulence, 7T1156
- Assessment of subgrid-scale models by a direct numerical simulation of a temporally developing turbulent mixing layer, 7A1151
TANAHASHI, T: Numerical analysis of natural convection of thermo-electrically conducting fluids in a square cavity under a uniform magnetic field: Calculated results, frequency characteristics, 3T1171
TANAKA, A: Development on thrust ram system for tunnel boring machine (TBM) by using parallel link (Japanese), 2A568
- Present state and future perspective of tribology: Special issue on Commemoration of the 40th Anniversary of the Foundation of JAST, 7T867
- Method for measuring effective crack tip fracture toughness in bridging materials (Japanese), 9A725
TANAKA, E: Mechanical model of cardiac muscle taking account of excitation-contraction coupling, 1A1452
TANAKA, F: Estimation method for perpendicularity of motion of vertical milling machine by model of machine tools (Japanese), 7A608

TANAKA, H: Determination method of optimum pre-stress in cables of cable-stayed bridges by using fuzzy sets theory (Japanese), 2A129
- Study on regenerative chatter vibration in end mill operation - 1st report: Theoretical analysis of chatter stability limit in side cutting- (Japanese), 3A185
- Occurrence of brittle flaking on bearings used for automotive electrical instruments and auxiliary devices, 5A828
- Fatigue strength of tensile plate with side gussets subjected to static transverse load (Japanese), 6A732
- Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), 10A238
- Improvement of the full-range equation for bottom friction under 3D wave-current combined motion, 12T1495
TANAKA, H-A: Self-synchronization of coupled oscillators with hysteretic responses, 8A106
TANAKA, I: Simple universal equation for bubble growth in pure liquids and binary solutions with a non-volatile solute, 7A1283
TANAKA, K: Kinetics on the micro- and macro-levels in polycrystalline alloy materials during martensitic transformation, 1A1288
- Stability estimation method for masonry wall (Japanese), 2A564
- Investigation of the damping behavior of a vibrating shape memory alloy rod using a micromechanical model, 3A140
- Multicriterial material tailoring of a hollow cylinder in functionally gradient materials: Scheme to global reduction of thermoelastic stresses, 3A529
- Phenomenological analysis of plateaus on stress-strain hysteresis in TiNi shape memory alloy wires, 4A781
- Method of X-ray stress measurement for cubic polycrystals with fiber texture (Japanese), 4A793
- Propagation and closure of small cracks in SiC particulate reinforced aluminum alloy in high cycle and low cycle fatigue, 5A585
- Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A1366
- Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A9
- Lamination theory incorporating the effect of interlayer deformation (Japanese), 7A478
- Singular stress and electric fields of a piezoelectric ceramic strip with a finite crack under longitudinal shear, 8A634
- Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, 9A423
- Surface improvement and durability of case-carburized gear: Results of basic rollers running test, 11A346
TANAKA, M: Mechanical remodeling of bone structure considering residual stress, 1A1448
- Force control of a flexible finger with distributed sensors and piezoelectric actuators, 2A336
- Tribology research in Japan: A state-of-the-art report, 3A861
- Settlements of oil storage tank during liquefaction (Japanese), 5A522
- Sensory evaluation of past design cases and design candidates for conceptual structural design, 5A1518
- Study on the buckling of rectangular bellows under pressure loads, 5A495
- Crest instabilities of steep surface waves, 10A292
- Experimental investigation of the effect of shaft heating and cooling on single bore journal bearing, 12A971
TANAKA, N: Distributed parameter modal filtering using smart sensors, 4A416
- Finite element and experimental studies of creep at the interface of press fitted gears-shafts connections, 6A951
- Theoretical estimation for removal ability of organic pollutants through crushed stone layer around leachate collection pipe and design of the pipe in semiaerobic sanitary landfills (Japanese), 7T1082
- Use of optimally shaped piezoelectric film sensors in the active control of free field structural radiation - Part 2: Feedback control, 11A260
TANAKA, S: System for inferring axial force of high-strength bolts on steel bridges (Japanese), 6A905
- Field observation of infragravity motion and suspended sand transport under a swell (Japanese), 7A1007
- Lubrication characteristics of refrigerating-air conditioning rotary compressor: Mixed lubrication analysis on vane tip, 11A1175
TANAKA, T: Effect of lay-up sequence on relation between damage and absorbed energy in CFRP laminates subjected to falling weight impact (Japanese), 2A698
- Effect of loading path on the stress-strain relation and progressive damage of a polymer-matrix composite under tension-torsion biaxial loading, 4A561
- Numerical simulation of impingement air cooling from LSI packages with large plate fins by the penalty FEM, 9A1297
TANAKA, Y: Load distribution analysis method for cylindrical worm gear teeth, 5A861
- Relation between compacted area and ram momentum by heavy tamping: Density and strength increases due to single point tamping (Japanese), 8A648
- Development of monitoring technics of rocks in situ using precise measurement system of elastic waves (Japanese), 10A726
TANASAWA, I: Enhancement of evaporation of a droplet using EHD effect: Measurement of steady-state heat flux during evaporation of a single droplet, 3A1072
- Heat transfer in laminar flow between parallel plates with rib-type eddy promoters, 7A1241
- Numerical simulation of the freezing process of biological tissues, 7A1374
TANDA, G: Fluid flow and heat transfer in a 2D wavy channel, 2A1155
- Thermodynamic method for the comparison of plate-fin heat exchanger performance, 2T1259
- Natural convection heat transfer in vertical channels with and without transverse square ribs, 8A1283
- Free convection heat transfer from wire-and-tube heat exchangers, 11T1337
TANDON, GP: Matrix crack impinging on a frictional interface in unidirectional brittle matrix composites, 4A758
- Failure modes in unidirectional composites under transverse loading, 7A737
TANDON, KN: Effect of temperature on the wear of an electroless nickel coating under lubricated reciprocating sliding conditions, 5T841
TANG , RENJI: Explicit tensor expression for the fundamental solutions of a bimaterial space problem, 12A468
TANG, BINGYANG: Active noise control based on intelligent fuzzy control tactics (Chinese), 10A372
TANG, CY: Modeling of damage behaviors of high impact polystyrene, 5A690
- Damage analysis of crack tip zone in high impact polystyrene, 8A781
- Nearly isotropic turbulence generated by a pair of vibrating grids, 10A1177
TANG, DEMAN: Flow about a slotted cylinder-airfoil combination in a wind tunnel, 2A1079
- Damping prediction for hingeless rotor aeroelastic stability with experimental correlation, 6A312
TANG, DM: Comments on the Onera stall aerodynamic model and its impact on aeroelastic stability, 1A292
- Nonlinear response of a non-rotating rotor blade to a periodic gust, 5A213
- Nonlinear behavior of a typical airfoil section with control surface freeplay: A numerical and experimental study, 8T1215
TANG, DW: Non-Fourier heat conduction in a finite medium under periodic surface thermal disturbance - II: Another form of solution, 1T1220
- Analytical solution of non-Fourier temperature response in a finite medium under laser-pulse heating, 1A1222
TANG, FT: Design and assessment of an adaptive intermittent cervical traction modality with EMG biofeedback, 5A1521
TANG, GUOQING: Robust controller design for uncertain linear systems with circular pole constraints, 7T341
TANG, H-T: Inference of dynamic shear modulus from Lotung downhole data, 3A587
TANG, HT: Large-scale seismic test program at Hualien Taiwan, 1A1421
- Parametric nonlinear FE analysis of strain ratcheting in pressurized elbows based on random vibration, 2A1425
- Identification and modeling of earthquake ground response - I: Site amplification, 5A1412
- Axisymmetric elastic-plastic FE analysis of pressurized elbows, 11A11
TANG, J: Eigensolutions sensitivity for quadratic eigenproblems, 4A98
TANG, JINKE: High friction coefficient of fullerene C_{70} film, 3A843
TANG, JINRONG: Shock slip-relations for thermal and chemical nonequilibrium flows, 6A1092
TANG, JS: Passive and semi-active airspring suspensions for rail passenger vehicles: Theory and practice, 8A195
TANG, K: Comparison of theory and experiments for reflection from microcontoured surfaces, 10A1346
- Fourier transform infrared system measurement of the bidirectional reflectivity of diffuse and grooved surfaces, 11A1325
TANG, KAKUEN: Regions of validity of the geometric optics approximation for angular scattering from very rough surfaces, 3A1258
TANG, LI Q: Three-dimensional transient mold cooling analysis based on Galerkin FE formulation with a matrix-free conjugate gradient technique, 3A620
- Temporal, spatial, and thermal features of 3D Rayleigh-Benard convection by a least-squares FEM, 6A1252
- Optimal cooling system design for multi-cavity injection molding, 12A49
TANG, LIMIN: Symmetry of PDEs and their applications to elasticity equations (Chinese), 12A504
TANG, MING-KUN: Boundary element evaluation on the performance of sound absorbing wedges for anechoic chambers, 7A277
TANG, PUNAN: Electromechanical modeling of hybrid piezohydraulic actuator system for active control, 9A358
TANG, REN-JI: Integral equation method for the torsion of a composite cylinder with crack and inclusion, 5A673
TANG, RENJI: Mixed-type integral equations for transient elastodynamic plane crack problems, 9A769
- Approximate method of response analysis of vibrations for cracked beams, 11A113
TANG, SK: Characteristics of noise in air-conditioned landscaped offices, 3A314
- Control of vortex pairing sound, 10A374
- Solitons in (2 + 0) dimensions and their applications in vortex dynamics, 12A1066
TANG, TAO: Spectral domain decomposition approach for steady Navier-Stokes problems in circular geometries, 3A1048
TANG, TIANXI: Variable-notch one-size test method for fracture energy and process zone length, 3A701
TANG, X: Structure and interaction force in a model magnetorheological system, 6A11
TANG, XIANGYUN: Study on the behavior of adiabatic shear bands in impact wear, 3A859
TANG, XINLU: Quasistatic measurements on a magnetorheological fluid, 5A895
TANG, XZ: Finite time Lyapunov exponent and advection-diffusion equation, 2A1292
TANG, YS: Boiling Heat Transfer and Two-Phase Flow, Second Edition, 11R34
TANG, YU: New algorithm for active structural control, 3A752
- Heuristic-based algorithm for active control, 3A747
- Laterally excited flexible tanks with nonuniform density liquid, 3A262
TANG, YUE: New kind of nonlinear mild-slope equation for combined refraction-diffraction of multifrequency waves, 12T266
TANG, YY: Assessment of computational models for thermo-electroclastic multilayered plates, 4A1274
- Three-dimensional solutions for free vibrations of initially-stressed thermoelectroelastic multilayered plates, 9A1330
TANG, ZG: Development of a flexible composite material, 11A458
TANGIRALA, S: Nonlinear stochastic model of fatigue crack dynamics, 6A794
- Life-extending control of reusable rocket engines, 10T486
TANGLER, JL: Wind tunnel test of the S814 thick root airfoil, 5A1085
- Influence of pitch, twist, and taper on a blade's performance loss due to roughness, 12A1521
TANGTERMSIRIKUL, S: Simulation of concrete shrinkage taking into account aggregate restraint, 8A534
TANGUY, J-M: Intercomparison of wave-driven current models, 12T1496
TANGUY, JM: Intercomparison of coastal area morphodynamic models, 12T1060
TANI, J: Unstable sloshing vibration in a thin cylindrical weir, 8A282
TANI, JUNJI: Vibration suppression of a cylindrical shell using a hybrid control method, 2A101
- Vibration suppression effect of liquid crystal under electromagnetic field, 2A100
- New technique for analyzing the 3D wave fields in anisotropic laminates excited by point harmonic loads, 7A192
TANI, K: Impulse function and drag in scramjet inlet models, 5A1376
TANI, M: Large earth retaining wall using precast SRC struts (Japanese), 2A567
TANIDA, K: Development of an active mass damper for a suspended load on a floating crane (Japanese), 6A161
TANIDA, Y: Atlas of Visualization, II, 2N50
TANIERE, A: Modeling of saltation and turbulence effects in a horizontal gas-solid boundary layer, 9A1062
TANIGAKI, M: Effective stress model of sand and clay based on cyclic shear strength and its application to liquefaction analysis (Japanese), 10T691
TANIGAWA, Y: Theoretical analysis of thermoelastoplastic deformation of a circular plate due to a partially distributed heat supply, 9A1325
- Analytical treatment of axisymmetrical thermoelastic field with Kassir's nonhomogeneous material properties and its adaptation to boundary value problem of slab under steady temperature field, 10A1373
- Improvement of tool life by jet supplied cutting fluid (Japanese), 10A553
TANIGUCHI, K: Methods and effects of introduction of the functional component grouping process into systemization, 5A269
TANIGUCHI, N: Flow measurement for micro-engineering (Japanese), 10T1080
- Feasibility of the LES for engineering problems, 11T1111
TANIGUCHI, S: Thermohydrodynamic performance of high-speed journal bearings, 3T1209
TANIGUCHI, T: Study on box shield tunneling method in trial field operation (Japanese), 10A709
TANIMOTO, C: Survey and the analysis of rock joint and the determination of jointed rock mass model (Japanese), 5T541
TANIMOTO, K: Long-period water surface fluctuations on a horizontal coastal shelf with a steep seaward face, 7T1494
TANIMURA, S: Evaluation of critical impact velocity of materials and its application to processing thin plates (Japanese), 2A699
- Development of dynamic loading device with stress sensing block and its experimental examination (Japanese), 4A787
- Sensing block method for measuring impact force generated at a contact part, 7A209
TANIMURA, Y: Optical noncontact measuring instrument for 3D shapes - 3rd report: Expansion of detecting range with a low resolution optical system (Japanese), 1A808
TANISHITA, K: Injury of biological tissue by extracellular freezing, 7A1309
- Gas dispersion in a model pulmonary bifurcation during oscillatory flow, 12A1557
TANISHO, PM: Performance of heat exchanger using heat pipes at low inclination, 1A1263
TANIZAKI, S: Mechanical properties and failure criterion of normally and over consolidated cement-treated soil (Japanese), 10A684
TANIZAWA, K: Simulation of plunging wave impact on a vertical wall, 6A306
TANKIN, RS: Measurement of droplet size, velocity, and temperature distributions in Rayleigh flow, 7A1083
TANNEHILL, JC: Computational Fluid Mechanics and Heat Transfer, Second Edition, 11N4
TANNER, RI: Adaptive viscoelastic stress splitting scheme and its applications: AVSS-SI and AVSS-SUPG, 1T457
- Rheological properties of thin liquid films by molecular dynamics simulations, 11A891
TANNO, R: Critical heat flux and convection heat transfer with a planar liquid jet impinging on flat and concave surfaces, 8A1318
TANOUE, K-I: Heat transfer and thermal diffusion phenomena in a horizontal cold-wall CVD reactor, 9A1343
TANTOLIN, C: Film condensation inside horizontal integral-fin tubes of large diameter, 6A1260
TANUMA, K: Formula for the fundamental solution of anisotropic elasticity, 11A373
TANVEER, S: Singular effects of surface tension in evolving Hele-Shaw flows, 4A988
TANZER, M: Kinematics of the MATCO hip simulator and issues related to wear testing of metal-metal implants, 10T1527
TAO, FENG: Flat-plate boundary-layer flows induced by dusty shock wave, 1A1034
TAO, JS: Flow visualization study on feedback control of vortex shedding from a circular cylinder, 6A1029
TAO, JX: Effect of matrix cracking on stiffness of composite laminates, 2A675
- Simplified method for predicting onset of open-mode free edge delamination, 9T720
TAO, K: Effect of loading frequency on fatigue crack growth under high temperature, 2A618
- Two-dimensional collisions of vehicles: Case of consideration of vehicle movements during impact, 5A171
TAO, KATSUMI: Application of fracture mechanics to the surface crack propagation in stainless steel at elevated temperatures, 11A674
TAO, L: Notes on FEM and its generalization, 7A28
TAO, LY: Constitutive theory for the Reynolds-stress closures in turbulence modeling, 1A1078
TAO, R: Effective viscosity of an electrorheological fluid, 6A5
TAO, WEN-QUAN: Ray effect in ray tracing method for radiative heat transfer, 11A1324
TAO, WQ: Numerical analysis of natural convection around a vertical channel in a rectangular enclosure, 1A1177
- Numerical study of natural convection in a vertical annulus with constant heat flux on the inner wall, 7A1250
TAO, WS: Study on the kinematic characteristics of 3 dof in-parallel actuated platform mechanisms, 3A408
TAO, Y: NO_x emissions from a diesel engine fueled with natural gas, 11A1406
TAO, Y-X: Modeling of melting in heterogeneous snow cover on permeable frozen soil, 2A1297
TAODA, K: Temporary threshold shift of a vibratory sensation induced by hand-arm vibration composed of four one-third octave band vibrations, 9A1593
TAOUS, K: Homogenization of a thermal problem in the plate of a heat exchanger, 11A1321
TAOUTAOU, D: Globally stable discrete-time controller for current-fed induction motors, 4T366
TAPLEY, MB: Evaluation of flat-earth approximation results for geopotential missions, 9T243

TAPONAT, M-C: Wear studies of materials for tubes and antivibration bars in nuclear steam generators, 2A897
TAPPERT, FD: Measurement of modal group time delays in the deep ocean, 4A286
TARABIA, AM: Static and dynamic modeling of light-frame wood buildings, 8A930
TARAFDAR, E: Generalized quasi-variational inequalities and some applications, 11T70
TARAFDER, M: Finite element solutions for stress intensity factors in longitudinally cracked cylindrical components, 7A719
TARAFDER, S: Finite element solutions for stress intensity factors in longitudinally cracked cylindrical components, 7A719
TARAN, DE: Electrorheological effect of reducing the suspension viscosity in laminar flows below the viscosity of anisotropic dispersive medium, 6A1019
TARAN, EY: Electrorheological effect of reducing the suspension viscosity in laminar flows below the viscosity of anisotropic dispersive medium, 6A1019
TARANTINO, AM: Dynamics of shallow elastic arches - Part I: Chaotic response of harmonically shaped arches, 1A195
- Dynamics of shallow elastic arches - Part II: Optimal forms, 1A196
- Thin hyperelastic sheets of compressible material: Field equations, airy stress function, and an application in fracture mechanics, 5A384
TARANTINO, MA: Electro-elastic interactions and second order anisotropic constitutive equations, 7A2
TARASENKO, SN: Radiation properties of a semi-transparent composite matrix with the particles at a metal-dielectric phase transition, 5T1255
TARASYUK, VS: Inverse problems of deformation of flexible cylindrical shells from nonlinearly-elastic composite materials (Russian), 1T572
TARBELL, JM: Blood analog for laser-induced photochemical anemometry, 8T1570
- Wall shear rate measurements in an elastic curved artery model, 10A1557
- Wall shear rate distribution an abdominal aortic bifurcation model: Effects of vessel compliance and phase angle between pressure and flow waveforms, 12A1561
TARDU, SF: Reaction of bursting to an oscillating homogeneous pressure gradient, 7A1137
TARDY, P: System of nonlinear elliptic and degenerate parabolic equations describing compositional water-oil flows in porous media, 8T1448
TARGETT, MJ: Combustion of ethane with small concentrations of methyl chloride in a refractory tube burner, 6A1335
TARIKOV, GP: Evaluation of contact pressure in gears with electrical simulation, 1A879
TARKENTON, GM: Transonic and boundary layer similarity laws in dense gases, 4A1000
TARLAKOVSKII, DV: Resultant reactions in the transient contact problem for an anisotropic elastic half-space, 8A486
TARMAN, IH: Karhunen-Loeve based Galerkin approximation to Boussinesq equation, 6A1040
- Improved dynamical approximation to Boussinesq equation using Karhunen-Loeve basis, 10A1313
TARN, JIANN-QUO: Thermoelastic analysis of doubly curved laminated shells, 3A1270
- Asymptotic theory for dynamic response of doubly curved laminated shells, 3A524
- Refined asymptotic theory and computational model for multilayered composite plates, 11A515
- Asymptotic theory for nonlinear analysis of multilayered anisotropic plates, 12A627
TARNG, YS: Fuzzy pulse discriminating system for electrical discharge machining, 8A721
- Automatic synthesis of membership functions for the force control of turning operations, 11A350
TARNOPOLSKII, YM: Applied problems of mechanics of composite structures, 12A549
TARNOPOLSKAYA, T: Asymptotic analysis of the free in-plane vibrations of beams with arbitrarily varying curvature and cross-section, 4A119
TAROKH, M: Decentralized adaptive tracking control of robot manipulators, 6A429
- Adaptive fuzzy force control of manipulators with unknown environment parameters, 10A537
TARTAKOVSKY, DM: Analytical solution for contaminant transport in nonuniform flow, 11A1446
TARUMI, H: Study on durability of chemically stabilized roadbed under repeated train load (Japanese), 5A535
TARVER, CM: Violence of thermal explosion in solid explosives, 12A296
TARZIA, DA: Numerical analysis for the heat flux in a mixed elliptic problem to obtain a discrete steady-state two-phase Stefan problem, 1T1238
- One-phase supercooled Stefan problem with a convective boundary condition, 8A1353
TAS, N: Stiction in surface micromachining, 8T419
TASELI, H: New approach to the classical Stokes flow problem - Part I: Methodology and first-order analytical results, 8A1054
- New approach to the classical Stokes flow pattern - Part II: Series solutions and higher-order applications, 8A1055
TASHIRO, S: Performance of a scanning differential mobility analyzer, 6A1401
TASK COMMITTEE ON APPL OF ARTIFICIAL LIFE TECH IN OPTIM OF STRUCT SYS: Recent advanced technologies for optimization of structural systems-Application of artificial life technology (Japanese), 3T741
TASKER, FA: Sensor placement for time-domain modal parameter estimation, 5A332
TASKINEN, TI: Steady flow of an incompressible elastic-plastic material past thin cones: Numerical results, 10A679
TASLIM, ME: Experimental investigation of the rib surface-averaged heat transfer coefficient in a rib-roughened square passage, 10A1279
- Experimental heat transfer and friction in channels roughened with angled, V-shaped, and discrete ribs on two opposite walls, 11A1215
- Measurements of heat transfer coefficients and friction factors in rib-roughened channels simulating leading-edge cavities of a modern turbine blade, 12A1259
TASSIOS, TP: Behavior and ductility of reinforced concrete coupling beams of shear walls, 5A768
TASSOULAS, JL: Crossover of integral-ring buckle arrestor: Computational results, 9A595
TATE, A: Orbital re-entry experiment vehicle ground and flight dynamic test results comparison, 4A866
TATEISHI, K: Influence of welding materials on fatigue strength of fillet welded joints made from high strength steel (Japanese), 3A928
- Study on dynamic response of bridge caused by loads in line at high speed by BEM (Japanese), 6A903
- Fatigue design for cope hole details in I-section members of steel bridges, 11A812
- Fatigue strength of the joint between diaphragms and longitudinal ribs in box section girders (Japanese), 11A873
TATEISHI, M: Summary of pre-post processing capability for FEA (Japanese), 5T15
TATEISHI, Y: Characterization of impact damage resistance of CF-PEEK and CF-toughened epoxy laminates under low and high velocity impact tests, 9A745
TATEIWA, S: Development of straight cup wheel to prevent grinding seizure for grinding center, 3T637
TATEMA, Y: Study on the criterion of slip-resistance for pedestrian road pavement (Japanese), 7T924
TATENO, T: Hierarchical processing for presenting reaction forces in virtual assembly environments (Japanese), 3A418
TATEYAMA, K: Aspects of the vibrating behavior of a vibratory roller in soil compaction (Japanese), 8A192
TATHAM, RH: Comparison of experimental velocity measurements with theoretical results in a solid-solid composite material, 4A210
TATHGUR, A: Adhesion and failure mechaniams of a model hot melt adhesive bonded to polypropylene, 10A1011
TATIBOUET, J: Smart materials: A future for composites, 2T774
TATSUOKA, F: Deformation characteristics of sedimentary soft rocks (Japanese), 10T719
- Performance evaluation of LDTs for use in triaxial tests, 12A696
TATTI, M: Production and use of an interferometric optical strain gauge with comparison to conventional techniques, 8A849
TATTING, BF: Nonlinear response of long orthotropic tubes under bending including the Brazier effect, 2A479
- Brazier effect for finite length composite cylinders under bending, 9A529
TAU, DT: Generation and use of simplified uplift shape functions in unanchored cylindrical tanks, 2A493
TAUCHERT, TR: Temperature determination for a contacting body based on an inverse piezothermoelastic problem, 12A1341
TAUQIR, A: Air crash case study, 4A714
- Causes of fatigue failure in an aero-engine component, 9A709
TAURA, T: Three dimensional model shape design - 2nd Report: 3D geometric model focused on shape generating rules (Japanese), 9A965
TAURO, D: Test rig for studying lawnmower blade noise, 11A270
TAUTGES, TJ: Whisker weaving algorithm: A connectivity-based method for constructing all-hexahedral FE meshes, 3A33
TAVAKALYAN, LB: Influence of acoustic waves on plasma parameters in a molecular gas discharge, 5A231
TAVENDER, B: Whole-field optical diagnostics for structural analysis in the automotive industry, 1A810
TAVENER, SJ: Bifurcation of low Reynolds number flows in symmetric channels, 6A1101
TAVNER, ACR: Rule-based technique for two-state switchable suspension dampers, 9A368
TAVOULARIS, S: Laminar pulsatile flow through an axisymmetric sudden expansion, 9T1009
TAWFIQ, I: New approach to impact testing instrumentation using an electronic slave hammer, 9A128
TAY, CJ: Measurement of Y-notch tip plastic zone by the laser speckle technique, 3A731
- Extent of stretching during deep drawing, 4A665
TAY, MH: Explicit hybrid-stabilized 18-node solid element for thin shell analysis, 10A650
TAY, TE: Measurement of Y-notch tip plastic zone by the laser speckle technique, 3A731
TAYA, M: Stress relaxation by plastic flow, interfacial sliding and diffusion in an inclusion bearing material, 8A508
TAYEM, A: Design of round reinforced-concrete columns, 3A765
TAYLOR , D: Prediction of fatigue failure in a crankshaft using the technique of crack modeling, 8A828
TAYLOR III, AC: First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, 7T1177
TAYLOR, AJ: Channel entry problem for a yield stress fluid, 3A1104
- Conduit flow of an incompressible, yield-stress fluid, 7A970
TAYLOR, AW: Stress-strain model for confined reinforced concrete in bridge piers, 11A791
- Method of estimating the parameters of tuned mass dampers for seismic applications, 11A161
TAYLOR, C: Finite element modeling of surface tension effects using a Lagrangian-Eulerian kinematic description, 12A1077
TAYLOR, CE: Random excitation forces in tube bundles subjected to two-phase cross-flow, 2A236
- Vibration of a tube bundle in two-phase Freon cross-flow, 11A206
TAYLOR, CJ: Automated method for assessing routine radiographs of patients with total hip replacements, 12A1575
TAYLOR, D: Crack modeling: A technique for the fatigue design of components, 1A788
- Notch fatigue behavior in cast irons explained using a fracture mechanics approach, 5A611
- Relationship between bone-prosthesis bonding and load transfer in total hip reconstruction, 10A1571
TAYLOR, DAW: Regularization method for calculating engineering loads from strain data, 12A491
TAYLOR, HFW: Delayed ettringite formation, 1A771
TAYLOR, JC: Direct simulation of shock front radiation in air, 1A1003
- Transition regime aerodynamic heating of missiles, 4A1013
TAYLOR, JE: Generalized potential formulations for elastostatics of constitutively nonlinear structures under general loading, 7A814
- Extremum problem formulations of mixed-form models for elastostatics, 7A418
- Finite strain elastostatics with stiffening materials: A constrained minimization model, 12A476
TAYLOR, JM: Optimum design and validation of flat composite beams subject to frequency constraints, 9A836
TAYLOR, JR: Experiments on double-diffusive sugar-salt fingers at high stability ratio, 3A1288
TAYLOR, KT: Distribution of material properties in the equine third metacarpal bone serves to enhance sagittal bending, 9A1564
TAYLOR, LK: Strong conservative form of the incompressible Navier-Stokes equations in a rotating frame with a solution procedure, 4T982
TAYLOR, M: Spectral element method for the shallow water equations on the sphere, 7A1504
TAYLOR, MW: Problem of shear-locking in FEs based on shear deformable plate theory, 7A10
TAYLOR, PH: Irregular, nonlinear waves in a spread sea, 8A1506
TAYLOR, RL: Generalized Newton method for higher order FE approximations in nonlinear elasticity, 1A62
- Finite point method in computational mechanics: Applications to convective transport and fluid flow, 5A1319
- Stabilized finite point method for analysis of fluid mechanics problems, 6A1042
- Shape-memory alloys: Modeling and numerical simulations of the finite-strain superelastic behavior, 10A596
- Shape-memory alloys: Macromodeling and numerical simulations of the superelastic behavior, 12A589
TAYLOR, RP: Implications of correlated bias uncertainties in single and comparative tests, 11A7
TAYLOR, S: Launch-vehicle simulations using a concurrent, implicit Navier-Stokes solver, 4A1015
TAYLOR, SA: Moisture migration and cracking in plastic quad flat packages, 12A821
TAYLOR, SJG: Relations between compressive axial forces in an instrumented massive femoral implant, ground reaction forces, and integrated electromyographs from vastus lateralis during various "osteogenic" exercises, 7A1531
- Telemetry of forces from proximal femoral replacements and relevance to fixation, 7A1560
TAYLOR, SR: Analysis of high-frequency P/L_g ratios from NTS explosions and western US earthquakes, 2A1377
TAYLOR, TT: Workshop on nondestructive and nondisruptive property measurements: Identification of technology gaps, 10A887
TAYLOR, TW: Damping characteristics of thick rectangular laminates, 3A136
- Damping characteristics of laminated thick plates, 10A208
TAZAWA, Y: Study on application of high-strength shotcrete for a high overburden tunnel (Japanese), 5T791
TAZEROUT, ML: Effects of velocity fluctuations on a vane anemometer (French), 7A1224
TAZIBT, A: Prediction of abrasive particle velocity in a high pressure water jet and effect of air on acceleration process, 3A1068
- Interaction of abrasive water jet with cut material at high velocity of impact: Development of an experimental correlation, 6A703
TAZOH, T: Prediction of the measured response of a scaled soil-pile-superstructure system, 8A1479
TCHAVDAROV, BM: Two-dimensional vortex dynamics of inviscid-viscous interaction at turbulent slot-jet impingement, 10A1079
TCHERNYCHEV, A: Constrained H_∞ control of an experimental flexible link, 12A389
TCHINDA, R: Heat and mass transfer from a streaming hot saline water in an enclosure partitioned by an active baffle, 2A1296
TCHON, K: Normal forms of non-redundant singular robot kinematics: Three dof worked examples, 6A422
- Singularities of nonredundant robot kinematics, 8A433
- Singularity avoidance in robotic manipulators: A differential form approach, 11T337
TCHONKOVA, M: Mixed least squares method for solving problems in linear elasticity: Formulation and initial results, 10A570
TEAGUE, MW: UV-VIS absorption as a diagnostic for NO in rocket plumes, 8A1412
TEATINI, P: Parallel block iterative method for multisaquifer flow models, 6A1399
TEBBUTT, CB: Filter inlet velocity redistribution with filter loading, 6A1072
TEBEEST, K: Application of a finite volume based method of lines to turbulent forced convection in circular tubes, 5A1196
TECU, KS: Influence of strain rate and fuel dilution on laminar nonpremixed hydrogen-air flame structure: An experimental investigation, 3A1298
TEDD, P: Effect of reservoir drawdown and long-term consolidation on the deformation of old embankment dams, 9A895
TEDESCHI, R: Elastic instability of thin cylindrical shells: Numerical and experimental investigation, 6A621
TEDOLDI, G: Dynamic characterization of a highly flexible reticular structure, 4A161
TEE, CE: Holographic evaluation of edge delamination in bars bonded to a rigid support with foam-adhesive, 1A803
TEEL, AR: Robust semi-global output tracking for nonlinear singularly perturbed systems, 5T303
TEGNANDER, C: Streamline computations for porous media flow including gravity, 4A1335
TEGNER, JK: Properties of detonation waves, 4A270
TEH, LIP H: New definition of conservative internal moments in space frames, 7A836
TEH, LS: Large plastic deformation of beams of angle-section under symmetric bending, 8A514
TEH, OO-CHUAN: Assessment of nitrocarburizing processing in fluidized bed furnace, 4T1303
TEHRANI, MA: Experimental study of particle migration in pipe flow of viscoelastic fluids, 5A893
TEICHERT, J: Cobalt disilicide interconnects for micromechanical devices, 2T327
TEISHEV, A: Processing of composites of chopped PE fiber-reinforced PE matrix, 3A489
TEISSEYRE, H: Thermal expansion of GaN bulk crystals and homoepitaxial layers, 9A1336
TEISSEYRE, R: Motion and flow equations for stresses, 4A527
- Variation of seismic source parameters and earthquake entropy with depth, 4A1391
TEIXEIRA DE FREITAS, JA: Non-conventional formulations for the FEM, 6A55
TEIXEIRA, JC: Uncertainty of ocean wave hindcasts due to wind modeling, 11A1497
TEJCHMAN, J: Numerical simulation of shear band formation with a polar hypoplastic constitutive model, 3A614
- Dynamic patterning of shear bands in Cosserat continuum, 7A448
TEJIMA, N: Current topics on medical and rehabilitation engineering (Japanese), 1T1472
TEKINALP, O: Free bending vibrations of adhesively bonded orthotropic plates with a single lap joint, 11A134
TEKKAYA, AE: Shape optimization with the biological growth method: A parameter study, 6A857
TEKRIWAL, PK: ASME Proceedings of 31st National Heat Transfer Conference, Volume 5, 2N40
TELEGA, H: Inverse problem for the prelinear filtration of ground water, 2A1368
TELEGA, JJ: Nonlinear elastic plate model of moderate thickness: Existence, uniqueness, and duality, 1A560

- Two-point Pade approximants to Stieltjes series representation of bulk moduli of regular composites, 2A50
- Computational aspects of homogenization of thermopiezoelectric composites, 2A1285
- S-continued fractions for complex transport coefficients of two-phase composites, 2A536
- Influence of the Schulgasser inequality on effective moduli of two-phase isotropic composites, 4A1275
- Non-polynomial representations of orthotropic tensor functions in the 3D case: An alternative approach, 9A6

TELIONIS, DP: Proceedings of the ASME Fluids Engineering Division, 4N25

- Interaction of rolling vortices with a turbulent boundary layer, 11A1020

TELLO, LN: Characterization of ultrasonic transducers by means of double-exposure holographic interferometry, 7A291

TEM'ME, A: Neural network model of rainfall-runoff using radial basis functions, 3T1407

TEMAM, R: Infinite-Dimensional Dynamical Systems in Mechanics and Physics, Second Edition, 10N6

- Multilevel methods for the simulation of turbulence: A simple model, 3A1162

TEMKIN, S: Viscous attenuation of sound in dilute suspensions of rigid particles, 2A271

TEMPERVILLE, A: Race-track recirculating flume for cohesive sediment research, 11A925

- Comparisons between sediment transport models and observations made in wave and current flows above plane beds, 12T1059

TEMPO, R: Probabilistic robustness analysis: Explicit bounds for the minimum number of samples, 12T351

TEN THIJE BOONKKAMP, JHM: Evaluation of different contributions to flame stretch for stationary premixed flames, 12A1359

TENA-COLUNGA, A: Issues on the seismic retrofit of a building near resonant response and structural pounding, 3A1388

- Retrofit options for the seismic upgrading of old low-rise school buildings in Mexico, 6A1450
- Stiffness formulation for nonprismatic beam elements, 6A569
- Comparative study on the seismic retrofit of a mid-rise steel building: Steel bracing vs energy dissipation, 11T160
- Mathematical modeling of the ADAS energy dissipation device, 12A618

TENAUD, C: Numerical simulation of rapid expansion of supercritical fluid, 3T1215

TENCATE, JA: Laboratory study of linear and nonlinear elastic pulse propagation in sandstone, 3A200

- Frequency spectra of nonlinear elastic pulse-mode waves, 3A199

TENCER, AF: Factors affecting the pullout strength of cancellous bone screws, 2A1477

TENEK, C: TRIC: A simple but sophisticated 3-node triangular element based on 6 rigid-body and 12 straining modes for fast computational simulations of arbitrary isotropic and laminated composite shells, 11A47

TENEK, L: Combined steady-state nonlinear heat transfer-thermal postbuckling computations in unstiffened and stiffened laminated composite plates and shells, 6A1305

- Recent advances in computational thermostructural analysis of composite plates and shells with strong nonlinearities, 7A1369
- Prerequisites for quadrature elimination in structural FE analysis, 10A60

TENG, BIN: Unique solvable higher order BEM for wave diffraction and radiation, 4A233

TENG, CH: Absolute and convective instability of a viscous liquid curtain in a viscous gas, 8A1165

TENG, CHING-CHENG: Robust controller design for discrete uncertain multiple time-delay systems, 9A338

TENG, H: Capillary instability of a liquid film on a wire, 11A1084

TENG, HONGFEI: Using genetic algorithm to generate non-homomorphic topological-pattern for layout optimization (Chinese), 12A1031

TENG, J-T: Temperature measurements of a transient thermal plume in a confined space, 11T1237

TENG, JG: Shell restraint to ring buckling at cone-cylinder intersections, 9A587

- Post-collapse bifurcation analysis of shells of revolution by the accumulated arc-length method, 12A644

TENG, JT: Evaluation of the combustion efficiency and emission of pollutants by coal particles in a vortexing fluidized bed, 12A1388

TENG, JYH-TONG: Temperature and flow fields for the flow of a second grade fluid past a wedge, 12A1046

TENG, KH: Mechanical impedance inspection of aluminum honeycomb structures, 6A836

TENG, TJ: Accurate solution for the in-plane transient response of a circular arch, 4A160

TENG, TL: Long-period ground motions and dynamic strain field of Los Angeles basin during large earthquakes, 4A1419

TENG, Y: Study of the fundamentals of adsorption systems, 8A1378

- Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, 12A1328

TENNAKOON, SGK: Pulsed flow between concentric rotating cylinders, 8A1072

TENNIS, RF: Detection and sizing of defects in control rod drive mechanism penetrations using eddy current and ultrasonics, 2A739

TEO, CC: Methodology for tunnel dryer chamber design, 10A1356

TEO, KL: Optimal control computation to account for eccentric movement, 5A290

- Directing orbits of chaotic systems in the presence of noise: Feedback correction, 8A385
- Sensitivity reduction of constraint forces and position control for mechanical descriptor systems, 12A356

TEODOSIU, C: Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, 3A643

- Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, 11A622

TEOH, SG: Laboratory study of the interaction between two internal wave rays, 10A299

TEOH, SH: Development of a flexible composite material, 11A458

TEOH, SWEE-HIN: Ranking the fracture toughness of thin mammalian soft tissues using the scissors cutting test, 6A1545

TEPLY, B: Sensitivity study of BP-KX and B3 creep and shrinkage models, 4A721

TER-KRIKOROV, AM: Uniform approximations of the fundamental solution of the equation of internal waves, 6A281

TERABAYASHI, T: Miro drilling of printed circuit boards - 2nd Report: FEM analysis of torsional strength for twist drill (Japanese), 10A737

TERADA, H: Comparative analysis of clothoid and cubic spline curves as applied to continuous path control, 1A363

- Painting of industrial art object using teaching robot and spherical SCARA robot, 3T419
- New approach to physical edge detection using the curvature at the boundary contour points, 7A392
- Collision avoidance control of a quadruple arm SCARA robot (Japanese), 12A435

TERADA, K: Macro and micro scale modeling of thermal residual stresses in metal matrix composite surface layers by the homogenization method, 9A678

TERADA, M: Hysteresis models for steel bridge piers and their application to elasto-plastic seismic response analysis (Japanese), 6A1438

TERAMOTO, E: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825

TERAMOTO, N: Fluid force moment on a centrifugal impeller shroud in precessing motion, 11A218

TERAN-GILMORE, A: Seismic rehabilitation of infilled non-ductile frame buildings using post-tensioned steel braces, 6A1455

TERAOKA, M: Estimation of ductility in interior beam-column subassemblages of reinforced concrete frames (Japanese), 5A773

TERATO, H: Back analysis method using measured displacements for predicting deformational behavior of discontinuous rock mass (Japanese), 5A543

TERAYAMA, T: Thin spacing analysis for head-tape interface, 4A880

TEREKHOV, RG: Determinative equations of elastoplastic repeated deformation of a solid body taking into account the deformation anisotropy of material (Russian), 9A455

TEREKHOV, VI: Forced-convection heat transfer from the bottom of trenches with rectangular or inclined walls, 2A1156

- Heat transfer coefficient and aerodynamic resistance on a surface with a single dimple, 9A1295

TERENT'EV, ED: Composite asymptotic model for the wave motion in a steady 3D subsonic boundary layer, 10A1108

TERENTIEV, AG: Application of analytic functions to axisymmetric flow problems, 8A1043

TERENZI, G: Fluid viscous device modeling by fractional derivatives, 10A158

TERESHCHENKO, VY: Relation between the formulations of the BEM, 7A56

TERESI, L: Variational approaches to plate models, 11A505

TERHECI, M: Fracture toughness of commercially sintered low alloy steels - Part I: Theoretical background and experimental, 5A714

- Fracture toughness of commercially sintered low alloy steels - Part II: Results and discussion, 7A776
- Tribological behavior of yttria-stabilized zirconia under dry sliding conditions when tested against itself and grey automotive cast iron, 7A892

TERMAAT, RJ: Geosynthetics: Applications, Design, and Construction, 7N13

TERRASI, GP: Behavior of hybrid aluminium-CFRP box beams at low temperatures, 7A466

TERRAY, EA: Simultaneous acoustic and microwave backscattering from the sea surface, 10A362

TERRIAULT, P: Thermomechanical analysis of shape memory devices, 9T850

TERRIEN, M: Non destructive testing and artificial intelligence (French), 8T863

TERRILL, EL: Mathematical modeling of the motion of hard contact lenses, 8A1249

TERRY, T: Continuous meshless approximations for nonconvex bodies by diffraction and transparency, 2A29

TERUMICHI, Y: Nonstationary vibrations of a string with time-varying length and a mass-spring attached at the lower end, 9A136

TERVOORT, TA: Multi-mode approach to finite, 3D, nonlinear viscoelastic behavior of polymer glasses, 3A961

TERWIESCH, P: Robust end-point optimizing feedback for nonlinear dynamic processes, 7A342

TERZIEVA, S: Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407

TESAR , M: Liquid transport in porous media, discontinuous phenomena - Part II: Examples, 11A1453

TESAR, A: Nonlinear damping of slender wood bridges, 3A797

TESHNEHLAB, M: Neural network controller with flexible structure based on feedback-error-learning approach, 1A360

TESI, B: Dry sliding wear mechanisms of the Ti6Al4V alloy, 12A940

TESNER, PA: Comparison of physico-chemical parameters of carbon black formation during hydrocarbons pyrolysis and furnace process, 2A1316

TESSLER, A: C^1-Continuous stress recovery in FE analysis, 10A46

- Nonlinear analysis of laminates through a Mindlin-type shear deformable shallow shell element, 10A654
- Dynamics of thick viscoelastic beams, 12A505

TETAMBE, RP: Estimation of error in FE acoustic analysis, 1A332

TETLOW, N: Migration of particles undergoing pressure-driven flow in a circular conduit, 10A1031

TEVRUZ, T: Experiments of scoring and the calculation of scoring on gears by heat method, 12A1002

TEW, BW: Parametric design optimization of an entrapped fiber connection, 4A814

- Characterization of bearing strength factors in pegged timber connections, 9A974
- Preliminary design of tubular composite structures using netting theory and composite degradation factors, 11A466

TEW, DE: Enhanced mixing with streamwise vorticity, 11A1386

TEW, RH: Acoustic radiation from a phased line source at a fluid-solid boundary, 11A213

TEWARI, A: Modeling of non-uniform spatial arrangement of fibers in a ceramic matrix composite, 12A569

TEWARY, VK: Lattice correction to mechanical admittance of solids, 1A244

- Surfaces waves in 3D half-space tetragonal solids, 1A234
- Theory of elastic waves in 3D anisotropic plates, 5A152
- Green's function for anisotropic half-space solids in frequency space and calculation of mechanical admittance, 5A153
- Elastic Green's function for a bimaterial composite solid containing a crack inclined to the interface, 6A807
- Boundary element analysis of moire fields in anisotropic materials, 12A859

TEWATIA, SK: Improved √t method to evaluate consolidation test results, 12A679

TEYMUR, M: Note on higher-order surface radiation conditions, 6A351

TEZCAN, E: Strain gage methods for measurement of opening mode stress intensity factor, 3A725

TEZCAN, SS: Drift control and damage in tall buildings, 5A1418

- Reconnaissance report: 1995 Dinar, Turkey, earthquake, 5A1414

TEZDUYAR, T: Flow simulation and high performance computing, 5A947

TEZDUYAR, TE: Simulation of multiple spheres falling in a liquid-filled tube, 3A1047

- Three dimensional simulation of fluid-particle interactions with the number of particles reaching 100, 11A1014
- Third US-Japan Symposium on FEM in large-scale computational fluid dynamics, held on April 1-3, 1996 at the Army High Performance Computing Research Center, University of Minnesota, 12A40

TEZUKA, A: Thermal tomographic detection in inhomogeneities, 11A1330

THACH, PT: Optimization on Low Rank Nonconvex Structures, 12N5

THACKER, WC: Metric-based principal components: Data uncertainties, 2A12

THACKER, WI: Global stability of a thick solid supported by elastica columns, 9A585

THAIS, L: Effect of entrained air in violent water wave impacts, 5A185

- Turbulent structure beneath surface gravity waves sheared by the wind, 6A274

THAKKER, A: Performance of a high-solidity Wells turbine for an OWC wave power plant, 6A1364

THAKUR, SK: Redundant data and future times in the inverse heat conduction problem, 2A1243

THALANG, KN: Performance analysis of vapor compression refrigeration with R-22-R-124-R152a refrigerant, 9A1312

THAM, LG: Analysis of the transient response of vertically loaded single piles by time-domain BEM, 1A621

THAM, R: Transient waves in a periodic stack: Experiments and comparison with analysis, 8A234

THAMBIRATNAM, D: Dynamic analysis of beams on an elastic foundation subjected to moving loads, 6A185

THAMES III, HD: Phase-averaged wall shear stress, wall pressure, and near-wall velocity field measurements in a whirling annular seal, 1A1095

THANAILAKIS, A: New hardware module for automated visual inspection based on a cellular automation architecture, 1A423

THANGAVADIVELU, S: Representative of compacted clay minifabric using random networks, 6A645

THANH, DN: Regularization of a 2D two-phase inverse Stefan problem, 11A1319

THAPA, BB: Semi-automatic analysis of rock fracture orientations from borehole wall images, 7A592

THATCHER, TL: Particle decomposition from natural convection enclosure flow onto smooth surfaces, 4A1329

THAULOW, C: Two-parameter characterization of the near-tip stress fields for a bi-material elastic-plastic interface crack, 6A791

THAVASIMUTHU, M: Improving the evaluation sensitivity of an ultrasonic pulse echo technique using a neural classifier, 4A796

- Ultrasonic response of various types of code recommended reference defects: A comparative study, 7T792

THAWANI, PT: Effect of protective layer on the performance of absorptive ducts, 8A313

- Prediction of the vibro-acoustic transmission loss of planar hose-pipe systems, 10A259

THELISSEN, GRP: Relation between torsion and cross-sectional area change in the human left ventricle, 7A977

THENAIL, D: Surface impedance control for sound absorption: Direct and Hybrid passive-active strategies, 12A335

THEOCARIS, PS: Variation of the elliptic paraboloid failure locus beyond the elastic unit, 5A420

- Effective anisotropy of short-fiber composites due to fiber ellipticity, 12A565
- Calculation of effective transverse elastic moduli of fiber-reinforced composites by numerical homogenization, 12A599

THEOCHARIS, J: Adaptive fuzzy neural networks as identifiers of discrete-time nonlinear dynamic systems, 5A81

THEODORAKAKOS, A: Evaluation of the effect of droplet collisions on spray mixing, 5A979

THEODOROPOULOS, PT: Fundamental gain suppression mechanisms in a continuous wave hydrogen fluoride overtone laser, 2A1143

THEODULIDIS, N: Site effects and microzonation in the city of Thessaloniki (Greece): Comparison of different approaches, 8A1502

THEOFANOUS, TG: Prediction of direct containment heating, 3A1442

THEOTOKOGLOU, EE: Strength of composite T-joints under pull-out loads, 10A643

THERON, NJ: Energy decaying scheme for nonlinear beam models, 2A114

THESKEN, JC: Delamination gage for carbon fiber composites, 5A710

THESS, A: Two-dimensional model for slow convection at infinite Marangoni number, 8A1080

THEVENIN, D: Development of a parallel direct simulation code to investigate reactive flows, 2A59

THEVENIN, P: Use of homogenization methods for estimating anisotropic viscosities of composite melts, 1A951

THEVIK, HJ: Influence of micro-scale solute diffusion and dendrite coarsening upon surface macrosegregation, 8A1393

THIAGARAJAN, G: Micro and macro anisotropic cyclic damage-plasticity models for MMCS, 11A426

THIART, GD: Vortex lattice method for a straight hydrofoil near a free surface, 10A1215

THIBODEAUX, LJ: Diffusive transport of organic colloids from sediment beds, 3T948

THIEBAUD, F: Overall mechanical behavior modeling of composite laminate, 1A509

THIELE, M: Gravity affected lateral dispersion and diffusion in a stationary horizontal porous medium shear flow, 9A1415

THIENEL, K-C: Postpeak behavior of laterally reinforced concrete panels in compression-tension, 5A779

- Strain-softening of laterally reinforced concrete panels in compression, 11A795

THIERAUF, G: Structural optimization, 8A883

THILAKASIRI, HS: Investigation of impact stresses induced in laboratory dynamic compaction of soft soils, 4A643

THINPHANGNGA, S: Analytical modeling and analysis of flexible manufacturing systems considering system component failure-repair rates, 1A415
THIRIA, S: Application of multilayered neural networks to ocean acoustic tomography inversions, 5A235
THISSELL, WR: Design of a closed loop computer controlled system for selective area laser deposition - Part II: Remote plasma source and pressure control, 3T658
- Design of a closed loop computer controlled system for selective area laser deposition - Part I: Laser systems, gasflow, and substrate temperature control, 3A657
THOEN , J: Green's function for surface acoustic waves: Comparison between theory and experiment, 3A216
THOEN, J: Behavior of Lamb waves in stressed polymer foils, 3A195
- Theory of Scholte, leaky Rayleigh, and lateral wave excitation via the laser-induced thermoelastic effect, 3A204
THOM, R: Experimental-analytical study of high-speed, high-load rolling-sliding contacts with ultra-low viscosity fluids, 7A1194
THOMANN, H: Correction of conservative Euler solvers for gas mixtures, 9T217
THOMAS, AG: Fracture mechanics study of natural rubber-to-metal bond failure, 1A773
THOMAS, CW: Stress relaxation properties of alloy HP50Nb and their application to life assessment of reformer furnace tubing, 7A428
THOMAS, DR: Experiments on the active control of broadband sound radiation from a lightweight partition, 12T333
THOMAS, F: Kozai resonance in the outer solar system and the dynamics of long-period comets, 7A240
THOMAS, FO: Wavelet transform analysis applied to unsteady aspects of supersonic jet screech resonance, 8A1098
THOMAS, GC: March 25, 1993 Scotts Mills, Oregon, earthquake and aftershock sequence: Spatial distribution, focal mechanisms and the Mount Angel Fault, 2A1379
THOMAS, GH: Laser ultrasonic signal processing: A model-reference approach, 1A821
THOMAS, H: Global optimization using accurate approximations in design synthesis, 6A850
THOMAS, HR: Finite Element Method in Heat Transfer Analysis, 4R28
- Parallel computing solution of heat and moisture transfer in unsaturated soil, 5A521
- Assessment of a model of heat and moisture transfer in unsaturated soil, 9A610
- Modeling heat and moisture transfer in unsaturated soil using a finite difference self-implicit method on parallel computers, 12A686
THOMAS, JW: Instrumentation analysis using parameter estimation of simulated data, 3T333
THOMAS, K: Polymer Melt Rheology Conference, University of Wales, Aberystwyth, September 3-6, 1995, 10A1020
THOMAS, KM: Release of NO from the combustion of coal chars, 5A1341
THOMAS, M: Dynamic response obtained by direct numerical integration for pre-deformed rectangular plates subjected to in-plane loading, 4A134
- Estimation of vehicle dynamic and static parameters from magnetometer data, 7A244
THOMAS, N: Ice hazes and clouds in the Martian atmosphere as derived from the Phobos-KRFM data, 6T1403
- Properties of dust in the Mars atmosphere: A revised analysis of Phobos-KRFM data, 9A1519
THOMAS, P: Abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 7A911
THOMAS, PBM: Data-logging system to monitor bone fracture movement continuously, 12T1566
THOMAS, PJ: Numerical study of the influence of the Basset force on the statistics of LDV velocity data sampled in a flow region with a large spatial velocity gradient, 11A1017
THOMAS, R: Shrinkage, residual stresses, and distortions in castings, 2A604
THOMAS, RS: Implementing and improving statistical energy analysis models using quality technology, 8A349
THOMAS, S: Short banana fiber reinforced polyester composites: Mechanical, failure and aging characteristics, 11A467
- Position control of single link flexible manipulator by variable structure model following control, 12A397
THOMAS, SK: Aircraft anti-icing and de-icing techniques and modeling, 4A1134
- Numerical modeling of transdermal heat transfer due to air bag deployment, 10A1331
THOMAS, TR: Wear of cylinder bore microtopography, 3A864
THOMASON, JL: Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - Part 3: Strength and strain at failure, 5A443
- Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - 4: Impact properties, 8A801
THOMAZIN, JA: Axisymmetric laser welding of ceramic and metallic materials: FE modeling, 1A1190
THOME, JR: Heat transfer augmentation of shell-and-tube heat exchangers for the chemical processing industry, 9A1285
THOMINE, JM: Quantitative assessment of cortical bone remodeling from routine radiographs of total hip arthroplasty, 2T1449
THOMPSON, AW: Fractography and its role in fracture interpretation, 5A635
THOMPSON, BE: Divergent-trailing-edge airfoil flow, 4A1111
- Aerodynamic efficiency of wings in rain, 6A1175
- Numerical uncertainties in transonic flow calculations for aerofoils with blunt trailing edges, 8A1096
THOMPSON, C: Chaotic motion in an oscillatory boundary layer, 6A1093
THOMPSON, DE: Computation of 3D viscous flow in high Reynolds number pump guide vane, 7A1192
THOMPSON, DP: Carbon fiber reinforcement of nitrogen glass, 11A451
THOMPSON, EJ: Oxygen transfer similitude for vented hydroturbine, 11T1154
THOMPSON, GE: Formation and characterization of self-lubricating MoS_2 precursor films on anodized aluminium, 12A1228
THOMPSON, HM: Creeping flow analyses of free surface cavity flows, 6A1119
THOMPSON, JC: Approximate expressions for 3D notch tip stress fields, 2A418
THOMPSON, JMT: Designing against capsize in beam seas: Recent advances and new insights, 7A1165
THOMPSON, LL: Space-time FEM for structural acoustics in infinite domains - Part 2: Exact time-dependent non-reflecting boundary conditions, 1A33
- Recent developments in FEM for structural acoustics, 1A76
- Space-time FEM for structural acoustics in infinite domains - Part 1: Formulation, stability, and convergence, 1A32
THOMPSON, MC: Non-Newtonian shear-thinning flows past a flat plate, 6A1030
THOMPSON, PA: Auto-adaptive FE analysis software for stiffened plate and shell structures, 11A518
THOMPSON, RB: Performance evaluation of the Golay code pulse compression technique, 6T838
THOMPSON, S: Dual iterative displacement analysis of spatial mechanisms using the C^{∞} programming language, 7A956
THOMPSON, WT: Numerical simulations of maritime frontogenesis, 8T1510
THOMSEN, DD: Laser-induced fluorescence measurements of nitric oxide formation in high-pressure premixed methane flames, 2A1320
THOMSEN, JJ: Vibration suppression by using self-arranging mass: Effects of adding restoring force, 5A143
THOMSEN, K: Loads for wind turbines in complex terrain, 9A1543
THOMSEN, NB: Enhanced wear performance of transformation toughened ceramics by microstructural optimization, 4A885
THOMSON, DJ: Concentration fluctuation measurements in tracer plumes using high and low frequency response detectors, 3A1464
- Second-order moment structure of dispersing plumes and puffs, 3A1469
- Hybrid split-step-finite-difference PE algorithm for variable-density media, 8A348
THOMSON, DS: Thresholds for laser-induced ion formation from aerosols in a vacuum using ultraviolet and vacuum-ultraviolet laser wavelengths, 11A1444
THOMSON, PF: Friction against superplastic aluminium alloys, 7A861
- Approach to the optimal design of rolling passes, 12A717
THORKILDSEN, F: Reliability-based calibration study for upheaval buckling of pipelines, 12A902
THORN, R: Z-matrix model of the thickness-mode piezoelectric transducer, 2A744
THORNCROFT, GE: Capacitance sensor for two-phase liquid film thickness measurements in a square duct, 9A1192
- Suppression of flow boiling nucleation, 12A1278
THORNE, AM: Preliminary evaluation of carbon fiber reinforced polymer plates for strengthening reinforced concrete members, 11A786
THORNE, BJ: Incremental objectivity in cyclic shearing deformations, 7A33
THORNE, CR: Development and testing of river-bank-stability analysis, 3A983
THORNE, PD: Effect of suspended particulate matter on sound attenuation in seawater, 3A301
THORNHILL, RJ: Duality of leakage and aliasing and improved digital spectral analysis techniques, 6A401
THORNLEY, JC: Type III creep cracking at main steam line welds, 12A781
THORNTON, C: Coefficient of restitution for collinear collisions of elastic-perfectly plastic spheres, 12A524
THORNTON, EA: Constitutive modeling of the visco-plastic response of Hastelloy-X and Aluminum alloy 8009, 11A429
THORODDSEN, ST: Experiments on density-gradient anisotropies and scalar dissipation of turbulence in a stably stratified fluid, 3A1149
- Experimental study of coating flows in a partially-filled horizontally rotating cylinder, 11A948
THORPE, AJ: Use of ducting theory in an observed case of gravity waves, 3T1021
THORPE, TE: Effects of local departures from nominal dimensions on stresses in thin torispherical end closures, 2A484
THORSOS, EI: Investigation of the small slope approximation for scattering from rough surfaces - Part II: Numerical studies, 10A358
THORSTEINSSON, S: Orogenic blocking and deflection of stratified air flow on an f-plane, 2T964
THORVALDSSON, T: High-frequency surface acoustic wave devices at very low temperature: Application to loss mechanisms evaluation, 1A232
THORWALD, G: Large-angle articulated beam truss design methodology considering offset joint modeling, 2A840
THOVERT, J-F: Effective mechanical properties of random porous media, 4A6
THOVERT, JF: Measurements of thermally-induced convection in a model porous medium, 1A1400
THRANE, E: Meter-scale variations of the charge carried by mesospheric dust, 6A323
THUKRAL, A: Robustness of a variable structure control system for maneuverable flight vehicles, 9T367
THUN, G: Residual stresses in PVC-cylinders determined with the weight function method, 5A423
THUNIS, P: Hierarchy of mesoscale flow assumptions and equations, 3T1431
THURAISINGHAM, RA: Analytical expressions for high-frequency acoustic fluctuations from suspended particles in the ocean, 10A347
THURBER, CH: Fault-zone guided waves from explosions in the San Andreas Fault at Parkfield and Cienega Valley, California, 12A1490
THURGOOD, CP: T_n quadrature set for the discrete ordinates method, 11T1332
THURLIMANN, B: Design of Concrete Structures with Stress Fields, 10R10
THURMAN, SW: Robust digital autopilot design for spacecraft equipped with pulse-operated thrusters, 3A372
- New pulse-modulation technique for guidance and control of automated spacecraft, 3A370
THURSTON, GB: Effect of blood viscoelasticity on pulsatile flow in stationary and axially moving tubes, 1A1460
THURSTON, ME: Nickel-alumina interfacial fracture toughness: Experiments and analysis of residual stress effects, 1A775
THWAITES, S: Asymptotic analysis of the free in-plane vibrations of beams with arbitrarily varying curvature and cross-section, 4A119
THYNELL, ST: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- ASME Proceedings of 31st National Heat Transfer Conference, Volume 3, 2N38
- Approximate solution to radiative transfer in 2D cylindrical media, 1A1253
- Condensed-phase kinetics of cyclotrimethylenetrinitramine by modeling the T-jump-infrared spectroscopy experiments, 3A1322
- Modeling and experiments of laser-induced ignition of nitramine propellants, 10A1398
- Thermal decomposition studies of energetic materials using confined rapid thermolysis-FTIR spectroscopy, 12A1406
THYS, H: Energy cost, mechanical work, and muscular efficiency in swing-through gait with elbow crutches, 4A1485
TIAB, D: Petrophysics: Theory and Practice of Measuring Reservoir Rock and Fluid Transport Properties, 8R25
TIAN , JIWEI: Theoretical amplitude and period of precursor soliton generation in two-layer flow, 8A256
TIAN, BO: Soliton-like solutions for a (2 + 1)-dimensional generalization of the shallow water wave equations, 4A236
TIAN, FENG: Micromechanical analysis of fatigue properties of metal-matrix composites, 8T553
TIAN, HONGQI: H^{∞}/μ control-based frequency-shaped sliding mode control for flexible structures, 5A351
TIAN, J: Direct measurement of microscopic strain distribution near a crack tip, 2A718
- Ritz method for vibration analysis of cylindrical shells with ring stiffeners, 7A150
TIAN, JIFANG: Comparison of Inverse modification techniques for some gyroscopic systems, 9T92
TIAN, LAN-QIAO: Composite materials dynamic fracture studies by generalized Shmuely difference algorithm, 1A753
TIAN, MEI: Nonlinear water waves in Lagrangian coordinates: Shallow fluids, 9T202
TIAN, XITANG: Study of fatigue crack growth and crack closure in mechanical heterogeneous welded joints, 5A588
TIAN, XUEFENG: Numerical 3D model for the contact of rough surfaces by variational principle, 11A834
TIAN, YQ: Numerical study of recovery effect and impingement heat transfer with submerged circular jets of large Prandtl number liquid, 9A1211
TIAN, ZONGSHU: Studies of stress concentration by using special hybrid stress elements, 10A560
TICHKIEWITCH, S: Assisting designers in the forecasting of surfaces used for easier fixturing in a machining process, 11A592
TICHY, J: Granular collisional lubrication: Effect of surface roughness, particle size and solids fraction, 1A892
- Scheme for hybrid molecular dynamics-FE analysis of thin film lubrication, 12A1204
TICKLE, KS: Stochastic Hydraulics '96, 4N26
TIDKE, DJ: Analytical model for material removal in abrasive jet machining for brittle materials, 3A626
TIDRIRI, MD: Preconditioning techniques for the Newton-Krylov solution of compressible flows, 9T1044
TIELBURGER, D: Acoustic propagation through an internal wave field in a shallow water waveguide, 8A316
TIELEMAN, HW: Effect of incident turbulence on the surface pressures of surface-mounted prisms, 1A291
- Application of wavelet analysis to incident wind in relevance to wind loads on low-rise structures, 7T232
TIEMAN, HJ: Improving plane-wave decomposition and migration, 7A1471
TIEN, C-L: Anomalous diffusion in short-pulse laser interactions with random media, 2A1229
- Saturable absorption during high-intensity laser heating of liquids, 5A1257
TIEN, CHANG-LIN: Efficient laser heating of transparent liquids using multiphoton absorption, 5A1254
TIEN, JH: Effects of flame stretch on premixed flame propagation in a closed tube, 5A1330
TIEN, NC: Ultrashort-pulse laser heating of silicon to reduce microstructure adhesion, 1A1230
TIERNEY, MJ: Mass transfer by simultaneous dropwise condensation and particle deposition, 5A1315
TIERO, A: Variational approaches to plate models, 11A505
TIESZEN, SR: Transient, high-speed, liquid impact into soft soil, 1A246
- Heuristic model of turbulent mixing applied to blowout of turbulent jet diffusion flames, 3A1303
TIEU, AK: Experimental study of freely alignable journal bearings - Part 2: Dynamic characteristics, 1A1147
- Simulation of the continuous casting process by a mathematical model, 4A1233
TIIHONEN, T: Stefan-Boltzmann radiation on non-convex surfaces, 8A1359
TIJSSELING, AS: Fluid-structure interaction and cavitation in a single-elbow pipe system, 1A276
- Fluid-structure interaction in a T-piece pipe, 5A208
TIKHOMIROV, VP: Simulation of rough surface contact, 5A846
TIKHOMIROV, VV: Interfacial crack in a transversely isotropic composite medium, 8A802
TIKHONOV, AS: Use of the panel method to calculate GTE blade-edge shaping in ECP, 1A677
TIKHONYCHEV, VV: Wear strength of nitrogen-hardened high-speed steel tools, 2A896
TILBURY, DM: Bound on the number of integrators needed to linearize a control system, 5A297
TILGNER, A: Finite-amplitude convection in rotating spherical fluid shells, 8A1062
TILLER, FM: Approximate theory for radial filtration-consolidation, 3A584
TILLER, MM: Implementation of design sensitivity analysis and numerical optimization in engineering analysis, 6A363
TILLEY, DG: Computer simulation of the bi-stable valve in the A340 landing gear, 2A824
- Thermal-hydraulic performance prediction in fluid power systems, 7A365
TILLMAN, TG: Enhanced mixing with streamwise vorticity, 11A1386
TILSCHER, M: Weight functions for sub-interface cracks, 6A760
- Weight functions for cracks near the interface of a bimaterial joint, and application to thermal stresses, 7A774
TIMCENKO, O: Experiments with nontraditional hybrid control technique of biped locomotion robots, 1A387
TIMCO, GW: Analysis of the shapes of sea ice ridges, 6A1514
TIMLIN, TL: Series solution of a class of nonlinear optimal regulators, 4A360
TIMMERMANS, LJP: Second order splitting algorithm for thermally-driven flow problems, 1A1201
TIMOFEEV, BT: Fatigue crack propagation in austenitic steels and their weldments under isothermal and thermal cyclic loading in the range of creep temperatures, 7T660

TIMOFEEV, E: Numerical study of wave processes in a pressure-wave refrigerator, 6A287
TIMOSHIN, SN: Planar flows past thin multi-blade configurations, 5A1095
- Singular modes in Rayleigh instability of 3D streamwise-vortex flows, 8A1167
- Leading-edge receptivity in 3D classical boundary layers, 11A1024
TIMSIT, RS: Influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 2A914
TIN-LOI, F: Multiplicity of solutions in quasi-brittle fracture computations, 12A841
TINDELL, RH: Computational fluid dynamics analysis of a steam power plant low-pressure turbine downward exhaust hood, 11A1150
TING, C-L: Moderate and steep Faraday waves: Instabilities, modulation, and temporal asymmetries, 7A216
TING, CC: Computer simulation of liquid encapsulated vertical Bridgman crystal growth: Pseudo steady-state calculations, 1A1191
TING, DS-K: Relaminarization of developing turbulent flow in a 180° curved square channel: A study based on temperature fluctuation measurements, 5A1003
- Temperature fluctuation measurements for transitional flow in a square channel, 8A1153
- Importance of turbulence intensity, eddy size and flame size in spark ignited, premixed flame growth, 9A1362
TING, FCK: Dynamics of surf-zone turbulence in a spilling breaker, 2A220
TING, KWUN-LONG: Branch identification of geared five-bar chains, 3A897
TING, TCT: Piezoelectric solid with an elliptic inclusion or hole, 1A443
- Positive definiteness of anisotropic elastic constants, 2A380
- Existence of an extraordinary degenerate matrix N for anisotropic elastic materials, 2A399
- Stroh formalism for anisotropic materials that possess an almost extraordinary degenerate matrix N, 6A484
- New expressions for the solution of the matrix equation $A^TX + XA = H$, 7A76
TINKER, MA: Regional phase development of the non-proliferation experiment within the western United States, 12T1491
TIPPUR, HV: Interferometric and FE investigation of interfacial crack tip fields: Role of mode-mixity on 3D stress variations, 7A710
- Interfacial crack initiation under quasistatic and dynamic loading conditions: An experimental study, 8A812
TIPTON, SM: Updated stress concentration factors for filleted shafts in bending and tension, 3A438
- Multiaxial stress concentration in an externally pressurized cylinder with an external circumferential groove, 11A416
TIRAPEGUI, E: Instabilities and Nonequilibrium Structures V, 7N26
- Detailed balance in non-equilibrium systems, 10A106
TIRIS, C: Energy efficiency of a solar drying system, 3A1445
TIRIS, M: Energy efficiency of a solar drying system, 3A1445
TIRUMALA, M: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
TISCHNER, L: Multipayload modeling for the upper atmosphere research satellite, 2A842
TISSERANT, D: Rotor blade-to-blade measurements using particle image velocimetry, 10A1256
TITARENKO, SV: Investigation of riblet effect on a spanwise modulated boundary layer, 1T1037
TITISHOV, KB: Self-organization of the large-scale planetary and plasma drift vortices, 3A1417
TITOV, DV: Fast and accurate method of calculation of gaseous transmission functions in planetary atmospheres, 9T1054
TITOW, OW: Area rule and volume rule for integral quantities, 1A997
TITS, AL: Integrated rotor-flight control system optimization with aeroelastic and handling qualities constraints, 9T361
TITTERTON JR, PJ: Generalized network formulation for acoustic scattering, 7A266
TIU, C: Flow of non-Newtonian fluids through tubes with abrupt expansions and contractions: Square wave tubes, 12A1124
TIVER, C: Motions with zero acceleration and their relevance in viscoelasticity, 3A453
TIWARI, AK: Temporal variation of sediment yield, 4A965
TIWARI, GN: Estimation of convective mass transfer in solar distillation systems, 8A1530
- Parametric study of a reverse flat plate absorber cabinet dryer: A new concept, 9A1537
TIWARI, R: Nonlinear bearing stiffness parameter extraction from random response in flexible rotor-bearing systems, 12A1012
TIWARI, SB: Formulation and analysis of launch vehicle maneuvering loads, 6A205
TIWARI, SN: Radiative heat transfer effects in chemically reacting nozzle flows, 1A1257
- Numerical study of hypervelocity flows through a scramjet combustor, 7A1432
- Antiseizure and antifriction characteristics of Al-Si-Pb alloys, 9A939
TIZIANEL, J: Experimental localization of a pole of the reflection coefficient of a porous layer, 11A180
TIZZI, S: Numerical procedure for the dynamic analysis of 3D aeronautical structures, 8A124
TJONG, SC: Mechanical and wear behavior of an Al/Si alloy metal-matrix composite reinforced with aluminosilicate fiber, 7A881
- High-temperature creep behavior of aluminium-matrix composites reinforced with SiC, Al_2O_3 and TiB, particles, 12A510
TJOTTA, S: Coupled FEM and texture modeling of plane strain extrusion of an aluminium alloy, 11A574
- Mechanical material model for aluminium extrusions during on-line quenching, 11A583
TKACHENKO, AA: Supporting power of laminar plates with fillers (Russian), 2T444
TKACHENKO, AI: Initial adjustment of platform-less inertial system by rate modulus measurements (Russian), 1T365
TKACHENKO, EA: Stability of laminated coating of tribotechnical purpose (Russian), 9T506
- Stability of multilayer coatings of tribotechnical purpose under low precritical strains (Russian), 12A927
TKACHENKO, I: Turbulent vapor condensation with noncondensable gases in vertical tubes, 1A1211
TKACHENKO, VF: Contact problem of the elasticity theory for transversally isotropic half-space with elliptical boundary line of the boundary conditions (Russian), 6A478
- Stressed state of transversally isotropic half-space affected by forces and bending moments in the case of nonplane die elliptical in a plan (Russian), 12A495
TKACHENKO, YG: Structure of surface layers produced in TiC and TiN at friction in vacuum, 2T923
TKHAI, VN: Stability of rolling of a heavy ellipsoid of revolution on a rough plane, 1A111
- Study of the plane unrestricted three-body problem, 6A317
- Invariant sets and symmetric periodic motions of reversible mechanical systems, 11A81
TO, CWS: Nonstationary random response of laminated composite structures by a hybrid strain-based laminated flat triangular shell FE, 1A538
- Supercritical and subcritical Hopf bifurcations in a stochastically excited system, 10T126
TOBA, T: Development of surface measurement method of impact force using the sheet piezoelectricity (Japanese), 8A244
TOBA, Y: Localization of axisymmetric buckling patterns of cylindrical shells under cyclic loading (Japanese), 3A560
TOBE, N: Closure of a thickly formed frozen wall under the influence of ground water flow (Japanese), 5A908
TOBITA, J: Mechanics and dynamics of intelligent passive vibration control system, 9A847
TOBOCMAN, W: Application of wavelet to inverse scattering: II, 2A292
TOBUSHI, H: Thermomechanical properties in a thin film of shape memory polymer of polyurethane series, 3A468
- Phenomenological analysis of plateaus on stress-strain hysteresis in TiNi shape memory alloy wires, 4A781
- Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A1366
- Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A9
- TIG welding and shape memory effect of TiNi shape memory alloy, 9A852
TOCCI, MD: Accurate and economical solution of the pressure-head form of Richard's equation by the method of lines, 6T1475
TOCHIGI, H: Study on the evaluation of rock condition for construction and adoption of assisting methods based on the past records of twin tunnel construction (Japanese), 8T688
TOCK, C: In vitro study on the effect of branch points on the stability of coronary artery flow, 11A1575
TODA, K: Effect of debris on the life of tapered roller bearing in contaminated lubricant, 11T832
TODA, S: Characteristics of L-H transition of the edge plasma in tokamaks, 3A1173
TODD, JA: Crack closure effects on fatigue crack growth thresholds and remaining life in an HSLA steel, 8A731
- Development of a prototype laser processing system for shaping advanced ceramic materials, 8A706
TODD, L: Family of laminar boundary layers along a semi-infinite flat plate, 7A1084
TODD, MD: Natural frequency considerations of an impact oscillator, 1T129
TODOROV, TS: Synthesis of Watt's six-link mechanism for manipulation action in relative space, 11A868
TODOROVSKA, M: Distribution of Pseudo Spectral Velocity during the Northridge, California, earthquake of January 17 1994, 9A1469
TODOROVSKA, MI: Hazard mapping of normalized peak strain in soils during earthquakes: Microzonation of a metropolitan area, 1A617
- Peak velocities and peak surface strains during Northridge, California, earthquake of January 17, 1994, 1A1420
- Nonlinear soil response: 1994 Northridge, California, earthquake, 3A1374
- Response spectra for differential motion of columns, 7A1481
- Northridge, California, earthquake of 1994: Density of red-tagged buildings versus peak horizontal velocity and intensity of shaking, 9A1483
- Northridge, California, earthquake of 1994: Density of pipe breaks and surface strains, 9A1482
- Amplitudes, polarity and time of peaks of strong ground motion during the 1994 Northridge, California, earthquake, 11A1480
TODOROVSKI, L: Centrifuge-modeled rigid structure to investigate dynamic soil-structure interaction, 12A689
TOGASHI, S: Comparison of turbulence models applied to backward-facing step flow, 3T1157
- Feasibility of the LES for engineering problems, 11T1111
TOGASI, S: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825
TOGHI, F: Free bending vibrations of adhesively bonded orthotropic plates with a single lap joint, 11A134
TOGNACCINI, R: Stability of 2D model problems for multiblock structured fluid-dynamics calculations, 7A1389
TOGNARELLI, MA: Simulation of a class of non-normal random processes, 3A128
- Analysis and simulation tools for wind engineering, 6A290
- Equivalent statistical quadratization and cubicization for nonlinear systems, 11A106
TOH, SL: Elastic impact response of glass-epoxy laminated ogival shells, 1A537
- Central and noncentral normal impact on orthotropic composite cylindrical shells, 2A210
TOHDA, J: Experimental study on earth pressure on and deformation of buried flexible pipes (Japanese), 10A965
TOHDA, Y: Crack initiation and small fatigue crack growth behavior of squeeze-cast Al-Si aluminium alloys, 9A701
TOHGO, K: Incremental theory of particulate-reinforced composites including debonding damage, 1A511
TOI, T: Reduction of vibration for main functional part in precision device based on sensitivity analysis with respect to relative motion (Japanese), 8T871
TOIGO, V: Analogue feedback control system of RFX, 3A391
TOIVONEN, HT: Sampled-data H_∞ problem: A unified framework for discretization-based methods and Riccati equation solution, 7T321
TOKAJI, K: Initiation behavior of fatigue crack from corrosion pits (Japanese), 7T642
- Effect of crack size on dynamic SCC behavior of Ti-6Al-4V alloy in 3% NaCl solution, 12A772
TOKARZEWSKI, S: Two-point Pade approximants to Stieltjes series representation of bulk moduli of regular composites, 2A50
- S-continued fractions for complex transport coefficients of two-phase composites, 2A536
- Influence of the Schulgasser inequality on effective moduli of two-phase isotropic composites, 4A1275
TOKDEMIR, T: Unstructured grid generation and a simple triangulation algorithm for arbitrary 2D geometries using object oriented programing, 6A70
TOKER, G: Dual hologram technique with enhanced sensitivity for measurements of weak phase objects, 8A1258
TOKER, GR: Holographic study of suspended vaporizing volatile liquid droplets in still air, 1A1214
TOKHI, MO: Active vibration suppression of flexible manipulator systems: Closed-loop control methods, 3A743
- Analysis and robust design of active noise control systems incorporating compact sources, 3A312
- Unified adaptive active control mechanism for noise cancellation and vibration suppression, 6A350
- Digital signal processing and parallel processing in the real-time simulation of a flexible manipulator system, 6A419
- Real-time simulation and active vibration control of flexible structures, 6A871
TOKI, T: Optimal control of quasi-1D self-field magnetoplasmadynamic arcjet flowfields, 7A1433
TOKIMASA, K: Prediction of crack initiation life of converter shell based on stress analysis (Japanese), 8A751
TOKSOZ, MN: Seismic radiation from explosively loaded cavities in isotropic and transversely isotropic media, 8A1492
- Acousto-elastic multiple scattering: A comparison of ultrasonic experiments with multiple multipole expansions, 9A266
TOKUDA, I: Recognizing chaotic time-waveforms in terms of a parametrized family of nonlinear predictors, 2A81
TOKUNAGA, R: Recognizing chaotic time-waveforms in terms of a parametrized family of nonlinear predictors, 2A81
TOKURA, H: Development of a bilateral manipulator for surgical operation: Characteristics of developed manipulator (Japanese), 5T358
TOKUYAMA, T: Measurement and identification of deformational behavior of a tunnel reservoir (Japanese), 10A959
TOLANI, R: Elastic constants and thermal expansion of aluminum-SiC metal-matrix composites, 1A508
TOLKACHEV, VF: Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, 1A687
TOLL, S: Two-way interaction between anisotropic flow and fiber orientation in squeeze flow, 10A1018
TOLOUEI-RAD, M: Optimization of machining parameters for milling operations, 6A697
TOLPADI, AK: Combustion technology for low-omissions gas-turbines: Some recent modeling results, 3A1309
- Monte Carlo probability density function method for gas turbine combustor flowfield predictions, 9A1399
- Coupled Lagrangian Monte Carlo PDF-CFD computation of gas turbine combustor flowfields with finite-rate chemistry, 12A1397
TOLSON, RH: Global-local observer Markov parameter identification for system realization, 5T274
TOLUN, S: Safety factors of beams subjected to pure bending, 7A501
TOMASELLA, L: Gas drag effects on planetesimals in the 2:1 resonance with proto-Jupiter, 9A232
TOMASICCHIO, GR: Stone mobility and longshore transport at reshaping breakwaters, 8T1038
TOMASULA, DP: Gravity-actuator system for control of civil structures, 6A1467
TOMAZEVIC, M: Seismic behavior of masonry walls: Modeling of hysteretic rules, 3A1394
- Seismic behavior of masonry walls: Experimental simulation, 3A1393
- Seismic upgrading of old brick-masonry urban houses: Tying of walls with steel ties, 3A1396
TOMAZINI, JE: Hydraulic dynamic efforts on pump-turbine (Spanish), 1A1115
TOMBAZIS, N: Study of 3D aspects of vortex shedding from a bluff body with a mild geometric disturbance, 8A1079
TOMBLIN, J: Damage mechanics model for compression strength of composites, 4A752
TOMBLIN, JS: Imperfection sensitivity of fiber micro-buckling in elastic-nonlinear polymer-matrix composites, 9A471
TOMBROU, M: Measurements of turbulence characteristics over complex terrain, 12T1507
TOMBUYSES, B: Continuous cell-to-cell mapping, 12A89
TOME, MF: Time-dependent flow in a penstock during head-gate closure, 1A962
TOME, X: Numerical simulation of axisymmetric forging processes through FE analysis: A simple method for the modeling of friction (Spanish), 10A731
TOMECKA-SUCHON, S: Laborstory hydraulic fracturing experiments on coal, 9A1526
TOMES, J: Detection of symmetry of attractors from observations - II: An experiment with S_3 symmetry, 7A95
TOMIMURA, T: Natural convection to air from an array of vertical parallel plates with discrete and protruding heat sources, 4A1195
TOMISAWA, M: High-precision control of AC servo motor positioning systems by friction compensation, 5A350
TOMITA , M: Sports timing (Japanese), 10T1583
TOMITA, E: Ambient gas entrainment into a transient gas jet: Visualization of surrounding air motion and estimation of entrainment amount by path line method, 3T1113
TOMITA, K: Running safety of railway vehicle on oscillating track using a mechanical model with vertical wheel flanges (Japanese), 9A164
TOMITA, N: Friction control with a graft layer of a thermo-sensing polymer, 5A820
- Observation on subsurface defects ultra high molecular weight polyethylene due to rolling contact, 9A1603
TOMITA, Y: Mechanical remodeling of bone structure considering residual stress, 1A1448
- Experimental study of swirling flow pneumatic conveying system in a horizontal pipeline, 4A1047
- Computational simulation of 3D neck propagation in polymeric specimens under tension and hybrid identification of constitutive equation, 11A443
TOMIZUKA, M: Smooth robust adaptive sliding mode control of manipulators with guaranteed transient performance, 6A437
TOMKINS, B: Mechanism of Stage II fatigue crack growth, 5A582

TOMLINSON, G: Passive and active damping technologies, 6A141
TOMLINSON, GR: New procedure for detecting nonlinearity from transient data using the Gabor transform, 6A360
- Modeling of a hybrid constrained layer-piezoceramic approach to active damping, 6A866
- Harmonic probing algorithm for the multi-input Volterra series, 10A434
- Local tooth fault detection in gearboxes using a moving window procedure, 11A324
TOMLINSON, JJ: What are the potential benefits of including latent storage in common wallboard?, 11A1551
TOMLINSON, RA: Determining stress intensity factors for mixed mode cracks from thermoelastic data, 9A732
TOMLINSON, SP: Computer simulation of the bistable valve in the A340 landing gear, 2A824
TOMODA, S: Effect of surfactant properties on lapping behavior of materials, 11A636
TOMOTA, Y: Application of the secant method to prediction of flow curves in multi-microstructual steels, 10A585
TOMPKINS, DT: Temperature distributions during thermoradiotherapy: A sensitivity study with a transient numerical model of the rabbit eye, 10A1539
TOMPSON, A: Three-dimensional microscopic measurement and analysis of chemical flow and transport in porous media, 4A1357
TOMSKI, L: Vibration and stability of an elastic column subject to a generalized load, 6A157
TOMURA, S: Effects of end-tab shape on strain field of unidirectional carbon-epoxy composite specimens subjected to off-axis tension, 8A537
TON, VT: Improved shock-capturing methods for multicomponent and reacting flows, 4A238
TONDER, K: Numerical simulation of the effects of 3D roughness on hydrodynamic lubrication: Correlation coefficients, 10A1259
- Pressure and shear flow in a rough hydrodynamic bearing, flow factor calculation, 12A1210
TONDL, A: Analysis of autoparametric systems, 12A112
TONG, AY: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
- Numerical study on the solidification of liquid metal droplets impacting onto a substrate, 12A1287
TONG, BC: Effect of uniaxial cyclic stretch on the morphology of monocytes-macrophages in culture, 2T1453
TONG, BING-GANG: Non-oscillatory no-free-parameter FE algorithm and its applications in CFD, 7A27
TONG, CHENG: Automatic seismic event recognition and later phase identification for broadband seismograms, 8A1496
TONG, CHENNING: Two-point coherence in the atmospheric surface layer, 7T1148
- Taylor's hypothesis and two-point coherence measurements, 7T1158
TONG, E: Multipayload modeling for the upper atmosphere research satellite, 2A842
TONG, FOO CHECK: Fatigue crack closure study based on whole-field displacements, 7A675
TONG, J: Aspects of fatigue thresholds under mode III and mixed mode III and I loadings, 2A625
- Formation and propagation of mode I branch cracks in mixed mode fatigue failure, 7A649
TONG, JIN: Reducing sliding resistance of soil against bulldozing plates by unsmoothed bionics surfaces, 1A863
TONG, L: Bond strength for adhesive-bonded single-lap joints, 3A931
- Effect of adherend alignment on the behavior of adhesively bonded double lap joints, 6A548
- Analysis of adhesively bonded composite double lap joints, 8A563
- Assessment of failure criteria to predict the strength of adhesively bonded composite double lap joints, 11A694
- Numerical study on stresses in resin transfer molding lap joints reinforced with transverse stitching, 11A20
TONG, LS: Boiling Heat Transfer and Two-Phase Flow, Second Edition, 11R34
TONG, PIN: Far East and Oceanic Fracture Society International Symposium on Fracture and Strength of Solids, July 4-7, 1994, Xian, China, 6A754
- Deformation-induced hierarchical flows and drag forces in bone canaliculi and matrix microporosity, 6A1539
- Local and global energy release rates for an electrically yielded crack in a piezoelectric ceramic, 9A603
TONG, Q: Effect of lay-up, core material, and cross-sectional geometry on the structural performance of pultruded fiberglass utility poles, 1A539
TONG, RUICHENG: Simplified method based on the deformation theory for structural limit analysis - I: Theory and formulation, 7A798
- Simplified method based on the deformation theory for structural limit analysis - II: Numerical application and investigation on mesh density, 7A799
TONG, T: ASME Proceedings of 31st National Heat Transfer Conference, Volume 3, 2N38
TONG, TVK: Introductory analysis of draining and freezing of de-icing fluids, 10A1499
TONG, TW: Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
TONG, WEI: Pressure-shear stress wave analysis in plate impact experiments, 7A207
TONG, X: Bifurcation of self-excited rigid bodies subjected to small perturbation torques, 7A92
TONG, XIAOLI: Improved Rosenbluth method and its application to structural reliability analysis (Chinese), 12A898
TONG, XINGLIN: Enhancement of heat transfer by inserting a metal matrix into a phase change material, 2A1364
TONGUE, BH: Comments on vehicle instability due to brake lockup, 2T817
- Active control of transient noise transmission, 10A370
TONI, A: Relationship between bone-prosthesis bonding and load transfer in total hip reconstruction, 10A1571
TONOLI, A: Harmonic FE for the analysis of flexural, torsional, and axial rotordynamic behavior of discs, 4A150
TONOUCHI, JH: Variables affecting NO_x formation in lean-premixed combustion, 8A1422
TOO, GEE-PINN J: New phenomena on King integral with dissipation, 7A283
TOO, JJM: Prediction of the flow stress of an extra-low carbon steel in the two-phase region using continuous cooling curves, 4A509
TOOMBS, JP: In vivo observations of hydraulic stiffening in the canine femoral head, 9A1569
TOOMER, CA: Rapid design space approximation for 2D transonic aerofoil design, 6A1181
TOOMING, H: Relationships between surface albedo and spring heat accumulation, 5T1429
TOORMAN, E: Settling and consolidation of mud-sand mixtures, 7T1011
TOORMAN, EA: Modeling the thixotropic behavior of dense cohesive sediment suspensions, 9A986
TOOTH, AS: Analysis of a cylindrical shell supported by two longitudinal beams, 1A567
TOPALIAN, V: Free vibrations of circular plates of varying thickness partially embedded in an elastic foundation, 10T225
TOPIN, F: Analysis of heat transfer with liquid-vapor phase change in a forced-flow fluid moving through porous media, 2A1361
TOPKA, PP: Effect of nonuniformity of stressed state on the estimate of residual power of teeth periodont (Russian), 12A1532
TOPLISS, ME: Rapid design space approximation for 2D transonic aerofoil design, 6A1181
TOPOLNICKI, J: Description of the deformation of a briquette compressed inside the pipe giving consideration to friction, 9A1524
TOPPER, TH: Approximate expressions for 3D notch tip stress fields, 2A418
- Confocal scanning laser microscopy measurements of the growth and morphology of microstructurally short fatigue cracks in Al 2024-T351 alloy, 5A632
TOPPING, BHV: Computing in civil and structural engineering special issue, 1T853
- Second International Conference on Computational Structures Technology, 3A25
- Computational structures technology, 5A19
- Computing in civil and structural engineering, 9A911
- Computational structures technology, 12A916
TORABIAN, H: Antiseizure and antifriction characteristics of Al-Si-Pb alloys, 9A939
TORBERGSEN, E: Rotordynamic analysis of a vertical pump with tilting-pad journal bearings, 12A1016
TORBILO, V: Fatigue Design: Life Expectancy of Machine Parts, 1R19
TORCZYNSKI, JR: Virtual cyclone: A device for nonimpact particle separation, 11A1445
TORDELLA, D: Lifting line equation for a curved wing in oscillatory motion, 10A1221
TORDJEMAN, P: Relationship between viscoelastic and peeling properties of model adhesives - Part I: Cohesive fracture, 10A809
TORENBEEK, E: Cruise performance and range prediction reconsidered, 11A1136
TORERO, JL: Propagation of a reaction front through a porous fuel in the presence of an opposed forced flow: Application to mixtures characteristic of municipal waste, 2A1310
TORFS, D: Optimal feedforward prefilter with frequency domain specification for nonminimum phase systems, 6T381
- Invariant hybrid force-position control of a velocity controlled robot with compliant end effector using modal decoupling, 12A440
TORFS, H: Settling and consolidation of mud-sand mixtures, 7T1011
- Erosion of mud-sand mixtures, 7A1006
TORIBIO, J: K-Dominance condition in hydrogen assisted cracking: The role of the far field, 12A774
TORII, H: Flutter boundary prediction based on non-stationary data measurement, 11A223
TORII, K: Numerical and experimental determination of flow structure and heat transfer effects of longitudinal vortices in a channel flow, 1A1163
- Turbulence statistics in the stagnation region of an axisymmetric impinging jet flow, 2A1056
TORII, S: Numerical study on heat transport in turbulent Couette flows in concentric annuli, 8T1274
- Heat transfer analysis of turbulent parallel Couette flows using anisotropic k-ε model, 8A1270
- Laminarization of turbulent gas flow inside a strongly heated tube, 10A1283
TORIKOSHI, K: Thermoelectric voltage at metallic point contacts from nonequilibrium effects, 11A1313
TORKAMANI, MAM: Numerical simulation of wind-induced forces on bridge deck sections of long-span bridges, 7A175
TORNAMBE, A: Asymptotic stabilization of a class of continuous-time linear periodic systems, 4T323
TORNG, TY: Probabilistic treatment of microstructural effects on fatigue crack growth of large cracks, 1A718
TORO, EF: Fully discrete high-resolution schemes for hyperbolic conservation laws, 2A986
- Riemann-problem-based approach for steady incompressible flows, 7A1047
- Unified Riemann-problem-based extension of the Warming-Beam and Lax-Wendroff schemes, 7A45
TOROP, VM: Ultimate ductile state model for a pipe with an axial through crack, 7A729
- Modeling of the limit state of thin-walled pipes with multiple axial coplanar defects, 7A727
TORQUATO, S: Use of homogenization theory to design optimal piezocomposites for hydrophone applications, 11A450
- Design of materials with extreme thermal expansion using a three-phase topology optimization method, 11A6
- Thermal expansion of isotropic multiphase composites and polycrystals, 12A1333
TORRANCE, AA: Wear by plastic ratchetting: An experimental evaluation, 2A893
- Slip-line field model of abrasive wear, 2A889
- Influence of surface deformation on mechanical wear, 7A917
TORRANCE, KE: Efficient heat transfer approximation for the chip-on-substrate problem, 6A1269
- Thermal analysis and optimization of substrates with directionally enhanced conductivities, 9A1265
- Short comparison of damping functions of standard low-Reynolds-number k-ε models, 11T1114
TORREGROSA, AJ: Application of MacCormack schemes to IC engine exhaust noise prediction, 3A1336
TORRENS, JJ: Finite element approximation error using the "plaquettes splines" method (French), 10A7
TORRES MARQUES, A: Approach to probabilistic optimal design of composite materials under service conditions (Spanish), 4A535
TORSKAYA, EV: Contact problem for regular array of punches on an elastic layer bonded to an elastic substrate, 2A392
TORTORELLI, DA: Sensitivity analysis and optimization of coupled thermal and flow problems with applications to contraction design, 5A34
- Three-dimensional shape optimization with variational geometry, 10A911
TORUM, A: Wave forces on vertical cylinders upon shoals, 2A246
TORVIK, PJ: Asymptotic approximations for systems incorporating fractional derivative damping, 4A919
TORZILLI, RA: Characterization of cartilage metabolic response to static and dynamic stress using a mechanical explant test system, 6A1534
TOSATTI, E: Physics of Sliding Friction, 2N26
TOSHIMITSU, K: Active control of cascade flutter by means of sound waves from duct wall sources, 3T280
TOSHINAWA, T: Distribution of ground-motion intensity inferred from questionnaire survey, earthquake recordings, and microtremor measurements: A case study in Christchurch, New Zealand, during the 1994 Arthurs Pass Earthquake, 12T1489
TOSON, B: Consistent tangent operator algorithm for thermoplastic problems, 12A1348
TOTH, G: Comparison of some flux corrected transport and total variation diminishing numerical schemes for hydrodynamic and magnetohydrodynamic problems, 4A1107
TOTH, L: Notch effect in brittle-ductile transition: General concept (French), 8A775
TOTTEN, GE: Tribology of Hydraulic Pump Testing, 8N22
TOU, KW: Theoretical analysis and optimization of a double-effect series-flow-type absorption chiller, 4A1183
TOUATI, D: Dynamic instability of plates made of nonlinear viscoelastic materials, 4A597
- Post buckling analysis of imperfect nonlinear viscoelastic columns, 10A659
- Prediction of stress relaxation from known creep of nonlinear materials, 10A577
TOUCHARD-LAGATTU, F: Damage and inelastic deformation mechanics in notched thermoset and thermoplastic laminates, 1A754
TOUGE, M: In-process measurement of wear of abrasive grain - 3rd Report: Evaluation of image acquired under wet condition (Japanese), 4A909
TOULEMONDE, C: Approach to the periodic and chaotic behavior of the impact oscillator by a continuum method, 7A90
TOURABI, A: Useful scalar parameters for multiaxial fatigue deformation studies, 5A614
TOURATIER, M: C^0 eight-node membrane-shear-bending element for geometrically nonlinear (static and dynamic) analysis of laminates, 4A607
TOURIGNY, Y: Analysis of an algorithm for generating locally optimal meshes for L_2 approximation by discontinuous piecewise polynomials, 10A94
TOURNERIE, B: Numerical study of the stable dynamic behavior of radial face seals with grooved faces, 12A1020
TOURNIER, C: Calculation of pressure wave propagation through a tube junction, 1A1002
- Effect of roughness aspect ratio on the "Bursting" period in a fully turbulent channel flow, 11T1100
TOURNIER, JM: Vapor flow model for analysis of liquid-metal heat pipe startup from a frozen state, 2A1267
TOUSSAINT, C: Three dimensional computation of the "VEGA2" turbine stage (French), 2A1103
TOUSSAINT, HM: Weight and frequency effect on spinal loading in a bricklaying task, 4A1487
TOUZANI, R: Two-dimensional stationary induction heating problem, 10A1333
TOVO, R: Unified approach to the evaluation of linear elastic stress fields in the neighborhood of cracks and notches, 5A393
TOVSTIK, PE: Post-buckling axisymmetric deflections of thin shells of revolution under axial loading, 1A590
- Stability of the eye shell under an encircling band, 1A1458
TOWAREK, Z: Experimental research of rheological strain of soil under load distributed on circular surface (Polish), 2A554
TOWERS, DP: Whole-field optical diagnostics for structural analysis in the automotive industry, 1A810
TOWNLEY, CHA: Structural integrity and its role in nuclear safety: Recent UK advances in the development of high temperature design procedures, 5A1437
TOWNLEY, S: Structured perturbations for two classes of linear infinite-dimensional systems, 1T359
- Low-gain control of uncertain regular linear systems, 7T338
TOWNSEND, DP: Effect of contact ratio on spur gear dynamic load with no tooth profile modifications, 3A891
TOWNSEND, JS: Fundamentals and issues in launch vehicle design, 10A963
TOWNSEND, P: Modeling polymer melt flows in wirecoating processes, 1A635
- Vortex development in viscoelastic expansion and contraction flows, 3A974
- Simulation of some model viscoelastic extensional flows, 4A495
- Adaptive solutions for viscoelastic flows, 4A499
TOYA, M: Energy release rates for an interface crack embedded in a laminated beam subjected to three-point bending, 12A829
TOYA, T: Analytical method for the determination of the roughness parameters over complex regions, 2T1408
TOYA, Y: Existence of extra vortex and twin vortex of anomalous mode in Taylor vortex flow with a small aspect ratio, 3A1023
TOYAMA, K: Prediction of crack initiation life of converter shell based on stress analysis (Japanese), 8A751
TOYAMA, S: Musculoskeletal model of the human lower extremity - Part I: Modeling of the knee joint, 3A1493
- Development of spherical ultrasonic motor, 5T347
TOYODA, M: Volume III: Materials Engineering, 10N27
- Constraint effect: How to link between structural integrity assessment and fracture toughness evaluation, 11A686
TOYOFUKU, T: Studies on abrasion characteristics of concrete pavement (Chinese), 10A711
- Studies on abrasion characteristics of concrete pavement (Chinese), 10A711
TOZAKI, Y: Load distribution analysis method for cylindrical worm gear teeth, 5A861
TOZEREN, A: Flow past an array of cells that are adherent to the bottom plate of a flow channel, 6A1110
- Physical response of collagen gels to tensile strain, 11A1565
TRACY, ER: Parameter uncertainties in models of equivariant dynamical systems, 9A101
TRAHAIR, NS: Lateral-distortional buckling of hollow flange beams, 11A528
TRAHEY, GE: Speckle coherence and implications for adaptive imaging, 9A293
TRALLI, A: Optimal spherical masonry domes of uniform strength, 7A843
TRAMPE, A: Fluctuations and noise of the optical output power of laser diodes and the effect on optical particle size determination, 9A1412
TRAMPE, P: Digital signal processing for optical particle counters in order to improve the signal-to-noise ratio, 4A1331

TRAMPERT, J: Contribution of seismic tomography in moment-tensor inversions using teleseismic surface-wave spectra, 12A1472

TRAN, LONG: Ball bearing dynamic analysis using computer methods - Part I: Analysis, 11A851

TRAN, QUANG HUY: Domain decomposition method for the acoustic wave equation with discontinuous coefficients and grid change, 10A387

- Dispersion and cost analysis of some finite difference schemes on one-parameter acoustic wave modeling, 12A61

TRAN, T: Preconditioning strategy for BE Galerkin methods, 10A85

TRAN, TUONG X: Analysis of disjoint 2D particle assemblies, 6A653

TRAN-CONG, T: Boundary element method based on a new second kind integral equation formulation, 5A55

- Variational principle for fluid mechanics, 6A92

TRAN-CONG, T: Solutions of Boussinesq, Love, and Reissner and Wennagel for axisymmetric elastic deformations, 11A360

TRAN-SON-TAY, R: Motion of a sphere oscillating at low Reynolds numbers in a viscoelastic-fluid-filled cylindrical tube, 6A499

TRANGENSTEIN, JA: Micellar-polymer physical-property models for contaminant cleanup problems and enhanced oil recovery, 1A1387

TRANNOY, N: Sample tip thermal coupling in modulated laser surface excitation, 12A1303

TRANQUILLO, RT: Anisotropic biphasic theory of tissue-equivalent mechanics: The interplay among cell traction, fibrillar network deformation, fibril alignment, and cell contact guidance, 10A1530

- Finite element solution for the anisotropic biphasic theory of tissue-equivalent mechanics: The effect of contact guidance on isometric cell traction measurement, 12A1551

TRANTHAM, EC: Sensitivity of the dispersion correction to Q error, 7A1475

TRANTOLO, DJ: Human Biomaterial Applications, 4N34

TRANXUAN, D: Optimum fillet radius for a latch, 3A924

TRAPP, RJ: Tornadogenesis with and without a dynamic pipe effect, 7T1496

TRASS, O: Electrochemical mass transfer measurements in rough surface pipe flow: Geometrically similar V-shaped grooves, 9A1351

TRATSKAS, P: Vibration isolation of mechanical systems with nonlinear foundations, 1A222

TRAUB, LW: Comparative study of delta wings with blunt leading edges and vortex flaps, 2T1074

- Reynolds number effects on vortex breakdown of a blunt-edged delta, 2T1085

- Prediction of vortex breakdown and longitudinal characteristics of swept slender planforms, 11A1135

- Prediction of delta wing leading-edge vortex circulation and lift-curve slope, 11A1134

TRAUTT, TA: Inverse dynamics of non-minimum phase systems with non-zero initial conditions, 8A367

TRAVER, AE: Aerodynamic loading and magnetic bearing controller robustness using a gain-scheduled Kalman filter, 5A133

- Multipulley belt drive mechanics: Creep theory vs shear theory, 11A841

TRAVERSONI, L: Multivariate scattered data fitting, 4A65

TREBI-OLLENNU, A: Nonlinear robust control designs for a remotely operated underwater vehicle depth control system, 4A396

- Multivariable decoupling design of an ROV depth control system: A direct adaptive fuzzy SMC approach, 9A364

TREBICKI, J: Maximum entropy principle and non-stationary distributions of stochastic systems, 1A90

TREBINJAC, I: Three dimensional flows in transonic and supersonic compressors (French), 2T1106

TREBINSKI, R: Theoretical analysis of the influence of gas filling of pores on the effects of explosive compaction of powders (Polish), 9A686

- Investigation of influence of gas filling of pores on the effects of explosive compaction of iron powder (Polish), 9A684

TREE, DA: Viscoelastic effects in modeling web handling systems: Steady-state analysis, 11A397

TREFFINGER, P: Special cloud chambers for investigations into the time-behavior of homogeneously nucleated spontaneous condensation, 4A1226

TREHAN, SK: Second harmonic resonance on the marginally neutral curve in electrohydrodynamics, 11A1124

TREHEUX, D: Role of triboelectrification mechanism in the wear behavior of Al_2O_3-SiC platelet composites, 4A888

TRELA, M: Flow of gravity-driven rivulets in the entrance region, 2A1000

- Experimental investigations of the drainage from the horizontal integral-fin tubes (Polish), 9A1303

TREMBLAY, R: Seismic impact loading in inelastic tension-only concentrically braced steel frames: Myth or reality, 6A1453

TRESVYATSKII, AN: Experimental study of synchronization of impacts in a distributed system with a variable number of impact pairs, 4T788

TRETHEWEY, MW: Use of rotational elements in structural dynamic modification, 2A93

- Global-local integrated study of roller chain meshing dynamics, 12A1003

TRETHOWEN, HA: Contact resistance in a steel-framed wall, 5A1233

TRETYACHENKO, GN: Biaxial thermal fatigue testing with non-uniform strain distributions, 5A601

TRETYAKOVA, NV: Wear of card clothing teeth, 7A898

TRETYAKOVA, OA: Effect of structure upon triboengineering properties of phenylon, 1A13

TREVIÑO, C: Steady-state analysis of the conjugate heat transfer between forced counterflowing streams, 1A1156

- Conjugate natural convection heat transfer between two fluids separated by a horizontal wall: Steady-state analysis, 1A1165

- Longitudinal heat conduction effects on a vertical thin plate in a steady laminar condensation process, 4A1225

- Film condensation induced by a natural convective flow: Steady-state analysis, 6A1258

- Laminar film condensation on a thin finite thickness plate, 7T1292

- Transient analysis of the natural laminar convection heat transfer process between two fluids separated by a thin horizontal wall, 11A1225

- Asymptotic analysis of the transient conjugate heat transfer process between two forced counterflowing streams, 11A1205

TREVIÑO, G: Wavelet analysis of nonstationary turbulence, 7A1149

TREZOS, CG: Reliability considerations on the confinement of RC columns for ductility, 7A816

TRIANTAFILLOU, TC: Numerical study of anchors for composite prestressing straps, 4A18

TRIANTAFYLLIDIS, N: Influence of scale size on the stability of periodic solids and the role of associated higher order gradient continuum models, 5A8

TRIANTAFYLLIDIS, T: Development of a removable grouting anchor (German), 12A699

TRIANTAFYLLOU, GS: Efficient foil propulsion through vortex control, 5A201

TRIANTAFYLLOU, MS: Efficient foil propulsion through vortex control, 5A201

- Vortex-induced vibration of marine cables: Experiments using force feedback, 11A220

TRIBBIA, J: Spectral element method for the shallow water equations on the sphere, 7A1504

TRIBBIA, JJ: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410

TRIBBLE, AC: Small Solar Probe, 4A867

TRIBILLO, R: Three-dimensional model of shield buildings (Polish), 2A813

TRIBILLON, G: Roughness measurement by confocal microscopy for brightness characterization and surface waviness visibility evaluation, 7A921

TRIBOLLET, B: Flow measurement in an impinging jet cell with three-segment microelectrodes, 6A1209

TRIBOT, JP: Comparison between numerical and experimental results on different Hermes elevon shapes, 12T1088

TRIC, E: Direct (pseudo-spectral) solver of the 2D-3D Stokes problem: Transition to unsteadiness of natural-convection flow in a differentially heated cubical cavity, 10A1289

TRIFUNAC, MD: Hazard mapping of normalized peak strain in soils during earthquakes: Microzonation of a metropolitan area, 1A617

- Peak surface strains during strong earthquake motion, 1A1419

- Peak velocities and peak surface strains during Northridge, California, earthquake of January 17, 1994, 1A1420

- Nonlinear soil response: 1994 Northridge, California, earthquake, 3A1374

- Response spectra for differential motion of columns, 7A1481

- Northridge, California, earthquake of 1994: Density of red-tagged buildings versus peak horizontal velocity and intensity of shaking, 9A1483

- Distribution of Pseudo Spectral Velocity during the Northridge, California, earthquake of January 17 1994, 9A1469

- Northridge, California, earthquake of 1994: Density of pipe breaks and surface strains, 9A1482

- Relative earthquake motion of building foundations, 9A1474

- Amplitudes, polarity and time of peaks of strong ground motion during the 1994 Northridge, California, earthquake, 11A1480

TRIGGIANI, R: Optimal control problem with unbounded control operator and unbounded observation operator where the algebraic Riccati equation is satisfied as a Lyapunov equation, 9A325

TRIMARCO, C: Driving force on phase transition fronts in thermoelectroelastic crystals, 11A439

TRIMMER, W: Rarefaction and compressibility effects in gas microflows, 4A1018

TRIMULA, S: Effect of extrinsic and intrinsic factors on an indentation test, 2A727

TRINKLE, JC: Implicit time-stepping scheme for rigid body dynamics with inelastic collisions and Coulomb friction, 1A139

- Dynamic multi-rigid-body contact problems with Coulomb friction, 10A116

TRIPATHI, D: Determination of the interfacial shear strength of glass-fiber-reinforced phenolic composites by a bimatrix fragmentation technique, 2A431

- Comprehensive model to predict the stress fields in a single fiber composite, 4A550

TRIPODI, E: Complex modal analysis of a flexural vibrating beam with viscous end conditions, 9A130

TRIVEDI, DM: Photocatalytic disinfection of indoor air, 8A1538

TRIVEDI, HK: Evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants - Part II, 2A901

TRIVI, M: Using a programmable interferometer for digital phase-shifting speckle interferometry, 8A872

TRLICA, J: Anomalous electrorheological behavior of magnesium hydroxide suspensions in silicone oil, 3A946

TROCH, I: Collision-avoidance for redundant robots through control of the self-motion of the manipulator, 2A342

TROCHALAKIS, P: Design of seismic restrainers for in-span hinges, 9A1492

TROCHU, F: Theoretical and experimental investigation of failure and damage progression of graphite-epoxy composites in flexural bending test, 1A767

- Methodology to derive the implicit equation of failure criteria for fibrous composite laminates, 2A681

- Nonlinear FE simulation of superelastic shape memory alloy parts, 7A494

- Touch probe radius compensation for coordinate measurement using kriging interpolation, 9A426

- Thermomechanical analysis of shape memory devices, 9T850

TROCZYNSKI, T: Plastic work in the peeling of work hardening foils, 8A985

- Stochastic model of an R-curve due to crack bridging in fibrous and textured ceramics, 9A721

TROESCH, AW: Comparisons of two different mixed Eulerian-Lagrangian schemes based on a study of flaro-slamming hydrodynamics, 2A1069

- Numerical stability analysis for free surface flows, 10A1083

TROFF, B: Pegase: A Navier-Stokes solver for direct numerical simulation of incompressible flows, 10A1101

TROFIMCHUK, AN: Dynamic interaction of a rigid plate with water-saturated porous-elastic basement (Russian), 1A578

TROGER, H: Balance and variational formulations of the equation of motion of a body deploying along a cable, 12A98

TROIM, J: Meter-scale variations of the charge carried by mesospheric dust, 6A323

TROJNACKI, A: Analysis of interfacial slip in layered beams, 4A592

TROLIER-MCKINSTRY, S: Materials for Smart Systems II, 10N7

TROLINGER, JD: Holographic sensor for measurement of wall velocity gradients, 5A1053

TROLINGER, WD: Subgrade resilient modulus correction for saturation effects, 12A678

TROLLAT, C: Homogenization of a nonlinear array of confined beams, 4A1458

TROMANS, PS: Reliability-based criteria for fixed steel offshore platforms, 11A775

TROMBETTI, F: Method of analysis for turbulent flows using the streamline coordinate system, 10T1191

TROMPETTE, P: Generic data structures dedicated to integrated structural design, 1A346

- Damping of beams: Optimal distribution of cuts in the viscoelastic constrained layer, 10A175

TROUCHU, F: Failure mode dependent strength criteria for composite laminates, 12A806

TROUVE, A: Gradient and counter-gradient scalar transport in turbulent premixed flames, 8A1409

TROVALUSCI, P: Cosserat and Cauchy materials as continuum models of brick masonry, 2A8

TROY, WC: Existence of multiple solutions for a Ginzburg-Landau type model of superconductivity, 8A635

TROYANI, N: Nonlinear geometrically adaptive FE model of the coilbox, 6A1278

TROYANOVSKII, IY: Construction of solutions of problems in the theory of elasticity in the form of series in powers of the elasticity constants and their application to viscoelasticity, 7A423

TRUBEL, W: Numerical study of wall mechanics and fluid dynamics in end-to-side anastomoses and correlation to intimal hyperplasia, 3A1512

TRUBITSINA, OA: Stability of spherical belts under the effect of external pressure (Russian), 2A526

TRUE, H: New route to chaos in railway dynamics, 12T121

TRUEBA, V: Contours of critical frequencies and sensitivity for design of fan-foundation systems (Spanish), 4A185

TRUESDELL, K: Heuristic method for evaluating coil performance, 2A1144

TRUEVTZEV, NN: Mathematical simulation of yarn formation in ring spinning, 9T493

TRUJILLO, DM: Optimal regularization of an inverse dynamics problem, 8A109

TRULSEN, J: Eulerian and Lagrangian velocity correlations in 2D random geostrophic flows, 11A1105

TRULSEN, K: Modified nonlinear Schrodinger equation for broader bandwidth gravity waves on deep water, 6A272

- Effects of weak wind and damping on Wilton's ripples, 10A297

TRUMAN, AW: Subrate weighted minimum-variance control law, 3A364

TRUMAN, CE: State of stress induced by a conical indenter, 2A396

TRUMAN, KZ: Development of a loading history for seismic testing of architectural glass in a shop-front wall system, 5A1415

TRUNEV, AV: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297

TRUSCOTT, JE: Effect of diffusion on the autoignition of combustible fluids in insulation materials, 8A1404

TRUSHKOV, VG: Numerical failure simulation for structures with ceramic layers under dynamical loading by elongated projectiles, 1A687

TRUSHNIKOV, AM: Performance of gland packings from soft chemical fibers, 2A1135

TRUSKINOVSKY, L: Ericksen's bar revisited: Energy wiggles, 1A4

TRUSOV, PV: Mathematical simulation and optimization of technological processes described by relations of geometrically nonlinear theory of plasticity (Russian), 1A472

TRUSS, RW: Interlaminar and intralaminar fracture toughness of uniaxial continuous and discontinuous carbon fiber-epoxy composites, 12A809

TRUSZKOWSKI, W: Determination of K_c and K_{ic} for curvilinear cracks under a non-uniform biaxial stress field, 5A651

TRYFONOPOULOS, D: Thermal convective and radiative effects in forest fires simulation, 7A1418

TRYGGVASON, G: Integral method solution of time-dependent strained diffusion-reaction layers with multistep kinetics, 1A1303

- Vortex ring generation due to the coalescence of a water drop at a free surface, 9A1067

- Rise of bubbles in a vertical shear flow, 11A1009

TRYON , RG: Probabilistic mesomechanical fatigue crack nucleation model, 7A668

TRZASKA, A: Change of discharge of flow caused by colmatage because of gas bubbling in liquid flowing through porous medium (Polish), 4A1352

- Effect of colmatage by gas bubbles emited from liquid flowing through porous medium on distributions of porosity and pressure (Polish), 4T1353

TSAI, CHONG-SHIEN: FEM considering local bending effects for flat sliding isolators, 5A1420

TSAI, CHU-CHAN P: Ground motion modeling for seismic hazard analysis in the near-source regime: An asperity model, 9A1450

TSAI, CS: Finite element formulations for friction pendulum seismic isolation bearings, 6A1466

TSAI, CW: Theoretical and experimental studies of laminar mixed convection in water pipe flow with density inversion effect, 8A1295

TSAI, HH: Numerical investigation of transient thermal stresses of workpiece in surface grinding, 3A1272

TSAI, HON-LING: Mixed convection heat and mass transfer in vertical rectangular ducts, 7A1259

TSAI, HSIANG-CHUAN: Dynamic analysis of base-isolated shear beams bumping against stops, 10A1461

- Analysis of cantilever bouncing against a stop according to Timoshenko beam theory, 12A166

TSAI, HSIN-CHUAN: Study of thermophoretic transport and flame hydrolysis deposition with application to the manufacture of optical waveguides, 6A1318

TSAI, HUEI-RONG: Minimum weight design of submersible pressure hull under hydrostatic pressure, 8A937

TSAI, HUI-CHEN: Impedance control with on-line neural network compensator for dual-arm robots, 8A445

TSAI, HY: Feasibility study of abrasive-waterjet milling of fiber-reinforced plastics, 11A601

TSAI, J SHENG-HONG: Robust decentralized stabilization of large-scale delay systems via sliding mode control, 12A383

TSAI, J-S: Nonlinear hydromagnetic stability analysis of condensation film flow down a vertical plate, 5A1036

TSAI, JH: Implementation of vortex filament methods on parallel machines with distributed adaptive data structure, 10A1173

TSAI, JUNG-SHUN: Nonlinear stability of the thin micropolar liquid film flowing down on a vertical plate, 4A1070

TSAI, KT: Development of a flexible composite material, 11A458
TSAI, LUNG-WEN: Isotropic design of tendon-driven manipulators, 3A892
- Computer-aided sketching of epicyclic-type automatic transmission gear trains, 3A905
TSAI, M-Y: In situ determination of adhesive shear moduli using strain gages, 5A720
TSAI, MH: Composite damping ratio of seismically isolated regular bridges, 6A197
TSAI, MING J: Kinematic design optimization of the variable lead screw mechanism with cone meshing element, 3A908
TSAI, MY: Numerical analysis of a thick-adherend lap shear specimen, 12A1044
TSAI, R-J: Two-rotating-mass balancers for partial balancing of spatial mechanisms, 11A151
TSAI, SF: Monotone FEM with test space of Legendre polynomials, 10A55
- Vortical structures in channel flows with a backward-facing step, 10A1286
- Topological flow structures in backward-facing step channels, 11A971
- Monotonic, multidimensional flux discretization scheme for all Peclet numbers, 12A1271
TSAI, SW: Analysis and behavior of grid structures, 5A789
TSAI, SY: Fatigue reliability analysis of composite laminates under spectrum stress, 9A705
TSAI, TM: Effects of surfactant on the dynamics of bubble snap-off, 10A1131
TSAI, TM-C: Pulsatile blood flows in stenotic artery, 3A1513
- Kinematic and dynamic characteristics of pulsatile flows in stenotic vessels, 9A1590
TSAI, Y-K: Nonlinear active vibration control of a cantilever pipe conveying fluid, 11A217
TSAI, YC: Study on the mathematical models and contact ratios of extended cycloid and cycloid bevel gear sets, 5A863
TSAI, YH: Finite flow-line regions approach to visioplasticity in plane-strain extrusion, 1A639
TSAI, YM: Symmetrical propagation of a central crack in orthotropic material, 11A717
TSAKMAKIS, C: Uniaxial ratchetting in rate-independent plasticity laws, 8A521
- Uniaxial ratchetting in linear viscoelasticity, 8A507
TSALIDES, P: New hardware module for automated visual inspection based on a cellular automaton architecture, 1A423
TSAMASPHYROS, G: Iterative integral equation formulation for the macrocrack: Array of microcracks interaction problem, 2A713
- T, path independent integral in anisotropic media, 8T488
- Contact problem at delamination, 11A666
TSAMOPOULOS, JA: Spin coating of viscoplastic fluids, 7A971
TSANAKAS, P: Experiment for truly parallel logic programming, 2A60
TSANG, CHIU M: Drained granular material under cyclic loading with temperature-induced soil and structure interaction, 11A554
TSANG, TATE TH: Temporal, spatial, and thermal features of 3D Rayleigh-Benard convection by a least-squares FEM, 6A1252
TSANG, W: Influence of CF_3I, CF_3Br, and CF_3H on the high-temperature combustion of methane, 5A1344
- Inhibitor influence on the bistability of a CSTR, 6A1339
TSANGARIS, S: Potential model for space conservation law calculations of moving curvilinear meshes, 1T79
- Application of an artificial compressibility methodology for the incompressible flow through a wavy channel, 1A968
- Finite volume method for the solution of the extrudate swell problem on unstructured triangular meshes, 5A946
- Experimental and numerical study of a 90° bifurcation, 5A83
- Numerical simulation of unsteady viscous flows using an implicit projection method, 5A919
- Fractional step method for unsteady incompressible flows on unstructured meshes, 7T1040
TSAO, SM: Dynamics of pretwisted blade under nonconstant rotating speed, 7A156
TSAO, T-C: Experimental study of nonlinear transient motion confinement in a system of coupled beams, 3A148
TSAO, TSU-CHIN: Control of linear motors for machine tool feed drives: Design and implementation of H_∞ optimal feedback control, 6A402
- Design of extended bandwidth shape memory alloy actuators, 9A842
TSAPLINA, GS: Construction of solutions of problems in the theory of elasticity in the form of series in powers of the elasticity constants and their application to viscoelasticity, 7A423
TSARICHENKO, SG: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297
TSARIN, YA: Interaction of resonances in a weakly nonlinear oscillator with a quasiperiodic excitation, 11A97
TSARKOV, Y: Mean-square stability of linear stochastic dynamical systems under parametric wideband excitations, 12T80
TSAUR, DH: Alternative method for transient and random responses of structures subject to support motions, 6A1431
TSAY, CB: Surface contact analysis for a spatial cam mechanism, 12A997
TSAY, CHUNG-BIAU: Mathematical model and undercutting analysis of elliptical gears generated by rack cutters, 1A913
- Effects of the hob cutter regrinding and setting on ZE-type worm gear manufacture, 4A471
- Mathematical model of spiral bevel and hypoid gears manufactured by the modified roll method, 7A940
- General mathematical model for gears cut by CNC hobbing machines, 9A955
- Kinematic optimization of a modified helical gear train, 12A1029
TSAY, DER MIN: Design and machining of globoidal index cams, 8A703
TSAY, DM: Profile determination of plate cams with oscillating convex arbitrary-shaped followers, 3A838
- Profile determination of planar and spatial cams with cylindrical roller-followers, 8A948
TSAY, LW: Fatigue crack propagation of D6AC laser welds, 8A742
TSAY, TING-KUEI: Numerical grid generation of an irregular region, 6A67
TSCHEGG, EK: Fracture behavior of polypropylene-fiber-reinforced concrete: Modeling and computer simulation, 4A755
- Fracture behavior of polypropylene-fiber-reinforced concrete under biaxial loading: An experimental investigation, 4A754
TSCHERNE, H: Deformation of small diameter solid tibial nails with unreamed intramedullary insertion, 9A1601
TSE, MF: Adhesion and failure mechanisms of a model hot melt adhesive bonded to polypropylene, 10A1011
TSE, PC: Vibration analysis of orthotropic thin cylindrical shells with free ends by the Rayleigh-Ritz method, 2A147
TSEITLIN, AI: Combined BE-FE method in structure dynamics, 5A17
TSENG, AA: Fast electro-optical sensing system for measuring thermal response of a rotating roll without generating contact noise, 11A586
TSENG, CH: Efficient optimum design procedure for bicycle rear derailers, 3A907
- Minimization of acoustic potential energy in irregularly shaped cavities, 4A303
- Method for improving bicycle shifting performance, 8A953
- Surface contact analysis for a spatial cam mechanism, 12A997
TSENG, CHING-HUAN: Kinematic optimization of a modified helical gear train, 12A1029
TSENG, CHUNG-JEN: Combustion of liquid fuels in a porous radiant burner, 4A1304
TSENG, CI: Stress analysis of laminated E-glass epoxy composite plates subject to impact dynamic loading, 1A577
- Development of an artificial skin ridge for pattern recognition, 9A396
TSENG, CM: Fuzzy pulse discriminating system for electrical discharge machining, 8A721
TSENG, KH: Effective elastoplastic behavior of two-phase ductile matrix composites: A micromechanical framework, 4A536
- Effective elastoplastic algorithms for ductile matrix composites, 9A456
TSENG, LK: Velocity-mixture fraction statistics of round, self-preserving, buoyant turbulent plumes, 11A1093
TSIAFIS, J: Computer-aided optimum design and NC milling of planar cam mechanisms, 12A1027
TSIHRINTZIS, VA: Spreading of 3D inclined gravity plumes, 6A1124
TSILINGIRIS, PT: Solar water-heating design: A new simplified dynamic approach, 4A1464
TSIOTRAS, P: Higher-order Cayley transforms with applications to attitude representations, 10T463
- Optimal regulation and passivity results for axisymmetric rigid bodies using two controls, 10A490
- Global asymptotic stabilization of a spinning top with torque actuators using stereographic projection, 12A109
TSIRULNIK, LB: Spectral method of global minimum and its application to problems of heliospheric and planetary physics, 9A246
TSITOURAS, C: Highly continuous interpolants for one-step ODE solvers and their application to Runge-Kutta methods, 8A56
TSITVERBLIT, N: Numerical study of axisymmetric vortex breakdown in an annulus, 3A934
TSO, CP: Theoretical analysis and optimization of a double-effect series-flow-type absorption chiller, 4A1183
TSO, YK: Investigation of the coupling loss factor for a cylinder-plate structure, 8A307
TSOGO, J: Prediction of soot emissions in gas-turbine combustors, 7A1408
TSOMPANAKIS, Y: Advanced solution methods in topology optimization and shape sensitivity analysis, 1A828
TSOPELAS, P: Study of elastoplastic bridge seismic isolation system, 9A1499
TSOU, FK: Experimental investigation of the laminar flow heat transfer enhancement in a small-scale square duct with aqueous Carbopol solutions, 2A1185
TSUBOI, H: Classification of vibration performance of penetration piles into the ground (Japanese), 10A703
TSUBOI, M: Use of nickel foil strain gages at varying temperatures, 1A797
- Experimental study on load transfer within multilayered geosynthetics liner (Japanese), 8A676
TSUCHIDA, M: Expanded mild-slope equations for the analysis of wave-induced ship motion in a harbor, 9A1148
TSUCHIDA, S: Development of plastic anisotropy in rolled aluminium sheets, 6A519
TSUCHIKANE, A: Vibrational mode of the tibia and assessment of bone union in experimental fracture healing using the impulse response method, 4A1481
TSUCHIYA, T: Development of air-cooled ceramic nozzles for a power-generating gas turbine, 5A1365
- Introducing virtual axis to path control system using superficial evaluation term, 7A387
TSUCHIYA, Y: Computer aided inspection of drill point geometry: Estimation of geometrical parameters by using genetic algorithm and gradient method (Japanese), 10A551
TSUDA, N: How to manufacture circular arc hinges (Japanese), 2T365
TSUDA, S: Surface modification of electric shaver foil using ion beam (Japanese), 5T573
TSUDA, T: Design formulas of U-shaped bellows, 8A582
TSUEI, YG: Extraction of normal modes from contaminated measurement with noise for highly coupled structures, 1A155
- Estimation of mass, stiffness and damping matrices from frequency response functions, 11A274
TSUGIHASHI, K: Modeling of irradiation embrittlement of reactor pressure vessel steels (Japanese), 9A715
TSUI, KWON-LEUNG: Procedure for robust design: Minimizing variations caused by noise factors and control factors, 6A452
TSUI, YENG-YUNG: Tumbling flow in loop-scavenged two-stroke engines, 11A1432
- Calculation of laminar separated flow in symmetric 2D diffusers, 11A1047
TSUJI, H: Fatigue crack growth properties of a cryogenic structural steel at liquid helium temperature, 11A640
TSUJI, M: Application of photo-viscoplasticity to geotechnical engineering, 7T574
TSUJI, N: Drapability of aligned discontinuous fiber composites, 10A600
TSUJI, T: On-line identification of continuous time-delay systems combining least-squares techniques with a genetic algorithm, 7A304
TSUJI, Y: Study on settlement crack for reinforced concrete structures (Chinese), 10A944
TSUJIMOTO, Y: Nonlinear calculation of rotating cavitation in inducers, 4A1142
- Fluid force moment on a centrifugal impeller shroud in precessing motion, 11A218
TSUJIMURA, T: Dynamics of mobile legs suspended from wire, 12A430
TSUJIMURA, Y: Synthesis of planar multilink mechanisms based on genetic algorithms, 7A952
TSUJIOKA, K: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587
TSUJIOKA, N: Effect of surface oxidation and sizing treatment of carbon fiber on interfacial adhesion (Japanese), 9A481
TSUJIOKA, Y: Nonstationary vibrations of a string with time-varying length and a mass-spring attached at the lower end, 9A136
TSUKADA, T: Study on an evaluation method of angular motion for air spindle (Japanese), 1A103
- Conditions to apply the phase corrected filter to traced profiles for roughness profiles - 2nd report: Application of the Gaussian low-pass digital filter to derivation of Δ_q (Japanese), 2A733
TSUKAMOTO, S: Thermal deformation rate control grinding for improving surface finish (Japanese), 3A641
TSUKIJI, T: Inverse formulation for viscous 2D and axisymmetric flow problems, 7A1042
TSUKIMORI, K: Analysis of the effect of interaction between shear and bending load on the buckling strength of cylindrical shells, 4A624
- Analysis of the effect of interaction between shear and bending loads on the buckling strength of cylindrical shells, 6A619
TSUKROV, I: Stress concentrations and microfracturing patterns in a brittle elastic solid with interacting pores of diverse shapes, 12A832
TSUKUDA, H: Transient fatigue crack growth behavior following single overloads at high stress ratios, 2A622
TSUKUDA, Y: Development of air-cooled ceramic nozzles for a power-generating gas turbine, 5A1365
- Final report of the key technology development program for a next-generation high-temperature gas turbine, 12T1416
TSUMURA, N: Vibration control of Kurushima Bridge Tower 5P under construction (Japanese), 11T815
TSUMURA, T: Tendon control system for active shape control of flexible space structures, 3A762
- Path planning for space manipulators to reduce attitude disturbances, 10T469
TSUNETA, K: Adaptive control of a hybrid servo system for magnetic disk drives, 7A310
TSUNODA, K: Development of man-machine cooperative production system, 1A1468
- Turbulent near-wakes of periodic array of square blocks on a plate, 2A1045
- High-enthalpy extraction demonstration with closed-cycle disk MHD generators, 11T1436
TSURU, D: Adoption of a genetic algorithm for tomographic reconstruction of line-of-sight optical images, 7A1228
TSUTAHARA, M: Numerical analysis of unsteady flow in the Weis-Fogh mechanism by the 3D discrete vortex method with GRAPE3A, 9A1164
TSUTSUI, T: Experimental analysis of 2D unsteady temperature field by using Mach-Zehnder interferogram images, 9A1239
TSUTSUMI, A: Solar UT-3 thermochemical cycle for hydrogen production, 4A1463
TSUTSUMI, H: Ambient gas entrainment into a transient gas jet: Visualization of surrounding air motion and estimation of entrainment amount by path line method, 3T1113
TSUTSUMI, M: Deformation and interface pressure distribution of 1/10 tapered joints at high rotation speed, 1A935
- Determination of optimum tilting angle of ball-end mill in 5-axis control machining: Determination based on finished surface roughness and application of neural network (Japanese), 2A590
- Measurement and compensation of corner-tracking errors of CNC machine tools, 10A554
TSUZUKI, MSG: Use of Voronoi Diagram for defining the cutting path (Spanish), 6A701
TSVANKIN, I: Reflection moveout and parameter estimation for horizontal transverse isotropy, 9A1465
TSVELODUB, IY: Inverse problems of nonelastic plate shaping, 1A559
TSVETKOV, VI: Stress state and wear of polymer piston, 1A899
TSVETKOVA, EA: Friction materials with structure simulating human cartilage, 1A1447
TSYFANSKY, SL: Control of the operating condition of a subharmonic vibromachine, 12A113
TSYPKAIKIN, IN: Estimation of the effect of the form of a loading cycle on cyclic longevity, 4T942
TSZENG, TC: Study of the coefficients in yield functions modeling metal powder deformation, 2A416
TU, CV: Wall pressure and shear stress measurements beneath an impinging jet, 6T1127
TU, JF: Model error compensation for bearing temperature and preload estimation, 4A331
- Active thermal preload regulation for machine tool spindles with rolling element bearings, 5A864
TU, JY: Numerical modeling of 3D fly-ash flow in power utility boilers, 10A1136
- Prediction of flow and erosion in power utility boilers and comparison with measurement, 12A1329
TU, P: Evaluation of thermophysical characteristics on shape-stabilized paraffin as a solid-liquid phase change material, 10A1336
TU, Q: Geometrically approximated rotatability conditions for spatial RSRC mechanisms with joint angle limitations, 3A915
- Effects of the manipulator type on the vibrational excitation during motion, 7A382
TU, YILIU: Cybernetic modeling of material handling and equipment set-up in one-of-a-kind production, 11A343
TUAN, HD: State-space approach in robust control for singularly perturbed systems, 8T388
TUAN, PAN-CHIO: Recursive least-squares algorithm for on-line 1D inverse heat conduction estimation, 8A1329
TUCCI, A: Sliding wear behavior of nitrided and nitrocarburized cast irons, 2A887
TUCCILLO, R: Thermal cycle analysis and component aerodesign for gas turbine concept in low-range cogenerating systems, 5A1370
TUCKER JR, AB: CRC Computer Science and Engineering Handbook, 9N2
TUCKER, M: Frictional performance of an O-ring type seal at the commencement of linear motion, 7T947
TUCKER, PG: Semi-implicit second order finite volume jet stream computations, 5A1201
- Measurement and computation of heat transfer in high-pressure compressor drum geometries with axial throughflow, 8A1300
TUCKER, S: Nonlinear time-optimal control of a photolithography platen, 8A411
TUCKER, VA: Using a collision model to design safer wind turbine rotors for birds, 5A1454

- Mathematical model of bird collisions with wind turbine rotors, 5A1452
TUER, KL: Ascertaining the stability of internal-resonance-based vibration suppression laws, 8A387
TUFANO, V: Heat recovery in distillation by means of absorption heat pumps and heat transformers, 6A1292
TUFTS, DW: Robust source localization in an acoustic waveguide, 1A344
TUGRUL, AB: Capillarity effect analysis for alternative liquid penetrant chemicals, 9A811
TUI, CG: Mechanical impedance inspection of aluminum honeycomb structures, 6A836
TUINMAN, IL: Formation and growth of silicon nitride particles in a laser-driven aerosol reactor investigated with photon correlation spectroscopy and electron microscopy, 6A1370
TULAPURKARA, EG: Turbulence models for the computation of flow past airplanes, 7A1155
TULEJ, PJ: Drop-in-replacement blend HFC-23-HCFC-22-HFC-152A for air-refrigerant equipment, 3A1263
TULISZKA-SZNITKO, E: Second mode instability, 4A1081
TULLIS, S: Simulating turbulent flow over thin element and flat valley V-shaped riblets, 5A1043
TUMANOVA, OO: Asperity contact under elasto-plastic deformation, 3A867
TUMARKIN, AG: What is a reference site?, 8A1467
- Site amplification in the San Fernando Valley, California: Variability of site-effect estimation using the S-wave, Coda, and H-V methods, 12A1458
TUMIDAJSKI, PJ: Boltzmann-Matano analysis of chloride diffusion into blended cement concrete, 6A535
TUMIDAJSKI, T: Granulometric characteristics of the product of crushing by compression of single particles (Poland), 4A1325
- Stochastic models of separation of mineral raw materials, 9T1406
TUMIN, A: Stability of a compressible laminar wall-jet with heat transfer, 7A1102
TUNCAY, K: Consolidation of elastic porous media saturated by two immiscible fluids, 6A1385
- Wave propagation in poroelastic media saturated by two fluids, 12A1428
TUNCER, IH: Two-dimensional unsteady Navier-Stokes solution method with moving overset grids, 9A1048
TUNESKI, A: Adaptive control of single rigid robotic manipulators Interacting with dynamic environment: An overview, 5A345
TUNG, CC: Total wave force on cylinder considering free surface fluctuation, 4A251
- Effects of ductility on seismic response of piping systems and their implication on design and qualification, 5A1436
- Effects of random wave surface fluctuation on response of offshore structures, 6A920
- Instantaneous control of structures with time-delay consideration, 9A846
TUNG, STEVE: Initial streamwise vorticity formation in a two-stream mixing layer, 3A1144
TUNG, Y-K: Reliability analysis of hydraulic structures considering unit hydrograph uncertainty, 8T1026
TUOHY, S: Developments in surface fairing procedures, 6A1173
TUOMELA, J: New theoretical approach to absorbing layers, 10A393
TUR, M: Micro-macro model for the effects of thermo-mechanical fields on optical fibers embedded in a laminated composite plate with applications to sensing, 6A588
TURAGA, R: Stochastic FEM model of 1D hydrodynamic bearings with rough surfaces, 2A921
TURCHAK, LI: Generalized Rayleigh's problem for a compressible flow over the surface of a dihedral corner, 5A959
TURCHI, PJ: Propulsion Techniques: Action and Reaction, 12N41
TURCHIANO, B: Performance of deadlock avoidance algorithms in flexible manufacturing systems, 1T426
TURCI, E: New servoassisted hyper-stiffened damper for structural control: The "IRIS" project, 6T139
TURCOTTE, JS: Remarks on invariance requirements for constrained rods, 2A468
- Another mode of vibration in a Timoshenko beam, 6T148
TUREAUD, TF: Numerical simulation of receptivity phenomena in transitional boundary-layer flows, 10A395
TUREK, G: Applications of matched-field processing to structural vibration problems, 8A177
TUREK, I: Interlayer exchange coupling: Effect of alloying, 9A607
TUREK, S: Discrete projection methods for the incompressible Navier-Stokes equations: An algorithmical approach, 10A1093
TUREK, Z: New method of finding approximate solutions of the heat conduction equation, 4A1277
TURFUS, C: Diffusion from an extended surface source in a region of backflow, 5A1457
TURGUT, O: Experimental study on air window collector having a vertical blind for active solar heating, 8A1522
TURGUTLU, A: Influence of projectile nose shape on the morphology of interface in impact spot welds, 1A938
TURK, G: Kinematically exact FE formulation of planar elastic-plastic frames, 10A958
TURKAWSKI, SJJ: New transducer system for direct motor unit force measurement, 4A1495
TURKENBURG, WC: Simple model for PV module reflection losses under field conditions, 8A1540
TURKMEN, D: Moisture and temperature effects of the compressive failure of CFRP unidirectional laminates, 11A708
TURKOGLU, H: Phase-resolved measurements in a gas-injected liquid bath, 1A1215
TURNBULL, SR: Securing of rigid semi-trailers on roll-on and roll-off ships, 3A90
TURNER, AK: Landslides: Investigation and Mitigation, 4N16
TURNER, CH: Uniform strain criterion for trabecular bone adaptation: Do continuum-level strain gradients drive adaptation, 10A1520
TURNER, CV: One-phase supercooled Stefan problem with a convective boundary condition, 8A1353
TURNER, GM: Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, 3A1259
- Measurement of heat flow through vacuum glazing at elevated temperature, 6A1283
TURNER, I: Mathematical Modeling and Numerical Techniques in Drying Technology, 3N40
TURNER, JD: Rule-based technique for two-state switchable suspension dampers, 9A368
TURNER, L: Early detection of feedwater-heater leaks, 11T1364
TURNER, MG: Multistage turbine simulations with vortex-blade interaction, 5A1094
- Compressor blade forced response due to downstream vane-strut potential interaction, 11A1160
TURNER, NA: Shear stress-induced binding of Von Willebrand factor to platelets, 10T1536
TURNER, PR: Overflow and underflow in multiplication and division, 3A72
TURNER, T: Spectral fatigue analysis of shallow water jacket platforms, 2A638
TURNOUR, SR: Effects of unsteady aerodynamics on the flight dynamics of an articulated rotor helicopter, 10A1224
TURNS, SR: Influence of fuel jet precession on the global properties and emissions of unconfined turbulent flames, 4A1290
TUROWSKI, M: Computer-aided analysis of integrated electrostatic micromotors, 9A380
TURSKA, E: Hyperelastic constitutive equation for rotated Biot stress, 9A433
- Standard staggered and staggered Newton schemes in thermo-hydromechanical problems, 10A79
TURSKI, AJ: Integral equations for disturbance propagation in linearized Vlasov plasmas numerical results, 9A1140
- Plasma double layer system leading to chaos, intermittency and flicker noise, 9T1141
TURTELTAUB, S: Adiabatic phase boundary propagation in a thermoelastic solid, 11A1374
- Viscosity and strain gradient effects on the kinetics of propagating phase boundaries in solids, 12A225
TURTON, JD: New package for blast noise prodiction at UK artillery and testing ranges, 1A326
TURTON, R: Experimental study of the heat transfer between near-fluidized particles and an oscillating immersed surface, 9A1428
TUTTLE, TD: Vibration reduction using multi-hump input shapers, 12A405
TUTTY, OR: Nonlinear development of flow in channels with non-parallel walls, 5A1002
TUTUNCU, N: Bending stresses in composite spherical shells under axisymmetric edge-loads, 7A518
TUY, H: Optimization on Low Rank Nonconvex Structures, 12N5
TUYEN, B: Self-sustained flaming combustion and ignition of single wood pieces in quiescent air, 2A1307
TUZLA, K: Performance of an entrained-particle heat exchanger, 6A1263
TUZSON, JJ: Reducing gas turbine emissions through hydrogen-enhanced steam-injected combustion, 11T1407
TVEITO, A: Numerical Methods and Software Tools in Industrial Mathematics, 10N1
- Approximation of the solution of the pressure equation by changing the domain, 8A1461
TVERGAARD, V: Effect of void size difference on growth and cavitation instabilities, 1A484
- Constraint effects on the ductile-brittle transition in small scale yielding, 1A727
- Effect of strain-dependent cohesive zone model on predictions of crack growth resistance, 1A782
- Cleavage crack growth resistance due to plastic flow around a near-tip dislocation-free region, 11A685
- Nonlocal effects on localization in a void-sheet, 11A681
TWARDOWSKI, A: Magnetic anisotropy of V" in CdS, 9A608
TWEET, KD: Diverging elastic waves in thin tapered plates, 6A225
TWIGG, MJ: Determining the central principal inertial dyadic of a golf club head, 4T93
TWITTO, A: Detection of internal defects using phase shifting holographic interferometry, 4A792
TWIZELL, EH: Explicit finite-difference methods for nonlinear dynamic systems: Froude's pendulum, 3A110
- Sequential and parallel methods for solving first-order hyperbolic equations, 4A219
- Finite-difference methods for computing the turning point of ignition in a tubular reactor operated adiabatically, 6A1349
- Family of fourth-order parallel splitting methods for parabolic partial differential equations, 11A48
TWORZYDLO, WW: hp-meshless cloud method, 6A45
TYAGI, MR: Asperity level conformity in partial EHL - Part I: Its characterization, 2A1122
- Asperity level conformity in partial EHL - Part II: Its influence in lubrication, 2A1123
TYAN, FENG: Dynamic output feedback compensation for linear systems with independent amplitude and rate saturations, 11T301
TYBERG, JV: Stroke normalized pressure: A useful parameter for the analysis of left ventricular outflow obstruction, 5A1491
TYC, G: Analytical vibration and resonant motion of a stretched spinning nonlinear tether, 3A154
- Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, 10T457
TYCHSEN, J: Ringing and double frequency response of a tripod, 11A210
TYFOUR, WR: Deterioration of rolling contact fatigue life of pearlitic rail steel due dry-wet rolling-sliding line contact, 2A898
TYGEL, M: Minimum apertures and Fresnel zones in migration and demigration, 7A1472
TYL, J: Structure of a shock wave front in a gas (Polish), 9A214
TYLER, C: Development of a Rayleigh scattering measurement system for hypersonic wind-tunnel applications, 6T1214
TYLIKOWSKI, A: Thermally induced instability of laminated beams and plates, 7A1361
- Dynamic stability of activated composite shells, 10A662
TYLL, JS: Experimental studies of magnetic levitation train aerodynamics, 6A922
TYMANOK, A: Impact grinding and disintegrators, 10A745
TYRER, JR: Effect of metallographic structure on clamped plate vibration characteristics, 1A181
TYRTYSHNIKOV, EE: Analysis of convergence properties of projection methods for solving CEM applications, 5T54
TYSHCHENKO, VA: Study of antiwear effect of phosphorus-containing additive in low-viscous oil, 7A1213
TYSOE, WT: Determination of interfacial temperatures under extreme pressure conditions, 5T853
- Nature of the lubricating films formed by carbon tetrachloride under conditions of extreme pressure, 7A1217
TYSON, WR: Crack arrest toughness of a heat-affected zone containing local brittle zones, 6A797
- Ligament-collapse load of plates and cylinders with an axial semi-elliptical flaw, 7A726
- Heat-affected zone toughness of a TMCP steel designed for low-temperature applications, 11A878
TYURIN, YV: Recursive numerical algorithm for conformal mapping in 2D hydrodynamics, 4A998
TZABIRAS, GD: Numerical study of additive bulb effects on the resistance and self-propulsion characteristics of a full ship form, 12A1165
TZAFEROPOULOS, MA: Numerical modeling of convex particle assemblies, 1A107
TZAN, S-R: Convex model for seismic design of structures - II: Design of conventional and active structures, 3A1403
- Convex model for seismic design of structures - I: Analysis, 3A1402
TZAN, SHYH-RONG: Optimal design of dynamically constrained structures, 7A803
TZENG, JR: Application of the Taylor transform to nonlinear vibration problems, 11A62
TZENG, JT: Dynamic response of composite cylinders subjected to a moving internal pressure, 5A452
- Three dimensional effective properties of composite materials for FE applications, 10A621
TZENG, PEI-YUAN: Numerical investigation of transient flow-mode transition of laminar natural convection in an inclined enclosure, 8A1286
TZENG, PY: Three-dimensional computations of transverse helium jets in a supersonic air flow, 3A1062
TZES, A: Fuzzy neural network control for DC-motor micromaneuvering, 12A420
TZIONAS, P: New hardware module for automated visual inspection based on a cellular automation architecture, 1A423
TZIVANIDIS, C: Analytical solution of boundary value problems of heat conduction in composite regions with arbitrary convection boundary conditions, 5A1227
- Using orthogonal expansion of functions over multilayer walls for calculating the layer thermal properties, 6A1272
- Experimental and theoretical studies of space cooling using ceiling-embedded piping, 8A1374
TZOU, DY: Macro- to Microscale Heat Transfer: The Lagging Behavior, 8R23
TZOU, GOW-YI: Analytical and experimental study on asymmetrical sheet rolling, 6A669
- Analytical approach to asymmetrical cold- and hot-rolling of clad sheet using the slab method, 6A670
TZOU, HORN-SEN: Structronic Systems: Smart Structures, Devices, and Systems, Parts 1 and 2, 12N22
TZOU, HS: Active Control of Vibration and Noise, 3N6
- Pyroelectric and thermal strain effects of piezoelectric (PVDF and PZT) devices, 3A756
- Parametric study of segmented transducers laminated on cylindrical shells - Part 1: Sensor patches, 5A352
- Parametric study of segmented transducers laminated on cylindrical shells - Part 2: Actuator patches, 5A353
- Damage detection by piezoelectric patches in a free vibration method, 9A808
TZOU, J-C: Balancers of any frequency term of the shaking moment of spatial mechanisms, 10A226
TZOUMAS, M: Convergence domains of the p-cyclic SOR, 1A95

U

UANG, CHIA-MING: Analytical modeling of dual panel zone in haunch repaired steel MRFs, 6A1432
UBALDI, M: Experimental investigation of stator induced unsteadiness on centrifugal impeller outflow, 11A1169
UBELS, LC: Method to apply structure relevant impact damage to small structure relevant specimens for damage tolerance studies, 9A758
UBERALL, H: Two Scholte-Stoneley waves on doubly fluid-loaded plates and shells, 7A268
UCHIDA, H: Two-dimensional stress analysis and strength evaluation of band adhesive butt joints subjected to tensile loads, 11A381
UCHIDA, K: H_∞ control attenuating initial-state uncertainties, 7T318
UCHIDA, M: Detection of surface irregularity by means of transferred oil film (Japanese), 5A738
UCHIDA, N: Control method for helium gas pressure and concentration in X-ray steppers (Japanese), 1T379
UCHIKAWA, K: Effects of Coriolis force on flow in rotating diffusers, 12A1181
UCHITA, Y: Rock behavior measured by means of borehole strain gauges during a large underground cavern excavation (Japanese), 8A672
- Design method of rock bolts in jointed rock masses (Japanese), 8A687
UCHIYAMA, K: Ground-based simulation of space manipulators using test bed with suspension system, 3A379
UCHIYAMA, M: Singularity-consistent path planning and motion control through instantaneous self-motion singularities of parallel-link manipulators, 6A441
- Vibration controllability of 3D flexible manipulators, 12A447
UCHIYAMA, S: Normal kinematics of carpal bones: A 3D analysis of carpal bone motion relative to the radius, 12A1544
UCHIYAMA, T: Discretization schemes of the FEM for advection terms of an incompressible two-fluid model, 10A33
UDA, T: Field observation of movement of sand body due to waves and verification of its mechanism by numerical model (Chinese), 10A1054
UDA, Y: Development of measurement system of angular profile of the polygonal mirror surface, 10A888
UDAYKUMAR, HS: Computational Fluid Dynamics with Moving Boundaries, 4R1
- Ignition characteristics of a new high-energy density fuel in high-speed flows, 9A1354
UDDIN, MW: Numerical solution of both ends fixed deep beams, 1A556
UDOMKESMALEE, S: Evaluation of star identification techniques, 9T244
UDPA, L: Signal processing for in-line inspection of gas transmission pipelines, 10A883
UDPA, SS: Signal processing for in-line inspection of gas transmission pipelines, 10A883
UDWADIA, FE: 7th workshop on dynamics and control, July 2994, Ulm, Germany, 2T306
- Equations of motion for mechanical systems: A unified approach, 7A81
UE, SHUNJI: Consolidation behavior of clay subjected to temperature effects at secondary compression term (Japanese), 8A645
UEBERL, J: Improved design of final settling tanks, 9T1061
UEDA, K: Experimental studies on ultra-precision positioning - 2nd report: Newly developed inch-worm dual movement method to reduce interfer-

ence between fine and coarse positionings (Japanese), 1T400
- Combined molecular dynamics and rigid-plastic FEM simulation of atomic level cutting (Japanese), 2A612
- Implicit-type elastic-plastic FEM analysis of cutting mechanism: Radial return formulation and chip curling simulation (Japanese), 3A12
- Precision table control system by friction drive for optical disk mastering machine (Japanese), 5A309
- Implicit-type elastic-plastic FEM analysis of cutting mechanism - 2nd report: Simulation of chip formation process using chip breaker (Japanese), 10A735
UEDA, M: Study on the bending fatigue properties of roller compacted concrete mixed with recycled aggregates, 5T783
- Real-time optical measuring system for dye color and concentration - II: Dispersive dye, 8A850
- Stochastic modeling and estimating of pipe tip level using cokriging (Japanese), 10A680
- Deformation characteristics and wave velocities of hard rock block with cracks at low strain levels (Japanese), 10A721
- Laser system for counting cloth filaments, 12A873
UEDA, T: Superfinishing of fine ceramics: Influence of machining damage on bending strength (Japanese), 2A614
- Control of cutting ability in superfinishing (Japanese), 5T570
- Influence of desalination on bond behavior between concrete and reinforcing steel (Japanese), 7T967
- Velocity statistics along the stagnation line of an axi-symmetric stagnating turbulent flow, 10A1158
UEDA, Y: Simple estimating method for reduction of welding residual stresses in thick welded joint from stress-relief annealing - Part I: Development of the analytical method for relaxation tests and its applicability, 2A1283
- Measuring method for residual stresses in explosively clad plates and a method of residual stress reduction, 4A524
UEHA, S: Near-field acoustic levitation of planar specimens using flexural vibration, 4A296
UEHARA, H: Characteristics of deformation on remolded shimajiri clay (Japanese), 10A682
- Heat transfer and flow resistance of a shell and plate-type evaporator, 11A1338
UEKAWA, A: Measurement of 3D objects using gray code projection - 2nd Report: Improvement of reliability of space encoding method (Japanese), 1T382
UEKI, A: Numerical simulation of impingement air cooling from LSI packages with large plate fins by the penalty FEM, 9A1297
UEKI, H: Study on lateral resistance properties of pile groups (Japanese), 2A562
UEKI, J: Study on regenerative chatter vibration in end mill operation - 2nd Report: Experimental analysis of chatter stability limit in side cutting (Japanese), 10A238
UENG, TZOU-SHIN: Coupled seismic-geotechnical approach to site-specific strong motion, 11A1481
UENISHI, Y: Materials for Mechanical and Optical Microsystems, 9N17
UENO, K: Design and performance of compact load cell for measuring earth pressure in a centrifuge (Japanese), 2A553
UENO, M: Elastoplastic constitutive equation of soils based on the concepts of subloading surface and rotational hardening (Japanese), 5A510
UETA, Y: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
UEYAMA, H: H^{∞} control of milling AMB spindle, 5A333
UGAL, K: Three dimensional effects on stability of slopes during earthquakes (Japanese), 8A669
UGURSAL, VI: Modeling of heat recovery steam generator performance, 9A1314
UHMEIER, A: Influence of strain rate and temperature on the radial compression behavior of wet spruce, 1A533
UHRHAMMER, RA: Real-time seismology at UCB: The rapid earthquake data integration project, 2A1373
- Determination of local magnitude using BDSN broadband records, 4A1426
UIMONEN, S: Comparison of three vibrators in static posturography: The effect of vibration amplitude on body sway, 1T1467
UJIHIRA, M: Injury of biological tissue by extracellular freezing, 7A1309
UJIKE, I: Study on deterioration of tightness of cover concrete due to internal cracking based on air permeability (Japanese), 7A702
UJIRO, T: Corrosion resistance of muffler materials in automotive exhaust gas condensates (Japanese), 7A685
UKADGAONKER, VG: Review of work related to "leak-before-break" assessment, 4A1455
UKAI, K: Development of anticresonance enforced active vibration absorber system, 5A92
UKHANSKA, O: Friction heat distribution between a stationary pin and a rotating disc, 2A1236
UKHANSKA, OM: Transient temperature of local moving areas of sliding contact, 6A939
UKHANSKAYA, OM: Thermally stressed state of an elastic half-plane heated by a uniformly moving heat source, 1A1295
UKON, Y: Research on design and application of super-cavitating propellers, 9A1177
ULAS, A: Determination of temperature profiles of self-deflagrating RDX by UV-Visible absorption spectroscopy and fine-wire thermocouples, 12A1404
ULBRECHT, JS: Effect of insoles in therapeutic footwear: A FE approach, 10A1560
ULEVICIUS, V: Aerosolization of particles from a bubbling liquid: Characteristics and generator development, 7A1077
- Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407
ULIN, VP: Fatigue crack propagation in austenitic steels and their weldments under isothermal and thermal cyclic loading in the range of creep temperatures, 7T660
ULIVI, G: Fuzzy Maps: A new tool for mobile robot perception and planning, 8A427
ULIZAR, I: Semiclosed-cycle gas turbine with carbon dioxide-argon as working fluid, 12A1417
ULLMAN, D: Mechanical Design Process, Second Edition, 7N16
ULLMANN, K: Magnetic field line mappings for a tokamak with ergodic limiters, 2A1063
ULLOA, MJ: Horizontal convective rolls in a tilted square duct of conductive and insulating walls, 7A1253
ULM, F-J: Creep and plasticity due to chemo-mechanical couplings, 3A479
- Compressive behavior of concrete: Physical mechanisms and modeling, 6A536
- Strength growth as chemo-plastic hardening in early age concrete, 6A539
- Size effects in the biaxial tensile-compressive behavior of concrete: Physical mechanisms and modeling, 11A737
ULRICH, K: Designer's spreadsheet, 9A972
ULRYCH, TJ: Estimation of the discrete Fourier transform, a linear inversion approach, 1A1410
- Wavelet transform inversion with prior scale information, 4A1382
ULSOY, AG: Free vibration of serpentine belt drive systems, 1A173
- Statistical analysis of the effects of feed, speed, and wear on hole quality in drilling, 2A599
- Nonlinear coupled vibration response of serpentine belt drive systems, 4A130
- Coupling between the modeling and controller-design problems - Part II: Design, 12A374
- Design and analysis of automotive serpentine belt drive systems for steady state performance, 12A996
ULUCAKLI, ME: Turbulent natural convection in an enclosure with localized heating from below, 8A1288
ULYANOV, SV: Study on the stability and motion control of a unicycle - 4th report: Fuzzy gain schedule PD controller for managing nonlinearity of system, 5A328
- Study on the stability and motion control of a unicycle - 3rd report: Characteristics of unicycle robot, 5A327
UME, C: Flat composite panel design advisory system using knowledge based and case based reasoning, 6A404
- Laser phased array generated ultrasound for NDE of ceramic materials, 11A752
UME, IC: System for real-time measurement of thermally induced PWB-PWA warpage, 9A1317
UMEDA, A: Electrostatically driven torsional resonator with two dof - 1st Report: The principle and the characteristics of motion (Japanese), 4T108
UMEDA, H: Flow pattern of working fluid and heat-transfer performance in annular type rotating heat pipes with horizontal axis - Part 1: Flow pattern and the heat transport rate at the evaporation section, 7A1341
- Heat transfer rate of annular-type horizontal rotating heat pipes - Part II: Experiments and theoretical analysis for the heat transport rate, 9A1300
UMEDA, T: Application of damage mechanics to the analysis of spall damage, 1A712
UMEDA, Y: Ignition and flame propagation in methane-air multi-stratified vortical flow field, 6A1323
- Oscillation modes of supersonic multijets, 12A307
UMEHARA, N: Possibility of chemo-mechanical action in magnetic float polishing of silicon nitride, 4T906
- Magnetic fluid grinding of advanced ceramic balls, 7A620
UMEKAGE, T: Measurements of turbulent coagulation process in turbulent flow and comparison with calculated results, 7A1068
UMEKI, M: Pattern selection in Faraday surface waves, 1A262
UMEMURA, A: Suppression of embodded shocks in supersonic free-shear-layer structures, 3A1054
UMEMURA, S: Recent progress in microtribology, 7A884
UMEYAMA, Y: Sectional area for calculation of deformation in screw thread, 3A926
UMEZAWA, K: Rotational vibration of a helical gear pair having tooth surface deviation during transmission of light load, 5A862
UNNO, K: Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), 10A741
UNAL, C: Nonlinear aspects of high heat flux nucleate boiling heat transfer, 11A1279
UNDERHILL, WRC: Method for contact problems using virtual elements, 10A564
UNDERWOOD, DS: Effect of heat release on streamwise vorticity enhanced mixing, 1A1052
UNDERWOOD, JH: Stress intensity, stress concentration, and fatigue crack growth along evacuator holes of pressurized, autofrettaged tubes, 2A621
- Fatigue life measurements and analysis for overstrained tubes with evacuator holes, 5A581
- Extended compact tension specimen, 10A850
UNGAR, EK: Transition boiling curves in saturated pool boiling from horizontal cylinders, 2A1217
UNGARISH, M: Shear-layer and inertial modifications to the geostrophic drag on a slowly rising particle or drop in a rotating fluid, 3A1026
UNGURIAN, MH: Phase Doppler anemometer: Commissioning tests for measurement of water aerosol sizes and velocities in flashing jets, 6A1501
UNJOH, S: Impact of Hanshin-Awaji earthquake on seismic design and seismic strengthening of highway bridges, 9A1493
UNLUSOY, YS: Integrated FEM-BEM approach to the dynamic and acoustic analysis of plate structures, 5A227
UNNO, K: Atomistic analysis of diamond-turning processes in single-crystal copper (Japanese), 7T636
UNNO, N: Study on the adhesion force of lubricants: Adhesion force characteristics under boundary lubrication, 7A1199
UNO, S: Ferro-fluid lubricated bearings for a polygon mirror motor, 3T1210
UNO, T: Measurement of the distribution of sandy soil void diameter by air intrusion method (Japanese), 2A555
- Roles of mean pore size index and grain size distribution on permeability phenomenon (Japanese), 10A678
UNO, Y: Biochemical machining of biodegradable plastics: Development of microremoval process by enzyme (Japanese), 2A588
- Fundamental study on biomachining: Machining of metals by thiobacillus ferrooxidans, 7A637
UNSWORTH, A: Development of a six station knee wear simulator and preliminary wear results, 10A991
UNTERREINER, P: Discrete and continuous models for dry masonry columns, 9A148
UNTERSCHER, F: Holographic sensor for measurement of wall velocity gradients, 5A1053
UNWIN, AP: Large deformations of semicrystalline polymer modeled using the necking network concept, 12A478
UOMOTO, T: Prediction of steel corrosion portion and area by natural potential measurement (Japanese), 7A688
UOSUKAINEN, S: Modified JMC method in active control of sound, 10A377
UPADHYAY, CS: Pollution error in the h-version of the FEM and the local quality of the recovered derivatives, 6A22
UPADHYAY, PC: Stress concentration in the matrix around the fibers in laminae, 2A438
- Effect of coating and interfacial reaction zone on the residual stresses in fiber-reinforced metal-matrix composite, 9A489
UPADHYAYA, AP: Stress analysis of V-shaped expansion joints under internal pressure, 9A560
UPHOFF, U: Influence of reactive particles on the formation of a 1D detonation wave, 2A1325
UPTON, D: Clinical analysis of a CAD-CAM system for custom seating: A comparison with hand-sculpting methods, 1A1466
UPTON, TD: Experimental study of transient natural convection in an inclined rectangular enclosure, 9A1217
URA, M: Fully conservative Beam and Warming scheme for transient open channel flows, 6T992
- Characteristics of open-channel flows with adverse pressure gradients (Chinese), 10A1046
URA, T: Underwater Robots, 5N7
- Special Issue: Autonomous underwater robots, 2T340
URABE, Y: Crack arrest test using a toughness gradient steel plate, 11A723
URAGOU, M: Boundary element analysis of galvanic corrosion of long structure buried in soil with gradient electrical conductivity (Japanese), 9A712
URAS, RA: Use of viscoelastic model for the seismic response of base-isolated buildings, 2A411
- Generalized multiple scale reproducing kernel particle methods, 6A15
URAYAMA, K: Stress-strain behavior of segmented polyurethaneureas under pure shear deformation, 1A948
URBACH, JS: Anomalous diffusion in asymmetric random walks with a quasi-geostrophic flow example, 4A1279
URBAN, B: Retrieval of atmospheric thermodynamical parameters using satellite measurements with a maximum entropy method, 4A1445
URBANIAK, W: Theoretical analysis of the influence of gas filling of pores on the effects of explosive compaction of powders (Polish), 9A686
- Investigation of influence of gas filling of pores on the effects of explosive compaction of iron powder (Polish), 9A684
URCOLA, JJ: Determination of the energetic parameters controlling cleavage fracture initiation in steels, 12A828
UREN, NF: Inversion technique for recovering the elastic constants of transversely isotropic materials, 4A786
URI, ND: Implications of energy and other input use for conservation tillage, 10A1492
URMANOV, RB: Study of the interaction of titanium and its alloys with the environment in manufacturing sophisticated structures, 8T463
URRIOLAGOITIA-CALDERON, G: Evaluation of crack propagation stability with the Williams stress function - I: Stress field analysis, 3A716
- Evaluation of crack propagation stability with the Williams stress function - Part II: Numerical analysis, 9A776
URTIEW, PA: Violence of thermal explosion in solid explosives, 12A296
USAI, G: H$_{\infty}$ formulation for the design of passive vibration-isolation system for cars, 5A320
USAMI, H: Adhesion between high strength and high modulus polyethylene fibers by use of polyethylene gel as an adhesive, 2A941
USAMI, T: Cyclic tests of concrete-filled steel box columns, 3A764
- Experimental re-examination of coupled buckling strength formula expressed as function of initial imperfections (Japanese), 3A545
- Hysteresis models for steel bridge piers and their application to elasto-plastic seismic response analysis (Japanese), 6A1438
- Pseudodynamic testing of scaled models, 9A1501
- Computational bifurcation analysis of geometrically nonlinear structures (Japanese), 9A877
- Hybrid testing of steel bridge pier models using the Hyogoken-nanbu earthquake accelerograms (Japanese), 9A889
- Stability design of steel plane frames by second-order elastic analysis, 10A953
- Behavior of partially concrete-filled steel bridge piers under cyclic and dynamic loading, 12A854
USCINSKI, BJ: Intensity fluctuations in a laser beam due to propagation through a plane turbulent jet, 10A1199
USHA, R: Effect of mass transfer on a similar flow in the magnetohydrodynamic squeeze film, 10A1202
USHIJIMA, H: Vibration of annular sector Mindlin plates with intermediate arc supports by the spline strip method, 4A143
USTINOV, YA: Green's tensor for an elastic cylinder and its applications in the development of the Saint-Venant theory, 1A449
- Homogeneous solutions and Saint-Venant problems for a naturally twisted rod, 7A500
USTREKHOVA, OA: Tribological behavior of olefin additives, 2A1137
USUDA, T: Electrostatically driven torsional resonator with two dof - 1st Report: The principle and the characteristics of motion (Japanese), 4T108
- Vibration measurement and analysis of micromechanisms (Japanese), 10T861
USUI, E: Autonomous operation planning with evaluating machine tool characteristics (Japanese), 1A210
- Development of autonomous operation planning system with genetic algorithm (Japanese), 2A361
- Analytical presumption of cutting tool wear in machining with chatter vibration (Japanese), 10A972
UTIYAMA, M: Device to measure the size of volatile droplets utilizing a hot-film sensor, 11A1015
UTKIN, VI: Robot obstacle avoidance in n-dimensional space using planar harmonic artificial potential fields, 12A398
UTKU, S: Optimal location of redundants for prestressing adaptive trusses, 3A738
UTNES, T: Turbulent flows over mountainous terrain modeled by the Reynolds equations, 3T1422
UTSCHIG, M: Reduction to parts: A semianalytical approach to the structural acoustics of a cylindrical shell with hemispherical endcaps, 2A245
UTSUMI, K: Development of high-productivity machine for precision dies and molds, 11A590
UTSUNOMIYA, T: Harmonic wave response analysis of elastic floating plates by modal superposition method, 9A915
UTYUZHNIKOV, SV: Spatial supersonic motion of a body through a large-scale inhomogeneity in a stratified atmosphere, 7A1051
- Motion of a body through large-scale inhomogeneity in the stratified atmosphere, 12A1098
UTZINGER, MB: Stress analysis on rectangular cross-sectional ring headers, 11A509
UUSITALO, O: Effect of pressurized gases on the viscosity of polyalkylene glycols, 12A1221
UY, B: Long-term service-load behavior of simply supported profiled composite slabs, 11A805

- Time dependent service load behavior of pre-stressed composite tee beams, 12A594
UYAMA, Y: Friction control with a graft layer of a thermo-sensing polymer, 5A820
UYEMURA, T: Holographic measurement of lower loss tangent using a beam of variable cross section - 1st report: Calculation and measurement of amplitude distribution, 1A804
UZ, A: Two-step method for the optimum design of trusses with commercially available sections, 8A886
UZARSKI, J: Out-of-plane strength of unreinforced masonary infill panels, 6A915
UZIKOVA, TI: Contact resistance fluctuations in metallic sliding contacts, 3A835
UZSOY, R: Tabu search approach to scheduling an automated wet etch station, 10T550

V

VABISHCHEVICH, PN: Computational Heat Transfer, Volume 1: Mathematical Modeling, 1R47
VABLE, M: Continuity and collocation effects in the BEM, 10A82
VACCARI, F: Seismic input modeling for zoning and microzoning, 3A1371
VACCARO, RJ: Robust source localization in an acoustic waveguide, 1A344
VACHTSEVANOS, G: Adaptive fuzzy neural networks as identifiers of discrete-time nonlinear dynamic systems, 5A81
VAFAEESEFAT, A: Touch probe radius compensation for coordinate measurement using kriging interpolation, 9A426
VAFAI, A: Experimental study of prefabricated funicular shell units, 11A523
VAFAI, F: Analytical model for particle migration within base soil-filter system, 8A657
VAFAI, K: Heat transfer optimization within open-ended annular cavities, 7T1248
- Non-Darcian surface tension effects on free surface transport in porous media, 8A1458
- Effects of a geometric perturbation on buoyancy induced flow and heat transfer in a cylindrical annulus, 9A1215
- Numerical and analytical investigation of vapor flow in a disk-shaped heat pipe incorporating secondary flow, 9A1301
- Non-Darcian effects on double-diffusive convection within a porous medium, 12A1350
- Buoyancy induced convection in a narrow open-ended annulus, 12A1261
VAFINA, F: Sound and weak shock wave propagation in gas-liquid foams, 10T306
VAG, JE: Eulerian-Lagrangian localized adjoint methods for systems of nonlinear advective-diffusive-reactive transport equations, 1T1425
VAHDATI, M: Nonlinear aeroelasticity analysis of a fan blade using unstructured dynamic meshes, 8A289
- Application ICED-ALE methodology to integrated nonlinear aeroelasticity analyses, 12A288
VAIDYA, RS: Fracture criterion for notched thin composite laminates, 7A738
VAIDYA, U: Response of SiC/Si_3N_4 composites under static and cyclic loading: An experimental and statistical analysis, 10A775
VAIDYA, UK: Identification of failure modes of carbon-carbon composites at various processing stages using the acoustic emission technique, 1A820
- Nondestructive characterization-evaluation of functional sandwich and hybrid carbon-carbon composites, 4A798
VAIDYANATHAN, S: Measurement of stretch zone height and its relationship to crack tip opening displacement and initiation J-value in an AISI 316 stainless steel, 2A721
VAILAS, AC: Ultrasonic wave velocity measurement in small polymeric and cortical bone specimens, 12A1573
VAINSHTEIN, P: Resonance gas oscillations in closed tubes, 3A1056
VAISMAN, AM: Asymmetric growth of hydraulic fracture cracks, 1A735
VAJRAVELU, K: Boundary element method solution to transient free convective heat transfer in a viscous, electrically conducting, and heat generating fluid, 5A1142
VAKAKIS, AF: Transient axisymmetric stress wave propagation in weakly coupled layered structures, 1A238
- Experimental study of nonlinear transient motion confinement in a system of coupled beams, 3A148
- Energy-based approach to computing resonant nonlinear normal modes, 3A114
- Dispersion of stress waves in 1D semi-infinite, weakly coupled layered systems, 4A557
- Primary pulse transmission in a strongly nonlinear periodic system, 4A90
- Localized and non-localized nonlinear normal modes in a multi-span beam with geometric nonlinearities, 4A127
- Study of a class of subharmonic motions using a non-smooth temporal transformation (NSTT), 7A108
- Invariant manifold approach for studying waves in a 1D array of nonlinear oscillators, 7A187
- Impurity modes in disordered nonlinear lattices, 8A112
- Near field transient axisymmetric waves in layered structures: Effects of weak coupling, 10A266
VAKHIDOV, AA: Computation of elliptic Hansen coefficients and their derivatives, 3A291
VAKILIAN, R: Asymptotic behavior of solutions of polyharmonic semilinear equations - II, 11T68
VAL, D: Reliability evaluation in nonlinear analysis of reinforced concrete structures, 12A906
VAL, DV: Reliability assessment of damaged RC framed structures, 12A901
VALANIS, KC: Gradient theory of internal variables, 1A436
VALASEK, M: Kinematics and Dynamics of Machinery, 1R7
- Parallelization of multibody formalism for rigid bodies using natural coordinates and modified state space, 8A84
VALDETTARO, L: Inertial waves in a rotating spherical shell, 12A264
VALEMBOIS, RE: Comparison of various techniques for modeling flexible beams in multibody dynamics, 10A174
VALENCIA, A: Numerical solutions of pulsating flow and heat transfer characteristics in a channel with a backward-facing step, 8A1273
VALENTE, C: New procedure for detecting nonlinearity from transient data using the Gabor transform, 6A360
VALENTE, S: Tensile and flexural creep rupture tests on partially-damaged concrete specimens, 12A908
VALENTI, MC: Correlation of seismic responses of structures, 9A1475
VALERA, JDR: Whole-field optical diagnostics for structural analysis in the automotive industry, 1A810
VALERO, A: Ash fouling in coal-fired utility boilers: Monitoring and optimization of on-load cleaning, 3A1307
- On-line monitoring of power-plant performance, using exergetic cost techniques, 4A1320
VALERO, F: Filling data algorithms in urban air pollution monitoring networks, 9T1561
VALESECCHI, GB: Numerical experiments on the efficiency of second-order mixed-variable symplectic integrators for N-body problems, 11A238
VALEV, V: Construction of boolean classification rules and their applications in computer vision problems, 4A337
VALGMA, I: Sustainable phosphate rock mining, 11T1509
VALIANI, A: Linear and angular momentum conservation in hydraulic jump, 11A906
VALIDO, AJ: Optimal cross-section and configuration design of elastic-plastic structures subject to dynamic cyclic loading, 10A902
VALIENTE, A: Measurement of the yield and tensile strengths of neutron-irradiated and post-irradiation recovered vessel steels with notched specimens, 6A1503
VALIGI, P: Asymptotic stabilization of a class of continuous-time linear periodic systems, 4T323
VALK, M: Catalytic combustor for high-temperature gas turbines, 11T1413
VALLABHA, CVG: New formula for principal axes, 12T471
VALLABHAN, CVG: Behavior of window glass panels during earthquakes, 10A1460
VALLAT, MF: Review of adhesion mechanisms using the peel test in air and liquid media, 1A945
- Elastomer-elastomer interfaces: Mechanisms of autohesion, 4A957
VALLEE, GE: Study of the dynamic behavior of elastomeric materials using FEs, 4A577
VALLEJO, J: Method for the optimization of the kinematical behavior of linkages (Spanish), 3A917
- Procedure for the optimal synthesis of planar mechanisms based on nonlinear position problems, 10A143
VALLEJO, M: Normalization of perturbed nonlinear Hamiltonian oscillators, 8A101
VALLENAS, P: Interpretation of large-strain seismic cross-hole tests, 9A649
VALLET, I: Validation of 3D Euler methods for vibrating cascade aerodynamics, 5A1084
- Near-wall Reynolds-stress 3D transonic flow computation, 7A1049
VALLET, M-G: Directionally adaptive methodology using an edge-based error estimate on quadrilateral grids, 4A22
VALLIAPPAN, S: Numerical modeling of methane gas migration in dry coal seams, 2A1422
- Earthquake analysis of gravity dams based on damage mechanics concept, 4A1402
VALLIS, GK: Three-dimensionally perturbed vortex tubes in a rotating flow, 12A1068
VALLURUPALLI, SS: Discrete adaptive active suspension for hardware implementation, 3A375
VALMUNDSSON, EV: Seismic response of building frames with vertical structural irregularities, 6A1457
VALSARAJ, KT: Diffusive transport of organic colloids from sediment beds, 3T948
VAN ATTA, CW: Experiments on density-gradient anisotropies and scalar dissipation of turbulence in a stably stratified fluid, 3A1149
- Evolution of a uniformly sheared thermally stratified turbulent flow, 9A1114
VAN BAARS, S: Discrete element modeling of granular materials, 5A520
VAN BEEK, A: Rubber supported hydrostatic thrust bearings with rigid bearing surfaces, 5A1109
- Analytical solution for tilted hydrostatic multi-pad thrust bearings of infinite length, 5A1104
- Rubber supported hydrostatic thrust bearings with elastic bearing surfaces of infinite length, 7A1206
VAN BENNEKOM, A: Abrasive wear properties of experimental metastable duplex stainless steels, 2A876
VAN BOLHUIS, BM: Relative activation of elbow-flexor muscles in isometric flexion and in flexion-extension movements, 12A1540
VAN BRUSSEL, H: Experimental robot identification using optimized periodic trajectories, 4A438
VAN BUSSEL, GJW: Power augmentation of a horizontal axis wind turbine using a Mie type tip vane: Velocity distribution around the tip of a HAWT blade with and without a Mie type tip vane, 11A1549
VAN CAMPEN, DH: IUTAM Symposium on Interaction between Dynamics and Control in Advanced Mechanical Systems, 9N11
- Experimental verification of the steady-state behavior of a beam system with discontinuous support, 1A162
- Steady-state behavior of flexible rotordynamic systems with oil journal bearings, 6A112
VAN CAUWELAERT, F: Split tensile test applied to rectangular concrete blocks: Numerical and analytical approach, 4A782
VAN CLARK JR, A: Ultrasonic measurement of residual stress in the rims of inductively heated railroad wheels, 2A737
VAN DAALEN, EFG: BEM-numerics and KdV-model analysis for solitary wave split-up, 9A201
VAN DE GRAAF, JW: Reliability-based criteria for fixed steel offshore platforms, 11A775
VAN DE KONIJNENBERG, JA: Free-surface effects on spin-up in a rectangular tank, 9A1019
VAN DE MOLENGRAFT, MJG: Modeling and optimal estimation of mixtures: A simulation study, 2A1452
VAN DE VEGTE, J: Operational method for non-parametric analysis of feedback control systems, 4A382
VAN DE VELDE, F: Mathematical approach of the influencing factors on stick-slip induced by decelerative motion, 7A857
- Mathematical, geometrical wear model for continuous wear measurements based on the normal approach between a spherical and a flat specimen subject to fretting, 12A926
VAN DE VORST, ELB: Experimental verification of the steady-state behavior of a beam system with discontinuous support, 1A162
VAN DE VORST, ELB: Steady-state behavior of flexible rotordynamic systems with oil journal bearings, 6A112
VAN DE VOSSE, FN: Second order splitting algorithm for thermally-driven flow problems, 1A1201
VAN DE VOSSE, FN: Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, 4A1491
VAN DE WALL, AG: Transport of vortices through a turbine cascade, 5A1097
VAN DEN ABEELE, KE-A: Quasi-analytic treatment of hysteretic nonlinear response in elastic wave propagation, 9A191
VAN DEN ABEELE, KEA: Laboratory study of linear and nonlinear elastic pulse propagation in sandstone, 3A200
VAN DEN BERG, P: Eulerean FE model for penetration in layered soil, 7A573
VAN DEN BOGERT, AJ: Method to determine bone movement in the ankle joint complex *in vitro*, 10A1556
VAN DEN BRAEMBUSSCHE, R: Three-dimensional unsteady flow and forces in centrifugal impellers with circumferential distortion of the outlet static pressure, 8A1073
VAN DEN BRULE, BHAA: Brownian configuration fields and variance reduced CONNFFESSIT, 11T401
- Simulation of viscoelastic flows using Brownian configuration fields, 11A402
VAN DEN ENDE, D: Shear history dependence of the viscosity of aggregated colloidal dispersions, 3A954
VAN DEN HEUVEL, PWJ: Experimental and numerical investigation into the single-fiber fragmentation test: Stress transfer by a locally yielding matrix, 8A796
VAN DEN HURK, BJJM: Bulk parameterization of surface fluxes for various conditions and parameter ranges, 9T1514
VAN DER BAAREN, A: Ice stress measurements from land-fast ice along Canada's Labrador coast, 6A1515
VAN DER BEEK, MHE: Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, 4A1491
VAN DER BIEST, O: Acoustic emission during tensile testing of SiC-fiber-reinforced BMAS glass-ceramic composites, 10A622
VAN DER DRIFT, LT: Folding of continuous fiber thermoplastic composites, 12A566
VAN DER GELD, CWM: Shape factor of conduction in a multiple channel slab and the effect of non-uniform temperatures, 9T1264
VAN DER GIESSEN, E: Mathematical aspects of dual variables in continuum mechanics - Part 1: Mathematical principles, 2A2
- Computational aspects of localized deformations in amorphous glassy polymers, 4A576
- Mathematical aspects of dual variables in continuum mechanics - Part 2: Applications in nonlinear solid mechanics, 4A1
- Crack growth in non-homogeneous transformable ceramics - Part I: Constrained straight cracks, 6A712
- Crack growth in non-homogeneous transformable ceramics - Part II: Crack deflection, 6A713
VAN DER GIESSEN, E: Simulation of the behavior of FCC polycrystals during reversed torsion, 7A442
VAN DER GIESSEN, E: Influence of microstructural variations on steady state creep and facet stresses in 2D freely sliding polycrystals, 7A425
- Void growth in glassy polymers, 9A15
VAN DER GIESSEN, E: Numerical study of crack-tip plasticity in glassy polymers, 11A30
- Numerical study of cavitation and yield in amorphous polymer-rubber blends, 12A545
VAN DER HOEVEN, JGT: Experiments on drag-reducing surfaces and their optimization with an adjustable geometry, 11A1031
VAN DER HOUT, R: Continuous chain model for the elastic extension of polymer fibers in the glassy state, 10A599
VAN DER MEER, TH: Coherent anti-Stokes Raman spectroscopy measurements of temperature fluctuations in turbulent natural gas-fueled piloted jet diffusion flames, 12A1403
VAN DER PERRE, G: Ultrasound velocity measurement in long bones: Measurement method and simulation of ultrasound wave propagation, 3A1521
VAN DER PERS, NM: Stress control of piezoelectric ZnO films on silicon substrates, 7T566
VAN DER SLUYS, WA: Effects of the Environment on the Initiation of Crack Growth, 10N20
VAN DER STELT, PF: Orientation of the trabecular pattern of the distal radius around the menopause, 9A1570
VAN DER VEER, MR: Counterflow thrust vector control of subsonic jets: Continuous and bistable regimes, 10A1433
VAN DER VELDEN, P: Angularity determination of abrasive powders, 4A882
VAN DER WEIDEN, RM: Fast computation of the 3D Radon transform, 7A1466
VAN DER WEIJDE, P: Use of explicit FE analysis to evaluate explosion effects reduces shutdown time on oil and gas production platform, 10A1481
VAN DER WIJST, MWM: Application of computed phase transformation power to control shape memory alloy actuators, 10A916
VAN DIEEN, JH: Weight and frequency effect on spinal loading in a bricklaying task, 4A1487
VAN DONGEN, MEH: Analysis of the axial flow field in stenosed carotid artery bifurcation models: LDA experiments, 4A1491
- Pulse-expansion wave tube for nucleation studies at high pressures, 11A1001
VAN DRUNEN, MA: Formation and growth of silicon nitride particles in a laser-driven aerosol reactor investigated with photon correlation spectroscopy and electron microscopy, 6A1370
VAN DUIJN, CJ: Large time asymptotics in contaminant transport in porous media, 1A1383
VAN DUIJN, CJ: Traveling wave behavior of crystal dissolution in porous media flow, 8A1401
- Large time profiles in reactive solute transport, 11A1391
VAN DUIN, CA: Asymptotic theory for the generation of nonlinear surface gravity waves by turbulent air flow, 3A222
- Rapid-distortion turbulence models in the theory of surface-wave generation, 7A218
VAN DYKE, M: Annual Review of Fluid Mechanics, Volume 29, 8N19
VAN EGMOND, JW: Full tensor optical rheometry of polymer fluids, 8A1003
- Structural transitions in wormlike micelles, 9A985
VAN EIJKEREN, JCH: Data assimilation in transport models, 8A1394
VAN EMMERIK, REA: Effects of walking velocity on relative phase dynamics in the trunk in human walking, 3A1506
VAN ESSEN, TG: Finite element perturbation method for computing fluid-induced forces on a centrifugal impeller rotating and whirling in a volute casing, 6A1204
VAN FROSSEN, GJ: Three-dimensional Navier-Stokes analysis and redesign of an imbedded bell-

mouth nozzle in a turbine cascade inlet section, 1A1112
VAN GEMERT, D: Shear domain of fiber-reinforced high-strength concrete beams, 11A789
VAN GENUCHTEN, MT: Macroscopic representation of structural geometry for simulating water and solute movement in dual-porosity media, 5A1394
- Third-order numerical scheme with upwind weighing for solving the solute transport equation, 10A1395
VAN GINKEL, FC: Orientation of the trabecular pattern of the distal radius around the menopause, 9A1570
VAN GROESEN, E: Dissipation in Hamiltonian systems: Decaying cnoidal waves, 2A218
VAN GROESEN, E: BEM-numerics and KdV-model analysis for solitary wave split-up, 9A201
VAN GYSEL, A: Influence of steel fibers on design stress-strain curve for high-strength concrete, 3A769
- Analytical formulation of the complete stress-strain curve for high strength concrete, 5A434
VAN HEEL, APG: Simulation of viscoelastic flows using Brownian configuration fields, 11A402
VAN HEIJST, GJF: Wave pattern formation in a fluid annulus with a radially vibrating inner cylinder, 6A276
- Free-surface effects on spin-up in a rectangular tank, 9A1019
VAN HEMELRIJCK, D: Selection of papers presented at the First Joint Belgian-Hellenic Conference on NDT May 22-23, 1995, Patras Greece, 10A873
VAN HOECKE, J: Simulation of *in situ* soleus isometric force output as a function of neural excitation, 4A1483
VAN HOUTTE, P: Modeling the elastic properties of knitted-fabric-reinforced composites, 2A452
- Coupled FEM and texture modeling of plane strain extrusion of an aluminium alloy, 11A574
VAN KARSEN, C: Decoupling longitudinal and transverse vibrations of a cylindrical beam in time and frequency domains, 10T176
VAN KEER, R: Finite element approximation for 2nd order elliptic eigenvalue problems with nonlocal boundary or transition conditions, 7T31
VAN KEMENADE, V: Bubble-stabilized spectral methods for the incompressible Navier-Stokes equations, 3A1040
VAN KESSEL, T: Gravity current of fluid mud sloping bed, 6A1058
VAN KEULEN, F: Refined consistent formulation of a curved triangular finite rotation shell element, 2A34
VAN KEULEN, F: Pade approximants applied to a nonlinear FE solution strategy, 10A57
VAN KRUIJSDIJK, C: Approximate solution for fluid infiltration near a circular opening in unsaturated media, 9A1413
VAN KUYEN, M: New transducer system for direct motor unit force measurement, 4A1495
VAN LAAK, P: Forced vibration of full-scale wall-backfill system, 3A179
VAN LEER, B: Flow Simulation with High-Performance Computers II: DFG Priority Research Programme Results 1993 - 1995, 3N34
VAN LOOSDRECHT, MCM: Microbial decontamination of polluted soil in a slurry process, 6T1519
VAN MELE, B: Physico-chemical characterization of the influence of moisture on the fiber-matrix interaction in epoxy-anhydride composites, 1A525
VAN MIER, JGM: Analysis of hygral induced crack growth in multiphase materials, 10A838
VAN MIER, JGM: Numerical simulation of chaotic and self-organizing damage in brittle disordered materials, 10A845
VAN MIER, JGM: Dry and hydraulic extensile fracturing of porous impermeable materials, 10A722
VAN MOORHEM, WK: Analytical and experimental analysis of a self-compensating dynamic balancer in a rotating mechanism, 4A937
- Multiple-scales solution to the acoustic boundary layer in solid rocket motors, 9A1402
VAN NETTEN, AA: Study of blast wave loading on cantilevers, 11A195
VAN NIEKERK, JL: Active control of transient noise transmission, 10A370
VAN OSS, CJ: Surface thermodynamics and some engineering properties of an organo-clay, 11A549
VAN OSTAYEN, RAJ: Analytical solution for tilted hydrostatic multi-pad thrust bearings of infinite length, 5A1104
VAN OUDHEUSDEN, BW: Rotational 1-dof galloping in the presence of viscous and frictional damping, 5T198
- One-dof rotational galloping under strong wind conditions, 12A271
VAN PETEGHEM, AP: Characterization of the fretting wear of unlubricated steel surfaces based on the comparison of wear results obtained by different methods, 12A775
VAN PETEGHEM, AP: Mathematical, geometrical wear model for continuous wear measurements based on the normal approach between a spherical and a flat specimen subject to fretting, 12A926
VAN PRAAGH, E: Leg cycling tracking by dynamic vision, 12A1570
VAN RIET, EJ: Theoretical description and numerical sensitivity analysis of Wilson model for hydraulic transport of solids in pipelines, 11T903
VAN RIETBERGEN, B: Computational strategies for iterative solutions of large FEM applications employing voxel data, 2A28
VAN RIETBERGEN, B: Direct mechanics assessment of elastic symmetries and properties of trabecular bone architecture, 5A1464
VAN RIETBERGEN, B: Fabric and elastic principal directions of cancellous bone are closely related, 10A1515
VAN RIJN, LC: One-dimensional modeling of individual waves and wave-induced longshore currents in the surf zone, 4T967
VAN RIJN, LPVM: Towards the fastenerless composite design, 4A575
VAN ROESSEL, HJ: Moment Lyapunov exponent for two coupled oscillators driven by real noise, 3A92
VAN ROOY, MAG: Weight and frequency effect on spinal loading in a bricklaying task, 4A1487
VAN RUIJVEN, LJ: New transducer system for direct motor unit force measurement, 4A1495
VAN SLAGMAAT, MTP: Crash worthiness design optimization using multipoint sequential linear programming, 6A845
VAN STEENHOVEN, AA: Second order splitting algorithm for thermally-driven flow problems, 1A1201
VAN TIGGELEN, PJ: Experimental and modeling studies of a rich $H_2/CO/N_2O/Ar$ flame, 11T1423
VAN WELL, M: Novel nonconcentrating reactor for solar water detoxification, 11A1534
VAN WOERKOM, PTLM: Modified recursive maximum likelihood adaptive filter for nonlinear aircraft flight-path reconstruction, 5A1076
VAN WYK, DJ: Mathematical modeling of the interaction between a tracked vehicle and the terrain, 6A923
VAN ZANTE, D: Stochastic structure of downstream pressure from an axial compressor - I: Periodic time-frequency spectral description, 3A1202
VAN'T HOF, B: Asymptotic solution of natural convection problem in a square cavity heated from below, 3A1226
VAN, KY DANG: Pressure rolling contact: Steady state flow analysis and comparison with experimental data, 2A394
VAN, MA: Buckling analysis of continuous welded rail track, 9A583
VANCE, JM: Test results of a new damper seal for vibration reduction in turbomachinery, 5A136
- Combining MSC-NASTRAN, sensitivity methods, and virtual reality to facilitate interactive design, 12A21
VANCE, WE: Rate of temperature rise of a subbituminous coal during spontaneous combustion in an adiabatic device: The effect of moisture content and drying methods, 1A1333
VANDEGRIFT, MW: Neural network controller for flexible-link robots, 7A385
VANDEMBROUCQ, D: Mode III stress intensity factor ahead of a rough crack, 11A680
VANDEN-BROECK, J-M: Nonlinear free-surface flows emerging from vessels and flows under a sluice gate, 1A961
- Periodic waves with constant vorticity in water of infinite depth, 2A222
- Waves generated by a source below a free surface in water of finite depth, 3A998
- Capillary waves with variable surface tension, 4A228
- Free-surface flows with two stagnation points, 5A931
- Cusp flow due to a submerged source with a free surface partially covered by a lid, 8A1064
- Numerical calculations of the free surface flow under a sluice gate, 8A1019
- Internal solitary waves with stratification in density, 10A298
- Local gravity-capillary flows near the intersection of a free surface with a vertical wall, 12A1078
VANDENBERG, D: Two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 5A832
VANDENBOSSCHE, B: Stress-wave displacement polarizations and attenuation in unidirectional composites: Theory and experiment, 4A567
VANDER WAL, RL: Simultaneous laser-induced emission of soot and polycyclic aromatic hydrocarbons within a gas-jet diffusion flame, 10A1408
- Investigation of soot precursor carbonization using laser-induced fluorescence and laser-induced incandescence, 12A1373
VANDERBY JR, R: Proc of the 1997 Bioengineering Conference, BED-Vol 35, 8N28
- Ultrasonic wave velocity measurement in small polymeric and cortical bone specimens, 12A1573
- Thermographic strain analysis of the proxial canine femur, 12A1538
VANDERPLAATS, GN: Numerical Optimization: A powerful tool for engineering design, 1A834
VANDERSTRAETEN, D: Retrofit based methodology for the fast generation and optimization of large-scale mesh partitions: Beyond the minimum interface size criterion, 1A80
VANDEURZEN, P: Three-dimensional micromechanical analysis of woven-fabric composites - I: Geometric analysis, 7A482
- Three-dimensional micromechanical analysis of woven-fabric composites - II: Elastic analysis, 7A483
VANDEWALLE, L: Shear domain of fiber-reinforced high-strength concrete beams, 11A789
VANDIVER, JK: Occurrence of lock-in under highly sheared conditions, 3A1032
VANDOOREN, J: Experimental and modeling studies of a rich $H_2/CO/N_2O/Ar$ flame, 11T1423
VANDYKE, TJ: Small amplitude sinusoidal disturbances superimposed on finite circular shear of a compressible, nonlinearly elastic material, 2A386
VANEGHEM, B: Numerical integration of multibody system dynamic equations using the coordinate partitioning method in an implicit Newmark scheme, 3A111
VANEL, FO: Investigation of dispersion-relation-preserving scheme and spectral analysis methods for acoustic waves, 10A345
VANEL, J-M: Analytical, numerical, and experimental investigation of the flow structure in a flooded ball bearing, 4A1156
VANEL, O: Behavior synthesis of the erect stance for a biped control, 9A390
VANGI, D: Residual stress evaluation by the hole-drilling method with off-center hole: An extension of the integral method, 7A630
VANGILDER, DB: Computational and experimental investigations of rarefied flows in small nozzles, 5A1013
VANGSNESS, MD: Structure of turbulent hydrogen jet diffusion flames with or without swirl, 5A1332
- Lean blowout in a research combustor at simulated low pressures, 5A1350
- Experimental and computational study of swirling hydrogen jet diffusion flames, 10A1149
VANHOLDER, R: Estimation of parameters in a two-pool urea kinetic model for hemodialysis, 10A1545
VANIN, GA: Plane strain gradient theory of multilevel media, 5A400
VANKA, SP: Finite-volume multigrid calculation of natural-convection flows on unstructured grids, 1A1199
- Unsteady heat transfer in baffled channels, 2A1188
VANKAN, WJ: Poroelasticity of saturated solids with an application to blood perfusion, 2A1359
- Finite element mixture model for hierarchical porous media, 6A1395
- Finite element analysis of blood flow through biological tissue, 8A1566
VANNAH, WM: Indentor tests and FE modeling of bulk muscular tissue in vivo, 1A1456
VANNESTE, J: Nonlinear saturation of baroclinic instability in a three-layer model, 4A1076
- Rossby wave interaction in a shear flow with critical levels, 4A1438
VANNEUVILLE, G: Articular cartilage, morphology and mechanical properties (French), 6T1533
VANNIER, MW: Design of a 3D surface scanner for lower limb prosthetics: A technical note, 1A1473
- Finite element modeling and experimental verification of lower extremity shape change under load, 10A1516
VANNOBEL, F: Effects of injection timing on performance and droplet characteristics of a sixteen-valve four cylinder engine, 8A1429
VANNUCCI, P: Simplified optimal design of a tension leg platform (TLP), 6A859
VANSICKLE, DP: Methods for determining 3D wheelchair pushrim forces and moments: A technical note, 10A1567
VANSWIJGENHOVEN, E: Acoustic emission during tensile testing of SiC-fiber-reinforced BMAS glass-ceramic composites, 10A622
VANTOMME, J: Identification of the damping properties of orthotropic composite materials using a mixed numerical experimental method, 8A203
VANYAGIN, IF: Modelling the Effects of Blasting on Rock Breakage, 4R9
VANZANI, V: Gas drag effects on planetesimals in the 2:1 resonance with proto-Jupiter, 9A232
VANZI, I: Seismic reliability of electric power networks: Methodology and application, 6A1471
VARADAN, VK: Optimal design of immersed SAW devices for high- and low-frequency sensor applications, 1A343
- Finite element modeling of scattering problems involving infinite domains using drilling dofs, 2A293
- Finite element modeling of the transient response of MEMS sensors, 8A414
- Time-domain analysis and synthesis of active noise control systems in ducts, 8A341
- Finite element modeling of structures including piezoelectric active devices, 8A628
- Optimal placement of piezoelectric actuators for active noise control, 9A283
- Closed loop FE modeling of active structural damping in the frequency domain, 10A155
VARADAN, VV: Optimal design of immersed SAW devices for high- and low-frequency sensor applications, 1A343
- Finite element modeling of scattering problems involving infinite domains using drilling dofs, 2A293
- Finite element modeling of the transient response of MEMS sensors, 8A414
- Time-domain analysis and synthesis of active noise control systems in ducts, 8A341
- Finite element modeling of structures including piezoelectric active devices, 8A628
- Optimal placement of piezoelectric actuators for active noise control, 9A283
- Closed loop FE modeling of active structural damping in the frequency domain, 10A155
VARADE, A: Elastic characterization of isotropic materials by a single test based on the experimental determination of natural frequencies using laser interferometry, 9A799
VARADI, K: Evaluation of the real contact areas, pressure distributions and contact temperatures during sliding contact between real metal surfaces, 7A916
VARAH, JM: Least squares data fitting with implicit functions, 6A83
VARAHASAMY, M: Heat transfer by forced convection in pipes packed with porous media whose matrices are composed of spheres, 2A1365
VARANASI, SS: Friction and wear studies of carbon overcoated thin films magnetic sliders: Application of Raman microspectroscopy, 12A992
VARASTEHPOUR, H: Strengthening of concrete beams using fiber-reinforced plastics, 10A603
VARBRAND, P: Multilevel Optimization: Algorithms and Applications, 12N4
VARDAVOULIAS, M: Effects of CO_2 laser surface hardening in the unlubricated wear of ductile cast iron against alumina, 4T897
VARDOULAKIS, I: Deformation of water-saturated sand - I: Uniform undrained deformation and shear banding, 4A638
- Deformation of water-saturated sand - II: Effect of pore water flow and shear banding, 4A639
- Gradient elasticity with surface energy: Mode-III crack problem, 5A381
VARDY, AE: Fluid-structure interaction and cavitation in a single-elbow pipe system, 1A276
- Aerodynamic drag on trains in tunnels - Part 2: Prediction and validation, 5A1074
- Fluid-structure interaction in a T-piece pipe, 5A208
- Aerodynamic drag on trains in tunnels - Part 1: Synthesis and definition, 5A1073
VARELIDIS, PC: Processing of composites of chopped PE fiber-reinforced PE matrix, 3A489
- Glass fabric vinyl-ester composites: Tailoring the fiber bundle-matrix interphase with nylon costings to modify energy absorption behavior, 8A556
VARESI, J: Scanning thermal microscopy at nanometer scales: A new frontier in experimental heat transfer, 2A1151
VARFOLOMEYEV, IV: Improved weight functions for infinitely long axial and circumferential cracks in a cylinder, 7A720
VARGA, A: Periodic Lyapunov equations: Some applications and new algorithms, 11T305
VARGA, I: Rotating elastic-plastic solid shaft with fixed ends, 7A450
VARGAS, C: Nonlinear elliptic problem at resonance with a nonsimple eigenvalue, 1T1299
VARGAS, JVC: Comparative study of elliptical and circular sections in one- and two-row tubes and plate fin heat exchangers, 9A1282
- Optimization of pulsating heating in pool boiling, 11A1280
- Optimization principle for natural convection pulsating heating, 11A1224
VARGAS-HERNANDEZ, Y: Onset of transient cavitation in gassy liquids, 10A346
VARGAS-HERRERA, R: Onset of transient cavitation in gassy liquids, 10A346
VARGHESE, PL: Mass-damped Riemann problem and the aerodynamic surface force calculation for an accelerating body, 8A1222
VARIN, RA: Effect of chromium on the microstructure and micromechanical properties of TiAl-base alloys, 3A494
VARIS, J: Infrared line scanning technique for detecting delaminations in carbon fiber tubes, 9A816
VARKEY, JK: Fracture mechanics study of natural rubber-to-metal bond failure, 1A773
VARMA, A: Combustion wave microstructure in heterogeneous gasless systems, 6A1321
- Combustion wave microstructure in gas-solid reaction systems: Experiments and theory, 12A1394
VARNA, J: Interfacial toughness evaluation from the single-fiber fragmentation test, 5A674
- Transverse single-fiber test for interfacial debonding in composites - 1: Experimental observations, 9A536
- Transverse single-fiber test for interfacial debonding in composites - 2: Modeling, 9A537
- Fiber-matrix interface crack: A numerical analysis using BEs, 10A825
- Effect of crack-face contact on fiber-matrix debonding in transverse tensile loading, 12A804
VAROTSOS, C: New parameterization of the integral ozone transmission, 3A1452
VAROTSOS, P: Recent earthquake prediction results in Greece based on the observation of seismic electric signals, 9A1453

- Statistical evaluation of earthquake prediction results: Comments on the success rate and alarm rate, 9A1454
VARUGHESE, B: Analysis of tapered laminated composites with non-symmetric lay-up, 10A620
VARVANI-FARAHANI, A: Confocal scanning laser microscopy measurements of the growth and morphology of microstructurally short fatigue cracks in Al 2024-T351 alloy, 5A632
VASANT RAM, VI: Visualization studies of the transition regime flow in a channel of varying cross section under the influence of Coriolis force, 11A1035
VASARHELYI, A: Mathematical model for processes of structure analysis, 9A829
VASCENINEC, M: Aeroelastic response and stability of helicopters with elastomeric lag dampers, 2A828
VASHAKMADZE, T: Problems of computational mechanics of rigid deformed body, 10A655
VASHISHTH, D: Crack growth resistance in cortical bone: Concept of microcrack toughening, 12A1531
VASIL'EV, VN: Control system of flywheel electric motors with minimal redundancy, 4T374
VASIL'EV, VV: Elasticity problem posed in stresses, 4A482
VASIL'YEV, VV: Method of homogeneous solutions and biorthogonal expansions in the plane problem of the theory of elasticity for an orthotropic body, 1A451
VASILENKO, AT: Free oscillations of a ring plate contacting with liquid (Russian), 1A279
VASILIEV, NN: Computation of elliptic Hansen coefficients and their derivatives, 3A291
VASILIEV, VG: Structure and friction of modified cross-linked polyimides, 7A869
VASILIEV, VV: Nonlinear response of long orthotropic tubes under bending including the Brazier effect, 2A479
- Problem of shear-locking in FEs based on shear deformable plate theory, 7A10
- Brazier effect for finite length composite cylinders under bending, 9A529
VASILIOU, JG: Modification of the TSI 3025 condensation particle counter for pulse height analysis, 2A1356
VASSENEV, LG: Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 1: Experimental technique, distributed aerodynamic characteristics, 6T1191
- Experimental investigation of aerodynamic interference of TSTO winged systems during separation - 2: Total aerodynamic characteristics of separated stages, 8T1213
VASSEUR , P: Natural convection in a vertical slot filled with an anisotropic porous medium with oblique principal axes, 3A1243
VASSEUR, P: Boundary-layer regime in a vertical porous layer with anistropic permeability and boundary effects, 10A1306
VASSILEVA, S: Long-term durability of wood-flour-polypropylene-elastomer composites, 9A532
VASSILICOS, JC: Eulerian and Lagrangian scaling properties of randomly advected vortex tubes, 5A1039
- Flamelet-vortex interaction and the Gibson scale, 10A1419
VASSILIEV, D: Asymptotic Distribution of Eigenvalues of Partial Differential Operators, 4N2
- Spectral pollution in the FE approximation of thin elastic "membrane" shells, 8A68
VASSILYEV, SN: Controllability of nonlinear systems under phase restrictions and persistent perturbations, 11T69
VASTA, M: Stationary and non-stationary probability density function for nonlinear oscillators, 12A148
- Stochastic integro-differential and differential equations of nonlinear systems excited by parametric Poisson pulses, 12A149
VATNE, HE: Coupled FEM and texture modeling of plane strain extrusion of an aluminium alloy, 11A574
VATTA, F: Dynamic stiffness method for linear rotor-bearing systems, 1A212
VATUL'YAN, AO: Fundamental solutions in unsteady problems of electroelasticity, 3A577
VAUDIN, MD: Brittle intergranular failure in 2D microstructures: Experiments and computer simulations, 4A771
VAUGHAN, JG: Effects of pull speed on die wall temperatures for flat composites of various sizes, 1A667
VAUGHAN, ND: Comparison of sliding mode control with state feedback and PID control applied to a proportional solenoid valve, 4A410
- Dynamic characteristics of a rolling mill, 7A361
VAUGHAN, PR: Analysis of progressive failure and cracking in old British dams, 6A906
VAUGHN, MR: Nonstandard analysis of a simple discontinuous force equation modeling continuous motion, 12T156
VAUTARD, R: Statistical and dynamical long-range atmospheric forecasts: Experimental comparison and hybridization, 2T1419
- Empirical normal modes versus empirical orthogonal functions for statistical prediction, 6T1481
VAUTRIN, A: 9th French National Colloquium on Composite Materials, 3A648
- New ideas on the measurement of the in-plane shear strength of unidirectional composites. 11A493
VAVRIV, DM: Interaction of resonances in a weakly nonlinear oscillator with a quasiperiodic excitation, 11A97
VAXEVANIDIS, NM: Cold rolling of multi-layer explosively cladded strips, 3A623
VAZHEVA, KI: Performance of gland packings from soft chemical fibers, 2A1135
VAZIRI, HH: Theory and application of a fully coupled thermo-hydro-mechanical FE model, 1A1393
VAZIRI, R: Analytical solution for low-velocity impact response of composite plates, 2A209
- Impact analysis of laminated composite plates and shells by super FEs, 6A259
- Equivalence of stress- and strain-based plasticity theories, 12A519
VAZQUEZ, JH: Sum-frequency diffraction loads on tension-leg platforms in bidirectional waves, 8A1030
VEAZIE, DR: Compressive creep of IM7-K3B composite and the effects of physical aging on viscoelastic behavior, 8A502
VEBER, P: Study of the phenomena affecting the accuracy of a video-based particle tracking velocimetry technique, 10A1273
VECCHI, M: Use of couple-stress theory in elasto-plasticity, 4A521
VECCHIARELLI, J: Analysis of a concept for increasing the efficiency of a Brayton cycle via isothermal heat addition, 8A1435
VEDAGARBHA, P: Adaptive tracking controller for multiple-phase permanent-magnet machines, 3A352
VEDARAJAN, TG: Self-heating effects in thermoset composites, 7A1302
VEDENYAPIN, V: Class of invariants for the Boltzmann equation and the Broadwell model, 11T985
VEEFKIND, A: Kinetic study of pulverized coal combustion at high pressure using a shock tube, 6A1343
VEEGER, HEJ: Parameters for modeling the upper extremity, 10A1528
VEENHUIS, RS: Shallow water beamforming with small aperture, horizontal, towed arrays, 7A296
VEERAKLAEW, T: Higher-order method for dynamic optimization of a class of linear systems, 6A371
VEERS, PS: Damping measurements using operational data, 2A1437
- Fatigue reliability of wind turbine fleets: The effect of uncertainty on projected costs, 5A878
VEGA, JM: Weakly nonlinear oscillations of nearly inviscid axisymmetric liquid bridges, 6A1032
VEITCH, G: Thermally driven motions in a rotating stratified fluid: Theory and experiment, 11A953
VEKSLER, ND: Modal resonances of peripheral waves, 2A275
- Scattering of an obliquely incident plane acoustic wave by a circular cylindrical shell: Results of computations, 5A245
VELASCO, JI: Fracture behavior of untreated and silane-treated talc-filled polypropylene composites, 12A808
VELAZQUEZ, JJL: Melting of ice balls, 8A1352
- Cusp formation for the undercooled Stefan problem in 2D and 3D, 8A1348
VELDHUIZEN, AG: Scoliosis correction device based on memory metal, 11T1592
VELDPAUS, FE: Modeling and optimal estimation of mixtures: A simulation study, 2A1452
- Application of computed phase transformation power to control shape memory alloy actuators, 10A916
VELETSOS, AS: Energy method for base uplifting analysis of liquid-storage tanks, 2A491
- Transfer functions for rigid rectangular foundations, 6A1430
- Dynamic response of cantilever retaining walls, 8A1477
VELEX, P: Analytical expression for the time-varying contact length in perfect cylindrical gears: Some possible applications in gear dynamics, 6A945
- Numerical methods for the simulation of geared transmission dynamic behavior formulation and assessment, 12T1006
VELIDANDLA, V: Turbulent velocity field in isothermal and heated liquid flow through a vertical annular channel, 1A1164
- Velocity field in isothermal turbulent bubbly gas-liquid flow through a pipe, 4A1027
VELINSKY, SA: Torsional stiffness of a machine drive element with tensile web structure, 3A894
VELLEKOOP, MJ: Stress control of piezoelectric ZnO films on silicon substrates, 7T566
VELMURUGAN, R: Consideration of internal folding and nonsymmetric fold formation in axisymmetric axial collapse of round tubes, 12A670
VELSON, DV: Determination of sub-surface distributions of residual stresses by a holographic-hole drilling technique, 7A629
VEMULA, C: Attenuation of waves in plates and bars using a graded impedance interface at edges, 4A200
VENAS, A: Reliability-based calibration study for upheaval buckling of pipelines, 12A902
VENCELJ, P: Reliability of steam generator tubes with axial cracks, 5A627
VENDHAN, CP: Determination of far-field pattern of rigid scatterers using independent FEM and eigenfunction expansion - Part 1: Axisymmetric scattering, 4A292
- Determination of far-field pattern of rigid scatterers using independent FEM and eigenfunction expansion - Part 2: Nonaxisymmetric scattering, 4A293
VENDITTELLI, M: Fuzzy Maps: A new tool for mobile robot perception and planning, 8A427
VENEMA, A: Stress control of piezoelectric ZnO films on silicon substrates, 7T566
VENEMA, S: Scaling of direct drive robot arms, 4A443
VENERE, MJ: Local topological modifications for FE mesh quality optimization (Spanish), 10A9
VENET, C: Experimental characterization of shark-skin in polyethylenes, 12A1053
VENIALI, F: Proc of 1996 European Joint Conf on Eng Sys Des and Anal, Montpellier, France, July 1996, Volume 3, 1N32
- Experimental study of the drilling of Aramid composites, 11A1510
VENKATACHALAM, K: Improved √t method to evaluate consolidation test results, 12A679
VENKATAKRISHNAN, V: Three-dimensional agglomeration multigrid solver for the Reynolds-averaged Navier-Stokes equations on unstructured meshes, 3A1007
- Implicit method for the computation of unsteady flows on unstructured grids, 3A1009
VENKATARAMA REDDY, BV: Strength characteristics of stone masonry, 11A738
VENKATARAMAN, B: Effects of wall flexibility on the rotordynamic coefficients of turbulent cryogenic annular seals, 1A923
- Thermohydrodynamic analysis of eccentric annular seals using cubic spline interpolations, 7A908
VENKATARAMAN, M: System dynamics modeling of porous media, 12A416
VENKATARAMANA, K: Parametric uncertainties for dynamic response evaluation of offshore structures, 5A128
VENKATARAMANAN, G: Variable speed operation of permanent magnet alternator wind turbines using a single switch power convertor, 5A1456
VENKATESAN, C: Exploring solutions of nonlinear Rossby waves in shallow water equations, 3A225
VENKATESH, A: Thermodynamic analysis of a solar thermal water pump, 6A1509
- Nonlinear analysis with an axisymmetric thick shell element, 10A70
VENKATESH, VC: Proceedings of the 3rd International Conference on Computer Integrated Manufacturing, 2A597
- Selected papers from 2nd International Conference on Production Engineering, Singapore, November 22-24,1996, 7T612
VENKATESHA, KS: Finite element analysis of an interface crack with large crack-tip contact zones, 1A38
VENKATESHAN, SP: Thermodynamic optimization of tubular space radiators, 5T1124
- Interferometric study of interaction of free convection with surface radiation in an L corner, 9A1279
- Interaction of surface radiation and free convection in an enclosure with a vertical partition, 12T1311
VENKATESWARA RAO, G: Free vibration of curved panels with cutouts, 8T152
VENKATRAMAN, S: Impact studies in glass epoxy laminates containing foam, 10A613
VENKAYYA, VB: Parametric study of segmented transducers laminated on cylindrical shells - Part 1: Sensor patches, 5A352
- Parametric study of segmented transducers laminated on cylindrical shells - Part 2: Actuator patches, 5A353
VENNER, CH: Determination of viscosity and pressure in an elastohydrodynamic rolling contact by using optical interferometry: A theoretical study, 5T1115
- Numerical analysis of the influence of waviness on the film thickness of a circular EHL contact, 11A1183
VENNERI, SL: Future Aeronautical and Space Systems, 12N30
VENTSEL, ES: Relationship of wear rate and tribo-system characteristics, 2A855
- Indirect BEM for plate bending analysis, 10A653
VENTURINI, WS: Further improvements on 3D transient BEM elastodynamic analysis, 5A166
VENU MADHAVA RAO, K: Strength characteristics of stone masonry, 11A738
VENUVINOD, PK: Macro-level optimization of cutting tool geometry, 8A709
VENZI, S: Development and validation of a dynamic fracture propagation model for gas transmission pipelines, 7A761
VERA, J: Stability of hyperbolic vector fields, 10T138
VERBANCK, MA: Mechanics of sewer sediment erosion and transport, 7A1008
VERBITSKII, VG: Real bifurcations of two-unit systems with rolling, 6A144
VERBORG, S: Data-logging system to monitor bone fracture movement continuously, 12T1566
VERCHERY, G: Exact structural static reanalysis method, 8A919
VERDAASDONK, AL: Influence of the blunting of the apex on the flow in a vertebro-basilar junction model, 10A1547
VERDI, C: Combined effect of explicit time-stepping and quadrature for curvature driven flows, 1T93
VERDIER, C: Acoustic wave propagation in two-phase viscoelastic fluids: The case of polymeric emulsions, 9A273
- Mechanisms of peeling of uncrossed-linked pressure sensitive adhesives, 12A1043
VERDONCK, E: Physico-chemical characterization of the influence of moisture on the fiber-matrix interaction in epoxy-anhydride composites, 1A525
VERDONSCHOT, N: Subsidence of THA stems due to acrylic cement creep is extremely sensitive to interface friction, 5A1525
- Effects of cement-stem debonding in THA on the long-term failure probability of cement, 12A1578
VERDU, G: Turbulent vapor condensation with non-condensable gases in vertical tubes, 1A1211
VERENEV, VV: Problems of dynamics of rolling mills (Russian), 12A720
VERETENNIKOV, I: Drop fall-off from pendent rivulets, 11A1004
VERFURTH, R: A posteriori error estimators for the Raviart-Thomas element, 6A49
VERGANI, L: Effect of nitriding on low-cycle fatigue properties, 8A754
VERGARA, A: Comparative study on the seismic retrofit of a mid-rise steel building: Steel bracing vs energy dissipation, 11T160
VERGARACAFFARELLI, G: Gleanings of radial cavitation, 6A458
VERGNE, A: Effet des conditions aux limites sur le comportement des assemblages bois boulonnes (French), 1A501
VERGNE, P: Behavior of cold-rolling oil-in-water emulsions: A rheological approach, 10A732
VERGNES, B: Experimental characterization of sharkskin in polycthylenes, 12A1053
VERHAEGEN, M: Weighted sensitivity minimization for causal, linear, discrete time-varying systems, 10T423
VERHAGEN, LA: Growth of fetch limited waves in water of finite depth - Part 1: Total energy and peak frequency, 7T215
VERHEEST, F: Korteweg-de Vries equation for oblique modes in magnetized multi-ion plasmas, 3A227
- Influence of dust mass distributions on generalized Jeans-Buneman instabilities in dusty plasmas, 10A1208
VERHOEF, A: New method to determine the zero-plane displacement, 9T1516
VERHOEVEN, JD: Tribological behavior of Cu-20% Nb and Cu-15% Cr in situ composites under dry sliding conditions, 4A881
VERHOEVEN, R: Sediment transport registration in nearshore regions, 11T926
VERIJENKO, VE: Optimal design of symmetrically laminated plates for maximum buckling temperature, 7A548
- Minimum weight design of symmetric angle-ply laminates with incomplete information on initial imperfections, 10A1004
VERLEY, R: Strain concentrations in pipelines with concrete coating, 2A849
VERLINDEN, O: Analysis of the performance of operational data analysis methods, 4A855
- Computer-aided simulation approach for mechanisms with time-varying topology, 4A917
- Equivalence criteria between mechanical environments, 7T186
VERMA, A: Elastic behavior and lattice vibrations in bcc V and Nb, 4T7
VERMA, AK: Overlapping control volume approach for convection-diffusion problems, 5A1323
VERMA, AP: Theoretical study of erosion phenomenon in abrasive jet machining, 5A563
VERMA, ML: Elastic behavior and lattice vibrations in bcc V and Nb, 4T7
VERMA, RU: Nonlinear variational and constrained hemivariational inequalities involving relaxed operators, 12A85
VERMA, S: Diffusive transport of organic colloids from sediment beds, 3T948
VERMEIR, G: Sound transmission in buildings with elastic layers at joints, 5A246
- Diffuse transmission of structure-borne sound at periodic junctions of semi-infinite plates, 12A317
VERMEULEN, PJ: NO_x measurements for combustor with acoustically controlled primary zone, 12A1382
VERNET, A: Simultaneous velocity and temperature patterns in the far region of a turbulent cylinder wake, 11T1058
VERNEY, V: Modified fractional model to describe the entire viscoelastic behavior of polybutadienes from flow to glassy regime, 1A955
VERNICH, L: Minimum number of years required to stabilize the solar irradiation statistical estimates, 8A1536

VERNIK, L: Predicting porosity from acoustic velocities in siliciclastics: A new look, 7A589
VERNON, FL: M_L = 7.3 1992 Suusamyr, Kyrgyzstan, Earthquake - I: Constraints on fault geometry and source parameters based on aftershocks and body-wave modeling, 12T1453
VERONIS, G: Experiments on double-diffusive sugar-salt fingers at high stability ratio, 3A1288
- Effect of a constant, zonal wind on wind-driven ocean circulation, 5T1424
VEROTTA, D: Concepts, properties, and applications of linear systems to describe distribution, identify input, and control endogenous substances and drugs in biological systems, 10T1542
VERPOEST, I: Modeling the elastic properties of knitted-fabric-reinforced composites, 2A452
- Three-dimensional micromechanical analysis of woven-fabric composites - I: Geometric analysis, 7A482
- Modeling of the interaction between matrix cracks and delaminations during impact of composite plates, 7A747
- Three-dimensional micromechanical analysis of woven-fabric composites - II: Elastic analysis, 7A483
VERREMAN, Y: Mechanically short crack growth from notches in a mild steel, 9A694
VERRILLI, MJ: Thermomechanical Fatigue Behavior of Materials, Second Volume (STP 1263), 2N29
VERRUIJT, A: Surface settlements due to deformation of a tunnel in an elastic half plane, 6A646
- Complex variable solution for a deforming circular tunnel in an elastic half-plane, 8A492
VERSCHOORE, R: Determination of the vibration comfort of vehicles by means of simulation and measurement, 4A1497
VERSLUIS, A: Forces and moments generated at the dental incisors during forceful biting in humans, 10A1517
VERSPUI, MA: Angularity determination of abrasive powders, 4A882
VERSTRAETE, MC: Determination of the step duration of gait initiation using a mechanical energy analysis, 3A1504
VERVISCH, L: Dynamics of isoconcentration surfaces in weak shock turbulent mixing interaction, 6A1088
VERVUURT, A: Numerical simulation of chaotic and self-organizing damage in brittle disordered materials, 10A845
VERWEIJ, MD: Transient acoustic wave fields in a continuously layered media with depth-dependent attenuation: An analysis based on higher-order asymptotics, 9A265
- Transmission and reflection of transient elastodynamic waves at a linear slip interface, 10A269
VERWER, JG: Stability analysis of an odd-even-line hopscotch method for 3D advection-diffusion problems, 8A1403
VERZELETTI, G: Effect of infills on the global behavior of R-C frames: Energy considerations from pseudodynamic tests, 2A1388
- PsD test on four-story R-C buildings designed according to Eurocodes, 6A890
VERZICCO, R: Analysis of the sound generated by the pairing of two axisymmetric co-rotating vortex rings, 9A254
VESIN, J-M: Chaos detection methods, 1A115
VETH, M: Proportional and integral control of nonlinear systems, 1A356
VETRELLA, S: Space station based tethered interferometer for natural disaster monitoring, 4A868
VETTER, G: Low-temperature autofrettage: Improved technique to enhance the fatigue resistance of thick-walled tubes against pulsating internal pressure, 10A785
VEYNANTE, D: Gradient and counter-gradient scalar transport in turbulent premixed flames, 8A1409
VEZZA, M: Discrete vortex method for simulating unsteady flow around pitching aerofoils, 9A1166
VIALA, C: Numerical simulation method to study sea surface acoustical effects (French), 11A250
VIANA, RL: Magnetic field line mappings for a tokamak with ergodic limiters, 2A1063
VIANELLO, M: Coaxiality of strain and stress in anisotropic linear elasticity, 1A431
- Symmetry classes for elasticity tensors, 3A430
- Integrity basis for plane elasticity tensors, 9A431
- Universal relation characterizing transversely hemitropic hyperelastic materials, 11A5
VIBE, K: Chaos detection methods, 1A115
VICECONTI, M: Minimal parametric model of the femur to describe axial elastic strain in response to loads, 2A1445
VICK, BD: Performance of wind-electric and solar-PV water pumping systems for watering livestock, 5A1453
VICKERS, GW: Feature-based machining of curved surfaces using the steepest directed tree approach, 5A557
- Analysis of filament-wound cylindrical shells under combined centrifugal, pressure, and axial loading, 7A849
VICTOR, KG: OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, 9A1388
VIDAKIS, N: Prediction of the fatigue behavior of physically vapor deposited coatings in the ball-on-rod rolling contact fatigue test, using an elastic-plastic FEM simulation, 12A969
VIDAL, A: Finite-volume calculation procedure for 3D viscous incompressible flows in complex geometries, 7A1039
VIDALES, AM: Fractal porous media: Relations between macroscopic properties, 4A1354
VIDELA, L: Explicit integration of the stiffness matrix of a four-noded-plane-elasticity FE, 5A46
VIDERMAN, Z: Aircraft with synchronically deployed wings, 2T1072
VIDHYA LAKSHIMA, S: Kinetic theory of nonlinear dust-acoustic waves in a dusty plasma, 9A1129
VIDONNE, MP: Reinitiation of a crack reaching an interface, 8A813
VIECHNICKI, J: Measurement of modal group time delays in the deep ocean, 4A286
VIEDMA, A: Extended Willis circle model to explain clinical observations in periorbital arterial flow, 7A1546
VIEIDER, G: Study on thermal fatigue testing of a prototypical first wall component, 3A682
VIELSACK, P: Regularization of the resting state in Coulomb friction (German), 2A868
- Non-uniqueness of the motions of a friction oscillator with self-excitation, 12A122
VIEU, C: Strain relaxation induced red shift of photoluminescence of CdZnSe/ZnSe quantum wires, 9A1322
VIGDERGAUZ, S: Rhombic lattice of equi-stress inclusions in an elastic plate, 5A397
- Two-dimensional grained composites of minimum stress concentration, 7A465
VIGGIANI, G: Shear bands in plane strain compression of loose sand, 9A614
- Undrained shear band deformation in granular media, 11A553
VIGNERON, FR: Comparison of analytical modeling of OEDIPUS tethers with data from Tether Laboratory, 10T457
VIGNJEVIC, R: Consistent FE structural analysis and error control, 6A26
VIGODNER, A: Limits of singularly perturbed control problems with statistical dynamics of fast motions, 7T331
VIJAYA BABU, M: Fracture mechanics approaches to coating strength evaluation, 2A692
VIJAYAKUMAR, K: Isogroup classification of equations of meteorology, 2A1405
- Isogroup classification and group-invariant solutions of the nonlinear diffusion-convection equation $T_t = (D_1(T)T_x)_x - D_2(T)T_x$, 7A1385
VIJAYARAGHAVAN, D: Effect of lubricant supply starvation on the thermohydrodynamic performance of a journal bearing, 1T1121
- Efficient numerical procedure for thermohydrodynamic analysis of cavitating bearings, 1A1144
VIJAYARAGHAVAN, K: p-Version least-squares FE formulation of a system of convection-reaction nonlinear equations: Fixed bed o-xylene oxidation, 7A1386
VIKHAGEN, E: Speckle averaging in deformation analysis using video speckle interferometry, 8A851
VIKRAM, CS: Residual-stress analysis by local laser heating and speckle-correlation interferometry, 6T839
VIL'KE, VG: Rolling of a deformable wheel along a deformable rail, 1A109
VILA, A: Note on a numerical benchmark test: An axisymmetric shell under ring loads, 9A578
VILA, J-P: Shape optimal design for a fluid-heat coupled system, 4A24
VILARDO, G: Multifractal approach to time clustering of earthquakes: Application to Mt Vesuvio seismicity, 9A1463
VILJANEN, V: Test procedure and automatic system for sound insulation measurement using the sound intensity method, 11A269
VILLAGGIO, P: Thermomechanics of continua, 5T6
- Semi-inverse shape optimization problem in linear anti-plane shear, 7A406
VILLALONGA, KA: Study of the heat transfer of rivulet flow on inclined plates, 11A1525
VILLANI, L: Output feedback parallel force-position regulator for a robot manipulator in contact with a compliant environment, 8A449
VILLASENOR, R: Efficient linear multistep method for nonlinear Volterra integral equations, 5A1232
- Fully coupled, implicit, numerical scheme for laminar and turbulent parabolic flows, 10A1195
VILLAVERDE, R: Method to improve seismic provisions for nonstructural components in buildings, 9A1497
VILLE, JM: Mixed experimental and theoretical method for noise propagation and radiation prediction of a cowled axial fan, 1A325
- Acoustic calibration of a pressure-velocity probe, 1A341
VILLEDIEU, P: High-order positivity-preserving kinetic schemes for the compressible Euler equations, 3A1059
VILLEMAIN, P: Analysis of a rigid frame model of porous media for the acoustic properties of dense snow, 4A1468
VILLENEUVE, J-P: Simulation and analysis of frost heaving in subsoils and granular fills of roads, 9A1560
VILLERMAUX, J: Planar laser induced fluorescence technique for measurements of concentration fields in continuous stirred tank reactors, 7A1226
VILNAY, O: "Natural", "kinematic", and "elastic" displacements of underconstrained structures, 8A873
- New classes of reticulated underconstrained structures, 8A874
VIMBA, A: Solid model based preprocessor to CFD code for applications to electronic cooling systems, 12A1331
VINALS, J: Pattern formation in weakly damped parametrix surface waves, 10A295
- Pattern formation in weakly damped parametric surface waves driven by two frequency components, 12A256
VINCE, JM: Critical properties of convective waves in a 1D system, 8A1289
VINCENT, B: Cavitation in noncircular journal bearings, 12A1010
VINCENT, JH: Retention of inertialess particles in the near wake region of a 2D flat plate placed normal to an aerosol-laden freestream, 8A1442
VINCENT, L: Crack path prediction under fretting fatigue: A theoretical and experimental approach, 4A717
- New testing methodology for the assessment of fatigue properties of structural adhesives, 6A750
- Cracking induced by fretting of aluminium alloys, 7A640
- Quantification of fretting damage, 7A696
- Theoretical model for the prediction of initial growth angles and sites of fretting fatigue cracks, 12T778
- Flexural fatigue behavior of UDGFRP experimental approach, 12A755
VINCENT, N: Analysis and modeling of shrinkage in composite material curing, using fractal geometry, 4A578
VINCENT, RV: Bioconvection in a suspension of phototactic algae, 6A1541
VINCENT, TL: Nonlinear and Optimal Control Systems, 12R18
VINCKIER, I: Transient rheological response and morphology evolution of immiscible polymer blends, 10A1026
VINESSE, EP: Substructuring method and eigenfunction representation for a rolling tire coupled to a secondary mechanical system, 5A131
VINGSBO, O: Evaluation of fretting of zircaloy cladding tubes, 4T900
VINH, T: New approach to impact testing instrumentation using an electronic slave hammer, 9A128
VINOGRADOV, O: Multibody approach in granular dynamics simulations, 10A697
- Scalar form of dynamic equations for a cluster of bodies, 10A1440
VINOGRADOV, YI: Construction of special functions for the analytic solution of boundary-value problems of the theory of conical shells, 1A570
VINSON, JR: High strain rate properties of Cycom 5920-1583 cloth glass-epoxy composites, 9A523
- Ballistic impact of thin-walled composite structures, 10A280
VINSON, TS: Aging and low-temperature cracking of asphalt concrete mixture, 4A763
VINT, PF: Endpoint error in smoothing and differentiating raw kinematic data: An evaluation of four popular methods, 5A1506
VINTER, RB: Regularity properties of solutions to linear quadratic optimal control problems with state constraints, 12T371
VIOLA, E: Use of the singular value decomposition method to detect ill-conditioning of structural identification problems, 8A77
VIONNET, CA: Viscous flow at the inlet-outlet sections of a finite annulus (Spanish), 3A1008
VIOTTI, P: Scaling properties of tracer trajectories in a saturated porous medium, 11A1463
VIPPERMAN, JS: Implementation of an adaptive piezoelectric sensoriactuator, 4A827
- Hybrid model-insensitive control using a piezoelectric sensoriactuator, 9A845
VIQUEZ, S: Response time and viscosity of electrorheological fluids, 8A1206
VIRARAGHAVAN, T: Nitrate removal from drinking water: Review, 9A1557
VIRELY, JM: Biaxial high cycle fatigue tests on a gas transmission pipeline steel, 5A600
VIRGA, EG: Local stability of biaxial nematic phases between two cylinders, 8A1008
VIRGIN, LN: Natural frequency considerations of an impact oscillator, 1T129
- Characterizing the dynamic response of a thermally loaded, acoustically excited plate, 4A132
- Accurate numerical integration of state-space models for aeroelastic systems with free play, 4T258
- Experimental snap-through boundaries for acoustically excited, thermally buckled plates, 5A1297
- Nonlinear behavior of a typical airfoil section with control surface freeplay: A numerical and experimental study, 8T1215
- Effect of thermal prestress on the free vibration characteristics of clamped rectangular plates: Theory and experiment, 10A195
VIRGONA, RJ: Effects of thermal conductivity and viscosity of argon on shock waves diffracting over rigid ramps, 8A265
VIRK, GS: Motions and internal forces of a moored semi-submersible in regular waves, 9T222
VIRMOUX, P: Machine for fretting fatigue and fretting wear testing in cryotechnical and normal environment, 2A646
VIRNOVSKY, G: Effective relative permeabilities and capillary pressure for 1D heterogeneous media, 11A1448
VIROVLYANSKY, AL: Fresnel zones for modes, 7A256
VISHNEVSKY, M: System analysis in tribological tests, 7A1223
VISKANTA, R: Enhancement of forced convection in an asymmetrically heated duct filled with high thermal conductivity porous media, 2A1192
- Numerical analysis of solid-liquid phase change heat transfer around a single and two horizontal, vertically spaced cylinders in a rectangular cavity, 6A1249
- Gas segregation during solidification processes, 8A1325
- Numerical simulation of conjugate heat transfer in an electronic package formed by embedded discrete heat sources in contact with a porous heat sink, 9A1234
- Turbulent heat and mass transfer in an asymmetrically heated, vertical parallel-plate channel, 10A1386
- Development of fuel burn-up and wall heat transfer correlations for flows in radiant tubes, 11A1421
- Effect of dissimilar impingement velocities on local heat transfer for adjacent rows of circular free-surface jets, 11T1228
VISONA, SP: Modeling NO_x release from a single coal particle - II: Formation of NO from char-nitrogen, 1A1321
VISSER, B: Weight and frequency effect on spinal loading in a bricklaying task, 4A1487
VISSER, JHM: Dry and hydraulic extensile fracturing of porous impermeable materials, 10A722
VISSER, PNAM: Global lunar gravity recovery from satellite-to-satellite tracking, 6A1404
VISWANATH, PR: Zero-lift drag characteristics of afterbodies with a square base, 12A1102
VISWANATHAN, K: Low-dispersion finite volume scheme for aeroacoustic applications, 7A282
VISWANATHAN, R: Field investigation of potential contamination by bitumen-coated piles, 3A596
VISWANATHAN, S: Estimating film flow rate in a venturi scrubber, 11A1194
VITAL, P: Numerical analysis of an extremity in a cold environment including countercurrent arteriovenous heat exchange, 10A1550
VITALIANI, R: Structural dynamic and viscoelastic analysis via electric analogy, 3A176
VITALIANI, RV: Finite element solution of the stability problem for nonlinear undamped and damped systems under nonconservative loading, 11A534
VITKIN, EI: Physico-mathematical model of rocket exhaust plumes, 5A1259
VITO, RP: New approach to mechanical testing and modeling of biological tissues, with application to blood vessels, 5A1511
- Effects of cryopreservation on the biaxial mechanical properties of canine saphenous veins, 9A1579
- Distribution of strain in the human cornea, 10A1533
VITT, PH: Thrust losses in hypersonic engines - Part 1: Methodology, 9A1404
VITTAL, N: Design of single-chamber settling basins, 11T922
VITTON, SJ: Particle-size analysis of soils using laser light scattering and X-ray absorption technology, 12A695
VITTORI, G: Fluid flow and heat transfer in a 2D wavy channel, 2A1155
VITYAEV, AE: Analytical functions optimizing competing constraints, 10A438
VIUDEZ, A: Shear and curvature vorticity equations, 6A1018
VIVARELLI, MD: Levi-Civita time transformation and a killing vector for the Kepler problem, 11A231
VIVIER, H: Planar laser induced fluorescence technique for measurements of concentration fields in continuous stirred tank reactors, 7A1226
VIZZINI, AJ: Off-axis energy absorption characterization of composites for crashworthy rotorcraft design, 2A831
- Effect of ply-drop configuration on delamination strength of tapered composite structures, 2A649
- Bonded repair of minimum-gage composite sandwich structures, 2A455
- Energy absorption of composite plates under off-axis loads, 6A564
- Shear-lag analysis about an internally-dropped ply, 7A479
VLAAR, TD: Emulation of stiff walls and static friction with a magnetically levitated input-output device, 9A359

VLACHOS, DG: Ignition of methane flames in oxygen near inert surfaces: Effects of composition, pressure, preheat, and residence time, 12A1355
VLADIMIROV, AA: Nonlinear resonance in systems with hysteresis, 1T141
VLADIMIROV, VA: General transformations and variational principles for the magnetohydrodynamics of ideal fluids - Part 2: Stability criteria for 2D flows, 7A1160
VLASIC, EP: Design and performance of a high work research turbine, 5A1087
VLASOV, AN: Object-oriented programming of FEM for continuum mechanics problems - Part 1: Ideology of the object-oriented approach and its application to the FEM, 12A53
VLASSIS, N: Experiment for truly parallel logic programming, 2A60
VLASSOPOULOS, D: Brownian dynamics simulations of shear-thickening in dilute polymer solutions, 1A953
- Rheology of critical LCST polymer blends: Poly(styrene-co-maleic anhydrite)-poly(methyl methacrylate), 7A975
- Rheology and phase separation in a model upper critical solution temperature polymer blend, 10A1023
VLASTOS, G: Effect of parallel combined steady and oscillatory shear flows on blood and polymer solutions, 10A1019
- Superposition of steady on oscillatory shear and its effect on the viscoelasticity of human blood and a blood-like model fluid, 10T1537
VLEESHOUWERS, S: Rheological study of shear induced crystallization, 5A889
VLIET, GC: Correlations for film regeneration and air dehumidification for a falling desiccant film with air in crossflow, 2A1291
- Effect of an inert gas on heat and mass transfer in a vertical channel with falling films, 8A1395
VLUG, MA: Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - Part 3: Strength and strain at failure, 5A443
- Influence of fiber length and concentration on the properties of glass fiber-reinforced polypropylene - 4: Impact properties, 8A801
VODOPIVEC, F: Mathematical model of the formation of the plastic deformation zone in the rolling of rheologically complex motals and alloys, 1A633
VOGEL, A: Shock wave emission and cavitation bubble generation by picosecond and nanosecond optical breakdown in water, 1A268
VOGEL, CM: Structure and development of a counter-rotating wing-tip vortex pair, 8A1218
VOGEL, DT: Influence of film cooling on the secondary flow in a turbine nozzle, 6A1113
VOGEL, JH: Automated fatigue data fitting using structural shift detection, 7A654
- Overcoming limitations of the conventional strain-life fatigue damage model, 11A652
- Investigation of necking instability in fiber reinforced polypropylene, 11A461
VOGFJORD, KS: Characteristics of short-period wave propagation in regions of Fennoscandia, with emphasis on Lg, 8A1471
VOGIATZIS, C: Overexpanded 2D-convergent-divergent nozzle flow simulations: Assessment of turbulence models, 10A1152
VOGLER, TJ: Initiation and axial propagation of kink bands in fiber composites, 11A705
VOGT, BK: Induced desorption of DDT, DDD, and DDE from a contaminated sediment, 9T1556
VOGWELL, J: Assessment of airshaft failures in paper reels, 4A699
VOIDOMATIS, P: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
VOIGHT, B: Failure of volcano slopes, 9T637
VOINOVICH, P: Numerical study of wave processes in a pressure-wave refrigerator, 6A287
VOITENKO, VS: Applied Geomechanics in Drilling, 5R8
VOITOV, VN: Study of the interaction of titanium and its alloys with the environment in manufacturing sophisticated structures, 8T463
VOJTOV, VA: Internal friction in the parts of tribosystem and its significance for selection of compatible materials, 2A862
VOKE, PR: Dynamic subgrid-scale model for low-Reynolds-number channel flow, 1A1072
VOKOUN, D: Elastohydrodynamic lubrication of cylinders with soft incompressible coatings firmly bonded to the substrate, 2A1124
VOKROUHLICKY, D: Thermal force perturbations of the LAGEOS orbit: The albedo radiation part, 4A266
- Thermal force effects on slowly rotating, spherical artificial satellites - Part I: Solar heating, 7A248
- Thermal force effects on slowly rotating, spherical artificial satellites - II: Earth infrared heating, 10A327
VOLGMANN, W: Calculation of 3D viscous flow in hydrodynamic torque converters, 1A1114
VOLINO, RJ: Onset and development of natural convection above a suddenly heated horizontal surface, 11A1242
- Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 2: Turbulent transport results, 12A1248
- Velocity and temperature profiles in turbulent boundary layer flows experiencing streamwise pressure gradients, 12A1254
- Boundary layer transition under high free-stream turbulence and strong acceleration conditions - Part 1: Mean flow results, 12A1247
VOLKER, S: Finite-volume multigrid calculation of natural-convection flows on unstructured grids, 1A1199
VOLKOV, AV: Penetrability of lubricants as the characteristic of metal cutting efficiency, 2A595
VOLKOV, NB: Large-scale vortex structures in plasma-like media and the electric explosion of conductors, 6A1161
VOLKOVA, O: Yield stress in magnetorheological and electrorheological fluids: A comparison between microscopic and macroscopic structural models, 10A1035
VOLLEBREGT, EAH: Simulation of rough, elastic contacts, 12A492
VOLLER, VR: Numerical solution of transient, free surface problems in porous media, 2A1369
- Cyclic phase change with fluid flow, 2A1240
- Prediction of filling times of porous cavities, 4A1339
- Phase-field method in the sharp-interface limit: A comparison between model potentials, 8T1354
- Towards a general numerical scheme for solidification systems, 9A1350
- Similarity solution for the solidification of a multi-component alloy, 9A1345
- Prediction of filling time and vent locations for resin transfer molds, 11A1039
- Computational issues in using a dual-scale model of the segregation process in a binary alloy, 11T1299
VOLLERTSEN, F: Process modeling of laser ablating ferrous materials, 9A719
VOLNAR, L': Flexible joints made of polymer composites for load transfer in measuring systems (Polish), 10A1000
VOLOKH, KY: "Natural", "kinematic", and "elastic" displacements of underconstrained structures, 8A873
- New classes of reticulated underconstrained structures, 8A874
VOLOKHOVSKAYA, OA: Micro-mechanics of plastic deformations in a polycrystalline material subjected to monotone and variable loadings, 8T820
VOLOVODENKO, VA: Solving 1D inverse problems in Chebyshev polynomial expansion, 6A1417
VOLPERT, VA: Hydrodynamic stability of a polymerization front, 1A1062
- Hydrodynamic stability of a polymerization front, 1A1062
VOLPERT, Y: Application of the space enrichment method to problems of mechanical contact, 8A20
- Singular integration in the P-version of the FEM and in BEM, 8T15
VOLPI, M: Inelastic analysis of reinforced concrete beams subjected to combined torsion, flexural, and axial loads, 3A768
VOLPICELLI, G: Kinetics of adsorption of mercuric chloride vapors on sulfur impregnated activated carbon, 4A1301
VOLPONI, JV: Oxidation of allene in a low-pressure H_2-O_2-Ar-C_3H_4 flame, 2A1328
VON BACKSTROM, TW: Simplified control-volume FEM, 3A1046
- Perspective: Fluid dynamics and performance of automotive torque converters: An assessment, 7A364
VON ESTORFF, U: European networks in structural integrity: Status in 1995, 4A1453
VON HERTZEN, R: Velocity maximization in downhill skiing, 10A1584
VON HOLTZ, E: Flow of RX-08-FK high-energy paste in a capillary rheometer, 10A1030
VON MORGEN, BJ: Slippage of helical reinforcing on a bent cylinder, 9A921
VON PETERSDORFF, T: Wavelet approximations for first kind boundary integral equations on polygons, 5T59
VON STEIN, C: Paleoseismicity of the North Branch of the Newport-Inglewood fault zone in Huntington Beach, California, from cone penetrometer test data, 12A1441
VON WOLFERSDORF, J: Shape optimization of cooling channels using genetic algorithms, 11T1306
VON WOLFERSDORF, L: Inverse problems for identification of memory kernels in viscoelasticity, 8A495
VON WOLFERSDORF, L: Identification of weakly singular memory kernels in heat conduction, 10A1325
VON WOLFFERSDORFF, PA: Hypoplastic relation for granular materials with a predefined limit state surface, 2A544
VOO, L: Finite element model of the human lower cervical spine: Parametric analysis of the C4-C6 unit, 9A1566
VOO, LIMING: Finite element modeling of the C4-C6 cervical spine unit, 4A20
VOROBIEFF, P: Multiple-actuator control of vortex breakdown on a pitching delta wing, 4T1116
VORONINA, N: Improved empirical model of sound propagation through a fibrous material, 1A322
- Acoustic properties of synthetic films, 5A249
VORONOVICH, AG: Numerical simulations with horizontal-refraction-modal tomography - Part I: Adiabatic propagation, 10A396
VORONOVICH, VV: Nonlinear dynamics of vorticity waves in the coastal zone, 5A1425
VORONTSOV, PA: Specific features of the formation of a hydrodynamic-lubricant layer in bearings made of a metalfluoroplastic band, 4A929
VOROZHTSOV, EV: Numerical Solutions for Partial Differential Equations: Problem Solving Using Mathematica, 6R2
VORTMEYER, N: Catalytic combustor for high-temperature gas turbines, 11T1413
VOSS, D: Fuzzy control of burnout of multilayer ceramic actuators, 3T398
VOSSOUGHI, G: Dynamic feedback linearization for electrohydraulically actuated control systems, 11A311
VOTH, TE: Ball grid array thermomechanical response during reflow assembly, 6A975
VOUDERHEIDE, MA: Effect of torsion on stability, dynamic forces, and vibration characteristics in drillstrings, 9A154
VOUILLARMET, A: Three dimensional flows in transonic and supersonic compressors (French), 2T1106
VOULGARIS, PG: Probabilistic stability robustness of structural systems, 3A329
- Controller design to optimize a composite performance measure, 4A350
- Methods to compute probabilistic measures of robustness for structural systems, 4A832
VOUTSINAS, SG: Study of the flow downstream of a wind turbine using measurements and simulations, 12T1177
VOYIADJIS, GZ: Damage and Interfacial Debonding in Composites, 7N11
- Modeling of single crystal plasticity with backstress evolution, 3A481
- Local and interfacial damage analysis of metal matrix composites using the FEM, 7A743
- Damage analysis and elasto-plastic behavior of metal matrix composites using the FEM, 8A788
- Anisotropic damage effect tensors for the symmetrization of the effective stress tensor, 10A839
- Micro and macro anisotropic cyclic damage-plasticity models for MMCS, 11A426
- New free energy for plastic damage analysis, 12A794
VOYLES, RM: Shape from motion approach to rapid and precise force-torque sensor calibration, 12A419
VOZAR, L: Two data reduction methods for evaluation of thermal diffusivity from step-heating measurements, 7A1317
VRABLE, DL: Nucleate pool boiling on micro graphite-copper composite surfaces, 2T1202
VRACHOPOULOS, M: Analytical solution of the inverse unsteady wall heat conduction problem and experimental application, 3A1251
- Using orthogonal expansion of functions over multilayer walls for calculating the layer thermal properties, 6A1272
- Experimental and theoretical studies of space cooling using ceiling-embedded piping, 8A1374
VRADIS, GC: Dissipative cylindrical Couette flow of yield-pseudoplastic fluids, 5T1178
- Axisymmetric sudden expansion flow of a non-Newtonian viscoplastic fluid, 9A451
VRAHATIS, MN: OPTAC: A portable software package for analyzing and comparing optimization methods by visualization, 1A852
VRANOS, A: Incorporation of an efficient turbulent radiation algorithm into a discrete transfer program, 7A1401
VRATANAR, B: Kinematically exact FE formulation of planar elastic-plastic frames, 10A958
VRBKA, J: Influence of the nonhomogeneous temperature field on the optimal winding prestress of the compound pressure vessel, 5A807
VREMAN, AW: Compressible mixing layer growth rate and turbulence characteristics, 3A1095
VREMAN, B: Large-eddy simulation of the temporal mixing layer using the clark model, 1A1081
- Large-eddy simulation of the turbulent mixing layer, 11A1092
VRETTOS, C: Scattering of waves by subterranean structures via the BEM, 3A213
- Simple inversion procedure for shallow seismic refraction in continuously nonhomogeneous soils, 3A214
VU, HUNG V: Dynamic Systems: Modeling and Analysis, 6R10
VU-KHANH, T: Use of end-loaded-split (ELS) test to study stable fracture behavior of composites under mode II loading, 11A675
VU-QUOC, L: General multilayer geometrically-exact beams and 1D plates with piecewise linear section deformation, 1A529
- Dynamics of geometrically-exact sandwich beams-1D plates: Computational aspects, 11A154
- Dynamic formulation for geometrically-exact sandwich shells, 12A628
VUILLON, J: Numerical study of 2D and 3D flow-fields in a high-power pulsed chemical laser, 8T1088
VUILLOT, F: Numerical simulation of vortex-shedding phenomenon in a channel with flow induced through porous wall, 10A1166
VUJOSEVIC, M: Creep rupture of polymers: A statistical model, 8A505
VUKAZICH, SM: Nonlinear dynamic response of frames using Lanczos modal analysis, 6A179
VUKOBRATOVIC, M: Experiments with nontraditional hybrid control technique of biped locomotion robots, 1A387
- Mechanics of Turin parallel robot, 5A340
- Adaptive control of single rigid robotic manipulators interacting with dynamic environment: An overview, 5A345
- Experiments with fuzzy logic robot control with model-based dynamic compensation in nonsdaptive decentralized control scheme, 6A432
- Experimental study of resolved acceleration control of robots at singularities: Damped least-squares approach, 9T397
- Role of environment dynamics in contact force control of manipulation robots, 9A401
VUKOBRATOVIC, MK: Impedance control as a particular case of the unified approach to the control of robots interacting with a dynamic known environment, 9A399
VUKOVIC, P: Decomposition principle based on sliding mode in variable structure system with proportional-plus-integral action, 10A436
- Combination of sliding mode control and fuzzy control, 10A435
VUKOVICH, G: Stability problem formulation of structurally compliant robot manipulators during contact task execution: A singular perturbation approach, 3A407
VUKSANOVIC, B: Active control of environmental noise - II: Non-compact acoustic sources, 12A328
VULLIERME, J-J: Flow field near a plane surface impinged by multiple jets: Application to wall cooling (French), 2T1032
VUYICHICH, VA: Analytical dynamics of controllable systems (Russian), 9T82
VVEDENSKII, AR: Correct variants of the refined theories of composite beams, plates, and shells, 12A550
VYAS, NS: Dynamic stress analysis and a fracture mechanics approach to life prediction of turbine blades, 9A775
- Nonlinear bearing stiffness parameter extraction from random response in flexible rotor-bearing systems, 12A1012
VYATKIN, MD: Development of an automated adaptive system for controlling the straightening of long parts, 8T456
VYNNYCKY, M: Coupled Batchelor flows in a confined cavity, 3A1002

W

WAAS, AM: Failure mechanisms of composite plates with a circular hole under remote biaxial planar compressive loads, 7A547
WACHTER, EA: Laser induced fluorescence imaging of thermal damage in polymer matrix composites, 11A757
WACHTER, O: Experiences with austenitic steels in boiling water reactors, 12A1509
WACHTMAN, JB: Mechanical Properties of Ceramics, 5R9
WACK, B: Useful scalar parameters for multiaxial fatigue deformation studies, 5A614
WADA, A: Damage-controlled structures - I: Preliminary design methodology for seismically active regions, 9A1490
WADA, BK: Vibration isolation, suppression, and steering, 1A223
- Optimal location of redundants for prestressing adaptive trusses, 3A738
WADA, H: Investigation of loading rate and plate thickness effects on dynamic fracture toughness of PMMA, 1A780
- Settlement and disintegration behavior of soft rock by in-situ exposure and laboratory slaking tests (Japanese), 10A689
WADA, T: Effective distribution of seismic lateral force utilizing compressive deformation of rubber devices (Japanese), 11A1489
WADA, Y: Accumulation and runoff simulation model for non-point pollution control in urban area (Chinese), 10A1503
- Evaluation of environmental impact reduction by the waste asphalt concrete recycling, 10T1504
WADE, B: Electromechanical ski release binding with mechanical backup, 9A1600
WADIA, AR: Investigation of the effect of cascade area ratios on transonic compressor performance, 5A1093
WADLEY, HNG: Pore shape effects during consolidation processing, 5A545
- Laser ultrasonic studies of solid-liquid interfaces, 8A852

- Fiber damage model for early stage consolidation of metal-coated fibers, 8A799
WADSWORTH, CM: Experimental investigation of the rib surface-averaged heat transfer coefficient in a rib-roughened square passage, 10A1279
WAGENAAR, RC: Effects of walking velocity on relative phase dynamics in the trunk in human walking, 3A1506
WAGGENSPACK JR, WN: Nesting of complex 2D parts within irregular boundaries, 5A375
WAGGONER, JT: Paleoseismicity of the North Branch of the Newport-Inglewood fault zone in Huntington Beach, California, from cone penetrometer test data, 12A1441
WAGNER, C: Schur-complement multigrid: A robust method for groundwater flow and transport problems, 8A1039
WAGNER, CT: Epinephrine and shear stress synergistically induce platelet aggregation via a mechanism that partially bypasses VWF-GP IB interactions, 1T1462
WAGNER, DA: Modeling foam damping materials in automotive structures, 12A212
WAGNER, HD: Compressive fiber fragmentation in carbon-polypropylene composites: Effects of residual thermal stresses and transcrystallinity, 4A751
- Thermomechanical behavior of interfacial region in carbon fiber-epoxy composites, 5A1304
- Revised shear-lag analysis of an energy model for fiber-matrix debonding, 8A804
- Elastic constants of 3D orthotropic composites with platelet-ribbon reinforcement, 9A520
WAGNER, JW: Magnetic pressure stressing of lap joints: Modeling and experimental verification, 11A756
WAGNER, LF: Forced harmonic response of grouped blade systems - Part I: Discrete theory, 11A139
- Forced harmonic responses of grouped blade systems - Part II: Application, 11A140
WAGNER, M: Beam response derived from a 3D hybrid boundary integral method in elastodynamics, 9A129
WAGNER, NJ: Reversible shear thickening in monodisperse and bidisperse colloidal dispersions, 3A953
- Accurate simulation of linear viscoelastic properties by variance reduction through the use of control variates, 10A1022
- Quantitative predictions of suspension rheology by nonequilibrium Brownian dynamics and hydrodynamic preaveraging, 12A1050
WAGNER, P: Solution of the initial-boundary value problem for the simply supported semi-infinite Timoshenko beam, 1T555
WAGONER, RH: Analysis of superplastic forming processes using a FEM, 6A706
WAHAB, MA: Linear fracture envelopes for fatigue assessment of welds in bridges, 2A656
- Effect of undercut and residual stresses on fatigue behavior of misaligned butt joints, 3A665
WAHEED, M: High strain-rate fracture characteristics of ductile metals at elevated and sub-ambient temperatures, 10A829
WAHL, MH: Numerical investigation of tri-pad sliders and comparison to other slider designs, 12A1023
WAI, C CHAN HEW: Global approach of thermal effects including pad deformations in tilting-pad journal bearings submitted to unbalance load, 11A853
WAI, ONYX WH: Multi-layer modeling of 3D hydrodynamic transport processes, 6A1005
WAINSTEIN, DL: Characteristic features of alloying HSS-based deformed compound powder materials with consideration for tool self-organization at cutting - I: Characteristic features of wear in HSS-based deformed compound powder materials at cutting, 12A936
WAINWRIGHT, DA: Design and construction of a concrete floating berth, 4A851
WAITZ, IA: Effect of heat release on streamwise vorticity enhanced mixing, 1A1052
- Preliminary assessment of wake management strategies for reduction of turbomachinery fan noise, 3A1196
- Enhanced mixing with streamwise vorticity, 11A1386
WAJERSKI, D: Novel pump for MEMS applications, 4A935
WAKABAYASHI, N: Mechanical properties of rock at high temperatures (Japanese), 10T720
WAKABAYASHI, T: Measurement of workpiece size errors with AE sensor in grinding, 10T747
WAKAHARA, T: Experimental study on vortex-induced vibration of circular cylinder towers at high wind speed (Japanese), 3A180
- Nonlinear sloshing analysis of circular tunod liquid damper by using boussinesq equation (Japanese), 6A299
WAKAI, A: Three dimensional effects on stability of slopes during earthquakes (Japanese), 8A669
WAKAYAMA, NI: Magnetic support of combustion in diffusion flames under microgravity, 3A1300
WAKE, A: Oscillatory natural convection of water near the density extremum at high Rayleigh numbers, 11A1235
WAKEFIELD, WC: Measured force-current relations in solid magnetic thrust bearings, 8A959
WAKELIN, SL: Formation and propagation of vortex rings and pairs of vortex rings, 8A1018
WAKHLOO, AK: Modeling of flow in a straight stented and nonstented side wall aneurysm model, 10A1548
WAKIMIZU, K: Study on characteristics of radar parameters and real-time prediction of ground rainfall (Chinese), 10T1467
WAKITANI, S: Development of multicellular solutions in natural convection in an air-filled vertical cavity, 8A1281
WAKU, A: Study on water sealing mechanism of earth pressure balanced shield subject to high water pressure (Japanese), 5A531
WAKUI, H: Running safety of railway vehicle on oscillating track using a mechanical model with vertical wheel flanges (Japanese), 9A164
- Study on limit state design method for prestressed concrete sleepers (Chinese), 10A947
WAKUI, S: Relationship between parameter estimation method based on bode diagram and co-quad diagram (Japanese), 10A417
WALD, P: Fast and efficient vortex-blobs simulation of the flow past the circular cylinder, 4A983
WALDHERR, GA: Effect of evaporation on droplet drag, 7A1072
WALDMAN, LK: Three-dimensional FEM for large elastic deformations of ventricular myocardium - I: Cylindrical and spherical polar coordinates, 5A30
- Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, 5A31
WALDMAN, SD: Dynamic contact stress and rolling resistance model for total knee arthroplasties, 12A1577
WALDO JR, GV: Reflected-afterflow virtual-source model compared to exact calculations for elastic cylinders attacked by planar waves, 8A240
WALDRON, KJ: Study of the solvability of the position problem for multi-circuit mechanisms by way of example of the double butterfly linkage, 3A918
- Globally optimal force allocation in active mechanisms with four frictional contacts, 3A920
- Rectified synthesis of six-bar mechanisms with well-defined transmission angles for four-position motion generation, 3A898
- Energy comparison between trot, bound, and gallop using a simple model, 11A1564
- Automatic synthesis of crank driven four-bar mechanisms for two, three, or four-position motion generation, 12A1032
WALDRON, TW: Forces and moments generated at the dental incisors during forceful biting in humans, 10A1517
WALDVOGEL, JM: Solidification phenomena in picoliter size solder droplet deposition on a composite substrate, 4A1228
WALENTYNOWICZ, J: Determination of flow characteristics of injector nozzle of diesel engines (Polish), 9T1394
WALICKA, A: Asymptotic solution for laminar flow of an incompressible fluid between rotating surfaces of revolution showing inertia effects, 4T980
- Inertia effect in multilobe conical bearing with an incompressible Newtonian lubricant, 4A1174
WALICKI, E: Inertia effect in multilobe conical bearing with an incompressible Newtonian lubricant, 4A1174
WALKER , JL: Backpropagation neural networks for predicting ultimate strengths of unidirectional graphite-epoxy tensile specimens, 2A460
WALKER, A: Towards the optimization of the densification of pan-based carbon-fiber-reinforced carbon laminates, 11A455
WALKER, CA: Hybrid experimental-computational approach to the assessment of crack growth criteria in composite laminates, 6A775
WALKER, DT: Shear-free turbulence near a flat free surface, 3A1143
- Angular bias errors in three-component laser velocimeter measurements, 4A1175
- Origin of the "surface current" in turbulent free-surface flows, 11A1064
WALKER, DW: Two very accurate and efficient methods for computing eigenvalues and eigenfunctions in porous convection problems, 2A1367
- Chebyshev tau-QZ algorithm methods for calculating spectra of hydrodynamic stability problems, 6A1142
- Multi-component diffusion and penetrative convection, 7A1379
WALKER, G: Slow-speed balancing of a 310 MW LP turbine saves $250,000, 6A210
WALKER, GJ: Case wall pressures in a multistage axial compressor with tip clearance variation, 3A1194
- Effects of streamwise pressure gradient on turbulent spot development, 5A987
- Transition length prediction for flows with rapidly changing pressure gradients, 5A991
- Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, 8A1240
- Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, 8A1239
- Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, 10A1217
- Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, 12A1178
WALKER, ID: Dynamics and control of multiple cooperating manipulators with rolling contacts, 3A401
WALKER, JA: Stability of generalized equilibria in constrained pseudodissipative systems, 3A546
WALKER, JD: Modeling of heat recovery steam generator performance, 9A1314
WALKER, JDA: Influence of wall cooling on hypersonic boundary-layer separation and stability, 3A1097
- Model for adiabatic supersonic turbulent boundary layers, 4A1003
WALKER, JM: Ballistic impact of thin-walled composite structures, 10A280
WALKER, JS: Liquid-metal MHD flow in rectangular ducts with thin conducting or insulating walls: Laminar and turbulent solutions, 11A1123
- Convective heat transfer due to thermocapillary convection with a strong magnetic field parallel to the free surface, 11A1259
- Heat transfer in laminar and turbulent liquid-metal MHD flows in square ducts with thin conducting or insulating walls, 11A1256
WALKER, L: Decoupling the normal modes of continuous symmetric structures using group representation theory, 12A135
WALKER, LM: Concentration effects on the rheology and texture of PBG-m-cresol solutions, 3A956
WALKER, M: Multiobjective design of laminated cylindrical shells for maximum torsional and axial buckling loads, 7A551
- Optimal design of symmetrically laminated plates for maximum buckling temperature, 7A548
WALKER, PG: Effect of physiological factors on proximal flow convergence upstream of an incompetent valve: An in-vitro study, 9A1585
- Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
WALKER, PS: Knee simulating machine for performance evaluation of total knee replacements, 6A1547
- Computer model with surface friction for the prediction of total knee kinematics, 7A1527
- Telemetry of forces from proximal femoral replacements and relevance to fixation, 7A1560
WALKER, SH: Wavelet transform analysis applied to unsteady aspects of supersonic jet screech resonance, 8A1098
WALKER, SP: Termination criteria in iterative solution of large scattering problems using integral equation methods, 9A294
- Iterative solution of large 3D BEM elastostatic analyses using the GMRES technique, 11A58
WALKER, WF: Speckle coherence and implications for adaptive imaging, 9A293
WALKINGTON, NJ: Algorithms for computing motion by mean curvature, 6A37
WALL, DP: Linear stability of channel flow of fluid with temperature-dependent viscosity, 4A1069
WALLACE, DA: Comparison of mass sensitivities of 10- and 15-MHz quartz crystal microbalances, 1T1307
WALLACE, G: Transverse velocity increments in turbulent flow using the RELIEF technique, 11A1059
WALLACE, JS: Analysis of a concept for increasing the efficiency of a Brayton cycle via isothermal heat addition, 8A1435
WALLACE, TC: Regional phase development of the non-proliferation experiment within the western United States, 12T1491
WALLASCHEK, J: Finite element models for the piezoelectric actuation in ultrasonic traveling wave motors, 1A52
WALLENTOWITZ, H: Proposal for testing and rating of traction and stability control systems, 1A375
WALLER, D: Boundary-layer transition on a forward-swept wing in canard configuration, 6T1176
WALLER, H: Damage detection by system identification: An application of the generalized singular value decomposition, 3A190
- Identification using the algorithm of singular value decomposition: An application to the realization of dynamic systems and to fault detection and localization, 11A323
WALLIS, SG: Accurate numerical simulation of advection using large time steps, 7A66
WALLS, DP: Damage tolerance based life prediction in gas turbine engine blades under vibratory high cycle fatigue, 8A200
WALLS, KO: Design and manufacture of a transverse floor beam from thermoplastic composite material: A case study, 4A569
WALSH, CB: Contact angle temperature dependence for water droplets on practical aluminum surfaces, 5A1217
WALSH, PM: Erosion-oxidation of carbon steel in the convection section of an industrial boiler cofiring coal-water fuel and natural gas, 12A776
WALTER, JA: Measurements in 3D wake of a surface-mounted winglike symmetrical ellipsoid, 4T1056
WALTERS, GA: Groundwater optimization and parameter estimation by genetic algorithm and dual reciprocity BEM, 12A1530
WALTERS, K: Workshop on Unresolved Experimental Dilemmas in the Dynamics of Complex Fluids, 6A985
WALTERS, RA: Comparison of H and P FE approximations of the shallow water equations, 7A24
WALTHER, R: Simulation of punching failure in reinforced-concrete structures, 11A790
WALTON, AG: Strongly nonlinear vortex-Tollmien-Schlichting-wave interactions in the developing flow through a circular pipe, 3A1127
- Concerning 3D flow past a tall building on flat ground, 8A1132
WALTON, J: Leakage through flaws in geomembrane liners, 11A569
WALTON, JR: Dynamically accelerating Dugdale-zone in elastic and viscoelastic material, 1A482
WALTON, NV: Measurements of static loading versus eccentricity in a flexure-pivot tilting pad journal bearing, 10A996
WALUKIEWICZ, H: Modeling of 2D random fields, 9A66
WAMPLER, CW: Calibration index and taxonomy for robot kinematic calibration methods, 6A418
WAN , DECHENG: Interactions between wave-currents and offshore structures with consideration of fluid viscosity, 8A1028
WAN , GC: Muffler performance studies using a direct mixed-body BEM and a three-point method for evaluating transmission loss, 1A88
WAN, CJ: Global asymptotic stabilization of a spinning top with torque actuators using stereographic projection, 12A109
WAN, ETK: Possibility of using laser-fiber optics as a fire detection system, 8A848
WAN, FREDERIC YM: Cantilever strip plate under torsion, bending, or flexure at infinity, 3A504
WAN, RICHARD G: Drained granular material under cyclic loading with temperature-induced soil and structure interaction, 11A554
WAN, YONG: Tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 2A1132
- Boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, 12A1201
WANG , GENG: Friction and wear studies of carbon overcoated thin films magnetic sliders: Application of Raman microspectroscopy, 12A992
WANG , KECHANG: Vibration detection of liquid rocket engine based on fuzzy neural networks, 12T170
WANG , MINGYU: Lyapunov exponents and stochastic stability of 2D random system (Chinese), 12T105
WANG , XIAOSHENG: Rotor balancing technique based on load identification (Chinese), 12T191
WANG , XINMIN: Convergence of parallel AOR and GAOR methods applied to H-matrices, 5A71
WANG , ZHIJIE: Investigation on limitations for demodulation analysis application in failure diagnosis (Chinese), 10T513
WANG, AG: Kinematic and geometric models of gear drives, 6A953
- Computerized design and analysis of face-milled, uniform tooth height spiral bevel gear drives, 6A961
WANG, AIQUN: Calculation of wave pressure and pressure spectrum for perforated-pipe breakwater, 12T1057
WANG, AL: Isochromatic fringe sharpening and interpolation along an isoclinic contour, with application to fracture mechanics, 5A725
WANG, ASD: Spatial distribution of yarns and mechanical properties in 3D braided tubular composites, 9A498
WANG, AY: Transient analysis of the ship-water interaction system excited by a pressure water wave, 11A23
WANG, B: Nonstationary random response of laminated composite structures by a hybrid strain-based laminated flat triangular shell FE, 1A538
- Feasibility study of abrasive-waterjet milling of fiber-reinforced plastics, 11A601
- Out-of-plane impact at the tip of a right-angled bent cantilever beam, 11A117
WANG, BIAO: General characteristics of the stress-strain relation of polycrystalline metals, 6A6
WANG, BIAO: Line force, charge and dislocation in anisotropic piezoelectric materials with an elliptic hole or a crack, 12T673
WANG, BIN: Low-frequency equatorial waves in vertically sheared zonal flow - Part I: Stable waves, 3A242
- Chaotic oscillations of tropical climate: A dynamic system theory for ENSO, 4T80
- Low-frequency equatorial waves in vertically sheared zonal flow - Part II: Unstable waves, 6T1483
WANG, BIXIANG: Attractors and approximate inertial manifolds for the generalized Benjamin-Bona-Mahony equation, 8A248

- Strong attractors for the Benjamin-Bona-Mahony equation, 9A203
WANG, BOR-TSUEN: Characterization of transfer functions for piezoceramic and conventional transducers, 3A393
- Feasibility analysis of using piezoceramic transducers for cantilever beam modal testing, 8A183
WANG, BOYI: Flat-plate boundary-layer flows induced by dusty shock wave, 1A1034
WANG, BP: Efficient method to simulate 1D and 2D delamination growth in composite laminates, 2A676
- Finite element model optimization using diagonal mass matrix, 10A21
WANG, BU QIAN: Effect of alkali chlorides on erosion-corrosion of cooled mild steel and Cr_3C_2-NiCr coating, 5A839
WANG, BU-QIAN: Dependence of erosion-corrosion wastage on carbide-metal binder proportion for HVOF carbide-metal cermet coatings, 2A906
WANG, BU-XUAN: Fluid flow and convective heat transfer in a vertical porous annulus, 2A1193
- Extended study on steady-state laminar film condensation of a superheated vapor on an isothermal vertical plate, 5A1215
WANG, BUQIAN: Erosion-corrosion of thermal sprayed coatings in FBC boilers, 4A899
WANG, BX: Nonlinear Galerkin approximation, 8A67
WANG, BY: Shock-induced two-phase flows in an aligned baffle system filled with suspended particles, 7A222
- Wave pattern characteristics of a two-phase nozzle flow by shock propagation, 11T200
WANG, C: Dynamic analysis of a thin beam impacting against a stop of general 3D geometry, 12A241
WANG, C-C: Principal waves in monotropic laminated bodies, 10A254
WANG, C-Y: Two-dimensional time domain BEM for scattering of elastic waves in solids of general anisotropy, 3A54
- Lamb's problem for solids of general anisotropy, 6A229
WANG, CC: Single-phase heat transfer and flow friction correlations for microfin tubes, 4A1242
- Method for improving bicycle shifting performance, 8A953
WANG, CH: Life prediction techniques for variable amplitude multiaxial fatigue - Part 2: Comparison with experimental results, 1A708
- Life prediction techniques for variable amplitude multiaxial fatigue - Part 1: Theories, 1A707
- Effect of stress ratio on short fatigue crack growth, 1A703
- Fracture of interface cracks under combined loading, 7A755
- Determination of triaxial stresses in bonded joints, 8A564
- Creep response of woven-fiber composites and the effect of stitching, 8A504
WANG, CHAINCHYE E: Deformation characteristics of Piedmont residual soils, 3A581
WANG, CHANGBIN: Analysis of oscillatory flow in consideration of a plasma layer in arterial stenoses, 9A1584
WANG, CHAO: Numerical simulation for contaminants and water transport in soils, 7T1514
WANG, CHAO-NAN: Boundary element evaluation on the performance of sound absorbing wedges for anechoic chambers, 7A277
WANG, CHENG: Near crack line elastic-plastic analysis for a crack loaded by antiplane point forces, 9A743
WANG, CHI-CHUAN: Analysis of evaporation of non-azeotropic refrigerants in a horizontal tube, 2A1223
WANG, Chi-CHUAN: Generalized heat transfer correlation for louver fin geometry, 5A1272
- Pool boiling of R-22, R-124 and R-134a on a plain tube, 7A1282
WANG, CHI-CHUAN: Heat transfer and friction characteristics of typical wavy fin-and-tube heat exchangers, 7T1331
- Performance of plate finned tube heat exchangers under dehumidifying conditions, 8A1368
- Numerical method for thermally non-equilibrium condensing flow in a double-pipe condenser, 11A1291
WANG, CHIA-KANG: Calculation of laminar separated flow in symmetric 2D diffusers, 11A1047
WANG, CHICH-HSIANG: Structural analysis by an inverse procedure using Bernoulli and Euler functions, 11A502
WANG, CHING-CHENG: Accurate robot motion-time model of start-stop point-to-point operations, 5A344
WANG, CHONG: Dynamic vibration absorbers used for increasing the noise transmission loss of aircraft panels, 3A187
- Error analysis on measurement of vibration intensity based on dual transducers, 4A171
WANG, CHUNG-CHEI: Feasibility analysis of using piezoceramic transducers for cantilever beam modal testing, 8A183
WANG, CHUNG-CHENG: Quadratic time domain BEM formulation for 2D elastodynamic transient analysis, 5A61
WANG, CHUNG-YUE: Packing generation scheme for the granular assemblies with planar elliptical particles, 10A1442
WANG, CHURN-HWAY: Automatic detection of clearance in mechanical systems: Experimental validation, 3A889
WANG, CJ: Effects of resin thermal degradation on thermostructural response of carbon-phenolic composites and the manufacturing process of carbon-carbon composites, 4A1268
WANG, CM: Deflection and stress-resultants of axisymmetric Mindlin plates in terms of corresponding Kirchhoff solutions, 1A581
- Relationships between Mindlin and Kirchhoff bending solutions for tapered circular and annular plates, 7A142
- Ritz method for vibration analysis of cylindrical shells with ring stiffeners, 7A150
- Fatigue damage repair: A comparison of some possible methods, 7A676
- Buckling load relationship between Reddy and Kirchhoff plates of polygonal shape with simply supported edges, 8T602
- Large deflections of an end supported beam subjected to a point load, 8A567
- Exact solutions for axisymmetric bending of continuous annular plates, 9A555
- Timoshenko curved beam bending solutions in terms of Euler-Bernoulli solutions, 9A549
- Unified FE based on the classical and shear deformation theories of beams and axisymmetric circular plates, 12A613
WANG, CONGYUE: Experimental study and numerical simulation of split growth for unidirectional composites with a surface notch, 2A677
WANG, CS: Nonoscillatory schemes for kinetic model equations for gases with internal energy states, 4A1020
WANG, CY: Fluid-Structure Interaction - 1996, 2N11
- Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part II: Numerical simulation of the transport of organic compounds in the subsurface, 1A1389
- Multiphase mixture model for multiphase, multicomponent transport in capillary porous media - Part I: Model development, 1A1388
- Torsion of an angle bar, 2A473
- Settling of discs inside a vertical fluid-filled tube, 5A924
- Stokes flow through a tube with annular fins, 6A1022
- Global buckling load of a nonlinearly elastic bar, 6A601
- Influence of the split-surfaces delay effect on split growth in unidirectional glass-epoxy composites with a surface notch, 7A740
- Thermal property of a 2D partially conducting thin screen, 7T1307
- Impulsive stretching of a surface in a viscous fluid, 8A1049
- Global stability of a thick solid supported by elastica columns, 9A585
- Stokes flow through a transversely finned channel, 9A1013
- Conductivity of materials containing insulated cross-ply strips, 9A509
- Longitudinal flow through an array of rectangular cylinders, 11A1449
- Boundary layer analysis of buoyancy-driven two-phase flow in capillary porous media, 11T1460
- Post-buckling of a clamped-simply supported elastica, 12A651
WANG, D: Computer-aided simulation approach for mechanisms with time-varying topology, 4A917
- System reliability evaluation considering strength and serviceability requirements, 7A819
WANG, DA-JUN: Comparison of several approximate modal methods for computing mode shape derivatives, 7A164
WANG, DAIYU: Frost-induced deformations and stresses in pipelines, 4A872
WANG, DAJUN: Influence of small change of support location on vibration froquencies (Chinese), 2A117
- Distributed piezoelectric segment method for vibration control of smart beams, 9T843
WANG, DANWEI: Model reference learning control scheme for a class of nonlinear systems, 7A325
WANG, DE LUN: Kinematic differential geometry of a rigid body in spatial motion - II: A new adjoint approach and instantaneous properties of a line trajectory in spatial kinematics, 9A87
- Kinematic differential geometry of a rigid body in spatial motion - I: A new adjoint approach and instantaneous properties of a point trajectory in spatial kinematics, 9A86
- Kinematic differential geometry of a rigid body in spatial motion - III: Distribution of characteristic lines in the moving body in spatial motion, 9A88
WANG, DE-GUAN: Numerical simulation for contaminants and water transport in soils, 7T1514
WANG, DEYU: Shear failure of a clamped dented tubular beam under lateral impact, 1A859
- Impact buckling and post-buckling of elasto-viscoplastic cylindrical shell under torsion, 12T521
WANG, DF: Dynamic characteristics of a beam specimen featuring electrorheological fluids, 8A131
WANG, DIANLONG: Universal algorithm for revolving cutters with equal helical angle edge (Chinese), 10A740
WANG, DONG F: Study for erosion of Si_3N_4 ceramics by impact of solid particles, 5A619
WANG, DUAN: System identification with limited observations and without input, 11A282
WANG, DUEN-MIN: Statistical analysis for an inverse acoustic problem in estimating spatially varying sound velocity, 8A354
- Statistical consideration for the estimation of spatially varying sound velocity and water density in acoustic inversion, 8A355
WANG, DUO: Crack problem of a fiber-matrix composite with a nonhomogeneous interfacial zone under torsional loading - II: A ring-shaped crack in the matrix, 2A673
- Transient motion of an interface dislocation and self-similar propagation of an interface crack: Anti-plane motion, 5A687
WANG, DZ: Wave pattern characteristics of a two-phase nozzle flow by shock propagation, 11T200
WANG, EL: Empirical model for determining the radial force-deflection characteristics of off-road bicycle tires, 3A828
- Dynamic system model of an off-road cyclist, 12A1543
WANG, FEI-YUE: Minimum-weight design of flexible arms for specified fundamental frequency, 6A421
WANG, FENG: Note on stress- and strain-analysis for materials with different elastic modulus and a photoelastic solution of the stress state for points on the interface, 11A380
WANG, FENG-QUAN: Analysis of the characteristics of pseudo-resonance and anti-resonance, 4A118
WANG, FENGQUAN: Method to determine the boundary conditions of the FE model of a slender beam using measured modal parameters, 1A165
- Adaptive control of nonlinear vibration system via artificial neural network, 4A364
WANG, FY: Vortex-wake characteristics of a supersonic transport wing planform at Mach 2.5, 2T1090
- Near-field experiments on tip vortices at Mach 3.1, 9T1052
WANG, G: Unsteady heat transfer in baffled channels, 2A1188
- Dynamic optimization of a turbine foundation, 12A884
- Analysis of stress-change disturbance caused by ideal drilling in clay, 12A42
WANG, G-X: Modeling of noncquilibrium surface melting and resolidification for pure metals and binary alloys, 5A1242
WANG, GS: Adaptive kernel method for evaluating structural system reliability, 10A923
WANG, GUANGYUAN: Reliability of structures under many conditions (Chinese), 6A878
- Response analysis for fuzzy stochastic dynamical systems with multiple dof, 7A116
WANG, GUOLI: Well-posedness of inverse dynamics of flexible robot arms, 8A438
WANG, GUOPING: Design, prototyping and computer simulations of a novel large bending actuator made with a shape memory alloy contractile wire, 10A917
WANG, GZ: Statistical model for cleavage fracture of low alloy steel, 4A727
WANG, H: Effect of laminations on the vibrational modes of circular annular plates, 1A180
- Fluidic flowmetering device for remote measurement, 1A1149
- Structure of nonsooting counterflow ethylene and acetylene diffusion flames, 5A1331
- Thermal performance of pin-fin fan-sink assemblies, 9A1293
- Effects of laminations on the vibrational behavior of electrical machine stators, 11A133
- Use of end-loaded-split (ELS) test to study stable fracture behavior of composites under mode II loading, 11A675
- Mild and vigorous oxidation of mixtures of chlorinated hydrocarbons in droplet burning, 12A1391
WANG, HAI: Detailed kinetic modeling study of aromatics formation in laminar premixed acetylene and ethylene flames, 12A1377
WANG, HAIMING: Design of a non-interferometric vibrometer, 8A868
WANG, HAO: Three-dimensionality of shelterbelt structure and its influences on shelter effects, 2T1415
WANG, HENGDONG: Approximate assignment method for structural systems reliability (Chinese), 6A875
WANG, HJ: Statistical model for cleavage fracture of low alloy steel, 4A727
WANG, HONG: Simulation on the strength of model armor block on rubble-mound breakwaters, 1A967
- Eulerian-Lagrangian localized adjoint methods for systems of nonlinear advective-diffusive-reactive transport equations, 1T1425
- Ultrasonic characterization of the radius of curvature at the root of a surface breaking AFS mark, 10A874
WANG, HONG-GUANG: New pseudo-potential model for rotational turbo-flow - I: Variational formulation and FE solution for transonic blade-to-blade flow, 10A1253
WANG, HONG-SHENG: Bearing failure of bolted composite joints - Part I: Experimental characterization, 2A671
WANG, HP: Flow visualization in a linear turbine cascade of high performance turbine blades, 8A1257
WANG, HS: Transient pressure analysis in piping networks due to valve closing and outlet pressure pulsation, 2A1008
WANG, HSICHUN: Ultrasonic technique for the measurement of the elastic moduli of human cornea, 5A1516
WANG, HSU-PIN (BEN): Statistical tolerance analysis based on beta distributions, 10A549
WANG, HU: Evaluation of critical impact velocity of materials and its application to processing thin plates (Japanese), 2A699
WANG, HUI: Simulation of lubricant rheology in thin film lubrication - Part I: Simulation of Poiseuille flow, 2A1118
- Simulation of lubricant rheology in thin film lubrication - Part 2: Simulation of Couette flow, 2A1119
WANG, HUI-CHING: Quadratic time domain BEM formulation for 2D elastodynamic transient analysis, 5A61
WANG, HUI-MIN: Numerical simulation for contaminants and water transport in soils, 7T1514
WANG, HUICONG: Technique for calibrating measurements from photographs of sliced specimens, 11A1587
WANG, HUIQUN: Normal stress effect and equilibrium friction coefficient of articular cartilage under steady frictional shear, 12A1535
WANG, HW: Formation and characterization of self-lubricating MoS_2 precursor films on anodized aluminium, 12A1228
WANG, HY: Numerical study of a buoyancy-induced flow along a vertical plate with discretely heated integrated circuit packages, 7A1261
WANG, HZ: Mechanical and wear behavior of an Al/Si alloy metal-matrix composite reinforced with aluminosilicate fiber, 7A881
WANG, J: Optimum *in situ* strength design of composite laminates - Part I: *In situ* strength parameters, 2A685
- Optimum *in situ* strength design of composite laminates - Part II: Optimum design, 2A760
- Feasibility of conditioning monitoring of bearings used in a viaduct, 3A895
- Doubly periodic arrays of bridged cracks and short fiber-reinforced cementitious composites, 4A558
- Safety based design and maintenance optimization of large marine engineering systems, 4A818
- Model for efficiency of soil flushing using PVD-enhanced system, 6A639
- Negotiation in constraint-based design, 6A450
- Formulation and survey of ALE method in nonlinear solid mechanics, 8A14
- Analysis of stress distribution in a thin rectangular plate by the method of caustics, 9A796
- Generalized power series solutions of the vibration of classical circular plates with variable thickness, 11T127
- Interaction effects in combined arrays of radial and longitudinal semi-elliptical surface cracks in pressurized thick-walled cylinder, 11A679
- Micromechanical modeling of strain hardening and tension softening in cementitious composites, 12A529
WANG, J TING-SHUN: Local buckling of delaminated composite sandwich plates, 4A724
- Buckling of beam-plates having multiple delaminations, 11A526
WANG, JAMES TING-SHUN: Local buckling of delaminated sandwich beams using continuous analysis, 6A607
WANG, JCT: Launch-vehicle simulations using a concurrent, implicit Navier-Stokes solver, 4A1015
WANG, JCY: Application of Kalman filter and finite difference scheme to inverse heat conduction problems, 4A1234
- Heat flux limiter finite difference scheme in solving a 1D inverse Stefan problem, 12A1295
WANG, JG: Shear stress of elastohydrodynamic lubrication in elliptical contacts, 1T1130
WANG, JH: Suppression of chatter vibration of a CNC machine center: An example, 4A179
WANG, JIALIN: DOF expanding method for connecting solid and shell element, 1A59
WANG, JIAN: Fractural analysis for composites with interfacial crack (Chinese), 2A679
WANG, JIANCHAO: Design and process considerations for a tunneling tip accelerometer, 4A422
WANG, JIANGUO: Study on free vibration of moderately thick orthotropic laminated shallow shells by boundary-domain elements, 1A190
- Fundamental solutions and boundary integral equations of moderately thick symmetrically laminated anisotropic plates, 1A582

- Micro-macro properties of geomaterials: A homogenization method for viscoelastic problem, 6A638
- Free vibration of laminated anisotropic shallow shells including transverse shear deformation by the boundary-domain element method, 7A145
WANG, JIANZHONG: Use of functionally graded materials to eliminate or control thermal deformation, 5A1293
WANG, JIAXIN: Large deflection problem of thin orthotropic circular plate on elastic foundation with variable thickness under uniform pressure, 1A580
WANG, JIN QI: Heat pump using a solar collector with photovoltaic modules on the surface, 11A1531
WANG, JIN-JUN: Study on the mechanism of turbulent production and burst detection over a rough wall, 1A1070
- Open-channel turbulent flow over non-uniform gravel beds, 8A1020
WANG, JJ: Buckling of piles with general power distribution of lateral subgrade reaction, 8A660
WANG, JP: Finite flow-line regions approach to visioplasticity in plane-strain extrusion, 1A639
- UBST approach to the stress analysis of plane-strain upsetting with a newly constructed model of the slip-line field, 1A637
WANG, JT-S: Dynamic analysis of generally supported beams using Fourier series, 4A120
WANG, JW: Thermal stress analysis of a subsurface inclined crack subjected to a point heat source, 9A1323
WANG, K-C: Simulation and measurement of turbulent heat transfer in a channel with a surface-mounted rectangular heated block, 2A1161
WANG, K-H: Hydrodynamic flow modeling at confluence of two streams, 3A990
WANG, KC: Transverse gas jet injection behind a rearward-facing step, 5A1019
- Three-dimensional separated flow structure over a cylinder with a hemispherical cap, 5A999
WANG, KEFENG: Synthesis of heat exchanger networks using genetic algorithm (Chinese), 10A443
WANG, KEH-HAN: Boussinesq model for simulating wave and current interaction, 7A213
WANG, KEN-HAN: Open boundary conditions for obliquely propagating nonlinear shallow-water waves in a wave channel, 10A289
WANG, KK: Viscoelastic modeling of entrance flow using multimode Leonov model, 8A510
- Characterization of the rheological properties of a fast-curing epoxy-molding compound, 8A999
WANG, KM: Parametric control of structural vibrations via adaptable stiffness dynamic absorbers, 11A316
WANG, KUO-CHI: Recent aerothermodynamic flight measurements during shuttle orbiter re-entry, 2A843
WANG, KW: Energy-based parametric control approach for structural vibration suppression via semi-active piezoelectric networks, 1A839
- Global-local integrated study of roller chain meshing dynamics, 12A1003
WANG, L: Multipoint approximations: Comparisons using structural size, configuration and shape design, 5A756
- Recent advances in the alternating method for elastic and inelastic fracture analyses, 5A706
- Asymptotic analysis of the 1:3:4 Hamiltonian normal form, 6A113
- Uni-axial strain loading of a rubber rod by planar shock waves, 8A213
- Pattern selection mechanism in mesophase carbon fibers, 9A687
- Identification of Wiener-type nonlinear systems in a noisy environment, 10T414
- Elastic-plastic FE alternating method and the prediction of fracture under WFD conditions in aircraft structures - Part II: Fracture and the T*-integral parameter, 11T727
- Elastic-plastic FE alternating method (EPFEAM) and the prediction of fracture under WFD conditions in aircraft structures - Part 1: EPFEAM theory, 11A726
- Enhancement of thermal conductivity by using polymer-zeolite in solid adsorption heat pumps, 12T1291
WANG, LI-SHENG: Dynamics of two spring-connected masses in orbit, 3A89
- Strategy for the passive maneuvering of tether-connected systems, 9T237
WANG, LIANGTAO: Jordan canonical forms of matrices over quaternion field, 3A84
WANG, LIANSHENG: Numerical simulation and experimental verification of microstructure evolution in a 3D hot-upsetting process, 1A636
WANG, LILI: Analysis of the shear failure of rigid-linear hardening beams under impulsive loading, 8A570
WANG, LIMIN: Fractural analysis for composites with interfacial crack (Chinese), 2A679
WANG, LIN-LIN: Interaction of vortices with a progressive surface wave, 9A206
WANG, LIN-WEN: Flow patterns of mixed convection in a horizontal square channel flow, 5A1167
WANG, LING: Deformation characteristics of sedimentary soft rocks (Japanese), 10T719
- Improvement of fuzzy inference of fuzzy controller using neural networks (Chinese), 10A433
WANG, LING-LING: Intelligent collision avoidance by fuzzy logic control, 12A448
WANG, LINXIANG: Non-symmetrical large deformation of a shallow thin spherical shell, 5A471
WANG, LIQIN: Effect of two-phase liquid lubricant on fatigue life, 7A903
WANG, LIQIU: Flow transitions and combined free and forced convective heat transfer in a rotating curved circular tube, 1A1186
- Buoyancy-force-driven transitions in flow structures and their effects on heat transfer in a rotating curved channel, 4A1211
- Effect of spanwise rotation on centrifugal instability in rotating curved non-isothermal flows, 11A1078
WANG, LISHENG: Effect of compressive load on overload retardation (Chinese), 10A834
- Vertical distribution of oil concentration in sediment-laden open channel flow (Chinese), 12A1055
WANG, M: New in vitro measurement technique for small 3D joint motion and its application to the sacroiliac joint, 2A1468
- L_∞ convergence of TRUNC element for the biharmonic equation, 8A46
- Development of the new-type indexable inserts with helical rake faces, 12A732
WANG, M-P: Small oscillations of finitely deformed elastic networks, 11A121
WANG, MAO: Design of variable structure controllers with continuous switching control, 4T377
WANG, MC: Stability of geosynthetic-reinforced soil above a cavity, 1A622
WANG, MENG: Sound radiation during local laminar breakdown in a low-Mach-number boundary layer, 3A299
- Computation of quadrupole noise using acoustic analogy, 5A229
WANG, MIN-ZHONG: Complete solution of the linear magnetoelasticity and the magnetic fields in a magnetized elastic half-space, 11A542
WANG, MING L: Elastoplastic damage model for concrete subjected to sustained high temperatures, 11A405
WANG, MING-O: Symmetric branching of Mode II and mixed-mode fatigue crack growth in a stainless steel, 1A698
- Mixed-mode fatigue crack growth in stainless steels under biaxial loading, 1A696
WANG, MINGLUN: Numerical stability analysis for free surface flows, 10A1083
WANG, MINGRUI: Analytical solution of heat conduction on a locally non-uniformly heated surface of a plate with finite thickness, 1A1240
WANG, MINGXIN: Properties of positive solutions for non-local reaction-diffusion problems, 4A1281
WANG, MINGZHANG: Study of directionality of latent hardening behavior in aluminum single crystals, 4A511
WANG, ML: Comparisons of two different mixed Eulerian-Lagrangian schemes based on a study of flare-slamming hydrodynamics, 2A1069
- Study of tertiary creep of rock salt, 6A740
- Structural FE analysis with new interface model, 9A722
- Tension test for alumina ceramic materials using open-loop and closed-loop in-situ loading device, 11A739
WANG, MMT: Implementation of a free boundary condition to Navier-Stokes equations, 8T1086
- Element-by-element BICGSTAB iterative method for 3D steady Navier-Stokes equations, 9A1027
- Monotone FEM with test space of Legendre polynomials, 10A55
WANG, NAI-NING: Measurement of particle size in the dense suspension using the extinction method, 9A1194
WANG, NUO: Novel network planning method: Group decision network planning technique (Chinese), 10A555
WANG, P: Transient buoyancy-thermocapillary convection in two superposed immiscible liquid layers, 5A1186
WANG, PAO K: Numerical investigation of viscous flow fields around multifiber filters, 4A1029
- Pressure drop and interception efficiency of multifiber filters, 9A1071
WANG, PC: Influence of thermal aging on the damping properties of an acrylic-cored laminated steel, 4A109
WANG, PT: Determination of shear stress-strain curve from torsion tests for loading-unloading and cyclic loading, 7A781
WANG, Q: Buckling of thin-walled compression members with shear lag using spline finite member element method, 1A603
- Boiling onset oscillation: A new type of dynamic instability in a forced-convection upflow boiling system, 2A1207
- Oscillatory impingement of liquid inside reciprocating pipes, 5A210
WANG, QB: Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, 12A1328
WANG, QG: Extended adaptive control of nonlinear multivariable servomechanisms not requiring acceleration sensing, 6A390
WANG, QI: One-dimensional models for thin filaments of liquid-crystalline polymers: Coupling of orientation and flow in the stability of simple solutions, 7A982
- One dimensional isothermal spinning models for liquid crystalline polymer fibers, 12A1051
WANG, QI-ZHI: Crack-line (plane) stress field method for estimating SIFs: A review, 5A650
WANG, QIAN: Experimental investigations and correlations for the performance of reciprocating heat pipes, 6A1289
- Reciprocating heat pipes and their applications, 11A1350
WANG, QIAN (J): Mixed-lubrication study of journal bearing conformal contacts, 12A1199
WANG, QIHUA: Investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 2A864
WANG, QIHUA: Effect of particle size of nanometer ZrO, on the tribological behavior of PEEK, 3A853
WANG, QINGYUN: Rigorous method for the analysis of localization behavior of compression plate (Japanese), 3A518
WANG, QUANFENG: Spline finite member element method for buckling of thin-walled members with any cross sections in pure bending, 4A627
- Lateral buckling of thin-walled open members with shear lag using optimization techniques, 9A581
WANG, QUNZHEN: Parallel 3D computational aeroacoustics method using nonlinear disturbance equations, 10A366
WANG, QX: Nonlinear interaction between gas bubble and free surface, 3A1077
WANG, R: Pressure and temperature dependence of the density of liquid lubricants, 7A1211
- Tests of tall cavity walls subjected to eccentric loading, 12A918
WANG, RONG DAO: Stress intensity factors of a rectangular plate with collinear cracks under uniaxial tension, 7A722
WANG, RUBIN: New equivalent nonlinearization technique, 1A148
WANG, RUI: Interacting stress field around a composite crack with a misfitting inclusion, 9A734
WANG, RUIKANG: Frequency multiplexed DOG filter, 8A869
WANG, RZ: Study of the fundamentals of adsorption systems, 8A1378
- Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, 12A1328
WANG, S: Finite strip large deflection and post-overall-buckling analysis of diaphragm-supported plate structures, 1A589
- Unified Timoshenko beam B-spline Rayleigh-Ritz method for vibration and buckling analysis of thick and thin beams and plates, 7A562
- Free vibration analysis of skew fiber-reinforced composite laminates based on first-order shear deformation plate theory, 9A150
- Vibration of thin skew fiber reinforced composite laminates, 10A200
- Design sensitivity analysis of structure-induced noise and vibration, 10A422
- Dynamics of a swirling flow in a pipe and transition to axisymmetric vortex breakdown, 11A937
WANG, S-M: Development and modification of a unified balancing method for unsymmetrical rotor-bearing systems, 8A161
- Rotational dynamics of axisymmetric variable mass systems, 11A87
WANG, S-Q: Stick-slip transition in capillary flow of linear polyethylene - 3: Surface conditions, 10A1169
WANG, SC: Transport phenomena during resistance spot welding, 2A1190
WANG, SH: Mechanism of fluid transport across the grinding zone, 2A1011
WANG, SHAOXIN: Investigation of resistance performance test for channel planning craft with hydrofoils (Chinese), 2A1070
WANG, SHEN: Water Waves Generated by Underwater Explosion, 2R9
WANG, SHI-JIE: Precise elastic-plastic analysis of crack line field for mode II plane strain crack, 8A786
- Precise solutions of elastic-plastic crack line fields for cracked plate loaded by antiplane point forces, 11A692
WANG, SHI-MIN: Inversion of particle size distribution from light scattering spectrum, 4A1332
WANG, SHI-QING: Exploring molecular origins of sharkskin, partial slip, and slope change in flow curves of linear low density polyethylene, 3A937
WANG, SHIH-LIANG: Collision detection of multiple robots, 8A428
WANG, SHIN-HWA: Bifurcation of an equation arising in porous-medium combustion, 2T1362
WANG, SHIWEN: Effects of 3D constraint on cracks on bimaterial interfaces, 3A710
WANG, SHOUKAI: Self-monitoring of strain in silicon carbide whisker reinforced silicon nitride, 10A919
WANG, SHUH-BIN: Force modeling and forecasting in creep feed grinding using improved BP neural network, 12A738
WANG, SHYH-JEN: New criterion for positive mean stress fatigue design, 9A708
WANG, SK: Monotonic, multidimensional flux discretization scheme for all Peclet numbers, 12A1271
WANG, SL: Upper-bound analysis of friction in metal forming, 4A660
WANG, SONG: Novel exponentially fitted triangular FEM for an advection-diffusion problem with boundary layers, 12A38
WANG, SONG-MIN: Attitude behavior of a variable mass cylinder, 11A85
WANG, SUQIN: Computationally efficient techniques in the hydroelasticity analysis of very large floating structures, 7A177
WANG, T: Robust predictor-corrector guidance for aeroassisted orbital transfer, 3T290
- Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part 1: Mean quantities, 5A985
- Effects of adverse pressure gradients on momentum and thermal structures in transitional boundary layers - Part 2: Fluctuation quantities, 5A986
WANG, T-J: New post-yield fracture toughness parameters for engineering materials, 11A725
WANG, TC: Crack path stability in a layered material, 12A824
WANG, TE-SHING: Quantitative feedback design of uncertain multivariable control systems, 4A383
WANG, TEN-SEE: Combined Eulerian-VOF-Lagrangian method for general gas-liquid flow applications, 6A1264
WANG, TIE-JUN: Removal of the influence of stress triaxiality on crack tip opening displacement fracture toughness by continuum damage mechanics approach, 5A660
- Stress, deformation, and damage fields near the tip of a crack in a damaged nonlinear material, 6A772
WANG, TING: Effects of leading-edge roughness on fluid flow and heat transfer in the transitional boundary layer over a flat plate, 9A1205
WANG, TING-AN: Flow regimes and transient dynamics of 2D stratified flow over an isolated mountain ridge, 3T1016
WANG, TM: Tribological study of nitrogen implanted niobium, 2A873
WANG, TS: Prediction of radiative transfer in general body-fitted coordinates, 12A1315
WANG, TSAI-CHEN: Fluidized-bed nitridation of stainless steel powder, 10T756
WANG, TZUCHIANG: Finite deformation analysis of polycrystal by considering the influence of grain boundary, 4A485
WANG, W: Thermomechanical deflection of micro-cantilever beams in scanning force microscopes, 4A428
WANG, W-L: Eigensolutions sensitivity for quadratic eigenproblems, 4A98
WANG, WEI: Cell exclusion algorithm for determining all the solutions of a nonlinear system of equations, 5T52
- Limit analysis of reinforced concrete beams subjected to pure torsion, 6A888
WANG, WEI-MIN: Design of PAM and PWM controllers for sampled-data interval systems, 6A400
- Robust control of sampled-data uncertain systems using digitally redesigned observer-based controllers, 7T340
WANG, WEIMING: Dynamic ice-induced responses of offshore fixed platforms, 1A855
WANG, WEIPING: Boundary integral approach for acoustic radiation of axisymmetric bodies with arbitrary boundary conditions valid for all wave numbers, 8A346
WANG, WEIQING: Shape change of a pore in a stressed solid via surface diffusion motivated by surface and elastic energy variation, 11A673
WANG, WEN-JUNE: Decentralized robust control design with insufficient number of controllers, 7A335
WANG, WEN-XUE: Analysis for cracks parallel to the interface of bimaterial systems, 8A810
WANG, WENBIAO: New dynamic model for study of dislocation pattern formation, 6A523
WANG, WENLIANG: Family of modal methods for computing eigenvector derivatives with repeated roots, 6A218
WANG, WH: Surface contact analysis for a spatial cam mechanism, 12A997
WANG, WJ: Tribological study of nitrogen implanted niobium, 2A873
- Reduction method for large scale unsymmetric eigenvalue problems in structural dynamics, 8A125
WANG, WM: Interaction between material length scale and imperfection size for localization phenomena in viscoplastic media, 1A487
WANG, X: Structure of weighting coefficient matrices of harmonic differential quadrature and its applications, 3A76
- Determination of effective breadth and effective width of stiffened plates by finite strip analyses, 4A15
- Simulating turbulent flow over thin element and flat valley V-shaped riblets, 5A1043
- Parallel algorithm for thermo-hydro-mechanical analysis of deforming porous media, 6A1398
- Corrections for gage factor and wheatstone bridge nonlinearity, 11T759

WANG, X-H: Characterization of torsional instabilities in a Hooke's joint driven system via maximal Lyapunov exponents, 1A598
WANG, X-M: Further investigation for the macro-microcrack interaction - I: In the infinite isotropic body, 3A684
WANG, XD: Interaction between an interface crack and a microcrack under antiplane loading, 1A784
- General treatment of interacting cracks near an interfacial crack, 3A721
WANG, XI CHENG: Second-order method of generalized geometric programing for spatial frame optimization, 9A908
WANG, XIAN-FU: Hydrodynamic model of the Weis-Fogh hydrofoil, 9A1154
WANG, XIANFENG: Lower-bound shakedown analysis of spherical shells containing defects, 1A870
WANG, XIANFU: Experiment investigation of a high-lift rudder circulation control rudder, 6A1172
WANG, XIANG-JIAN: Precise solutions of elastic-plastic crack line fields for cracked plate loaded by antiplane point forces, 11A692
WANG, XIANKUN: New method for the biomechanics model of vibrating human body (Chinese), 2A1464
WANG, XIANMING: Graetz problem extended to slip-flow, 7A1240
WANG, XIAO-MIN: Non-oscillatory no-free-parameter FE algorithm and its applications in CFD, 7A27
WANG, XIAO-MING: Exact solution of orthotropic cylindrical shell with piezoelectric layers under cylindrical bending, 5A349
WANG, XIAODAN: Study on the behavior of adiabatic shear bands in impact wear, 3A859
WANG, XIAODONG: Displacement-pressure based mixed FE formulations for acoustic fluid-structure interaction problems, 10A323
WANG, XIAOJUN: Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, 7A468
- Continuous carbon fiber epoxy-matrix composite as a sensor of its own strain, 7A467
WANG, XIAOMING: Numerical analysis of vibration control of composite laminates by piezoelectric devices (Chinese), 2A487
- Electro-mechanical dynamic analysis of the piezoelectric stack, 3A572
- Analytical investigation of static models of piezoelectric patches attached to beams and plates, 10A675
WANG, XIAOTONG: IDS model of intelligent design system, 3A783
WANG, XICHENG: Parallel structural optimization method and its implementation on a Transtech Paramid, 3A740
- Two-level decomposition method for shape optimization of structures, 6A860
- Asynchronous parallel computing of structural non-stationary random seismic responses, 11A1487
WANG, XIN: Stress intensity factors and weight functions for high aspect ratio semi-elliptical surface cracks in finite-thickness plates, 11T682
WANG, XINGGUO: Property degradation of anisotropic composite laminates with matrix cracking - Part I: Development of constitutive relations for $(\theta_m/90_n)_s$ cracked laminates by stiffness partition, 5A679
- Property degradation of anisotropic composite laminates with matrix cracking - Part 2: Determination of resolved stiffness and numerical study of stiffness degradation, 10A822
WANG, XINWEI: Reducing the computational requirements of the differential quadrature method, 2A42
- Static analysis of frame structures by the differential quadrature element method, 7A840
WANG, XINZHI: Non-symmetrical large deformation of a shallow thin spherical shell, 5A471
WANG, XJ: Tribological study of nitrogen implanted niobium, 2A873
WANG, XUCHENG: Simplified method based on the deformation theory for structural limit analysis - I: Theory and formulation, 7A798
- Simplified method based on the deformation theory for structural limit analysis - II: Numerical application and investigation on mesh density, 7A799
- Flexible strategy for numerical path integration, 9A777
WANG, XUYUE: Finite difference solution for equations of heat conduction caused by pulse laser processing silicon steel sheets (Chinese), 10A757
WANG, XW: Free vibration analysis of circular plates with stepped thickness over a concentric region by the differential quadrature element method, 12T176
WANG, Y: Calculations of wave resistance for a high-speed displacement ship, 5A1060
- Reformulation of the strong ellipticity conditions for unconstrained hyperelastic media, 5A382
- Transverse shear-induced liquid and particle tracer diffusivities of a dilute suspension of spheres undergoing a simple shear flow, 6A1062
- Design and performance prediction of centrifugal impellers, 8A1238
WANG, YAN: Non-oscillatory no-free-parameter FE algorithm and its applications in CFD, 7A27
WANG, YAN-BO: Displacement oscillation of viscoelastical collapsible tube, 3T1107
WANG, YANG: Concentrated ring loadings in a full space or half space: Solutions for transverse isotropy and isotropy, 9A437
WANG, YANGHUA: Point-source τ-p transform: A review and comparison of computational methods, 7A1473
WANG, YANYING: Ship wave-making resistance calculation by panel method and numerical flow field visualization (Chinese), 10A1211
WANG, YAPING: Relationships between tidal prism and throat area of tidal inlets along yellow sea and Bohai sea coasts, 1A966
WANG, YARLONG: Ground response of circular tunnel in poorly consolidated rock, 3A607
- Approximate solution for fluid infiltration near a circular opening in unsaturated media, 9A1413
WANG, YC: Effects of frame continuity on the behavior of steel columns under fire conditions and fire resistant design proposals, 11A816
WANG, YI: Coupled vibrations of marine medium speed diesel engine crankshafting (Chinese), 4A155
WANG, YI-BIN: Refined asymptotic theory and computational model for multilayered composite plates, 11A515
WANG, YI-REN: Lifting rotor inflow mode shapes and blade flapping vibration system eigen-analysis, 2A149
WANG, YING-TSAI: Simplified STR applied to level control of electrohydraulic bending machine, 7A376
- Simplest identification model of an asymmetric hydraulic system, 7A375
WANG, YINGLONG: Rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 2A903
WANG, YINYAN: Deformation fields of interfacial cracks in adhesively bonded DCBs, 2A690
WANG, YJ: Analysis of different boundary condition models for study of wave scattering from fiber-matrix interphases, 9A188
WANG, YK: Active and passive vibration control of an axially moving beam by smart hybrid bearings, 3A146
- Analysis of an arbitrary shaped guide bearing subject to normal oscillation and translation of a plate, 3A1205
WANG, YM: Stroh formalism for anisotropic materials that possess an almost extraordinary degenerate matrix N, 6A484
WANG, YONG TAI: Electronic device to measure drive and recovery phases during wheelchair propulsion: A technical note, 1A1474
WANG, YONGGANG: Probabilistic distribution of ice forces on a solitary pile in the Liaodong Bay, 1A1444
WANG, YONGLAN: Mechanical and environmental factors in the cyclic and static fatigue of a machinable glass-ceramic, 7A667
WANG, YOUYI: Robust filtering for interconnected uncertain systems under sampled measurements, 12A358
WANG, YP: Instantaneous control of structures with time-delay consideration, 9A846
WANG, YQ: Spatial distribution of yarns and mechanical properties in 3D braided tubular composites, 9A498
WANG, YS: Effect of operating conditions on heavy duty engine valve seat wear, 7A877
- Wear mechanism analysis of engine exhaust valve seats with a laboratory simulator, 10A981
WANG, YU: Dynamic analysis of flexible mechanisms with clearances, 6A971
- Stick-slip motion of frictionally damped turbine airfoils: A FE in time approach, 10A212
WANG, YUAN: Output-to-state stability and detectability of nonlinear systems, 8T375
WANG, YUANFEI: Study on the behavior of adiabatic shear bands in impact wear, 3A859
WANG, YUANMING: Properties of positive solutions for non-local reaction-diffusion problems, 4A1281
- Uniqueness of an inverse problem for a 1D wave equation from transmission data, 8A70
WANG, YUANZHAN: Dynamic response behaviors of upright breakwaters under breaking wave impact, 4A962
WANG, YUE-SHENG: Transient motion of an interface dislocation and self-similar propagation of an interface crack: Anti-plane motion, 5A687
- Slip with friction between a layer and a substrate caused by an SH pulse, 8T233
WANG, YUESHENG: Dynamic self-similar debonding of interface at very high velocity: Anti-plane case, 7A763
WANG, YUH-CHANG: Micromechanics of nonlinear behavior in solid-filled Mooney-Rivlin rubber specimen, 3A435
WANG, YUH-CHUNG: Effective thermal conductivity of misoriented short-fiber reinforced thermoplastics, 2A432
WANG, YUQING: Beta drift of baroclinic vortices - Part I: Adiabatic vortices, 3A1000
- Beta drift of baroclinic vortices - Part II: Diabatic vortices, 7T1017
WANG, YUXIN: Primary resonances of elastic linkages (Chinese), 2A67
WANG, YW: Strain gradient approach for deformation localization and forming limit diagrams, 9A662
WANG, Z: Heat transfer enhancement within a turbine blade cooling passage using ribs and combinations of ribs with film cooling holes, 1A1108
- Color image processing system for transient liquid crystal heat transfer experiments, 1A1203
- Unified correlations in transition temperatures of low-alloy steels and weld metals of various toughnesses, 6A817
- Improved calculation of eigenvector sensitivities using matrix perturbation analysis, 9A880
- Structural damage detection using measured FRF data, 12A789
WANG, Z-D: Active vibration control and suppression for intelligent structures, 8A889
WANG, ZAIPING: Dynamic analysis of flexible mechanisms with clearances, 6A971
WANG, ZAISHEN: Numerical study on identification of time varying parameters of vibration systems, 6A361
- Perturbation method for the determination of the buckling strength of imperfection-sensitive structures, 11A525
WANG, ZE-PING: Modeling fracture process in a ductile solid under intense impulsive loading using a model of the void growth with temperature-dependency, 5A698
WANG, ZF: Two- and three-dimensional separation of stresses using automated photoelasticity, 2A730
- Image analysis for birefringence measurements in photoelasticity, 12A863
WANG, ZG: Low cycle fatigue of a copper bicrystal under constant plastic strain control, 8A744
- Modification of the residual stress state in a SiC_p-6061Al composite by low-temperature treatment, 9A496
- Cyclic stress-strain response and dislocation structure of a [345]/[117] copper bicrystal, 12A533
- Mode I and mixed mode I-II fatigue cracking in $Ni_3Al(CrB)$ single crystals, 12A761
WANG, ZHAOJING: Experimental study on superficial sliding of a new type of offshore platform, 1A856
WANG, ZHAOLIN: Stability of non-conservative linear gyroscopic systems, 9A93
WANG, ZHAOYIN: Preliminary study on the turbulence structure of flows on non-Newtonian fluid, 2A1040
WANG, ZHEN: Statistical model and experimental study of the strain rate and temperature dependence of the strength of fibers, 3A490
WANG, ZHENG: Identification of nonlinearities in cushioning packaging using neural networks with fuzzy adaptive control, 12T361
WANG, ZHENQING: Stress-strain field near the crack-tip of an incompress rubber-like material, 5A662
- Interaction of plane SH-waves and non-circular cavity surfaced with lining in anisotropic media, 6A235
WANG, ZHENYI: Activities and selectivities of copper-metal-oxide catalysts at temperatures relevant to chemical heat-pumps based on isopropanol-acetone interconversions, 3A1460
WANG, ZHI-LI: Statistical strength of unidirectional composites and the effect of the interfacial shear strength, 7A707
- Study of the influence of interfacial damage on stress concentrations in unidirectional composites, 8A808
WANG, ZHI-WEI: Nonlinear analysis of U-shaped bellows using integral equation method, 4A944
WANG, ZHIGANG: Sync laser measurement of two-phase of vapor and liquid and 3D concentration of fuel spray (Chinese), 10A1270
WANG, ZHONG-MIN: Coupled analysis of fluid transients and structural dynamic responses of a pipeline system, 8T1023
WANG, ZHONGHE: Modeling full-tensor anisotropy in groundwater flow via an iterative scheme for mixed FEs, 6A1397
WANG, ZHONGTUO: Novel network planning method: Group decision network planning technique (Chinese), 10A555
WANG, ZI-XIAN: Sensitivity analysis and optimization of coupled thermal and flow problems with applications to contraction design, 5A34
WANG, ZIDONG: Robust controller design for uncertain linear systems with circular pole constraints, 7T341
WANG, ZIKUN: Thermal stresses analysis of a 3D crack in a thermopiezoelectric solid, 5A642
WANG, ZN: Morpohological aspects of fatigue crack propagation - Part II: Effects of stress biaxiality and welding residual stress, 12A748
WANG, ZR: Experimental research and FE simulation of plates hydrobulging in pairs, 1A558
- Research on residual stresses after hydrobulging of spherical vessels, 1A497
- Stress analysis of approximately ellipsoidal cold-spun tri-arc tank head and parameter optimization, 1A587
- Research on the residual stresses of hydrobulged spherical vessels, 1A498
- Theoretical analysis and experimental research into the integral hydro-bulge forming of oblate shells, 6A688
- Research into the dieless hydro-forming of non-uniform thickness spherical vessels, 12A727
WANG, ZT: Mathematical model study on the dieless drawing of variable-section tubular parts, 4A666
WANG, ZW: J integral estimation fracture analysis for circumferentially cracked carbon steel piping, 6A770
WANG, ZY: Dynamic analysis of the ultrasonic machining process, 2A171
- Wear of CBN tool in turning of silicon nitride with cryogenic cooling, 8A944
WANGEN, M: Two-phase oil migration in compacting sedimentary basins modeled by the FEM, 8A1464
- Non-Rayleigh convection caused by ground surface topography, 11A1451
WANHILL, RJH: Aircraft crash caused by stress corrosion cracking, 11A655
WANIELISTA, MP: Hydrology: Water Quantity and Quality Control, 8N27
WANMUHAMAD, W: Machining of green Si_3N_4 polymer bonded ceramic materials, 4T695
WANNENBURG, J: Effect of a long post weld heat treatment on the integrity of a welded joint in a pressure vessel steel, 8A979
WANSCHURA, M: Three-dimensional instability of axisymmetric buoyant convection in cylinders heated from below, 5A1028
- Flow in two-sided lid-driven cavities: Non-uniqueness, instabilities, and cellular structures, 10A1153
WAPLAK, S: Investigations of phase transitions in $(NH_4)_3H(SO_4)_2$ crystal by means of Mn^{2+} EPR spectra, 9A1334
WARBURTON, J: Principles and practice of hydraulic modeling of braided gravel-bed rivers, 10T1055
WARD, AC: Generalizing interval matrix operations for design, 9T973
WARD, AK: Design of a small satellite for earth observation, 6A929
WARD, AS: Solid-Liquid Filtration and Separation Technology, 3R32
WARD, B: Effect of receiver size on nonlinear pressure field measurements, 4A319
- Nonlinear propagation applied to the improvement of resolution in diagnostic medical ultrasound, 7A251
WARD, CA: Bubble shapes in rotating two-phase fluid systems: A thermodynamic approach, 3A1075
WARD, CH: Layered Materials for Structural Applications, 7N15
WARD, IM: Large deformations of semicrystalline polymer modeled using the necking network concept, 12A478
WARD, J: Traveling combustion waves in porous media, 7A1419
- Modeling, optimization, and performance evaluation of a parabolic trough solar collector steam generation system, 9A1535
WARD, LM: Spacecraft attitude estimation using the global positioning system: Methodology and results for RADCAL, 5A312
WARD, MJ: Eliminating indeterminacy for localized solutions to reaction-diffusion equations in multi-dimensional domains, 5A1317
WARD, SM: Characteristic loading of light mould-board ploughs at slow speeds, 2A816
- Modeling foam damping materials in automotive structures, 12A212
WARD, TC: Single-fiber pull-out test - I: Review and interpretation, 1A527
- Single-fiber pull-out test - 2: Quantitative evaluation of an uncatalyzed TGDDM-DDS epoxy cure study, 1A765
WARD, TJ: Debris flow run-out and landslide sediment delivery model tests, 11T921
WARD, WC: Simple harmonic analysis of regenerators, 5A1268
WARD-CLOSE, CM: Special issue devoted to the structural materials center at the defense research agency, United Kingdom, 2T456
WARDLE, BL: Importance of instability in impact response and damage resistance of composite shells, 7A199
WARDWELL, DA: Single jet-induced effects on small-scale hover data in ground effect, 11A1148
WARFIELD, V: Performance of a high-solidity Wells turbine for an OWC wave power plant, 6A1364
WARHAFT, Z: Onset of high-Reynolds-number grid-generated wind tunnel turbulence, 3A1166
WARICHET, V: Adaptive hp-FE viscoelastic flow calculations, 3A455
WARK, CE: Extraction of turbulent wall-pressure time-series using an optimal filtering scheme, 6A1146
WARKE, RW: Residual Stresses in Design, Fabrication, Assessment, and Repair, 2N28
WARMINSKI, J: Chaotic vibration affected by initial conditions in a parametrically and externally excited system with backlash, 4A81

WARN, T: Self-similarity of decaying 2D turbulence, 5A1047
WARNATZ, J: Development of a parallel direct simulation code to investigate reactive flows, 2A59
- Numerical investigation of the combustion process in a direct-injection stratified charge engine, 6A1351
WARNCKE, AE: Vortex ring generation due to the coalescence of a water drop at a free surface, 9A1067
WARNER, J: Scattering and inverse scattering of sound-hard obstacles via shape deformation, 11A265
WARNER, K: Design and process considerations for a tunneling tip accelerometer, 4A422
WARNICKI, JW: New method for assessment of changes in retinal blood flow, 11A1569
WARREN, DG: Impact of manifold design on heat exchanger efficiency, 11A1274
WARREN, DL: Differential mass and energy balances in the flame zone from a practical fuel injector in a technology combustor, 10A1417
WARREN, J: Fiber damage model for early stage consolidation of metal-coated fibers, 8A799
WARREN, TL: Random Cantor set models for the elastic-perfectly plastic contact of rough surfaces, 2A920
- Perforation of aluminum plates with ogive-nose steel rods at normal and oblique impacts, 6A255
WARREN, WE: Deformation of O-rings compressed by smooth rigid plates, 12A612
WARRICK, AW: Simulation of unsaturated water flow around obstructions: 3D Rankine bodies, 6T1381
WARRIER, SG: Determination of the interface failure mechanism during transverse loading of single fiber SiC/Ti-6Al-4V composites from torsion tests, 7A734
WARRINGTON, CS: Parametric contract modeler for DFM analysis, 2T374
WARRINGTON, RO: Graetz problem extended to slip-flow, 7A1240
- Three-dimensional numerical model for thermal analysis in X-ray irradiated photoresists, 11A1331
WARSI, ZUA: Spectral solution for the bending of arbitrarily shaped plates, 8A580
- Vorticity jump in surface coordinates across a shock in nonsteady flow, 12T1101
WARSZAWSKI, A: Economic evaluation of design codes: Case of seismic design, 6A1465
WARWARUK, J: Tests of tall cavity walls subjected to eccentric loading, 12A918
WARZEE, G: Superconvergent patch recovery technique for the FEM in acoustics, 4A314
WASA, Y: Study on lining design of earth tunnels with large diameter under high water pressure (Japanese), 2T810
WASFY, TM: Modeling and sensitivity analysis of multibody systems using new solid, shell, and beam elements, 6A53
- Computational procedure for simulating the contact-impact response in flexible multibody systems, 12A95
WASHABAUGH, PD: Balance technique for monitoring in situ structural integrity of prismatic structures, 10A955
- Finite strain elastostatics with stiffening materials: A constrained minimization model, 12A476
WASHBURN, R: Segregation of drop size and velocity in jet impinging splash-plate atomizers, 4A1064
WASHINGTON, D: Aeroacoustic properties of a supersonic diamond-shaped jet, 2A981
WASHINGTON, DM: Multiaxis fluidic thrust vector control of a supersonic jet using counterflow, 2T1095
WASHINGTON, G: Smart aperture antennas, 7A811
- Smart aperture antennas, 7A812
WASHIO, S: Study of unsteady orifice flow characteristics in hydraulic oil lines, 7A1001
WASILEWSKI, P: Subband coding for thermal image compression, 9T317
WASILEWSKI, S: Research an air flow in a mine, 9A1528
WASIMI, S: Stochastic Hydraulics '96, 4N26
WASNIEWSKI, J: LAPACK for Fortran 90, 4T64
- Handling the chemical part in large air pollution models, 4A1473
WASSERMANN, J: Adaptive vibration control of a rigid rotor supported by active magnetic bearings, 5A132
WASSGREN, CR: Vertical vibration of a deep bed of granular material in a container, 3A1342
WASSILIEFF, C: Sound absorption of wood-based materials, 3A311
WASSMUTH, CM: Elastic wave contributions in high-resolution acoustic images of fluid-filled, finite cylindrical shells in water, 1A278
WASTI, Y: Behavior of model footings on sand reinforced with discrete inclusions, 9A635
WASYLEWSKI, NA: Experimental device for investigating the force and power requirements of a powered gait orthosis, 10A1564
WATANABE, A: Aircraft flight control and navigation systems, 5A314
- Boussinesq equations for wave transformation on porous beds, 9A1423
WATANABE, C: Free vibration analysis of thin walled structures by finite node-strip method (Japanese), 6A220
WATANABE, E: Three dimensional contact-separation behavior on high strength bolted flange joints (Japanese), 3A927
- Harmonic wave response analysis of elastic floating plates by modal superposition method, 9A915
WATANABE, H: Multicriterial material tailoring of a hollow cylinder in functionally gradient materials: Scheme to global reduction of thermoelastic stresses, 3A529
- Nonlinear rheological behavior of a concentrated spherical silica suspension, 5A894
- Effects of solid particle properties on cavitation erosion in solid-water mixtures, 7A1005
- Flow characteristics of a bluff body cut from a circular cylinder, 11T954
WATANABE, K: Neural network controller with flexible structure based on feedback-error-learning approach, 1A360
- Handling and stability performance of four-track steering vehicles, 1A370
- Hygrothermal stress of clay in a high-speed drying furnace, 5A515
- Regularization of nearly singular boundary integrals in 3D potential problems, 5A57
- SH-wave in a cylindrically anisotropic solid, 6A237
- Channel-meandering effect on the large-scale structure of turbulent secondary flow (Japanese), 7T1014
- Resonant frequency of a reciprocating load on an elastic beam, 9A133
- SH wave in a cylindrically anisotropic elastic solid: A general solution for a point source, 10A263
- Thermal stress at an off-angled interface, 10A1375
- Effect of particles accumulation on drag force in solid-liquid two-phase flows (Chinese), 10A1121
- Motion analysis of ski-jumping (Japanese), 10T1575
- Scalar wave analysis of distributed and moving sources by means of Huygens construction, 12A235
- Structural design and high-pressure test of a ceramic combustor for 1500°C class industrial gas turbine, 12T1387
WATANABE, M: Development of man-machine cooperative production system, 1A1468
- Orbital re-entry experiment vehicle ground and flight dynamic test results comparison, 4A866
- Evaluation of ceramic rotor strength by cold and hot spin tests, 11A484
WATANABE, O: Molecular dynamics simulation of effects of lattice orientation on crack propagation in alpha-iron when the primary slip direction is in the plane of tensile stress, 1A781
WATANABE, S: Nonlinear calculation of rotating cavitation in inducers, 4A1142
- Temporary threshold shift of a vibratory sensation induced by hand-arm vibration composed of four one-third octave band vibrations, 9A1593
WATANABE, T: MHD stability of boundary layer flow over a moving flat plate, 1A1087
- Heat transfer characteristics in *tert*-butanol dehydration reaction used for heat transport, 2A1260
- Fundamental study of rolling friction in the region of micro-displacement - 1st Report: Development of forced type testing apparatus for rolling friction (Japanese), 4A878
- Fundamental study on applications of damage mechanics to evaluation of material degradation, 6A788
- H^{∞} control of transverse-torsional coupled vibrations using multiple active dynamic vibration absorbers, 7A120
- Stability evaluation of rock masses with tunnel supports by taking into account dissipation energy (Japanese), 8A674
- Reciprocity calibration of acoustic emission transducers in Rayleigh-wave and longitudinal-wave sound fields, 8A359
- Fundamental study on rolling friction in the region of micro-displacement - 2nd report: Measurement of rolling characteristics in the transient region (Japanese), 10A967
WATANABE, Y: Research and development of SST-HST engine, 5T1375
- Verified computations of solutions for nondifferentiable elliptic equations related to MHD equilibria, 6T1168
- Measurement of van der Waals force of toner adhesion employing a linearly increasing electric field and determining the toner jumping voltage, 6A980
- Interpolating clothoidal spline curve by computer algebra system (Japanese), 7A74
- Three-axis capacitive accelerometer with uniform axial sensitivities, 8A415
- Shaft response characteristics of hybrid type hydrostatic journal gas bearings with fluid damper (Japanese), 9A960
WATERHOUSE, RV: Singular points of intensity streamlines in 2D sound fields, 8A353
WATERS, SB: Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, 4A765
WATERS, SL: Flow in a tube with non-uniform, time-dependent curvature: Governing equations and simple examples, 4A1043
WATHUGALA, GW: Calibration of a constitutive model using genetic algorithms, 7A567
WATKINS, A: Knee simulating machine for performance evaluation of total knee replacements, 6A1547
WATKINS, AP: Investigation of combustion chamber shapes for small automotive direct injection diesel engines employing spray impaction, 2A1345
- Comparison of wall spray impaction models with experimental data on drop velocities and sizes, 2A1341
- Differential stress modeling of turbulent flows in model reciprocating engines, 9A1087
WATKINS, CB: Shock tube research facility for high-resolution measurements of compressible turbulence, 6A1144
WATKINS, J: Parameter set estimation algorithms for time-varying systems, 10A416
WATKINS, RD: Characteristics of liquid column vibration absorbers (LCVA) - I, 6A216
- Characteristics of liquid column vibration absorbers (LCVA) - II, 6A217
WATKINS, WJ: Efficient parallel Gauss-Doolittle matrix triangulation, 7A72
WATREMEZ, M: Friction, temperature, and wear analysis for ceramic coated brake disks, 1T876
WATSON, AJ: Interaction between concrete cladding panels and fixings under blast loading, 4A221
WATSON, BC: Large-scale contact-impact simulation and sensitivity analysis on distributed-memory computers, 9A199
WATSON, GA: Algorithm for computing the numerical radius, 12A87
WATSON, JC: Mixed convective heat transfer between a series of vertical parallel plates with planar heat sources, 5T1168
WATSON, JHP: Vortex magnetic separation, 11A998
WATSON, KM: Interaction of capillary waves with longer waves - Part I: General theory and specific applications to waves in one dimension, 3A231
WATSON, KP: Application of a panel method to hydrodynamics of underwater vehicles, 8A284
WATSON, LT: Variable-complexity response surface approximations for wing structural weight in HSCT design, 1A1092
- Probability-one homotopy algorithms for full-and reduced-order H^2/H^{∞} controller synthesis, 3T360
- Supersonic flows of dense gases in cascade configurations, 8A1097
- Global stability of a thick solid supported by elastica columns, 9A585
- Numerical verification of scaling laws for shock-boundary layer interactions in arbitrary gases, 9A1082
WATSON, P: General theory for the accurate stress analysis of homogeneous and laminated composite beams, 12A552
WATSON, R: Calculation of electrohydrodynamic flow in a circular cylindrical conduit, 12A1156
WATT, DW: Experimental study of transient natural convection in an inclined rectangular enclosure, 9A1217
WATT, SD: Construction of zonal models of dispersion in channels via matched center manifolds, 1A1438
- Combustion waves, 10A1401
WATTERS, PJ: Experimental verification of CRS consolidation theory, 11A557
WATTS, GR: Acoustic performance of an interference-type noise-barrier profile, 4A300
WATTS, ME: Flight measurements of blade-vortex interaction noise including comparisons with full-scale wind tunnel data, 4A1147
WATTS, RW: One-dimensional clarifier model with sludge blanket heights, 6A1521
WATWE, AA: Combined pressure and subcooling effects on pool boiling from a PPGA chip package, 12A1277
WATWOOD, VB: Total orthogonalization of redundants in the force method, 3A30
WATZKY, P: Miscible displacement between two parallel plates: BGK lattice gas simulations, 11A1074
WAUBKE, H: Nonlinear stochastic dynamics of systems with random properties: A spectral approach combined with statistical linearization, 3A126
WAUER, J: Free and forced magneto-thermo-elastic vibrations in a conducting plate layer, 5A106
WAUTERS, P: Effects of velocity fluctuations on a vane anemometer (French), 7A1224
WAWNER, FE: Stress-free temperature of the macro-interface in selectively reinforced aluminum castings, 1A1292
- Effect of surface flaws on SiC fiber strength in an SiC/Ti-alloy composite, 11A701
- Experimental and theoretical assessment of the longitudinal tensile strength of unidirectional SiC-fiber and titanium-matrix composites, 11A452
WAWRZYNEK, A: Space-time generalization of R-function method, 9A63
WAWRZYNEK, PA: Quasi-automatic simulation of crack propagation for 2D LEFM problems, 2A620
- Methodology for fatigue crack growth and residual strength prediction with applications to aircraft fuselages, 12A759
WAY, D: Friction-damped moment-resisting frames, 3A1384
WAY, TR: Soil stresses under a tractor tire at various loads and inflation pressures, 2A819
- Soil stress state orientation beneath a tire at various loads and inflation pressures, 12A493
WAY, YS: Investigation of mid-loop operation with loss of RHR at INER integral system test facility, 1A1431
WAYNE, JS: Three-dimensional FEM for large elastic deformations of ventricular myocardium - II: Prolate spheroidal coordinates, 5A31
WAYNER JR, PC: Kelvin-Clapeyron adsorption model for spreading on a heated plate, 5A1219
WAYWELL, MN: Application of a cubic pressure-strain correlation to turbulent flow over sand ripples, 7A261
- Application of roughness-dependent boundary conditions to turbulent oscillatory flows, 11A1109
WAZENSKI, M: Active, wideband detection and localization in an uncertain multipath environment, 9A285
WEATHERBY , JR: Three-dimensional FE simulation of creep deformation in rock salt, 6A651
WEATHERILL, NP: Reconstruction of boundary contours and surfaces in arbitrary unstructured triangular and tetrahedral grids, 6A69
- Adaptation of unstructured grids for transonic viscous flow simulation, 10A31
WEAVER, BL: Development of ceramic composite hot-gas filters, 1A1357
WEAVER, DK: Optimizing and assessing the performance of an algorithm that cross-correlates acquired acoustic emissions from internally feeding larvae to count infested wheat kernels in grain samples, 12A346
- Quantifying larval infestation with an acoustical sensor array and cluster analysis of cross-correlation outputs, 12A348
WEAVER, DS: Flow-Induced Vibration - 1996, 2N10
- Axial vibrations of fluid-filled bellows expansion joints, 5A207
- Fluidelastic instability in a tube array subjected to partial admission water cross-flow, 9T230
WEAVER, MA: Conjugate heat transfer analysis with subcooled boiling for an arc-heater wind tunnel nozzle, 6A1255
WEAVER, RL: Spectral statistics in damped systems - Part I: Modal decay rate statistics, 1A338
- Spectral statistics in damped systems - Part II: Spectral density fluctuations, 1A339
- Effect of decay rate variability on statistical response predictions in acoustic systems, 4A289
- Effect of an undamped finite dof "fuzzy" substructure: Numerical solutions and theoretical discussion, 5A91
- Mean and mean-square responses of a prototypical master-fuzzy structure, 8A118
- Multiple-scattering theory for mean response in a plate with sprung masses, 12A180
WEBB, BW: Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, 9A1206
- Heat transfer characteristics of arrays of free-surface liquid jets, 11A1209
WEBB, DC: Application of the FEM to determine the response of a pretorsioned pipe cluster to static or dynamic axial impact loading, 7A205
WEBB, DR: Relationship between the Colburn and Silver methods of condenser design, 1A1210
WEBB, RL: Heat transfer and friction correlations for wavy plate fin-and-tube heat exchangers, 12A1319
WEBB, SC: Microearthquakes at intermediate spreading-rate ridges: The Cleft segment megaplume site on the Juan de Fuca Ridge, 12T1440
WEBB, T: Equilibrium solute distribution near an interface crack tip and environment-assisted cracking in bi-materials, 6T792
WEBB, TW: Crack growth resistance curves and stick-slip fracture instabilities, 8T818
- Simple method for calculating shear band angles for pressure sensitive plastic materials, 8T529
- Loading rate dependence of stick-slip fracture in polymers, 8T737
WEBBER, RS: Experimental study of ultrasonic attenuation in microporous polyethylene, 10A364
WEBBON, BW: Isolated bubble regime in pool nucleate boiling, 4A1222
WEBER JR, JW: Load balancing and performance issues for data parallel simulation of stiff chemical nonequilibrium flows, 9A1041
WEBER, B: Fourier-FE approximation of elliptic interface problems in axisymmetric domains, 1A21
WEBER, HI: Longitudinal train dynamics (Spanish), 1A106
WEBER, JKR: Containerless thermal diffusivity determination of high-temperature levitated spherical specimen by extended flash methods: Theory and experimental validation, 11A1203
WEBER, R: Computationally efficient procedure for calculating gas radiative properties using the exponential wide band model, 1A1249
- Mathematical modeling of a 2.25 MW, swirling natural gas flame - Part I: Eddy break-up concept for turbulent combustion; probability density

function approach for nitric oxide formation, 2A1336
- Evaluation of emissivity correlations for H_2O-CO_2-N_2-air mixtures and coupling with solution methods of the radiative transfer equation, 11A1424
WEBER, RJ: Modification of the TSI 3025 condensation particle counter for pulse height analysis, 2A1356
- Ultrafine aerosol measurement using a condensation nucleus counter with pulse height analysis, 2A1354
WEBER, RM: Numerical study of a low permeability microporous heat sink for cooling phased-array radar systems, 1A1402
- Numerical characterization of micro heat exchangers using experimentally tested porous aluminum layers, 5A1190
- Experimental determination of permeability and inertia coefficients of mechanically compressed aluminum porous matrices, 11T1335
WEBER, RO: Combustion waves, 10A1401
WEBER, Z: VSP inversion: A new method using edge detection, 12A1436
WEBSTER, DR: Turbulence characteristics of a boundary layer over a 2D bump, 3A1146
- Turbulence characteristics of a boundary layer over a swept bump, 4A1033
WEBSTER, GA: Measurement of prior plastic deformation in metallic alloys using the neutron diffraction technique, 10A595
- Effects of the state of stress on the tensile and creep properties of γ-TiAl, 12A527
WEBSTER, MF: Modeling polymer melt flows in wirecoating processes, 1A635
- Vortex development in viscoelastic expansion and contraction flows, 3A974
- Simulation of some model viscoelastic extensional flows, 4A495
- Adaptive solutions for viscoelastic flows, 4A499
WEBSTER, PD: Image detection approach to NC rough-cut milling from solid models, 6A693
WECKWERTH, MK: Experimental fretting-wear studies of steam generator materials, 11A657
WECLAS, M: Effect of engine head geometry on the in-cylinder flow structure (Polish), 2A1342
WEDEKIND, GL: Modeling the characteristics of thermally governed transient flow surges in multitube two-phase condensing flow systems with compressibility and thermal and flow distribution asymmetry, 12A1282
WEDEWARD, K: Adaptive explicit force control of position-controled manipulators, 2A341
WEDGEWOOD, LE: Laser Doppler measurements of flow in a cone-and-plate rheometer and the effect of cone misalignment, 9A992
WEDIG, WV: Iterative schemes for stability problems with non-singular Fokker-Planck equations, 3A124
WEEKS, AR: Propagation of a Gaussian-beam wave through a random phase screen, 10A352
WEEKS, ER: Anomalous diffusion in asymmetric random walks with a quasi-geostrophic flow example, 4A1279
WEESE, JA: Deformation of O-rings compressed by smooth rigid plates, 12A612
WEGENER, K: Suitability of yield functions for the approximation of subsequent yield surfaces, 7A436
WEGENER, M: Visualization and analysis of bow shocks in a superorbital expansion tube, 4T1042
WEGENER, PP: What Makes Airplanes Fly? History, Science, and Applications of Aerodynamics, Second Edition, 6N23
WEGGEL, DC: Second-order vertical diffraction forces on truncated cylinders, 6A1000
WEGNER, JL: Coupled radially symmetric linear thermoelasticity, 12A297
WEHRMEYER, JA: Influence of strain rate and fuel dilution on laminar nonpremixed hydrogen-air flame structure: An experimental investigation, 3A1298
WEI , ZHAO: Robust multiobjective controllers for smart structures, 6A872
WEI, B-Z: Empirical method to estimate shear wave velocity of soils in the New Madrid seismic zone, 3A205
WEI, FU-SHANG: Eigenvector derivatives with repeated eigenvalues using generalized inverse technique, 4T112
- Practical complete modal space and its applications, 4T102
- Efficient computation of many eigenvector derivatives using dynamic flexibility method, 9A124
WEI, H: Nonequilibrium algebraic model for turbulent density fluctuations, 2T1048
WEI, J: Fracture resistance of a ferritic-austenitic duplex steel, 1A748
- Modeling analysis for splitting failure of orthotropic laminates with a surface notch, 7A745
- Method of analyzing finite periodic structures - Part 2: Comparison with infinite periodic structure theory, 11A170
- Method of analyzing finite periodic structures - Part 1: Theory and examples, 11A169
WEI, JG: Numerical study of natural convection in a vertical annulus with constant heat flux on the inner wall, 7A1250
WEI, JIANG: General solution to the two-surface plasticity theory, 7A433
WEI, JIANJUN: Friction and wear properties of Cr_2O_3 coating with aqueous lubrication, 5A842
WEI, JIE: Fin efficiency enhancement using a gravity-assisted planar heat pipe, 5A1271
WEI, JIN-MING: Measurement of particle size in the dense suspension using the extinction method, 9A1194
WEI, LANHUA: Nondestructive detection of damage produced by a sharp indenter in ceramics, 1A822
WEI, PS: Transport phenomena during resistance spot welding, 2A1190
- Surface ripple in electron-beam welding solidification, 5A1287
- Energy absorption in a conical cavity truncated by spherical cap subject to a focused high-intensity beam, 7A1320
- Three-dimensional analytical temperature field and its application to solidification characteristics in high- or low-power-density-beam welding, 9A1266
WEI, QIHANG: New system for 3D kinematic trajectory acquisition and analysis - I: The application of an ultrasonic technique to human gait analysis, 1A1454
- New system for 3D kinematic trajectory acquisition and analysis - II: Digital orthogonal integration phase-detection technique, 1A1455
WEI, RP: Three-dimensional model for the probabilistic intergranular failure of polycrystalline arrays, 4A529
WEI, W: Studies of sound transmission in various types of stored grain for acoustic detection of insects, 12A319
WEI, WEI: Fiber orientation in composite structures for optimal resistance to creep failure, 3A674
- Study on beam optimizing of wideband staggertuned array, 8A356
WEI, YANG: Unification of the Hamilton principles in non-holonomic system and in holonomic system, 1A102
WEI, YUEGUANG: Nonlinear delamination mechanics for thin films, 12A783
WEIBEL, S: Global dynamics of a rapidly forced cart and pendulum, 12A119
WEICHERT, D: Optimization of design of railway disc brake pads, 5A858
WEIDLINGER, P: Passive structural control with sequential coupling, 3A754
WEIDMAN, PD: Similarity solutions for steady laminar convection along heated plates with variable oblique suction: Newtonian and Darcian fluid flow, 2A1153
- Stability of stationary endwall boundary layers during spindown, 5A1031
- Boundary layer similarity flow driven by power-law shear, 8A1122
WEIGAND, A: Experimental studies of vortex disconnection and connection at a free surface, 3A1003
- Evolution of laminar vortex rings, 10A1067
WEIGAND, B: Shape optimization of cooling channels using genetic algorithms, 11T1306
WEIGAO, QIAO: Hull starting resistance of a boat-type vehicle, 12A1164
WEIGL, HJ: Stall precursor identification in high-speed compressor stages using chaotic time series analysis methods, 12A1182
WEIGLHOFER, WS: Bruggeman formalism for two models of uniaxial compoiste media: Dielectric properties, 9A601
WEIHE, S: Implicit integration of elastoplastic constitutive models for frictional materials with highly nonlinear hardening functions, 8A4
WEIHS, TP: Nanomechanical properties of SiC films grown from C_{60} precursors using atomic force microscopy, 7T934
WEIJS, WA: New transducer system for direct motor unit force measurement, 4A1495
WEILMUENSTER, KJ: Hypersonic aerodynamic characteristics of a proposed single-stage-to-orbit vehicle, 2A839
WEINACHT, P: Computation of the roll characteristics of a finned projectile, 6A1198
WEINAN , E: Finite difference schemes for incompressible flows in the velocity-impulse density formulation, 7A1038
WEINANS, H: Computational strategies for iterative solutions of large FEM applications employing voxel data, 2A28
WEINBAUM, S: New fundamental bioheat equation for muscle tissue - Part I: Blood perfusion term, 12A1546
WEINBERG, H: Gaussian ray bundles for modeling high-frequency propagation loss under shallow-water conditions, 3A302
WEINBERGER, P: Interlayer exchange coupling: Effect of alloying, 9A607
WEINERT, AK: Numerical study of a low permeability microporous heat sink for cooling phased-array radar systems, 1A1402
WEINERT, K: Time domain method for the localization of cracks in rotors, 2A177
WEINGOLD, HD: Bowed stators: An example of CFD applied to improve multistage compressor efficiency, 10A1244
WEINREICH, G: Mechanics of Musical Instruments, 1R8
WEINSTEIN, M: Rotation and magnetic effect on the non-axisymmetric temporal stability of a capillary jet, 3A1136
- Traveling wave instability caused by moving planar heat sources: The rigid problem, 3A1233
- Optimum parting line design of molded and cast parts for manufacturability, 8A459
WEINSTEIN, MI: Asymptotic stability of solitary waves for the regularized long-wave equation, 2A217
WEINSTOCK, LA: Automated plaque picking and arraying on a robotic system equipped with a CCD camera and a sampling device using intramedic tubing, 5T361
WEIR, GJ: Enhanced conduction in steady, vertical flows of water, steam and carbon dioxide in a porous medium, 3A1357
- Surface deposition from fluid flow in a porous medium, 4A1336
WEISE, W: Theory of 3D imaging of strong scatterers in scanning acoustic microscopy, 11A753
WEISEND II, JG: Cryogenic Two-Phase Flow: Applications to Large Scale Systems, 1R38
WEISER, MW: Effective elastic constants of solids containing spherical exclusions, 11A366
WEISLOGEL, MM: Damped oscillations of a liquid-gas surface upon step reduction in gravity, 8A271
WEISS, JA: Finite element implementation of incompressible, transversely isotropic hyperelasticity, 3A449
WEISS, LG: Wavelet-based denoising of underwater acoustic signals, 7A289
WEISS, MH: Pressure oscillations occurring in a centrifugal compressor system with and without passive and active surge control, 11A1156
WEISS, P: Seismic upgrading of old brick-masonry urban houses: Tying of walls with steel ties, 3A1396
WEISSMAN, SL: High-accuracy low-order 3D brick elements, 1A74
WEITSMAN, Y: Three-dimensional effects in fiber-reinforced composites under compression, 7A475
WEITSMAN, YJ: Immersed fatigue response of polymer composites, 10A769
WEIZSACKER, HW: New axisymmetrical membrane element for anisotropic, finite strain analysis of arteries, 3A543
WEIß, E: Notch-stress analysis by FE submodeling, 11A29
WELBORN, JR: UV-VIS absorption as a diagnostic for NO in rocket plumes, 8A1412
WELCH, GE: Wave-rotor-enhanced gas turbine engines, 10A1427
WELCHER, BP: Two phase circular regression algorithm for quantifying wear in CV joint ball race tracks, 5A832
WELDON, WF: Aerodynamic loading and magnetic bearing controller robustness using a gain-scheduled Kalman filter, 5A133
WELKIN LI, CHI LEUNG: Modeling heat and moisture transfer in unsaturated soil using a finite difference self-implicit method on parallel computers, 12A686
WELLAND, ME: Directionally sensitive hot-wire anemometer, 10A1268
WELLEIN, R: Determination of critical circumferential through-wall crack sizes regarding load reduction by increased flexibility in piping systems, 11A688
WELLER, CS: Radar imaging of water surface flow fields, 11A950
WELLER, T: Adaptive fuzzy control algorithm for model-independent active vibration damping of flexible beam-like structures, 1A150
- Global dynamic stability of a shallow arch by Poincare-like simple cell mapping, 8A615
WELLFORD, LC: Transient fluid-structure interaction in a control valve, 11A910
WELO, T: Application of numerical simulation in the bending of aluminum-alloy profiles, 1A35
WELSCH, G: Finite element modeling of internally pressurized closed cell composites, 5A806
WELSH, JS: Unidirectional composite compression strengths obtained by testing cross-ply laminates, 4A545
- Testing of angle-ply laminates to obtain unidirectional composite compression strengths, 9A508
- Experimental investigation of the mini-sandwich laminate as used to obtain unidirectional composite compression strengths, 9A521
WELSH, MC: Velocity perturbations induced by the longitudinal vortices in a cylinder wake, 4A1061
- Rapid diagnosis of flow separation around an axial impeller in a mixing vessel, 10A1241
WELTON, WC: PDF model calculations of compressible turbulent flows using smoothed particle hydrodynamics, 11A1090
WELTY, JR: Comparison of equation of transfer with simulations on large arrays of cylindrical reflector elements, 5A1244
- Monte Carlo simulation of radiation heat transfer from an infinite plane to parallel rows of infinitely long tubes: Hottel extended, 8A1365
WEN , XISEN: Active noise control based on intelligent fuzzy control tactics (Chinese), 10A372
WEN, BANGCHUN: Force distribution for the legs of a quadruped walking vehicle, 6A413
WEN, BANGCUN: PFEM formalism in Kronecker notation, 6A32
- Eigenvalue problem of constrained flexible multibody systems, 8T82
WEN, DECHAO: Unitive analysis schemes on problems of multiple moving boundaries with 3D liquid-solid multiple nonlinear coupling for uplift of anchored liquid storage tanks, 10A315
WEN, FENG: Effect of particle inertia on the instability of a particle-laden flow, 3A1066
WEN, KUO-LIANG: Possibility of observing nonlincar path effect in earthquake-induced seismic wave propagation, 2A1397
- Nonlinear soil response - A reality?, 8A1474
WEN, LIANXING: Propagational corrections for basin structure: Landers earthquake, 12A1463
WEN, NAI: Fuzzy probabilistic analysis of seismic stability of coastal embankment, 1A1418
WEN, PH: Dynamic Fracture Mechanics: Displacement Discontinuity Method, 7R1
- Application of the weight function method to 2D elastodynamic fracture mechanics, 1A787
- Influence of elastic waves on dynamic stress intensity factors: 3D problems, 1A742
- Weight function technique in 3D fracture mechanics: Static and dynamic, 6A812
WEN, SHIZHU: Monitoring of the wear condition and research on the wear process for running equipment, 7A883
WEN, SHIZHU: On-line condition monitoring system linked by fiber-optic digital network, 9A946
- Advances in research on a multi-channel on-line ferrograph, 9A929
WEN, SONGLIN: Experimental study on lateral resistance behavior of pile with enlarged base in sand (Japanese), 2A541
WEN, SW: Roll pass evaluation for 3D section rolling using a simplified FEM, 12A721
WEN, WEIDONG: Stochastic BEMs for 3D problems with centrifugal forces and reliability analysis, 5A62
WEN, X: Note on the application of the average correction technique, 4A66
WEN, XUEJUN: Electrochemical and histomorphometric evaluation of the TiNiCu shape memory alloy, 11T768
WEN, YI-KWEI: Dual-level seismic design: A reliability-based methodology, 6A1463
WEN, YK: Method of reliability-based seismic design - I: Equivalent nonlinear systems, 9A1495
- Method of reliability-based seismic design - II: Calibration of code parameters, 9A1496
- Third International Stochastic Structural Dynamics Conference, 10A140
WENDELL, LL: Simple method of estimating wind turbine blade fatigue at potential wind turbine sites, 11A1550
WENDLAND, WL: IABEM Symposium on Boundary Integral Methods for Nonlinear Problems, 9N3
WENDT, BJ: Flow through a rectangular-to-semiannular diffusing transition duct, 9A1089
WENDT, JOL: Nitrogen oxide-chlorine interactions in a laboratory swirl flame combustor, 4A1299
WENDT, MN: Transverse and parallel injection of hydrogen with supersonic combustion in a shock tunnel, 1A1324
- Fuel stagnation temperature effects on mixing with supersonic combustion flows, 9A1372
WENG, CHENG-I: Roughness effects on the dynamic coefficients of ultra-thin gas film in magnetic recording, 4A879
- Surface roughness effects in journal bearings with non-Newtonian lubricants, 4A1171
- Average Reynolds equation for non-Newtonian fluid with application to the lubrication of the magnetic head-disk interface, 7A1197
- Numerical modeling of twin-roll casting by the coupled fluid flow and heat transfer model, 7A627
WENG, CHUN-JEN: Nucleate pool boiling from coated surfaces in saturated R-134a and R-407c, 5A1210
- Nucleate pool boiling heat transfer coefficients of distilled water and R-134a-oil mixtures from ribroughened surfaces, 8A1313
WENG, GJ: Influence of random bridging on the elastic and elastoplastic properties of fiber-reinforced composites, 1A521
- Plasticity of a two-phase composite with partially debonded inclusions, 5A415
- Simple unified theory for the cyclic deformation of metals at high temperature, 5A4
- Transversely isotropic moduli of two partially debonded composites, 6A785
- Stress-strain relations of a viscoelastic composite reinforced with elliptic cylinders, 8A509
- Energy approach to the plasticity of a two-phase composite containing aligned inclusions, 11A432
- Secant-viscosity approach to the time-dependent creep of an elastic-viscoplastic composite, 12A512
- Influence of inclusion microgeometry on some thermomechanical properties of isotropic polymer-matrix composites, 12A1345
WENG, KEQIN: Offshore design waves for Dayaowan port area of Dalian Port, 1A282
WENG, LC: Combined natural convection and radiation in a vertical annulus, 2A1251

WENG, SHYH-WOEI: Impact control scheme inspired by human reflex, 6A434
WENNBERG, KE: Band formation in deposition of fines in porous media, 6A1378
WENNERBERG, A: Characterizing 3D topography of engineering and biomaterial surfaces by confocal laser scanning and stylus techniques, 4A1493
WENNERSTROM, AJ: Three-dimensional shock loss model applied to an aft-swept, transonic compressor rotor, 12A1189
WENSING, JA: Hybrid computational model for noise propagation through a fuselage boundary layer, 2A274
WENZEL, RS: Preliminary study of optimal thrust-limited path-constrained maneuvers, 5A310
WENZEL, W: Analytical approximate 3D solution for the longitudinally vibrating cylinder, 2A182
WEPFER, WJ: Prediction of solid oxide fuel cell power system performance through multi-level modeling, 11A1428
WERELEY, NM: Passive and active damping technologies, 6A141
WERN, CW: Influence of fiber on the cutting stress state in machining idealized glass fiber composite, 10A736
WERN, H: New method to determine triaxial non-uniform residual stresses from measurements using the hole drilling method, 12A48
WERNE, J: Rapidly rotating turbulent Rayleigh-Benard convection, 3A1025
- Plume dynamics in quasi-2D turbulent convection, 9A1338
WERNER, E: Mechanics of multiphase materials, 12A579
WERNER, FW: Tensile strength of the cement-bone interface depends on the amount of bone interdigitated with PMMA cement, 9A1605
- Modeling the tensile behavior of the cement-bone interface using nonlinear fracture mechanics, 10A1568
WERNER, HJ: Loss of stiffness as osteoporosis progresses, 4A1478
WERNER, K: Influence of steel structure and strength on corrosive-fatigue crack growth in the threshold-close area, 4A707
WERNER, T: Paleomagnetic and rock magnetic study of ultramafic and gabbroic rocks from three boreholes in the Sudetes, Poland, 9T1448
WERONSKI, WS: Analysis of the drop forging of a piston using slip-line fields and FEM, 4A661
WESFREID, J-E: Spatial evolution of Gortler instability in a curved duct of high curvature, 2A1013
WESFREID, JE: Pressure fluctuations in an unstable confined jet, 2T1034
- Vortex stretching in a laminar boundary layer flow, 8A1124
WESNOUSKY, SG: Neotectonic study of the San Miguel-Vallecitos Fault, Baja California, Mexico, 8T1466
- Static stress changes and earthquake triggering during the 1954 Fairview Peak and Dixie Valley earthquakes, Central Nevada, 12A1433
WESOLOWSKI, Z: Thermally excited stress waves in a rod resting on elastic foundation, 4A198
WESSELING, P: High Performance Computing in Fluid Dynamics, 1N4
- von Neumann stability conditions for the convection-diffusion equation, 5A1325
- Uniform convergence of discretization error for a singular perturbation problem, 5A1324
WEST, GF: Reducing spurious diffractions in elastic wavefield calculations, 4A218
- Effects of weighting functions on Maslov uniform seismograms: A robust weighting method, 12A1481
WEST, GS: Fluctuating lift and drag forces on finite lengths of a circular cylinder in the subcritical Reynolds number range, 9A218
WEST, M: New package for blast noise prediction at UK artillery and testing ranges, 1A326
- Adaptive grid procedure for high intensity pulses propagating in air, 3A319
- Lagrange Pade parabolic equation (LP-PE) for the prediction of long range sound propagation in the atmosphere, 5A232
- Design of ball wheel mechanisms for omnidirectional vehicles with full mobility and invariant kinematics, 12A1033
WEST, RL: Experimental and analytical power flow in beams using a scanning laser Doppler vibrometer, 2A115
- Weighted least-squares discrete FE formulation for modeling 3D velocity response fields measured by a laser doppler vibrometer, 3A145
WESTBERG, D: Surface micromachining by sacrificial aluminium etching, 8T420
WESTBROOK, GK: Fabric and hydraulic conductivity of sheared clays, 6T641
WESTBURY, PS: Perspectives on wall turbulence: The use of complementary techniques, 4A1085
WESTERWEEL, J: Effect of a discrete window offset on the accuracy of cross-correlation analysis of digital PIV recordings, 11A1196
WESTGATE, CR: Fast electro-optical sensing system for measuring thermal response of a rotating roll without generating contact noise, 11A586
WESTMORELAND, CG: Debonding of interfaces between beta-silicon nitride whiskers and Si-Al-Y oxynitride glasses, 4A765
WESTON, DE: Reflection with beam displacement from simple barriers, 5A243
WESTON, MW: Wall shear rate measurements in an elastic curved artery model, 10A1557
WETHERHOLD, RC: Use of functionally graded materials to eliminate or control thermal deformation, 5A1293
- Mechanics and control of coupled bending and twisting vibration of laminated beams, 10A159
WETTERGREN, HL: Dynamic instability of a rotating asymmetric shaft with internal viscous damping, supported in anisotropic bearings, 2A150
- Delamination in composite rotors, 11A155
WETTON, BR: Discrete compatibility in finite difference methods for viscous incompressible fluid flow, 1A990
- Analysis of the spatial error for a class of finite difference methods for viscous incompressible flow, 10A1092
WEVERS, M: Acoustic emission during tensile testing of SiC-fiber-reinforced BMAS glass-ceramic composites, 10A622
WEXLER, AS: Real-time monitoring of the surface and total composition of aerosol particles, 9A1074
WEY, P: Simulation and diagnosis of ballistic trajectories (French), 8T302
WHALE, J: Study of the near wake structure of a wind turbine comparing measurements from laboratory and full-scale experiments, 3A1458
WHALEN, TM: Free vibration analysis of rotating nonlinearly elastic structures with symmetry: An efficient group-equivariance approach, 11A95
WHALLEY, DC: Simulation and interpretation of wetting balance tests using the surface evolver, 4A949
WHALLEY, R: Identification of engineering system parameters, 9A305
WHAM II, B: Investigation of graphite PEEK composite under compression with a centrally located circular discontinuity, 8A551
WHANG, JU-JENG: Experimental study of the ignition of single droplets under forced convection, 12A1354
WHANG, KYUNG HYUN: Analysis of striation formation in laser material cutting process, 8A698
WHEEL, MA: Finite-volume approach to the stress analysis of pressurized axisymmetric structures, 1A39
- Finite volume method for analyzing the bending deformation of thick and thin plates, 12A636
WHEELER, AA: A ξ-vector formulation of anisotropic phase-field models: 3D asymptotics, 3A1255
WHEELER, JC: Theory of deflagration-to-detonation transition in unconfined flames, 8A301
WHEELER, JPG: Influence of the stem-cement interface in total hip replacement: A comparison of experimental and FE approaches, 12A1579
WHEELER, L: Conditions at an interface between two materials in plane deformation, 7T477
WHEELER, MF: Next Generation Environmental Models and Computational Methods, 4N32
WHELAN, AE: Creating initial cracks for interfacial fracture of ice, 9A1551
WHEN, SHIZHU: Abrasive wear model for lubricated sliding contacts, 2A875
WHITAKER, S: Determination of permeability tensors for two-phase flow in homogeneous porous media: Theory, 1A1385
- Forchheimer equation: A theoretical development, 4A1334
- Flow of Maxwell fluids in porous media, 6A1374
- Heat transfer at the boundary between a porous medium and a homogeneous fluid, 9A1233
WHITE, AC: Analytical expression for a concentric-cylinder radiation view factor, 1T1248
WHITE, B: Statistical inversion from reflections of spherical waves by a randomly layered medium, 5A161
WHITE, BA: Nonlinear robust control designs for a remotely operated underwater vehicle depth control system, 4A396
- Multivariable decoupling design of an ROV depth control system: A direct adaptive fuzzy SMC approach, 9A364
- Robust polynomial eigenstructure assignment using dynamic feedback controllers, 9A343
WHITE, CS: Two surface plasticity model with bounding surface softening, 11A427
WHITE, D: Dry spot formation and changes in liquid composite molding - II: Modeling and simulation, 2A606
WHITE, DJ: Penalty function approach to linear trilevel programming, 10T454
WHITE, DW: Automated solution procedures for negotiating abrupt nonlinearities and branch points, 9A598
- Design of steel frames without consideration of effective length, 12A913
WHITE, G: Code development for ship structures: A demonstration, 11A773
WHITE, JA: Development of square nozzles for supersonic low-disturbance wind tunnels, 6A1116
WHITE, JL: Particle orientation in talc-filled thermoplastics extruded through cylindrical, rectangular, and annular dies, 6A682
- Theory of transversely isotropic plastic viscoelastic fluids to represent the flow of talc and similar disc-like particle suspensions in thermoplastics, 10A584
WHITE, JW: Factored-implicit finite difference solution of a non-Newtonian fluid lubrication equation for 3D bearings, 4A1170
- Flying characteristics of the transverse and negative pressure contour (TNP) slider air bearing, 10A995
WHITE, LW: Resolution of regularized output least squares estimation procedures, 6A86
WHITE, ME: Expansion corner effects on hypersonic shock wave-turbulent boundary-layer interactions, 5A995
WHITE, MF: Rotordynamic analysis of a vertical pump with tilting-pad journal bearings, 12A1016
WHITE, MWD: Vibration of a rotating Timoshenko beam, 4A128
WHITE, RG: Structural damping of composite beams with tapered boundaries, 3A493
- Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part III: Vibrational power cancellation and control experiments, 4A117
- Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part I: Driving point mobility matrix of beams and rectangular plates, 4A115
- Analysis and control of vibrational power transmission to machinery supporting structures subjected to a multi-excitation system - Part II: Vibrational power analysis and control schemes, 4A116
WHITE, RN: Behavior of gravity load designed reinforced concrete buildings subjected to earthquakes, 10A929
WHITE, SP: Surface deposition from fluid flow in a porous medium, 4A1336
WHITE, SR: Process-induced stress relaxation analysis of AS4-3501-6 laminate, 7A427
- Theoretical modeling of residual and transformational stresses in SMA composites, 7A459
- Theoretical modeling of residual and transformational stresses in SMA composites, 7A460
- Effect of cure state on stress relaxation in 3501-6 epoxy resin, 12A515
- Constrained warping of thin-walled hollow composite beams, 12T610
WHITE, TD: Resilient modulus of cohesive soils, 8A642
WHITEFIELD , RJ: Surface potential and magnetic recording media tribology, 7A927
WHITEFIELD, DJ: Abrasive wear properties of experimental metastable duplex stainless steels, 2A876
WHITEHEAD, JA: Multiple states in doubly driven flow, 4A1208
- Wall jet in a rotating fluid, 10A1156
- Thermally driven motions in a rotating stratified fluid: Theory and experiment, 11A953
WHITEHURST III, RB: OH planar laser-induced fluorescence velocity measurements in a supersonic combustor, 9A1388
WHITELAW, JH: Flow properties and passive scalar transport in a model room with relevance to ventilation efficiency, 3A1111
- Flow characteristics of an underexpanded jet and its application to the study of droplet breakup, 3A1073
- Interaction between sprays from multiple coaxial airblast atomizers, 7A1078
- Effects of injection timing on performance and droplet characteristics of a sixteen-valve four cylinder engine, 8A1429
- Flow of Newtonian and non-Newtonian fluids in an eccentric annulus with rotation of the inner cylinder, 9A1018
- Optimizing local charge stratification in a lean-burn spark ignition engine, 11A1431
- Effect of flow boundary conditions on the stability of quarl-stabilized flames, 12A1367
WHITEMAN, JR: Discontinuous Galerkin method with a posteriori $L_2(0,t)$ error estimate for second-kind Volterra problems, 4A47
WHITEMAN, WE: Displacement-dependent dry friction damping of a beam-like structure, 6A138
WHITFIELD, DL: Strong conservative form of the incompressible Navier-Stokes equations in a rotating frame with a solution procedure, 4T982
WHITING, AIM: Galerkin procedure for localized buckling of a strut on a nonlinear elastic foundation, 7A542
WHITING, EE: Modeling of nonequilibrium radiation phenomena: An assessment, 1A1004
WHITLEY, R: Existence of approximate solutions for 2D potential flow problems, 5A944
WHITLEY, RJ: New formulation for developing CVBEM approximation functions, 7A55
WHITLOCK, ST: Transonic and boundary layer similarity laws in dense gases, 4A1000
WHITMAN, AM: Asymptotic analysis of the torsional vibrations in reciprocating machinery, 1A211
WHITMAN, RV: Centrifuge-modeled rigid structure to investigate dynamic soil-structure interaction, 12A689
WHITMORE, SA: In-flight demonstration of a real-time flush airdata sensing system, 4A1138
WHITNEY, DE: Accelerating product development by the exchange of preliminary product design information, 11A342
WHITNEY, JM: Modified three-phase model for determining the elastic constants of a short fiber composite, 11A478
- Use of higher order plate theoreies for determining free-edge stresses, 11A504
WHITNEY, SC: Ultrasonic through-transmission characterization of thick fiber-reinforced composites, 6A833
WHITTAKER, AK: Laboratory wear testing of polyurethane elastomers, 12A990
WHORTON, M: Homotopy algorithm for fixed order mixed H_2-H_∞ design, 5T291
WIAK, S: Computer-aided analysis of integrated electrostatic micromotors, 9A380
WIBBELS, M: Effect of cyclic operation of a horizontal ground loop on ground coupled heat pump performance, 8A1543
WIBERG, N-E: Superconvergent Patch Recovery: A key to quality assessed FE solutions, 8A49
- Superconvergent patch recovery in problems of mixed form, 9A42
WICKER, JM: Triggering of longitudinal combustion instabilities in rocket motors: Nonlinear combustion response, 5A1372
WICKERT, JA: Vibration of coupled traveling string and air bearing systems, 1A175
- Transient vibration of gyroscopic systems with unsteady superposed motion, 3A116
- Determining mean and gradient residual stresses in thin films using micromachined cantilevers, 4A423
- Nonlinear vibration of power transmission belts, 9A950
WIDDOWSON, MA: Multilevel soil-vapor extraction test for heterogeneous soil, 7T1522
WIDEBERG, J: Numerical analysis of composite laminated plates using the BEM, 1A530
- Elastic stress and displacement distribution in an orthotropic layer due to a concentrated load, 5A387
WIDERA, GEO: Determination of sample size in service inspection, 8A763
- Effect of geometric gap between cylinder and reinforcement pad on local stresses: Axial thrust load on nozzle, 11A826
WIDLUND, OB: Polylogarithmic bound for an iterative substructuring method for spectral elements in 3D, 1A70
WIECEK, B: Subband coding for thermal image compression, 9T317
WIECZOREK, M: Numerical analysis of ribbon-type bridges with considering the boundary segment (Polish), 9A892
WIEDNER, BG: Determination of convective heat flux on steady-state heat transfer surfaces with arbitrarily specified boundaries, 5A1127
- Passage flow structure and its influence on endwall heat transfer in a 90° turning duct: Mean flow and high resolution endwall heat transfer experiments, 8A1301
WIEGANDT, T: Placing constrained layer damping patches using reactive shearing structural intensity measurements, 9A120
WIEGNER, M: Degenerate diffusion equation with a nonlinear source term, 9T1339
WIELGOSZ, C: In-plane limit moment for an elbow: Lower-bound analytical solution and FE processing by elastic compensation method, 9A559
- Complete analytic elastic study of a 90° branch connection of a cylinder on a sphere subjected to a bending load, 9A557
WIENECKE, HA: Green's functions for transversely isotropic piezoelectric solids, 5A506
WIERCIGROCH, M: Nonlinear Dynamics and Chaos in Mechanical Systems with Discontinuities, 8N5
- Nonlinear Dynamics and Chaos in Mechanical Systems with Discontinuities, 11N12
- Complex dynamics of simple machine tool-cutting process system, 4A180
WIERZBICKI, E: Thermal stresses in elastodynamics of composite materials, 7A1356
- Stability of micro-periodic materials under finite deformations, 9T515
WIERZBICKI, T: Theoretical study of steady-state wedge cutting through metal plates, 5A547
- Large deformation of thin plates under localized impulsive loading, 6A577
- Incremental analysis of plane strain fully plastic crack growth in strain-hardening materials under extension, 6A768
- Simplified model of Brazier effect in plastic bending of cylindrical tubes, 9A467
WIESNER, CS: Predicting structural crack arrest behavior using small-scale material characterization tests, 4A770
WIEST, JM: Molecular weight distributions from linear viscoelastic measurements, 3A934
WIGDOROWITZ, B: Improved method of determining time-domain transient performance bounds

from frequency response uncertainty regions, 7A337
- Determination of time-domain signal levels at the specification stage in quantitative feedback theory controller synthesis, 7A336
WIGGENRAAD, JFM: Method to apply structure relevant impact damage to small structure relevant specimens for damage tolerance studies, 9A758
WIGGERT, DC: Proceedings of the ASME Fluids Engineering Division, 4N25
- Movement of liquid contaminants in partially saturated frozen granular soils, 9A625
WIGHTMAN, JP: Influence of surface properties of carbon fiber-epoxy matrix interfacial adhesion, 12A1042
WIJEYEWICKREMA, AC: Further analysis of end effects for plane deformations of sandwich strips, 4A585
WIJEYSUNDERA, NE: Study of a compact spiral-coil cooling and dehumidifying heat exchanger, 2A1257
WIJNBERG, KM: One-dimensional modeling of individual waves and wave-induced longshore currents in the surf zone, 4T967
WIKSTROM, V: Loss of lubricant from oil-lubricated near-starved spherical roller bearings, 11T854
WILCOX, M: Effectiveness of quality management tools and techniques: An examination of the key influences in five plants, 2T377
WILCOX, SJ: Use of cutting force and acoustic emission signals for the monitoring of tool insert geometry during rough face milling, 8A867
WILCZAK, JM: Ground-based remote sensing of the atmospheric boundary layer: 25 years of progress, 2T1417
WILCZEWSKI, T: Theoretical and experimental study of natural convection heat transfer from isothermal hemisphere, 3A1225
WILCZYNSKI, B: Shape optimization of a dynamically loaded machine foundation coupled to a semi-infinite inelastic medium, 2A764
- Multi-disciplinary shape optimization of notches in 2D machine components, 9A823
WILCZYNSKI, V: Influences of near-wall and induced irrotational motion in a turbulent boundary layer on wall pressure fluctuations, 11A1094
WILD, P: Detailed modeling of a swirling coal flame, 12A1395
WILD, PM: Analysis of filament-wound cylindrical shells under combined centrifugal, pressure, and axial loading, 7A849
WILD, PN: Mathematical modeling of a 2.25 MW, swirling natural gas flame - Part 2: Conserved scalar approach for turbulent combustion, 2A1335
WILDE, AJ: Application of a C^{∞} continuous element to the evaluation of hypersingular integrals, 3T50
WILDE, DJ: Explicit approximation method for design optimization problems with implicit constraints, 5A872
- Notes on monotonicity principles, 12T1030
WILDE, K: Time domain modeling of bridge deck flutter (Japanese), 3A184
WILDEGGER-GAISSMAIER, AE: Ignition of a granular propellant bed, 1A1311
WILDER, MC: New methodology for the measurement of surface shear stress vector distributions, 9A1188
- Simultaneous, full-surface visualizations of transition and separation using liquid crystal coatings, 9T1189
WILDEROTTER, K: Asymptotically optimal algorithm for approximating bounded analytic functions, 7T71
WILEMAN, J: Steady-state analysis of mechanical seals with two flexibly mounted rotors, 7A950
- Rotor dynamic coefficients of eccentric mechanical face seals, 11A150
WILEN, LA: Measurements of scaling properties for acoustic propagation in a single pore, 8A358
WILFERT, G: Aerodynamic mixing effect of discrete cooling jets with mainstream flow on a highly loaded turbine blade, 1A1106
WILHELM, MA: Frictional resistance of thermoset prepregs and its influence on honeycomb composite processing, 4A582
WILHELMI, H: Numerical simulation of supersonic, chemically reacting flow using an implicit finite volume method, 7A1050
WILK, J: Effect of positioning the axis of a lamellar rotor model of a sucking and forcing regenerative exchanger on the intensity of convective mass-heat transfer, 11A1340
WILK, K: Analysis of the high-temperature part of the MHD-steam power plant, 4A1313
WILKE, H-J: Formalin fixation strongly influences biomechanical properties of the spine, 5A1469
WILKES, GL: Influence of molecular weight distribution on the melt extrusion of high density polyethylene (HDPE): Effects of melt relaxation behavior on morphology and orientation in HDPE extruded tubular films, 5A886
WILKIE, BA: Condition monitoring of the grinding process using light scattering, 3A870
WILKINS, E: Short-term canine implantation of a glucose monitoring-telemetry device, 5A1514
WILKINSON, CA: Execution of multidisciplinary design optimization approaches on common test problems, 6A369
WILKINSON, DS: Plastic flow and fracture of a particulate metal matrix composite, 2A686
- Three-dimensional analysis of the creep due to a viscous grain boundary phase, 8A506
WILKINSON, P: Assessment of tool wear in milling using acoustic emission detected by a fiber-optic interferometer, 2A732
WILKINSON, SP: NASA Langley Mach 6 quiet wind-tunnel performance, 6A1215
- Boundary-layer stability measurements in a hypersonic quiet tunnel, 6A1084
- Effect of angle of attack on hypersonic boundary-layer stability, 9A1080
WILKINSON, TL: Exact solution for unsteady duct flow due to a moving center body, 5A1009
WILKOWSKI, G: Fatigue and Fracture - 1996, Volume 2, 4N14
- Fatigue and Fracture - 1996, Volume 1, 4N13
- Low-cycle fatigue crack growth considerations in pipe fracture analyses, 12A1510
WILKOWSKI, GM: Effects of off-centered cracks and restraint of induced bending caused by pressure on the crack-opening-area analysis of pipes, 6A1498
- Computer model for probabilistic leak-rate analysis of nuclear piping and piping welds, 8A1512
WILKS, G: Heat transfer in the flow of a cold, 2D vertical liquid jet against a hot, horizontal plate, 1A1154
- Jet profile solutions of the Falkner-Skan equation, 4A1031
- Heat transfer in jet assimilation into a uniform stream, 8A1267
WILKSTROM, V: Starting and steady-state friction torque of grease-lubricated rolling element bearings at low temperatures - Part I: A parametric study, 1T920
WILL, AB: Modeling and control of an automated vehicle, 10A487
WILL, KM: Practical considerations in 2D shape optimization of elastic continuum, 2A761
WILLAM, K: Failure indicators in multi-dissipative materials, 1A732
- Spurious energy dissipation-generation in stiffness recovery models for elastic degradation and damage, 1A734
- Integration algorithms for concrete plasticity, 6A895
- Boundary effects in elasto-plastic Cosserat continua, 7A1
WILLCOX, K: Aeroelastic computations in the time domain using unstructured meshes, 12A287
WILLE, M: Large-eddy simulation of a plane jet in a cross-flow, 2A963
WILLE, SO: Local predictive convection-diffusion refinement indicator for the Tri-Tree adapted FE multigrid algorithm of the Navier-Stokes equations, 2A976
- Tri-Tree multigrid recoarsement algorithm for the FE formulation of the Navier-Stokes equations, 3A1049
- Prolonged Adaptive Multigrid Method for FE Navier-Stokes equations, 6A1041
- Adaptive linearization and grid iterations with the tri-tree multigrid refinement-recoarsement algorithm for the Navier-Stokes equations, 7A1020
- Nonlinear adaptive full tri-tree multigrid method for the mixed FE formulation of the Navier-Stokes equations, 10A36
WILLEKE, K: Aerosolization of particles from a bubbling liquid: Characteristics and generator development, 7A1077
- Effect of impaction, bounce and reaerosolization on the collection efficiency of impingers, 9A1407
WILLEMS, P: Confined compression of canine annulus fibrosus under chemical and mechanical loading, 11A1561
WILLEMS, PA: Energy cost, mechanical work, and muscular efficiency in swing-through gait with elbow crutches, 4A1485
WILLEMS, PY: Neuro-muscular control of trochlean joints, 2A1447
WILLENBACHER, N: Rheometry on magnetorheological (MR) fluids - I: Steady shear flow in stationary magnetic fields, 5A905
WILLERT, HG: Clinical wear behavior of ultra-high molecular weight polyethylene cups paired with metal and ceramic ball heads in comparison to metal-on-metal pairings of hip replacements, 10T974
WILLIAM, KJ: Nonlinear FE reliability analysis of concrete, 6A877
- Simulation of punching failure in reinforced-concrete structures, 11A790
WILLIAM-LOUIS, MJP: Calculation of pressure wave propagation through a tube junction, 1A1002
WILLIAMS, A: Mechanisms of thoracic injury in frontal impact, 5T1472
- Computational study of pressure effects on pollutant generation in gas turbine combustors, 8A1416
WILLIAMS, AG: Transport processes in the tropical warm pool boundary layer - Part I: Spectral composition of fluxes, 3T1430
WILLIAMS, AN: Time-domain simulation of the generation and propagation of second-order Stokes waves in a 2D wave flume - Part I: Monochromatic wavemaker motions, 1T253
- Oblique wave diffraction by segmented offshore breakwaters, 6A1002
- Dual pontoon floating breakwater, 8A933
- Sum-frequency diffraction loads on tension-leg platforms in bidirectional waves, 8A1030
WILLIAMS, BA: Low pressure flat flame studies of C_2F_2-O_2, 5A1354
- Radical species profiles in low-pressure methane flames containing fuel nitrogen compounds, 12A1375
WILLIAMS, BC: Activity analysis: Simplifying optimal design problems through qualitative partitioning, 6A843
WILLIAMS, DJ: Experimental investigation of the formation of surface mount solder joints, 6A977
WILLIAMS, DR: Determination of biaxial residual stresses by a holographic-hole drilling technique, 4A523
WILLIAMS, EG: Wave-number space response of a near periodically ribbed shell, 8A157
WILLIAMS, FA: Theory of structures of hydrogen-air diffusion flames, 2A1308
- Acoustic response of droplet flames to pressure oscillations, 2A1334
- Diffusional-thermal instability of diffusion flames, 6A1332
- Burning velocities of CO flames, 12A1357
WILLIAMS, FW: Curves for natural frequencies of axially compressed prismatic plate assemblies, 1A593
- Exact dynamic stiffness matrix for composite Timoshenko beams with applications, 2A155
- Parallel structural optimization method and its implementation on a Transtech Paramid, 3A740
- Exact calculation of natural frequencies of repetitive structures, 4A16
- Inclusion of transverse shear deformation in optimum design of aircraft wing panels, 5T1067
- Effect of interfacial imperfection on buckling and bending behavior of composite laminates, 6A623
- Two-level decomposition method for shape optimization of structures, 6A860
- Random seismic responses of multi-support structures in evolutionary inhomogeneous random fields, 6A1446
- Time dependent correlation function of linear systems excited by shot noise with different arrival rates, 6A136
- Theory for multilayered anisotropic plates with weakened interfaces, 7A521
- Efficient parallel Gauss-Doolittle matrix triangulation, 7A72
- Eigenvalue problem for damped gyroscopic systems, 8A87
- Efficient multi-level substructuring with constraints for buckling and vibration analysis of prismatic plate assemblies, 8A604
- Biaxial buckling and post-buckling of composite laminated plates on two-parameter elastic foundations, 10A660
- Accurate high-speed computation of non-stationary random structural response, 10A954
- Asynchronous parallel computing of structural non-stationary random seismic responses, 11A1487
- Exact modal synthesis techniques using residual constraint modes, 12A216
- Quadratic representation of a nonlinear dynamic stiffness matrix and related eigenvalue problems, 12A199
WILLIAMS, GB: Delay time multi-level on-condition preventive maintenance inspection model based on constant base interval risk - when inspection detects pending failure, 11A351
WILLIAMS, JA: Prediction of friction and wear when a soft surface slides against a harder rough surface, 2A919
- Model for the mild ratchetting wear of metals, 7A882
- Effect of interfacial shear strength on the performance of coated surfaces in repeated sliding, 12A979
WILLIAMS, JG: Lunar moments, tides, orientation, and coordinate frames, 6T1406
WILLIAMS, K: Effect of laminations on the vibrational modes of circular annular plates, 1A180
- Effects of laminations on the vibrational behavior of electrical machine stators, 11A133
WILLIAMS, KJ: Experimental investigation into the breakdown of low Reynolds number pulsed flows at a pipe orifice, 11A1033
WILLIAMS, MD: Adsorption heat pump using HFC refrigerants, 11A1356
WILLIAMS, ME: Dynamic aspects of wetting balance tests, 4A691
WILLIAMS, ML: Modeling microwave backscatter from discrete random media using a multiple-scattering series: Convergence issues, 10A392
WILLIAMS, MS: Seismic assessment of concrete bridges using inelastic damage analysis, 7A1489
WILLIAMS, PT: Numerical simulations of laminar flow over a 3D backward-facing step, 11A967
WILLIAMS, PWL: Inclusion of transverse shear deformation in optimum design of aircraft wing panels, 5T1067
WILLIAMS, RT: Numerical simulations of maritime frontogenesis, 8T1510
WILLIAMS, TO: General theory for laminated plates with delaminations, 10A791
- Analytical model for the inelastic axial shear response of unidirectional metal matrix composites, 12A542
WILLIAMSEN, JE: Internal effects model for spacecraft modules perforated by orbital debris, 12A243
- Cracking characteristics of dual-wall structures following simulated orbital debris particle impact, 12A242
WILLIAMSON, CHK: Dynamics of a hydroelastic cylinder with very low mass and damping, 3T267
- Three-dimensional wake transition, 6A1121
- Instability of the shear layer separating from a bluff body, 8A1135
- Dynamics and forcing of a tethered sphere in a fluid flow, 11A209
WILLIAMSON, HM: Local buckling of cracked and pin-loaded plates, 4A622
- Surface mobility of a circular contact area on an infinite plate, 10A247
WILLIS, BP: Flowfield measurements inside a boundary-layer bleed slot, 4A1036
WILLIS, J: UV-VIS absorption as a diagnostic for NO in rocket plumes, 8A1412
WILLIS, JR: Critical load for a mode-1 crack reinforced by bridging fibers, 5A663
- Three-point bounds for the overall properties of a nonlinear composite dielectric, 6A554
- Bounds of third order for the overall response of nonlinear composites, 7A458
- Three-dimensional dynamic perturbation of a propagating crack, 9A770
- Wave propagation in elastic media with cracks - Part I: Transient nonlinear response of a single crack, 11A182
WILLITS, NH: Distribution of material properties in the equine third metacarpal bone serves to enhance sagittal bending, 9A1564
WILLMANN, M: Feasibility study on oil droplet flow investigations inside aero engine bearing chambers: PDPA techniques in combination with numerical approaches, 5A1373
WILLUMEIT, H-P: Proceedings of the 2nd International Colloquium on Tyre Models for Vehicle Dynamic Analysis, held at the Technical University of Berlin, Germany, February 20-21, 1997, 8A936
WILMANSKI, K: Porous media at finite strains: The new model with the balance equation for porosity, 4A1346
WILMOTH, RG: Rarefied-flow transition regime orbiter aerodynamic acceleration flight measurements, 8A295
WILMS, EV: One-, two-, and three-dof systems with linear damping, 8T83
WILMSHURST, SR: Parametric study of strength of tubular multiplanar KK-joints, 3A925
- Strength of multiplanar tubular KK-joints under antisymmetrical axial loading, 11A821
WILQUEM, F: Numerical modeling of steady inspiratory airflow through a three-generation model of the human central airways, 9A1596
WILSON , R: Sound transmission through parallel plates coupled along a line, 8A320
WILSON TSANG, PH: Impact damage resistance and tolerance of high-performance polymeric composites subjected to environmental aging, 7A739
WILSON, BH: Improving control design for nonlinear parameteric uncertainty, 10A450
- Algorithm for obtaining proper models of distributed and discrete systems, 11A285
WILSON, CJ: Experimental modal analysis technique for miniature structures, 11A156
WILSON, D: Mass-damped Riemann problem and the aerodynamic surface force calculation for an accelerating body, 8A1222
WILSON, DG: Analytical efficiency comparison bewteen gas turbine and gas turbine hybrid engines for passenger cars, 11A1434
WILSON, DJ: Stroke normalized pressure: A useful parameter for the analysis of left ventricular outflow obstruction, 5A1491
WILSON, DK: Empirical orthogonal function analysis of the weakly convective atmospheric boundary layer - Part I : Eddy structures, 3T1425
- Simple, relaxational models for the acoustical properties of porous media, 11A253
WILSON, GJ: Experimental demonstration of use of N_2O to increase shock tunnel test time, 12A1240
WILSON, GR: Wind-tunnel test of flow through Mars pathfinder Lander, 12T1236
WILSON, GV: Infiltration tests on fractured compacted clay, 11A558
WILSON, J: Wave rotor optimization for gas turbine engine topping cycles, 1A1372
- Building ductility demand: Interplate versus intraplate earthquakes, 3A1377
WILSON, JD: Automated measurement of aggregate indices of shape, 11A1439
WILSON, JF: Identification and correlation of human footfall load parameters using multivariate analysis, 9A1576
- Tennis racket shock mitigation experiments, 11A1590
- Elastic buckling of end-loaded, tapered, cantilevered beams with initial curvature, 12A645

WILSON, JH: Shallow water beamforming with small aperture, horizontal, towed arrays, 7A296
WILSON, JL: Review of the torsional coupling of asymmetrical wall-frame buildings, 7A1482
WILSON, JM: Cascaded humidified advanced turbine (CHAT), 1A1355
WILSON, JS: New look at the melting layer, 3T1434
WILSON, M: Stokes flow in a half-filled annulus between rotating coaxial cylinders, 10A1076
- Flow and heat transfer in a preswirl rotor-stator system, 10A1238
WILSON, MJ: Parametric model of a 2-stroke engine for design and analysis, 6A1358
- Partial differential equation surface generation and functional shape optimization of a swirl port, 10A1426
WILSON, PA: Eleventh Ship Control Systems Symposium, Volumes 1 and 2, 11N15
WILSON, PR: Nonlinear 3D dynamic time history analysis in the recracking modifications for a nuclear power plant, 4A1405
WILSON, RK: Automated plaque picking and arraying on a robotic system equipped with a CCD camera and a sampling device using intramedic tubing, 5T361
WILSON, S: Effect of temperature on the sliding wear performance of Al alloys and Al matrix composites, 2A881
WILSON, SDR: Channel entry problem for a yield stress fluid, 3A1104
- Conduit flow of an incompressible, yield-stress fluid, 7A970
- Measurement of bulk viscosity and the elastic-viscous analogy, 8A1000
WILSON, SK: Asymptotic analysis of small holes in thin fluid layers, 1A983
- Linear stability of channel flow of fluid with temperature-dependent viscosity, 4A1069
WILSON, WRD: Influence of surface topography on the frictional characteristics of 3104 aluminum alloy sheet, 2A914
- Low speed mixed lubrication of bulk metal forming processes, 11A1188
- Particle behavior in two-phased lubrication, 12A1200
WILSON-FAHMY, RF: Puncture protection of geomembranes - Part I: Theory, 7A515
- Puncture protection of geomembranes - Part II: Experimental, 7A516
- Puncture protection of geomembranes - Part III: Examples, 7A517
WILT, TE: Influence of fiber architecture on the inelastic response of metal matrix composites, 1A520
WILTSHIRE, RJ: Spectral decompositions in nonlinear coupled diffusion, 2A1289
WIMMER, MA: Tractive forces during rolling motion of the knee: Implications for wear in total knee replacement, 7A1536
WIMMER, SA: Shear band initiation of brittle damage materials, 5A426
WINDOW, GA: Spatial resolution of diffraction tomography, 7A287
WINDLE, PL: Statistical model for the analysis and prediction of the effect of neutron irradiation on Charpy impact energy curves, 4A1459
WINEMAN, A: Pressurized cylinder problem for nonlinear viscoelastic materials with a strain clock, 6A500
- Response of beams of nonlinear viscoelastic materials exhibiting strain-dependent stress relaxation, 12A506
WINEMAN, AS: Small amplitude sinusoidal disturbances superimposed on finite circular shear of a compressible, nonlinearly elastic material, 2A386
- Chemorheological relaxation, residual stress, and permanent set arising in radial deformation of elastomeric hollow spheres, 2A383
WINFREE, NA: Dynamically induced phase transitions and the modeling of comminution in brittle solids, 11A571
WINKLER, D: Low-NO_x premixed combustion of MBtu fuels using the ABB double cone burner: EV burner, 11T1435
- Low NO_x premixed combustion of MBtu fuels in a research burner, 12A1385
WINKLER, S: Applicability of the magnetic emission technique for determining ductile crack initiation in impact tests, 9A783
WINKLER, WW: Measurements of third-order elastic constants in rocks, 3A617
WINKLHOFER, E: Laser induced fluorescence and flame photography: Tools in gasoline engine combustion analysis, 1T1344
WINOTO, SH: Flow in a pipe with a ring-type obstacle, 1A1042
- Experimental investigation of pulsatile flows in tubes, 10A1546
WINSCHUH, E: Damage evolution ahead of sharp notches under cyclic loading, 4A697
WINSLOW, RB: Phase-averaged wall shear stress, wall pressure, and near-wall velocity field measurements in a whirling annular seal, 1A1095
WINSTON, R: Solar concentration of 50,000 achieved with output power approaching 1kW, 2A1429
WINTER, DA: Intralimb dynamics simplify reactive control strategies during locomotion, 10A1526
WINTER, F: Temperatures in a fuel particle burning in a fluidized bed: The effect of drying, devolatilization, and char combustion, 7A1412
WINTER, H: Fracture mechanics model for the wear of gear flanks by pitting, 12A947
WINTER, HH: Relaxation of linear flexible polymers which are slightly poly-disperse, 7A973
WINTERBERG, F: Planck scale physics and Newton's ultimate object conjecture, 9A12
WINTERMANTEL, E: Transverse impact behavior of knitted carbon-fiber fabric-reinforced thermoplastic composite sheets, 9A486
WINTERS, WS: Mixed binary convection in a rotating disk chemical vapor deposition reactor, 5T1174
WINTERWERP, JC: Erosion of fluid mud layers - II: Experiments and model validation, 11T924
- Erosion of fluid mud layers - I: Entrainment model, 11A923
WIRE, GL: Effect of water flow rate upon the environmentally assisted cracking response of a low-alloy steel: Experimental results plus modeling, 8A760
WIRGIN, A: Shape reconstruction of an impenetrable scattering body via the Rayleigh hypothesis, 6A339
WIRGIN, S: Wide-band approximation of the sound field scattered by an impenetrable body of arbitrary shape, 2A281
WIRL, F: Pathways to Hopf bifurcations in dynamic continuous-time optimization problems, 4T89
WIRQUIN, E: Measurement of apparent activation energy of cements in mortars by means of Langavant's semi-adiabatic calorimeter (French), 4A541
WIRSCHING, PH: Design curve to characterize fatigue strength, 4A703
- Code development for ship structures: A demonstration, 11A773
WIRTH, LS: Numerical analysis of unsteady multiple jet plume interactions, 3A1122
WIRTH, M: Cross correlation PIV technique using electro-optical image separation, 5A1117
WIRTZ, RA: Modeling and analysis of a shape memory alloy-elastomer composite actuator, 3A399
- Thermal performance of pin-fin fan-sink assemblies, 9A1293
WISE, D: Human Biomaterial Applications, 4N34
- Hydrodynamic modeling of sedimentation tanks, 1A964
WISE, KA: Stability and flying qualities robustness of a dynamic inversion aircraft control law, 5A326
WISHEART, MJ: Review of low-velocity impact properties of composite materials, 5A454
WISLER, DC: Boundary layer development in axial compressors and turbines - Part 4 of 4: Computations and analyses, 8A1240
- Boundary layer development in axial compressors and turbines - Part 1 of 4: Composite picture, 8A1239
- Boundary layer development in axial compressors and turbines - Part 3 of 4: LP turbines, 10A1217
- Boundary layer development in axial compressors and turbines - Part 2 of 4: Compressors, 12A1178
WISNIEWSKI, K: Hyperelastic constitutive equation for rotated Biot stress, 9A433
WISNIOWSKI, R: Method of determination of directional well trajectory (Polish), 4A1452
WISNOM, MR: Three-dimensional FE analysis of curved beams in bending, 2A22
- Interlaminar failure of unidirectional glass-epoxy due to combined through thickness shear and tension, 4A757
- Delamination in asymmetrically trapped composites loaded in tension, 4A722
- Evaluating Weibull parameters for transverse cracking in cross-ply laminates, 11A702
WISSINK, AM: Parallelization of a 3D flow solver for Euler rotorcraft aerodynamics predictions, 5A965
WISSUCHEK, DJ: Simple method for measuring surface strains around cracks, 1A791
- Toughening and strengthening by inclined ligament bridging, 12A820
WISTUBA, H: Effect of an external electirc field on the operation of an aluminium oxide-cast iron sliding contact joint, 12A928
- Phenomenon of triboelectrization in aluminium oxide-polytetrafluoroethylene sliding contact joint operating under reduced lubrication conditions, 12A931
WITHERS, J: Novel processing technique for tow fiber reinforced metal matrix composites with tailored interfaces, 3T651
WITHERS, MM: High-frequency analysis of seismic background noise as a function of wind speed and shallow depth, 4T1385
WITHERS, PJ: Plastic bending of a residually stressed beam, 10A628
WITHERS, W: Pressure fluctuations on plunge pool floors, 10T1157
WITHEY, PA: Fatigue failure of the de Havilland Comet I, 12A768
WITKOWSKA, B: Magnetic properties of $Sn_{1-x}Gd_xTe$ ($0.002 \le x \le 0.09$), 9A1335
WITKOWSKI, A: Stand for investigations of 3D, turbulent flow in axial compressing stage, 4A1095
WITT, PJ: Numerical studies of multiphase mixing with application to some small-scale experiments, 5A972
WITTBRODT, MJ: Critique of mode acceleration and modal truncation augmentation methods for modal response analysis, 7A165
WITTE, L: ASME Proceedings of 31st National Heat Transfer Conference, Volume 4, 2N39
WITTE, LC: Heat transfer to annular gas-liquid mixtures at reduced gravity, 5A1213
WITTENBERG, RW: Limited effectiveness of normal forms: A critical review and extension of local bifurcation studies of the Brusselator PDE, 7A102
WITTIG, S: Two-phase air-oil flow in aero engine bearing chambers: Characterization of oil film flows, 1A1376
- Feasibility study on oil droplet flow investigations inside aero engine bearing chambers: PDPA techniques in combination with numerical approaches, 5A1373
- Comparative study of pressure correction and block-implicit finite volume algorithms on parallel computers, 11A72
WITTKE, H: New approach for estimation of ΔJ and for measurement of crack growth at elevated temperature, 5A584
- Description of stress-strain hysteresis loops with a simple approach, 10A778
WITTUM, G: Schur-complement multigrid: A robust method for groundwater flow and transport problems, 8A1039
WITWIT, ARM: New boundary treatment for TLM diffusion models and its use with hexagonal meshes, 5A1247
WIZMAN, V: Modeling near-wall effects in second-moment closures by elliptic relaxation, 2A1047
WLOCHOWICZ, A: X-ray diffraction investigations of the crystallinity of a semicrystalline polymer blended with an amorphous copolymer, 4T502
WLODARCZYK, E: Fabrication and assessment of properties of Cu-Ni highly plastic sinters (Polish), 9A682
- Compression of spherical gas bubble surrounded by layer of incompressible liquid (Polish), 9A212
- Investigation of explosively thickened sinters with addition of B_4C and SiC carbons (Polish), 9A683
- Structure of a shock wave front in a gas (Polish), 9A214
WNAG, JI-REN: Electrodeposited Cr - Al_2O_3 composite coating for wear resistance, 2A911
WO, AM: Gust response decomposition in a stator-rotor axial compressor with varying axial gap, 9A1179
- Navier-Stokes and potential calculations of axial spacing effect on vortical and potential disturbances and gust response in an axial compressor, 12A1184
WOHUA, Z: Numerical modeling of methane gas migration in dry coal seams, 2A1422
WOIKI, D: Measurement of $O(^1D)$ formation during thermal decomposition of CO_2 behind shock waves, 1T271
WOJCIK, J: Integral equations for disturbance propagation in linearized Vlasov plasmas numerical results, 9A1140
WOJCIK, S: Optimization of energy reception in systems powered by periodical moment, 4T71
WOJNAR, R: Computational aspects of homogenization of thermopiezoelectric composites, 2A1285
WOJNOVICH, MJ: Aiding and opposing mixed-convection heat transfer in a vertical tube: Loss of boundary condition at different Grashof numbers, 4A1204
WOJTCZAK, L: Friction in the atomic scale, 4A875
WOJTKIEWICZ, SF: Cumulant-neglect closure method in stochastic dynamics, 3A119
WOJTKOWIAK, J: Viscosity correction factor for rotameter, 4A1176
WOJTOWICZ, T: Strain relaxation of ZnTe-CdTe and CdTe-ZnTe heterostructures: *In situ* study, 9A383
WOJTYRA, M: Dynamic analysis of mechanisms and robots with redundant constraints - Part II: Direct problem, 4A436
- Dynamic analysis of mechanisms and robots with redundant constraints - Part I: Inverse problem, 4A435
WOLANSKI, P: Finding the Markstein number using the measurements of expanding spherical laminar flames, 10A1402
WOLANSKY, G: Extension of Arnol'd's second stability theorem for the Euler equations, 1A1060
WOLDSTAD, JC: Posture prediction for static sagittal-plane lifting, 3A1508
WOLF, J: Numerical optimization of process control variables for the Bridgman casting process, 9A677
WOLF, JP: Consistent infinitesimal FE cell method for diffusion equation in unbounded medium, 1A1243
- Consistent infinitesimal FE cell method: 3D scalar wave equation, 3A265
- Consistent infinitesimal FE cell method in frequency domain, 4A1397
- Property matrices identification of unbounded medium from unit-impulse response functions using Legendre polynomials: Implementation and examples, 4A1400
- Property matrices identification of unbounded medium from unit-impulse response functions using Legendre polynomials: Formulation, 4A1399
- To radiate or not to radiate, 6A1429
- Consistent infinitesimal FE cell method for incompressible unbounded medium, 8A21
WOLF, S: Acoustic propagation through an internal wave field in a shallow water waveguide, 8A316
WOLFE, HF: Comparison of FE nonlinear beam random response with experimental results, 3A147
WOLFE, NL: Analytical model for heterogeneous reactions in mixed porous media, 3A1355
- Laboratory experiments with heterogeneous reactions in mixed porous media, 3A1358
WOLFE, WE: Forced vibration analysis of composite laminates using a discrete layer stress based model, 2A156
WOLFE, WP: Least-squares solutions of a general numerical method for arbitrary irregular grids, 10A78
WOLFERT, ARM: Wave radiation in a 1D system due to a non-uniformly moving constant load, 4A199
- Passing through the "elastic wave barrier" by a load moving along a waveguide, 12A222
WOLFF, C: Effects of the intralaminar shear loading rate on the damage of multi-ply composites, 1A758
WOLFF, JM: Euler analysis of oscillating cascade aerodynamics using embedded composite grids, 8A1232
WOLFF, M: Experimental investigation of mass transfer in a grid-generated turbulent flow using combined optical methods, 11A1388
WOLFF, R: Generalized non-Newtonian fluid model incorporated into elastohydrodynamic lubrication, 11A1174
WOLFRAM, J: Bias in the estimation of wave-induced fatigue damage of offshore structures, 3A815
WOLFSHTEIN, M: Parallelization efficiency of CFD problems on a MIMD computer, 11A78
WOLFSON, LJ: Multivariate statistical approach to metrology, 5A374
WOLINSKI, S: Ultimate elongation of reinforced concrete members, 2A786
WOLK, G: Damped oscillations of a liquid-gas surface upon step reduction in gravity, 8A271
WOLLMAN, S: Numerical approximation of the 1D Vlasov-Poisson system with periodic boundary conditions, 1A1088
WOLLRAB, E: Response of reinforced concrete panels under uniaxial tension, 5A780
- Prediction of cracking response of reinforced concrete tensile members, 6A889
WOLOWACZ, RG: Strength of adhesive-bonded tissue joints, 11A890
WOLSKI, B: Survey problems in the soil test load method (Polish), 9A632
WOLTERS, J: Modeling of void formation in the subcooled boiling regime in the ATHLET code to simulate flow instability for research reactors, 6A1500
WOLTHERS, W: Shear history dependence of the viscosity of aggregated colloidal dispersions, 3A954
WOMACK, G: Photoelasticity using retroreflection, 7T787
WON, AYJ: Stochastic seismic performance evaluation of tuned liquid column dampers, 4A245
WON, M: Multiple-surface sliding control of a class of uncertain nonlinear systems, 1A355
WONG, A: Constitutive modeling and material characterization of polymeric foams, 12A526
WONG, AK: Plastic zone size determination by temperature measurement, 7A598
WONG, BS: Ultrasonic evaluation of cement adhesion in wall tiles, 1A824
- Mechanical impedance inspection of aluminum honeycomb structures, 6A836
WONG, CHI CHUNG: New time-stepping scheme for the network modeling of diffusion, 9A1274
WONG, CM: Three-dimensional viscous flow simulation in a backswept centrifugal impeller at the design point, 2A1107
- Performance prediction of a backswept centrifugal impeller at off-design point conditions, 5A1100
WONG, FC: Prediction of mechanical behavior of particulate composites using an improved modulus degradation model, 8A533
- Normalized quasi-static mass: A new definition for multi-support motion problems, 12A16
WONG, H: Analytical solution of thermoplastic thick-walled tube subject to internal heating and variable pressure, taking into account corner flow and nonzero initial stress, 3A1275
WONG, JY: Nonlinear parameter identification of an electro-rheological fluid damper, 6T140
- Numerical simulations of tire-soil interaction based on critical state soil mechanics, 12A687
WONG, K: Shear indued gelation of colloidal dispersions, 10A1032
WONG, KH: Optimal control computation to account for eccentric movement, 5A290
WONG, KW: Effective stagnant thermal conductivity of wire screens, 1T1233
WONG, MB: Effects of linearly varying distributed load on the collapse behavior of frames, 4A846

WONG, MK: Design and assessment of an adaptive intermittent cervical traction modality with EMG biofeedback, 5A1521
WONG, PATRICIA JY: Existence of solutions of singular boundary value problems for higher order difference equations, 5T49
WONG, PK: Study on electro-discharge diamond wheel grinding (EDGM) of ceramic materials, 4A682
WONG, PL: Pressure and temperature dependence of the density of liquid lubricants, 7A1211
WONG, SHWIN-CHUNG: Simplified theory of the ignition of single droplets under forced convection, 12A1356
- Experimental study of the ignition of single droplets under forced convection, 12A1354
WONG, TENG-FONG: Shear-enhanced compaction and permeability reduction: Triaxial extension tests on porous sandstone, 11A736
WONG, TN: Computer simulation of a rotary compressor for household refrigerators, 5A1088
- Model for simulating flexible surfaces of cloth objects, 8A581
WONG, WCK: Kerf characteristics in abrasive waterjet cutting of ceramic materials, 5A574
WONG, YL: Modeling for moment-rotation characteristics for end-plate connections, 6A909
WONG, YS: Tool wear and chatter detection using the coherence function of two crossed accelerations, 8A942
- Analysis and computation of nonlinear dynamic response of a 2-dof system and its application in acroelasticity, 11A226
WONGWISES, SOMCHAI: Two-phase countercurrent flow in a model of a pressurized water reactor hot leg, 5A974
WOO, EM: Interlaminar morphology effects on fracture resistance of amorphous polymer-modified epoxy-carbon fiber composites, 1A764
WOO, SL-Y: Combined robotic-universal force sensor approach to determine *in situ* forces of knee ligaments, 3A412
- Forces and moments in 6 dof at the human knee joint: Mathematical description for control, 5A1468
- Biomechanics of knee ligament healing, repair, and reconstruction, 10A1513
WOO, SUNG HYUN: Refined aeroelastic analysis of hingless rotor blades in hover, 11A225
WOOD, BD: Solar assisted open-cycle absorption cooling: Performance of collector-regenerators, 11A1542
- Performance evaluations of LiCl and LiBr for absorber design applications in the open-cycle absorption refrigeration system, 11A1537
WOOD, D: Early detection of feedwater-heater leaks, 11T1364
WOOD, DH: Wall pressure and shear stress measurements beneath an impinging jet, 6T127
WOOD, J: Stability of composite structures, 2A443
WOOD, JR: Determining the interfacial shear strength in the presence of transcrystallinity in composites by the "single-fiber microcomposite compressive fragmentation test", 11A698
- Experimental and computational results from the NASA Lewis low-speed centrifugal impeller at design and part-flow conditions, 11A1155
WOOD, KL: Form of tolerancing theory using fractals and wavelets, 12A1024
WOOD, LA: Nonlinear isoparametric finite-strip method, 8A32
WOOD, NJ: Experimental investigation of twin-fin buffeting and suppression, 2A253
- Fin buffeting characteristics of a generic single fin aircraft, 2A254
WOOD, RL: Genetic algorithm behavior in the solution of an inverse thermal field problem, 1A1244
- Inverse thermal field problem based on noisy measurements: Comparison of a genetic algorithm and the sequential function specification method, 4A1235
WOOD, SL: Measured response of roof diaphragms and wall panels in tilt-up systems subjected to cyclic loading, 6A1442
WOOD, WA: Aerodynamic analysis of commercial experiment transporter re-entry capsule, 4A859
WOOD-ADAMS, PM: Use of rheological measurements to estimate the molecular weight distribution of linear polyethylene, 3A966
WOODARD, SE: Measured spacecraft instrument and structural interactions, 2A841
- Multipayload modeling for the upper atmosphere research satellite, 2A842
- Experimental investigation of spacecraft in-flight disturbances and dynamic response, 10A234
WOODBURN, CN: Directionally sensitive hot-wire anemometer, 10A1268
WOODBURY, KA: Proceedings of the ASME Heat Transfer Division, Volume 1, 3N41
- Redundant data and future times in the inverse heat conduction problem, 2A1243
WOODHOUSE, J: Investigation of damping effects on statistical energy analysis of coupled structures, 5A124
WOODLEY, BM: Global linear stability analysis of thin aerofoil wakes, 11A1085
WOODMAN, NJ: Structural dynamic analysis using the Interacting Objects Process Model, 11A166
- Qualitative analysis of nonlinear dynamical systems, 11A105
WOODS, BB: Regional seismic discriminants using wave-train energy ratios, 12A1456
WOODS, DR: Critical angle of shear wave instability in a film, 7T1118
WOODS, MC: Containerless thermal diffusivity determination of high-temperature levitated spherical specimen by extended flash methods: Theory and experimental validation, 11A1203
WOODS, WA: Flow area of multiple poppet valves, 5A1004
WOODWARD, DW: Next-generation integration concepts for air separation units and gas turbines, 10A1480
WOODWARD, JA: Exact convolution of discrete random variables, 9A65
WOODWARD, JB: Optimal second-law efficiency for a Brayton cycle with an internal heat source, 11A1199
WOODWARD, PK: Influence of viscous damping in the dynamic analysis of an earth dam using simple constitutive models, 3A603
- Earth pressure coefficients based on the Lade-Duncan failure criterion, 11A36
WOODWARD, PR: Second-order unsplit Godunov scheme for 2D and 3D Euler equations, 12T1084
WOON, TK: Development of a load cell for force measurements subject to flow interferences, 4T415
WOONG KIM, NAM: Experimental study on active vibration control of a flexible cantilever using an artificial neural-network state predictor, 7A119
WORCESTER, PF: Three-dimensional observations of a deep convective chimney in the Greenland Sea during winter 1988-89, 5T1427
WORDEN, K: Jump frequencies in the response of the Duffing oscillator, 6T118
- Structural fault detection using a novelty measure, 10A884
- Harmonic probing algorithm for the multi-input Volterra series, 10A434
WOREK, WM: Readsorption processes in a sorption bed heat exchanger during pressurization and depressurization, 11A1341
WORGAN, KJ: Capillary network model for gas migration in low-permeability media, 11A1454
WORLEY, D: Urban seismology: Northridge aftershocks recorded by multi-scale arrays of portable digital seismographs, 4A1365
WORMHOUDT, J: Infrared fiber-optic diagnostic observations of solid propellant combustion, 6A1352
WORMLEATON, PR: Parameter identification for sediment routing in rivers, 3T991
WORMLEY, DN: System Dynamics: An Introduction, 6R11
- Solutions Manual to *System Dynamics: An Introduction*, 12N21
- Active control of a high-speed pantograph, 9A353
WORTHING, R: Pulse dynamics in an unstable medium, 8A255
WORTHINGTON, MH: Measurement of seismic attenuation from high-resolution crosshole data, 1A1414
WOYCZYNSKI, WA: Density fields in burgers and KdV-burgers turbulence, 1A1079
- Advection of passive and reactive tracers in multi-dimensional Burgers' velocity field, 7A1150
- Evolution of Burgers' turbulence in the presence of external forces, 8A1180
WOZNIAK, C: Thermal stresses in elastodynamics of composite materials, 7A1356
- Stability of micro-periodic materials under finite deformations, 9T515
WOZNIAK, G: Influence of buoyancy on the surface tension driven flow around a bubble on a heated wall, 2A995
WOZNIAK, K: Influence of buoyancy on the surface tension driven flow around a bubble on a heated wall, 2A995
WOZNIAK, M: Thermal stresses in elastodynamics of composite materials, 7A1356
- Stability of micro-periodic materials under finite deformations, 9T515
WOZNIAK, S: Analytical research of motion of dust particles into axial deduster with tangential inlet of air (Polish), 9A1391
WREN, JR: Micromechanics of granular media - Part II: Overall tangential moduli and localization model for periodic assemblies of circular disks, 9A613
WRIGGERS, P: Comparison of 3D continuum and shell elements for finite plasticity, 1A18
- New axisymmetrical membrane element for anisotropic, finite strain analysis of arteries, 3A543
- Note on enhanced strain methods for large deformations, 3A38
- Finite element approach to the chaotic motion of geometrically exact rods undergoing in-plane deformations, 4A17
- Enhanced strain methods for small and finite deformations of solids, 5A27
- Numerical simulation of rapid crack propagation in viscoplastic materials, 5A705
- Efficient 3D enhanced strain element with Taylor expansion of the shape functions, 6A52
- Improved enhanced strain four-node element with Taylor expansion of the shape functions, 7A40
- Contact between 3D beams undergoing large deflections, 12A606
- Algebraic multigrid solver for FE computations in solid mechanics, 12A29
WRIGHT, D: Realistic animation of human figures using artificial neural networks, 5A1482
WRIGHT, DC: Environmental Stress Cracking of Plastics, 11R21
WRIGHT, E: Preform die shape design in metal forming using an optimization method, 9A661
WRIGHT, JK: Lateral response of older flat slab frames and the economic effect on retrofit, 6A1440
WRIGHT, JR: Modeling of a hybrid constrained layer-piezoceramic approach to active damping, 6A866
WRIGHT, MCM: Automatic control of laminar boundary-layer transition, 6A1075
WRIGHT, PK: CyberCut: A world wide web based design-to-fabrication tool, 5A364
- Reference Free Part Encapsulation: A new universal fixturing concept, 8A461
WRIGHT, RN: Heating effects in the drawing of wire and strip under hydrodynamic lubrication conditions, 5A553
WRIGHT, SE: Active control of environmental noise - II: Non-compact acoustic sources, 12A328
WRIGHT, SI: Application of multisurface plasticity theory: Yield surfaces of textured materials, 4A503
WRIGHT, TW: Effect of defect shape and size on the initiation of adiabatic shear bands, 1A483
- Scaling law for the effect of inertia on the formation of adiabatic shear bands, 6A505
WRIGHT, W: Special cloud chambers for investigations into the time-behavior of homogeneously nucleated spontaneous condensation, 4A1226
WRIGHT, WMD: Field characterization of an air-coupled micromachined ultrasonic capacitance transducer, 7A292
WROBEL, J: Conductance anomalies in strained quantum wires: The case of PbSe and PbTe, 9A1333
WROBEL, LC: Three-dimensional scattering of seismic waves from topographical structures, 7A194
- Numerical simulation of shallow water wave propagation using a BE wave equation model, 7A61
- Integral-equation formulation for anisotropic elastostatics, 7A405
- Derivation of boundary integral equations for the fluid velocity in potential and viscous flows past arbitrary bodies, 8A63
- New h-adaptive refinement scheme for the BEM using local reanalysis, 8A62
- Two-dimensional scattering of P, SV and Rayleigh waves: Preliminary results for the Valley of Mexico, 11T181
- Dual BE formulation for sound propagation around barriers over an impedance plane, 12A67
WROBEL, MA: Heat and mass flows coupled with stress in a continuous medium, 3A1287
WROBER, LC: Boundary integral formulation for 2D acoustic radiation in a subsonic uniform flow, 1A304
WROBLEWSKI, A: Mesh design and reliability assurance in hybrid-Trefftz p-element approach, 1A24
- T-elements: State of the art and future trends, 6A24
WROBLEWSKI, BM: Wear of the high-density polyethylene socket in total hip arthroplasty and its role in endosteal cavitation, 10T982
- Study of the combined effects of shelf ageing following irradiation in air and counterface roughness on the wear of UHMWPE, 11A1581
WROBLEWSKI, D: Proceedings of the ASME Heat Transfer Division, Volume 2, 3N42
WROBLEWSKI, R: Aggregate interlock in cracked concrete with excessive crack width, 2A800
WRUCK, N: Detailed flame structure of highly stretched turbulent premixed methane-air flames, 5A1333
WU , JIANCHENG: Nonlinear theory of multilayer sandwich shells and its application - III: Large deflection and postbuckling of shallow shells, 12A629
WU , JIANJUN: Vibration detection of liquid rocket engine based on fuzzy neural networks, 12T170
WU , JZ: Modeling axi-symmetrical joint contact with biphasic cartilage layers: An asymptotic solution, 3A1492
WU , ZHIQIANG: Period-doubling bifurcation of a strongly nonlinear vibration system (Chinese), 12T125
WU, AS: Coherent flame model of premixed turbulent combustion in a counterflow geometry, 9A1360
WU, B: Influence of thermal expansion mismatch on residual stresses and flow response of microballoon composites, 2A447
WU, BAISHENG: Perturbation method for the determination of the buckling strength of imperfection-sensitive structures, 11A525
- Method for determining the lower bound dynamic buckling loads of imperfection-sensitive structures, 12A662
WU, BAO-JUAN: Symmetric branching of Mode II and mixed-mode fatigue crack growth in a stainless steel, 1A698
- Mixed-mode fatigue crack growth in stainless steels under biaxial loading, 1A696
WU, BIASHENG: Remarks on secondary bifurcation in elastic systems with double Z_2-symmetries, 8T596
WU, BIN: Improved strategy for GAs in structural optimization, 5A750
WU, BO: Optimal placement of energy dissipation devices for 3D structures, 6A1445
WU, C-T: Large deformation analysis of rubber based on a reproducing kernel particle method, 9A434
WU, C-Y: Ray effects in the discrete-ordinate solution for surface radiation exchange, 10A1345
WU, CC: Structure and stability of a spherical shock wave in a van der Waals gas, 5A195
WU, CHAI WAH: Adaptive synchronization and control of nonlinear dynamical systems, 1A352
WU, CHANG-CHUN: Penalty-equilibrating approach and an innovative formulation of a 4-noded hybrid stress elements, 5A48
WU, CHEI-WEI: Adaptable spline element for membrane vibration analysis, 1A177
WU, CHENG-TANG: Reproducing Kernel Particle Methods for large deformation analysis of nonlinear structures, 6A30
- Pressure projection method for nearly incompressible rubber hyperelasticity - Part II: Applications, 7A493
WU, CHENGPING: Near crack line elastic-plastic analysis for a crack loaded by antiplane point forces, 9A743
- New approach to predicting interfacial crack growth, 10A828
WU, CHENGWEI: Analysis of steady behavior for electrorheological (ER) "Smart" journal bearings (Chinese), 2A1121
WU, CHIA-JU: Back-propagation neural networks for identification and control of a direct drive robot, 1A393
- Representation and collision detection of robots, 2A353
- Collision-free trajectory planning for two cooperative redundant manipulators using the minimum-time criterion, 8A429
WU, CHIEN H: Chemical potential for stress-driven surface diffusion, 6A2
WU, CHIEN-HENG: Micromechanics of nonlinear behavior in solid-filled Mooney-Rivlin rubber specimen, 3A435
WU, CHIEN-HSING: Mechanics of shaped crystal growth from the melt, 3A1281
WU, CHIH: R-ϵ characteristics of a three-heat-source refrigeration cycle, 2A1274
- Heat transfer effect on the specific cooling load of refrigerators, 4A1252
- Heat transfer effect on the specific heating load of heat pumps, 5A1280
- Optimization of solar absorption refrigerator, 6A1293
- Influence of heat transfer law on the performance of a Carnot engine, 7A298
- Generalized model of a real refrigerator and its performance, 8A1375
- Steady flow combined refrigeration cycle performance with heat leak, 11A1363
- Maximum power of a combined-cycle isothermal chemical engine, 11A1198
WU, CHIH-FU: Design optimization of a split-point drill by force analysis, 1A653
WU, CHIH-PING: Multi-region BE analysis of unconfined seepage problems in excavations, 1A626
- Thermoelastic analysis of doubly curved laminated shells, 3A1270
- Asymptotic theory for dynamic response of doubly curved laminated shells, 3A524
WU, CHIH-YANG: Composite discrete-ordinate solutions for radiative transfer in a two-layer medium with Fresnel interfaces, 6A1280
- Discrete-ordinate solutions for radiative transfer in a cylindrical enclosure with Fresnel boundaries, 9A1277
WU, CHING-JENN: Numerical study on the capillary effect of resin transfer molding, 10A754
WU, CHING-MO: Combined heat and mass transfer by laminar natural convection from a vertical plate with uniform heat flux and concentration, 10A1287
WU, CHONG: Harmonic wave response analysis of elastic floating plates by modal superposition method, 9A915
WU, CHUIJIE: Optimal truncated low-dimensional dynamical systems based on flow databases, 6A126
WU, CK: Study of thermophoretic transport and flame hydrolysis deposition with application to the manufacture of optical waveguides, 6A1318
WU, CL: Statistical analysis of the effects of feed, speed, and wear on hole quality in drilling, 2A599
WU, CT: Comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, 4A895
- Perturbed Lagrangian formulation for nearly incompressible and incompressible hyperelasticity, 10A571

WU, CW: Negative electrorheological effect and electrical properties of a Teflon-silicone oil suspension, 8A1005
WU, D-N: Optimal bounded-state control with application to building structure, 3A346
WU, DC: Strength prediction of ceramic components under complex stress states, 5A461
WU, F: Tension test for alumina ceramic materials using open-loop and closed-loop in-situ loading device, 11A739
WU, GANCHANG: Analytic theory of the temperature fields of bituminous pavement over semi-rigid roadbase, 10A1340
WU, GAOFENG: Simplified FE modeling of structural adhesive joints, 2A943
- Exact calculation of natural frequencies of repetitive structures, 4A16
WU, GF: Vibration of a nearly cyclic system, 1A197
WU, HAN C: Two dimensional texture study based on a double-slip model of polycrystal plasticity with analysis of thin-walled tubes under torsion, 4A520
WU, HAN-CHIN: Determination of shear stress-strain curve from torsion tests for loading-unloading and cyclic loading, 7A781
WU, HENG-LI: Precise elastic-plastic analysis of crack line field for mode II plane strain crack, 8A786
WU, HF: Study of tension test specimens of laminated hybrid composites - I: Methods of approach, 1A549
WU, HM: MUSCL type schemes and discrete entropy conditions, 8A59
WU, HONGBIN: Dynamic measurements of humidity attack on polymer-glass interfaces under stress, 11A885
WU, HS: Decentralized robust control for a class of uncertain large-scale interconnected nonlinear dynamical systems, 4T343
WU, HSIAN-KUN: Numerical computation of heat flow, fluid flow, and interface shapes in the float zone of lithium niobate during a melting process, 1A1194
WU, HUATAO: Attenuation structure of Coso geothermal area, California from wave pulse widths, 4A1367
WU, J: Vibration technique for space shuttle tiles bond assessment - Part II: Experimental results, 2A169
- Velocity perturbations induced by the longitudinal vortices in a cylinder wake, 4A1061
- Non-Newtonian shear-thinning flows past a flat plate, 6A1030
- Study of fatigue crack closure by elastic-plastic FE analysis for constant-amplitude loading, 10A786
- Rapid diagnosis of flow separation around an axial impeller in a mixing vessel, 10A1241
WU, J-S: Use of the analytical-and-numerical-combined method in the free vibration analysis of a rectangular plate with any number of point masses and translational springs, 8A176
- Refractive indices at visible wavelengths of soot emitted from buoyant turbulent diffusion flames, 11A1404
WU, JC: Stabilization control for rider-motorcycle model in Hamiltonian form, 6A395
WU, JEN DOW: Analysis of the friction and wear mechanism of structural ceramic coatings - Part 2: The effect of operating conditions and substrate material, 3A834
WU, JIAN: Adaptive parallel multigrid solution of 2D incompressible Navier-Stokes equations, 10A1091
WU, JIAN-KANG: Wave equation model for numerical solutions of advection-dominant heat transfer, 7T1280
WU, JIANCHENG: Nonlinear theory of multilayer sandwich shells and its application - I: General theory, 10A632
- Nonlinear theory of multilayer sandwich shells and its application - II: Fundamental equations for orthotropic shallow shells, 10A642
WU, JIANHUA: Second order wave diffraction in two layer fluids, 9A209
WU, JIANKANG: Wave equation model to solve the multidimensional transport equation, 8A1398
WU, JIANN-MIN: Frequency-domain linear quadratic optimal system design with 2dof configuration, 10T449
WU, JIE: Simulation of an H_2-O_2 flame by the least-squares FEM, 1A1341
- Div-curl-grad formulation for compressible buoyant flows solved by the least-squares FEM, 5A1221
WU, JJ: Plane-strain FE model for process-induced residual stresses in a graphite-PEEK composite, 9A27
WU, JONG-SHYONG: Free vibration analysis of a rectangular plate carrying any number of point masses and translational springs by using the modified and quasi-analytical and numerical combined methods, 11A124
WU, JTH: Interface pullout formula for extensible sheet reinforcement, 7A582
WU, JUNG-SHU: Thermo-viscoplastic modeling of machining process using a mixed FEM, 5A1295
WU, JUNHENG: Building a unified product model with complex method, 5A280
WU, JUNRU: Streaming generated by a bubble in an ultrasound field, 9A271
WU, JY: Study of the fundamentals of adsorption systems, 8A1378
- Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, 12A1328
WU, JZ: Improved solution for the contact of two biphasic cartilage layers, 9A1568
WU, K: Effect of strain rate on detwinning and superelastic behavior of NiTi shape memory alloys, 1A12
- Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, 9A1206
WU, K-C: Antiplane shear analysis of a semi-infinite multi-layered monoclinic strip, 3A446
WU, KC: Two-dimensional hydraulics of recirculating ground-water remediation wells in unconfined aquifers, 3A1472
- Effects of controls on fatigue loads in two-bladed teetered rotor wind turbines, 5A1448
WU, KF: Thermal instability in a circular cylinder with internal heat generation (French), 7A1257
WU, KUO-CHUN: Chemical kinetic simulation of hydrocarbon oxidation through the exhaust port of a spark ignition engine, 5A1343
WU, LINPING: Singular stress amplification between two holes in tension, 6A470
WU, LL: Study of tension test specimens of laminated hybrid composites - I: Methods of approach, 1A549
WU, LONG-IONG: Mathematical model and undercutting analysis of elliptical gears generated by rack cutters, 1A913
WU, LZ: Elastic field in a half-space with a circular cylindrical inclusion, 7A416
WU, M-H: Use of characteristic orthogonal polynomials in the free vibration analysis of rectangular anisotropic plates with mixed boundaries and concentrated masses, 7A143
WU, MAO S: Energy analysis of triple junction crack nucleation due to the wedging action of grain boundary dislocations, 6A799
- Crack nucleation due to dislocation pile-ups at I-, U- and amorphized triple lines, 11A714
WU, MEI Q: Micro-perforated panels for duct silencing, 11A257
WU, MH: Fuzzy set theory in the control of coordinate measuring machines (CMMSs), 6A391
WU, MING HSUN: General equations of a helical spring with a cup damper and static verification, 12A998
WU, MING-CHIN: Position control of servo hydraulic cylinder using a neuro-fuzzy controller with on-line searched parameters, 5A359
WU, MING-KUEN: Analysis of cantilever bouncing against a stop according to Timoshenko beam theory, 12A166
WU, MK: Roughness of aerosol particles: Surface fractal dimension measured using nitrogen adsorption, 4A1324
WU, MM: Analytical study of the Duffing oscillator excited by colored noise using a systematic adiabatic expansion, 7A68
WU, P-H: Analysis of the vibrations of inflatable dams under overflow conditions, 4A845
WU, PD: Computational aspects of localized deformations in amorphous glassy polymers, 4A576
- Simulation of the behavior of FCC polycrystals during reversed torsion, 7A442
- Void growth in glassy polymers, 9A15
WU, PEI-KUAN: Injection of supercritical ethylene in nitrogen, 1A1335
- Breakup processes of liquid jets in subsonic cross-flows, 7A1109
- Effects of incorporating a cone swirler into a side-inlet ducted ramrocket, 7A1431
WU, PEI-QIANG: Fretting behavior of PVD TiN coatings in aqueous solutions, 7A693
WU, PING: Optimal selection of parameters for the angular spectrum approach to numerically evaluate acoustic fields, 7A284
WU, Q: High pressure simulation experiment on corium dispersion in direct containment heating, 3A1439
- Experimental simulation of corium dispersion phenomena in direct containment heating, 3A1438
- Modeling of corium dispersion in DCH accidents, 3A1441
WU, QH: Improved Lyapunov function for power system stability analysis, 6A942
- Moderated reinforcement learning of active and semi-active vehicle suspension control laws, 7A357
WU, QS: Shock-induced two-phase flows in an aligned baffle system filled with suspended particles, 7A222
- Wave pattern characteristics of a two-phase nozzle flow by shock propagation, 11T200
WU, RONG-QIAO: Basic equations of water hammer, 3T967
WU, RUI: Carbide coarsening during creep in 12% CrMoV steel, 4A496
WU, RY: Effect of disk warpage-skew on the deflection and vibration of a flexible disk spinning above a baseplate and in contact with a point-head, 7A1024
WU, S: Transition from hydraulic jump to open channel flow, 3A973
- Evaluation of low cycle fatigue under non-proportional loading, 5A604
- New experimental technique for modeling of a micro-heterogeneous media, 6A814
- Motions and internal forces of a moored semi-submersible in regular waves, 9T222
WU, SF: Proceedings of the ASME Noise Control and Acoustics Division, Volume 1, 3N9
- Modeling of the noise spectra of axial flow fans in a free field, 9A255
WU, SHANG-SHENG: Analysis on transient heat transfer in annular fins of various shapes with their bases subjected to a heat flux varying as a sinusoidal time function, 3A1256
WU, SHANG-TEH: Digital high-gain and sliding-mode control, 7A328
- Digital high-gain PD control of robot manipulators, 10A461
WU, SHI YAO: Correction of plasticity effect at the hole edge when using the center hole method for measuring high welding residual stress, 6A509
WU, SHIMING: Characteristics of propagation of elastic waves in saturated soils (Chinese), 2A195
- Dispersion characteristics of Rayleigh wave in anisotropic layered soils (Chinese), 2A189
- Calculating dynamic response of soils by using love wave characteristics, 4T203
WU, SM: Analysis of drill failure modes by multi-sensors on a robotic end effector, 5A555
WU, SQ: Mechanical and wear behavior of an Al/Si alloy metal-matrix composite reinforced with aluminosilicate fibaer, 7A881
WU, T YAO-TSU: Vortex solitons in a rotating fluid within a non-uniform tube, 6A266
WU, T-T: Propagation of surface waves in a pre-stressed piezoelectric material, 4A204
- New method for measuring *in situ* concrete elastic constants using horizontally polarized conical transducers, 7A780
WU, TSU-SHIU: Identification of Fei-Tsui arch dam from both ambient and seismic response data, 5A127
WU, TSUNG-TSONG: Papers presented at the 8th Asia-Pacific Conference on NDT, December 11-14, 1995, Taipei, Taiwan, 7A790
WU, TW: Muffler performance studies using a direct mixed-body BEM and a three-point method for evaluating transmission loss, 1A88
- Numerical modeling of void migration in solids due to temperature gradient using the BEM, 3A1250
WU, TY: Accelerated vibratory fatigue test by ultrasonic frequency at cryogenic temperature, 1A722
- Influence of mean stress on Ti6Al4V fatigue crack growth at very high frequency, 7A663
WU, TZONG-SHIANN: Analysis of deep excavation with column type of ground improvement in soft clay, 3A606
WU, W: Modeling and analysis of a shape memory alloy-elastomer composite actuator, 3A399
- Dynamic patterning of shear bands in Cosserat continuum, 7A448
WU, WANGYI: Influence of low-frequency varying magnetic field on the pulsatile flow in a rigid round tube, 10A1204
WU, WEI: Beyond failure in granular materials, 9A620
WU, WEI Y: Triaxial determination of shear strength of tire chips, 11A560
WU, WEN-HWA: Effective optimal structural control of soil-structure interaction systems, 10A1456
WU, WEN-JYI: Analysis on transient heat transfer in annular fins of various shapes with their bases subjected to a heat flux varying as a sinusoidal time function, 3A1256
WU, WH: Transfer functions for rigid rectangular foundations, 6A1430
WU, WT: Study of the coefficients in yield functions modeling metal powder deformation, 2A416
WU, XB: Compressibility effect on the gas flow and heat transfer in a microtube, 10T1278
WU, XD: Micro-mechanics model of corrosion-fatigue crack growth in steels, 5A608
WU, XIAO PING: Application of heat pipe heat exchangers to humidity control in air-conditioning systems, 11A1348
WU, XIAO-HUI: Multiscale FEM for elliptic problems in composite materials and porous media, 11A33
WU, XIAOHAN: Seismic behavior of a new type of seismic energy dissipation shear wall system, 10A1463
WU, XIAOHUA: Large eddy simulation of an equilibrium 3D turbulent boundary layer, 6A1079
- Three-dimensional boundary layers over an infinite swept bump and free wing, 11A1021
WU, XIAONAN: Finite-element method for Laplace- and Helmholtz-type boundary value problems with singularities, 11A261
WU, XINHUA: Whirl orbit and stability of journal bearing under the nonlinear oil film force, 4A189
WU, XIU-HENG: Hydrodynamic model of the Weis-Fogh hydrofoil, 9A1154
WU, XS: Interfacial delamination analysis for multi-chip module thin film interconnects, 6A742
WU, XUDONG T: Algorithms for obtaining cumulative reaction probabilities for chemical reactions, 7T1420
WU, XUESONG: Nonlinear evolution of a pair of oblique Tollmien-Schlichting waves in boundary layers, 11A1067
WU, XX: J-integral in periodically layered composites, 5A675
WU, YI-CHANG: Automatic detection of embedded structure in planetary gear trains, 12A1001
WU, YINAN: Thermomechanical model for chemically decomposing composites - I: Theory, 7A461
- Thermomechanical model for chemically decomposing composites - II: Application, 7A462
WU, YU-LIN: Study on flows through centrifugal pump impeller by turbulent simulation, 10T1236
WU, YUEMING: Group of isoparametric elements suitable for St Venant's torsion of a bar with cracks, 5A29
WU, YUN: Application of simultaneous heat, mass, and pressure transfer equations to timber drying, 2A1268
WU, YUNG-CHAO: Hydrodynamic coefficients for an oscillating rectangular structure on a free surface with sidewall, 6A314
WU, Z: Modified bang-bang control law for structural control implementation, 3A751
- Thermo-mechanical coupling applied to plastics, 4A11
- Formation of longitudinal vortices in a turbulent boundary layer over wavy terrain, 5A1042
- Effects of thermo-mechanical coupling in a plastic cylinder, 7A1358
- Offset face gear drives: Tooth geometry and contact analysis, 9A958
WU, ZE-LONG: Acceleration of abrasive particles in premixed abrasive water jet nozzle, 3A1080
WU, ZHEN: Time-domain analysis and synthesis of active noise control systems in ducts, 8A341
WU, ZHIMIN: Fracture energy of concrete for large size specimens (Chinese), 6A749
WU, ZHIQIANG: Local bifurcation analysis of strongly nonlinear Duffing system, 6A119
WU, ZHONGKE: Building a unified product model with complex method, 5A280
WU, ZI-NIU: Uniqueness of steady-state solutions for difference equations on overlapping grids, 1A81
- Implicit centered scheme for steady and unsteady incompressible one and two-phase flows, 11A1013
WULFF, FW: New method to determine crack shape and size in solder joints, 11A879
WULFF, W: Scaling of thermohydraulic systems, 1A958
WULZ, HG: Capillary-pumped heat transport system: A thermal control concept designed for special cooling purposes, 7A1340
WUN-FOGLE, M: Materials for Smart SystemsII, 10N7
WUNDERLICH, B: Modeling the heat flow and heat capacity of modulated differential scanning calorimetry, 8A1262
WUNDERLIN, A: Fundamental solution of the incompatibility problem in 3D infinite anisotropic elasticity theory, 6A482
WUNG, PM: Laminated composite structures by continuum-based shell elements with transverse deformation, 7A525
WUNSCH, C: Ocean Circulation Inverse Problem, 2R45
WUNSCH, O: Analysis of shear-thinning fluid flow in intermeshing twin-screw extruders, 9A1182
WURM, B: Damage evolution ahead of sharp notches under cyclic loading, 4A697
WURMSER, D: Application of the Foldy-Wouthuysen transformation to the reduced wave equation in range-dependent environments, 8A345
WURTELE, MG: Propagation of gravity-inertia waves and lee waves under a critical level, 3T243
WUSATOWSKA-SARNEK, A: Plasticity in the compression stress state, 1A475
WUTTKE, MW: Ice hazes and clouds in the Martian atmosphere as derived from the Phobos-KRFM data, 6T1403
- Properties of dust in the Mars atmosphere: A revised analysis of Phobos-KRFM data, 9A1519
WYATT, K: Interfacial delamination analysis for multichip module thin film interconnects, 6A742
WYBROW, MF: Oscillatory flow over a circular cylinder close to a plane boundary, 3A1011
- Oscillatory flow over a cylinder resting on a plane boundary, 8A1060
WYCKAERT, K: Vibro-acoustical modal analysis: Reciprocity, model symmetry, and model validity, 5A142
WYCKOFF, PS: Premixed flame response to unsteady strain rate and curvature, 12A1362
WYGNANSKI, I: Delay of airfoil stall by periodic excitation, 2A1092
WYGNANSKI, IJ: Heat transfer in the forced laminar wall jet, 12A1252
WYMER, SA: Point-matching method for examining time-dependent Stokesian flow around a stationary axisymmetric body, 7A1029
WYNGAARD, JC: Evaluation of neutral and convective planetary boundary-layer parameterizations relative to large eddy simulations, 2A1410
- Spectra in the unstable surface layer, 3A1150

- General framework for an "unmixed layer" PBL model, 4T1436
- Two-point coherence in the atmospheric surface layer, 7T1148
WYNNE, RJ: Modeling of a hybrid constrained layer-piezoceramic approach to active damping, 6A866
WYSOKOWSKI, A: Modern methods of concrete quality inspection in road and bridge engineering (Polish), 2A805
WYSS, M: Earthquake prediction: State of the art, 9A1500
- Seismicity rate change before the Irpinia (M = 6.9) 1980 earthquake, 12T1446

X

XANTHIS, LS: A posteriori error estimation for elastoplastic problems based on duality theory, 6A528
- New Korn's type inequality for thin domains and its application to iterative methods, 6A599
XAVIER GRAU, F: Flow around a cylinder: Effect of the wall boundary condition on the domain width (Spanish), 4A976
XI, F: Inverse kinematics of space manipulators for avoiding dynamic singularities, 12A441
XI, FENGFENG: Vibration control of redundant flexible-joint manipulators, 8A198
XI, GENG: Optimum planning in joint space for robots using genetic algorithms, 4A398
XI, HEZHONG: Turbulent bursting-based diffusion model for suspended sediment in open channel flows, 3T988
XI, XU: Fatigue crack growth rates in adhesive joints tested at different frequencies, 4A700
XI, YUNPING: Representative volumes (RV) of composite materials, 6A557
XIA , YUANMING: Recovery experimental techniques of tensile impact, 6A261
XIA, JZ: Application of Papkovich-Neuber function in stress calculation of pressure vessels and piping, 1A868
XIA, KENONG: Investigation of the role of processing in the high temperature creep of whisker-reinforced alumina composites, 3T650
XIA, L: Assessment of the crack tip opening displacement criterion for predicting creep crack growth, 2A664
- Self-consistent model for cleavage in the presence of plastic flow, 4A745
- Quasi-statically steady crack growth in rate dependent solids: One-parameter field encompassing different constraints, 10A808
XIA, MENGFEN: Statistical formulation and experimental determination of growth rate of micrometer cracks under impact loading, 12A831
XIA, SONGBO: Whirl orbit and stability of journal bearing under the nonlinear oil film force, 4A189
XIA, TANGDAI: Dispersion characteristics of Rayleigh wave in anisotropic layered soils (Chinese), 2A189
- Calculating dynamic response of soils by using love wave characteristics, 4T203
XIA, WEI: Mechanical, friction and wear behaviors of a novel high-strength wear-resisting aluminum bronze, 2A866
- Effects of Mn content on the tribological behaviors of Zn-27% Al-2% Cu alloy, 3A840
XIA, X: Nonlinear continuous observers, 10T408
XIA, XD: Aseismic construction and design method for multi-storey composite structures, 3A1401
XIA, YUANMING: Statistical model and experimental study of the strain rate and temperature dependence of the strength of fibers, 3A490
XIA, Z: Effect of mean stress and ratcheting strain on fatigue life of steel, 2A627
- Mechanical behavior of Al_2O_3-particle-reinforced 6061 aluminum alloy under uniaxial and multiaxial cyclic loading, 9A707
XIA, ZC: Crack tip fields in strain gradient plasticity, 4A742
XIA, ZHIHONG: Hamiltonian Dynamics and Celestial Mechanics, 4N5
XIA, ZHIHUI: Constitutive model with capability to simulate complex multiaxial ratcheting behavior of materials, 11A424
XIAN , XJ: Fracture toughness and damage propagation of ultrahigh-modulus polyethylene fiber-reinforced composites, 9A755
XIAN, BAI SHI: New preshaped input function with high robustness for minimizing residual vibration of manipulators, 8A197
XIANG, CHENG: Studies of Melnikov method and transversal homoclinic orbits in the circular planar restricted three-body problem, 9A90
XIANG, JINWU: Modification of FE model based on identified error locations (Chinese), 10T54
XIANG, Y: Exact buckling solutions for composite laminates: Proper free edge conditions under in-plane loadings, 3A562
- Exact solutions for axisymmetric bending of continuous annular plates, 9A555
XIANG, YUYIN: Size effect in compression fracture: Splitting crack band propagation, 7A689
- Postcritical imperfection-sensitive buckling and optimal bracing of large regular frames, 9A588
- Crack growth and lifetime of concrete under long time loading, 9A747
- Inelastic buckling of concrete column in braced frame, 11A531
XIANG, ZD: Thermal-spike-enhanced moisture absorption by polymer-matrix carbon-free composites, 11A454
XIAO, DA ZHUN: Kinematic differential geometry of a rigid body in spatial motion - II: A new adjoint approach and instantaneous properties of a line trajectory in spatial kinematics, 9A87
- Kinematic differential geometry of a rigid body in spatial motion - I: A new adjoint approach and instantaneous properties of a point trajectory in spatial kinematics, 9A86
- Kinematic differential geometry of a rigid body in spatial motion - III: Distribution of characteristic lines in the moving body in spatial motion, 9A88
XIAO, HENG: Minimal representations for constitutive equations of anisotropic elastic materials, 7A422
- Isotropic invariants of the elasticity tensor, 12A470
XIAO, HUA: New time-stepping scheme for the network modeling of diffusion, 9A1274
XIAO, J: Application of damage mechanics to ice failure in compression, 1A1441
- Analysis of medium scale ice-indentation tests, 1A1440
- Flow properties of crushed ice, 11A1554
XIAO, JIMEI: Study of directionality of latent hardening behavior in aluminum single crystals, 4A511
XIAO, KEPING: Distribution of particulates in cast metal matrix composites, 5A435
XIAO, LIGUANG: Finite element analysis of strain softening response for damaged materials (Chinese), 2A25
- Finite element analysis of local damage and post-failure behavior for strain-softening solid, 7A15
XIAO, SHIDE: Improved strategy for GAs in structural optimization, 5A750
XIAO, SUN: Three-dimensional measurement of red-hot ingot using slit-ray projection method, 11A758
XIAO, ZM: Microcrack initiation at tip of a rigid line inhomogeneity, 10A835
- Zener-Stroh crack near an interface, 12A833
- Penny-shaped crack above the pole of a spherical inhomogeneity, 12A490
XIAOFANG, WANG: Experimental investigation on low-speed torque characteristics of vehicle turbocharged diesel engine (Chinese), 10A1425
XIE, BM: Long pulsed laser induced reverse bulging and plugging, 11A1378
XIE, BOMIN: Analytical study on the laser induced reverse-plugging effect by using the classical elastic plate theory - II: Reverse-bulge motion, 5A473
XIE, FENGQIN: Study of basicity resistance of high-alumina bricks coating (Chinese), 12A986
XIE, HEPING: Mixed boundary problems for a mixed mode crack in a finite plate, 8A825
XIE, HUIMIN: Note on stress- and strain-analysis for materials with different elastic modulus and a photoelastic solution of the stress state for points on the interface, 11A380
- Study on the production of 950°C moire gratings in metal materials, 12A865
XIE, J: Numerical investigation of eccentrically loaded high-strength concrete tied columns, 2A780
- Performance of high-strength concrete tied columns: A parametric study, 10A952
XIE, JC: Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224
XIE, JJ: Erosion-oxidation of carbon steel in the convection section of an industrial boiler cofiring coal-water fuel and natural gas, 12A776
XIE, LIHUA: Robust control of nonlinear feedback passive systems, 3A353
- Robust input to state stabilization for minimum-phase nonlinear systems, 10T429
- Robust LQG control of uncertain linear systems via simultaneous H_2 and H_∞ approach, 10T452
- Robust filtering for interconnected uncertain systems under sampled measurements, 12A358
XIE, LIN: Research on feature-based product model for cartridge valve blocks (Chinese), 12A1028
XIE, M: Nonlinear FE analysis for composite materials, 1A31
- Influence of unidirectional composite compression specimen thickness and loading method, 6A547
XIE, MAOZHAO: Breakup and atomization of a viscous liquid jet, 6A1139
XIE, RONG: Study of air filter systems of heavy-duty diesel engines (Chinese), 4A1030
XIE, S: Numerical solution of transient torsional wave propagation in a transversely isotropic cylinder, 6A236
XIE, SUMING: Transient torsional waves in transversely isotropic tube (Chinese), 10A264
XIE, W-C: Vibration mode localization in disordered large planar lattice trusses, 9A147
- Buckling mode localization in nonhomogeneous beams on elastic foundations, 9A584
XIE, WEI-CHAU: Buckling mode localization in randomly disordered continuous beams using a simplified model, 3A566
XIE, X: Absolute Moire contouring, 8A842
XIE, XIAOSU: Low-frequency equatorial waves in vertically sheared zonal flow - Part I: Stable waves, 3A242
- Low-frequency equatorial waves in vertically sheared zonal flow - Part II: Unstable waves, 6T1483
XIE, Y: Prediction of friction and wear when a soft surface slides against a harder rough surface, 2A919
XIE, YANNING: Experimental study and numerical simulation of split growth for unidirectional composites with a surface notch, 2A677
XIE, YJ: Analytical and experimental fracture assessment of carbon steel piping with circumferential through-wall cracks under bending, 5A654
- J integral estimation fracture analysis for circumferentially cracked carbon steel piping, 6A770
- Buckling optimization of hybrid-fiber multilayer-sandwich cylindrical shells under external lateral pressure, 8A610
XIE, YM: General evolutionary path for fundamental natural frequencies of structural vibration problems: Towards optimum from below, 4A809
- Effect of initial nondesign domain on optimal topologies of structures during natural frequency optimization, 7A801
- Various aspects of evolutionary structural optimization for problems with stiffness constraints, 8A887
- Evolutionary optimization of maximizing the difference between two natural frequencies of a vibrating structure, 10A896
- Evolutionary natural frequency optimization of 2D structures with additional non-structural lumped masses, 12A215
XIE, YN: Influence of the split-surfaces delay effect on split growth in unidirectional glass-epoxy composites with a surface notch, 7A740
XIE, YONGSONG: Effects of particle size, polishing pad and contact pressure in free abrasive polishing, 7A879
XIE, YOUBAI: On-line condition monitoring system linked by fiber-optic digital network, 9A946
- Advances in research on a multi-channel on-line ferrograph, 9A929
XIE, YUBAI: Numerical analysis of the nonsteady EHL process in high-speed rotating engine camtappet pairs, 1A1129
XIE, ZHI: New regional hypocenter location method, 2A1375
XIE, ZHI-GAO: Investigation on the components and the formation of a tribochemical film in the Si_3N_4-gray iron sliding pair lubricated with distilled water, 12A953
XIN, J: Multidimensional modeling of combustion for a size-mode emissions test cycle on a DI diesel engine, 12A1411
XIN, JUN: Droplet spindown in a high-temperature gas environment, 5A1218
XIN, RC: Flow patterns and pressure drop in air-water two-phase flow in horizontal helicoidal pipes, 11A999
- Effects of Prandtl numbers on local and average convective heat transfer characteristics in helical pipes, 12A1263
XIN, ZHOUPING: Boundary-layer behavior in the fluid-dynamic limit for a nonlinear model Boltzmann equation, 5A966
XING, D: Comparisons of magnetic resonance imaging velocimetry with computational fluid dynamics, 9A1193
XING, J: Review of recent developments in tidal hydrodynamic modeling - I: Spectral models, 9A1520
- Review of recent developments in tidal hydrodynamic modeling - II: Turbulence energy models, 9T1506
XING, J-T: Transient analysis of the ship-water interaction system excited by a pressure water wave, 11A23
XING, JIUXING: Internal Lee waves and turbulence mixing over an isolated seamount: Results from turbulence energy models, 5A932
XING, JT: Natural vibration of a beam-water interaction system, 8A277
XING, XIU-SAN: Theoretical framework of non-equilibrium statistical fracture mechanics, 5A699
XING, XIUSAN: Nonequilibrium statistical theory of damage fracture for quasi-brittle materials, 7A705
XING, YANGCHUAN: Synthesis and restructuring of inorganic nano-particles in counterflow diffusion flames, 3A1315
XING, ZHANG: Fracture mechanics analysis of warm pre-stressing for power-hardening materials, 3A698
XIONG , ZHONGMIN: Compact finite difference-Fourier spectral method for 3D incompressible Navier-Stokes equations, 8A1083
XIONG, C-X: Prediction of incompressible turbulent separated flows using a viscous layer model, 8A1197
XIONG, GUANGJING: Steel strip reinforced high-density wood shaving-cement board ribbed roof panel, 10A617
XIONG, JIE: Motion of a sphere oscillating at low Reynolds numbers in a viscoelastic-fluid-filled cylindrical tube, 6A499
XIONG, Y: Analytical method for failure prediction of multi-fastener composite joints, 4A747
XISTRIS, GD: Self-organizing neural networks for automated machinery monitoring systems, 4A910
- Closed form approximation of vibration modes of rectangular cantilever plates by the variational reduction method, 5A104
- Experimental verification of simultaneous forward and backward whirling at different points of a Jeffcott rotor supported on identical journal bearings, 6T175
- Vibration of rectangular plates by reduction of the plate partial differential equation into simultaneous ordinary differential equations, 12A188
- Simultaneous forward and backward whirling in a Jeffcott rotor supported on dissimilar hydrodynamic bearings, 12A192
XU , CHENGDONG: Search for methods to assess the fuzzy fracture probability of spherical tanks, 5A707
XU , LISHEN: Newmark recursive algorithm for nonstationary response moment of nonlinear systems (Chinese), 12T218
XU , MUBING: Characteristics of wave propagation and vibrational power flow in a fluid-filled cylindrical shell (Chinese), 12A275
XU , QINAG: Virtual BE-least square method for solving 3D problems of thick shell (Chinese), 2A495
XU , YAOLING: Nonlinear problems of current-carrying round plates with varying thickness in the electromagnetic field, 12A668
XU , ZHAOTING: Theoretical amplitude and period of precursor soliton generation in two-layer flow, 8A256
XU, BINGYE: Lower-bound shakedown analysis of spherical shells containing defects, 1A870
XU, BO: Natural frequencies and mode shapes of curved pipes, 9A143
XU, BOHOU: Optimal allocation of the control matrix of flexible structures (Chinese), 2A324
- Optimal vibration control of structures with great disparity in rigidity (Chinese), 10T491
XU, BY: Numerical method for reference stress in the evaluation of structure integrity, 9A465
XU, C: Stochastic Hydraulics '96, 4N26
- Discrete vortex method for airfoil with unsteady separated flow, 6T1177
XU, CHAOJIN: Soil-structure-water interaction of intake-outlet towers allowed to uplift, 8A1482
XU, D: Numerical prediction of separation and reattachment of turbulent flow in axisymmetric diffuser, 11A1049
XU, DONG-HUI: Study on the distribution of residual stress due to surface induction hardening, 4A525
XU, F: Soot formation in laminar premixed ethylene-air flames at atmospheric pressure, 8A1411
XU, FU: Sidewall flow stability in the MHD channel flows, 6A1132
XU, G: Elastoplastohydrodynamic lubrication with dent effects, 5T1110
- Novel method to measure capsule pressure gradient in a pipeline, 7T999
- Numerical analysis of concrete fracture based on a homogenization technique, 9A765
- Capsule transport in coal slurry medium, 11A991
XU, GANG: Thermal EHL analysis of circular contacts with measured surface roughness, 1A1132
- Viscoelastic effects in lubricated contacts, 3A878
- Spall initiation and propagation due to debris denting, 7A889
- Debris denting effects on elastohydrodynamic lubricated contacts, 12A1212
XU, GP: Theoretical analysis and optimization of a double-effect series-flow-type absorption chiller, 4A1183
- Theoretical analysis and optimization of a double-effect parallel-flow-type absorption chiller, 6A1295
XU, H: Analytical and experimental fracture assessment of carbon steel piping with circumferential through-wall cracks under bending, 5A654
- J integral estimation fracture analysis for circumferentially cracked carbon steel piping, 6A770
- Measurement of dynamic gas disengagement profile by using an analog output level gauge, 8A1120
- Approximate Newton methods for nonsmooth equations, 11T288
- New version of the Newton method for nonsmooth equations, 11T289
XU, HANTAO: Parametric analysis and experimental study on local flexibility of TY-type tubular joints, 1A857
XU, HANZHEN: Application of a novel control scheme to ship steering, 2A1068
- Robust autopilot design for ship steering in waves, 10A1213
XU, HY: Finite difference schemes for 3D time-dependent convection-diffusion equation using full global discretization, 7T1383
XU, J: Effect of water vapor on the agglomeration of wear particles of ceramics, 9A925

XU, J-X: Iterative method of point mapping under cell reference for the global analysis of nonlinear dynamical systems, 2A76
XU, J-Z: Prediction of incompressible turbulent separated flows using a viscous layer model, 8A1197
XU, JIAN: Local bifurcation theory of nonlinear systems with parametric excitation, 1A127
- Controlling erosion of safe basin in nonlinear parametrically excited systems, 6A116
XU, JIAN MING: Development of an efficient program for the nonlinear analysis of bridges, 3A793
XU, JIAN-JUN: Interfacial instabilities and fingering formation in Hele-Shaw flow, 6A1023
XU, JIAN-XIN: Design of variable structure controllers with continuous switching control, 4T377
XU, JIAN-XUE: Problem of an elastic-plastic beam dynamics and an incomplete co-dimension two bifurcation, 8A138
XU, JIAN-ZHONG: Slightly reduced Navier-Stokes equations, 9A1010
XU, JIANXUE: Bifurcation and chaos in the Duffing oscillator with a PID controller, 10A129
XU, JIEYONG: Improved BEM and its application to time-dependent convection, 1A1200
XU, JINCHAO: Two-grid discretization techniques for linear and nonlinear PDEs, 3A32
- Preconditioning the Poincare-Steklov operator by using Green's function, 7A51
XU, JINFEN: Investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 2A864
- Effect of particle size of nanometer ZrO_2 on the tribological behavior of PEEK, 3A853
XU, JINYU: Study of dynamic load coefficient of airfield's cement concrete pavement (Chinese), 12A704
XU, K: Assessment of computational models for thermo-electroelastic multilayered plates, 4A1274
- BGK-based schemes for the simulation of compressible flow, 6T1048
- Predictor-corrector FE approach for electroelastic analysis of hybrid composite plates, 12A637
XU, KANG: Micromechanical model for the initial rearrangement stage of liquid phase sintering, 9A476
XU, KANGMING: 3D solutions for free vibration of initially stressed thermoelectroelastic multilayered cylinders, 6A1303
- Three-dimensional solutions for free vibrations of initially-stressed thermoelectroelastic multilayered plates, 9A1330
XU, KE: Multiscale structures to describe porous media - Part I: Theoretical background and invasion by fluids, 9A1417
XU, KE: Multiscale structures to describe porous media - Part II: Transport properties and application to test materials, 11A1450
XU, KQ: Frequency domain modal parameter identification of high order systems in a numerically stable way, 10A228
XU, KUN: Integrated system for automatic wear particle analysis, 12A950
XU, L: Interfacial crack initiation under quasistatic and dynamic loading conditions: An experimental study, 8A812
XU, LIMING: Interferometric and FE investigation of interfacial crack tip fields: Role of mode-mixity on 3D stress variations, 7A710
XU, LS: Recursive response analysis of structures subjected to nonwhite random excitation, 3A127
XU, LUO-YU: Techniques to establish the characteristic curve for microcrack growth in brittle laminated materials, 10A836
XU, LX: New fundamental biobeat equation for muscle tissue - Part I: Blood perfusion term, 12A1546
XU, MB: Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams, 10A246
XU, MINGTAO: New method for the biomechanics model of vibrating human body (Chinese), 2A1464
XU, MINGTIAN: Solving vibration problem of thin plates using integral equation method, 5A126
XU, MUBING: Control of wall joint on the coupled wave propagation in a fluid-filled shell (Chinese), 7T226
XU, Q: Numerical-experimental analysis of an API 8-round connection, 12A489
XU, QILOU: Bending solution of a rectangular plate with one edge built-in and one corner point supported subjected to uniform load, 9A553
XU, QIN: Numerical simulations of density currents in sheared environments within a vertically confined channel, 3A977
XU, R: Eigen-force method for FE analysis and reanalysis, 8A43
XU, RX: Approximate expressions for 3D notch tip stress fields, 2A418
XU, S: Three-dimensional effects in fiber-reinforced composites under compression, 7A475
XU, SHAOHUI: Splitting method for 2D phreatic flow equation, 7A1048
XU, T: Fatigue of ship critical structural details, 11A651
XU, TAO: Pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 2A867
- Load shedding of fatigue fracture in ship structures, 6A925
- Closed solution for the elastic-dynamic behavior of an industrial press feed mechanism and experimental verification, 11A871
XU, W: Inverse method to predict temperature and heat flux distribution in a cutting tool, 12T1289
XU, WEI-XING: Application of a novel algorithm for moving surface flows, 10A1082
XU, WENSHENG: Maximum principle for optimal control for a class of controlled systems, 5A289
XU, X: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Transport Phenomena in Materials Processing and Manufacturing - 1996, 4N30
- Radiative transfer in pulsed-laser-induced plasma, 12A1316
XU, XG: Three-dimensional measurements in a non-axisymmetric flow experiment using a one- or two-component laser-Doppler anemometer, 8A1253
XU, XIANG-HUA: Towards the development of second-order closure models for nonequilibrium turbulent flows, 2A1052
- Explicit algebraic stress model of turbulence with anisotropic dissipation, 4T1091
XU, XIAOPING: Problem of the nonlinear unsymmetrical bending for cylindrically orthotropic circular thin plate with variable thickness, 11A506
XU, XIN-SHENG: Propagation of waves in rate-dependent plastic softening rod and beam, 9A183
XU, XING: h-type adaptive FE, 3A37
XU, XINSHENG: Stress singularities near corner of wedged multi-dissimilar materials (Chinese), 2A388
- Hamiltonian system and the Saint Venant problem in elasticity, 6A459
XU, XP: Numerical study of the early stages of impulsively started unsteady laminar flow past a square cylinder, 7A1045
XU, XS: Saint-Venant problem and principle in elasticity, 12A473
XU, XUEJUN: Two-level Schwarz methods for Wilson element approximation of elasticity problem, 10A573
XU, XZ: Similarity solution of mixed convection over a horizontal moving plate, 8A1294
XU, Y: Experimental determination of bending strain power spectra from vibration measurements, 1A161
- Stress properties at the tip of a conical notch, 9A438
- Elastic-cracked model for penetration into unreinforced concrete targets with ogival nose projectiles, 9A196
- Variable sensitivity displacement interferometer with application to wave propagation experiments, 10A886
XU, YANGSHENG: Robust joint and Cartesian control of underactuated manipulators, 4A400
XU, YH: Shock-induced two-phase flows in an aligned baffle system filled with suspended particles, 7A222
XU, YIGUI: Structural dynamic model modification and damage diagnosis method based on neural networks (Chinese), 10T517
XU, YL: Wind-induced fatigue loading and damage to hip and gable roof claddings, 6A730
- Modal analysis of tower-cable system of Tsing Ma long suspension bridge, 12A201
XU, YONGCHENG: Active noise control based on intelligent fuzzy control tactics (Chinese), 10A372
XU, YONGJUN: Complete eigen-solutions for plane notches with multi-materials by the imbedding method, 10A841
XU, YONGLIN: Cavity-opening tensor method and its application to reflection and transmission of ultrasonic wave by defects, 3A202
- Self-similar crack expansion method for 3D cracks in an infinite or semi-infinite medium, 4A740
XU, YOUREN: Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, 4A548
XU, YUNSHENG: Analysis of thermal injury process based on enzyme deactivation mechanisms, 11A1580
XU, YUNXIU: Motion fields generated by the oscillatory motion of a circular cylinder in a linearly stratified fluid, 10A1090
XU, Z: Separatrices and limit cycles of strongly nonlinear oscillators by the perturbation-incremental method, 6A123
- Design and performance prediction of centrifugal impellers, 8A1238
XU, Z-F: Time dependent correlation function of linear systems excited by shot noise with different arrival rates, 6A136
XU, ZEFANG: Looping behavior of arches using corotational FE, 7A545
XU, ZHE: Preferential diffusion effects on the temperature in usual and inverse diffusion flames, 1A1315
XU, ZHENDUO: Criteria of d-δ operations' exchange relationship in nonholonomic systems of analytical dynamics, 8T78
XU, ZHIYOU: Determination of shear stress-strain curve from torsion tests for loading-unloading and cyclic loading, 7A781
XU, ZL: Distributed piezoelectric segment method for vibration control of smart beams, 9T843
XU, ZONG-BEN: Cell exclusion algorithm for determining all the solutions of a nonlinear system of equations, 5T52
XU, ZR: Effect of BN coating on the strength of a mullite type fiber, 12A564
XUE, DAWEI: General solution of cylindrical shell equations, 9A558
XUE, DONGXIN: Determination of crankshaft coupled stiffness by using static condensation of dof (Chinese), 4A156
- Engine noise resulting from crankshaft torsional vibrations (Chinese), 4A157
- Coupled vibrations of marine medium speed diesel engine crankshafting (Chinese), 4A155
XUE, GANG: Flexible strategy for numerical path integration, 9A777
XUE, HONG: Turbulence model for water flow over 2D bod forms, 11A927
XUE, HUIYU: Combined FE-Riccati transfer matrix method in frequency domain for transient structural response, 7A163
XUE, KZ: Use of ambient response measurements to determine dynamic characteristics of slender structures, 6A132
XUE, MD: Reinforcement design method based on analysis of large openings in cylindrical pressure vessels, 5A804
XUE, MING: Numerical simulations of density currents in sheared environments within a vertically confined channel, 3A977
XUE, MINGDE: Lower-bound shakedown analysis of spherical shells containing defects, 1A870
XUE, PETER YI: General solution of cylindrical shell equations, 9A558
XUE, QIANG: Study on the instability problem for 2D-frames, 4A620
XUE, QING: Planning of collision-free paths for a reconfigurable dual manipulator equipped mobile robot, 6A414
XUE, QUN-JI: Tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 2A872
XUE, QUNJI: Tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum N-salicylidene derivative of malonic dihydrazide, 2A1133
- Microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 2A902
- Antiwear and expressure properties of some oil-water double soluble rare earth complexes - Part 2: Their tribological behavior is liquid paraffin, 2A1128
- Sliding wear study of ion-beam mixing Ni-Mo multilayer films on steel, 2A888
- Antiwear and extreme pressure properties of some oil-water double soluble rare earth complexes - Part 1: Their tribological behavior in water, 2A1129
- Tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 2A1132
- Effect of particle size of nanometer ZrO_2 on the tribological behavior of PEEK, 3A853
- Tribological properties of TZP-graphite self-lubricating ceramics, 3A847
- Wear maps of TZP-steel reciprocating sliding couple under dry sliding, 3A863
- Tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 4A891
- Wear mechanisms of $K_2Ti_6O_{13}$ whiskers reinforced Al-20Si aluminum matrix composites with lubrication of water and tetradecane, 5A833
- Friction and wear properties of Cr_2O_3 coating with aqueous lubrication, 5A842
- Friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, 5A819
- Improved friction and wear properties of cast Fe-Mo-S wear-resistant alloy by cerium dioxide doping, 5A821
- Wear mechanisms of zirconia-steel reciprocating sliding couple under water lubrication, 7A897
- Boundary lubrication of aluminum alloy with Cl-containing antiwear and extreme pressure additives, 12A1201
XUE, SONGTAO: Mechanics and dynamics of intelligent passive vibration control system, 9A847
XUE, YK: Elastohydrodynamic lubrication analysis of layered line contact by the BEM, 1A1145
XUE, YU: Versatile Kirchhoff code for aeroacoustic predictions, 6T354
XUYEN, ND: Magnitude scales for near earthquakes in Vietnam, 9A1452

Y

YABE, A: Electrohydrodynamic enhancement of falling film evaporation heat transfer and its long-term effect on heat exchangers, 11A1293
YABE, F: Development of a high-speed, half-tracked truck with metal-coreless rubber track, 3A825
YABUNO, H: Buckling of a beam subjected to electromagnetic force and its stabilization by controlling the perturbation of the bifurcation, 1A114
- Bifurcation control of parametrically excited Duffing system by a combined linear-plus-nonlinear feedback control, 10T130
YABUTA, Y: Binocular machine vision system using an active view point (Japanese), 5A346
YADA, K: Study on the criterion of slip-resistance for pedestrian road pavement (Japanese), 7T924
YADAV, JN: Mechanisms of a kinematic chain and the degree of structural similarity based on the concept of link-path code, 1A932
- Computer aided detection of isomorphism among binary chains using the link-link multiplicity distance concept, 1A929
- Freedom analysis of planar kinematic chains using the concept of distance, 3A913
- Detection of isomorphism among kinematic chains using the distance concept, 11A863
YADAVA, RSS: Optimal design of trusses using available sections, 11A765
YADIGAROGLU, G: Three-dimensional Eulerian-Lagrangian model of dispersed flow film boiling - II: Assessment using quasi-steady-state data and comparison with the results of 1D analyses, 7A1290
- Three-dimensional Eulerian-Lagrangian model of dispersed flow film boiling including a mechanistic description of the droplet spectrum evolution - I: The thermal-hydraulic model, 7A1289
- Mathematical model and its analytical solution for slow depressurization of a gas-filled vessel, 9A1197
YAE, KH: Development of proportional-sum-derivative control methodology, 8A1373
YAESH, I: Optimal guidance with reduced sensitivity to time-to-go estimation errors, 7T351
- Finite horizon static output H_∞ control with automatic beam guidance application, 10T462
YAGASAKI, K: Melnikov theory for subharmonics and their bifurcations in forced oscillations, 5A86
YAGASHITA, Y: Effect of thermal residual stress on the interlaminar crack extension behavior in cross-ply laminates due to transverse loading, 10A1370
YAGAWA, G: Mesh-invisible FE analysis system in a virtual reality environment, 1A30
- Development of user-friendly structural design system for pressure vessels, 1A869
- Recursive distribution method for probabilistic fracture mechanics, 2A715
- Identification of two dissimilar surface cracks hidden in solid using neural networks and computational mechanics, 5A275
- Parallel FE fluid analysis on an element-by-element basis, 5A33
- Free mesh method: A new meshless FEM, 5A36
- Performance study of the domain decomposition method with direct equation solver for parallel FE analysis, 6A48
- Neural networks in computational mechanics, 6A94
- Automated system for analyzing stress intensity factors of 3D cracks: Its application to analyses of two dissimilar semi-elliptical surface cracks in plate, 8A772
- Three-dimensional FE adaptive analysis of incompressible flow based on control of node density distribution and *a posteriori* error estimation, 9A1034
- Inelastic constitutive parameter identification using an evolutionary algorithm with continuous individuals, 9A462
- Parallel triangular decomposition algorithm on a workstation network with application to structural vibration analysis, 11A165
- Crack arrest test using a toughness gradient steel plate, 11A723
YAGHOUBI, M: Turbulent wind flow patterns and pressure fields across a tall building, 9T1113
YAGHOUBI, MA: Numerical study of convective heat transfer from an array of parallel blunt plates, 11A1210
YAGI, H: Development of a piston-type closed conduit to generate oscillatory flow with arbitrary profile (Chinese), 10A1045
YAGI, K: Effect of stress history on cyclic undrained deformation: Strength characteristics of volcanic coarse-grained soils (Japanese), 5A513
- Static and cyclic shear behavior and particle crushing of volcanic coarse grained soils in Hokkaido (Japanese), 5A514
- Particle breakage of volcanic coarse: Grained soils and its evaluation (Japanese), 10A685
YAGI, M: Anomalous plasma transport in the stochastic magnetic field, 3A1167
- Transport coefficient and heat pulse propagation in tokamak plasma, 3A1174
- Characteristics of L-H transition of the edge plasma in tokamaks, 3A1173
- Subcritical excitation of plasma turbulence, 4A1106
- Corrosion and hydrogen absorption of carbon steels in CO_2 environment (Japanese), 7A683
- Chaotic nature of turbulence observed in benchmark analysis of nonlinear plasma simulation, 9A1121
YAGI, N: Consideration on failure of cut slope of weathered serpentine clay (Japanese), 2A546
- Mechanical characteristics and countermeasures of landslides at the fractured zone on meadian tectonic line (Japanese), 5T528

- Influence of shear test method and restraint condition on residual strength of soil (Japanese), 8A659
YAGI, T: Lateral-torsional buckling of monosymmetric I-beams with compact section (Japanese), 11A529
YAGISHITA, H: Study on the simulation of grinding process - 3rd Report: Influence of cutting edge distribution on finished surface roughness and grinding force (Japanese), 7A624
YAHIA, L'H: Moments arms and lengths of human upper limb muscles as functions of joint angles, 3A1499
- Medical applications of shape memory alloys, 6A1548
YAHIAOUI, K: Effect of diameter-thickness ratio on the ratchetting behavior of pressurized plain pipework subjected to simulated seismic loading, 3A1381
- Pressurized piping elbows under simulated seismic bending: Design code implications, 8A940
YAHNIOGLU, N: Stress distribution in the strip fabricated from the composite material with small-scale curved structure, 9A530
YAHR, GT: Experimental investigation of the interaction of primary and secondary stresses in fuel plates, 11A1515
- Prevention of nonductile fracture in 6061-T6 aluminum nuclear pressure vessels, 11A1518
- Fatigue design curves for 6061-T6 aluminum, 11A646
YAHSI, OS: Axisymmetric crack problem in a non-homogeneous interfacial region between homogeneous half-spaces, 6A786
- Stress intensity factors for an infinitely long transversely isotropic, thick-walled cylinder which contains a ring-shaped crack, 6A764
YAJIMA, J: Relation between failure criterion, unconfined compressive strength and initial void ratio of light-weight soil (Japanese), 8A641
- Mechanical properties and failure criterion of normally and over consolidated cement-treated soil (Japanese), 10A684
YAJIMA, S: High-speed photographic study of the transition from deflagration to detonation wave, 4T240
YAJIMA, T: Prediction of steel corrosion portion and area by natural potential measurement (Japanese), 7A688
YAJIMA, Y: Note on the drag reduction of a circular cylinder due to double rows of holes, 2A1005
YAKHOT, A: High-order-accurate discretization stencil for an elliptic equation, 2A1015
- Highly accurate numerical solution of a biharmonic equation, 11A384
YAKOVENKO, SN: Numerical investigation of a turbulent flow around a 2D obstacle in the boundary layer, 5T1015
YAKOVLEV, SS: Influence of rotation of the principal orthotropy axes on the deformation of anisotropic ideally plastic materials, 1A493
YAKUBENKO, PA: Absolute, convective, and global instability of a magnetic liquid jet, 4A1098
- Capillary instability of an ideal jet of large but finite length, 7A1126
YAKUBOVICH, V: Nonconvex problems of global optimization: Linear-quadratic control problems with quadratic constraints, 8T383
YAKUSHKIN, IG: Strong focusing of plane waves behind a power-law random phase screen, 2A201
YALAMANCHILI, KK: Three-dimensional failure analysis of composite masonry walls, 3A565
YAM, C: Modeling and measurements of soot and species in a laminar diffusion flame, 5A1337
YAM, LH: Mathematical model of higher level structural optimization problems and their solution, 5A751
- Use of ambient response measurements to determine dynamic characteristics of slender structures, 6A132
- Natural vibration of a beam-water interaction system, 8A277
YAM, Y: Stability of a spinning axisymmetric rocket with dissipative internal mass motion, 9A236
YAMAC, T: Size and shape of particulate polyethylene wear debris in total joint replacements, 10A979
YAMADA, E: Thermomechanical properties in a thin film of shape memory polymer of polyurethane series, 3A468
YAMADA, F: Internal characteristics and numerical analysis of plunging breaker on a slope, 12A253
YAMADA, H: Three dimensional unsteady aerodynamic force measurement by the modal decomposition and reassemblage method (Japanese), 3A1190
- Adaptive predictive controller for hydraulic systems driven by fast switching on-off solenoid valves, 5A282
- Application of unified predictive control to on-off control of hydraulic system driven by fast-switching solenoid valves, 5A871
- On-engine evaluation of emissions characteristics of a variable geometry lean-premixed combustor, 8A1421
- Viscosity equation for concentrated suspensions of charged colloidal particles, 10A1034
YAMADA, K: Stability estimation method for masonry wall (Japanese), 2A564
- Study on high pressure dewatering method of cement-stabilized soft clay (Japanese), 2A547
- Fatigue strength of tensile plate with side gussets subjected to static transverse load (Japanese), 6A732
- Dynamic and static displacement property of rigid foundation on weathered rock by field test (Japanese), 8A661
- Field measurement and fatigue assesment of orthotropic steel deck with asphalt pavement (Japanese), 11A648
YAMADA, M: Free convection heat transfer around a horizontal ice cylinder formed through melting within an immiscible liquid, 2A1162
- Study on utilization of fly ash and flue gas desulfurization wastes for road base under light traffic (Japanese), 5T536
- Statical and fatigue strength tests of insulated friction-type connections (Japanese), 6A734
- Experimental study on the effects of numerous factors on bond-slip relationship (Japanese), 7A966
- Estimation method for perpendicularity of motion of vertical milling machine by model of machine tools (Japanese), 7A608
- Study on the criterion of slip-resistance for pedestrian road pavement (Japanese), 7T924
- Piezoelectric mount force sensor of placement system for surface mount devices (Japanese), 12T877
- Zero phase error tracking system with arbitrarily specified gain characteristics, 12A387
YAMADA, S: Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A1366
- Thermomechanical properties due to martensitic and R-phase transformations of TiNi shape memory alloy subjected to cyclic loadings, 7A9
YAMADA, T: Numerical analysis on hydrogen diffusion and concentration in solid with emission around the crack tip, 2A642
- Free mesh method: A new meshless FEM, 5A36
- Studies on short-term rainfall prediction using animation of radar images and estimation of average-rainfall-depth over a watershed (Chinese), 10A1466
YAMADA, Y: Time-dependent FEM analysis of photon migration in biological tissues, 7A1544
- Thermal tomographic detection in inhomogeneities, 11A1330
YAMAFUJI, K: Study on the stability and motion control of a unicycle - 4th report: Fuzzy gain schedule PD controller for managing nonlinearity of system, 5A328
- Study on the stability and motion control of a unicycle - 3rd report: Characteristics of unicycle robot, 5A327
YAMAGHUCHI, H: Transport coefficient and heat pulse propagation in tokamak plasma, 3A1174
YAMAGISHI, A: Nonlinear rheological behavior of a concentrated spherical silica suspension, 5A894
- Three dimensional model shape design - 2nd Report: 3D geometric model focused on shape generating rules (Japanese), 9A965
YAMAGISHI, K: Dynamic and static displacement property of rigid foundation on weathered rock by field test (Japanese), 8A661
YAMAGUCHI, E: Elastic-plastic FE analysis technique coupled with equivalent inclusion method (Japanese), 9A16
YAMAGUCHI, F: Adaptive sign detection method of 4 × 4 determinant method - 2nd Report: Sign detection method for arbitrary homogeneous polynomials (Japanese), 4A60
- Point-in-polygon test dealing with the polygons including curve edges based on the 4 × 4 determinant method (Japanese), 7A79
- Adaptive sign detection method using a floating point processing unit: Sign detection for 3 × 3 determinants (Japanese), 12T86
YAMAGUCHI, H: Volume IV: Arctic/Polar Technology, 10N31
- Arctic-Polar Technology, Volume IV, 1N51
- Identification of dynamic characteristics by field vibration test in Tsurumi Tsubasa bridge (Japanese), 3A795
- Energy-based damping evaluation of cable-stayed bridges and its application to Tsurumi Tsubasa bridge (Japanese), 3A794
- Possibility of quantitative prediction of cavitation erosion without model test, 4A964
- Sliding mode control of buildings with ATMD, 9A1488
- Spherical Couette flow of a viscoelastic fluid - Part II: Numerical study for the inner sphere rotation, 10A583
- Development of a new internal finishing process applying magnetic abrasive finishing by use of pole rotation system, 10A543
- Spherical Couette flow of a viscoelastic fluid - Part I: Experimental study of the inner sphere rotation, 10A1088
- Evaluation of friction welded joint performance by discriminant analysis method, 11A886
YAMAGUCHI, I: Analyses of interaction between two pairs of shield tunnels and soil, and their application to design and construction of parallel shield tunnels (Japanese), 10A957
YAMAGUCHI, K: Application of vibroscanning method to on-the-machine measurement of micro electro discharge machining, 1T673
- End-point detector for planarization of semiconductor devices by chemical mechanical polishing, 1A674
- Manufacturing of 3D micro-parts by UV laser induced polymerization, 2T330
- Characterization and application of the sliding wear of hardened die steel against SiC whisker-plastic composite, 3A848
- Analysis of accumulating mechanism of distributed and unbonded prestress (Japanese), 5A717
- Detection of surface irregularity by means of transferred oil film (Japanese), 5A738
- Grinding using directionally aligned SiC whisker wheel: Anti-loading by addition of abrasive grains to grinding fluid (Japanese), 9A675
- Vibration control of Kurushima Bridge Tower 5P under construction (Japanese), 11T815
- Tear-off mechanism of sintered diamond tool in cutting SiC-particle-strengthened epoxy composites, 12A961
YAMAGUCHI, R: Injury of biological tissue by extracellular freezing, 7A1309
YAMAGUCHI, S: Study of unsteady orifice flow characteristics in hydraulic oil lines, 7A1001
YAMAGUCHI, T: Fractal characteristics of grinding wheel surface (Japanese), 2A601
- Three dimensional contact-separation behavior on high strength bolted flange joints (Japanese), 3A927
- Adaptive control of a hybrid servo system for magnetic disk drives, 7A310
- Heat of vaporization of mixtures, 9A1196
- Gas chromatography micro-column method for measuring retardation of volatile organic chemical gas transport in soils (Chinese), 10A700
- Piezoelectric mount force sensor of placement system for surface mount devices (Japanese), 12T877
YAMAGUCHI, Y: Combined natural convection and radiation heat transfer in a vertical air cavity with hexagonal honeycomb core of negligible thickness, 1A1254
- Advanced materials for aircraft structures, 5T801
- Influences of fatigue frequency and hydrogen content on crack propagation in hydrogen embrittlement environment (Japanese), 7A665
- Numerical prediction of transitional characteristics of flow and heat transfer in a corrugated duct, 8A1272
- Simulation and analysis of birefringence in Magneto-Optical Discs - Part A: Formulation, 10A1028
- Simulation and analysis of birefringence in Magneto-Optical Discs - Part B: Numerical and experimental results, 10A1029
YAMAJI, I: Study on measuring surface topography of grinding wheel on the machine - 1st Report: Development of measuring system using a laser stylus (Japanese), 9A676
- Fuzzy ID3 and its application to rules generation for process distribution in grinding (Japanese), 12A739
YAMAJI, K: Field observation of movement of sand body due to waves and verification of its mechanism by numerical model (Chinese), 10A1054
YAMAJI, T: Biomechanics of knee ligament healing, repair, and reconstruction, 10A1513
YAMAKAWA, J: Anisotropic beam theories with shear deformation, 3A512
YAMAKAWA, K: Corrosion and hydrogen absorption of carbon steels in CO_2 environment (Japanese), 7A683
YAMAMOTO, A: Surface improvement and durability of case-carburized gear tooth: Results of basic rollers running test, 9A423
YAMAMOTO, H: Flow and heat transfer around a single row of circular cylinders, 11A1208
YAMAMOTO, J: Fiber-optic laser-doppler anemometer microscope applied to the cerebral microcirculation in rats, 8A1572
YAMAMOTO, K: Study on sludge accumulation process in the externally pressurized filtration of activated sludge suspension using hollow fiber membranes (Japanese), 7A1081
- High-precision numerical method for the incompressible Navier-Stokes equations tested by Stuart solution, 7T1041
- Ductile crack as trigger of brittle fracture in steel, 11A15
- Development of flow distortions at the fan face for an axisymmetric supersonic inlet, 12A1129
YAMAMOTO, M: Application of vibroscanning method to on-the-machine measurement of micro electro discharge machining, 1T673
- Large earth retaining wall using precast SRC struts (Japanese), 2A567
- Development of indoor mobile guiding robot with fluorescent light detecting vision sensor, 11T330
YAMAMOTO, N: Fractal characteristics of grinding wheel surface (Japanese), 2A601
- Verified computations of solutions for nondifferentiable elliptic equations related to MHD equilibria, 6T1168
YAMAMOTO, S: Dynamic and static displacement property of rigid foundation on weathered rock by field test (Japanese), 8A661
- Characterization of chaotic vibration without system equations, 8A92
- Stabilization of higher-order high resolution schemes for the compressible Navier-Stokes equations, 11T970
YAMAMOTO, T: Nonlinear hysteresis compensation of piezoelectric ceramic actuators, 1A373
- Evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 2A1126
- Effect of grain size characteristics on the effectiveness of cement fixing agent method for preventing liquefaction of sand to silt deposits (Japanese), 2A551
YAMAMOTO, Y: Powder-metallurgical giant magnetostrictive material and its application to actuators: Development of magnetostrictive pump (Japanese), 1A384
- Holographic measurement of lower loss tangent using a beam of variable cross section - 1st report: Calculation and measurement of amplitude distribution, 1A804
- Concept and realization of interactive adaptation interface using recursive fuzzy reasoning, 7A1557
- High-rigidity multi-dof fine motion mechanism using piezoelectric actuators - 3rd Report: Development of five dof simple mechanism (Japanese), 9A388
- Effective stress model of sand and clay based on cyclic shear strength and its application to liquefaction analysis (Japanese), 10T691
- Field observation of movement of sand body due to waves and verification of its mechanism by numerical model (Chinese), 10A1054
YAMAMURA, K: Influence of rain infiltration on slope failure of embankment (Japanese), 2A566
- Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for output characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
YAMAMURA, N: Analysis and model-tests on vortex-induced oscillation of bridges (Japanese), 3A789
YAMANAKA, M: Gear grinding by threaded vitrified-bonded CBN wheel, 7T618
YAMANAKA, T: Atomic mechanics simulation on nucleation process of grain boundary groove in aluminum conductor of microelectronic packages, 1A783
YAMANE, R: Classification of pulsating flow patterns in curved pipes, 2A1457
YAMANE, S: In-feed internal honing of fine ceramics, 11T639
- In-feed internal honing of fine ceramics, 11A638
YAMANOTO, T: Study on fretting wear of rolling bearings - Part 3: Effects of Mindlin slip and differential slip on fretting wear, 5T831
YAMASAKI, F: Impact perforation fracture in polymeric materials (Japanese), 9A792
YAMASAKI, H: High-enthalpy extraction demonstration with closed-cycle disk MHD generators, 11T1436
YAMASAKI, M: Evaluation of critical impact velocity of materials and its application to processing thin plates (Japanese), 2A699
YAMASAKI, S: Stress-strain behavior of segmented polyurethanoureas under pure shear deformation, 1A948
YAMASHINA, H: Design for quality by a decompositional approach - 1st report: The case in which the product is decomposed into plural parts in parallel (Japanese), 10A542
YAMASHINA, T: Analysis for loss of coolant accident in a fusion reactor, 3T831
YAMASHIRO, H: Minimum heat-flux point and liquid-solid contact during rapid quenching of thin wires, 7A1287
YAMASHITA, H: Temporary threshold shift of a vibratory sensation induced by hand-arm vibration composed of four one-third octave band vibrations, 9A1593
YAMASHITA, HT: Lumbar facet pain: Biomechanics, neuroanatomy, and neurophysiology, 3A1491
YAMASHITA, K: Tensile strength and its scatter of unidirectional carbon fiber reinforced composites, 9A485
- Electrohydrodynamic enhancement of falling film evaporation heat transfer and its long-term effect on heat exchangers, 11A1293
YAMASHITA, N: Kinetic study of the hydration of magnesium oxide for a chemical heat pump, 2A1280
YAMASHITA, S: Development of an active mass damper for a suspended load on a floating crane (Japanese), 6A161
YAMASHITA, Y: Development of a deep-hole laser-guided boring tool using piezoelectric translators (Japanese), 2T613
YAMATANI, K: Estimation method for point sources of multidimensional diffusion equation, 8A1391
YAMAUCHI, GK: Flight measurements of blade-vortex interaction noise including comparisons with full-scale wind tunnel data, 4A1147
YAMAUCHI, K: Designing a new apparatus for measuring particle sizes of nanometer order by light-scattering - 4th Report: Formulation for out-

put characteristics of photomultiplier and improvement of dynamic range- (Japanese), 3T729
YAMAUCHI, N: Characteristics of molybdenum thin-film plate oscillators fabricated by minimum deformation micromachining, 11T635
YAMAUCHI, S: Estimation of intensity distribution of heat source in surface grinding based on surface generation theory and its application to grinding simulation (Japanese), 9A674
YAMAUCHI, T: Effect of grain size characteristics on the effectiveness of cement fixing agent method for preventing liquefaction of sand to silt deposits (Japanese), 2A551
YAMAURA, T: System for inferring axial force of high-strength bolts on steel bridges (Japanese), 6A905
YAMAWAKI, S: Effect of periodic wake passing on film effectiveness of discrete cooling holes around the leading edge of a blunt body, 10A1299
YAMAZAKI, F: Earthquake hazard mapping in the Maghreb countries: Algeria, Morocco, Tunisia, 4A1393
YAMAZAKI, I: Analyses of interaction between two pairs of shield tunnels and soil, and their application to design and construction of parallel shield tunnels (Japanese), 10A957
YAMAZAKI, K: Optical sensor for detecting a position and an inclination, 2A373
YAMAZAKI, T: Air transport and environmental issues, 5A802
YAMAZAKI, Y: Study on high pressure dewatering method of cement-stabilized soft clay (Japanese), 2A547
- Development of versatile vacuum-chuck (Japanese), 9A665
- Effect of ram mass and area on ram impact acceleration and penetration of sandy ground (Japanese), 10T696
YAN, B: Oscillatory flow over a circular cylinder close to a plane boundary, 3A1011
- Inviscid fluid flow around a submerged circular cylinder induced by free-surface traveling waves, 3A996
- Numerical study of unsteady free convection from a sphere in a porous medium, 5A1192
YAN, CHI: Model test of sand restraining force on pipeline, 1A1437
YAN, D: Cyclic behavior and room temperature micromechanisms of 3Y-TZP ceramics at submicron and nanocrystalline levels, 5A615
YAN, FUCHUN: Intelligential fuzzy control theory with predictive and decoupling functions (Chinese), 4A344
- Study of fuzzy control theory application to engine transient testbed (Chinese), 4A345
- Sync laser measurement of two-phase of vapor and liquid and 3D concentration of fuel spray (Chinese), 10A1270
YAN, GUIFENG: Model of stratum temperature field of sedimentary-rock system and its parameter identification (Chinese), 10A1483
YAN, H: Prediction of direct containment heating, 3A1442
YAN, HAI: Case study of Bi-Sn-induced embrittlement, 7A682
YAN, HG: Buckling optimization of hybrid-fiber multilayer-sandwich cylindrical shells under external lateral pressure, 8A610
YAN, HONG-SEN: Conceptual design of hybrid transmissions for motorcycle applications, 3A903
YAN, J: Biomass externally fired gas turbine cogeneration, 1A1352
- Yield surface of viscoelastic and plastic fluids in a vane viscometer, 11A403
YAN, JUN-JUH: Robust decentralized stabilization of large-scale delay systems via sliding mode control, 12A383
YAN, LILAI: Robot learning control based on recurrent neural network inverse model, 8A450
YAN, LIU: On-line condition monitoring system linked by fiber-optic digital network, 9A946
YAN, MT: Study of wire breaking process and monitoring of WEDM, 8A711
YAN, SHENGMING: Lubrication with emulsion - II: The viscosity coefficients of emulsions, 12A1198
- Lubrication with emulsion - First report: The extended Reynolds equation, 12A1197
YAN, SHUWANG: Model test of sand restraining force on pipeline, 1A1437
YAN, W: Dynamic stress intensity factor of a cracked dielectric medium in a uniform electric field, 3A210
- Fractal analysis of stiction in microelectromechanical systems, 12A117
YAN, WEI-MON: Mixed convection heat and mass transfer in vertical rectangular ducts, 7A1259
- Unsteady conjugated mixed convection flow and heat transfer between two co-rotating discs, 9A1227
YAN, WEI-YONG: Pole assignment with optimal spectral conditioning, 8T372
- Sensitivity reduction of constraint forces and position control for mechanical descriptor systems, 12A356
YAN, WEN-YI: Continuum analysis of transformation plastic localization in ceramics, 12A518
YAN, WM: Mixed convection flow and heat transfer between two co-rotating porous disks with wall transpiration, 5A1175
YAN, X: Automated fatigue data fitting using structural shift detection, 7A654
YAN, YIN: Attractors and error estimates for discretizations of incompressible Navier-Stokes equations, 1A987
YAN, YOUYOU: Pool boiling heat transfer on a thin plate: Features revealed by liquid crystal thermography, 1A1205
YAN, YY: Enhancement of heat exchanger performance using combined electrohydrodynamic and passive methods, 2A1254
- EHD effects of nucleate boiling at passively enhanced surfaces, 5A1209
YAN, ZHAO HAI: Correction of plasticity effect at the hole edge when using the center hole method for measuring high welding residual stress, 6A509
YAN, ZHENGHUA: Fast, narrow-band computer model for radiation calculations, 7A1326
YAN, ZONGYI: Two-parameter model for three-types of nuclepore filtration of leukocytes, 11A901
YANAGI, H: Study on simulation of tunnel lining which involves crack (Japanese), 8A924
YANAGIDA, N: Molecular dynamics simulation of effects of lattice orientation on crack propagation in alpha-iron when the primary slip direction is in the plane of tensile stress, 1A781
YANAGIDA, T: Heat transfer characteristics of fluid flow in an annulus with an inner rotating cylinder having a labyrinth structure, 9A1226
YANAGISAWA, E: Stress strain relationship in the ground at the Kobe Port Island during 1995 Hyogo-Ken Nanbu earthquake inferred from strong motion array records (Japanese), 5T1419
- Imperfection sensitive strength variation of soil specimens, 8A636
YANAGISAWA, K: Multi-freedom tube type manipulator with Shape Memory Alloy plate, 2T772
YANAGISAWA, M: Friction and wear of magnetic disk (Japanese), 4T874
YANAGISAWA, T: Analytical study on the kinematics of an orbiting scroll in a scroll compressor: Analysis of self-rotational motion, 7A1183
YANAGIZAWA, M: Numerical simulation of the phenomena due to the passing-by of two bodies using the unsteady BEM, 3A52
YANAI, Y: Three-dimensional-LDA study of the relation between wall shear stress and intimal thickness in a human aortic bifurcation, 2A1463
YANG , J: Nucleate boiling heat transfer in spray cooling, 2A1205
YANG , JENG WOEI: Thermal analysis of a medium-carbon steel tribo-system and its application to oxidational wear, 4T890
YANG , SHUZI: Identification of simple-supported beam cracks by means of the wavelet analysis (Chinese), 10T512
YANG , WEIGIN: Exploration on failure diagnosis of electrostatic suspended gyro (Chinese), 12T108
YANG, AN-SHIK: Combustion of liquid oxygen with hydrogen under high-pressure conditions, 3A1318
YANG, AS: Theoretical study of supersonic flow separation over a rearward-facing step, 9T1039
- Eulerian-Lagrangian computations on phase distribution of two-phase bubbly flows, 9A1072
YANG, B: Semi-analytical solution of 2D elasticity problems by the strip distributed transfer function method, 3A452
- Role of the process zone in dynamic fracture, 6A720
- Role of microcracks in the dynamic fracture of brittle materials, 9A727
- Strip distributed transfer function analysis of circular and sectorial plates, 10T197
YANG, BAOCHANG: Statistical model and experimental study of the strain rate and temperature dependence of the strength of fibers, 3A490
YANG, BIN: Fuzzy probabilistic analysis of seismic stability of coastal embankment, 1A1418
YANG, BINGEN: Three-dimensional analysis of simply supported laminated cylindrical shells with arbitrary thickness, 2T494
- Integral formulas for non-self-adjoint distributed dynamic systems, 4A96
- Closed-form transient response of distributed damped systems - Part I: Modal analysis and Green's function formula, 7A112
- Closed-form transient response of distributed damped systems - Part II: Energy formulation for constrained and combined systems, 7A113
- Analysis of ring-stiffened cylindrical shells, 11A513
YANG, BW: Proceedings of the ASME Heat Transfer Division, Volume 3, 5N22
- Onset of flow instability for downward flow in vertical channels, 2A1173
YANG, C: Buckling analysis of thick-walled composite pipe under torsion, 8A609
YANG, CD: Vibration and control of a flexible rotor in magnetic bearings using hybrid method and H^{∞} control theory, 8A408
- Design of experiments for the controller of rotor systems with a magnetic bearing, 10A213
YANG, CF: Effects of thermomechanical treatments on superplasticity of Zn-22% Al alloy, 10T1365
YANG, CH: Effects of random wave surface fluctuation on response of offshore structures, 6A920
YANG, CHANG-PEI: Hydrodynamic design method for highly skewed propeller and its validation, 9T1152
YANG, CHEN: Morpohological aspects of fatigue crack propagation - Part II: Effects of stress biaxiality and welding residual stress, 12A748
- Morpohological aspects of fatigue crack propagation - Part I: Computational procedure, 12A747
YANG, CHI: Improved ale mesh velocities for moving bodies, 4A40
YANG, CHIA TED: Sediment Transport: Theory and Practice, 2N32
YANG, CHIEN-NAN: Friction and wear behavior of tungsten and titanium carbide coatings, 2A913
YANG, CHIEN-TAI: Effects of member buckling and yielding on ultimate strengths of space trusses, 6A613
YANG, CHIH-CHAO: Fabrication process for aluminum alloys reinforced with Al-Fe-V-Si particles, 3T649
YANG, CHIH-PING: LDV measurements of spatially periodic flows over a detached solid-rib array, 11A1041
YANG, CHIHDAR: Strain distribution in a taper-taper adhesive-bonded joint in a composite flat plate, 1A543
- Correlation of tensile and bending strength of composites with a circular hole, 4A560
- Buckling analysis of thick-walled composite pipe under external pressure, 9A594
YANG, CHING-YU: Solution of an inverse vibration problem using a linear least-squares error method, 4A114
- Non-iterative solution of inverse heat conduction problems in 1D, 12A1301
YANG, CIANN-DONG: Pilot prefilter design via H_{∞} model-matching approach, 7T353
- Experimental approach to selecting H_{∞} weighting functions for DC servos, 9A323
YANG, CY: Genetic algorithm for inverse radiation problems, 7A1321
- Fatigue crack initiation and propagation behavior of pressure vessel steels, 11A645
YANG, DAILI: Designs of concrete bridges with multiple box cells due to torsion using softened truss model, 5A771
- Torsional analysis for multiple box cells using softened truss model, 8A918
YANG, DEHUA: Microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 2A902
- Sliding wear study of ion-beam mixing Ni-Mo multilayer films on steel, 2A888
- Tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 4A891
YANG, DY: Investigation into the thermo-viscoplastic FE analysis of square die extrusion of square section with Lagrangian description, 1A640
YANG, F: Effect of strain rate on detwinning and superelastic behavior of NiTi shape memory alloys, 1A12
YANG, FUQIAN: Finite element analysis of a subsurface crack, 3A720
- Effect of friction and cavity depth on the elastic indentation of a cylindrical rod, 11A27
- Squeezing flow of an Eyring fluid, 12A1070
YANG, GAI-WAI: Nucleate pool boiling on micro graphite-copper composite surfaces, 2T1202
YANG, GUIPING: Characteristics of elastically contacting ideal rough surfaces, 11A361
YANG, GUOPING: Size effects in brittle specimen with microcrack interaction, 9A772
YANG, GUOYU: Averaging anisotropic elastic constant data, 12A497
YANG, GZ: Functional optimization formulation and implementation of an inverse natural convection problem, 11T1266
YANG, H: Robust stabilizability of uncertain linear time-delay systems with Markovian jumping parameters, 6T357
- Robust stabilization by dynamic combined state and output feedback compensator for nonlinear systems with jumps, 7A327
- Vortex breakdown over unsteady delta wings and its control, 9T1163
YANG, HAITIAN: Application of finite volume method in 2D problems of solid mechanics (Chinese), 2A37
- Experimental study of fracture toughness K_c for frozen soil (Chinese), 10A699
YANG, HENRY TY: Vibration control of tall buildings under siesmic and wind loads, 3A1400
YANG, HTY: Multiple objective LQG control of wind-excited buildings, 12A395
YANG, HUEY-JU: Forward problem of nonlinear Fredholm integral equation in reference medium via velocity-weighted wavefield function, 9A1459
YANG, HY: Structural FE analysis with new interface model, 9A722
YANG, I-Y: Impulsive stress analysis of plates at the concentrated impact loading point by the 3D dynamic theory of elasticity, 5A175
YANG, J: Periodic maintenance and repair rate control in stochastic manufacturing systems, 4T476
- Reflection of a shock wave over a cone, 6T286
YANG, J-C: Reliability analysis of hydraulic structures considering unit hydrograph uncertainty, 8T1026
YANG, J-T: Reacting flow over a non-traditional flame stabilizer, 4A1296
YANG, JANN N: Optimal polynomial control of seismically excited linear structures, 3A1390
YANG, JB: Safety based design and maintenance optimization of large marine engineering systems, 4A818
YANG, JENG-RENN: Simplified theory of the ignition of single droplets under forced convection, 12A1356
YANG, JH: Modeling of Darcy-Forchheimer drag for fluid flow across a bank of circular cylinders, 10A1444
YANG, JIAN-DONG: Basic equations of water hammer, 3T967
YANG, JIANMING: Tracking controller for manipulators with flexible joints using sliding observer, 5A355
YANG, JIN-ZHONG: Stochastic analyses of adsorbing solute transport in heterogeneous unsaturated soils, 7A1516
YANG, JL: Dynamic elastic-plastic behavior of whipping pipes: Experiments and theoretical model, 6A107
YANG, JM: Interfacial toughness for the shipboard aluminum-steel structural transition joint, 11A472
YANG, JN: Prediction of fatigue damage and life for composite laminates under service loading spectra, 2A634
- Optimal polynomial control for seismically excited nonlinear and hysteretic structures, 4A1406
- Stability of actively controlled structures with actuator saturation, 9A1498
- Static output polynomial control for linear structures, 11A317
YANG, JR-SYU: Laser phased array generated ultrasound for NDE of ceramic materials, 11A752
YANG, JS: Analysis of superplastic sheet-metal forming in a circular closed-die considering non-uniform thinning, 11A623
YANG, JUN: Characteristics of propagation of elastic waves in saturated soils (Chinese), 2A195
YANG, JUNG-HUA: Adaptive robust bank-to-turn missile autopilot design using neural networks, 9T346
YANG, JUNG-TANG: Flame and flow characteristics of double concentric jets, 6A1326
YANG, JY: Nonoscillatory schemes for kinetic model equations for gases with internal energy states, 4A1020
YANG, KAI-LIN: Thermoelastic analysis of doubly curved laminated shells, 3A1270
YANG, KH: Relationship between loading conditions and fracture patterns of the proximal femur, 5A1473
YANG, L: Determination of elastic-plastic stresses and strains from measured surface strain data, 1A507
- Impact resistance and fracture toughness of vanadium-based microalloyed forging steel in the as-forged and Q&T conditions, 11A724
YANG, LC: Numerical prediction of transitional characteristics of flow and heat transfer in a corrugated duct, 8A1272
YANG, LEI: Finite element analysis of creep fracture initiation in a model superalloy material, 10A790
YANG, LIBING: Evaluation of the dynamic performance of a hot water tank with built-in heating coil, 9A1315
YANG, M: Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part I: Experiments, 1A889
- Effects of gas composition, humidity and temperature on the tribology of the head-disk interface - Part II: Model and analysis, 1A890
YANG, M-T: Reduced order approach for the vibration of mistuned bladed disk assemblies, 8A159
- Normalized modal eigenvalue approach for resolving modal interaction, 12A139
YANG, MYUNG-SEOG: Behavior of antisymmetric angle-ply laminated plates using the affine transformation, 2A488
YANG, PC: Mode II fracture of composites interlayered with nylon particles, 7A744
YANG, PEIRAN: Thermal lubrication theory of tilting-pad bearings inclusive of pad bending, side leakage and inlet pressure build-up, 4A1172
- Numerical analysis to the thermoelastohydrodynamic lubrication of a tilting pad inclusive of side leakage, 10A1262
YANG, QIAN: General microhardness indentation theory for multilayer contacts, 7A783
YANG, QING-DA: Free vibrations of piezoelectric cylindrical shells filled with compressible fluid, 10A204
YANG, QINGDA: Free vibration of piezoelectric cylindrical shells, 10A203
YANG, QINGMIN: Two-dimensional piston ring lubrication - Part II: Elastic ring consideration, 4A1166
YANG, QINGSHENG: Thermomechanical properties of smart composites, 7A1372

YANG, QUINGMIN: Two-dimensional piston ring lubrication - Part I: Rigid ring and liner solution, 4T936
YANG, R-J: Turbine blade heat transfer prediction in flow transition using k-ω two-equation model, 5A992
YANG, RJ: Stress-based topology optimization, 5A763
- Bead pattern optimization, 6A844
- Multidiscipline topology optimization, 10A901
YANG, RONG-FUH: Hydrodynamic lubrication of long, flexible, porous journal bearings using the Brinkman model, 3A1207
YANG, RY: Response of reinforced-prestressed concrete box structures to dynamically applied torsion, 4A1409
YANG, S: Aeroelastic analysis for flap of airfoil in transonic flow, 3A1183
- Short-term canine implantation of a glucose monitoring-telemetry device, 5A1514
- Higher order crack tip fields and its implication for fracture of solids under mode II conditions, 5A703
- Integration of vibration testing and FE analysis for estimating dynamic mechanical properties of cantilever-beam samples, 6A146
- Analytical forms of higher-order asymptotic elastic-plastic crack-tip fields in a linear hardening material under antiplane shear, 7A725
- Curved interfacial crack between dissimilar isotropic solids, 7A732
- Dynamic mechanical properties of ceramics and ceramic composites at elevated temperatures, 8A792
- Thermal cycling effects on dynamic mechanical properties and crystallographic structures of silicon nitride-based structural ceramics, 10A777
- Analysis of shear band development in a viscoplastic double slip, single crystal in tension, 11A428
- Modeling of non-uniform spatial arrangement of fibers in a ceramic matrix composite, 12A569
YANG, S-A: Simple analysis of free convection film boiling around a horizontal elliptical tube with surface tension, 12T1281
YANG, SA: Upstream interactions between premixed flames, 2A1339
YANG, SC: Building of a composite transmission tower, 10A614
YANG, SHENGRONG: Wear mechanisms of $K_2Ti_6O_{13}$ whiskers reinforced Al-20Si aluminum matrix composites with lubrication of water and tetradecane, 5A833
YANG, SHIH-MING: Stability analysis of linear structural control systems with noncolocated feedback, 7A312
YANG, SHIWEI: Shear banding in strain hardening polycrystals during rolling, 8A517
YANG, SHUZI: Theoretical investigation of rotating frequency noise with axial fan of skewed blade, 4T188
- Structural dynamic model modification and damage diagnosis method based on neural networks (Chinese), 10T517
YANG, SHYH-SHYAN: Flow structure and temperature measurements in a 3D vertical free convective enclosure at high Rayleigh numbers, 6A1238
YANG, SL: Navier-Stokes computations of the NREL airfoil using a κ-ω turbulent model at high angles of attack, 11A1133
YANG, SM: Vibration suppression experiments on composite laminated plates using an embedded piezoelectric sensor and actuator, 3A142
- Structural vibration suppression by concurrent piezoelectric sensor and actuator, 7A122
- Dynamics of pretwisted blade under nonconstant rotating speed, 7A156
- Structural vibration suppression by concurrent piezoelectric sensor and actuator, 7A121
- Vibration control of smart structures by using neural networks, 9A853
- Design of experiments for the controller of rotor systems with a magnetic bearing, 10A213
- Frequency domain control of flexible beams with piezoelectric actuator, 11A312
YANG, SUNGCHUL: Variable-notch one-size test method for fracture energy and process zone length, 3A701
YANG, SY: Study on accuracy of angled advanced composite tools, 11A345
YANG, T: Air extraction in a gas turbine for integrated gasification combined cycle (IGCC): Experiments and analysis, 8A1434
YANG, T-S: Asymmetric gravity-capillary solitary waves, 8A259
YANG, TAO: Adaptive synchronization and control of nonlinear dynamical systems, 1A352
YANG, TC: Minimization of acoustic potential energy in irregularly shaped cavities, 4A303
- Modeling the environmental influence on the vertical directionality of ambient noise in shallow water, 10A350
- Further development of an alternative algorithm for a class of H_∞ design problems, 12T367
YANG, VIGOR: Triggering of longitudinal combustion instabilities in rocket motors: Nonlinear combustion response, 5A1372
- Preconditioned flux-differencing scheme for chemically reacting flows at all Mach numbers, 7A1107
YANG, W: Finite element method for simulating interface motion - I: Migrations of phase and grain boundaries, 10A29
YANG, WEI: Nonlinear motion of crack tip atoms during cleavage processes, 3A690
- Global view of microstructural evolution: Energetics, kinetics and dynamical systems, 6A800
- Failure of a thin film due to inclusions on the interface, 8A484
YANG, WEIHUA: Application of simultaneous heat, mass, and pressure transfer equations to timber drying, 2A1268
YANG, WEN-JEI: Nucleate pool boiling on micro graphite-copper composite surfaces, 2T1202
- Numerical study on heat transport in turbulent Couette flows in concentric annuli, 8T1274
- Remedy for hysteresis in nucleate boiling through application of micrographite-fiber nucleation activators, 8A1314
- Heat transfer analysis of turbulent parallel Couette flows using anisotropic k-ε model, 8A1270
- Laminarization of turbulent gas flow inside a strongly heated tube, 10A1283
- Turbulent two-phase mixing in gas-stirred ladle systems for continuous casting applications, 10A1128
- Effects of horizontal fins on natural-convective heat transfer in a square enclosure, 12A1262
YANG, WEN-MEI: Stability of viscoelastic fluids in a modulated gravitational field, 6A1242
YANG, XIAN JIE: Constitutive description of temperature-dependent nonproportional cyclic viscoplasticity, 7A446
YANG, XIAN-JIE: Lensky's hypothesis of local determinability under nonproportional cyclic loading, 9A450
YANG, XIAO: Analysis for imperfect sensitivity of a superconducting rod, 4A631
YANG, XIAOFENG: Approximate solution of Hamilton-Jacobi inequality by neural networks, 10A102
YANG, XIAOWEI: Identification of nonlinearities in cushioning packaging using neural networks with fuzzy adaptive control, 12T361
YANG, XUE-FANG: Solution of the inverse nodal problem, 8A181
YANG, Y: Effect of particles accumulation on drag force in solid-liquid two-phase flows (Chinese), 10A1121
YANG, Y-R: Effects of geometrical asymmetries of structure on dynamical characteristics of two coupled control surfaces, 8A399
YANG, YADONG: Particle diffusion from developing flows in rough-walled tubes, 6A1312
YANG, YANG: Optimum grasping planning for multi-fingered dextrous hands based on the asymptotical stability, 5A334
- Solving ray acoustic problems with a DNA computer, 10A400
YANG, YANMING: New system for 3D kinematic trajectory acquisition and analysis - I: The application of an ultrasonic technique to human gait analysis, 1A1454
- New system for 3D kinematic trajectory acquisition and analysis - II: Digital orthogonal integration phase-detection technique, 1A1455
YANG, YANYI: Wear by plastic ratchetting: An experimental evaluation, 2A893
YANG, YB: Dynamic response of equipment in structures with sliding support, 6A213
YANG, YEE-PIEN: Passive and active design of hard disk suspension assemblies using multiobjective optimization techniques, 11A766
YANG, YEON-SHENG: Variational upper-bound method for plane strain problems, 2A425
YANG, YEONG-BIN: Frequency-indepdendent infinite elements for analyzing semi-infinite problems, 4A33
- Effects of member buckling and yielding on ultimate strengths of space trusses, 6A613
- Instability of lightly damped linear nonconservative systems, 10A670
YANG, YIDONG: Study of helicopter vibration reduction technique with stochastic adaptive HHC (Chinese), 2A833
YANG, YIMIN: Mode I fatigue crack growth in a continuous alumina fiber-reinforced magnesium matrix composite, 2A619
YANG, YOUTANG: Exploration on failure diagnosis of electrostatic suspended gyro (Chinese), 12T108
YANG, YQ: Stochastic averaging of quasi-nonintegrable-Hamiltonian systems, 10A139
YANG, YS: Impact of liquid load shift on the braking characteristics of partially filled tank vehicles, 3A381
YANG, YU-HU: High-order optimum synthesis of a driving mechanism with flexible connector, 1A930
YANG, YU-MIN: Mass diffusion effect on film boiling of saturated binary mixtures, 6A1257
- Prediction of film boiling heat transfer coefficients for binary mixtures, 10A1321
YANG, YU-NENG: Elastic suspension design framework for tuned gyroscopes, 9A971
YANG, YUANSHENG: Numerical simulation of fluid flow in electromagnetic centrifugal casting, 5A566
YANG, YUDI: Global stabilization of linear discrete-time systems with bounded feedback, 12T377
YANG, YUE-TZU: Convective heat transfer from a circular cylinder under the effect of a solid plane wall, 1A44
- Transient free convection of non-Newtonian fluids along a wavy vertical plate including the magnetic field effect, 5A1183
- Numerical study of a backward-facing step with uniform normal mass bleed, 7A1263
- Laminar film condensation on a finite-size horizontal wavy disk, 10A1322
YANG, YY: Stress singularities at a joint formed by dissimilar elastic-plastic materials under mechanical loading, 3A713
- Stress singularities in a dissimilar materials joint with edge tractions under mechanical and thermal loadings, 8A479
- Evaluation of the plastic zone in an elastic-plastic dissimilar materials joint, 8A515
- Impact wear performances of Cr_3C_2-NiCr coatings by plasma and HVOF spraying, 9A941
YANG, ZHEN-GUO: Ultrasonic testing technique for small-caliber piping containing defects, 1A825
YANG, ZHENGJI: Influence of approach channel on wave propagation with varying incident angles, 4A960
YANG, ZHENGLIN: Mixed-state Hamilton semi-analytical method on thermal elastic problem of laminates (Chinese), 12A1338
YANG, ZHENGWEN: Finite element simulation of response of buried shelters to blast loadings, 8A18
YANG, ZHONG-HUA: Symmetry-breaking and bifurcation study on the laminar flows through curved pipes with a circular cross section, 2A1014
YANG, ZI-JIANG: On-line identification of continuous time-delay systems combining least-squares techniques with a genetic algorithm, 7A304
YANG, ZUNDE: Lubricant effects in the transition from boundary to microelastohydrodynamic lubrication, 4A1164
YANIV, O: Robustness to speed of 4WS vehicles for yaw and lateral dynamics, 10A498
YANIV, S: Navier-Stokes calculations for rotating configurations: Implementation for rockets, 4T865
YANKELEVSKY, D: Reliability evaluation in nonlinear analysis of reinforced concrete structures, 12A906
YANKELEVSKY, DZ: High strength concrete response to hard projectile impact, 1A247
- Local response of concrete slabs to low velocity missile impact, 9A197
- Reliability assessment of damaged RC framed structures, 12A901
YANKOV, EY: Crack closure effects on fatigue crack growth thresholds and remaining life in an HSLA steel, 8A731
YANNACOPOULOS, AN: Approximation of attractors using Chebyshev polynomials, 7A91
YANO, A: Fractal characteristics of grinding wheel surface (Japanese), 2A601
YANO, H: Approximate method for the drags of 2D obstacles at low Reynolds numbers, 7A1059
YANO, JUN-ICHI: Unstably stratified geophysical fluid dynamics, 10T1187
YANO, T: Mass, momentum and total excess energy transported by a weak plane N wave, 7T221
- Propagation of strongly nonlinear plane N-waves, 12A267
YANOVSKII, YG: Role and importance of the physical modeling approach in describing and predicting the effective physico-mechanical properties and behavior of heterogeneous polymer media - Part I: Elastic and limiting properties, 12A555
- Object-oriented programming of FEM for continuum mechanics problems - Part 1: Ideology of the object-oriented approach and its application to the FEM, 12A53
YANOVSKY, YG: Linear inverse problems in viscoelastic continua and a minimax method for Fredholm equations of the first kind, 3A456
- Thermodynamic characterization of carbon black-filled rubbers, 3A1219
YANTEK, DS: Experimental measurement of precision bearing dynamic stiffness, 10A237
YANTOVSKI, EI: Mechanical work at a boundary and its associated exergy transfer, 8A6
YAO, BIN: Smooth robust adaptive sliding mode control of manipulators with guaranteed transient performance, 6A437
YAO, CHENGCAI: Maximizing the output of a solar-driven tubular reactor, 8A1535
YAO, CHIH CHUNG: Hydrodynamic lubrication of face seal in a turbulent flow regime, 1T924
YAO, D: Effect of load-mix on fatigue crack growth in 63Sn-37Pb solder joints, 12A745
YAO, DAPING: Effect of interface roughness on fatigue crack growth in Sn-Pb solder joints, 4A768
YAO, FG: Wall friction in annular-dispersed two-phase flow, 1A1016
YAO, GE: Effects of prestrain on the fatigue properties of VIRALL laminate, 4A704
YAO, GF: Numerical modeling of condensing two-phase flows, 3A1249
- Semi-implicit modeling of condensation in the presence of non-condensables in the RELAP5-MOD3 computer code, 5A973
- Theoretical model for deposition of aerosols in rising spherical bubbles due to diffusion, convection, and inertia, 7A1436
YAO, HUIZHU: Modal suppression and modal reconstruction of active structures by secondary force (Chinese), 10A376
YAO, J: Consistent cracked bar vibration theory, 9A131
- Analytical, numerical, and experimental studies of effective elastic properties of periodically perforated materials, 11A362
YAO, LS: Taylor-Couette instability of traveling waves with a continuous spectrum, 5A1032
- Taylor-Couette instability with a continuous spectrum, 11A1079
YAO, MEI: Simplified determination of drop-weight-test NDT, 2A723
- Generalized characteristic transition temperature of brittleness - II: Thermal activation analysis, 3A1277
YAO, MING-LONG: Nonlinear rheological behavior of a concentrated spherical silica suspension, 5A894
YAO, MINWU: Numerical simulation of heat transport and fluid flow in directional crystal growth of GaAs, 6A1247
YAO, NANXUN: Universal algorithm for revolving cutters with equal helical angle edge (Chinese), 10A740
YAO, SH: Comparisons of characterizations and tribological performance of TiN and CrN deposited by cathodic arc plasma deposition process, 4A895
YAO, SHAN: Study of calculation model of mold resisting stress (Chinese), 6A705
YAO, T: Control of nonlinear structures using the fuzzy control approach, 4A386
YAO, WEIXING: Prediction of fatigue behaviors by stress field intensity approach, 7A716
YAO, XIAOPING: Optimization of reinforced concrete frames, 7A824
YAO, YL: Transition of oscillatory floating half zone convection from Earth's gravity to microgravity, 9A1224
YAO, YQ: Ray shooting, eigenray search, and complex resonances for submerged structures, 7A286
YAO, YX: Functional observer and state feedback for input time-delay systems, 9A318
YAO, ZX: From piston theory to a unified hypersonic-supersonic lifting surface method, 11A977
YAP, FF: Investigation of damping effects on statistical energy analysis of coupled structures, 5A124
YAP, KY: Static and impact crushing of layered foam-plate systems, 3A219
YAPICI, S: Mass transfer to local electrodes at wall and wall friction factor in decaying turbulent swirl flow, 9A1337
YAQUB, M: Prediction of species and temperature profile in methanol, oxygen, and argon flame, 4A1310
YARAS, MI: Effects of inlet conditions on the flow in a fishtail curved diffuser with strong curvature, 7A1064
YARAS, P: Pressurization and heat transfer during twin screw extrusion processing of concentrated suspensions, 8A695
YARDIMCI, N: Tests on beam-column strong and weak axis connections, 3A516
YARDLEY, A: Dynamics of the upper limb during performance of the tasks of everyday living: A review of the current knowledge base, 8A1560
YARIN, AL: Chaotic rotation of triaxial ellipsoids in simple shear flow, 11A92
- Mechanism of turbulent drag reduction in dilute polymer solutions: Dynamics of vortex filaments, 11A1032
YARIN, LP: Effect of coarse particles on the heat transfer in a turbulent boundary layer, 8A1139
- Effect of surface waves on heat transfer in natural and forced convection, 8A1264
YARYGIN, VN: Processes of molecular energy exchange at the interaction of low-density supersonic flows, 1T999
YARYGINA, NI: Forced-convection heat transfer from the bottom of trenches with rectangular or inclined walls, 2A1156
YASHIKI, T: Three-dimensional FE adaptive analysis of incompressible flow based on control of node density distribution and *a posteriori* error estimation, 9A1034
YASHIMA, M: Dynamics and control of intelligent jig with function of manipulation, 5A348
- Planning for manipulating a multiple contacted object by single-prismatic-jointed fingers, 11A334
YASHIRO, K: Atomic mechanics simulation on nucleation process of grain boundary groove in aluminum conductor of microelectronic packages, 1A783
YASINSKY, SA: Interaction of rotational and oscillation movements in the Flywheel system with friction clutch (Russian), 2A175
- Problems of dynamics of rolling mills (Russian), 12A720

YASINSKY, VV: Numerical study of the boundary effects in the composites reinforced with rectangular fibers (Russian), 6A562
YASKEVYCH, IT: Heat transfer into elastic half-space through pressed in rigid punch (Russian), 12A1342
YASMIN, N: One-dimensional dam-break solutions for variable width channels, 11T907
YASUDA, A: Practical application of an apparatus to improve slurry discharged as construction resources (Japanese), 2T994
- Development of a system to dehydrate construction slurry (Japanese), 10A1120
YASUDA, K: Contact analysis of ultrahigh molecular weight polyethylene articular plate in artificial knee joint during gait movement, 2A1474
- Review of research in Japan on nonlinear oscillations of elastic structures, 5A766
- Nonstationary oscillation of a rotating shaft with nonlinear spring characteristics during acceleration through a major critical speed: A discussion by the asymptotic method and the complex-FFT method, 6A177
- Experimental identification technique of vibrating structures with geometrical nonlinearity, 12A220
YASUDA, M: Development of antiresonance enforced active vibration absorber system, 5A92
YASUDA, N: Analytical method for the determination of the roughness parameters over complex regions, 2T1408
- Undrained cyclic strength of compacted rockfill material from triaxial and torsional simple shear tests (Japanese), 8A644
YASUDA, T: Kinematics of overturning solitary waves and their relations to breaker types, 8A253
YASUDA, Y: Incipient jump conditions for flows over a vertical sill, 3T978
- Unconfined expansion of supercritical water flow, 11A912
YASUFUKU, N: Earth Reinforcement, 3N29
YASUHARA, K: Effect of principal stress direction on undrained cyclic shear behavior of dense sand (Japanese), 2A538
- Method for estimating postcyclic undrained secant modulus of clays, 9A617
- Effect of principal stress direction on undrained cyclic shear and recompression behavior of dense sand (Japanese), 10A683
YASUI, H: Characterization of the grinding wheel surface by means of image processing - 1st Report: Post-process measurement of abrasive grain and cutting-edge distribution on the wheel surface (Japanese), 4A679
- Studies on roll-off-less polishing of magnetic disk substrate - 1st Report: Change of substrate edge shape in polishing process (Japanese), 10A885
YASUI, K: End-point detector for planarization of semiconductor devices by chemical mechanical polishing, 1A674
YASUI, T: Instantaneous force with static deflection feedback model for irregular tooth pitch end mill (Japanese), 9A788
YASUMURA, M: Failure analysis of timber bolted joints by fracture mechanics, 4A737
YASUO, A: Study on thermohydraulic instability of a boiling natural circulation loop with a chimney - Part II: Experimental approach to clarify the flow instability in detail, 8A1316
- Thermohydraulic instability of boiling natural circulation loop with a chimney - Part I: Linear stability analysis using homogeneous two-phase flow model and experiment on thermohydraulic instability induced by flashing, 8A1317
YASZEMSKI, M: Human Biomaterial Applications, 4N34
YATA, J: Effects of free stream turbulence on a turbulent boundary layer on a flat plate with zero pressure gradient - Part IV: Calculation of the flow field, 9A1112
YATABE, R: Consideration on failure of cut slope of weathered serpentine clay (Japanese), 2A546
- Influence of shear test method and restraint condition on residual strength of soil (Japanese), 8A659
YATES, JG: Motion of particles near a bubble in a gas-fluidized bed, 4A1432
YATES, JR: Aspects of fatigue thresholds under mode III and mixed mode III and I loadings, 2A625
- Modeling the conditions for fatigue failure in metal matrix composites, 5A597
- Crack propagation under mixed Mode (I + III) loading, 5A577
- Formation and propagation of mode I branch cracks in mixed mode fatigue failure, 7A649
- Measurement of fluid flow rates through cracks, 9A1091
- Growth of freely initiating fatigue cracks in an unnotched SiC-titanium composite, 10A761
YATES, LW: Environmental ageing of adhesively-bonded joints - I: Dielectric studies, 12A1040
- Environmental ageing of adhesively-bonded joints - II: Mechanical studies, 12A1041
YAU, HONG-TZONG: Unified least-squares approach to the evaluation of geometric errors using discrete measurement data, 5A67
- Reverse engineering of engine intake ports by digitization and surface approximation, 11A284
YAU, HT: First-order correction for the hydrodynamic limit of asymmetric simple exclusion processes in dimension d ≥ 3, 8A1109
YAU, JONG-DAR: Instability of lightly damped linear nonconservative systems, 10A670
YAVIN, Y: Feasible command strategies for the control of motion of a simple mobile robot, 3A377
- Motion of a disc rolling on a horizontal plane: Path controllability and feedback control, 6A103
- Closed-loop control of the motion of a sphere rolling on a moving horizontal plane, 8A392
- Closed loop control of the motion of a cart, 9A356
- Horizontal version of the inverse pendulum problem, 9A328
- Feasible controller design for stochastic systems, 10A445
- Collision avoidance by a ship with a moving obstacle: Computation of feasible command strategies, 10A456
- Inclination control of the motion of a rolling disk by using a rotor, 12A393
- Feasible output feedback controller design for linear systems, 12A376
YAVUZKURT, S: Effects of free-stream turbulence on the instantaneous heat transfer in a wall jet flow, 10A1184
- Modeling sulfur dioxide capture in a pulverized coal combustor, 10A1479
YAZDABADI, P: Use of center bodies and de-swirl vanes in the exhaust of cyclone dust separators, 8A1146
YAZDANI, AA: A posteriori error estimator based on the second derivative of the displacement field for 2D elastic problems, 7A21
YAZDANI, S: Constitutive model of the artery with damage, 8T1561
- Mode I damage modeling in brittle preloading, 11A716
YAZDCHI, M: Earthquake analysis of gravity dams based on damage mechanics concept, 4A1402
YAZICI, G: Mass transfer to local electrodes at wall and wall friction factor in decaying turbulent swirl flow, 9A1337
YBANEZ, N: Pullout of inclined flexible fiber in cementitious composite, 9A484
YE, F: Fatigue and fracture behavior of a gamma-titanium aluminide intermetallic: Influence of ductile phase reinforcement, 7A657
YE, GEQI: Squared corner shaping by 6-axis control (Japanese), 7A613
YE, GUIRU: Analysis for nonlinear vibration of foundations, 4A172
YE, HK: Computation of added wave resistance of a restrained floating body in the time-domain, 10A1214
YE, JIAFEI: Effect of extrinsic and intrinsic factors on an indentation test, 2A727
YE, JIAN: Depth averaged hydrodynamic model in curvilinear collocated grid, 11A905
YE, JIANQIAO: Quadratic representation of a nonlinear dynamic stiffness matrix and related eigenvalue problems, 12A199
YE, JQ: Three-dimensional free vibration analysis of cross-ply laminated rectangular plates with clamped edges, 6A167
YE, LIN: Mixed-mode fracture of adhesively bonded CF-epoxy composite joints, 2A682
- Evaluations of effective crack growth and residual strength of fiber-reinforced metal laminates with a sharp notch, 5A666
- Effect of molding temperature on flexure, impact strength, and interlaminar fracture toughness of CF-PEI composite, 5A568
- Simulation of fatigue performance of cross-ply composite laminates, 6A745
- Effect of adhesive bonding between aluminum and composite prepreg on the mechanical properties of carbon-fiber-reinforced metal laminates, 8A536
- Manufacturing of an aileron rib with advance thermoplastic composites, 9A681
- Studies of stress concentration by using special hybrid stress elements, 10A560
- Progressive damage and residual strength of a carbon fiber reinforced metal laminate, 11A709
YE, MAO: Hybrid wave model for unidirectional irregular waves - Part I: Theory and numerical scheme, 5A180
YE, NONG: Self-adapting decision support for interactive fault diagnosis of manufacturing systems, 3A425
YE, R: Pyroelectric and thermal strain effects of piezoelectric (PVDF and PZT) devices, 3A756
YE, RUI-SONG: Symmetry-breaking and bifurcation study on the laminar flows through curved pipes with a circular cross section, 2A1014
YE, X: Least-square mixed method for Stokes equations, 8A1053
YE, YONG-XING: Hydrodynamic design method for highly skewed propeller and its validation, 9T1152
YE, YUAN-PEI: Viscous scale effects on propeller tip vortex cavitation, 7T1182
YE, ZHEN: Sound scattering and attenuation of Albunex bubbles, 4A299
- Note on nonlinear radiation from a gas bubble in liquids, 8A318
- Resonant scattering of acoustic waves by ellipsoid air bubbles in liquids, 8A327
- Low-frequency acoustic scattering by gas-filled prolate spheroids in liquids, 9A269
- Acoustic dispersion and attenuation in many spherical scatterer systems with the Kramers-Kronig relations, 12A321
YE, ZHIMING: Finite element planar stress analysis, 4A13
YE, ZI-TONG: Stochastic analyses of adsorbing solute transport in heterogeneous unsaturated soils, 7A1516
YE, ZM: Nonlinear vibration and dynamic instability of thin shallow shells, 12A196
YEADON, MR: Control of non-twisting somersaults using configuration changes, 3A1503
YEDAVALLI, RK: Smart structure control in matrix second-order form, 3A760
YEDIDIAH, S: Present knowledge of the effects of the impeller geometry on the developed head, 1A1097
YEE, AF: Mode II fracture of composites interlayered with nylon particles, 7A744
- Constitutive modeling and material characterization of polymeric foams, 12A526
YEE, D: Bubble shapes in rotating two-phase fluid systems: A thermodynamic approach, 3A1075
YEGNESWARAN, AH: Dry sliding wear characteristics of some zinc-aluminum alloys: A comparative study with a conventional bearing bronze at a slow speed, 4A884
YEGOROV, IV: Computational and experimental investigations of ionization near hypersonic vehicles, 6A254
YEGORYUSHKIN, SA: Stability of a plane longitudinal shock wave in an isotropic elastic medium, 7A188
YEGUPOV, KV: Simulation and automation of calculations of buildings (structures) on seismic effects, 10A1458
YEGUPOV, VK: Simulation and automation of calculations of buildings (structures) on seismic effects, 10A1458
YEH, CH: Ductile steel beam-to-column connections for seismic resistance, 6A1464
YEH, CL: Ignition and combustion of boron particles, 11A1395
YEH, CP: Model study of thermal stress-induced voiding in electronic packages, 6A1308
- Interfacial delamination analysis for multichip module thin film interconnects, 6A742
YEH, CS: Integral representations and regularizations for a divergent series solution of a beam subjected to support motions, 3A1387
YEH, HARN-JOU: Analytical boundary of the workspace for general 3-dof mechanisms, 10A524
YEH, HC: Gas collection efficiency and entrance flow effect of an annular diffusion denuder, 2A1017
YEH, HSEIN-YANG: Building of a composite transmission tower, 10A614
YEH, HSIEN-YANG: Experimental study and simple failure analysis of stitched J-stiffened composite shear panels, 5A667
- Water intrusion in graphite-epoxy sandwich panels subjected to low level impact damage, 5A458
YEH, HSU-CHI: Comparisons of calculated respiratory tract deposition of particles based on the proposed NCRP model and the new ICRP66 model, 2A1355
YEH, K-C: Reliability analysis of hydraulic structures considering unit hydrograph uncertainty, 8T1026
YEH, KAI-YUAN: Nonaxisymmetric loading of nonhomogeneous annular plates of variable thickness, 12A619
YEH, KAIYUAN: Non-symmetrical large deformation of a shallow thin spherical shell, 5A471
YEH, KY: Approximated shell model based on additive decomposition of deformation gradient, 1A557
YEH, LT: Review of heat transfer technologies in electronic equipment, 11A1373
YEH, RONG-HUA: Analysis of thermally optimized fin array in boiling liquids, 5A1269
YEH, RZ: Kinetics of thermal decomposition of styrene-butadiene rubber at low heating rates in nitrogen and oxygen, 8A1413
YEH, TSUNG-PIN: Combining MSC-NASTRAN, sensitivity methods, and virtual reality to facilitate interactive design, 12A21
YEH, WEI C: Endochronic analysis for finite elastoplastic deformation and application to metal tube under torsion and metal rectangular block under biaxial compression, 8A513
YEH, WEI-CHING: Variational upper-bound method for plane strain problems, 2A425
- Endochronic theory accounting for deformation induced anisotropy of metals under biaxial load, 7A431
YEH, YEONG TEIN: Shallow crustal structure from short-period Rayleigh-wave dispersion data in southwestern Taiwan, 12A1464
YEHIA, HM: New integrable problems in the dynamics of rigid bodies with the Kovalevskaya configuration - I: The case of axisymmetric forces, 4A69
- New integrable problems in the dynamics of rigid bodies with the Kovalevskaya configuration - II: The case of asymmetric forces, 4A70
YEHIA, K: Observations on the creep of two-material structures, 6A501
YELIN, TS: March 25, 1993 Scotts Mills, Oregon, earthquake and aftershock sequence: Spatial distribution, focal mechanisms and the Mount Angel Fault, 2A1379
YELKENCI, T: Rectangular rigid stamp on a nonlocal elastic half-plane, 2A395
YELLOWLEY, I: Control of multiple constraints within an open architecture machine tool controller, 2A372
- Upper-bound cutting model for oblique cutting tools with a nose radius, 7A616
YELLUP, JM: Abrasive wear of aluminium composites: A review, 7A874
- Dry sliding wear of aluminium composites: A review, 11A831
YEMETS, VF: Integrodifferential equations of the problem of the scattering of elastic waves by a plane thin-walled inclusion of large stiffness, 3A211
YEN, BK: Temperature-dependent tribological regimes and oxidation of carbon-carbon composites up to 1800°C, 2A870
- Effect of humidity on friction and wear of Al-Si eutectic alloy and Al-Si alloy-graphite composites, 3A838
YEN, C-W: Reacting flow over a non-traditional flame stabilizer, 4A1296
YEN, CHIH-KUAN: Intelligent dispatching rules for trip-based material handling systems, 2T346
YEN, DH: Gauss-Galerkin finite-difference method for singular partial differential equations in two space variables, 11A49
YEN, DW: Integrated planning for precision machining of complex surfaces - Part 2: Application to the machining of a turbine blade die, 6A695
YEN, G: Direct optimal control: A hybrid approach, 11A290
YEN, GG: Distributive vibration control in flexible multibody dynamics, 4A107
YEN, HUNG-JU: Residual stress measurement in 304 stainless steel weld overlay pipes, 11A437
YEN, JIA-YUSH: Servo design for a 3D laser-tracking measurement system, 4A401
YEN, JYR: Composite beams subjected to static and fatigue loads, 11A499
YEN, V: Discrete-time neural control method for manipulator tracking problems, 8A397
YENER, C: Proposal for "correction values" for winter outdoor design temperatures, 6A1506
YEO, I: Development of straightness measurement technique using the profile matching method, 7A794
YEO, KS: Absolute instability of boundary-layer flow over viscoelastic walls, 1A1056
- Solutions of 3D boundary layer equations by global methods of generalized differential-integral quadrature, 1A1028
- Numerical studies of unsteady boundary layer flows past an impulsively started circular cylinder by GDQ and GIQ approaches, 3A1101
- Nonlinear interaction between gas bubble and free surface, 3A1077
- Vortex breakdown in an unconfined vortical flow, 7T1124
- Axisymmetric boundary layer beneath a Rankine-like vortex, 8A1141
- Numerical study of the effect of free surface and water depth on the stability of wakes: Use of GDQ formulation, 11A1087
YEO, MS: Boundary lubrication characteristics of silica-based electro-rheological fluids, 6A1206
- Numerical analysis of channel flows of ER fluid, 6A1166
YEO, SEUNG TAI: Equivalence between enhanced assumed strain method and assumed stress hybrid method based on the Hellinger-Reissner principle, 3A34
YEOM , DJ: Limit analysis of a spherical shell under axial loading on central boss, 5A478
YEONG, PING-CHIAN: Effect of canards on delta wing vortex breakdown during dynamic pitching, 10A1218
YEPEZ MOYA, F: Simulation of damage scenarios in urban seismic zones, 4A1421
YERALAN, S: Influence of strain rate and fuel dilution on laminar nonpremixed hydrogen-air flame structure: An experimental investigation, 3A1298
YERBY, SA: Device for the measurement of pedicle screw moments by means of internal strain gauges, 2A1475
YEREMIN, AY: Analysis of convergence properties of projection methods for solving CEM applications, 5T54
YESERENTANT, H: Particle model of compressible fluids, 10A1107
YESILDIREK, A: Neural network controller for flexible-link robots, 7A385
YESILLER, N: Ultrasonic method for evaluation of annular seals for wells and instrument holes, 12A869
YETTER, RA: Fluidized bed studies of carbon particle oxidation: Gas phase surface products and surface area evolution, 2A1358
- Computational study of pressure effects on pollutant generation in gas turbine combustors, 8A1416

- High pressure studies of moist carbon monoxide-nitrous oxide kinetics, 10A1409
YEUNG, AT: Field investigation of potential contamination by bitumen-coated piles, 3A596
YEUNG, PK: Multi-scalar triadic interactions in differential diffusion with and without mean scalar gradients, 3A1153
YEUNG, RW: Shell-function solutions for 3D nonlinear body-motion problems, 9A1157
YEUNG, WK: Second-order finite difference approximation for inverse determination of thermal conductivity, 1A1245
YEUNG, WWH: Discrete vortex method for airfoil with unsteady separated flow, 6T1177
- Steady separated flow around an inclined flat plate, 8A1078
YEVI, GY: Storage of fuel in hydrates for natural gas vehicles, 3A1435
YEVICK, D: Hybrid split-step-finite-difference PE algorithm for variable-density media, 8A348
YEVTUSHENKO, A: Effect of the rough surface on the transient frictional temperature and thermal stresses near a single contact area, 2A909
- Friction heat distribution between a stationary pin and a rotating disc, 2A1236
- Periodical contact problems for a half-space involving frictional heating, 3A443
- Two axi-symmetrical contact problems with the steady-state frictional heating, 4A1257
- Axisymmetric quasi-static thermal stresses in an elastic semi-space subject to a rotating frictional heating on its boundary, 5A1289
- Effect of a thin film on the heat distribution between a stationary pin and a rotating disk, 6A1266
- Determination of temperatures for sliding contact with applications for braking systems, 12A1332
YEVTUSHENKO, AA: Thermally stressed state of an elastic half-plane heated by a uniformly moving heat source, 1A1295
- Transient temperature of local moving areas of sliding contact, 6A939
- Thermoelastic contact problems with frictional heating and convective cooling, 7A907
- Non-stationary contact problem for rough bodies taking heat generation by friction into account, 7A906
- Influence of periodically layered material structure on the frictional temperature during braking, 8A1339
- Frictional heating in sliding contact of two thermoelastic bodies, 9A938
YEW, CH: Adaptive FE scheme for hydraulic fracturing with proppant transport, 10A32
YEW, CHING H: Mechanics of Hydraulic Fracturing, 11R23
YI, JIANG: Modified Fourier transform profilometry for the measurement of 3D steep shapes, 11A63
YI, KS: Subcritical crack growth in glasses under cyclic loads: Effect of hydrodynamic pressure in aqueous environments, 12A750
YI, S: Explicit hybrid-stabilized 18-node solid element for thin shell analysis, 10A650
YI, SEUNGJUN: Expansion of a dusty plasma into a vacuum: Effects of charge nonneutrality, 9A1133
YI, SHIJUN: Breakup and atomization of a viscous liquid jet, 6A1139
YI, SUNG: Dynamic responses of plates with viscoelastic free layer damping treatment, 1A198
- Finite element algorithms for dynamic simulations of viscoelastic composite shell structures using conjugated gradient method on coarse grained and massively parallel machines, 10A651
- Free edge stresses in elastic and viscoelastic composites under uniaxial extension, bending, and twisting loadings, 12A573
YI, ZHI-JIAN: Precise elastic-plastic analysis of crack line field for mode II plane strain crack, 8A786
- Precise solutions of elastic-plastic crack line fields for cracked plate loaded by antiplane point forces, 11A692
YIANNESKIS, M: Experimental study of the mean flow and turbulence structure of cross-flow over tube bundles, 3A1165
- Structure of steady flow through dual-intake engine ports, 5A1362
YIGIT, AS: Impact of composite structures: The momentum balance method, 2A212
- Coupled axial and transverse vibrations of oilwell drillstrings, 3A816
- Use of an elastic-plastic contact law for the impact of a single flexible link, 11A187
YIH, CHIA-SHUN: Selective withdrawal from stratified streams, 1A265
- Role of drift mass in the kinetic energy and momentum of periodic water waves and sound waves, 8A247
YIH, CHIH-CHEN: Robust control of passive-jointed robot and experimental validation using sliding mode, 3A414
YILBAS, BS: Laser heating process and experimental validation, 5A1228
- Analytical solution for time unsteady laser pulse heating of semi-infinite solid, 8A1334
- Thooretical and experimental investigation into laser melting of steel samples, 8A724
- Study into CO_2 laser cutting process, 8A1341
- Heat transfer analysis of a semi-infinite solid heated by a laser beam, 10A1330
YILDIRIM, V: Computer program for the free vibration analysis of elastic arcs, 7A130
- Free vibration analysis of non-cylindrical coil springs by combined use of the transfer matrix and the complementary functions methods, 12A171
YIM, SCS: Nonlinear rocking motions - I: Chaos under noisy periodic excitations, 3A105
- Nonlinear rocking motions - II: Overturning under random excitations, 3A106
- Deterministic and stochastic analyses of chaotic and overturning responses of a slender rocking object, 4T83
- Coupled dynamics of tethered buoy systems, 8A187
- Nonlinear dynamics of a coupled surge-heave small-body ocean mooring system, 8A189
- Control of noisy chaotic motion in a system with nonlinear excitation and restoring forces, 11A93
YIM, WOOSOON: Predictive end-point trajectory control of elastic manipulators, 2A348
YIN, BANGXIN: Analysis of dynamic response of an impacted elastic plate, 5A102
YIN, G: Periodic maintenance and repair rate control in stochastic manufacturing systems, 4T476
YIN, H: Dynamic response of railway ballast to the action of trains moving at different speeds, 8A193
YIN, HONG-MING: Critical exponents for a system of heat equations coupled in a nonlinear boundary condition, 4A1230
YIN, HONGCHAO: Applied software of thermodynamic calculation and exergy analysis for steam power boilers (Chinese), 2A1275
- Synthesis of heat exchanger networks using genetic algorithm (Chinese), 10A443
YIN, HP: Size and density influence on overall moduli of finite media with cracks, 3A726
YIN, J-H: Elastic visco-plastic modeling of 1D consolidation, 4A637
YIN, JH: Fundamental solutions for bimaterials with inextensible interface, 6A461
YIN, JIANSHENG: Experimental and numerical evaluation of beam-to-column connections for pultruded structures, 4A573
YIN, JJ: Evolution of anisotropy under plane stress, 11A372
YIN, L: Strain sensing of composite plates subjected to low velocity impact with distributed piezoelectric sensors: A mixed FE approach, 6A250
YIN, LIN: Numerical analysis of vibration control of composite laminates by piezoelectric devices (Chinese), 2A487
YIN, X: Uniform channel micro heat exchangers, 12A1323
YIN, XIAOQING: Micro heat exchangers consisting of pin arrays, 9A1291
YIN, XUEGANG: Nonlinear vibration analysis of mechanism with elastic connecting rod (Chinese), 2A77
- Dynamics of multibody tracked vehicles using experimentally identified modal parameters, 4A391
YIN, Z: Temperature distribution in an optical fiber draw tower furnace, 2A1253
- Zonal method to model radiative transport in an optical fiber drawing furnace, 12A1306
YIN, ZEJIE: New system for 3D kinematic trajectory acquisition and analysis - I: The application of an ultrasonic technique to human gait analysis, 1A1454
- New system for 3D kinematic trajectory acquisition and analysis - II: Digital orthogonal integration phase-detection technique, 1A1455
YIN, ZHANFENG: Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part I: The effects of physical parameters, 9A930
- Application of soft X-ray absorption spectroscopy in chemical characterization of antiwear films generated by ZDDP - Part II: The effect of detergents and dispersants, 9A931
YING, FQ: Application of Papkovich-Neuber function in stress calculation of pressure vessels and piping, 1A868
YING, JIA: Action of cnoidal waves on vertical walls, 1A281
YING, JINPIN: Direct optimization approach to the 2D acoustic inverse problem in the time domain, 3A308
YING, S: Active vibration control of the axially moving string using space feedforward and feedback controllers, 1A367
- Dynamic analysis of the axially moving string based on wave propagation, 12A167
YING, SHEN: Research on characteristics of density current under the action of waves, 12A257
YING, ZU-GUANG: Exact modal synthesis techniques using residual constraint modes, 12A216
YIOU, P: Spectral analysis of climate data, 6A1491
YIP, MING-CHUEN: Mean strain effect on crack initiation lives for notched specimens under biaxial nonproportional loading paths, 7A643
YIP, MJ: Combustion oscillation control by cyclic fuel injection, 10A1407
YIP, TH: Experimental investigation of two-stream mixing flows with streamwise and normal vorticity, 9A1120
- Mixing characteristics of forced mixers with scalped lobes, 9A1180
YIP, WOON-KWONG: New damage variable in failure analysis of concrete, 6A789
YIP, YC: Thick beam theory and FE model with zigzag sublaminate approximations, 2A472
YIU, KFC: Airfoil design via transpiration and optimal control theory, 4A1110
- Quadtree grid generation: Information handling, boundary fitting, and CFD applications, 6A68
YLITALO, C: Structural transitions in wormlike micelles, 9A985
YNGVASON, J: Waves and Distributions, 1R10
YO, T-C: Effect of air distribution on solid fuel bed combustion, 12A1370
YODA, M: Round jet in a uniform counterflow: Flow visualization and mean concentration measurements, 5A1021
YODA, T: Transient waves in an infinite thick plate on elastic foundation subjected to concentrated moving loads (Japanese), 3A535
- Initial imperfection data and evaluation of compression strength of orthotropic steel deck for long-span cable-stayed bridges (Japanese), 6A901
YOERGER, EJ: Modeling low-frequency reverberation near the Mid-Atlantic Ridge and comparison with ARSRP data, 10A349
YOGANANDAN , N: Mechanisms of thoracic injury in frontal impact, 5T1472
YOGANANDAN, N: Finite element modeling of the C4-C6 cervical spine unit, 4A20
- Instrumented artificial spinal cord for human cervical pressure measurement, 5A1510
- Finite element model of the human lower cervical spine: Parametric analysis of the C4-C6 unit, 9A1566
- Cervical vertebral strain measurements under axial and eccentric loading, 11A1582
- Inertial loading of the human cervical spine, 12A1568
YOGANATHAN, AP: Quasisteady behavior of pulsatile, confined, counterflowing jets: Implications for the assessment of mitral and tricuspid regurgitation, 5A1502
- Effect of physiological factors on proximal flow convergence upstream of an incompetent valve: An in-vitro study, 9A1585
- Hemodynamics of the Fontan connection: An in-vitro study, 11A1566
YOKOBORI JR, AT: Numerical analysis on hydrogen diffusion and concentration in solid with emission around the crack tip, 2A642
- Comparative study on characterization parameters for high temperature creep crack growth with special emphasis on dual value behavior of crack growth rate, 3A673
YOKOBORI, T: Comparative study on characterization parameters for high temperature creep crack growth with special emphasis on dual value behavior of crack growth rate, 3A673
YOKOI, K: Heat-transfer and flow characteristics of perforated-plate heat exchangers with crosscut fins, 7A1329
YOKOI, N: Analysis of poloidal rotation and suppression of plasma turbulence using a dynamo model, 3A1168
YOKOKOHJI, Y: Display of feel for the manipulation of dynamic virtual objects, 11A1588
YOKOKURA, S: Precise measurement concerning a sprint race (Japanese), 10T1579
YOKOMIZO, S: Biochemical machining of biodegradable plastics: Development of microremoval process by enzyme (Japanese), 2A588
- Fundamental study on biomachining: Machining of metals by thiobacillus ferrooxidans, 7A637
YOKOO, H: Fluid motion and heat transmission in a horizontal liquid layer heated locally from free surface, 7T1031
YOKOO, IH: Ocean waves: Simulation and spectral analysis, 1A1426
YOKOTA, K: Consideration on failure of cut slope of weathered serpentine clay (Japanese), 2A546
- Characterization of chaotic vibration without system equations, 8A92
YOKOTA, M: Effect of periodic wake passing on film effectiveness of discrete cooling holes around the leading edge of a blunt body, 10A1299
YOKOTA, S: Temperature changes and thermal stresses obtained during construction of immersed-type tunnel (Japanese), 5A793
YOKOTA, Y: Mechanical effect of grouted rock bolts on tunnel stability (Japanese), 10A724
YOKOUCHI, Y: Error-correcting merit of the volumetrically elastic and deviatorically rigid-plastic FEM, 12A30
YOKOYAMA, K: Optical telemetering of temperature information in rotating spindle - 1st report: Development of high-speed multichannel optical telemetering system (Japanese), 2A746
YOKOYAMA, M: Adaptive method for the determination of element degree for acquiring the desired accuracy in 2D BEM, 10A80
YOKOYAMA, R: Revised decomposition method for MILP problems and its application to operational planning of thermal storage systems, 6A1297
- Operational strategy of a cogeneration system under a complex utility rate structure, 6A1355
- Optimal operational planning of cogeneration systems with thermal storage by the decomposition method, 11A1367
- Multiobjective optimal unit sizing of a grid-connected photovoltaic system in consideration of its probabilistic characteristics, 11A1533
YOKOYAMA, T: Vibration analysis of Timoshenko beam-columns on two-parameter elastic foundations, 5A122
- Simple generalization of Wisdom's perturbative method, 7A250
YOKOYAMA, Y: Experimental study on lateral resistance behavior of pile with enlarged base in sand (Japanese), 2A541
- Effect of pile compressibility on shaft friction capacity, 5A525
- Experimental study on load transfer within multi-layered geosynthetics liner (Japanese), 8A676
YOKOZEKI, S: Development of CAM system based on simulation of the copy operation, 7A606
YON, JUNG-HEUM: Comparisons of concrete fracture models, 9A699
YONEDA, H: Wear behavior of high tensile strength aluminum alloys under dry and lubricated conditions, 2A892
YONEDA, M: Study of special spacer with damping device for suppressing wake galloping in tandem cables of cable-stayed bridges and its application to full scale bridge (Japanese), 8A186
- Development of scanning type minature 2D image sensor (Japanese), 9A376
YONEMOTO, T: Study on the adhesion force of lubricants: Adhesion force characteristics under boundary lubrication, 7A1199
YONENO, M: Analysis of pipe flange connections using epoxy adhesives-anaerobic sealant instead of gaskets, 11A883
YONEOKA, H: Ground-based simulation of space manipulators using test bed with suspension system, 3A379
YONEZAWA, T: Study on durability of chemically stabilized roadbed under repeated train load (Japanese), 5A535
YONG LIM, SER: Output feedback controller for trajectory tracking of RLED robots using an observed backstepping approach, 8A448
YONG, RN: Boundary layer transport of metal ions in frozen soil, 4A647
YONG, SHENG: New formulation of isoparametric FEs and the relationship between hybrid stress element and incompatible element, 6A54
YONG, TIAN: Prediction of the stability of air thrust bearings by numerical, analytical and experimental methods, 3A93
YONG, YAN: Responses of pipeline structure subjected to ground motion excitation, 10A1457
YONG, Z: General solution and Green function with bifurcation for nonlinear plane stress deformation of a compressible wedge, 6A466
- Effects of water-mixture film on impact contact in abrasive waterjet machining, 8A1112
- Feedback control of chaotic circular point sets with arbitrary velocity profile, 9A334
- Simulation of chaotic particle motion in particle-laden jetflow and application to abrasive waterjet machining, 11A994
YONGQI, S: Direct measurement of microscopic strain distribution near a crack tip, 2A718
YOO, CD: Finite element modeling of 3D solder joint geometry in SMT, 12A1037
YOO, CHAI H: Local buckling of curved I-girder flanges, 3A564
- Cross-frame spacing and parametric effects in horizontally curved I-girder bridges, 3A792
- Buckling analysis of curved beams by FE discretization, 3A548
YOO, CHOONG D: Effects of welding conditions on molten drop geometry in arc welding, 5A880
YOO, J: Constraint handling in genetic search using expression strategies, 5A743
YOO, JIN-GYOO: Numerical analysis of grease thermal elastohydrodynamic lubrication problems using the Herschel-Bulkley model, 12T1217
YOO, JOO-SIK: Dual steady solutions in natural convection between horizontal concentric cylinders, 5A1144
- Unsteady heat transfer from a rotating disk with solidification, 11A1298
YOO, JUNG YUL: Laminar convective heat transfer of a Bingham plastic in a circular pipe - I: Analytical approach - thermally fully developed flow and thermally developing flow (the Graetz problem extended), 10A1303
YOO, JY: Fractional four-step FE formulation of the unsteady incompressible Navier-Stokes equations using SUPG and linear equal-order element methods, 10A1096
YOO, KWANG: Modeling the environmental influence on the vertical directionality of ambient noise in shallow water, 10A350
YOO, KYUNG HOON: Numerical analysis of particle deposition onto horizontal freestanding wafer surfaces heated or cooled, 2A1353
YOO, S-J: Post-CHF heat transfer with water and refrigerants, 1A1015
YOON, JH: Finite-element analysis on the upsetting process of semi-solid aluminum material, 12A34

YOON, KI WON: Shear correction factors for thin-walled composite boxbeam considering nonclassical behaviors, 2A475
YOON, KK: Fatigue and Fracture - 1996, Volume 2, 4N14
- Fatigue and Fracture - 1996, Volume 1, 4N13
- Alternative method of RT_{ndt} determination for some reactor vessel weld metals validated by fracture toughness data, 11A1516
YOON, KT: Numerical simulation of heat transfer in chemically reacting shock wave-turbulent boundary layer interactions, 1A1038
- Three-dimensional mixed explicit-implicit generalized Galerkin spectral element methods for high-speed turbulent compressible flows, 3A1164
YOON, KW: Active control of sound fields from a composite plate using the anisotropy and shape of distributed PVDF actuators, 11A254
YOON, S-H: Measurement of modulus in filament wound ring specimen using split disk test, 7A497
YOON, SANG-JOON: Optimum design of the transverse pressure contour slider for enhanced flying characteristics, 12A984
YOON, SUNG-HO: Measurement of tensile properties using filament wound ring specimens, 12A602
YOON, TAESUNG: Decomposition of a welded part by iterative loop generation based on multiple feature recognition (Japanese), 7A793
- Generation of welded-part geometry with manufacturing process rules (Japanese), 10A1008
YOON, YOUNG-SOO: Minimum shear reinforcement in normal, medium, and high-strength concrete beams, 3A771
YOON, YOUNGBIN: Measured supersonic flame properties: Heat-release patterns, pressure losses, thermal choking limits, 1A1323
- Measured lengths of supersonic hydrogen-air jet flames - Compared to subsonic flame lengths - and analysis, 3A1317
YORGÜN, C: Tests on beam-column strong and weak axis connections, 3A516
YORKE, JA: Indecomposable continua in dynamical systems with noise: Fluid flow past an array of cylinders, 9A1029
YOSHIDA, A: Extinction of turbulent diffusion flames by Kolmogorov microscale turbulence, 11A1402
YOSHIDA, C: Heat-transfer and flow characteristics of perforated-plate heat exchangers with crosscut fins, 7A1329
YOSHIDA, F: Benchmark tests on adhesive strengths in butt, single and double lap joints and double-cantilever beams, 6A563
YOSHIDA, H: Optimal distance meter using a pulsed laser diode and fast avalanche photo diodes for measurements of molten steel levels, 6A403
YOSHIDA, I: Free vibration of a rectangular plate-beam coupled system, 1A202
YOSHIDA, J: How to manufacture circular arc hinges (Japanese), 2T365
YOSHIDA, K: Study on lining design of earth tunnels with large diameter under high water pressure (Japanese), 2T810
- Solar UT-3 thermochemical cycle for hydrogen production, 4A1463
- Installation of surface grinding machines in case of five-point support, 7T619
- H^{∞} control of transverse-torsional coupled vibrations using multiple active dynamic vibration absorbers, 7A120
- Characterization of chaotic vibration without system equations, 8A92
- Characteristics of lateral spreading in liquefied deposits during the 1995 Hanshin-Awaji earthquake, 11A550
YOSHIDA, M: Railroad noise in an open space, 8A309
- Shape detection by scanning object with coaxial laser beam (Japanese), 12A864
YOSHIDA, N: Formulas for viscous fluid and heat flows around a hexagonal lattice of circular tubes, 2A957
- Effect of principal stress direction on undrained cyclic shear behavior of dense sand (Japanese), 2A538
- Adaptive sign detection method of 4 × 4 determinant method - 2nd Report: Sign detection method for arbitrary homogeneous polynomials (Japanese), 4A60
- Point-in-polygon test dealing with the polygons including curve edges based on the 4 × 4 determinant method (Japanese), 7A79
- Effect of principal stress direction on undrained cyclic shear and recompression behavior of dense sand (Japanese), 10A683
- Adaptive sign detection method using a floating point processing unit: Sign detection for 3 × 3 determinants (Japanese), 12T86
YOSHIDA, S: Generation, growth, and collapse of a bubble in conductive liquid heated directly by electric current, 7T1074
YOSHIDA, T: Rock behavior measured by means of borehole strain gauges during a large underground cavern excavation (Japanese), 8A672
YOSHIDA, Y: Nonlinear calculation of rotating cavitation in inducers, 4A1142
- Determination of the bearing capacity of the pile by means of stress wave theory (Japanese), 5A524
- Fluid force moment on a centrifugal impeller shroud in processing motion, 11A218
YOSHIHASHI, M: Self-sensing active suppression of vibration of flexible steel sheet, 1A841
YOSHIHASHI, T: High-speed photographic study of the transition from deflagration to detonation wave, 4T240
YOSHII, T: Improvement of optical probe response to large-amplitude ultrasound, 1A805
YOSHIKAWA, M: Trial making of a polishing apparatus by hot iron metal for CVD diamond cutting tools and its characteristics (Japanese), 2A600
- Development of a bilateral manipulator for surgical operation: Characteristics of developed manipulator (Japanese), 5T358
YOSHIKAWA, T: Characterization of some gain conditions via the Hamilton-Jacobi inequality, 4T347
- Parametrization of all stabilizing controllers of nonlinear systems, 7T339
- Display of feel for the manipulation of dynamic virtual objects, 11A1588
- Viable bone formation in porous hydroxyapatite: Marrow cell-derived *in vitro* bone on the surface of ceramics, 11T1571
YOSHIKAWA, Y: Estimation of air quality by 3D air simulation model: Effect of low-emission vehicles on air quality improvement in the greater Los Angeles area, 3T1466
YOSHIKUNI, H: Compression and Consolidation of Clayey Soils, 1N24
YOSHIMI, T: Development of indoor mobile robot system based on RECS concept (Japanese), 1T386
YOSHIMOTO, S: Axial load capacity of water-lubricated hydrostatic conical bearings with spiral grooves: On the case of rigid surface bearings, 4A1157
- Floating characteristics of squeeze-film gas bearings with vibration absorber for linear motion guide, 12A1226
YOSHIMURA, H: Experimental study on earth pressure on and deformation of buried flexible pipes (Japanese), 10A965
YOSHIMURA, K: Strong stochasticity threshold in some anharmonic lattices, 11A102
YOSHIMURA, N: Optimum design and FEM (Japanese), 5T281
YOSHIMURA, S: Mesh-invisible FE analysis system in a virtual reality environment, 1A30
- Development of user-friendly structural design system for pressure vessels, 1A869
- Recursive distribution method for probabilistic fracture mechanics, 2A715
- Identification of two dissimilar surface cracks hidden in solid using neural networks and computational mechanics, 5A275
- Performance study of the domain decomposition method with direct equation solver for parallel FE analysis, 6A48
- Automated system for analyzing stress intensity factors of 3D cracks: Its application to analyses of two dissimilar semi-elliptical surface cracks in plate, 8A772
YOSHIMURA, T: Semi-active suspension with dynamic absorbers of ground vehicles using fuzzy reasoning, 8A405
YOSHINAGA, T: Orbital re-entry experiment vehicle ground and flight dynamic test results comparison, 4A866
YOSHINARI, H: Detailed observation of change in strain near fatigue crack tip (Japanese), 9A710
YOSHINO, H: Study on water sealing mechanism of earth pressure balanced shield subject to high water pressure (Japanese), 5A531
YOSHINO, K: Tear-off mechanism of sintered diamond tool in cutting SiC-particle-strengthened epoxy composites, 12A961
YOSHINO, M: Fundamental study on applications of damage mechanics to evaluation of material degradation, 6A788
YOSHINO, S: Development of air-cooled ceramic nozzles for a power-generating gas turbine, 5A1365
- Effective distribution of seismic lateral force utilizing compressive deformation of rubber devices (Japanese), 11A1489
YOSHIOKA, A: Mesh-invisible FE analysis system in a virtual reality environment, 1A30
- Study of special spacer with damping device for suppressing wake galloping in tandem cables of cable-stayed bridges and its application to full scale bridge (Japanese), 8A186
YOSHIOKA, J: Installation of surface grinding machines in case of five-point support, 7T619
YOSHIOKA, N: Characteristic displacement in rate and state-dependent friction from a micromechanical point of view, 3A833
YOSHIOKA, R: Undrained cyclic strength of compacted rockfill material from triaxial and torsional simple shear tests (Japanese), 8A644
YOSHIOKA, Y: Residual stress analysis on materials with steep stress gradient by using X-ray incidence at higher angles (Japanese), 2A742
- Analysis of heat transfer on moving turbine blades using microstructural changes due to aging, 2A1180
YOSHITAKE, M: Fabrication and transformation characteristics of reversible shape memory alloy thin film actuators (Japanese), 10A544
YOSHIYASU, N: Self-induced vibration of a water drop placed on an oscillating plate, 1A1068
YOSHIZAKI, K: Hybrid testing of steel bridge pier models using the Hyogoken-nanbu earthquake accelerograms (Japanese), 9A889
YOSHIZAWA, M: Nonstationary vibrations of a string with time-varying length and a mass-spring attached at the lower end, 9A136
YOSHIZAWA, Y: Kinetic study of the hydration of magnesium oxide for a chemical heat pump, 2A1280
YOSHIZU, Y: Survey and the analysis of rock joint and the determination of jointed rock mass model (Japanese), 5T541
YOSIBASH, Z: Solutions of 2D linear elastostatic and heat-transfer problems in the vicinity of singular points, 6A471
- Accurate stress extraction for nearly incompressible materials by the displacement formulation of the P-version FEM, 7A11
- Finite element stress extraction by the complementary energy principle, 9A35
YOSICK, JA: Can nonlinear deformation amplify subtle differences in linear viscoelasticity?, 6A496
- Kinetic network model for nonlinear flow behavior of molten plastics in both shear and extension, 11A900
YOST, FG: Flow in an open channel capillary, 3A1034
YOU, BONG-RYUL: Critical review on multiaxial fatigue assessments of metals, 1A702
YOU, DW: Hysteretic damping revisited, 9A117
- Normalized quasi-static mass: A new definition for multi-support motion problems, 12A16
YOU, H-I: Determination of flow properties in non-Darcian flow, 8T1305
YOU, HEE: Loading rate effect on mode I interlaminar fracture of carbon-epoxy composite, 10A821
YOU, SM: Gas-saturated pool boiling heat transfer from smooth and microporous surfaces in FC-72, 2A1204
- Heater orientation effects on pool boiling of microporous-enhanced surfaces in saturated FC-72, 5A1211
- Pool boiling heat transfer with an array of flush-mounted, square heaters on a vertical surface, 9A1243
- Enhanced boiling heat transfer from micro-porous cylindrical surfaces in saturated FC-87 and R-123, 11A1278
- Boiling characteristics of cylindrical heaters in saturated, gas saturated, and pure-subcooled FC-72, 11A1272
YOU, X: Kinetic and thermodynamic sensitivity analysis of the NO-sensitized oxidation of methane, 6A1337
YOU, YUN-XIANG: Inverse problem of water wave generation in a wave tank, 9T207
YOU, Z: Foldable bar structures, 10A891
YOU, ZHONG: Displacement control of prestressed structures, 10A480
YOUN, ILJOONG: Control of suspensions for vehicles with flexible bodies - Part I: Active suspensions, 4A387
YOUN, SUNG-KIE: Study on the shape extraction process in the structural topology optimization using homogenized material, 7A807
YOUNAN, AH: Dynamic response of cantilever retaining walls, 8A1477
YOUNAS, M: Corrosion-fatigue life prediction for notched components based on the local strain and linear elastic fracture mechanics concepts, 5A599
YOUNG, AJ: Control of flexural vibration in a stiffened cylinder using piezoceramic actuators and an angle stiffener, 3A745
- Control of flexural vibration in stiffened structures using multiple piezoceramic actuators, 4A825
- Control of flexural vibration in a stiffened plate using piezoceramic actuators and an angle stiffener, 6A862
YOUNG, B: Design of homologous ram pumps, 11A1171
YOUNG, BW: Simplified analysis and design of the hydraulic ram pump, 3A1195
YOUNG, CJ: High-frequency analysis of seismic background noise as a function of wind speed and shallow depth, 4T1385
YOUNG, DF: Brief Introduction to Fluid Mechanics, 4R23
YOUNG, GE: Block-recursive identification of parameters and delay in the presence of noise, 11A273
- Transient error detection during UDU^T covariance calculations using algorithm based fault tolerance, 12A423
YOUNG, GS: Use of obliquely rotated principal component analysis to identify coherent structures, 5T1049
YOUNG, HONG-TSU: Cutting temperature responses to flank wear, 7A876
YOUNG, I: Atlas of the Oceans: Wind and Wave Climate, 8N26
YOUNG, ILJOONG: Control of suspensions for vehicles with flexible bodies - Part II: Semi-active suspensions, 4A388
YOUNG, IR: Growth of fetch limited waves in water of finite depth - Part 1: Total energy and peak frequency, 7T215
YOUNG, J: Theory of particle deposition in turbulent pipe flow, 11A1104
YOUNG, KUU-YOUNG: Heuristic approach to robot path planning based on task requirements using a genetic algorithm, 1A401
- Collision-free path planning and modification based on task requirements, 5A357
YOUNG, KUU-YOUNG: Impact control scheme inspired by human reflex, 6A434
YOUNG, MJ: Relationship of static foot structure to dynamic foot function, 7A1541
YOUNG, PG: Natural frequencies of vibration of layered hollow spheres using exact 3D elasticity equations, 2T144
- Natural frequencies of vibration of a class of solids composed of layers of isotropic materials, 3A177
YOUNG, PL: Capacities of template-type platforms in the Gulf of Mexico during hurricane Andrew, 8A934
YOUNG, PM: Controller design with real parametric uncertainty, 4A375
YOUNG, RJ: Interfacial micromechanics in thermoplastic and thermosetting matrix carbon fiber composites, 4A543
- Stress transfer in a model composite containing a single embedded fiber, 9A499
YOUNG, WEN-BIN: Experimental investigation on blade-stiffened panel with stiffener-to-skin fiber stitching, 2T489
- Effect of surface tension on tow impregnation of unidirectional fibrous preform in resin transfer molding, 2A607
- Optimal design of process parameters for resin transfer molding, 11A629
YOUNG, WJ: Principles and practice of hydraulic modeling of braided gravel-bed rivers, 10T1055
YOUNG, WR: Dynamics of vorticity defects in shear, 8A1048
YOUNGDAHL, CK: Mode approximation method for the dynamic response of a strain-hardening cantilever, 7A444
YOUNIS, BA: Assessment of the SSG pressure-strain model in free turbulent jets with and without swirl, 7A1114
YOUNIS, NT: Discrete averaging effects of a strain gage at a crack tip, 2A719
YOUNKER, LW: San Andreas fault zone drilling project: Scientific objectives and technological challenges, 11A1511
YOUNSI, R: Multi-mesh and adaptivity in 3D shape optimization, 5A754
YOUSSEF, FA: Heat transfer from an expanding cylinder in cross-flow, 7A1234
YOUSSEF, NFG: Seismic rehabilitation of infilled non-ductile frame buildings using post-tensioned steel braces, 6A1455
YOUSSEF, R: Active control of multi-mode rotor-bearing systems using HSFDs, 7A354
YOUSUF, MI: Lamb wave tomography and its application in pipe erosion-corrosion monitoring, 10A797
YOVANOVICH, MM: Experimental study of forced convection from isothermal circular and square cylinders and toroids, 8A1265
YSERENTANT, H: New class of particle methods, 10A1
YSTAD, B: Numerical solution of parabolic equations for strongly curved focusing sources, 5A263
YU , G: Computer simulation of the flow field and particle deposition by diffusion in a 3D human airway bifurcation, 3A1084
YU, BEEN-JYH: Method and theory for nondestructive determination of fracture energy in concrete structures, 3A706
YU, BING: Optimum phase ratio in the triple jump, 3A1507
- Calibration of measured center of pressure of a new stairway design for kinetic analysis of stair climbing, 5A1478
- Parameters for modeling the upper extremity, 10A1528
YU, C-T: Biaxial test specimen for crack arrest studies, 2A717
YU, CH: Structures of moving transverse and mixed rolls in mixed convection of air in a horizontal plane channel, 4A1209
- Changes of longitudinal vortex roll structure in a mixed convective air flow through a horizontal plane channel: An experimental study, 4A1205
- Unsteady vortex roll structures in a mixed convective air flow through a horizontal plane channel: A numerical study, 5A1170
- Flow visualization and numerical simulation of transverse and mixed vortex roll formation in mixed convection of air in a horizontal flat duct, 7A1258
- Effects of aspect ratio on vortex flow patterns in mixed convection of air through a bottom-heated horizontal rectangular duct, 11A1244
- Testing of semi-rigid unbraced frames for calibration of second-order inelastic analysis, 12A921
YU, CHAU-CHO: Edge effect on elastic-plastic rolling-sliding contacts, 3A465

YU, CHIH-MING: Granular collisional lubrication: Effect of surface roughness, particle size and solids fraction, 1A892
YU, DAIXU: Response of resin transfer molded (RTM) composites under reversed cyclic loading, 11A453
YU, DINGLI: Bilinear fault detection observer and its application to a hydraulic drive system, 3A392
YU, DINGYONG: Calculation of wave pressure and pressure spectrum for perforated-pipe breakwater, 12T1057
YU, GUI-LAN: Slip with friction between a layer and a substrate caused by an SH pulse, 8T233
YU, GUO-QING: Application of the ordinary least-squares approach for solution of complex variable BE problems, 9A51
YU, H: Efficient robust adaptive control law for robot manipulators, 3A413
- Elastic force on a point defect in or near a surface layer, 7A412
YU, HON-WEN: Optimal design of process parameters for resin transfer molding, 11A629
YU, HS: Undrained cavity expansions in critical state soils, 1A619
- Analysis of cone pressuremeter tests in sands, 3A591
- Finite element limit analysis of reinforced soils, 9A627
YU, J: Effect of cathodic protection potential on corrosion fatigue crack growth rate of an offshore structural steel, 5A616
- Study on the stress concentration at the round corners of flat heads in pressure vessels subjected to internal pressure, 5A392
- Role of dynamic strain-ageing in the environment assisted cracking observed in pressure vessel steels, 8A761
- Evaluation of the J-integral by a plastic crack tip element, 9A741
YU, JIE: H_∞ control with parametric Lyapunov functions, 11T292
- Constrained H_∞ control of an experimental flexible link, 12A389
YU, JIUN-SHYA: Model for predicting thermal stresses in thin polycrystalline films, 9A1318
YU, JS: Experimental results of an adaptive controller for robot manipulators, 1A396
YU, L: Principle and application of the constant strain rate tensile test with *in situ* scanning electron microscopy for evaluation of the adhesion of films, 7A968
YU, LAIGUI: Antiwear and expressure properties of some oil-water double soluble rare earth complexes - Part 2: Their tribological behavior is liquid paraffin, 2A1128
- Tribological behavior and application of rare earth lubricants, 2A1136
- Antiwear and extreme pressure properties of some oil-water double soluble rare earth complexes - Part 1: Their tribological behavior in water, 2A1129
- Improved friction and wear properties of cast Fe-Mo-S wear-resistant alloy by cerium dioxide doping, 5A821
YU, LIREN: Recent advances and application of turbulence depth-integrated two-equation closure for modeling contaminant discharges, 6A1156
YU, MIN: Comparison of several approximate modal methods for computing mode shape derivatives, 7A164
YU, MM-H: Contact analysis of 3D rough surfaces under frictionless and friction contact, 7A913
YU, Q: Curvature optimization of a cam mechanism with a translating flat-faced follower, 3A911
- Shock waves from an open-ended shock tube with different shapes, 6T285
YU, QUANPING: Development of helical coordinate system and its application to analysis of polymer flow in screw extruders - Part I: The balance equations in a helical coordinate system, 11A582
YU, SCM: Three-dimensional measurements in a non-axisymmetric flow experiment using a one- or two-component laser-Doppler anemometer, 8A1253
- Experimental investigation of two-stream mixing flows with streamwise and normal vorticity, 9A1120
- Mixing characteristics of forced mixers with scalped lobes, 9A1180
YU, SHAO-HUA: Range-rate control algorithms and space rendezvous schemes, 7T246
YU, SHAOHUA: Periodic motion in the tethered satellite system, 3T288
YU, SHENG-TAO: Simulation of an H_2-O_2 flame by the least-squares FEM, 1A1341
- Div-curl-grad formulation for compressible buoyant flows solved by the least-squares FEM, 5A1221
YU, SHOUWEN: Analysis of axisymmetric buckling and growth of circular-shaped delamination, 4A621
- Asymptotic method for analyzing the stress in a functionally gradient material layer on a surface of a structural component, 10A105
YU, SHUIRAN: Method of 3D cutter compensation based on digitizing copying system, 10A518
YU, SIRONG: Dry sliding friction and wear behavior of short fiber reinforced zinc-based alloy composites, 3A850
YU, SW: Fracture and damage analysis of a cracked body by a new BE model, 11A728
YU, TA-HUA: Influence of molecular weight distribution on the melt extrusion of high density polyethylene (HDPE): Effects of melt relaxation behavior on morphology and orientation in HDPE extruded tubular films, 5A886
YU, TONG-XI: Propagation of waves in rate-dependent plastic softening rod and beam, 9A183
YU, TS: Numerical investigation of turbulent shallow recirculating flows by a quasi-3D k-ϵ model, 3A1160
YU, TX: Plastic Bending: Theory and Applications, 3R17
- Incipient deformation mechanisms of a semicircular cantilever beam subjected to an out-of-plane step-loading, 6A253
- Dynamic elastic-plastic behavior of whipping pipes: Experiments and theoretical model, 6A107
- Large plastic deformation of beams of angle-section under symmetric bending, 8A514
- Dynamic behavior of a semi-infinite elastic-hardening-softening beam, 8A130
- Saturated impulse for pulse-loaded elastic-plastic square plates, 10A284
- Out-of-plane impact at the tip of a right-angled bent cantilever beam, 11A117
YU, W-S: Numerical simulation of the effects of rotor-stator spacing and wake-blade count ratio on turbomachinery unsteady flows, 11A1149
YU, WEI-SHENG: Experimental study of reservoir turbidity current, 11T909
YU, WEIPING: Elastic-plastic indentation model and its solutions, 3A466
YU, WEN-SHENG: Slightly reduced Navier-Stokes equations, 9A1010
YU, WK: Energy-based parametric control approach for structural vibration suppression via semi-active piezoelectric networks, 1A839
YU, WS: Computation of 3D viscous flow in high Reynolds number pump guide vane, 7A1192
YU, WW: Bending and shear behavior of web elements with openings, 3A510
YU, XIAOMING: Shape design sensitivity analysis and optimization for structural durability, 10A908
YU, XIN: General type of digital optimal preview servo system, 1A380
YU, XING-HUO: Design of variable structure controllers with continuous switching control, 4T377
YU, XINGHUO: Model reference adaptive control systems with terminal sliding modes, 3T358
YU, XIPING: Oscillations in a coupled bay-river system - I: Analytic solution, 4T968
YU, XJ: Multigrid method for nonlinear parabolic problems, 5A1246
YU, YIMEI: Suppression of low frequency structural vibrations using intelligent control methods, 2A99
- Vibration suppression using acceleration feedback control with multiple proof-mass actuators, 10A501
YU, YONGUANG: Study of unsteady orifice flow characteristics in hydraulic oil lines, 7A1001
YU, YONGXI: Reducing the computational requirements of the differential quadrature method, 2A42
YU, YUE-QING: Effect of cross-sectional parameters on the dynamics of elastic mechanisms, 1A934
YU, YUEQING: Flexible rotor beam element for the manipulators with joint and link flexibility, 7A383
YU, YUNG H: Computational study of the aeroacoustics of rotors in hover, 7A253
YU, YUXIU: Groupiness of sea waves and their characteristic parameters, 1A256
- Numerical simulation and physical simulation of sea wave groups, 4A235
YU, Z: Modal analysis of tower-cable system of Tsing Ma long suspension bridge, 12A201
YU, ZHINING: Note on stress- and strain-analysis for materials with different elastic modulus and a photoelastic solution of the stress state for points on the interface, 11A380
YUAN, DONGHUI: Epoxy-coated and uncoated strand transfer lengths for PC panels, 11A793
YUAN, FG: Determination of elastic constants by inverse analysis, 4A783
- Elastic moduli of brittle matrix composites with interfacial debonding, 6A533
- Analytical forms of higher-order asymptotic elastic-plastic crack-tip fields in a linear hardening material under antiplane shear, 7A725
- Curved interfacial crack between dissimilar isotropic solids, 7A732
YUAN, H: Singular stress fields at V-notch tips in elastoplastic pressure-sensitive materials, 5A419
- Experimental and analytical study of single-phase liquid flow in a horizontal well, 9A1086
- Dynamic crack growth along an elastoplastic bimaterial interface, 12A825
YUAN, JIAN-WEI: Nitrogen oxides emission from a circulating fluidized bed combustor, 5A1339
YUAN, JX: Deformable sheet metal fixturing: Principles, algorithms, and simulations, 2A344
YUAN, L: Linear quadratic optimal output feedback control for systems with poles in a specified region, 3A343
YUAN, LISONG: Robust analysis and synthesis of linear time-delay systems with norm-bounded time-varying uncertainty, 4T349
YUAN, LONGWEI: Constitutive equation with ordered parameters for viscoelastic material containing defects, 10A807
YUAN, Q: Transverse impact behavior of knitted carbon-fiber fabric-reinforced thermoplastic composite sheets, 9A486
YUAN, SHIJIAN: Experimental research and FE simulation of plates hydrobulging in pairs, 1A558
- Research on residual stresses after hydrobulging of spherical vessels, 1A497
- Research on the residual stresses of hydrobulged spherical vessels, 1A498
- Design procedure of an advanced spherical hydrostatic bearing used in rotary forging presses, 9A959
YUAN, SI: Complete eigen-solutions for plane notches with multi-materials by the imbedding method, 10A841
YUAN, WEIDONG: Study of helicopter vibration reduction technique with stochastic adaptive HHC (Chinese), 2A833
YUAN, X: Stabilization of higher-order high resolution schemes for the compressible Navier-Stokes equations, 11T970
YUAN, XF: Shear banding flow in the Johnson-Segalman fluid, 1T1040
YUAN, XIAN-ZHI: Generalized quasi-variational inequalities and some applications, 11T70
YUAN, YI: Synthesis of heat exchanger networks using genetic algorithm (Chinese), 10A443
YUAN, YI-FEI: Measurement of topography of finished surface by frustrated total reflection, 2A917
YUASA, S: Ignition and combustion of aluminum in oxygen-nitrogen mixture streams, 8A1405
YUASA, Y: Settlements of oil storage tank during liquefaction (Japanese), 5A522
- Multiobjective optimal unit sizing of a grid-connected photovoltaic system in consideration of its probabilistic characteristics, 11A1533
YUCEOGLU, U: Free bending vibrations of adhesively bonded orthotropic plates with a single lap joint, 11A134
YUE, DKP: Simulation of plunging wave impact on a vertical wall, 6A306
YUE, JIN-CHAO: Integral equation method for the torsion of a composite cylinder with crack and inclusion, 5A673
YUE, SHIGANG: Flexible rotor beam element for the manipulators with joint and link flexibility, 7A383
YUE, TM: Squeeze casting of light alloys and their composites, 1A664
- Examination of wire electrical discharge machining (WEDM) of Al_2O_3 particulate reinforced aluminum based composites, 3T629
- High-strain-rate superplasticity of SiC_p/8090 aluminum composite, 6A555
- Surface pretreatment of glass fiber-reinforced liquid crystalline polymer composites by excimer laser for adhesive bonding, 8A988
YUE, ZHONG QI: Elastic field for eccentrically loaded rigid plate on multilayered solids, 3A431
YUE, ZQ: Elastostatics of multilayered solids subjected to general surface traction, 2A440
- Fundamental solutions for bimaterials with inextensible interface, 6A461
YUEN, DA: High Rayleigh number convection at finite Prandtl number with weakly temperature-dependent viscosity, 6A1233
YUEN, WYD: Generalized solution for the prediction of springback in laminated strip, 4A605
- Steady-state heat transfer in a rotating cylinder subject to convective surface cooling, 6A1225
YUH, J: Special Issue: Autonomous underwater robots, 2T340
YUH, JUNKU: Underwater Robots, 5N7
YUI, A: Development of ultra-high speed surface grinding machine - 2nd report: Studies on ultra-high speed grinding (Japanese), 10A741
YUKAO, CHUNG-YU: Experimental study of the ignition of single droplets under forced convection, 12A1354
YUKSEL, S: Flexural vibrations of elastic manipulators with prismatic joints, 7A179
YUKSELEN, MA: Basic equations for incompressible, non-Newtonian fluids in curvilinear, non-orthogonal, and accelerated coordinate systems, 5A940
YULE, AJ: Effect of boundary conditions on the downstream penetration of pulsed sprays after impaction on a flat surface, 2A996
YUM, YOUNG-JIN: Loading rate effect on mode I interlaminar fracture of carbon-epoxy composite, 10A821
YUN, BEONG IN: Stress intensity factor solution for radial and circumferential cracks in hollow cylinders using indirect boundary integral, 3A693
YUN, BI: Approximate weight function methods using a new condition, 1A739
YUN, CHUNG-BANG: Sloshing characteristics in rectangular tanks with a submerged block, 3A263
- Nonstationary response analysis of offshore guyed tower subjected to earthquake loading, 6A1444
- Sequential prediction-error method for structural identification, 7A305
- Spurious free four-node displacement-based fluid element for fluid-structure interaction analysis, 10A23
YUN, J-H: Heat transfer and friction correlations for wavy plate fin-and-tube heat exchangers, 12A1319
YUN, WEIN-MIN: Optimum planning in joint space for robots using genetic algorithms, 4A398
YUN, WON SOO: Dynamic path planning for robot navigation using sonor mapping and neural networks, 9A391
YUN, X: Prediction of the measured response of a scaled soil-pile-superstructure system, 8A1479
YUN, XIAOHAN: Tribochemical study of hydrogenated carbon coatings with different hydrogen content levels in ultra high vacuum, 12A987
YUN, XIAOPING: Velocity and acceleration analysis of contact between 3D rigid bodies, 7A85
- Control of contact interactions with acatastatic nonholonomic constraints, 12A436
YUN, ZHANG: Study of basicity resistance of high-alumina bricks coating (Chinese), 12A986
YUNKEN, R: Rapid diagnosis of flow separation around an axial impeller in a mixing vessel, 10A1241
YUNUS, S: Singular p-version FEs for stress intensity factor computations, 9A780
YURI, I: Structural design and high-pressure test of a ceramic combustor for 1500°C class industrial gas turbine, 12T1387
YURKEVICH, OR: Control over tribological behavior of laminated polymer composites in design and processing, 1A408
YURKOVICH, S: Parameter set estimation algorithms for time-varying systems, 10A416
YUSHANOV, SP: Ultrasonic devulcanization of waste rubbers: Experimentation and modeling, 7A989
YUSOF, MI: Decomposition of generalized frequency response functions for nonlinear systems using symbolic computation, 5A285
YUU, SHINICHI: Measurements of turbulent coagulation process in turbulent flow and comparison with calculated results, 7A1068

Z

ZAAROUR, W: Web buckling in thin webbed castellated beams, 3A511
ZABARAS, N: Functional optimization formulation and implementation of an inverse natural convection problem, 11T1266
ZABARNICK, S: JP-8 + 100: The development of high-thermal-stability jet fuel, 3A1340
ZABIHI, MS: Optimal sizing of photovoltaic systems in varied climates, 10A1489
ZACCARIA, M: Three-dimensional flowfield in a turbine nozzle passage, 3A1192
- Design and development of a turbine research facility to study rotor-stator interaction effects, 8A1242
ZACCARIA, MA: Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part I: Rotor passage flow field, 10A1242
- Unsteady flow field due to nozzle wake interaction with the rotor in an axial flow turbine - Part II: Rotor exit flow field, 10A1243
ZACHARENAKIS, EC: Disturbance attenuation and H^∞-optimization in structural analysis, 10A895
- Prestressed tendon based passive control system for bridges, 10A495
ZACHARIA, T: New one-point quadrature, quadrilateral shell element with drilling dof, 3A544
- Application of fully automatic remeshing to complex metal-forming analyses, 7A605
ZACHARIAH, SG: Modular six-directional force sensor for prosthetic assessment: A technical note, 10A1569
ZACKRISSON, L: Effects of hole machining defects on strength and fatigue life of composite laminates, 7A674
ZADOSHENKO, EG: Self-organization in a brass-glycerin-steel tribosystem, 5A845
ZAFIR, Z: Liquefaction and residual strength of sands from drained triaxial tests, 9A619
ZAGHLOOL, MF: Efficient methods for the optimal power flow problem of large-scale power systems, 11A320
ZAGHLOUL, NA: Unsteady gradually varied flow in circular pipes with variable roughness, 8A1148
ZAGO, A: Effects of severed tethers in space, 10A233
ZAGORSKI, R: Numerical modeling of the edge plasma in tokamaks, 4A1108
ZAGRODZKI, P: Finite element analysis of frictionally excited thermoelastic instability, 9A1326
ZAGUZOV, IS: Numerical solution for the gas lubrication problem, 2A1134
ZAHALAK, GI: Re-examination of calcium activation in the Huxley cross-bridge model, 9A1574
ZAHAVI, E: Fatigue Design: Life Expectancy of Machine Parts, 1R19
ZAHORSKI , S: Non-uniform extensional motions of materially non-uniform simple solids, 4A9
ZAHORSKI, S: Non-uniform stagnant motions of materially non-uniform simple fluids, 4A990
- Necking in steady-state drawing of polymer fibers, 9A447

ZAICHIK, LI: Fine-fracture moisture separation in flow-type cyclone separators, 8T1450

ZAIDI, K: Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, 3A643

- Finite element simulation of mold filling using marker particles and the k-ε model of turbulence, 11A622

ZAISER, M: From mesoscopic heterogeneity of slip to macroscopic fluctuations of stress and strain, 8A524

ZAITSEV, VY: Nonlinear scattering of acoustic waves by discontinuity-like defects in application to crack detection, 4A297

- Model of anomalous elastic nonlinearity of micro-inhomogeneous media, 10A365

ZAITZEV, AA: Flame propagation in mixtures of H_2 and air in a tube with a moving water film on the tube's walls, 3A1297

ZAJAC, B: Improvement of durability of concrete with admixtures and addition of silica fume (Polish), 9A884

ZAJAC, FE: Crank inertial load has little effect on steady-state pedaling coordination, 5A1504

- Muscle coordination of maximum-speed pedaling, 10A1576

ZAJACZKOWSKI, J: Resonances of symmetric modes in shafts coupled by mechanisms, 5A119

ZAJIC, B: Combination resonances in the system of periodic coefficients and a small parameter, 10A144

ZAK, A: Natural vibration frequencies of delaminated composite beams, 9A151

ZAK, SH: Modeling and control of an automated vehicle, 10A487

ZAKARAUSKAS, P: Matched-field inversion for source location and optimal equivalent bathymetry, 3A323

ZAKARIA, M: State space formulation to viscoelastic fluid flow of magnetohydrodynamic free convection through a porous medium, 6A1235

ZAKARIA, S: New approach to physical edge detection using the curvature at the boundary contour points, 7A392

ZAKHARENKOV, MN: Unsteady detached separation from a circular cylinder performing rotational oscillations in a uniform viscous incompressible flow, 12A1075

ZAKHARIN, B: Three-dimensional density field diagnostics by tomographic Moire technique, 11A1120

ZAKHAROV, SM: Study of wheel-rail friction, wear and cumulative damage, 5A830

ZAKHAROVA, SV: Forced flexural oscillations of an elastic half-strip for mixed boundary conditions, 3A192

ZAKIR'YANOVA, GK: Boundary integral equation method in 2D and 3D problems of elastodynamics, 1A242

ZAKOUT, U: Transient response of an infinite elastic medium containing a spherical cavity with and without a shell embedment, 7A421

ZAKRZHEVSKY, AE: Vertical movement of the elastic tank with liquid (Russian), 2A247

ZALA, CA: Rational square-root approximations for parabolic equation algorithms, 8T351

ZALESKI, S: Investigations of a two-phase fluid model, 6A1027

- Identification of parameters in amplitude equations describing coupled wakes, 8A1168

ZALIZNIAK, V: Piecewise exponential method (PEM) for the numerical simulation of wave propagation - Part 1: Longitudinal wave in a bar, 9A190

ZAMAN, AA: Rheological behavior of highly concentrated aqueous silica suspensions in the presence of sodium nitrate and polyethylene oxide, 5A896

ZAMAN, M: Creep constitutive modeling of an aluminum alloy under multiaxial and cyclic loading, 5A404

- Dynamic response of cable-stayed bridges to moving vehicles using the structural impedance method, 6A199

ZAMANI, NG: Optimum beam design using FEs, 5A25

ZAMANSKY, VM: Generalized intermediate approach to combustion chemistry: Application to methane ignition and flame propagation, 2A1305

ZAMARASHKIN, NL: Analysis of convergence properties of projection methods for solving CEM applications, 5T54

ZAMASHCHIKOV, VV: Experimental investigation of gas combustion regimes in narrow tubes, 7A1427

ZAMIR, M: Heat transfer in a tube with pulsating flow and constant heat flux, 9A1210

ZAMPIERI, E: Numerical approximation of elastic waves equations by implicit spectral methods, 10A278

- Nonlinear stress analysis problems by spectral collocation methods, 11A386

ZAMYATIN, AY: Development of scientific concepts and engineering methods of evaluation and provision of reliability of transport tribosystems, 7A1221

ZAMYATIN, VY: Development of scientific concepts and engineering methods of evaluation and provision of reliability of transport tribosystems, 7A1221

ZAMYATINA, LA: Development of scientific concepts and engineering methods of evaluation and provision of reliability of transport tribosystems, 7A1221

ZANARDI, MA: Performance of heat exchanger using heat pipes at low inclination, 1A1263

ZANCHINI, E: Non-Fourier heat conduction in a plane slab with prescribed boundary heat flux, 2A1238

- Effect of viscous dissipation on the asymptotic behavior of laminar forced convection in circular tubes, 3A1221

- Hyperbolic heat conduction and local equilibrium: A second law analysis, 5A1224

- Forced convection in the thermal entrance region of a circular duct with slug flow and viscous dissipation, 5A1135

- Thermal-wave heat conduction in a solid cylinder which undergoes a change of boundary temperature, 10A1332

ZANDBERGEN, PJ: Application of domain decomposition to time-domain computations of nonlinear water waves with a panel method, 7A210

ZANDONINI, R: Experimental analysis and modeling of semi-rigid steel joints under cyclic reversal loading, 1A851

ZANDT, G: Constraints on crustal structure and complex Moho topography beneath Pinon Flat, California, from teleseismic receiver functions, 8A1489

ZANETTI, EM: Radiograph processing for quantitative assessment of bone remodeling, 1A1450

ZANEVELD, JRV: Optical measurements of frazil concentration, 6A1517

ZANG, HUAIQUAN: Riccati equation approach to robust L_2-gain synthesis for a class of uncertain nonlinear systems, 3T361

ZANG, XIAOFEI: Study on beam optimizing of wideband stagger-tuned array, 8A356

ZANG, YUELONG: Boundary element method for steady ship wave-making potential problems, 10A88

ZANGANEH, KE: Kinematic isotropy and the optimum design of parallel manipulators, 10A530

ZANGENEH, M: Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 2 : Experimental validation, 1A1105

- Suppression of secondary flows in a mixed-flow pump impeller by application of 3D inverse design method - Part 1: Design and numerical validation, 1A1104

ZANGVIL, A: Characterization of fiber-matrix interfaces in composites with a boron nitride matrix, 4A548

ZANON, P: Experimental analysis and modeling of semi-rigid steel joints under cyclic reversal loading, 1A851

ZANTOPULOS, H: Radial and axial stiffnesses of tapered roller bearings under combined load, 11T855

ZANZI, L: WIM method for refraction statics, 6A1422

ZANZOTTO, G: Ericksen's bar revisited: Energy wiggles, 1A4

ZAPATA, D: Film effectiveness over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, 12A1273

- Heat transfer coefficients over a flat surface with air and CO_2 injection through compound angle holes using a transient liquid crystal image method, 12A1274

ZAPATERO, J: Effect of load histories on scatter of fatigue crack growth in aluminum alloy 2024-T351, 7A703

- Use of the strip-yield model to predict fatigue crack growth under irregular loading, 12A751

ZAPFE, JA: Vibration analysis of laminated beams using an iterative smeared laminate model, 8A142

- Broadband vibration damping using highly distributed tuned mass absorbers, 9T115

ZARADNY, H: Physical modeling of filtration in dike under intensive precipitation, 9A1446

ZARARIS, PD: Concrete shear failure in reinforced-concrete elements, 3A790

- Aggregate interlock and steel shear forces in the analysis of RC membrane elements, 10A926

ZARETSKY, E: Thermodynamic law of corresponding shock states in flexible polymeric foams, 4A4

- Deformation modes in fiberglass under weak impact, 10A610

ZARETSKY, EV: Effect of hoop stress on ball bearing life prediction, 7A943

ZARGHAMEE, MS: Fracture of steel moment connections in the Northridge earthquake, 11A720

ZARINS, CK: In-vivo measurements of blood flow velocity profiles in canine ilio-femoral anastomotic bypass grafts, 9A1587

- Measurements of velocity and wall shear stress inside a PTFE vascular graft model under steady flow conditions, 10A1554

ZARKH, MA: Synthesis of optimal control in a fourth-order linear speed of response problem, 3A351

ZARR, RR: Insulation Materials: Testing and Applications, Third Volume, 9N27

ZARRABI, D: h-adaptive coupling of FE and BE for viscoplastic and elastoplastic interface problems, 6A525

ZARRABI, K: Estimation of metal temperature variations for scarred boiler tubes, 5A621

- Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks, 12A1512

ZARUTSKY, VA: Method to predict critical stresses for stiffened cylindrical shells under axial compression (Russian), 6A592

- Experimental study of stability of ribbed shells: Survey (Russian), 9T563

ZARUTSKY, VO: Effect of the meridian form on the natural frequencies and form of vibrations of the shells of revolution (Russian), 12A184

ZASLAVSKI , AJ: Dynamic properties of optimal solutions of variational problems, 3T65

ZASLAVSKI, AJ: Solutions for a class of optimal control problems with time delay - Part 2, 4T362

- Solutions for a class of optimal control problems with time delay - Part 1, 4A361

ZATURSKA, MB: Swirling flow in a porous pipe with an accelerating wall, 6A1107

- Flow along a diverging channel, 10A1069

ZAUSCH, R: Effect of laser surface treatment on high cycle fatigue of AISI 316L stainless steel, 5A590

ZAVAREGH, SS: Bond strength of grouted reinforcing bars, 2A776

ZAVARISE, G: Contact between 3D beams undergoing large deflections, 12A606

ZAVATSKY, AB: Kinematic-freedom analysis of a flexed-knee-stance testing rig, 7A1552

ZAVRACKY, PM: Design and process considerations for a tunneling tip accelerometer, 4A422

ZAVRAZHINA, TV: Scale properties of periodical movements of nonlinear conservative oscillators when passing to chaos (Russian), 1A132

ZAVRIEV, SK: Perturbed steepest-descent technique in multiextremal problems, 4T355

ZAVTRAK, ST: Liquid dielectric with dispersed particles as an active medium for an "acoustic" laser, 6A343

ZAWADA, J: Study of the Brazilian test, 9A654

ZAWADA, LP: Thermal and Mechanical Test Methods and Behavior of Continuous-Fiber Ceramic Composites, 9N20

- Detection of porosity in glass ceramic matrix composites using an ultrasonic multiple-gate C-scan technique, 1A816

ZAWIERUCHA, R: Effects of the Environment on the Initiation of Crack Growth, 10N20

ZAYED, AI: Handbook of Function and Generalized Function Transformations, 3N3

ZAYTOUNI, M: Wear reduction of TA6V produced by SiC coatings deposited by dynamic ion mixing, 2A928

ZBIB, HM: Stability of biaxial stretching with application to the optimization of superplastic blow-forming, 7A601

- Constitutive modeling of superplastic deformation - Part I: Theory and experiments, 11A412

- Strain gradients and continuum modeling of size effect in metal matrix composites, 12A556

ZBIKOWSKI, A: Investigation into the hydraulic characteristics of channels with flood plains, 9A993

ZBINDEN, M: Wear studies of materials for tubes and anitvibration bars in nuclear steam generators, 2A897

ZDRAVKOVICH, MM: Different modes of vortex shedding: An overview, 3A256

- Inadequacy of a conventional Keulegen-Carpenter number for wave and current combination, 6A270

ZEBIB, A: Improved BEM and its application to time-dependent convection, 1A1200

- Thermal convection in a magnetic fluid, 3A1015

- Gortler vortices with system rotation, 4A1049

- Effects of temperature-dependent viscosity on thermal convection in a spherical shell, 4A1193

- Gortler vortices promoted by wall roughness, 11A1066

ZEBRACKI, J: Application of the Villari effect in a fatigue examination of nickel, 6A735

ZEBROWSKI, G: Morphology of austenite grains in ferritic-austenitic steel 00H20N5M1 (Polish), 9A657

ZEEB, PJ: Design and performance of a portable piezocone driver for high resolution profiling of wetland sediments, 12A706

ZEFFERER, H: Free boundary problem related to laser beam fusion cutting: ODE approximation, 9A1271

ZEGGWAGH, G: Theoretical model of flow of an inelastic fluid through isotropic elastic porous pipes (French), 11T904

ZEGHAL, M: Identification and modeling of earthquake ground response - II: Site liquefaction, 5A1413

- Identification and modeling of earthquake ground response - I: Site amplification, 5A1412

ZEHNDER, AT: Nickel-alumina interfacial fracture toughness: Experiments and analysis of residual stress effects, 1A775

ZEHSAZ, M: Effect of diameter-thickness ratio on the ratchetting behavior of pressurized plain pipework subjected to simulated seismic loading, 3A1381

ZEIDLER, RB: Statistical properties of multiple bars, 12T1063

ZEILER, TA: Matched filter concept and maximum gust loads, 8A287

ZEIN EL-DIN, HM: Tuning power system stabilizers over a wide range of load models using an artificial neural network, 12A414

ZEIND, J: Tensile behavior of demineralized bovine cortical bone, 4A1479

ZEITLIN, V: Asymptotic expansions and monopolar solitary Rossby vortices in barotropic and two-layer models, 8T1044

ZEITOUN, D: Numerical study of 2D and 3D flow-fields in a high-power pulsed chemical laser, 8T1088

ZEITOUN, DE: Asymptotic defect boundary layer theory applied to thermochemical non-equilibrium hypersonic flows, 11A976

ZEITOUN, O: Axial void fraction profile in low pressure subcooled flow boiling, 5A1212

- Void fraction profile in subcooled water-steam condensing flow, 7A1294

ZEITOUNI, O: Lyapunov exponents for finite state nonlinear filtering, 7T308

ZEITZ, M: Nonlinear continuous observers, 10T408

ZELAK, CR: Integrated infrared failure analysis of printed circuit boards, 11A1371

ZELDIN, BA: Random field representation and synthesis using wavelet bases, 7A70

- Random vibration of systems with frequency-dependent parameters or fractional derivatives, 9A113

ZELENKA, A: Comparing satellite remote sensing and ground network measurements for the production of site-time specific irradiance data, 10A1487

ZELINA, J: Combustor stability and emissions research using a well-stirred reactor, 8A1415

ZELL, FA: Efficient heat transfer approximation for the chip-on-substrate problem, 6A1269

ZELLER, W: Instabilities and Nonequilibrium Structures V, 7N26

ZEMAN, JL: Ratcheting limit of flat end cylindrical shell connections under internal pressure, 1A479

- Aspects of the work of the European working groups relating to basic pressure vessel design, 7A848

ZEMBATY, Z: Vibrations of bridge structure under kinematic wave excitations, 9A1489

ZEMLA, A: LAPACK for Fortran 90, 4T64

ZENG, DANLING: Effect of liquid encapsulation on the Marangoni convection in a liquid column under microgravity condition, 1A1171

ZENG, DESHUN: Dynamic model for elastic-plastic plates, 7A154

ZENG, H: Biaxial creep strains at notch roots: Measurement and modeling, 7A697

ZENG, HAN MIN: Wear status estimation of fiber composite through fractal characterization of wear debris, 8A945

ZENG, HUAYANG: Aging and low-temperature cracking of asphalt concrete mixture, 4A763

ZENG, JIYUE: Erosion model for abrasive waterjet milling of polycrystalline ceramics, 5A618

ZENG, LF: Numerical implementation of constitutive integration for rate-independent elastoplasticity, 5A430

ZENG, QH: Moving force identification: A time domain method, 10A415

ZENG, QING-DUN: Statistical strength of unidirectional composites and the effect of the interfacial shear strength, 7A707

- Study of the influence of interfacial damage on stress concentrations in unidirectional composites, 8A808

ZENG, SQ: Geometric structure and thermal conductivity of porous medium silica aerogel, 11T1315

ZENG, TAOFANG: Ratio CO/CO_2 of oxidation on a burning carbon surface, 5A1342

ZENG, X: Generation and use of simplified uplift shape functions in unanchored cylindrical tanks, 2A493

- Analysis for plastic buckling of thin-walled cylinders via non-classical constitutive theory of plasticity, 5A493

- Simple procedure to calculate the fundamental frequency of horizontal soil layers, 6T655

ZENG, YS: Theoretical analysis and experimental research into the integral hydro-bulge forming of oblate shells, 6A688

ZENG, YU-GENG: Study on dynamic reliability analysis of the structures with multi dof, 7A818

ZENG, YUANSONG: Experimental research and FE simulation of plates hydrobulging in pairs, 1A558

ZENG, YUEHUA: Comparison of direct S-wave and coda-wave site amplification determined from aftershocks of the Little Skull Mountain earthquake, 2A1395

- Rocking and overturning of precariously balanced rocks by earthquakes, 4A1420
- Control of strong motion by the upper 30 meters, 8A1497

ZENG, YUEMING: Adaptive control of chaos in Lorenz system, 8A88

ZENKOUR, AM: Maupertuis-Lagrange mixed variational formula for laminated composite structures with a refined higher-order beam theory, 12A483

ZENZRI, H: Funicular shapes in structural analysis and applications, 4A600

ZEPPIERI, S: Pyrolysis studies of methylcyclohexane and oxidation studies of methylcyclohexane and methylcyclohexane-toluene blends, 7A1413

ZERNICKE, RF: Adaptation of bone to physiological stimuli, 10A1510

ZEROUG, S: Ultrasonic pulsed beam interaction with a fluid-loaded elastic plate: Theory, 3A272
- Complex-transducer-point model for finite emitting and receiving ultrasonic transducers, 3A296
- Ultrasonic pulsed beam interaction with a fluid-loaded elastic plate: Experimental validation, 3A273

ZERVA, A: Estimation of signal characteristics in seismic ground motions, 4A1394
- Correlation patterns in characteristics of spatially variable seismic ground motions, 6A1423
- Accelerated iterative procedure for calculating eigenvector derivatives, 7A124
- Stiffness matrix adjustment using incomplete measured modes, 10T251

ZERVAS, H: Explosively generated pulse propagation through particles containing natural cracks, 3A487

ZEVIN, AA: Theory of linear gyroscopic systems, 3A96
- Analysis of stability and instability regions in parametrically excited Hamiltonian systems, 10A118

ZEYTOUNIAN, RKH: Benard-Marangoni thermocapillary instability problem: On the role of the buoyancy, 11A1213

ZEZZA, P: Constrained regular LQ-control problems, 10T439

ZGAEVSKII, VE: Role and importance of the physical modeling approach in describing and predicting the effective physico-mechanical properties and behavior of heterogeneous polymer media - Part I: Elastic and limiting properties, 12A555

ZGONC, K: Neural network for crack sizing trained by FE calculations, 4A797

ZHAI, W: Dynamic interaction between a lumped mass vehicle and a discretely supported continuous rail track, 9A160

ZHAI, WAN-MING: Two simple fast integration methods for large-scale dynamic problems in engineering, 6A194

ZHAI, XUEJUN: Mechanism of multi-valued friction in unsteady sliding line contacts operating in the regime of mixed-film lubrication, 7A865

ZHAN , SG: Numerical method for reference stress in the evaluation of structure integrity, 9A465

ZHAN, C: Uniaxial constant compressive stress creep tests on sea ice, 11A395

ZHAN, JIANJUN: Adaptive method for the determination of element degree for acquiring the desired accuracy in 2D BEM, 10A80

ZHAN, MEI-QIN: Convergence of solutions of the Landau equations in the collisionless limit, 10A1118

ZHAN, S: In-line response of a horizontal cylinder in regular and random waves, 8A281

ZHAN, XIAOYONG: Numerical simulation of two-phase flow and solute transport with interphase exchange in porous media, 1A1390

ZHANBYRBAEV, NB: BIE formulation for transient problems of thermoelastodynamics, 6A79

ZHANBYRBAYEV, AB: Boundary integral equation method in 2D and 3D problems of elastodynamics, 1A242

ZHANG , JIANFENG: Staggered finite-difference method for elastic waves in transversely isotropic media (Chinese), 2A207

ZHANG , JIANHUA: Failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 12A945

ZHANG , LIANGHAI: Influence of warm overloading on stress-corrosion cracking of welded structures, 3A670

ZHANG , PINGWEN: Convergence of vortex methods in a bounded domain using linear FEs, 5A32

ZHANG , RENSHUN: Relationships between tidal prism and throat area of tidal inlets along yellow sea and Bohai sea coasts, 1A966

ZHANG , SHANYUAN: Shear failure of a clamped dented tubular beam under lateral impact, 1A859

ZHANG , TIANSHU: Road induced evolutionary random response of vehicle (Chinese), 10T232

ZHANG , WEIHENG: Control of wall joint on the coupled wave propagation in a fluid-filled shell (Chinese), 7T226
- Characteristics of wave propagation and vibrational power flow in a fluid-filled cylindrical shell (Chinese), 12A275

ZHANG , XIAOMING: Characteristics of wave propagation and vibrational power flow in a fluid-filled cylindrical shell (Chinese), 12A275

ZHANG , XINPEI: Method for calculating reliability indices of cable roof structures under "small earthquakes" (Chinese), 12T1467

ZHANG , YONGGANG: Refraction-diffraction model for irregular wave and directional spectrum considering current, 1A264

ZHANG, AILIN: Approximate assignment method for structural systems reliability (Chinese), 6A875
- Reliability of structures under many conditions (Chinese), 6A878

ZHANG, AZHOU: Modification of FE model based on identified error locations (Chinese), 10T54

ZHANG, BAOFA: Study on the behavior of adiabatic shear bands in impact wear, 3A859

ZHANG, BEN-ZHAO: Viscous flow behavior in a curved annular duct, 3T1102

ZHANG, BIN: Simulation of the response of the Marina District Basin, San Francisco, California, to the 1989 Loma Prieta earthquake, 4A1422

ZHANG, BL: Relationship between the kinetic parameters of char combustion and the coal's properties, 11A1417

ZHANG, BX: Multi-objective optimization of radiative fin array systems in a fuzzy environment, 2A1249

ZHANG, C: Numerical study of steady laminar flow through tubes with multiple constrictions using curvilinear co-ordinates, 5A949
- Axisymmetric dynamic response of a penny-shaped crack to a pair of transient concentrated forces, 9A767

ZHANG, CE: High-order optimum synthesis of a driving mechanism with flexible connector, 1A930

ZHANG, CE: Primary resonances of elastic linkages (Chinese), 2A67

ZHANG, CHAO: Identical probability distribution of first-ply failure strains and design allowables computation based on multi-sample data of composite laminates, 2A461

ZHANG, CHAOMING: Immersed interface method for acoustic wave equations with discontinuous coefficients, 11A251

ZHANG, CHUN: Form-accuracy analysis and prediction in computer integrated manufacturing, 8A465

ZHANG, CHUN (CHUCK): Statistical tolerance analysis based on beta distributions, 10A549

ZHANG, CHUNYUAN: Basic balance laws of nonlinear fracture mechanics - Part II: Nonlocal theory, 1A737

ZHANG, D: Investigation of adhering layer formation during tool wear progression in turning of free-cutting stainless steel, 2A883
- Instability mechanism for the sliding motion of finite depth of bulk granular materials, 12A1423

ZHANG, DAQING: Response of turbulent flow to the disturbance of a vibrating ribbon, 6A1080

ZHANG, DC: Condensation of steam on the surface of hard coated copper discs, 8A1322

ZHANG, DE: Simple calculation approach for the second harmonic sound field generated by an arbitrary axial-symmetric source, 2A298

ZHANG, DE-WEN: Eigenvector derivatives with repeated eigenvalues using generalized inverse technique, 4T112
- Practical complete modal space and its applications, 4T102
- Efficient computation of many eigenvector derivatives using dynamic flexibility method, 9A124
- Stiffness matrix adjustment using incomplete measured modes, 10T251

ZHANG, DEHONG: Effect of swirl on combustion in a short cylindrical chamber, 1A1314

ZHANG, DEJUAN: Study of earthquake resistant behavior of high strength concrete column reinforced with concrete filled steel tube (Chinese), 6A894

ZHANG, DI-MING: Second order nonlinear periodic convection and its stability analysis of thermohaline double-diffusive system, 10T1390

ZHANG, DINGGUO: Lagrange dynamic equations of multi-rigidbody systems with external shocks, 3A85
- Computer simulation of the motion of the bullet belt of airplane gun, 7A86

ZHANG, DJ: Dynamic stiffening of flexible bodies having high angular velocity, 2A66

ZHANG, ENDANG: Carbon fiber reinforcement of nitrogen glass, 11A451

ZHANG, F: Three-dimensional simulation of thermals using a split-operator scheme, 1A1202
- Efficient computation of the sensitivities of reciprocating engine dynamics to dimensional tolerances, 7A181
- Boundary element solution of an inverse elasticity problem and applications to determining residual stress and contact stress, 10A89

ZHANG, FENG: Reynolds number effects in tall building wind tunnel tests, 9T1191

ZHANG, G: Modeling of corium dispersion in DCH accidents, 3A1441

ZHANG, GJ: Experimental simulation of corium dispersion phenomena in direct containment heating, 3A1438

ZHANG, GP: Mode I and mixed mode I-II fatigue cracking in Ni$_3$Al(CrB) single crystals, 12A761

ZHANG, GUANGMING: Fractal geometry applied to on-line monitoring of surface finish, 4A801

ZHANG, GUIGEN: Three-dimensional micromechanical model of the compressive behavior of unidirectional FRP composites, 9A516
- Influence of interfacial debonding and free edges upon compressive strength of unidirectional FRP composites, 9A491

ZHANG, H: Gain bounds of higher-order nonlinear transfer functions, 1T353
- Effect of temperature gradient on steel tube wastage in a bubbling fluidized bed simulator, 2A639
- Estimation of metal temperature variations for scarred boiler tubes, 5A621
- Withdrawal of layered fluid through a line sink in a porous medium, 5A1396
- Wall effects on the propagation and extinction of steady, strained, laminar premixed flames, 9A1370
- Transverse single-fiber test for interfacial debonding in composites - I: Experimental observations, 9A536
- Plastic collapse pressure of cylindrical vessels containing longitudinal surface cracks, 12A1512

ZHANG, HONG: Fourier-Laplace analysis of the multigrid waveform relaxation method for hyperbolic equations, 6A65
- Task modeling in collective robotics, 10A540

ZHANG, HONG-CHAO: Tolerance analysis in setup planning for rotational parts, 4A467

ZHANG, HONGQING: Operational form Hilbert Nullstellentz and symbolic algorithm for construction of general solution to systems in elasticity (Chinese), 2A379
- Symmetry of PDEs and their applications to elasticity equations (Chinese), 12A504

ZHANG, HONGRU: Influence function method for random seismic response of soil-structure system (Chinese), 2A1381

ZHANG, HONGWU: Stress singularities near corner of wedged multi-dissimilar materials (Chinese), 2A388
- Hamiltonian system and the Saint Venant problem in elasticity, 6A459

ZHANG, HQ: Interface and matrix fracture in brittle fiber-reinforced composites, 2A680

ZHANG, HUAIZHOU: Neural network-based adaptive control of a class of uncertain nonlinear systems, 10A503

ZHANG, HUI: Universal algorithm for revolving cutters with equal helical angle edge (Chinese), 10A740

ZHANG, HUI-LIU: Flow structure analysis around an oscillating circular cylinder at low KC number: A numerical study, 7A1027

ZHANG, HW: Interactive growth of multiple fiber-bridged matrix cracks in unidirectional composites, 1A763
- Saint-Venant problem and principle in elasticity, 12A473

ZHANG, J: Lamb waves in piezoelectric focused radiator as a reason for discrepancy between O'Neil's formula and experiment, 8A350
- Transition between mild and severe wear in aluminium alloys, 8A943
- Exploiting design length scales in structural optimization, 10A898
- Constitutive modeling and material characterization of polymeric foams, 12A526

ZHANG, JAMES QINGYANG: Adaptive mesh generation using a normal offsetting technique, 10A42

ZHANG, JD: Deformation-induced hierarchical flows and drag forces in bone canaliculi and matrix microporosity, 6A1539

ZHANG, JH: Study on electro-discharge diamond wheel grinding (EDGM) of ceramic materials, 4A682

ZHANG, JI-HAI: Electrodeposited Cr - Al_2O_3 composite coating for wear resistance, 2A911

ZHANG, JIAN: Simulation of annular swirling turbulent flows with a new algebraic Reynolds stress model, 9A1238

ZHANG, JIAN-WU: Buckling and postbuckling of shear-deformable rectangular plates of composite construction, 3A557

ZHANG, JIANBO: Experimental study of turbulent concentration flow field in the wake of a bluff body, 11A1018

ZHANG, JIANFENG: Numerical simulation of elastic wave propagation in inhomogeneous media, 10A262

ZHANG, JIANG-SHE: Cell exclusion algorithm for determining all the solutions of a nonlinear system of equations, 5T52

ZHANG, JIANGUO: Model test of sand restraining force on pipeline, 1A1437

ZHANG, JIANHAI: ALE FE analysis of the opening and closing process of the artificial mechanical valve, 1A34

ZHANG, JIANHUA: Study on a new kind of combined machining technology of ultrasonic machining and electrical discharge machining, 7A615

ZHANG, JIE: Turning wave migration by horizontal extrapolation, 7A1476

ZHANG, JINGDONG: Low-frequency acoustic scattering by a cube: Experimental measurements and theoretical predictions, 10A359

ZHANG, JINSHENG: Effect of whisker orientation on the friction and wear behavior of Al_2O_3/TiB_2/SiC_w composites in sliding wear tests and in machining processes, 7A860

ZHANG, JJ: General exact transformation of body-force volume integral in BEM for 2D anisotropic elasticity, 6A490
- Treatment of body-force volume integrals in BEM by exact transformation for 2D anisotropic elasticity, 6A495

ZHANG, JM: Enhancement of heat transfer using porous convection-to-radiation converter for laminar flow in a circular duct, 3A1242

ZHANG, JUN: Acceleration of five-point red-black Gauss-Seidel in multigrid for Poisson equation, 4T59
- Hybrid wave model for unidirectional irregular waves - Part II: Comparison with laboratory measurements, 5A181
- Hybrid wave model for unidirectional irregular waves - Part I: Theory and numerical scheme, 5A180
- Cost-effective multigrid projection operator, 6A93
- Accelerated multigrid high accuracy solution of the convection-diffusion equation with high Reynolds number, 6A1320
- Compact multigrid solver for convection-diffusion equations, 9A1348

ZHANG, JX: Force coefficients for a centrally grooved short squeeze film damper, 1A903
- Solutions for the combined motion of finite length squeeze film dampers around the bearing center, 1A904
- Fluid inertia effects on the performance of short and long squeeze film dampers executing periodic vibration, 10A992

ZHANG, K: Two- and three-dimensional linear convection in a rotating annulus, 1A977

ZHANG, L: Effects of repeated loading on creep deflection of reinforced concrete beams, 6A884
- Mixed mode near-tip fields for cracks in materials with strain-gradient effects, 9A742
- Near-tip field for steady dynamic crack growth in a compressible elastic-plastic material, 11A721

ZHANG, L-M: Efficient eigenvector sensitivities by a new procedure based on Lanczos vectors, 5A93

ZHANG, LC: Plastic Bending: Theory and Applications, 3R17

ZHANG, LEI: Inertial deposition of particles in the human upper airway bifurcations, 7A1434

ZHANG, LI: Relation between whistling noise of a circular saw blade and its vibrations, 6A173

ZHANG, LIANGCHI: New mechanics model of stamping a thin strip on an elastic foundation, 6A685
- Applied mechanics in grinding - V: Thermal residual stresses, 9A673
- Prediction of critical load and wear rate of coatings by fuzzy theory, 10A987

ZHANG, LIN: Superconvergence of isoparametric bilinear FEs, 7A38
- Superconvergent recoveries of Carey non-conforming element approximations, 12A58

ZHANG, LING: Experimental study on superficial sliding of a new type of offshore platform, 1A856

ZHANG, LISHENG: Boiling heat transfer of a ternary refrigerant mixture inside a horizontal smooth tube, 8A1315

ZHANG, LIYANG: Dynamic analysis of tall building using reduced-order continuum model, 6A195
- Seismic waves in a laterally inhomogeneous layered medium - Part I: Theory, 10A267
- Seismic waves in a laterally inhomogeneous layered medium - Part II: Analysis, 10A268

ZHANG, LIZHI: Improvement of fuzzy inference of fuzzy controller using neural networks (Chinese), 10A433

ZHANG, LW: Computations of flow and heat transfer in parallel-plate fin heat exchangers on the CM-5: Effects of flow unsteadiness and three-dimensionality, 6A1284
- Effects of intrinsic three dimensionality on heat transfer and friction loss in a periodic array of parallel plates, 9A1204
- Heat transfer enhancement mechanisms in inline and staggered parallel-plate fin heat exchangers, 9A1286

ZHANG, MEI: Comparison of experimental velocity measurements with theoretical results in a solid-solid composite material, 4A210

ZHANG, MING QIU: Wear status estimation of fiber composite through fractal characterization of wear debris, 8A945

ZHANG, MINGDE: Study of air filter systems of heavy-duty diesel engines (Chinese), 4A1030

ZHANG, MINGLIAN: Human-imitating intelligent control and triple inverted-pendulum, 5A288

ZHANG, MINZHI: Discontinuous feedback stabilization of nonholonomic wheeled mobile robots, 8A426

ZHANG, MOU-JIN: Three-dimensional viscous flow simulation in a backswept centrifugal impeller at the design point, 2A1107
- Performance prediction of a backswept centrifugal impeller at off-design point conditions, 5A1100

ZHANG, MQ: Abrasive wear mechanisms of fluoropolymer based composite coatings on aluminum substrates, 7A911

ZHANG, NING: Electrochemical and histomorphometric evaluation of the TiNiCu shape memory alloy, 11T768
ZHANG, O: Estimation of signal characteristics in seismic ground motions, 4A1394
- Correlation patterns in characteristics of spatially variable seismic ground motions, 6A1423
ZHANG, OUQI: Accelerated iterative procedure for calculating eigenvector derivatives, 7A124
- Stiffness matrix adjustment using incomplete measured modes, 10T251
ZHANG, P: Reinitiation of a crack reaching an interface, 8A813
- Laminar forced convection in the entrance region of helical pipes, 11A1218
ZHANG, PING: Vertical distribution of oil concentration in sediment-laden open channel flow (Chinese), 12A1055
ZHANG, PIXIN: Finite element planar stress analysis, 4A13
ZHANG, PW: Convergence of the point vortex methods for Euler equation on half plane, 2A973
- Convergence of vortex with BEMs, 11A962
ZHANG, PY: Wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 2A926
ZHANG, Q: Periodic maintenance and repair rate control in stochastic manufacturing systems, 4T476
- Optimal production planning in a stochastic manufacturing system with long-run average cost, 7T393
- Impulsively started turbulent jets, 9A1094
ZHANG, Q-C: Measurement and calculation of radiative heat transfer between uncoated and doped tin oxide coated glass surfaces, 3A1259
ZHANG, QD: Numerical study of the effect of free surface and water depth on the stability of wakes: Use of GDQ formulation, 11A1087
ZHANG, QI-LIN: Random FE analysis for stochastical responses of structures, 7A115
ZHANG, QIANG: Upscaling in porous media: Theories and computations, 9A1421
ZHANG, QIXIAN: Optimum grasping planning for multi-fingered dextrous hands based on the asymptotical stability, 5A334
ZHANG, R: Effects of irregular boundaries in a layered half-space on seismic waves, 2A1372
ZHANG, RD: Feature extraction and selection for fault detection in production of glass bottles, 4A472
ZHANG, REN-DUO: Stochastic analyses of adsorbing solute transport in heterogeneous unsaturated soils, 7A1516
ZHANG, RH: Effect of fiber orientation on a graphite fiber composite in single pendulum scratching, 3A837
ZHANG, RONGJUN: Application of a novel control scheme to ship steering, 2A1068
- Robust autopilot design for ship steering in waves, 10A1213
ZHANG, RONGYE: Newtonian Mechanics on Kahler Manifold, 5A75
ZHANG, RUICHONG: Seismic waves in a laterally inhomogeneous layered medium - Part I: Theory, 10A267
- Seismic waves in a laterally inhomogeneous layered medium - Part II: Analysis, 10A268
ZHANG, S: Time-domain simulation of the generation and propagation of second-order Stokes waves in a 2D wave flume - Part I: Monochromatic wavemaker motions, 1T253
- Forces and stresses in seam welded overlap joints derived from outer surface deformation, 1A937
- Interaction between a bubble and a submerged compliant structure, 4A241
- Self-organizing neural networks for automated machinery monitoring systems, 4A910
- Stress concentration at fictitiously rounded sharp notches in shear loading, 5A391
- Multivariable trend analysis using neural networks for intelligent diagnostics of rotating machinery, 10A514
ZHANG, SH: Theoretical analysis and experimental research into the integral hydro-bulge forming of oblate shells, 6A688
ZHANG, SHAN-JIE: Computation of Special Functions: With Computer Programs in FORTRAN, 1N3
ZHANG, SHANGYOU: Derivative superconvergence of rectangular FEs for the Reissner-Mindlin plate, 2A504
ZHANG, SHE-SHENG: Hydrodynamic model of the Weis-Fogh hydrofoil, 9A1154
ZHANG, SHEGUANG: Simulation of plunging wave impact on a vertical wall, 6A306
ZHANG, SHENG: Preconditioning the Poincare-Steklov operator by using Green's function, 7A51
ZHANG, SHENXUE: Application of vector to small deformation, 9A428
ZHANG, SHIZHOU: Development of measurement system of angular profile of the polygonal mirror surface, 10A888
ZHANG, SHU-YI: Inversion of particle size distribution from light scattering spectrum, 4A1332
ZHANG, SHUHONG: Another class D'Alembert principle and a new Maggi equation for arbitrary order nonholonomic mechanical systems in derivative space, 9A83
ZHANG, SHUJAN: Reducing sliding resistance of soil against bulldozing plates by unsmoothed bionics surfaces, 1A863
ZHANG, SHUYU: Slider designs for controlling contamination, 12A959
ZHANG, SIYU: Multivariable trend analysis for system monitoring through self-organizing neural networks, 12A422
ZHANG, SJ: Characterization of failure behavior of brittle matrix composites at room and elevated temperatures, 3T703
ZHANG, SY: Decentralized robust control for a class of uncertain large-scale interconnected nonlinear dynamical systems, 4T343
ZHANG, T: Control of fiber orientation in ceramic and metal composites by open-ended injection molding, 4A685
- Control of fiber orientation in injection molded ceramic composites, 9A680
ZHANG, TC: Acceleration of corrosive wear of duplex stainless steel by chloride in 69% H_3PO_4 solution, 5A825
ZHANG, TG: Theory for ballistic limit of thin ductile tubes hit by blunt missiles, 6A251
ZHANG, TING-FANG: Random analysis of apron slab missing stability under water jet lashing, 3A1121
ZHANG, TONG-YI: Interaction of a thin-film-covered mode III crack with screw dislocations: Emission of a screw dislocation dipole from the interface, 5A647
- Far East and Oceanic Fracture Society International Symposium on Fracture and Strength of Solids, July 4-7, 1994, Xian, China, 6A754
- Local and global energy release rates for an electrically yielded crack in a piezoelectric ceramic, 9A603
ZHANG, W: Effect of biaxial mean stress on cyclic stress-strain response and behavior of short fatigue cracks in a high strength spring steel, 9A702
- Mechanisms and fatigue performance of two steels in cyclic torsion with axial static tension-compression, 10A772
- Viscoelastic analysis of diametral compression of asphalt concrete, 11A400
ZHANG, WEI: Microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 2A902
- Sliding wear study of ion-beam mixing Ni-Mo multilayer films on steel, 2A888
- Is there chaotic synchronization in space extend systems?, 10T135
ZHANG, WEIQIANG: Numerical simulation of fluid flow in electromagnetic centrifugal casting, 5A566
ZHANG, WEN: Effects of Mn content on the tribological behaviors of Zn-27% Al-2% Cu alloy, 3A840
ZHANG, WENBIN: Energy method for calculating the stress intensities in orthotropic bimaterial fracture, 1A741
- Pattern formation in weakly damped parametrix surface waves, 10A295
- Pattern formation in weakly damped parametric surface waves driven by two frequency components, 12A256
ZHANG, WENSHOU: Random seismic responses of multi-support structures in evolutionary inhomogeneous random fields, 6A1446
ZHANG, WENXIAO: Prediction of thermal fatigue life for diesel engine piston under states of multiaxial stresses, 4A1262
ZHANG, WH: Generalized method of moving asymptotes (GMMA) including equality constraints, 5A747
ZHANG, X: Transient temperature during the vaporization of liquid on a pulsed laser-heated solid surface, 2A1228
- Ultra-shallow p$^+$-junction formation in silicon by excimer laser doping: A heat and mass transfer perspective, 2A1290
- Analytical method for 3D analysis of circular laminated composite plates, 3A492
- Natural convection to air from an array of vertical parallel plates with discrete and protruding heat sources, 4A1195
- Powder hot pressing and front pad extrusion method for aluminum-lithium based matrix composites, 4A690
- Nonlinear deformation and breakup of stretching liquid bridges, 7A1032
ZHANG, XB: Elastic-plastic analysis of an arbitrarily-oriented model III crack touching an interface, 8A782
ZHANG, XD: Three-dimensional model of chip flow, chip curl and chip breaking for oblique cutting, 6A699
- Formulation of an adaptive sandwich beam, 7A507
- Formulation of an adaptive sandwich beam, 7A506
ZHANG, XF: Data assimilation in transport models, 8A1394
ZHANG, XIANG: Spectral optical functions of silicon in the range of 1.13 - 4.96 eV at elevated temperatures, 7A1319
ZHANG, XIANGYANG: Analysis of axisymmetric buckling and growth of circular-shaped delamination, 4A621
ZHANG, XIANGZHOU: Nonlinear 3D analysis of composite laminated plates, 5A472
ZHANG, XIANHUA: Friction model of thin solid film lubrication, 1A1137
ZHANG, XIANPING: Pretravel compensation for vertically oriented touch-trigger probes with straight styli, 8A864
ZHANG, XIAODONG: Study of the master-slave neural network in fault diagnosis of a rotating machinery, 4T430
ZHANG, XIAOGUANG: Dynamics of drop formation from a capillary in the presence of an electric field, 5A976
ZHANG, XIAOHANG: Controller and observer design of non-redundant linear mechanical systems including actuator dynamics, 6A378
ZHANG, XIAOMING: Control of wall joint on the coupled wave propagation in a fluid-filled shell (Chinese), 7T226
ZHANG, XIAOXIAN: Turbulent bursting-based diffusion model for suspended sediment in open channel flows, 3T988
ZHANG, XIN: Flow structure analysis around an oscillating circular cylinder at low KC number: A numerical study, 7A1027
ZHANG, XING: Transformation toughening of a ceramic in stable crack growth under plane stress conditions, 7A653
ZHANG, XINPING: Studies on fracture toughness of nuclear pressure vessel steels by using a small round compact tension specimen and a comparison with a Charpy-size specimen, 4A779
- Comparative studies of several methods to determine the dynamic fracture toughness of a nuclear pressure vessel steel A508 CL3 with Charpy-size specimen, 10A848
ZHANG, XINYU: Laser diffraction method measurements of particle-gas dispersion effects in a coaxial jet, 10A1443
ZHANG, XIU TAO: Modeling ice-cover melting using a variable heat transfer coefficient, 3A1473
ZHANG, XIUZHANG: Motion fields generated by the oscillatory motion of a circular cylinder in a linearly stratified fluid, 10A1090
ZHANG, XL: Effects of anisotropy in permeability on the two-phase flow and heat transfer in a porous cavity, 8A1455
ZHANG, XM: Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams, 10A246
ZHANG, XP: Influence of strength mis-matching on crack driving force and failure assessment curve of weldment, 7A770
ZHANG, XU: Computer simulation of solder bridging phenomena, 4A943
ZHANG, XUEJIANG: Research on techniques of knowledge processing for fault diagnostic expert system of turbogenerator, 4A429
ZHANG, XUEREN: Determination of stress intensity factors in ultrasonic fatigue loading, 5A652
ZHANG, XUSHOU: Microstructure and tribological characteristics of multilayer films deposited by ion-beam mixing, 2A902
- Sliding wear study of ion-beam mixing Ni-Mo multilayer films on steel, 2A888
ZHANG, XX: Uncertainties in plasma measurements: Effects of lower cutoff energy and spacecraft charge, 9A1145
ZHANG, Y: Local heat transfer in a rotating two-phase triangular duct with smooth walls, 1A1188
- Metal vapor condensation in a converging nozzle, 3A1082
- Analysis of transmission errors under load of helical gears with modified tooth surfaces, 9A951
- Offset face gear drives: Tooth geometry and contact analysis, 9A958
- Finite-element calculations of remote field eddy current interactions with slit defects, 10A34
- Behavior of an elastohydrodynamic lubricant at moderate pressures and high shear rates, 11A1179
ZHANG, Y-G: Explicit finite difference procedure for contact-impact analysis of crack edges, 2A700
ZHANG, YF: Wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 2A926
ZHANG, YI QIANG: Onset of thermally induced gas convection in mine wastes, 9A1223
ZHANG, YIMIN: PFEM formalism in Kronecker notation, 6A32
- Eigenvalue problem of constrained flexible multibody systems, 8T82
ZHANG, YINGLONG: Open channel flow past a bottom obstruction, 1A959
- Subcritical, transcritical, and supercritical flows over a step, 8A1021
- Resonant transcritical flow over a wavy bed, 11A168
ZHANG, YL: Atomic force microscopy study of the effect of surface roughness on the fracture energy of adhesively bonded aluminium, 8A981
ZHANG, YM: Role of welding parameters in determining the geometrical appearance of weld pool, 4A952
- Sensing free surface of arc weld pool using specular reflection: principle and analysis, 6A824
- Functional observer and state feedback for input time-delay systems, 9A318
- Real-time sensing of sag geometry during GTA welding, 11A882
- Real-time image processing for monitoring of free weld pool surface, 11A881
ZHANG, YONGFA: Method for solving the dynamics of multibody systems with rheonomic and nonholonomic constraints, 3A86
ZHANG, YONGWEI: Finite deformation analysis of polycrystal by considering the influence of grain boundary, 4A485
ZHANG, YOUPING: New class of nonlinear robust adaptive controllers, 6A379
ZHANG, YUAN-GAO: Two techniques for the absorption of elastic waves using an artificial transition layer, 8A219
ZHANG, YUANCHOU: Enhancement of signal-to-noise ratio in natural-source transient magnetotelluric data with wavelet transform, 9A1457
ZHANG, YUE: Response analysis for fuzzy stochastic dynamical systems with multiple dof, 7A116
ZHANG, YUWEN: Heat transfer enhancement in latent heat thermal energy storage system by using the internally finned tube, 1A1274
- Heat transfer during solidification around a horizontal tube with internal convective cooling, 8A1304
- Analysis of freezing in an eccentric annulus, 12A1293
ZHANG, Z: Computer simulation of the flow field and particle deposition by diffusion in a 3D human airway bifurcation, 3A1084
- Analysis of laminar acetylene-air diffusion flames using reduced reaction mechanisms and state relationships, 4A1291
- Wall effects on the propagation and extinction of steady, strained, laminar premixed flames, 9A1370
- Soot oxidation and agglomeration modeling in a microgravity diffusion flame, 12A1376
ZHANG, ZEFU: Tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum N-salicylidene derivative of malonic dihydrazide, 2A1133
- Friction and wear behaviors of aluminum-on-steel under the lubrication of grease containing a complex of lanthanum dialkyldithiocarbamate and phenanthroline, 5A819
ZHANG, ZHAO-ZHU: Tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 2A872
ZHANG, ZHENFANG: Prediction of critical load and wear rate of coatings by fuzzy theory, 10A987
ZHANG, ZHI-LIANG: FEM simulation of friction testing method based on combined forward rod-backward can extrusion, 12A715
ZHANG, ZHIGE: Accurate dimensional measurements within small internal structures, 8A844
ZHANG, ZHIKANG: New equivalent nonlinearization technique, 1A148
ZHANG, ZHIMIN: Derivative superconvergence of rectangular FEs for the Reissner-Mindlin plate, 2A504
- Ultraconvergence of the patch recovery technique, 5A44
- Analysis of some quadrilateral nonconforming elements for incompressible elasticity, 10A569
ZHANG, ZHONGMIAO: Calculating dynamic response of soils by using love wave characteristics, 4T203
ZHANG, ZIMAO: Dynamic self-similar debonding of interface at very high velocity: Anti-plane case, 7A763
ZHANG, ZJ: Free-surface wave-induced separation, 4A984
ZHANG, ZL: Two-parameter characterization of the near-tip stress fields for a bi-material elastic-plastic interface crack, 6A791
ZHANG, ZM: Reexamination of the transmittance formulae of a lamina, 12T1305
ZHANG, ZONGFEN: Different levels of modeling for the purpose of bridge evaluation, 11A35
ZHANG, ZONGQUIN: Particle diffusion from developing flows in rough-walled tubes, 6A1312
ZHAO, A: Limit analysis of geosynthetic-reinforced soil slopes, 8A679
ZHAO, AIGEN: Failure of unidirectionally reinforced composites with frictional matrix, 6A542
ZHAO, B: Reliability analysis of hydraulic structures considering unit hydrograph uncertainty, 8T1026
ZHAO, BING: Study on principal strain direction measurement in the uniaxial tensile test of composites, 4A584
ZHAO, CB: Evolutionary optimization of maximizing the difference between two natural frequencies of a vibrating structure, 10A896
ZHAO, CHONGBIN: Asymptotic solutions for predicted natural frequencies of 2D elastic solid vibration problems in FE analysis, 2A160
- Practical error estimator for FE predicted natural frequencies of membrane vibration problems, 3A158
- General evolutionary path for fundamental natural frequencies of structural vibration problems: Towards optimum from below, 4A809
- Predicted natural frequencies of 2D elastodynamic problems: A practical error estimator, 6A191
- Effect of initial nondesign domain on optimal topologies of structures during natural frequency optimization, 7A801

- Evolutionary natural frequency optimization of 2D structures with additional non-structural lumped masses, 12A215

ZHAO, CHUNSHENG: Adaptive control of nonlinear vibration system via artificial neural network, 4A364
- Study on influence of boundary, junction and discontinuities on disturbance propagation in 1D waveguide (Chinese), 10T258

ZHAO, D: Variation of fabric anisotropy of kaolinite in triaxial loading, 3A579
- Experimental and numerical studies in model composites - Part I: Experimental results, 10A817
- Fatigue fracture process in a model composite, 12A807

ZHAO, DONG-LIANG: Experiment of wind waves in decay area in reference to the role of nonlinear energy transfer, 3A1409

ZHAO, FENG: Advances in research on a multi-channel on-line ferrograph, 9A929

ZHAO, GUOFAN: Approximate assignment method for structural systems reliability (Chincse), 6A875
- Study of earthquake resistant behavior of high strength concrete column reinforced with concrete filled steel tube (Chinese), 6A894
- Reliability of structures under many conditions (Chinese), 6A878
- Test research on aggregate's interlock behavior on cracked surface in concrete (Chinese), 6A751
- Experimental study of stress-strain curve of SIFCON in tension (Chinese), 6A546
- Effective mixed-mode fracture criterion for concrete, 6A787
- Fracture energy of concrete for large size specimens (Chinese), 6A749
- Studies of multiaxial shear strengths for roller-compacted concrete, 10A858
- Improved Rosenblueth method and its application to structural reliability analysis (Chinese), 12A898
- Study of dynamic load coefficient of airfield's cement concrete pavement (Chinese), 12A704

ZHAO, GUOQUN: Preform die shape design in metal forming using an optimization method, 9A661

ZHAO, H: Use of viscoelastic Split Hopkinson Pressure Bar, 9A184

ZHAO, HAN: Use of SHPB techniques to determine the dynamic behavior of materials in the range of small strains, 1A796
- Experimental investigation of compressive failure strength of fiber-reinforced polymer-matrix composite plates under impact loading, 9A754
- New method for the separation of waves: Application to the SHPB technique for an unlimited duration of measurement, 12A239

ZHAO, HONG: Dynamic subgrid-scale model for low-Reynolds-number channel flow, 1A1072

ZHAO, HZ: Absolute instability of boundary-layer flow over viscoelastic walls, 1A1056

ZHAO, JH: Influence of the split-surfaces delay effect on split growth in unidirectional glass-epoxy composites with a surface notch, 7A740
- Modeling analysis for splitting failure of orthotropic laminates with a surface notch, 7A745

ZHAO, JIAN-PING: Effect of lateral load on fatigue growth rate of surface cracks in welded joints, 3A663
- Application of 2D elastic stochastic FEM in the field of fracture mechanics, 11A25
- New concept: Probabilistic failure assessment diagram, 11A668

ZHAO, JIANPING: Study on fatigue life in butt-welded joints containing surface crack under non-constant spectrum loading, 7A681

ZHAO, JIAZHENG: Pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 2A867

ZHAO, JINLONG: Investigation of properties and microstructures of ceramic lined of pipe produced by SHS (Chinese), 12A596

ZHAO, JUN: Equivalent statistical quadratization and cubicization for nonlinear systems, 11A106
- Failure mechanisms of a whisker-reinforced ceramic tool when machining nickel-based alloys, 12A945

ZHAO, JX: Column recurrence algorithm for solving linear least squares problem, 5A70
- Calculating the dynamic stiffness matrix of 2D foundations by discrete wave number indirect BEMs, 6A1426
- Modal analysis of soft-soil sites including radiation damping, 6A1427
- Effects of frequency dependent foundation: Soil compliance on building vertical responses identified from earthquake records, 11A1485

ZHAO, JY: Surface mobility of a circular contact area on an infinite plate, 10A247

ZHAO, L: Theoretical and experimental investigation of limit strains in sheet metal forming, 2A579

ZHAO, L-C: Asymmetric effects on mode localization of symmetric structures, 2T88
- Semiactive flutter control of wing-store system with electro-magnetic friction damper, 9T228

ZHAO, L-G: Interaction between an interface crack and a parallel subinterface crack, 1A774

ZHAO, LI-GUO: Contribution of subinterface microcracks near the tip of an interface macrocrack to the J-integral in bimaterial solids, 8A819

ZHAO, LINGCHENG: Investigation of wing-store flutter semi-active suppression with Coulomb damper (Chinese), 10T318

ZHAO, M: Effect of weak rotation on natural convection in a horizontal porous cylinder, 2A1191
- Buckling of piles with general power distribution of lateral subgrade reaction, 8A660

ZHAO, N: MUSCL type schemes and discrete entropy conditions, 8A59

ZHAO, QIANG: Effects of internal flow on vortex-induced vibration and fatigue life of submarine pipelines, 4A244

ZHAO, QING: Unsteady vorticity generation and evolution in a model of a solid rocket motor, 1A1374

ZHAO, R: Wear mechanism analysis of engine exhaust valve seats with a laboratory simulator, 10A981

ZHAO, TONG: Dynamic evaluation technique for liquid flow meters based on hydraulic line dynamics, 12A415

ZHAO, TS: Experimental studies on the onset of turbulence and frictional losses in an oscillatory turbulent pipe flow, 2A1007
- Oscillatory heat transfer in a pipe subjected to a laminar reciprocating flow, 2A1160

ZHAO, W: Electrochemical mass transfer measurements in rough surface pipe flow: Geometrically similar V-shaped grooves, 9A1351

ZHAO, WEI: High friction coefficient of fullerene C_{60} film, 3A843

ZHAO, WEIDONG: High-order upwind method for the convection-diffusion problem, 12A1351

ZHAO, X: Kinematic and geometric models of gear drives, 6A953
- Integral approach to the local measure of the mean rotation in continuum mechanics, 6A1

ZHAO, XIAOMING: Determination of optimum tilting angle of ball-end mill in 5-axis control machining: Determination based on finished surface roughness and application of neural network (Japanese), 2A590

ZHAO, XINGHUA: Collinear periodic cracks in an anisotropic medium, 1A770
- Green's functions of 2D anisotropic body with a parabolic boundary, 1A789

ZHAO, XINGZHONG: Effects of antiwear additives on the friction and wear of Si_3N_4-steel sliding contacts, 7A909
- Tribological characteristics of Si_3N_4 ceramic sliding on stainless steel, 12A933

ZHAO, XUEXIAO: Wear characteristics of vitrified bonded CBN wheels in grinding mild steel (Japanese), 3T642

ZHAO, Y: Modeling of wave propagation in the nearshore region using the mild slope equation with GMRES-based iterative solvers, 2A1403
- Nonlinear 3D dynamic time history analysis in the recracking modifications for a nuclear power plant, 4A1405
- Inspiratory and expiratory steady flow analysis in a model symmetrically bifurcating airway, 9A1588
- Coal-fired heat exchanger for an externally fired gas turbine, 11T1339

ZHAO, YF: Model for simulating flexible surfaces of cloth objects, 8A581

ZHAO, YG: Effects of gravity on rewetting of capillary groove surface at elevated temperatures: Experimental theoretical studies, 11A1349

ZHAO, YH: Influence of random bridging on the elastic and elastoplastic properties of fiber-reinforced composites, 1A521
- Plasticity of a two-phase composite with partially debonded inclusions, 5A415
- Transversely isotropic moduli of two partially debonded composites, 6A785

ZHAO, YI: Correlation of tensile and bending strength of composites with a circular hole, 4A560
- Buckling analysis of thick-walled composite pipe under external pressure, 9A594

ZHAO, YIYUAN: Trajectory synthesis for air traffic automation, 9T1165

ZHAO, YONG: Parametric nonlinear FE analysis of strain ratcheting in pressurized elbows based on random vibration, 2A1425

ZHAO, YONGDONG: Robust stability of closed-loop systems resulting from nonsequential MIMO-QFT design, 6A383
- New formulation of multiple-input multiple-output quantitative feedback theory, 6A380
- Feedforward controllers and tracking accuracy in the presence of plant uncertainties, 11A283

ZHAO, Z: Enhancing forced air convection heat transfer from an array of parallel plate fins using a heat pipe, 10A1355

ZHAO, ZHI YE: Interelement stress evaluation by BEs, 1A450

ZHAO, ZHIPING: Investigation of resistance performance test for channel planning craft with hydrofoils (Chinese), 2A1070

ZHARIN, AL: Effect of contact deformation upon surface electron work function, 1A885

ZHARINOV, VG: Steady viscous fluid flow in plane channels formed by sections of coaxial circular cylinder, 6A1111

ZHARKOVA, GM: Method of temperature fields registration using liquid-crystal coatings, 8T1254

ZHAROVA, IK: Experimental study of heat and mass transfer between high-temperature heterogeneous jets and surface, 1A1050

ZHDANOV, RZ: Symmetry reduction and some exact solutions of nonlinear biwave equations, 2T193

ZHE, JINGPING: Prestack multicomponent migration, 9A1464

ZHE, LI: New preshaped input function with high robustness for minimizing residual vibration of manipulators, 8A197

ZHEN , YUANPING: New principle of ignition and flame stability for low-volatile pulverized coal with slitted bluff-body burner, 5A1329

ZHEN, QIANG: Numerical study on identification of time varying parameters of vibration systems, 6A361

ZHENG , JIBING: Nonlinear influences of whirl speed on bifurcation and chaos of a cracked rotor (Chinese), 12T110

ZHENG , Q-S: Two-dimensional tensor function representations involving third-order tensors, 4A3

ZHENG, JIE: Numerical models and intercomparisons of beach profile evolution, 10A1061

ZHENG, JIJIA: Elastic pulse buckling of cylindrical shells under radial impulsive loading, 5A499

ZHENG, JING-BO: Robust control of sampled-data uncertain systems using digitally redesigned observer-based controllers, 7T340

ZHENG, JINGZHE: Evaluation of sheet pile-ring countermeasure against liquefaction for oil tank site, 3A1373

ZHENG, LI: Identification of cutter axis tilt in end milling, 11A604

ZHENG, LIN-QING: Simulation of lubricant rheology in thin film lubrication - Part I: Simulation of Poiseuille flow, 2A1118

ZHENG, LIN-QING: Simulation of lubricant rheology in thin film lubrication - Part 2: Simulation of Couette flow, 2A1119

ZHENG, LINGYI: High-temperature mechanical behavior and microstructure of SiC-whisker-reinforced MoSi$_2$ composites, 11A1379

ZHENG, LINQING: Characteristics of elastically contacting ideal rough surfaces, 11A361

ZHENG, M: Analysis of the stress concentration factor for a shallow notch by the slip-line field method, 12A479

ZHENG, Q: Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part I: Unconfined circular jets, 6A1222
- Numerical study of recovery effect and impingement heat transfer with submerged circular jets of large Prandtl number liquid, 9A1211
- Local characteristics of impingement heat transfer with oblique round free-surface jets of large Prandtl number liquid, 9A1206

ZHENG, Q-S: Damage effective stress and equivalence hypothesis, 1A729
- Symmetries of 2D elastic and hyperelastic tensors, 5A383
- Unified invariant description of micromechanically-based effective elastic properties for 2D damaged solids, 12A795

ZHENG, QIANSHUI: Quasi-principal axis method in finite deformation, 7A409

ZHENG, QINGRONG: New dynamic model for study of dislocation pattern formation, 6A523

ZHENG, QP: Structure of airblast sprays under high ambient pressure conditions, 12A1111

ZHENG, QUANSHUI: Anisotropic effects of quasi-isotropic composites - I: Modeling, 7A470
- Anisotropic effects of quasi-isotropic composites - II: Applications and micromechanical analysis, 7A471
- Nonlinear traveling waves in a neo-Hookean plate subjected to a simple shear, 8A225

ZHENG, SM: Relationship between the kinetic parameters of char combustion and the coal's properties, 11A1417

ZHENG, W: Readsorption processes in a sorption bed heat exchanger during pressurization and depressurization, 11A1341

ZHENG, WENHU: Calculation method to the perturbation of a satellite caused by the gravitation field of the earth, 10A326

ZHENG, XIANSHU: Study of calculation model of mold resisting stress (Chinese), 6A705

ZHENG, XIANSONG: Reducing spurious diffractions in elastic wavefield calculations, 4A218

ZHENG, XIAOJING: Theoretical model of magnetoelastic buckling for soft ferromagnetic thin plates, 6A616
- Variational principle on magnetoelastic interaction of ferromagnetic thin plates, 10A674

ZHENG, XIAOQING: Strongly coupled time-marching method for solving the Navier-Stokes and k-ω turbulence model equations with multi-grid, 4A1096
- Mass-flux-based implicit multigrid method for modeling multidimensional combustion, 7A1424

ZHENG, XIN-ZHI: Display of feel for the manipulation of dynamic virtual objects, 11A1588

ZHENG, XJ: FE-FD model for magnetoelastic buckling of ferromagnetic plates, 5A492
- Weight functions and stress intensity factors for longitudinal semi-elliptical cracks in thick-wall cylinders, 11A684

ZHENG, XM: Dilatant double shearing theory applied to granular chute flow, 5A1393

ZHENG, Y: Cyclic behavior and room temperature micromechanisms of 3Y-TZP ceramics at submicron and nanocrystalline levels, 5A615
- State-of-the-art review on the design of beam-to-column connections for pultruded frames, 8A929

ZHENG, YAO: Three-dimensional unstructured mesh generation - Part 1: Fundamental aspects of triangulation and point creation, 3A27
- Three-dimensional unstructured mesh generation - Part 3: Volume meshes, 3A29
- Three-dimensional unstructured mesh generation - Part 2: Surface meshes, 3A28

ZHENG, YF: Recent progress on the theoretical developments for mobile robots, 7A378

ZHENG, YUAN F: Recent practical developments for mobile robots, 9T394

ZHENG, Z-C: Time dependent correlation function of linear systems excited by shot noise with different arrival rates, 6A136

ZHENG, ZC: Reduction method for large scale unsymmetric eigenvalue problems in structural dynamics, 8A125

ZHENG, ZHANG: Fracture mechanics analysis of warm pre-stressing for power-hardening materials, 3A698

ZHENG, ZHAOCHANG: Analytical approach for large scale non-classically damped dynamic system, 6A109
- Multiple eigenvalues arising from a class of repetitive substructures, 7A127
- Eigenvalue problem for damped gyroscopic systems, 8A87
- Unitive analysis schemes on problems of multiple moving boundaries with 3D liquid-solid multiple nonlinear coupling for uplift of anchored liquid storage tanks, 10A315

ZHENG, ZM: Theoretical study of steady-state wedge cutting through metal plates, 5A547

ZHERNYAK, AI: Optimization of pumping units of internal involute gear pumps, 8A963

ZHI, WANG FENG: Research into the dieless hydroforming of non-uniform thickness spherical vessels, 12A727

ZHI, YUSHAN: Experimental research and FE simulation of plates hydrobulging in pairs, 1A558
- Stress analysis of approximately ellipsoidal cold-spun tri-arc tank head and parameter optimization, 1A587

ZHIGAREV, VP: Substantiation of the loading scheme for a single-axle trailer subjected to dynamic tests, 8A406

ZHIL'NIKOV, EP: Estimation of lubricating conditions in standard rolling-contact bearings: Calculation of ball bearings, 1A916

ZHILNIKOV, EP: Estimation of lubrication conditions for predicting rolling bearing life, 2A1125

ZHILYAEV, AM: Computation of periodic solutions of Hamiltonian systems, 5A88

ZHITNIKOV, VP: Application of analytic functions to axisymmetric flow problems, 8A1043

ZHIZHKIN, AM: Influence of clogging of filters and throttles on face seal performance, 7A948

ZHMAKIN, AI: Memory-efficient unstructured grid refinement algorithm for computation of 3D steady viscous flows, 10A1099

ZHONG , BINGLIN: Multiple fault simultaneous diagnosis for rotating machine based on ellipsoidal unit neural networks (Chinese), 12T421

ZHONG, BING: Random analysis of apron slab missing stability under water jet lashing, 3A1121

ZHONG, BINGLIN: Research on techniques of knowledge processing for fault diagnostic expert system of turbogenerator, 4A429

ZHONG, HG: A posteriori error estimators related to equilibrium defaults of FE solutions for elastostatic problems, 12A18

ZHONG, JL: Finite twist and extension of a cylindrical elastic membrane, 3A519

ZHONG, PEIDAO: Case study of Bi-Sn-induced embrittlement, 7A682

ZHONG, QI YUE: Closed-form Green's functions for transversely isotropic bi-solids with a slipping interface, 4A487

ZHONG, T: Structure of weighting coefficient matrices of harmonic differential quadrature and its applications, 3A76

ZHONG, TINGXIU: Study on the nonlinear computations of the DQ and DC methods, 6A23

ZHONG, WANXIE: Stress singularities near corner of wedged multi-dissimilar materials (Chinese), 2A388
- Hamiltonian system and the Saint Venant problem in elasticity, 6A459
- New fourth order self-adaptive time integration algorithm, 6A63
- High precision integration for dynamic structural systems with holonomic constraints, 12A217

ZHONG, WX: Saint-Venant problem and principle in elasticity, 12A473

ZHONG, X: Saint-Venant's principle for a helical piezoelectric body, 2A385

ZHONG, XA: Analysis of interfacial failure in particle-filled elastomers, 12A785

ZHONG, XIAO-LIN: Autonomous robot calibration using a trigger probe, 4A452

ZHONG, XIAOGUANG: Modeling of macroscopic response of phase transforming materials under quasi-static loading, 6A7
ZHONG, XIAOLIN: Additive semi-implicit Runge-Kutta methods for computing high-speed non-equilibrium reactive flows, 4T1010
ZHONG, YUAN: Measurement of erosion due to particle impingement and numerical prediction of wear in pump casing, 4A718
ZHONG, Z: Eigenstrain problem of a spherical inclusion with an imperfectly bonded interface, 7A415
- Interfacial debonding of a circular inhomogeneity in piezoelectric materials, 10A792
- Elastic field of a spherical inhomogeneity with an imperfectly bonded interface, 12A499
ZHONGYUE, HUANG: Experimental investigation on low-speed torque characteristics of vehicle turbocharged diesel engine (Chinese), 10A1425
ZHOU , JIANREN: Tribochemical behavior of Ni ion implanted pure iron lubricated with ZDDP as an additive, 4A891
ZHOU , ZEGONG: Search for methods to assess the fuzzy fracture probability of spherical tanks, 5A707
ZHOU, AIDONG: Transient torsional waves in transversely isotropic tube (Chinese), 10A264
ZHOU, BEN-LIAN: Effects of prestrain on the fatigue properties of VIRALL laminate, 4A704
ZHOU, BENKUAN: Design of the classes of object-oriented FE program (Chinese), 2A31
- Efficient six-node plate bending hybrid-mixed element based on Mindlin-Reissner plate theory, 8A50
ZHOU, CHANGXI: Elastic wave equation traveltime and waveform inversion of crosswell data, 11A1469
ZHOU, CHUANYONG: Modification of FE model based on identified error locations (Chinese), 10T54
ZHOU, CHUNGUANG: Identification of nonlinearities in cushioning packaging using neural networks with fuzzy adaptive control, 12T361
ZHOU, CW: Pulmonary airway reopening: Effects of non-Newtonian fluid viscosity, 12A1560
ZHOU, DECHENG: Design procedure of an advanced spherical hydrostatic bearing used in rotary forging presses, 9A959
ZHOU, DH: Strong tracking filtering of nonlinear time-varying stochastic systems with colored noise: Application to parameter estimation and empirical robustness analysis, 4T334
ZHOU, DING: Approximate solution of eigen-frequencies of transverse vibration of rectangular plates with elastical restraints, 1A178
- Analytical solution of transverse vibration of rectangular plates simply supported at two opposite edges with arbitrary number of elastic line supports in one way, 5A103
- Exact method of bending of elastic thin plates with arbitrary shape, 9A554
ZHOU, F: Energy balance analysis on mode-III dynamic crack propagation in fixed-sided strip, 7A765
ZHOU, FJ: Parametric FEM for predicting shapes of 3D solder joints, 4A945
ZHOU, FP: Tensile and flexural creep rupture tests on partially-damaged concrete specimens, 12A908
ZHOU, G: Effect of impact damage on residual compressive strength of glass-fiber reinforced polyester laminates, 3A728
- Impact damage and residual strengths of woven fabric glass-polyester laminates, 5A173
- Static behavior and damage of thick composite laminates, 11A740
- Characteristics of abrasive waterjet generated surfaces and effects of cutting parameters and structure vibration, 11A594
ZHOU, GUOHUI: How accurate is the streamline diffusion FEM, 7A1384
ZHOU, HAIMING: Damping of composite tubes with embedded viscoelastic layers, 1A200
ZHOU, HAU-WEI: Fourier transform approximations for sweeps and phase-encoded sweeps, 4A1373
ZHOU, HONG: Energy analysis of triple junction crack nucleation due to the wedging action of grain boundary dislocations, 6A799
ZHOU, HUAI-BEI: Whistler waves generation and current closure by a pulsed tether in ionspheric plasmas, 4A1103
ZHOU, HUIJU: Mechanical and environmental factors in the cyclic and static fatigue of a machinable glass-ceramic, 7A667
ZHOU, J: Semi-analytical solution of 2D elasticity problems by the strip distributed transfer function method, 3A452
- Strip distributed transfer function analysis of circular and sectorial plates, 10T197
ZHOU, J-M: Multiple jets in a crossflow: Detailed measurements and numerical simulataions, 10A1318
ZHOU, JG: General fractal distribution function for rough surface profiles, 5A843
- Finite volume method for steady state 2D shallow water flows, 8T1085
ZHOU, JI-LIN: Global applicability of the symplectic integrator method of Hamiltonian systems, 7A249
ZHOU, JIAN: Probability method applied to dynamic pile-driving control, 8A666
- Prediction of fatigue life of asphalt concrete beams, 10A773
ZHOU, JIAN-QIU: Development of the leak-before-break assessment method to reduce some shortcomings, 3A688
ZHOU, JIANG: Residual properties of an injection-molded poly(phenylene ether ketone)-carbon composite during flexural fatigue, 12A764
ZHOU, JIANPING: Three-dimensional analysis of simply supported laminated cylindrical shells with arbitrary thickness, 2T494
- Analysis of ring-stiffened cylindrical shells, 11A513
ZHOU, JIANQING: Exact calculation of natural frequencies of repetitive structures, 4A16
ZHOU, JINJIN: Finite difference solution for equations of heat conduction caused by pulse laser processing silicon steel sheets (Chinese), 10A757
ZHOU, L: Design of deep pile caps by strut-and-tie models, 2A793
ZHOU, LI: Response of a two-layer compliant slab to inviscid incompressible fluid flow, 9A220
ZHOU, LIXING: Simulation of annular swirling turbulent flows with a new algebraic Reynolds stress model, 9A1238
ZHOU, LONGBAO: Investigation on simulation models and reduction methods of unburned hydrocarbon emissions in spark ignition engines, 4A1297
ZHOU, M: Direct measurements of burning velocity of propane-air using particle image velocimetry, 1A1342
- Optimum design of plates and shells using the DCOC method, 5A759
- Dynamic ductile rupture under conditions of plane strain, 8A242
- Constitutive model and its identification for the deformation characterized by dynamic recovery, 10A586
ZHOU, MING: Analysis of multiple cracks close to bimaterial interface, 6A753
ZHOU, QING: Incremental analysis of plane strain fully plastic crack growth in strain-hardening materials under extension, 6A768
ZHOU, S: Variance minimization-relationship between completion-time variance and waiting-time variance, 1A377
ZHOU, SHIZHI: Dynamic analysis of arrest of buckle propagation on a beam on a nonlinear elastic foundation by FEM, 10A658
ZHOU, SS: Lobing behavior in centerless grinding - Part I: Stability estimation, 12A740
ZHOU, SU-WEI: Impedance-based system modeling approach for induced strain actuator-driven structures, 1A840
ZHOU, T: Simulation of 2D squeeze film and solid contact forces acting on a heat exchanger tube, 12A240
ZHOU, WENLONG: Investigation of properties and microstructures of ceramic lined of pipe produced by SHS (Chinese), 12A596
ZHOU, X: Propagation of a reaction front through a porous fuel in the presence of an opposed forced flow: Application to mixtures characteristic of municipal waste, 2A1310
ZHOU, XIAN-CHU: Motion of a bubble in waves, 10A1132
ZHOU, XIAOLIN: Coiflet interpolation and approximate solutions of elliptic partial differential equations, 11A59
ZHOU, Y: Stationary model for periodic excitation with uncorrelated random disturbances, 4A105
- Stress analysis of piezoceramic cylinders, 10A677
- Incorporation of an anisotropic (texture-based) strain-rate potential into 3D FE simulations, 11A434
ZHOU, Y-Q: Effect of 2D conduction in the condensate film on laminar film condensation on a horizontal tube with variable wall temperature, 1A1209
ZHOU, YC: Long pulsed laser induced reverse bulging and plugging, 11A1378
ZHOU, YICHUN: Analytical study on the laser induced reverse-plugging effect by using the classical elastic plate theory - II: Reverse-bulge motion, 5A473
ZHOU, YL: Difference schemes with nonuniform meshes for nonlinear parabolic system, 5A1245
ZHOU, YOUHE: Theoretical model of magnetoelastic buckling for soft ferromagnetic thin plates, 6A616
- Variational principle on magnetoelastic interaction of ferromagnetic thin plates, 10A674
ZHOU, YR: Investigation on a simulation model of floating half zone convection - II: Experiment, 9A1219
ZHOU, YS: Model for general periodic excitation with random disturbance and its application, 12A146
ZHOU, YUANXIN: Recovery experimental techniques of tensile impact, 6A261
ZHOU, YUN-LONG: Linear separated flow model for two-phase flow instability in boiling channels, 3T1071
ZHOU, YUNSHEN: Random response to periodic excitation with correlated disturbances, 6A134
ZHOU, Z: Load shedding effect on constant-ΔK testing, 2A720
- Mathematical model and its analytical solution for slow depressurization of a gas-filled vessel, 9A1197
ZHOU, ZE-XUAN: Effect of solid particles on stability flow in the boundary layer on a flat plate, 3A1092
ZHOU, ZR: Cracking induced by fretting of aluminium alloys, 7A640
ZHOU, ZW: Atomization of a liquid drop by pulsation, 5A975
ZHOVDAK, VA: Random vibrations of elastic-plastic structures, 1A149
- Reliability prediction of structures with random parameters subjected to stationary stochastic input, 10A924
ZHU , HENGWEI: Vibration detection of liquid rocket engine based on fuzzy neural networks, 12T170
ZHU , MINHU: Study on Xizhang Junk form barge train, 6A1169
ZHU , ZHENGYOU: Boundary element method for solving dynamical response of viscoelastic thin plate - I, 11A57
ZHU, BAOLIANG: Effects of antiwear additives on the friction and wear of Si_3N_4-steel sliding contacts, 7A909
- Tribological characteristics of Si_3N_4 ceramic sliding on stainless steel, 12A933
ZHU, C: Measurement of nonlinear damping in a Gr-Al metal-matrix composite, 8A123
ZHU, D: Quadratic triangular C^0 plate bending element, 8A592
ZHU, D-S: Enhancement of thermal conductivity by using polymer-zeolite in solid adsorption heat pumps, 12T1291
ZHU, DL: Combustion and microexplosion of hydroxylammonium nitrate-based liquid gun propellants at elevated pressures, 10A330
ZHU, DONG: Point contact EHL based on optically measured 3D rough surfaces, 12A1218
ZHU, DS: Optimization of buoyancy of an articulated stinger on submerged pipelines laid with a barge, 7A844
ZHU, G: Optimal redesign of linear systems, 4A342
- Nonlinear feedback controller for a single-link flexible manipulator based on a FE model, 8A447
ZHU, GP: Simple novel technique for evaluation of viscoelastic properties of ceramic composites, 2A412
ZHU, GUORONG: Splitting method for 2D phreatic flow equation, 7A1048
ZHU, HAN: Normal and tangential compliance for conforming binder contact - II: Visco-elastic binder, 4A508
- Normal and tangential compliance for conforming binder contact - I: Elastic binder, 4A489
ZHU, HONGGUAN: Study of fatigue crack growth and crack closure in mechanical heterogeneous welded joints, 5A588
ZHU, HT: Strain gradients and continuum modeling of size effect in metal matrix composites, 12A556
ZHU, HUA: Composite materials dynamic fracture studies by generalized Shmuely difference algorithm, 1A753
ZHU, HX: Sliding wear behavior of planar random zinc-alloy matrix composites, 4A889
- Analysis of the elastic properties of open-cell foams with tetrakaidecahedral cells, 9A427
ZHU, J: Calculation of wall-bounded complex flows and free shear flows, 6A1145
- Hybrid method for transient wave scattering by flaws in composite plates, 10A273
- Divergence analysis of an emissions-based air-fuel ratio model and exhaust oxygen estimation, 11A1427
- Fractal character of processed metal surfaces, 12A981
ZHU, J JIM: Missile autopilot design using a new linear time-varying control technique, 7T347
ZHU, JIANPING: New fourth order self-adaptive time integration algorithm, 6A63
ZHU, JIMAO: Numerical simulation of dynamic response of towed systems, 12A282
ZHU, JINMING: Implicit interpolation in reverse-time migration, 11A1471
ZHU, JS: Study of powder sintering-compaction by a micromechanics model, 9A685
ZHU, JUFEN: Geometric nonlinear analysis by using refined triangular thin plate element and free form membrane locking, 9A575
ZHU, JUN: Study of the master-slave neural network in fault diagnosis of a rotating machinery, 4T430
ZHU, KQ: Variation with distance of the attraction force between spheres and estimation of static yield stress of ER fluids, 6A1163
ZHU, L: Unified correlations in transition temperatures of low-alloy steels and weld metals of various toughnesses, 6A817
- Saturated impulse for pulse-loaded elastic-plastic square plates, 10A284
- New fundamental bioheat equation for muscle tissue - Part I: Blood perfusion term, 12A1546
ZHU, LI: Measurement test of torsional characteristics of a rotor with unbalance (Chinese), 2A153
ZHU, MEILING: Adaptive control of nonlinear vibration system via artificial neural network, 4A364
ZHU, N: Vibration mode shape identification by digital speckle correlation (Disc), 6A147
- Numerical and analytical investigation of vapor flow in a disk-shaped heat pipe incorporating secondary flow, 9A1301
ZHU, NING: Acoustic tomography for 3D temperature and CO_2-concentration measurements of an environmental field: CT algorithm for axisymmetric field and experimental verification, 2A1199
ZHU, QD: Subconvergence of FEs and a self-adaptive algorithm, 5A42
ZHU, QIANKANG: DDGS high speed camera with some applications, 6A820
ZHU, QIJI J: Variational analysis in nonreflexive spaces and applications to control problems with L^1 perturbations, 6T91
ZHU, QINGHUA: Torsional vibration monitor consisting of five intel-8098 units (Chinese), 10A279
ZHU, QM: Fast orthogonal identification of nonlinear stochastic models and radial basis function neural networks, 2A308
ZHU, RUZENG: Studies of Melnikov method and transversal homoclinic orbits in the circular planar restricted three-body problem, 9A90
ZHU, S: Flow-induced vibration of tubes in cross-flow, 6A294
- Vibration and stability of two tubes in cross-flow, 11A212
ZHU, SHU: Dynamics in a chain of overdamped pendula driven by constant torques, 8A81
ZHU, SONG-PING: Resonant transcritical flow over a wavy bed, 11A168
ZHU, SONGLIN: Experiment investigation of a high-lift rudder circulation control rudder, 6A1172
ZHU, SONGPING: Selective withdrawal from stratified streams, 1A265
- Open channel flow past a bottom obstruction, 1A959
- Subcritical, transcritical, and supercritical flows over a step, 8A1021
ZHU, TULONG: Identical probability distribution of first-ply failure strains and design allowables computation based on multi-sample data of composite laminates, 2A461
ZHU, WD: Propagation of boundary disturbances in an axially moving strip in contact with rigid and flexible constraints, 11A120
- Energy decay of two coupled strings through a joint damper, 12A168
ZHU, WEI: Influence of rain infiltration on slope failure of embankment (Japanese), 2A566
- Effect of lateral load on fatigue growth rate of surface cracks in welded joints, 3A663
ZHU, WEIMIN: Dividing rectangular closed conduit flows, 6T994
ZHU, WENLU: Shear-enhanced compaction and permeability reduction: Triaxial extension tests on porous sandstone, 11A736
ZHU, WQ: Equivalent nonlinear system method for stochastically excited and dissipated integrable Hamiltonian systems, 10A132
- Stochastic averaging of quasi-nonintegrable-Hamiltonian systems, 10A139
ZHU, X: Extended boundary integral equation method for the removal of irregular frequency effects, 4A247
ZHU, XH: Simple method for calculating shear band angles for pressure sensitive plastic materials, 8T529
ZHU, XK: Dynamic asymptotic fields near a crack tip growing in a power-law hardening compressible material, 6A793
- Near-tip field for steady dynamic crack growth in a compressible elastic-plastic material, 11A721
ZHU, XR: Calculation of the free surface shape in the electromagnetic processing of liquid metals, 12A1285
ZHU, XUEYU: Splitting method for 2D phreatic flow equation, 7A1048
ZHU, XX: Combining pinch and exergy analysis for process modifications, 7A1229
ZHU, XY: Fatigue crack closure and its effect on life prediction in compact tension specimens, 5A605
ZHU, Y: Lateral vorticity measurements in a turbulent wake, 4A1055
- Triboelectrochemistry on a nanometer scale, 5A835
- Nucleation theory of structure evolution in magnetorheological fluid, 6T9
- Statistics of $\partial u/\partial y$ in a turbulent wake, 7A1135
- Analogy between predictions of Kolmogorov and Yaglom, 8A1181
ZHU, YAN: Effect of microstructural fabric on dynamic load transfer in 2D assemblies of elliptical particles, 1A438
ZHU, YH: Study on a new solid absorption refrigeration pair: Active carbon fiber: Methanol, 12A1328
ZHU, YI: Heat and momentum transport in sheared Rayleigh-Benard convection, 4A1207
ZHU, YONG: Nonlinear water waves in Lagrangian coordinates: Shallow fluids, 9T202

ZHU, YONGHONG: Studies of multiaxial shear strengths for roller-compacted concrete, 10A858
ZHU, YONGI: New one-point quadrature, quadrilateral shell element with drilling dof, 3A544
ZHU, YUANYUAN: Analysis for imperfect sensitivity of a superconducting rod, 4A631
ZHU, YUEFENG: Numerical simulation of fluid flow in electromagnetic centrifugal casting, 5A566
ZHU, YUNXIANG: Vibration of elastic spherical shell in bubbly layer, 4A146
ZHU, YUXIU: Ignition and combustion of aluminum in oxygen-nitrogen mixture streams, 8A1405
ZHU, YY: Application of fully automatic remeshing to complex metal-forming analyses, 7A605
ZHU, Z: Fractal analysis and simulation of surface roughness of ceramic particles for composite materials, 9A510
ZHU, ZHEMING: Mixed boundary problems for a mixed mode crack in a finite plate, 8A825
ZHUANG, FENGYUAN: Two-parameter model for three-types of nuclepore filtration of leukocytes, 11A901
ZHUANG, H: Influence of surface properties of carbon fiber-epoxy matrix interfacial adhesion, 12A1042
ZHUANG, JIDE: Effects of loading patterns on the pressure-sinkage relation of dry loose sand, 2A818
ZHUANG, MEI: Integral method solution of time-dependent strained diffusion-reaction layers with multistep kinetics, 1A1303
ZHUANG, WZL: Local buckling of cracked and pin-loaded plates, 4A622
ZHUANG, Y: Impingement heat transfer and recovery effect with submerged jets of large Prandtl number liquid - Part II: Initially laminar confined slot jets, 6A1223
- Numerical study of recovery effect and impingement heat transfer with submerged circular jets of large Prandtl number liquid, 9A1211
ZHUANG, YAN: Existence of solutions in modular fixturing, 6A444
ZHUANG, ZHOU: Driving force and deformation analysis for dynamic crack propagation in gas pipelines under different boundary conditions, 10A831
ZHUGE, Y: Dynamic analysis of beams on an elastic foundation subjected to moving loads, 6A185
ZHUK, AZ: Deformation modes in fiberglass under weak impact, 10A610
ZHUK, YA: Planar vibrations and vibroheating of plate-like inelastic bodies with temperature dependent properties (Russian), 2A137
- Thermodynamical analysis of thermoviscoplastic model deformation of materials (Russian), 12A1335
ZHUKOV, BA: Second-order effects in the criteria for the start of cracks in ideally brittle hyperelastic elastomers, 8A771
ZHUKOVA, NB: Two methods of calculations for stability of shells with multimodal imperfections (Russian), 1A596
ZHUMLYAKOVA, MA: Development of oils for cold rolling of deformation-resistant metals, 2T585
ZHUPIEV, AL: Application of the Ince algebraization to the stability of nonlinear normal vibration modes, 8A111
ZHURAVLEV, VF: Solid angle theorem in rigid body dynamics, 3A82
- Investigation of nonlinear oscillations of a compound pendulum, 5T85
ZHURAVSKAYA, TA: Propagation of converging and diverging shock waves under isothermal condition, 3T254
- Propagation of converging and diverging shock waves under intense heat-exchange conditions, 8A264
ZIABICKI, A: Rheological behavior of Brownian interacting particles in uniaxial flow combined with electric (magnetic) field, 8A991
ZIAEI-RAD, S: Accuracy required of experimental data for FE model updating, 4A27
ZIANE, M: Regularity results for the stationary primitive equations of the atmosphere and the ocean, 5T1434
- Optimal bounds on the dimension of the attractor of the Navier-Stokes equations, 12A1141
ZIAUDDIN, M: Ignition of methane flames in oxygen near inert surfaces: Effects of composition, pressure, preheat, and residence time, 12A1355
ZIAZIA, M: Kozani-Grevena (Greece) earthquake of May 13, 1995 revisited from a detailed seismological study, 12T1439
ZIBBELL, R: Abrasion and erosion of hard materials related to wear in the abrasive waterjet, 2A643
ZIBDEH, HS: Moving loads on beams with general boundary conditions, 2A122
ZICHNER, N: Cobalt disilicide interconnects for micromechanical devices, 2T327
ZIEBIK, A: Analysis of influence of top-gas recirculation on the energy characteristics of the blast-furnace process, 9T1374
ZIEGLER, F: Acoustic Interactions with Submerged Elastic Structures, Part 1, 12N8
- Maysel's formula generalized for piezoelectric vibrations: Application to thin shells of revolution, 5A113
ZIELINSKA, E: Investigation of the expansion of laser-produced plasma in a strong axial magnetic field, 4A1109
ZIELINSKA, T: Proposition of a robot shear force sensor, 4A449
ZIELINSKI, AP: Survey of Trefftz-type element formulations, 8A51
ZIELINSKI, S: Synthesis of organ pipe sound based on simplified physical models, 4A315
ZIELKE, W: Coupled groundwater flow and transport - I: Verification of variable density flow and transport models, 9A1502
ZIEMIAN, R: Simulating seismic response behavior of telecommunications equipment, 3A1397
ZIEMIAN, RD: Inelastic analysis and design: Frames with members in minor-axis bending, 7A835
ZIENKIEWICZ, OC: Split, characteristic based semi-implicit algorithm for laminar-turbulent incompressible flows, 4A999
- Finite point method in computational mechanics: Applications to convective transport and fluid flow, 5A1319
- Recovery by equilibrium in patches (REP), 6A51
- Stabilized finite point method for analysis of fluid mechanics problems, 6A1042
- Mixed displacement-pressure formulation for numerical analysis of plastic failure, 7A558
ZIENTARSKI, T: Melting of 2D monolayer films, 2A918
ZIGO, M: Determination of extreme properties of springs created from two mutually symmetrically sloped rubber prisms (Polish), 10A890
ZIKRY, MA: Inelastic microstructural failure mechanisms in crystalline materials with high angle grain boundaries, 5A625
ZILBERSTEIN, S: Resource-bounded sensing and planning in autonomous systems, 2A354
ZILCH, K: Comparative investigations for the analysis of reinforced and prestressed concrete beams with lateral buckling according to the second order theory (German), 11A778
- Design and construction of non-reinforced, reinforced and prestressed concrete structures according to DIN 1045-1 (German), 12A911
ZILITINKEVICH, S: Multi-limit formulation for the equilibrium depth of a stably stratified boundary layer, 7A1499
ZILITINKEVICH, SS: Surface-layer scaling for the convection-induced stress regime, 12A1501
ZILLIAC, G: New methodology for the measurement of surface shear stress vector distributions, 9A1188
ZILMAN, G: Collision avoidance by a ship with a moving obstacle: Computation of feasible command strategies, 10A456
ZIMIN, BA: Nonlinear model of delamination in laminated composites, 1A715
ZIMIN, NE: Are climate evolution edges in the 20th century internally induced?, 4A1433
ZIMMERMAN, DC: Experimental study of structural health monitoring using incomplete measurements, 4A800
ZIMMERMAN, EB: Transient modeling of the thermal behavior of outdoor electronic cabinets, 6A1298
ZIMMERMAN, KB: Experimental investigation of composite repair, 1A546
ZIMMERMAN, RW: New lumped-parameter model for flow in unsaturated dual-porosity media, 1T1382
- Effect of the interphase zone on the bulk modulus of a particulate composite, 7A485
ZIMMERMANN, T: Object-oriented FEs - II: A symbolic environment for automatic programming, 1A67
- Object-oriented FEs - I: Principles of symbolic derivations and automatic programming, 1A66
- Simulation of punching failure in reinforced-concrete structures, 11A790
ZIMMIE, TF: Geotechnical properties of paper mill sludges for use in landfill covers, 3A600
ZINGG, DW: High-lift aerodynamic computations with one- and two-equation turbulence models, 7A1178
ZINGONI, A: Shell Structures in Civil and Mechanical Engineering, 11R24
ZININ, P: Theory of 3D imaging of strong scatterers in scanning acoustic microscopy, 11A753
ZINKE, H: Tribofragmentation and antiwear behavior of isogeometric phosphorus compounds, 6T938
ZINN, BT: Effect of evaporation on droplet drag, 7A1072
ZINNO, R: Experimental evaluation of thermal effects on the tensile mechanical properties of pultruded GFRP rods, 10A608
ZINOBER, ASI: Dynamical adaptive pulse-width-modulation control of DC-to-DC power converters: A backstepping approach, 4T379
- Nonlinear H_∞ method for Volterra systems, 5T293
ZION, L: Simple approaches to reliable fatigue damage prediction, 7A669
ZIRKELBACK, N: Bulk-flow model for the transition to turbulence regime in annular pressure seals, 4A1168
ZITNAN, P: Vibration analysis of membranes and plates by a discrete least squares technique, 3A159
ZITOUN, R: Burning velocities of rich H_2-O_2 flames under cryogenic conditions, 10A1400
ZLATANOV, D: Unifying framework for classification and interpretation of mechanism singularities, 11A870
ZLOCHEVSKY, A: Parameter-dependent model order reduction, 8T374
ZOBACK, MD: San Andreas fault zone drilling project: Scientific objectives and technological challenges, 11A1511
ZOBER, S: Investigations on the sedimentological structure of Vistula river islands using the VLF-R method, 4A1427
ZOCHER, MA: Three-dimensional FE formulation for thermoviscoelastic orthotropic media, 11A1382
ZOCHOWSKI, A: Simple method for improving the accuracy and convergence of FEM computations, 4A14
- Representation of infinite domains in FEM computations, 9A41
ZOHAR, Y: Dissipation scale and control of fine-scale turbulence in a plane mixing layer, 3A1156
ZOHDI, TI: Hierarchical modeling of heterogeneous bodies, 6A486
ZOK, FW: Method for measuring residual strains in fiber-reinforced titanium matrix composites, 1A524
- Plastic flow and fracture of a particulate metal matrix composite, 2A686
- Influence of thermal expansion mismatch on residual stresses and flow response of microballoon composites, 2A447
- Effects of a single mode III loading cycle on mode I crack initiation and growth toughnesses in a cross-ply $[90°/0°]_s$ Ti-6Al-4V/SiC, composite, 5A591
- Strength-limited design of composite-monolith transitions in metallic structures, 10A618
ZOLESIO, J-P: Partial Differential Equation Methods in Control and Shape Analysis, 9N32
ZOLEZZI, T: Extended well-posedness of optimization problems, 4T353
- Discontinuous feedback in nonlinear tracking problems, 4A378
ZOLLER, P: Thermal analysis of polymers at high pressures, 5A1125
ZOLLINGER, D: Variable-notch one-size test method for fracture energy and process zone length, 3A701
ZOLOCHEVSKY, A: Generalized fatigue limit criterion and a unified theory of low-cycle fatigue damage, 5A606
ZOLTANI, CK: Variational method in the statistical theory of turbulence, 12A1142
ZONES, SI: Microporous and Macroporous Materials, 7N18
ZONG, BY: Creep behavior of a SiC particulate reinforced Al-2618 metal matrix composite, 7A463
ZOPPOLI, R: Neural approximators for nonlinear finite-memory state estimation, 11T278
ZOPPOU, C: Analytical solutions for advection and advection-diffusion equations with spatially variable coefficients, 7A1375
ZORSKI, H: Continuum dynamics of a peptide chain, 12T91
ZORYJ, L: Critical Euler load for a cantilever tapered beam, 4T613
ZOU , ZHENZHU: Mech-electric coupling dynamic analysis and vibration control of intelligent truss structures (Chinese), 12T394
ZOU, GUANGDE: Virtual BE-least square method for solving boundary value problems of elliptic partial differential equations (Chinese), 12A72
ZOU, GUIPING: Exact symplectic solution for the dynamic analysis of shear deformable antisymmetric angle-ply laminated plates, 4A164
ZOU, JIANZHENG: DOF expanding method for connecting solid and shell element, 1A59
ZOU, L: Reproducibility of techniques using Archimedes' principle in measuring cancellous bone volume, 10A1519
ZOU, PC: Statistical theory of fatigue crack growth at damage cumulation, 9A695
ZOU, QIAN: Abrasive wear model for lubricated sliding contacts, 2A875
ZOU, SHENGQUAN: ALE FE analysis of the opening and closing process of the artificial mechanical valve, 1A34
ZOU, Y: Nonlinear permeability relation depending on the activation energy of pore liquid, 6T644
ZOU, ZHIQING: Identification of composite material parameters of plates using vibration test data, 4A566
ZOUAGHI, N: Grinding mode identification and surface quality prediction using neural network in grinding of silicon nitride, 1A659
- Grinding mode identification and surface quality prediction using neural network in grinding of silicon nitride, 1A659
ZOUAIN, N: Nonlinear optimization procedure for limit analysis, 1A504
ZOUGAS, A: Analytical, numerical, and experimental studies of effective elastic properties of periodically perforated materials, 11A362
ZOUGHI, R: Microwave detection and depth determination of disbonds in low-permittivity and low-loss thick sandwich composites, 1A826
- Microwave diagnosis of low-density fiberglass composites with resin binder, 6T837
ZOUZOU, A: Introductory analysis of draining and freezing of de-icing fluids, 10A1499
ZOWCZAK, W: Certain class of standard stress fields for plastic design, 9A825
ZOZULYA, VV: Calculation of plates by BEMs (Russian), 12A75
ZRIBI, M: Adaptive control of redundant multiple robots in cooperative motion, 5A337
ZRODNIKOV, VV: Thermoacoustic phenomena at boiling subcooled liquid in channels, 7A1286
ZSOLDOS, JS: Structure and development of a counter-rotating wing-tip vortex pair, 8A1218
ZUANNI, F: Minimum number of years required to stabilize the solar irradiation statistical estimates, 8A1536
ZUAZUA, E: Long-time behavior for a convection-diffusion equation in higher dimensions, 10T1388
ZUBAIR, SM: Optimal dimensions of circular fins with variable profile and temperature-dependent thermal conductivity, 1A1266
- Reliability-based maintenance strategies for heat exchangers subject to fouling, 6A1286
- Analytical and numerical solution along with PC spreadsheets modeling for a composite fin, 10A1327
- Statistical aspects of $CaCO_3$ fouling in AISI 316 stainless-steel tubes, 12A1322
- Maintenance strategy for heat transfer equipment subject to fouling: A probabilistic approach, 12A1320
ZUBAREV, NM: Large-scale vortex structures in plasma-like media and the electric explosion of conductors, 6A1161
ZUBAREVA, OV: Large-scale vortex structures in plasma-like media and the electric explosion of conductors, 6A1161
ZUBE, DM: Arcjet thruster development, 5A1379
ZUBOV, LM: Instability of a nonlinearly elastic beam under tension, 8A600
ZUCCARELLO, B: Optimization of depth increment distribution in the ring-core method, 2A402
- Effect of plasticity on the residual stress measurement using the groove method, 3A702
ZUCHOWSKI, A: Modeling the tires non-uniformity as a car vibrations cause (Polish), 9A163
ZUCKER, J: Composing and combining complex designs from different project perspectives, 4T477
ZUI, H: Basic study on simultaneous identification of cable tension and flexual rigidity by extended Kalman filter (Japanese), 9A540
ZUKAS, JA: Structures under Extreme Loading Conditions - 1996, 4N7
- Ricochet of deforming projectiles from deforming plates, 1A245
ZUKOR, DJ: Analysis of cementless implants using interface nonlinear friction: Experimental and FE studies, 7A1559
ZUKOSKI, CF: Rheology of dense suspensions of platelike particles, 5A897
- Rheology of charge stabilized silica suspensions, 8A1007
- Viscoelastic properties of colloidal gels, 8A998
ZULAUF, M: Local instability in a periodically forced sliced cylinder, 5A1018
ZULUAGA, M: Nonlinear elliptic problem at resonance with a nonsimple eigenvalue, 1T1299
ZUMBERGE, M: Absolute method of vertical seismometer calibration by reference to a falling mass with application to the measurement of the gain, 12A1486
ZUMBRUNNEN, DA: ASME Proceedings of 31st National Heat Transfer Conference, Volume 1, 2N36
- Convective heat transfer enhancement due to gas injection into an impinging liquid jet, 11A1344
- Three-dimensional chaotic mixing of fluids in a cylindrical cavity, 11A1053
- Local convective heat transfer to submerged pulsating jets, 11A1270
ZUN, I: Structure of bubble non-equilibrium movement in free-rise and agitated-rise conditions, 1A1021
ZUNINO, P: Experimental investigation of stator induced unsteadiness on centrifugal impeller outflow, 11A1169
ZUO, HONGLIANG: Test research on aggregate's interlock behavior on cracked surface in concrete (Chinese), 6A751
ZUO, JIAN-ZHENG: Continuum damage model of low-cycle fatigue and fatigue damage analysis of welded joint, 2A635
ZUO, QH: Bounds and approximations for elastic wave speeds in cubic crystals, 12A233
ZUO, QIHUA: Influence of approach channel on wave propagation with varying incident angles, 4A960
ZUO, W: Genetic approach to adaptive control system design, 9A335
ZUO, YT: Structural power flow analysis for a floating raft isolation system consisting of constrained damped beams, 10A246
ZUO, ZJ: Heat transfer analysis of an inclined two-phase closed thermosyphon, 11T1370
ZUREICK, A: Practical considerations in 2D shape optimization of elastic continuum, 2A761
ZURLA, O: Performance evaluation of a new screw conveyor for metal swarf, 12A465

ZVOLINSKII, NV: Flow of a rigid-plastic medium around a cone, 5A413
ZVONAR, GA: Nonlinear control of a proof-mass actuator, 10A488
ZWERNEMAN, FJ: Load shedding effect on constant-ΔK testing, 2A720
- Sustained Mode I and Mode II fatigue crack growth in flat plates, 6A719
- Analysis of sustained mixed mode fatigue crack growth, 7A644
ZWICK, KJ: Oscillatory enchancement of the squeezing flow of yield stress fluids: A novel experimental result, 11A584
ZYCZKOWSKI, M: Pala's method for plastic bending with torsion, 12T609
ZYKOV, VS: Spiral waves on circular and spherical domains of excitable medium, 4A1282
ZYRIANOV, VB: Seismic attenuation in finely layered porous rocks: Effects of fluid flow and scattering, 7A1445
ZYSERMAN, JA: Comparisons between sediment transport models and observations made in wave and current flows above plane beds, 12T1059
ZYSSET, PK: Implicit projection algorithm for simultaneous flow of plasticity and damage in standard generalized materials, 3A485
- Three dimensional damage model for trabecular bone based on fabric tensors, 5A1474
ZYUZKOV, AD: Investigation of temperature fields developed at friction of material having regular surface topography, 2A863

ACCESS TO INFORMATION:

Applied Mechanics Reviews
INFOBASE OF JOURNAL LITERATURE ON CD-ROM

A top-quality solution to your needs in mechanical engineering research, this CD contains eight years' worth of abstracts from AMR's Journal Literature Section.

Find the latest journal articles published in your area of expertise within applied mechanics.

More than 1000 citations per month from 1989 through 1996

12,000 citations per year from over 450 international core journals

Approximately 100,000 citations at your fingertips, complete with author addresses, and classified by research area

With the user-friendly custom-designed query templates or Boolean commands, you can conduct your searches as quickly as possible.

Windows format

CD-ROM (issn:1088-8535) ..... $675 ($249.95, members)
AMR Journal (issn: 0003-6900) ..... $624 ($120.00, members)
CD-ROM & AMR Journal ..... $995 ($345.95, members)
($1299 if ordered separately, save $304); ($369.95, members save $24)

AMR Subscription Order Form Review Article Reprint Order Form

Subscription: AMR Journal
ASME members $120 $ ____
non-members $624 $ ____
Journal Postage outside USA or Canada $120, airmail $180 $____
AMR Journal Literature on CD-ROM
ASME members $249.95 $ ____
non-members $675.00 $ ____
AMR Journal & CD-ROM:
ASME members $345.95 $ ____
non-members $995.00 $ ____

AMR Reprint No:	*AMR Reprint title:*	
_____	_____	$ ____
_____	_____	$ ____
_____	_____	$ ____

CD/Reprint Postage and Handling, add 4% $ ____
TOTAL ORDER: $ ____

ASME member prices for reprints (50% of list) apply to the purchase of 1 copy of any reprint for the member's personal use with shipment to his or her personal attention. *Bulk reprint prices:* $215 for 100 copies of an article of up to 8 pages, plus $85 for each additional 4 pages (add $25 and $5, respectively, for each additional 100 copies). *Ordering information:* Advance payment required if billed outside USA or Canada. CA, GA, IL, TX purchasers must add sales tax, Canadians 7% GST, or furnish tax exemption certificate.

Send order to: **ASME/AMR**
PO Box 2900, Fairfield NJ 07007-2900
or FAX form to: 973-882-5155

ASME members, to receive discount you must indicate your membership no.:_____
ASME Member Name: _____
METHOD OF PAYMENT (check one):
[ ] Payment enclosed
[ ] Purchase Order No.:_____ (attach Purchase Order)
[ ] Charge card (circle one): Master Card VISA American Express Diners Club Discover
Account Number: _____
Mastercard Interbank No: _____ Exp Date:_____
Signature: _____
SHIP TO: Name:_____
Company:_____
Street address:_____
City, State, ZIP:_____
Country:_____